



Dependency-Check is an open source tool performing a best effort analysis of 3rd party dependencies; false positives and false negatives may exist in the analysis performed by the tool. Use of the tool and the reporting provided constitutes acceptance for use in an AS IS condition, and there are NO warranties, implied or otherwise, with regard to the analysis or its use. Any use of the tool and the reporting provided is at the user's risk. In no event shall the copyright holder or OWASP be held liable for any damages whatsoever arising out of or in connection with the use of this tool, the analysis performed, or the resulting report.

[How to read the report](#) | [Suppressing false positives](#) | [Getting Help: github issues](#)

 [Sponsor](#)

Project: project ':server'

clear-reports:server:24.10

Scan Information ([show all](#)):

- *dependency-check version*: 10.0.3
- *Report Generated On*: Thu, 19 Sep 2024 18:54:06 +0200
- *Dependencies Scanned*: 1525 (1375 unique)
- *Vulnerable Dependencies*: 1
- *Vulnerabilities Found*: 1
- *Vulnerabilities Suppressed*: 103 ([show](#))
- ...
- *NVD API Last Checked*: 2024-09-19T16:51:41Z
- *NVD API Last Modified*: 2024-09-18T11:15:10Z
- *NVD Cache Last Checked*: 2024-09-19T16:51:41Z
- *NVD Cache Last Modified*: 2024-09-18T11:15:10Z

Summary

Display: [Showing Vulnerable Dependencies \(click to show all\)](#)

Dependency	Vulnerability IDs	Package	Highest Se
BarcodePDF417Bean.jar			
Fositex.jar			
ICSharpCode.SharpZipLib.dll			
JBarcodeBean.jar			
JGaugeBean.jar			
LayoutJDBCdriver.jar			
Merlia-0.jar		pkg:maven/lib/Merlia@0	
Oranxo.jar			
ReportViewer.jar	cpe:2.3:a:inetsoftware:clear_reports:24.10.163:*****		

[cpe:2.3:a:inetsoftware:
i-net_clear_reports:
24.10.163:*****](#)

ReportViewerWinForms.csproj			
ReportViewerWinFormsTests.csproj			
Syto.jar			
ZxingBarCodes.jar			
adhoc.zip: adhoc.jar			
adhoc.zip: adhoc.jar: adhocmodule.js			
adhoc.zip: adhocClient.jar			
application.currenttime.zip: application.currenttime. sample.jar			
application.currenttime.zip: application.currenttime. sample.jar: sampleapplication.js			
application.embedded.zip: application.embedded. sample.jar			
application.embedded.zip: application.embedded. sample.jar: embeddedMode.js			
application.googleanalytics.zip: application. googleanalytics.sample.jar			
application.googleanalytics.zip: application. googleanalytics.sample.jar: googleanalytics.js			
application.googleanalytics.zip: application. googleanalytics.sample.jar: jquery.cookiebar.js			
application.helloworld.zip: application.helloworld. sample.jar			
authentication.ldap.zip: authentication.ldap.jar			
authentication.oauth.ex.zip: authentication.oauth.ex. sample.jar			
authentication.oauth.zip: authentication.oauth-javadoc. jar			
authentication.oauth.zip: authentication.oauth-javadoc. jar: jquery-3.6.1.min.js			
authentication.oauth.zip: authentication.oauth-javadoc. jar: jquery-ui.min.js		pkg:javascript /jquery-ui@1.13.1	
authentication.oauth.zip: authentication.oauth-javadoc. jar: member-search-index.js			
authentication.oauth.zip: authentication.oauth-javadoc. jar: module-search-index.js			
authentication.oauth.zip: authentication.oauth-javadoc. jar: package-search-index.js			
authentication.oauth.zip: authentication.oauth-javadoc. jar: script.js			
authentication.oauth.zip: authentication.oauth-javadoc.			

jar: search.js			
authentication.oauth.zip: authentication.oauth-javadoc.jar: tag-search-index.js			
authentication.oauth.zip: authentication.oauth-javadoc.jar: type-search-index.js			
authentication.oauth.zip: authentication.oauth.jar			
authentication.oauth.zip: jjwt-api.jar		pkg:maven/io.jsonwebtoken/jjwt-api@0.12.6	
authentication.oauth.zip: jjwt-impl.jar		pkg:maven/io.jsonwebtoken/jjwt-impl@0.12.6	
authentication.pam.zip: authentication.pam.jar			
authentication.passwordfile.zip: authentication.passwordfile.sample.jar			
authentication.product.zip: authentication.product.jar			
authentication.token.zip: authentication.token.jar			
authentication.token.zip: authentication.token.jar: tokenauthentication.js			
authentication.windows.zip: authentication.windows.jar			
authentication.windows.zip: caffeine.jar			
authentication.windows.zip: jna-platform.jar			
authentication.windows.zip: waffle-jna.jar		pkg:maven/com.github.waffle/waffle-jna@3.4.0	
collation.zip: collation.sample.jar			
commons-logging.jar		pkg:maven/commons-logging/commons-logging@1.3.3	
configuration.automaticconfigrestore.zip: configuration.automaticconfigrestore.sample.jar			
configuration.zip: configuration.jar			
configuration.zip: configuration.jar: authentication.js			
configuration.zip: configuration.jar: boolean.directive.js			
configuration.zip: configuration.jar: booleanButton.directive.js			
configuration.zip: configuration.jar: colorInput.directive.js			
configuration.zip: configuration.jar: controller.js			
configuration.zip: configuration.jar: datafactory.js			
configuration.zip: configuration.jar: fileUploadRenderer.directive.js			
configuration.zip: configuration.jar:			

filesystemInputButton.directive.js			
configuration.zip: configuration.jar: filesystemInputDirectory.directive.js			
configuration.zip: configuration.jar: filesystemInputFile.directive.js			
configuration.zip: configuration.jar: iconDropRenderer.directive.js			
configuration.zip: configuration.jar: inlinerenderer.directive.js			
configuration.zip: configuration.jar: keyLabelText.directive.js			
configuration.zip: configuration.jar: labelLink.directive.js			
configuration.zip: configuration.jar: labelText.directive.js			
configuration.zip: configuration.jar: licensekey.js			
configuration.zip: configuration.jar: list.js			
configuration.zip: configuration.jar: logopreview.js			
configuration.zip: configuration.jar: multiLineText.directive.js			
configuration.zip: configuration.jar: multiLingualTextRenderer.directive.js			
configuration.zip: configuration.jar: passwordText.directive.js			
configuration.zip: configuration.jar: reloadSelectInputsTrigger.directive.js			
configuration.zip: configuration.jar: renderer.directive.js			
configuration.zip: configuration.jar: repository.js			
configuration.zip: configuration.jar: selectEditText.directive.js			
configuration.zip: configuration.jar: selectFilteredText.directive.js			
configuration.zip: configuration.jar: selectLanguageChooserRenderer.directive.js			
configuration.zip: configuration.jar: selectSimpleText.directive.js			
configuration.zip: configuration.jar: simpleDate.directive.js			
configuration.zip: configuration.jar: simpleSlider.directive.js			
configuration.zip: configuration.jar: simpleText.directive.js			
configuration.zip: configuration.jar: table.js			
configuration.zip: configuration.jar: tree.js			
configuration.zip: configuration.jar:			

userandgroupselect.js			
core.jar		pkg:maven/com.google.zxing/core@3.5.3	
crsetupwizard.zip: crsetupwizard.jar			
customformulas.zip: customformulas.sample.jar			
datasource.cassandra.zip: config.jar			
datasource.cassandra.zip: datasource.cassandra.jar			
datasource.cassandra.zip: java-driver-core.jar	cpe:2.3:a:apache:cassandra:4.17.0:*:*:*:*:*:*:*	pkg:maven/com.datastax.oss/java-driver-core@4.17.0	
datasource.cassandra.zip: java-driver-shaded-guava.jar	cpe:2.3:a:apache:cassandra:25.1:*:*:*:*:*:*	pkg:maven/com.datastax.oss/java-driver-shaded-guava@25.1-jre-graal-sub-1	
datasource.cassandra.zip: native-protocol.jar		pkg:maven/com.datastax.oss/native-protocol@1.5.1	
datasource.cassandra.zip: netty-common.jar (shaded: org.jctools:jctools-core:4.0.5)		pkg:maven/org.jctools/jctools-core@4.0.5	
datasource.cassandra.zip: netty-transport.jar	cpe:2.3:a:netty:netty:4.1.111:*:*:*:*:*	pkg:maven/io.netty/netty-transport@4.1.111.Final	
datasource.mongodb.zip: datasource.mongodb.jar			
datasource.mongodb.zip: mongo-java-driver.jar	cpe:2.3:a:mongodb:java_driver:3.12.14:*:*:*:*		
datasource.zip: datasource.jar			
datasource.zip: datasource.jar: datasources-edit-controller.js			
datasource.zip: datasource.jar: datasources-main-controller.js			
datasource.zip: datasource.jar: factory.js			
datasource.zip: datasource.jar: model.js			
datasource.zip: datasource.jar: renderer-permissions.js			
datasource.zip: datasource.jar: renderer.js			
decoder.docx.zip: DocxParser.jar			
decoder.docx.zip: EmfParser.jar			
decoder.docx.zip: SparseBitSet.jar	cpe:2.3:a:bit_project:bit:1.3:*:*:*:*:*	pkg:maven/com.zaxxer/SparseBitSet@1.3	
decoder.docx.zip: commons-codec.jar		pkg:maven/commons-codec/commons-	

[codec@1.17.1](#)

decoder.docx.zip: commons-collections4.jar	cpe:2.3:a:apache:commons_collections:4.4.*.*.*.*.*	pkg:maven/org.apache.commons/commons-collections4@4.4	
decoder.docx.zip: commons-compress.jar	cpe:2.3:a:apache:commons_compress:1.26.2.*.*.*.*.*	pkg:maven/org.apache.commons/commons-compress@1.26.2	
decoder.docx.zip: commons-io.jar	cpe:2.3:a:apache:commons_io:2.16.1.*.*.*.*.*	pkg:maven/commons-io/commons-io@2.16.1	
decoder.docx.zip: commons-math3.jar		pkg:maven/org.apache.commons/commons-math3@3.6.1	
decoder.docx.zip: curvesapi.jar		pkg:maven/com.github.virtuald/curvesapi@1.08	
decoder.docx.zip: decoder.docx.jar			
decoder.docx.zip: log4j-api.jar	cpe:2.3:a:apache:log4j:2.23.1.*.*.*.*.*	pkg:maven/org.apache.logging.log4j/log4j-api@2.23.1	
decoder.docx.zip: poi.jar	cpe:2.3:a:apache:poi:5.2.3.*.*.*.*.*		
decoder.docx.zip: xmlbeans.jar	cpe:2.3:a:apache:xmlbeans:5.2.1.*.*.*.*.*	pkg:maven/org.apache.xmlbeans/xmlbeans@5.2.1	
decoder.svg.zip: batik-anim-inet_patched.jar			
decoder.svg.zip: batik-awt-util-inet_patched.jar			
decoder.svg.zip: batik-bridge-inet_patched.jar			
decoder.svg.zip: batik-codec-inet_patched.jar			
decoder.svg.zip: batik-constants-inet_patched.jar			
decoder.svg.zip: batik-css-inet_patched.jar			
decoder.svg.zip: batik-dom-inet_patched.jar			
decoder.svg.zip: batik-ext-inet_patched.jar			
decoder.svg.zip: batik-extension-inet_patched.jar			
decoder.svg.zip: batik-gui-util-inet_patched.jar			
decoder.svg.zip: batik-gvt-inet_patched.jar			
decoder.svg.zip: batik-i18n-inet_patched.jar	cpe:2.3:a:inet:inet:18.*.*.*.*.*		
decoder.svg.zip: batik-parser-inet_patched.jar			
decoder.svg.zip: batik-script-inet_patched.jar			

decoder.svg.zip: batik-slideshow-inet_patched.jar			
decoder.svg.zip: batik-svg-dom-inet_patched.jar			
decoder.svg.zip: batik-svggen-inet_patched.jar			
decoder.svg.zip: batik-svgpp-inet_patched.jar			
decoder.svg.zip: batik-swing-inet_patched.jar			
decoder.svg.zip: batik-transcoder-inet_patched.jar			
decoder.svg.zip: batik-ttf2svg-inet_patched.jar	cpe:2.3:a:inet:inet:2.*.*.*.*.*.*.*.*.*.*		
decoder.svg.zip: batik-util-inet_patched.jar			
decoder.svg.zip: batik-xml-inet_patched.jar			
decoder.svg.zip: decoder.svg.jar			
decoder.svg.zip: jsvg.jar			
decoder.svg.zip: xml-apis-ext.jar			
decoder.svg.zip: xmlgraphics-commons.jar	cpe:2.3:a:apache:xmlgraphics_commons:2.7.*.*.*.*.*.*.*.*.*.*		
designer.zip: JnlpDesigner.jar			
designer.zip: SBSTutorial.jar			
designer.zip: TableLayout.jar			
designer.zip: adhoc.jar			
designer.zip: adhocClient.jar			
designer.zip: designer.jar			
designer.zip: designer.jar: app.js			
designer.zip: designer.jar: opendesignerextension.js			
designer.zip: designer.jar: remotedesigner.js			
designer.zip: inetswingcore.jar			
diagnostics.reporting.zip: diagnostics.reporting.jar			
diagnostics.reporting.zip: diagnostics.reporting.jar: connectionPool.js			
diagnostics.reporting.zip: diagnostics.reporting.jar: reportcache.js			
diagnostics.reporting.zip: diagnostics.reporting.jar: server-datasource.js			
diagnostics.zip: diagnostics.jar			
diagnostics.zip: diagnostics.jar: MemoryPieChart.js			
diagnostics.zip: diagnostics.jar: MemoryUsageChart.js			
diagnostics.zip: diagnostics.jar: WebServerErrorChart.js			
diagnostics.zip: diagnostics.jar: benchmarkCtrl.js			

diagnostics.zip: diagnostics.jar: client-server.js			
diagnostics.zip: diagnostics.jar: controller.js			
diagnostics.zip: diagnostics.jar: cpu.js			
diagnostics.zip: diagnostics.jar: cpuspeed.js			
diagnostics.zip: diagnostics.jar: directives.js			
diagnostics.zip: diagnostics.jar: errorHistoryChart.js			
diagnostics.zip: diagnostics.jar: flotr2.min.js			
diagnostics.zip: diagnostics.jar: global.js			
diagnostics.zip: diagnostics.jar: hddisk.js			
diagnostics.zip: diagnostics.jar: heapdumpCtrl.js			
diagnostics.zip: diagnostics.jar: informationCtrl.js			
diagnostics.zip: diagnostics.jar: intArrayUtils.js			
diagnostics.zip: diagnostics.jar: iospeed.js			
diagnostics.zip: diagnostics.jar: jobs.js			
diagnostics.zip: diagnostics.jar: logging.js			
diagnostics.zip: diagnostics.jar: memory.js			
diagnostics.zip: diagnostics.jar: overviewCtrl.js			
diagnostics.zip: diagnostics.jar: pde.diagnostics.js			
diagnostics.zip: diagnostics.jar: timeformat.js			
docfx.js			
docfx.vendor.js		pkg:javascript/bootstrap@3.4.1	
drive.zip: drive.jar			
drive.zip: drive.jar: actions.js			
drive.zip: drive.jar: actions.service.js			
drive.zip: drive.jar: contentextension.js			
drive.zip: drive.jar: controller.js			
drive.zip: drive.jar: drivecleanup.js			
drive.zip: drive.jar: drivecontroller.js			
drive.zip: drive.jar: drivefactory.js			
drive.zip: drive.jar: drivemodel.js			
drive.zip: drive.jar: dropzone.directive.js			
drive.zip: drive.jar: entryactions.directive.js			
drive.zip: drive.jar: folderlist.directive.js			
drive.zip: drive.jar: linkdialog.js			
drive.zip: drive.jar: locationchooser.js			

drive.zip: drive.jar: mountdialog.js			
drive.zip: drive.jar: permissionsextension.js			
drive.zip: drive.jar: progress.service.js			
drive.zip: drive.jar: progresspanel.directive.js			
drive.zip: drive.jar: resolve.service.js			
drive.zip: drive.jar: responsivetoolbar.directive.js			
drive.zip: drive.jar: selectedextension.js			
drive.zip: drive.jar: thumbnailextension.js			
drive.zip: drive.jar: toolbaraction.directive.js			
drive.zip: drive.jar: unzipextension.js			
drive.zip: drive.jar: zipextension.js			
embeddedMode.js			
enginefactory.zip: enginefactory.sample.jar			
errorhandler.zip: errorhandler.jar			
exceljconnect.jar			
extension.js			
extension.js			
facturx.zip: Saxon-HE.jar			
facturx.zip: facturx.jar			
facturx.zip: istack-commons-runtime.jar		pkg:maven/com.sun.istack/istack-commons-runtime@4.2.0	
facturx.zip: jakarta.activation-api.jar		pkg:maven/jakarta.activation/jakarta.activation-api@2.1.2	
facturx.zip: jakarta.xml.bind-api.jar		pkg:maven/jakarta.xml.bind/jakarta.xml.bind-api@4.0.2	
facturx.zip: jaxb-core.jar	cpe:2.3:a:eclipse:glassfish:4.0.5:*:*:*:*:*.*	pkg:maven/org.glassfish.jaxb/jaxb-core@4.0.5	
facturx.zip: ph-collection.jar		pkg:maven/com.helger.commons/ph-collection@11.1.6	
facturx.zip: ph-commons.jar		pkg:maven/com.helger.commons/ph-commons@11.1.6	
facturx.zip: ph-jaxb.jar		pkg:maven/com.helger.commons/ph-jaxb@11.1.6	

facturx.zip: ph-schematron-api.jar		pkg:maven/com.helger.schematron/ph-schematron-api@8.0.1	
facturx.zip: ph-schematron-pure.jar		pkg:maven/com.helger.schematron/ph-schematron-pure@8.0.1	
facturx.zip: ph-schematron-schxslt.jar		pkg:maven/com.helger.schematron/ph-schematron-schxslt@8.0.1	
facturx.zip: ph-schematron-validator.jar		pkg:maven/com.helger.schematron/ph-schematron-validator@8.0.1	
facturx.zip: ph-schematron-xslt.jar		pkg:maven/com.helger.schematron/ph-schematron-xslt@8.0.1	
facturx.zip: ph-xml.jar		pkg:maven/com.helger.commons/ph-xml@11.1.6	
facturx.zip: ph-xsds-xml.jar		pkg:maven/com.helger.xsd/ph-xsds-xml@3.0.0	
facturx.zip: txw2.jar	cpe:2.3:a:eclipse:glassfish:4.0.5:****:*.*.*	pkg:maven/org.glassfish.jaxb/txw2@4.0.5	
facturx.zip: xmlresolver.jar			
googleanalytics.js			
hamcrest-2.2.jar		pkg:maven/org.hamcrest/hamcrest@2.2	
help.zip: commons-beanutils.jar	cpe:2.3:a:apache:commons_beanutils:1.9.4:****:*.*.*	pkg:maven/commons-beanutils/commons-beanutils@1.9.4	
help.zip: commons-digester3.jar		pkg:maven/org.apache.commons/commons-digester3@3.2	
help.zip: help.jar			
help.zip: help.jar: app.js			
help.zip: help.jar: controller.js			
help.zip: help.jar: shared.factory.js			
help.zip: help.jar: shared.highlighter.js			
help.zip: jsoup.jar	cpe:2.3:a:jsoup:jsoup:1.16.2:****:*.*.*	pkg:maven/org.jsoup/jsoup@1.16.2	

htmlengine.zip: JWebEngine.jar			
htmlengine.zip: htmlengine.jar			
htmlviewer.printpdf.zip: htmlviewer.printpdf.sample.jar			
htmlviewer.printpdf.zip: htmlviewer.printpdf.sample.jar: extension.js			
htmlviewer.toolbar.zip: htmlviewer.toolbar.jar			
htmlviewer.toolbar.zip: htmlviewer.toolbar.jar: htmlviewer.angular.js			
htmlviewerextension.zip: htmlviewerextension.sample.jar			
htmlviewerextension.zip: htmlviewerextension.sample.jar: extension.js			
inetcore-24.10-tools.jar		pkg:maven/shared/inetcore@24.10	
inetcore-24.10.jar (shaded: com.inet.shared:inetcore:null)			
inetcore-24.10.jar		pkg:maven/shared/inetcore@24.10	
inetloggeradapter.jar			
inetsoftware.Reporting.dll			
inetsoftware.Reporting.dll			
jakarta.servlet-api.jar	cpe:2.3:a:oracle:projects:4.0.4:****:*:*	pkg:maven/jakarta.servlet/jakarta.servlet-api@4.0.4	
jakarta.websocket-api.jar		pkg:maven/jakarta.websocket/jakarta.websocket-api@1.1.2	
java-21-jre-x64-linux.tar.gz: java-21-jre-x64-linux.tar: jrt-fs.jar	cpe:2.3:a:eclipse:platform:21.0.3:****:*:*		
javase.jar		pkg:maven/com.google.zxing/javase@3.5.3	
jeuclid-core.jar		pkg:maven/net.sourceforge.jeuclid/jeuclid-core@3.0.3	
jlessc-1.12.jar		pkg:maven/de.inetsoftware/jlessc@1.12	
jna.jar	cpe:2.3:a:oracle:java_se:5.14.0:****:*:*		
jna.jar: jnidispatch.dll			
jna.jar: jnidispatch.dll			
jna.jar: jnidispatch.dll			

jpeg2000.zip: asm.jar			
jpeg2000.zip: concrt140.dll			
jpeg2000.zip: imageio-openjpeg.jar		pkg:maven/de.digitalcollections.imageio/imageio-openjpeg@0.6.8	
jpeg2000.zip: jffi-native.jar			
jpeg2000.zip: jffi-native.jar: jffi-1.2.dll			
jpeg2000.zip: jffi-native.jar: jffi-1.2.dll			
jpeg2000.zip: jffi-native.jar: jffi-1.2.dll			
jpeg2000.zip: jffi.jar		pkg:maven/com.github.jnr/jffi@1.3.13	
jpeg2000.zip: jnr-ffi.jar		pkg:maven/com.github.jnr/jnr-ffi@2.2.16	
jpeg2000.zip: jpeg2000.jar			
jpeg2000.zip: msvcp140.dll			
jpeg2000.zip: msvcp140_1.dll			
jpeg2000.zip: msvcp140_2.dll			
jpeg2000.zip: msvcp140_atomic_wait.dll			
jpeg2000.zip: msvcp140_codecvt_ids.dll	cpe:2.3:a:ids:ids:140:*:*:*:*:*		
jpeg2000.zip: openjp2.dll			
jpeg2000.zip: vcruntime140.dll			
jpeg2000.zip: vcruntime140_1.dll			
jquery.cookiebar.js			
junit-4.13.2.jar	cpe:2.3:a:junit:junit4:4.13.2:*:*:*:*:*	pkg:maven/junit/junit@4.13.2	
junit-jupiter-5.10.3.jar		pkg:maven/org.junit.jupiter/junit-jupiter@5.10.3	
junit-jupiter-api-5.10.3.jar		pkg:maven/org.junit.jupiter/junit-jupiter-api@5.10.3	
junit-jupiter-engine-5.10.3.jar		pkg:maven/org.junit.jupiter/junit-jupiter-engine@5.10.3	
junit-jupiter-params-5.10.3.jar		pkg:maven/org.junit.jupiter/junit-jupiter-params@5.10.3	
junit-platform-commons-1.10.3.jar		pkg:maven/org.junit.platform/junit-platform-commons@1.10.3	

junit-platform-engine-1.10.3.jar		pkg:maven/org.junit.platform/junit-platform-engine@1.10.3	
junit-platform-launcher-1.10.3.jar		pkg:maven/org.junit.platform/junit-platform-launcher@1.10.3	
junit-platform-suite-1.10.3.jar		pkg:maven/org.junit.platform/junit-platform-suite@1.10.3	
junit-platform-suite-api-1.10.3.jar		pkg:maven/org.junit.platform/junit-platform-suite-api@1.10.3	
junit-platform-suite-commons-1.10.3.jar		pkg:maven/org.junit.platform/junit-platform-suite-commons@1.10.3	
junit-platform-suite-engine-1.10.3.jar		pkg:maven/org.junit.platform/junit-platform-suite-engine@1.10.3	
junit-vintage-engine-5.10.3.jar		pkg:maven/org.junit.vintage/junit-vintage-engine@5.10.3	
lang-css.js			
linenumber.js			
lunr.js			
lunr.min.js			
mail.zip: bc-fips.jar			
mail.zip: bcmail-fips.jar			
mail.zip: bcpq-fips.jar	cpe:2.3:a:openpgp:openpgp:1.0.7.1:****.*.*.*		
mail.zip: bcpkix-fips.jar			
mail.zip: jakarta.activation.jar		pkg:maven/com.sun.activation/jakarta.activation@1.2.2	
mail.zip: jakarta.mail.jar		pkg:maven/com.sun.mail/jakarta.mail@1.6.7	
mail.zip: mail.jar			
mail.zip: mail.jar: smimeconfig.js			
main.js			
maintenance.reporting.zip: maintenance.reporting.jar			

maintenance.zip: maintenance-javadoc.jar			
maintenance.zip: maintenance-javadoc.jar: member-search-index.js			
maintenance.zip: maintenance-javadoc.jar: package-search-index.js			
maintenance.zip: maintenance-javadoc.jar: tag-search-index.js			
maintenance.zip: maintenance-javadoc.jar: type-search-index.js			
maintenance.zip: maintenance.jar			
maintenance.zip: maintenance.jar: controller.js			
maintenance.zip: maintenance.jar: controller.js			
maintenance.zip: maintenance.jar: controller.js			
maintenance.zip: maintenance.jar: controller.js			
maintenance.zip: maintenance.jar: controller.js			
maintenance.zip: maintenance.jar: filechooser.js			
maintenance.zip: maintenance.jar: multieditusers.js			
mariadb-java-client.jar		pkg:maven/org.mariadb.jdbc/mariadb-java-client@3.4.1	
mysql-connector-j.jar	cpe:2.3:a:mysql:mysql:8.2.0:*.***.*.* cpe:2.3:a:oracle:connectorVj:8.2.0:*.***.*.* cpe:2.3:a:oracle:jdbc:8.2.0:*.***.*.* cpe:2.3:a:oracle:mysql_connectorVj:8.2.0:*.***.*.* cpe:2.3:a:oracle:mysql_connectors:8.2.0:*.***.*.*		
notification.zip: notification.jar			
notification.zip: notification.jar: notification.js			
notification.zip: notification.jar: notification_config.js			
notification.zip: notification.jar: notification_taskplanner.js			
notification.zip: notification.jar: targetrenderer.js			
odbc.jar			
opentest4j-1.3.0.jar		pkg:maven/org.opentest4j/opentest4j@1.3.0	
parser.pdf.zip: PDFParser.jar			
parser.pdf.zip: jbig2.jar			

parser.pdf.zip: parser.pdf.jar			
pdfviewer.zip: pdfjs-dist.jar		pkg:maven/org.webjars.npm/pdfjs-dist@4.4.168	
pdfviewer.zip: pdfjs-dist.jar: package.json			
pdfviewer.zip: pdfviewer.jar			
pdfviewer.zip: pdfviewer.jar: drive.js			
pdfviewer.zip: pdfviewer.jar: pdfviewer.angular.js			
pdfviewer.zip: pdfviewer.jar: pdfviewer.factory.js			
pdfviewer.zip: pdfviewer.jar: pdfviewer.model.js			
pdfviewer.zip: pdfviewer.jar: pdfviewer.renderer.js			
persistence.jar			
pluginstore.client.zip: pluginstore.client.jar			
pluginstore.client.zip: pluginstore.client.jar: controller.js			
pluginstore.client.zip: pluginstore.client.jar: pluginstorehelpcontroller.js			
pluginstore.client.zip: pluginstore.client.jar: publicstoreconfig.js			
pluginstore.client.zip: pluginstore.client.jar: storecontroller.js			
pluginstore.client.zip: pluginstore.client.jar: storedirectives.js			
pluginstore.client.zip: pluginstore.client.jar: storemodel.js			
postgresql.jar	cpe:2.3:a:postgresql:postgresql:42.7.3:*:*:*:*:* cpe:2.3:a:postgresql:postgresql_jdbc_driver:42.7.3:*:*:*:*:*		
prettify.js			
processbridge.reporting.zip: processbridge.reporting.jar			
processbridge.zip: processbridge.jar			
promptdialog.zip: promptdialog.jar			
promptdialog.zip: promptdialog.jar: promptcontroller.js			
promptdialog.zip: promptdialog.jar: promptcustomrenderer.js			
promptdialog.zip: promptdialog.jar: promptfactory.js			
promptdialog.zip: promptdialog.jar: promptpanel.js			
promptdialog.zip: promptdialog.jar: promptrenderer.js			
propertieschecker.zip: propertieschecker.sample.jar			

remotegui.zip: Echo2-FileTransfer_App.jar	cpe:2.3:a:file-transfer:file_transfer:2.*.*.*.*.*.* * -		
remotegui.zip: Echo2-FileTransfer_WebContainer.jar	cpe:2.3:a:file-transfer:file_transfer:2.*.*.*.*.*.* * - cpe:2.3:a:web_project:web:2.*.*.*.*.*.*		
remotegui.zip: Echo2-FileTransfer_WebContainer.jar: Download.js			
remotegui.zip: Echo2-FileTransfer_WebContainer.jar: Upload.js			
remotegui.zip: angular-animate.jar		pkg:maven/org.webjars.npm/angular-animate@1.8.3	
remotegui.zip: angular-animate.jar: angular-animate.js		pkg:javascript/angularjs@1.8.3	
remotegui.zip: angular-animate.jar: angular-animate.min.js		pkg:javascript/angularjs@1.8.3	
remotegui.zip: angular-animate.jar: index.js			
remotegui.zip: angular-animate.jar: package.json			
remotegui.zip: angular-cookies.jar		pkg:maven/org.webjars.npm/angular-cookies@1.8.3	
remotegui.zip: angular-cookies.jar: angular-cookies.js		pkg:javascript/angularjs@1.8.3	
remotegui.zip: angular-cookies.jar: angular-cookies.min.js		pkg:javascript/angularjs@1.8.3	
remotegui.zip: angular-cookies.jar: index.js			
remotegui.zip: angular-cookies.jar: package.json			
remotegui.zip: angular-sanitize.jar		pkg:maven/org.webjars.npm/angular-sanitize@1.8.3	
remotegui.zip: angular-sanitize.jar: angular-sanitize.js		pkg:javascript/angularjs@1.8.3	
remotegui.zip: angular-sanitize.jar: angular-sanitize.min.js		pkg:javascript/angularjs@1.8.3	
remotegui.zip: angular-sanitize.jar: index.js			
remotegui.zip: angular-sanitize.jar: package.json			
remotegui.zip: angular.jar		pkg:maven/org.webjars.npm/angular@1.8.3	
remotegui.zip: angular.jar: angular.js		pkg:javascript/angularjs@1.8.3	
remotegui.zip: angular.jar: angular.min.js		pkg:javascript	

		/angularjs@1.8.3	
remotegui.zip: angular.jar: index.js			
remotegui.zip: angular.jar: package.json			
remotegui.zip: bootstrap.jar		pkg:javascript /bootstrap@3.4.1 pkg:maven/org. webjars /bootstrap@3.4.1	
remotegui.zip: bootstrap.jar: affix.js			
remotegui.zip: bootstrap.jar: alert.js			
remotegui.zip: bootstrap.jar: button.js			
remotegui.zip: bootstrap.jar: carousel.js			
remotegui.zip: bootstrap.jar: collapse.js			
remotegui.zip: bootstrap.jar: dropdown.js			
remotegui.zip: bootstrap.jar: modal.js			
remotegui.zip: bootstrap.jar: npm.js			
remotegui.zip: bootstrap.jar: popover.js			
remotegui.zip: bootstrap.jar: scrollspy.js			
remotegui.zip: bootstrap.jar: tab.js			
remotegui.zip: bootstrap.jar: tooltip.js			
remotegui.zip: bootstrap.jar: transition.js			
remotegui.zip: bootstrap.jar: webjars-requirejs.js			
remotegui.zip: codemirror.jar	cpe:2.3:a:codemirror: codemirror:6.65.7:*.~.*: *.~.*~*	pkg:maven/org. webjars.npm /codemirror@6.65.7	
remotegui.zip: codemirror.jar: CodeMirror.js			
remotegui.zip: codemirror.jar: ContentEditableInput.js			
remotegui.zip: codemirror.jar: Display.js			
remotegui.zip: codemirror.jar: Doc.js			
remotegui.zip: codemirror.jar: StringStream.js			
remotegui.zip: codemirror.jar: TextareaInput.js			
remotegui.zip: codemirror.jar: active-line.js			
remotegui.zip: codemirror.jar: annotatescrollbar.js			
remotegui.zip: codemirror.jar: anyword-hint.js			
remotegui.zip: codemirror.jar: apl.js			
remotegui.zip: codemirror.jar: asciarmor.js			
remotegui.zip: codemirror.jar: asn.1.js			
remotegui.zip: codemirror.jar: asterisk.js			

remotegui.zip: codemirror.jar: autorefresh.js			
remotegui.zip: codemirror.jar: bidi.js			
remotegui.zip: codemirror.jar: brace-fold.js			
remotegui.zip: codemirror.jar: brainfuck.js			
remotegui.zip: codemirror.jar: browser.js			
remotegui.zip: codemirror.jar: change_measurement.js			
remotegui.zip: codemirror.jar: changes.js			
remotegui.zip: codemirror.jar: chunk.js			
remotegui.zip: codemirror.jar: clike.js			
remotegui.zip: codemirror.jar: clojure.js			
remotegui.zip: codemirror.jar: closebrackets.js			
remotegui.zip: codemirror.jar: closetag.js			
remotegui.zip: codemirror.jar: cmake.js			
remotegui.zip: codemirror.jar: cobol.js			
remotegui.zip: codemirror.jar: codemirror-standalone.js			
remotegui.zip: codemirror.jar: codemirror.js			
remotegui.zip: codemirror.jar: codemirror.js			
remotegui.zip: codemirror.jar: codemirror.node.js			
remotegui.zip: codemirror.jar: coffeescript-lint.js			
remotegui.zip: codemirror.jar: coffeescript.js			
remotegui.zip: codemirror.jar: colorize.js			
remotegui.zip: codemirror.jar: commands.js			
remotegui.zip: codemirror.jar: comment-fold.js			
remotegui.zip: codemirror.jar: comment.js			
remotegui.zip: codemirror.jar: commonlisp.js			
remotegui.zip: codemirror.jar: continuecomment.js			
remotegui.zip: codemirror.jar: continuelist.js			
remotegui.zip: codemirror.jar: crystal.js			
remotegui.zip: codemirror.jar: css-hint.js			
remotegui.zip: codemirror.jar: css-lint.js			
remotegui.zip: codemirror.jar: css.js			
remotegui.zip: codemirror.jar: cypher.js			
remotegui.zip: codemirror.jar: d.js			
remotegui.zip: codemirror.jar: dart.js			
remotegui.zip: codemirror.jar: deleteNearSelection.js			

[remotegui.zip: codemirror.jar: dialog.js](#)

[remotegui.zip: codemirror.jar: diff.js](#)

[remotegui.zip: codemirror.jar: django.js](#)

[remotegui.zip: codemirror.jar: dockerfile.js](#)

[remotegui.zip: codemirror.jar: document_data.js](#)

[remotegui.zip: codemirror.jar: dom.js](#)

[remotegui.zip: codemirror.jar: drop_events.js](#)

[remotegui.zip: codemirror.jar: dtd.js](#)

[remotegui.zip: codemirror.jar: dylan.js](#)

[remotegui.zip: codemirror.jar: ebnf.js](#)

[remotegui.zip: codemirror.jar: ecl.js](#)

[remotegui.zip: codemirror.jar: eiffel.js](#)

[remotegui.zip: codemirror.jar: elm.js](#)

[remotegui.zip: codemirror.jar: emacs.js](#)

[remotegui.zip: codemirror.jar: erlang.js](#)

[remotegui.zip: codemirror.jar: event.js](#)

[remotegui.zip: codemirror.jar: factor.js](#)

[remotegui.zip: codemirror.jar: fcl.js](#)

[remotegui.zip: codemirror.jar: feature_detection.js](#)

[remotegui.zip: codemirror.jar: focus.js](#)

[remotegui.zip: codemirror.jar: foldcode.js](#)

[remotegui.zip: codemirror.jar: foldgutter.js](#)

[remotegui.zip: codemirror.jar: forth.js](#)

[remotegui.zip: codemirror.jar: fortran.js](#)

[remotegui.zip: codemirror.jar: fromTextArea.js](#)

[remotegui.zip: codemirror.jar: fullscreen.js](#)

[remotegui.zip: codemirror.jar: gas.js](#)

[remotegui.zip: codemirror.jar: gfm.js](#)

[remotegui.zip: codemirror.jar: gherkin.js](#)

[remotegui.zip: codemirror.jar: global_events.js](#)

[remotegui.zip: codemirror.jar: go.js](#)

[remotegui.zip: codemirror.jar: groovy.js](#)

[remotegui.zip: codemirror.jar: gutters.js](#)

[remotegui.zip: codemirror.jar: haml.js](#)

[remotegui.zip: codemirror.jar: handlebars.js](#)

remotegui.zip: codemirror.jar: hardwrap.js			
remotegui.zip: codemirror.jar: haskell-literate.js			
remotegui.zip: codemirror.jar: haskell.js			
remotegui.zip: codemirror.jar: haxe.js			
remotegui.zip: codemirror.jar: highlight.js			
remotegui.zip: codemirror.jar: highlight_worker.js			
remotegui.zip: codemirror.jar: history.js			
remotegui.zip: codemirror.jar: html-hint.js			
remotegui.zip: codemirror.jar: html-lint.js			
remotegui.zip: codemirror.jar: htmlembdedded.js			
remotegui.zip: codemirror.jar: htmlmixed.js			
remotegui.zip: codemirror.jar: http.js			
remotegui.zip: codemirror.jar: idl.js			
remotegui.zip: codemirror.jar: indent-fold.js			
remotegui.zip: codemirror.jar: indent.js			
remotegui.zip: codemirror.jar: input.js			
remotegui.zip: codemirror.jar: javascript-hint.js			
remotegui.zip: codemirror.jar: javascript-lint.js			
remotegui.zip: codemirror.jar: javascript.js			
remotegui.zip: codemirror.jar: jinja2.js			
remotegui.zip: codemirror.jar: json-lint.js			
remotegui.zip: codemirror.jar: jsx.js			
remotegui.zip: codemirror.jar: julia.js			
remotegui.zip: codemirror.jar: jump-to-line.js			
remotegui.zip: codemirror.jar: key_events.js			
remotegui.zip: codemirror.jar: keymap.js			
remotegui.zip: codemirror.jar: keynames.js			
remotegui.zip: codemirror.jar: legacy.js			
remotegui.zip: codemirror.jar: line_data.js			
remotegui.zip: codemirror.jar: line_numbers.js			
remotegui.zip: codemirror.jar: line_widget.js			
remotegui.zip: codemirror.jar: lint.js			
remotegui.zip: codemirror.jar: livescript.js			
remotegui.zip: codemirror.jar: loadmode.js			
remotegui.zip: codemirror.jar: lua.js			

[remotegui.zip: codemirror.jar: main.js](#)

[remotegui.zip: codemirror.jar: mark-selection.js](#)

[remotegui.zip: codemirror.jar: mark_text.js](#)

[remotegui.zip: codemirror.jar: markdown-fold.js](#)

[remotegui.zip: codemirror.jar: markdown.js](#)

[remotegui.zip: codemirror.jar: match-highlighter.js](#)

[remotegui.zip: codemirror.jar: matchbrackets.js](#)

[remotegui.zip: codemirror.jar: matchesonscrollbar.js](#)

[remotegui.zip: codemirror.jar: matchtags.js](#)

[remotegui.zip: codemirror.jar: mathematica.js](#)

[remotegui.zip: codemirror.jar: mbox.js](#)

[remotegui.zip: codemirror.jar: merge.js](#)

[remotegui.zip: codemirror.jar: meta.js](#)

[remotegui.zip: codemirror.jar: methods.js](#)

[remotegui.zip: codemirror.jar: mirc.js](#)

[remotegui.zip: codemirror.jar: misc.js](#)

[remotegui.zip: codemirror.jar: mllike.js](#)

[remotegui.zip: codemirror.jar: mode_state.js](#)

[remotegui.zip: codemirror.jar: modelica.js](#)

[remotegui.zip: codemirror.jar: modes.js](#)

[remotegui.zip: codemirror.jar: mouse_events.js](#)

[remotegui.zip: codemirror.jar: movement.js](#)

[remotegui.zip: codemirror.jar: mscgen.js](#)

[remotegui.zip: codemirror.jar: multiplex.js](#)

[remotegui.zip: codemirror.jar: multiplex_test.js](#)

[remotegui.zip: codemirror.jar: mumps.js](#)

[remotegui.zip: codemirror.jar: nginx.js](#)

[remotegui.zip: codemirror.jar: nsis.js](#)

[remotegui.zip: codemirror.jar: ntriples.js](#)

[remotegui.zip: codemirror.jar: octave.js](#)

[remotegui.zip: codemirror.jar: operation_group.js](#)

[remotegui.zip: codemirror.jar: operations.js](#)

[remotegui.zip: codemirror.jar: options.js](#)

[remotegui.zip: codemirror.jar: overlay.js](#)

[remotegui.zip: codemirror.jar: oz.js](#)

remotegui.zip: codemirror.jar: package.json			
remotegui.zip: codemirror.jar: panel.js			
remotegui.zip: codemirror.jar: pascal.js			
remotegui.zip: codemirror.jar: pegjs.js			
remotegui.zip: codemirror.jar: perl.js			
remotegui.zip: codemirror.jar: php.js			
remotegui.zip: codemirror.jar: pig.js			
remotegui.zip: codemirror.jar: placeholder.js			
remotegui.zip: codemirror.jar: pos.js			
remotegui.zip: codemirror.jar: position_measurement.js			
remotegui.zip: codemirror.jar: powershell.js			
remotegui.zip: codemirror.jar: properties.js			
remotegui.zip: codemirror.jar: protobuf.js			
remotegui.zip: codemirror.jar: pug.js			
remotegui.zip: codemirror.jar: puppet.js			
remotegui.zip: codemirror.jar: python.js			
remotegui.zip: codemirror.jar: q.js			
remotegui.zip: codemirror.jar: r.js			
remotegui.zip: codemirror.jar: rollup.config.js			
remotegui.zip: codemirror.jar: rpm.js			
remotegui.zip: codemirror.jar: rst.js			
remotegui.zip: codemirror.jar: ruby.js			
remotegui.zip: codemirror.jar: rulers.js			
remotegui.zip: codemirror.jar: runmode-standalone.js			
remotegui.zip: codemirror.jar: runmode-standalone.js			
remotegui.zip: codemirror.jar: runmode.js			
remotegui.zip: codemirror.jar: runmode.node.js			
remotegui.zip: codemirror.jar: runmode.node.js			
remotegui.zip: codemirror.jar: rust.js			
remotegui.zip: codemirror.jar: sas.js			
remotegui.zip: codemirror.jar: sass.js			
remotegui.zip: codemirror.jar: saw_special_spans.js			
remotegui.zip: codemirror.jar: scheme.js			
remotegui.zip: codemirror.jar: scroll_events.js			
remotegui.zip: codemirror.jar: scrollbars.js			

[remotegui.zip: codemirror.jar: scrolling.js](#)

[remotegui.zip: codemirror.jar: scrollpastend.js](#)

[remotegui.zip: codemirror.jar: search.js](#)

[remotegui.zip: codemirror.jar: searchcursor.js](#)

[remotegui.zip: codemirror.jar: selection-pointer.js](#)

[remotegui.zip: codemirror.jar: selection.js](#)

[remotegui.zip: codemirror.jar: selection.js](#)

[remotegui.zip: codemirror.jar: selection_updates.js](#)

[remotegui.zip: codemirror.jar: shell.js](#)

[remotegui.zip: codemirror.jar: show-hint.js](#)

[remotegui.zip: codemirror.jar: sieve.js](#)

[remotegui.zip: codemirror.jar: simple.js](#)

[remotegui.zip: codemirror.jar: simplescrollbars.js](#)

[remotegui.zip: codemirror.jar: slim.js](#)

[remotegui.zip: codemirror.jar: smalltalk.js](#)

[remotegui.zip: codemirror.jar: smarty.js](#)

[remotegui.zip: codemirror.jar: solr.js](#)

[remotegui.zip: codemirror.jar: soy.js](#)

[remotegui.zip: codemirror.jar: spans.js](#)

[remotegui.zip: codemirror.jar: sparql.js](#)

[remotegui.zip: codemirror.jar: spreadsheet.js](#)

[remotegui.zip: codemirror.jar: sql-hint.js](#)

[remotegui.zip: codemirror.jar: sql.js](#)

[remotegui.zip: codemirror.jar: stex.js](#)

[remotegui.zip: codemirror.jar: stylus.js](#)

[remotegui.zip: codemirror.jar: sublime.js](#)

[remotegui.zip: codemirror.jar: swift.js](#)

[remotegui.zip: codemirror.jar: tcl.js](#)

[remotegui.zip: codemirror.jar: tern.js](#)

[remotegui.zip: codemirror.jar: textile.js](#)

[remotegui.zip: codemirror.jar: tiddlywiki.js](#)

[remotegui.zip: codemirror.jar: tiki.js](#)

[remotegui.zip: codemirror.jar: toml.js](#)

[remotegui.zip: codemirror.jar: tornado.js](#)

[remotegui.zip: codemirror.jar: trailingspace.js](#)

remotegui.zip: codemirror.jar: troff.js			
remotegui.zip: codemirror.jar: ttcn-cfg.js			
remotegui.zip: codemirror.jar: ttcn.js			
remotegui.zip: codemirror.jar: turtle.js			
remotegui.zip: codemirror.jar: twig.js			
remotegui.zip: codemirror.jar: update_display.js			
remotegui.zip: codemirror.jar: update_line.js			
remotegui.zip: codemirror.jar: update_lines.js			
remotegui.zip: codemirror.jar: utils.js			
remotegui.zip: codemirror.jar: utils_line.js			
remotegui.zip: codemirror.jar: vb.js			
remotegui.zip: codemirror.jar: vbscript.js			
remotegui.zip: codemirror.jar: velocity.js			
remotegui.zip: codemirror.jar: verilog.js			
remotegui.zip: codemirror.jar: vhdl.js			
remotegui.zip: codemirror.jar: view_tracking.js			
remotegui.zip: codemirror.jar: vim.js			
remotegui.zip: codemirror.jar: vue.js			
remotegui.zip: codemirror.jar: wast.js			
remotegui.zip: codemirror.jar: webidl.js			
remotegui.zip: codemirror.jar: widgets.js			
remotegui.zip: codemirror.jar: worker.js			
remotegui.zip: codemirror.jar: xml-fold.js			
remotegui.zip: codemirror.jar: xml-hint.js			
remotegui.zip: codemirror.jar: xml.js			
remotegui.zip: codemirror.jar: xquery.js			
remotegui.zip: codemirror.jar: yacas.js			
remotegui.zip: codemirror.jar: yaml-frontmatter.js			
remotegui.zip: codemirror.jar: yaml-lint.js			
remotegui.zip: codemirror.jar: yaml.js			
remotegui.zip: codemirror.jar: z80.js			
remotegui.zip: commons-fileupload.jar	cpe:2.3:a:apache:commons_fileupload:1.5:*****.*	pkg:maven/commons-fileupload/commons-fileupload@1.5	
remotegui.zip: crypto-js.jar		pkg:maven/org.webjars.bower	

		/crypto-js@4.1.1	
remotegui.zip: crypto-js.jar: aes.js			
remotegui.zip: crypto-js.jar: cipher-core.js			
remotegui.zip: crypto-js.jar: core.js			
remotegui.zip: crypto-js.jar: crypto-js.js			
remotegui.zip: crypto-js.jar: enc-base64.js			
remotegui.zip: crypto-js.jar: enc-base64url.js			
remotegui.zip: crypto-js.jar: enc-hex.js			
remotegui.zip: crypto-js.jar: enc-latin1.js			
remotegui.zip: crypto-js.jar: enc-utf16.js			
remotegui.zip: crypto-js.jar: enc-utf8.js			
remotegui.zip: crypto-js.jar: evpkdf.js			
remotegui.zip: crypto-js.jar: format-hex.js			
remotegui.zip: crypto-js.jar: format-openssl.js			
remotegui.zip: crypto-js.jar: hmac-md5.js			
remotegui.zip: crypto-js.jar: hmac-ripemd160.js			
remotegui.zip: crypto-js.jar: hmac-sha1.js			
remotegui.zip: crypto-js.jar: hmac-sha224.js			
remotegui.zip: crypto-js.jar: hmac-sha256.js			
remotegui.zip: crypto-js.jar: hmac-sha3.js			
remotegui.zip: crypto-js.jar: hmac-sha384.js			
remotegui.zip: crypto-js.jar: hmac-sha512.js			
remotegui.zip: crypto-js.jar: hmac.js			
remotegui.zip: crypto-js.jar: index.js			
remotegui.zip: crypto-js.jar: lib-typedarrays.js			
remotegui.zip: crypto-js.jar: md5.js			
remotegui.zip: crypto-js.jar: mode-cfb.js			
remotegui.zip: crypto-js.jar: mode-ctr-gladman.js			
remotegui.zip: crypto-js.jar: mode-ctr.js			
remotegui.zip: crypto-js.jar: mode-ecb.js			
remotegui.zip: crypto-js.jar: mode-ofb.js			
remotegui.zip: crypto-js.jar: package.json			
remotegui.zip: crypto-js.jar: pad-ansix923.js			
remotegui.zip: crypto-js.jar: pad-iso10126.js			
remotegui.zip: crypto-js.jar: pad-iso97971.js			

remotegui.zip: crypto-js.jar: pad-nopadding.js			
remotegui.zip: crypto-js.jar: pad-pkcs7.js			
remotegui.zip: crypto-js.jar: pad-zeropadding.js			
remotegui.zip: crypto-js.jar: pbkdf2.js			
remotegui.zip: crypto-js.jar: rabbit-legacy.js			
remotegui.zip: crypto-js.jar: rabbit.js			
remotegui.zip: crypto-js.jar: rc4.js			
remotegui.zip: crypto-js.jar: ripemd160.js			
remotegui.zip: crypto-js.jar: sha1.js			
remotegui.zip: crypto-js.jar: sha224.js			
remotegui.zip: crypto-js.jar: sha256.js			
remotegui.zip: crypto-js.jar: sha3.js			
remotegui.zip: crypto-js.jar: sha384.js			
remotegui.zip: crypto-js.jar: sha512.js			
remotegui.zip: crypto-js.jar: tripledes.js			
remotegui.zip: crypto-js.jar: x64-core.js			
remotegui.zip: echo2-app.jar	cpe:2.3:a:nextapp:echo2:*****		
remotegui.zip: echo2-webcontainer.jar: BrowserCommand.js			
remotegui.zip: echo2-webcontainer.jar: Button.js			
remotegui.zip: echo2-webcontainer.jar: ContentPane.js			
remotegui.zip: echo2-webcontainer.jar: ListComponent.js			
remotegui.zip: echo2-webcontainer.jar: SplitPane.js			
remotegui.zip: echo2-webcontainer.jar: Table.js			
remotegui.zip: echo2-webcontainer.jar: TextComponent.js			
remotegui.zip: echo2-webcontainer.jar: WebContainer.js			
remotegui.zip: echo2-webcontainer.jar: WindowPane.js			
remotegui.zip: echo2-webrender.jar: ClientEngine.js			
remotegui.zip: echo2extras-app.jar	cpe:2.3:a:nextapp:echo2:*****		
remotegui.zip: echo2extras-webcontainer.jar: AccordionPane.js			
remotegui.zip: echo2extras-webcontainer.jar: CalendarSelect.js			
remotegui.zip: echo2extras-webcontainer.jar: ColorSelect.js			

remotegui.zip: echo2extras-webcontainer.jar: DND.js			
remotegui.zip: echo2extras-webcontainer.jar: ExtrasUtil.js			
remotegui.zip: echo2extras-webcontainer.jar: Menu.js			
remotegui.zip: echo2extras-webcontainer.jar: TabPane.js			
remotegui.zip: echo2extras-webcontainer.jar: TransitionPane.js			
remotegui.zip: echopointng.jar			
remotegui.zip: echopointng.jar: blankcanvas.js			
remotegui.zip: echopointng.jar: button.js			
remotegui.zip: echopointng.jar: calculator.js			
remotegui.zip: echopointng.jar: colorchooser.js			
remotegui.zip: echopointng.jar: combobox.js			
remotegui.zip: echopointng.jar: command.js			
remotegui.zip: echopointng.jar: containerex.js			
remotegui.zip: echopointng.jar: csscommand.js			
remotegui.zip: echopointng.jar: datechooser.js			
remotegui.zip: echopointng.jar: directhtml.js			
remotegui.zip: echopointng.jar: ep.js			
remotegui.zip: echopointng.jar: epdrag.js			
remotegui.zip: echopointng.jar: epfx.js			
remotegui.zip: echopointng.jar: epstretch.js			
remotegui.zip: echopointng.jar: expandablesection.js			
remotegui.zip: echopointng.jar: flyoutpane.js			
remotegui.zip: echopointng.jar: historymonitor.js			
remotegui.zip: echopointng.jar: keystroke.js			
remotegui.zip: echopointng.jar: labelex.js			
remotegui.zip: echopointng.jar: lightbox.js			
remotegui.zip: echopointng.jar: livetable.js			
remotegui.zip: echopointng.jar: lookupcache.js			
remotegui.zip: echopointng.jar: menu.js			
remotegui.zip: echopointng.jar: nativewindow.js			
remotegui.zip: echopointng.jar: popup.js			
remotegui.zip: echopointng.jar: rta.js			
remotegui.zip: echopointng.jar: slider.js			

remotegui.zip: echopointng.jar: stackedpaneex.js			
remotegui.zip: echopointng.jar: tableex.js			
remotegui.zip: echopointng.jar: templatepanel.js			
remotegui.zip: echopointng.jar: textfieldex.js			
remotegui.zip: echopointng.jar: titlebar.js			
remotegui.zip: echopointng.jar: tree.js			
remotegui.zip: jquery-ui.jar		pkg:maven/org.webjars/jquery-ui@1.13.3	
remotegui.zip: jquery-ui.jar: jquery-ui.js			
remotegui.zip: jquery-ui.jar: jquery-ui.min.js			
remotegui.zip: jquery-ui.jar: package.json			
remotegui.zip: jquery-ui.jar: webjars-requirejs.js			
remotegui.zip: jquery.jar		pkg:javascript/jquery@2.2.4 pkg:maven/org.webjars/jquery@2.2.4	
remotegui.zip: jquery.jar: webjars-requirejs.js			
remotegui.zip: moment-timezone.jar		pkg:maven/org.webjars.npm/moment-timezone@0.5.45	
remotegui.zip: moment-timezone.jar: index.js			
remotegui.zip: moment-timezone.jar: moment-timezone-utils.js			
remotegui.zip: moment-timezone.jar: moment-timezone-with-data-10-year-range.js			
remotegui.zip: moment-timezone.jar: moment-timezone-with-data-10-year-range.min.js			
remotegui.zip: moment-timezone.jar: moment-timezone-with-data-1970-2030.js			
remotegui.zip: moment-timezone.jar: moment-timezone-with-data-1970-2030.min.js			
remotegui.zip: moment-timezone.jar: moment-timezone-with-data-2012-2022.js			
remotegui.zip: moment-timezone.jar: moment-timezone-with-data-2012-2022.min.js			
remotegui.zip: moment-timezone.jar: moment-timezone-with-data.js			
remotegui.zip: moment-timezone.jar: moment-timezone-with-data.min.js			
remotegui.zip: moment-timezone.jar: moment-timezone.js			

remotegui.zip: moment-timezone.jar: moment-timezone.min.js			
remotegui.zip: moment-timezone.jar: package.json			
remotegui.zip: momentjs.jar		pkg:maven/org.webjars/momentjs@2.29.4	
remotegui.zip: momentjs.jar: af.js			
remotegui.zip: momentjs.jar: ar-dz.js			
remotegui.zip: momentjs.jar: ar-kw.js			
remotegui.zip: momentjs.jar: ar-ly.js			
remotegui.zip: momentjs.jar: ar-ma.js			
remotegui.zip: momentjs.jar: ar-sa.js			
remotegui.zip: momentjs.jar: ar-tn.js			
remotegui.zip: momentjs.jar: ar.js			
remotegui.zip: momentjs.jar: az.js			
remotegui.zip: momentjs.jar: be.js			
remotegui.zip: momentjs.jar: bg.js			
remotegui.zip: momentjs.jar: bm.js			
remotegui.zip: momentjs.jar: bn-bd.js			
remotegui.zip: momentjs.jar: bn.js			
remotegui.zip: momentjs.jar: bo.js			
remotegui.zip: momentjs.jar: br.js			
remotegui.zip: momentjs.jar: bs.js			
remotegui.zip: momentjs.jar: ca.js			
remotegui.zip: momentjs.jar: cs.js			
remotegui.zip: momentjs.jar: cv.js			
remotegui.zip: momentjs.jar: cy.js			
remotegui.zip: momentjs.jar: da.js			
remotegui.zip: momentjs.jar: de-at.js			
remotegui.zip: momentjs.jar: de-ch.js			
remotegui.zip: momentjs.jar: de.js			
remotegui.zip: momentjs.jar: dv.js			
remotegui.zip: momentjs.jar: el.js			
remotegui.zip: momentjs.jar: en-au.js			
remotegui.zip: momentjs.jar: en-ca.js			
remotegui.zip: momentjs.jar: en-gb.js			
remotegui.zip: momentjs.jar: en-ie.js			

remotegui.zip: momentjs.jar: en-il.js			
remotegui.zip: momentjs.jar: en-in.js			
remotegui.zip: momentjs.jar: en-nz.js			
remotegui.zip: momentjs.jar: en-sg.js			
remotegui.zip: momentjs.jar: eo.js			
remotegui.zip: momentjs.jar: es-do.js			
remotegui.zip: momentjs.jar: es-mx.js			
remotegui.zip: momentjs.jar: es-us.js			
remotegui.zip: momentjs.jar: es.js			
remotegui.zip: momentjs.jar: et.js			
remotegui.zip: momentjs.jar: eu.js			
remotegui.zip: momentjs.jar: fa.js			
remotegui.zip: momentjs.jar: fi.js			
remotegui.zip: momentjs.jar: fil.js			
remotegui.zip: momentjs.jar: fo.js			
remotegui.zip: momentjs.jar: fr-ca.js			
remotegui.zip: momentjs.jar: fr-ch.js			
remotegui.zip: momentjs.jar: fr.js			
remotegui.zip: momentjs.jar: fy.js			
remotegui.zip: momentjs.jar: ga.js			
remotegui.zip: momentjs.jar: gd.js			
remotegui.zip: momentjs.jar: gl.js			
remotegui.zip: momentjs.jar: gom-deva.js			
remotegui.zip: momentjs.jar: gom-latn.js			
remotegui.zip: momentjs.jar: gu.js			
remotegui.zip: momentjs.jar: he.js			
remotegui.zip: momentjs.jar: hi.js			
remotegui.zip: momentjs.jar: hr.js			
remotegui.zip: momentjs.jar: hu.js			
remotegui.zip: momentjs.jar: hy-am.js			
remotegui.zip: momentjs.jar: id.js			
remotegui.zip: momentjs.jar: is.js			
remotegui.zip: momentjs.jar: it-ch.js			
remotegui.zip: momentjs.jar: it.js			
remotegui.zip: momentjs.jar: ja.js			

[remotegui.zip: momentjs.jar: jv.js](#)

[remotegui.zip: momentjs.jar: ka.js](#)

[remotegui.zip: momentjs.jar: kk.js](#)

[remotegui.zip: momentjs.jar: km.js](#)

[remotegui.zip: momentjs.jar: kn.js](#)

[remotegui.zip: momentjs.jar: ko.js](#)

[remotegui.zip: momentjs.jar: ku.js](#)

[remotegui.zip: momentjs.jar: ky.js](#)

[remotegui.zip: momentjs.jar: lb.js](#)

[remotegui.zip: momentjs.jar: lo.js](#)

[remotegui.zip: momentjs.jar: locales.js](#)

[remotegui.zip: momentjs.jar: locales.min.js](#)

[remotegui.zip: momentjs.jar: lt.js](#)

[remotegui.zip: momentjs.jar: lv.js](#)

[remotegui.zip: momentjs.jar: me.js](#)

[remotegui.zip: momentjs.jar: mi.js](#)

[remotegui.zip: momentjs.jar: mk.js](#)

[remotegui.zip: momentjs.jar: ml.js](#)

[remotegui.zip: momentjs.jar: mn.js](#)

[remotegui.zip: momentjs.jar: moment-with-locales.js](#)

[remotegui.zip: momentjs.jar: moment-with-locales.min.js](#)

[remotegui.zip: momentjs.jar: moment.js](#)

[remotegui.zip: momentjs.jar: moment.min.js](#)

[remotegui.zip: momentjs.jar: mr.js](#)

[remotegui.zip: momentjs.jar: ms-my.js](#)

[remotegui.zip: momentjs.jar: ms.js](#)

[remotegui.zip: momentjs.jar: mt.js](#)

[remotegui.zip: momentjs.jar: my.js](#)

[remotegui.zip: momentjs.jar: nb.js](#)

[remotegui.zip: momentjs.jar: ne.js](#)

[remotegui.zip: momentjs.jar: nl-be.js](#)

[remotegui.zip: momentjs.jar: nl.js](#)

[remotegui.zip: momentjs.jar: nn.js](#)

[remotegui.zip: momentjs.jar: oc-lnc.js](#)

[remotegui.zip: momentjs.jar: pa-in.js](#)

remotegui.zip: momentjs.jar: package.js			
remotegui.zip: momentjs.jar: package.json			
remotegui.zip: momentjs.jar: pl.js			
remotegui.zip: momentjs.jar: pt-br.js			
remotegui.zip: momentjs.jar: pt.js			
remotegui.zip: momentjs.jar: ro.js			
remotegui.zip: momentjs.jar: ru.js			
remotegui.zip: momentjs.jar: sd.js			
remotegui.zip: momentjs.jar: se.js			
remotegui.zip: momentjs.jar: si.js			
remotegui.zip: momentjs.jar: sk.js			
remotegui.zip: momentjs.jar: sl.js			
remotegui.zip: momentjs.jar: sq.js			
remotegui.zip: momentjs.jar: sr-cyrl.js			
remotegui.zip: momentjs.jar: sr.js			
remotegui.zip: momentjs.jar: ss.js			
remotegui.zip: momentjs.jar: sv.js			
remotegui.zip: momentjs.jar: sw.js			
remotegui.zip: momentjs.jar: ta.js			
remotegui.zip: momentjs.jar: te.js			
remotegui.zip: momentjs.jar: tests.js			
remotegui.zip: momentjs.jar: tet.js			
remotegui.zip: momentjs.jar: tg.js			
remotegui.zip: momentjs.jar: th.js			
remotegui.zip: momentjs.jar: tk.js			
remotegui.zip: momentjs.jar: tl-ph.js			
remotegui.zip: momentjs.jar: tlh.js			
remotegui.zip: momentjs.jar: tr.js			
remotegui.zip: momentjs.jar: tzl.js			
remotegui.zip: momentjs.jar: tzm-latn.js			
remotegui.zip: momentjs.jar: tzm.js			
remotegui.zip: momentjs.jar: ug-cn.js			
remotegui.zip: momentjs.jar: uk.js			
remotegui.zip: momentjs.jar: ur.js			
remotegui.zip: momentjs.jar: uz-latn.js			

[remotegui.zip: momentjs.jar: uz.js](#)

[remotegui.zip: momentjs.jar: vi.js](#)

[remotegui.zip: momentjs.jar: webjars-requirejs.js](#)

[remotegui.zip: momentjs.jar: x-pseudo.js](#)

[remotegui.zip: momentjs.jar: yo.js](#)

[remotegui.zip: momentjs.jar: zh-cn.js](#)

[remotegui.zip: momentjs.jar: zh-hk.js](#)

[remotegui.zip: momentjs.jar: zh-mo.js](#)

[remotegui.zip: momentjs.jar: zh-tw.js](#)

[remotegui.zip: remotegui.jar](#)

[remotegui.zip: remotegui.jar: DbClickButton.js](#)

[remotegui.zip: remotegui.jar: DbClickDragSource.js](#)

[remotegui.zip: remotegui.jar: DbClickTable.js](#)

[remotegui.zip: remotegui.jar: HeightDetermineButton.js](#)

[remotegui.zip: remotegui.jar: InetContentPane.js](#)

[remotegui.zip: remotegui.jar: MouseOverTarget.js](#)

[remotegui.zip: remotegui.jar: PreventSelectionSplitPane.js](#)

[remotegui.zip: remotegui.jar: ScrollEventWindow.js](#)

[remotegui.zip: remotegui.jar: SortDbClickTable.js](#)

[remotegui.zip: remotegui.jar: angular-websocket.js](#)

[remotegui.zip: remotegui.jar: app.js](#)

[remotegui.zip: remotegui.jar: app.js](#)

[remotegui.zip: remotegui.jar: app.js](#)

[remotegui.zip: remotegui.jar: app.js](#)

[remotegui.zip: remotegui.jar: appbadge.service.js](#)

[remotegui.zip: remotegui.jar: authInterceptor.service.js](#)

[remotegui.zip: remotegui.jar: avatarcard.directive.js](#)

[remotegui.zip: remotegui.jar: avatardetails.directive.js](#)

[remotegui.zip: remotegui.jar: avatarimage.directive.js](#)

[remotegui.zip: remotegui.jar: avatarimagedetails.directive.js](#)

[remotegui.zip: remotegui.jar: basic.js](#)

[remotegui.zip: remotegui.jar: bootstrap-colorpicker.js](#)

[remotegui.zip: remotegui.jar: bootstrap-datetimepicker.js](#)

[remotegui.zip: remotegui.jar: browsercheck.js](#)

[remotegui.zip: remotegui.jar: changeavatar.js](#)

[remotegui.zip: remotegui.jar: changeavatarcontroller.controller.js](#)

[remotegui.zip: remotegui.jar: changeavatar.service.js](#)

[remotegui.zip: remotegui.jar: clearreports.controller.js](#)

[remotegui.zip: remotegui.jar: collapse.directive.js](#)

[remotegui.zip: remotegui.jar: colorPicker.directive.js](#)

[remotegui.zip: remotegui.jar: connectionstate.js](#)

[remotegui.zip: remotegui.jar: controller.js](#)

[remotegui.zip: remotegui.jar: controller.js](#)

[remotegui.zip: remotegui.jar: controller.js](#)

[remotegui.zip: remotegui.jar: controllerAbout.js](#)

[remotegui.zip: remotegui.jar: controllerShortcuts.controller.js](#)

[remotegui.zip: remotegui.jar: controllerUserTheme.controller.js](#)

[remotegui.zip: remotegui.jar: controllers.js](#)

[remotegui.zip: remotegui.jar: controllers.js](#)

[remotegui.zip: remotegui.jar: controllers.js](#)

[remotegui.zip: remotegui.jar: controllers.js](#)

[remotegui.zip: remotegui.jar: controllers.js](#)

[remotegui.zip: remotegui.jar: controllers.js](#)

[remotegui.zip: remotegui.jar: controllers.js](#)

[remotegui.zip: remotegui.jar: controllers.js](#)

[remotegui.zip: remotegui.jar: currencyNumber.directive.js](#)

[remotegui.zip: remotegui.jar: currencyValidator.directive.js](#)

[remotegui.zip: remotegui.jar: customEmojiUploadConfigItemRenderer.directive.js](#)

[remotegui.zip: remotegui.jar: customEmojiUploadConfigRenderer.directive.js](#)

[remotegui.zip: remotegui.jar: customemojiupload.js](#)

[remotegui.zip: remotegui.jar: dataservice.service.js](#)

[remotegui.zip: remotegui.jar: datepicker-de.js](#)

[remotegui.zip: remotegui.jar: debug.directive.js](#)

[remotegui.zip: remotegui.jar: dialogservice.service.js](#)

[remotegui.zip: remotegui.jar: directives.js](#)

remotegui.zip: remotegui.jar: emojiModel.service.js			
remotegui.zip: remotegui.jar: emojiselector.directive.js			
remotegui.zip: remotegui.jar: errorservice.service.js			
remotegui.zip: remotegui.jar: filechooser.service.js			
remotegui.zip: remotegui.jar: fixNumber.directive.js			
remotegui.zip: remotegui.jar: fixNumberValidator.directive.js			
remotegui.zip: remotegui.jar: floatNumber.directive.js			
remotegui.zip: remotegui.jar: floatNumberValidator.directive.js			
remotegui.zip: remotegui.jar: globalactionservice.service.js			
remotegui.zip: remotegui.jar: hdField.directive.js			
remotegui.zip: remotegui.jar: hdMandatory.directive.js			
remotegui.zip: remotegui.jar: hdNeedchange.directive.js			
remotegui.zip: remotegui.jar: hdValidate.directive.js			
remotegui.zip: remotegui.jar: hdattachment.js			
remotegui.zip: remotegui.jar: hdfileupload.js			
remotegui.zip: remotegui.jar: hsimp.min.js			
remotegui.zip: remotegui.jar: hsimp.renderers.js			
remotegui.zip: remotegui.jar: html5modeurls.js			
remotegui.zip: remotegui.jar: htmleditor.directive.js			
remotegui.zip: remotegui.jar: htmleditorFactory.service.js			
remotegui.zip: remotegui.jar: htmleditorModel.service.js			
remotegui.zip: remotegui.jar: icons.js			
remotegui.zip: remotegui.jar: initUsernameField.directive.js			
remotegui.zip: remotegui.jar: introduction.js			
remotegui.zip: remotegui.jar: jquery.fileupload.js			
remotegui.zip: remotegui.jar: keyservice.service.js			
remotegui.zip: remotegui.jar: locationservice.service.js			
remotegui.zip: remotegui.jar: modalservice.service.js			
remotegui.zip: remotegui.jar: moduledragdrop.js			
remotegui.zip: remotegui.jar: navtaboverflow.directive.js			
remotegui.zip: remotegui.jar: ng-tinymce.js			
remotegui.zip: remotegui.jar: numberUtil.js			

remotegui.zip: remotegui.jar: ocLazyLoad.min.js			
remotegui.zip: remotegui.jar: pageablenavbaractiondropdown.directive.js			
remotegui.zip: remotegui.jar: paged.filter.js			
remotegui.zip: remotegui.jar: pagination.directive.js			
remotegui.zip: remotegui.jar: piechart.directive.js			
remotegui.zip: remotegui.jar: popover.js			
remotegui.zip: remotegui.jar: pwa-service-worker.js			
remotegui.zip: remotegui.jar: pwa.js			
remotegui.zip: remotegui.jar: qrcode.min.js			
remotegui.zip: remotegui.jar: rangeSlider.directive.js			
remotegui.zip: remotegui.jar: resizableDivider.js			
remotegui.zip: remotegui.jar: scrollabledropdownmenu.directive.js			
remotegui.zip: remotegui.jar: search-panel.js			
remotegui.zip: remotegui.jar: selectInput.directive.js			
remotegui.zip: remotegui.jar: shadowLogger.factory.js			
remotegui.zip: remotegui.jar: sidenavigation.js			
remotegui.zip: remotegui.jar: takeoutDataController.controller.js			
remotegui.zip: remotegui.jar: takeoutDataFactory.factory.js			
remotegui.zip: remotegui.jar: takeoutDataModel.service.js			
remotegui.zip: remotegui.jar: timeInput.directive.js			
remotegui.zip: remotegui.jar: timeInputContainer.directive.js			
remotegui.zip: remotegui.jar: timeInputUtil.js			
remotegui.zip: remotegui.jar: timeMeridiemContainer.directive.js			
remotegui.zip: remotegui.jar: translate.js			
remotegui.zip: remotegui.jar: unitFixNumber.directive.js			
remotegui.zip: remotegui.jar: unitFloatNumber.directive.js			
remotegui.zip: remotegui.jar: userservice.js			
remotegui.zip: remotegui.jar: usersorgroupsselection.js			
remotegui.zip: remotegui.jar: usestrict.js			
remotegui.zip: remotegui.jar: websitedownload.renderer.js			

remotegui.zip: remotegui.jar: websocketdataservice.js			
remotegui.zip: remotegui.jar: websocketkeepaliveworker.js			
remotegui.zip: remotegui.jar: windowdatastore.js			
remotegui.zip: tinymce-languages.jar: ar.js			
remotegui.zip: tinymce-languages.jar: bg_BG.js			
remotegui.zip: tinymce-languages.jar: ca.js			
remotegui.zip: tinymce-languages.jar: cs.js			
remotegui.zip: tinymce-languages.jar: cy.js			
remotegui.zip: tinymce-languages.jar: da.js			
remotegui.zip: tinymce-languages.jar: de.js			
remotegui.zip: tinymce-languages.jar: el.js			
remotegui.zip: tinymce-languages.jar: eo.js			
remotegui.zip: tinymce-languages.jar: es.js			
remotegui.zip: tinymce-languages.jar: es_ES.js			
remotegui.zip: tinymce-languages.jar: es_MX.js			
remotegui.zip: tinymce-languages.jar: eu.js			
remotegui.zip: tinymce-languages.jar: fa.js			
remotegui.zip: tinymce-languages.jar: fa_IR.js			
remotegui.zip: tinymce-languages.jar: fi.js			
remotegui.zip: tinymce-languages.jar: fr_FR.js			
remotegui.zip: tinymce-languages.jar: gl.js			
remotegui.zip: tinymce-languages.jar: he_IL.js			
remotegui.zip: tinymce-languages.jar: hr.js			
remotegui.zip: tinymce-languages.jar: hu_HU.js			
remotegui.zip: tinymce-languages.jar: id.js			
remotegui.zip: tinymce-languages.jar: it.js			
remotegui.zip: tinymce-languages.jar: it_IT.js			
remotegui.zip: tinymce-languages.jar: ja.js			
remotegui.zip: tinymce-languages.jar: kk.js			
remotegui.zip: tinymce-languages.jar: ko_KR.js			
remotegui.zip: tinymce-languages.jar: lt.js			
remotegui.zip: tinymce-languages.jar: nb_NO.js			
remotegui.zip: tinymce-languages.jar: nl.js			
remotegui.zip: tinymce-languages.jar: pl.js			
remotegui.zip: tinymce-languages.jar: pt_BR.js			

[illegible]

[remotegui.zip: tinymce.jar: index.js](#)

[illegible]

[illegible]

remotegui.zip: tinymce.jar: plugin.js

[illegible]

remotegui.zip: tinymce.jar: plugin.min.js			
remotegui.zip: tinymce.jar: plugin.min.js			
remotegui.zip: tinymce.jar: plugin.min.js			
remotegui.zip: tinymce.jar: plugin.min.js			
remotegui.zip: tinymce.jar: plugin.min.js			
remotegui.zip: tinymce.jar: plugin.min.js			
remotegui.zip: tinymce.jar: plugin.min.js			
remotegui.zip: tinymce.jar: plugin.min.js			
remotegui.zip: tinymce.jar: plugin.min.js			
remotegui.zip: tinymce.jar: plugin.min.js			
remotegui.zip: tinymce.jar: plugin.min.js			
remotegui.zip: tinymce.jar: plugin.min.js			
remotegui.zip: tinymce.jar: plugin.min.js			
remotegui.zip: tinymce.jar: plugin.min.js			
remotegui.zip: tinymce.jar: plugin.min.js			
remotegui.zip: tinymce.jar: plugin.min.js			
remotegui.zip: tinymce.jar: plugin.min.js			
remotegui.zip: tinymce.jar: plugin.min.js			
remotegui.zip: tinymce.jar: plugin.min.js			
remotegui.zip: tinymce.jar: plugin.min.js			
remotegui.zip: tinymce.jar: theme.js			
remotegui.zip: tinymce.jar: theme.js		pkg:javascript /DOMPurify@2.3.8	HIGH
remotegui.zip: tinymce.jar: theme.min.js			
remotegui.zip: tinymce.jar: theme.min.js			
remotegui.zip: tinymce.jar: tinymce.js		pkg:javascript /tinyMCE@5.10.9	
remotegui.zip: tinymce.jar: tinymce.min.js		pkg:javascript /tinyMCE@5.10.9	
remotegui.zip: twemoji.jar		pkg:maven/lib /twemoji-null@1.0	
remoteprinting.zip: remoteprinting.jar			
remoteprinting.zip: remoteprinting.jar: RemotePrintingRenderer.js			
remoteprinting.zip: remoteprinting.jar: app.js			
remoteprinting.zip: remoteprinting.jar: htmlviewer.js			
remoteprinting.zip: remoteprinting.jar: pdfviewer.			

angular.js			
remoteprinting.zip: remoteprinting.jar: remoteprinting.factory.js			
remoteprinting.zip: remoteprinting.jar: remoteprinting.js			
remoteprinting.zip: remoteprinting.jar: remoteprinting.model.js			
remoteprinting.zip: remoteprinting.jar: remoteprinting.renderer.js			
reporting.zip: jcommon.jar		pkg:maven/org.jfree/jcommon@1.0.24	
reporting.zip: jfreechartCC.jar			
reporting.zip: reporting-javadoc.jar			
reporting.zip: reporting-javadoc.jar: member-search-index.js			
reporting.zip: reporting-javadoc.jar: package-search-index.js			
reporting.zip: reporting-javadoc.jar: type-search-index.js			
reporting.zip: reporting.jar			
reporting.zip: reporting.jar: events.js			
reporting.zip: reporting.jar: export.js			
reporting.zip: reporting.jar: functions.js			
reporting.zip: reporting.jar: generator.js			
reporting.zip: reporting.jar: grouptree.js			
reporting.zip: reporting.jar: htmlreportextension.js			
reporting.zip: reporting.jar: jstorage.js			
reporting.zip: reporting.jar: keylistener.js			
reporting.zip: reporting.jar: menubar.js			
reporting.zip: reporting.jar: page.js			
reporting.zip: reporting.jar: pagecount.js			
reporting.zip: reporting.jar: popup.js			
reporting.zip: reporting.jar: print.js			
reporting.zip: reporting.jar: prompts.js			
reporting.zip: reporting.jar: prototype.array.js			
reporting.zip: reporting.jar: prototype.element.js			
reporting.zip: reporting.jar: prototype.string.js			
reporting.zip: reporting.jar: renderreportextension.js			
reporting.zip: reporting.jar: reorder.js			
reporting.zip: reporting.jar: script.js			

reporting.zip: reporting.jar: search.js			
reporting.zip: reporting.jar: serverping.js			
reporting.zip: reporting.jar: stacktrace.js			
reporting.zip: reporting.jar: tabbar.js			
sampleapplication.js			
sampledatabase.zip: sampledatabase.jar			
sampledatabase.zip: smallsql.jar			
samplereports.zip: samplereports.jar			
search-worker.js			
security.zip: security.jar			
sessiondatasource.zip: sessiondatasource.sample.jar			
setuplauncher.jar			
slf4j-api-2.0.13.jar		pkg:maven/org.slf4j/slf4j-api@2.0.13	
statistics.reporting.zip: statistics.reporting.jar			
statistics.zip: statistics.jar			
statistics.zip: statistics.jar: controller.js			
statistics.zip: statistics.jar: embeddedstatisticsapp.js			
statistics.zip: statistics.jar: flotr2.min.js			
statistics.zip: statistics.jar: rendererstatistics.js			
statistics.zip: statistics.jar: statisticsFactory.js			
svgSalamander.jar	cpe:2.3:a:kitfox:svg_salamander:1.1.3:*****	pkg:maven/guru.nidi.com:kitfox/svgSalamander@1.1.3	
taskplanner.logaction.zip: taskplanner.logaction.sample.jar			
taskplanner.openweathermap.zip: taskplanner.openweathermap.sample.jar			
taskplanner.reporting.zip: taskplanner.reporting-javadoc.jar			
taskplanner.reporting.zip: taskplanner.reporting-javadoc.jar: member-search-index.js			
taskplanner.reporting.zip: taskplanner.reporting-javadoc.jar: package-search-index.js			
taskplanner.reporting.zip: taskplanner.reporting-javadoc.jar: type-search-index.js			
taskplanner.reporting.zip: taskplanner.reporting.jar			
taskplanner.reporting.zip: taskplanner.reporting.jar: crttaskplanner.js			

[taskplanner.zip: commons-cli.jar](#)

[pkg:maven/commons-cli/commons-cli@1.8.0](#)

[taskplanner.zip: cron-utils.jar](#)

[cpe:2.3:a:cron-utils_project:cron-utils:9.2.1:***.***.*](#)
[cpe:2.3:a:utils_project:utils:9.2.1:***.***.*](#)

[pkg:maven/com.cronutils/cron-utils@9.2.1](#)

[taskplanner.zip: guava.jar](#)

[cpe:2.3:a:google:guava:33.2.1:***.***.*](#)

[pkg:maven/com.google.guava/guava@33.2.1-jre](#)

[taskplanner.zip: taskplanner-javadoc.jar](#)

[taskplanner.zip: taskplanner-javadoc.jar: member-search-index.js](#)

[taskplanner.zip: taskplanner-javadoc.jar: package-search-index.js](#)

[taskplanner.zip: taskplanner-javadoc.jar: type-search-index.js](#)

[taskplanner.zip: taskplanner.jar](#)

[taskplanner.zip: taskplanner.jar: app.js](#)

[taskplanner.zip: taskplanner.jar: boolean.directive.js](#)

[taskplanner.zip: taskplanner.jar: colorField.directive.js](#)

[taskplanner.zip: taskplanner.jar: controller.js](#)

[taskplanner.zip: taskplanner.jar: factory.js](#)

[taskplanner.zip: taskplanner.jar: filechooserAddonButton.directive.js](#)

[taskplanner.zip: taskplanner.jar: model.js](#)

[taskplanner.zip: taskplanner.jar: numberRange.directive.js](#)

[taskplanner.zip: taskplanner.jar: numberWrapper.directive.js](#)

[taskplanner.zip: taskplanner.jar: passwordTextField.directive.js](#)

[taskplanner.zip: taskplanner.jar: renderer.directive.js](#)

[taskplanner.zip: taskplanner.jar: simpleCurrencyField.directive.js](#)

[taskplanner.zip: taskplanner.jar: simpleDateTimeField.directive.js](#)

[taskplanner.zip: taskplanner.jar: simpleFileFolderField.directive.js](#)

[taskplanner.zip: taskplanner.jar: simpleGroup.directive.js](#)

[taskplanner.zip: taskplanner.jar: simpleLabel.directive.js](#)

[taskplanner.zip: taskplanner.jar: simpleLink.directive.js](#)

[taskplanner.zip: taskplanner.jar: simpleSelect.directive.js](#)

[taskplanner.zip: taskplanner.jar: simpleTextField.directive.js](#)

[taskplanner.zip: taskplanner.jar: stringTable.directive.js](#)

[taskplanner.zip: taskplanner.jar: taskplanner_maintenance.js](#)

[taskplanner.zip: taskplanner.jar: textAreaField.directive.js](#)

[theme.zip: bootstrap.jar: bootstrap.js](#)

[pkg:javascript/bootstrap@3.4.1](#)

[theme.zip: bootstrap.jar: bootstrap.min.js](#)

[pkg:javascript/bootstrap@3.4.1](#)

[theme.zip: theme.jar](#)

[urlcookie.zip: urlcookie.sample.jar](#)

[usersandgroupsmanager.zip: usersandgroupsmanager.jar](#)

[usersandgroupsmanager.zip: usersandgroupsmanager.jar: usersandgroupsmanagercontroller.js](#)

[usersandgroupsmanager.zip: usersandgroupsmanager.jar: usersandgroupsmanagerdetailscontroller.js](#)

[usersandgroupsmanager.zip: usersandgroupsmanager.jar: usersandgroupsmanagerdialogcontroller.js](#)

[usersandgroupsmanager.zip: usersandgroupsmanager.jar: usersandgroupsmanagerdirectives.js](#)

[usersandgroupsmanager.zip: usersandgroupsmanager.jar: usersandgroupsmanagereffectivepermissionscontroller.js](#)

[usersandgroupsmanager.zip: usersandgroupsmanager.jar: usersandgroupsmanagerfactory.js](#)

[usersandgroupsmanager.zip: usersandgroupsmanager.jar: usersandgroupsmanagermodel.js](#)

[usersandgroupsmanager.zip: usersandgroupsmanager.jar: usersandgroupsmanagerpredeletionwarning.js](#)

[usersandgroupsmanager.zip: usersandgroupsmanager.jar: usersandgroupsmanagerrenderer.js](#)

[usersandgroupsmanager.zip: usersandgroupsmanager.jar: usersandgroupsmanagerstatisticscontroller.js](#)

usersandgroupsmanager.zip: usersandgroupsmanager.jar: usersandgroupsmanagertakeoutcontroller.js			
webapi.core.zip: webapi.core.jar			
webapi.core.zip: webapi.core.jar: shared.factory.js			
webapi.core.zip: webapi.core.jar: webapi.codemirror.js			
webapi.core.zip: webapi.core.jar: webapi.core.editor.js			
webapi.core.zip: webapi.core.jar: webapi.core.js			
webserver.defender.zip: webserver.defender.jar			
webserver.zip: acme4j-client.jar		pkg:maven/org.shredzone.acme4j/acme4j-client@2.16	
webserver.zip: jetty-websocket-core-client.jar	cpe:2.3:a:eclipse:jetty:12.0.12:***** cpe:2.3:a:jetty:jetty:12.0.12:***** cpe:2.3:a:mortbay_jetty:jetty:12.0.12:*****	pkg:maven/org.eclipse.jetty.websocket/jetty-websocket-core-client@12.0.12	
webserver.zip: jetty-websocket-core-server.jar	cpe:2.3:a:eclipse:jetty:12.0.12:***** cpe:2.3:a:jetty:jetty:12.0.12:***** cpe:2.3:a:jetty:jetty_http_server:12.0.12:***** cpe:2.3:a:mortbay_jetty:jetty:12.0.12:*****	pkg:maven/org.eclipse.jetty.websocket/jetty-websocket-core-server@12.0.12	
webserver.zip: jose4j.jar	cpe:2.3:a:jose4j_project:jose4j:0.9.6:*****	pkg:maven/org.bitbucket.b_c/jose4j@0.9.6	
webserver.zip: webserver.jar			

Dependencies (vulnerable)

BarcodePDF417Bean.jar

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/lib/beans/BarcodePDF417Bean.jar

MD5: db2cf1d0491565e266fcf9b3f1c24234

SHA1: 8df114bce5c1293a37b897e99dfe94a5e4b2f877

SHA256: 01f252f911e544926de65246d133d37aa2bebc2d939754258529c4a803844882

Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence
Vendor	file	name	BarcodePDF417Bean	High

Vendor	jar	package name	beans	Low
Vendor	jar	package name	inet	Low
Vendor	jar	package name	pdf417	Low
Vendor	Manifest	built-date	2024-09-19 18:33	Low
Vendor	Manifest	implementation-group	reporting	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	BarcodePDF417Bean	High
Product	jar	package name	beans	Low
Product	jar	package name	pdf417	Low
Product	Manifest	built-date	2024-09-19 18:33	Low
Product	Manifest	implementation-group	reporting	Low
Product	Manifest	Implementation-Title	BarcodePDF417Bean	High
Product	Manifest	specification-title	BarcodePDF417Bean	Medium
Version	file	name	BarcodePDF417Bean	Medium
Version	file	version	417	Medium
Version	Manifest	Implementation-Version	24.10.163	High

Identifiers

- None

Fositex.jar

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/lib/driver/Fositex.jar

MD5: e5bf2cbb470365b512dac891b5ccb197

SHA1: dfac509b508c61e71d8691850c1c731b35d0a87e

SHA256: 904e90056e83854788de56832aa73a3744832852d25e189d748ff91996871577

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	Fositex	High
Vendor	jar	package name	csv	Low
Vendor	jar	package name	inet	Low
Product	file	name	Fositex	High
Product	jar	package name	csv	Low

Identifiers

- None

ICSharpCode.SharpZipLib.dll

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/Documentation and Samples/ReportViewer - WindowsForms .NET/lib/ICSharpCode.SharpZipLib.dll

MD5: 9e9e0a210297968aaf2e00d13958c0b4

SHA1: a32d2dbeac852718f285e26e3d9436a97879e55c

SHA256: cb9c05b5a1e1db26ff43490ee26f2e02abae3f321d2dd5ddd43a68da48eab83d

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	ICSharpCode.SharpZipLib	High
Product	file	name	ICSharpCode.SharpZipLib	High

Related Dependencies



- ICSharpCode.SharpZipLib.dll
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/Documentation and Samples/Java - Samples/viewer_.net/WindowsForms/ReportViewer/lib/ICSharpCode.SharpZipLib.dll
 - MD5: 9e9e0a210297968aaf2e00d13958c0b4
 - SHA1: a32d2dbeac852718f285e26e3d9436a97879e55c
 - SHA256: cb9c05b5a1e1db26ff43490ee26f2e02abae3f321d2dd5ddd43a68da48eab83d

Identifiers

- None

JBarcodeBean.jar

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/lib/beans/JBarcodeBean.jar

MD5: c650fda9e7f38dd5059e775f67e4c738

SHA1: fd113b0c0b4f4e5a90c59b95504b6255a466c566

SHA256: 6a876a81e622477c2dfc059f95411bd02109c418a471a497917b89e4ff7bf551

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	JBarcodeBean	High
Vendor	jar	package name	jbarcodebean	Low
Product	file	name	JBarcodeBean	High

Identifiers

- None

JGaugeBean.jar

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/lib/beans/JGaugeBean.jar

MD5: ab5b312f6696936284572341aa6150a1

SHA1: 92c3432bd8f8f356bf834c8a9ae628b89fe9bb3a

SHA256: 519622b8fe6d6027246165c61c200095b69f6ef81ef5c789ebeb18f837d161f6

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	JGaugeBean	High
Vendor	jar	package name	beans	Low
Vendor	jar	package name	gauge	Low
Vendor	jar	package name	inet	Low
Vendor	Manifest	built-date	2024-09-19 18:33	Low

Vendor	Manifest	implementation-group	reporting	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	JGaugeBean	High
Product	jar	package name	beans	Low
Product	jar	package name	gauge	Low
Product	Manifest	built-date	2024-09-19 18:33	Low
Product	Manifest	implementation-group	reporting	Low
Product	Manifest	Implementation-Title	JGaugeBean	High
Product	Manifest	specification-title	JGaugeBean	Medium
Version	Manifest	Implementation-Version	24.10.163	High

Identifiers

- None

LayoutJDBCDriver.jar

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/lib/driver/LayoutJDBCDriver.jar
MD5: 30cc29f53ddfc5c1d8c4d60506105970
SHA1: 05b9252e47f0bf9af726dd994571375b9ab480fc
SHA256:94e7d2fa612603737191486d74c726aa0e6ecd9603ffa8277abfdb131d727891
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence
Vendor	file	name	LayoutJDBCDriver	High
Vendor	jar	package name	designer	Low
Vendor	jar	package name	inet	Low
Vendor	jar	package name	layout	Low

Vendor	Manifest	Implementation-Vendor	i-net software GmbH	High
Product	file	name	LayoutJDBCDriver	High
Product	jar	package name	designer	Low
Product	jar	package name	jdbc	Highest
Product	jar	package name	jdbc	Low
Product	jar	package name	layout	Highest
Product	jar	package name	layout	Low
Product	Manifest	Implementation-Title	layout jdbc driver	High
Version	Manifest	Implementation-Version	1.0	High

Identifiers

- None

Merlia-0.jar

File Path: /home/jenkins/.gradle/caches/modules-2/files-2.1/lib/Merlia/0

/a6d457a3b6469de885ef03655d1216936ef43f1b/Merlia-0.jar

MD5: 0cd5423a663f69dd7875b0c82304cc3b

SHA1: a6d457a3b6469de885ef03655d1216936ef43f1b

SHA256: 08cbc9ffcc7c98eb772c900ec406f6be93f48ccc819c22ef8522bbc45b326057

Referenced In Projects/Scopes:

- server
- server:inetPlugin

Included by: pkg:maven/clear-reports/server@24.10

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	Merlia-0	High
Vendor	gradle	artifactid	Merlia	Highest
Vendor	gradle	groupid	lib	Highest
Vendor	jar	package name	inet	Low
Vendor	jar	package name	tds	Low
Product	file	name	Merlia-0	High
Product	gradle	artifactid	Merlia	Highest

Product	jar	package name	tds	Low
Version	file	name	Merlia-0	Medium
Version	file	version	0	Medium
Version	gradle	version	0	Highest
Version	Manifest	driver-version	8.13	Medium

Related Dependencies

- Merlia.jar
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/lib/driver/Merlia.jar
 - MD5: 0cd5423a663f69dd7875b0c82304cc3b
 - SHA1: a6d457a3b6469de885ef03655d1216936ef43f1b
 - SHA256: 08cbc9ffcc7c98eb772c900ec406f6be93f48ccc819c22ef8522bbc45b326057

Identifiers

- [pkg:maven/lib/Merlia@0](#) (*Confidence: Highest*)

Oranxo.jar

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/lib/driver/Oranxo.jar
MD5: aa2c4d389e7b6e2d5b1981198b81dba0
SHA1: 19a376ee0883503d1a4d1ed03c20ca6fe3615ca6
SHA256: 12c84442d532b0338430adedadaae7fa003c3662d4d286547b4f7667e3238d8d
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence
Vendor	file	name	Oranxo	High
Vendor	jar	package name	inet	Low
Vendor	jar	package name	ora	Low
Product	file	name	Oranxo	High
Product	jar	package name	ora	Low
Version	Manifest	driver-version	4.06	Medium

Identifiers

- None

ReportViewer.jar

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/Documentation and Samples/Java - Samples/ReportViewer.jar

MD5: 36ab7ce5a3c393fac389787f70a8c5bc

SHA1: 92ef4ebba1533790ac1812e14a4fb8a1c1bd2da2

SHA256: 4b5ffb69f94ed5479a7146ff18543049686b04f0d143a66089884122a0cfb7d7

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	ReportViewer	High
Vendor	jar	package name	i	Highest
Vendor	jar	package name	inet	Low
Vendor	jar	package name	viewer	Low
Vendor	Manifest	application-library-allowable-codebase	*	Low
Vendor	Manifest	application-name	i-net Clear Reports	Medium
Vendor	Manifest	built-date	2024-09-19 18:10	Low
Vendor	Manifest	codebase	*	Low
Vendor	Manifest	implementation-group	reporting	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	permissions	all-permissions	Low
Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	trusted-library	false	Low
Vendor	Manifest	trusted-only	false	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	ReportViewer	High
Product	jar	package name	i	Highest

Product	jar	package name	reportviewer	Highest
Product	jar	package name	viewer	Low
Product	Manifest	application-library-allowable-codebase	*	Low
Product	Manifest	application-name	i-net Clear Reports	Medium
Product	Manifest	built-date	2024-09-19 18:10	Low
Product	Manifest	codebase	*	Low
Product	Manifest	implementation-group	reporting	Low
Product	Manifest	Implementation-Title	ReportViewer	High
Product	Manifest	permissions	all-permissions	Low
Product	Manifest	specification-title	ReportViewer	Medium
Product	Manifest	trusted-library	false	Low
Product	Manifest	trusted-only	false	Low
Version	Manifest	Implementation-Version	24.10.163	High

Related Dependencies



- ReportViewer.jar
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/ReportViewer.jar
 - MD5: 36ab7ce5a3c393fac389787f70a8c5bc
 - SHA1: 92ef4ebba1533790ac1812e14a4fb8a1c1bd2da2
 - SHA256: 4b5ffb69f94ed5479a7146ff18543049686b04f0d143a66089884122a0cfb7d7

Identifiers

- [cpe:2.3:a:inetsoftware:clear_reports:24.10.163:*:*:*:*:*](#) (*Confidence:Medium*)
- [cpe:2.3:a:inetsoftware:i-net_clear_reports:24.10.163:*:*:*:*:*](#) (*Confidence:Medium*)

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/Documentation and Samples/ReportViewer - WindowsForms .NET/ReportViewerWinForms.csproj
MD5: 6461eb9c75fbd531e3a8571dc4da4ce
SHA1: 18b8709f159bbddca04bfd2043f7718bfd364168
SHA256: d89d6f94d27dc30be63126f4e4e75d900168377e99b413a26ae6b9be49a20e25
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence
Vendor	file	name	ReportViewerWinForms	High
Product	file	name	ReportViewerWinForms	High

Related Dependencies

- ReportViewerWinForms.csproj
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/Documentation and Samples/Java - Samples/viewer_.net/WindowsForms/ReportViewer/ReportViewerWinForms.csproj
 - MD5: 6461eb9c75fbd531e3a8571dc4da4ce
 - SHA1: 18b8709f159bbddca04bfd2043f7718bfd364168
 - SHA256: d89d6f94d27dc30be63126f4e4e75d900168377e99b413a26ae6b9be49a20e25

Identifiers

- None

ReportViewerWinFormsTests.csproj

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/Documentation and Samples/ReportViewer - WindowsForms .NET/ReportViewerWinFormsTests.csproj
MD5: 668406baec4c761e2302676f4a7b88d7
SHA1: 23bbcd2cfc57c661aaefc24bb0ab360b402f45b
SHA256: 30a3bcf624662bfd75afc4302f034cfa5640a457b35bf0de05f52b531d73f2b5
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence
Vendor	file	name	ReportViewerWinFormsTests	High
Product	file	name	ReportViewerWinFormsTests	High

Related Dependencies



- ReportViewerWinFormsTests.csproj
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/Documentation and Samples/Java - Samples/viewer_.net/WindowsForms/ReportViewer/ReportViewerWinFormsTests.csproj
 - MD5: 668406baec4c761e2302676f4a7b88d7
 - SHA1: 23bbbed2cfc57c661aaefc24bb0ab360b402f45b
 - SHA256: 30a3bcf624662bfd75afc4302f034cfa5640a457b35bf0de05f52b531d73f2b5

Identifiers

- None

Syto.jar

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/lib/driver/Syto.jar

MD5: 62a8cd327489a2594a5d5cae627d5742

SHA1: 2b28e808d0b71585e4bc154fc7bd495595b895ef

SHA256: d0924747503b5ce3f77e3bf047118df29602192998bb34624fe5870f60e4b037

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	Syto	High
Vendor	jar	package name	inet	Low
Vendor	jar	package name	pool	Low
Product	file	name	Syto	High
Product	jar	package name	pool	Low

Identifiers

- None

ZxingBarCodes.jar

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller
/server/build/tmp/dependencies/i-net Clear Reports/lib/beans/ZxingBarCodes.jar
MD5: be4a1f25e2b22e4e378ec95519f7abf3
SHA1: bb8b662b7c7678525eebb1ccbe6ee24517cc910e
SHA256:9cb0413adb6b8671042101f83bb81265c72b58c7997ccd9b642c30a6f6c1011c
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	ZxingBarCodes	High
Vendor	jar	package name	beans	Low
Vendor	jar	package name	inet	Low
Vendor	jar	package name	zxing	Low
Vendor	Manifest	built-date	2024-09-19 18:33	Low
Vendor	Manifest	implementation-group	reporting	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	ZxingBarCodes	High
Product	jar	package name	beans	Low
Product	jar	package name	zxing	Low
Product	jar	package name	zxingbarcodes	Highest
Product	Manifest	built-date	2024-09-19 18:33	Low
Product	Manifest	implementation-group	reporting	Low
Product	Manifest	Implementation-Title	ZxingBarCodes	High
Product	Manifest	specification-title	ZxingBarCodes	Medium
Version	Manifest	Implementation-Version	24.10.163	High

Identifiers

- None

adhoc.zip: adhoc.jar

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/adhoc.zip/adhoc.jar
MD5: 3a999a3c53af12deda038639326c4336
SHA1: d01e1a779b5caab2cf51c45bfc6bc572941ca2de
SHA256:0518211b59a11058abef31737bb6e9599f13c310fc0ddd961b3c2223afcd112a
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	adhoc	High
Vendor	jar	package name	gui	Low
Vendor	jar	package name	inet	Low
Vendor	jar	package name	remote	Low
Vendor	Manifest	built-date	2024-09-19 18:31	Low
Vendor	Manifest	implementation-group	reporting	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	adhoc	High
Product	jar	package name	adhoc	Highest
Product	jar	package name	gui	Low
Product	jar	package name	modules	Low
Product	jar	package name	remote	Low
Product	Manifest	built-date	2024-09-19 18:31	Low
Product	Manifest	implementation-group	reporting	Low
Product	Manifest	Implementation-Title	adhoc	High
Product	Manifest	specification-title	adhoc	Medium
Version	Manifest	Implementation-Version	24.10.163	High

Identifiers

- None

adhoc.zip: adhoc.jar: adhocmodule.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/adhoc.zip/adhoc.jar/com/inet/remote/gui/modules/adhoc/adhocmodule.js

MD5: e3ba97da1119b592c496af42ffcf21f5

SHA1: 5ea07dccea534e3fb002c2a73a56348dfb0c7865

SHA256: 9d9098877dca876c869511dcee7afdf7693d67b0af234d0a3938da6a15884764

Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies

- designer.zip: adhoc.jar: adhocmodule.js
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/designer.zip/adhoc.jar/com/inet/remote/gui/modules/adhoc/adhocmodule.js
 - MD5: e3ba97da1119b592c496af42ffcf21f5
 - SHA1: 5ea07dccea534e3fb002c2a73a56348dfb0c7865
 - SHA256: 9d9098877dca876c869511dcee7afdf7693d67b0af234d0a3938da6a15884764

Identifiers

- None

adhoc.zip: adhocClient.jar

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/adhoc.zip/adhocClient.jar

MD5: 91ada56e0e55a3fae1f90f19a2a36f8b

SHA1: 153f7309b752fd2d7827ac5d7a59685522f708ee

SHA256: bae2a09234da0ef5f070ab7415ed87ebb5e2f66d00765ca9a4d17c21ff7d2f9a

Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Vendor	file	name	adhocClient	High
Vendor	jar	package name	adhoc	Low
Vendor	jar	package name	client	Low
Vendor	jar	package name	inet	Low
Vendor	Manifest	application-library-allowable-codebase	*	Low
Vendor	Manifest	built-date	2024-09-19 18:30	Low
Vendor	Manifest	codebase	*	Low
Vendor	Manifest	implementation-group	reporting	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	permissions	all-permissions	Low
Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	trusted-library	false	Low
Vendor	Manifest	trusted-only	false	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	adhocClient	High
Product	jar	package name	adhoc	Low
Product	jar	package name	client	Low
Product	jar	package name	page	Low
Product	Manifest	application-library-allowable-codebase	*	Low
Product	Manifest	built-date	2024-09-19 18:30	Low
Product	Manifest	codebase	*	Low
Product	Manifest	implementation-group	reporting	Low
Product	Manifest	Implementation-Title	adhocClient	High
Product	Manifest	permissions	all-permissions	Low
Product	Manifest	specification-title	adhocClient	Medium
Product	Manifest	trusted-library	false	Low
Product	Manifest	trusted-only	false	Low
Version	Manifest	Implementation-Version	24.10.163	High

Identifiers

- None

application.currenttime.zip: application.currenttime.sample.jar

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/Documentation and Samples/Plugin - Samples/Application/CurrentTimePlugin/application.currenttime.zip/application.currenttime.sample.jar
MD5: a65a7df6b9ff6ed9351ce1b9196c9c55
SHA1: f3a28851367efecb6561c50c0532b54b4ccf11c2
SHA256:20db2ba01ee4a5edf3190ca5b3d379f7853fde185aceee1d9fdd9d99661ab51b
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence
Vendor	file	name	application.currenttime.sample	High
Vendor	jar	package name	application	Low
Vendor	jar	package name	currenttime	Low
Vendor	jar	package name	inet	Low
Vendor	Manifest	built-date	2024-09-19 17:12	Low
Vendor	Manifest	implementation-group	shared	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	application.currenttime.sample	High
Product	jar	package name	application	Highest
Product	jar	package name	application	Low
Product	jar	package name	currenttime	Highest
Product	jar	package name	currenttime	Low
Product	Manifest	built-date	2024-09-19 17:12	Low
Product	Manifest	implementation-group	shared	Low

Product	Manifest	Implementation-Title	application.currenttime	High
Product	Manifest	specification-title	application.currenttime	Medium
Version	Manifest	Implementation-Version	24.10.163	High

Identifiers

- None

application.currenttime.zip: application.currenttime.sample.jar: sampleapplication.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/Documentation and Samples/Plugin - Samples/Application/CurrentTimePlugin/application.currenttime.zip/application.currenttime.sample.jar/com/inet/application/currenttime/sampleapplication.js

MD5: 62b73d66b3a5d99c2d5f9370514ce5c7

SHA1: 3edcc5ec1862d2da8872f35b2290be8babb7f94c

SHA256: 522c5f97270c0dff35ba66fbb4ff31b14220051c8fc948e82f4bbdf07cd86749

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

application.embedded.zip: application.embedded.sample.jar

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/Documentation and Samples/Plugin - Samples/Application/Embedded/application.embedded.zip/application.embedded.sample.jar

MD5: 8e8629acd09d7faf1a4191e31aa80d4f

SHA1: 70ce902adc3e39f1864c83ac450457e28ed3b29e

SHA256: 838db0c1f065455a5168f2bf4da6b1d99800fa617e0e11c2cb42a3118689a579

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Vendor	file	name	application.embedded.sample	High
Vendor	jar	package name	application	Low
Vendor	jar	package name	embedded	Low
Vendor	jar	package name	inet	Low
Vendor	Manifest	built-date	2024-09-19 17:12	Low
Vendor	Manifest	implementation-group	shared	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	application.embedded.sample	High
Product	jar	package name	application	Highest
Product	jar	package name	application	Low
Product	jar	package name	embedded	Highest
Product	jar	package name	embedded	Low
Product	jar	package name	embeddedserverplugin	Low
Product	Manifest	built-date	2024-09-19 17:12	Low
Product	Manifest	implementation-group	shared	Low
Product	Manifest	Implementation-Title	application.embedded	High
Product	Manifest	specification-title	application.embedded	Medium
Version	Manifest	Implementation-Version	24.10.163	High

Identifiers

- None

application.embedded.zip: application.embedded.sample.jar: embeddedMode.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/Documentation and Samples/Plugin - Samples/Application/Embedded/application.embedded.zip/application.embedded.sample.jar/com/inet/application/embedded/webgui

/embeddedMode.js
MD5: 0dd2944e9ebe2d6dc36b7d76761b5710
SHA1: ab849acd19da6478b94d58b1b00d474c179af217
SHA256:3a692f43f8c80fb469146b5bc3ab738f5676e0809052735384cc0c631ed18a30
Referenced In Project/Scope: server

Evidence 				
Type	Source	Name	Value	Confidence

- Identifiers
- None

application.googleanalytics.zip: application.googleanalytics.sample.jar

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller
/server/build/tmp/dependencies/Documentation and Samples/Plugin - Samples/Application/GoogleAnalytics
/application.googleanalytics.zip/application.googleanalytics.sample.jar
MD5: 35442a578b57ddccef6be1ae85949dea
SHA1: d2d2a777ca8e426e7fd8f5be434cea1e072699
SHA256:f07c7ba5e24b64d2f60f816da2fb51a894b093e6327ab419b4834b80ec3567cf
Referenced In Project/Scope: server

Evidence 				
Type	Source	Name	Value	Confidence
Vendor	file	name	application.googleanalytics.sample	High
Vendor	jar	package name	application	Low
Vendor	jar	package name	googleanalytics	Low
Vendor	jar	package name	inet	Low
Vendor	Manifest	built-date	2024-09-19 17:12	Low
Vendor	Manifest	implementation-group	shared	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	application.googleanalytics.sample	High

Product	jar	package name	application	Highest
Product	jar	package name	application	Low
Product	jar	package name	googleanalytics	Highest
Product	jar	package name	googleanalytics	Low
Product	Manifest	built-date	2024-09-19 17:12	Low
Product	Manifest	implementation-group	shared	Low
Product	Manifest	Implementation-Title	application.googleanalytics	High
Product	Manifest	specification-title	application.googleanalytics	Medium
Version	Manifest	Implementation-Version	24.10.163	High

Identifiers

- None

application.googleanalytics.zip: application.googleanalytics.sample.jar: googleanalytics.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/Documentation and Samples/Plugin - Samples/Application/GoogleAnalytics/application.googleanalytics.zip/application.googleanalytics.sample.jar/com/inet/application/googleanalytics/client/js/googleanalytics.js

MD5: 7512e030d793b3d3ee264e270c6a47cb

SHA1: c36576229b9b35b5b6892ce20a84fe961d466e92

SHA256:ac96d6524d82404729e9b24d67d1dc257ffdacb01b63c9515654a832947dd842

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

application.googleanalytics.zip: application.googleanalytics.sample.jar: jquery.cookiebar.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/Documentation and Samples/Plugin - Samples/Application/GoogleAnalytics/application.googleanalytics.zip/application.googleanalytics.sample.jar/com/inet/application/googleanalytics/client/js/jquery.cookiebar.js
MD5: efe0003d931bfaea2d955f97ff5ff7b5
SHA1: 5e22051adbdf7c4d5a2f659c5bb398d75c25e33b
SHA256:2570f2de5f332317e33e462949ba947dd8082bc9028785b172ea7a9e7e8fc4fe
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

application.helloworld.zip: application.helloworld.sample.jar

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/Documentation and Samples/Plugin - Samples/Application/HelloWorld/application.helloworld.zip/application.helloworld.sample.jar
MD5: 1ba64f04df55500b6de1f74d9ac31dc6
SHA1: 7ee60bcf8531798d9c610a155b68cc3b1b8c0cb4
SHA256:0f2db2c27998a7b25911aa56e5f0a07169619c56f5ffa2406da56ca58b083fd2
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	application.helloworld.sample	High
Vendor	jar	package name	application	Low
Vendor	jar	package name	helloworld	Low
Vendor	jar	package name	inet	Low
Vendor	Manifest	built-date	2024-09-19 17:12	Low
Vendor	Manifest	implementation-group	shared	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	specification-vendor	i-net software	Low

Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	application.helloworld.sample	High
Product	jar	package name	application	Highest
Product	jar	package name	application	Low
Product	jar	package name	helloworld	Highest
Product	jar	package name	helloworld	Low
Product	Manifest	built-date	2024-09-19 17:12	Low
Product	Manifest	implementation-group	shared	Low
Product	Manifest	Implementation-Title	application.helloworld	High
Product	Manifest	specification-title	application.helloworld	Medium
Version	Manifest	Implementation-Version	24.10.163	High

Identifiers

- None

authentication ldap.zip: authentication ldap.jar

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/authentication ldap.zip/authentication ldap.jar
MD5: d143a489ddd534b2095d74b4f32e1852
SHA1: 4c22e0680ea9eefbf321c4d70a60b1000b7e1d45
SHA256: 38a2ae67b32831044186b933e30f2d6db5bffc4e3f7c5b399f1965ef56ddf653
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence
Vendor	file	name	authentication ldap	High
Vendor	jar	package name	authentication	Low
Vendor	jar	package name	inet	Low
Vendor	jar	package name	ldap	Low
Vendor	Manifest	built-date	2024-09-19 17:00	Low
Vendor	Manifest	implementation-group	shared	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High

Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	authentication ldap	High
Product	jar	package name	authentication	Highest
Product	jar	package name	authentication	Low
Product	jar	package name	ldap	Highest
Product	jar	package name	ldap	Low
Product	Manifest	built-date	2024-09-19 17:00	Low
Product	Manifest	implementation-group	shared	Low
Product	Manifest	Implementation-Title	authentication ldap	High
Product	Manifest	specification-title	authentication ldap	Medium
Version	Manifest	Implementation-Version	24.10.163	High

Identifiers

- None

authentication.oauth.ex.zip: authentication.oauth.ex.sample.jar

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/Documentation and Samples/Plugin - Samples/Authentication/OAuth/authentication.oauth.ex.zip/authentication.oauth.ex.sample.jar

MD5: 4dbcdbfab0734e76bfa9321d2db1b532

SHA1: a621753ac8f06e75e0aeadffe3cc927bd9b4f9ca

SHA256: e16c7fa5718c02fc3497f59616e9481e7c86eb660547dc71af8cd5766f5e43a5

Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence
Vendor	file	name	authentication.oauth.ex.sample	High
Vendor	jar	package name	authentication	Low
Vendor	jar	package name	inet	Low
Vendor	jar	package name	oauth	Low

Vendor	Manifest	built-date	2024-09-19 17:12	Low
Vendor	Manifest	implementation-group	shared	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	authentication.oauth.ex.sample	High
Product	jar	package name	authentication	Highest
Product	jar	package name	authentication	Low
Product	jar	package name	ex	Highest
Product	jar	package name	ex	Low
Product	jar	package name	oauth	Highest
Product	jar	package name	oauth	Low
Product	Manifest	built-date	2024-09-19 17:12	Low
Product	Manifest	implementation-group	shared	Low
Product	Manifest	Implementation-Title	authentication.oauth.ex	High
Product	Manifest	specification-title	authentication.oauth.ex	Medium
Version	Manifest	Implementation-Version	24.10.163	High

Identifiers

- **None**

authentication.oauth.zip: authentication.oauth-javadoc.jar

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/authentication.oauth.zip/authentication.oauth-javadoc.jar

MD5: a735471abd7b17c2a1c82a49d8be4047

SHA1: fffcce8d28f05cc119816e33f5445768262df356

SHA256: 8a48a40c7600b6da4f1e74a9076e61d1d993810394efe43f8087e81de71fe326

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	authentication.oauth-javadoc	High
Product	file	name	authentication.oauth-javadoc	High

Identifiers

- None

authentication.oauth.zip: authentication.oauth-javadoc.jar: jquery-3.6.1.min.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/authentication.oauth.zip/authentication.oauth-javadoc.jar/script-dir/jquery-3.6.1.min.js

MD5: 00727d1d5d9c90f7de826f1a4a9cc632

SHA1: ea61688671d0c3044f2c5b2f2c4af0a6620ac6c2

SHA256: a3cf00c109d907e543bc4f6dbc85eb31068f94515251347e9e57509b52ee3d74

Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies

- maintenance.zip: maintenance-javadoc.jar: jquery-3.6.1.min.js
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/maintenance.zip/maintenance-javadoc.jar/script-dir/jquery-3.6.1.min.js
 - MD5: 00727d1d5d9c90f7de826f1a4a9cc632
 - SHA1: ea61688671d0c3044f2c5b2f2c4af0a6620ac6c2
 - SHA256: a3cf00c109d907e543bc4f6dbc85eb31068f94515251347e9e57509b52ee3d74
- reporting.zip: reporting-javadoc.jar: jquery-3.6.1.min.js
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/reporting.zip/reporting-javadoc.jar/script-dir/jquery-3.6.1.min.js
 - MD5: 00727d1d5d9c90f7de826f1a4a9cc632
 - SHA1: ea61688671d0c3044f2c5b2f2c4af0a6620ac6c2
 - SHA256: a3cf00c109d907e543bc4f6dbc85eb31068f94515251347e9e57509b52ee3d74
- taskplanner.reporting.zip: taskplanner.reporting-javadoc.jar: jquery-3.6.1.min.js
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/taskplanner.reporting.zip/taskplanner.reporting-javadoc.jar/script-dir/jquery-3.6.1.min.js
 - MD5: 00727d1d5d9c90f7de826f1a4a9cc632
 - SHA1: ea61688671d0c3044f2c5b2f2c4af0a6620ac6c2
 - SHA256: a3cf00c109d907e543bc4f6dbc85eb31068f94515251347e9e57509b52ee3d74
- taskplanner.zip: taskplanner-javadoc.jar: jquery-3.6.1.min.js

- File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/taskplanner.zip/taskplanner-javadoc.jar/script-dir/jquery-3.6.1.min.js
- MD5: 00727d1d5d9c90f7de826f1a4a9cc632
- SHA1: ea61688671d0c3044f2c5b2f2c4af0a6620ac6c2
- SHA256: a3cf00c109d907e543bc4f6dbc85eb31068f94515251347e9e57509b52ee3d74

Identifiers

- None

authentication.oauth.zip: authentication.oauth-javadoc.jar: jquery-ui.min.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/authentication.oauth.zip/authentication.oauth-javadoc.jar/script-dir/jquery-ui.min.js

MD5: 32059df39c14a910ccc2325f6a3cd62f

SHA1: d3289f1b527a3f054d303ec769402e037fbfcf4b

SHA256: 672f278182cdf04f3c62a5b8d93f406791854a28791f27aecdb9981573c61424

Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence
Vendor	file	name	jquery-ui	High
Product	file	name	jquery-ui	High
Version	file	version	1.13.1	High

Related Dependencies

- maintenance.zip: maintenance-javadoc.jar: jquery-ui.min.js
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/maintenance.zip/maintenance-javadoc.jar/script-dir/jquery-ui.min.js
 - MD5: 32059df39c14a910ccc2325f6a3cd62f
 - SHA1: d3289f1b527a3f054d303ec769402e037fbfcf4b
 - SHA256: 672f278182cdf04f3c62a5b8d93f406791854a28791f27aecdb9981573c61424
 - [pkg:javascript/jquery-ui@1.13.1](#)
- reporting.zip: reporting-javadoc.jar: jquery-ui.min.js
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/reporting.zip/reporting-javadoc.jar/script-dir/jquery-ui.min.js
 - MD5: 32059df39c14a910ccc2325f6a3cd62f
 - SHA1: d3289f1b527a3f054d303ec769402e037fbfcf4b
 - SHA256: 672f278182cdf04f3c62a5b8d93f406791854a28791f27aecdb9981573c61424
 - [pkg:javascript/jquery-ui@1.13.1](#)
- taskplanner.reporting.zip: taskplanner.reporting-javadoc.jar: jquery-ui.min.js
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins

/taskplanner.reporting.zip/taskplanner.reporting-javadoc.jar/script-dir/jquery-ui.min.js

- MD5: 32059df39c14a910ccc2325f6a3cd62f
- SHA1: d3289f1b527a3f054d303ec769402e037fbfcf4b
- SHA256: 672f278182cdf04f3c62a5b8d93f406791854a28791f27aecdb9981573c61424
- [pkg:javascript/jquery-ui@1.13.1](#)
- taskplanner.zip: taskplanner-javadoc.jar: jquery-ui.min.js
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/taskplanner.zip/taskplanner-javadoc.jar/script-dir/jquery-ui.min.js
 - MD5: 32059df39c14a910ccc2325f6a3cd62f
 - SHA1: d3289f1b527a3f054d303ec769402e037fbfcf4b
 - SHA256: 672f278182cdf04f3c62a5b8d93f406791854a28791f27aecdb9981573c61424
 - [pkg:javascript/jquery-ui@1.13.1](#)

Identifiers

- [pkg:javascript/jquery-ui@1.13.1](#) (*Confidence*:Highest)

authentication.oauth.zip: authentication.oauth-javadoc.jar: member-search-index.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/authentication.oauth.zip/authentication.oauth-javadoc.jar/member-search-index.js

MD5: ad4d8ae56efc00d35f1387fde1b8b0d7

SHA1: 622dc313112441ff81389bd51b54836121975fe3

SHA256:a4dfe725eba1a4e4a2c602c9f0f34152c57eda9c2cf47ff0c7320d1a5424bed4

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

authentication.oauth.zip: authentication.oauth-javadoc.jar: module-search-index.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/authentication.oauth.zip/authentication.oauth-javadoc.jar/module-search-index.js

MD5: a33da0f469acbd03f77bf407bac505f5

SHA1: 1e996ce630c6e1ada3ea86d7b71dabca0180f8e8

SHA256:814a05983e3267d591c7e62b314eb8eb0504eee844c8a70d494f6edbaa0f4f18

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies



- maintenance.zip: maintenance-javadoc.jar: module-search-index.js
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/maintenance.zip/maintenance-javadoc.jar/module-search-index.js
 - MD5: a33da0f469acbd03f77bf407bac505f5
 - SHA1: 1e996ce630c6e1ada3ea86d7b71dabca0180f8e8
 - SHA256: 814a05983e3267d591c7e62b314eb8eb0504eee844c8a70d494f6edbaa0f4f18
- reporting.zip: reporting-javadoc.jar: module-search-index.js
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/reporting.zip/reporting-javadoc.jar/module-search-index.js
 - MD5: a33da0f469acbd03f77bf407bac505f5
 - SHA1: 1e996ce630c6e1ada3ea86d7b71dabca0180f8e8
 - SHA256: 814a05983e3267d591c7e62b314eb8eb0504eee844c8a70d494f6edbaa0f4f18
- taskplanner.reporting.zip: taskplanner.reporting-javadoc.jar: module-search-index.js
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/taskplanner.reporting.zip/taskplanner.reporting-javadoc.jar/module-search-index.js
 - MD5: a33da0f469acbd03f77bf407bac505f5
 - SHA1: 1e996ce630c6e1ada3ea86d7b71dabca0180f8e8
 - SHA256: 814a05983e3267d591c7e62b314eb8eb0504eee844c8a70d494f6edbaa0f4f18
- taskplanner.zip: taskplanner-javadoc.jar: module-search-index.js
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/taskplanner.zip/taskplanner-javadoc.jar/module-search-index.js
 - MD5: a33da0f469acbd03f77bf407bac505f5
 - SHA1: 1e996ce630c6e1ada3ea86d7b71dabca0180f8e8
 - SHA256: 814a05983e3267d591c7e62b314eb8eb0504eee844c8a70d494f6edbaa0f4f18

Identifiers

- None

authentication.oauth.zip: authentication.oauth-javadoc.jar: package-search-index.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/authentication.oauth.zip/authentication.oauth-javadoc.jar/package-search-index.js

MD5: b295c5518a8e2f5d9e58b02a178812eb

SHA1: 0b387a2d57725d3e9ad8f547eba5128793ecfec6

SHA256: bee1ad51546e55d3937c545e9a1169d5e470c1d38528e5f974d845863b6e891e

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

authentication.oauth.zip: authentication.oauth-javadoc.jar: script.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/authentication.oauth.zip/authentication.oauth-javadoc.jar/script.js

MD5: baf9d9e16237acbdce975a33c54ee8ae

SHA1: cc6a3c8d72f17eff0d613ddfcf7c1095535573f7

SHA256: 9a027b197c6b3b44c4952797b2eb0477318a03093a5bbad089e12959e562b975

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies



- maintenance.zip: maintenance-javadoc.jar: script.js
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/maintenance.zip/maintenance-javadoc.jar/script.js
 - MD5: baf9d9e16237acbdce975a33c54ee8ae
 - SHA1: cc6a3c8d72f17eff0d613ddfcf7c1095535573f7
 - SHA256: 9a027b197c6b3b44c4952797b2eb0477318a03093a5bbad089e12959e562b975
- reporting.zip: reporting-javadoc.jar: script.js
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/reporting.zip/reporting-javadoc.jar/script.js
 - MD5: baf9d9e16237acbdce975a33c54ee8ae
 - SHA1: cc6a3c8d72f17eff0d613ddfcf7c1095535573f7
 - SHA256: 9a027b197c6b3b44c4952797b2eb0477318a03093a5bbad089e12959e562b975
- taskplanner.reporting.zip: taskplanner.reporting-javadoc.jar: script.js
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/taskplanner.reporting.zip/taskplanner.reporting-javadoc.jar/script.js
 - MD5: baf9d9e16237acbdce975a33c54ee8ae
 - SHA1: cc6a3c8d72f17eff0d613ddfcf7c1095535573f7
 - SHA256: 9a027b197c6b3b44c4952797b2eb0477318a03093a5bbad089e12959e562b975
- taskplanner.zip: taskplanner-javadoc.jar: script.js
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/taskplanner.zip/taskplanner-javadoc.jar/script.js
 - MD5: baf9d9e16237acbdce975a33c54ee8ae

- SHA1: cc6a3c8d72f17eff0d613ddfcf7c1095535573f7
- SHA256: 9a027b197c6b3b44c4952797b2eb0477318a03093a5bbad089e12959e562b975

Identifiers

- None

authentication.oauth.zip: authentication.oauth-javadoc.jar: search.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/authentication.oauth.zip/authentication.oauth-javadoc.jar/search.js

MD5: cb277f670590ffec20a12745260518dc

SHA1: 4b222ef8d1c52e1ce5ceb40a3b5c1fb9cad01eca

SHA256: 47c74de257f7e407a21e5d22519b664cfa1c83d04c362bff466c8424b702d31f

Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies

- maintenance.zip: maintenance-javadoc.jar: search.js
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/maintenance.zip/maintenance-javadoc.jar/search.js
 - MD5: cb277f670590ffec20a12745260518dc
 - SHA1: 4b222ef8d1c52e1ce5ceb40a3b5c1fb9cad01eca
 - SHA256: 47c74de257f7e407a21e5d22519b664cfa1c83d04c362bff466c8424b702d31f
- reporting.zip: reporting-javadoc.jar: search.js
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/reporting.zip/reporting-javadoc.jar/search.js
 - MD5: cb277f670590ffec20a12745260518dc
 - SHA1: 4b222ef8d1c52e1ce5ceb40a3b5c1fb9cad01eca
 - SHA256: 47c74de257f7e407a21e5d22519b664cfa1c83d04c362bff466c8424b702d31f
- taskplanner.reporting.zip: taskplanner.reporting-javadoc.jar: search.js
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/taskplanner.reporting.zip/taskplanner.reporting-javadoc.jar/search.js
 - MD5: cb277f670590ffec20a12745260518dc
 - SHA1: 4b222ef8d1c52e1ce5ceb40a3b5c1fb9cad01eca
 - SHA256: 47c74de257f7e407a21e5d22519b664cfa1c83d04c362bff466c8424b702d31f
- taskplanner.zip: taskplanner-javadoc.jar: search.js
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/taskplanner.zip/taskplanner-javadoc.jar/search.js
 - MD5: cb277f670590ffec20a12745260518dc
 - SHA1: 4b222ef8d1c52e1ce5ceb40a3b5c1fb9cad01eca
 - SHA256: 47c74de257f7e407a21e5d22519b664cfa1c83d04c362bff466c8424b702d31f

Identifiers

- None

authentication.oauth.zip: authentication.oauth-javadoc.jar: tag-search-index.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/authentication.oauth.zip/authentication.oauth-javadoc.jar/tag-search-index.js

MD5: 95810a7878ddd3f49d938eb6b5c0f1b2

SHA1: 4d0358e131242bfb1a29d1db368e9e24381ad979

SHA256: e31bd7c6847cd8b49a884fe01244f740ad184cdb7aa6449830be21985158f0d9

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies




- reporting.zip: reporting-javadoc.jar: tag-search-index.js
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/reporting.zip/reporting-javadoc.jar/tag-search-index.js
 - MD5: 95810a7878ddd3f49d938eb6b5c0f1b2
 - SHA1: 4d0358e131242bfb1a29d1db368e9e24381ad979
 - SHA256: e31bd7c6847cd8b49a884fe01244f740ad184cdb7aa6449830be21985158f0d9
- taskplanner.zip: taskplanner-javadoc.jar: tag-search-index.js
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/taskplanner.zip/taskplanner-javadoc.jar/tag-search-index.js
 - MD5: 95810a7878ddd3f49d938eb6b5c0f1b2
 - SHA1: 4d0358e131242bfb1a29d1db368e9e24381ad979
 - SHA256: e31bd7c6847cd8b49a884fe01244f740ad184cdb7aa6449830be21985158f0d9

Identifiers

- None

authentication.oauth.zip: authentication.oauth-javadoc.jar: type-search-index.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/authentication.oauth.zip/authentication.oauth-javadoc.jar/type-search-index.js
MD5: c5cf5d9f662e5d0fb1fbe03c620a9e3c
SHA1: 4cff882ae583b06340823df524526241504fa320
SHA256:84e8a0f0eaf62268a0904f400e6d146858ec764b1d8e107e11dfd6da3d4419aa
Referenced In Project/Scope: server

Evidence 


Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

authentication.oauth.zip: authentication.oauth.jar

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/authentication.oauth.zip/authentication.oauth.jar
MD5: dfe65f39933ec1b602ef9893c93725fc
SHA1: 6888763248be286045c12a9eccf74c9f34a66308
SHA256:179864f2fb01bcd9f03be9d4a77360f0317539087f134e597d9d76603e2992fd
Referenced In Project/Scope: server

Evidence 

Type	Source	Name	Value	Confidence
Vendor	file	name	authentication.oauth	High
Vendor	jar	package name	authentication	Low
Vendor	jar	package name	inet	Low
Vendor	jar	package name	oauth2	Low
Vendor	Manifest	built-date	2024-09-19 17:12	Low
Vendor	Manifest	implementation-group	shared	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium

Product	file	name	authentication.oauth	High
Product	jar	package name	authentication	Highest
Product	jar	package name	authentication	Low
Product	jar	package name	internal	Low
Product	jar	package name	oauth2	Low
Product	Manifest	built-date	2024-09-19 17:12	Low
Product	Manifest	implementation-group	shared	Low
Product	Manifest	Implementation-Title	authentication.oauth	High
Product	Manifest	specification-title	authentication.oauth	Medium
Version	Manifest	Implementation-Version	24.10.163	High

Identifiers

- None

authentication.oauth.zip: jjwt-api.jar

Description:

JSON Web Token support for the JVM and Android

License:

<https://www.apache.org/licenses/LICENSE-2.0>

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/authentication.oauth.zip/jjwt-api.jar

MD5: 995d2066feaa206de5e880045c9407d4

SHA1: 478886a888f6add04937baf0361144504a024967

SHA256: 8fabe0be1dfad1c823dc43137453e017d2c83f376422c83e017d9dd1043e6984

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	jjwt-api	High
Vendor	jar	package name	io	Highest
Vendor	jar	package name	jsonwebtoken	Highest
Vendor	Manifest	build-jdk-spec	1.7	Low
Vendor	Manifest	bundle-docurl	https://github.com/jwt/jwt	Low

Vendor	Manifest	bundle-symbolicname	io.jsonwebtoken.jjwt-api	Medium
Vendor	Manifest	implementation-url	https://github.com/jwt/jwt-api	Low
Vendor	Manifest	Implementation-Vendor	jsonwebtoken.io	High
Vendor	Manifest	Implementation-Vendor-Id	io.jsonwebtoken	Medium
Vendor	Manifest	specification-vendor	jsonwebtoken.io	Low
Vendor	pom	artifactid	jjwt-api	Low
Vendor	pom	groupid	io.jsonwebtoken	Highest
Vendor	pom	name	JJWT :: API	High
Vendor	pom	parent-artifactid	jjwt-root	Low
Product	file	name	jjwt-api	High
Product	jar	package name	io	Highest
Product	jar	package name	jsonwebtoken	Highest
Product	Manifest	build-jdk-spec	1.7	Low
Product	Manifest	bundle-docurl	https://github.com/jwt/jwt	Low
Product	Manifest	Bundle-Name	JJWT :: API	Medium
Product	Manifest	bundle-symbolicname	io.jsonwebtoken.jjwt-api	Medium
Product	Manifest	Implementation-Title	JJWT :: API	High
Product	Manifest	implementation-url	https://github.com/jwt/jwt-api	Low
Product	Manifest	specification-title	JJWT :: API	Medium
Product	pom	artifactid	jjwt-api	Highest
Product	pom	groupid	io.jsonwebtoken	Highest
Product	pom	name	JJWT :: API	High
Product	pom	parent-artifactid	jjwt-root	Medium
Version	Manifest	Bundle-Version	0.12.6	High
Version	Manifest	Implementation-Version	0.12.6	High
Version	pom	version	0.12.6	Highest

Identifiers

- [pkg:maven/io.jsonwebtoken/jjwt-api@0.12.6](#) (Confidence:High)

authentication.oauth.zip: jjwt-impl.jar

Description:

JSON Web Token support for the JVM and Android

License:

<https://www.apache.org/licenses/LICENSE-2.0>

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/authentication.oauth.zip/jjwt-impl.jar

MD5: e96f699bad6353508953424e82e5de45

SHA1: ac23673a84b6089e0369fb8ab2c69edd91cd6eb0

SHA256: ad80ceda467ddab64f0e729257dd5f72f61487cc3b92e696270e620f0d88168f

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	jjwt-impl	High
Vendor	jar	package name	impl	Highest
Vendor	jar	package name	io	Highest
Vendor	jar	package name	jsonwebtoken	Highest
Vendor	Manifest	build-jdk-spec	1.7	Low
Vendor	Manifest	bundle-docurl	https://github.com/jwt/jwt	Low
Vendor	Manifest	bundle-symbolicname	io.jsonwebtoken.jjwt-impl	Medium
Vendor	Manifest	fragment-host	io.jsonwebtoken.jjwt-api	Low
Vendor	Manifest	implementation-url	https://github.com/jwt/jwt/jjwt-impl	Low
Vendor	Manifest	Implementation-Vendor	jsonwebtoken.io	High
Vendor	Manifest	Implementation-Vendor-Id	io.jsonwebtoken	Medium
Vendor	Manifest	specification-vendor	jsonwebtoken.io	Low
Vendor	pom	artifactid	jjwt-impl	Low
Vendor	pom	groupid	io.jsonwebtoken	Highest
Vendor	pom	name	JJWT :: Impl	High
Vendor	pom	parent-artifactid	jjwt-root	Low
Product	file	name	jjwt-impl	High
Product	jar	package name	impl	Highest

Product	jar	package name	io	Highest
Product	jar	package name	jsonwebtoken	Highest
Product	Manifest	build-jdk-spec	1.7	Low
Product	Manifest	bundle-docurl	https://github.com/jwt/jwt	Low
Product	Manifest	Bundle-Name	JJWT :: Impl	Medium
Product	Manifest	bundle-symbolicname	io.jsonwebtoken.jjwt-impl	Medium
Product	Manifest	fragment-host	io.jsonwebtoken.jjwt-api	Low
Product	Manifest	Implementation-Title	JJWT :: Impl	High
Product	Manifest	implementation-url	https://github.com/jwt/jwt/jjwt-impl	Low
Product	Manifest	specification-title	JJWT :: Impl	Medium
Product	pom	artifactid	jjwt-impl	Highest
Product	pom	groupid	io.jsonwebtoken	Highest
Product	pom	name	JJWT :: Impl	High
Product	pom	parent-artifactid	jjwt-root	Medium
Version	Manifest	Bundle-Version	0.12.6	High
Version	Manifest	Implementation-Version	0.12.6	High
Version	pom	version	0.12.6	Highest

Identifiers

- [pkg:maven/io.jsonwebtoken/jjwt-impl@0.12.6](https://maven.io.jsonwebtoken/jjwt-impl@0.12.6) (*Confidence:High*)

authentication.pam.zip: authentication.pam.jar

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/authentication.pam.zip/authentication.pam.jar
MD5: 612e6b6d4b906eae27231052282fc5b
SHA1: fc58c7086dc317157ce2de3db6826110bbd9d1ac
SHA256: 59c4a75cb5a148148b0ab10a6564381b5658d2e36a8600378cb5c25c00105390
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	authentication.pam	High

Vendor	jar	package name	authentication	Low
Vendor	jar	package name	inet	Low
Vendor	jar	package name	pam	Low
Vendor	Manifest	built-date	2024-09-19 17:00	Low
Vendor	Manifest	implementation-group	shared	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	authentication.pam	High
Product	jar	package name	authentication	Highest
Product	jar	package name	authentication	Low
Product	jar	package name	libpam	Low
Product	jar	package name	pam	Highest
Product	jar	package name	pam	Low
Product	Manifest	built-date	2024-09-19 17:00	Low
Product	Manifest	implementation-group	shared	Low
Product	Manifest	Implementation-Title	authentication.pam	High
Product	Manifest	specification-title	authentication.pam	Medium
Version	Manifest	Implementation-Version	24.10.163	High

Identifiers

- None

authentication.passwordfile.zip: authentication.passwordfile.sample.jar

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/Documentation and Samples/Plugin - Samples/Authentication/PasswordFile/authentication.passwordfile.zip/authentication.passwordfile.sample.jar
MD5: 6935b50464e2013f446e0d489dde89c97

SHA1: f5e8e25730f929b1a7d1bccc3fb4145035f801f9
SHA256:1da93c26e396794e18b02affc6c11373cecf029a94fb8c6ad21dc69b67699d29
Referenced In Project/Scope: server

Evidence +

Type	Source	Name	Value	Confidence
Vendor	file	name	authentication.passwordfile.sample	High
Vendor	jar	package name	authentication	Low
Vendor	jar	package name	inet	Low
Vendor	jar	package name	passwordfile	Low
Vendor	Manifest	built-date	2024-09-19 17:12	Low
Vendor	Manifest	implementation-group	shared	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	authentication.passwordfile.sample	High
Product	jar	package name	authentication	Highest
Product	jar	package name	authentication	Low
Product	jar	package name	passwordfile	Highest
Product	jar	package name	passwordfile	Low
Product	Manifest	built-date	2024-09-19 17:12	Low
Product	Manifest	implementation-group	shared	Low
Product	Manifest	Implementation-Title	authentication.passwordfile	High
Product	Manifest	specification-title	authentication.passwordfile	Medium
Version	Manifest	Implementation-Version	24.10.163	High

Identifiers

- None

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/authentication.product.zip/authentication.product.jar
MD5: 4137dab2caf1cb32a02205d54772abf9
SHA1: d6e9fb0407e8b05c00304b818a80822c414c3530
SHA256: fea776c6c55e4a5d97b84af79fc743f0cc4ef2e529e778491b72b687c453dcea
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	authentication.product	High
Vendor	jar	package name	authentication	Low
Vendor	jar	package name	inet	Low
Vendor	jar	package name	product	Low
Vendor	Manifest	built-date	2024-09-19 17:05	Low
Vendor	Manifest	implementation-group	shared	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	authentication.product	High
Product	jar	package name	authentication	Highest
Product	jar	package name	authentication	Low
Product	jar	package name	product	Highest
Product	jar	package name	product	Low
Product	Manifest	built-date	2024-09-19 17:05	Low
Product	Manifest	implementation-group	shared	Low
Product	Manifest	Implementation-Title	authentication.product	High
Product	Manifest	specification-title	authentication.product	Medium
Version	Manifest	Implementation-Version	24.10.163	High

Identifiers

- None

authentication.token.zip: authentication.token.jar

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/authentication.token.zip/authentication.token.jar

MD5: 11ad84b5ea6a1d38b16efef2a70e55af

SHA1: 327aaa964992da457dec2bf9b15238c6c26373c4

SHA256: b4baec7ae0197270225210b0864363a31090bc00e33e58578cf226c167341472

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	authentication.token	High
Vendor	jar	package name	authentication	Low
Vendor	jar	package name	inet	Low
Vendor	jar	package name	token	Low
Vendor	Manifest	built-date	2024-09-19 17:12	Low
Vendor	Manifest	implementation-group	shared	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	authentication.token	High
Product	jar	package name	authentication	Highest
Product	jar	package name	authentication	Low
Product	jar	package name	server	Low
Product	jar	package name	token	Highest
Product	jar	package name	token	Low
Product	Manifest	built-date	2024-09-19 17:12	Low
Product	Manifest	implementation-group	shared	Low
Product	Manifest	Implementation-Title	authentication.token	High
Product	Manifest	specification-title	authentication.token	Medium

Version	Manifest	Implementation-Version	24.10.163	High
---------	----------	------------------------	-----------	------

Identifiers

- None

authentication.token.zip: authentication.token.jar: tokenauthentication.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/authentication.token.zip/authentication.token.jar/com/inet/authentication/token/client/js/tokenauthentication.js

MD5: 3af640377ba31b2e089c505b23f08706

SHA1: 568102bfb972adf999adf274bd92acc9ea3fa14b

SHA256:d0635a9d0e593b6fab7e3e5ed8ec147de04eb75c785a5d9cc19bb58416d4efc5

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

authentication.windows.zip: authentication.windows.jar

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/authentication.windows.zip/authentication.windows.jar

MD5: 05127d8992799a6c22f732b872dbbf30

SHA1: 3c60732cb503d9b16e3a1303613a07f3634ab385

SHA256:a8af121f595c3b5523354fdf03675c41fdd3845a470379b84e2e4cdd5a153a8d

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	authentication.windows	High
Vendor	jar	package name	authentication	Low
Vendor	jar	package name	inet	Low

Vendor	jar	package name	windows	Low
Vendor	Manifest	built-date	2024-09-19 17:00	Low
Vendor	Manifest	implementation-group	shared	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	authentication.windows	High
Product	jar	package name	authentication	Highest
Product	jar	package name	authentication	Low
Product	jar	package name	windows	Highest
Product	jar	package name	windows	Low
Product	Manifest	built-date	2024-09-19 17:00	Low
Product	Manifest	implementation-group	shared	Low
Product	Manifest	Implementation-Title	authentication.windows	High
Product	Manifest	specification-title	authentication.windows	Medium
Version	Manifest	Implementation-Version	24.10.163	High

Identifiers

- None

authentication.windows.zip: caffeine.jar

Description:

A high performance caching library

License:

<https://www.apache.org/licenses/LICENSE-2.0>

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/authentication.windows.zip/caffeine.jar

MD5: 7661b25999918646ec802846cc4c16bc

SHA1: 3646a0d1b1abe6a31f72f2237d9004d10a5be91d
SHA256:0311f9d5d9750aa2a1c11cbdba5a5cb7fec91c8870d6f179f324b3f5295b87dd
Referenced In Project/Scope: server

Evidence +

Type	Source	Name	Value	Confidence
Vendor	file	name	caffeine	High
Vendor	jar	package name	benmanes	Highest
Vendor	jar	package name	benmanes	Low
Vendor	jar	package name	caffeine	Highest
Vendor	jar	package name	caffeine	Low
Vendor	jar	package name	github	Highest
Vendor	jar	package name	github	Low
Vendor	Manifest	automatic-module-name	com.github.benmanes.caffeine	Medium
Vendor	Manifest	build-jdk-spec	11	Low
Vendor	Manifest	bundle-symbolicname	com.github.ben-manes.caffeine	Medium
Product	file	name	caffeine	High
Product	jar	package name	benmanes	Highest
Product	jar	package name	benmanes	Low
Product	jar	package name	cache	Low
Product	jar	package name	caffeine	Highest
Product	jar	package name	caffeine	Low
Product	jar	package name	github	Highest
Product	Manifest	automatic-module-name	com.github.benmanes.caffeine	Medium
Product	Manifest	build-jdk-spec	11	Low
Product	Manifest	Bundle-Name	com.github.ben-manes.caffeine	Medium
Product	Manifest	bundle-symbolicname	com.github.ben-manes.caffeine	Medium
Product	Manifest	Implementation-Title	A high performance caching library	High
Version	Manifest	build-jdk-spec	11	Low
Version	Manifest	Bundle-Version	3.1.6	High
Version	Manifest	Implementation-Version	3.1.6	High

Identifiers

- None

authentication.windows.zip: jna-platform.jar

Description:

JNA Platform Library

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/authentication.windows.zip/jna-platform.jar

MD5: 3bc3f09a698e6ad250dd093f64fbb8a7

SHA1: 28934d48aed814f11e4c584da55c49fa7032b31b

SHA256: ae4caceb3840730c2537f9b7fb55a01baba580286b4122951488bcee558c2449

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	jna-platform	High
Vendor	jar	package name	jna	Highest
Vendor	jar	package name	jna	Low
Vendor	jar	package name	platform	Highest
Vendor	jar	package name	platform	Low
Vendor	jar	package name	sun	Highest
Vendor	jar	package name	sun	Low
Vendor	jar (hint)	package name	oracle	Highest
Vendor	jar (hint)	package name	oracle	Low
Vendor	Manifest	automatic-module-name	com.sun.jna.platform	Medium
Vendor	Manifest	bundle-category	jni	Low
Vendor	Manifest	bundle-requiredexecution	J2SE-1.4	Low
Vendor	Manifest	bundle-symbolicname	com.sun.jna.platform	Medium
Vendor	Manifest	Implementation-Vendor	JNA Development Team	High
Vendor	Manifest	require-bundle	com.sun.jna;bundle-version="5.14.0"	Low
Vendor	Manifest	specification-vendor	JNA Development Team	Low

Product	file	name	jna-platform	High
Product	jar	package name	jna	Highest
Product	jar	package name	jna	Low
Product	jar	package name	platform	Highest
Product	jar	package name	platform	Low
Product	jar	package name	sun	Highest
Product	jar	package name	win32	Low
Product	Manifest	automatic-module-name	com.sun.jna.platform	Medium
Product	Manifest	bundle-category	jni	Low
Product	Manifest	Bundle-Name	jna-platform	Medium
Product	Manifest	bundle-requiredexecution	J2SE-1.4	Low
Product	Manifest	bundle-symbolicname	com.sun.jna.platform	Medium
Product	Manifest	Implementation-Title	com.sun.jna	High
Product	Manifest	require-bundle	com.sun.jna;bundle-version="5.14.0"	Low
Product	Manifest	specification-title	Java Native Access (JNA)	Medium
Version	jar	package name	jna	Highest
Version	jar	package name	sun	Highest
Version	Manifest	Bundle-Version	5.14.0	High
Version	Manifest	Implementation-Version	5.14.0 (b0)	High

Identifiers

- None

authentication.windows.zip: waffle-jna.jar

Description:

WAFFLE JNA implementation

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/authentication.windows.zip/waffle-jna.jar

MD5: 72644924463cce2b4a2bbb8969a60345

SHA1: a1836f06f9728e1c126064c5fd8e747507edbd5e

SHA256: 9797c878bc7b4142b8967265a5aa76969dfd0341f49b016a097c0ca034aaeaa0

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	waffle-jna	High
Vendor	jar	package name	waffle	Highest
Vendor	Manifest	automatic-module-name	waffle.jna	Medium
Vendor	Manifest	build-jdk-spec	22	Low
Vendor	Manifest	copyright	2024	Low
Vendor	Manifest	git-revision	894fadbe03fa86dc0880e3b27b2ea1798e3525	Low
Vendor	Manifest	Implementation-Vendor	com.github.waffle	High
Vendor	Manifest	specification-vendor	com.github.waffle	Low
Vendor	pom	artifactid	waffle-jna	Low
Vendor	pom	groupid	com.github.waffle	Highest
Vendor	pom	name	waffle-jna	High
Vendor	pom	parent-artifactid	waffle	Low
Vendor	pom	url	https://waffle.github.io/waffle/	Highest
Product	file	name	waffle-jna	High
Product	jar	package name	waffle	Highest
Product	Manifest	automatic-module-name	waffle.jna	Medium
Product	Manifest	build-jdk-spec	22	Low
Product	Manifest	copyright	2024	Low
Product	Manifest	git-revision	894fadbe03fa86dc0880e3b27b2ea1798e3525	Low
Product	Manifest	Implementation-Title	waffle-jna	High
Product	Manifest	specification-title	waffle-jna	Medium
Product	pom	artifactid	waffle-jna	Highest
Product	pom	groupid	com.github.waffle	Highest
Product	pom	name	waffle-jna	High
Product	pom	parent-artifactid	waffle	Medium
Product	pom	url	https://waffle.github.io/waffle/	Medium
Version	Manifest	Implementation-Version	3.4.0	High
Version	pom	version	3.4.0	Highest

Identifiers

- pkg:maven/com.github.waffle/waffle-jna@3.4.0 (Confidence:High)

collation.zip: collation.sample.jar

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/collation.zip/collation.sample.jar
MD5: c82f5476e5f11b3729d83f4f6f9460b4
SHA1: d38706bf3453dac7a4f89eb68e6dc82f24fc6012
SHA256:969865c00806b3a162ebadfa7de683085acce2eb6afd7447a4408f00d96f13c
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	collation.sample	High
Vendor	jar	package name	collation	Low
Vendor	jar	package name	inet	Low
Vendor	jar	package name	samples	Low
Vendor	Manifest	built-date	2024-09-19 18:15	Low
Vendor	Manifest	implementation-group	reporting	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	collation.sample	High
Product	jar	package name	collation	Highest
Product	jar	package name	collation	Low
Product	jar	package name	collationserverplugin	Low
Product	jar	package name	samples	Low
Product	Manifest	built-date	2024-09-19 18:15	Low
Product	Manifest	implementation-group	reporting	Low
Product	Manifest	Implementation-Title	collation	High

Product	Manifest	specification-title	collation	Medium
Version	Manifest	Implementation-Version	24.10.163	High

Related Dependencies

- collation.zip: collation.sample.jar
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/Documentation and Samples /Plugin - Samples/CollationServerPlugin/collation.zip/collation.sample.jar
 - MD5: c82f5476e5f11b3729d83f4f6f9460b4
 - SHA1: d38706bf3453dac7a4f89eb68e6dc82f24fc6012
 - SHA256: 969865c00806b3a162ebadfa7de683085accecc2eb6afd7447a4408f00d96f13c

Identifiers

- None

commons-logging.jar

Description:

Apache Commons Logging is a thin adapter allowing configurable bridging to other, well-known logging systems.

License:

<https://www.apache.org/licenses/LICENSE-2.0.txt>

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller /server/build/tmp/dependencies/i-net Clear Reports/core/commons-logging.jar

MD5: 62de1aea096b3ac52e46b908dac4ac97

SHA1: 580ad1a4f34876c4f964c083361de31b3d60be68

SHA256: 5828f96c09d886f9b1a0993c7804b27cf4fcec8534517164f5137ac8b67ea9b9

Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence
Vendor	file	name	commons-logging	High
Vendor	jar	package name	apache	Highest
Vendor	jar	package name	commons	Highest
Vendor	jar	package name	logging	Highest
Vendor	Manifest	automatic-module-name	org.apache.commons.logging	Medium
Vendor	Manifest	build-jdk-spec	17	Low

Vendor	Manifest	bundle-docurl	https://commons.apache.org/proper/commons-logging/	Low
Vendor	Manifest	bundle-symbolicname	org.apache.commons.commons-logging	Medium
Vendor	Manifest	Implementation-Vendor	The Apache Software Foundation	High
Vendor	Manifest	multi-release	true	Low
Vendor	Manifest	specification-vendor	The Apache Software Foundation	Low
Vendor	pom	artifactid	commons-logging	Low
Vendor	pom	developer email	baliuka@apache.org	Low
Vendor	pom	developer email	costin@apache.org	Low
Vendor	pom	developer email	craigmcc@apache.org	Low
Vendor	pom	developer email	dennisl@apache.org	Low
Vendor	pom	developer email	donaldp@apache.org	Low
Vendor	pom	developer email	ggregory at apache.org	Low
Vendor	pom	developer email	morgand@apache.org	Low
Vendor	pom	developer email	rdonkin@apache.org	Low
Vendor	pom	developer email	rsitze@apache.org	Low
Vendor	pom	developer email	rwaldhoff@apache.org	Low
Vendor	pom	developer email	sanders@apache.org	Low
Vendor	pom	developer email	skitching@apache.org	Low
Vendor	pom	developer email	tn@apache.org	Low
Vendor	pom	developer id	baliuka	Medium
Vendor	pom	developer id	bstansberry	Medium
Vendor	pom	developer id	costin	Medium
Vendor	pom	developer id	craigmcc	Medium
Vendor	pom	developer id	dennisl	Medium
Vendor	pom	developer id	donaldp	Medium
Vendor	pom	developer id	ggregory	Medium
Vendor	pom	developer id	morgand	Medium
Vendor	pom	developer id	rdonkin	Medium
Vendor	pom	developer id	rsitze	Medium
Vendor	pom	developer id	rwaldhoff	Medium
Vendor	pom	developer id	sanders	Medium
Vendor	pom	developer id	skitching	Medium
Vendor	pom	developer id	tn	Medium

Vendor	pom	developer name	Brian Stansberry	Medium
Vendor	pom	developer name	Costin Manolache	Medium
Vendor	pom	developer name	Craig McClanahan	Medium
Vendor	pom	developer name	Dennis Lundberg	Medium
Vendor	pom	developer name	Gary Gregory	Medium
Vendor	pom	developer name	Juozas Baliuka	Medium
Vendor	pom	developer name	Morgan Delagrange	Medium
Vendor	pom	developer name	Peter Donald	Medium
Vendor	pom	developer name	Richard Sitze	Medium
Vendor	pom	developer name	Robert Burrell Donkin	Medium
Vendor	pom	developer name	Rodney Waldhoff	Medium
Vendor	pom	developer name	Scott Sanders	Medium
Vendor	pom	developer name	Simon Kitching	Medium
Vendor	pom	developer name	Thomas Neidhart	Medium
Vendor	pom	developer org	Apache	Medium
Vendor	pom	developer org	The Apache Software Foundation	Medium
Vendor	pom	developer org URL	https://www.apache.org/	Medium
Vendor	pom	groupid	commons-logging	Highest
Vendor	pom	name	Apache Commons Logging	High
Vendor	pom	parent-artifactid	commons-parent	Low
Vendor	pom	parent-groupid	org.apache.commons	Medium
Vendor	pom	url	https://commons.apache.org/proper/commons-logging/	Highest
Product	file	name	commons-logging	High
Product	jar	package name	apache	Highest
Product	jar	package name	commons	Highest
Product	jar	package name	logging	Highest
Product	Manifest	automatic-module-name	org.apache.commons.logging	Medium
Product	Manifest	build-jdk-spec	17	Low
Product	Manifest	bundle-docurl	https://commons.apache.org/proper/commons-logging/	Low
Product	Manifest	Bundle-Name	Apache Commons Logging	Medium
Product	Manifest	bundle-symbolicname	org.apache.commons.commons-logging	Medium
Product	Manifest	Implementation-Title	Apache Commons Logging	High

Product	Manifest	multi-release	true	Low
Product	Manifest	specification-title	Apache Commons Logging	Medium
Product	pom	artifactid	commons-logging	Highest
Product	pom	developer email	baliuka@apache.org	Low
Product	pom	developer email	costin@apache.org	Low
Product	pom	developer email	craigmcc@apache.org	Low
Product	pom	developer email	dennisl@apache.org	Low
Product	pom	developer email	donaldp@apache.org	Low
Product	pom	developer email	ggregory at apache.org	Low
Product	pom	developer email	morgand@apache.org	Low
Product	pom	developer email	rdonkin@apache.org	Low
Product	pom	developer email	rsitze@apache.org	Low
Product	pom	developer email	rwaldhoff@apache.org	Low
Product	pom	developer email	sanders@apache.org	Low
Product	pom	developer email	skitching@apache.org	Low
Product	pom	developer email	tn@apache.org	Low
Product	pom	developer id	baliuka	Low
Product	pom	developer id	bstansberry	Low
Product	pom	developer id	costin	Low
Product	pom	developer id	craigmcc	Low
Product	pom	developer id	dennisl	Low
Product	pom	developer id	donaldp	Low
Product	pom	developer id	ggregory	Low
Product	pom	developer id	morgand	Low
Product	pom	developer id	rdonkin	Low
Product	pom	developer id	rsitze	Low
Product	pom	developer id	rwaldhoff	Low
Product	pom	developer id	sanders	Low
Product	pom	developer id	skitching	Low
Product	pom	developer id	tn	Low
Product	pom	developer name	Brian Stansberry	Low
Product	pom	developer name	Costin Manolache	Low
Product	pom	developer name	Craig McClanahan	Low
Product	pom	developer name	Dennis Lundberg	Low
Product	pom	developer name	Gary Gregory	Low

Product	pom	developer name	Juozas Baliuka	Low
Product	pom	developer name	Morgan Delagrance	Low
Product	pom	developer name	Peter Donald	Low
Product	pom	developer name	Richard Sitze	Low
Product	pom	developer name	Robert Burrell Donkin	Low
Product	pom	developer name	Rodney Waldhoff	Low
Product	pom	developer name	Scott Sanders	Low
Product	pom	developer name	Simon Kitching	Low
Product	pom	developer name	Thomas Neidhart	Low
Product	pom	developer org	Apache	Low
Product	pom	developer org	The Apache Software Foundation	Low
Product	pom	developer org URL	https://www.apache.org/	Low
Product	pom	groupid	commons-logging	Highest
Product	pom	name	Apache Commons Logging	High
Product	pom	parent-artifactid	commons-parent	Medium
Product	pom	parent-groupid	org.apache.commons	Medium
Product	pom	url	https://commons.apache.org/proper/commons-logging/	Medium
Version	Manifest	Bundle-Version	1.3.3	High
Version	Manifest	Implementation-Version	1.3.3	High
Version	pom	parent-version	1.3.3	Low
Version	pom	version	1.3.3	Highest

Identifiers

- <pkg:maven/commons-logging/commons-logging@1.3.3> (*Confidence:High*)

configuration.automaticconfigrestore.zip: configuration.automaticconfigrestore.sample.jar

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/Documentation and Samples/Plugin - Samples/Configuration/AutomaticConfigRestore/configuration.automaticconfigrestore.zip/configuration.automaticconfigrestore.sample.jar

MD5: 66429361351c1a11bfd28b46dd6e16c7

SHA1: 134e1422e851994d60a4d2c150934590c28a3f1c
SHA256:bf32def8b609458b42e7796ed88ef563e6d20489cfb61aa4ecaa27deccf4aa95
Referenced In Project/Scope: server

Evidence +

Type	Source	Name	Value	Confidence
Vendor	file	name	configuration.automaticconfigrestore.sample	High
Vendor	jar	package name	automaticconfigrestore	Low
Vendor	jar	package name	inet	Low
Vendor	Manifest	built-date	2024-09-19 17:12	Low
Vendor	Manifest	implementation-group	shared	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	configuration.automaticconfigrestore.sample	High
Product	jar	package name	automaticconfigrestore	Highest
Product	jar	package name	automaticconfigrestore	Low
Product	Manifest	built-date	2024-09-19 17:12	Low
Product	Manifest	implementation-group	shared	Low
Product	Manifest	Implementation-Title	configuration.automaticconfigrestore	High
Product	Manifest	specification-title	configuration.automaticconfigrestore	Medium
Version	Manifest	Implementation-Version	24.10.163	High

Identifiers

- None

configuration.zip: configuration.jar

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/configuration.zip/configuration.jar

MD5: d2ae44b104cfd0e2104859ba6a70d518
SHA1: 2e05889dd5e396381672a2dc55c2fb18b74ecf35
SHA256:5e53f2f2c19e1018e028e140befa3411ea84e5df3d0d4e8e7092e8ae75e11bdb
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	configuration	High
Vendor	jar	package name	inet	Low
Vendor	jar	package name	plugins	Low
Vendor	jar	package name	report	Low
Vendor	Manifest	built-date	2024-09-19 17:06	Low
Vendor	Manifest	implementation-group	shared	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	configuration	High
Product	jar	package name	config	Low
Product	jar	package name	plugins	Low
Product	jar	package name	report	Low
Product	Manifest	built-date	2024-09-19 17:06	Low
Product	Manifest	implementation-group	shared	Low
Product	Manifest	Implementation-Title	configuration	High
Product	Manifest	specification-title	configuration	Medium
Version	Manifest	Implementation-Version	24.10.163	High

Identifiers

- None

configuration.zip: configuration.jar: authentication.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/configuration.zip/configuration.jar/com/inet/report/plugins/config/client/js/renderer/authentication.js

MD5: 32ddfe3c441b22f84dcc1898413ea55

SHA1: 77d3f3ea6c58e3c215ac86777ee25b0b8004bc7b

SHA256: 818c4819e64813929560eee3008b485c637a80725488cbb3b9627983f8bc9e3f

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

configuration.zip: configuration.jar: boolean.directive.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/configuration.zip/configuration.jar/com/inet/report/plugins/config/client/js/renderer/boolean.directive.js

MD5: e155af571b4efd086c739fd329edd72f

SHA1: e744f3d28b6acc4d597b224624309e38bdffc1d8

SHA256: df48567df109fb82d1717821e737691ce7fec882706819667acd78d18b7b63e

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

configuration.zip: configuration.jar: booleanButton.directive.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/configuration.zip/configuration.jar/com/inet/report/plugins/config/client/js/renderer/booleanButton.directive.js

MD5: c241b163692b903546728aaffff56b4b

SHA1: bf6d026e12d320d169e1ffb3395ad3db12034c26
SHA256:9cbc71701e24de928f61a38d03145a74b5a9dd28a350551401f9bda81207a1ff
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

configuration.zip: configuration.jar: colorInput.directive.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/configuration.zip/configuration.jar/com/inet/report/plugins/config/client/js/renderer/colorInput.directive.js
MD5: 58e908e9ef96d3bcd1131d61d874217c
SHA1: 99397bcc5aded52857da548839a5499075ce1263
SHA256:f8d8afc3d949399b38a1f2393044ad00fecad4dd65ef4c077565610cd18fb768
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

configuration.zip: configuration.jar: controller.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/configuration.zip/configuration.jar/com/inet/report/plugins/config/client/js/controller.js
MD5: c94ecf184500c119c4c14f420da1639a
SHA1: 6b23d960301fed13feffdba715d1c8d78e617f5b
SHA256:cc1cf1a093bd14390d50467fb6ac075ffeeea1c20defb7b23a6e3d82241b6e54
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

configuration.zip: configuration.jar: datafactory.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/configuration.zip/configuration.jar/com/inet/report/plugins/config/client/js/datafactory.js
MD5: 82981086799b82a43914933c55726077
SHA1: 4c7a01134e474a05e2b585153c404c8a5d2e398a
SHA256:e4df2f34d78e5c98a049903ddd37ea2c8fab0f57913ec2cca63b35b52c6748f2
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

configuration.zip: configuration.jar: fileUploadRenderer.directive.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/configuration.zip/configuration.jar/com/inet/report/plugins/config/client/js/renderer/fileUploadRenderer.directive.js
MD5: 85d08433c73dac44667b1676da1751df
SHA1: 314d18af752a74666d8cd2b1638f5b117bc8eb13
SHA256:74777f865fedb0c9c34912e94ae05282fa95d19db7dd504f92cf91ecadd3664
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

configuration.zip: configuration.jar: filesystemInputButton.directive.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/configuration.zip/configuration.jar/com/inet/report/plugins/config/client/js/renderer/filesystemInputButton.directive.js

MD5: 3c06874891ddcf135375de6930eb2972

SHA1: f3f8ebcb367f1c4fcc299b1c9283dd45104629c4

SHA256: 1622147d4e44563556ecf8497149f63940e54c8e8ad154911e647f1ca6fc85b9

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

configuration.zip: configuration.jar: filesystemInputDirectory.directive.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/configuration.zip/configuration.jar/com/inet/report/plugins/config/client/js/renderer/filesystemInputDirectory.directive.js

MD5: 464b7aad35c25f84dc7e308a1fe6a722

SHA1: 5fc9baf862f3ca082c6c155db16d624bf719f5be

SHA256: 47d0025e066bd0d1e6f1fb735b492b74a83b23965439b7535a8ac463a47c786c

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

configuration.zip: configuration.jar: filesystemInputFile.directive.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/configuration.zip/configuration.jar/com/inet/report/plugins/config/client/js/renderer/filesystemInputFile.directive.js
MD5: 75c2038e7e6b1f9dc84d3b8c0da844c0
SHA1: 4cdc8f450f07880a55c2e7bdb85a7bce91b967d3
SHA256: 7af905ffb59a3346c2b2d9fc8e44860ff5d48a993c6054e6b41a092505c00384
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

configuration.zip: configuration.jar: iconDropRenderer.directive.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/configuration.zip/configuration.jar/com/inet/report/plugins/config/client/js/renderer/iconDropRenderer.directive.js
MD5: dcf87cadacb90bd6e699be6fd8ccb1ed
SHA1: b8e2d814a43645560caa81da45a3b8983f63acf0
SHA256: 1bb2fa796d6965a6bc2f9d06dc81b72dd8d54eca1cc37d053cc80a5a5d6a5e43
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

configuration.zip: configuration.jar: inlinerenderer.directive.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/configuration.zip/configuration.jar/com/inet/report/plugins/config/client/js/renderer/inlinerenderer.directive.js
MD5: f688e91a43726306b599b1305cf3e8ef

SHA1: 1f1070b374c15f053320172897cb24c8da3aceb5
SHA256: 23a9a23e577a3819d3a06c015ab483cd48bc6f4af28ec01caac32fe5d0cb0fe8
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

configuration.zip: configuration.jar: keyLabelText.directive.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/configuration.zip/configuration.jar/com/inet/report/plugins/config/client/js/renderer/keyLabelText.directive.js
MD5: aae3ab4eeda740d7d15ddef1c828db3b
SHA1: abdc48d7145e6d4dbf8b5a48a66d371539969197
SHA256: ef01886de025e76cb0e1701d67e6b8d869a4094d64392544a135be20010a6ea3
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

configuration.zip: configuration.jar: labelLink.directive.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/configuration.zip/configuration.jar/com/inet/report/plugins/config/client/js/renderer/labelLink.directive.js
MD5: 71d23ea76be9b9ec2cea163bc32ad083
SHA1: 503e26b0f8ca5b5b3917ebac0c98a6d34bbcb438
SHA256: 057367f35129b73dfaecbe928def62aa8e9ec18a4264d8d878783674c277a7b7
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

configuration.zip: configuration.jar: labelText.directive.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/configuration.zip/configuration.jar/com/inet/report/plugins/config/client/js/renderer/labelText.directive.js
MD5: 18e1f8fac9693e53597d2e3bb8694fca
SHA1: cfa806fe980c7ed1e542c690acd70301919d3e58
SHA256:c63fb2c0b52c28a949125b15795221bd4b8da8081d010f9f24632888d1664ebb
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

configuration.zip: configuration.jar: licensekey.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/configuration.zip/configuration.jar/com/inet/report/plugins/config/client/js/renderer/licensekey.js
MD5: 6e9886fe0ffdc7a3f09b795b08c04f7a
SHA1: f72bc4783d6ce165c80850580d704b7129365454
SHA256:d6046640dca6ae3ff00226f96ef5e004abc5668554e001e9504edf3c631aa00b
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

configuration.zip: configuration.jar: list.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/configuration.zip/configuration.jar/com/inet/report/plugins/config/client/js/renderer/list.js
MD5: a836484a595c5d6c6449f038258df4e5
SHA1: 00645dd0c191b9dc14914d3545aa2766e667e43a
SHA256: 8043edb5edb0de6b1ce449c935f8f2763a27b05e15425a982552a1775d5f45fe
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

configuration.zip: configuration.jar: logopreview.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/configuration.zip/configuration.jar/com/inet/report/plugins/config/client/js/renderer/logopreview.js
MD5: d17d19917c5f2d8623d48e8b29d736b7
SHA1: 76c40068fcec7c2dcc10f296fe5b01eaabdb4cc3
SHA256: 70d01317b11a922e3c32c8f66746570b73a8a2a4de51d9c2dc23fddae00fd7bf
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

configuration.zip: configuration.jar: multiLineText.directive.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/configuration.zip/configuration.jar/com/inet/report/plugins/config/client/js/renderer/multiLineText.directive.js
MD5: 48640b97e578b7a0f7f7dde48bb644ba
SHA1: bfadc5063ee207897ece27d2a2845bbb8e88a9fa
SHA256:d48311d3bb4afd93126cca8a7e868e54f66a0fdb3bc893ffeb20e819f96f745d
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

configuration.zip: configuration.jar: multiLingualTextRenderer.directive.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/configuration.zip/configuration.jar/com/inet/report/plugins/config/client/js/renderer/multiLingualTextRenderer.directive.js
MD5: 3495c2a8f809eb949a3237f33b1c7f31
SHA1: 6c774480a0b9fdf9766de6a29fa09c945d42b592
SHA256:ae2d68ba82c2ee734d84a36fd23b6041d2e287995759eb8779e04236db74fd56
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

configuration.zip: configuration.jar: passwordText.directive.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/configuration.zip/configuration.jar/com/inet/report/plugins/config/client/js/renderer/passwordText.directive.js
MD5: 54fcd4b4fce63f0170cb34f1eeaf8ddcd

SHA1: 6fac78e6e5880df10a6d0c98f1cdb03a233f65bf

SHA256:486cbf613d304295084a004076fd9c09a041ce36e31f85eeee8fa67ccc5fcb85

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

configuration.zip: configuration.jar: reloadSelectInputsTrigger.directive.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/configuration.zip/configuration.jar/com/inet/report/plugins/config/client/js/renderer/reloadSelectInputsTrigger.directive.js

MD5: 2b65f41ff8971b50599781ed7f6f1b9c

SHA1: b7a5e4e76d95c5f96453a3575b3809b705dca42f

SHA256:704980a404d603911917a43262e9a4eed8f8b6f157800b8d7596e7094f326ef7

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

configuration.zip: configuration.jar: renderer.directive.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/configuration.zip/configuration.jar/com/inet/report/plugins/config/client/js/renderer/renderer.directive.js

MD5: 263d5878b3b00e3de3a6faedbd460e84

SHA1: e1a40b927f1b13b0d228d06c91a2fb05917eec07

SHA256:748a2d88fd4e366a306e1b62f0f6bd046ae05b5238330b48376449ddf01e874c

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
Identifiers				
• None				

configuration.zip: configuration.jar: repository.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/configuration.zip/configuration.jar/com/inet/report/plugins/config/client/js/renderer/repository.js

MD5: baedc19f91eab554dca893cb4388b2e4

SHA1: e2a4899a91ce2813a147c8d9ef15a00ff973c080

SHA256:81e835deda02b4a0b9aae45e7e7a018c08761ebc710ca53fb742b62ac56bb065

Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

• None

configuration.zip: configuration.jar: selectEditText.directive.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/configuration.zip/configuration.jar/com/inet/report/plugins/config/client/js/renderer/selectEditText.directive.js

MD5: 1a61bac200dea54f8eb9d9921681e5eb

SHA1: 6dbd0bcd00cb2578923b81550bf53a41df913362

SHA256:b8a181150c341024f59852828b84e69e756debc3bf0ea47c2ab19ffd6c712a72

Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

configuration.zip: configuration.jar: selectFilteredText.directive.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/configuration.zip/configuration.jar/com/inet/report/plugins/config/client/js/renderer/selectFilteredText.directive.js

MD5: 7b58d68dc3a35304dc78fee8d4ccaf6c

SHA1: cb18981f11083c559b202e9192f33afe65af6873

SHA256: 294ca27a4b15d42a525a5e5e306dd8a4bba38c8d620f39b87a75cd1f90072ee7

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

configuration.zip: configuration.jar: selectLanguageChooserRenderer.directive.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/configuration.zip/configuration.jar/com/inet/report/plugins/config/client/js/renderer/selectLanguageChooserRenderer.directive.js

MD5: a0d2d369508b0efdded68fb3f063a8fd

SHA1: d1fab8af7e386206b0ccd790a22869003470af9a

SHA256: b45062353d252f869be07fb2a81814bf14b6117103466f948fa419615f5174cd

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

configuration.zip: configuration.jar: selectSimpleText.directive.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/configuration.zip/configuration.jar/com/inet/report/plugins/config/client/js/renderer/selectSimpleText.directive.js
MD5: f847feb7c380b15f650e9c557d8c28c8
SHA1: 6c862eb40e515e329c0734b281ebaa686291eca6
SHA256: 7c48f1f408923db44696e2cb46f622b319a99c55a3347a486013850165f6bfb8
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

configuration.zip: configuration.jar: simpleDate.directive.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/configuration.zip/configuration.jar/com/inet/report/plugins/config/client/js/renderer/simpleDate.directive.js
MD5: 84b924c4d2de15ff64fea4260894d4b6
SHA1: 2cbf856da10bf3a9d879c5bb77c077bc3d9cf7de
SHA256: a51408c5ae46df303a8cfea7c2b9af411aeee1f13e960868c44454d3872d024e
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

configuration.zip: configuration.jar: simpleSlider.directive.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/configuration.zip/configuration.jar/com/inet/report/plugins/config/client/js/renderer/simpleSlider.directive.js
MD5: b1fe4875ba680fe6af9cdaaf163f22e7

SHA1: d39121dc651a4a559b3bfe6a5bf978467bf77ff5
SHA256: f95956394c8a2beede215ab8da75b2ad9f5b8173efc191709ae34549946d7924
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

configuration.zip: configuration.jar: simpleText.directive.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/configuration.zip/configuration.jar/com/inet/report/plugins/config/client/js/renderer/simpleText.directive.js

MD5: 33c94b7ec8d613fcfe3dfd5b1a43b193

SHA1: cbb60f6da1447f14dc1cb5da735f99f028a666a3

SHA256: f2d82ae8ac664b0b76fcee6f324b63285cd7ab38f3d976085ef9f13c9b77f5b9

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

configuration.zip: configuration.jar: table.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/configuration.zip/configuration.jar/com/inet/report/plugins/config/client/js/renderer/table.js

MD5: 2c157de784e3eec579cd51152f0dfb43

SHA1: cedb0262a4f9f5ae7b56c3ed44f87138bbd4e575

SHA256: 84bd10f7ab5957c5f7b40784a77c2896e50fc0f4f433c11a81ec07b749e8a12e

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

configuration.zip: configuration.jar: tree.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/configuration.zip/configuration.jar/com/inet/report/plugins/config/client/js/renderer/tree.js
MD5: a8ffdd7b210ce889d5f5d0573d1c856d
SHA1: a2abe4e4790d1e1a223815493184cc6b198bbe0e
SHA256:3ac39fa4b58becc837930f692e807a43921a8fd338e75ba0245eecb872ec0b88
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

configuration.zip: configuration.jar: userandgroupselect.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/configuration.zip/configuration.jar/com/inet/report/plugins/config/client/js/renderer/userandgroupselect.js
MD5: bb0a3c1cabd58185c8795a27ed408e95
SHA1: 112c3a781cc72c8accad43d0e5207c7cb464885e
SHA256:a495983186ba7dc1cf3a3041cdfee1ad3790c008856e51252c78460e3ba57bd5
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

core.jar

Description:

Core barcode encoding/decoding library

License:

"The Apache Software License, Version 2.0";link="https://www.apache.org/licenses/LICENSE-2.0.txt"

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/lib/beans/zxing/core.jar

MD5: b5269d7bf1eea1d064240c342829b117

SHA1: ca1349214a356cd7958651b2d5a0e1f3811a9c4b

SHA256: 8d8064c1636fdaef7189dd9055c7d59950a8940a12f2293956446ec3c109fd82

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	core	High
Vendor	jar	package name	google	Highest
Vendor	jar	package name	zxing	Highest
Vendor	Manifest	automatic-module-name	com.google.zxing	Medium
Vendor	Manifest	build-jdk-spec	1.8	Low
Vendor	Manifest	bundle-developers	zxing-authors;name="ZXing Authors"	Low
Vendor	Manifest	bundle-docurl	https://github.com/zxing/zxing/core	Low
Vendor	Manifest	bundle-symbolicname	com.google.zxing.core	Medium
Vendor	pom	artifactid	core	Low
Vendor	pom	groupid	com.google.zxing	Highest
Vendor	pom	name	ZXing Core	High
Vendor	pom	parent-artifactid	zxing-parent	Low
Product	file	name	core	High
Product	jar	package name	google	Highest
Product	jar	package name	zxing	Highest
Product	Manifest	automatic-module-name	com.google.zxing	Medium
Product	Manifest	build-jdk-spec	1.8	Low

Product	Manifest	bundle-developers	zxing-authors;name="ZXing Authors"	Low
Product	Manifest	bundle-docurl	https://github.com/zxing/zxing/core	Low
Product	Manifest	Bundle-Name	ZXing Core	Medium
Product	Manifest	bundle-symbolicname	com.google.zxing.core	Medium
Product	pom	artifactid	core	Highest
Product	pom	groupid	com.google.zxing	Highest
Product	pom	name	ZXing Core	High
Product	pom	parent-artifactid	zxing-parent	Medium
Version	Manifest	Bundle-Version	3.5.3	High
Version	pom	version	3.5.3	Highest

Identifiers

- [pkg:maven/com.google.zxing/core@3.5.3](#) (Confidence:High)

crsetupwizard.zip: crsetupwizard.jar

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/crsetupwizard.zip/crsetupwizard.jar

MD5: a5b6a1239cc6c42c09c2c6f9424b9085

SHA1: 71e8b97e760c40bd01609857e8478ce2c8b7a405

SHA256: 8ed641d3b58a106e92488863fde743cb81b5dcf102dc264579daca0505510afd

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	crsetupwizard	High
Vendor	jar	package name	inet	Low
Vendor	jar	package name	report	Low
Vendor	jar	package name	setupwizard	Low
Vendor	Manifest	built-date	2024-09-19 18:38	Low
Vendor	Manifest	implementation-group	reporting	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium

Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	crsetupwizard	High
Product	jar	package name	report	Low
Product	jar	package name	setupwizard	Low
Product	jar	package name	steps	Low
Product	Manifest	built-date	2024-09-19 18:38	Low
Product	Manifest	implementation-group	reporting	Low
Product	Manifest	Implementation-Title	crsetupwizard	High
Product	Manifest	specification-title	crsetupwizard	Medium
Version	Manifest	Implementation-Version	24.10.163	High

Identifiers

- None

customformulas.zip: customformulas.sample.jar

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/customformulas.zip/customformulas.sample.jar
MD5: 4ae453b81d2b0434e56ed4d7a1d858f1
SHA1: 9ad2703711b48d1e59ed314932ffc5e58c419cbe
SHA256:f009cd602d951390bd63a424c2b01cde10a8d2a7dc9d8f3b8f36e834b75f61bd
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	customformulas.sample	High
Vendor	jar	package name	formula	Low
Vendor	jar	package name	inet	Low
Vendor	jar	package name	samples	Low
Vendor	Manifest	built-date	2024-09-19 18:15	Low
Vendor	Manifest	implementation-group	reporting	Low

Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	customformulas.sample	High
Product	jar	package name	formula	Low
Product	jar	package name	samples	Low
Product	Manifest	built-date	2024-09-19 18:15	Low
Product	Manifest	implementation-group	reporting	Low
Product	Manifest	Implementation-Title	customformulas	High
Product	Manifest	specification-title	customformulas	Medium
Version	Manifest	Implementation-Version	24.10.163	High

Related Dependencies



- customformulas.zip: customformulas.sample.jar
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/Documentation and Samples /Plugin - Samples/UserdefinedFormula/customformulas.zip/customformulas.sample.jar
 - MD5: 4ae453b81d2b0434e56ed4d7a1d858f1
 - SHA1: 9ad2703711b48d1e59ed314932ffc5e58c419cbe
 - SHA256: f009cd602d951390bd63a424c2b01cde10a8d2a7dc9d8f3b8f36e834b75f61bd

Identifiers

- None

datasource.cassandra.zip: config.jar

Description:

configuration library for JVM languages using HOCON files

License:

<https://www.apache.org/licenses/LICENSE-2.0;description=Apache-2.0>

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/datasource.cassandra.zip/config.jar
MD5: 1c5702a33999ed337c9b256a4d68eee7
SHA1: b57e0fbdc7270d8ea59c1ba367457a5cc7ba0e98
SHA256: 8ada4c185ce72416712d63e0b5afdc5f009c0cdf405e5f26efecdf156aa5dfb6
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	config	High
Vendor	jar	package name	config	Highest
Vendor	jar	package name	config	Low
Vendor	jar	package name	impl	Low
Vendor	jar	package name	typesafe	Highest
Vendor	jar	package name	typesafe	Low
Vendor	Manifest	automatic-module-name	typesafe.config	Medium
Vendor	Manifest	bundle-symbolicname	com.typesafe.config	Medium
Vendor	Manifest	implementation-url	https://github.com/lightbend/config	Low
Vendor	Manifest	Implementation-Vendor	com.typesafe	High
Vendor	Manifest	Implementation-Vendor-Id	com.typesafe	Medium
Vendor	Manifest	specification-vendor	com.typesafe	Low
Product	file	name	config	High
Product	jar	package name	config	Highest
Product	jar	package name	config	Low
Product	jar	package name	impl	Low
Product	jar	package name	typesafe	Highest
Product	Manifest	automatic-module-name	typesafe.config	Medium
Product	Manifest	Bundle-Name	config	Medium
Product	Manifest	bundle-symbolicname	com.typesafe.config	Medium
Product	Manifest	Implementation-Title	config	High
Product	Manifest	implementation-url	https://github.com/lightbend/config	Low
Product	Manifest	specification-title	config	Medium

Version	jar	package name	config	Highest
Version	Manifest	Bundle-Version	1.4.3	High
Version	Manifest	Implementation-Version	1.4.3	High

Identifiers

- None

datasource.cassandra.zip: datasource.cassandra.jar

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/datasource.cassandra.zip/datasource.cassandra.jar

MD5: c8563d13f5ca6f841e043f5046483c9e

SHA1: d10448680a9aba8163be6aaec1cd4d51ae4c48ab

SHA256: e18513aaff144d5d3a0ce896c10ab21ddeb4d75faf865dca9b3e60e12a69dda

Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence
Vendor	file	name	datasource.cassandra	High
Vendor	jar	package name	cassandra	Low
Vendor	jar	package name	inet	Low
Vendor	jar	package name	report	Low
Vendor	Manifest	built-date	2024-09-19 18:33	Low
Vendor	Manifest	implementation-group	reporting	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	datasource.cassandra	High
Product	jar	package name	cassandra	Highest
Product	jar	package name	cassandra	Low
Product	jar	package name	report	Low

Product	Manifest	built-date	2024-09-19 18:33	Low
Product	Manifest	implementation-group	reporting	Low
Product	Manifest	Implementation-Title	datasource.cassandra	High
Product	Manifest	specification-title	datasource.cassandra	Medium
Version	Manifest	Implementation-Version	24.10.163	High

Identifiers

- None

datasource.cassandra.zip: java-driver-core.jar

Description:

A driver for Apache Cassandra(R) 2.1+ that works exclusively with the Cassandra Query Language version 3 (CQL3) and Cassandra's native protocol versions 3 and above.

License:

<http://www.apache.org/licenses/LICENSE-2.0.txt>

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/datasource.cassandra.zip/java-driver-core.jar

MD5: 22ea44c19ec6538456500a991e61ecfb

SHA1: 3d619c4ecb214ac091006ff06ab32198a260f977

SHA256: 445e1c91e3f7512c1c0686700ec1e3d77d89131a2711ce66062909a7d88e8cd3

Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence
Vendor	file	name	java-driver-core	High
Vendor	jar	package name	datastax	Highest
Vendor	jar	package name	driver	Highest
Vendor	jar	package name	oss	Highest
Vendor	Manifest	build-jdk-spec	1.8	Low
Vendor	Manifest	bundle-symbolicname	com.datastax.oss.driver.core	Medium
Vendor	pom	artifactid	java-driver-core	Low
Vendor	pom	groupid	com.datastax.oss	Highest
Vendor	pom	name	DataStax Java driver for Apache Cassandra	High

			(R) - core	
Vendor	pom	parent-artifactid	java-driver-parent	Low
Product	file	name	java-driver-core	High
Product	jar	package name	datastax	Highest
Product	jar	package name	driver	Highest
Product	jar	package name	oss	Highest
Product	Manifest	build-jdk-spec	1.8	Low
Product	Manifest	Bundle-Name	DataStax Java driver for Apache Cassandra (R) - core	Medium
Product	Manifest	bundle-symbolicname	com.datastax.oss.driver.core	Medium
Product	pom	artifactid	java-driver-core	Highest
Product	pom	groupid	com.datastax.oss	Highest
Product	pom	name	DataStax Java driver for Apache Cassandra (R) - core	High
Product	pom	parent-artifactid	java-driver-parent	Medium
Version	Manifest	Bundle-Version	4.17.0	High
Version	pom	version	4.17.0	Highest

Identifiers

- [pkg:maven/com.datastax.oss/java-driver-core@4.17.0](#) (*Confidence:High*)
- [cpe:2.3:a:apache:cassandra:4.17.0:*:*:*:*:*](#) (*Confidence:Low*) suppress

datasource.cassandra.zip: java-driver-shaded-guava.jar

Description:

Shaded Guava artifact for use in the DataStax Java driver for Apache Cassandra®

License:

Apache 2: <http://www.apache.org/licenses/LICENSE-2.0.txt>

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/datasource.cassandra.zip/java-driver-shaded-guava.jar

MD5: b7b9ffdbca6117c0aaa13787da02f96d

SHA1: 522771d14d6b7dba67056a39db33f205ffbed6a4

SHA256: 8d1e57ab48ff4cc09b1a1f033218ad50f96cf92922f732cf333ec386c9e5c9ae

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	java-driver-shaded-guava	High
Vendor	jar	package name	datastax	Highest
Vendor	jar	package name	driver	Highest
Vendor	jar	package name	oss	Highest
Vendor	jar	package name	shaded	Highest
Vendor	Manifest	bundle-symbolicname	com.datastax.oss.driver.shaded.guava	Medium
Vendor	Manifest	originally-created-by	Apache Maven 3.6.2	Low
Vendor	pom	artifactid	java-driver-shaded-guava	Low
Vendor	pom	developer name	Various	Medium
Vendor	pom	developer org	DataStax	Medium
Vendor	pom	groupid	com.datastax.oss	Highest
Vendor	pom	name	Shaded Guava artifact for use in the DataStax Java driver for Apache Cassandra®	High
Vendor	pom	url	datastax/java-driver-shaded-guava	Highest
Product	file	name	java-driver-shaded-guava	High
Product	jar	package name	datastax	Highest
Product	jar	package name	driver	Highest
Product	jar	package name	oss	Highest
Product	jar	package name	shaded	Highest
Product	Manifest	Bundle-Name	Shaded Guava artifact for use in the DataStax Java driver for Apache Cassandra®	Medium
Product	Manifest	bundle-symbolicname	com.datastax.oss.driver.shaded.guava	Medium
Product	Manifest	originally-created-by	Apache Maven 3.6.2	Low
Product	pom	artifactid	java-driver-shaded-guava	Highest
Product	pom	developer name	Various	Low
Product	pom	developer org	DataStax	Low
Product	pom	groupid	com.datastax.oss	Highest
Product	pom	name	Shaded Guava artifact for use in the DataStax Java driver for Apache Cassandra®	High
Product	pom	url	datastax/java-driver-shaded-guava	High
Version	pom	version	25.1-jre-graal-sub-1	Highest

Identifiers

- [pkg:maven/com.datastax.oss/java-driver-shaded-guava@25.1-jre-graal-sub-1](#) (*Confidence:High*)
- [cpe:2.3:a:apache:cassandra:25.1:*:*:*:*:*](#) (*Confidence:Low*) suppress

datasource.cassandra.zip: native-protocol.jar

Description:

A set of Java types representing the frames and messages of the Apache Cassandra® native protocol, with the associated serialization and deserialization logic (this is a third-party implementation, not related to the Apache Cassandra project)

License:

Apache 2: <http://www.apache.org/licenses/LICENSE-2.0.txt>

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/datasource.cassandra.zip/native-protocol.jar

MD5: 3c4bf24fd592b01cff5234428080230d

SHA1: 97e812373a5fe7667384e7ad67819d2c71878bf8

SHA256: 955120805ddadd0771b36124679e337a20959c5639bc5de82bb8bce96b10441e

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	native-protocol	High
Vendor	jar	package name	datastax	Highest
Vendor	jar	package name	oss	Highest
Vendor	jar	package name	protocol	Highest
Vendor	Manifest	automatic-module-name	com.datastax.oss.protocol	Medium
Vendor	Manifest	bundle-symbolicname	com.datastax.oss.protocol	Medium
Vendor	pom	artifactid	native-protocol	Low
Vendor	pom	developer name	Various	Medium
Vendor	pom	developer org	DataStax	Medium
Vendor	pom	groupid	com.datastax.oss	Highest
Vendor	pom	name	An implementation of the Apache Cassandra® native protocol	High
Vendor	pom	url	datastax/native-protocol	Highest

Product	file	name	native-protocol	High
Product	jar	package name	datastax	Highest
Product	jar	package name	oss	Highest
Product	jar	package name	protocol	Highest
Product	Manifest	automatic-module-name	com.datastax.oss.protocol	Medium
Product	Manifest	Bundle-Name	An implementation of the Apache Cassandra® native protocol	Medium
Product	Manifest	bundle-symbolicname	com.datastax.oss.protocol	Medium
Product	pom	artifactid	native-protocol	Highest
Product	pom	developer name	Various	Low
Product	pom	developer org	DataStax	Low
Product	pom	groupid	com.datastax.oss	Highest
Product	pom	name	An implementation of the Apache Cassandra® native protocol	High
Product	pom	url	datastax/native-protocol	High
Version	Manifest	Bundle-Version	1.5.1	High
Version	pom	version	1.5.1	Highest

Identifiers

- pkg:maven/com.datastax.oss/native-protocol@1.5.1 (*Confidence:High*)

datasource.cassandra.zip: netty-common.jar (shaded: org.jctools:jctools-core:4.0.5)

Description:

Java Concurrency Tools Core Library

License:

Apache License, Version 2.0: <http://www.apache.org/licenses/LICENSE-2.0.txt>

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/datasource.cassandra.zip/netty-common.jar
/META-INF/maven/org.jctools/jctools-core/pom.xml

MD5: 5d5135397b920a7dcbca5c1fb0576cf2

SHA1: eaa05d6ad937464312a2681a3236c0e06602bbb7

SHA256: a69897b8ff0c2198b4b8cd7d4f93fde6d42b8e9dbfc95553585e27587b24e211

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
Vendor	pom	artifactid	jctools-core	Low
Vendor	pom	groupid	org.jctools	Highest
Vendor	pom	name	Java Concurrency Tools Core Library	High
Vendor	pom	url	JCTools	Highest
Product	pom	artifactid	jctools-core	Highest
Product	pom	groupid	org.jctools	Highest
Product	pom	name	Java Concurrency Tools Core Library	High
Product	pom	url	JCTools	High
Version	pom	version	4.0.5	Highest

Identifiers

- [pkg:maven/org.jctools/jctools-core@4.0.5](https://maven.org/jctools/jctools-core@4.0.5) (Confidence:High)

datasource.cassandra.zip: netty-transport.jar

Description:

Netty is an asynchronous event-driven network application framework for rapid development of maintainable high performance protocol servers and clients.

License:

<https://www.apache.org/licenses/LICENSE-2.0>

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/datasource.cassandra.zip/netty-transport.jar

MD5: bc966fc1cc761f4e12e82b6a74bec9bb

SHA1: 24e97cf14ea9d80afe4c5ab69066b587fccc154a

SHA256: 49a3cc0b6d342340f0980f047026db74161c19ea2a07753a14b4d22ee0653aa5

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	netty-transport	High
Vendor	jar	package name	io	Highest
Vendor	jar	package name	netty	Highest
Vendor	Manifest	automatic-module-name	io.netty.transport	Medium
Vendor	Manifest	build-jdk-spec	1.8	Low

Vendor	Manifest	bundle-docurl	https://netty.io/	Low
Vendor	Manifest	bundle-symbolicname	io.netty.transport	Medium
Vendor	Manifest	implementation-url	https://netty.io/netty-transport/	Low
Vendor	Manifest	Implementation-Vendor	The Netty Project	High
Vendor	Manifest	Implementation-Vendor-Id	io.netty	Medium
Vendor	Manifest	specification-vendor	The Netty Project	Low
Vendor	pom	artifactid	netty-transport	Low
Vendor	pom	groupid	io.netty	Highest
Vendor	pom	name	Netty/Transport	High
Vendor	pom	parent-artifactid	netty-parent	Low
Product	file	name	netty-transport	High
Product	jar	package name	io	Highest
Product	jar	package name	netty	Highest
Product	Manifest	automatic-module-name	io.netty.transport	Medium
Product	Manifest	build-jdk-spec	1.8	Low
Product	Manifest	bundle-docurl	https://netty.io/	Low
Product	Manifest	Bundle-Name	Netty/Transport	Medium
Product	Manifest	bundle-symbolicname	io.netty.transport	Medium
Product	Manifest	Implementation-Title	Netty/Transport	High
Product	Manifest	implementation-url	https://netty.io/netty-transport/	Low
Product	Manifest	specification-title	Netty/Transport	Medium
Product	pom	artifactid	netty-transport	Highest
Product	pom	groupid	io.netty	Highest
Product	pom	name	Netty/Transport	High
Product	pom	parent-artifactid	netty-parent	Medium
Version	Manifest	Bundle-Version	4.1.111.Final	High
Version	Manifest	Implementation-Version	4.1.111.Final	High
Version	pom	version	4.1.111.Final	Highest

Related Dependencies

- datasource.cassandra.zip: netty-buffer.jar
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/datasource.cassandra.zip/netty-buffer.jar
 - MD5: c01aa7df95853f0178a92cb038f9be74
 - SHA1: b54863f578939e135d3b3aea610284ae57c188cf
 - SHA256: 7d94b609fb36afd88304c73922411d08f383f7945aa882b59a15219b5ecbf76
 - [pkg:maven/io.netty/netty-buffer@4.1.111.Final](#)
- datasource.cassandra.zip: netty-codec.jar
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/datasource.cassandra.zip/netty-codec.jar
 - MD5: 2db353a8980c7acb478cb4c8f63fb27f
 - SHA1: a6762ec00a6d268f9980741f5b755838bcd658bf
 - SHA256: a63ac713f60ec0b8e2bb8182665d216662d1f474872ec5c368d25f15f544f4bc
 - [pkg:maven/io.netty/netty-codec@4.1.111.Final](#)
- datasource.cassandra.zip: netty-common.jar
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/datasource.cassandra.zip/netty-common.jar
 - MD5: 3343ff0d889cbb923671a915f9599a8e
 - SHA1: 58210befcb31adbcadd5724966a061444db91863
 - SHA256: 9ae12e9a89f59ce24fb233851fdd93e3c2dfaeb9fa02c60627cd67fa7561871d
 - [pkg:maven/io.netty/netty-common@4.1.111.Final](#)
- datasource.cassandra.zip: netty-handler.jar
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/datasource.cassandra.zip/netty-handler.jar
 - MD5: a06cd84baf880d16c606612ae5ab4f10
 - SHA1: 2bc6a58ad2e9e279634b6e55022e8dcd3c175cc4
 - SHA256: 1a034672ca26c8be6245c8e8641b29785ed2c018617bb2dd7e07be39f7ea71fc
 - [pkg:maven/io.netty/netty-handler@4.1.111.Final](#)
- datasource.cassandra.zip: netty-resolver.jar
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/datasource.cassandra.zip/netty-resolver.jar
 - MD5: b46427ccfacbf125bd85095aca4ac0f3
 - SHA1: 3493179999f211dc49714319f81da2be86523a3b
 - SHA256: 78e735746d1f98ca89793176359c97ad5bb6393ec63cd2962f30db43be090e1b
 - [pkg:maven/io.netty/netty-resolver@4.1.111.Final](#)

Identifiers

- [pkg:maven/io.netty/netty-transport@4.1.111.Final](#) (*Confidence:High*)
- [cpe:2.3:a:netty:netty:4.1.111:****:*](#) (*Confidence:Highest*)

datasource.mongodb.zip: datasource.mongodb.jar

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/datasource.mongodb.zip/datasource.mongodb.jar

MD5: e4f15c147596ae09be0f025b59b58102

SHA1: 86223bfe1ac0b7f6ed5c066640eef3adc5dc36a4

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	datasource.mongodb	High
Vendor	jar	package name	inet	Low
Vendor	jar	package name	mongodb	Low
Vendor	jar	package name	report	Low
Vendor	Manifest	built-date	2024-09-19 18:33	Low
Vendor	Manifest	implementation-group	reporting	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	datasource.mongodb	High
Product	jar	package name	mongodb	Highest
Product	jar	package name	mongodb	Low
Product	jar	package name	report	Low
Product	Manifest	built-date	2024-09-19 18:33	Low
Product	Manifest	implementation-group	reporting	Low
Product	Manifest	Implementation-Title	datasource.mongodb	High
Product	Manifest	specification-title	datasource.mongodb	Medium
Version	Manifest	Implementation-Version	24.10.163	High

Identifiers

- None

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/datasource.mongodb.zip/mongo-java-driver.jar
MD5: b507109fd6a0b6ead4972e9554f09fc4
SHA1: 850383a126cdc5b363fa9ffc780037f6eb704
SHA256: 7e6b2b9bbf24859db4bc00dd647090e21fe02e1fee9e8566918649d8356dfa3f
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence
Vendor	file	name	mongo-java-driver	High
Vendor	jar	package name	mongodb	Highest
Vendor	jar	package name	mongodb	Low
Vendor	Manifest	bundle-symbolicname	org.mongodb.mongo-java-driver	Medium
Product	file	name	mongo-java-driver	High
Product	jar	package name	mongo	Highest
Product	jar	package name	mongodb	Highest
Product	Manifest	Bundle-Name	mongo-java-driver	Medium
Product	Manifest	bundle-symbolicname	org.mongodb.mongo-java-driver	Medium
Version	Manifest	build-version	3.12.14	Medium
Version	Manifest	Bundle-Version	3.12.14	High

Related Dependencies

- mongo-java-driver.jar
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/persistence/mongo-java-driver.jar
 - MD5: b507109fd6a0b6ead4972e9554f09fc4
 - SHA1: 850383a126cdc5b363fa9ffc780037f6eb704
 - SHA256: 7e6b2b9bbf24859db4bc00dd647090e21fe02e1fee9e8566918649d8356dfa3f

Identifiers

- [cpe:2.3:a:mongodb:java_driver:3.12.14:*.~*~*~*~*~*](#) (Confidence:High) suppress

datasource.zip: datasource.jar

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller
/server/build/tmp/dependencies/i-net Clear Reports/plugins/datasource.zip/datasource.jar
MD5: 185059cd2963e63f010720ceef79128
SHA1: 25db4c861df62b65976e7106bddf7aaae2e3f223
SHA256: 7f8bcbf692032b71a5f241a232217c8e2325c9cc0ffc38e54ced7d56bb3b92d
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	datasource	High
Vendor	jar	package name	inet	Low
Vendor	jar	package name	plugins	Low
Vendor	jar	package name	report	Low
Vendor	Manifest	built-date	2024-09-19 18:30	Low
Vendor	Manifest	implementation-group	reporting	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	datasource	High
Product	jar	package name	datasources	Low
Product	jar	package name	plugins	Low
Product	jar	package name	report	Low
Product	Manifest	built-date	2024-09-19 18:30	Low
Product	Manifest	implementation-group	reporting	Low
Product	Manifest	Implementation-Title	datasource	High
Product	Manifest	specification-title	datasource	Medium
Version	Manifest	Implementation-Version	24.10.163	High

Identifiers

- None

datasource.zip: datasource.jar: datasources-edit-controller.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/datasource.zip/datasource.jar/com/inet/report/plugins/datasources/client/js/datasources-edit-controller.js

MD5: 460e29948d2793d2dc39dfd89c0058be

SHA1: 581ea6bb157bef0d160e6ded782dac3dd2b729b1

SHA256: e7606a5c8a1935575ce3fee61fbeac51bbf2890c9c6bfb5bda5517af762ac151

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

datasource.zip: datasource.jar: datasources-main-controller.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/datasource.zip/datasource.jar/com/inet/report/plugins/datasources/client/js/datasources-main-controller.js

MD5: 00abdd799b2069f1cbc5520a8c4afea3

SHA1: 094097eb0c0067a1e7b7b47a6da82693e3dd90b5

SHA256: 40528ddb0dbc7ed3622e9e8eeb60c46de32b46d7ae5d65c87b59972fab74880f

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

datasource.zip: datasource.jar: factory.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/datasource.zip/datasource.jar/com/inet/report

/plugins/datasources/client/js/factory.js

MD5: ff59c4c2beaeda2e97fce9fd37845d2d

SHA1: d2cd9e3e2ea2b5c88f649c79651e1f08cd98780b

SHA256: b290f73f3577c1369549707c127f041cd42a969c21eaea023106ed013a3e3f8a

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

datasource.zip: datasource.jar: model.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/datasource.zip/datasource.jar/com/inet/report/plugins/datasources/client/js/model.js

MD5: 2e4e31cce671768a6582e295151db12c

SHA1: 335bfd88e6e12b315385f8566c3fb00107a2a461

SHA256: 3fb0c8696d30bdc390428647a939582455ab5b83a2f8a01e09013e7521f883ce

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

datasource.zip: datasource.jar: renderer-permissions.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/datasource.zip/datasource.jar/com/inet/report/plugins/datasources/client/js/renderer-permissions.js

MD5: 9d1d72d60966148d1bec25c3a0a4621f

SHA1: 2cc1ebb4288911395560cc038d18e2b0bbd335c4

SHA256: 6c7bfa9944c8c9ac0c40fe220836a3e7c7454f8d4516a17e985085015ec88080

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

datasource.zip: datasource.jar: renderer.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/datasource.zip/datasource.jar/com/inet/report/plugins/datasources/client/js/renderer.js

MD5: f32d6382e368fcbc52848e8239bb4615

SHA1: 4ffd69eabd14bef8a792515fd927e96e46c57aa7

SHA256: ad806dd66480f7929ba9c31b1cd29252fd3f74a658d6fec9c7deec41ac82a232

Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

decoder.docx.zip: DocxParser.jar

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/decoder.docx.zip/DocxParser.jar

MD5: 7a06644ed4d3cc908f9ab96207a02232

SHA1: 7f27b710eaa0fe8088c2d695e7db964a867d4bac

SHA256: cf2fc98ffa69ba3a8fff26c88029c8f8ef456ca57536e172946445a2206115b7

Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence
Vendor	file	name	DocxParser	High
Vendor	jar	package name	docx	Low
Vendor	jar	package name	inet	Low

Vendor	Manifest	application-library-allowable-codebase	*	Low
Vendor	Manifest	built-date	2024-09-19 16:57	Low
Vendor	Manifest	codebase	*	Low
Vendor	Manifest	implementation-group	shared	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	permissions	all-permissions	Low
Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	trusted-library	false	Low
Vendor	Manifest	trusted-only	false	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	DocxParser	High
Product	jar	package name	docx	Low
Product	Manifest	application-library-allowable-codebase	*	Low
Product	Manifest	built-date	2024-09-19 16:57	Low
Product	Manifest	codebase	*	Low
Product	Manifest	implementation-group	shared	Low
Product	Manifest	Implementation-Title	DocxParser	High
Product	Manifest	permissions	all-permissions	Low
Product	Manifest	specification-title	DocxParser	Medium
Product	Manifest	trusted-library	false	Low
Product	Manifest	trusted-only	false	Low
Version	Manifest	Implementation-Version	24.10.163	High

Identifiers

- None

decoder.docx.zip: EmfParser.jar

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/decoder.docx.zip/EmfParser.jar

MD5: 9d72a753d0edc2bde3eaa650b7f8e257

SHA1: 7360d2918d4d73c2881f11ce23626ef40c2dc924

SHA256:38b61e4d69ff8a3b999eb3c5380ccd1734e75e0c7edf0b4bdfa568c09c4ab2bb

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	EmfParser	High
Vendor	jar	package name	emf	Low
Vendor	jar	package name	inet	Low
Vendor	jar	package name	records	Low
Vendor	Manifest	application-library-allowable-codebase	*	Low
Vendor	Manifest	built-date	2024-09-19 16:57	Low
Vendor	Manifest	codebase	*	Low
Vendor	Manifest	implementation-group	shared	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	permissions	all-permissions	Low
Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	trusted-library	false	Low
Vendor	Manifest	trusted-only	false	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	EmfParser	High
Product	jar	package name	emf	Low
Product	jar	package name	records	Low
Product	Manifest	application-library-allowable-codebase	*	Low
Product	Manifest	built-date	2024-09-19 16:57	Low
Product	Manifest	codebase	*	Low

Product	Manifest	implementation-group	shared	Low
Product	Manifest	Implementation-Title	EmfParser	High
Product	Manifest	permissions	all-permissions	Low
Product	Manifest	specification-title	EmfParser	Medium
Product	Manifest	trusted-library	false	Low
Product	Manifest	trusted-only	false	Low
Version	Manifest	Implementation-Version	24.10.163	High

Identifiers

- None

decoder.docx.zip: SparseBitSet.jar

Description:

An efficient sparse bitset implementation for Java

License:

The Apache Software License, Version 2.0: <http://www.apache.org/licenses/LICENSE-2.0.txt>

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/decoder.docx.zip/SparseBitSet.jar

MD5: fbe27bb4c05e8719b7fff5aa71a57364

SHA1: 533eac055afe3d5f614ea95e333afd6c2bde8f26

SHA256: f76b85adb0c00721ae267b7cfde4da7f71d3121cc2160c9fc00c0c89f8c53c8a

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	SparseBitSet	High
Vendor	jar	package name	sparsebitset	Highest
Vendor	jar	package name	zaxxer	Highest
Vendor	Manifest	automatic-module-name	com.zaxxer.sparsebitset	Medium
Vendor	Manifest	build-jdk-spec	11	Low
Vendor	pom	artifactid	SparseBitSet	Low
Vendor	pom	developer email	brett.wooldridge@gmail.com	Low

Vendor	pom	developer name	Brett Wooldridge	Medium
Vendor	pom	groupid	com.zaxxer	Highest
Vendor	pom	name	SparseBitSet	High
Vendor	pom	organization name	Zaxxer.com	High
Vendor	pom	organization url	brettwooldridge/SparseBitSet	Medium
Vendor	pom	url	brettwooldridge/SparseBitSet	Highest
Product	file	name	SparseBitSet	High
Product	jar	package name	sparsebitset	Highest
Product	jar	package name	zaxxer	Highest
Product	Manifest	automatic-module-name	com.zaxxer.sparsebitset	Medium
Product	Manifest	build-jdk-spec	11	Low
Product	pom	artifactid	SparseBitSet	Highest
Product	pom	developer email	brett.wooldridge@gmail.com	Low
Product	pom	developer name	Brett Wooldridge	Low
Product	pom	groupid	com.zaxxer	Highest
Product	pom	name	SparseBitSet	High
Product	pom	organization name	Zaxxer.com	Low
Product	pom	url	brettwooldridge/SparseBitSet	High
Version	pom	version	1.3	Highest

Identifiers

- [pkg:maven/com.zaxxer/SparseBitSet@1.3](#) (*Confidence:High*)
- [cpe:2.3:a:bit_project:bit:1.3:*:*:*:*:*](#) (*Confidence:Low*) suppress

decoder.docx.zip: commons-codec.jar

Description:

The Apache Commons Codec component contains encoders and decoders for various formats such as Base16, Base32, Base64, digest, and Hexadecimal. In addition to these widely used encoders and decoders, the codec package also maintains a collection of phonetic encoding utilities.

License:

<https://www.apache.org/licenses/LICENSE-2.0.txt>

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/decoder.docx.zip/commons-codec.jar

MD5: 7b3438ab4c6d91e0066d410947e43f3e

SHA1: 973638b7149d333563584137ebf13a691bb60579

SHA256: f9f6cb103f2ddc3c99a9d80ada2ae7bf0685111fd6bffcbb72033d1da4e6ff23

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	commons-codec	High
Vendor	jar	package name	apache	Highest
Vendor	jar	package name	codec	Highest
Vendor	jar	package name	commons	Highest
Vendor	jar	package name	digest	Highest
Vendor	Manifest	automatic-module-name	org.apache.commons.codec	Medium
Vendor	Manifest	build-jdk-spec	17	Low
Vendor	Manifest	bundle-docurl	https://commons.apache.org/proper/commons-codec/	Low
Vendor	Manifest	bundle-symbolicname	org.apache.commons.commons-codec	Medium
Vendor	Manifest	Implementation-Vendor	The Apache Software Foundation	High
Vendor	Manifest	multi-release	true	Low
Vendor	Manifest	specification-vendor	The Apache Software Foundation	Low
Vendor	pom	artifactid	commons-codec	Low
Vendor	pom	developer email	bayard@apache.org	Low
Vendor	pom	developer email	chtompki@apache.org	Low
Vendor	pom	developer email	dgraham@apache.org	Low
Vendor	pom	developer email	dlr@finemaltcoding.com	Low
Vendor	pom	developer email	ggregory at apache.org	Low
Vendor	pom	developer email	jon@collab.net	Low
Vendor	pom	developer email	julius@apache.org	Low
Vendor	pom	developer email	mattsicker@apache.org	Low
Vendor	pom	developer email	rwaldhoff@apache.org	Low
Vendor	pom	developer email	sanders@totalsync.com	Low
Vendor	pom	developer email	tn@apache.org	Low
Vendor	pom	developer email	tobrien@apache.org	Low

Vendor	pom	developer id	bayard	Medium
Vendor	pom	developer id	chtompki	Medium
Vendor	pom	developer id	dgraham	Medium
Vendor	pom	developer id	dlr	Medium
Vendor	pom	developer id	ggregory	Medium
Vendor	pom	developer id	jon	Medium
Vendor	pom	developer id	julius	Medium
Vendor	pom	developer id	mattsicker	Medium
Vendor	pom	developer id	rwaldhoff	Medium
Vendor	pom	developer id	sanders	Medium
Vendor	pom	developer id	tn	Medium
Vendor	pom	developer id	tobrien	Medium
Vendor	pom	developer name	Daniel Rall	Medium
Vendor	pom	developer name	David Graham	Medium
Vendor	pom	developer name	Gary Gregory	Medium
Vendor	pom	developer name	Henri Yandell	Medium
Vendor	pom	developer name	Jon S. Stevens	Medium
Vendor	pom	developer name	Julius Davies	Medium
Vendor	pom	developer name	Matt Sicker	Medium
Vendor	pom	developer name	Rob Tompkins	Medium
Vendor	pom	developer name	Rodney Waldhoff	Medium
Vendor	pom	developer name	Scott Sanders	Medium
Vendor	pom	developer name	Thomas Neidhart	Medium
Vendor	pom	developer name	Tim OBrien	Medium
Vendor	pom	developer org	The Apache Software Foundation	Medium
Vendor	pom	developer org URL	http://juliustdavies.ca/	Medium
Vendor	pom	developer org URL	https://www.apache.org/	Medium
Vendor	pom	groupid	commons-codec	Highest
Vendor	pom	name	Apache Commons Codec	High
Vendor	pom	parent-artifactid	commons-parent	Low
Vendor	pom	parent-groupid	org.apache.commons	Medium
Vendor	pom	url	https://commons.apache.org/proper/commons-codec/	Highest
Product	file	name	commons-codec	High
Product	jar	package name	apache	Highest

Product	jar	package name	codec	Highest
Product	jar	package name	commons	Highest
Product	jar	package name	digest	Highest
Product	Manifest	automatic-module-name	org.apache.commons.codec	Medium
Product	Manifest	build-jdk-spec	17	Low
Product	Manifest	bundle-docurl	https://commons.apache.org/proper/commons-codec/	Low
Product	Manifest	Bundle-Name	Apache Commons Codec	Medium
Product	Manifest	bundle-symbolicname	org.apache.commons.commons-codec	Medium
Product	Manifest	Implementation-Title	Apache Commons Codec	High
Product	Manifest	multi-release	true	Low
Product	Manifest	specification-title	Apache Commons Codec	Medium
Product	pom	artifactid	commons-codec	Highest
Product	pom	developer email	bayard@apache.org	Low
Product	pom	developer email	chtompki@apache.org	Low
Product	pom	developer email	dgraham@apache.org	Low
Product	pom	developer email	dlr@finemaltcoding.com	Low
Product	pom	developer email	ggregory at apache.org	Low
Product	pom	developer email	jon@collab.net	Low
Product	pom	developer email	julius@apache.org	Low
Product	pom	developer email	mattsicker@apache.org	Low
Product	pom	developer email	rwaldhoff@apache.org	Low
Product	pom	developer email	sanders@totalsync.com	Low
Product	pom	developer email	tn@apache.org	Low
Product	pom	developer email	tobrien@apache.org	Low
Product	pom	developer id	bayard	Low
Product	pom	developer id	chtompki	Low
Product	pom	developer id	dgraham	Low
Product	pom	developer id	dlr	Low
Product	pom	developer id	ggregory	Low
Product	pom	developer id	jon	Low
Product	pom	developer id	julius	Low
Product	pom	developer id	mattsicker	Low
Product	pom	developer id	rwaldhoff	Low

Product	pom	developer id	sanders	Low
Product	pom	developer id	tn	Low
Product	pom	developer id	tobrien	Low
Product	pom	developer name	Daniel Rall	Low
Product	pom	developer name	David Graham	Low
Product	pom	developer name	Gary Gregory	Low
Product	pom	developer name	Henri Yandell	Low
Product	pom	developer name	Jon S. Stevens	Low
Product	pom	developer name	Julius Davies	Low
Product	pom	developer name	Matt Sicker	Low
Product	pom	developer name	Rob Tompkins	Low
Product	pom	developer name	Rodney Waldhoff	Low
Product	pom	developer name	Scott Sanders	Low
Product	pom	developer name	Thomas Neidhart	Low
Product	pom	developer name	Tim OBrien	Low
Product	pom	developer org	The Apache Software Foundation	Low
Product	pom	developer org URL	http://juliusdavies.ca/	Low
Product	pom	developer org URL	https://www.apache.org/	Low
Product	pom	groupid	commons-codec	Highest
Product	pom	name	Apache Commons Codec	High
Product	pom	parent-artifactid	commons-parent	Medium
Product	pom	parent-groupid	org.apache.commons	Medium
Product	pom	url	https://commons.apache.org/proper/commons-codec/	Medium
Version	Manifest	Bundle-Version	1.17.1	High
Version	Manifest	Implementation-Version	1.17.1	High
Version	pom	parent-version	1.17.1	Low
Version	pom	version	1.17.1	Highest

Identifiers

- [pkg:maven/commons-codec/commons-codec@1.17.1](https://maven.apache.org/commons-codec/commons-codec@1.17.1) (Confidence:High)

decoder.docx.zip: commons-collections4.jar

Description:

The Apache Commons Collections package contains types that extend and augment the Java Collections Framework.

License:

<https://www.apache.org/licenses/LICENSE-2.0.txt>

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/decoder.docx.zip/commons-collections4.jar

MD5: 4a37023740719b391f10030362c86be6

SHA1: 62ebe7544cb7164d87e0637a2a6a2bdc981395e8

SHA256: 1df8b9430b5c8ed143d7815e403e33ef5371b2400aadbe9bda0883762e0846d1

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	commons-collections4	High
Vendor	jar	package name	apache	Highest
Vendor	jar	package name	collections4	Highest
Vendor	jar	package name	commons	Highest
Vendor	Manifest	automatic-module-name	org.apache.commons.collections4	Medium
Vendor	Manifest	bundle-docurl	https://commons.apache.org/proper/commons-collections/	Low
Vendor	Manifest	bundle-symbolicname	org.apache.commons.commons-collections4	Medium
Vendor	Manifest	implementation-url	https://commons.apache.org/proper/commons-collections/	Low
Vendor	Manifest	Implementation-Vendor	The Apache Software Foundation	High
Vendor	Manifest	Implementation-Vendor-Id	org.apache.commons	Medium
Vendor	Manifest	specification-vendor	The Apache Software Foundation	Low
Vendor	pom	artifactid	commons-collections4	Low
Vendor	pom	developer id	adriannistor	Medium
Vendor	pom	developer id	amamment	Medium
Vendor	pom	developer id	bayard	Medium
Vendor	pom	developer id	chtompki	Medium
Vendor	pom	developer id	craigmcc	Medium
Vendor	pom	developer id	dlaha	Medium

Vendor	pom	developer id	geirm	Medium
Vendor	pom	developer id	ggregory	Medium
Vendor	pom	developer id	jcarman	Medium
Vendor	pom	developer id	luc	Medium
Vendor	pom	developer id	matth	Medium
Vendor	pom	developer id	mbenson	Medium
Vendor	pom	developer id	morgand	Medium
Vendor	pom	developer id	rdonkin	Medium
Vendor	pom	developer id	rwaldhoff	Medium
Vendor	pom	developer id	scolebourne	Medium
Vendor	pom	developer id	tn	Medium
Vendor	pom	developer name	Adrian Nistor	Medium
Vendor	pom	developer name	Arun M. Thomas	Medium
Vendor	pom	developer name	Craig McClanahan	Medium
Vendor	pom	developer name	Dipanjan Laha	Medium
Vendor	pom	developer name	Gary Gregory	Medium
Vendor	pom	developer name	Geir Magnusson	Medium
Vendor	pom	developer name	Henri Yandell	Medium
Vendor	pom	developer name	James Carman	Medium
Vendor	pom	developer name	Luc Maisonobe	Medium
Vendor	pom	developer name	Matt Benson	Medium
Vendor	pom	developer name	Matthew Hawthorne	Medium
Vendor	pom	developer name	Morgan Delagrange	Medium
Vendor	pom	developer name	Rob Tompkins	Medium
Vendor	pom	developer name	Robert Burrell Donkin	Medium
Vendor	pom	developer name	Rodney Waldhoff	Medium
Vendor	pom	developer name	Stephen Colebourne	Medium
Vendor	pom	developer name	Thomas Neidhart	Medium
Vendor	pom	groupid	org.apache.commons	Highest
Vendor	pom	name	Apache Commons Collections	High
Vendor	pom	parent-artifactid	commons-parent	Low
Vendor	pom	url	https://commons.apache.org/proper/commons-collections/	Highest
Product	file	name	commons-collections4	High
Product	jar	package name	apache	Highest
Product	jar	package name	collections4	Highest

Product	jar	package name	commons	Highest
Product	Manifest	automatic-module-name	org.apache.commons.collections4	Medium
Product	Manifest	bundle-docurl	https://commons.apache.org/proper/commons-collections/	Low
Product	Manifest	Bundle-Name	Apache Commons Collections	Medium
Product	Manifest	bundle-symbolicname	org.apache.commons.commons-collections4	Medium
Product	Manifest	Implementation-Title	Apache Commons Collections	High
Product	Manifest	implementation-url	https://commons.apache.org/proper/commons-collections/	Low
Product	Manifest	specification-title	Apache Commons Collections	Medium
Product	pom	artifactid	commons-collections4	Highest
Product	pom	developer id	adriannistor	Low
Product	pom	developer id	amamment	Low
Product	pom	developer id	bayard	Low
Product	pom	developer id	chtompki	Low
Product	pom	developer id	craigmcc	Low
Product	pom	developer id	dlaha	Low
Product	pom	developer id	geirm	Low
Product	pom	developer id	ggregory	Low
Product	pom	developer id	jcarman	Low
Product	pom	developer id	luc	Low
Product	pom	developer id	matth	Low
Product	pom	developer id	mbenson	Low
Product	pom	developer id	morgand	Low
Product	pom	developer id	rdonkin	Low
Product	pom	developer id	rwaldhoff	Low
Product	pom	developer id	scolebourne	Low
Product	pom	developer id	tn	Low
Product	pom	developer name	Adrian Nistor	Low
Product	pom	developer name	Arun M. Thomas	Low
Product	pom	developer name	Craig McClanahan	Low
Product	pom	developer name	Dipanjan Laha	Low
Product	pom	developer name	Gary Gregory	Low
Product	pom	developer name	Geir Magnusson	Low
Product	pom	developer name	Henri Yandell	Low

Product	pom	developer name	James Carman	Low
Product	pom	developer name	Luc Maisonobe	Low
Product	pom	developer name	Matt Benson	Low
Product	pom	developer name	Matthew Hawthorne	Low
Product	pom	developer name	Morgan Delagrangre	Low
Product	pom	developer name	Rob Tompkins	Low
Product	pom	developer name	Robert Burrell Donkin	Low
Product	pom	developer name	Rodney Waldhoff	Low
Product	pom	developer name	Stephen Colebourne	Low
Product	pom	developer name	Thomas Neidhart	Low
Product	pom	groupid	org.apache.commons	Highest
Product	pom	name	Apache Commons Collections	High
Product	pom	parent-artifactid	commons-parent	Medium
Product	pom	url	https://commons.apache.org/proper/commons-collections/	Medium
Version	Manifest	Implementation-Version	4.4	High
Version	pom	parent-version	4.4	Low
Version	pom	version	4.4	Highest

Identifiers

- [pkg:maven/org.apache.commons/commons-collections4@4.4](#) (*Confidence:High*)
- [cpe:2.3:a:apache:commons_collections:4.4:*:*:*:*:*](#) (*Confidence:Highest*) suppress

decoder.docx.zip: commons-compress.jar

Description:

Apache Commons Compress defines an API for working with compression and archive formats. These include bzip2, gzip, pack200, LZMA, XZ, Snappy, traditional Unix Compress, DEFLATE, DEFLATE64, LZ4, Brotli, Zstandard and ar, cpio, jar, tar, zip, dump, 7z, arj.

License:

<https://www.apache.org/licenses/LICENSE-2.0.txt>

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/decoder.docx.zip/commons-compress.jar

MD5: d2c5abbd0a822c0b79cf4f03ead483ee

SHA1: eb1f823447af685208e684fce84783b43517960c

SHA256: 9168a03141d8fc7eda21a2360d83cc0412bcb1d6204d992bd48c2573cb3c6b8

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	commons-compress	High
Vendor	jar	package name	apache	Highest
Vendor	jar	package name	commons	Highest
Vendor	jar	package name	compress	Highest
Vendor	Manifest	automatic-module-name	org.apache.commons.compress	Medium
Vendor	Manifest	build-jdk-spec	17	Low
Vendor	Manifest	bundle-docurl	https://commons.apache.org/proper/commons-compress/	Low
Vendor	Manifest	bundle-symbolicname	org.apache.commons.commons-compress	Medium
Vendor	Manifest	extension-name	org.apache.commons.compress	Medium
Vendor	Manifest	Implementation-Vendor	The Apache Software Foundation	High
Vendor	Manifest	Implementation-Vendor-Id	org.apache	Medium
Vendor	Manifest	multi-release	true	Low
Vendor	Manifest	originally-created-by	Apache Maven Bundle Plugin 5.1.9	Low
Vendor	Manifest	specification-vendor	The Apache Software Foundation	Low
Vendor	pom	artifactid	commons-compress	Low
Vendor	pom	developer email	bodewig at apache.org	Low
Vendor	pom	developer email	chtompki at apache.org	Low
Vendor	pom	developer email	damjan at apache.org	Low
Vendor	pom	developer email	ebourg at apache.org	Low
Vendor	pom	developer email	ggregory at apache.org	Low
Vendor	pom	developer email	grobmeier at apache.org	Low
Vendor	pom	developer email	julius at apache.org	Low
Vendor	pom	developer email	peterlee at apache.org	Low
Vendor	pom	developer email	sebb at apache.org	Low
Vendor	pom	developer email	tcurdt at apache.org	Low
Vendor	pom	developer id	bodewig	Medium

Vendor	pom	developer id	chtompki	Medium
Vendor	pom	developer id	damjan	Medium
Vendor	pom	developer id	ebourg	Medium
Vendor	pom	developer id	ggregory	Medium
Vendor	pom	developer id	grobmeier	Medium
Vendor	pom	developer id	julius	Medium
Vendor	pom	developer id	peterlee	Medium
Vendor	pom	developer id	sebb	Medium
Vendor	pom	developer id	tcurdt	Medium
Vendor	pom	developer name	Christian Grobmeier	Medium
Vendor	pom	developer name	Damjan Jovanovic	Medium
Vendor	pom	developer name	Emmanuel Bourg	Medium
Vendor	pom	developer name	Gary Gregory	Medium
Vendor	pom	developer name	Julius Davies	Medium
Vendor	pom	developer name	Peter Alfred Lee	Medium
Vendor	pom	developer name	Rob Tompkins	Medium
Vendor	pom	developer name	Sebastian Bazley	Medium
Vendor	pom	developer name	Stefan Bodewig	Medium
Vendor	pom	developer name	Torsten Curdt	Medium
Vendor	pom	developer org	The Apache Software Foundation	Medium
Vendor	pom	developer org URL	https://www.apache.org/	Medium
Vendor	pom	groupid	org.apache.commons	Highest
Vendor	pom	name	Apache Commons Compress	High
Vendor	pom	parent-artifactid	commons-parent	Low
Vendor	pom	url	https://commons.apache.org/proper/commons-compress/	Highest
Product	file	name	commons-compress	High
Product	jar	package name	9	Highest
Product	jar	package name	apache	Highest
Product	jar	package name	commons	Highest
Product	jar	package name	compress	Highest
Product	Manifest	automatic-module-name	org.apache.commons.compress	Medium
Product	Manifest	build-jdk-spec	17	Low
Product	Manifest	bundle-docurl	https://commons.apache.org/proper/commons-compress/	Low

Product	Manifest	Bundle-Name	Apache Commons Compress	Medium
Product	Manifest	bundle-symbolicname	org.apache.commons.commons-compress	Medium
Product	Manifest	extension-name	org.apache.commons.compress	Medium
Product	Manifest	Implementation-Title	Apache Commons Compress	High
Product	Manifest	multi-release	true	Low
Product	Manifest	originally-created-by	Apache Maven Bundle Plugin 5.1.9	Low
Product	Manifest	specification-title	Apache Commons Compress	Medium
Product	pom	artifactid	commons-compress	Highest
Product	pom	developer email	bodewig at apache.org	Low
Product	pom	developer email	chtompki at apache.org	Low
Product	pom	developer email	damjan at apache.org	Low
Product	pom	developer email	ebourg at apache.org	Low
Product	pom	developer email	ggregory at apache.org	Low
Product	pom	developer email	grobmeier at apache.org	Low
Product	pom	developer email	julius at apache.org	Low
Product	pom	developer email	peterlee at apache.org	Low
Product	pom	developer email	sebb at apache.org	Low
Product	pom	developer email	tcurdt at apache.org	Low
Product	pom	developer id	bodewig	Low
Product	pom	developer id	chtompki	Low
Product	pom	developer id	damjan	Low
Product	pom	developer id	ebourg	Low
Product	pom	developer id	ggregory	Low
Product	pom	developer id	grobmeier	Low
Product	pom	developer id	julius	Low
Product	pom	developer id	peterlee	Low
Product	pom	developer id	sebb	Low
Product	pom	developer id	tcurdt	Low
Product	pom	developer name	Christian Grobmeier	Low
Product	pom	developer name	Damjan Jovanovic	Low
Product	pom	developer name	Emmanuel Bourg	Low
Product	pom	developer name	Gary Gregory	Low
Product	pom	developer name	Julius Davies	Low
Product	pom	developer name	Peter Alfred Lee	Low

Product	pom	developer name	Rob Tompkins	Low
Product	pom	developer name	Sebastian Bazley	Low
Product	pom	developer name	Stefan Bodewig	Low
Product	pom	developer name	Torsten Curdt	Low
Product	pom	developer org	The Apache Software Foundation	Low
Product	pom	developer org URL	https://www.apache.org/	Low
Product	pom	groupid	org.apache.commons	Highest
Product	pom	name	Apache Commons Compress	High
Product	pom	parent-artifactid	commons-parent	Medium
Product	pom	url	https://commons.apache.org/proper/commons-compress/	Medium
Version	Manifest	Bundle-Version	1.26.2	High
Version	Manifest	Implementation-Version	1.26.2	High
Version	pom	parent-version	1.26.2	Low
Version	pom	version	1.26.2	Highest

Identifiers

- [pkg:maven/org.apache.commons/commons-compress@1.26.2](#) (*Confidence:High*)
- [cpe:2.3:a:apache:commons_compress:1.26.2:*.***.*.*.*](#) (*Confidence:Highest*)

suppress

decoder.docx.zip: commons-io.jar

Description:

The Apache Commons IO library contains utility classes, stream implementations, file filters, file comparators, endian transformation classes, and much more.

License:

<https://www.apache.org/licenses/LICENSE-2.0.txt>

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/decoder.docx.zip/commons-io.jar

MD5: ed8191a5a217940140001b0acfed18d9

SHA1: 377d592e740dc77124e0901291dbfaa6810a200e

SHA256: f41f7baacd716896447ace9758621f62c1c6b0a91d89acee488da26fc477c84f

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	commons-io	High
Vendor	jar	package name	apache	Highest
Vendor	jar	package name	commons	Highest
Vendor	jar	package name	file	Highest
Vendor	jar	package name	io	Highest
Vendor	Manifest	automatic-module-name	org.apache.commons.io	Medium
Vendor	Manifest	build-jdk-spec	17	Low
Vendor	Manifest	bundle-docurl	https://commons.apache.org/proper/commons-io/	Low
Vendor	Manifest	bundle-symbolicname	org.apache.commons.commons-io	Medium
Vendor	Manifest	Implementation-Vendor	The Apache Software Foundation	High
Vendor	Manifest	multi-release	true	Low
Vendor	Manifest	specification-vendor	The Apache Software Foundation	Low
Vendor	pom	artifactid	commons-io	Low
Vendor	pom	developer email	bayard@apache.org	Low
Vendor	pom	developer email	dion@apache.org	Low
Vendor	pom	developer email	ggregory at apache.org	Low
Vendor	pom	developer email	jeremias@apache.org	Low
Vendor	pom	developer email	jochen.wiedmann@gmail.com	Low
Vendor	pom	developer email	krosenvold@apache.org	Low
Vendor	pom	developer email	martinc@apache.org	Low
Vendor	pom	developer email	matth@apache.org	Low
Vendor	pom	developer email	nicolaken@apache.org	Low
Vendor	pom	developer email	roxspring@apache.org	Low
Vendor	pom	developer email	sanders@apache.org	Low
Vendor	pom	developer id	bayard	Medium
Vendor	pom	developer id	dion	Medium
Vendor	pom	developer id	ggregory	Medium
Vendor	pom	developer id	jeremias	Medium
Vendor	pom	developer id	jochen	Medium
Vendor	pom	developer id	jukka	Medium
Vendor	pom	developer id	krosenvold	Medium

Vendor	pom	developer id	martinc	Medium
Vendor	pom	developer id	matth	Medium
Vendor	pom	developer id	niallp	Medium
Vendor	pom	developer id	nicolaken	Medium
Vendor	pom	developer id	roxspring	Medium
Vendor	pom	developer id	sanders	Medium
Vendor	pom	developer id	scolebourne	Medium
Vendor	pom	developer name	dlon Gillard	Medium
Vendor	pom	developer name	Gary Gregory	Medium
Vendor	pom	developer name	Henri Yandell	Medium
Vendor	pom	developer name	Jeremias Maerki	Medium
Vendor	pom	developer name	Jochen Wiedmann	Medium
Vendor	pom	developer name	Jukka Zitting	Medium
Vendor	pom	developer name	Kristian Rosenvold	Medium
Vendor	pom	developer name	Martin Cooper	Medium
Vendor	pom	developer name	Matthew Hawthorne	Medium
Vendor	pom	developer name	Niall Pemberton	Medium
Vendor	pom	developer name	Nicola Ken Barozzi	Medium
Vendor	pom	developer name	Rob Oxspring	Medium
Vendor	pom	developer name	Scott Sanders	Medium
Vendor	pom	developer name	Stephen Colebourne	Medium
Vendor	pom	developer org	The Apache Software Foundation	Medium
Vendor	pom	developer org URL	https://www.apache.org/	Medium
Vendor	pom	groupid	commons-io	Highest
Vendor	pom	name	Apache Commons IO	High
Vendor	pom	parent-artifactid	commons-parent	Low
Vendor	pom	parent-groupid	org.apache.commons	Medium
Vendor	pom	url	https://commons.apache.org/proper/commons-io/	Highest
Product	file	name	commons-io	High
Product	jar	package name	apache	Highest
Product	jar	package name	commons	Highest
Product	jar	package name	file	Highest
Product	jar	package name	io	Highest
Product	Manifest	automatic-	org.apache.commons.io	Medium

		module-name		
Product	Manifest	build-jdk-spec	17	Low
Product	Manifest	bundle-docurl	https://commons.apache.org/proper/commons-io/	Low
Product	Manifest	Bundle-Name	Apache Commons IO	Medium
Product	Manifest	bundle-symbolicname	org.apache.commons.commons-io	Medium
Product	Manifest	Implementation-Title	Apache Commons IO	High
Product	Manifest	multi-release	true	Low
Product	Manifest	specification-title	Apache Commons IO	Medium
Product	pom	artifactid	commons-io	Highest
Product	pom	developer email	bayard@apache.org	Low
Product	pom	developer email	dion@apache.org	Low
Product	pom	developer email	ggregory at apache.org	Low
Product	pom	developer email	jeremias@apache.org	Low
Product	pom	developer email	jochen.wiedmann@gmail.com	Low
Product	pom	developer email	krosenvold@apache.org	Low
Product	pom	developer email	martinc@apache.org	Low
Product	pom	developer email	matth@apache.org	Low
Product	pom	developer email	nicolaken@apache.org	Low
Product	pom	developer email	roxspring@apache.org	Low
Product	pom	developer email	sanders@apache.org	Low
Product	pom	developer id	bayard	Low
Product	pom	developer id	dion	Low
Product	pom	developer id	ggregory	Low
Product	pom	developer id	jeremias	Low
Product	pom	developer id	jochen	Low
Product	pom	developer id	jukka	Low
Product	pom	developer id	krosenvold	Low
Product	pom	developer id	martinc	Low
Product	pom	developer id	matth	Low
Product	pom	developer id	niallp	Low
Product	pom	developer id	nicolaken	Low
Product	pom	developer id	roxspring	Low
Product	pom	developer id	sanders	Low
Product	pom	developer id	scolebourne	Low

Product	pom	developer name	dlon Gillard	Low
Product	pom	developer name	Gary Gregory	Low
Product	pom	developer name	Henri Yandell	Low
Product	pom	developer name	Jeremias Maerki	Low
Product	pom	developer name	Jochen Wiedmann	Low
Product	pom	developer name	Jukka Zitting	Low
Product	pom	developer name	Kristian Rosenvold	Low
Product	pom	developer name	Martin Cooper	Low
Product	pom	developer name	Matthew Hawthorne	Low
Product	pom	developer name	Niall Pemberton	Low
Product	pom	developer name	Nicola Ken Barozzi	Low
Product	pom	developer name	Rob Oxspring	Low
Product	pom	developer name	Scott Sanders	Low
Product	pom	developer name	Stephen Colebourne	Low
Product	pom	developer org	The Apache Software Foundation	Low
Product	pom	developer org URL	https://www.apache.org/	Low
Product	pom	groupid	commons-io	Highest
Product	pom	name	Apache Commons IO	High
Product	pom	parent-artifactid	commons-parent	Medium
Product	pom	parent-groupid	org.apache.commons	Medium
Product	pom	url	https://commons.apache.org/proper/commons-io/	Medium
Version	Manifest	Bundle-Version	2.16.1	High
Version	Manifest	Implementation-Version	2.16.1	High
Version	pom	parent-version	2.16.1	Low
Version	pom	version	2.16.1	Highest

Related Dependencies



- remotegui.zip: commons-io.jar
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/commons-io.jar
 - MD5: ed8191a5a217940140001b0acfed18d9
 - SHA1: 377d592e740dc77124e0901291dbfaa6810a200e
 - SHA256: f41f7baacd716896447ace9758621f62c1c6b0a91d89acee488da26fc477c84f
 - [pkg:maven/commons-io/commons-io@2.16.1](https://maven.apache.org/commons-io/commons-io@2.16.1)

Identifiers

- [pkg:maven/commons-io/commons-io@2.16.1](#) (*Confidence:High*)
- [cpe:2.3:a:apache:commons_io:2.16.1:*:*:*:*:*](#) (*Confidence:Highest*) suppress

decoder.docx.zip: commons-math3.jar

Description:

The Apache Commons Math project is a library of lightweight, self-contained mathematics and statistics components addressing the most common practical problems not immediately available in the Java programming language or commons-lang.

License:

<http://www.apache.org/licenses/LICENSE-2.0.txt>

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/decoder.docx.zip/commons-math3.jar

MD5: 5b730d97e4e6368069de1983937c508e

SHA1: e4ba98f1d4b3c80ec46392f25e094a6a2e58fcfb

SHA256: 1e56d7b058d28b65abd256b8458e3885b674c1d588fa43cd7d1cbb9c7ef2b308

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	commons-math3	High
Vendor	jar	package name	apache	Highest
Vendor	jar	package name	commons	Highest
Vendor	jar	package name	math3	Highest
Vendor	Manifest	bundle-docurl	http://commons.apache.org/proper/commons-math/	Low
Vendor	Manifest	bundle-symbolicname	org.apache.commons.math3	Medium
Vendor	Manifest	implementation-build	16abfe5de688cc52fb0396e0609cb33044b1569-2016-03-17 13:30:43-0400	Low
Vendor	Manifest	implementation-url	http://commons.apache.org/proper/commons-math/	Low
Vendor	Manifest	Implementation-Vendor	The Apache Software Foundation	High
Vendor	Manifest	Implementation-Vendor-Id	org.apache	Medium
Vendor	Manifest	specification-vendor	The Apache Software Foundation	Low
Vendor	pom	artifactid	commons-math3	Low

Vendor	pom	developer email	achou at apache dot org	Low
Vendor	pom	developer email	billbarker at apache dot org	Low
Vendor	pom	developer email	brentworden at apache dot org	Low
Vendor	pom	developer email	celestin at apache dot org	Low
Vendor	pom	developer email	dimpbx at apache dot org	Low
Vendor	pom	developer email	erans at apache dot org	Low
Vendor	pom	developer email	evanward at apache dot org	Low
Vendor	pom	developer email	gregs at apache dot org	Low
Vendor	pom	developer email	j3322ptm at yahoo dot de	Low
Vendor	pom	developer email	luc at apache dot org	Low
Vendor	pom	developer email	mdiggory at apache dot org	Low
Vendor	pom	developer email	mikl at apache dot org	Low
Vendor	pom	developer email	oertl at apache dot org	Low
Vendor	pom	developer email	rdonkin at apache dot org	Low
Vendor	pom	developer email	tn at apache dot org	Low
Vendor	pom	developer email	tobrien at apache dot org	Low
Vendor	pom	developer id	achou	Medium
Vendor	pom	developer id	billbarker	Medium
Vendor	pom	developer id	brentworden	Medium
Vendor	pom	developer id	celestin	Medium
Vendor	pom	developer id	dimpbx	Medium
Vendor	pom	developer id	erans	Medium
Vendor	pom	developer id	evanward	Medium
Vendor	pom	developer id	gregs	Medium
Vendor	pom	developer id	luc	Medium
Vendor	pom	developer id	mdiggory	Medium
Vendor	pom	developer id	mikl	Medium
Vendor	pom	developer id	oertl	Medium
Vendor	pom	developer id	pietsch	Medium
Vendor	pom	developer id	rdonkin	Medium
Vendor	pom	developer id	tn	Medium
Vendor	pom	developer id	tobrien	Medium
Vendor	pom	developer name	Albert Davidson Chou	Medium
Vendor	pom	developer name	Bill Barker	Medium
Vendor	pom	developer name	Brent Worden	Medium

Vendor	pom	developer name	Dimitri Pourbaix	Medium
Vendor	pom	developer name	Evan Ward	Medium
Vendor	pom	developer name	Gilles Sadowski	Medium
Vendor	pom	developer name	Greg Sterijevski	Medium
Vendor	pom	developer name	J. Pietschmann	Medium
Vendor	pom	developer name	Luc Maisonobe	Medium
Vendor	pom	developer name	Mark Diggory	Medium
Vendor	pom	developer name	Mikkel Meyer Andersen	Medium
Vendor	pom	developer name	Otmar Ertl	Medium
Vendor	pom	developer name	Robert Burrell Donkin	Medium
Vendor	pom	developer name	Sébastien Brisard	Medium
Vendor	pom	developer name	Thomas Neidhart	Medium
Vendor	pom	developer name	Tim O'Brien	Medium
Vendor	pom	groupid	org.apache.commons	Highest
Vendor	pom	name	Apache Commons Math	High
Vendor	pom	parent-artifactid	commons-parent	Low
Vendor	pom	url	http://commons.apache.org/proper/commons-math/	Highest
Product	file	name	commons-math3	High
Product	jar	package name	apache	Highest
Product	jar	package name	commons	Highest
Product	jar	package name	math3	Highest
Product	Manifest	bundle-docurl	http://commons.apache.org/proper/commons-math/	Low
Product	Manifest	Bundle-Name	Apache Commons Math	Medium
Product	Manifest	bundle-symbolicname	org.apache.commons.math3	Medium
Product	Manifest	implementation-build	16abfe5de688cc52fb0396e0609cb33044b156! 2016-03-17 13:30:43-0400	Low
Product	Manifest	Implementation-Title	Apache Commons Math	High
Product	Manifest	implementation-url	http://commons.apache.org/proper/commons-math/	Low
Product	Manifest	specification-title	Apache Commons Math	Medium
Product	pom	artifactid	commons-math3	Highest
Product	pom	developer email	achou at apache dot org	Low
Product	pom	developer email	billbarker at apache dot org	Low
Product	pom	developer email	brentworden at apache dot org	Low

Product	pom	developer email	celestin at apache dot org	Low
Product	pom	developer email	dimpbx at apache dot org	Low
Product	pom	developer email	erans at apache dot org	Low
Product	pom	developer email	evanward at apache dot org	Low
Product	pom	developer email	gregs at apache dot org	Low
Product	pom	developer email	j3322ptm at yahoo dot de	Low
Product	pom	developer email	luc at apache dot org	Low
Product	pom	developer email	mdiggory at apache dot org	Low
Product	pom	developer email	mikl at apache dot org	Low
Product	pom	developer email	oertl at apache dot org	Low
Product	pom	developer email	rdonkin at apache dot org	Low
Product	pom	developer email	tn at apache dot org	Low
Product	pom	developer email	tobrien at apache dot org	Low
Product	pom	developer id	achou	Low
Product	pom	developer id	billbarker	Low
Product	pom	developer id	brentworden	Low
Product	pom	developer id	celestin	Low
Product	pom	developer id	dimpbx	Low
Product	pom	developer id	erans	Low
Product	pom	developer id	evanward	Low
Product	pom	developer id	gregs	Low
Product	pom	developer id	luc	Low
Product	pom	developer id	mdiggory	Low
Product	pom	developer id	mikl	Low
Product	pom	developer id	oertl	Low
Product	pom	developer id	pietsch	Low
Product	pom	developer id	rdonkin	Low
Product	pom	developer id	tn	Low
Product	pom	developer id	tobrien	Low
Product	pom	developer name	Albert Davidson Chou	Low
Product	pom	developer name	Bill Barker	Low
Product	pom	developer name	Brent Worden	Low
Product	pom	developer name	Dimitri Pourbaix	Low
Product	pom	developer name	Evan Ward	Low
Product	pom	developer name	Gilles Sadowski	Low

Product	pom	developer name	Greg Sterijevski	Low
Product	pom	developer name	J. Pietschmann	Low
Product	pom	developer name	Luc Maisonobe	Low
Product	pom	developer name	Mark Diggory	Low
Product	pom	developer name	Mikkel Meyer Andersen	Low
Product	pom	developer name	Otmar Ertl	Low
Product	pom	developer name	Robert Burrell Donkin	Low
Product	pom	developer name	Sébastien Brisard	Low
Product	pom	developer name	Thomas Neidhart	Low
Product	pom	developer name	Tim O'Brien	Low
Product	pom	groupid	org.apache.commons	Highest
Product	pom	name	Apache Commons Math	High
Product	pom	parent-artifactid	commons-parent	Medium
Product	pom	url	http://commons.apache.org/proper/commons-math/	Medium
Version	Manifest	Bundle-Version	3.6.1	High
Version	Manifest	Implementation-Version	3.6.1	High
Version	pom	parent-version	3.6.1	Low
Version	pom	version	3.6.1	Highest

Identifiers

- pkg:maven/org.apache.commons/commons-math3@3.6.1 (*Confidence*:High)

decoder.docx.zip: curvesapi.jar

Description:

Implementation of various mathematical curves that define themselves over a set of control points. The API is written in Java. The curves supported are: Bezier, B-Spline, Cardinal Spline, Catmull-Rom Spline, Lagrange, Natural Cubic Spline, and NURBS.

License:

BSD License: <http://opensource.org/licenses/BSD-3-Clause>

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/decoder.docx.zip/curvesapi.jar

MD5: fc3aed90346691e7c79da06bb6606beb

SHA1: 3d3d36568154059825089b289dcfca481fe44e2c

SHA256: ad95b08b8bbf9d7d17e5e00814898fa23324f32bc5b62f1a37801e6a56ce0079

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	curvesapi	High
Vendor	Manifest	automatic-module-name	com.github.virtuald.curvesapi	Medium
Vendor	pom	artifactid	curvesapi	Low
Vendor	pom	developer id	stormdollar	Medium
Vendor	pom	developer id	virtuald	Medium
Vendor	pom	developer name	Dustin Spicuzza	Medium
Vendor	pom	developer name	stormdollar	Medium
Vendor	pom	groupid	com.github.virtuald	Highest
Vendor	pom	name	curvesapi	High
Vendor	pom	url	virtuald/curvesapi	Highest
Product	file	name	curvesapi	High
Product	Manifest	automatic-module-name	com.github.virtuald.curvesapi	Medium
Product	pom	artifactid	curvesapi	Highest
Product	pom	developer id	stormdollar	Low
Product	pom	developer id	virtuald	Low
Product	pom	developer name	Dustin Spicuzza	Low
Product	pom	developer name	stormdollar	Low
Product	pom	groupid	com.github.virtuald	Highest
Product	pom	name	curvesapi	High
Product	pom	url	virtuald/curvesapi	High
Version	pom	version	1.08	Highest

Identifiers

- [pkg:maven/com.github.virtuald/curvesapi@1.08](https://maven.com.github.virtuald/curvesapi@1.08) (*Confidence:*High)

decoder.docx.zip: decoder.docx.jar

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/decoder.docx.zip/decoder.docx.jar
MD5: fbc43d8a1d19a6a09fa8138187095db6
SHA1: eac1ab619cba67f07de8376264aa39a7449644b7
SHA256: 2daf114e352402b8933461e9c5559cf6b03fa6cc8d5db8c54e31c237e416ac08
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	decoder.docx	High
Vendor	jar	package name	encode	Low
Vendor	jar	package name	inet	Low
Vendor	jar	package name	report	Low
Vendor	Manifest	application-library-allowable-codebase	*	Low
Vendor	Manifest	built-date	2024-09-19 18:29	Low
Vendor	Manifest	codebase	*	Low
Vendor	Manifest	implementation-group	reporting	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	permissions	all-permissions	Low
Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	trusted-library	false	Low
Vendor	Manifest	trusted-only	false	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	decoder.docx	High
Product	jar	package name	docx	Highest
Product	jar	package name	docx	Low
Product	jar	package name	encode	Low
Product	jar	package name	report	Low
Product	Manifest	application-library-allowable-codebase	*	Low
Product	Manifest	built-date	2024-09-19 18:29	Low
Product	Manifest	codebase	*	Low

Product	Manifest	implementation-group	reporting	Low
Product	Manifest	Implementation-Title	decoder.docx	High
Product	Manifest	permissions	all-permissions	Low
Product	Manifest	specification-title	decoder.docx	Medium
Product	Manifest	trusted-library	false	Low
Product	Manifest	trusted-only	false	Low
Version	Manifest	Implementation-Version	24.10.163	High

Identifiers

- None

decoder.docx.zip: log4j-api.jar

Description:

The Apache Log4j API

License:

Apache-2.0: <https://www.apache.org/licenses/LICENSE-2.0.txt>

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/decoder.docx.zip/log4j-api.jar

MD5: bee2e2dcbeeb983bdb6b71c9c3476b6a

SHA1: 9c15c29c526d9c6783049c0a77722693c66706e1

SHA256: 92ec1fd36ab3bc09de6198d2d7c0914685c0f7127ea931acc32fd2ecdd82ea89

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	log4j-api	High
Vendor	jar	package name	apache	Highest
Vendor	jar	package name	log4j	Highest
Vendor	jar	package name	logging	Highest
Vendor	jar	package name	org	Highest
Vendor	Manifest	build-jdk-spec	17	Low
Vendor	Manifest	bundle-activationpolicy	lazy	Low

Vendor	Manifest	bundle-symbolicname	org.apache.logging.log4j.api	Medium
Vendor	Manifest	Implementation-Vendor	The Apache Software Foundation	High
Vendor	Manifest	multi-release	true	Low
Vendor	Manifest	provide-capability	osgi.service;objectClass:List="org.apache.logging.log4j.util.PropertySource";effective:=active,osgi.serviceloader;osgi.serviceloader="org.apache.logging.log4j.util.PropertySource";register="org.apache.logging.log4j.util.EnvironmentPropertySource",osgi.serviceloader;osgi.serviceloader="org.apache.logging.log4j.util.PropertySource";register="org.apache.logging.log4j.util.SystemPropertiesPropertySource"	Low
Vendor	Manifest	specification-vendor	The Apache Software Foundation	Low
Vendor	pom	artifactid	log4j-api	Low
Vendor	pom	groupid	org.apache.logging.log4j	Highest
Vendor	pom	name	Apache Log4j API	High
Vendor	pom	parent-artifactid	log4j	Low
Product	file	name	log4j-api	High
Product	jar	package name	apache	Highest
Product	jar	package name	log4j	Highest
Product	jar	package name	logging	Highest
Product	jar	package name	org	Highest
Product	jar	package name	util	Highest
Product	Manifest	build-jdk-spec	17	Low
Product	Manifest	bundle-activationpolicy	lazy	Low
Product	Manifest	Bundle-Name	Apache Log4j API	Medium
Product	Manifest	bundle-symbolicname	org.apache.logging.log4j.api	Medium
Product	Manifest	Implementation-Title	Apache Log4j API	High
Product	Manifest	multi-release	true	Low
Product	Manifest	provide-capability	osgi.service;objectClass:List="org.apache.logging.log4j.util.PropertySource";effective:=active,osgi.serviceloader;osgi.serviceloader="org.apache.logging.log4j.util.PropertySource";register="org.apache.logging.log4j.util.EnvironmentPropertySource",osgi.serviceloader;osgi.serviceloader="org.apache.logging.log4j.util.PropertySource";register="org.apache.logging.log4j.util.SystemPropertiesPropertySource"	Low

Product	Manifest	specification-title	Apache Log4j API	Medium
Product	pom	artifactid	log4j-api	Highest
Product	pom	groupid	org.apache.logging.log4j	Highest
Product	pom	name	Apache Log4j API	High
Product	pom	parent-artifactid	log4j	Medium
Version	Manifest	Bundle-Version	2.23.1	High
Version	Manifest	Implementation-Version	2.23.1	High
Version	pom	version	2.23.1	Highest

Identifiers

- [pkg:maven/org.apache.logging.log4j/log4j-api@2.23.1](#) (*Confidence:High*)
- [cpe:2.3:a:apache:log4j:2.23.1:*:*:*:*:*](#) (*Confidence:Highest*)

suppress

decoder.docx.zip: poi.jar

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/decoder.docx.zip/poi.jar

MD5: d4b21c2109d83abb8e93ba4bcfbdeb3a

SHA1: 2fb22ae74ad5aea6af1a9c64b9542f2ccf348604

SHA256: 1d4c81a283e127693db89e85df45119d9d312d5686d2439b5be9445c2c649155

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	poi	High
Vendor	jar	package name	apache	Highest
Vendor	jar	package name	apache	Low
Vendor	jar	package name	poi	Highest
Vendor	jar	package name	poi	Low
Vendor	Manifest	automatic-module-name	org.apache.poi.poi	Medium
Vendor	Manifest	Implementation-Vendor	org.apache.poi	High
Vendor	Manifest	Implementation-Vendor-Id	The Apache Software Foundation	Medium
Vendor	Manifest	multi-release	true	Low

Vendor	Manifest	specification-vendor	The Apache Software Foundation	Low
Product	file	name	poi	High
Product	jar	package name	apache	Highest
Product	jar	package name	poi	Highest
Product	jar	package name	poi	Low
Product	Manifest	automatic-module-name	org.apache.poi.poi	Medium
Product	Manifest	Implementation-Title	Apache POI	High
Product	Manifest	multi-release	true	Low
Product	Manifest	specification-title	Apache POI	Medium
Version	Manifest	Implementation-Version	5.2.3	High

Related Dependencies



- decoder.docx.zip: poi-ooxml-full.jar
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/decoder.docx.zip/poi-ooxml-full.jar
 - MD5: 12cee970c8c7143c8d5ff643e1599bd8
 - SHA1: 339a05530a7076e8a86b88253a48a44e0144ce25
 - SHA256: 0484b712eb63a8872723cafb88004be60f47187baccacddaee12712a1ad2e7b5
- decoder.docx.zip: poi-ooxml.jar
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/decoder.docx.zip/poi-ooxml.jar
 - MD5: 4874ead60c5e3aa7fcf29d3ad351eefa
 - SHA1: 02efd11c940adb18c03eb9ce7ad88fc40ee6a196
 - SHA256: 9b8ff6ecf562836299ce15997796e3d47fe063a5956c1c7d3f6e2a4bf6e60b79
- decoder.docx.zip: poi-scratchpad.jar
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/decoder.docx.zip/poi-scratchpad.jar
 - MD5: 760ac0bcd0f4877fb57b134fc7e79fb4
 - SHA1: 2a7fce47e22b7fedb1b277347ff4fe36d6eda50d
 - SHA256: f0a98ad2a2a8c2863135357224fe8ffb2b4e7bb121d75aff59750eb671451aed

Identifiers

- [cpe:2.3:a:apache:poi:5.2.3:*:*:*:*:*](#) (Confidence: Highest) suppress

decoder.docx.zip: xmlbeans.jar

Description:

XmlBeans main jar

License:

The Apache Software License, Version 2.0: <http://www.apache.org/licenses/LICENSE-2.0.txt>

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/decoder.docx.zip/xmlbeans.jar

MD5: 48f887315aeea29588550b86aada1068

SHA1: e16ddf17fe181c202b097e0dcc0ee2fed91cb7da

SHA256: eff1746a43780845d625a3ceb137976d4665d01a71209507dc383c6f43ab288a

Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence
Vendor	file	name	xmlbeans	High
Vendor	jar	package name	apache	Highest
Vendor	jar	package name	org	Highest
Vendor	jar	package name	xmlbeans	Highest
Vendor	Manifest	multi-release	true	Low
Vendor	manifest org /apache /xmlbear	Implementation- Vendor	org.apache.xmlbeans	Medium
Vendor	pom	artifactid	xmlbeans	Low
Vendor	pom	developer email	user@poi.apache.org	Low
Vendor	pom	developer id	poi	Medium
Vendor	pom	developer name	POI Team	Medium
Vendor	pom	developer org	Apache POI	Medium
Vendor	pom	groupid	org.apache.xmlbeans	Highest
Vendor	pom	name	XmlBeans	High
Vendor	pom	organization name	XmlBeans	High
Vendor	pom	organization url	https://xmlbeans.apache.org/	Medium
Vendor	pom	url	https://xmlbeans.apache.org/	Highest
Product	file	name	xmlbeans	High
Product	jar	package name	apache	Highest
Product	jar	package name	org	Highest
Product	jar	package name	xmlbeans	Highest
Product	Manifest	multi-release	true	Low
Product	manifest org	Implementation- Title	Apache XmlBeans	Medium

/apache
/xmlbear

Product	manifest org /apache /xmlbear	Specification- Title	Apache XmlBeans	Medium
Product	pom	artifactid	xmlbeans	Highest
Product	pom	developer email	user@poi.apache.org	Low
Product	pom	developer id	poi	Low
Product	pom	developer name	POI Team	Low
Product	pom	developer org	Apache POI	Low
Product	pom	groupid	org.apache.xmlbeans	Highest
Product	pom	name	XmlBeans	High
Product	pom	organization name	XmlBeans	Low
Product	pom	organization url	https://xmlbeans.apache.org/	Low
Product	pom	url	https://xmlbeans.apache.org/	Medium
Version	manifest org /apache /xmlbear	Implementation- Version	5.2.1	Medium
Version	pom	version	5.2.1	Highest

Identifiers

- [pkg:maven/org.apache.xmlbeans/xmlbeans@5.2.1](#) (*Confidence:High*)
- [cpe:2.3:a:apache:xmlbeans:5.2.1:****:*](#) (*Confidence:Highest*) suppress

decoder.svg.zip: batik-anim-inet_patched.jar

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller
/server/build/tmp/dependencies/i-net Clear Reports/plugins/decoder.svg.zip/batik-anim-inet_patched.jar

MD5: ca9b7e3470ec4fae98f63e1176598fd8

SHA1: df67336085c962bf3974ae7c8e0684ede311b1c6

SHA256: 76906fb573f46895285d778672f5cc6bf866f75697ffe58eee83b01d1e09d871

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	batik-anim-inet_patched	High

Vendor	jar	package name	anim	Low
Vendor	jar	package name	apache	Low
Vendor	jar	package name	batik	Low
Product	file	name	batik-anim-inet_patched	High
Product	jar	package name	anim	Low
Product	jar	package name	batik	Low
Product	jar	package name	dom	Low

Identifiers

- None

decoder.svg.zip: batik-awt-util-inet_patched.jar

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/decoder.svg.zip/batik-awt-util-inet_patched.jar

MD5: 78d0f951cf21d193bb3019ced508670f

SHA1: 9a5dc6cea00c6f1dfe375fd0b6a6f5fd68f03920

SHA256: c235d7d09615f88df71d682442247725cdd17dac6be7bfe679ffeacfc218824b

Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence
Vendor	file	name	batik-awt-util-inet_patched	High
Vendor	jar	package name	apache	Low
Vendor	jar	package name	batik	Low
Vendor	jar	package name	ext	Low
Product	file	name	batik-awt-util-inet_patched	High
Product	jar	package name	awt	Low
Product	jar	package name	batik	Low
Product	jar	package name	ext	Low

Identifiers

- None

decoder.svg.zip: batik-bridge-inet_patched.jar

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/decoder.svg.zip/batik-bridge-inet_patched.jar

MD5: cd9b26662448c977f32a01ae076153ec

SHA1: 69eb5e16d985e4b3e145ad2020346d9371c4112d

SHA256: 3529283783068bd71b6932333dc30d45fb7f7de665731cab47d5a148e7f0ed04

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	batik-bridge-inet_patched	High
Vendor	jar	package name	apache	Low
Vendor	jar	package name	batik	Low
Vendor	jar	package name	bridge	Low
Product	file	name	batik-bridge-inet_patched	High
Product	jar	package name	batik	Low
Product	jar	package name	bridge	Low

Identifiers

- None

decoder.svg.zip: batik-codec-inet_patched.jar

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/decoder.svg.zip/batik-codec-inet_patched.jar

MD5: 5e9f873b4c078f8e4129966c1db692bc

SHA1: 009427d5c286ce0ea63eaea73f678e6e1316d114

SHA256: b1359159577318d3793f46d9661b680edec76a936f6143bda670dc4c4b106542

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	batik-codec-inet_patched	High
Vendor	jar	package name	apache	Low
Vendor	jar	package name	batik	Low
Vendor	jar	package name	ext	Low

Product	file	name	batik-codec-inet_patched	High
Product	jar	package name	awt	Low
Product	jar	package name	batik	Low
Product	jar	package name	ext	Low

Identifiers

- None

decoder.svg.zip: batik-constants-inet_patched.jar

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/decoder.svg.zip/batik-constants-inet_patched.jar

MD5: 7ab5c8bdd3bffd8080327304340f808f

SHA1: 3d7521c16503666312e5ab3dda04e42040813ae8

SHA256:400ad29a7300f5d71b765e9248bce8ce7e18ee77d02a07957ce977ff03e71284

Referenced In Project/Scope: server

Evidence +

Type	Source	Name	Value	Confidence
Vendor	file	name	batik-constants-inet_patched	High
Vendor	jar	package name	apache	Low
Vendor	jar	package name	batik	Low
Vendor	jar	package name	constants	Low
Product	file	name	batik-constants-inet_patched	High
Product	jar	package name	batik	Low
Product	jar	package name	constants	Low
Product	jar	package name	xmlconstants	Low

Identifiers

- None

decoder.svg.zip: batik-css-inet_patched.jar

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/decoder.svg.zip/batik-css-inet_patched.jar
MD5: efe6d51256dfe90595905b466f50cb1d
SHA1: 59720f3521ef86920b1bee7ecad8f774b0291a00
SHA256: f9eeb49d41a69114371bbc4ce585e54e4b4de2b529bcb406f44e14e4a01d8dc8
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	batik-css-inet_patched	High
Vendor	jar	package name	apache	Low
Vendor	jar	package name	batik	Low
Vendor	jar	package name	css	Low
Product	file	name	batik-css-inet_patched	High
Product	jar	package name	batik	Low
Product	jar	package name	css	Low
Product	jar	package name	engine	Low

Identifiers

- None

decoder.svg.zip: batik-dom-inet_patched.jar

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/decoder.svg.zip/batik-dom-inet_patched.jar
MD5: 20ea7779e512f8c4bfa6531e062efd48
SHA1: 836eabda80a9a6b924aea09b9493c44e3bb413b6
SHA256: dcf5a79d65a595a73d17b6fb0339f9ac0248da957d311960fcedd33ae4cefe1d
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	batik-dom-inet_patched	High
Vendor	jar	package name	apache	Low
Vendor	jar	package name	batik	Low
Vendor	jar	package name	dom	Low
Product	file	name	batik-dom-inet_patched	High

Product	jar	package name	batik	Low
Product	jar	package name	dom	Low

Identifiers

- None

decoder.svg.zip: batik-ext-inet_patched.jar

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/decoder.svg.zip/batik-ext-inet_patched.jar

MD5: 91711138884f8af1a08990da41b61af5

SHA1: 8195fd069a560ad76239f1d9fd803a4d39f7f1f3

SHA256: cd7a2cc67f833586efd1026651f2a66b608d32e6d0a2a9875fce05b998a35afe

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	batik-ext-inet_patched	High
Vendor	jar	package name	apache	Low
Vendor	jar	package name	batik	Low
Vendor	jar	package name	w3c	Low
Product	file	name	batik-ext-inet_patched	High
Product	jar	package name	batik	Low
Product	jar	package name	dom	Low
Product	jar	package name	w3c	Low

Identifiers

- None

decoder.svg.zip: batik-extension-inet_patched.jar

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/decoder.svg.zip/batik-extension-inet_patched.jar

MD5: 04d7a025623894e24609572a4a95c827

SHA1: 254337ea5358ce3660ce8063bf576ddfcafd828c

SHA256: a67c190c69325fdd4f0afd147fac54734540659ec2b70061609d779a8b434c07

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	batik-extension-inet_patched	High
Vendor	jar	package name	apache	Low
Vendor	jar	package name	batik	Low
Vendor	jar	package name	extension	Low
Product	file	name	batik-extension-inet_patched	High
Product	jar	package name	batik	Low
Product	jar	package name	extension	Low
Product	jar	package name	svg	Low

Identifiers

- None

decoder.svg.zip: batik-gui-util-inet_patched.jar

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/decoder.svg.zip/batik-gui-util-inet_patched.jar

MD5: d4f5c11c2ef0e885edf427ba341bb43a

SHA1: e3d52600773e327e718226ba885ba4240d1f5708

SHA256: de10ba6c89374b3bbcb0391808c9a52343ed1f9341a979d9c5d29acb6a2a4ae35

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	batik-gui-util-inet_patched	High
Vendor	jar	package name	apache	Low
Vendor	jar	package name	batik	Low
Vendor	jar	package name	util	Low
Product	file	name	batik-gui-util-inet_patched	High
Product	jar	package name	batik	Low
Product	jar	package name	gui	Low

Product	jar	package name	util	Low
---------	-----	--------------	------	-----

Identifiers

- None

decoder.svg.zip: batik-gvt-inet_patched.jar

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/decoder.svg.zip/batik-gvt-inet_patched.jar
MD5: 531c7350c3df1c016703d2f26d4656f5
SHA1: bbbfd0825b068e7a5636505c9d3ed2c1803c1f44
SHA256: d933774b59c569e30989072a6df247d28e639a1d206a530bc24f89b9162d133a
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence
Vendor	file	name	batik-gvt-inet_patched	High
Vendor	jar	package name	apache	Low
Vendor	jar	package name	batik	Low
Vendor	jar	package name	gvt	Low
Product	file	name	batik-gvt-inet_patched	High
Product	jar	package name	batik	Low
Product	jar	package name	gvt	Low

Identifiers

- None

decoder.svg.zip: batik-i18n-inet_patched.jar

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/decoder.svg.zip/batik-i18n-inet_patched.jar
MD5: 1650351fc520b589f64f25bbb10014eb
SHA1: e20373bfbefb8e38c877ba55da0fd6f88b1a898c
SHA256: 87af44a58672b07600aea66ac280ac68d60d7a8edbc9bd855bd5d06242af357b
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	batik-i18n-inet_patched	High
Vendor	jar	package name	apache	Low
Vendor	jar	package name	batik	Low
Vendor	jar	package name	i18n	Low
Product	file	name	batik-i18n-inet_patched	High
Product	jar	package name	batik	Low
Product	jar	package name	i18n	Low
Version	file	name	batik-i18n-inet_patched	Medium
Version	file	version	18	Medium

Identifiers

- [cpe:2.3:a:inet:inet:18:*:*:*:*:*](#) (Confidence:High) suppress

decoder.svg.zip: batik-parser-inet_patched.jar

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/decoder.svg.zip/batik-parser-inet_patched.jar
MD5: ec8662e2761223a07c1c5cd352760762
SHA1: c93a4fa23c50b6fc598c196bf818ae990b33c8f9
SHA256: ad5e96d9367b6a100f42dfef99b9e81f23bbd74d881f098eb6d448fdcf62d331
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	batik-parser-inet_patched	High
Vendor	jar	package name	apache	Low
Vendor	jar	package name	batik	Low
Vendor	jar	package name	parser	Low
Product	file	name	batik-parser-inet_patched	High
Product	jar	package name	batik	Low
Product	jar	package name	parser	Low

Identifiers

- None

decoder.svg.zip: batik-script-inet_patched.jar

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/decoder.svg.zip/batik-script-inet_patched.jar

MD5: ed9d79818286c08b981f7e735f2ebbf2

SHA1: fe5fbc17f4d45b81fa8c888458e48538f46dfb90

SHA256: defa2b26e8f7ffd05b58e544b4f66d34a79a3b8b0d92970742db0015cdb9d074

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	batik-script-inet_patched	High
Vendor	jar	package name	apache	Low
Vendor	jar	package name	batik	Low
Vendor	jar	package name	script	Low
Product	file	name	batik-script-inet_patched	High
Product	jar	package name	batik	Low
Product	jar	package name	script	Low

Identifiers

- None

decoder.svg.zip: batik-slideshow-inet_patched.jar

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/decoder.svg.zip/batik-slideshow-inet_patched.jar

MD5: 4d7ff121bc7e6740a613f240cc0777de

SHA1: 20d91541127828edfc0b6ee7dd0252002f87c4ea

SHA256: aeacbbf5eacd1ba408cd72a363204c5430161a1d3a687b7c6b117845d3f99c79

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	batik-slideshow-inet_patched	High
Vendor	jar	package name	apache	Low
Vendor	jar	package name	apps	Low
Vendor	jar	package name	batik	Low
Product	file	name	batik-slideshow-inet_patched	High
Product	jar	package name	apps	Low
Product	jar	package name	batik	Low
Product	jar	package name	slideshow	Low

Identifiers

- None

decoder.svg.zip: batik-svg-dom-inet_patched.jar

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/decoder.svg.zip/batik-svg-dom-inet_patched.jar
MD5: b20d5f86935e8dd59d3fb3f5708cac47
SHA1: 2e031b04335b7e61b0de6fedd5533037123ce81d
SHA256: 680d15d7d60f06bcfa0b04ef41b3141114bf5f7915f2160db2c80ad3cb067da9
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	batik-svg-dom-inet_patched	High
Vendor	jar	package name	apache	Low
Vendor	jar	package name	batik	Low
Vendor	jar	package name	dom	Low
Product	file	name	batik-svg-dom-inet_patched	High
Product	jar	package name	batik	Low
Product	jar	package name	dom	Low
Product	jar	package name	svg	Low

Identifiers

- None

decoder.svg.zip: batik-svggen-inet_patched.jar

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/decoder.svg.zip/batik-svggen-inet_patched.jar
MD5: 6d9a3465bc61d02429b4eb0c65c770e7
SHA1: f8c3849db028b84c4e82d0adbcd54bf24b8eb67
SHA256: bb6afbba9cf1ac7d72abaef461aec401251cfb80690ebebdb47f3371840866
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	batik-svggen-inet_patched	High
Vendor	jar	package name	apache	Low
Vendor	jar	package name	batik	Low
Vendor	jar	package name	svggen	Low
Product	file	name	batik-svggen-inet_patched	High
Product	jar	package name	batik	Low
Product	jar	package name	svggen	Low

Identifiers

- None

decoder.svg.zip: batik-svgpp-inet_patched.jar

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/decoder.svg.zip/batik-svgpp-inet_patched.jar
MD5: 2ce45f43360285cfee6f2f3061af1bab
SHA1: 521eac762ffb626752a4f606b23f9d5c934c4ec0
SHA256: 1c5bddd5d34b87ddb29bf314963b6d73b50ce177071907ec9fc27ebffda235cb
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	batik-svgpp-inet_patched	High

Vendor	jar	package name	apache	Low
Vendor	jar	package name	apps	Low
Vendor	jar	package name	batik	Low
Product	file	name	batik-svgpp-inet_patched	High
Product	jar	package name	apps	Low
Product	jar	package name	batik	Low
Product	jar	package name	svgpp	Low

Identifiers

- None

decoder.svg.zip: batik-swing-inet_patched.jar

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/decoder.svg.zip/batik-swing-inet_patched.jar

MD5: 17abc0c5ca14b602d7ed885527fc829c

SHA1: 6d37ed715d5842e3754dada7a67325b654fd42bd

SHA256: d160b143743345ce02e9d62e45ff883f0677af8e702eefce4e8105411e52482c

Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence
Vendor	file	name	batik-swing-inet_patched	High
Vendor	jar	package name	apache	Low
Vendor	jar	package name	batik	Low
Vendor	jar	package name	swing	Low
Product	file	name	batik-swing-inet_patched	High
Product	jar	package name	batik	Low
Product	jar	package name	svg	Low
Product	jar	package name	swing	Low

Identifiers

- None

decoder.svg.zip: batik-transcoder-inet_patched.jar

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/decoder.svg.zip/batik-transcoder-inet_patched.jar

MD5: 0cdad6039646ea411d4510d8a20507fa

SHA1: e0546ab18ed8343e039e4ccf1b88c34dfe6c1b7d

SHA256:bbcb22884bf981fe96b6653951a882cd1e7ba073193242aaf58d1d31c2c1d27c

Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence
Vendor	file	name	batik-transcoder-inet_patched	High
Vendor	jar	package name	apache	Low
Vendor	jar	package name	batik	Low
Vendor	jar	package name	transcoder	Low
Product	file	name	batik-transcoder-inet_patched	High
Product	jar	package name	batik	Low
Product	jar	package name	transcoder	Low

Identifiers

- None

decoder.svg.zip: batik-ttf2svg-inet_patched.jar

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/decoder.svg.zip/batik-ttf2svg-inet_patched.jar

MD5: 6f0b1bf368468dc8a8227b3f401afa52

SHA1: ba2b2e3d95123857e71c60d49a9a221b4fc36db3

SHA256:1de125604d22826d9e5d3868d95e57ee4c8fa010ee528200cd18c52cf5a5e54e

Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence
Vendor	file	name	batik-ttf2svg-inet_patched	High
Vendor	jar	package name	apache	Low
Vendor	jar	package name	apps	Low

Vendor	jar	package name	batik	Low
Product	file	name	batik-ttf2svg-inet_patched	High
Product	jar	package name	apps	Low
Product	jar	package name	batik	Low
Product	jar	package name	ttf2svg	Low
Version	file	name	batik-ttf2svg-inet_patched	Medium
Version	file	version	2	Medium

Identifiers

- [cpe:2.3:a:inet:inet:2:*:*:*:*:*](#) (Confidence:High) suppress

decoder.svg.zip: batik-util-inet_patched.jar

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/decoder.svg.zip/batik-util-inet_patched.jar

MD5: 183dac6411b205b38957a11d234906ca

SHA1: 86236e20930356d458ddd067c8c4308dc5932e56

SHA256: 2268de559d12e0cbaad3019318d86d8e312fbf48508aa4c6dfb5f3dadc20b442

Referenced In Project/Scope: server

Evidence +

Type	Source	Name	Value	Confidence
Vendor	file	name	batik-util-inet_patched	High
Vendor	jar	package name	apache	Low
Vendor	jar	package name	batik	Low
Vendor	jar	package name	util	Low
Product	file	name	batik-util-inet_patched	High
Product	jar	package name	batik	Low
Product	jar	package name	util	Low

Identifiers

- None

decoder.svg.zip: batik-xml-inet_patched.jar

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/decoder.svg.zip/batik-xml-inet_patched.jar

MD5: 2ee7b66eaa72669fdbbdc1ccf5a532cf

SHA1: c81c9b2f41a01688c55ea47d7add3789bdc9f71d

SHA256: fa08baff608e74d3a721fcf42e334c53a864b027def7a1307837b790a8f65783

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	batik-xml-inet_patched	High
Vendor	jar	package name	apache	Low
Vendor	jar	package name	batik	Low
Vendor	jar	package name	xml	Low
Product	file	name	batik-xml-inet_patched	High
Product	jar	package name	batik	Low
Product	jar	package name	xml	Low

Identifiers

- None

decoder.svg.zip: decoder.svg.jar

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/decoder.svg.zip/decoder.svg.jar

MD5: e46cd9c7facc10b3735dd938989c707c

SHA1: b52b53df7414488a66b977482f308443b3491b98

SHA256: bb7cab338d125021bb1d32cd5a6251a7098d4067ea0a50befda79e8eb967e8ee

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	decoder.svg	High
Vendor	jar	package name	encode	Low
Vendor	jar	package name	inet	Low
Vendor	jar	package name	report	Low

Vendor	Manifest	built-date	2024-09-19 18:29	Low
Vendor	Manifest	implementation-group	reporting	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	decoder.svg	High
Product	jar	package name	encode	Low
Product	jar	package name	report	Low
Product	jar	package name	svg	Highest
Product	jar	package name	svg	Low
Product	Manifest	built-date	2024-09-19 18:29	Low
Product	Manifest	implementation-group	reporting	Low
Product	Manifest	Implementation-Title	decoder.svg	High
Product	Manifest	specification-title	decoder.svg	Medium
Version	Manifest	Implementation-Version	24.10.163	High

Identifiers

- None

decoder.svg.zip: jsvg.jar

License:

MIT

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/decoder.svg.zip/jsvg.jar

MD5: be6ca7686f4ca1320fec8b22762805a3

SHA1: cff25678c920dbd657bce96e9245e4fb54f852e6

SHA256: a215cf2a11dca182da9bc578ca6ab7c3e1728282df3a56f39ec8302f2c7895ef

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	jsvg	High
Vendor	jar	package name	github	Highest
Vendor	jar	package name	github	Low
Vendor	jar	package name	jsvg	Highest
Vendor	jar	package name	jsvg	Low
Vendor	jar	package name	weisj	Highest
Vendor	jar	package name	weisj	Low
Vendor	Manifest	Implementation-Vendor	JSVG	High
Vendor	Manifest	Implementation-Vendor-Id	com.github.weisj	Medium
Vendor	Manifest	specification-vendor	JSVG	Low
Product	file	name	jsvg	High
Product	jar	package name	jsvg	Highest
Product	jar	package name	jsvg	Low
Product	jar	package name	weisj	Low
Product	Manifest	Implementation-Title	jsvg	High
Product	Manifest	specification-title	JSVG	Medium
Version	Manifest	Implementation-Version	1.3.0	High

Identifiers

- None

decoder.svg.zip: xml-apis-ext.jar

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/decoder.svg.zip/xml-apis-ext.jar

MD5: bcb07d3b8d2397db7a3013b6465d347b

SHA1: 41a8b86b358e87f3f13cf46069721719105aff66

SHA256: d0b4887dc34d57de49074a58affad439a013d0baffa1a8034f8ef2a5ea191646

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	xml-apis-ext	High
Vendor	jar	package name	dom	Low
Vendor	jar	package name	svg	Low
Vendor	jar	package name	w3c	Low
Vendor	manifest org /w3c /css /sac/	Implementation- Vendor	World Wide Web Consortium	Medium
Vendor	manifest org /w3c /dom /smil/	Implementation- Vendor	World Wide Web Consortium	Medium
Vendor	manifest org /w3c /dom /svg/	Implementation- Vendor	World Wide Web Consortium	Medium
Product	file	name	xml-apis-ext	High
Product	jar	package name	css	Highest
Product	jar	package name	dom	Highest
Product	jar	package name	dom	Low
Product	jar	package name	sac	Highest
Product	jar	package name	smil	Highest
Product	jar	package name	svg	Highest
Product	jar	package name	svg	Low
Product	jar	package name	w3c	Highest
Product	manifest org /w3c /css /sac/	Implementation- Title	org.w3c.css.sac	Medium
Product	manifest org /w3c /css /sac/	Specification- Title	Simple API for CSS	Medium
Product	manifest org /w3c /dom /smil/	Implementation- Title	org.w3c.dom.smil	Medium
Product	manifest org /w3c /dom /smil/	Specification- Title	Document Object Model (DOM) for Synchronized Multimedia Integration Language (SMIL)	Medium

Product	manifest org /w3c /dom /svg/	Implementation- Title	org.w3c.dom.svg	Medium
Product	manifest org /w3c /dom /svg/	Specification- Title	Document Object Model (DOM) for Scalable Vector Graphics (SVG)	Medium
Version	manifest org /w3c /css /sac/	Implementation- Version	1.3	Medium
Version	manifest org /w3c /dom /svg/	Implementation- Version	1.1	Medium

Identifiers

- None

decoder.svg.zip: xmlgraphics-commons.jar

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/decoder.svg.zip/xmlgraphics-commons.jar

MD5: ec712218e2391e64672fd8ed1e9e1d71

SHA1: 336ddd6d0a244cdebf26a298fb7c3a5fd45449db

SHA256: 1fe37a1927bdd699730f0ad39f50a699c9ab4dff0ad047dff1e846cb120ae2b1

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	xmlgraphics-commons	High
Vendor	jar	package name	apache	Highest
Vendor	jar	package name	apache	Low
Vendor	jar	package name	xmlgraphics	Highest
Vendor	jar	package name	xmlgraphics	Low
Vendor	Manifest	Implementation- Vendor	The Apache Software Foundation (http://xmlgraphics.apache.org/)	High
Product	file	name	xmlgraphics-commons	High

Product	jar	package name	apache	Highest
Product	jar	package name	xmlgraphics	Low
Product	Manifest	Implementation-Title	Apache XML Graphics Commons	High
Version	Manifest	build-id	20220112-112401-GMT	Medium
Version	Manifest	Implementation-Version	2.7	High

Identifiers

- cpe:2.3:a:apache:xmlgraphics_commons:2.7:*:*:*:*:* (*Confidence:Low*) suppress

designer.zip: JnlpDesigner.jar

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/designer.zip/JnlpDesigner.jar

MD5: f9747380b326c89d60d851410c11c325

SHA1: bc118f5e9db03539b1ee0707be1ff9a29f805032

SHA256: 9f9a8f4b6f0e1af4c12e2b017b2ec11e6a7d7a9a90c566e5086f027a32946b33

Referenced In Project/Scope: server

Evidence +

Type	Source	Name	Value	Confidence
Vendor	file	name	JnlpDesigner	High
Vendor	jar	package name	designer	Highest
Vendor	jar	package name	inet	Low
Vendor	jar	package name	loader	Low
Vendor	jar	package name	shared	Low
Vendor	Manifest	application-library-allowable-codebase	*	Low
Vendor	Manifest	application-name	i-net Remote Designer	Medium
Vendor	Manifest	built-date	2024-09-19 18:32	Low
Vendor	Manifest	codebase	*	Low
Vendor	Manifest	implementation-group	reporting	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High

Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	permissions	all-permissions	Low
Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	trusted-library	false	Low
Vendor	Manifest	trusted-only	false	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	JnlpDesigner	High
Product	jar	package name	designer	Highest
Product	jar	package name	jnlpdesigner	Highest
Product	jar	package name	loader	Low
Product	jar	package name	shared	Low
Product	Manifest	application-library-allowable-codebase	*	Low
Product	Manifest	application-name	i-net Remote Designer	Medium
Product	Manifest	built-date	2024-09-19 18:32	Low
Product	Manifest	codebase	*	Low
Product	Manifest	implementation-group	reporting	Low
Product	Manifest	Implementation-Title	JnlpDesigner	High
Product	Manifest	permissions	all-permissions	Low
Product	Manifest	specification-title	JnlpDesigner	Medium
Product	Manifest	trusted-library	false	Low
Product	Manifest	trusted-only	false	Low
Version	Manifest	Implementation-Version	24.10.163	High

Identifiers

- None

designer.zip: SBSTutorial.jar

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/designer.zip/SBSTutorial.jar
MD5: 5e2a9290c88fe830cd909e96f5c799d9
SHA1: 542d34a9c34bbedb395963cdbad5a9bd0efcf9b9
SHA256: b995e7ba1765952b44fc3802ca5fe6c9debf4d571c9cc85de8e895420d984307
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	SBSTutorial	High
Vendor	jar	package name	anormalmedia	Low
Vendor	jar	package name	de	Low
Vendor	jar	package name	sbstutorial	Low
Product	file	name	SBSTutorial	High
Product	jar	package name	anormalmedia	Low
Product	jar	package name	gui	Low
Product	jar	package name	sbstutorial	Low

Identifiers

- None

designer.zip: TableLayout.jar

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/designer.zip/TableLayout.jar
MD5: 1e432e776e18d71f12dd72b7d235a965
SHA1: 62ffa1cca3e71f94d0bdce85ea97ea7083fdb1b
SHA256: 13e73cf77a93f0c52184e5a5557d7dbba081bf54904edfdb84645b5daf7dd18
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	TableLayout	High
Vendor	jar	package name	clearthought	Low
Vendor	jar	package name	info	Low
Vendor	jar	package name	layout	Low
Product	file	name	TableLayout	High
Product	jar	package name	clearthought	Low

Product	jar	package name	layout	Low
---------	-----	--------------	--------	-----

Identifiers

- None

designer.zip: adhoc.jar

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/designer.zip/adhoc.jar
MD5: 338b13287d1ac546014b078811d667a7
SHA1: 622b257a8aa15d23a3e2ee65bac8f8579bbd0fd8
SHA256: 3e63283a278c59a26afb7a120cc4c7a1bf50781d399e7829b2add9d8dfcff47f
Referenced In Project/Scope: server

Evidence +

Type	Source	Name	Value	Confidence
Vendor	file	name	adhoc	High
Vendor	jar	package name	gui	Low
Vendor	jar	package name	inet	Low
Vendor	jar	package name	remote	Low
Vendor	Manifest	built-date	2024-09-18 18:56	Low
Vendor	Manifest	implementation-group	reporting	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	adhoc	High
Product	jar	package name	adhoc	Highest
Product	jar	package name	gui	Low
Product	jar	package name	modules	Low
Product	jar	package name	remote	Low
Product	Manifest	built-date	2024-09-18 18:56	Low
Product	Manifest	implementation-	reporting	Low

		group		
Product	Manifest	Implementation-Title	adhoc	High
Product	Manifest	specification-title	adhoc	Medium
Version	Manifest	Implementation-Version	24.10.162	High

Identifiers

- None

designer.zip: adhocClient.jar

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/designer.zip/adhocClient.jar

MD5: e3f3e2e79450a3c55912abc70796f767

SHA1: a4091d40e44843378988b06d8b4ecf62259fffb

SHA256: 44ba5eb8694d7b7aabee79acb55cc1c186cc2dea8033728dd5dd0928607ea674

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	adhocClient	High
Vendor	jar	package name	adhoc	Low
Vendor	jar	package name	client	Low
Vendor	jar	package name	inet	Low
Vendor	Manifest	application-library-allowable-codebase	*	Low
Vendor	Manifest	built-date	2024-09-18 18:55	Low
Vendor	Manifest	codebase	*	Low
Vendor	Manifest	implementation-group	reporting	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	permissions	all-permissions	Low
Vendor	Manifest	specification-vendor	i-net software	Low

Vendor	Manifest	trusted-library	false	Low
Vendor	Manifest	trusted-only	false	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	adhocClient	High
Product	jar	package name	adhoc	Low
Product	jar	package name	client	Low
Product	jar	package name	page	Low
Product	Manifest	application-library-allowable-codebase	*	Low
Product	Manifest	built-date	2024-09-18 18:55	Low
Product	Manifest	codebase	*	Low
Product	Manifest	implementation-group	reporting	Low
Product	Manifest	Implementation-Title	adhocClient	High
Product	Manifest	permissions	all-permissions	Low
Product	Manifest	specification-title	adhocClient	Medium
Product	Manifest	trusted-library	false	Low
Product	Manifest	trusted-only	false	Low
Version	Manifest	Implementation-Version	24.10.162	High

Identifiers

- None

designer.zip: designer.jar

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/designer.zip/designer.jar
MD5: b9eb29494d71b8b947581df390ddc33e
SHA1: 5a9a389370dfaa7e7f90f6245a1fdaa7624ef0ae
SHA256: b8b882c60bf4774369677b14b149668b7175795d59eed0128c63d094cff785f0
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Vendor	file	name	designer	High
Vendor	jar	package name	designer	Low
Vendor	jar	package name	i	Highest
Vendor	jar	package name	inet	Low
Vendor	Manifest	built-date	2024-09-19 18:32	Low
Vendor	Manifest	implementation-group	reporting	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	designer	High
Product	jar	package name	designer	Highest
Product	jar	package name	designer	Low
Product	Manifest	built-date	2024-09-19 18:32	Low
Product	Manifest	implementation-group	reporting	Low
Product	Manifest	Implementation-Title	designer	High
Product	Manifest	specification-title	designer	Medium
Version	Manifest	Implementation-Version	24.10.163	High

Identifiers

- None

designer.zip: designer.jar: app.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/designer.zip/designer.jar/com/inet/designer/plugin/module/js/app.js

MD5: bef1414c98319cd01072c0250d024d82

SHA1: c0d7139fe534898ee3b5ffe2cae0f9a58a59c7e5

SHA256: 41cba0c410b230a5bbcafd6a434b03f24750ab9008a3601c2fd01dd57eb27be7

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

designer.zip: designer.jar: opendesignerextension.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/designer.zip/designer.jar/com/inet/designer/plugin/repository/drive/client/js/opendesignerextension.js

MD5: 4fdc8b5b6663572e9ecc988b9f1a5413

SHA1: a313ad410e16cc402c2f642c119641e40c40b2a8

SHA256:26eb6a271aeea74be552f810811307cba7135f28a44fc6090b9f8781cd4a4231

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

designer.zip: designer.jar: remotedesigner.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/designer.zip/designer.jar/com/inet/designer/plugin/module/js/remotedesigner.js

MD5: f0878203858ebc63a1c907df9cf5c2e7

SHA1: 9e082aa6a3e0cd9ad97b0927a4c07783d16a2368

SHA256:b04f7fdf26e617b2c8b7762e8b08d90d3321ac3864826806d26b9b317df468da

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

designer.zip: inetswingcore.jar

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/designer.zip/inetswingcore.jar

MD5: e26cc77714f9df78945d1250db01cb4e

SHA1: 5f0917013a24e1c627c7818ce8b2750cd9dca5c0

SHA256: 199e6bc021eeba1410ee9fc98da1388189c215342ff159c3f8699e4ffe23e46e

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	inetswingcore	High
Vendor	jar	package name	i	Highest
Vendor	jar	package name	inet	Low
Vendor	jar	package name	swing	Low
Vendor	Manifest	built-date	2024-09-19 16:57	Low
Vendor	Manifest	implementation-group	shared	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	inetswingcore	High
Product	jar	package name	swing	Low
Product	Manifest	built-date	2024-09-19 16:57	Low
Product	Manifest	implementation-group	shared	Low
Product	Manifest	Implementation-Title	inetswingcore	High
Product	Manifest	specification-title	inetswingcore	Medium
Version	Manifest	Implementation-Version	24.10.163	High

Identifiers

- None

diagnostics.reporting.zip: diagnostics.reporting.jar

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/diagnostics.reporting.zip/diagnostics.reporting.jar

MD5: 900181e7eb32809901b2966fcbd80cde

SHA1: 1477a6fa64ab80886bdd1a9a0976de8c8e81cf4d

SHA256:f93170df6784d4910ae3b69c5d14ddb6d255ddcd71bb6496e61245ce3b1f0089

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	diagnostics.reporting	High
Vendor	jar	package name	diagnostics	Low
Vendor	jar	package name	inet	Low
Vendor	jar	package name	report	Low
Vendor	Manifest	built-date	2024-09-19 18:30	Low
Vendor	Manifest	implementation-group	reporting	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	diagnostics.reporting	High
Product	jar	package name	diagnostics	Highest
Product	jar	package name	diagnostics	Low
Product	jar	package name	report	Low
Product	jar	package name	widgets	Low
Product	Manifest	built-date	2024-09-19 18:30	Low
Product	Manifest	implementation-group	reporting	Low
Product	Manifest	Implementation-Title	diagnostics.reporting	High

Product	Manifest	specification-title	diagnostics.reporting	Medium
Version	Manifest	Implementation-Version	24.10.163	High

Identifiers

- None

diagnostics.reporting.zip: diagnostics.reporting.jar: connectionPool.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/diagnostics.reporting.zip/diagnostics.reporting.jar/com/inet/report/diagnostics/widgets/connectionpool/resources/connectionPool.js

MD5: d2265e01795b8cc905909cec6066d54d

SHA1: 0267230cc5c09f4b0aa21c2fd7f8ea46f8c65dff

SHA256: 06a2990dbb4ed24f6c6d8c4cd7f0cf22ec3634436cd56554f4f7ecac7dcda0c3

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

diagnostics.reporting.zip: diagnostics.reporting.jar: reportcache.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/diagnostics.reporting.zip/diagnostics.reporting.jar/com/inet/report/diagnostics/widgets/reportcache/resources/reportcache.js

MD5: 153a5e9e133c2840303d9f3e1ae5876f

SHA1: 5dd04ef59fe3d4ea75b1d700aa578f674088e6be

SHA256: 97398f1657e15070641fc579e844266bcd51cc9971442b43324d19ca9926d62a

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

diagnostics.reporting.zip: diagnostics.reporting.jar: server-datasource.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/diagnostics.reporting.zip/diagnostics.reporting.jar/com/inet/report/diagnostics/widgets/benchmark/datasource/server-datasource.js

MD5: dcc7cb153b98c98a9284b8355fe059f3

SHA1: a2b9c989ecd08ecf852b254abb88ce4994b28e94

SHA256:53d10a9c4356d0339a94952cb656230a9e2c73dbdb2501dfa68f2fa761436d71

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

diagnostics.zip: diagnostics.jar

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/diagnostics.zip/diagnostics.jar

MD5: 94505200fd6b927e2966bab49360258c

SHA1: 910842b4d3bca47d0f9bcf9b68b2f08830bc8d4e

SHA256:589d6ec8519a06b435b5db99496c8aba962a99de3108584133d21c0b84160365

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	diagnostics	High
Vendor	jar	package name	diagnostics	Low
Vendor	jar	package name	inet	Low
Vendor	jar	package name	shared	Low
Vendor	Manifest	built-date	2024-09-19 17:15	Low
Vendor	Manifest	implementation-group	shared	Low

Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	diagnostics	High
Product	jar	package name	diagnostics	Highest
Product	jar	package name	diagnostics	Low
Product	jar	package name	shared	Highest
Product	jar	package name	shared	Low
Product	jar	package name	widgets	Low
Product	Manifest	built-date	2024-09-19 17:15	Low
Product	Manifest	implementation-group	shared	Low
Product	Manifest	Implementation-Title	diagnostics	High
Product	Manifest	specification-title	diagnostics	Medium
Version	jar	package name	shared	Highest
Version	Manifest	Implementation-Version	24.10.163	High

Identifiers

- None

diagnostics.zip: diagnostics.jar: MemoryPieChart.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/diagnostics.zip/diagnostics.jar/com/inet/shared/diagnostics/widgets/information/resources/MemoryPieChart.js
MD5: 42626a4c9ca338a4fcab2f76023b3066
SHA1: eb0f8d225202d92c5eb85fa4280223bf13556bb3
SHA256: 745789d5c53cb94947ce85fd4a0db43b1551b479217aface82a44d58001f5377
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

diagnostics.zip: diagnostics.jar: MemoryUsageChart.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/diagnostics.zip/diagnostics.jar/com/inet/shared/diagnostics/widgets/information/resources/MemoryUsageChart.js

MD5: b79e192fd1f5ea3d4f9be1dcc001d1a

SHA1: 1dcbddea47f2917610777a5220510b75e2145fe4

SHA256: 8ef4ff98ec97575059f8b76c80e660c9451b654faa4bc4096db04f3041f41a9b

Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

diagnostics.zip: diagnostics.jar: WebServerErrorChart.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/diagnostics.zip/diagnostics.jar/com/inet/shared/diagnostics/widgets/webserver/resources/WebServerErrorChart.js

MD5: 4934e98916d9180d7713313276bd51b0

SHA1: a97ee17d4f0c0be6de32add6f433a0253e7baf60

SHA256: b493af38d4b841a79beffd85e99cdf23fda5eb7b3bc810ba2956a75905600054

Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

diagnostics.zip: diagnostics.jar: benchmarkCtrl.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/diagnostics.zip/diagnostics.jar/com/inet/shared/diagnostics/widgets/benchmark/resources/benchmarkCtrl.js

MD5: b9bdb18908cc80ce56da5cdaeee67466

SHA1: 90ca53aaae57cf06537d9bb37eaf7787452431ac

SHA256: 52ced4ea204372bec8672a726612cec4fc3973db7e5fa10438bd9416875ad1b3

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

diagnostics.zip: diagnostics.jar: client-server.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/diagnostics.zip/diagnostics.jar/com/inet/shared/diagnostics/widgets/benchmark/tasks/clientserver/client-server.js

MD5: 9775c53615ccd0633dc879e29740d1d7

SHA1: 235fb16ef3b9c8ca2d35c383fc7ea7ccd0fbe35a

SHA256: b3e66a6f53af1654e7c444678e571870b4e96d48f2bb30a15a315eb8568ff8af

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

diagnostics.zip: diagnostics.jar: controller.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/diagnostics.zip/diagnostics.jar/com/inet/shared/diagnostics/resources/js/controller.js
MD5: 9c44be81e0e4ab33d11335181b5c5050
SHA1: a46ec4fdb6040d7b22c9676e439bd7323c5d2dd
SHA256: 12062f4ac444c0d35b0f4540c25666ef8f21eff25f56afde8b7435abddde2ea9
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

diagnostics.zip: diagnostics.jar: cpu.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/diagnostics.zip/diagnostics.jar/com/inet/shared/diagnostics/widgets/benchmark/tasks/cpu/cpu.js
MD5: efc8a1bacfb8abea4c10226fef04dde
SHA1: 125b6c7b2803418a18b0991129aadcc9274b3abc
SHA256: 7c6656ce270748b123397d36aebc01cedc7f19ce8000840f9eb3e1782548dadb
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

diagnostics.zip: diagnostics.jar: cpuspeed.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/diagnostics.zip/diagnostics.jar/com/inet/shared/diagnostics/widgets/benchmark/tasks/cpuspeed/cpuspeed.js
MD5: e6773bb5fcc69118e1f9fc5d97d29ed9
SHA1: 4b76e6970f1a54c296f68631ed4631dc8be5a9ac
SHA256: 72f628d2b4ac181a67b1deb3fbb35f65ee9da07b998a07582433637ef90d9bcd
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

diagnostics.zip: diagnostics.jar: directives.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/diagnostics.zip/diagnostics.jar/com/inet/shared/diagnostics/resources/js/directives.js

MD5: 75a66dfaec3f8a8d22ba5189f7d333b2

SHA1: b1513528d04cba4f2d55b6cb48f0d3fd64ffbe54

SHA256: 6da91d6fd4de0e0e30b050cdef3f1b654d3862fc280d76c2bcf64742dd693d3b

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

diagnostics.zip: diagnostics.jar: errorHistoryChart.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/diagnostics.zip/diagnostics.jar/com/inet/shared/diagnostics/widgets/logging/resources/errorHistoryChart.js

MD5: 7db1c5d1ff857966be61bb2f1f7ae6a8

SHA1: a4844b6cf9ae6ccfcb17b1796276fc6f05593946

SHA256: 29b643d551eb9a16c5efa6836a3e505699a5085da1228ff5d0279125f7150223

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

diagnostics.zip: diagnostics.jar: flotr2.min.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/diagnostics.zip/diagnostics.jar/com/inet/shared/diagnostics/resources/js/flotr2.min.js

MD5: 0b7015815b97473a69b1917da6dc9c7c

SHA1: d23aa3eb0326ea5ae26e4d98383e80f3f63a05de

SHA256: 8e91d325cb89a573c87ec87930a17a0dd4e16b59926d4bcc06691c26e37ab9fc

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

diagnostics.zip: diagnostics.jar: global.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/diagnostics.zip/diagnostics.jar/com/inet/shared/diagnostics/resources/js/global.js

MD5: 18534cf8124e29a00282ed71477686f7

SHA1: 5adadf64dae9d41f975a75cfbaba4d02b6f943eb

SHA256: ba0e9b50f542cff2f0ee14105970cb6551d58367e4d4af7384717dc046cf438f

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

diagnostics.zip: diagnostics.jar: hddisk.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/diagnostics.zip/diagnostics.jar/com/inet/shared/diagnostics/widgets/benchmark/tasks/hddisk/hddisk.js

MD5: 8455e549f56617f12154038a8f83662d

SHA1: 5c534bed65bb8ce9e652f2a9fb7248f098b69782

SHA256: fcd4d80fb7abbcc8882f12e5000b5230b03788bc358b3e2fa17666833f434344

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

diagnostics.zip: diagnostics.jar: heapdumpCtrl.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/diagnostics.zip/diagnostics.jar/com/inet/shared/diagnostics/widgets/dump/resources/heapdumpCtrl.js

MD5: 210e1e95e6e689731e7d2699982fe594

SHA1: 0dcfb258e6458141cf7280821d6ad465f1335563

SHA256: eeb11a6c813f787e527db15712d25bd6c6521dd12a491038d5c7c9731ace36a2

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

diagnostics.zip: diagnostics.jar: informationCtrl.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/diagnostics.zip/diagnostics.jar/com/inet/shared/diagnostics/widgets/information/resources/informationCtrl.js
MD5: feaacfee3731e1867feb8317e33bd58
SHA1: ccce0ab7f6e6726bb3ec13a0af239231716409db
SHA256: c7f15cdb740db3f48bf013b2f15eb263072512714b8cb1cf5ea656aad4d59be
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

diagnostics.zip: diagnostics.jar: intArrayUtils.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/diagnostics.zip/diagnostics.jar/com/inet/shared/diagnostics/widgets/benchmark/tasks/intArrayUtils.js
MD5: 79a290bdef5c5e77f5d3bdfd8e3c957d
SHA1: f9c1a98a645712d8ee60897d29d634eca8888e1a
SHA256: 1fa5d253aa76306556a34f27144c0a2549fb10741c3b2dfece3a5135c85058f6
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

diagnostics.zip: diagnostics.jar: iospeed.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/diagnostics.zip/diagnostics.jar/com/inet/shared/diagnostics/widgets/benchmark/tasks/iospeed/iospeed.js
MD5: 9513a5cc6db5b11ac8cccec13ebc66cf4
SHA1: 77dca27656bc1f6302f35d56f7c1d0fa08383de1
SHA256: 111f6477977551d4f341f5e495bb47a0cd4e34b8af74cda2b7a60006da45dce3
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

diagnostics.zip: diagnostics.jar: jobs.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/diagnostics.zip/diagnostics.jar/com/inet/shared/diagnostics/widgets/jobs/resources/jobs.js

MD5: b78864906d5e65d639ce619c3b78dc57

SHA1: dad23495bc8488158dcd7cc5c6532a88097050f9

SHA256: c0b0df3fd4e121d3f248c92014e41459ab2cfcc23af039b9fa6271a8db326e3d

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

diagnostics.zip: diagnostics.jar: logging.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/diagnostics.zip/diagnostics.jar/com/inet/shared/diagnostics/widgets/logging/resources/logging.js

MD5: 69b1212755915952c874044cf173e8f5

SHA1: 3c8ddbcca0058c420b2ce85abee5f5281195b826

SHA256: c4080e6e0fe9cd1f0ffc5d52ad660ead4b434afdc9d7c8b4859b3fa1a34ef053

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

diagnostics.zip: diagnostics.jar: memory.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/diagnostics.zip/diagnostics.jar/com/inet/shared/diagnostics/widgets/benchmark/tasks/memory/memory.js

MD5: a8e6f6a6db1d1d5642d9660c410ef86a

SHA1: e77983c1ac1019e864eb9e6a80693bf5672882

SHA256: 97f74086b8273426e3c9b5550fc07624ab60f585a46d1a1218793b7e78da0d88

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

diagnostics.zip: diagnostics.jar: overviewCtrl.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/diagnostics.zip/diagnostics.jar/com/inet/shared/diagnostics/widgets/overview/resources/overviewCtrl.js

MD5: e5b43d270ebf9a9ad22979995dd75aba

SHA1: 7bef88b1bb39b0c83bfec6937ee39e63c5618aa

SHA256: b8302f76b57f0af058b713eda0ffaae316c7948c193814e2bc36f4db06828f65

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

diagnostics.zip: diagnostics.jar: pde.diagnostics.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/diagnostics.zip/diagnostics.jar/com/inet/shared/diagnostics/widgets/webserver/resources/pde.diagnostics.js

MD5: e1cafa8fcb3e071eec07859c25e18992

SHA1: 3ba533c28f4cb5977be5b98ecf9ca77e0e97339c

SHA256: c71bb9125ac341046d989d319686118882eb5b2d661db86383e611b23c8ff7af

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

diagnostics.zip: diagnostics.jar: timeformat.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/diagnostics.zip/diagnostics.jar/com/inet/shared/diagnostics/resources/js/timeformat.js

MD5: d8d84b44477ea45bab0f78152b2f4c49

SHA1: 625f35b9aca48a8eafc02a4acbecf41aca1caa88

SHA256: daae300534ae12d16f3d88482713f677a14074940450f80c293f917e2da47d71

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

docfx.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/Documentation and Samples/dotnet - ProcessBridge API Doc/styles/docfx.js
MD5: 8d6c494b74e6c47ae0eb2e20c5c528f8
SHA1: 65e3447fe91b30ebb4c4863adbe13f20c4cc81b0
SHA256:c210b0b1dc0081355faa906b4239e82f670c0ed7b49b31c9de2161cceed3e7f
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

docfx.vendor.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/Documentation and Samples/dotnet - ProcessBridge API Doc/styles/docfx.vendor.js
MD5: e546d4a3ac43d85422e9c43bf9488c88
SHA1: 7387f5bf1a3382308d646560039243629968f137
SHA256:4dfa2ef41a41c02b0cd0cb18b5c3ee71dd40cdc060271f0d832235e7a1c72c34
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	bootstrap	High
Product	file	name	bootstrap	High
Version	file	version	3.4.1	High

Identifiers

- [pkg:javascript/bootstrap@3.4.1](#) (*Confidence:Highest*)

drive.zip: drive.jar

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/drive.zip/drive.jar
MD5: 31baf88188b7e00233c457aa31c3db34
SHA1: 89f48c8c76568787cb6521670805ca47949169c5
SHA256:943cd70eb0462242379a261ecd82893c1c218a20f4bab6caa4f03609e63ca226
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	drive	High
Vendor	jar	package name	drive	Low
Vendor	jar	package name	inet	Low
Vendor	Manifest	built-date	2024-09-19 17:19	Low
Vendor	Manifest	implementation-group	shared	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	drive	High
Product	jar	package name	drive	Highest
Product	jar	package name	drive	Low
Product	jar	package name	server	Low
Product	Manifest	built-date	2024-09-19 17:19	Low
Product	Manifest	implementation-group	shared	Low
Product	Manifest	Implementation-Title	drive	High
Product	Manifest	specification-title	drive	Medium
Version	Manifest	Implementation-Version	24.10.163	High

Identifiers

- None

drive.zip: drive.jar: actions.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/drive.zip/drive.jar/com/inet/drive/webgui/client/js/actions.js

MD5: 3d3d275eb30155df30871bc783487824

SHA1: 9dec3b2b822aa5debb1a8fdd1d0affb059628e9f

SHA256: fc0489129d314a1ebdc7ce3b7f263f0dea6976f14cb69a217b858698bf9483fc

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

drive.zip: drive.jar: actions.service.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/drive.zip/drive.jar/com/inet/drive/webgui/client/js/service/actions.service.js

MD5: 06585f1a62539e4ef0e60612a18f934b

SHA1: 6f0d6a23bb5490c21386a32b942f357ac64353a5

SHA256: 9c67d37be2ac7b8f2b14b5f20821b41a158337a3f5358ff6dc93c3d6b198a6b8

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

drive.zip: drive.jar: contentextension.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/drive.zip/drive.jar/com/inet/drive/webgui/client/details/contentextension.js

MD5: 00689403c0e32161c56dc2a3ac908ba2

SHA1: ed1576fba1a3cb52d10859f4b58c90d4804ed058
SHA256:70938fae8885f3e86daffd98e970b07f2e494518d63d79b3534c7523b4897cd6
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

drive.zip: drive.jar: controller.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/drive.zip/drive.jar/com/inet/drive/setup/controller.js
MD5: 9b84367746009eef398d77d884b154a6
SHA1: 1cef8b024cf08eaf0d0a526778f5297635cdae1e
SHA256:2ef8f14ee5aa793584e5ffdf6df7701877b7f97a6db04f12733129cfb8c3612b
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

drive.zip: drive.jar: drivecleanup.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/drive.zip/drive.jar/com/inet/drive/server/maintenance/js/drivecleanup.js
MD5: 26ac230e5c14e92eddfef4fddb5052a8f
SHA1: a550d9e0c198f15d2327587c32bcc7667b5987ff
SHA256:b17f17d04eec7b77450e7084f3a0a5e3a6b50f751821e1f88e6cc574b3fa18ec
Referenced In Project/Scope: server


Evidence



Type	Source	Name	Value	Confidence
Identifiers				
• None				

drive.zip: drive.jar: drivecontroller.js


File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/drive.zip/drive.jar/com/inet/drive/webgui/client/js/drivecontroller.js
MD5: 859cc56e871db4de1bfafeb2f9e6fde7
SHA1: 98bef5d44b75233c7226ae3c01b48a834a7e6b89
SHA256:b1f049a2d9f7d740f6a7a02df593551f4d88b0cdf49110a18ed56cc54db34dae
Referenced In Project/Scope: server

Evidence 				
Type	Source	Name	Value	Confidence

Identifiers				
• None				

drive.zip: drive.jar: drivefactory.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/drive.zip/drive.jar/com/inet/drive/webgui/client/js/drivefactory.js
MD5: de20ba216ff35e80247d2070266aa284
SHA1: 6e48d074248f1400009d5ae48846f44f4d8aac97
SHA256:96bd4b1aa30978f549c701c3111477af0e2efd6c86036159ca517c3cf811009d
Referenced In Project/Scope: server

Evidence 				
Type	Source	Name	Value	Confidence

Identifiers				
-------------	--	--	--	--

- None

drive.zip: drive.jar: drivemodel.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/drive.zip/drive.jar/com/inet/drive/webgui/client/js/drivemodel.js

MD5: e6a270a8460c988b8328ee291e867388

SHA1: b5c130c1a3ec4ead3c26afcc1a6a4b3aa5287cf6

SHA256: f5780833532de8fd96c44471bc9a27d261ea56aa559293758a88741af3c1d0a3

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

drive.zip: drive.jar: dropzone.directive.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/drive.zip/drive.jar/com/inet/drive/webgui/client/js/directive/dropzone.directive.js

MD5: 1e5fb3262ff7f502260fd1b571271d2a

SHA1: 7140a1e8d0604fe5e8f64c89e769dad5db447aac

SHA256: 0e74e1cad3ddcc0c6f90c42aa57a9ea518ed0f9b89cb8b346915b271e9a736fe

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

drive.zip: drive.jar: entryactions.directive.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/drive.zip/drive.jar/com/inet/drive/webgui/client/js/directive/entryactions.directive.js
MD5: c03cc53b5e6e9197aade6ea4f5bc88f6
SHA1: 524bd245e11acca716f021350181192e09423b44
SHA256: f0d31214592e0c0e125a93267738b9f2df9827d51326768cb40a8952a8ff8d4c
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

drive.zip: drive.jar: folderlist.directive.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/drive.zip/drive.jar/com/inet/drive/webgui/client/js/directive/folderlist.directive.js
MD5: 876291e76208fd3ed602ad4ea188af73
SHA1: 309fe9358bb6816e07a9f9f68c5f5da60aa4bbf5
SHA256: 588f904947b4f78f28d444d71b15db3a0ceeffdaa1469af9a66bc91c206cbaab
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

drive.zip: drive.jar: linkdialog.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/drive.zip/drive.jar/com/inet/drive/webgui/client/js/linkdialog.js
MD5: 8bd554613d9aefe7707adae374579d3b

SHA1: 4e87ed3c9497de78e7b46d506de9a4b15e0d21d3
SHA256:6902f24c66660d5b1aa440c595337753ad8b5e2dc75a1fc565c4504aaf2377c4
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

drive.zip: drive.jar: locationchooser.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/drive.zip/drive.jar/com/inet/drive/webgui/client/js/locationchooser.js

MD5: e1bde8bc9a2ec6b100d2a26c2dc100ac

SHA1: 27abe39821d30f33418291d0947cf46abd2c9bc8

SHA256:69c9f894195902c5b696692e4999534f90e7b56abb7e82ebf5c0c5494b64a755

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

drive.zip: drive.jar: mountdialog.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/drive.zip/drive.jar/com/inet/drive/webgui/client/js/mountdialog.js

MD5: 9ddcc359d4872a789dd6971dfbd0f15c

SHA1: 0487f52f87d2b8082db8b5b1fbaa3b6adbfddaf

SHA256:9f333799e177a1b89585045bb59435c968666209b928c4b11ab2e0b9c1f7e716

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

drive.zip: drive.jar: permissionsextension.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/drive.zip/drive.jar/com/inet/drive/webgui/client/extensions/permissionsextension.js

MD5: 0d1163d1a77bc3880898cb9af845c9cd

SHA1: 830cd9419b57b400b6a5c4dabd0df70680fcdbe9

SHA256:f6f545a6a86a74bbebce4326628c927f06eda18d01070dbe8edbbb67bacb4984

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

drive.zip: drive.jar: progress.service.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/drive.zip/drive.jar/com/inet/drive/webgui/client/js/service/progress.service.js

MD5: 61378778da59a5e5fb1db5eb5a6b1dac

SHA1: f074907898f0e77690ea39a1c0a916cbf3f009ba

SHA256:7a942ab911d7c7b291a2c5131f531115afda27e1519b2bd1b1cfb5dde8ffdbaf

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

drive.zip: drive.jar: progresspanel.directive.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/drive.zip/drive.jar/com/inet/drive/webgui/client/js/directive/progresspanel.directive.js

MD5: f63b2bcfbea6800b8e7d065bc4c7ef83

SHA1: e128d09bd1e3445ec18290ea55286ab9514b0b07

SHA256: 8c8ac2b1c3db7703f39ae301b3c212970d558eac38c818012b2c9ef8b3e23026

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

drive.zip: drive.jar: resolve.service.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/drive.zip/drive.jar/com/inet/drive/webgui/client/js/service/resolve.service.js

MD5: df0ae71b3c07f94359de41552a426791

SHA1: b3da2fd0adfd7f48b4505400d1ca67dbdb92396d

SHA256: 50a7efed5fe9421d603e1a4e3c76d7c2b99b2cc8a55278697b8b88b7c6678849

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

drive.zip: drive.jar: responsivetoolbar.directive.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/drive.zip/drive.jar/com/inet/drive/webgui/client/js/directive/responsivetoolbar.directive.js
MD5: 0514676eab5c3cbb605cdc725cf6e0a2
SHA1: 51755caa7e7cda9c1df5f51ff4541a51f8de3190
SHA256: 8b3f3f6111e191d4225716e470f593fb41d86e826a9a78d7310392decb1476f8
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

drive.zip: drive.jar: selectedextension.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/drive.zip/drive.jar/com/inet/drive/webgui/client/details/selectedextension.js
MD5: def7dd4baa75fb99d6f028cf593c89f2
SHA1: 4ae31c010fa7eeebf0c6581c42df0065f5002594
SHA256: be162be53153d56b8b410e8a0b2b215e4571eb3883eb30c2cdd83d44b5ee6702
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

drive.zip: drive.jar: thumbnailextension.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/drive.zip/drive.jar/com/inet/drive/webgui/client/details/thumbnailextension.js
MD5: 481c6a02104bcd6dcf1017a1b9c43bb2

SHA1: f8fa4fed16c5975ee116eacd49d95f962a46d5b7
SHA256: 9e535930662b6aebaa92f5c8ea8e94d1721e9b9650137394294208c8acb23f52
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

drive.zip: drive.jar: toolbaraction.directive.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/drive.zip/drive.jar/com/inet/drive/webgui/client/js/directive/toolbaraction.directive.js
MD5: fb68211b153024df5d5df904a849ed05
SHA1: a08e0aeb010a782a76679870cfb6d0b6856de793
SHA256: 79e1a51f62975ae7ef7429e2640ef031ad705f07f5e701c3262618cb83172b10
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

drive.zip: drive.jar: unzipextension.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/drive.zip/drive.jar/com/inet/drive/webgui/client/extensions/unzipextension.js
MD5: 82fbfeb109964349d67ae99c5641b0f2
SHA1: 4007f9daf1f9734fd0b68646180def84cf7d56c6
SHA256: bf3c8f846f5e97a14ff48f38631f8927831b8643bddf05e9b8deea3f01da65a1
Referenced In Project/Scope: server


Evidence



Type	Source	Name	Value	Confidence
Identifiers				
• None				

drive.zip: drive.jar: zipextension.js


File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/drive.zip/drive.jar/com/inet/drive/webgui/client/extensions/zipextension.js
MD5: b7b6cf212e939bf91700f83e735a8893
SHA1: 5911e53cc6dad277cc78bb5972ba189f610d4640
SHA256:a1b81ac11c19a5c8f61a1bb01f419cb7c86f666970d1dd6d50492e278d51d2d5
Referenced In Project/Scope: server

Evidence 				
Type	Source	Name	Value	Confidence

Identifiers				
• None				

embeddedMode.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/Documentation and Samples/Plugin - Samples/Application/Embedded/src/com/inet/application/embedded/webgui/embeddedMode.js
MD5: 92314f8cc3acd209a1f91a13fc50a2fb
SHA1: dadaca7712877d347c6052a89d3ac5bcc796ebab
SHA256:4ed3dd2cdd5ef6552ed5af7ccc9dc6bd3622dd717d63b4a75631234ecf3186ae
Referenced In Project/Scope: server

Evidence 				
Type	Source	Name	Value	Confidence

Related Dependencies 				
------------------------------------------------------------------------------------------------------------	--	--	--	--

- application.embedded.zip: embeddedMode.js
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/Documentation and Samples /Plugin - Samples/Application/Embedded/application.embedded.zip/src/com/inet /application/embedded/webgui/embeddedMode.js
 - MD5: 92314f8cc3acd209a1f91a13fc50a2fb
 - SHA1: dadaca7712877d347c6052a89d3ac5bcc796ebab
 - SHA256: 4ed3dd2cdd5ef6552ed5af7ccc9dc6bd3622dd717d63b4a75631234ecf3186ae

Identifiers

- None

enginefactory.zip: enginefactory.sample.jar

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller /server/build/tmp/dependencies/i-net Clear Reports/plugins/enginefactory.zip/enginefactory.sample.jar

MD5: 730533ef2d8a241214ab54d6e4f05af7

SHA1: f5098fc574256d0da233b2927be262ab48710548

SHA256: 21f8f256dc63b59b68fe577d288af40617b17b5eb44c7efd88812ed7ee188eaf

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	enginefactory.sample	High
Vendor	jar	package name	factory	Low
Vendor	jar	package name	inet	Low
Vendor	jar	package name	samples	Low
Vendor	Manifest	built-date	2024-09-19 18:15	Low
Vendor	Manifest	implementation-group	reporting	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	enginefactory.sample	High
Product	jar	package name	factory	Low
Product	jar	package name	samples	Low
Product	Manifest	built-date	2024-09-19 18:15	Low

Product	Manifest	implementation-group	reporting	Low
Product	Manifest	Implementation-Title	enginefactory	High
Product	Manifest	specification-title	enginefactory	Medium
Version	Manifest	Implementation-Version	24.10.163	High

Related Dependencies

- enginefactory.zip: enginefactory.sample.jar
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/Documentation and Samples /Plugin - Samples/EngineFactory/enginefactory.zip/enginefactory.sample.jar
 - MD5: 730533ef2d8a241214ab54d6e4f05af7
 - SHA1: f5098fc574256d0da233b2927be262ab48710548
 - SHA256: 21f8f256dc63b59b68fe577d288af40617b17b5eb44c7efd88812ed7ee188eaf

Identifiers

- None

errorhandler.zip: errorhandler.jar

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller /server/build/tmp/dependencies/i-net Clear Reports/plugins/errorhandler.zip/errorhandler.jar

MD5: 7a951c3bf7b4ac47b0cbd4cef3dd95a4

SHA1: bbb219bf47b314885b6a3ea3957ba9f243d92f22

SHA256: 605db0e29c0add3428d69662216be0037f24abf81210428ee35071fb6ef6d098

Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence
Vendor	file	name	errorhandler	High
Vendor	jar	package name	error	Low
Vendor	jar	package name	inet	Low
Vendor	jar	package name	report	Low
Vendor	Manifest	built-date	2024-09-19 17:10	Low
Vendor	Manifest	implementation-group	shared	Low
Vendor	Manifest	Implementation-	i-net software	High

		Vendor		
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	errorhandler	High
Product	jar	package name	error	Low
Product	jar	package name	report	Low
Product	Manifest	built-date	2024-09-19 17:10	Low
Product	Manifest	implementation-group	shared	Low
Product	Manifest	Implementation-Title	errorhandler	High
Product	Manifest	specification-title	errorhandler	Medium
Version	Manifest	Implementation-Version	24.10.163	High

Identifiers

- None

exceljconnect.jar

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/lib/driver/exceljconnect.jar
MD5: b982d56a619863a31f4f3a348934940d
SHA1: 35253a9b22fe561d9d7e3b3c656e82b0e6358b32
SHA256: 6293004aa0862e83901e33bd661d811af96fefb6a7d38b2663eb24cba346131c
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	exceljconnect	High
Vendor	jar	package name	excel	Low
Vendor	jar	package name	inet	Low
Product	file	name	exceljconnect	High
Product	jar	package name	excel	Low

Identifiers

- None

extension.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/Documentation and Samples/Plugin - Samples/HtmlViewerExtensionPlugin/src/com/inet/samples/htmlviewer/extension.js

MD5: bdd6fdaab122479103c1bcba3692f01e

SHA1: 72aa61085dce74ce094f905354878ce744caede8

SHA256: 3c52759a05de925fb38d7aec3875b55a1a1ed6ce7f3b88044a96e527d9e4204a

Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies

- htmlviewerextension.zip: extension.js
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/Documentation and Samples/Plugin - Samples/HtmlViewerExtensionPlugin/htmlviewerextension.zip/src/com/inet/samples/htmlviewer/extension.js
 - MD5: bdd6fdaab122479103c1bcba3692f01e
 - SHA1: 72aa61085dce74ce094f905354878ce744caede8
 - SHA256: 3c52759a05de925fb38d7aec3875b55a1a1ed6ce7f3b88044a96e527d9e4204a
- htmlviewerextension.zip: extension.js
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/htmlviewerextension.zip/src/com/inet/samples/htmlviewer/extension.js
 - MD5: bdd6fdaab122479103c1bcba3692f01e
 - SHA1: 72aa61085dce74ce094f905354878ce744caede8
 - SHA256: 3c52759a05de925fb38d7aec3875b55a1a1ed6ce7f3b88044a96e527d9e4204a

Identifiers

- None

extension.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/Documentation and Samples/Plugin - Samples/HtmlViewerPrintViaPDFPlugin/src/com/inet/htmlviewer/printpdf/extension.js
MD5: 7d8be1ef58947852666766c1db348644
SHA1: 26c37af43002d8764dbd80914476c548ce2354a5
SHA256: c1500120eb6dca3b71c481ec3f9d66367e13a10c755306f58a449a0f648d2696
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies

- htmlviewer.printpdf.zip: extension.js
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/Documentation and Samples/Plugin - Samples/HtmlViewerPrintViaPDFPlugin/htmlviewer.printpdf.zip/src/com/inet/htmlviewer/printpdf/extension.js
 - MD5: 7d8be1ef58947852666766c1db348644
 - SHA1: 26c37af43002d8764dbd80914476c548ce2354a5
 - SHA256: c1500120eb6dca3b71c481ec3f9d66367e13a10c755306f58a449a0f648d2696
- htmlviewer.printpdf.zip: extension.js
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/htmlviewer.printpdf.zip/src/com/inet/htmlviewer/printpdf/extension.js
 - MD5: 7d8be1ef58947852666766c1db348644
 - SHA1: 26c37af43002d8764dbd80914476c548ce2354a5
 - SHA256: c1500120eb6dca3b71c481ec3f9d66367e13a10c755306f58a449a0f648d2696

Identifiers

- None

facturx.zip: Saxon-HE.jar

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/facturx.zip/Saxon-HE.jar
MD5: 39b53a0dcd01522e79223e2506061d44
SHA1: 57c007520e2879387b8d13d0a512e9566eeffa73
SHA256: 98c3a91e6e5aaf9b3e2b37601e04b214a6e67098493cdd8232fcb705fddcb674
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence
Vendor	file	name	Saxon-HE	High

Vendor	jar	package name	net	Low
Vendor	jar	package name	saxon	Highest
Vendor	jar	package name	saxon	Low
Vendor	jar	package name	sf	Low
Vendor	Manifest	project-name	Saxon-HE	Medium
Product	file	name	Saxon-HE	High
Product	jar	package name	saxon	Highest
Product	jar	package name	saxon	Low
Product	jar	package name	sf	Low
Product	Manifest	project-name	Saxon-HE	Medium

Identifiers

- None

facturx.zip: facturx.jar

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/facturx.zip/facturx.jar

MD5: d53aac06817916d7a58a8568d3bea205

SHA1: 435aab2598c8a8b7242f8d9ef5c463a27dda801b

SHA256: b29748abdefb1f2b871687f6a8db4167dcd25eaf38eb375fd0e337c09e1fc241

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	facturx	High
Vendor	jar	package name	facturx	Low
Vendor	jar	package name	inet	Low
Vendor	jar	package name	profiles	Low
Vendor	Manifest	built-date	2024-09-19 18:32	Low
Vendor	Manifest	implementation-group	reporting	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	specification-	i-net software	Low

		vendor		
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	facturx	High
Product	jar	package name	facturx	Highest
Product	jar	package name	facturx	Low
Product	jar	package name	profiles	Low
Product	Manifest	built-date	2024-09-19 18:32	Low
Product	Manifest	implementation-group	reporting	Low
Product	Manifest	Implementation-Title	facturx	High
Product	Manifest	specification-title	facturx	Medium
Version	Manifest	Implementation-Version	24.10.163	High

Identifiers

- None

facturx.zip: istack-commons-runtime.jar

Description:

istack common utility code

License:

<http://www.eclipse.org/org/documents/edl-v10.php>

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/facturx.zip/istack-commons-runtime.jar

MD5: 669f50fb835d86fcb3a9523a729f4d5e

SHA1: 131351109ff27c4aa0958a988bb273e879687232

SHA256: 21025b7a096ef93f74de659c1be5990fa0c24e59a0f98a706e392e7088725ff6

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	istack-commons-runtime	High
Vendor	jar	package name	istack	Highest
Vendor	jar	package name	sun	Highest
Vendor	jar	package name	oracle	Highest

(hint)

Vendor	Manifest	bundle-docurl	https://www.eclipse.org	Low
Vendor	Manifest	bundle-symbolicname	com.sun.istack.commons-runtime	Medium
Vendor	Manifest	implementation-build-id	4.2.0 - 19e68d9	Low
Vendor	Manifest	Implementation-Vendor	Eclipse Foundation	High
Vendor	Manifest	Implementation-Vendor-Id	com.sun.istack	Medium
Vendor	pom	artifactid	istack-commons-runtime	Low
Vendor	pom	groupid	com.sun.istack	Highest
Vendor	pom	name	istack common utility code runtime	High
Vendor	pom	parent-artifactid	istack-commons	Low
Product	file	name	istack-commons-runtime	High
Product	jar	package name	istack	Highest
Product	jar	package name	sun	Highest
Product	Manifest	bundle-docurl	https://www.eclipse.org	Low
Product	Manifest	Bundle-Name	istack common utility code runtime	Medium
Product	Manifest	bundle-symbolicname	com.sun.istack.commons-runtime	Medium
Product	Manifest	implementation-build-id	4.2.0 - 19e68d9	Low
Product	pom	artifactid	istack-commons-runtime	Highest
Product	pom	groupid	com.sun.istack	Highest
Product	pom	name	istack common utility code runtime	High
Product	pom	parent-artifactid	istack-commons	Medium
Version	Manifest	Bundle-Version	4.2.0	High
Version	Manifest	implementation-build-id	4.2.0	Low
Version	pom	version	4.2.0	Highest

Identifiers

- [pkg:maven/com.sun.istack/istack-commons-runtime@4.2.0](#) (*Confidence:High*)

Description:

Specification

License:

EDL 1.0: <http://www.eclipse.org/org/documents/edl-v10.php>

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/facturx.zip/jakarta.activation-api.jar

MD5: 1af11450fafc7ee26c633d940286bc16

SHA1: 640c0d5aff45dbff1e1a1bc09673ff3a02b1ba12

SHA256: f53f578dd0eb4170c195a4e215c59a38abfb4123dcb95dd902fef92876499fbb

Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence
Vendor	file	name	jakarta.activation-api	High
Vendor	jar	package name	activation	Highest
Vendor	jar	package name	jakarta	Highest
Vendor	Manifest	bundle-docurl	https://www.eclipse.org	Low
Vendor	Manifest	bundle-symbolicname	jakarta.activation-api	Medium
Vendor	Manifest	extension-name	jakarta.activation	Medium
Vendor	Manifest	implementation-build-id	0750e49	Low
Vendor	Manifest	Implementation-Vendor	Eclipse Foundation	High
Vendor	Manifest	specification-vendor	Eclipse Foundation	Low
Vendor	pom	artifactid	jakarta.activation-api	Low
Vendor	pom	developer email	bill.shannon@oracle.com	Low
Vendor	pom	developer id	shannon	Medium
Vendor	pom	developer name	Bill Shannon	Medium
Vendor	pom	developer org	Oracle	Medium
Vendor	pom	groupid	jakarta.activation	Highest
Vendor	pom	name	Jakarta Activation API	High
Vendor	pom	parent-artifactid	project	Low
Vendor	pom	parent-groupid	org.eclipse.ee4j	Medium
Vendor	pom	url	jakartaee/jaf-api	Highest
Vendor	pom (hint)	developer org	sun	Medium
Product	file	name	jakarta.activation-api	High

Product	jar	package name	activation	Highest
Product	jar	package name	jakarta	Highest
Product	Manifest	bundle-docurl	https://www.eclipse.org	Low
Product	Manifest	Bundle-Name	Jakarta Activation API	Medium
Product	Manifest	bundle-symbolicname	jakarta.activation-api	Medium
Product	Manifest	extension-name	jakarta.activation	Medium
Product	Manifest	implementation-build-id	0750e49	Low
Product	Manifest	Implementation-Title	Jakarta Activation API	High
Product	Manifest	specification-title	Jakarta Activation Specification	Medium
Product	pom	artifactid	jakarta.activation-api	Highest
Product	pom	developer email	bill.shannon@oracle.com	Low
Product	pom	developer id	shannon	Low
Product	pom	developer name	Bill Shannon	Low
Product	pom	developer org	Oracle	Low
Product	pom	groupid	jakarta.activation	Highest
Product	pom	name	Jakarta Activation API	High
Product	pom	parent-artifactid	project	Medium
Product	pom	parent-groupid	org.eclipse.ee4j	Medium
Product	pom	url	jakartaee/jaf-api	High
Version	Manifest	Bundle-Version	2.1.2	High
Version	pom	parent-version	2.1.2	Low
Version	pom	version	2.1.2	Highest

Identifiers

- [pkg:maven/jakarta.activation/jakarta.activation-api@2.1.2](https://maven.apache.org/artifacts/jakarta/activation-api/2.1.2/) (*Confidence:High*)

facturx.zip: jakarta.xml.bind-api.jar

Description:

Jakarta XML Binding API 4.0 Design Specification

License:

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/facturx.zip/jakarta.xml.bind-api.jar

MD5: 0c8f9991081def819435c3ff36e4d93f

SHA1: 6cd5a999b834b63238005b7144136379dc36cad2

SHA256:0d6bcfe47763e85047acf7c398336dc84ff85ebcad0a7cb6f3b9d3e981245406

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	jakarta.xml.bind-api	High
Vendor	jar	package name	bind	Highest
Vendor	jar	package name	jakarta	Highest
Vendor	jar	package name	xml	Highest
Vendor	Manifest	bundle-docurl	https://www.eclipse.org	Low
Vendor	Manifest	bundle-symbolicname	jakarta.xml.bind-api	Medium
Vendor	Manifest	extension-name	jakarta.xml.bind	Medium
Vendor	Manifest	implementation-build-id	ca43d8b	Low
Vendor	Manifest	specification-vendor	Eclipse Foundation	Low
Vendor	pom	artifactid	jakarta.xml.bind-api	Low
Vendor	pom	groupid	jakarta.xml.bind	Highest
Vendor	pom	name	Jakarta XML Binding API	High
Vendor	pom	parent-artifactid	jakarta.xml.bind-api-parent	Low
Product	file	name	jakarta.xml.bind-api	High
Product	jar	package name	bind	Highest
Product	jar	package name	jakarta	Highest
Product	jar	package name	xml	Highest
Product	Manifest	bundle-docurl	https://www.eclipse.org	Low
Product	Manifest	Bundle-Name	Jakarta XML Binding API	Medium
Product	Manifest	bundle-symbolicname	jakarta.xml.bind-api	Medium
Product	Manifest	extension-name	jakarta.xml.bind	Medium
Product	Manifest	implementation-build-id	ca43d8b	Low
Product	pom	artifactid	jakarta.xml.bind-api	Highest
Product	pom	groupid	jakarta.xml.bind	Highest
Product	pom	name	Jakarta XML Binding API	High

Product	pom	parent-artifactid	jakarta.xml.bind-api-parent	Medium
Version	Manifest	Bundle-Version	4.0.2	High
Version	Manifest	Implementation-Version	4.0.2	High
Version	pom	version	4.0.2	Highest

Identifiers

- [pkg:maven/jakarta.xml.bind/jakarta.xml.bind-api@4.0.2](https://maven.apache.org/artifacts/jakarta/xml/bind/jakarta.xml.bind-api/4.0.2/) (Confidence:High)

facturx.zip: jaxb-core.jar

Description:

JAXB Core module. Contains sources required by XJC, JXC and Runtime modules.

License:

<http://www.eclipse.org/org/documents/edl-v10.php>

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/facturx.zip/jaxb-core.jar

MD5: ab09aef6bebd4438b0a02707881801e4

SHA1: 007b4b11ea5542eea4ad55e1080b23be436795b3

SHA256: ad3fd9bf00de3eda9859f70b6cfb011e2fe9904804e16a2665092888ece0fdca

Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence
Vendor	file	name	jaxb-core	High
Vendor	jar	package name	core	Highest
Vendor	jar	package name	glassfish	Highest
Vendor	jar	package name	jaxb	Highest
Vendor	Manifest	bundle-docurl	https://www.eclipse.org	Low
Vendor	Manifest	bundle-symbolicname	org.glassfish.jaxb.core	Medium
Vendor	Manifest	git-revision	cb19596	Low
Vendor	Manifest	implementation-build-id	4.0.5 - cb19596	Low
Vendor	Manifest	Implementation-Vendor	Eclipse Foundation	High
Vendor	Manifest	Implementation-Vendor-Id	org.glassfish.jaxb	Medium

Vendor	Manifest	specification-vendor	Eclipse Foundation	Low
Vendor	pom	artifactid	jaxb-core	Low
Vendor	pom	groupid	org.glassfish.jaxb	Highest
Vendor	pom	name	JAXB Core	High
Vendor	pom	parent-artifactid	jaxb-parent	Low
Vendor	pom	parent-groupid	com.sun.xml.bind.mvn	Medium
Vendor	pom	url	https://eclipse-ee4j.github.io/jaxb-ri/	Highest
Product	file	name	jaxb-core	High
Product	jar	package name	core	Highest
Product	jar	package name	glassfish	Highest
Product	jar	package name	jaxb	Highest
Product	Manifest	bundle-docurl	https://www.eclipse.org	Low
Product	Manifest	Bundle-Name	JAXB Core	Medium
Product	Manifest	bundle-symbolicname	org.glassfish.jaxb.core	Medium
Product	Manifest	git-revision	cb19596	Low
Product	Manifest	implementation-build-id	4.0.5 - cb19596	Low
Product	Manifest	Implementation-Title	Eclipse Implementation of JAXB	High
Product	Manifest	specification-title	Jakarta XML Binding	Medium
Product	pom	artifactid	jaxb-core	Highest
Product	pom	groupid	org.glassfish.jaxb	Highest
Product	pom	name	JAXB Core	High
Product	pom	parent-artifactid	jaxb-parent	Medium
Product	pom	parent-groupid	com.sun.xml.bind.mvn	Medium
Product	pom	url	https://eclipse-ee4j.github.io/jaxb-ri/	Medium
Version	Manifest	build-version	4.0.5	Medium
Version	Manifest	Bundle-Version	4.0.5	High
Version	Manifest	implementation-build-id	4.0.5	Low
Version	pom	version	4.0.5	Highest

Related Dependencies



- facturx.zip: jaxb-runtime.jar

- File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/facturx.zip/jaxb-runtime.jar
- MD5: c7384f1f95b8a8e15291485ff9dbe4f3
- SHA1: ca84c2a7169b5293e232b9d00d1e4e36d4c3914a
- SHA256: 485d8940e76373a7f300815ea5504bf5b726c234425ad30971019d133124cca4
- pkg:maven/org.glassfish.jaxb/jaxb-runtime@4.0.5

Identifiers

- pkg:maven/org.glassfish.jaxb/jaxb-core@4.0.5 (Confidence:High)
- [cpe:2.3:a:eclipse:glassfish:4.0.5:*:*:*:*](https://cpe:2.3:a:eclipse:glassfish:4.0.5:*:*:*:*:*) (Confidence:Highest)

suppress

facturx.zip: ph-collection.jar

Description:

Special Java 1.8+ Library with extended collection related functionality

License:

Apache 2: <https://www.apache.org/licenses/LICENSE-2.0>

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/facturx.zip/ph-collection.jar

MD5: 5b20f474de08b57e9e3f67fe794c8fa0

SHA1: 9791cb0863efdd045be886c66d429fce413cc1cf

SHA256: 763f82f1573903d8114b4e021f84d18589a11d42c29dd853c507a7dbb79c8b35

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	ph-collection	High
Vendor	jar	package name	collection	Highest
Vendor	jar	package name	helger	Highest
Vendor	Manifest	automatic-module-name	com.helger.collection	Medium
Vendor	Manifest	build-jdk-spec	17	Low
Vendor	Manifest	bundle-docurl	https://www.helger.com	Low
Vendor	Manifest	bundle-symbolicname	com.helger.commons.ph-collection	Medium
Vendor	Manifest	Implementation-Vendor	Philip Helger	High
Vendor	pom	artifactid	ph-collection	Low
Vendor	pom	developer email	ph(at)helger.com	Low

Vendor	pom	developer id	philip	Medium
Vendor	pom	developer name	Philip Helger	Medium
Vendor	pom	groupid	com.helger.commons	Highest
Vendor	pom	name	ph-collection	High
Vendor	pom	organization name	Philip Helger	High
Vendor	pom	organization url	https://www.helger.com	Medium
Vendor	pom	parent-artifactid	ph-commons-parent-pom	Low
Vendor	pom	url	phax/ph-commons/ph-collection	Highest
Product	file	name	ph-collection	High
Product	jar	package name	collection	Highest
Product	jar	package name	helger	Highest
Product	Manifest	automatic-module-name	com.helger.collection	Medium
Product	Manifest	build-jdk-spec	17	Low
Product	Manifest	bundle-docurl	https://www.helger.com	Low
Product	Manifest	Bundle-Name	ph-collection	Medium
Product	Manifest	bundle-symbolicname	com.helger.commons.ph-collection	Medium
Product	Manifest	Implementation-Title	ph-collection	High
Product	pom	artifactid	ph-collection	Highest
Product	pom	developer email	ph(at)helger.com	Low
Product	pom	developer id	philip	Low
Product	pom	developer name	Philip Helger	Low
Product	pom	groupid	com.helger.commons	Highest
Product	pom	name	ph-collection	High
Product	pom	organization name	Philip Helger	Low
Product	pom	organization url	https://www.helger.com	Low
Product	pom	parent-artifactid	ph-commons-parent-pom	Medium
Product	pom	url	phax/ph-commons/ph-collection	High
Version	Manifest	Bundle-Version	11.1.6	High
Version	Manifest	Implementation-Version	11.1.6	High
Version	pom	version	11.1.6	Highest

Identifiers

- [pkg:maven/com.helger.commons/ph-collection@11.1.6](https://maven.com.helger.commons/ph-collection@11.1.6) (*Confidence:High*)

facturx.zip: ph-commons.jar

Description:

Java 1.8+ Library with tons of utility classes required in all projects

License:

Apache 2: <https://www.apache.org/licenses/LICENSE-2.0>

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/facturx.zip/ph-commons.jar

MD5: 4fcfa71f9cb21e440a176f15ede59c6c

SHA1: c23ab3acd1e8dcb7fce73ceab9a609e8f434f0bb

SHA256: 60a743bb9159806320fcae5903723ef44f2e69d8da8a0208168f6810518e7761

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	ph-commons	High
Vendor	jar	package name	commons	Highest
Vendor	jar	package name	helger	Highest
Vendor	Manifest	automatic-module-name	com.helger.commons	Medium
Vendor	Manifest	build-jdk-spec	17	Low
Vendor	Manifest	bundle-docurl	https://www.helger.com	Low
Vendor	Manifest	bundle-symbolicname	com.helger.commons.ph-commons	Medium
Vendor	Manifest	Implementation-Vendor	Philip Helger	High
Vendor	Manifest	provide-capability	osgi.serviceloader;osgi.serviceloader="com.helger.commons.equals.IEqualsImplementationRegistrarSPI",osgi.serviceloader;osgi.serviceloader="com.helger.commons.hashCode.IHashCodeImplementationRegistrarSPI",osgi.serviceloader;osgi.serviceloader="com.helger.commons.serialize.convert.ISerializationConverterRegistrarSPI",osgi.serviceloader;osgi.serviceloader="com.helger.commons.thirdparty.IThirdPartyModuleProviderSPI",osgi.serviceloader;osgi.serviceloader="com.helger.commons.typeconvert.ITypeConverterRegistrarSPI"	Low

Vendor	pom	artifactid	ph-commons	Low
Vendor	pom	developer email	ph(at)helger.com	Low
Vendor	pom	developer id	philip	Medium
Vendor	pom	developer name	Philip Helger	Medium
Vendor	pom	groupid	com.helger.commons	Highest
Vendor	pom	name	ph-commons	High
Vendor	pom	organization name	Philip Helger	High
Vendor	pom	organization url	https://www.helger.com	Medium
Vendor	pom	parent-artifactid	ph-commons-parent-pom	Low
Vendor	pom	url	phax/ph-commons/ph-commons	Highest
Product	file	name	ph-commons	High
Product	jar	package name	commons	Highest
Product	jar	package name	convert	Highest
Product	jar	package name	equals	Highest
Product	jar	package name	hashCode	Highest
Product	jar	package name	helger	Highest
Product	jar	package name	iequalsimplementationregistrarspi	Highest
Product	jar	package name	ihashcodeimplementationregistrarspi	Highest
Product	jar	package name	ithirdpartymoduleproviderspi	Highest
Product	jar	package name	itypeconverterregistrarspi	Highest
Product	jar	package name	serialize	Highest
Product	jar	package name	thirdparty	Highest
Product	jar	package name	typeconvert	Highest
Product	Manifest	automatic-module-name	com.helger.commons	Medium
Product	Manifest	build-jdk-spec	17	Low
Product	Manifest	bundle-docurl	https://www.helger.com	Low
Product	Manifest	Bundle-Name	ph-commons	Medium
Product	Manifest	bundle-symbolicname	com.helger.commons.ph-commons	Medium
Product	Manifest	Implementation-Title	ph-commons	High
Product	Manifest	provide-capability	osgi.serviceloader;osgi.serviceloader="com.helger.commons.equals.IEqualsImplementationRegistrarSPI",osgi.serviceloader;osgi.serviceloader="com.helger.commons.hashCode.IHashCodeImplementationRegistrarSPI",osgi.serviceloader;osgi.serviceloader="com.helger.commons.serialize.convert.	Low

			ISerializationConverterRegistrarSPI",osgi.serviceloader;osgi.serviceloader="com.helger.commons.thirdparty.IThirdPartyModuleProviderSPI",osgi.serviceloader;osgi.serviceloader="com.helger.commons.typeconvert.ITypeConverterRegistrarSPI"	
Product	pom	artifactid	ph-commons	Highest
Product	pom	developer email	ph(at)helger.com	Low
Product	pom	developer id	philip	Low
Product	pom	developer name	Philip Helger	Low
Product	pom	groupid	com.helger.commons	Highest
Product	pom	name	ph-commons	High
Product	pom	organization name	Philip Helger	Low
Product	pom	organization url	https://www.helger.com	Low
Product	pom	parent-artifactid	ph-commons-parent-pom	Medium
Product	pom	url	phax/ph-commons/ph-commons	High
Version	Manifest	Bundle-Version	11.1.6	High
Version	Manifest	Implementation-Version	11.1.6	High
Version	pom	version	11.1.6	Highest

Identifiers

- [pkg:maven/com.helger.commons/ph-commons@11.1.6](https://maven.com.helger.commons/ph-commons@11.1.6) (*Confidence:High*)

facturx.zip: ph-jaxb.jar

Description:

Special Java 1.8+ Library with extended JAXB support

License:

Apache 2: <https://www.apache.org/licenses/LICENSE-2.0>

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/facturx.zip/ph-jaxb.jar

MD5: 93e5d1cd88aedb237e5510bfc8320359

SHA1: 704596aa8cdc51b92012fdce9ee88e58d46c4289

SHA256: 5f76336775f6fe7cb3533ff106de917e197be3dedf03eca6ef33b0a33961545d

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	ph-jaxb	High
Vendor	jar	package name	helger	Highest
Vendor	jar	package name	jaxb	Highest
Vendor	Manifest	automatic-module-name	com.helger.jaxb	Medium
Vendor	Manifest	build-jdk-spec	17	Low
Vendor	Manifest	bundle-docurl	https://www.helger.com	Low
Vendor	Manifest	bundle-symbolicname	com.helger.commons.ph-jaxb	Medium
Vendor	Manifest	Implementation-Vendor	Philip Helger	High
Vendor	pom	artifactid	ph-jaxb	Low
Vendor	pom	developer email	ph(at)helger.com	Low
Vendor	pom	developer id	philip	Medium
Vendor	pom	developer name	Philip Helger	Medium
Vendor	pom	groupid	com.helger.commons	Highest
Vendor	pom	name	ph-jaxb	High
Vendor	pom	organization name	Philip Helger	High
Vendor	pom	organization url	https://www.helger.com	Medium
Vendor	pom	parent-artifactid	ph-commons-parent-pom	Low
Vendor	pom	url	phax/ph-commons/ph-jaxb	Highest
Product	file	name	ph-jaxb	High
Product	jar	package name	helger	Highest
Product	jar	package name	jaxb	Highest
Product	Manifest	automatic-module-name	com.helger.jaxb	Medium
Product	Manifest	build-jdk-spec	17	Low
Product	Manifest	bundle-docurl	https://www.helger.com	Low
Product	Manifest	Bundle-Name	ph-jaxb	Medium
Product	Manifest	bundle-symbolicname	com.helger.commons.ph-jaxb	Medium
Product	Manifest	Implementation-Title	ph-jaxb	High
Product	pom	artifactid	ph-jaxb	Highest
Product	pom	developer email	ph(at)helger.com	Low
Product	pom	developer id	philip	Low

Product	pom	developer name	Philip Helger	Low
Product	pom	groupid	com.helger.commons	Highest
Product	pom	name	ph-jaxb	High
Product	pom	organization name	Philip Helger	Low
Product	pom	organization url	https://www.helger.com	Low
Product	pom	parent-artifactid	ph-commons-parent-pom	Medium
Product	pom	url	phax/ph-commons/ph-jaxb	High
Version	Manifest	Bundle-Version	11.1.6	High
Version	Manifest	Implementation-Version	11.1.6	High
Version	pom	version	11.1.6	Highest

Identifiers

- <pkg:maven/com.helger.commons/ph-jaxb@11.1.6> (Confidence:High)

facturx.zip: ph-schematron-api.jar

Description:

Base API for the library for validating XML documents with Schematron

License:

Apache 2: <https://www.apache.org/licenses/LICENSE-2.0>

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/facturx.zip/ph-schematron-api.jar

MD5: 24c8500ad0584e6df95b3127b6e73ec7

SHA1: 73bcd9437b7501afc549036d070ae9a41b2bc8c3

SHA256: f8bfc8bc092c5b53e48e640c4655e4d7ed4c0b58967ab3c18801249210ba79e2

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	ph-schematron-api	High
Vendor	jar	package name	api	Highest
Vendor	jar	package name	helger	Highest
Vendor	jar	package name	schematron	Highest
Vendor	Manifest	automatic-module-name	com.helger.schematron	Medium

Vendor	Manifest	build-jdk-spec	21	Low
Vendor	Manifest	bundle-docurl	https://www.helger.com	Low
Vendor	Manifest	bundle-symbolicname	com.helger.schematron.ph-schematron-api	Medium
Vendor	Manifest	Implementation-Vendor	Philip Helger	High
Vendor	Manifest	provide-capability	osgi.serviceloader;osgi.serviceloader="com.helger.commons.thirdparty.IThirdPartyModuleProviderSPI"	Low
Vendor	pom	artifactid	ph-schematron-api	Low
Vendor	pom	developer email	ph(at)helger.com	Low
Vendor	pom	developer id	philip	Medium
Vendor	pom	developer name	Philip Helger	Medium
Vendor	pom	groupid	com.helger.schematron	Highest
Vendor	pom	name	ph-schematron-api	High
Vendor	pom	organization name	Philip Helger	High
Vendor	pom	organization url	https://www.helger.com	Medium
Vendor	pom	parent-artifactid	ph-schematron-parent-pom	Low
Vendor	pom	url	phax/ph-schematron/ph-schematron-api	Highest
Product	file	name	ph-schematron-api	High
Product	jar	package name	api	Highest
Product	jar	package name	helger	Highest
Product	jar	package name	schematron	Highest
Product	Manifest	automatic-module-name	com.helger.schematron	Medium
Product	Manifest	build-jdk-spec	21	Low
Product	Manifest	bundle-docurl	https://www.helger.com	Low
Product	Manifest	Bundle-Name	ph-schematron-api	Medium
Product	Manifest	bundle-symbolicname	com.helger.schematron.ph-schematron-api	Medium
Product	Manifest	Implementation-Title	ph-schematron-api	High
Product	Manifest	provide-capability	osgi.serviceloader;osgi.serviceloader="com.helger.commons.thirdparty.IThirdPartyModuleProviderSPI"	Low
Product	pom	artifactid	ph-schematron-api	Highest
Product	pom	developer email	ph(at)helger.com	Low
Product	pom	developer id	philip	Low
Product	pom	developer name	Philip Helger	Low

Product	pom	groupid	com.helger.schematron	Highest
Product	pom	name	ph-schematron-api	High
Product	pom	organization name	Philip Helger	Low
Product	pom	organization url	https://www.helger.com	Low
Product	pom	parent-artifactid	ph-schematron-parent-pom	Medium
Product	pom	url	phax/ph-schematron/ph-schematron-api	High
Version	Manifest	Bundle-Version	8.0.1	High
Version	Manifest	Implementation-Version	8.0.1	High
Version	pom	version	8.0.1	Highest

Identifiers

- [pkg:maven/com.helger.schematron/ph-schematron-api@8.0.1](https://maven.com.helger.schematron/ph-schematron-api@8.0.1) (*Confidence:High*)

facturx.zip: ph-schematron-pure.jar

Description:

This package contains the 'Pure' Schematron implementation

License:

Apache 2: <https://www.apache.org/licenses/LICENSE-2.0>

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/facturx.zip/ph-schematron-pure.jar

MD5: b84cd61e8be857675dff02086d7e9866

SHA1: 485a9b563703701c518dfe0f469ff5299f66a30e

SHA256: df44818d506b1631ac1614df2d4502fa7ab4fd1259899c00b5e32ec69373b86f

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	ph-schematron-pure	High
Vendor	jar	package name	helger	Highest
Vendor	jar	package name	pure	Highest
Vendor	jar	package name	schematron	Highest
Vendor	Manifest	automatic-module-name	com.helger.schematron.pure	Medium

Vendor	Manifest	build-jdk-spec	21	Low
Vendor	Manifest	bundle-docurl	https://www.helger.com	Low
Vendor	Manifest	bundle-symbolicname	com.helger.schematron.ph-schematron-pure	Medium
Vendor	Manifest	Implementation-Vendor	Philip Helger	High
Vendor	pom	artifactid	ph-schematron-pure	Low
Vendor	pom	developer email	ph(at)helger.com	Low
Vendor	pom	developer id	philip	Medium
Vendor	pom	developer name	Philip Helger	Medium
Vendor	pom	groupid	com.helger.schematron	Highest
Vendor	pom	name	ph-schematron-pure	High
Vendor	pom	organization name	Philip Helger	High
Vendor	pom	organization url	https://www.helger.com	Medium
Vendor	pom	parent-artifactid	ph-schematron-parent-pom	Low
Vendor	pom	url	phax/ph-schematron/ph-schematron-pure	Highest
Product	file	name	ph-schematron-pure	High
Product	jar	package name	helger	Highest
Product	jar	package name	pure	Highest
Product	jar	package name	schematron	Highest
Product	Manifest	automatic-module-name	com.helger.schematron.pure	Medium
Product	Manifest	build-jdk-spec	21	Low
Product	Manifest	bundle-docurl	https://www.helger.com	Low
Product	Manifest	Bundle-Name	ph-schematron-pure	Medium
Product	Manifest	bundle-symbolicname	com.helger.schematron.ph-schematron-pure	Medium
Product	Manifest	Implementation-Title	ph-schematron-pure	High
Product	pom	artifactid	ph-schematron-pure	Highest
Product	pom	developer email	ph(at)helger.com	Low
Product	pom	developer id	philip	Low
Product	pom	developer name	Philip Helger	Low
Product	pom	groupid	com.helger.schematron	Highest
Product	pom	name	ph-schematron-pure	High
Product	pom	organization name	Philip Helger	Low
Product	pom	organization url	https://www.helger.com	Low

Product	pom	parent-artifactid	ph-schematron-parent-pom	Medium
Product	pom	url	phax/ph-schematron/ph-schematron-pure	High
Version	Manifest	Bundle-Version	8.0.1	High
Version	Manifest	Implementation-Version	8.0.1	High
Version	pom	version	8.0.1	Highest

Identifiers

- pkg:maven/com.helger.schematron/ph-schematron-pure@8.0.1 (*Confidence:High*)

facturx.zip: ph-schematron-schxslt.jar

Description:

Library for validating XML documents using the SchXslt implementation

License:

Apache 2: <https://www.apache.org/licenses/LICENSE-2.0>

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/facturx.zip/ph-schematron-schxslt.jar

MD5: d950c715faca2efdf1e6bef94153e278

SHA1: 909c4eeb0abe7cdbc2d8772dafd44acada79f630

SHA256: 94f1ba6337d8d5c42c0fc052561704c820e5c6ab16f392e7538a48d5556d615b

Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence
Vendor	file	name	ph-schematron-schxslt	High
Vendor	jar	package name	helger	Highest
Vendor	jar	package name	schematron	Highest
Vendor	jar	package name	schxslt	Highest
Vendor	Manifest	automatic-module-name	com.helger.schematron.schxslt	Medium
Vendor	Manifest	build-jdk-spec	21	Low
Vendor	Manifest	bundle-docurl	https://www.helger.com	Low
Vendor	Manifest	bundle-symbolicname	com.helger.schematron.ph-schematron-schxslt	Medium
Vendor	Manifest	Implementation-Vendor	Philip Helger	High

Vendor	Manifest	provide-capability	osgi.serviceloader;osgi.serviceloader="com.helger.commons.thirdparty.IThirdPartyModuleProviderSPI"	Low
Vendor	pom	artifactid	ph-schematron-schxslt	Low
Vendor	pom	developer email	ph(at)helger.com	Low
Vendor	pom	developer id	philip	Medium
Vendor	pom	developer name	Philip Helger	Medium
Vendor	pom	groupid	com.helger.schematron	Highest
Vendor	pom	name	ph-schematron-schxslt	High
Vendor	pom	organization name	Philip Helger	High
Vendor	pom	organization url	https://www.helger.com	Medium
Vendor	pom	parent-artifactid	ph-schematron-parent-pom	Low
Vendor	pom	url	phax/ph-schematron/ph-schematron-schxslt	Highest
Product	file	name	ph-schematron-schxslt	High
Product	jar	package name	helger	Highest
Product	jar	package name	schematron	Highest
Product	jar	package name	schxslt	Highest
Product	Manifest	automatic-module-name	com.helger.schematron.schxslt	Medium
Product	Manifest	build-jdk-spec	21	Low
Product	Manifest	bundle-docurl	https://www.helger.com	Low
Product	Manifest	Bundle-Name	ph-schematron-schxslt	Medium
Product	Manifest	bundle-symbolicname	com.helger.schematron.ph-schematron-schxslt	Medium
Product	Manifest	Implementation-Title	ph-schematron-schxslt	High
Product	Manifest	provide-capability	osgi.serviceloader;osgi.serviceloader="com.helger.commons.thirdparty.IThirdPartyModuleProviderSPI"	Low
Product	pom	artifactid	ph-schematron-schxslt	Highest
Product	pom	developer email	ph(at)helger.com	Low
Product	pom	developer id	philip	Low
Product	pom	developer name	Philip Helger	Low
Product	pom	groupid	com.helger.schematron	Highest
Product	pom	name	ph-schematron-schxslt	High
Product	pom	organization name	Philip Helger	Low
Product	pom	organization url	https://www.helger.com	Low
Product	pom	parent-artifactid	ph-schematron-parent-pom	Medium

Product	pom	url	phax/ph-schematron/ph-schematron-schxslt	High
Version	Manifest	Bundle-Version	8.0.1	High
Version	Manifest	Implementation-Version	8.0.1	High
Version	pom	version	8.0.1	Highest

Identifiers

- <pkg:maven/com.helger.schematron/ph-schematron-schxslt@8.0.1> (*Confidence:High*)

facturx.zip: ph-schematron-validator.jar

Description:

Base POM to build the ph-schematron projects

License:

Apache 2: <https://www.apache.org/licenses/LICENSE-2.0>

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/facturx.zip/ph-schematron-validator.jar

MD5: 779103d1e0040a55650345ac15a4d9f8

SHA1: 4cfd762446510a6f7d1697344254971f8109464e

SHA256: e27f69395c9ae52d4fbe46351f6484f0be4053e9f27df1723a35f0225273f0e5

Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence
Vendor	file	name	ph-schematron-validator	High
Vendor	jar	package name	helger	Highest
Vendor	jar	package name	schematron	Highest
Vendor	jar	package name	validator	Highest
Vendor	Manifest	automatic-module-name	com.helger.schematron.validator	Medium
Vendor	Manifest	build-jdk-spec	21	Low
Vendor	Manifest	bundle-docurl	https://www.helger.com	Low
Vendor	Manifest	bundle-symbolicname	com.helger.schematron.ph-schematron-validator	Medium
Vendor	Manifest	Implementation-Vendor	Philip Helger	High
Vendor	pom	artifactid	ph-schematron-validator	Low

Vendor	pom	developer email	ph(at)helger.com	Low
Vendor	pom	developer id	philip	Medium
Vendor	pom	developer name	Philip Helger	Medium
Vendor	pom	groupid	com.helger.schematron	Highest
Vendor	pom	name	ph-schematron-validator	High
Vendor	pom	organization name	Philip Helger	High
Vendor	pom	organization url	https://www.helger.com	Medium
Vendor	pom	parent-artifactid	ph-schematron-parent-pom	Low
Vendor	pom	url	phax/ph-schematron/ph-schematron-validator	Highest
Product	file	name	ph-schematron-validator	High
Product	jar	package name	helger	Highest
Product	jar	package name	schematron	Highest
Product	jar	package name	validator	Highest
Product	Manifest	automatic-module-name	com.helger.schematron.validator	Medium
Product	Manifest	build-jdk-spec	21	Low
Product	Manifest	bundle-docurl	https://www.helger.com	Low
Product	Manifest	Bundle-Name	ph-schematron-validator	Medium
Product	Manifest	bundle-symbolicname	com.helger.schematron.ph-schematron-validator	Medium
Product	Manifest	Implementation-Title	ph-schematron-validator	High
Product	pom	artifactid	ph-schematron-validator	Highest
Product	pom	developer email	ph(at)helger.com	Low
Product	pom	developer id	philip	Low
Product	pom	developer name	Philip Helger	Low
Product	pom	groupid	com.helger.schematron	Highest
Product	pom	name	ph-schematron-validator	High
Product	pom	organization name	Philip Helger	Low
Product	pom	organization url	https://www.helger.com	Low
Product	pom	parent-artifactid	ph-schematron-parent-pom	Medium
Product	pom	url	phax/ph-schematron/ph-schematron-validator	High
Version	Manifest	Bundle-Version	8.0.1	High
Version	Manifest	Implementation-Version	8.0.1	High

Version pom version 8.0.1 Highest

Identifiers

- <pkg:maven/com.helger.schematron/ph-schematron-validator@8.0.1> (*Confidence:High*)

facturx.zip: ph-schematron-xslt.jar

Description:

Library for validating XML documents using the original Schematron implementation

License:

Apache 2: <https://www.apache.org/licenses/LICENSE-2.0>

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/facturx.zip/ph-schematron-xslt.jar

MD5: 3f6250129401256b8a3e820f03fe792e

SHA1: cf8015cbd01c61380fc9399cfb6da59886804e4a

SHA256: ffe00741ab4fac245b7215a01154ad5526aa22d196929956498df115789d339d

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	ph-schematron-xslt	High
Vendor	jar	package name	helger	Highest
Vendor	jar	package name	schematron	Highest
Vendor	jar	package name	xslt	Highest
Vendor	Manifest	automatic-module-name	com.helger.schematron.xslt	Medium
Vendor	Manifest	build-jdk-spec	21	Low
Vendor	Manifest	bundle-docurl	https://www.helger.com	Low
Vendor	Manifest	bundle-symbolicname	com.helger.schematron.ph-schematron-xslt	Medium
Vendor	Manifest	Implementation-Vendor	Philip Helger	High
Vendor	pom	artifactid	ph-schematron-xslt	Low
Vendor	pom	developer email	ph(at)helger.com	Low
Vendor	pom	developer id	philip	Medium
Vendor	pom	developer name	Philip Helger	Medium
Vendor	pom	groupid	com.helger.schematron	Highest

Vendor	pom	name	ph-schematron-xslt	High
Vendor	pom	organization name	Philip Helger	High
Vendor	pom	organization url	https://www.helger.com	Medium
Vendor	pom	parent-artifactid	ph-schematron-parent-pom	Low
Vendor	pom	url	phax/ph-schematron/ph-schematron-xslt	Highest
Product	file	name	ph-schematron-xslt	High
Product	jar	package name	helger	Highest
Product	jar	package name	schematron	Highest
Product	jar	package name	xslt	Highest
Product	Manifest	automatic-module-name	com.helger.schematron.xslt	Medium
Product	Manifest	build-jdk-spec	21	Low
Product	Manifest	bundle-docurl	https://www.helger.com	Low
Product	Manifest	Bundle-Name	ph-schematron-xslt	Medium
Product	Manifest	bundle-symbolicname	com.helger.schematron.ph-schematron-xslt	Medium
Product	Manifest	Implementation-Title	ph-schematron-xslt	High
Product	pom	artifactid	ph-schematron-xslt	Highest
Product	pom	developer email	ph(at)helger.com	Low
Product	pom	developer id	philip	Low
Product	pom	developer name	Philip Helger	Low
Product	pom	groupid	com.helger.schematron	Highest
Product	pom	name	ph-schematron-xslt	High
Product	pom	organization name	Philip Helger	Low
Product	pom	organization url	https://www.helger.com	Low
Product	pom	parent-artifactid	ph-schematron-parent-pom	Medium
Product	pom	url	phax/ph-schematron/ph-schematron-xslt	High
Version	Manifest	Bundle-Version	8.0.1	High
Version	Manifest	Implementation-Version	8.0.1	High
Version	pom	version	8.0.1	Highest

Identifiers

- [pkg:maven/com.helger.schematron/ph-schematron-xslt@8.0.1](https://maven.com.helger.schematron/ph-schematron-xslt@8.0.1) (*Confidence:High*)

facturx.zip: ph-xml.jar

Description:

Java 1.8+ Library with XML handling routines

License:

Apache 2: <https://www.apache.org/licenses/LICENSE-2.0>

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/facturx.zip/ph-xml.jar

MD5: 183dd41c0a02718301661c4a9b8afebf

SHA1: 001608cab9840831840214dedb69fac618158f93

SHA256: 26f3505c54da7bbd4fcacf8b120d2ee9b19cbb562f969484799d7842d2a126fc

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	ph-xml	High
Vendor	jar	package name	helger	Highest
Vendor	jar	package name	xml	Highest
Vendor	Manifest	automatic-module-name	com.helger.xml	Medium
Vendor	Manifest	build-jdk-spec	17	Low
Vendor	Manifest	bundle-docurl	https://www.helger.com	Low
Vendor	Manifest	bundle-symbolicname	com.helger.commons.ph-xml	Medium
Vendor	Manifest	Implementation-Vendor	Philip Helger	High
Vendor	Manifest	provide-capability	osgi.serviceloader;osgi.serviceloader="com.helger.xml.microdom.convert.IMicroTypeConverterRegistrarSPI"	Low
Vendor	pom	artifactid	ph-xml	Low
Vendor	pom	developer email	ph(at)helger.com	Low
Vendor	pom	developer id	philip	Medium
Vendor	pom	developer name	Philip Helger	Medium
Vendor	pom	groupid	com.helger.commons	Highest
Vendor	pom	name	ph-xml	High
Vendor	pom	organization name	Philip Helger	High
Vendor	pom	organization url	https://www.helger.com	Medium

Vendor	pom	parent-artifactid	ph-commons-parent-pom	Low
Vendor	pom	url	phax/ph-commons/ph-xml	Highest
Product	file	name	ph-xml	High
Product	jar	package name	convert	Highest
Product	jar	package name	helger	Highest
Product	jar	package name	microdom	Highest
Product	jar	package name	xml	Highest
Product	Manifest	automatic-module-name	com.helger.xml	Medium
Product	Manifest	build-jdk-spec	17	Low
Product	Manifest	bundle-docurl	https://www.helger.com	Low
Product	Manifest	Bundle-Name	ph-xml	Medium
Product	Manifest	bundle-symbolicname	com.helger.commons.ph-xml	Medium
Product	Manifest	Implementation-Title	ph-xml	High
Product	Manifest	provide-capability	osgi.serviceloader;osgi.serviceloader="com.helger.xml.microdom.convert.IMicroTypeConverterRegistrarSPI"	Low
Product	pom	artifactid	ph-xml	Highest
Product	pom	developer email	ph(at)helger.com	Low
Product	pom	developer id	philip	Low
Product	pom	developer name	Philip Helger	Low
Product	pom	groupid	com.helger.commons	Highest
Product	pom	name	ph-xml	High
Product	pom	organization name	Philip Helger	Low
Product	pom	organization url	https://www.helger.com	Low
Product	pom	parent-artifactid	ph-commons-parent-pom	Medium
Product	pom	url	phax/ph-commons/ph-xml	High
Version	Manifest	Bundle-Version	11.1.6	High
Version	Manifest	Implementation-Version	11.1.6	High
Version	pom	version	11.1.6	Highest

Identifiers

- [pkg:maven/com.helger.commons/ph-xml@11.1.6](https://maven.com.helger.commons/ph-xml@11.1.6) (*Confidence:High*)

facturx.zip: ph-xsds-xml.jar

Description:

XML.xsd wrapped in JAXB

License:

Apache 2: <http://www.apache.org/licenses/LICENSE-2.0>

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/facturx.zip/ph-xsds-xml.jar

MD5: f5d0d9170cce23fc050a0cb8e2fc8b94

SHA1: e1f471db4b77cb7c5804129746fcbad2dd57a28a

SHA256: de03d6b1d320e851d0f8a664346799447a5ec2163395a324c13a059d664e0c73

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	ph-xsds-xml	High
Vendor	jar	package name	helger	Highest
Vendor	jar	package name	xml	Highest
Vendor	jar	package name	xsds	Highest
Vendor	Manifest	automatic-module-name	com.helger.xsds.xml	Medium
Vendor	Manifest	build-jdk-spec	11	Low
Vendor	Manifest	bundle-docurl	http://www.helger.com	Low
Vendor	Manifest	bundle-symbolicname	com.helger.xsd.ph-xsds-xml	Medium
Vendor	Manifest	Implementation-Vendor	Philip Helger	High
Vendor	pom	artifactid	ph-xsds-xml	Low
Vendor	pom	developer email	ph(at)helger.com	Low
Vendor	pom	developer id	philip	Medium
Vendor	pom	developer name	Philip Helger	Medium
Vendor	pom	groupid	com.helger.xsd	Highest
Vendor	pom	name	ph-xsds-xml	High
Vendor	pom	organization name	Philip Helger	High
Vendor	pom	organization url	http://www.helger.com	Medium
Vendor	pom	parent-artifactid	ph-xsds-parent-pom	Low
Vendor	pom	url	phax/ph-xsds/ph-xsds-xml	Highest

Product	file	name	ph-xsds.xml	High
Product	jar	package name	helger	Highest
Product	jar	package name	xml	Highest
Product	jar	package name	xsds	Highest
Product	Manifest	automatic-module-name	com.helger.xsds.xml	Medium
Product	Manifest	build-jdk-spec	11	Low
Product	Manifest	bundle-docurl	http://www.helger.com	Low
Product	Manifest	Bundle-Name	ph-xsds.xml	Medium
Product	Manifest	bundle-symbolicname	com.helger.xsd.ph-xsds.xml	Medium
Product	Manifest	Implementation-Title	ph-xsds.xml	High
Product	pom	artifactid	ph-xsds.xml	Highest
Product	pom	developer email	ph(at)helger.com	Low
Product	pom	developer id	philip	Low
Product	pom	developer name	Philip Helger	Low
Product	pom	groupid	com.helger.xsd	Highest
Product	pom	name	ph-xsds.xml	High
Product	pom	organization name	Philip Helger	Low
Product	pom	organization url	http://www.helger.com	Low
Product	pom	parent-artifactid	ph-xsds-parent-pom	Medium
Product	pom	url	phax/ph-xsds/ph-xsds.xml	High
Version	Manifest	Bundle-Version	3.0.0	High
Version	Manifest	Implementation-Version	3.0.0	High
Version	pom	version	3.0.0	Highest

Identifiers

- [pkg:maven/com.helger.xsd/ph-xsds.xml@3.0.0](#) (*Confidence:High*)

facturx.zip: txw2.jar

Description:

TXW is a library that allows you to write XML documents.

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/facturx.zip/txw2.jar

MD5: 2f5aa7dbd5e326562cff6ce720a1485a

SHA1: f36a4ef12120a9bb06d766d6a0e54b144fd7ed98

SHA256: 917355bc451481f30d043b24d123110517966af34383901773882810dca480e5

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	txw2	High
Vendor	jar	package name	sun	Highest
Vendor	jar	package name	txw	Highest
Vendor	jar	package name	txw2	Highest
Vendor	jar	package name	xml	Highest
Vendor	jar (hint)	package name	oracle	Highest
Vendor	Manifest	git-revision	cb19596	Low
Vendor	Manifest	Implementation-Vendor	Eclipse Foundation	High
Vendor	Manifest	Implementation-Vendor-Id	org.eclipse	Medium
Vendor	Manifest	specification-vendor	Eclipse Foundation	Low
Vendor	pom	artifactid	txw2	Low
Vendor	pom	groupid	org.glassfish.jaxb	Highest
Vendor	pom	name	TXW2 Runtime	High
Vendor	pom	parent-artifactid	jaxb-txw-parent	Low
Vendor	pom	parent-groupid	com.sun.xml.bind.mvn	Medium
Vendor	pom	url	https://eclipse-ee4j.github.io/jaxb-ri/	Highest
Product	file	name	txw2	High
Product	jar	package name	sun	Highest
Product	jar	package name	txw	Highest
Product	jar	package name	txw2	Highest
Product	jar	package name	xml	Highest
Product	Manifest	git-revision	cb19596	Low
Product	Manifest	Implementation-Title	Eclipse Implementation of JAXB	High
Product	Manifest	specification-title	Jakarta XML Binding	Medium

Product	pom	artifactid	txw2	Highest
Product	pom	groupid	org.glassfish.jaxb	Highest
Product	pom	name	TXW2 Runtime	High
Product	pom	parent-artifactid	jaxb-twx-parent	Medium
Product	pom	parent-groupid	com.sun.xml.bind.mvn	Medium
Product	pom	url	https://eclipse-ee4j.github.io/jaxb-ri/	Medium
Version	Manifest	build-version	4.0.5	Medium
Version	pom	version	4.0.5	Highest

Identifiers

- [pkg:maven/org.glassfish.jaxb/txw2@4.0.5](#) (*Confidence:High*)
- [cpe:2.3:a:eclipse:glassfish:4.0.5:*:*:*:*:*](#) (*Confidence:Highest*) suppress

facturx.zip: xmlresolver.jar

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/facturx.zip/xmlresolver.jar

MD5: 50bdca48c60958d11fc228113d3e6874

SHA1: ffde9ff1a059542ddde356fe5177e4d036281d1a

SHA256: 0011e478a6ecaabaf4f8fa5637cddc5e772d7bfdc2cb4a6863209110ead9378c

Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence
Vendor	file	name	xmlresolver	High
Vendor	jar	package name	xmlresolver	Highest
Vendor	jar	package name	xmlresolver	Low
Vendor	Manifest	automatic-module-name	org.xmlresolver.xmlresolver	Medium
Vendor	Manifest	Implementation-Vendor	Norman Walsh	High
Product	file	name	xmlresolver	High
Product	jar	package name	resolver	Highest
Product	jar	package name	xmlresolver	Highest
Product	Manifest	automatic-module-name	org.xmlresolver.xmlresolver	Medium
Product	Manifest	Implementation-	XML Resolver	High

Title

Version	Manifest	Implementation-Version	6.0.4	High
---------	----------	------------------------	-------	------

Identifiers

- None

googleanalytics.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/Documentation and Samples/Plugin - Samples/Application/GoogleAnalytics/src/com/inet/application/googleanalytics/client/js/googleanalytics.js

MD5: 2d80a02a8a912b832b3fd044f985011b

SHA1: a1fdc1c0ff040b9b2cce863058e8ef63b94a160f

SHA256: 99ec57bd66db3cfd2f65e9b2bc0ccd0c01a659945f206d8f3240294c6fac281a

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies



- application.googleanalytics.zip: googleanalytics.js
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/Documentation and Samples/Plugin - Samples/Application/GoogleAnalytics/application.googleanalytics.zip/src/com/inet/application/googleanalytics/client/js/googleanalytics.js
 - MD5: 2d80a02a8a912b832b3fd044f985011b
 - SHA1: a1fdc1c0ff040b9b2cce863058e8ef63b94a160f
 - SHA256: 99ec57bd66db3cfd2f65e9b2bc0ccd0c01a659945f206d8f3240294c6fac281a

Identifiers

- None

hamcrest-2.2.jar

File Path: /home/jenkins/.gradle/caches/modules-2/files-2.1/org.hamcrest/hamcrest/2.2/1820c0968dba3a11a1b30669bb1f01978a91dedc/hamcrest-2.2.jar

MD5: 10b47e837f271d0662f28780e60388e8

SHA1: 1820c0968dba3a11a1b30669bb1f01978a91dedc

SHA256: 5e62846a89f05cd78cd9c1a553f340d002458380c320455dd1f8fc5497a8a1c1

Referenced In Project/Scope: server:inetPlugin

Included by: pkg:maven/clear-reports/server@24.10

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	hamcrest	High
Vendor	gradle	artifactid	hamcrest	Highest
Vendor	gradle	groupid	org.hamcrest	Highest
Vendor	jar	package name	hamcrest	Highest
Vendor	jar	package name	hamcrest	Low
Vendor	Manifest	automatic-module-name	org.hamcrest	Medium
Vendor	Manifest	bundle-symbolicname	org.hamcrest	Medium
Vendor	Manifest	Implementation-Vendor	hamcrest.org	High
Product	file	name	hamcrest	High
Product	gradle	artifactid	hamcrest	Highest
Product	jar	package name	hamcrest	Highest
Product	Manifest	automatic-module-name	org.hamcrest	Medium
Product	Manifest	Bundle-Name	hamcrest	Medium
Product	Manifest	bundle-symbolicname	org.hamcrest	Medium
Product	Manifest	Implementation-Title	hamcrest	High
Version	file	version	2.2	High
Version	Manifest	Implementation-Version	2.2	High

Identifiers

- <pkg:maven/org.hamcrest/hamcrest@2.2> (Confidence: Highest)

Description:

Apache Commons BeanUtils provides an easy-to-use but flexible wrapper around reflection and introspection.

License:

<https://www.apache.org/licenses/LICENSE-2.0.txt>

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/help.zip/commons-beanutils.jar

MD5: 07dc532ee316fe1f2f0323e9bd2f8df4

SHA1: d52b9abcd97f38c81342bb7e7ae1eee9b73cba51

SHA256: 7d938c81789028045c08c065e94be75fc280527620d5bd62b519d5838532368a

Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence
Vendor	file	name	commons-beanutils	High
Vendor	jar	package name	apache	Highest
Vendor	jar	package name	beanutils	Highest
Vendor	jar	package name	commons	Highest
Vendor	Manifest	bundle-docurl	https://commons.apache.org/proper/commons-beanutils/	Low
Vendor	Manifest	bundle-symbolicname	org.apache.commons.commons-beanutils	Medium
Vendor	Manifest	implementation-build	UNKNOWN_BRANCH@r??????; 2019-07-28 22:14:44+0000	Low
Vendor	Manifest	implementation-url	https://commons.apache.org/proper/commons-beanutils/	Low
Vendor	Manifest	Implementation-Vendor	The Apache Software Foundation	High
Vendor	Manifest	Implementation-Vendor-Id	org.apache	Medium
Vendor	Manifest	specification-vendor	The Apache Software Foundation	Low
Vendor	pom	artifactid	commons-beanutils	Low
Vendor	pom	developer email	britter@apache.org	Low
Vendor	pom	developer email	chtompki@apache.org	Low
Vendor	pom	developer email	craigmcc@apache.org	Low
Vendor	pom	developer email	dion@apache.org	Low
Vendor	pom	developer email	epugh@apache.org	Low
Vendor	pom	developer email	geirm@apache.org	Low
Vendor	pom	developer email	ggregory@apache.org	Low
Vendor	pom	developer email	jcarman@apache.org	Low

Vendor	pom	developer email	jconlon@apache.org	Low
Vendor	pom	developer email	jstrachan@apache.org	Low
Vendor	pom	developer email	morgand@apache.org	Low
Vendor	pom	developer email	mvdb@apache.org	Low
Vendor	pom	developer email	niallp@apache.org	Low
Vendor	pom	developer email	rdonkin@apache.org	Low
Vendor	pom	developer email	rwaldhoff@apache.org	Low
Vendor	pom	developer email	sanders@apache.org	Low
Vendor	pom	developer email	scolebourne@apache.org	Low
Vendor	pom	developer email	skitching@apache.org	Low
Vendor	pom	developer email	stain@apache.org	Low
Vendor	pom	developer email	tobrien@apache.org	Low
Vendor	pom	developer email	yoavs@apache.org	Low
Vendor	pom	developer id	britter	Medium
Vendor	pom	developer id	chtompki	Medium
Vendor	pom	developer id	craigmmc	Medium
Vendor	pom	developer id	dion	Medium
Vendor	pom	developer id	epugh	Medium
Vendor	pom	developer id	geirm	Medium
Vendor	pom	developer id	ggregory	Medium
Vendor	pom	developer id	jcarman	Medium
Vendor	pom	developer id	jconlon	Medium
Vendor	pom	developer id	jstrachan	Medium
Vendor	pom	developer id	morgand	Medium
Vendor	pom	developer id	mvdb	Medium
Vendor	pom	developer id	niallp	Medium
Vendor	pom	developer id	rdonkin	Medium
Vendor	pom	developer id	rwaldhoff	Medium
Vendor	pom	developer id	sanders	Medium
Vendor	pom	developer id	scolebourne	Medium
Vendor	pom	developer id	skitching	Medium
Vendor	pom	developer id	stain	Medium
Vendor	pom	developer id	tobrien	Medium
Vendor	pom	developer id	yoavs	Medium
Vendor	pom	developer name	Benedikt Ritter	Medium

Vendor	pom	developer name	Craig McClanahan	Medium
Vendor	pom	developer name	David Eric Pugh	Medium
Vendor	pom	developer name	Dion Gillard	Medium
Vendor	pom	developer name	Gary Gregory	Medium
Vendor	pom	developer name	Geir Magnusson Jr.	Medium
Vendor	pom	developer name	James Carman	Medium
Vendor	pom	developer name	James Strachan	Medium
Vendor	pom	developer name	John E. Conlon	Medium
Vendor	pom	developer name	Martin van den Bemt	Medium
Vendor	pom	developer name	Morgan James Delagrang	Medium
Vendor	pom	developer name	Niall Pemberton	Medium
Vendor	pom	developer name	Rob Tompkins	Medium
Vendor	pom	developer name	Robert Burrell Donkin	Medium
Vendor	pom	developer name	Rodney Waldhoff	Medium
Vendor	pom	developer name	Scott Sanders	Medium
Vendor	pom	developer name	Simon Kitching	Medium
Vendor	pom	developer name	Stephen Colebourne	Medium
Vendor	pom	developer name	Stian Soiland-Reyes	Medium
Vendor	pom	developer name	Tim O'Brien	Medium
Vendor	pom	developer name	Yoav Shapira	Medium
Vendor	pom	developer org	The Apache Software Foundation	Medium
Vendor	pom	groupid	commons-beanutils	Highest
Vendor	pom	name	Apache Commons BeanUtils	High
Vendor	pom	parent-artifactid	commons-parent	Low
Vendor	pom	parent-groupid	org.apache.commons	Medium
Vendor	pom	url	https://commons.apache.org/proper/commons-beanutils/	Highest
Product	file	name	commons-beanutils	High
Product	jar	package name	apache	Highest
Product	jar	package name	beanutils	Highest
Product	jar	package name	commons	Highest
Product	Manifest	bundle-docurl	https://commons.apache.org/proper/commons-beanutils/	Low
Product	Manifest	Bundle-Name	Apache Commons BeanUtils	Medium
Product	Manifest	bundle-symbolicname	org.apache.commons.commons-beanutils	Medium
Product	Manifest	implementation-	UNKNOWN_BRANCH@r??????; 2019-07-	Low

		build	28 22:14:44+0000	
Product	Manifest	Implementation-Title	Apache Commons BeanUtils	High
Product	Manifest	implementation-url	https://commons.apache.org/proper/commons-beanutils/	Low
Product	Manifest	specification-title	Apache Commons BeanUtils	Medium
Product	pom	artifactid	commons-beanutils	Highest
Product	pom	developer email	britter@apache.org	Low
Product	pom	developer email	chtompki@apache.org	Low
Product	pom	developer email	craigmcc@apache.org	Low
Product	pom	developer email	dion@apache.org	Low
Product	pom	developer email	epugh@apache.org	Low
Product	pom	developer email	geirm@apache.org	Low
Product	pom	developer email	ggregory@apache.org	Low
Product	pom	developer email	jcarman@apache.org	Low
Product	pom	developer email	jconlon@apache.org	Low
Product	pom	developer email	jstrachan@apache.org	Low
Product	pom	developer email	morgand@apache.org	Low
Product	pom	developer email	mvdb@apache.org	Low
Product	pom	developer email	niallp@apache.org	Low
Product	pom	developer email	rdonkin@apache.org	Low
Product	pom	developer email	rwaldhoff@apache.org	Low
Product	pom	developer email	sanders@apache.org	Low
Product	pom	developer email	scolebourne@apache.org	Low
Product	pom	developer email	skitching@apache.org	Low
Product	pom	developer email	stain@apache.org	Low
Product	pom	developer email	tobrien@apache.org	Low
Product	pom	developer email	yoavs@apache.org	Low
Product	pom	developer id	britter	Low
Product	pom	developer id	chtompki	Low
Product	pom	developer id	craigmcc	Low
Product	pom	developer id	dion	Low
Product	pom	developer id	epugh	Low
Product	pom	developer id	geirm	Low
Product	pom	developer id	ggregory	Low
Product	pom	developer id	jcarman	Low

Product	pom	developer id	jconlon	Low
Product	pom	developer id	jstrachan	Low
Product	pom	developer id	morgand	Low
Product	pom	developer id	mvdb	Low
Product	pom	developer id	niallp	Low
Product	pom	developer id	rdonkin	Low
Product	pom	developer id	rwaldhoff	Low
Product	pom	developer id	sanders	Low
Product	pom	developer id	scolebourne	Low
Product	pom	developer id	skitching	Low
Product	pom	developer id	stain	Low
Product	pom	developer id	tobrien	Low
Product	pom	developer id	yoavs	Low
Product	pom	developer name	Benedikt Ritter	Low
Product	pom	developer name	Craig McClanahan	Low
Product	pom	developer name	David Eric Pugh	Low
Product	pom	developer name	Dion Gillard	Low
Product	pom	developer name	Gary Gregory	Low
Product	pom	developer name	Geir Magnusson Jr.	Low
Product	pom	developer name	James Carman	Low
Product	pom	developer name	James Strachan	Low
Product	pom	developer name	John E. Conlon	Low
Product	pom	developer name	Martin van den Bemt	Low
Product	pom	developer name	Morgan James Delagrang	Low
Product	pom	developer name	Niall Pemberton	Low
Product	pom	developer name	Rob Tompkins	Low
Product	pom	developer name	Robert Burrell Donkin	Low
Product	pom	developer name	Rodney Waldhoff	Low
Product	pom	developer name	Scott Sanders	Low
Product	pom	developer name	Simon Kitching	Low
Product	pom	developer name	Stephen Colebourne	Low
Product	pom	developer name	Stian Soiland-Reyes	Low
Product	pom	developer name	Tim O'Brien	Low
Product	pom	developer name	Yoav Shapira	Low
Product	pom	developer org	The Apache Software Foundation	Low

Product	pom	groupid	commons-beanutils	Highest
Product	pom	name	Apache Commons BeanUtils	High
Product	pom	parent-artifactid	commons-parent	Medium
Product	pom	parent-groupid	org.apache.commons	Medium
Product	pom	url	https://commons.apache.org/proper/commons-beanutils/	Medium
Version	Manifest	Bundle-Version	1.9.4	High
Version	Manifest	Implementation-Version	1.9.4	High
Version	pom	parent-version	1.9.4	Low
Version	pom	version	1.9.4	Highest

Identifiers

- [pkg:maven/commons-beanutils/commons-beanutils@1.9.4](#) (*Confidence:High*)
- [cpe:2.3:a:apache:commons_beanutils:1.9.4:.*:.*:.*:.*:.*:.*:.*](#) (*Confidence:Highest*)

suppress

help.zip: commons-digester3.jar

Description:

The Apache Commons Digester package lets you configure an XML to Java object mapping module which triggers certain actions called rules whenever a particular pattern of nested XML elements is recognized.

License:

<http://www.apache.org/licenses/LICENSE-2.0.txt>

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/help.zip/commons-digester3.jar

MD5: 41d2c62c7aedafa7a3627794abc83f71

SHA1: c3f68c5ff25ec5204470fd8fdf4cb8feff5e8a79

SHA256: 1c150e3d2df4b4237b47e28fea2079fb0da324578d5cca6a5fed2e37a62082ec

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	commons-digester3	High
Vendor	jar	package name	apache	Highest
Vendor	jar	package name	commons	Highest
Vendor	jar	package name	digester	Highest

Vendor	jar	package name	digester3	Highest
Vendor	jar	package name	rules	Highest
Vendor	Manifest	bundle-docurl	http://commons.apache.org/digester/	Low
Vendor	Manifest	bundle-symbolicname	org.apache.commons.digester	Medium
Vendor	Manifest	implementation-build	tags/DIGESTER3_3_2_RC2@r1212807; 2011-12-10 15:57:06+0100	Low
Vendor	Manifest	Implementation-Vendor	The Apache Software Foundation	High
Vendor	Manifest	Implementation-Vendor-Id	org.apache	Medium
Vendor	Manifest	specification-vendor	The Apache Software Foundation	Low
Vendor	pom	artifactid	commons-digester3	Low
Vendor	pom	developer email	craigmcc@apache.org	Low
Vendor	pom	developer email	jfarcand@apache.org	Low
Vendor	pom	developer email	jstrachan@apache.org	Low
Vendor	pom	developer email	jvanzyl@apache.org	Low
Vendor	pom	developer email	mbenson AT apache DOT org	Low
Vendor	pom	developer email	rahul AT apache DOT org	Low
Vendor	pom	developer email	rdonkin@apache.org	Low
Vendor	pom	developer email	sanders@totalsync.com	Low
Vendor	pom	developer email	simonetripodi AT apache DOT org	Low
Vendor	pom	developer email	skitching@apache.org	Low
Vendor	pom	developer email	tobrien@apache.org	Low
Vendor	pom	developer id	craigmcc	Medium
Vendor	pom	developer id	jfarcand	Medium
Vendor	pom	developer id	jstrachan	Medium
Vendor	pom	developer id	jvanzyl	Medium
Vendor	pom	developer id	mbenson	Medium
Vendor	pom	developer id	rahul	Medium
Vendor	pom	developer id	rdonkin	Medium
Vendor	pom	developer id	sanders	Medium
Vendor	pom	developer id	simonetripodi	Medium
Vendor	pom	developer id	skitching	Medium
Vendor	pom	developer id	tobrien	Medium
Vendor	pom	developer name	Craig McClanahan	Medium

Vendor	pom	developer name	James Strachan	Medium
Vendor	pom	developer name	Jason van Zyl	Medium
Vendor	pom	developer name	Jean-Francois Arcand	Medium
Vendor	pom	developer name	Matt Benson	Medium
Vendor	pom	developer name	Rahul Akolkar	Medium
Vendor	pom	developer name	Robert Burrell Donkin	Medium
Vendor	pom	developer name	Scott Sanders	Medium
Vendor	pom	developer name	Simon Kitching	Medium
Vendor	pom	developer name	Simone Tripodi	Medium
Vendor	pom	developer name	Tim OBrien	Medium
Vendor	pom	groupid	org.apache.commons	Highest
Vendor	pom	name	Apache Commons Digester	High
Vendor	pom	parent-artifactid	commons-parent	Low
Vendor	pom	url	http://commons.apache.org/digester/	Highest
Product	file	name	commons-digester3	High
Product	jar	package name	apache	Highest
Product	jar	package name	commons	Highest
Product	jar	package name	digester	Highest
Product	jar	package name	digester3	Highest
Product	jar	package name	rules	Highest
Product	Manifest	bundle-docurl	http://commons.apache.org/digester/	Low
Product	Manifest	Bundle-Name	Apache Commons Digester	Medium
Product	Manifest	bundle-symbolicname	org.apache.commons.digester	Medium
Product	Manifest	implementation-build	tags/DIGESTER3_3_2_RC2@r1212807; 2011-12-10 15:57:06+0100	Low
Product	Manifest	Implementation-Title	Apache Commons Digester	High
Product	Manifest	specification-title	Apache Commons Digester	Medium
Product	pom	artifactid	commons-digester3	Highest
Product	pom	developer email	craigmcc@apache.org	Low
Product	pom	developer email	jfarcan@apache.org	Low
Product	pom	developer email	jstrachan@apache.org	Low
Product	pom	developer email	jvanzyl@apache.org	Low
Product	pom	developer email	mbenson AT apache DOT org	Low
Product	pom	developer email	rahul AT apache DOT org	Low
Product	pom	developer email	rdonkin@apache.org	Low

Product	pom	developer email	sanders@totalsync.com	Low
Product	pom	developer email	simonetripodi AT apache DOT org	Low
Product	pom	developer email	skitching@apache.org	Low
Product	pom	developer email	tobrien@apache.org	Low
Product	pom	developer id	craigmcc	Low
Product	pom	developer id	jfarcand	Low
Product	pom	developer id	jstrachan	Low
Product	pom	developer id	jvanzyl	Low
Product	pom	developer id	mbenson	Low
Product	pom	developer id	rahul	Low
Product	pom	developer id	rdonkin	Low
Product	pom	developer id	sanders	Low
Product	pom	developer id	simonetripodi	Low
Product	pom	developer id	skitching	Low
Product	pom	developer id	tobrien	Low
Product	pom	developer name	Craig McClanahan	Low
Product	pom	developer name	James Strachan	Low
Product	pom	developer name	Jason van Zyl	Low
Product	pom	developer name	Jean-Francois Arcand	Low
Product	pom	developer name	Matt Benson	Low
Product	pom	developer name	Rahul Akolkar	Low
Product	pom	developer name	Robert Burrell Donkin	Low
Product	pom	developer name	Scott Sanders	Low
Product	pom	developer name	Simon Kitching	Low
Product	pom	developer name	Simone Tripodi	Low
Product	pom	developer name	Tim OBrien	Low
Product	pom	groupid	org.apache.commons	Highest
Product	pom	name	Apache Commons Digester	High
Product	pom	parent-artifactid	commons-parent	Medium
Product	pom	url	http://commons.apache.org/digester/	Medium
Version	Manifest	Implementation-Version	3.2	High
Version	pom	parent-version	3.2	Low
Version	pom	version	3.2	Highest

Identifiers

- pkg:maven/org.apache.commons/commons-digester3@3.2 (Confidence:High)

help.zip: help.jar

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller
/server/build/tmp/dependencies/i-net Clear Reports/plugins/help.zip/help.jar

MD5: 3d7a4a34438ef37fe99b2c017eda39de

SHA1: 1ee8f77e981a67c4341771f79a19df2ac1ac183c

SHA256:d19e99efda693a5871f4cfa6ac5607289566bce0e1c8db91c0dbb739cedb8b2b

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	help	High
Vendor	jar	package name	help	Low
Vendor	jar	package name	inet	Low
Vendor	Manifest	built-date	2024-09-19 17:06	Low
Vendor	Manifest	implementation-group	shared	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	help	High
Product	jar	package name	help	Highest
Product	jar	package name	help	Low
Product	Manifest	built-date	2024-09-19 17:06	Low
Product	Manifest	implementation-group	shared	Low
Product	Manifest	Implementation-Title	help	High
Product	Manifest	specification-title	help	Medium
Version	Manifest	Implementation-Version	24.10.163	High

Identifiers

- None

help.zip: help.jar: app.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/help.zip/help.jar/com/inet/help/resources/js/app.js

MD5: 33e7e0d008199ab0d98395ed9868abc4

SHA1: b062faef11230309ec707c5cdc18976822367f0d

SHA256: 44fdf1156cbace5a1e53a2bd9147db3858861e9fc8c51c81410f44d34a6cb022

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

help.zip: help.jar: controller.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/help.zip/help.jar/com/inet/help/resources/js/controller.js

MD5: 2794600b6f3e7f2d77dbc49daec3dc4f

SHA1: 81eb1b85dbee3683e1efb2782f43902e8432886e

SHA256: 9de6c152ae6c3bb23e422cf5281c55dd17d13326979c2fdedf540304d2e06554

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

help.zip: help.jar: shared.factory.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/help.zip/help.jar/com/inet/help/resources/js/shared.factory.js

MD5: d9560114c61a027daa602124caa8f0bd

SHA1: a5199190b480c68dbd769d4186ed73b24849d83e

SHA256: 94a69c6c0d5950ecb14d3bb24e8ecc1a6bea836b79c165714257631fda39bf51

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

help.zip: help.jar: shared.highlighter.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/help.zip/help.jar/com/inet/help/resources/js/shared.highlighter.js

MD5: 89519d94e7239a3edb9aa847dc4ad933

SHA1: f85c6f02a034326315b2e4a71eff5baac51e601f

SHA256: d962320ae6469953d5c64d0fb6527a5d45d7ac7176f36bbd9b1524dc68af1f74

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

help.zip: jsoup.jar

Description:

jsoup is a Java library for working with real-world HTML. It provides a very convenient API for fetching URLs and extracting and manipulating data, using the best of HTML5 DOM methods and CSS selectors. jsoup implements the WHATWG HTML5 specification, and parses HTML to the same DOM as modern browsers do.

License:

The MIT License: <https://jsoup.org/license>

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/help.zip/jsoup.jar

MD5: 9d8108ff1fa767c93cb67267ec8c7542

SHA1: 5d39ff6d1b8331c376a04c50c6716afbcdfe567d

SHA256: a73a1eb5d02b51490547c46485e30f4f14e68af3624840b57abe8c4580a00b83

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	jsoup	High
Vendor	jar	package name	jsoup	Highest
Vendor	jar	package name	parser	Highest
Vendor	Manifest	automatic-module-name	org.jsoup	Medium
Vendor	Manifest	build-jdk-spec	17	Low
Vendor	Manifest	bundle-docurl	https://jsoup.org/	Low
Vendor	Manifest	bundle-symbolicname	org.jsoup	Medium
Vendor	Manifest	Implementation-Vendor	Jonathan Hedley	High
Vendor	pom	artifactid	jsoup	Low
Vendor	pom	developer email	jonathan@hedley.net	Low
Vendor	pom	developer id	jhy	Medium
Vendor	pom	developer name	Jonathan Hedley	Medium
Vendor	pom	groupid	org.jsoup	Highest
Vendor	pom	name	jsoup Java HTML Parser	High
Vendor	pom	organization name	Jonathan Hedley	High
Vendor	pom	organization url	https://jhy.io/	Medium
Vendor	pom	url	https://jsoup.org/	Highest
Product	file	name	jsoup	High
Product	jar	package name	jsoup	Highest
Product	jar	package name	parser	Highest
Product	Manifest	automatic-module-name	org.jsoup	Medium

Product	Manifest	build-jdk-spec	17	Low
Product	Manifest	bundle-docurl	https://jsoup.org/	Low
Product	Manifest	Bundle-Name	jsoup Java HTML Parser	Medium
Product	Manifest	bundle-symbolicname	org.jsoup	Medium
Product	Manifest	Implementation-Title	jsoup Java HTML Parser	High
Product	pom	artifactid	jsoup	Highest
Product	pom	developer email	jonathan@hedley.net	Low
Product	pom	developer id	jhy	Low
Product	pom	developer name	Jonathan Hedley	Low
Product	pom	groupid	org.jsoup	Highest
Product	pom	name	jsoup Java HTML Parser	High
Product	pom	organization name	Jonathan Hedley	Low
Product	pom	organization url	https://jhy.io/	Low
Product	pom	url	https://jsoup.org/	Medium
Version	Manifest	Bundle-Version	1.16.2	High
Version	Manifest	Implementation-Version	1.16.2	High
Version	pom	version	1.16.2	Highest

Identifiers

- [pkg:maven/org.jsoup/jsoup@1.16.2](#) (*Confidence:High*)
- [cpe:2.3:a:jsoup:jsoup:1.16.2:*:*:*:*:*](#) (*Confidence:Highest*)

suppress

htmlengine.zip: JWebEngine.jar

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/htmlengine.zip/JWebEngine.jar

MD5: e4ac14fc1a8e0aa6d69b91a0288dbfb6

SHA1: 2c9d359145d5145c4e8507146294706769a84f90

SHA256: ee833a2ab4608116713703e5d383d283967f536563a720499a93ef902b67a88e

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Vendor	file	name	JWebEngine	High
Vendor	jar	package name	html	Low
Vendor	jar	package name	inet	Low
Vendor	Manifest	application-library-allowable-codebase	*	Low
Vendor	Manifest	built-date	2024-09-19 01:23	Low
Vendor	Manifest	codebase	*	Low
Vendor	Manifest	implementation-group	lib	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	permissions	all-permissions	Low
Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	trusted-library	false	Low
Vendor	Manifest	trusted-only	false	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	JWebEngine	High
Product	jar	package name	html	Low
Product	Manifest	application-library-allowable-codebase	*	Low
Product	Manifest	built-date	2024-09-19 01:23	Low
Product	Manifest	codebase	*	Low
Product	Manifest	implementation-group	lib	Low
Product	Manifest	Implementation-Title	JWebEngine	High
Product	Manifest	permissions	all-permissions	Low
Product	Manifest	specification-title	JWebEngine	Medium
Product	Manifest	trusted-library	false	Low
Product	Manifest	trusted-only	false	Low
Version	Manifest	Implementation-Version	1.13.1410	High

Identifiers

- None

htmlengine.zip: htmengine.jar

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/htmlengine.zip/htmlengine.jar

MD5: d3fdfa30960e808a5266b74209cd9a0f

SHA1: 1d90e78154098c752fab99c8909cafdd2f348fa8

SHA256: 1b3dc37e4c0467592deb9630532bab666fdd49dcac6d6a2e5e1eaf8b57b5e41d

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	htmlengine	High
Vendor	jar	package name	htmlengine	Low
Vendor	jar	package name	inet	Low
Vendor	Manifest	built-date	2024-09-19 17:09	Low
Vendor	Manifest	implementation-group	shared	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	htmlengine	High
Product	jar	package name	hmtlengineserverplugin	Low
Product	jar	package name	htmlengine	Highest
Product	jar	package name	htmlengine	Low
Product	Manifest	built-date	2024-09-19 17:09	Low
Product	Manifest	implementation-group	shared	Low
Product	Manifest	Implementation-Title	htmlengine	High
Product	Manifest	specification-title	htmlengine	Medium
Version	Manifest	Implementation-Version	24.10.163	High

Identifiers

- None

htmlviewer.printpdf.zip: htmlviewer.printpdf.sample.jar

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/htmlviewer.printpdf.zip/htmlviewer.printpdf.sample.jar

MD5: 7a64bbb79b89c88a6f36fd540f39770f

SHA1: f3daff9c1828d7e93c809de5a0b1c7e4b32c6fac

SHA256:0d507fa4f6fc6b9227d2fc2f93499b5e90fec7c06819bf5194c021009d9853bb

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	htmlviewer.printpdf.sample	High
Vendor	jar	package name	htmlviewer	Low
Vendor	jar	package name	inet	Low
Vendor	jar	package name	printpdf	Low
Vendor	Manifest	built-date	2024-09-19 18:15	Low
Vendor	Manifest	implementation-group	reporting	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	htmlviewer.printpdf.sample	High
Product	jar	package name	htmlviewer	Highest
Product	jar	package name	htmlviewer	Low
Product	jar	package name	htmlviewerprintviapdfplugin	Low
Product	jar	package name	printpdf	Highest
Product	jar	package name	printpdf	Low
Product	Manifest	built-date	2024-09-19 18:15	Low
Product	Manifest	implementation-group	reporting	Low

Product	Manifest	Implementation-Title	htmlviewer.printpdf	High
Product	Manifest	specification-title	htmlviewer.printpdf	Medium
Version	Manifest	Implementation-Version	24.10.163	High

Related Dependencies

- htmlviewer.printpdf.zip: htmlviewer.printpdf.sample.jar
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/Documentation and Samples /Plugin - Samples/HtmlViewerPrintViaPDFPlugin/htmlviewer.printpdf.zip /htmlviewer.printpdf.sample.jar
 - MD5: 7a64bbb79b89c88a6f36fd540f39770f
 - SHA1: f3daff9c1828d7e93c809de5a0b1c7e4b32c6fac
 - SHA256: 0d507fa4f6fc6b9227d2fc2f93499b5e90fec7c06819bf5194c021009d9853bb

Identifiers

- None

htmlviewer.printpdf.zip: htmlviewer.printpdf.sample.jar: extension.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller /server/build/tmp/dependencies/i-net Clear Reports/plugins/htmlviewer.printpdf.zip/htmlviewer.printpdf.sample.jar/com/inet/htmlviewer/printpdf/extension.js

MD5: 6acd647a1c8e76ce288ea5bc648fe7ff

SHA1: ca08f75aa6267e5a5a020439e93569bde8f89b90

SHA256: abb13c8bbc2cdefabce3cc24b80bee4393f9e28a452389e7abfdae9592568934

Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies

- htmlviewer.printpdf.zip: htmlviewer.printpdf.sample.jar: extension.js
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/Documentation and Samples /Plugin - Samples/HtmlViewerPrintViaPDFPlugin/htmlviewer.printpdf.zip /htmlviewer.printpdf.sample.jar/com/inet/htmlviewer/printpdf/extension.js
 - MD5: 6acd647a1c8e76ce288ea5bc648fe7ff
 - SHA1: ca08f75aa6267e5a5a020439e93569bde8f89b90
 - SHA256: abb13c8bbc2cdefabce3cc24b80bee4393f9e28a452389e7abfdae9592568934

Identifiers

- None

htmlviewer.toolbar.zip: htmlviewer.toolbar.jar

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/htmlviewer.toolbar.zip/htmlviewer.toolbar.jar
MD5: e47a5bd4b14d88eeb1a52b8ed0b53be2
SHA1: b97fdfaa75177322e0973492fc747aa97b2df7fc
SHA256:6b5c4793ed660b787c57d723b7cccf4a682a700f636bbb954f2eca01d4b40952
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	htmlviewer.toolbar	High
Vendor	jar	package name	htmlviewer	Low
Vendor	jar	package name	inet	Low
Vendor	Manifest	built-date	2024-09-19 18:32	Low
Vendor	Manifest	implementation-group	reporting	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	htmlviewer.toolbar	High
Product	jar	package name	htmlviewer	Highest
Product	jar	package name	htmlviewer	Low
Product	Manifest	built-date	2024-09-19 18:32	Low
Product	Manifest	implementation-group	reporting	Low
Product	Manifest	Implementation-Title	htmlviewer.toolbar	High
Product	Manifest	specification-title	htmlviewer.toolbar	Medium
Version	Manifest	Implementation-Version	24.10.163	High

Identifiers

- None

htmlviewer.toolbar.zip: htmlviewer.toolbar.jar: htmlviewer.angular.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/htmlviewer.toolbar.zip/htmlviewer.toolbar.jar/com/inet/htmlviewer/client/htmlviewer.angular.js
MD5: 91217e8c67fba6941bf2d0ab48ba2395
SHA1: fa39a89c256a3c0fb4898e0c22bea108b86f46d0
SHA256:e3aa6737380008451dcacf400959fe23fc34901d74aa11a90d51121800306797
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

htmlviewerextension.zip: htmlviewerextension.sample.jar

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/htmlviewerextension.zip/htmlviewerextension.sample.jar
MD5: 5be1315a5717ae0f77805fa527744295
SHA1: bd0f6aa9f85f6e5df0246be35dddec87cc5d113d
SHA256:6be7285cd5077a7a10ed93732540a17d822f12bec2dda07b460630cd289b8cb7
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence
Vendor	file	name	htmlviewerextension.sample	High
Vendor	jar	package name	htmlviewer	Low
Vendor	jar	package name	inet	Low
Vendor	jar	package name	samples	Low
Vendor	Manifest	built-date	2024-09-19 18:15	Low

Vendor	Manifest	implementation-group	reporting	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	htmlviewerextension.sample	High
Product	jar	package name	htmlviewer	Low
Product	jar	package name	htmlviewerextensionplugin	Low
Product	jar	package name	samples	Low
Product	Manifest	built-date	2024-09-19 18:15	Low
Product	Manifest	implementation-group	reporting	Low
Product	Manifest	Implementation-Title	htmlviewerextension	High
Product	Manifest	specification-title	htmlviewerextension	Medium
Version	Manifest	Implementation-Version	24.10.163	High

Related Dependencies



- htmlviewerextension.zip: htmlviewerextension.sample.jar
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/Documentation and Samples /Plugin - Samples/HtmlViewerExtensionPlugin/htmlviewerextension.zip/htmlviewerextension.sample.jar
 - MD5: 5be1315a5717ae0f77805fa527744295
 - SHA1: bd0f6aa9f85f6e5df0246be35dddec87cc5d113d
 - SHA256: 6be7285cd5077a7a10ed93732540a17d822f12bec2dda07b460630cd289b8cb7

Identifiers

- None

htmlviewerextension.zip: htmlviewerextension.sample.jar: extension.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/htmlviewerextension.zip/htmlviewerextension.sample.jar/com/inet/samples/htmlviewer/extension.js

MD5: d5cfbcaea8c127118769cd47eac8f79d
SHA1: a270f777e85e4e3c6aef999a28772502961e05b1
SHA256: e17df4a8a810c44520630741e780dc1abf9ede140dc6d66438cb1741bb5edb1c
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies

- htmlviewerextension.zip: htmlviewerextension.sample.jar: extension.js
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/Documentation and Samples /Plugin - Samples/HtmlViewerExtensionPlugin/htmlviewerextension.zip /htmlviewerextension.sample.jar/com/inet/samples/htmlviewer/extension.js
 - MD5: d5cfbcaea8c127118769cd47eac8f79d
 - SHA1: a270f777e85e4e3c6aef999a28772502961e05b1
 - SHA256: e17df4a8a810c44520630741e780dc1abf9ede140dc6d66438cb1741bb5edb1c

Identifiers

- None

inetcore-24.10-tools.jar

File Path: /home/jenkins/.gradle/caches/modules-2/files-2.1/shared/inetcore/24.10 /ca5d254e42f3c2b8633b60a1373860805b368516/inetcore-24.10-tools.jar
MD5: 678620eeb9e64b2cd3ff2c23075ed459
SHA1: ca5d254e42f3c2b8633b60a1373860805b368516
SHA256: 043b1db7fa61cd1d1808be185e473e85a1bbb2945e690aca6e05a888648c6578
Referenced In Project/Scope: server:inetPlugin
Included by: pkg:maven/clear-reports/server@24.10

Evidence

Type	Source	Name	Value	Confidence
Vendor	file	name	inetcore	High
Vendor	gradle	artifactid	inetcore	Highest
Vendor	gradle	groupid	shared	Highest
Vendor	jar	package name	test	Low
Product	file	name	inetcore	High
Product	gradle	artifactid	inetcore	Highest

Version	file	name	inetcore	Medium
Version	file	version	24.10	High
Version	gradle	version	24.10	Highest

Identifiers

- [pkg:maven/shared/inetcore@24.10](#) (*Confidence*:Highest)

inetcore-24.10.jar (shaded: com.inet.shared:inetcore:null)

Description:

A blend composite defines the rule according to which a drawing primitive (known as the source) is mixed with existing graphics (known as the destination.)

ColorUtilities contains a set of tools to perform common color operations easily.

License:

LGPL: <http://www.gnu.org/licenses/lgpl.txt>

File Path: /home/jenkins/.gradle/caches/modules-2/files-2.1/shared/inetcore/24.10/bdc8ea84cb29d8aeb7bec894ec3fbac2a4420cb4/inetcore-24.10.jar/META-INF/com/inet/shared/utis/BlendComposite/pom.xml

MD5: b7bc59004e73f85cce4369bc5e034e6b

SHA1: 9caff88589bdd8fdc3c3f320340b76830f3818de

SHA256: aab973b164e2d64808cd34c47b78399c4f016ec308900f5393733d3bc5c706bc

Referenced In Projects/Scopes:

- server
- server:inetPlugin

Evidence



Type	Source	Name	Value	Confidence
Vendor	pom	artifactid	inetcore	Low
Vendor	pom	developer email	contact@inetsoftware.de	Low
Vendor	pom	developer email	morgand@apache.org	Low
Vendor	pom	developer id	inetsoftware	Medium
Vendor	pom	developer id	romainguy	Medium
Vendor	pom	developer id	sun	Medium
Vendor	pom	developer name	i-net /// software	Medium
Vendor	pom	developer name	Romain Guy	Medium
Vendor	pom	developer name	Sun	Medium
Vendor	pom	developer org	Sun	Medium

Vendor	pom	groupid	com.inet.shared	Highest
Vendor	pom	name	BlendComposite and ColorUtils	High
Vendor	pom (hint)	developer id	oracle	Medium
Vendor	pom (hint)	developer name	oracle	Medium
Vendor	pom (hint)	developer org	oracle	Medium
Product	pom	artifactid	inetcore	Highest
Product	pom	developer email	contact@inetsoftware.de	Low
Product	pom	developer email	morgand@apache.org	Low
Product	pom	developer id	inetsoftware	Low
Product	pom	developer id	romainguy	Low
Product	pom	developer id	sun	Low
Product	pom	developer name	i-net /// software	Low
Product	pom	developer name	Romain Guy	Low
Product	pom	developer name	Sun	Low
Product	pom	developer org	Sun	Low
Product	pom	groupid	com.inet.shared	Highest
Product	pom	name	BlendComposite and ColorUtils	High

Identifiers

- None

inetcore-24.10.jar

File Path: /home/jenkins/.gradle/caches/modules-2/files-2.1/shared/inetcore/24.10/bdc8ea84cb29d8aeb7bec894ec3fbac2a4420cb4/inetcore-24.10.jar

MD5: 40bf1504c3ea84641f76dea3f2cc5375

SHA1: bdc8ea84cb29d8aeb7bec894ec3fbac2a4420cb4

SHA256: 4d0a8b93d715355744e3bd24372fbeb39aa9d9cf1a03cfd440723bd4a0c2d9

Referenced In Projects/Scopes:

- server
- server:inetPlugin

Included by: pkg:maven/clear-reports/server@24.10

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	inetcore	High
Vendor	gradle	artifactid	inetcore	Highest
Vendor	gradle	groupid	shared	Highest
Vendor	jar	package name	i	Highest
Vendor	jar	package name	inet	Low
Vendor	Manifest	application-library-allowable-codebase	*	Low
Vendor	Manifest	built-date	2024-09-19 16:28	Low
Vendor	Manifest	codebase	*	Low
Vendor	Manifest	implementation-group	shared	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	permissions	all-permissions	Low
Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	trusted-library	false	Low
Vendor	Manifest	trusted-only	false	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	inetcore	High
Product	gradle	artifactid	inetcore	Highest
Product	jar	package name	permissions	Highest
Product	jar	package name	shared	Highest
Product	Manifest	application-library-allowable-codebase	*	Low
Product	Manifest	built-date	2024-09-19 16:28	Low
Product	Manifest	codebase	*	Low
Product	Manifest	implementation-group	shared	Low
Product	Manifest	Implementation-Title	inetcore	High
Product	Manifest	permissions	all-permissions	Low
Product	Manifest	specification-title	inetcore	Medium
Product	Manifest	trusted-library	false	Low

Product	Manifest	trusted-only	false	Low
Version	file	name	inetcore	Medium
Version	file	version	24.10	High
Version	gradle	version	24.10	Highest
Version	jar	package name	permissions	Highest
Version	jar	package name	shared	Highest
Version	Manifest	Implementation-Version	24.10.163	High

Related Dependencies

- inetcore.jar
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/core/inetcore.jar
 - MD5: 40bf1504c3ea84641f76dea3f2cc5375
 - SHA1: bdc8ea84cb29d8aeb7bec894ec3fbac2a4420cb4
 - SHA256: 4d0a8b93d715355744e3bd24372fbeb39aa9d9cf1a03cfd440723bd4a0c2d9

Identifiers

- [pkg:maven/shared/inetcore@24.10](#) (*Confidence*:Highest)

inetloggeradapter.jar

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/core/inetloggeradapter.jar

MD5: 5040e7f3e151e0e870fd34b4ea2fa8c3

SHA1: 961e754a0df53db1f100fda00c432d99e18adae1

SHA256:ba452aaef2cb251f1ffc02a2ac4fd99df79991cb8fb4ec9255ca9a3e46241e7

Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence
Vendor	file	name	inetloggeradapter	High
Vendor	jar	package name	inet	Low
Vendor	jar	package name	slf4j	Low
Vendor	Manifest	application-library-allowable-codebase	*	Low

Vendor	Manifest	built-date	2024-09-19 16:57	Low
Vendor	Manifest	codebase	*	Low
Vendor	Manifest	implementation-group	shared	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	permissions	all-permissions	Low
Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	trusted-library	false	Low
Vendor	Manifest	trusted-only	false	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	inetloggeradapter	High
Product	jar	package name	slf4j	Low
Product	Manifest	application-library-allowable-codebase	*	Low
Product	Manifest	built-date	2024-09-19 16:57	Low
Product	Manifest	codebase	*	Low
Product	Manifest	implementation-group	shared	Low
Product	Manifest	Implementation-Title	i-net Logger Adapter	High
Product	Manifest	permissions	all-permissions	Low
Product	Manifest	specification-title	inetloggeradapter	Medium
Product	Manifest	trusted-library	false	Low
Product	Manifest	trusted-only	false	Low
Version	Manifest	Implementation-Version	24.10.163	High

Identifiers

- None

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller /server/build/tmp/dependencies/i-net Clear Reports .NET Bridge/inetsoftware.Reporting.dll

MD5: 94f4bf7671d0467d81037343a6814f13

SHA1: 6abb8dcd5244df8a56300974919966b74033aa0a

SHA256: 0238fbb34be4e7f868f87c8dbe1d140241b2c6ef15f7752d68b3c802e555911e

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	inetsoftware.Reporting	High
Product	file	name	inetsoftware.Reporting	High

Identifiers

- None

inetsoftware.Reporting.dll

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller /server/build/tmp/dependencies/i-net Clear Reports .NET Bridge/strongly named/inetsoftware.Reporting.dll

MD5: 807b3eb6210435d5332d1f1643fa8d67

SHA1: 4ad7b59223b2b2db3fc574dc2d3b814dadaeadc6

SHA256: cf9fe4525cebc33ad5f8825180a5da05a9f5eab33f9bbc6bc1c440bd0f9d2a76

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	inetsoftware.Reporting	High
Product	file	name	inetsoftware.Reporting	High

Identifiers

- None

jakarta.servlet-api.jar

Description:

License:EPL 2.0: <http://www.eclipse.org/legal/epl-2.0>GPL2 w/ CPE: <https://www.gnu.org/software/classpath/license.html>**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/core/jakarta.servlet-api.jar**MD5:** f5d1d7a29978e4ae0be5a456ee1c65c3**SHA1:** b8a1142e04838fe54194049c6e7a18dae8f9b960**SHA256:** 586e27706c21258f5882f43be06904f49b02db9ac54e345d393fe4a32494d127**Referenced In Project/Scope:** server**Evidence**

Type	Source	Name	Value	Confidence
Vendor	file	name	jakarta.servlet-api	High
Vendor	jar	package name	javax	Highest
Vendor	jar	package name	servlet	Highest
Vendor	Manifest	automatic-module-name	java.servlet	Medium
Vendor	Manifest	bundle-docurl	https://www.eclipse.org	Low
Vendor	Manifest	bundle-symbolicname	jakarta.servlet-api	Medium
Vendor	Manifest	extension-name	javax.servlet	Medium
Vendor	Manifest	Implementation-Vendor	Eclipse Foundation	High
Vendor	Manifest	Implementation-Vendor-Id	org.eclipse	Medium
Vendor	Manifest	specification-vendor	Eclipse Foundation	Low
Vendor	pom	artifactid	jakarta.servlet-api	Low
Vendor	pom	developer id	yaminikb	Medium
Vendor	pom	developer name	Yamini K B	Medium
Vendor	pom	developer org	Oracle Corporation	Medium
Vendor	pom	developer org URL	http://www.oracle.com/	Medium
Vendor	pom	groupid	jakarta.servlet	Highest
Vendor	pom	name	Jakarta Servlet	High
Vendor	pom	parent-artifactid	project	Low
Vendor	pom	parent-groupid	org.eclipse.ee4j	Medium
Vendor	pom	url	https://projects.eclipse.org/projects/ee4j.servlet	Highest
Product	file	name	jakarta.servlet-api	High

Product	jar	package name	javax	Highest
Product	jar	package name	servlet	Highest
Product	Manifest	automatic-module-name	java.servlet	Medium
Product	Manifest	bundle-docurl	https://www.eclipse.org	Low
Product	Manifest	Bundle-Name	Jakarta Servlet	Medium
Product	Manifest	bundle-symbolicname	jakarta.servlet-api	Medium
Product	Manifest	extension-name	javax.servlet	Medium
Product	pom	artifactid	jakarta.servlet-api	Highest
Product	pom	developer id	yaminikb	Low
Product	pom	developer name	Yamini K B	Low
Product	pom	developer org	Oracle Corporation	Low
Product	pom	developer org URL	http://www.oracle.com/	Low
Product	pom	groupid	jakarta.servlet	Highest
Product	pom	name	Jakarta Servlet	High
Product	pom	parent-artifactid	project	Medium
Product	pom	parent-groupid	org.eclipse.ee4j	Medium
Product	pom	url	https://projects.eclipse.org/projects/ee4j.servlet	Medium
Version	Manifest	Implementation-Version	4.0.4	High
Version	pom	parent-version	4.0.4	Low
Version	pom	version	4.0.4	Highest

Identifiers

- [pkg:maven/jakarta.servlet/jakarta.servlet-api@4.0.4](https://maven.apache.org/pom.html#pkg:maven/jakarta.servlet/jakarta.servlet-api@4.0.4) (*Confidence:High*)
- cpe:2.3:a:oracle:projects:4.0.4:*:*:*:*:* (*Confidence:Low*)

suppress

jakarta.websocket-api.jar

Description:

Jakarta WebSocket - Server API

License:

<https://projects.eclipse.org/license/epl-2.0>, <https://projects.eclipse.org/license/secondary-gpl-2.0-cp>

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/core/jakarta.websocket-api.jar

MD5: 60cc2e06d3a1e5ea820f8aed5cdb1728

SHA1: 69c2fd7b75081cc935bc9d6c5616d12b0b73815f

SHA256: e2f4e99e04130a29fc8e57e334fa029e96e2ca6672ba0166585c59d19798904c

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	jakarta.websocket-api	High
Vendor	jar	package name	javax	Highest
Vendor	jar	package name	server	Highest
Vendor	jar	package name	websocket	Highest
Vendor	Manifest	bundle-docurl	https://www.eclipse.org	Low
Vendor	Manifest	bundle-symbolicname	javax.websocket-api	Medium
Vendor	Manifest	extension-name	javax.websocket	Medium
Vendor	pom	artifactid	jakarta.websocket-api	Low
Vendor	pom	groupid	jakarta.websocket	Highest
Vendor	pom	name	Jakarta WebSocket - Server API	High
Vendor	pom	parent-artifactid	jakarta.websocket-all	Low
Vendor	pom	url	https://projects.eclipse.org/projects/ee4j.websocket	Highest
Product	file	name	jakarta.websocket-api	High
Product	jar	package name	javax	Highest
Product	jar	package name	server	Highest
Product	jar	package name	websocket	Highest
Product	Manifest	bundle-docurl	https://www.eclipse.org	Low
Product	Manifest	Bundle-Name	Jakarta WebSocket - Server API	Medium
Product	Manifest	bundle-symbolicname	javax.websocket-api	Medium
Product	Manifest	extension-name	javax.websocket	Medium
Product	pom	artifactid	jakarta.websocket-api	Highest
Product	pom	groupid	jakarta.websocket	Highest
Product	pom	name	Jakarta WebSocket - Server API	High
Product	pom	parent-artifactid	jakarta.websocket-all	Medium
Product	pom	url	https://projects.eclipse.org/projects/ee4j.websocket	Medium

Version	Manifest	Bundle-Version	1.1.2	High
Version	Manifest	Implementation-Version	1.1.2	High
Version	pom	version	1.1.2	Highest

Identifiers

- <pkg:maven/jakarta.websocket/jakarta.websocket-api@1.1.2> (Confidence:High)

java-21-jre-x64-linux.tar.gz: java-21-jre-x64-linux.tar: jrt-fs.jar

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/java-21-jre-x64-linux.tar.gz/java-21-jre-x64-linux.tar/jre-11/lib/jrt-fs.jar

MD5: f04d1ba62928b585e87cd55c93fd1350

SHA1: 993a9cab7dd990e1f10a565d31d024d236859b4e

SHA256: e697f3c1872ec3bd995b0f0e3ef24156b2cb94634fbf6a080ce8c783cf8fb68d

Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence
Vendor	file	name	jrt-fs	High
Vendor	jar	package name	internal	Low
Vendor	jar	package name	jdk	Low
Vendor	jar	package name	jimage	Low
Vendor	Manifest	Implementation-Vendor	Eclipse Adoptium	High
Vendor	Manifest	specification-vendor	Oracle Corporation	Low
Product	file	name	jrt-fs	High
Product	jar	package name	internal	Low
Product	jar	package name	jimage	Low
Product	Manifest	Implementation-Title	Java Runtime Environment	High
Product	Manifest	specification-title	Java Platform API Specification	Medium
Version	Manifest	Implementation-Version	21.0.3	High

Identifiers

• [cpe:2.3:a:eclipse:platform:21.0.3:.*:.*:.*:.*](#) (Confidence:Medium) suppress

javase.jar

Description:

Java SE-specific extensions to core ZXing library

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/lib/beans/zxing/javase.jar

MD5: 1a5b45e1a7235398bdccfbc94a287d0c

SHA1: 55d93bb3ffee425a7be56cd6ff572fb64ac84593

SHA256: d65795b789efac8a2156cb2a4b648d20e58bfe03613165bb5dce6870ecef798e

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	javase	High
Vendor	jar	package name	google	Highest
Vendor	jar	package name	zxing	Highest
Vendor	Manifest	automatic-module-name	com.google.zxing.javase	Medium
Vendor	Manifest	build-jdk-spec	1.8	Low
Vendor	pom	artifactid	javase	Low
Vendor	pom	groupid	com.google.zxing	Highest
Vendor	pom	name	ZXing Java SE extensions	High
Vendor	pom	parent-artifactid	zxing-parent	Low
Product	file	name	javase	High
Product	jar	package name	google	Highest
Product	jar	package name	zxing	Highest
Product	Manifest	automatic-module-name	com.google.zxing.javase	Medium
Product	Manifest	build-jdk-spec	1.8	Low
Product	pom	artifactid	javase	Highest
Product	pom	groupid	com.google.zxing	Highest
Product	pom	name	ZXing Java SE extensions	High
Product	pom	parent-artifactid	zxing-parent	Medium
Version	pom	version	3.5.3	Highest

Identifiers

- [pkg:maven/com.google.zxing/javase@3.5.3](https://mvnrepository.com/artifact/com.google.zxing/javase/3.5.3) (*Confidence:High*)

jeuclid-core.jar

Description:

This is the core module containing the basic JEuclid rendering and document handling classes.

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/lib/beans/jeuclid-core.jar

MD5: 4d3b8aeb80327b2b8ae74c32b7c77432

SHA1: df34d11b83e17a5eec1d922e55f8283a1c531fd9

SHA256: 3157e56f8fe47b051a5902d52976e7929eadf97f4d5d93cdac8433054ad026ef

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	jeuclid-core	High
Vendor	jar	package name	jeuclid	Highest
Vendor	jar	package name	net	Highest
Vendor	jar	package name	sourceforge	Highest
Vendor	Manifest	Implementation-Vendor	The JEuclid project	High
Vendor	Manifest	Implementation-Vendor-Id	net.sourceforge.jeuclid	Medium
Vendor	Manifest	specification-vendor	The JEuclid project	Low
Vendor	pom	artifactid	jeuclid-core	Low
Vendor	pom	groupid	net.sourceforge.jeuclid	Highest
Vendor	pom	name	JEuclid Core Module	High
Vendor	pom	parent-artifactid	jeuclid-parent	Low
Product	file	name	jeuclid-core	High
Product	jar	package name	jeuclid	Highest
Product	jar	package name	net	Highest
Product	jar	package name	sourceforge	Highest
Product	Manifest	Implementation-Title	JEuclid Core Module	High
Product	Manifest	specification-title	JEuclid Core Module	Medium

Product	pom	artifactid	jeuclid-core	Highest
Product	pom	groupid	net.sourceforge.jeuclid	Highest
Product	pom	name	JEuclid Core Module	High
Product	pom	parent-artifactid	jeuclid-parent	Medium
Version	Manifest	Implementation-Version	3.0.3	High
Version	pom	version	3.0.3	Highest

Identifiers

- [pkg:maven/net.sourceforge.jeuclid/jeuclid-core@3.0.3](https://maven.apache.org/repositories/m2/repository/net/sourceforge/jeuclid/jeuclid-core/3.0.3/) (*Confidence:High*)

jlessc-1.12.jar

File Path: /home/jenkins/.gradle/caches/modules-2/files-2.1/de.inetsoftware/jlessc/1.12/8ea5dba973ee8e969a243e08e47a27ca48121b5c/jlessc-1.12.jar

MD5: 8e0d57ed6e6809be8002db58024c370e

SHA1: 8ea5dba973ee8e969a243e08e47a27ca48121b5c

SHA256: 0969bc655eba47f824791ef12ed90c96baac2238a775b0ceaa0921deeb6681f8

Referenced In Projects/Scopes:

- server
- server:inetPlugin

Included by: pkg:maven/clear-reports/server@24.10

Evidence

Type	Source	Name	Value	Confidence
Vendor	file	name	jlessc	High
Vendor	gradle	artifactid	jlessc	Highest
Vendor	gradle	groupid	de.inetsoftware	Highest
Vendor	jar	package name	inet	Low
Vendor	jar	package name	less	Low
Vendor	jar	package name	lib	Low
Vendor	Manifest	automatic-module-name	de.inetsoftware.jlessc	Medium
Vendor	Manifest	bundle-symbolicname	de.inetsoftware.jlessc	Medium
Vendor	Manifest	Implementation-Vendor	i-net software GmbH, Berlin, Germany	High

Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Product	file	name	jlessc	High
Product	gradle	artifactid	jlessc	Highest
Product	jar	package name	less	Low
Product	jar	package name	lib	Low
Product	Manifest	automatic-module-name	de.inetsoftware.jlessc	Medium
Product	Manifest	bundle-symbolicname	de.inetsoftware.jlessc	Medium
Product	Manifest	Implementation-Title	JLessC, a Less CSS compiler	High
Version	file	version	1.12	High
Version	Manifest	Implementation-Version	1.12	High

Related Dependencies

- theme.zip: jlessc.jar
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/theme.zip/jlessc.jar
 - MD5: 8e0d57ed6e6809be8002db58024c370e
 - SHA1: 8ea5dba973ee8e969a243e08e47a27ca48121b5c
 - SHA256: 0969bc655eba47f824791ef12ed90c96baac2238a775b0ceaa0921deeb6681f8

Identifiers

- [pkg:maven/de.inetsoftware/jlessc@1.12](#) (*Confidence: Highest*)

jna.jar

Description:

JNA Library

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/lib/driver/jna.jar

MD5: 9bb1338e58031463c300f643cb3c41fa

SHA1: d9c6794f22c2e3c846b02d51c6a95c304e8e056b

SHA256: 336f2ae25222389eb9f3c90f8f7c3a6258c33581964b2338bf836b3b865b049e

Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence
Vendor	file	name	jna	High
Vendor	jar	package name	jna	Highest
Vendor	jar	package name	jna	Low
Vendor	jar	package name	sun	Highest
Vendor	jar	package name	sun	Low
Vendor	jar (hint)	package name	oracle	Highest
Vendor	jar (hint)	package name	oracle	Low
Vendor	Manifest	automatic-module-name	com.sun.jna	Medium
Vendor	Manifest	bundle-activationpolicy	lazy	Low
Vendor	Manifest	bundle-category	jni	Low
Vendor	Manifest	bundle-nativecode	com/sun/jna/win32-x86/jnidispatch.dll; processor=x86;osname=win32, com/sun/jna/win32-x86-64/jnidispatch.dll; processor=x86-64;osname=win32, com/sun/jna/win32-aarch64/jnidispatch.dll; processor=aarch64; osname=win32, com/sun/jna/win32-x86/jnidispatch.dll; processor=x86;osname=win, com/sun/jna/win32-x86-64/jnidispatch.dll; processor=x86-64;osname=win, com/sun/jna/win32-aarch64/jnidispatch.dll; processor=aarch64;osname=win, com/sun/jna/w32ce-arm/jnidispatch.dll; processor=arm;osname=wince, com/sun/jna/sunos-x86/libjnidispatch.so; processor=x86; osname=sunos, com/sun/jna/sunos-x86-64/libjnidispatch.so; processor=x86-64; osname=sunos, com/sun/jna/sunos-sparc/libjnidispatch.so; processor=sparc; osname=sunos, com/sun/jna/sunos-sparcv9/libjnidispatch.so; processor=sparcv9; osname=sunos, com/sun/jna/aix-ppc/libjnidispatch.a; processor=ppc; osname=aix, com/sun/jna/aix-ppc64/libjnidispatch.a; processor=ppc64; osname=aix, com/sun/jna/linux-ppc/libjnidispatch.so; processor=ppc; osname=linux, com/sun/jna/linux-ppc64/libjnidispatch.so; processor=ppc64; osname=linux, com/sun/jna/linux-ppc64le/libjnidispatch.so; processor=ppc64le; osname=linux, com/sun/jna/linux-x86/libjnidispatch.so; processor=x86; osname=linux, com/sun/jna/linux-x86-64/libjnidispatch.so; processor=x86-64; osname=linux, com/sun/jna/linux-arm/libjnidispatch.so; processor=arm; osname=linux, com/sun/jna/linux-arm/libjnidispatch.so; processor=arm_le; osname=linux, com/sun/jna/linux-armel/libjnidispatch.so; processor=armel; osname=linux, com/sun/jna/linux-aarch64/libjnidispatch.so; processor=aarch64;	Low

			osname=linux, com/sun/jna/linux-ia64 /libjnidispatch.so; processor=ia64; osname=linux, com/sun/jna/linux-sparcv9 /libjnidispatch.so; processor=sparcv9; osname=linux, com/sun/jna/linux-mips64el /libjnidispatch.so; processor=mips64el; osname=linux, com/sun/jna/linux-s390x /libjnidispatch.so; processor=S390x; osname=linux, com/sun/jna/linux- loongarch64/libjnidispatch.so; processor=loongarch64;osname=linux, com /sun/jna/freebsd-x86/libjnidispatch.so; processor=x86;osname=freebsd, com/sun /jna/freebsd-x86-64/libjnidispatch.so; processor=x86-64;osname=freebsd, com /sun/jna/openbsd-x86/libjnidispatch.so; processor=x86;osname=openbsd, com/sun /jna/openbsd-x86-64/libjnidispatch.so; processor=x86-64;osname=openbsd, com /sun/jna/darwin-ppc/libjnidispatch.jnilib; osname=macosx;processor=ppc, com/sun /jna/darwin-ppc64/libjnidispatch.jnilib; osname=macosx;processor=ppc64, com/sun /jna/darwin-x86/libjnidispatch.jnilib; osname=macosx;processor=x86, com/sun /jna/darwin-x86-64/libjnidispatch.jnilib; osname=macosx;processor=x86-64, com /sun/jna/darwin-aarch64/libjnidispatch.jnilib; osname=macosx;processor=aarch64	
Vendor	Manifest	bundle- requiredexecution	JavaSE-1.6	Low
Vendor	Manifest	bundle- symbolicname	com.sun.jna	Medium
Vendor	Manifest	Implementation- Vendor	JNA Development Team	High
Vendor	Manifest	specification- vendor	JNA Development Team	Low
Product	file	name	jna	High
Product	jar	package name	jna	Highest
Product	jar	package name	jna	Low
Product	jar	package name	library	Highest
Product	jar	package name	native	Highest
Product	jar	package name	sun	Highest
Product	jar	package name	win32	Highest
Product	Manifest	automatic- module-name	com.sun.jna	Medium
Product	Manifest	bundle- activationpolicy	lazy	Low
Product	Manifest	bundle-category	jni	Low
Product	Manifest	Bundle-Name	jna	Medium
Product	Manifest	bundle- nativecode	com/sun/jna/win32-x86/jnidispatch.dll; processor=x86;osname=win32, com/sun/jna /win32-x86-64/jnidispatch.dll; processor=x86-	Low

64;osname=win32, com/sun/jna/win32-aarch64/jnidispatch.dll; processor=aarch64; osname=win32, com/sun/jna/win32-x86/jnidispatch.dll; processor=x86;osname=win, com/sun/jna/win32-x86-64/jnidispatch.dll; processor=x86-64;osname=win, com/sun/jna/win32-aarch64/jnidispatch.dll; processor=aarch64;osname=win, com/sun/jna/w32ce-arm/jnidispatch.dll; processor=arm;osname=wince, com/sun/jna/sunos-x86/libjniidispach.so; processor=x86; osname=sunos, com/sun/jna/sunos-x86-64/libjniidispach.so; processor=x86-64; osname=sunos, com/sun/jna/sunos-sparc/libjniidispach.so; processor=sparc; osname=sunos, com/sun/jna/sunos-sparcv9/libjniidispach.so; processor=sparcv9; osname=sunos, com/sun/jna/aix-ppc/libjniidispach.a; processor=ppc; osname=aix, com/sun/jna/aix-ppc64/libjniidispach.a; processor=ppc64; osname=aix, com/sun/jna/linux-ppc/libjniidispach.so; processor=ppc; osname=linux, com/sun/jna/linux-ppc64/libjniidispach.so; processor=ppc64; osname=linux, com/sun/jna/linux-ppc64le/libjniidispach.so; processor=ppc64le; osname=linux, com/sun/jna/linux-x86/libjniidispach.so; processor=x86; osname=linux, com/sun/jna/linux-x86-64/libjniidispach.so; processor=x86-64; osname=linux, com/sun/jna/linux-arm/libjniidispach.so; processor=arm; osname=linux, com/sun/jna/linux-arm/libjniidispach.so; processor=arm_le; osname=linux, com/sun/jna/linux-armel/libjniidispach.so; processor=armel; osname=linux, com/sun/jna/linux-aarch64/libjniidispach.so; processor=aarch64; osname=linux, com/sun/jna/linux-ia64/libjniidispach.so; processor=ia64; osname=linux, com/sun/jna/linux-sparcv9/libjniidispach.so; processor=sparcv9; osname=linux, com/sun/jna/linux-mips64el/libjniidispach.so; processor=mips64el; osname=linux, com/sun/jna/linux-s390x/libjniidispach.so; processor=S390x; osname=linux, com/sun/jna/linux-loongarch64/libjniidispach.so; processor=loongarch64;osname=linux, com/sun/jna/freebsd-x86/libjniidispach.so; processor=x86;osname=freebsd, com/sun/jna/freebsd-x86-64/libjniidispach.so; processor=x86-64;osname=freebsd, com/sun/jna/openbsd-x86/libjniidispach.so; processor=x86;osname=openbsd, com/sun/jna/openbsd-x86-64/libjniidispach.so; processor=x86-64;osname=openbsd, com/sun/jna/darwin-ppc/libjniidispach.jnilib; osname=macosx;processor=ppc, com/sun/jna/darwin-ppc64/libjniidispach.jnilib; osname=macosx;processor=ppc64, com/sun/jna/darwin-x86/libjniidispach.jnilib; osname=macosx;processor=x86, com/sun/jna/darwin-x86-64/libjniidispach.jnilib; osname=macosx;processor=x86-64, com/sun/jna/darwin-aarch64/libjniidispach.jnilib; osname=macosx;processor=aarch64

Product	Manifest	bundle-requiredexecution	JavaSE-1.6	Low
Product	Manifest	bundle-symbolicname	com.sun.jna	Medium
Product	Manifest	Implementation-Title	com.sun.jna	High
Product	Manifest	specification-title	Java Native Access (JNA)	Medium
Version	jar	package name	jna	Highest
Version	jar	package name	sun	Highest
Version	jar	package name	win32	Highest
Version	Manifest	Bundle-Version	5.14.0	High
Version	Manifest	Implementation-Version	5.14.0 (b0)	High

Related Dependencies



- authentication.pam.zip: jna.jar
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/authentication.pam.zip/jna.jar
 - MD5: 9bb1338e58031463c300f643cb3c41fa
 - SHA1: d9c6794f22c2e3c846b02d51c6a95c304e8e056b
 - SHA256: 336f2ae25222389eb9f3c90f8f7c3a6258c33581964b2338bf836b3b865b049e
- authentication.windows.zip: jna.jar
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/authentication.windows.zip/jna.jar
 - MD5: 9bb1338e58031463c300f643cb3c41fa
 - SHA1: d9c6794f22c2e3c846b02d51c6a95c304e8e056b
 - SHA256: 336f2ae25222389eb9f3c90f8f7c3a6258c33581964b2338bf836b3b865b049e

Identifiers

- cpe:2.3:a:oracle:java_se:5.14.0:*:*:*:*:* (Confidence:Low) suppress

jna.jar: jnidispatch.dll

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/lib/driver/jna.jar/com/sun/jna/win32-aarch64/jnidispatch.dll

MD5: f6bef568e690d361a5dcc165f5ad4b1f

SHA1: 05638a4aaafa689a6c246530823afdc18d3fd438

SHA256: b9d1479b9619b7ece4a36b6ae31365ffaf15a1355d4f6da02f8b5f09df2fa82f

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	jnidispatch	High
Product	file	name	jnidispatch	High

Related Dependencies



- authentication.pam.zip: jna.jar: jnidispatch.dll
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/authentication.pam.zip/jna.jar/com/sun/jna/win32-aarch64/jnidispatch.dll
 - MD5: f6bef568e690d361a5dcc165f5ad4b1f
 - SHA1: 05638a4aaafa689a6c246530823afdc18d3fd438
 - SHA256: b9d1479b9619b7ece4a36b6ae31365ffaf15a1355d4f6da02f8b5f09df2fa82f
- authentication.windows.zip: jna.jar: jnidispatch.dll
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/authentication.windows.zip/jna.jar/com/sun/jna/win32-aarch64/jnidispatch.dll
 - MD5: f6bef568e690d361a5dcc165f5ad4b1f
 - SHA1: 05638a4aaafa689a6c246530823afdc18d3fd438
 - SHA256: b9d1479b9619b7ece4a36b6ae31365ffaf15a1355d4f6da02f8b5f09df2fa82f

Identifiers

- None

jna.jar: jnidispatch.dll

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/lib/driver/jna.jar/com/sun/jna/win32-x86-64/jnidispatch.dll

MD5: 719d6ba1946c25aa61ce82f90d77ffd5

SHA1: 94d2191378cac5719daecc826fc116816284c406

SHA256: 69c45175ecfd25af023f96ac0bb2c45e6a95e3ba8a5a50ee7969ccab14825c44

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	jnidispatch	High
Product	file	name	jnidispatch	High

Related Dependencies

- authentication.pam.zip: jna.jar: jnidispatch.dll
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/authentication.pam.zip/jna.jar/com/sun/jna/win32-x86-64/jnidispatch.dll
 - MD5: 719d6ba1946c25aa61ce82f90d77ffd5
 - SHA1: 94d2191378cac5719daecc826fc116816284c406
 - SHA256: 69c45175ecfd25af023f96ac0bb2c45e6a95e3ba8a5a50ee7969ccab14825c44
- authentication.windows.zip: jna.jar: jnidispatch.dll
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/authentication.windows.zip/jna.jar/com/sun/jna/win32-x86-64/jnidispatch.dll
 - MD5: 719d6ba1946c25aa61ce82f90d77ffd5
 - SHA1: 94d2191378cac5719daecc826fc116816284c406
 - SHA256: 69c45175ecfd25af023f96ac0bb2c45e6a95e3ba8a5a50ee7969ccab14825c44

Identifiers

- None

jna.jar: jnidispatch.dll

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/lib/driver/jna.jar/com/sun/jna/win32-x86/jnidispatch.dll
MD5: e15183ef9c6c255b76fda73d01ca7ecb
SHA1: f816f998c43204230d9ea3eecffb5f8372a32c2e
SHA256:38650a0612730c52580c9f32ff766b44b1c5a426d52e7dd7a53687bf3389ac2c
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence
Vendor	file	name	jnidispatch	High
Product	file	name	jnidispatch	High

Related Dependencies

- authentication.pam.zip: jna.jar: jnidispatch.dll
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/authentication.pam.zip/jna.jar/com/sun/jna/win32-x86/jnidispatch.dll
 - MD5: e15183ef9c6c255b76fda73d01ca7ecb
 - SHA1: f816f998c43204230d9ea3eecffb5f8372a32c2e
 - SHA256: 38650a0612730c52580c9f32ff766b44b1c5a426d52e7dd7a53687bf3389ac2c
- authentication.windows.zip: jna.jar: jnidispatch.dll
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/authentication.windows.zip/jna.jar/com/sun/jna/win32-x86/jnidispatch.dll

- MD5: e15183ef9c6c255b76fda73d01ca7ecb
- SHA1: f816f998c43204230d9ea3eecffb5f8372a32c2e
- SHA256: 38650a0612730c52580c9f32ff766b44b1c5a426d52e7dd7a53687bf3389ac2c

Identifiers

- None

jpeg2000.zip: asm.jar

License:

BSD-3-Clause;link=https://asm.ow2.io/LICENSE.txt

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/jpeg2000.zip/asm.jar

MD5: c469399617daea3ca98af3fbc0961032

SHA1: 6cbc06197cf5d558b597bb0a628f628ce0676c89

SHA256: c3090446054d116e98e0c886c6cd4d61c4009c837f9954038d4e5e3329da7054

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	asm	High
Vendor	jar	package name	asm	Highest
Vendor	jar	package name	asm	Low
Vendor	jar	package name	objectweb	Highest
Vendor	jar	package name	objectweb	Low
Vendor	Manifest	bundle-docurl	http://asm.ow2.org	Low
Vendor	Manifest	bundle-requiredexecution	J2SE-1.5	Low
Vendor	Manifest	bundle-symbolicname	org.objectweb.asm	Medium
Product	file	name	asm	High
Product	jar	package name	asm	Highest
Product	jar	package name	asm	Low
Product	jar	package name	objectweb	Highest
Product	Manifest	bundle-docurl	http://asm.ow2.org	Low
Product	Manifest	Bundle-Name	org.objectweb.asm	Medium
Product	Manifest	bundle-requiredexecution	J2SE-1.5	Low

Product	Manifest	bundle-symbolicname	org.objectweb.asm	Medium
Product	Manifest	Implementation-Title	ASM, a very small and fast Java bytecode manipulation framework	High
Version	jar	package name	asm	Highest
Version	Manifest	Bundle-Version	9.7	High
Version	Manifest	Implementation-Version	9.7	High

Identifiers

- None

jpeg2000.zip: concrt140.dll

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/jpeg2000.zip/openjpeg/windows/concrt140.dll

MD5: b7ff8e74ab911b76f4fe2fbd2c3cea1

SHA1: 7ca4395c90838052677ca55af0c15bc7f6c94d

SHA256: d1a9b1a0ebe71e886b42a59faa67d4bf7646c3f46e0153dd2519b0e77ebbc5dc5

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	concrt140	High
Product	file	name	concrt140	High
Version	file	name	concrt140	Medium
Version	file	version	140	Medium

Identifiers

- None

jpeg2000.zip: imageio-openjpeg.jar

Description:

ImageIO plugin for reading and writing JPEG2000 images via OpenJPEG.
Requires the OpenJPEG shared native library to be installed on the system.

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller
/server/build/tmp/dependencies/i-net Clear Reports/plugins/jpeg2000.zip/imageio-openjpeg.jar

MD5: 583f2baee8cff553a5cf364727722aa8

SHA1: a7f5ddfacc0f12c4e98d42d4319c88af41e980466

SHA256: 3d3e84f7c3d2e0fed5f704b136c94caa8d5d1aceaa3c3c418a82026946347303

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	imageio-openjpeg	High
Vendor	jar	package name	de	Highest
Vendor	jar	package name	de	Low
Vendor	jar	package name	digitalcollections	Highest
Vendor	jar	package name	digitalcollections	Low
Vendor	jar	package name	imageio	Highest
Vendor	jar	package name	openjpeg	Highest
Vendor	jar	package name	openjpeg	Low
Vendor	pom	artifactid	imageio-openjpeg	Low
Vendor	pom	groupid	de.digitalcollections.imageio	Highest
Vendor	pom	name	MDZ/Bayerische Staatsbibliothek :: ImageIO :: OpenJPEG/JPEG2000 plugin	High
Vendor	pom	parent-artifactid	imageio-jnr	Low
Product	file	name	imageio-openjpeg	High
Product	jar	package name	de	Highest
Product	jar	package name	digitalcollections	Highest
Product	jar	package name	digitalcollections	Low
Product	jar	package name	imageio	Highest
Product	jar	package name	lib	Low
Product	jar	package name	openjpeg	Highest
Product	jar	package name	openjpeg	Low
Product	pom	artifactid	imageio-openjpeg	Highest
Product	pom	groupid	de.digitalcollections.imageio	Highest
Product	pom	name	MDZ/Bayerische Staatsbibliothek :: ImageIO :: OpenJPEG/JPEG2000 plugin	High
Product	pom	parent-artifactid	imageio-jnr	Medium
Version	pom	version	0.6.8	Highest

Identifiers

- pkg:maven/de.digitalcollections.imageio/imageio-openjpeg@0.6.8 (*Confidence:High*)

jpeg2000.zip: jffi-native.jar

Description:

Java Foreign Function Interface - Native Libraries

License:

<http://www.apache.org/licenses/LICENSE-2.0.txt>, <https://www.gnu.org/licenses/lgpl-3.0.txt>

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/jpeg2000.zip/jffi-native.jar

MD5: 485b8016986e76d81592b2b8dd364609

SHA1: 29b36cf1ff62ef575faf2f3ab310dde07bdab212

SHA256: c961fdee11af711f1c49aa4938003ccda48ad6a80fec001cac64ee0cbea9fd55

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	jffi-native	High
Vendor	Manifest	automatic-module-name	org.jnrproject.jffi.nativelibs	Medium
Vendor	Manifest	bundle-symbolicname	com.github.jnr.jffi.native	Medium
Product	file	name	jffi-native	High
Product	Manifest	automatic-module-name	org.jnrproject.jffi.nativelibs	Medium
Product	Manifest	Bundle-Name	jffi	Medium
Product	Manifest	bundle-symbolicname	com.github.jnr.jffi.native	Medium
Version	Manifest	Bundle-Version	1.3.13	High

Identifiers

- None

jpeg2000.zip: jffi-native.jar: jffi-1.2.dll

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/jpeg2000.zip/jffi-native.jar/jni/aarch64-Windows/jffi-1.2.dll

MD5: 2c0b62583a6446ca74c26dd356a6efc8

SHA1: 97d03509897bb23ab808c232fe0fa3240e91d52d

SHA256: a4e7cb99d84f2a3b195fabcc4a6c59ab48e9eb25ddf58284b26d068163c9e505

Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence
Vendor	file	name	jffi	High
Product	file	name	jffi	High
Version	file	name	jffi	Medium
Version	file	version	1.2	High

Identifiers

- None

jpeg2000.zip: jffi-native.jar: jffi-1.2.dll

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/jpeg2000.zip/jffi-native.jar/jni/i386-Windows/jffi-1.2.dll

MD5: 841e60814ed6b2971a47b267aef1c58a

SHA1: 07d30c6407fefad8df4b6afc4d85f83e547975ca

SHA256: d63b0ec9a7cc75c26fa951928bf550c0e9a5e6c195a3de94a9c24995206bbfd2

Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence
Vendor	file	name	jffi	High
Product	file	name	jffi	High
Version	file	name	jffi	Medium
Version	file	version	1.2	High

Identifiers

- None

jpeg2000.zip: jffi-native.jar: jffi-1.2.dll

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/jpeg2000.zip/jffi-native.jar/jni/x86_64-Windows/jffi-1.2.dll

MD5: 5d80b61c1f9e31860c17b3a410948e7e

SHA1: 5ca292116336ee4ceed00d10e756afea580e62cf

SHA256: 58398ba5cda1b7cb89ad4e03dd4a658006956f81acfe4efb4e7dd934e2733ef

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	jffi	High
Product	file	name	jffi	High
Version	file	name	jffi	Medium
Version	file	version	1.2	High

Identifiers

- None

jpeg2000.zip: jffi.jar

Description:

Java Foreign Function Interface

License:

The Apache Software License, Version 2.0: <http://www.apache.org/licenses/LICENSE-2.0.txt>

GNU Lesser General Public License version 3: <https://www.gnu.org/licenses/lgpl-3.0.txt>

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/jpeg2000.zip/jffi.jar

MD5: f4c65e8824323f6b7399d9728fcdd2a5

SHA1: 130d97d740888e8f26046b573f80e5d2e8cd4ec0

SHA256: 4f7c0ac2c92a26107feadd1a01ad4cb6a7ffd86b86db29acfc9f4cc93d1fc857

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	jffi	High
Vendor	jar	package name	foreign	Highest
Vendor	jar	package name	function	Highest
Vendor	jar	package name	jffi	Highest
Vendor	Manifest	automatic-module-name	org.jnrproject.jffi	Medium
Vendor	Manifest	build-jdk-spec	11	Low
Vendor	pom	artifactid	jffi	Low
Vendor	pom	developer email	wmeissner@gmail.com	Low
Vendor	pom	developer id	wmeissner	Medium
Vendor	pom	developer name	Wayne Meissner	Medium
Vendor	pom	groupid	com.github.jnr	Highest
Vendor	pom	name	jffi	High
Vendor	pom	url	http://github.com/jnr/jffi	Highest
Product	file	name	jffi	High
Product	jar	package name	foreign	Highest
Product	jar	package name	function	Highest
Product	jar	package name	jffi	Highest
Product	Manifest	automatic-module-name	org.jnrproject.jffi	Medium
Product	Manifest	build-jdk-spec	11	Low
Product	pom	artifactid	jffi	Highest
Product	pom	developer email	wmeissner@gmail.com	Low
Product	pom	developer id	wmeissner	Low
Product	pom	developer name	Wayne Meissner	Low
Product	pom	groupid	com.github.jnr	Highest
Product	pom	name	jffi	High
Product	pom	url	http://github.com/jnr/jffi	Medium
Version	pom	version	1.3.13	Highest

Identifiers

- [pkg:maven/com.github.jnr/jffi@1.3.13](https://maven.com.github.jnr/jffi@1.3.13) (Confidence:High)

Description:

A library for invoking native functions from java

License:

The Apache Software License, Version 2.0: <http://www.apache.org/licenses/LICENSE-2.0.txt>

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller
/server/build/tmp/dependencies/i-net Clear Reports/plugins/jpeg2000.zip/jnr-ffi.jar

MD5: d977e2b7ae1efbbdd98b01a35ff06c58

SHA1: da3e44f58ec794b65223d540cdd41f1866995b7e

SHA256: 5d9a9e81611561b390fdeaa36b1e5620dcd6553458de978c68c73ce95ca1fb2b

Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence
Vendor	file	name	jnr-ffi	High
Vendor	jar	package name	ffi	Highest
Vendor	jar	package name	jnr	Highest
Vendor	jar	package name	library	Highest
Vendor	Manifest	automatic-module-name	org.jnrproject.ffi	Medium
Vendor	Manifest	bundle-symbolicname	com.github.jnr.ffi	Medium
Vendor	pom	artifactid	jnr-ffi	Low
Vendor	pom	developer email	headius@headius.com	Low
Vendor	pom	developer email	wmeissner@gmail.com	Low
Vendor	pom	developer id	headius	Medium
Vendor	pom	developer id	wmeissner	Medium
Vendor	pom	developer name	Charles Oliver Nutter	Medium
Vendor	pom	developer name	Wayne Meissner	Medium
Vendor	pom	groupid	com.github.jnr	Highest
Vendor	pom	name	jnr-ffi	High
Vendor	pom	url	http://github.com/jnr/jnr-ffi	Highest
Product	file	name	jnr-ffi	High
Product	jar	package name	ffi	Highest
Product	jar	package name	jnr	Highest
Product	jar	package name	library	Highest
Product	Manifest	automatic-module-name	org.jnrproject.ffi	Medium

Product	Manifest	Bundle-Name	jnr-ffi	Medium
Product	Manifest	bundle-symbolicname	com.github.jnr.ffi	Medium
Product	pom	artifactid	jnr-ffi	Highest
Product	pom	developer email	headius@headius.com	Low
Product	pom	developer email	wmeissner@gmail.com	Low
Product	pom	developer id	headius	Low
Product	pom	developer id	wmeissner	Low
Product	pom	developer name	Charles Oliver Nutter	Low
Product	pom	developer name	Wayne Meissner	Low
Product	pom	groupid	com.github.jnr	Highest
Product	pom	name	jnr-ffi	High
Product	pom	url	http://github.com/jnr/jnr-ffi	Medium
Version	Manifest	Bundle-Version	2.2.16	High
Version	pom	version	2.2.16	Highest

Identifiers

- [pkg:maven/com.github.jnr/jnr-ffi@2.2.16](#) (Confidence:High)

jpeg2000.zip: jpeg2000.jar

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/jpeg2000.zip/jpeg2000.jar
MD5: 98959fd7287bd0fcd04c04ac182f34e9
SHA1: 4f71fb90230f4a20dd5c1e833dc7905919f25591
SHA256:fae1f03b9ba6f70594aee406bae25693be47a06a1e23ab8899852474c53c27c5
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence
Vendor	file	name	jpeg2000	High
Vendor	jar	package name	inet	Low
Vendor	jar	package name	jpeg2000	Low
Vendor	Manifest	built-date	2024-09-19 17:03	Low
Vendor	Manifest	implementation-group	shared	Low

Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	jpeg2000	High
Product	jar	package name	jpeg2000	Highest
Product	jar	package name	jpeg2000	Low
Product	jar	package name	jpeg2000serverplugin	Low
Product	Manifest	built-date	2024-09-19 17:03	Low
Product	Manifest	implementation-group	shared	Low
Product	Manifest	Implementation-Title	jpeg2000	High
Product	Manifest	specification-title	jpeg2000	Medium
Version	file	name	jpeg2000	Medium
Version	file	version	2000	Medium
Version	Manifest	Implementation-Version	24.10.163	High

Identifiers

- None

jpeg2000.zip: msvcp140.dll

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/jpeg2000.zip/openjpeg/windows/msvcp140.dll
MD5: 0d89995cc45c7eb40e5a7e287506c1e9
SHA1: 096c27b06ee7fff2bcd290af0264cdafd04cded9
SHA256:e0a22a594e148fa55ceef3e49969bfa77011a801267a0bd7805b681b593c9d0b
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence
Vendor	file	name	msvcp140	High
Product	file	name	msvcp140	High

Version	file	name	msvcp140	Medium
Version	file	version	140	Medium

Identifiers

- None

jpeg2000.zip: msvc140_1.dll

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/jpeg2000.zip/openjpeg/windows/msvc140_1.dll

MD5: c060bb176a671f068362db2673a08c5e

SHA1: 1d6b4ae5e778f1daf3573d4817777a51c35cbac4

SHA256: 768e0829decea713afb35a7de07e276f051581c8ff2c17e1bae9b07dd1445dd0

Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence
Vendor	file	name	msvc140_1	High
Product	file	name	msvc140_1	High

Identifiers

- None

jpeg2000.zip: msvc140_2.dll

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/jpeg2000.zip/openjpeg/windows/msvc140_2.dll

MD5: 94bc7a22ec7308f851cc58fd6de90b2d

SHA1: cb4d8dcd2c8e9bbf049c1628246cb12cdd34b353

SHA256: 5c12eaef6db18b168f712bff9b55793e0effddf15b89552e7f5ca4f8f1887b9b

Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Vendor	file	name	msvc140_2	High
Product	file	name	msvc140_2	High

Identifiers

- None

jpeg2000.zip: msvc140_atomic_wait.dll

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/jpeg2000.zip/openjpeg/windows/msvc140_atomic_wait.dll

MD5: 6407c40330e6081689bb702daa5aacac

SHA1: 24126ff2ddd568a6ed17134e539cad94e22152a7

SHA256: 0193cdcff562f12218ecab5841fd6bbc4d24295cd8e4dcae960e2fb47cceb662

Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence
Vendor	file	name	msvc140_atomic_wait	High
Product	file	name	msvc140_atomic_wait	High
Version	file	name	msvc140_atomic_wait	Medium
Version	file	version	140	Medium

Identifiers

- None

jpeg2000.zip: msvc140_codecvt_ids.dll

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/jpeg2000.zip/openjpeg/windows/msvc140_codecvt_ids.dll

MD5: 23efa781b89641f24c17592de857bb40

SHA1: fd537ff2cf7d09701baf6550640d6cc96bd5d284

SHA256: 9c6c0d8fa51ecca5e274295cbd72d45be474f3c6ce1070ec5e90f70242ae7185

Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence
Vendor	file	name	msvcp140_codecvt_ids	High
Product	file	name	msvcp140_codecvt_ids	High
Version	file	name	msvcp140_codecvt_ids	Medium
Version	file	version	140	Medium

Identifiers

- [cpe:2.3:a:ids:ids:140:*:*:*:*:*](#) (Confidence:High) suppress

jpeg2000.zip: openjp2.dll

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/jpeg2000.zip/openjpeg/windows/openjp2.dll

MD5: a068a39973dbe3f985f9a3c2e06f2d27

SHA1: 2f726c784e92d68084b4e293664710e1389c6564

SHA256: 0e5682e82f3cee9d23c56259bfae7b0bcd8fab2d117e3832ac2308b96ae87585

Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence
Vendor	file	name	openjp2	High
Product	file	name	openjp2	High
Version	file	name	openjp2	Medium
Version	file	version	2	Medium

Identifiers

- None

jpeg2000.zip: vcruntime140.dll

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/jpeg2000.zip/openjpeg/windows/vcruntime140.dll

MD5: a4cf5c1f71c540c69371c861abe57726

SHA1: f272b34182db8a78ffc71755b46a57a253fcd384

SHA256: c179d8914ba8e57b2f8f4d6c101c2c550c7c6712a7f0f9920a97db340f9d9574

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	vcruntime140	High
Product	file	name	vcruntime140	High
Version	file	name	vcruntime140	Medium
Version	file	version	140	Medium

Identifiers

- None

jpeg2000.zip: vcruntime140_1.dll

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/jpeg2000.zip/openjpeg/windows/vcruntime140_1.dll

MD5: 9f4eac207cb58e8d110477e7fd19d565

SHA1: 687051b863f7a7178cabf9c06ab3b534b1e23dd3

SHA256: 7cf38d20d00b6640d510eab70171e1c6f8fa2e42040832e17c7433ab61d94a8e

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	vcruntime140_1	High
Product	file	name	vcruntime140_1	High

Identifiers

- None

jquery.cookiebar.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/Documentation and Samples/Plugin - Samples/Application/GoogleAnalytics/src/com/inet/application/googleanalytics/client/js/jquery.cookiebar.js
MD5: 35bdd1bde2d5eefde68b90c95580dcbb
SHA1: 1e82ddc04aedccb5ba4c90239c0d60188c7c7b6e
SHA256: bc3199c6d3de4c4c93746de532f5bd208b0c48c8ecf9f2b7fa3bb5f67be53556
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies

- application.googleanalytics.zip: jquery.cookiebar.js
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/Documentation and Samples/Plugin - Samples/Application/GoogleAnalytics/application.googleanalytics.zip/src/com/inet/application/googleanalytics/client/js/jquery.cookiebar.js
 - MD5: 35bdd1bde2d5eefde68b90c95580dcbb
 - SHA1: 1e82ddc04aedccb5ba4c90239c0d60188c7c7b6e
 - SHA256: bc3199c6d3de4c4c93746de532f5bd208b0c48c8ecf9f2b7fa3bb5f67be53556

Identifiers

- None

junit-4.13.2.jar

File Path: /home/jenkins/.gradle/caches/modules-2/files-2.1/junit/junit/4.13.2/8ac9e16d933b6fb43bc7f576336b8f4d7eb5ba12/junit-4.13.2.jar
MD5: d98a9a02a99a9acd22d7653cbcc1f31f
SHA1: 8ac9e16d933b6fb43bc7f576336b8f4d7eb5ba12
SHA256: 8e495b634469d64fb8acfa3495a065cbacc8a0fff55ce1e31007be4c16dc57d3
Referenced In Project/Scope: server:inetPlugin
Included by: pkg:maven/clear-reports/server@24.10

Evidence

Type	Source	Name	Value	Confidence
Vendor	file	name	junit	High
Vendor	gradle	artifactid	junit	Highest
Vendor	gradle	groupid	junit	Highest
Vendor	jar	package name	junit	Highest
Vendor	jar	package name	junit	Low

Vendor	Manifest	automatic-module-name	junit	Medium
Vendor	Manifest	implementation-url	http://junit.org	Low
Vendor	Manifest	Implementation-Vendor	JUnit	High
Vendor	Manifest	Implementation-Vendor-Id	junit	Medium
Product	file	name	junit	High
Product	gradle	artifactid	junit	Highest
Product	jar	package name	junit	Highest
Product	Manifest	automatic-module-name	junit	Medium
Product	Manifest	Implementation-Title	JUnit	High
Product	Manifest	implementation-url	http://junit.org	Low
Version	file	version	4.13.2	High
Version	Manifest	Implementation-Version	4.13.2	High

Identifiers

- [pkg:maven/junit/junit@4.13.2](#) (*Confidence: Highest*)
- [cpe:2.3:a:junit:junit:4.13.2:*:*:*:*:*](#) (*Confidence: Highest*) suppress

junit-jupiter-5.10.3.jar

File Path: /home/jenkins/.gradle/caches/modules-2/files-2.1/org.junit.jupiter/junit-jupiter/5.10.3/6686d8bf251f9bf8ecba413cab57b9e00f9134d/junit-jupiter-5.10.3.jar

MD5: 8312d239f10b3aaa94c3dc69f84a250f

SHA1: 6686d8bf251f9bf8ecba413cab57b9e00f9134d

SHA256: e6fc09f881eba8b8d8a7660a6c7f4d582fa7881f306136afe2d82964a2e7c22f

Referenced In Project/Scope: server:inetPlugin

Included by:

- pkg:maven/org.junit.jupiter/junit-jupiter@5.10.3
- pkg:maven/clear-reports/server@24.10
- pkg:maven/org.junit.platform/junit-platform-suite@1.10.3

Evidence



Type	Source	Name	Value	Confidence

Vendor	file	name	junit-jupiter	High
Vendor	gradle	artifactid	junit-jupiter	Highest
Vendor	gradle	groupid	org.junit.jupiter	Highest
Vendor	jar	package name	module-info	Low
Vendor	Manifest	build-date	2024-06-27	Low
Vendor	Manifest	build-revision	55d12321315b11eaf6ed87e73c47bcd39ade5	Low
Vendor	Manifest	build-time	16:07:04.699+0200	Low
Vendor	Manifest	bundle-symbolicname	junit-jupiter	Medium
Vendor	Manifest	Implementation-Vendor	junit.org	High
Vendor	Manifest	specification-vendor	junit.org	Low
Product	file	name	junit-jupiter	High
Product	gradle	artifactid	junit-jupiter	Highest
Product	Manifest	build-date	2024-06-27	Low
Product	Manifest	build-revision	55d12321315b11eaf6ed87e73c47bcd39ade5	Low
Product	Manifest	build-time	16:07:04.699+0200	Low
Product	Manifest	Bundle-Name	JUnit Jupiter (Aggregator)	Medium
Product	Manifest	bundle-symbolicname	junit-jupiter	Medium
Product	Manifest	Implementation-Title	junit-jupiter	High
Product	Manifest	specification-title	junit-jupiter	Medium
Version	file	version	5.10.3	High
Version	Manifest	Implementation-Version	5.10.3	High

Identifiers

- [pkg:maven/org.junit.jupiter/junit-jupiter@5.10.3](https://maven.org/junit.jupiter/junit-jupiter@5.10.3) (Confidence: Highest)

junit-jupiter-api-5.10.3.jar

File Path: /home/jenkins/.gradle/caches/modules-2/files-2.1/org.junit.jupiter/junit-jupiter-api/5.10.3/a22aa91d1d6c69b2020a9aeb6d095ea81132bfa5/junit-jupiter-api-5.10.3.jar
MD5: 9c5af4543b8784a55eab254418cc367b
SHA1: a22aa91d1d6c69b2020a9aeb6d095ea81132bfa5
SHA256: 6efe6e01ca1ff79b7bf4c6f1eed0b29292e166c27eaf7b00ac981a14d4de61aa

Referenced In Project/Scope: server:inetPlugin
Included by:

- pkg:maven/org.junit.jupiter/junit-jupiter@5.10.3
- pkg:maven/org.junit.platform/junit-platform-suite@1.10.3

Evidence +

Type	Source	Name	Value	Confidence
Vendor	file	name	junit-jupiter-api	High
Vendor	gradle	artifactid	junit-jupiter-api	Highest
Vendor	gradle	groupid	org.junit.jupiter	Highest
Vendor	jar	package name	api	Highest
Vendor	jar	package name	api	Low
Vendor	jar	package name	junit	Highest
Vendor	jar	package name	junit	Low
Vendor	jar	package name	jupiter	Highest
Vendor	jar	package name	jupiter	Low
Vendor	Manifest	build-date	2024-06-27	Low
Vendor	Manifest	build-revision	55d12321315b11eaf6ed87e73c47bcd39ade5	Low
Vendor	Manifest	build-time	16:07:04.699+0200	Low
Vendor	Manifest	bundle-symbolicname	junit-jupiter-api	Medium
Vendor	Manifest	Implementation-Vendor	junit.org	High
Vendor	Manifest	specification-vendor	junit.org	Low
Product	file	name	junit-jupiter-api	High
Product	gradle	artifactid	junit-jupiter-api	Highest
Product	jar	package name	api	Highest
Product	jar	package name	api	Low
Product	jar	package name	junit	Highest
Product	jar	package name	jupiter	Highest
Product	jar	package name	jupiter	Low
Product	Manifest	build-date	2024-06-27	Low
Product	Manifest	build-revision	55d12321315b11eaf6ed87e73c47bcd39ade5	Low
Product	Manifest	build-time	16:07:04.699+0200	Low
Product	Manifest	Bundle-Name	JUnit Jupiter API	Medium
Product	Manifest	bundle-symbolicname	junit-jupiter-api	Medium

Product	Manifest	Implementation-Title	junit-jupiter-api	High
Product	Manifest	specification-title	junit-jupiter-api	Medium
Version	file	version	5.10.3	High
Version	Manifest	Implementation-Version	5.10.3	High

Identifiers

- [pkg:maven/org.junit.jupiter/junit-jupiter-api@5.10.3](https://maven.org/junit/jupiter/junit-jupiter-api@5.10.3) (*Confidence: Highest*)

junit-jupiter-engine-5.10.3.jar

File Path: /home/jenkins/.gradle/caches/modules-2/files-2.1/org.junit.jupiter/junit-jupiter-engine/5.10.3/48c14e866bb1a87ca35d24ff068463bb202ada24/junit-jupiter-engine-5.10.3.jar

MD5: c87ca6659d594120a6030a2760bcd14

SHA1: 48c14e866bb1a87ca35d24ff068463bb202ada24

SHA256: bbd3ce8dc11e9925071ef9691d68af1ab6e712faa6851f7c5275bc8aafc88673

Referenced In Project/Scope: server:inetPlugin

Included by:

- pkg:maven/org.junit.jupiter/junit-jupiter@5.10.3
- pkg:maven/org.junit.platform/junit-platform-suite@1.10.3

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	junit-jupiter-engine	High
Vendor	gradle	artifactid	junit-jupiter-engine	Highest
Vendor	gradle	groupid	org.junit.jupiter	Highest
Vendor	jar	package name	engine	Highest
Vendor	jar	package name	engine	Low
Vendor	jar	package name	junit	Highest
Vendor	jar	package name	junit	Low
Vendor	jar	package name	jupiter	Highest
Vendor	jar	package name	jupiter	Low
Vendor	Manifest	build-date	2024-06-27	Low
Vendor	Manifest	build-revision	55d12321315b11eaf6ed87e73c47bcd39ade5	Low
Vendor	Manifest	build-time	16:07:04.699+0200	Low
Vendor	Manifest	bundle-symbolicname	junit-jupiter-engine	Medium

Vendor	Manifest	Implementation-Vendor	junit.org	High
Vendor	Manifest	provide-capability	org.junit.platform.engine;org.junit.platform.engine=junit-jupiter;version:Version="5.10.3"	Low
Vendor	Manifest	specification-vendor	junit.org	Low
Product	file	name	junit-jupiter-engine	High
Product	gradle	artifactid	junit-jupiter-engine	Highest
Product	jar	package name	engine	Highest
Product	jar	package name	engine	Low
Product	jar	package name	junit	Highest
Product	jar	package name	jupiter	Highest
Product	jar	package name	jupiter	Low
Product	Manifest	build-date	2024-06-27	Low
Product	Manifest	build-revision	55d12321315b11eaf6ed87e73c47bcd39ade5	Low
Product	Manifest	build-time	16:07:04.699+0200	Low
Product	Manifest	Bundle-Name	JUnit Jupiter Engine	Medium
Product	Manifest	bundle-symbolicname	junit-jupiter-engine	Medium
Product	Manifest	Implementation-Title	junit-jupiter-engine	High
Product	Manifest	provide-capability	org.junit.platform.engine;org.junit.platform.engine=junit-jupiter;version:Version="5.10.3"	Low
Product	Manifest	specification-title	junit-jupiter-engine	Medium
Version	file	version	5.10.3	High
Version	Manifest	Implementation-Version	5.10.3	High

Identifiers

- [pkg:maven/org.junit.jupiter/junit-jupiter-engine@5.10.3](https://maven.org/junit/jupiter/junit-jupiter-engine@5.10.3) (*Confidence*:Highest)

junit-jupiter-params-5.10.3.jar

File Path: /home/jenkins/.gradle/caches/modules-2/files-2.1/org.junit.jupiter/junit-jupiter-params/5.10.3/4852f4e4af9074d9214213b199751f99efeab8b9/junit-jupiter-params-5.10.3.jar

MD5: 8c0d875131fa73e688df785a3b2f338d

SHA1: 4852f4e4af9074d9214213b199751f99efeab8b9

SHA256: 7c3ed8cefb12496b76c53c3da986ea8f0bf3f426781869475551ae3a506c1ad8

Referenced In Project/Scope: server:inetPlugin
Included by:

- pkg:maven/org.junit.jupiter/junit-jupiter@5.10.3
- pkg:maven/org.junit.platform/junit-platform-suite@1.10.3

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	junit-jupiter-params	High
Vendor	gradle	artifactid	junit-jupiter-params	Highest
Vendor	gradle	groupid	org.junit.jupiter	Highest
Vendor	jar	package name	junit	Highest
Vendor	jar	package name	junit	Low
Vendor	jar	package name	jupiter	Highest
Vendor	jar	package name	jupiter	Low
Vendor	jar	package name	params	Highest
Vendor	jar	package name	params	Low
Vendor	Manifest	build-date	2024-06-27	Low
Vendor	Manifest	build-revision	55d12321315b11eaf6ed87e73c47bcd39ade5	Low
Vendor	Manifest	build-time	16:07:04.699+0200	Low
Vendor	Manifest	bundle-symbolicname	junit-jupiter-params	Medium
Vendor	Manifest	Implementation-Vendor	junit.org	High
Vendor	Manifest	specification-vendor	junit.org	Low
Product	file	name	junit-jupiter-params	High
Product	gradle	artifactid	junit-jupiter-params	Highest
Product	jar	package name	junit	Highest
Product	jar	package name	jupiter	Highest
Product	jar	package name	jupiter	Low
Product	jar	package name	params	Highest
Product	jar	package name	params	Low
Product	jar	package name	shadow	Low
Product	Manifest	build-date	2024-06-27	Low
Product	Manifest	build-revision	55d12321315b11eaf6ed87e73c47bcd39ade5	Low
Product	Manifest	build-time	16:07:04.699+0200	Low
Product	Manifest	Bundle-Name	JUnit Jupiter Params	Medium
Product	Manifest	bundle-	junit-jupiter-params	Medium

symbolicname

Product	Manifest	Implementation-Title	junit-jupiter-params	High
Product	Manifest	specification-title	junit-jupiter-params	Medium
Version	file	version	5.10.3	High
Version	Manifest	Implementation-Version	5.10.3	High

Identifiers

- [pkg:maven/org.junit.jupiter/junit-jupiter-params@5.10.3](#) (Confidence: Highest)

junit-platform-commons-1.10.3.jar

File Path: /home/jenkins/.gradle/caches/modules-2/files-2.1/org.junit.platform/junit-platform-commons/1.10.3/a353d42a2f13343a7cb80c5228ae66ff64495481/junit-platform-commons-1.10.3.jar

MD5: 83ff374dd428b03f1cf70d0143259f01

SHA1: a353d42a2f13343a7cb80c5228ae66ff64495481

SHA256: 9787f04d49db59397cdd7555d421a5bd2d1445666997d327b94f85e38bed57f1

Referenced In Project/Scope: server:inetPlugin

Included by:

- pkg:maven/org.junit.jupiter/junit-jupiter@5.10.3
- pkg:maven/org.junit.platform/junit-platform-suite@1.10.3

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	junit-platform-commons	High
Vendor	gradle	artifactid	junit-platform-commons	Highest
Vendor	gradle	groupid	org.junit.platform	Highest
Vendor	jar	package name	commons	Highest
Vendor	jar	package name	commons	Low
Vendor	jar	package name	junit	Highest
Vendor	jar	package name	junit	Low
Vendor	jar	package name	org	Highest
Vendor	jar	package name	platform	Highest
Vendor	jar	package name	platform	Low
Vendor	Manifest	build-date	2024-06-27	Low
Vendor	Manifest	build-revision	55d12321315b11eaf6ed87e73c47bcd39ade5	Low

Vendor	Manifest	build-time	16:07:04.699+0200	Low
Vendor	Manifest	bundle-symbolicname	junit-platform-commons	Medium
Vendor	Manifest	Implementation-Vendor	junit.org	High
Vendor	Manifest	multi-release	true	Low
Vendor	Manifest	specification-vendor	junit.org	Low
Product	file	name	junit-platform-commons	High
Product	gradle	artifactid	junit-platform-commons	Highest
Product	jar	package name	commons	Highest
Product	jar	package name	commons	Low
Product	jar	package name	junit	Highest
Product	jar	package name	platform	Highest
Product	jar	package name	platform	Low
Product	jar	package name	util	Low
Product	Manifest	build-date	2024-06-27	Low
Product	Manifest	build-revision	55d12321315b11eaf6ed87e73c47bcd39ade5	Low
Product	Manifest	build-time	16:07:04.699+0200	Low
Product	Manifest	Bundle-Name	JUnit Platform Commons	Medium
Product	Manifest	bundle-symbolicname	junit-platform-commons	Medium
Product	Manifest	Implementation-Title	junit-platform-commons	High
Product	Manifest	multi-release	true	Low
Product	Manifest	specification-title	junit-platform-commons	Medium
Version	file	version	1.10.3	High
Version	Manifest	Implementation-Version	1.10.3	High

Identifiers

- <pkg:maven/org.junit.platform/junit-platform-commons@1.10.3> (*Confidence*:Highest)

junit-platform-engine-1.10.3.jar

File Path: /home/jenkins/.gradle/caches/modules-2/files-2.1/org.junit.platform/junit-platform-engine/1.10.3/365a320c3cfd47f3346625e541e424e35dc75c42/junit-platform-engine-1.10.3.jar
MD5: 8fe56ec6a59c1e208e8ba0def9e47bf3
SHA1: 365a320c3cfd47f3346625e541e424e35dc75c42
SHA256:df7c32bf75cf47c4c8ddd1942091027947a7d765d30b731fe00830115fafa133
Referenced In Project/Scope: server:inetPlugin
Included by:

- pkg:maven/org.junit.jupiter/junit-jupiter@5.10.3
- pkg:maven/org.junit.platform/junit-platform-suite@1.10.3

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	junit-platform-engine	High
Vendor	gradle	artifactid	junit-platform-engine	Highest
Vendor	gradle	groupid	org.junit.platform	Highest
Vendor	jar	package name	engine	Highest
Vendor	jar	package name	engine	Low
Vendor	jar	package name	junit	Highest
Vendor	jar	package name	junit	Low
Vendor	jar	package name	platform	Highest
Vendor	jar	package name	platform	Low
Vendor	Manifest	build-date	2024-06-27	Low
Vendor	Manifest	build-revision	55d12321315b11eaf6ed87e73c47bcd39ade5	Low
Vendor	Manifest	build-time	16:07:04.699+0200	Low
Vendor	Manifest	bundle-symbolicname	junit-platform-engine	Medium
Vendor	Manifest	Implementation-Vendor	junit.org	High
Vendor	Manifest	specification-vendor	junit.org	Low
Product	file	name	junit-platform-engine	High
Product	gradle	artifactid	junit-platform-engine	Highest
Product	jar	package name	engine	Highest
Product	jar	package name	engine	Low
Product	jar	package name	junit	Highest
Product	jar	package name	platform	Highest
Product	jar	package name	platform	Low
Product	jar	package name	support	Low
Product	Manifest	build-date	2024-06-27	Low

Product	Manifest	build-revision	55d12321315b11eaf6ed87e73c47bcd39ade5	Low
Product	Manifest	build-time	16:07:04.699+0200	Low
Product	Manifest	Bundle-Name	JUnit Platform Engine API	Medium
Product	Manifest	bundle-symbolicname	junit-platform-engine	Medium
Product	Manifest	Implementation-Title	junit-platform-engine	High
Product	Manifest	specification-title	junit-platform-engine	Medium
Version	file	version	1.10.3	High
Version	Manifest	Implementation-Version	1.10.3	High

Identifiers

- <pkg:maven/org.junit.platform/junit-platform-engine@1.10.3> (*Confidence: Highest*)

junit-platform-launcher-1.10.3.jar

File Path: /home/jenkins/.gradle/caches/modules-2/files-2.1/org.junit.platform/junit-platform-launcher/1.10.3/2e07e6389624f3e93fb2e87aec2fdc30cc84b069/junit-platform-launcher-1.10.3.jar

MD5: 2bc703d74e40b64a2c7964e3ef4da945

SHA1: 2e07e6389624f3e93fb2e87aec2fdc30cc84b069

SHA256: deaeede2f011eaf94f5bc681e04eee2f4a0f6d69771e1a79aa950d898b405d8d

Referenced In Project/Scope: server:inetPlugin

Included by:

- pkg:maven/org.junit.jupiter/junit-jupiter@5.10.3
- pkg:maven/org.junit.platform/junit-platform-suite@1.10.3

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	junit-platform-launcher	High
Vendor	gradle	artifactid	junit-platform-launcher	Highest
Vendor	gradle	groupid	org.junit.platform	Highest
Vendor	jar	package name	junit	Highest
Vendor	jar	package name	junit	Low
Vendor	jar	package name	launcher	Highest
Vendor	jar	package name	launcher	Low
Vendor	jar	package name	platform	Highest
Vendor	jar	package name	platform	Low

Vendor	Manifest	build-date	2024-06-27	Low
Vendor	Manifest	build-revision	55d12321315b11eaf6ed87e73c47bcdc39ade5	Low
Vendor	Manifest	build-time	16:07:04.699+0200	Low
Vendor	Manifest	bundle-symbolicname	junit-platform-launcher	Medium
Vendor	Manifest	Implementation-Vendor	junit.org	High
Vendor	Manifest	provide-capability	org.junit.platform.launcher;org.junit.platform.launcher=junit-platform-launcher;version:Version="1.10.3"	Low
Vendor	Manifest	specification-vendor	junit.org	Low
Product	file	name	junit-platform-launcher	High
Product	gradle	artifactid	junit-platform-launcher	Highest
Product	jar	package name	junit	Highest
Product	jar	package name	launcher	Highest
Product	jar	package name	launcher	Low
Product	jar	package name	platform	Highest
Product	jar	package name	platform	Low
Product	Manifest	build-date	2024-06-27	Low
Product	Manifest	build-revision	55d12321315b11eaf6ed87e73c47bcdc39ade5	Low
Product	Manifest	build-time	16:07:04.699+0200	Low
Product	Manifest	Bundle-Name	JUnit Platform Launcher	Medium
Product	Manifest	bundle-symbolicname	junit-platform-launcher	Medium
Product	Manifest	Implementation-Title	junit-platform-launcher	High
Product	Manifest	provide-capability	org.junit.platform.launcher;org.junit.platform.launcher=junit-platform-launcher;version:Version="1.10.3"	Low
Product	Manifest	specification-title	junit-platform-launcher	Medium
Version	file	version	1.10.3	High
Version	Manifest	Implementation-Version	1.10.3	High

Identifiers

- pkg:maven/org.junit.platform/junit-platform-launcher@1.10.3 (*Confidence: Highest*)

junit-platform-suite-1.10.3.jar

File Path: /home/jenkins/.gradle/caches/modules-2/files-2.1/org.junit.platform/junit-platform-suite/1.10.3/48ea585d380c250428cd440b354e344461a887b4/junit-platform-suite-1.10.3.jar

MD5: d508bda8927cf328d45dc2a128f073c1

SHA1: 48ea585d380c250428cd440b354e344461a887b4

SHA256: 17f9384f40dcb480784277b2d1a96e560d69936eda6296c15c68c209e476828b

Referenced In Project/Scope: server:inetPlugin

Included by:

- pkg:maven/org.junit.jupiter/junit-jupiter@5.10.3
- pkg:maven/clear-reports/server@24.10
- pkg:maven/org.junit.platform/junit-platform-suite@1.10.3

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	junit-platform-suite	High
Vendor	gradle	artifactid	junit-platform-suite	Highest
Vendor	gradle	groupid	org.junit.platform	Highest
Vendor	jar	package name	module-info	Low
Vendor	Manifest	build-date	2024-06-27	Low
Vendor	Manifest	build-revision	55d12321315b11eaf6ed87e73c47bcd39ade5	Low
Vendor	Manifest	build-time	16:07:04.699+0200	Low
Vendor	Manifest	bundle-symbolicname	junit-platform-suite	Medium
Vendor	Manifest	Implementation-Vendor	junit.org	High
Vendor	Manifest	specification-vendor	junit.org	Low
Product	file	name	junit-platform-suite	High
Product	gradle	artifactid	junit-platform-suite	Highest
Product	Manifest	build-date	2024-06-27	Low
Product	Manifest	build-revision	55d12321315b11eaf6ed87e73c47bcd39ade5	Low
Product	Manifest	build-time	16:07:04.699+0200	Low
Product	Manifest	Bundle-Name	JUnit Platform Suite (Aggregator)	Medium
Product	Manifest	bundle-symbolicname	junit-platform-suite	Medium
Product	Manifest	Implementation-Title	junit-platform-suite	High
Product	Manifest	specification-title	junit-platform-suite	Medium
Version	file	version	1.10.3	High
Version	Manifest	Implementation-	1.10.3	High

	Version	
--	---------	--

Identifiers

- [pkg:maven/org.junit.platform/junit-platform-suite@1.10.3](#) (*Confidence: Highest*)

junit-platform-suite-api-1.10.3.jar

File Path: /home/jenkins/.gradle/caches/modules-2/files-2.1/org.junit.platform/junit-platform-suite-api/1.10.3/8358a40913929201e7ba817ca7a66456165fa7eb/junit-platform-suite-api-1.10.3.jar

MD5: 689122f3641d81b7756fec816e79a6f9

SHA1: 8358a40913929201e7ba817ca7a66456165fa7eb

SHA256: bdb1de13d1a86a17a8093f2612014cd3271a1625b46fedee01c9982a3b4287af

Referenced In Project/Scope: server:inetPlugin

Included by:

- pkg:maven/org.junit.jupiter/junit-jupiter@5.10.3
- pkg:maven/org.junit.platform/junit-platform-suite@1.10.3

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	junit-platform-suite-api	High
Vendor	gradle	artifactid	junit-platform-suite-api	Highest
Vendor	gradle	groupid	org.junit.platform	Highest
Vendor	jar	package name	api	Highest
Vendor	jar	package name	junit	Highest
Vendor	jar	package name	junit	Low
Vendor	jar	package name	platform	Highest
Vendor	jar	package name	platform	Low
Vendor	jar	package name	suite	Highest
Vendor	jar	package name	suite	Low
Vendor	Manifest	build-date	2024-06-27	Low
Vendor	Manifest	build-revision	55d12321315b11eaf6ed87e73c47bcd39ade5	Low
Vendor	Manifest	build-time	16:07:04.699+0200	Low
Vendor	Manifest	bundle-symbolicname	junit-platform-suite-api	Medium
Vendor	Manifest	Implementation-Vendor	junit.org	High
Vendor	Manifest	specification-vendor	junit.org	Low

Product	file	name	junit-platform-suite-api	High
Product	gradle	artifactid	junit-platform-suite-api	Highest
Product	jar	package name	api	Highest
Product	jar	package name	api	Low
Product	jar	package name	junit	Highest
Product	jar	package name	platform	Highest
Product	jar	package name	platform	Low
Product	jar	package name	suite	Highest
Product	jar	package name	suite	Low
Product	Manifest	build-date	2024-06-27	Low
Product	Manifest	build-revision	55d12321315b11eaf6ed87e73c47bcd39ade5	Low
Product	Manifest	build-time	16:07:04.699+0200	Low
Product	Manifest	Bundle-Name	JUnit Platform Suite API	Medium
Product	Manifest	bundle-symbolicname	junit-platform-suite-api	Medium
Product	Manifest	Implementation-Title	junit-platform-suite-api	High
Product	Manifest	specification-title	junit-platform-suite-api	Medium
Version	file	version	1.10.3	High
Version	Manifest	Implementation-Version	1.10.3	High

Identifiers

- pkg:maven/org.junit.platform/junit-platform-suite-api@1.10.3 (*Confidence: Highest*)

junit-platform-suite-commons-1.10.3.jar

File Path: /home/jenkins/.gradle/caches/modules-2/files-2.1/org.junit.platform/junit-platform-suite-commons/1.10.3/e184697bc6e8d96072815df8ca40eaed940c3fd8/junit-platform-suite-commons-1.10.3.jar
MD5: 4218be8526eab4fdb25437440a1225d5
SHA1: e184697bc6e8d96072815df8ca40eaed940c3fd8
SHA256: da51c58786762602848f38bcf45d9d18387ed10d030308ebd8d4989cfae7fd59
Referenced In Project/Scope: server:inetPlugin
Included by:

- pkg:maven/org.junit.jupiter/junit-jupiter@5.10.3
- pkg:maven/org.junit.platform/junit-platform-suite@1.10.3

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	junit-platform-suite-commons	High
Vendor	gradle	artifactid	junit-platform-suite-commons	Highest
Vendor	gradle	groupid	org.junit.platform	Highest
Vendor	jar	package name	commons	Highest
Vendor	jar	package name	junit	Highest
Vendor	jar	package name	junit	Low
Vendor	jar	package name	platform	Highest
Vendor	jar	package name	platform	Low
Vendor	jar	package name	suite	Highest
Vendor	jar	package name	suite	Low
Vendor	Manifest	build-date	2024-06-27	Low
Vendor	Manifest	build-revision	55d12321315b11eaf6ed87e73c47bcd39ade5	Low
Vendor	Manifest	build-time	16:07:04.699+0200	Low
Vendor	Manifest	bundle-symbolicname	junit-platform-suite-commons	Medium
Vendor	Manifest	Implementation-Vendor	junit.org	High
Vendor	Manifest	specification-vendor	junit.org	Low
Product	file	name	junit-platform-suite-commons	High
Product	gradle	artifactid	junit-platform-suite-commons	Highest
Product	jar	package name	commons	Highest
Product	jar	package name	commons	Low
Product	jar	package name	junit	Highest
Product	jar	package name	platform	Highest
Product	jar	package name	platform	Low
Product	jar	package name	suite	Highest
Product	jar	package name	suite	Low
Product	Manifest	build-date	2024-06-27	Low
Product	Manifest	build-revision	55d12321315b11eaf6ed87e73c47bcd39ade5	Low
Product	Manifest	build-time	16:07:04.699+0200	Low
Product	Manifest	Bundle-Name	JUnit Platform Suite Commons	Medium
Product	Manifest	bundle-symbolicname	junit-platform-suite-commons	Medium
Product	Manifest	Implementation-Title	junit-platform-suite-commons	High

Product	Manifest	specification-title	junit-platform-suite-commons	Medium
Version	file	version	1.10.3	High
Version	Manifest	Implementation-Version	1.10.3	High

Identifiers

- [pkg:maven/org.junit.platform/junit-platform-suite-commons@1.10.3](https://maven.org/junit.platform/junit-platform-suite-commons@1.10.3) (*Confidence*:Highest)

junit-platform-suite-engine-1.10.3.jar

File Path: /home/jenkins/.gradle/caches/modules-2/files-2.1/org.junit.platform/junit-platform-suite-engine/1.10.3/a3585e7639577aa12b24e90f2ab7f0433997b5e0/junit-platform-suite-engine-1.10.3.jar

MD5: 1f4805e105121cea17015917c1411ace

SHA1: a3585e7639577aa12b24e90f2ab7f0433997b5e0

SHA256:65887849bc0ae1e11f19500116e1c1a68bfb101813bfc4c63e72225cf3354340

Referenced In Project/Scope: server:inetPlugin

Included by:

- pkg:maven/org.junit.jupiter/junit-jupiter@5.10.3
- pkg:maven/org.junit.platform/junit-platform-suite@1.10.3

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	junit-platform-suite-engine	High
Vendor	gradle	artifactid	junit-platform-suite-engine	Highest
Vendor	gradle	groupid	org.junit.platform	Highest
Vendor	jar	package name	engine	Highest
Vendor	jar	package name	junit	Highest
Vendor	jar	package name	junit	Low
Vendor	jar	package name	platform	Highest
Vendor	jar	package name	platform	Low
Vendor	jar	package name	suite	Highest
Vendor	jar	package name	suite	Low
Vendor	Manifest	build-date	2024-06-27	Low
Vendor	Manifest	build-revision	55d12321315b11eaf6ed87e73c47bcd39ade5	Low
Vendor	Manifest	build-time	16:07:04.699+0200	Low
Vendor	Manifest	bundle-symbolicname	junit-platform-suite-engine	Medium

Vendor	Manifest	Implementation-Vendor	junit.org	High
Vendor	Manifest	specification-vendor	junit.org	Low
Product	file	name	junit-platform-suite-engine	High
Product	gradle	artifactid	junit-platform-suite-engine	Highest
Product	jar	package name	engine	Highest
Product	jar	package name	engine	Low
Product	jar	package name	junit	Highest
Product	jar	package name	platform	Highest
Product	jar	package name	platform	Low
Product	jar	package name	suite	Highest
Product	jar	package name	suite	Low
Product	Manifest	build-date	2024-06-27	Low
Product	Manifest	build-revision	55d12321315b11eaf6ed87e73c47bcd39ade5	Low
Product	Manifest	build-time	16:07:04.699+0200	Low
Product	Manifest	Bundle-Name	JUnit Platform Suite Engine	Medium
Product	Manifest	bundle-symbolicname	junit-platform-suite-engine	Medium
Product	Manifest	Implementation-Title	junit-platform-suite-engine	High
Product	Manifest	specification-title	junit-platform-suite-engine	Medium
Version	file	version	1.10.3	High
Version	Manifest	Implementation-Version	1.10.3	High

Identifiers

- [pkg:maven/org.junit.platform/junit-platform-suite-engine@1.10.3](#) (*Confidence*:Highest)

junit-vintage-engine-5.10.3.jar

File Path: /home/jenkins/.gradle/caches/modules-2/files-2.1/org.junit.vintage/junit-vintage-engine/5.10.3/18ddfc904011b7b8ab7bcf606ca77b7469c05f48/junit-vintage-engine-5.10.3.jar

MD5: 794a99a9431931e019e4fe9ea5b06bd5

SHA1: 18ddfc904011b7b8ab7bcf606ca77b7469c05f48

SHA256:d60288d3e850ba9f2af4701203a5171ef30634efd34da40ab47facebd2c65d6c

Referenced In Project/Scope: server:inetPlugin

Included by:

- pkg:maven/org.junit.jupiter/junit-jupiter@5.10.3
- pkg:maven/clear-reports/server@24.10
- pkg:maven/org.junit.platform/junit-platform-suite@1.10.3

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	junit-vintage-engine	High
Vendor	gradle	artifactid	junit-vintage-engine	Highest
Vendor	gradle	groupid	org.junit.vintage	Highest
Vendor	jar	package name	engine	Highest
Vendor	jar	package name	engine	Low
Vendor	jar	package name	junit	Highest
Vendor	jar	package name	junit	Low
Vendor	jar	package name	vintage	Highest
Vendor	jar	package name	vintage	Low
Vendor	Manifest	build-date	2024-06-27	Low
Vendor	Manifest	build-revision	55d12321315b11eaf6ed87e73c47bcd39ade5	Low
Vendor	Manifest	build-time	16:07:04.699+0200	Low
Vendor	Manifest	bundle-symbolicname	junit-vintage-engine	Medium
Vendor	Manifest	Implementation-Vendor	junit.org	High
Vendor	Manifest	provide-capability	org.junit.platform.engine;org.junit.platform.engine=junit-vintage;version:Version="5.10.3"	Low
Vendor	Manifest	specification-vendor	junit.org	Low
Product	file	name	junit-vintage-engine	High
Product	gradle	artifactid	junit-vintage-engine	Highest
Product	jar	package name	engine	Highest
Product	jar	package name	engine	Low
Product	jar	package name	junit	Highest
Product	jar	package name	vintage	Highest
Product	jar	package name	vintage	Low
Product	Manifest	build-date	2024-06-27	Low
Product	Manifest	build-revision	55d12321315b11eaf6ed87e73c47bcd39ade5	Low
Product	Manifest	build-time	16:07:04.699+0200	Low
Product	Manifest	Bundle-Name	JUnit Vintage Engine	Medium
Product	Manifest	bundle-	junit-vintage-engine	Medium

symbolicname

Product	Manifest	Implementation-Title	junit-vintage-engine	High
Product	Manifest	provide-capability	org.junit.platform.engine;org.junit.platform.engine=junit-vintage;version:Version="5.10.3"	Low
Product	Manifest	specification-title	junit-vintage-engine	Medium
Version	file	version	5.10.3	High
Version	Manifest	Implementation-Version	5.10.3	High

Identifiers

- [pkg:maven/org.junit.vintage/junit-vintage-engine@5.10.3](https://maven.org/junit.vintage/junit-vintage-engine@5.10.3) (*Confidence: Highest*)

lang-css.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/Documentation and Samples/ReportViewer - HTML API Doc/scripts/prettify/lang-css.js

MD5: 914365fa44cd3c094afc7c0de229e29e

SHA1: 0a6564da73538b95de1d787c36347f63595891b4

SHA256: 9b6ac483033b02572714eb4d37ee199185c41008eb2b3f46a00ab0ebce6a20c5

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

linenumber.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/Documentation and Samples/ReportViewer - HTML API Doc/scripts/linenumber.js

MD5: 8520038fe7381ba8119956a342d21580

SHA1: ccbf2747b02c5204bf135f3b48fcfb74540c62e8

SHA256: bcc1057a550d0865cd8fceb0e7531b76226d25d42ebdfa8cab11f2314c3787

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

lunr.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/Documentation and Samples/dotnet - ProcessBridge API Doc/styles/lunr.js

MD5: da4f3703ce0083f8050d00e900aac7b0

SHA1: ae614550091dd5ea4b432d94fa4e286b2c91278d

SHA256: f9671350512fd9359469b1a2113ed3134e7b007fa0041e8e1cfe006de3d7f6f6

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

lunr.min.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/Documentation and Samples/dotnet - ProcessBridge API Doc/styles/lunr.min.js

MD5: 323b7324b0cd0280e1d33689fd88e70a

SHA1: f44691b6ed6e0cd684175f7779eea8fc4a2a5015

SHA256: 447b131dc7c9500a8fb188bc88271941b88805d610a60a0c953c482d69abdf2b

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

mail.zip: bc-fips.jar

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/mail.zip/bc-fips.jar

MD5: 6dbb5bd5f7ba5e2827d845556e85f868

SHA1: 704e65f7e4fe679e5ab2aa8a840f27f8ced4c522

SHA256: 50e4c7a0d0c68413d3d8587560d56945ac09e7c89c41bd971cd22d76be6f1085

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	bc-fips	High
Vendor	jar	package name	bc	Highest
Vendor	jar	package name	bouncycastle	Highest
Vendor	jar	package name	bouncycastle	Low
Vendor	jar	package name	fips	Highest
Vendor	jar	package name	provider	Highest
Vendor	Manifest	application-library-allowable-codebase	*	Low
Vendor	Manifest	application-name	Bouncy Castle FIPS Provider	Medium
Vendor	Manifest	automatic-module-name	org.bouncycastle.fips.core	Medium
Vendor	Manifest	bundle-requiredexecution	J2SE-1.5	Low
Vendor	Manifest	bundle-symbolicname	bc-fips	Medium
Vendor	Manifest	caller-allowable-codebase	*	Low
Vendor	Manifest	codebase	*	Low
Vendor	Manifest	extension-name	org.bouncycastle.bcfips	Medium
Vendor	Manifest	Implementation-Vendor	BouncyCastle.org	High

Vendor	Manifest	Implementation-Vendor-Id	org.bouncycastle	Medium
Vendor	Manifest	multi-release	true	Low
Vendor	Manifest	permissions	all-permissions	Low
Vendor	Manifest	specification-vendor	BouncyCastle.org	Low
Vendor	Manifest	trusted-library	true	Low
Product	file	name	bc-fips	High
Product	jar	package name	bc	Highest
Product	jar	package name	bouncycastle	Highest
Product	jar	package name	fips	Highest
Product	jar	package name	permissions	Highest
Product	jar	package name	provider	Highest
Product	Manifest	application-library-allowable-codebase	*	Low
Product	Manifest	application-name	Bouncy Castle FIPS Provider	Medium
Product	Manifest	automatic-module-name	org.bouncycastle.fips.core	Medium
Product	Manifest	Bundle-Name	bc-fips	Medium
Product	Manifest	bundle-requiredexecution	J2SE-1.5	Low
Product	Manifest	bundle-symbolicname	bc-fips	Medium
Product	Manifest	caller-allowable-codebase	*	Low
Product	Manifest	codebase	*	Low
Product	Manifest	extension-name	org.bouncycastle.bcfips	Medium
Product	Manifest	multi-release	true	Low
Product	Manifest	permissions	all-permissions	Low
Product	Manifest	trusted-library	true	Low
Version	jar	package name	permissions	Highest
Version	Manifest	Bundle-Version	1.0.2.5	High
Version	Manifest	Implementation-Version	1.0.2.5	High

Related Dependencies



- webserver.zip: bc-fips.jar

- File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/webserver.zip/bc-fips.jar
- MD5: 6dbb5bd5f7ba5e2827d845556e85f868
- SHA1: 704e65f7e4fe679e5ab2aa8a840f27f8ced4c522
- SHA256: 50e4c7a0d0c68413d3d8587560d56945ac09e7c89c41bd971cd22d76be6f1085

Identifiers

- None

mail.zip: bcmail-fips.jar

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/mail.zip/bcmail-fips.jar

MD5: 933222383d59e919cef64e1db42b6eb1

SHA1: e93795499065ef7fd43df063e68ee474b03c4fbc

SHA256: f50bddda7e4cfa88dd8afddf07d0ed86e76bf26d2e1b96dc124410947a555e06

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	bcmail-fips	High
Vendor	jar	package name	bouncycastle	Highest
Vendor	jar	package name	bouncycastle	Low
Vendor	jar	package name	mail	Highest
Vendor	jar	package name	mail	Low
Vendor	jar	package name	smime	Low
Vendor	Manifest	application-library-allowable-codebase	*	Low
Vendor	Manifest	application-name	Bouncy Castle FIPS S/MIME API	Medium
Vendor	Manifest	automatic-module-name	org.bouncycastle.fips.mail	Medium
Vendor	Manifest	bundle-requiredexecution	J2SE-1.5	Low
Vendor	Manifest	bundle-symbolicname	bcmail-fips	Medium
Vendor	Manifest	caller-allowable-codebase	*	Low
Vendor	Manifest	codebase	*	Low

Vendor	Manifest	extension-name	org.bouncycastle.bcips.mail	Medium
Vendor	Manifest	Implementation-Vendor	BouncyCastle.org	High
Vendor	Manifest	Implementation-Vendor-Id	org.bouncycastle	Medium
Vendor	Manifest	permissions	all-permissions	Low
Vendor	Manifest	specification-vendor	BouncyCastle.org	Low
Vendor	Manifest	trusted-library	true	Low
Product	file	name	bcmail-fips	High
Product	jar	package name	bouncycastle	Highest
Product	jar	package name	mail	Highest
Product	jar	package name	mail	Low
Product	jar	package name	smime	Low
Product	Manifest	application-library-allowable-codebase	*	Low
Product	Manifest	application-name	Bouncy Castle FIPS S/MIME API	Medium
Product	Manifest	automatic-module-name	org.bouncycastle.fips.mail	Medium
Product	Manifest	Bundle-Name	bcmail-fips	Medium
Product	Manifest	bundle-requiredexecution	J2SE-1.5	Low
Product	Manifest	bundle-symbolicname	bcmail-fips	Medium
Product	Manifest	caller-allowable-codebase	*	Low
Product	Manifest	codebase	*	Low
Product	Manifest	extension-name	org.bouncycastle.bcips.mail	Medium
Product	Manifest	permissions	all-permissions	Low
Product	Manifest	trusted-library	true	Low
Version	Manifest	Bundle-Version	1.0.4	High
Version	Manifest	Implementation-Version	1.0.4	High

Identifiers

- None

mail.zip: bcpkg-fips.jar

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/mail.zip/bcpkg-fips.jar

MD5: d5dbb089be98a4c7b4bb5b78d6b2d629

SHA1: 5e1952428655ea822066f86df2e3ecda8fa0ba2b

SHA256: fea1a096c098395eb67d48700c349d5f75321ef0c7c6af9198bc38f4cc836622

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	bcpkg-fips	High
Vendor	jar	package name	bcpkg	Highest
Vendor	jar	package name	bouncycastle	Highest
Vendor	jar	package name	bouncycastle	Low
Vendor	jar	package name	openpgp	Highest
Vendor	jar	package name	openpgp	Low
Vendor	Manifest	application-library-allowable-codebase	*	Low
Vendor	Manifest	application-name	Bouncy Castle FIPS OpenPGP API	Medium
Vendor	Manifest	automatic-module-name	org.bouncycastle.fips.pg	Medium
Vendor	Manifest	bundle-requiredexecution	J2SE-1.5	Low
Vendor	Manifest	bundle-symbolicname	bcpkg-fips	Medium
Vendor	Manifest	caller-allowable-codebase	*	Low
Vendor	Manifest	codebase	*	Low
Vendor	Manifest	extension-name	org.bouncycastle.bcfips.pg	Medium
Vendor	Manifest	Implementation-Vendor	BouncyCastle.org	High
Vendor	Manifest	Implementation-Vendor-Id	org.bouncycastle	Medium
Vendor	Manifest	permissions	all-permissions	Low
Vendor	Manifest	specification-vendor	BouncyCastle.org	Low
Vendor	Manifest	trusted-library	true	Low

Product	file	name	bcp4-fips	High
Product	jar	package name	bcp4	Highest
Product	jar	package name	bouncycastle	Highest
Product	jar	package name	openpgp	Highest
Product	jar	package name	openpgp	Low
Product	Manifest	application-library-allowable-codebase	*	Low
Product	Manifest	application-name	Bouncy Castle FIPS OpenPGP API	Medium
Product	Manifest	automatic-module-name	org.bouncycastle.fips.pg	Medium
Product	Manifest	Bundle-Name	bcp4-fips	Medium
Product	Manifest	bundle-requiredexecution	J2SE-1.5	Low
Product	Manifest	bundle-symbolicname	bcp4-fips	Medium
Product	Manifest	caller-allowable-codebase	*	Low
Product	Manifest	codebase	*	Low
Product	Manifest	extension-name	org.bouncycastle.bcfips.pg	Medium
Product	Manifest	permissions	all-permissions	Low
Product	Manifest	trusted-library	true	Low
Version	Manifest	Bundle-Version	1.0.7.1	High
Version	Manifest	Implementation-Version	1.0.7.1	High

Identifiers

- [cpe:2.3:a:openpgp:openpgp:1.0.7.1:::.*.*.*.*](#) (Confidence: Highest) suppress

mail.zip: bcpkix-fips.jar

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/mail.zip/bcpkix-fips.jar

MD5: 5eb817346ccced24509b5b18d49b44e1

SHA1: fe07959721cfa2156be9722ba20fdfee2b5441b0

SHA256: 2f6a0e9edf56f815f7771f91e7a099fa2a73642e92345fd05a25ee3a036dc664

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	bcpkix-fips	High
Vendor	jar	package name	bouncycastle	Highest
Vendor	jar	package name	bouncycastle	Low
Vendor	jar	package name	pkix	Highest
Vendor	Manifest	application-library-allowable-codebase	*	Low
Vendor	Manifest	application-name	Bouncy Castle FIPS PKIX API	Medium
Vendor	Manifest	automatic-module-name	org.bouncycastle.fips.pkix	Medium
Vendor	Manifest	bundle-requiredexecution	J2SE-1.5	Low
Vendor	Manifest	bundle-symbolicname	bcpkix-fips	Medium
Vendor	Manifest	caller-allowable-codebase	*	Low
Vendor	Manifest	codebase	*	Low
Vendor	Manifest	extension-name	org.bouncycastle.bcfips.pkix	Medium
Vendor	Manifest	Implementation-Vendor	BouncyCastle.org	High
Vendor	Manifest	Implementation-Vendor-Id	org.bouncycastle	Medium
Vendor	Manifest	permissions	all-permissions	Low
Vendor	Manifest	specification-vendor	BouncyCastle.org	Low
Vendor	Manifest	trusted-library	true	Low
Product	file	name	bcpkix-fips	High
Product	jar	package name	bouncycastle	Highest
Product	jar	package name	pkix	Highest
Product	Manifest	application-library-allowable-codebase	*	Low
Product	Manifest	application-name	Bouncy Castle FIPS PKIX API	Medium
Product	Manifest	automatic-module-name	org.bouncycastle.fips.pkix	Medium
Product	Manifest	Bundle-Name	bcpkix-fips	Medium

Product	Manifest	bundle-requiredexecution	J2SE-1.5	Low
Product	Manifest	bundle-symbolicname	bcpkix-fips	Medium
Product	Manifest	caller-allowable-codebase	*	Low
Product	Manifest	codebase	*	Low
Product	Manifest	extension-name	org.bouncycastle.bcfips.pkix	Medium
Product	Manifest	permissions	all-permissions	Low
Product	Manifest	trusted-library	true	Low
Version	Manifest	Bundle-Version	1.0.7	High
Version	Manifest	Implementation-Version	1.0.7	High

Related Dependencies



- webserver.zip: bcpkix-fips.jar
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/webserver.zip/bcpkix-fips.jar
 - MD5: 5eb817346ccced24509b5b18d49b44e1
 - SHA1: fe07959721cfa2156be9722ba20fdfee2b5441b0
 - SHA256: 2f6a0e9edf56f815f7771f91e7a099fa2a73642e92345fd05a25ee3a036dc664

Identifiers

- None

mail.zip: jakarta.activation.jar

Description:

Jakarta Activation

License:

<http://www.eclipse.org/org/documents/edl-v10.php>

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/mail.zip/jakarta.activation.jar

MD5: 0b8bee3bf29b9a015f8b992035581a7c

SHA1: 74548703f9851017ce2f556066659438019e7eb5

SHA256: 02156773e4ae9d048d14a56ad35d644bee9f1052a791d072df3ded3c656e6e1a

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	jakarta.activation	High
Vendor	jar	package name	activation	Highest
Vendor	jar	package name	sun	Highest
Vendor	jar (hint)	package name	oracle	Highest
Vendor	Manifest	bundle-docurl	https://www.eclipse.org	Low
Vendor	Manifest	bundle-symbolicname	com.sun.activation.jakarta.activation	Medium
Vendor	Manifest	extension-name	jakarta.activation	Medium
Vendor	Manifest	Implementation-Vendor	Eclipse Foundation	High
Vendor	Manifest	Implementation-Vendor-Id	com.sun	Medium
Vendor	Manifest	specification-vendor	Eclipse Foundation	Low
Vendor	pom	artifactid	jakarta.activation	Low
Vendor	pom	groupid	com.sun.activation	Highest
Vendor	pom	name	Jakarta Activation	High
Vendor	pom	parent-artifactid	all	Low
Product	file	name	jakarta.activation	High
Product	jar	package name	activation	Highest
Product	jar	package name	javax	Highest
Product	jar	package name	sun	Highest
Product	Manifest	bundle-docurl	https://www.eclipse.org	Low
Product	Manifest	Bundle-Name	Jakarta Activation	Medium
Product	Manifest	bundle-symbolicname	com.sun.activation.jakarta.activation	Medium
Product	Manifest	extension-name	jakarta.activation	Medium
Product	Manifest	Implementation-Title	javax.activation	High
Product	Manifest	specification-title	Jakarta Activation Specification	Medium
Product	pom	artifactid	jakarta.activation	Highest
Product	pom	groupid	com.sun.activation	Highest
Product	pom	name	Jakarta Activation	High
Product	pom	parent-artifactid	all	Medium
Version	Manifest	Bundle-Version	1.2.2	High
Version	Manifest	Implementation-	1.2.2	High

Version

Version	pom	version	1.2.2	Highest
---------	-----	---------	-------	---------

Identifiers

- [pkg:maven/com.sun.activation/jakarta.activation@1.2.2](https://maven.apache.org/pom.html#pkg:maven/com.sun.activation/jakarta.activation@1.2.2) (*Confidence:High*)

mail.zip: jakarta.mail.jar

Description:

Jakarta Mail API

License:

<http://www.eclipse.org/legal/epl-2.0>, <https://www.gnu.org/software/classpath/license.html>, <http://www.eclipse.org/org/documents/edl-v10.php>

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/mail.zip/jakarta.mail.jar

MD5: 17eb378c9dd574be23e71014ce9d5d30

SHA1: 319df0e9d536c1a01acdfc49b6e82b97d2393073

SHA256: 1b258ef45fae93059b65d0a0dd109e59ab93e8cd8a735ff66b2ba85f870d5150

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	jakarta.mail	High
Vendor	jar	package name	javax	Highest
Vendor	jar	package name	mail	Highest
Vendor	jar	package name	provider	Highest
Vendor	jar	package name	sun	Highest
Vendor	jar (hint)	package name	oracle	Highest
Vendor	Manifest	build-jdk-spec	11	Low
Vendor	Manifest	bundle-docurl	http://www.oracle.com	Low
Vendor	Manifest	bundle-symbolicname	com.sun.mail.jakarta.mail	Medium
Vendor	Manifest	extension-name	javax.mail	Medium
Vendor	Manifest	Implementation-Vendor	Oracle	High
Vendor	Manifest	Implementation-Vendor-Id	com.sun	Medium

Vendor	Manifest	probe-provider-xml-file-names	META-INF/gfprobe-provider.xml	Medium
Vendor	Manifest	specification-vendor	Oracle	Low
Vendor	Manifest (hint)	Implementation-Vendor	sun	High
Vendor	Manifest (hint)	specification-vendor	sun	Low
Vendor	pom	artifactid	jakarta.mail	Low
Vendor	pom	groupid	com.sun.mail	Highest
Vendor	pom	name	Jakarta Mail API	High
Vendor	pom	parent-artifactid	all	Low
Product	file	name	jakarta.mail	High
Product	jar	package name	javax	Highest
Product	jar	package name	mail	Highest
Product	jar	package name	provider	Highest
Product	jar	package name	sun	Highest
Product	Manifest	build-jdk-spec	11	Low
Product	Manifest	bundle-docurl	http://www.oracle.com	Low
Product	Manifest	Bundle-Name	Jakarta Mail API	Medium
Product	Manifest	bundle-symbolicname	com.sun.mail.jakarta.mail	Medium
Product	Manifest	extension-name	javax.mail	Medium
Product	Manifest	Implementation-Title	javax.mail	High
Product	Manifest	probe-provider-xml-file-names	META-INF/gfprobe-provider.xml	Medium
Product	Manifest	specification-title	Jakarta Mail API Design Specification	Medium
Product	pom	artifactid	jakarta.mail	Highest
Product	pom	groupid	com.sun.mail	Highest
Product	pom	name	Jakarta Mail API	High
Product	pom	parent-artifactid	all	Medium
Version	Manifest	Bundle-Version	1.6.7	High
Version	Manifest	Implementation-Version	1.6.7	High
Version	pom	version	1.6.7	Highest

Identifiers

- [pkg:maven/com.sun.mail/jakarta.mail@1.6.7](#) (Confidence:High)

mail.zip: mail.jar

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/mail.zip/mail.jar
MD5: cf7660f8e735a3e87b71d89e6ef9ebd5
SHA1: bae7bdd796bc680cca5fd3d79c3b5fd6c9a5651a
SHA256:c561cca97d7d1cb4a2c4677ecc149dbbf655524ea73ca471bdfa20fc8f2b2239
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	mail	High
Vendor	jar	package name	i	Highest
Vendor	jar	package name	inet	Low
Vendor	jar	package name	mail	Low
Vendor	Manifest	built-date	2024-09-19 17:15	Low
Vendor	Manifest	implementation-group	shared	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	mail	High
Product	jar	package name	mail	Highest
Product	jar	package name	mail	Low
Product	jar	package name	shared	Highest
Product	Manifest	built-date	2024-09-19 17:15	Low
Product	Manifest	implementation-group	shared	Low
Product	Manifest	Implementation-Title	mail	High
Product	Manifest	specification-title	mail	Medium
Version	jar	package name	shared	Highest
Version	Manifest	Implementation-Version	24.10.163	High

Identifiers

- None

mail.zip: mail.jar: smimeconfig.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/mail.zip/mail.jar/com/inet/mail/structure/smimeconfig.js

MD5: f2b5d666d67cf13f7ab451cf08b4629f

SHA1: 6c308ede709181fe63c6e00140c661ad35bdfc0d

SHA256: 68015cd2a0a4bba7d3d9853b9f2c00029d0549093b58993e998cb5f220791b96

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

main.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/Documentation and Samples/dotnet - ProcessBridge API Doc/styles/main.js

MD5: d79b7693c3fedef6d2701f98bd63395e

SHA1: dcb11c632f69f2a29632327c71ce2b36f0ed2da0

SHA256: 8c8530e356505da9f829ef1cf582c79f20fdd14cf1bb8491abc354d5e6882334

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

maintenance.reporting.zip: maintenance.reporting.jar

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/maintenance.reporting.zip/maintenance.reporting.jar

MD5: 5a57160ee655abacad21c972915408bd

SHA1: afc910cd7ab556a01a9fc9e714cef2ccf89c6038

SHA256:a8dda8b934f55fed7f3f9301cc1573e34490bc37c899d11b3b410ffaf1fe5549

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	maintenance.reporting	High
Vendor	jar	package name	inet	Low
Vendor	jar	package name	plugins	Low
Vendor	jar	package name	report	Low
Vendor	Manifest	built-date	2024-09-19 18:29	Low
Vendor	Manifest	implementation-group	reporting	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	maintenance.reporting	High
Product	jar	package name	maintenance	Highest
Product	jar	package name	maintenance	Low
Product	jar	package name	plugins	Low
Product	jar	package name	report	Low
Product	Manifest	built-date	2024-09-19 18:29	Low
Product	Manifest	implementation-group	reporting	Low
Product	Manifest	Implementation-Title	maintenance.reporting	High
Product	Manifest	specification-title	maintenance.reporting	Medium
Version	Manifest	Implementation-Version	24.10.163	High

Identifiers

- None

maintenance.zip: maintenance-javadoc.jar

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/maintenance.zip/maintenance-javadoc.jar

MD5: 025850f693f5782cfdaac89b069d6b03

SHA1: 7ee97c18c9e5423ecde3728dbbd7056d3211384b

SHA256: d2d1f2cf72dd1c20535a7f6124f7e5ee4554e0592e1e0a80551b3858ccbe004b

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	maintenance-javadoc	High
Product	file	name	maintenance-javadoc	High

Identifiers

- None

maintenance.zip: maintenance-javadoc.jar: member-search-index.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/maintenance.zip/maintenance-javadoc.jar/member-search-index.js

MD5: 93b51609403fe383f95ae75000fd9e09

SHA1: 32a7d291fa90846ef3a1b919485866573b8bd07b

SHA256: 5902db037c53061d68cc19ef2af2e3578c16ce0ec0397438e34dd8119c609087

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

maintenance.zip: maintenance-javadoc.jar: package-search-index.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/maintenance.zip/maintenance-javadoc.jar/package-search-index.js

MD5: e89f47c422716f6284a74cd96ed0cd3f

SHA1: 658d9c6eebf7c62d01f7808a26b6024b8c39ecf4

SHA256: 9687f5061532bbd21fa8c795aca6a657bdac71e356eb43f7103a1cd02bd9306d

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

maintenance.zip: maintenance-javadoc.jar: tag-search-index.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/maintenance.zip/maintenance-javadoc.jar/tag-search-index.js

MD5: 3236248138000d701400e0346999c1a8

SHA1: 565146643a30712208f9299bd94a37566eab76b8

SHA256: 72960c457566fe509fb1610d2612152b3f78b15485c891197f1053febf8f8d1

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies



- taskplanner.reporting.zip: taskplanner.reporting-javadoc.jar: tag-search-index.js
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/taskplanner.reporting.zip/taskplanner.reporting-javadoc.jar/tag-search-index.js
 - MD5: 3236248138000d701400e0346999c1a8
 - SHA1: 565146643a30712208f9299bd94a37566eab76b8
 - SHA256: 72960c457566fe509fb1610d2612152b3f78b15485c891197f1053febf8f8d1

Identifiers

- None

maintenance.zip: maintenance-javadoc.jar: type-search-index.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/maintenance.zip/maintenance-javadoc.jar/type-search-index.js
MD5: 4fc01a884f0b77974cfda0ecd2b9008f
SHA1: d9610bba6879a5a4f88fb61427b75cd69bce1546
SHA256:cb975e5713d5cd570800e6107aceaa23f53deee11f68222408fec819358da987
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

maintenance.zip: maintenance.jar

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/maintenance.zip/maintenance.jar
MD5: fee14411976146b2cc038224240b9e8a
SHA1: b6bdfc6a98768508d01e313d9860f2ce8156ebb5
SHA256:39effccbf155b286d29e452badf4b5d68b2085fb845a233e76153e7a0190279a
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	maintenance	High
Vendor	jar	package name	inet	Low
Vendor	jar	package name	maintenance	Low
Vendor	jar	package name	server	Low
Vendor	Manifest	built-date	2024-09-19 16:58	Low

Vendor	Manifest	implementation-group	shared	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	maintenance	High
Product	jar	package name	maintenance	Highest
Product	jar	package name	maintenance	Low
Product	jar	package name	server	Low
Product	Manifest	built-date	2024-09-19 16:58	Low
Product	Manifest	implementation-group	shared	Low
Product	Manifest	Implementation-Title	maintenance	High
Product	Manifest	specification-title	maintenance	Medium
Version	Manifest	Implementation-Version	24.10.163	High

Identifiers

- None

maintenance.zip: maintenance.jar: controller.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/maintenance.zip/maintenance.jar/com/inet/maintenance/resources/backup/js/controller.js
MD5: 87f6258d7d7cbbdee876d9f39ce358b8
SHA1: dac18f4f0db90e6c5e24a31f68f420a4ee67505c
SHA256: 62f3377b25ff617a20c9145ad985cb1a0fe7d2a62506f2c535fbdebb0cbc301f
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

maintenance.zip: maintenance.jar: controller.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/maintenance.zip/maintenance.jar/com/inet/maintenance/resources/cache/js/controller.js

MD5: 75a2a467d59514437fe8d40d7c759ab3

SHA1: 5c1142a7bb98e8e80e42c0f969b4efb54db8b0b7

SHA256:c404cedb100ab444adacbfcf48eb3ddafb2ee13793af5f4f1b7e5eb8e441515f

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

maintenance.zip: maintenance.jar: controller.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/maintenance.zip/maintenance.jar/com/inet/maintenance/resources/main/js/controller.js

MD5: 55014fba3d1f72a4197c2d3079557108

SHA1: 69c7a58b818cdfcb5149482b60463a8971a79a5c

SHA256:a109462f5780c90bba9589fdc18018c8a47ae5045ba5b94ddd4de9b8177557f0

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

maintenance.zip: maintenance.jar: controller.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/maintenance.zip/maintenance.jar/com/inet/maintenance/resources/programdata/js/controller.js

MD5: e9102b50be7a4c99936f78f337122fcc

SHA1: ceffe7a5a653bc9c1ed03fc866b7eef1de8a07be

SHA256: d1be524371b0378c644e2ac040712dcb9356a4956f5ad2c9d425c53b43e26b48

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

maintenance.zip: maintenance.jar: controller.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/maintenance.zip/maintenance.jar/com/inet/maintenance/resources/usercleanup/js/controller.js

MD5: 13b062f030afac2de064955c790e8205

SHA1: a46f83d0ec22734fe9d3f2ca5d66feaa34f96a7e

SHA256: aa29fef4c672581ac659925321e6e6206d1861647510cb643bcc6180d0452c59

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

maintenance.zip: maintenance.jar: filechooser.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/maintenance.zip/maintenance.jar/com/inet/maintenance/resources/main/js/filechooser.js

MD5: 52060fad0a0e317f59c61d2e3bfbdeb5
SHA1: 3129730f85be06fd1eed6847e458000844da3491
SHA256:f3e8211c1c4548989d34b0365366acdbe66f41ace7fe764dcfb261e070810da3
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

maintenance.zip: maintenance.jar: multieditusers.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller
/server/build/tmp/dependencies/i-net Clear Reports/plugins/maintenance.zip/maintenance.jar/com/inet
/maintenance/resources/usercleanup/js/multieditusers.js

MD5: 4fb706fcdf12a1ea85ca0be863b60859
SHA1: a2e696a0927f0027f95bf3c8ce08f3f64e117e23
SHA256:834e075ae9681fbc5332f1575cf178b5994ed4698849010b618552eaa4c90c8e
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

mariadb-java-client.jar

Description:

JDBC driver for MariaDB and MySQL

License:

LGPL-2.1

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller
/server/build/tmp/dependencies/i-net Clear Reports/lib/driver/mariadb-java-client.jar

MD5: 8baa1ac1429d446905206d09e5866f3a

SHA1: 7599bff3a38ae943d8e055848b3fe943772b12c9

SHA256:f60e4b282f1f4bdb74f0a26436ba7078a5e480b6f6702f6a7b45d9ba5e604a24

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	mariadb-java-client	High
Vendor	jar	package name	client	Highest
Vendor	jar	package name	driver	Highest
Vendor	jar	package name	jdbc	Highest
Vendor	jar	package name	mariadb	Highest
Vendor	jar	package name	org	Highest
Vendor	Manifest	build-jdk-spec	11	Low
Vendor	Manifest	bundle-developers	mariadbJdbcDevelopers;name="mariadb jdbc developers"	Low
Vendor	Manifest	bundle-docurl	https://mariadb.com/kb/en/mariadb/about-mariadb-connector-j/	Low
Vendor	Manifest	bundle-symbolicname	mariadb-java-client	Medium
Vendor	Manifest	multi-release	true	Low
Vendor	pom	artifactid	mariadb-java-client	Low
Vendor	pom	developer id	mariadbJdbcDevelopers	Medium
Vendor	pom	developer name	mariadb jdbc developers	Medium
Vendor	pom	groupid	org.mariadb.jdbc	Highest
Vendor	pom	name	mariadb-java-client	High
Vendor	pom	organization name	mariadb.com	High
Vendor	pom	organization url	https://mariadb.com	Medium
Vendor	pom	url	https://mariadb.com/kb/en/mariadb/about-mariadb-connector-j/	Highest
Product	file	name	mariadb-java-client	High
Product	jar	package name	11	Highest
Product	jar	package name	client	Highest
Product	jar	package name	driver	Highest
Product	jar	package name	jdbc	Highest
Product	jar	package name	mariadb	Highest
Product	jar	package name	org	Highest
Product	Manifest	build-jdk-spec	11	Low
Product	Manifest	bundle-	mariadbJdbcDevelopers;name="mariadb	Low

		developers	jdbc developers"	
Product	Manifest	bundle-docurl	https://mariadb.com/kb/en/mariadb/about-mariadb-connector-j/	Low
Product	Manifest	Bundle-Name	mariadb-java-client	Medium
Product	Manifest	bundle-symbolicname	mariadb-java-client	Medium
Product	Manifest	multi-release	true	Low
Product	pom	artifactid	mariadb-java-client	Highest
Product	pom	developer id	mariadbJdbcDevelopers	Low
Product	pom	developer name	mariadb jdbc developers	Low
Product	pom	groupid	org.mariadb.jdbc	Highest
Product	pom	name	mariadb-java-client	High
Product	pom	organization name	mariadb.com	Low
Product	pom	organization url	https://mariadb.com	Low
Product	pom	url	https://mariadb.com/kb/en/mariadb/about-mariadb-connector-j/	Medium
Version	Manifest	Bundle-Version	3.4.1	High
Version	pom	version	3.4.1	Highest

Identifiers

- [pkg:maven/org.mariadb.jdbc/mariadb-java-client@3.4.1](https://maven.org/mariadb.jdbc/mariadb-java-client@3.4.1) (*Confidence:High*)

mysql-connector-j.jar

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/lib/driver/mysql-connector-j.jar

MD5: a331817ab5c572777e25539a70b51bb6

SHA1: 56d34aea30915904b1c883f1cfae731dd2df6029

SHA256: 06f14fbd664d0e382347489e66495ca27ab7e6c2e1d9969a496931736197465f

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	mysql-connector-j	High
Vendor	hint analyzer	vendor	oracle	Highest
Vendor	hint	vendor	sun	Highest

	analyzer (hint)			
Vendor	jar	package name	cj	Highest
Vendor	jar	package name	cj	Low
Vendor	jar	package name	mysql	Highest
Vendor	jar	package name	mysql	Low
Vendor	Manifest	bundle-symbolicname	com.mysql.cj	Medium
Vendor	Manifest	Implementation-Vendor	Oracle	High
Vendor	Manifest	Implementation-Vendor-Id	com.mysql	Medium
Vendor	Manifest	specification-vendor	Oracle Corporation	Low
Vendor	Manifest (hint)	Implementation-Vendor	sun	High
Product	file	name	mysql-connector-j	High
Product	hint analyzer	product	mysql_connector/j	Highest
Product	hint analyzer	product	mysql_connector_j	Highest
Product	hint analyzer	product	mysql_connectors	Highest
Product	jar	package name	cj	Highest
Product	jar	package name	cj	Low
Product	jar	package name	driver	Highest
Product	jar	package name	jdbc	Highest
Product	jar	package name	mysql	Highest
Product	jar	package name	xdevapi	Highest
Product	Manifest	Bundle-Name	Oracle Corporation's JDBC and XDevAPI Driver for MySQL	Medium
Product	Manifest	bundle-symbolicname	com.mysql.cj	Medium
Product	Manifest	Implementation-Title	MySQL Connector/J	High
Product	Manifest	specification-title	JDBC	Medium
Version	Manifest	Bundle-Version	8.2.0	High
Version	Manifest	Implementation-Version	8.2.0	High

Identifiers

Title

Product	Manifest	specification-title	notification	Medium
Version	Manifest	Implementation-Version	24.10.163	High

Identifiers

- None

notification.zip: notification.jar: notification.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/notification.zip/notification.jar/com/inet/notificationui/client/js/notification.js

MD5: f8387cffb5164fff66a86ded1d486990

SHA1: 945ef321d19796c37f81d45e7e8f331214b5419c

SHA256: b6aa1532919a6c4dd50967c51c715e9b1d80ab27a34c73163089b3a52d805bca

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

notification.zip: notification.jar: notification_config.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/notification.zip/notification.jar/com/inet/notificationui/client/js/notification_config.js

MD5: 8099d9e9137b19562db90c54b7f751a4

SHA1: cbb5313de5b113e7e00433bce106a009a6271e0b

SHA256: 5278757870dbe3ee393df0bf18ecb468539c9f96971cc134b8fe9c800f357f4d

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

notification.zip: notification.jar: notification_taskplanner.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/notification.zip/notification.jar/com/inet/notificationui/client/js/notification_taskplanner.js

MD5: 1fd307d62ba19fbdc038c44cd72b62d2

SHA1: 1952936593bdbea48df6a9a9e3fb0915be76f188

SHA256: 6c0ced9e67d00af753087cf43514b7dbf029727aa5177bbfd69b5b3c17bc0d51

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

notification.zip: notification.jar: targetrenderer.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/notification.zip/notification.jar/com/inet/notificationui/client/js/targetrenderer.js

MD5: 94d7d514f946077f0c8acc5797a372ef

SHA1: d7fbcfb1863ebea41303cce8c7ba15488e7678c

SHA256: 0e7851f6b57913d9a8042927978c4f8d501a5285e0574f13ebd5a29360b42a7e

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

odbc.jar

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/lib/driver/odbc.jar

MD5: f633114e085fdb90dfc693cadccc9190

SHA1: 4ac12dc234b22614c5a6a2e84ad9a7a0a4830dd0

SHA256: 09f8cb6c8cec042361360be8d768ea7156701561fd54ccb1bef33ca6e1501792

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	odbc	High
Vendor	jar	package name	inet	Low
Vendor	jar	package name	odbc	Low
Vendor	Manifest	Implementation-Vendor	i-net software GmbH, Berlin, Germany	High
Vendor	Manifest	specification-vendor	i-net software GmbH, Berlin, Germany	Low
Product	file	name	odbc	High
Product	jar	package name	odbc	Highest
Product	jar	package name	odbc	Low
Product	Manifest	Implementation-Title	odbc	High
Product	Manifest	specification-title	odbc	Medium
Version	Manifest	Implementation-Version	5.0.168	High

Identifiers

- None

opentest4j-1.3.0.jar

License:

The Apache License, Version 2.0

File Path: /home/jenkins/.gradle/caches/modules-2/files-2.1/org.opentest4j/opentest4j/1.3.0/152ea56b3a72f655d4fd677fc0ef2596c3dd5e6e/opentest4j-1.3.0.jar

MD5: 03c404f727531f3fd3b4c73997899327

SHA1: 152ea56b3a72f655d4fd677fc0ef2596c3dd5e6e
SHA256:48e2df636cab6563ced64dcdff8abb2355627cb236ef0bf37598682ddf742f1b
Referenced In Project/Scope: server:inetPlugin
Included by:

- pkg:maven/org.junit.jupiter/junit-jupiter@5.10.3
- pkg:maven/org.junit.platform/junit-platform-suite@1.10.3

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	opentest4j	High
Vendor	gradle	artifactid	opentest4j	Highest
Vendor	gradle	groupid	org.opentest4j	Highest
Vendor	jar	package name	opentest4j	Highest
Vendor	jar	package name	opentest4j	Low
Vendor	Manifest	build-date	2023-07-06	Low
Vendor	Manifest	build-revision	214973bfa4e7e9be7d04e623202cc4147c7036	Low
Vendor	Manifest	build-time	14:25:06.116+0200	Low
Vendor	Manifest	bundle-symbolicname	org.opentest4j	Medium
Vendor	Manifest	Implementation-Vendor	opentest4j.org	High
Vendor	Manifest	specification-vendor	opentest4j.org	Low
Product	file	name	opentest4j	High
Product	gradle	artifactid	opentest4j	Highest
Product	jar	package name	opentest4j	Highest
Product	Manifest	build-date	2023-07-06	Low
Product	Manifest	build-revision	214973bfa4e7e9be7d04e623202cc4147c7036	Low
Product	Manifest	build-time	14:25:06.116+0200	Low
Product	Manifest	Bundle-Name	opentest4j	Medium
Product	Manifest	bundle-symbolicname	org.opentest4j	Medium
Product	Manifest	Implementation-Title	opentest4j	High
Product	Manifest	specification-title	opentest4j	Medium
Version	file	version	1.3.0	High
Version	Manifest	Implementation-Version	1.3.0	High

Identifiers

- <pkg:maven/org.opentest4j/opentest4j@1.3.0> (Confidence: Highest)

parser.pdf.zip: PDFParser.jar

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/parser.pdf.zip/PDFParser.jar

MD5: c2254baf56b89f52e5266cadee3fe74

SHA1: 9dbbfe18c2069c023dba556490e314e57d9acdf9

SHA256: 6515c03b9c77aff1e02a118b1786c1317fc279df710ce5036a7af443ec553902

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	PDFParser	High
Vendor	jar	package name	inet	Low
Vendor	jar	package name	pdfview	Low
Vendor	Manifest	application-library-allowable-codebase	*	Low
Vendor	Manifest	built-date	2024-09-19 16:57	Low
Vendor	Manifest	codebase	*	Low
Vendor	Manifest	implementation-group	shared	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	permissions	all-permissions	Low
Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	trusted-library	false	Low
Vendor	Manifest	trusted-only	false	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	PDFParser	High
Product	jar	package name	pdfparser	Highest
Product	jar	package name	pdfview	Low
Product	Manifest	application-library-allowable-	*	Low

codebase

Product	Manifest	built-date	2024-09-19 16:57	Low
Product	Manifest	codebase	*	Low
Product	Manifest	implementation-group	shared	Low
Product	Manifest	Implementation-Title	PDFParser	High
Product	Manifest	permissions	all-permissions	Low
Product	Manifest	specification-title	PDFParser	Medium
Product	Manifest	trusted-library	false	Low
Product	Manifest	trusted-only	false	Low
Version	Manifest	Implementation-Version	24.10.163	High

Identifiers

- None

parser.pdf.zip: jbig2.jar

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/parser.pdf.zip/jbig2.jar

MD5: ab5dd1acc5e6c85903e342dac7998ce7

SHA1: a3f4214b62615d4456de761ccef1136cba65a663

SHA256: 93e79e795182b4b6e12991046e489c2c0780e867d3e18e4e7ee20973316930d4

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	jbig2	High
Vendor	jar	package name	jbig2	Low
Vendor	jar	package name	jpegal	Low
Product	file	name	jbig2	High
Product	jar	package name	jbig2	Low
Version	file	name	jbig2	Medium
Version	file	version	2	Medium

Identifiers

- None

parser.pdf.zip: parser.pdf.jar

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller
/server/build/tmp/dependencies/i-net Clear Reports/plugins/parser.pdf.zip/parser.pdf.jar
MD5: 50f20b1e7180f7f0672bac83a41ab7bf
SHA1: 5e94a94539a54ba84d410f8a60591618266da515
SHA256:5f5546aa026f35c39b3a9bb4e3fba4e85c1b2c3eb2b517c3e0807c72a1d7ee6a
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	parser.pdf	High
Vendor	jar	package name	encoder	Low
Vendor	jar	package name	inet	Low
Vendor	jar	package name	pdf	Low
Vendor	Manifest	built-date	2024-09-19 17:17	Low
Vendor	Manifest	implementation-group	shared	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	parser.pdf	High
Product	jar	package name	encoder	Low
Product	jar	package name	pdf	Highest
Product	jar	package name	pdf	Low
Product	Manifest	built-date	2024-09-19 17:17	Low
Product	Manifest	implementation-group	shared	Low
Product	Manifest	Implementation-Title	parser.pdf	High
Product	Manifest	specification-title	parser.pdf	Medium
Version	Manifest	Implementation-	24.10.163	High

Version

Identifiers

- None

pdfviewer.zip: pdfjs-dist.jar

Description:

WebJar for pdfjs-dist

License:

Apache-2.0

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/pdfviewer.zip/pdfjs-dist.jar

MD5: 8a3a36f556f971d9aba4bc2069ddcf52

SHA1: d3d23e9d05cb08b9693591260971884963374fe7

SHA256: 45e6ab30b4688bc7b259b6841b38a35247ea6d2e5432b102a3adfb72b608551

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	pdfjs-dist	High
Vendor	Manifest	build-jdk-spec	1.8	Low
Vendor	Manifest	bundle-symbolicname	org.webjars.npm.pdfjs-dist	Medium
Vendor	pom	artifactid	pdfjs-dist	Low
Vendor	pom	developer id	webjars	Medium
Vendor	pom	groupid	org.webjars.npm	Highest
Vendor	pom	name	pdfjs-dist	High
Vendor	pom	url	https://www.webjars.org	Highest
Product	file	name	pdfjs-dist	High
Product	Manifest	build-jdk-spec	1.8	Low
Product	Manifest	Bundle-Name	pdfjs-dist	Medium
Product	Manifest	bundle-symbolicname	org.webjars.npm.pdfjs-dist	Medium
Product	pom	artifactid	pdfjs-dist	Highest
Product	pom	developer id	webjars	Low

Product	pom	groupid	org.webjars.npm	Highest
Product	pom	name	pdfjs-dist	High
Product	pom	url	https://www.webjars.org	Medium
Version	Manifest	Bundle-Version	4.4.168	High
Version	pom	version	4.4.168	Highest

Identifiers

- pkg:maven/org.webjars.npm/pdfjs-dist@4.4.168 (*Confidence:High*)

pdfviewer.zip: pdfjs-dist.jar: package.json

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/pdfviewer.zip/pdfjs-dist.jar/META-INF/resources/webjars/pdfjs-dist/4.4.168/package.json

MD5: 605de233fcb483d2ea6702c5d2874ee4

SHA1: 464a579f8e7fe8d7935b25f90194a4e96512e657

SHA256: 16bf677c80e30a147c23518be6e3ebe2344b67c8e103ec88fc9bdcf68234b80f

Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

pdfviewer.zip: pdfviewer.jar

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/pdfviewer.zip/pdfviewer.jar

MD5: c1326d98c34da666b97beb67c7a886ba

SHA1: 720eaeeffcc65c632cf8ef619bfdeecf62cc1fe7

SHA256: 78a09b9afc759619daabfa601dca4529fe9b35f4343f6924598cc1f527ed7d26

Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Vendor	file	name	pdfviewer	High
Vendor	jar	package name	inet	Low
Vendor	jar	package name	pdf	Low
Vendor	jar	package name	viewer	Low
Vendor	Manifest	built-date	2024-09-19 18:33	Low
Vendor	Manifest	implementation-group	reporting	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	pdfviewer	High
Product	jar	package name	pdf	Low
Product	jar	package name	viewer	Low
Product	Manifest	built-date	2024-09-19 18:33	Low
Product	Manifest	implementation-group	reporting	Low
Product	Manifest	Implementation-Title	pdfviewer	High
Product	Manifest	specification-title	pdfviewer	Medium
Version	Manifest	Implementation-Version	24.10.163	High

Identifiers

- None

pdfviewer.zip: pdfviewer.jar: drive.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/pdfviewer.zip/pdfviewer.jar/com/inet/viewer/pdf/drive/js/drive.js

MD5: 872ee34fbcc718214a90b24f91a81f7d

SHA1: 520b471c5f91a5b94f08bc9120f97b47412fd708

SHA256: 3bcfb5cb5d2b6aa168cf59cb805d2f56011a0b7065f0ce29f9ada72c5103bd1c

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

pdfviewer.zip: pdfviewer.jar: pdfviewer.angular.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/pdfviewer.zip/pdfviewer.jar/com/inet/viewer/pdf/client/js/pdfviewer.angular.js

MD5: c1b5de42e459ee7e0ce8a54acfd5f864

SHA1: 48348931bb0fe437f6398c846b9e4d3961c98881

SHA256: a7384212fb8e49f43fd9049a7b4983d5a5907316aebec5cdcdb5e1df071aba31

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

pdfviewer.zip: pdfviewer.jar: pdfviewer.factory.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/pdfviewer.zip/pdfviewer.jar/com/inet/viewer/pdf/client/js/pdfviewer.factory.js

MD5: 81070f9c2408f843b9efe88cb420f0f7

SHA1: 192cbe69979f5fb32b448b3e9608f7f38fec395d

SHA256: a656af04cf38b30f256b4a5f57ee5a6b31e4bbd6d04763075cc6545cbc7752d8

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

pdfviewer.zip: pdfviewer.jar: pdfviewer.model.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/pdfviewer.zip/pdfviewer.jar/com/inet/viewer/pdf/client/js/pdfviewer.model.js

MD5: 667f1194aa6d4a773eaae968cc6be927

SHA1: aba9547b0342ada01d521d4f66829a065f3b5357

SHA256: e66c21ae7e55a1217c3b354315aaef69d6df57553bcbe3b4b298404e9f97df6

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

pdfviewer.zip: pdfviewer.jar: pdfviewer.renderer.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/pdfviewer.zip/pdfviewer.jar/com/inet/viewer/pdf/client/js/pdfviewer.renderer.js

MD5: 92a3089cdcdf4f10a8c055b64e305186

SHA1: 04a2c0c79e945201dc00633fc11cf1cc892384b0

SHA256: f7b4ae373d7348799db640f996353f4418fa2b4631358a27dc8a4c9d0855683b

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

persistence.jar

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/persistence/persistence.jar

MD5: 11aaa4414a2b350d31217b1a61f15348

SHA1: 8f524030e4bb6444c613d5aaa38297a8aed9c277

SHA256:816cc1e911fc8f15195e41b4fa66e250ffae0e69dec4baf709ed2795b2fb12f

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	persistence	High
Vendor	jar	package name	inet	Low
Vendor	jar	package name	persistence	Low
Vendor	Manifest	built-date	2024-09-19 17:05	Low
Vendor	Manifest	implementation-group	shared	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	persistence	High
Product	jar	package name	persistence	Highest
Product	jar	package name	persistence	Low
Product	Manifest	built-date	2024-09-19 17:05	Low
Product	Manifest	implementation-group	shared	Low
Product	Manifest	Implementation-Title	persistence	High
Product	Manifest	specification-title	persistence	Medium
Version	Manifest	Implementation-Version	24.10.163	High

Identifiers

- None

pluginstore.client.zip: pluginstore.client.jar

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/pluginstore.client.zip/pluginstore.client.jar
MD5: a7a9d07d36f91f75ffc34ec00fa5e3b3
SHA1: d8cb83b4a4b15f1edc50b21a8e8ba5e03d7bf124
SHA256: feb937dad4539d9cb208f52341ad3ca6d3fbe9dcc6a890ecd8a1f59036680773
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	pluginstore.client	High
Vendor	jar	package name	client	Low
Vendor	jar	package name	inet	Low
Vendor	jar	package name	store	Low
Vendor	Manifest	built-date	2024-09-19 17:15	Low
Vendor	Manifest	implementation-group	shared	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	pluginstore.client	High
Product	jar	package name	client	Highest
Product	jar	package name	client	Low
Product	jar	package name	shared	Highest
Product	jar	package name	store	Low
Product	Manifest	built-date	2024-09-19 17:15	Low
Product	Manifest	implementation-group	shared	Low
Product	Manifest	Implementation-Title	pluginstore.client	High
Product	Manifest	specification-title	pluginstore.client	Medium
Version	jar	package name	shared	Highest
Version	Manifest	Implementation-Version	24.10.163	High

Identifiers

- None

pluginstore.client.zip: pluginstore.client.jar: controller.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/pluginstore.client.zip/pluginstore.client.jar/com/inet/store/client/setup/controller.js

MD5: bae377e07f3c94980792a3cb0a3777e6

SHA1: c7766396cbe87781ad46c96d70b7195c0a92dc68

SHA256: 94beaf8244f013ef5d078cc7e91b1220066099c5cdabc4e0cc5071e8dae13e038

Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

pluginstore.client.zip: pluginstore.client.jar: pluginstorehelpcontroller.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/pluginstore.client.zip/pluginstore.client.jar/com/inet/store/client/plugin/help/js/pluginstorehelpcontroller.js

MD5: c3dc92673a48896ebd4b078a9f8bc3f5

SHA1: cfaaee1a9ccf2f87f04e65a6b307ec87a113d4a4

SHA256: 9c5e2c5e0ef86786d4510659545eca13d7c295c8bcdd05b1007e432bf8a06770

Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

pluginstore.client.zip: pluginstore.client.jar: publicstoreconfig.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/pluginstore.client.zip/pluginstore.client.jar/com/inet/store/client/ui/js/publicstoreconfig.js

MD5: 3a2e6acd20c105a43ac4619718c827d0

SHA1: 1bf76948f8a34e8dfd05727bcb0c9ca296fba5d1

SHA256: dea50e7705e039c90045df2de735fa73dafaf495f15d8340b6ba20a73b7ba8c3

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

pluginstore.client.zip: pluginstore.client.jar: storecontroller.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/pluginstore.client.zip/pluginstore.client.jar/com/inet/store/client/ui/js/storecontroller.js

MD5: af556d7e2c4bae9776d437cd93eea551

SHA1: a98fce8a180acbe1dfd71d39e35ed0e1f0f4089b

SHA256: a9bc78c775062341636bc3078ff6855f52fc9780bbda8a113c5580c2a074ac20

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

pluginstore.client.zip: pluginstore.client.jar: storedirectives.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/pluginstore.client.zip/pluginstore.client.jar/com

/inet/store/client/ui/js/storedirectives.js

MD5: 6cffae155ded574b03d1f692d68557f0

SHA1: 6930db09754b3772d66f1b772a79e6d9bf48cfd

SHA256: 51ed09643a2160292a878c8fec7d341ffd1d2c16122b3256768fecf58da0c2c6

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

pluginstore.client.zip: pluginstore.client.jar: storemodel.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller
/server/build/tmp/dependencies/i-net Clear Reports/plugins/pluginstore.client.zip/pluginstore.client.jar/com
/inet/store/client/ui/js/storemodel.js

MD5: a78920788d8a75fb41bd9078799b0788

SHA1: 4b992085177ea0c322466734d28a70a288d6fa9f

SHA256: 8e1f6274d60360a99a77414d2295db4eb3891a3edd2c51cea24fb91d28cdd463

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

postgresql.jar

Description:

Java JDBC driver for PostgreSQL database

License:

BSD-2-Clause

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller
/server/build/tmp/dependencies/i-net Clear Reports/lib/driver/postgresql.jar

MD5: f52f459fe317bf7e22327b72b381fc8a

SHA1: 24f3e9f7231428cd20eb4dde00dd3fce44e05464

SHA256: a2644cbfba1baa145ff7e8c8ef582a6eed7a7ec4ca792f7f054122bdec756268

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	postgresql	High
Vendor	jar	package name	jdbc	Highest
Vendor	jar	package name	postgresql	Highest
Vendor	jar	package name	postgresql	Low
Vendor	Manifest	automatic-module-name	org.postgresql.jdbc	Medium
Vendor	Manifest	bundle-copyright	Copyright (c) 2003-2020, PostgreSQL Global Development Group	Low
Vendor	Manifest	bundle-docurl	https://jdbc.postgresql.org/	Low
Vendor	Manifest	bundle-symbolicname	org.postgresql.jdbc	Medium
Vendor	Manifest	Implementation-Vendor	PostgreSQL Global Development Group	High
Vendor	Manifest	Implementation-Vendor-Id	org.postgresql	Medium
Vendor	Manifest	provide-capability	osgi.service;effective:=active;objectClass="org.osgi.service.jdbc.DataSourceFactory";osgi.jdbc.driver.class="org.postgresql.Driver";osgi.jdbc.driver.name="PostgreSQL JDBC Driver"	Low
Vendor	Manifest	specification-vendor	Oracle Corporation	Low
Product	file	name	postgresql	High
Product	hint analyzer	product	pgjdbc	Highest
Product	hint analyzer	product	postgresql_jdbc_driver	Highest
Product	jar	package name	driver	Highest
Product	jar	package name	jdbc	Highest
Product	jar	package name	osgi	Highest
Product	jar	package name	postgresql	Highest
Product	Manifest	automatic-module-name	org.postgresql.jdbc	Medium
Product	Manifest	bundle-copyright	Copyright (c) 2003-2020, PostgreSQL Global Development Group	Low
Product	Manifest	bundle-docurl	https://jdbc.postgresql.org/	Low

Product	Manifest	Bundle-Name	PostgreSQL JDBC Driver	Medium
Product	Manifest	bundle-symbolicname	org.postgresql.jdbc	Medium
Product	Manifest	Implementation-Title	PostgreSQL JDBC Driver	High
Product	Manifest	provide-capability	osgi.service;effective:=active;objectClass="org.osgi.service.jdbc.DataSourceFactory";osgi.jdbc.driver.class="org.postgresql.Driver";osgi.jdbc.driver.name="PostgreSQL JDBC Driver"	Low
Product	Manifest	specification-title	JDBC	Medium
Version	jar	package name	driver	Highest
Version	jar	package name	jdbc	Highest
Version	jar	package name	osgi	Highest
Version	jar	package name	postgresql	Highest
Version	Manifest	Bundle-Version	42.7.3	High
Version	Manifest	Implementation-Version	42.7.3	High

Identifiers

- cpe:2.3:a:postgresql:postgresql:42.7.3:*:*:*:*:* (Confidence:Low) suppress
- cpe:2.3:a:postgresql:postgresql_jdbc_driver:42.7.3:*:*:*:*:* (Confidence:Low) suppress

prettyfy.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/Documentation and Samples/ReportViewer - HTML API Doc/scripts/prettyfy/prettyfy.js
MD5: 709bfcc456c694bfe8ee86d184a1c360
SHA1: a4e5934397f97f79b8066984475c90af8a970a36
SHA256:e2e576e3bc607cd179ff511947010f645d3441a35313aec0dbd06c4437f83b77
Referenced In Project/Scope: server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

processbridge.reporting.zip: processbridge.reporting.jar

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/processbridge.reporting.zip/processbridge.reporting.jar

MD5: 57c56cf0a1c8ebae7dcb310e24d94b60

SHA1: 11e1540421ac74221f32b4a123b82e381b7e2a7e

SHA256: 695fe6e4077246cdb4aba1d196cc69d97c1a18bc3659ee184eaf4c54038d4262

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	processbridge.reporting	High
Vendor	jar	package name	inet	Low
Vendor	jar	package name	processbridge	Low
Vendor	jar	package name	report	Low
Vendor	Manifest	built-date	2024-09-19 18:31	Low
Vendor	Manifest	implementation-group	reporting	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	processbridge.reporting	High
Product	jar	package name	api	Low
Product	jar	package name	processbridge	Highest
Product	jar	package name	processbridge	Low
Product	jar	package name	report	Low
Product	Manifest	built-date	2024-09-19 18:31	Low
Product	Manifest	implementation-group	reporting	Low
Product	Manifest	Implementation-Title	processbridge.reporting	High
Product	Manifest	specification-title	processbridge.reporting	Medium
Version	Manifest	Implementation-	24.10.163	High

Version

Identifiers

- None

processbridge.zip: processbridge.jar

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/processbridge.zip/processbridge.jar
MD5: 568eafc5eb8c8faaf6286e58a059852d
SHA1: b35ad6419f07fbe5b4ea00e561da994e712328d9
SHA256: 74017989513c1ffae1eeb97b0e52ecf30289900600ebbc33981f0ef42e6c27e1
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	processbridge	High
Vendor	jar	package name	inet	Low
Vendor	jar	package name	processbridge	Low
Vendor	Manifest	built-date	2024-09-19 17:11	Low
Vendor	Manifest	implementation-group	shared	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	processbridge	High
Product	jar	package name	processbridge	Highest
Product	jar	package name	processbridge	Low
Product	Manifest	built-date	2024-09-19 17:11	Low
Product	Manifest	implementation-group	shared	Low
Product	Manifest	Implementation-Title	processbridge	High
Product	Manifest	specification-title	processbridge	Medium

Version	Manifest	Implementation-Version	24.10.163	High
---------	----------	------------------------	-----------	------

Identifiers

- None

promptdialog.zip: promptdialog.jar

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/promptdialog.zip/promptdialog.jar
MD5: 1d657bae5378b64530af9dc653a9681b
SHA1: 8255886a186d3f41b4c6babbf8b978a5b3d765e4
SHA256: 773de1bd69f6b9baf13225db1e347c7d9ce2c4432d9982061dd410bf247347c1
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	promptdialog	High
Vendor	jar	package name	inet	Low
Vendor	jar	package name	promptdialog	Low
Vendor	jar	package name	report	Low
Vendor	Manifest	built-date	2024-09-19 18:33	Low
Vendor	Manifest	implementation-group	reporting	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	promptdialog	High
Product	jar	package name	promptdialog	Highest
Product	jar	package name	promptdialog	Low
Product	jar	package name	report	Low
Product	jar	package name	server	Low
Product	Manifest	built-date	2024-09-19 18:33	Low
Product	Manifest	implementation-	reporting	Low

		group		
Product	Manifest	Implementation-Title	promptdialog	High
Product	Manifest	specification-title	promptdialog	Medium
Version	Manifest	Implementation-Version	24.10.163	High

Identifiers

- None

promptdialog.zip: promptdialog.jar: promptcontroller.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/promptdialog.zip/promptdialog.jar/com/inet/report/promptdialog/client/js/promptcontroller.js

MD5: 346d17a50af0c06df6ba0de6b150cf88

SHA1: 8066ab29b7eb73a7e41ac6eb4b4cbd11be48665f

SHA256: dd12baf52fe0bdb46c44a615c0742d4f5fba1089f1e748f5dab4ade4b0f69ed9

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

promptdialog.zip: promptdialog.jar: promptcustomrenderer.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/promptdialog.zip/promptdialog.jar/com/inet/report/promptdialog/client/js/promptcustomrenderer.js

MD5: 903f55fd1cf6d194702b6c44da232fe7

SHA1: a9a51b7d73abff23bde49251e5d665ffd53616ec

SHA256: d9e704c473ef407691db2c72cb7724901a9bcb981dbb69df4eed1f3037cbc1c3

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

promptdialog.zip: promptdialog.jar: promptfactory.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/promptdialog.zip/promptdialog.jar/com/inet/report/promptdialog/client/js/promptfactory.js
MD5: d1ad03b4146d9531ad016232cfdb53f7
SHA1: a6e10201c62f2da9c3e8050818466091f8ecac4b
SHA256:16bea0fa17b79ef9fcb5ac3acc0719b71ef2e6607a4b18e12ebd6dfcc600b13
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

promptdialog.zip: promptdialog.jar: promptpanel.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/promptdialog.zip/promptdialog.jar/com/inet/report/promptdialog/client/js/promptpanel.js
MD5: f9a2de239e8ef965a691f174f070b58e
SHA1: c56971b402f4d3d74aa2cb61cd94e911f936c63a
SHA256:933f511bf8aa53c1ee9201730a12f4ac8f00245481f9cbc498a399b3631387b0
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

promptdialog.zip: promptdialog.jar: promptrenderer.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/promptdialog.zip/promptdialog.jar/com/inet/report/promptdialog/client/js/promptrenderer.js
MD5: 4cae959715306b53c9c3bdbab13ae5b6
SHA1: 939efedb917cc7f65f48599194db8b949c506e28
SHA256: a1e386842ee09abf460ce97cb21598376fea0ed45449ce936db041d48cce5ce7
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

propertieschecker.zip: propertieschecker.sample.jar

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/propertieschecker.zip/propertieschecker.sample.jar
MD5: 60758010f83cbfacb240477ac120ae6e
SHA1: fa4808f5b73acb2d059b18d52d377af25e00ed99
SHA256: 2f0448e4ed97a2a7a37c346a7547924ebd7c4dc3312fb6ad382963afa5beb8af
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence
Vendor	file	name	propertieschecker.sample	High
Vendor	jar	package name	inet	Low
Vendor	jar	package name	propertieschecker	Low
Vendor	jar	package name	samples	Low
Vendor	Manifest	built-date	2024-09-19 18:15	Low
Vendor	Manifest	implementation-group	reporting	Low
Vendor	Manifest	Implementation-	i-net software	High

		Vendor		
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	propertieschecker.sample	High
Product	jar	package name	propertieschecker	Highest
Product	jar	package name	propertieschecker	Low
Product	jar	package name	samples	Low
Product	Manifest	built-date	2024-09-19 18:15	Low
Product	Manifest	implementation-group	reporting	Low
Product	Manifest	Implementation-Title	propertieschecker	High
Product	Manifest	specification-title	propertieschecker	Medium
Version	Manifest	Implementation-Version	24.10.163	High

Related Dependencies



- propertieschecker.zip: propertieschecker.sample.jar
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/Documentation and Samples /Plugin - Samples/PropertiesChecker/propertieschecker.zip/propertieschecker.sample.jar
 - MD5: 60758010f83cbfacb240477ac120ae6e
 - SHA1: fa4808f5b73acb2d059b18d52d377af25e00ed99
 - SHA256: 2f0448e4ed97a2a7a37c346a7547924ebd7c4dc3312fb6ad382963afa5beb8af

Identifiers

- None

remotegui.zip: Echo2-FileTransfer_App.jar

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller /server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/Echo2-FileTransfer_App.jar
MD5: 6fd2b10e224c844ed153e2b22c15e55c
SHA1: cdcf0ec282bca45eachf90358ddfb78fcbd87b06
SHA256: cd6ef6577f47dad417e9cdea6c5a7bd07b01ae02fffc189c1096c8297a7aee0f
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	Echo2-FileTransfer_App	High
Vendor	jar	package name	app	Low
Vendor	jar	package name	echo2	Low
Vendor	jar	package name	nextapp	Low
Product	file	name	Echo2-FileTransfer_App	High
Product	jar	package name	app	Low
Product	jar	package name	echo2	Low
Product	jar	package name	filetransfer	Low
Version	file	name	Echo2-FileTransfer_App	Medium
Version	file	version	2	Medium

Identifiers

- [cpe:2.3:a:file-transfer:file_transfer:2:*:*:*:*:*](#) (*Confidence:High*) suppress

remotegui.zip: Echo2-FileTransfer_WebContainer.jar

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/Echo2-FileTransfer_WebContainer.jar

MD5: 92dbd034fab7348d296ac68e4db7a08

SHA1: cbf567ae2536ccfb7d131381e39418db16a202db

SHA256: 6e4917ed3243e589d12be95a22679b53293477a86ead9341c7bf6fe6baf8e9a3

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	Echo2-FileTransfer_WebContainer	High
Vendor	jar	package name	echo2	Low
Vendor	jar	package name	nextapp	Low
Vendor	jar	package name	webcontainer	Low
Product	file	name	Echo2-FileTransfer_WebContainer	High
Product	jar	package name	echo2	Low
Product	jar	package name	filetransfer	Low

Product	jar	package name	webcontainer	Low
Version	file	name	Echo2-FileTransfer_WebContainer	Medium
Version	file	version	2	Medium

Identifiers

- [cpe:2.3:a:file-transfer:file_transfer:2.*.*.*.*.*](#) (*Confidence:High*) suppress
- [cpe:2.3:a:web_project:web:2.*.*.*.*.*](#) (*Confidence:High*) suppress

remotegui.zip: Echo2-FileTransfer_WebContainer.jar: Download.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/Echo2-FileTransfer_WebContainer.jar/nextapp/echo2/webcontainer/filetransfer/resource/js/Download.js
MD5: 69ff0dd778973ed673d040ea99553c6d
SHA1: 2f6f79a0fac16ba28942b9bf70c460ca317c81be
SHA256: eae8dd34aeed905956fb2fbfdd023015eec242b1f0969f8340e1ce445bad5863
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: Echo2-FileTransfer_WebContainer.jar: Upload.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/Echo2-FileTransfer_WebContainer.jar/nextapp/echo2/webcontainer/filetransfer/resource/js/Upload.js
MD5: a7717a7b4972a81a08cf43f074c34dc8
SHA1: 7504304ad8e1d53035726c91f2630d21f38ddb88
SHA256: c69ec375cc81b5fba88b087c20377fd71b4b226780a2496adf145fb5177ddfb2
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: angular-animate.jar

Description:

WebJar for angular-animate

License:

MIT

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angular-animate.jar

MD5: 1dcc988a8392618e7c5127f57b3453d1

SHA1: 7ea94213dad8a46ab088e1a3dd6a5def2ecf8e78

SHA256:dbbce06145963ef7bfd197c1646722fedfe76a9b54b01f1b6dc7ccf7e8b51163

Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence
Vendor	file	name	angular-animate	High
Vendor	pom	artifactid	angular-animate	Low
Vendor	pom	developer id	webjars	Medium
Vendor	pom	groupid	org.webjars.npm	Highest
Vendor	pom	name	angular-animate	High
Vendor	pom	url	https://www.webjars.org	Highest
Product	file	name	angular-animate	High
Product	pom	artifactid	angular-animate	Highest
Product	pom	developer id	webjars	Low
Product	pom	groupid	org.webjars.npm	Highest
Product	pom	name	angular-animate	High
Product	pom	url	https://www.webjars.org	Medium
Version	pom	version	1.8.3	Highest

Identifiers

- pkg:maven/org.webjars.npm/angular-animate@1.8.3 (*Confidence:High*)

remotegui.zip: angular-animate.jar: angular-animate.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angular-animate.jar/META-INF/resources/webjars/angular-animate/1.8.3/angular-animate.js

MD5: 31312b87e7226c8bf0714fcef0ea5d18

SHA1: dc9fb55f2c7f922c5ba83449266239ba1353db45

SHA256: 58e79e0e7cbb1e1502d216701e1fae41c405d92320aea1b68a223054096fda93

Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence
Vendor	file	name	angularjs	High
Product	file	name	angularjs	High
Version	file	version	1.8.3	High

Identifiers

- pkg:javascript/angularjs@1.8.3 (*Confidence:Highest*)

remotegui.zip: angular-animate.jar: angular-animate.min.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angular-animate.jar/META-INF/resources/webjars/angular-animate/1.8.3/angular-animate.min.js

MD5: 5d2d0f42bb7e1b5503e914674f59dad0

SHA1: 4c15a58541e53c451c6f946d2048104f88b833c7

SHA256: 8e6202b1330a469a61ccdeebbd1cb3a20d0ecd8d106f68da5b85e9b67a1cd5

Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence
Vendor	file	name	angularjs	High
Product	file	name	angularjs	High
Version	file	version	1.8.3	High

Identifiers

- [pkg:javascript/angularjs@1.8.3](#) (*Confidence*:Highest)

remotegui.zip: angular-animate.jar: index.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angular-animate.jar/META-INF/resources/webjars/angular-animate/1.8.3/index.js

MD5: eca59ea32960ae595dd18ad9480185b1

SHA1: b8fe1c0a06b723a75c7e596fd8a86d91965f681c

SHA256: 7f2f9350e5624bf86e8760d1deae03fae4477949284b49471eb67e2b6498cb7d

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: angular-animate.jar: package.json

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angular-animate.jar/META-INF/resources/webjars/angular-animate/1.8.3/package.json

MD5: 13957f0482b591f50a2e9528a5b84330

SHA1: 16ec0d9e9e70f179261a1bd672e610b159876ff5

SHA256: e2fcbc9996d890ec0c6601b2c9176a1ada7806e1dcd6eca8549bba9022235877

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: angular-cookies.jar

Description:

WebJar for angular-cookies

License:

MIT

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angular-cookies.jar

MD5: 5d743cd15e44b5a942478abaa3a008ae

SHA1: 2ebe196f9032e261a470467b5a14632d81d3d4f9

SHA256: 0809dd125183f03e6682985208de5f1221478221ed41667545133f7e729dd000

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	angular-cookies	High
Vendor	pom	artifactid	angular-cookies	Low
Vendor	pom	developer id	webjars	Medium
Vendor	pom	groupid	org.webjars.npm	Highest
Vendor	pom	name	angular-cookies	High
Vendor	pom	url	https://www.webjars.org	Highest
Product	file	name	angular-cookies	High
Product	pom	artifactid	angular-cookies	Highest
Product	pom	developer id	webjars	Low
Product	pom	groupid	org.webjars.npm	Highest
Product	pom	name	angular-cookies	High
Product	pom	url	https://www.webjars.org	Medium
Version	pom	version	1.8.3	Highest

Identifiers

- <pkg:maven/org.webjars.npm/angular-cookies@1.8.3> (*Confidence:High*)

remotegui.zip: angular-cookies.jar: angular-cookies.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angular-cookies.jar/META-INF/resources/webjars/angular-cookies/1.8.3/angular-cookies.js

MD5: e17187aea1f0e6dbd25722e34b754915

SHA1: 20f43f716b9fef7d72537bc1b0e5aa2bc480cee5

SHA256: f3291c552042f6d0c500167769912a78ab3ecec9917128b2d6ea8e7c6714bb97

Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence
Vendor	file	name	angularjs	High
Product	file	name	angularjs	High
Version	file	version	1.8.3	High

Identifiers

- [pkg:javascript/angularjs@1.8.3](#) (*Confidence: Highest*)

remotegui.zip: angular-cookies.jar: angular-cookies.min.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angular-cookies.jar/META-INF/resources/webjars/angular-cookies/1.8.3/angular-cookies.min.js

MD5: c41aff8423276d46f0d02de6dcb71524

SHA1: 7dc53f75d5bf7dd2c770cb50f31242c70193c086

SHA256: 926509b494009bea03288bba191a2b238032188e9112377e50fbfe7814c6639b

Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence
Vendor	file	name	angularjs	High
Product	file	name	angularjs	High
Version	file	version	1.8.3	High

Identifiers

- [pkg:javascript/angularjs@1.8.3](#) (*Confidence: Highest*)

remotegui.zip: angular-cookies.jar: index.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angular-cookies.jar/META-INF/resources/webjars/angular-cookies/1.8.3/index.js

MD5: 88188b8869bb0cbae63eb86aa6c1059a

SHA1: ce388b565b0d0392802138b2a7d4bf393c3d49f9

SHA256: b1b8d54ed8400d4f997da0f2fa672e8728d4771a77028d9f495cf1732fcb1e6f

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: angular-cookies.jar: package.json

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angular-cookies.jar/META-INF/resources/webjars/angular-cookies/1.8.3/package.json

MD5: 6785fbb341602e147af808078db0d42b

SHA1: a30ac55dae62b1a7c8921c7687a3276dbeeed564

SHA256: 81847196d700fe42834ebf82cb0c68267d9c237134566556a466e070659c7222

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: angular-sanitize.jar

Description:

WebJar for angular-sanitize

License:

MIT

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angular-sanitize.jar

MD5: f47ca0f7e843acea25d245b34ce30feb

SHA1: 8050e163f66fb899645cc67ffa67d92a25096902

SHA256: 4de072c9e746b2bf70aee70cc1c9b61350e017002dd71089e5f66a587f7ed92f

Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence
Vendor	file	name	angular-sanitize	High
Vendor	pom	artifactid	angular-sanitize	Low
Vendor	pom	developer id	webjars	Medium
Vendor	pom	groupid	org.webjars.npm	Highest
Vendor	pom	name	angular-sanitize	High
Vendor	pom	url	https://www.webjars.org	Highest
Product	file	name	angular-sanitize	High
Product	pom	artifactid	angular-sanitize	Highest
Product	pom	developer id	webjars	Low
Product	pom	groupid	org.webjars.npm	Highest
Product	pom	name	angular-sanitize	High
Product	pom	url	https://www.webjars.org	Medium
Version	pom	version	1.8.3	Highest

Identifiers

- [pkg:maven/org.webjars.npm/angular-sanitize@1.8.3](https://mvnrepository.com/artifact/org.webjars.npm/angular-sanitize/1.8.3) (*Confidence:High*)

remotegui.zip: angular-sanitize.jar: angular-sanitize.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angular-sanitize.jar/META-INF/resources/webjars/angular-sanitize/1.8.3/angular-sanitize.js

MD5: 0127d7a139abfc8bd45875a9c8ea6348

SHA1: 197aea2acc25a0fa821766400950cac58a3627a5

SHA256: c84c65250afe5a1265f36a7e16c6010652e55c2ae3a779c351fb68536c42bf64

Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence
Vendor	file	name	angularjs	High
Product	file	name	angularjs	High
Version	file	version	1.8.3	High

Identifiers

- [pkg:javascript/angularjs@1.8.3](#) (*Confidence*:Highest)

remotegui.zip: angular-sanitize.jar: angular-sanitize.min.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angular-sanitize.jar/META-INF/resources/webjars/angular-sanitize/1.8.3/angular-sanitize.min.js

MD5: f3c62abeec216e9431e7d5b22d8e813b

SHA1: 21355ef18c5e1ce2b2c711b9dba21cbea0655646

SHA256: cc80a30ad0439c2e9c209b3d7fcfb1d10e6007fd1d00c9cc144f393664a7045

Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence
Vendor	file	name	angularjs	High
Product	file	name	angularjs	High
Version	file	version	1.8.3	High

Identifiers

- [pkg:javascript/angularjs@1.8.3](#) (*Confidence*:Highest)

remotegui.zip: angular-sanitize.jar: index.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angular-sanitize.jar/META-INF/resources/webjars/angular-sanitize/1.8.3/index.js

MD5: 796078246b8e97f002ea5c97c4c7de54

SHA1: 0ce03000a4c04ae0a8b4353715bda54b8a8e8c69

SHA256:44cbd8c36c3e2818d011eb0dc7d95293730667fa5a98a23449e9b4add369f65b

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: angular-sanitize.jar: package.json

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angular-sanitize.jar/META-INF/resources/webjars/angular-sanitize/1.8.3/package.json

MD5: 515d23261280a10a4d84ed267c425880

SHA1: 84d37bbaefc2117ac59c79b0d87a953a1abd4911

SHA256:5e5c191e41b4e9902cfaeb95878d5b92333585e6dad936588fe1adfd1445af86

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: angular.jar

Description:

WebJar for angular

License:

MIT

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angular.jar

MD5: f339a9a66a64c67eebb21ec3b251dfc6

SHA1: cff4aee339a9ca4ae2f095079930edeaad6a94ee

SHA256:a997eb40987ddb5d3bf64adf3d33afcff3ac2b1eb2e7255b5203a387f8097cd0
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	angular	High
Vendor	pom	artifactid	angular	Low
Vendor	pom	developer id	webjars	Medium
Vendor	pom	groupid	org.webjars.npm	Highest
Vendor	pom	name	angular	High
Vendor	pom	url	https://www.webjars.org	Highest
Product	file	name	angular	High
Product	pom	artifactid	angular	Highest
Product	pom	developer id	webjars	Low
Product	pom	groupid	org.webjars.npm	Highest
Product	pom	name	angular	High
Product	pom	url	https://www.webjars.org	Medium
Version	pom	version	1.8.3	Highest

Identifiers

- [pkg:maven/org.webjars.npm/angular@1.8.3](https://maven.org/webjars/npm/angular@1.8.3) (*Confidence:High*)

remotegui.zip: angular.jar: angular.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angular.jar/META-INF/resources/webjars/angular/1.8.3/angular.js

MD5: e09f650a016c24bc1b5a1edc93bfade

SHA1: 0f1f7445b761b9bbd5385f9f0b316dbf1ca48696

SHA256:fdca889e76f55fdee7ab661920f37ce19233563bf7f4ac8120f8ebc2ac768768

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	angularjs	High
Product	file	name	angularjs	High

Version	file	version	1.8.3	High
---------	------	---------	-------	------

Identifiers

- [pkg:javascript/angularjs@1.8.3](#) (*Confidence: Highest*)

remotegui.zip: angular.jar: angular.min.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angular.jar/META-INF/resources/webjars/angular/1.8.3/angular.min.js
MD5: 967a32633fa8f38f4ac3376c1a37b992
SHA1: b53b74d8e0b732dcdb98fbe521146b88299ea2f1
SHA256:396dc1a03d6cc02e9c51a80246e0db53c5c8df9bd07287e3b51bce4a29dab355
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence
Vendor	file	name	angularjs	High
Product	file	name	angularjs	High
Version	file	version	1.8.3	High

Identifiers

- [pkg:javascript/angularjs@1.8.3](#) (*Confidence: Highest*)

remotegui.zip: angular.jar: index.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angular.jar/META-INF/resources/webjars/angular/1.8.3/index.js
MD5: 0d848853205d22ab8be985876aec948a
SHA1: a2bfe847bea879ad2775509c4421291c404d8c21
SHA256:d469f8e93a4c345f01d81d162a803116de1bc6afd4bfeba8b45951449956b686
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: angular.jar: package.json

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angular.jar/META-INF/resources/webjars/angular/1.8.3/package.json

MD5: c5e0d73dc5121cf479c775248d2ca497

SHA1: bc29d1f7c080dfb1f701ad4f1c4ff548916f28e5

SHA256: 95ad7872af90c37e7a5597581f5bb2362d59c49fc3f2766dd9f2568a041cf10a

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: bootstrap.jar

Description:

WebJar for Bootstrap

License:

Apache License, Version 2.0: <http://www.apache.org/licenses/LICENSE-2.0>

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/bootstrap.jar

MD5: ba2f9fda2c1fece5ff121e8abc385475

SHA1: 2c6a8508a4f1484abcaf334cf2fe3df97cf93eac

SHA256: 90fdaa23fb3a9cbce04f4c51699312ab1f1fae2d70c0d1a84541b7e9a76e6e54

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	bootstrap	High

Vendor	pom	artifactid	bootstrap	Low
Vendor	pom	developer email	james@jamesward.org	Low
Vendor	pom	developer id	jamesward	Medium
Vendor	pom	developer name	James Ward	Medium
Vendor	pom	groupid	org.webjars	Highest
Vendor	pom	name	Bootstrap	High
Vendor	pom	url	http://webjars.org	Highest
Product	file	name	bootstrap	High
Product	pom	artifactid	bootstrap	Highest
Product	pom	developer email	james@jamesward.org	Low
Product	pom	developer id	jamesward	Low
Product	pom	developer name	James Ward	Low
Product	pom	groupid	org.webjars	Highest
Product	pom	name	Bootstrap	High
Product	pom	url	http://webjars.org	Medium
Version	pom	version	3.4.1	Highest

Related Dependencies



- theme.zip: bootstrap.jar
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/theme.zip/bootstrap.jar
 - MD5: ba2f9fda2c1fece5ff121e8abc385475
 - SHA1: 2c6a8508a4f1484abcaf334cf2fe3df97cf93eac
 - SHA256: 90fdaa23fb3a9cbce04f4c51699312ab1f1fae2d70c0d1a84541b7e9a76e6e54
 - pkg:maven/org.webjars/bootstrap@3.4.1

Identifiers

- pkg:javascript/bootstrap@3.4.1 (*Confidence: Highest*)
- pkg:maven/org.webjars/bootstrap@3.4.1 (*Confidence: High*)

remotegui.zip: bootstrap.jar: affix.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/bootstrap.jar/META-INF/resources/webjars/bootstrap/3.4.1/js/affix.js
MD5: 235b2a9f9be29d377cadbe6d09823d9f
SHA1: 69a480bef250eabc4226f378b70792fd47560e2e

SHA256:9a9859329afe1518320c8d730c0585199c3792009cb4307bd8a33b1040a67331
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies



- remotegui.zip: bootstrap.jar: affix.js.gz: affix.js
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/bootstrap.jar/META-INF/resources/webjars/bootstrap/3.4.1/js/affix.js.gz/affix.js
 - MD5: 235b2a9f9be29d377cadbe6d09823d9f
 - SHA1: 69a480bef250eabc4226f378b70792fd47560e2e
 - SHA256: 9a9859329afe1518320c8d730c0585199c3792009cb4307bd8a33b1040a67331
- theme.zip: bootstrap.jar: affix.js.gz: affix.js
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/theme.zip/bootstrap.jar/META-INF/resources/webjars/bootstrap/3.4.1/js/affix.js.gz/affix.js
 - MD5: 235b2a9f9be29d377cadbe6d09823d9f
 - SHA1: 69a480bef250eabc4226f378b70792fd47560e2e
 - SHA256: 9a9859329afe1518320c8d730c0585199c3792009cb4307bd8a33b1040a67331
- theme.zip: bootstrap.jar: affix.js
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/theme.zip/bootstrap.jar/META-INF/resources/webjars/bootstrap/3.4.1/js/affix.js
 - MD5: 235b2a9f9be29d377cadbe6d09823d9f
 - SHA1: 69a480bef250eabc4226f378b70792fd47560e2e
 - SHA256: 9a9859329afe1518320c8d730c0585199c3792009cb4307bd8a33b1040a67331

Identifiers

- None

remotegui.zip: bootstrap.jar: alert.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/bootstrap.jar/META-INF/resources/webjars/bootstrap/3.4.1/js/alert.js
MD5: 2be558ae78dedb0556f8c7bd632c1204
SHA1: 1e3fa67e881909a71bf98ef37a4d3c013888d33b
SHA256: 1ec1bacee3ed0bb73aa9a799d4e07376b0f9356d093f2f343f7fad07fd7844b4
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies

- remotegui.zip: bootstrap.jar: alert.js.gz: alert.js
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/bootstrap.jar/META-INF/resources/webjars/bootstrap/3.4.1/js/alert.js.gz/alert.js
 - MD5: 2be558ae78dedb0556f8c7bd632c1204
 - SHA1: 1e3fa67e881909a71bf98ef37a4d3c013888d33b
 - SHA256: 1ec1bacee3ed0bb73aa9a799d4e07376b0f9356d093f2f343f7fad07fd7844b4
- theme.zip: bootstrap.jar: alert.js.gz: alert.js
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/theme.zip/bootstrap.jar/META-INF/resources/webjars/bootstrap/3.4.1/js/alert.js.gz/alert.js
 - MD5: 2be558ae78dedb0556f8c7bd632c1204
 - SHA1: 1e3fa67e881909a71bf98ef37a4d3c013888d33b
 - SHA256: 1ec1bacee3ed0bb73aa9a799d4e07376b0f9356d093f2f343f7fad07fd7844b4
- theme.zip: bootstrap.jar: alert.js
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/theme.zip/bootstrap.jar/META-INF/resources/webjars/bootstrap/3.4.1/js/alert.js
 - MD5: 2be558ae78dedb0556f8c7bd632c1204
 - SHA1: 1e3fa67e881909a71bf98ef37a4d3c013888d33b
 - SHA256: 1ec1bacee3ed0bb73aa9a799d4e07376b0f9356d093f2f343f7fad07fd7844b4

Identifiers

- None

remotegui.zip: bootstrap.jar: button.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/bootstrap.jar/META-INF/resources/webjars/bootstrap/3.4.1/js/button.js

MD5: 28900c815e911dbbae28594126e66fb4

SHA1: 2cc97dd04216865ef67fbec9b54040eaf83dd9f2

SHA256: fa31bcbae72f8f82c2b25ec0421917b1c3a9cd60e7c03baca7429f44ec693f04

Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies

- remotegui.zip: bootstrap.jar: button.js.gz: button.js
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/bootstrap.jar/META-INF/resources/webjars/bootstrap/3.4.1/js/button.js.gz/button.js
 - MD5: 28900c815e911dbbae28594126e66fb4
 - SHA1: 2cc97dd04216865ef67fbec9b54040eaf83dd9f2
 - SHA256: fa31bcbae72f8f82c2b25ec0421917b1c3a9cd60e7c03baca7429f44ec693f04
- theme.zip: bootstrap.jar: button.js.gz: button.js
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/theme.zip/bootstrap.jar/META-INF/resources/webjars/bootstrap/3.4.1/js/button.js.gz/button.js
 - MD5: 28900c815e911dbbae28594126e66fb4
 - SHA1: 2cc97dd04216865ef67fbec9b54040eaf83dd9f2
 - SHA256: fa31bcbae72f8f82c2b25ec0421917b1c3a9cd60e7c03baca7429f44ec693f04
- theme.zip: bootstrap.jar: button.js
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/theme.zip/bootstrap.jar/META-INF/resources/webjars/bootstrap/3.4.1/js/button.js
 - MD5: 28900c815e911dbbae28594126e66fb4
 - SHA1: 2cc97dd04216865ef67fbec9b54040eaf83dd9f2
 - SHA256: fa31bcbae72f8f82c2b25ec0421917b1c3a9cd60e7c03baca7429f44ec693f04

Identifiers

- None

remotegui.zip: bootstrap.jar: carousel.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/bootstrap.jar/META-INF/resources/webjars/bootstrap/3.4.1/js/carousel.js

MD5: a8188dce14f888a29886bff2559dce10

SHA1: 146b160152d3f0740590fc575f82f2653ca54626

SHA256: 20dc2395e0d21da3776db73634934a69b9a7dd4770c24757ef26bd60a287d857

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies



- remotegui.zip: bootstrap.jar: carousel.js.gz: carousel.js
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/bootstrap.jar/META-INF/resources/webjars/bootstrap/3.4.1/js/carousel.js.gz/carousel.js
 - MD5: a8188dce14f888a29886bff2559dce10
 - SHA1: 146b160152d3f0740590fc575f82f2653ca54626

- SHA256: 20dc2395e0d21da3776db73634934a69b9a7dd4770c24757ef26bd60a287d857
- theme.zip: bootstrap.jar: carousel.js.gz: carousel.js
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/theme.zip/bootstrap.jar/META-INF/resources/webjars/bootstrap/3.4.1/js/carousel.js.gz/carousel.js
 - MD5: a8188dce14f888a29886bff2559dce10
 - SHA1: 146b160152d3f0740590fc575f82f2653ca54626
 - SHA256: 20dc2395e0d21da3776db73634934a69b9a7dd4770c24757ef26bd60a287d857
- theme.zip: bootstrap.jar: carousel.js
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/theme.zip/bootstrap.jar/META-INF/resources/webjars/bootstrap/3.4.1/js/carousel.js
 - MD5: a8188dce14f888a29886bff2559dce10
 - SHA1: 146b160152d3f0740590fc575f82f2653ca54626
 - SHA256: 20dc2395e0d21da3776db73634934a69b9a7dd4770c24757ef26bd60a287d857

Identifiers

- None

remotegui.zip: bootstrap.jar: collapse.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/bootstrap.jar/META-INF/resources/webjars/bootstrap/3.4.1/js/collapse.js

MD5: 5f3ce339f7a59b240fa9ede502c2bcaa

SHA1: 5b0dd11d3cd7a230f41c521a6c04256fbd34e984

SHA256: 407419f6c4ea29e13ada7134380a0fcb10d38e9e8611db54f60cb6278a424a70

Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Related Dependencies

- remotegui.zip: bootstrap.jar: collapse.js.gz: collapse.js
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/bootstrap.jar/META-INF/resources/webjars/bootstrap/3.4.1/js/collapse.js.gz/collapse.js
 - MD5: 5f3ce339f7a59b240fa9ede502c2bcaa
 - SHA1: 5b0dd11d3cd7a230f41c521a6c04256fbd34e984
 - SHA256: 407419f6c4ea29e13ada7134380a0fcb10d38e9e8611db54f60cb6278a424a70
- theme.zip: bootstrap.jar: collapse.js.gz: collapse.js
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/theme.zip/bootstrap.jar/META-INF/resources/webjars/bootstrap/3.4.1/js/collapse.js.gz/collapse.js

- MD5: 5f3ce339f7a59b240fa9ede502c2bcaa
- SHA1: 5b0dd11d3cd7a230f41c521a6c04256fbd34e984
- SHA256: 407419f6c4ea29e13ada7134380a0fcb10d38e9e8611db54f60cb6278a424a70
- theme.zip: bootstrap.jar: collapse.js
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/theme.zip/bootstrap.jar/META-INF/resources/webjars/bootstrap/3.4.1/js/collapse.js
 - MD5: 5f3ce339f7a59b240fa9ede502c2bcaa
 - SHA1: 5b0dd11d3cd7a230f41c521a6c04256fbd34e984
 - SHA256: 407419f6c4ea29e13ada7134380a0fcb10d38e9e8611db54f60cb6278a424a70

Identifiers

- None

remotegui.zip: bootstrap.jar: dropdown.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/bootstrap.jar/META-INF/resources/webjars/bootstrap/3.4.1/js/dropdown.js

MD5: 953819e6d09848299341fcd7ff93d1d4

SHA1: 72fe5a40eef90daa254dbb15d46e033cda2f6e9e

SHA256: 0261c06fcfe41df6cca79148c3b4f2cd7e6966ce61c93ea325b6c8f2295e8904

Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies

- remotegui.zip: bootstrap.jar: dropdown.js.gz: dropdown.js
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/bootstrap.jar/META-INF/resources/webjars/bootstrap/3.4.1/js/dropdown.js.gz/dropdown.js
 - MD5: 953819e6d09848299341fcd7ff93d1d4
 - SHA1: 72fe5a40eef90daa254dbb15d46e033cda2f6e9e
 - SHA256: 0261c06fcfe41df6cca79148c3b4f2cd7e6966ce61c93ea325b6c8f2295e8904
- theme.zip: bootstrap.jar: dropdown.js.gz: dropdown.js
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/theme.zip/bootstrap.jar/META-INF/resources/webjars/bootstrap/3.4.1/js/dropdown.js.gz/dropdown.js
 - MD5: 953819e6d09848299341fcd7ff93d1d4
 - SHA1: 72fe5a40eef90daa254dbb15d46e033cda2f6e9e
 - SHA256: 0261c06fcfe41df6cca79148c3b4f2cd7e6966ce61c93ea325b6c8f2295e8904
- theme.zip: bootstrap.jar: dropdown.js
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins

/theme.zip/bootstrap.jar/META-INF/resources/webjars/bootstrap/3.4.1/js
/dropdown.js

- MD5: 953819e6d09848299341fcd7ff93d1d4
- SHA1: 72fe5a40eef90daa254dbb15d46e033cda2f6e9e
- SHA256: 0261c06fcfe41df6cca79148c3b4f2cd7e6966ce61c93ea325b6c8f2295e8904

Identifiers

- None

remotegui.zip: bootstrap.jar: modal.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/bootstrap.jar/META-INF/resources/webjars/bootstrap/3.4.1/js/modal.js
MD5: d73745175d40f05b339406f168bfd100
SHA1: 16ff1ea73c055e81d65a44a509e67669dd351862
SHA256: 102481f4363d9070b4bf992b3c1d6c4d3e59f41e1a5384eb7cc56b2fa0a03da2
Referenced In Project/Scope: server

Evidence 				
Type	Source	Name	Value	Confidence

Related Dependencies 				
<ul style="list-style-type: none">• remotegui.zip: bootstrap.jar: modal.js.gz: modal.js<ul style="list-style-type: none">• File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/bootstrap.jar/META-INF/resources/webjars/bootstrap/3.4.1/js/modal.js.gz/modal.js• MD5: d73745175d40f05b339406f168bfd100• SHA1: 16ff1ea73c055e81d65a44a509e67669dd351862• SHA256: 102481f4363d9070b4bf992b3c1d6c4d3e59f41e1a5384eb7cc56b2fa0a03da2• theme.zip: bootstrap.jar: modal.js.gz: modal.js<ul style="list-style-type: none">• File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/theme.zip/bootstrap.jar/META-INF/resources/webjars/bootstrap/3.4.1/js/modal.js.gz/modal.js• MD5: d73745175d40f05b339406f168bfd100• SHA1: 16ff1ea73c055e81d65a44a509e67669dd351862• SHA256: 102481f4363d9070b4bf992b3c1d6c4d3e59f41e1a5384eb7cc56b2fa0a03da2• theme.zip: bootstrap.jar: modal.js<ul style="list-style-type: none">• File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/theme.zip/bootstrap.jar/META-INF/resources/webjars/bootstrap/3.4.1/js/modal.js• MD5: d73745175d40f05b339406f168bfd100• SHA1: 16ff1ea73c055e81d65a44a509e67669dd351862• SHA256: 102481f4363d9070b4bf992b3c1d6c4d3e59f41e1a5384eb7cc56b2fa0a03da2				

Identifiers

- None

remotegui.zip: bootstrap.jar: npm.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/bootstrap.jar/META-INF/resources/webjars/bootstrap/3.4.1/js/npm.js

MD5: ccb7f3909e30b1eb8f65a24393c6e12b

SHA1: e2b7590d6ec1fdac66b01fdf66ae0879f53b1262

SHA256: c7aa82a1aa7d45224a38d926d2adaff7fe4aef5bcdafa2a47bdac057f4422c2d

Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies

- remotegui.zip: bootstrap.jar: npm.js.gz: npm.js
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/bootstrap.jar/META-INF/resources/webjars/bootstrap/3.4.1/js/npm.js.gz/npm.js
 - MD5: ccb7f3909e30b1eb8f65a24393c6e12b
 - SHA1: e2b7590d6ec1fdac66b01fdf66ae0879f53b1262
 - SHA256: c7aa82a1aa7d45224a38d926d2adaff7fe4aef5bcdafa2a47bdac057f4422c2d
- theme.zip: bootstrap.jar: npm.js.gz: npm.js
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/theme.zip/bootstrap.jar/META-INF/resources/webjars/bootstrap/3.4.1/js/npm.js.gz/npm.js
 - MD5: ccb7f3909e30b1eb8f65a24393c6e12b
 - SHA1: e2b7590d6ec1fdac66b01fdf66ae0879f53b1262
 - SHA256: c7aa82a1aa7d45224a38d926d2adaff7fe4aef5bcdafa2a47bdac057f4422c2d
- theme.zip: bootstrap.jar: npm.js
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/theme.zip/bootstrap.jar/META-INF/resources/webjars/bootstrap/3.4.1/js/npm.js
 - MD5: ccb7f3909e30b1eb8f65a24393c6e12b
 - SHA1: e2b7590d6ec1fdac66b01fdf66ae0879f53b1262
 - SHA256: c7aa82a1aa7d45224a38d926d2adaff7fe4aef5bcdafa2a47bdac057f4422c2d

Identifiers

- None

remotegui.zip: bootstrap.jar: popover.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/bootstrap.jar/META-INF/resources/webjars/bootstrap/3.4.1/js/popover.js

MD5: 3782df41a2ebe1257eded4e19f39ca02

SHA1: 38b589512e09181dba3ad56caca00199c9cd20c3

SHA256: 415e3c557d74388c551d77497112a216601c88025d95e3c28b3fad4082d8863e

Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies

- remotegui.zip: bootstrap.jar: popover.js.gz: popover.js
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/bootstrap.jar/META-INF/resources/webjars/bootstrap/3.4.1/js/popover.js.gz/popover.js
 - MD5: 3782df41a2ebe1257eded4e19f39ca02
 - SHA1: 38b589512e09181dba3ad56caca00199c9cd20c3
 - SHA256: 415e3c557d74388c551d77497112a216601c88025d95e3c28b3fad4082d8863e
- theme.zip: bootstrap.jar: popover.js.gz: popover.js
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/theme.zip/bootstrap.jar/META-INF/resources/webjars/bootstrap/3.4.1/js/popover.js.gz/popover.js
 - MD5: 3782df41a2ebe1257eded4e19f39ca02
 - SHA1: 38b589512e09181dba3ad56caca00199c9cd20c3
 - SHA256: 415e3c557d74388c551d77497112a216601c88025d95e3c28b3fad4082d8863e
- theme.zip: bootstrap.jar: popover.js
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/theme.zip/bootstrap.jar/META-INF/resources/webjars/bootstrap/3.4.1/js/popover.js
 - MD5: 3782df41a2ebe1257eded4e19f39ca02
 - SHA1: 38b589512e09181dba3ad56caca00199c9cd20c3
 - SHA256: 415e3c557d74388c551d77497112a216601c88025d95e3c28b3fad4082d8863e

Identifiers

- None

remotegui.zip: bootstrap.jar: scrollspy.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/bootstrap.jar/META-INF

/resources/webjars/bootstrap/3.4.1/js/scrollspy.js
MD5: 86ed481e7ffa3549beb6108a5ad1e4d5
SHA1: 73f97f2354272103cc030712a317260e7126a445
SHA256: 7d2c33a3ec324089813056cf4a8120db1db77f9ff620fa55c38de06ac417fed7
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies

- remotegui.zip: bootstrap.jar: scrollspy.js.gz: scrollspy.js
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/bootstrap.jar/META-INF/resources/webjars/bootstrap/3.4.1/js/scrollspy.js.gz/scrollspy.js
 - MD5: 86ed481e7ffa3549beb6108a5ad1e4d5
 - SHA1: 73f97f2354272103cc030712a317260e7126a445
 - SHA256: 7d2c33a3ec324089813056cf4a8120db1db77f9ff620fa55c38de06ac417fed7
- theme.zip: bootstrap.jar: scrollspy.js.gz: scrollspy.js
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/theme.zip/bootstrap.jar/META-INF/resources/webjars/bootstrap/3.4.1/js/scrollspy.js.gz/scrollspy.js
 - MD5: 86ed481e7ffa3549beb6108a5ad1e4d5
 - SHA1: 73f97f2354272103cc030712a317260e7126a445
 - SHA256: 7d2c33a3ec324089813056cf4a8120db1db77f9ff620fa55c38de06ac417fed7
- theme.zip: bootstrap.jar: scrollspy.js
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/theme.zip/bootstrap.jar/META-INF/resources/webjars/bootstrap/3.4.1/js/scrollspy.js
 - MD5: 86ed481e7ffa3549beb6108a5ad1e4d5
 - SHA1: 73f97f2354272103cc030712a317260e7126a445
 - SHA256: 7d2c33a3ec324089813056cf4a8120db1db77f9ff620fa55c38de06ac417fed7

Identifiers

- None

remotegui.zip: bootstrap.jar: tab.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/bootstrap.jar/META-INF/resources/webjars/bootstrap/3.4.1/js/tab.js
MD5: a19cc7ef41a2f9683a10c8d29f1e1241
SHA1: b8bd432a8ada22a323df822fe1e77028130f100d
SHA256: d41c1f213273a374add7c9a4fb57798812d5d3472cd961237a1782998e7be82e
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies



- remotegui.zip: bootstrap.jar: tab.js.gz: tab.js
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/bootstrap.jar/META-INF/resources/webjars/bootstrap/3.4.1/js/tab.js.gz/tab.js
 - MD5: a19cc7ef41a2f9683a10c8d29f1e1241
 - SHA1: b8bd432a8ada22a323df822fe1e77028130f100d
 - SHA256: d41c1f213273a374add7c9a4fb57798812d5d3472cd961237a1782998e7be82e
- theme.zip: bootstrap.jar: tab.js.gz: tab.js
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/theme.zip/bootstrap.jar/META-INF/resources/webjars/bootstrap/3.4.1/js/tab.js.gz/tab.js
 - MD5: a19cc7ef41a2f9683a10c8d29f1e1241
 - SHA1: b8bd432a8ada22a323df822fe1e77028130f100d
 - SHA256: d41c1f213273a374add7c9a4fb57798812d5d3472cd961237a1782998e7be82e
- theme.zip: bootstrap.jar: tab.js
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/theme.zip/bootstrap.jar/META-INF/resources/webjars/bootstrap/3.4.1/js/tab.js
 - MD5: a19cc7ef41a2f9683a10c8d29f1e1241
 - SHA1: b8bd432a8ada22a323df822fe1e77028130f100d
 - SHA256: d41c1f213273a374add7c9a4fb57798812d5d3472cd961237a1782998e7be82e

Identifiers

- None

remotegui.zip: bootstrap.jar: tooltip.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/bootstrap.jar/META-INF/resources/webjars/bootstrap/3.4.1/js/tooltip.js

MD5: 6ae9dc400f463921e1ded65db0556dfc

SHA1: 0001130406c5f241ba069035dc380f3579ba24eb

SHA256: efef210198a75adacd0d3e726500fde192fc94320e4acbf90eb3a4d877215a2d

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies



- remotegui.zip: bootstrap.jar: tooltip.js.gz: tooltip.js
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/bootstrap.jar/META-INF/resources/webjars/bootstrap/3.4.1/js/tooltip.js.gz/tooltip.js
 - MD5: 6ae9dc400f463921e1ded65db0556dfc
 - SHA1: 0001130406c5f241ba069035dc380f3579ba24eb
 - SHA256: efef210198a75adacd0d3e726500fde192fc94320e4acbf90eb3a4d877215a2d
- theme.zip: bootstrap.jar: tooltip.js.gz: tooltip.js
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/theme.zip/bootstrap.jar/META-INF/resources/webjars/bootstrap/3.4.1/js/tooltip.js.gz/tooltip.js
 - MD5: 6ae9dc400f463921e1ded65db0556dfc
 - SHA1: 0001130406c5f241ba069035dc380f3579ba24eb
 - SHA256: efef210198a75adacd0d3e726500fde192fc94320e4acbf90eb3a4d877215a2d
- theme.zip: bootstrap.jar: tooltip.js
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/theme.zip/bootstrap.jar/META-INF/resources/webjars/bootstrap/3.4.1/js/tooltip.js
 - MD5: 6ae9dc400f463921e1ded65db0556dfc
 - SHA1: 0001130406c5f241ba069035dc380f3579ba24eb
 - SHA256: efef210198a75adacd0d3e726500fde192fc94320e4acbf90eb3a4d877215a2d

Identifiers

- None

remotegui.zip: bootstrap.jar: transition.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/bootstrap.jar/META-INF/resources/webjars/bootstrap/3.4.1/js/transition.js

MD5: 0a47aaff7afca3b3485a6a845782947f

SHA1: 91c2a7be5c53a856679830e0681a31d57395bf28

SHA256: dfd38a036a1ed2f6362413696c71555c108aa06b2ffef68577705df1b1983bc2

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies



- remotegui.zip: bootstrap.jar: transition.js.gz: transition.js

- File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/bootstrap.jar/META-INF/resources/webjars/bootstrap/3.4.1/js/transition.js.gz/transition.js
- MD5: 0a47aaff7afca3b3485a6a845782947f
- SHA1: 91c2a7be5c53a856679830e0681a31d57395bf28
- SHA256: dfd38a036a1ed2f6362413696c71555c108aa06b2ffef68577705df1b1983bc2
- theme.zip: bootstrap.jar: transition.js.gz: transition.js
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/theme.zip/bootstrap.jar/META-INF/resources/webjars/bootstrap/3.4.1/js/transition.js.gz/transition.js
 - MD5: 0a47aaff7afca3b3485a6a845782947f
 - SHA1: 91c2a7be5c53a856679830e0681a31d57395bf28
 - SHA256: dfd38a036a1ed2f6362413696c71555c108aa06b2ffef68577705df1b1983bc2
- theme.zip: bootstrap.jar: transition.js
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/theme.zip/bootstrap.jar/META-INF/resources/webjars/bootstrap/3.4.1/js/transition.js
 - MD5: 0a47aaff7afca3b3485a6a845782947f
 - SHA1: 91c2a7be5c53a856679830e0681a31d57395bf28
 - SHA256: dfd38a036a1ed2f6362413696c71555c108aa06b2ffef68577705df1b1983bc2

Identifiers

- None

remotegui.zip: bootstrap.jar: webjars-requirejs.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/bootstrap.jar/META-INF/resources/webjars/bootstrap/3.4.1/webjars-requirejs.js

MD5: 66507db20354e58b4c9ba7ab8f9ce714

SHA1: 80f18f9b3ec47cf5854cb30dcd6b9548c32b9567

SHA256: b9a900c1c14f8b4980d34de9f2787b0bac576efc4f176aa70433a71950a14b26

Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Related Dependencies

- remotegui.zip: bootstrap.jar: webjars-requirejs.js.gz: webjars-requirejs.js
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/bootstrap.jar/META-INF/resources/webjars/bootstrap/3.4.1/webjars-requirejs.js.gz/webjars-requirejs.js
 - MD5: 66507db20354e58b4c9ba7ab8f9ce714
 - SHA1: 80f18f9b3ec47cf5854cb30dcd6b9548c32b9567

- SHA256: b9a900c1c14f8b4980d34de9f2787b0bac576efc4f176aa70433a71950a14b26
- theme.zip: bootstrap.jar: webjars-requirejs.js.gz: webjars-requirejs.js
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/theme.zip/bootstrap.jar/META-INF/resources/webjars/bootstrap/3.4.1/webjars-requirejs.js.gz/webjars-requirejs.js
 - MD5: 66507db20354e58b4c9ba7ab8f9ce714
 - SHA1: 80f18f9b3ec47cf5854cb30dcd6b9548c32b9567
 - SHA256: b9a900c1c14f8b4980d34de9f2787b0bac576efc4f176aa70433a71950a14b26
- theme.zip: bootstrap.jar: webjars-requirejs.js
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/theme.zip/bootstrap.jar/META-INF/resources/webjars/bootstrap/3.4.1/webjars-requirejs.js
 - MD5: 66507db20354e58b4c9ba7ab8f9ce714
 - SHA1: 80f18f9b3ec47cf5854cb30dcd6b9548c32b9567
 - SHA256: b9a900c1c14f8b4980d34de9f2787b0bac576efc4f176aa70433a71950a14b26

Identifiers

- None

remotegui.zip: codemirror.jar

Description:

WebJar for codemirror

License:

MIT

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar

MD5: 669061572ba6292cc848f48535366409

SHA1: c1c5b1fda926e89ab3204a2b4d2871078ce6d448

SHA256: b5f4ff56ec0eb788f4c150fc67b7a127e189e555e2438318742003e01c78282c

Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence
Vendor	file	name	codemirror	High
Vendor	pom	artifactid	codemirror	Low
Vendor	pom	developer id	webjars	Medium
Vendor	pom	groupid	org.webjars.npm	Highest
Vendor	pom	name	codemirror	High
Vendor	pom	url	https://www.webjars.org	Highest
Product	file	name	codemirror	High

Product	pom	artifactid	codemirror	Highest
Product	pom	developer id	webjars	Low
Product	pom	groupid	org.webjars.npm	Highest
Product	pom	name	codemirror	High
Product	pom	url	https://www.webjars.org	Medium
Version	pom	version	6.65.7	Highest

Identifiers

- [pkg:maven/org.webjars.npm/codemirror@6.65.7](#) (Confidence:High)
- [cpe:2.3:a:codemirror:codemirror:6.65.7:*****](#) (Confidence:High)

suppress

remotegui.zip: codemirror.jar: CodeMirror.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/src/edit/CodeMirror.js

MD5: d154477df9eebe156a1a493731acb01d

SHA1: 69efd74f28f36317a2bb9101dbbaec73f5ca3735

SHA256: 258db73a89eb6d88475013d38f4e0e01cc1476788f931058bf470db1ee26ca53

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: ContentEditableInput.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/src/input/ContentEditableInput.js

MD5: 40e61dbb4388425c66403ecd7e9a5a10

SHA1: 70cfc8bedef61e8d2f6cbb85ee41d65088d44c53

SHA256: 5c07c3caef1fc6122ef3ce8d681afb87d65f86aaead8db5d1ca3466803b57da8

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: Display.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/src/display/Display.js

MD5: bbf05006cf414f786e21cdb02b443aac

SHA1: 6bcab3100f9fd46d39f5c47d78b6ad9ad863b464

SHA256: 6e26756a9ae829558cf81a83fd9d48dd0f605241c7c7e8028a8bcf94bfa7a9d4

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: Doc.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/src/model/Doc.js

MD5: 66f02c635454d1ae55f7472709417566

SHA1: 8799d7becd0b3ee9bfd397c157c43ca6ebb264d0

SHA256: 32bf377fa99365b49732f69c5e565c61995fefdf8d0bc6f3404d4fc00ed8ac7f

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: StringStream.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/src/util/StringStream.js

MD5: d187f08909bf9bb188d04c79f089c26a

SHA1: f5c4fc956b8b4de762087204024eb625cb00a790

SHA256: 9f1ab50bba4ae102fa5c611d4ef5b056d063a63a7f20cfef59eea64e93c3e04e

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: TextareaInput.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/src/input/TextareaInput.js

MD5: 87e959dd1978b0e022083d3e5ad65158

SHA1: d08b9e7e675368968faf8e93bb1dbaddf9996410

SHA256: 48684a26a28a3fd1793a80aa67509c4281b56d6924d25511540a1d19aed72eb9

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: active-line.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/addon/selection/active-line.js

MD5: 774e515fe054cbcd6cc869bfd550b17d

SHA1: 3d950f5055286088e93e0ee4c8a1d62eaf8aedac

SHA256: 3afbcbf78835c9bdc342e3992c53d9b74286722613bb1a8adc9d140edc8737ee8

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: annotatescrollbar.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/addon/scroll/annotatescrollbar.js

MD5: a9dfd7f9d78bd36c617429ed88cb67e5

SHA1: ad1133e5432a7c65881747c87c84529fed297ecb

SHA256: 9041e8d81e3cebc481cabfae90d3b80596f3194de75d98e5526d3bfa44ae3bbc

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: anyword-hint.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/addon/hint/anyword-hint.js

MD5: ba7fa17b24f0937d9431f93b9de2da37
SHA1: a87db7c6de5231a1bfd702e26ecf4aa76d822a0a
SHA256: e834ad178bd23449476e29179e8cb9f0c1ebaed35dab9059ed9a46b388271f3e
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: apl.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/apl/apl.js

MD5: c0d55e310ae0a4290d3fcca84bff448
SHA1: 006c98d2b17e85168065eebf44c3fdd91b9ff874
SHA256: 47e0fdac0a39e0186019064e13b674dda4223b03b2748d34cccc09489fde2674
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: asciiarmor.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/asciiarmor/asciiarmor.js

MD5: 42e5c7f3f48fa085f63bd7708bb204fd
SHA1: b15cdadbf5a869d06a79e6a9e187d0509dca1239
SHA256: bdc6b68c4b0c9dc53b2af587673461a495f123a5b9da8f6be79d97fee2790f9ae
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: asn.1.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/asn.1/asn.1.js

MD5: a928fdb102ef88113a9d1c0d9e520114

SHA1: f293930644bd6093dbb02475e8b409fe9794f437

SHA256: 5b50cca4b34820cb3d57c218945ff2d870d57eba83e13c2c66590063e2a23acc

Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: asterisk.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/asterisk/asterisk.js

MD5: 2f4e25e805d878f43b8568609c48dba8

SHA1: 109a76d631e43dd32c13cbb0c23ad83e1851ad0a

SHA256: 0849e3a141e967559d752de2205956cb690f1d4ba0a5ace5481c6c565db9b674

Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: autorefresh.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/addon/display/autorefresh.js

MD5: 16b07faa9ef79a1fb79432fb4f4a9e3a

SHA1: 091a2b17758e7c3182542314256139a2247b508c

SHA256: 2ec9d5585bd24d7611f30ebbb1cd8fedf79747cf89c1f83852dd1dd9981f10bd

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: bidi.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/src/util/bidi.js

MD5: 22a12be2f1e24a9bfddc5c3b0d187ede

SHA1: ab735d3376e0040172b6dc972f97df663f231dc4

SHA256: 0a4646d7a1214acfc71ad351d021f31795b056ce7a08f80d29857aeca1a5163b

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: brace-fold.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/addon/fold/brace-fold.js

MD5: d56849bd7cce8a10ccb842d50f0de179

SHA1: 4103103f28436925442d5397c24425fbaf660fce

SHA256:2907087538a295e5b4f084f8c5ee7eba35cc973db194cbf596ab13a6c97a6834

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: brainfuck.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/brainfuck/brainfuck.js

MD5: f3ff733b3609dfb34a49652f6a4a2d09

SHA1: 41a8164ddba5e25fe2401265eb9fd4222e415549

SHA256:67496a83fe1ea3304a3f65a8f8196f3a4a40060ea4febcb60a82c7657205abd

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: browser.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/src/util/browser.js

MD5: 564eafde7c1566f1b9b0d976cc3ace2f

SHA1: 2c592606b3242ac9cf080d138aae3516cc2ef05d

SHA256:de647094595511fabe9d548d9e45dacf746d7b83a198cb69b5b8859fa3eccb30
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: change_measurement.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/src/model/change_measurement.js
MD5: 39707c0eb637648efc07d95bb60253d3
SHA1: 025a52f620cc5b6edee8fb9c63a3f6ecf4c2284c
SHA256:1d1648706bf317acc33a64673cb4fbc2d2a7db8205bcc1cd9fe52819c13b87f0
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: changes.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/src/model/changes.js
MD5: 822465b81d600e9a703579605e2147bc
SHA1: 1b77f1034de1cac51a8ff50e48f9604bc62556e5
SHA256:13b0b2c417e0181ec9cb012932c1fa167c50171133391c00582e2939206362a0
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: chunk.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/src/model/chunk.js

MD5: 7dd1b45f75341b5a03a01f6607da69a4

SHA1: 89dfb21758e8a384033d09678a8d5b1ce8983e6f

SHA256: 18f55da6b39c1b12fb5406c7962a88884e00d2122566622784720cbe612fc676

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: clike.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/clike/clike.js

MD5: 145b41ea6cde47e8889ef8b2214eecde

SHA1: d0ae7cc4040a57a76b86265f492f87e251d1cc9d

SHA256: a1ff458a030f8b1db2d901811344f3e178eaceb19b598277d054bf83dacfec2

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: clojure.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/clojure/clojure.js

MD5: 7f3277e322bd000aefbfb172d3edf7e6

SHA1: e701f8e843e3390a0a411700d3c8989dc147780c

SHA256: 86b7b779ab84fa77bc6e461a05fd0887d85a3c8cd42a96576cad973b355bb1b8

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: closebrackets.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/addon/edit/closebrackets.js

MD5: 667059f346609f6ad778936b17c43824

SHA1: 248b45be826a8856a0ed0733c8511d9d0c595507

SHA256: 143c3014c29254f3531cc30be6d90205084bcfc36cfa6f9b2a46fd42a40be20

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: closetag.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/addon/edit/closetag.js
MD5: 744876ab906996c429eef7654278f514
SHA1: 0e0e10e59f93f87c9bc35247b14831091113adb4
SHA256: 6fbe2b93cc1744d9e14ad1d613449f7e16df4c2aa2842f658efc17abf662f850
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: cmake.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/cmake/cmake.js
MD5: fc204bb5f2393f59bcd34a860f1e1a57
SHA1: 73985b80cdb80d12831a7476b740733e3fdd065d
SHA256: 6379ded0f75af38659031d1eaa803d2bd5be0fa7cebc216e55ca65d01a35bf1a
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: cobol.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/cobol/cobol.js
MD5: d8a271c0bf27ef5cc2dd8ea19886aa75
SHA1: 93072b3c895318fc58f8ed16d68cc213ac7910de
SHA256: 0cecf82da2915c20187ab4e29cfc4abbb0078536874b27978726d48371487e4c
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: codemirror-standalone.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/src/addon/runmode/codemirror-standalone.js

MD5: f1f47322e6af5937de4a14fb10863e3e

SHA1: 843d01e1379550e5fed3e64aba1af1a359441e7a

SHA256: a18754c4ae17e27b7bba46b338c404d28804e237f41425aed96904c0aa1f49f2

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: codemirror.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/lib/codemirror.js

MD5: 15fc3cdf569fa38b1f91d86ebbea13d

SHA1: c5f9252d9467c2af70c5e6fc579e696648ee242b

SHA256: a4f1c30365d5f85951a22160b07a7ce34048cb640c283545c8192132b46efba8

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: codemirror.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/src/codemirror.js

MD5: 0d4d22de0bcd7f7afd8131d4e59f130

SHA1: 819f8c37a4df0c61ef735d5b884c6c598bc0983e

SHA256: b2a1b676605c6428b6dd7ce21a8a0d2509d4652ceb2297be93078ca6d66926dd

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: codemirror.node.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/src/addon/runmode/codemirror.node.js

MD5: a524724c274d1c038c7984e164428b3d

SHA1: 18fd7183236cbf1437175c8d31509ffa6cd4ba64

SHA256: fdc02024dc3845f85b38046ae842b0f572f91adc5f34a6979cd92ead0fe4a0a1

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: coffeescript-lint.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/addon/lint/coffeescript-lint.js

MD5: e852ea5b9ebb97947ffd169523eca098

SHA1: 58ec1f05cb6893a519fe2d7ad1b9716f15219b89

SHA256: 824caa68710a7f931ebd30491fec19dcd2c6fa166c21158f5ccd61321069da2d

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: coffeescript.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/coffeescript/coffeescript.js

MD5: 438a52e20ca46a26383d4eb6d33a5c6f

SHA1: 8dd398cbd2955bcffcd70180f9fb560f56acf567

SHA256: 67792b36933d29b482307761ee03da520a19b3b30ca60f54df9cdef4051db628

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: colorize.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF

/resources/webjars/codemirror/6.65.7/addon/runmode/colorize.js

MD5: 626a64f8687ca9576bb017843ab2c30b

SHA1: 4899e8d499849fb02f134afb39711d3ab2c28903

SHA256: 9d39f5267c05d930f079fc4f223b453e8f9fd54cae6cf52db9b5dc3a0b9dd694

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: commands.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller
/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF
/resources/webjars/codemirror/6.65.7/src/edit/commands.js

MD5: 9f984e904c9556f8e270502eaf1d5a5b

SHA1: d16928b2cc389c46f7b77121beb7376a50f11c35

SHA256: 5f23178d2f8f62f97af955560fb192e5aa898f81153b9c24cee8ed6ac567f658

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: comment-fold.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller
/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF
/resources/webjars/codemirror/6.65.7/addon/fold/comment-fold.js

MD5: 3bf750756a24d5a0ba9cf16819bf5cfe

SHA1: ad4d1534287f90692567139c0b007be29aac4a9d

SHA256: a79d02eb1b425d8a4823f2d962b7b9f49af578fc9042b928b892417c00e7d13a

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: comment.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/addon/comment/comment.js

MD5: 18fc449bec0798e43182173ba47455b9

SHA1: 29442cfbafce86a08679824a999b87ec1acdf567

SHA256:a65c038258c6541658a0e9f24c56c78255e0e20d4cf06aa9ad83342069a589be

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: commonlisp.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/commonlisp/commonlisp.js

MD5: 9449ffe942392a1ad14eaa723578b606

SHA1: c734ecc91ff4949d4cac179a55bec5cee55da153

SHA256:0efe46913f843f5c335c79e05ae758e60212dde9cd3c45d99fae8066bd13c128

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: continuecomment.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/addon/comment/continuecomment.js

MD5: 174c186ec1902fdb1aa708a9dea1aa4

SHA1: 7c3bb959b0c3befa4395c61ee8fbba3f7f6c6033

SHA256: eb64c50f80cb3080052971bc075bbbf421ab50287804af8ce47b0536da5365e9

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: continuelist.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/addon/edit/continuelist.js

MD5: 630509c4379923d8c811b3f1acc931fc

SHA1: 09118fd53589fe18289006df5cc57b4818321197

SHA256: 6ba9cd9528b74e7f76f4b9ce9ed0677bfed7057d1aade0050185368cfd0ea2e3

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: crystal.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/crystal/crystal.js

MD5: ae980ca83523592958a2c7f8144bd365

SHA1: b52f1f9ec7c854891491f792ae93aae419efd2ac

SHA256: 5e6e8458e3fa4079ff438060ac7f93b8b7a160212b1cce92516f1ea9680b57da

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: css-hint.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/addon/hint/css-hint.js

MD5: 55823389add79e8c52ffa7df6ba94515

SHA1: 59e0f4c17ecd9595fe88a84bc47fbb994803fab6

SHA256: 0e22d6efa1ea084e8316ec6d5e4c809534f0e36f363bbc4156609201d95c6601

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: css-lint.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/addon/lint/css-lint.js

MD5: e392cd5f86989535e38b3cbfb5134985

SHA1: 0986b3dc26b02d98a91b91bb38d46065b5c0214d
SHA256:f3fc7474cbefded7f1b06d63efe980d58970785831cb35f29874ec371cb4ece8
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: css.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/css/css.js
MD5: 3675078ada8a185a353a6560bda2d5ac
SHA1: 1045cdc88a58fb002511eb21db184ed242730f05
SHA256:60f0689e5c6af7f36c341e8e1341a4f10b4f0a04cebf7341bcbdba9b572b32
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: cypher.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/cypher/cypher.js
MD5: 0439f14eea37e69f9bd0af1b9c57e014
SHA1: c65b82f89865edb564d52f00afddafc3d18a8d6b
SHA256:6d8c9c8993fdeb724f1f68e9574fdab0001da1d31196e33ac6112303005d3f63
Referenced In Project/Scope: server


Evidence



Type	Source	Name	Value	Confidence
Identifiers				
• None				

remotegui.zip: codemirror.jar: d.js


File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/d/d.js
MD5: 0632861907c7e77ea48e0952d2081136
SHA1: f000ac2fe16c377837034c69cdace651a45f4e7a
SHA256: 8e3994ce4f507e692b65aa73ffbfd58112c4a22771b84b8ad86152578d4e8130
Referenced In Project/Scope: server

Evidence 				
Type	Source	Name	Value	Confidence

Identifiers				
• None				

remotegui.zip: codemirror.jar: dart.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/dart/dart.js
MD5: 0bfa12b4210e1faba31c98d2fcbd226f
SHA1: 4caa7d422c3c931f7df5b46e09c9596a9ca19ed0
SHA256: b09be809dc1f9e3ad59374b198b0e5c4992788b9ff524765fccd0b84fde52212
Referenced In Project/Scope: server

Evidence 				
Type	Source	Name	Value	Confidence

Identifiers				
-------------	--	--	--	--

- None

remotegui.zip: codemirror.jar: deleteNearSelection.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/src/edit/deleteNearSelection.js

MD5: 813d638d2d4693bd14f7b6490445a417

SHA1: eec62305710c8c0a032933bbec41c3fd45142669

SHA256: dac971ad5b761896b830e95f5e2240e2748fb83c909ef4c5ea4fd1f60ae031fd

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: dialog.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/addon/dialog/dialog.js

MD5: 1b33c63e7d89d740d4738ce9766b19b0

SHA1: 14cccbebfcb2f33d928c4a41d854237cda5dd97

SHA256: fd8c925fcc25357617faff21220c026bb91a617b995268d96c5d39232fd42833

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: diff.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/diff/diff.js
MD5: f80746d74770ee6dcf444e99f75d5537
SHA1: 45f65817bf0cfe00f52a620c44e48031e926e5bc
SHA256: 3fd0e844e22f475503415744b7e7af24df4cd0670709c77e5e43e92185ba32fd
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: django.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/django/django.js
MD5: 3c02fcac64b6100a0f369edc8d145f97
SHA1: 9ab00e90ea9a3788178187e9451bdaf61bd311fe
SHA256: 71a3fa0ac63fe080a12097209e509c36abe0fde9c9709610be1656163d25a8bc
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: dockerfile.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/dockerfile/dockerfile.js
MD5: 35fd7d7d73ad6c400c0afed686a383da

SHA1: b6574f6951c483c563456c9094178769ea733631
SHA256: fca390cea85e1b711389d1a91b99faeccf7b4df0f48e3ceaecf2e517982cb2b7
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: document_data.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/src/model/document_data.js
MD5: 86420f7d4afaa1aa00313618bff8292f
SHA1: c26428a7245c7ccbc2da6e15ea8071a308efe21e
SHA256: bded28025266e28229d4328e2a4ff6c829e26757b12861ec0c561c495d4b87e5
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: dom.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/src/util/dom.js
MD5: b56830faf8f75c5daea99bdc94508b38
SHA1: 6425ef8de5f6d50a057a5cdaced4da9ed166ddfe
SHA256: 20275e6018fa90811c51e20246d4803c01d7e744f64434bb9194c7b1df41d1b1
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: drop_events.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/src/edit/drop_events.js
MD5: 940690e5c792ff535ef797090cb7ed5d
SHA1: 05108fb9bb15e761e86ef290e006cb7c620de955
SHA256:60fa1577514a516587de192c7c779b4447aff1b6d26de0498030340e12945390
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: dtd.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/dtd/dtd.js
MD5: eb3e9b71c4e33120225df386c29a0b30
SHA1: c91a19fca8b5bb610ff35e8ea7c9190c9ef996f0
SHA256:3f04995b147addeee1637bbfd0054676e78d13f7accaf2f589c55837d70148c1
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: dylan.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/dylan/dylan.js

MD5: 99e3fa83adb7b3af2e363942a5b720ac

SHA1: 795b6199d3643d0a9eb0b018a02357da66be8f3d

SHA256: 999b862ebc559366e71a731e2a28b2762ae4fe7c7882ba5f6bf20c33a2d737b7

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: ebnf.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/ebnf/ebnf.js

MD5: 8d8a62f6874e4e8378d16d02b09ada60

SHA1: 84295b3d4f48cd3080508f3c5c12ecca2842dca4

SHA256: 1175e07f831fd02ccf09d4582351c5932a48fa03be5c0eb1028c8f96c051935f

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: ecl.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/ecl/ecl.js
MD5: 04722d23df4c17765bb397d871875452
SHA1: 63a19016bf2e53ba5c73fde154b9bbc19d96130d
SHA256:c78998872dd14cdb356d5a9bd196f7d3525e3cb03a591133e0e904afaaec11b7
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: eiffel.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/eiffel/eiffel.js
MD5: d202831cfe3aa85bdefffd44534dc98e
SHA1: e5767dbfb329d8e3786acf893d038e1e4dd35c39
SHA256:183e855f6474cc2c4cf0b6c5e5c40ea7821707d37ac414277dcda294ffae1721
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: elm.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/elm/elm.js
MD5: c37089c171d4384ec97f9af66d5ac972

SHA1: e28a667656ac12ff06766d2ee857962dcd9146e2
SHA256: e343ffaaffff2dc6fd9c5923228b46c23723c396993459eca6217871f1c087ebc
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: emacs.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/keymap/emacs.js
MD5: 258e09f1d4cdb812940d869afce12a11
SHA1: fa3b963c38f809ab13c37fd7aa654ac46a39e740
SHA256: af2f42c9f461951f13e9785f634cc9f8e5d63b0c5c2375b331105dea19a71fef
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: erlang.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/erlang/erlang.js
MD5: 29f92a4be923242d30cf1f4288c89adc
SHA1: 45f94b33af2bc74d8c5eed73de27eb8a4047c20
SHA256: 2ae29808247e9d6a58a83893b0e8b627c0ca337cfa541ef16fb506edfdb77e
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: event.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/src/util/event.js
MD5: b700f1676589e7f88e59c943cc209156
SHA1: 516c718a9b2f86f68127680267b92d10fbf5a579
SHA256:1b13113fab8763c3c9e2284d1b6bdf1f84ab3424999a2eacffb771ea8b75513
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: factor.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/factor/factor.js
MD5: d497dd1c4f0f85b83245bfb80943e5cc
SHA1: ec2430a02377f3b14692370e329b8f83b017d1b9
SHA256:baf7c16c387e7abfc308dfcb7fcc1ea9ae0a898d13455349083ea72c7bfa4c4a
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: fcl.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/fcl/fcl.js

MD5: bfa4a30d52fa501346b203c8ab6aa0cc

SHA1: 9befb1efc7f051c189e1c2c7cccd976576bcefca

SHA256: 7c9d372be44c1c418a101885662d80d4bf6104e1b717d36cbdbd05a5956abc70

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: feature_detection.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/src/util/feature_detection.js

MD5: 3b63813f217d9351f7a1d90edf345310

SHA1: f236ad77f54768dfaf4b78905be71b6873691698

SHA256: 4aeaf197f379b3450c8c297f23e449df3795a9954bec48cfcdddf4b3615d5f371

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: focus.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/src/display/focus.js
MD5: 307daeb9d6322c3905fc5b2ba846fa16
SHA1: d1e1cceb41ec90a9b18fd25ae6cad9805e86811d
SHA256: 2f6ad1d093d5d933ad58ded481d34002320d2887b5d06badb35918289338757e
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: foldcode.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/addon/fold/foldcode.js
MD5: f520bc635201c451609403065b8bacfa
SHA1: 78958ff57ef86b84ac8a8085a4f0923433eea9d3
SHA256: 07f353e02abcc300739b09f31a9d32a958ebe5d2f76959291e5643c6e40a26a5
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: foldgutter.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/addon/fold/foldgutter.js
MD5: 9606e4f3ca8c5ac259c2cf703753017b

SHA1: 2f4f7e099042dcbde74bfd3a8f5856f595326ecd

SHA256: fc85fcd61894dc551a4c7c221ec41b7fa4007d1e33239b1cf8faf56ef1811727

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: forth.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/forth/forth.js

MD5: 3e09048506ea36823a8a5e6ad244c7d5

SHA1: ef3e2632de5a4c57f8b14225026940309167d270

SHA256: 1c6c0a8fb3572fba544083795b3259f8a35cae81ec2ddb19b4fd7af2a91ab34a

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: fortran.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/fortran/fortran.js

MD5: acf9c5ff78882f6ee77416eb957e881e

SHA1: 30130e625c08eedd8d62021c0dc77a71d066fd1d

SHA256: b3351c6cd6e696c2ebf0e6ae1ff7925ed65add92947007402e0b3112634f6392

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: fromTextArea.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/src/edit/fromTextArea.js
MD5: a910ea4413c5f8fabb9be57bc80a7cc7
SHA1: c2bb053e04c5cc11df632ae7332863f5f0d30c70
SHA256:796a25d1e7f2a7c35ac9289bdb21e9c56c1253779a71c1b9e8a8c04160829e2d
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: fullscreen.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/addon/display/fullscreen.js
MD5: dffe3df188ef201ff7f04977d0ead894
SHA1: 29d2bbd2368fb2dfc02a06aac6db6aa9691ab330
SHA256:8e4a21aa77765df8893fc854c4b6be56279e12d9a70cbede913083c307ac769e
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: gas.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/gas/gas.js

MD5: 9403b8d57b58f52a0d02efd3d6d99571

SHA1: afdd8ef0502d68ba8020134c780ebce498f65ac9

SHA256: 414899aed81f9bdb726a6729047f1afb538679ee58623beb8fa51dc7412db6e9

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: gfm.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/gfm/gfm.js

MD5: da48b005ec4e651d019aa09b3d6d4aac

SHA1: ea5f855ce519bf55f09cb2c968dce9660615c698

SHA256: 1fcdbf9a611c238acf53f906126fba93ae0550d74858efad61d72b8b3ed6e0bc

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: gherkin.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/gherkin/gherkin.js
MD5: 3d87a67e559ce2d1851c4f1fcca83fe2
SHA1: 289ab840bb7ad7d5cf292406eff4fb8e55ece301
SHA256: 732eb81eccbef7db49729af3f23d477dc8f27a4d9bf2fb2c6bb520d8ec19bddb
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: global_events.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/src/edit/global_events.js
MD5: 288615615004321c6abe2bf66842b8bc
SHA1: 858b4b90c061cf34960b0bd4231a2b7dd7ec5f3b
SHA256: fa803fc7e109d232afd12dfdf4d99adea71081cc4b71e547d4b1c2bf46cc9ca2
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: go.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/go/go.js
MD5: 51890857b15156f02106103dd73d2b0e

SHA1: ef0de14a73f6656facd0d7355a11b1d17df86b16
SHA256: 4e3b08bda2f85c9ef68c03f24c0c5ca3b8ba479127b6cbc50f33cb9593dbaf00
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: groovy.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/groovy/groovy.js
MD5: d6ca518a6aa5ab5b420bbf21d65b2d05
SHA1: 48fb64db46a7408334eeda329d755dd09aec41ec
SHA256: 6641a0b1555ee0f1bca36975a4fcadd43d512de7ca814328cc6402e1ce836b4c
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: gutters.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/src/display/gutters.js
MD5: af3de2621d2ef402646889be16bcde7b
SHA1: 130d94f44dea7f614a15009677e496ad2b853025
SHA256: 2143db3d42d9a3408b556eb50068870d138041a9b98ab256d070d982e09346df
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
Identifiers				
• None				

remotegui.zip: codemirror.jar: haml.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/haml/haml.js
MD5: 7d65bfd39de90f56597eb8e278a39af7
SHA1: 7bafda0fd81e500fb2f364d2e657fd9dec939505
SHA256:9e9606fecf19869e51c32a84e18c4447c0d4ad2031730e5690b571f318409022
Referenced In Project/Scope: server

Evidence				
Type	Source	Name	Value	Confidence
Identifiers				
• None				

remotegui.zip: codemirror.jar: handlebars.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/handlebars/handlebars.js
MD5: efacd8d006bf9f83baec2fc5a8c71feb
SHA1: 7fefb944ec70e00d262252956fdc71f04c1046b2
SHA256:60bac3d6993264e155b5a06f52cda56b7bab2fb5923f3d1cc7e8caf704fca724
Referenced In Project/Scope: server

Evidence				
Type	Source	Name	Value	Confidence
Identifiers				

- None

remotegui.zip: codemirror.jar: hardwrap.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/addon/wrap/hardwrap.js

MD5: 049ed63630662fcb8a977fa43f86e058

SHA1: 535a020f7839e52da6fc7b8af3d249f641c5e055

SHA256: bee81aee6222a46b1aeb14d6fc738d3cc09a4e421f808e29b3c6989710ccbf8

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: haskell-literate.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/haskell-literate/haskell-literate.js

MD5: f0bd7313413cdc35018db90a6522d1ef

SHA1: 670b7735a8c85e5251aeaf51f5005d5cf45df44

SHA256: 7519d0b515603244f029c3031a4625fdccac88cb640fcb6e117718ec2c0b3c50

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: haskell.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/haskell/haskell.js
MD5: e4f82d95d10c028eebae3338e678be22
SHA1: 30c46651b2b0b5a7fc70910b22e52e2d1d8687ff
SHA256: 4745a90832e950c9536f0bf498e5bf6fb3753a4a98bea09ec152b92354c0fdaa
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: haxe.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/haxe/haxe.js
MD5: 13c21da31a992b536d4f37ee53e09605
SHA1: 6a694b4a0a68b148e0b2e0b761a521a5fa4a0296
SHA256: f3596c7efe948a3331bb1bea299f6fcb8e7733777dc2114a9f2147dfc1c69257
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: highlight.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/src/line/highlight.js
MD5: d7710bcd63c26c5fdc37c19b15e02d4e

SHA1: cc5bac275e64696339642c6f5a52c254f139fbfd
SHA256: ccf8b3a879acfa0013ee5b11e036b822b68ec5a136c218400775fe2e35a3fd9b
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: highlight_worker.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/src/display/highlight_worker.js
MD5: fc6f314859dad397c1f867ed5d73205f
SHA1: 80e56feeeffb3ad7b76e40dc4577962a60becc11
SHA256: fc9d8bf90534b9a6c7d5a45e8f8f79a4f8827a661c4271f812776e7c3d2bdc09
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: history.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/src/model/history.js
MD5: 34cb233d1bf8cc676a0c5fc9e9c24b04
SHA1: 4c42d70f020d1fd9397fa16ea34f5cf54487e93d
SHA256: 961d52432f8f463614f83e660c2945f9bfbbc9c8fb7767575b9221c3e88821a2
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: html-hint.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/addon/hint/html-hint.js
MD5: 609fea85a7894f8098719813c58219c5
SHA1: f593de64cb802e0e456482b88959a68260e06bff
SHA256: 64d3ef9293ed8917e40ed4e8196da6919379a3b4970c007785c7ed27ab9a0478
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: html-lint.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/addon/lint/html-lint.js
MD5: 0844a30ecec022fb60101fc0cc6a5cfe
SHA1: 3ed8b2f11d4c7462cf29fc93b58e579680bcc32f
SHA256: ab7827913934f06a8b4d00e41d5954974c90d5085d1295fe02c484c782c75843
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: htmlembdedded.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/htmlembdedded/htmlembdedded.js

MD5: e7a464409318dee8c3c6e0b68225d461

SHA1: 548ebed43650c26970abca5933aa237b4a1950c5

SHA256:8afc8da4e446322cf92d78bef9940f9444aee339f56c8b9af5452fadb867601

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: htmlmixed.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/htmlmixed/htmlmixed.js

MD5: 4c5a6f44d738b718d1f6164c1c8d6904

SHA1: a4f9c3552740fb908e14fb0f47832d10a3f535d6

SHA256:fe5912e1d10f8fecb98bd31e2f957c0bbc9abf6b505d11b6dbcd27542d0fdcad

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: http.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/http/http.js
MD5: 42dcfb1c4b83e85eea0303f75a3f08e1
SHA1: 7fa224e2e3ab674ca61cedd48fd430c5e62e1218
SHA256: 89842864a707564a989a841ce934b61659f34b012f2349e5c4fd9a09c5982f6c
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: idl.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/idl/idl.js
MD5: 1ae58242a3b61aae5bdc5665bd5fc2ed
SHA1: c25b0c5644c33ee3993ee3152df8f4c27235e172
SHA256: 7d45bc0899e019f558e68eca684ed84660bf4687cd64fb4ed2c959ad249b763d
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: indent-fold.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/addon/fold/indent-fold.js
MD5: 623d14360009d84560611f43b83e6759

SHA1: 731e1d84971dcafb20d1417761c18c55883c3d98
SHA256: a835ed1af176b96a1bf00379622e76573a1f6327bd76b583d9c4757a2c4a4194
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: indent.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/src/input/indent.js
MD5: 835649b199c40a992e89a61de3514147
SHA1: e3d98527805fcef17ac4f710d7600fe0da52db33
SHA256: f28260cac8eba83de19891709eb8545ecaa6cfa3ec716e617992e14cd0112404
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: input.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/src/input/input.js
MD5: 8347e0beb43b7f458587e94f323c58bd
SHA1: 62cfb278476d7f293b853e92e35bd9221c6d1a1c
SHA256: bbfc32c56077171637375314abe257f54f925e8142b3f3a9eb669296ec3f12ff
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: javascript-hint.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/addon/hint/javascript-hint.js
MD5: de72c8e29800ee9ae93e5c8a43c6c6a4
SHA1: e348c54c78f75047c06629a13422c0aee0ee3253
SHA256:e4dfa3414b3b9535514737074cec2fb0cbf0bfea7e765307122295c98c5137fb
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: javascript-lint.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/addon/lint/javascript-lint.js
MD5: 55eb8a1558ef8c9da7d355a32334d62e
SHA1: d452acc1222c992a222c6c4bc55c0546eb2a465f
SHA256:69906dbb83d60e0d104ddf395e29dcaf4a05063f24c085975b9c09693dc860c1
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: javascript.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/javascript/javascript.js

MD5: 178dfcd5f64c97da22a3d3a62713b7a9

SHA1: 969b4a80be53b334612b44a0cc6ef57cfe171a26

SHA256: 21fa74c1638c7a4eb3e8cd04b5c8c997181394568330b341c83716da18ffad8e

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: jinja2.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/jinja2/jinja2.js

MD5: 82ad8f3f5eac62b4012d21c9deabfc69

SHA1: f1b92b1cce15292571979194dc1331accc5fb2d9

SHA256: b408eeadec21747f7c4ed41dcb9ec4e540aa1493d0a7971e74aa1eed05049b93

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: json-lint.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/addon/lint/json-lint.js

MD5: b01056a065c6df2ed0f61038c88e5ecc

SHA1: 8fcdcb87fd1c9f8fc04f3fc325fa590b27441183

SHA256: cb3522e1bdfb075461c848ba2091cc781b52ef0e69cb39d9a33e1b74dc35ae2

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: jsx.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/jsx/jsx.js

MD5: 5dcc6cfebb32872e929bee63d517295e

SHA1: f22b5965deb7b3f6e434d6012b22af7a7ba4c9c6

SHA256: c6babd67df23bb0278d432fba3d2dbd03bb1fb3862d4d70549cda1b0d9953abf

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: julia.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/julia/julia.js

MD5: 544d9103cd9877e0a7dbb26dd5a34eea

SHA1: 4d6fef3f38c3c9717b6ac72fa4fa3c6d48ca189f

SHA256: 54d93c9a83269af3bd8bc6593be2368f07b4efa4223074b54f3aad44097a4d32

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: jump-to-line.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/addon/search/jump-to-line.js

MD5: ae33156dd047f75a6d2539b21ac92df9

SHA1: 4b8098d4df0e0bdbda6b27961ffc7bdaac14e85a

SHA256: 39b7d80ee80cabe2f5936673b3cadbfd4d260dfe6dc6f936523a334044962ffa

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: key_events.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/src/edit/key_events.js

MD5: c299e1b06d3f6ec725718c1dc60141c7

SHA1: 09df110e22b2eccc9f3deb5a2dbe0a6fa884d23

SHA256: f24d2b392714dc1fe63b23f79d45d01503a1a8860cb7b92dff6e5eb05e35cc69

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: keymap.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/src/input/keymap.js
MD5: 1c8d554d0dfbb08ac3b4ff11303f313a
SHA1: bcbddfc0d1411afa8455d75564758dacde1e15d5
SHA256:9be4f88cba00a971a1a007ca4fcc56f244ac84fb8b24f165f6ce2793c2f83a95
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: keynames.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/src/input/keynames.js
MD5: e4ae7351260c5e7b9f2253e21b5ca9dd
SHA1: 9b6381177e6d4afdd03388c548a00bef7e101b0b
SHA256:7054358c3e0ad3945e0c3c31fde7b77d1af78874a5fd436a908aa0e8eeab7b03
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: legacy.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/src/edit/legacy.js

MD5: dfa5acb74b48161d442a6d83e1abbc03

SHA1: 70f5248919c6a806ec8da7a53b9167ea0d28f28e

SHA256: 663e30df9b1f4994092c95d5a4a2a127d67d59896b4795807ac912773a759a4

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: line_data.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/src/line/line_data.js

MD5: 0239405c8ea2b45a5a3a2de75bc481b7

SHA1: 936ff2393f4614f8fb907274c896d2435d34250d

SHA256: 11203cf446205f30a8eb2f5633369c7a6c00cc778b3cdbf1da16570571937d92

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: line_numbers.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/src/display/line_numbers.js
MD5: 22976744e5315917483bef53cab4d368
SHA1: 32c75bf2e39c2315fd1a1d04cbcbddb666c998e0
SHA256: 2474c6d14659ccbd6664aa88eaac7f1bb5589cc44f5acff4c5d8a22ed5da5d4c
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: line_widget.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/src/model/line_widget.js
MD5: 2a58b1a6d7eadb596d3968096f1493e4
SHA1: e06ec6ee060c9b180dd6269107c1643618024acf
SHA256: 4557109a8ced89105c13e911cd0d4036a043ce83abcfaefe9b6889ea8d058b16
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: lint.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/addon/lint/lint.js
MD5: 7930c46b5411e82099bf4d021be44897

SHA1: 9d4fcf298565cd2e6b6234c331113e5ee80a996f
SHA256: 7c2e8241383104a6188c43b657b17ff7633e0de89d9b98f7d09df29570341e76
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: livescript.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/livescript/livescript.js
MD5: 303cf9371fc666702d07b7892d4d69b8
SHA1: cc1a29423cc292dab8ceccbe8d1d4995426ce11d
SHA256: b9b5f3fca094c735f94174d463746bc39d0930dc42b70bf5004efaed96b080ea
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: loadmode.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/addon/mode/loadmode.js
MD5: 43a51215f06278be12990128bf16cfa
SHA1: 62a2787a4f3b623af185185edaedc7eaed7ffc08
SHA256: be81c0312e7041f56c217430a177fea61e572bcb9579a39ca1922a2e4d51abec
Referenced In Project/Scope: server


Evidence



Type	Source	Name	Value	Confidence
Identifiers				
• None				

remotegui.zip: codemirror.jar: lua.js


File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/lua/lua.js
MD5: ccf279dcbc882c0e99fc9dfda9dd734d
SHA1: 13ec1f41c7c723c70f185f6c22e116cdf532d8dd
SHA256: 5c702747f50d5d4158ab8c096b33a7e0092529d5682a728a20624b01dfd86e2a
Referenced In Project/Scope: server

Evidence 				
Type	Source	Name	Value	Confidence

Identifiers				
• None				

remotegui.zip: codemirror.jar: main.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/src/edit/main.js
MD5: cc33d6b2c4f87f24fe91b103cfee3da7
SHA1: 7a267e163871e4d9c505a7dbda69289619573e76
SHA256: 2644139a384fcda2ff3bcb59fad7a45a3faa166c443fcd2d05315558dc7d1f99
Referenced In Project/Scope: server

Evidence 				
Type	Source	Name	Value	Confidence

Identifiers				
-------------	--	--	--	--

- None

remotegui.zip: codemirror.jar: mark-selection.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/addon/selection/mark-selection.js

MD5: f2b8639c24afc6cc370f4097eb6bb217

SHA1: 62883a7928526106b19fa78a1195adf463550b4

SHA256: 5b9c6a0031fe895641f2eb2198df2592ec769a6685d6bb10f3f9b92a7822e286

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: mark_text.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/src/model/mark_text.js

MD5: 7611054f886606aed04a7a3f3c4d5a78

SHA1: 3e6ac9ae6a89f720e9c148d25746ff37f9207d07

SHA256: b17ada4f3979fa8170a4abc071035badcddd87870a212cd92dc5b0a70fac19e0

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: markdown-fold.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/addon/fold/markdown-fold.js
MD5: e9844099dad7cf95607a804988677f22
SHA1: 400fdaaf493a4d15e10b397553549b6b4e09dc92
SHA256: 6a81721447c7260578e8e306c89b33a49e98edc1c2cb0c52a18ca0e913684d96
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: markdown.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/markdown/markdown.js
MD5: a7326be775e85028373f9236c26a572e
SHA1: c7dda08f12cf129cba6b317f70ee7ce0abf775b9
SHA256: 8fe7b11848f79cc9119b2a239f38a00944f6f2bb764a00bc837ecf8d34cf7690
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: match-highlighter.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/addon/search/match-highlighter.js
MD5: d7d3dd2592e2df81c743b86a46ccc555

SHA1: 21bd58338eb506c53cd367b4e30c6aefa2e7edee
SHA256: 8c3e196f9a5f9e5cf9d7e71751132a05293e7cdb180defacf28be9fe919682cb
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: matchbrackets.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/addon/edit/matchbrackets.js
MD5: 2d2902edcfd32a8f481124c0957889ff
SHA1: 1555a87118f8082edd03c7b7c1363ebd1daaea45
SHA256: 9d0e5ee4c199fcb4e487a901860c2cf7d007263852677dd5858098fcaa8580f1e
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: matchesonscrollbar.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/addon/search/matchesonscrollbar.js
MD5: e005f8b0c7cedc509a29ea1a517cc829
SHA1: 73a8bbcf26072f44bc7003faea790d1f3d59096f
SHA256: a2deca7f8ca380dc7772929cc7c23b6737109f3cf0a55e7e18832808d98530c8
Referenced In Project/Scope: server


Evidence



Type	Source	Name	Value	Confidence
Identifiers				
• None				

remotegui.zip: codemirror.jar: matchtags.js


File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/addon/edit/matchtags.js
MD5: 6e8c7c68653d8d6b912138fe6f155e1f
SHA1: 99f7135d209eb1da2c326486eb53ecdd330f0f2c
SHA256:263d752f850b20890f0506fcb277b094b474138692a58b45d7b9bb03e20aa00c
Referenced In Project/Scope: server

Evidence 				
Type	Source	Name	Value	Confidence

Identifiers				
• None				

remotegui.zip: codemirror.jar: mathematica.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/mathematica/mathematica.js
MD5: a8c37dcebeb98162e29e9d1483edf7c4
SHA1: 82d9653bf7ca5b228759c5ad53845a8237625792
SHA256:a301011fbb5d9ea4f39fc574718c2d27afd9425e31a1a5bf9005617603b45c0a
Referenced In Project/Scope: server

Evidence 				
Type	Source	Name	Value	Confidence

Identifiers				
-------------	--	--	--	--

- None

remotegui.zip: codemirror.jar: mbox.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/mbox/mbox.js

MD5: 9ce449eaef8f2c3e6253bb202a3da0d0

SHA1: 6848c5a33d4ea2c76fc6abb4fdc3c9253eedbc9b

SHA256: 9affa80931d9bb09746d08b9b0f90286d2b47f5b16a0bd8a1a06227b496c4b07

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: merge.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/addon/merge/merge.js

MD5: d2a6bc0c40e52723665afdc3b17ab226

SHA1: c2c82dc8159b4d4b38ac4e74d88b513cae40be01

SHA256: 916279b765e93236826a1aa71f96924084707d50486739e9b4524a3f773d41ae

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: meta.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/meta.js
MD5: 11f14aa114ed56768aa48301be3b9f03
SHA1: 516781b99334a9aeaed0d9f1b9463d8330d00ab2
SHA256:f95786f9c83e631225fe7866f39892f808aeb015e80ce9d8a58d5a1d4e9c4bb6
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: methods.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/src/edit/methods.js
MD5: e0aee4bf62e8df22b1edf8c98171c1ff
SHA1: ec9e2b700a1252d5787249b1c8046b5fb0df6073
SHA256:80aa117e54c13edec48656384e623b81f8ae5ecece3f426ba9b4638872fd88e6
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: mirc.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/mirc/mirc.js
MD5: 23555fdd21b7305d57c24d1378a03754

SHA1: 373c327846304793f8016feaa0164226d6fd5020
SHA256: ac173799c5f81a8c8813a5b0c20b700b27a1f571d1e70132e67d8451c3efaa5e
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: misc.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/src/util/misc.js
MD5: e94bdb7dadf69d57a0baf69e7780
SHA1: 7d04fd04c64f91033740df1756ceb180fe1ec38b
SHA256: dec9a3df5d525da109210c8f63bc47ef6270de5d0336e446c54d6c490f45bbfd
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: mllike.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/mllike/mllike.js
MD5: b30e7da7837eee7a5966685fa03522f0
SHA1: 648a539e28df2714182163665b797d783cd47d80
SHA256: a887947e50c37db0215fa4076c3b211093dd9abf643518a2f304677bef848211
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: mode_state.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/src/display/mode_state.js
MD5: ffc05060eaa3b3d89beaaaae86b0483a
SHA1: ad4db1fa999cdec7dca274bc0d440b9817706fcb
SHA256:7d986b2f9cea39f7829ffd57fe70a6d891afb68bda46557f3d361fce6abddedb
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: modelica.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/modelica/modelica.js
MD5: 9d173268d73ae885e07741f6a60913ef
SHA1: 2cebfe05d43ff1b9a4608bde365d0e340b9e2b08
SHA256:96befada89421de8d32f6355c326510128e429167390c60ba81d93dfce4b360a
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: modes.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/src/modes.js

MD5: bcf367e11e7fac26e7f11668e8f1d1968

SHA1: 26c51a0d675e8420deabe41af39537b98b494f6a

SHA256: faf6b57425b7b95a14650da5da6a488cde013e23c1ca57e4223146ccd369230b

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: mouse_events.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/src/edit/mouse_events.js

MD5: 9a8c2a4f4b71ceb0d641c905ea325dfa

SHA1: 88d8b3f37ba37358b2f270ac184852f0f53c4e8d

SHA256: 17a6d6d77b3607cfd0ba1d551fef84d161747a62b42ecd9454d7427a1c3da610

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: movement.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/src/input/movement.js
MD5: 386a27ecd12315f9eff836ce5ab2091f
SHA1: 3170cd5a925774250a79d9e1c9130040e89a6be8
SHA256: 45f4ab6d34f817b4d945449664a35848a252a87f7aa7e917cbefd5710cc06334
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: mscgen.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/mscgen/mscgen.js
MD5: 8e06dd81adc9a26c6c708d253868c290
SHA1: d44dd69d6fe4e456417da210928371090d426921
SHA256: 91eff4cccc80f0048d1f7efce0197be483a013dd299e2718b49315639a3d4885
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: multiplex.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/addon/mode/multiplex.js
MD5: 0bdb637f0ca08689fe55e572cc10ab16

SHA1: c1eb99a3fdd03722c84c78cb9351791428ff0bbe
SHA256: 09ec21386de4e951c1eefe0f1db478a9f57701b202ce18424f2b89d4f74aeff5
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: multiplex_test.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/addon/mode/multiplex_test.js
MD5: 8a377bbbcf33896551524b1ccebcb823f
SHA1: bf15c3dc16b8de593577266b9ef1f5625d67a0ea
SHA256: 73e22c6765036bce1db37e31f8c46d62a56ca232840fb4fb968d17c24c3e8f74
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: mumps.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/mumps/mumps.js
MD5: 8e0c6375b6bbe74f633feed856f4283c
SHA1: 6944b10c9a28d7097d90291dcae08e9924461140
SHA256: 1455108cba483e767bc5072ebda6c4c219395adb574aa70f7d7ec856225c3d42
Referenced In Project/Scope: server


Evidence



Type	Source	Name	Value	Confidence
Identifiers				
• None				


remotegui.zip: codemirror.jar: nginx.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/nginx/nginx.js
MD5: 63e717882de52ba3a4bb62c9e7bef83d
SHA1: f008d01cd0b803de9bd5bf1088feec56c6eac9c5
SHA256:e35111d1834678cd34bfec04abe169cb11739f39750d1c41ab57c8f2524748fe
Referenced In Project/Scope: server

Evidence 				
Type	Source	Name	Value	Confidence
Identifiers				
• None				

remotegui.zip: codemirror.jar: nsis.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/nsis/nsis.js
MD5: 4851ad88c595ddafbe3979f2e47b4d0a
SHA1: c27aea13ecb53b8797926e831d8730099a585d42
SHA256:5f9aab831632e1de8d8a4f6fcf52dcd75eb704ab8fe47e2c76aac24c8c30fbd7
Referenced In Project/Scope: server

Evidence 				
Type	Source	Name	Value	Confidence
Identifiers				

- None

remotegui.zip: codemirror.jar: ntriples.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/ntriples/ntriples.js

MD5: a21f011183564e5725ea16a6ca11b089

SHA1: 62d7d39e91ecca5bad75c91241aa31421a303ba4

SHA256: d7a1fd7fba26679ecb0a6ac0b67164ed12a37db25d32ece3472920c6f25a74cd

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: octave.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/octave/octave.js

MD5: d830f31f1647efb252a53d0cb1f18aa1

SHA1: 1abba38966f306c238e8f9cf168f95db0e16d5a5

SHA256: b6c6966b9a564ceafa2b2c5ddde2f2efb0349cacdab3f61d90fce2544ece8615

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: operation_group.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/src/util/operation_group.js

MD5: 72f0c675f45f87c9a45b5f5784212fa9

SHA1: 8ca609f3cf238954efccc55c720e733a56f5029d

SHA256:aaa9c34bd1240b164897a412a257d2e693d2ad35bec219cf8959561de6559edb

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: operations.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/src/display/operations.js

MD5: f2e13ff94b86a05aa5daff82022da8d2

SHA1: dbbbc8bf0cd26ed344d48e6be8ba83d3a3ad983a

SHA256:6570698684e4da9507306248649b72c362cb918b63180b3b3571d91ffed78f83

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: options.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/src/edit/options.js

MD5: feecb2723f03f979c8b8c9a85c553a1d

SHA1: 99d3d0aa7ab678573f2970b2273404ed4c7cc73b
SHA256: feb45909b7d01751e0edd20b7156ad016ec045cb2eea8e92b96b1505bf6e2159
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: overlay.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/addon/mode/overlay.js
MD5: 3cb76447dd1f64cc2bb037f3ec8c88a9
SHA1: 1ad72da6c675d9b6074f69404c66118ff24389c7
SHA256: 1b44334e2a04d90f2b473c26847798859039190142e53f72f3b7de0f82696d0e
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: oz.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/oz/oz.js
MD5: a097901a9fe996b190b9103a64ace0c6
SHA1: d49b86c59bab331924fc03e3f680af92a6bd79d5
SHA256: 641554f9736e5260ff1aea064749a590cba2a854bad6fc334db8ffa2bc1a6892
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: package.json

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/package.json
MD5: e2faa7704d8de49e9d70e7a834d83ae8
SHA1: cab269db696fc76be4a9c83dc82f287546253792
SHA256: 352f4e90706a839430cb2cee1a2080b0c1a0660243d4d2a544e81a57cf8c006a
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: panel.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/addon/display/panel.js
MD5: f647c5e58b5c032c1691693333104941
SHA1: 5c8285f946d9888b499ae0266e8e165696947074
SHA256: 2b137f8e8631c717d2af81edc341d436cd3a6debb8e9fdfdc20630296685d3cb
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: pascal.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/pascal/pascal.js

MD5: bdc6c5432f1408c29254a933f45ca2e7

SHA1: 541ec18ed0863a528118a8026b6a5aa11a9c5918

SHA256: 5eaac022259857d3b9b127ac0deb76c84d2523dee102d203738293f95ce5086c

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: pegjs.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/pegjs/pegjs.js

MD5: ad4350eff079b204cd634114959c0904

SHA1: 978baa600d3539e1eb05834fd0b7d659f0fed792

SHA256: 8cc7fe980c79a1ded9265d338062c8ecdfe6e0d044fb795bf11eb8d9813dc492

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: perl.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/perl/perl.js
MD5: c6a3b40a8b2971690ff06860516bd140
SHA1: 08bb3e219af9990114dda08e2ad935c5992dd39f
SHA256: a614830dc6e71770cb4feabc487dfa1b72e29444789b94d1bcad62490827ca1e
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: php.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/php/php.js
MD5: f2f1668dbc8a4b0fd9f031dceda0e4ab
SHA1: 31d6961d6d4cbe7bf5deb2f0b5ba099c49e5c962
SHA256: 07819ae34d5830a3cf040e1904d4b641cb70142845394211f7fb63c891d80945
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: pig.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/pig/pig.js
MD5: 40f967482626259f7cdfb972548743cd

SHA1: bd2d7d6522d69e9849f8a6cf3b631ddaf50a091e
SHA256: e9a9ec475aeee8b2f75fd1c8a58ea0a2d0cffd383b1a3fb8bdc460881d612352
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: placeholder.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/addon/display/placeholder.js
MD5: b5b4d8391f1b94044cda61cc979cc772
SHA1: af7eaa5519c4e0fa823224593b0ae0b7fda73a23
SHA256: 44619626e2301fc16ebade252564e2c064113483e02f2fc8d8d262aed2485b9c
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: pos.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/src/line/pos.js
MD5: d1fc4bdcc5a93ac92f4c3c9cb34bd220
SHA1: 810afb684197135ac8ac6626a4a7eebef9ad5cc3
SHA256: b708bfb99ce809d5ce2d1490d806933fad9b471ac63e0f4c72a31ada57e05f9b
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: position_measurement.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/src/measurement/position_measurement.js
MD5: 6c17908c000f5a7beb67e75b1340c3ef
SHA1: c5dd40151e773a61694906cf92f941fe27ce51de
SHA256:c5c488b91320e33d6e25fbb8ce4fbd3c28621511328b48e9690f797b81d51c32
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: powershell.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/powershell/powershell.js
MD5: cf3b0559e54ae537a420d86a07b441a5
SHA1: 992cbac5ee6c618eab5f646438ba5fb54f66cfe1
SHA256:9530fdf52d164be6d021a87de567acb8738f86f6fd98577533a9db3545e873c8
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: properties.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/properties/properties.js

MD5: fdca15c3c811413459ed12fce119db54

SHA1: 715881cc0ccd13302e302dade67f675d37cfdbd4

SHA256: 3f85f36e32edf82eba526ad56edadf04c33864d72bf0cfae2592a490530a4966

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: protobuf.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/protobuf/protobuf.js

MD5: 3e57a349742d01647347b7339572d9fe

SHA1: 909346135655b3aacdb909a19acb59876e2810dd

SHA256: 93d1459ed6cc4e2a4701fc17959fe7f56b797d1d35b47f44b8030c0d19adf5b3

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: pug.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/pug/pug.js
MD5: 63473aabe4ad7435cc804132bf743ec3
SHA1: 4e624a3174fd238241f692c1f935ae75d41269f4
SHA256: 1f9e975ab889f6dd9183758bc7b454224dd11859b8e045ce5b98e2c4a05bcf9b
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: puppet.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/puppet/puppet.js
MD5: be03e9aad763ae4b5ee3d6a226aa8c78
SHA1: 7dae96b96e285c5e747624c864be8f1b0cb61e5e
SHA256: 237b966a50a514c6beabddfb83649797f764a29f7f2c7100dac1f411709040af
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: python.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/python/python.js
MD5: 9b50648e6f546e4f63f1a8eb25adb039

SHA1: b178c4d31cc4eeefe58e97a60723d47af96b79ed
SHA256: ec56443dfebe73f332cc639289ad2de6921560c8952a3e2127397a0849882657
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: q.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/q/q.js
MD5: ec0a69917f7ff85ef3c89ab34cbd0ee9
SHA1: c52261047f62fbf5a52a2fb36e0e926859505ac3
SHA256: 1fecda8902c9c63fa36833c073370e479c7b8def1b883147c364f81cc6ac9171
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: r.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/r/r.js
MD5: 32999ceba0af47e9e6b4042314e2cdc0
SHA1: f044c32fe6998d6c6fbf774910766fca456273d5
SHA256: d4b1d1ad4275187d4f371fb61ca77ec10f63deba233644c484667750f934b23c
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: rollup.config.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/rollup.config.js
MD5: 73a1da56a828ad2854d28749fc155632
SHA1: 48bed29223b72a22a9939b57333c2d6e58bdfd39
SHA256:8c887c6ebd69fc77f4d1690cc0eb5afaaad25f0e18baaa5c7fdb16a6618ee08
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: rpm.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/rpm/rpm.js
MD5: 5fbb2d4919f2d396e78074f4c98812c0
SHA1: 719d22639e2bbb16d80df811da20013f3998c42b
SHA256:5e8a8253eb986b58fb170e2d58bdd134b05fc7dc02a456374a034d7564f77fcb
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: rst.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/rst/rst.js

MD5: bd89a589282ae08505026ef31cd4c6ad

SHA1: bfc1dea7ab7b49ed20e4127add87019c8dc56850

SHA256: b50d542cf38074c392f7fde44ef2cbab24b45bbfd178c426cfef6848d6d3e90d

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: ruby.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/ruby/ruby.js

MD5: b0b2ef072186390edb0444a0eb2e315f

SHA1: d63568f7de026f9c17e0a4124161ad5007c0c709

SHA256: 953daad8a24225d56733f77c0c4451cf05436f70ad00e5dd1618486a1d5e01b9

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: rulers.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/addon/display/rulers.js
MD5: 267bb54847534c8bfb41dcf227f7aeb0
SHA1: ef8505818354f0e8e79d6ef7a902ec0feaaa0ed7
SHA256: 175d32d6794e2d917f446c4bcc8053c9a9e69eb9fcb3b805daaf015189b6ec03
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: runmode-standalone.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/addon/runmode/runmode-standalone.js
MD5: 51867497bb73c2eba5e2e6cd1352f29d
SHA1: 591c22764dd7599a2d443c593bd5d4fd77928e65
SHA256: c1c9bc16a627699da49d9733f93d75963603175081a540b276f11c604739abc9
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: runmode-standalone.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/src/addon/runmode/runmode-standalone.js
MD5: 8bb22c65e3d5cb3b6466654c7c6ec4c8

SHA1: 942779dcd636d8372e9d8c9949858ea5b68bfdcf
SHA256: 8a06491ff4969718a7bbe2f8ae9d380e9f05f0947d7f5e0d940930e5a929e469
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: runmode.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/addon/runmode/runmode.js
MD5: 6b9c51f3ec2f5a79c75836a0f75569c0
SHA1: 88d7a8053ef7fe9996f63800076992a5f65c4dba
SHA256: 920d8eee55e987468236ba7ed2886de0bb8b2fed9d7060383a39ea29924ae885
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: runmode.node.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/addon/runmode/runmode.node.js
MD5: 3847af673a6ae44d53fa8d697df2b8e0
SHA1: 91e688f6fc356c47f9bea928ea3768b7c7a57693
SHA256: 0d796745f8db549e4ade4132025a45994f45dd6f4765402ee75e4113019edea6
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: runmode.node.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/src/addon/runmode/runmode.node.js
MD5: fe41270e99f973a568d5a823cd6e2bfe
SHA1: c78b8d45e3db1891ad28f93b64ebd5ec6d0b9c98
SHA256: 016bd87dc725d65c80cfa58d2e58033e013e703878cc05f322f938d58ddbcf9e
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: rust.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/rust/rust.js
MD5: bfb43032004a8d5d115c6b817cbbe2ba
SHA1: af76d8276b553e168b5fab49108e715452cff07e
SHA256: 797a9abcf8581f192bc49b11434346d3f8014763f4967ae260fbe31f25b2bdfb
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: sas.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/sas/sas.js

MD5: 46f6d321e806768f9ebbc0155a5f9807

SHA1: 441d94bf2da7c5299662ba76dba352aac7df705a

SHA256: b69f2877e395b89682a4066f62f686c12cb66eac441b6c1d3ee15d5004859f43

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: sass.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/sass/sass.js

MD5: 0067718b0d6fa922bcf032b58966c3fa

SHA1: 1dbee553e6dfa3d57a3aa6548b43a753ccdb7380

SHA256: 01ba99f4a91e70d2a5d3ef881c542f14a1f59f3ded58672484bcd56b41921866

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: saw_special_spans.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/src/line/saw_special_spans.js
MD5: 72b6184ab657ca37a0d984dc73e7088c
SHA1: d84fccfe8c3cd0f1a0b5b2f388de87e57503df3
SHA256: fb122060ec500dd99a179c002fbb6a8709eba030bf8f7695d868109b470b31ff
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: scheme.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/scheme/scheme.js
MD5: a64f664dcef608b26dea48b1ea52b622
SHA1: 1e90715a9ecc9c8cc9500e9b064ffe0defc60b9c
SHA256: 0bc81b318e12c7c5bbd94943d9d64cf1a64674c3bcc7057788ed1ade8701ab80
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: scroll_events.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/src/display/scroll_events.js
MD5: 8c96ad450d94581a7a461c44fa1e7cfd

SHA1: c92034958533fbaa6512c99d715a6032d43355b0

SHA256: b0472dfdc7a904f6a082f064c9384dde3ce1ec95953d9c276216424da03ffa01

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: scrollbars.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/src/display/scrollbars.js

MD5: f06876b47feef8deb64e7cd59d76ab1f

SHA1: 73c1a417818efb800852fec0742136fb1c891c1f

SHA256: 11cdf11fc628da528adf11b23bf19cc06072bb573cde470669343d27be9b0ab4

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: scrolling.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/src/display/scrolling.js

MD5: 104c04ec259e68a53516216e4947e9b1

SHA1: 54446fd791e3331041e6e9a0874fa66d4794bcb4

SHA256: 07f6964d12cb85a698967bcfeca73824a7b602475d488ed6f57e2981879e7487

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: scrollpastend.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/addon/scroll/scrollpastend.js
MD5: 74be53ff23fb5eda7725c96f1ff683b2
SHA1: 1aec49fd4f7f5571fac13fddaad9eb1705cd522d
SHA256:6cd389df1da1ff9ba25728e03afb7f47df3162c3d9bdb5cedd06fc91c6199479
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: search.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/addon/search/search.js
MD5: aee5a4efc34387df3d1974e09cd2965e
SHA1: aa36dc4a27460ccc0b4b40ee643907303b64a880
SHA256:4949580371fcd81c0ad70164b169dd8bcab2bd9869eddaa0d7e295508bec7a04
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: searchcursor.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/addon/search/searchcursor.js

MD5: ca8612c41c44b87a10703ffe71d4f750

SHA1: 6bc4c36ea23ce7bf583f95ba4ad49e599bc646a1

SHA256: 2c0b8cd8fe7ca5ca2253f4aacc914b390bff5b3cac3475df66c43a9ea8c8ccbe

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: selection-pointer.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/addon/selection/selection-pointer.js

MD5: 3ea743f9f1b458692e5258bcd8c8afbd8

SHA1: 4306383d109eb987ee62a6e2defa8926dec870ba

SHA256: fdd7ff53d0ca796c5e3792ceb5063c84d0735bcaf198a1c06c78880f1c664a22

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: selection.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/src/display/selection.js
MD5: 34d76a4a0d6602f8d4ff937e499f7906
SHA1: c759ce0c87a62abdd8916125e3bad601e4ce4efe
SHA256: ca2d26085ea9380b686c57d5ef8789e3c3032ed8c5d90ae0e1c9dba69635a89f
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: selection.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/src/model/selection.js
MD5: 8f89f30a603010383e7c118550697100
SHA1: da2d4548c10827c45fd625bdfd1ffdf0e28e0c30
SHA256: 03cb03c86030e258ed013dc958cab854e2978893145cb096468ff8149417502f
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: selection_updates.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/src/model/selection_updates.js
MD5: 252e2ea7a38323b8d82902e6595d23ae

SHA1: 27719d66e1ff98e650abbc5b48f2f4635f65df13

SHA256: a285a62ec8522c5d8271505b1438dddaf39c3dbfd4dec5ac01971728e21a765

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: shell.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/shell/shell.js

MD5: ab0fc779b5fb9bdc1310a28d7dccc379

SHA1: ece7e7661886871cc46ef71248c67ea53a61ac7d

SHA256: 24f77cb162ea9d9e9fc79b95ba547a7cc10a0767e3a5a52c786d4c24253736fe

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: show-hint.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/addon/hint/show-hint.js

MD5: c9e3db9bd2540c05ac67b249f8122387

SHA1: e8092d9477bb1ad4d17d44522d99cc67ead53b16

SHA256: 28d2123fd1c9cf197651c2a0b3cb65762ba06dc073e023c75ec05b1f139b0af5

Referenced In Project/Scope: server


Evidence



Type	Source	Name	Value	Confidence
Identifiers				
• None				

remotegui.zip: codemirror.jar: sieve.js


File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/sieve/sieve.js
MD5: 88c6148d955c6542b3f10482b736e553
SHA1: 72627a945e27e3044717e5b8db378f3d776ad0fc
SHA256:c233866cf4990e2f28f11c96ecedc7e7dc465c19c5b445b30bdc037118f7b65d
Referenced In Project/Scope: server

Evidence 				
Type	Source	Name	Value	Confidence

Identifiers				
• None				

remotegui.zip: codemirror.jar: simple.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/addon/mode/simple.js
MD5: 282f2d54ca2c7b60ab4bc0cd762b943d
SHA1: f08a5e5394568164edb85911dfc452f433bb2483
SHA256:400f49309b31197c0c4ec76519c93647b494ab80f59f96d7f051463e0aa37eb0
Referenced In Project/Scope: server

Evidence 				
Type	Source	Name	Value	Confidence

Identifiers				
-------------	--	--	--	--

- None

remotegui.zip: codemirror.jar: simplescrollbars.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/addon/scroll/simplescrollbars.js

MD5: 34d6903cded2822fb2261678e1a479cc

SHA1: 0707d27834fdde0fe2c32935af79d4575cf9f1ad

SHA256: 62b48bff43436bfb8ecc5e3273e6047f0b934c1d873c81e863e13bb462d1e1ab

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: slim.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/slim/slim.js

MD5: 447874e5c5dd225949004c357d17ffe2

SHA1: 2cdc3263aa6d9766131d73157afb05fc6767b50

SHA256: a8d555221c610512119f2107d58bb1c57d294cebc91f82638ea6e235286b5c15

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: smalltalk.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/smalltalk/smalltalk.js
MD5: f6e7ef04f9f907a13604ea5b1938d3d7
SHA1: 57f009cf2b2147f14c530f697fd3ac493e053
SHA256: 9f649668162a61cfa6a3528dbe513d012162932c742c7b0696078bd2a6d3b190
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: smarty.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/smarty/smarty.js
MD5: 3ccd6f2129ee79c85ef96a8237f1de7a
SHA1: 5fc274f49b704c0a99e0f0b9030c90f56fc7c1f7
SHA256: 9e95bcd71635efe200c3871c57cbb1c07edc1f8206d173f4552fd2dfbcf9e9af
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: solr.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/solr/solr.js
MD5: df4ba46ed00e24c144deaef9a817d024

SHA1: c880da8431afd54034ae7fbfedb45d94966638b7
SHA256: 17f16060f00cd932914722bf2cd1a01318c402503b62f3bd2bda09bab6b42b85
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: soy.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/soy/soy.js
MD5: 1db8a99a573b2ab07cf30cc58da1bb2a
SHA1: 7c0a178caed0b849f140d0b21de6548a0355f9c1
SHA256: 358a1861e92366d238eb240fd5d5cf8ea6f5fe219f389667d277031c0a1a47c5
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: spans.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/src/line/spans.js
MD5: 52150a5a01dd7c56de003aa132f71e25
SHA1: 92cc8b4ab38a103a106f574c40d25d16e97d48eb
SHA256: 719ad01e720518e7594a76ed4dc4904fec7c495b12d87fc4599b40032975789
Referenced In Project/Scope: server


Evidence



Type	Source	Name	Value	Confidence
Identifiers				
• None				

remotegui.zip: codemirror.jar: sparql.js


File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/sparql/sparql.js
MD5: 856d73e41310b4dd6a18f13d64fec0be
SHA1: 1669e717cbfb9fa9b30e99415a6e5f7a66feb286
SHA256:e646ae1e2796c936a8760af321089f5814d0158ef72aa3f3efb60765430a2e6b
Referenced In Project/Scope: server

Evidence 				
Type	Source	Name	Value	Confidence

Identifiers				
• None				

remotegui.zip: codemirror.jar: spreadsheet.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/spreadsheet/spreadsheet.js
MD5: 370c01bed3c433131f942ef7e6f69187
SHA1: 94b3e4c80f954a378ab94f13068d879e9ab3394b
SHA256:0807dd557c55f5b6d8579c5c9019c5eddcda9c56ce559190e5f2985b156a00da
Referenced In Project/Scope: server

Evidence 				
Type	Source	Name	Value	Confidence

Identifiers				
-------------	--	--	--	--

- None

remotegui.zip: codemirror.jar: sql-hint.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/addon/hint/sql-hint.js

MD5: 8d41549d89ca9bfa3ef068190df379ca

SHA1: 6a2cbde78c9311f75509d3350877a8018499e8c7

SHA256: 60703945eb6cc93d4f47d70b65f955e66ae8a22c0cb1ceefa69cf0890564544d

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: sql.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/sql/sql.js

MD5: b48a3934b20b392ae812b17df05355f4

SHA1: 40d1a558afba1f5043b23131e496de37d8e2dfb4

SHA256: ac23d3f196deb9be25cfcecb966bdc1789b9e177aac683ddccde1420670c4d8a

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: stex.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/stex/stex.js
MD5: c7ef8ac785ee813860cc414ea17dbf6d
SHA1: 3e46d97b4e694c7389cd0df4d13b914697d28c8f
SHA256: edc1f57c69920967a31defb66954aa29f5751fdb2f7ed8e52fa08978ff890e3b
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: stylus.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/stylus/stylus.js
MD5: 7e6d36c0cc269b4e518bd48b9b6342d6
SHA1: ea339b15b178a1082a2acdadae82ef1f4a599f32
SHA256: 85683adfe4f0129670fc2e5ee9148ad956213f5fa0c8dd05ac7970ad7f0b337
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: sublime.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/keymap/sublime.js
MD5: 1d7ea7f929183e76740bd9d98e9cac41

SHA1: 84a64b60b5802e86b0689ccfa95665339347f0c7
SHA256: 1d532a67594845cb7163b090a06da9287b896944ab5f22df67f14e176bd434e5
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: swift.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/swift/swift.js
MD5: bf859160b6f348fc2d72673fc40b9da9
SHA1: c6b46b402c9b1fc3166712d68eb10ad29c5d01f9
SHA256: 939dc67bbef9f0f6847f5bc2a89b0c8f4b411d57fbed4f9d5cc21fabd7e191c
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: tcl.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/tcl/tcl.js
MD5: 28a739b5550bd5ad13b47dbec84a9716
SHA1: 2ce8afb99f36fece39e1b3df7be02509f77b19ee
SHA256: 98552bab94ce9adc9fce5658da2965994a84e852c83098e94564884815b3026
Referenced In Project/Scope: server


Evidence



Type	Source	Name	Value	Confidence
Identifiers				
• None				

remotegui.zip: codemirror.jar: tern.js


File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/addon/tern/tern.js
MD5: b9418efb9c0d90a3432dff86169fd293
SHA1: e4d1225e756d51fcb69c2f14ddce1b09fa2a23b7
SHA256:1ebb5ad38f72115c49865b5537fd9c77da506b7ed2be38bd310306af3c698e44
Referenced In Project/Scope: server

Evidence 				
Type	Source	Name	Value	Confidence

Identifiers				
• None				

remotegui.zip: codemirror.jar: textile.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/textile/textile.js
MD5: d3923b19d37114a9e2a346c191c318e1
SHA1: 979b17e6363d63ac2d1b3a6854ba6196564fc5d4
SHA256:c121fcf3e641a7433b9e328c76aa0b1755aa4c0412e4f59a1d8d6ac24b36df06
Referenced In Project/Scope: server

Evidence 				
Type	Source	Name	Value	Confidence

Identifiers				
-------------	--	--	--	--

- None

remotegui.zip: codemirror.jar: tiddlywiki.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/tiddlywiki/tiddlywiki.js

MD5: 3e4fb7a08d9df5cbe9822cb1756bec86

SHA1: 84885a1cb7be096c19a3dfddd70252efcc83960e

SHA256: 4b62acf34df4acb1a4bc1a2729edaf221583679761d35e0e9077883810fccbfe

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: tiki.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/tiki/tiki.js

MD5: 6e4bd43879571d0fdfa79714f550a3bf

SHA1: 6fd2ece4b20160c1859f34cb245b173459c21163

SHA256: af92cd0858a99f3c5cacf240874db7eac2704a7b193a3cdfddfc5ba70382a293

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: toml.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/toml/toml.js
MD5: dc2ba16cf830b53759b71306e9473ed5
SHA1: 1a394f9f45c508fdbc270b7c0a1f72460fc897d9
SHA256: 67bbbc2696788633071f2a2b8a1cf6ca4f4ac82213e3d85b7cd183d60b117679
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: tornado.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/tornado/tornado.js
MD5: f45c2ec37cc008dc5dbd5f9c077ba666
SHA1: 8b55c6a85279c8f7d6b3f539fa097fed877c16b9
SHA256: d006020d7d093cb4f5ed5088ed151d4c45417fe5ccde69d960eb82cfcb9e0ecc
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: trailingspace.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/addon/edit/trailingspace.js
MD5: 43599469275c2b662b7907971147c978

SHA1: de4d3ee3d32f01f94921b8b3944c7383da7ba970
SHA256: a0d2c0196d8f4991cd58f320498f7aece971e502e4811ecf58cb5af8e83007c6
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: troff.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/troff/troff.js
MD5: e7f5f0a2bf68a81f0f3e547ab5640627
SHA1: f59246b4ff5ce93afc87a4ed30a0cba0e6ba4775
SHA256: f7714fdc46774467c168e75fc36eca90e6df16e27afd0b608b882b2df769b8c3
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: ttcn-cfg.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/ttcn-cfg/ttcn-cfg.js
MD5: d847dacea4534ee2841f01f5ac419060
SHA1: 0df7a9b8f5e91e2ae8d5a8a02c99bf779e221743
SHA256: 22983894e4a3794c9bcf396e7a4119efa5ea07a4f97e060e15f3c13ec2c1a01b
Referenced In Project/Scope: server


Evidence



Type	Source	Name	Value	Confidence
Identifiers				
• None				


remotegui.zip: codemirror.jar: ttcn.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/ttcn/ttcn.js
MD5: f94e618b386e8bfd0ffa2252482e9c84
SHA1: a463a8817c26dcec47a7d006aa097dacf74b28d1
SHA256:10be6704eac48032ce00890bdfffa03d445aae18e3ef7bd74eb14a26e5867a28
Referenced In Project/Scope: server

Evidence 				
Type	Source	Name	Value	Confidence
Identifiers				
• None				

remotegui.zip: codemirror.jar: turtle.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/turtle/turtle.js
MD5: f36ec21c639822b370b87c63415533f1
SHA1: 9b6341bdf7330b71a5959cde815241b6e7deaf05
SHA256:0f82b51ecc43b95e55a752f80f719f8a39b607697b86d3fa4523a5e8280d3520
Referenced In Project/Scope: server

Evidence 				
Type	Source	Name	Value	Confidence
Identifiers				

- None

remotegui.zip: codemirror.jar: twig.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/twig/twig.js

MD5: 09ab2491f1056e9d142e233dbc9dc1de

SHA1: 4cb5eb7c9bf77dce80f92f2498d83af92f3398b8

SHA256: 72b6e091bbd6a7c6eb786db2591c1f6f59c7880ef224ce5365ed39ec786d583b

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: update_display.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/src/display/update_display.js

MD5: 8a51230ca1be6a91aeb25d4d0f7b55a

SHA1: 79b7a1faa3bfaa65f28ab4e324fa88b485ed21e2

SHA256: cf96f09d7f210f2cbf0c1912058eca1f96b51e63b1bf7b39016c0156c2b9ffc6

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: update_line.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/src/display/update_line.js
MD5: b9b8f3c5e697e33d73d1044eaaa86dc9
SHA1: 4f7c764ac36b54c918f06b68129b8835b22b55f4
SHA256: 5fafd013fc16591f0c978c6a4bacb3cf054d52f5051becd4325de8c21ba07f7d
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: update_lines.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/src/display/update_lines.js
MD5: c864b2f05d2101a47c52b9c01aad5b47
SHA1: c63e8555c30976387f5904fda11fb55174743a88
SHA256: 80e80a6c8ad664587c2f01128e85c5c931f29cd021381584e2195073a53df45b
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: utils.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/src/edit/utils.js
MD5: 4e9e033cb9daa0702d84b88dfcebae20

SHA1: 8e5257ed7b93a00cb5eccbf544d6a1043f2edac7
SHA256:06220f9e424434492b73e0aea65bebbba1fe74fc3002f8b3672d1d0d3a445f20d
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: utils_line.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/src/line/utils_line.js
MD5: 0f6f365b60c1688d8f0fcb8d57a9d9d4
SHA1: 574435cdc400815c829db19a67652b7077b00433
SHA256:a8b39ff57b6d43dfceda786380d6dacef7b1738a81fb6033e7573502501d4b6e
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: vb.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/vb/vb.js
MD5: fa430588a34292ebd66e33fa60217b4a
SHA1: a89cb1b315fbed1886d709d921ae95b216d89fc9
SHA256:e8f8e4496baed70b1e6ff44979382bad81b921b9570b7da1a377835e973f28f6
Referenced In Project/Scope: server


Evidence



Type	Source	Name	Value	Confidence
Identifiers				
• None				

remotegui.zip: codemirror.jar: vbscript.js


File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/vbscript/vbscript.js
MD5: 2da61e304ec310d9291e372c53c6b06a
SHA1: 9c582c79ac9ef6d1c08850c180f988bf974aedb5
SHA256: 77109e0c2218502dac03b5bc3b290cfe0b46ea00f4d267f3dc4378d9abe1bdc9
Referenced In Project/Scope: server

Evidence 				
Type	Source	Name	Value	Confidence

Identifiers				
• None				

remotegui.zip: codemirror.jar: velocity.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/velocity/velocity.js
MD5: be30a2a88271b692c85d7de9744f7c16
SHA1: d45880a6f5d3d4840ed1297d7b3f14ba4c9a4be7
SHA256: 3c076c7bdb1e2d3d25bffa1a682556ae449f1545c3731935306333b5831aa951
Referenced In Project/Scope: server

Evidence 				
Type	Source	Name	Value	Confidence

Identifiers				
-------------	--	--	--	--

- None

remotegui.zip: codemirror.jar: verilog.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/verilog/verilog.js

MD5: a79b1a94e41866ba625c37e77a76ba16

SHA1: 4818788973bd3f66d3b9e14992710d96a7ec18d4

SHA256: ae7c58b13650019ca08760e04f3ece3315e889eb5aa849a34400f16542610eb1

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: vhdl.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/vhdl/vhdl.js

MD5: 4f804b6884d0d7c233a0acc15fdab384

SHA1: d30d775adce22818b6e3955fae1d653028abb5dc

SHA256: da078efdda01a1245fb8ed5a16cffe0a51823e5917e3802457041dc48243539

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: view_tracking.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/src/display/view_tracking.js
MD5: a26525bd629440e84b02128d6eb323b4
SHA1: 2cb6103f9dad13f5ee416f272cc9f8f14084ffc6
SHA256: 077f385b690f0c7af9976cb7b6d2b60a175f762753a77b3060a6db2686a5ee81
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: vim.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/keymap/vim.js
MD5: 3a5542b6dabf86e3983f29c5c5a184b6
SHA1: b8afaac94045745d4517c9635a5d0c1c266db7ca
SHA256: c8124370e0ba7e76d5cde3c18d257c5c99e5578d6505f0eeaab5c791673c40e8
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: vue.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/vue/vue.js
MD5: 9e7dbdd0bcaee6279ed4e77f5ebc36ad

SHA1: dc5c50230fdd556f9c3530f781b7a2b16ad30a20
SHA256: 8b9c4f59c1230c537f44f593f5d608a81604e4b3dfd345ea938939d0d62f668e
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: wast.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/wast/wast.js
MD5: fb1f6ce81911f07db605e2e5ccf41cf2
SHA1: be86e08e18cc74130b483022c355846d72116c20
SHA256: 8e8ae8ab4475c66d2f05960ffda597af6279c8c93f62cdab443407bea74c0091
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: webidl.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/webidl/webidl.js
MD5: f31e84cde3fcc1fa2efec9889038d7e5
SHA1: 0757847217a95faf4defc9685f6821accb9d8988
SHA256: a12293542727a69514ae5477a65e33eed4f871fc207c6b275c9d8be1f2177062
Referenced In Project/Scope: server


Evidence



Type	Source	Name	Value	Confidence
Identifiers				
• None				

remotegui.zip: codemirror.jar: widgets.js


File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/src/measurement/widgets.js
MD5: 675098b5f0aea0bf351a1b5762febfa6
SHA1: c922dccdf98c79f92fa086bc2a36d970c76b56df
SHA256: 09874ad13a856fad11b3afd084e58411741ee2735e61b4d95fetc060b60bfd65
Referenced In Project/Scope: server

Evidence 				
Type	Source	Name	Value	Confidence

Identifiers				
• None				

remotegui.zip: codemirror.jar: worker.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/addon/tern/worker.js
MD5: c6d16e68bc203e9489fbbd11b5b100ef
SHA1: f8adb9ac9944f88bf6e69048c001f89537f32198
SHA256: 80c0e9bc4e2ef9ca9c97199818318429d26fae0d2452a20547b1e458eccf794d
Referenced In Project/Scope: server

Evidence 				
Type	Source	Name	Value	Confidence

Identifiers				
-------------	--	--	--	--

- None

remotegui.zip: codemirror.jar: xml-fold.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/addon/fold/xml-fold.js

MD5: bcfaae27958026e83cd442b5df731da4

SHA1: 7ad4740f2ecbaa3869b066156b19401075a0315f

SHA256: 4ad0fdc2f93882174c9071e9a3c2324d15d4deb0c43fe607f9efe01dda1af9b4

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: xml-hint.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/addon/hint/xml-hint.js

MD5: f2651770cad286ae58d12e9f5c4e9e6f

SHA1: 17bce6be75e45d7a291a32d0c1e346e4818296db

SHA256: 6b78f04d2137358d5a01e9fa2b3a8f069acc70f925cc7efc39448ebe9599a805

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: xml.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/xml/xml.js
MD5: c93fe254ef100aeb5c9dfcda4c91d27f
SHA1: 510c71566cf81560cb5bd1bb25287ed6502dde75
SHA256: dc7e44d410399326f802e2924573cbf6f942a79f647fd0b97f0b607973bc9a09
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: xquery.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/xquery/xquery.js
MD5: 56cd9562591919c15b7610f13cd112be
SHA1: b294546669da04806196e6aca774914a30a0b3f8
SHA256: 618685277efde78e0e48fd5cf95948ae32a4d57de942038ed0579415f3f2f9dc
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: yacas.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/yacas/yacas.js
MD5: a70c01cbbd7d4311d4dda287ace27a79

SHA1: e853bda930d5fed1db0bd56ab9426612e759f9b3
SHA256:edab39fac054aaee5ea8ad3d09e0d38f57d5b24f826df7561526b5efb229fc72
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: yaml-frontmatter.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/yaml-frontmatter/yaml-frontmatter.js
MD5: c2dc6071833d8d9bf02d81244403cbd6
SHA1: 212780f18d78644233eb826c8c660eee51b6ac70
SHA256:98baa91eee7ba77aaf150a59d7e5146d4964ddb271076cd963cce43f9928b3f8
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: yaml-lint.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/addon/lint/yaml-lint.js
MD5: 925332d44aefcb89b106d4fe9b332e93d
SHA1: 19221be874d11d57582a77dd08fd2f244e9b5500
SHA256:ee7249600f6b395c302b24054060f8abe87cbaa68a9f426593ca5e5f3748bbf9
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
Identifiers				
• None				

remotegui.zip: codemirror.jar: yaml.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/yaml/yaml.js
MD5: 77fd959da1bbaeff5cdd97689da94570
SHA1: 9b206b33cc7b2b5e1e21d39bd177b1c6500e9722
SHA256:3256b4e40302d4488834925a990edb32cef7d431f70a40917c1c5398468d861b
Referenced In Project/Scope: server

Evidence				
Type	Source	Name	Value	Confidence

Identifiers				
• None				

remotegui.zip: codemirror.jar: z80.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/z80/z80.js
MD5: 85b28ee5eafe8552bf842eeba91325f7
SHA1: 34971fc9b5ed5aa2f8714030186cd3e0056cb2ac
SHA256:0f501d7b8c9c48942900b4d7131f5bb18130395024e66ea5d98aea480f845e2e
Referenced In Project/Scope: server

Evidence				
Type	Source	Name	Value	Confidence

Identifiers				
-------------	--	--	--	--

- None

remotegui.zip: commons-fileupload.jar

Description:

The Apache Commons FileUpload component provides a simple yet flexible means of adding support for multipart file upload functionality to servlets and web applications.

License:

<https://www.apache.org/licenses/LICENSE-2.0.txt>

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/commons-fileupload.jar

MD5: e57ac8a1a6412886a133a2fa08b89735

SHA1: ad4ad2ab2961b4e1891472bd1a33fabefb0385f3

SHA256: 51f7b3dcb4e50c7662994da2f47231519ff99707a5c7fb7b05f4c4d3a1728c14

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	commons-fileupload	High
Vendor	jar	package name	apache	Highest
Vendor	jar	package name	commons	Highest
Vendor	jar	package name	fileupload	Highest
Vendor	Manifest	build-jdk-spec	1.8	Low
Vendor	Manifest	bundle-docurl	https://commons.apache.org/proper/commons-fileupload/	Low
Vendor	Manifest	bundle-symbolicname	org.apache.commons.commons-fileupload	Medium
Vendor	Manifest	implementation-build	UNKNOWN@r\${buildNumber}; 2023-02-01 12:39:33+0000	Low
Vendor	Manifest	Implementation-Vendor	The Apache Software Foundation	High
Vendor	Manifest	Implementation-Vendor-Id	org.apache	Medium
Vendor	Manifest	specification-vendor	The Apache Software Foundation	Low
Vendor	pom	artifactid	commons-fileupload	Low
Vendor	pom	developer email	chtompki@apache.org	Low
Vendor	pom	developer email	dion@apache.org	Low

Vendor	pom	developer email	dlr@finemaltcoding.com	Low
Vendor	pom	developer email	ggregory@apache.org	Low
Vendor	pom	developer email	jason@zenplex.com	Low
Vendor	pom	developer email	jmcnally@collab.net	Low
Vendor	pom	developer email	jochen.wiedmann@gmail.com	Low
Vendor	pom	developer email	martinc@apache.org	Low
Vendor	pom	developer email	rdonkin@apache.org	Low
Vendor	pom	developer email	sean [at] seansullivan [dot] com	Low
Vendor	pom	developer email	simonetripodi@apache.org	Low
Vendor	pom	developer id	chtompki	Medium
Vendor	pom	developer id	dion	Medium
Vendor	pom	developer id	dlr	Medium
Vendor	pom	developer id	ggregory	Medium
Vendor	pom	developer id	jmcnally	Medium
Vendor	pom	developer id	jochen	Medium
Vendor	pom	developer id	jvanzyl	Medium
Vendor	pom	developer id	martinc	Medium
Vendor	pom	developer id	rdonkin	Medium
Vendor	pom	developer id	simonetripodi	Medium
Vendor	pom	developer id	sullis	Medium
Vendor	pom	developer name	Daniel Rall	Medium
Vendor	pom	developer name	dlon Gillard	Medium
Vendor	pom	developer name	Gary Gregory	Medium
Vendor	pom	developer name	Jason van Zyl	Medium
Vendor	pom	developer name	Jochen Wiedmann	Medium
Vendor	pom	developer name	John McNally	Medium
Vendor	pom	developer name	Martin Cooper	Medium
Vendor	pom	developer name	Rob Tompkins	Medium
Vendor	pom	developer name	Robert Burrell Donkin	Medium
Vendor	pom	developer name	Sean C. Sullivan	Medium
Vendor	pom	developer name	Simone Tripodi	Medium
Vendor	pom	developer org	Adobe	Medium
Vendor	pom	developer org	CollabNet	Medium
Vendor	pom	developer org	Multitask Consulting	Medium
Vendor	pom	developer org	Yahoo!	Medium

Vendor	pom	developer org	Zenplex	Medium
Vendor	pom	groupid	commons-fileupload	Highest
Vendor	pom	name	Apache Commons FileUpload	High
Vendor	pom	parent-artifactid	commons-parent	Low
Vendor	pom	parent-groupid	org.apache.commons	Medium
Vendor	pom	url	https://commons.apache.org/proper/commons-fileupload/	Highest
Product	file	name	commons-fileupload	High
Product	jar	package name	apache	Highest
Product	jar	package name	commons	Highest
Product	jar	package name	fileupload	Highest
Product	Manifest	build-jdk-spec	1.8	Low
Product	Manifest	bundle-docurl	https://commons.apache.org/proper/commons-fileupload/	Low
Product	Manifest	Bundle-Name	Apache Commons FileUpload	Medium
Product	Manifest	bundle-symbolicname	org.apache.commons.commons-fileupload	Medium
Product	Manifest	implementation-build	UNKNOWN@r\${buildNumber}; 2023-02-01 12:39:33+0000	Low
Product	Manifest	Implementation-Title	Apache Commons FileUpload	High
Product	Manifest	specification-title	Apache Commons FileUpload	Medium
Product	pom	artifactid	commons-fileupload	Highest
Product	pom	developer email	chtompki@apache.org	Low
Product	pom	developer email	dion@apache.org	Low
Product	pom	developer email	dlr@finemaltcoding.com	Low
Product	pom	developer email	ggregory@apache.org	Low
Product	pom	developer email	jason@zenplex.com	Low
Product	pom	developer email	jmcnally@collab.net	Low
Product	pom	developer email	jochen.wiedmann@gmail.com	Low
Product	pom	developer email	martinc@apache.org	Low
Product	pom	developer email	rdonkin@apache.org	Low
Product	pom	developer email	sean at seansullivan dot com	Low
Product	pom	developer email	simonetripodi@apache.org	Low
Product	pom	developer id	chtompki	Low
Product	pom	developer id	dion	Low
Product	pom	developer id	dlr	Low
Product	pom	developer id	ggregory	Low

Product	pom	developer id	jmcnally	Low
Product	pom	developer id	jochen	Low
Product	pom	developer id	jvanzyl	Low
Product	pom	developer id	martinc	Low
Product	pom	developer id	rdonkin	Low
Product	pom	developer id	simonetripodi	Low
Product	pom	developer id	sullis	Low
Product	pom	developer name	Daniel Rall	Low
Product	pom	developer name	dlon Gillard	Low
Product	pom	developer name	Gary Gregory	Low
Product	pom	developer name	Jason van Zyl	Low
Product	pom	developer name	Jochen Wiedmann	Low
Product	pom	developer name	John McNally	Low
Product	pom	developer name	Martin Cooper	Low
Product	pom	developer name	Rob Tompkins	Low
Product	pom	developer name	Robert Burrell Donkin	Low
Product	pom	developer name	Sean C. Sullivan	Low
Product	pom	developer name	Simone Tripodi	Low
Product	pom	developer org	Adobe	Low
Product	pom	developer org	CollabNet	Low
Product	pom	developer org	Multitask Consulting	Low
Product	pom	developer org	Yahoo!	Low
Product	pom	developer org	Zenplex	Low
Product	pom	groupid	commons-fileupload	Highest
Product	pom	name	Apache Commons FileUpload	High
Product	pom	parent-artifactid	commons-parent	Medium
Product	pom	parent-groupid	org.apache.commons	Medium
Product	pom	url	https://commons.apache.org/proper/commons-fileupload/	Medium
Version	Manifest	Implementation-Version	1.5	High
Version	pom	parent-version	1.5	Low
Version	pom	version	1.5	Highest

Identifiers

- [pkg:maven/commons-fileupload/commons-fileupload@1.5](#) (Confidence:High)
- [cpe:2.3:a:apache:commons_fileupload:1.5:*:*:*:*:*](#) (Confidence:Highest) suppress

remotegui.zip: crypto-js.jar

Description:

WebJar for crypto-js

License:

MIT

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/crypto-js.jar

MD5: d612eb229d3193ec311013353dcc81c2

SHA1: 0d834be82064934dd3cf5b6ebc0bbfef1638302f

SHA256: 6a5e4423940162b371d78d923924acd9ae692e33ce5c23a89c531a140a85b73a

Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence
Vendor	file	name	crypto-js	High
Vendor	pom	artifactid	crypto-js	Low
Vendor	pom	developer id	webjars	Medium
Vendor	pom	groupid	org.webjars.bower	Highest
Vendor	pom	name	crypto-js	High
Vendor	pom	url	https://www.webjars.org	Highest
Product	file	name	crypto-js	High
Product	pom	artifactid	crypto-js	Highest
Product	pom	developer id	webjars	Low
Product	pom	groupid	org.webjars.bower	Highest
Product	pom	name	crypto-js	High
Product	pom	url	https://www.webjars.org	Medium
Version	pom	version	4.1.1	Highest

Identifiers

- [pkg:maven/org.webjars.bower/crypto-js@4.1.1](#) (Confidence:High)

remotegui.zip: crypto-js.jar: aes.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/crypto-js.jar/META-INF/resources/webjars/crypto-js/4.1.1/aes.js

MD5: da81b91b1b57c279c29b3469649d9b86

SHA1: 5441866409bd32d32331c4b4b652057fb90bc298

SHA256: d6bb48feacbd63fd455becce7a5528877242f70e73ba1f7838c186ed8f35fd3c

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: crypto-js.jar: cipher-core.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/crypto-js.jar/META-INF/resources/webjars/crypto-js/4.1.1/cipher-core.js

MD5: dfddc0e33faf7a794e0c3c140544490e

SHA1: f3a446e5a4f8afea7f841e64f351d47b4af433c6

SHA256: bce5bc055bee363d142f0a717d4a4cf2fe1af648cc0dc65bb43d4d376cfbaf12

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: crypto-js.jar: core.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/crypto-js.jar/META-INF/resources

/webjars/crypto-js/4.1.1/core.js

MD5: b55ae8027253d4d54c4f1ef3b6254646

SHA1: 06951bbea3ba1ca54de91f0feefc13fb62b66f38

SHA256: 2638bdd7224472f801890636d42df16c144ca46c84229ef3087190d21f935daf

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: crypto-js.jar: crypto-js.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller
/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/crypto-js.jar/META-INF/resources
/webjars/crypto-js/4.1.1/crypto-js.js

MD5: f716a02969e459fdcf8f37dee235e925

SHA1: 6f2bb245feaa0997fa30b085af0e8990d21395cc

SHA256: f0bdf25fda8f9af5920c82070775864c7e1166eb31540d030e6b80a382e39ce1

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: crypto-js.jar: enc-base64.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller
/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/crypto-js.jar/META-INF/resources
/webjars/crypto-js/4.1.1/enc-base64.js

MD5: f551ce1340a86e5edbfef4a6aefa798f

SHA1: 9e1b1bf75f35833ca2480ee401b4cff8b7eb1fe3

SHA256: 84b69d1625474179d55622a8333c3aac376dd8bc77de7b06c21695762cb69cab

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: crypto-js.jar: enc-base64url.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/crypto-js.jar/META-INF/resources/webjars/crypto-js/4.1.1/enc-base64url.js

MD5: 2aaf8cb964cbe7c2650fddaa2fe53de9

SHA1: 411a390b33297c971db47026af8806cc60d166ea

SHA256:8177807d1e08a925e69470a8dc485d6a0d02992a064fda93dce0fff8fa18c24a

Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: crypto-js.jar: enc-hex.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/crypto-js.jar/META-INF/resources/webjars/crypto-js/4.1.1/enc-hex.js

MD5: efb02f85686d948c69ad13ec6a7d479c

SHA1: 27f6a54ae346ef0a9a63084990591e0f986bea38

SHA256:c7dad9931250921c24508ba9949abb818745b38891da44693359249b11ed143d

Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: crypto-js.jar: enc-latin1.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/crypto-js.jar/META-INF/resources/webjars/crypto-js/4.1.1/enc-latin1.js
MD5: a8c77d13f48479c2f76678c6e7f06ca8
SHA1: 9753af5959867f998f0feff6f1699e88c92f39e
SHA256: 24dfce2cc51ec0481aad1f62933bd0ae1238c34c5b0e73aeb1729027c913a26b
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: crypto-js.jar: enc-utf16.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/crypto-js.jar/META-INF/resources/webjars/crypto-js/4.1.1/enc-utf16.js
MD5: e24e079fb22a2f7063cb9f856bdf10b
SHA1: 01f29539d0bc1e2c10638d0f3b9af99d978e15f7
SHA256: c35339900b45fa701c390c924009a95270b4b4d91b427e40984f117c2f7ec67d
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: crypto-js.jar: enc-utf8.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/crypto-js.jar/META-INF/resources/webjars/crypto-js/4.1.1/enc-utf8.js

MD5: 5a9aaa6b97e87bf258edf26223bdcf61

SHA1: 16bab2dd76daec10b9b3e2569f3fc1a207b5f726

SHA256: 8c7e44dc2d49b20fd78a44827fa962a28a5e22e0adfe036aa0fdcfc7adb89984

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: crypto-js.jar: evpkdf.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/crypto-js.jar/META-INF/resources/webjars/crypto-js/4.1.1/evpkdf.js

MD5: 7106e06bc97d1f59a9324ef5ef9c14c2

SHA1: 89cccca6c0e5261d31302cb4726a26f21a84ef39

SHA256: 03a8ec00db105b3b813902400ed65169d12ecd382fa13402fd62c55e251caacc

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: crypto-js.jar: format-hex.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/crypto-js.jar/META-INF/resources/webjars/crypto-js/4.1.1/format-hex.js

MD5: e2f78f02b844140cb8763fa7cd8daa45

SHA1: a359182575c8d43c6e5381209472f8954e4d5496
SHA256:040a2918bec8cb8ba0a6303fa3c1bbfd899bc8644643e8ac493e3c08a0c09097
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: crypto-js.jar: format-openssl.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/crypto-js.jar/META-INF/resources/webjars/crypto-js/4.1.1/format-openssl.js
MD5: 502d6df5aa16084bf5abb0f3077c13b5
SHA1: 7507a0c1ccf7049a8a10bf2ed73f24af5ed00aa3
SHA256:1ffa86862e66b6c0fff35cb96875e97a793aaf86ca749b29381cbc67a0877bba
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: crypto-js.jar: hmac-md5.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/crypto-js.jar/META-INF/resources/webjars/crypto-js/4.1.1/hmac-md5.js
MD5: 95b2fb61fbadc00bb3dce9098e37256a
SHA1: 143d92d0c7d56bc57036c318cf78dc50cd72b557
SHA256:d3072014eb4186d02e335c511b3cc6e163a5cfefbaa8c4ae13634af24887078e6
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: crypto-js.jar: hmac-ripemd160.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/crypto-js.jar/META-INF/resources/webjars/crypto-js/4.1.1/hmac-ripemd160.js
MD5: 6d51886c1d976bc143c790593cdc0920
SHA1: 29a848612a72b95abd8d8a9ee8d4874939fac6f0
SHA256:28e2bdcb143840e4e01eff312a728e0f652d7dcb0d1bbdceab0bf48ff5cae8ac
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: crypto-js.jar: hmac-sha1.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/crypto-js.jar/META-INF/resources/webjars/crypto-js/4.1.1/hmac-sha1.js
MD5: 4acf006c1688cf4513ed375d7a94f86e
SHA1: 8fbe2fbecb2caa64f74c0393f9f6641f78e3b732
SHA256:e104acb7379b834bd9249e3cfcb2196acbf90a22bb10947feb2a1fbe30ded105
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: crypto-js.jar: hmac-sha224.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/crypto-js.jar/META-INF/resources/webjars/crypto-js/4.1.1/hmac-sha224.js
MD5: 875a7a330903a92828b279818e6b06b8
SHA1: 586cc496e368eb6f6119e0a6089ef7f8f421dee6
SHA256: 35208e1e4631ff5f9bd83220dbfbef63290eb93e914055b35583fbf19eb76693
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: crypto-js.jar: hmac-sha256.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/crypto-js.jar/META-INF/resources/webjars/crypto-js/4.1.1/hmac-sha256.js
MD5: 69817fc0da86033d4ef559f0febd3d32
SHA1: 84c60e2a1dce8f06c1e4340542199cc9cc9a3454
SHA256: 11d26c11f858b74bf0f106c74ddb579a112d3e7321fd684365a77ba2a7a5dfffc
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: crypto-js.jar: hmac-sha3.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/crypto-js.jar/META-INF/resources/webjars/crypto-js/4.1.1/hmac-sha3.js
MD5: ea6cba03f7c6b257b70c1497022b5514
SHA1: 0d8f8002491a9311c7035aaf07d4a0329f38ced0
SHA256: bc63c36741416fb55fbb3c7c4a78b5e056d9b902a471bb16b6f5672fbbacbf8
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: crypto-js.jar: hmac-sha384.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/crypto-js.jar/META-INF/resources/webjars/crypto-js/4.1.1/hmac-sha384.js
MD5: 7afbdf157b81970eb00a50bc421e7ce1
SHA1: 9196d839c46163f6e51c63410ba0076a09ccf178
SHA256: 93494b918b2eb79cd1be66145a41137ac0d65739ed6cb9e04f82bf1d7cdc7019
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: crypto-js.jar: hmac-sha512.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/crypto-js.jar/META-INF/resources/webjars/crypto-js/4.1.1/hmac-sha512.js
MD5: 5d3e9930daf490e45b446cb42b31833e

SHA1: 4b07089a6c56852d15ec948b58408d5b5d32cafd
SHA256:6c2b59ac5e27099986b28d32e425ed3d65a4621c1c6512d03d40b336c6e88a2d
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: crypto-js.jar: hmac.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/crypto-js.jar/META-INF/resources/webjars/crypto-js/4.1.1/hmac.js
MD5: ee162ca0ed3b55dd9b2fe74a3464bb74
SHA1: d68f1ed4e3aed7807fe17a8193fca4775221dfa3
SHA256:c89f8f08ae06990edbc0763cd46853d16c70eaf513de8592b1ffb74a2ad2f7da
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: crypto-js.jar: index.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/crypto-js.jar/META-INF/resources/webjars/crypto-js/4.1.1/index.js
MD5: cb562c09323e042b35ca6e5335579542
SHA1: 8ec84f102ee7cce9d370ac4bdbe29aca1c07968
SHA256:6f82946296b10ccf775008877319312b9785c616301d4d773cb9d700510c79e8
Referenced In Project/Scope: server


Evidence



Type	Source	Name	Value	Confidence
Identifiers				
• None				

remotegui.zip: crypto-js.jar: lib-typedarrays.js


File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/crypto-js.jar/META-INF/resources/webjars/crypto-js/4.1.1/lib-typedarrays.js
MD5: b8bac2e22a7a589167e014be77736c72
SHA1: 622fc0f297b3799ff91b08469989e6fe113cbda4
SHA256:a5875f287e6cc6dea0ab64024db32783229a7db55f74deccf6566973bbd76ec9
Referenced In Project/Scope: server

Evidence 				
Type	Source	Name	Value	Confidence

Identifiers				
• None				

remotegui.zip: crypto-js.jar: md5.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/crypto-js.jar/META-INF/resources/webjars/crypto-js/4.1.1/md5.js
MD5: 349498f298a6e6e6a85789d637e89109
SHA1: e626c530154c07527abcfb1f83b9ec578a81b234
SHA256:97dc67431dbd3360ea838fecad611a30f540f8389bbd15b89a1e14ba8dbb54aa
Referenced In Project/Scope: server

Evidence 				
Type	Source	Name	Value	Confidence

Identifiers				
-------------	--	--	--	--

- None

remotegui.zip: crypto-js.jar: mode-cfb.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/crypto-js.jar/META-INF/resources/webjars/crypto-js/4.1.1/mode-cfb.js
MD5: 5847dafc1beecdcd23925f9f4989b2
SHA1: c9972596e02db6c6221ae019dcf1498d30e9ffb4
SHA256: a3626b78fe53d7d32fbcaeaeb92750db305e84e2ccb84e61d735ac7a4dc7345c
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: crypto-js.jar: mode-ctr-gladman.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/crypto-js.jar/META-INF/resources/webjars/crypto-js/4.1.1/mode-ctr-gladman.js
MD5: c4bd3b4755cf275747f8e68b0eed7995
SHA1: cabbcc4100b4d363f1b55d42b930ec547ad67dd1
SHA256: fcd6166981435cc01bdfd2fb8f9e2773acfb144ab8c47e0c71473d9bdee755b0
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: crypto-js.jar: mode-ctr.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/crypto-js.jar/META-INF/resources/webjars/crypto-js/4.1.1/mode-ctr.js
MD5: 6cec0458e4e62c1ff8b534e59f9132ff
SHA1: 591484053ed26919fa6e4cecf7aa723dcade4bb6
SHA256: 9e67161f61922a475b142b2e18cb4470ed7860ef61bc6e7a41f327f7a59be96f
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: crypto-js.jar: mode-ecb.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/crypto-js.jar/META-INF/resources/webjars/crypto-js/4.1.1/mode-ecb.js
MD5: 3a84195b8427195dd9c345a0f3aa2313
SHA1: fe621e95709e31a5289c78d114aad4a920f14923
SHA256: 4f563373ba4af442e1b425b7b7dd1030ed84b9babe9821949922d9677bf14701
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: crypto-js.jar: mode-ofb.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/crypto-js.jar/META-INF/resources/webjars/crypto-js/4.1.1/mode-ofb.js
MD5: 48f5529799d5eac8fa9f855ba1402737

SHA1: 4e97befa1e4d0003cd2fe9d21d85d6636513fdb4
SHA256: b49077bf4bf5e8f2cbb2de0e2d48c4d941a3feba2bc7c629abd51fe2ac8bdb2f
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: crypto-js.jar: package.json

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/crypto-js.jar/META-INF/resources/webjars/crypto-js/4.1.1/package.json
MD5: 061334ee463d77ae9f4cbd513f19671e
SHA1: e9cfcdf1705722502212095c9aa76bfc82ddd834
SHA256: 6d39bc6ae898b85aba801a99ed4d6c79a6b5d9d3a56a1df9343f5d3d4e487072
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: crypto-js.jar: pad-ansix923.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/crypto-js.jar/META-INF/resources/webjars/crypto-js/4.1.1/pad-ansix923.js
MD5: ca8ab3266976ddad6e811577212b8c88
SHA1: 505018913484e110aa81842a4511a2a52cbf2231
SHA256: 7d950bc42f262159a2786eea30d1153a3d0bca9aab9acdbcc1a981a8d2854ef7
Referenced In Project/Scope: server


Evidence



Type	Source	Name	Value	Confidence
Identifiers				
• None				

remotegui.zip: crypto-js.jar: pad-iso10126.js


File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/crypto-js.jar/META-INF/resources/webjars/crypto-js/4.1.1/pad-iso10126.js
MD5: b1c4aa95c8bc79280076e66352b6c219
SHA1: 9c081665a8d0f4399c5f3874f38f811932900d54
SHA256:d3695304e8e7a001cc6e1b84d4b58abd429dd7e3f09514c260bcd3122a3aa685
Referenced In Project/Scope: server

Evidence 				
Type	Source	Name	Value	Confidence

Identifiers				
• None				

remotegui.zip: crypto-js.jar: pad-iso97971.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/crypto-js.jar/META-INF/resources/webjars/crypto-js/4.1.1/pad-iso97971.js
MD5: 4027c92ac1ed3c95f39e8e2a391500d3
SHA1: b7034e19bcb012cf7549baea65a70d25b8e71480
SHA256:f7f7179b8bea5b6ef4f0891f23b563db8aa530376795cd99ef84942cfc62d328
Referenced In Project/Scope: server

Evidence 				
Type	Source	Name	Value	Confidence

Identifiers				
-------------	--	--	--	--

- None

remotegui.zip: crypto-js.jar: pad-nopadding.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/crypto-js.jar/META-INF/resources/webjars/crypto-js/4.1.1/pad-nopadding.js
MD5: e288e14e2cd299c3247120114e1178e6
SHA1: af4df0df185ab10e12fe8c01f885027eabe3c8f3
SHA256: a722d1f1486b807b34076ec3277ea3a65f21837db2d9f76eb5daa7de312479a6
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: crypto-js.jar: pad-pkcs7.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/crypto-js.jar/META-INF/resources/webjars/crypto-js/4.1.1/pad-pkcs7.js
MD5: 23c101a5a832bfa8a894b9813323044c
SHA1: d21f12b724eccd65c9f20503bdac2c41eb8ce985
SHA256: 9a3c909e8c3b6604bfd7a48a3c7e61504292744d894bce1266b44691b857c1bc
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: crypto-js.jar: pad-zeropadding.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/crypto-js.jar/META-INF/resources/webjars/crypto-js/4.1.1/pad-zeropadding.js
MD5: 23b4116306620a01bed22b52014c7c65
SHA1: 34360c2d2f9a38e5c3d197223a2f5b6777cbc1e9
SHA256:d99e781985e817da7c6af30d957c45419b1a7e176bf52160424ebbbf970df906
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: crypto-js.jar: pbkdf2.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/crypto-js.jar/META-INF/resources/webjars/crypto-js/4.1.1/pbkdf2.js
MD5: b9511c07dfe692c2fd7a9ecd3f27650e
SHA1: d9383ee2dc36eb56abadba701c3168d2556a7d8d
SHA256:77a10ae4b1d93686539ea2d37a837d56e6f9e8cd3ce49d782a4cbbf34094e800
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: crypto-js.jar: rabbit-legacy.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/crypto-js.jar/META-INF/resources/webjars/crypto-js/4.1.1/rabbit-legacy.js
MD5: 8fdb6b7d8bcf3aef27398d47d13dacb9

SHA1: 23dc78f4b418c296ffc166bbcad8c678d6ab2efa

SHA256: cf9afefa87b216dd4d8be00524f8904bba1147fbb90273e5e6a7b2824b52e56f

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: crypto-js.jar: rabbit.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/crypto-js.jar/META-INF/resources/webjars/crypto-js/4.1.1/rabbit.js

MD5: b3bae9fc93314924cbd6c4283c1e91ef

SHA1: 4bd339e3a9e954c2766a07a96cf7ec2547e76cab

SHA256: dc93dba650db41783f8a3faba6ba17ad82cb0eb1b6fa84df406f71d520d84b42

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: crypto-js.jar: rc4.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/crypto-js.jar/META-INF/resources/webjars/crypto-js/4.1.1/rc4.js

MD5: 846a99f1e90dbcbb5773793c3fe8aa5c

SHA1: fbb684811bde18ce2faad2ffbda3aa9c00939e90

SHA256: 571eca05c055a26c729f757f83b9f849968ae0dc0ba9870e5be9526019c53a33

Referenced In Project/Scope: server


Evidence



Type	Source	Name	Value	Confidence
Identifiers				
• None				

remotegui.zip: crypto-js.jar: ripemd160.js


File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/crypto-js.jar/META-INF/resources/webjars/crypto-js/4.1.1/ripemd160.js
MD5: 1d13fd2d4858d87c36c43a0a6436f0d4
SHA1: 9187ea140085390e357f1e7804f95e7a5812d494
SHA256:3d7eea732acb8f27ba7be5ec54cc1c5ea198be2f7b12ae78cf03ce3b87d78da1
Referenced In Project/Scope: server

Evidence 				
Type	Source	Name	Value	Confidence

Identifiers				
• None				

remotegui.zip: crypto-js.jar: sha1.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/crypto-js.jar/META-INF/resources/webjars/crypto-js/4.1.1/sha1.js
MD5: 5fbc23cf1d5cf34e9f7798650d07b333
SHA1: 7401e77dcaff4ecaab8e57fd11fccfaf5f33c75
SHA256:fca2d5560acb8de760ebc94679ff210056722af8193871e75176a61a977ac30f
Referenced In Project/Scope: server

Evidence 				
Type	Source	Name	Value	Confidence

Identifiers				
-------------	--	--	--	--

- None

remotegui.zip: crypto-js.jar: sha224.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/crypto-js.jar/META-INF/resources/webjars/crypto-js/4.1.1/sha224.js
MD5: bd908518f276d2df58277bb38185b307
SHA1: b10b13e02fadeea29119f6976b346d9b06c84342
SHA256: 542ddc722d9711595c11d57caa9424beca928b3553747a51e3f1c57c2c08ec16
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: crypto-js.jar: sha256.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/crypto-js.jar/META-INF/resources/webjars/crypto-js/4.1.1/sha256.js
MD5: 561d24c90633fb34c13537a330d12786
SHA1: 7593f14b59ba2099cbb4ffb806e75758fdeb12f5
SHA256: d8074f23cbd27aa6c2f231b8bdad34bbd8d49c7e47ffa0d7cd07a2c4d1d3c798
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: crypto-js.jar: sha3.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/crypto-js.jar/META-INF/resources/webjars/crypto-js/4.1.1/sha3.js
MD5: 6fe2614bbdfb802fa873f118621c7fb8
SHA1: d977f518e609149d1b51932648669a4be7a97f27
SHA256: 6ee08cd3d69b181cb735011acd0a0d57b6a4a071baf8ecbbbb9aa18cf1e4d6ac
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: crypto-js.jar: sha384.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/crypto-js.jar/META-INF/resources/webjars/crypto-js/4.1.1/sha384.js
MD5: 6ae085f20325eb927ff673ef20568137
SHA1: 8d7bb4a99b713d53723f8f1ad3442cf9e9edf9a4
SHA256: 8d902216aef6840bb9951117bdd3aa6331078e68ee04987aa1d59c73b5ff3066
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: crypto-js.jar: sha512.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/crypto-js.jar/META-INF/resources/webjars/crypto-js/4.1.1/sha512.js
MD5: 0e5e8946947671eefe910c58f1272c48

SHA1: 7b4efa121b30865b12f7546f1e99e22c6c2a3c40
SHA256: 986ca486a1c9e58e9d8fc38d1db4e652e14c751ba1a6a15fd81439d261efe2b0
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: crypto-js.jar: tripledes.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/crypto-js.jar/META-INF/resources/webjars/crypto-js/4.1.1/tripledes.js
MD5: fcd80fd597ef5e6a0fe34cdf484a8825
SHA1: 94c5615ac7a0f2ee61bb5325e46d61151893dfa6
SHA256: 8d8de06235e08f38ddc855070ef8cb86d7c69a67b3a5278f8cbf2af64b55122d
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: crypto-js.jar: x64-core.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/crypto-js.jar/META-INF/resources/webjars/crypto-js/4.1.1/x64-core.js
MD5: 677577ca38d04508f116ebc977dcb11b
SHA1: 966f596f1adb7e7780021ae463a62890de8b19fc
SHA256: c54130dcd19ae2c7f8c4b4a69cb2038a65d363899cddf7ebaae0102bfc8fe086
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: echo2-app.jar

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/echo2-app.jar
MD5: 6524d488cd7402977af43d02a32e52ce
SHA1: b4445286d07023c764ed9d02092fd76733f19fe4
SHA256: 8ceb7a13bdc5a671d1b659ff05faed1e1d68e95813ad52597718fef38746556
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence
Vendor	file	name	echo2-app	High
Vendor	jar	package name	app	Low
Vendor	jar	package name	echo2	Low
Vendor	jar	package name	nextapp	Low
Product	file	name	echo2-app	High
Product	jar	package name	app	Low
Product	jar	package name	echo2	Low
Version	file	name	echo2-app	Medium
Version	file	version	2	Medium

Related Dependencies

- remotegui.zip: echo2-webcontainer.jar
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/echo2-webcontainer.jar
 - MD5: 783b5f05163587c4d19ce43977f564ec
 - SHA1: e401d4249ef1bdd399f6fee652bf1120a48b5882
 - SHA256: 4b4e1d96c4b304d6bbbfbebd4ccdb85bc7c05070a93388e652d7331bc72d9119
- remotegui.zip: echo2-webrenderer.jar
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/echo2-webrenderer.jar
 - MD5: cf2fcfc745ac1f7374007788b8fb30e3
 - SHA1: 8c912e8ce2e23407058bf8f55a6d68e2d4737f7d

- SHA256: 72851edfb13406ec61dee6eeb347c5c8640244b80a89f3ed75a15d925caaad2c

Identifiers

- [cpe:2.3:a:nextapp:echo:2.*.*.*.*.*](#) (Confidence:Low) suppress

remotegui.zip: echo2-webcontainer.jar: BrowserCommand.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/echo2-webcontainer.jar/nextapp/echo2/webcontainer/resource/js/BrowserCommand.js

MD5: cec5ed45ed5d929439b2ae615b645097

SHA1: aeea282f11788e5be7dafd78adb833e539ab75f4

SHA256: dcdc9a977d80f20f45d9f487692b7d5ba9dcc538da5b4a750b7ba03ee852f5af

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: echo2-webcontainer.jar: Button.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/echo2-webcontainer.jar/nextapp/echo2/webcontainer/resource/js/Button.js

MD5: 81215c8587cea98fc2c9f41d81e99386

SHA1: 4cc203b7f5b48a3672447f13dc333af29a02cb1c

SHA256: e6639e7a2eee92dd4c86c1a548ce8106d7358d8c7dea7c747e6fc2377050d138

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: echo2-webcontainer.jar: ContentPane.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/echo2-webcontainer.jar/nextapp/echo2/webcontainer/resource/js/ContentPane.js

MD5: 6da93a27f5fafe89ad3dc8161cc60450

SHA1: 2a715f6111f70e16c1baab3b9960b9af31ff9409

SHA256: 830454078b8dca968b15c1b002066c6c7c21da19b3e2e0b87afeea17e07b562b

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: echo2-webcontainer.jar: ListComponent.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/echo2-webcontainer.jar/nextapp/echo2/webcontainer/resource/js/ListComponent.js

MD5: 3baac4b4c7d7570210bc70337f079511

SHA1: 2b40df2cc63611728d0154fb9a1f0ff5590e268e

SHA256: 64a4f73273b6e27fa3641d23fc15a230f07e059aa3e37e2fa11466359dfed721

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: echo2-webcontainer.jar: SplitPane.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/echo2-webcontainer.jar/nextapp/echo2/webcontainer/resource/js/SplitPane.js
MD5: 73030d7f65e69b1963de89475dfca752
SHA1: e6f525f36c46d3e9581c786d16ce4e59dac0260c
SHA256: 8f2ae429c270a4ae095f2aaa3cddb5adb6249a61d35defbe6079d01f37872b4
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: echo2-webcontainer.jar: Table.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/echo2-webcontainer.jar/nextapp/echo2/webcontainer/resource/js/Table.js
MD5: 83c78e8bfb81930f1c4646b765ef01c9
SHA1: 8a900c967b2ee0bb2abb2244075734f4907da416
SHA256: 1fb14e2d9998d1cc09ef9bbb94c7492f27418e6cd23c82606041554bcd48be1a
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: echo2-webcontainer.jar: TextComponent.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/echo2-webcontainer.jar/nextapp/echo2/webcontainer/resource/js/TextComponent.js
MD5: 44c40be87a258f223636a3b1e81223be

SHA1: a46b2983414fd8bf6873bcd7155c1b226f46df37
SHA256: 78d3b72d552e28209db2b832cff0fd0e4ec0848ba43d5b4ecd8d4c3f76b3d2f9
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: echo2-webcontainer.jar: WebContainer.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/echo2-webcontainer.jar/nextapp/echo2/webcontainer/resource/js/WebContainer.js
MD5: 3187e8b29a8357e96be24bde33f479dc
SHA1: 4208f56c5424a86cbf114d4638c068446baa31f8
SHA256: a303d0bd198f7590a251d6485cce0d34855ac9485d97d7d5880aab1ec72aa088
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: echo2-webcontainer.jar: WindowPane.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/echo2-webcontainer.jar/nextapp/echo2/webcontainer/resource/js/WindowPane.js
MD5: c9446071fff586f20e7f677e5dbb8597
SHA1: 58915a592236e816dd9f83eefc0977b542262d32
SHA256: da1fc1c3e27e3ce28847e410e51e66dc33f1f744650d9051afbaebe92f032977
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: echo2-webrender.jar: ClientEngine.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/echo2-webrender.jar/nextapp/echo2/webrender/resource/ClientEngine.js
MD5: b97d4b63d35a8f8a9cb5a99b720215de
SHA1: 4a2124b33e4d7e9db720d92924905aa1e7297378
SHA256: 57e9f7be3af39ba8f736cc97efa958335463959271b0885c74ee668f41b5f4a5
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: echo2extras-app.jar

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/echo2extras-app.jar
MD5: e1ba37ba20c3021c38e362cac081d986
SHA1: 64e7748149ca2af54ee693c8e232343d64c1b966
SHA256: ad4489475b3c77aeeb62ec1c1bc211c8659b84649fdb1e72f4ee6e005b21e37b
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	echo2extras-app	High
Vendor	jar	package name	echo2	Low
Vendor	jar	package name	extras	Low
Vendor	jar	package name	nextapp	Low

Product	file	name	echo2extras-app	High
Product	jar	package name	app	Low
Product	jar	package name	echo2	Low
Product	jar	package name	extras	Low
Version	file	name	echo2extras-app	Medium
Version	file	version	2	Medium

Related Dependencies

- remotegui.zip: echo2extras-webcontainer.jar
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/echo2extras-webcontainer.jar
 - MD5: df488c27f775875afc2efa1ba1a14778
 - SHA1: 8b9c1d082e3baac3daea4821cd6fb56116c44c7a
 - SHA256: 50dabd57f50caf8df7d1fced59f7285d7b6179c47bf9b22aae7e7ee1d62e62c0

Identifiers

- [cpe:2.3:a:nextapp:echo:2:*:*:*:*:*](#) (Confidence:Low) suppress

remotegui.zip: echo2extras-webcontainer.jar: AccordionPane.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/echo2extras-webcontainer.jar/nextapp/echo2/extras/webcontainer/resource/js/AccordionPane.js

MD5: 5e2309292be34670965e17a63f3d67e2

SHA1: 136a82463b674894191f92a08a7fb2c127728e68

SHA256: 2b02ad757a502013be2834c414c90832cce07e657f9c8fe4823f94351429aa4a

Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: echo2extras-webcontainer.jar: CalendarSelect.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/echo2extras-webcontainer.jar/nextapp/echo2/extras/webcontainer/resource/js/CalendarSelect.js

MD5: ee105b17e6a49ca6894f6a89b93038ca

SHA1: deb92e218480368f3d1e1b4471fa716e615d2694

SHA256: 333078b2953145f5c2798ec878ff5f7859cb7c73e5383b5f04e0641377dd882a

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: echo2extras-webcontainer.jar: ColorSelect.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/echo2extras-webcontainer.jar/nextapp/echo2/extras/webcontainer/resource/js/ColorSelect.js

MD5: bb2817813b145fb047035165f4609e11

SHA1: 60ed59f4adf34e81089e8a6ed835a52952186b1f

SHA256: 154ab0e5af207065ae91524a90a06acecd3c88d914c541ed19f6f0e15e10170a

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: echo2extras-webcontainer.jar: DND.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/echo2extras-webcontainer.jar/nextapp/echo2/extras/webcontainer/resource/js/DND.js

MD5: c3190a4d76a03ff134dbe71d572d6093

SHA1: 29d971a57365ecd29d6233f6be54cd5e638cad5f
SHA256: 052a40f554e33a722e4e157a1f9c1dfb8bd26160ac98f5036ddf5cb594cb44bd
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: echo2extras-webcontainer.jar: ExtrasUtil.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/echo2extras-webcontainer.jar/nextapp/echo2/extras/webcontainer/resource/js/ExtrasUtil.js
MD5: bb41e331c7cda7542545723669087b7d
SHA1: 94b6f7023b77af6bab7942d71edaa0a317a18741
SHA256: 27f7d1bc497b52e3c81cad90d7f8857d86534389649c01f58455d6e506e065d9
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: echo2extras-webcontainer.jar: Menu.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/echo2extras-webcontainer.jar/nextapp/echo2/extras/webcontainer/resource/js/Menu.js
MD5: dff4844bd2e7e0ace646cfc026a22e2b
SHA1: 14a08892f49057de2266a978d3df2ba62ca6f0af
SHA256: 9955938b46227d85dc73b917640bc28c5c02ffdde4b2d0b727a2527293d14b1
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: echo2extras-webcontainer.jar: TabPane.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/echo2extras-webcontainer.jar/nextapp/echo2/extras/webcontainer/resource/js/TabPane.js
MD5: 7203f99e669e30e5bf1278610d799c25
SHA1: 6e706337109b8bc1931bfd90cd02051168617261
SHA256:1b484543b2a8a9a473d7cdb39d8c939a8320f21b73cfd70f3fae4d43688435db
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: echo2extras-webcontainer.jar: TransitionPane.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/echo2extras-webcontainer.jar/nextapp/echo2/extras/webcontainer/resource/js/TransitionPane.js
MD5: 52cfea31f2f87e072ff5b0a826655658
SHA1: 798043e69001103030dcb146240e387e77d2e587
SHA256:18fd61e5fbf3dd6b5d63b1916714fb4a0239f7d9a9f4ec1411bfe41d70e954f3
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: echopointng.jar

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/echopointng.jar
MD5: b97311541ad7a3a8d9bce707c0b5ae81
SHA1: 9da2843de342b6195589687135c44a1327ff494a
SHA256: fb4297263e65a013f39d2b2982343736476f22cd9b4bd2bafd1ac195a39efe8c
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	echopointng	High
Vendor	jar	package name	echopointng	Low
Product	file	name	echopointng	High

Identifiers

- None

remotegui.zip: echopointng.jar: blankcanvas.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/echopointng.jar/echopointng/ui/resource/js/blankcanvas.js
MD5: af461ae7fcc7c2982dc7a2c9d66db238
SHA1: bbb3c48fedb35f63655e6604a7e2303077e0457a
SHA256: d402afcceaa4f1e5efaf55009c56886cd53c86d880a6b03e608d79ded024ee45
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: echopointng.jar: button.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/echopointng.jar/echopointng/ui/resource/js/button.js

MD5: 8531b2c1536e2d30e3df983e2c7a2217

SHA1: c7ed360795011104ccf8c63338ed8e06e923797f

SHA256: 77646e360a21f4294cf45d839366dbc1a91b69573c87ba7234f2d09f7f0c7724

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: echopointng.jar: calculator.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/echopointng.jar/echopointng/ui/resource/js/calculator.js

MD5: c1585b51055b1631271c922d5555daad

SHA1: 3f285a1af63b444cbbb9361792b71a0ff16345f6

SHA256: 1475ac04db0d45f0b1b6e5de7355c73b61934207eea96dc1239ae8e1261f3f4f

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: echopointng.jar: colorchooser.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/echopointng.jar/echopointng/ui/resource/js/colorchooser.js
MD5: 76363342cd06ffe0e205fca9110d902c
SHA1: 77f2ba109f495b87b6224ef890ae08ab577561e4
SHA256: a1fec15a23c349ded1cbe91f0ad252d07086b75a9a0a6cf411a39208fb56418
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: echopointng.jar: combobox.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/echopointng.jar/echopointng/ui/resource/js/combobox.js
MD5: bc172893359138d97f3ccdda6b51c32b
SHA1: 4ebac02f8d296eebbbe9f1bb44a1c0d0a5f2acf0
SHA256: f6d39c6d806bfff5b67a76f89b5fef3ffa4f542a38282e9b23c9838bbbf770
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: echopointng.jar: command.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/echopointng.jar/echopointng/ui/resource/js/command.js
MD5: 22524ba396f3b6193c57855db5041085
SHA1: 62dc2c5692866d1222946c225c00d1aee154b8
SHA256: 3c55d005e1dd2f2723e2ce7c9cb906ccc99753230882f671e08e3f4196a9a842
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: echopointng.jar: containerex.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/echopointng.jar/echopointng/ui/resource/js/containerex.js

MD5: b080ee991e18c93e892ed63a43299893

SHA1: fe5ed5851f627cee32c72bad88351e25689a18f1

SHA256: b1b2a5b2daf9d4d22c646d4caeb0d9cfe33eecd3a89910e0b6c511b9164583d

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: echopointng.jar: csscommand.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/echopointng.jar/echopointng/ui/resource/js/csscommand.js

MD5: dc731de6fea7b372aad1676f4f188c11

SHA1: 292d006070a00a557aca505771fccf3b15d819c4

SHA256: 3720eb758aa628f0817484a4c8dea8c26da92a6bd44612e2794ad1b8f9d18b04

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: echopointng.jar: datechooser.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/echopointng.jar/echopointng/ui/resource/js/datechooser.js

MD5: 03360772d464936c4db0853af7f293ac

SHA1: 9ca7aa251deb9d6bfa224de421b405a77ceaab76

SHA256: beb9c8189e4a2ecb449b025fdce8a5af22e6fbd705f908ebe38970be44e2cae5

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: echopointng.jar: directhtml.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/echopointng.jar/echopointng/ui/resource/js/directhtml.js

MD5: 67fe6a6d53c7f7a31ec424cca0cb113c

SHA1: 176ab2c18503d4f6f09e7939987ef9bbda793f50

SHA256: e98b3372e5a1dcbd3df5c922e05d738344f4078f09236f335bf5cc1097429af4

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: echopointng.jar: ep.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/echopointng.jar/echopointng/ui/resource/js/ep.js

MD5: 909939bf59b597cb43bab18b58915d45

SHA1: 1eb058d7ec9e90df36cee746342423df26cfdeb1

SHA256: 2310adacdc07bdc68bc04f67b438385735ddd2f7b8c094363061743e550eb3bd

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: echopointng.jar: epdrag.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/echopointng.jar/echopointng/ui/resource/js/epdrag.js

MD5: 9b2e790d15782ac504510920b8047dcd

SHA1: 7165f0c117bff0d7d58de91811f865fef0115b32

SHA256: 738d39774c0bc2b962b78d3aae1b64beb832d0197b9c6daa9b68750757041518

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: echopointng.jar: epfx.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/echopointng.jar/echopointng/ui/resource/js/epfx.js
MD5: 4e3b34df6d6fd962bee24cc944307e6d
SHA1: d8e0b8b1ed022c29c93d8aba4f00f79243f62d3d
SHA256: 2e0466c152814468619f3008887429aaef26139f41adbd74dd18ee83f17fb6b5
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: echopointng.jar: epstretch.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/echopointng.jar/echopointng/ui/resource/js/epstretch.js
MD5: c06366200854d236a636ca39933736a6
SHA1: 39cbb54acbcc28878997d30c13e80ff868267b64
SHA256: 56e934dbaca23f709e52c48d3894207f4d89b7275aa33d44a1a7464d85e20e98
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: echopointng.jar: expandablesection.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/echopointng.jar/echopointng/ui/resource/js/expandablesection.js
MD5: 9ddcbeef2af11dd42386e18db317d250
SHA1: 86dd0803c2361c4e70d99c4f6f1836320dabc9b7
SHA256: 9e107c496ba94ece3ca6e4d8b4849bcdce46c05ce481b5c28ca40840354cb1e8
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: echopointng.jar: flyoutpane.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/echopointng.jar/echopointng/ui/resource/js/flyoutpane.js

MD5: d56994dc24bf63ff67511e059ac153b8

SHA1: 3f36629e0fd1e7aa2806c177a593e74fa0840ab1

SHA256: a12d2eb0d62b961ae4866d040e86c3a991b9c75bbd052cb8ab980f8db4232a69

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: echopointng.jar: historymonitor.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/echopointng.jar/echopointng/ui/resource/js/historymonitor.js

MD5: a021bbe0a65436f4d5b0fada7f7a2e95

SHA1: bcc78b12603aaf90eef91e06041bfb00950ed5b1

SHA256: 6e2ffa35896b2c08cedf06ead4d6c2b39f9ce848ae138d68cf211f17f94188cc

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: echopointng.jar: keystroke.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/echopointng.jar/echopointng/ui/resource/js/keystroke.js

MD5: 2abc4444f27c24f3250735d0e24dd929

SHA1: 0165ba94e6678efe34006b14257abd8ab5f59b70

SHA256: 75cb2b3ec2ef321babcb2c9d048a26090138205cf8aa8b072bc432e496e1959f

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: echopointng.jar: labelex.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/echopointng.jar/echopointng/ui/resource/js/labelex.js

MD5: 5e68e9198394e79d5344002a5c0ca388

SHA1: a46e072aa92701659c8961718c64de8cabb05672

SHA256: 2e8ebe8b669daefe4675d3fe025cef8bccefebae3360f36bd443a3a9e09b00bf

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: echopointng.jar: lightbox.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/echopointng.jar/echopointng/ui/resource/js/lightbox.js

MD5: 1da8a9321b1a9537e9db1633be4e93ff

SHA1: 4acc96a88fd3711611a5479883fec0c577e61278

SHA256: 68cb57c9cbfa41837b0b8e0a297ff5f63ed2e3dbcdcc99ddb327e6eb2c344fa7

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: echopointng.jar: livetable.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/echopointng.jar/echopointng/ui/resource/js/livetable.js

MD5: e3d9068b389a26b6dc20cf8f649d6728

SHA1: dd4d66ee287098de8c3e310633fcef522bb6b38a

SHA256: 9940cbf5b950edb0d00334bdb02edd45a9656a619bed29a6e14bfacc941db9f6

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: echopointng.jar: lookupcache.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/echopointng.jar/echopointng/ui/resource/js/lookupcache.js
MD5: d396ded32ccfc4c0eb7ea8d620f95c6b
SHA1: 5b0f6d8dc50f2e66bba7b6dfa816243a9564c13f
SHA256: 2b8fbdcc66a72a3ab518039278db8b86ad0f3cd43545c3e2fb2dcc88c076e075
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: echopointng.jar: menu.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/echopointng.jar/echopointng/ui/resource/js/menu.js
MD5: ceb33b1b06161e20409918ac849ecc3a
SHA1: 2da105247ee62c35765d686a545486b0fc0c7e17
SHA256: aefb0d8e30e6c56e52ce37a9f2cf6a1561477e23c4f2a0c8137b8452f445418d
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: echopointng.jar: nativewindow.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/echopointng.jar/echopointng/ui/resource/js/nativewindow.js
MD5: 21205429823868aed449bbef8866781e
SHA1: d4e0c7cfee3fa5a642b2cf4e19330f8f7dd60923
SHA256: 11e864c5e9349791fc04530b21860d5a5189cfbebf8c61749723bfe40d152a3
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: echopointng.jar: popup.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/echopointng.jar/echopointng/ui/resource/js/popup.js

MD5: 526c00e6fd13059fe0e1d0e27e00ee6b

SHA1: 44d553436551d74f1e0b4d5b4beba24ad8619970

SHA256: 48e5e3afa1f17d32392c4d87336f0aa593fdd6a434d347cbcb74a7383256d8e6

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: echopointng.jar: rta.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/echopointng.jar/echopointng/ui/resource/js/rta.js

MD5: a3b886886418bad087f21cb3e41246f3

SHA1: 3d5230d844995ea50b3e79875f051de5c2b585d6

SHA256: 58ce95bc3f07abfd9c8e13a1837ff7eabd766f57fc220396d5c4755da3a22706

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: echopointng.jar: slider.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/echopointng.jar/echopointng/ui/resource/js/slider.js

MD5: 09c92eedaa0aa605eafc7c933ca451c1

SHA1: 339e0448113b76695bfeb102d2e5194766676763

SHA256: d36f46f7fc6e97a81417c6c67490bab3755092070689d390b211e7112c834182

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: echopointng.jar: stackedpaneex.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/echopointng.jar/echopointng/ui/resource/js/stackedpaneex.js

MD5: a9be9e800bb757b5173b2b33d26b36d9

SHA1: 8191a7c71fc4deea30a836cfde3e425e4cc41984

SHA256: 61793aba49962d4477232f8577c3208d1ec89cd76f02a61b0164df69adad71d8

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: echopointng.jar: tableex.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/echopointng.jar/echopointng/ui/resource/js/tableex.js

MD5: ed81c9b7a76bc66c2865d09c5603fe95

SHA1: c896c1b21be028b1a27af5ab129e74279b22d718

SHA256: 069ffd460c63e5b3bb788f723cd9bcd16c3e97e083a2068f0300da8038af5d97

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: echopointng.jar: templatepanel.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/echopointng.jar/echopointng/ui/resource/js/templatepanel.js

MD5: 5323649865617422da0db27f9314834f

SHA1: 0510c58e3e49d4ed459b9154d508f67bb7dc458a

SHA256: ef8da75ec048040e466e45d48a774b2a0eabd54b50eeb3aae6195742fa8eeac5

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: echopointng.jar: textfieldex.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/echopointng.jar/echopointng/ui/resource/js/textfieldex.js
MD5: 72dbe933a2629cbced5859f30899435c
SHA1: 16f3d36326cf6c168d85cf9327258b2cab5ba42f
SHA256: ab7a0b4d02015202f5abe9b33fb286deab007a42ee9adff2dd025482b6df802a
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: echopointng.jar: titlebar.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/echopointng.jar/echopointng/ui/resource/js/titlebar.js
MD5: e44b0a7d883fa295f513ae66e8baf3b6
SHA1: a73818b6bee622a8c949bc6f0ada96ac29527075
SHA256: 08457a169a8298c85215704f8e3acadd29ef4f01f7a07decdefcc520540d5f4c
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: echopointng.jar: tree.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/echopointng.jar/echopointng/ui/resource/js/tree.js
MD5: 9657b74610592c6e68183de9a17a8014
SHA1: 663ca96d35d89bdf25b2eff628d7a1d854a68ff3
SHA256: dde9bc5bda4b2e85e21e69367624fb98b30de5af452a7ede67c4cc6a3afdc597
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: jquery-ui.jar

Description:

WebJar for jQuery UI

License:

MIT License: <https://github.com/jquery/jquery-ui/blob/master/MIT-LICENSE.txt>

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/jquery-ui.jar

MD5: cba1cf1cfaeb0fc89be26e397b6e51e32c

SHA1: bb7f2842643efa3a4212b96cb8b755377f61acfe

SHA256: 1c22db2906fa807f551ddf3a18092ea0939a517a6ff57618aef3d09b632c7e59

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	jquery-ui	High
Vendor	Manifest	build-jdk-spec	1.8	Low
Vendor	pom	artifactid	jquery-ui	Low
Vendor	pom	developer email	james@jamesward.org	Low
Vendor	pom	developer id	jamesward	Medium
Vendor	pom	developer name	James Ward	Medium
Vendor	pom	groupid	org.webjars	Highest
Vendor	pom	name	jQuery UI	High
Vendor	pom	url	http://webjars.org	Highest
Product	file	name	jquery-ui	High
Product	Manifest	build-jdk-spec	1.8	Low
Product	pom	artifactid	jquery-ui	Highest
Product	pom	developer email	james@jamesward.org	Low

Product	pom	developer id	jamesward	Low
Product	pom	developer name	James Ward	Low
Product	pom	groupid	org.webjars	Highest
Product	pom	name	jQuery UI	High
Product	pom	url	http://webjars.org	Medium
Version	pom	version	1.13.3	Highest

Identifiers

- <pkg:maven/org.webjars/jquery-ui@1.13.3> (*Confidence:High*)

remotegui.zip: jquery-ui.jar: jquery-ui.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/jquery-ui.jar/META-INF/resources/webjars/jquery-ui/1.13.3/jquery-ui.js

MD5: c0267985b7818a95c73695dc59f76190

SHA1: 63d570e6878bec574b7efe72dcb4018d97619072

SHA256: 27c6b2f3873315acc9f70713b920cba4f9b0a4c5ce9b9ef7394b591cf42aa445

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: jquery-ui.jar: jquery-ui.min.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/jquery-ui.jar/META-INF/resources/webjars/jquery-ui/1.13.3/jquery-ui.min.js

MD5: 3305041b1dff2ada01dd1f54417f300

SHA1: aa006fccf39c5fe50d87f0596f6c5c437588dae2

SHA256: b30d2234d5e63896d085816e0bd385da43a50f929029ed72e657c19f80bd4a38

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: jquery-ui.jar: package.json

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/jquery-ui.jar/META-INF/resources/webjars/jquery-ui/1.13.3/package.json
MD5: 645d09e57f82c95d14c163a16e4eebfa
SHA1: b3d04f70205a16221ea9986d7876c3ed71770fea
SHA256:06186eb9102592a39fae3fff136074462dbe9d7bd97364ad01af5dae95c8bc00
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: jquery-ui.jar: webjars-requirejs.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/jquery-ui.jar/META-INF/resources/webjars/jquery-ui/1.13.3/webjars-requirejs.js
MD5: 2b45f24ce91f8c0d5c764e705b1eed88
SHA1: 03056311ea772e4b7b09a70f108cb2733ae13766
SHA256:a0f18ed7e4b55b53dcf2752e99573c9f7363fd4ba7d98f14a65c36cf34fe1ec3
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: jquery.jar

Description:

WebJar for jQuery

License:

MIT License: <https://github.com/jquery/jquery/blob/master/MIT-LICENSE.txt>

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/jquery.jar

MD5: 4af65e569248d8a2411f66498d720280

SHA1: c3dc40b1b5f24c56afa36fd9a463bb9f378ac4ab

SHA256: de28c4da0ea9f16101352dd3582ec8021ee5e2de5f45104ca171876003d54db6

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	jquery	High
Vendor	pom	artifactid	jquery	Low
Vendor	pom	developer email	james@jamesward.org	Low
Vendor	pom	developer id	jamesward	Medium
Vendor	pom	developer name	James Ward	Medium
Vendor	pom	groupid	org.webjars	Highest
Vendor	pom	name	jquery	High
Vendor	pom	url	http://webjars.org	Highest
Product	file	name	jquery	High
Product	pom	artifactid	jquery	Highest
Product	pom	developer email	james@jamesward.org	Low
Product	pom	developer id	jamesward	Low
Product	pom	developer name	James Ward	Low
Product	pom	groupid	org.webjars	Highest
Product	pom	name	jquery	High
Product	pom	url	http://webjars.org	Medium
Version	pom	version	2.2.4	Highest

Identifiers

- [pkg:javascript/jquery@2.2.4](#) (Confidence: Highest)
- [pkg:maven/org.webjars/jquery@2.2.4](#) (Confidence: High)

remotegui.zip: jquery.jar: webjars-requirejs.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/jquery.jar/META-INF/resources/webjars/jquery/2.2.4/webjars-requirejs.js

MD5: 30e1a7f167b667001f50e32ea87bf7b5

SHA1: d18dc733350ad3549af2df096599e824c10f777e

SHA256: daca7b23bc4d8302a8961373b92b78d36d5c85d730fc14130e29d55d976aa420

Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: moment-timezone.jar

Description:

WebJar for moment-timezone

License:

MIT

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/moment-timezone.jar

MD5: 04a64de4a96254db675bbbed71644d071

SHA1: 4e3e19133400f6385d843657a50922eefcb70542

SHA256: 9f779d557eddeb5696301b0e24a0e59d3796d8a56a29b36092dd3a6be8a43925

Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence
Vendor	file	name	moment-timezone	High
Vendor	pom	artifactid	moment-timezone	Low

Vendor	pom	developer id	webjars	Medium
Vendor	pom	groupid	org.webjars.npm	Highest
Vendor	pom	name	moment-timezone	High
Vendor	pom	url	https://www.webjars.org	Highest
Product	file	name	moment-timezone	High
Product	pom	artifactid	moment-timezone	Highest
Product	pom	developer id	webjars	Low
Product	pom	groupid	org.webjars.npm	Highest
Product	pom	name	moment-timezone	High
Product	pom	url	https://www.webjars.org	Medium
Version	pom	version	0.5.45	Highest

Identifiers

- <pkg:maven/org.webjars.npm/moment-timezone@0.5.45> (*Confidence*:High)

remotegui.zip: moment-timezone.jar: index.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/moment-timezone.jar/META-INF/resources/webjars/moment-timezone/0.5.45/index.js

MD5: 16b10b9be0471f35921bc17b645c6fcd

SHA1: 7e9c41f04cff37b876169e1e5108b5b757305822

SHA256: b93bc1a0ab15d56e12f0e281bf005d39166952d9208b828e8d056563f3ff1fd1

Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: moment-timezone.jar: moment-timezone-utils.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/moment-timezone.jar/META-INF/resources/webjars/moment-timezone/0.5.45/moment-timezone-utils.js

MD5: 579107755699fb6b30aa384f2caeb848

SHA1: 487ebe0e9964b41caa2ada9507850a010a225bd2

SHA256: 19f7fc016c96cc5b892236a74f0450afeb9e267710d21daf9e1c46618b97a28

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: moment-timezone.jar: moment-timezone-with-data-10-year-range.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/moment-timezone.jar/META-INF/resources/webjars/moment-timezone/0.5.45/builds/moment-timezone-with-data-10-year-range.js

MD5: b9d422d23f9f0b0dee8eae34d982d08c

SHA1: f705e45b1914b7aac459f29da8e099db045dd0a5

SHA256: a7b718fadfa1280623b213df574645975dde05171ca2a02a2755aa93221caf20

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: moment-timezone.jar: moment-timezone-with-data-10-year-range.min.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/moment-timezone.jar/META-INF/resources/webjars/moment-timezone/0.5.45/builds/moment-timezone-with-data-10-year-range.min.js

MD5: abfffa6339038e5d81a2fa555cf255cf

SHA1: be0fa5bca6e3fdb691cc79f53e41bd88dd
SHA256: e63db076f981057ebc2c875905f3ef76117054049b23f4f2d8508186978c180d
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: moment-timezone.jar: moment-timezone-with-data-1970-2030.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/moment-timezone.jar/META-INF/resources/webjars/moment-timezone/0.5.45/builds/moment-timezone-with-data-1970-2030.js
MD5: f42eae0bfdddf30780220b75022b63e1
SHA1: 571756c350bad85b0ed39de3dbf9c101a2958e56
SHA256: 2e1eeb37b1804f4497545a6be95e98fc6b0f8f4d11bda4e2a5dc65571b9063b4
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: moment-timezone.jar: moment-timezone-with-data-1970-2030.min.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/moment-timezone.jar/META-INF/resources/webjars/moment-timezone/0.5.45/builds/moment-timezone-with-data-1970-2030.min.js
MD5: 0bce06bb915d4d8fac04746f9aa0ee2e
SHA1: 93f8dce379f6f44b5995e28d2de7b2b16256bf9f
SHA256: f0cb10986aed10cfa09926282d243fa40b58c154776629c721c4ca9a30547ee3
Referenced In Project/Scope: server


Evidence



Type	Source	Name	Value	Confidence
Identifiers				
• None				

remotegui.zip: moment-timezone.jar: moment-timezone-with-data-2012-2022.js


File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/moment-timezone.jar/META-INF/resources/webjars/moment-timezone/0.5.45/builds/moment-timezone-with-data-2012-2022.js
MD5: b150e9de1d3919dd2060d006fd802cf6
SHA1: dfc034d914212af50361bc33ce5ca90db4516d2f
SHA256:517518bf7a55901c2d178da889d536c328993fa792cf2d8cc83db639af2f1f7c
Referenced In Project/Scope: server

Evidence 				
Type	Source	Name	Value	Confidence

Identifiers				
• None				

remotegui.zip: moment-timezone.jar: moment-timezone-with-data-2012-2022.min.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/moment-timezone.jar/META-INF/resources/webjars/moment-timezone/0.5.45/builds/moment-timezone-with-data-2012-2022.min.js
MD5: 361d8db01726bfe6840af8224cab1962
SHA1: 7bd627c40d22f4106f161fed80c12942483fc9c0
SHA256:fca1ff8c91bceaeda54cef4ee36388b2fa7f9a1724738315719bfd400ffbda1e
Referenced In Project/Scope: server

Evidence 				
Type	Source	Name	Value	Confidence

Identifiers				
-------------	--	--	--	--

- None

remotegui.zip: moment-timezone.jar: moment-timezone-with-data.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/moment-timezone.jar/META-INF/resources/webjars/moment-timezone/0.5.45/builds/moment-timezone-with-data.js

MD5: 80966a6123064683d43c677d618784ac

SHA1: 74f6c5dc19fb20f0a7da9fc1acba9e119a9457cf

SHA256: c05c6086aa185613925f46feab5418c68255c0825c661fd9dd38a27a711070ca

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: moment-timezone.jar: moment-timezone-with-data.min.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/moment-timezone.jar/META-INF/resources/webjars/moment-timezone/0.5.45/builds/moment-timezone-with-data.min.js

MD5: 7dd827ed873b280985ea8b75f0014f97

SHA1: 37b954c6e1985fc9fb2258902d64889f1ffdee80

SHA256: 2404ed433c928ea23b184f4edcfa63563c1c1a423c372ec44b1f4ba27f43586

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: moment-timezone.jar: moment-timezone.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller /server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/moment-timezone.jar/META-INF /resources/webjars/moment-timezone/0.5.45/moment-timezone.js

MD5: 6f4c3207902f923e882074c916143539

SHA1: 0f6b6111f209443eb3b11dac95e04f9a5ac821d9

SHA256:0c9a4268aa9cd624f8c7ff72240984c55fb0122d5f013afe22b1e04f6cdc6880

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: moment-timezone.jar: moment-timezone.min.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller /server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/moment-timezone.jar/META-INF /resources/webjars/moment-timezone/0.5.45/builds/moment-timezone.min.js

MD5: cec638fb4c4f4c65c140088d6ba7b4c2

SHA1: 654ce0ea1d64cc03630288dcaabf8532e9253e7b

SHA256:fd83b6ec6339eab2299d706b656c15f6d12c7fce7aca613d8769f41195473354

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: moment-timezone.jar: package.json

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller /server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/moment-timezone.jar/META-INF /resources/webjars/moment-timezone/0.5.45/package.json

MD5: ea548430d41ba9d916ddee742457b950

SHA1: de4da1797956ae35e9c0460568b3eb9a43c81ea6

SHA256: d8fdb9a79b5404ab290a253d3115d0c18fc1da7895ee71b539e6e332a1afe5ed

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: momentjs.jar

Description:

WebJar for Moment.js

License:

MIT License: <http://opensource.org/licenses/MIT>

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/momentjs.jar

MD5: 72ad6b420b3b741d7def80f4837682f5

SHA1: 6087f9eb29294249887afa1eb4ec8308657c35f1

SHA256: 71f0cbc7e4d2c943077dc758f7c8f0c7d48e1ddc7f9e7cfd27aecbc12712cfd

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Vendor	file	name	momentjs	High
--------	------	------	----------	------

Vendor	pom	artifactid	momentjs	Low
--------	-----	------------	----------	-----

Vendor	pom	developer email	james@jamesward.org	Low
--------	-----	-----------------	---------------------	-----

Vendor	pom	developer id	jamesward	Medium
--------	-----	--------------	-----------	--------

Vendor	pom	developer name	James Ward	Medium
--------	-----	----------------	------------	--------

Vendor	pom	groupid	org.webjars	Highest
--------	-----	---------	-------------	---------

Vendor	pom	name	Moment.js	High
--------	-----	------	-----------	------

Vendor	pom	url	http://webjars.org	Highest
--------	-----	-----	-----------------------------------------------------	---------

Product	file	name	momentjs	High
---------	------	------	----------	------

Product	pom	artifactid	momentjs	Highest
---------	-----	------------	----------	---------

Product	pom	developer email	james@jamesward.org	Low
---------	-----	-----------------	---------------------	-----

Product	pom	developer id	jamesward	Low
Product	pom	developer name	James Ward	Low
Product	pom	groupid	org.webjars	Highest
Product	pom	name	Moment.js	High
Product	pom	url	http://webjars.org	Medium
Version	pom	version	2.29.4	Highest

Identifiers

- pkg:maven/org.webjars/momentjs@2.29.4 (*Confidence:High*)

remotegui.zip: momentjs.jar: af.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/af.js

MD5: abbd3f78270e280c248535ca3e3b3e3b

SHA1: 489ddba9b2a2f15e2a8d59d751a45c5ed7041f14

SHA256: c59e2f2d09098829d00f5dab85e6ec623f6aa9e70285ec2aac12030a014e4161

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: momentjs.jar: ar-dz.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/ar-dz.js

MD5: 10e8f6da8f425e389f9dd462018dcece

SHA1: d638dc753916f10981ce562c7e7543944aa5755e

SHA256: 2fcf1465ad9fcb33a1ee00188d0d8cb19e0d9094da9e27f56444b67e50c6810c

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: momentjs.jar: ar-kw.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/ar-kw.js

MD5: 5ad9681e194f33543d33a588e2a21f09

SHA1: da190c4671145eb702d41ee980b985a9816bc9c5

SHA256:ebcd2afd129890e49aa91cbd6718916ceb743122a4d264c681a533d8066de673

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: momentjs.jar: ar-ly.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/ar-ly.js

MD5: 293c5c572f1e70336fb5a5cab29faded

SHA1: d969dc63c258a2c5587efa0cb2ac80034c44a5f3

SHA256:0a70bf3f66b074d68453af125059d60f1ce4d5a96d3401b0bb7f013fb7a56696

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: momentjs.jar: ar-ma.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/ar-ma.js

MD5: 6f5179b883bce68003df4d2c99caa156

SHA1: 3af849ad551cc126ea26fe472770b0f2c86363b2

SHA256: ae28a7c4d994a1d4059f2dc1e6385182f3d5aab262d637a6bdfc80f3e3f5471e

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: momentjs.jar: ar-sa.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/ar-sa.js

MD5: 92455d26a00821fe9aba7ea8e23ec89c

SHA1: 18d22d6e22b460fb0d248426001e4cbfd9a69393

SHA256: 4913900a380ed33b662fc5299fda05cfba74367870ba23f3d9db5dfd0775c876

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: momentjs.jar: ar-tn.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/ar-tn.js

MD5: bf6b33329fd589f8b3b393f6e64717d4

SHA1: adf2dc833a46ad99f030b5761a7e6a97497ca764

SHA256: 2b6a611f7d21a0752d9101347b22943dcdd91293f7e09ac11c3b04cee41f594f

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: momentjs.jar: ar.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/ar.js

MD5: b0110c65e23d25860762820db7d2150e

SHA1: 249cc300a99b9cdc47ff3fd70c9b4cb22f0aed61

SHA256: 73485f16cb9317f156bab05ba8a3233fa87513cf1cb52728fetc53703ffd5b3e

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: momentjs.jar: az.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/az.js

MD5: ec1a4acd4aa555dd71722c2639df4db6

SHA1: 49b4198f1b008f9deeb9aa5d33e27647e812f0df
SHA256: 21cfe14e920b3edc4bc394709929f61aa5f2f9e51d3ca0c6edd1e51f29d7e3c9
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: momentjs.jar: be.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/be.js
MD5: 5c38f8d3d5da2b1b930f109553918781
SHA1: 181a1762773de78de3e2d21696e77a49a9e188a5
SHA256: aa0657f4f1e9f9ef3a3ce289bc882f5971195e4681499f02409486ed985e1407
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: momentjs.jar: bg.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/bg.js
MD5: ebd43c527dac81f273926142beec5553
SHA1: 46101d46348f560c622895e9e65465dd26e92d6a
SHA256: 0d034309eedbd03f17e22dbd963c8cc8d490c8e877f39c6c4081636d1cd28fca
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: momentjs.jar: bm.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/bm.js
MD5: 2ef1c37399931e14e2a4471ebc57bd21
SHA1: 1e10777797f13333027873cf0a1e05e52c2a9264
SHA256:1f3217d69f6512ea3984fb7428e1afe0c7779cf3822582c52e6eaa8982ac23b1
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: momentjs.jar: bn-bd.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/bn-bd.js
MD5: f2988fa9e29bc5573603a8140b321051
SHA1: ddca0b09ab220aa3e7d8b6d01e98b06071942e4a
SHA256:87296cd8b904b633d89b0a72b779aaf04e8d625fd8ed772e3227046b3a3acf80
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: momentjs.jar: bn.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/bn.js
MD5: f5037a3495a3febf37d9456b6745537a
SHA1: 5d8e28e5703371e674a9b2947426e23a1429455a
SHA256: a43f974ec15f638e67cec9d73cb33c339ce7cb35bb7041b478a930197977a890
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: momentjs.jar: bo.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/bo.js
MD5: 7dc25ead6d51909386b03c060b891690
SHA1: 5b47f8a1cd1b1dad8e8ae1c6f408dadda7cd6983
SHA256: dbf83d196ab69149d5f056a2b44e06441626f1e5d3c3aa1a300e64dc5150565f
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: momentjs.jar: br.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/br.js
MD5: 65949057a5632b430fce65f65c89ace7
SHA1: eda5bd14e942c85896b263b137e2e14f161836e6
SHA256: 35b4113f7552400639dc76ea40d55f1be6f44af2eaf4289e7c37e4e657522ba4
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: momentjs.jar: bs.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/bs.js
MD5: fac80361cb7d5e0c44f8956063e8eb07
SHA1: e0f831af87ad28205b93fbe4d7ef9001227eb1e4
SHA256: 1d185f2b71c18bb14d0e5db063d59912396d42a04aec97cfbbec19a5bb8bb5ec
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: momentjs.jar: ca.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/ca.js
MD5: 9c6c8738154552a40a29505cf41311af

SHA1: 65eee9703d130c7a90d085214ee60c4e087b9d1d
SHA256: c0ebe3bb033ce8f82c66a46dd297c19b30c80ba64036c721aca36a7f86f1b234
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: momentjs.jar: cs.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/cs.js
MD5: 8f0a7bef088e6698b6a090a6f6fe22de
SHA1: b137a5adfe662d0b1c258fe7bb2b73b971e2268e
SHA256: 0dcf511c06f565a917e4718cce467392bf898ba60af2b3fdb032b1910599ebc5
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: momentjs.jar: cv.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/cv.js
MD5: baf681a1e97ac68186325a98d5ef1861
SHA1: c0433a02791baf8ef6945a4ae0370c6d8d55b6
SHA256: 231b3a65bc4beb4d6f0920962dafc82611403df4979655cea53d9740d2986904
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: momentjs.jar: cy.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/cy.js
MD5: 868cca92c4392ae5b0627f305f9633b4
SHA1: 9c0f75132a2eaa3fdf0631a08f210f0e29208501
SHA256:05d100692e8cdd4a6b3b0eb56eb37c9c64dacab3254aaeba18c24689b18a6cf8
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: momentjs.jar: da.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/da.js
MD5: 47fe4d0a5079542391abdc125b4cb60
SHA1: 423a66383275eaf3f441f384c69b2d6e2cf905d1
SHA256:891e90544d1061ea578b51173a2dc4638c0e9af95cc2986f1f89ad5008e301e7
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: momentjs.jar: de-at.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/de-at.js

MD5: c2df366205b041e50b0dc27fe427c54d

SHA1: c52be9218cfbe8ae8d51f78af3494d3a2ed5d35f

SHA256: 0575c8ba66974f2eb3d7d74e16a265c40dbfe7802cefdecc9f196f92c0ecee97

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: momentjs.jar: de-ch.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/de-ch.js

MD5: 1f9bf40d5d392a14bb758de02e9d98df

SHA1: 838d95c91f39f7e28483c660e6f5005921d3da11

SHA256: b3c3d71abc98200d579cbbef89d470a6cbb272c4faa71e31232a68ef6451edd4

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: momentjs.jar: de.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/de.js
MD5: 260cd4a4a123af8e02f5aa4001cceaac
SHA1: b928a076571a81fde7fc1fd4a2adb45d9a9a2279
SHA256: 20fb0d0967e2720d135a6894165bf96e327b42bdedcbf45a9b2f9e44da7986dc
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: momentjs.jar: dv.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/dv.js
MD5: b3ac7e877fac1116b8759c6e7384e86d
SHA1: 3321dfc6f7147d148167b23a3642212fb10b1b89
SHA256: 94a1563faab9fe61f359a515042f56e2672886200e084de98bbd98769f71ba69
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: momentjs.jar: el.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/el.js
MD5: 7a1966e1fd7848aabcbe28ff2a445e

SHA1: 29af743b2dd9c09d9962080c3a5b4cdac2b09409
SHA256: a73fa8b59dd099d28a7824980577379437273f6ef35a90409cf36492bc2b3600
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: momentjs.jar: en-au.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/en-au.js
MD5: fc0b9a852c77ef21ee6deb24d95769f8
SHA1: 829e7b64e421cc91fbb306243b31d71f06fabdc2
SHA256: 6a84d80e99d57f1ca1faa1dcca9f48e9925de4013ac5ceab52cbf20b059cff8c
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: momentjs.jar: en-ca.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/en-ca.js
MD5: b6f095c75787cb0eb2421b32b2e9ea14
SHA1: 415ffbaa1c99a53d233979f5e907e83b59d54c9a
SHA256: d7b47d71cd5b63a0cd7bc3945ca1799d9345ba9dc3e85356231dbb4f6becdd01
Referenced In Project/Scope: server


Evidence



Type	Source	Name	Value	Confidence
Identifiers				
• None				

remotegui.zip: momentjs.jar: en-gb.js


File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/en-gb.js
MD5: 5ebfadfe47485b65c484822391d0aad1
SHA1: 4154fff794c0118f1c280d4e3c222b0b3f96a6eb
SHA256:46e86bfd873ce2ba61885faa9e0ba2ae1a510574f698d6a3aba7da49d1505eb9
Referenced In Project/Scope: server

Evidence 				
Type	Source	Name	Value	Confidence

Identifiers				
• None				

remotegui.zip: momentjs.jar: en-ie.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/en-ie.js
MD5: f5175b64f4c382500e7a00ed4113c3a3
SHA1: 12cf24c0dcfa4f82be14783a2889022043fe1f80
SHA256:41a3d03fb561db37dc1e3a63cba10467c0bcabb2ab7e788329f86b6be6f72d9e
Referenced In Project/Scope: server

Evidence 				
Type	Source	Name	Value	Confidence

Identifiers				
-------------	--	--	--	--

- None

remotegui.zip: momentjs.jar: en-il.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/en-il.js

MD5: 8f131247f11cf746d1b477c75de2e0a2

SHA1: f1fbc068a029ca0fcb5755fc5211ae43c9b2dd00

SHA256: 494c5f26d0a16c8c1645d70cfc327e19086831ce78bc98599f4e5abc321db7d7

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: momentjs.jar: en-in.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/en-in.js

MD5: 2d5a9ac86d2a83833aec6a68bc8947ae

SHA1: 64d4492b47eac3212f09a9dd1fdfe2afc9721142

SHA256: 290dd53cb6262cfc22c961faf969851adfa8c38b30c80c496b8c8f19232a13e8

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: momentjs.jar: en-nz.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/en-nz.js
MD5: 3a68b41d7982ae7bbc8a396d23e9d1a1
SHA1: 0c30117c176ae1c60d35e54c3c0cd47b5104e28e
SHA256: 9590cf61d2ab1b83f793be9f074340397e639fbb112a80c8bb7d2e3a77c45448
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: momentjs.jar: en-sg.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/en-sg.js
MD5: d32a209c24b07b617c68fb03e081061c
SHA1: 34729febed76ec17ccafdc06ce4f51902daaf42
SHA256: e3b29449d67e5d53d3420b5f4ec207dbd70f651380573b59f39aee2b1b9ca52d
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: momentjs.jar: eo.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/eo.js
MD5: f19d7f5dae34785b6ffd82971ff01712

SHA1: 8a6937235d4219a192ae127506cca9479097abdf
SHA256:823d3e21f85f9d3801f7004cc5cde82d5f45d98e977979322543a65908411e4c
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: momentjs.jar: es-do.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/es-do.js
MD5: 3f09c253c2e7ed72706b062bdb3ecee6
SHA1: 3bcd2f7f697c4241a5f47985835b0190a643630a
SHA256:a1d29019dcff0ce2a11cdf97018c20e99fbc739163c059ad8bf2408f77d3161
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: momentjs.jar: es-mx.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/es-mx.js
MD5: d16f10cddba51c3467b316318e592f22
SHA1: 4cc238005f4d59b4e3877449babf5cc8b3595f38
SHA256:a233573f641cc9c93c87b555fc5564c2e5ebb97e251338e971ba76e74d512646
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
Identifiers				
• None				

remotegui.zip: momentjs.jar: es-us.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/es-us.js

MD5: 276e7c3c7756f9e962f6141f5048894d

SHA1: bab0d54cfa34f527dcf6960f5379aeef05cc66c8

SHA256:3923c6bd6137387d5edc62f6dc0174cc9eef8363238c16eef78bd9d9c69bfafc

Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

• None

remotegui.zip: momentjs.jar: es.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/es.js

MD5: 0e92f45548e01672fc6a2f73979c397e

SHA1: 6e6385cb5f6e39ed9ba95ebc1fb66526e2c3371a

SHA256:2a8f1790d492fc338933a032a862f99998f31bcaf7a0e4fc298b6a3cb04cdf7e

Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: momentjs.jar: et.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/et.js

MD5: 8b5c6c8136c1bcb3dd35ff204c28b1fc

SHA1: 82ecebf743869c8231a6ef06cf5959e5cdbc7fc9

SHA256: 95c974679dba419b7d835fa51340c430bd0066bdc38a7a139caa575b67389d7e

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: momentjs.jar: eu.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/eu.js

MD5: 1f0f32ac558d6bf2591f0e7c59b09e88

SHA1: e8989f9da9ff458c51d7d4c21f9bfc99ddcd72a7

SHA256: ecbc07cdb215cf9996405fa56ef306761ec6a9383e19a53c2b45d6a1c5c4dc68

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: momentjs.jar: fa.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/fa.js
MD5: bad9e9e51e7cd982360114a2d6b9a03a
SHA1: 7285494b159552cdee8bb7050d1278144da80b04
SHA256: 15ca66ce1faa865c68998fcc8ab1160207636b9161ad76f7cf7acd0d7c0ebd1f
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: momentjs.jar: fi.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/fi.js
MD5: 08d74def02ac724471fce607ab87f4af
SHA1: 7f40cb04e95803f706af5caf5a983f7aa3f2365b
SHA256: 1339d4170019588a6764a56236c2a7c5b2389ace52a9ec5e8c09f1997935741f
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: momentjs.jar: fil.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/fil.js
MD5: fbc9e6bd5b49897ba8503d27e2d061ec

SHA1: 2121d4a7333acb3b7b120c1580a809a8a5927dc6
SHA256:d24cac0d0069d89c48b4c8cee34cddcb7e39892c91f07b884574fe0cafb66ef7
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: momentjs.jar: fo.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/fo.js
MD5: 85d4a1a25dd5c3fa021f9e6f63fd01ac
SHA1: 95d11e45e86f344a148706df7f5c86019e02ae30
SHA256:6338de573601e330030918569b8d2f80f98a57754e748a03ff56e3672fa25be7
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: momentjs.jar: fr-ca.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/fr-ca.js
MD5: c0ef60f7029fe6ab773c090320f0a66e
SHA1: 8970ff163faa9c8702be24f65f95e94b962d8622
SHA256:59c5acfb5605fa641721bf16123300164ccc043f4bad6009aa8d880b159124a
Referenced In Project/Scope: server


Evidence



Type	Source	Name	Value	Confidence
Identifiers				
• None				

remotegui.zip: momentjs.jar: fr-ch.js


File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/fr-ch.js
MD5: 3345c9d13645ae5fb2964c17559326f5
SHA1: d0cd4c6466797300434db0d6c8028bf46fe35bc0
SHA256:b32f50aa3d147ba5441d7728a45bce592125fd0a97117ca4b93b32c6393d847d
Referenced In Project/Scope: server

Evidence 				
Type	Source	Name	Value	Confidence

Identifiers				
• None				

remotegui.zip: momentjs.jar: fr.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/fr.js
MD5: 775f1eb59d6f597b1c398036002ae329
SHA1: e6f1741f5598b62a83bb071459d9e8cae4b3a127
SHA256:d87b4eb850bc7742c104557450d0a70d18a48a917335221af08d23850667523e
Referenced In Project/Scope: server

Evidence 				
Type	Source	Name	Value	Confidence

Identifiers				
-------------	--	--	--	--

- None

remotegui.zip: momentjs.jar: fy.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/fy.js

MD5: a54d9827ca1a619a839a15c94b7893a0

SHA1: 66863e3aaff531e89e83acd8844ca87f8516cf38

SHA256: c33ae59d9a05aca0dbe86d74bffa25eb44d04ee97b738034fcb72a21b73ec1cf1

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: momentjs.jar: ga.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/ga.js

MD5: 264a960fc2850670387b1cc90dc29dbb

SHA1: ddd261054362b16567ba858afae968cf2380bb6c

SHA256: fc6d5d441553b23b5ebc3c79896499a093a3285f1e6134a680b8899b5cca4c86

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: momentjs.jar: gd.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/gd.js
MD5: 0f3b98fcc8a06995436819446130320f
SHA1: 0050fa33180aa1f35c739cecb397846bff7d24e4
SHA256: efa1d779f65671809a63f900479c69bed19c262f2fe7936076793bd13deda080
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: momentjs.jar: gl.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/gl.js
MD5: 0d346a7ad989c39c04631e181056acb5
SHA1: 74c436284f15589fd53c9d4c090a4f75ff8376aa
SHA256: 825e6fad55094c13118d2cada0b6c5945a97ea9b647686c2b00dc6980bea4608
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: momentjs.jar: gom-deva.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/gom-deva.js
MD5: 6d2091e4ba1b31399eb4f1f3d92acaa2

SHA1: 9e27b24c4f8ff43da0373ca75738e0322cc1bd77
SHA256:ff5ebf00d100f610caa956ea22c45584e34067f762c2e9811326d5903ccd819c
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: momentjs.jar: gom-latn.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/gom-latn.js
MD5: 45f0c567784f534e16f304dd625682ad
SHA1: fc4b281f7d57696decbf3bd5e8c572f4191c9289
SHA256:caa6b3cafb8d463c7cb0b47783b84d7f7637f685b8d33d1224548f7f9a124cd5
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: momentjs.jar: gu.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/gu.js
MD5: e108958bf473fcc52349ecba7dcff10e
SHA1: 977667ee217d20d2ff2338dfa6ea9bda2e0c13d5
SHA256:5155f3aa5fe43b18c7b06cf02ff6e9d6c157d7da822c658fbd8e2f0edceef161
Referenced In Project/Scope: server


Evidence



Type	Source	Name	Value	Confidence
Identifiers				
• None				

remotegui.zip: momentjs.jar: he.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/he.js
MD5: f5e7fb20bbb7618d95e4928fee094f7e
SHA1: cbcd69bf9fa2cc2493d086af3a5cb15e893c7d64
SHA256: 93b540d4f1bc21d5668854475e8efd2d6fcaa2f596704752a586ce07d471d475
Referenced In Project/Scope: server

Evidence 				
Type	Source	Name	Value	Confidence
Identifiers				
• None				

remotegui.zip: momentjs.jar: hi.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/hi.js
MD5: 10451c28a31c032807f1fbf1bea5c32f
SHA1: 8ab3e8fd6823a63a2348cca98ca4eba215ad01a9
SHA256: 482f9289851cc5add17895787d427259acf8d9467db37000d383021aa097a1e3
Referenced In Project/Scope: server

Evidence 				
Type	Source	Name	Value	Confidence
Identifiers				

- None

remotegui.zip: momentjs.jar: hr.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/hr.js
MD5: bfeb6da022ce8f5d4610a485f6063935
SHA1: 0e475a985f8f3612c397a07781933bc4235be646
SHA256: 4af37cc6b498a4c3418f0b5d90efe5354422b3d158681454dc2eedee31ce1469
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: momentjs.jar: hu.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/hu.js
MD5: d485a763ba31196c55bafddc763cf98e
SHA1: 83c283112870db2a37b8d6a96e2ff423f27addac
SHA256: 518c3c1b849d41be9ef9673726ac3c71290096a727ff29c9edfb0f7489e3253f
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: momentjs.jar: hy-am.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/hy-am.js
MD5: 8fedcd99de263a8a5a906b27de70605
SHA1: 3fbec521a9f7cddb7576fb37a3f35ba2705e88
SHA256: 2c3bf5ef8c5162c7c4ed0ce4b144fad24eefd691911d7c8b86c21cab84f3bfe6
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: momentjs.jar: id.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/id.js
MD5: 3000b8d8d73e16384fd2a13aa7259d3e
SHA1: 1bcd369482f53edce0c1d34aeb15a918f3c7af7c
SHA256: 036154641aa4cba94ac8a65b98af75d2fa0ec29156674947d1148fa146689dc3
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: momentjs.jar: is.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/is.js
MD5: 0f5a457d3457dfb1c5d256436b5e442

SHA1: af0c0c6573bb9628ee8c97479651f65571d6a56e
SHA256:6943c853ee0ad65ad2e3e38baecc90dc8088071f10406ee8a5ad995d7cf5f6e6
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: momentjs.jar: it-ch.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller
/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/momentjs.jar/META-INF
/resources/webjars/momentjs/2.29.4/locale/it-ch.js
MD5: 0c0cd69247909aeca5d78d255b30a617
SHA1: 71631e4e4ce3a8466d80d4960a86605634a713dd
SHA256:9670e2244dd63556408fc20671fd763fb91be52041eee92934710e75e2b3b7fa
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: momentjs.jar: it.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller
/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/momentjs.jar/META-INF
/resources/webjars/momentjs/2.29.4/locale/it.js
MD5: 1abd9a8f32e7930bbdebd23a2bfa4afb
SHA1: 40cc21bf11475c48c1681ebc18a63a2bea4b8962
SHA256:2fe7346bd6fdf02aee19fde76bd2ca0b5e65903ddd45d097be2342ee7b0b9470
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: momentjs.jar: ja.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/ja.js
MD5: f39b4bc3b33715242a84fed53b50d596
SHA1: 8bebb66d25df95fc67d48f4ebc4b519fbc7d9482
SHA256: 9720de4592dd94861f2fabb51110533fe44620f517e50448dd828a7f2eef7009
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: momentjs.jar: jv.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/jv.js
MD5: 307628de0dbfe42c1aedc98c3afc1aae
SHA1: 7620cfee82f0241100b34de89cefd40412456ef6
SHA256: 707617feaac7459e5d5c39ff3ea4a5e5da0cf398384902c1cd5975cbd1a113cd
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: momentjs.jar: ka.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/ka.js
MD5: 629be6bde33738ff66f7119b3b617798
SHA1: 02209d78bf7dfa3b5e585e64ebfc61ce561e5f3d
SHA256: 2c15068d2ceb1f34e4b92f95710b181bd1034410b8a96ae15dd11ee24d0ff0fa
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: momentjs.jar: kk.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/kk.js
MD5: 4532f947979a50597d1c82a42f0facb8
SHA1: 9a8cad32d8e4350e40184813f4d19aa05882a8c9
SHA256: 430c86f6c0ea0199d8622045883048b35875bea37b44424663bbe573056ec981
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: momentjs.jar: km.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/km.js
MD5: f73d0c92be21341d171e019c00173f3d
SHA1: 6adb747842bb733d90ce2b7dcf4963f1d62a7a4b
SHA256: 01b837409a1ee03d8269886915f10ae1b9460b2cc42cc5f6fac862f7360ba103
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: momentjs.jar: kn.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/kn.js
MD5: 72e237c519a91674447b268b61983bbe
SHA1: d72624462d7dbcf362ccc15385d5cb5a124304c2
SHA256: 9673f6d7a10086cda8228f1c080ec032e8f34e3a3de2f1413582e0a6cc6f2128
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: momentjs.jar: ko.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/ko.js
MD5: 14369b837e9e15378938754b04bd2189

SHA1: 9c886434ef46530e25cea737272027ac505b6adc
SHA256:f15f592b5d7d5bbbd061c5ad31d4c45f462ad43acad74808c6a7105b108ec0eb
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: momentjs.jar: ku.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/ku.js
MD5: ba513eb127fa22206ca1a67ad8467da2
SHA1: 45c0c079a209932f8a8be25a94f0fb97be8ebf84
SHA256:816c9c27f4237f1fa595c5be0a60b7e5c58ec0336d5a908e03f73fd8596e1caf
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: momentjs.jar: ky.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/ky.js
MD5: 68f9c0556546367a8c25903bb8348b80
SHA1: 5bc99ba86f969c07cd1b0dc62510c572707adb64
SHA256:d3c35f2c47610c7c921268cb98cf398599068d24d51e7a89167707130c85ad59
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
Identifiers				
• None				

remotegui.zip: momentjs.jar: lb.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/lb.js

MD5: 474c1a2279d961b67a8329372fb54367

SHA1: c6acf49c446bb128ce8aa5f980664107e92523cd

SHA256: cecd52da4e3f3a7a69d4cde1692c90d000a3726772f8e00a9c232faf4d6ff985

Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

• None

remotegui.zip: momentjs.jar: lo.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/lo.js

MD5: 629f0195acb5feb16432ffc78b6418d0

SHA1: 10730e85c79a5c325f30a5f0fd1b83928918cde2

SHA256: 83c284d16d40e861cd01c28683acf77475813993b2a17201f17127e238e5bcd6

Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: momentjs.jar: locales.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/min/locales.js

MD5: 3aabc3a57ff7796110a9d427e6e61280

SHA1: 59155d41e1b7a2f651f26f8db2768c42206bc4b7

SHA256: a6d8d341af2a118463f8dbec697f3b5210552997ef51e0d9a77c84235f2eb2dd

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: momentjs.jar: locales.min.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/min/locales.min.js

MD5: 5d62f0a64211c2d3e0d009cc69c48202

SHA1: 4c6bb9ae2e43259229cc16e9eb7ef70f3c8cea12

SHA256: 1a3224b3cabca0fa92ca56e14da46d7f209ed28ce68ed50940b4fa6ed2ffd254

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: momentjs.jar: lt.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/lt.js
MD5: fc931f5db9a4d5b832e7c53985cfb233
SHA1: 6d5575d2ab06036bb29e50e7b4607985b0c10aec
SHA256: a02ce50203e4cc9e85db77632d41f489f14c893f986199c8dd04191199924094
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: momentjs.jar: lv.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/lv.js
MD5: bc6f1396c4b85e2b01b4b2fca550c0b7
SHA1: a18e4175ecd49b5e3382dac1bbcdc48c3279c60f
SHA256: e4f68dbe71147bdc76d7614102eb525f9a5d8dacc690dd661091412b0c9505cb1
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: momentjs.jar: me.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/me.js
MD5: 4b76ccc2617dfc9bd6a54643659bec05

SHA1: 924aea795ae1a9581ed184b384806891ce336e27
SHA256: 24103df1e95500b3fdc4aa60b933c66d2cf33aa4ff8d2401ae847c516285679e
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: momentjs.jar: mi.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/mi.js
MD5: 89179085b30d2752584c4f4e9c3ac04a
SHA1: dbf999f790c8e7f99c27c55d8184cb46d1f0ee85
SHA256: 9cc67dce66cf3f0f9a57ce732af6878cc23fedcf256fd5302c6cf57df87eac3a
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: momentjs.jar: mk.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/mk.js
MD5: 7a6a2a4ae623481704f78bb0ed6e1968
SHA1: 3d984281f4acbb38920919c47916a0ecc46d8d82
SHA256: c38140b5408a91d9632765d23f4368f0cc98dfb6aafb0fcce452b6b4bfa93efd
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: momentjs.jar: ml.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/ml.js
MD5: adaeaf5c9b5995567c7723ded581c647
SHA1: 3cbb01a59dbfdd3b86caf1b30938598c52e1dac8
SHA256:d45ac595a918393ae8f76838688fcd569c917b945e9c53861ec4a1f11f20aed2
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: momentjs.jar: mn.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/mn.js
MD5: 2229e9c27b35b688a4211bad4d7574eb
SHA1: 7fb0c3b04afb903aaa0a3a1b4b478a8b2d9d6bf3
SHA256:0f1f5bbc9eaf020931f8cb54ae085e51c41c0761ffc7fd265dbb60cbe7d84076
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: momentjs.jar: moment-with-locales.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/min/moment-with-locales.js

MD5: d07131713d356424c14481ed9e77ced2

SHA1: 6ef93c81041412f1b60d1254595cb04b53f8ec39

SHA256: f37cad4429c2815e53699ca98abd4e8773737f696fff554c63a58f4d6589200b

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: momentjs.jar: moment-with-locales.min.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/min/moment-with-locales.min.js

MD5: d458b68730a7330653700489333a7837

SHA1: 4059aeca1d0b99aec8006b37a927f09d9c0e794d

SHA256: 430725b95468277dcbccc27e08e3d873276c0082737310b0b1ad330392511847

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: momentjs.jar: moment.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/moment.js
MD5: 6e5aa6783efbeff584f4292398326b32
SHA1: 450696675b814c89ec016901b570c05891ca2c04
SHA256:c33f09a4e1230f3075be8d2a94081108d52f62d3c30b9a238941fe80790267c6
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: momentjs.jar: moment.min.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/min/moment.min.js
MD5: 6c0a2330b0d8d6ea185d4669a0eddeab
SHA1: d4f50308961144876b2b5fa57684b737694a4b04
SHA256:f343aa319a17a3fc372ee6ad5af482b9bf6a298cb22652b4aa7502604821071f
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: momentjs.jar: mr.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/mr.js
MD5: cd715ac0f919538bf79acdb4a477763e

SHA1: 467bc9f9b59ee399af6ef3f89886c150f74ae52a
SHA256:f6347f442281844a205245620f9e469f52cacb7dd41640ef67d32a94f2c583d0
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: momentjs.jar: ms-my.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller
/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/momentjs.jar/META-INF
/resources/webjars/momentjs/2.29.4/locale/ms-my.js
MD5: cb7a91cedb211e85abf06a4683d39800
SHA1: 05754f446f94d9b0d34885bdb0dd40d08df23295
SHA256:fa77f6b23884ace43199d189a596c8cd436ab20b2b6966599dd9fd589e51548f
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: momentjs.jar: ms.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller
/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/momentjs.jar/META-INF
/resources/webjars/momentjs/2.29.4/locale/ms.js
MD5: 3f2df63e4e8e99e5f3a23b44e135f90a
SHA1: 7e8563a8e513fb3f2f711395992fb34d6039e841
SHA256:6b6301d42544281a07e51e517a1acd2e498e6289b29e74817433a86751761f71
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: momentjs.jar: mt.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/mt.js
MD5: 3cc610e1a28bb045e3f21adfa96614ce
SHA1: f22377dc419295b8cf22ca6459df3f834475ddf9
SHA256: 6af1d3643bd218941f30da0f6ba7bd64d4c2d0c49336876308af3af0387b0440
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: momentjs.jar: my.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/my.js
MD5: 1de06907d41a2fbf6861958ee0eaaba6
SHA1: 1b5eaf3d04d7a45a9e93db791963bfa0cf999383
SHA256: 92732cb26a774bc3e049c7e212d8ef1425413d63522ccca1fb1b0696854da4ad
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: momentjs.jar: nb.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/nb.js

MD5: ee293037089769cbdbbf9f2dba3e01e6

SHA1: bfed5520bb401c83f0b391cf09ab1907e4362f2e

SHA256: 36f088dce675389ff1b12afe35703b6d166cef8df8a24e1e1d6ecfcf7be84fd5

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: momentjs.jar: ne.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/ne.js

MD5: f09e1496b96096e594254145053e777d

SHA1: 601e6b5e8ead8fac21d661c4cb1f5aee22c96755

SHA256: 804bbd6c30dc3b74de711a44f9019db06210323a0db31e53ce730feab5ea6275

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: momentjs.jar: nl-be.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/nl-be.js
MD5: e50c24ded5247900814470d1a6cc8854
SHA1: 73d12dfe3645a5ea9e0b6c4d5b2a5f28ac022af2
SHA256: 2bd27e18811c7363a1b46b815173d626102523a2f76854792885166f4a99eb5f
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: momentjs.jar: nl.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/nl.js
MD5: 843085f588379356ba9556d93aa9ccdb
SHA1: afe70913ffce08e256c3c9ffe350272bcb791a0
SHA256: 037e055b18b4376112d853e3d357b217dcc0bfd3990e0155b980ff622b4ff8d9
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: momentjs.jar: nn.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/nn.js
MD5: 7c29b42f21ff6b7e0b1f16ebb20d2a5a

SHA1: 9464502746665d34779fd3e7c9c05212db534556
SHA256:66007f84c945a3475100a3024d5fa3d430d6e11e64de81849e50ea73e3f390be
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: momentjs.jar: oc-lnc.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller
/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/momentjs.jar/META-INF
/resources/webjars/momentjs/2.29.4/locale/oc-lnc.js
MD5: 16a8d7288d0007906a6ebb39fd954265
SHA1: 5442e9e7ee72e6f2ed438139d5779ddcfaaf471c
SHA256:1e03cd598c495e4dca3bae56e3822cacde57333ab5a85f555c582e104f54261c
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: momentjs.jar: pa-in.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller
/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/momentjs.jar/META-INF
/resources/webjars/momentjs/2.29.4/locale/pa-in.js
MD5: 8247ac1929cfdcc902a77542e9fa470c
SHA1: a0270710978d4f03b32a4d5cd38065d6d274729a
SHA256:5ba548ba7844a1c5c4a7f003337237f940b5e8aa67254fb90e1a05a66f2b43ac
Referenced In Project/Scope: server


Evidence



Type	Source	Name	Value	Confidence
Identifiers				
• None				


remotegui.zip: momentjs.jar: package.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/package.js
MD5: a26087930b5278aa21fd79491b952ac0
SHA1: ea880b139fa5aad30129356d4c2b61c7acad7452
SHA256:6334f70497c6d8fd22adb3089eec30bf1e2b3dacf92508df52eaa7a8aee12bba
Referenced In Project/Scope: server

Evidence 				
Type	Source	Name	Value	Confidence
Identifiers				
• None				

remotegui.zip: momentjs.jar: package.json

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/package.json
MD5: f1965dc95e9d5ef4816ffbb597d484ab
SHA1: fa7b033b3a1adcb85370480289e6a60cfd21ac89
SHA256:25f5d25a676dda5763fea169d93a31dc12bd0a6d5d7f352379c8afcb1e3d794e
Referenced In Project/Scope: server

Evidence 				
Type	Source	Name	Value	Confidence
Identifiers				

- None

remotegui.zip: momentjs.jar: pl.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/pl.js

MD5: ea2f9b5ff7c97f62603f1e8786708d7a

SHA1: a9b097f9c1dfe0872befdf47995602029bbd22c9

SHA256: 5435a1265dacc269403f275095e24a63ff3b8bb0f95908f7a2a987fbe2ab9e43

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: momentjs.jar: pt-br.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/pt-br.js

MD5: b70a96c3353ca41f14b5628aaeef6461

SHA1: 02e3841b0ed1fbf086a5b8bc1be8cf835cc9d8c2

SHA256: 8a8b165be42795d9e945e7494f38ea353ee2f7eee7eab123073f3a42ce755687

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: momentjs.jar: pt.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/pt.js
MD5: 71f120e6f7682b0e80a9d5982b8a4711
SHA1: 49494f7c1cdb36294b6d640a524c2cf19eed12b5
SHA256: 89e4c2f2d351ad7e2fefec9332778b16cd4a31858ded9ad6fece12fd9db94ac2
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: momentjs.jar: ro.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/ro.js
MD5: 84b1a53a794d8749061a53eb558110f3
SHA1: c2241e36357a248cdc870a8f83c19d12a031b479
SHA256: f66bcaadde14018ffb3bce26ea8ffc3ce36cc65c4c1e9ef9ed6cb321b7ae9481
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: momentjs.jar: ru.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/ru.js
MD5: c66d22693e1e950330471ed9de408aaa

SHA1: 3f4b2156029a26bc408cdfccf5812bd125c760cd
SHA256: 47b9c98d906dc3d7b7f40e604d793fff2e142f7d788f6ac0deac5030458ef5
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: momentjs.jar: sd.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/sd.js
MD5: 115132c218de16cbea034b2762b9df9d
SHA1: ff940a6362744a8258e15cb09c4e4b46c48f3ec9
SHA256: e5f27127927a41eb82e45491e52bd6a529d3db5e6cd519c48f7473268909f6c3
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: momentjs.jar: se.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/se.js
MD5: d63f9c00eb2beeff26eabfea1406a3bc
SHA1: 8fc07d6276adf84ab94a1d352d55c105769f9017
SHA256: 424ed10805d004f217b44ff6a0da5bad51d8f3b25577306f6e1f59c387525da2
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
Identifiers				
• None				

remotegui.zip: momentjs.jar: si.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/si.js

MD5: 0bdd326bd6fe7e94a1c3fed06cf79cdb

SHA1: 6dc83c8bee2af014c11994abd5f0718ed9c4dc64

SHA256:8e7582efb99ff00bb7aeb6de0bfa65792592a5b4e81ae6caa7bf8cd8cb3180de

Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

• None

remotegui.zip: momentjs.jar: sk.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/sk.js

MD5: 0d4c93cc1adf0c2fe5bdcde7b1cca213

SHA1: 17c72fd3b31573f097f962b851fc82db22f217c1

SHA256:7685c076b71fd8e36c2cb84c645bb3a75d84566f26c3682a2792f0113b4d9b16

Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: momentjs.jar: sl.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/sl.js

MD5: 11bbdf40343f7ee615144b2c3df93d54

SHA1: 853a6dcfaa15df6205729d754739633de7e3f667

SHA256: ff2e8352962c2d13d114356c863701f2473651f6491639e1826ab417d0377f90

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: momentjs.jar: sq.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/sq.js

MD5: f5c6cad85947f97d184ce17397145e3c

SHA1: 1817cdeeb3261b7f03f13902a7d8adfe46c36a65

SHA256: 9d7d061c245349d6897732c90ad57841c9132b9b556be07a24dc76ff17cf75a0

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: momentjs.jar: sr-cyrl.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/sr-cyrl.js
MD5: 403a704d0b31d44f5d43a05f060f879d
SHA1: fe545c0831b16a2393a771221f2daf3f8af50cf8
SHA256: e62567ebcb6434f8652b1867386d7324c06d1f226fe9fad0517e658503ab496a
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: momentjs.jar: sr.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/sr.js
MD5: b5752681e826802ad4578a65d446d2ab
SHA1: 18c79b7064d378b578c83facf15be80314e34581
SHA256: 307eb8be823a2997ce88c5ad8c3ca19e7a6345f116331fe3856659665de0d453
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: momentjs.jar: ss.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/ss.js
MD5: e61a001b0c3ea5bebde2d4d96d7c19c6

SHA1: a26e124883144d6ac990722d7915ceb80a44f7c8
SHA256:0d8a08574cc28602738aca72bed6364e88dd93fb2131a20c06630e3dd7565945
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: momentjs.jar: sv.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/sv.js
MD5: a276c85890a03d5a55715768969516fc
SHA1: 135396ef7e63b71af3df1cbafc5b060a32aaea4e
SHA256:08f8dbba970b89522adaabe609f47a3f20857c0985967888124f9204f4c3e2f0
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: momentjs.jar: sw.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/sw.js
MD5: b9e0ae98f621d6f9a622fe09225978cf
SHA1: 42f76f09c8d7049758fcf8f78e30881e6681c40e
SHA256:d6056ac79071a9f60793825357dac3ecf35c43acf10e02a65f1892f1fd9cc0c1
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: momentjs.jar: ta.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/ta.js
MD5: 2b48e3a057ec1ecf49d4e16d56263ed8
SHA1: 94a700dff6eda352ad3a2c4d7f5a4dc5e6219321
SHA256:2dae88a3138adda69fdec54914461ec28d4fa5e720d7626ddb3fb91a74a2ab6b
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: momentjs.jar: te.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/te.js
MD5: 39e36c17c46798dfdcf0ddae92610807
SHA1: 1168038e9d7c735ac44fc0eca95796067ca7b51b
SHA256:2cc07292a2ab5702d8e1e849ae3b28cca5c6194d0d150ec637c6289d9d864e32
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: momentjs.jar: tests.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/min/tests.js

MD5: d39f31787b27fc1bb028ef80e699cd7c

SHA1: 4c0335c7f8c19e26ecdd2f9f0ed08323507031d7

SHA256: 895d3ab9bb945f1f86903438a18c9fb308e84a912e4859da39fd1bb08da63e44

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: momentjs.jar: tet.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/tet.js

MD5: 0a6f7fbd649b280c8fff433d32591867

SHA1: 15f108397be93776a1c232f3de813e27f305550e

SHA256: d80dcb236c671594af031c93d32ed883c322a6f32bd25637d454d7b9d9e81593

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: momentjs.jar: tg.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/tg.js
MD5: 83e93f32f7f488c26def6938e280b716
SHA1: 59886e50e9d7e53beb111b317d5195ee0382050e
SHA256: 24c8928619c471831467afc05aca6f0299e40b418b78bb30b4d66942d872d2bb
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: momentjs.jar: th.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/th.js
MD5: e14a3488b2c85b54f65262d6fcc6b1b5
SHA1: 7697e04cbe08eefdc5ad4cefca7ea7ef42cac791
SHA256: 9911634c353a7ce63a81139f914552fc80a499029a803ced8b32b6af88c53bf4
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: momentjs.jar: tk.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/tk.js
MD5: c01b5d264b1cfa34c4723e995439ebb9

SHA1: 8445ede8c1ce77556495f9a5469ead5d3b2b3ee8
SHA256:fc6654229cf3f6e6bb2aeb5b70dc4e6adf7f307575af9d15b7a31aab897a9988
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: momentjs.jar: tl-ph.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller
/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/momentjs.jar/META-INF
/resources/webjars/momentjs/2.29.4/locale/tl-ph.js
MD5: ae584c5d3e7690a710b144fc505a7d
SHA1: ccc8535e56aeb0b2c2991ec7c2c232a16334f09b
SHA256:e324f1791432534af3ada36c185637db02eaf3d3ed8f88ddf143538dc484cc3a
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: momentjs.jar: tlh.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller
/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/momentjs.jar/META-INF
/resources/webjars/momentjs/2.29.4/locale/tlh.js
MD5: 59508c37879615bd0a0beee8f69a28da
SHA1: 15324b9edf1a3e7bbc52b1e510ac53def8ce02ef
SHA256:dccea1319a2e92d9bf373e1d8dadcd4a130e1fa2457d7a66dd035c3cb93601cd
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
Identifiers				
• None				

remotegui.zip: momentjs.jar: tr.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/tr.js

MD5: 0cf5765f4f245b2cd8a21dee0c3c92ba

SHA1: 7eb8afffa83fb85eba987c80a934c6ad30a23b23

SHA256:e8af125b0bdb3c15ff5ef2eb171bfe698507a026a9cab54bedb0770cdca34fb2

Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

• None

remotegui.zip: momentjs.jar: tzl.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/tzl.js

MD5: a2587bce05b5fa3015dce4ccedbdc802

SHA1: b9c4bb7a9f9ad9dd515bb9de82be90d0d4932fe6

SHA256:393e6424d498fd2abbf646217a197b61c4c57706e6b29ec2873ab20e7bdf6970

Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: momentjs.jar: tzm-latn.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/tzm-latn.js

MD5: 582198d314e9ced1007620d4e7701734

SHA1: 17859d3345ae82ce39d5d036649c1976b9e4474a

SHA256: 7909cef0eb3080599c24794c079e05ba07af565f198450df0ad411c85be45030

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: momentjs.jar: tzm.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/tzm.js

MD5: 69d71f7f7674fd7f8b35f14dc179339b

SHA1: b5166e0443eb54c38185227e954cd5cc2b1f589b

SHA256: e6f3a2e2e3ca86953e2c06ca562607a95d2b5129e751e5e0905270f3e56a1f52

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: momentjs.jar: ug-cn.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/ug-cn.js
MD5: aad8845e8fb63517d21b322fef4a3545
SHA1: aff6b2361311a6475b9fd755bf63d23e3e6132b1
SHA256: 58de2ad653876b1eb27ceaffb0037ddb0e4fb7917e111fa7a88ef8ab01fd041d
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: momentjs.jar: uk.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/uk.js
MD5: fbe69f339b236b654b3e41d8d8b56536
SHA1: d9fdc9224f535c1338048858a9e457558f95349e
SHA256: 725764b2851d3db79d8fb20b96ce7708cd1dc60c6ca6f37bac4df2350f3ccbf4
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: momentjs.jar: ur.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/ur.js
MD5: 3da71179953500680163984295abe43d

SHA1: 2fdee5b33f8d29a565d84927fd333a2d9d41e5b2
SHA256:c89fc485a14cb20c0576ff20bc3d157e1296f2b2ddfa8035f71e8b58f61a29a4
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: momentjs.jar: uz-latn.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/uz-latn.js
MD5: 75ce0ce4c28806c32575c4f28ded6185
SHA1: 2648a6adc3ebb4dc12b070a5cc0a126050cf685a
SHA256:3943e946fcad9c965f147c50e08da71d3270239175de530d1f48be6fb44956ed
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: momentjs.jar: uz.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/uz.js
MD5: 3d11efeaad9c7b7f344eb8beb691a2d3
SHA1: 73ce197519648ecb5e6756bb2fb953688b42af2a
SHA256:9f22344f9ff69b1cf5546c975fd8847884bb032216d15054ea267cb964a09b08
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: momentjs.jar: vi.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/vi.js
MD5: 28c7ec0c4bf82120245da0d15112f4b0
SHA1: 1470d1969733e49331f2e435910b045e6a0a518b
SHA256:c5db03ae438e4c55a6edfa004540aaf1def14fe0968f9ed3e03fe7dd7c3faf03
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: momentjs.jar: webjars-requirejs.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/webjars-requirejs.js
MD5: 34b1a7dcca0ee03eed1432670ed9c472
SHA1: 9de80e951270f04bbafd39d9d7822df4f7d08839
SHA256:197295e6af66b25f2aaa0909c6911f7c1c76e24eaf170d9cba2d84644146bfeb
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: momentjs.jar: x-pseudo.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/x-pseudo.js

MD5: 18b5b8d8f2f327f6d5ec947e550f35e0

SHA1: acc470244b95f709e4b68e7ab94b2c645f929f47

SHA256: ca8ab052a09b2f320574c71c472609e026b4aa72c87a06f204ff33670249e2bf

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: momentjs.jar: yo.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/yo.js

MD5: 42b28f7a2ea67c7b5a342c87ef0a5771

SHA1: 84f6d714e3aadf74ab8a755b465df7ec8215fada

SHA256: d80655b604558af2855f5b67b21b28ec5770985b67fde59e94e1168e5f4795c8

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: momentjs.jar: zh-cn.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/zh-cn.js
MD5: 49fa27dd7c374122f336369f30a87973
SHA1: 768eeb42e5372200634e8825680c6e18b0c8db8d
SHA256: 53138532aad7c571af10cf6b17a678552e9a9e7ef5014d250f97af8dc61ae6e1
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: momentjs.jar: zh-hk.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/zh-hk.js
MD5: 9338eb6ad8e887a63be4fbaa05cab197
SHA1: 92340e4f48872df241a47bf9bd13647092fd25c9
SHA256: c6d7de0d1f5544a1d3bb64c7eb27481b30316766f1214fbb5b1c6be358a4b921
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: momentjs.jar: zh-mo.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/zh-mo.js
MD5: a986f68bda18d9751f6bedd7356e6e7c

SHA1: 6cac0e5b7b9e15ea799ce6a1575be93df4832c87
SHA256:874ca3806f556c5809842613ba410c965111ea9441fb949a32abe2a7c3bf7f8a
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: momentjs.jar: zh-tw.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/zh-tw.js
MD5: 94fb46a7c1ce21f0a91512b170d4fdea
SHA1: cb69c6ca687ace454432d994ae5b624ba9011b62
SHA256:62fb1b36d24050120cadf807b975ffe9d7986aeb41a0f4ac218c3ad23a1c9b1a
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: remotegui.jar

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/remotegui.jar
MD5: 69ba4170d848d723b685b9dbceaa3854
SHA1: 17a834bfa7353d5bbf15397c912f6f4d7407f3ed
SHA256:011bc706f6ed2dd95765cef54a0785ced9652d49a3b5d0a30101f91f63d6d72f
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Vendor	file	name	remotegui	High
Vendor	jar	package name	gui	Low
Vendor	jar	package name	inet	Low
Vendor	jar	package name	remote	Low
Vendor	Manifest	built-date	2024-09-19 16:44	Low
Vendor	Manifest	implementation-group	shared	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	remotegui	High
Product	jar	package name	gui	Low
Product	jar	package name	remote	Low
Product	jar	package name	shared	Highest
Product	Manifest	built-date	2024-09-19 16:44	Low
Product	Manifest	implementation-group	shared	Low
Product	Manifest	Implementation-Title	remotegui	High
Product	Manifest	specification-title	remotegui	Medium
Version	jar	package name	shared	Highest
Version	Manifest	Implementation-Version	24.10.163	High

Identifiers

- None

remotegui.zip: remotegui.jar: DbClickButton.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/js/DbClickButton.js

MD5: c35cd6abda035a7828fad8a14272397a

SHA1: 65385b9909c63a872d6a2fe776b2e05bffd029bc

SHA256:daa55ecad70e86d0ff8182c9193cd0e9ba9fd0d627632109caf441ddf984b709
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: remotegui.jar: DbClickDragSource.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/js/DbClickDragSource.js
MD5: b9f567f02c81be5c2f843f6e38aa894a
SHA1: 5136acd6b661d044d804e9075d286f0db02bc380
SHA256:736fd4a9a895d5388b84bad8f3a6b9b9bd54120fff2e9a86d583a7a7a72e8e49
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: remotegui.jar: DbClickTable.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/js/DbClickTable.js
MD5: b5ac6f4dd2ae20f04e66f4384127629b
SHA1: fa13ae5a5dfa28c5608f82a6a60efc6ed89b319f
SHA256:42b699f934a4f02836b0d8f168b210e1d6c1b4502e2fcf8ba7bc385d5b0eb7b4
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: remotegui.jar: HeightDetermineButton.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/js/HeightDetermineButton.js

MD5: abd8bb7d4d3390b42e7d292435e79584

SHA1: aa34d0ec2c59d29e1e07fa92074913df1f9c4974

SHA256: 345d53ff522d1d288a06c1ce4be2fc7b7310cb25946366df704836a6fbd65606

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: remotegui.jar: InetContentPane.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/js/InetContentPane.js

MD5: d92edf895b367267a18b164461f7450a

SHA1: e8024cc29237e47f8e635125073cb13d0ad2a4ff

SHA256: b3e4706e5af04905f36bf92cd50c159d92248cbd01051320fbb84acb48a69ea3

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: remotegui.jar: MouseOverTarget.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/js/MouseOverTarget.js

MD5: 0a897d206c56960e7839e11480367771

SHA1: 3766f3e726b8ed774c85a1591878d430d846f97c

SHA256: 48b3c5e519a54b4c43292470ededa7a21c9ab836b34a9dab6e84280ed7e07a27

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: remotegui.jar: PreventSelectionSplitPane.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/js/PreventSelectionSplitPane.js

MD5: 5b86b53aada37ddc636b5a0a1884ae66

SHA1: dc90617fb1c00b4f53e74202adbcc543bc75003f

SHA256: 294120a9528e6dfd99a1eed73f3ef53be16d71e73cdc51648840ac7cbaa64534

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: remotegui.jar: ScrollEventWindow.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/js/ScrollEventWindow.js
MD5: 8f8242238182a1beac5f5c64f600ae6a
SHA1: bc28865113709558b01ba63b49831aa940f18349
SHA256: 9b68c31583e928ef7f79e3bc75cd162c21a8ae81a8b6d790bff3075d532f3ee4
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: remotegui.jar: SortDbClickTable.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/js/SortDbClickTable.js
MD5: e2e630e3637693634dda02f4dab7f5ef
SHA1: dbd89c0ef9cd8321e46aa55a331419fd2b4ccf2f
SHA256: 5f535d195fd0e603255eb4ef18f9c2127bc4f4338b2e138f11d9e1f7ec2d4c65
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: remotegui.jar: angular-websocket.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/lib/angularwebsocket/angular-websocket.js
MD5: 3f86ccf4a10e6badf8742df346ba50d0
SHA1: 78b01247a82172c53701ab5056d999fd884d8788
SHA256: cee290dab1dfa96a8353cbbd27c783964862299fb03094f07a1a6d9785479d25
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: remotegui.jar: app.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/template/js/app.js

MD5: 5c38f06f9aabeb99bd5fc8518de5d3d6

SHA1: c2bb6f8e58bbd39980d007af801dce7f2a0a9a96

SHA256: 27571139c971b40e378d135cb1fde1f5e758c17be6a8f17630d30251919d8999

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: remotegui.jar: app.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/modules/login/js/app.js

MD5: 5c9a07ad00aa493976b33fe9a25fc49e

SHA1: cda6cd6cc723c95ce2483b92b6863c31c929951a

SHA256: 14b0bb8264d77d914174be291932c419fdf34be10ae054464f69c90ccfe5e681

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies



- remotegui.zip: remotegui.jar: app.js
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/modules/logout/js/app.js
 - MD5: 5c9a07ad00aa493976b33fe9a25fc49e
 - SHA1: cdafe6cd6cc723c95ce2483b92b6863c31c929951a
 - SHA256: 14b0bb8264d77d914174be291932c419fdf34be10ae054464f69c90ccfe5e681
- remotegui.zip: remotegui.jar: app.js
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/modules/masterlogin/js/app.js
 - MD5: 5c9a07ad00aa493976b33fe9a25fc49e
 - SHA1: cdafe6cd6cc723c95ce2483b92b6863c31c929951a
 - SHA256: 14b0bb8264d77d914174be291932c419fdf34be10ae054464f69c90ccfe5e681
- remotegui.zip: remotegui.jar: app.js
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/modules/passwordreset/js/app.js
 - MD5: 5c9a07ad00aa493976b33fe9a25fc49e
 - SHA1: cdafe6cd6cc723c95ce2483b92b6863c31c929951a
 - SHA256: 14b0bb8264d77d914174be291932c419fdf34be10ae054464f69c90ccfe5e681
- remotegui.zip: remotegui.jar: app.js
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/modules/signup/js/app.js
 - MD5: 5c9a07ad00aa493976b33fe9a25fc49e
 - SHA1: cdafe6cd6cc723c95ce2483b92b6863c31c929951a
 - SHA256: 14b0bb8264d77d914174be291932c419fdf34be10ae054464f69c90ccfe5e681
- remotegui.zip: remotegui.jar: app.js
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/modules/signupbasic/js/app.js
 - MD5: 5c9a07ad00aa493976b33fe9a25fc49e
 - SHA1: cdafe6cd6cc723c95ce2483b92b6863c31c929951a
 - SHA256: 14b0bb8264d77d914174be291932c419fdf34be10ae054464f69c90ccfe5e681

Identifiers

- None

remotegui.zip: remotegui.jar: app.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/modules/reporterror/js/app.js

MD5: d44f777bda98c2575c0fd09b0fed6365

SHA1: e9a9d78155906a6701e6651297d5938b30783ac6

SHA256: dde14cae0d8536b58b9231cdb02116c3913e24001aeb11e7c69cf1b867ca1c27

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: remotegui.jar: app.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/modules/start/js/app.js

MD5: c5a25c30b25493ddba670b39a30fb2ec

SHA1: 818255f797fadcd160ac04bf5bc006795f1ddbe2

SHA256: c8376d288d31f979994d422e0f9adc8cdaff08c40a7ec3e5187f573363e4f1d0

Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: remotegui.jar: appbadge.service.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/appbadge.service.js

MD5: 972c23014cebfa2b2d70c29f9b40301d

SHA1: a787173bae8c89a77b0362f4b249d05878c12060

SHA256: ac37dc5111bef5fdd39faed0fe8c617c01759e8f60c1b0a2aad623d4477e227e

Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: remotegui.jar: authInterceptor.service.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/authInterceptor.service.js

MD5: af8f02f6ad340927c21ce655cf258248

SHA1: a3f84bac4f7a9abd8730199949c5be016ece4b7f

SHA256: f3fd2795c125a72579fececc03b6685d2c4d6ebfc034314b7bba2ec4a397c333

Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: remotegui.jar: avatarcard.directive.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/avatarcard.directive.js

MD5: e5a03411e6902f6c977982d411eb38fb

SHA1: 2aed1a0da4c20568a5e9107f811f83f522599933

SHA256: c278c755858a96f159658670fd4d441b8373cf2cf878aa3d3d906be6a0ec9ee6

Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: remotegui.jar: avatardetails.directive.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/avatardetails.directive.js
MD5: 7e62c6d3e57a23a175f1bb87e5c5b415
SHA1: da38a8275289aab5dbb842c525da24711e9fd25c
SHA256: 81301bcba85d66a11853cdaff4e09aaae57eb3a7d4333e672688a10ada169f1c
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: remotegui.jar: avatarimage.directive.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/avatarimage.directive.js
MD5: 82978a2f8971f9bf3ddf556dcfd32f3a
SHA1: 3459940aae24e5890b32d423e6c31bae9451a7c6
SHA256: ba811ab159edc428cfc8db17f43e374ee6bf5f72b64388b74b32e72aa45e016e
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: remotegui.jar: avatarimagedetails.directive.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/avatarimagedetails.directive.js
MD5: 905d2a497e6ed8997df0e99deddd4559

SHA1: cf8401a401619f010afad2e1a37650df433ad544

SHA256: 1b96348942ce42790d9b00e07e14f2e4376d871befb506b3a5ab160fb5401e54

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: remotegui.jar: basic.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/basic.js

MD5: 10fbd668e22541d20ab33438566547e3

SHA1: af1162e3d994efe285c738295fe8f4bd34730901

SHA256: efa6257a997e3c57adfd095580cd7e3065239750146ddb13d8c04e1f2c4d9274

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: remotegui.jar: bootstrap-colorpicker.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/colorpicker/bootstrap-colorpicker.js

MD5: 38a888ab6355c15700e39fda8851c719

SHA1: a2af9a785f593166a5423658cf538be030893351

SHA256: afd393ba344c3e45d53ec3a472194b2222a2d2188429f0049b74fd87d2e30d8

Referenced In Project/Scope: server


Evidence



Type	Source	Name	Value	Confidence
Identifiers				
• None				

remotegui.zip: remotegui.jar: bootstrap-datetimepicker.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/datetimepicker/js/bootstrap-datetimepicker.js
MD5: 660b0d1aaaec63a24899af6ab6cafa00
SHA1: 0bf9628c8b8d5b1d180dd51df71d5107b374846a
SHA256:785a0b48dd539cd5b0fb890d114f56f45ab464bc78a5812afcea49bc514584b1
Referenced In Project/Scope: server

Evidence 				
Type	Source	Name	Value	Confidence
Identifiers				
• None				

remotegui.zip: remotegui.jar: browsercheck.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/browsercheck.js
MD5: 0757d9ff2514240f35f22ff5b4bd76d1
SHA1: 75c63027cab5857414d60d3720419e065f632432
SHA256:31ae343e89fec66445b23bf0e4d124c374927ea4596199fab0ab451ffefc6d17
Referenced In Project/Scope: server

Evidence 				
Type	Source	Name	Value	Confidence
Identifiers				

- None

remotegui.zip: remotegui.jar: changeavatar.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/changeavatar/changeavatar.js
MD5: 8befaf77b8b0a9433cf48b8d0b81a259
SHA1: 12a3dcee0541ac0cd4f4683f298ec6893d5b2f06
SHA256: f17ced7cbe05239ae76bcfef5771ea1bdc12ca9997f4986fa51deedb6b88b72e
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: remotegui.jar: changeavatarcontroller.controller.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/changeavatar/changeavatarcontroller.controller.js
MD5: 499e90268582c3b3f845528b67e3497e
SHA1: f7442696ad9c959cc2506116c96f7b7bc2f67c2c
SHA256: 5aba7e5c2ed387ef7931624f7fcaef909ab3ffa37cf02af6ccb898b3b4055bf2
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: remotegui.jar: changeavatar.service.service.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/changeavatar/changeavatar.service.service.js
MD5: fe5e6f25a784d065b7878064fcf50538
SHA1: 0b3bdb359d4cfc20115209168feb2f8441d49e7a
SHA256: 4d7246d1c83272fe99d27d13ab3a93bcbf169de5dbfa4686327dda4c142c9154
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: remotegui.jar: clearreports.controller.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/template/js/clearreports.controller.js
MD5: 570f37323d279636982e30499154fb74
SHA1: 074675d5534e73ff5acf1ffb9259f58385e71715
SHA256: 607d498713d1d37e1044f2ac9e938604178bcfaee1e7967f1d3b20458a71455d
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: remotegui.jar: collapse.directive.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/components/collapse.directive.js
MD5: b5a0a930afa2a472aecac76fdf7dbb26

SHA1: 353dfe5129d32b4e7980a4add00a039877f3b631
SHA256: 14875f54306512d11d46ebeca561f837d49217353deb6450b0081b4eb89cdc9d
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: remotegui.jar: colorPicker.directive.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/colorPicker.directive.js
MD5: 6e50ccf1829e11bb6b28095a001da6c1
SHA1: bb615fc7432b151b2ea2118d6017dc9475658d9b
SHA256: b74ba64710291260135de1a9377a54ac5a3f7c43ba8bba430c3a0181aa9ef268
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: remotegui.jar: connectionstate.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/components/connectionstate.js
MD5: de6e3bd6cfcfb3c335c1f14d35a3791f
SHA1: c658eac71cb8f96150f11beeb4acbf435cacdeea
SHA256: 9ea2c586fd94a9a164b505ed6e072b323b1a3937699fc2c8741aab0465bdc7e5
Referenced In Project/Scope: server


Evidence



Type	Source	Name	Value	Confidence
Identifiers				
• None				

remotegui.zip: remotegui.jar: controller.js


File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/template/js/controller.js
MD5: 0f514365f507a235ae17a7a6b8c8e61d
SHA1: 2e2309c306686d270cfb274ed2acf9a27bd64f40
SHA256:5dd8138aae2e85b33914a6103df028146a1d5c5e646ddd6cb891c27b01f1fe30
Referenced In Project/Scope: server

Evidence 				
Type	Source	Name	Value	Confidence

Identifiers				
• None				

remotegui.zip: remotegui.jar: controller.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/modules/invalidlicense/js/controller.js
MD5: 6a9c7da3b28e059445113ff0457a4109
SHA1: 1a0145ed9606de216e01b300e65258628a045b41
SHA256:e034a8a0023946b8ce43fe9f859934f50cfb0c5b99c9112a5cf6e2dae6643a86
Referenced In Project/Scope: server

Evidence 				
Type	Source	Name	Value	Confidence

Identifiers				
-------------	--	--	--	--

- None

remotegui.zip: remotegui.jar: controller.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/modules/vetomessage/js/controller.js

MD5: 69828c190c9a3d68ec14a74b4ce6d5fe

SHA1: b1c31c079bd5b13735b5de12dd2475430db211c1

SHA256: a46821dc18ffe0a34e1d3ddb08f19e03667b6142a9e9122936b9e6d6c2e88727

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: remotegui.jar: controllerAbout.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/about/controllerAbout.js

MD5: 35cded32079795971fb724b6d26735cc

SHA1: 03289bf22bef143d9ad78851e1fc0ada0a3ef36a

SHA256: f5b0244b69882e2da83b93969abb8310c342f0e53ce38c19996deb65391cf647

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: remotegui.jar: controllerShortcuts.controller.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/shortcuts/controllerShortcuts.controller.js
MD5: 7e08d417343bb72558e38cf6f05b84ba
SHA1: 48f2c68979f50ad77692888065084b4bc68cb6a9
SHA256: 93b106ce893bd88230ff821050e33d164def642890aefd5100a0dbdf0ba92eb4
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: remotegui.jar: controllerUserTheme.controller.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/usertheme/controllerUserTheme.controller.js
MD5: 2419e6bbca06ff5b9c17a728b2aff262
SHA1: f13e9d9759faef5ebf1aa54f0200aeeec1696a47b
SHA256: 0ed2c2d396972928c92b6276cfaa0a2d863fb132298bcb93a400e8f4e1bffce5
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: remotegui.jar: controllers.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/modules/login/js/controllers.js
MD5: 9b566414fac0eced4b8841f4db83d8e0

SHA1: 53c6b5cab63a5cccb7bc17f4b2e902356efb39f0
SHA256: 309414a04de96d90e3867f80882c6f6e053c692de32153634b2edf3e87345bf3
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: remotegui.jar: controllers.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/modules/logout/js/controllers.js
MD5: 121869415ea7816bb918b9c68fe7bdbc
SHA1: c5d65e44689b950f60cdafdfb35d9952d85ab954
SHA256: 753bb859f340c4661cc8dc52e8b9cff14c64b76fc11c293e43756b88d2645a3d
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: remotegui.jar: controllers.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/modules/masterlogin/js/controllers.js
MD5: 462625767102cb7377da8be78dae903a
SHA1: f5dc35669733dc62cbb0b42a7e5aa0361304ef43
SHA256: b603ad6fe88b6c854a3bb987de4ce52d8c72879925ec044cdabd9abd647fb256
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
Identifiers				
• None				

remotegui.zip: remotegui.jar: controllers.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/modules/passwordreset/js/controllers.js

MD5: 8d3baf10c981cf3ef2091887fc1a480f

SHA1: 58be4dbbd1c46f9b21cdef9390da9a76681a7fd5

SHA256:ef1ae84002371512ac903a8ef6e32082f6993dd14f3913e63cbf617dd13894da

Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

• None

remotegui.zip: remotegui.jar: controllers.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/modules/reporterror/js/controllers.js

MD5: 6b359ae31904f03ac96f7f92dd242c30

SHA1: a6d0b74ee7f74702eaae6920c15d3aeac157a845

SHA256:b746e03e54a0e5ed0e0b0d4bf6e221197e2852b5da7d0a780cee0da6bf84dfa5

Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: remotegui.jar: controllers.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/modules/signup/js/controllers.js

MD5: 688d8965140b9c59317d9acfda14bf6b

SHA1: c79713a9cc6ea4147cff0f2b232dbd027ac5da10

SHA256: 2a50e2bda57fc853fab7190ed8968169465299194e2c56e2813f316529795881

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: remotegui.jar: controllers.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/modules/signupbasic/js/controllers.js

MD5: 4766cae43e55c5fd3e9e67b7459cffb3

SHA1: b8eb388c32b77a58874b0d5cc3a6402de717f33a

SHA256: dee426242e22731a4a42b29f187170c5db81030c9491b62eade40306d6e34668

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: remotegui.jar: controllers.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/modules/start/js/controllers.js
MD5: ad69cde99b1307241b273905f4d0f9df
SHA1: f3ee193ed164808c0ff16881d8b89e22ef6cca8e
SHA256: c30bee314884174d4dd107284b7fbb1752919830bdc24b692e31a14d27b9324d
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: remotegui.jar: currencyNumber.directive.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/number/currencyNumber.directive.js
MD5: 84c1f2b0eb43d1e198e70233d831dbdb
SHA1: 28fecf0f626f8820482b1272d47195dd27844460
SHA256: fed16cd6195b7be36cdf911a263ccdca56ecce26d959f2b5326e09b724d24225
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: remotegui.jar: currencyValidator.directive.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/number/currencyValidator.directive.js
MD5: 4670996c5b36afdf8a34c3e94e64cb38

SHA1: efeeb5e78c999fce3aed86dc03f0e837ba0789bd
SHA256: d54158b0a13b9db3712752bafd7274b43e787b8f5708f9ecd9b1453baaf0220
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: remotegui.jar: customEmojiUploadConfigItemRenderer.directive.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/emoji/customEmojiUploadConfigItemRenderer.directive.js
MD5: b7b88c52dac551c7746fca21a6019994
SHA1: 3f319ac29a326cb6c80b62f320f8ccd0da1124c2
SHA256: a2ab98032bdf293622028340940cd808fa08399503942e0eaa11b550d2724c44
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: remotegui.jar: customEmojiUploadConfigRenderer.directive.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/emoji/customEmojiUploadConfigRenderer.directive.js
MD5: 89bf8e753f5a791fdc4d2c15cf9e3573
SHA1: 4786bbb83c90e38f01eafba11d444c242e08fc4b
SHA256: 582e1f75192f8df57f94e7ba15590205ec8c8323057fb01262ceec36b5ba9537
Referenced In Project/Scope: server


Evidence



Type	Source	Name	Value	Confidence
Identifiers				
• None				

remotegui.zip: remotegui.jar: customemojiupload.js


File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/emoji/customemojiupload.js
MD5: 44cabe61802b87ce058c07fe138d2fcf
SHA1: 730a519b12b6e984e2f9e081f3eb3fe988c3db78
SHA256:d761c78e232d3679a269936f1c5fe238b0ce885c30e2e686f1d9545c365efee4
Referenced In Project/Scope: server

Evidence 				
Type	Source	Name	Value	Confidence

Identifiers				
• None				

remotegui.zip: remotegui.jar: dataservice.service.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/dataservice.service.js
MD5: ca2b9229f2663fa29bcd49387bac9017
SHA1: c75eb0d4c29555370191b273e281aa2c3d123da6
SHA256:0c3ffb95fde866543dad63f46e4b16b5025d778dc83b585035c5f376bdda889f
Referenced In Project/Scope: server

Evidence 				
Type	Source	Name	Value	Confidence

Identifiers				
-------------	--	--	--	--

- None

remotegui.zip: remotegui.jar: datepicker-de.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/lib/jquery/i18n/datepicker-de.js
MD5: d3355f1506a6f5cf222a7cb6b46037fe
SHA1: 100a3ca249cc93a6eab6d1569d8f80bd28764802
SHA256: bd2e4bfcebf6c88ce926e78b181dc56e649546f13f35bab1c0a31bb57dc6d6df
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: remotegui.jar: debug.directive.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/components/debug.directive.js
MD5: c118fc525f6b6f7124bba2d41c5f8189
SHA1: 56fc9afe8f39c52e0a2dfb247229993702d9bf81
SHA256: 3cc717984e3be467497cf61fcd49f00374d82753b076d3a473adcc19e2d99829
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: remotegui.jar: dialogservice.service.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/dialogservice.service.js
MD5: 003d20f66f36bbfa6e0d28c9eb26d6bd
SHA1: a39e3e0e03b54ca573a499e5c25dd9e1419ceb1d
SHA256: 4d784121a75f717c4ee085ab4708540295f378db6698ff5957a2fa22edbd40f0
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: remotegui.jar: directives.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/components/directives.js
MD5: 647946aa279661f6e0523740053c5adc
SHA1: ed24248f5cbb57901326433c5f7585d767b80d0d
SHA256: b5456966b7f862c95df2cc6d4f47f0444ca9450e72873fbb67e6ffee6160fb37
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: remotegui.jar: emojiModel.service.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/emoji/emojiModel.service.js
MD5: 0178d406afdf93aae07ceef6a5c137d0

SHA1: c548e1837375d598dc44e80a757e720032c6aa2c
SHA256: 57597f5706b3e0e74966d2da6576d0e278fdda1613a86b434642c9ea18f62060
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: remotegui.jar: emojiselector.directive.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/emoji/emojiselector.directive.js
MD5: 0c135b17461c32042cb2c1c537e0bc07
SHA1: 7cee6e9153d6a8ed9cfea9484a5f2303a2076d3c
SHA256: 5c6dda1d48c214b6bac17c642e9df4fb7c3ee8cfff604f9c8ca5fbc1ab391261
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: remotegui.jar: errorservice.service.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/errorservice.service.js
MD5: 12808d1c097dfe1abaa51d4b3835af45
SHA1: bbc42b93b80dfd42d70ddf55ea4f3132084cfd36
SHA256: 8aa0a02ba4b9867d360fb7dc2c6a010c72e5de05fe02edc0ef94a42343dd2c27
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: remotegui.jar: filechooser.service.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/filechooser.service.js
MD5: 1e0ad59c3868668240d931a55fa5e304
SHA1: 407d95d03a0512bf65f18374c53712e47fb5b04e
SHA256:5dd7493048c88b622b477ac34d8596483de8752b81136d435393b5232f12acda
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: remotegui.jar: fixNumber.directive.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/number/fixNumber.directive.js
MD5: 0d490e8241a7067d2c32a16b2608f419
SHA1: e2e8d4c2aa40297233791719784946b22041e311
SHA256:f278c7400b8ea7f1ea4e6af57dc4d340ba81b6e00a7261efbaea1853c3dae53d
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: remotegui.jar: fixNumberValidator.directive.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/number/fixNumberValidator.directive.js

MD5: 3f5ebe341cf1309946e87c6501caabcc

SHA1: b0bb21c289c78bbc5af675376654cf5507c8c2ee

SHA256: b35b54e8378fd22bf1377efed4dafda79c8d1f982491dcff0958842434c5bf96

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: remotegui.jar: floatNumber.directive.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/number/floatNumber.directive.js

MD5: 2d4b2142d6c67326eed229f9aaff4393

SHA1: 98f6a991a36437ba55e005a0144233eb03fc506b

SHA256: f4dd76261d408567850a4861bb9597851920e45902a9279215114d1568c7262a

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: remotegui.jar: floatNumberValidator.directive.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/number/floatNumberValidator.directive.js
MD5: 4e099d10495c47a8957ab2172ce5b35e
SHA1: 5acbe2d072a925a6c81335581a2ac7ad672a023f
SHA256: a72819cd47dc8c0f48735fde081c2969571a49aed6c8f3aaa021cc7bf7ef755e
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: remotegui.jar: globalactionservice.service.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/globalactionservice.service.js
MD5: a9e7e389f95d95d455bae3e378d2e2c9
SHA1: 0ff96fb14eba73ae10f0e2569da6d6dd366b8f95
SHA256: 76d3db82466040c12a6c7534519cbd2e831095f8b22c49748c3d1bbb1c0b8cd5
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: remotegui.jar: hdField.directive.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/components/hdField.directive.js
MD5: 42df5f488878bd827a995a300927a5f1

SHA1: 8517f66bd2b7bb48841a953c825e81a8de51d24b
SHA256: 71f7449ac8125372e1dc6c969ab5bce1c91fd3c77e1ef7fc56b1b7a2ab320a90
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: remotegui.jar: hdMandatory.directive.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/components/hdMandatory.directive.js

MD5: 13066a9536d97560903a35c06b9d62e4

SHA1: 83f181828bfe9e43910852a2e09e85fe22cfdc08

SHA256: 551bad1dd574976b0346f6f1e0e7b4920d3d0bd2b4a80bbb338610462c5f59c9

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: remotegui.jar: hdNeedchange.directive.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/components/hdNeedchange.directive.js

MD5: 5239a81e120888887704634c0ceb01f4

SHA1: 8210293686bd9ed47448412c4721f39465e5e0de

SHA256: e4532aaa760ec553636521e1247f2c2323785555a10e739848711b527a954eb8

Referenced In Project/Scope: server


Evidence



Type	Source	Name	Value	Confidence
Identifiers				
• None				

remotegui.zip: remotegui.jar: hdValidate.directive.js


File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/components/hdValidate.directive.js
MD5: 70f6e853f5be943600ff9713ef515404
SHA1: b4c72e6afe51f48776cfe4ebb4da0187480b439c
SHA256:f8f4a528177d50b67143d77f60d7364410a757c50f93a61294de1922255bb237
Referenced In Project/Scope: server

Evidence 				
Type	Source	Name	Value	Confidence

Identifiers				
• None				

remotegui.zip: remotegui.jar: hdattachment.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/components/hdattachment.js
MD5: 1f09ae47da7013f08adadc844775cbe3
SHA1: c9d174e04faf404e93e41969058419c32d23fffc
SHA256:cd790ef6b7109253c5cb87808137d25df02920ca502816b32957ef3c16fbd28d
Referenced In Project/Scope: server

Evidence 				
Type	Source	Name	Value	Confidence

Identifiers				
-------------	--	--	--	--

- None

remotegui.zip: remotegui.jar: hdfupload.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/components/hdfupload.js

MD5: 4f50a72fb8ccb5ffbf7e4fbc2621ad43

SHA1: 9e90c0d8d2fd0630710a64a6d557f6263553ba43

SHA256: 8c059f37866135b1e77afd575619973967f8e3fc457739b381c8d4d0ca632ea8

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: remotegui.jar: hsimp.min.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/modules/hsimp/js/hsimp.min.js

MD5: 31da02c3356fe92d686f09c9e9a2d3b5

SHA1: 77c9d1aae30a77bb4f4ff1015d9886a9fb2bad93

SHA256: 44cdb7ca377e6793dac301775332a628e89b3624b6330964a9e2592d1f5b0389

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: remotegui.jar: hsimp.renderer.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/modules/hsimp/js/hsimp.renderer.js
MD5: 145524977d38143d0d8feda731bbbb40
SHA1: 330f0ed3b8bc30fa516fde8e9de35d5e6b0f334c
SHA256:f9496f9d714ee4632e63bf04344ee2ba16ce23cc76e45c2ead2b17bac859d47f
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: remotegui.jar: html5modeurls.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/template/js/html5modeurls.js
MD5: a58e0f5ab5e75fd4738493fb471f11eb
SHA1: 945f1a10acd5202137ad6991a784667c1f1ae59a
SHA256:cda6265dc9848b22a9d38fc76a030abae2b6c7f6c42ed18a26606ec3e8575d40
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: remotegui.jar: html5editor.directive.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/web/lib/inet/js/components/html5editor.directive.js
MD5: 36e007f8e87624dc0c93f5e0c0443184

SHA1: f83d8d33d370297ecdede6a1eb6fb4496a478ea8
SHA256: bff83e7b0dff55272890bc2d740becaf96d3408341e77d66736152f8e5be520
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: remotegui.jar: htmleditorFactory.service.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/components/htmleditorFactory.service.js
MD5: 60afb054d2f87d5e2894cff959008704
SHA1: ce78f82daea98bcfbf5a8b264290f69df2fbc063
SHA256: 41ae8eabe8ea60d928c8d21addb357f3abf1d3d00ad2dcd64b81e8c3dd10cc32
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: remotegui.jar: htmleditorModel.service.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/components/htmleditorModel.service.js
MD5: 07bbb19fede16469b98401455373a882
SHA1: 66c15ae2d4b9d63c961710bc86e0da67b4ce6a6a
SHA256: 2adb40a0401b9524b4c6d10d55bfe92f9059fdee378d29a2156723299d259d70
Referenced In Project/Scope: server


Evidence



Type	Source	Name	Value	Confidence
Identifiers				
• None				

remotegui.zip: remotegui.jar: icons.js


File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/lib/customtinymce/icons/inet/icons.js
MD5: be1529db0e0f990348104f5e10c63489
SHA1: 783305e7601e4b163f98770d53c28dc1b0ffd45c
SHA256:e71d6ba9022259ce04226a84128038dc92bd2f648aa463b09954dec1237ffc8b
Referenced In Project/Scope: server

Evidence 				
Type	Source	Name	Value	Confidence

Identifiers				
• None				

remotegui.zip: remotegui.jar: initUsernameField.directive.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/template/js/initUsernameField.directive.js
MD5: e83a0f83b94932e21d0b675d2649f0ec
SHA1: e0371c84a3750d1476292b4e5e9f0dcbff707e67
SHA256:1aede89590e2782d1c29f208579364f851778f652b298eac196d2c524dab4fc
Referenced In Project/Scope: server

Evidence 				
Type	Source	Name	Value	Confidence

Identifiers				
-------------	--	--	--	--

- None

remotegui.zip: remotegui.jar: introduction.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/introduction.js

MD5: 4a44c1c75eac7f99edd2be27f5df9

SHA1: 2382e9cbd377fcfe99d9a7adede421bf8e6a97c

SHA256: 0217b44c41758f2d83518c55a60f10cd8ce0eec56a4b635e0d578a0c6aa9d3e6

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: remotegui.jar: jquery.fileupload.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/components/jquery.fileupload.js

MD5: 015c382ec73373f5adeb299de71f986d

SHA1: 587a3366d6c4e74ad0e30a2264b86bfa6e06a39a

SHA256: 4493d721690b35f554daebaa2d1cb0d642519211cff94f1d1f3e14fc7a78556b

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: remotegui.jar: keyservice.service.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/keyservice.service.js
MD5: d409a33286c8275ecbf8bc8e40262977
SHA1: 45969aebde921b9544cc2f726f1acc3392db90ef
SHA256: 9c83869fb06886a3b44cbae8067213a34a1d33f60b0c107ef7fad5b4c1a5b45d
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: remotegui.jar: locationservice.service.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/locationservice.service.js
MD5: 1dd077296104d0706de341b300bc1b9f
SHA1: 1bb5d8ca1fb5e96c0da53e2782a5bb56779c52da
SHA256: df1f45ba3a0020dd15aeb87ce716fc88db01447a18743adbcc7339d50e856ec8
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: remotegui.jar: modalservice.service.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/modalservice.service.js
MD5: 44b27ceaa66f08885acd3f6f7bea5a32

SHA1: 0b10e0d98e7998f0a68265f2c893585a2f4254aa
SHA256:3aba2cf23556877fe65d313a92ed0f1032f11f1b833ebf5c31feb7010d0d6886
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: remotegui.jar: moduledragdrop.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/moduledragdrop.js
MD5: f33abdb637c0db60e1d05ea891579e65
SHA1: 4dd4b05fd62dfe236d540c16e7f250233b9afffb
SHA256:4575f0f735e9cd5309a486308f0f04ab41b3cfbafaa9e93ca6910a5a70fcc20d
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: remotegui.jar: navtabsoverflow.directive.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/components/navtabsoverflow.directive.js
MD5: 5e2ecd2135858fd1fca074bd14577896
SHA1: 2f2ced6f25612b3feda462f72ddb830843934ed0
SHA256:4d61532247516102b8ed61a658bbad21e166c1cc16f8d8d1ab57a4a10964a70e
Referenced In Project/Scope: server


Evidence



Type	Source	Name	Value	Confidence
Identifiers				
• None				

remotegui.zip: remotegui.jar: ng-tinymce.js


File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/lib/ngtinymce/ng-tinymce.js
MD5: eff24233364fbe3aaed624713794f8e4
SHA1: f9c63cb4910a28597c5e3850b6bea363d535b192
SHA256: 0d8792cbf77d3281afe7b229a3e42dcd56b97021648946de2f93b13c961a92e9
Referenced In Project/Scope: server

Evidence 				
Type	Source	Name	Value	Confidence

Identifiers				
• None				

remotegui.zip: remotegui.jar: numberUtil.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/number/numberUtil.js
MD5: d5893e6d0bd20b4912d64ea78540b5bf
SHA1: 5b1817ef6e97416a55c5ac96f0c464f8b88355fd
SHA256: 349a2c5a8a2c7a19ea7c3d618974a49eef9bcf0e9cd5f0e92a9066de0fdef7c4
Referenced In Project/Scope: server

Evidence 				
Type	Source	Name	Value	Confidence

Identifiers				
-------------	--	--	--	--

- None

remotegui.zip: remotegui.jar: ocLazyLoad.min.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/ocLazyLoad.min.js
MD5: f2d4908265b909369078aed0cfaffa3
SHA1: 2d19edef03246ca520c6b3d658e75fad0d791695
SHA256: a5f7c8f4292aba0f63174bbb86fef9e919d97ed72f80857e83065c66ddbc5a4
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: remotegui.jar: pageablenavbaractiondropdown.directive.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/template/js/pageablenavbaractiondropdown.directive.js
MD5: 0e891cb1efe8d7329586abc7a79b2091
SHA1: 7eab2e0b6268c3cc513fde52d198b5d4543b3dce
SHA256: db54aa685133a7b32a6020f94b561e3f0cefe9af09c92704bfffdb01c89b7173
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: remotegui.jar: paged.filter.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/components/paged.filter.js
MD5: 4517ac89c1193aa004655d37534756d0
SHA1: 8987e7b45fbad3a23c566f82b43b615d528a32fd
SHA256: f8a3ba8d018a615e81511dff8c572c3f97e60fb339fd801673124b6b1ac06365
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: remotegui.jar: pagination.directive.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/components/pagination.directive.js
MD5: 89b7e3878c21bee24c47f57630716850
SHA1: 2ec014a73bc9ecb7f8d4a24145e8a1a38a0ff09a
SHA256: 7e4f6b98b13aff0786071b8dbdb89c0e1afa7951efcda87cb5841775d47d7916
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: remotegui.jar: piechart.directive.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/components/piechart.directive.js
MD5: 9e310689849b1cf084faad9abaefdd2

SHA1: 0456656b2d9097dd03e38b9cf8b8effffed37f5f
SHA256: 87ab77404d853f3ebcb2ed4df1898e5db294aad833e7426b12e58a914c111973
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: remotegui.jar: popover.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/popover.js
MD5: fdfaeea990b32589a1a727ad6675269e
SHA1: c9444da018e5da2acbe8d054cc92a12c67449444
SHA256: b7624505504f394107b16d84710a54e6e7556c1bbbf38fab8e1d15e83028e052
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: remotegui.jar: pwa-service-worker.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/pwa/pwa-service-worker.js
MD5: 95a33b245d3237810fe50090f6719728
SHA1: 1092e1c782d256a86ba9034dfc86b2af50d31117
SHA256: 933121280fca1f5ea88c243ffecbf998a62fdc3b62b5ca70875a990c18c9edd
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: remotegui.jar: pwa.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/pwa/pwa.js
MD5: d5f6fdc8eb151d3a71ca5eefe74f6dd9
SHA1: e7e28c16da057e3d23295da872a11d99239f67cb
SHA256:cd0a4ccc24239ef74ccf067d2eac8ac8989524fc41b0e7ce4946295f92a75b72
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: remotegui.jar: qrcode.min.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/modules/reporterror/js/qrcode.min.js
MD5: 4b36f8e71a871112384d908a90471a76
SHA1: f103f61ed24f3dd86bbee1aecb91ad4ff0a15282
SHA256:6afbe1ebc2ba9b4bb0833f9f55c4eb80edb582903ea9611a9be49633a7aa3b09
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: remotegui.jar: rangeSlider.directive.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/rangeSlider.directive.js
MD5: 20376051d3ea2a6162db3ad58f076fa9
SHA1: e47bf7c8863847aac27395ad204e978818b02d29
SHA256: 394dace84214f70c8ffb4d86f4499bd0b0a5c909c1220255d203a21ad8ae9dd2
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: remotegui.jar: resizableDivider.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/resizableDivider.js
MD5: 82f72e48f14e09943bc701a560208dd3
SHA1: 0e7909ad9a6e89023e73c0f47093802a8ff0256c
SHA256: adbee78b7f4d5266967c45a67dec85e13a1d83fdd14f8c4c2caf4aaec379f380
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: remotegui.jar: scrollabledropdownmenu.directive.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/scrollabledropdownmenu.directive.js
MD5: fb42aaf7110dd79b9ccf42463335fd7a
SHA1: bfc501c8ba96dcc02ba3aa20cea55566ecc8ec6d
SHA256: 2dd5c6b5f8cd5709d91af76192e2f2a792e1b5c3fbab2ed5123df01df11904d9
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: remotegui.jar: search-panel.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/search-panel.js
MD5: ec16e5fc794c4aeb3cc96fd398a4e50d
SHA1: 48094431c7ca194a6f4f1290c05b6739c88e0bb4
SHA256: 1b02efa4e69d42ff44c4a497af20905efa45165004d44eca096d02b2318f3354
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: remotegui.jar: selectInput.directive.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/selectInput.directive.js
MD5: 033b82e983fdf143395ece0c9d80584a

SHA1: 56b1b4784e7fef12d85c3a6d2bd67e8b470c0ed1
SHA256: aab893b878e05e3229481dd14a06411afafc2d4b0ab41c1a8959ab4bea23b9b9
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: remotegui.jar: shadowLogger.factory.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/shadowLogger.factory.js
MD5: 7fb285ba68fd8f73752378984e7d64b3
SHA1: 8c9a157918399ff6a7e161847985955118fed3e1
SHA256: 2af095330d60bd76f3b0644e42d9ad3203184fc37897356e7fbbc38c27e85f18
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: remotegui.jar: sidenavigation.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/sidenavigation.js
MD5: f7b0e471a51d333b6f6ad8a4758c3580
SHA1: 1e6d16e56ababd657543dcd76835df4df31a3722
SHA256: 1ba9a45faf6ce28dfe3b19c36f4129a3f5f56f04e0e2c4d3f1b8fa543a1cfbf2
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: remotegui.jar: takeoutDataController.controller.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/takeout/js/takeoutDataController.controller.js
MD5: 2db0d42505769d9ad4488d61de46dc23
SHA1: 8334c9966238cd1744439982992440aa3dc9a392
SHA256:ec576037a423ef29d952d37e4a7f088e0ccb85b1a61a1fc581361679f3a75323
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: remotegui.jar: takeoutDataFactory.factory.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/takeout/js/takeoutDataFactory.factory.js
MD5: f0f7bf8b0db5939aa4f95efee40c9a7d
SHA1: 9d2bb947861af7eeeace922dac84caeb9dfc5fd4
SHA256:61701863dd18ab12e3a4e8d1c748b2edaef7f1e72359e2e7507d9f779a35d450
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: remotegui.jar: takeoutDataModel.service.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/takeout/js/takeoutDataModel.service.js

MD5: 89340a5c50b020ccf235d29a59ba7aa1

SHA1: c04271bde4da616aa448ef3dcb220995ddf210d1

SHA256: 7d6d634870c9dc64b1798e78a6d240b31b07335478e5d374fc48e352f66b21e9

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: remotegui.jar: timeInput.directive.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/timeInput.directive.js

MD5: 1acc1f70f51486a7069b687eb818e7e9

SHA1: fd242d13a1648203f7223dd837304f183567881b

SHA256: 7558ff325af4ebe198fd18db6b2f80ce97f4e0d26c167804638c623c8ad4ca3d

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: remotegui.jar: timeInputContainer.directive.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/timeInputContainer.directive.js
MD5: 38ebda66df735a153e899bdb455ba627
SHA1: 6d76490fba423fbb26ad2e2379e0469e354bd8d7
SHA256: 0505ad1f8c7b7c1502da18d67b80c5e1abdb4097082002223bfe0c65557fed7b
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: remotegui.jar: timeInputUtil.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/timeInputUtil.js
MD5: 6e6b983b79ecc163db62de048fad0bea
SHA1: a04fbc0b3fb9e92c0548af34d256b1397ec57b6d
SHA256: 9cfd6b9003b254130229958097af006a91232afae599a92b1b17341cfa40a4df
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: remotegui.jar: timeMeridiemContainer.directive.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/timeMeridiemContainer.directive.js
MD5: 793a2ad3d2499b3489eed22bf75dd074

SHA1: 04d3cebd678f9c6a6341547c11c2e7849f444a06
SHA256:56e23ca00cbe13915bc605e8a8fa62bf7cb01652f1d7e0a696e7a4359e36fac5
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: remotegui.jar: translate.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/translate.js
MD5: b8a0528dad77053405c013f8d3093688
SHA1: f7efb58c31f4446a20da7228aa33290b0a731f6f
SHA256:39ca4976fe9345f0ca61017824798e5b0cfe45df53a2f0dcf0bf31bf453c58da
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: remotegui.jar: unitFixNumber.directive.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/number/unitFixNumber.directive.js
MD5: 2c99db1a894118323d3dc106a41d4c81
SHA1: 1ad8472f6ac831b0c078cca7051d527e41497537
SHA256:d449ce86b07059187db42b8d1b92cfd6bf8b53177904899d18e301f3eb720437
Referenced In Project/Scope: server


Evidence



Type	Source	Name	Value	Confidence
Identifiers				
• None				

remotegui.zip: remotegui.jar: unitFloatNumber.directive.js


File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/number/unitFloatNumber.directive.js
MD5: 71eee99887bff0e562cec97048d525a5
SHA1: a531c1cd9664d2b737ffe3d78ebf9c5cc6685171
SHA256: 9edba0f7a5d1a5225b8176ca66b5b84ae36ea796cfc19a131692c934ec9ca22c
Referenced In Project/Scope: server

Evidence 				
Type	Source	Name	Value	Confidence

Identifiers				
• None				

remotegui.zip: remotegui.jar: userservice.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/userdetails/userservice.js
MD5: 31ec7bb6ba4b2c54d81358431b0ce243
SHA1: d233b2957563a31ad7ca112d91b7aba841a2ad38
SHA256: 93a0b3747689d9bc27c0f56908c62f8c8079599e9402263e1e0df94fa031c4ea
Referenced In Project/Scope: server

Evidence 				
Type	Source	Name	Value	Confidence

Identifiers				
-------------	--	--	--	--

- None

remotegui.zip: remotegui.jar: usersorgroupsselection.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/usersorgroupsselection/usersorgroupsselection.js

MD5: 573637af00a7f86d27f1321b1a6fc01e

SHA1: e56f47b408517383abfcd1da6278dc20ad34da84

SHA256:5782af6078b195e4c2bc71cfc758bf94076ba7a1a6911b5a5e3a556be31e4a3b

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: remotegui.jar: usestrict.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/usestrict.js

MD5: d41d8cd98f00b204e9800998ecf8427e

SHA1: da39a3ee5e6b4b0d3255bfef95601890afd80709

SHA256:e3b0c44298fc1c149afb4c8996fb92427ae41e4649b934ca495991b7852b855

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: remotegui.jar: websitedownload.renderer.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/modules/website/js/websitedownload.renderer.js
MD5: d84df8cb02320562184713facc448e3
SHA1: 463b4cef63842cb3677086c49abe33efcdd20937
SHA256: f09a47bc77779cc93eb0554f787159f93a4b5c2eef4b94278ad064a6d579d11d
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: remotegui.jar: websocketdataservice.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/websocketdataservice.js
MD5: a3bcb3515414d041649e01b0dd83bbc7
SHA1: 2ef00c578f3c3c1826216dcb76fa3b9bdbcd3735
SHA256: 3dfe4b0c83acfb560196389571f2daa4de562d3ea161349598fd6f6bc795ba53
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: remotegui.jar: websocketkeepaliveworker.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/websocketkeepaliveworker.js
MD5: 23dd8025d25c06b00bbb9d2f690e8c24

SHA1: 1f8530d396532bf8a0d474fca70f42785edc5872

SHA256: 765e139c05a131aae143639b5906986915d9031f47b0dee52e4b9b54e75b54b8

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: remotegui.jar: windowdatarestore.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/windowdatarestore.js

MD5: 8509ee4c50d6ba4530a9d3c3975ef21f

SHA1: 26c0406862209b38c67b931c13787a3c3c547710

SHA256: 908719da1d0ac1d416ccd359fd6a8ff1bb5854b0f8ad0e4613392d0ca5d56e41

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: tinymce-languages.jar: ar.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/tinymce-languages.jar/META-INF/resources/webjars/tinymce/5.10.9/langs/ar.js

MD5: 0f886efdc70323a44979e1cefce05038

SHA1: 9d6816b96f0b595631ec3f0a8ef095b79d2aad2

SHA256: 7f3e6c66626d88d970c57d3883e155c93d97cf378b6e8b27c3e0294eaf1c3cd2

Referenced In Project/Scope: server


Evidence



Type	Source	Name	Value	Confidence
Identifiers				
• None				

remotegui.zip: tinymce-languages.jar: bg_BG.js


File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/tinymce-languages.jar/META-INF/resources/webjars/tinymce/5.10.9/langs/bg_BG.js
MD5: 4e9304054a5dba87c44a97301ad66b18
SHA1: b4c2faa214f8b1439ad6fcbf25064557a609cdf
SHA256: b1430ba8c8ffca397dcc798611def8cec0ebd83965fff5fb0799090aa2c8f12
Referenced In Project/Scope: server

Evidence 				
Type	Source	Name	Value	Confidence

Identifiers				
• None				

remotegui.zip: tinymce-languages.jar: ca.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/tinymce-languages.jar/META-INF/resources/webjars/tinymce/5.10.9/langs/ca.js
MD5: 089ce05c476ac2670a3e7191e27cac9a
SHA1: 1e076c780755f0ca6dc33f275f615cd3bf4480ca
SHA256: 41d6c5ca9f26f3d51b65ec32dfc001eb5b31dba3b7ebe634fe722115ff449c94
Referenced In Project/Scope: server

Evidence 				
Type	Source	Name	Value	Confidence

Identifiers				
-------------	--	--	--	--

- None

remotegui.zip: tinymce-languages.jar: cs.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/tinymce-languages.jar/META-INF/resources/webjars/tinymce/5.10.9/langs/cs.js
MD5: d10d9585dcd93ae57323c6a655aa2c3d
SHA1: 9349c258353e88585b5400726f66d9d49b329f26
SHA256: f876fc46225f5d756b7c93868a122d13ee141f32b4083c7f7ef6592b9004a059
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: tinymce-languages.jar: cy.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/tinymce-languages.jar/META-INF/resources/webjars/tinymce/5.10.9/langs/cy.js
MD5: 2a0728ef1086a55e02eb37af4eb5b0b1
SHA1: d35bd8d1c3c3397fdec0db042d0c0c17ea7fdaf9
SHA256: df7b1c6f8cedac1f23dd1ab8c9f180665d66c7325eba121dca192c18a06f58a9
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: tinymce-languages.jar: da.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/tinymce-languages.jar/META-INF/resources/webjars/tinymce/5.10.9/langs/da.js
MD5: 481aa7c5d1ceb5a94c54bd71af91b607
SHA1: fa4a7ecb526f6b215f8da7853dd2326a99838c06
SHA256:440828eeb73162291e2f8eee67763d7e34039e5b9fe4d4ad506a521e48fbd438
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: tinymce-languages.jar: de.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/tinymce-languages.jar/META-INF/resources/webjars/tinymce/5.10.9/langs/de.js
MD5: 42f1476160d0c1c8da694470a77af56a
SHA1: 4862a9cb5f4ed83a312bcc769d520440f1f95a0a
SHA256:bd997ca871108f0124849619dc28981047f7e7a1ade9360e2d258a3a86ad02af
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: tinymce-languages.jar: el.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/tinymce-languages.jar/META-INF/resources/webjars/tinymce/5.10.9/langs/el.js
MD5: 5416576d60c441187a77aae0846865ba

SHA1: 0f11a7714c7e4da72cd55dd70f5dbc2f0829f8fe
SHA256: 970b4322bdfe3fedb6e4544b65a9684099e82d208a6c2ad86e6550fe2d79543a
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: tinymce-languages.jar: eo.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/tinymce-languages.jar/META-INF/resources/webjars/tinymce/5.10.9/langs/eo.js
MD5: c1f238debe6f92e597d18890a9b9cf39
SHA1: f10c044ef2e30b353442bc536c3c6302f83b42f4
SHA256: c316804de553f2aaa5c7724f0e1a8e2f1aaf2b7342f236358a7e12365e212384
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: tinymce-languages.jar: es.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/tinymce-languages.jar/META-INF/resources/webjars/tinymce/5.10.9/langs/es.js
MD5: 833bb31f5d452f0b036f558304f7bd43
SHA1: 0c34ae192edba65fa21b762ddfd7226b129c8da
SHA256: f020e09f41ca04101127c4236b44d0d5b4938587f7449421b38f666ba9159ed1
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: tinymce-languages.jar: es_ES.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/tinymce-languages.jar/META-INF/resources/webjars/tinymce/5.10.9/langs/es_ES.js
MD5: f2bf4385f9ac938c22d699caa13805fd
SHA1: 08cd53fb716153b4a47d34b2181e53d49ea45a36
SHA256:b2356afb30584c7359dd65ceffb42296b0e420650033e73422be09da30511cd0
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: tinymce-languages.jar: es_MX.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/tinymce-languages.jar/META-INF/resources/webjars/tinymce/5.10.9/langs/es_MX.js
MD5: 0d9bd141cec3e0a3c3b32d6dcf0a1739
SHA1: 976438b6d6a826cb437a4a7be47a6ba4c107be73
SHA256:8be7384d5888618e3ef7ea227c3f10cb0533db5f01fd8ecd75309cf0652008ec
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: tinymce-languages.jar: eu.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/tinymce-languages.jar/META-INF/resources/webjars/tinymce/5.10.9/langs/eu.js
MD5: c674049d2a4b1c0c2bbedb9f5e519858
SHA1: d8458d8d1c93154c51a0d724785d972506cdf2a1
SHA256: 3942f6abba9679f58ccc36ba38a1f3fd6ec5a5824fb2910a3b3a922c740d1df7
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: tinymce-languages.jar: fa.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/tinymce-languages.jar/META-INF/resources/webjars/tinymce/5.10.9/langs/fa.js
MD5: f4242d89d4890093b57c6435a0feef5d
SHA1: f84cbc6d12884492dcae0bb2fb25de3bd8a54fcf
SHA256: 1465f18074f43b691afb310e5dfdbb8f4f1d70f5817e5e26a1ddd23753ce962b
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: tinymce-languages.jar: fa_IR.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller /server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/tinymce-languages.jar/META-INF /resources/webjars/tinymce/5.10.9/langs/fa_IR.js
MD5: e2e4ffe84b41b1763eec91c0d41c879
SHA1: df983f084fa4b2acbbaf8c2f42e2e9cb981645f8
SHA256: 019a970f6414584cd6e87515d3fe7dff153c9fc49dbc7a7bbc25b33803f19b32
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: tinymce-languages.jar: fi.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller /server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/tinymce-languages.jar/META-INF /resources/webjars/tinymce/5.10.9/langs/fi.js
MD5: b5688fed7ee5c373ebb60f499959b374
SHA1: 07eced4202e01f9fe821ff7a917b65917cd814f7
SHA256: 1f1e100752101230f1b10717f8ea615f816388a79dd5ad1c47605c553f9ad935
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: tinymce-languages.jar: fr_FR.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller /server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/tinymce-languages.jar/META-INF /resources/webjars/tinymce/5.10.9/langs/fr_FR.js
MD5: 39a6068252db59fd4692c3ddb15a5707

SHA1: 8b7cfcf0ed4fccaf10ec9ead72c39ea6f566a4c9

SHA256: 0eef8817097810e7cbfe4ca46e9347b2e14ba0d2c91bc02d0f217ac6a2bf6bdb

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: tinymce-languages.jar: gl.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/tinymce-languages.jar/META-INF/resources/webjars/tinymce/5.10.9/langs/gl.js

MD5: 4c87b5345d76e5fb9fa24d89824cbfda

SHA1: 46bae6aaf29f1d534c0312c9e8c5f8934e9196bd

SHA256: ae5a04893fc2f1900a2358fa8b43134f8f69bf72a4e7b2be58344296a788be38

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: tinymce-languages.jar: he_IL.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/tinymce-languages.jar/META-INF/resources/webjars/tinymce/5.10.9/langs/he_IL.js

MD5: ab3335919ec5e713be56b82a8df6252f

SHA1: 4b9a0a979384da17166919e5f584a59226244a97

SHA256: c411d772751ae83c939e62ee23459abf33465b9f364b89fff5d1402591eee2a5

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: tinymce-languages.jar: hr.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/tinymce-languages.jar/META-INF/resources/webjars/tinymce/5.10.9/langs/hr.js
MD5: ab6217dad69a25ec43e59f1a76b0c060
SHA1: 9e7f2bd0909ead0e63258d24b18cbe5c1d79c44a
SHA256:02002bcccf9d9a73114794022ac7d48d0a4b9acb0ae1094b98a001cda06d9543
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: tinymce-languages.jar: hu_HU.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/tinymce-languages.jar/META-INF/resources/webjars/tinymce/5.10.9/langs/hu_HU.js
MD5: 2afccb31e0cdea6f08c23750f5531a3e
SHA1: 47b7ffbe8714c92446e18065bb622ffdabfca060
SHA256:795f98a9f97ea2a3a0edf1056ab6dd697d9138a8cc7d6c0416a24b293c79751d
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: tinymce-languages.jar: id.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/tinymce-languages.jar/META-INF/resources/webjars/tinymce/5.10.9/langs/id.js
MD5: 804ca5c83b16e8aa31011340aa43cfde
SHA1: d85239b65123d712897c0b9705b1d75140320b6a
SHA256: ee0a95c92105fea050a683bc2b617332366e3f5ffda2f5b4a4df6b558ccf210e
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: tinymce-languages.jar: it.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/tinymce-languages.jar/META-INF/resources/webjars/tinymce/5.10.9/langs/it.js
MD5: 2307d7e18f4d82323f8460b954366d6c
SHA1: 2dd5945ec46a5fc412a03dfe3e706096169cb50a
SHA256: 853effa3129e6856e7c555788753721d89c48efa7f35536ef08fd9d5e2860b68
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: tinymce-languages.jar: it_IT.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/tinymce-languages.jar/META-INF/resources/webjars/tinymce/5.10.9/langs/it_IT.js
MD5: f5f75ba5738d186bea305abd351699d4
SHA1: 80449c059f59ab177abe08deb15d2a0fd55b25f3
SHA256:5bd51b8d9f3bb9fa4c44b54df600ba4468c16511f8272c5c30f816dea88cebd1
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: tinymce-languages.jar: ja.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/tinymce-languages.jar/META-INF/resources/webjars/tinymce/5.10.9/langs/ja.js
MD5: 7199e3d236184cf0a06a219442b578c9
SHA1: 16add7d88b9628d906e62a8b7d88e52057b93e29
SHA256:f250108ef667f96cf5b0e8fd061e15306267a23d9f0d6d06ac3443e268a542d9
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: tinymce-languages.jar: kk.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/tinymce-languages.jar/META-INF/resources/webjars/tinymce/5.10.9/langs/kk.js
MD5: adf69e41309e0553b26d71ad07cfbb92

SHA1: 6dad67ba7364db9096844dedf946a13d8e796109
SHA256: 97e466a88551bac32d4ac08dd86dee6d8db34d763ec9c9c2db42044299f79280
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: tinymce-languages.jar: ko_KR.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/tinymce-languages.jar/META-INF/resources/webjars/tinymce/5.10.9/langs/ko_KR.js
MD5: c60c7a4d77abf22380711ea8c1982bb1
SHA1: 631fe4673b89932fc6855b13284f22febb9a1d41
SHA256: 66fb29bdfd16163298e024e448a6774d5ddc1b4fff7e6683173ad2e6f20f2dbd
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: tinymce-languages.jar: lt.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/tinymce-languages.jar/META-INF/resources/webjars/tinymce/5.10.9/langs/lt.js
MD5: 2219c653129ccc476847f054786ec676
SHA1: d6ef2ce6c2d82e07fe9e59cc2d22f3767ac94625
SHA256: 22195ef38c08fdbee31662434b50c6928b10e0adde3d0d86cd10a72230304e9b
Referenced In Project/Scope: server


Evidence



Type	Source	Name	Value	Confidence
Identifiers				
• None				

remotegui.zip: tinymce-languages.jar: nb_NO.js


File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/tinymce-languages.jar/META-INF/resources/webjars/tinymce/5.10.9/langs/nb_NO.js
MD5: 0a7352214f0ce32fcd9c1e6522df1bbe
SHA1: ee23293fd4b9972547400cf4a3249a2059b6b165
SHA256:944131baab48a0af7fa0aed2c8bd2ebb3e9064b3772712f22e976909914971f0
Referenced In Project/Scope: server

Evidence 				
Type	Source	Name	Value	Confidence

Identifiers				
• None				

remotegui.zip: tinymce-languages.jar: nl.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/tinymce-languages.jar/META-INF/resources/webjars/tinymce/5.10.9/langs/nl.js
MD5: 6f571210666a2f5e6337080e579baba6
SHA1: 836f979abe265e75b745b723288058a708392756
SHA256:7f5b894c53f3e6cdaac59ea898930837fd21369800ab6d16136427c7a773916e
Referenced In Project/Scope: server

Evidence 				
Type	Source	Name	Value	Confidence

Identifiers				
-------------	--	--	--	--

- None

remotegui.zip: tinymce-languages.jar: pl.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/tinymce-languages.jar/META-INF/resources/webjars/tinymce/5.10.9/langs/pl.js
MD5: e250adf7e075ad1f30905b07ad627631
SHA1: 3c4f16669f023e06b0c6a3527b7465c67b57c90d
SHA256: a22b468acd116dea2dea78bd49ea798fae8e5ca8c09af7afded580fb77a19171
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: tinymce-languages.jar: pt_BR.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/tinymce-languages.jar/META-INF/resources/webjars/tinymce/5.10.9/langs/pt_BR.js
MD5: cc070dfc893595619ae7c8e5349376ce
SHA1: 147966d1e0e89574988c516b1debb37add6df970
SHA256: dd8b585165d8ba7f896a08bf038278f0f0ca7bd9e4ecc80b9c1c7a8bcc2881df
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: tinymce-languages.jar: pt_PT.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/tinymce-languages.jar/META-INF/resources/webjars/tinymce/5.10.9/langs/pt_PT.js
MD5: 4dd1d7b30c2fd8e55f9880b7581977c5
SHA1: 11642b53c34e4ca6a5062cd3077ed4f4bad123b7
SHA256: de802efbfdbc321426edb9cde7e6422597bdf15c173b116afc097298e96bdfc4
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: tinymce-languages.jar: ro.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/tinymce-languages.jar/META-INF/resources/webjars/tinymce/5.10.9/langs/ro.js
MD5: e23437166aef4c09b1b704399f8aba35
SHA1: e9bdcf37aee82113f51cbe365ed71cf0b28b7b8b
SHA256: f9337551af759ed5b346f36393b77800d9cfff670e830decdb3908027f49852c
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: tinymce-languages.jar: ro_RO.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/tinymce-languages.jar/META-INF/resources/webjars/tinymce/5.10.9/langs/ro_RO.js
MD5: 3f2950ecf56ad7a4afda95cac7e2bb65

SHA1: fa5af1a474a2b0e73af2dcf25d7b2446ccdacfbd
SHA256: 2d4ed665899adbe9e64a5aff8a5d686a320935e0fcac8ad5d41e1061abb0343c
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: tinymce-languages.jar: ru.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/tinymce-languages.jar/META-INF/resources/webjars/tinymce/5.10.9/langs/ru.js
MD5: 511a44e58e8fc2713a4544de603ab7bd
SHA1: 06132cf2444c50c1b3910bbb82902444128f8ed
SHA256: 3fc08c1c46f210eeca7a90d384b4ba7ebf4d9655beb3b7b87e597f1e9608043d
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: tinymce-languages.jar: sk.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/tinymce-languages.jar/META-INF/resources/webjars/tinymce/5.10.9/langs/sk.js
MD5: 1b3c7faef9a1e74b2b8f0543732da813
SHA1: e9b96981febbd3d364add8502420c656621bebad
SHA256: bcf6c8f5e62ee6dd60ebbd78fcb002ab1f93ba553d8e0fcd980c5559da6dc787
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: tinymce-languages.jar: sl.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/tinymce-languages.jar/META-INF/resources/webjars/tinymce/5.10.9/langs/sl.js
MD5: e70856ec865c4becf6af5ee48190ed91
SHA1: a0271f39bc7d4a46c9b5b5377ee4d1eae45c6518
SHA256:0917a76a02bd84a46cd31d22a4486fc15fc5217b0da405faa980d3b4513c12cf
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: tinymce-languages.jar: sl_SI.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/tinymce-languages.jar/META-INF/resources/webjars/tinymce/5.10.9/langs/sl_SI.js
MD5: 3de18771671f7e28f3df9b68e53552ce
SHA1: 1dd6b41b237df4033169ea3293fd15a36135fcef
SHA256:1e9ac60048fe7e452b59441876289e7a7a42a90820d7a8ef67ac1339e1b9dcee
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: tinymce-languages.jar: sv_SE.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/tinymce-languages.jar/META-INF/resources/webjars/tinymce/5.10.9/langs/sv_SE.js

MD5: ed26794df73aa50316d1ffbbf86e51b

SHA1: ba4720adf16d253917e5718508b9d261ff317d85

SHA256: 9ddd42e6af9c413ef5e26c9b69b2f5620bf442c1cd7005bc56c1380e4b6ac7b9

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: tinymce-languages.jar: ta.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/tinymce-languages.jar/META-INF/resources/webjars/tinymce/5.10.9/langs/ta.js

MD5: 28baeda3ba8aad2c457984c138420160

SHA1: 8ecfbcc9693bef79e05fbde679c6576327bc1f55

SHA256: ecb0d22d12a6262265057d41923a35430e18fe42f4b7f1d12e3fe3ec52cb7cfb

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: tinymce-languages.jar: ta_IN.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/tinymce-languages.jar/META-INF/resources/webjars/tinymce/5.10.9/langs/ta_IN.js
MD5: c245824dc4a046048a23355d513b545b
SHA1: 064cb44b3e558377efaaa14af781563e18d184e6
SHA256: b601b126c40b5c19c89a4e7724ddad003a7db0f41357c12cbdb0be440ca6f8e5
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: tinymce-languages.jar: th_TH.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/tinymce-languages.jar/META-INF/resources/webjars/tinymce/5.10.9/langs/th_TH.js
MD5: 5f149677f7303a92c615738a19bd43cf
SHA1: 3f4882111c0163aa3f1189ae12b9cbab25b9ff3c
SHA256: 6d1838ea80df11333cb5844f5ca276ac6222481e4e9c4bf1d5c5484d8e05a67c
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: tinymce-languages.jar: tr.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/tinymce-languages.jar/META-INF/resources/webjars/tinymce/5.10.9/langs/tr.js
MD5: 1d942271407e5a9e69b3ec4ccb11ac50

SHA1: 6eac1370cf372727316c7fb02d92cc6e5dd75b1d
SHA256: 7e7130921470f315dd16d4cc12dc0ee7c1590671129d22fe5d663bd8b65b35b8
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: tinymce-languages.jar: tr_TR.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/tinymce-languages.jar/META-INF/resources/webjars/tinymce/5.10.9/langs/tr_TR.js
MD5: 21a6afe57b91f50fdc2a04d40330ae97
SHA1: 2aa3e1a82924df177c986869e3eb2dbe9e5b33fc
SHA256: ba178265ac4f4d1f4c4caba3d9b04f3c4a4254773dbde4228a68484715b300dc
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: tinymce-languages.jar: uk.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/tinymce-languages.jar/META-INF/resources/webjars/tinymce/5.10.9/langs/uk.js
MD5: acb23eed47495327f505e52144615a23
SHA1: 67d20eda3fa76c5327e39093ffc9de28b28e5a6a
SHA256: a057713c5ba1ace10f76f58e4dd6dee88a84d2e78ca957480f5459b21cf5d94f
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: tinymce-languages.jar: vi.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/tinymce-languages.jar/META-INF/resources/webjars/tinymce/5.10.9/langs/vi.js
MD5: 5dacd7e85f49ada603617302ff7571b0
SHA1: a1bb8e49ba273ec276154fe04cce93edec4d64e8
SHA256:86da5c88594ba0b5377f5a7e20b04dae1251be817879a47645d60e25cf8e42d5
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: tinymce-languages.jar: zh_CN.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/tinymce-languages.jar/META-INF/resources/webjars/tinymce/5.10.9/langs/zh_CN.js
MD5: c3ceccb2b20bc1c32a74b8ee394c399e
SHA1: 970871e70fa9c310de345b1c590335c9a75adb52
SHA256:bbf4bc7f799bd37f6a52eb032b1708583ca401e778a85c0e58cbeed4c71ef3c7
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: tinymce-languages.jar: zh_TW.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/tinymce-languages.jar/META-INF/resources/webjars/tinymce/5.10.9/langs/zh_TW.js
MD5: 8b3673b738b3b96f90997fdf09121fff
SHA1: 392e2f7e6a83c9c5f4c187f371f4d0dafd239a6
SHA256: 7868b9dbbae773b768f477746f7d72383603963069426a6281c4d24298160ef1
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: tinymce.jar

Description:

WebJar for tinymce

License:

LGPL-2.1

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/tinymce.jar
MD5: fd9f87ce352ee6c8d270db931c0e6026
SHA1: 9174bcf85629c63f7cc55439ff890bb7893fe451
SHA256: 26c357c95e53e0d99f3e2b840194cc7d170a31c85de15c6017de976f60919cd7
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence
Vendor	file	name	tinymce	High
Vendor	pom	artifactid	tinymce	Low
Vendor	pom	developer id	webjars	Medium
Vendor	pom	groupid	org.webjars.bower	Highest

Vendor	pom	name	tinymce	High
Vendor	pom	url	https://www.webjars.org	Highest
Product	file	name	tinymce	High
Product	pom	artifactid	tinymce	Highest
Product	pom	developer id	webjars	Low
Product	pom	groupid	org.webjars.bower	Highest
Product	pom	name	tinymce	High
Product	pom	url	https://www.webjars.org	Medium
Version	pom	version	5.10.9	Highest

Related Dependencies

- remotegui.zip: tinymce-languages.jar
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/tinymce-languages.jar
 - MD5: 47bff91bb6cd602682ddc705ba5872fb
 - SHA1: 06c508488e5d6f2ce5c92aa8b3fa165ca871d597
 - SHA256: fa2ecf575248fc802677c26f54fd5f23a636d496223e1a654f5d6540f6c36200
 - [pkg:maven/org.webjars.bower/tinymce-languages@5.10.9](https://mvnrepository.com/artifact/org.webjars.bower/tinymce-languages/5.10.9)

Identifiers

- [pkg:maven/org.webjars.bower/tinymce@5.10.9](https://mvnrepository.com/artifact/org.webjars.bower/tinymce/5.10.9) (Confidence:High)
- [cpe:2.3:a:tinymce:tinymce:5.10.9:*:*:*:*:*](https://mvnrepository.com/artifact/org.webjars.bower/tinymce/5.10.9) (Confidence:High) suppress

remotegui.zip: tinymce.jar: emojiimages.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/emoticons/js/emojiimages.js

MD5: b7c1a7f3d27f00745fb752c8bcad1476

SHA1: 96af86fa69e17db88d8c1ddb8dd5af8f01aede1

SHA256: 498c4614b7363884c469599aed4290a30c8eb2eebbbf07d5bb16886d8090aa43

Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: tinymce.jar: emojiimages.min.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/emoticons/js/emojiimages.min.js

MD5: cd8d1bac37c0a70d1d4d2005bf7c4e8e

SHA1: 29651e17ac1dd07e21f81edfaf56cdded37e8600

SHA256: 39ede17a1386121cbd7a543ab27a27f2b4dd79c7873377bea577fc0c9e942a8b

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: tinymce.jar: emojis.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/emoticons/js/emojis.js

MD5: a64de2c5911dd74a7c8ce92819084843

SHA1: d9b37d490e6cf339e85f0bb008e673c823cc6cda

SHA256: 2f086a646d26f121f214f9de1df8c2ac45020e40dba0cbe4d8fd31b1df3381d7

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: tinymce.jar: emojis.min.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/emoticons/js/emojis.min.js

MD5: 1f434c25c9c5ee365c94af299372298f

SHA1: 16d23948cbb0716178f14b58e7b50f3869d76307

SHA256: 57bb9d32b2a696c30269a8af59d2d13ca7724e501bd054986c9702069acb9b0b

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: tinymce.jar: icons.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/icons/default/icons.js

MD5: 9034bf9d33164db799056592af8f8041

SHA1: f48380a7f8ea48f94f20df7526a6dbc33aa802ee

SHA256: cddbc569467f55c984f4236d0e6b7a54b35006c47eb18813ad7ca367b14c45bb

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: tinymce.jar: icons.min.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/icons/default/icons.min.js

MD5: 18db240f0cf5635332dbadd948cc500
SHA1: 4421813e10fd371e67d15dbf74bf748a0a5c1794
SHA256: 6c5a69c090aa1418082e7ad5e707bbe6c531269607e080821a7089a16e0f2b61
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: tinymce.jar: index.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/icons/default/index.js

MD5: 9c5b7a740ca30e13e64b6a4de5b17c77
SHA1: cf4e63fb059346d52364a6e7592dfdd9b00eb0a8
SHA256: 772e5e2b50c2288b47f812cd3219901d992020c71940628b4cdd0ee23f3c8cc2
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: tinymce.jar: index.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/advlist/index.js

MD5: 344ca56d8dedfae33380a44b89dfdd1d
SHA1: 2ce6aeb71809802341499202ed673788fc04149
SHA256: 0e88dc5e755ed26a62535b443dc90fed27844b58677a97fb1ffa3cccdc6d410c
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: tinymce.jar: index.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/anchor/index.js

MD5: dd697e3891ed83de226860a7aa436b10

SHA1: 775e112dbcdb929e3c3ac944f65b91ad9b41dc35

SHA256:199df9a5149e52b35f0fad38f46eca0ccfc98e3c7b09de4a6e3562ed97f8190d

Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: tinymce.jar: index.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/autolink/index.js

MD5: fa84bd3bd42aeb01da94b784344d4d84

SHA1: 2f2169188eaa6ee85da0c015f878de6ee9bd34b4

SHA256:cf9dbb0d6d43ecab9faa41baf38db169f11d668573349d2d7f879be5868e8d43

Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: tinymce.jar: index.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/autoresize/index.js

MD5: 00116480a9865b9b84937b8c6ec471ed

SHA1: 9d33c32c4cc484f5c7c011b16157b63f32004e7e

SHA256: f218e9db68e5e70965a405e2c2204ce9711067ae0c277f014844a40f7c7fee66

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: tinymce.jar: index.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/autosave/index.js

MD5: 8d9bb78be9ddbce43bfd7964b71678ae

SHA1: e3695d2b623495a93594f23e4132f6226b309012

SHA256: 3b68f2f8049499f537ba66c2fa27aa9648aa93a43e81b977dac7ae20eeb803fe

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: tinymce.jar: index.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/bbcode/index.js
MD5: bed89377ddde78f2d27067c6b3dcc633
SHA1: e4d0c191e90df0249d2f50c12f9979902581ab1a
SHA256: 98fe74eb6872c6e65d9a400d9da7b9b77d6fc4cfbfd7acc0fb9bbe697e43c73c
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: tinymce.jar: index.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/charmap/index.js
MD5: 18775f459a8bd073ba47b3ad3e2f6bdf
SHA1: f991e9bd8cd4912b0cd28d806beb7c1a4ec6c8c0
SHA256: 1701e8a9ccea8f198bf323636b8ceeb6dd8972625d07b466f92c65b16fc635bb
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------


Identifiers

- None

remotegui.zip: tinymce.jar: index.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/code/index.js
MD5: d2db687200588ab654afd39728df329f
SHA1: 55bfce05960107cf42e7d3687e330a3f42164c23

SHA256:defd6476de2e2c8f411eed38d53a774d52c7408565280806bcba0bc32e98192f
Referenced In Project/Scope: server

Evidence 


Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: tinymce.jar: index.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/codesample/index.js
MD5: 23fdb57b1d401abe9ff929ab26ec394e
SHA1: c3f3fc7e21c7627247fcd2069ebb3a36bc755c0c
SHA256:60856a5c13ac87dcb4e3ecea3ce3eefd47e348c4b696b5b74f0be9766cbd1f08
Referenced In Project/Scope: server

Evidence 


Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: tinymce.jar: index.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/colorpicker/index.js
MD5: f1771fdd14cab627310b813da43fa5ba
SHA1: 30f7ba13c981711ac0f84662dbf6c50e2af6c27c
SHA256:15de4cb9a7437d15f6631509fd379df2fdf4cc6c6c35dfcaad47c87e899e96b0
Referenced In Project/Scope: server

Evidence 

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: tinymce.jar: index.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/contextmenu/index.js

MD5: 92e19a31db91abb704ccaa13cc28b766

SHA1: 8fe36efc411a29d7579d3754f039ff35786c2e64

SHA256: f24829122684173e779bcd89afb1736b6cad304d08b002698753504db32b80e

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: tinymce.jar: index.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/directionality/index.js

MD5: cd2c90f18e8c7d1215bc4ede4a2ed3ff

SHA1: f16e46d6103a081937651c9824bda91c37906e86

SHA256: 75a8d057b97663fbd36db445ac97baedc0d4ca3948f4ee6ee5a45ca56c6fc5f

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: tinymce.jar: index.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/emoticons/index.js

MD5: 57e489f4ab69ca17dc7c95aef7052d88

SHA1: b665f4f4f94b9a2aab91235965d594b8932e75be

SHA256: 5b3937add68158ae4add69fa47d2c47ae49ce17165a08dc7ce26f376979126a

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: tinymce.jar: index.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/fullpage/index.js

MD5: f5837caffaa3ead2f0b68daa0463cac0

SHA1: 6acc21854086d6155a19b3c1060ab5dbd98251b7

SHA256: b1d2d7667f4be6d981f9fd5f58219a414d83c4068cd77c3b0c9d2fbac6ec90f1

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: tinymce.jar: index.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/fullscreen/index.js
MD5: 2a071ce05b6865fc1a874f298b920e9e
SHA1: 898dd0ec802d60ee716f9ab55401720dc05840d0
SHA256: ecfc6baf3a081373dfc60f97efc1f14f7a6840f398ee8dee57502ed547370190
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: tinymce.jar: index.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/help/index.js
MD5: b7c64e9d5f9003aacb929b6944987c2e
SHA1: 92f87e4057b89c4faf476fc34898d688fea0b52a
SHA256: 90ef3eb5f05933c63e52ac470156c1eee495583b1184ae9a6abc8702e9685b36
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: tinymce.jar: index.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/hr/index.js
MD5: 95e49e5a2cd979c3e7345c78d2d15779
SHA1: 48a187d6a5e4539029a140c36b3b1010d3473975
SHA256: 1dbf6d7a4b2d4cea2135823eea377fd6052a510cca33935d23f4f58e3d49af98
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: tinymce.jar: index.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/image/index.js

MD5: 27415d3d43098d4bdb48c6c45c15e08c

SHA1: 5a081de74c9d2bf97decb82753cbdaad6366db76

SHA256:ba0e02cc9a0a8ab32790d825b0711c27452e297c4c72c8479cfd00c00a228c36

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: tinymce.jar: index.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/imagetools/index.js

MD5: 1fcdb4ed72eff27ef54bdd585e306d29

SHA1: 00c9be7d060282e6d5ec5d0779b977275c28b8b5

SHA256:3a075c96ab9819e53918f2fdf308f1390e339cee21755ea4112c71a9d012b53f

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: tinymce.jar: index.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/importcss/index.js

MD5: 2409fda93c2625fad2c9dffe31b1473

SHA1: 39d57c8b02129997bf23302916dd7166c3726a43

SHA256: da3a35bf760696421d5dee9795c287730c310cc56f2f955ef8d7418f243ea5ef

Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: tinymce.jar: index.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/insertdatetime/index.js

MD5: 4ece334f6233df3aa3e5becbfe1f9a8e

SHA1: 6734731b620634cbfa9a06a57d3ce35f3c24296c

SHA256: 6a58d89cb41c85fe3ec472376fcdaa55bb875b6397a054bf4a3d53e7734fd440

Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: tinymce.jar: index.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/legacyoutput/index.js

MD5: cddb9783bca4eebefc56e308b5fd8169

SHA1: b1f84b1fa17eae3d22bb380a22eff3efea2e7fa3

SHA256: a6ad834a6a462e968bdb77190a1d8660d3bccc4e5b55b905420d6c6a1707cbeb

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: tinymce.jar: index.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/link/index.js

MD5: 5837f9d0ed7b2cc610dbffa6a7d7dfe

SHA1: d3d6b6d764556d547dfe70694b8e26bbeabd4b8a

SHA256: 393a397a9577a880392172405182506aeabc1a368da461853f6fd98c19b96292

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: tinymce.jar: index.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/tinymce.jar/META-INF/resources

/webjars/tinymce/5.10.9/plugins/lists/index.js

MD5: 959bf9c345e983ce032814178b94cb09

SHA1: adc80fe2030cfe121d120440dcf49498f526c7af

SHA256: 8ca0f39fb279b30498948068be734b8a2a2178e32b094b98931622ee4c649ae5

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: tinymce.jar: index.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller
/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/tinymce.jar/META-INF/resources
/webjars/tinymce/5.10.9/plugins/media/index.js

MD5: 22710d182e71e1bef50ee3838ac15b07

SHA1: d8f008c3f8abebcf2efdce06032350e2a1b80fc7

SHA256: 2cf1f01a424a6e9981e16a7c162bd51ecdf2785cd5d7e36d78edba78aa91b0c0

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: tinymce.jar: index.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller
/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/tinymce.jar/META-INF/resources
/webjars/tinymce/5.10.9/plugins/nonbreaking/index.js

MD5: 851e4039437062e49d5729f1fe30cb40

SHA1: a1acce39f47b74cb33d2e0c0070d8af323ca0018

SHA256: ec23845a38bfd445146565839769274deb1c0d83adb74c8e464c2714f6509b87

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: tinymce.jar: index.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/noneditable/index.js

MD5: 6f84addf13157d5abd4c1f2e9f1189f5

SHA1: 974a855b957d74c47f1fca8b3582b6db5f562f51

SHA256: 73b8c1e02264f43e6acd2d72b9882d87550b913c71b87a6ccd1caa2d88c0ee24

Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: tinymce.jar: index.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/pagebreak/index.js

MD5: b2ec3630c22897879bc089749ca3466e

SHA1: eeef9066bc1642e349bbaf234f20bd363f89ef19

SHA256: 3239c47c5ea169f05c26f2cb0726e85aa4a365a4e3cff8d16f79bec35d393ee4

Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: tinymce.jar: index.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/paste/index.js

MD5: cd72ad7d99e1849620ff535b4f64daed

SHA1: 2e48dacc929d42922ccb634392e26310531f1d83

SHA256: ce91452b503e136d45e552ab157ab3f8b123530950cc02e7b778d04bcb6a0de0

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: tinymce.jar: index.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/preview/index.js

MD5: ac924715206330e49ae83f0ce0a41a7c

SHA1: b9fb134e272eaad188c9da26d8c6aa22621e6cdf

SHA256: da5b43a242cf576435e63e27522182fe61afb1ea0d28aee116193c24d60c18f3

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: tinymce.jar: index.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/print/index.js

MD5: 7f3c93e1e7cf55fb60d83431fbe0af2c

SHA1: 77a64982ff692d12b1086a70ed0796bcf45c35c3

SHA256: c54ff5c05b484d6eac7bb601ddd4bcf916faf8dbdebf65a707fa6f7510a99c52

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: tinymce.jar: index.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/quickbars/index.js

MD5: 24942b053967586fefe96a215c44ae07

SHA1: 4a72eaaeb0dbddb84dbb4268e618b4451a482670

SHA256: a61d6bc69e64f107292c929d2ac70819a3970890e79c9895bc0fe0999803ce2d

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: tinymce.jar: index.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/save/index.js

MD5: d2a87bcc64b326fc6dfa962fcbc662e8

SHA1: dd1516808ce28ded9008890e2dac0b24d5a7dae0
SHA256: bcda64c02c52e23430e42fd33907ffe16b02d163174a5896f6e9f96cc1b08411
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: tinymce.jar: index.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/searchreplace/index.js
MD5: 027916795b63233ba94d3938bc15cc28
SHA1: 61bdc3b8ffb05818fa9b91a399abeafb2a4fd8d8
SHA256: 7f93e70dba14735765044f7199ff8b24fcd517b285f806d34cefb0d2e55a098c
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: tinymce.jar: index.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/spellchecker/index.js
MD5: e22949d41a8208123a8694f0c8e6dec4
SHA1: 9d66cbf780b982f778e561ce35786b7589b8fa85
SHA256: bcb0b4911bd0fef17ee195fc758585e7717500248fafdc58f32c94f6a12f08bd
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: tinymce.jar: index.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/tabfocus/index.js
MD5: c8dd5b7b07c3808712c5000e3b1d252a
SHA1: c9e127134794c715139acb1bba1fc9a90541e7b5
SHA256: 779f4c8d8f7804301d0d3d63c6f4d7d12e5a4f3fc409b6433aa465ce51309bad
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: tinymce.jar: index.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/table/index.js
MD5: dc0a57cf52e5c96e8886974820620f30
SHA1: 63b104aa10ee6b0e09f6beeb420028164214037a
SHA256: d571c3bcfa2fb750545e52334325e494d60916f8db2504a8e64fbd421e901929
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: tinymce.jar: index.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/template/index.js
MD5: 4629fcd244d51c5f71a77cca7a6f0b36
SHA1: d33e8183488bfd00554ccc12b63efdcc46acbf12
SHA256: 07acf1abcbf6231d2ca53a091fa7cc1fb6206e4b268301750ef9020d6881425c
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: tinymce.jar: index.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/textcolor/index.js
MD5: ceb47c7e6b71b1089ec10b30a6aac374
SHA1: 21d607e821838299375c0ed523bca0a33c0acc05
SHA256: 4c54b2959afce4d61251463bbbd0d2e32dad074d3634192bce2bc937ee59633
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: tinymce.jar: index.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/textpattern/index.js
MD5: 4ca571ec216214e68d950539134d2e66
SHA1: 9ed373e0e6e173e7b1663344b83acd313d37cefd
SHA256:955780d950579ce70deeb8e7ba2ca04eff56e53fe983ce81e9bf932c69d7652c
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: tinymce.jar: index.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/toc/index.js
MD5: 4fb0e875239aec497c229dcaf18d7bb5
SHA1: 1c9880a27fd0487d99bcbe666d90fde1c4fa41fa
SHA256:2f3e63d7b8e0f9597a78fa84e92790bc91099fb7382037e870f06afc8e23d95f
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: tinymce.jar: index.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/visualblocks/index.js
MD5: 1f348278fc3fa3ae9d560a2c6074537d

SHA1: d55ebc12b7d22b21a6f06a7b1e8a4d869ddba0af
SHA256:ac58944fdb4136e5d63fd08b6070d40a9c964ba2739ea46970f1c27464f0059f
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: tinymce.jar: index.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/visualchars/index.js
MD5: 01e4394764848c643482a4e060c3c16c
SHA1: fa3c991ab8a4b06d3022a1a9050d12f97eca084a
SHA256:4cc095ed74a300b53b61907f46468821a3fd16e9abfd9b96157e72c5a6a4f901
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: tinymce.jar: index.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/wordcount/index.js
MD5: 8702637f4301b2c60b0d036a74a57952
SHA1: 10150542a5551da1d75408d86ba07b45d78a24cf
SHA256:ea19d7ceae4197532bdfdb08d97f4b64ff025cfd3016ec12428b81517f2e92fb
Referenced In Project/Scope: server


Evidence



Type	Source	Name	Value	Confidence
Identifiers				
• None				

remotegui.zip: tinymce.jar: index.js


File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/themes/mobile/index.js
MD5: a136bd2faba801a12080888b27e65afb
SHA1: 58533b052ba5b2cbee9fe44e6a3cebd042efb7d1
SHA256:e20188436d5d6ad6bd97a590c274fdb955fc83715e800509e4a61b25bda4e0e
Referenced In Project/Scope: server

Evidence 				
Type	Source	Name	Value	Confidence

Identifiers				
• None				

remotegui.zip: tinymce.jar: index.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/themes/silver/index.js
MD5: 7281b0268319c90508a1a300a7c06d97
SHA1: 0e3a4056988e7a06c5f4ded3f30006f1be55d445
SHA256:3bc724f73bd41f1c6af41d5c08cd472a1da8ccf6db49c6fad853998a130231d6
Referenced In Project/Scope: server

Evidence 				
Type	Source	Name	Value	Confidence

Identifiers				
-------------	--	--	--	--

- None

remotegui.zip: tinymce.jar: jquery.tinymce.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/jquery.tinymce.js
MD5: abc669a993b54748fbd9e3f1b04ab3bf
SHA1: edddd7e07aa9ace3afd2f3bc1579f7901708ce69
SHA256: 20e802d69c0fd9912eb39bfdaad9f85f089e383d415ef193ac6aaa2e108a8949
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies

- remotegui.zip: tinymce.jar: jquery.tinymce.min.js
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/jquery.tinymce.min.js
 - MD5: abc669a993b54748fbd9e3f1b04ab3bf
 - SHA1: edddd7e07aa9ace3afd2f3bc1579f7901708ce69
 - SHA256: 20e802d69c0fd9912eb39bfdaad9f85f089e383d415ef193ac6aaa2e108a8949

Identifiers

- None

remotegui.zip: tinymce.jar: plugin.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/advlist/plugin.js
MD5: 9a469d4c30ceeb89187f85215a5e5161
SHA1: be1f2023c91a4fef2828a452272319447f80b786
SHA256: d9457557927bd306e2cd90b622494db6d36d346ffd04aa825e71d061c243f7d6
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: tinymce.jar: plugin.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/anchor/plugin.js

MD5: e204923e44d53e7610828846fdb23722

SHA1: 550446f55b597c4c376992addf459bf00fc2e0dc

SHA256: 8bf2878b95bfb4ddef911cfabb70a07815060a6c52d85227695267900a45085

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: tinymce.jar: plugin.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/autolink/plugin.js

MD5: f62ca8be62d1dbe910069c09b20b53a1

SHA1: 9bc811f23db52d4081a089f9774fafd7e3f21f67

SHA256: 2b218bd0095199604914b22b67b4b1a68fbcb0fab309a734f2fae54496f734b9

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: tinymce.jar: plugin.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/autoresize/plugin.js

MD5: 3130530b80820d2fe333f0a434987ebc

SHA1: 0c8b231c3d55b9724a4564ba02ad4be38c197293

SHA256: 4c7802957b5f7ddc47a97d1cab371e7c0b39592f17fbb86103626762e593c872

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: tinymce.jar: plugin.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/autosave/plugin.js

MD5: 78ae76cf436707ded3a0ae8cb1f8f4be

SHA1: 2db5d96907012d7ad0c4c50abd11994a63637507

SHA256: 8739940eef76bbc0ad0ea5e4b6f7ded4e1ceda9aba15a52543fd00c180373756

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: tinymce.jar: plugin.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/bbcode/plugin.js
MD5: 5baedc3309a92d6d3b3fe7944984845f
SHA1: c3bc65277f12b71bffb0ac04fe737deb6634b8c
SHA256:960eb4c3c3d150b615d4ee81042b4a5f0616d876af4ca66d7841597192313ac1
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: tinymce.jar: plugin.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/charmap/plugin.js
MD5: 132a6594d2c2580c00fe3fc881f64a3e
SHA1: d4a2ccf9d64dd6eeebbdbf4cbf9d4c2e2834737f
SHA256:07beee90d71107fff1ffd218d552ede08c0393118345c052ef1540d2070221de
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: tinymce.jar: plugin.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/code/plugin.js
MD5: 6a3b1fa39f64d704ab9c8d8ffa3b85d5
SHA1: 2acb5fbaec43ab35346e8a564fb3104f197086bd
SHA256:bb6ada6875a1d6432000990c110825e5c12cc9d13a33dc1fc215c199f96c27e4
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: tinymce.jar: plugin.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/codesample/plugin.js

MD5: 2f0097d95781f1a4d2711d9f8fc5c334

SHA1: e181f02bd7bfcf5816508dde0b0ad1c99d9c40c9

SHA256: 8a19cde548a1dd6b0970a24eead3e04e85e69a3117642891a42d7b7b5361495d

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: tinymce.jar: plugin.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/colorpicker/plugin.js

MD5: fb7f0cac79b75d40a9ec81581acf75e7

SHA1: 0ed6610a578326d03411345bf8027c443cd7d105

SHA256: b7ff65effc877a633ad79dfc82ef0b3cd6c6c16107cd03580479b1239006091b

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: tinymce.jar: plugin.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/contextmenu/plugin.js

MD5: 63f32e24fb0dd17b1fe982314c29b55a

SHA1: 42b09e6b0cc5674ec3497c9c4d4c4d3de6a39047

SHA256: e7070041c1a1edfa77a48438ef4294f8da38caeb50411c25207e16316cd0c889

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: tinymce.jar: plugin.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/directionality/plugin.js

MD5: b73632a4533311d6dfca1b3841534ebc

SHA1: 0c6aef806245b102e3332080c811d3375337a662

SHA256: 2e201c96ce771956becaf72e4f2d4abf67d4941e5735f5d0dce965d5150a5ed5

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: tinymce.jar: plugin.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/emoticons/plugin.js

MD5: ff191fd241bd1933c67f5fea4a52107b

SHA1: 7a9cbb74716ce1e0e86d90690f7de79162c60db3

SHA256: 374fb04498849e7e18bc5a698387055dbe1de48ff78f7fc8bd5668c73b73d54

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: tinymce.jar: plugin.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/fullpage/plugin.js

MD5: 3c14f849d19f550aaf23f9e4bc2b647b

SHA1: 5e95acd51eb15d13129fab8bca354ca5aa440c52

SHA256: b6a5c94a76cf5fb719b6455c239d39e678e3fbb7c053e049103d2d02bbd2ea04

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: tinymce.jar: plugin.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/tinymce.jar/META-INF/resources

/webjars/tinymce/5.10.9/plugins/fullscreen/plugin.js

MD5: 2227d3ff362f92145a0d66ba1bf68f1e

SHA1: 37fbe66ad5aa755498bc8ceb5e421b56df27539f

SHA256: 197cc4190c8782e40dfca6b28225cb4766c1ab0b1bf60cc445fe024265d18db2

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: tinymce.jar: plugin.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller
/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/tinymce.jar/META-INF/resources
/webjars/tinymce/5.10.9/plugins/help/plugin.js

MD5: 667d246d02a71436f2f4a4fb80f720ab

SHA1: 0691382a7959a2ce6fe97b92bc08d737d8fb385b

SHA256: 35d0d9f12208794695c9e3594e309feb53af67897d9a31ce0eb85d06f17e9953

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: tinymce.jar: plugin.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller
/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/tinymce.jar/META-INF/resources
/webjars/tinymce/5.10.9/plugins/hr/plugin.js

MD5: 70b7ff4273d8b9374b7d35a570e60eff

SHA1: ec2f770c33132f6aa30982fc444d56da76ffe337

SHA256: e11ffde0e9f4d65d0ce9214df8176401176b795d5fa15e95d00458e39328ffef

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: tinymce.jar: plugin.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/image/plugin.js

MD5: 25e0f52ab1477d0d8d7eb7500760cb50

SHA1: 75de5182c87d9ea18ef952ee17fa0d7131128973

SHA256: 47fa10a331f5515c0d838a0f33d6b5447a55e32342351fd20c95b00c4265e6bc

Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: tinymce.jar: plugin.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/imagetools/plugin.js

MD5: a0523d774ffc8fc8cd0049100a2336e2

SHA1: ce5fe228f3eaecace4cff2459dac6d430311903b

SHA256: cd6286fa790dcb7351a562f856620986a8a2d68f7095c1a3aad5a4f2d96887ff

Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: tinymce.jar: plugin.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/importcss/plugin.js
MD5: 6142b879008bd87224ca38716e663f4e
SHA1: a9296ae9c5141bfbeffe856412663f7aaf1ec9a1
SHA256: e7d53d5e29ff44e1505671f160bf2c300864e7b8de6ef937661af0e77fd15067
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: tinymce.jar: plugin.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/insertdatetime/plugin.js
MD5: 8d40733352776d516145934e3afc7bff
SHA1: 9bf39632e2eb45d37130f66081589ec5ada617fd
SHA256: 6d5492320474868f5ec67e14057819a762c46f8962726b307eb3d26d011c49f9
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: tinymce.jar: plugin.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/legacyoutput/plugin.js

MD5: acac6af2d9e273f2b23a63a08dd3c558

SHA1: c07692391443114f0d7e0b4a6aa521007e3bd8df

SHA256: 5ba6ccaa7469904d908818b1dd6c5331c643b586f9489987411faecaccae6de6

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: tinymce.jar: plugin.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/link/plugin.js

MD5: 584389affa07184e25c194a8fdabb9d5

SHA1: 10746d4434b26d0ae62fd1e3b3d538b6aaf67e94

SHA256: 34de8ceb8abf707ad68cdcde8a7d0aa174f0814891be74edf444fee067a2b855

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: tinymce.jar: plugin.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/lists/plugin.js

MD5: 37f5953ed2ff9078029c1a7259991b9f

SHA1: ecd87c0474db0e683895008b64b0813603e32e96
SHA256: c9b0aa3c06581904734ac6b8b3fb4aea155e39d1e91f1f039bb338a5b9e72b01
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: tinymce.jar: plugin.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/media/plugin.js
MD5: 9099b48009886ed8e16a4c118f5238d3
SHA1: c3ea8c6ca9bd1d99f11b849f809548139473a928
SHA256: c7e3539ab59b62e06199f97fa9f24b57810a1089419ae10b4120be59d1ef1e73
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: tinymce.jar: plugin.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/nonbreaking/plugin.js
MD5: 749eb6330381762948b2f20a202bdbc8
SHA1: 734c7fc31992486d576ddf4cf2be102364eb269d
SHA256: db5d0af653b72f4eed01361aadbdb8d6156166764a6560f26094bb8af4b1dd0
Referenced In Project/Scope: server


Evidence



Type	Source	Name	Value	Confidence
Identifiers				
• None				

remotegui.zip: tinymce.jar: plugin.js


File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/noneditable/plugin.js
MD5: 0cd8420a08e51a6933403f015aaa3411
SHA1: f134de62fb37750ba86539b494fb2d1a4a8c3375
SHA256:b744c8b53bfd3743261cdf34c97adcc906ee0e8bb4d6e5f678ec17aa94ace620
Referenced In Project/Scope: server

Evidence 				
Type	Source	Name	Value	Confidence

Identifiers				
• None				

remotegui.zip: tinymce.jar: plugin.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/pagebreak/plugin.js
MD5: 7c4ccd64b6155d8214b5b1a3f73f3b7b
SHA1: 0a4109c7fd5c0e8c3fc0ed4c5a0327d89127eb33
SHA256:428ed1c11ed3db50d423675174945be116a37f9f0272962ee963c5761e46ee53
Referenced In Project/Scope: server

Evidence 				
Type	Source	Name	Value	Confidence

Identifiers				
-------------	--	--	--	--

- None

remotegui.zip: tinymce.jar: plugin.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/paste/plugin.js
MD5: cfdc8703816a9737a79ae9ed7beabf8d
SHA1: efd58468ce97492f8ea66bed478b128ba718c6f6
SHA256: 3707fd09dec450191849481685e06a0f772fdb864ecc65ea7d44408bb5eda060
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: tinymce.jar: plugin.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/preview/plugin.js
MD5: 155059d4164fa84a11a8fcf832c167ef
SHA1: 4e9f13defe9e7105e46f8c5abd3dcd90f72884de
SHA256: bea49d22120d6084722e0622159923503c64ef38381627ba59453315c79899fe
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: tinymce.jar: plugin.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/print/plugin.js
MD5: 512f5958e5be1292e0b40b81acb3961b
SHA1: a593a69a04d2ee2d87500e43b22887a79d1cc0ab
SHA256: c2ed0f9eb835dbe6dbc07720f357d305d6d92f5f3b3f6c93582a08913f071a38
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: tinymce.jar: plugin.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/quickbars/plugin.js
MD5: 2a2749604c1d1c01d6449640386921a4
SHA1: 700d9a8bdb922519681b7066110d8ffbfb6d35af
SHA256: edc7cac600a5a192dd9631e1ce4486a9b2a4cf57130a854f95ed14407957a7ed
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: tinymce.jar: plugin.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/save/plugin.js
MD5: 1c596c6695f6fb677724104a5cb6ef09

SHA1: 1ab96f1ecc15c8464f4a21e6d87a8abfc5b6301f
SHA256: b1ceb34483e8524a67f86f0fafe3a4912b9cdbc459edd836d7d68782278929aa
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: tinymce.jar: plugin.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/searchreplace/plugin.js
MD5: d3638fa2fe4ff0254d106f74919fd5ba
SHA1: 7a97e21f55ddb50bebe88e7d1eb87961592238
SHA256: 352556506ab24dcc232614318170876cbfb89cdf3d4365b6b8b7768c9d10048b
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: tinymce.jar: plugin.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/spellchecker/plugin.js
MD5: 5c3a67b4eabdcdb17750b9515bf92835
SHA1: c3de092a25b1f541d896740a2d63ba1198376712
SHA256: a4a22a608a50d5674a7e92f3c9049eb69932b9641f8356f4ce200b38c38f29d3
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: tinymce.jar: plugin.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/tabfocus/plugin.js
MD5: 548f7a6c2fbfb65617f46ab7fe2bfd2e
SHA1: 74d5dfb9f0338becd85ce7c5333ff8cdca2e1160
SHA256:f5b1882e884a14b216bc1d7edd8a61e1b50161cf5010dca09566d35aa53a6c0e
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: tinymce.jar: plugin.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/table/plugin.js
MD5: e1ea98e3eca4999c14dc0951b666d993
SHA1: 6a09bb055bdaa37a0b45ce400f928b80b675c26d
SHA256:858bd022fa57b3d57340a2c87a58f8ef7e653e866f1cc22b0123391a0fb11977
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: tinymce.jar: plugin.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/template/plugin.js
MD5: 47caf788dd51be3ebcf03d4eaa0d50f1
SHA1: e271f8d918420b03bb2a07510fb96eb51363ee
SHA256: 339a4e659e0647090aee2bc5fc343479303dea8e928cac3c5ede9f1584ea61d0
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: tinymce.jar: plugin.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/textcolor/plugin.js
MD5: aa12124c60995407172b2ae1fa8206cd
SHA1: 09b8f038908b04a597a16cbcb1ab7fc50b77e2ad
SHA256: 09c4059de65cd8ce14bb8fcf927787e77ec90d4daaa0160fd0e21002b8078171
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: tinymce.jar: plugin.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/textpattern/plugin.js
MD5: 215e9c4d9865b6321a969f773e0a7193
SHA1: 8ffc9ff16531e40c2bd3cf614c8019a3a52caff6
SHA256: 8dd84aec717ae70a619ad5f4d3f3be4119ff590884537d47d4225aa7b5ab460
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: tinymce.jar: plugin.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/toc/plugin.js
MD5: 78afdf32c32fcd51a56fe5ce479238f
SHA1: 874e7bd351c0928cd7346816f3cf18a323d5436f
SHA256: 4d27f86380b38c414e7b626863811d39bc6a3a1e7ab47e253259dadaca3a2830
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: tinymce.jar: plugin.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/visualblocks/plugin.js
MD5: 89774b121e225bb29c44c53f47e2a183

SHA1: 6069c8d84a6dcf9c2f92864d6d1758510ef8b4d9
SHA256:33e5237bfeffe2ed9eb14a2418ebe6be1baf4395465661f66c3f9ca00bdc72cb
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: tinymce.jar: plugin.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/visualchars/plugin.js
MD5: b85145891b077f3216852bc21e7677c1
SHA1: f3ceee80fa4bbc6d0205e610ed39688d4fa65d66
SHA256:5be2c7c5ad1025ad62c0e89d39bf6b8ee44c97e21d2f30e21ca13794e1cd7bdc
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: tinymce.jar: plugin.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/wordcount/plugin.js
MD5: d1c1769efd1232e07105603c1032e43d
SHA1: a2d9f7f149ad34bedecdb6bb5cad1ae4a4b5c0d8
SHA256:d3c70ee49b0f099523d93bcf93f9e37d6a248c35c960f49a76085b17e5fb0958
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: tinymce.jar: plugin.min.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/advlist/plugin.min.js
MD5: 202d95b04d93c98fa6faea3b20ee2ac4
SHA1: 0107c4ede81a2681847699b607b0f5d4a8e9dcfa
SHA256:d30b35f56c2366c7e0a291f1be18171851d412d926ea4b91784d212101e36cde
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: tinymce.jar: plugin.min.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/anchor/plugin.min.js
MD5: 3112de0d66e518fc6e87e5b4bc54ff4b
SHA1: 022a805c78fe6f3c5c5b8a91125d98fb54b1d15e
SHA256:cf1e93f7be5e348ee4776f6e65f54298aef6b6fca5d44aa24997b9d4b9d7212e
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: tinymce.jar: plugin.min.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/autolink/plugin.min.js
MD5: edc2ccc56661043eb8418fd9703b5e
SHA1: ee1a580f7c7f1281e770e7d9c34123b59e59178b
SHA256: 309c10e01eb2a9d35f84ed872ccbacbef6d5c4d2f5f2d8355bc9ec2bf44eb346
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: tinymce.jar: plugin.min.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/autoresize/plugin.min.js
MD5: ae63cbe86bfd1dcffa4b04660f28aaa0
SHA1: f9a63a98a97eab4d781ca01f71cc1addc3c5c56e
SHA256: 8ac4ad0984018281d653b8ba59747a797d7d8cf9ad2c6d4097f626686d75f7ed
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: tinymce.jar: plugin.min.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/autosave/plugin.min.js
MD5: e2a4aacd72790b6845b73b65a11c6b3b
SHA1: 2733e8839d95a76fb62e9cf2ef3cb299c2842fa9
SHA256: 6e409f97910c72655fd039e18989d8014b12e78bdb05857e8d6c7bbe54aac446
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: tinymce.jar: plugin.min.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/bbcode/plugin.min.js
MD5: d1562b4cfafdf0f1ba200fea776bd78a
SHA1: eacba8561e2fdec7c46448aa157a67b382731363
SHA256: 74a9c60d78820683b8ce5aab6ca007bf4272c79365cc3e38c76c15b32707c7f3
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: tinymce.jar: plugin.min.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/charmap/plugin.min.js
MD5: 329bc956fdd115d17a570e1c012aa29b

SHA1: d8c16a0341fb4bf0a68bdda349854578ac7930c9
SHA256:f02db784fa9fbff1ad2c355d51b7f5ac1eb88f66323d88d6ab7a9de24ca40941
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: tinymce.jar: plugin.min.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller /server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/tinymce.jar/META-INF/resources /webjars/tinymce/5.10.9/plugins/code/plugin.min.js
MD5: 16a00a8a00e7bedfb8eca0b51cf91582
SHA1: ffe9b8fe7ce4697a1dc933df3df85babceea49d
SHA256:2bd8c63c4d6361b92ce0babbc4926c162dc03af995d9e4d16f3ee7a04719840f0
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: tinymce.jar: plugin.min.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller /server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/tinymce.jar/META-INF/resources /webjars/tinymce/5.10.9/plugins/codesample/plugin.min.js
MD5: 1b42aad83df23dddcdb3eb08051adad4
SHA1: 6e51ce3687f2c008d37e1697107d4e3512fbc54e
SHA256:2259133ad05e1690cb479fd270193fa560462ac382ddddd37059f5fa9260802
Referenced In Project/Scope: server


Evidence



Type	Source	Name	Value	Confidence
Identifiers				
• None				

remotegui.zip: tinymce.jar: plugin.min.js


File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/colorpicker/plugin.min.js
MD5: f2f33bb1a07f8fde712895df570c6dfa
SHA1: c3e7bc5ba0f4b176c86d0f71edbe598584ec10e4
SHA256:5a00b7584123d24eebedd3b90ba83e82eb3d92e6b25b308138e85b2b1ca9dcf3
Referenced In Project/Scope: server

Evidence 				
Type	Source	Name	Value	Confidence

Identifiers				
• None				

remotegui.zip: tinymce.jar: plugin.min.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/contextmenu/plugin.min.js
MD5: 742eaeecaa0020e9bdf8d3e1727f4dfd
SHA1: 4a58d3d2bc2d4b0497c3bc849841ee6071dd9d92
SHA256:a5ac1a81055ca6448c15958011faeba3c194fc1b9028336a13d50dd121abf4e7
Referenced In Project/Scope: server

Evidence 				
Type	Source	Name	Value	Confidence

Identifiers				
-------------	--	--	--	--

- None

remotegui.zip: tinymce.jar: plugin.min.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/directionality/plugin.min.js
MD5: 88407de4bae634b4b861f1784d6765ee
SHA1: d6cb3dd73846f0ebc118ee4e191261416b65f8ec
SHA256: f6c7d021ff2c3298dd324d3de5d468a37aedd3919fdfa04738c38878ad43f64f
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: tinymce.jar: plugin.min.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/emoticons/plugin.min.js
MD5: 8e3a6564df728a54bbfc2007d35dd2fc
SHA1: 2bc65bce44cebef706234bddaa3fef61fddc2791
SHA256: 4ee4a74d6b13afa099bc6dd48f7a240219b87a24626d25a80fcdf06f3535b840
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: tinymce.jar: plugin.min.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/fullpage/plugin.min.js
MD5: 12f9d416422e0984dfb0ad3c124a30e8
SHA1: 4c0cfd1305cd1b0b8373bbf11342e7c494cac4f8
SHA256:3563499ed8b42c6d986ed4f805de9066a7a04f99d3343e2123369491fb6daa6c
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: tinymce.jar: plugin.min.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/fullscreen/plugin.min.js
MD5: 28c6f465baeeeba5f7711483c4a0e426
SHA1: 09ad73eeb65c59def15937ea120b3ed6682b6513
SHA256:72033751454cb26f52d9981653f49b2eb2b727e500b8a6ac941cebe0c6287c10
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: tinymce.jar: plugin.min.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/help/plugin.min.js
MD5: c1cf37a849f126f10d8ac2b826aa39ce

SHA1: b7ddc1cfab6f87604bb7aa4577eb2b3812297340
SHA256:611e336e89f80588550f49e8c15ba06bafba2902af4f81dbd63193548f18cfb1
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: tinymce.jar: plugin.min.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/hr/plugin.min.js
MD5: 25ffeedf184858ee3d71823eaf4990e0
SHA1: ade2fbb0b51b6d889b2a768e556cf96815bac0e1
SHA256:ee59ded600aa421083e0787156220364a82df074ef9b325c3238440404fb2c81
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: tinymce.jar: plugin.min.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/image/plugin.min.js
MD5: a1410f44dc4dae7dde1ad1b37cfcf5c2
SHA1: 794592d3040282761a5a3c186558f5edc87c40ea
SHA256:b0b7035786562496f47ccc7f69e2917966d1227a9f405f67e5e61d75deb619a3
Referenced In Project/Scope: server


Evidence



Type	Source	Name	Value	Confidence
Identifiers				
• None				

remotegui.zip: tinymce.jar: plugin.min.js


File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/imagetools/plugin.min.js
MD5: bf4eeab4ff114a3ca465e2e00e0ed817
SHA1: 7c4796ab1f08d4a30fa1ea15734af2c89d33b673
SHA256:d6993e4195cf8098114f3024c8c556a9aaee2ad2249150ac84d9b5230f076dbb
Referenced In Project/Scope: server

Evidence 				
Type	Source	Name	Value	Confidence

Identifiers				
• None				

remotegui.zip: tinymce.jar: plugin.min.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/importcss/plugin.min.js
MD5: 4dfbf3010085640e499ffa4ed53f3e9f
SHA1: 806b76dbeef2d9c4fd1aa243d1af03bba35b555e
SHA256:3c92a77bb7032d571c3c6c0a18123891e06bb40ae4498f137743d25ee6414ea8
Referenced In Project/Scope: server

Evidence 				
Type	Source	Name	Value	Confidence

Identifiers				
-------------	--	--	--	--

- None

remotegui.zip: tinymce.jar: plugin.min.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/insertdatetime/plugin.min.js
MD5: 5a27df4fa9592be99446da8e6d67a2cf
SHA1: a031aff6bf079251c757636841a29b2e9d6a8b1c
SHA256: 321c0a514308e5c84257d8cdd3969e350486a6db0978e0e5ad143c0bc6a4ce0c
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: tinymce.jar: plugin.min.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/legacyoutput/plugin.min.js
MD5: 5516e774422ea64df103c3c2234a4ec6
SHA1: 657da397fb739dd03cb8aafa7177716b40f9d45b
SHA256: 57c72a86b59964c2b67e744ae14557c3eeb3839eed6bca42883e3190dc2620eb
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: tinymce.jar: plugin.min.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/link/plugin.min.js
MD5: d7059f353e02e66f01aa09b0fb193b61
SHA1: 5d94fa0eed6547f0bbd61c15bb0b9fd66ee095fc
SHA256: d539e25d6b9b7c1d912d731846be75285fd7813e9d23e6868a0fd602ed4d9bfe
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: tinymce.jar: plugin.min.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/lists/plugin.min.js
MD5: 153f9440390dfd0852bc13b37e4a99cf
SHA1: 098629a46a42755f921a2a6a8d2eee46dbbd6254
SHA256: 2e7d9385c8fd8248220ff2c5f34b30ad92a6bf34e65f05b611f24c9fd820a2a2
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: tinymce.jar: plugin.min.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/media/plugin.min.js
MD5: bff1f8494661523d9d921dd568dea68f

SHA1: 47b1e97c66ac4532a1cc0cdc213e84b2e1e5cb3d
SHA256:c4ddc7ef78871c0e384b32eede7953b391f1ebfab367fd6e38cd24aacb74808b
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: tinymce.jar: plugin.min.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/nonbreaking/plugin.min.js
MD5: 22cec5d1cd67de1710ac237a51b1eff2
SHA1: b78369ddc84f703ff894b59a951eb8713fbb0eaf
SHA256:9bb250342be2c9a4b71b46f553e5700b958b90356796f9d136c2d30cf51613af
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: tinymce.jar: plugin.min.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/noneditable/plugin.min.js
MD5: b559bf0c485035ccc5adc2cc5d27edc2
SHA1: d9535a360c55123550f45d2a13112e5c54613b09
SHA256:a3dcfa365c12b7cdc0102e3a3ba5f139cffbcb58c93de5cfd1cfd6758787e3f8
Referenced In Project/Scope: server


Evidence



Type	Source	Name	Value	Confidence
Identifiers				
• None				

remotegui.zip: tinymce.jar: plugin.min.js


File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/pagebreak/plugin.min.js
MD5: 2e7175073fbd4c9d0d41a620b87f47c8
SHA1: c3808c1045cf485075c41586755b610a5e56f2c3
SHA256:e8796cc7df647c286d04bca204e397e9f77e274aa31a982196424842284dc11f
Referenced In Project/Scope: server

Evidence 				
Type	Source	Name	Value	Confidence

Identifiers				
• None				

remotegui.zip: tinymce.jar: plugin.min.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/paste/plugin.min.js
MD5: e6ceced2c0b57ae7a093c250025d4b93
SHA1: 83000fb948b32522f4c391a21deca3c6ab3a41cd
SHA256:02f6cf2f00a0470edc2ce45521fe9e7ef083f1c0315558ee42c0f8c90d5059b8
Referenced In Project/Scope: server

Evidence 				
Type	Source	Name	Value	Confidence

Identifiers				
-------------	--	--	--	--

- None

remotegui.zip: tinymce.jar: plugin.min.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/preview/plugin.min.js
MD5: 3662f07953f093e774ef09cd282aa456
SHA1: 995e14b009b09f1eb9f8a6694f2a63d3f03b28cc
SHA256: c56fdc4fc82a79bdcfaffa7173b9d73eb4ece00386a1cd6a3cf08441eaeca800
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: tinymce.jar: plugin.min.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/print/plugin.min.js
MD5: 779799d120a0e0ad3822f9e54640cf19
SHA1: d5848caf54e8617ad251491c9251d8f339a216e3
SHA256: b4dd176e085a39bddd30362cc503b757e8648fa763374927cc1f771032f2c432
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: tinymce.jar: plugin.min.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/quickbars/plugin.min.js
MD5: cf09c9aca413bc4fbb19c1b8db79bd2a
SHA1: f540a233d19ab3f34123e7dd97d09a12c0946139
SHA256: 4f0a83cc96e7e818d2ee734b8dabcb31e2de69516c2f6a3338cc412d53795ab5
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: tinymce.jar: plugin.min.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/save/plugin.min.js
MD5: 1d255a40141338ace9a468f382ebc116
SHA1: 0f0dcf709e333cdd51f50dbffaa8249cb46ab218
SHA256: 887deb37b92ba8b6aff6e65565fd22e338d267622e308d30c768cc5b1d11527e
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: tinymce.jar: plugin.min.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/searchreplace/plugin.min.js
MD5: ac0e1a41a7ac38053f65df3d3e899d50

SHA1: 2e7f1c6e0210b98b18cd48cc7a79ebd5ff9bf7bc
SHA256:2c00411b358e2836734b729c7dd85155c7398086f52be27124b314536d1ced65
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: tinymce.jar: plugin.min.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/spellchecker/plugin.min.js
MD5: ba970e24a9000a62537e9a61dc67af21
SHA1: 975d4817120905cdba5d2f3c41c8d40548c79b15
SHA256:4e7e4741970c39f8c2e10f4b9375e2841ef82520e2f092daabfdec68bcd72c50
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: tinymce.jar: plugin.min.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/tabfocus/plugin.min.js
MD5: b3ed291355f244a08de7c6cdd28bdc24
SHA1: be298bad6688fb4979fe9acb1949ea89c4afa36b
SHA256:13c873fca170d4949c38b556f8d76c09abfedb4c4a01b4e056a2d1ddaeaf915f
Referenced In Project/Scope: server


Evidence



Type	Source	Name	Value	Confidence
Identifiers				
• None				

remotegui.zip: tinymce.jar: plugin.min.js


File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/table/plugin.min.js
MD5: e49127ac5d6d510bcfee6d834109d7d9
SHA1: 3e845f3a31bc77ff139f6c738afc05eddaee9573
SHA256:9130f4972ccd49565986d6e624d3a70109de6b5dfd56a9e0ff23954f17877e6d
Referenced In Project/Scope: server

Evidence 				
Type	Source	Name	Value	Confidence

Identifiers				
• None				

remotegui.zip: tinymce.jar: plugin.min.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/template/plugin.min.js
MD5: f5d5437a7c23a78a945a8db00bae1dc5
SHA1: ec33f38e54858e4f4282fc27f8e635fa8d054701
SHA256:9bb402bbdba8a4d4b5a73a9f91d8150ef2805dda6ed96fd393c11e369c92a8ac
Referenced In Project/Scope: server

Evidence 				
Type	Source	Name	Value	Confidence

Identifiers				
-------------	--	--	--	--

- None

remotegui.zip: tinymce.jar: plugin.min.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/textcolor/plugin.min.js
MD5: c423242c5a16c97be3b9a24d6b4f1062
SHA1: d50ad5bd7ea69a614899837e4cd3ecace1df2621
SHA256: 1a882eb097c9d69037a035c897a63cbbad1bd3b59cf5d22bacb4784d8994a3c1
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: tinymce.jar: plugin.min.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/textpattern/plugin.min.js
MD5: 4d23619babf8fc972428cfe3dd010411
SHA1: f57a6cebae882fb8d9c3a507de83d9b1fdb3a1a8
SHA256: 166cbcd9d86dce2a0890c62f6757500d3d4212a26c39757d9921f9e2615ba948
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: tinymce.jar: plugin.min.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/toc/plugin.min.js
MD5: 13707deaf5f0430745e57d913ea31257
SHA1: 2d23b19db8821b9910ba04c34d8bc1d4800e90b0
SHA256: 3a2df41858244f3207c16189f0eb78079e3da18d1151fe2a99c1adab3f117331
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: tinymce.jar: plugin.min.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/visualblocks/plugin.min.js
MD5: 9c96006cef6c3ac93b762398112b4855
SHA1: f9ec40c80b863f409947844e841cc0037b379657
SHA256: 0f1e3d314633726deea43eff70a76e1308fcc6d85570aa4cf6392abaa7d81e78
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: tinymce.jar: plugin.min.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/visualchars/plugin.min.js
MD5: 9869c6e0ff649172df808ed22c7b9a08

SHA1: 592dc0de3aa1d7e3a7f572a8d51e67fe3b2c7a43
SHA256: 469be54f8ba9ddbb9c8020d65aae0521d43f05a9197b8412e0247501f8da4490
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: tinymce.jar: plugin.min.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/wordcount/plugin.min.js
MD5: ca6ae0cddf594fd58d16eedfbf25e5a2
SHA1: da6fa1c97cb33defad55c1767e08f40b4955aa66
SHA256: 7b59f6d1fd0047cf530d9358dcbb7af7cc8982ab52642d230e10b0534ef1480e
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: tinymce.jar: theme.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/themes/mobile/theme.js
MD5: bf71e3c8a676f9f33cae81ef702d5077
SHA1: cd57219abb6d0a23e19a100979d353f2ef5d98c1
SHA256: a0ca0d72dd1b77c66cbcd1eab25daa174ed8048507027218477bacf04e4cef11
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: tinymce.jar: theme.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/themes/silver/theme.js
MD5: b99cdf5dcb718bb3d31d6c8667ae2462
SHA1: 26d8486e0ec39d27e79b0b37965b28e2b45afb6d
SHA256:0147750f4214d0acd55cadda52809ac73766443333bb65947c7fe1e0684d85c7
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence
Vendor	file	name	DOMPurify	High
Product	file	name	DOMPurify	High
Version	file	version	2.3.8	High

Identifiers

- [pkg:javascript/DOMPurify@2.3.8](#) (Confidence:Highest)

Published Vulnerabilities

CVE-2024-45801 (RETIREJS) suppress

Unscored:

- Severity: high

References:

- info - <https://github.com/advisories/GHSA-mmhx-hmjr-r674>
- info - <https://github.com/cure53/DOMPurify>
- info - <https://github.com/cure53/DOMPurify/commit/1e520262bf4c66b5efda49e2316d6d1246ca7b21>
- info - <https://github.com/cure53/DOMPurify/commit/26e1d69ca7f769f5c558619d644d90dd8bf26ebc>
- info - <https://github.com/cure53/DOMPurify/security/advisories/GHSA-mmhx-hmjr-r674>
- info - <https://nvd.nist.gov/vuln/detail/CVE-2024-45801>

remotegui.zip: tinymce.jar: theme.min.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/themes/mobile/theme.min.js

MD5: 16cae3454aa3d42affaa77affd250d0f

SHA1: d1aabb81b26a0cea4f2463fc3834e19b96577db

SHA256: 41c734ae3943763aa08ab0b42b85aa755621e26124f15a7a0708ccb8b3ae3c63

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: tinymce.jar: theme.min.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/themes/silver/theme.min.js

MD5: 9f7fbf793a00485e1943e7270b1194b2

SHA1: 2dbf1744e59360da304128ddd7cc25476e376af5

SHA256: 05f5cf013cd5b6c793f9d5f745350088d3c5686ba001197b7ce2e1cb8c961f99

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: tinymce.jar: tinymce.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/tinymce.js
MD5: f7a8350f10f92d58a952e1feb0d28f2c
SHA1: d3ecc2861e41722d51e1ede38da5ead47a530c14
SHA256: a78ee6bd10002d050a314768a523533144228f654d80571a8ed28ff3011208a1
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence
Vendor	file	name	tinyMCE	High
Product	file	name	tinyMCE	High
Version	file	version	5.10.9	High

Identifiers

- [pkg:javascript/tinyMCE@5.10.9](#) (*Confidence: Highest*)

remotegui.zip: tinymce.jar: tinymce.min.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/tinymce.min.js
MD5: 10df005254d5668ccedbdba2614354acd
SHA1: fbcd5a3f14b7c3dd8a9d203b9b30acfba49a38f4
SHA256: 3c3041cb95a1c979ee2205901cf1c670a36c192ef089e6f63b94beabef386c30
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence
Vendor	file	name	tinyMCE	High
Product	file	name	tinyMCE	High
Version	file	version	5.10.9	High

Identifiers

- [pkg:javascript/tinyMCE@5.10.9](#) (*Confidence: Highest*)

remotegui.zip: twemoji.jar

License:

MIT

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/twemoji.jar

MD5: af9b535ef495075dfb0a7d5bec95eee6

SHA1: 0a559adee289b6b855ad1294b17dd71d9f3d21eb

SHA256: 9ce4f61ef563851b37c3918c54a876a865d2f66fda5f80dd2bfecebb2d7e386f

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	twemoji	High
Vendor	Manifest	url	https://github.com/twitter/twemoji/blob/master/LICENSE	Low
Vendor	pom	artifactid	twemoji-null	Low
Vendor	pom	groupid	lib	Highest
Vendor	pom	url	twitter/twemoji/blob/master/LICENSE	Highest
Product	file	name	twemoji	High
Product	Manifest	url	https://github.com/twitter/twemoji/blob/master/LICENSE	Low
Product	pom	artifactid	twemoji-null	Highest
Product	pom	groupid	lib	Highest
Product	pom	url	twitter/twemoji/blob/master/LICENSE	High
Version	pom	version	1.0	Highest

Identifiers

- [pkg:maven/lib/twemoji-null@1.0](#) (*Confidence:*High)

remoteprinting.zip: remoteprinting.jar

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remoteprinting.zip/remoteprinting.jar

MD5: e55268a9c5487cd4baea3a6e6d3f4afe

SHA1: c609c763bdc2e3967b4bac4991c8e675ca04fea6

SHA256: be7699f093878b597d39d02a77cdf7e0e14893584138b147a81667b667a96ca5

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	remoteprinting	High
Vendor	jar	package name	inet	Low
Vendor	jar	package name	remoteprinting	Low
Vendor	jar	package name	report	Low
Vendor	Manifest	built-date	2024-09-19 18:29	Low
Vendor	Manifest	implementation-group	reporting	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	remoteprinting	High
Product	jar	package name	remoteprinting	Highest
Product	jar	package name	remoteprinting	Low
Product	jar	package name	report	Low
Product	Manifest	built-date	2024-09-19 18:29	Low
Product	Manifest	implementation-group	reporting	Low
Product	Manifest	Implementation-Title	remoteprinting	High
Product	Manifest	specification-title	remoteprinting	Medium
Version	Manifest	Implementation-Version	24.10.163	High

Identifiers

- None

remoteprinting.zip: remoteprinting.jar: RemotePrintingRenderer.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remoteprinting.zip/remoteprinting.jar/com/inet/report/remoteprinting/usersandgroups/ui/RemotePrintingRenderer.js

MD5: e816754fa2c6fe3a7219b8709a5ea1d0
SHA1: d7974370a06688facfd8b3ae8af91f6f74af6f67
SHA256: c33206af9597625b934ac4a08e75e5ab1852a2be264ec927ca21dc71dc00af84
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remoteprinting.zip: remoteprinting.jar: app.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remoteprinting.zip/remoteprinting.jar/com/inet/report/remoteprinting/resources/js/app.js

MD5: 57295bca2e13bd1a79d1718fe67a96ff
SHA1: 053da27ad7db4c7dde7c8e0fd9a3cfa74e86b35e
SHA256: cdebd14b5fd5ff72fac4bf8b53fa84c5dfc068a4067772ec4b0b951d51079c24
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remoteprinting.zip: remoteprinting.jar: htmlviewer.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remoteprinting.zip/remoteprinting.jar/com/inet/report/remoteprinting/resources/js/htmlviewer.js

MD5: 5ef047cff0a2ae8bba3c464b8ca0b554
SHA1: 3e735022b663115f93ef7705f1af52228ae9e119
SHA256: 2925f857630e93865d906bd8cf920ed5db302330a91a91f683efaed18201c7b6
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remoteprinting.zip: remoteprinting.jar: pdfviewer.angular.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remoteprinting.zip/remoteprinting.jar/com/inet/report/remoteprinting/resources/js/pdfviewer.angular.js

MD5: 266420c959596225b3fc0014b41d631d

SHA1: 27a3bd4ed2937ae598b3afb2c290ae643f55acaa

SHA256:68f4900e0a0ec0b3a55611021e24aa42b4e5fc9ad869a4b40125c09047f5eaa7

Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remoteprinting.zip: remoteprinting.jar: remoteprinting.factory.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remoteprinting.zip/remoteprinting.jar/com/inet/report/remoteprinting/resources/js/remoteprinting.factory.js

MD5: 53ce6060610cf62c5dae497924b78975

SHA1: dce234794ce082eeabe44262dfbcce6934218775

SHA256:fd8d006c6470977ea4d7249d4289d67337cbbd758b79a38bc74ea163f9f2f68b

Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remoteprinting.zip: remoteprinting.jar: remoteprinting.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remoteprinting.zip/remoteprinting.jar/com/inet/report/remoteprinting/resources/js/remoteprinting.js

MD5: dc493fa664eb4fc9321f6ec47fa7a284

SHA1: 57c13fece9b7751ab9a0029b846cb09883881824

SHA256: 89db65297d0837de281111bc402b5ff23a4e5686b041ded271609d0eb8f2d6f2

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remoteprinting.zip: remoteprinting.jar: remoteprinting.model.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remoteprinting.zip/remoteprinting.jar/com/inet/report/remoteprinting/resources/js/remoteprinting.model.js

MD5: 0a7dc6be63811d015478b5936a6f36aa

SHA1: 62d29ec026a0f8238ee6e5cceda29daea0aa844b

SHA256: e15879e47240e283be4de1e49c528267267fdeadec57c3379d8de1d98d5c9b8c

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remoteprinting.zip: remoteprinting.jar: remoteprinting.renderer.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remoteprinting.zip/remoteprinting.jar/com/inet/report/remoteprinting/resources/js/remoteprinting.renderer.js

MD5: 16ba297bf877fe2b9b782308dc58073c

SHA1: c2b542114f99002ec13269c85c3c5c7efb744933

SHA256: 5d4a0b279ccecbaaec215361d763dddc119aaf12d02d1cf3870d300d569d1db4

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

reporting.zip: jcommon.jar

Description:

JCommon is a free general purpose Java class library that is used in several projects at www.jfree.org, including JFreeChart and JFreeReport.

License:

GNU Lesser General Public Licence: <http://www.gnu.org/licenses/lgpl.txt>

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/reporting.zip/jcommon.jar

MD5: 3872e82627df950d40a949144a93e491

SHA1: d5016f7703896c38f9e511f8a9edda2585cbac8b

SHA256: 13e2596044935f76694cce65a22d1df908907ddcba0da2b49ff030930262d417

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Vendor	file	name	jcommon	High
--------	------	------	---------	------

Vendor	jar	package name	jcommon	Highest
--------	-----	--------------	---------	---------

Vendor	jar	package name	jfree	Highest
--------	-----	--------------	-------	---------

Vendor	jar	package name	jfree	Low
--------	-----	--------------	-------	-----

Vendor	jar	package name	library	Highest
--------	-----	--------------	---------	---------

Vendor	jar	package name	ui	Low
--------	-----	--------------	----	-----

Vendor	pom	artifactid	jcommon	Low
Vendor	pom	developer email	dave@jfree.org	Low
Vendor	pom	developer name	David Gilbert	Medium
Vendor	pom	developer org	Object Refinery Limited	Medium
Vendor	pom	developer org URL	http://www.object-refinery.com	Medium
Vendor	pom	groupid	org.jfree	Highest
Vendor	pom	name	JCommon	High
Vendor	pom	organization name	JFree.org	High
Vendor	pom	organization url	http://www.jfree.org/	Medium
Vendor	pom	url	http://www.jfree.org/jcommon/	Highest
Product	file	name	jcommon	High
Product	jar	package name	jcommon	Highest
Product	jar	package name	jfree	Highest
Product	jar	package name	library	Highest
Product	jar	package name	ui	Low
Product	pom	artifactid	jcommon	Highest
Product	pom	developer email	dave@jfree.org	Low
Product	pom	developer name	David Gilbert	Low
Product	pom	developer org	Object Refinery Limited	Low
Product	pom	developer org URL	http://www.object-refinery.com	Low
Product	pom	groupid	org.jfree	Highest
Product	pom	name	JCommon	High
Product	pom	organization name	JFree.org	Low
Product	pom	organization url	http://www.jfree.org/	Low
Product	pom	url	http://www.jfree.org/jcommon/	Medium
Version	pom	version	1.0.24	Highest

Identifiers

- [pkg:maven/org.jfree/jcommon@1.0.24](https://maven.org/jfree/jcommon@1.0.24) (*Confidence:High*)

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/reporting.zip/jfreechartCC.jar
MD5: d40797862429778272fd6c8f99eb9180
SHA1: cc73d06c50dbfcd5b6e94005165f4a5e20786cef
SHA256:02de0cf80bdf46d653714b9348c6e055835fdb1147b4d853cb914d7fa6607be8
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	jfreechartCC	High
Vendor	jar	package name	chart	Low
Vendor	jar	package name	inet	Low
Vendor	jar	package name	jfree	Low
Vendor	Manifest	built-date	2024-09-19 18:13	Low
Vendor	Manifest	implementation-group	reporting	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	jfreechartCC	High
Product	jar	package name	chart	Low
Product	jar	package name	jfree	Low
Product	Manifest	built-date	2024-09-19 18:13	Low
Product	Manifest	implementation-group	reporting	Low
Product	Manifest	Implementation-Title	jfreechartCC	High
Product	Manifest	specification-title	jfreechartCC	Medium
Version	Manifest	Implementation-Version	24.10.163	High

Identifiers

- None

reporting.zip: reporting-javadoc.jar

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/reporting.zip/reporting-javadoc.jar
MD5: 45c746037601b3a65db98dfaa1ddb93
SHA1: b72a7523979c42362b24b701cf84f4433547a1d7
SHA256: 84acabe93d23b966735e51c4ebf3ff10c64ad30361d15cafdd4ba84f5ffd9b7e
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence
Vendor	file	name	reporting-javadoc	High
Product	file	name	reporting-javadoc	High

Identifiers

- None

reporting.zip: reporting-javadoc.jar: member-search-index.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/reporting.zip/reporting-javadoc.jar/member-search-index.js
MD5: d45cdc78809f1b9d49b99625ff3bd6fd
SHA1: e768a1fa1d635d1e07868a08fed824db92f0ff2c
SHA256: 9e2dae0b0caf7504c190e212845d5482b6eee93281bb73fdc4ed81218f940488
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

reporting.zip: reporting-javadoc.jar: package-search-index.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/reporting.zip/reporting-javadoc.jar/package-search-index.js
MD5: 2c0f8742f3f9b12b580ebbb1d05b246c
SHA1: 4ab261d1781d9f77c131e641ec031d38e39a0444
SHA256: 40e580f6c42f5eaad108580601b9279ee0d06eb1b35574573d0d2a3798580d82
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

reporting.zip: reporting-javadoc.jar: type-search-index.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/reporting.zip/reporting-javadoc.jar/type-search-index.js
MD5: 8008687a1ad6ed821adc84cca8826520
SHA1: a21713c3a63548a6651afc41259760ad85b6226d
SHA256: a9e4cb81069076017cfaf4566173432128024441225b5c4d9bc20a04637f5416
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

reporting.zip: reporting.jar

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/reporting.zip/reporting.jar
MD5: 441e946ad2a665b8202800e9323e25b6
SHA1: 4eaf4455910950e2852427ade2e62e2dfc022b46
SHA256: d130d869c9349b8caf3d6264d0ee57067cb904926cb9e6004b48b27ff45091d6
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	reporting	High
Vendor	jar	package name	i	Highest
Vendor	jar	package name	inet	Low
Vendor	jar	package name	report	Low
Vendor	Manifest	application-library-allowable-codebase	*	Low
Vendor	Manifest	built-date	2024-09-19 18:16	Low
Vendor	Manifest	codebase	*	Low
Vendor	Manifest	implementation-group	reporting	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	permissions	all-permissions	Low
Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	trusted-library	false	Low
Vendor	Manifest	trusted-only	false	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	reporting	High
Product	jar	package name	permissions	Highest
Product	jar	package name	report	Low
Product	jar	package name	reporting	Highest
Product	Manifest	application-library-allowable-codebase	*	Low
Product	Manifest	built-date	2024-09-19 18:16	Low
Product	Manifest	codebase	*	Low
Product	Manifest	implementation-group	reporting	Low
Product	Manifest	Implementation-Title	reporting	High
Product	Manifest	permissions	all-permissions	Low
Product	Manifest	specification-title	reporting	Medium

Product	Manifest	trusted-library	false	Low
Product	Manifest	trusted-only	false	Low
Version	jar	package name	permissions	Highest
Version	jar	package name	reporting	Highest
Version	Manifest	Implementation-Version	24.10.163	High

Identifiers

- None

reporting.zip: reporting.jar: events.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/reporting.zip/reporting.jar/com/inet/report/renderer/html/viewer/helper/events.js

MD5: 3fc9838e053b31f8807cae4d3ec8af0e

SHA1: 2c49faf9585fe00cd134370a8f36129390838fcc

SHA256: 562e707e5a6fc06e50bdbd6526050ce0b5a71c62839d1a6fce3b6b262904a1fa

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

reporting.zip: reporting.jar: export.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/reporting.zip/reporting.jar/com/inet/report/renderer/html/viewer/modules/export.js

MD5: 746424b1fba005660a7543737f5703d7

SHA1: 5c1c20fbf6ee1d2bbbaeb1a71199142b9584da86

SHA256: f01740cc1eb338fba1ddab973b535fb3295517e8717471370fcd9a28f438e28

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

reporting.zip: reporting.jar: functions.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/reporting.zip/reporting.jar/com/inet/report/renderer/html/viewer/helper/functions.js

MD5: c61acd956e7e6e92515853862714af13

SHA1: c9291385e7554de67b326a813b9132a242d95b7c

SHA256: 54ebca9f31c4b878439b3dde01b4efd9652ec1a0ad1871dd2dcc767f81fa7b5d

Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

reporting.zip: reporting.jar: generator.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/reporting.zip/reporting.jar/com/inet/report/renderer/html/viewer/helper/generator.js

MD5: 1e299743754f9f1d759bdd0159f8c4c8

SHA1: bf9ccac664dd094ccf0cd9ce4708709a6b84a198

SHA256: fb466011f0d2e7e592ddbdb1edf4bf6656b3c39abedcf17e5974983ead5bcc0a

Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

reporting.zip: reporting.jar: grouptree.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/reporting.zip/reporting.jar/com/inet/report/renderer/html/viewer/modules/grouptree.js
MD5: 6a2aa37dcc827ae76a73fbb380bb9841
SHA1: 3491c58a0f544f3d322528aef0cf315170cb64d7
SHA256: 535046b4e6210984327183beea7f2a22eda39fa2d9aa71f385095cbf60f154f8
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

reporting.zip: reporting.jar: htmlreportextension.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/reporting.zip/reporting.jar/com/inet/report/plugins/drive/client/js/htmlreportextension.js
MD5: 4a91827e853ef0bf19cf06f343e18e98
SHA1: fda14009355a1098b25c75a307900e27d43a5e09
SHA256: 004b3358d2bc621a7bb7c3b3f7e350876ed7904cd41c4d51d88533babf4cf590
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

reporting.zip: reporting.jar: jstorage.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/reporting.zip/reporting.jar/com/inet/report/renderer/html/viewer/helper/jstorage.js
MD5: e3cf61a603c85bf3f8487da7e9548f71
SHA1: 62f878b97e407836ac78c7f53e0dcc6dc253326c
SHA256: 6d1e04ec7c76349ee41b892f465b8c0e110a6f5438da5cce419589a73d370cbc
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

reporting.zip: reporting.jar: keylistener.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/reporting.zip/reporting.jar/com/inet/report/renderer/html/viewer/modules/keylistener.js
MD5: c5d832994dccb5bebc8af8bc39cf5daad
SHA1: c5f6f54e81c1d0d3386bbd47bbdc0f9ca0c33170
SHA256: 9f415b33cfcb34f2156906e04601fd845bb992003f660737c0269c6e9ac9e
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

reporting.zip: reporting.jar: menubar.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/reporting.zip/reporting.jar/com/inet/report/renderer/html/viewer/modules/menubar.js
MD5: 84eac9769fcf64aac757adae2ae20b6b

SHA1: c44fd0b0e9ffbc652c5a87c07422d8d2f9294d01

SHA256: 35b71bf5c90a9c40f6080dd0721edfba6796582e66ddd86d6a620d6ffd5a7099

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

reporting.zip: reporting.jar: page.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/reporting.zip/reporting.jar/com/inet/report/renderer/html/viewer/page.js

MD5: 462d52c659dc09d5014cf48338eabd95

SHA1: 7aab284e6c75d5b2f47b57fff793a0d7c2ee754e

SHA256: 555c503389751372bc5d54cbbda777902740ce4b4fea22718cda901b66eb035c

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

reporting.zip: reporting.jar: pagecount.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/reporting.zip/reporting.jar/com/inet/report/renderer/html/viewer/modules/pagecount.js

MD5: 24cfe9e8f48f278f1602d02864d58624

SHA1: 2eddd3a44c190d4bdfe4be0c9326fcb2910760ea

SHA256: c9ab8247c75b8a064609e6215bc095afaa2195537592e1dd33edfb1a1071ad90

Referenced In Project/Scope: server


Evidence



Type	Source	Name	Value	Confidence
Identifiers				
• None				

reporting.zip: reporting.jar: popup.js


File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/reporting.zip/reporting.jar/com/inet/report/renderer/html/viewer/modules/popup.js
MD5: f3f883333f0bd365b876eb3239027ccc
SHA1: 472c339e9c2fcc57ea152f0a7fd292cfaf8d5d94
SHA256:b529ecd0c9c789d9927cc186a070f59185749ec3bec95485953ac5fad8ed4b1b
Referenced In Project/Scope: server

Evidence 				
Type	Source	Name	Value	Confidence

Identifiers				
• None				

reporting.zip: reporting.jar: print.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/reporting.zip/reporting.jar/com/inet/report/renderer/html/viewer/modules/print.js
MD5: 7b8d31c1093a5780e3456b1a89e5691d
SHA1: 92e65e0247c6a554b240fbd6ec9f765536971b4f
SHA256:1bff0ec49ffd73d721476a42c7fdd790c11de9247708d0359634c5b1108a7454
Referenced In Project/Scope: server

Evidence 				
Type	Source	Name	Value	Confidence

Identifiers				
-------------	--	--	--	--

- None

reporting.zip: reporting.jar: prompts.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/reporting.zip/reporting.jar/com/inet/report/renderer/html/viewer/modules/prompts.js

MD5: 85a496ebe2cba4bc70869321d184d7f7

SHA1: 2b57162a46aaac6509d82d643a2b3cd2c0cff35d

SHA256: d881fb2545a4d0bd5deee4a5201d22ecfd71bfa516d8005b227882ae920753b1

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

reporting.zip: reporting.jar: prototype.array.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/reporting.zip/reporting.jar/com/inet/report/renderer/html/viewer/helper/prototype.array.js

MD5: e7397419b474ed77e1919362d648e76e

SHA1: d51d04cd807648ebbf8147fb35a372b1be405a0c

SHA256: 32757f40fca37f8e5fa83f29618e3d6193dbe2a87df85bdf4b01f804e5ee10fa

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

reporting.zip: reporting.jar: prototype.element.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/reporting.zip/reporting.jar/com/inet/report/renderer/html/viewer/helper/prototype.element.js
MD5: 22a460c748d56bbf5abe35fd13fef26f
SHA1: 5d0d84fb2fb8fc2e19b11b1ff02a40c78a496836
SHA256: f29e8a4e3940edaf6a6dd88dfdd1dd683cf67289bfe5b078a0f54a98c0717d2b
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

reporting.zip: reporting.jar: prototype.string.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/reporting.zip/reporting.jar/com/inet/report/renderer/html/viewer/helper/prototype.string.js
MD5: df4a28167933f1a8e7c46a2764aa042e
SHA1: 34da7d4649052f159e8ce3cdb620575cc06851a5
SHA256: 1b72a0129d32dd94172c575ab52a27f78f5083dded4a68a2a840c16a674d8376
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

reporting.zip: reporting.jar: renderreportextension.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/reporting.zip/reporting.jar/com/inet/report/plugins/drive/client/js/renderreportextension.js
MD5: e67734f6f2305fbaf3c63dfb7d4b0600

SHA1: 967bbcbcd0cb3711e63c889b7c45531dafcc9249
SHA256:859f4c56ecd9785d1b9323347f4763e5e80510783091c5e2b33b7a4214ba0994
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

reporting.zip: reporting.jar: reorder.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/reporting.zip/reporting.jar/com/inet/report/renderer/html/viewer/modules/reorder.js
MD5: f69e929be3921597233d5f40cdb42d96
SHA1: 34dbc14d130c63bf8bc084fd2e0738072ad7531c
SHA256:bedbbe31cdf43b2581eb22c908587b90a090c8d3dec4f1f9473381f595cafc5
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

reporting.zip: reporting.jar: script.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/reporting.zip/reporting.jar/com/inet/report/renderer/html/viewer/script.js
MD5: e587df16aef59326cd23dcf903f4f0a0
SHA1: d6f93bbe5f92a93bcf505cdcc33265537c9ac1b4
SHA256:af8ce5bb839284bf28ef6b7a534490e2f3e6679b6e381cef66332dd86ab6d776
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

reporting.zip: reporting.jar: search.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/reporting.zip/reporting.jar/com/inet/report/renderer/html/viewer/modules/search.js
MD5: fc23b96b436d7e9cd6f6eaa37a8b4889
SHA1: c3ebabfdf678fa695918802942aa1a31e35e12d5
SHA256:e7c4c4ec44df06542deb241ce66375e83e38511cc3beb60eb9cdb712493aa3a8
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

reporting.zip: reporting.jar: serverping.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/reporting.zip/reporting.jar/com/inet/report/renderer/html/viewer/modules/serverping.js
MD5: cf0aa28426a5f0c3072bebe454ac51db
SHA1: d470b75dd064d62d773fcffa20de301811048660
SHA256:d78350702ac53e3094357533c45e45d6b0de57dfa8ce4a14045fbabc3c1e2496
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

reporting.zip: reporting.jar: stacktrace.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/reporting.zip/reporting.jar/com/inet/report/renderer/html/viewer/stacktrace.js

MD5: 15af09e55c4ba39e41953f1a3e5a14c9

SHA1: 3c92835b1e605bca8aac7bd82d094c98ccbf79b

SHA256: 1133134ddddd7d0cab8d43b06e47825631b50d02cd54299c7dd80ff5a0d19457

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

reporting.zip: reporting.jar: tabbar.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/reporting.zip/reporting.jar/com/inet/report/renderer/html/viewer/modules/tabbar.js

MD5: 491f95aea1cf85555dd3f39b6eeb667f

SHA1: ce3c162c5224fa0224928c77ef243a60e7b00aed

SHA256: ff58c9a193a7e9c38f46b120943ad919d22242b1b08710900db2028eb5d22f48

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

sampleapplication.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/Documentation and Samples/Plugin - Samples/Application/CurrentTimePlugin/src/com/inet/application/currenttime/sampleapplication.js
MD5: a0b6ce01eb88d27464c409bd56d4fa65
SHA1: c23569535b8a3fb31880228a5e8c3efd42555175
SHA256: 8d80f1c43ca8a4dba57c52e977bd61d92acae6cfdb8e8655b68fbc7102b021905
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies



- application.currenttime.zip: sampleapplication.js
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/Documentation and Samples/Plugin - Samples/Application/CurrentTimePlugin/application.currenttime.zip/src/com/inet/application/currenttime/sampleapplication.js
 - MD5: a0b6ce01eb88d27464c409bd56d4fa65
 - SHA1: c23569535b8a3fb31880228a5e8c3efd42555175
 - SHA256: 8d80f1c43ca8a4dba57c52e977bd61d92acae6cfdb8e8655b68fbc7102b021905

Identifiers

- None

sampldatabase.zip: sampldatabase.jar

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/sampldatabase.zip/sampldatabase.jar
MD5: ba33771cf3dc0b9d011e90e7ee217a84
SHA1: 27bfa2056fde23cc2bb3d3532d13db96ed75f855
SHA256: fa20fa935ab2cfb644e97acdaf7eb799a0404151f7a3fc53563f580121e8f84b
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	sampldatabase	High
Vendor	jar	package name	designer	Low
Vendor	jar	package name	inet	Low
Vendor	jar	package name	sampldatabase	Low

Vendor	Manifest	application-library-allowable-codebase	*	Low
Vendor	Manifest	built-date	2024-09-19 18:30	Low
Vendor	Manifest	codebase	*	Low
Vendor	Manifest	implementation-group	reporting	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	permissions	all-permissions	Low
Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	trusted-library	false	Low
Vendor	Manifest	trusted-only	false	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	sampldatabase	High
Product	jar	package name	designer	Low
Product	jar	package name	sampldatabase	Highest
Product	jar	package name	sampldatabase	Low
Product	jar	package name	sampldatabaseserverplugin	Low
Product	Manifest	application-library-allowable-codebase	*	Low
Product	Manifest	built-date	2024-09-19 18:30	Low
Product	Manifest	codebase	*	Low
Product	Manifest	implementation-group	reporting	Low
Product	Manifest	Implementation-Title	sampldatabase	High
Product	Manifest	permissions	all-permissions	Low
Product	Manifest	specification-title	sampldatabase	Medium
Product	Manifest	trusted-library	false	Low
Product	Manifest	trusted-only	false	Low
Version	Manifest	Implementation-Version	24.10.163	High

Identifiers

- None

sampledatabase.zip: smallsql.jar

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/sampledatabase.zip/smallsql.jar

MD5: a85e63aac9630d46b06baaf8e405085a

SHA1: bc3097212ad32b21b2fd14ec0fa68e369a6e17f0

SHA256: fdc0c0d1883046fd8b0b8155ce94b2e1d6642679d51842ccc1c5b5343f9519a4

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	smallsql	High
Vendor	jar	package name	database	Low
Vendor	jar	package name	smallsql	Low
Product	file	name	smallsql	High
Product	jar	package name	database	Low

Identifiers

- None

samplereports.zip: samplereports.jar

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/samplereports.zip/samplereports.jar

MD5: f5eee1d7937bd76068cf08d261dae48a

SHA1: 03bfa99db152601e05114f5a721b0486fc67e8c8

SHA256: 80bdb593634c65edd684539748de3842a7dd3520db5fe2fc54b7d39d3f1a6c0c

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	samplereports	High
Vendor	jar	package name	inet	Low
Vendor	jar	package name	report	Low

Vendor	jar	package name	samples	Low
Vendor	Manifest	built-date	2024-09-19 18:30	Low
Vendor	Manifest	implementation-group	reporting	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	samlereports	High
Product	jar	package name	report	Low
Product	jar	package name	samples	Low
Product	Manifest	built-date	2024-09-19 18:30	Low
Product	Manifest	implementation-group	reporting	Low
Product	Manifest	Implementation-Title	samlereports	High
Product	Manifest	specification-title	samlereports	Medium
Version	Manifest	Implementation-Version	24.10.163	High

Identifiers

- None

search-worker.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/Documentation and Samples/dotnet - ProcessBridge API Doc/styles/search-worker.js

MD5: 5e2f2f2ecf39ab1197fa1f33bb73dce9

SHA1: fdf200a9954128e900e26e11749fc5c9250ba4eb

SHA256:422e115f5fd7829299546902847141ff52b972eca6c6b040bc7dbb81dcc79b89

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

security.zip: security.jar

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller
/server/build/tmp/dependencies/i-net Clear Reports/plugins/security.zip/security.jar
MD5: e7a36f5b41d71207710f763acabd1108
SHA1: e4d307f7e3242e49c4b3d1838ae11df667ea3148
SHA256:991ad3e2be4d7ef1e676060df3dd7c88c5f4b2a928a33d2765db5696d7b9f586
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	security	High
Vendor	jar	package name	inet	Low
Vendor	jar	package name	security	Low
Vendor	jar	package name	server	Low
Vendor	Manifest	built-date	2024-09-19 17:14	Low
Vendor	Manifest	implementation-group	shared	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	security	High
Product	jar	package name	security	Highest
Product	jar	package name	security	Low
Product	jar	package name	server	Low
Product	Manifest	built-date	2024-09-19 17:14	Low
Product	Manifest	implementation-group	shared	Low
Product	Manifest	Implementation-Title	security	High
Product	Manifest	specification-title	security	Medium

Version	Manifest	Implementation-Version	24.10.163	High
---------	----------	------------------------	-----------	------

Identifiers

- None

sessiondatasource.zip: sessiondatasource.sample.jar

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/sessiondatasource.zip/sessiondatasource.sample.jar

MD5: eccecd194a85283b8ca8eb71a4d9ba8

SHA1: 792e5eab66435cd2df07c5884147ba4986b96d09

SHA256:c095645fb15ba38ecc7a51fc3d6d4c19166e7c3f69f2716de61e2c861732aeda

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	sessiondatasource.sample	High
Vendor	jar	package name	inet	Low
Vendor	jar	package name	samples	Low
Vendor	jar	package name	session	Low
Vendor	Manifest	built-date	2024-09-19 18:15	Low
Vendor	Manifest	implementation-group	reporting	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	sessiondatasource.sample	High
Product	jar	package name	datasource	Low
Product	jar	package name	samples	Low
Product	jar	package name	session	Low
Product	Manifest	built-date	2024-09-19 18:15	Low
Product	Manifest	implementation-group	reporting	Low

Product	Manifest	Implementation-Title	sessiondatasource	High
Product	Manifest	specification-title	sessiondatasource	Medium
Version	Manifest	Implementation-Version	24.10.163	High

Related Dependencies

- sessiondatasource.zip: sessiondatasource.sample.jar
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/Documentation and Samples /Plugin - Samples/SessionDatasource/sessiondatasource.zip/sessiondatasource.sample.jar
 - MD5: eccecd194a85283b8ca8eb71a4d9ba8
 - SHA1: 792e5eab66435cd2df07c5884147ba4986b96d09
 - SHA256: c095645fb15ba38ecc7a51fc3d6d4c19166e7c3f69f2716de61e2c861732aeda

Identifiers

- None

setuplauncher.jar

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller /server/build/tmp/dependencies/i-net Clear Reports/core/setuplauncher.jar
MD5: efc8e498f710c73a8a6337435d1afb44
SHA1: 4729157aeae7ee197d6706cb010e9d67bc81441
SHA256:cce11bfe114d99a7d3c7bf6da17a6fc4e64ebf259a3f13e872927fa191090e69
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence
Vendor	file	name	setuplauncher	High
Vendor	jar	package name	inet	Low
Vendor	jar	package name	setuplauncher	Low
Vendor	Manifest	built-date	2024-09-19 16:58	Low
Vendor	Manifest	implementation-group	shared	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium

Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	setuplauncher	High
Product	jar	package name	setuplauncher	Highest
Product	jar	package name	setuplauncher	Low
Product	Manifest	built-date	2024-09-19 16:58	Low
Product	Manifest	implementation-group	shared	Low
Product	Manifest	Implementation-Title	setuplauncher	High
Product	Manifest	specification-title	setuplauncher	Medium
Version	Manifest	Implementation-Version	24.10.163	High

Identifiers

- None

slf4j-api-2.0.13.jar

Description:

The slf4j API

License:

<http://www.opensource.org/licenses/mit-license.php>

File Path: /home/jenkins/.gradle/caches/modules-2/files-2.1/org.slf4j/slf4j-api/2.0.13/80229737f704b121a318bba5d5deacbcf395bc77/slf4j-api-2.0.13.jar

MD5: 7f4028aa04f75427327f3f30cd62ba4e

SHA1: 80229737f704b121a318bba5d5deacbcf395bc77

SHA256: e7c2a48e8515ba1f49fa637d57b4e2f590b3f5bd97407ac699c3aa5efb1204a9

Referenced In Projects/Scopes:

- server
- server:inetPlugin

Included by: pkg:maven/clear-reports/server@24.10

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	slf4j-api	High
Vendor	gradle	artifactid	slf4j-api	Highest

Vendor	gradle	groupid	org.slf4j	Highest
Vendor	jar	package name	slf4j	Highest
Vendor	Manifest	build-jdk-spec	21	Low
Vendor	Manifest	bundle-docurl	http://www.slf4j.org	Low
Vendor	Manifest	bundle-symbolicname	slf4j.api	Medium
Vendor	Manifest	multi-release	true	Low
Vendor	pom	artifactid	slf4j-api	Low
Vendor	pom	groupid	org.slf4j	Highest
Vendor	pom	name	SLF4J API Module	High
Vendor	pom	parent-artifactid	slf4j-parent	Low
Vendor	pom	url	http://www.slf4j.org	Highest
Product	file	name	slf4j-api	High
Product	gradle	artifactid	slf4j-api	Highest
Product	jar	package name	slf4j	Highest
Product	Manifest	build-jdk-spec	21	Low
Product	Manifest	bundle-docurl	http://www.slf4j.org	Low
Product	Manifest	Bundle-Name	SLF4J API Module	Medium
Product	Manifest	bundle-symbolicname	slf4j.api	Medium
Product	Manifest	Implementation-Title	slf4j-api	High
Product	Manifest	multi-release	true	Low
Product	pom	artifactid	slf4j-api	Highest
Product	pom	groupid	org.slf4j	Highest
Product	pom	name	SLF4J API Module	High
Product	pom	parent-artifactid	slf4j-parent	Medium
Product	pom	url	http://www.slf4j.org	Medium
Version	file	version	2.0.13	High
Version	gradle	version	2.0.13	Highest
Version	Manifest	Bundle-Version	2.0.13	High
Version	Manifest	Implementation-Version	2.0.13	High
Version	pom	version	2.0.13	Highest

Related Dependencies



- facturx.zip: slf4j-api.jar
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/facturx.zip/slf4j-api.jar
 - MD5: 7f4028aa04f75427327f3f30cd62ba4e
 - SHA1: 80229737f704b121a318bba5d5deacbcf395bc77
 - SHA256: e7c2a48e8515ba1f49fa637d57b4e2f590b3f5bd97407ac699c3aa5efb1204a9
 - pkg:maven/org.slf4j/slf4j-api@2.0.13
- slf4j-api.jar
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/core/slf4j-api.jar
 - MD5: 7f4028aa04f75427327f3f30cd62ba4e
 - SHA1: 80229737f704b121a318bba5d5deacbcf395bc77
 - SHA256: e7c2a48e8515ba1f49fa637d57b4e2f590b3f5bd97407ac699c3aa5efb1204a9

Identifiers

- pkg:maven/org.slf4j/slf4j-api@2.0.13 (Confidence:High)

statistics.reporting.zip: statistics.reporting.jar

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/statistics.reporting.zip/statistics.reporting.jar

MD5: c85d6acbb1541c8226d10f0782f0fab7

SHA1: dc54ced0f1ccc32e01079e8b759fc5f160a69418

SHA256: 291d3d958b27d000ff775ef59b572675c09c10052762f5352ad32a7de80a83e1

Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence
Vendor	file	name	statistics.reporting	High
Vendor	jar	package name	inet	Low
Vendor	jar	package name	report	Low
Vendor	jar	package name	statistics	Low
Vendor	Manifest	built-date	2024-09-19 18:29	Low
Vendor	Manifest	implementation-group	reporting	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium

Product	file	name	statistics.reporting	High
Product	jar	package name	report	Low
Product	jar	package name	reports	Low
Product	jar	package name	statistics	Highest
Product	jar	package name	statistics	Low
Product	Manifest	built-date	2024-09-19 18:29	Low
Product	Manifest	implementation-group	reporting	Low
Product	Manifest	Implementation-Title	statistics.reporting	High
Product	Manifest	specification-title	statistics.reporting	Medium
Version	Manifest	Implementation-Version	24.10.163	High

Identifiers

- None

statistics.zip: statistics.jar

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/statistics.zip/statistics.jar
MD5: 2ea1cf5824ea99ef7a7827872f9b2e32
SHA1: 39d6bbfcc815c86590c146c335788003005ff7ab
SHA256: 5d8c5c52b4fcffa42404059306a66790252ec3c21308617315fad8a3ccd3c0fe
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence
Vendor	file	name	statistics	High
Vendor	jar	package name	inet	Low
Vendor	jar	package name	shared	Low
Vendor	jar	package name	statistics	Low
Vendor	Manifest	built-date	2024-09-19 17:08	Low
Vendor	Manifest	implementation-group	shared	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-	de.inetsoftware	Medium

Vendor-Id

Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	statistics	High
Product	jar	package name	server	Low
Product	jar	package name	shared	Highest
Product	jar	package name	shared	Low
Product	jar	package name	statistics	Highest
Product	jar	package name	statistics	Low
Product	Manifest	built-date	2024-09-19 17:08	Low
Product	Manifest	implementation-group	shared	Low
Product	Manifest	Implementation-Title	statistics	High
Product	Manifest	specification-title	statistics	Medium
Version	jar	package name	shared	Highest
Version	Manifest	Implementation-Version	24.10.163	High

Identifiers

- None

statistics.zip: statistics.jar: controller.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/statistics.zip/statistics.jar/com/inet/shared/statistics/resources/js/controller.js

MD5: c0e7d1bf8095778fdceb25239aec8b16

SHA1: a6413c9fc95565314832c1e71433969651f65caa

SHA256: bc10f410b7d7f915cdb62c964550b34c920cbef080d3cbda7c9fe5c90edfa257

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

statistics.zip: statistics.jar: embeddedstatisticsapp.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/statistics.zip/statistics.jar/com/inet/shared/statistics/server/embeddingapi/embeddedstatisticsapp.js

MD5: a317954d1fc60077ba63ec50877082e2

SHA1: 5dccd32bb9a34848bea70097f33b8c260440f467

SHA256: d2c09de924744c24918a7f4a1de18d568ac6afcd72a0b8563d876ab459ad21d

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

statistics.zip: statistics.jar: flotr2.min.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/statistics.zip/statistics.jar/com/inet/shared/statistics/resources/js/flotr2.min.js

MD5: c55df5101903c061ab8d0d65a61cb89e

SHA1: 08f86a4f4c443157e3428d2c0f1167d9ecc074b4

SHA256: 3811dd70eb5d41c7b58c6f6493bbe5e236e53ee69e3e93f2a547f014e74f1698

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

statistics.zip: statistics.jar: rendererstatistics.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/statistics.zip/statistics.jar/com/inet/shared/statistics/resources/js/rendererstatistics.js

MD5: 10d903956d3ac01114ae1202438a9371

SHA1: 01969a2fdd0a29fdd87b8b680dd7fe12f639a546

SHA256: 26bbb753f8721c0747e9fd93dff26784225da5f05ae527240dd73f76f8b4891c

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

statistics.zip: statistics.jar: statisticsFactory.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/statistics.zip/statistics.jar/com/inet/shared/statistics/resources/js/statisticsFactory.js

MD5: 0444ea0229f60bf3db85903af493cd7f

SHA1: c58568379038f651ab46c5e7b1bb7c29feada683

SHA256: d15607ec397b2967954bb3dc702f9b0fd5b3ea48d7f5883175b53c9d95296547

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

svgSalamander.jar

Description:

A tool for displaying and playing SVG content using the Java2D.

License:

BSD License: <https://opensource.org/licenses/BSD-2-Clause>

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/lib/beans/svgSalamander.jar

MD5: ec89e47e9c1e331577b9f37132643030

SHA1: 2834461bf9d561fbf8b8531503e5718c582ae800

SHA256: ad12ea694ebec5b50b10322e72b7e2cfb6d1689f5ba0bcd58b08f02c1f50c765

Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence
Vendor	file	name	svgSalamander	High
Vendor	jar	package name	a	Highest
Vendor	jar	package name	kitfox	Highest
Vendor	jar	package name	kitfox	Low
Vendor	jar	package name	svg	Highest
Vendor	jar	package name	svg	Low
Vendor	pom	artifactid	svgSalamander	Low
Vendor	pom	developer email	mark@kitfox.com	Low
Vendor	pom	developer name	Mark McKay	Medium
Vendor	pom	developer org	kitfox.com	Medium
Vendor	pom	developer org URL	http://www.kitfox.com	Medium
Vendor	pom	groupid	guru.nidi.com.kitfox	Highest
Vendor	pom	name	com.kitfox:svgSalamander	High
Vendor	pom	url	blackears/svgSalamander	Highest
Product	file	name	svgSalamander	High
Product	jar	package name	a	Highest
Product	jar	package name	kitfox	Highest
Product	jar	package name	svg	Highest
Product	jar	package name	svg	Low
Product	pom	artifactid	svgSalamander	Highest
Product	pom	developer email	mark@kitfox.com	Low
Product	pom	developer name	Mark McKay	Low
Product	pom	developer org	kitfox.com	Low
Product	pom	developer org URL	http://www.kitfox.com	Low
Product	pom	groupid	guru.nidi.com.kitfox	Highest

Product	pom	name	com.kitfox:svgSalamander	High
Product	pom	url	blackears/svgSalamander	High
Version	pom	version	1.1.3	Highest

Identifiers

- [pkg:maven/guru.nidi.com.kitfox/svgSalamander@1.1.3](#) (*Confidence:High*)
- [cpe:2.3:a:kitfox:svg_salamander:1.1.3:*:*:*:*:*](#) (*Confidence:Low*) suppress

taskplanner.logaction.zip: taskplanner.logaction.sample.jar

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller
/server/build/tmp/dependencies/Documentation and Samples/Plugin - Samples/TaskPlanner
/LogActionPlugin/taskplanner.logaction.zip/taskplanner.logaction.sample.jar
MD5: 1c82efc9f4654dd37b4f469e5853241b
SHA1: d022dcc0f11833ea5ca7a151920f2ebb53cbb935
SHA256: d9d08a5511a4306010408b54c1658a2080721e00fb6b929635b1e018ef8bb538
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence
Vendor	file	name	taskplanner.logaction.sample	High
Vendor	jar	package name	inet	Low
Vendor	jar	package name	logaction	Low
Vendor	jar	package name	taskplanner	Low
Vendor	Manifest	built-date	2024-09-19 17:12	Low
Vendor	Manifest	implementation-group	shared	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	taskplanner.logaction.sample	High
Product	jar	package name	logaction	Highest
Product	jar	package name	logaction	Low
Product	jar	package name	taskplanner	Highest

Product	jar	package name	taskplanner	Low
Product	Manifest	built-date	2024-09-19 17:12	Low
Product	Manifest	implementation-group	shared	Low
Product	Manifest	Implementation-Title	taskplanner.logaction	High
Product	Manifest	specification-title	taskplanner.logaction	Medium
Version	Manifest	Implementation-Version	24.10.163	High

Identifiers

- None

taskplanner.openweathermap.zip: taskplanner.openweathermap.sample.jar

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/Documentation and Samples/Plugin - Samples/TaskPlanner/OpenWeatherMapPlugin/taskplanner.openweathermap.zip/taskplanner.openweathermap.sample.jar
MD5: 42faba501a314f51675d93c09d154f2b
SHA1: e34064ee638ea7a3c827e057c8eaf2d9bfacbe93
SHA256: 6b4c66171a487b92437db145c50c6e1cea6527ebcc0cf3688995f02d52b95d2e
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	taskplanner.openweathermap.sample	High
Vendor	jar	package name	inet	Low
Vendor	jar	package name	openweathermap	Low
Vendor	jar	package name	taskplanner	Low
Vendor	Manifest	built-date	2024-09-19 17:12	Low
Vendor	Manifest	implementation-group	shared	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium

Product	file	name	taskplanner.openweathermap.sample	High
Product	jar	package name	openweathermap	Highest
Product	jar	package name	openweathermap	Low
Product	jar	package name	taskplanner	Highest
Product	jar	package name	taskplanner	Low
Product	Manifest	built-date	2024-09-19 17:12	Low
Product	Manifest	implementation-group	shared	Low
Product	Manifest	Implementation-Title	taskplanner.openweathermap	High
Product	Manifest	specification-title	taskplanner.openweathermap	Medium
Version	Manifest	Implementation-Version	24.10.163	High

Identifiers

- None

taskplanner.reporting.zip: taskplanner.reporting-javadoc.jar

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/taskplanner.reporting.zip/taskplanner.reporting-javadoc.jar

MD5: bf07e55fc1a0a8edeb6f6466cf46c7e7

SHA1: 1614fb7c967bfe49265b0adf3dbeabee85d19501

SHA256: 75a74c8c16a9469e5caa1a94f6b0bc39dbcc69362d8bf471825e4806a064e138

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	taskplanner.reporting-javadoc	High
Product	file	name	taskplanner.reporting-javadoc	High

Identifiers

- None

taskplanner.reporting.zip: taskplanner.reporting-javadoc.jar: member-search-index.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/taskplanner.reporting.zip/taskplanner.reporting-javadoc.jar/member-search-index.js

MD5: 129109d2f67ec6f406b60107b610d11a

SHA1: dc505388484f1177b6849c5ff60038a174b27cfb

SHA256: ef24a0fcdfafa687ed57452909bd0f7af891ca00d1214008edc2366815de0545

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

taskplanner.reporting.zip: taskplanner.reporting-javadoc.jar: package-search-index.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/taskplanner.reporting.zip/taskplanner.reporting-javadoc.jar/package-search-index.js

MD5: 53fb7ab8ab8de6b33f33254e2c32fbc9

SHA1: f9bac0ca4dca6228416bed44f903f85acc19d969

SHA256: 4dc686e5e4b0138073c3ffc1106bea2df96559da6d6e7d7ec2273bb12978c8ed

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

taskplanner.reporting.zip: taskplanner.reporting-javadoc.jar: type-search-index.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/taskplanner.reporting.zip/taskplanner.reporting-javadoc.jar/type-search-index.js

MD5: b0dcdeedc2201c62287cfb168bca35f5

SHA1: aabb00fe2be134923fb716b9b6d1909e247d0dfa
SHA256: c655265fb2ffb91913da0407621313cf8139ee6bf04a9374cde419395878e64e
Referenced In Project/Scope: server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

taskplanner.reporting.zip: taskplanner.reporting.jar

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/taskplanner.reporting.zip/taskplanner.reporting.jar
MD5: fee8f63accf501deafe49ed7dc77e00c
SHA1: b9b5b27a5078453011e52a81934e18ea00b97192
SHA256: de600022ef5632db334fc58c7b37ad607e83aee52907541333bb74085dae416d
Referenced In Project/Scope: server

Evidence +

Type	Source	Name	Value	Confidence
Vendor	file	name	taskplanner.reporting	High
Vendor	jar	package name	inet	Low
Vendor	jar	package name	report	Low
Vendor	jar	package name	taskplanner	Low
Vendor	Manifest	built-date	2024-09-19 18:30	Low
Vendor	Manifest	implementation-group	reporting	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	taskplanner.reporting	High
Product	jar	package name	report	Low

Product	jar	package name	taskplanner	Highest
Product	jar	package name	taskplanner	Low
Product	Manifest	built-date	2024-09-19 18:30	Low
Product	Manifest	implementation-group	reporting	Low
Product	Manifest	Implementation-Title	taskplanner.reporting	High
Product	Manifest	specification-title	taskplanner.reporting	Medium
Version	Manifest	Implementation-Version	24.10.163	High

Identifiers

- None

taskplanner.reporting.zip: taskplanner.reporting.jar: crtaskplanner.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/taskplanner.reporting.zip/taskplanner.reporting.jar/com/inet/report/taskplanner/client/crtaskplanner.js

MD5: 195a34cea815e3cc1ded3d994cee6a15

SHA1: f2050d0e60bff7b8f1c2b02256c4f6657ecd5391

SHA256: d09e2796c2d6e25dd9ae9e2b2781b005cd74025f995356b82f3332e4b914eec5

Referenced In Project/Scope: server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

taskplanner.zip: commons-cli.jar

Description:

Apache Commons CLI provides a simple API for presenting, processing and validating a Command Line Interface.

License:

<https://www.apache.org/licenses/LICENSE-2.0.txt>

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/taskplanner.zip/commons-cli.jar

MD5: 631937816bd22302ae49828e9b764313

SHA1: 41a4bff12057eecb6daaf9c7f36c237815be3da1

SHA256: f94c98bbcfaf1c1dac6956d6c3f494ec40265c67bf54ddefc95df4ffdd73ae6d5

Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence
Vendor	file	name	commons-cli	High
Vendor	jar	package name	apache	Highest
Vendor	jar	package name	cli	Highest
Vendor	jar	package name	commons	Highest
Vendor	Manifest	build-jdk-spec	17	Low
Vendor	Manifest	bundle-docurl	https://commons.apache.org/proper/commons-cli/	Low
Vendor	Manifest	bundle-symbolicname	org.apache.commons.cli	Medium
Vendor	Manifest	Implementation-Vendor	The Apache Software Foundation	High
Vendor	Manifest	Implementation-Vendor-Id	org.apache	Medium
Vendor	Manifest	multi-release	true	Low
Vendor	Manifest	specification-vendor	The Apache Software Foundation	Low
Vendor	pom	artifactid	commons-cli	Low
Vendor	pom	developer email	bob@werken.com	Low
Vendor	pom	developer email	chtompki@apache.org	Low
Vendor	pom	developer email	ebourg@apache.org	Low
Vendor	pom	developer email	ggregory at apache.org	Low
Vendor	pom	developer email	jbjk@mac.com	Low
Vendor	pom	developer email	jstrachan@apache.org	Low
Vendor	pom	developer email	roxspring@imapmail.org	Low
Vendor	pom	developer email	tn@apache.org	Low
Vendor	pom	developer id	bob	Medium
Vendor	pom	developer id	chtompki	Medium
Vendor	pom	developer id	ebourg	Medium
Vendor	pom	developer id	ggregory	Medium

Vendor	pom	developer id	jkeyes	Medium
Vendor	pom	developer id	jstrachan	Medium
Vendor	pom	developer id	roxspring	Medium
Vendor	pom	developer id	tn	Medium
Vendor	pom	developer name	Bob McWhirter	Medium
Vendor	pom	developer name	Emmanuel Bourg	Medium
Vendor	pom	developer name	Gary Gregory	Medium
Vendor	pom	developer name	James Strachan	Medium
Vendor	pom	developer name	John Keyes	Medium
Vendor	pom	developer name	Rob Oxspring	Medium
Vendor	pom	developer name	Rob Tompkins	Medium
Vendor	pom	developer name	Thomas Neidhart	Medium
Vendor	pom	developer org	Ariane Software	Medium
Vendor	pom	developer org	Indigo Stone	Medium
Vendor	pom	developer org	integral Source	Medium
Vendor	pom	developer org	SpiritSoft, Inc.	Medium
Vendor	pom	developer org	The Apache Software Foundation	Medium
Vendor	pom	developer org	Werken	Medium
Vendor	pom	developer org URL	https://www.apache.org/	Medium
Vendor	pom	groupid	commons-cli	Highest
Vendor	pom	name	Apache Commons CLI	High
Vendor	pom	parent-artifactid	commons-parent	Low
Vendor	pom	parent-groupid	org.apache.commons	Medium
Vendor	pom	url	https://commons.apache.org/proper/commons-cli/	Highest
Product	file	name	commons-cli	High
Product	jar	package name	apache	Highest
Product	jar	package name	cli	Highest
Product	jar	package name	commons	Highest
Product	Manifest	build-jdk-spec	17	Low
Product	Manifest	bundle-docurl	https://commons.apache.org/proper/commons-cli/	Low
Product	Manifest	Bundle-Name	Apache Commons CLI	Medium
Product	Manifest	bundle-symbolicname	org.apache.commons.cli	Medium
Product	Manifest	Implementation-Title	Apache Commons CLI	High

Product	Manifest	multi-release	true	Low
Product	Manifest	specification-title	Apache Commons CLI	Medium
Product	pom	artifactid	commons-cli	Highest
Product	pom	developer email	bob@werken.com	Low
Product	pom	developer email	chtompki@apache.org	Low
Product	pom	developer email	ebourg@apache.org	Low
Product	pom	developer email	ggregory at apache.org	Low
Product	pom	developer email	jbjk@mac.com	Low
Product	pom	developer email	jstrachan@apache.org	Low
Product	pom	developer email	roxspring@imapmail.org	Low
Product	pom	developer email	tn@apache.org	Low
Product	pom	developer id	bob	Low
Product	pom	developer id	chtompki	Low
Product	pom	developer id	ebourg	Low
Product	pom	developer id	ggregory	Low
Product	pom	developer id	jkeyes	Low
Product	pom	developer id	jstrachan	Low
Product	pom	developer id	roxspring	Low
Product	pom	developer id	tn	Low
Product	pom	developer name	Bob McWhirter	Low
Product	pom	developer name	Emmanuel Bourg	Low
Product	pom	developer name	Gary Gregory	Low
Product	pom	developer name	James Strachan	Low
Product	pom	developer name	John Keyes	Low
Product	pom	developer name	Rob Oxspring	Low
Product	pom	developer name	Rob Tompkins	Low
Product	pom	developer name	Thomas Neidhart	Low
Product	pom	developer org	Ariane Software	Low
Product	pom	developer org	Indigo Stone	Low
Product	pom	developer org	integral Source	Low
Product	pom	developer org	SpiritSoft, Inc.	Low
Product	pom	developer org	The Apache Software Foundation	Low
Product	pom	developer org	Werken	Low
Product	pom	developer org URL	https://www.apache.org/	Low

Product	pom	groupid	commons-cli	Highest
Product	pom	name	Apache Commons CLI	High
Product	pom	parent-artifactid	commons-parent	Medium
Product	pom	parent-groupid	org.apache.commons	Medium
Product	pom	url	https://commons.apache.org/proper/commons-cli/	Medium
Version	Manifest	Bundle-Version	1.8.0	High
Version	Manifest	Implementation-Version	1.8.0	High
Version	pom	parent-version	1.8.0	Low
Version	pom	version	1.8.0	Highest

Identifiers

- [pkg:maven/commons-cli/commons-cli@1.8.0](#) (*Confidence:High*)

taskplanner.zip: cron-utils.jar

Description:

A Java library to parse, migrate and validate crons as well as describe them in human readable language

License:

Apache 2.0: <http://www.apache.org/licenses/LICENSE-2.0.html>

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/taskplanner.zip/cron-utils.jar

MD5: 4c27537eccc6fa37ed5740b5383643c8

SHA1: 5d3738bc7a2eaa45a94a76c6e87af54a95414637

SHA256: 02af0e8b2fe93c9fa6eef97b53b39faae14c5b996356edb132e9fe620013744

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	cron-utils	High
Vendor	jar	package name	cron	Highest
Vendor	jar	package name	cronutils	Highest
Vendor	jar	package name	utils	Highest
Vendor	Manifest	automatic-module-name	com.cronutils	Medium

Vendor	Manifest	build-jdk-spec	1.8	Low
Vendor	Manifest	bundle-symbolicname	com.cronutils.cron-utils	Medium
Vendor	pom	artifactid	cron-utils	Low
Vendor	pom	developer id	jmrozanec	Medium
Vendor	pom	groupid	com.cronutils	Highest
Vendor	pom	name	cron-utils	High
Vendor	pom	url	http://cron-parser.com/	Highest
Product	file	name	cron-utils	High
Product	jar	package name	cron	Highest
Product	jar	package name	cronutils	Highest
Product	jar	package name	utils	Highest
Product	Manifest	automatic-module-name	com.cronutils	Medium
Product	Manifest	build-jdk-spec	1.8	Low
Product	Manifest	Bundle-Name	cron-utils	Medium
Product	Manifest	bundle-symbolicname	com.cronutils.cron-utils	Medium
Product	pom	artifactid	cron-utils	Highest
Product	pom	developer id	jmrozanec	Low
Product	pom	groupid	com.cronutils	Highest
Product	pom	name	cron-utils	High
Product	pom	url	http://cron-parser.com/	Medium
Version	Manifest	Bundle-Version	9.2.1	High
Version	pom	version	9.2.1	Highest

Identifiers

- [pkg:maven/com.cronutils/cron-utils@9.2.1](#) (*Confidence:High*)
- [cpe:2.3:a:cron-utils_project:cron-utils:9.2.1:*:*:*:*:*](#) (*Confidence:Highest*) suppress
- [cpe:2.3:a:utils_project:utils:9.2.1:*:*:*:*:*](#) (*Confidence:Highest*) suppress

taskplanner.zip: guava.jar

Description:

Guava is a suite of core and expanded libraries that include utility classes, Google's collections, I/O classes, and much more.

License:

<http://www.apache.org/licenses/LICENSE-2.0.txt>

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/taskplanner.zip/guava.jar

MD5: 872309e5982530bdc7e68096c0d53cd2

SHA1: 818e780da2c66c63bbb6480fef1f3855eeafa3e4

SHA256: 452b2d9787b7d366fa8cf5ed9a1c40404542d05effa7a598da03bbbbb76d9f31

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	guava	High
Vendor	jar	package name	common	Highest
Vendor	jar	package name	google	Highest
Vendor	Manifest	automatic-module-name	com.google.common	Medium
Vendor	Manifest	build-jdk-spec	11	Low
Vendor	Manifest	bundle-docurl	https://github.com/google/guava/	Low
Vendor	Manifest	bundle-symbolicname	com.google.guava	Medium
Vendor	pom	artifactid	guava	Low
Vendor	pom	groupid	com.google.guava	Highest
Vendor	pom	name	Guava: Google Core Libraries for Java	High
Vendor	pom	parent-artifactid	guava-parent	Low
Vendor	pom	url	google/guava	Highest
Product	file	name	guava	High
Product	jar	package name	common	Highest
Product	jar	package name	google	Highest
Product	Manifest	automatic-module-name	com.google.common	Medium
Product	Manifest	build-jdk-spec	11	Low
Product	Manifest	bundle-docurl	https://github.com/google/guava/	Low
Product	Manifest	Bundle-Name	Guava: Google Core Libraries for Java	Medium
Product	Manifest	bundle-symbolicname	com.google.guava	Medium
Product	pom	artifactid	guava	Highest
Product	pom	groupid	com.google.guava	Highest

Product	pom	name	Guava: Google Core Libraries for Java	High
Product	pom	parent-artifactid	guava-parent	Medium
Product	pom	url	google/guava	High
Version	pom	version	33.2.1-jre	Highest

Identifiers

- [pkg:maven/com.google.guava/guava@33.2.1-jre](#) (*Confidence:High*)
- [cpe:2.3:a:google:guava:33.2.1:*:*:*:*:*](#) (*Confidence:Highest*) suppress

taskplanner.zip: taskplanner-javadoc.jar

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/taskplanner.zip/taskplanner-javadoc.jar
MD5: c9ef1c08f4c64cbb38770c05f6aada4e
SHA1: 4ed38a56e20b81d620cdfb3ddcaf117f247a7ae3
SHA256: 366607ff702cea5a89ec8db2d23d38cfd29d231240a115d525368f4532c9456
Referenced In Project/Scope: server

Evidence +

Type	Source	Name	Value	Confidence
Vendor	file	name	taskplanner-javadoc	High
Product	file	name	taskplanner-javadoc	High

Identifiers

- None

taskplanner.zip: taskplanner-javadoc.jar: member-search-index.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/taskplanner.zip/taskplanner-javadoc.jar/member-search-index.js
MD5: 577165d5023d4ee3e9f22bf954d0eefd
SHA1: 1ff97727680d4bf59f2ee994fdc28255679662f2
SHA256: 4f6f5be54caf76587167f04b3a73f6f71166cc421527155ae60c0ef6461df0d7
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

taskplanner.zip: taskplanner-javadoc.jar: package-search-index.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/taskplanner.zip/taskplanner-javadoc.jar/package-search-index.js

MD5: 664e97ca24dfa41c9d227a21aa0d43c5

SHA1: 4594dfafaa4e3780974c8476ea5a1ea1b9898f41

SHA256: d5638352f038b195118792e06962bd06f15b8ca6ebd6df9db669aa096012ec0d

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

taskplanner.zip: taskplanner-javadoc.jar: type-search-index.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/taskplanner.zip/taskplanner-javadoc.jar/type-search-index.js

MD5: d4cdbbc6c76d43ead6c21a98fcbe5e61

SHA1: df7c0c10fdb529b9419bd2a38286160b47eda99c

SHA256: 7c7aa1396f244a9a3375bbda8e04124171c29b5858c2847f548cd0b4c3361427

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

taskplanner.zip: taskplanner.jar

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller
/server/build/tmp/dependencies/i-net Clear Reports/plugins/taskplanner.zip/taskplanner.jar
MD5: 4b143d6a0ee27b8bf8fb18621fe7e092
SHA1: f26cffd19faf7acb6bcf6fb585282f18b05d2b82
SHA256:c49f0bcb654db610d8245dab165ec3d2559834dcf5bdf7d0bfb9e90805c97273
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	taskplanner	High
Vendor	jar	package name	inet	Low
Vendor	jar	package name	server	Low
Vendor	jar	package name	taskplanner	Low
Vendor	Manifest	built-date	2024-09-19 16:48	Low
Vendor	Manifest	implementation-group	shared	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	taskplanner	High
Product	jar	package name	api	Low
Product	jar	package name	server	Low
Product	jar	package name	taskplanner	Highest
Product	jar	package name	taskplanner	Low
Product	Manifest	built-date	2024-09-19 16:48	Low
Product	Manifest	implementation-group	shared	Low
Product	Manifest	Implementation-Title	taskplanner	High
Product	Manifest	specification-title	taskplanner	Medium

Version Manifest Implementation- 24.10.163
Version

High

Identifiers

- None

taskplanner.zip: taskplanner.jar: app.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller
/server/build/tmp/dependencies/i-net Clear Reports/plugins/taskplanner.zip/taskplanner.jar/com/inet
/taskplanner/client/js/app.js

MD5: e7b627af28a93866105b9b57aafc0679

SHA1: 402728104da80b566caf6f4674001072e563d911

SHA256: da6db86c4194737b7fdb2711a94e4d8cd69e9f1274d26faec3bbb615a12488da

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

taskplanner.zip: taskplanner.jar: boolean.directive.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller
/server/build/tmp/dependencies/i-net Clear Reports/plugins/taskplanner.zip/taskplanner.jar/com/inet
/taskplanner/client/js/fields/boolean.directive.js

MD5: f531e8f8667e86c17cef683b1743260f

SHA1: 84b65d0f4fe2c374e6b46e82eaac428794992ca0

SHA256: 45bb097fc4aca863f20530b6bfca687d3fdd89c4f4a05424f080fbd5fab6ab8e

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

taskplanner.zip: taskplanner.jar: colorField.directive.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/taskplanner.zip/taskplanner.jar/com/inet/taskplanner/client/js/fields/colorField.directive.js

MD5: b5da6d7c728f3f5308311693ad7fbf79

SHA1: 9a706740764283a49b2ebe8179ab7c399bf2b8b2

SHA256: 81de63033979d47a1cf4332821f31902a503640395534a366acd569999770c14

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

taskplanner.zip: taskplanner.jar: controller.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/taskplanner.zip/taskplanner.jar/com/inet/taskplanner/client/js/controller.js

MD5: eb0875af8bf9bf8c352f6da8b630119c

SHA1: 1e1ead739c22751979af9e8d39e51ef4b09a885f

SHA256: 6261811a9bcec647a53455090be5b1763436925800cc3ea73a8878e57a379fed

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

taskplanner.zip: taskplanner.jar: factory.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/taskplanner.zip/taskplanner.jar/com/inet/taskplanner/client/js/factory.js

MD5: 0dc2651090f757e675e2b5d76f0b9b56

SHA1: cc05ec55ba81c3351b7f44b94ba95c8105895c99

SHA256: 31211ba7ff692d1d259ed5ba8dc5fa0572ec581f6a9bffc36d8e0c8a7802dc38

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

taskplanner.zip: taskplanner.jar: filechooserAddonButton.directive.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/taskplanner.zip/taskplanner.jar/com/inet/taskplanner/client/js/fields/filechooserAddonButton.directive.js

MD5: ae2be99ef1f5e3cbf7d7964e1cb81f85

SHA1: 5cfa5eff49baf4ad4a97c0637f1e51b74e68969a

SHA256: 03f55a5b7c5537061e2fef0b9cf3cd23bdb8cf5280b155d7b8a1c60306ec3360

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

taskplanner.zip: taskplanner.jar: model.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/taskplanner.zip/taskplanner.jar/com/inet/taskplanner/client/js/model.js

MD5: b4b97107a6584246eafe1dd0aaf4a716

SHA1: 7ea27bc843a68b3db912e89de7f137cafeaf492d
SHA256: 04b44d0b7eb5a52d0f6a12d5f56d87dff2c477f8fc00482bfc1e0c83f9f70fef
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

taskplanner.zip: taskplanner.jar: numberRange.directive.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/taskplanner.zip/taskplanner.jar/com/inet/taskplanner/client/js/fields/numberRange.directive.js
MD5: cb75296ed007746a29e5beeae1680307
SHA1: 9c64aa51d424760f5c5a0152cb245518ff3ba4f2
SHA256: eb920acf02ea30a8e0c58ff358ac403f90e4166fabcca78edf7480028499834a
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

taskplanner.zip: taskplanner.jar: numberWrapper.directive.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/taskplanner.zip/taskplanner.jar/com/inet/taskplanner/client/js/fields/numberWrapper.directive.js
MD5: 01558be43abbecea6a8a4dc5465564da
SHA1: 76425827ef255a6691dfc76e09bec9c14741adef
SHA256: cb32cf68353ba376be9b063109a9e4c6fb9ae669402001688528edf1235a93d1
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

taskplanner.zip: taskplanner.jar: passwordTextField.directive.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/taskplanner.zip/taskplanner.jar/com/inet/taskplanner/client/js/fields/passwordTextField.directive.js
MD5: 27d77b18f41b95941478ea6b72c0a47c
SHA1: 63b78bacbd073ba1abcafdcb55006c90ae9053b4
SHA256:0a842ca033aa23d848437fb8012011200322b8a470e061250e7b25d6df2061c5
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

taskplanner.zip: taskplanner.jar: renderer.directive.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/taskplanner.zip/taskplanner.jar/com/inet/taskplanner/client/js/fields/renderer.directive.js
MD5: 2642fb8ea6a297cf750b6a9398a1f204
SHA1: 8d41d76415639dc6765b5d090061cdaf46107ecd
SHA256:4fabad86c05fe6b50644e1bcc9515dbf124d210fa4956caae4e1702dd0b4fa18
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

taskplanner.zip: taskplanner.jar: simpleCurrencyField.directive.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/taskplanner.zip/taskplanner.jar/com/inet/taskplanner/client/js/fields/simpleCurrencyField.directive.js

MD5: 4190e85221516e62be70113e2173523b

SHA1: f6bad86eca85fdc32cc3e5a6d6ac776f5113a7ee

SHA256: c3c6d4f9ab274d8df78e7cd25d9c9eaad65f36d706778846ace6a077d76f0614

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

taskplanner.zip: taskplanner.jar: simpleDateTimeField.directive.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/taskplanner.zip/taskplanner.jar/com/inet/taskplanner/client/js/fields/simpleDateTimeField.directive.js

MD5: 9de7a6e7a496b3e3bef3df2b26d4e7c2

SHA1: 051d92e8c3d56d9d01d9417abdfedb95afbb40f9

SHA256: 87943d426a50cdccc995916dcbf4bcb4025ad19f4f7873456f8b48ac2d167dc8

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

taskplanner.zip: taskplanner.jar: simpleFileFolderField.directive.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/taskplanner.zip/taskplanner.jar/com/inet/taskplanner/client/js/fields/simpleFileFolderField.directive.js
MD5: 9d25649fffb239e85236a847271bb73d
SHA1: 39808e484449e303ec91ea2a807ee74b6a4c183a
SHA256: df6e89174c5b419ff5443d9e1c52ea256c2b48d9f3975b2c53ac107d0464453d
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

taskplanner.zip: taskplanner.jar: simpleGroup.directive.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/taskplanner.zip/taskplanner.jar/com/inet/taskplanner/client/js/fields/simpleGroup.directive.js
MD5: 3b651cad87fb717564e40c13608b28cc
SHA1: 4a43a9443d46bdb0e9fe8be6c1d562556c73dfc8
SHA256: 5273fe8d5e750006128f6d067ccd6772cb490d74b169e5766451cef6a53f05be
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

taskplanner.zip: taskplanner.jar: simpleLabel.directive.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/taskplanner.zip/taskplanner.jar/com/inet/taskplanner/client/js/fields/simpleLabel.directive.js
MD5: ff52c05345b7217bd851e4411fb6054e

SHA1: e22379a33c2eb2e439d1e49d86e94471076392e6
SHA256: c67b03a8d7b878f7581ab867b06d327508d078d6d865201180465b6d33da299b
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

taskplanner.zip: taskplanner.jar: simpleLink.directive.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/taskplanner.zip/taskplanner.jar/com/inet/taskplanner/client/js/fields/simpleLink.directive.js
MD5: b4b3aeddcc0a895cd791acd470f6cb4d
SHA1: bd7ffe21309f05d5fe9c01ba14d8a0821be63802
SHA256: 2db5a71052dd2d4db296b71d5c1650cb8ed399ee696e3b8600bbefe89221acb6
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

taskplanner.zip: taskplanner.jar: simpleSelect.directive.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/taskplanner.zip/taskplanner.jar/com/inet/taskplanner/client/js/fields/simpleSelect.directive.js
MD5: ea64083ea7a066d09d3cb59c7a6f33fa
SHA1: a1b6a6d66d644440216a6d550b347bb0633be4ce
SHA256: a26d1ed5bfac8d5bc681af542708b7ed6f370341a83648f687f07b7dd3f19089
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

taskplanner.zip: taskplanner.jar: simpleTextField.directive.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/taskplanner.zip/taskplanner.jar/com/inet/taskplanner/client/js/fields/simpleTextField.directive.js
MD5: 48d92cb780021dd4822c6e8740d26ce6
SHA1: 654d1a8049b64f41362c0bbe3644e7206b151311
SHA256:c4cc8ca624af917fef0c261d6aa82c806c29eb4fd796670b724c69a686c5b211
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

taskplanner.zip: taskplanner.jar: stringTable.directive.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/taskplanner.zip/taskplanner.jar/com/inet/taskplanner/client/js/fields/stringTable.directive.js
MD5: 37a1f354d71a7d60288652c206db7271
SHA1: b37c87c654e8c12307c5b3126667142cf5d80a22
SHA256:f6450635963e62bb85b83ea201b352c624dcc90a7cd452899aa0dc239d4bcd6d
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

taskplanner.zip: taskplanner.jar: taskplanner_maintenance.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/taskplanner.zip/taskplanner.jar/com/inet/taskplanner/maintenance/taskplanner_maintenance.js

MD5: 5945f5ec8198b3f4a2e005048f5a3492

SHA1: 866b04e5046c38115c0cac54e7440ba6ceef3afc

SHA256: 0f09a0d4a0b1210bd88ca8a59bb084d70aeb7347cfe830139ba0b5c056297eae

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

taskplanner.zip: taskplanner.jar: textAreaField.directive.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/taskplanner.zip/taskplanner.jar/com/inet/taskplanner/client/js/fields/textAreaField.directive.js

MD5: 5a75eb0d834b4b4f41702dbf6f1ce2ea

SHA1: f438ca050ee2e69a73ada30726205d295f6546b1

SHA256: 5e2ae08f0a40ba0da474e8dcc53d9dfcaf53b2727bace92d266f13aa9eda9b0c

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

theme.zip: bootstrap.jar: bootstrap.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/theme.zip/bootstrap.jar/META-INF/resources/webjars/bootstrap/3.4.1/js/bootstrap.js
MD5: 894d79839facf38d9fd672bdbe57443d
SHA1: 11277f4e04cf070a350e566b053ef2215993720c
SHA256: dbd2a35e72edc7d6bde483481a912f1c38aa57fab2747d9b071d317339ee03a2
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence
Vendor	file	name	bootstrap	High
Product	file	name	bootstrap	High
Version	file	version	3.4.1	High

Related Dependencies

- theme.zip: bootstrap.jar: bootstrap.js.gz: bootstrap.js
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/theme.zip/bootstrap.jar/META-INF/resources/webjars/bootstrap/3.4.1/js/bootstrap.js.gz/bootstrap.js
 - MD5: 894d79839facf38d9fd672bdbe57443d
 - SHA1: 11277f4e04cf070a350e566b053ef2215993720c
 - SHA256: dbd2a35e72edc7d6bde483481a912f1c38aa57fab2747d9b071d317339ee03a2
 - [pkg:javascript/bootstrap@3.4.1](#)

Identifiers

- [pkg:javascript/bootstrap@3.4.1](#) (Confidence: Highest)

theme.zip: bootstrap.jar: bootstrap.min.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/theme.zip/bootstrap.jar/META-INF/resources/webjars/bootstrap/3.4.1/js/bootstrap.min.js
MD5: 2f34b630ffe30ba2ff2b91e3f3c322a1
SHA1: b16fd8226bd6bfb08e568f1b1d0a21d60247cefb
SHA256: 9ee2fcff6709e4d0d24b09ca0fc56aade12b4961ed9c43fd13b03248bfb57afe
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Vendor	file	name	bootstrap	High
Product	file	name	bootstrap	High
Version	file	version	3.4.1	High

Related Dependencies

- theme.zip: bootstrap.jar: bootstrap.min.js.gz: bootstrap.min.js
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/theme.zip/bootstrap.jar/META-INF/resources/webjars/bootstrap/3.4.1/js/bootstrap.min.js.gz/bootstrap.min.js
 - MD5: 2f34b630ffe30ba2ff2b91e3f3c322a1
 - SHA1: b16fd8226bd6bfb08e568f1b1d0a21d60247cefb
 - SHA256: 9ee2fcff6709e4d0d24b09ca0fc56aade12b4961ed9c43fd13b03248bfb57afe
 - [pkg:javascript/bootstrap@3.4.1](#)

Identifiers

- [pkg:javascript/bootstrap@3.4.1](#) (*Confidence*:Highest)

theme.zip: theme.jar

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/theme.zip/theme.jar

MD5: 9c372d7cd5803b1da1b9732d40c8190c

SHA1: 34109e5694d924556f1afee7e3e8d34d51450c97

SHA256:26af7dd12bd2851bc981c93fa5888bf931dea741cc6d1958e40c29347b74229

Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence
Vendor	file	name	theme	High
Vendor	jar	package name	inet	Low
Vendor	jar	package name	plugins	Low
Vendor	jar	package name	shared	Low
Vendor	Manifest	built-date	2024-09-19 16:42	Low
Vendor	Manifest	implementation-group	shared	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium

Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	theme	High
Product	jar	package name	plugins	Low
Product	jar	package name	shared	Highest
Product	jar	package name	shared	Low
Product	jar	package name	theme	Highest
Product	jar	package name	theme	Low
Product	Manifest	built-date	2024-09-19 16:42	Low
Product	Manifest	implementation-group	shared	Low
Product	Manifest	Implementation-Title	theme	High
Product	Manifest	specification-title	theme	Medium
Version	jar	package name	shared	Highest
Version	Manifest	Implementation-Version	24.10.163	High

Identifiers

- None

urlcookie.zip: urlcookie.sample.jar

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/Documentation and Samples/Plugin - Samples/Authentication/UrlCookiePlugin/urlcookie.zip/urlcookie.sample.jar
MD5: e0aa57da0514baeec633f737caf8e27a
SHA1: ca3480192b41631507ab06a183bad7cd7c24776c
SHA256: 131f4631b0b8bcd59b474ba10cff9ef306ac93cbb9fe2e11df50ceb0468fb53
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	urlcookie.sample	High
Vendor	jar	package name	authentication	Low
Vendor	jar	package name	inet	Low

Vendor	jar	package name	urlcookie	Low
Vendor	Manifest	built-date	2024-09-19 17:12	Low
Vendor	Manifest	implementation-group	shared	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	urlcookie.sample	High
Product	jar	package name	authentication	Low
Product	jar	package name	urlcookie	Highest
Product	jar	package name	urlcookie	Low
Product	Manifest	built-date	2024-09-19 17:12	Low
Product	Manifest	implementation-group	shared	Low
Product	Manifest	Implementation-Title	urlcookie	High
Product	Manifest	specification-title	urlcookie	Medium
Version	Manifest	Implementation-Version	24.10.163	High

Identifiers

- None

usersandgroupsmanager.zip: usersandgroupsmanager.jar

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/usersandgroupsmanager.zip
/usersandgroupsmanager.jar

MD5: f66a5eac26dbb66f28ec4e7444e90fbc

SHA1: 85bee3a197fbf750b01b9d16e36d939342f08f8a

SHA256: 0199efee1c4991b5995c3d0fe76427a852c846677b6ae8c396371c243adbc251

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence

Vendor	file	name	usersandgroupsmanager	High
Vendor	jar	package name	inet	Low
Vendor	jar	package name	server	Low
Vendor	jar	package name	usersandgroupsmanager	Low
Vendor	Manifest	built-date	2024-09-19 17:05	Low
Vendor	Manifest	implementation-group	shared	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	usersandgroupsmanager	High
Product	jar	package name	server	Low
Product	jar	package name	usersandgroupsmanager	Highest
Product	jar	package name	usersandgroupsmanager	Low
Product	Manifest	built-date	2024-09-19 17:05	Low
Product	Manifest	implementation-group	shared	Low
Product	Manifest	Implementation-Title	usersandgroupsmanager	High
Product	Manifest	specification-title	usersandgroupsmanager	Medium
Version	Manifest	Implementation-Version	24.10.163	High

Identifiers

- None

usersandgroupsmanager.zip: usersandgroupsmanager.jar: usersandgroupsmanagercontroller.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/usersandgroupsmanager.zip
/usersandgroupsmanager.jar/com/inet/usersandgroupsmanager/client/js/usersandgroupsmanagercontroller.js
MD5: e33ff568b7c73c5f1abb3ce32dda999c

SHA1: 419c45b41bba6387ca0f285d401f560f16ac6573
SHA256: 136be2dd2f6ff6778d61a469ac2c99411b18ee2af84199a4eb70012456884e7a
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

usersandgroupsmanager.zip: usersandgroupsmanager.jar: usersandgroupsmanagerdetailscontroller.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller
/server/build/tmp/dependencies/i-net Clear Reports/plugins/usersandgroupsmanager.zip
/usersandgroupsmanager.jar/com/inet/usersandgroupsmanager/client/js
/usersandgroupsmanagerdetailscontroller.js

MD5: 33ff1183867e15736260b3d557814fe5

SHA1: ca658bc7851b8210bbbe083fb7e48917da7e39f4

SHA256: 9e37107a2a5d60fb45a2b4d231232b07a4e5dce598e8750345e5097e1da92e32

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

usersandgroupsmanager.zip: usersandgroupsmanager.jar: usersandgroupsmanagerdialogcontroller.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller
/server/build/tmp/dependencies/i-net Clear Reports/plugins/usersandgroupsmanager.zip
/usersandgroupsmanager.jar/com/inet/usersandgroupsmanager/client/js
/usersandgroupsmanagerdialogcontroller.js

MD5: 4c2dd6a9a916ab67961acdd215db6c22

SHA1: 6e0162dea0bf153797268a9607b23d88402bca05

SHA256: 7c5fa35b1f84fe4abafb31c017be1097385e4b1dff4415efe680bd0ae0db9fe

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

usersandgroupsmanager.zip: usersandgroupsmanager.jar: usersandgroupsmanagerdirectives.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller
/server/build/tmp/dependencies/i-net Clear Reports/plugins/usersandgroupsmanager.zip
/usersandgroupsmanager.jar/com/inet/usersandgroupsmanager/client/js
/usersandgroupsmanagerdirectives.js

MD5: 6c193814f30bc879d0710f732ec8bd84

SHA1: 3462c67b0a3cbb29e86be6013a566c14c1c0e746

SHA256: f9f82d189e46326ecd507d718cb56693506e06a5e7c52da4d4381ceefc2852ff

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

usersandgroupsmanager.zip: usersandgroupsmanager.jar: usersandgroupsmanagereffectivepermissionscontroller.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller
/server/build/tmp/dependencies/i-net Clear Reports/plugins/usersandgroupsmanager.zip
/usersandgroupsmanager.jar/com/inet/usersandgroupsmanager/client/js
/usersandgroupsmanagereffectivepermissionscontroller.js

MD5: 7b338f56899718ee4c730c7c30f8404d

SHA1: 23d1599cd58231c6a42264202db54da541dbbc7f

SHA256: faa1d67150e8577b35addb9f3807a4d76c3c7495475f2cbbe65e550aaa3715d6

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

usersandgroupsmanager.zip: usersandgroupsmanager.jar: usersandgroupsmanagerfactory.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller
/server/build/tmp/dependencies/i-net Clear Reports/plugins/usersandgroupsmanager.zip
/usersandgroupsmanager.jar/com/inet/usersandgroupsmanager/client/js/usersandgroupsmanagerfactory.js

MD5: dc86ea7fc3b4579c614e5ce9557a2456

SHA1: d49390dbd903aae52de98406ed8b2604abb714b0

SHA256: eb7f2d4a9b329354bf41b6805db98b4a8e1879cf318a8614a615af9fd7e91933

Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

usersandgroupsmanager.zip: usersandgroupsmanager.jar: usersandgroupsmanagermodel.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller
/server/build/tmp/dependencies/i-net Clear Reports/plugins/usersandgroupsmanager.zip
/usersandgroupsmanager.jar/com/inet/usersandgroupsmanager/client/js/usersandgroupsmanagermodel.js

MD5: f095a4c40f17b36318e13dd8534407e9

SHA1: 4e289c1de0ccc482455b2da27234bf0f462c1a1d

SHA256: c3beefef00e5dce1e9c97b5a354ffcd157896e50798c42c80f5685a028f8f7ee

Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

usersandgroupsmanager.zip: usersandgroupsmanager.jar: usersandgroupsmanagerpredeletionwarning.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller
/server/build/tmp/dependencies/i-net Clear Reports/plugins/usersandgroupsmanager.zip
/usersandgroupsmanager.jar/com/inet/usersandgroupsmanager/client/js
/usersandgroupsmanagerpredeletionwarning.js

MD5: 15667e805ebd69d487e47139ed5239ec

SHA1: 4508b2ad9e26e24978a0f1a1595b89e424692317

SHA256: bdf7da184d1e951da787b3c0126d0f9ec5c3b329e676ea198aab91db3d9fa796

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

usersandgroupsmanager.zip: usersandgroupsmanager.jar: usersandgroupsmanagerrenderer.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller
/server/build/tmp/dependencies/i-net Clear Reports/plugins/usersandgroupsmanager.zip
/usersandgroupsmanager.jar/com/inet/usersandgroupsmanager/client/js/usersandgroupsmanagerrenderer.
js

MD5: 9e0409acea03c0d8c41e9b3155c5a562

SHA1: 351464447f2f774f2fcf09a726273e658283dce6

SHA256: 1236ec6336c420eadc68cd7fd44e384b88c2f8cd25463c93a6bbae0f4a29a616

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

**usersandgroupsmanager.zip: usersandgroupsmanager.jar:
usersandgroupsmanagerstatisticscontroller.js**

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller
/server/build/tmp/dependencies/i-net Clear Reports/plugins/usersandgroupsmanager.zip
/usersandgroupsmanager.jar/com/inet/usersandgroupsmanager/client/js
/usersandgroupsmanagerstatisticscontroller.js

MD5: 4b0ce9da268d3f965ddf8ddce6676daf

SHA1: d0ad859cb96083de8fabce54e8fd7fd5efe04b1a

SHA256: a2b6f180be1602c888c0505c88d03753332c48e57c9a524ed4b71f1eb401d28b

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

**usersandgroupsmanager.zip: usersandgroupsmanager.jar:
usersandgroupsmanagertakeoutcontroller.js**

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller
/server/build/tmp/dependencies/i-net Clear Reports/plugins/usersandgroupsmanager.zip
/usersandgroupsmanager.jar/com/inet/usersandgroupsmanager/client/js
/usersandgroupsmanagertakeoutcontroller.js

MD5: 9be90b79aa685d1d62933945b0e00860

SHA1: 29a9da8d0ee54fe21b4379ec1a36c192983108ce

SHA256: 28ee9f9f2805e95af8c39b2bbbe5e94de14e8a1709ba6fd58e1e5a7dbab5555f

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

webapi.core.zip: webapi.core.jar

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/webapi.core.zip/webapi.core.jar
MD5: f58834a5c2a0dd6cd5efa94946b8e044
SHA1: ad55e4a39cdce9b1a93ffe8a92dba364ae6fd4b5
SHA256: 97d59aaa52d4ced4eb39efb6fc4849322850d1a556bd0bc78ebe41f630c1669f
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	webapi.core	High
Vendor	jar	package name	inet	Low
Vendor	jar	package name	plugin	Low
Vendor	jar	package name	webapi	Low
Vendor	Manifest	built-date	2024-09-19 16:44	Low
Vendor	Manifest	implementation-group	shared	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	webapi.core	High
Product	jar	package name	plugin	Low
Product	jar	package name	webapi	Highest
Product	jar	package name	webapi	Low
Product	Manifest	built-date	2024-09-19 16:44	Low
Product	Manifest	implementation-group	shared	Low
Product	Manifest	Implementation-Title	webapi.core	High
Product	Manifest	specification-title	webapi.core	Medium
Version	Manifest	Implementation-Version	24.10.163	High

Identifiers

- None

webapi.core.zip: webapi.core.jar: shared.factory.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/webapi.core.zip/webapi.core.jar/com/inet/plugin/webapi/client/shared.factory.js

MD5: 98dbfacd3d92ee8a82f37dc52e2e9ed2

SHA1: 79fc85b57bd34a34c3b3731b0675d978134d57d0

SHA256: 3109f49903cef95ddc213135a052165227410ca7f3a62101bf2ed7c8e7a880ce

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

webapi.core.zip: webapi.core.jar: webapi.codemirror.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/webapi.core.zip/webapi.core.jar/com/inet/plugin/webapi/client/webapi.codemirror.js

MD5: bb06c770ed20e0ea4f5b798dab4898bc

SHA1: 1fef3fa28aaa195dd178d26ee2223fa247689261

SHA256: c26a44389f5479e0f66ed560b6e4287c964d1266c3951c4dd039a653b4b863e9

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

webapi.core.zip: webapi.core.jar: webapi.core.editor.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/webapi.core.zip/webapi.core.jar/com/inet/plugin/webapi/client/webapi.core.editor.js
MD5: d376d09bc6e1743680130afc3d32b351
SHA1: f76293956d6170059405b907e455352f6995aac0
SHA256: 28ab83ec598b777a432bae13025a8534cfc72f82f729bdcfee666f8fa671e1c5
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

webapi.core.zip: webapi.core.jar: webapi.core.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/webapi.core.zip/webapi.core.jar/com/inet/plugin/webapi/client/webapi.core.js
MD5: 640fd5b6902bd92ae2e01e5bbaf2d104
SHA1: 55f6454ef6516df96f65986ad17cf9983ccbf5c1
SHA256: 4b7129626b2401b89b2f3d8804160e298b9b5effdae742a1ea1cc8e4b2fd8ff2
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

webserver.defender.zip: webserver.defender.jar

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/webserver.defender.zip/webserver.defender.jar
MD5: 35c686b0cbaeacc451bd69a9ea143b78
SHA1: 005a9d91f949c6fde664f699ea4e32bac1305f5c
SHA256: c6d0645c79b1bf829e51b62c5dd0408dc2498f88ffc040405ad7286cc78ae787
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	webserver.defender	High
Vendor	jar	package name	inet	Low
Vendor	jar	package name	webserverdefender	Low
Vendor	Manifest	built-date	2024-09-19 17:14	Low
Vendor	Manifest	implementation-group	shared	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	webserver.defender	High
Product	jar	package name	webserverdefender	Low
Product	Manifest	built-date	2024-09-19 17:14	Low
Product	Manifest	implementation-group	shared	Low
Product	Manifest	Implementation-Title	webserver.defender	High
Product	Manifest	specification-title	webserver.defender	Medium
Version	Manifest	Implementation-Version	24.10.163	High

Identifiers

- None

webserver.zip: acme4j-client.jar

Description:

ACME client for Java

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/webserver.zip/acme4j-client.jar

MD5: 6a777e9a2790f92e3ca84ab3f670372a

SHA1: 2fc4db562eb89dd97d01efbd66498af44f010fc5

SHA256: 3fc818cdf24695c427dd85aa62c6510fb488602618272935c61a7525e47fdd8a

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	acme4j-client	High
Vendor	jar	package name	acme4j	Highest
Vendor	jar	package name	shredzone	Highest
Vendor	Manifest	build-jdk-spec	17	Low
Vendor	pom	artifactid	acme4j-client	Low
Vendor	pom	groupid	org.shredzone.acme4j	Highest
Vendor	pom	name	acme4j Client	High
Vendor	pom	parent-artifactid	acme4j	Low
Product	file	name	acme4j-client	High
Product	jar	package name	acme4j	Highest
Product	jar	package name	shredzone	Highest
Product	Manifest	build-jdk-spec	17	Low
Product	pom	artifactid	acme4j-client	Highest
Product	pom	groupid	org.shredzone.acme4j	Highest
Product	pom	name	acme4j Client	High
Product	pom	parent-artifactid	acme4j	Medium
Version	pom	version	2.16	Highest

Identifiers

- [pkg:maven/org.shredzone.acme4j/acme4j-client@2.16](https://mvnrepository.com/artifact/org.shredzone.acme4j/acme4j-client/2.16) (*Confidence:High*)

webserver.zip: jetty-websocket-core-client.jar

Description:

Jetty module for Core :: Websocket :: Client

License:

EPL-2.0 OR Apache-2.0

<https://www.eclipse.org/legal/epl-2.0/>, <https://www.apache.org/licenses/LICENSE-2.0>

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/webserver.zip/jetty-websocket-core-client.jar
MD5: ede68759185a8e8641f752663ec15f03
SHA1: 217f26a2deb1686bb5398b143e9cd7f288fbc9f1
SHA256: eee0a03715c127f422a400419f5937f4165ffcf1f8ec886d36630d3fdc695f7
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	jetty-websocket-core-client	High
Vendor	jar	package name	core	Highest
Vendor	jar	package name	eclipse	Highest
Vendor	jar	package name	jetty	Highest
Vendor	jar	package name	websocket	Highest
Vendor	Manifest	build-jdk-spec	22	Low
Vendor	Manifest	bundle-copyright	Copyright (c) 1995 Mort Bay Consulting Pty Ltd and others.	Low
Vendor	Manifest	bundle-docurl	https://eclipse.dev/jetty/	Low
Vendor	Manifest	bundle-symbolicname	org.eclipse.jetty.websocket.core.client	Medium
Vendor	Manifest	Implementation-Vendor	Eclipse Jetty Project	High
Vendor	Manifest	url	https://eclipse.dev/jetty/	Low
Vendor	pom	artifactid	jetty-websocket-core-client	Low
Vendor	pom	groupid	org.eclipse.jetty.websocket	Highest
Vendor	pom	name	Core :: Websocket :: Client	High
Vendor	pom	parent-artifactid	jetty-websocket	Low
Product	file	name	jetty-websocket-core-client	High
Product	jar	package name	core	Highest
Product	jar	package name	eclipse	Highest
Product	jar	package name	jetty	Highest
Product	jar	package name	websocket	Highest
Product	Manifest	build-jdk-spec	22	Low
Product	Manifest	bundle-copyright	Copyright (c) 1995 Mort Bay Consulting Pty Ltd and others.	Low
Product	Manifest	bundle-docurl	https://eclipse.dev/jetty/	Low
Product	Manifest	Bundle-Name	Core :: Websocket :: Client	Medium
Product	Manifest	bundle-symbolicname	org.eclipse.jetty.websocket.core.client	Medium
Product	Manifest	url	https://eclipse.dev/jetty/	Low

Product	pom	artifactid	jetty-websocket-core-client	Highest
Product	pom	groupid	org.eclipse.jetty.websocket	Highest
Product	pom	name	Core :: Websocket :: Client	High
Product	pom	parent-artifactid	jetty-websocket	Medium
Version	Manifest	Bundle-Version	12.0.12	High
Version	Manifest	Implementation-Version	12.0.12	High
Version	pom	version	12.0.12	Highest

Related Dependencies



- webserver.zip: jetty-client.jar
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/webserver.zip/jetty-client.jar
 - MD5: 552a2b1ab07f9fd00e00c9e4346e9e21
 - SHA1: 38e3bc5b5023eca185622e5301f6755088cf1b4c
 - SHA256: d737d69d3500ac637fe1d8387e6c36e40e442bcb6ce2ba1f82587d57b8802161
 - pkg:maven/org.eclipse.jetty/jetty-client@12.0.12
- webserver.zip: jetty-ee8-nested.jar
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/webserver.zip/jetty-ee8-nested.jar
 - MD5: 7761f001b55c8416ab50200238b10f22
 - SHA1: 7d3821099b5fd57a37e66938e591dccc4ec8691
 - SHA256: b51ad87fde8ddc9ca0e62feee7022431402d2effe9ef1e456be95c38debfc2d4
 - pkg:maven/org.eclipse.jetty.ee8/jetty-ee8-nested@12.0.12
- webserver.zip: jetty-ee8-security.jar
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/webserver.zip/jetty-ee8-security.jar
 - MD5: 76070871351f54aadeb61cf7e0a9a31a
 - SHA1: 36fec09a5c8c1ecea41b25c67875b4d6beba373
 - SHA256: f15732a71aae5f01813e753a1885068bf6c83600a8099af1deb81ac8d227c8a1
 - pkg:maven/org.eclipse.jetty.ee8/jetty-ee8-security@12.0.12
- webserver.zip: jetty-ee8-servlet.jar
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/webserver.zip/jetty-ee8-servlet.jar
 - MD5: 7c6ee2782bf7ebe542c66a01126b7668
 - SHA1: 3b32dd923925265ad59bd6c610e80e5403bf8260
 - SHA256: 5f10b3cb83d31de045fdc3e19063baa0d8288f868d2e2e6833ede44a20111335
 - pkg:maven/org.eclipse.jetty.ee8/jetty-ee8-servlet@12.0.12
- webserver.zip: jetty-ee8-servlets.jar
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/webserver.zip/jetty-ee8-servlets.jar
 - MD5: c7d03898519e46716063d7d4940b0a50
 - SHA1: db783b72f501a643c9073596bf7741ae9797bc9c
 - SHA256: 2f2e7b70519f681000190aeac716a620a94d917eecca53ffaeac1ce1f04e6c5e
 - pkg:maven/org.eclipse.jetty.ee8/jetty-ee8-servlets@12.0.12
- webserver.zip: jetty-ee8-websocket-javax-client.jar
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/webserver.zip/jetty-ee8-websocket-javax-client.jar
 - MD5: 8220a2d6f572ac828cb3d391bd2f158d

- SHA1: d9fed25ad8d53db5d93b25b9c0b2a3bb170ce181
- SHA256: 537d5fffbdb3f53fb7fcbc93d85b25c705e72f35883b68477ac3ebce37de57e9
- pkg:maven/org.eclipse.jetty.ee8.websocket/jetty-ee8-websocket-javax-client@12.0.12
- webserver.zip: jetty-ee8-websocket-javax-common.jar
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/webserver.zip/jetty-ee8-websocket-javax-common.jar
 - MD5: 2a9b175ce93fd2a05572cc3812555e0f
 - SHA1: c36b41845d1931a2848c99d06dc185dfc45da5e9
 - SHA256: 2f178b102eadd8af7b978b4055b779e65974e2838c5dd80938c58d2f3e1a704b
 - pkg:maven/org.eclipse.jetty.ee8.websocket/jetty-ee8-websocket-javax-common@12.0.12
- webserver.zip: jetty-ee8-websocket-jetty-api.jar
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/webserver.zip/jetty-ee8-websocket-jetty-api.jar
 - MD5: 1498107d193b2ae134e34f97c7e998ff
 - SHA1: a47f197740e48f2092ce228401dfe892cf38e118
 - SHA256: aaa6f7f7168ddcdcaa4bd649929dfe86096e606d642e61f6d8b9ece4b91ff4b6
 - pkg:maven/org.eclipse.jetty.ee8.websocket/jetty-ee8-websocket-jetty-api@12.0.12
- webserver.zip: jetty-ee8-websocket-jetty-common.jar
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/webserver.zip/jetty-ee8-websocket-jetty-common.jar
 - MD5: 93cf94c658d44bf8ebcef764ba33ef66
 - SHA1: 6e590c7c70be9f1f478c4d01981d3b339fdd24a0
 - SHA256: bf7331bd7e06a15a747e7ba47c8ac805ad8d5af2ff5fdde20ac8ba94e6affa2
 - pkg:maven/org.eclipse.jetty.ee8.websocket/jetty-ee8-websocket-jetty-common@12.0.12
- webserver.zip: jetty-ee8-websocket-servlet.jar
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/webserver.zip/jetty-ee8-websocket-servlet.jar
 - MD5: 6835dae8a7859fd910f61a13b42d5016
 - SHA1: 83ed6bcd986cccd6faef2b84c186de3c98761b87
 - SHA256: 3a8b90883327d49dbc858cd7c168ed7e6c1faa47fb02374687f2db9e83075051
 - pkg:maven/org.eclipse.jetty.ee8.websocket/jetty-ee8-websocket-servlet@12.0.12
- webserver.zip: jetty-http.jar
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/webserver.zip/jetty-http.jar
 - MD5: 6df36f430a5ff932095e56d9b1f814ff
 - SHA1: 549fe58ae50b9c061d09803fb0d2659a93ce0ecd
 - SHA256: 83a7d1b268f6a8dc87981caa96b4a87df6e7f6bd9d9315099aae7056e91b02ce
 - pkg:maven/org.eclipse.jetty/jetty-http@12.0.12
- webserver.zip: jetty-http2-common.jar
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/webserver.zip/jetty-http2-common.jar
 - MD5: 5e3937e8a072b3553f6327f95c38f5ce
 - SHA1: d6f8dc7d136b5eef3d97ca76caf770cb0bca1d64
 - SHA256: 18218a67571078a69567f49d3ad77d35dcc6f5f87a5ea7d7d56f0b909346ec26
 - pkg:maven/org.eclipse.jetty.http2/jetty-http2-common@12.0.12
- webserver.zip: jetty-http2-hpack.jar
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/webserver.zip/jetty-http2-hpack.jar
 - MD5: ef48f0ef588daca681aece801ae5c215
 - SHA1: 7e9a522f66c83a0870edd1f6d51542a986dcca50
 - SHA256: 65a0c38ec2e7b7897b6010a1f72875898441ad1bb26e35230a49ec8847fbdc80
 - pkg:maven/org.eclipse.jetty.http2/jetty-http2-hpack@12.0.12
- webserver.zip: jetty-io.jar

- File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/webserver.zip/jetty-io.jar
- MD5: 2c2b6c2aa02d06eb806fcd02311d6fc6
- SHA1: 4e2cd5c23e8ba550238f35c361c22ffb1e7bf00c
- SHA256: 0187db0f7a994677ca44f8065f5a46ae405d6a4b7e91b74a50ca262ddccb39
- pkg:maven/org.eclipse.jetty/jetty-io@12.0.12
- webserver.zip: jetty-security.jar
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/webserver.zip/jetty-security.jar
 - MD5: 8c267fa96178662b4accd8c6eefa660a
 - SHA1: 962d2c5748f750aae667399481915bd02a9746e0
 - SHA256: b5afc655e32b3e747098ef1a3f037454b1572d1ac94ff49832f635ec6aba253d
 - pkg:maven/org.eclipse.jetty/jetty-security@12.0.12
- webserver.zip: jetty-session.jar
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/webserver.zip/jetty-session.jar
 - MD5: 16ff3a3c6576c1e6585888d97856d83b
 - SHA1: fceae460fb4677a6cec80d3b70b1fc3ae2a114a7
 - SHA256: 89f6e4c09ce3572d49506b574d235b9b1cfec367de35dea7ce47a393ebe75cf6
 - pkg:maven/org.eclipse.jetty/jetty-session@12.0.12
- webserver.zip: jetty-util.jar
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/webserver.zip/jetty-util.jar
 - MD5: 5d734e1499a7edb8bebefbeacf13f3a6
 - SHA1: f7b1e4f835c38d12668b426d327118e767d2f1d4
 - SHA256: 6186c46baa8e236fdebedb26c6d2bfa10203908db08050d72425f5aca707c18d
 - pkg:maven/org.eclipse.jetty/jetty-util@12.0.12
- webserver.zip: jetty-websocket-core-common.jar
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/webserver.zip/jetty-websocket-core-common.jar
 - MD5: 20da832acd01e26b3c18118534edb9a2
 - SHA1: 5a98e94ecef3d66d04de39f93e3e42f816fcad71
 - SHA256: 1bd5a6285d44ef8eba971081d2e914cd99f4c44056309ba1823ec111da9ebf8e
 - pkg:maven/org.eclipse.jetty.websocket/jetty-websocket-core-common@12.0.12

Identifiers

webserver.zip: jetty-websocket-core-server.jar

Description:

Jetty module for Core :: Websocket :: Server

License:

EPL-2.0 OR Apache-2.0

<https://www.eclipse.org/legal/epl-2.0/>, <https://www.apache.org/licenses/LICENSE-2.0>**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/webserver.zip/jetty-websocket-core-server.jar**MD5:** af6ab6286006ef413bb421c5622590d3**SHA1:** 6a65999b7d381e82e1634620cda906b7a9d0d399**SHA256:** b4fcc308c340e86da8a66962951a0fa77c6e43e601cac47657b3ce184779bf24**Referenced In Project/Scope:** server**Evidence**

Type	Source	Name	Value	Confidence
Vendor	file	name	jetty-websocket-core-server	High
Vendor	jar	package name	core	Highest
Vendor	jar	package name	eclipse	Highest
Vendor	jar	package name	jetty	Highest
Vendor	jar	package name	websocket	Highest
Vendor	Manifest	build-jdk-spec	22	Low
Vendor	Manifest	bundle-copyright	Copyright (c) 1995 Mort Bay Consulting Pty Ltd and others.	Low
Vendor	Manifest	bundle-docurl	https://eclipse.dev/jetty/	Low
Vendor	Manifest	bundle-symbolicname	org.eclipse.jetty.websocket.core.server	Medium
Vendor	Manifest	Implementation-Vendor	Eclipse Jetty Project	High
Vendor	Manifest	url	https://eclipse.dev/jetty/	Low
Vendor	pom	artifactid	jetty-websocket-core-server	Low
Vendor	pom	groupid	org.eclipse.jetty.websocket	Highest
Vendor	pom	name	Core :: Websocket :: Server	High
Vendor	pom	parent-artifactid	jetty-websocket	Low
Product	file	name	jetty-websocket-core-server	High
Product	jar	package name	core	Highest
Product	jar	package name	eclipse	Highest
Product	jar	package name	jetty	Highest
Product	jar	package name	websocket	Highest
Product	Manifest	build-jdk-spec	22	Low
Product	Manifest	bundle-copyright	Copyright (c) 1995 Mort Bay Consulting Pty Ltd and others.	Low
Product	Manifest	bundle-docurl	https://eclipse.dev/jetty/	Low
Product	Manifest	Bundle-Name	Core :: Websocket :: Server	Medium

Product	Manifest	bundle-symbolicname	org.eclipse.jetty.websocket.core.server	Medium
Product	Manifest	url	https://eclipse.dev/jetty/	Low
Product	pom	artifactid	jetty-websocket-core-server	Highest
Product	pom	groupid	org.eclipse.jetty.websocket	Highest
Product	pom	name	Core :: Websocket :: Server	High
Product	pom	parent-artifactid	jetty-websocket	Medium
Version	Manifest	Bundle-Version	12.0.12	High
Version	Manifest	Implementation-Version	12.0.12	High
Version	pom	version	12.0.12	Highest

Related Dependencies



- webserver.zip: jetty-alpn-java-server.jar
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/webserver.zip/jetty-alpn-java-server.jar
 - MD5: 4f5f0577660d8c96f0ee16c54bf8511a
 - SHA1: 6662cc331cc2ea965a1bacb78a50a75cbaa3b8eb
 - SHA256: d2e1c26aaaf14b146016263c09daa9211ca7b7c92aa76910b8d33e906ed0f80e
 - pkg:maven/org.eclipse.jetty/jetty-alpn-java-server@12.0.12
- webserver.zip: jetty-alpn-server.jar
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/webserver.zip/jetty-alpn-server.jar
 - MD5: 2c9a20bf0156af39a799fd0ecde88420
 - SHA1: 6d085e4184e529e6b754f867bfd701e8cb104c86
 - SHA256: ba6189e0a8dac7bd4f6f9890182bde60081423de9cdbce60b4e8eace6bc70cba
 - pkg:maven/org.eclipse.jetty/jetty-alpn-server@12.0.12
- webserver.zip: jetty-ee8-websocket-javax-server.jar
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/webserver.zip/jetty-ee8-websocket-javax-server.jar
 - MD5: 3e98eee51a960701b7c87564f229a436
 - SHA1: e57dbd4da3a12d77e9325eb8b5148a34231beae9
 - SHA256: 579db39444208632eb4d470ba119d262c78f933787475c8de1fbc16ed80776f9
 - pkg:maven/org.eclipse.jetty/jetty-ee8-websocket/jetty-ee8-websocket-javax-server@12.0.12
- webserver.zip: jetty-ee8-websocket-jetty-server.jar
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/webserver.zip/jetty-ee8-websocket-jetty-server.jar
 - MD5: bba9b709fd47d2971fb6cce32e1773f3
 - SHA1: e9ecbeae29773aa48d0e276ea5366dbfd0e27484
 - SHA256: 9b8336fe6d7876e5273e70aac255f2882c61972e0c8330912836cfdeb0cb5117
 - pkg:maven/org.eclipse.jetty/jetty-ee8-websocket/jetty-ee8-websocket-jetty-server@12.0.12
- webserver.zip: jetty-http2-server.jar
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/webserver.zip/jetty-http2-server.jar
 - MD5: 5e82e0f6925d6c888ea54d64384ac50e
 - SHA1: faf5cb0fc244ea41ab003c9250093bcd4461b9d5
 - SHA256: 253782cd070553a7e97ba7e114ee9e7d9cf835ab0282ebca6c57d0465a4f60fa

- [pkg:maven/org.eclipse.jetty.http2/jetty-http2-server@12.0.12](#)
- webserver.zip: jetty-server.jar
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/webserver.zip/jetty-server.jar
 - MD5: 015e76b0d3f29dc9a7f1d76da93f258a
 - SHA1: 77591ab10113d7de7eb8a01bb4d9d23b234aebd1
 - SHA256: 299b992e50c7d9871b450fa33aa0e36d5641218ae10ffbf4449f59d845fe2e22
 - [pkg:maven/org.eclipse.jetty/jetty-server@12.0.12](#)

Identifiers

- [pkg:maven/org.eclipse.jetty.websocket/jetty-websocket-core-server@12.0.12](#) (*Confidence:High*)
- [cpe:2.3:a:eclipse:jetty:12.0.12:.*:.*:.*:.*](#) (*Confidence:Highest*) suppress
- [cpe:2.3:a:jetty:jetty:12.0.12:.*:.*:.*:.*](#) (*Confidence:Highest*) suppress
- cpe:2.3:a:jetty:jetty_http_server:12.0.12:.*:.*:.*:.* (*Confidence:Low*) suppress
- [cpe:2.3:a:mortbay:jetty:12.0.12:.*:.*:.*:.*](#) (*Confidence:Highest*) suppress

webserver.zip: jose4j.jar

Description:

The jose.4.j library is a robust and easy to use open source implementation of JSON Web Token (JWT) and the JOSE specification suite (JWS, JWE, and JWK).

It is written in Java and relies solely on the JCA APIs for cryptography.

Please see https://bitbucket.org/b_c/jose4j/wiki/Home for more info, examples, etc..

License:

The Apache Software License, Version 2.0: <http://www.apache.org/licenses/LICENSE-2.0.txt>

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/webserver.zip/jose4j.jar

MD5: f57cb91efc5beaa940029f5515a888c2

SHA1: 357a3836bb5da16f314f3a1e954518e5468cd915

SHA256: 7314af50cde9c99e8eaf43eee617a23edcc6bb43036221064355094999d837ef

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	jose4j	High
Vendor	jar	package name	jca	Highest
Vendor	jar	package name	jose4j	Highest
Vendor	jar	package name	json	Highest
Vendor	jar	package name	jwe	Highest

Vendor	jar	package name	jwk	Highest
Vendor	jar	package name	jws	Highest
Vendor	jar	package name	jwt	Highest
Vendor	jar	package name	use	Highest
Vendor	Manifest	automatic-module-name	org.jose4j	Medium
Vendor	Manifest	bundle-symbolicname	org.bitbucket.b_c.jose4j	Medium
Vendor	pom	artifactid	jose4j	Low
Vendor	pom	developer email	brian.d.campbell@gmail.com	Low
Vendor	pom	developer name	Brian Campbell	Medium
Vendor	pom	groupid	org.bitbucket.b_c	Highest
Vendor	pom	name	jose4j	High
Vendor	pom	url	https://bitbucket.org/b_c/jose4j/	Highest
Product	file	name	jose4j	High
Product	jar	package name	jca	Highest
Product	jar	package name	jose4j	Highest
Product	jar	package name	json	Highest
Product	jar	package name	jwe	Highest
Product	jar	package name	jwk	Highest
Product	jar	package name	jws	Highest
Product	jar	package name	jwt	Highest
Product	jar	package name	use	Highest
Product	Manifest	automatic-module-name	org.jose4j	Medium
Product	Manifest	Bundle-Name	jose4j	Medium
Product	Manifest	bundle-symbolicname	org.bitbucket.b_c.jose4j	Medium
Product	pom	artifactid	jose4j	Highest
Product	pom	developer email	brian.d.campbell@gmail.com	Low
Product	pom	developer name	Brian Campbell	Low
Product	pom	groupid	org.bitbucket.b_c	Highest
Product	pom	name	jose4j	High
Product	pom	url	https://bitbucket.org/b_c/jose4j/	Medium
Version	Manifest	Bundle-Version	0.9.6	High
Version	pom	version	0.9.6	Highest

Identifiers

- [pkg:maven/org.bitbucket.b_c/jose4j@0.9.6](#) (Confidence:High)
- [cpe:2.3:a:jose4j_project:jose4j:0.9.6:****.*.*](#) (Confidence:Highest) suppress

webserver.zip: webserver.jar

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller
/server/build/tmp/dependencies/i-net Clear Reports/plugins/webserver.zip/webserver.jar
MD5: d333607f793eacdebd19b5e6e71d006c
SHA1: b2fa8ad9e6d8839c989fa4bb05f65d9179210089
SHA256:fb609b26b083d51997e8135e94da60ca25ea2bfff58ebcd929663769e269270a
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence
Vendor	file	name	webserver	High
Vendor	jar	package name	inet	Low
Vendor	jar	package name	webserver	Low
Vendor	Manifest	built-date	2024-09-19 16:54	Low
Vendor	Manifest	implementation-group	shared	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	webserver	High
Product	jar	package name	webserver	Highest
Product	jar	package name	webserver	Low
Product	Manifest	built-date	2024-09-19 16:54	Low
Product	Manifest	implementation-group	shared	Low
Product	Manifest	Implementation-Title	webserver	High
Product	Manifest	specification-title	webserver	Medium
Version	Manifest	Implementation-Version	24.10.163	High

Identifiers

- None

Suppressed Vulnerabilities



authentication.oauth.zip: authentication.oauth-javadoc.jar: jquery-ui.min.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/authentication.oauth.zip/authentication.oauth-javadoc.jar/script-dir/jquery-ui.min.js

MD5: 32059df39c14a910ccc2325f6a3cd62f

SHA1: d3289f1b527a3f054d303ec769402e037fbfcf4b

SHA256: 672f278182cdf04f3c62a5b8d93f406791854a28791f27aecdb9981573c61424

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	jquery-ui	High
Product	file	name	jquery-ui	High
Version	file	version	1.13.1	High

Related Dependencies



- maintenance.zip: maintenance-javadoc.jar: jquery-ui.min.js
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/maintenance.zip/maintenance-javadoc.jar/script-dir/jquery-ui.min.js
 - MD5: 32059df39c14a910ccc2325f6a3cd62f
 - SHA1: d3289f1b527a3f054d303ec769402e037fbfcf4b
 - SHA256: 672f278182cdf04f3c62a5b8d93f406791854a28791f27aecdb9981573c61424
- reporting.zip: reporting-javadoc.jar: jquery-ui.min.js
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/reporting.zip/reporting-javadoc.jar/script-dir/jquery-ui.min.js
 - MD5: 32059df39c14a910ccc2325f6a3cd62f
 - SHA1: d3289f1b527a3f054d303ec769402e037fbfcf4b
 - SHA256: 672f278182cdf04f3c62a5b8d93f406791854a28791f27aecdb9981573c61424
- taskplanner.reporting.zip: taskplanner.reporting-javadoc.jar: jquery-ui.min.js
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/taskplanner.reporting.zip/taskplanner.reporting-javadoc.jar/script-dir/jquery-ui.min.js
 - MD5: 32059df39c14a910ccc2325f6a3cd62f
 - SHA1: d3289f1b527a3f054d303ec769402e037fbfcf4b
 - SHA256: 672f278182cdf04f3c62a5b8d93f406791854a28791f27aecdb9981573c61424

- taskplanner.zip: taskplanner-javadoc.jar: jquery-ui.min.js
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/taskplanner.zip/taskplanner-javadoc.jar/script-dir/jquery-ui.min.js
 - MD5: 32059df39c14a910ccc2325f6a3cd62f
 - SHA1: d3289f1b527a3f054d303ec769402e037fbfcf4b
 - SHA256: 672f278182cdf04f3c62a5b8d93f406791854a28791f27aecdb9981573c61424

Suppressed Identifiers

- None

Suppressed Vulnerabilities



[CVE-2022-31160](#) suppressed

jQuery UI is a curated set of user interface interactions, effects, widgets, and themes built on top of jQuery. Versions prior to 1.13.2 are potentially vulnerable to cross-site scripting. Initializing a checkboxradio widget on an input enclosed within a label makes that parent label contents considered as the input label. Calling `.checkboxradio("refresh")` on such a widget and the initial HTML contained encoded HTML entities will make them erroneously get decoded. This can lead to potentially executing JavaScript code. The bug has been patched in jQuery UI 1.13.2. To remediate the issue, someone who can change the initial HTML can wrap all the non-input contents of the `label` in a `span`.

CWE-79 Improper Neutralization of Input During Web Page Generation ('Cross-site Scripting')

Notes: JavaDoc embedded JQuery UI - requires updated Java Version with newer javadoc

CVSSv3:

- MEDIUM (6.1)
- CVSS:3.1/AV:N/AC:L/PR:N/UI:R/S:C/C:L/I:L/A:N/E:2.8/RC:R/MAV:A

References:

- info - <https://github.com/advisories/GHSA-h6gj-6jjq-h8g9>
- info - <https://github.com/jquery/jquery-ui/commit/8cc5bae1caa1fc96bf5862c5646c787020ba3f9>
- info - <https://github.com/jquery/jquery-ui/issues/2101>
- info - <https://nvd.nist.gov/vuln/detail/CVE-2022-31160>
- security-advisories@github.com - [EXPLOIT, MITIGATION, RELEASE NOTES, THIRD PARTY ADVISORY](#)
- security-advisories@github.com - [MAILING LIST, THIRD PARTY ADVISORY](#)
- security-advisories@github.com - [PATCH, THIRD PARTY ADVISORY](#)
- security-advisories@github.com - [RELEASE NOTES, VENDOR ADVISORY](#)
- security-advisories@github.com - [THIRD PARTY ADVISORY](#)
- security-advisories@github.com - [THIRD PARTY ADVISORY](#)

Vulnerable Software & Versions (NVD):

- cpe:2.3:a:drupal:jquery_ui_checkboxradio:8.x-1.0:*:*:*:*:drupal:*:*
- cpe:2.3:a:drupal:jquery_ui_checkboxradio:8.x-1.1:*:*:*:*:drupal:*:*
- cpe:2.3:a:drupal:jquery_ui_checkboxradio:8.x-1.2:*:*:*:*:drupal:*:*
- cpe:2.3:a:drupal:jquery_ui_checkboxradio:8.x-1.3:*:*:*:*:drupal:*:*
- cpe:2.3:a:jqueryui:jquery_ui:*:*:*:*:jquery:*:* versions up to (excluding) 1.13.2
- cpe:2.3:a:netapp:oncommand_insight:-:*:*:*:*:*:

decoder.svg.zip: xmlgraphics-commons.jar

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/decoder.svg.zip/xmlgraphics-commons.jar

MD5: ec712218e2391e64672fd8ed1e9e1d71

SHA1: 336ddd6d0a244cdebf26a298fb7c3a5fd45449db

SHA256: 1fe37a1927bdd699730f0ad39f50a699c9ab4dff0ad047dff1e846cb120ae2b1

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	xmlgraphics-commons	High
Vendor	jar	package name	apache	Highest
Vendor	jar	package name	apache	Low
Vendor	jar	package name	xmlgraphics	Highest
Vendor	jar	package name	xmlgraphics	Low
Vendor	Manifest	Implementation-Vendor	The Apache Software Foundation (http://xmlgraphics.apache.org/)	High
Product	file	name	xmlgraphics-commons	High
Product	jar	package name	apache	Highest
Product	jar	package name	xmlgraphics	Low
Product	Manifest	Implementation-Title	Apache XML Graphics Commons	High
Version	Manifest	build-id	20220112-112401-GMT	Medium
Version	Manifest	Implementation-Version	2.7	High

Suppressed Identifiers

- cpe:2.3:a:apache:commons_net:2.7:*****: **suppressed** (Confidence:Low)
 - Notes: XML Graphics Common has a false positive match on Apache Commons Net

Suppressed Vulnerabilities



[CVE-2021-37533](#) **suppressed**

Prior to Apache Commons Net 3.9.0, Net's FTP client trusts the host from PASV response by default. A malicious server can redirect the Commons Net code to use a different host, but the user has to connect to the malicious server in the first place. This may lead to leakage of information about services running on the private network of the client. The default in version 3.9.0 is now false to ignore such hosts, as cURL does. See <https://issues.apache.org/jira/browse/NET-711>.

CWE-20 Improper Input Validation

CVSSv3:

- MEDIUM (6.5)
- CVSS:3.1/AV:N/AC:L/PR:N/UI:R/S:U/C:H/I:N/A:N/E:2.8/RC:R/MAV:A

References:

- security@apache.org - [ISSUE_TRACKING,MAILING_LIST,THIRD_PARTY_ADVISORY](#)
- security@apache.org - [ISSUE_TRACKING,MAILING_LIST,VENDOR_ADVISORY](#)
- security@apache.org - [MAILING_LIST,THIRD_PARTY_ADVISORY](#)
- security@apache.org - [THIRD_PARTY_ADVISORY](#)

Vulnerable Software & Versions:

- [cpe:2.3:a:apache:commons_net:*:*:*:*:*:* versions up to \(excluding\) 3.9.0](#)

docfx.vendor.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/Documentation and Samples/dotnet - ProcessBridge API Doc/styles/docfx.vendor.js

MD5: e546d4a3ac43d85422e9c43bf9488c88

SHA1: 7387f5bf1a3382308d646560039243629968f137

SHA256: 4dfa2ef41a41c02b0cd0cb18b5c3ee71dd40cdc060271f0d832235e7a1c72c34

Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence
Vendor	file	name	bootstrap	High
Product	file	name	bootstrap	High
Version	file	version	3.4.1	High

Suppressed Identifiers

- None

Suppressed Vulnerabilities

CVE-2024-6484 (RETIREJS) suppressed

Notes: file name: remotegui.zip: bootstrap.jar We are in the process of migrating required functions into a custom framework.

Unscored:

- Severity: medium

References:

- info - <https://github.com/advisories/GHSA-9mvj-f7w8-pvh2>
- info - <https://github.com/rubysec/ruby-advisory-db/blob/master/gems/bootstrap-sass/CVE-2024-6484.yml>
- info - <https://github.com/rubysec/ruby-advisory-db/blob/master/gems/bootstrap/CVE-2024-6484.yml>
- info - <https://github.com/twbs/bootstrap>
- info - <https://nvd.nist.gov/vuln/detail/CVE-2024-6484>
- info - <https://www.herodevs.com/vulnerability-directory/cve-2024-6484>

Vulnerable Software & Versions (RETIREJS):

Bootstrap before 4.0.0 is end-of-life and no longer maintained. (RETIREJS) suppressed

Bootstrap before 4.0.0 is end-of-life and no longer maintained.

Notes: file name: remotegui.zip: bootstrap.jar We are in the process of migrating required functions into a custom framework.

Unscored:

- Severity: low

References:

- info - <https://github.com/twbs/bootstrap/issues/20631>
- retid - 72

Vulnerable Software & Versions (RETIREJS):

remotegui.zip: angular-animate.jar: angular-animate.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller /server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angular-animate.jar/META-INF /resources/webjars/angular-animate/1.8.3/angular-animate.js

MD5: 31312b87e7226c8bf0714fcef0ea5d18

SHA1: dc9fb55f2c7f922c5ba83449266239ba1353db45

SHA256: 58e79e0e7cbb1e1502d216701e1fae41c405d92320aea1b68a223054096fda93

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	angularjs	High
Product	file	name	angularjs	High
Version	file	version	1.8.3	High

Suppressed Identifiers

- None

[CVE-2022-25844](#) suppressed

The package angular after 1.7.0 are vulnerable to Regular Expression Denial of Service (ReDoS) by providing a custom locale rule that makes it possible to assign the parameter in posPre: ' '.repeat() of NUMBER_FORMATS.PATTERNS[1].posPre with a very high value.
Note: 1) This package has been deprecated and is no longer maintained. 2) The vulnerable versions are 1.7.0 and higher.

CWE-1333 Inefficient Regular Expression Complexity

Notes: We can not yet update to newer Angular Version

CVSSv2:

- Base Score: MEDIUM (5.0)
- Vector: /AV:N/AC:L/Au:N/C:N/I:N/A:P

CVSSv3:

- HIGH (7.5)
- CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:N/I:N/A:H/E:3.9/RC:R/MAV:A

References:

- info - <https://github.com/advisories/GHSA-m2h2-264f-f486>
- report@snyk.io - [EXPLOIT,THIRD_PARTY_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD_PARTY_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD_PARTY_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD_PARTY_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD_PARTY_ADVISORY](#)
- report@snyk.io - [THIRD_PARTY_ADVISORY](#)

Vulnerable Software & Versions (NVD):

- cpe:2.3:a:angularjs:angular:*:*:*:*:node.js:* versions from (including) 1.7.0
- cpe:2.3:a:netapp:ontap_select_deploy_administration_utility:*:*:*:*:*

[CVE-2024-21490](#) suppressed

This affects versions of the package angular from 1.3.0. A regular expression used to split the value of the ng-srcset directive is vulnerable to super-linear runtime due to backtracking. With large carefully-crafted input, this can result in catastrophic backtracking and cause a denial of service. **Note:** This package is EOL and will not receive any updates to address this issue. Users should migrate to [@angular/core](https://www.npmjs.com/package/@angular/core).

CWE-1333 Inefficient Regular Expression Complexity

Notes: We can not yet update to newer Angular Version

CVSSv3:

- HIGH (7.5)
- CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:N/I:N/A:H/E:3.9/RC:R/MAV:A

References:

- info - <https://github.com/advisories/GHSA-4w4v-5hc9-xrr2>
- info - <https://github.com/angular/angular.js>
- info - <https://nvd.nist.gov/vuln/detail/CVE-2024-21490>
- info - <https://security.snyk.io/vuln/SNYK-JAVA-ORGWEBJARSBOWER-6241746>
- info - <https://security.snyk.io/vuln/SNYK-JAVA-ORGWEBJARSNPM-6241747>
- info - <https://security.snyk.io/vuln/SNYK-JS-ANGULAR-6091113>
- info - <https://stackblitz.com/edit/angularjs-vulnerability-ng-srcset-redos>
- report@snyk.io - [EXPLOIT,THIRD_PARTY_ADVISORY](#)
- report@snyk.io - [THIRD_PARTY_ADVISORY](#)

Vulnerable Software & Versions (NVD):

- cpe:2.3:a:angular:angular:*:*:*:*:node.js:* versions from (including) 1.3.0

[CVE-2022-25869](#) suppressed

All versions of package angular are vulnerable to Cross-site Scripting (XSS) due to insecure page caching in the Internet Explorer browser, which allows interpolation of <textarea> elements.

CWE-79 Improper Neutralization of Input During Web Page Generation ('Cross-site Scripting')

Notes: We can not yet update to newer Angular Version

CVSSv3:

- MEDIUM (6.1)
- CVSS:3.1/AV:N/AC:L/PR:N/UI:R/S:C/C:L/I:L/A:N/E:2.8/RC:R/MAV:A

References:

- info - <https://github.com/advisories/GHSA-prc3-vjfx-vhm9>
- report@snyk.io - [BROKEN_LINK](#)
- report@snyk.io - [EXPLOIT,THIRD_PARTY_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD_PARTY_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD_PARTY_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD_PARTY_ADVISORY](#)

Vulnerable Software & Versions (NVD):

- cpe:2.3:a:angularjs:angular:*:*:*:*:node.js:*:*

[CVE-2023-26116](#) suppressed

Versions of the package angular from 1.2.21 are vulnerable to Regular Expression Denial of Service (ReDoS) via the angular.copy() utility function due to the usage of an insecure regular expression. Exploiting this vulnerability is possible by a large carefully-crafted input, which can result in catastrophic backtracking.

CWE-1333 Inefficient Regular Expression Complexity

Notes: We can not yet update to newer Angular Version

CVSSv3:

- MEDIUM (5.3)
- CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:N/I:N/A:L/E:3.9/RC:R/MAV:A

References:

- info - <https://github.com/advisories/GHSA-2vrf-hf26-jrp5>
- report@snyk.io - [EXPLOIT,THIRD_PARTY_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD_PARTY_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD_PARTY_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD_PARTY_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD_PARTY_ADVISORY](#)
- report@snyk.io - [MAILING_LIST,THIRD_PARTY_ADVISORY](#)

Vulnerable Software & Versions (NVD):

- cpe:2.3:a:angularjs:angular:*:*:*:*:node.js:*:* versions from (including) 1.2.21; versions up to (including) 1.8.3

[CVE-2023-26117](#) suppressed

Versions of the package angular from 1.0.0 are vulnerable to Regular Expression Denial of Service (ReDoS) via the \$resource service due to the usage of an insecure regular expression. Exploiting this vulnerability is possible by a large carefully-crafted input, which can result in catastrophic backtracking.

CWE-1333 Inefficient Regular Expression Complexity

Notes: We can not yet update to newer Angular Version

CVSSv3:

- MEDIUM (5.3)

- CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:N/I:N/A:L/E:3.9/RC:R/MAV:A

References:

- info - <https://github.com/advisories/GHSA-2qgx-w9hr-q5gx>
- report@snyk.io - [EXPLOIT,THIRD_PARTY_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD_PARTY_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD_PARTY_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD_PARTY_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD_PARTY_ADVISORY](#)
- report@snyk.io - [MAILING_LIST,THIRD_PARTY_ADVISORY](#)

Vulnerable Software & Versions (NVD):

- cpe:2.3:a:angularjs:angular:*:*:*:*:node.js:*:* versions from (including) 1.0.0; versions up to (including) 1.8.3

[CVE-2023-26118](#) suppressed

Versions of the package angular from 1.4.9 are vulnerable to Regular Expression Denial of Service (ReDoS) via the <input type="url"> element due to the usage of an insecure regular expression in the input[url] functionality. Exploiting this vulnerability is possible by a large carefully-crafted input, which can result in catastrophic backtracking.

CWE-1333 Inefficient Regular Expression Complexity

Notes: We can not yet update to newer Angular Version

CVSSv3:

- MEDIUM (5.3)
- CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:N/I:N/A:L/E:3.9/RC:R/MAV:A

References:

- info - <https://github.com/advisories/GHSA-qwqh-hm9m-p5hr>
- report@snyk.io - [EXPLOIT](#)
- report@snyk.io - [EXPLOIT,THIRD_PARTY_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD_PARTY_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD_PARTY_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD_PARTY_ADVISORY](#)
- report@snyk.io - [MAILING_LIST,THIRD_PARTY_ADVISORY](#)

Vulnerable Software & Versions (NVD):

- cpe:2.3:a:angularjs:angular:*:*:*:*:node.js:*:* versions from (including) 1.4.9; versions up to (including) 1.8.3

[CVE-2024-8372](#) suppressed

Improper sanitization of the value of the '[srcset]' attribute in AngularJS allows attackers to bypass common image source restrictions, which can also lead to a form of Content Spoofing https://owasp.org/www-community/attacks/Content_Spoofing .

This issue affects AngularJS versions 1.3.0-rc.4 and greater.

Note:

The AngularJS project is End-of-Life and will not receive any updates to address this issue. For more information see [here https://docs.angularjs.org/misc/version-support-status](https://docs.angularjs.org/misc/version-support-status) .

CWE-1289 Improper Validation of Unsafe Equivalence in Input, NVD-CWE-Other

Notes: We can not yet update to newer Angular Version

CVSSv3:

- MEDIUM (4.3)
- CVSS:3.1/AV:N/AC:L/PR:N/UI:R/S:U/C:N/I:L/A:N/E:2.8/RC:R/MAV:A

References:

- 36c7be3b-2937-45df-85ea-ca7133ea542c - [EXPLOIT,THIRD_PARTY_ADVISORY](#)

- 36c7be3b-2937-45df-85ea-ca7133ea542c - [EXPLOIT,THIRD_PARTY_ADVISORY](#)
- info - <https://codepen.io/herodevs/full/xxoQRNL/0072e627abe03e9cda373bc75b4c1017>
- info - <https://github.com/advisories/GHSA-m9gf-397r-hwpg>
- info - <https://github.com/angular/angular.js>
- info - <https://nvd.nist.gov/vuln/detail/CVE-2024-8372>
- info - <https://www.herodevs.com/vulnerability-directory/cve-2024-8372>

Vulnerable Software & Versions (NVD):

- cpe:2.3:a:angularjs:angular.js:*:*:*:*:* versions from (including) 1.3.1; versions up to (excluding) 1.9.6
- cpe:2.3:a:angularjs:angular.js:1.3.0:rc4:*:*:*:*
- cpe:2.3:a:angularjs:angular.js:1.3.0:rc5:*:*:*:*

[CVE-2024-8373](#) suppressed

Improper sanitization of the value of the [srcset] attribute in <source> HTML elements in AngularJS allows attackers to bypass common image source restrictions, which can also lead to a form of Content Spoofing https://owasp.org/www-community/attacks/Content_Spoofing .

This issue affects all versions of AngularJS.

Note:

The AngularJS project is End-of-Life and will not receive any updates to address this issue. For more information see [here https://docs.angularjs.org/misc/version-support-status](https://docs.angularjs.org/misc/version-support-status) .

NVD-CWE-Other, CWE-791 Incomplete Filtering of Special Elements

Notes: We can not yet update to newer Angular Version

CVSSv3:

- MEDIUM (4.3)
- CVSS:3.1/AV:N/AC:L/PR:N/UI:R/S:U/C:N/I:L/A:N/E:2.8/RC:R/MAV:A

References:

- 36c7be3b-2937-45df-85ea-ca7133ea542c - [EXPLOIT,THIRD_PARTY_ADVISORY](#)
- 36c7be3b-2937-45df-85ea-ca7133ea542c - [EXPLOIT,THIRD_PARTY_ADVISORY](#)
- info - <https://codepen.io/herodevs/full/bGPQgMp/8da9ce87e99403ee13a295c305ebfa0b>
- info - <https://github.com/advisories/GHSA-mqm9-c95h-x2p6>
- info - <https://github.com/angular/angular.js>
- info - <https://nvd.nist.gov/vuln/detail/CVE-2024-8373>
- info - <https://www.herodevs.com/vulnerability-directory/cve-2024-8373>

Vulnerable Software & Versions (NVD):

- cpe:2.3:a:angularjs:angular.js:*:*:*:*:* versions up to (excluding) 1.9.6

End-of-Life: Long term support for AngularJS has been discontinued as of December 31, 2021 (RETIREJS) suppressed

End-of-Life: Long term support for AngularJS has been discontinued as of December 31, 2021

Notes: file name: remotegui.zip: angularjs.jar We can not yet update to newer Angular Version

Unscored:

- Severity: low

References:

- info - <https://docs.angularjs.org/misc/version-support-status>
- retid - 54

Vulnerable Software & Versions (RETIREJS):

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angular-animate.jar/META-INF/resources/webjars/angular-animate/1.8.3/angular-animate.min.js

MD5: 5d2d0f42bb7e1b5503e914674f59dad0

SHA1: 4c15a58541e53c451c6f946d2048104f88b833c7

SHA256: 8e6202b1330a469a61ccdeebbd1cb3a20d0ecd8d106f68da5b85e9b67a1cd5

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	angularjs	High
Product	file	name	angularjs	High
Version	file	version	1.8.3	High

Suppressed Identifiers

- None

Suppressed Vulnerabilities



[CVE-2022-25844](#) suppressed

The package angular after 1.7.0 are vulnerable to Regular Expression Denial of Service (ReDoS) by providing a custom locale rule that makes it possible to assign the parameter in posPre: ''.repeat() of NUMBER_FORMATS.PATTERNS[1].posPre with a very high value.
****Note:**** 1) This package has been deprecated and is no longer maintained. 2) The vulnerable versions are 1.7.0 and higher.

CWE-1333 Inefficient Regular Expression Complexity

Notes: We can not yet update to newer Angular Version

CVSSv2:

- Base Score: MEDIUM (5.0)
- Vector: /AV:N/AC:L/Au:N/C:N/I:N/A:P

CVSSv3:

- HIGH (7.5)
- CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:N/I:N/A:H/E:3.9/RC:R/MAV:A

References:

- info - <https://github.com/advisories/GHSA-m2h2-264f-f486>
- report@snyk.io - [EXPLOIT_THIRD_PARTY_ADVISORY](#)
- report@snyk.io - [EXPLOIT_THIRD_PARTY_ADVISORY](#)
- report@snyk.io - [EXPLOIT_THIRD_PARTY_ADVISORY](#)
- report@snyk.io - [EXPLOIT_THIRD_PARTY_ADVISORY](#)
- report@snyk.io - [EXPLOIT_THIRD_PARTY_ADVISORY](#)
- report@snyk.io - [THIRD_PARTY_ADVISORY](#)

Vulnerable Software & Versions (NVD):

- cpe:2.3:a:angularjs:angular:*:*:*:*:node.js:*:* versions from (including) 1.7.0
- cpe:2.3:a:netapp:ontap_select_deploy_administration_utility:*:*:*:*:*:

[CVE-2024-21490](#) suppressed

This affects versions of the package angular from 1.3.0. A regular expression used to split the value of the ng-srcset directive is vulnerable to super-linear runtime due to backtracking. With large carefully-crafted input, this can result in catastrophic backtracking and cause a denial of service. **Note:** This package is EOL and will not receive any updates to address this issue. Users should migrate to [angular/core](https://www.npmjs.com/package/@angular/core).

CWE-1333 Inefficient Regular Expression Complexity

Notes: We can not yet update to newer Angular Version

CVSSv3:

- HIGH (7.5)
- CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:N/I:N/A:H/E:3.9/RC:R/MAV:A

References:

- info - <https://github.com/advisories/GHSA-4w4v-5hc9-xrr2>
- info - <https://github.com/angular/angular.js>
- info - <https://nvd.nist.gov/vuln/detail/CVE-2024-21490>
- info - <https://security.snyk.io/vuln/SNYK-JAVA-ORGWEBJARSBOWER-6241746>
- info - <https://security.snyk.io/vuln/SNYK-JAVA-ORGWEBJARSNPM-6241747>
- info - <https://security.snyk.io/vuln/SNYK-JS-ANGULAR-6091113>
- info - <https://stackblitz.com/edit/angularjs-vulnerability-ng-srcset-redos>
- report@snyk.io - [EXPLOIT_THIRD_PARTY_ADVISORY](#)
- report@snyk.io - [THIRD_PARTY_ADVISORY](#)

Vulnerable Software & Versions (NVD):

- cpe:2.3:a:angular:angular:*:*:*:*:node.js:*:* versions from (including) 1.3.0

[CVE-2022-25869](#) suppressed

All versions of package angular are vulnerable to Cross-site Scripting (XSS) due to insecure page caching in the Internet Explorer browser, which allows interpolation of <textarea> elements.

CWE-79 Improper Neutralization of Input During Web Page Generation ('Cross-site Scripting')

Notes: We can not yet update to newer Angular Version

CVSSv3:

- MEDIUM (6.1)
- CVSS:3.1/AV:N/AC:L/PR:N/UI:R/S:C/C:L/I:L/A:N/E:2.8/RC:R/MAV:A

References:

- info - <https://github.com/advisories/GHSA-prc3-vjfx-vhm9>
- report@snyk.io - [BROKEN_LINK](#)
- report@snyk.io - [EXPLOIT_THIRD_PARTY_ADVISORY](#)
- report@snyk.io - [EXPLOIT_THIRD_PARTY_ADVISORY](#)
- report@snyk.io - [EXPLOIT_THIRD_PARTY_ADVISORY](#)
- report@snyk.io - [EXPLOIT_THIRD_PARTY_ADVISORY](#)

Vulnerable Software & Versions (NVD):

- cpe:2.3:a:angularjs:angular:*:*:*:*:node.js:*:*

[CVE-2023-26116](#) suppressed

Versions of the package angular from 1.2.21 are vulnerable to Regular Expression Denial of Service (ReDoS) via the angular.copy() utility function due to the usage of an insecure regular expression. Exploiting this vulnerability is possible by a large carefully-crafted input, which can result in catastrophic backtracking.

CWE-1333 Inefficient Regular Expression Complexity

Notes: We can not yet update to newer Angular Version

CVSSv3:

- MEDIUM (5.3)
- CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:N/I:N/A:L/E:3.9/RC:R/MAV:A

References:

- info - <https://github.com/advisories/GHSA-2vrf-hf26-jrp5>
- report@snyk.io - [EXPLOIT,THIRD_PARTY_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD_PARTY_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD_PARTY_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD_PARTY_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD_PARTY_ADVISORY](#)
- report@snyk.io - [MAILING_LIST,THIRD_PARTY_ADVISORY](#)

Vulnerable Software & Versions (NVD):

- cpe:2.3:a:angularjs:angular:*:*:*:*:node.js:*:* versions from (including) 1.2.21; versions up to (including) 1.8.3

[CVE-2023-26117](#) suppressed

Versions of the package angular from 1.0.0 are vulnerable to Regular Expression Denial of Service (ReDoS) via the \$resource service due to the usage of an insecure regular expression. Exploiting this vulnerability is possible by a large carefully-crafted input, which can result in catastrophic backtracking.

CWE-1333 Inefficient Regular Expression Complexity

Notes: We can not yet update to newer Angular Version

CVSSv3:

- MEDIUM (5.3)
- CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:N/I:N/A:L/E:3.9/RC:R/MAV:A

References:

- info - <https://github.com/advisories/GHSA-2gqx-w9hr-q5gx>
- report@snyk.io - [EXPLOIT,THIRD_PARTY_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD_PARTY_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD_PARTY_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD_PARTY_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD_PARTY_ADVISORY](#)
- report@snyk.io - [MAILING_LIST,THIRD_PARTY_ADVISORY](#)

Vulnerable Software & Versions (NVD):

- cpe:2.3:a:angularjs:angular:*:*:*:*:node.js:*:* versions from (including) 1.0.0; versions up to (including) 1.8.3

[CVE-2023-26118](#) suppressed

Versions of the package angular from 1.4.9 are vulnerable to Regular Expression Denial of Service (ReDoS) via the <input type="url"> element due to the usage of an insecure regular expression in the input[url] functionality. Exploiting this vulnerability is possible by a large carefully-crafted input, which can result in catastrophic backtracking.

CWE-1333 Inefficient Regular Expression Complexity

Notes: We can not yet update to newer Angular Version

CVSSv3:

- MEDIUM (5.3)
- CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:N/I:N/A:L/E:3.9/RC:R/MAV:A

References:

- info - <https://github.com/advisories/GHSA-qwqh-hm9m-p5hr>
- report@snyk.io - [EXPLOIT](#)
- report@snyk.io - [EXPLOIT,THIRD_PARTY_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD_PARTY_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD_PARTY_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD_PARTY_ADVISORY](#)
- report@snyk.io - [MAILING_LIST,THIRD_PARTY_ADVISORY](#)

Vulnerable Software & Versions (NVD):

- cpe:2.3:a:angularjs:angular:*:*:*:*:* versions from (including) 1.4.9; versions up to (including) 1.8.3

CVE-2024-8372 suppressed

Improper sanitization of the value of the '[srcset]' attribute in AngularJS allows attackers to bypass common image source restrictions, which can also lead to a form of Content Spoofing https://owasp.org/www-community/attacks/Content_Spoofing .

This issue affects AngularJS versions 1.3.0-rc.4 and greater.

Note:

The AngularJS project is End-of-Life and will not receive any updates to address this issue. For more information see [here https://docs.angularjs.org/misc/version-support-status](https://docs.angularjs.org/misc/version-support-status) .

CWE-1289 Improper Validation of Unsafe Equivalence in Input, NVD-CWE-Other

Notes: We can not yet update to newer Angular Version

CVSSv3:

- MEDIUM (4.3)
- CVSS:3.1/AV:N/AC:L/PR:N/UI:R/S:U/C:N/I:L/A:N/E:2.8/RC:R/MAV:A

References:

- 36c7be3b-2937-45df-85ea-ca7133ea542c - [EXPLOIT,THIRD_PARTY_ADVISORY](#)
- 36c7be3b-2937-45df-85ea-ca7133ea542c - [EXPLOIT,THIRD_PARTY_ADVISORY](#)
- info - <https://codepen.io/herodevs/full/xxoQRNL/0072e627abe03e9cda373bc75b4c1017>
- info - <https://github.com/advisories/GHSA-m9gf-397r-hwpg>
- info - <https://github.com/angular/angular.js>
- info - <https://nvd.nist.gov/vuln/detail/CVE-2024-8372>
- info - <https://www.herodevs.com/vulnerability-directory/cve-2024-8372>

Vulnerable Software & Versions (NVD):

- cpe:2.3:a:angularjs:angular.js:*:*:*:*:* versions from (including) 1.3.1; versions up to (excluding) 1.9.6
- cpe:2.3:a:angularjs:angular.js:1.3.0:rc4:*:*:*:*
- cpe:2.3:a:angularjs:angular.js:1.3.0:rc5:*:*:*:*

CVE-2024-8373 suppressed

Improper sanitization of the value of the '[srcset]' attribute in <source> HTML elements in AngularJS allows attackers to bypass common image source restrictions, which can also lead to a form of Content Spoofing https://owasp.org/www-community/attacks/Content_Spoofing .

This issue affects all versions of AngularJS.

Note:

The AngularJS project is End-of-Life and will not receive any updates to address this issue. For more information see [here https://docs.angularjs.org/misc/version-support-status](https://docs.angularjs.org/misc/version-support-status) .

NVD-CWE-Other, CWE-791 Incomplete Filtering of Special Elements

Notes: We can not yet update to newer Angular Version

CVSSv3:

- MEDIUM (4.3)

- CVSS:3.1/AV:N/AC:L/PR:N/UI:R/S:U/C:N/I:L/A:N/E:2.8/RC:R/MAV:A

References:

- 36c7be3b-2937-45df-85ea-ca7133ea542c - [EXPLOIT,THIRD PARTY ADVISORY](#)
- 36c7be3b-2937-45df-85ea-ca7133ea542c - [EXPLOIT,THIRD PARTY ADVISORY](#)
- info - <https://codepen.io/herodevs/full/bGPQgMp/8da9ce87e99403ee13a295c305ebfa0b>
- info - <https://github.com/advisories/GHSA-mqm9-c95h-x2p6>
- info - <https://github.com/angular/angular.js>
- info - <https://nvd.nist.gov/vuln/detail/CVE-2024-8373>
- info - <https://www.herodevs.com/vulnerability-directory/cve-2024-8373>

Vulnerable Software & Versions (NVD):

- cpe:2.3:a:angularjs:angular.js:*:*:*:*:* versions up to (excluding) 1.9.6

End-of-Life: Long term support for AngularJS has been discontinued as of December 31, 2021 (RETIREJS) suppressed

End-of-Life: Long term support for AngularJS has been discontinued as of December 31, 2021

Notes: file name: remotegui.zip: angularjs.jar We can not yet update to newer Angular Version

Unscored:

- Severity: low

References:

- info - <https://docs.angularjs.org/misc/version-support-status>
- retid - 54

Vulnerable Software & Versions (RETIREJS):

remotegui.zip: angular-cookies.jar: angular-cookies.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angular-cookies.jar/META-INF/resources/webjars/angular-cookies/1.8.3/angular-cookies.js

MD5: e17187aea1f0e6dbd25722e34b754915

SHA1: 20f43f716b9fef7d72537bc1b0e5aa2bc480cee5

SHA256: f3291c552042f6d0c500167769912a78ab3ecec9917128b2d6ea8e7c6714bb97

Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence
Vendor	file	name	angularjs	High
Product	file	name	angularjs	High
Version	file	version	1.8.3	High

Suppressed Identifiers

- None

Suppressed Vulnerabilities



[CVE-2022-25844](#) suppressed

The package angular after 1.7.0 are vulnerable to Regular Expression Denial of Service (ReDoS) by providing a custom locale rule that makes it possible to assign the parameter in posPre: ' '.repeat() of NUMBER_FORMATS.PATTERNS[1].posPre with a very high value. **Note:** 1) This package has been deprecated and is no longer maintained. 2) The vulnerable versions are 1.7.0 and higher.

CWE-1333 Inefficient Regular Expression Complexity

Notes: We can not yet update to newer Angular Version

CVSSv2:

- Base Score: MEDIUM (5.0)
- Vector: /AV:N/AC:L/Au:N/C:N/I:N/A:P

CVSSv3:

- HIGH (7.5)
- CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:N/I:N/A:H/E:3.9/RC:R/MAV:A

References:

- info - <https://github.com/advisories/GHSA-m2h2-264f-f486>
- report@snyk.io - [EXPLOIT_THIRD_PARTY_ADVISORY](#)
- report@snyk.io - [EXPLOIT_THIRD_PARTY_ADVISORY](#)
- report@snyk.io - [EXPLOIT_THIRD_PARTY_ADVISORY](#)
- report@snyk.io - [EXPLOIT_THIRD_PARTY_ADVISORY](#)
- report@snyk.io - [EXPLOIT_THIRD_PARTY_ADVISORY](#)
- report@snyk.io - [THIRD_PARTY_ADVISORY](#)

Vulnerable Software & Versions (NVD):

- cpe:2.3:a:angularjs:angular:*:*:*:*:node.js:* versions from (including) 1.7.0
- cpe:2.3:a:netapp:ontap_select_deploy_administration_utility:-:*:*:*:*:*

[CVE-2024-21490](#) suppressed

This affects versions of the package angular from 1.3.0. A regular expression used to split the value of the ng-srcset directive is vulnerable to super-linear runtime due to backtracking. With large carefully-crafted input, this can result in catastrophic backtracking and cause a denial of service. **Note:** This package is EOL and will not receive any updates to address this issue. Users should migrate to [angular/core](https://www.npmjs.com/package/@angular/core).

CWE-1333 Inefficient Regular Expression Complexity

Notes: We can not yet update to newer Angular Version

CVSSv3:

- HIGH (7.5)
- CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:N/I:N/A:H/E:3.9/RC:R/MAV:A

References:

- info - <https://github.com/advisories/GHSA-4w4v-5hc9-xrr2>
- info - <https://github.com/angular/angular.js>
- info - <https://nvd.nist.gov/vuln/detail/CVE-2024-21490>
- info - <https://security.snyk.io/vuln/SNYK-JAVA-ORGWEBJARSBOWER-6241746>
- info - <https://security.snyk.io/vuln/SNYK-JAVA-ORGWEBJARSNPM-6241747>
- info - <https://security.snyk.io/vuln/SNYK-JS-ANGULAR-6091113>
- info - <https://stackblitz.com/edit/angularjs-vulnerability-ng-srcset-redos>
- report@snyk.io - [EXPLOIT_THIRD_PARTY_ADVISORY](#)
- report@snyk.io - [THIRD_PARTY_ADVISORY](#)

Vulnerable Software & Versions (NVD):

- cpe:2.3:a:angular:angular:*:*:*:*:node.js:*:* versions from (including) 1.3.0

[CVE-2022-25869](#) suppressed

All versions of package angular are vulnerable to Cross-site Scripting (XSS) due to insecure page caching in the Internet Explorer browser, which allows interpolation of <textarea> elements.

CWE-79 Improper Neutralization of Input During Web Page Generation ('Cross-site Scripting')

Notes: We can not yet update to newer Angular Version

CVSSv3:

- MEDIUM (6.1)
- CVSS:3.1/AV:N/AC:L/PR:N/UI:R/S:C/C:L/I:L/A:N/E:2.8/RC:R/MAV:A

References:

- info - <https://github.com/advisories/GHSA-prc3-vjfx-vhm9>
- report@snyk.io - [BROKEN_LINK](#)
- report@snyk.io - [EXPLOIT,THIRD_PARTY_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD_PARTY_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD_PARTY_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD_PARTY_ADVISORY](#)

Vulnerable Software & Versions (NVD):

- cpe:2.3:a:angularjs:angular:*:*:*:*:node.js:*:*

[CVE-2023-26116](#) suppressed

Versions of the package angular from 1.2.21 are vulnerable to Regular Expression Denial of Service (ReDoS) via the angular.copy() utility function due to the usage of an insecure regular expression. Exploiting this vulnerability is possible by a large carefully-crafted input, which can result in catastrophic backtracking.

CWE-1333 Inefficient Regular Expression Complexity

Notes: We can not yet update to newer Angular Version

CVSSv3:

- MEDIUM (5.3)
- CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:N/I:N/A:L/E:3.9/RC:R/MAV:A

References:

- info - <https://github.com/advisories/GHSA-2vrf-hf26-jrp5>
- report@snyk.io - [EXPLOIT,THIRD_PARTY_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD_PARTY_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD_PARTY_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD_PARTY_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD_PARTY_ADVISORY](#)
- report@snyk.io - [MAILING_LIST,THIRD_PARTY_ADVISORY](#)

Vulnerable Software & Versions (NVD):

- cpe:2.3:a:angularjs:angular:*:*:*:*:node.js:*:* versions from (including) 1.2.21; versions up to (including) 1.8.3

[CVE-2023-26117](#) suppressed

Versions of the package angular from 1.0.0 are vulnerable to Regular Expression Denial of Service (ReDoS) via the \$resource service due to the usage of an insecure regular expression. Exploiting this vulnerability is possible by a large carefully-crafted input, which can result in catastrophic backtracking.

CWE-1333 Inefficient Regular Expression Complexity

Notes: We can not yet update to newer Angular Version

CVSSv3:

- MEDIUM (5.3)
- CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:N/I:N/A:L/E:3.9/RC:R/MAV:A

References:

- info - <https://github.com/advisories/GHSA-2qgx-w9hr-q5gx>
- report@snyk.io - [EXPLOIT,THIRD_PARTY_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD_PARTY_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD_PARTY_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD_PARTY_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD_PARTY_ADVISORY](#)
- report@snyk.io - [MAILING_LIST,THIRD_PARTY_ADVISORY](#)

Vulnerable Software & Versions (NVD):

- cpe:2.3:a:angularjs:angular:*:*:*:*:node.js:*:* versions from (including) 1.0.0; versions up to (including) 1.8.3

[CVE-2023-26118](#) suppressed

Versions of the package angular from 1.4.9 are vulnerable to Regular Expression Denial of Service (ReDoS) via the <input type="url"> element due to the usage of an insecure regular expression in the input[url] functionality. Exploiting this vulnerability is possible by a large carefully-crafted input, which can result in catastrophic backtracking.

CWE-1333 Inefficient Regular Expression Complexity

Notes: We can not yet update to newer Angular Version

CVSSv3:

- MEDIUM (5.3)
- CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:N/I:N/A:L/E:3.9/RC:R/MAV:A

References:

- info - <https://github.com/advisories/GHSA-qwqh-hm9m-p5hr>
- report@snyk.io - [EXPLOIT](#)
- report@snyk.io - [EXPLOIT,THIRD_PARTY_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD_PARTY_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD_PARTY_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD_PARTY_ADVISORY](#)
- report@snyk.io - [MAILING_LIST,THIRD_PARTY_ADVISORY](#)

Vulnerable Software & Versions (NVD):

- cpe:2.3:a:angularjs:angular:*:*:*:*:node.js:*:* versions from (including) 1.4.9; versions up to (including) 1.8.3

[CVE-2024-8372](#) suppressed

Improper sanitization of the value of the '[srcset]' attribute in AngularJS allows attackers to bypass common image source restrictions, which can also lead to a form of Content Spoofing https://owasp.org/www-community/attacks/Content_Spoofing .

This issue affects AngularJS versions 1.3.0-rc.4 and greater.

Note:

The AngularJS project is End-of-Life and will not receive any updates to address this issue. For more information see [here https://docs.angularjs.org/misc/version-support-status](https://docs.angularjs.org/misc/version-support-status) .

CWE-1289 Improper Validation of Unsafe Equivalence in Input, NVD-CWE-Other

Notes: We can not yet update to newer Angular Version

CVSSv3:

- MEDIUM (4.3)

- CVSS:3.1/AV:N/AC:L/PR:N/UI:R/S:U/C:N/I:L/A:N/E:2.8/RC:R/MAV:A

References:

- 36c7be3b-2937-45df-85ea-ca7133ea542c - [EXPLOIT,THIRD_PARTY_ADVISORY](#)
- 36c7be3b-2937-45df-85ea-ca7133ea542c - [EXPLOIT,THIRD_PARTY_ADVISORY](#)
- info - <https://codepen.io/herodevs/full/xxoQRNL/0072e627abe03e9cda373bc75b4c1017>
- info - <https://github.com/advisories/GHSA-m9gf-397r-hwpg>
- info - <https://github.com/angular/angular.js>
- info - <https://nvd.nist.gov/vuln/detail/CVE-2024-8372>
- info - <https://www.herodevs.com/vulnerability-directory/cve-2024-8372>

Vulnerable Software & Versions (NVD):

- cpe:2.3:a:angularjs:angular.js:*:*:*:*:* versions from (including) 1.3.1; versions up to (excluding) 1.9.6
- cpe:2.3:a:angularjs:angular.js:1.3.0:rc4:*:*:*:*
- cpe:2.3:a:angularjs:angular.js:1.3.0:rc5:*:*:*:*

[CVE-2024-8373](#) suppressed

Improper sanitization of the value of the [srcset] attribute in <source> HTML elements in AngularJS allows attackers to bypass common image source restrictions, which can also lead to a form of Content Spoofing https://owasp.org/www-community/attacks/Content_Spoofing .

This issue affects all versions of AngularJS.

Note:

The AngularJS project is End-of-Life and will not receive any updates to address this issue. For more information see [here https://docs.angularjs.org/misc/version-support-status](https://docs.angularjs.org/misc/version-support-status) .

NVD-CWE-Other, CWE-791 Incomplete Filtering of Special Elements

Notes: We can not yet update to newer Angular Version

CVSSv3:

- MEDIUM (4.3)
- CVSS:3.1/AV:N/AC:L/PR:N/UI:R/S:U/C:N/I:L/A:N/E:2.8/RC:R/MAV:A

References:

- 36c7be3b-2937-45df-85ea-ca7133ea542c - [EXPLOIT,THIRD_PARTY_ADVISORY](#)
- 36c7be3b-2937-45df-85ea-ca7133ea542c - [EXPLOIT,THIRD_PARTY_ADVISORY](#)
- info - <https://codepen.io/herodevs/full/bGPQgMp/8da9ce87e99403ee13a295c305ebfa0b>
- info - <https://github.com/advisories/GHSA-mqm9-c95h-x2p6>
- info - <https://github.com/angular/angular.js>
- info - <https://nvd.nist.gov/vuln/detail/CVE-2024-8373>
- info - <https://www.herodevs.com/vulnerability-directory/cve-2024-8373>

Vulnerable Software & Versions (NVD):

- cpe:2.3:a:angularjs:angular.js:*:*:*:*:* versions up to (excluding) 1.9.6

End-of-Life: Long term support for AngularJS has been discontinued as of December 31, 2021 (RETIREJS) suppressed

End-of-Life: Long term support for AngularJS has been discontinued as of December 31, 2021

Notes: file name: remotegui.zip: angularjs.jar We can not yet update to newer Angular Version

Unscored:

- Severity: low

References:

- info - <https://docs.angularjs.org/misc/version-support-status>
- retid - 54

Vulnerable Software & Versions (RETIREJS):

remotegui.zip: angular-cookies.jar: angular-cookies.min.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angular-cookies.jar/META-INF/resources/webjars/angular-cookies/1.8.3/angular-cookies.min.js

MD5: c41aff8423276d46f0d02de6dcb71524

SHA1: 7dc53f75d5bf7dd2c770cb50f31242c70193c086

SHA256: 926509b494009bea03288bba191a2b238032188e9112377e50fbfe7814c6639b

Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence
Vendor	file	name	angularjs	High
Product	file	name	angularjs	High
Version	file	version	1.8.3	High

Suppressed Identifiers

- None

Suppressed Vulnerabilities

[CVE-2022-25844](#) suppressed

The package angular after 1.7.0 are vulnerable to Regular Expression Denial of Service (ReDoS) by providing a custom locale rule that makes it possible to assign the parameter in posPre: ' '.repeat() of NUMBER_FORMATS.PATTERNS[1].posPre with a very high value.
****Note:**** 1) This package has been deprecated and is no longer maintained. 2) The vulnerable versions are 1.7.0 and higher.

CWE-1333 Inefficient Regular Expression Complexity

Notes: We can not yet update to newer Angular Version

CVSSv2:

- Base Score: MEDIUM (5.0)
- Vector: /AV:N/AC:L/Au:N/C:N/I:N/A:P

CVSSv3:

- HIGH (7.5)
- CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:N/I:N/A:H/E:3.9/RC:R/MAV:A

References:

- info - <https://github.com/advisories/GHSA-m2h2-264f-f486>
- report@snyk.io - [EXPLOIT,THIRD_PARTY_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD_PARTY_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD_PARTY_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD_PARTY_ADVISORY](#)

- report@snyk.io - [EXPLOIT,THIRD_PARTY_ADVISORY](#)
- report@snyk.io - [THIRD_PARTY_ADVISORY](#)

Vulnerable Software & Versions (NVD):

- cpe:2.3:a:angularjs:angular:*:*:*:*:node.js:*:* versions from (including) 1.7.0
- cpe:2.3:a:netapp:ontap_select_deploy_administration_utility:-:*:*:*:*:*

[CVE-2024-21490](#) suppressed

This affects versions of the package angular from 1.3.0. A regular expression used to split the value of the ng-srcset directive is vulnerable to super-linear runtime due to backtracking. With large carefully-crafted input, this can result in catastrophic backtracking and cause a denial of service. **Note:** This package is EOL and will not receive any updates to address this issue. Users should migrate to [angular/core](https://www.npmjs.com/package/@angular/core).

CWE-1333 Inefficient Regular Expression Complexity

Notes: We can not yet update to newer Angular Version

CVSSv3:

- HIGH (7.5)
- CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:N/I:N/A:H/E:3.9/RC:R/MAV:A

References:

- info - <https://github.com/advisories/GHSA-4w4v-5hc9-xrr2>
- info - <https://github.com/angular/angular.js>
- info - <https://nvd.nist.gov/vuln/detail/CVE-2024-21490>
- info - <https://security.snyk.io/vuln/SNYK-JAVA-ORGWEBJARSBOWER-6241746>
- info - <https://security.snyk.io/vuln/SNYK-JAVA-ORGWEBJARSNPM-6241747>
- info - <https://security.snyk.io/vuln/SNYK-JS-ANGULAR-6091113>
- info - <https://stackblitz.com/edit/angularjs-vulnerability-ng-srcset-redos>
- report@snyk.io - [EXPLOIT,THIRD_PARTY_ADVISORY](#)
- report@snyk.io - [THIRD_PARTY_ADVISORY](#)

Vulnerable Software & Versions (NVD):

- cpe:2.3:a:angular:angular:*:*:*:*:node.js:*:* versions from (including) 1.3.0

[CVE-2022-25869](#) suppressed

All versions of package angular are vulnerable to Cross-site Scripting (XSS) due to insecure page caching in the Internet Explorer browser, which allows interpolation of <textarea> elements.

CWE-79 Improper Neutralization of Input During Web Page Generation ('Cross-site Scripting')

Notes: We can not yet update to newer Angular Version

CVSSv3:

- MEDIUM (6.1)
- CVSS:3.1/AV:N/AC:L/PR:N/UI:R/S:C/C:L/I:L/A:N/E:2.8/RC:R/MAV:A

References:

- info - <https://github.com/advisories/GHSA-prc3-vjfx-vhm9>
- report@snyk.io - [BROKEN_LINK](#)
- report@snyk.io - [EXPLOIT,THIRD_PARTY_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD_PARTY_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD_PARTY_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD_PARTY_ADVISORY](#)

Vulnerable Software & Versions (NVD):

- cpe:2.3:a:angularjs:angular:*:*:*:*:node.js:*:*

[CVE-2023-26116](#) suppressed

Versions of the package angular from 1.2.21 are vulnerable to Regular Expression Denial of Service (ReDoS) via the angular.copy() utility function due to the usage of an insecure regular expression. Exploiting this vulnerability is possible by a large carefully-crafted input, which can result in catastrophic backtracking.

CWE-1333 Inefficient Regular Expression Complexity

Notes: We can not yet update to newer Angular Version

CVSSv3:

- MEDIUM (5.3)
- CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:N/I:N/A:L/E:3.9/RC:R/MAV:A

References:

- info - <https://github.com/advisories/GHSA-2vrf-hf26-jrp5>
- report@snyk.io - [EXPLOIT,THIRD_PARTY_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD_PARTY_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD_PARTY_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD_PARTY_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD_PARTY_ADVISORY](#)
- report@snyk.io - [MAILING_LIST,THIRD_PARTY_ADVISORY](#)

Vulnerable Software & Versions (NVD):

- cpe:2.3:a:angularjs:angular:*:*:*:*:node.js:*:* versions from (including) 1.2.21; versions up to (including) 1.8.3

[CVE-2023-26117](#) suppressed

Versions of the package angular from 1.0.0 are vulnerable to Regular Expression Denial of Service (ReDoS) via the \$resource service due to the usage of an insecure regular expression. Exploiting this vulnerability is possible by a large carefully-crafted input, which can result in catastrophic backtracking.

CWE-1333 Inefficient Regular Expression Complexity

Notes: We can not yet update to newer Angular Version

CVSSv3:

- MEDIUM (5.3)
- CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:N/I:N/A:L/E:3.9/RC:R/MAV:A

References:

- info - <https://github.com/advisories/GHSA-2qgx-w9hr-q5gx>
- report@snyk.io - [EXPLOIT,THIRD_PARTY_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD_PARTY_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD_PARTY_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD_PARTY_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD_PARTY_ADVISORY](#)
- report@snyk.io - [MAILING_LIST,THIRD_PARTY_ADVISORY](#)

Vulnerable Software & Versions (NVD):

- cpe:2.3:a:angularjs:angular:*:*:*:*:node.js:*:* versions from (including) 1.0.0; versions up to (including) 1.8.3

[CVE-2023-26118](#) suppressed

Versions of the package angular from 1.4.9 are vulnerable to Regular Expression Denial of Service (ReDoS) via the <input type="url"> element due to the usage of an insecure regular expression in the input[url] functionality. Exploiting this vulnerability is possible by a large carefully-crafted input, which can result in catastrophic backtracking.

CWE-1333 Inefficient Regular Expression Complexity

Notes: We can not yet update to newer Angular Version

CVSSv3:

- MEDIUM (5.3)
- CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:N/I:N/A:L/E:3.9/RC:R/MAV:A

References:

- info - <https://github.com/advisories/GHSA-qwqh-hm9m-p5hr>
- report@snyk.io - [EXPLOIT](#)
- report@snyk.io - [EXPLOIT,THIRD_PARTY_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD_PARTY_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD_PARTY_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD_PARTY_ADVISORY](#)
- report@snyk.io - [MAILING_LIST,THIRD_PARTY_ADVISORY](#)

Vulnerable Software & Versions (NVD):

- cpe:2.3:a:angularjs:angular:*:*:*:*:* node.js:*:* versions from (including) 1.4.9; versions up to (including) 1.8.3

[CVE-2024-8372](#) suppressed

Improper sanitization of the value of the '[srcset]' attribute in AngularJS allows attackers to bypass common image source restrictions, which can also lead to a form of Content Spoofing https://owasp.org/www-community/attacks/Content_Spoofing .

This issue affects AngularJS versions 1.3.0-rc.4 and greater.

Note:

The AngularJS project is End-of-Life and will not receive any updates to address this issue. For more information see [here https://docs.angularjs.org/misc/version-support-status](https://docs.angularjs.org/misc/version-support-status) .

CWE-1289 Improper Validation of Unsafe Equivalence in Input, NVD-CWE-Other

Notes: We can not yet update to newer Angular Version

CVSSv3:

- MEDIUM (4.3)
- CVSS:3.1/AV:N/AC:L/PR:N/UI:R/S:U/C:N/I:L/A:N/E:2.8/RC:R/MAV:A

References:

- 36c7be3b-2937-45df-85ea-ca7133ea542c - [EXPLOIT,THIRD_PARTY_ADVISORY](#)
- 36c7be3b-2937-45df-85ea-ca7133ea542c - [EXPLOIT,THIRD_PARTY_ADVISORY](#)
- info - <https://codepen.io/herodevs/full/xxoQRNL/0072e627abe03e9cda373bc75b4c1017>
- info - <https://github.com/advisories/GHSA-m9gf-397r-hwpg>
- info - <https://github.com/angular/angular.js>
- info - <https://nvd.nist.gov/vuln/detail/CVE-2024-8372>
- info - <https://www.herodevs.com/vulnerability-directory/cve-2024-8372>

Vulnerable Software & Versions (NVD):

- cpe:2.3:a:angularjs:angular.js:*:*:*:*:* versions from (including) 1.3.1; versions up to (excluding) 1.9.6
- cpe:2.3:a:angularjs:angular.js:1.3.0:rc4:*:*:*:*
- cpe:2.3:a:angularjs:angular.js:1.3.0:rc5:*:*:*:*

[CVE-2024-8373](#) suppressed

Improper sanitization of the value of the '[srcset]' attribute in <source> HTML elements in AngularJS allows attackers to bypass common image source restrictions, which can also lead to a form of Content Spoofing https://owasp.org/www-community/attacks/Content_Spoofing .

This issue affects all versions of AngularJS.

Note:

The AngularJS project is End-of-Life and will not receive any updates to address this issue. For more information see [here https://docs.angularjs.org/misc/version-support-status](https://docs.angularjs.org/misc/version-support-status) .

NVD-CWE-Other, CWE-791 Incomplete Filtering of Special Elements

Notes: We can not yet update to newer Angular Version

CVSSv3:

- MEDIUM (4.3)
- CVSS:3.1/AV:N/AC:L/PR:N/UI:R/S:U/C:N/I:L/A:N/E:2.8/RC:R/MAV:A

References:

- 36c7be3b-2937-45df-85ea-ca7133ea542c - [EXPLOIT,THIRD_PARTY_ADVISORY](#)
- 36c7be3b-2937-45df-85ea-ca7133ea542c - [EXPLOIT,THIRD_PARTY_ADVISORY](#)
- info - <https://codepen.io/herodevs/full/bGPQgMp/8da9ce87e99403ee13a295c305ebfa0b>
- info - <https://github.com/advisories/GHSA-mqm9-c95h-x2p6>
- info - <https://github.com/angular/angular.js>
- info - <https://nvd.nist.gov/vuln/detail/CVE-2024-8373>
- info - <https://www.herodevs.com/vulnerability-directory/cve-2024-8373>

Vulnerable Software & Versions (NVD):

- cpe:2.3:a:angularjs:angular.js:*:*:*:*:* versions up to (excluding) 1.9.6

End-of-Life: Long term support for AngularJS has been discontinued as of December 31, 2021 (RETIREJS) suppressed

End-of-Life: Long term support for AngularJS has been discontinued as of December 31, 2021

Notes: file name: remotegui.zip: angularjs.jar We can not yet update to newer Angular Version

Unscored:

- Severity: low

References:

- info - <https://docs.angularjs.org/misc/version-support-status>
- retid - 54

Vulnerable Software & Versions (RETIREJS):

remotegui.zip: angular-sanitize.jar: angular-sanitize.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angular-sanitize.jar/META-INF/resources/webjars/angular-sanitize/1.8.3/angular-sanitize.js

MD5: 0127d7a139abfc8bd45875a9c8ea6348

SHA1: 197aea2acc25a0fa821766400950cac58a3627a5

SHA256: c84c65250afe5a1265f36a7e16c6010652e55c2ae3a779c351fb68536c42bf64

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	angularjs	High
Product	file	name	angularjs	High
Version	file	version	1.8.3	High

Suppressed Identifiers

- None

Suppressed Vulnerabilities



[CVE-2022-25844](#) suppressed

The package angular after 1.7.0 are vulnerable to Regular Expression Denial of Service (ReDoS) by providing a custom locale rule that makes it possible to assign the parameter in posPre: ' '.repeat() of NUMBER_FORMATS.PATTERNS[1].posPre with a very high value. **Note:** 1) This package has been deprecated and is no longer maintained. 2) The vulnerable versions are 1.7.0 and higher.

CWE-1333 Inefficient Regular Expression Complexity

Notes: We can not yet update to newer Angular Version

CVSSv2:

- Base Score: MEDIUM (5.0)
- Vector: /AV:N/AC:L/Au:N/C:N/I:N/A:P

CVSSv3:

- HIGH (7.5)
- CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:N/I:N/A:H/E:3.9/RC:R/MAV:A

References:

- info - <https://github.com/advisories/GHSA-m2h2-264f-f486>
- report@snyk.io - [EXPLOIT,THIRD_PARTY_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD_PARTY_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD_PARTY_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD_PARTY_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD_PARTY_ADVISORY](#)
- report@snyk.io - [THIRD_PARTY_ADVISORY](#)

Vulnerable Software & Versions (NVD):

- cpe:2.3:a:angularjs:angular:*:*:*:*:node.js:*:* versions from (including) 1.7.0
- cpe:2.3:a:netapp:ontap_select_deploy_administration_utility:*:*:*:*:*:

[CVE-2024-21490](#) suppressed

This affects versions of the package angular from 1.3.0. A regular expression used to split the value of the ng-srcset directive is vulnerable to super-linear runtime due to backtracking. With large carefully-crafted input, this can result in catastrophic backtracking and cause a denial of service. **Note:** This package is EOL and will not receive any updates to address this issue. Users should migrate to [@angular/core](https://www.npmjs.com/package/@angular/core).

CWE-1333 Inefficient Regular Expression Complexity

Notes: We can not yet update to newer Angular Version

CVSSv3:

- HIGH (7.5)
- CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:N/I:N/A:H/E:3.9/RC:R/MAV:A

References:

- info - <https://github.com/advisories/GHSA-4w4v-5hc9-xrr2>
- info - <https://github.com/angular/angular.js>
- info - <https://nvd.nist.gov/vuln/detail/CVE-2024-21490>
- info - <https://security.snyk.io/vuln/SNYK-JAVA-ORGWEBJARSBOWER-6241746>
- info - <https://security.snyk.io/vuln/SNYK-JAVA-ORGWEBJARSNPM-6241747>

- info - <https://security.snyk.io/vuln/SNYK-JS-ANGULAR-6091113>
- info - <https://stackblitz.com/edit/angularjs-vulnerability-ng-srcset-redos>
- report@snyk.io - [EXPLOIT,THIRD_PARTY_ADVISORY](#)
- report@snyk.io - [THIRD_PARTY_ADVISORY](#)

Vulnerable Software & Versions (NVD):

- cpe:2.3:a:angular:angular:*:*:*:*:node.js:* versions from (including) 1.3.0

[CVE-2022-25869](#) suppressed

All versions of package angular are vulnerable to Cross-site Scripting (XSS) due to insecure page caching in the Internet Explorer browser, which allows interpolation of <textarea> elements.

CWE-79 Improper Neutralization of Input During Web Page Generation ('Cross-site Scripting')

Notes: We can not yet update to newer Angular Version

CVSSv3:

- MEDIUM (6.1)
- CVSS:3.1/AV:N/AC:L/PR:N/UI:R/S:C/C:L/I:L/A:N/E:2.8/RC:R/MAV:A

References:

- info - <https://github.com/advisories/GHSA-prc3-vjfx-vhm9>
- report@snyk.io - [BROKEN_LINK](#)
- report@snyk.io - [EXPLOIT,THIRD_PARTY_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD_PARTY_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD_PARTY_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD_PARTY_ADVISORY](#)

Vulnerable Software & Versions (NVD):

- cpe:2.3:a:angularjs:angular:*:*:*:*:node.js:*

[CVE-2023-26116](#) suppressed

Versions of the package angular from 1.2.21 are vulnerable to Regular Expression Denial of Service (ReDoS) via the angular.copy() utility function due to the usage of an insecure regular expression. Exploiting this vulnerability is possible by a large carefully-crafted input, which can result in catastrophic backtracking.

CWE-1333 Inefficient Regular Expression Complexity

Notes: We can not yet update to newer Angular Version

CVSSv3:

- MEDIUM (5.3)
- CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:N/I:N/A:L/E:3.9/RC:R/MAV:A

References:

- info - <https://github.com/advisories/GHSA-2vrf-hf26-jrp5>
- report@snyk.io - [EXPLOIT,THIRD_PARTY_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD_PARTY_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD_PARTY_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD_PARTY_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD_PARTY_ADVISORY](#)
- report@snyk.io - [MAILING_LIST,THIRD_PARTY_ADVISORY](#)

Vulnerable Software & Versions (NVD):

- cpe:2.3:a:angularjs:angular:*:*:*:*:node.js:* versions from (including) 1.2.21; versions up to (including) 1.8.3

[CVE-2023-26117](#) suppressed

Versions of the package angular from 1.0.0 are vulnerable to Regular Expression Denial of Service (ReDoS) via the \$resource service due to the usage of an insecure regular expression.

Exploiting this vulnerability is possible by a large carefully-crafted input, which can result in catastrophic backtracking.

CWE-1333 Inefficient Regular Expression Complexity

Notes: We can not yet update to newer Angular Version

CVSSv3:

- MEDIUM (5.3)
- CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:N/I:N/A:L/E:3.9/RC:R/MAV:A

References:

- info - <https://github.com/advisories/GHSA-2qqx-w9hr-q5gx>
- report@snyk.io - [EXPLOIT,THIRD_PARTY_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD_PARTY_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD_PARTY_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD_PARTY_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD_PARTY_ADVISORY](#)
- report@snyk.io - [MAILING_LIST,THIRD_PARTY_ADVISORY](#)

Vulnerable Software & Versions (NVD):

- cpe:2.3:a:angularjs:angular:*:*:*:*:node.js:*:* versions from (including) 1.0.0; versions up to (including) 1.8.3

[CVE-2023-26118](#) suppressed

Versions of the package angular from 1.4.9 are vulnerable to Regular Expression Denial of Service (ReDoS) via the <input type="url"> element due to the usage of an insecure regular expression in the input[url] functionality. Exploiting this vulnerability is possible by a large carefully-crafted input, which can result in catastrophic backtracking.

CWE-1333 Inefficient Regular Expression Complexity

Notes: We can not yet update to newer Angular Version

CVSSv3:

- MEDIUM (5.3)
- CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:N/I:N/A:L/E:3.9/RC:R/MAV:A

References:

- info - <https://github.com/advisories/GHSA-qwqh-hm9m-p5hr>
- report@snyk.io - [EXPLOIT](#)
- report@snyk.io - [EXPLOIT,THIRD_PARTY_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD_PARTY_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD_PARTY_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD_PARTY_ADVISORY](#)
- report@snyk.io - [MAILING_LIST,THIRD_PARTY_ADVISORY](#)

Vulnerable Software & Versions (NVD):

- cpe:2.3:a:angularjs:angular:*:*:*:*:node.js:*:* versions from (including) 1.4.9; versions up to (including) 1.8.3

[CVE-2024-8372](#) suppressed

Improper sanitization of the value of the '[srcset]' attribute in AngularJS allows attackers to bypass common image source restrictions, which can also lead to a form of Content Spoofing https://owasp.org/www-community/attacks/Content_Spoofing .

This issue affects AngularJS versions 1.3.0-rc.4 and greater.

Note:

The AngularJS project is End-of-Life and will not receive any updates to address this issue. For more information see here <https://docs.angularjs.org/misc/version-support-status> .

CWE-1289 Improper Validation of Unsafe Equivalence in Input, NVD-CWE-Other

Notes: We can not yet update to newer Angular Version

CVSSv3:

- MEDIUM (4.3)
- CVSS:3.1/AV:N/AC:L/PR:N/UI:R/S:U/C:N/I:L/A:N/E:2.8/RC:R/MAV:A

References:

- 36c7be3b-2937-45df-85ea-ca7133ea542c - [EXPLOIT,THIRD_PARTY_ADVISORY](#)
- 36c7be3b-2937-45df-85ea-ca7133ea542c - [EXPLOIT,THIRD_PARTY_ADVISORY](#)
- info - <https://codepen.io/herodevs/full/xxoQRNL/0072e627abe03e9cda373bc75b4c1017>
- info - <https://github.com/advisories/GHSA-m9gf-397r-hwpg>
- info - <https://github.com/angular/angular.js>
- info - <https://nvd.nist.gov/vuln/detail/CVE-2024-8372>
- info - <https://www.herodevs.com/vulnerability-directory/cve-2024-8372>

Vulnerable Software & Versions (NVD):

- cpe:2.3:a:angularjs:angular.js:*:*:*:*:* versions from (including) 1.3.1; versions up to (excluding) 1.9.6
- cpe:2.3:a:angularjs:angular.js:1.3.0:rc4:*:*:*:*
- cpe:2.3:a:angularjs:angular.js:1.3.0:rc5:*:*:*:*

[CVE-2024-8373](#) suppressed

Improper sanitization of the value of the [srcset] attribute in <source> HTML elements in AngularJS allows attackers to bypass common image source restrictions, which can also lead to a form of Content Spoofing https://owasp.org/www-community/attacks/Content_Spoofing .

This issue affects all versions of AngularJS.

Note:

The AngularJS project is End-of-Life and will not receive any updates to address this issue. For more information see [here https://docs.angularjs.org/misc/version-support-status](https://docs.angularjs.org/misc/version-support-status) .

NVD-CWE-Other, CWE-791 Incomplete Filtering of Special Elements

Notes: We can not yet update to newer Angular Version

CVSSv3:

- MEDIUM (4.3)
- CVSS:3.1/AV:N/AC:L/PR:N/UI:R/S:U/C:N/I:L/A:N/E:2.8/RC:R/MAV:A

References:

- 36c7be3b-2937-45df-85ea-ca7133ea542c - [EXPLOIT,THIRD_PARTY_ADVISORY](#)
- 36c7be3b-2937-45df-85ea-ca7133ea542c - [EXPLOIT,THIRD_PARTY_ADVISORY](#)
- info - <https://codepen.io/herodevs/full/bGPQgMp/8da9ce87e99403ee13a295c305ebfa0b>
- info - <https://github.com/advisories/GHSA-mqm9-c95h-x2p6>
- info - <https://github.com/angular/angular.js>
- info - <https://nvd.nist.gov/vuln/detail/CVE-2024-8373>
- info - <https://www.herodevs.com/vulnerability-directory/cve-2024-8373>

Vulnerable Software & Versions (NVD):

- cpe:2.3:a:angularjs:angular.js:*:*:*:*:* versions up to (excluding) 1.9.6

End-of-Life: Long term support for AngularJS has been discontinued as of December 31, 2021 (RETIREJS) suppressed

End-of-Life: Long term support for AngularJS has been discontinued as of December 31, 2021

Notes: file name: remotegui.zip: angularjs.jar We can not yet update to newer Angular Version

Unscored:

- Severity: low

References:

- info - <https://docs.angularjs.org/misc/version-support-status>
- retid - 54

Vulnerable Software & Versions (RETIREJS):

remotegui.zip: angular-sanitize.jar: angular-sanitize.min.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angular-sanitize.jar/META-INF/resources/webjars/angular-sanitize/1.8.3/angular-sanitize.min.js

MD5: f3c62abeec216e9431e7d5b22d8e813b

SHA1: 21355ef18c5e1ce2b2c711b9dba21cbea0655646

SHA256: cc80a30ad0439c2e9c209b3d7fcfb1d10e6007fd1d00c9cc144f393664a7045

Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence
Vendor	file	name	angularjs	High
Product	file	name	angularjs	High
Version	file	version	1.8.3	High

Suppressed Identifiers

- None

Suppressed Vulnerabilities

[CVE-2022-25844](#) suppressed

The package angular after 1.7.0 are vulnerable to Regular Expression Denial of Service (ReDoS) by providing a custom locale rule that makes it possible to assign the parameter in posPre: ' '.repeat() of NUMBER_FORMATS.PATTERNS[1].posPre with a very high value.

****Note:**** 1) This package has been deprecated and is no longer maintained. 2) The vulnerable versions are 1.7.0 and higher.

CWE-1333 Inefficient Regular Expression Complexity

Notes: We can not yet update to newer Angular Version

CVSSv2:

- Base Score: MEDIUM (5.0)
- Vector: /AV:N/AC:L/Au:N/C:N/I:N/A:P

CVSSv3:

- HIGH (7.5)
- CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:N/I:N/A:H/E:3.9/RC:R/MAV:A

References:

- info - <https://github.com/advisories/GHSA-m2h2-264f-f486>
- report@snyk.io - [EXPLOIT,THIRD_PARTY_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD_PARTY_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD_PARTY_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD_PARTY_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD_PARTY_ADVISORY](#)
- report@snyk.io - [THIRD_PARTY_ADVISORY](#)

Vulnerable Software & Versions (NVD):

- cpe:2.3:a:angularjs:angular:*:*:*:*:node.js:*:* versions from (including) 1.7.0
- cpe:2.3:a:netapp:ontap_select_deploy_administration_utility:-:*:*:*:*:*:

[CVE-2024-21490](#) suppressed

This affects versions of the package angular from 1.3.0. A regular expression used to split the value of the ng-srcset directive is vulnerable to super-linear runtime due to backtracking. With large carefully-crafted input, this can result in catastrophic backtracking and cause a denial of service. **Note:** This package is EOL and will not receive any updates to address this issue. Users should migrate to [[@angular/core](https://www.npmjs.com/package/@angular/core)](<https://www.npmjs.com/package/@angular/core>).

CWE-1333 Inefficient Regular Expression Complexity

Notes: We can not yet update to newer Angular Version

CVSSv3:

- HIGH (7.5)
- CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:N/I:N/A:H/E:3.9/RC:R/MAV:A

References:

- info - <https://github.com/advisories/GHSA-4w4v-5hc9-xrr2>
- info - <https://github.com/angular/angular.js>
- info - <https://nvd.nist.gov/vuln/detail/CVE-2024-21490>
- info - <https://security.snyk.io/vuln/SNYK-JAVA-ORGWEBJARSBOWER-6241746>
- info - <https://security.snyk.io/vuln/SNYK-JAVA-ORGWEBJARSNPM-6241747>
- info - <https://security.snyk.io/vuln/SNYK-JS-ANGULAR-6091113>
- info - <https://stackblitz.com/edit/angularjs-vulnerability-ng-srcset-redos>
- report@snyk.io - [EXPLOIT,THIRD_PARTY_ADVISORY](#)
- report@snyk.io - [THIRD_PARTY_ADVISORY](#)

Vulnerable Software & Versions (NVD):

- cpe:2.3:a:angular:angular:*:*:*:*:node.js:*:* versions from (including) 1.3.0

[CVE-2022-25869](#) suppressed

All versions of package angular are vulnerable to Cross-site Scripting (XSS) due to insecure page caching in the Internet Explorer browser, which allows interpolation of <textarea> elements.

CWE-79 Improper Neutralization of Input During Web Page Generation ('Cross-site Scripting')

Notes: We can not yet update to newer Angular Version

CVSSv3:

- MEDIUM (6.1)
- CVSS:3.1/AV:N/AC:L/PR:N/UI:R/S:C/C:L/I:L/A:N/E:2.8/RC:R/MAV:A

References:

- info - <https://github.com/advisories/GHSA-prc3-vjfx-vhm9>
- report@snyk.io - [BROKEN_LINK](#)
- report@snyk.io - [EXPLOIT,THIRD_PARTY_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD_PARTY_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD_PARTY_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD_PARTY_ADVISORY](#)

Vulnerable Software & Versions (NVD):

- cpe:2.3:a:angularjs:angular:*:*:*:*:node.js:*:*

[CVE-2023-26116](#) suppressed

Versions of the package angular from 1.2.21 are vulnerable to Regular Expression Denial of Service (ReDoS) via the angular.copy() utility function due to the usage of an insecure regular expression. Exploiting this vulnerability is possible by a large carefully-crafted input, which can result in catastrophic backtracking.

CWE-1333 Inefficient Regular Expression Complexity

Notes: We can not yet update to newer Angular Version

CVSSv3:

- MEDIUM (5.3)
- CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:N/I:N/A:L/E:3.9/RC:R/MAV:A

References:

- info - <https://github.com/advisories/GHSA-2vrf-hf26-jrp5>
- report@snyk.io - [EXPLOIT,THIRD_PARTY_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD_PARTY_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD_PARTY_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD_PARTY_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD_PARTY_ADVISORY](#)
- report@snyk.io - [MAILING_LIST,THIRD_PARTY_ADVISORY](#)

Vulnerable Software & Versions (NVD):

- cpe:2.3:a:angularjs:angular:*:*:*:*:node.js:*:* versions from (including) 1.2.21; versions up to (including) 1.8.3

[CVE-2023-26117](#) suppressed

Versions of the package angular from 1.0.0 are vulnerable to Regular Expression Denial of Service (ReDoS) via the \$resource service due to the usage of an insecure regular expression. Exploiting this vulnerability is possible by a large carefully-crafted input, which can result in catastrophic backtracking.

CWE-1333 Inefficient Regular Expression Complexity

Notes: We can not yet update to newer Angular Version

CVSSv3:

- MEDIUM (5.3)
- CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:N/I:N/A:L/E:3.9/RC:R/MAV:A

References:

- info - <https://github.com/advisories/GHSA-2qqx-w9hr-q5gx>
- report@snyk.io - [EXPLOIT,THIRD_PARTY_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD_PARTY_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD_PARTY_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD_PARTY_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD_PARTY_ADVISORY](#)
- report@snyk.io - [MAILING_LIST,THIRD_PARTY_ADVISORY](#)

Vulnerable Software & Versions (NVD):

- cpe:2.3:a:angularjs:angular:*:*:*:*:node.js:*:* versions from (including) 1.0.0; versions up to (including) 1.8.3

[CVE-2023-26118](#) suppressed

Versions of the package angular from 1.4.9 are vulnerable to Regular Expression Denial of Service (ReDoS) via the <input type="url"> element due to the usage of an insecure regular expression in the input[url] functionality. Exploiting this vulnerability is possible by a large carefully-crafted input, which can result in catastrophic backtracking.

CWE-1333 Inefficient Regular Expression Complexity

Notes: We can not yet update to newer Angular Version

CVSSv3:

- MEDIUM (5.3)
- CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:N/I:N/A:L/E:3.9/RC:R/MAV:A

References:

- info - <https://github.com/advisories/GHSA-qwqh-hm9m-p5hr>
- report@snyk.io - [EXPLOIT](#)
- report@snyk.io - [EXPLOIT,THIRD_PARTY_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD_PARTY_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD_PARTY_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD_PARTY_ADVISORY](#)
- report@snyk.io - [MAILING_LIST,THIRD_PARTY_ADVISORY](#)

Vulnerable Software & Versions (NVD):

- cpe:2.3:a:angularjs:angular:*:*:*:*:* versions from (including) 1.4.9; versions up to (including) 1.8.3

[CVE-2024-8372](#) suppressed

Improper sanitization of the value of the '[srcset]' attribute in AngularJS allows attackers to bypass common image source restrictions, which can also lead to a form of Content Spoofing https://owasp.org/www-community/attacks/Content_Spoofing .

This issue affects AngularJS versions 1.3.0-rc.4 and greater.

Note:

The AngularJS project is End-of-Life and will not receive any updates to address this issue. For more information see here <https://docs.angularjs.org/misc/version-support-status> .

CWE-1289 Improper Validation of Unsafe Equivalence in Input, NVD-CWE-Other

Notes: We can not yet update to newer Angular Version

CVSSv3:

- MEDIUM (4.3)
- CVSS:3.1/AV:N/AC:L/PR:N/UI:R/S:U/C:N/I:L/A:N/E:2.8/RC:R/MAV:A

References:

- 36c7be3b-2937-45df-85ea-ca7133ea542c - [EXPLOIT,THIRD_PARTY_ADVISORY](#)
- 36c7be3b-2937-45df-85ea-ca7133ea542c - [EXPLOIT,THIRD_PARTY_ADVISORY](#)
- info - <https://codepen.io/herodevs/full/xxoQRNL/0072e627abe03e9cda373bc75b4c1017>
- info - <https://github.com/advisories/GHSA-m9gf-397r-hwpg>
- info - <https://github.com/angular/angular.js>
- info - <https://nvd.nist.gov/vuln/detail/CVE-2024-8372>
- info - <https://www.herodevs.com/vulnerability-directory/cve-2024-8372>

Vulnerable Software & Versions (NVD):

- cpe:2.3:a:angularjs:angular.js:*:*:*:*:* versions from (including) 1.3.1; versions up to (excluding) 1.9.6
- cpe:2.3:a:angularjs:angular.js:1.3.0:rc4:*:*:*:*
- cpe:2.3:a:angularjs:angular.js:1.3.0:rc5:*:*:*:*

[CVE-2024-8373](#) suppressed

Improper sanitization of the value of the [srcset] attribute in <source> HTML elements in AngularJS allows attackers to bypass common image source restrictions, which can also lead to a form of Content Spoofing https://owasp.org/www-community/attacks/Content_Spoofing .

This issue affects all versions of AngularJS.

Note:

The AngularJS project is End-of-Life and will not receive any updates to address this issue. For more information see [here https://docs.angularjs.org/misc/version-support-status](https://docs.angularjs.org/misc/version-support-status) .

NVD-CWE-Other, CWE-791 Incomplete Filtering of Special Elements

Notes: We can not yet update to newer Angular Version

CVSSv3:

- MEDIUM (4.3)
- CVSS:3.1/AV:N/AC:L/PR:N/UI:R/S:U/C:N/I:L/A:N/E:2.8/RC:R/MAV:A

References:

- 36c7be3b-2937-45df-85ea-ca7133ea542c - [EXPLOIT,THIRD_PARTY_ADVISORY](#)
- 36c7be3b-2937-45df-85ea-ca7133ea542c - [EXPLOIT,THIRD_PARTY_ADVISORY](#)
- info - <https://codepen.io/herodevs/full/bGPQgMp/8da9ce87e99403ee13a295c305ebfa0b>
- info - <https://github.com/advisories/GHSA-mqm9-c95h-x2p6>
- info - <https://github.com/angular/angular.js>
- info - <https://nvd.nist.gov/vuln/detail/CVE-2024-8373>
- info - <https://www.herodevs.com/vulnerability-directory/cve-2024-8373>

Vulnerable Software & Versions (NVD):

- cpe:2.3:a:angularjs:angular.js:*:*:*:*:* versions up to (excluding) 1.9.6

End-of-Life: Long term support for AngularJS has been discontinued as of December 31, 2021 (RETIREJS) suppressed

End-of-Life: Long term support for AngularJS has been discontinued as of December 31, 2021

Notes: file name: remotegui.zip: angularjs.jar We can not yet update to newer Angular Version

Unscored:

- Severity: low

References:

- info - <https://docs.angularjs.org/misc/version-support-status>
- retid - 54

Vulnerable Software & Versions (RETIREJS):

remotegui.zip: angular.jar

Description:

WebJar for angular

License:

MIT

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angular.jar

MD5: f339a9a66a64c67eebb21ec3b251dfc6

SHA1: cff4aee339a9ca4ae2f095079930edead6a94ee
SHA256: a997eb40987ddb5d3bf64adf3d33afc3ac2b1eb2e7255b5203a387f8097cd0
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence
Vendor	file	name	angular	High
Vendor	pom	artifactid	angular	Low
Vendor	pom	developer id	webjars	Medium
Vendor	pom	groupid	org.webjars.npm	Highest
Vendor	pom	name	angular	High
Vendor	pom	url	https://www.webjars.org	Highest
Product	file	name	angular	High
Product	pom	artifactid	angular	Highest
Product	pom	developer id	webjars	Low
Product	pom	groupid	org.webjars.npm	Highest
Product	pom	name	angular	High
Product	pom	url	https://www.webjars.org	Medium
Version	pom	version	1.8.3	Highest

Suppressed Identifiers

- None

Suppressed Vulnerabilities

CVE-2024-8372 (OSSINDEX) suppressed

angular - Improper Validation of Unsafe Equivalence in Input [CVE-2024-8372]

angular - Improper Validation of Unsafe Equivalence in Input [CVE-2024-8372]

CWE-1289 Improper Validation of Unsafe Equivalence in Input

Notes: We can not yet update to newer Angular Version

CVSSv2:

- Base Score: MEDIUM (6.900000095367432)
- Vector: CVSS:4.0/AV:N/AC:L/AT:N/PR:N/UI:N/VC:N/VI:L/VA:N/SC:N/SI:N/SA:N

References:

- OSSINDEX - [\[CVE-2024-8372\] Unknown](#)
- OSSIndex - <https://github.com/advisories/GHSA-m9gf-397r-hwpg>

Vulnerable Software & Versions (OSSINDEX):

- cpe:2.3:a:org.webjars.npm:angular:1.8.3:*.~*~*~*~*~*~*~*

CVE-2021-4231 (OSSINDEX) suppressed

A vulnerability was found in Angular up to 11.0.4/11.1.0-next.2. It has been classified as problematic. Affected is the handling of comments. The manipulation leads to cross site scripting. It is possible to launch the attack remotely but it might require an authentication first. Upgrading to version 11.0.5 and 11.1.0-next.3 is able to address this issue. The name of the patch is ba8da742e3b243e8f43d4c63aa842b44e14f2b09. It is recommended to upgrade the affected component.

Sonatype's research suggests that this CVE's details differ from those defined at NVD. See <https://ossindex.sonatype.org/vulnerability/CVE-2021-4231> for details

CWE-79 Improper Neutralization of Input During Web Page Generation ('Cross-site Scripting')

Notes: We can not yet update to newer Angular Version

CVSSv3:

- MEDIUM (5.400000095367432)
- CVSS:3.1/AV:N/AC:L/PR:L/UI:R/S:C/C:L/I:L/A:N

References:

- OSSINDEX - [\[CVE-2021-4231\] CWE-79: Improper Neutralization of Input During Web Page Generation \('Cross-site Scripting'\)](#)
- OSSIndex - <http://web.nvd.nist.gov/view/vuln/detail?vulnId=CVE-2021-4231>
- OSSIndex - <https://github.com/angular/angular/pull/40136>
- OSSIndex - <https://github.com/angular/angular/pull/40525>

Vulnerable Software & Versions (OSSINDEX):

- cpe:2.3:a:org.webjars.npm:angular:1.8.3:*.~*~*~*~*~*~*~*

CVE-2023-26116 (OSSINDEX) suppressed

Versions of the package angular from 1.2.21 are vulnerable to Regular Expression Denial of Service (ReDoS) via the angular.copy() utility function due to the usage of an insecure regular expression. Exploiting this vulnerability is possible by a large carefully-crafted input, which can result in catastrophic backtracking.

CWE-1333 Inefficient Regular Expression Complexity

Notes: We can not yet update to newer Angular Version

CVSSv3:

- MEDIUM (5.300000190734863)
- CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:N/I:N/A:L

References:

- OSSINDEX - [\[CVE-2023-26116\] CWE-1333](#)
- OSSIndex - <http://web.nvd.nist.gov/view/vuln/detail?vulnId=CVE-2023-26116>
- OSSIndex - <https://github.com/advisories/GHSA-2vrf-hf26-jrp5>
- OSSIndex - <https://stackblitz.com/edit/angularjs-vulnerability-angular-copy-redos?file=index.js>

Vulnerable Software & Versions (OSSINDEX):

- cpe:2.3:a:org.webjars.npm:angular:1.8.3:*.~*~*~*~*~*~*~*

CVE-2023-26118 (OSSINDEX) suppressed

Versions of the package angular from 1.4.9 are vulnerable to Regular Expression Denial of Service (ReDoS) via the <input type="url"> element due to the usage of an insecure regular expression in the input[url] functionality. Exploiting this vulnerability is possible by a large carefully-crafted input, which can result in catastrophic backtracking.

Sonatype's research suggests that this CVE's details differ from those defined at NVD. See <https://ossindex.sonatype.org/vulnerability/CVE-2023-26118> for details

CWE-1333 Inefficient Regular Expression Complexity

Notes: We can not yet update to newer Angular Version

CVSSv3:

- MEDIUM (5.300000190734863)
- CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:N/I:N/A:L

References:

- OSSINDEX - [\[CVE-2023-26118\] CWE-1333](#)
- OSSIndex - <http://web.nvd.nist.gov/view/vuln/detail?vulnId=CVE-2023-26118>
- OSSIndex - <https://github.com/advisories/GHSA-qwqh-hm9m-p5hr>
- OSSIndex - <https://stackblitz.com/edit/angularjs-vulnerability-inpur-url-validation-redos?file=index.js>

Vulnerable Software & Versions (OSSINDEX):

- cpe:2.3:a:org.webjars.npm:angular:1.8.3:*:*:*:*:*

CVE-2024-8373 (OSSINDEX) suppressed

Improper sanitization of the value of the [srcset] attribute in <source> HTML elements in AngularJS allows attackers to bypass common image source restrictions, which can also lead to a form of Content Spoofing https://owasp.org/www-community/attacks/Content_Spoofing .

This issue affects all versions of AngularJS.

Note:

The AngularJS project is End-of-Life and will not receive any updates to address this issue. For more information see [here https://docs.angularjs.org/misc/version-support-status](https://docs.angularjs.org/misc/version-support-status) .

CWE-791 Incomplete Filtering of Special Elements

Notes: We can not yet update to newer Angular Version

CVSSv3:

- MEDIUM (4.300000190734863)
- CVSS:3.1/AV:N/AC:L/PR:N/UI:R/S:U/C:N/I:L/A:N

References:

- OSSINDEX - [\[CVE-2024-8373\] CWE-791: Incomplete Filtering of Special Elements](#)
- OSSIndex - <http://web.nvd.nist.gov/view/vuln/detail?vulnId=CVE-2024-8373>
- OSSIndex - <https://github.com/advisories/GHSA-mqm9-c95h-x2p6>

Vulnerable Software & Versions (OSSINDEX):

- cpe:2.3:a:org.webjars.npm:angular:1.8.3:*:*:*:*:*

remotegui.zip: angular.jar: angular.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angular.jar/META-INF/resources/webjars/angular/1.8.3/angular.js

MD5: e09f650a016c24bc1b5a1edc93bfbade

SHA1: 0f1f7445b761b9bbd5385f9f0b316dbf1ca48696

SHA256: fdca889e76f55fdee7ab661920f37ce19233563bf7f4ac8120f8ebc2ac768768

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	angularjs	High
Product	file	name	angularjs	High
Version	file	version	1.8.3	High

Suppressed Identifiers

- None

Suppressed Vulnerabilities



[CVE-2022-25844](#) suppressed

The package angular after 1.7.0 are vulnerable to Regular Expression Denial of Service (ReDoS) by providing a custom locale rule that makes it possible to assign the parameter in posPre: ' '.repeat() of NUMBER_FORMATS.PATTERNS[1].posPre with a very high value.
Note: 1) This package has been deprecated and is no longer maintained. 2) The vulnerable versions are 1.7.0 and higher.

CWE-1333 Inefficient Regular Expression Complexity

Notes: We can not yet update to newer Angular Version

CVSSv2:

- Base Score: MEDIUM (5.0)
- Vector: /AV:N/AC:L/Au:N/C:N/I:N/A:P

CVSSv3:

- HIGH (7.5)
- CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:N/I:N/A:H/E:3.9/RC:R/MAV:A

References:

- info - <https://github.com/advisories/GHSA-m2h2-264f-f486>
- report@snyk.io - [EXPLOIT,THIRD_PARTY_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD_PARTY_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD_PARTY_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD_PARTY_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD_PARTY_ADVISORY](#)
- report@snyk.io - [THIRD_PARTY_ADVISORY](#)

Vulnerable Software & Versions (NVD):

- cpe:2.3:a:angularjs:angular:*:*:*:*:node.js:*:* versions from (including) 1.7.0
- cpe:2.3:a:netapp:ontap_select_deploy_administration_utility:*:*:*:*:*:

[CVE-2024-21490](#) suppressed

This affects versions of the package angular from 1.3.0. A regular expression used to split the value of the ng-srcset directive is vulnerable to super-linear runtime due to backtracking. With large carefully-crafted input, this can result in catastrophic backtracking and cause a denial of service. **Note:** This package is EOL and will not receive any updates to address this issue. Users should migrate to [@angular/core](https://www.npmjs.com/package/@angular/core).

CWE-1333 Inefficient Regular Expression Complexity

Notes: We can not yet update to newer Angular Version

CVSSv3:

- HIGH (7.5)
- CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:N/I:N/A:H/E:3.9/RC:R/MAV:A

References:

- info - <https://github.com/advisories/GHSA-4w4v-5hc9-xrr2>
- info - <https://github.com/angular/angular.js>
- info - <https://nvd.nist.gov/vuln/detail/CVE-2024-21490>
- info - <https://security.snyk.io/vuln/SNYK-JAVA-ORGWEBJARSBOWER-6241746>
- info - <https://security.snyk.io/vuln/SNYK-JAVA-ORGWEBJARSNPM-6241747>
- info - <https://security.snyk.io/vuln/SNYK-JS-ANGULAR-6091113>
- info - <https://stackblitz.com/edit/angularjs-vulnerability-ng-srcset-redos>
- report@snyk.io - [EXPLOIT,THIRD_PARTY_ADVISORY](#)
- report@snyk.io - [THIRD_PARTY_ADVISORY](#)

Vulnerable Software & Versions (NVD):

- cpe:2.3:a:angular:angular:*:*:*:*:node.js:* versions from (including) 1.3.0

[CVE-2022-25869](#) suppressed

All versions of package angular are vulnerable to Cross-site Scripting (XSS) due to insecure page caching in the Internet Explorer browser, which allows interpolation of <textarea> elements.

CWE-79 Improper Neutralization of Input During Web Page Generation ('Cross-site Scripting')

Notes: We can not yet update to newer Angular Version

CVSSv3:

- MEDIUM (6.1)
- CVSS:3.1/AV:N/AC:L/PR:N/UI:R/S:C/C:L/I:L/A:N/E:2.8/RC:R/MAV:A

References:

- info - <https://github.com/advisories/GHSA-prc3-vjfx-vhm9>
- report@snyk.io - [BROKEN_LINK](#)
- report@snyk.io - [EXPLOIT,THIRD_PARTY_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD_PARTY_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD_PARTY_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD_PARTY_ADVISORY](#)

Vulnerable Software & Versions (NVD):

- cpe:2.3:a:angularjs:angular:*:*:*:*:node.js:*

[CVE-2023-26116](#) suppressed

Versions of the package angular from 1.2.21 are vulnerable to Regular Expression Denial of Service (ReDoS) via the angular.copy() utility function due to the usage of an insecure regular expression. Exploiting this vulnerability is possible by a large carefully-crafted input, which can result in catastrophic backtracking.

CWE-1333 Inefficient Regular Expression Complexity

Notes: We can not yet update to newer Angular Version

CVSSv3:

- MEDIUM (5.3)
- CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:N/I:N/A:L/E:3.9/RC:R/MAV:A

References:

- info - <https://github.com/advisories/GHSA-2vrf-hf26-jrp5>
- report@snyk.io - [EXPLOIT,THIRD_PARTY_ADVISORY](#)

- report@snyk.io - [EXPLOIT,THIRD_PARTY_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD_PARTY_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD_PARTY_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD_PARTY_ADVISORY](#)
- report@snyk.io - [MAILING_LIST,THIRD_PARTY_ADVISORY](#)

Vulnerable Software & Versions (NVD):

- cpe:2.3:a:angularjs:angular:*:*:*:*:node.js:*:* versions from (including) 1.2.21; versions up to (including) 1.8.3

[CVE-2023-26117](#) suppressed

Versions of the package angular from 1.0.0 are vulnerable to Regular Expression Denial of Service (ReDoS) via the \$resource service due to the usage of an insecure regular expression. Exploiting this vulnerability is possible by a large carefully-crafted input, which can result in catastrophic backtracking.

CWE-1333 Inefficient Regular Expression Complexity

Notes: We can not yet update to newer Angular Version

CVSSv3:

- MEDIUM (5.3)
- CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:N/I:N/A:L/E:3.9/RC:R/MAV:A

References:

- info - <https://github.com/advisories/GHSA-2qqx-w9hr-q5gx>
- report@snyk.io - [EXPLOIT,THIRD_PARTY_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD_PARTY_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD_PARTY_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD_PARTY_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD_PARTY_ADVISORY](#)
- report@snyk.io - [MAILING_LIST,THIRD_PARTY_ADVISORY](#)

Vulnerable Software & Versions (NVD):

- cpe:2.3:a:angularjs:angular:*:*:*:*:node.js:*:* versions from (including) 1.0.0; versions up to (including) 1.8.3

[CVE-2023-26118](#) suppressed

Versions of the package angular from 1.4.9 are vulnerable to Regular Expression Denial of Service (ReDoS) via the <input type="url"> element due to the usage of an insecure regular expression in the input[url] functionality. Exploiting this vulnerability is possible by a large carefully-crafted input, which can result in catastrophic backtracking.

CWE-1333 Inefficient Regular Expression Complexity

Notes: We can not yet update to newer Angular Version

CVSSv3:

- MEDIUM (5.3)
- CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:N/I:N/A:L/E:3.9/RC:R/MAV:A

References:

- info - <https://github.com/advisories/GHSA-qwqh-hm9m-p5hr>
- report@snyk.io - [EXPLOIT](#)
- report@snyk.io - [EXPLOIT,THIRD_PARTY_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD_PARTY_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD_PARTY_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD_PARTY_ADVISORY](#)
- report@snyk.io - [MAILING_LIST,THIRD_PARTY_ADVISORY](#)

Vulnerable Software & Versions (NVD):

- cpe:2.3:a:angularjs:angular:*:*:*:* versions from (including) 1.4.9; versions up to (including) 1.8.3

[CVE-2024-8372](#) suppressed

Improper sanitization of the value of the '[srcset]' attribute in AngularJS allows attackers to bypass common image source restrictions, which can also lead to a form of Content Spoofing https://owasp.org/www-community/attacks/Content_Spoofing .

This issue affects AngularJS versions 1.3.0-rc.4 and greater.

Note:

The AngularJS project is End-of-Life and will not receive any updates to address this issue. For more information see [here https://docs.angularjs.org/misc/version-support-status](https://docs.angularjs.org/misc/version-support-status) .

CWE-1289 Improper Validation of Unsafe Equivalence in Input, NVD-CWE-Other

Notes: We can not yet update to newer Angular Version

CVSSv3:

- MEDIUM (4.3)
- CVSS:3.1/AV:N/AC:L/PR:N/UI:R/S:U/C:N/I:L/A:N/E:2.8/RC:R/MAV:A

References:

- 36c7be3b-2937-45df-85ea-ca7133ea542c - [EXPLOIT,THIRD_PARTY_ADVISORY](#)
- 36c7be3b-2937-45df-85ea-ca7133ea542c - [EXPLOIT,THIRD_PARTY_ADVISORY](#)
- info - <https://codepen.io/herodevs/full/xxoQRNL/0072e627abe03e9cda373bc75b4c1017>
- info - <https://github.com/advisories/GHSA-m9gf-397r-hwpg>
- info - <https://github.com/angular/angular.js>
- info - <https://nvd.nist.gov/vuln/detail/CVE-2024-8372>
- info - <https://www.herodevs.com/vulnerability-directory/cve-2024-8372>

Vulnerable Software & Versions (NVD):

- cpe:2.3:a:angularjs:angular.js:*:*:*:* versions from (including) 1.3.1; versions up to (excluding) 1.9.6
- cpe:2.3:a:angularjs:angular.js:1.3.0:rc4:*:*:*:*
- cpe:2.3:a:angularjs:angular.js:1.3.0:rc5:*:*:*:*

[CVE-2024-8373](#) suppressed

Improper sanitization of the value of the '[srcset]' attribute in <source> HTML elements in AngularJS allows attackers to bypass common image source restrictions, which can also lead to a form of Content Spoofing https://owasp.org/www-community/attacks/Content_Spoofing .

This issue affects all versions of AngularJS.

Note:

The AngularJS project is End-of-Life and will not receive any updates to address this issue. For more information see [here https://docs.angularjs.org/misc/version-support-status](https://docs.angularjs.org/misc/version-support-status) .

NVD-CWE-Other, CWE-791 Incomplete Filtering of Special Elements

Notes: We can not yet update to newer Angular Version

CVSSv3:

- MEDIUM (4.3)
- CVSS:3.1/AV:N/AC:L/PR:N/UI:R/S:U/C:N/I:L/A:N/E:2.8/RC:R/MAV:A

References:

- 36c7be3b-2937-45df-85ea-ca7133ea542c - [EXPLOIT,THIRD_PARTY_ADVISORY](#)
- 36c7be3b-2937-45df-85ea-ca7133ea542c - [EXPLOIT,THIRD_PARTY_ADVISORY](#)
- info - <https://codepen.io/herodevs/full/bGPQgMp/8da9ce87e99403ee13a295c305ebfa0b>
- info - <https://github.com/advisories/GHSA-mqm9-c95h-x2p6>
- info - <https://github.com/angular/angular.js>
- info - <https://nvd.nist.gov/vuln/detail/CVE-2024-8373>
- info - <https://www.herodevs.com/vulnerability-directory/cve-2024-8373>

Vulnerable Software & Versions (NVD):

- cpe:2.3:a:angularjs:angular.js:*:*:*:*:* versions up to (excluding) 1.9.6

End-of-Life: Long term support for AngularJS has been discontinued as of December 31, 2021 (RETIREJS) suppressed

End-of-Life: Long term support for AngularJS has been discontinued as of December 31, 2021

Notes: file name: remotegui.zip: angularjs.jar We can not yet update to newer Angular Version

Unscored:

- Severity: low

References:

- info - <https://docs.angularjs.org/misc/version-support-status>
- retid - 54

Vulnerable Software & Versions (RETIREJS):

remotegui.zip: angular.jar: angular.min.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angular.jar/META-INF/resources/webjars/angular/1.8.3/angular.min.js

MD5: 967a32633fa8f38f4ac3376c1a37b992

SHA1: b53b74d8e0b732dcdb98f521146b88299ea2f1

SHA256: 396dc1a03d6cc02e9c51a80246e0db53c5c8df9bd07287e3b51bce4a29dab355

Referenced In Project/Scope: server

Evidence +

Type	Source	Name	Value	Confidence
Vendor	file	name	angularjs	High
Product	file	name	angularjs	High
Version	file	version	1.8.3	High

Suppressed Identifiers

- None

Suppressed Vulnerabilities -

[CVE-2022-25844](#) suppressed

The package angular after 1.7.0 are vulnerable to Regular Expression Denial of Service (ReDoS) by providing a custom locale rule that makes it possible to assign the parameter in posPre: ' '.repeat() of NUMBER_FORMATS.PATTERNS[1].posPre with a very high value.

****Note:**** 1) This package has been deprecated and is no longer maintained. 2) The vulnerable versions are 1.7.0 and higher.

CWE-1333 Inefficient Regular Expression Complexity

Notes: We can not yet update to newer Angular Version

CVSSv2:

- Base Score: MEDIUM (5.0)
- Vector: /AV:N/AC:L/Au:N/C:N/I:N/A:P

CVSSv3:

- HIGH (7.5)
- CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:N/I:N/A:H/E:3.9/RC:R/MAV:A

References:

- info - <https://github.com/advisories/GHSA-m2h2-264f-f486>
- report@snyk.io - [EXPLOIT,THIRD_PARTY_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD_PARTY_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD_PARTY_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD_PARTY_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD_PARTY_ADVISORY](#)
- report@snyk.io - [THIRD_PARTY_ADVISORY](#)

Vulnerable Software & Versions (NVD):

- cpe:2.3:a:angularjs:angular:*:*:*:*:node.js:* versions from (including) 1.7.0
- cpe:2.3:a:netapp:ontap_select_deploy_administration_utility:*:*:*:*:*

[CVE-2024-21490](#) suppressed

This affects versions of the package angular from 1.3.0. A regular expression used to split the value of the ng-srcset directive is vulnerable to super-linear runtime due to backtracking. With large carefully-crafted input, this can result in catastrophic backtracking and cause a denial of service. ****Note:****This package is EOL and will not receive any updates to address this issue. Users should migrate to `@angular/core`(<https://www.npmjs.com/package/@angular/core>).

CWE-1333 Inefficient Regular Expression Complexity

Notes: We can not yet update to newer Angular Version

CVSSv3:

- HIGH (7.5)
- CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:N/I:N/A:H/E:3.9/RC:R/MAV:A

References:

- info - <https://github.com/advisories/GHSA-4w4v-5hc9-xrr2>
- info - <https://github.com/angular/angular.js>
- info - <https://nvd.nist.gov/vuln/detail/CVE-2024-21490>
- info - <https://security.snyk.io/vuln/SNYK-JAVA-ORGWEBJARSBOWER-6241746>
- info - <https://security.snyk.io/vuln/SNYK-JAVA-ORGWEBJARSNPM-6241747>
- info - <https://security.snyk.io/vuln/SNYK-JS-ANGULAR-6091113>
- info - <https://stackblitz.com/edit/angularjs-vulnerability-ng-srcset-redos>
- report@snyk.io - [EXPLOIT,THIRD_PARTY_ADVISORY](#)
- report@snyk.io - [THIRD_PARTY_ADVISORY](#)

Vulnerable Software & Versions (NVD):

- cpe:2.3:a:angular:angular:*:*:*:*:node.js:* versions from (including) 1.3.0

[CVE-2022-25869](#) suppressed

All versions of package angular are vulnerable to Cross-site Scripting (XSS) due to insecure page caching in the Internet Explorer browser, which allows interpolation of `<textarea>` elements.

CWE-79 Improper Neutralization of Input During Web Page Generation ('Cross-site Scripting')

Notes: We can not yet update to newer Angular Version

CVSSv3:

- MEDIUM (6.1)
- CVSS:3.1/AV:N/AC:L/PR:N/UI:R/S:C/C:L/I:L/A:N/E:2.8/RC:R/MAV:A

References:

- info - <https://github.com/advisories/GHSA-prc3-vjfx-vhm9>
- report@snyk.io - [BROKEN_LINK](#)
- report@snyk.io - [EXPLOIT,THIRD_PARTY_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD_PARTY_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD_PARTY_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD_PARTY_ADVISORY](#)

Vulnerable Software & Versions (NVD):

- cpe:2.3:a:angularjs:angular:*:*:*:*:node.js:*:*

[CVE-2023-26116](#) suppressed

Versions of the package angular from 1.2.21 are vulnerable to Regular Expression Denial of Service (ReDoS) via the angular.copy() utility function due to the usage of an insecure regular expression. Exploiting this vulnerability is possible by a large carefully-crafted input, which can result in catastrophic backtracking.

CWE-1333 Inefficient Regular Expression Complexity

Notes: We can not yet update to newer Angular Version

CVSSv3:

- MEDIUM (5.3)
- CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:N/I:N/A:L/E:3.9/RC:R/MAV:A

References:

- info - <https://github.com/advisories/GHSA-2vrf-hf26-jrp5>
- report@snyk.io - [EXPLOIT,THIRD_PARTY_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD_PARTY_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD_PARTY_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD_PARTY_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD_PARTY_ADVISORY](#)
- report@snyk.io - [MAILING_LIST,THIRD_PARTY_ADVISORY](#)

Vulnerable Software & Versions (NVD):

- cpe:2.3:a:angularjs:angular:*:*:*:*:node.js:*:* versions from (including) 1.2.21; versions up to (including) 1.8.3

[CVE-2023-26117](#) suppressed

Versions of the package angular from 1.0.0 are vulnerable to Regular Expression Denial of Service (ReDoS) via the \$resource service due to the usage of an insecure regular expression. Exploiting this vulnerability is possible by a large carefully-crafted input, which can result in catastrophic backtracking.

CWE-1333 Inefficient Regular Expression Complexity

Notes: We can not yet update to newer Angular Version

CVSSv3:

- MEDIUM (5.3)
- CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:N/I:N/A:L/E:3.9/RC:R/MAV:A

References:

- info - <https://github.com/advisories/GHSA-2qqx-w9hr-q5gx>
- report@snyk.io - [EXPLOIT,THIRD_PARTY_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD_PARTY_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD_PARTY_ADVISORY](#)

- report@snyk.io - [EXPLOIT,THIRD_PARTY_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD_PARTY_ADVISORY](#)
- report@snyk.io - [MAILING_LIST,THIRD_PARTY_ADVISORY](#)

Vulnerable Software & Versions (NVD):

- cpe:2.3:a:angularjs:angular:*:*:*:*:node.js:*:* versions from (including) 1.0.0; versions up to (including) 1.8.3

[CVE-2023-26118](#) suppressed

Versions of the package angular from 1.4.9 are vulnerable to Regular Expression Denial of Service (ReDoS) via the <input type="url"> element due to the usage of an insecure regular expression in the input[url] functionality. Exploiting this vulnerability is possible by a large carefully-crafted input, which can result in catastrophic backtracking.

CWE-1333 Inefficient Regular Expression Complexity

Notes: We can not yet update to newer Angular Version

CVSSv3:

- MEDIUM (5.3)
- CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:N/I:N/A:L/E:3.9/RC:R/MAV:A

References:

- info - <https://github.com/advisories/GHSA-qwqh-hm9m-p5hr>
- report@snyk.io - [EXPLOIT](#)
- report@snyk.io - [EXPLOIT,THIRD_PARTY_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD_PARTY_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD_PARTY_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD_PARTY_ADVISORY](#)
- report@snyk.io - [MAILING_LIST,THIRD_PARTY_ADVISORY](#)

Vulnerable Software & Versions (NVD):

- cpe:2.3:a:angularjs:angular:*:*:*:*:node.js:*:* versions from (including) 1.4.9; versions up to (including) 1.8.3

[CVE-2024-8372](#) suppressed

Improper sanitization of the value of the '[srcset]' attribute in AngularJS allows attackers to bypass common image source restrictions, which can also lead to a form of Content Spoofing https://owasp.org/www-community/attacks/Content_Spoofing .

This issue affects AngularJS versions 1.3.0-rc.4 and greater.

Note:

The AngularJS project is End-of-Life and will not receive any updates to address this issue. For more information see [here https://docs.angularjs.org/misc/version-support-status](https://docs.angularjs.org/misc/version-support-status) .

CWE-1289 Improper Validation of Unsafe Equivalence in Input, NVD-CWE-Other

Notes: We can not yet update to newer Angular Version

CVSSv3:

- MEDIUM (4.3)
- CVSS:3.1/AV:N/AC:L/PR:N/UI:R/S:U/C:N/I:L/A:N/E:2.8/RC:R/MAV:A

References:

- 36c7be3b-2937-45df-85ea-ca7133ea542c - [EXPLOIT,THIRD_PARTY_ADVISORY](#)
- 36c7be3b-2937-45df-85ea-ca7133ea542c - [EXPLOIT,THIRD_PARTY_ADVISORY](#)
- info - <https://codepen.io/herodevs/full/xxoQRNL/0072e627abe03e9cda373bc75b4c1017>
- info - <https://github.com/advisories/GHSA-m9gf-397r-hwpg>
- info - <https://github.com/angular/angular.js>
- info - <https://nvd.nist.gov/vuln/detail/CVE-2024-8372>
- info - <https://www.herodevs.com/vulnerability-directory/cve-2024-8372>

Vulnerable Software & Versions (NVD):

- cpe:2.3:a:angularjs:angular.js:*:*:*:*:* versions from (including) 1.3.1; versions up to (excluding) 1.9.6
- cpe:2.3:a:angularjs:angular.js:1.3.0:rc4:*:*:*:*
- cpe:2.3:a:angularjs:angular.js:1.3.0:rc5:*:*:*:*

[CVE-2024-8373](#) suppressed

Improper sanitization of the value of the [srcset] attribute in <source> HTML elements in AngularJS allows attackers to bypass common image source restrictions, which can also lead to a form of Content Spoofing https://owasp.org/www-community/attacks/Content_Spoofing .

This issue affects all versions of AngularJS.

Note:

The AngularJS project is End-of-Life and will not receive any updates to address this issue. For more information see [here https://docs.angularjs.org/misc/version-support-status](https://docs.angularjs.org/misc/version-support-status) .

NVD-CWE-Other, CWE-791 Incomplete Filtering of Special Elements

Notes: We can not yet update to newer Angular Version

CVSSv3:

- MEDIUM (4.3)
- CVSS:3.1/AV:N/AC:L/PR:N/UI:R/S:U/C:N/I:L/A:N/E:2.8/RC:R/MAV:A

References:

- 36c7be3b-2937-45df-85ea-ca7133ea542c - [EXPLOIT,THIRD_PARTY_ADVISORY](#)
- 36c7be3b-2937-45df-85ea-ca7133ea542c - [EXPLOIT,THIRD_PARTY_ADVISORY](#)
- info - <https://codepen.io/herodevs/full/bGPQgMp/8da9ce87e99403ee13a295c305ebfa0b>
- info - <https://github.com/advisories/GHSA-mqm9-c95h-x2p6>
- info - <https://github.com/angular/angular.js>
- info - <https://nvd.nist.gov/vuln/detail/CVE-2024-8373>
- info - <https://www.herodevs.com/vulnerability-directory/cve-2024-8373>

Vulnerable Software & Versions (NVD):

- cpe:2.3:a:angularjs:angular.js:*:*:*:*:* versions up to (excluding) 1.9.6

End-of-Life: Long term support for AngularJS has been discontinued as of December 31, 2021 (RETIREJS) suppressed

End-of-Life: Long term support for AngularJS has been discontinued as of December 31, 2021

Notes: file name: remotegui.zip: angularjs.jar We can not yet update to newer Angular Version

Unscored:

- Severity: low

References:

- info - <https://docs.angularjs.org/misc/version-support-status>
- retid - 54

Vulnerable Software & Versions (RETIREJS):

remotegui.zip: bootstrap.jar

Description:

WebJar for Bootstrap

License:

Apache License, Version 2.0: <http://www.apache.org/licenses/LICENSE-2.0>

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/bootstrap.jar

MD5: ba2f9fda2c1fece5ff121e8abc385475

SHA1: 2c6a8508a4f1484abcaf334cf2fe3df97cf93eac

SHA256: 90fdaa23fb3a9cbce04f4c51699312ab1f1fae2d70c0d1a84541b7e9a76e6e54

Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence
Vendor	file	name	bootstrap	High
Vendor	pom	artifactid	bootstrap	Low
Vendor	pom	developer email	james@jamesward.org	Low
Vendor	pom	developer id	jamesward	Medium
Vendor	pom	developer name	James Ward	Medium
Vendor	pom	groupid	org.webjars	Highest
Vendor	pom	name	Bootstrap	High
Vendor	pom	url	http://webjars.org	Highest
Product	file	name	bootstrap	High
Product	pom	artifactid	bootstrap	Highest
Product	pom	developer email	james@jamesward.org	Low
Product	pom	developer id	jamesward	Low
Product	pom	developer name	James Ward	Low
Product	pom	groupid	org.webjars	Highest
Product	pom	name	Bootstrap	High
Product	pom	url	http://webjars.org	Medium
Version	pom	version	3.4.1	Highest

Related Dependencies

- theme.zip: bootstrap.jar
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/theme.zip/bootstrap.jar
 - MD5: ba2f9fda2c1fece5ff121e8abc385475
 - SHA1: 2c6a8508a4f1484abcaf334cf2fe3df97cf93eac
 - SHA256: 90fdaa23fb3a9cbce04f4c51699312ab1f1fae2d70c0d1a84541b7e9a76e6e54

Suppressed Identifiers

- None

Suppressed Vulnerabilities

CVE-2024-6484 (OSSINDEX) suppressed

A vulnerability has been identified in Bootstrap that exposes users to Cross-Site Scripting (XSS) attacks. The issue is present in the carousel component, where the data-slide and data-slide-to attributes can be exploited through the href attribute of an <a> tag due to inadequate sanitization. This vulnerability could potentially enable attackers to execute arbitrary JavaScript within the victim's browser.

Sonatype's research suggests that this CVE's details differ from those defined at NVD. See <https://ossindex.sonatype.org/vulnerability/CVE-2024-6484> for details

CWE-79 Improper Neutralization of Input During Web Page Generation ('Cross-site Scripting')

Notes: file name: remotegui.zip: bootstrap.jar We are in the process of migrating required functions into a custom framework.

CVSSv3:

- MEDIUM (6.400000095367432)
- CVSS:3.1/AV:N/AC:H/PR:N/UI:R/S:U/C:H/I:L/A:L

References:

- OSSINDEX - [\[CVE-2024-6484\] CWE-79: Improper Neutralization of Input During Web Page Generation \('Cross-site Scripting'\)](#)
- OSSIndex - <http://web.nvd.nist.gov/view/vuln/detail?vulnId=CVE-2024-6484>
- OSSIndex - <https://github.com/advisories/GHSA-9mvj-f7w8-pvh2>

Vulnerable Software & Versions (OSSINDEX):

- cpe:2.3:a:org.webjars:bootstrap:3.4.1:*:*:*:*:*

CVE-2024-6485 (OSSINDEX) suppressed

A security vulnerability has been discovered in bootstrap that could enable Cross-Site Scripting (XSS) attacks. The vulnerability is associated with the data-loading-text attribute within the button plugin. This vulnerability can be exploited by injecting malicious JavaScript code into the attribute, which would then be executed when the button's loading state is triggered.

CWE-79 Improper Neutralization of Input During Web Page Generation ('Cross-site Scripting')

Notes: file name: remotegui.zip: bootstrap.jar We are in the process of migrating required functions into a custom framework.

CVSSv3:

- MEDIUM (6.400000095367432)
- CVSS:3.1/AV:N/AC:H/PR:N/UI:R/S:U/C:H/I:L/A:L

References:

- OSSINDEX - [\[CVE-2024-6485\] CWE-79: Improper Neutralization of Input During Web Page Generation \('Cross-site Scripting'\)](#)
- OSSIndex - <http://web.nvd.nist.gov/view/vuln/detail?vulnId=CVE-2024-6485>
- OSSIndex - <https://www.herodevs.com/vulnerability-directory/cve-2024-6485>

Vulnerable Software & Versions (OSSINDEX):

- cpe:2.3:a:org.webjars:bootstrap:3.4.1:*:*:*:*:*

CVE-2024-6531 (OSSINDEX) suppressed

A vulnerability has been identified in Bootstrap that exposes users to Cross-Site Scripting (XSS) attacks. The issue is present in the carousel component, where the data-slide and data-slide-to attributes can be exploited through the href attribute of an <a> tag due to inadequate sanitization. This vulnerability could potentially enable attackers to execute arbitrary JavaScript within the victim's browser.

Sonatype's research suggests that this CVE's details differ from those defined at NVD. See <https://ossindex.sonatype.org/vulnerability/CVE-2024-6531> for details

CWE-79 Improper Neutralization of Input During Web Page Generation ('Cross-site Scripting')

Notes: file name: remotegui.zip: bootstrap.jar We are in the process of migrating required functions into a custom framework.

CVSSv3:

- MEDIUM (6.400000095367432)
- CVSS:3.1/AV:N/AC:H/PR:N/UI:R/S:U/C:H/I:L/A:L

References:

- OSSINDEX - [\[CVE-2024-6531\] CWE-79: Improper Neutralization of Input During Web Page Generation \('Cross-site Scripting'\)](#)
- OSSIndex - <http://web.nvd.nist.gov/view/vuln/detail?vulnId=CVE-2024-6531>
- OSSIndex - <https://www.tenable.com/cve/CVE-2024-6531>

Vulnerable Software & Versions (OSSINDEX):

- cpe:2.3:a:org.webjars:bootstrap:3.4.1:*:*:*:*:*

remotegui.zip: echo2-app.jar

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller /server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/echo2-app.jar
MD5: 6524d488cd7402977af43d02a32e52ce
SHA1: b4445286d07023c764ed9d02092fd76733f19fe4
SHA256: 8cebf7a13bdc5a671d1b659ff05faed1e1d68e95813ad52597718fef38746556
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence
Vendor	file	name	echo2-app	High
Vendor	jar	package name	app	Low
Vendor	jar	package name	echo2	Low
Vendor	jar	package name	nextapp	Low
Product	file	name	echo2-app	High
Product	jar	package name	app	Low
Product	jar	package name	echo2	Low
Version	file	name	echo2-app	Medium
Version	file	version	2	Medium

Related Dependencies



- remotegui.zip: echo2-webcontainer.jar
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/echo2-webcontainer.jar
 - MD5: 783b5f05163587c4d19ce43977f564ec
 - SHA1: e401d4249ef1bdd399f6fee652bf1120a48b5882
 - SHA256: 4b4e1d96c4b304d6bbbbbfebd4ccdb85bc7c05070a93388e652d7331bc72d9119
- remotegui.zip: echo2-webrenderer.jar
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/echo2-webrenderer.jar
 - MD5: cf2fcfc745ac1f7374007788b8fb30e3
 - SHA1: 8c912e8ce2e23407058bf8f55a6d68e2d4737f7d
 - SHA256: 72851edfb13406ec61dee6eeb347c5c8640244b80a89f3ed75a15d925caaad2c

Suppressed Identifiers

- None

Suppressed Vulnerabilities



[CVE-2009-5135](#) suppressed

The Java XML parser in Echo before 2.1.1 and 3.x before 3.0.b6 allows remote attackers to read arbitrary files via a request containing an external entity declaration in conjunction with an entity reference, related to an XML External Entity (XXE) issue.

CWE-20 Improper Input Validation

Notes: Ignore echo2 apps, because we are using v2.1.1 which is the latest applicable. But the official libs do not have version number.

CVSSv2:

- Base Score: MEDIUM (5.0)
- Vector: /AV:N/AC:L/Au:N/C:P/I:N/A:N

References:

- psirt@us.ibm.com - [EXPLOIT](#)
- psirt@us.ibm.com - [EXPLOIT](#)
- psirt@us.ibm.com - [VENDOR_ADVISORY](#)
- psirt@us.ibm.com - [VENDOR_ADVISORY](#)

Vulnerable Software & Versions: ([show all](#))

- [cpe:2.3:a:nextapp:echo:*:rc5:*:*:*:* versions up to \(including\) 2.1.0](#)
- ...
- [cpe:2.3:a:nextapp:echo:*:rc5:*:*:*:* versions up to \(including\) 2.1.0](#)
- [cpe:2.3:a:nextapp:echo:2.0:alpha1:*:*:*:*](#)
- [cpe:2.3:a:nextapp:echo:2.0:alpha10:*:*:*:*](#)
- [cpe:2.3:a:nextapp:echo:2.0:alpha11:*:*:*:*](#)
- [cpe:2.3:a:nextapp:echo:2.0:alpha12:*:*:*:*](#)
- [cpe:2.3:a:nextapp:echo:2.0:alpha13:*:*:*:*](#)
- [cpe:2.3:a:nextapp:echo:2.0:alpha14:*:*:*:*](#)
- [cpe:2.3:a:nextapp:echo:2.0:alpha15:*:*:*:*](#)
- [cpe:2.3:a:nextapp:echo:2.0:alpha16:*:*:*:*](#)

- [cpe:2.3:a:nextapp:echo:2.0:alpha2:*.~*~*~*~*~*](#)
- [cpe:2.3:a:nextapp:echo:2.0:alpha3:*.~*~*~*~*~*](#)
- [cpe:2.3:a:nextapp:echo:2.0:alpha4:*.~*~*~*~*~*](#)
- [cpe:2.3:a:nextapp:echo:2.0:alpha5:*.~*~*~*~*~*](#)
- [cpe:2.3:a:nextapp:echo:2.0:alpha6:*.~*~*~*~*~*](#)
- [cpe:2.3:a:nextapp:echo:2.0:alpha7:*.~*~*~*~*~*](#)
- [cpe:2.3:a:nextapp:echo:2.0:alpha8:*.~*~*~*~*~*](#)
- [cpe:2.3:a:nextapp:echo:2.0:alpha9:*.~*~*~*~*~*](#)
- [cpe:2.3:a:nextapp:echo:2.0:beta1:*.~*~*~*~*~*](#)
- [cpe:2.3:a:nextapp:echo:2.0:beta2:*.~*~*~*~*~*](#)
- [cpe:2.3:a:nextapp:echo:2.0:beta3:*.~*~*~*~*~*](#)
- [cpe:2.3:a:nextapp:echo:2.0:beta4:*.~*~*~*~*~*](#)
- [cpe:2.3:a:nextapp:echo:2.0:rc1:*.~*~*~*~*~*](#)
- [cpe:2.3:a:nextapp:echo:2.0:rc2:*.~*~*~*~*~*](#)
- [cpe:2.3:a:nextapp:echo:2.0:rc3:*.~*~*~*~*~*](#)
- [cpe:2.3:a:nextapp:echo:2.0:rc4:*.~*~*~*~*~*](#)
- [cpe:2.3:a:nextapp:echo:2.0:rc5:*.~*~*~*~*~*](#)
- [cpe:2.3:a:nextapp:echo:2.0:rc6:*.~*~*~*~*~*](#)
- [cpe:2.3:a:nextapp:echo:2.0:rc7:*.~*~*~*~*~*](#)
- [cpe:2.3:a:nextapp:echo:2.0.1:test1:*.~*~*~*~*~*](#)
- [cpe:2.3:a:nextapp:echo:2.0.1:test2:*.~*~*~*~*~*](#)
- [cpe:2.3:a:nextapp:echo:2.0.1:test3:*.~*~*~*~*~*](#)
- [cpe:2.3:a:nextapp:echo:2.1.0:beta1:*.~*~*~*~*~*](#)
- [cpe:2.3:a:nextapp:echo:2.1.0:beta2:*.~*~*~*~*~*](#)
- [cpe:2.3:a:nextapp:echo:2.1.0:beta3:*.~*~*~*~*~*](#)
- [cpe:2.3:a:nextapp:echo:2.1.0:beta4:*.~*~*~*~*~*](#)
- [cpe:2.3:a:nextapp:echo:2.1.0:beta5:*.~*~*~*~*~*](#)
- [cpe:2.3:a:nextapp:echo:2.1.0:rc1:*.~*~*~*~*~*](#)
- [cpe:2.3:a:nextapp:echo:2.1.0:rc2:*.~*~*~*~*~*](#)
- [cpe:2.3:a:nextapp:echo:2.1.0:rc3:*.~*~*~*~*~*](#)
- [cpe:2.3:a:nextapp:echo:2.1.0:rc4:*.~*~*~*~*~*](#)
- [cpe:2.3:a:nextapp:echo:3.0:beta1:*.~*~*~*~*~*](#)
- [cpe:2.3:a:nextapp:echo:3.0:beta2:*.~*~*~*~*~*](#)
- [cpe:2.3:a:nextapp:echo:3.0:beta3:*.~*~*~*~*~*](#)
- [cpe:2.3:a:nextapp:echo:3.0:beta4:*.~*~*~*~*~*](#)
- [cpe:2.3:a:nextapp:echo:3.0:beta5:*.~*~*~*~*~*](#)

remotegui.zip: echo2extras-app.jar

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/echo2extras-app.jar

MD5: e1ba37ba20c3021c38e362cac081d986

SHA1: 64e7748149ca2af54ee693c8e232343d64c1b966

SHA256: ad4489475b3c77aeeb62ec1c1bc211c8659b84649fdb1e72f4ee6e005b21e37b

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	echo2extras-app	High
Vendor	jar	package name	echo2	Low
Vendor	jar	package name	extras	Low
Vendor	jar	package name	nextapp	Low
Product	file	name	echo2extras-app	High

Product	jar	package name	app	Low
Product	jar	package name	echo2	Low
Product	jar	package name	extras	Low
Version	file	name	echo2extras-app	Medium
Version	file	version	2	Medium

Related Dependencies

- remotegui.zip: echo2extras-webcontainer.jar
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/echo2extras-webcontainer.jar
 - MD5: df488c27f775875afc2efa1ba1a14778
 - SHA1: 8b9c1d082e3baac3daea4821cd6fb56116c44c7a
 - SHA256: 50dabd57f50caf8df7d1fced59f7285d7b6179c47bf9b22aae7e7ee1d62e62c0

Suppressed Identifiers

- None

Suppressed Vulnerabilities

[CVE-2009-5135](#) suppressed

The Java XML parser in Echo before 2.1.1 and 3.x before 3.0.b6 allows remote attackers to read arbitrary files via a request containing an external entity declaration in conjunction with an entity reference, related to an XML External Entity (XXE) issue.

CWE-20 Improper Input Validation

Notes: Ignore echo2 apps, because we are using v2.1.1 which is the latest applicable. But the official libs do not have version number.

CVSSv2:

- Base Score: MEDIUM (5.0)
- Vector: /AV:N/AC:L/Au:N/C:P/I:N/A:N

References:

- psirt@us.ibm.com - [EXPLOIT](#)
- psirt@us.ibm.com - [EXPLOIT](#)
- psirt@us.ibm.com - [VENDOR_ADVISORY](#)
- psirt@us.ibm.com - [VENDOR_ADVISORY](#)

Vulnerable Software & Versions: ([show all](#))

- [cpe:2.3:a:nextapp:echo:*:rc5:*:*:*:* versions up to \(including\) 2.1.0](#)
- ...
- [cpe:2.3:a:nextapp:echo:*:rc5:*:*:*:* versions up to \(including\) 2.1.0](#)
- [cpe:2.3:a:nextapp:echo:2.0:alpha1:*:*:*:*](#)
- [cpe:2.3:a:nextapp:echo:2.0:alpha10:*:*:*:*](#)
- [cpe:2.3:a:nextapp:echo:2.0:alpha11:*:*:*:*](#)
- [cpe:2.3:a:nextapp:echo:2.0:alpha12:*:*:*:*](#)
- [cpe:2.3:a:nextapp:echo:2.0:alpha13:*:*:*:*](#)

- [cpe:2.3:a:nextapp:echo:2.0:alpha14:*****](#)
- [cpe:2.3:a:nextapp:echo:2.0:alpha15:*****](#)
- [cpe:2.3:a:nextapp:echo:2.0:alpha16:*****](#)
- [cpe:2.3:a:nextapp:echo:2.0:alpha2:*****](#)
- [cpe:2.3:a:nextapp:echo:2.0:alpha3:*****](#)
- [cpe:2.3:a:nextapp:echo:2.0:alpha4:*****](#)
- [cpe:2.3:a:nextapp:echo:2.0:alpha5:*****](#)
- [cpe:2.3:a:nextapp:echo:2.0:alpha6:*****](#)
- [cpe:2.3:a:nextapp:echo:2.0:alpha7:*****](#)
- [cpe:2.3:a:nextapp:echo:2.0:alpha8:*****](#)
- [cpe:2.3:a:nextapp:echo:2.0:alpha9:*****](#)
- [cpe:2.3:a:nextapp:echo:2.0:beta1:*****](#)
- [cpe:2.3:a:nextapp:echo:2.0:beta2:*****](#)
- [cpe:2.3:a:nextapp:echo:2.0:beta3:*****](#)
- [cpe:2.3:a:nextapp:echo:2.0:beta4:*****](#)
- [cpe:2.3:a:nextapp:echo:2.0:rc1:*****](#)
- [cpe:2.3:a:nextapp:echo:2.0:rc2:*****](#)
- [cpe:2.3:a:nextapp:echo:2.0:rc3:*****](#)
- [cpe:2.3:a:nextapp:echo:2.0:rc4:*****](#)
- [cpe:2.3:a:nextapp:echo:2.0:rc5:*****](#)
- [cpe:2.3:a:nextapp:echo:2.0:rc6:*****](#)
- [cpe:2.3:a:nextapp:echo:2.0:rc7:*****](#)
- [cpe:2.3:a:nextapp:echo:2.0.1:test1:*****](#)
- [cpe:2.3:a:nextapp:echo:2.0.1:test2:*****](#)
- [cpe:2.3:a:nextapp:echo:2.0.1:test3:*****](#)
- [cpe:2.3:a:nextapp:echo:2.1.0:beta1:*****](#)
- [cpe:2.3:a:nextapp:echo:2.1.0:beta2:*****](#)
- [cpe:2.3:a:nextapp:echo:2.1.0:beta3:*****](#)
- [cpe:2.3:a:nextapp:echo:2.1.0:beta4:*****](#)
- [cpe:2.3:a:nextapp:echo:2.1.0:beta5:*****](#)
- [cpe:2.3:a:nextapp:echo:2.1.0:rc1:*****](#)
- [cpe:2.3:a:nextapp:echo:2.1.0:rc2:*****](#)
- [cpe:2.3:a:nextapp:echo:2.1.0:rc3:*****](#)
- [cpe:2.3:a:nextapp:echo:2.1.0:rc4:*****](#)
- [cpe:2.3:a:nextapp:echo:3.0:beta1:*****](#)
- [cpe:2.3:a:nextapp:echo:3.0:beta2:*****](#)
- [cpe:2.3:a:nextapp:echo:3.0:beta3:*****](#)
- [cpe:2.3:a:nextapp:echo:3.0:beta4:*****](#)
- [cpe:2.3:a:nextapp:echo:3.0:beta5:*****](#)

remotegui.zip: jquery.jar

Description:

WebJar for jQuery

License:

MIT License: <https://github.com/jquery/jquery/blob/master/MIT-LICENSE.txt>

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/jquery.jar

MD5: 4af65e569248d8a2411f66498d720280

SHA1: c3dc40b1b5f24c56afa36fd9a463bb9f378ac4ab

SHA256: de28c4da0ea9f16101352dd3582ec8021ee5e2de5f45104ca171876003d54db6

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Vendor	file	name	jquery	High
Vendor	pom	artifactid	jquery	Low
Vendor	pom	developer email	james@jamesward.org	Low
Vendor	pom	developer id	jamesward	Medium
Vendor	pom	developer name	James Ward	Medium
Vendor	pom	groupid	org.webjars	Highest
Vendor	pom	name	jquery	High
Vendor	pom	url	http://webjars.org	Highest
Product	file	name	jquery	High
Product	pom	artifactid	jquery	Highest
Product	pom	developer email	james@jamesward.org	Low
Product	pom	developer id	jamesward	Low
Product	pom	developer name	James Ward	Low
Product	pom	groupid	org.webjars	Highest
Product	pom	name	jquery	High
Product	pom	url	http://webjars.org	Medium
Version	pom	version	2.2.4	Highest

Suppressed Identifiers

- None

Suppressed Vulnerabilities



CVE-2016-10707 (OSSINDEX) suppressed

jquery - Uncontrolled Resource Consumption

The software does not properly restrict the size or amount of resources that are requested or influenced by an actor, which can be used to consume more resources than intended.

Sonatype's research suggests that this CVE's details differ from those defined at NVD. See <https://ossindex.sonatype.org/vulnerability/CVE-2016-10707> for details

CWE-400 Uncontrolled Resource Consumption

Notes: file name: remotegui.jar: jquery.min.js - We can not yet upgrade to a newer version due to dependencies. We do, however, not directly use the functionality that is being CVEd

CVSSv3:

- HIGH (7.5)
- CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:N/I:N/A:H

References:

- OSSINDEX - [\[CVE-2016-10707\] CWE-400: Uncontrolled Resource Consumption \('Resource Exhaustion'\)](#)
- OSSIndex - <https://github.com/advisories/GHSA-mhpp-875w-9cpv>
- OSSIndex - <https://github.com/jquery/jquery/issues/3133>
- OSSIndex - <https://github.com/jquery/jquery/issues/3371>
- OSSIndex - <https://github.com/jquery/jquery/pull/2916>
- OSSIndex - <https://github.com/jquery/jquery/pull/3134>

Vulnerable Software & Versions (OSSINDEX):

- cpe:2.3:a:org.webjars.jquery:2.2.4:*:*:*:*:*

CVE-2019-11358 (OSSINDEX) suppressed

jQuery before 3.4.0, as used in Drupal, Backdrop CMS, and other products, mishandles jQuery.extend(true, {}, ...) because of Object.prototype pollution. If an unsanitized source object contained an enumerable __proto__ property, it could extend the native Object.prototype.

Sonatype's research suggests that this CVE's details differ from those defined at NVD. See <https://ossindex.sonatype.org/vulnerability/CVE-2019-11358> for details

CWE-1321 Improperly Controlled Modification of Object Prototype Attributes ('Prototype Pollution')

Notes: file name: remotegui.jar: jquery.min.js - We can not yet upgrade to a newer version due to dependencies. We do, however, not directly use the functionality that is being CVEd

CVSSv3:

- MEDIUM (6.0999999904632568)
- CVSS:3.1/AV:N/AC:L/PR:N/UI:R/S:C/C:L/I:L/A:N

References:

- OSSINDEX - [\[CVE-2019-11358\] CWE-1321](#)
- OSSIndex - <http://web.nvd.nist.gov/view/vuln/detail?vulnId=CVE-2019-11358>
- OSSIndex - <https://blog.jquery.com/2019/04/10/jquery-3-4-0-released/>
- OSSIndex - <https://github.com/cbeust/testng/issues/2150>
- OSSIndex - <https://github.com/jquery/jquery/pull/4333>

Vulnerable Software & Versions (OSSINDEX):

- cpe:2.3:a:org.webjars.jquery:2.2.4:*:*:*:*:*

CVE-2020-11023 (OSSINDEX) suppressed

In jQuery versions greater than or equal to 1.0.3 and before 3.5.0, passing HTML containing <option> elements from untrusted sources - even after sanitizing it - to one of jQuery's DOM manipulation methods (i.e. .html(), .append(), and others) may execute untrusted code. This problem is patched in jQuery 3.5.0.

CWE-79 Improper Neutralization of Input During Web Page Generation ('Cross-site Scripting')

Notes: file name: remotegui.jar: jquery.min.js - We can not yet upgrade to a newer version due to dependencies. We do, however, not directly use the functionality that is being CVEd

CVSSv3:

- MEDIUM (6.0999999904632568)
- CVSS:3.1/AV:N/AC:L/PR:N/UI:R/S:C/C:L/I:L/A:N

References:

- OSSINDEX - [\[CVE-2020-11023\] CWE-79: Improper Neutralization of Input During Web Page Generation \('Cross-site Scripting'\)](#)
- OSSIndex - <http://web.nvd.nist.gov/view/vuln/detail?vulnId=CVE-2020-11023>
- OSSIndex - <https://github.com/advisories/GHSA-jpcq-cgw6-v4j6>
- OSSIndex - <https://jquery.com/upgrade-guide/3.5/>

Vulnerable Software & Versions (OSSINDEX):

- cpe:2.3:a:org.webjars:jquery:2.2.4:****.*.*.*

remotegui.zip: tinymce.jar

Description:

WebJar for tinymce

License:

LGPL-2.1

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/tinymce.jar

MD5: fd9f87ce352ee6c8d270db931c0e6026

SHA1: 9174bcf85629c63f7cc55439ff890bb7893fe451

SHA256: 26c357c95e53e0d99f3e2b840194cc7d170a31c85de15c6017de976f60919cd7

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	tinymce	High
Vendor	pom	artifactid	tinymce	Low
Vendor	pom	developer id	webjars	Medium
Vendor	pom	groupid	org.webjars.bower	Highest
Vendor	pom	name	tinymce	High
Vendor	pom	url	https://www.webjars.org	Highest
Product	file	name	tinymce	High
Product	pom	artifactid	tinymce	Highest
Product	pom	developer id	webjars	Low
Product	pom	groupid	org.webjars.bower	Highest
Product	pom	name	tinymce	High
Product	pom	url	https://www.webjars.org	Medium
Version	pom	version	5.10.9	Highest

Related Dependencies



- remotegui.zip: tinymce-languages.jar
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/tinymce-languages.jar
 - MD5: 47bff91bb6cd602682ddc705ba5872fb
 - SHA1: 06c508488e5d6f2ce5c92aa8b3fa165ca871d597

- SHA256: fa2ecf575248fc802677c26f54fd5f23a636d496223e1a654f5d6540f6c36200

Suppressed Identifiers

- None

Suppressed Vulnerabilities



CVE-2024-38356 (OSSINDEX) suppressed

TinyMCE is an open source rich text editor. A cross-site scripting (XSS) vulnerability was discovered in TinyMCE's content extraction code. When using the `noneditable_regexp` option, specially crafted HTML attributes containing malicious code were able to be executed when content was extracted from the editor. This vulnerability has been patched in TinyMCE 7.2.0, TinyMCE 6.8.4 and TinyMCE 5.11.0 LTS by ensuring that, when using the `noneditable_regexp` option, any content within an attribute is properly verified to match the configured regular expression before being added. Users are advised to upgrade. There are no known workarounds for this vulnerability.

Sonatype's research suggests that this CVE's details differ from those defined at NVD. See <https://ossindex.sonatype.org/vulnerability/CVE-2024-38356> for details

CWE-79 Improper Neutralization of Input During Web Page Generation ('Cross-site Scripting')

Notes: Can not update beyond v5 for implementation reasons just now. tinyMCE is primarily used in non-pulbic way.

CVSSv3:

- MEDIUM (6.0999999904632568)
- CVSS:3.1/AV:N/AC:L/PR:N/UI:R/S:C/C:L/I:L/A:N

References:

- OSSINDEX - [\[CVE-2024-38356\] CWE-79: Improper Neutralization of Input During Web Page Generation \('Cross-site Scripting'\)](#)
- OSSIndex - <http://web.nvd.nist.gov/view/vuln/detail?vulnId=CVE-2024-38356>
- OSSIndex - <https://github.com/tinymce/tinymce/security/advisories/GHSA-9hcv-j9pv-gmph>

Vulnerable Software & Versions (OSSINDEX):

- cpe:2.3:a:org.webjars.bower:tinymce:5.10.9:*:*:*:*:*

CVE-2024-38357 (OSSINDEX) suppressed

TinyMCE is an open source rich text editor. A cross-site scripting (XSS) vulnerability was discovered in TinyMCE's content parsing code. This allowed specially crafted noscript elements containing malicious code to be executed when that content was loaded into the editor. This vulnerability has been patched in TinyMCE 7.2.0, TinyMCE 6.8.4 and TinyMCE 5.11.0 LTS by ensuring that content within noscript elements are properly parsed. Users are advised to upgrade. There are no known workarounds for this vulnerability.

CWE-79 Improper Neutralization of Input During Web Page Generation ('Cross-site Scripting')

Notes: Can not update beyond v5 for implementation reasons just now. tinyMCE is primarily used in non-pulbic way.

CVSSv3:

- MEDIUM (6.0999999904632568)
- CVSS:3.1/AV:N/AC:L/PR:N/UI:R/S:C/C:L/I:L/A:N

References:

- OSSINDEX - [\[CVE-2024-38357\] CWE-79: Improper Neutralization of Input During Web Page Generation \('Cross-site Scripting'\)](#)
- OSSIndex - <http://web.nvd.nist.gov/view/vuln/detail?vulnId=CVE-2024-38357>
- OSSIndex - <https://github.com/tinymce/tinymce/security/advisories/GHSA-w9jx-4g6g-rp7x>

Vulnerable Software & Versions (OSSINDEX):

- cpe:2.3:a:org.webjars.bower:tinymce:5.10.9:.*:.*:.*:.*:.*

remotegui.zip: tinymce.jar: tinymce.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/tinymce.js
MD5: f7a8350f10f92d58a952e1feb0d28f2c
SHA1: d3ecc2861e41722d51e1ede38da5ead47a530c14
SHA256: a78ee6bd10002d050a314768a523533144228f654d80571a8ed28ff3011208a1
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence
Vendor	file	name	tinyMCE	High
Product	file	name	tinyMCE	High
Version	file	version	5.10.9	High

Suppressed Identifiers

- None

Suppressed Vulnerabilities

CVE-2024-29203 (RETIREJS) suppressed

Notes: Can not update beyond v5 for implementation reasons just now. tinyMCE is primarily used in non-pulbic way.

Unscored:

- Severity: medium

References:

- info - <https://github.com/advisories/GHSA-438c-3975-5x3f>
- info - <https://github.com/tinymce/tinymce>
- info - <https://github.com/tinymce/tinymce/commit/bcdea2ad14e3c2cea40743fb48c63bba067ae6d1>
- info - <https://github.com/tinymce/tinymce/security/advisories/GHSA-438c-3975-5x3f>

- info - <https://nvd.nist.gov/vuln/detail/CVE-2024-29203>
- info - https://www.tiny.cloud/docs/tinymce/6/6.8.1-release-notes/#new-convert_unsafe_embeds-option-that-controls-whether-object-and-embed-elements-will-be-converted-to-more-restrictive-alternatives-namely-img-for-image-mime-types-video-for-video-mime-types-audio-audio-mime-types-or-iframe-for-other-or-unspecified-mime-types
- info - https://www.tiny.cloud/docs/tinymce/7/7.0-release-notes/#sandbox_iframes-editor-option-is-now-defaulted-to-true

Vulnerable Software & Versions (RETIREJS):

CVE-2024-29881 (RETIREJS) suppressed

Notes: Can not update beyond v5 for implementation reasons just now. tinyMCE is primarily used in non-pulbic way.

Unscored:

- Severity: medium

References:

- info - <https://github.com/advisories/GHSA-5359-pvf2-pw78>
- info - <https://github.com/tinymce/tinymce>
- info - <https://github.com/tinymce/tinymce/commit/bcdea2ad14e3c2cea40743fb48c63bba067ae6d1>
- info - <https://github.com/tinymce/tinymce/security/advisories/GHSA-5359-pvf2-pw78>
- info - <https://nvd.nist.gov/vuln/detail/CVE-2024-29881>
- info - https://www.tiny.cloud/docs/tinymce/6/6.8.1-release-notes/#new-convert_unsafe_embeds-option-that-controls-whether-object-and-embed-elements-will-be-converted-to-more-restrictive-alternatives-namely-img-for-image-mime-types-video-for-video-mime-types-audio-audio-mime-types-or-iframe-for-other-or-unspecified-mime-types
- info - https://www.tiny.cloud/docs/tinymce/7/7.0-release-notes/#convert_unsafe_embeds-editor-option-is-now-defaulted-to-true

Vulnerable Software & Versions (RETIREJS):

CVE-2024-38356 (RETIREJS) suppressed

Notes: Can not update beyond v5 for implementation reasons just now. tinyMCE is primarily used in non-pulbic way.

Unscored:

- Severity: medium

References:

- info - <https://github.com/advisories/GHSA-9hcv-j9pv-qmph>
- info - <https://github.com/tinymce/tinymce>
- info - <https://github.com/tinymce/tinymce/commit/5acb741665a98e83d62b91713c800abbff43b00d>
- info - <https://github.com/tinymce/tinymce/commit/a9fb858509f86dacfa8b01cfd34653b408983ac0>
- info - <https://github.com/tinymce/tinymce/security/advisories/GHSA-9hcv-j9pv-qmph>
- info - <https://nvd.nist.gov/vuln/detail/CVE-2024-38356>
- info - <https://owasp.org/www-community/attacks/xss>
- info - <https://www.tiny.cloud/docs/tinymce/6/6.8.4-release-notes/#overview>
- info - <https://www.tiny.cloud/docs/tinymce/7/7.2-release-notes/#overview>
- info - <https://www.tiny.cloud/docs/tinymce/latest/7.2-release-notes/#overview>

Vulnerable Software & Versions (RETIREJS):

CVE-2024-38357 (RETIREJS) suppressed

Notes: Can not update beyond v5 for implementation reasons just now. tinyMCE is primarily used in non-pulbic way.

Unscored:

- Severity: medium

References:

- info - <https://github.com/advisories/GHSA-w9jx-4g6g-rp7x>
- info - <https://github.com/tinymce/tinymce>
- info - <https://github.com/tinymce/tinymce/commit/5acb741665a98e83d62b91713c800abbff43b00d>
- info - <https://github.com/tinymce/tinymce/commit/a9fb858509f86dacfa8b01cfd34653b408983ac0>
- info - <https://github.com/tinymce/tinymce/security/advisories/GHSA-w9jx-4g6g-rp7x>
- info - <https://nvd.nist.gov/vuln/detail/CVE-2024-38357>
- info - <https://owasp.org/www-community/attacks/xss>
- info - <https://www.tiny.cloud/docs/tinymce/6/6.8.4-release-notes/#overview>
- info - <https://www.tiny.cloud/docs/tinymce/7/7.2-release-notes/#overview>

Vulnerable Software & Versions (RETIREJS):

remotegui.zip: tinymce.jar: tinymce.min.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/tinymce.min.js

MD5: 10df005254d5668ccedbda2614354acd

SHA1: fbcd5a3f14b7c3dd8a9d203b9b30acfb4a9a38f4

SHA256: 3c3041cb95a1c979ee2205901cf1c670a36c192ef089e6f63b94beabef386c30

Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence
Vendor	file	name	tinyMCE	High
Product	file	name	tinyMCE	High
Version	file	version	5.10.9	High

Suppressed Identifiers

- None

Suppressed Vulnerabilities

CVE-2024-29203 (RETIREJS) suppressed

Notes: Can not update beyond v5 for implementation reasons just now. tinyMCE is primarily used in non-pulbic way.

Unscored:

- Severity: medium

References:

- info - <https://github.com/advisories/GHSA-438c-3975-5x3f>
- info - <https://github.com/tinymce/tinymce>
- info - <https://github.com/tinymce/tinymce/commit/bcdea2ad14e3c2cea40743fb48c63bba067ae6d1>
- info - <https://github.com/tinymce/tinymce/security/advisories/GHSA-438c-3975-5x3f>
- info - <https://nvd.nist.gov/vuln/detail/CVE-2024-29203>
- info - https://www.tiny.cloud/docs/tinymce/6/6.8.1-release-notes/#new-convert_unsafe_embeds-option-that-controls-whether-object-and-embed-elements-will-be-converted-to-more-restrictive-alternatives-namely-img-for-image-mime-types-video-for-video-mime-types-audio-audio-mime-types-or-iframe-for-other-or-unspecified-mime-types
- info - https://www.tiny.cloud/docs/tinymce/7/7.0-release-notes/#sandbox_iframes-editor-option-is-now-defaulted-to-true

Vulnerable Software & Versions (RETIREJS):

CVE-2024-29881 (RETIREJS) suppressed

Notes: Can not update beyond v5 for implementation reasons just now. tinyMCE is primarily used in non-pulbic way.

Unscored:

- Severity: medium

References:

- info - <https://github.com/advisories/GHSA-5359-pvf2-pw78>
- info - <https://github.com/tinymce/tinymce>
- info - <https://github.com/tinymce/tinymce/commit/bcdea2ad14e3c2cea40743fb48c63bba067ae6d1>
- info - <https://github.com/tinymce/tinymce/security/advisories/GHSA-5359-pvf2-pw78>
- info - <https://nvd.nist.gov/vuln/detail/CVE-2024-29881>
- info - https://www.tiny.cloud/docs/tinymce/6/6.8.1-release-notes/#new-convert_unsafe_embeds-option-that-controls-whether-object-and-embed-elements-will-be-converted-to-more-restrictive-alternatives-namely-img-for-image-mime-types-video-for-video-mime-types-audio-audio-mime-types-or-iframe-for-other-or-unspecified-mime-types
- info - https://www.tiny.cloud/docs/tinymce/7/7.0-release-notes/#convert_unsafe_embeds-editor-option-is-now-defaulted-to-true

Vulnerable Software & Versions (RETIREJS):

CVE-2024-38356 (RETIREJS) suppressed

Notes: Can not update beyond v5 for implementation reasons just now. tinyMCE is primarily used in non-pulbic way.

Unscored:

- Severity: medium

References:

- info - <https://github.com/advisories/GHSA-9hcv-j9pv-qmph>
- info - <https://github.com/tinymce/tinymce>
- info - <https://github.com/tinymce/tinymce/commit/5acb741665a98e83d62b91713c800abbff43b00d>
- info - <https://github.com/tinymce/tinymce/commit/a9fb858509f86dacfa8b01cfd34653b408983ac0>
- info - <https://github.com/tinymce/tinymce/security/advisories/GHSA-9hcv-j9pv-qmph>
- info - <https://nvd.nist.gov/vuln/detail/CVE-2024-38356>
- info - <https://owasp.org/www-community/attacks/xss>
- info - <https://www.tiny.cloud/docs/tinymce/6/6.8.4-release-notes/#overview>
- info - <https://www.tiny.cloud/docs/tinymce/7/7.2-release-notes/#overview>
- info - <https://www.tiny.cloud/docs/tinymce/latest/7.2-release-notes/#overview>

Vulnerable Software & Versions (RETIREJS):

CVE-2024-38357 (RETIREJS) suppressed

Notes: Can not update beyond v5 for implementation reasons just now. tinyMCE is primarily used in non-pulbic way.

Unscored:

- Severity: medium

References:

- info - <https://github.com/advisories/GHSA-w9jx-4g6g-rp7x>
- info - <https://github.com/tinymce/tinymce>
- info - <https://github.com/tinymce/tinymce/commit/5acb741665a98e83d62b91713c800abbff43b00d>
- info - <https://github.com/tinymce/tinymce/commit/a9fb858509f86dacfa8b01cfd34653b408983ac0>
- info - <https://github.com/tinymce/tinymce/security/advisories/GHSA-w9jx-4g6g-rp7x>
- info - <https://nvd.nist.gov/vuln/detail/CVE-2024-38357>
- info - <https://owasp.org/www-community/attacks/xss>
- info - <https://www.tiny.cloud/docs/tinymce/6/6.8.4-release-notes/#overview>
- info - <https://www.tiny.cloud/docs/tinymce/7/7.2-release-notes/#overview>

Vulnerable Software & Versions (RETIREJS):

theme.zip: bootstrap.jar: bootstrap.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/theme.zip/bootstrap.jar/META-INF/resources/webjars/bootstrap/3.4.1/js/bootstrap.js

MD5: 894d79839facf38d9fd672bdbe57443d

SHA1: 11277f4e04cf070a350e566b053ef2215993720c

SHA256: dbd2a35e72edc7d6bde483481a912f1c38aa57fab2747d9b071d317339ee03a2

Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence
Vendor	file	name	bootstrap	High
Product	file	name	bootstrap	High
Version	file	version	3.4.1	High

Related Dependencies

- theme.zip: bootstrap.jar: bootstrap.js.gz: bootstrap.js
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/theme.zip/bootstrap.jar/META-INF/resources/webjars/bootstrap/3.4.1/js/bootstrap.js.gz/bootstrap.js
 - MD5: 894d79839facf38d9fd672bdbe57443d
 - SHA1: 11277f4e04cf070a350e566b053ef2215993720c
 - SHA256: dbd2a35e72edc7d6bde483481a912f1c38aa57fab2747d9b071d317339ee03a2

Suppressed Identifiers

- None

Suppressed Vulnerabilities

CVE-2024-6484 (RETIREJS) suppressed

Notes: file name: remotegui.zip: bootstrap.jar We are in the process of migrating required functions into a custom framework.

Unscored:

- Severity: medium

References:

- info - <https://github.com/advisories/GHSA-9mvj-f7w8-pvh2>
- info - <https://github.com/rubysec/ruby-advisory-db/blob/master/gems/bootstrap-sass/CVE-2024-6484.yml>
- info - <https://github.com/rubysec/ruby-advisory-db/blob/master/gems/bootstrap/CVE-2024-6484.yml>
- info - <https://github.com/twbs/bootstrap>
- info - <https://nvd.nist.gov/vuln/detail/CVE-2024-6484>
- info - <https://www.herodevs.com/vulnerability-directory/cve-2024-6484>

Vulnerable Software & Versions (RETIREJS):

Bootstrap before 4.0.0 is end-of-life and no longer maintained. (RETIREJS) suppressed

Bootstrap before 4.0.0 is end-of-life and no longer maintained.

Notes: file name: remotegui.zip: bootstrap.jar We are in the process of migrating required functions into a custom framework.

Unscored:

- Severity: low

References:

- info - <https://github.com/twbs/bootstrap/issues/20631>
- retid - 72

Vulnerable Software & Versions (RETIREJS):

theme.zip: bootstrap.jar: bootstrap.min.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/theme.zip/bootstrap.jar/META-INF/resources/webjars/bootstrap/3.4.1/js/bootstrap.min.js

MD5: 2f34b630ffe30ba2ff2b91e3f3c322a1

SHA1: b16fd8226bd6bfb08e568f1b1d0a21d60247cefb

SHA256: 9ee2fcff6709e4d0d24b09ca0fc56aade12b4961ed9c43fd13b03248bfb57afe

Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence
Vendor	file	name	bootstrap	High
Product	file	name	bootstrap	High
Version	file	version	3.4.1	High

Related Dependencies

- theme.zip: bootstrap.jar: bootstrap.min.js.gz: bootstrap.min.js
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/theme.zip/bootstrap.jar/META-INF/resources/webjars/bootstrap/3.4.1/js/bootstrap.min.js.gz/bootstrap.min.js
 - MD5: 2f34b630ffe30ba2ff2b91e3f3c322a1
 - SHA1: b16fd8226bd6bfb08e568f1b1d0a21d60247cefb
 - SHA256: 9ee2fcff6709e4d0d24b09ca0fc56aade12b4961ed9c43fd13b03248bfb57afe

Suppressed Identifiers

- None

Suppressed Vulnerabilities

CVE-2024-6484 (RETIREJS) suppressed

Notes: file name: remotegui.zip: bootstrap.jar We are in the process of migrating required functions into a custom framework.

Unscored:

- Severity: medium

References:

- info - <https://github.com/advisories/GHSA-9mvj-f7w8-pvh2>
- info - <https://github.com/rubysec/ruby-advisory-db/blob/master/gems/bootstrap-sass/CVE-2024-6484.yml>
- info - <https://github.com/rubysec/ruby-advisory-db/blob/master/gems/bootstrap/CVE-2024-6484.yml>
- info - <https://github.com/twbs/bootstrap>
- info - <https://nvd.nist.gov/vuln/detail/CVE-2024-6484>
- info - <https://www.herodevs.com/vulnerability-directory/cve-2024-6484>

Vulnerable Software & Versions (RETIREJS):

Bootstrap before 4.0.0 is end-of-life and no longer maintained. (RETIREJS) suppressed

Bootstrap before 4.0.0 is end-of-life and no longer maintained.

Notes: file name: remotegui.zip: bootstrap.jar We are in the process of migrating required functions into a custom framework.

Unscored:

- Severity: low

References:

- info - <https://github.com/twbs/bootstrap/issues/20631>
- retid - 72

Vulnerable Software & Versions (RETIREJS):

This report contains data retrieved from the [National Vulnerability Database](#).

This report may contain data retrieved from the [CISA Known Exploited Vulnerability Catalog](#).

This report may contain data retrieved from the [Github Advisory Database \(via NPM Audit API\)](#).

This report may contain data retrieved from [RetireJS](#).

This report may contain data retrieved from the [Sonatype OSS Index](#).