



Dependency-Check is an open source tool performing a best effort analysis of 3rd party dependencies; false positives and false negatives may exist in the analysis performed by the tool. Use of the tool and the reporting provided constitutes acceptance for use in an AS IS condition, and there are NO warranties, implied or otherwise, with regard to the analysis or its use. Any use of the tool and the reporting provided is at the user's risk. In no event shall the copyright holder or OWASP be held liable for any damages whatsoever arising out of or in connection with the use of this tool, the analysis performed, or the resulting report.

[How to read the report](#) | [Suppressing false positives](#) | [Getting Help: github issues](#)

 [Sponsor](#)

Project: project ':designer-installer'

clear-reports:designer-installer:25.4

Scan Information ([show all](#)):

- *dependency-check version:* 10.0.3
- *Report Generated On:* Thu, 3 Apr 2025 19:47:49 +0200
- *Dependencies Scanned:* 246 (230 unique)
- *Vulnerable Dependencies:* 0
- *Vulnerabilities Found:* 0
- *Vulnerabilities Suppressed:* 2 ([show](#))
- ...
- *NVD API Last Checked:* 2025-04-03T17:45:00Z
- *NVD API Last Modified:* 2024-09-18T11:15:10Z
- *NVD Cache Last Checked:* 2025-04-03T17:45:00Z
- *NVD Cache Last Modified:* 2024-09-18T11:15:10Z

Summary

Display: [Showing Vulnerable Dependencies \(click to show all\)](#)

Dependency	Vulnerability IDs	Package	Highest Severity	CVE Count	Confidence
Merlia-0.jar		pkg:maven/lib/Merlia@0		0	
ReportViewer.jar	cpe:2.3:a:inetsoftware:clear_reports:25.4.199:***** cpe:2.3:a:inetsoftware:i-net_clear_reports:25.4.199:*****			0	Medium
adhoc.zip: adhoc-javadoc.jar				0	
adhoc.zip: adhoc-javadoc.jar: jquery-3.6.1.min.js				0	
adhoc.zip: adhoc-javadoc.jar: jquery-ui.min.js		pkg:javascript/jquery-ui@1.13.1		0	
adhoc.zip: adhoc-javadoc.jar: member-search-index.				0	

js					
adhoc.zip: adhoc-javadoc.jar: module-search-index.js				0	
adhoc.zip: adhoc-javadoc.jar: package-search-index.js				0	
adhoc.zip: adhoc-javadoc.jar: script.js				0	
adhoc.zip: adhoc-javadoc.jar: search.js				0	
adhoc.zip: adhoc-javadoc.jar: tag-search-index.js				0	
adhoc.zip: adhoc-javadoc.jar: type-search-index.js				0	
adhoc.zip: adhoc.jar				0	
adhoc.zip: adhoc.jar: adhoc.chartresizeobserver.js				0	
adhoc.zip: adhoc.jar: adhoc.componentresizeobserver.js				0	
adhoc.zip: adhoc.jar: adhoc.openfiledropzone.js				0	
adhoc.zip: adhoc.jar: adhoc.pageheadertoolbar.js				0	
adhoc.zip: adhoc.jar: adhoc.reportcomponentview.js				0	
adhoc.zip: adhoc.jar: adhoc.reportpropertiesarea.js				0	
adhoc.zip: adhoc.jar: adhoc.reportproperty.js				0	
adhoc.zip: adhoc.jar: adhoc.reportproperty.printconverter.js				0	
adhoc.zip: adhoc.jar: adhoc.reportproperty.renderer.access.js				0	
adhoc.zip: adhoc.jar: adhoc.reportproperty.renderer.boolean.js				0	
adhoc.zip: adhoc.jar: adhoc.reportproperty.renderer.color.js				0	
adhoc.zip: adhoc.jar: adhoc.reportproperty.				0	

[renderer.colorscheme.js](#)

[adhoc.zip: adhoc.jar:
adhoc.reportproperty.
renderer.columns.js](#)

0

[adhoc.zip: adhoc.jar:
adhoc.reportproperty.
renderer.filter.js](#)

0

[adhoc.zip: adhoc.jar:
adhoc.reportproperty.
renderer.image.select.js](#)

0

[adhoc.zip: adhoc.jar:
adhoc.reportproperty.
renderer.logo.js](#)

0

[adhoc.zip: adhoc.jar:
adhoc.reportproperty.
renderer.select.js](#)

0

[adhoc.zip: adhoc.jar:
adhoc.reportproperty.
renderer.slider.js](#)

0

[adhoc.zip: adhoc.jar:
adhoc.reportproperty.
renderer.source.js](#)

0

[adhoc.zip: adhoc.jar:
adhoc.reportproperty.
renderer.templatesource.
js](#)

0

[adhoc.zip: adhoc.jar:
adhoc.reportproperty.
renderer.text.js](#)

0

[adhoc.zip: adhoc.jar:
adhoc.reportview.js](#)

0

[adhoc.zip: adhoc.jar:
adhoc.toolbar.js](#)

0

[adhoc.zip: adhoc.jar:
adhoccontroller.js](#)

0

[adhoc.zip: adhoc.jar:
adhocfactory.js](#)

0

[adhoc.zip: adhoc.jar:
adhocmodel.js](#)

0

[adhoc.zip: adhoc.jar:
configuration.adhoc.
templates.edit.js](#)

0

[adhoc.zip: adhoc.jar:
configuration.adhoc.
templates.js](#)

0

[adhoc.zip: adhoc.jar:
configuration.adhoc.
themes.edit.js](#)

0

[adhoc.zip: adhoc.jar:
configuration.adhoc.
themes.js](#)

0

adhoc.zip: plotly.js-dist-min.jar	cpe:2.3:a:plotly:plotly.js:2.35.2:*.***.***.*	pkg:maven/org.webjars.npm/plotly.js-dist-min@2.35.2		0	High
adhoc.zip: plotly.js-dist-min.jar: package.json				0	
adhoc.zip: plotly.js-dist-min.jar: plotly.min.js				0	
collation.zip: collation.sample.jar				0	
crsetupwizard.zip: crsetupwizard.jar				0	
customformulas.zip: customformulas.sample.jar				0	
datasource.cassandra.zip: config.jar				0	
datasource.cassandra.zip: datasource.cassandra.jar				0	
datasource.cassandra.zip: java-driver-core.jar	cpe:2.3:a:apache:cassandra:4.17.0:*.***.***.*	pkg:maven/com.datastax.oss/java-driver-core@4.17.0		0	Low
datasource.cassandra.zip: java-driver-shaded-guava.jar	cpe:2.3:a:apache:cassandra:25.1:*.***.***.*	pkg:maven/com.datastax.oss/java-driver-shaded-guava@25.1-jre-graal-sub-1		0	Low
datasource.cassandra.zip: native-protocol.jar		pkg:maven/com.datastax.oss/native-protocol@1.5.1		0	
datasource.cassandra.zip: netty-common.jar (shaded: org.jctools:jctools-core:4.0.5)		pkg:maven/org.jctools/jctools-core@4.0.5		0	
datasource.cassandra.zip: netty-transport.jar	cpe:2.3:a:netty:netty:4.1.118:*.***.***.*	pkg:maven/io.netty/netty-transport@4.1.118.Final		0	Highest
datasource.mongodb.zip: datasource.mongodb.jar				0	
datasource.mongodb.zip: mongo-java-driver.jar	cpe:2.3:a:mongodb:java_driver:3.12.14:*.***.***.*			0	High
datasource.zip: datasource.jar				0	

datasource.zip: datasource.jar: datasources-edit- controller.js				0	
datasource.zip: datasource.jar: datasources-main- controller.js				0	
datasource.zip: datasource.jar: factory.js				0	
datasource.zip: datasource.jar: model.js				0	
datasource.zip: datasource.jar: renderer- permissions.js				0	
datasource.zip: datasource.jar: renderer.js				0	
decoder.svg.zip: batik- anim-inet_patched.jar				0	
decoder.svg.zip: batik- awt-util-inet_patched.jar				0	
decoder.svg.zip: batik- bridge-inet_patched.jar				0	
decoder.svg.zip: batik- codec-inet_patched.jar				0	
decoder.svg.zip: batik- constants-inet_patched.jar				0	
decoder.svg.zip: batik- css-inet_patched.jar				0	
decoder.svg.zip: batik- dom-inet_patched.jar				0	
decoder.svg.zip: batik-ext- inet_patched.jar				0	
decoder.svg.zip: batik- extension-inet_patched.jar				0	
decoder.svg.zip: batik-gui- util-inet_patched.jar				0	
decoder.svg.zip: batik-gvt- inet_patched.jar				0	
decoder.svg.zip: batik- i18n-inet_patched.jar	cpe:2.3:a:inet:inet:18:*: *****			0	High
decoder.svg.zip: batik- parser-inet_patched.jar				0	
decoder.svg.zip: batik- script-inet_patched.jar				0	
decoder.svg.zip: batik- slideshow-inet_patched. jar				0	

decoder.svg.zip: batik-svg-dom-inet_patched.jar				0	
decoder.svg.zip: batik-svggen-inet_patched.jar				0	
decoder.svg.zip: batik-svgpp-inet_patched.jar				0	
decoder.svg.zip: batik-swing-inet_patched.jar				0	
decoder.svg.zip: batik-transcoder-inet_patched.jar				0	
decoder.svg.zip: batik-ttf2svg-inet_patched.jar	cpe:2.3:a:inet:inet:2:*:*:*:*:*			0	High
decoder.svg.zip: batik-util-inet_patched.jar				0	
decoder.svg.zip: batik-xml-inet_patched.jar				0	
decoder.svg.zip: decoder.svg.jar				0	
decoder.svg.zip: jsvg.jar				0	
decoder.svg.zip: xml-apis-ext.jar				0	
decoder.svg.zip: xmlgraphics-commons.jar	cpe:2.3:a:apache:xmlgraphics_commons:2.7:*:*:*:*:*			0	Low
designer.zip: CCGuiLib.jar				0	
designer.zip: JnlpDesigner.jar				0	
designer.zip: SBSTutorial.jar				0	
designer.zip: TableLayout.jar				0	
designer.zip: designer.jar				0	
designer.zip: designer.jar: app.js				0	
designer.zip: designer.jar: opendesignerextension.js				0	
designer.zip: designer.jar: remotedesigner.js				0	
designer.zip: inetswingcore.jar				0	
diagnostics.reporting.zip: diagnostics.reporting.jar				0	
diagnostics.reporting.zip: diagnostics.reporting.jar: connectionPool.js				0	

diagnostics.reporting.zip: diagnostics.reporting.jar: reportcache.js				0	
diagnostics.reporting.zip: diagnostics.reporting.jar: server-datasource.js				0	
enginefactory.zip: enginefactory.sample.jar				0	
facturx.zip: Saxon-HE.jar				0	
facturx.zip: facturx.jar				0	
facturx.zip: istack- commons-runtime.jar		pkg:maven /com.sun. istack/istack- commons- runtime@4.2.0		0	
facturx.zip: jakarta. activation-api.jar		pkg:maven /jakarta. activation /jakarta. activation- api@2.1.2		0	
facturx.zip: jakarta.xml. bind-api.jar		pkg:maven /jakarta.xml. bind/jakarta. xml.bind- api@4.0.2		0	
facturx.zip: jaxb-core.jar		pkg:maven /org.glassfish. jaxb/jaxb- core@4.0.5		0	
facturx.zip: jaxb-runtime. jar		pkg:maven /org.glassfish. jaxb/jaxb- runtime@4.0.5		0	
facturx.zip: ph-collection. jar		pkg:maven /com.helger. commons/ph- collection@11. 1.11		0	
facturx.zip: ph-commons. jar		pkg:maven /com.helger. commons/ph- commons@11. 1.11		0	
facturx.zip: ph-jaxb.jar		pkg:maven /com.helger. commons/ph- jaxb@11.1.11		0	
facturx.zip: ph- schematron-api.jar		pkg:maven /com.helger. schematron /ph- schematron- api@8.0.5		0	
facturx.zip: ph-		pkg:maven		0	

schematron-pure.jar		/com.helger.schematron/ph-schematron-pure@8.0.5			
facturx.zip: ph-schematron-schxslt.jar		pkg:maven/com.helger.schematron/ph-schematron-schxslt@8.0.5		0	
facturx.zip: ph-schematron-validator.jar		pkg:maven/com.helger.schematron/ph-schematron-validator@8.0.5		0	
facturx.zip: ph-schematron-xslt.jar		pkg:maven/com.helger.schematron/ph-schematron-xslt@8.0.5		0	
facturx.zip: ph-xml.jar		pkg:maven/com.helger.commons/ph-xml@11.1.11		0	
facturx.zip: ph-xsds-xml.jar		pkg:maven/com.helger.xsd/ph-xsds-xml@3.0.0		0	
facturx.zip: txw2.jar		pkg:maven/org.glassfish.jaxb/txw2@4.0.5		0	
facturx.zip: xmlresolver.jar				0	
hamcrest-3.0.jar		pkg:maven/org.hamcrest/hamcrest@3.0		0	
htmlviewer.printpdf.zip: extension.js				0	
htmlviewer.printpdf.zip: htmlviewer.printpdf.sample.jar				0	
htmlviewer.printpdf.zip: htmlviewer.printpdf.sample.jar: extension.js				0	
htmlviewer.toolbar.zip: htmlviewer.toolbar.jar				0	
htmlviewer.toolbar.zip: htmlviewer.toolbar.jar: htmlviewer.angular.js				0	
htmlviewerextension.zip:				0	

extension.js					
htmlviewerextension.zip: htmlviewerextension. sample.jar				0	
htmlviewerextension.zip: htmlviewerextension. sample.jar: extension.js				0	
inetcore-25.4-tools.jar		pkg:maven /shared /inetcore@25. 4		0	
inetcore-25.4.jar (shaded: com.inet.shared:inetcore: null)				0	
inetcore-25.4.jar		pkg:maven /shared /inetcore@25. 4		0	
java-21-jre-x64-linux.tar. gz: java-21-jre-x64-linux. tar: jrt-fs.jar	cpe:2.3:a:eclipse: platform:21.0.6:*:*:*:*: *:* .*			0	Medium
jlessc-1.12.jar		pkg:maven/de. inetsoftware /jlessc@1.12		0	
junit-4.13.2.jar	cpe:2.3:a:junit:junit4: 4.13.2:*:*:*:*:*	pkg:maven /junit/junit@4. 13.2		0	Highest
junit-jupiter-5.11.4.jar		pkg:maven /org.junit. jupiter/junit- jupiter@5.11.4		0	
junit-jupiter-api-5.11.4.jar		pkg:maven /org.junit. jupiter/junit- jupiter-api@5. 11.4		0	
junit-jupiter-engine-5.11.4. jar		pkg:maven /org.junit. jupiter/junit- jupiter- engine@5. 11.4		0	
junit-jupiter-params- 5.11.4.jar		pkg:maven /org.junit. jupiter/junit- jupiter- params@5. 11.4		0	
junit-platform-commons- 1.11.4.jar		pkg:maven /org.junit. platform/junit- platform- commons@1. 11.4		0	
junit-platform-engine-		pkg:maven		0	

1.11.4.jar		/org.junit.platform/junit-platform-engine@1.11.4			
junit-platform-launcher-1.11.4.jar		pkg:maven/org.junit.platform/junit-platform-launcher@1.11.4		0	
junit-platform-suite-1.11.4.jar		pkg:maven/org.junit.platform/junit-platform-suite@1.11.4		0	
junit-platform-suite-api-1.11.4.jar		pkg:maven/org.junit.platform/junit-platform-suite-api@1.11.4		0	
junit-platform-suite-commons-1.11.4.jar		pkg:maven/org.junit.platform/junit-platform-suite-commons@1.11.4		0	
junit-platform-suite-engine-1.11.4.jar		pkg:maven/org.junit.platform/junit-platform-suite-engine@1.11.4		0	
junit-vintage-engine-5.11.4.jar		pkg:maven/org.junit.vintage/junit-vintage-engine@5.11.4		0	
maintenance.reporting.zip: maintenance.reporting.jar				0	
opentest4j-1.3.0.jar		pkg:maven/org.opentest4j/opentest4j@1.3.0		0	
pdfviewer.zip: pdfjs-dist.jar		pkg:maven/org.webjars/npm/pdfjs-dist@4.9.155		0	
pdfviewer.zip: pdfjs-dist.jar: package.json				0	
pdfviewer.zip: pdfviewer.jar				0	
pdfviewer.zip: pdfviewer.jar: drive.js				0	

pdfviewer.zip: pdfviewer.jar: pdfviewer.angular.js				0	
pdfviewer.zip: pdfviewer.jar: pdfviewer.embedded.js				0	
pdfviewer.zip: pdfviewer.jar: pdfviewer.factory.js				0	
pdfviewer.zip: pdfviewer.jar: pdfviewer.model.js				0	
pdfviewer.zip: pdfviewer.jar: pdfviewer.renderer.js				0	
pdfviewer.zip: pdfviewer.jar: pdfviewer.reporting.js				0	
processbridge.reporting.zip: processbridge.reporting.jar				0	
promptdialog.zip: promptdialog.jar				0	
promptdialog.zip: promptdialog.jar: promptcontroller.js				0	
promptdialog.zip: promptdialog.jar: promptcustomrenderer.js				0	
promptdialog.zip: promptdialog.jar: promptfactory.js				0	
promptdialog.zip: promptdialog.jar: promptpanel.js				0	
promptdialog.zip: promptdialog.jar: promptrenderer.js				0	
propertieschecker.zip: propertieschecker.sample.jar				0	
remoteprinting.zip: remoteprinting.jar				0	
remoteprinting.zip: remoteprinting.jar: RemotePrintingRenderer.js				0	
remoteprinting.zip: remoteprinting.jar: app.js				0	
remoteprinting.zip: remoteprinting.jar: htmlviewer.js				0	
remoteprinting.zip: remoteprinting.jar: pdfviewer.angular.js				0	

remoteprinting.zip: remoteprinting.jar: remoteprinting.factory.js				0	
remoteprinting.zip: remoteprinting.jar: remoteprinting.js				0	
remoteprinting.zip: remoteprinting.jar: remoteprinting.model.js				0	
remoteprinting.zip: remoteprinting.jar: remoteprinting.renderer.js				0	
reporting.zip: jcommon.jar		pkg:maven/org.jfree/jcommon@1.0.24		0	
reporting.zip: jfreechartCC.jar				0	
reporting.zip: reporting-javadoc.jar				0	
reporting.zip: reporting-javadoc.jar: member-search-index.js				0	
reporting.zip: reporting-javadoc.jar: package-search-index.js				0	
reporting.zip: reporting-javadoc.jar: tag-search-index.js				0	
reporting.zip: reporting-javadoc.jar: type-search-index.js				0	
reporting.zip: reporting.jar				0	
reporting.zip: reporting.jar: events.js				0	
reporting.zip: reporting.jar: export.js				0	
reporting.zip: reporting.jar: functions.js				0	
reporting.zip: reporting.jar: generator.js				0	
reporting.zip: reporting.jar: grouptree.js				0	
reporting.zip: reporting.jar: htmlreportextension.js				0	
reporting.zip: reporting.jar: jstorage.js				0	
reporting.zip: reporting.jar: keylistener.js				0	

reporting.zip: reporting.jar: menubar.js				0	
reporting.zip: reporting.jar: page.js				0	
reporting.zip: reporting.jar: pagecount.js				0	
reporting.zip: reporting.jar: popup.js				0	
reporting.zip: reporting.jar: print.js				0	
reporting.zip: reporting.jar: prompts.js				0	
reporting.zip: reporting.jar: prototype.array.js				0	
reporting.zip: reporting.jar: prototype.element.js				0	
reporting.zip: reporting.jar: prototype.string.js				0	
reporting.zip: reporting.jar: renderreportextension.js				0	
reporting.zip: reporting.jar: reorder.js				0	
reporting.zip: reporting.jar: report.export.js				0	
reporting.zip: reporting.jar: report.exportdialog.controller.js				0	
reporting.zip: reporting.jar: report.exportdialog.service.js				0	
reporting.zip: reporting.jar: report.exportframe.js				0	
reporting.zip: reporting.jar: script.js				0	
reporting.zip: reporting.jar: search.js				0	
reporting.zip: reporting.jar: serverping.js				0	
reporting.zip: reporting.jar: stacktrace.js				0	
reporting.zip: reporting.jar: tabbar.js				0	
sampledatabase.zip: sampledatabase.jar				0	
sampledatabase.zip: smallsql.jar				0	

samplereports.zip: samplereports.jar				0	
sessiondatasource.zip: sessiondatasource. sample.jar				0	
slf4j-api-2.0.16.jar		pkg:maven/org.slf4j/slf4j-api@2.0.16		0	
statistics.reporting.zip: statistics.reporting.jar				0	
taskplanner.reporting.zip: taskplanner.reporting-javadoc.jar				0	
taskplanner.reporting.zip: taskplanner.reporting-javadoc.jar: member-search-index.js				0	
taskplanner.reporting.zip: taskplanner.reporting-javadoc.jar: package-search-index.js				0	
taskplanner.reporting.zip: taskplanner.reporting-javadoc.jar: tag-search-index.js				0	
taskplanner.reporting.zip: taskplanner.reporting-javadoc.jar: type-search-index.js				0	
taskplanner.reporting.zip: taskplanner.reporting.jar				0	
taskplanner.reporting.zip: taskplanner.reporting.jar: crttaskplanner.js				0	

Dependencies (vulnerable)

Merlia-0.jar

File Path: /home/jenkins/.gradle/caches/modules-2/files-2.1/lib/Merlia/0/e4af937135679cc07f99529ee7ca127519bd3a06/Merlia-0.jar
MD5: 3eb81fb3cc977f1a3eb1fb26b2b38666
SHA1: e4af937135679cc07f99529ee7ca127519bd3a06
SHA256: b1d1878d936c27b010e6f3c123d8d7f2f7f6960a53e5b01b1b1c3d104c29b0a8
Referenced In Project/Scope: designer-installer:inetPlugin
Included by: pkg:maven/clear-reports/designer-installer@25.4

Evidence

Type	Source	Name	Value	Confidence
Vendor	file	name	Merlia-0	High

Vendor	gradle	artifactid	Merlia	Highest
Vendor	gradle	groupid	lib	Highest
Vendor	jar	package name	inet	Low
Vendor	jar	package name	tds	Low
Product	file	name	Merlia-0	High
Product	gradle	artifactid	Merlia	Highest
Product	jar	package name	tds	Low
Version	file	name	Merlia-0	Medium
Version	file	version	0	Medium
Version	gradle	version	0	Highest
Version	Manifest	driver-version	8.13	Medium

Identifiers

- [pkg:maven/lib/Merlia@0](#) (*Confidence*:Highest)

ReportViewer.jar

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/designer/build/tmp/dependencies/i-net Clear Reports Designer/plugins/ReportViewer.jar

MD5: d1a91e0af1f508bd22e17f7549b24925

SHA1: 090dbd0195a6df3e9e8ab1e1f0d6c2620afbd298

SHA256: 99efa2e28024b5ad068217593c297c158d99fe72a6ccaf326e57cbfe72895bb6

Referenced In Project/Scope: designer-installer

Evidence +

Type	Source	Name	Value	Confidence
Vendor	file	name	ReportViewer	High
Vendor	jar	package name	i	Highest
Vendor	jar	package name	inet	Low
Vendor	jar	package name	viewer	Low
Vendor	Manifest	application-library-allowable-codebase	*	Low
Vendor	Manifest	application-name	i-net Clear Reports	Medium
Vendor	Manifest	built-date	2025-04-03 18:58	Low

Vendor	Manifest	codebase	*	Low
Vendor	Manifest	implementation-group	reporting	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	permissions	all-permissions	Low
Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	trusted-library	false	Low
Vendor	Manifest	trusted-only	false	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	ReportViewer	High
Product	jar	package name	i	Highest
Product	jar	package name	reportviewer	Highest
Product	jar	package name	viewer	Low
Product	Manifest	application-library-allowable-codebase	*	Low
Product	Manifest	application-name	i-net Clear Reports	Medium
Product	Manifest	built-date	2025-04-03 18:58	Low
Product	Manifest	codebase	*	Low
Product	Manifest	implementation-group	reporting	Low
Product	Manifest	Implementation-Title	ReportViewer	High
Product	Manifest	permissions	all-permissions	Low
Product	Manifest	specification-title	ReportViewer	Medium
Product	Manifest	trusted-library	false	Low
Product	Manifest	trusted-only	false	Low
Version	Manifest	Implementation-Version	25.4.199	High

Identifiers

- [cpe:2.3:a:inetsoftware:clear_reports:25.4.199:*:*:*:*:*](#) (*Confidence:Medium*)

suppress

- [cpe:2.3:a:inetsoftware:i-net_clear_reports:25.4.199:*:*:*:*:*](#) (Confidence:Medium)
- suppress

adhoc.zip: adhoc-javadoc.jar

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/designer/build/tmp/dependencies/i-net Clear Reports Designer/plugins/adhoc.zip/adhoc-javadoc.jar
MD5: 4de3cc70ea84fc23d27c41b9b672906b
SHA1: d605dcfd7e741c06e70182d4d4ecb09616edd500
SHA256: af1eb9f87eae185662c757f6f5530e3ece642ccc420184abe65442ea1c28375b
Referenced In Project/Scope: designer-installer

Evidence

Type	Source	Name	Value	Confidence
Vendor	file	name	adhoc-javadoc	High
Product	file	name	adhoc-javadoc	High

Identifiers

- None

adhoc.zip: adhoc-javadoc.jar: jquery-3.6.1.min.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/designer/build/tmp/dependencies/i-net Clear Reports Designer/plugins/adhoc.zip/adhoc-javadoc.jar/script-dir/jquery-3.6.1.min.js
MD5: 00727d1d5d9c90f7de826f1a4a9cc632
SHA1: ea61688671d0c3044f2c5b2f2c4af0a6620ac6c2
SHA256: a3cf00c109d907e543bc4f6dbc85eb31068f94515251347e9e57509b52ee3d74
Referenced In Project/Scope: designer-installer

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies

- reporting.zip: reporting-javadoc.jar: jquery-3.6.1.min.js

- File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/designer/build/tmp/dependencies/i-net Clear Reports Designer/plugins/reporting.zip/reporting-javadoc.jar/script-dir/jquery-3.6.1.min.js
- MD5: 00727d1d5d9c90f7de826f1a4a9cc632
- SHA1: ea61688671d0c3044f2c5b2f2c4af0a6620ac6c2
- SHA256: a3cf00c109d907e543bc4f6dbc85eb31068f94515251347e9e57509b52ee3d74
- taskplanner.reporting.zip: taskplanner.reporting-javadoc.jar: jquery-3.6.1.min.js
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/designer/build/tmp/dependencies/i-net Clear Reports Designer/plugins/taskplanner.reporting.zip/taskplanner.reporting-javadoc.jar/script-dir/jquery-3.6.1.min.js
 - MD5: 00727d1d5d9c90f7de826f1a4a9cc632
 - SHA1: ea61688671d0c3044f2c5b2f2c4af0a6620ac6c2
 - SHA256: a3cf00c109d907e543bc4f6dbc85eb31068f94515251347e9e57509b52ee3d74

Identifiers

- None

adhoc.zip: adhoc-javadoc.jar: jquery-ui.min.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/designer/build/tmp/dependencies/i-net Clear Reports Designer/plugins/adhoc.zip/adhoc-javadoc.jar/script-dir/jquery-ui.min.js

MD5: 32059df39c14a910ccc2325f6a3cd62f

SHA1: d3289f1b527a3f054d303ec769402e037fbfcf4b

SHA256: 672f278182cdf04f3c62a5b8d93f406791854a28791f27aecdb9981573c61424

Referenced In Project/Scope: designer-installer

Evidence

Type	Source	Name	Value	Confidence
Vendor	file	name	jquery-ui	High
Product	file	name	jquery-ui	High
Version	file	version	1.13.1	High

Related Dependencies

- reporting.zip: reporting-javadoc.jar: jquery-ui.min.js
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/designer/build/tmp/dependencies/i-net Clear Reports Designer/plugins/reporting.zip/reporting-javadoc.jar/script-dir/jquery-ui.min.js
 - MD5: 32059df39c14a910ccc2325f6a3cd62f
 - SHA1: d3289f1b527a3f054d303ec769402e037fbfcf4b
 - SHA256: 672f278182cdf04f3c62a5b8d93f406791854a28791f27aecdb9981573c61424
 - [pkg:javascript/jquery-ui@1.13.1](#)
- taskplanner.reporting.zip: taskplanner.reporting-javadoc.jar: jquery-ui.min.js
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/designer/build/tmp/dependencies/i-net Clear Reports

Designer/plugins/taskplanner.reporting.zip/taskplanner.reporting-javadoc.jar/script-dir/jquery-ui.min.js

- MD5: 32059df39c14a910ccc2325f6a3cd62f
- SHA1: d3289f1b527a3f054d303ec769402e037fbcf4b
- SHA256: 672f278182cdf04f3c62a5b8d93f406791854a28791f27aecdb9981573c61424
- [pkg:javascript/jquery-ui@1.13.1](#)

Identifiers

- [pkg:javascript/jquery-ui@1.13.1](#) (*Confidence: Highest*)

adhoc.zip: adhoc-javadoc.jar: member-search-index.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/designer/build/tmp/dependencies/i-net Clear Reports Designer/plugins/adhoc.zip/adhoc-javadoc.jar/member-search-index.js

MD5: b236367ec1f2be0cb8e504a891078a8e

SHA1: cb4ed3a1090c013aa2bc1639d7dfb901b3c246bf

SHA256: e06db9a25a52d9ed9f9c75b2c83f55a1f292d5bbcd7bee7d485fe9fd9cc1d88b

Referenced In Project/Scope: designer-installer

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

adhoc.zip: adhoc-javadoc.jar: module-search-index.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/designer/build/tmp/dependencies/i-net Clear Reports Designer/plugins/adhoc.zip/adhoc-javadoc.jar/module-search-index.js

MD5: a33da0f469acbd03f77bf407bac505f5

SHA1: 1e996ce630c6e1ada3ea86d7b71dabca0180f8e8

SHA256: 814a05983e3267d591c7e62b314eb8eb0504eee844c8a70d494f6edbaa0f4f18

Referenced In Project/Scope: designer-installer

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies



- reporting.zip: reporting-javadoc.jar: module-search-index.js
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/designer/build/tmp/dependencies/i-net Clear Reports Designer/plugins/reporting.zip/reporting-javadoc.jar/module-search-index.js
 - MD5: a33da0f469acbd03f77bf407bac505f5
 - SHA1: 1e996ce630c6e1ada3ea86d7b71dabca0180f8e8
 - SHA256: 814a05983e3267d591c7e62b314eb8eb0504eee844c8a70d494f6edbaa0f4f18
- taskplanner.reporting.zip: taskplanner.reporting-javadoc.jar: module-search-index.js
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/designer/build/tmp/dependencies/i-net Clear Reports Designer/plugins/taskplanner.reporting.zip/taskplanner.reporting-javadoc.jar/module-search-index.js
 - MD5: a33da0f469acbd03f77bf407bac505f5
 - SHA1: 1e996ce630c6e1ada3ea86d7b71dabca0180f8e8
 - SHA256: 814a05983e3267d591c7e62b314eb8eb0504eee844c8a70d494f6edbaa0f4f18

Identifiers

- None

adhoc.zip: adhoc-javadoc.jar: package-search-index.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/designer/build/tmp/dependencies/i-net Clear Reports Designer/plugins/adhoc.zip/adhoc-javadoc.jar/package-search-index.js

MD5: 72930d5c343f38077600ffa27efeda01

SHA1: 8ccb545110ab8534e96352413199783e0629dc33

SHA256: e9bafef568a38ad9f6e7a8148be5353713a583e6d1cea74cb6374c5e3549538e

Referenced In Project/Scope: designer-installer

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

adhoc.zip: adhoc-javadoc.jar: script.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/designer/build/tmp/dependencies/i-net Clear Reports Designer/plugins/adhoc.zip/adhoc-javadoc.jar/script.js

js

MD5: baf9d9e16237acbdce975a33c54ee8ae

SHA1: cc6a3c8d72f17eff0d613ddfcf7c1095535573f7

SHA256: 9a027b197c6b3b44c4952797b2eb0477318a03093a5bbad089e12959e562b975

Referenced In Project/Scope: designer-installer

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies



- reporting.zip: reporting-javadoc.jar: script.js
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/designer/build/tmp/dependencies/i-net Clear Reports Designer/plugins/reporting.zip/reporting-javadoc.jar/script.js
 - MD5: baf9d9e16237acbdce975a33c54ee8ae
 - SHA1: cc6a3c8d72f17eff0d613ddfcf7c1095535573f7
 - SHA256: 9a027b197c6b3b44c4952797b2eb0477318a03093a5bbad089e12959e562b975
- taskplanner.reporting.zip: taskplanner.reporting-javadoc.jar: script.js
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/designer/build/tmp/dependencies/i-net Clear Reports Designer/plugins/taskplanner.reporting.zip/taskplanner.reporting-javadoc.jar/script.js
 - MD5: baf9d9e16237acbdce975a33c54ee8ae
 - SHA1: cc6a3c8d72f17eff0d613ddfcf7c1095535573f7
 - SHA256: 9a027b197c6b3b44c4952797b2eb0477318a03093a5bbad089e12959e562b975

Identifiers

- None

adhoc.zip: adhoc-javadoc.jar: search.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/designer/build/tmp/dependencies/i-net Clear Reports Designer/plugins/adhoc.zip/adhoc-javadoc.jar/search.js

MD5: cb277f670590ffec20a12745260518dc

SHA1: 4b222ef8d1c52e1ce5ceb40a3b5c1fb9cad01eca

SHA256: 47c74de257f7e407a21e5d22519b664cfa1c83d04c362bff466c8424b702d31f

Referenced In Project/Scope: designer-installer

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies



- reporting.zip: reporting-javadoc.jar: search.js
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/designer/build/tmp/dependencies/i-net Clear Reports Designer/plugins/reporting.zip/reporting-javadoc.jar/search.js
 - MD5: cb277f670590ffec20a12745260518dc
 - SHA1: 4b222ef8d1c52e1ce5ceb40a3b5c1fb9cad01eca
 - SHA256: 47c74de257f7e407a21e5d22519b664cfa1c83d04c362bff466c8424b702d31f
- taskplanner.reporting.zip: taskplanner.reporting-javadoc.jar: search.js
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/designer/build/tmp/dependencies/i-net Clear Reports Designer/plugins/taskplanner.reporting.zip/taskplanner.reporting-javadoc.jar/search.js
 - MD5: cb277f670590ffec20a12745260518dc
 - SHA1: 4b222ef8d1c52e1ce5ceb40a3b5c1fb9cad01eca
 - SHA256: 47c74de257f7e407a21e5d22519b664cfa1c83d04c362bff466c8424b702d31f

Identifiers

- None

adhoc.zip: adhoc-javadoc.jar: tag-search-index.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/designer/build/tmp/dependencies/i-net Clear Reports Designer/plugins/adhoc.zip/adhoc-javadoc.jar/tag-search-index.js

MD5: acda0a4d961a2dbb052cf81694d1c50b

SHA1: 4853e0d2a022b5098359e59d740952ee1e187c04

SHA256: 4394bc27c97d0c9018c2fb763bfc045db14433b160e3c1fec16795d1d1967aaf

Referenced In Project/Scope: designer-installer

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

adhoc.zip: adhoc-javadoc.jar: type-search-index.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/designer/build/tmp/dependencies/i-net Clear Reports Designer/plugins/adhoc.zip/adhoc-javadoc.jar/type-search-index.js

MD5: ad309ca1fb460a1c329f6cf6e454508c

SHA1: 97fb5b5d5f6b14ef002e4185b77b279fa74a1c06
SHA256:f26ee6801b8e79ca15ecccea5c7f05c44c7c91842c524115f516aab34475b070
Referenced In Project/Scope: designer-installer

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

adhoc.zip: adhoc.jar

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller /designer/build/tmp/dependencies/i-net Clear Reports Designer/plugins/adhoc.zip/adhoc.jar
MD5: 11ed91548dc1467e96cde93bc43b375c
SHA1: 31d21a58f7c7a99ed2fde41d23766167734568e4
SHA256:31645a2d81654178346e753223c112bb25de8291438af78808d1df8a788edb53
Referenced In Project/Scope: designer-installer

Evidence +

Type	Source	Name	Value	Confidence
Vendor	file	name	adhoc	High
Vendor	jar	package name	adhoc	Low
Vendor	jar	package name	inet	Low
Vendor	jar	package name	report	Low
Vendor	Manifest	built-date	2025-04-03 19:22	Low
Vendor	Manifest	implementation-group	reporting	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	adhoc	High
Product	jar	package name	adhoc	Highest
Product	jar	package name	adhoc	Low

Product	jar	package name	report	Low
Product	jar	package name	server	Low
Product	Manifest	built-date	2025-04-03 19:22	Low
Product	Manifest	implementation-group	reporting	Low
Product	Manifest	Implementation-Title	adhoc	High
Product	Manifest	specification-title	adhoc	Medium
Version	Manifest	Implementation-Version	25.4.199	High

Identifiers

- None

adhoc.zip: adhoc.jar: adhoc.chartresizeobserver.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/designer/build/tmp/dependencies/i-net Clear Reports Designer/plugins/adhoc.zip/adhoc.jar/com/inet/report/adhoc/webgui/js/adhoc.chartresizeobserver.js

MD5: 56d4ef60578cd0568fe73883d5e6f3a0

SHA1: bc65cc02e9aec7e8dfd581eec87f0fa026813e2

SHA256: 6eec3f437aa616acd4b089284ec26d8e22e6b6ae5da0e8574b34f3cabbceb517

Referenced In Project/Scope: designer-installer

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

adhoc.zip: adhoc.jar: adhoc.componentresizeobserver.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/designer/build/tmp/dependencies/i-net Clear Reports Designer/plugins/adhoc.zip/adhoc.jar/com/inet/report/adhoc/webgui/js/adhoc.componentresizeobserver.js

MD5: e456cb79474b1658f85e888026638cc9

SHA1: 8a3dbb6395ed6bfd0daabd706cc3eff68b69db88

SHA256:9dd8d55582f0fcc3da01c52225fdf9feb0a013053e7fe284a05e02a529bec7
Referenced In Project/Scope: designer-installer

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

adhoc.zip: adhoc.jar: adhoc.openfiledropzone.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/designer/build/tmp/dependencies/i-net Clear Reports Designer/plugins/adhoc.zip/adhoc.jar/com/inet/report/adhoc/webgui/js/adhoc.openfiledropzone.js
MD5: 987174ce85969a6f059c3e514f02c259
SHA1: c7742e3dca3e8ecf4f19c13997b072c7cccd9936
SHA256:025f0e40eca6d1be38512b70eedd85d602670d08b864b8791c643680b50a212d
Referenced In Project/Scope: designer-installer

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

adhoc.zip: adhoc.jar: adhoc.pageheadertoolbar.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/designer/build/tmp/dependencies/i-net Clear Reports Designer/plugins/adhoc.zip/adhoc.jar/com/inet/report/adhoc/webgui/js/adhoc.pageheadertoolbar.js
MD5: 3db0f95df6f62025ca4806507d4f0f43
SHA1: fbe797943666cf95d624757a2fd20061ad8a46ec
SHA256:52b002248c5ee906fffd1d9dcbde2fbd9879ae541cb6ecbec575fa6d0c20213b
Referenced In Project/Scope: designer-installer

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

adhoc.zip: adhoc.jar: adhoc.reportcomponentview.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/designer/build/tmp/dependencies/i-net Clear Reports Designer/plugins/adhoc.zip/adhoc.jar/com/inet/report/adhoc/webgui/js/adhoc.reportcomponentview.js

MD5: db162d12aace7dafbcc89df92a7d9d99

SHA1: d5bad232e6d7bebf7f98d6d99c7ba0e8cdd1d77e

SHA256: 97af9f3fac4fb8bf599abe67b6fc670f9f77911f4d8c3aedc43e5750065efe5d

Referenced In Project/Scope: designer-installer

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

adhoc.zip: adhoc.jar: adhoc.reportpropertiesarea.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/designer/build/tmp/dependencies/i-net Clear Reports Designer/plugins/adhoc.zip/adhoc.jar/com/inet/report/adhoc/webgui/js/adhoc.reportpropertiesarea.js

MD5: 66e39cbb1c1a68f71d5d8644b757ce94

SHA1: 267aed374d6ed69510ce8dfa22e53514c0b37ba7

SHA256: 9fd5b15728af631f2004b4ddd85943bcaa2978c9c2601626b8daba6a02731534

Referenced In Project/Scope: designer-installer

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

adhoc.zip: adhoc.jar: adhoc.reportproperty.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/designer/build/tmp/dependencies/i-net Clear Reports Designer/plugins/adhoc.zip/adhoc.jar/com/inet/report/adhoc/webgui/js/adhoc.reportproperty.js
MD5: b983a3cfd912512fbc60090e89711a79
SHA1: 5ee3a9659326fa2c537a989847992beeba94a732
SHA256: a990433c893aab0121361a967244ca651adabdd7fcc466c6fe7aa0b929241fff
Referenced In Project/Scope: designer-installer

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

adhoc.zip: adhoc.jar: adhoc.reportproperty.printconverter.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/designer/build/tmp/dependencies/i-net Clear Reports Designer/plugins/adhoc.zip/adhoc.jar/com/inet/report/adhoc/webgui/js/adhoc.reportproperty.printconverter.js
MD5: 13dffcedaf67f26c047bc0835dc89a1e
SHA1: cfccca717413b754d4743b36586f9ddad57eefe7
SHA256: 033edbde2566728a88115e640e855f221739acb6655930f7204a35f8fec490f0
Referenced In Project/Scope: designer-installer

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

adhoc.zip: adhoc.jar: adhoc.reportproperty.renderer.access.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/designer/build/tmp/dependencies/i-net Clear Reports Designer/plugins/adhoc.zip/adhoc.jar/com/inet/report/adhoc/webgui/js/adhoc.reportproperty.renderer.access.js
MD5: 3c3cc1f827d6dbcf0ac4c5a51c4ab89f
SHA1: 67d3370998c83d720424474dfd3fcc1fa772148c
SHA256: 0482946023e643fb686feffd6a17471305f135f4c37bc5dc4b425b5c16e237cd
Referenced In Project/Scope: designer-installer

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

adhoc.zip: adhoc.jar: adhoc.reportproperty.renderer.boolean.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/designer/build/tmp/dependencies/i-net Clear Reports Designer/plugins/adhoc.zip/adhoc.jar/com/inet/report/adhoc/webgui/js/adhoc.reportproperty.renderer.boolean.js
MD5: 8dc62791382904705c86dd5b30dd6057
SHA1: 0dd574f611b4a9e778e2eb5d35f6eb053b2ff9b6
SHA256: 92f8f5f2b8ea2dc1144577404450c4a027a3ad58acffe5bc40d148ec60dd1b63
Referenced In Project/Scope: designer-installer

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

adhoc.zip: adhoc.jar: adhoc.reportproperty.renderer.color.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/designer/build/tmp/dependencies/i-net Clear Reports Designer/plugins/adhoc.zip/adhoc.jar/com/inet/report/adhoc/webgui/js/adhoc.reportproperty.renderer.color.js
MD5: 57bb880e05f35d1266a05d8cd42ab23b
SHA1: 3865d3959ace7c0e8df9939bd2491f2caaf7eeae
SHA256: 054ab0edc0c5e1778c1770fee484d0dc431fb605b808b2f7fd3a363ea1349a4b
Referenced In Project/Scope: designer-installer

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

adhoc.zip: adhoc.jar: adhoc.reportproperty.renderer.colorscheme.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/designer/build/tmp/dependencies/i-net Clear Reports Designer/plugins/adhoc.zip/adhoc.jar/com/inet/report/adhoc/webgui/js/adhoc.reportproperty.renderer.colorscheme.js

MD5: bf076d6942b679343e59e02dfbca5c78

SHA1: 44cff0512ae4f820e2b94c42f7bb426714a6dfc9

SHA256: b5db1a6088d0bd4b13feb52ef897b8e1ba664cc81b0394eaf879838a912f0f61

Referenced In Project/Scope: designer-installer

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

adhoc.zip: adhoc.jar: adhoc.reportproperty.renderer.columns.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/designer/build/tmp/dependencies/i-net Clear Reports Designer/plugins/adhoc.zip/adhoc.jar/com/inet/report/adhoc/webgui/js/adhoc.reportproperty.renderer.columns.js

MD5: 4b77d30cb3c9e4386240c057c301e669

SHA1: 661a3a3efab8ecfa276797bf67cdf678f5652139

SHA256: b317c1cb95f288e765cf998efb063f79581c77d13435025be1ceca70c046f84c

Referenced In Project/Scope: designer-installer

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

adhoc.zip: adhoc.jar: adhoc.reportproperty.renderer.filter.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/designer/build/tmp/dependencies/i-net Clear Reports Designer/plugins/adhoc.zip/adhoc.jar/com/inet/report/adhoc/webgui/js/adhoc.reportproperty.renderer.filter.js

MD5: fd8d52d1814c11623d5132de245a9396

SHA1: 7c27ee60029b5c97feb9e64003d9ce122299a0bc

SHA256: 13e91216a58d3dc302c24d00be78aaaae67ff7d99721c211fc8216b11f1398ae

Referenced In Project/Scope: designer-installer

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

adhoc.zip: adhoc.jar: adhoc.reportproperty.renderer.image.select.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/designer/build/tmp/dependencies/i-net Clear Reports Designer/plugins/adhoc.zip/adhoc.jar/com/inet/report/adhoc/webgui/js/adhoc.reportproperty.renderer.image.select.js

MD5: 4e4c9d65d59a92adf877a61a71756393

SHA1: 8e676f076cc14ef4622a8ed65a410e61fd992c1e

SHA256: 584cb6b59493fd20bb1eb9b59c90c84ee9dc61bc078fc61cd2ab2d012e2902c1

Referenced In Project/Scope: designer-installer

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

adhoc.zip: adhoc.jar: adhoc.reportproperty.renderer.logo.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/designer/build/tmp/dependencies/i-net Clear Reports Designer/plugins/adhoc.zip/adhoc.jar/com/inet/report/adhoc/webgui/js/adhoc.reportproperty.renderer.logo.js

MD5: ecaff58fb7d486379c09558c67b6adb4

SHA1: 3e5d9e14b525ca20c60d1ec4ffccfd73fc3dbbf3

SHA256: 8d8650c4d2ddab25549397f8f300bd9323e6676a51ed34b393c801a749f7ca43

Referenced In Project/Scope: designer-installer

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

adhoc.zip: adhoc.jar: adhoc.reportproperty.renderer.select.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/designer/build/tmp/dependencies/i-net Clear Reports Designer/plugins/adhoc.zip/adhoc.jar/com/inet/report/adhoc/webgui/js/adhoc.reportproperty.renderer.select.js

MD5: 0549a79f7b3fb7d1137877c24c712429

SHA1: acc3bc8a50ebda76d8f595e869d14a116302a3b6

SHA256: 84d14666741d8b52e22bc90fb1af53450ae0c4517a60f4e00cee826c6fd1f7fc

Referenced In Project/Scope: designer-installer

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

adhoc.zip: adhoc.jar: adhoc.reportproperty.renderer.slider.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/designer/build/tmp/dependencies/i-net Clear Reports Designer/plugins/adhoc.zip/adhoc.jar/com/inet/report

/adhoc/webgui/js/adhoc.reportproperty.renderer.slider.js

MD5: 4b5d05e2c310201701297eadad19abca

SHA1: c30e2757675ca8316173a36d3c39765226175de2

SHA256: abccfa14c95c8403913d4a9729fd9881a1adc29ca4da9860268a26fd5459550d

Referenced In Project/Scope: designer-installer

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

adhoc.zip: adhoc.jar: adhoc.reportproperty.renderer.source.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller
/designer/build/tmp/dependencies/i-net Clear Reports Designer/plugins/adhoc.zip/adhoc.jar/com/inet/report
/adhoc/webgui/js/adhoc.reportproperty.renderer.source.js

MD5: 25f2e6ddc8931d62b37d641d6635657f

SHA1: 4cfcab19a9eb3121949bb002d8404267517e8a14

SHA256: 9e178435faa292ea1ab15aa3bc967f6d520b8618683ab85fcb9c6ab9422e9c0e

Referenced In Project/Scope: designer-installer

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

adhoc.zip: adhoc.jar: adhoc.reportproperty.renderer.templatesource.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller
/designer/build/tmp/dependencies/i-net Clear Reports Designer/plugins/adhoc.zip/adhoc.jar/com/inet/report
/adhoc/webgui/js/adhoc.reportproperty.renderer.templatesource.js

MD5: 3528a62f71a82a0be2b78f8a64de3497

SHA1: 4029d60d787120027ca739895ee0bb362fc671f6

SHA256: 358a1d431f2ab4433d121b476af854e744d7b1121ed25afe405b59238b041563

Referenced In Project/Scope: designer-installer

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

adhoc.zip: adhoc.jar: adhoc.reportproperty.renderer.text.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/designer/build/tmp/dependencies/i-net Clear Reports Designer/plugins/adhoc.zip/adhoc.jar/com/inet/report/adhoc/webgui/js/adhoc.reportproperty.renderer.text.js

MD5: 63f0e10a167f83195cb68fd0e882fb88

SHA1: cf7819683de9726f187028f9f5a632f264796467

SHA256:2b9e194cb44834c7f9a47202dd485f5be9eff7103a8f28fc52bde01c7eb685c8

Referenced In Project/Scope: designer-installer

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

adhoc.zip: adhoc.jar: adhoc.reportview.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/designer/build/tmp/dependencies/i-net Clear Reports Designer/plugins/adhoc.zip/adhoc.jar/com/inet/report/adhoc/webgui/js/adhoc.reportview.js

MD5: cd8aa6814055a62d9e3b8f8afdccbcd9

SHA1: 80f3e0e6c53b6cec04e3bbe918f39cd62b3f3100

SHA256:30458b766ec67d55633a658ff581cf75c6f374a09f0b46f67573755eb980a3b8

Referenced In Project/Scope: designer-installer

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

adhoc.zip: adhoc.jar: adhoc.toolbar.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/designer/build/tmp/dependencies/i-net Clear Reports Designer/plugins/adhoc.zip/adhoc.jar/com/inet/report/adhoc/webgui/js/adhoc.toolbar.js

MD5: 6c3017fcfef9bafef9a95f4ecab24c32

SHA1: 2f5dbc45ba9b52267f67eb5744e6da57890fa036

SHA256: 6c7905bd8193e3bcba2911c9588b6391d9fbd2d2234e8a7fcbaee96dddca34a0

Referenced In Project/Scope: designer-installer

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

adhoc.zip: adhoc.jar: adhoccontroller.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/designer/build/tmp/dependencies/i-net Clear Reports Designer/plugins/adhoc.zip/adhoc.jar/com/inet/report/adhoc/webgui/js/adhoccontroller.js

MD5: 4ad7d7f2fd240bc7c58595858f7eb0fc

SHA1: 9da3d248b9a46b164281eb82287ea775de10d838

SHA256: 1102bef0ee130496707ef5afd32ed63d2e8b8fa6c6e2db4ac83b946d2ba2fe82

Referenced In Project/Scope: designer-installer

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

adhoc.zip: adhoc.jar: adhocfactory.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/designer/build/tmp/dependencies/i-net Clear Reports Designer/plugins/adhoc.zip/adhoc.jar/com/inet/report/adhoc/webgui/js/adhocfactory.js

MD5: 22ac11591e77f2e9a676371558ecbe53

SHA1: 81ef4838e6f1a98e230dbe3adf5d14a470a43022

SHA256: 9d5f7ef31815155c7a4d17e95578315b0d20df37764ea3d7f77c31effeb2de68

Referenced In Project/Scope: designer-installer

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

adhoc.zip: adhoc.jar: adhocmodel.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/designer/build/tmp/dependencies/i-net Clear Reports Designer/plugins/adhoc.zip/adhoc.jar/com/inet/report/adhoc/webgui/js/adhocmodel.js

MD5: 929f43706935e7a2685f21c8bb370ea3

SHA1: cda2e65ad14b245db43164b759a1cede52d342bc

SHA256: 492fdeb0652e5d09669ba5ef71e5ddf0459aaf6d3978e133973d4dda41dba968

Referenced In Project/Scope: designer-installer

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

adhoc.zip: adhoc.jar: configuration.adhoc.templates.edit.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/designer/build/tmp/dependencies/i-net Clear Reports Designer/plugins/adhoc.zip/adhoc.jar/com/inet/report/adhoc/webgui/configuration/templates/configuration.adhoc.templates.edit.js

MD5: 5fde177e1fe760a873bc1eec6790c747

SHA1: ea09c1b8b425b11dabdadfa340733cead4fb391f
SHA256: 005ffffac2bdb1e7afbf2f4a96d05ce6bd9e50e7aa90dfa59b67d07c3092a6a2
Referenced In Project/Scope: designer-installer

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

adhoc.zip: adhoc.jar: configuration.adhoc.templates.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/designer/build/tmp/dependencies/i-net Clear Reports Designer/plugins/adhoc.zip/adhoc.jar/com/inet/report/adhoc/webgui/configuration/templates/configuration.adhoc.templates.js
MD5: 7003e616506cf628e25ee3debe27264a
SHA1: 60eb9aae8ed4419008acd4bb4cfe03baa87ea843
SHA256: f13a5f0c5d6f68e16eb54a6904ccb00f6df6ff19e0605369558c6afe25ac2e6c
Referenced In Project/Scope: designer-installer

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

adhoc.zip: adhoc.jar: configuration.adhoc.themes.edit.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/designer/build/tmp/dependencies/i-net Clear Reports Designer/plugins/adhoc.zip/adhoc.jar/com/inet/report/adhoc/webgui/configuration/themes/configuration.adhoc.themes.edit.js
MD5: 016735ae324a0c8ec039bcf044a90b
SHA1: 04e3f6a79e8cf255f96989599e9a2115f7c26924
SHA256: f270a00b331a7a97970d864f67effd85a10509dc0acf3f0f164b8ac901c80afc
Referenced In Project/Scope: designer-installer


Evidence



Type	Source	Name	Value	Confidence
Identifiers				
• None				

adhoc.zip: adhoc.jar: configuration.adhoc.themes.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/designer/build/tmp/dependencies/i-net Clear Reports Designer/plugins/adhoc.zip/adhoc.jar/com/inet/report/adhoc/webgui/configuration/themes/configuration.adhoc.themes.js
MD5: b1ad812c14dcd1fe5e2b7062268f571c
SHA1: a708eae13369c42e13a88f6eccd2a803b68414b5
SHA256: 90f2459efc98b028e092fe336c9db4c2169abac3a9a3df01afdda00011340c09
Referenced In Project/Scope: designer-installer

Evidence 				
Type	Source	Name	Value	Confidence

Identifiers				
• None				

adhoc.zip: plotly.js-dist-min.jar


Description:

WebJar for plotly.js-dist-min

License:

MIT

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/designer/build/tmp/dependencies/i-net Clear Reports Designer/plugins/adhoc.zip/plotly.js-dist-min.jar
MD5: ea52d443f5b40e049fc65b86e949cb0e
SHA1: c3070d3ad0280ef1b7ba5e7e62cb7489f2be577c
SHA256: 2b193239990e4b744a3e074c541848e58337cbd923bd54fba8f22e146058b27c
Referenced In Project/Scope: designer-installer

Evidence 				
Type	Source	Name	Value	Confidence

Vendor	file	name	plotly.js-dist-min	High
Vendor	Manifest	build-jdk-spec	1.8	Low
Vendor	Manifest	bundle-symbolicname	org.webjars.npm.plotly.js-dist-min	Medium
Vendor	pom	artifactid	plotly.js-dist-min	Low
Vendor	pom	developer id	webjars	Medium
Vendor	pom	groupid	org.webjars.npm	Highest
Vendor	pom	name	plotly.js-dist-min	High
Vendor	pom	url	https://www.webjars.org	Highest
Product	file	name	plotly.js-dist-min	High
Product	Manifest	build-jdk-spec	1.8	Low
Product	Manifest	Bundle-Name	plotly.js-dist-min	Medium
Product	Manifest	bundle-symbolicname	org.webjars.npm.plotly.js-dist-min	Medium
Product	pom	artifactid	plotly.js-dist-min	Highest
Product	pom	developer id	webjars	Low
Product	pom	groupid	org.webjars.npm	Highest
Product	pom	name	plotly.js-dist-min	High
Product	pom	url	https://www.webjars.org	Medium
Version	Manifest	Bundle-Version	2.35.2	High
Version	pom	version	2.35.2	Highest

Identifiers

- [pkg:maven/org.webjars.npm/plotly.js-dist-min@2.35.2](#) (Confidence:High)
- [cpe:2.3:a:plotly:plotly.js:2.35.2:*:*:*:*:*](#) (Confidence:High) suppress

adhoc.zip: plotly.js-dist-min.jar: package.json

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/designer/build/tmp/dependencies/i-net Clear Reports Designer/plugins/adhoc.zip/plotly.js-dist-min.jar/META-INF/resources/webjars/plotly.js-dist-min/2.35.2/package.json

MD5: 8a693b24ff00e4a1af0ef4bd5965ec8a

SHA1: cad505af19ea9df1ebd3ec3d6db2a5965385f65b

SHA256: ed69dd8343a57f2a0450be56eb28d51444b15e4ac3cefe13bd44270b5bdc9063

Referenced In Project/Scope: designer-installer

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

adhoc.zip: plotly.js-dist-min.jar: plotly.min.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/designer/build/tmp/dependencies/i-net Clear Reports Designer/plugins/adhoc.zip/plotly.js-dist-min.jar/META-INF/resources/webjars/plotly.js-dist-min/2.35.2/plotly.min.js

MD5: bed2e6700214f7cc365e0f159f538531

SHA1: 336cadb4cbbdc7bb6b32119b87146cdebaf5399d

SHA256:6d21266ce1bd7d9e5ab4e115989c70c20de0382fd973a8f26ab58619eba4d603

Referenced In Project/Scope: designer-installer

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

collation.zip: collation.sample.jar

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/designer/build/tmp/dependencies/i-net Clear Reports Designer/plugins/collation.zip/collation.sample.jar

MD5: 3a5b3c92a70ac6cddb5cec51f633ada3

SHA1: 1c4ecf4c13996c6a06c01825633d01591fae731d

SHA256:e34f3b8ce92cbc3be0e600065d3af6d83279135ec582225e760b289f0966cef9

Referenced In Project/Scope: designer-installer

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Vendor	file	name	collation.sample	High
--------	------	------	------------------	------

Vendor	jar	package name	collation	Low
--------	-----	--------------	-----------	-----

Vendor	jar	package name	inet	Low
--------	-----	--------------	------	-----

Vendor	jar	package name	samples	Low
Vendor	Manifest	built-date	2025-04-03 19:04	Low
Vendor	Manifest	implementation-group	reporting	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	collation.sample	High
Product	jar	package name	collation	Highest
Product	jar	package name	collation	Low
Product	jar	package name	collationserverplugin	Low
Product	jar	package name	samples	Low
Product	Manifest	built-date	2025-04-03 19:04	Low
Product	Manifest	implementation-group	reporting	Low
Product	Manifest	Implementation-Title	collation	High
Product	Manifest	specification-title	collation	Medium
Version	Manifest	Implementation-Version	25.4.199	High

Identifiers

- None

crsetupwizard.zip: crsetupwizard.jar

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/designer/build/tmp/dependencies/i-net Clear Reports Designer/plugins/crsetupwizard.zip/crsetupwizard.jar

MD5: 9048811701ec32e16419c2ef80696de1

SHA1: ea18937fb9bd460dc7e885f3f4f8625d150eb946

SHA256: 79bca9bb06910f6f63071479695fa079709c09232ddccbee9c6094f423921515

Referenced In Project/Scope: designer-installer

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Vendor	file	name	crsetupwizard	High
Vendor	jar	package name	inet	Low
Vendor	jar	package name	report	Low
Vendor	jar	package name	setupwizard	Low
Vendor	Manifest	built-date	2025-04-03 19:31	Low
Vendor	Manifest	implementation-group	reporting	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	crsetupwizard	High
Product	jar	package name	report	Low
Product	jar	package name	setupwizard	Low
Product	jar	package name	steps	Low
Product	Manifest	built-date	2025-04-03 19:31	Low
Product	Manifest	implementation-group	reporting	Low
Product	Manifest	Implementation-Title	crsetupwizard	High
Product	Manifest	specification-title	crsetupwizard	Medium
Version	Manifest	Implementation-Version	25.4.199	High

Identifiers

- None

customformulas.zip: customformulas.sample.jar

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/designer/build/tmp/dependencies/i-net Clear Reports Designer/plugins/customformulas.zip
/customformulas.sample.jar

MD5: 20bfc737fcea210fc1f4891161be10a7

SHA1: 970864ca15273b9a9c6e03507556931a99105177

SHA256: 7b4e23cb34ade2102e9fcb26e29f9ee48e9d3a6b439d456122e1f9920e85a1f2

Referenced In Project/Scope: designer-installer

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	customformulas.sample	High
Vendor	jar	package name	formula	Low
Vendor	jar	package name	inet	Low
Vendor	jar	package name	samples	Low
Vendor	Manifest	built-date	2025-04-03 19:04	Low
Vendor	Manifest	implementation-group	reporting	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	customformulas.sample	High
Product	jar	package name	formula	Low
Product	jar	package name	samples	Low
Product	Manifest	built-date	2025-04-03 19:04	Low
Product	Manifest	implementation-group	reporting	Low
Product	Manifest	Implementation-Title	customformulas	High
Product	Manifest	specification-title	customformulas	Medium
Version	Manifest	Implementation-Version	25.4.199	High

Identifiers

- None

datasource.cassandra.zip: config.jar

Description:

configuration library for JVM languages using HOCON files

License:

<https://www.apache.org/licenses/LICENSE-2.0;description=Apache-2.0>

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/designer/build/tmp/dependencies/i-net Clear Reports Designer/plugins/datasource.cassandra.zip/config.jar

MD5: 1c5702a33999ed337c9b256a4d68eee7

SHA1: b57e0fbdc7270d8ea59c1ba367457a5cc7ba0e98

SHA256: 8ada4c185ce72416712d63e0b5afdc5f009c0cdf405e5f26efecdf156aa5dfb6

Referenced In Project/Scope: designer-installer

Evidence

Type	Source	Name	Value	Confidence
Vendor	file	name	config	High
Vendor	jar	package name	config	Highest
Vendor	jar	package name	config	Low
Vendor	jar	package name	impl	Low
Vendor	jar	package name	typesafe	Highest
Vendor	jar	package name	typesafe	Low
Vendor	Manifest	automatic-module-name	typesafe.config	Medium
Vendor	Manifest	bundle-symbolicname	com.typesafe.config	Medium
Vendor	Manifest	implementation-url	https://github.com/lightbend/config	Low
Vendor	Manifest	Implementation-Vendor	com.typesafe	High
Vendor	Manifest	Implementation-Vendor-Id	com.typesafe	Medium
Vendor	Manifest	specification-vendor	com.typesafe	Low
Product	file	name	config	High
Product	jar	package name	config	Highest
Product	jar	package name	config	Low
Product	jar	package name	impl	Low
Product	jar	package name	typesafe	Highest
Product	Manifest	automatic-module-name	typesafe.config	Medium
Product	Manifest	Bundle-Name	config	Medium
Product	Manifest	bundle-symbolicname	com.typesafe.config	Medium
Product	Manifest	Implementation-Title	config	High
Product	Manifest	implementation-	https://github.com/lightbend/config	Low

url

Product	Manifest	specification-title	config	Medium
Version	jar	package name	config	Highest
Version	Manifest	Bundle-Version	1.4.3	High
Version	Manifest	Implementation-Version	1.4.3	High

Identifiers

- None

datasource.cassandra.zip: datasource.cassandra.jar

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/designer/build/tmp/dependencies/i-net Clear Reports Designer/plugins/datasource.cassandra.zip/datasource.cassandra.jar

MD5: 312b893e310b8bd9061f197fe2db0ca3

SHA1: 1ea1481cdee9d9f4902f7dac8678daeecacbdcd

SHA256: ffd231fc4c9c107bff860eef2355bace6ff6ad75377526388e474dcd57e32779

Referenced In Project/Scope: designer-installer

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	datasource.cassandra	High
Vendor	jar	package name	cassandra	Low
Vendor	jar	package name	inet	Low
Vendor	jar	package name	report	Low
Vendor	Manifest	built-date	2025-04-03 19:25	Low
Vendor	Manifest	implementation-group	reporting	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	datasource.cassandra	High
Product	jar	package name	cassandra	Highest

Product	jar	package name	cassandra	Low
Product	jar	package name	report	Low
Product	Manifest	built-date	2025-04-03 19:25	Low
Product	Manifest	implementation-group	reporting	Low
Product	Manifest	Implementation-Title	datasource.cassandra	High
Product	Manifest	specification-title	datasource.cassandra	Medium
Version	Manifest	Implementation-Version	25.4.199	High

Identifiers

- None

datasource.cassandra.zip: java-driver-core.jar

Description:

A driver for Apache Cassandra(R) 2.1+ that works exclusively with the Cassandra Query Language version 3 (CQL3) and Cassandra's native protocol versions 3 and above.

License:

<http://www.apache.org/licenses/LICENSE-2.0.txt>

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/designer/build/tmp/dependencies/i-net Clear Reports Designer/plugins/datasource.cassandra.zip/java-driver-core.jar

MD5: 22ea44c19ec6538456500a991e61ecfb

SHA1: 3d619c4ecb214ac091006ff06ab32198a260f977

SHA256: 445e1c91e3f7512c1c0686700ec1e3d77d89131a2711ce66062909a7d88e8cd3

Referenced In Project/Scope: designer-installer

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	java-driver-core	High
Vendor	jar	package name	datastax	Highest
Vendor	jar	package name	driver	Highest
Vendor	jar	package name	oss	Highest
Vendor	Manifest	build-jdk-spec	1.8	Low
Vendor	Manifest	bundle-symbolicname	com.datastax.oss.driver.core	Medium

Vendor	pom	artifactid	java-driver-core	Low
Vendor	pom	groupid	com.datastax.oss	Highest
Vendor	pom	name	DataStax Java driver for Apache Cassandra (R) - core	High
Vendor	pom	parent-artifactid	java-driver-parent	Low
Product	file	name	java-driver-core	High
Product	jar	package name	datastax	Highest
Product	jar	package name	driver	Highest
Product	jar	package name	oss	Highest
Product	Manifest	build-jdk-spec	1.8	Low
Product	Manifest	Bundle-Name	DataStax Java driver for Apache Cassandra (R) - core	Medium
Product	Manifest	bundle-symbolicname	com.datastax.oss.driver.core	Medium
Product	pom	artifactid	java-driver-core	Highest
Product	pom	groupid	com.datastax.oss	Highest
Product	pom	name	DataStax Java driver for Apache Cassandra (R) - core	High
Product	pom	parent-artifactid	java-driver-parent	Medium
Version	Manifest	Bundle-Version	4.17.0	High
Version	pom	version	4.17.0	Highest

Identifiers

- [pkg:maven/com.datastax.oss/java-driver-core@4.17.0](https://maven.com.datastax.oss/java-driver-core@4.17.0) (*Confidence:High*)
- cpe:2.3:a:apache:cassandra:4.17.0:*:*:*:*:* (*Confidence:Low*) suppress

datasource.cassandra.zip: java-driver-shaded-guava.jar

Description:

Shaded Guava artifact for use in the DataStax Java driver for Apache Cassandra®

License:

Apache 2: <http://www.apache.org/licenses/LICENSE-2.0.txt>

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/designer/build/tmp/dependencies/i-net Clear Reports Designer/plugins/datasource.cassandra.zip/java-driver-shaded-guava.jar

MD5: b7b9ffdbca6117c0aaa13787da02f96d

SHA1: 522771d14d6b7dba67056a39db33f205ffbed6a4

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	java-driver-shaded-guava	High
Vendor	jar	package name	datastax	Highest
Vendor	jar	package name	driver	Highest
Vendor	jar	package name	oss	Highest
Vendor	jar	package name	shaded	Highest
Vendor	Manifest	bundle-symbolicname	com.datastax.oss.driver.shaded.guava	Medium
Vendor	Manifest	originally-created-by	Apache Maven 3.6.2	Low
Vendor	pom	artifactid	java-driver-shaded-guava	Low
Vendor	pom	developer name	Various	Medium
Vendor	pom	developer org	DataStax	Medium
Vendor	pom	groupid	com.datastax.oss	Highest
Vendor	pom	name	Shaded Guava artifact for use in the DataStax Java driver for Apache Cassandra®	High
Vendor	pom	url	datastax/java-driver-shaded-guava	Highest
Product	file	name	java-driver-shaded-guava	High
Product	jar	package name	datastax	Highest
Product	jar	package name	driver	Highest
Product	jar	package name	oss	Highest
Product	jar	package name	shaded	Highest
Product	Manifest	Bundle-Name	Shaded Guava artifact for use in the DataStax Java driver for Apache Cassandra®	Medium
Product	Manifest	bundle-symbolicname	com.datastax.oss.driver.shaded.guava	Medium
Product	Manifest	originally-created-by	Apache Maven 3.6.2	Low
Product	pom	artifactid	java-driver-shaded-guava	Highest
Product	pom	developer name	Various	Low
Product	pom	developer org	DataStax	Low
Product	pom	groupid	com.datastax.oss	Highest
Product	pom	name	Shaded Guava artifact for use in the DataStax Java driver for Apache	High

Cassandra®

Product	pom	url	datastax/java-driver-shaded-guava	High
Version	pom	version	25.1-jre-graal-sub-1	Highest

Identifiers

- [pkg:maven/com.datastax.oss/java-driver-shaded-guava@25.1-jre-graal-sub-1](#) (*Confidence:High*)
- cpe:2.3:a:apache:cassandra:25.1:*:*:*:*:* (*Confidence:Low*)

datasource.cassandra.zip: native-protocol.jar

Description:

A set of Java types representing the frames and messages of the Apache Cassandra® native protocol, with the associated serialization and deserialization logic (this is a third-party implementation, not related to the Apache Cassandra project)

License:

Apache 2: <http://www.apache.org/licenses/LICENSE-2.0.txt>

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/designer/build/tmp/dependencies/i-net Clear Reports Designer/plugins/datasource.cassandra.zip/native-protocol.jar

MD5: 3c4bf24fd592b01cff5234428080230d

SHA1: 97e812373a5fe7667384e7ad67819d2c71878bf8

SHA256: 955120805ddadd0771b36124679e337a20959c5639bc5de82bb8bce96b10441e

Referenced In Project/Scope: designer-installer

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	native-protocol	High
Vendor	jar	package name	datastax	Highest
Vendor	jar	package name	oss	Highest
Vendor	jar	package name	protocol	Highest
Vendor	Manifest	automatic-module-name	com.datastax.oss.protocol	Medium
Vendor	Manifest	bundle-symbolicname	com.datastax.oss.protocol	Medium
Vendor	pom	artifactid	native-protocol	Low
Vendor	pom	developer name	Various	Medium
Vendor	pom	developer org	DataStax	Medium

Vendor	pom	groupid	com.datastax.oss	Highest
Vendor	pom	name	An implementation of the Apache Cassandra® native protocol	High
Vendor	pom	url	datastax/native-protocol	Highest
Product	file	name	native-protocol	High
Product	jar	package name	datastax	Highest
Product	jar	package name	oss	Highest
Product	jar	package name	protocol	Highest
Product	Manifest	automatic-module-name	com.datastax.oss.protocol	Medium
Product	Manifest	Bundle-Name	An implementation of the Apache Cassandra® native protocol	Medium
Product	Manifest	bundle-symbolicname	com.datastax.oss.protocol	Medium
Product	pom	artifactid	native-protocol	Highest
Product	pom	developer name	Various	Low
Product	pom	developer org	DataStax	Low
Product	pom	groupid	com.datastax.oss	Highest
Product	pom	name	An implementation of the Apache Cassandra® native protocol	High
Product	pom	url	datastax/native-protocol	High
Version	Manifest	Bundle-Version	1.5.1	High
Version	pom	version	1.5.1	Highest

Identifiers

- [pkg:maven/com.datastax.oss/native-protocol@1.5.1](https://maven.com.datastax.oss/native-protocol@1.5.1) (*Confidence:High*)

datasource.cassandra.zip: netty-common.jar (shaded: org.jctools:jctools-core:4.0.5)

Description:

Java Concurrency Tools Core Library

License:

Apache License, Version 2.0: <http://www.apache.org/licenses/LICENSE-2.0.txt>

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/designer/build/tmp/dependencies/i-net Clear Reports Designer/plugins/datasource.cassandra.zip/netty-common.jar/META-INF/maven/org.jctools/jctools-core/pom.xml

MD5: 5d5135397b920a7dcba5c1fb0576cf2

SHA1: eaa05d6ad937464312a2681a3236c0e06602bbb7

SHA256: a69897b8ff0c2198b4b8cd7d4f93fde6d42b8e9dbfc95553585e27587b24e211

Referenced In Project/Scope: designer-installer

Evidence



Type	Source	Name	Value	Confidence
Vendor	pom	artifactid	jctools-core	Low
Vendor	pom	groupid	org.jctools	Highest
Vendor	pom	name	Java Concurrency Tools Core Library	High
Vendor	pom	url	JCTools	Highest
Product	pom	artifactid	jctools-core	Highest
Product	pom	groupid	org.jctools	Highest
Product	pom	name	Java Concurrency Tools Core Library	High
Product	pom	url	JCTools	High
Version	pom	version	4.0.5	Highest

Identifiers

- [pkg:maven/org.jctools/jctools-core@4.0.5](https://maven.org/jctools/jctools-core@4.0.5) (Confidence:High)

datasource.cassandra.zip: netty-transport.jar

Description:

Netty is an asynchronous event-driven network application framework for rapid development of maintainable high performance protocol servers and clients.

License:

<https://www.apache.org/licenses/LICENSE-2.0>

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/designer/build/tmp/dependencies/i-net Clear Reports Designer/plugins/datasource.cassandra.zip/netty-transport.jar

MD5: 667fefc155c239ca3047e9b1f1e399d0

SHA1: 5a27232e5d08218722d94ca14f0b1b4576e7711c

SHA256: ab3751e717daef9c8d91e4d74728a48730bd8530b72e2466b222b2ea3fb07db9

Referenced In Project/Scope: designer-installer

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	netty-transport	High

Vendor	jar	package name	io	Highest
Vendor	jar	package name	netty	Highest
Vendor	Manifest	automatic-module-name	io.netty.transport	Medium
Vendor	Manifest	build-jdk-spec	1.8	Low
Vendor	Manifest	bundle-docurl	https://netty.io/	Low
Vendor	Manifest	bundle-symbolicname	io.netty.transport	Medium
Vendor	Manifest	implementation-url	https://netty.io/netty-transport/	Low
Vendor	Manifest	Implementation-Vendor	The Netty Project	High
Vendor	Manifest	Implementation-Vendor-Id	io.netty	Medium
Vendor	Manifest	specification-vendor	The Netty Project	Low
Vendor	pom	artifactid	netty-transport	Low
Vendor	pom	groupid	io.netty	Highest
Vendor	pom	name	Netty/Transport	High
Vendor	pom	parent-artifactid	netty-parent	Low
Product	file	name	netty-transport	High
Product	jar	package name	io	Highest
Product	jar	package name	netty	Highest
Product	Manifest	automatic-module-name	io.netty.transport	Medium
Product	Manifest	build-jdk-spec	1.8	Low
Product	Manifest	bundle-docurl	https://netty.io/	Low
Product	Manifest	Bundle-Name	Netty/Transport	Medium
Product	Manifest	bundle-symbolicname	io.netty.transport	Medium
Product	Manifest	Implementation-Title	Netty/Transport	High
Product	Manifest	implementation-url	https://netty.io/netty-transport/	Low
Product	Manifest	specification-title	Netty/Transport	Medium
Product	pom	artifactid	netty-transport	Highest
Product	pom	groupid	io.netty	Highest
Product	pom	name	Netty/Transport	High
Product	pom	parent-artifactid	netty-parent	Medium
Version	Manifest	Bundle-Version	4.1.118.Final	High

Version	Manifest	Implementation-Version	4.1.118.Final	High
Version	pom	version	4.1.118.Final	Highest

Related Dependencies



- datasource.cassandra.zip: netty-buffer.jar
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/designer/build/tmp/dependencies/i-net Clear Reports Designer/plugins/datasource.cassandra.zip/netty-buffer.jar
 - MD5: 310a5d0de5b61b3c1aa8aab3635ba60e
 - SHA1: 7022990af1e0d449f9d5322035899745e19735c5
 - SHA256: 0eea4e8666a9636a28722661d8ba5fa8564477e75fec6dd2ff3e324e361f8b3c
 - [pkg:maven/io.netty/netty-buffer@4.1.118.Final](#)
- datasource.cassandra.zip: netty-codec.jar
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/designer/build/tmp/dependencies/i-net Clear Reports Designer/plugins/datasource.cassandra.zip/netty-codec.jar
 - MD5: 251d3c182cdc0b5e111beb958360c843
 - SHA1: 307f665c08ce57333121de4f460479fc0c3c94d4
 - SHA256: 4abd215fd1ed7ce86509d169cc9cbede5042176c265a79b3b70602b017226c3f
 - [pkg:maven/io.netty/netty-codec@4.1.118.Final](#)
- datasource.cassandra.zip: netty-common.jar
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/designer/build/tmp/dependencies/i-net Clear Reports Designer/plugins/datasource.cassandra.zip/netty-common.jar
 - MD5: f44c96d1ffe49b2eb00eef5754391260
 - SHA1: 4bb0f9899146484fa89f7b9bc27389d5b8e2ecde
 - SHA256: 65cce901ecf0f9d6591cc7750772614ab401a84415dc9aec9da4d046f0f9a77c
 - [pkg:maven/io.netty/netty-common@4.1.118.Final](#)
- datasource.cassandra.zip: netty-handler.jar
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/designer/build/tmp/dependencies/i-net Clear Reports Designer/plugins/datasource.cassandra.zip/netty-handler.jar
 - MD5: 8a5d5a6a8024c3a3a4d60054dbaeb138
 - SHA1: 30ebb05b6b0fb071dbfcf713017c4a767a97bb9b
 - SHA256: 26e3f8a5e859fd62cf3c13dc6d75e4e18879f000a5d0ad7f58f8679675d23dae
 - [pkg:maven/io.netty/netty-handler@4.1.118.Final](#)
- datasource.cassandra.zip: netty-resolver.jar
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/designer/build/tmp/dependencies/i-net Clear Reports Designer/plugins/datasource.cassandra.zip/netty-resolver.jar
 - MD5: fd965f84dc2a07042388339237691b35
 - SHA1: 28c378c19c1779eca1104b400452627f3ebc4aea
 - SHA256: 3170c225972c18b6850d28add60db15bb28d83c4e3d5b686ca220e0bd7273c8a
 - [pkg:maven/io.netty/netty-resolver@4.1.118.Final](#)

Identifiers

- [pkg:maven/io.netty/netty-transport@4.1.118.Final](#) (Confidence:High)
- [cpe:2.3:a:netty:netty:4.1.118:****:*:*](#) (Confidence:Highest) suppress

datasource.mongodb.zip: datasource.mongodb.jar

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/designer/build/tmp/dependencies/i-net Clear Reports Designer/plugins/datasource.mongodb.zip
/datasource.mongodb.jar

MD5: c232a29a5cd9a49ee3b2fbb6adb850a6

SHA1: 5a0854942f39822c1719fca1a6e5f4e24d04d650

SHA256: 02ac9aae5c1fe9e4bac5b16dd9b5bb4a4df8c3816ff41e87f508b7f8fce2d4ff

Referenced In Project/Scope: designer-installer

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	datasource.mongodb	High
Vendor	jar	package name	inet	Low
Vendor	jar	package name	mongodb	Low
Vendor	jar	package name	report	Low
Vendor	Manifest	built-date	2025-04-03 19:25	Low
Vendor	Manifest	implementation-group	reporting	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	datasource.mongodb	High
Product	jar	package name	mongodb	Highest
Product	jar	package name	mongodb	Low
Product	jar	package name	report	Low
Product	Manifest	built-date	2025-04-03 19:25	Low
Product	Manifest	implementation-group	reporting	Low
Product	Manifest	Implementation-Title	datasource.mongodb	High
Product	Manifest	specification-title	datasource.mongodb	Medium
Version	Manifest	Implementation-Version	25.4.199	High

Identifiers

- None

datasource.mongodb.zip: mongo-java-driver.jar

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/designer/build/tmp/dependencies/i-net Clear Reports Designer/plugins/datasource.mongodb.zip/mongo-java-driver.jar

MD5: b507109fd6a0b6ead4972e9554f09fc4

SHA1: 850383a126cdc5b363fa9ffc780037f6eb704

SHA256: 7e6b2b9bbf24859db4bc00dd647090e21fe02e1fee9e8566918649d8356dfa3f

Referenced In Project/Scope: designer-installer

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	mongo-java-driver	High
Vendor	jar	package name	mongodb	Highest
Vendor	jar	package name	mongodb	Low
Vendor	Manifest	bundle-symbolicname	org.mongodb.mongo-java-driver	Medium
Product	file	name	mongo-java-driver	High
Product	jar	package name	mongo	Highest
Product	jar	package name	mongodb	Highest
Product	Manifest	Bundle-Name	mongo-java-driver	Medium
Product	Manifest	bundle-symbolicname	org.mongodb.mongo-java-driver	Medium
Version	Manifest	build-version	3.12.14	Medium
Version	Manifest	Bundle-Version	3.12.14	High

Identifiers

- [cpe:2.3:a:mongodb:java_driver:3.12.14:*:*:*:*:*](#) (Confidence:High) suppress

datasource.zip: datasource.jar

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/designer/build/tmp/dependencies/i-net Clear Reports Designer/plugins/datasource.zip/datasource.jar

MD5: 8171a88f21c09e049efc59e0e263b42c

SHA1: 3121c24c931882f88cdbece0dba0269e52a51269
SHA256:37989d0f39ac66cfd78a63d03fc3fc5c626791993e41d211829406a66a91ab79
Referenced In Project/Scope: designer-installer

Evidence +

Type	Source	Name	Value	Confidence
Vendor	file	name	datasource	High
Vendor	jar	package name	inet	Low
Vendor	jar	package name	plugins	Low
Vendor	jar	package name	report	Low
Vendor	Manifest	built-date	2025-04-03 19:22	Low
Vendor	Manifest	implementation-group	reporting	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	datasource	High
Product	jar	package name	datasources	Low
Product	jar	package name	plugins	Low
Product	jar	package name	report	Low
Product	Manifest	built-date	2025-04-03 19:22	Low
Product	Manifest	implementation-group	reporting	Low
Product	Manifest	Implementation-Title	datasource	High
Product	Manifest	specification-title	datasource	Medium
Version	Manifest	Implementation-Version	25.4.199	High

Identifiers

- None

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/designer/build/tmp/dependencies/i-net Clear Reports Designer/plugins/datasource.zip/datasource.jar/com/inet/report/plugins/datasources/client/js/datasources-edit-controller.js

MD5: d3aff1bc5dbed650a47549c6b4b2d71c

SHA1: 352026dbf86cae5e886f46a566fa6b0c44f45fa3

SHA256: ed7edb89ba9e0274ca35afc162057de9dcfafdc635dabdc5c24e757ea3014e48

Referenced In Project/Scope: designer-installer

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

datasource.zip: datasource.jar: datasources-main-controller.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/designer/build/tmp/dependencies/i-net Clear Reports Designer/plugins/datasource.zip/datasource.jar/com/inet/report/plugins/datasources/client/js/datasources-main-controller.js

MD5: eba454f1868f794c9fc60b246f466f3a

SHA1: 74d2a3a3f9f46c9ec9cbfe7a1538913440063f22

SHA256: a0631ec130bfb7bb4824532d3c989d56db03ef8b0176fbcac0c1dba94c922052

Referenced In Project/Scope: designer-installer

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

datasource.zip: datasource.jar: factory.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/designer/build/tmp/dependencies/i-net Clear Reports Designer/plugins/datasource.zip/datasource.jar/com/inet/report/plugins/datasources/client/js/factory.js

MD5: 3860956fb82fc3be1b60dca8e2937136

SHA1: 5e13b761578a19bf80f1bdd4015aa26bf176a8ff

SHA256: 6e649b4d4bd02af2be46507aa5b5d064a82b222af2f32a9aab7906a15ec275f9

Referenced In Project/Scope: designer-installer

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

datasource.zip: datasource.jar: model.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/designer/build/tmp/dependencies/i-net Clear Reports Designer/plugins/datasource.zip/datasource.jar/com/inet/report/plugins/datasources/client/js/model.js

MD5: 4bb12f17c77490af285f6bb995e31794

SHA1: eb897daef6dfe58d61484dc28410498dd7d2e814

SHA256: 1c9a928eba29f44e86fab4c760755f86406a51675370e39d00dadadf7502d31e

Referenced In Project/Scope: designer-installer

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

datasource.zip: datasource.jar: renderer-permissions.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/designer/build/tmp/dependencies/i-net Clear Reports Designer/plugins/datasource.zip/datasource.jar/com/inet/report/plugins/datasources/client/js/renderer-permissions.js

MD5: 564716c3303396ed66ee273c97d5f73a

SHA1: ea2464e98a9d3d9ec6b44032ca1969721759348a

SHA256: d8534ea47db8738b7efb497bcbfdb341a4c9e361df28a3ecda043cc33771c620

Referenced In Project/Scope: designer-installer

Evidence



Type	Source	Name	Value	Confidence
Identifiers				
• None				

datasource.zip: datasource.jar: renderer.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/designer/build/tmp/dependencies/i-net Clear Reports Designer/plugins/datasource.zip/datasource.jar/com/inet/report/plugins/datasources/client/js/renderer.js

MD5: 7cd4b6eed87a5795855cf45c8aa8d9f6

SHA1: 3e9107e97e4cd902e9dc7cb949fa6558dba33185

SHA256:ba77f41d49fd5cc5580ca865cc140d67e457b77d1eca97f313bf6870db939205

Referenced In Project/Scope: designer-installer

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

• None

decoder.svg.zip: batik-anim-inet_patched.jar

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/designer/build/tmp/dependencies/i-net Clear Reports Designer/plugins/decoder.svg.zip/batik-anim-inet_patched.jar

MD5: ca9b7e3470ec4fae98f63e1176598fd8

SHA1: df67336085c962bf3974ae7c8e0684ede311b1c6

SHA256:76906fb573f46895285d778672f5cc6bf866f75697ffe58eee83b01d1e09d871

Referenced In Project/Scope: designer-installer

Evidence

Type	Source	Name	Value	Confidence
Vendor	file	name	batik-anim-inet_patched	High
Vendor	jar	package name	anim	Low
Vendor	jar	package name	apache	Low

Vendor	jar	package name	batik	Low
Product	file	name	batik-anim-inet_patched	High
Product	jar	package name	anim	Low
Product	jar	package name	batik	Low
Product	jar	package name	dom	Low

Identifiers

- None

decoder.svg.zip: batik-awt-util-inet_patched.jar

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/designer/build/tmp/dependencies/i-net Clear Reports Designer/plugins/decoder.svg.zip/batik-awt-util-inet_patched.jar

MD5: 78d0f951cf21d193bb3019ced508670f

SHA1: 9a5dc6cea00c6f1dfe375fd0b6a6f5fd68f03920

SHA256: c235d7d09615f88df71d682442247725cdd17dac6be7bfe679ffeacfc218824b

Referenced In Project/Scope: designer-installer

Evidence +

Type	Source	Name	Value	Confidence
Vendor	file	name	batik-awt-util-inet_patched	High
Vendor	jar	package name	apache	Low
Vendor	jar	package name	batik	Low
Vendor	jar	package name	ext	Low
Product	file	name	batik-awt-util-inet_patched	High
Product	jar	package name	awt	Low
Product	jar	package name	batik	Low
Product	jar	package name	ext	Low

Identifiers

- None

decoder.svg.zip: batik-bridge-inet_patched.jar

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/designer/build/tmp/dependencies/i-net Clear Reports Designer/plugins/decoder.svg.zip/batik-bridge-inet_patched.jar

MD5: cd9b26662448c977f32a01ae076153ec

SHA1: 69eb5e16d985e4b3e145ad2020346d9371c4112d

SHA256: 3529283783068bd71b6932333dc30d45fb7f7de665731cab47d5a148e7f0ed04

Referenced In Project/Scope: designer-installer

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	batik-bridge-inet_patched	High
Vendor	jar	package name	apache	Low
Vendor	jar	package name	batik	Low
Vendor	jar	package name	bridge	Low
Product	file	name	batik-bridge-inet_patched	High
Product	jar	package name	batik	Low
Product	jar	package name	bridge	Low

Identifiers

- None

decoder.svg.zip: batik-codec-inet_patched.jar

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/designer/build/tmp/dependencies/i-net Clear Reports Designer/plugins/decoder.svg.zip/batik-codec-inet_patched.jar

MD5: 5e9f873b4c078f8e4129966c1db692bc

SHA1: 009427d5c286ce0ea63eaea73f678e6e1316d114

SHA256: b1359159577318d3793f46d9661b680edec76a936f6143bda670dc4c4b106542

Referenced In Project/Scope: designer-installer

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	batik-codec-inet_patched	High
Vendor	jar	package name	apache	Low
Vendor	jar	package name	batik	Low
Vendor	jar	package name	ext	Low

Product	file	name	batik-codec-inet_patched	High
Product	jar	package name	awt	Low
Product	jar	package name	batik	Low
Product	jar	package name	ext	Low

Identifiers

- None

decoder.svg.zip: batik-constants-inet_patched.jar

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/designer/build/tmp/dependencies/i-net Clear Reports Designer/plugins/decoder.svg.zip/batik-constants-inet_patched.jar

MD5: 7ab5c8bdd3bffd8080327304340f808f

SHA1: 3d7521c16503666312e5ab3dda04e42040813ae8

SHA256: 400ad29a7300f5d71b765e9248bce8ce7e18ee77d02a07957ce977ff03e71284

Referenced In Project/Scope: designer-installer

Evidence +

Type	Source	Name	Value	Confidence
Vendor	file	name	batik-constants-inet_patched	High
Vendor	jar	package name	apache	Low
Vendor	jar	package name	batik	Low
Vendor	jar	package name	constants	Low
Product	file	name	batik-constants-inet_patched	High
Product	jar	package name	batik	Low
Product	jar	package name	constants	Low
Product	jar	package name	xmlconstants	Low

Identifiers

- None

decoder.svg.zip: batik-css-inet_patched.jar

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/designer/build/tmp/dependencies/i-net Clear Reports Designer/plugins/decoder.svg.zip/batik-css-inet_patched.jar

MD5: efe6d51256dfe90595905b466f50cb1d

SHA1: 59720f3521ef86920b1bee7ecad8f774b0291a00

SHA256: f9eeb49d41a69114371bbc4ce585e54e4b4de2b529bcb406f44e14e4a01d8dc8

Referenced In Project/Scope: designer-installer

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	batik-css-inet_patched	High
Vendor	jar	package name	apache	Low
Vendor	jar	package name	batik	Low
Vendor	jar	package name	css	Low
Product	file	name	batik-css-inet_patched	High
Product	jar	package name	batik	Low
Product	jar	package name	css	Low
Product	jar	package name	engine	Low

Identifiers

- None

decoder.svg.zip: batik-dom-inet_patched.jar

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/designer/build/tmp/dependencies/i-net Clear Reports Designer/plugins/decoder.svg.zip/batik-dom-inet_patched.jar

MD5: 20ea7779e512f8c4bfa6531e062efd48

SHA1: 836eabda80a9a6b924aea09b9493c44e3bb413b6

SHA256: dcf5a79d65a595a73d17b6fb0339f9ac0248da957d311960fcedd33ae4cefe1d

Referenced In Project/Scope: designer-installer

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	batik-dom-inet_patched	High
Vendor	jar	package name	apache	Low
Vendor	jar	package name	batik	Low
Vendor	jar	package name	dom	Low

Product	file	name	batik-dom-inet_patched	High
Product	jar	package name	batik	Low
Product	jar	package name	dom	Low

Identifiers

- None

decoder.svg.zip: batik-ext-inet_patched.jar

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/designer/build/tmp/dependencies/i-net Clear Reports Designer/plugins/decoder.svg.zip/batik-ext-inet_patched.jar

MD5: 91711138884f8af1a08990da41b61af5

SHA1: 8195fd069a560ad76239f1d9fd803a4d39f7f1f3

SHA256: cd7a2cc67f833586efd1026651f2a66b608d32e6d0a2a9875fce05b998a35afe

Referenced In Project/Scope: designer-installer

Evidence +

Type	Source	Name	Value	Confidence
Vendor	file	name	batik-ext-inet_patched	High
Vendor	jar	package name	apache	Low
Vendor	jar	package name	batik	Low
Vendor	jar	package name	w3c	Low
Product	file	name	batik-ext-inet_patched	High
Product	jar	package name	batik	Low
Product	jar	package name	dom	Low
Product	jar	package name	w3c	Low

Identifiers

- None

decoder.svg.zip: batik-extension-inet_patched.jar

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/designer/build/tmp/dependencies/i-net Clear Reports Designer/plugins/decoder.svg.zip/batik-extension-inet_patched.jar

MD5: 04d7a025623894e24609572a4a95c827

SHA1: 254337ea5358ce3660ce8063bf576ddfcfd828c

SHA256:a67c190c69325fdd4f0afd147fac54734540659ec2b70061609d779a8b434c07

Referenced In Project/Scope: designer-installer

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	batik-extension-inet_patched	High
Vendor	jar	package name	apache	Low
Vendor	jar	package name	batik	Low
Vendor	jar	package name	extension	Low
Product	file	name	batik-extension-inet_patched	High
Product	jar	package name	batik	Low
Product	jar	package name	extension	Low
Product	jar	package name	svg	Low

Identifiers

- None

decoder.svg.zip: batik-gui-util-inet_patched.jar

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/designer/build/tmp/dependencies/i-net Clear Reports Designer/plugins/decoder.svg.zip/batik-gui-util-inet_patched.jar

MD5: d4f5c11c2ef0e885edf427ba341bb43a

SHA1: e3d52600773e327e718226ba885ba4240d1f5708

SHA256:de10ba6c89374b3bbc0391808c9a52343ed1f9341a979d9c5d29acb6a2a4ae35

Referenced In Project/Scope: designer-installer

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	batik-gui-util-inet_patched	High
Vendor	jar	package name	apache	Low
Vendor	jar	package name	batik	Low
Vendor	jar	package name	util	Low

Product	file	name	batik-gui-util-inet_patched	High
Product	jar	package name	batik	Low
Product	jar	package name	gui	Low
Product	jar	package name	util	Low

Identifiers

- None

decoder.svg.zip: batik-gvt-inet_patched.jar

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/designer/build/tmp/dependencies/i-net Clear Reports Designer/plugins/decoder.svg.zip/batik-gvt-inet_patched.jar

MD5: 531c7350c3df1c016703d2f26d4656f5

SHA1: bbbfd0825b068e7a5636505c9d3ed2c1803c1f44

SHA256: d933774b59c569e30989072a6df247d28e639a1d206a530bc24f89b9162d133a

Referenced In Project/Scope: designer-installer

Evidence

Type	Source	Name	Value	Confidence
Vendor	file	name	batik-gvt-inet_patched	High
Vendor	jar	package name	apache	Low
Vendor	jar	package name	batik	Low
Vendor	jar	package name	gvt	Low
Product	file	name	batik-gvt-inet_patched	High
Product	jar	package name	batik	Low
Product	jar	package name	gvt	Low

Identifiers

- None

decoder.svg.zip: batik-i18n-inet_patched.jar

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/designer/build/tmp/dependencies/i-net Clear Reports Designer/plugins/decoder.svg.zip/batik-i18n-inet_patched.jar
MD5: 1650351fc520b589f64f25bbb10014eb
SHA1: e20373bfbefb8e38c877ba55da0fd6f88b1a898c
SHA256:87af44a58672b07600aea66ac280ac68d60d7a8edbc9bd855bd5d06242af357b
Referenced In Project/Scope: designer-installer

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	batik-i18n-inet_patched	High
Vendor	jar	package name	apache	Low
Vendor	jar	package name	batik	Low
Vendor	jar	package name	i18n	Low
Product	file	name	batik-i18n-inet_patched	High
Product	jar	package name	batik	Low
Product	jar	package name	i18n	Low
Version	file	name	batik-i18n-inet_patched	Medium
Version	file	version	18	Medium

Identifiers

- [cpe:2.3:a:inet:inet:18:*:*:*:*:*](#) (Confidence:High) suppress

decoder.svg.zip: batik-parser-inet_patched.jar

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/designer/build/tmp/dependencies/i-net Clear Reports Designer/plugins/decoder.svg.zip/batik-parser-inet_patched.jar
MD5: ec8662e2761223a07c1c5cd352760762
SHA1: c93a4fa23c50b6fc598c196bf818ae990b33c8f9
SHA256:ad5e96d9367b6a100f42dfef99b9e81f23bbd74d881f098eb6d448fdcf62d331
Referenced In Project/Scope: designer-installer

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	batik-parser-inet_patched	High
Vendor	jar	package name	apache	Low
Vendor	jar	package name	batik	Low

Vendor	jar	package name	parser	Low
Product	file	name	batik-parser-inet_patched	High
Product	jar	package name	batik	Low
Product	jar	package name	parser	Low

Identifiers

- None

decoder.svg.zip: batik-script-inet_patched.jar

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/designer/build/tmp/dependencies/i-net Clear Reports Designer/plugins/decoder.svg.zip/batik-script-inet_patched.jar

MD5: ed9d79818286c08b981f7e735f2ebbf2

SHA1: fe5fbc17f4d45b81fa8c888458e48538f46dfb90

SHA256: defa2b26e8f7ffd05b58e544b4f66d34a79a3b8b0d92970742db0015cdb9d074

Referenced In Project/Scope: designer-installer

Evidence +

Type	Source	Name	Value	Confidence
Vendor	file	name	batik-script-inet_patched	High
Vendor	jar	package name	apache	Low
Vendor	jar	package name	batik	Low
Vendor	jar	package name	script	Low
Product	file	name	batik-script-inet_patched	High
Product	jar	package name	batik	Low
Product	jar	package name	script	Low

Identifiers

- None

decoder.svg.zip: batik-slideshow-inet_patched.jar

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/designer/build/tmp/dependencies/i-net Clear Reports Designer/plugins/decoder.svg.zip/batik-slideshow-inet_patched.jar
MD5: 4d7ff121bc7e6740a613f240cc0777de
SHA1: 20d91541127828edfc0b6ee7dd0252002f87c4ea
SHA256: aeacbbf5eacd1ba408cd72a363204c5430161a1d3a687b7c6b117845d3f99c79
Referenced In Project/Scope: designer-installer

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	batik-slideshow-inet_patched	High
Vendor	jar	package name	apache	Low
Vendor	jar	package name	apps	Low
Vendor	jar	package name	batik	Low
Product	file	name	batik-slideshow-inet_patched	High
Product	jar	package name	apps	Low
Product	jar	package name	batik	Low
Product	jar	package name	slideshow	Low

Identifiers

- None

decoder.svg.zip: batik-svg-dom-inet_patched.jar

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/designer/build/tmp/dependencies/i-net Clear Reports Designer/plugins/decoder.svg.zip/batik-svg-dom-inet_patched.jar
MD5: b20d5f86935e8dd59d3fb3f5708cac47
SHA1: 2e031b04335b7e61b0de6fedd5533037123ce81d
SHA256: 680d15d7d60f06bcfa0b04ef41b3141114bf5f7915f2160db2c80ad3cb067da9
Referenced In Project/Scope: designer-installer

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	batik-svg-dom-inet_patched	High
Vendor	jar	package name	apache	Low
Vendor	jar	package name	batik	Low
Vendor	jar	package name	dom	Low

Product	file	name	batik-svg-dom-inet_patched	High
Product	jar	package name	batik	Low
Product	jar	package name	dom	Low
Product	jar	package name	svg	Low

Identifiers

- None

decoder.svg.zip: batik-svggen-inet_patched.jar

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/designer/build/tmp/dependencies/i-net Clear Reports Designer/plugins/decoder.svg.zip/batik-svggen-inet_patched.jar

MD5: 6d9a3465bc61d02429b4eb0c65c770e7

SHA1: f8c3849db028b84c4e82d0adbc54bf24b8eb67

SHA256: bb6afbda9cf1ac7d72abaef461aec401251cfb80690ebebdb47f3371840866

Referenced In Project/Scope: designer-installer

Evidence

Type	Source	Name	Value	Confidence
Vendor	file	name	batik-svggen-inet_patched	High
Vendor	jar	package name	apache	Low
Vendor	jar	package name	batik	Low
Vendor	jar	package name	svggen	Low
Product	file	name	batik-svggen-inet_patched	High
Product	jar	package name	batik	Low
Product	jar	package name	svggen	Low

Identifiers

- None

decoder.svg.zip: batik-svgpp-inet_patched.jar

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/designer/build/tmp/dependencies/i-net Clear Reports Designer/plugins/decoder.svg.zip/batik-svgpp-inet_patched.jar
MD5: 2ce45f43360285cfee6f2f3061af1bab
SHA1: 521eac762ffb626752a4f606b23f9d5c934c4ec0
SHA256: 1c5bddd5d34b87ddb29bf314963b6d73b50ce177071907ec9fc27ebffda235cb
Referenced In Project/Scope: designer-installer

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	batik-svgpp-inet_patched	High
Vendor	jar	package name	apache	Low
Vendor	jar	package name	apps	Low
Vendor	jar	package name	batik	Low
Product	file	name	batik-svgpp-inet_patched	High
Product	jar	package name	apps	Low
Product	jar	package name	batik	Low
Product	jar	package name	svgpp	Low

Identifiers

- None

decoder.svg.zip: batik-swing-inet_patched.jar

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/designer/build/tmp/dependencies/i-net Clear Reports Designer/plugins/decoder.svg.zip/batik-swing-inet_patched.jar
MD5: 17abc0c5ca14b602d7ed885527fc829c
SHA1: 6d37ed715d5842e3754dada7a67325b654fd42bd
SHA256: d160b143743345ce02e9d62e45ff883f0677af8e702eefce4e8105411e52482c
Referenced In Project/Scope: designer-installer

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	batik-swing-inet_patched	High
Vendor	jar	package name	apache	Low
Vendor	jar	package name	batik	Low
Vendor	jar	package name	swing	Low

Product	file	name	batik-swing-inet_patched	High
Product	jar	package name	batik	Low
Product	jar	package name	svg	Low
Product	jar	package name	swing	Low

Identifiers

- None

decoder.svg.zip: batik-transcoder-inet_patched.jar

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/designer/build/tmp/dependencies/i-net Clear Reports Designer/plugins/decoder.svg.zip/batik-transcoder-inet_patched.jar

MD5: 0cdad6039646ea411d4510d8a20507fa

SHA1: e0546ab18ed8343e039e4ccf1b88c34dfe6c1b7d

SHA256:bbcb22884bf981fe96b6653951a882cd1e7ba073193242aaf58d1d31c2c1d27c

Referenced In Project/Scope: designer-installer

Evidence +

Type	Source	Name	Value	Confidence
Vendor	file	name	batik-transcoder-inet_patched	High
Vendor	jar	package name	apache	Low
Vendor	jar	package name	batik	Low
Vendor	jar	package name	transcoder	Low
Product	file	name	batik-transcoder-inet_patched	High
Product	jar	package name	batik	Low
Product	jar	package name	transcoder	Low

Identifiers

- None

decoder.svg.zip: batik-ttf2svg-inet_patched.jar

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/designer/build/tmp/dependencies/i-net Clear Reports Designer/plugins/decoder.svg.zip/batik-ttf2svg-inet_patched.jar
MD5: 6f0b1bf368468dc8a8227b3f401afa52
SHA1: ba2b2e3d95123857e71c60d49a9a221b4fc36db3
SHA256:1de125604d22826d9e5d3868d95e57ee4c8fa010ee528200cd18c52cf5a5e54e
Referenced In Project/Scope: designer-installer

Evidence

Type	Source	Name	Value	Confidence
Vendor	file	name	batik-ttf2svg-inet_patched	High
Vendor	jar	package name	apache	Low
Vendor	jar	package name	apps	Low
Vendor	jar	package name	batik	Low
Product	file	name	batik-ttf2svg-inet_patched	High
Product	jar	package name	apps	Low
Product	jar	package name	batik	Low
Product	jar	package name	ttf2svg	Low
Version	file	name	batik-ttf2svg-inet_patched	Medium
Version	file	version	2	Medium

Identifiers

- [cpe:2.3:a:inet:inet:2:*:*:*:*:*](#) (Confidence:High) suppress

decoder.svg.zip: batik-util-inet_patched.jar

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/designer/build/tmp/dependencies/i-net Clear Reports Designer/plugins/decoder.svg.zip/batik-util-inet_patched.jar
MD5: 183dac6411b205b38957a11d234906ca
SHA1: 86236e20930356d458ddd067c8c4308dc5932e56
SHA256:2268de559d12e0cbaad3019318d86d8e312fbf48508aa4c6dfb5f3dadc20b442
Referenced In Project/Scope: designer-installer

Evidence

Type	Source	Name	Value	Confidence
Vendor	file	name	batik-util-inet_patched	High
Vendor	jar	package name	apache	Low

Vendor	jar	package name	batik	Low
Vendor	jar	package name	util	Low
Product	file	name	batik-util-inet_patched	High
Product	jar	package name	batik	Low
Product	jar	package name	util	Low

Identifiers

- None

decoder.svg.zip: batik-xml-inet_patched.jar

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/designer/build/tmp/dependencies/i-net Clear Reports Designer/plugins/decoder.svg.zip/batik-xml-inet_patched.jar

MD5: 2ee7b66eaa72669fdbbdc1ccf5a532cf

SHA1: c81c9b2f41a01688c55ea47d7add3789bdc9f71d

SHA256: fa08baff608e74d3a721fcf42e334c53a864b027def7a1307837b790a8f65783

Referenced In Project/Scope: designer-installer

Evidence +

Type	Source	Name	Value	Confidence
Vendor	file	name	batik-xml-inet_patched	High
Vendor	jar	package name	apache	Low
Vendor	jar	package name	batik	Low
Vendor	jar	package name	xml	Low
Product	file	name	batik-xml-inet_patched	High
Product	jar	package name	batik	Low
Product	jar	package name	xml	Low

Identifiers

- None

decoder.svg.zip: decoder.svg.jar

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/designer/build/tmp/dependencies/i-net Clear Reports Designer/plugins/decoder.svg.zip/decoder.svg.jar
MD5: c825860338fbca0e8fc9e7aff751e1c0
SHA1: ba0cd81ecef7addd93be5c5818894452394379a5
SHA256:0cc5bcc55d2597b6ebf32db85af870819bc34ed08380ed658320a88973d2e466
Referenced In Project/Scope: designer-installer

Evidence +

Type	Source	Name	Value	Confidence
Vendor	file	name	decoder.svg	High
Vendor	jar	package name	encode	Low
Vendor	jar	package name	inet	Low
Vendor	jar	package name	report	Low
Vendor	Manifest	built-date	2025-04-03 19:21	Low
Vendor	Manifest	implementation-group	reporting	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	decoder.svg	High
Product	jar	package name	encode	Low
Product	jar	package name	report	Low
Product	jar	package name	svg	Highest
Product	jar	package name	svg	Low
Product	Manifest	built-date	2025-04-03 19:21	Low
Product	Manifest	implementation-group	reporting	Low
Product	Manifest	Implementation-Title	decoder.svg	High
Product	Manifest	specification-title	decoder.svg	Medium
Version	Manifest	Implementation-Version	25.4.199	High

Identifiers

- None

decoder.svg.zip: jsvg.jar

License:

MIT

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/designer/build/tmp/dependencies/i-net Clear Reports Designer/plugins/decoder.svg.zip/jsvg.jar

MD5: be6ca7686f4ca1320fec8b22762805a3

SHA1: cff25678c920dbd657bce96e9245e4fb54f852e6

SHA256:a215cf2a11dca182da9bc578ca6ab7c3e1728282df3a56f39ec8302f2c7895ef

Referenced In Project/Scope: designer-installer

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	jsvg	High
Vendor	jar	package name	github	Highest
Vendor	jar	package name	github	Low
Vendor	jar	package name	jsvg	Highest
Vendor	jar	package name	jsvg	Low
Vendor	jar	package name	weisj	Highest
Vendor	jar	package name	weisj	Low
Vendor	Manifest	Implementation-Vendor	JSVG	High
Vendor	Manifest	Implementation-Vendor-Id	com.github.weisj	Medium
Vendor	Manifest	specification-vendor	JSVG	Low
Product	file	name	jsvg	High
Product	jar	package name	jsvg	Highest
Product	jar	package name	jsvg	Low
Product	jar	package name	weisj	Low
Product	Manifest	Implementation-Title	jsvg	High
Product	Manifest	specification-title	JSVG	Medium
Version	Manifest	Implementation-Version	1.3.0	High

Identifiers

• None

decoder.svg.zip: xml-apis-ext.jar

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/designer/build/tmp/dependencies/i-net Clear Reports Designer/plugins/decoder.svg.zip/xml-apis-ext.jar

MD5: bcb07d3b8d2397db7a3013b6465d347b

SHA1: 41a8b86b358e87f3f13cf46069721719105aff66

SHA256: d0b4887dc34d57de49074a58affad439a013d0baffa1a8034f8ef2a5ea191646

Referenced In Project/Scope: designer-installer

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	xml-apis-ext	High
Vendor	jar	package name	dom	Low
Vendor	jar	package name	svg	Low
Vendor	jar	package name	w3c	Low
Vendor	manifest-org/w3c/css/sac/	Implementation-Vendor	World Wide Web Consortium	Medium
Vendor	manifest-org/w3c/dom/smil/	Implementation-Vendor	World Wide Web Consortium	Medium
Vendor	manifest-org/w3c/dom/svg/	Implementation-Vendor	World Wide Web Consortium	Medium
Product	file	name	xml-apis-ext	High
Product	jar	package name	css	Highest
Product	jar	package name	dom	Highest
Product	jar	package name	dom	Low
Product	jar	package name	sac	Highest
Product	jar	package name	smil	Highest
Product	jar	package name	svg	Highest
Product	jar	package name	svg	Low
Product	jar	package name	w3c	Highest
Product	manifest	Implementation-	org.w3c.css.sac	Medium

	org /w3c /css /sac/	Title		
Product	manifest org /w3c /css /sac/	Specification- Title	Simple API for CSS	Medium
Product	manifest org /w3c /dom /smil/	Implementation- Title	org.w3c.dom.smil	Medium
Product	manifest org /w3c /dom /smil/	Specification- Title	Document Object Model (DOM) for Synchronized Multimedia Integration Language (SMIL)	Medium
Product	manifest org /w3c /dom /svg/	Implementation- Title	org.w3c.dom.svg	Medium
Product	manifest org /w3c /dom /svg/	Specification- Title	Document Object Model (DOM) for Scalable Vector Graphics (SVG)	Medium
Version	manifest org /w3c /css /sac/	Implementation- Version	1.3	Medium
Version	manifest org /w3c /dom /svg/	Implementation- Version	1.1	Medium

Identifiers

- None

decoder.svg.zip: xmlgraphics-commons.jar

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/designer/build/tmp/dependencies/i-net Clear Reports Designer/plugins/decoder.svg.zip/xmlgraphics-commons.jar

MD5: ec712218e2391e64672fd8ed1e9e1d71

SHA1: 336ddd6d0a244cdebf26a298fb7c3a5fd45449db

SHA256:1fe37a1927bdd699730f0ad39f50a699c9ab4dff0ad047dff1e846cb120ae2b1
Referenced In Project/Scope: designer-installer

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	xmlgraphics-commons	High
Vendor	jar	package name	apache	Highest
Vendor	jar	package name	apache	Low
Vendor	jar	package name	xmlgraphics	Highest
Vendor	jar	package name	xmlgraphics	Low
Vendor	Manifest	Implementation-Vendor	The Apache Software Foundation (http://xmlgraphics.apache.org/)	High
Product	file	name	xmlgraphics-commons	High
Product	jar	package name	apache	Highest
Product	jar	package name	xmlgraphics	Low
Product	Manifest	Implementation-Title	Apache XML Graphics Commons	High
Version	Manifest	build-id	20220112-112401-GMT	Medium
Version	Manifest	Implementation-Version	2.7	High

Identifiers

- cpe:2.3:a:apache:xmlgraphics_commons:2.7:*:*:*:*:* (Confidence:Low)

suppress

designer.zip: CCGuiLib.jar

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller
/designer/build/tmp/dependencies/i-net Clear Reports Designer/plugins/designer.zip/CCGuiLib.jar
MD5: 740fb31bef0ff2ca81d4eda3116cda61
SHA1: 6b9083c603f69ad847744278c4623ed376b6d387
SHA256:74de673f44bdeec83c55f79df56ac0bc1f9de8f00c63572d7f414334fc485058
Referenced In Project/Scope: designer-installer

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	CCGuiLib	High
Vendor	jar	package name	guilib	Low

Vendor	jar	package name	inet	Low
Vendor	Manifest	application-library-allowable-codebase	*	Low
Vendor	Manifest	built-date	2025-04-03 19:01	Low
Vendor	Manifest	codebase	*	Low
Vendor	Manifest	implementation-group	reporting	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	permissions	all-permissions	Low
Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	trusted-library	false	Low
Vendor	Manifest	trusted-only	false	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	CCGuiLib	High
Product	jar	package name	guilib	Low
Product	Manifest	application-library-allowable-codebase	*	Low
Product	Manifest	built-date	2025-04-03 19:01	Low
Product	Manifest	codebase	*	Low
Product	Manifest	implementation-group	reporting	Low
Product	Manifest	Implementation-Title	CCGuiLib	High
Product	Manifest	permissions	all-permissions	Low
Product	Manifest	specification-title	CCGuiLib	Medium
Product	Manifest	trusted-library	false	Low
Product	Manifest	trusted-only	false	Low
Version	Manifest	Implementation-Version	25.4.199	High

Identifiers

- None

designer.zip: JnlpDesigner.jar

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/designer/build/tmp/dependencies/i-net Clear Reports Designer/plugins/designer.zip/JnlpDesigner.jar

MD5: 8f365115ce972e338b34331a49d341c9

SHA1: 982dfadb3d844ab3722aa0ec6d59f9c4c8f17728

SHA256: be58686201d796d54ccacdeb9d946b43a94a59001f897e595ff702907c7e9316

Referenced In Project/Scope: designer-installer

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	JnlpDesigner	High
Vendor	jar	package name	designer	Highest
Vendor	jar	package name	inet	Low
Vendor	jar	package name	loader	Low
Vendor	jar	package name	shared	Low
Vendor	Manifest	application-library-allowable-codebase	*	Low
Vendor	Manifest	application-name	i-net Remote Designer	Medium
Vendor	Manifest	built-date	2025-04-03 19:24	Low
Vendor	Manifest	codebase	*	Low
Vendor	Manifest	implementation-group	reporting	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	permissions	all-permissions	Low
Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	trusted-library	false	Low
Vendor	Manifest	trusted-only	false	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	JnlpDesigner	High
Product	jar	package name	designer	Highest
Product	jar	package name	jnlpdesigner	Highest

Product	jar	package name	loader	Low
Product	jar	package name	shared	Low
Product	Manifest	application-library-allowable-codebase	*	Low
Product	Manifest	application-name	i-net Remote Designer	Medium
Product	Manifest	built-date	2025-04-03 19:24	Low
Product	Manifest	codebase	*	Low
Product	Manifest	implementation-group	reporting	Low
Product	Manifest	Implementation-Title	JnlpDesigner	High
Product	Manifest	permissions	all-permissions	Low
Product	Manifest	specification-title	JnlpDesigner	Medium
Product	Manifest	trusted-library	false	Low
Product	Manifest	trusted-only	false	Low
Version	Manifest	Implementation-Version	25.4.199	High

Identifiers

- None

designer.zip: SBSTutorial.jar

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/designer/build/tmp/dependencies/i-net Clear Reports Designer/plugins/designer.zip/SBSTutorial.jar

MD5: 5e2a9290c88fe830cd909e96f5c799d9

SHA1: 542d34a9c34bbedb395963cdbcad5a9bd0efcf9b9

SHA256:b995e7ba1765952b44fc3802ca5fe6c9debf4d571c9cc85de8e895420d984307

Referenced In Project/Scope: designer-installer

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	SBSTutorial	High
Vendor	jar	package name	anormalmedia	Low
Vendor	jar	package name	de	Low
Vendor	jar	package name	sbstutorial	Low

Product	file	name	SBSTutorial	High
Product	jar	package name	anormalmedia	Low
Product	jar	package name	gui	Low
Product	jar	package name	sbstutorial	Low

Identifiers

- None

designer.zip: TableLayout.jar

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/designer/build/tmp/dependencies/i-net Clear Reports Designer/plugins/designer.zip/TableLayout.jar

MD5: 1e432e776e18d71f12dd72b7d235a965

SHA1: 62ffa1cca3e71f94d0bdce85ea97ea7083fdb1b

SHA256: 13e73cf77a93f0c52184e5a5557d7dbba081bf54904edfdb84645b5daf7dd18

Referenced In Project/Scope: designer-installer

Evidence +

Type	Source	Name	Value	Confidence
Vendor	file	name	TableLayout	High
Vendor	jar	package name	clearthought	Low
Vendor	jar	package name	info	Low
Vendor	jar	package name	layout	Low
Product	file	name	TableLayout	High
Product	jar	package name	clearthought	Low
Product	jar	package name	layout	Low

Identifiers

- None

designer.zip: designer.jar

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/designer/build/tmp/dependencies/i-net Clear Reports Designer/plugins/designer.zip/designer.jar
MD5: 299a3d16ab67763d7c4f14fba6aefff2
SHA1: 80456accbcdc06b4fb374e05c77edbe0f098949f
SHA256:c386fda12a6e288165d02e0ffa7a001725b9e8e63778899d5dc9e6d38889f513
Referenced In Project/Scope: designer-installer

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	designer	High
Vendor	jar	package name	designer	Low
Vendor	jar	package name	i	Highest
Vendor	jar	package name	inet	Low
Vendor	Manifest	built-date	2025-04-03 19:23	Low
Vendor	Manifest	implementation-group	reporting	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	designer	High
Product	jar	package name	designer	Highest
Product	jar	package name	designer	Low
Product	Manifest	built-date	2025-04-03 19:23	Low
Product	Manifest	implementation-group	reporting	Low
Product	Manifest	Implementation-Title	designer	High
Product	Manifest	specification-title	designer	Medium
Version	Manifest	Implementation-Version	25.4.199	High

Identifiers

- None

designer.zip: designer.jar: app.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/designer/build/tmp/dependencies/i-net Clear Reports Designer/plugins/designer.zip/designer.jar/com/inet/designer/plugin/module/js/app.js

MD5: 166cf806b8a80aeb525c6227997dbb67

SHA1: ad98fea47d6520742c5d53b264f35617f9e93205

SHA256: 1723232334ea1520fcbb4e388a48386444bb0dd6a650a7f253ab91c1f2a17f9c

Referenced In Project/Scope: designer-installer

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

designer.zip: designer.jar: opendesignerextension.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/designer/build/tmp/dependencies/i-net Clear Reports Designer/plugins/designer.zip/designer.jar/com/inet/designer/plugin/repository/drive/client/js/opendesignerextension.js

MD5: 4ffa073261ffba0499b501bfe0c011e8

SHA1: 49d507d0039f67d9402a17be9a3bd188e39d5778

SHA256: a6393af45de96155785e5d8fa03a5e8c25e82f7e01f2f09855dd04a66a318f4b

Referenced In Project/Scope: designer-installer

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

designer.zip: designer.jar: remotedesigner.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/designer/build/tmp/dependencies/i-net Clear Reports Designer/plugins/designer.zip/designer.jar/com/inet/designer/plugin/module/js/remotedesigner.js

MD5: 636aa57b17582002507695eb51151b40

SHA1: 0c4c63514279a159369d7f3d04b748cb3077f4a5
SHA256:187e4aedb6834259a1b86981c479cf670040d20b0700347f52261d32bdbdbdaf
Referenced In Project/Scope: designer-installer

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

designer.zip: inetswingcore.jar

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller /designer/build/tmp/dependencies/i-net Clear Reports Designer/plugins/designer.zip/inetswingcore.jar
MD5: 86a8983f0fe33b67b73e498bb7a8e874
SHA1: 8cd4b77e5914c62f4864e4363a3d28310689b1c0
SHA256:7627f09b0a9a256f2102804c07765de17045a442b8e97fbcc87253ac5f134a93
Referenced In Project/Scope: designer-installer

Evidence +

Type	Source	Name	Value	Confidence
Vendor	file	name	inetswingcore	High
Vendor	jar	package name	i	Highest
Vendor	jar	package name	inet	Low
Vendor	jar	package name	swing	Low
Vendor	Manifest	built-date	2025-04-03 17:33	Low
Vendor	Manifest	implementation-group	shared	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	inetswingcore	High
Product	jar	package name	swing	Low
Product	Manifest	built-date	2025-04-03 17:33	Low

Product	Manifest	implementation-group	shared	Low
Product	Manifest	Implementation-Title	inetswingcore	High
Product	Manifest	specification-title	inetswingcore	Medium
Version	Manifest	Implementation-Version	25.4.199	High

Identifiers

- None

diagnostics.reporting.zip: diagnostics.reporting.jar

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/designer/build/tmp/dependencies/i-net Clear Reports Designer/plugins/diagnostics.reporting.zip
/diagnostics.reporting.jar

MD5: b3ef2ba6bedc744410cefc882bb50545

SHA1: d3ea717a868ce27f8cd70477e5539dc9ff97fb43

SHA256: 7c0a12eef3ad8d8d53988d2a6e57d78f0cbdb4569117180ebd44700d6b22554c

Referenced In Project/Scope: designer-installer

Evidence +

Type	Source	Name	Value	Confidence
Vendor	file	name	diagnostics.reporting	High
Vendor	jar	package name	diagnostics	Low
Vendor	jar	package name	inet	Low
Vendor	jar	package name	report	Low
Vendor	Manifest	built-date	2025-04-03 19:22	Low
Vendor	Manifest	implementation-group	reporting	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	diagnostics.reporting	High
Product	jar	package name	diagnostics	Highest

Product	jar	package name	diagnostics	Low
Product	jar	package name	report	Low
Product	jar	package name	widgets	Low
Product	Manifest	built-date	2025-04-03 19:22	Low
Product	Manifest	implementation-group	reporting	Low
Product	Manifest	Implementation-Title	diagnostics.reporting	High
Product	Manifest	specification-title	diagnostics.reporting	Medium
Version	Manifest	Implementation-Version	25.4.199	High

Identifiers

- None

diagnostics.reporting.zip: diagnostics.reporting.jar: connectionPool.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/designer/build/tmp/dependencies/i-net Clear Reports Designer/plugins/diagnostics.reporting.zip
/diagnostics.reporting.jar/com/inet/report/diagnostics/widgets/connectionpool/resources/connectionPool.js

MD5: f53d87419cca81933623ab8325b500e4

SHA1: 5d4d1ae1f0f86f84711e9090df767880dacd62f0

SHA256: 0276fb918e86662478f9e2f51a4ea88862d48c2b848059cfbca686f96a9dd87

Referenced In Project/Scope: designer-installer

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

diagnostics.reporting.zip: diagnostics.reporting.jar: reportcache.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/designer/build/tmp/dependencies/i-net Clear Reports Designer/plugins/diagnostics.reporting.zip
/diagnostics.reporting.jar/com/inet/report/diagnostics/widgets/reportcache/resources/reportcache.js

MD5: 69cf1345e403fa8c11c27e3fa01fb71b
SHA1: e9ae6aca9c42c00ad18a935a7f84a3d2d59d0384
SHA256: b25ec00b6d64bcc7db7b3c3c9ca17ac561f5b7658d986a9d28cbb7ed6cbf3e41
Referenced In Project/Scope: designer-installer

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

diagnostics.reporting.zip: diagnostics.reporting.jar: server-datasource.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/designer/build/tmp/dependencies/i-net Clear Reports Designer/plugins/diagnostics.reporting.zip/diagnostics.reporting.jar/com/inet/report/diagnostics/widgets/benchmark/datasource/server-datasource.js

MD5: 7ff5a1d205b088435a55eebe6b299af9
SHA1: f34ca1847e716ee3d759eef5ea0c1dd0a409ac6c
SHA256: 8f5ea4bc5b949a0626b8e5f715b8c7c2a55e9a6e043d110dc5e583e18bb6595c
Referenced In Project/Scope: designer-installer

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

enginefactory.zip: enginefactory.sample.jar

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/designer/build/tmp/dependencies/i-net Clear Reports Designer/plugins/enginefactory.zip/enginefactory.sample.jar

MD5: bf294357a39c72be6912fd840c769f78
SHA1: 02329bef6fc804949ad50c773de71365113a57eb
SHA256: e51b1ce0242efcb5f6d246aa7129d0c39b54e283a8febb76f32e0d711d360bad
Referenced In Project/Scope: designer-installer

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	enginefactory.sample	High
Vendor	jar	package name	factory	Low
Vendor	jar	package name	inet	Low
Vendor	jar	package name	samples	Low
Vendor	Manifest	built-date	2025-04-03 19:04	Low
Vendor	Manifest	implementation-group	reporting	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	enginefactory.sample	High
Product	jar	package name	factory	Low
Product	jar	package name	samples	Low
Product	Manifest	built-date	2025-04-03 19:04	Low
Product	Manifest	implementation-group	reporting	Low
Product	Manifest	Implementation-Title	enginefactory	High
Product	Manifest	specification-title	enginefactory	Medium
Version	Manifest	Implementation-Version	25.4.199	High

Identifiers

- None

facturx.zip: Saxon-HE.jar

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/designer/build/tmp/dependencies/i-net Clear Reports Designer/plugins/facturx.zip/Saxon-HE.jar

MD5: 39b53a0dcd01522e79223e2506061d44

SHA1: 57c007520e2879387b8d13d0a512e9566eeffa73

SHA256: 98c3a91e6e5aaf9b3e2b37601e04b214a6e67098493cdd8232fcb705fddcb674

Referenced In Project/Scope: designer-installer

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	Saxon-HE	High
Vendor	jar	package name	net	Low
Vendor	jar	package name	saxon	Highest
Vendor	jar	package name	saxon	Low
Vendor	jar	package name	sf	Low
Vendor	Manifest	project-name	Saxon-HE	Medium
Product	file	name	Saxon-HE	High
Product	jar	package name	saxon	Highest
Product	jar	package name	saxon	Low
Product	jar	package name	sf	Low
Product	Manifest	project-name	Saxon-HE	Medium

Identifiers

- None

facturx.zip: facturx.jar

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/designer/build/tmp/dependencies/i-net Clear Reports Designer/plugins/facturx.zip/facturx.jar

MD5: 0142dfa2cc7b1f0b42d5820716bd5982

SHA1: 665b8e11e9bc0a63b70d0692d35497592cb15721

SHA256: 865488a5d5c4a51ea5a0413845d8d46bed6d61ec42e39be28594d641e40e8e3f

Referenced In Project/Scope: designer-installer

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	facturx	High
Vendor	jar	package name	facturx	Low
Vendor	jar	package name	inet	Low
Vendor	jar	package name	profiles	Low
Vendor	Manifest	built-date	2025-04-03 19:23	Low
Vendor	Manifest	implementation-group	reporting	Low

Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	facturx	High
Product	jar	package name	facturx	Highest
Product	jar	package name	facturx	Low
Product	jar	package name	profiles	Low
Product	Manifest	built-date	2025-04-03 19:23	Low
Product	Manifest	implementation-group	reporting	Low
Product	Manifest	Implementation-Title	facturx	High
Product	Manifest	specification-title	facturx	Medium
Version	Manifest	Implementation-Version	25.4.199	High

Identifiers

- None

facturx.zip: istack-commons-runtime.jar

Description:

istack common utility code

License:

<http://www.eclipse.org/org/documents/edl-v10.php>

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/designer/build/tmp/dependencies/i-net Clear Reports Designer/plugins/facturx.zip/istack-commons-runtime.jar

MD5: 669f50fb835d86fcb3a9523a729f4d5e

SHA1: 131351109ff27c4aa0958a988bb273e879687232

SHA256: 21025b7a096ef93f74de659c1be5990fa0c24e59a0f98a706e392e7088725ff6

Referenced In Project/Scope: designer-installer

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Vendor	file	name	istack-commons-runtime	High
Vendor	jar	package name	istack	Highest
Vendor	jar	package name	sun	Highest
Vendor	jar (hint)	package name	oracle	Highest
Vendor	Manifest	bundle-docurl	https://www.eclipse.org	Low
Vendor	Manifest	bundle-symbolicname	com.sun.istack.common.runtime	Medium
Vendor	Manifest	implementation-build-id	4.2.0 - 19e68d9	Low
Vendor	Manifest	Implementation-Vendor	Eclipse Foundation	High
Vendor	Manifest	Implementation-Vendor-Id	com.sun.istack	Medium
Vendor	pom	artifactid	istack-commons-runtime	Low
Vendor	pom	groupid	com.sun.istack	Highest
Vendor	pom	name	istack common utility code runtime	High
Vendor	pom	parent-artifactid	istack-commons	Low
Product	file	name	istack-commons-runtime	High
Product	jar	package name	istack	Highest
Product	jar	package name	sun	Highest
Product	Manifest	bundle-docurl	https://www.eclipse.org	Low
Product	Manifest	Bundle-Name	istack common utility code runtime	Medium
Product	Manifest	bundle-symbolicname	com.sun.istack.common.runtime	Medium
Product	Manifest	implementation-build-id	4.2.0 - 19e68d9	Low
Product	pom	artifactid	istack-commons-runtime	Highest
Product	pom	groupid	com.sun.istack	Highest
Product	pom	name	istack common utility code runtime	High
Product	pom	parent-artifactid	istack-commons	Medium
Version	Manifest	Bundle-Version	4.2.0	High
Version	Manifest	implementation-build-id	4.2.0	Low
Version	pom	version	4.2.0	Highest

Identifiers

- [pkg:maven/com.sun.istack/istack-commons-runtime@4.2.0](#) (*Confidence:High*)

facturx.zip: jakarta.activation-api.jar

Description:

Specification

License:

EDL 1.0: <http://www.eclipse.org/org/documents/edl-v10.php>

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/designer/build/tmp/dependencies/i-net Clear Reports Designer/plugins/facturx.zip/jakarta.activation-api.jar

MD5: 1af11450fafc7ee26c633d940286bc16

SHA1: 640c0d5aff45dbff1e1a1bc09673ff3a02b1ba12

SHA256: f53f578dd0eb4170c195a4e215c59a38abfb4123dcb95dd902fef92876499fbb

Referenced In Project/Scope: designer-installer

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	jakarta.activation-api	High
Vendor	jar	package name	activation	Highest
Vendor	jar	package name	jakarta	Highest
Vendor	Manifest	bundle-docurl	https://www.eclipse.org	Low
Vendor	Manifest	bundle-symbolicname	jakarta.activation-api	Medium
Vendor	Manifest	extension-name	jakarta.activation	Medium
Vendor	Manifest	implementation-build-id	0750e49	Low
Vendor	Manifest	Implementation-Vendor	Eclipse Foundation	High
Vendor	Manifest	specification-vendor	Eclipse Foundation	Low
Vendor	pom	artifactid	jakarta.activation-api	Low
Vendor	pom	developer email	bill.shannon@oracle.com	Low
Vendor	pom	developer id	shannon	Medium
Vendor	pom	developer name	Bill Shannon	Medium
Vendor	pom	developer org	Oracle	Medium
Vendor	pom	groupid	jakarta.activation	Highest
Vendor	pom	name	Jakarta Activation API	High
Vendor	pom	parent-artifactid	project	Low
Vendor	pom	parent-groupid	org.eclipse.ee4j	Medium

Vendor	pom	url	jakartaee/jaf-api	Highest
Vendor	pom (hint)	developer org	sun	Medium
Product	file	name	jakarta.activation-api	High
Product	jar	package name	activation	Highest
Product	jar	package name	jakarta	Highest
Product	Manifest	bundle-docurl	https://www.eclipse.org	Low
Product	Manifest	Bundle-Name	Jakarta Activation API	Medium
Product	Manifest	bundle-symbolicname	jakarta.activation-api	Medium
Product	Manifest	extension-name	jakarta.activation	Medium
Product	Manifest	implementation-build-id	0750e49	Low
Product	Manifest	Implementation-Title	Jakarta Activation API	High
Product	Manifest	specification-title	Jakarta Activation Specification	Medium
Product	pom	artifactid	jakarta.activation-api	Highest
Product	pom	developer email	bill.shannon@oracle.com	Low
Product	pom	developer id	shannon	Low
Product	pom	developer name	Bill Shannon	Low
Product	pom	developer org	Oracle	Low
Product	pom	groupid	jakarta.activation	Highest
Product	pom	name	Jakarta Activation API	High
Product	pom	parent-artifactid	project	Medium
Product	pom	parent-groupid	org.eclipse.ee4j	Medium
Product	pom	url	jakartaee/jaf-api	High
Version	Manifest	Bundle-Version	2.1.2	High
Version	pom	parent-version	2.1.2	Low
Version	pom	version	2.1.2	Highest

Identifiers

- [pkg:maven/jakarta.activation/jakarta.activation-api@2.1.2](#) (*Confidence:High*)

facturx.zip: jakarta.xml.bind-api.jar

Description:

Jakarta XML Binding API 4.0 Design Specification

License:

<http://www.eclipse.org/org/documents/edl-v10.php>

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/designer/build/tmp/dependencies/i-net Clear Reports Designer/plugins/facturx.zip/jakarta.xml.bind-api.jar

MD5: 0c8f9991081def819435c3ff36e4d93f

SHA1: 6cd5a999b834b63238005b7144136379dc36cad2

SHA256: 0d6bcfe47763e85047acf7c398336dc84ff85ebcad0a7cb6f3b9d3e981245406

Referenced In Project/Scope: designer-installer

Evidence

Type	Source	Name	Value	Confidence
Vendor	file	name	jakarta.xml.bind-api	High
Vendor	jar	package name	bind	Highest
Vendor	jar	package name	jakarta	Highest
Vendor	jar	package name	xml	Highest
Vendor	Manifest	bundle-docurl	https://www.eclipse.org	Low
Vendor	Manifest	bundle-symbolicname	jakarta.xml.bind-api	Medium
Vendor	Manifest	extension-name	jakarta.xml.bind	Medium
Vendor	Manifest	implementation-build-id	ca43d8b	Low
Vendor	Manifest	specification-vendor	Eclipse Foundation	Low
Vendor	pom	artifactid	jakarta.xml.bind-api	Low
Vendor	pom	groupid	jakarta.xml.bind	Highest
Vendor	pom	name	Jakarta XML Binding API	High
Vendor	pom	parent-artifactid	jakarta.xml.bind-api-parent	Low
Product	file	name	jakarta.xml.bind-api	High
Product	jar	package name	bind	Highest
Product	jar	package name	jakarta	Highest
Product	jar	package name	xml	Highest
Product	Manifest	bundle-docurl	https://www.eclipse.org	Low
Product	Manifest	Bundle-Name	Jakarta XML Binding API	Medium
Product	Manifest	bundle-symbolicname	jakarta.xml.bind-api	Medium
Product	Manifest	extension-name	jakarta.xml.bind	Medium
Product	Manifest	implementation-build-id	ca43d8b	Low

Product	pom	artifactid	jakarta.xml.bind-api	Highest
Product	pom	groupid	jakarta.xml.bind	Highest
Product	pom	name	Jakarta XML Binding API	High
Product	pom	parent-artifactid	jakarta.xml.bind-api-parent	Medium
Version	Manifest	Bundle-Version	4.0.2	High
Version	Manifest	Implementation-Version	4.0.2	High
Version	pom	version	4.0.2	Highest

Identifiers

- <pkg:maven/jakarta.xml.bind/jakarta.xml.bind-api@4.0.2> (*Confidence:High*)

facturx.zip: jaxb-core.jar

Description:

JAXB Core module. Contains sources required by XJC, JXC and Runtime modules.

License:

<http://www.eclipse.org/org/documents/edl-v10.php>

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/designer/build/tmp/dependencies/i-net Clear Reports Designer/plugins/facturx.zip/jaxb-core.jar

MD5: ab09aef6bebd4438b0a02707881801e4

SHA1: 007b4b11ea5542eea4ad55e1080b23be436795b3

SHA256: ad3fd9bf00de3eda9859f70b6cfb011e2fe9904804e16a2665092888ece0fdca

Referenced In Project/Scope: designer-installer

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	jaxb-core	High
Vendor	jar	package name	core	Highest
Vendor	jar	package name	glassfish	Highest
Vendor	jar	package name	jaxb	Highest
Vendor	Manifest	bundle-docurl	https://www.eclipse.org	Low
Vendor	Manifest	bundle-symbolicname	org.glassfish.jaxb.core	Medium
Vendor	Manifest	git-revision	cb19596	Low
Vendor	Manifest	implementation-build-id	4.0.5 - cb19596	Low

Vendor	Manifest	Implementation-Vendor	Eclipse Foundation	High
Vendor	Manifest	Implementation-Vendor-Id	org.glassfish.jaxb	Medium
Vendor	Manifest	specification-vendor	Eclipse Foundation	Low
Vendor	pom	artifactid	jaxb-core	Low
Vendor	pom	groupid	org.glassfish.jaxb	Highest
Vendor	pom	name	JAXB Core	High
Vendor	pom	parent-artifactid	jaxb-parent	Low
Vendor	pom	parent-groupid	com.sun.xml.bind.mvn	Medium
Vendor	pom	url	https://eclipse-ee4j.github.io/jaxb-ri/	Highest
Product	file	name	jaxb-core	High
Product	jar	package name	core	Highest
Product	jar	package name	glassfish	Highest
Product	jar	package name	jaxb	Highest
Product	Manifest	bundle-docurl	https://www.eclipse.org	Low
Product	Manifest	Bundle-Name	JAXB Core	Medium
Product	Manifest	bundle-symbolicname	org.glassfish.jaxb.core	Medium
Product	Manifest	git-revision	cb19596	Low
Product	Manifest	implementation-build-id	4.0.5 - cb19596	Low
Product	Manifest	Implementation-Title	Eclipse Implementation of JAXB	High
Product	Manifest	specification-title	Jakarta XML Binding	Medium
Product	pom	artifactid	jaxb-core	Highest
Product	pom	groupid	org.glassfish.jaxb	Highest
Product	pom	name	JAXB Core	High
Product	pom	parent-artifactid	jaxb-parent	Medium
Product	pom	parent-groupid	com.sun.xml.bind.mvn	Medium
Product	pom	url	https://eclipse-ee4j.github.io/jaxb-ri/	Medium
Version	Manifest	build-version	4.0.5	Medium
Version	Manifest	Bundle-Version	4.0.5	High
Version	Manifest	implementation-build-id	4.0.5	Low
Version	pom	version	4.0.5	Highest

Identifiers

- [pkg:maven/org.glassfish.jaxb/jaxb-core@4.0.5](https://maven.org/glassfish/jaxb/jaxb-core@4.0.5) (*Confidence:High*)

facturx.zip: jaxb-runtime.jar

Description:

JAXB (JSR 222) Reference Implementation

License:

<http://www.eclipse.org/org/documents/edl-v10.php>

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/designer/build/tmp/dependencies/i-net Clear Reports Designer/plugins/facturx.zip/jaxb-runtime.jar

MD5: c7384f1f95b8a8e15291485ff9dbe4f3

SHA1: ca84c2a7169b5293e232b9d00d1e4e36d4c3914a

SHA256:485d8940e76373a7f300815ea5504bf5b726c234425ad30971019d133124cca4

Referenced In Project/Scope: designer-installer

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	jaxb-runtime	High
Vendor	jar	package name	glassfish	Highest
Vendor	jar	package name	jaxb	Highest
Vendor	jar	package name	runtime	Highest
Vendor	Manifest	bundle-docurl	https://www.eclipse.org	Low
Vendor	Manifest	bundle-symbolicname	org.glassfish.jaxb.runtime	Medium
Vendor	Manifest	git-revision	cb19596	Low
Vendor	Manifest	implementation-build-id	4.0.5 - cb19596	Low
Vendor	Manifest	Implementation-Vendor	Eclipse Foundation	High
Vendor	Manifest	Implementation-Vendor-Id	org.glassfish.jaxb	Medium
Vendor	Manifest	provide-capability	osgi.serviceloader;osgi.serviceloader="jakarta.xml.bind.JAXBContextFactory"	Low
Vendor	Manifest	specification-vendor	Eclipse Foundation	Low
Vendor	pom	artifactid	jaxb-runtime	Low
Vendor	pom	groupid	org.glassfish.jaxb	Highest

Vendor	pom	name	JAXB Runtime	High
Vendor	pom	parent-artifactid	jaxb-runtime-parent	Low
Vendor	pom	parent-groupid	com.sun.xml.bind.mvn	Medium
Vendor	pom	url	https://eclipse-ee4j.github.io/jaxb-ri/	Highest
Product	file	name	jaxb-runtime	High
Product	jar	package name	glassfish	Highest
Product	jar	package name	jaxb	Highest
Product	jar	package name	runtime	Highest
Product	Manifest	bundle-docurl	https://www.eclipse.org	Low
Product	Manifest	Bundle-Name	JAXB Runtime	Medium
Product	Manifest	bundle-symbolicname	org.glassfish.jaxb.runtime	Medium
Product	Manifest	git-revision	cb19596	Low
Product	Manifest	implementation-build-id	4.0.5 - cb19596	Low
Product	Manifest	Implementation-Title	Eclipse Implementation of JAXB	High
Product	Manifest	provide-capability	osgi.serviceloader;osgi.serviceloader="jakarta.xml.bind.JAXBContextFactory"	Low
Product	Manifest	specification-title	Jakarta XML Binding	Medium
Product	pom	artifactid	jaxb-runtime	Highest
Product	pom	groupid	org.glassfish.jaxb	Highest
Product	pom	name	JAXB Runtime	High
Product	pom	parent-artifactid	jaxb-runtime-parent	Medium
Product	pom	parent-groupid	com.sun.xml.bind.mvn	Medium
Product	pom	url	https://eclipse-ee4j.github.io/jaxb-ri/	Medium
Version	Manifest	build-version	4.0.5	Medium
Version	Manifest	Bundle-Version	4.0.5	High
Version	Manifest	implementation-build-id	4.0.5	Low
Version	pom	version	4.0.5	Highest

Identifiers

- [pkg:maven/org.glassfish.jaxb/jaxb-runtime@4.0.5](https://maven.org.glassfish.jaxb/jaxb-runtime@4.0.5) (*Confidence:High*)

facturx.zip: ph-collection.jar

Description:

Special Java 1.8+ Library with extended collection related functionality

License:

Apache 2: <https://www.apache.org/licenses/LICENSE-2.0>

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/designer/build/tmp/dependencies/i-net Clear Reports Designer/plugins/facturx.zip/ph-collection.jar

MD5: 66e821df6485df9a36320d068b79121c

SHA1: 3181255d7371fdcb8307307adb70b0e62452dbdc

SHA256: 38161b8784903115d8f5dd45aee6c08b0299807606d0225105efac81965c058c

Referenced In Project/Scope: designer-installer

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	ph-collection	High
Vendor	jar	package name	collection	Highest
Vendor	jar	package name	helger	Highest
Vendor	Manifest	automatic-module-name	com.helger.collection	Medium
Vendor	Manifest	build-jdk-spec	17	Low
Vendor	Manifest	bundle-docurl	https://www.helger.com	Low
Vendor	Manifest	bundle-symbolicname	com.helger.commons.ph-collection	Medium
Vendor	Manifest	Implementation-Vendor	Philip Helger	High
Vendor	pom	artifactid	ph-collection	Low
Vendor	pom	developer email	ph(at)helger.com	Low
Vendor	pom	developer id	philip	Medium
Vendor	pom	developer name	Philip Helger	Medium
Vendor	pom	groupid	com.helger.commons	Highest
Vendor	pom	name	ph-collection	High
Vendor	pom	organization name	Philip Helger	High
Vendor	pom	organization url	https://www.helger.com	Medium
Vendor	pom	parent-artifactid	ph-commons-parent-pom	Low
Vendor	pom	url	phax/ph-commons/ph-collection	Highest
Product	file	name	ph-collection	High
Product	jar	package name	collection	Highest
Product	jar	package name	helger	Highest

Product	Manifest	automatic-module-name	com.helger.collection	Medium
Product	Manifest	build-jdk-spec	17	Low
Product	Manifest	bundle-docurl	https://www.helger.com	Low
Product	Manifest	Bundle-Name	ph-collection	Medium
Product	Manifest	bundle-symbolicname	com.helger.commons.ph-collection	Medium
Product	Manifest	Implementation-Title	ph-collection	High
Product	pom	artifactid	ph-collection	Highest
Product	pom	developer email	ph(at)helger.com	Low
Product	pom	developer id	philip	Low
Product	pom	developer name	Philip Helger	Low
Product	pom	groupid	com.helger.commons	Highest
Product	pom	name	ph-collection	High
Product	pom	organization name	Philip Helger	Low
Product	pom	organization url	https://www.helger.com	Low
Product	pom	parent-artifactid	ph-commons-parent-pom	Medium
Product	pom	url	phax/ph-commons/ph-collection	High
Version	Manifest	Bundle-Version	11.1.11	High
Version	Manifest	Implementation-Version	11.1.11	High
Version	pom	version	11.1.11	Highest

Identifiers

- [pkg:maven/com.helger.commons/ph-collection@11.1.11](https://maven.com.helger.commons/ph-collection@11.1.11) (*Confidence:High*)

facturx.zip: ph-commons.jar

Description:

Java 1.8+ Library with tons of utility classes required in all projects

License:

Apache 2: <https://www.apache.org/licenses/LICENSE-2.0>

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/designer/build/tmp/dependencies/i-net Clear Reports Designer/plugins/facturx.zip/ph-commons.jar

MD5: 6dedf8f5071a2fb545bb6c33ce7a88ac

SHA1: 0b12e71f24a626f47e040b7c1f08c1f546e86400

SHA256: dfef711187b00bdf637517b856b567faadd7d439149bf7866de46b365227ab0b

Referenced In Project/Scope: designer-installer

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	ph-commons	High
Vendor	jar	package name	commons	Highest
Vendor	jar	package name	helger	Highest
Vendor	Manifest	automatic-module-name	com.helger.commons	Medium
Vendor	Manifest	build-jdk-spec	17	Low
Vendor	Manifest	bundle-docurl	https://www.helger.com	Low
Vendor	Manifest	bundle-symbolicname	com.helger.commons.ph-commons	Medium
Vendor	Manifest	Implementation-Vendor	Philip Helger	High
Vendor	Manifest	provide-capability	osgi.serviceloader;osgi.serviceloader="com.helger.commons.equals. IEqualsImplementationRegistrarSPI",osgi.serviceloader;osgi.serviceloader="com.helger.commons.hashcode. IHashCodeImplementationRegistrarSPI",osgi.serviceloader;osgi.serviceloader="com.helger.commons.serialize.convert. ISerializationConverterRegistrarSPI",osgi.serviceloader;osgi.serviceloader="com.helger.commons.thirdparty. IThirdPartyModuleProviderSPI",osgi.serviceloader;osgi.serviceloader="com.helger.commons.typeconvert. ITypeConverterRegistrarSPI"	Low
Vendor	pom	artifactid	ph-commons	Low
Vendor	pom	developer email	ph(at)helger.com	Low
Vendor	pom	developer id	philip	Medium
Vendor	pom	developer name	Philip Helger	Medium
Vendor	pom	groupid	com.helger.commons	Highest
Vendor	pom	name	ph-commons	High
Vendor	pom	organization name	Philip Helger	High
Vendor	pom	organization url	https://www.helger.com	Medium
Vendor	pom	parent-artifactid	ph-commons-parent-pom	Low
Vendor	pom	url	phax/ph-commons/ph-commons	Highest
Product	file	name	ph-commons	High

Product	jar	package name	commons	Highest
Product	jar	package name	convert	Highest
Product	jar	package name	equals	Highest
Product	jar	package name	hashCode	Highest
Product	jar	package name	helger	Highest
Product	jar	package name	iequalsimplementationregistrarspi	Highest
Product	jar	package name	ihashcodeimplementationregistrarspi	Highest
Product	jar	package name	ithirdpartymoduleproviderspi	Highest
Product	jar	package name	itypeconverterregistrarspi	Highest
Product	jar	package name	serialize	Highest
Product	jar	package name	thirdparty	Highest
Product	jar	package name	typeconvert	Highest
Product	Manifest	automatic-module-name	com.helger.commons	Medium
Product	Manifest	build-jdk-spec	17	Low
Product	Manifest	bundle-docurl	https://www.helger.com	Low
Product	Manifest	Bundle-Name	ph-commons	Medium
Product	Manifest	bundle-symbolicname	com.helger.commons.ph-commons	Medium
Product	Manifest	Implementation-Title	ph-commons	High
Product	Manifest	provide-capability	osgi.serviceloader;osgi.serviceloader="com.helger.commons.equals.IEqualsImplementationRegistrarSPI",osgi.serviceloader;osgi.serviceloader="com.helger.commons.hashCode.IHashCodeImplementationRegistrarSPI",osgi.serviceloader;osgi.serviceloader="com.helger.commons.serialize.convert.ISerializationConverterRegistrarSPI",osgi.serviceloader;osgi.serviceloader="com.helger.commons.thirdparty.IThirdPartyModuleProviderSPI",osgi.serviceloader;osgi.serviceloader="com.helger.commons.typeconvert.ITypeConverterRegistrarSPI"	Low
Product	pom	artifactid	ph-commons	Highest
Product	pom	developer email	ph(at)helger.com	Low
Product	pom	developer id	philip	Low
Product	pom	developer name	Philip Helger	Low
Product	pom	groupid	com.helger.commons	Highest
Product	pom	name	ph-commons	High
Product	pom	organization name	Philip Helger	Low

Product	pom	organization url	https://www.helger.com	Low
Product	pom	parent-artifactid	ph-commons-parent-pom	Medium
Product	pom	url	phax/ph-commons/ph-commons	High
Version	Manifest	Bundle-Version	11.1.11	High
Version	Manifest	Implementation-Version	11.1.11	High
Version	pom	version	11.1.11	Highest

Identifiers

- <pkg:maven/com.helger.commons/ph-commons@11.1.11> (Confidence:High)

facturx.zip: ph-jaxb.jar

Description:

Special Java 1.8+ Library with extended JAXB support

License:

Apache 2: <https://www.apache.org/licenses/LICENSE-2.0>

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/designer/build/tmp/dependencies/i-net Clear Reports Designer/plugins/facturx.zip/ph-jaxb.jar

MD5: 9521cd566b51487be51b729607a9cb8d

SHA1: 48380f08a379431bb91f0bb790de6081d20e96

SHA256: 6b2e74159210f2cfe8f90f060016d272e3129001a9e2d93d46b7b2a179536500

Referenced In Project/Scope: designer-installer

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	ph-jaxb	High
Vendor	jar	package name	helger	Highest
Vendor	jar	package name	jaxb	Highest
Vendor	Manifest	automatic-module-name	com.helger.jaxb	Medium
Vendor	Manifest	build-jdk-spec	17	Low
Vendor	Manifest	bundle-docurl	https://www.helger.com	Low
Vendor	Manifest	bundle-symbolicname	com.helger.commons.ph-jaxb	Medium
Vendor	Manifest	Implementation-Vendor	Philip Helger	High

Vendor	pom	artifactid	ph-jaxb	Low
Vendor	pom	developer email	ph(at)helger.com	Low
Vendor	pom	developer id	philip	Medium
Vendor	pom	developer name	Philip Helger	Medium
Vendor	pom	groupid	com.helger.commons	Highest
Vendor	pom	name	ph-jaxb	High
Vendor	pom	organization name	Philip Helger	High
Vendor	pom	organization url	https://www.helger.com	Medium
Vendor	pom	parent-artifactid	ph-commons-parent-pom	Low
Vendor	pom	url	phax/ph-commons/ph-jaxb	Highest
Product	file	name	ph-jaxb	High
Product	jar	package name	helger	Highest
Product	jar	package name	jaxb	Highest
Product	Manifest	automatic-module-name	com.helger.jaxb	Medium
Product	Manifest	build-jdk-spec	17	Low
Product	Manifest	bundle-docurl	https://www.helger.com	Low
Product	Manifest	Bundle-Name	ph-jaxb	Medium
Product	Manifest	bundle-symbolicname	com.helger.commons.ph-jaxb	Medium
Product	Manifest	Implementation-Title	ph-jaxb	High
Product	pom	artifactid	ph-jaxb	Highest
Product	pom	developer email	ph(at)helger.com	Low
Product	pom	developer id	philip	Low
Product	pom	developer name	Philip Helger	Low
Product	pom	groupid	com.helger.commons	Highest
Product	pom	name	ph-jaxb	High
Product	pom	organization name	Philip Helger	Low
Product	pom	organization url	https://www.helger.com	Low
Product	pom	parent-artifactid	ph-commons-parent-pom	Medium
Product	pom	url	phax/ph-commons/ph-jaxb	High
Version	Manifest	Bundle-Version	11.1.11	High
Version	Manifest	Implementation-Version	11.1.11	High
Version	pom	version	11.1.11	Highest

Identifiers

- [pkg:maven/com.helger.commons/ph-jaxb@11.1.11](https://maven.com.helger.commons/ph-jaxb@11.1.11) (Confidence:High)

facturx.zip: ph-schematron-api.jar

Description:

Base API for the library for validating XML documents with Schematron

License:

Apache 2: <https://www.apache.org/licenses/LICENSE-2.0>

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/designer/build/tmp/dependencies/i-net Clear Reports Designer/plugins/facturx.zip/ph-schematron-api.jar

MD5: 46090b45d5ae6e93ba10414ecb492ff2

SHA1: 317b920c12964192d600291bceea5e414b2da761

SHA256: 8c63c63c1d79245ed2d9ac8661d05151941adf8d51d0990c9016301d05a6b1d9

Referenced In Project/Scope: designer-installer

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	ph-schematron-api	High
Vendor	jar	package name	api	Highest
Vendor	jar	package name	helger	Highest
Vendor	jar	package name	schematron	Highest
Vendor	Manifest	automatic-module-name	com.helger.schematron	Medium
Vendor	Manifest	build-jdk-spec	21	Low
Vendor	Manifest	bundle-docurl	https://www.helger.com	Low
Vendor	Manifest	bundle-symbolicname	com.helger.schematron.ph-schematron-api	Medium
Vendor	Manifest	Implementation-Vendor	Philip Helger	High
Vendor	Manifest	provide-capability	osgi.serviceloader;osgi.serviceloader="com.helger.commons.thirdparty.IThirdPartyModuleProviderSPI"	Low
Vendor	pom	artifactid	ph-schematron-api	Low
Vendor	pom	developer email	ph(at)helger.com	Low
Vendor	pom	developer id	philip	Medium
Vendor	pom	developer name	Philip Helger	Medium

Vendor	pom	groupid	com.helger.schematron	Highest
Vendor	pom	name	ph-schematron-api	High
Vendor	pom	organization name	Philip Helger	High
Vendor	pom	organization url	https://www.helger.com	Medium
Vendor	pom	parent-artifactid	ph-schematron-parent-pom	Low
Vendor	pom	url	phax/ph-schematron/ph-schematron-api	Highest
Product	file	name	ph-schematron-api	High
Product	jar	package name	api	Highest
Product	jar	package name	helger	Highest
Product	jar	package name	schematron	Highest
Product	Manifest	automatic-module-name	com.helger.schematron	Medium
Product	Manifest	build-jdk-spec	21	Low
Product	Manifest	bundle-docurl	https://www.helger.com	Low
Product	Manifest	Bundle-Name	ph-schematron-api	Medium
Product	Manifest	bundle-symbolicname	com.helger.schematron.ph-schematron-api	Medium
Product	Manifest	Implementation-Title	ph-schematron-api	High
Product	Manifest	provide-capability	osgi.serviceloader;osgi.serviceloader="com.helger.commons.thirdparty.IThirdPartyModuleProviderSPI"	Low
Product	pom	artifactid	ph-schematron-api	Highest
Product	pom	developer email	ph(at)helger.com	Low
Product	pom	developer id	philip	Low
Product	pom	developer name	Philip Helger	Low
Product	pom	groupid	com.helger.schematron	Highest
Product	pom	name	ph-schematron-api	High
Product	pom	organization name	Philip Helger	Low
Product	pom	organization url	https://www.helger.com	Low
Product	pom	parent-artifactid	ph-schematron-parent-pom	Medium
Product	pom	url	phax/ph-schematron/ph-schematron-api	High
Version	Manifest	Bundle-Version	8.0.5	High
Version	Manifest	Implementation-Version	8.0.5	High
Version	pom	version	8.0.5	Highest

Identifiers

- [pkg:maven/com.helger.schematron/ph-schematron-api@8.0.5](https://maven.com.helger.schematron/ph-schematron-api@8.0.5) (Confidence:High)

facturx.zip: ph-schematron-pure.jar

Description:

This package contains the 'Pure' Schematron implementation

License:

Apache 2: <https://www.apache.org/licenses/LICENSE-2.0>

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/designer/build/tmp/dependencies/i-net Clear Reports Designer/plugins/facturx.zip/ph-schematron-pure.jar

MD5: ebff3488acea52d2e65fbf8dc972d223

SHA1: 9a70540c242bd887311743b7a4008ee083c106b6

SHA256: f383981596ee7a0e3fb593c26a4206c3b2d58db91504af4d64b031c3f77b3670

Referenced In Project/Scope: designer-installer

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	ph-schematron-pure	High
Vendor	jar	package name	helger	Highest
Vendor	jar	package name	pure	Highest
Vendor	jar	package name	schematron	Highest
Vendor	Manifest	automatic-module-name	com.helger.schematron.pure	Medium
Vendor	Manifest	build-jdk-spec	21	Low
Vendor	Manifest	bundle-docurl	https://www.helger.com	Low
Vendor	Manifest	bundle-symbolicname	com.helger.schematron.ph-schematron-pure	Medium
Vendor	Manifest	Implementation-Vendor	Philip Helger	High
Vendor	pom	artifactid	ph-schematron-pure	Low
Vendor	pom	developer email	ph(at)helger.com	Low
Vendor	pom	developer id	philip	Medium
Vendor	pom	developer name	Philip Helger	Medium
Vendor	pom	groupid	com.helger.schematron	Highest
Vendor	pom	name	ph-schematron-pure	High
Vendor	pom	organization	Philip Helger	High

		name		
Vendor	pom	organization url	https://www.helger.com	Medium
Vendor	pom	parent-artifactid	ph-schematron-parent-pom	Low
Vendor	pom	url	phax/ph-schematron/ph-schematron-pure	Highest
Product	file	name	ph-schematron-pure	High
Product	jar	package name	helger	Highest
Product	jar	package name	pure	Highest
Product	jar	package name	schematron	Highest
Product	Manifest	automatic-module-name	com.helger.schematron.pure	Medium
Product	Manifest	build-jdk-spec	21	Low
Product	Manifest	bundle-docurl	https://www.helger.com	Low
Product	Manifest	Bundle-Name	ph-schematron-pure	Medium
Product	Manifest	bundle-symbolicname	com.helger.schematron.ph-schematron-pure	Medium
Product	Manifest	Implementation-Title	ph-schematron-pure	High
Product	pom	artifactid	ph-schematron-pure	Highest
Product	pom	developer email	ph(at)helger.com	Low
Product	pom	developer id	philip	Low
Product	pom	developer name	Philip Helger	Low
Product	pom	groupid	com.helger.schematron	Highest
Product	pom	name	ph-schematron-pure	High
Product	pom	organization name	Philip Helger	Low
Product	pom	organization url	https://www.helger.com	Low
Product	pom	parent-artifactid	ph-schematron-parent-pom	Medium
Product	pom	url	phax/ph-schematron/ph-schematron-pure	High
Version	Manifest	Bundle-Version	8.0.5	High
Version	Manifest	Implementation-Version	8.0.5	High
Version	pom	version	8.0.5	Highest

Identifiers

- [pkg:maven/com.helger.schematron/ph-schematron-pure@8.0.5](https://maven.com.helger.schematron/ph-schematron-pure@8.0.5) (*Confidence:High*)

facturx.zip: ph-schematron-schxslt.jar

Description:

Library for validating XML documents using the SchXslt implementation

License:

Apache 2: <https://www.apache.org/licenses/LICENSE-2.0>

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/designer/build/tmp/dependencies/i-net Clear Reports Designer/plugins/facturx.zip/ph-schematron-schxslt.jar

MD5: 61d621ef1398174695c96940462ea0eb

SHA1: 4012d2c9fe5d600fc97c77d8db8709abb863410b

SHA256: 9e3d67c62ace88dea3f3e78740c8c5660b829b58cac1b9ab4bc91fee685e92dc

Referenced In Project/Scope: designer-installer

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	ph-schematron-schxslt	High
Vendor	jar	package name	helger	Highest
Vendor	jar	package name	schematron	Highest
Vendor	jar	package name	schxslt	Highest
Vendor	Manifest	automatic-module-name	com.helger.schematron.schxslt	Medium
Vendor	Manifest	build-jdk-spec	21	Low
Vendor	Manifest	bundle-docurl	https://www.helger.com	Low
Vendor	Manifest	bundle-symbolicname	com.helger.schematron.ph-schematron-schxslt	Medium
Vendor	Manifest	Implementation-Vendor	Philip Helger	High
Vendor	Manifest	provide-capability	osgi.serviceloader;osgi.serviceloader="com.helger.commons.thirdparty.IThirdPartyModuleProviderSPI"	Low
Vendor	pom	artifactid	ph-schematron-schxslt	Low
Vendor	pom	developer email	ph(at)helger.com	Low
Vendor	pom	developer id	philip	Medium
Vendor	pom	developer name	Philip Helger	Medium
Vendor	pom	groupid	com.helger.schematron	Highest
Vendor	pom	name	ph-schematron-schxslt	High
Vendor	pom	organization name	Philip Helger	High
Vendor	pom	organization url	https://www.helger.com	Medium

Vendor	pom	parent-artifactid	ph-schematron-parent-pom	Low
Vendor	pom	url	phax/ph-schematron/ph-schematron-schxslt	Highest
Product	file	name	ph-schematron-schxslt	High
Product	jar	package name	helger	Highest
Product	jar	package name	schematron	Highest
Product	jar	package name	schxslt	Highest
Product	Manifest	automatic-module-name	com.helger.schematron.schxslt	Medium
Product	Manifest	build-jdk-spec	21	Low
Product	Manifest	bundle-docurl	https://www.helger.com	Low
Product	Manifest	Bundle-Name	ph-schematron-schxslt	Medium
Product	Manifest	bundle-symbolicname	com.helger.schematron.ph-schematron-schxslt	Medium
Product	Manifest	Implementation-Title	ph-schematron-schxslt	High
Product	Manifest	provide-capability	osgi.serviceloader;osgi.serviceloader="com.helger.commons.thirdparty.IThirdPartyModuleProviderSPI"	Low
Product	pom	artifactid	ph-schematron-schxslt	Highest
Product	pom	developer email	ph(at)helger.com	Low
Product	pom	developer id	philip	Low
Product	pom	developer name	Philip Helger	Low
Product	pom	groupid	com.helger.schematron	Highest
Product	pom	name	ph-schematron-schxslt	High
Product	pom	organization name	Philip Helger	Low
Product	pom	organization url	https://www.helger.com	Low
Product	pom	parent-artifactid	ph-schematron-parent-pom	Medium
Product	pom	url	phax/ph-schematron/ph-schematron-schxslt	High
Version	Manifest	Bundle-Version	8.0.5	High
Version	Manifest	Implementation-Version	8.0.5	High
Version	pom	version	8.0.5	Highest

Identifiers

- [pkg:maven/com.helger.schematron/ph-schematron-schxslt@8.0.5](https://maven.com.helger.schematron/ph-schematron-schxslt@8.0.5) (*Confidence:High*)

facturx.zip: ph-schematron-validator.jar

Description:

Base POM to build the ph-schematron projects

License:

Apache 2: <https://www.apache.org/licenses/LICENSE-2.0>

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/designer/build/tmp/dependencies/i-net Clear Reports Designer/plugins/facturx.zip/ph-schematron-validator.jar

MD5: 3e4bd9af2a70ae9aec5876a55de5d3e2

SHA1: ca2cf6d397e11142d8e572e0b5b7585aff32206d

SHA256: 484b69083c375f3398ae69a6cf6bac9eacae2be4eca627d337453d5e63ad02a0

Referenced In Project/Scope: designer-installer

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	ph-schematron-validator	High
Vendor	jar	package name	helger	Highest
Vendor	jar	package name	schematron	Highest
Vendor	jar	package name	validator	Highest
Vendor	Manifest	automatic-module-name	com.helger.schematron.validator	Medium
Vendor	Manifest	build-jdk-spec	21	Low
Vendor	Manifest	bundle-docurl	https://www.helger.com	Low
Vendor	Manifest	bundle-symbolicname	com.helger.schematron.ph-schematron-validator	Medium
Vendor	Manifest	Implementation-Vendor	Philip Helger	High
Vendor	pom	artifactid	ph-schematron-validator	Low
Vendor	pom	developer email	ph(at)helger.com	Low
Vendor	pom	developer id	philip	Medium
Vendor	pom	developer name	Philip Helger	Medium
Vendor	pom	groupid	com.helger.schematron	Highest
Vendor	pom	name	ph-schematron-validator	High
Vendor	pom	organization name	Philip Helger	High
Vendor	pom	organization url	https://www.helger.com	Medium
Vendor	pom	parent-artifactid	ph-schematron-parent-pom	Low
Vendor	pom	url	phax/ph-schematron/ph-schematron-validator	Highest

Product	file	name	ph-schematron-validator	High
Product	jar	package name	helger	Highest
Product	jar	package name	schematron	Highest
Product	jar	package name	validator	Highest
Product	Manifest	automatic-module-name	com.helger.schematron.validator	Medium
Product	Manifest	build-jdk-spec	21	Low
Product	Manifest	bundle-docurl	https://www.helger.com	Low
Product	Manifest	Bundle-Name	ph-schematron-validator	Medium
Product	Manifest	bundle-symbolicname	com.helger.schematron.ph-schematron-validator	Medium
Product	Manifest	Implementation-Title	ph-schematron-validator	High
Product	pom	artifactid	ph-schematron-validator	Highest
Product	pom	developer email	ph(at)helger.com	Low
Product	pom	developer id	philip	Low
Product	pom	developer name	Philip Helger	Low
Product	pom	groupid	com.helger.schematron	Highest
Product	pom	name	ph-schematron-validator	High
Product	pom	organization name	Philip Helger	Low
Product	pom	organization url	https://www.helger.com	Low
Product	pom	parent-artifactid	ph-schematron-parent-pom	Medium
Product	pom	url	phax/ph-schematron/ph-schematron-validator	High
Version	Manifest	Bundle-Version	8.0.5	High
Version	Manifest	Implementation-Version	8.0.5	High
Version	pom	version	8.0.5	Highest

Identifiers

- [pkg:maven/com.helger.schematron/ph-schematron-validator@8.0.5](https://maven.com.helger.schematron/ph-schematron-validator@8.0.5) (*Confidence:High*)

facturx.zip: ph-schematron-xsdt.jar

Description:

License:Apache 2: <https://www.apache.org/licenses/LICENSE-2.0>**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/designer/build/tmp/dependencies/i-net Clear Reports Designer/plugins/facturx.zip/ph-schematron-xslt.jar**MD5:** eac49b615ad455665866db5e955e2d8b**SHA1:** 4c2b3e28eedd8bd166f8509432cc87e351702bb7**SHA256:** e256a43e99ef61234f14082d3b9eff7399fcec7346a170682284ee201452fd5a**Referenced In Project/Scope:** designer-installer**Evidence**

Type	Source	Name	Value	Confidence
Vendor	file	name	ph-schematron-xslt	High
Vendor	jar	package name	helger	Highest
Vendor	jar	package name	schematron	Highest
Vendor	jar	package name	xslt	Highest
Vendor	Manifest	automatic-module-name	com.helger.schematron.xslt	Medium
Vendor	Manifest	build-jdk-spec	21	Low
Vendor	Manifest	bundle-docurl	https://www.helger.com	Low
Vendor	Manifest	bundle-symbolicname	com.helger.schematron.ph-schematron-xslt	Medium
Vendor	Manifest	Implementation-Vendor	Philip Helger	High
Vendor	pom	artifactid	ph-schematron-xslt	Low
Vendor	pom	developer email	ph(at)helger.com	Low
Vendor	pom	developer id	philip	Medium
Vendor	pom	developer name	Philip Helger	Medium
Vendor	pom	groupid	com.helger.schematron	Highest
Vendor	pom	name	ph-schematron-xslt	High
Vendor	pom	organization name	Philip Helger	High
Vendor	pom	organization url	https://www.helger.com	Medium
Vendor	pom	parent-artifactid	ph-schematron-parent-pom	Low
Vendor	pom	url	phax/ph-schematron/ph-schematron-xslt	Highest
Product	file	name	ph-schematron-xslt	High
Product	jar	package name	helger	Highest
Product	jar	package name	schematron	Highest
Product	jar	package name	xslt	Highest

Product	Manifest	automatic-module-name	com.helger.schematron.xslt	Medium
Product	Manifest	build-jdk-spec	21	Low
Product	Manifest	bundle-docurl	https://www.helger.com	Low
Product	Manifest	Bundle-Name	ph-schematron-xslt	Medium
Product	Manifest	bundle-symbolicname	com.helger.schematron.ph-schematron-xslt	Medium
Product	Manifest	Implementation-Title	ph-schematron-xslt	High
Product	pom	artifactid	ph-schematron-xslt	Highest
Product	pom	developer email	ph(at)helger.com	Low
Product	pom	developer id	philip	Low
Product	pom	developer name	Philip Helger	Low
Product	pom	groupid	com.helger.schematron	Highest
Product	pom	name	ph-schematron-xslt	High
Product	pom	organization name	Philip Helger	Low
Product	pom	organization url	https://www.helger.com	Low
Product	pom	parent-artifactid	ph-schematron-parent-pom	Medium
Product	pom	url	phax/ph-schematron/ph-schematron-xslt	High
Version	Manifest	Bundle-Version	8.0.5	High
Version	Manifest	Implementation-Version	8.0.5	High
Version	pom	version	8.0.5	Highest

Identifiers

- [pkg:maven/com.helger.schematron/ph-schematron-xslt@8.0.5](https://maven.com.helger.schematron/ph-schematron-xslt@8.0.5) (*Confidence:High*)

facturx.zip: ph-xml.jar

Description:

Java 1.8+ Library with XML handling routines

License:

Apache 2: <https://www.apache.org/licenses/LICENSE-2.0>

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/designer/build/tmp/dependencies/i-net Clear Reports Designer/plugins/facturx.zip/ph-xml.jar

MD5: 6109a68cc0f3f12b56b5c86ff9f0b3ba

SHA1: fcc5ca9c82a8b702aa61adfc88e2627e96ffd099

SHA256: c240264aeb92fd10c5f7124957363dfc03afaa5f2b8cc3b5268277e890ad1a93

Referenced In Project/Scope: designer-installer

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	ph-xml	High
Vendor	jar	package name	helger	Highest
Vendor	jar	package name	xml	Highest
Vendor	Manifest	automatic-module-name	com.helger.xml	Medium
Vendor	Manifest	build-jdk-spec	17	Low
Vendor	Manifest	bundle-docurl	https://www.helger.com	Low
Vendor	Manifest	bundle-symbolicname	com.helger.commons.ph-xml	Medium
Vendor	Manifest	Implementation-Vendor	Philip Helger	High
Vendor	Manifest	provide-capability	osgi.serviceloader;osgi.serviceloader="com.helger.xml.microdom.convert.IMicroTypeConverterRegistrarSPI"	Low
Vendor	pom	artifactid	ph-xml	Low
Vendor	pom	developer email	ph(at)helger.com	Low
Vendor	pom	developer id	philip	Medium
Vendor	pom	developer name	Philip Helger	Medium
Vendor	pom	groupid	com.helger.commons	Highest
Vendor	pom	name	ph-xml	High
Vendor	pom	organization name	Philip Helger	High
Vendor	pom	organization url	https://www.helger.com	Medium
Vendor	pom	parent-artifactid	ph-commons-parent-pom	Low
Vendor	pom	url	phax/ph-commons/ph-xml	Highest
Product	file	name	ph-xml	High
Product	jar	package name	convert	Highest
Product	jar	package name	helger	Highest
Product	jar	package name	microdom	Highest
Product	jar	package name	xml	Highest
Product	Manifest	automatic-module-name	com.helger.xml	Medium
Product	Manifest	build-jdk-spec	17	Low

Product	Manifest	bundle-docurl	https://www.helger.com	Low
Product	Manifest	Bundle-Name	ph-xml	Medium
Product	Manifest	bundle-symbolicname	com.helger.commons.ph-xml	Medium
Product	Manifest	Implementation-Title	ph-xml	High
Product	Manifest	provide-capability	osgi.serviceloader;osgi.serviceloader="com.helger.xml.microdom.convert.IMicroTypeConverterRegistrarSPI"	Low
Product	pom	artifactid	ph-xml	Highest
Product	pom	developer email	ph(at)helger.com	Low
Product	pom	developer id	philip	Low
Product	pom	developer name	Philip Helger	Low
Product	pom	groupid	com.helger.commons	Highest
Product	pom	name	ph-xml	High
Product	pom	organization name	Philip Helger	Low
Product	pom	organization url	https://www.helger.com	Low
Product	pom	parent-artifactid	ph-commons-parent-pom	Medium
Product	pom	url	phax/ph-commons/ph-xml	High
Version	Manifest	Bundle-Version	11.1.11	High
Version	Manifest	Implementation-Version	11.1.11	High
Version	pom	version	11.1.11	Highest

Identifiers

- [pkg:maven/com.helger.commons/ph-xml@11.1.11](https://maven.com.helger.commons/ph-xml@11.1.11) (*Confidence:High*)

facturx.zip: ph-xsds-xml.jar

Description:

XML.xsd wrapped in JAXB

License:

Apache 2: <http://www.apache.org/licenses/LICENSE-2.0>

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/designer/build/tmp/dependencies/i-net Clear Reports Designer/plugins/facturx.zip/ph-xsds-xml.jar

MD5: f5d0d9170cce23fc050a0cb8e2fc8b94

SHA1: e1f471db4b77cb7c5804129746fcbad2dd57a28a

SHA256: de03d6b1d320e851d0f8a664346799447a5ec2163395a324c13a059d664e0c73

Referenced In Project/Scope: designer-installer

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	ph-xsds-xml	High
Vendor	jar	package name	helger	Highest
Vendor	jar	package name	xml	Highest
Vendor	jar	package name	xsds	Highest
Vendor	Manifest	automatic-module-name	com.helger.xsds.xml	Medium
Vendor	Manifest	build-jdk-spec	11	Low
Vendor	Manifest	bundle-docurl	http://www.helger.com	Low
Vendor	Manifest	bundle-symbolicname	com.helger.xsd.ph-xsds-xml	Medium
Vendor	Manifest	Implementation-Vendor	Philip Helger	High
Vendor	pom	artifactid	ph-xsds-xml	Low
Vendor	pom	developer email	ph(at)helger.com	Low
Vendor	pom	developer id	philip	Medium
Vendor	pom	developer name	Philip Helger	Medium
Vendor	pom	groupid	com.helger.xsd	Highest
Vendor	pom	name	ph-xsds-xml	High
Vendor	pom	organization name	Philip Helger	High
Vendor	pom	organization url	http://www.helger.com	Medium
Vendor	pom	parent-artifactid	ph-xsds-parent-pom	Low
Vendor	pom	url	phax/ph-xsds/ph-xsds-xml	Highest
Product	file	name	ph-xsds-xml	High
Product	jar	package name	helger	Highest
Product	jar	package name	xml	Highest
Product	jar	package name	xsds	Highest
Product	Manifest	automatic-module-name	com.helger.xsds.xml	Medium
Product	Manifest	build-jdk-spec	11	Low
Product	Manifest	bundle-docurl	http://www.helger.com	Low
Product	Manifest	Bundle-Name	ph-xsds-xml	Medium
Product	Manifest	bundle-	com.helger.xsd.ph-xsds-xml	Medium

symbolicname

Product	Manifest	Implementation-Title	ph-xsds-xml	High
Product	pom	artifactid	ph-xsds-xml	Highest
Product	pom	developer email	ph(at)helger.com	Low
Product	pom	developer id	philip	Low
Product	pom	developer name	Philip Helger	Low
Product	pom	groupid	com.helger.xsd	Highest
Product	pom	name	ph-xsds-xml	High
Product	pom	organization name	Philip Helger	Low
Product	pom	organization url	http://www.helger.com	Low
Product	pom	parent-artifactid	ph-xsds-parent-pom	Medium
Product	pom	url	phax/ph-xsds/ph-xsds-xml	High
Version	Manifest	Bundle-Version	3.0.0	High
Version	Manifest	Implementation-Version	3.0.0	High
Version	pom	version	3.0.0	Highest

Identifiers

- [pkg:maven/com.helger.xsd/ph-xsds-xml@3.0.0](#) (*Confidence*:High)

facturx.zip: txw2.jar

Description:

TXW is a library that allows you to write XML documents.

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/designer/build/tmp/dependencies/i-net Clear Reports Designer/plugins/facturx.zip/txw2.jar

MD5: 2f5aa7dbd5e326562cff6ce720a1485a

SHA1: f36a4ef12120a9bb06d766d6a0e54b144fd7ed98

SHA256: 917355bc451481f30d043b24d123110517966af34383901773882810dca480e5

Referenced In Project/Scope: designer-installer

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	txw2	High

Vendor	jar	package name	sun	Highest
Vendor	jar	package name	txw	Highest
Vendor	jar	package name	txw2	Highest
Vendor	jar	package name	xml	Highest
Vendor	jar (hint)	package name	oracle	Highest
Vendor	Manifest	git-revision	cb19596	Low
Vendor	Manifest	Implementation-Vendor	Eclipse Foundation	High
Vendor	Manifest	Implementation-Vendor-Id	org.eclipse	Medium
Vendor	Manifest	specification-vendor	Eclipse Foundation	Low
Vendor	pom	artifactid	txw2	Low
Vendor	pom	groupid	org.glassfish.jaxb	Highest
Vendor	pom	name	TXW2 Runtime	High
Vendor	pom	parent-artifactid	jaxb-txw-parent	Low
Vendor	pom	parent-groupid	com.sun.xml.bind.mvn	Medium
Vendor	pom	url	https://eclipse-ee4j.github.io/jaxb-ri/	Highest
Product	file	name	txw2	High
Product	jar	package name	sun	Highest
Product	jar	package name	txw	Highest
Product	jar	package name	txw2	Highest
Product	jar	package name	xml	Highest
Product	Manifest	git-revision	cb19596	Low
Product	Manifest	Implementation-Title	Eclipse Implementation of JAXB	High
Product	Manifest	specification-title	Jakarta XML Binding	Medium
Product	pom	artifactid	txw2	Highest
Product	pom	groupid	org.glassfish.jaxb	Highest
Product	pom	name	TXW2 Runtime	High
Product	pom	parent-artifactid	jaxb-txw-parent	Medium
Product	pom	parent-groupid	com.sun.xml.bind.mvn	Medium
Product	pom	url	https://eclipse-ee4j.github.io/jaxb-ri/	Medium
Version	Manifest	build-version	4.0.5	Medium
Version	pom	version	4.0.5	Highest

Identifiers

- pkg:maven/org.glassfish.jaxb/txw2@4.0.5 (*Confidence:High*)

facturx.zip: xmlresolver.jar

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/designer/build/tmp/dependencies/i-net Clear Reports Designer/plugins/facturx.zip/xmlresolver.jar

MD5: ca44ebf8abcf16222ba638df806f961c

SHA1: 98ea0f8cb61bf69857581e083416d632da0d0759

SHA256: cfd1c4ee70cd2f0421de7e6a30c5198a3949dab4c3280c74729dc8679d5b7719

Referenced In Project/Scope: designer-installer

Evidence

Type	Source	Name	Value	Confidence
Vendor	file	name	xmlresolver	High
Vendor	jar	package name	xmlresolver	Highest
Vendor	jar	package name	xmlresolver	Low
Vendor	Manifest	automatic-module-name	org.xmlresolver.xmlresolver	Medium
Vendor	Manifest	Implementation-Vendor	Norman Walsh	High
Product	file	name	xmlresolver	High
Product	jar	package name	resolver	Highest
Product	jar	package name	xmlresolver	Highest
Product	Manifest	automatic-module-name	org.xmlresolver.xmlresolver	Medium
Product	Manifest	Implementation-Title	XML Resolver	High
Version	Manifest	Implementation-Version	6.0.11	High

Identifiers

- None

hamcrest-3.0.jar

License:

BSD-3-Clause

File Path: /home/jenkins/.gradle/caches/modules-2/files-2.1/org.hamcrest/hamcrest/3.0/8fd9b78a8e6a6510a078a9e30e9e86a6035cfaf7/hamcrest-3.0.jar**MD5:** 781023c38b054e9cf1c818c77895e1eb**SHA1:** 8fd9b78a8e6a6510a078a9e30e9e86a6035cfaf7**SHA256:** 5d66b6a4a680755cb6ed7cb104fa7835ef644667586ff0737adeb977c39ecdbc**Referenced In Project/Scope:** designer-installer:inetPlugin**Included by:** pkg:maven/clear-reports/designer-installer@25.4**Evidence**

Type	Source	Name	Value	Confidence
Vendor	file	name	hamcrest	High
Vendor	gradle	artifactid	hamcrest	Highest
Vendor	gradle	groupid	org.hamcrest	Highest
Vendor	jar	package name	hamcrest	Highest
Vendor	jar	package name	hamcrest	Low
Vendor	Manifest	automatic-module-name	org.hamcrest	Medium
Vendor	Manifest	bundle-symbolicname	org.hamcrest	Medium
Vendor	Manifest	Implementation-Vendor	hamcrest.org	High
Product	file	name	hamcrest	High
Product	gradle	artifactid	hamcrest	Highest
Product	jar	package name	hamcrest	Highest
Product	Manifest	automatic-module-name	org.hamcrest	Medium
Product	Manifest	Bundle-Name	org.hamcrest	Medium
Product	Manifest	bundle-symbolicname	org.hamcrest	Medium
Product	Manifest	Implementation-Title	hamcrest	High
Version	file	version	3.0	High
Version	Manifest	Implementation-Version	3.0	High

Identifiers

- <pkg:maven/org.hamcrest/hamcrest@3.0> (Confidence: Highest)

htmlviewer.printpdf.zip: extension.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/designer/build/tmp/dependencies/i-net Clear Reports Designer/plugins/htmlviewer.printpdf.zip/src/com/inet/htmlviewer/printpdf/extension.js

MD5: 7d8be1ef58947852666766c1db348644

SHA1: 26c37af43002d8764dbd80914476c548ce2354a5

SHA256:c1500120eb6dca3b71c481ec3f9d66367e13a10c755306f58a449a0f648d2696

Referenced In Project/Scope: designer-installer

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

htmlviewer.printpdf.zip: htmlviewer.printpdf.sample.jar

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/designer/build/tmp/dependencies/i-net Clear Reports Designer/plugins/htmlviewer.printpdf.zip/htmlviewer.printpdf.sample.jar

MD5: f1f479594a852a99d29d217549679d2c

SHA1: e15aedc340517aa291d48aeb5b9ea5bb3d09b34c

SHA256:9b68c4b4c7e11382f84a90ea728df32daf643e88ed6db5f91dcde774644d70f7

Referenced In Project/Scope: designer-installer

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	htmlviewer.printpdf.sample	High
Vendor	jar	package name	htmlviewer	Low
Vendor	jar	package name	inet	Low
Vendor	jar	package name	printpdf	Low
Vendor	Manifest	built-date	2025-04-03 19:04	Low
Vendor	Manifest	implementation-group	reporting	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium

Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	htmlviewer.printpdf.sample	High
Product	jar	package name	htmlviewer	Highest
Product	jar	package name	htmlviewer	Low
Product	jar	package name	htmlviewerprintviapdfplugin	Low
Product	jar	package name	printpdf	Highest
Product	jar	package name	printpdf	Low
Product	Manifest	built-date	2025-04-03 19:04	Low
Product	Manifest	implementation-group	reporting	Low
Product	Manifest	Implementation-Title	htmlviewer.printpdf	High
Product	Manifest	specification-title	htmlviewer.printpdf	Medium
Version	Manifest	Implementation-Version	25.4.199	High

Identifiers

- None

htmlviewer.printpdf.zip: htmlviewer.printpdf.sample.jar: extension.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/designer/build/tmp/dependencies/i-net Clear Reports Designer/plugins/htmlviewer.printpdf.zip/htmlviewer.printpdf.sample.jar/com/inet/htmlviewer/printpdf/extension.js

MD5: 3022fd9f69e0cf051844a2fea5b69ce2

SHA1: 529ef29a67d8f97b139ea763ee1a050cfbfe821a

SHA256: e0df7af37a0640b759ccc1985cfa973e49416121cc4d60656f8aef2f590a8d8d

Referenced In Project/Scope: designer-installer

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

htmlviewer.toolbar.zip: htmlviewer.toolbar.jar

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/designer/build/tmp/dependencies/i-net Clear Reports Designer/plugins/htmlviewer.toolbar.zip/htmlviewer.toolbar.jar

MD5: d51035375ab40cbeac49167958e1d582

SHA1: f730ae5794971664476cc66f595673783b5e5eed

SHA256: 26f75686d8b70b596c77f7e30aa5ba829202e92f3c10389ab55d029adfbcb0941

Referenced In Project/Scope: designer-installer

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	htmlviewer.toolbar	High
Vendor	jar	package name	htmlviewer	Low
Vendor	jar	package name	inet	Low
Vendor	Manifest	built-date	2025-04-03 19:23	Low
Vendor	Manifest	implementation-group	reporting	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	htmlviewer.toolbar	High
Product	jar	package name	htmlviewer	Highest
Product	jar	package name	htmlviewer	Low
Product	Manifest	built-date	2025-04-03 19:23	Low
Product	Manifest	implementation-group	reporting	Low
Product	Manifest	Implementation-Title	htmlviewer.toolbar	High
Product	Manifest	specification-title	htmlviewer.toolbar	Medium
Version	Manifest	Implementation-Version	25.4.199	High

Identifiers

- None

htmlviewer.toolbar.zip: htmlviewer.toolbar.jar: htmlviewer.angular.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/designer/build/tmp/dependencies/i-net Clear Reports Designer/plugins/htmlviewer.toolbar.zip/htmlviewer.toolbar.jar/com/inet/htmlviewer/client/htmlviewer.angular.js

MD5: 3d4ffd97b4b2889874ab2c25fd81dfd0

SHA1: ea87dcc7a044e2517277934bea09c98994d3134f

SHA256: 74009939b76ca622b76ee6abefb1cbe3632398f76f7282f51b90ccd1ca9998d3

Referenced In Project/Scope: designer-installer

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

htmlviewerextension.zip: extension.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/designer/build/tmp/dependencies/i-net Clear Reports Designer/plugins/htmlviewerextension.zip/src/com/inet/samples/htmlviewer/extension.js

MD5: bdd6fdaab122479103c1bcba3692f01e

SHA1: 72aa61085dce74ce094f905354878ce744caede8

SHA256: 3c52759a05de925fb38d7aec3875b55a1a1ed6ce7f3b88044a96e527d9e4204a

Referenced In Project/Scope: designer-installer

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

htmlviewerextension.zip: htmlviewerextension.sample.jar

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/designer/build/tmp/dependencies/i-net Clear Reports Designer/plugins/htmlviewerextension.zip/htmlviewerextension.sample.jar

MD5: 2956bc07329d539d84221507d62461fc

SHA1: 9120e974b1c986c776440bf6daf9e995dc81e069

SHA256:f282b76c47babefcdd075f07b18127785fcbabf4e7239fe044e7eddd7146b70e

Referenced In Project/Scope: designer-installer

Evidence

Type	Source	Name	Value	Confidence
Vendor	file	name	htmlviewerextension.sample	High
Vendor	jar	package name	htmlviewer	Low
Vendor	jar	package name	inet	Low
Vendor	jar	package name	samples	Low
Vendor	Manifest	built-date	2025-04-03 19:04	Low
Vendor	Manifest	implementation-group	reporting	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	htmlviewerextension.sample	High
Product	jar	package name	htmlviewer	Low
Product	jar	package name	htmlviewerextensionplugin	Low
Product	jar	package name	samples	Low
Product	Manifest	built-date	2025-04-03 19:04	Low
Product	Manifest	implementation-group	reporting	Low
Product	Manifest	Implementation-Title	htmlviewerextension	High
Product	Manifest	specification-title	htmlviewerextension	Medium
Version	Manifest	Implementation-Version	25.4.199	High

Identifiers

- None

htmlviewerextension.zip: htmlviewerextension.sample.jar: extension.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/designer/build/tmp/dependencies/i-net Clear Reports Designer/plugins/htmlviewerextension.zip
/htmlviewerextension.sample.jar/com/inet/samples/htmlviewer/extension.js

MD5: 858b53692be0235091614a2af9a32edb

SHA1: 7e1e6b70bcf8364873201f3a776e5ace1ca3c19c

SHA256: 0ee681c533fcf2b58de3ccb61aaaa52dd541cf029b856aaf2dd78a7c4c563bbc

Referenced In Project/Scope: designer-installer

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

inetcore-25.4-tools.jar

File Path: /home/jenkins/.gradle/caches/modules-2/files-2.1/shared/inetcore/25.4/ca3c5f9180513f0026fc730f96905c4494d03a55/inetcore-25.4-tools.jar

MD5: f821cb3d332915cd0e3a3a9afdae4014

SHA1: ca3c5f9180513f0026fc730f96905c4494d03a55

SHA256: 61beae55b7a9af8a4357c9e40624b3944655c426fbfd004618a915b7999fc455

Referenced In Project/Scope: designer-installer:inetPlugin

Included by: pkg:maven/clear-reports/designer-installer@25.4

Evidence

Type	Source	Name	Value	Confidence
Vendor	file	name	inetcore	High
Vendor	gradle	artifactid	inetcore	Highest
Vendor	gradle	groupid	shared	Highest
Vendor	jar	package name	test	Low
Product	file	name	inetcore	High
Product	gradle	artifactid	inetcore	Highest
Version	file	name	inetcore	Medium
Version	file	version	25.4	High
Version	gradle	version	25.4	Highest

Identifiers

- [pkg:maven/shared/inetcore@25.4](#) (*Confidence: Highest*)

inetcore-25.4.jar (shaded: com.inet.shared:inetcore:null)

Description:

A blend composite defines the rule according to which a drawing primitive (known as the source) is mixed with existing graphics (known as the destination.)

ColorUtilities contains a set of tools to perform common color operations easily.

License:

LGPL: <http://www.gnu.org/licenses/lgpl.txt>

File Path: /home/jenkins/.gradle/caches/modules-2/files-2.1/shared/inetcore/25.4/9c3d6a223db1a463c745dea52544a432457a47c/inetcore-25.4.jar/META-INF/com/inet/shared/utlis/BlendComposite/pom.xml

MD5: b7bc59004e73f85cce4369bc5e034e6b

SHA1: 9caff88589bdd8fdc3c3f320340b76830f3818de

SHA256: aab973b164e2d64808cd34c47b78399c4f016ec308900f5393733d3bc5c706bc

Referenced In Project/Scope: designer-installer:inetPlugin

Evidence



Type	Source	Name	Value	Confidence
Vendor	pom	artifactid	inetcore	Low
Vendor	pom	developer email	contact@inetsoftware.de	Low
Vendor	pom	developer email	morgand@apache.org	Low
Vendor	pom	developer id	inetsoftware	Medium
Vendor	pom	developer id	romainguy	Medium
Vendor	pom	developer id	sun	Medium
Vendor	pom	developer name	i-net /// software	Medium
Vendor	pom	developer name	Romain Guy	Medium
Vendor	pom	developer name	Sun	Medium
Vendor	pom	developer org	Sun	Medium
Vendor	pom	groupid	com.inet.shared	Highest
Vendor	pom	name	BlendComposite and ColorUtils	High
Vendor	pom (hint)	developer id	oracle	Medium
Vendor	pom (hint)	developer name	oracle	Medium

Vendor	pom (hint)	developer org	oracle	Medium
Product	pom	artifactid	inetcore	Highest
Product	pom	developer email	contact@inetsoftware.de	Low
Product	pom	developer email	morgand@apache.org	Low
Product	pom	developer id	inetsoftware	Low
Product	pom	developer id	romainguy	Low
Product	pom	developer id	sun	Low
Product	pom	developer name	i-net /// software	Low
Product	pom	developer name	Romain Guy	Low
Product	pom	developer name	Sun	Low
Product	pom	developer org	Sun	Low
Product	pom	groupid	com.inet.shared	Highest
Product	pom	name	BlendComposite and ColorUtils	High

Identifiers

- None

inetcore-25.4.jar

File Path: /home/jenkins/.gradle/caches/modules-2/files-2.1/shared/inetcore/25.4

/9c3d6a223db1a463c745dea52544a432457a47c/inetcore-25.4.jar

MD5: 60699d1853ef627dd2ea49777b47519c

SHA1: 09c3d6a223db1a463c745dea52544a432457a47c

SHA256: e3a67631f52874555841aa1d412fe81502d8d79c95c79dda852f8bff26e8e127

Referenced In Project/Scope: designer-installer:inetPlugin

Included by: pkg:maven/clear-reports/designer-installer@25.4

Evidence +

Type	Source	Name	Value	Confidence
Vendor	file	name	inetcore	High
Vendor	gradle	artifactid	inetcore	Highest
Vendor	gradle	groupid	shared	Highest
Vendor	jar	package name	i	Highest
Vendor	jar	package name	inet	Low
Vendor	Manifest	application-	*	Low

library-allowable-codebase

Vendor	Manifest	built-date	2025-04-03 17:03	Low
Vendor	Manifest	codebase	*	Low
Vendor	Manifest	implementation-group	shared	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	permissions	all-permissions	Low
Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	trusted-library	false	Low
Vendor	Manifest	trusted-only	false	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	inetcore	High
Product	gradle	artifactid	inetcore	Highest
Product	jar	package name	permissions	Highest
Product	jar	package name	shared	Highest
Product	Manifest	application-library-allowable-codebase	*	Low
Product	Manifest	built-date	2025-04-03 17:03	Low
Product	Manifest	codebase	*	Low
Product	Manifest	implementation-group	shared	Low
Product	Manifest	Implementation-Title	inetcore	High
Product	Manifest	permissions	all-permissions	Low
Product	Manifest	specification-title	inetcore	Medium
Product	Manifest	trusted-library	false	Low
Product	Manifest	trusted-only	false	Low
Version	file	name	inetcore	Medium
Version	file	version	25.4	High
Version	gradle	version	25.4	Highest
Version	jar	package name	permissions	Highest
Version	jar	package name	shared	Highest
Version	Manifest	Implementation-	25.4.199	High

	Version	
--	---------	--

Identifiers

- [pkg:maven/shared/inetcore@25.4](#) (*Confidence: Highest*)

java-21-jre-x64-linux.tar.gz: java-21-jre-x64-linux.tar: jrt-fs.jar

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/designer/build/tmp/dependencies/java-21-jre-x64-linux.tar.gz/java-21-jre-x64-linux.tar/jre-11/lib/jrt-fs.jar
MD5: 3c17af7d2793baf1af9b56d2bb2ed0c5
SHA1: 9081134b642e809240fa7e34a30625818baab0e1
SHA256: fee24948e5c70fd6381057c102debc5e91cb799a093c9620d001e83f13b07c77
Referenced In Project/Scope: designer-installer

Evidence +

Type	Source	Name	Value	Confidence
Vendor	file	name	jrt-fs	High
Vendor	jar	package name	internal	Low
Vendor	jar	package name	jdk	Low
Vendor	jar	package name	jimage	Low
Vendor	Manifest	Implementation-Vendor	Eclipse Adoptium	High
Vendor	Manifest	specification-vendor	Oracle Corporation	Low
Product	file	name	jrt-fs	High
Product	jar	package name	internal	Low
Product	jar	package name	jimage	Low
Product	Manifest	Implementation-Title	Java Runtime Environment	High
Product	Manifest	specification-title	Java Platform API Specification	Medium
Version	Manifest	Implementation-Version	21.0.6	High

Identifiers

- [cpe:2.3:a:eclipse:platform:21.0.6:*:*:*:*:*](#) (*Confidence: Medium*) suppress

jlessc-1.12.jar

File Path: /home/jenkins/.gradle/caches/modules-2/files-2.1/de.inetsoftware/jlessc/1.12/8ea5dba973ee8e969a243e08e47a27ca48121b5c/jlessc-1.12.jar

MD5: 8e0d57ed6e6809be8002db58024c370e

SHA1: 8ea5dba973ee8e969a243e08e47a27ca48121b5c

SHA256: 0969bc655eba47f824791ef12ed90c96baac2238a775b0ceaa0921deeb6681f8

Referenced In Project/Scope: designer-installer:inetPlugin

Included by: pkg:maven/clear-reports/designer-installer@25.4

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	jlessc	High
Vendor	gradle	artifactid	jlessc	Highest
Vendor	gradle	groupid	de.inetsoftware	Highest
Vendor	jar	package name	inet	Low
Vendor	jar	package name	less	Low
Vendor	jar	package name	lib	Low
Vendor	Manifest	automatic-module-name	de.inetsoftware.jlessc	Medium
Vendor	Manifest	bundle-symbolicname	de.inetsoftware.jlessc	Medium
Vendor	Manifest	Implementation-Vendor	i-net software GmbH, Berlin, Germany	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Product	file	name	jlessc	High
Product	gradle	artifactid	jlessc	Highest
Product	jar	package name	less	Low
Product	jar	package name	lib	Low
Product	Manifest	automatic-module-name	de.inetsoftware.jlessc	Medium
Product	Manifest	bundle-symbolicname	de.inetsoftware.jlessc	Medium
Product	Manifest	Implementation-Title	JLessC, a Less CSS compiler	High
Version	file	version	1.12	High
Version	Manifest	Implementation-Version	1.12	High

Identifiers

- <pkg:maven/de.inetsoftware/jlessc@1.12> (*Confidence: Highest*)

junit-4.13.2.jar

File Path: /home/jenkins/.gradle/caches/modules-2/files-2.1/junit/junit/4.13.2

/8ac9e16d933b6fb43bc7f576336b8f4d7eb5ba12/junit-4.13.2.jar

MD5: d98a9a02a99a9acd22d7653cbcc1f31f

SHA1: 8ac9e16d933b6fb43bc7f576336b8f4d7eb5ba12

SHA256: 8e495b634469d64fb8acfa3495a065cbacc8a0fff55ce1e31007be4c16dc57d3

Referenced In Project/Scope: designer-installer:inetPlugin

Included by: pkg:maven/clear-reports/designer-installer@25.4

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	junit	High
Vendor	gradle	artifactid	junit	Highest
Vendor	gradle	groupid	junit	Highest
Vendor	jar	package name	junit	Highest
Vendor	jar	package name	junit	Low
Vendor	Manifest	automatic-module-name	junit	Medium
Vendor	Manifest	implementation-url	http://junit.org	Low
Vendor	Manifest	Implementation-Vendor	JUnit	High
Vendor	Manifest	Implementation-Vendor-Id	junit	Medium
Product	file	name	junit	High
Product	gradle	artifactid	junit	Highest
Product	jar	package name	junit	Highest
Product	Manifest	automatic-module-name	junit	Medium
Product	Manifest	Implementation-Title	JUnit	High
Product	Manifest	implementation-url	http://junit.org	Low
Version	file	version	4.13.2	High
Version	Manifest	Implementation-Version	4.13.2	High

Identifiers

- [pkg:maven/junit/junit@4.13.2](#) (*Confidence: Highest*)
- [cpe:2.3:a:junit:junit4:4.13.2:*:*:*:*:*](#) (*Confidence: Highest*) suppress

junit-jupiter-5.11.4.jar

File Path: /home/jenkins/.gradle/caches/modules-2/files-2.1/org.junit.jupiter/junit-jupiter/5.11.4/a699f024a4a4706b36bddbeb42d499aff9e09379/junit-jupiter-5.11.4.jar

MD5: 0ff4b8499092fdeb7905380e53e848cb

SHA1: a699f024a4a4706b36bddbeb42d499aff9e09379

SHA256: aa880e4afba87d447357e4c1fc098c5cb1d200cb9403496c00d3b35a5bd0e8db

Referenced In Project/Scope: designer-installer:inetPlugin

Included by:

- pkg:maven/org.junit.jupiter/junit-jupiter@5.11.4
- pkg:maven/org.junit.jupiter/junit-jupiter-engine@5.11.4
- pkg:maven/org.junit.platform/junit-platform-suite@1.11.4
- pkg:maven/clear-reports/designer-installer@25.4

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	junit-jupiter	High
Vendor	gradle	artifactid	junit-jupiter	Highest
Vendor	gradle	groupid	org.junit.jupiter	Highest
Vendor	jar	package name	module-info	Low
Vendor	Manifest	build-date	2024-12-16	Low
Vendor	Manifest	build-revision	6430ba4f653f6ae42f326cd0731b259ee699c71	Low
Vendor	Manifest	build-time	14:07:27.656+0100	Low
Vendor	Manifest	bundle-symbolicname	junit-jupiter	Medium
Vendor	Manifest	Implementation-Vendor	junit.org	High
Vendor	Manifest	specification-vendor	junit.org	Low
Product	file	name	junit-jupiter	High
Product	gradle	artifactid	junit-jupiter	Highest
Product	Manifest	build-date	2024-12-16	Low
Product	Manifest	build-revision	6430ba4f653f6ae42f326cd0731b259ee699c71	Low
Product	Manifest	build-time	14:07:27.656+0100	Low

Product	Manifest	Bundle-Name	JUnit Jupiter (Aggregator)	Medium
Product	Manifest	bundle-symbolicname	junit-jupiter	Medium
Product	Manifest	Implementation-Title	junit-jupiter	High
Product	Manifest	specification-title	junit-jupiter	Medium
Version	file	version	5.11.4	High
Version	Manifest	Implementation-Version	5.11.4	High

Identifiers

- [pkg:maven/org.junit.jupiter/junit-jupiter@5.11.4](#) (*Confidence: Highest*)

junit-jupiter-api-5.11.4.jar

File Path: /home/jenkins/.gradle/caches/modules-2/files-2.1/org.junit.jupiter/junit-jupiter-api/5.11.4/308315b28e667db4091b2ba1f7aa220d1ddadb97/junit-jupiter-api-5.11.4.jar

MD5: e055a09339f2abd6ad3dc6d206ff1c3a

SHA1: 308315b28e667db4091b2ba1f7aa220d1ddadb97

SHA256: ab83ef9e51ac4597d59d26b4b58812129550e2f579a404c8af7d09f5ce5b4293

Referenced In Project/Scope: designer-installer:inetPlugin

Included by:

- pkg:maven/org.junit.jupiter/junit-jupiter@5.11.4
- pkg:maven/org.junit.jupiter/junit-jupiter-engine@5.11.4
- pkg:maven/org.junit.platform/junit-platform-suite@1.11.4

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	junit-jupiter-api	High
Vendor	gradle	artifactid	junit-jupiter-api	Highest
Vendor	gradle	groupid	org.junit.jupiter	Highest
Vendor	jar	package name	api	Highest
Vendor	jar	package name	api	Low
Vendor	jar	package name	junit	Highest
Vendor	jar	package name	junit	Low
Vendor	jar	package name	jupiter	Highest
Vendor	jar	package name	jupiter	Low
Vendor	Manifest	build-date	2024-12-16	Low

Vendor	Manifest	build-revision	6430ba4f653f6ae42f326cd0731b259ee699c71	Low
Vendor	Manifest	build-time	14:07:27.656+0100	Low
Vendor	Manifest	bundle-symbolicname	junit-jupiter-api	Medium
Vendor	Manifest	Implementation-Vendor	junit.org	High
Vendor	Manifest	specification-vendor	junit.org	Low
Product	file	name	junit-jupiter-api	High
Product	gradle	artifactid	junit-jupiter-api	Highest
Product	jar	package name	api	Highest
Product	jar	package name	api	Low
Product	jar	package name	junit	Highest
Product	jar	package name	jupiter	Highest
Product	jar	package name	jupiter	Low
Product	Manifest	build-date	2024-12-16	Low
Product	Manifest	build-revision	6430ba4f653f6ae42f326cd0731b259ee699c71	Low
Product	Manifest	build-time	14:07:27.656+0100	Low
Product	Manifest	Bundle-Name	JUnit Jupiter API	Medium
Product	Manifest	bundle-symbolicname	junit-jupiter-api	Medium
Product	Manifest	Implementation-Title	junit-jupiter-api	High
Product	Manifest	specification-title	junit-jupiter-api	Medium
Version	file	version	5.11.4	High
Version	Manifest	Implementation-Version	5.11.4	High

Identifiers

- [pkg:maven/org.junit.jupiter/junit-jupiter-api@5.11.4](https://mvnrepository.com/artifact/org.junit.jupiter/junit-jupiter-api/5.11.4) (*Confidence*:Highest)

junit-jupiter-engine-5.11.4.jar

File Path: /home/jenkins/.gradle/caches/modules-2/files-2.1/org.junit.jupiter/junit-jupiter-engine/5.11.4/dc10ec209623986a68ea07f67cdc7d2a65a60355/junit-jupiter-engine-5.11.4.jar

MD5: ff0242ed33cb684ec5a1d02164c5d26d

SHA1: dc10ec209623986a68ea07f67cdc7d2a65a60355

SHA256: cdf8ac59f3fad774ca738ad03890950eeb91833ef0e8908753177edd26f1581c

Referenced In Project/Scope: designer-installer:inetPlugin
Included by:

- pkg:maven/org.junit.jupiter/junit-jupiter@5.11.4
- pkg:maven/org.junit.jupiter/junit-jupiter-engine@5.11.4
- pkg:maven/org.junit.platform/junit-platform-suite@1.11.4
- pkg:maven/clear-reports/designer-installer@25.4

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	junit-jupiter-engine	High
Vendor	gradle	artifactid	junit-jupiter-engine	Highest
Vendor	gradle	groupid	org.junit.jupiter	Highest
Vendor	jar	package name	engine	Highest
Vendor	jar	package name	engine	Low
Vendor	jar	package name	junit	Highest
Vendor	jar	package name	junit	Low
Vendor	jar	package name	jupiter	Highest
Vendor	jar	package name	jupiter	Low
Vendor	Manifest	build-date	2024-12-16	Low
Vendor	Manifest	build-revision	6430ba4f653f6ae42f326cd0731b259ee699c71	Low
Vendor	Manifest	build-time	14:07:27.656+0100	Low
Vendor	Manifest	bundle-symbolicname	junit-jupiter-engine	Medium
Vendor	Manifest	Implementation-Vendor	junit.org	High
Vendor	Manifest	provide-capability	org.junit.platform.engine;org.junit.platform.engine=junit-jupiter;version:Version="5.11.4"	Low
Vendor	Manifest	specification-vendor	junit.org	Low
Product	file	name	junit-jupiter-engine	High
Product	gradle	artifactid	junit-jupiter-engine	Highest
Product	jar	package name	engine	Highest
Product	jar	package name	engine	Low
Product	jar	package name	junit	Highest
Product	jar	package name	jupiter	Highest
Product	jar	package name	jupiter	Low
Product	Manifest	build-date	2024-12-16	Low
Product	Manifest	build-revision	6430ba4f653f6ae42f326cd0731b259ee699c71	Low
Product	Manifest	build-time	14:07:27.656+0100	Low

Product	Manifest	Bundle-Name	JUnit Jupiter Engine	Medium
Product	Manifest	bundle-symbolicname	junit-jupiter-engine	Medium
Product	Manifest	Implementation-Title	junit-jupiter-engine	High
Product	Manifest	provide-capability	org.junit.platform.engine;org.junit.platform.engine=junit-jupiter;version:Version="5.11.4"	Low
Product	Manifest	specification-title	junit-jupiter-engine	Medium
Version	file	version	5.11.4	High
Version	Manifest	Implementation-Version	5.11.4	High

Identifiers

- [pkg:maven/org.junit.jupiter/junit-jupiter-engine@5.11.4](https://maven.org/junit.jupiter/junit-jupiter-engine@5.11.4) (*Confidence*:Highest)

junit-jupiter-params-5.11.4.jar

File Path: /home/jenkins/.gradle/caches/modules-2/files-2.1/org.junit.jupiter/junit-jupiter-params/5.11.4/e4c86fbe2a39c60c6b87260ef7f7e7c1a1906481/junit-jupiter-params-5.11.4.jar

MD5: 2eee588489ec62b5134fa04cff32592c

SHA1: e4c86fbe2a39c60c6b87260ef7f7e7c1a1906481

SHA256: 02a6e015de7ce94ac7f256e7fa05b8091dea861fe79a555a7993313d0f6c7d96

Referenced In Project/Scope: designer-installer:inetPlugin

Included by:

- pkg:maven/org.junit.jupiter/junit-jupiter@5.11.4
- pkg:maven/org.junit.jupiter/junit-jupiter-engine@5.11.4
- pkg:maven/org.junit.platform/junit-platform-suite@1.11.4

Evidence

Type	Source	Name	Value	Confidence
Vendor	file	name	junit-jupiter-params	High
Vendor	gradle	artifactid	junit-jupiter-params	Highest
Vendor	gradle	groupid	org.junit.jupiter	Highest
Vendor	jar	package name	junit	Highest
Vendor	jar	package name	junit	Low
Vendor	jar	package name	jupiter	Highest
Vendor	jar	package name	jupiter	Low
Vendor	jar	package name	params	Highest
Vendor	jar	package name	params	Low

Vendor	Manifest	build-date	2024-12-16	Low
Vendor	Manifest	build-revision	6430ba4f653f6ae42f326cd0731b259ee699c71	Low
Vendor	Manifest	build-time	14:07:27.656+0100	Low
Vendor	Manifest	bundle-symbolicname	junit-jupiter-params	Medium
Vendor	Manifest	Implementation-Vendor	junit.org	High
Vendor	Manifest	specification-vendor	junit.org	Low
Product	file	name	junit-jupiter-params	High
Product	gradle	artifactid	junit-jupiter-params	Highest
Product	jar	package name	junit	Highest
Product	jar	package name	jupiter	Highest
Product	jar	package name	jupiter	Low
Product	jar	package name	params	Highest
Product	jar	package name	params	Low
Product	jar	package name	shadow	Low
Product	Manifest	build-date	2024-12-16	Low
Product	Manifest	build-revision	6430ba4f653f6ae42f326cd0731b259ee699c71	Low
Product	Manifest	build-time	14:07:27.656+0100	Low
Product	Manifest	Bundle-Name	JUnit Jupiter Params	Medium
Product	Manifest	bundle-symbolicname	junit-jupiter-params	Medium
Product	Manifest	Implementation-Title	junit-jupiter-params	High
Product	Manifest	specification-title	junit-jupiter-params	Medium
Version	file	version	5.11.4	High
Version	Manifest	Implementation-Version	5.11.4	High

Identifiers

- [pkg:maven/org.junit.jupiter/junit-jupiter-params@5.11.4](https://maven.org/junit/jupiter/junit-jupiter-params@5.11.4) (*Confidence:High*est)

junit-platform-commons-1.11.4.jar

File Path: /home/jenkins/.gradle/caches/modules-2/files-2.1/org.junit.platform/junit-platform-commons/1.11.4/8898eea3ed0da2641548d602c3e308804f166303/junit-platform-commons-1.11.4.jar
MD5: 7e51034e6332ac61c11f9a00eb1d9471
SHA1: 8898eea3ed0da2641548d602c3e308804f166303
SHA256:9edd969b0d0670c54105bc91ae79bd1c6f503e12115faba82073b84c86bbc334
Referenced In Project/Scope: designer-installer:inetPlugin
Included by:

- pkg:maven/org.junit.jupiter/junit-jupiter@5.11.4
- pkg:maven/org.junit.jupiter/junit-jupiter-engine@5.11.4
- pkg:maven/org.junit.platform/junit-platform-suite@1.11.4

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	junit-platform-commons	High
Vendor	gradle	artifactid	junit-platform-commons	Highest
Vendor	gradle	groupid	org.junit.platform	Highest
Vendor	jar	package name	commons	Highest
Vendor	jar	package name	commons	Low
Vendor	jar	package name	junit	Highest
Vendor	jar	package name	junit	Low
Vendor	jar	package name	org	Highest
Vendor	jar	package name	platform	Highest
Vendor	jar	package name	platform	Low
Vendor	Manifest	build-date	2024-12-16	Low
Vendor	Manifest	build-revision	6430ba4f653f6ae42f326cd0731b259ee699c71	Low
Vendor	Manifest	build-time	14:07:27.656+0100	Low
Vendor	Manifest	bundle-symbolicname	junit-platform-commons	Medium
Vendor	Manifest	Implementation-Vendor	junit.org	High
Vendor	Manifest	multi-release	true	Low
Vendor	Manifest	specification-vendor	junit.org	Low
Product	file	name	junit-platform-commons	High
Product	gradle	artifactid	junit-platform-commons	Highest
Product	jar	package name	commons	Highest
Product	jar	package name	commons	Low
Product	jar	package name	junit	Highest
Product	jar	package name	platform	Highest
Product	jar	package name	platform	Low

Product	Manifest	build-date	2024-12-16	Low
Product	Manifest	build-revision	6430ba4f653f6ae42f326cd0731b259ee699c71	Low
Product	Manifest	build-time	14:07:27.656+0100	Low
Product	Manifest	Bundle-Name	JUnit Platform Commons	Medium
Product	Manifest	bundle-symbolicname	junit-platform-commons	Medium
Product	Manifest	Implementation-Title	junit-platform-commons	High
Product	Manifest	multi-release	true	Low
Product	Manifest	specification-title	junit-platform-commons	Medium
Version	file	version	1.11.4	High
Version	Manifest	Implementation-Version	1.11.4	High

Identifiers

- pkg:maven/org.junit.platform/junit-platform-commons@1.11.4 (*Confidence: Highest*)

junit-platform-engine-1.11.4.jar

File Path: /home/jenkins/.gradle/caches/modules-2/files-2.1/org.junit.platform/junit-platform-engine/1.11.4/21f61b123ad6ac8f7e73971bff3a096c8d8e1cd0/junit-platform-engine-1.11.4.jar

MD5: a2489480705c1a83a9e371b053046987

SHA1: 21f61b123ad6ac8f7e73971bff3a096c8d8e1cd0

SHA256: b1dd998f64f9acadc15966d9cd3d08074662677b3e390f0a38fcbf0bb4c72330

Referenced In Project/Scope: designer-installer:inetPlugin

Included by:

- pkg:maven/org.junit.jupiter/junit-jupiter@5.11.4
- pkg:maven/org.junit.jupiter/junit-jupiter-engine@5.11.4
- pkg:maven/org.junit.platform/junit-platform-suite@1.11.4

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	junit-platform-engine	High
Vendor	gradle	artifactid	junit-platform-engine	Highest
Vendor	gradle	groupid	org.junit.platform	Highest
Vendor	jar	package name	engine	Highest
Vendor	jar	package name	engine	Low
Vendor	jar	package name	junit	Highest

Vendor	jar	package name	junit	Low
Vendor	jar	package name	platform	Highest
Vendor	jar	package name	platform	Low
Vendor	Manifest	build-date	2024-12-16	Low
Vendor	Manifest	build-revision	6430ba4f653f6ae42f326cd0731b259ee699c71	Low
Vendor	Manifest	build-time	14:07:27.656+0100	Low
Vendor	Manifest	bundle-symbolicname	junit-platform-engine	Medium
Vendor	Manifest	Implementation-Vendor	junit.org	High
Vendor	Manifest	specification-vendor	junit.org	Low
Product	file	name	junit-platform-engine	High
Product	gradle	artifactid	junit-platform-engine	Highest
Product	jar	package name	engine	Highest
Product	jar	package name	engine	Low
Product	jar	package name	junit	Highest
Product	jar	package name	platform	Highest
Product	jar	package name	platform	Low
Product	jar	package name	support	Low
Product	Manifest	build-date	2024-12-16	Low
Product	Manifest	build-revision	6430ba4f653f6ae42f326cd0731b259ee699c71	Low
Product	Manifest	build-time	14:07:27.656+0100	Low
Product	Manifest	Bundle-Name	JUnit Platform Engine API	Medium
Product	Manifest	bundle-symbolicname	junit-platform-engine	Medium
Product	Manifest	Implementation-Title	junit-platform-engine	High
Product	Manifest	specification-title	junit-platform-engine	Medium
Version	file	version	1.11.4	High
Version	Manifest	Implementation-Version	1.11.4	High

Identifiers

- <pkg:maven/org.junit.platform/junit-platform-engine@1.11.4> (*Confidence*:Highest)

junit-platform-launcher-1.11.4.jar

File Path: /home/jenkins/.gradle/caches/modules-2/files-2.1/org.junit.platform/junit-platform-launcher/1.11.4/3d83c201899d8c5e74e1a5d628eab900342a0e48/junit-platform-launcher-1.11.4.jar

MD5: f8835afc4e99e5194c4a34d9b80a65e0

SHA1: 3d83c201899d8c5e74e1a5d628eab900342a0e48

SHA256:d7430bd029e7fcced53ee445e4d2d1a8a1e043ea4c4df43b6335a857f79761ae

Referenced In Project/Scope: designer-installer:inetPlugin

Included by:

- pkg:maven/org.junit.jupiter/junit-jupiter@5.11.4
- pkg:maven/org.junit.jupiter/junit-jupiter-engine@5.11.4
- pkg:maven/org.junit.platform/junit-platform-suite@1.11.4

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	junit-platform-launcher	High
Vendor	gradle	artifactid	junit-platform-launcher	Highest
Vendor	gradle	groupid	org.junit.platform	Highest
Vendor	jar	package name	junit	Highest
Vendor	jar	package name	junit	Low
Vendor	jar	package name	launcher	Highest
Vendor	jar	package name	launcher	Low
Vendor	jar	package name	platform	Highest
Vendor	jar	package name	platform	Low
Vendor	Manifest	build-date	2024-12-16	Low
Vendor	Manifest	build-revision	6430ba4f653f6ae42f326cd0731b259ee699c71	Low
Vendor	Manifest	build-time	14:07:27.656+0100	Low
Vendor	Manifest	bundle-symbolicname	junit-platform-launcher	Medium
Vendor	Manifest	Implementation-Vendor	junit.org	High
Vendor	Manifest	provide-capability	org.junit.platform.launcher;org.junit.platform.launcher=junit-platform-launcher;version:Version="1.11.4"	Low
Vendor	Manifest	specification-vendor	junit.org	Low
Product	file	name	junit-platform-launcher	High
Product	gradle	artifactid	junit-platform-launcher	Highest
Product	jar	package name	junit	Highest
Product	jar	package name	launcher	Highest
Product	jar	package name	launcher	Low

Product	jar	package name	platform	Highest
Product	jar	package name	platform	Low
Product	Manifest	build-date	2024-12-16	Low
Product	Manifest	build-revision	6430ba4f653f6ae42f326cd0731b259ee699c71	Low
Product	Manifest	build-time	14:07:27.656+0100	Low
Product	Manifest	Bundle-Name	JUnit Platform Launcher	Medium
Product	Manifest	bundle-symbolicname	junit-platform-launcher	Medium
Product	Manifest	Implementation-Title	junit-platform-launcher	High
Product	Manifest	provide-capability	org.junit.platform.launcher;org.junit.platform.launcher=junit-platform-launcher;version:Version="1.11.4"	Low
Product	Manifest	specification-title	junit-platform-launcher	Medium
Version	file	version	1.11.4	High
Version	Manifest	Implementation-Version	1.11.4	High

Identifiers

- [pkg:maven/org.junit.platform/junit-platform-launcher@1.11.4](#) (*Confidence*:Highest)

junit-platform-suite-1.11.4.jar

File Path: /home/jenkins/.gradle/caches/modules-2/files-2.1/org.junit.platform/junit-platform-suite/1.11.4/48b0add04256be602379ca7b2964edce30b2dff/junit-platform-suite-1.11.4.jar

MD5: 43381c147e29db866e14eab9434dc817

SHA1: 048b0add04256be602379ca7b2964edce30b2dff

SHA256:dfd78a246ec9063b401fe7f68d169aed5d9b9d974aabc85555af6ebd13d8507c

Referenced In Project/Scope: designer-installer:inetPlugin

Included by:

- pkg:maven/org.junit.jupiter/junit-jupiter@5.11.4
- pkg:maven/org.junit.jupiter/junit-jupiter-engine@5.11.4
- pkg:maven/org.junit.platform/junit-platform-suite@1.11.4
- pkg:maven/clear-reports/designer-installer@25.4

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	junit-platform-suite	High
Vendor	gradle	artifactid	junit-platform-suite	Highest
Vendor	gradle	groupid	org.junit.platform	Highest

Vendor	jar	package name	module-info	Low
Vendor	Manifest	build-date	2024-12-16	Low
Vendor	Manifest	build-revision	6430ba4f653f6ae42f326cd0731b259ee699c71	Low
Vendor	Manifest	build-time	14:07:27.656+0100	Low
Vendor	Manifest	bundle-symbolicname	junit-platform-suite	Medium
Vendor	Manifest	Implementation-Vendor	junit.org	High
Vendor	Manifest	specification-vendor	junit.org	Low
Product	file	name	junit-platform-suite	High
Product	gradle	artifactid	junit-platform-suite	Highest
Product	Manifest	build-date	2024-12-16	Low
Product	Manifest	build-revision	6430ba4f653f6ae42f326cd0731b259ee699c71	Low
Product	Manifest	build-time	14:07:27.656+0100	Low
Product	Manifest	Bundle-Name	JUnit Platform Suite (Aggregator)	Medium
Product	Manifest	bundle-symbolicname	junit-platform-suite	Medium
Product	Manifest	Implementation-Title	junit-platform-suite	High
Product	Manifest	specification-title	junit-platform-suite	Medium
Version	file	version	1.11.4	High
Version	Manifest	Implementation-Version	1.11.4	High

Identifiers

- pkg:maven/org.junit.platform/junit-platform-suite@1.11.4 (*Confidence: Highest*)

junit-platform-suite-api-1.11.4.jar

File Path: /home/jenkins/.gradle/caches/modules-2/files-2.1/org.junit.platform/junit-platform-suite-api/1.11.4/745fc2bfc37c15a6233bbc1328524fd1b1429279/junit-platform-suite-api-1.11.4.jar

MD5: 44323f08839840de0ef6ef28a1573b36

SHA1: 745fc2bfc37c15a6233bbc1328524fd1b1429279

SHA256: 3c918f69219bbb30fc14ab10889d680e9dcbb3a5f1f506cd220a5504bed64822

Referenced In Project/Scope: designer-installer:inetPlugin

Included by:

- pkg:maven/org.junit.jupiter/junit-jupiter@5.11.4
- pkg:maven/org.junit.jupiter/junit-jupiter-engine@5.11.4

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	junit-platform-suite-api	High
Vendor	gradle	artifactid	junit-platform-suite-api	Highest
Vendor	gradle	groupid	org.junit.platform	Highest
Vendor	jar	package name	api	Highest
Vendor	jar	package name	junit	Highest
Vendor	jar	package name	junit	Low
Vendor	jar	package name	platform	Highest
Vendor	jar	package name	platform	Low
Vendor	jar	package name	suite	Highest
Vendor	jar	package name	suite	Low
Vendor	Manifest	build-date	2024-12-16	Low
Vendor	Manifest	build-revision	6430ba4f653f6ae42f326cd0731b259ee699c71	Low
Vendor	Manifest	build-time	14:07:27.656+0100	Low
Vendor	Manifest	bundle-symbolicname	junit-platform-suite-api	Medium
Vendor	Manifest	Implementation-Vendor	junit.org	High
Vendor	Manifest	specification-vendor	junit.org	Low
Product	file	name	junit-platform-suite-api	High
Product	gradle	artifactid	junit-platform-suite-api	Highest
Product	jar	package name	api	Highest
Product	jar	package name	api	Low
Product	jar	package name	junit	Highest
Product	jar	package name	platform	Highest
Product	jar	package name	platform	Low
Product	jar	package name	suite	Highest
Product	jar	package name	suite	Low
Product	Manifest	build-date	2024-12-16	Low
Product	Manifest	build-revision	6430ba4f653f6ae42f326cd0731b259ee699c71	Low
Product	Manifest	build-time	14:07:27.656+0100	Low
Product	Manifest	Bundle-Name	JUnit Platform Suite API	Medium
Product	Manifest	bundle-	junit-platform-suite-api	Medium

symbolicname

Product	Manifest	Implementation-Title	junit-platform-suite-api	High
Product	Manifest	specification-title	junit-platform-suite-api	Medium
Version	file	version	1.11.4	High
Version	Manifest	Implementation-Version	1.11.4	High

Identifiers

- [pkg:maven/org.junit.platform/junit-platform-suite-api@1.11.4](#) (*Confidence: Highest*)

junit-platform-suite-commons-1.11.4.jar

File Path: /home/jenkins/.gradle/caches/modules-2/files-2.1/org.junit.platform/junit-platform-suite-commons/1.11.4/b381d0e04bd2721c4bf348d5be61d2b4768df305/junit-platform-suite-commons-1.11.4.jar

MD5: e3e4537735e3a87f10f3d5b62e27f812

SHA1: b381d0e04bd2721c4bf348d5be61d2b4768df305

SHA256: 11fb1e06a5e2bbb8e6ce483bd4e03c1340492f75eaf4239618325e7430f39193

Referenced In Project/Scope: designer-installer:inetPlugin

Included by:

- pkg:maven/org.junit.jupiter/junit-jupiter@5.11.4
- pkg:maven/org.junit.jupiter/junit-jupiter-engine@5.11.4
- pkg:maven/org.junit.platform/junit-platform-suite@1.11.4

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	junit-platform-suite-commons	High
Vendor	gradle	artifactid	junit-platform-suite-commons	Highest
Vendor	gradle	groupid	org.junit.platform	Highest
Vendor	jar	package name	commons	Highest
Vendor	jar	package name	junit	Highest
Vendor	jar	package name	junit	Low
Vendor	jar	package name	platform	Highest
Vendor	jar	package name	platform	Low
Vendor	jar	package name	suite	Highest
Vendor	jar	package name	suite	Low
Vendor	Manifest	build-date	2024-12-16	Low
Vendor	Manifest	build-revision	6430ba4f653f6ae42f326cd0731b259ee699c71	Low

Vendor	Manifest	build-time	14:07:27.656+0100	Low
Vendor	Manifest	bundle-symbolicname	junit-platform-suite-commons	Medium
Vendor	Manifest	Implementation-Vendor	junit.org	High
Vendor	Manifest	specification-vendor	junit.org	Low
Product	file	name	junit-platform-suite-commons	High
Product	gradle	artifactid	junit-platform-suite-commons	Highest
Product	jar	package name	commons	Highest
Product	jar	package name	commons	Low
Product	jar	package name	junit	Highest
Product	jar	package name	platform	Highest
Product	jar	package name	platform	Low
Product	jar	package name	suite	Highest
Product	jar	package name	suite	Low
Product	Manifest	build-date	2024-12-16	Low
Product	Manifest	build-revision	6430ba4f653f6ae42f326cd0731b259ee699c71	Low
Product	Manifest	build-time	14:07:27.656+0100	Low
Product	Manifest	Bundle-Name	JUnit Platform Suite Commons	Medium
Product	Manifest	bundle-symbolicname	junit-platform-suite-commons	Medium
Product	Manifest	Implementation-Title	junit-platform-suite-commons	High
Product	Manifest	specification-title	junit-platform-suite-commons	Medium
Version	file	version	1.11.4	High
Version	Manifest	Implementation-Version	1.11.4	High

Identifiers

- <pkg:maven/org.junit.platform/junit-platform-suite-commons@1.11.4> (*Confidence*:Highest)

junit-platform-suite-engine-1.11.4.jar

File Path: /home/jenkins/.gradle/caches/modules-2/files-2.1/org.junit.platform/junit-platform-suite-engine/1.11.4/679cc57f175e5924686d600a8b2bb02fecdd16623/junit-platform-suite-engine-1.11.4.jar
MD5: b9b8e0600cba56964a087a299f312639

SHA1: 679cc57f175e5924686d600a8b2bb02fecd16623
SHA256:7e66132d34b7a2c2fef63da3f7d799e15dca374a5191f1875ac8c053b44ba793
Referenced In Project/Scope: designer-installer:inetPlugin
Included by:

- pkg:maven/org.junit.jupiter/junit-jupiter@5.11.4
- pkg:maven/org.junit.jupiter/junit-jupiter-engine@5.11.4
- pkg:maven/org.junit.platform/junit-platform-suite@1.11.4

Evidence 				
Type	Source	Name	Value	Confidence
Vendor	file	name	junit-platform-suite-engine	High
Vendor	gradle	artifactid	junit-platform-suite-engine	Highest
Vendor	gradle	groupid	org.junit.platform	Highest
Vendor	jar	package name	engine	Highest
Vendor	jar	package name	junit	Highest
Vendor	jar	package name	junit	Low
Vendor	jar	package name	platform	Highest
Vendor	jar	package name	platform	Low
Vendor	jar	package name	suite	Highest
Vendor	jar	package name	suite	Low
Vendor	Manifest	build-date	2024-12-16	Low
Vendor	Manifest	build-revision	6430ba4f653f6ae42f326cd0731b259ee699c71	Low
Vendor	Manifest	build-time	14:07:27.656+0100	Low
Vendor	Manifest	bundle-symbolicname	junit-platform-suite-engine	Medium
Vendor	Manifest	Implementation-Vendor	junit.org	High
Vendor	Manifest	specification-vendor	junit.org	Low
Product	file	name	junit-platform-suite-engine	High
Product	gradle	artifactid	junit-platform-suite-engine	Highest
Product	jar	package name	engine	Highest
Product	jar	package name	engine	Low
Product	jar	package name	junit	Highest
Product	jar	package name	platform	Highest
Product	jar	package name	platform	Low
Product	jar	package name	suite	Highest
Product	jar	package name	suite	Low
Product	Manifest	build-date	2024-12-16	Low

Product	Manifest	build-revision	6430ba4f653f6ae42f326cd0731b259ee699c71	Low
Product	Manifest	build-time	14:07:27.656+0100	Low
Product	Manifest	Bundle-Name	JUnit Platform Suite Engine	Medium
Product	Manifest	bundle-symbolicname	junit-platform-suite-engine	Medium
Product	Manifest	Implementation-Title	junit-platform-suite-engine	High
Product	Manifest	specification-title	junit-platform-suite-engine	Medium
Version	file	version	1.11.4	High
Version	Manifest	Implementation-Version	1.11.4	High

Identifiers

- <pkg:maven/org.junit.platform/junit-platform-suite-engine@1.11.4> (*Confidence*:Highest)

junit-vintage-engine-5.11.4.jar

File Path: /home/jenkins/.gradle/caches/modules-2/files-2.1/org.junit.vintage/junit-vintage-engine/5.11.4/81904e219c1b038fc83ab156ba2e458e213a549e/junit-vintage-engine-5.11.4.jar

MD5: d4255a851a102f2e3d16fe8b9f1c1797

SHA1: 81904e219c1b038fc83ab156ba2e458e213a549e

SHA256: 19239ff6cbef4b43e51ed5551faf1f2f1083494596ce1dd2c3275e698ccbc023

Referenced In Project/Scope: designer-installer:inetPlugin

Included by:

- pkg:maven/org.junit.jupiter/junit-jupiter@5.11.4
- pkg:maven/org.junit.jupiter/junit-jupiter-engine@5.11.4
- pkg:maven/org.junit.platform/junit-platform-suite@1.11.4
- pkg:maven/clear-reports/designer-installer@25.4

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	junit-vintage-engine	High
Vendor	gradle	artifactid	junit-vintage-engine	Highest
Vendor	gradle	groupid	org.junit.vintage	Highest
Vendor	jar	package name	engine	Highest
Vendor	jar	package name	engine	Low
Vendor	jar	package name	junit	Highest
Vendor	jar	package name	junit	Low
Vendor	jar	package name	vintage	Highest

Vendor	jar	package name	vintage	Low
Vendor	Manifest	build-date	2024-12-16	Low
Vendor	Manifest	build-revision	6430ba4f653f6ae42f326cd0731b259ee699c71	Low
Vendor	Manifest	build-time	14:07:27.656+0100	Low
Vendor	Manifest	bundle-symbolicname	junit-vintage-engine	Medium
Vendor	Manifest	Implementation-Vendor	junit.org	High
Vendor	Manifest	provide-capability	org.junit.platform.engine;org.junit.platform.engine=junit-vintage;version:Version="5.11.4"	Low
Vendor	Manifest	specification-vendor	junit.org	Low
Product	file	name	junit-vintage-engine	High
Product	gradle	artifactid	junit-vintage-engine	Highest
Product	jar	package name	engine	Highest
Product	jar	package name	engine	Low
Product	jar	package name	junit	Highest
Product	jar	package name	vintage	Highest
Product	jar	package name	vintage	Low
Product	Manifest	build-date	2024-12-16	Low
Product	Manifest	build-revision	6430ba4f653f6ae42f326cd0731b259ee699c71	Low
Product	Manifest	build-time	14:07:27.656+0100	Low
Product	Manifest	Bundle-Name	JUnit Vintage Engine	Medium
Product	Manifest	bundle-symbolicname	junit-vintage-engine	Medium
Product	Manifest	Implementation-Title	junit-vintage-engine	High
Product	Manifest	provide-capability	org.junit.platform.engine;org.junit.platform.engine=junit-vintage;version:Version="5.11.4"	Low
Product	Manifest	specification-title	junit-vintage-engine	Medium
Version	file	version	5.11.4	High
Version	Manifest	Implementation-Version	5.11.4	High

Identifiers

- pkg:maven/org.junit.vintage/junit-vintage-engine@5.11.4 (*Confidence:High*est)

maintenance.reporting.zip: maintenance.reporting.jar

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/designer/build/tmp/dependencies/i-net Clear Reports Designer/plugins/maintenance.reporting.zip
/maintenance.reporting.jar

MD5: 10007387b5f158d09f3db7b795b759a6

SHA1: ca14cea5d6edee35740978b418a3657d18315042

SHA256: f649295b1df1eedc821c7e24bf9f7773f64eba146a55078cd0e2608702a73e9

Referenced In Project/Scope: designer-installer

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	maintenance.reporting	High
Vendor	jar	package name	inet	Low
Vendor	jar	package name	plugins	Low
Vendor	jar	package name	report	Low
Vendor	Manifest	built-date	2025-04-03 19:22	Low
Vendor	Manifest	implementation-group	reporting	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	maintenance.reporting	High
Product	jar	package name	maintenance	Highest
Product	jar	package name	maintenance	Low
Product	jar	package name	plugins	Low
Product	jar	package name	report	Low
Product	Manifest	built-date	2025-04-03 19:22	Low
Product	Manifest	implementation-group	reporting	Low
Product	Manifest	Implementation-Title	maintenance.reporting	High
Product	Manifest	specification-title	maintenance.reporting	Medium
Version	Manifest	Implementation-Version	25.4.199	High

Identifiers

- None

opentest4j-1.3.0.jar

License:

The Apache License, Version 2.0

File Path: /home/jenkins/.gradle/caches/modules-2/files-2.1/org.opentest4j/opentest4j/1.3.0/152ea56b3a72f655d4fd677fc0ef2596c3dd5e6e/opentest4j-1.3.0.jar

MD5: 03c404f727531f3fd3b4c73997899327

SHA1: 152ea56b3a72f655d4fd677fc0ef2596c3dd5e6e

SHA256: 48e2df636cab6563ced64dcdf8abb2355627cb236ef0bf37598682ddf742f1b

Referenced In Project/Scope: designer-installer:inetPlugin

Included by:

- pkg:maven/org.junit.jupiter/junit-jupiter@5.11.4
- pkg:maven/org.junit.jupiter/junit-jupiter-engine@5.11.4
- pkg:maven/org.junit.platform/junit-platform-suite@1.11.4

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	opentest4j	High
Vendor	gradle	artifactid	opentest4j	Highest
Vendor	gradle	groupid	org.opentest4j	Highest
Vendor	jar	package name	opentest4j	Highest
Vendor	jar	package name	opentest4j	Low
Vendor	Manifest	build-date	2023-07-06	Low
Vendor	Manifest	build-revision	214973bfa4e7e9be7d04e623202cc4147c7036	Low
Vendor	Manifest	build-time	14:25:06.116+0200	Low
Vendor	Manifest	bundle-symbolicname	org.opentest4j	Medium
Vendor	Manifest	Implementation-Vendor	opentest4j.org	High
Vendor	Manifest	specification-vendor	opentest4j.org	Low
Product	file	name	opentest4j	High
Product	gradle	artifactid	opentest4j	Highest
Product	jar	package name	opentest4j	Highest
Product	Manifest	build-date	2023-07-06	Low

Product	Manifest	build-revision	214973bfa4e7e9be7d04e623202cc4147c7036	Low
Product	Manifest	build-time	14:25:06.116+0200	Low
Product	Manifest	Bundle-Name	opentest4j	Medium
Product	Manifest	bundle-symbolicname	org.opentest4j	Medium
Product	Manifest	Implementation-Title	opentest4j	High
Product	Manifest	specification-title	opentest4j	Medium
Version	file	version	1.3.0	High
Version	Manifest	Implementation-Version	1.3.0	High

Identifiers

- pkg:maven/org.opentest4j/opentest4j@1.3.0 (Confidence: Highest)

pdfviewer.zip: pdfjs-dist.jar

Description:

WebJar for pdfjs-dist

License:

Apache-2.0

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/designer/build/tmp/dependencies/i-net Clear Reports Designer/plugins/pdfviewer.zip/pdfjs-dist.jar

MD5: 57149d661792caab7b262b841f199ca0

SHA1: 1dd919385c724d3caf7294f870cbfa3fc2185530

SHA256: 55641dec5fc0d26127af3ec412c80234bc8c76e45639188034793c2205e8718a

Referenced In Project/Scope: designer-installer

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	pdfjs-dist	High
Vendor	Manifest	build-jdk-spec	1.8	Low
Vendor	Manifest	bundle-symbolicname	org.webjars.npm.pdfjs-dist	Medium
Vendor	pom	artifactid	pdfjs-dist	Low
Vendor	pom	developer id	webjars	Medium
Vendor	pom	groupid	org.webjars.npm	Highest

Vendor	pom	name	pdfjs-dist	High
Vendor	pom	url	https://www.webjars.org	Highest
Product	file	name	pdfjs-dist	High
Product	Manifest	build-jdk-spec	1.8	Low
Product	Manifest	Bundle-Name	pdfjs-dist	Medium
Product	Manifest	bundle-symbolicname	org.webjars.npm.pdfjs-dist	Medium
Product	pom	artifactid	pdfjs-dist	Highest
Product	pom	developer id	webjars	Low
Product	pom	groupid	org.webjars.npm	Highest
Product	pom	name	pdfjs-dist	High
Product	pom	url	https://www.webjars.org	Medium
Version	Manifest	Bundle-Version	4.9.155	High
Version	pom	version	4.9.155	Highest

Identifiers

- <pkg:maven/org.webjars.npm/pdfjs-dist@4.9.155> (*Confidence:High*)

pdfviewer.zip: pdfjs-dist.jar: package.json

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/designer/build/tmp/dependencies/i-net Clear Reports Designer/plugins/pdfviewer.zip/pdfjs-dist.jar/META-INF/resources/webjars/pdfjs-dist/4.9.155/package.json

MD5: f65798a4fb5f72545ae76304dcf58ed6

SHA1: 9a8fec5d3dbad5400bbbed30a0be7cb07c854f0f4

SHA256: 5a3c6c424b00e9d9cc490b0e357197f1b099a2f91cf6aeb4dd5002f77e1155ce

Referenced In Project/Scope: designer-installer

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

pdfviewer.zip: pdfviewer.jar

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/designer/build/tmp/dependencies/i-net Clear Reports Designer/plugins/pdfviewer.zip/pdfviewer.jar
MD5: 9521f13a31dace2bdaf40fc3d7643999
SHA1: 0c22ade098712570cfdc806685c8dc539fd1c549
SHA256:9267eb45d5217f2fecc21960e4b1b8ce80c98fd147a4ff9237fc46a542207037
Referenced In Project/Scope: designer-installer

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	pdfviewer	High
Vendor	jar	package name	inet	Low
Vendor	jar	package name	pdf	Low
Vendor	jar	package name	viewer	Low
Vendor	Manifest	built-date	2025-04-03 19:25	Low
Vendor	Manifest	implementation-group	reporting	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	pdfviewer	High
Product	jar	package name	pdf	Low
Product	jar	package name	viewer	Low
Product	Manifest	built-date	2025-04-03 19:25	Low
Product	Manifest	implementation-group	reporting	Low
Product	Manifest	Implementation-Title	pdfviewer	High
Product	Manifest	specification-title	pdfviewer	Medium
Version	Manifest	Implementation-Version	25.4.199	High

Identifiers

- None

pdfviewer.zip: pdfviewer.jar: drive.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/designer/build/tmp/dependencies/i-net Clear Reports Designer/plugins/pdfviewer.zip/pdfviewer.jar/com/inet/viewer/pdf/drive/js/drive.js

MD5: a61df90ad012e9d4c83859788ec19151

SHA1: 9a3461f7171aa71cb5200a7dd1140a5dd4c1d86a

SHA256: b16d712ec3e0e24b89a91b1d6002f61ce094fcd6a2624ff9e67ad9722ee90dfb

Referenced In Project/Scope: designer-installer

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

pdfviewer.zip: pdfviewer.jar: pdfviewer.angular.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/designer/build/tmp/dependencies/i-net Clear Reports Designer/plugins/pdfviewer.zip/pdfviewer.jar/com/inet/viewer/pdf/client/js/pdfviewer.angular.js

MD5: e6954ccb4c0a3831a35f1b9e752fec42

SHA1: 208b965824e12aa9ed738fe0b632eb211bca20bf

SHA256: 1344c0c858c9af3a4b868aeb1a4880ef4068f66c1e608522197bfe0cb173a1f

Referenced In Project/Scope: designer-installer

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

pdfviewer.zip: pdfviewer.jar: pdfviewer.embedded.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/designer/build/tmp/dependencies/i-net Clear Reports Designer/plugins/pdfviewer.zip/pdfviewer.jar/com/inet/viewer/pdf/client/js/pdfviewer.embedded.js
MD5: 70424b6d55b103b51641cd999e641015
SHA1: 27b7b978987ca70067c68a118a87454b74eaf4d2
SHA256: 454f83692f23c1f22f35217b1650638d0ad3891b611a3e0addcc8c5f29c849ec
Referenced In Project/Scope: designer-installer

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

pdfviewer.zip: pdfviewer.jar: pdfviewer.factory.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/designer/build/tmp/dependencies/i-net Clear Reports Designer/plugins/pdfviewer.zip/pdfviewer.jar/com/inet/viewer/pdf/client/js/pdfviewer.factory.js
MD5: 039933761f909593c1aee987e2d06a51
SHA1: 2df87d32494141ad03e09e9d69ba84b5b0096caf
SHA256: b8a9e43adf06ee74839d5dc250797aef98f13dbf861baed1adda91032d200d88
Referenced In Project/Scope: designer-installer

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

pdfviewer.zip: pdfviewer.jar: pdfviewer.model.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/designer/build/tmp/dependencies/i-net Clear Reports Designer/plugins/pdfviewer.zip/pdfviewer.jar/com/inet/viewer/pdf/client/js/pdfviewer.model.js
MD5: 68901fe5c47acc46479c9e3e5cff6dd3
SHA1: 6db0a82aad55b6697eba55421549b8134b0285db
SHA256: cbada41244972ed937bfb2b4d69d24e42990e03e3adb0f18c9ce6c36739d7980
Referenced In Project/Scope: designer-installer

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

pdfviewer.zip: pdfviewer.jar: pdfviewer.renderer.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/designer/build/tmp/dependencies/i-net Clear Reports Designer/plugins/pdfviewer.zip/pdfviewer.jar/com/inet/viewer/pdf/client/js/pdfviewer.renderer.js

MD5: 26622a6848f3d36a4366c4488546be82

SHA1: 35ef18dca36c26ef5167f970dd1af6857d16d0da

SHA256: 5e33f6fe3044b63d7ce34c94444962c70b20e9c1e7ade0e3bd9879d47305f502

Referenced In Project/Scope: designer-installer

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

pdfviewer.zip: pdfviewer.jar: pdfviewer.reporting.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/designer/build/tmp/dependencies/i-net Clear Reports Designer/plugins/pdfviewer.zip/pdfviewer.jar/com/inet/viewer/pdf/client/js/pdfviewer.reporting.js

MD5: effb4436a65f704a76dda056e6c68b01

SHA1: 91fda57186cd1069c5333898418ec74710978922

SHA256: e4ac8228b4f19e1eadb9590c9e030f1c3d805735c93c22be9405ff589ace8236

Referenced In Project/Scope: designer-installer

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

processbridge.reporting.zip: processbridge.reporting.jar

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/designer/build/tmp/dependencies/i-net Clear Reports Designer/plugins/processbridge.reporting.zip
/processbridge.reporting.jar

MD5: 3e8de3bdd02d2c7dd302fc2e1bf57ba3

SHA1: 46f6f2d1bd89279e22d245aacb56d4c02418daee

SHA256: 58541a836a69069a207ff42f3fa3dddb4af644f3d3defefcce2dfa42daa74381

Referenced In Project/Scope: designer-installer

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	processbridge.reporting	High
Vendor	jar	package name	inet	Low
Vendor	jar	package name	processbridge	Low
Vendor	jar	package name	report	Low
Vendor	Manifest	built-date	2025-04-03 19:24	Low
Vendor	Manifest	implementation-group	reporting	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	processbridge.reporting	High
Product	jar	package name	api	Low
Product	jar	package name	processbridge	Highest
Product	jar	package name	processbridge	Low
Product	jar	package name	report	Low
Product	Manifest	built-date	2025-04-03 19:24	Low
Product	Manifest	implementation-group	reporting	Low
Product	Manifest	Implementation-	processbridge.reporting	High

Title				
Product	Manifest	specification-title	processbridge.reporting	Medium
Version	Manifest	Implementation-Version	25.4.199	High

Identifiers

- None

promptdialog.zip: promptdialog.jar

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/designer/build/tmp/dependencies/i-net Clear Reports Designer/plugins/promptdialog.zip/promptdialog.jar

MD5: 2855bf2de56f8a7b66622d23fe02e3c8

SHA1: 4c1c22952a021b791dae11b88ff97fa246406d05

SHA256: 034c07418ccdb7084f32188d4718ef94928115694ce1f1a6df347f42d6d09bec

Referenced In Project/Scope: designer-installer

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	promptdialog	High
Vendor	jar	package name	inet	Low
Vendor	jar	package name	promptdialog	Low
Vendor	jar	package name	report	Low
Vendor	Manifest	built-date	2025-04-03 19:25	Low
Vendor	Manifest	implementation-group	reporting	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	promptdialog	High
Product	jar	package name	promptdialog	Highest
Product	jar	package name	promptdialog	Low
Product	jar	package name	report	Low
Product	jar	package name	server	Low

Product	Manifest	built-date	2025-04-03 19:25	Low
Product	Manifest	implementation-group	reporting	Low
Product	Manifest	Implementation-Title	promptdialog	High
Product	Manifest	specification-title	promptdialog	Medium
Version	Manifest	Implementation-Version	25.4.199	High

Identifiers

- None

promptdialog.zip: promptdialog.jar: promptcontroller.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/designer/build/tmp/dependencies/i-net Clear Reports Designer/plugins/promptdialog.zip/promptdialog.jar/com/inet/report/promptdialog/client/js/promptcontroller.js

MD5: 9a1030e31357faa7ff332e07f31b2013

SHA1: 719be987ccdccc3264d5d3d086f00c1aefb24e080

SHA256: 5da72dc8b28b981a4ae5ff12babe1ed24733a8e828f6734da7e32988bc276783

Referenced In Project/Scope: designer-installer

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

promptdialog.zip: promptdialog.jar: promptcustomrenderer.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/designer/build/tmp/dependencies/i-net Clear Reports Designer/plugins/promptdialog.zip/promptdialog.jar/com/inet/report/promptdialog/client/js/promptcustomrenderer.js

MD5: 4a2ab3e2f8b066e6c2faad02c1bf6c16

SHA1: e78d0c78e0a4222aa77bb5bab99d5686ceef8786

SHA256: 249dece5c3251a2ed48cf1d60b25c93f473b33e22ec83b8980a3907bdf267b47

Referenced In Project/Scope: designer-installer

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

promptdialog.zip: promptdialog.jar: promptfactory.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/designer/build/tmp/dependencies/i-net Clear Reports Designer/plugins/promptdialog.zip/promptdialog.jar/com/inet/report/promptdialog/client/js/promptfactory.js

MD5: 8fdae9ff173cebe93a61e37d38b411f5

SHA1: df01371336e4d20ec91101bd4183bda94b5fb6ea

SHA256: 2c84e71877b13721299f62b69e9daf89c9b20db27cb8e8ade6fd4528949b37b8

Referenced In Project/Scope: designer-installer

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

promptdialog.zip: promptdialog.jar: promptpanel.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/designer/build/tmp/dependencies/i-net Clear Reports Designer/plugins/promptdialog.zip/promptdialog.jar/com/inet/report/promptdialog/client/js/promptpanel.js

MD5: 99d16b2383290d43cd354674196e40b0

SHA1: 03c6c2111b242719e26e7ebb64a1c5e89e6e540c

SHA256: 7863b068cfa31af1c989f23a8f888f7858759728968e0d0335b6d5ac7411eea4

Referenced In Project/Scope: designer-installer

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

promptdialog.zip: promptdialog.jar: promptrenderer.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/designer/build/tmp/dependencies/i-net Clear Reports Designer/plugins/promptdialog.zip/promptdialog.jar/com/inet/report/promptdialog/client/js/promptrenderer.js

MD5: 61c61ff08c770911316a7fef2450d6ba

SHA1: 9ab51332b7278bd9f50630cebbf0064101971b4b

SHA256: 6ee26567dca9cf9d36e34c332500b735c83732876a89fba13607cf332eb3b715

Referenced In Project/Scope: designer-installer

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

propertieschecker.zip: propertieschecker.sample.jar

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/designer/build/tmp/dependencies/i-net Clear Reports Designer/plugins/propertieschecker.zip/propertieschecker.sample.jar

MD5: f6355bb9b757375b0dafc3ffbcdd9c7d

SHA1: 7d20a39d8525b56f6d6a1d27a1a9b0b995f573e1

SHA256: b9294b1cc028085e056ef9074c7d2261717344edc6cbf998f8491571ee518f35

Referenced In Project/Scope: designer-installer

Evidence

Type	Source	Name	Value	Confidence
Vendor	file	name	propertieschecker.sample	High
Vendor	jar	package name	inet	Low
Vendor	jar	package name	propertieschecker	Low
Vendor	jar	package name	samples	Low
Vendor	Manifest	built-date	2025-04-03 19:04	Low
Vendor	Manifest	implementation-	reporting	Low

group

Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	propertieschecker.sample	High
Product	jar	package name	propertieschecker	Highest
Product	jar	package name	propertieschecker	Low
Product	jar	package name	samples	Low
Product	Manifest	built-date	2025-04-03 19:04	Low
Product	Manifest	implementation-group	reporting	Low
Product	Manifest	Implementation-Title	propertieschecker	High
Product	Manifest	specification-title	propertieschecker	Medium
Version	Manifest	Implementation-Version	25.4.199	High

Identifiers

- None

remoteprinting.zip: remoteprinting.jar

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/designer/build/tmp/dependencies/i-net Clear Reports Designer/plugins/remoteprinting.zip/remoteprinting.jar

MD5: 869d1f74e126557eb318a021dd871628

SHA1: a5f3d84d56b32ad3f3c4ff0d6f8ed8e1c021abbb

SHA256: 05ef9cf0643a794e1d55fe0e6e6059ef19facbaf607426d28a35cd4c361900d2

Referenced In Project/Scope: designer-installer

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	remoteprinting	High
Vendor	jar	package name	inet	Low
Vendor	jar	package name	remoteprinting	Low

Vendor	jar	package name	report	Low
Vendor	Manifest	built-date	2025-04-03 19:22	Low
Vendor	Manifest	implementation-group	reporting	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	remoteprinting	High
Product	jar	package name	remoteprinting	Highest
Product	jar	package name	remoteprinting	Low
Product	jar	package name	report	Low
Product	Manifest	built-date	2025-04-03 19:22	Low
Product	Manifest	implementation-group	reporting	Low
Product	Manifest	Implementation-Title	remoteprinting	High
Product	Manifest	specification-title	remoteprinting	Medium
Version	Manifest	Implementation-Version	25.4.199	High

Identifiers

- None

remoteprinting.zip: remoteprinting.jar: RemotePrintingRenderer.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/designer/build/tmp/dependencies/i-net Clear Reports Designer/plugins/remoteprinting.zip/remoteprinting.jar/com/inet/report/remoteprinting/usersandgroups/ui/RemotePrintingRenderer.js

MD5: 311da5e94edd3b1633ef74f41d8535c4

SHA1: 82d52fb3ffbc3f7d740a5577b2e008ef5b14e9cf

SHA256: 8e874308aebd3107ccbaa1e31261df485993743305fcde33f26eb70b4396353c

Referenced In Project/Scope: designer-installer

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remoteprinting.zip: remoteprinting.jar: app.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/designer/build/tmp/dependencies/i-net Clear Reports Designer/plugins/remoteprinting.zip/remoteprinting.jar/com/inet/report/remoteprinting/resources/js/app.js

MD5: e9d58ab93114f2f8c4846419ad3cb610

SHA1: be2fba1f2b2bb90a425e152468d58c4c3dad1fa4

SHA256: b5093c6a851aea8903fba75bc7017fbf41db5a2af493c54ab990f3e43b7455c

Referenced In Project/Scope: designer-installer

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remoteprinting.zip: remoteprinting.jar: htmlviewer.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/designer/build/tmp/dependencies/i-net Clear Reports Designer/plugins/remoteprinting.zip/remoteprinting.jar/com/inet/report/remoteprinting/resources/js/htmlviewer.js

MD5: 2a3040ebe6be31144a6c18dd266493b8

SHA1: 830bfecfc5bb6ccaa82b258089d7c805385446b6

SHA256: c355fe9bda5e2d30ed2828f4699935c5f185224260e91f108a17f3bfb8ec5f51

Referenced In Project/Scope: designer-installer

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remoteprinting.zip: remoteprinting.jar: pdfviewer.angular.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/designer/build/tmp/dependencies/i-net Clear Reports Designer/plugins/remoteprinting.zip/remoteprinting.jar/com/inet/report/remoteprinting/resources/js/pdfviewer.angular.js

MD5: d60d18a2dca3c15d611f1456193c3c11

SHA1: 0b6623f3d7e631aa00b4d8a2e21b60fd2fcf8869

SHA256: 7cf145f10067d00f2f10e9d630f406c786b8e0982ca83926afbb60dae89b65a8

Referenced In Project/Scope: designer-installer

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remoteprinting.zip: remoteprinting.jar: remoteprinting.factory.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/designer/build/tmp/dependencies/i-net Clear Reports Designer/plugins/remoteprinting.zip/remoteprinting.jar/com/inet/report/remoteprinting/resources/js/remoteprinting.factory.js

MD5: c2d54900f0269c6d6014cfddd17b2eb4

SHA1: c7e01abe54655b7e94276834bcaf211425bf5b71

SHA256: 70edbefc77a2eabbbdbe35cd95ec2a666b9a3eab65345a262be3674f34d91971

Referenced In Project/Scope: designer-installer

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remoteprinting.zip: remoteprinting.jar: remoteprinting.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/designer/build/tmp/dependencies/i-net Clear Reports Designer/plugins/remoteprinting.zip/remoteprinting.jar/com/inet/report/remoteprinting/resources/js/remoteprinting.js
MD5: 16a56a1a971953b07d0095d52081f748
SHA1: 24aea6fb2289f6031482fe451ff7edb2c33272ab
SHA256:a837a1b694adb622c3a74c148ebfee89e1e502a2544f57f4b56a076a8c1ca4a4
Referenced In Project/Scope: designer-installer

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remoteprinting.zip: remoteprinting.jar: remoteprinting.model.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/designer/build/tmp/dependencies/i-net Clear Reports Designer/plugins/remoteprinting.zip/remoteprinting.jar/com/inet/report/remoteprinting/resources/js/remoteprinting.model.js
MD5: 434c0bfe160b59fa89c7c39e0352b205
SHA1: 7ecff74133eab2fa44190e6d93ff8f44b92a66e7
SHA256:52159b25c45bbcb73ce401e498ad886b7a4376531bf845598420fbaf573d4d66
Referenced In Project/Scope: designer-installer

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remoteprinting.zip: remoteprinting.jar: remoteprinting.renderer.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/designer/build/tmp/dependencies/i-net Clear Reports Designer/plugins/remoteprinting.zip/remoteprinting.jar/com/inet/report/remoteprinting/resources/js/remoteprinting.renderer.js
MD5: 4cdf7ac9afdd2a1c7265643e2919560f
SHA1: 259f22c23b948bd7290d4044a26f69afdc6de13b
SHA256:2b4ed3f2ff1ac406e3b87818b80b6dad3fcb8a191432cbef5bf556fadb057d8e
Referenced In Project/Scope: designer-installer

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

reporting.zip: jcommon.jar

Description:

JCommon is a free general purpose Java class library that is used in several projects at www.jfree.org, including JFreeChart and JFreeReport.

License:

GNU Lesser General Public Licence: <http://www.gnu.org/licenses/lgpl.txt>

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/designer/build/tmp/dependencies/i-net Clear Reports Designer/plugins/reporting.zip/jcommon.jar

MD5: 3872e82627df950d40a949144a93e491

SHA1: d5016f7703896c38f9e511f8a9edda2585cbac8b

SHA256: 13e2596044935f76694cce65a22d1df908907ddcba0da2b49ff030930262d417

Referenced In Project/Scope: designer-installer

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Vendor	file	name	jcommon	High
Vendor	jar	package name	jcommon	Highest
Vendor	jar	package name	jfree	Highest
Vendor	jar	package name	jfree	Low
Vendor	jar	package name	library	Highest
Vendor	jar	package name	ui	Low
Vendor	pom	artifactid	jcommon	Low
Vendor	pom	developer email	dave@jfree.org	Low
Vendor	pom	developer name	David Gilbert	Medium
Vendor	pom	developer org	Object Refinery Limited	Medium
Vendor	pom	developer org URL	http://www.object-refinery.com	Medium

Vendor	pom	groupid	org.jfree	Highest
Vendor	pom	name	JCommon	High
Vendor	pom	organization name	JFree.org	High
Vendor	pom	organization url	http://www.jfree.org/	Medium
Vendor	pom	url	http://www.jfree.org/jcommon/	Highest
Product	file	name	jcommon	High
Product	jar	package name	jcommon	Highest
Product	jar	package name	jfree	Highest
Product	jar	package name	library	Highest
Product	jar	package name	ui	Low
Product	pom	artifactid	jcommon	Highest
Product	pom	developer email	dave@jfree.org	Low
Product	pom	developer name	David Gilbert	Low
Product	pom	developer org	Object Refinery Limited	Low
Product	pom	developer org URL	http://www.object-refinery.com	Low
Product	pom	groupid	org.jfree	Highest
Product	pom	name	JCommon	High
Product	pom	organization name	JFree.org	Low
Product	pom	organization url	http://www.jfree.org/	Low
Product	pom	url	http://www.jfree.org/jcommon/	Medium
Version	pom	version	1.0.24	Highest

Identifiers

- <pkg:maven/org.jfree/jcommon@1.0.24> (*Confidence:High*)

reporting.zip: jfreechartCC.jar

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/designer/build/tmp/dependencies/i-net Clear Reports Designer/plugins/reporting.zip/jfreechartCC.jar

MD5: 3e0252baf13856c596936dea4a182b3c

SHA1: 26b2aa18c2f8e8a89e718faddb1d4b0d995312cb

SHA256: b6dd7348407d08709cce2beb30f08fceb5822a75ea9e4600c700c8d2b5959cf4

Referenced In Project/Scope: designer-installer

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	jfreechartCC	High
Vendor	jar	package name	chart	Low
Vendor	jar	package name	inet	Low
Vendor	jar	package name	jfree	Low
Vendor	Manifest	built-date	2025-04-03 19:02	Low
Vendor	Manifest	implementation-group	reporting	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	jfreechartCC	High
Product	jar	package name	chart	Low
Product	jar	package name	jfree	Low
Product	Manifest	built-date	2025-04-03 19:02	Low
Product	Manifest	implementation-group	reporting	Low
Product	Manifest	Implementation-Title	jfreechartCC	High
Product	Manifest	specification-title	jfreechartCC	Medium
Version	Manifest	Implementation-Version	25.4.199	High

Identifiers

- None

reporting.zip: reporting-javadoc.jar

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/designer/build/tmp/dependencies/i-net Clear Reports Designer/plugins/reporting.zip/reporting-javadoc.jar
MD5: 805209c2a1bad45ffab9e37e2024e890

SHA1: c0c95e86a8033a1d2560d47d0247a71217ac130d

SHA256: 6145673483558bb72c7d0189492fde3b990f3c1cc3c110fd7c20ed7f02cc6f18

Referenced In Project/Scope: designer-installer

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	reporting-javadoc	High
Product	file	name	reporting-javadoc	High

Identifiers

- None

reporting.zip: reporting-javadoc.jar: member-search-index.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/designer/build/tmp/dependencies/i-net Clear Reports Designer/plugins/reporting.zip/reporting-javadoc.jar/member-search-index.js

MD5: ccdea62d223965e04e37be8ff2061293

SHA1: 784facf0ae891194a75af49a380ab6c335f23e92

SHA256: 209d7f53759f9789d1dc0513dc7e27d85892bd80ba12c0e03ebb952fa8ed6e0a

Referenced In Project/Scope: designer-installer

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

reporting.zip: reporting-javadoc.jar: package-search-index.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/designer/build/tmp/dependencies/i-net Clear Reports Designer/plugins/reporting.zip/reporting-javadoc.jar/package-search-index.js

MD5: 2c0f8742f3f9b12b580ebbb1d05b246c

SHA1: 4ab261d1781d9f77c131e641ec031d38e39a0444

SHA256: 40e580f6c42f5eaad108580601b9279ee0d06eb1b35574573d0d2a3798580d82

Referenced In Project/Scope: designer-installer

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

reporting.zip: reporting-javadoc.jar: tag-search-index.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/designer/build/tmp/dependencies/i-net Clear Reports Designer/plugins/reporting.zip/reporting-javadoc.jar/tag-search-index.js

MD5: 95810a7878ddd3f49d938eb6b5c0f1b2

SHA1: 4d0358e131242bfb1a29d1db368e9e24381ad979

SHA256: e31bd7c6847cd8b49a884fe01244f740ad184cdb7aa6449830be21985158f0d9

Referenced In Project/Scope: designer-installer

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

reporting.zip: reporting-javadoc.jar: type-search-index.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/designer/build/tmp/dependencies/i-net Clear Reports Designer/plugins/reporting.zip/reporting-javadoc.jar/type-search-index.js

MD5: 8008687a1ad6ed821adc84cca8826520

SHA1: a21713c3a63548a6651afc41259760ad85b6226d

SHA256: a9e4cb81069076017cfaf4566173432128024441225b5c4d9bc20a04637f5416

Referenced In Project/Scope: designer-installer

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

reporting.zip: reporting.jar

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/designer/build/tmp/dependencies/i-net Clear Reports Designer/plugins/reporting.zip/reporting.jar
MD5: ed6e26dfa9f4d07c727040e94c42701a
SHA1: 19349c6bc23a111bfda6c106d7ff5f03fee677f
SHA256:6033532131bd4144f35e77b50619cdd1e8292b4f8c10c070b5f1ff8e00eb5088
Referenced In Project/Scope: designer-installer

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	reporting	High
Vendor	jar	package name	i	Highest
Vendor	jar	package name	inet	Low
Vendor	jar	package name	report	Low
Vendor	Manifest	application-library-allowable-codebase	*	Low
Vendor	Manifest	built-date	2025-04-03 19:06	Low
Vendor	Manifest	codebase	*	Low
Vendor	Manifest	implementation-group	reporting	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	permissions	all-permissions	Low
Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	trusted-library	false	Low
Vendor	Manifest	trusted-only	false	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	reporting	High
Product	jar	package name	permissions	Highest
Product	jar	package name	report	Low

Product	jar	package name	reporting	Highest
Product	Manifest	application-library-allowable-codebase	*	Low
Product	Manifest	built-date	2025-04-03 19:06	Low
Product	Manifest	codebase	*	Low
Product	Manifest	implementation-group	reporting	Low
Product	Manifest	Implementation-Title	reporting	High
Product	Manifest	permissions	all-permissions	Low
Product	Manifest	specification-title	reporting	Medium
Product	Manifest	trusted-library	false	Low
Product	Manifest	trusted-only	false	Low
Version	jar	package name	permissions	Highest
Version	jar	package name	reporting	Highest
Version	Manifest	Implementation-Version	25.4.199	High

Identifiers

- None

reporting.zip: reporting.jar: events.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/designer/build/tmp/dependencies/i-net Clear Reports Designer/plugins/reporting.zip/reporting.jar/com/inet/report/renderer/html/viewer/helper/events.js
MD5: 867af7b9527093452195d3057166a9ca
SHA1: e4856efc3e95a20f25beff5da4ce9b907c3a1575
SHA256:c342986741d1c87b03bfc899d7640ab9267f3e95c5a744e75c5ee12c321f2408
Referenced In Project/Scope: designer-installer

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

reporting.zip: reporting.jar: export.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/designer/build/tmp/dependencies/i-net Clear Reports Designer/plugins/reporting.zip/reporting.jar/com/inet/report/renderer/html/viewer/modules/export.js

MD5: af5776d1f4c0f90fdda642460095cb85

SHA1: c2dc9db0273b351d4b598e0f72638148752fd650

SHA256: 10c81c741c713864819c8304285dd6394c841b37469652f4f72d716237c9a401

Referenced In Project/Scope: designer-installer

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

reporting.zip: reporting.jar: functions.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/designer/build/tmp/dependencies/i-net Clear Reports Designer/plugins/reporting.zip/reporting.jar/com/inet/report/renderer/html/viewer/helper/functions.js

MD5: 3a126ddb2c4899eaa005990077cbaad0

SHA1: d5ba743c6d9c6743664ad4fb213876000f8ba125

SHA256: 839f1199523c7f48011c7a023fc938cbe07d13041507fe68a77d58ea909b029b

Referenced In Project/Scope: designer-installer

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

reporting.zip: reporting.jar: generator.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/designer/build/tmp/dependencies/i-net Clear Reports Designer/plugins/reporting.zip/reporting.jar/com/inet/report/renderer/html/viewer/helper/generator.js
MD5: d98c2ca06a72837183dc17a3eeec0039
SHA1: cfa6d7f381d3cb43b6702884df53b0fa08149fc8
SHA256: b865ad0a07fa5779ed8ae8610cf3129c95c79337b20cbe479477b13d2c83d876
Referenced In Project/Scope: designer-installer

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

reporting.zip: reporting.jar: grouptree.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/designer/build/tmp/dependencies/i-net Clear Reports Designer/plugins/reporting.zip/reporting.jar/com/inet/report/renderer/html/viewer/modules/grouptree.js
MD5: 73664ae0ed6a804d29957e83068ffc60
SHA1: 747d0a84b6d98c8a252cb9476d2ec689396f7d86
SHA256: b38e7787f6690520e1c2cc297e569e6941b6c3da97fdeba4ce044f7b4a17e114
Referenced In Project/Scope: designer-installer

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

reporting.zip: reporting.jar: htmlreportextension.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/designer/build/tmp/dependencies/i-net Clear Reports Designer/plugins/reporting.zip/reporting.jar/com/inet/report/plugins/drive/client/js/htmlreportextension.js
MD5: 4a91827e853ef0bf19cf06f343e18e98
SHA1: fda14009355a1098b25c75a307900e27d43a5e09
SHA256: 004b3358d2bc621a7bb7c3b3f7e350876ed7904cd41c4d51d88533babf4cf590
Referenced In Project/Scope: designer-installer

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

reporting.zip: reporting.jar: jstorage.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/designer/build/tmp/dependencies/i-net Clear Reports Designer/plugins/reporting.zip/reporting.jar/com/inet/report/renderer/html/viewer/helper/jstorage.js

MD5: 8078b278235f9eb8cf63b1474a1362db

SHA1: feb74af17fb5ba7b01c4ad997759ec21ac685ad5

SHA256: 9d86bf1ad26f873ca615b15fc8cab964e332fa363317b8569c3f624fc947d8a8

Referenced In Project/Scope: designer-installer

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

reporting.zip: reporting.jar: keylistener.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/designer/build/tmp/dependencies/i-net Clear Reports Designer/plugins/reporting.zip/reporting.jar/com/inet/report/renderer/html/viewer/modules/keylistener.js

MD5: 54d50496c4b43d4c78c30facfd01809d

SHA1: 9e29b6d13b0478339596ac131e214c605e10fa0d

SHA256: 29f7a3a51b8d139109d0165111d062e6e9ecd2c2d90de1e99b539da6c2e966bf

Referenced In Project/Scope: designer-installer

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

reporting.zip: reporting.jar: menubar.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/designer/build/tmp/dependencies/i-net Clear Reports Designer/plugins/reporting.zip/reporting.jar/com/inet/report/renderer/html/viewer/modules/menubar.js

MD5: 9da058e8a7ffde691780207953d63b52

SHA1: e6306c9b5ce0b1ab552b72cd203055f10c8e9707

SHA256: 6d223deb0ff80c9cf56a50eacc728c36440bbffc82a8cd5ee38e10fd6317482e

Referenced In Project/Scope: designer-installer

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

reporting.zip: reporting.jar: page.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/designer/build/tmp/dependencies/i-net Clear Reports Designer/plugins/reporting.zip/reporting.jar/com/inet/report/renderer/html/viewer/page.js

MD5: 214a1cd3653bb9aa3cec9078e6ee3316

SHA1: edb8d66493699591d0202d1a14b8f34af49daa75

SHA256: c559154fab98f5343d44cb8c02a2203f800eabd9e13d1fd9dd926440ee5fe825

Referenced In Project/Scope: designer-installer

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

reporting.zip: reporting.jar: pagecount.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/designer/build/tmp/dependencies/i-net Clear Reports Designer/plugins/reporting.zip/reporting.jar/com/inet/report/renderer/html/viewer/modules/pagecount.js

MD5: c6823ab782e12fa9e9c0325321ab0011

SHA1: facbdd75d7176e5809cebd5d5702cfbb0bf677ac

SHA256: 5d189f3efc0e10f5c5e85964e89ffde18c81a1279c9132c64453f2a149423a5e

Referenced In Project/Scope: designer-installer

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

reporting.zip: reporting.jar: popup.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/designer/build/tmp/dependencies/i-net Clear Reports Designer/plugins/reporting.zip/reporting.jar/com/inet/report/renderer/html/viewer/modules/popup.js

MD5: c3941efe0d33e1e9b046fccd239033cb

SHA1: 53951b79a3c0e93768dd4043b3d16d884fc2c7ca

SHA256: 0ed137328526d278076dcab6bfac9792717dadda6c0776cc839710fa0f1e49a3

Referenced In Project/Scope: designer-installer

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

reporting.zip: reporting.jar: print.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/designer/build/tmp/dependencies/i-net Clear Reports Designer/plugins/reporting.zip/reporting.jar/com/inet

/report/renderer/html/viewer/modules/print.js

MD5: f8fec5b39e4c5055f35e01c926e8b959

SHA1: b4f6666f078b60a130ec12b993d2884b2d3f81e7

SHA256: 2e3276591241b179642f2159147f317f020fc03df408dfbe6f8d370cd04f5824

Referenced In Project/Scope: designer-installer

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

reporting.zip: reporting.jar: prompts.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/designer/build/tmp/dependencies/i-net Clear Reports Designer/plugins/reporting.zip/reporting.jar/com/inet/report/renderer/html/viewer/modules/prompts.js

MD5: 3b849b5bb11227c5ac033e504ed6aff0

SHA1: 98bdf6eb30305508d86670957ee0b52685fa37ce

SHA256: 34222344e247919691862f921320cae83bb6a658f4259412117b489cfa0097ee

Referenced In Project/Scope: designer-installer

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

reporting.zip: reporting.jar: prototype.array.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/designer/build/tmp/dependencies/i-net Clear Reports Designer/plugins/reporting.zip/reporting.jar/com/inet/report/renderer/html/viewer/helper/prototype.array.js

MD5: c69ba575e53ba415b800f18386ce2d65

SHA1: 968d437fa28bd784a3dac6a58d090027bf8e0563

SHA256: 6dcde95b98fa808923a311e7b4a345da4c1b3df17ea2554294d6ef47e871dad5

Referenced In Project/Scope: designer-installer

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

reporting.zip: reporting.jar: prototype.element.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/designer/build/tmp/dependencies/i-net Clear Reports Designer/plugins/reporting.zip/reporting.jar/com/inet/report/renderer/html/viewer/helper/prototype.element.js

MD5: b51b2dd46fafbff64c30ff2e731c814d

SHA1: ea525bae8dd23860d1b8202869a316626af91c26

SHA256: bd28001d8f95e450a5aed4bcd72851bbc126f9f5efb13feba698c034774a06ff

Referenced In Project/Scope: designer-installer

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

reporting.zip: reporting.jar: prototype.string.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/designer/build/tmp/dependencies/i-net Clear Reports Designer/plugins/reporting.zip/reporting.jar/com/inet/report/renderer/html/viewer/helper/prototype.string.js

MD5: f0bb166a036ca364a6c047d345fc9a0e

SHA1: d491f3851e9aa5d8fd70d4139669635eb5cdd1b0

SHA256: fd0fc8d93a6bce3d07ec8a7db922110e3d15f5f0a7a66562599f9b369b6f6f30

Referenced In Project/Scope: designer-installer

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

reporting.zip: reporting.jar: renderreportextension.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/designer/build/tmp/dependencies/i-net Clear Reports Designer/plugins/reporting.zip/reporting.jar/com/inet/report/plugins/drive/client/js/renderreportextension.js

MD5: e4f2d17c10a193f2e46e30c80de52d09

SHA1: d37d5dc99e12ada04ae0737c180ced7fef7450c7

SHA256: ddf8e053d7cd180056fdd26cd15e3e269b917ce948d11b7a487dd6d000dc5051

Referenced In Project/Scope: designer-installer

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

reporting.zip: reporting.jar: reorder.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/designer/build/tmp/dependencies/i-net Clear Reports Designer/plugins/reporting.zip/reporting.jar/com/inet/report/renderer/html/viewer/modules/reorder.js

MD5: c2f6f517d3d3f572c54fe096339ff49d

SHA1: a429dd95146869f4ab9b00c3611947ddf6b91d1a

SHA256: d4dbc3e3b8d16c84dc14e11b1e02ed413473d7d8da48b2c733f8c7024179f7fd

Referenced In Project/Scope: designer-installer

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

reporting.zip: reporting.jar: report.export.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/designer/build/tmp/dependencies/i-net Clear Reports Designer/plugins/reporting.zip/reporting.jar/com/inet/report/exportwebui/js/report.export.js

MD5: 11b5592b08b3a2f21b98843222cb5c99

SHA1: d2b4b4fd948c46fbb8d18d5f26ddbdfc243b676d

SHA256: 95bfb6ccb730c142642ebafe6267fb4f2d94703b26c26084ac9073d75f14ebed

Referenced In Project/Scope: designer-installer

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

reporting.zip: reporting.jar: report.exportdialog.controller.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/designer/build/tmp/dependencies/i-net Clear Reports Designer/plugins/reporting.zip/reporting.jar/com/inet/report/exportwebui/js/report.exportdialog.controller.js

MD5: 33165ad89f5e1337a51632847b2d0e27

SHA1: 5d2c08233db36cafec84fdf42311ea706c186980

SHA256: 2e5f124cbc095e6af716907a4f7a2222563c5f198f7b80c115807d3dd20293a5

Referenced In Project/Scope: designer-installer

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

reporting.zip: reporting.jar: report.exportdialog.service.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/designer/build/tmp/dependencies/i-net Clear Reports Designer/plugins/reporting.zip/reporting.jar/com/inet/report/exportwebui/js/report.exportdialog.service.js

MD5: e0c64da7a618e8b61743ab3f796e480f

SHA1: b3f3b1820ac805200784c2a04a8e9e0c5c6a773d
SHA256: e57c19851718e326461b09834966d70d0de3d3ce09f1656d16afe7f88f2807e7
Referenced In Project/Scope: designer-installer

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

reporting.zip: reporting.jar: report.exportframe.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/designer/build/tmp/dependencies/i-net Clear Reports Designer/plugins/reporting.zip/reporting.jar/com/inet/report/exportwebui/js/report.exportframe.js
MD5: 2c9f57a3ef5d760bc9f1fe6d344384da
SHA1: a2562e63bc825ea8eeaaea75a98e09c2a6be7186
SHA256: f4417bf8d9d1430364d95d6e8eebffa28cc97c6cb34346e78d0612d5842d02a
Referenced In Project/Scope: designer-installer

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

reporting.zip: reporting.jar: script.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/designer/build/tmp/dependencies/i-net Clear Reports Designer/plugins/reporting.zip/reporting.jar/com/inet/report/renderer/html/viewer/script.js
MD5: 9237075ecd44006d5ab48177001c5314
SHA1: fe08bb48bf207cdcf0ff4e2d776b59672f965518
SHA256: bf5ee8cda7861d90ae35343c6233ccb210da8860285def9b47d20057685f97ba
Referenced In Project/Scope: designer-installer


Evidence



Type	Source	Name	Value	Confidence
Identifiers				
• None				

reporting.zip: reporting.jar: search.js


File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/designer/build/tmp/dependencies/i-net Clear Reports Designer/plugins/reporting.zip/reporting.jar/com/inet/report/renderer/html/viewer/modules/search.js
MD5: faa3f4fb9604ed70bec53256b055ffa6
SHA1: 892688617be684946fa39098413d0c55d9e769cc
SHA256:ea1c42a5640880562ea7639e1c6ff2bb1af2496964ce572c64fa7735b51a5f6f
Referenced In Project/Scope: designer-installer

Evidence 				
Type	Source	Name	Value	Confidence

Identifiers				
• None				

reporting.zip: reporting.jar: serverping.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/designer/build/tmp/dependencies/i-net Clear Reports Designer/plugins/reporting.zip/reporting.jar/com/inet/report/renderer/html/viewer/modules/serverping.js
MD5: 6124f0f67286f7e3fbf239bdc4988d95
SHA1: aa0bb794c4e5c40bf4a7e580e251c2d15ae09e1d
SHA256:f688956f4c5cba792d04903423d249f8eeeaaffe37e3537b723f10572cf0d66d8
Referenced In Project/Scope: designer-installer

Evidence 				
Type	Source	Name	Value	Confidence

Identifiers				
-------------	--	--	--	--

- None

reporting.zip: reporting.jar: stacktrace.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/designer/build/tmp/dependencies/i-net Clear Reports Designer/plugins/reporting.zip/reporting.jar/com/inet/report/renderer/html/viewer/stacktrace.js

MD5: e9687f11beba8f607c0c98af4eb0cc94

SHA1: f92f65d1f27fad2febcc8ad23824f10f51cc722b

SHA256: 0b4e8ce367ded3ec4d68ff2fa931958f8e3d99d649e7175b4a1e62f27cf15701

Referenced In Project/Scope: designer-installer

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

reporting.zip: reporting.jar: tabbar.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/designer/build/tmp/dependencies/i-net Clear Reports Designer/plugins/reporting.zip/reporting.jar/com/inet/report/renderer/html/viewer/modules/tabbar.js

MD5: fdb707b4dc212e365bff1fa637bbfa32

SHA1: 14e364be23b61f3f94427a79ce8c0f87bb186c04

SHA256: f9e18e41672898499dd50f0e802618952e153ddb40c052148dff9edce742a0ba

Referenced In Project/Scope: designer-installer

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

sampledatabase.zip: sampledatabase.jar

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/designer/build/tmp/dependencies/i-net Clear Reports Designer/plugins/sampledatabase.zip/sampledatabase.jar
MD5: 22d923d6e7f77e607d36252189e986df
SHA1: c1c8b79ef80edabdbde09af50bfb113b7645ba72
SHA256: 4a5baf92455e773a711501caad58a82827830d89d61912043870bf56da7142ab
Referenced In Project/Scope: designer-installer

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	sampledatabase	High
Vendor	jar	package name	designer	Low
Vendor	jar	package name	inet	Low
Vendor	jar	package name	sampledatabase	Low
Vendor	Manifest	application-library-allowable-codebase	*	Low
Vendor	Manifest	built-date	2025-04-03 19:21	Low
Vendor	Manifest	codebase	*	Low
Vendor	Manifest	implementation-group	reporting	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	permissions	all-permissions	Low
Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	trusted-library	false	Low
Vendor	Manifest	trusted-only	false	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	sampledatabase	High
Product	jar	package name	designer	Low
Product	jar	package name	sampledatabase	Highest
Product	jar	package name	sampledatabase	Low
Product	Manifest	application-library-allowable-codebase	*	Low
Product	Manifest	built-date	2025-04-03 19:21	Low
Product	Manifest	codebase	*	Low

Product	Manifest	implementation-group	reporting	Low
Product	Manifest	Implementation-Title	sampledatabase	High
Product	Manifest	permissions	all-permissions	Low
Product	Manifest	specification-title	sampledatabase	Medium
Product	Manifest	trusted-library	false	Low
Product	Manifest	trusted-only	false	Low
Version	Manifest	Implementation-Version	25.4.199	High

Identifiers

- None

sampledatabase.zip: smallsql.jar

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/designer/build/tmp/dependencies/i-net Clear Reports Designer/plugins/sampledatabase.zip/smallsql.jar
MD5: a85e63aac9630d46b06baaf8e405085a
SHA1: bc3097212ad32b21b2fd14ec0fa68e369a6e17f0
SHA256: fdc0c0d1883046fd8b0b8155ce94b2e1d6642679d51842ccc1c5b5343f9519a4
Referenced In Project/Scope: designer-installer

Evidence +

Type	Source	Name	Value	Confidence
Vendor	file	name	smallsql	High
Vendor	jar	package name	database	Low
Vendor	jar	package name	smallsql	Low
Product	file	name	smallsql	High
Product	jar	package name	database	Low

Identifiers

- None

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/designer/build/tmp/dependencies/i-net Clear Reports Designer/plugins/samlereports.zip/samlereports.jar
MD5: 3383989bfa794689627da61f53fb291e
SHA1: 27659654a9422d8e1e7f8a6bd6f33caa9a737609
SHA256:d55a27ea2b132c13fc8a2f32c8bfde0f9ae147b7343568b6c3fb1518bd5f11d6
Referenced In Project/Scope: designer-installer

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	samlereports	High
Vendor	jar	package name	inet	Low
Vendor	jar	package name	report	Low
Vendor	jar	package name	samples	Low
Vendor	Manifest	built-date	2025-04-03 19:21	Low
Vendor	Manifest	implementation-group	reporting	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	samlereports	High
Product	jar	package name	report	Low
Product	jar	package name	samples	Low
Product	Manifest	built-date	2025-04-03 19:21	Low
Product	Manifest	implementation-group	reporting	Low
Product	Manifest	Implementation-Title	samlereports	High
Product	Manifest	specification-title	samlereports	Medium
Version	Manifest	Implementation-Version	25.4.199	High

Identifiers

- None

sessiondatasource.zip: sessiondatasource.sample.jar

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/designer/build/tmp/dependencies/i-net Clear Reports Designer/plugins/sessiondatasource.zip
/sessiondatasource.sample.jar
MD5: 9ff8d2b11663933b6557811fb448ba01
SHA1: 71bdfb5054a0d9be7adf96da90a977ea922df971
SHA256:e62a1b8c4d99459f5bb01b1cdf001771bfec408a6a7f84d17028217175ef99d5
Referenced In Project/Scope: designer-installer

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	sessiondatasource.sample	High
Vendor	jar	package name	inet	Low
Vendor	jar	package name	samples	Low
Vendor	jar	package name	session	Low
Vendor	Manifest	built-date	2025-04-03 19:04	Low
Vendor	Manifest	implementation-group	reporting	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	sessiondatasource.sample	High
Product	jar	package name	datasource	Low
Product	jar	package name	samples	Low
Product	jar	package name	session	Low
Product	Manifest	built-date	2025-04-03 19:04	Low
Product	Manifest	implementation-group	reporting	Low
Product	Manifest	Implementation-Title	sessiondatasource	High
Product	Manifest	specification-title	sessiondatasource	Medium
Version	Manifest	Implementation-Version	25.4.199	High

Identifiers

- None

slf4j-api-2.0.16.jar

Description:

The slf4j API

License:

<http://www.opensource.org/licenses/mit-license.php>

File Path: /home/jenkins/.gradle/caches/modules-2/files-2.1/org.slf4j/slf4j-api/2.0.16/172931663a09a1fa515567af5fbef00897d3c04/slf4j-api-2.0.16.jar

MD5: c8de8f5d740584cb24b5652cfba8b3c4

SHA1: 0172931663a09a1fa515567af5fbef00897d3c04

SHA256: a12578dde1ba00bd9b816d388a0b879928d00bab3c83c240f7013bf4196c579a

Referenced In Projects/Scopes:

- designer-installer
- designer-installer:inetPlugin

Included by: pkg:maven/clear-reports/designer-installer@25.4

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	slf4j-api	High
Vendor	gradle	artifactid	slf4j-api	Highest
Vendor	gradle	groupid	org.slf4j	Highest
Vendor	jar	package name	slf4j	Highest
Vendor	Manifest	build-jdk-spec	21	Low
Vendor	Manifest	bundle-docurl	http://www.slf4j.org	Low
Vendor	Manifest	bundle-symbolicname	slf4j.api	Medium
Vendor	Manifest	multi-release	true	Low
Vendor	pom	artifactid	slf4j-api	Low
Vendor	pom	groupid	org.slf4j	Highest
Vendor	pom	name	SLF4J API Module	High
Vendor	pom	parent-artifactid	slf4j-parent	Low
Vendor	pom	url	http://www.slf4j.org	Highest
Product	file	name	slf4j-api	High
Product	gradle	artifactid	slf4j-api	Highest
Product	jar	package name	slf4j	Highest

Product	Manifest	build-jdk-spec	21	Low
Product	Manifest	bundle-docurl	http://www.slf4j.org	Low
Product	Manifest	Bundle-Name	SLF4J API Module	Medium
Product	Manifest	bundle-symbolicname	slf4j-api	Medium
Product	Manifest	Implementation-Title	slf4j-api	High
Product	Manifest	multi-release	true	Low
Product	pom	artifactid	slf4j-api	Highest
Product	pom	groupid	org.slf4j	Highest
Product	pom	name	SLF4J API Module	High
Product	pom	parent-artifactid	slf4j-parent	Medium
Product	pom	url	http://www.slf4j.org	Medium
Version	file	version	2.0.16	High
Version	gradle	version	2.0.16	Highest
Version	Manifest	Bundle-Version	2.0.16	High
Version	Manifest	Implementation-Version	2.0.16	High
Version	pom	version	2.0.16	Highest

Related Dependencies

- **facturx.zip: slf4j-api.jar**
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/designer/build/tmp/dependencies/i-net Clear Reports Designer/plugins/facturx.zip/slf4j-api.jar
 - MD5: c8de8f5d740584cb24b5652cfba8b3c4
 - SHA1: 0172931663a09a1fa515567af5fbef00897d3c04
 - SHA256: a12578dde1ba00bd9b816d388a0b879928d00bab3c83c240f7013bf4196c579a
 - [pkg:maven/org.slf4j/slf4j-api@2.0.16](https://mvnrepository.com/artifact/org.slf4j/slf4j-api/2.0.16)

Identifiers

- [pkg:maven/org.slf4j/slf4j-api@2.0.16](https://mvnrepository.com/artifact/org.slf4j/slf4j-api/2.0.16) (*Confidence:High*)

statistics.reporting.zip: statistics.reporting.jar

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/designer/build/tmp/dependencies/i-net Clear Reports Designer/plugins/statistics.reporting.zip/statistics.reporting.jar

MD5: bc75ecba066b87be5c443bd4808c5c2f
SHA1: cf67c270621e72d2a549d3f9889b0b2d1ab3de74
SHA256:8fe4da6c6dac2dce203580d78569ed7a90407b266becc36fb9bc3b4925d165c9
Referenced In Project/Scope: designer-installer

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	statistics.reporting	High
Vendor	jar	package name	inet	Low
Vendor	jar	package name	report	Low
Vendor	jar	package name	statistics	Low
Vendor	Manifest	built-date	2025-04-03 19:21	Low
Vendor	Manifest	implementation-group	reporting	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	statistics.reporting	High
Product	jar	package name	report	Low
Product	jar	package name	reports	Low
Product	jar	package name	statistics	Highest
Product	jar	package name	statistics	Low
Product	Manifest	built-date	2025-04-03 19:21	Low
Product	Manifest	implementation-group	reporting	Low
Product	Manifest	Implementation-Title	statistics.reporting	High
Product	Manifest	specification-title	statistics.reporting	Medium
Version	Manifest	Implementation-Version	25.4.199	High

Identifiers

- None

taskplanner.reporting.zip: taskplanner.reporting-javadoc.jar

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/designer/build/tmp/dependencies/i-net Clear Reports Designer/plugins/taskplanner.reporting.zip/taskplanner.reporting-javadoc.jar

MD5: f473d6e360ed2c8a584ef698e6fe240d

SHA1: f3cf93ef9414a9e9419ae3ca4450cc9077ae6aa9

SHA256: 85a3de062a5542b87d01f907a200793f9d3c207ee5678fc22fe25d4e4a62d392

Referenced In Project/Scope: designer-installer

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	taskplanner.reporting-javadoc	High
Product	file	name	taskplanner.reporting-javadoc	High

Identifiers

- None

taskplanner.reporting.zip: taskplanner.reporting-javadoc.jar: member-search-index.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/designer/build/tmp/dependencies/i-net Clear Reports Designer/plugins/taskplanner.reporting.zip/taskplanner.reporting-javadoc.jar/member-search-index.js

MD5: 129109d2f67ec6f406b60107b610d11a

SHA1: dc505388484f1177b6849c5ff60038a174b27cfb

SHA256: ef24a0fcdfafa687ed57452909bd0f7af891ca00d1214008edc2366815de0545

Referenced In Project/Scope: designer-installer

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

taskplanner.reporting.zip: taskplanner.reporting-javadoc.jar: package-search-index.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/designer/build/tmp/dependencies/i-net Clear Reports Designer/plugins/taskplanner.reporting.zip/taskplanner.reporting-javadoc.jar/package-search-index.js
MD5: 53fb7ab8ab8de6b33f33254e2c32fbc9
SHA1: f9bac0ca4dca6228416bed44f903f85acc19d969
SHA256: 4dc686e5e4b0138073c3ffc1106bea2df96559da6d6e7d7ec2273bb12978c8ed
Referenced In Project/Scope: designer-installer

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

taskplanner.reporting.zip: taskplanner.reporting-javadoc.jar: tag-search-index.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/designer/build/tmp/dependencies/i-net Clear Reports Designer/plugins/taskplanner.reporting.zip/taskplanner.reporting-javadoc.jar/tag-search-index.js
MD5: 3236248138000d701400e0346999c1a8
SHA1: 565146643a30712208f9299bd94a37566eab76b8
SHA256: 72960c457566fe509fb1610d2612152b3f78b15485c891197f1053febd8f8d1
Referenced In Project/Scope: designer-installer

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

taskplanner.reporting.zip: taskplanner.reporting-javadoc.jar: type-search-index.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/designer/build/tmp/dependencies/i-net Clear Reports Designer/plugins/taskplanner.reporting.zip/taskplanner.reporting-javadoc.jar/type-search-index.js
MD5: b0dcdeedc2201c62287cfb168bca35f5
SHA1: aabb00fe2be134923fb716b9b6d1909e247d0dfa
SHA256: c655265fb2ffb91913da0407621313cf8139ee6bf04a9374cde419395878e64e
Referenced In Project/Scope: designer-installer

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

taskplanner.reporting.zip: taskplanner.reporting.jar

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/designer/build/tmp/dependencies/i-net Clear Reports Designer/plugins/taskplanner.reporting.zip/taskplanner.reporting.jar

MD5: 9117410c022461e1c17700d8cff46e74

SHA1: c56ba20a704df48ae1d6ec847b17e0154da94677

SHA256: ce5dac55d5ca8be0ba6791fe60e68062324b5f799911423ae491c60fb3a277ce

Referenced In Project/Scope: designer-installer

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Vendor	file	name	taskplanner.reporting	High
--------	------	------	-----------------------	------

Vendor	jar	package name	inet	Low
--------	-----	--------------	------	-----

Vendor	jar	package name	report	Low
--------	-----	--------------	--------	-----

Vendor	jar	package name	taskplanner	Low
--------	-----	--------------	-------------	-----

Vendor	Manifest	built-date	2025-04-03 19:22	Low
--------	----------	------------	------------------	-----

Vendor	Manifest	implementation-group	reporting	Low
--------	----------	----------------------	-----------	-----

Vendor	Manifest	Implementation-Vendor	i-net software	High
--------	----------	-----------------------	----------------	------

Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
--------	----------	--------------------------	-----------------	--------

Vendor	Manifest	specification-vendor	i-net software	Low
--------	----------	----------------------	----------------	-----

Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
--------	----------	--------	--------------------------------------	--------

Product	file	name	taskplanner.reporting	High
---------	------	------	-----------------------	------

Product	jar	package name	report	Low
---------	-----	--------------	--------	-----

Product	jar	package name	taskplanner	Highest
---------	-----	--------------	-------------	---------

Product	jar	package name	taskplanner	Low
---------	-----	--------------	-------------	-----

Product	Manifest	built-date	2025-04-03 19:22	Low
---------	----------	------------	------------------	-----

Product	Manifest	implementation-group	reporting	Low
Product	Manifest	Implementation-Title	taskplanner.reporting	High
Product	Manifest	specification-title	taskplanner.reporting	Medium
Version	Manifest	Implementation-Version	25.4.199	High

Identifiers

- None

taskplanner.reporting.zip: taskplanner.reporting.jar: crttaskplanner.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/designer/build/tmp/dependencies/i-net Clear Reports Designer/plugins/taskplanner.reporting.zip/taskplanner.reporting.jar/com/inet/report/taskplanner/client/crttaskplanner.js

MD5: ea3fd5ef6a70616ed664aaeb73227b89

SHA1: 38cee119cd4daac08a3949a972643854a1b2acc5

SHA256: 83b12efacba175acc1938d90d8bdb8f3f94802f94d39fc11dbd5a08417ef03e0

Referenced In Project/Scope: designer-installer

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

Suppressed Vulnerabilities



adhoc.zip: adhoc-javadoc.jar: jquery-ui.min.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/designer/build/tmp/dependencies/i-net Clear Reports Designer/plugins/adhoc.zip/adhoc-javadoc.jar/script-dir/jquery-ui.min.js

MD5: 32059df39c14a910ccc2325f6a3cd62f

SHA1: d3289f1b527a3f054d303ec769402e037fbfcf4b

SHA256: 672f278182cdf04f3c62a5b8d93f406791854a28791f27aecdb9981573c61424

Referenced In Project/Scope: designer-installer

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	jquery-ui	High
Product	file	name	jquery-ui	High
Version	file	version	1.13.1	High

Related Dependencies



- reporting.zip: reporting-javadoc.jar: jquery-ui.min.js
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/designer/build/tmp/dependencies/i-net Clear Reports Designer/plugins/reporting.zip/reporting-javadoc.jar/script-dir/jquery-ui.min.js
 - MD5: 32059df39c14a910ccc2325f6a3cd62f
 - SHA1: d3289f1b527a3f054d303ec769402e037fbfcf4b
 - SHA256: 672f278182cdf04f3c62a5b8d93f406791854a28791f27aecdb9981573c61424
- taskplanner.reporting.zip: taskplanner.reporting-javadoc.jar: jquery-ui.min.js
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/designer/build/tmp/dependencies/i-net Clear Reports Designer/plugins/taskplanner.reporting.zip/taskplanner.reporting-javadoc.jar/script-dir/jquery-ui.min.js
 - MD5: 32059df39c14a910ccc2325f6a3cd62f
 - SHA1: d3289f1b527a3f054d303ec769402e037fbfcf4b
 - SHA256: 672f278182cdf04f3c62a5b8d93f406791854a28791f27aecdb9981573c61424

Suppressed Identifiers

- None

Suppressed Vulnerabilities



[CVE-2022-31160](#) suppressed

jQuery UI is a curated set of user interface interactions, effects, widgets, and themes built on top of jQuery. Versions prior to 1.13.2 are potentially vulnerable to cross-site scripting. Initializing a checkboxradio widget on an input enclosed within a label makes that parent label contents considered as the input label. Calling `.checkboxradio("refresh")` on such a widget and the initial HTML contained encoded HTML entities will make them erroneously get decoded. This can lead to potentially executing JavaScript code. The bug has been patched in jQuery UI 1.13.2. To remediate the issue, someone who can change the initial HTML can wrap all the non-input contents of the `label` in a `span`.

CWE-79 Improper Neutralization of Input During Web Page Generation ('Cross-site Scripting')

Notes: Javadoc embedded JQuery UI - requires updated Java Version with newer javadoc

CVSSv3:

- MEDIUM (6.1)
- CVSS:3.1/AV:N/AC:L/PR:N/UI:R/S:C/C:L/I:L/A:N/E:2.8/RC:R/MAV:A

References:

- info - <https://github.com/advisories/GHSA-h6gj-6jjq-h8g9>
- info - <https://github.com/jquery/jquery-ui/commit/8cc5bae1caa1fcf96bf5862c5646c787020ba3f9>
- info - <https://github.com/jquery/jquery-ui/issues/2101>
- info - <https://nvd.nist.gov/vuln/detail/CVE-2022-31160>
- security-advisories@github.com - [EXPLOIT,MITIGATION,RELEASE_NOTES,THIRD_PARTY_ADVISORY](#)
- security-advisories@github.com - [MAILING_LIST,THIRD_PARTY_ADVISORY](#)
- security-advisories@github.com - [PATCH,THIRD_PARTY_ADVISORY](#)
- security-advisories@github.com - [RELEASE_NOTES,VENDOR_ADVISORY](#)
- security-advisories@github.com - [THIRD_PARTY_ADVISORY](#)
- security-advisories@github.com - [THIRD_PARTY_ADVISORY](#)

Vulnerable Software & Versions (NVD):

- cpe:2.3:a:drupal:jquery_ui_checkboxradio:8.x-1.0:*:*:*:*:drupal:*:*
- cpe:2.3:a:drupal:jquery_ui_checkboxradio:8.x-1.1:*:*:*:*:drupal:*:*
- cpe:2.3:a:drupal:jquery_ui_checkboxradio:8.x-1.2:*:*:*:*:drupal:*:*
- cpe:2.3:a:drupal:jquery_ui_checkboxradio:8.x-1.3:*:*:*:*:drupal:*:*
- cpe:2.3:a:jqueryui:jquery_ui:*:*:*:*:jquery:*:* versions up to (excluding) 1.13.2
- cpe:2.3:a:netapp:oncommand_insight:*:*:*:*:*:

decoder.svg.zip: xmlgraphics-commons.jar

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/designer/build/tmp/dependencies/i-net Clear Reports Designer/plugins/decoder.svg.zip/xmlgraphics-commons.jar

MD5: ec712218e2391e64672fd8ed1e9e1d71

SHA1: 336ddd6d0a244cdebf26a298fb7c3a5fd45449db

SHA256: 1fe37a1927bdd699730f0ad39f50a699c9ab4dff0ad047dff1e846cb120ae2b1

Referenced In Project/Scope: designer-installer

Evidence

Type	Source	Name	Value	Confidence
Vendor	file	name	xmlgraphics-commons	High
Vendor	jar	package name	apache	Highest
Vendor	jar	package name	apache	Low
Vendor	jar	package name	xmlgraphics	Highest
Vendor	jar	package name	xmlgraphics	Low
Vendor	Manifest	Implementation-Vendor	The Apache Software Foundation (http://xmlgraphics.apache.org/)	High
Product	file	name	xmlgraphics-commons	High
Product	jar	package name	apache	Highest
Product	jar	package name	xmlgraphics	Low
Product	Manifest	Implementation-Title	Apache XML Graphics Commons	High
Version	Manifest	build-id	20220112-112401-GMT	Medium

Suppressed Identifiers

- `cpe:2.3:a:apache:commons_net:2.7:*****` **suppressed** (*Confidence:Low*)
 - Notes: XML Graphics Common has a false positive match on Apache Commons Net

Suppressed Vulnerabilities**[CVE-2021-37533](#)** **suppressed**

Prior to Apache Commons Net 3.9.0, Net's FTP client trusts the host from PASV response by default. A malicious server can redirect the Commons Net code to use a different host, but the user has to connect to the malicious server in the first place. This may lead to leakage of information about services running on the private network of the client. The default in version 3.9.0 is now false to ignore such hosts, as cURL does. See <https://issues.apache.org/jira/browse/NET-711>.

CWE-20 Improper Input Validation

CVSSv3:

- MEDIUM (6.5)
- CVSS:3.1/AV:N/AC:L/PR:N/UI:R/S:U/C:H/I:N/A:N/E:2.8/RC:R/MAV:A

References:

- security@apache.org - [ISSUE_TRACKING,MAILING_LIST,THIRD_PARTY_ADVISORY](#)
- security@apache.org - [ISSUE_TRACKING,MAILING_LIST,VENDOR_ADVISORY](#)
- security@apache.org - [MAILING_LIST,THIRD_PARTY_ADVISORY](#)
- security@apache.org - [THIRD_PARTY_ADVISORY](#)

Vulnerable Software & Versions:

- [cpe:2.3:a:apache:commons_net:*****](#) versions up to (excluding) 3.9.0

This report contains data retrieved from the [National Vulnerability Database](#).

This report may contain data retrieved from the [CISA Known Exploited Vulnerability Catalog](#).

This report may contain data retrieved from the [Github Advisory Database \(via NPM Audit API\)](#).

This report may contain data retrieved from [RetireJS](#).

This report may contain data retrieved from the [Sonatype OSS Index](#).