



Dependency-Check is an open source tool performing a best effort analysis of 3rd party dependencies; false positives and false negatives may exist in the analysis performed by the tool. Use of the tool and the reporting provided constitutes acceptance for use in an AS IS condition, and there are NO warranties, implied or otherwise, with regard to the analysis or its use. Any use of the tool and the reporting provided is at the user's risk. In no event shall the copyright holder or OWASP be held liable for any damages whatsoever arising out of or in connection with the use of this tool, the analysis performed, or the resulting report.

[How to read the report](#) | [Suppressing false positives](#) | [Getting Help: github issues](#)

## Project: root project 'CoWorkInstaller'

cowork:CoWorkInstaller:26.4

Scan Information ([show all](#)):

- *dependency-check version:* 12.2.1
- *Report Generated On:* Tue, 16 Jun 2026 17:36:15 +0200
- *Dependencies Scanned:* 1284 (1228 unique)
- *Vulnerable Dependencies:* 0
- *Vulnerabilities Found:* 0
- *Vulnerabilities Suppressed:* 118 ([show](#))
- ...
- *NVD API Last Checked:* 2026-06-16T15:33:11Z
- *NVD API Last Modified:* 2026-06-15T22:16:18Z
- *NVD Cache Last Checked:* 2026-06-16T15:33:11Z
- *NVD Cache Last Modified:* 2026-06-15T22:16:18Z

## Summary

Summary of Vulnerable Dependencies ([click to show all](#))

Dependency	Vulnerability IDs	Package	Highest Sever
<a href="#">Merlia-0.jar</a>		pkg:maven/lib /Merlia@0	
<a href="#">ai.zip: ai.jar</a>			
<a href="#">ai.zip: ai.jar: aiprowider_config.js</a>			
<a href="#">ai.zip: ai.jar: aiworkingpanel.js</a>			
<a href="#">annotations-3.0.1.jar (shaded: com.google.code.findbugs:jsr305:3.0.1)</a>		pkg:maven /com.google. code.findbugs /jsr305@3.0.1	
<a href="#">annotations-3.0.1.jar</a>		pkg:maven /com.google. code.findbugs /annotations@3. 0.1	
<a href="#">authentication.pam.zip: authentication.pam.jar</a>			
<a href="#">authentication.pam.zip: jna.jar</a>	cpe:2.3:a:oracle: java_se:5.18.1:*:*:*:*: **		

<a href="#">authentication.pam.zip: jna.jar: jnidispatch.dll</a>			
<a href="#">authentication.pam.zip: jna.jar: jnidispatch.dll</a>			
<a href="#">authentication.pam.zip: jna.jar: jnidispatch.dll</a>			
<a href="#">authentication.product.zip: authentication.product.jar</a>			
<a href="#">authentication.windows.zip: authentication.windows.jar</a>			
<a href="#">authentication.windows.zip: caffeine.jar</a>			
<a href="#">authentication.windows.zip: jna-platform.jar</a>			
<a href="#">authentication.windows.zip: waffle-jna-jakarta.jar</a>	cpe:2.3:a:4d:4d:3.5.1:*: *:*:*:*:*	pkg:maven /com.github. waffle/waffle- jna-jakarta@3. 5.1	
<a href="#">bson.jar</a>	<a href="#">cpe:2.3:a:mongodb: bson:5.6.2:*:*:*:*:*</a>		
<a href="#">commons-logging.jar</a>		pkg:maven /commons- logging /commons- logging@1.3.4	
<a href="#">configuration.zip: configuration.jar</a>			
<a href="#">configuration.zip: configuration.jar: authenticationItemRenderer.directive.js</a>			
<a href="#">configuration.zip: configuration.jar: authenticationRenderer.directive.js</a>			
<a href="#">configuration.zip: configuration.jar: boolean.directive.js</a>			
<a href="#">configuration.zip: configuration.jar: booleanButton. directive.js</a>			
<a href="#">configuration.zip: configuration.jar: colorInput.directive. js</a>			
<a href="#">configuration.zip: configuration.jar: controller.js</a>			
<a href="#">configuration.zip: configuration.jar: datafactory.js</a>			
<a href="#">configuration.zip: configuration.jar: fileUploadRenderer. directive.js</a>			
<a href="#">configuration.zip: configuration.jar: filesystemFileInputOrUpload.directive.js</a>			
<a href="#">configuration.zip: configuration.jar: filesystemInputButton.directive.js</a>			
<a href="#">configuration.zip: configuration.jar: filesystemInputDirectory.directive.js</a>			
<a href="#">configuration.zip: configuration.jar: filesystemInputFile. directive.js</a>			
<a href="#">configuration.zip: configuration.jar: iconDropRenderer. directive.js</a>			
<a href="#">configuration.zip: configuration.jar: inlinerenderer. directive.js</a>			

<a href="#">configuration.zip: configuration.jar: keyLabelText.directive.js</a>			
<a href="#">configuration.zip: configuration.jar: labelLink.directive.js</a>			
<a href="#">configuration.zip: configuration.jar: labelText.directive.js</a>			
<a href="#">configuration.zip: configuration.jar: licenseKeyItemRenderer.directive.js</a>			
<a href="#">configuration.zip: configuration.jar: licenseKeyRenderer.directive.js</a>			
<a href="#">configuration.zip: configuration.jar: listItemRenderer.directive.js</a>			
<a href="#">configuration.zip: configuration.jar: logopreview.directive.js</a>			
<a href="#">configuration.zip: configuration.jar: multiLineCode.directive.js</a>			
<a href="#">configuration.zip: configuration.jar: multiLineText.directive.js</a>			
<a href="#">configuration.zip: configuration.jar: multiLingualTextRenderer.directive.js</a>			
<a href="#">configuration.zip: configuration.jar: passwordText.directive.js</a>			
<a href="#">configuration.zip: configuration.jar: reloadSelectInputsTrigger.directive.js</a>			
<a href="#">configuration.zip: configuration.jar: renderer.directive.js</a>			
<a href="#">configuration.zip: configuration.jar: repoDbRenderer.directive.js</a>			
<a href="#">configuration.zip: configuration.jar: repoFsRenderer.directive.js</a>			
<a href="#">configuration.zip: configuration.jar: repositoryItemRenderer.directive.js</a>			
<a href="#">configuration.zip: configuration.jar: repositoryRenderer.directive.js</a>			
<a href="#">configuration.zip: configuration.jar: selectEditText.directive.js</a>			
<a href="#">configuration.zip: configuration.jar: selectFilteredText.directive.js</a>			
<a href="#">configuration.zip: configuration.jar: selectLanguageChooserRenderer.directive.js</a>			
<a href="#">configuration.zip: configuration.jar: selectSimpleText.directive.js</a>			
<a href="#">configuration.zip: configuration.jar: simpleDate.directive.js</a>			
<a href="#">configuration.zip: configuration.jar: simpleSlider.directive.js</a>			
<a href="#">configuration.zip: configuration.jar: simpleText.directive.js</a>			

<a href="#">configuration.zip: configuration.jar: tableRenderer.directive.js</a>			
<a href="#">configuration.zip: configuration.jar: treeRenderer.directive.js</a>			
<a href="#">configuration.zip: configuration.jar: usersandgroupsselect.directive.js</a>			
<a href="#">cowork.calls.zip: bc-fips.jar</a>	<a href="#">cpe:2.3:a:bouncycastle:bouncy_castle_for_java:2.1.2:*.***.*.*</a>		
<a href="#">cowork.calls.zip: bcpkix-fips.jar</a>	<a href="#">cpe:2.3:a:bouncycastle:bouncy_castle_for_java:2.1.10:*.***.*.*</a>		
<a href="#">cowork.calls.zip: bctls-fips.jar</a>	<a href="#">cpe:2.3:a:bouncycastle:bouncy_castle_for_java:2.1.22:*.***.*.*</a>		
<a href="#">cowork.calls.zip: bcutil-fips.jar</a>	<a href="#">cpe:2.3:a:bouncycastle:bouncy_castle_for_java:2.1.5:*.***.*.*</a>		
<a href="#">cowork.calls.zip: concentus.jar</a>		<a href="#">pkg:maven/io.github.jaredmdobson/concentus@1.0.2</a>	
<a href="#">cowork.calls.zip: config.jar</a>			
<a href="#">cowork.calls.zip: cowork.calls.jar</a>			
<a href="#">cowork.calls.zip: cowork.calls.jar: coworkcallsactions.js</a>			
<a href="#">cowork.calls.zip: cowork.calls.jar: coworkcallsettings.js</a>			
<a href="#">cowork.calls.zip: cowork.calls.jar: coworkcallsfactory.js</a>			
<a href="#">cowork.calls.zip: ice4j.jar</a>	<a href="#">cpe:2.3:a:jitsi:jitsi:3.2.12.gc2.cbf61:*.***.*.*</a>	<a href="#">pkg:maven/org.jitsi/ice4j@3.2-12-gc2cbf61</a>	
<a href="#">cowork.calls.zip: jicoco-config.jar</a>	<a href="#">cpe:2.3:a:jitsi:jitsi:1.1.164.g4.c67.b0:*.***.*.*</a>	<a href="#">pkg:maven/org.jitsi/jicoco-config@1.1-164-g4c67b0d</a>	
<a href="#">cowork.calls.zip: jitsi-metaconfig.jar</a>	<a href="#">cpe:2.3:a:jitsi:jitsi:1.0.16.fce4953:*.***.*.*</a>	<a href="#">pkg:maven/org.jitsi/jitsi-metaconfig@1.0-16-gfce4953</a>	
<a href="#">cowork.calls.zip: jitsi-utils.jar</a>	<a href="#">cpe:2.3:a:jitsi:jitsi:1.0.147.g12.d0:b20:*.***.*.*</a> <a href="#">cpe:2.3:a:utils_project:utils:1.0.147.g12.d0:b20:*.***.*.*</a>	<a href="#">pkg:maven/org.jitsi/jitsi-utils@1.0-147-g12d0b20</a>	
<a href="#">cowork.calls.zip: kotlin-stdlib.jar</a>	<a href="#">cpe:2.3:a:jetbrains:kotlin:2.3.0:release:*.***.*.*</a>		
<a href="#">cowork.calls.zip: vosk.jar</a>			
<a href="#">cowork.calls.zip: vosk.jar: libgcc_s_seh-1.dll</a>			

<a href="#">cowork.calls.zip: vosk.jar: libstdc++-6.dll</a>			
<a href="#">cowork.calls.zip: vosk.jar: libvosk.dll</a>			
<a href="#">cowork.calls.zip: vosk.jar: libwinpthread-1.dll</a>			
<a href="#">cowork.klipy.zip: cowork.klipy.jar</a>			
<a href="#">cowork.klipy.zip: cowork.klipy.jar: coworkklipy.js</a>			
<a href="#">cowork.klipy.zip: cowork.klipy.jar: klipygifselector.directive.js</a>			
<a href="#">cowork.meetingrooms.zip: cowork.meetingrooms.jar</a>			
<a href="#">cowork.meetingrooms.zip: cowork.meetingrooms.jar: coworkmeetingroom.js</a>			
<a href="#">cowork.meetingrooms.zip: cowork.meetingrooms.jar: coworkmeetingroommoderator.js</a>			
<a href="#">cowork.meetingrooms.zip: cowork.meetingrooms.jar: endofmeeting.js</a>			
<a href="#">cowork.meetingrooms.zip: cowork.meetingrooms.jar: joinmeeting.js</a>			
<a href="#">cowork.meetingrooms.zip: cowork.meetingrooms.jar: meetingrooms.maintenance.js</a>			
<a href="#">cowork.tenor.zip: cowork.tenor.jar</a>			
<a href="#">cowork.tenor.zip: cowork.tenor.jar: coworktenor.js</a>			
<a href="#">cowork.tenor.zip: cowork.tenor.jar: tenorgifselector.directive.js</a>			
<a href="#">cowork.waitingqueue.zip: cowork.waitingqueue.jar</a>			
<a href="#">cowork.waitingqueue.zip: cowork.waitingqueue.jar: coworkwaitingqueue.dialog.js</a>			
<a href="#">cowork.waitingqueue.zip: cowork.waitingqueue.jar: coworkwaitingqueue.indicator.js</a>			
<a href="#">cowork.waitingqueue.zip: cowork.waitingqueue.jar: coworkwaitingqueue.js</a>			
<a href="#">cowork.zip: cowork-javadoc.jar</a>			
<a href="#">cowork.zip: cowork-javadoc.jar: jquery-3.7.1.min.js</a>			
<a href="#">cowork.zip: cowork-javadoc.jar: jquery-ui.min.js</a>			
<a href="#">cowork.zip: cowork-javadoc.jar: member-search-index.js</a>			
<a href="#">cowork.zip: cowork-javadoc.jar: module-search-index.js</a>			
<a href="#">cowork.zip: cowork-javadoc.jar: package-search-index.js</a>			
<a href="#">cowork.zip: cowork-javadoc.jar: script.js</a>			
<a href="#">cowork.zip: cowork-javadoc.jar: search-page.js</a>			
<a href="#">cowork.zip: cowork-javadoc.jar: search.js</a>			
<a href="#">cowork.zip: cowork-javadoc.jar: tag-search-index.js</a>			

[cowork.zip: cowork-javadoc.jar: type-search-index.js](#)

[cowork.zip: cowork.jar](#)

[cowork.zip: cowork.jar: MessageCreationChart.js](#)

[cowork.zip: cowork.jar: cowork.diagnostics.js](#)

[cowork.zip: cowork.jar: coworkcomponents.js](#)

[cowork.zip: cowork.jar: coworkcontroller.js](#)

[cowork.zip: cowork.jar: coworkconversation.js](#)

[cowork.zip: cowork.jar: coworkfactory.js](#)

[cowork.zip: cowork.jar: coworkinputbox.js](#)

[cowork.zip: cowork.jar: coworkmodel.js](#)

[cowork.zip: cowork.jar: coworksettingscontroller.js](#)

[cowork.zip: cowork.jar: inetmarkdown.js](#)

[cowork.zip: cowork.jar: showreactionscontroller.js](#)

[cowork.zip: cowork.jar: teamsettingscontroller.js](#)

[dashboard.zip: dashboard.jar](#)

[dashboard.zip: dashboard.jar: abstract-dashboard-widget.js](#)

[dashboard.zip: dashboard.jar: dashboard-panel.js](#)

[dashboard.zip: dashboard.jar: dashboard-settings.js](#)

[dashboard.zip: dashboard.jar: dashboard-toolbar.js](#)

[dashboard.zip: dashboard.jar: dashboard-widget-chart.js](#)

[dashboard.zip: dashboard.jar: dashboard-widget-edit.js](#)

[dashboard.zip: dashboard.jar: dashboard-widget-error.js](#)

[dashboard.zip: dashboard.jar: dashboard-widget-image.js](#)

[dashboard.zip: dashboard.jar: dashboard-widget-memo.js](#)

[dashboard.zip: dashboard.jar: dashboard-widget-progress.js](#)

[dashboard.zip: dashboard.jar: dashboard-widget-rating.js](#)

[dashboard.zip: dashboard.jar: dashboard-widget-table.js](#)

[dashboard.zip: dashboard.jar: dashboard-widget-trafficlight.js](#)

[dashboard.zip: dashboard.jar: dashboard-widget-value.js](#)

[dashboard.zip: dashboard.jar: dashboard-widget.js](#)

<a href="#">dashboard.zip: dashboard.jar: dashboard.js</a>			
<a href="#">dashboard.zip: dashboard.jar: dashboardcontroller.js</a>			
<a href="#">dashboard.zip: dashboard.jar: dashboardfactory.js</a>			
<a href="#">dashboard.zip: dashboard.jar: ui-dashboard-bgimage.js</a>			
<a href="#">dashboard.zip: dashboard.jar: ui-dashboard-colorpalettechooser.js</a>			
<a href="#">dashboard.zip: dashboard.jar: ui-dashboard-integrations.js</a>			
<a href="#">dashboard.zip: dashboard.jar: ui-dashboard-permissions.js</a>			
<a href="#">dashboard.zip: dashboard.jar: ui-dashboard-trafficlightcolorrange.js</a>			
<a href="#">dashboard.zip: dashboard.jar: ui-dashboard-valuehighlights.js</a>			
<a href="#">dashboard.zip: dashboard.jar: user-selection.js</a>			
<a href="#">dashboard.zip: dashboard.jar: widget-chooser.js</a>			
<a href="#">dashboard.zip: dashboard.jar: widget-paste-area.js</a>			
<a href="#">dashboard.zip: dashboard.jar: widget-placeholder.js</a>			
<a href="#">dashboard.zip: dashboard.jar: widget-settings.js</a>			
<a href="#">diagnostics.zip: diagnostics.jar</a>			
<a href="#">diagnostics.zip: diagnostics.jar: MemoryPieChart.js</a>			
<a href="#">diagnostics.zip: diagnostics.jar: MemoryUsageChart.js</a>			
<a href="#">diagnostics.zip: diagnostics.jar: WebServerErrorChart.js</a>			
<a href="#">diagnostics.zip: diagnostics.jar: benchmarkCtrl.js</a>			
<a href="#">diagnostics.zip: diagnostics.jar: client-server.js</a>			
<a href="#">diagnostics.zip: diagnostics.jar: contact-support-files.js</a>			
<a href="#">diagnostics.zip: diagnostics.jar: contact-support-loader.js</a>			
<a href="#">diagnostics.zip: diagnostics.jar: contact-support-panel.js</a>			
<a href="#">diagnostics.zip: diagnostics.jar: contact-support-selection.js</a>			
<a href="#">diagnostics.zip: diagnostics.jar: contact-support.js</a>			
<a href="#">diagnostics.zip: diagnostics.jar: contactCtrl.js</a>			
<a href="#">diagnostics.zip: diagnostics.jar: controller.js</a>			
<a href="#">diagnostics.zip: diagnostics.jar: cpu.js</a>			
<a href="#">diagnostics.zip: diagnostics.jar: cpuspeed.js</a>			
<a href="#">diagnostics.zip: diagnostics.jar: directives.js</a>			
<a href="#">diagnostics.zip: diagnostics.jar: errorHistoryChart.js</a>			

<a href="#">diagnostics.zip: diagnostics.jar: global.js</a>			
<a href="#">diagnostics.zip: diagnostics.jar: harddisk.js</a>			
<a href="#">diagnostics.zip: diagnostics.jar: heapdumpCtrl.js</a>			
<a href="#">diagnostics.zip: diagnostics.jar: informationCtrl.js</a>			
<a href="#">diagnostics.zip: diagnostics.jar: intArrayUtils.js</a>			
<a href="#">diagnostics.zip: diagnostics.jar: iospeed.js</a>			
<a href="#">diagnostics.zip: diagnostics.jar: jobs.js</a>			
<a href="#">diagnostics.zip: diagnostics.jar: logging.js</a>			
<a href="#">diagnostics.zip: diagnostics.jar: memory.js</a>			
<a href="#">diagnostics.zip: diagnostics.jar: overviewCtrl.js</a>			
<a href="#">diagnostics.zip: diagnostics.jar: pde.diagnostics.js</a>			
<a href="#">diagnostics.zip: diagnostics.jar: timeformat.js</a>			
<a href="#">diagnostics.zip: diagnostics.jar: usermenu.js</a>			
<a href="#">hamcrest-3.0.jar</a>		pkg:maven/org.hamcrest/hamcrest@3.0	
<a href="#">help.zip: commons-beanutils.jar</a>	<a href="#">cpe:2.3:a:apache:commons_beanutils:1.11.0:*.*****.*</a>	pkg:maven/commons-beanutils/commons-beanutils@1.11.0	
<a href="#">help.zip: commons-digester3.jar</a>		pkg:maven/org.apache.commons/commons-digester3@3.2	
<a href="#">help.zip: help.jar</a>			
<a href="#">help.zip: help.jar: ai-search.js</a>			
<a href="#">help.zip: help.jar: app.js</a>			
<a href="#">help.zip: help.jar: controller.js</a>			
<a href="#">help.zip: help.jar: shared.factory.js</a>			
<a href="#">help.zip: help.jar: shared.highlighter.js</a>			
<a href="#">help.zip: jsoup.jar</a>	<a href="#">cpe:2.3:a:jsoup:jsoup:1.22.1:*.*****.*</a>	pkg:maven/org.jsoup/jsoup@1.22.1	
<a href="#">htmlengine.zip: JWebEngine.jar</a>			
<a href="#">htmlengine.zip: htmlengine.jar</a>			
<a href="#">inetcore-26.4-tools.jar</a>		pkg:maven/shared/inetcore@26.4	
<a href="#">inetcore-26.4.jar (shaded: com.inet.shared/inetcore:null)</a>			



<a href="#">inetcore-26.4.jar</a>		pkg:maven /shared /inetcore@26.4	
<a href="#">inetloggeradapter.jar</a>			
<a href="#">jakarta.servlet-api.jar</a>	cpe:2.3:a:oracle: projects:6.1.0:*:*:*:*:* *	pkg:maven /jakarta.servlet /jakarta.servlet- api@6.1.0	
<a href="#">jakarta.websocket-api.jar</a>		pkg:maven /jakarta. websocket /jakarta. websocket- api@2.2.0	
<a href="#">jakarta.websocket-client-api.jar</a>		pkg:maven /jakarta. websocket /jakarta. websocket- client-api@2. 2.0	
<a href="#">java-25-jre-x64-linux.tar.gz:</a> <a href="#">java-25-jre-x64-linux.tar:</a> <a href="#">jrt-fs.jar</a>	<a href="#">cpe:2.3:a:eclipse: platform:25.0.3:*:*:*:* *.*</a>		
<a href="#">jcip-annotations-1.0.jar</a>		pkg:maven/net. jcip/jcip- annotations@1. 0	
<a href="#">jlessc-1.15.jar</a>		pkg:maven/de. inetsoftware /jlessc@1.15	
<a href="#">jsr305-3.0.2.jar</a>		pkg:maven /com.google. code.findbugs /jsr305@3.0.2	
<a href="#">junit-4.13.2.jar</a>	cpe:2.3:a:junit:junit4: 4.13.2:*:*:*:**	pkg:maven/junit /junit@4.13.2	
<a href="#">junit-jupiter-5.14.0.jar</a>		pkg:maven/org. junit.jupiter/junit- jupiter@5.14.0	
<a href="#">junit-jupiter-api-5.14.0.jar</a>		pkg:maven/org. junit.jupiter/junit- jupiter-api@5. 14.0	
<a href="#">junit-jupiter-engine-5.14.0.jar</a>		pkg:maven/org. junit.jupiter/junit- jupiter- engine@5.14.0	
<a href="#">junit-jupiter-params-5.14.0.jar</a>		pkg:maven/org. junit.jupiter/junit- jupiter- params@5. 14.0	
<a href="#">junit-platform-commons-1.14.0.jar</a>	cpe:2.3:a:	pkg:maven/org.	

	fan_platform_project: fan_platform:1.14.0:*:*: *.*.*.*.*	junit.platform /junit-platform- commons@1. 14.0	
<a href="#">junit-platform-engine-1.14.0.jar</a>	cpe:2.3:a: fan_platform_project: fan_platform:1.14.0:*:*: *.*.*.*.*	pkg:maven/org. junit.platform /junit-platform- engine@1.14.0	
<a href="#">junit-platform-launcher-1.14.0.jar</a>	cpe:2.3:a: fan_platform_project: fan_platform:1.14.0:*:*: *.*.*.*.*	pkg:maven/org. junit.platform /junit-platform- launcher@1. 14.0	
<a href="#">junit-platform-suite-1.14.0.jar</a>	cpe:2.3:a: fan_platform_project: fan_platform:1.14.0:*:*: *.*.*.*.*	pkg:maven/org. junit.platform /junit-platform- suite@1.14.0	
<a href="#">junit-platform-suite-api-1.14.0.jar</a>	cpe:2.3:a: fan_platform_project: fan_platform:1.14.0:*:*: *.*.*.*.*	pkg:maven/org. junit.platform /junit-platform- suite-api@1. 14.0	
<a href="#">junit-platform-suite-commons-1.14.0.jar</a>	cpe:2.3:a: fan_platform_project: fan_platform:1.14.0:*:*: *.*.*.*.*	pkg:maven/org. junit.platform /junit-platform- suite- commons@1. 14.0	
<a href="#">junit-platform-suite-engine-1.14.0.jar</a>	cpe:2.3:a: fan_platform_project: fan_platform:1.14.0:*:*: *.*.*.*.*	pkg:maven/org. junit.platform /junit-platform- suite-engine@1. 14.0	
<a href="#">junit-vintage-engine-5.14.0.jar</a>	cpe:2.3:a: fan_platform_project: fan_platform:5.14.0:*:*: *.*.*.*.*	pkg:maven/org. junit.vintage /junit-vintage- engine@5.14.0	
<a href="#">mail.zip: angus-activation.jar</a>		pkg:maven/org. eclipse.angus /angus- activation@2. 0.3	
<a href="#">mail.zip: angus-mail.jar (shaded: org.eclipse.angus: angus-core:2.0.5)</a>	cpe:2.3:a:eclipse: angus_mail:2.0.5:*:*:*: *.*.*	pkg:maven/org. eclipse.angus /angus-core@2. 0.5	
<a href="#">mail.zip: angus-mail.jar (shaded: org.eclipse.angus: imap:2.0.5)</a>	cpe:2.3:a:eclipse: angus_mail:2.0.5:*:*:*: *.*.*	pkg:maven/org. eclipse.angus /imap@2.0.5	
<a href="#">mail.zip: angus-mail.jar (shaded: org.eclipse.angus: logging-mailhandler:2.0.5)</a>	<a href="#">cpe:2.3:a:eclipse: angus_mail:2.0.5:*:*:*: *.*.* *.*.*</a>	pkg:maven/org. eclipse.angus /logging- mailhandler@2. 0.5	
<a href="#">mail.zip: angus-mail.jar (shaded: org.eclipse.angus: pop3:2.0.5)</a>	cpe:2.3:a:eclipse: angus_mail:2.0.5:*:*:*: *.*.*	pkg:maven/org. eclipse.angus /pop3@2.0.5	

<a href="#">mail.zip: angus-mail.jar (shaded: org.eclipse.angus:smtp:2.0.5)</a>	<a href="#">cpe:2.3:a:eclipse:angus_mail:2.0.5:*.***:***</a>	<a href="#">pkg:maven/org.eclipse.angus/sntp@2.0.5</a>	
<a href="#">mail.zip: angus-mail.jar</a>	<a href="#">cpe:2.3:a:eclipse:angus_mail:2.0.5:*.***:***</a>	<a href="#">pkg:maven/org.eclipse.angus/angus-mail@2.0.5</a>	
<a href="#">mail.zip: bcjmail-fips.jar</a>	<a href="#">cpe:2.3:a:bouncycastle:bouncy_castle_for_java:2.1.6:*.***:***</a>		
<a href="#">mail.zip: bcpq-fips.jar</a>	<a href="#">cpe:2.3:a:bouncycastle:bouncy_castle_for_java:2.1.11:*.***:***</a> <a href="#">cpe:2.3:a:openpgp:openpgp:2.1.11:*.***:***</a>		
<a href="#">mail.zip: jakarta.activation-api.jar</a>		<a href="#">pkg:maven/jakarta.activation/jakarta.activation-api@2.1.4</a>	
<a href="#">mail.zip: jakarta.mail-api.jar</a>	<a href="#">cpe:2.3:a:eclipse:jakarta_mail:2.1.5:*.***:***</a>	<a href="#">pkg:maven/jakarta.mail/jakarta.mail-api@2.1.5</a>	
<a href="#">mail.zip: mail.jar</a>			
<a href="#">mail.zip: mail.jar: smimeconfig.js</a>			
<a href="#">maintenance.zip: maintenance-javadoc.jar</a>			
<a href="#">maintenance.zip: maintenance-javadoc.jar: member-search-index.js</a>			
<a href="#">maintenance.zip: maintenance-javadoc.jar: package-search-index.js</a>			
<a href="#">maintenance.zip: maintenance-javadoc.jar: tag-search-index.js</a>			
<a href="#">maintenance.zip: maintenance-javadoc.jar: type-search-index.js</a>			
<a href="#">maintenance.zip: maintenance.jar</a>			
<a href="#">maintenance.zip: maintenance.jar: controller.js</a>			
<a href="#">maintenance.zip: maintenance.jar: controller.js</a>			
<a href="#">maintenance.zip: maintenance.jar: controller.js</a>			
<a href="#">maintenance.zip: maintenance.jar: controller.js</a>			
<a href="#">maintenance.zip: maintenance.jar: controller.js</a>			
<a href="#">maintenance.zip: maintenance.jar: filechooser.js</a>			
<a href="#">maintenance.zip: maintenance.jar: multieditusers.js</a>			
<a href="#">mongodb-driver-core.jar</a>			

<a href="#">mongodb-driver-sync.jar</a>			
<a href="#">notification.zip: notification.jar</a>			
<a href="#">notification.zip: notification.jar: notification.js</a>			
<a href="#">notification.zip: notification.jar: notification_config.js</a>			
<a href="#">notification.zip: notification.jar: notification_taskplanner.js</a>			
<a href="#">notification.zip: notification.jar: targetrenderer.js</a>			
<a href="#">opentest4j-1.3.0.jar</a>		pkg:maven/org.opentest4j/opentest4j@1.3.0	
<a href="#">persistence.jar</a>			
<a href="#">pluginstore.client.zip: pluginstore.client.jar</a>			
<a href="#">pluginstore.client.zip: pluginstore.client.jar: controller.js</a>			
<a href="#">pluginstore.client.zip: pluginstore.client.jar: pluginstorehelpcontroller.js</a>			
<a href="#">pluginstore.client.zip: pluginstore.client.jar: publicstoreconfig.js</a>			
<a href="#">pluginstore.client.zip: pluginstore.client.jar: storecontroller.js</a>			
<a href="#">pluginstore.client.zip: pluginstore.client.jar: storedirectives.js</a>			
<a href="#">pluginstore.client.zip: pluginstore.client.jar: storemodel.js</a>			
<a href="#">remotegui.zip: angular-animate.jar</a>		pkg:maven/org.webjars.npm/angular-animate@1.8.3	
<a href="#">remotegui.zip: angular-animate.jar: angular-animate.js</a>		pkg:javascript/angularjs@1.8.3	
<a href="#">remotegui.zip: angular-animate.jar: angular-animate.min.js</a>		pkg:javascript/angularjs@1.8.3	
<a href="#">remotegui.zip: angular-animate.jar: index.js</a>			
<a href="#">remotegui.zip: angular-animate.jar: package.json</a>			
<a href="#">remotegui.zip: angular-cookies.jar</a>		pkg:maven/org.webjars.npm/angular-cookies@1.8.3	
<a href="#">remotegui.zip: angular-cookies.jar: angular-cookies.js</a>		pkg:javascript/angularjs@1.8.3	
<a href="#">remotegui.zip: angular-cookies.jar: angular-cookies.min.js</a>		pkg:javascript/angularjs@1.8.3	

[remotegui.zip: angular-cookies.jar: index.js](#)

[remotegui.zip: angular-cookies.jar: package.json](#)

[remotegui.zip: angular-sanitize.jar](#)

pkg:maven/org.  
webjars.npm  
/angular-  
sanitize@1.8.3

[remotegui.zip: angular-sanitize.jar: angular-sanitize.js](#)

pkg:javascript  
/angularjs@1.  
8.3

[remotegui.zip: angular-sanitize.jar: angular-sanitize.min.js](#)

pkg:javascript  
/angularjs@1.  
8.3

[remotegui.zip: angular-sanitize.jar: index.js](#)

[remotegui.zip: angular-sanitize.jar: package.json](#)

[remotegui.zip: angular.jar](#)

pkg:maven/org.  
webjars.npm  
/angular@1.8.3

[remotegui.zip: angular.jar: angular.js](#)

pkg:javascript  
/angularjs@1.  
8.3

[remotegui.zip: angular.jar: angular.min.js](#)

pkg:javascript  
/angularjs@1.  
8.3

[remotegui.zip: angular.jar: index.js](#)

[remotegui.zip: angular.jar: package.json](#)

[remotegui.zip: codemirror.jar](#)

[cpe:2.3:a:codemirror:  
codemirror:6.65.7.\\*.\\*.\\*  
.\\*.\\*.\\*](#)

pkg:maven/org.  
webjars.npm  
/codemirror@6.  
65.7

[remotegui.zip: codemirror.jar: CodeMirror.js](#)

[remotegui.zip: codemirror.jar: ContentEditableInput.js](#)

[remotegui.zip: codemirror.jar: Display.js](#)

[remotegui.zip: codemirror.jar: Doc.js](#)

[remotegui.zip: codemirror.jar: StringStream.js](#)

[remotegui.zip: codemirror.jar: TextareaInput.js](#)

[remotegui.zip: codemirror.jar: active-line.js](#)

[remotegui.zip: codemirror.jar: annotatescrollbar.js](#)

[remotegui.zip: codemirror.jar: anyword-hint.js](#)

[remotegui.zip: codemirror.jar: apl.js](#)

[remotegui.zip: codemirror.jar: asciarmor.js](#)

[remotegui.zip: codemirror.jar: asn.1.js](#)

[remotegui.zip: codemirror.jar: asterisk.js](#)

[remotegui.zip: codemirror.jar: autorefresh.js](#)

<a href="#">remotegui.zip: codemirror.jar: bidi.js</a>			
<a href="#">remotegui.zip: codemirror.jar: brace-fold.js</a>			
<a href="#">remotegui.zip: codemirror.jar: brainfuck.js</a>			
<a href="#">remotegui.zip: codemirror.jar: browser.js</a>			
<a href="#">remotegui.zip: codemirror.jar: change_measurement.js</a>			
<a href="#">remotegui.zip: codemirror.jar: changes.js</a>			
<a href="#">remotegui.zip: codemirror.jar: chunk.js</a>			
<a href="#">remotegui.zip: codemirror.jar: clike.js</a>			
<a href="#">remotegui.zip: codemirror.jar: clojure.js</a>			
<a href="#">remotegui.zip: codemirror.jar: closebrackets.js</a>			
<a href="#">remotegui.zip: codemirror.jar: closetag.js</a>			
<a href="#">remotegui.zip: codemirror.jar: cmake.js</a>			
<a href="#">remotegui.zip: codemirror.jar: cobol.js</a>			
<a href="#">remotegui.zip: codemirror.jar: codemirror-standalone.js</a>			
<a href="#">remotegui.zip: codemirror.jar: codemirror.js</a>			
<a href="#">remotegui.zip: codemirror.jar: codemirror.js</a>			
<a href="#">remotegui.zip: codemirror.jar: codemirror.node.js</a>			
<a href="#">remotegui.zip: codemirror.jar: coffeescript-lint.js</a>			
<a href="#">remotegui.zip: codemirror.jar: coffeescript.js</a>			
<a href="#">remotegui.zip: codemirror.jar: colorize.js</a>			
<a href="#">remotegui.zip: codemirror.jar: commands.js</a>			
<a href="#">remotegui.zip: codemirror.jar: comment-fold.js</a>			
<a href="#">remotegui.zip: codemirror.jar: comment.js</a>			
<a href="#">remotegui.zip: codemirror.jar: commonlisp.js</a>			
<a href="#">remotegui.zip: codemirror.jar: continuecomment.js</a>			
<a href="#">remotegui.zip: codemirror.jar: continuelist.js</a>			
<a href="#">remotegui.zip: codemirror.jar: crystal.js</a>			
<a href="#">remotegui.zip: codemirror.jar: css-hint.js</a>			
<a href="#">remotegui.zip: codemirror.jar: css-lint.js</a>			
<a href="#">remotegui.zip: codemirror.jar: css.js</a>			
<a href="#">remotegui.zip: codemirror.jar: cypher.js</a>			
<a href="#">remotegui.zip: codemirror.jar: d.js</a>			
<a href="#">remotegui.zip: codemirror.jar: dart.js</a>			
<a href="#">remotegui.zip: codemirror.jar: deleteNearSelection.js</a>			
<a href="#">remotegui.zip: codemirror.jar: dialog.js</a>			

[remotegui.zip: codemirror.jar: diff.js](#)

[remotegui.zip: codemirror.jar: django.js](#)

[remotegui.zip: codemirror.jar: dockerfile.js](#)

[remotegui.zip: codemirror.jar: document\\_data.js](#)

[remotegui.zip: codemirror.jar: dom.js](#)

[remotegui.zip: codemirror.jar: drop\\_events.js](#)

[remotegui.zip: codemirror.jar: dtd.js](#)

[remotegui.zip: codemirror.jar: dylan.js](#)

[remotegui.zip: codemirror.jar: ebnf.js](#)

[remotegui.zip: codemirror.jar: ecl.js](#)

[remotegui.zip: codemirror.jar: eiffel.js](#)

[remotegui.zip: codemirror.jar: elm.js](#)

[remotegui.zip: codemirror.jar: emacs.js](#)

[remotegui.zip: codemirror.jar: erlang.js](#)

[remotegui.zip: codemirror.jar: event.js](#)

[remotegui.zip: codemirror.jar: factor.js](#)

[remotegui.zip: codemirror.jar: fcl.js](#)

[remotegui.zip: codemirror.jar: feature\\_detection.js](#)

[remotegui.zip: codemirror.jar: focus.js](#)

[remotegui.zip: codemirror.jar: foldcode.js](#)

[remotegui.zip: codemirror.jar: foldgutter.js](#)

[remotegui.zip: codemirror.jar: forth.js](#)

[remotegui.zip: codemirror.jar: fortran.js](#)

[remotegui.zip: codemirror.jar: fromTextArea.js](#)

[remotegui.zip: codemirror.jar: fullscreen.js](#)

[remotegui.zip: codemirror.jar: gas.js](#)

[remotegui.zip: codemirror.jar: gfm.js](#)

[remotegui.zip: codemirror.jar: gherkin.js](#)

[remotegui.zip: codemirror.jar: global\\_events.js](#)

[remotegui.zip: codemirror.jar: go.js](#)

[remotegui.zip: codemirror.jar: groovy.js](#)

[remotegui.zip: codemirror.jar: gutters.js](#)

[remotegui.zip: codemirror.jar: haml.js](#)

[remotegui.zip: codemirror.jar: handlebars.js](#)

[remotegui.zip: codemirror.jar: hardwrap.js](#)

<a href="#">remotegui.zip: codemirror.jar: haskell-literate.js</a>			
<a href="#">remotegui.zip: codemirror.jar: haskell.js</a>			
<a href="#">remotegui.zip: codemirror.jar: haxe.js</a>			
<a href="#">remotegui.zip: codemirror.jar: highlight.js</a>			
<a href="#">remotegui.zip: codemirror.jar: highlight_worker.js</a>			
<a href="#">remotegui.zip: codemirror.jar: history.js</a>			
<a href="#">remotegui.zip: codemirror.jar: html-hint.js</a>			
<a href="#">remotegui.zip: codemirror.jar: html-lint.js</a>			
<a href="#">remotegui.zip: codemirror.jar: htmlembdedded.js</a>			
<a href="#">remotegui.zip: codemirror.jar: htmlmixed.js</a>			
<a href="#">remotegui.zip: codemirror.jar: http.js</a>			
<a href="#">remotegui.zip: codemirror.jar: idl.js</a>			
<a href="#">remotegui.zip: codemirror.jar: indent-fold.js</a>			
<a href="#">remotegui.zip: codemirror.jar: indent.js</a>			
<a href="#">remotegui.zip: codemirror.jar: input.js</a>			
<a href="#">remotegui.zip: codemirror.jar: javascript-hint.js</a>			
<a href="#">remotegui.zip: codemirror.jar: javascript-lint.js</a>			
<a href="#">remotegui.zip: codemirror.jar: javascript.js</a>			
<a href="#">remotegui.zip: codemirror.jar: jinja2.js</a>			
<a href="#">remotegui.zip: codemirror.jar: json-lint.js</a>			
<a href="#">remotegui.zip: codemirror.jar: jsx.js</a>			
<a href="#">remotegui.zip: codemirror.jar: julia.js</a>			
<a href="#">remotegui.zip: codemirror.jar: jump-to-line.js</a>			
<a href="#">remotegui.zip: codemirror.jar: key_events.js</a>			
<a href="#">remotegui.zip: codemirror.jar: keymap.js</a>			
<a href="#">remotegui.zip: codemirror.jar: keynames.js</a>			
<a href="#">remotegui.zip: codemirror.jar: legacy.js</a>			
<a href="#">remotegui.zip: codemirror.jar: line_data.js</a>			
<a href="#">remotegui.zip: codemirror.jar: line_numbers.js</a>			
<a href="#">remotegui.zip: codemirror.jar: line_widget.js</a>			
<a href="#">remotegui.zip: codemirror.jar: lint.js</a>			
<a href="#">remotegui.zip: codemirror.jar: livescript.js</a>			
<a href="#">remotegui.zip: codemirror.jar: loadmode.js</a>			
<a href="#">remotegui.zip: codemirror.jar: lua.js</a>			
<a href="#">remotegui.zip: codemirror.jar: main.js</a>			



[remotegui.zip: codemirror.jar: mark-selection.js](#)

[remotegui.zip: codemirror.jar: mark\\_text.js](#)

[remotegui.zip: codemirror.jar: markdown-fold.js](#)

[remotegui.zip: codemirror.jar: markdown.js](#)

[remotegui.zip: codemirror.jar: match-highlighter.js](#)

[remotegui.zip: codemirror.jar: matchbrackets.js](#)

[remotegui.zip: codemirror.jar: matchesonscrollbar.js](#)

[remotegui.zip: codemirror.jar: matchtags.js](#)

[remotegui.zip: codemirror.jar: mathematica.js](#)

[remotegui.zip: codemirror.jar: mbox.js](#)

[remotegui.zip: codemirror.jar: merge.js](#)

[remotegui.zip: codemirror.jar: meta.js](#)

[remotegui.zip: codemirror.jar: methods.js](#)

[remotegui.zip: codemirror.jar: mirc.js](#)

[remotegui.zip: codemirror.jar: misc.js](#)

[remotegui.zip: codemirror.jar: mllike.js](#)

[remotegui.zip: codemirror.jar: mode\\_state.js](#)

[remotegui.zip: codemirror.jar: modelica.js](#)

[remotegui.zip: codemirror.jar: modes.js](#)

[remotegui.zip: codemirror.jar: mouse\\_events.js](#)

[remotegui.zip: codemirror.jar: movement.js](#)

[remotegui.zip: codemirror.jar: mscgen.js](#)

[remotegui.zip: codemirror.jar: multiplex.js](#)

[remotegui.zip: codemirror.jar: multiplex\\_test.js](#)

[remotegui.zip: codemirror.jar: mumps.js](#)

[remotegui.zip: codemirror.jar: nginx.js](#)

[remotegui.zip: codemirror.jar: nsis.js](#)

[remotegui.zip: codemirror.jar: ntriples.js](#)

[remotegui.zip: codemirror.jar: octave.js](#)

[remotegui.zip: codemirror.jar: operation\\_group.js](#)

[remotegui.zip: codemirror.jar: operations.js](#)

[remotegui.zip: codemirror.jar: options.js](#)

[remotegui.zip: codemirror.jar: overlay.js](#)

[remotegui.zip: codemirror.jar: oz.js](#)

[remotegui.zip: codemirror.jar: package.json](#)

<a href="#">remotegui.zip: codemirror.jar: panel.js</a>			
<a href="#">remotegui.zip: codemirror.jar: pascal.js</a>			
<a href="#">remotegui.zip: codemirror.jar: pegjs.js</a>			
<a href="#">remotegui.zip: codemirror.jar: perl.js</a>			
<a href="#">remotegui.zip: codemirror.jar: php.js</a>			
<a href="#">remotegui.zip: codemirror.jar: pig.js</a>			
<a href="#">remotegui.zip: codemirror.jar: placeholder.js</a>			
<a href="#">remotegui.zip: codemirror.jar: pos.js</a>			
<a href="#">remotegui.zip: codemirror.jar: position_measurement.js</a>			
<a href="#">remotegui.zip: codemirror.jar: powershell.js</a>			
<a href="#">remotegui.zip: codemirror.jar: properties.js</a>			
<a href="#">remotegui.zip: codemirror.jar: protobuf.js</a>			
<a href="#">remotegui.zip: codemirror.jar: pug.js</a>			
<a href="#">remotegui.zip: codemirror.jar: puppet.js</a>			
<a href="#">remotegui.zip: codemirror.jar: python.js</a>			
<a href="#">remotegui.zip: codemirror.jar: q.js</a>			
<a href="#">remotegui.zip: codemirror.jar: r.js</a>			
<a href="#">remotegui.zip: codemirror.jar: rollup.config.js</a>			
<a href="#">remotegui.zip: codemirror.jar: rpm.js</a>			
<a href="#">remotegui.zip: codemirror.jar: rst.js</a>			
<a href="#">remotegui.zip: codemirror.jar: ruby.js</a>			
<a href="#">remotegui.zip: codemirror.jar: rulers.js</a>			
<a href="#">remotegui.zip: codemirror.jar: runmode-standalone.js</a>			
<a href="#">remotegui.zip: codemirror.jar: runmode-standalone.js</a>			
<a href="#">remotegui.zip: codemirror.jar: runmode.js</a>			
<a href="#">remotegui.zip: codemirror.jar: runmode.node.js</a>			
<a href="#">remotegui.zip: codemirror.jar: runmode.node.js</a>			
<a href="#">remotegui.zip: codemirror.jar: rust.js</a>			
<a href="#">remotegui.zip: codemirror.jar: sas.js</a>			
<a href="#">remotegui.zip: codemirror.jar: sass.js</a>			
<a href="#">remotegui.zip: codemirror.jar: saw_special_spans.js</a>			
<a href="#">remotegui.zip: codemirror.jar: scheme.js</a>			
<a href="#">remotegui.zip: codemirror.jar: scroll_events.js</a>			
<a href="#">remotegui.zip: codemirror.jar: scrollbars.js</a>			
<a href="#">remotegui.zip: codemirror.jar: scrolling.js</a>			

[remotegui.zip: codemirror.jar: scrollpastend.js](#)

[remotegui.zip: codemirror.jar: search.js](#)

[remotegui.zip: codemirror.jar: searchcursor.js](#)

[remotegui.zip: codemirror.jar: selection-pointer.js](#)

[remotegui.zip: codemirror.jar: selection.js](#)

[remotegui.zip: codemirror.jar: selection.js](#)

[remotegui.zip: codemirror.jar: selection\\_updates.js](#)

[remotegui.zip: codemirror.jar: shell.js](#)

[remotegui.zip: codemirror.jar: show-hint.js](#)

[remotegui.zip: codemirror.jar: sieve.js](#)

[remotegui.zip: codemirror.jar: simple.js](#)

[remotegui.zip: codemirror.jar: simplescrollbars.js](#)

[remotegui.zip: codemirror.jar: slim.js](#)

[remotegui.zip: codemirror.jar: smalltalk.js](#)

[remotegui.zip: codemirror.jar: smarty.js](#)

[remotegui.zip: codemirror.jar: solr.js](#)

[remotegui.zip: codemirror.jar: soy.js](#)

[remotegui.zip: codemirror.jar: spans.js](#)

[remotegui.zip: codemirror.jar: sparql.js](#)

[remotegui.zip: codemirror.jar: spreadsheet.js](#)

[remotegui.zip: codemirror.jar: sql-hint.js](#)

[remotegui.zip: codemirror.jar: sql.js](#)

[remotegui.zip: codemirror.jar: stex.js](#)

[remotegui.zip: codemirror.jar: stylus.js](#)

[remotegui.zip: codemirror.jar: sublime.js](#)

[remotegui.zip: codemirror.jar: swift.js](#)

[remotegui.zip: codemirror.jar: tcl.js](#)

[remotegui.zip: codemirror.jar: tern.js](#)

[remotegui.zip: codemirror.jar: textile.js](#)

[remotegui.zip: codemirror.jar: tiddlywiki.js](#)

[remotegui.zip: codemirror.jar: tiki.js](#)

[remotegui.zip: codemirror.jar: toml.js](#)

[remotegui.zip: codemirror.jar: tornado.js](#)

[remotegui.zip: codemirror.jar: trailingspace.js](#)

[remotegui.zip: codemirror.jar: troff.js](#)

<a href="#">remotegui.zip: codemirror.jar: ttcn-cfg.js</a>			
<a href="#">remotegui.zip: codemirror.jar: ttcn.js</a>			
<a href="#">remotegui.zip: codemirror.jar: turtle.js</a>			
<a href="#">remotegui.zip: codemirror.jar: twig.js</a>			
<a href="#">remotegui.zip: codemirror.jar: update_display.js</a>			
<a href="#">remotegui.zip: codemirror.jar: update_line.js</a>			
<a href="#">remotegui.zip: codemirror.jar: update_lines.js</a>			
<a href="#">remotegui.zip: codemirror.jar: utils.js</a>			
<a href="#">remotegui.zip: codemirror.jar: utils_line.js</a>			
<a href="#">remotegui.zip: codemirror.jar: vb.js</a>			
<a href="#">remotegui.zip: codemirror.jar: vbscript.js</a>			
<a href="#">remotegui.zip: codemirror.jar: velocity.js</a>			
<a href="#">remotegui.zip: codemirror.jar: verilog.js</a>			
<a href="#">remotegui.zip: codemirror.jar: vhdl.js</a>			
<a href="#">remotegui.zip: codemirror.jar: view_tracking.js</a>			
<a href="#">remotegui.zip: codemirror.jar: vim.js</a>			
<a href="#">remotegui.zip: codemirror.jar: vue.js</a>			
<a href="#">remotegui.zip: codemirror.jar: wast.js</a>			
<a href="#">remotegui.zip: codemirror.jar: webidl.js</a>			
<a href="#">remotegui.zip: codemirror.jar: widgets.js</a>			
<a href="#">remotegui.zip: codemirror.jar: worker.js</a>			
<a href="#">remotegui.zip: codemirror.jar: xml-fold.js</a>			
<a href="#">remotegui.zip: codemirror.jar: xml-hint.js</a>			
<a href="#">remotegui.zip: codemirror.jar: xml.js</a>			
<a href="#">remotegui.zip: codemirror.jar: xquery.js</a>			
<a href="#">remotegui.zip: codemirror.jar: yacas.js</a>			
<a href="#">remotegui.zip: codemirror.jar: yaml-frontmatter.js</a>			
<a href="#">remotegui.zip: codemirror.jar: yaml-lint.js</a>			
<a href="#">remotegui.zip: codemirror.jar: yaml.js</a>			
<a href="#">remotegui.zip: codemirror.jar: z80.js</a>			
<a href="#">remotegui.zip: crypto-js.jar</a>		pkg:maven/org.webjars.npm/crypto-js@4.2.0	
<a href="#">remotegui.zip: crypto-js.jar: aes.js</a>			
<a href="#">remotegui.zip: crypto-js.jar: blowfish.js</a>			
<a href="#">remotegui.zip: crypto-js.jar: cipher-core.js</a>			

<a href="#">remotegui.zip: crypto-js.jar: core.js</a>			
<a href="#">remotegui.zip: crypto-js.jar: crypto-js.js</a>			
<a href="#">remotegui.zip: crypto-js.jar: enc-base64.js</a>			
<a href="#">remotegui.zip: crypto-js.jar: enc-base64url.js</a>			
<a href="#">remotegui.zip: crypto-js.jar: enc-hex.js</a>			
<a href="#">remotegui.zip: crypto-js.jar: enc-latin1.js</a>			
<a href="#">remotegui.zip: crypto-js.jar: enc-utf16.js</a>			
<a href="#">remotegui.zip: crypto-js.jar: enc-utf8.js</a>			
<a href="#">remotegui.zip: crypto-js.jar: evpkdf.js</a>			
<a href="#">remotegui.zip: crypto-js.jar: format-hex.js</a>			
<a href="#">remotegui.zip: crypto-js.jar: format-openssl.js</a>			
<a href="#">remotegui.zip: crypto-js.jar: hmac-md5.js</a>			
<a href="#">remotegui.zip: crypto-js.jar: hmac-ripemd160.js</a>			
<a href="#">remotegui.zip: crypto-js.jar: hmac-sha1.js</a>			
<a href="#">remotegui.zip: crypto-js.jar: hmac-sha224.js</a>			
<a href="#">remotegui.zip: crypto-js.jar: hmac-sha256.js</a>			
<a href="#">remotegui.zip: crypto-js.jar: hmac-sha3.js</a>			
<a href="#">remotegui.zip: crypto-js.jar: hmac-sha384.js</a>			
<a href="#">remotegui.zip: crypto-js.jar: hmac-sha512.js</a>			
<a href="#">remotegui.zip: crypto-js.jar: hmac.js</a>			
<a href="#">remotegui.zip: crypto-js.jar: index.js</a>			
<a href="#">remotegui.zip: crypto-js.jar: lib-typedarrays.js</a>			
<a href="#">remotegui.zip: crypto-js.jar: md5.js</a>			
<a href="#">remotegui.zip: crypto-js.jar: mode-cfb.js</a>			
<a href="#">remotegui.zip: crypto-js.jar: mode-ctr-gladman.js</a>			
<a href="#">remotegui.zip: crypto-js.jar: mode-ctr.js</a>			
<a href="#">remotegui.zip: crypto-js.jar: mode-ecb.js</a>			
<a href="#">remotegui.zip: crypto-js.jar: mode-ofb.js</a>			
<a href="#">remotegui.zip: crypto-js.jar: package.json</a>			
<a href="#">remotegui.zip: crypto-js.jar: pad-ansix923.js</a>			
<a href="#">remotegui.zip: crypto-js.jar: pad-iso10126.js</a>			
<a href="#">remotegui.zip: crypto-js.jar: pad-iso97971.js</a>			
<a href="#">remotegui.zip: crypto-js.jar: pad-nopadding.js</a>			
<a href="#">remotegui.zip: crypto-js.jar: pad-pkcs7.js</a>			
<a href="#">remotegui.zip: crypto-js.jar: pad-zeropadding.js</a>			

<a href="#">remotegui.zip: crypto-js.jar: pbkdf2.js</a>			
<a href="#">remotegui.zip: crypto-js.jar: rabbit-legacy.js</a>			
<a href="#">remotegui.zip: crypto-js.jar: rabbit.js</a>			
<a href="#">remotegui.zip: crypto-js.jar: rc4.js</a>			
<a href="#">remotegui.zip: crypto-js.jar: ripemd160.js</a>			
<a href="#">remotegui.zip: crypto-js.jar: sha1.js</a>			
<a href="#">remotegui.zip: crypto-js.jar: sha224.js</a>			
<a href="#">remotegui.zip: crypto-js.jar: sha256.js</a>			
<a href="#">remotegui.zip: crypto-js.jar: sha3.js</a>			
<a href="#">remotegui.zip: crypto-js.jar: sha384.js</a>			
<a href="#">remotegui.zip: crypto-js.jar: sha512.js</a>			
<a href="#">remotegui.zip: crypto-js.jar: tripledes.js</a>			
<a href="#">remotegui.zip: crypto-js.jar: x64-core.js</a>			
<a href="#">remotegui.zip: echarts.jar</a>		pkg:maven/org.webjars/npm/echarts@6.0.0	
<a href="#">remotegui.zip: echarts.jar: echarts.min.js</a>			
<a href="#">remotegui.zip: hugerte-languages.jar</a>		pkg:maven/org.webjars/npm/hugerte-languages@1.0.10	
<a href="#">remotegui.zip: hugerte-languages.jar: ar.js</a>			
<a href="#">remotegui.zip: hugerte-languages.jar: ar_SA.js</a>			
<a href="#">remotegui.zip: hugerte-languages.jar: az.js</a>			
<a href="#">remotegui.zip: hugerte-languages.jar: be.js</a>			
<a href="#">remotegui.zip: hugerte-languages.jar: bg_BG.js</a>			
<a href="#">remotegui.zip: hugerte-languages.jar: bn_BD.js</a>			
<a href="#">remotegui.zip: hugerte-languages.jar: ca.js</a>			
<a href="#">remotegui.zip: hugerte-languages.jar: cs.js</a>			
<a href="#">remotegui.zip: hugerte-languages.jar: cy.js</a>			
<a href="#">remotegui.zip: hugerte-languages.jar: da.js</a>			
<a href="#">remotegui.zip: hugerte-languages.jar: de.js</a>			
<a href="#">remotegui.zip: hugerte-languages.jar: el.js</a>			
<a href="#">remotegui.zip: hugerte-languages.jar: eo.js</a>			
<a href="#">remotegui.zip: hugerte-languages.jar: es.js</a>			
<a href="#">remotegui.zip: hugerte-languages.jar: es_MX.js</a>			
<a href="#">remotegui.zip: hugerte-languages.jar: et.js</a>			

[remotegui.zip: hugerte-languages.jar: eu.js](#)

[remotegui.zip: hugerte-languages.jar: fa.js](#)

[remotegui.zip: hugerte-languages.jar: fi.js](#)

[remotegui.zip: hugerte-languages.jar: fr\\_FR.js](#)

[remotegui.zip: hugerte-languages.jar: ga.js](#)

[remotegui.zip: hugerte-languages.jar: gl.js](#)

[remotegui.zip: hugerte-languages.jar: he\\_IL.js](#)

[remotegui.zip: hugerte-languages.jar: hr.js](#)

[remotegui.zip: hugerte-languages.jar: hu\\_HU.js](#)

[remotegui.zip: hugerte-languages.jar: hy.js](#)

[remotegui.zip: hugerte-languages.jar: id.js](#)

[remotegui.zip: hugerte-languages.jar: is\\_IS.js](#)

[remotegui.zip: hugerte-languages.jar: it.js](#)

[remotegui.zip: hugerte-languages.jar: ja.js](#)

[remotegui.zip: hugerte-languages.jar: ka\\_GE.js](#)

[remotegui.zip: hugerte-languages.jar: kab.js](#)

[remotegui.zip: hugerte-languages.jar: kk.js](#)

[remotegui.zip: hugerte-languages.jar: ko\\_KR.js](#)

[remotegui.zip: hugerte-languages.jar: ku.js](#)

[remotegui.zip: hugerte-languages.jar: lt.js](#)

[remotegui.zip: hugerte-languages.jar: lv.js](#)

[remotegui.zip: hugerte-languages.jar: nb\\_NO.js](#)

[remotegui.zip: hugerte-languages.jar: ne.js](#)

[remotegui.zip: hugerte-languages.jar: nl.js](#)

[remotegui.zip: hugerte-languages.jar: nl\\_BE.js](#)

[remotegui.zip: hugerte-languages.jar: oc.js](#)

[remotegui.zip: hugerte-languages.jar: pl.js](#)

[remotegui.zip: hugerte-languages.jar: pt\\_BR.js](#)

[remotegui.zip: hugerte-languages.jar: pt\\_PT.js](#)

[remotegui.zip: hugerte-languages.jar: ro.js](#)

[remotegui.zip: hugerte-languages.jar: ru.js](#)

[remotegui.zip: hugerte-languages.jar: sk.js](#)

[remotegui.zip: hugerte-languages.jar: sl\\_SI.js](#)

[remotegui.zip: hugerte-languages.jar: sq.js](#)

[remotegui.zip: hugerte-languages.jar: sr.js](#)

<a href="#">remotegui.zip: hugerte-languages.jar: sv_SE.js</a>			
<a href="#">remotegui.zip: hugerte-languages.jar: ta.js</a>			
<a href="#">remotegui.zip: hugerte-languages.jar: tg.js</a>			
<a href="#">remotegui.zip: hugerte-languages.jar: th_TH.js</a>			
<a href="#">remotegui.zip: hugerte-languages.jar: tr.js</a>			
<a href="#">remotegui.zip: hugerte-languages.jar: ug.js</a>			
<a href="#">remotegui.zip: hugerte-languages.jar: uk.js</a>			
<a href="#">remotegui.zip: hugerte-languages.jar: uz.js</a>			
<a href="#">remotegui.zip: hugerte-languages.jar: vi.js</a>			
<a href="#">remotegui.zip: hugerte-languages.jar: zh_CN.js</a>			
<a href="#">remotegui.zip: hugerte-languages.jar: zh_HK.js</a>			
<a href="#">remotegui.zip: hugerte-languages.jar: zh_MO.js</a>			
<a href="#">remotegui.zip: hugerte-languages.jar: zh_SG.js</a>			
<a href="#">remotegui.zip: hugerte-languages.jar: zh_TW.js</a>			
<a href="#">remotegui.zip: hugerte.jar</a>		pkg:maven/org.webjars/npm/hugerte@1.0.10	
<a href="#">remotegui.zip: hugerte.jar: ar.js</a>			
<a href="#">remotegui.zip: hugerte.jar: bg_BG.js</a>			
<a href="#">remotegui.zip: hugerte.jar: ca.js</a>			
<a href="#">remotegui.zip: hugerte.jar: content.inline.js</a>			
<a href="#">remotegui.zip: hugerte.jar: content.inline.js</a>			
<a href="#">remotegui.zip: hugerte.jar: content.inline.js</a>			
<a href="#">remotegui.zip: hugerte.jar: content.inline.js</a>			
<a href="#">remotegui.zip: hugerte.jar: content.js</a>			
<a href="#">remotegui.zip: hugerte.jar: content.js</a>			
<a href="#">remotegui.zip: hugerte.jar: content.js</a>			
<a href="#">remotegui.zip: hugerte.jar: content.js</a>			
<a href="#">remotegui.zip: hugerte.jar: content.js</a>			
<a href="#">remotegui.zip: hugerte.jar: content.js</a>			
<a href="#">remotegui.zip: hugerte.jar: content.js</a>			
<a href="#">remotegui.zip: hugerte.jar: content.js</a>			
<a href="#">remotegui.zip: hugerte.jar: content.js</a>			
<a href="#">remotegui.zip: hugerte.jar: content.js</a>			
<a href="#">remotegui.zip: hugerte.jar: cs.js</a>			
<a href="#">remotegui.zip: hugerte.jar: da.js</a>			



[illegible]

<a href="#">remotegui.zip: hugerte.jar: index.js</a>			
<a href="#">remotegui.zip: hugerte.jar: index.js</a>			
<a href="#">remotegui.zip: hugerte.jar: index.js</a>			
<a href="#">remotegui.zip: hugerte.jar: index.js</a>			
<a href="#">remotegui.zip: hugerte.jar: index.js</a>			
<a href="#">remotegui.zip: hugerte.jar: index.js</a>			
<a href="#">remotegui.zip: hugerte.jar: index.js</a>			
<a href="#">remotegui.zip: hugerte.jar: index.js</a>			
<a href="#">remotegui.zip: hugerte.jar: index.js</a>			
<a href="#">remotegui.zip: hugerte.jar: index.js</a>			
<a href="#">remotegui.zip: hugerte.jar: index.js</a>			
<a href="#">remotegui.zip: hugerte.jar: index.js</a>			
<a href="#">remotegui.zip: hugerte.jar: index.js</a>			
<a href="#">remotegui.zip: hugerte.jar: index.js</a>			
<a href="#">remotegui.zip: hugerte.jar: index.js</a>			
<a href="#">remotegui.zip: hugerte.jar: index.js</a>			
<a href="#">remotegui.zip: hugerte.jar: index.js</a>			
<a href="#">remotegui.zip: hugerte.jar: index.js</a>			
<a href="#">remotegui.zip: hugerte.jar: index.js</a>			
<a href="#">remotegui.zip: hugerte.jar: index.js</a>			
<a href="#">remotegui.zip: hugerte.jar: index.js</a>			
<a href="#">remotegui.zip: hugerte.jar: index.js</a>			
<a href="#">remotegui.zip: hugerte.jar: it.js</a>			
<a href="#">remotegui.zip: hugerte.jar: ja.js</a>			
<a href="#">remotegui.zip: hugerte.jar: kk.js</a>			
<a href="#">remotegui.zip: hugerte.jar: ko_KR.js</a>			
<a href="#">remotegui.zip: hugerte.jar: model.js</a>			
<a href="#">remotegui.zip: hugerte.jar: model.min.js</a>			
<a href="#">remotegui.zip: hugerte.jar: ms.js</a>			
<a href="#">remotegui.zip: hugerte.jar: nb_NO.js</a>			
<a href="#">remotegui.zip: hugerte.jar: nl.js</a>			
<a href="#">remotegui.zip: hugerte.jar: package.json</a>			
<a href="#">remotegui.zip: hugerte.jar: pl.js</a>			
<a href="#">remotegui.zip: hugerte.jar: plugin.js</a>			
<a href="#">remotegui.zip: hugerte.jar: plugin.js</a>			
<a href="#">remotegui.zip: hugerte.jar: plugin.js</a>			
<a href="#">remotegui.zip: hugerte.jar: plugin.js</a>			

remotegui.zip: hugerte.jar: plugin.js

remotegui.zip: hugerte.jar: plugin.js

remotegui.zip: hugerte.jar: plugin.js

remotegui.zip: hugerte.jar: plugin.js

remotegui.zip: hugerte.jar: plugin.js

remotegui.zip: hugerte.jar: plugin.js

remotegui.zip: hugerte.jar: plugin.js

remotegui.zip: hugerte.jar: plugin.js

remotegui.zip: hugerte.jar: plugin.js

remotegui.zip: hugerte.jar: plugin.js

[remotegui.zip](#): [hugerte.jar](#): [plugin.js](#)

remotegui.zip: hugerte.jar: plugin.js

[remotegui.zip](#): [hugerte.jar](#): [plugin.js](#)

[remotegui.zip](#): [hugerte.jar](#): [plugin.js](#)

[remotegui.zip](#): [hugerte.jar](#): [plugin.js](#)

[remotegui.zip](#): [hugerte.jar](#): [plugin.js](#)

[remotegui.zip](#): [hugerte.jar](#): [plugin.js](#)

remotegui.zip: hugerte.jar: plugin.js

[remotegui.zip](#): [hugerte.jar](#): [plugin.js](#)

[remotegui.zip](#): [hugerte.jar](#): [plugin.js](#)

[remotegui.zip](#): [hugerte.jar](#): [plugin.js](#)

remotegui.zip: hugerte.jar: plugin.js

remotegui.zip: hugerte.jar: plugin.js

remotegui.zip: hugerte.jar: plugin.js

[remotegui.zip](#): [hugerte.jar](#): [plugin.js](#)

remotegui.zip: hugerte.jar: plugin.js

remotegui.zip: hugerte.jar: plugin.min.js

remotegui.zip: hugerte.jar: plugin.min.js

[remotegui.zip](#): [hugerte.jar](#): [plugin.min.js](#)

remotegui.zip: hugerte.jar: plugin.min.js

remotegui.zip: hugerte.jar: plugin.min.js

remotegui.zip: hugerte.jar: plugin.min.js

remotegui.zip: hugerte.jar: plugin.min.js

remotegui.zip: hugerte.jar: plugin.min.js

remotegui.zip: hugerte.jar: plugin.min.js

<a href="#">remotegui.zip: hugerte.jar: plugin.min.js</a>			
<a href="#">remotegui.zip: hugerte.jar: plugin.min.js</a>			
<a href="#">remotegui.zip: hugerte.jar: plugin.min.js</a>			
<a href="#">remotegui.zip: hugerte.jar: plugin.min.js</a>			
<a href="#">remotegui.zip: hugerte.jar: plugin.min.js</a>			
<a href="#">remotegui.zip: hugerte.jar: plugin.min.js</a>			
<a href="#">remotegui.zip: hugerte.jar: plugin.min.js</a>			
<a href="#">remotegui.zip: hugerte.jar: plugin.min.js</a>			
<a href="#">remotegui.zip: hugerte.jar: plugin.min.js</a>			
<a href="#">remotegui.zip: hugerte.jar: plugin.min.js</a>			
<a href="#">remotegui.zip: hugerte.jar: plugin.min.js</a>			
<a href="#">remotegui.zip: hugerte.jar: plugin.min.js</a>			
<a href="#">remotegui.zip: hugerte.jar: plugin.min.js</a>			
<a href="#">remotegui.zip: hugerte.jar: plugin.min.js</a>			
<a href="#">remotegui.zip: hugerte.jar: plugin.min.js</a>			
<a href="#">remotegui.zip: hugerte.jar: plugin.min.js</a>			
<a href="#">remotegui.zip: hugerte.jar: plugin.min.js</a>			
<a href="#">remotegui.zip: hugerte.jar: plugin.min.js</a>			
<a href="#">remotegui.zip: hugerte.jar: pt_BR.js</a>			
<a href="#">remotegui.zip: hugerte.jar: pt_PT.js</a>			
<a href="#">remotegui.zip: hugerte.jar: ro.js</a>			
<a href="#">remotegui.zip: hugerte.jar: ru.js</a>			
<a href="#">remotegui.zip: hugerte.jar: sk.js</a>			
<a href="#">remotegui.zip: hugerte.jar: skin.js</a>			
<a href="#">remotegui.zip: hugerte.jar: skin.js</a>			
<a href="#">remotegui.zip: hugerte.jar: skin.js</a>			
<a href="#">remotegui.zip: hugerte.jar: skin.js</a>			
<a href="#">remotegui.zip: hugerte.jar: skin.shadowdom.js</a>			
<a href="#">remotegui.zip: hugerte.jar: skin.shadowdom.js</a>			
<a href="#">remotegui.zip: hugerte.jar: skin.shadowdom.js</a>			
<a href="#">remotegui.zip: hugerte.jar: skin.shadowdom.js</a>			
<a href="#">remotegui.zip: hugerte.jar: sl_SI.js</a>			

<a href="#">remotegui.zip: hugerte.jar: sv_SE.js</a>			
<a href="#">remotegui.zip: hugerte.jar: th_TH.js</a>			
<a href="#">remotegui.zip: hugerte.jar: theme.js</a>		pkg:javascript /DOMPurify@3. 2.4	
<a href="#">remotegui.zip: hugerte.jar: theme.min.js</a>			
<a href="#">remotegui.zip: hugerte.jar: tr.js</a>			
<a href="#">remotegui.zip: hugerte.jar: uk.js</a>			
<a href="#">remotegui.zip: hugerte.jar: vi.js</a>			
<a href="#">remotegui.zip: hugerte.jar: zh_CN.js</a>			
<a href="#">remotegui.zip: hugerte.jar: zh_TW.js</a>			
<a href="#">remotegui.zip: jquery-ui.jar</a>		pkg:maven/org. webjars/jquery- ui@1.14.1	
<a href="#">remotegui.zip: jquery-ui.jar: jquery-ui.js</a>			
<a href="#">remotegui.zip: jquery-ui.jar: jquery-ui.min.js</a>			
<a href="#">remotegui.zip: jquery-ui.jar: package.json</a>			
<a href="#">remotegui.zip: jquery-ui.jar: webjars-requirejs.js</a>			
<a href="#">remotegui.zip: jquery.jar</a>		pkg:javascript /jquery@2.2.4 pkg:maven/org. webjars /jquery@2.2.4	
<a href="#">remotegui.zip: jquery.jar: webjars-requirejs.js</a>			
<a href="#">remotegui.zip: moment-timezone.jar</a>		pkg:maven/org. webjars.npm /moment- timezone@0. 6.0	
<a href="#">remotegui.zip: moment-timezone.jar: index.js</a>			
<a href="#">remotegui.zip: moment-timezone.jar: moment- timezone-utils.js</a>			
<a href="#">remotegui.zip: moment-timezone.jar: moment- timezone-with-data-10-year-range.js</a>			
<a href="#">remotegui.zip: moment-timezone.jar: moment- timezone-with-data-10-year-range.min.js</a>			
<a href="#">remotegui.zip: moment-timezone.jar: moment- timezone-with-data-1970-2030.js</a>			
<a href="#">remotegui.zip: moment-timezone.jar: moment- timezone-with-data-1970-2030.min.js</a>			
<a href="#">remotegui.zip: moment-timezone.jar: moment- timezone-with-data-2012-2022.js</a>			
<a href="#">remotegui.zip: moment-timezone.jar: moment- timezone-with-data-2012-2022.min.js</a>			

<a href="#">remotegui.zip: moment-timezone.jar: moment-timezone-with-data.js</a>			
<a href="#">remotegui.zip: moment-timezone.jar: moment-timezone-with-data.min.js</a>			
<a href="#">remotegui.zip: moment-timezone.jar: moment-timezone.js</a>			
<a href="#">remotegui.zip: moment-timezone.jar: moment-timezone.min.js</a>			
<a href="#">remotegui.zip: moment-timezone.jar: package.json</a>			
<a href="#">remotegui.zip: momentjs.jar</a>		pkg:maven/org.webjars/momentjs@2.29.4	
<a href="#">remotegui.zip: momentjs.jar: af.js</a>			
<a href="#">remotegui.zip: momentjs.jar: ar-dz.js</a>			
<a href="#">remotegui.zip: momentjs.jar: ar-kw.js</a>			
<a href="#">remotegui.zip: momentjs.jar: ar-ly.js</a>			
<a href="#">remotegui.zip: momentjs.jar: ar-ma.js</a>			
<a href="#">remotegui.zip: momentjs.jar: ar-sa.js</a>			
<a href="#">remotegui.zip: momentjs.jar: ar-tn.js</a>			
<a href="#">remotegui.zip: momentjs.jar: ar.js</a>			
<a href="#">remotegui.zip: momentjs.jar: az.js</a>			
<a href="#">remotegui.zip: momentjs.jar: be.js</a>			
<a href="#">remotegui.zip: momentjs.jar: bg.js</a>			
<a href="#">remotegui.zip: momentjs.jar: bm.js</a>			
<a href="#">remotegui.zip: momentjs.jar: bn-bd.js</a>			
<a href="#">remotegui.zip: momentjs.jar: bn.js</a>			
<a href="#">remotegui.zip: momentjs.jar: bo.js</a>			
<a href="#">remotegui.zip: momentjs.jar: br.js</a>			
<a href="#">remotegui.zip: momentjs.jar: bs.js</a>			
<a href="#">remotegui.zip: momentjs.jar: ca.js</a>			
<a href="#">remotegui.zip: momentjs.jar: cs.js</a>			
<a href="#">remotegui.zip: momentjs.jar: cv.js</a>			
<a href="#">remotegui.zip: momentjs.jar: cy.js</a>			
<a href="#">remotegui.zip: momentjs.jar: da.js</a>			
<a href="#">remotegui.zip: momentjs.jar: de-at.js</a>			
<a href="#">remotegui.zip: momentjs.jar: de-ch.js</a>			
<a href="#">remotegui.zip: momentjs.jar: de.js</a>			
<a href="#">remotegui.zip: momentjs.jar: dv.js</a>			

<a href="#">remotegui.zip: momentjs.jar: el.js</a>			
<a href="#">remotegui.zip: momentjs.jar: en-au.js</a>			
<a href="#">remotegui.zip: momentjs.jar: en-ca.js</a>			
<a href="#">remotegui.zip: momentjs.jar: en-gb.js</a>			
<a href="#">remotegui.zip: momentjs.jar: en-ie.js</a>			
<a href="#">remotegui.zip: momentjs.jar: en-il.js</a>			
<a href="#">remotegui.zip: momentjs.jar: en-in.js</a>			
<a href="#">remotegui.zip: momentjs.jar: en-nz.js</a>			
<a href="#">remotegui.zip: momentjs.jar: en-sg.js</a>			
<a href="#">remotegui.zip: momentjs.jar: eo.js</a>			
<a href="#">remotegui.zip: momentjs.jar: es-do.js</a>			
<a href="#">remotegui.zip: momentjs.jar: es-mx.js</a>			
<a href="#">remotegui.zip: momentjs.jar: es-us.js</a>			
<a href="#">remotegui.zip: momentjs.jar: es.js</a>			
<a href="#">remotegui.zip: momentjs.jar: et.js</a>			
<a href="#">remotegui.zip: momentjs.jar: eu.js</a>			
<a href="#">remotegui.zip: momentjs.jar: fa.js</a>			
<a href="#">remotegui.zip: momentjs.jar: fi.js</a>			
<a href="#">remotegui.zip: momentjs.jar: fil.js</a>			
<a href="#">remotegui.zip: momentjs.jar: fo.js</a>			
<a href="#">remotegui.zip: momentjs.jar: fr-ca.js</a>			
<a href="#">remotegui.zip: momentjs.jar: fr-ch.js</a>			
<a href="#">remotegui.zip: momentjs.jar: fr.js</a>			
<a href="#">remotegui.zip: momentjs.jar: fy.js</a>			
<a href="#">remotegui.zip: momentjs.jar: ga.js</a>			
<a href="#">remotegui.zip: momentjs.jar: gd.js</a>			
<a href="#">remotegui.zip: momentjs.jar: gl.js</a>			
<a href="#">remotegui.zip: momentjs.jar: gom-deva.js</a>			
<a href="#">remotegui.zip: momentjs.jar: gom-latn.js</a>			
<a href="#">remotegui.zip: momentjs.jar: gu.js</a>			
<a href="#">remotegui.zip: momentjs.jar: he.js</a>			
<a href="#">remotegui.zip: momentjs.jar: hi.js</a>			
<a href="#">remotegui.zip: momentjs.jar: hr.js</a>			
<a href="#">remotegui.zip: momentjs.jar: hu.js</a>			
<a href="#">remotegui.zip: momentjs.jar: hy-am.js</a>			

[remotegui.zip: momentjs.jar: id.js](#)

[remotegui.zip: momentjs.jar: is.js](#)

[remotegui.zip: momentjs.jar: it-ch.js](#)

[remotegui.zip: momentjs.jar: it.js](#)

[remotegui.zip: momentjs.jar: ja.js](#)

[remotegui.zip: momentjs.jar: jv.js](#)

[remotegui.zip: momentjs.jar: ka.js](#)

[remotegui.zip: momentjs.jar: kk.js](#)

[remotegui.zip: momentjs.jar: km.js](#)

[remotegui.zip: momentjs.jar: kn.js](#)

[remotegui.zip: momentjs.jar: ko.js](#)

[remotegui.zip: momentjs.jar: ku.js](#)

[remotegui.zip: momentjs.jar: ky.js](#)

[remotegui.zip: momentjs.jar: lb.js](#)

[remotegui.zip: momentjs.jar: lo.js](#)

[remotegui.zip: momentjs.jar: locales.js](#)

[remotegui.zip: momentjs.jar: locales.min.js](#)

[remotegui.zip: momentjs.jar: lt.js](#)

[remotegui.zip: momentjs.jar: lv.js](#)

[remotegui.zip: momentjs.jar: me.js](#)

[remotegui.zip: momentjs.jar: mi.js](#)

[remotegui.zip: momentjs.jar: mk.js](#)

[remotegui.zip: momentjs.jar: ml.js](#)

[remotegui.zip: momentjs.jar: mn.js](#)

[remotegui.zip: momentjs.jar: moment-with-locales.js](#)

[remotegui.zip: momentjs.jar: moment-with-locales.min.js](#)

[remotegui.zip: momentjs.jar: moment.js](#)

[remotegui.zip: momentjs.jar: moment.min.js](#)

[remotegui.zip: momentjs.jar: mr.js](#)

[remotegui.zip: momentjs.jar: ms-my.js](#)

[remotegui.zip: momentjs.jar: ms.js](#)

[remotegui.zip: momentjs.jar: mt.js](#)

[remotegui.zip: momentjs.jar: my.js](#)

[remotegui.zip: momentjs.jar: nb.js](#)

[remotegui.zip: momentjs.jar: ne.js](#)



<a href="#">remotegui.zip: momentjs.jar: nl-be.js</a>			
<a href="#">remotegui.zip: momentjs.jar: nl.js</a>			
<a href="#">remotegui.zip: momentjs.jar: nn.js</a>			
<a href="#">remotegui.zip: momentjs.jar: oc-lnc.js</a>			
<a href="#">remotegui.zip: momentjs.jar: pa-in.js</a>			
<a href="#">remotegui.zip: momentjs.jar: package.js</a>			
<a href="#">remotegui.zip: momentjs.jar: package.json</a>			
<a href="#">remotegui.zip: momentjs.jar: pl.js</a>			
<a href="#">remotegui.zip: momentjs.jar: pt-br.js</a>			
<a href="#">remotegui.zip: momentjs.jar: pt.js</a>			
<a href="#">remotegui.zip: momentjs.jar: ro.js</a>			
<a href="#">remotegui.zip: momentjs.jar: ru.js</a>			
<a href="#">remotegui.zip: momentjs.jar: sd.js</a>			
<a href="#">remotegui.zip: momentjs.jar: se.js</a>			
<a href="#">remotegui.zip: momentjs.jar: si.js</a>			
<a href="#">remotegui.zip: momentjs.jar: sk.js</a>			
<a href="#">remotegui.zip: momentjs.jar: sl.js</a>			
<a href="#">remotegui.zip: momentjs.jar: sq.js</a>			
<a href="#">remotegui.zip: momentjs.jar: sr-cyrl.js</a>			
<a href="#">remotegui.zip: momentjs.jar: sr.js</a>			
<a href="#">remotegui.zip: momentjs.jar: ss.js</a>			
<a href="#">remotegui.zip: momentjs.jar: sv.js</a>			
<a href="#">remotegui.zip: momentjs.jar: sw.js</a>			
<a href="#">remotegui.zip: momentjs.jar: ta.js</a>			
<a href="#">remotegui.zip: momentjs.jar: te.js</a>			
<a href="#">remotegui.zip: momentjs.jar: tests.js</a>			
<a href="#">remotegui.zip: momentjs.jar: tet.js</a>			
<a href="#">remotegui.zip: momentjs.jar: tg.js</a>			
<a href="#">remotegui.zip: momentjs.jar: th.js</a>			
<a href="#">remotegui.zip: momentjs.jar: tk.js</a>			
<a href="#">remotegui.zip: momentjs.jar: tl-ph.js</a>			
<a href="#">remotegui.zip: momentjs.jar: tlh.js</a>			
<a href="#">remotegui.zip: momentjs.jar: tr.js</a>			
<a href="#">remotegui.zip: momentjs.jar: tzl.js</a>			
<a href="#">remotegui.zip: momentjs.jar: tzm-latn.js</a>			

<a href="#">remotegui.zip: momentjs.jar: tzm.js</a>			
<a href="#">remotegui.zip: momentjs.jar: ug-cn.js</a>			
<a href="#">remotegui.zip: momentjs.jar: uk.js</a>			
<a href="#">remotegui.zip: momentjs.jar: ur.js</a>			
<a href="#">remotegui.zip: momentjs.jar: uz-latn.js</a>			
<a href="#">remotegui.zip: momentjs.jar: uz.js</a>			
<a href="#">remotegui.zip: momentjs.jar: vi.js</a>			
<a href="#">remotegui.zip: momentjs.jar: webjars-requirejs.js</a>			
<a href="#">remotegui.zip: momentjs.jar: x-pseudo.js</a>			
<a href="#">remotegui.zip: momentjs.jar: yo.js</a>			
<a href="#">remotegui.zip: momentjs.jar: zh-cn.js</a>			
<a href="#">remotegui.zip: momentjs.jar: zh-hk.js</a>			
<a href="#">remotegui.zip: momentjs.jar: zh-mo.js</a>			
<a href="#">remotegui.zip: momentjs.jar: zh-tw.js</a>			
<a href="#">remotegui.zip: remotegui.jar</a>			
<a href="#">remotegui.zip: remotegui.jar: angular-websocket.js</a>			
<a href="#">remotegui.zip: remotegui.jar: app.js</a>			
<a href="#">remotegui.zip: remotegui.jar: app.js</a>			
<a href="#">remotegui.zip: remotegui.jar: app.js</a>			
<a href="#">remotegui.zip: remotegui.jar: app.js</a>			
<a href="#">remotegui.zip: remotegui.jar: appbadge.service.js</a>			
<a href="#">remotegui.zip: remotegui.jar: authInterceptor.service.js</a>			
<a href="#">remotegui.zip: remotegui.jar: avatarcard.directive.js</a>			
<a href="#">remotegui.zip: remotegui.jar: avatardetails.directive.js</a>			
<a href="#">remotegui.zip: remotegui.jar: avatarimage.directive.js</a>			
<a href="#">remotegui.zip: remotegui.jar: avatarimagedetails.directive.js</a>			
<a href="#">remotegui.zip: remotegui.jar: basic.js</a>			
<a href="#">remotegui.zip: remotegui.jar: bootstrap-colorpicker.js</a>			
<a href="#">remotegui.zip: remotegui.jar: bootstrap-datetimepicker.js</a>			
<a href="#">remotegui.zip: remotegui.jar: browsercheck.js</a>			
<a href="#">remotegui.zip: remotegui.jar: changeavatar.js</a>			
<a href="#">remotegui.zip: remotegui.jar: changeavatarcontroller.controller.js</a>			
<a href="#">remotegui.zip: remotegui.jar: changeavatar.service.service.js</a>			

<a href="#">remotegui.zip: remotegui.jar: clearreports.controller.js</a>			
<a href="#">remotegui.zip: remotegui.jar: clipboardservice.js</a>			
<a href="#">remotegui.zip: remotegui.jar: collapse.directive.js</a>			
<a href="#">remotegui.zip: remotegui.jar: colorPicker.directive.js</a>			
<a href="#">remotegui.zip: remotegui.jar: colorservice.js</a>			
<a href="#">remotegui.zip: remotegui.jar: connectionstate.js</a>			
<a href="#">remotegui.zip: remotegui.jar: controller.js</a>			
<a href="#">remotegui.zip: remotegui.jar: controller.js</a>			
<a href="#">remotegui.zip: remotegui.jar: controller.js</a>			
<a href="#">remotegui.zip: remotegui.jar: controllerAbout.js</a>			
<a href="#">remotegui.zip: remotegui.jar: controllerShortcuts.controller.js</a>			
<a href="#">remotegui.zip: remotegui.jar: controllerUserTheme.controller.js</a>			
<a href="#">remotegui.zip: remotegui.jar: controllers.js</a>			
<a href="#">remotegui.zip: remotegui.jar: controllers.js</a>			
<a href="#">remotegui.zip: remotegui.jar: controllers.js</a>			
<a href="#">remotegui.zip: remotegui.jar: controllers.js</a>			
<a href="#">remotegui.zip: remotegui.jar: controllers.js</a>			
<a href="#">remotegui.zip: remotegui.jar: controllers.js</a>			
<a href="#">remotegui.zip: remotegui.jar: controllers.js</a>			
<a href="#">remotegui.zip: remotegui.jar: controllers.js</a>			
<a href="#">remotegui.zip: remotegui.jar: currencyNumber.directive.js</a>			
<a href="#">remotegui.zip: remotegui.jar: currencyValidator.directive.js</a>			
<a href="#">remotegui.zip: remotegui.jar: customEmojiUploadConfigItemRenderer.directive.js</a>			
<a href="#">remotegui.zip: remotegui.jar: customEmojiUploadConfigRenderer.directive.js</a>			
<a href="#">remotegui.zip: remotegui.jar: customemojiupload.js</a>			
<a href="#">remotegui.zip: remotegui.jar: dataservice.js</a>			
<a href="#">remotegui.zip: remotegui.jar: dataservice.service.js</a>			
<a href="#">remotegui.zip: remotegui.jar: datepicker-de.js</a>			
<a href="#">remotegui.zip: remotegui.jar: debug.directive.js</a>			
<a href="#">remotegui.zip: remotegui.jar: dialogservice.service.js</a>			
<a href="#">remotegui.zip: remotegui.jar: directives.js</a>			
<a href="#">remotegui.zip: remotegui.jar: dropdown.directive.js</a>			

<a href="#">remotegui.zip: remotegui.jar: emojiModel.service.js</a>			
<a href="#">remotegui.zip: remotegui.jar: emojiselector.directive.js</a>			
<a href="#">remotegui.zip: remotegui.jar: env.js</a>			
<a href="#">remotegui.zip: remotegui.jar: errorservice.js</a>			
<a href="#">remotegui.zip: remotegui.jar: errorservice.service.js</a>			
<a href="#">remotegui.zip: remotegui.jar: eventemitter.js</a>			
<a href="#">remotegui.zip: remotegui.jar: filechooser.service.js</a>			
<a href="#">remotegui.zip: remotegui.jar: filechooserservice.js</a>			
<a href="#">remotegui.zip: remotegui.jar: fixNumber.directive.js</a>			
<a href="#">remotegui.zip: remotegui.jar: fixNumberValidator.directive.js</a>			
<a href="#">remotegui.zip: remotegui.jar: floatNumber.directive.js</a>			
<a href="#">remotegui.zip: remotegui.jar: floatNumberValidator.directive.js</a>			
<a href="#">remotegui.zip: remotegui.jar: globalactionservice.service.js</a>			
<a href="#">remotegui.zip: remotegui.jar: guid.js</a>			
<a href="#">remotegui.zip: remotegui.jar: hdField.directive.js</a>			
<a href="#">remotegui.zip: remotegui.jar: hdMandatory.directive.js</a>			
<a href="#">remotegui.zip: remotegui.jar: hdNeedchange.directive.js</a>			
<a href="#">remotegui.zip: remotegui.jar: hdValidate.directive.js</a>			
<a href="#">remotegui.zip: remotegui.jar: hdattachment.js</a>			
<a href="#">remotegui.zip: remotegui.jar: hdfileupload.js</a>			
<a href="#">remotegui.zip: remotegui.jar: helpservice.js</a>			
<a href="#">remotegui.zip: remotegui.jar: hsimp.min.js</a>			
<a href="#">remotegui.zip: remotegui.jar: hsimp.renderer.js</a>			
<a href="#">remotegui.zip: remotegui.jar: html5modeurls.js</a>			
<a href="#">remotegui.zip: remotegui.jar: htmleditor.directive.js</a>			
<a href="#">remotegui.zip: remotegui.jar: htmleditorFactory.service.js</a>			
<a href="#">remotegui.zip: remotegui.jar: htmleditorModel.service.js</a>			
<a href="#">remotegui.zip: remotegui.jar: icons.js</a>			
<a href="#">remotegui.zip: remotegui.jar: indexed-db.js</a>			
<a href="#">remotegui.zip: remotegui.jar: initUsernameField.directive.js</a>			
<a href="#">remotegui.zip: remotegui.jar: introduction.js</a>			
<a href="#">remotegui.zip: remotegui.jar: jquery.fileupload.js</a>			

<a href="#">remotegui.zip: remotegui.jar: keyservice.service.js</a>			
<a href="#">remotegui.zip: remotegui.jar: kytos-attribute.js</a>			
<a href="#">remotegui.zip: remotegui.jar: kytos-data.js</a>			
<a href="#">remotegui.zip: remotegui.jar: kytos-draggable-listitem.js</a>			
<a href="#">remotegui.zip: remotegui.jar: kytos-dropdown.js</a>			
<a href="#">remotegui.zip: remotegui.jar: kytos-element.js</a>			
<a href="#">remotegui.zip: remotegui.jar: kytos-i18n-placeholder.js</a>			
<a href="#">remotegui.zip: remotegui.jar: kytos-i18n-title.js</a>			
<a href="#">remotegui.zip: remotegui.jar: kytos-i18n.js</a>			
<a href="#">remotegui.zip: remotegui.jar: kytos-on.js</a>			
<a href="#">remotegui.zip: remotegui.jar: kytos-repeat.js</a>			
<a href="#">remotegui.zip: remotegui.jar: kytos-src.js</a>			
<a href="#">remotegui.zip: remotegui.jar: kytos.js</a>			
<a href="#">remotegui.zip: remotegui.jar: localfilesystem.service.js</a>			
<a href="#">remotegui.zip: remotegui.jar: locationservice.service.js</a>			
<a href="#">remotegui.zip: remotegui.jar: modal.directive.js</a>			
<a href="#">remotegui.zip: remotegui.jar: modalservice.js</a>			
<a href="#">remotegui.zip: remotegui.jar: modalservice.service.js</a>			
<a href="#">remotegui.zip: remotegui.jar: moduledragdrop.js</a>			
<a href="#">remotegui.zip: remotegui.jar: navtaboverflow.directive.js</a>			
<a href="#">remotegui.zip: remotegui.jar: ng-hugerte.js</a>			
<a href="#">remotegui.zip: remotegui.jar: ng-i18n.js</a>			
<a href="#">remotegui.zip: remotegui.jar: number-util.js</a>			
<a href="#">remotegui.zip: remotegui.jar: numberUtil.js</a>			
<a href="#">remotegui.zip: remotegui.jar: numberValidatorUtil.factory.js</a>			
<a href="#">remotegui.zip: remotegui.jar: ocLazyLoad.jsloader.js</a>			
<a href="#">remotegui.zip: remotegui.jar: ocLazyLoad.min.js</a>			
<a href="#">remotegui.zip: remotegui.jar: pageablenavbaractiondropdown.directive.js</a>			
<a href="#">remotegui.zip: remotegui.jar: paged.filter.js</a>			
<a href="#">remotegui.zip: remotegui.jar: pagination.directive.js</a>			
<a href="#">remotegui.zip: remotegui.jar: piechart.directive.js</a>			
<a href="#">remotegui.zip: remotegui.jar: popover.js</a>			
<a href="#">remotegui.zip: remotegui.jar: pwa-service-worker.js</a>			
<a href="#">remotegui.zip: remotegui.jar: pwa.js</a>			

<a href="#">remotegui.zip: remotegui.jar: qrcode.min.js</a>			
<a href="#">remotegui.zip: remotegui.jar: rangeSlider.directive.js</a>			
<a href="#">remotegui.zip: remotegui.jar: resizableDivider.js</a>			
<a href="#">remotegui.zip: remotegui.jar: scrollabledropdownmenu.directive.js</a>			
<a href="#">remotegui.zip: remotegui.jar: search-input.js</a>			
<a href="#">remotegui.zip: remotegui.jar: search-panel.js</a>			
<a href="#">remotegui.zip: remotegui.jar: selectInput.directive.js</a>			
<a href="#">remotegui.zip: remotegui.jar: settings-ui.js</a>			
<a href="#">remotegui.zip: remotegui.jar: shadowLogger.factory.js</a>			
<a href="#">remotegui.zip: remotegui.jar: sidenavigation.js</a>			
<a href="#">remotegui.zip: remotegui.jar: takeoutDataController.controller.js</a>			
<a href="#">remotegui.zip: remotegui.jar: takeoutDataFactory.factory.js</a>			
<a href="#">remotegui.zip: remotegui.jar: takeoutDataModel.service.js</a>			
<a href="#">remotegui.zip: remotegui.jar: timeInput.directive.js</a>			
<a href="#">remotegui.zip: remotegui.jar: timeInputContainer.directive.js</a>			
<a href="#">remotegui.zip: remotegui.jar: timeMeridiemContainer.directive.js</a>			
<a href="#">remotegui.zip: remotegui.jar: toastservice.js</a>			
<a href="#">remotegui.zip: remotegui.jar: translate.js</a>			
<a href="#">remotegui.zip: remotegui.jar: ui-checkbox.js</a>			
<a href="#">remotegui.zip: remotegui.jar: ui-chooser-color.js</a>			
<a href="#">remotegui.zip: remotegui.jar: ui-chooser-file.js</a>			
<a href="#">remotegui.zip: remotegui.jar: ui-group.js</a>			
<a href="#">remotegui.zip: remotegui.jar: ui-input-multiline.js</a>			
<a href="#">remotegui.zip: remotegui.jar: ui-input-number-fixed.js</a>			
<a href="#">remotegui.zip: remotegui.jar: ui-input-number-float.js</a>			
<a href="#">remotegui.zip: remotegui.jar: ui-input-password.js</a>			
<a href="#">remotegui.zip: remotegui.jar: ui-input-search.js</a>			
<a href="#">remotegui.zip: remotegui.jar: ui-input-text.js</a>			
<a href="#">remotegui.zip: remotegui.jar: ui-input-unit.js</a>			
<a href="#">remotegui.zip: remotegui.jar: ui-label.js</a>			
<a href="#">remotegui.zip: remotegui.jar: ui-link.js</a>			
<a href="#">remotegui.zip: remotegui.jar: ui-radio-button.js</a>			

<a href="#">remotegui.zip: remotegui.jar: ui-select-edit.js</a>			
<a href="#">remotegui.zip: remotegui.jar: ui-select-filtered.js</a>			
<a href="#">remotegui.zip: remotegui.jar: ui-select-options.js</a>			
<a href="#">remotegui.zip: remotegui.jar: unitFixNumber.directive.js</a>			
<a href="#">remotegui.zip: remotegui.jar: unitFloatNumber.directive.js</a>			
<a href="#">remotegui.zip: remotegui.jar: userservice.js</a>			
<a href="#">remotegui.zip: remotegui.jar: usersorgroupsselection.js</a>			
<a href="#">remotegui.zip: remotegui.jar: usestrict.js</a>			
<a href="#">remotegui.zip: remotegui.jar: websitedownload.renderer.js</a>			
<a href="#">remotegui.zip: remotegui.jar: websocketdataservice.js</a>			
<a href="#">remotegui.zip: remotegui.jar: websocketkeepaliveworker.js</a>			
<a href="#">remotegui.zip: remotegui.jar: windowdatastore.js</a>			
<a href="#">remotegui.zip: twemoji.jar</a>		pkg:maven/lib/twemoji-null@1.0	
<a href="#">security.zip: security.jar</a>			
<a href="#">setuplauncher.jar</a>			
<a href="#">slf4j-api-2.0.17.jar</a>		pkg:maven/org.slf4j/slf4j-api@2.0.17	
<a href="#">taskplanner.coworkmessage.zip: taskplanner.coworkmessage.jar</a>			
<a href="#">taskplanner.zip: commons-cli.jar</a>		pkg:maven/commons-cli/commons-cli@1.11.0	
<a href="#">taskplanner.zip: cron-utils.jar</a>	<a href="#">cpe:2.3:a:cron-utils_project:cron-utils:9.2.1:*****:*</a> <a href="#">cpe:2.3:a:utils_project:utils:9.2.1:*****:*</a>	pkg:maven/com.cronutils/cron-utils@9.2.1	
<a href="#">taskplanner.zip: guava.jar</a>	<a href="#">cpe:2.3:a:google:guava:33.5.0:*****:*</a>	pkg:maven/com.google.guava/guava@33.5.0-jre	
<a href="#">taskplanner.zip: taskplanner-javadoc.jar</a>			
<a href="#">taskplanner.zip: taskplanner-javadoc.jar: member-search-index.js</a>			
<a href="#">taskplanner.zip: taskplanner-javadoc.jar: package-search-index.js</a>			
<a href="#">taskplanner.zip: taskplanner-javadoc.jar: tag-search-index.js</a>			

[taskplanner.zip: taskplanner-javadoc.jar: type-search-index.js](#)

[taskplanner.zip: taskplanner.jar](#)

[taskplanner.zip: taskplanner.jar: app.js](#)

[taskplanner.zip: taskplanner.jar: boolean.directive.js](#)

[taskplanner.zip: taskplanner.jar: colorField.directive.js](#)

[taskplanner.zip: taskplanner.jar: controller.js](#)

[taskplanner.zip: taskplanner.jar: factory.js](#)

[taskplanner.zip: taskplanner.jar: filechooserAddonButton.directive.js](#)

[taskplanner.zip: taskplanner.jar: model.js](#)

[taskplanner.zip: taskplanner.jar: numberRange.directive.js](#)

[taskplanner.zip: taskplanner.jar: numberWrapper.directive.js](#)

[taskplanner.zip: taskplanner.jar: passwordTextField.directive.js](#)

[taskplanner.zip: taskplanner.jar: renderer.directive.js](#)

[taskplanner.zip: taskplanner.jar: simpleCurrencyField.directive.js](#)

[taskplanner.zip: taskplanner.jar: simpleDateTimeField.directive.js](#)

[taskplanner.zip: taskplanner.jar: simpleFileFolderField.directive.js](#)

[taskplanner.zip: taskplanner.jar: simpleGroup.directive.js](#)

[taskplanner.zip: taskplanner.jar: simpleLabel.directive.js](#)

[taskplanner.zip: taskplanner.jar: simpleLink.directive.js](#)

[taskplanner.zip: taskplanner.jar: simpleSelect.directive.js](#)

[taskplanner.zip: taskplanner.jar: simpleTextField.directive.js](#)

[taskplanner.zip: taskplanner.jar: stringTable.directive.js](#)

[taskplanner.zip: taskplanner.jar: taskplanner\\_maintenance.js](#)

[taskplanner.zip: taskplanner.jar: textAreaField.directive.js](#)

[theme.zip: theme.jar](#)

[usersandgroupsmanager.zip: usersandgroupsmanager.jar](#)

[usersandgroupsmanager.zip: usersandgroupsmanager.jar:](#)



<a href="#">fieldtypeAccountSettingsRenderer.directive.js</a>			
<a href="#">usersandgroupsmanager.zip:</a> <a href="#">usersandgroupsmanager.jar:</a> <a href="#">fieldtypeBooleanRenderer.directive.js</a>			
<a href="#">usersandgroupsmanager.zip:</a> <a href="#">usersandgroupsmanager.jar:</a> <a href="#">fieldtypeCommaSeparatedRenderer.directive.js</a>			
<a href="#">usersandgroupsmanager.zip:</a> <a href="#">usersandgroupsmanager.jar:</a> <a href="#">fieldtypeCurrencyRenderer.directive.js</a>			
<a href="#">usersandgroupsmanager.zip:</a> <a href="#">usersandgroupsmanager.jar:</a> <a href="#">fieldtypeDateRenderer.directive.js</a>			
<a href="#">usersandgroupsmanager.zip:</a> <a href="#">usersandgroupsmanager.jar:</a> <a href="#">fieldtypeDoubleRenderer.directive.js</a>			
<a href="#">usersandgroupsmanager.zip:</a> <a href="#">usersandgroupsmanager.jar:</a> <a href="#">fieldtypeHintRenderer.directive.js</a>			
<a href="#">usersandgroupsmanager.zip:</a> <a href="#">usersandgroupsmanager.jar:</a> <a href="#">fieldtypeIntegerRenderer.directive.js</a>			
<a href="#">usersandgroupsmanager.zip:</a> <a href="#">usersandgroupsmanager.jar:</a> <a href="#">fieldtypeLinkRenderer.directive.js</a>			
<a href="#">usersandgroupsmanager.zip:</a> <a href="#">usersandgroupsmanager.jar:</a> <a href="#">fieldtypeLoginsRenderer.directive.js</a>			
<a href="#">usersandgroupsmanager.zip:</a> <a href="#">usersandgroupsmanager.jar:</a> <a href="#">fieldtypeMembersRenderer.directive.js</a>			
<a href="#">usersandgroupsmanager.zip:</a> <a href="#">usersandgroupsmanager.jar:</a> <a href="#">fieldtypeMultilineRenderer.directive.js</a>			
<a href="#">usersandgroupsmanager.zip:</a> <a href="#">usersandgroupsmanager.jar:</a> <a href="#">fieldtypePermissionRenderer.directive.js</a>			
<a href="#">usersandgroupsmanager.zip:</a> <a href="#">usersandgroupsmanager.jar:</a> <a href="#">fieldtypeSelectRenderer.directive.js</a>			
<a href="#">usersandgroupsmanager.zip:</a> <a href="#">usersandgroupsmanager.jar:</a> <a href="#">fieldtypeStayLoggedInSessionsRenderer.directive.js</a>			
<a href="#">usersandgroupsmanager.zip:</a> <a href="#">usersandgroupsmanager.jar:</a> <a href="#">fieldtypeStringListRenderer.directive.js</a>			
<a href="#">usersandgroupsmanager.zip:</a> <a href="#">usersandgroupsmanager.jar:</a> <a href="#">fieldtypeStringRenderer.directive.js</a>			
<a href="#">usersandgroupsmanager.zip:</a> <a href="#">usersandgroupsmanager.jar:</a> <a href="#">fieldtypeTimeRenderer.directive.js</a>			

[usersandgroupsmanager.zip:](#)  
[usersandgroupsmanager.jar:](#)  
[fieldtypeTimerangeRenderer.directive.js](#)

[usersandgroupsmanager.zip:](#)  
[usersandgroupsmanager.jar: membershipentry.directive.js](#)

[usersandgroupsmanager.zip:](#)  
[usersandgroupsmanager.jar: membershiplist.directive.js](#)

[usersandgroupsmanager.zip:](#)  
[usersandgroupsmanager.jar: nonmembershiplist.directive.js](#)

[usersandgroupsmanager.zip:](#)  
[usersandgroupsmanager.jar:](#)  
[permissionCheckboxRenderer.directive.js](#)

[usersandgroupsmanager.zip:](#)  
[usersandgroupsmanager.jar:](#)  
[permissionRadiobuttonRenderer.directive.js](#)

[usersandgroupsmanager.zip:](#)  
[usersandgroupsmanager.jar:](#)  
[usersandgroupsmanagercontroller.js](#)

[usersandgroupsmanager.zip:](#)  
[usersandgroupsmanager.jar:](#)  
[usersandgroupsmanagerdetailscontroller.js](#)

[usersandgroupsmanager.zip:](#)  
[usersandgroupsmanager.jar:](#)  
[usersandgroupsmanagerdialogcontroller.js](#)

[usersandgroupsmanager.zip:](#)  
[usersandgroupsmanager.jar:](#)  
[usersandgroupsmanagerdirectives.js](#)

[usersandgroupsmanager.zip:](#)  
[usersandgroupsmanager.jar:](#)  
[usersandgroupsmanagereffectivepermissionscontroller.js](#)

[usersandgroupsmanager.zip:](#)  
[usersandgroupsmanager.jar:](#)  
[usersandgroupsmanagerfactory.js](#)

[usersandgroupsmanager.zip:](#)  
[usersandgroupsmanager.jar:](#)  
[usersandgroupsmanagermodel.js](#)

[usersandgroupsmanager.zip:](#)  
[usersandgroupsmanager.jar:](#)  
[usersandgroupsmanagerpredeletionwarning.js](#)

[usersandgroupsmanager.zip:](#)  
[usersandgroupsmanager.jar:](#)  
[usersandgroupsmanagerrenderer.js](#)

[usersandgroupsmanager.zip:](#)  
[usersandgroupsmanager.jar:](#)  
[usersandgroupsmanagerstatisticscontroller.js](#)

[usersandgroupsmanager.zip:](#)  
[usersandgroupsmanager.jar:](#)  
[usersandgroupsmanagertakeoutcontroller.js](#)

[webserver.defender.zip: webserver.defender.jar](#)

[webserver.zip: acme4j-client.jar](#)

pkg:maven/org.shredzone.acme4j/acme4j-client@3.5.1

[webserver.zip: jetty-websocket-core-client.jar](#)

[cpe:2.3:a:eclipse:jetty:12.1.9:\\*\\*\\*\\*\\*](#)  
[cpe:2.3:a:jetty:jetty:12.1.9:\\*\\*\\*\\*\\*](#)  
[cpe:2.3:a:mortbay\\_jetty:jetty:12.1.9:\\*\\*\\*\\*\\*](#)

pkg:maven/org.eclipse.jetty.websocket/jetty-websocket-core-client@12.1.9

[webserver.zip: jetty-websocket-core-server.jar](#)

[cpe:2.3:a:eclipse:jetty:12.1.9:\\*\\*\\*\\*\\*](#)  
[cpe:2.3:a:jetty:jetty:12.1.9:\\*\\*\\*\\*\\*](#)  
cpe:2.3:a:jetty:jetty\_http\_server:12.1.9:\*\*\*\*\*  
[cpe:2.3:a:mortbay\\_jetty:jetty:12.1.9:\\*\\*\\*\\*\\*](#)

pkg:maven/org.eclipse.jetty.websocket/jetty-websocket-core-server@12.1.9

[webserver.zip: jose4j.jar](#)

[cpe:2.3:a:jose4j\\_project:jose4j:0.9.6:\\*\\*\\*\\*\\*](#)

pkg:maven/org.bitbucket.b\_c/jose4j@0.9.6

[webserver.zip: webserver.jar](#)

## Dependencies (vulnerable)

### Merlia-0.jar

**File Path:** /home/jenkins/.gradle/caches/modules-2/files-2.1/lib/Merlia/0

/ec818ab987afcd2d905984971f76a053ca107217/Merlia-0.jar

**MD5:** b151d3363029f809f49618ce97b8fc11

**SHA1:** ec818ab987afcd2d905984971f76a053ca107217

**SHA256:** cfe766dc3f0467f181c389a0a21323a408a674a54360fc6e3d46fdbb542ca453

**Referenced In Project/Scope:** CoWorkInstaller:inetPlugin

**Included by:** pkg:maven/cowork/CoWorkInstaller@26.4

#### Evidence

Type	Source	Name	Value	Confidence
Vendor	file	name	Merlia-0	High
Vendor	gradle	artifactid	Merlia	Highest
Vendor	gradle	groupid	lib	Highest
Vendor	jar	package name	inet	Low
Vendor	jar	package name	tds	Low
Product	file	name	Merlia-0	High
Product	gradle	artifactid	Merlia	Highest
Product	jar	package name	tds	Low
Version	file	name	Merlia-0	Medium

Version	file	version	0	Medium
Version	gradle	version	0	Highest
Version	Manifest	driver-version	8.14	Medium

#### Identifiers

- pkg:maven/lib/Merlia@0 (Confidence: Highest)

### ai.zip: ai.jar

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/ai.zip/ai.jar

**MD5:** 250f5b07f2e9b7c28738af72bbcdca6bc

**SHA1:** d8cb7ddb46dd6f27668712bb662fcea45442bb6

**SHA256:** dea9b9dcdb472a042be4da4916268296e99df80570b2614ddb04c994673a6906

**Referenced In Project/Scope:** CoWorkInstaller

#### Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	ai	High
Vendor	jar	package name	ai	Low
Vendor	jar	package name	inet	Low
Vendor	jar	package name	plugin	Low
Vendor	Manifest	built-date	2026-06-16 16:42	Low
Vendor	Manifest	implementation-group	shared	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	ai	High
Product	jar	package name	ai	Highest
Product	jar	package name	ai	Low
Product	jar	package name	plugin	Low
Product	Manifest	built-date	2026-06-16 16:42	Low

Product	Manifest	implementation-group	shared	Low
Product	Manifest	Implementation-Title	ai	High
Product	Manifest	specification-title	ai	Medium
Version	Manifest	Implementation-Version	26.4.269	High

#### Identifiers

- None

### ai.zip: ai.jar: aiprovider\_config.js

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/ai.zip/ai.jar/com/inet/plugin/ai/structure/js/aiprovider\_config.js  
**MD5:** df918069a587bc74502c9fd267e1e309  
**SHA1:** 66c05387e8725ac3eb08fb1b74a30c43ef85d5c1  
**SHA256:** 7e896f0bf9e3db8487dd1a426a86f7b12030ed127b14da0b93a56ea6e0ed6b98  
**Referenced In Project/Scope:** CoWorkInstaller

#### Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### ai.zip: ai.jar: aiworkingpanel.js

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/ai.zip/ai.jar/com/inet/plugin/ai/client/aiworkingpanel.js  
**MD5:** 8b53a02567f9600fbdd8a3b9964434d7  
**SHA1:** ba228e15518daba68bba59bd7e65e8a7bb2dcaef  
**SHA256:** f9b3f83f731a8117347d5833c589a5b3e2037c01a60e8b403dc074726bb7b26d  
**Referenced In Project/Scope:** CoWorkInstaller

#### Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

## Identifiers

- None

## annotations-3.0.1.jar (shaded: com.google.code.findbugs:jsr305:3.0.1)

### Description:

JSR305 Annotations for Findbugs

### License:

The Apache Software License, Version 2.0: <http://www.apache.org/licenses/LICENSE-2.0.txt>

**File Path:** /home/jenkins/.gradle/caches/modules-2/files-2.1/com.google.code.findbugs/annotations/3.0.1/fc019a2216218990d64dfe756e7aa20f0069dea2/annotations-3.0.1.jar/META-INF/maven/com.google.code.findbugs/jsr305/pom.xml

**MD5:** d08567d16867a0b79bc8149683918452

**SHA1:** d04690f71f3393e23f30998d9534365274fa5f9f

**SHA256:** 4170a761dc5bfd3981a8e6f7aab9e2acdce82d34fd5aa9bb11e3c090d25314ce

**Referenced In Project/Scope:** CoWorkInstaller:inetPlugin

## Evidence



Type	Source	Name	Value	Confidence
Vendor	pom	artifactid	jsr305	Low
Vendor	pom	groupid	com.google.code.findbugs	Highest
Vendor	pom	name	FindBugs-jsr305	High
Vendor	pom	url	<a href="http://findbugs.sourceforge.net/">http://findbugs.sourceforge.net/</a>	Highest
Product	pom	artifactid	jsr305	Highest
Product	pom	groupid	com.google.code.findbugs	Highest
Product	pom	name	FindBugs-jsr305	High
Product	pom	url	<a href="http://findbugs.sourceforge.net/">http://findbugs.sourceforge.net/</a>	Medium
Version	pom	version	3.0.1	Highest

## Identifiers

- pkg:maven/com.google.code.findbugs/jsr305@3.0.1 (Confidence:High)

## annotations-3.0.1.jar

### Description:

Annotation the FindBugs tool supports

### License:

GNU Lesser Public License: <http://www.gnu.org/licenses/lgpl.html>

**File Path:** /home/jenkins/.gradle/caches/modules-2/files-2.1/com.google.code.findbugs/annotations/3.0.1/fc019a2216218990d64dfe756e7aa20f0069dea2/annotations-3.0.1.jar

**MD5:** fc4f102f22ba4f1df3f1d7cc6b202152

**SHA1:** fc019a2216218990d64dfe756e7aa20f0069dea2

**SHA256:** 6b47ff0a6de0ce17cbcdc3abb0828ca5bce3009d53ea47b3723ff023c4742f79

**Referenced In Project/Scope:** CoWorkInstaller:inetPlugin

**Included by:** pkg:maven/de.inetsoftware/jlessc@1.15

### Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	annotations	High
Vendor	gradle	artifactid	annotations	Highest
Vendor	gradle	groupid	com.google.code.findbugs	Highest
Vendor	jar	package name	annotation	Highest
Vendor	jar	package name	annotations	Highest
Vendor	jar	package name	findbugs	Highest
Vendor	Manifest	bundle-requiredexecution	J2SE-1.5	Low
Vendor	Manifest	bundle-symbolicname	findbugsAnnotations	Medium
Vendor	pom	artifactid	annotations	Low
Vendor	pom	developer email	Loskutov@gmx.de	Low
Vendor	pom	developer email	pugh at cs.umd.edu	Low
Vendor	pom	developer id	al	Medium
Vendor	pom	developer id	bp	Medium
Vendor	pom	developer name	Andrey Loskutov	Medium
Vendor	pom	developer name	Bill Pugh	Medium
Vendor	pom	developer name	Keith Lea	Medium
Vendor	pom	groupid	com.google.code.findbugs	Highest
Vendor	pom	name	FindBugs-Annotations	High
Vendor	pom	url	<a href="http://findbugs.sourceforge.net/">http://findbugs.sourceforge.net/</a>	Highest
Product	file	name	annotations	High
Product	gradle	artifactid	annotations	Highest

Product	jar	package name	annotation	Highest
Product	jar	package name	annotations	Highest
Product	jar	package name	findbugs	Highest
Product	Manifest	Bundle-Name	FindBugs-Annotations	Medium
Product	Manifest	bundle-requiredexecution	J2SE-1.5	Low
Product	Manifest	bundle-symbolicname	findbugsAnnotations	Medium
Product	pom	artifactid	annotations	Highest
Product	pom	developer email	Loskutov@gmx.de	Low
Product	pom	developer email	pugh at cs.umd.edu	Low
Product	pom	developer id	al	Low
Product	pom	developer id	bp	Low
Product	pom	developer name	Andrey Loskutov	Low
Product	pom	developer name	Bill Pugh	Low
Product	pom	developer name	Keith Lea	Low
Product	pom	groupid	com.google.code.findbugs	Highest
Product	pom	name	FindBugs-Annotations	High
Product	pom	url	http://findbugs.sourceforge.net/	Medium
Version	file	version	3.0.1	High
Version	gradle	version	3.0.1	Highest
Version	Manifest	Bundle-Version	3.0.1	High
Version	pom	version	3.0.1	Highest

#### Identifiers

- pkg:maven/com.google.code.findbugs/annotations@3.0.1 (*Confidence:High*)

### authentication.pam.zip: authentication.pam.jar

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/authentication.pam.zip/authentication.pam.jar

**MD5:** d74ba711945adc565d3201739efe5f16

**SHA1:** 4ad08edd767803f489eb89c545b3ea261357f8e4

**SHA256:** 9444a6ba563a1b2ec8e23c0934e29f33b556672da84b8c85adbfe222e149ef39

**Referenced In Project/Scope:** CoWorkInstaller

#### Evidence





Type	Source	Name	Value	Confidence
Vendor	file	name	authentication.pam	High
Vendor	jar	package name	authentication	Low
Vendor	jar	package name	inet	Low
Vendor	jar	package name	pam	Low
Vendor	Manifest	built-date	2026-06-16 16:37	Low
Vendor	Manifest	implementation-group	shared	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	authentication.pam	High
Product	jar	package name	authentication	Highest
Product	jar	package name	authentication	Low
Product	jar	package name	libpam	Low
Product	jar	package name	pam	Highest
Product	jar	package name	pam	Low
Product	Manifest	built-date	2026-06-16 16:37	Low
Product	Manifest	implementation-group	shared	Low
Product	Manifest	Implementation-Title	authentication.pam	High
Product	Manifest	specification-title	authentication.pam	Medium
Version	Manifest	Implementation-Version	26.4.269	High

#### Identifiers

- None

**authentication.pam.zip: jna.jar**

**Description:**

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/authentication.pam.zip/jna.jar

**MD5:** 97fcb12698f8c1e4eed897e5c490e098

**SHA1:** 50c5b36af5dfd16cab07a1616046a50ec52d1e32

**SHA256:** 9e5cdb5ff4ad07bf116cb2b37b2b84987041d79a8991766a08b79b085c6bb6c2

**Referenced In Project/Scope:** CoWorkInstaller

## Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	jna	High
Vendor	jar	package name	jna	Highest
Vendor	jar	package name	jna	Low
Vendor	jar	package name	sun	Highest
Vendor	jar	package name	sun	Low
Vendor	jar (hint)	package name	oracle	Highest
Vendor	jar (hint)	package name	oracle	Low
Vendor	Manifest	automatic-module-name	com.sun.jna	Medium
Vendor	Manifest	bundle-activationpolicy	lazy	Low
Vendor	Manifest	bundle-category	jni	Low
Vendor	Manifest	bundle-nativecode	com/sun/jna/win32-x86/jnidispach.dll; processor=x86;osname=win32, com/sun/jna/win32-x86-64/jnidispach.dll; processor=x86-64;osname=win32, com/sun/jna/win32-aarch64/jnidispach.dll; processor=aarch64; osname=win32, com/sun/jna/win32-x86/jnidispach.dll; processor=x86;osname=win, com/sun/jna/win32-x86-64/jnidispach.dll; processor=x86-64;osname=win, com/sun/jna/win32-aarch64/jnidispach.dll; processor=aarch64;osname=win, com/sun/jna/w32ce-arm/jnidispach.dll; processor=arm;osname=wince, com/sun/jna/sunos-x86/libjnidispach.so; processor=x86; osname=sunos, com/sun/jna/sunos-x86-64/libjnidispach.so; processor=x86-64; osname=sunos, com/sun/jna/sunos-sparc/libjnidispach.so; processor=sparc; osname=sunos, com/sun/jna/sunos-sparcv9/libjnidispach.so; processor=sparcv9; osname=sunos, com/sun/jna/aix-ppc/libjnidispach.a; processor=ppc; osname=aix, com/sun/jna/aix-ppc64/libjnidispach.a; processor=ppc64; osname=aix, com/sun/jna/linux-ppc/libjnidispach.so; processor=ppc; osname=linux, com/sun/jna/linux-ppc64/libjnidispach.so; processor=ppc64; osname=linux, com/sun/jna/linux-ppc64le	Low

			/libjnidispatch.so; processor=ppc64le; osname=linux, com/sun/jna/linux-x86 /libjnidispatch.so; processor=x86; osname=linux, com/sun/jna/linux-x86-64 /libjnidispatch.so; processor=x86-64; osname=linux, com/sun/jna/linux-arm /libjnidispatch.so; processor=arm; osname=linux, com/sun/jna/linux-arm /libjnidispatch.so; processor=arm_le; osname=linux, com/sun/jna/linux-armel /libjnidispatch.so; processor=armel; osname=linux, com/sun/jna/linux-aarch64 /libjnidispatch.so; processor=aarch64; osname=linux, com/sun/jna/linux-ia64 /libjnidispatch.so; processor=ia64; osname=linux, com/sun/jna/linux-sparcv9 /libjnidispatch.so; processor=sparcv9; osname=linux, com/sun/jna/linux-mips64el /libjnidispatch.so; processor=mips64el; osname=linux, com/sun/jna/linux-s390x /libjnidispatch.so; processor=S390x; osname=linux, com/sun/jna/linux- loongarch64/libjnidispatch.so; processor=loongarch64;osname=linux, com /sun/jna/linux-riscv64/libjnidispatch.so; processor=riscv64;osname=linux, com/sun /jna/dragonflybsd-x86-64/libjnidispatch.so; processor=x86-64;osname=dragonflybsd, com/sun/jna/freebsd-x86/libjnidispatch.so; processor=x86;osname=freebsd, com/sun /jna/freebsd-x86-64/libjnidispatch.so; processor=x86-64;osname=freebsd, com /sun/jna/freebsd-aarch64/libjnidispatch.so; processor=aarch64;osname=freebsd, com /sun/jna/freebsd-ppc64le/libjnidispatch.so; processor=ppc64le;osname=freebsd, com /sun/jna/freebsd-ppc64/libjnidispatch.so; processor=ppc64;osname=freebsd, com/sun /jna/openbsd-x86/libjnidispatch.so; processor=x86;osname=openbsd, com/sun /jna/openbsd-x86-64/libjnidispatch.so; processor=x86-64;osname=openbsd, com /sun/jna/darwin-ppc/libjnidispatch.jnilib; osname=macosx;processor=ppc, com/sun /jna/darwin-ppc64/libjnidispatch.jnilib; osname=macosx;processor=ppc64, com/sun /jna/darwin-x86/libjnidispatch.jnilib; osname=macosx;processor=x86, com/sun /jna/darwin-x86-64/libjnidispatch.jnilib; osname=macosx;processor=x86-64, com /sun/jna/darwin-aarch64/libjnidispatch.jnilib; osname=macosx;processor=aarch64	
Vendor	Manifest	bundle- requiredexecution	JavaSE-1.6	Low
Vendor	Manifest	bundle- symbolicname	com.sun.jna	Medium
Vendor	Manifest	Implementation- Vendor	JNA Development Team	High
Vendor	Manifest	specification- vendor	JNA Development Team	Low
Product	file	name	jna	High
Product	jar	package name	jna	Highest

Product	jar	package name	jna	Low
Product	jar	package name	library	Highest
Product	jar	package name	native	Highest
Product	jar	package name	sun	Highest
Product	jar	package name	win32	Highest
Product	Manifest	automatic-module-name	com.sun.jna	Medium
Product	Manifest	bundle-activationpolicy	lazy	Low
Product	Manifest	bundle-category	jni	Low
Product	Manifest	Bundle-Name	jna	Medium
Product	Manifest	bundle-nativecode	com/sun/jna/win32-x86/jnidispach.dll; processor=x86;osname=win32, com/sun/jna/win32-x86-64/jnidispach.dll; processor=x86-64;osname=win32, com/sun/jna/win32-aarch64/jnidispach.dll; processor=aarch64; osname=win32, com/sun/jna/win32-x86/jnidispach.dll; processor=x86;osname=win, com/sun/jna/win32-x86-64/jnidispach.dll; processor=x86-64;osname=win, com/sun/jna/win32-aarch64/jnidispach.dll; processor=aarch64;osname=win, com/sun/jna/w32ce-arm/jnidispach.dll; processor=arm;osname=wince, com/sun/jna/sunos-x86/libjniidispach.so; processor=x86; osname=sunos, com/sun/jna/sunos-x86-64/libjniidispach.so; processor=x86-64; osname=sunos, com/sun/jna/sunos-sparc/libjniidispach.so; processor=sparc; osname=sunos, com/sun/jna/sunos-sparcv9/libjniidispach.so; processor=sparcv9; osname=sunos, com/sun/jna/aix-ppc/libjniidispach.a; processor=ppc; osname=aix, com/sun/jna/aix-ppc64/libjniidispach.a; processor=ppc64; osname=aix, com/sun/jna/linux-ppc/libjniidispach.so; processor=ppc; osname=linux, com/sun/jna/linux-ppc64/libjniidispach.so; processor=ppc64; osname=linux, com/sun/jna/linux-ppc64le/libjniidispach.so; processor=ppc64le; osname=linux, com/sun/jna/linux-x86/libjniidispach.so; processor=x86; osname=linux, com/sun/jna/linux-x86-64/libjniidispach.so; processor=x86-64; osname=linux, com/sun/jna/linux-arm/libjniidispach.so; processor=arm; osname=linux, com/sun/jna/linux-arm/libjniidispach.so; processor=arm_le; osname=linux, com/sun/jna/linux-armel/libjniidispach.so; processor=armel; osname=linux, com/sun/jna/linux-aarch64/libjniidispach.so; processor=aarch64; osname=linux, com/sun/jna/linux-ia64/libjniidispach.so; processor=ia64; osname=linux, com/sun/jna/linux-sparcv9/libjniidispach.so; processor=sparcv9; osname=linux, com/sun/jna/linux-mips64el/libjniidispach.so; processor=mips64el;	Low

			osname=linux, com/sun/jna/linux-s390x/libjnidispatch.so; processor=S390x; osname=linux, com/sun/jna/linux-loongarch64/libjnidispatch.so; processor=loongarch64; osname=linux, com/sun/jna/linux-riscv64/libjnidispatch.so; processor=riscv64; osname=linux, com/sun/jna/dragonflybsd-x86-64/libjnidispatch.so; processor=x86-64; osname=dragonflybsd, com/sun/jna/freebsd-x86/libjnidispatch.so; processor=x86; osname=freebsd, com/sun/jna/freebsd-x86-64/libjnidispatch.so; processor=x86-64; osname=freebsd, com/sun/jna/freebsd-aarch64/libjnidispatch.so; processor=aarch64; osname=freebsd, com/sun/jna/freebsd-ppc64le/libjnidispatch.so; processor=ppc64le; osname=freebsd, com/sun/jna/freebsd-ppc64/libjnidispatch.so; processor=ppc64; osname=freebsd, com/sun/jna/openbsd-x86/libjnidispatch.so; processor=x86; osname=openbsd, com/sun/jna/openbsd-x86-64/libjnidispatch.so; processor=x86-64; osname=openbsd, com/sun/jna/darwin-ppc/libjnidispatch.jnilib; osname=macosx; processor=ppc, com/sun/jna/darwin-ppc64/libjnidispatch.jnilib; osname=macosx; processor=ppc64, com/sun/jna/darwin-x86/libjnidispatch.jnilib; osname=macosx; processor=x86, com/sun/jna/darwin-x86-64/libjnidispatch.jnilib; osname=macosx; processor=x86-64, com/sun/jna/darwin-aarch64/libjnidispatch.jnilib; osname=macosx; processor=aarch64	
--	--	--	--	--

Product	Manifest	bundle-requiredexecution	JavaSE-1.6	Low
Product	Manifest	bundle-symbolicname	com.sun.jna	Medium
Product	Manifest	Implementation-Title	com.sun.jna	High
Product	Manifest	specification-title	Java Native Access (JNA)	Medium
Version	jar	package name	jna	Highest
Version	jar	package name	sun	Highest
Version	jar	package name	win32	Highest
Version	Manifest	Bundle-Version	5.18.1	High
Version	Manifest	Implementation-Version	5.18.1 (b0)	High

## Related Dependencies



- authentication.windows.zip: jna.jar
  - File Path: /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/authentication.windows.zip/jna.jar
  - MD5: 97fcb12698f8c1e4eed897e5c490e098
  - SHA1: 50c5b36af5dfd16cab07a1616046a50ec52d1e32
  - SHA256: 9e5cdb5ff4ad07bf116cb2b37b2b84987041d79a8991766a08b79b085c6bb6c2

- cowork.calls.zip: jna.jar
  - File Path: /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/cowork.calls.zip/jna.jar
  - MD5: 97fcb12698f8c1e4eed897e5c490e098
  - SHA1: 50c5b36af5dfd16cab07a1616046a50ec52d1e32
  - SHA256: 9e5cdb5ff4ad07bf116cb2b37b2b84987041d79a8991766a08b79b085c6bb6c2

### Identifiers

- cpe:2.3:a:oracle:java\_se:5.18.1:\*:\*:\*:\*:\* ( *Confidence:Low* ) 

suppress

## authentication.pam.zip: jna.jar: jnidispatch.dll

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/authentication.pam.zip/jna.jar/com/sun/jna/win32-aarch64/jnidispatch.dll

**MD5:** 302945a811fd8e21bcdd5226c73b6f74

**SHA1:** 6b05e299ff2b3eb3b7b7aeac44263f715693607c

**SHA256:**b8f98be314234cf12b5b46c29652f70c0f6abb93ae19b63d3fe2692062aa699d

**Referenced In Project/Scope:** CoWorkInstaller

### Evidence

Type	Source	Name	Value	Confidence
Vendor	file	name	jnidispatch	High
Product	file	name	jnidispatch	High

### Related Dependencies

- authentication.windows.zip: jna.jar: jnidispatch.dll
  - File Path: /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/authentication.windows.zip/jna.jar/com/sun/jna/win32-aarch64/jnidispatch.dll
  - MD5: 302945a811fd8e21bcdd5226c73b6f74
  - SHA1: 6b05e299ff2b3eb3b7b7aeac44263f715693607c
  - SHA256: b8f98be314234cf12b5b46c29652f70c0f6abb93ae19b63d3fe2692062aa699d
- cowork.calls.zip: jna.jar: jnidispatch.dll
  - File Path: /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/cowork.calls.zip/jna.jar/com/sun/jna/win32-aarch64/jnidispatch.dll
  - MD5: 302945a811fd8e21bcdd5226c73b6f74
  - SHA1: 6b05e299ff2b3eb3b7b7aeac44263f715693607c
  - SHA256: b8f98be314234cf12b5b46c29652f70c0f6abb93ae19b63d3fe2692062aa699d

### Identifiers

- None

## authentication.pam.zip: jna.jar: jnidispatch.dll

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/authentication.pam.zip/jna.jar/com/sun/jna/win32-x86-64/jnidispatch.dll

**MD5:** 2d2475f1f026dd54e9f3e787ae4f81da

**SHA1:** 27ff882ac271db547aee520b38e3ba9aa91e136c

**SHA256:** 5a7ff949f6d93d86491eb5b26b1cfc60051168a60622650224b89995ac420023

**Referenced In Project/Scope:** CoWorkInstaller

### Evidence

Type	Source	Name	Value	Confidence
Vendor	file	name	jnidispatch	High
Product	file	name	jnidispatch	High

### Related Dependencies

- authentication.windows.zip: jna.jar: jnidispatch.dll
  - File Path: /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/authentication.windows.zip/jna.jar/com/sun/jna/win32-x86-64/jnidispatch.dll
  - MD5: 2d2475f1f026dd54e9f3e787ae4f81da
  - SHA1: 27ff882ac271db547aee520b38e3ba9aa91e136c
  - SHA256: 5a7ff949f6d93d86491eb5b26b1cfc60051168a60622650224b89995ac420023
- cowork.calls.zip: jna.jar: jnidispatch.dll
  - File Path: /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/cowork.calls.zip/jna.jar/com/sun/jna/win32-x86-64/jnidispatch.dll
  - MD5: 2d2475f1f026dd54e9f3e787ae4f81da
  - SHA1: 27ff882ac271db547aee520b38e3ba9aa91e136c
  - SHA256: 5a7ff949f6d93d86491eb5b26b1cfc60051168a60622650224b89995ac420023

### Identifiers

- None

## authentication.pam.zip: jna.jar: jnidispatch.dll

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/authentication.pam.zip/jna.jar/com/sun/jna/win32-x86

/jnidispatch.dll

**MD5:** 0caa1ef75a807f9dde05084fa2219a5c

**SHA1:** 2f5e1cd82cde192905c7510ce99037b67d980640

**SHA256:** 752d597cee7e95cb517327146bf42f124c0d6c0bc48b3ecc3b1b3b0531a52f44

**Referenced In Project/Scope:** CoWorkInstaller

#### Evidence

Type	Source	Name	Value	Confidence
Vendor	file	name	jnidispatch	High
Product	file	name	jnidispatch	High

#### Related Dependencies

- authentication.windows.zip: jna.jar: jnidispatch.dll
  - File Path: /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/authentication.windows.zip/jna.jar/com/sun/jna/win32-x86/jnidispatch.dll
  - MD5: 0caa1ef75a807f9dde05084fa2219a5c
  - SHA1: 2f5e1cd82cde192905c7510ce99037b67d980640
  - SHA256: 752d597cee7e95cb517327146bf42f124c0d6c0bc48b3ecc3b1b3b0531a52f44
- cowork.calls.zip: jna.jar: jnidispatch.dll
  - File Path: /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/cowork.calls.zip/jna.jar/com/sun/jna/win32-x86/jnidispatch.dll
  - MD5: 0caa1ef75a807f9dde05084fa2219a5c
  - SHA1: 2f5e1cd82cde192905c7510ce99037b67d980640
  - SHA256: 752d597cee7e95cb517327146bf42f124c0d6c0bc48b3ecc3b1b3b0531a52f44

#### Identifiers

- None

### authentication.product.zip: authentication.product.jar

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/authentication.product.zip/authentication.product.jar

**MD5:** 0de579bc04a2d07481ca14c3f7dec9c8

**SHA1:** ac7998d48e9d29566726935bd314a7c7f3f4761c

**SHA256:** f76134276bb64b4d552542296ca3c8e7463d3d97aae95f2fd48b2e80383fee58

**Referenced In Project/Scope:** CoWorkInstaller

#### Evidence

Type	Source	Name	Value	Confidence
Vendor	file	name	authentication.product	High



Vendor	jar	package name	authentication	Low
Vendor	jar	package name	inet	Low
Vendor	jar	package name	product	Low
Vendor	Manifest	built-date	2026-06-16 16:42	Low
Vendor	Manifest	implementation-group	shared	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	authentication.product	High
Product	jar	package name	authentication	Highest
Product	jar	package name	authentication	Low
Product	jar	package name	product	Highest
Product	jar	package name	product	Low
Product	Manifest	built-date	2026-06-16 16:42	Low
Product	Manifest	implementation-group	shared	Low
Product	Manifest	Implementation-Title	authentication.product	High
Product	Manifest	specification-title	authentication.product	Medium
Version	Manifest	Implementation-Version	26.4.269	High

#### Identifiers

- None

### authentication.windows.zip: authentication.windows.jar

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/authentication.windows.zip/authentication.windows.jar

**MD5:** c074ef0d66c74055a2b96f152384dd43

**SHA1:** 20b3acae7c3c12229f4377e1e655173f95fdd0f2

**SHA256:** a33ba0a45a631aa26a3829a38612a294cafd3f038ba880876d43982a092da0d9

**Referenced In Project/Scope:** CoWorkInstaller

## Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	authentication.windows	High
Vendor	jar	package name	authentication	Low
Vendor	jar	package name	inet	Low
Vendor	jar	package name	windows	Low
Vendor	Manifest	built-date	2026-06-16 16:37	Low
Vendor	Manifest	implementation-group	shared	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	authentication.windows	High
Product	jar	package name	authentication	Highest
Product	jar	package name	authentication	Low
Product	jar	package name	windows	Highest
Product	jar	package name	windows	Low
Product	Manifest	built-date	2026-06-16 16:37	Low
Product	Manifest	implementation-group	shared	Low
Product	Manifest	Implementation-Title	authentication.windows	High
Product	Manifest	specification-title	authentication.windows	Medium
Version	Manifest	Implementation-Version	26.4.269	High

## Identifiers

- None

**authentication.windows.zip: caffeine.jar**

**Description:**

A high performance caching library

**License:**

<https://www.apache.org/licenses/LICENSE-2.0>

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/authentication.windows.zip/cafeine.jar

**MD5:** 7661b25999918646ec802846cc4c16bc

**SHA1:** 3646a0d1b1abe6a31f72f2237d9004d10a5be91d

**SHA256:** 0311f9d5d9750aa2a1c11cbdba5a5cb7fec91c8870d6f179f324b3f5295b87dd

**Referenced In Project/Scope:** CoWorkInstaller

**Evidence**



Type	Source	Name	Value	Confidence
Vendor	file	name	caffeine	High
Vendor	jar	package name	benmanes	Highest
Vendor	jar	package name	benmanes	Low
Vendor	jar	package name	caffeine	Highest
Vendor	jar	package name	caffeine	Low
Vendor	jar	package name	github	Highest
Vendor	jar	package name	github	Low
Vendor	Manifest	automatic-module-name	com.github.benmanes.caffeine	Medium
Vendor	Manifest	build-jdk-spec	11	Low
Vendor	Manifest	bundle-symbolicname	com.github.ben-manes.caffeine	Medium
Product	file	name	caffeine	High
Product	jar	package name	benmanes	Highest
Product	jar	package name	benmanes	Low
Product	jar	package name	cache	Low
Product	jar	package name	caffeine	Highest
Product	jar	package name	caffeine	Low
Product	jar	package name	github	Highest
Product	Manifest	automatic-module-name	com.github.benmanes.caffeine	Medium
Product	Manifest	build-jdk-spec	11	Low
Product	Manifest	Bundle-Name	com.github.ben-manes.caffeine	Medium
Product	Manifest	bundle-symbolicname	com.github.ben-manes.caffeine	Medium
Product	Manifest	Implementation-Title	A high performance caching library	High
Version	Manifest	build-jdk-spec	11	Low

Version	Manifest	Bundle-Version	3.1.6	High
Version	Manifest	Implementation-Version	3.1.6	High

## Identifiers

- None

## authentication.windows.zip: jna-platform.jar

### Description:

JNA Platform Library

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/authentication.windows.zip/jna-platform.jar

**MD5:** a7af00779ec98bfe22dfb07b1532830d

**SHA1:** dd817f391efc492041c9ae91127527c13750a789

**SHA256:** ad14c1b1ec4f43d396231219dfa635ebf828f738eac9f890ea1bc07795892d9a

**Referenced In Project/Scope:** CoWorkInstaller

## Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	jna-platform	High
Vendor	jar	package name	jna	Highest
Vendor	jar	package name	jna	Low
Vendor	jar	package name	platform	Highest
Vendor	jar	package name	platform	Low
Vendor	jar	package name	sun	Highest
Vendor	jar	package name	sun	Low
Vendor	jar (hint)	package name	oracle	Highest
Vendor	jar (hint)	package name	oracle	Low
Vendor	Manifest	automatic-module-name	com.sun.jna.platform	Medium
Vendor	Manifest	bundle-category	jni	Low
Vendor	Manifest	bundle-requiredexecution	J2SE-1.4	Low
Vendor	Manifest	bundle-symbolicname	com.sun.jna.platform	Medium

Vendor	Manifest	Implementation-Vendor	JNA Development Team	High
Vendor	Manifest	specification-vendor	JNA Development Team	Low
Product	file	name	jna-platform	High
Product	jar	package name	jna	Highest
Product	jar	package name	jna	Low
Product	jar	package name	platform	Highest
Product	jar	package name	platform	Low
Product	jar	package name	sun	Highest
Product	jar	package name	win32	Low
Product	Manifest	automatic-module-name	com.sun.jna.platform	Medium
Product	Manifest	bundle-category	jni	Low
Product	Manifest	Bundle-Name	jna-platform	Medium
Product	Manifest	bundle-requiredexecution	J2SE-1.4	Low
Product	Manifest	bundle-symbolicname	com.sun.jna.platform	Medium
Product	Manifest	Implementation-Title	com.sun.jna	High
Product	Manifest	specification-title	Java Native Access (JNA)	Medium
Version	Manifest	Bundle-Version	5.18.1	High
Version	Manifest	Implementation-Version	5.18.1 (b0)	High

#### Identifiers

- None

### authentication.windows.zip: waffle-jna-jakarta.jar

#### Description:

WAFFLE JNA Jakarta Package implementation

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/authentication.windows.zip/waffle-jna-jakarta.jar

**MD5:** 4292b31211ec75d0a54780009f620fd7

**SHA1:** a54b03b4de48b62188b183e04313092119f3e247

**SHA256:** e53d74bd6e09b543b97ccb7b5aff7dbdb1a9058066eafb9c2573c75adf254703

**Referenced In Project/Scope:** CoWorkInstaller

## Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	waffle-jna-jakarta	High
Vendor	jar	package name	waffle	Highest
Vendor	Manifest	automatic-module-name	waffle.jna.jakarta	Medium
Vendor	Manifest	build-jdk-spec	21	Low
Vendor	Manifest	copyright	2024	Low
Vendor	Manifest	git-revision	725e568c485ae01eddb2777e17e1c3f78955d4	Low
Vendor	Manifest	Implementation-Vendor	com.github.waffle	High
Vendor	Manifest	specification-vendor	com.github.waffle	Low
Vendor	pom	artifactid	waffle-jna-jakarta	Low
Vendor	pom	groupid	com.github.waffle	Highest
Vendor	pom	name	waffle-jna-jakarta	High
Vendor	pom	parent-artifactid	waffle	Low
Vendor	pom	url	<a href="https://waffle.github.io/waffle/">https://waffle.github.io/waffle/</a>	Highest
Product	file	name	waffle-jna-jakarta	High
Product	jar	package name	waffle	Highest
Product	Manifest	automatic-module-name	waffle.jna.jakarta	Medium
Product	Manifest	build-jdk-spec	21	Low
Product	Manifest	copyright	2024	Low
Product	Manifest	git-revision	725e568c485ae01eddb2777e17e1c3f78955d4	Low
Product	Manifest	Implementation-Title	waffle-jna-jakarta	High
Product	Manifest	specification-title	waffle-jna-jakarta	Medium
Product	pom	artifactid	waffle-jna-jakarta	Highest
Product	pom	groupid	com.github.waffle	Highest
Product	pom	name	waffle-jna-jakarta	High
Product	pom	parent-artifactid	waffle	Medium
Product	pom	url	<a href="https://waffle.github.io/waffle/">https://waffle.github.io/waffle/</a>	Medium
Version	Manifest	Implementation-Version	3.5.1	High
Version	pom	version	3.5.1	Highest

Identifiers

- pkg:maven/com.github.waffle/waffle-jna-jakarta@3.5.1 (Confidence:High)
- cpe:2.3:a:4d:4d:3.5.1:\*:\*:\*:\*:\* (Confidence:Low)

suppress

bson.jar

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/persistence/bson.jar  
**MD5:** d155f1ab301a142e07d0be09f00bc8d9  
**SHA1:** aa07f6bbff6955facba54bb64e9ee270fe1e4198  
**SHA256:**f8a7bc456c8d6ffe1584969efa604af14a3896e50ac7214352c432dd1fce6d45  
**Referenced In Project/Scope:** CoWorkInstaller

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	bson	High
Vendor	jar	package name	bson	Highest
Vendor	jar	package name	bson	Low
Vendor	Manifest	automatic-module-name	org.mongodb.bson	Medium
Vendor	Manifest	bundle-symbolicname	org.mongodb.bson	Medium
Product	file	name	bson	High
Product	jar	package name	bson	Highest
Product	Manifest	automatic-module-name	org.mongodb.bson	Medium
Product	Manifest	Bundle-Name	bson	Medium
Product	Manifest	bundle-symbolicname	org.mongodb.bson	Medium
Version	Manifest	build-version	5.6.2	Medium
Version	Manifest	Bundle-Version	5.6.2	High

Identifiers

- [cpe:2.3:a:mongodb:bson:5.6.2:\\*:\\*:\\*:\\*:\\*](#) (Confidence:Medium)

suppress

## commons-logging.jar

### Description:

Apache Commons Logging is a thin adapter allowing configurable bridging to other, well-known logging systems.

### License:

<https://www.apache.org/licenses/LICENSE-2.0.txt>

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/core/commons-logging.jar

**MD5:** e7a1e7cb6a89241ed9bfec4c25b6c645

**SHA1:** b9fc14968d63a8b8a8a2c1885fe3e90564239708

**SHA256:** bc2dfe32f1ef06509e6a065144c1adf7b420eabf11a87f30bd127f8faa332016

**Referenced In Project/Scope:** CoWorkInstaller

### Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	commons-logging	High
Vendor	jar	package name	apache	Highest
Vendor	jar	package name	commons	Highest
Vendor	jar	package name	logging	Highest
Vendor	Manifest	automatic-module-name	org.apache.commons.logging	Medium
Vendor	Manifest	build-jdk-spec	17	Low
Vendor	Manifest	bundle-docurl	<a href="https://commons.apache.org/proper/commons-logging/">https://commons.apache.org/proper/commons-logging/</a>	Low
Vendor	Manifest	bundle-symbolicname	org.apache.commons.commons-logging	Medium
Vendor	Manifest	Implementation-Vendor	The Apache Software Foundation	High
Vendor	Manifest	multi-release	true	Low
Vendor	Manifest	specification-vendor	The Apache Software Foundation	Low
Vendor	pom	artifactid	commons-logging	Low
Vendor	pom	developer email	baliuka@apache.org	Low
Vendor	pom	developer email	costin@apache.org	Low
Vendor	pom	developer email	craigmmc@apache.org	Low
Vendor	pom	developer email	dennisl@apache.org	Low
Vendor	pom	developer email	donaldp@apache.org	Low
Vendor	pom	developer email	ggregory at apache.org	Low
Vendor	pom	developer email	morgand@apache.org	Low



Vendor	pom	developer email	rdonkin@apache.org	Low
Vendor	pom	developer email	rsitze@apache.org	Low
Vendor	pom	developer email	rwaldhoff@apache.org	Low
Vendor	pom	developer email	sanders@apache.org	Low
Vendor	pom	developer email	skitching@apache.org	Low
Vendor	pom	developer email	tn@apache.org	Low
Vendor	pom	developer id	baliuka	Medium
Vendor	pom	developer id	bstansberry	Medium
Vendor	pom	developer id	costin	Medium
Vendor	pom	developer id	craigmcc	Medium
Vendor	pom	developer id	dennisl	Medium
Vendor	pom	developer id	donaldp	Medium
Vendor	pom	developer id	ggregory	Medium
Vendor	pom	developer id	morgand	Medium
Vendor	pom	developer id	rdonkin	Medium
Vendor	pom	developer id	rsitze	Medium
Vendor	pom	developer id	rwaldhoff	Medium
Vendor	pom	developer id	sanders	Medium
Vendor	pom	developer id	skitching	Medium
Vendor	pom	developer id	tn	Medium
Vendor	pom	developer name	Brian Stansberry	Medium
Vendor	pom	developer name	Costin Manolache	Medium
Vendor	pom	developer name	Craig McClanahan	Medium
Vendor	pom	developer name	Dennis Lundberg	Medium
Vendor	pom	developer name	Gary Gregory	Medium
Vendor	pom	developer name	Juozas Baliuka	Medium
Vendor	pom	developer name	Morgan Delagrang	Medium
Vendor	pom	developer name	Peter Donald	Medium
Vendor	pom	developer name	Richard Sitze	Medium
Vendor	pom	developer name	Robert Burrell Donkin	Medium
Vendor	pom	developer name	Rodney Waldhoff	Medium
Vendor	pom	developer name	Scott Sanders	Medium
Vendor	pom	developer name	Simon Kitching	Medium
Vendor	pom	developer name	Thomas Neidhart	Medium
Vendor	pom	developer org	Apache	Medium

Vendor	pom	developer org	The Apache Software Foundation	Medium
Vendor	pom	developer org URL	https://www.apache.org/	Medium
Vendor	pom	groupid	commons-logging	Highest
Vendor	pom	name	Apache Commons Logging	High
Vendor	pom	parent-artifactid	commons-parent	Low
Vendor	pom	parent-groupid	org.apache.commons	Medium
Vendor	pom	url	https://commons.apache.org/proper/commons-logging/	Highest
Product	file	name	commons-logging	High
Product	jar	package name	apache	Highest
Product	jar	package name	commons	Highest
Product	jar	package name	logging	Highest
Product	Manifest	automatic-module-name	org.apache.commons.logging	Medium
Product	Manifest	build-jdk-spec	17	Low
Product	Manifest	bundle-docurl	https://commons.apache.org/proper/commons-logging/	Low
Product	Manifest	Bundle-Name	Apache Commons Logging	Medium
Product	Manifest	bundle-symbolicname	org.apache.commons.commons-logging	Medium
Product	Manifest	Implementation-Title	Apache Commons Logging	High
Product	Manifest	multi-release	true	Low
Product	Manifest	specification-title	Apache Commons Logging	Medium
Product	pom	artifactid	commons-logging	Highest
Product	pom	developer email	baliuka@apache.org	Low
Product	pom	developer email	costin@apache.org	Low
Product	pom	developer email	craigmcc@apache.org	Low
Product	pom	developer email	dennisl@apache.org	Low
Product	pom	developer email	donaldp@apache.org	Low
Product	pom	developer email	ggregory at apache.org	Low
Product	pom	developer email	morgand@apache.org	Low
Product	pom	developer email	rdonkin@apache.org	Low
Product	pom	developer email	rsitze@apache.org	Low
Product	pom	developer email	rwaldhoff@apache.org	Low
Product	pom	developer email	sanders@apache.org	Low
Product	pom	developer email	skitching@apache.org	Low

Product	pom	developer email	tn@apache.org	Low
Product	pom	developer id	baliuka	Low
Product	pom	developer id	bstansberry	Low
Product	pom	developer id	costin	Low
Product	pom	developer id	craigmmc	Low
Product	pom	developer id	dennisl	Low
Product	pom	developer id	donaldp	Low
Product	pom	developer id	gregory	Low
Product	pom	developer id	morgand	Low
Product	pom	developer id	rdonkin	Low
Product	pom	developer id	rsitze	Low
Product	pom	developer id	rwaldhoff	Low
Product	pom	developer id	sanders	Low
Product	pom	developer id	skitching	Low
Product	pom	developer id	tn	Low
Product	pom	developer name	Brian Stansberry	Low
Product	pom	developer name	Costin Manolache	Low
Product	pom	developer name	Craig McClanahan	Low
Product	pom	developer name	Dennis Lundberg	Low
Product	pom	developer name	Gary Gregory	Low
Product	pom	developer name	Juozas Baliuka	Low
Product	pom	developer name	Morgan Delagrang	Low
Product	pom	developer name	Peter Donald	Low
Product	pom	developer name	Richard Sitze	Low
Product	pom	developer name	Robert Burrell Donkin	Low
Product	pom	developer name	Rodney Waldhoff	Low
Product	pom	developer name	Scott Sanders	Low
Product	pom	developer name	Simon Kitching	Low
Product	pom	developer name	Thomas Neidhart	Low
Product	pom	developer org	Apache	Low
Product	pom	developer org	The Apache Software Foundation	Low
Product	pom	developer org URL	https://www.apache.org/	Low
Product	pom	groupid	commons-logging	Highest
Product	pom	name	Apache Commons Logging	High
Product	pom	parent-artifactid	commons-parent	Medium

Product	pom	parent-groupid	org.apache.commons	Medium
Product	pom	url	https://commons.apache.org/proper/commons-logging/	Medium
Version	Manifest	Bundle-Version	1.3.4	High
Version	Manifest	Implementation-Version	1.3.4	High
Version	pom	parent-version	1.3.4	Low
Version	pom	version	1.3.4	Highest

#### Identifiers

- pkg:maven/commons-logging/commons-logging@1.3.4 (Confidence:High)

### configuration.zip: configuration.jar

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/configuration.zip/configuration.jar

**MD5:** f55e9e12a975aa430dc83ab363f562c5

**SHA1:** 1abc52ca98442b32dbad33d2b7ac1e8173a7d6c1

**SHA256:** 16895527fc7fa3948c469230fded353ae4460e9a5f436afc5a6c0bd675885bd6

**Referenced In Project/Scope:** CoWorkInstaller

#### Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	configuration	High
Vendor	jar	package name	inet	Low
Vendor	jar	package name	plugins	Low
Vendor	jar	package name	report	Low
Vendor	Manifest	built-date	2026-06-16 16:42	Low
Vendor	Manifest	implementation-group	shared	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	configuration	High

Product	jar	package name	config	Low
Product	jar	package name	plugins	Low
Product	jar	package name	report	Low
Product	Manifest	built-date	2026-06-16 16:42	Low
Product	Manifest	implementation-group	shared	Low
Product	Manifest	Implementation-Title	configuration	High
Product	Manifest	specification-title	configuration	Medium
Version	Manifest	Implementation-Version	26.4.269	High

#### Identifiers

- None

### configuration.zip: configuration.jar: authenticationItemRenderer.directive.js

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/configuration.zip/configuration.jar/com/inet/report/plugins/config/client/js/renderer/authenticationItemRenderer.directive.js

**MD5:** aefb1a2a7d97d2df669e0545658c3e24

**SHA1:** 4a2a34c98fb71cf2dfa520bb02dc8baf0d0810f9

**SHA256:** c277d6842312394b3aa4ac0385e1c800c73dc0b2b0cd9696bc5f51293d859b29

**Referenced In Project/Scope:** CoWorkInstaller

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### configuration.zip: configuration.jar: authenticationRenderer.directive.js

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/configuration.zip/configuration.jar/com/inet/report/plugins/config/client/js/renderer/authenticationRenderer.directive.js

**MD5:** 08d42fd374d37fbb791917830a779fa8  
**SHA1:** 3e7daea97fb445ace87c90fd3e9188690660d99d  
**SHA256:** 1719515423a8f8edcddfcc5519f22251afbedfd9de10bea76c99e461bd82929  
**Referenced In Project/Scope:** CoWorkInstaller

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### configuration.zip: configuration.jar: boolean.directive.js

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/configuration.zip/configuration.jar/com/inet/report/plugins/config/client/js/renderer/boolean.directive.js

**MD5:** e281bd179c94019bdf388759a526f31  
**SHA1:** 5f4be414c7db7b9c699a371bc3a84a945e1c13a3  
**SHA256:** 3e819332e6b9a66c5041ae377459a6b7d7f10fd94dd71ad85a3f8169fdab4f48  
**Referenced In Project/Scope:** CoWorkInstaller

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### configuration.zip: configuration.jar: booleanButton.directive.js

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/configuration.zip/configuration.jar/com/inet/report/plugins/config/client/js/renderer/booleanButton.directive.js

**MD5:** dc5744f572a36fa29dc813914156944d  
**SHA1:** 40a96829d9f498e1364fac7ec8bf8a626c4ac66c  
**SHA256:** edf806317b3487f3998c758a4e56a0aa8bb08bfe38fd4b38c9ec68abbabf25f6  
**Referenced In Project/Scope:** CoWorkInstaller

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### configuration.zip: configuration.jar: colorInput.directive.js

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/configuration.zip/configuration.jar/com/inet/report/plugins/config/client/js/renderer/colorInput.directive.js

**MD5:** db9d1ee17d2b4f79813c66e8a52b8fcd

**SHA1:** 68e81a259a7bce7f49dbf629230020cdf0b01398

**SHA256:** 1fff0ddf3d275467e77832ae82c55ffdebfbcb4cc31aee0bfb31def6574f734ae

**Referenced In Project/Scope:** CoWorkInstaller

#### Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### configuration.zip: configuration.jar: controller.js

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/configuration.zip/configuration.jar/com/inet/report/plugins/config/client/js/controller.js

**MD5:** e69357181c946dd07a2b66b77865eb57

**SHA1:** 937e49dc0424751b10f4b955268de469381c6102

**SHA256:** 287166afe772ea2a1ae5316cc79ba85e35dd37a01e6339c53b14d3f7b437287c

**Referenced In Project/Scope:** CoWorkInstaller

#### Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

#### configuration.zip: configuration.jar: datafactory.js

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/configuration.zip/configuration.jar/com/inet/report/plugins/config/client/js/datafactory.js

**MD5:** 3d2c2f69bfa85dbb5b247b7c37456b3d

**SHA1:** 559046875af9195d3f8f7edabaab0649984a5f26

**SHA256:** f274a56e21fcdc6692c2feda3e758699fc45c8e8cc60662dcb00ae32c4c40a79

**Referenced In Project/Scope:** CoWorkInstaller

##### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

##### Identifiers

- None

#### configuration.zip: configuration.jar: fileUploadRenderer.directive.js

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/configuration.zip/configuration.jar/com/inet/report/plugins/config/client/js/renderer/fileUploadRenderer.directive.js

**MD5:** 231de69a8b11511aba2b1d554b1c237c

**SHA1:** 07a949eca5cea00f3244c0c327a5055e938c20f1

**SHA256:** 09bb8467939975c92a5fed3ed5d48e62b5b4573873aa6ea55cc68f815675f4e3

**Referenced In Project/Scope:** CoWorkInstaller

##### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

##### Identifiers

- None

#### configuration.zip: configuration.jar: filesystemFileInputOrUpload.directive.js



**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/configuration.zip/configuration.jar/com/inet/report/plugins/config/client/js/renderer/filesystemFileInputOrUpload.directive.js

**MD5:** f644a3106bfee156df76d5700377f70d

**SHA1:** c95cf943e2d57132b71a47525b512fbe46f7fed4

**SHA256:** 2ce6c7628582dc79f62161e19e2733b679647ff423e8d8ee83474eef6ce9624d

**Referenced In Project/Scope:** CoWorkInstaller

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### configuration.zip: configuration.jar: filesystemInputButton.directive.js

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/configuration.zip/configuration.jar/com/inet/report/plugins/config/client/js/renderer/filesystemInputButton.directive.js

**MD5:** d4fa34d24a58237edaff0fcd1e52a98b

**SHA1:** 61aeeed618d7e15f1db7a65874b6fb9b3cdf9206

**SHA256:** 40e25504ccab4019abc2801de1f33715437dbb95c92d03bf759376bed942d8c3

**Referenced In Project/Scope:** CoWorkInstaller

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### configuration.zip: configuration.jar: filesystemInputDirectory.directive.js

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/configuration.zip/configuration.jar/com/inet/report/plugins/config/client/js/renderer/filesystemInputDirectory.directive.js

**MD5:** abe8d738b4230681785b9608df31d0a7

**SHA1:** 3773d4f21f49fea9fd3c19ff9c94396b273e82cf

**SHA256:**5283b122ef2a3db054632ead2dedd2c62c9616419840ae7e146355e8782fcee6  
**Referenced In Project/Scope:** CoWorkInstaller

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### configuration.zip: configuration.jar: filesystemInputFile.directive.js

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/configuration.zip/configuration.jar/com/inet/report/plugins/config/client/js/renderer/filesystemInputFile.directive.js

**MD5:** 95eec66eb56684db24cb9d8c5cc387fc

**SHA1:** 33e9abd6b5c84780196226b277217e4d189216c8

**SHA256:**1eab4ff2b96200a36c283d701e3b2bbdc0b3a527544f1b0eed6f31172a9dd10b

**Referenced In Project/Scope:** CoWorkInstaller

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### configuration.zip: configuration.jar: iconDropRenderer.directive.js

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/configuration.zip/configuration.jar/com/inet/report/plugins/config/client/js/renderer/iconDropRenderer.directive.js

**MD5:** e01df58e761b7fba83e716c5d665eb22

**SHA1:** b4fd37979b7a3ae4d7252b56bcec8ef0903113ba

**SHA256:**50bae6b105ce7e868d443dcc911cc8170f2e5dd175482ab0d89bb1dec6f7e51d

**Referenced In Project/Scope:** CoWorkInstaller

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## configuration.zip: configuration.jar: inlinerenderer.directive.js

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/configuration.zip/configuration.jar/com/inet/report/plugins/config/client/js/renderer/inlinerenderer.directive.js

**MD5:** 4531879fc071658f5888a12116e31f0d

**SHA1:** 374bcc0bbcc65b4d88ff5a224731409c78a4f7b7

**SHA256:** 032c6ac3238780e1eb1767300dae7818ccda70bb17ccb70725ea06d8ee19adf2

**Referenced In Project/Scope:** CoWorkInstaller

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## configuration.zip: configuration.jar: keyLabelText.directive.js

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/configuration.zip/configuration.jar/com/inet/report/plugins/config/client/js/renderer/keyLabelText.directive.js

**MD5:** 2f2a25596ec290d0f62e10a37fc973c8

**SHA1:** a4e327416b73eeda15ba6d1874a3bbc3849ae81e

**SHA256:** 2a481ea7ff3b62f87adb28b57e222ef1352f1cfa73a154d63902cb0df0113b42

**Referenced In Project/Scope:** CoWorkInstaller

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

### configuration.zip: configuration.jar: labelLink.directive.js

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/configuration.zip/configuration.jar/com/inet/report/plugins/config/client/js/renderer/labelLink.directive.js

**MD5:** a90349ac59fc4f16a05deb269d1c3519

**SHA1:** 484e8d038dafee8f547b1259f7e4d2d65ab5ee4a

**SHA256:** be8c4ebe7804af2f0d1f03340173d04745cff39383aa6ba47e144cf4177fd99

**Referenced In Project/Scope:** CoWorkInstaller

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### configuration.zip: configuration.jar: labelText.directive.js

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/configuration.zip/configuration.jar/com/inet/report/plugins/config/client/js/renderer/labelText.directive.js

**MD5:** 1dc9a77a6475334b814a4eb39b6e8aa0

**SHA1:** d0db5c5a08bd2c74dffcafcbef0ffc8438e35357

**SHA256:** 1cb05364e04e307603df6a644178aff10fabfed16bfce4d21c86fb75f44139ba

**Referenced In Project/Scope:** CoWorkInstaller

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### configuration.zip: configuration.jar: licenseKeyItemRenderer.directive.js

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/configuration.zip/configuration.jar/com/inet/report/plugins/config/client/js/renderer/licenseKeyItemRenderer.directive.js  
**MD5:** 1b7acb7f77157666bd8163e13cc47fdf  
**SHA1:** e623aa9b016fc3d3f9fc16449dd1ac48f3e17fd3  
**SHA256:** ac41f0893480d1086562eef9c8269ea35f4605b80fd3f60628e4a9f3d6aa73a4  
**Referenced In Project/Scope:** CoWorkInstaller

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### configuration.zip: configuration.jar: licenseKeyRenderer.directive.js

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/configuration.zip/configuration.jar/com/inet/report/plugins/config/client/js/renderer/licenseKeyRenderer.directive.js  
**MD5:** 6d48b1b05a2bd2ef4384bb996789ddca  
**SHA1:** d1131bfe50939a01e50982034b1b7574822215bf  
**SHA256:** 8c881d970f4c71dc3a5eddb6a2028729ce9efc82dc629880885a4bd043db53ba  
**Referenced In Project/Scope:** CoWorkInstaller

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### configuration.zip: configuration.jar: listItemRenderer.directive.js

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/configuration.zip/configuration.jar/com/inet/report/plugins/config/client/js/renderer/listItemRenderer.directive.js  
**MD5:** be04a63c48d156613c5b932c79e55ebb  
**SHA1:** dc125d4dacfe2898e75f194131c0b39ce41096dd  
**SHA256:** b95a73fde9c903ffc1b1e25b7fe7d338e1bb195bdeec298bb160f5fdc00cc83d  
**Referenced In Project/Scope:** CoWorkInstaller

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## configuration.zip: configuration.jar: logopreview.directive.js

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/configuration.zip/configuration.jar/com/inet/report/plugins/config/client/js/renderer/logopreview.directive.js

**MD5:** 84cbbf2c3c0b52d6c249e076fe48cb8f

**SHA1:** c63e504fabdb02f4cbe1dd2dfa110288472a4e0c

**SHA256:** e1b11195c665b08ffc7c19b22e7d7d77e49ed86877cd65e6bc9a166566aa5d31

**Referenced In Project/Scope:** CoWorkInstaller

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## configuration.zip: configuration.jar: multiLineCode.directive.js

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/configuration.zip/configuration.jar/com/inet/report/plugins/config/client/js/renderer/multiLineCode.directive.js

**MD5:** e2a752736b313cd15c5067b9e2f7abc6

**SHA1:** 2c22df117b9f45a082498e2696385eca5919534d

**SHA256:** c1d8916f36bc63228d52ff52432d599f6001077d784d2bf47870569daf2a99c6

**Referenced In Project/Scope:** CoWorkInstaller

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## configuration.zip: configuration.jar: multiLineText.directive.js

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/configuration.zip/configuration.jar/com/inet/report/plugins/config/client/js/renderer/multiLineText.directive.js

**MD5:** 9769483af9509271e1ffd9602c681481

**SHA1:** fbb61268f1e63f705fb6d167bdb9f5138d622a18

**SHA256:** 36e44de5802b59df141325897a839a73be22d803df0300985e3eb23ef0f060d4

**Referenced In Project/Scope:** CoWorkInstaller

### Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## configuration.zip: configuration.jar: multiLingualTextRenderer.directive.js

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/configuration.zip/configuration.jar/com/inet/report/plugins/config/client/js/renderer/multiLingualTextRenderer.directive.js

**MD5:** c417f8278dcca4343be0b1c60d6c5fe1

**SHA1:** 3eda017cc7075b934736e1daf71b0d59aa412203

**SHA256:** c497b95a7eb0af1ef36a9733a5e9675a5ac62c094a738288ed8c021b7cd9a429

**Referenced In Project/Scope:** CoWorkInstaller

### Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

### configuration.zip: configuration.jar: passwordText.directive.js

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/configuration.zip/configuration.jar/com/inet/report/plugins/config/client/js/renderer/passwordText.directive.js

**MD5:** a762f68eb820d383f03214a0c401d090

**SHA1:** 05c793442f5193f2ffa3b952cd62af88309e68f6

**SHA256:** fba766ee79b545a364e9b8d53a5fd0df688657a201bdd25c7c6bcf3a92678337

**Referenced In Project/Scope:** CoWorkInstaller

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### configuration.zip: configuration.jar: reloadSelectInputsTrigger.directive.js

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/configuration.zip/configuration.jar/com/inet/report/plugins/config/client/js/renderer/reloadSelectInputsTrigger.directive.js

**MD5:** ee0760c34d35b7ab1f556b36ef72504b

**SHA1:** cfcab22873b681c7d9019378b4c7fa9c6af49b47

**SHA256:** 40e2a2f7b5e647a301971e061dbd5a7d614458f9172510d8f64f1b21b2347e3f

**Referenced In Project/Scope:** CoWorkInstaller

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### configuration.zip: configuration.jar: renderer.directive.js

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/configuration.zip/configuration.jar/com/inet/report/plugins



/config/client/js/renderer/renderer.directive.js

**MD5:** e6700ce9f732a1f1b614ffdcd2c94933

**SHA1:** 1c5c4b48b29a6b9fd8b9f560207df52cf3ff430d

**SHA256:** 3c26aeb2ecfd733d17ff0facd86c8328a20759a6fe1b4059bbcc8221461d3574

**Referenced In Project/Scope:** CoWorkInstaller

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### configuration.zip: configuration.jar: repoDbRenderer.directive.js

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/configuration.zip/configuration.jar/com/inet/report/plugins/config/client/js/renderer/repoDbRenderer.directive.js

**MD5:** 5ef1c770c4e5fe42e93f01f633f453d3

**SHA1:** 5da8e6fda8968333e5a0badb6aa45020a83b6b69

**SHA256:** c763e8eefee951c377e2c0c54a8d52618e50224dbb458529d750701c7a1f9e96

**Referenced In Project/Scope:** CoWorkInstaller

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### configuration.zip: configuration.jar: repoFsRenderer.directive.js

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/configuration.zip/configuration.jar/com/inet/report/plugins/config/client/js/renderer/repoFsRenderer.directive.js

**MD5:** 6bf0ab3a102f1607ad605c4820851ff4

**SHA1:** ec76ee20ea8fc5950c233ebb71a89367fb0b5d48

**SHA256:** 71fb520ea8562e3a06f3eabc3117b85a874092205bc7052a856faaec867e7df6

**Referenced In Project/Scope:** CoWorkInstaller

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### configuration.zip: configuration.jar: repositoryItemRenderer.directive.js

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/configuration.zip/configuration.jar/com/inet/report/plugins/config/client/js/renderer/repositoryItemRenderer.directive.js

**MD5:** 35b661e3e8a0b9517b5ef113729adebf

**SHA1:** 451b13b299f3189adeb149487bd614b2de8ec78c

**SHA256:**f155af09a82a7d6bab233a77ffa620935e78b1bb8e8636ec2987241a0fec48b

**Referenced In Project/Scope:** CoWorkInstaller

#### Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### configuration.zip: configuration.jar: repositoryRenderer.directive.js

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/configuration.zip/configuration.jar/com/inet/report/plugins/config/client/js/renderer/repositoryRenderer.directive.js

**MD5:** cca1b6d749a3ff9bb3ed1e546c1ddd3f

**SHA1:** 295dbe208d68b96973cfde80dc8f657cdaedb7f2

**SHA256:**597b792888878b76bd3e67b99651b5d52c1332790765d4a6e11a9f9d3d289490

**Referenced In Project/Scope:** CoWorkInstaller

#### Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

#### configuration.zip: configuration.jar: selectEditText.directive.js

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/configuration.zip/configuration.jar/com/inet/report/plugins/config/client/js/renderer/selectEditText.directive.js

**MD5:** 3aa24125a54ec0a890cf9c3ecb3579ad

**SHA1:** 5cf9a71def93c493f1781f6729abeeabe36999f4

**SHA256:** 8bcd98ff5ca4562ebacaae43968be209fdf058365ea8bfea6ac96342f42de0a2

**Referenced In Project/Scope:** CoWorkInstaller

##### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

##### Identifiers

- None

#### configuration.zip: configuration.jar: selectFilteredText.directive.js

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/configuration.zip/configuration.jar/com/inet/report/plugins/config/client/js/renderer/selectFilteredText.directive.js

**MD5:** d707da2d6d8224870b0764efd1029f4f

**SHA1:** 166a79e4ca41ae0021a44c6cb9e87df8c1ef4a22

**SHA256:** 0462d8e79795bd82d470d2673078d9a669f35744eab2eaba4ed68b49acdc2b6b

**Referenced In Project/Scope:** CoWorkInstaller

##### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

##### Identifiers

- None

## configuration.zip: configuration.jar: selectLanguageChooserRenderer.directive.js

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/configuration.zip/configuration.jar/com/inet/report/plugins/config/client/js/renderer/selectLanguageChooserRenderer.directive.js

**MD5:** b2dfe60265ea9129a4b1abe952ad92ff

**SHA1:** 20176c71d76cb163d19b6add0667a5179bb4e9ec

**SHA256:** 3c3904cb2f26ca946b317091a674646fbd692bed2a7288097f016bbe7be7af1

**Referenced In Project/Scope:** CoWorkInstaller

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## configuration.zip: configuration.jar: selectSimpleText.directive.js

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/configuration.zip/configuration.jar/com/inet/report/plugins/config/client/js/renderer/selectSimpleText.directive.js

**MD5:** 133dcb833b683d40c4a902b736bdd1d6

**SHA1:** e8d02811739badfec2c515780b99466e9d5f2dc9

**SHA256:** 9d3df25fc91e91042b12096910ee5628baff6e5ea237e5809a9ea1856531b312

**Referenced In Project/Scope:** CoWorkInstaller

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## configuration.zip: configuration.jar: simpleDate.directive.js

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/configuration.zip/configuration.jar/com/inet/report/plugins/config/client/js/renderer/simpleDate.directive.js

**MD5:** 7859e473016ba4b6c663b2de73e886d0

**SHA1:** 2c6104c939065689031febe53b2c4690eb17af15  
**SHA256:**cf6b91be17479f785ea267d269c6a254a9fd14d70df735721d723e556bf07f28  
**Referenced In Project/Scope:** CoWorkInstaller

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### configuration.zip: configuration.jar: simpleSlider.directive.js

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/configuration.zip/configuration.jar/com/inet/report/plugins/config/client/js/renderer/simpleSlider.directive.js  
**MD5:** 00171fe096529318005c987067f6cae4  
**SHA1:** 586d31e6a344760d84d76e12763b6f47e69618d0  
**SHA256:**db8ceb31a065dc67a9b7d9bc2144e6906a6f0dadd1e698f77b41cc6232246aec  
**Referenced In Project/Scope:** CoWorkInstaller

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### configuration.zip: configuration.jar: simpleText.directive.js

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/configuration.zip/configuration.jar/com/inet/report/plugins/config/client/js/renderer/simpleText.directive.js  
**MD5:** 8c4598540efc682f3551a75bde20dfd9  
**SHA1:** 42c3a77e9067c8d053e4dac23de2a40a70d67ec4  
**SHA256:**b18a8129f293a7ce070aa7b9bd5edbe9eceebe36b10e82a9e6a3469c1484f3d0  
**Referenced In Project/Scope:** CoWorkInstaller


#### Evidence



Type	Source	Name	Value	Confidence
Identifiers				
• None				

configuration.zip: configuration.jar: tableRenderer.directive.js


**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/configuration.zip/configuration.jar/com/inet/report/plugins/config/client/js/renderer/tableRenderer.directive.js  
**MD5:** 9c912ea0c0e6a7cd18a45ab3aa2234d2  
**SHA1:** cb8d0ba6ae90abff58f47ae07d63f3e57dfc0723  
**SHA256:**967fadfaccbc663230a6fc2c0242cba122ea115816585f28e1c43518005c99d  
**Referenced In Project/Scope:** CoWorkInstaller

Evidence 				
Type	Source	Name	Value	Confidence

Identifiers				
• None				

configuration.zip: configuration.jar: treeRenderer.directive.js

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/configuration.zip/configuration.jar/com/inet/report/plugins/config/client/js/renderer/treeRenderer.directive.js  
**MD5:** 0a727a5f05e3fd245c2160b5366328f1  
**SHA1:** 678f64bfd07d434e17c8ec082ae6b65c34e80953  
**SHA256:**926c541bf1a1faa35175ff6d0aec1875cef3da5828a2a7cd24816b3052023d10  
**Referenced In Project/Scope:** CoWorkInstaller

Evidence 				
Type	Source	Name	Value	Confidence

Identifiers				
-------------	--	--	--	--

- None

### configuration.zip: configuration.jar: usersandgroupsselect.directive.js

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/configuration.zip/configuration.jar/com/inet/report/plugins/config/client/js/renderer/usersandgroupsselect.directive.js  
**MD5:** 27bf7f8502a7aa8612104bf9da20aa9d  
**SHA1:** a75f988f7790d6be413c8f962c051a78880d96d7  
**SHA256:** c7b08fadcb0c0d0907adf944c05e79a20d065d9faebfe4472b570f5f73a976d1  
**Referenced In Project/Scope:** CoWorkInstaller

#### Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### cowork.calls.zip: bc-fips.jar

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/cowork.calls.zip/bc-fips.jar  
**MD5:** 0e3ce147f5132e096e7c3b22ab23a079  
**SHA1:** 061fbe8383f70489dda95a11a2a4739eb818ff2c  
**SHA256:** 044fcd8a29d236edea8a5b414406cdae63b475f9ad9f05fe2dc904a277941115  
**Referenced In Project/Scope:** CoWorkInstaller

#### Evidence

Type	Source	Name	Value	Confidence
Vendor	file	name	bc-fips	High
Vendor	jar	package name	bouncycastle	Highest
Vendor	jar	package name	bouncycastle	Low
Vendor	jar	package name	fips	Highest
Vendor	jar	package name	org	Highest
Vendor	jar	package name	provider	Highest
Vendor	Manifest	application-library-allowable-	*	Low

		codebase		
Vendor	Manifest	application-name	Bouncy Castle FIPS Provider	Medium
Vendor	Manifest	bundle-requiredexecution	JavaSE-1.8	Low
Vendor	Manifest	bundle-symbolicname	bcfips	Medium
Vendor	Manifest	caller-allowable-codebase	*	Low
Vendor	Manifest	codebase	*	Low
Vendor	Manifest	extension-name	org.bouncycastle.bcfips	Medium
Vendor	Manifest	Implementation-Vendor	BouncyCastle.org	High
Vendor	Manifest	Implementation-Vendor-Id	org.bouncycastle	Medium
Vendor	Manifest	multi-release	true	Low
Vendor	Manifest	permissions	all-permissions	Low
Vendor	Manifest	specification-vendor	BouncyCastle.org	Low
Vendor	Manifest	trusted-library	true	Low
Product	file	name	bc-fips	High
Product	jar	package name	bouncycastle	Highest
Product	jar	package name	fips	Highest
Product	jar	package name	org	Highest
Product	jar	package name	permissions	Highest
Product	jar	package name	provider	Highest
Product	Manifest	application-library-allowable-codebase	*	Low
Product	Manifest	application-name	Bouncy Castle FIPS Provider	Medium
Product	Manifest	Bundle-Name	bcfips	Medium
Product	Manifest	bundle-requiredexecution	JavaSE-1.8	Low
Product	Manifest	bundle-symbolicname	bcfips	Medium
Product	Manifest	caller-allowable-codebase	*	Low
Product	Manifest	codebase	*	Low
Product	Manifest	extension-name	org.bouncycastle.bcfips	Medium
Product	Manifest	multi-release	true	Low



Product	Manifest	permissions	all-permissions	Low
Product	Manifest	trusted-library	true	Low
Version	jar	package name	permissions	Highest
Version	Manifest	Bundle-Version	2.1.2	High
Version	Manifest	Implementation-Version	2.1.2	High

#### Related Dependencies



- mail.zip: bc-fips.jar
  - File Path: /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/mail.zip/bc-fips.jar
  - MD5: 0e3ce147f5132e096e7c3b22ab23a079
  - SHA1: 061fbe8383f70489dda95a11a2a4739eb818ff2c
  - SHA256: 044fcd8a29d236edea8a5b414406cdae63b475f9ad9f05fe2dc904a277941115
- webserver.zip: bc-fips.jar
  - File Path: /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/webserver.zip/bc-fips.jar
  - MD5: 0e3ce147f5132e096e7c3b22ab23a079
  - SHA1: 061fbe8383f70489dda95a11a2a4739eb818ff2c
  - SHA256: 044fcd8a29d236edea8a5b414406cdae63b475f9ad9f05fe2dc904a277941115

#### Identifiers

- cpe:2.3:a:bouncycastle:bouncy\_castle\_for\_java:2.1.2:\*\*\*\*:\* (Confidence:Low)

suppress

### cowork.calls.zip: bcpkix-fips.jar

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/cowork.calls.zip/bcpkix-fips.jar

**MD5:** 17235576f301545c841cd96c00cc4815

**SHA1:** 41d15c70437440d63b65225d7c00873a030d25d0

**SHA256:** c4370064664d474d8681f55f302cfdade4cae0f3d798b10fd18b0ab8fbd6fed1

**Referenced In Project/Scope:** CoWorkInstaller

#### Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	bcpkix-fips	High
Vendor	jar	package name	bouncycastle	Highest
Vendor	jar	package name	bouncycastle	Low

Vendor	jar	package name	pkix	Highest
Vendor	Manifest	application-library-allowable-codebase	*	Low
Vendor	Manifest	application-name	Bouncy Castle FIPS PKIX API	Medium
Vendor	Manifest	automatic-module-name	org.bouncycastle.fips.pkix	Medium
Vendor	Manifest	bundle-requiredexecution	JavaSE-1.8	Low
Vendor	Manifest	bundle-symbolicname	bcpkix	Medium
Vendor	Manifest	caller-allowable-codebase	*	Low
Vendor	Manifest	codebase	*	Low
Vendor	Manifest	extension-name	org.bouncycastle.bcfips.pkix	Medium
Vendor	Manifest	Implementation-Vendor	BouncyCastle.org	High
Vendor	Manifest	Implementation-Vendor-Id	org.bouncycastle	Medium
Vendor	Manifest	multi-release	true	Low
Vendor	Manifest	permissions	all-permissions	Low
Vendor	Manifest	specification-vendor	BouncyCastle.org	Low
Vendor	Manifest	trusted-library	true	Low
Product	file	name	bcpkix-fips	High
Product	jar	package name	bouncycastle	Highest
Product	jar	package name	pkix	Highest
Product	Manifest	application-library-allowable-codebase	*	Low
Product	Manifest	application-name	Bouncy Castle FIPS PKIX API	Medium
Product	Manifest	automatic-module-name	org.bouncycastle.fips.pkix	Medium
Product	Manifest	Bundle-Name	bcpkix	Medium
Product	Manifest	bundle-requiredexecution	JavaSE-1.8	Low
Product	Manifest	bundle-symbolicname	bcpkix	Medium
Product	Manifest	caller-allowable-codebase	*	Low

Product	Manifest	codebase	*	Low
Product	Manifest	extension-name	org.bouncycastle.bcfixs.pkix	Medium
Product	Manifest	multi-release	true	Low
Product	Manifest	permissions	all-permissions	Low
Product	Manifest	trusted-library	true	Low
Version	Manifest	Bundle-Version	2.1.10	High
Version	Manifest	Implementation-Version	2.1.10	High

#### Related Dependencies



- mail.zip: bcpkix-fips.jar
  - File Path: /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/mail.zip/bcpkix-fips.jar
  - MD5: 17235576f301545c841cd96c00cc4815
  - SHA1: 41d15c70437440d63b65225d7c00873a030d25d0
  - SHA256: c4370064664d474d8681f55f302cfdade4cae0f3d798b10fd18b0ab8fbd6fed1
- webserver.zip: bcpkix-fips.jar
  - File Path: /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/webserver.zip/bcpkix-fips.jar
  - MD5: 17235576f301545c841cd96c00cc4815
  - SHA1: 41d15c70437440d63b65225d7c00873a030d25d0
  - SHA256: c4370064664d474d8681f55f302cfdade4cae0f3d798b10fd18b0ab8fbd6fed1

#### Identifiers

- [cpe:2.3:a:bouncycastle:bouncy\\_castle\\_for\\_java:2.1.10:\\*.~\\*~\\*~\\*~\\*](#) (Confidence: Highest)

### cowork.calls.zip: bctls-fips.jar

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/cowork.calls.zip/bctls-fips.jar

**MD5:** 31c3f7bcb6b823e5bc8a8c0e8c8ea6b5

**SHA1:** d2979016bf75ef8b5e8aa17211399651a391a21f

**SHA256:** 688410563445e1a65ff33cb67842499f0788994d752c3df8f7ea4a0d40ddb50

**Referenced In Project/Scope:** CoWorkInstaller

#### Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	bctls-fips	High

Vendor	jar	package name	bouncycastle	Highest
Vendor	jar	package name	bouncycastle	Low
Vendor	jar	package name	org	Highest
Vendor	jar	package name	tls	Highest
Vendor	Manifest	application-library-allowable-codebase	*	Low
Vendor	Manifest	application-name	Bouncy Castle FIPS TLS API	Medium
Vendor	Manifest	automatic-module-name	org.bouncycastle.fips.tls	Medium
Vendor	Manifest	bundle-requiredexecution	JavaSE-1.8	Low
Vendor	Manifest	bundle-symbolicname	bctls	Medium
Vendor	Manifest	caller-allowable-codebase	*	Low
Vendor	Manifest	codebase	*	Low
Vendor	Manifest	extension-name	org.bouncycastle.bcips.tls	Medium
Vendor	Manifest	Implementation-Vendor	BouncyCastle.org	High
Vendor	Manifest	Implementation-Vendor-Id	org.bouncycastle	Medium
Vendor	Manifest	multi-release	true	Low
Vendor	Manifest	permissions	all-permissions	Low
Vendor	Manifest	specification-vendor	BouncyCastle.org	Low
Vendor	Manifest	trusted-library	true	Low
Product	file	name	bctls-fips	High
Product	jar	package name	bouncycastle	Highest
Product	jar	package name	org	Highest
Product	jar	package name	tls	Highest
Product	Manifest	application-library-allowable-codebase	*	Low
Product	Manifest	application-name	Bouncy Castle FIPS TLS API	Medium
Product	Manifest	automatic-module-name	org.bouncycastle.fips.tls	Medium
Product	Manifest	Bundle-Name	bctls	Medium
Product	Manifest	bundle-requiredexecution	JavaSE-1.8	Low

Product	Manifest	bundle-symbolicname	bctls	Medium
Product	Manifest	caller-allowable-codebase	*	Low
Product	Manifest	codebase	*	Low
Product	Manifest	extension-name	org.bouncycastle.bcfips.tls	Medium
Product	Manifest	multi-release	true	Low
Product	Manifest	permissions	all-permissions	Low
Product	Manifest	trusted-library	true	Low
Version	Manifest	Bundle-Version	2.1.22	High
Version	Manifest	Implementation-Version	2.1.22	High

#### Identifiers

- [cpe:2.3:a:bouncycastle:bouncy\\_castle\\_for\\_java:2.1.22:\\*:\\*:\\*:\\*:\\*](#) (Confidence: Highest)

### cowork.calls.zip: bcutil-fips.jar

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/cowork.calls.zip/bcutil-fips.jar

**MD5:** ca132f36f25d85df12535487bb9a2d33

**SHA1:** 30b41ebc759a4f02e2ff7ab9acb09268923ee41f

**SHA256:** 503aaf5c2c5b7c729547462efe13699b5f6dacf9be150b7c48bba974b793dc92

**Referenced In Project/Scope:** CoWorkInstaller

#### Evidence

Type	Source	Name	Value	Confidence
Vendor	file	name	bcutil-fips	High
Vendor	jar	package name	asn1	Low
Vendor	jar	package name	bouncycastle	Highest
Vendor	jar	package name	bouncycastle	Low
Vendor	jar	package name	its	Low
Vendor	Manifest	application-library-allowable-codebase	*	Low
Vendor	Manifest	application-	Bouncy Castle FIPS Utility API	Medium

		name		
Vendor	Manifest	automatic-module-name	org.bouncycastle.fips.util	Medium
Vendor	Manifest	bundle-requiredexecution	JavaSE-1.8	Low
Vendor	Manifest	bundle-symbolicname	bcutil	Medium
Vendor	Manifest	caller-allowable-codebase	*	Low
Vendor	Manifest	codebase	*	Low
Vendor	Manifest	extension-name	org.bouncycastle.bcfips.util	Medium
Vendor	Manifest	Implementation-Vendor	BouncyCastle.org	High
Vendor	Manifest	Implementation-Vendor-Id	org.bouncycastle	Medium
Vendor	Manifest	multi-release	true	Low
Vendor	Manifest	permissions	all-permissions	Low
Vendor	Manifest	specification-vendor	BouncyCastle.org	Low
Vendor	Manifest	trusted-library	true	Low
Product	file	name	bcutil-fips	High
Product	jar	package name	asn1	Low
Product	jar	package name	bouncycastle	Highest
Product	jar	package name	its	Low
Product	Manifest	application-library-allowable-codebase	*	Low
Product	Manifest	application-name	Bouncy Castle FIPS Utility API	Medium
Product	Manifest	automatic-module-name	org.bouncycastle.fips.util	Medium
Product	Manifest	Bundle-Name	bcutil	Medium
Product	Manifest	bundle-requiredexecution	JavaSE-1.8	Low
Product	Manifest	bundle-symbolicname	bcutil	Medium
Product	Manifest	caller-allowable-codebase	*	Low
Product	Manifest	codebase	*	Low
Product	Manifest	extension-name	org.bouncycastle.bcfips.util	Medium
Product	Manifest	multi-release	true	Low
Product	Manifest	permissions	all-permissions	Low

Product	Manifest	trusted-library	true	Low
Version	Manifest	Bundle-Version	2.1.5	High
Version	Manifest	Implementation-Version	2.1.5	High

## Related Dependencies



- mail.zip: bcutil-fips.jar
  - File Path: /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/mail.zip/bcutil-fips.jar
  - MD5: ca132f36f25d85df12535487bb9a2d33
  - SHA1: 30b41ebc759a4f02e2ff7ab9acb09268923ee41f
  - SHA256: 503aaf5c2c5b7c729547462efe13699b5f6dacf9be150b7c48bba974b793dc92
- webserver.zip: bcutil-fips.jar
  - File Path: /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/webserver.zip/bcutil-fips.jar
  - MD5: ca132f36f25d85df12535487bb9a2d33
  - SHA1: 30b41ebc759a4f02e2ff7ab9acb09268923ee41f
  - SHA256: 503aaf5c2c5b7c729547462efe13699b5f6dacf9be150b7c48bba974b793dc92

## Identifiers

- [cpe:2.3:a:bouncycastle:bouncy\\_castle\\_for\\_java:2.1.5:\\*\\*\\*\\*\\*](#) (*Confidence: Highest*)

suppress

## cowork.calls.zip: concentus.jar

### Description:

This package is a pure portable Java implementation of the Opus audio compression codec (see <https://opus-codec.org/> for more details). This package contains the Opus encoder, decoder, multistream codecs, and repacketizer. It does NOT contain code to parse .ogg or .opus container files or to manage RTP packet streams.

### License:

LICENSE: <https://raw.githubusercontent.com/lostromb/concentus/master/LICENSE>

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/cowork.calls.zip/concentus.jar

**MD5:** acbe932e26d09c43a721ac8816819652

**SHA1:** 3658ef53df76c1fb635617c03320cd56dfdd49f3

**SHA256:** 3584da8a1ac7e0814a03ce3c1b1e70250bf7b07668bc39eea1048796d6471ce3

**Referenced In Project/Scope:** CoWorkInstaller

## Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	concentus	High
Vendor	jar	package name	concentus	Highest
Vendor	jar	package name	github	Highest
Vendor	jar	package name	github	Low
Vendor	jar	package name	io	Highest
Vendor	jar	package name	io	Low
Vendor	jar	package name	jaredmdobson	Highest
Vendor	jar	package name	jaredmdobson	Low
Vendor	pom	artifactid	concentus	Low
Vendor	pom	developer email	Logan.Stromberg@microsoft.com	Low
Vendor	pom	developer id	lostromb	Medium
Vendor	pom	developer name	Logan Stromberg	Medium
Vendor	pom	groupid	io.github.jaredmdobson	Highest
Vendor	pom	name	concentus	High
Vendor	pom	url	https://github.com/jaredmdobson/concentus	Highest
Product	file	name	concentus	High
Product	jar	package name	concentus	Highest
Product	jar	package name	concentus	Low
Product	jar	package name	github	Highest
Product	jar	package name	github	Low
Product	jar	package name	io	Highest
Product	jar	package name	jaredmdobson	Highest
Product	jar	package name	jaredmdobson	Low
Product	pom	artifactid	concentus	Highest
Product	pom	developer email	Logan.Stromberg@microsoft.com	Low
Product	pom	developer id	lostromb	Low
Product	pom	developer name	Logan Stromberg	Low
Product	pom	groupid	io.github.jaredmdobson	Highest
Product	pom	name	concentus	High
Product	pom	url	https://github.com/jaredmdobson/concentus	Medium
Version	pom	version	1.0.2	Highest

## Identifiers



• pkg:maven/io.github.jaredmdobson/concentus@1.0.2 (Confidence:High)

## cowork.calls.zip: config.jar

### Description:

configuration library for JVM languages using HOCON files

### License:

<https://www.apache.org/licenses/LICENSE-2.0;description=Apache-2.0>

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/cowork.calls.zip/config.jar

**MD5:** 08d45cceb0100d1943f6aa0f81e410fa

**SHA1:** 0cc25b497ded7068a861517a815546fb472f9e58

**SHA256:** 4a4b0affb22a9572409d3a6bde99ce3f2045c551cad1ca7fe09690892c526c3

**Referenced In Project/Scope:** CoWorkInstaller

### Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	config	High
Vendor	jar	package name	config	Highest
Vendor	jar	package name	config	Low
Vendor	jar	package name	impl	Low
Vendor	jar	package name	typesafe	Highest
Vendor	jar	package name	typesafe	Low
Vendor	Manifest	automatic-module-name	typesafe.config	Medium
Vendor	Manifest	bundle-symbolicname	com.typesafe.config	Medium
Vendor	Manifest	implementation-url	https://github.com/lightbend/config	Low
Vendor	Manifest	Implementation-Vendor	com.typesafe	High
Vendor	Manifest	Implementation-Vendor-Id	com.typesafe	Medium
Vendor	Manifest	specification-vendor	com.typesafe	Low
Product	file	name	config	High
Product	jar	package name	config	Highest
Product	jar	package name	config	Low
Product	jar	package name	impl	Low

Product	jar	package name	typesafe	Highest
Product	Manifest	automatic-module-name	typesafe.config	Medium
Product	Manifest	Bundle-Name	config	Medium
Product	Manifest	bundle-symbolicname	com.typesafe.config	Medium
Product	Manifest	Implementation-Title	config	High
Product	Manifest	implementation-url	https://github.com/lightbend/config	Low
Product	Manifest	specification-title	config	Medium
Version	jar	package name	config	Highest
Version	Manifest	Bundle-Version	1.4.5	High
Version	Manifest	Implementation-Version	1.4.5	High

#### Identifiers

- None

### cowork.calls.zip: cowork.calls.jar

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/cowork.calls.zip/cowork.calls.jar

**MD5:** 747bcf4af42cd1327c1a49aa7582081d

**SHA1:** d724dde8e5e2b03b81ebda44cfcb093828fc83d0

**SHA256:** 0357c92f71c5f36a4624b38a52a508d27eca79173d2adcb81bc2e9d0f4f2d935

**Referenced In Project/Scope:** CoWorkInstaller

#### Evidence +

Type	Source	Name	Value	Confidence
Vendor	file	name	cowork.calls	High
Vendor	jar	package name	calls	Low
Vendor	jar	package name	cowork	Low
Vendor	jar	package name	inet	Low
Vendor	Manifest	built-date	2026-06-16 17:23	Low
Vendor	Manifest	implementation-group	cowork	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High

Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	cowork.calls	High
Product	jar	package name	calls	Highest
Product	jar	package name	calls	Low
Product	jar	package name	cowork	Highest
Product	jar	package name	cowork	Low
Product	jar	package name	server	Low
Product	Manifest	built-date	2026-06-16 17:23	Low
Product	Manifest	implementation-group	cowork	Low
Product	Manifest	Implementation-Title	cowork.calls	High
Product	Manifest	specification-title	cowork.calls	Medium
Version	jar	package name	cowork	Highest
Version	Manifest	Implementation-Version	26.4.269	High

#### Identifiers

- None

### cowork.calls.zip: cowork.calls.jar: coworkcallsactions.js

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/cowork.calls.zip/cowork.calls.jar/com/inet/cowork/calls/js/coworkcallsactions.js

**MD5:** 3982613bf153a7b744e44080d2cbeb19

**SHA1:** 816bae35db04d7b1284164ac006868d1149762cb

**SHA256:** 72673dd7bf91f88d7063434fd2ae65bef5aefe8cbdd7ad1cb06a8999e5cc81db

**Referenced In Project/Scope:** CoWorkInstaller

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### cowork.calls.zip: cowork.calls.jar: coworkcallsettings.js

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/cowork.calls.zip/cowork.calls.jar/com/inet/cowork/calls/js/coworkcallsettings.js

**MD5:** 5eed696ed7543eb8fef2f5517bc60d50

**SHA1:** dfb632578cb7f82f9789f99401a0e7e491fa641d

**SHA256:** 19c58f3827b91a97bc6629504c0f95bd806693d889630762ab87155c24540ee2

**Referenced In Project/Scope:** CoWorkInstaller

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### cowork.calls.zip: cowork.calls.jar: coworkcallsfactory.js

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/cowork.calls.zip/cowork.calls.jar/com/inet/cowork/calls/js/coworkcallsfactory.js

**MD5:** a574e091a92376c2244bc911ea876916

**SHA1:** 929f166b0fe88a57fb92bb960abffdde85683a7d

**SHA256:** 7b66927f67ef40f75b4ba6f4b8c346e1689ff84e712db788ab048e5af318dbca

**Referenced In Project/Scope:** CoWorkInstaller

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

## cowork.calls.zip: ice4j.jar

### Description:

A Java implementation of the ICE protocol

### License:

Apache-2.0: <https://github.com/jitsi/ice4j/blob/master/LICENSE>

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/cowork.calls.zip/ice4j.jar

**MD5:** f0adbd525d5fdd863e34317ac7f48248

**SHA1:** b532fe55ea7836581a6fe67eb991318762a541c5

**SHA256:** 11c4b2d9e12d199ed494f74a004d2468d323e4330f2285539381842aed725650

**Referenced In Project/Scope:** CoWorkInstaller

### Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	ice4j	High
Vendor	jar	package name	ice	Highest
Vendor	jar	package name	ice4j	Highest
Vendor	Manifest	build-jdk-spec	11	Low
Vendor	Manifest	bundle-developers	"org.jitsi";email="dev@jitsi.org";name="Jitsi Team"	Low
Vendor	Manifest	bundle-docurl	<a href="https://github.com/jitsi/ice4j">https://github.com/jitsi/ice4j</a>	Low
Vendor	Manifest	bundle-symbolicname	org.jitsi.ice4j	Medium
Vendor	pom	artifactid	ice4j	Low
Vendor	pom	developer email	dev@jitsi.org	Low
Vendor	pom	developer id	org.jitsi	Medium
Vendor	pom	developer name	Jitsi Team	Medium
Vendor	pom	groupid	org.jitsi	Highest
Vendor	pom	name	ice4j	High
Vendor	pom	organization name	jitsi.org	High
Vendor	pom	organization url	<a href="https://jitsi.org">https://jitsi.org</a>	Medium
Vendor	pom	url	<a href="https://jitsi.org/ice4j">jitsi/ice4j</a>	Highest
Product	file	name	ice4j	High
Product	jar	package name	ice	Highest
Product	jar	package name	ice4j	Highest
Product	Manifest	build-jdk-spec	11	Low
Product	Manifest	bundle-	"org.jitsi";email="dev@jitsi.org";name="Jitsi"	Low

		developers	Team"	
Product	Manifest	bundle-docurl	https://github.com/jitsi/ice4j	Low
Product	Manifest	Bundle-Name	ice4j	Medium
Product	Manifest	bundle-symbolicname	org.jitsi.ice4j	Medium
Product	pom	artifactid	ice4j	Highest
Product	pom	developer email	dev@jitsi.org	Low
Product	pom	developer id	org.jitsi	Low
Product	pom	developer name	Jitsi Team	Low
Product	pom	groupid	org.jitsi	Highest
Product	pom	name	ice4j	High
Product	pom	organization name	jitsi.org	Low
Product	pom	organization url	https://jitsi.org	Low
Product	pom	url	jitsi/ice4j	High
Version	pom	version	3.2-12-gc2cbf61	Highest

#### Identifiers

- pkg:maven/org.jitsi/ice4j@3.2-12-gc2cbf61 (Confidence:High)
- [cpe:2.3:a:jitsi:jitsi:3.2.12.gc2.cbf61:\\*:\\*:\\*:\\*:\\*](#) (Confidence:Highest)

suppress

## cowork.calls.zip: jicoco-config.jar

### Description:

Jitsi Common Components (Configuration Utilities)

### License:

"Apache-2.0";link="https://github.com/jitsi/jicoco/blob/master/LICENSE"

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/cowork.calls.zip/jicoco-config.jar

**MD5:** 8f02ad43cc5b7ce1803ab41720a88380

**SHA1:** 09ef0e37983dac8cc3e6c287822087a2b86efc56

**SHA256:** c55bdac708441b77a6d5b88a998853aae6ba9af62d059f52cf6679c85b2fa0ac

**Referenced In Project/Scope:** CoWorkInstaller

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Vendor	file	name	jicoco-config	High
Vendor	jar	package name	config	Highest
Vendor	jar	package name	jitsi	Highest
Vendor	Manifest	build-jdk-spec	11	Low
Vendor	Manifest	bundle-developers	"org.jitsi";email="dev@jitsi.org";name="Jitsi Team"	Low
Vendor	Manifest	bundle-docurl	https://github.com/jitsi/jicoco/jicoco-config	Low
Vendor	Manifest	bundle-symbolicname	org.jitsi.config	Medium
Vendor	pom	artifactid	jicoco-config	Low
Vendor	pom	groupid	org.jitsi	Highest
Vendor	pom	name	jicoco-config	High
Vendor	pom	parent-artifactid	jicoco-parent	Low
Product	file	name	jicoco-config	High
Product	jar	package name	config	Highest
Product	jar	package name	jitsi	Highest
Product	Manifest	build-jdk-spec	11	Low
Product	Manifest	bundle-developers	"org.jitsi";email="dev@jitsi.org";name="Jitsi Team"	Low
Product	Manifest	bundle-docurl	https://github.com/jitsi/jicoco/jicoco-config	Low
Product	Manifest	Bundle-Name	jicoco-config	Medium
Product	Manifest	bundle-symbolicname	org.jitsi.config	Medium
Product	pom	artifactid	jicoco-config	Highest
Product	pom	groupid	org.jitsi	Highest
Product	pom	name	jicoco-config	High
Product	pom	parent-artifactid	jicoco-parent	Medium
Version	pom	version	1.1-164-g4c67b0d	Highest

#### Identifiers

- pkg:maven/org.jitsi/jicoco-config@1.1-164-g4c67b0d (Confidence:High)
- [cpe:2.3:a:jitsi:jitsi:1.1.164.g4.c67.b0:\\*\\*\\*\\*:\\*](#) (Confidence:Highest) suppress

**Description:**

jitsi-metaconfig helps solve the problems around the evolution of configuration properties

**License:**

Apache-2.0: <https://github.com/jitsi/jitsi-metaconfig/blob/master/LICENSE>

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/cowork.calls.zip/jitsi-metaconfig.jar

**MD5:** 149facd87e6b7aa23daaf5ab34b612f0

**SHA1:** 2a88915e0216e985aef6d28b53ab572f11f11fe9

**SHA256:** d92696906349b12b99c929450637797c28b8971cc69ef75a0f093d5566ee17bf

**Referenced In Project/Scope:** CoWorkInstaller

**Evidence**

Type	Source	Name	Value	Confidence
Vendor	file	name	jitsi-metaconfig	High
Vendor	jar	package name	jitsi	Highest
Vendor	jar	package name	metaconfig	Highest
Vendor	Manifest	build-jdk-spec	11	Low
Vendor	Manifest	bundle-developers	"org.jitsi";email="dev@jitsi.org";name="Jitsi Team"	Low
Vendor	Manifest	bundle-docurl	<a href="https://github.com/jitsi/jitsi-metaconfig">https://github.com/jitsi/jitsi-metaconfig</a>	Low
Vendor	Manifest	bundle-symbolicname	org.jitsi.metaconfig	Medium
Vendor	pom	artifactid	jitsi-metaconfig	Low
Vendor	pom	developer email	dev@jitsi.org	Low
Vendor	pom	developer id	org.jitsi	Medium
Vendor	pom	developer name	Jitsi Team	Medium
Vendor	pom	groupid	org.jitsi	Highest
Vendor	pom	name	jitsi-metaconfig	High
Vendor	pom	organization name	jitsi.org	High
Vendor	pom	organization url	<a href="https://jitsi.org">https://jitsi.org</a>	Medium
Vendor	pom	url	<a href="https://github.com/jitsi/jitsi-metaconfig">jitsi/jitsi-metaconfig</a>	Highest
Product	file	name	jitsi-metaconfig	High
Product	jar	package name	jitsi	Highest
Product	jar	package name	metaconfig	Highest
Product	Manifest	build-jdk-spec	11	Low
Product	Manifest	bundle-developers	"org.jitsi";email="dev@jitsi.org";name="Jitsi Team"	Low
Product	Manifest	bundle-docurl	<a href="https://github.com/jitsi/jitsi-metaconfig">https://github.com/jitsi/jitsi-metaconfig</a>	Low



Product	Manifest	Bundle-Name	jitsi-metaconfig	Medium
Product	Manifest	bundle-symbolicname	org.jitsi.metaconfig	Medium
Product	pom	artifactid	jitsi-metaconfig	Highest
Product	pom	developer email	dev@jitsi.org	Low
Product	pom	developer id	org.jitsi	Low
Product	pom	developer name	Jitsi Team	Low
Product	pom	groupid	org.jitsi	Highest
Product	pom	name	jitsi-metaconfig	High
Product	pom	organization name	jitsi.org	Low
Product	pom	organization url	https://jitsi.org	Low
Product	pom	url	jitsi/jitsi-metaconfig	High
Version	pom	version	1.0-16-gfce4953	Highest

#### Identifiers

- pkg:maven/org.jitsi/jitsi-metaconfig@1.0-16-gfce4953 (Confidence:High)
- [cpe:2.3:a:jitsi:jitsi:1.0.16:fc4953:.\\*.\\*.\\*.\\*.\\*](#) (Confidence:Highest) suppress

## cowork.calls.zip: jitsi-utils.jar

### Description:

A set of basic utilities used in Jitsi projects

### License:

Apache-2.0: <https://github.com/jitsi/jitsi-utils/blob/master/LICENSE>

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/cowork.calls.zip/jitsi-utils.jar

**MD5:** 3833fa8e0ff61fa9c96f1c7fd4db32ee

**SHA1:** 280e539b5071be1ff5d8951e2c675818e0876b7f

**SHA256:** eba234ebd3a9fde0d291673a8d5cc29d8e0bdca7e425d552c43e28d5f2acc0f7

**Referenced In Project/Scope:** CoWorkInstaller

### Evidence

Type	Source	Name	Value	Confidence
Vendor	file	name	jitsi-utils	High
Vendor	jar	package name	jitsi	Highest

Vendor	jar	package name	utils	Highest
Vendor	Manifest	build-jdk-spec	11	Low
Vendor	Manifest	bundle-docurl	https://github.com/jitsi/jitsi-utils	Low
Vendor	Manifest	bundle-symbolicname	org.jitsi.utils	Medium
Vendor	pom	artifactid	jitsi-utils	Low
Vendor	pom	developer email	dev@jitsi.org	Low
Vendor	pom	developer id	org.jitsi	Medium
Vendor	pom	developer name	Jitsi Team	Medium
Vendor	pom	groupid	org.jitsi	Highest
Vendor	pom	name	jitsi-utils	High
Vendor	pom	organization name	jitsi.org	High
Vendor	pom	organization url	https://jitsi.org	Medium
Vendor	pom	url	jitsi/jitsi-utils	Highest
Product	file	name	jitsi-utils	High
Product	jar	package name	jitsi	Highest
Product	jar	package name	utils	Highest
Product	Manifest	build-jdk-spec	11	Low
Product	Manifest	bundle-docurl	https://github.com/jitsi/jitsi-utils	Low
Product	Manifest	Bundle-Name	jitsi-utils	Medium
Product	Manifest	bundle-symbolicname	org.jitsi.utils	Medium
Product	pom	artifactid	jitsi-utils	Highest
Product	pom	developer email	dev@jitsi.org	Low
Product	pom	developer id	org.jitsi	Low
Product	pom	developer name	Jitsi Team	Low
Product	pom	groupid	org.jitsi	Highest
Product	pom	name	jitsi-utils	High
Product	pom	organization name	jitsi.org	Low
Product	pom	organization url	https://jitsi.org	Low
Product	pom	url	jitsi/jitsi-utils	High
Version	pom	version	1.0-147-g12d0b20	Highest

## Identifiers

- pkg:maven/org.jitsi/jitsi-utils@1.0-147-g12d0b20 (Confidence:High)
- [cpe:2.3:a:jitsi:jitsi:1.0.147.g12.d0:b20:\\*:\\*:\\*:\\*:\\*](#) (Confidence:Highest) suppress
- [cpe:2.3:a:utils\\_project:utils:1.0.147.g12.d0:b20:\\*:\\*:\\*:\\*:\\*](#) (Confidence:Highest) suppress

## cowork.calls.zip: kotlin-stdlib.jar

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/cowork.calls.zip/kotlin-stdlib.jar

**MD5:** 350e6fb4b4f076fd6469e606c9f3b6e8

**SHA1:** ebc4eb2b6e6c91b6c844c1e3183920d86f2ef656

**SHA256:** 887587c91713250ad52fe14ad9166d042c33835049890e9437f355ffc5a195b1

**Referenced In Project/Scope:** CoWorkInstaller

### Evidence

Type	Source	Name	Value	Confidence
Vendor	file	name	kotlin-stdlib	High
Vendor	jar	package name	kotlin	Low
Vendor	Manifest	Implementation-Vendor	JetBrains	High
Vendor	Manifest	kotlin-runtime-component	Main	Low
Vendor	Manifest	multi-release	true	Low
Product	file	name	kotlin-stdlib	High
Product	jar	package name	kotlin	Highest
Product	Manifest	Implementation-Title	kotlin-stdlib	High
Product	Manifest	kotlin-runtime-component	Main	Low
Product	Manifest	multi-release	true	Low
Version	Manifest	Implementation-Version	2.3.0-release-356	High

### Related Dependencies

- cowork.calls.zip: kotlin-reflect.jar
  - File Path: /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/cowork.calls.zip/kotlin-reflect.jar
  - MD5: 9dc0040b1d3678f01292f3c72b12f1aa
  - SHA1: a723c4fbee7b48910a0f82b8ea826da1b17dd0b
  - SHA256: 714df4be819545ff4de1f36aa2183e0dea94b4c8cdf7ca29e9c89919baf36362

## Identifiers

- [cpe:2.3:a:jetbrains:kotlin:2.3.0:release:\\*.~\\*~\\*~\\*~\\*](#) (*Confidence:High*) suppress

## cowork.calls.zip: vosk.jar

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/cowork.calls.zip/vosk.jar

**MD5:** 9e9331d6399fe13d7d407895e51830c6

**SHA1:** bc8480ade0cef39ef51c527fc3a947b6f475c953

**SHA256:** b463e560f3a0be68e3c75b2aa4a457fd97bc818038ea92471580fed3b00cd296

**Referenced In Project/Scope:** CoWorkInstaller

## Evidence

Type	Source	Name	Value	Confidence
Vendor	file	name	vosk	High
Vendor	jar	package name	vosk	Low
Product	file	name	vosk	High

## Identifiers

- None

## cowork.calls.zip: vosk.jar: libgcc\_s\_seh-1.dll

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/cowork.calls.zip/vosk.jar/win32-x86-64/libgcc\_s\_seh-1.dll

**MD5:** 6c39c37f05b68f7515b07ea6a803d19d

**SHA1:** 45420d03aaae927527fcb8ea774065c617ab5515

**SHA256:** 201bf8a54ebb490f93ea4beb20740a483bf67036b90b5720f32d0c746a72d1e9

**Referenced In Project/Scope:** CoWorkInstaller

## Evidence

Type	Source	Name	Value	Confidence
Vendor	file	name	libgcc_s_seh-1	High
Product	file	name	libgcc_s_seh-1	High

Version	file	name	libgcc_s_seh-1	Medium
Version	file	version	1	Medium

#### Identifiers

- None

### cowork.calls.zip: vosk.jar: libstdc++-6.dll

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/cowork.calls.zip/vosk.jar/win32-x86-64/libstdc++-6.dll

**MD5:** bdd217aa63ce123986a70570edb8909b

**SHA1:** bedd9a223839d07dff376e06a66550f929dcfbdc

**SHA256:** a1d96a848a567d7657e152cfe92e2fd62da412968cc11ec8bdb04bf20ebc5747

**Referenced In Project/Scope:** CoWorkInstaller

#### Evidence

Type	Source	Name	Value	Confidence
Vendor	file	name	libstdc++-6	High
Product	file	name	libstdc++-6	High
Version	file	name	libstdc++-6	Medium
Version	file	version	6	Medium

#### Identifiers

- None

### cowork.calls.zip: vosk.jar: libvosk.dll

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/cowork.calls.zip/vosk.jar/win32-x86-64/libvosk.dll

**MD5:** 8778133e327b5630e5bcdbaa3107533c

**SHA1:** 68cef503b800ab8d5c8cefb80c59c16ca8e4ab88

**SHA256:** 9331c2f6a32cf77141af27c9750e79532718f51bbc2e3cea3c60f14ca4251e4e

**Referenced In Project/Scope:** CoWorkInstaller

#### Evidence

Type	Source	Name	Value	Confidence
Vendor	file	name	libvosk	High
Product	file	name	libvosk	High

#### Identifiers

- None

### cowork.calls.zip: vosk.jar: libwinpthread-1.dll

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/cowork.calls.zip/vosk.jar/win32-x86-64/libwinpthread-1.dll

**MD5:** ecd7c5d4c6c8d905f3eed86313cf06d8

**SHA1:** 5b9ba8115007242535a35f29b897a6c0077b0bcb

**SHA256:** 92caeb8a4ea281c674003462a233f3b445b685b0a6f93eb11254feda2dda9cde

**Referenced In Project/Scope:** CoWorkInstaller

#### Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	libwinpthread-1	High
Product	file	name	libwinpthread-1	High
Version	file	name	libwinpthread-1	Medium
Version	file	version	1	Medium

#### Identifiers

- None

### cowork.klipy.zip: cowork.klipy.jar

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/cowork.klipy.zip/cowork.klipy.jar

**MD5:** a11c46c43f835e8f4197a336afd69a99

**SHA1:** 6f2f2452fbbb8c74c200f45e50a6dcf76e047d66

**SHA256:** 048eb216b1dbd6b11d8e33792dad931c69a625fab0778e1fa568fa58e5efb75c

**Referenced In Project/Scope:** CoWorkInstaller

#### Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	cowork.klipy	High
Vendor	jar	package name	cowork	Low
Vendor	jar	package name	inet	Low
Vendor	jar	package name	klipy	Low
Vendor	Manifest	built-date	2026-06-16 17:23	Low
Vendor	Manifest	implementation-group	cowork	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	cowork.klipy	High
Product	jar	package name	cowork	Highest
Product	jar	package name	cowork	Low
Product	jar	package name	klipy	Highest
Product	jar	package name	klipy	Low
Product	jar	package name	server	Low
Product	Manifest	built-date	2026-06-16 17:23	Low
Product	Manifest	implementation-group	cowork	Low
Product	Manifest	Implementation-Title	cowork.klipy	High
Product	Manifest	specification-title	cowork.klipy	Medium
Version	jar	package name	cowork	Highest
Version	Manifest	Implementation-Version	26.4.269	High

#### Identifiers

- None

cowork.klipy.zip: cowork.klipy.jar: coworkklipy.js

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/cowork.klipy.zip/cowork.klipy.jar/com/inet/cowork/klipy/js/coworkklipy.js  
**MD5:** 0f3cec5af51780baef20686b2757d7a6  
**SHA1:** 8bf63d0313043b114afdbd4136caef2a48b389f7  
**SHA256:** ca35e0a3754fbc422703728eb0eb457922d0b5829a61cbe1dd4295a513217da0  
**Referenced In Project/Scope:** CoWorkInstaller

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### cowork.klipy.zip: cowork.klipy.jar: klipygifselector.directive.js

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/cowork.klipy.zip/cowork.klipy.jar/com/inet/cowork/klipy/js/klipygifselector.directive.js  
**MD5:** 6a07ab99d390e9b44b728863a00259c6  
**SHA1:** 7e6c943353300b00d3ec7e15c3e512b951fa5cbe  
**SHA256:** 549b4a8267ac9ee1e1e8fe74ea6eed8574ad4c9c5cb981a55000dd4e29ef3106  
**Referenced In Project/Scope:** CoWorkInstaller

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### cowork.meetingrooms.zip: cowork.meetingrooms.jar

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/cowork.meetingrooms.zip/cowork.meetingrooms.jar  
**MD5:** fa27077c999d0f1e766b342ef20a5ee6  
**SHA1:** 57e506fa9be87148d37ff465e180f6f17ac7a0d1  
**SHA256:** 75f576a9464fc70a88d51a9dea6508b3acdabc022de60f8a0db8351d30f3588a  
**Referenced In Project/Scope:** CoWorkInstaller



## Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	cowork.meetingrooms	High
Vendor	jar	package name	cowork	Low
Vendor	jar	package name	inet	Low
Vendor	jar	package name	meetingrooms	Low
Vendor	Manifest	built-date	2026-06-16 17:22	Low
Vendor	Manifest	implementation-group	cowork	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	cowork.meetingrooms	High
Product	jar	package name	cowork	Highest
Product	jar	package name	cowork	Low
Product	jar	package name	meetingrooms	Highest
Product	jar	package name	meetingrooms	Low
Product	jar	package name	server	Low
Product	Manifest	built-date	2026-06-16 17:22	Low
Product	Manifest	implementation-group	cowork	Low
Product	Manifest	Implementation-Title	cowork.meetingrooms	High
Product	Manifest	specification-title	cowork.meetingrooms	Medium
Version	jar	package name	cowork	Highest
Version	Manifest	Implementation-Version	26.4.269	High

## Identifiers

- None

## cowork.meetingrooms.zip: cowork.meetingrooms.jar: coworkmeetingroom.js

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/cowork.meetingrooms.zip/cowork.meetingrooms.jar/com/inet/cowork/meetingrooms/js/coworkmeetingroom.js

**MD5:** d8d75a82676baadffbcbf4fbca9cba64

**SHA1:** 40559ccdee37d2c24465a4e5991ed3523a667b06

**SHA256:** 8f777d5bc8e08b5f4569aee36308879c909809cd95df590bb5f4f14f7fa05810

**Referenced In Project/Scope:** CoWorkInstaller

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## cowork.meetingrooms.zip: cowork.meetingrooms.jar: coworkmeetingroommoderator.js

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/cowork.meetingrooms.zip/cowork.meetingrooms.jar/com/inet/cowork/meetingrooms/js/coworkmeetingroommoderator.js

**MD5:** 845d5a6891e95cd4bf65092b9eb4c452

**SHA1:** d52fc0907e17d0c4bc334d2d32925f3ae3975b86

**SHA256:** 4c2951693dee701046a02085c71c684a12b5519a987f64ed64970488aaca4886

**Referenced In Project/Scope:** CoWorkInstaller

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## cowork.meetingrooms.zip: cowork.meetingrooms.jar: endofmeeting.js

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/cowork.meetingrooms.zip/cowork.meetingrooms.jar/com/inet/cowork/meetingrooms/js/endofmeeting.js

**MD5:** 0281ea6e71a959ed149d54fad9386462  
**SHA1:** f305ac2dc2ae559f53d00345fce6ee6bbae5f13c  
**SHA256:** 4470698bfb5d861a24d4c27ad1b2ebfc7b5dd2b24e700fef1e992368618bb9f2  
**Referenced In Project/Scope:** CoWorkInstaller

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### cowork.meetingrooms.zip: cowork.meetingrooms.jar: joinmeeting.js

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/cowork.meetingrooms.zip/cowork.meetingrooms.jar/com/inet/cowork/meetingrooms/js/joinmeeting.js

**MD5:** 398c8fe5b911dcf780426d09c7531d67  
**SHA1:** cd6587dbc2d8eb175b72f80d95a58ccb89e3cd49  
**SHA256:** 9f04c67d31561578bd2181776f53516634da1deeda66768ead65b1f9f4233508  
**Referenced In Project/Scope:** CoWorkInstaller

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### cowork.meetingrooms.zip: cowork.meetingrooms.jar: meetingrooms.maintenance.js

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/cowork.meetingrooms.zip/cowork.meetingrooms.jar/com/inet/cowork/meetingrooms/maintenance/meetingrooms.maintenance.js

**MD5:** 7e27ccccc544c5665b021f6762df3606  
**SHA1:** 61a3f1396caa98e3da7f9c62681179c65e00bad0  
**SHA256:** 6e6bbc667e7cd096f926c7e20e415cb0a893253ca5e3eaaf0f1ffd594c6d65c5  
**Referenced In Project/Scope:** CoWorkInstaller

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### cowork.tenor.zip: cowork.tenor.jar

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/cowork.tenor.zip/cowork.tenor.jar  
**MD5:** 907fc04c7403583f2880bd34d89abae9  
**SHA1:** 1cfdd341c5d68e5f272e02f44de799ab91f438e8  
**SHA256:** 06c622944f0812213a1dceef20e28b3f8216565cc8af669962462a4e466ee02c  
**Referenced In Project/Scope:** CoWorkInstaller

#### Evidence

Type	Source	Name	Value	Confidence
Vendor	file	name	cowork.tenor	High
Vendor	jar	package name	cowork	Low
Vendor	jar	package name	inet	Low
Vendor	jar	package name	tenor	Low
Vendor	Manifest	built-date	2026-06-16 17:22	Low
Vendor	Manifest	implementation-group	cowork	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	cowork.tenor	High
Product	jar	package name	cowork	Highest
Product	jar	package name	cowork	Low
Product	jar	package name	server	Low
Product	jar	package name	tenor	Highest
Product	jar	package name	tenor	Low
Product	Manifest	built-date	2026-06-16 17:22	Low

Product	Manifest	implementation-group	cowork	Low
Product	Manifest	Implementation-Title	cowork.tenor	High
Product	Manifest	specification-title	cowork.tenor	Medium
Version	jar	package name	cowork	Highest
Version	Manifest	Implementation-Version	26.4.269	High

#### Identifiers

- None

### cowork.tenor.zip: cowork.tenor.jar: coworktenor.js

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/cowork.tenor.zip/cowork.tenor.jar/com/inet/cowork/tenor/js/coworktenor.js

**MD5:** 074ded7c1c1f959db8cbaa36a7ddac77

**SHA1:** 157a1b841e1479dfbd90ae8903538f0963320a2f

**SHA256:** 1fbfa51d71ee0b28262612b619d499f25e49fb78ba133ac5c9203a4ef848f14c

**Referenced In Project/Scope:** CoWorkInstaller

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### cowork.tenor.zip: cowork.tenor.jar: tenorgifselector.directive.js

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/cowork.tenor.zip/cowork.tenor.jar/com/inet/cowork/tenor/js/tenorgifselector.directive.js

**MD5:** 516f4268d2b660004c9cd400beeb66d61

**SHA1:** e60545d319c770992cf788ff856fcd9fd9fba364c

**SHA256:** e72fa0250bd48e53549c70ade85cde898e4be7e506f23acce9b2561e5cc033a1

**Referenced In Project/Scope:** CoWorkInstaller

## Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

## Identifiers

- None

## cowork.waitingqueue.zip: cowork.waitingqueue.jar

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/cowork.waitingqueue.zip/cowork.waitingqueue.jar

**MD5:** 44f9dd5f62e720849b92026632559b3e

**SHA1:** 8685deaa3f2ca6f3f7a631ab7f7604d2cf9b04ff

**SHA256:** e2531690005143512cce11b1e2f5d1b1b17281af58a59d6fc24c48565093cdda

**Referenced In Project/Scope:** CoWorkInstaller

## Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	cowork.waitingqueue	High
Vendor	jar	package name	cowork	Low
Vendor	jar	package name	inet	Low
Vendor	jar	package name	waitingqueue	Low
Vendor	Manifest	built-date	2026-06-16 17:22	Low
Vendor	Manifest	implementation-group	cowork	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	cowork.waitingqueue	High
Product	jar	package name	cowork	Highest
Product	jar	package name	cowork	Low
Product	jar	package name	server	Low
Product	jar	package name	waitingqueue	Highest
Product	jar	package name	waitingqueue	Low

Product	Manifest	built-date	2026-06-16 17:22	Low
Product	Manifest	implementation-group	cowork	Low
Product	Manifest	Implementation-Title	cowork.waitingqueue	High
Product	Manifest	specification-title	cowork.waitingqueue	Medium
Version	jar	package name	cowork	Highest
Version	Manifest	Implementation-Version	26.4.269	High

#### Identifiers

- None

### cowork.waitingqueue.zip: cowork.waitingqueue.jar: coworkwaitingqueue.dialog.js

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/cowork.waitingqueue.zip/cowork.waitingqueue.jar/com/inet/cowork/waitingqueue/client/js/coworkwaitingqueue.dialog.js

**MD5:** 555717b4737747d476ab4d3fb8b44777

**SHA1:** 0d8ada1cdedf3a09256d41e34c32d02aefaead11

**SHA256:** 4307df33a30130a3baa09a753d96e4ff85d8aee2d57fe6a55ab478be5114b1fd

**Referenced In Project/Scope:** CoWorkInstaller

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### cowork.waitingqueue.zip: cowork.waitingqueue.jar: coworkwaitingqueue.indicator.js

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/cowork.waitingqueue.zip/cowork.waitingqueue.jar/com/inet/cowork/waitingqueue/client/js/coworkwaitingqueue.indicator.js

**MD5:** f4da33e42876ea622579e6ece21909e6

**SHA1:** 2d459499d1daa92f09a8ccf6ecec27365ad9bdda

**SHA256:** e3adca167fc8e5a50a692f0e603f6df210d1c10ad88e7114054f0c861960f68c

**Referenced In Project/Scope:** CoWorkInstaller

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## cowork.waitingqueue.zip: cowork.waitingqueue.jar: coworkwaitingqueue.js

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/cowork.waitingqueue.zip/cowork.waitingqueue.jar/com/inet/cowork/waitingqueue/client/js/coworkwaitingqueue.js

**MD5:** a2f4e13ac1e973acc97a2e74c64142a2

**SHA1:** 024d38e8ba4ff1d7e481fcf28436c63f83001527

**SHA256:** 4c4712c1d7af1cc82ca8de749b681c5a8dd03a8bd0455bab61eb4f489091504d

**Referenced In Project/Scope:** CoWorkInstaller

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## cowork.zip: cowork-javadoc.jar

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/cowork.zip/cowork-javadoc.jar

**MD5:** 8443f2f3cb876b9498415b1b6ee7ad13

**SHA1:** 2722d8fa1aace2f2ac46364937211c257991d14a

**SHA256:** ae8cc3bab9a9e5f96b94ac476591355356d46edd7f514fca3111e08df9545f7c

**Referenced In Project/Scope:** CoWorkInstaller

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Vendor	file	name	cowork-javadoc	High
--------	------	------	----------------	------



Product file name cowork-javadoc High

Identifiers

- None

cowork.zip: cowork-javadoc.jar: jquery-3.7.1.min.js

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/cowork.zip/cowork-javadoc.jar/script-files/jquery-3.7.1.min.js  
**MD5:** 2c872dbe60f4ba70fb85356113d8b35e  
**SHA1:** ee48592d1fff952fcf06ce0b666ed4785493afdc  
**SHA256:** fc9a93dd241f6b045cbff0481cf4e1901becd0e12fb45166a8f17f95823f0b1a  
**Referenced In Project/Scope:** CoWorkInstaller

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies

- maintenance.zip: maintenance-javadoc.jar: jquery-3.7.1.min.js
  - File Path: /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/maintenance.zip/maintenance-javadoc.jar/script-files/jquery-3.7.1.min.js
  - MD5: 2c872dbe60f4ba70fb85356113d8b35e
  - SHA1: ee48592d1fff952fcf06ce0b666ed4785493afdc
  - SHA256: fc9a93dd241f6b045cbff0481cf4e1901becd0e12fb45166a8f17f95823f0b1a
- taskplanner.zip: taskplanner-javadoc.jar: jquery-3.7.1.min.js
  - File Path: /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/taskplanner.zip/taskplanner-javadoc.jar/script-files/jquery-3.7.1.min.js
  - MD5: 2c872dbe60f4ba70fb85356113d8b35e
  - SHA1: ee48592d1fff952fcf06ce0b666ed4785493afdc
  - SHA256: fc9a93dd241f6b045cbff0481cf4e1901becd0e12fb45166a8f17f95823f0b1a

Identifiers

- None

cowork.zip: cowork-javadoc.jar: jquery-ui.min.js

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/cowork.zip/cowork-javadoc.jar/script-files/jquery-ui.min.js  
**MD5:** ab481ee8cd3ebac4edfcbd2cae5b0dde  
**SHA1:** a3df331b23b1dc7d01d219cf426ff3148da3ac33  
**SHA256:** 4c0b2b6513452adf188402da32faea446b326e0a3362eda6fa8603e73594a567  
**Referenced In Project/Scope:** CoWorkInstaller

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Related Dependencies



- maintenance.zip: maintenance-javadoc.jar: jquery-ui.min.js
  - File Path: /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/maintenance.zip/maintenance-javadoc.jar/script-files/jquery-ui.min.js
  - MD5: ab481ee8cd3ebac4edfcbd2cae5b0dde
  - SHA1: a3df331b23b1dc7d01d219cf426ff3148da3ac33
  - SHA256: 4c0b2b6513452adf188402da32faea446b326e0a3362eda6fa8603e73594a567
- taskplanner.zip: taskplanner-javadoc.jar: jquery-ui.min.js
  - File Path: /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/taskplanner.zip/taskplanner-javadoc.jar/script-files/jquery-ui.min.js
  - MD5: ab481ee8cd3ebac4edfcbd2cae5b0dde
  - SHA1: a3df331b23b1dc7d01d219cf426ff3148da3ac33
  - SHA256: 4c0b2b6513452adf188402da32faea446b326e0a3362eda6fa8603e73594a567

#### Identifiers

- None

### cowork.zip: cowork-javadoc.jar: member-search-index.js

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/cowork.zip/cowork-javadoc.jar/member-search-index.js  
**MD5:** 8b37fe18c8c12db919de34be9f2bfe6d  
**SHA1:** 27f33791b2e7c4a5fbe6cef87e88f2fb9de05afa  
**SHA256:** 150dfef2e5ba6aca4aa0b83613b63089f92dff9f2b832eff75597deb2777fdb6  
**Referenced In Project/Scope:** CoWorkInstaller

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### cowork.zip: cowork-javadoc.jar: module-search-index.js

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/cowork.zip/cowork-javadoc.jar/module-search-index.js  
**MD5:** a33da0f469acbd03f77bf407bac505f5  
**SHA1:** 1e996ce630c6e1ada3ea86d7b71dabca0180f8e8  
**SHA256:** 814a05983e3267d591c7e62b314eb8eb0504eee844c8a70d494f6edbaa0f4f18  
**Referenced In Project/Scope:** CoWorkInstaller

#### Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Related Dependencies

- maintenance.zip: maintenance-javadoc.jar: module-search-index.js
  - File Path: /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/maintenance.zip/maintenance-javadoc.jar/module-search-index.js
  - MD5: a33da0f469acbd03f77bf407bac505f5
  - SHA1: 1e996ce630c6e1ada3ea86d7b71dabca0180f8e8
  - SHA256: 814a05983e3267d591c7e62b314eb8eb0504eee844c8a70d494f6edbaa0f4f18
- taskplanner.zip: taskplanner-javadoc.jar: module-search-index.js
  - File Path: /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/taskplanner.zip/taskplanner-javadoc.jar/module-search-index.js
  - MD5: a33da0f469acbd03f77bf407bac505f5
  - SHA1: 1e996ce630c6e1ada3ea86d7b71dabca0180f8e8
  - SHA256: 814a05983e3267d591c7e62b314eb8eb0504eee844c8a70d494f6edbaa0f4f18

#### Identifiers

- None

### cowork.zip: cowork-javadoc.jar: package-search-index.js

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/cowork.zip/cowork-javadoc.jar/package-search-index.js  
**MD5:** 12de3e8aebc1196f883d1cd64faba5f7  
**SHA1:** 5750d65e574ec334e90dc46ac2bab6b74c4ce270  
**SHA256:** 7addf543b7dfb5cc9f4d0e29e85090add93e754e53af87a5b18ec9afaaa8185b  
**Referenced In Project/Scope:** CoWorkInstaller

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## cowork.zip: cowork-javadoc.jar: script.js

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/cowork.zip/cowork-javadoc.jar/script-files/script.js

**MD5:** 14f041a73b41a06e14ae5119bf58a412

**SHA1:** 3bde180527bb365eea5f582d8fa6c08270c9b745

**SHA256:** 795ddba417f4a106bbfae3c84cb2c61363e0ce9b29163eaefdc9c334db1f9b2d

**Referenced In Project/Scope:** CoWorkInstaller

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Related Dependencies



- maintenance.zip: maintenance-javadoc.jar: script.js
  - File Path: /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/maintenance.zip/maintenance-javadoc.jar/script-files/script.js
  - MD5: 14f041a73b41a06e14ae5119bf58a412
  - SHA1: 3bde180527bb365eea5f582d8fa6c08270c9b745
  - SHA256: 795ddba417f4a106bbfae3c84cb2c61363e0ce9b29163eaefdc9c334db1f9b2d
- taskplanner.zip: taskplanner-javadoc.jar: script.js
  - File Path: /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/taskplanner.zip/taskplanner-javadoc.jar/script-files/script.js
  - MD5: 14f041a73b41a06e14ae5119bf58a412
  - SHA1: 3bde180527bb365eea5f582d8fa6c08270c9b745
  - SHA256: 795ddba417f4a106bbfae3c84cb2c61363e0ce9b29163eaefdc9c334db1f9b2d

### Identifiers

- None

## cowork.zip: cowork-javadoc.jar: search-page.js

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/cowork.zip/cowork-javadoc.jar/script-files/search-page.js  
**MD5:** 91487edb9c0528bb329ed378cd74987f  
**SHA1:** 001ab7444e3ba1252d4daf7f870d51bb287cd4e7  
**SHA256:** 3bd59d168258fa81f6ffe473feec32bae0e0a5d571ecc89a1eb4fc04defed1b7  
**Referenced In Project/Scope:** CoWorkInstaller

### Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Related Dependencies

- maintenance.zip: maintenance-javadoc.jar: search-page.js
  - File Path: /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/maintenance.zip/maintenance-javadoc.jar/script-files/search-page.js
  - MD5: 91487edb9c0528bb329ed378cd74987f
  - SHA1: 001ab7444e3ba1252d4daf7f870d51bb287cd4e7
  - SHA256: 3bd59d168258fa81f6ffe473feec32bae0e0a5d571ecc89a1eb4fc04defed1b7
- taskplanner.zip: taskplanner-javadoc.jar: search-page.js
  - File Path: /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/taskplanner.zip/taskplanner-javadoc.jar/script-files/search-page.js
  - MD5: 91487edb9c0528bb329ed378cd74987f
  - SHA1: 001ab7444e3ba1252d4daf7f870d51bb287cd4e7
  - SHA256: 3bd59d168258fa81f6ffe473feec32bae0e0a5d571ecc89a1eb4fc04defed1b7

### Identifiers

- None

## cowork.zip: cowork-javadoc.jar: search.js

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/cowork.zip/cowork-javadoc.jar/script-files/search.js  
**MD5:** e1bbc8e050e9e3033a72b1e719fc3957  
**SHA1:** 01e8b1cc5816ddc972f7e6e4dc28bf14a1dcc21c  
**SHA256:** fb8492aa12ea5e8c74045f0f909c7f9afc12cb44ce165e1b18a4d0cd1c49908c  
**Referenced In Project/Scope:** CoWorkInstaller

### Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

## Related Dependencies



- maintenance.zip: maintenance-javadoc.jar: search.js
  - File Path: /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/maintenance.zip/maintenance-javadoc.jar/script-files/search.js
  - MD5: e1bbc8e050e9e3033a72b1e719fc3957
  - SHA1: 01e8b1cc5816ddc972f7e6e4dc28bf14a1dcc21c
  - SHA256: fb8492aa12ea5e8c74045f0f909c7f9afc12cb44ce165e1b18a4d0cd1c49908c
- taskplanner.zip: taskplanner-javadoc.jar: search.js
  - File Path: /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/taskplanner.zip/taskplanner-javadoc.jar/script-files/search.js
  - MD5: e1bbc8e050e9e3033a72b1e719fc3957
  - SHA1: 01e8b1cc5816ddc972f7e6e4dc28bf14a1dcc21c
  - SHA256: fb8492aa12ea5e8c74045f0f909c7f9afc12cb44ce165e1b18a4d0cd1c49908c

## Identifiers

- None

## cowork.zip: cowork-javadoc.jar: tag-search-index.js

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/cowork.zip/cowork-javadoc.jar/tag-search-index.js

**MD5:** acda0a4d961a2dbb052cf81694d1c50b

**SHA1:** 4853e0d2a022b5098359e59d740952ee1e187c04

**SHA256:** 4394bc27c97d0c9018c2fb763bfc045db14433b160e3c1fec16795d1d1967aaf

**Referenced In Project/Scope:** CoWorkInstaller

## Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

## Identifiers

- None

## cowork.zip: cowork-javadoc.jar: type-search-index.js

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/cowork.zip/cowork-javadoc.jar/type-search-index.js

**MD5:** 1f280c06075bac7f07e1d2048cebddae

**SHA1:** 6288f494685a0fdcc73a70cd557ab0944615ac55

**SHA256:**c1a98b63b155105ebe140fff14219450a6e84669138ed26c587412d8e9dcb46a  
**Referenced In Project/Scope:** CoWorkInstaller

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

cowork.zip: cowork.jar

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/cowork.zip/cowork.jar  
**MD5:** a5044734dff85088bb6d6e44efd36b20  
**SHA1:** 372e08a7b396c73e2a9a39e33bf61575be027691  
**SHA256:**08907d5516c77b0e23c270cf8584c0f7fec2d3c033a157203b3c418d308c8caf  
**Referenced In Project/Scope:** CoWorkInstaller

Evidence +

Type	Source	Name	Value	Confidence
Vendor	file	name	cowork	High
Vendor	jar	package name	cowork	Low
Vendor	jar	package name	i	Highest
Vendor	jar	package name	inet	Low
Vendor	jar	package name	server	Low
Vendor	Manifest	built-date	2026-06-16 17:23	Low
Vendor	Manifest	implementation-group	cowork	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	cowork	High
Product	jar	package name	cowork	Highest
Product	jar	package name	cowork	Low

Product	jar	package name	server	Low
Product	Manifest	built-date	2026-06-16 17:23	Low
Product	Manifest	implementation-group	cowork	Low
Product	Manifest	Implementation-Title	cowork	High
Product	Manifest	specification-title	cowork	Medium
Version	jar	package name	cowork	Highest
Version	Manifest	Implementation-Version	26.4.269	High

#### Identifiers

- None

### cowork.zip: cowork.jar: MessageCreationChart.js

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/cowork.zip/cowork.jar/com/inet/cowork/integration/diagnostics/MessageCreationChart.js

**MD5:** 1e063297be8b6b979454ed507bdf32d6

**SHA1:** ada8b640a37322f40199cff859db472b8134677b

**SHA256:** fa749899629d75709d52effbbe728823bb10dce9cdc691375ec62c1db6b03dff

**Referenced In Project/Scope:** CoWorkInstaller

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### cowork.zip: cowork.jar: cowork.diagnostics.js

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/cowork.zip/cowork.jar/com/inet/cowork/integration/diagnostics/cowork.diagnostics.js

**MD5:** 42274b03d4a7548e6e377e7e5a6b3315



**SHA1:** 86876f0c8ca51c49aa9e224d33d4a2077495f9a5  
**SHA256:** 2c3026c9c1b3d34d561ad1081eb6c1229c66cad6444cb6491ef6d5724393da61  
**Referenced In Project/Scope:** CoWorkInstaller

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### cowork.zip: cowork.jar: coworkcomponents.js

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/cowork.zip/cowork.jar/com/inet/cowork/client/js/coworkcomponents.js  
**MD5:** 913d027703b7586294b701be792e8b2c  
**SHA1:** bd5c79e7f76a0c40f87a57603d0786c697bfe0d3  
**SHA256:** aed526bd7f9d6d44acd0076b30bfb8d29fb3e4c91ace4e4ce96898ad8c0a5f4a  
**Referenced In Project/Scope:** CoWorkInstaller

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### cowork.zip: cowork.jar: coworkcontroller.js

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/cowork.zip/cowork.jar/com/inet/cowork/client/js/coworkcontroller.js  
**MD5:** a65b16af7892c9b0d7e44472dfde723c  
**SHA1:** c3b5c18bcf00ad9be837360af5745c767f93166d  
**SHA256:** 10ef93cdf9785271707eec34593731226c599b08ce79a91114f9e2b7822b0690  
**Referenced In Project/Scope:** CoWorkInstaller

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## cowork.zip: cowork.jar: coworkconversation.js

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/cowork.zip/cowork.jar/com/inet/cowork/client/js/coworkconversation.js  
**MD5:** 68d74db2822dbf248a10225f8fccb3ce  
**SHA1:** 782dbaf6e57fe26b8f1c22e32adbb759d5a5bedd  
**SHA256:**6c8f2e08a2eb50bd4714a9383a6291441da0b831b39b8de63512551bb10642a2  
**Referenced In Project/Scope:** CoWorkInstaller

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## cowork.zip: cowork.jar: coworkfactory.js

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/cowork.zip/cowork.jar/com/inet/cowork/client/js/coworkfactory.js  
**MD5:** 84ebf26680ee40051373d61d03319d12  
**SHA1:** c0ad058513329aeeffafe44a7bb6f11233d6adf6  
**SHA256:**e61e1f6a2e95993047af0032a45166a79533588245fc54bcd2938f4b86d1ca1  
**Referenced In Project/Scope:** CoWorkInstaller

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

#### cowork.zip: cowork.jar: coworkinputbox.js

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/cowork.zip/cowork.jar/com/inet/cowork/client/js/coworkinputbox.js

**MD5:** f39c512ee4a439c68f7b305ea6ddddd5

**SHA1:** e257a1d23de522ff3e818bc8b9bffff3d38efd0d

**SHA256:** 2815abca1cee4a62944535da1c7868e359288604df5bc524c196ecd46b454c70

**Referenced In Project/Scope:** CoWorkInstaller

##### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

##### Identifiers

- None

#### cowork.zip: cowork.jar: coworkmodel.js

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/cowork.zip/cowork.jar/com/inet/cowork/client/js/coworkmodel.js

**MD5:** e9d699655b02385130c6e1bae9e48e67

**SHA1:** 362dfa3c7194edef45aa806096069fd61f81725e

**SHA256:** e46e192dae12315f596d74d0e317c1b57e3e97420e85c6d4e5b8ed3f6d9edd60

**Referenced In Project/Scope:** CoWorkInstaller

##### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

##### Identifiers

- None

#### cowork.zip: cowork.jar: coworksettingscontroller.js

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/cowork.zip/cowork.jar/com/inet/cowork/client/js/coworksettingscontroller.js  
**MD5:** f03330b6a50eb2188e5714486cbc76d3  
**SHA1:** 5186f8bf71b626e7d88bd818fb6a4f1765df5657  
**SHA256:** daec405ffba8cbcd86614fae4e666658bc39e58956e850f4189eb010ee9cea9b  
**Referenced In Project/Scope:** CoWorkInstaller

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### cowork.zip: cowork.jar: inetmarkdown.js

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/cowork.zip/cowork.jar/com/inet/cowork/client/js/inetmarkdown.js  
**MD5:** e2ffc59274042d1caa1ac43dddf8a10c  
**SHA1:** c2bfbe449b77aab091a19e29d9d8ebd472187231  
**SHA256:** 5931729e41d3e1aa91dcfb6107388d141ea63ef2a1c22419a07c75d0fcb3ca43  
**Referenced In Project/Scope:** CoWorkInstaller

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### cowork.zip: cowork.jar: showreactionscontroller.js

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/cowork.zip/cowork.jar/com/inet/cowork/client/js/showreactionscontroller.js  
**MD5:** b72ebeef733daef5734b2426cae3787

**SHA1:** 0d9069c4e55362bcb3c54bb834bd622661348c0b  
**SHA256:** e38cd47b134e24364d6462eba469e7d7cf76b3b1222bb1b11566b6b01e81c38e  
**Referenced In Project/Scope:** CoWorkInstaller

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### cowork.zip: cowork.jar: teamsettingscontroller.js

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/cowork.zip/cowork.jar/com/inet/cowork/client/js/teamsettingscontroller.js  
**MD5:** 61f95783ef9ab94a8b66ab3ce5fbb17d  
**SHA1:** b97f9e79ff32d63e67f9d2906e8a51710d794f7c  
**SHA256:** baff21eb61848e70c35e22285cfae7dabc8fe09704245a32c959abbdaf93e5c5  
**Referenced In Project/Scope:** CoWorkInstaller

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### dashboard.zip: dashboard.jar

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/dashboard.zip/dashboard.jar  
**MD5:** ef91eaff9d51c078c48e81b4cbfbccd4  
**SHA1:** dc521e9aca9e2615bb10c229175386687d4ff10c  
**SHA256:** 837c0ef923bde325a219306f261858aacea242656dde43927b5c37b61aa9ae0d  
**Referenced In Project/Scope:** CoWorkInstaller

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Vendor	file	name	dashboard	High
Vendor	jar	package name	dashboard	Low
Vendor	jar	package name	inet	Low
Vendor	Manifest	built-date	2026-06-16 16:42	Low
Vendor	Manifest	implementation-group	shared	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	dashboard	High
Product	jar	package name	dashboard	Highest
Product	jar	package name	dashboard	Low
Product	Manifest	built-date	2026-06-16 16:42	Low
Product	Manifest	implementation-group	shared	Low
Product	Manifest	Implementation-Title	dashboard	High
Product	Manifest	specification-title	dashboard	Medium
Version	Manifest	Implementation-Version	26.4.269	High

#### Identifiers

- None

### dashboard.zip: dashboard.jar: abstract-dashboard-widget.js

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/dashboard.zip/dashboard.jar/com/inet/dashboard/client/js/abstract-dashboard-widget.js

**MD5:** a5455b356d33a49a961baf0ad21040bf

**SHA1:** fa30233dd54ffa2ad1ffd2b99f3176456ec42212

**SHA256:** 4560d3c508237ae0c324929ec55df98a431471e662ae770ab3b7fd719782da6f

**Referenced In Project/Scope:** CoWorkInstaller

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### dashboard.zip: dashboard.jar: dashboard-panel.js

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/dashboard.zip/dashboard.jar/com/inet/dashboard/client/js/dashboard-panel.js

**MD5:** 9a9071aed1967cb2ec4f18f0442567c9

**SHA1:** 71ff27403a9cef0fdd93c3b474c1d4d76b4b8e53

**SHA256:**b0e9c75589f784533314a52da682969c3fd5d54e4bbd97e7eaec05beed6174de

**Referenced In Project/Scope:** CoWorkInstaller

#### Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### dashboard.zip: dashboard.jar: dashboard-settings.js

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/dashboard.zip/dashboard.jar/com/inet/dashboard/client/js/dashboard-settings.js

**MD5:** 6f9d011fda2c5bf127aebc8bf2134d2a

**SHA1:** deee5ae02714ff47a22e0844fb83e7b7e82a7757

**SHA256:**5d1170e1e086ce6dbdefd4872d5c0b876a5321bd06bb480b096e12776bc54ebd

**Referenced In Project/Scope:** CoWorkInstaller

#### Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

#### dashboard.zip: dashboard.jar: dashboard-toolbar.js

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/dashboard.zip/dashboard.jar/com/inet/dashboard/client/js/dashboard-toolbar.js

**MD5:** f5bb8c39c9b43fcf5500d7b9c021663d

**SHA1:** 903dc351d47020a47eade5ffb2eef100078ddd5c

**SHA256:** 391a10239aaa40cabde65fb6f18ba7a10e5a87987c8e9f5af76060f9a0c53c47

**Referenced In Project/Scope:** CoWorkInstaller

##### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

##### Identifiers

- None

#### dashboard.zip: dashboard.jar: dashboard-widget-chart.js

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/dashboard.zip/dashboard.jar/com/inet/dashboard/client/js/widgets/dashboard-widget-chart.js

**MD5:** 015e9c95e2800dcfed498f32fdd8afd5

**SHA1:** 270da662aaf955f227bdf924085f41392b4c9957

**SHA256:** 84c049fdbf4c6e04678dd29a3d0b56123a30bcf979c87d85a3db75c296079245

**Referenced In Project/Scope:** CoWorkInstaller

##### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

##### Identifiers

- None

#### dashboard.zip: dashboard.jar: dashboard-widget-edit.js



**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/dashboard.zip/dashboard.jar/com/inet/dashboard/client/js/dashboard-widget-edit.js

**MD5:** 8d7ea2dae1a71673417d7ee802d8cbef

**SHA1:** 6f41c8f6900419322aa655bb10463cce92fd36e5

**SHA256:** 1ba2ed3c16c6242ffc7e7c8f277cc6ba6403c0662c86e6f369486c7faa05902d

**Referenced In Project/Scope:** CoWorkInstaller

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### dashboard.zip: dashboard.jar: dashboard-widget-error.js

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/dashboard.zip/dashboard.jar/com/inet/dashboard/client/js/dashboard-widget-error.js

**MD5:** aa9dbb2dbec24746db3161257555e95a

**SHA1:** b12411ca98ded613abd7e206e21486497ec4d753

**SHA256:** 3b00f701dbe32e280bfd6ef1fc56bede7f9a39176d8930b125ccf5d0b97eef2d

**Referenced In Project/Scope:** CoWorkInstaller

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### dashboard.zip: dashboard.jar: dashboard-widget-image.js

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/dashboard.zip/dashboard.jar/com/inet/dashboard/client/js/widgets/dashboard-widget-image.js

**MD5:** e7beb2aeae366e7313f28599691517a6

**SHA1:** 88672268fcd43b8efa17e066100adfb98152704a  
**SHA256:**daf4bf4c510ea97b8994e3ffae82e42863af0912b8ae5c8d9a58af37f8542897  
**Referenced In Project/Scope:** CoWorkInstaller

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### dashboard.zip: dashboard.jar: dashboard-widget-memo.js

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/dashboard.zip/dashboard.jar/com/inet/dashboard/client/js/widgets/dashboard-widget-memo.js  
**MD5:** d7f520a3a838ef492f325d179dd11986  
**SHA1:** a5de25e1860d2862bd665dfd530798afa9dc95bf  
**SHA256:**c9f91cfa6d87164342c88fecb5a860f87f32bb229c2c1fd0ab0e90c13c39317a  
**Referenced In Project/Scope:** CoWorkInstaller

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### dashboard.zip: dashboard.jar: dashboard-widget-progress.js

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/dashboard.zip/dashboard.jar/com/inet/dashboard/client/js/widgets/dashboard-widget-progress.js  
**MD5:** c9df70cf7a02c13730036a7b07e98888  
**SHA1:** e7fa8af357d9b7b8d32d092ad85dcdffd4458ce0  
**SHA256:**9c8c00959285823f4a26f7f0916d631cd9c7fe5267d25fe94c232928d1f9c4fb  
**Referenced In Project/Scope:** CoWorkInstaller


#### Evidence



Type	Source	Name	Value	Confidence
Identifiers				
• None				

#### dashboard.zip: dashboard.jar: dashboard-widget-rating.js


**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/dashboard.zip/dashboard.jar/com/inet/dashboard/client/js/widgets/dashboard-widget-rating.js  
**MD5:** 404cc7c59ab5d0c1f75a6f0e1096314c  
**SHA1:** 0f081cd7c92dd14e1a03ff607a230214280bdd74  
**SHA256:** 81a7d4bbf35151399431052d333e0fe4b7b7527155d01353e196d919dd8ac7e0  
**Referenced In Project/Scope:** CoWorkInstaller

Evidence 				
Type	Source	Name	Value	Confidence

Identifiers				
• None				

#### dashboard.zip: dashboard.jar: dashboard-widget-table.js

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/dashboard.zip/dashboard.jar/com/inet/dashboard/client/js/widgets/dashboard-widget-table.js  
**MD5:** 6a39b42b93dfe3a69dd14ceb754a1563  
**SHA1:** 6b37d72e576f79cb63aae6be362176ef5c2550e1  
**SHA256:** 848c5452b004c65db2a3ff8731b6b3cfe812283d843ecb3de8bbd0f824b66481  
**Referenced In Project/Scope:** CoWorkInstaller

Evidence 				
Type	Source	Name	Value	Confidence

Identifiers				
-------------	--	--	--	--

- None

### dashboard.zip: dashboard.jar: dashboard-widget-trafficlight.js

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/dashboard.zip/dashboard.jar/com/inet/dashboard/client/js/widgets/dashboard-widget-trafficlight.js

**MD5:** f4fb09edb4d26ce11ecfff50efb21751

**SHA1:** 5f2577bb694bb08121fea32f7090dc816d968c1c

**SHA256:** 153e5f162942738809f87f976aad417a53aedic770c8fcb39b35bf207204c8a8e

**Referenced In Project/Scope:** CoWorkInstaller

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### dashboard.zip: dashboard.jar: dashboard-widget-value.js

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/dashboard.zip/dashboard.jar/com/inet/dashboard/client/js/widgets/dashboard-widget-value.js

**MD5:** d631af047d716c7df9682ae620c869c5

**SHA1:** 5a7ace82ed4e4fd9b5269a5ad1e532b65b75c3f5

**SHA256:** 5ae861ee8b035645ae5fa1a725e486b91c32743cfc08c6b5d88050e8927150f5

**Referenced In Project/Scope:** CoWorkInstaller

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### dashboard.zip: dashboard.jar: dashboard-widget.js

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/dashboard.zip/dashboard.jar/com/inet/dashboard/client/js/dashboard-widget.js  
**MD5:** 3c2db0ea8b3bae1e2bf03693704088ac  
**SHA1:** 8779acaf9a615f116fff1a07748f471ffc32c0e2  
**SHA256:**18b4606031535334af37a54ebd6f373970ce8ca88d603b90353ca522fb501c7e  
**Referenced In Project/Scope:** CoWorkInstaller

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### dashboard.zip: dashboard.jar: dashboard.js

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/dashboard.zip/dashboard.jar/com/inet/dashboard/client/js/dashboard.js  
**MD5:** f99614f7ef08aeca38926e873d9068ec  
**SHA1:** 024f76da4d774d2c65e8febe703ce3f6cdad375c  
**SHA256:**3ca27c817ce8dafca8bf3a046f05cbfe3bb7cadd919f83bbb7bcd66147f16a0  
**Referenced In Project/Scope:** CoWorkInstaller

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### dashboard.zip: dashboard.jar: dashboardcontroller.js

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/dashboard.zip/dashboard.jar/com/inet/dashboard/client/js/dashboardcontroller.js  
**MD5:** 38fd4795bf0a11e9e7d90e276a6bb111

**SHA1:** 442a49553dff0719f9daf19c0e995dbec303d32f

**SHA256:** b1ca901846e8238f34b6fa13b64ae4718fb57842b27626030e41fbad650fa434

**Referenced In Project/Scope:** CoWorkInstaller

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### dashboard.zip: dashboard.jar: dashboardfactory.js

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/dashboard.zip/dashboard.jar/com/inet/dashboard/client/js/dashboardfactory.js

**MD5:** 25d42ec0f27311b707e2a7288f9e33c3

**SHA1:** e873961f1bb8ef29dd776b3641d6e55b24b9b20d

**SHA256:** c8aa0b23ba9b1ead30e87b26537c9afdce1333f0a1bbf3d835c1c677ae15a690

**Referenced In Project/Scope:** CoWorkInstaller

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### dashboard.zip: dashboard.jar: ui-dashboard-bgimage.js

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/dashboard.zip/dashboard.jar/com/inet/dashboard/client/js/uissettings/ui-dashboard-bgimage.js

**MD5:** a19b80e69646f6920f80eb37c73e72ff

**SHA1:** d39b20bc2eec1fb0ce36c92557d36454b117399f

**SHA256:** 087332579976d87f751db112dafb62eaeb14dfa1501a28e4871fdc1360aea1ff

**Referenced In Project/Scope:** CoWorkInstaller

#### Evidence



Type	Source	Name	Value	Confidence
Identifiers				
• None				

dashboard.zip: dashboard.jar: ui-dashboard-colorpalettechooser.js

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/dashboard.zip/dashboard.jar/com/inet/dashboard/client/js/uisettings/ui-dashboard-colorpalettechooser.js  
**MD5:** 4d2f89364c505582a3852c41b2b4dabe  
**SHA1:** 3844302ae32d3892d232ba7349fa4798d31f40cc  
**SHA256:**089e568e08614eae94233ad542abf02adb2811455011db4a1b880e7e69fbe5  
**Referenced In Project/Scope:** CoWorkInstaller

Evidence				
Type	Source	Name	Value	Confidence

Identifiers				
• None				

dashboard.zip: dashboard.jar: ui-dashboard-integrations.js

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/dashboard.zip/dashboard.jar/com/inet/dashboard/client/js/uisettings/ui-dashboard-integrations.js  
**MD5:** 59f26b9e4532a7600dec49a9dcc194a0  
**SHA1:** 7b90c8c9d8daca5a5a87744ba34933fde30cd3b6  
**SHA256:**4062b3dd4aeced8b97ad7b4bf8145cda264b1b32c2b25fee5e9a28937039d230  
**Referenced In Project/Scope:** CoWorkInstaller

Evidence				
Type	Source	Name	Value	Confidence

Identifiers				
-------------	--	--	--	--

- None

#### dashboard.zip: dashboard.jar: ui-dashboard-permissions.js

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/dashboard.zip/dashboard.jar/com/inet/dashboard/client/js/uisettings/ui-dashboard-permissions.js

**MD5:** 59772618bf34da602fa0cac23dd284cb

**SHA1:** f3d594b595e3411bc8feb343f9f6c0e22a06ba8c

**SHA256:** 96cca5548bd4a7416dccf513eac9be2efbb1bb31612d0958210790bf4c75d6c8

**Referenced In Project/Scope:** CoWorkInstaller

##### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

##### Identifiers

- None

#### dashboard.zip: dashboard.jar: ui-dashboard-trafficlightcolorrange.js

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/dashboard.zip/dashboard.jar/com/inet/dashboard/client/js/uisettings/ui-dashboard-trafficlightcolorrange.js

**MD5:** b56090aea7234733225e03b10b1e65a4

**SHA1:** ddecda98d36860e95427dce63060053f87470a84

**SHA256:** 3697ea57ffa0eea7fb69d8af378262a43623d45e118e7e72fc710824f55489e3

**Referenced In Project/Scope:** CoWorkInstaller

##### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

##### Identifiers

- None

#### dashboard.zip: dashboard.jar: ui-dashboard-valuehighlights.js



**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/dashboard.zip/dashboard.jar/com/inet/dashboard/client/js/uissettings/ui-dashboard-valuehighlights.js  
**MD5:** 5e3e85842119738147c2256c587721da  
**SHA1:** 408bbbecb8fd986ad5abe803d233164142a28fc4  
**SHA256:** 057b722832fbf8c467430569b9f50616f82a59eed1d41b683f71eeeb81c21f9e  
**Referenced In Project/Scope:** CoWorkInstaller

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### dashboard.zip: dashboard.jar: user-selection.js

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/dashboard.zip/dashboard.jar/com/inet/dashboard/client/js/user-selection.js  
**MD5:** 042bc37c510c5686f66d36eaa98cd2b1  
**SHA1:** 6ad5c1871ffcc3946848afc8f11cd38b3bb85d23  
**SHA256:** dbfbad8a23c804e7fae75d57d317174acfee4e16093c192037ba4c5030e5262b  
**Referenced In Project/Scope:** CoWorkInstaller

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### dashboard.zip: dashboard.jar: widget-chooser.js

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/dashboard.zip/dashboard.jar/com/inet/dashboard/client/js/widget-chooser.js  
**MD5:** d7fb96501ed3e00773f1475ba89d3a8b

**SHA1:** 5809d0fd53c08a682811e0bcd716644c538bd641  
**SHA256:** 82d3f5193be768279a58508db22dc9eaf0a75dc02f6eccd51cda1867cc094407  
**Referenced In Project/Scope:** CoWorkInstaller

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### dashboard.zip: dashboard.jar: widget-paste-area.js

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/dashboard.zip/dashboard.jar/com/inet/dashboard/client/js/widget-paste-area.js  
**MD5:** a21bbe80129b1bf9be5431efd4e318c6  
**SHA1:** 811b89c5ebc2b07bcd8e249c4753ff6b0f95ee84  
**SHA256:** 663a3e5bd6c77c17be08a1f2c85c5dd7516d09aef3d03c8b8a53eee8fc213a6f  
**Referenced In Project/Scope:** CoWorkInstaller

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### dashboard.zip: dashboard.jar: widget-placeholder.js

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/dashboard.zip/dashboard.jar/com/inet/dashboard/client/js/widget-placeholder.js  
**MD5:** 9a6fd0a8ea932f8778d73eeddad8b8b1  
**SHA1:** c0e7a2f5a7ed447f39f68912c947f92db532785f  
**SHA256:** ce8f47c0f4fa5150fc7cb71fd71326443967bcec78132da1617776cb75ded35e  
**Referenced In Project/Scope:** CoWorkInstaller

#### Evidence



Type	Source	Name	Value	Confidence
Identifiers				
• None				

dashboard.zip: dashboard.jar: widget-settings.js

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/dashboard.zip/dashboard.jar/com/inet/dashboard/client/js/widget-settings.js  
**MD5:** e92b613e385b4549bb026573a721f45d  
**SHA1:** 6cb7d4303857523fa5236b14221d665283f31fbe  
**SHA256:**373b6e56667c88de53823a55a4bf0e693a7cedf848fd4e174d1a62351eb87b14  
**Referenced In Project/Scope:** CoWorkInstaller

Evidence				
Type	Source	Name	Value	Confidence
Identifiers				
• None				

diagnostics.zip: diagnostics.jar

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/diagnostics.zip/diagnostics.jar  
**MD5:** 9c0875c71920f88887f881f8e51fdbe9  
**SHA1:** aab4f1f52fe5476e6cdf9cc83990e987dfd0749c  
**SHA256:**ec5c1ea9572a932ae1d2f9b18ef863440fb1b48c1e1dbc8f3267f7bcbc2a8d25  
**Referenced In Project/Scope:** CoWorkInstaller

Evidence				
Type	Source	Name	Value	Confidence
Vendor	file	name	diagnostics	High
Vendor	jar	package name	diagnostics	Low
Vendor	jar	package name	inet	Low
Vendor	jar	package name	shared	Low

Vendor	Manifest	built-date	2026-06-16 16:54	Low
Vendor	Manifest	implementation-group	shared	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	diagnostics	High
Product	jar	package name	diagnostics	Highest
Product	jar	package name	diagnostics	Low
Product	jar	package name	shared	Highest
Product	jar	package name	shared	Low
Product	jar	package name	widgets	Low
Product	Manifest	built-date	2026-06-16 16:54	Low
Product	Manifest	implementation-group	shared	Low
Product	Manifest	Implementation-Title	diagnostics	High
Product	Manifest	specification-title	diagnostics	Medium
Version	jar	package name	shared	Highest
Version	Manifest	Implementation-Version	26.4.269	High

#### Identifiers

- None

### diagnostics.zip: diagnostics.jar: MemoryPieChart.js

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/diagnostics.zip/diagnostics.jar/com/inet/shared/diagnostics/widgets/information/resources/MemoryPieChart.js

**MD5:** 30c425524c8a78004a3fe26b5a4a7383

**SHA1:** 9275a0816480a5aa09699e563277687cdf12817d

**SHA256:** fdf2f20ce7808cfb867c2b4c415f04c338999a58d31b463816c8096870b62e99

**Referenced In Project/Scope:** CoWorkInstaller

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### diagnostics.zip: diagnostics.jar: MemoryUsageChart.js

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/diagnostics.zip/diagnostics.jar/com/inet/shared/diagnostics/widgets/information/resources/MemoryUsageChart.js

**MD5:** 3ff19f37cf579b966edc17fce99b8782

**SHA1:** a0d59a7b8066135ffef91e8e8b5da5a6be1cbe7

**SHA256:** fb8641bfa995b72d6de205c294a5d54b4537e3710b6b7ff52e83eff21cac617b

**Referenced In Project/Scope:** CoWorkInstaller

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### diagnostics.zip: diagnostics.jar: WebServerErrorChart.js

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/diagnostics.zip/diagnostics.jar/com/inet/shared/diagnostics/widgets/webserver/resources/WebServerErrorChart.js

**MD5:** 862f696da56aba3a26f17749db48a68b

**SHA1:** f6008f6b7c5f9964953a9e83273866521b367a96

**SHA256:** ef43076f171fca635b94372d15aa89f22c210284cb1dd386e252f9451afc77e8

**Referenced In Project/Scope:** CoWorkInstaller

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## diagnostics.zip: diagnostics.jar: benchmarkCtrl.js

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/diagnostics.zip/diagnostics.jar/com/inet/shared/diagnostics/widgets/benchmark/resources/benchmarkCtrl.js

**MD5:** 9eaeff897d71b988456b1081f7baa57e

**SHA1:** 8dc7208ccfa11ba9eb736aaee676e9c7f2f62146

**SHA256:** 3457f3446ce7a565f734ecd3aa8712884c713b10dd97713ffab9cf196becafc9

**Referenced In Project/Scope:** CoWorkInstaller

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## diagnostics.zip: diagnostics.jar: client-server.js

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/diagnostics.zip/diagnostics.jar/com/inet/shared/diagnostics/widgets/benchmark/tasks/clientserver/client-server.js

**MD5:** ed99b5c44d3bc1b8ac58f9789deeeaad

**SHA1:** 395f6826c7341821fad523ebdca6df4ccb4fd1e2

**SHA256:** 535726b9cd6612bfcdb50ff9a50c6b6e4eb5b74fdc4216fbb36ba25178415335

**Referenced In Project/Scope:** CoWorkInstaller

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

### diagnostics.zip: diagnostics.jar: contact-support-files.js

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/diagnostics.zip/diagnostics.jar/com/inet/shared/diagnostics/widgets/support/resources/contact-support-files.js

**MD5:** 777189dbbd25df742097c66357ba470d

**SHA1:** fa66a0401c715201668e38c9daab05a2d3135336

**SHA256:** 5ebe33742ed60e7b10d5f7ba7c7248a13fadf2b9b71d9794878331b1e4f15095

**Referenced In Project/Scope:** CoWorkInstaller

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### diagnostics.zip: diagnostics.jar: contact-support-loader.js

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/diagnostics.zip/diagnostics.jar/com/inet/shared/diagnostics/widgets/support/resources/contact-support-loader.js

**MD5:** 1e5ed34eb13d078469a714b2fdbbf48f

**SHA1:** 1a47fc1d275fbce92e33551aec254fd748805fdb

**SHA256:** 8191eae5d96ede81613001b5b961d16a70beffa87868233945306ce2a0afaab6

**Referenced In Project/Scope:** CoWorkInstaller

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### diagnostics.zip: diagnostics.jar: contact-support-panel.js

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/diagnostics.zip/diagnostics.jar/com/inet/shared/diagnostics/widgets/support/resources/contact-support-panel.js

**MD5:** f9248f93a8b7d4b0a23e36145d33ae67  
**SHA1:** 02c8f3bf0b9adc6270c20526bb264d9d12ca8879  
**SHA256:** a32c873394aa4e7992f2597b7793d855299ec1cb8c6fc35126c60f6480cd41d5  
**Referenced In Project/Scope:** CoWorkInstaller

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

diagnostics.zip: diagnostics.jar: contact-support-selection.js

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/diagnostics.zip/diagnostics.jar/com/inet/shared/diagnostics/widgets/support/resources/contact-support-selection.js  
**MD5:** d0fd27e1f9b8f2439e51257729987317  
**SHA1:** 107f03801c4d219958ba96a9b9dc3fe091651435  
**SHA256:** 9cf758b71baec7512e6f6caa4dc06a2ff8dabd34d0c80d4cae4b6056fc786145  
**Referenced In Project/Scope:** CoWorkInstaller

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

diagnostics.zip: diagnostics.jar: contact-support.js

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/diagnostics.zip/diagnostics.jar/com/inet/shared/diagnostics/widgets/support/resources/contact-support.js  
**MD5:** 543c5285672a2b717e7c02db8e1e6224  
**SHA1:** 1694ff4d4b45f4fcd0e712dcc2a2ab00f022b98  
**SHA256:** 8add5509ad2c23fe2024ebd8f923c01745af5aa379b904bda1b1a63d05114d04  
**Referenced In Project/Scope:** CoWorkInstaller

Evidence





Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### diagnostics.zip: diagnostics.jar: contactCtrl.js

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/diagnostics.zip/diagnostics.jar/com/inet/shared/diagnostics/widgets/support/resources/contactCtrl.js

**MD5:** 0cb2d1d2de639171e546068e00924eeb

**SHA1:** 747554431f73705e0d8e8c38dbe1d391367a02fe

**SHA256:** 03df459a8f109080b3ef6abb334e2c8a986a8e3577f66d6e344a96e0a0ccdba9

**Referenced In Project/Scope:** CoWorkInstaller

#### Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### diagnostics.zip: diagnostics.jar: controller.js

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/diagnostics.zip/diagnostics.jar/com/inet/shared/diagnostics/resources/js/controller.js

**MD5:** c9d9a63b248de3b1ab32753b2652581f

**SHA1:** 9e9f1cf1ddcea2a7ae541d2a67b0f36d68514e77

**SHA256:** 6ab396c52d329bb05ffc977b19f70afae28b05f93ed53e7766369f734126485

**Referenced In Project/Scope:** CoWorkInstaller

#### Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

#### diagnostics.zip: diagnostics.jar: cpu.js

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/diagnostics.zip/diagnostics.jar/com/inet/shared/diagnostics/widgets/benchmark/tasks/cpu/cpu.js

**MD5:** 249d2c1b94bbcf571319a855cbc1af47

**SHA1:** 6bdacb59d89d9e103e8a85ccfd9239eb931d4682

**SHA256:** 80e5a5792052c04e314d61e3f8ab581475f303d4770109c42d19d3060941a612

**Referenced In Project/Scope:** CoWorkInstaller

##### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

##### Identifiers

- None

#### diagnostics.zip: diagnostics.jar: cpuspeed.js

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/diagnostics.zip/diagnostics.jar/com/inet/shared/diagnostics/widgets/benchmark/tasks/cpuspeed/cpuspeed.js

**MD5:** ec93fbb827070fdee2db352c88e7b0a0

**SHA1:** fbbc1f162333ff280f1a24eb4de079916673b579

**SHA256:** c491356a04a12726d7c3083cadbed3f147ca67f567de2c2529043d466e63f3e4

**Referenced In Project/Scope:** CoWorkInstaller

##### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

##### Identifiers

- None

#### diagnostics.zip: diagnostics.jar: directives.js

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/diagnostics.zip/diagnostics.jar/com/inet/shared/diagnostics/resources/js/directives.js

**MD5:** c7436529172605f449dda5c983dc74dd

**SHA1:** e7fd8c8ccf06d2fadce799bb442b4b8bc10fcad4

**SHA256:** 993aecee895d9e18dd484cbcfc7b1b908db6dd2fe5a8078bf664faa39070dbe7

**Referenced In Project/Scope:** CoWorkInstaller

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### diagnostics.zip: diagnostics.jar: errorHistoryChart.js

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/diagnostics.zip/diagnostics.jar/com/inet/shared/diagnostics/widgets/logging/resources/errorHistoryChart.js

**MD5:** 3dc8396c86a2fbaae0eafbf0971359e7

**SHA1:** be11eddc8f2b255ee2a5c5509714db7f1161aa8b

**SHA256:** d830b7e8dfbdc2c32b7cf377dabba62d41338b7df1de4fd696e3a76093b1a973

**Referenced In Project/Scope:** CoWorkInstaller

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### diagnostics.zip: diagnostics.jar: global.js

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/diagnostics.zip/diagnostics.jar/com/inet/shared/diagnostics/resources/js/global.js

**MD5:** 64802e20bf5a9a5339db077b76120804

**SHA1:** d213b8c04f236ee22ab04da139fb32d33743c618

**SHA256:**30fbbfb604a6ec9cf8dcf1e20dcebc4abe870ea419122f8c89fd5954b64f16  
**Referenced In Project/Scope:** CoWorkInstaller

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### diagnostics.zip: diagnostics.jar: hddisk.js

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/diagnostics.zip/diagnostics.jar/com/inet/shared/diagnostics/widgets/benchmark/tasks/hddisk/hddisk.js

**MD5:** 538fd0fdeb11c4fa3dd2ac88c8711204

**SHA1:** 80957f16c25af55fc467e6c5af84153a595115c8

**SHA256:**a7762d8a143e8ac4eb9931e082988207cd45ab55d088120ff28d5f833fc09c2e

**Referenced In Project/Scope:** CoWorkInstaller

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### diagnostics.zip: diagnostics.jar: heapdumpCtrl.js

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/diagnostics.zip/diagnostics.jar/com/inet/shared/diagnostics/widgets/dump/resources/heapdumpCtrl.js

**MD5:** c5fdaf4ccf9027d4a81c2f62b897e927

**SHA1:** 667f13f878547fe5bdd76d63151a8bf8113736ac

**SHA256:**9694aabb30d8dc4bd9f9a6886f91248fe5a68d51a0f4dfd3a7b7adcd4db0b625

**Referenced In Project/Scope:** CoWorkInstaller

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## diagnostics.zip: diagnostics.jar: informationCtrl.js

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/diagnostics.zip/diagnostics.jar/com/inet/shared/diagnostics/widgets/information/resources/informationCtrl.js

**MD5:** b1b97633efb6513ee5ee1bf8d1c75e62

**SHA1:** 5271d00c40c6144e4e03732218ff007097de9dca

**SHA256:** f487b2331964e1d5942cddb37b03f9bb4bc252a6c49567ef60b10845c784b1c6

**Referenced In Project/Scope:** CoWorkInstaller

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## diagnostics.zip: diagnostics.jar: intArrayUtils.js

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/diagnostics.zip/diagnostics.jar/com/inet/shared/diagnostics/widgets/benchmark/tasks/intArrayUtils.js

**MD5:** 132205ce288f4d0108593ba2adf79e7f

**SHA1:** b1fc530ffd7332db05d9b5431535ec0beb9ff688

**SHA256:** 089688ab933277e0148ec91a8bd6d1d3d6e1030ec0216139675a78f8c9fd672e

**Referenced In Project/Scope:** CoWorkInstaller

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

### diagnostics.zip: diagnostics.jar: iospeed.js

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/diagnostics.zip/diagnostics.jar/com/inet/shared/diagnostics/widgets/benchmark/tasks/iospeed/iospeed.js

**MD5:** 41f51d9c89d83c0c9f2a318f49fe7270

**SHA1:** ccee214fdd13502065ec9b41a199fb1c3941475e

**SHA256:** d25634e9546abdaf6828d95582b58bad9cea248c0cf8d027d318f8641941e75c

**Referenced In Project/Scope:** CoWorkInstaller

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### diagnostics.zip: diagnostics.jar: jobs.js

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/diagnostics.zip/diagnostics.jar/com/inet/shared/diagnostics/widgets/jobs/resources/jobs.js

**MD5:** c86f20826acb4cd47c7bd5dbfb75b0d4

**SHA1:** 91bc3730aac03d2108e538843d28f0e47d531bc2

**SHA256:** 392dd734b01789eb4d38f999bfa2cc439550d8bb4321024a2047179676315e47

**Referenced In Project/Scope:** CoWorkInstaller

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### diagnostics.zip: diagnostics.jar: logging.js

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/diagnostics.zip/diagnostics.jar/com/inet/shared/diagnostics/widgets/logging/resources/logging.js  
**MD5:** 0576bea979f25b530bf421fff073f651  
**SHA1:** 4423880a3160fa1cf0ad9353c3ba50abbac476e9  
**SHA256:**44334c09db13b3d757f5c23fd8726fbaf4138939778e1c4f0fec7fb6b93465fd  
**Referenced In Project/Scope:** CoWorkInstaller

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### diagnostics.zip: diagnostics.jar: memory.js

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/diagnostics.zip/diagnostics.jar/com/inet/shared/diagnostics/widgets/benchmark/tasks/memory/memory.js  
**MD5:** f18834232e1c1c47fbdca4d03ad4eeb9  
**SHA1:** 74db18f6a0b6cd0dc2e345b47dab39558bced4f8  
**SHA256:**5c0c8e278674ba7e3e5d9f530448f98895b7c72eea9183e889f356492477bea2  
**Referenced In Project/Scope:** CoWorkInstaller

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### diagnostics.zip: diagnostics.jar: overviewCtrl.js

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/diagnostics.zip/diagnostics.jar/com/inet/shared/diagnostics/widgets/overview/resources/overviewCtrl.js  
**MD5:** 80f5e4358aa6a9ba6d35c364803e6c6a  
**SHA1:** 43c0492bb6e31b22174edb46514f0981930d2e39  
**SHA256:**cdf4ae1ac491e48bcb17849a4b9ccdfb5eea517798c0dc10fe13fb75b1eca99  
**Referenced In Project/Scope:** CoWorkInstaller

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## diagnostics.zip: diagnostics.jar: pde.diagnostics.js

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/diagnostics.zip/diagnostics.jar/com/inet/shared/diagnostics/widgets/webserver/resources/pde.diagnostics.js

**MD5:** b204072262f58feda2be583defe7fb22

**SHA1:** b7ac04cf8cddb4fe14358b1a593fda422011b643

**SHA256:** ec9425761f80cb65cbbf6cc53d587eea8c1afdd9e4e62a291e4e943f990ea929

**Referenced In Project/Scope:** CoWorkInstaller

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## diagnostics.zip: diagnostics.jar: timeformat.js

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/diagnostics.zip/diagnostics.jar/com/inet/shared/diagnostics/resources/js/timeformat.js

**MD5:** 31e9928c521c394f829c570f248fab50

**SHA1:** 97977864881447d98bab1568b64f96115f4a4d4a

**SHA256:** f96d3c13acc616439828fdcf4a368dedb6f8a740eb44cef5980b659ee9c07845

**Referenced In Project/Scope:** CoWorkInstaller

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------



### Identifiers

- None

## diagnostics.zip: diagnostics.jar: usermenu.js

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/diagnostics.zip/diagnostics.jar/com/inet/shared/diagnostics/resources/js/usermenu.js

**MD5:** 194282c1d922be86f2761862f7ae054d

**SHA1:** 5eeac60781e651036358d5f6ad74c3f1c55d14e4

**SHA256:** 92833bc86e6566be1649780fc5c58ad2e1e98c578efe967deb9dc2acd1052ac0

**Referenced In Project/Scope:** CoWorkInstaller

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## hamcrest-3.0.jar

### Description:

Core API and libraries of hamcrest matcher framework.

### License:

BSD-3-Clause: <https://raw.githubusercontent.com/hamcrest/JavaHamcrest/master/LICENSE>

**File Path:** /home/jenkins/.gradle/caches/modules-2/files-2.1/org.hamcrest/hamcrest/3.0/8fd9b78a8e6a6510a078a9e30e9e86a6035cfaf7/hamcrest-3.0.jar

**MD5:** 781023c38b054e9cf1c818c77895e1eb

**SHA1:** 8fd9b78a8e6a6510a078a9e30e9e86a6035cfaf7

**SHA256:** 5d66b6a4a680755cb6ed7cb104fa7835ef644667586ff0737adeb977c39ecdbc

**Referenced In Project/Scope:** CoWorkInstaller:inetPlugin

**Included by:** pkg:maven/cowork/CoWorkInstaller@26.4

### Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	hamcrest	High

Vendor	gradle	artifactid	hamcrest	Highest
Vendor	gradle	groupid	org.hamcrest	Highest
Vendor	jar	package name	hamcrest	Highest
Vendor	jar	package name	hamcrest	Low
Vendor	Manifest	automatic-module-name	org.hamcrest	Medium
Vendor	Manifest	bundle-symbolicname	org.hamcrest	Medium
Vendor	Manifest	Implementation-Vendor	hamcrest.org	High
Vendor	pom	artifactid	hamcrest	Low
Vendor	pom	developer id	joewalnes	Medium
Vendor	pom	developer id	npryce	Medium
Vendor	pom	developer id	sf105	Medium
Vendor	pom	developer name	Joe Walnes	Medium
Vendor	pom	developer name	Nat Pryce	Medium
Vendor	pom	developer name	Steve Freeman	Medium
Vendor	pom	groupid	org.hamcrest	Highest
Vendor	pom	name	Hamcrest	High
Vendor	pom	url	<a href="http://hamcrest.org/JavaHamcrest/">http://hamcrest.org/JavaHamcrest/</a>	Highest
Product	file	name	hamcrest	High
Product	gradle	artifactid	hamcrest	Highest
Product	jar	package name	hamcrest	Highest
Product	Manifest	automatic-module-name	org.hamcrest	Medium
Product	Manifest	Bundle-Name	org.hamcrest	Medium
Product	Manifest	bundle-symbolicname	org.hamcrest	Medium
Product	Manifest	Implementation-Title	hamcrest	High
Product	pom	artifactid	hamcrest	Highest
Product	pom	developer id	joewalnes	Low
Product	pom	developer id	npryce	Low
Product	pom	developer id	sf105	Low
Product	pom	developer name	Joe Walnes	Low
Product	pom	developer name	Nat Pryce	Low
Product	pom	developer name	Steve Freeman	Low
Product	pom	groupid	org.hamcrest	Highest

Product	pom	name	Hamcrest	High
Product	pom	url	http://hamcrest.org/JavaHamcrest/	Medium
Version	file	version	3.0	High
Version	gradle	version	3.0	Highest
Version	Manifest	Implementation-Version	3.0	High
Version	pom	version	3.0	Highest

#### Identifiers

- pkg:maven/org.hamcrest/hamcrest@3.0 (*Confidence*:High)

## help.zip: commons-beanutils.jar

#### Description:

Apache Commons BeanUtils provides an easy-to-use but flexible wrapper around reflection and introspection.

#### License:

<https://www.apache.org/licenses/LICENSE-2.0.txt>

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/help.zip/commons-beanutils.jar

**MD5:** 32ed51f196dfda19e0dc1ce53eed29e

**SHA1:** ac03ea606d13de04c2e4508227680faff151f491

**SHA256:** 9e44ba68ec9a3f21286fa2a8bbb003b735c0f69101bb43144b79f4f8aaa74709

**Referenced In Project/Scope:** CoWorkInstaller

#### Evidence

Type	Source	Name	Value	Confidence
Vendor	file	name	commons-beanutils	High
Vendor	jar	package name	apache	Highest
Vendor	jar	package name	beanutils	Highest
Vendor	jar	package name	commons	Highest
Vendor	Manifest	build-jdk-spec	21	Low
Vendor	Manifest	bundle-docurl	https://commons.apache.org/proper/commons-beanutils	Low
Vendor	Manifest	bundle-symbolicname	org.apache.commons.commons-beanutils	Medium
Vendor	Manifest	Implementation-Vendor	The Apache Software Foundation	High

Vendor	Manifest	Implementation-Vendor-Id	org.apache	Medium
Vendor	Manifest	multi-release	true	Low
Vendor	Manifest	specification-vendor	The Apache Software Foundation	Low
Vendor	pom	artifactid	commons-beanutils	Low
Vendor	pom	developer email	britter@apache.org	Low
Vendor	pom	developer email	chtompki@apache.org	Low
Vendor	pom	developer email	craigmcc@apache.org	Low
Vendor	pom	developer email	dion@apache.org	Low
Vendor	pom	developer email	epugh@apache.org	Low
Vendor	pom	developer email	geirm@apache.org	Low
Vendor	pom	developer email	ggregory at apache.org	Low
Vendor	pom	developer email	jcarman@apache.org	Low
Vendor	pom	developer email	jconlon@apache.org	Low
Vendor	pom	developer email	jstrachan@apache.org	Low
Vendor	pom	developer email	morgand@apache.org	Low
Vendor	pom	developer email	mvdb@apache.org	Low
Vendor	pom	developer email	niallp@apache.org	Low
Vendor	pom	developer email	rdonkin@apache.org	Low
Vendor	pom	developer email	rwaldhoff@apache.org	Low
Vendor	pom	developer email	sanders@apache.org	Low
Vendor	pom	developer email	scolebourne@apache.org	Low
Vendor	pom	developer email	skitching@apache.org	Low
Vendor	pom	developer email	stain@apache.org	Low
Vendor	pom	developer email	tobrien@apache.org	Low
Vendor	pom	developer email	yoavs@apache.org	Low
Vendor	pom	developer id	britter	Medium
Vendor	pom	developer id	chtompki	Medium
Vendor	pom	developer id	craigmcc	Medium
Vendor	pom	developer id	dion	Medium
Vendor	pom	developer id	epugh	Medium
Vendor	pom	developer id	geirm	Medium
Vendor	pom	developer id	ggregory	Medium
Vendor	pom	developer id	jcarman	Medium
Vendor	pom	developer id	jconlon	Medium

Vendor	pom	developer id	jstrachan	Medium
Vendor	pom	developer id	morgand	Medium
Vendor	pom	developer id	mvdb	Medium
Vendor	pom	developer id	niallp	Medium
Vendor	pom	developer id	rdonkin	Medium
Vendor	pom	developer id	rwaldhoff	Medium
Vendor	pom	developer id	sanders	Medium
Vendor	pom	developer id	scolebourne	Medium
Vendor	pom	developer id	skitching	Medium
Vendor	pom	developer id	stain	Medium
Vendor	pom	developer id	tobrien	Medium
Vendor	pom	developer id	yoavs	Medium
Vendor	pom	developer name	Benedikt Ritter	Medium
Vendor	pom	developer name	Craig McClanahan	Medium
Vendor	pom	developer name	David Eric Pugh	Medium
Vendor	pom	developer name	Dion Gillard	Medium
Vendor	pom	developer name	Gary Gregory	Medium
Vendor	pom	developer name	Geir Magnusson Jr.	Medium
Vendor	pom	developer name	James Carman	Medium
Vendor	pom	developer name	James Strachan	Medium
Vendor	pom	developer name	John E. Conlon	Medium
Vendor	pom	developer name	Martin van den Bemt	Medium
Vendor	pom	developer name	Morgan James Delagrang	Medium
Vendor	pom	developer name	Niall Pemberton	Medium
Vendor	pom	developer name	Rob Tompkins	Medium
Vendor	pom	developer name	Robert Burrell Donkin	Medium
Vendor	pom	developer name	Rodney Waldhoff	Medium
Vendor	pom	developer name	Scott Sanders	Medium
Vendor	pom	developer name	Simon Kitching	Medium
Vendor	pom	developer name	Stephen Colebourne	Medium
Vendor	pom	developer name	Stian Soiland-Reyes	Medium
Vendor	pom	developer name	Tim O'Brien	Medium
Vendor	pom	developer name	Yoav Shapira	Medium
Vendor	pom	developer org	The Apache Software Foundation	Medium
Vendor	pom	developer org URL	<a href="https://www.apache.org/">https://www.apache.org/</a>	Medium

Vendor	pom	groupid	commons-beanutils	Highest
Vendor	pom	name	Apache Commons BeanUtils	High
Vendor	pom	parent-artifactid	commons-parent	Low
Vendor	pom	parent-groupid	org.apache.commons	Medium
Vendor	pom	url	<a href="https://commons.apache.org/proper/commons-beanutils">https://commons.apache.org/proper/commons-beanutils</a>	Highest
Product	file	name	commons-beanutils	High
Product	jar	package name	apache	Highest
Product	jar	package name	beanutils	Highest
Product	jar	package name	commons	Highest
Product	Manifest	build-jdk-spec	21	Low
Product	Manifest	bundle-docurl	<a href="https://commons.apache.org/proper/commons-beanutils">https://commons.apache.org/proper/commons-beanutils</a>	Low
Product	Manifest	Bundle-Name	Apache Commons BeanUtils	Medium
Product	Manifest	bundle-symbolicname	org.apache.commons.commons-beanutils	Medium
Product	Manifest	Implementation-Title	Apache Commons BeanUtils	High
Product	Manifest	multi-release	true	Low
Product	Manifest	specification-title	Apache Commons BeanUtils	Medium
Product	pom	artifactid	commons-beanutils	Highest
Product	pom	developer email	britter@apache.org	Low
Product	pom	developer email	chtompki@apache.org	Low
Product	pom	developer email	craigmcc@apache.org	Low
Product	pom	developer email	dion@apache.org	Low
Product	pom	developer email	epugh@apache.org	Low
Product	pom	developer email	geirm@apache.org	Low
Product	pom	developer email	ggregory at apache.org	Low
Product	pom	developer email	jcarman@apache.org	Low
Product	pom	developer email	jconlon@apache.org	Low
Product	pom	developer email	jstrachan@apache.org	Low
Product	pom	developer email	morgand@apache.org	Low
Product	pom	developer email	mvdb@apache.org	Low
Product	pom	developer email	niallp@apache.org	Low
Product	pom	developer email	rdonkin@apache.org	Low
Product	pom	developer email	rwaldhoff@apache.org	Low
Product	pom	developer email	sanders@apache.org	Low

Product	pom	developer email	scolebourne@apache.org	Low
Product	pom	developer email	skitching@apache.org	Low
Product	pom	developer email	stain@apache.org	Low
Product	pom	developer email	tobrien@apache.org	Low
Product	pom	developer email	yoavs@apache.org	Low
Product	pom	developer id	britter	Low
Product	pom	developer id	chtompki	Low
Product	pom	developer id	craigmcc	Low
Product	pom	developer id	dion	Low
Product	pom	developer id	epugh	Low
Product	pom	developer id	geirm	Low
Product	pom	developer id	ggregory	Low
Product	pom	developer id	jcarman	Low
Product	pom	developer id	jconlon	Low
Product	pom	developer id	jstrachan	Low
Product	pom	developer id	morgand	Low
Product	pom	developer id	mvdb	Low
Product	pom	developer id	niallp	Low
Product	pom	developer id	rdonkin	Low
Product	pom	developer id	rwaldhoff	Low
Product	pom	developer id	sanders	Low
Product	pom	developer id	scolebourne	Low
Product	pom	developer id	skitching	Low
Product	pom	developer id	stain	Low
Product	pom	developer id	tobrien	Low
Product	pom	developer id	yoavs	Low
Product	pom	developer name	Benedikt Ritter	Low
Product	pom	developer name	Craig McClanahan	Low
Product	pom	developer name	David Eric Pugh	Low
Product	pom	developer name	Dion Gillard	Low
Product	pom	developer name	Gary Gregory	Low
Product	pom	developer name	Geir Magnusson Jr.	Low
Product	pom	developer name	James Carman	Low
Product	pom	developer name	James Strachan	Low
Product	pom	developer name	John E. Conlon	Low

Product	pom	developer name	Martin van den Bemt	Low
Product	pom	developer name	Morgan James Delagrangre	Low
Product	pom	developer name	Niall Pemberton	Low
Product	pom	developer name	Rob Tompkins	Low
Product	pom	developer name	Robert Burrell Donkin	Low
Product	pom	developer name	Rodney Waldhoff	Low
Product	pom	developer name	Scott Sanders	Low
Product	pom	developer name	Simon Kitching	Low
Product	pom	developer name	Stephen Colebourne	Low
Product	pom	developer name	Stian Soiland-Reyes	Low
Product	pom	developer name	Tim O'Brien	Low
Product	pom	developer name	Yoav Shapira	Low
Product	pom	developer org	The Apache Software Foundation	Low
Product	pom	developer org URL	<a href="https://www.apache.org/">https://www.apache.org/</a>	Low
Product	pom	groupid	commons-beanutils	Highest
Product	pom	name	Apache Commons BeanUtils	High
Product	pom	parent-artifactid	commons-parent	Medium
Product	pom	parent-groupid	org.apache.commons	Medium
Product	pom	url	<a href="https://commons.apache.org/proper/commons-beanutils">https://commons.apache.org/proper/commons-beanutils</a>	Medium
Version	Manifest	Bundle-Version	1.11.0	High
Version	Manifest	Implementation-Version	1.11.0	High
Version	pom	parent-version	1.11.0	Low
Version	pom	version	1.11.0	Highest

### Identifiers

- pkg:maven/commons-beanutils/commons-beanutils@1.11.0 (Confidence:High)
- [cpe:2.3:a:apache:commons\\_beanutils:1.11.0:\\*:\\*:\\*:\\*:\\*](#) (Confidence:Highest)

**help.zip: commons-digester3.jar**

**Description:**



The Apache Commons Digester package lets you configure an XML to Java object mapping module which triggers certain actions called rules whenever a particular pattern of nested XML elements is recognized.

License:

<http://www.apache.org/licenses/LICENSE-2.0.txt>

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/help.zip/commons-digester3.jar

**MD5:** 41d2c62c7aedafa7a3627794abc83f71

**SHA1:** c3f68c5ff25ec5204470fd8fdf4cb8feff5e8a79

**SHA256:**1c150e3d2df4b4237b47e28fea2079fb0da324578d5cca6a5fed2e37a62082ec

**Referenced In Project/Scope:** CoWorkInstaller

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	commons-digester3	High
Vendor	jar	package name	apache	Highest
Vendor	jar	package name	commons	Highest
Vendor	jar	package name	digester	Highest
Vendor	jar	package name	digester3	Highest
Vendor	jar	package name	rules	Highest
Vendor	Manifest	bundle-docurl	http://commons.apache.org/digester/	Low
Vendor	Manifest	bundle-symbolicname	org.apache.commons.digester	Medium
Vendor	Manifest	implementation-build	tags/DIGESTER3_3_2_RC2@r1212807; 2011-12-10 15:57:06+0100	Low
Vendor	Manifest	Implementation-Vendor	The Apache Software Foundation	High
Vendor	Manifest	Implementation-Vendor-Id	org.apache	Medium
Vendor	Manifest	specification-vendor	The Apache Software Foundation	Low
Vendor	pom	artifactid	commons-digester3	Low
Vendor	pom	developer email	craigmcc@apache.org	Low
Vendor	pom	developer email	jfarcan@apache.org	Low
Vendor	pom	developer email	jstrachan@apache.org	Low
Vendor	pom	developer email	jvanzyl@apache.org	Low
Vendor	pom	developer email	mbenson AT apache DOT org	Low
Vendor	pom	developer email	rahul AT apache DOT org	Low
Vendor	pom	developer email	rdonkin@apache.org	Low
Vendor	pom	developer email	sanders@totalsync.com	Low

Vendor	pom	developer email	simonetripodi AT apache DOT org	Low
Vendor	pom	developer email	skitching@apache.org	Low
Vendor	pom	developer email	tobrien@apache.org	Low
Vendor	pom	developer id	craigmcc	Medium
Vendor	pom	developer id	jfarcand	Medium
Vendor	pom	developer id	jstrachan	Medium
Vendor	pom	developer id	jvanzyl	Medium
Vendor	pom	developer id	mbenson	Medium
Vendor	pom	developer id	rahul	Medium
Vendor	pom	developer id	rdonkin	Medium
Vendor	pom	developer id	sanders	Medium
Vendor	pom	developer id	simonetripodi	Medium
Vendor	pom	developer id	skitching	Medium
Vendor	pom	developer id	tobrien	Medium
Vendor	pom	developer name	Craig McClanahan	Medium
Vendor	pom	developer name	James Strachan	Medium
Vendor	pom	developer name	Jason van Zyl	Medium
Vendor	pom	developer name	Jean-Francois Arcand	Medium
Vendor	pom	developer name	Matt Benson	Medium
Vendor	pom	developer name	Rahul Akolkar	Medium
Vendor	pom	developer name	Robert Burrell Donkin	Medium
Vendor	pom	developer name	Scott Sanders	Medium
Vendor	pom	developer name	Simon Kitching	Medium
Vendor	pom	developer name	Simone Tripodi	Medium
Vendor	pom	developer name	Tim OBrien	Medium
Vendor	pom	groupid	org.apache.commons	Highest
Vendor	pom	name	Apache Commons Digester	High
Vendor	pom	parent-artifactid	commons-parent	Low
Vendor	pom	url	http://commons.apache.org/digester/	Highest
Product	file	name	commons-digester3	High
Product	jar	package name	apache	Highest
Product	jar	package name	commons	Highest
Product	jar	package name	digester	Highest
Product	jar	package name	digester3	Highest
Product	jar	package name	rules	Highest

Product	Manifest	bundle-docurl	<a href="http://commons.apache.org/digester/">http://commons.apache.org/digester/</a>	Low
Product	Manifest	Bundle-Name	Apache Commons Digester	Medium
Product	Manifest	bundle-symbolicname	org.apache.commons.digester	Medium
Product	Manifest	implementation-build	tags/DIGESTER3_3_2_RC2@r1212807; 2011-12-10 15:57:06+0100	Low
Product	Manifest	Implementation-Title	Apache Commons Digester	High
Product	Manifest	specification-title	Apache Commons Digester	Medium
Product	pom	artifactid	commons-digester3	Highest
Product	pom	developer email	craigmcc@apache.org	Low
Product	pom	developer email	jfarcand@apache.org	Low
Product	pom	developer email	jstrachan@apache.org	Low
Product	pom	developer email	jvanzyl@apache.org	Low
Product	pom	developer email	mbenson AT apache DOT org	Low
Product	pom	developer email	rahul AT apache DOT org	Low
Product	pom	developer email	rdonkin@apache.org	Low
Product	pom	developer email	sanders@totalsync.com	Low
Product	pom	developer email	simonetripodi AT apache DOT org	Low
Product	pom	developer email	skitching@apache.org	Low
Product	pom	developer email	tobrien@apache.org	Low
Product	pom	developer id	craigmcc	Low
Product	pom	developer id	jfarcand	Low
Product	pom	developer id	jstrachan	Low
Product	pom	developer id	jvanzyl	Low
Product	pom	developer id	mbenson	Low
Product	pom	developer id	rahul	Low
Product	pom	developer id	rdonkin	Low
Product	pom	developer id	sanders	Low
Product	pom	developer id	simonetripodi	Low
Product	pom	developer id	skitching	Low
Product	pom	developer id	tobrien	Low
Product	pom	developer name	Craig McClanahan	Low
Product	pom	developer name	James Strachan	Low
Product	pom	developer name	Jason van Zyl	Low
Product	pom	developer name	Jean-Francois Arcand	Low
Product	pom	developer name	Matt Benson	Low

Product	pom	developer name	Rahul Akolkar	Low
Product	pom	developer name	Robert Burrell Donkin	Low
Product	pom	developer name	Scott Sanders	Low
Product	pom	developer name	Simon Kitching	Low
Product	pom	developer name	Simone Tripodi	Low
Product	pom	developer name	Tim OBrien	Low
Product	pom	groupid	org.apache.commons	Highest
Product	pom	name	Apache Commons Digester	High
Product	pom	parent-artifactid	commons-parent	Medium
Product	pom	url	http://commons.apache.org/digester/	Medium
Version	Manifest	Implementation-Version	3.2	High
Version	pom	parent-version	3.2	Low
Version	pom	version	3.2	Highest

#### Identifiers

- pkg:maven/org.apache.commons/commons-digester3@3.2 (Confidence:High)

## help.zip: help.jar

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/help.zip/help.jar

**MD5:** c758a2a5271d39911b2146d36372a5bf

**SHA1:** 3f6ed4550560cd6be5200e6a66f6f98ad481b2e6

**SHA256:** 23fbca7ea949e4fca61ca6029f1eb4803dbb3beb1ca4cfc9acb2fb467897a79a

**Referenced In Project/Scope:** CoWorkInstaller

#### Evidence +

Type	Source	Name	Value	Confidence
Vendor	file	name	help	High
Vendor	jar	package name	help	Low
Vendor	jar	package name	inet	Low
Vendor	Manifest	built-date	2026-06-16 16:47	Low
Vendor	Manifest	implementation-group	shared	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High

Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	help	High
Product	jar	package name	help	Highest
Product	jar	package name	help	Low
Product	Manifest	built-date	2026-06-16 16:47	Low
Product	Manifest	implementation-group	shared	Low
Product	Manifest	Implementation-Title	help	High
Product	Manifest	specification-title	help	Medium
Version	Manifest	Implementation-Version	26.4.269	High

#### Identifiers

- None

### help.zip: help.jar: ai-search.js

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/help.zip/help.jar/com/inet/help/resources/js/ai-search.js

**MD5:** 580ab37fe58670f9ed27434792457719

**SHA1:** c3261b4d8b1aebc82495d30102c2c18cb2575e25

**SHA256:** 308f0304a41842836e06724f0978686af678f9a91346acac199eab3eb0416728

**Referenced In Project/Scope:** CoWorkInstaller

#### Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

## help.zip: help.jar: app.js

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/help.zip/help.jar/com/inet/help/resources/js/app.js  
**MD5:** 3a626c6ba8ee31fb8ebf60eabda6f994  
**SHA1:** c39bfbdd57aadcb966452b9fc2790e555fa12867  
**SHA256:** 1a77be335c5f6949c202f5b8e959c01b7d20c29d70b1fa242805724dc08a5f71  
**Referenced In Project/Scope:** CoWorkInstaller

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## help.zip: help.jar: controller.js

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/help.zip/help.jar/com/inet/help/resources/js/controller.js  
**MD5:** d8a97347f09fb6127724e1fb9eaff6db  
**SHA1:** e5c022756b372c39a872de0429fe106283dcab6d  
**SHA256:** 87e3ee1681a99819dc61cbff19258371a350cd8d7e1ca570d572a5850968a41b  
**Referenced In Project/Scope:** CoWorkInstaller

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## help.zip: help.jar: shared.factory.js

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/help.zip/help.jar/com/inet/help/resources/js/shared.factory.js  
**MD5:** 0b9f1c69fe745940b59dfcc46b07c9e8  
**SHA1:** d04efd9797d2fdca767d508cf120351bef141846  
**SHA256:** 1b2cc4f4fd954ea4954b04681293f059a417fe38c59c129f87bd22dbc9bdf0cc  
**Referenced In Project/Scope:** CoWorkInstaller

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## help.zip: help.jar: shared.highlighter.js

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/help.zip/help.jar/com/inet/help/resources/js/shared.highlighter.js

**MD5:** af91e703b72f064acb7b0980a1981705

**SHA1:** 53a2a1c5190b1f3a3e3d4e68e645a152732c1893

**SHA256:** 12e9a91bfad9c6958f82cc85b396c869363b181054843e472342bad54ebd4ad1

**Referenced In Project/Scope:** CoWorkInstaller

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## help.zip: jsoup.jar

### Description:

jsoup is a Java library that simplifies working with real-world HTML and XML. It offers an easy-to-use API for URL fetching, data parsing, extraction, and manipulation using DOM API methods, CSS, and xpath selectors. jsoup implements the WHATWG HTML5 specification, and parses HTML to the same DOM as modern browsers.

### License:

The MIT License: <https://jsoup.org/license>

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/help.zip/jsoup.jar

**MD5:** 650c793f2362dd13d13355e558ea56f0

**SHA1:** 9085290f1032d8bdd4ab0a279d176a4bd9e282ca

## Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	jsoup	High
Vendor	jar	package name	jsoup	Highest
Vendor	jar	package name	org	Highest
Vendor	jar	package name	parser	Highest
Vendor	Manifest	build-jdk-spec	17	Low
Vendor	Manifest	bundle-docurl	https://jsoup.org/	Low
Vendor	Manifest	bundle-symbolicname	org.jsoup	Medium
Vendor	Manifest	Implementation-Vendor	Jonathan Hedley	High
Vendor	Manifest	multi-release	true	Low
Vendor	Manifest	originally-created-by	Apache Maven Bundle Plugin 5.1.9	Low
Vendor	pom	artifactid	jsoup	Low
Vendor	pom	developer email	jonathan@hedley.net	Low
Vendor	pom	developer id	jhy	Medium
Vendor	pom	developer name	Jonathan Hedley	Medium
Vendor	pom	groupid	org.jsoup	Highest
Vendor	pom	name	jsoup Java HTML Parser	High
Vendor	pom	organization name	Jonathan Hedley	High
Vendor	pom	organization url	https://jhedley.com/	Medium
Vendor	pom	url	https://jsoup.org/	Highest
Product	file	name	jsoup	High
Product	jar	package name	jsoup	Highest
Product	jar	package name	org	Highest
Product	jar	package name	parser	Highest
Product	Manifest	build-jdk-spec	17	Low
Product	Manifest	bundle-docurl	https://jsoup.org/	Low
Product	Manifest	Bundle-Name	jsoup Java HTML Parser	Medium
Product	Manifest	bundle-symbolicname	org.jsoup	Medium
Product	Manifest	Implementation-Title	jsoup Java HTML Parser	High



Product	Manifest	multi-release	true	Low
Product	Manifest	originally-created-by	Apache Maven Bundle Plugin 5.1.9	Low
Product	pom	artifactid	jsoup	Highest
Product	pom	developer email	jonathan@hedley.net	Low
Product	pom	developer id	jhy	Low
Product	pom	developer name	Jonathan Hedley	Low
Product	pom	groupid	org.jsoup	Highest
Product	pom	name	jsoup Java HTML Parser	High
Product	pom	organization name	Jonathan Hedley	Low
Product	pom	organization url	https://jhedley.com/	Low
Product	pom	url	https://jsoup.org/	Medium
Version	Manifest	Bundle-Version	1.22.1	High
Version	Manifest	Implementation-Version	1.22.1	High
Version	pom	version	1.22.1	Highest

#### Identifiers

- pkg:maven/org.jsoup/jsoup@1.22.1 (*Confidence:High*)
- [cpe:2.3:a:jsoup:jsoup:1.22.1:\\*:\\*:\\*:\\*:\\*](#) (*Confidence:Highest*)

suppress

## htmlengine.zip: JWebEngine.jar

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/htmlengine.zip/JWebEngine.jar

**MD5:** fa481612f02cb2792c26cfa4a2926f15

**SHA1:** 093e2324f60df44172e29e75bfa5cd186457ee44

**SHA256:** 44c0505aede55a321de7a777afee27ceac3335a01fa2f37ca8cb8c3c9f2228a2

**Referenced In Project/Scope:** CoWorkInstaller

#### Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	JWebEngine	High
Vendor	jar	package name	html	Low
Vendor	jar	package name	inet	Low

Vendor	Manifest	application-library-allowable-codebase	*	Low
Vendor	Manifest	built-date	2026-06-16 01:23	Low
Vendor	Manifest	codebase	*	Low
Vendor	Manifest	implementation-group	lib	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	permissions	all-permissions	Low
Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	trusted-library	false	Low
Vendor	Manifest	trusted-only	false	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	JWebEngine	High
Product	jar	package name	html	Low
Product	Manifest	application-library-allowable-codebase	*	Low
Product	Manifest	built-date	2026-06-16 01:23	Low
Product	Manifest	codebase	*	Low
Product	Manifest	implementation-group	lib	Low
Product	Manifest	Implementation-Title	JWebEngine	High
Product	Manifest	permissions	all-permissions	Low
Product	Manifest	specification-title	JWebEngine	Medium
Product	Manifest	trusted-library	false	Low
Product	Manifest	trusted-only	false	Low
Version	Manifest	Implementation-Version	1.14.211	High

## Identifiers

- None

## htmlengine.zip: htmlengine.jar

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/htmlengine.zip/htmlengine.jar

**MD5:** 9adaf9a06788f151d211d850445ab76d

**SHA1:** 28bf26108b1888655e573c3bafc4c0e9e5072221

**SHA256:** e2a478cd8915aa8fc48850bdb335be854a95c409f29df90ff21b46a5f74c01dd

**Referenced In Project/Scope:** CoWorkInstaller

### Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	htmlengine	High
Vendor	jar	package name	api	Low
Vendor	jar	package name	htmlengine	Low
Vendor	jar	package name	inet	Low
Vendor	Manifest	built-date	2026-06-16 16:58	Low
Vendor	Manifest	implementation-group	shared	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	htmlengine	High
Product	jar	package name	api	Low
Product	jar	package name	htmlengine	Highest
Product	jar	package name	htmlengine	Low
Product	jar	package name	markdown	Low
Product	Manifest	built-date	2026-06-16 16:58	Low
Product	Manifest	implementation-group	shared	Low
Product	Manifest	Implementation-Title	htmlengine	High
Product	Manifest	specification-title	htmlengine	Medium
Version	Manifest	Implementation-Version	26.4.269	High

### Identifiers

- None

## inetcore-26.4-tools.jar

**File Path:** /home/jenkins/.gradle/caches/modules-2/files-2.1/shared/inetcore/26.4/d682a92d9e71439f4f449a4ebc8ebfdb28affc55/inetcore-26.4-tools.jar

**MD5:** 64decdd5172a8a01fc09c2eb4ddd8aba

**SHA1:** d682a92d9e71439f4f449a4ebc8ebfdb28affc55

**SHA256:** f863d683b02f3e1e472b4d842c3728f8ba9e04441c9df12712bd53f430b45bde

**Referenced In Project/Scope:** CoWorkInstaller:inetPlugin

**Included by:** pkg:maven/cowork/CoWorkInstaller@26.4

### Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	inetcore	High
Vendor	gradle	artifactid	inetcore	Highest
Vendor	gradle	groupid	shared	Highest
Vendor	jar	package name	test	Low
Product	file	name	inetcore	High
Product	gradle	artifactid	inetcore	Highest
Version	file	name	inetcore	Medium
Version	file	version	26.4	High
Version	gradle	version	26.4	Highest

### Identifiers

- pkg:maven/shared/inetcore@26.4 (Confidence: Highest)

## inetcore-26.4.jar (shaded: com.inet.shared:inetcore:null)

### Description:

A blend composite defines the rule according to which a drawing primitive (known as the source) is mixed with existing graphics (known as the destination.)

ColorUtilities contains a set of tools to perform common color operations easily.

### License:

LGPL: <http://www.gnu.org/licenses/lgpl.txt>

**File Path:** /home/jenkins/.gradle/caches/modules-2/files-2.1/shared/inetcore/26.4/3e525cffe023a5703af6d1b74026394acef9682c/inetcore-26.4.jar/META-INF/com/inet/shared/Utils/BlendComposite/pom.xml

**MD5:** 15e3963148212192804e2b1a2b73ad1c

**SHA1:** 1095ba4522949a04590ab9c98b7f684e92579ef9

**SHA256:** e5556987ad0b1ede84a994741147dadf6de0cb7d80b845f530e2a96505b79151

**Referenced In Projects/Scopes:**

- CoWorkInstaller:inetPlugin
- CoWorkInstaller

**Evidence**



Type	Source	Name	Value	Confidence
Vendor	pom	artifactid	inetcore	Low
Vendor	pom	developer email	contact@inetsoftware.de	Low
Vendor	pom	developer email	morgand@apache.org	Low
Vendor	pom	developer id	inetsoftware	Medium
Vendor	pom	developer id	romainguy	Medium
Vendor	pom	developer id	sun	Medium
Vendor	pom	developer name	i-net /// software	Medium
Vendor	pom	developer name	Romain Guy	Medium
Vendor	pom	developer name	Sun	Medium
Vendor	pom	developer org	Sun	Medium
Vendor	pom	groupid	com.inet.shared	Highest
Vendor	pom	name	BlendComposite and ColorUtilities	High
Vendor	pom (hint)	developer id	oracle	Medium
Vendor	pom (hint)	developer name	oracle	Medium
Vendor	pom (hint)	developer org	oracle	Medium
Product	pom	artifactid	inetcore	Highest
Product	pom	developer email	contact@inetsoftware.de	Low
Product	pom	developer email	morgand@apache.org	Low
Product	pom	developer id	inetsoftware	Low
Product	pom	developer id	romainguy	Low
Product	pom	developer id	sun	Low
Product	pom	developer name	i-net /// software	Low
Product	pom	developer name	Romain Guy	Low
Product	pom	developer name	Sun	Low

Product	pom	developer org	Sun	Low
Product	pom	groupid	com.inet.shared	Highest
Product	pom	name	BlendComposite and ColorUtilities	High

#### Identifiers

- None

### inetcore-26.4.jar

**File Path:** /home/jenkins/.gradle/caches/modules-2/files-2.1/shared/inetcore/26.4/3e525cfe023a5703af6d1b74026394acef9682c/inetcore-26.4.jar

**MD5:** 2d475810d520d00143f8ac1a0ff5fe77

**SHA1:** 3e525cfe023a5703af6d1b74026394acef9682c

**SHA256:** ec1f0a320e9841148097a98868c3c47a2b842484afc310b4741efeafd830e5a0

#### Referenced In Projects/Scopes:

- CoWorkInstaller:inetPlugin
- CoWorkInstaller

**Included by:** pkg:maven/cowork/CoWorkInstaller@26.4

#### Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	inetcore	High
Vendor	gradle	artifactid	inetcore	Highest
Vendor	gradle	groupid	shared	Highest
Vendor	jar	package name	i	Highest
Vendor	jar	package name	inet	Low
Vendor	Manifest	application-library-allowable-codebase	*	Low
Vendor	Manifest	built-date	2026-06-16 16:03	Low
Vendor	Manifest	codebase	*	Low
Vendor	Manifest	implementation-group	shared	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium

Vendor	Manifest	permissions	all-permissions	Low
Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	trusted-library	false	Low
Vendor	Manifest	trusted-only	false	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	inetcore	High
Product	gradle	artifactid	inetcore	Highest
Product	jar	package name	permissions	Highest
Product	jar	package name	shared	Highest
Product	Manifest	application-library-allowable-codebase	*	Low
Product	Manifest	built-date	2026-06-16 16:03	Low
Product	Manifest	codebase	*	Low
Product	Manifest	implementation-group	shared	Low
Product	Manifest	Implementation-Title	inetcore	High
Product	Manifest	permissions	all-permissions	Low
Product	Manifest	specification-title	inetcore	Medium
Product	Manifest	trusted-library	false	Low
Product	Manifest	trusted-only	false	Low
Version	file	name	inetcore	Medium
Version	file	version	26.4	High
Version	gradle	version	26.4	Highest
Version	jar	package name	permissions	Highest
Version	jar	package name	shared	Highest
Version	Manifest	Implementation-Version	26.4.269	High

### Related Dependencies



- inetcore.jar
  - File Path: /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/core/inetcore.jar
  - MD5: 2d475810d520d00143f8ac1a0ff5fe77
  - SHA1: 3e525cffe023a5703af6d1b74026394acef9682c
  - SHA256: ec1f0a320e9841148097a98868c3c47a2b842484afc310b4741efeafd830e5a0

## Identifiers

- pkg:maven/shared/inetcore@26.4 (Confidence: Highest)

## inetloggeradapter.jar

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/core/inetloggeradapter.jar

**MD5:** 8d0132bc417e66b80ceba2046279e737

**SHA1:** b43f5efce2f1c60ddaae4cc4b984be6ae921defc

**SHA256:** b794b38fdbcb166f1379212bcb1af52120233cc013085ec3d784dfae6fa9b154b

**Referenced In Project/Scope:** CoWorkInstaller

## Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	inetloggeradapter	High
Vendor	jar	package name	inet	Low
Vendor	jar	package name	slf4j	Low
Vendor	Manifest	application-library-allowable-codebase	*	Low
Vendor	Manifest	built-date	2026-06-16 16:34	Low
Vendor	Manifest	codebase	*	Low
Vendor	Manifest	implementation-group	shared	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	permissions	all-permissions	Low
Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	trusted-library	false	Low
Vendor	Manifest	trusted-only	false	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	inetloggeradapter	High
Product	jar	package name	slf4j	Low
Product	Manifest	application-library-allowable-	*	Low



		codebase		
Product	Manifest	built-date	2026-06-16 16:34	Low
Product	Manifest	codebase	*	Low
Product	Manifest	implementation-group	shared	Low
Product	Manifest	Implementation-Title	i-net Logger Adapter	High
Product	Manifest	permissions	all-permissions	Low
Product	Manifest	specification-title	inetloggeradapter	Medium
Product	Manifest	trusted-library	false	Low
Product	Manifest	trusted-only	false	Low
Version	Manifest	Implementation-Version	26.4.269	High

#### Identifiers

- None

## jakarta.servlet-api.jar

### Description:

Jakarta Servlet 6.1

### License:

EPL 2.0: <http://www.eclipse.org/legal/epl-2.0>

GPL2 w/ CPE: <https://www.gnu.org/software/classpath/license.html>

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/core/jakarta.servlet-api.jar

**MD5:** 314c930b3e40ac1abc3529c7c9942f09

**SHA1:** 1169a246913fe3823782af7943e7a103634867c5

**SHA256:** 8a31f465f3593bf2351531a5c952014eb839da96a605b5825b93dd54714c48c4

**Referenced In Project/Scope:** CoWorkInstaller

### Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	jakarta.servlet-api	High
Vendor	jar	package name	jakarta	Highest
Vendor	jar	package name	servlet	Highest
Vendor	Manifest	build-jdk-spec	11	Low

Vendor	Manifest	bundle-docurl	<a href="https://www.eclipse.org">https://www.eclipse.org</a>	Low
Vendor	Manifest	bundle-symbolicname	jakarta.servlet-api	Medium
Vendor	Manifest	extension-name	jakarta.servlet	Medium
Vendor	Manifest	Implementation-Vendor	Eclipse Foundation	High
Vendor	Manifest	Implementation-Vendor-Id	org.eclipse	Medium
Vendor	Manifest	specification-vendor	Eclipse Foundation	Low
Vendor	pom	artifactid	jakarta.servlet-api	Low
Vendor	pom	developer id	yaminikb	Medium
Vendor	pom	developer name	Yamini K B	Medium
Vendor	pom	developer org	Oracle Corporation	Medium
Vendor	pom	developer org URL	<a href="http://www.oracle.com/">http://www.oracle.com/</a>	Medium
Vendor	pom	groupid	jakarta.servlet	Highest
Vendor	pom	name	Jakarta Servlet	High
Vendor	pom	parent-artifactid	project	Low
Vendor	pom	parent-groupid	org.eclipse.ee4j	Medium
Vendor	pom	url	<a href="https://projects.eclipse.org/projects/ee4j.servlet">https://projects.eclipse.org/projects/ee4j.servlet</a>	Highest
Product	file	name	jakarta.servlet-api	High
Product	jar	package name	jakarta	Highest
Product	jar	package name	servlet	Highest
Product	Manifest	build-jdk-spec	11	Low
Product	Manifest	bundle-docurl	<a href="https://www.eclipse.org">https://www.eclipse.org</a>	Low
Product	Manifest	Bundle-Name	Jakarta Servlet	Medium
Product	Manifest	bundle-symbolicname	jakarta.servlet-api	Medium
Product	Manifest	extension-name	jakarta.servlet	Medium
Product	pom	artifactid	jakarta.servlet-api	Highest
Product	pom	developer id	yaminikb	Low
Product	pom	developer name	Yamini K B	Low
Product	pom	developer org	Oracle Corporation	Low
Product	pom	developer org URL	<a href="http://www.oracle.com/">http://www.oracle.com/</a>	Low
Product	pom	groupid	jakarta.servlet	Highest
Product	pom	name	Jakarta Servlet	High

Product	pom	parent-artifactid	project	Medium
Product	pom	parent-groupid	org.eclipse.ee4j	Medium
Product	pom	url	https://projects.eclipse.org/projects/ee4j.servlet	Medium
Version	Manifest	Bundle-Version	6.1.0	High
Version	Manifest	Implementation-Version	6.1.0	High
Version	pom	parent-version	6.1.0	Low
Version	pom	version	6.1.0	Highest

### Identifiers

- pkg:maven/jakarta.servlet/jakarta.servlet-api@6.1.0 (*Confidence:High*)
- cpe:2.3:a:oracle:projects:6.1.0:\*:\*:\*:\*:\* (*Confidence:Low*)

suppress

## jakarta.websocket-api.jar

### Description:

Jakarta WebSocket - Server API

### License:

<https://www.eclipse.org/org/documents/epl-2.0/EPL-2.0.txt>, <https://www.gnu.org/software/classpath/license.html>

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/core/jakarta.websocket-api.jar

**MD5:** b1098129a9c74ae03d618fb841990ab0

**SHA1:** 60e525188fdb42120506debd90ffd4e204fd6f24

**SHA256:** 541d00436cbca0a5e1f6a457c9f70a64f00bd2f83e10ed89c2b372bc34843b7e

**Referenced In Project/Scope:** CoWorkInstaller

### Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	jakarta.websocket-api	High
Vendor	jar	package name	jakarta	Highest
Vendor	jar	package name	server	Highest
Vendor	jar	package name	websocket	Highest
Vendor	Manifest	build-jdk-spec	11	Low
Vendor	Manifest	bundle-docurl	https://www.eclipse.org	Low
Vendor	Manifest	bundle-	jakarta.websocket-api	Medium

		symbolicname		
Vendor	Manifest	extension-name	jakarta.websocket	Medium
Vendor	Manifest	Implementation-Vendor	Eclipse Foundation	High
Vendor	Manifest	specification-vendor	Eclipse Foundation	Low
Vendor	pom	artifactid	jakarta.websocket-api	Low
Vendor	pom	groupid	jakarta.websocket	Highest
Vendor	pom	name	Jakarta WebSocket - Server API	High
Vendor	pom	parent-artifactid	jakarta.websocket-all	Low
Vendor	pom	url	<a href="https://projects.eclipse.org/projects/ee4j.websocket">https://projects.eclipse.org/projects/ee4j.websocket</a>	Highest
Product	file	name	jakarta.websocket-api	High
Product	jar	package name	jakarta	Highest
Product	jar	package name	server	Highest
Product	jar	package name	websocket	Highest
Product	Manifest	build-jdk-spec	11	Low
Product	Manifest	bundle-docurl	<a href="https://www.eclipse.org">https://www.eclipse.org</a>	Low
Product	Manifest	Bundle-Name	Jakarta WebSocket - Server API	Medium
Product	Manifest	bundle-symbolicname	jakarta.websocket-api	Medium
Product	Manifest	extension-name	jakarta.websocket	Medium
Product	pom	artifactid	jakarta.websocket-api	Highest
Product	pom	groupid	jakarta.websocket	Highest
Product	pom	name	Jakarta WebSocket - Server API	High
Product	pom	parent-artifactid	jakarta.websocket-all	Medium
Product	pom	url	<a href="https://projects.eclipse.org/projects/ee4j.websocket">https://projects.eclipse.org/projects/ee4j.websocket</a>	Medium
Version	Manifest	Bundle-Version	2.2.0	High
Version	Manifest	Implementation-Version	2.2.0	High
Version	pom	version	2.2.0	Highest

## Identifiers

- pkg:maven/jakarta.websocket/jakarta.websocket-api@2.2.0 (*Confidence:High*)

## jakarta.websocket-client-api.jar

### Description:

Jakarta WebSocket - Client API

### License:

<https://www.eclipse.org/org/documents/epl-2.0/EPL-2.0.txt>, <https://www.gnu.org/software/classpath/license.html>

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/core/jakarta.websocket-client-api.jar

**MD5:** 9c363a8d4ab7b78b6160569e27568c1a

**SHA1:** cf7eafc1b929a80429c77e4450c6720a7de56814

**SHA256:** aa6fa9331a3f470daee0dbfcf084abfbd7a49507297575d5bb8bfbf3d62fe8c0

**Referenced In Project/Scope:** CoWorkInstaller

### Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	jakarta.websocket-client-api	High
Vendor	jar	package name	jakarta	Highest
Vendor	jar	package name	websocket	Highest
Vendor	Manifest	build-jdk-spec	11	Low
Vendor	Manifest	bundle-docurl	<a href="https://www.eclipse.org">https://www.eclipse.org</a>	Low
Vendor	Manifest	bundle-symbolicname	jakarta.websocket-client-api	Medium
Vendor	Manifest	extension-name	jakarta.websocket-client	Medium
Vendor	Manifest	Implementation-Vendor	Eclipse Foundation	High
Vendor	Manifest	specification-vendor	Eclipse Foundation	Low
Vendor	pom	artifactid	jakarta.websocket-client-api	Low
Vendor	pom	groupid	jakarta.websocket	Highest
Vendor	pom	name	Jakarta WebSocket - Client API	High
Vendor	pom	parent-artifactid	jakarta.websocket-all	Low
Vendor	pom	url	<a href="https://projects.eclipse.org/projects/ee4j.websocket">https://projects.eclipse.org/projects/ee4j.websocket</a>	Highest
Product	file	name	jakarta.websocket-client-api	High
Product	jar	package name	jakarta	Highest
Product	jar	package name	websocket	Highest
Product	Manifest	build-jdk-spec	11	Low
Product	Manifest	bundle-docurl	<a href="https://www.eclipse.org">https://www.eclipse.org</a>	Low
Product	Manifest	Bundle-Name	Jakarta WebSocket - Client API	Medium

Product	Manifest	bundle-symbolicname	jakarta.websocket-client-api	Medium
Product	Manifest	extension-name	jakarta.websocket-client	Medium
Product	pom	artifactid	jakarta.websocket-client-api	Highest
Product	pom	groupid	jakarta.websocket	Highest
Product	pom	name	Jakarta WebSocket - Client API	High
Product	pom	parent-artifactid	jakarta.websocket-all	Medium
Product	pom	url	https://projects.eclipse.org/projects/ee4j.websocket	Medium
Version	Manifest	Bundle-Version	2.2.0	High
Version	Manifest	Implementation-Version	2.2.0	High
Version	pom	version	2.2.0	Highest

#### Identifiers

- pkg:maven/jakarta.websocket/jakarta.websocket-client-api@2.2.0 (Confidence:High)

### java-25-jre-x64-linux.tar.gz: java-25-jre-x64-linux.tar: jrt-fs.jar

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/java-25-jre-x64-linux.tar.gz/java-25-jre-x64-linux.tar/jre-11/lib/jrt-fs.jar

**MD5:** 7c9286f8350fcc9685be294052abe065

**SHA1:** a65b097270a5d51f163082c0021a0ec56b55eaff

**SHA256:** 9296f978b74a24295f6261c692fff0f85b71503ab4cd29c2e0b4b7f4d726e185

**Referenced In Project/Scope:** CoWorkInstaller

#### Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	jrt-fs	High
Vendor	jar	package name	internal	Low
Vendor	jar	package name	jdk	Low
Vendor	jar	package name	jimage	Low
Vendor	Manifest	Implementation-Vendor	Eclipse Adoptium	High
Vendor	Manifest	specification-vendor	Oracle Corporation	Low
Product	file	name	jrt-fs	High
Product	jar	package name	internal	Low

Product	jar	package name	jimage	Low
Product	Manifest	Implementation-Title	Java Runtime Environment	High
Product	Manifest	specification-title	Java Platform API Specification	Medium
Version	Manifest	Implementation-Version	25.0.3	High

## Identifiers

- [cpe:2.3:a:eclipse:platform:25.0.3:\\*\\*\\*\\*:\\*](#) (Confidence:Medium) suppress

## jcip-annotations-1.0.jar

**File Path:** /home/jenkins/.gradle/caches/modules-2/files-2.1/net.jcip/jcip-annotations/1.0/afba4942caaeaf46aab0b976afd57cc7c181467e/jcip-annotations-1.0.jar

**MD5:** 9d5272954896c5a5d234f66b7372b17a

**SHA1:** afba4942caaeaf46aab0b976afd57cc7c181467e

**SHA256:** be5805392060c71474bf6c9a67a099471274d30b83eef84bfc4e0889a4f1dcc0

**Referenced In Project/Scope:** CoWorkInstaller:inetPlugin

**Included by:** pkg:maven/de.inetsoftware/jlessc@1.15

## Evidence

Type	Source	Name	Value	Confidence
Vendor	file	name	jcip-annotations	High
Vendor	gradle	artifactid	jcip-annotations	Highest
Vendor	gradle	groupid	net.jcip	Highest
Vendor	jar	package name	annotations	Low
Vendor	jar	package name	jcip	Low
Vendor	jar	package name	net	Low
Vendor	pom	artifactid	jcip-annotations	Low
Vendor	pom	groupid	net.jcip	Highest
Vendor	pom	name	"Java Concurrency in Practice" book annotations	High
Vendor	pom	url	http://jcip.net/	Highest
Product	file	name	jcip-annotations	High
Product	gradle	artifactid	jcip-annotations	Highest
Product	jar	package name	annotations	Low

Product	jar	package name	jcip	Low
Product	pom	artifactid	jcip-annotations	Highest
Product	pom	groupid	net.jcip	Highest
Product	pom	name	"Java Concurrency in Practice" book annotations	High
Product	pom	url	http://jcip.net/	Medium
Version	file	version	1.0	High
Version	gradle	version	1.0	Highest
Version	pom	version	1.0	Highest

### Identifiers

- pkg:maven/net.jcip/jcip-annotations@1.0 (Confidence:High)

## jlessc-1.15.jar

### Description:

A Less CSS compiler written completely in Java (pure Java).

### License:

MIT License: <http://www.opensource.org/licenses/mit-license.php>

**File Path:** /home/jenkins/.gradle/caches/modules-2/files-2.1/de.inetsoftware/jlessc/1.15/2dbc9ed0ff94187412e6376823393b4ce90ccf0b/jlessc-1.15.jar

**MD5:** 3f8f1bb4e60ce8b65f287d36560d1313

**SHA1:** 2dbc9ed0ff94187412e6376823393b4ce90ccf0b

**SHA256:** c745dc12ca4e1252c8a082f8c1b9237e4758c6d7ecb82247c3ecc3fe7cd99bdc

### Referenced In Projects/Scopes:

- CoWorkInstaller:inetPlugin
- CoWorkInstaller

**Included by:** pkg:maven/cowork/CoWorkInstaller@26.4

### Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	jlessc	High
Vendor	gradle	artifactid	jlessc	Highest
Vendor	gradle	groupid	de.inetsoftware	Highest
Vendor	jar	package name	inet	Low
Vendor	jar	package name	less	Low



Vendor	jar	package name	lib	Low
Vendor	Manifest	automatic-module-name	de.inetsoftware.jlessc	Medium
Vendor	Manifest	bundle-symbolicname	de.inetsoftware.jlessc	Medium
Vendor	Manifest	Implementation-Vendor	i-net software GmbH, Berlin, Germany	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	pom	artifactid	jlessc	Low
Vendor	pom	developer email	vberlin@inetsoftware.de	Low
Vendor	pom	developer id	vberlin	Medium
Vendor	pom	developer name	Volker Berlin	Medium
Vendor	pom	developer org	i-net software	Medium
Vendor	pom	developer org URL	https://www.inetsoftware.de/	Medium
Vendor	pom	groupid	de.inetsoftware	Highest
Vendor	pom	name	JLessC	High
Vendor	pom	url	i-net-software/jlessc	Highest
Product	file	name	jlessc	High
Product	gradle	artifactid	jlessc	Highest
Product	jar	package name	less	Low
Product	jar	package name	lib	Low
Product	Manifest	automatic-module-name	de.inetsoftware.jlessc	Medium
Product	Manifest	bundle-symbolicname	de.inetsoftware.jlessc	Medium
Product	Manifest	Implementation-Title	JLessC, a Less CSS compiler	High
Product	pom	artifactid	jlessc	Highest
Product	pom	developer email	vberlin@inetsoftware.de	Low
Product	pom	developer id	vberlin	Low
Product	pom	developer name	Volker Berlin	Low
Product	pom	developer org	i-net software	Low
Product	pom	developer org URL	https://www.inetsoftware.de/	Low
Product	pom	groupid	de.inetsoftware	Highest
Product	pom	name	JLessC	High
Product	pom	url	i-net-software/jlessc	High
Version	file	version	1.15	High

Version	gradle	version	1.15	Highest
Version	Manifest	Bundle-Version	1.15	High
Version	Manifest	Implementation-Version	1.15	High
Version	pom	version	1.15	Highest

#### Related Dependencies

- theme.zip: jlessc.jar
  - File Path: /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/theme.zip/jlessc.jar
  - MD5: 3f8f1bb4e60ce8b65f287d36560d1313
  - SHA1: 2dbc9ed0ff94187412e6376823393b4ce90ccf0b
  - SHA256: c745dc12ca4e1252c8a082f8c1b9237e4758c6d7ecb82247c3ecc3fe7cd99bdc

#### Identifiers

- pkg:maven/de.inetsoftware/jlessc@1.15 (*Confidence:High*)

## jsr305-3.0.2.jar

#### Description:

JSR305 Annotations for Findbugs

#### License:

The Apache Software License, Version 2.0: <http://www.apache.org/licenses/LICENSE-2.0.txt>

**File Path:** /home/jenkins/.gradle/caches/modules-2/files-2.1/com.google.code.findbugs/jsr305/3.0.2/25ea2e8b0c338a877313bd4672d3fe056ea78f0d/jsr305-3.0.2.jar

**MD5:** dd83accb899363c32b07d7a1b2e4ce40

**SHA1:** 25ea2e8b0c338a877313bd4672d3fe056ea78f0d

**SHA256:** 766ad2a0783f2687962c8ad74cecc38a28b9f72a2d085ee438b7813e928d0c7

**Referenced In Project/Scope:** CoWorkInstaller:inetPlugin

**Included by:** pkg:maven/de.inetsoftware/jlessc@1.15

#### Evidence

Type	Source	Name	Value	Confidence
Vendor	file	name	jsr305	High
Vendor	gradle	artifactid	jsr305	Highest
Vendor	gradle	groupid	com.google.code.findbugs	Highest
Vendor	Manifest	bundle-	org.jsr-305	Medium

## symbolicname

Vendor	pom	artifactid	jsr305	Low
Vendor	pom	groupid	com.google.code.findbugs	Highest
Vendor	pom	name	FindBugs-jsr305	High
Vendor	pom	url	http://findbugs.sourceforge.net/	Highest
Product	file	name	jsr305	High
Product	gradle	artifactid	jsr305	Highest
Product	Manifest	Bundle-Name	FindBugs-jsr305	Medium
Product	Manifest	bundle-symbolicname	org.jsr-305	Medium
Product	pom	artifactid	jsr305	Highest
Product	pom	groupid	com.google.code.findbugs	Highest
Product	pom	name	FindBugs-jsr305	High
Product	pom	url	http://findbugs.sourceforge.net/	Medium
Version	file	version	3.0.2	High
Version	gradle	version	3.0.2	Highest
Version	Manifest	Bundle-Version	3.0.2	High
Version	pom	version	3.0.2	Highest

## Identifiers

- pkg:maven/com.google.code.findbugs/jsr305@3.0.2 (Confidence:High)

## junit-4.13.2.jar

## Description:

JUnit is a unit testing framework for Java, created by Erich Gamma and Kent Beck.

## License:

Eclipse Public License 1.0: <http://www.eclipse.org/legal/epl-v10.html>

**File Path:** /home/jenkins/.gradle/caches/modules-2/files-2.1/junit/junit/4.13.2/8ac9e16d933b6fb43bc7f576336b8f4d7eb5ba12/junit-4.13.2.jar

**MD5:** d98a9a02a99a9acd22d7653cbcc1f31f

**SHA1:** 8ac9e16d933b6fb43bc7f576336b8f4d7eb5ba12

**SHA256:** 8e495b634469d64fb8acfa3495a065cbacc8a0fff55ce1e31007be4c16dc57d3

**Referenced In Project/Scope:** CoWorkInstaller:inetPlugin

**Included by:** pkg:maven/cowork/CoWorkInstaller@26.4

## Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	junit	High
Vendor	gradle	artifactid	junit	Highest
Vendor	gradle	groupid	junit	Highest
Vendor	jar	package name	junit	Highest
Vendor	jar	package name	junit	Low
Vendor	Manifest	automatic-module-name	junit	Medium
Vendor	Manifest	implementation-url	http://junit.org	Low
Vendor	Manifest	Implementation-Vendor	JUnit	High
Vendor	Manifest	Implementation-Vendor-Id	junit	Medium
Vendor	pom	artifactid	junit	Low
Vendor	pom	developer email	david@saff.net	Low
Vendor	pom	developer email	kcooney@google.com	Low
Vendor	pom	developer email	mail@marcphilipp.de	Low
Vendor	pom	developer email	mail@stefan-birkner.de	Low
Vendor	pom	developer id	dsaff	Medium
Vendor	pom	developer id	kcooney	Medium
Vendor	pom	developer id	marcphilipp	Medium
Vendor	pom	developer id	stefanbirkner	Medium
Vendor	pom	developer name	David Saff	Medium
Vendor	pom	developer name	Kevin Cooney	Medium
Vendor	pom	developer name	Marc Philipp	Medium
Vendor	pom	developer name	Stefan Birkner	Medium
Vendor	pom	groupid	junit	Highest
Vendor	pom	name	JUnit	High
Vendor	pom	organization name	JUnit	High
Vendor	pom	organization url	http://www.junit.org	Medium
Vendor	pom	url	http://junit.org	Highest
Product	file	name	junit	High
Product	gradle	artifactid	junit	Highest
Product	jar	package name	junit	Highest
Product	Manifest	automatic-	junit	Medium

		module-name		
Product	Manifest	Implementation-Title	JUnit	High
Product	Manifest	implementation-url	http://junit.org	Low
Product	pom	artifactid	junit	Highest
Product	pom	developer email	david@saff.net	Low
Product	pom	developer email	kcooney@google.com	Low
Product	pom	developer email	mail@marcphilipp.de	Low
Product	pom	developer email	mail@stefan-birkner.de	Low
Product	pom	developer id	dsaff	Low
Product	pom	developer id	kcooney	Low
Product	pom	developer id	marcphilipp	Low
Product	pom	developer id	stefanbirkner	Low
Product	pom	developer name	David Saff	Low
Product	pom	developer name	Kevin Cooney	Low
Product	pom	developer name	Marc Philipp	Low
Product	pom	developer name	Stefan Birkner	Low
Product	pom	groupid	junit	Highest
Product	pom	name	JUnit	High
Product	pom	organization name	JUnit	Low
Product	pom	organization url	http://www.junit.org	Low
Product	pom	url	http://junit.org	Medium
Version	file	version	4.13.2	High
Version	gradle	version	4.13.2	Highest
Version	Manifest	Implementation-Version	4.13.2	High
Version	pom	version	4.13.2	Highest

#### Identifiers

- pkg:maven/junit/junit@4.13.2 (*Confidence:High*)
- cpe:2.3:a:junit:junit4:4.13.2:\*:\*:\*:\*:\* (*Confidence:Low*)

suppress

**Description:**

Module "junit-jupiter" of JUnit 5.

**License:**

Eclipse Public License v2.0: <https://www.eclipse.org/legal/epl-v20.html>

**File Path:** /home/jenkins/.gradle/caches/modules-2/files-2.1/org.junit.jupiter/junit-jupiter/5.14.0/df30c385c7c8ea0e74e3b63d8c6c0fc2b0ecb55/junit-jupiter-5.14.0.jar

**MD5:** 7ddc03716bc709deb839426691440409

**SHA1:** 0df30c385c7c8ea0e74e3b63d8c6c0fc2b0ecb55

**SHA256:** a89501c76e91abfdc08201acdaaae681d5c8d59b62f375d5929b6681a0118f43

**Referenced In Project/Scope:** CoWorkInstaller:inetPlugin

**Included by:**

- pkg:maven/cowork/CoWorkInstaller@26.4
- pkg:maven/org.junit.platform/junit-platform-suite@1.14.0
- pkg:maven/org.junit.jupiter/junit-jupiter-engine@5.14.0
- pkg:maven/org.junit.jupiter/junit-jupiter@5.14.0

**Evidence**

Type	Source	Name	Value	Confidence
Vendor	file	name	junit-jupiter	High
Vendor	gradle	artifactid	junit-jupiter	Highest
Vendor	gradle	groupid	org.junit.jupiter	Highest
Vendor	jar	package name	module-info	Low
Vendor	Manifest	build-date	2025-09-30	Low
Vendor	Manifest	build-revision	8545c93a9d86ef7f9c848c0eca4ec792f4e82a3	Low
Vendor	Manifest	build-time	09:14:43.001+0200	Low
Vendor	Manifest	bundle-symbolicname	junit-jupiter	Medium
Vendor	Manifest	Implementation-Vendor	junit.org	High
Vendor	Manifest	specification-vendor	junit.org	Low
Vendor	pom	artifactid	junit-jupiter	Low
Vendor	pom	developer email	business@johanneslink.net	Low
Vendor	pom	developer email	derancourt.juliette@gmail.com	Low
Vendor	pom	developer email	mail@marcphilipp.de	Low
Vendor	pom	developer email	matthias.merdes@heidelpay.com	Low
Vendor	pom	developer email	sam@sambrannen.com	Low
Vendor	pom	developer email	sormuras@gmail.com	Low
Vendor	pom	developer email	stefan.bechtold@me.com	Low
Vendor	pom	developer id	bechte	Medium

Vendor	pom	developer id	jlink	Medium
Vendor	pom	developer id	juliette-derancourt	Medium
Vendor	pom	developer id	marcphilipp	Medium
Vendor	pom	developer id	mmerdes	Medium
Vendor	pom	developer id	sbrannen	Medium
Vendor	pom	developer id	sormuras	Medium
Vendor	pom	developer name	Christian Stein	Medium
Vendor	pom	developer name	Johannes Link	Medium
Vendor	pom	developer name	Juliette de Rancourt	Medium
Vendor	pom	developer name	Marc Philipp	Medium
Vendor	pom	developer name	Matthias Merdes	Medium
Vendor	pom	developer name	Sam Brannen	Medium
Vendor	pom	developer name	Stefan Bechtold	Medium
Vendor	pom	groupid	org.junit.jupiter	Highest
Vendor	pom	name	JUnit Jupiter (Aggregator)	High
Vendor	pom	url	<a href="https://junit.org/">https://junit.org/</a>	Highest
Product	file	name	junit-jupiter	High
Product	gradle	artifactid	junit-jupiter	Highest
Product	Manifest	build-date	2025-09-30	Low
Product	Manifest	build-revision	8545c93a9d86ef7f9c848c0eca4ec792f4e82a3	Low
Product	Manifest	build-time	09:14:43.001+0200	Low
Product	Manifest	Bundle-Name	JUnit Jupiter (Aggregator)	Medium
Product	Manifest	bundle-symbolicname	junit-jupiter	Medium
Product	Manifest	Implementation-Title	junit-jupiter	High
Product	Manifest	specification-title	junit-jupiter	Medium
Product	pom	artifactid	junit-jupiter	Highest
Product	pom	developer email	business@johanneslink.net	Low
Product	pom	developer email	derancourt.juliette@gmail.com	Low
Product	pom	developer email	mail@marcphilipp.de	Low
Product	pom	developer email	matthias.merdes@heidelpay.com	Low
Product	pom	developer email	sam@sambrannen.com	Low
Product	pom	developer email	sormuras@gmail.com	Low
Product	pom	developer email	stefan.bechtold@me.com	Low
Product	pom	developer id	bechte	Low

Product	pom	developer id	jlink	Low
Product	pom	developer id	juliette-derancourt	Low
Product	pom	developer id	marcphilipp	Low
Product	pom	developer id	mmerdes	Low
Product	pom	developer id	sbrannen	Low
Product	pom	developer id	sormuras	Low
Product	pom	developer name	Christian Stein	Low
Product	pom	developer name	Johannes Link	Low
Product	pom	developer name	Juliette de Rancourt	Low
Product	pom	developer name	Marc Philipp	Low
Product	pom	developer name	Matthias Merdes	Low
Product	pom	developer name	Sam Brannen	Low
Product	pom	developer name	Stefan Bechtold	Low
Product	pom	groupid	org.junit.jupiter	Highest
Product	pom	name	JUnit Jupiter (Aggregator)	High
Product	pom	url	<a href="https://junit.org/">https://junit.org/</a>	Medium
Version	file	version	5.14.0	High
Version	gradle	version	5.14.0	Highest
Version	Manifest	Bundle-Version	5.14.0	High
Version	Manifest	Implementation-Version	5.14.0	High
Version	pom	version	5.14.0	Highest

#### Identifiers

- pkg:maven/org.junit.jupiter/junit-jupiter@5.14.0 (*Confidence:High*)

## junit-jupiter-api-5.14.0.jar

#### Description:

Module "junit-jupiter-api" of JUnit 5.

#### License:

Eclipse Public License v2.0: <https://www.eclipse.org/legal/epl-v20.html>

**File Path:** /home/jenkins/.gradle/caches/modules-2/files-2.1/org.junit.jupiter/junit-jupiter-api/5.14.0/4cc3acff995a4ce56ebf735a485800ddede31cb0/junit-jupiter-api-5.14.0.jar



**MD5:** ed392a0bd93155f0fd0674022a8ad32c

**SHA1:** 4cc3acff995a4ce56ebf735a485800ddede31cb0

**SHA256:** d3431a004b83823bcd95b6738130087ec32b2fb28a5a5deb4fbc16357bab8f9

**Referenced In Project/Scope:** CoWorkInstaller:inetPlugin

**Included by:**

- pkg:maven/org.junit.platform/junit-platform-suite@1.14.0
- pkg:maven/org.junit.jupiter/junit-jupiter-engine@5.14.0
- pkg:maven/org.junit.jupiter/junit-jupiter@5.14.0

## Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	junit-jupiter-api	High
Vendor	gradle	artifactid	junit-jupiter-api	Highest
Vendor	gradle	groupid	org.junit.jupiter	Highest
Vendor	jar	package name	api	Highest
Vendor	jar	package name	api	Low
Vendor	jar	package name	junit	Highest
Vendor	jar	package name	junit	Low
Vendor	jar	package name	jupiter	Highest
Vendor	jar	package name	jupiter	Low
Vendor	Manifest	build-date	2025-09-30	Low
Vendor	Manifest	build-revision	8545c93a9d86ef7f9c848c0eca4ec792f4e82a3	Low
Vendor	Manifest	build-time	09:14:43.001+0200	Low
Vendor	Manifest	bundle-symbolicname	junit-jupiter-api	Medium
Vendor	Manifest	Implementation-Vendor	junit.org	High
Vendor	Manifest	specification-vendor	junit.org	Low
Vendor	pom	artifactid	junit-jupiter-api	Low
Vendor	pom	developer email	business@johanneslink.net	Low
Vendor	pom	developer email	derancourt.juliette@gmail.com	Low
Vendor	pom	developer email	mail@marcphilipp.de	Low
Vendor	pom	developer email	matthias.merdes@heidelpay.com	Low
Vendor	pom	developer email	sam@sambrannen.com	Low
Vendor	pom	developer email	sormuras@gmail.com	Low
Vendor	pom	developer email	stefan.bechtold@me.com	Low
Vendor	pom	developer id	bechte	Medium
Vendor	pom	developer id	jlink	Medium
Vendor	pom	developer id	juliette-derancourt	Medium

Vendor	pom	developer id	marcphilipp	Medium
Vendor	pom	developer id	mmerdes	Medium
Vendor	pom	developer id	sbrannen	Medium
Vendor	pom	developer id	sormuras	Medium
Vendor	pom	developer name	Christian Stein	Medium
Vendor	pom	developer name	Johannes Link	Medium
Vendor	pom	developer name	Juliette de Rancourt	Medium
Vendor	pom	developer name	Marc Philipp	Medium
Vendor	pom	developer name	Matthias Merdes	Medium
Vendor	pom	developer name	Sam Brannen	Medium
Vendor	pom	developer name	Stefan Bechtold	Medium
Vendor	pom	groupid	org.junit.jupiter	Highest
Vendor	pom	name	JUnit Jupiter API	High
Vendor	pom	url	<a href="https://junit.org/">https://junit.org/</a>	Highest
Product	file	name	junit-jupiter-api	High
Product	gradle	artifactid	junit-jupiter-api	Highest
Product	jar	package name	api	Highest
Product	jar	package name	api	Low
Product	jar	package name	junit	Highest
Product	jar	package name	jupiter	Highest
Product	jar	package name	jupiter	Low
Product	Manifest	build-date	2025-09-30	Low
Product	Manifest	build-revision	8545c93a9d86ef7f9c848c0eca4ec792f4e82a3	Low
Product	Manifest	build-time	09:14:43.001+0200	Low
Product	Manifest	Bundle-Name	JUnit Jupiter API	Medium
Product	Manifest	bundle-symbolicname	junit-jupiter-api	Medium
Product	Manifest	Implementation-Title	junit-jupiter-api	High
Product	Manifest	specification-title	junit-jupiter-api	Medium
Product	pom	artifactid	junit-jupiter-api	Highest
Product	pom	developer email	business@johanneslink.net	Low
Product	pom	developer email	derancourt.juliette@gmail.com	Low
Product	pom	developer email	mail@marcphilipp.de	Low
Product	pom	developer email	matthias.merdes@heidelpay.com	Low
Product	pom	developer email	sam@sambrannen.com	Low

Product	pom	developer email	sormuras@gmail.com	Low
Product	pom	developer email	stefan.bechtold@me.com	Low
Product	pom	developer id	bechte	Low
Product	pom	developer id	jlink	Low
Product	pom	developer id	juliette-derancourt	Low
Product	pom	developer id	marcphilipp	Low
Product	pom	developer id	mmerdes	Low
Product	pom	developer id	sbrannen	Low
Product	pom	developer id	sormuras	Low
Product	pom	developer name	Christian Stein	Low
Product	pom	developer name	Johannes Link	Low
Product	pom	developer name	Juliette de Rancourt	Low
Product	pom	developer name	Marc Philipp	Low
Product	pom	developer name	Matthias Merdes	Low
Product	pom	developer name	Sam Brannen	Low
Product	pom	developer name	Stefan Bechtold	Low
Product	pom	groupid	org.junit.jupiter	Highest
Product	pom	name	JUnit Jupiter API	High
Product	pom	url	https://junit.org/	Medium
Version	file	version	5.14.0	High
Version	gradle	version	5.14.0	Highest
Version	Manifest	Bundle-Version	5.14.0	High
Version	Manifest	Implementation-Version	5.14.0	High
Version	pom	version	5.14.0	Highest

#### Identifiers

- pkg:maven/org.junit.jupiter/junit-jupiter-api@5.14.0 (*Confidence:High*)

## junit-jupiter-engine-5.14.0.jar

#### Description:

Module "junit-jupiter-engine" of JUnit 5.

#### License:

**File Path:** /home/jenkins/.gradle/caches/modules-2/files-2.1/org.junit.jupiter/junit-jupiter-engine/5.14.0/9da8a108759444556e759f30e663a416a80f402c/junit-jupiter-engine-5.14.0.jar

**MD5:** 5a1f1a143fb48a49ceb29526b3951d5b

**SHA1:** 9da8a108759444556e759f30e663a416a80f402c

**SHA256:** 203b7a240b15716f8b881e2dfab0c580f1da5b274a196ff360f8cada2d1752ea

**Referenced In Project/Scope:** CoWorkInstaller:inetPlugin

**Included by:**

- pkg:maven/cowork/CoWorkInstaller@26.4
- pkg:maven/org.junit.platform/junit-platform-suite@1.14.0
- pkg:maven/org.junit.jupiter/junit-jupiter-engine@5.14.0
- pkg:maven/org.junit.jupiter/junit-jupiter@5.14.0

## Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	junit-jupiter-engine	High
Vendor	gradle	artifactid	junit-jupiter-engine	Highest
Vendor	gradle	groupid	org.junit.jupiter	Highest
Vendor	jar	package name	engine	Highest
Vendor	jar	package name	engine	Low
Vendor	jar	package name	junit	Highest
Vendor	jar	package name	junit	Low
Vendor	jar	package name	jupiter	Highest
Vendor	jar	package name	jupiter	Low
Vendor	Manifest	build-date	2025-09-30	Low
Vendor	Manifest	build-revision	8545c93a9d86ef7f9c848c0eca4ec792f4e82a3	Low
Vendor	Manifest	build-time	09:14:43.001+0200	Low
Vendor	Manifest	bundle-symbolicname	junit-jupiter-engine	Medium
Vendor	Manifest	Implementation-Vendor	junit.org	High
Vendor	Manifest	provide-capability	org.junit.platform.engine;org.junit.platform.engine=junit-jupiter;version:Version="5.14.0"	Low
Vendor	Manifest	specification-vendor	junit.org	Low
Vendor	pom	artifactid	junit-jupiter-engine	Low
Vendor	pom	developer email	business@johanneslink.net	Low
Vendor	pom	developer email	derancourt.juliette@gmail.com	Low
Vendor	pom	developer email	mail@marcphilipp.de	Low
Vendor	pom	developer email	matthias.merdes@heidelpay.com	Low
Vendor	pom	developer email	sam@sambrannen.com	Low

Vendor	pom	developer email	sormuras@gmail.com	Low
Vendor	pom	developer email	stefan.bechtold@me.com	Low
Vendor	pom	developer id	bechte	Medium
Vendor	pom	developer id	jlink	Medium
Vendor	pom	developer id	juliette-derancourt	Medium
Vendor	pom	developer id	marcphilipp	Medium
Vendor	pom	developer id	mmerdes	Medium
Vendor	pom	developer id	sbrannen	Medium
Vendor	pom	developer id	sormuras	Medium
Vendor	pom	developer name	Christian Stein	Medium
Vendor	pom	developer name	Johannes Link	Medium
Vendor	pom	developer name	Juliette de Rancourt	Medium
Vendor	pom	developer name	Marc Philipp	Medium
Vendor	pom	developer name	Matthias Merdes	Medium
Vendor	pom	developer name	Sam Brannen	Medium
Vendor	pom	developer name	Stefan Bechtold	Medium
Vendor	pom	groupid	org.junit.jupiter	Highest
Vendor	pom	name	JUnit Jupiter Engine	High
Vendor	pom	url	https://junit.org/	Highest
Product	file	name	junit-jupiter-engine	High
Product	gradle	artifactid	junit-jupiter-engine	Highest
Product	jar	package name	engine	Highest
Product	jar	package name	engine	Low
Product	jar	package name	junit	Highest
Product	jar	package name	jupiter	Highest
Product	jar	package name	jupiter	Low
Product	Manifest	build-date	2025-09-30	Low
Product	Manifest	build-revision	8545c93a9d86ef7f9c848c0eca4ec792f4e82a3	Low
Product	Manifest	build-time	09:14:43.001+0200	Low
Product	Manifest	Bundle-Name	JUnit Jupiter Engine	Medium
Product	Manifest	bundle-symbolicname	junit-jupiter-engine	Medium
Product	Manifest	Implementation-Title	junit-jupiter-engine	High
Product	Manifest	provide-capability	org.junit.platform.engine;org.junit.platform.engine=junit-jupiter;version:Version="5.14.0"	Low
Product	Manifest	specification-title	junit-jupiter-engine	Medium

Product	pom	artifactid	junit-jupiter-engine	Highest
Product	pom	developer email	business@johanneslink.net	Low
Product	pom	developer email	derancourt.juliette@gmail.com	Low
Product	pom	developer email	mail@marcphilipp.de	Low
Product	pom	developer email	matthias.merdes@heidelpay.com	Low
Product	pom	developer email	sam@sambrannen.com	Low
Product	pom	developer email	sormuras@gmail.com	Low
Product	pom	developer email	stefan.bechtold@me.com	Low
Product	pom	developer id	bechte	Low
Product	pom	developer id	jlink	Low
Product	pom	developer id	juliette-derancourt	Low
Product	pom	developer id	marcphilipp	Low
Product	pom	developer id	mmerdes	Low
Product	pom	developer id	sbrannen	Low
Product	pom	developer id	sormuras	Low
Product	pom	developer name	Christian Stein	Low
Product	pom	developer name	Johannes Link	Low
Product	pom	developer name	Juliette de Rancourt	Low
Product	pom	developer name	Marc Philipp	Low
Product	pom	developer name	Matthias Merdes	Low
Product	pom	developer name	Sam Brannen	Low
Product	pom	developer name	Stefan Bechtold	Low
Product	pom	groupid	org.junit.jupiter	Highest
Product	pom	name	JUnit Jupiter Engine	High
Product	pom	url	https://junit.org/	Medium
Version	file	version	5.14.0	High
Version	gradle	version	5.14.0	Highest
Version	Manifest	Bundle-Version	5.14.0	High
Version	Manifest	Implementation-Version	5.14.0	High
Version	pom	version	5.14.0	Highest

## Identifiers

- pkg:maven/org.junit.jupiter/junit-jupiter-engine@5.14.0 (*Confidence:High*)

## junit-jupiter-params-5.14.0.jar

### Description:

Module "junit-jupiter-params" of JUnit 5.

### License:

Eclipse Public License v2.0: <https://www.eclipse.org/legal/epl-v20.html>

**File Path:** /home/jenkins/.gradle/caches/modules-2/files-2.1/org.junit.jupiter/junit-jupiter-params/5.14.0/3027dc3529237b2285b261640134daa217068c96/junit-jupiter-params-5.14.0.jar

**MD5:** dd4c6213ae046597f04d386cc5038338

**SHA1:** 3027dc3529237b2285b261640134daa217068c96

**SHA256:** 7fbb51837921c329604ba119dc1af0573d36230ea80f786aa3d4fd8c1dbb8a1b

**Referenced In Project/Scope:** CoWorkInstaller:inetPlugin

### Included by:

- pkg:maven/org.junit.platform/junit-platform-suite@1.14.0
- pkg:maven/org.junit.jupiter/junit-jupiter-engine@5.14.0
- pkg:maven/org.junit.jupiter/junit-jupiter@5.14.0

### Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	junit-jupiter-params	High
Vendor	gradle	artifactid	junit-jupiter-params	Highest
Vendor	gradle	groupid	org.junit.jupiter	Highest
Vendor	jar	package name	junit	Highest
Vendor	jar	package name	junit	Low
Vendor	jar	package name	jupiter	Highest
Vendor	jar	package name	jupiter	Low
Vendor	jar	package name	params	Highest
Vendor	jar	package name	params	Low
Vendor	Manifest	build-date	2025-09-30	Low
Vendor	Manifest	build-revision	8545c93a9d86ef7f9c848c0eca4ec792f4e82a3	Low
Vendor	Manifest	build-time	09:14:43.001+0200	Low
Vendor	Manifest	bundle-symbolicname	junit-jupiter-params	Medium
Vendor	Manifest	Implementation-Vendor	junit.org	High
Vendor	Manifest	specification-vendor	junit.org	Low
Vendor	pom	artifactid	junit-jupiter-params	Low
Vendor	pom	developer email	business@johanneslink.net	Low

Vendor	pom	developer email	derancourt.juliette@gmail.com	Low
Vendor	pom	developer email	mail@marcphilipp.de	Low
Vendor	pom	developer email	matthias.merdes@heidelpay.com	Low
Vendor	pom	developer email	sam@sambrannen.com	Low
Vendor	pom	developer email	sormuras@gmail.com	Low
Vendor	pom	developer email	stefan.bechtold@me.com	Low
Vendor	pom	developer id	bechte	Medium
Vendor	pom	developer id	jlink	Medium
Vendor	pom	developer id	juliette-derancourt	Medium
Vendor	pom	developer id	marcphilipp	Medium
Vendor	pom	developer id	mmerdes	Medium
Vendor	pom	developer id	sbrannen	Medium
Vendor	pom	developer id	sormuras	Medium
Vendor	pom	developer name	Christian Stein	Medium
Vendor	pom	developer name	Johannes Link	Medium
Vendor	pom	developer name	Juliette de Rancourt	Medium
Vendor	pom	developer name	Marc Philipp	Medium
Vendor	pom	developer name	Matthias Merdes	Medium
Vendor	pom	developer name	Sam Brannen	Medium
Vendor	pom	developer name	Stefan Bechtold	Medium
Vendor	pom	groupid	org.junit.jupiter	Highest
Vendor	pom	name	JUnit Jupiter Params	High
Vendor	pom	url	https://junit.org/	Highest
Product	file	name	junit-jupiter-params	High
Product	gradle	artifactid	junit-jupiter-params	Highest
Product	jar	package name	junit	Highest
Product	jar	package name	jupiter	Highest
Product	jar	package name	jupiter	Low
Product	jar	package name	params	Highest
Product	jar	package name	params	Low
Product	jar	package name	shadow	Low
Product	Manifest	build-date	2025-09-30	Low
Product	Manifest	build-revision	8545c93a9d86ef7f9c848c0eca4ec792f4e82a3	Low
Product	Manifest	build-time	09:14:43.001+0200	Low
Product	Manifest	Bundle-Name	JUnit Jupiter Params	Medium



Product	Manifest	bundle-symbolicname	junit-jupiter-params	Medium
Product	Manifest	Implementation-Title	junit-jupiter-params	High
Product	Manifest	specification-title	junit-jupiter-params	Medium
Product	pom	artifactid	junit-jupiter-params	Highest
Product	pom	developer email	business@johanneslink.net	Low
Product	pom	developer email	derancourt.juliette@gmail.com	Low
Product	pom	developer email	mail@marcphilipp.de	Low
Product	pom	developer email	matthias.merdes@heidelpay.com	Low
Product	pom	developer email	sam@sambrannen.com	Low
Product	pom	developer email	sormuras@gmail.com	Low
Product	pom	developer email	stefan.bechtold@me.com	Low
Product	pom	developer id	bechte	Low
Product	pom	developer id	jlink	Low
Product	pom	developer id	juliette-derancourt	Low
Product	pom	developer id	marcphilipp	Low
Product	pom	developer id	mmerdes	Low
Product	pom	developer id	sbrannen	Low
Product	pom	developer id	sormuras	Low
Product	pom	developer name	Christian Stein	Low
Product	pom	developer name	Johannes Link	Low
Product	pom	developer name	Juliette de Rancourt	Low
Product	pom	developer name	Marc Philipp	Low
Product	pom	developer name	Matthias Merdes	Low
Product	pom	developer name	Sam Brannen	Low
Product	pom	developer name	Stefan Bechtold	Low
Product	pom	groupid	org.junit.jupiter	Highest
Product	pom	name	JUnit Jupiter Params	High
Product	pom	url	https://junit.org/	Medium
Version	file	version	5.14.0	High
Version	gradle	version	5.14.0	Highest
Version	Manifest	Bundle-Version	5.14.0	High
Version	Manifest	Implementation-Version	5.14.0	High
Version	pom	version	5.14.0	Highest

## Identifiers

- pkg:maven/org.junit.jupiter/junit-jupiter-params@5.14.0 (*Confidence:High*)

## junit-platform-commons-1.14.0.jar

### Description:

Module "junit-platform-commons" of JUnit 5.

### License:

Eclipse Public License v2.0: <https://www.eclipse.org/legal/epl-v20.html>

**File Path:** /home/jenkins/.gradle/caches/modules-2/files-2.1/org.junit.platform/junit-platform-commons/1.14.0/e7e1bbf2044652efc5a2a21f6b8c21173a9b91a1/junit-platform-commons-1.14.0.jar

**MD5:** 7f72f4b9a2ee123155ac4e9a011e0d8f

**SHA1:** e7e1bbf2044652efc5a2a21f6b8c21173a9b91a1

**SHA256:** e543a3a8422f1dfe6047f535305b70c777e0db431f1ef3f55ef5c86ac0bbcb9b

**Referenced In Project/Scope:** CoWorkInstaller:inetPlugin

### Included by:

- pkg:maven/org.junit.platform/junit-platform-suite@1.14.0
- pkg:maven/org.junit.jupiter/junit-jupiter-engine@5.14.0
- pkg:maven/org.junit.jupiter/junit-jupiter@5.14.0

## Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	junit-platform-commons	High
Vendor	gradle	artifactid	junit-platform-commons	Highest
Vendor	gradle	groupid	org.junit.platform	Highest
Vendor	jar	package name	commons	Highest
Vendor	jar	package name	commons	Low
Vendor	jar	package name	junit	Highest
Vendor	jar	package name	junit	Low
Vendor	jar	package name	org	Highest
Vendor	jar	package name	platform	Highest
Vendor	jar	package name	platform	Low
Vendor	Manifest	build-date	2025-09-30	Low
Vendor	Manifest	build-revision	8545c93a9d86ef7f9c848c0eca4ec792f4e82a3	Low
Vendor	Manifest	build-time	09:14:43.001+0200	Low
Vendor	Manifest	bundle-symbolicname	junit-platform-commons	Medium

Vendor	Manifest	Implementation-Vendor	junit.org	High
Vendor	Manifest	multi-release	true	Low
Vendor	Manifest	specification-vendor	junit.org	Low
Vendor	pom	artifactid	junit-platform-commons	Low
Vendor	pom	developer email	business@johanneslink.net	Low
Vendor	pom	developer email	derancourt.juliette@gmail.com	Low
Vendor	pom	developer email	mail@marcphilipp.de	Low
Vendor	pom	developer email	matthias.merdes@heidelpay.com	Low
Vendor	pom	developer email	sam@sambrannen.com	Low
Vendor	pom	developer email	sormuras@gmail.com	Low
Vendor	pom	developer email	stefan.bechtold@me.com	Low
Vendor	pom	developer id	bechte	Medium
Vendor	pom	developer id	jlink	Medium
Vendor	pom	developer id	juliette-derancourt	Medium
Vendor	pom	developer id	marcphilipp	Medium
Vendor	pom	developer id	mmerdes	Medium
Vendor	pom	developer id	sbrannen	Medium
Vendor	pom	developer id	sormuras	Medium
Vendor	pom	developer name	Christian Stein	Medium
Vendor	pom	developer name	Johannes Link	Medium
Vendor	pom	developer name	Juliette de Rancourt	Medium
Vendor	pom	developer name	Marc Philipp	Medium
Vendor	pom	developer name	Matthias Merdes	Medium
Vendor	pom	developer name	Sam Brannen	Medium
Vendor	pom	developer name	Stefan Bechtold	Medium
Vendor	pom	groupid	org.junit.platform	Highest
Vendor	pom	name	JUnit Platform Commons	High
Vendor	pom	url	https://junit.org/	Highest
Product	file	name	junit-platform-commons	High
Product	gradle	artifactid	junit-platform-commons	Highest
Product	jar	package name	commons	Highest
Product	jar	package name	commons	Low
Product	jar	package name	junit	Highest
Product	jar	package name	platform	Highest

Product	jar	package name	platform	Low
Product	Manifest	build-date	2025-09-30	Low
Product	Manifest	build-revision	8545c93a9d86ef7f9c848c0eca4ec792f4e82a3	Low
Product	Manifest	build-time	09:14:43.001+0200	Low
Product	Manifest	Bundle-Name	JUnit Platform Commons	Medium
Product	Manifest	bundle-symbolicname	junit-platform-commons	Medium
Product	Manifest	Implementation-Title	junit-platform-commons	High
Product	Manifest	multi-release	true	Low
Product	Manifest	specification-title	junit-platform-commons	Medium
Product	pom	artifactid	junit-platform-commons	Highest
Product	pom	developer email	business@johanneslink.net	Low
Product	pom	developer email	derancourt.juliette@gmail.com	Low
Product	pom	developer email	mail@marcphilipp.de	Low
Product	pom	developer email	matthias.merdes@heidelpay.com	Low
Product	pom	developer email	sam@sambrannen.com	Low
Product	pom	developer email	sormuras@gmail.com	Low
Product	pom	developer email	stefan.bechtold@me.com	Low
Product	pom	developer id	bechte	Low
Product	pom	developer id	jlink	Low
Product	pom	developer id	juliette-derancourt	Low
Product	pom	developer id	marcphilipp	Low
Product	pom	developer id	mmerdes	Low
Product	pom	developer id	sbrannen	Low
Product	pom	developer id	sormuras	Low
Product	pom	developer name	Christian Stein	Low
Product	pom	developer name	Johannes Link	Low
Product	pom	developer name	Juliette de Rancourt	Low
Product	pom	developer name	Marc Philipp	Low
Product	pom	developer name	Matthias Merdes	Low
Product	pom	developer name	Sam Brannen	Low
Product	pom	developer name	Stefan Bechtold	Low
Product	pom	groupid	org.junit.platform	Highest
Product	pom	name	JUnit Platform Commons	High
Product	pom	url	https://junit.org/	Medium

Version	file	version	1.14.0	High
Version	gradle	version	1.14.0	Highest
Version	Manifest	Bundle-Version	1.14.0	High
Version	Manifest	Implementation-Version	1.14.0	High
Version	pom	version	1.14.0	Highest

#### Identifiers

- pkg:maven/org.junit.platform/junit-platform-commons@1.14.0 (*Confidence:High*)
- cpe:2.3:a:fan\_platform\_project:fan\_platform:1.14.0:\*:\*:\*:\*:\* (*Confidence:Low*)

suppress

## junit-platform-engine-1.14.0.jar

#### Description:

Module "junit-platform-engine" of JUnit 5.

#### License:

Eclipse Public License v2.0: <https://www.eclipse.org/legal/epl-v20.html>

**File Path:** /home/jenkins/.gradle/caches/modules-2/files-2.1/org.junit.platform/junit-platform-engine/1.14.0/77386b812c0e3ba96cdd7c018d2a2f61940ccd8f/junit-platform-engine-1.14.0.jar

**MD5:** 80623f8b044fc4fde498e82659a5e9d7

**SHA1:** 77386b812c0e3ba96cdd7c018d2a2f61940ccd8f

**SHA256:** 57cd29de834469aee656e5debda1f09f7c59630fd57b90cc0cbaa31726fc4d4a

**Referenced In Project/Scope:** CoWorkInstaller:inetPlugin

#### Included by:

- pkg:maven/org.junit.platform/junit-platform-suite@1.14.0
- pkg:maven/org.junit.jupiter/junit-jupiter-engine@5.14.0
- pkg:maven/org.junit.jupiter/junit-jupiter@5.14.0

#### Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	junit-platform-engine	High
Vendor	gradle	artifactid	junit-platform-engine	Highest
Vendor	gradle	groupid	org.junit.platform	Highest
Vendor	jar	package name	engine	Highest
Vendor	jar	package name	engine	Low
Vendor	jar	package name	junit	Highest
Vendor	jar	package name	junit	Low

Vendor	jar	package name	platform	Highest
Vendor	jar	package name	platform	Low
Vendor	Manifest	build-date	2025-09-30	Low
Vendor	Manifest	build-revision	8545c93a9d86ef7f9c848c0eca4ec792f4e82a3	Low
Vendor	Manifest	build-time	09:14:43.001+0200	Low
Vendor	Manifest	bundle-symbolicname	junit-platform-engine	Medium
Vendor	Manifest	Implementation-Vendor	junit.org	High
Vendor	Manifest	specification-vendor	junit.org	Low
Vendor	pom	artifactid	junit-platform-engine	Low
Vendor	pom	developer email	business@johanneslink.net	Low
Vendor	pom	developer email	derancourt.juliette@gmail.com	Low
Vendor	pom	developer email	mail@marcphilipp.de	Low
Vendor	pom	developer email	matthias.merdes@heidelpay.com	Low
Vendor	pom	developer email	sam@sambrannen.com	Low
Vendor	pom	developer email	sormuras@gmail.com	Low
Vendor	pom	developer email	stefan.bechtold@me.com	Low
Vendor	pom	developer id	bechte	Medium
Vendor	pom	developer id	jlink	Medium
Vendor	pom	developer id	juliette-derancourt	Medium
Vendor	pom	developer id	marcphilipp	Medium
Vendor	pom	developer id	mmerdes	Medium
Vendor	pom	developer id	sbrannen	Medium
Vendor	pom	developer id	sormuras	Medium
Vendor	pom	developer name	Christian Stein	Medium
Vendor	pom	developer name	Johannes Link	Medium
Vendor	pom	developer name	Juliette de Rancourt	Medium
Vendor	pom	developer name	Marc Philipp	Medium
Vendor	pom	developer name	Matthias Merdes	Medium
Vendor	pom	developer name	Sam Brannen	Medium
Vendor	pom	developer name	Stefan Bechtold	Medium
Vendor	pom	groupid	org.junit.platform	Highest
Vendor	pom	name	JUnit Platform Engine API	High
Vendor	pom	url	https://junit.org/	Highest
Product	file	name	junit-platform-engine	High

Product	gradle	artifactid	junit-platform-engine	Highest
Product	jar	package name	engine	Highest
Product	jar	package name	engine	Low
Product	jar	package name	junit	Highest
Product	jar	package name	platform	Highest
Product	jar	package name	platform	Low
Product	jar	package name	support	Low
Product	Manifest	build-date	2025-09-30	Low
Product	Manifest	build-revision	8545c93a9d86ef7f9c848c0eca4ec792f4e82a3	Low
Product	Manifest	build-time	09:14:43.001+0200	Low
Product	Manifest	Bundle-Name	JUnit Platform Engine API	Medium
Product	Manifest	bundle-symbolicname	junit-platform-engine	Medium
Product	Manifest	Implementation-Title	junit-platform-engine	High
Product	Manifest	specification-title	junit-platform-engine	Medium
Product	pom	artifactid	junit-platform-engine	Highest
Product	pom	developer email	business@johanneslink.net	Low
Product	pom	developer email	derancourt.juliette@gmail.com	Low
Product	pom	developer email	mail@marcphilipp.de	Low
Product	pom	developer email	matthias.merdes@heidelpay.com	Low
Product	pom	developer email	sam@sambrannen.com	Low
Product	pom	developer email	sormuras@gmail.com	Low
Product	pom	developer email	stefan.bechtold@me.com	Low
Product	pom	developer id	bechte	Low
Product	pom	developer id	jlink	Low
Product	pom	developer id	juliette-derancourt	Low
Product	pom	developer id	marcphilipp	Low
Product	pom	developer id	mmerdes	Low
Product	pom	developer id	sbrannen	Low
Product	pom	developer id	sormuras	Low
Product	pom	developer name	Christian Stein	Low
Product	pom	developer name	Johannes Link	Low
Product	pom	developer name	Juliette de Rancourt	Low
Product	pom	developer name	Marc Philipp	Low
Product	pom	developer name	Matthias Merdes	Low

Product	pom	developer name	Sam Brannen	Low
Product	pom	developer name	Stefan Bechtold	Low
Product	pom	groupid	org.junit.platform	Highest
Product	pom	name	JUnit Platform Engine API	High
Product	pom	url	https://junit.org/	Medium
Version	file	version	1.14.0	High
Version	gradle	version	1.14.0	Highest
Version	Manifest	Bundle-Version	1.14.0	High
Version	Manifest	Implementation-Version	1.14.0	High
Version	pom	version	1.14.0	Highest

### Identifiers

- pkg:maven/org.junit.platform/junit-platform-engine@1.14.0 (*Confidence*:High)
- cpe:2.3:a:fan\_platform\_project:fan\_platform:1.14.0:\*:\*:\*:\*:\* (*Confidence*:Low)

suppress

## junit-platform-launcher-1.14.0.jar

### Description:

Module "junit-platform-launcher" of JUnit 5.

### License:

Eclipse Public License v2.0: <https://www.eclipse.org/legal/epl-v20.html>

**File Path:** /home/jenkins/.gradle/caches/modules-2/files-2.1/org.junit.platform/junit-platform-launcher/1.14.0/b61418170bd0b204429b9ae77af681a1ac74579d/junit-platform-launcher-1.14.0.jar

**MD5:** cbd4803d13742dba0ab00bd74d40aa3d

**SHA1:** b61418170bd0b204429b9ae77af681a1ac74579d

**SHA256:** 1000b278797510dcec40d90f77f0d84dcc13e5982da563c18b6b5665aae4b81c

**Referenced In Project/Scope:** CoWorkInstaller:inetPlugin

### Included by:

- pkg:maven/org.junit.platform/junit-platform-suite@1.14.0
- pkg:maven/org.junit.jupiter/junit-jupiter-engine@5.14.0
- pkg:maven/org.junit.jupiter/junit-jupiter@5.14.0

### Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	junit-platform-launcher	High
Vendor	gradle	artifactid	junit-platform-launcher	Highest



Vendor	gradle	groupid	org.junit.platform	Highest
Vendor	jar	package name	junit	Highest
Vendor	jar	package name	junit	Low
Vendor	jar	package name	launcher	Highest
Vendor	jar	package name	launcher	Low
Vendor	jar	package name	platform	Highest
Vendor	jar	package name	platform	Low
Vendor	Manifest	build-date	2025-09-30	Low
Vendor	Manifest	build-revision	8545c93a9d86ef7f9c848c0eca4ec792f4e82a3	Low
Vendor	Manifest	build-time	09:14:43.001+0200	Low
Vendor	Manifest	bundle-symbolicname	junit-platform-launcher	Medium
Vendor	Manifest	Implementation-Vendor	junit.org	High
Vendor	Manifest	provide-capability	org.junit.platform.launcher;org.junit.platform.launcher=junit-platform-launcher;version:Version="1.14.0"	Low
Vendor	Manifest	specification-vendor	junit.org	Low
Vendor	pom	artifactid	junit-platform-launcher	Low
Vendor	pom	developer email	business@johanneslink.net	Low
Vendor	pom	developer email	derancourt.juliette@gmail.com	Low
Vendor	pom	developer email	mail@marcphilipp.de	Low
Vendor	pom	developer email	matthias.merdes@heidelpay.com	Low
Vendor	pom	developer email	sam@sambrannen.com	Low
Vendor	pom	developer email	sormuras@gmail.com	Low
Vendor	pom	developer email	stefan.bechtold@me.com	Low
Vendor	pom	developer id	bechte	Medium
Vendor	pom	developer id	jlink	Medium
Vendor	pom	developer id	juliette-derancourt	Medium
Vendor	pom	developer id	marcphilipp	Medium
Vendor	pom	developer id	mmerdes	Medium
Vendor	pom	developer id	sbrannen	Medium
Vendor	pom	developer id	sormuras	Medium
Vendor	pom	developer name	Christian Stein	Medium
Vendor	pom	developer name	Johannes Link	Medium
Vendor	pom	developer name	Juliette de Rancourt	Medium
Vendor	pom	developer name	Marc Philipp	Medium

Vendor	pom	developer name	Matthias Merdes	Medium
Vendor	pom	developer name	Sam Brannen	Medium
Vendor	pom	developer name	Stefan Bechtold	Medium
Vendor	pom	groupid	org.junit.platform	Highest
Vendor	pom	name	JUnit Platform Launcher	High
Vendor	pom	url	https://junit.org/	Highest
Product	file	name	junit-platform-launcher	High
Product	gradle	artifactid	junit-platform-launcher	Highest
Product	jar	package name	junit	Highest
Product	jar	package name	launcher	Highest
Product	jar	package name	launcher	Low
Product	jar	package name	platform	Highest
Product	jar	package name	platform	Low
Product	Manifest	build-date	2025-09-30	Low
Product	Manifest	build-revision	8545c93a9d86ef7f9c848c0eca4ec792f4e82a3	Low
Product	Manifest	build-time	09:14:43.001+0200	Low
Product	Manifest	Bundle-Name	JUnit Platform Launcher	Medium
Product	Manifest	bundle-symbolicname	junit-platform-launcher	Medium
Product	Manifest	Implementation-Title	junit-platform-launcher	High
Product	Manifest	provide-capability	org.junit.platform.launcher;org.junit.platform.launcher=junit-platform-launcher;version:Version="1.14.0"	Low
Product	Manifest	specification-title	junit-platform-launcher	Medium
Product	pom	artifactid	junit-platform-launcher	Highest
Product	pom	developer email	business@johanneslink.net	Low
Product	pom	developer email	derancourt.juliette@gmail.com	Low
Product	pom	developer email	mail@marcphilipp.de	Low
Product	pom	developer email	matthias.merdes@heidelpay.com	Low
Product	pom	developer email	sam@sambrannen.com	Low
Product	pom	developer email	sormuras@gmail.com	Low
Product	pom	developer email	stefan.bechtold@me.com	Low
Product	pom	developer id	bechte	Low
Product	pom	developer id	jlink	Low
Product	pom	developer id	juliette-derancourt	Low
Product	pom	developer id	marcphilipp	Low

Product	pom	developer id	mmerdes	Low
Product	pom	developer id	sbrannen	Low
Product	pom	developer id	sormuras	Low
Product	pom	developer name	Christian Stein	Low
Product	pom	developer name	Johannes Link	Low
Product	pom	developer name	Juliette de Rancourt	Low
Product	pom	developer name	Marc Philipp	Low
Product	pom	developer name	Matthias Merdes	Low
Product	pom	developer name	Sam Brannen	Low
Product	pom	developer name	Stefan Bechtold	Low
Product	pom	groupid	org.junit.platform	Highest
Product	pom	name	JUnit Platform Launcher	High
Product	pom	url	https://junit.org/	Medium
Version	file	version	1.14.0	High
Version	gradle	version	1.14.0	Highest
Version	Manifest	Bundle-Version	1.14.0	High
Version	Manifest	Implementation-Version	1.14.0	High
Version	pom	version	1.14.0	Highest

#### Identifiers

- pkg:maven/org.junit.platform/junit-platform-launcher@1.14.0 (*Confidence:High*)
- cpe:2.3:a:fan\_platform\_project:fan\_platform:1.14.0:\*:\*:\*:\*:\* (*Confidence:Low*)

suppress

## junit-platform-suite-1.14.0.jar

### Description:

Module "junit-platform-suite" of JUnit 5.

### License:

Eclipse Public License v2.0: <https://www.eclipse.org/legal/epl-v20.html>

**File Path:** /home/jenkins/.gradle/caches/modules-2/files-2.1/org.junit.platform/junit-platform-suite/1.14.0/28f2ccbb1d9707b233879e82f7f660c673ad053d/junit-platform-suite-1.14.0.jar

**MD5:** 5fa9ec3bbe194ae860e5e0a34099bd87

**SHA1:** 28f2ccbb1d9707b233879e82f7f660c673ad053d

**SHA256:** 52472503bdf9168853f6aa7dcb87a6563ebcc7748fdd91d9440df1928da82c13

**Referenced In Project/Scope:** CoWorkInstaller:inetPlugin  
**Included by:**

- pkg:maven/cowork/CoWorkInstaller@26.4
- pkg:maven/org.junit.platform/junit-platform-suite@1.14.0
- pkg:maven/org.junit.jupiter/junit-jupiter-engine@5.14.0
- pkg:maven/org.junit.jupiter/junit-jupiter@5.14.0

**Evidence**



Type	Source	Name	Value	Confidence
Vendor	file	name	junit-platform-suite	High
Vendor	gradle	artifactid	junit-platform-suite	Highest
Vendor	gradle	groupid	org.junit.platform	Highest
Vendor	jar	package name	module-info	Low
Vendor	Manifest	build-date	2025-09-30	Low
Vendor	Manifest	build-revision	8545c93a9d86ef7f9c848c0eca4ec792f4e82a3	Low
Vendor	Manifest	build-time	09:14:43.001+0200	Low
Vendor	Manifest	bundle-symbolicname	junit-platform-suite	Medium
Vendor	Manifest	Implementation-Vendor	junit.org	High
Vendor	Manifest	specification-vendor	junit.org	Low
Vendor	pom	artifactid	junit-platform-suite	Low
Vendor	pom	developer email	business@johanneslink.net	Low
Vendor	pom	developer email	derancourt.juliette@gmail.com	Low
Vendor	pom	developer email	mail@marcphilipp.de	Low
Vendor	pom	developer email	matthias.merdes@heidelpay.com	Low
Vendor	pom	developer email	sam@sambrannen.com	Low
Vendor	pom	developer email	sormuras@gmail.com	Low
Vendor	pom	developer email	stefan.bechtold@me.com	Low
Vendor	pom	developer id	bechte	Medium
Vendor	pom	developer id	jlink	Medium
Vendor	pom	developer id	juliette-derancourt	Medium
Vendor	pom	developer id	marcphilipp	Medium
Vendor	pom	developer id	mmerdes	Medium
Vendor	pom	developer id	sbrannen	Medium
Vendor	pom	developer id	sormuras	Medium
Vendor	pom	developer name	Christian Stein	Medium
Vendor	pom	developer name	Johannes Link	Medium

Vendor	pom	developer name	Juliette de Rancourt	Medium
Vendor	pom	developer name	Marc Philipp	Medium
Vendor	pom	developer name	Matthias Merdes	Medium
Vendor	pom	developer name	Sam Brannen	Medium
Vendor	pom	developer name	Stefan Bechtold	Medium
Vendor	pom	groupid	org.junit.platform	Highest
Vendor	pom	name	JUnit Platform Suite (Aggregator)	High
Vendor	pom	url	<a href="https://junit.org/">https://junit.org/</a>	Highest
Product	file	name	junit-platform-suite	High
Product	gradle	artifactid	junit-platform-suite	Highest
Product	Manifest	build-date	2025-09-30	Low
Product	Manifest	build-revision	8545c93a9d86ef7f9c848c0eca4ec792f4e82a3	Low
Product	Manifest	build-time	09:14:43.001+0200	Low
Product	Manifest	Bundle-Name	JUnit Platform Suite (Aggregator)	Medium
Product	Manifest	bundle-symbolicname	junit-platform-suite	Medium
Product	Manifest	Implementation-Title	junit-platform-suite	High
Product	Manifest	specification-title	junit-platform-suite	Medium
Product	pom	artifactid	junit-platform-suite	Highest
Product	pom	developer email	business@johanneslink.net	Low
Product	pom	developer email	derancourt.juliette@gmail.com	Low
Product	pom	developer email	mail@marcphilipp.de	Low
Product	pom	developer email	matthias.merdes@heidelpay.com	Low
Product	pom	developer email	sam@sambrannen.com	Low
Product	pom	developer email	sormuras@gmail.com	Low
Product	pom	developer email	stefan.bechtold@me.com	Low
Product	pom	developer id	bechte	Low
Product	pom	developer id	jlink	Low
Product	pom	developer id	juliette-derancourt	Low
Product	pom	developer id	marcphilipp	Low
Product	pom	developer id	mmerdes	Low
Product	pom	developer id	sbrannen	Low
Product	pom	developer id	sormuras	Low
Product	pom	developer name	Christian Stein	Low
Product	pom	developer name	Johannes Link	Low

Product	pom	developer name	Juliette de Rancourt	Low
Product	pom	developer name	Marc Philipp	Low
Product	pom	developer name	Matthias Merdes	Low
Product	pom	developer name	Sam Brannen	Low
Product	pom	developer name	Stefan Bechtold	Low
Product	pom	groupid	org.junit.platform	Highest
Product	pom	name	JUnit Platform Suite (Aggregator)	High
Product	pom	url	https://junit.org/	Medium
Version	file	version	1.14.0	High
Version	gradle	version	1.14.0	Highest
Version	Manifest	Bundle-Version	1.14.0	High
Version	Manifest	Implementation-Version	1.14.0	High
Version	pom	version	1.14.0	Highest

#### Identifiers

- pkg:maven/org.junit.platform/junit-platform-suite@1.14.0 (*Confidence:High*)
- cpe:2.3:a:fan\_platform\_project:fan\_platform:1.14.0:\*:\*:\*:\*:\* (*Confidence:Low*)

suppress

## junit-platform-suite-api-1.14.0.jar

### Description:

Module "junit-platform-suite-api" of JUnit 5.

### License:

Eclipse Public License v2.0: <https://www.eclipse.org/legal/epl-v20.html>

**File Path:** /home/jenkins/.gradle/caches/modules-2/files-2.1/org.junit.platform/junit-platform-suite-api/1.14.0/32db2f3c4405b2cad90e3756be83815414c80897/junit-platform-suite-api-1.14.0.jar

**MD5:** 286cd58bb6f5564c4e9f8b79dd319cf9

**SHA1:** 32db2f3c4405b2cad90e3756be83815414c80897

**SHA256:** 4399e19ace24e524d5957f7b3a9eaf954124241f3313ea659e01fd149f110c6a

**Referenced In Project/Scope:** CoWorkInstaller:inetPlugin

### Included by:

- pkg:maven/org.junit.platform/junit-platform-suite@1.14.0
- pkg:maven/org.junit.jupiter/junit-jupiter-engine@5.14.0
- pkg:maven/org.junit.jupiter/junit-jupiter@5.14.0

### Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	junit-platform-suite-api	High
Vendor	gradle	artifactid	junit-platform-suite-api	Highest
Vendor	gradle	groupid	org.junit.platform	Highest
Vendor	jar	package name	api	Highest
Vendor	jar	package name	junit	Highest
Vendor	jar	package name	junit	Low
Vendor	jar	package name	platform	Highest
Vendor	jar	package name	platform	Low
Vendor	jar	package name	suite	Highest
Vendor	jar	package name	suite	Low
Vendor	Manifest	build-date	2025-09-30	Low
Vendor	Manifest	build-revision	8545c93a9d86ef7f9c848c0eca4ec792f4e82a3	Low
Vendor	Manifest	build-time	09:14:43.001+0200	Low
Vendor	Manifest	bundle-symbolicname	junit-platform-suite-api	Medium
Vendor	Manifest	Implementation-Vendor	junit.org	High
Vendor	Manifest	specification-vendor	junit.org	Low
Vendor	pom	artifactid	junit-platform-suite-api	Low
Vendor	pom	developer email	business@johanneslink.net	Low
Vendor	pom	developer email	derancourt.juliette@gmail.com	Low
Vendor	pom	developer email	mail@marcphilipp.de	Low
Vendor	pom	developer email	matthias.merdes@heidelpay.com	Low
Vendor	pom	developer email	sam@sambrannen.com	Low
Vendor	pom	developer email	sormuras@gmail.com	Low
Vendor	pom	developer email	stefan.bechtold@me.com	Low
Vendor	pom	developer id	bechte	Medium
Vendor	pom	developer id	jlink	Medium
Vendor	pom	developer id	juliette-derancourt	Medium
Vendor	pom	developer id	marcphilipp	Medium
Vendor	pom	developer id	mmerdes	Medium
Vendor	pom	developer id	sbrannen	Medium
Vendor	pom	developer id	sormuras	Medium
Vendor	pom	developer name	Christian Stein	Medium
Vendor	pom	developer name	Johannes Link	Medium

Vendor	pom	developer name	Juliette de Rancourt	Medium
Vendor	pom	developer name	Marc Philipp	Medium
Vendor	pom	developer name	Matthias Merdes	Medium
Vendor	pom	developer name	Sam Brannen	Medium
Vendor	pom	developer name	Stefan Bechtold	Medium
Vendor	pom	groupid	org.junit.platform	Highest
Vendor	pom	name	JUnit Platform Suite API	High
Vendor	pom	url	https://junit.org/	Highest
Product	file	name	junit-platform-suite-api	High
Product	gradle	artifactid	junit-platform-suite-api	Highest
Product	jar	package name	api	Highest
Product	jar	package name	api	Low
Product	jar	package name	junit	Highest
Product	jar	package name	platform	Highest
Product	jar	package name	platform	Low
Product	jar	package name	suite	Highest
Product	jar	package name	suite	Low
Product	Manifest	build-date	2025-09-30	Low
Product	Manifest	build-revision	8545c93a9d86ef7f9c848c0eca4ec792f4e82a3	Low
Product	Manifest	build-time	09:14:43.001+0200	Low
Product	Manifest	Bundle-Name	JUnit Platform Suite API	Medium
Product	Manifest	bundle-symbolicname	junit-platform-suite-api	Medium
Product	Manifest	Implementation-Title	junit-platform-suite-api	High
Product	Manifest	specification-title	junit-platform-suite-api	Medium
Product	pom	artifactid	junit-platform-suite-api	Highest
Product	pom	developer email	business@johanneslink.net	Low
Product	pom	developer email	derancourt.juliette@gmail.com	Low
Product	pom	developer email	mail@marcphilipp.de	Low
Product	pom	developer email	matthias.merdes@heidelpay.com	Low
Product	pom	developer email	sam@sambrannen.com	Low
Product	pom	developer email	sormuras@gmail.com	Low
Product	pom	developer email	stefan.bechtold@me.com	Low
Product	pom	developer id	bechte	Low
Product	pom	developer id	jlink	Low



Product	pom	developer id	juliette-derancourt	Low
Product	pom	developer id	marcphilipp	Low
Product	pom	developer id	mmerdes	Low
Product	pom	developer id	sbrannen	Low
Product	pom	developer id	sormuras	Low
Product	pom	developer name	Christian Stein	Low
Product	pom	developer name	Johannes Link	Low
Product	pom	developer name	Juliette de Rancourt	Low
Product	pom	developer name	Marc Philipp	Low
Product	pom	developer name	Matthias Merdes	Low
Product	pom	developer name	Sam Brannen	Low
Product	pom	developer name	Stefan Bechtold	Low
Product	pom	groupid	org.junit.platform	Highest
Product	pom	name	JUnit Platform Suite API	High
Product	pom	url	https://junit.org/	Medium
Version	file	version	1.14.0	High
Version	gradle	version	1.14.0	Highest
Version	Manifest	Bundle-Version	1.14.0	High
Version	Manifest	Implementation-Version	1.14.0	High
Version	pom	version	1.14.0	Highest

#### Identifiers

- pkg:maven/org.junit.platform/junit-platform-suite-api@1.14.0 (*Confidence:High*)
- cpe:2.3:a:fan\_platform\_project:fan\_platform:1.14.0:\*:\*:\*:\*:\* (*Confidence:Low*)

suppress

## junit-platform-suite-commons-1.14.0.jar

### Description:

Module "junit-platform-suite-commons" of JUnit 5.

### License:

Eclipse Public License v2.0: <https://www.eclipse.org/legal/epl-v20.html>

**File Path:** /home/jenkins/.gradle/caches/modules-2/files-2.1/org.junit.platform/junit-platform-suite-commons/1.14.0/d351237988ef097514fc7a35bcfa3de73a08a0a/junit-platform-suite-commons-1.14.0.jar

**MD5:** 235c8d26c6a49946d7826e862e0a181d  
**SHA1:** 0d351237988ef097514fc7a35bcfa3de73a08a0a  
**SHA256:** b868237f8cb2e193775e3f712b9405cb3d4ffaa180579cc83a7fe1f6db9c5cc1  
**Referenced In Project/Scope:** CoWorkInstaller:inetPlugin  
**Included by:**

- pkg:maven/org.junit.platform/junit-platform-suite@1.14.0
- pkg:maven/org.junit.jupiter/junit-jupiter-engine@5.14.0
- pkg:maven/org.junit.jupiter/junit-jupiter@5.14.0

## Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	junit-platform-suite-commons	High
Vendor	gradle	artifactid	junit-platform-suite-commons	Highest
Vendor	gradle	groupid	org.junit.platform	Highest
Vendor	jar	package name	commons	Highest
Vendor	jar	package name	junit	Highest
Vendor	jar	package name	junit	Low
Vendor	jar	package name	platform	Highest
Vendor	jar	package name	platform	Low
Vendor	jar	package name	suite	Highest
Vendor	jar	package name	suite	Low
Vendor	Manifest	build-date	2025-09-30	Low
Vendor	Manifest	build-revision	8545c93a9d86ef7f9c848c0eca4ec792f4e82a3	Low
Vendor	Manifest	build-time	09:14:43.001+0200	Low
Vendor	Manifest	bundle-symbolicname	junit-platform-suite-commons	Medium
Vendor	Manifest	Implementation-Vendor	junit.org	High
Vendor	Manifest	specification-vendor	junit.org	Low
Vendor	pom	artifactid	junit-platform-suite-commons	Low
Vendor	pom	developer email	business@johanneslink.net	Low
Vendor	pom	developer email	derancourt.juliette@gmail.com	Low
Vendor	pom	developer email	mail@marcphilipp.de	Low
Vendor	pom	developer email	matthias.merdes@heidelpay.com	Low
Vendor	pom	developer email	sam@sambrannen.com	Low
Vendor	pom	developer email	sormuras@gmail.com	Low
Vendor	pom	developer email	stefan.bechtold@me.com	Low
Vendor	pom	developer id	bechte	Medium
Vendor	pom	developer id	jlink	Medium

Vendor	pom	developer id	juliette-derancourt	Medium
Vendor	pom	developer id	marcphilipp	Medium
Vendor	pom	developer id	mmerdes	Medium
Vendor	pom	developer id	sbrannen	Medium
Vendor	pom	developer id	sormuras	Medium
Vendor	pom	developer name	Christian Stein	Medium
Vendor	pom	developer name	Johannes Link	Medium
Vendor	pom	developer name	Juliette de Rancourt	Medium
Vendor	pom	developer name	Marc Philipp	Medium
Vendor	pom	developer name	Matthias Merdes	Medium
Vendor	pom	developer name	Sam Brannen	Medium
Vendor	pom	developer name	Stefan Bechtold	Medium
Vendor	pom	groupid	org.junit.platform	Highest
Vendor	pom	name	JUnit Platform Suite Commons	High
Vendor	pom	url	<a href="https://junit.org/">https://junit.org/</a>	Highest
Product	file	name	junit-platform-suite-commons	High
Product	gradle	artifactid	junit-platform-suite-commons	Highest
Product	jar	package name	commons	Highest
Product	jar	package name	commons	Low
Product	jar	package name	junit	Highest
Product	jar	package name	platform	Highest
Product	jar	package name	platform	Low
Product	jar	package name	suite	Highest
Product	jar	package name	suite	Low
Product	Manifest	build-date	2025-09-30	Low
Product	Manifest	build-revision	8545c93a9d86ef7f9c848c0eca4ec792f4e82a3	Low
Product	Manifest	build-time	09:14:43.001+0200	Low
Product	Manifest	Bundle-Name	JUnit Platform Suite Commons	Medium
Product	Manifest	bundle-symbolicname	junit-platform-suite-commons	Medium
Product	Manifest	Implementation-Title	junit-platform-suite-commons	High
Product	Manifest	specification-title	junit-platform-suite-commons	Medium
Product	pom	artifactid	junit-platform-suite-commons	Highest
Product	pom	developer email	business@johanneslink.net	Low
Product	pom	developer email	derancourt.juliette@gmail.com	Low

Product	pom	developer email	mail@marcphilipp.de	Low
Product	pom	developer email	matthias.merdes@heidelpay.com	Low
Product	pom	developer email	sam@sambrannen.com	Low
Product	pom	developer email	sormuras@gmail.com	Low
Product	pom	developer email	stefan.bechtold@me.com	Low
Product	pom	developer id	bechte	Low
Product	pom	developer id	jlink	Low
Product	pom	developer id	juliette-derancourt	Low
Product	pom	developer id	marcphilipp	Low
Product	pom	developer id	mmerdes	Low
Product	pom	developer id	sbrannen	Low
Product	pom	developer id	sormuras	Low
Product	pom	developer name	Christian Stein	Low
Product	pom	developer name	Johannes Link	Low
Product	pom	developer name	Juliette de Rancourt	Low
Product	pom	developer name	Marc Philipp	Low
Product	pom	developer name	Matthias Merdes	Low
Product	pom	developer name	Sam Brannen	Low
Product	pom	developer name	Stefan Bechtold	Low
Product	pom	groupid	org.junit.platform	Highest
Product	pom	name	JUnit Platform Suite Commons	High
Product	pom	url	https://junit.org/	Medium
Version	file	version	1.14.0	High
Version	gradle	version	1.14.0	Highest
Version	Manifest	Bundle-Version	1.14.0	High
Version	Manifest	Implementation-Version	1.14.0	High
Version	pom	version	1.14.0	Highest

## Identifiers

- pkg:maven/org.junit.platform/junit-platform-suite-commons@1.14.0 (*Confidence:High*)
- cpe:2.3:a:fan\_platform\_project:fan\_platform:1.14.0:\*:\*:\*:\*:\* (*Confidence:Low*)

suppress

## junit-platform-suite-engine-1.14.0.jar

### Description:

Module "junit-platform-suite-engine" of JUnit 5.

### License:

Eclipse Public License v2.0: <https://www.eclipse.org/legal/epl-v20.html>

**File Path:** /home/jenkins/.gradle/caches/modules-2/files-2.1/org.junit.platform/junit-platform-suite-engine/1.14.0/f87f86ae21fb6bfa7749cca62ec55e302ecd3e88/junit-platform-suite-engine-1.14.0.jar

**MD5:** 9306e0421eb55b833e9f37eecaeabdd4

**SHA1:** f87f86ae21fb6bfa7749cca62ec55e302ecd3e88

**SHA256:** f545be730d41d6a760e8422e687b8223d632026ae2049250c80c797007789ac0

**Referenced In Project/Scope:** CoWorkInstaller:inetPlugin

### Included by:

- pkg:maven/org.junit.platform/junit-platform-suite@1.14.0
- pkg:maven/org.junit.jupiter/junit-jupiter-engine@5.14.0
- pkg:maven/org.junit.jupiter/junit-jupiter@5.14.0

### Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	junit-platform-suite-engine	High
Vendor	gradle	artifactid	junit-platform-suite-engine	Highest
Vendor	gradle	groupid	org.junit.platform	Highest
Vendor	jar	package name	engine	Highest
Vendor	jar	package name	junit	Highest
Vendor	jar	package name	junit	Low
Vendor	jar	package name	platform	Highest
Vendor	jar	package name	platform	Low
Vendor	jar	package name	suite	Highest
Vendor	jar	package name	suite	Low
Vendor	Manifest	build-date	2025-09-30	Low
Vendor	Manifest	build-revision	8545c93a9d86ef7f9c848c0eca4ec792f4e82a3	Low
Vendor	Manifest	build-time	09:14:43.001+0200	Low
Vendor	Manifest	bundle-symbolicname	junit-platform-suite-engine	Medium
Vendor	Manifest	Implementation-Vendor	junit.org	High
Vendor	Manifest	specification-vendor	junit.org	Low
Vendor	pom	artifactid	junit-platform-suite-engine	Low
Vendor	pom	developer email	business@johanneslink.net	Low
Vendor	pom	developer email	derancourt.juliette@gmail.com	Low

Vendor	pom	developer email	mail@marcphilipp.de	Low
Vendor	pom	developer email	matthias.merdes@heidelpay.com	Low
Vendor	pom	developer email	sam@sambrannen.com	Low
Vendor	pom	developer email	sormuras@gmail.com	Low
Vendor	pom	developer email	stefan.bechtold@me.com	Low
Vendor	pom	developer id	bechte	Medium
Vendor	pom	developer id	jlink	Medium
Vendor	pom	developer id	juliette-derancourt	Medium
Vendor	pom	developer id	marcphilipp	Medium
Vendor	pom	developer id	mmerdes	Medium
Vendor	pom	developer id	sbrannen	Medium
Vendor	pom	developer id	sormuras	Medium
Vendor	pom	developer name	Christian Stein	Medium
Vendor	pom	developer name	Johannes Link	Medium
Vendor	pom	developer name	Juliette de Rancourt	Medium
Vendor	pom	developer name	Marc Philipp	Medium
Vendor	pom	developer name	Matthias Merdes	Medium
Vendor	pom	developer name	Sam Brannen	Medium
Vendor	pom	developer name	Stefan Bechtold	Medium
Vendor	pom	groupid	org.junit.platform	Highest
Vendor	pom	name	JUnit Platform Suite Engine	High
Vendor	pom	url	https://junit.org/	Highest
Product	file	name	junit-platform-suite-engine	High
Product	gradle	artifactid	junit-platform-suite-engine	Highest
Product	jar	package name	engine	Highest
Product	jar	package name	engine	Low
Product	jar	package name	junit	Highest
Product	jar	package name	platform	Highest
Product	jar	package name	platform	Low
Product	jar	package name	suite	Highest
Product	jar	package name	suite	Low
Product	Manifest	build-date	2025-09-30	Low
Product	Manifest	build-revision	8545c93a9d86ef7f9c848c0eca4ec792f4e82a3	Low
Product	Manifest	build-time	09:14:43.001+0200	Low
Product	Manifest	Bundle-Name	JUnit Platform Suite Engine	Medium

Product	Manifest	bundle-symbolicname	junit-platform-suite-engine	Medium
Product	Manifest	Implementation-Title	junit-platform-suite-engine	High
Product	Manifest	specification-title	junit-platform-suite-engine	Medium
Product	pom	artifactid	junit-platform-suite-engine	Highest
Product	pom	developer email	business@johanneslink.net	Low
Product	pom	developer email	derancourt.juliette@gmail.com	Low
Product	pom	developer email	mail@marcphilipp.de	Low
Product	pom	developer email	matthias.merdes@heidelpay.com	Low
Product	pom	developer email	sam@sambrannen.com	Low
Product	pom	developer email	sormuras@gmail.com	Low
Product	pom	developer email	stefan.bechtold@me.com	Low
Product	pom	developer id	bechte	Low
Product	pom	developer id	jlink	Low
Product	pom	developer id	juliette-derancourt	Low
Product	pom	developer id	marcphilipp	Low
Product	pom	developer id	mmerdes	Low
Product	pom	developer id	sbrannen	Low
Product	pom	developer id	sormuras	Low
Product	pom	developer name	Christian Stein	Low
Product	pom	developer name	Johannes Link	Low
Product	pom	developer name	Juliette de Rancourt	Low
Product	pom	developer name	Marc Philipp	Low
Product	pom	developer name	Matthias Merdes	Low
Product	pom	developer name	Sam Brannen	Low
Product	pom	developer name	Stefan Bechtold	Low
Product	pom	groupid	org.junit.platform	Highest
Product	pom	name	JUnit Platform Suite Engine	High
Product	pom	url	https://junit.org/	Medium
Version	file	version	1.14.0	High
Version	gradle	version	1.14.0	Highest
Version	Manifest	Bundle-Version	1.14.0	High
Version	Manifest	Implementation-Version	1.14.0	High
Version	pom	version	1.14.0	Highest

## Identifiers

- pkg:maven/org.junit.platform/junit-platform-suite-engine@1.14.0 (*Confidence:High*)
- cpe:2.3:a:fan\_platform\_project:fan\_platform:1.14.0:\*:\*:\*:\*:\* (*Confidence:Low*)

suppress

## junit-vintage-engine-5.14.0.jar

### Description:

Module "junit-vintage-engine" of JUnit 5.

### License:

Eclipse Public License v2.0: <https://www.eclipse.org/legal/epl-v20.html>

**File Path:** /home/jenkins/.gradle/caches/modules-2/files-2.1/org.junit.vintage/junit-vintage-engine/5.14.0/ac6667e31d2774c9281bbcbe00706d54c47db40e/junit-vintage-engine-5.14.0.jar

**MD5:** 372fe55fae45603c029e6379e728c764

**SHA1:** ac6667e31d2774c9281bbcbe00706d54c47db40e

**SHA256:** 10b9cea16ce573d906719326795bb2b6a5aecbdcc64ab30825f05af9226cb595

**Referenced In Project/Scope:** CoWorkInstaller:inetPlugin

### Included by:

- pkg:maven/cowork/CoWorkInstaller@26.4
- pkg:maven/org.junit.platform/junit-platform-suite@1.14.0
- pkg:maven/org.junit.jupiter/junit-jupiter-engine@5.14.0
- pkg:maven/org.junit.jupiter/junit-jupiter@5.14.0

## Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	junit-vintage-engine	High
Vendor	gradle	artifactid	junit-vintage-engine	Highest
Vendor	gradle	groupid	org.junit.vintage	Highest
Vendor	jar	package name	engine	Highest
Vendor	jar	package name	engine	Low
Vendor	jar	package name	junit	Highest
Vendor	jar	package name	junit	Low
Vendor	jar	package name	vintage	Highest
Vendor	jar	package name	vintage	Low
Vendor	Manifest	build-date	2025-09-30	Low
Vendor	Manifest	build-revision	8545c93a9d86ef7f9c848c0eca4ec792f4e82a3	Low
Vendor	Manifest	build-time	09:14:43.001+0200	Low
Vendor	Manifest	bundle-	junit-vintage-engine	Medium



		symbolicname		
Vendor	Manifest	Implementation-Vendor	junit.org	High
Vendor	Manifest	provide-capability	org.junit.platform.engine;org.junit.platform.engine=junit-vintage;version:Version="5.14.0"	Low
Vendor	Manifest	specification-vendor	junit.org	Low
Vendor	pom	artifactid	junit-vintage-engine	Low
Vendor	pom	developer email	business@johanneslink.net	Low
Vendor	pom	developer email	derancourt.juliette@gmail.com	Low
Vendor	pom	developer email	mail@marcphilipp.de	Low
Vendor	pom	developer email	matthias.merdes@heidelpay.com	Low
Vendor	pom	developer email	sam@sambrannen.com	Low
Vendor	pom	developer email	sormuras@gmail.com	Low
Vendor	pom	developer email	stefan.bechtold@me.com	Low
Vendor	pom	developer id	bechte	Medium
Vendor	pom	developer id	jlink	Medium
Vendor	pom	developer id	juliette-derancourt	Medium
Vendor	pom	developer id	marcphilipp	Medium
Vendor	pom	developer id	mmerdes	Medium
Vendor	pom	developer id	sbrannen	Medium
Vendor	pom	developer id	sormuras	Medium
Vendor	pom	developer name	Christian Stein	Medium
Vendor	pom	developer name	Johannes Link	Medium
Vendor	pom	developer name	Juliette de Rancourt	Medium
Vendor	pom	developer name	Marc Philipp	Medium
Vendor	pom	developer name	Matthias Merdes	Medium
Vendor	pom	developer name	Sam Brannen	Medium
Vendor	pom	developer name	Stefan Bechtold	Medium
Vendor	pom	groupid	org.junit.vintage	Highest
Vendor	pom	name	JUnit Vintage Engine	High
Vendor	pom	url	https://junit.org/	Highest
Product	file	name	junit-vintage-engine	High
Product	gradle	artifactid	junit-vintage-engine	Highest
Product	jar	package name	engine	Highest
Product	jar	package name	engine	Low

Product	jar	package name	junit	Highest
Product	jar	package name	vintage	Highest
Product	jar	package name	vintage	Low
Product	Manifest	build-date	2025-09-30	Low
Product	Manifest	build-revision	8545c93a9d86ef7f9c848c0eca4ec792f4e82a3	Low
Product	Manifest	build-time	09:14:43.001+0200	Low
Product	Manifest	Bundle-Name	JUnit Vintage Engine	Medium
Product	Manifest	bundle-symbolicname	junit-vintage-engine	Medium
Product	Manifest	Implementation-Title	junit-vintage-engine	High
Product	Manifest	provide-capability	org.junit.platform.engine;org.junit.platform.engine=junit-vintage;version:Version="5.14.0"	Low
Product	Manifest	specification-title	junit-vintage-engine	Medium
Product	pom	artifactid	junit-vintage-engine	Highest
Product	pom	developer email	business@johanneslink.net	Low
Product	pom	developer email	derancourt.juliette@gmail.com	Low
Product	pom	developer email	mail@marcphilipp.de	Low
Product	pom	developer email	matthias.merdes@heidelpay.com	Low
Product	pom	developer email	sam@sambrannen.com	Low
Product	pom	developer email	sormuras@gmail.com	Low
Product	pom	developer email	stefan.bechtold@me.com	Low
Product	pom	developer id	bechte	Low
Product	pom	developer id	jlink	Low
Product	pom	developer id	juliette-derancourt	Low
Product	pom	developer id	marcphilipp	Low
Product	pom	developer id	mmerdes	Low
Product	pom	developer id	sbrannen	Low
Product	pom	developer id	sormuras	Low
Product	pom	developer name	Christian Stein	Low
Product	pom	developer name	Johannes Link	Low
Product	pom	developer name	Juliette de Rancourt	Low
Product	pom	developer name	Marc Philipp	Low
Product	pom	developer name	Matthias Merdes	Low
Product	pom	developer name	Sam Brannen	Low
Product	pom	developer name	Stefan Bechtold	Low

Product	pom	groupid	org.junit.vintage	Highest
Product	pom	name	JUnit Vintage Engine	High
Product	pom	url	https://junit.org/	Medium
Version	file	version	5.14.0	High
Version	gradle	version	5.14.0	Highest
Version	Manifest	Bundle-Version	5.14.0	High
Version	Manifest	Implementation-Version	5.14.0	High
Version	pom	version	5.14.0	Highest

### Identifiers

- pkg:maven/org.junit.vintage/junit-vintage-engine@5.14.0 (Confidence:High)
- cpe:2.3:a:fan\_platform\_project:fan\_platform:5.14.0:\*:\*:\*:\*:\* (Confidence:Low)

suppress

## mail.zip: angus-activation.jar

### Description:

Implementation

### License:

<http://www.eclipse.org/org/documents/edl-v10.php>

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/mail.zip/angus-activation.jar

**MD5:** ad20392145690b36b4f950fe31a31a2a

**SHA1:** 7f80607ea5014fef0b1779e6c33d63a88a45a563

**SHA256:** a6bd35c538cf90fff941ad6258c40c08fca0b5c9c3f536c657114f27ce0527a7

**Referenced In Project/Scope:** CoWorkInstaller

### Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	angus-activation	High
Vendor	jar	package name	activation	Highest
Vendor	jar	package name	angus	Highest
Vendor	jar	package name	eclipse	Highest
Vendor	Manifest	bundle-docurl	https://www.eclipse.org	Low
Vendor	Manifest	bundle-symbolicname	angus-activation	Medium

Vendor	Manifest	extension-name	org.eclipse.angus	Medium
Vendor	Manifest	implementation-build-id	2.0.3-RELEASE-6eff4c5	Low
Vendor	Manifest	Implementation-Vendor	Eclipse Foundation	High
Vendor	Manifest	provide-capability	osgi.serviceloader;osgi.serviceloader="jakarta.activation.spi.MailcapRegistryProvider",osgi.serviceloader;osgi.serviceloader="jakarta.activation.spi.MimeTypeRegistryProvider"	Low
Vendor	Manifest	specification-vendor	Eclipse Foundation	Low
Vendor	pom	artifactid	angus-activation	Low
Vendor	pom	groupid	org.eclipse.angus	Highest
Vendor	pom	name	Angus Activation Registries	High
Vendor	pom	parent-artifactid	angus-activation-project	Low
Product	file	name	angus-activation	High
Product	jar	package name	activation	Highest
Product	jar	package name	angus	Highest
Product	jar	package name	eclipse	Highest
Product	Manifest	bundle-docurl	https://www.eclipse.org	Low
Product	Manifest	Bundle-Name	Angus Activation Registries	Medium
Product	Manifest	bundle-symbolicname	angus-activation	Medium
Product	Manifest	extension-name	org.eclipse.angus	Medium
Product	Manifest	implementation-build-id	2.0.3-RELEASE-6eff4c5	Low
Product	Manifest	Implementation-Title	Angus Activation Registries	High
Product	Manifest	provide-capability	osgi.serviceloader;osgi.serviceloader="jakarta.activation.spi.MailcapRegistryProvider",osgi.serviceloader;osgi.serviceloader="jakarta.activation.spi.MimeTypeRegistryProvider"	Low
Product	Manifest	specification-title	Jakarta Activation Specification	Medium
Product	pom	artifactid	angus-activation	Highest
Product	pom	groupid	org.eclipse.angus	Highest
Product	pom	name	Angus Activation Registries	High
Product	pom	parent-artifactid	angus-activation-project	Medium
Version	Manifest	Bundle-Version	2.0.3	High
Version	pom	version	2.0.3	Highest

## Identifiers

- pkg:maven/org.eclipse.angus/angus-activation@2.0.3 (Confidence:High)

## mail.zip: angus-mail.jar (shaded: org.eclipse.angus:angus-core:2.0.5)

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/mail.zip/angus-mail.jar/META-INF/maven/org.eclipse.angus/angus-core/pom.xml

**MD5:** 102fa937d3897ac6eb838ff3a716bc80

**SHA1:** 11d1302ad859e7dda8e897ffa278a2135d0d3c7e

**SHA256:** 162bec7f0c7a2c3d461a42ca576e139b80628798f97f274b7dd5759226fc47c1

**Referenced In Project/Scope:** CoWorkInstaller

## Evidence

Type	Source	Name	Value	Confidence
Vendor	pom	artifactid	angus-core	Low
Vendor	pom	groupid	org.eclipse.angus	Highest
Vendor	pom	name	Angus Mail Core	High
Vendor	pom	parent-artifactid	all	Low
Product	pom	artifactid	angus-core	Highest
Product	pom	groupid	org.eclipse.angus	Highest
Product	pom	name	Angus Mail Core	High
Product	pom	parent-artifactid	all	Medium
Version	pom	version	2.0.5	Highest

## Identifiers

- pkg:maven/org.eclipse.angus/angus-core@2.0.5 (Confidence:High)
- cpe:2.3:a:eclipse:angus\_mail:2.0.5:\*:\*:\*:\*:\* (Confidence:Low)

suppress

## mail.zip: angus-mail.jar (shaded: org.eclipse.angus:imap:2.0.5)

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/mail.zip/angus-mail.jar/META-INF/maven/org.eclipse.angus/imap/pom.xml

**MD5:** c031701146f4f9887af1d7348b68e607

**SHA1:** bd81e3288ab646231bc2d64cedf04fe3c3146bf5  
**SHA256:** 251e848e4c2db58e57e7725434e0498043cd3d554fba21d22d5178e5783e21dd  
**Referenced In Project/Scope:** CoWorkInstaller

#### Evidence



Type	Source	Name	Value	Confidence
Vendor	pom	artifactid	imap	Low
Vendor	pom	groupid	org.eclipse.angus	Highest
Vendor	pom	name	Angus Mail imap provider	High
Vendor	pom	parent-artifactid	providers	Low
Product	pom	artifactid	imap	Highest
Product	pom	groupid	org.eclipse.angus	Highest
Product	pom	name	Angus Mail imap provider	High
Product	pom	parent-artifactid	providers	Medium
Version	pom	version	2.0.5	Highest

#### Identifiers

- pkg:maven/org.eclipse.angus/imap@2.0.5 (Confidence:High)
- cpe:2.3:a:eclipse:angus\_mail:2.0.5:\*\*\*\*:\* (Confidence:Low)

suppress

### mail.zip: angus-mail.jar (shaded: org.eclipse.angus:logging-mailhandler:2.0.5)

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/mail.zip/angus-mail.jar/META-INF/maven/org.eclipse.angus/logging-mailhandler/pom.xml

**MD5:** d4925a2ff344f2fab35fdf31f4813b43

**SHA1:** 53aac2712cc43a3aed66f65536fd91709056aef1

**SHA256:** 869577c24e1abb117bd9cf7dc9228c2643839b75087bfc5d6fed0d328ed9d1f7

**Referenced In Project/Scope:** CoWorkInstaller

#### Evidence



Type	Source	Name	Value	Confidence
Vendor	pom	artifactid	logging-mailhandler	Low
Vendor	pom	groupid	org.eclipse.angus	Highest
Vendor	pom	name	Angus Mail logging handler	High
Vendor	pom	parent-artifactid	all	Low
Product	pom	artifactid	logging-mailhandler	Highest

Product	pom	groupid	org.eclipse.angus	Highest
Product	pom	name	Angus Mail logging handler	High
Product	pom	parent-artifactid	all	Medium
Version	pom	version	2.0.5	Highest

#### Identifiers

- pkg:maven/org.eclipse.angus/logging-mailhandler@2.0.5 (Confidence:High)
- [cpe:2.3:a:eclipse:angus\\_mail:2.0.5:\\*:\\*:\\*:\\*:\\*](#) (Confidence:Highest) suppress

### mail.zip: angus-mail.jar (shaded: org.eclipse.angus:pop3:2.0.5)

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/mail.zip/angus-mail.jar/META-INF/maven/org.eclipse.angus/pop3/pom.xml

**MD5:** 0d7646a22486f0de9392d7ea120ff618

**SHA1:** 4b674f85989e5cc112b93427ec3852ef90359ba3

**SHA256:** 64b065cc6bec31a1e5fefa9bf47382045cf048d69a9820da4cecc85f34a77a69

**Referenced In Project/Scope:** CoWorkInstaller

#### Evidence +

Type	Source	Name	Value	Confidence
Vendor	pom	artifactid	pop3	Low
Vendor	pom	groupid	org.eclipse.angus	Highest
Vendor	pom	name	Angus Mail pop3 provider	High
Vendor	pom	parent-artifactid	providers	Low
Product	pom	artifactid	pop3	Highest
Product	pom	groupid	org.eclipse.angus	Highest
Product	pom	name	Angus Mail pop3 provider	High
Product	pom	parent-artifactid	providers	Medium
Version	pom	version	2.0.5	Highest

#### Identifiers

- pkg:maven/org.eclipse.angus/pop3@2.0.5 (Confidence:High)
- cpe:2.3:a:eclipse:angus\_mail:2.0.5:\*:\*:\*:\*:\* (Confidence:Low) suppress

## mail.zip: angus-mail.jar (shaded: org.eclipse.angus:smtp:2.0.5)

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/mail.zip/angus-mail.jar/META-INF/maven/org.eclipse.angus/smtp/pom.xml

**MD5:** b5281897cc205fa3c8f0a93b58d4ba31

**SHA1:** c4b330d66629d75d0df7c09739c7ab37ca834011

**SHA256:** 14923a712a69fb1408452be22fe8e87aa57e45337f0b52ae289d2bbb3d016ec1

**Referenced In Project/Scope:** CoWorkInstaller

### Evidence

Type	Source	Name	Value	Confidence
Vendor	pom	artifactid	smtp	Low
Vendor	pom	groupid	org.eclipse.angus	Highest
Vendor	pom	name	Angus Mail smtp provider	High
Vendor	pom	parent-artifactid	providers	Low
Product	pom	artifactid	smtp	Highest
Product	pom	groupid	org.eclipse.angus	Highest
Product	pom	name	Angus Mail smtp provider	High
Product	pom	parent-artifactid	providers	Medium
Version	pom	version	2.0.5	Highest

### Identifiers

- pkg:maven/org.eclipse.angus/smtp@2.0.5 (*Confidence:High*)
- cpe:2.3:a:eclipse:angus\_mail:2.0.5:\*\*\*\*:\* (*Confidence:Low*)

suppress

## mail.zip: angus-mail.jar

### Description:

Angus Mail Provider

### License:

<http://www.eclipse.org/legal/epl-2.0>, <https://www.gnu.org/software/classpath/license.html>, <http://www.eclipse.org/org/documents/edl-v10.php>

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/mail.zip/angus-mail.jar

**MD5:** e965a2653568c0138457b4c6fc9e5d77



**SHA1:** 427f6d52ec0782f7efaca0c0732042e347a6cb4f

**SHA256:** b4d8c30d35f455def6c7a05fe595a1e62ea2b80cac3efec1e9ccf4118b23168a

**Referenced In Project/Scope:** CoWorkInstaller

## Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	angus-mail	High
Vendor	jar	package name	angus	Highest
Vendor	jar	package name	eclipse	Highest
Vendor	jar	package name	mail	Highest
Vendor	Manifest	bundle-docurl	https://www.eclipse.org	Low
Vendor	Manifest	bundle-symbolicname	org.eclipse.angus.mail	Medium
Vendor	Manifest	provide-capability	osgi.serviceloader;osgi.serviceloader="jakarta.mail.util.StreamProvider",osgi.serviceloader;osgi.serviceloader="jakarta.mail.Provider"	Low
Vendor	pom	artifactid	angus-mail	Low
Vendor	pom	groupid	org.eclipse.angus	Highest
Vendor	pom	name	Angus Mail Provider	High
Vendor	pom	parent-artifactid	all	Low
Product	file	name	angus-mail	High
Product	jar	package name	angus	Highest
Product	jar	package name	eclipse	Highest
Product	jar	package name	mail	Highest
Product	jar	package name	util	Highest
Product	Manifest	bundle-docurl	https://www.eclipse.org	Low
Product	Manifest	Bundle-Name	Angus Mail Provider	Medium
Product	Manifest	bundle-symbolicname	org.eclipse.angus.mail	Medium
Product	Manifest	provide-capability	osgi.serviceloader;osgi.serviceloader="jakarta.mail.util.StreamProvider",osgi.serviceloader;osgi.serviceloader="jakarta.mail.Provider"	Low
Product	pom	artifactid	angus-mail	Highest
Product	pom	groupid	org.eclipse.angus	Highest
Product	pom	name	Angus Mail Provider	High
Product	pom	parent-artifactid	all	Medium
Version	Manifest	Bundle-Version	2.0.5	High
Version	pom	version	2.0.5	Highest

## Identifiers

- pkg:maven/org.eclipse.angus/angus-mail@2.0.5 (Confidence:High)
- [cpe:2.3:a:eclipse:angus\\_mail:2.0.5:\\*\\*\\*\\*:\\*](#) (Confidence:Highest)

suppress

## mail.zip: bcjmail-fips.jar

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/mail.zip/bcjmail-fips.jar

**MD5:** 3b3a2949caf465737f18eba828c82f8d

**SHA1:** 11d1755a9103ae0359a5d8a0e3397d054bf16b0f

**SHA256:** 134bd06e17e66f13319b5e90781695d9c2bd586f4ed1dc3fc6f833279a750bc9

**Referenced In Project/Scope:** CoWorkInstaller

## Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	bcjmail-fips	High
Vendor	jar	package name	bouncycastle	Highest
Vendor	jar	package name	bouncycastle	Low
Vendor	jar	package name	mail	Low
Vendor	jar	package name	smime	Low
Vendor	Manifest	application-library-allowable-codebase	*	Low
Vendor	Manifest	application-name	Bouncy Castle FIPS JAKARTA S/MIME API	Medium
Vendor	Manifest	automatic-module-name	org.bouncycastle.fips.bcjmail	Medium
Vendor	Manifest	bundle-requiredexecution	JavaSE-1.8	Low
Vendor	Manifest	bundle-symbolicname	bcjmail	Medium
Vendor	Manifest	caller-allowable-codebase	*	Low
Vendor	Manifest	codebase	*	Low
Vendor	Manifest	extension-name	org.bouncycastle.bcjmail.mail	Medium
Vendor	Manifest	Implementation-Vendor	BouncyCastle.org	High
Vendor	Manifest	Implementation-	org.bouncycastle	Medium

		Vendor-Id		
Vendor	Manifest	multi-release	true	Low
Vendor	Manifest	permissions	all-permissions	Low
Vendor	Manifest	specification-vendor	BouncyCastle.org	Low
Vendor	Manifest	trusted-library	true	Low
Product	file	name	bcjmail-fips	High
Product	jar	package name	bouncycastle	Highest
Product	jar	package name	mail	Low
Product	jar	package name	smime	Low
Product	Manifest	application-library-allowable-codebase	*	Low
Product	Manifest	application-name	Bouncy Castle FIPS JAKARTA S/MIME API	Medium
Product	Manifest	automatic-module-name	org.bouncycastle.fips.bcjmail	Medium
Product	Manifest	Bundle-Name	bcjmail	Medium
Product	Manifest	bundle-requiredexecution	JavaSE-1.8	Low
Product	Manifest	bundle-symbolicname	bcjmail	Medium
Product	Manifest	caller-allowable-codebase	*	Low
Product	Manifest	codebase	*	Low
Product	Manifest	extension-name	org.bouncycastle.bcjmail.mail	Medium
Product	Manifest	multi-release	true	Low
Product	Manifest	permissions	all-permissions	Low
Product	Manifest	trusted-library	true	Low
Version	Manifest	Bundle-Version	2.1.6	High
Version	Manifest	Implementation-Version	2.1.6	High

## Identifiers

- [cpe:2.3:a:bouncycastle:bouncy\\_castle\\_for\\_java:2.1.6:\\*\\*\\*\\*:\\*:\\*](#) (*Confidence: Highest*)

suppress

## mail.zip: bcpkg-fips.jar

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/mail.zip/bcpkg-fips.jar

**MD5:** 22924ccb346b696acaa3c72634ea8b5

**SHA1:** 727e087a843f3a5a8143e4f3a7518c8c3517df18

**SHA256:** ea51efee825bd0d61c3d22cff5a127898edc7ca62ba454fbcf4789801031d850

**Referenced In Project/Scope:** CoWorkInstaller

### Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	bcpkg-fips	High
Vendor	jar	package name	bcpkg	Highest
Vendor	jar	package name	bouncycastle	Highest
Vendor	jar	package name	bouncycastle	Low
Vendor	jar	package name	openpgp	Highest
Vendor	Manifest	application-library-allowable-codebase	*	Low
Vendor	Manifest	application-name	Bouncy Castle FIPS OpenPGP API	Medium
Vendor	Manifest	automatic-module-name	org.bouncycastle.fips.pg	Medium
Vendor	Manifest	bundle-requiredexecution	JavaSE-1.8	Low
Vendor	Manifest	bundle-symbolicname	bcpkg	Medium
Vendor	Manifest	caller-allowable-codebase	*	Low
Vendor	Manifest	codebase	*	Low
Vendor	Manifest	extension-name	org.bouncycastle.bcfips.pg	Medium
Vendor	Manifest	Implementation-Vendor	BouncyCastle.org	High
Vendor	Manifest	Implementation-Vendor-Id	org.bouncycastle	Medium
Vendor	Manifest	multi-release	true	Low
Vendor	Manifest	permissions	all-permissions	Low
Vendor	Manifest	specification-vendor	BouncyCastle.org	Low
Vendor	Manifest	trusted-library	true	Low
Product	file	name	bcpkg-fips	High
Product	jar	package name	bcpkg	Highest

Product	jar	package name	bouncycastle	Highest
Product	jar	package name	openpgp	Highest
Product	Manifest	application-library-allowable-codebase	*	Low
Product	Manifest	application-name	Bouncy Castle FIPS OpenPGP API	Medium
Product	Manifest	automatic-module-name	org.bouncycastle.fips.pg	Medium
Product	Manifest	Bundle-Name	bcpg	Medium
Product	Manifest	bundle-requiredexecution	JavaSE-1.8	Low
Product	Manifest	bundle-symbolicname	bcpg	Medium
Product	Manifest	caller-allowable-codebase	*	Low
Product	Manifest	codebase	*	Low
Product	Manifest	extension-name	org.bouncycastle.bcfips.pg	Medium
Product	Manifest	multi-release	true	Low
Product	Manifest	permissions	all-permissions	Low
Product	Manifest	trusted-library	true	Low
Version	Manifest	Bundle-Version	2.1.11	High
Version	Manifest	Implementation-Version	2.1.11	High

### Identifiers

- [cpe:2.3:a:bouncycastle:bouncy\\_castle\\_for\\_java:2.1.11:\\*\\*\\*\\*\\*](#) (Confidence: Highest)
- [cpe:2.3:a:openpgp:openpgp:2.1.11:\\*\\*\\*\\*\\*](#) (Confidence: Highest)

## mail.zip: jakarta.activation-api.jar

### Description:

Specification

### License:

EDL 1.0: <http://www.eclipse.org/org/documents/edl-v10.php>

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/mail.zip/jakarta.activation-api.jar  
**MD5:** bc1602eee7bc61a0b86f14bbbb0cc794  
**SHA1:** 9e5c2a0d75dde71a0bedc4dbdbe47b78a5dc50f8  
**SHA256:** c9db52100ce6c8aac95cc39075f95720d2e561b11f8051b81c121ad4effd7004  
**Referenced In Project/Scope:** CoWorkInstaller

## Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	jakarta.activation-api	High
Vendor	jar	package name	activation	Highest
Vendor	jar	package name	jakarta	Highest
Vendor	Manifest	bundle-docurl	https://www.eclipse.org	Low
Vendor	Manifest	bundle-symbolicname	jakarta.activation-api	Medium
Vendor	Manifest	extension-name	jakarta.activation	Medium
Vendor	Manifest	implementation-build-id	3dad341	Low
Vendor	Manifest	Implementation-Vendor	Eclipse Foundation	High
Vendor	Manifest	specification-vendor	Eclipse Foundation	Low
Vendor	pom	artifactid	jakarta.activation-api	Low
Vendor	pom	developer email	bill.shannon@oracle.com	Low
Vendor	pom	developer id	shannon	Medium
Vendor	pom	developer name	Bill Shannon	Medium
Vendor	pom	developer org	Oracle	Medium
Vendor	pom	groupid	jakarta.activation	Highest
Vendor	pom	name	Jakarta Activation API	High
Vendor	pom	parent-artifactid	project	Low
Vendor	pom	parent-groupid	org.eclipse.ee4j	Medium
Vendor	pom	url	jakartaee/jaf-api	Highest
Vendor	pom (hint)	developer org	sun	Medium
Product	file	name	jakarta.activation-api	High
Product	jar	package name	activation	Highest
Product	jar	package name	jakarta	Highest
Product	Manifest	bundle-docurl	https://www.eclipse.org	Low
Product	Manifest	Bundle-Name	Jakarta Activation API	Medium
Product	Manifest	bundle-	jakarta.activation-api	Medium

## symbolicname

Product	Manifest	extension-name	jakarta.activation	Medium
Product	Manifest	implementation-build-id	3dad341	Low
Product	Manifest	Implementation-Title	Jakarta Activation API	High
Product	Manifest	specification-title	Jakarta Activation Specification	Medium
Product	pom	artifactid	jakarta.activation-api	Highest
Product	pom	developer email	bill.shannon@oracle.com	Low
Product	pom	developer id	shannon	Low
Product	pom	developer name	Bill Shannon	Low
Product	pom	developer org	Oracle	Low
Product	pom	groupid	jakarta.activation	Highest
Product	pom	name	Jakarta Activation API	High
Product	pom	parent-artifactid	project	Medium
Product	pom	parent-groupid	org.eclipse.ee4j	Medium
Product	pom	url	jakartaee/jaf-api	High
Version	Manifest	Bundle-Version	2.1.4	High
Version	pom	parent-version	2.1.4	Low
Version	pom	version	2.1.4	Highest

## Identifiers

- pkg:maven/jakarta.activation/jakarta.activation-api@2.1.4 (Confidence:High)

## mail.zip: jakarta.mail-api.jar

## Description:

Specification API

## License:

EPL 2.0: <http://www.eclipse.org/legal/epl-2.0>

GPL2 w/ CPE: <https://www.gnu.org/software/classpath/license.html>

EDL 1.0: <http://www.eclipse.org/org/documents/edl-v10.php>

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/mail.zip/jakarta.mail-api.jar

**MD5:** a1872951f46b87594806bb01e342a468

**SHA1:** be9b3b677ed6083f575c437ebc442a6a4bd2b931

**SHA256:** aa493753acb7a8c45ba8f4c9cf1230a74e20237056dd5b5c8bc86c583e8cfa0e

**Referenced In Project/Scope:** CoWorkInstaller

## Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	jakarta.mail-api	High
Vendor	jar	package name	jakarta	Highest
Vendor	jar	package name	mail	Highest
Vendor	Manifest	bundle-docurl	https://www.eclipse.org	Low
Vendor	Manifest	bundle-symbolicname	jakarta.mail-api	Medium
Vendor	Manifest	extension-name	jakarta.mail	Medium
Vendor	Manifest	implementation-build-id	e187321	Low
Vendor	Manifest	Implementation-Vendor	Eclipse Foundation	High
Vendor	Manifest	specification-vendor	Eclipse Foundation	Low
Vendor	pom	artifactid	jakarta.mail-api	Low
Vendor	pom	groupid	jakarta.mail	Highest
Vendor	pom	name	Jakarta Mail API	High
Vendor	pom	parent-artifactid	project	Low
Vendor	pom	parent-groupid	org.eclipse.ee4j	Medium
Product	file	name	jakarta.mail-api	High
Product	jar	package name	jakarta	Highest
Product	jar	package name	mail	Highest
Product	Manifest	bundle-docurl	https://www.eclipse.org	Low
Product	Manifest	Bundle-Name	Jakarta Mail API	Medium
Product	Manifest	bundle-symbolicname	jakarta.mail-api	Medium
Product	Manifest	extension-name	jakarta.mail	Medium
Product	Manifest	implementation-build-id	e187321	Low
Product	Manifest	Implementation-Title	Jakarta Mail API	High
Product	Manifest	specification-title	Jakarta Mail Specification	Medium
Product	pom	artifactid	jakarta.mail-api	Highest
Product	pom	groupid	jakarta.mail	Highest



Product	pom	name	Jakarta Mail API	High
Product	pom	parent-artifactid	project	Medium
Product	pom	parent-groupid	org.eclipse.ee4j	Medium
Version	Manifest	Bundle-Version	2.1.5	High
Version	pom	parent-version	2.1.5	Low
Version	pom	version	2.1.5	Highest

#### Identifiers

- pkg:maven/jakarta.mail/jakarta.mail-api@2.1.5 (Confidence:High)
- [cpe:2.3:a:eclipse:jakarta\\_mail:2.1.5:\\*.~\\*~\\*~\\*~\\*~\\*~\\*](#) (Confidence:High)

suppress

## mail.zip: mail.jar

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/mail.zip/mail.jar

**MD5:** 6e18fff3b079344298ad69646378b5b

**SHA1:** b4e425960691f07b53dc1678fc34480f5198c593

**SHA256:** 913d33b5e740766da9510b5be0732d26a90415d34be2f0fb2cfc8c0adfaf9b78

**Referenced In Project/Scope:** CoWorkInstaller

#### Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	mail	High
Vendor	jar	package name	api	Low
Vendor	jar	package name	inet	Low
Vendor	jar	package name	mail	Low
Vendor	Manifest	built-date	2026-06-16 16:55	Low
Vendor	Manifest	implementation-group	shared	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	mail	High

Product	jar	package name	api	Low
Product	jar	package name	mail	Highest
Product	jar	package name	mail	Low
Product	jar	package name	shared	Highest
Product	Manifest	built-date	2026-06-16 16:55	Low
Product	Manifest	implementation-group	shared	Low
Product	Manifest	Implementation-Title	mail	High
Product	Manifest	specification-title	mail	Medium
Version	jar	package name	shared	Highest
Version	Manifest	Implementation-Version	26.4.269	High

#### Identifiers

- None

### mail.zip: mail.jar: smimeconfig.js

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/mail.zip/mail.jar/com/inet/mail/structure/smimeconfig.js

**MD5:** 5bcf984b6f7d3c12903f8e45723c4737

**SHA1:** c0fefbb10badfba57b9dd391e641c1357c10b615

**SHA256:** 0fd57f5869585f955a1274b3e859d7172f1d8c41f26fb647d256207d680c5567

**Referenced In Project/Scope:** CoWorkInstaller

#### Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### maintenance.zip: maintenance-javadoc.jar

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/maintenance.zip/maintenance-javadoc.jar  
**MD5:** e9908d0a6ec4ef67f6b09315f6ed3d32  
**SHA1:** 0846b388429f9b632de05edad81b264421889807  
**SHA256:** db8df9ae48898812b979301478da075bb53c62f7c5e9f2dbd1b159c465670eb0  
**Referenced In Project/Scope:** CoWorkInstaller

#### Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	maintenance-javadoc	High
Product	file	name	maintenance-javadoc	High

#### Identifiers

- None

### maintenance.zip: maintenance-javadoc.jar: member-search-index.js

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/maintenance.zip/maintenance-javadoc.jar/member-search-index.js  
**MD5:** d2f21acbf71acf3041122496263b6987  
**SHA1:** 84b4c22fabbd5df572518bbccbdb96b3936b6fc  
**SHA256:** dd41c917e08c1e6b0b4cac7e70d4284187f4c49eb8e3d6f4c208031b21e5291a  
**Referenced In Project/Scope:** CoWorkInstaller

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### maintenance.zip: maintenance-javadoc.jar: package-search-index.js

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/maintenance.zip/maintenance-javadoc.jar/package-search-index.js  
**MD5:** 855175baa750c5c598744cead48c703b

**SHA1:** 0c42882b706bfb4b9e6395f33e47c199af9ad99c  
**SHA256:**2fedad883e306a57bd45bc9d379ebaf73e07a74f40b222a6bd6636a128e02321  
**Referenced In Project/Scope:** CoWorkInstaller

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### maintenance.zip: maintenance-javadoc.jar: tag-search-index.js

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/maintenance.zip/maintenance-javadoc.jar/tag-search-index.js

**MD5:** a58a1c5776c62196a0f461efeec112cf

**SHA1:** 1f0fdbb7c073f10c3554bd94ad9a08e02540e79d

**SHA256:**c152193c680dff2fca6c2f8feec029f8a15b07527def9ddcd88eb0a078c5e704

**Referenced In Project/Scope:** CoWorkInstaller

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### maintenance.zip: maintenance-javadoc.jar: type-search-index.js

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/maintenance.zip/maintenance-javadoc.jar/type-search-index.js

**MD5:** 5f0f0ccdd4505d0bec8b945166307218

**SHA1:** 5595ef71303f817751c27596da180e8e8866f2b4

**SHA256:**25da93efbedae785d430a8c419d14ea9bb9e1eef9d948f36e27ee8ce803392be

**Referenced In Project/Scope:** CoWorkInstaller

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### maintenance.zip: maintenance.jar

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/maintenance.zip/maintenance.jar

**MD5:** a206c00c895e79d9790d39bd3b1a0d05

**SHA1:** f7ae514a0ab0a434fa7e2568f1ffea8495895a7

**SHA256:** 1a6d2d87c94fccb0c2477172b3fddb6e6fb6c720dce83c1983079532a488bccc8

**Referenced In Project/Scope:** CoWorkInstaller

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Vendor	file	name	maintenance	High
--------	------	------	-------------	------

Vendor	jar	package name	inet	Low
--------	-----	--------------	------	-----

Vendor	jar	package name	maintenance	Low
--------	-----	--------------	-------------	-----

Vendor	jar	package name	server	Low
--------	-----	--------------	--------	-----

Vendor	Manifest	built-date	2026-06-16 16:36	Low
--------	----------	------------	------------------	-----

Vendor	Manifest	implementation-group	shared	Low
--------	----------	----------------------	--------	-----

Vendor	Manifest	Implementation-Vendor	i-net software	High
--------	----------	-----------------------	----------------	------

Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
--------	----------	--------------------------	-----------------	--------

Vendor	Manifest	specification-vendor	i-net software	Low
--------	----------	----------------------	----------------	-----

Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
--------	----------	--------	--------------------------------------	--------

Product	file	name	maintenance	High
---------	------	------	-------------	------

Product	jar	package name	maintenance	Highest
---------	-----	--------------	-------------	---------

Product	jar	package name	maintenance	Low
---------	-----	--------------	-------------	-----

Product	jar	package name	server	Low
---------	-----	--------------	--------	-----

Product	Manifest	built-date	2026-06-16 16:36	Low
---------	----------	------------	------------------	-----

Product	Manifest	implementation-group	shared	Low
---------	----------	----------------------	--------	-----

Product	Manifest	Implementation-	maintenance	High
---------	----------	-----------------	-------------	------

		Title		
Product	Manifest	specification-title	maintenance	Medium
Version	Manifest	Implementation-Version	26.4.269	High

#### Identifiers

- None

### maintenance.zip: maintenance.jar: controller.js

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/maintenance.zip/maintenance.jar/com/inet/maintenance/resources/backup/js/controller.js

**MD5:** eda28b0d3fc75e6df1ec801c4dda1184

**SHA1:** bde7771a725ab5f735940d621e891210d76d746c

**SHA256:** a6b050a5c95270a0c67687822415186d22ee8330dcf39902d53e80d8272effda

**Referenced In Project/Scope:** CoWorkInstaller

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### maintenance.zip: maintenance.jar: controller.js

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/maintenance.zip/maintenance.jar/com/inet/maintenance/resources/cache/js/controller.js

**MD5:** 9aed8a6ed9f9e734d77c32d719bec6c3

**SHA1:** f1e50c3fe93c975c1900d7bb2f6e3903805466a8

**SHA256:** 153239e343c82ae0a4a573dfcfd0292c52b77816297b77830d59aea2dd2c5c6a

**Referenced In Project/Scope:** CoWorkInstaller

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## maintenance.zip: maintenance.jar: controller.js

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/maintenance.zip/maintenance.jar/com/inet/maintenance/resources/main/js/controller.js

**MD5:** 0ff72e191a3f127973fc5a9381f1e3fb

**SHA1:** 2ed064d4500a047ef82b23173f0abf1e9813e1a2

**SHA256:** 6d60b6004b5b228cc1e6fc6ba01afc922d7d6e174f32773dbf32f1993085a0

**Referenced In Project/Scope:** CoWorkInstaller

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## maintenance.zip: maintenance.jar: controller.js

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/maintenance.zip/maintenance.jar/com/inet/maintenance/resources/programdata/js/controller.js

**MD5:** fa453d5635f82f0078c224f27dd99a7d

**SHA1:** 6288a3c4fbff29ee7cc6a8f69149de44c49ef5c6

**SHA256:** f7902fb5b8dd900a95b90969872c55787e2d4f65f3736d827fcb13c0ebcef46b

**Referenced In Project/Scope:** CoWorkInstaller

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

### maintenance.zip: maintenance.jar: controller.js

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/maintenance.zip/maintenance.jar/com/inet/maintenance/resources/usercleanup/js/controller.js

**MD5:** 8761a32cdf4e1e4a7685026230292f7

**SHA1:** c2d0abdc930a08da61c93cf63f310c9a74434f3c

**SHA256:** 358479a73183963c1626c72ae92d5c4f7c03b83363c80257ac03dc58eb4285bd

**Referenced In Project/Scope:** CoWorkInstaller

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### maintenance.zip: maintenance.jar: filechooser.js

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/maintenance.zip/maintenance.jar/com/inet/maintenance/resources/main/js/filechooser.js

**MD5:** e68e2ea53d15557b2fb1deaf06d441d3

**SHA1:** 047d5f2582143536ea470e92aa91fb7b77c7f093

**SHA256:** c44d53718171530ce586b9932fe7126a09de8e6f7bb9e40aaf949483e432e87d

**Referenced In Project/Scope:** CoWorkInstaller

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### maintenance.zip: maintenance.jar: multieditusers.js

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/maintenance.zip/maintenance.jar/com/inet/maintenance



/resources/usercleanup/js/multieditusers.js

**MD5:** 9344849a6f020a58c0f0d718e8c76929

**SHA1:** 2d636915befe9b9bd1db90c54bffe6acfb088d87

**SHA256:** ab73fb84fe0687eaea50fa310992eb630da346b49387ccee829854f6ecc03329

**Referenced In Project/Scope:** CoWorkInstaller

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### mongodb-driver-core.jar

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/persistence/mongodb-driver-core.jar

**MD5:** 7d097ed40fac40969c1754690bbe7a61

**SHA1:** 4ef17ac9e1f96d7a5990d3e223e0f03c4e155028

**SHA256:** 2f29ff945667650fd135ddcb4275a930fcb8a2bbd551a7b46624d737f854a77d

**Referenced In Project/Scope:** CoWorkInstaller

#### Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	mongodb-driver-core	High
Vendor	jar	package name	internal	Low
Vendor	jar	package name	mongodb	Highest
Vendor	jar	package name	mongodb	Low
Vendor	Manifest	automatic-module-name	org.mongodb.driver.core	Medium
Vendor	Manifest	bundle-symbolicname	org.mongodb.driver-core	Medium
Product	file	name	mongodb-driver-core	High
Product	jar	package name	internal	Low
Product	jar	package name	mongodb	Highest
Product	Manifest	automatic-module-name	org.mongodb.driver.core	Medium
Product	Manifest	Bundle-Name	mongodb-driver-core	Medium
Product	Manifest	bundle-symbolicname	org.mongodb.driver-core	Medium

Version	Manifest	build-version	5.6.2	Medium
Version	Manifest	Bundle-Version	5.6.2	High

#### Identifiers

- None

## mongodb-driver-sync.jar

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/persistence/mongodb-driver-sync.jar

**MD5:** 39591a8fd0b6858ef2a0dcb26813a1f7

**SHA1:** 0eccbc0b3ce9bae9fcf190a88769f966450aaa7f

**SHA256:**491519ef1e1aff1f91caec8671381c9af448167869c25eed3457abfc00f6e0b4

**Referenced In Project/Scope:** CoWorkInstaller

#### Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	mongodb-driver-sync	High
Vendor	jar	package name	client	Highest
Vendor	jar	package name	client	Low
Vendor	jar	package name	internal	Low
Vendor	jar	package name	mongodb	Highest
Vendor	jar	package name	mongodb	Low
Vendor	Manifest	automatic-module-name	org.mongodb.driver.sync.client	Medium
Vendor	Manifest	bundle-symbolicname	org.mongodb.driver-sync	Medium
Product	file	name	mongodb-driver-sync	High
Product	jar	package name	client	Highest
Product	jar	package name	client	Low
Product	jar	package name	internal	Low
Product	jar	package name	mongodb	Highest
Product	Manifest	automatic-module-name	org.mongodb.driver.sync.client	Medium
Product	Manifest	Bundle-Name	mongodb-driver-sync	Medium
Product	Manifest	bundle-symbolicname	org.mongodb.driver-sync	Medium

Version	Manifest	build-version	5.6.2	Medium
Version	Manifest	Bundle-Version	5.6.2	High

#### Identifiers

- None

### notification.zip: notification.jar

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/notification.zip/notification.jar

**MD5:** 931734080d199dbae5e55cd2b74de06b

**SHA1:** 4092e95a9187e96b4ec142972907a49c5ecda101

**SHA256:** 974989106d1682f097bd50771a8e8755965311e462731c207bd5c838953359d6

**Referenced In Project/Scope:** CoWorkInstaller

#### Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	notification	High
Vendor	jar	package name	inet	Low
Vendor	jar	package name	notificationui	Low
Vendor	jar	package name	server	Low
Vendor	Manifest	built-date	2026-06-16 16:52	Low
Vendor	Manifest	implementation-group	shared	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	notification	High
Product	jar	package name	notificationui	Low
Product	jar	package name	server	Low
Product	Manifest	built-date	2026-06-16 16:52	Low
Product	Manifest	implementation-group	shared	Low
Product	Manifest	Implementation-	notification	High

### Title

Product	Manifest	specification-title	notification	Medium
Version	Manifest	Implementation-Version	26.4.269	High

### Identifiers

- None

## notification.zip: notification.jar: notification.js

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/notification.zip/notification.jar/com/inet/notificationui/client/js/notification.js

**MD5:** a7914294220b5e8b3455195997e7a654

**SHA1:** 6aa5184b6872c79a90cb0c7db02e4b383ae1d6f0

**SHA256:** 1adacc2b14565423a88959085345d44027d4ca43cb75b2a1dceb5ffdde9c0637

**Referenced In Project/Scope:** CoWorkInstaller

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## notification.zip: notification.jar: notification\_config.js

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/notification.zip/notification.jar/com/inet/notificationui/client/js/notification\_config.js

**MD5:** 323c074408d9e2dc2145230f2f2bec9e

**SHA1:** e6ca6eb13f3c22aедfbd90b0d7306c35cd7d2b28

**SHA256:** c86eed2c4c6b7df65bdebffc00a3ea2d809997c4b7a97cd22d55f7193ebd4b94

**Referenced In Project/Scope:** CoWorkInstaller

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## notification.zip: notification.jar: notification\_taskplanner.js

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/notification.zip/notification.jar/com/inet/notificationui/client/js/notification\_taskplanner.js

**MD5:** 34de69c55375ed77dcc583b60d7682a7

**SHA1:** 61bc262edf6fc6e902bbbc4bbc16c546a01e4f78

**SHA256:** ddb2f468d7348ce9388681d450895a6e4b5ba6c22d632f3d53bc1e837be83508

**Referenced In Project/Scope:** CoWorkInstaller

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## notification.zip: notification.jar: targetrenderer.js

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/notification.zip/notification.jar/com/inet/notificationui/client/js/targetrenderer.js

**MD5:** 9207efb9b92d4108c031b3e7f469ccff

**SHA1:** fc19cd09c51417a29979d39e3a74a2d99fbf9c03

**SHA256:** c6c83159f063f74a44c1d68bd67a67c4c96023c3eba9f87ce1090b8f994f49bd

**Referenced In Project/Scope:** CoWorkInstaller

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## opentest4j-1.3.0.jar

### Description:

Open Test Alliance for the JVM

### License:

The Apache License, Version 2.0: <https://www.apache.org/licenses/LICENSE-2.0.txt>

**File Path:** /home/jenkins/.gradle/caches/modules-2/files-2.1/org.opentest4j/opentest4j/1.3.0/152ea56b3a72f655d4fd677fc0ef2596c3dd5e6e/opentest4j-1.3.0.jar

**MD5:** 03c404f727531f3fd3b4c73997899327

**SHA1:** 152ea56b3a72f655d4fd677fc0ef2596c3dd5e6e

**SHA256:** 48e2df636cab6563ced64dcdf8abb2355627cb236ef0bf37598682ddf742f1b

**Referenced In Project/Scope:** CoWorkInstaller:inetPlugin

### Included by:

- pkg:maven/org.junit.platform/junit-platform-suite@1.14.0
- pkg:maven/org.junit.jupiter/junit-jupiter-engine@5.14.0
- pkg:maven/org.junit.jupiter/junit-jupiter@5.14.0

### Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	opentest4j	High
Vendor	gradle	artifactid	opentest4j	Highest
Vendor	gradle	groupid	org.opentest4j	Highest
Vendor	jar	package name	opentest4j	Highest
Vendor	jar	package name	opentest4j	Low
Vendor	Manifest	build-date	2023-07-06	Low
Vendor	Manifest	build-revision	214973bfa4e7e9be7d04e623202cc4147c7036	Low
Vendor	Manifest	build-time	14:25:06.116+0200	Low
Vendor	Manifest	bundle-symbolicname	org.opentest4j	Medium
Vendor	Manifest	Implementation-Vendor	opentest4j.org	High
Vendor	Manifest	specification-vendor	opentest4j.org	Low
Vendor	pom	artifactid	opentest4j	Low
Vendor	pom	developer email	business@johanneslink.net	Low
Vendor	pom	developer email	mail@marcphilipp.de	Low
Vendor	pom	developer email	matthias.merdes@heidelpay.com	Low
Vendor	pom	developer email	sam@sambrannen.com	Low
Vendor	pom	developer email	stefan.bechtold@me.com	Low

Vendor	pom	developer id	bechte	Medium
Vendor	pom	developer id	jlink	Medium
Vendor	pom	developer id	marcphilipp	Medium
Vendor	pom	developer id	mmerdes	Medium
Vendor	pom	developer id	sbrannen	Medium
Vendor	pom	developer name	Johannes Link	Medium
Vendor	pom	developer name	Marc Philipp	Medium
Vendor	pom	developer name	Matthias Merdes	Medium
Vendor	pom	developer name	Sam Brannen	Medium
Vendor	pom	developer name	Stefan Bechtold	Medium
Vendor	pom	groupid	org.opentest4j	Highest
Vendor	pom	name	org.opentest4j:opentest4j	High
Vendor	pom	url	ota4j-team/opentest4j	Highest
Product	file	name	opentest4j	High
Product	gradle	artifactid	opentest4j	Highest
Product	jar	package name	opentest4j	Highest
Product	Manifest	build-date	2023-07-06	Low
Product	Manifest	build-revision	214973bfa4e7e9be7d04e623202cc4147c7036	Low
Product	Manifest	build-time	14:25:06.116+0200	Low
Product	Manifest	Bundle-Name	opentest4j	Medium
Product	Manifest	bundle-symbolicname	org.opentest4j	Medium
Product	Manifest	Implementation-Title	opentest4j	High
Product	Manifest	specification-title	opentest4j	Medium
Product	pom	artifactid	opentest4j	Highest
Product	pom	developer email	business@johanneslink.net	Low
Product	pom	developer email	mail@marcphilipp.de	Low
Product	pom	developer email	matthias.merdes@heidelpay.com	Low
Product	pom	developer email	sam@sambrannen.com	Low
Product	pom	developer email	stefan.bechtold@me.com	Low
Product	pom	developer id	bechte	Low
Product	pom	developer id	jlink	Low
Product	pom	developer id	marcphilipp	Low
Product	pom	developer id	mmerdes	Low
Product	pom	developer id	sbrannen	Low

Product	pom	developer name	Johannes Link	Low
Product	pom	developer name	Marc Philipp	Low
Product	pom	developer name	Matthias Merdes	Low
Product	pom	developer name	Sam Brannen	Low
Product	pom	developer name	Stefan Bechtold	Low
Product	pom	groupid	org.opentest4j	Highest
Product	pom	name	org.opentest4j:opentest4j	High
Product	pom	url	ota4j-team/opentest4j	High
Version	file	version	1.3.0	High
Version	gradle	version	1.3.0	Highest
Version	Manifest	Bundle-Version	1.3.0	High
Version	Manifest	Implementation-Version	1.3.0	High
Version	pom	version	1.3.0	Highest

#### Identifiers

- pkg:maven/org.opentest4j/opentest4j@1.3.0 (*Confidence:High*)

## persistence.jar

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/persistence/persistence.jar

**MD5:** 00a4c973ab55e1bbc1cf84bf2405fac2

**SHA1:** d6392536bc2bced6785421eab6fa39220cebd91c

**SHA256:** 4507edf96e3c6b2962990164e58d2e820fb4dfdb76e53c49c76dde54c4399b59

**Referenced In Project/Scope:** CoWorkInstaller

#### Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	persistence	High
Vendor	jar	package name	inet	Low
Vendor	jar	package name	persistence	Low
Vendor	Manifest	built-date	2026-06-16 16:42	Low
Vendor	Manifest	implementation-group	shared	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High



Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	persistence	High
Product	jar	package name	persistence	Highest
Product	jar	package name	persistence	Low
Product	Manifest	built-date	2026-06-16 16:42	Low
Product	Manifest	implementation-group	shared	Low
Product	Manifest	Implementation-Title	persistence	High
Product	Manifest	specification-title	persistence	Medium
Version	Manifest	Implementation-Version	26.4.269	High

### Identifiers

- None

## pluginstore.client.zip: pluginstore.client.jar

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/pluginstore.client.zip/pluginstore.client.jar

**MD5:** 413a787362ecb7346e5e34a4a771bc63

**SHA1:** 98a68fb6e1ec001b2a206386f86a7299ebf85eb4

**SHA256:** ab00b80dadaed91ba0c1594fdd02f24b8d0d26a7410c98cf43f099e20540dbfe

**Referenced In Project/Scope:** CoWorkInstaller

### Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	pluginstore.client	High
Vendor	jar	package name	client	Low
Vendor	jar	package name	inet	Low
Vendor	jar	package name	store	Low
Vendor	Manifest	built-date	2026-06-16 16:56	Low
Vendor	Manifest	implementation-group	shared	Low

Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	pluginstore.client	High
Product	jar	package name	client	Highest
Product	jar	package name	client	Low
Product	jar	package name	shared	Highest
Product	jar	package name	store	Low
Product	Manifest	built-date	2026-06-16 16:56	Low
Product	Manifest	implementation-group	shared	Low
Product	Manifest	Implementation-Title	pluginstore.client	High
Product	Manifest	specification-title	pluginstore.client	Medium
Version	jar	package name	shared	Highest
Version	Manifest	Implementation-Version	26.4.269	High

#### Identifiers

- None

### pluginstore.client.zip: pluginstore.client.jar: controller.js

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/pluginstore.client.zip/pluginstore.client.jar/com/inet/store/client/setup/controller.js

**MD5:** b890353af95e8d67ed666d72e55d5583

**SHA1:** cdc7ae95f6ea08ce7051388a5a6487c8a965eec3

**SHA256:** b2efe42a4dfe713e2a079e24a1044fdc777effb0518d6750fdf9a3974ac78936

**Referenced In Project/Scope:** CoWorkInstaller

#### Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## pluginstore.client.zip: pluginstore.client.jar: pluginstorehelpcontroller.js

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/pluginstore.client.zip/pluginstore.client.jar/com/inet/store/client/plugin/help/js/pluginstorehelpcontroller.js

**MD5:** 33e0b25623e005ecbba43c00c91b043a

**SHA1:** 6b9855a487458ce85ae48ee1c5a129b26093b289

**SHA256:** a70a95787e2759bf1d43b76947ea5d48e541c6d94c640d25c9efd31ce281e3a7

**Referenced In Project/Scope:** CoWorkInstaller

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## pluginstore.client.zip: pluginstore.client.jar: publicstoreconfig.js

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/pluginstore.client.zip/pluginstore.client.jar/com/inet/store/client/ui/js/publicstoreconfig.js

**MD5:** 640b897e30bb04f24b310e948f963701

**SHA1:** c4f24830c5130eabd110ac29f1e198ca4f88e35b

**SHA256:** 45bf77256d46306542a6592243af524e1be940c5bef8746be0fd62ec7209eb84

**Referenced In Project/Scope:** CoWorkInstaller

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

### pluginstore.client.zip: pluginstore.client.jar: storecontroller.js

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/pluginstore.client.zip/pluginstore.client.jar/com/inet/store/client/ui/js/storecontroller.js

**MD5:** 512668a61bc16fe85f6442a56f622a9d

**SHA1:** f9bc6cb342455404802657a7c0d1dd1ed6ec7297

**SHA256:** 7f183982c67d73d4a2bfb963dcc5aa8241b3beb2f2acf5d19aaec20357b715d6

**Referenced In Project/Scope:** CoWorkInstaller

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### pluginstore.client.zip: pluginstore.client.jar: storedirectives.js

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/pluginstore.client.zip/pluginstore.client.jar/com/inet/store/client/ui/js/storedirectives.js

**MD5:** ec0e5529e70952af58b9df0ce2bfebb4

**SHA1:** 0b859497e1b59e55936959192636c3fec9bacef5

**SHA256:** 5066f9af1ecc472186f35289ec17fd270e6a0ef404796f1fbe6acdf69c40fe90

**Referenced In Project/Scope:** CoWorkInstaller

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### pluginstore.client.zip: pluginstore.client.jar: storemodel.js

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/pluginstore.client.zip/pluginstore.client.jar/com/inet/store/client/ui/js/storemodel.js

**MD5:** 79df37a017eb872811c499812d1eb6dc  
**SHA1:** 1765bf02e7673e3559cac97d4e8a8308c3cf7fcb  
**SHA256:** 763d9661e237f8406a59f8fbec70549b5f4cf3e70e58b0c038bc233447d29669  
**Referenced In Project/Scope:** CoWorkInstaller

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: angular-animate.jar

#### Description:

WebJar for angular-animate

#### License:

MIT

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/remotegui.zip/angular-animate.jar

**MD5:** 1dcc988a8392618e7c5127f57b3453d1

**SHA1:** 7ea94213dad8a46ab088e1a3dd6a5def2ecf8e78

**SHA256:** dbbce06145963ef7bfd197c1646722fedfe76a9b54b01f1b6dc7ccf7e8b51163

**Referenced In Project/Scope:** CoWorkInstaller

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Vendor	file	name	angular-animate	High
--------	------	------	-----------------	------

Vendor	pom	artifactid	angular-animate	Low
--------	-----	------------	-----------------	-----

Vendor	pom	developer id	webjars	Medium
--------	-----	--------------	---------	--------

Vendor	pom	groupid	org.webjars.npm	Highest
--------	-----	---------	-----------------	---------

Vendor	pom	name	angular-animate	High
--------	-----	------	-----------------	------

Vendor	pom	url	https://www.webjars.org	Highest
--------	-----	-----	-------------------------	---------

Product	file	name	angular-animate	High
---------	------	------	-----------------	------

Product	pom	artifactid	angular-animate	Highest
---------	-----	------------	-----------------	---------

Product	pom	developer id	webjars	Low
---------	-----	--------------	---------	-----

Product	pom	groupid	org.webjars.npm	Highest
---------	-----	---------	-----------------	---------

Product	pom	name	angular-animate	High
Product	pom	url	https://www.webjars.org	Medium
Version	pom	version	1.8.3	Highest

#### Identifiers

- pkg:maven/org.webjars.npm/angular-animate@1.8.3 (*Confidence:High*)

### remotegui.zip: angular-animate.jar: angular-animate.js

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/remotegui.zip/angular-animate.jar/META-INF/resources/webjars/angular-animate/1.8.3/angular-animate.js

**MD5:** 31312b87e7226c8bf0714fcef0ea5d18

**SHA1:** dc9fb55f2c7f922c5ba83449266239ba1353db45

**SHA256:** 58e79e0e7cbb1e1502d216701e1fae41c405d92320aea1b68a223054096fda93

**Referenced In Project/Scope:** CoWorkInstaller

#### Evidence

Type	Source	Name	Value	Confidence
Vendor	RetireJS	name	angularjs	High
Product	RetireJS	name	angularjs	High
Version	RetireJS	version	1.8.3	High

#### Identifiers

- pkg:javascript/angularjs@1.8.3 (*Confidence:Highest*)

### remotegui.zip: angular-animate.jar: angular-animate.min.js

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/remotegui.zip/angular-animate.jar/META-INF/resources/webjars/angular-animate/1.8.3/angular-animate.min.js

**MD5:** 5d2d0f42bb7e1b5503e914674f59dad0

**SHA1:** 4c15a58541e53c451c6f946d2048104f88b833c7

**SHA256:** 8e6202b1330a469a61ccdeebbd1cb3a20d0ecdffc8d106f68da5b85e9b67a1cd5

**Referenced In Project/Scope:** CoWorkInstaller

#### Evidence

Type	Source	Name	Value	Confidence
Vendor	RetireJS	name	angularjs	High
Product	RetireJS	name	angularjs	High
Version	RetireJS	version	1.8.3	High

#### Identifiers

- pkg:javascript/angularjs@1.8.3 (*Confidence*:Highest)

### remotegui.zip: angular-animate.jar: index.js

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/remotegui.zip/angular-animate.jar/META-INF/resources/webjars/angular-animate/1.8.3/index.js

**MD5:** eca59ea32960ae595dd18ad9480185b1

**SHA1:** b8fe1c0a06b723a75c7e596fd8a86d91965f681c

**SHA256:** 7f2f9350e5624bf86e8760d1deae03fae4477949284b49471eb67e2b6498cb7d

**Referenced In Project/Scope:** CoWorkInstaller

#### Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: angular-animate.jar: package.json

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/remotegui.zip/angular-animate.jar/META-INF/resources/webjars/angular-animate/1.8.3/package.json

**MD5:** 13957f0482b591f50a2e9528a5b84330

**SHA1:** 16ec0d9e9e70f179261a1bd672e610b159876ff5

**SHA256:** e2fcbc9996d890ec0c6601b2c9176a1ada7806e1dcd6eca8549bba9022235877

**Referenced In Project/Scope:** CoWorkInstaller

#### Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

## Identifiers

- None

## remotegui.zip: angular-cookies.jar

### Description:

WebJar for angular-cookies

### License:

MIT

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/remotegui.zip/angular-cookies.jar

**MD5:** 5d743cd15e44b5a942478abaa3a008ae

**SHA1:** 2ebe196f9032e261a470467b5a14632d81d3d4f9

**SHA256:** 0809dd125183f03e6682985208de5f1221478221ed41667545133f7e729dd000

**Referenced In Project/Scope:** CoWorkInstaller

## Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	angular-cookies	High
Vendor	pom	artifactid	angular-cookies	Low
Vendor	pom	developer id	webjars	Medium
Vendor	pom	groupid	org.webjars.npm	Highest
Vendor	pom	name	angular-cookies	High
Vendor	pom	url	https://www.webjars.org	Highest
Product	file	name	angular-cookies	High
Product	pom	artifactid	angular-cookies	Highest
Product	pom	developer id	webjars	Low
Product	pom	groupid	org.webjars.npm	Highest
Product	pom	name	angular-cookies	High
Product	pom	url	https://www.webjars.org	Medium
Version	pom	version	1.8.3	Highest

## Identifiers



- pkg:maven/org.webjars.npm/angular-cookies@1.8.3 (Confidence:High)

## remotegui.zip: angular-cookies.jar: angular-cookies.js

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/remotegui.zip/angular-cookies.jar/META-INF/resources/webjars/angular-cookies/1.8.3/angular-cookies.js  
**MD5:** e17187aea1f0e6dbd25722e34b754915  
**SHA1:** 20f43f716b9fef7d72537bc1b0e5aa2bc480cee5  
**SHA256:**f3291c552042f6d0c500167769912a78ab3ecec9917128b2d6ea8e7c6714bb97  
**Referenced In Project/Scope:** CoWorkInstaller

### Evidence

Type	Source	Name	Value	Confidence
Vendor	RetireJS	name	angularjs	High
Product	RetireJS	name	angularjs	High
Version	RetireJS	version	1.8.3	High

### Identifiers

- pkg:javascript/angularjs@1.8.3 (Confidence:Highest)

## remotegui.zip: angular-cookies.jar: angular-cookies.min.js

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/remotegui.zip/angular-cookies.jar/META-INF/resources/webjars/angular-cookies/1.8.3/angular-cookies.min.js  
**MD5:** c41aff8423276d46f0d02de6dcb71524  
**SHA1:** 7dc53f75d5bf7dd2c770cb50f31242c70193c086  
**SHA256:**926509b494009bea03288bba191a2b238032188e9112377e50fbfe7814c6639b  
**Referenced In Project/Scope:** CoWorkInstaller

### Evidence

Type	Source	Name	Value	Confidence
Vendor	RetireJS	name	angularjs	High
Product	RetireJS	name	angularjs	High
Version	RetireJS	version	1.8.3	High

### Identifiers

- pkg:javascript/angularjs@1.8.3 (*Confidence: Highest*)

## remotegui.zip: angular-cookies.jar: index.js

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/remotegui.zip/angular-cookies.jar/META-INF/resources/webjars/angular-cookies/1.8.3/index.js

**MD5:** 88188b8869bb0cbae63eb86aa6c1059a

**SHA1:** ce388b565b0d0392802138b2a7d4bf393c3d49f9

**SHA256:** b1b8d54ed8400d4f997da0f2fa672e8728d4771a77028d9f495cf1732fcb1e6f

**Referenced In Project/Scope:** CoWorkInstaller

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## remotegui.zip: angular-cookies.jar: package.json

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/remotegui.zip/angular-cookies.jar/META-INF/resources/webjars/angular-cookies/1.8.3/package.json

**MD5:** 6785fbb341602e147af808078db0d42b

**SHA1:** a30ac55dae62b1a7c8921c7687a3276dbeeed564

**SHA256:** 81847196d700fe42834ebf82cb0c68267d9c237134566556a466e070659c7222

**Referenced In Project/Scope:** CoWorkInstaller

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## remotegui.zip: angular-sanitize.jar

### Description:

WebJar for angular-sanitize

### License:

MIT

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/remotegui.zip/angular-sanitize.jar

**MD5:** f47ca0f7e843acea25d245b34ce30feb

**SHA1:** 8050e163f66fb899645cc67ffa67d92a25096902

**SHA256:** 4de072c9e746b2bf70aee70cc1c9b61350e017002dd71089e5f66a587f7ed92f

**Referenced In Project/Scope:** CoWorkInstaller

### Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	angular-sanitize	High
Vendor	pom	artifactid	angular-sanitize	Low
Vendor	pom	developer id	webjars	Medium
Vendor	pom	groupid	org.webjars.npm	Highest
Vendor	pom	name	angular-sanitize	High
Vendor	pom	url	https://www.webjars.org	Highest
Product	file	name	angular-sanitize	High
Product	pom	artifactid	angular-sanitize	Highest
Product	pom	developer id	webjars	Low
Product	pom	groupid	org.webjars.npm	Highest
Product	pom	name	angular-sanitize	High
Product	pom	url	https://www.webjars.org	Medium
Version	pom	version	1.8.3	Highest

### Identifiers

- pkg:maven/org.webjars.npm/angular-sanitize@1.8.3 (Confidence:High)

## remotegui.zip: angular-sanitize.jar: angular-sanitize.js

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/remotegui.zip/angular-sanitize.jar/META-INF/resources/webjars/angular-sanitize/1.8.3/angular-sanitize.js  
**MD5:** 0127d7a139abfc8bd45875a9c8ea6348  
**SHA1:** 197aea2acc25a0fa821766400950cac58a3627a5  
**SHA256:**c84c65250afe5a1265f36a7e16c6010652e55c2ae3a779c351fb68536c42bf64  
**Referenced In Project/Scope:** CoWorkInstaller

#### Evidence



Type	Source	Name	Value	Confidence
Vendor	RetireJS	name	angularjs	High
Product	RetireJS	name	angularjs	High
Version	RetireJS	version	1.8.3	High

#### Identifiers

- pkg:javascript/angularjs@1.8.3 (*Confidence: Highest*)

### remotegui.zip: angular-sanitize.jar: angular-sanitize.min.js

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/remotegui.zip/angular-sanitize.jar/META-INF/resources/webjars/angular-sanitize/1.8.3/angular-sanitize.min.js  
**MD5:** f3c62abeec216e9431e7d5b22d8e813b  
**SHA1:** 21355ef18c5e1ce2b2c711b9dba21cbea0655646  
**SHA256:**cc80a30ad0439c2e9c209b3d7fcfb1d10e6007fd1d00c9cc144f393664a7045  
**Referenced In Project/Scope:** CoWorkInstaller

#### Evidence



Type	Source	Name	Value	Confidence
Vendor	RetireJS	name	angularjs	High
Product	RetireJS	name	angularjs	High
Version	RetireJS	version	1.8.3	High

#### Identifiers

- pkg:javascript/angularjs@1.8.3 (*Confidence: Highest*)

## remotegui.zip: angular-sanitize.jar: index.js

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/remotegui.zip/angular-sanitize.jar/META-INF/resources/webjars/angular-sanitize/1.8.3/index.js

**MD5:** 796078246b8e97f002ea5c97c4c7de54

**SHA1:** 0ce03000a4c04ae0a8b4353715bda54b8a8e8c69

**SHA256:** 44cbd8c36c3e2818d011eb0dc7d95293730667fa5a98a23449e9b4add369f65b

**Referenced In Project/Scope:** CoWorkInstaller

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## remotegui.zip: angular-sanitize.jar: package.json

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/remotegui.zip/angular-sanitize.jar/META-INF/resources/webjars/angular-sanitize/1.8.3/package.json

**MD5:** 515d23261280a10a4d84ed267c425880

**SHA1:** 84d37bbaefc2117ac59c79b0d87a953a1abd4911

**SHA256:** 5e5c191e41b4e9902cfaeb95878d5b92333585e6dad936588fe1adfd1445af86

**Referenced In Project/Scope:** CoWorkInstaller

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## remotegui.zip: angular.jar

### Description:

WebJar for angular

**License:**

MIT

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/remotegui.zip/angular.jar

**MD5:** f339a9a66a64c67eebb21ec3b251dfc6

**SHA1:** cff4aee339a9ca4ae2f095079930edeaad6a94ee

**SHA256:** a997eb40987ddb5d3bf64adf3d33afcfc3ac2b1eb2e7255b5203a387f8097cd0

**Referenced In Project/Scope:** CoWorkInstaller

**Evidence**

Type	Source	Name	Value	Confidence
Vendor	file	name	angular	High
Vendor	pom	artifactid	angular	Low
Vendor	pom	developer id	webjars	Medium
Vendor	pom	groupid	org.webjars.npm	Highest
Vendor	pom	name	angular	High
Vendor	pom	url	https://www.webjars.org	Highest
Product	file	name	angular	High
Product	pom	artifactid	angular	Highest
Product	pom	developer id	webjars	Low
Product	pom	groupid	org.webjars.npm	Highest
Product	pom	name	angular	High
Product	pom	url	https://www.webjars.org	Medium
Version	pom	version	1.8.3	Highest

**Identifiers**

- pkg:maven/org.webjars.npm/angular@1.8.3 (*Confidence:High*)

**remotegui.zip: angular.jar: angular.js**

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/remotegui.zip/angular.jar/META-INF/resources/webjars/angular/1.8.3/angular.js

**MD5:** e09f650a016c24bc1b5a1edc93bfade

**SHA1:** 0f1f7445b761b9bbd5385f9f0b316dbf1ca48696

**SHA256:** fdca889e76f55fdee7ab661920f37ce19233563bf7f4ac8120f8ebc2ac768768

**Referenced In Project/Scope:** CoWorkInstaller

**Evidence**

Type	Source	Name	Value	Confidence
Vendor	RetireJS	name	angularjs	High
Product	RetireJS	name	angularjs	High
Version	RetireJS	version	1.8.3	High

#### Identifiers

- pkg:javascript/angularjs@1.8.3 (*Confidence: Highest*)

### remotegui.zip: angular.jar: angular.min.js

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/remotegui.zip/angular.jar/META-INF/resources/webjars/angular/1.8.3/angular.min.js

**MD5:** 967a32633fa8f38f4ac3376c1a37b992

**SHA1:** b53b74d8e0b732dcdb98f521146b88299ea2f1

**SHA256:** 396dc1a03d6cc02e9c51a80246e0db53c5c8df9bd07287e3b51bce4a29dab355

**Referenced In Project/Scope:** CoWorkInstaller

#### Evidence

Type	Source	Name	Value	Confidence
Vendor	RetireJS	name	angularjs	High
Product	RetireJS	name	angularjs	High
Version	RetireJS	version	1.8.3	High

#### Identifiers

- pkg:javascript/angularjs@1.8.3 (*Confidence: Highest*)

### remotegui.zip: angular.jar: index.js

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/remotegui.zip/angular.jar/META-INF/resources/webjars/angular/1.8.3/index.js

**MD5:** 0d848853205d22ab8be985876aec948a

**SHA1:** a2bfe847bea879ad2775509c4421291c404d8c21

**SHA256:** d469f8e93a4c345f01d81d162a803116de1bc6afd4bfeba8b45951449956b686

**Referenced In Project/Scope:** CoWorkInstaller

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: angular.jar: package.json

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/remotegui.zip/angular.jar/META-INF/resources/webjars/angular/1.8.3/package.json

**MD5:** c5e0d73dc5121cf479c775248d2ca497

**SHA1:** bc29d1f7c080dfb1f701ad4f1c4ff548916f28e5

**SHA256:** 95ad7872af90c37e7a5597581f5bb2362d59c49fc3f2766dd9f2568a041cf10a

**Referenced In Project/Scope:** CoWorkInstaller

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: codemirror.jar

#### Description:

WebJar for codemirror

#### License:

MIT

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/remotegui.zip/codemirror.jar

**MD5:** 669061572ba6292cc848f48535366409

**SHA1:** c1c5b1fda926e89ab3204a2b4d2871078ce6d448



SHA256:b5f4ff56ec0eb788f4c150fc67b7a127e189e555e2438318742003e01c78282c  
Referenced In Project/Scope: CoWorkInstaller

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	codemirror	High
Vendor	pom	artifactid	codemirror	Low
Vendor	pom	developer id	webjars	Medium
Vendor	pom	groupid	org.webjars.npm	Highest
Vendor	pom	name	codemirror	High
Vendor	pom	url	https://www.webjars.org	Highest
Product	file	name	codemirror	High
Product	pom	artifactid	codemirror	Highest
Product	pom	developer id	webjars	Low
Product	pom	groupid	org.webjars.npm	Highest
Product	pom	name	codemirror	High
Product	pom	url	https://www.webjars.org	Medium
Version	pom	version	6.65.7	Highest

Identifiers

- pkg:maven/org.webjars.npm/codemirror@6.65.7 (Confidence:High)
- [cpe:2.3:a:codemirror:codemirror:6.65.7:\\*\\*\\*\\*:\\*](#) (Confidence:High)

suppress

remotegui.zip: codemirror.jar: CodeMirror.js

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/src/edit/CodeMirror.js  
**MD5:** d154477df9eebe156a1a493731acb01d  
**SHA1:** 69efd74f28f36317a2bb9101dbbaec73f5ca3735  
**SHA256:**258db73a89eb6d88475013d38f4e0e01cc1476788f931058bf470db1ee26ca53  
**Referenced In Project/Scope:** CoWorkInstaller

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## remotegui.zip: codemirror.jar: ContentEditableInput.js

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/src/input/ContentEditableInput.js

**MD5:** 40e61dbb4388425c66403ecd7e9a5a10

**SHA1:** 70cfc8bedef61e8d2f6cbb85ee41d65088d44c53

**SHA256:** 5c07c3caef1fc6122ef3ce8d681afb87d65f86aaead8db5d1ca3466803b57da8

**Referenced In Project/Scope:** CoWorkInstaller

### Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## remotegui.zip: codemirror.jar: Display.js

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/src/display/Display.js

**MD5:** bbf05006cf414f786e21cdb02b443aac

**SHA1:** 6bcab3100f9fd46d39f5c47d78b6ad9ad863b464

**SHA256:** 6e26756a9ae829558cf81a83fd9d48dd0f605241c7c7e8028a8bcf94bfa7a9d4

**Referenced In Project/Scope:** CoWorkInstaller

### Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## remotegui.zip: codemirror.jar: Doc.js

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/src/model/Doc.js

**MD5:** 66f02c635454d1ae55f7472709417566

**SHA1:** 8799d7becd0b3ee9bfd397c157c43ca6ebb264d0

**SHA256:** 32bf377fa99365b49732f69c5e565c61995fefdf8d0bc6f3404d4fc00ed8ac7f

**Referenced In Project/Scope:** CoWorkInstaller

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## remotegui.zip: codemirror.jar: StringStream.js

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/src/util/StringStream.js

**MD5:** d187f08909bf9bb188d04c79f089c26a

**SHA1:** f5c4fc956b8b4de762087204024eb625cb00a790

**SHA256:** 9f1ab50bba4ae102fa5c611d4ef5b056d063a63a7f20cfef59eea64e93c3e04e

**Referenced In Project/Scope:** CoWorkInstaller

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## remotegui.zip: codemirror.jar: TextareaInput.js

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars

/codemirror/6.65.7/src/input/TextareaInput.js

**MD5:** 87e959dd1978b0e022083d3e5ad65158

**SHA1:** d08b9e7e675368968faf8e93bb1dbaddf9996410

**SHA256:**48684a26a28a3fd1793a80aa67509c4281b56d6924d25511540a1d19aed72eb9

**Referenced In Project/Scope:** CoWorkInstaller

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: codemirror.jar: active-line.js

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller  
/build/tmp/dependencies/i-net CoWork/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars  
/codemirror/6.65.7/addon/selection/active-line.js

**MD5:** 774e515fe054cbcd6cc869bfd550b17d

**SHA1:** 3d950f5055286088e93e0ee4c8a1d62eaf8aedac

**SHA256:**3afbcbf78835c9bdc342e3992c53d9b74286722613bb1a8adc9d140edc8737ee8

**Referenced In Project/Scope:** CoWorkInstaller

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: codemirror.jar: annotatescrollbar.js

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller  
/build/tmp/dependencies/i-net CoWork/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars  
/codemirror/6.65.7/addon/scroll/annotatescrollbar.js

**MD5:** a9dfd7f9d78bd36c617429ed88cb67e5

**SHA1:** ad1133e5432a7c65881747c87c84529fed297ecb

**SHA256:**9041e8d81e3cebc481cabfae90d3b80596f3194de75d98e5526d3bfa44ae3bbc

**Referenced In Project/Scope:** CoWorkInstaller

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: codemirror.jar: anyword-hint.js

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/addon/hint/anyword-hint.js

**MD5:** ba7fa17b24f0937d9431f93b9de2da37

**SHA1:** a87db7c6de5231a1bfd702e26ecf4aa76d822a0a

**SHA256:** e834ad178bd23449476e29179e8cb9f0c1ebaed35dab9059ed9a46b388271f3e

**Referenced In Project/Scope:** CoWorkInstaller

#### Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: codemirror.jar: apl.js

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/apl/apl.js

**MD5:** c0d55e310ae0a4290d3fcccc84bff448

**SHA1:** 006c98d2b17e85168065eebf44c3fdd91b9ff874

**SHA256:** 47e0fdac0a39e0186019064e13b674dda4223b03b2748d34cccc09489fde2674

**Referenced In Project/Scope:** CoWorkInstaller

#### Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: codemirror.jar: asciiarmor.js

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/asciiarmor/asciiarmor.js

**MD5:** 42e5c7f3f48fa085f63bd7708bb204fd

**SHA1:** b15cdadbf5a869d06a79e6a9e187d0509dca1239

**SHA256:** bdc6b68c4b0c9dc53b2af587673461a495f123a5b9da8f6be79d97fee2790f9ae

**Referenced In Project/Scope:** CoWorkInstaller

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: codemirror.jar: asn.1.js

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/asn.1/asn.1.js

**MD5:** a928fdb102ef88113a9d1c0d9e520114

**SHA1:** f293930644bd6093dbb02475e8b409fe9794f437

**SHA256:** 5b50cca4b34820cb3d57c218945ff2d870d57eba83e13c2c66590063e2a23acc

**Referenced In Project/Scope:** CoWorkInstaller

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

## remotegui.zip: codemirror.jar: asterisk.js

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/asterisk/asterisk.js

**MD5:** 2f4e25e805d878f43b8568609c48dba8

**SHA1:** 109a76d631e43dd32c13cbb0c23ad83e1851ad0a

**SHA256:** 0849e3a141e967559d752de2205956cb690f1d4ba0a5ace5481c6c565db9b674

**Referenced In Project/Scope:** CoWorkInstaller

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## remotegui.zip: codemirror.jar: autorefresh.js

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/addon/display/autorefresh.js

**MD5:** 16b07faa9ef79a1fb79432fb4f4a9e3a

**SHA1:** 091a2b17758e7c3182542314256139a2247b508c

**SHA256:** 2ec9d5585bd24d7611f30ebbb1cd8fedf79747cf89c1f83852dd1dd9981f10bd

**Referenced In Project/Scope:** CoWorkInstaller

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## remotegui.zip: codemirror.jar: bidi.js

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/src/util/bidi.js

**MD5:** 22a12be2f1e24a9bfddc5c3b0d187ede

**SHA1:** ab735d3376e0040172b6dc972f97df663f231dc4  
**SHA256:**0a4646d7a1214acfc71ad351d021f31795b056ce7a08f80d29857aeca1a5163b  
**Referenced In Project/Scope:** CoWorkInstaller

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: brace-fold.js

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/addon/fold/brace-fold.js  
**MD5:** d56849bd7cce8a10ccb842d50f0de179  
**SHA1:** 4103103f28436925442d5397c24425fbaf660fce  
**SHA256:**2907087538a295e5b4f084f8c5ee7eba35cc973db194cbf596ab13a6c97a6834  
**Referenced In Project/Scope:** CoWorkInstaller

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: brainfuck.js

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/brainfuck/brainfuck.js  
**MD5:** f3ff733b3609dfb34a49652f6a4a2d09  
**SHA1:** 41a8164ddba5e25fe2401265eb9fd4222e415549  
**SHA256:**67496a83fe1ea3304a3f65a8f8196f3a4a40060ea4febcb60a82c7657205abd  
**Referenced In Project/Scope:** CoWorkInstaller

Evidence





Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## remotegui.zip: codemirror.jar: browser.js

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/src/util/browser.js  
**MD5:** 564eafde7c1566f1b9b0d976cc3ace2f  
**SHA1:** 2c592606b3242ac9cf080d138aae3516cc2ef05d  
**SHA256:**de647094595511fabe9d548d9e45dacf746d7b83a198cb69b5b8859fa3eccb30  
**Referenced In Project/Scope:** CoWorkInstaller

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## remotegui.zip: codemirror.jar: change\_measurement.js

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/src/model/change\_measurement.js  
**MD5:** 39707c0eb637648efc07d95bb60253d3  
**SHA1:** 025a52f620cc5b6edee8fb9c63a3f6ecf4c2284c  
**SHA256:**1d1648706bf317acc33a64673cb4fbc2d2a7db8205bcc1cd9fe52819c13b87f0  
**Referenced In Project/Scope:** CoWorkInstaller

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

### remotegui.zip: codemirror.jar: changes.js

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/src/model/changes.js

**MD5:** 822465b81d600e9a703579605e2147bc

**SHA1:** 1b77f1034de1cac51a8ff50e48f9604bc62556e5

**SHA256:** 13b0b2c417e0181ec9cb012932c1fa167c50171133391c00582e2939206362a0

**Referenced In Project/Scope:** CoWorkInstaller

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: codemirror.jar: chunk.js

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/src/model/chunk.js

**MD5:** 7dd1b45f75341b5a03a01f6607da69a4

**SHA1:** 89dfb21758e8a384033d09678a8d5b1ce8983e6f

**SHA256:** 18f55da6b39c1b12fb5406c7962a88884e00d2122566622784720cbe612fc676

**Referenced In Project/Scope:** CoWorkInstaller

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: codemirror.jar: clike.js

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/clike/clike.js  
**MD5:** 145b41ea6cde47e8889ef8b2214eecde  
**SHA1:** d0ae7cc4040a57a76b86265f492f87e251d1cc9d  
**SHA256:** a1ff458a030f8b1db2d901811344f3e178eaceb19b598277d054bf83dacfed2  
**Referenced In Project/Scope:** CoWorkInstaller

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: codemirror.jar: clojure.js

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/clojure/clojure.js  
**MD5:** 7f3277e322bd000aefbfb172d3edf7e6  
**SHA1:** e701f8e843e3390a0a411700d3c8989dc147780c  
**SHA256:** 86b7b779ab84fa77bc6e461a05fd0887d85a3c8cd42a96576cad973b355bb1b8  
**Referenced In Project/Scope:** CoWorkInstaller

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: codemirror.jar: closebrackets.js

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/addon/edit/closebrackets.js  
**MD5:** 667059f346609f6ad778936b17c43824

**SHA1:** 248b45be826a8856a0ed0733c8511d9d0c595507  
**SHA256:** 143c3014c29254f3531cc30be6d90205084bcfc36cfa6f9b2a46fd42a40be20  
**Referenced In Project/Scope:** CoWorkInstaller

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: codemirror.jar: closetag.js

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/addon/edit/closetag.js  
**MD5:** 744876ab906996c429eef7654278f514  
**SHA1:** 0e0e10e59f93f87c9bc35247b14831091113adb4  
**SHA256:** 6fbe2b93cc1744d9e14ad1d613449f7e16df4c2aa2842f658efc17abf662f850  
**Referenced In Project/Scope:** CoWorkInstaller

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: codemirror.jar: cmake.js

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/cmake/cmake.js  
**MD5:** fc204bb5f2393f59bcd34a860f1e1a57  
**SHA1:** 73985b80cdb80d12831a7476b740733e3fdd065d  
**SHA256:** 6379ded0f75af38659031d1eaa803d2bd5be0fa7cebc216e55ca65d01a35bf1a  
**Referenced In Project/Scope:** CoWorkInstaller


#### Evidence



Type	Source	Name	Value	Confidence
Identifiers				
• None				

remotegui.zip: codemirror.jar: cobol.js


**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/cobol/cobol.js  
**MD5:** d8a271c0bf27ef5cc2dd8ea19886aa75  
**SHA1:** 93072b3c895318fc58f8ed16d68cc213ac7910de  
**SHA256:** 0cecf82da2915c20187ab4e29cfc4abbb0078536874b27978726d48371487e4c  
**Referenced In Project/Scope:** CoWorkInstaller

Evidence 				
Type	Source	Name	Value	Confidence

Identifiers				
• None				

remotegui.zip: codemirror.jar: codemirror-standalone.js

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/src/addon/runmode/codemirror-standalone.js  
**MD5:** f1f47322e6af5937de4a14fb10863e3e  
**SHA1:** 843d01e1379550e5fed3e64aba1af1a359441e7a  
**SHA256:** a18754c4ae17e27b7bba46b338c404d28804e237f41425aed96904c0aa1f49f2  
**Referenced In Project/Scope:** CoWorkInstaller

Evidence 				
Type	Source	Name	Value	Confidence

Identifiers				
-------------	--	--	--	--

- None

#### remotegui.zip: codemirror.jar: codemirror.js

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/lib/codemirror.js

**MD5:** 15fc3cdfe569fa38b1f91d86ebbea13d

**SHA1:** c5f9252d9467c2af70c5e6fc579e696648ee242b

**SHA256:** a4f1c30365d5f85951a22160b07a7ce34048cb640c283545c8192132b46efba8

**Referenced In Project/Scope:** CoWorkInstaller

##### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

##### Identifiers

- None

#### remotegui.zip: codemirror.jar: codemirror.js

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/src/codemirror.js

**MD5:** 0d4d22de0bcd7f7afd8131d4e59f130

**SHA1:** 819f8c37a4df0c61ef735d5b884c6c598bc0983e

**SHA256:** b2a1b676605c6428b6dd7ce21a8a0d2509d4652ceb2297be93078ca6d66926dd

**Referenced In Project/Scope:** CoWorkInstaller

##### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

##### Identifiers

- None

#### remotegui.zip: codemirror.jar: codemirror.node.js

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/src/addon/runmode/codemirror.node.js  
**MD5:** a524724c274d1c038c7984e164428b3d  
**SHA1:** 18fd7183236cbf1437175c8d31509ffa6cd4ba64  
**SHA256:** fdc02024dc3845f85b38046ae842b0f572f91adc5f34a6979cd92ead0fe4a0a1  
**Referenced In Project/Scope:** CoWorkInstaller

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: coffeescript-lint.js

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/addon/lint/coffeescript-lint.js  
**MD5:** e852ea5b9ebb97947ffd169523eca098  
**SHA1:** 58ec1f05cb6893a519fe2d7ad1b9716f15219b89  
**SHA256:** 824caa68710a7f931ebd30491fec19dcd2c6fa166c21158f5ccd61321069da2d  
**Referenced In Project/Scope:** CoWorkInstaller

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: coffeescript.js

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/coffeescript/coffeescript.js  
**MD5:** 438a52e20ca46a26383d4eb6d33a5c6f

**SHA1:** 8dd398cbd2955bcffcd70180f9fb560f56acf567  
**SHA256:**67792b36933d29b482307761ee03da520a19b3b30ca60f54df9cdef4051db628  
**Referenced In Project/Scope:** CoWorkInstaller

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: codemirror.jar: colorize.js

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/addon/runmode/colorize.js  
**MD5:** 626a64f8687ca9576bb017843ab2c30b  
**SHA1:** 4899e8d499849fb02f134afb39711d3ab2c28903  
**SHA256:**9d39f5267c05d930f079fc4f223b453e8f9fd54cae6cf52db9b5dc3a0b9dd694  
**Referenced In Project/Scope:** CoWorkInstaller

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: codemirror.jar: commands.js

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/src/edit/commands.js  
**MD5:** 9f984e904c9556f8e270502eaf1d5a5b  
**SHA1:** d16928b2cc389c46f7b77121beb7376a50f11c35  
**SHA256:**5f23178d2f8f62f97af955560fb192e5aa898f81153b9c24cee8ed6ac567f658  
**Referenced In Project/Scope:** CoWorkInstaller

#### Evidence





Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## remotegui.zip: codemirror.jar: comment-fold.js

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/addon/fold/comment-fold.js  
**MD5:** 3bf750756a24d5a0ba9cf16819bf5cfe  
**SHA1:** ad4d1534287f90692567139c0b007be29aac4a9d  
**SHA256:**a79d02eb1b425d8a4823f2d962b7b9f49af578fc9042b928b892417c00e7d13a  
**Referenced In Project/Scope:** CoWorkInstaller

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## remotegui.zip: codemirror.jar: comment.js

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/addon/comment/comment.js  
**MD5:** 18fc449bec0798e43182173ba47455b9  
**SHA1:** 29442cfbafce86a08679824a999b87ec1acdf567  
**SHA256:**a65c038258c6541658a0e9f24c56c78255e0e20d4cf06aa9ad83342069a589be  
**Referenced In Project/Scope:** CoWorkInstaller

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

### remotegui.zip: codemirror.jar: commonlisp.js

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/commonlisp/commonlisp.js

**MD5:** 9449ffe942392a1ad14eaa723578b606

**SHA1:** c734ecc91ff4949d4cac179a55bec5cee55da153

**SHA256:** 0efe46913f843f5c335c79e05ae758e60212dde9cd3c45d99fae8066bd13c128

**Referenced In Project/Scope:** CoWorkInstaller

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: codemirror.jar: continuecomment.js

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/addon/comment/continuecomment.js

**MD5:** 174c186ec1902fdb1aa708a9dea1aa4

**SHA1:** 7c3bb959b0c3befa4395c61ee8fbba3f7f6c6033

**SHA256:** eb64c50f80cb3080052971bc075bbbf421ab50287804af8ce47b0536da5365e9

**Referenced In Project/Scope:** CoWorkInstaller

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: codemirror.jar: continuelist.js

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/addon/edit/continuelist.js  
**MD5:** 630509c4379923d8c811b3f1acc931fc  
**SHA1:** 09118fd53589fe18289006df5cc57b4818321197  
**SHA256:** 6ba9cd9528b74e7f76f4b9ce9ed0677bfed7057d1aade0050185368cfd0ea2e3  
**Referenced In Project/Scope:** CoWorkInstaller

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: codemirror.jar: crystal.js

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/crystal/crystal.js  
**MD5:** ae980ca83523592958a2c7f8144bd365  
**SHA1:** b52f1f9ec7c854891491f792ae93aae419efd2ac  
**SHA256:** 5e6e8458e3fa4079ff438060ac7f93b8b7a160212b1cce92516f1ea9680b57da  
**Referenced In Project/Scope:** CoWorkInstaller

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: codemirror.jar: css-hint.js

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/addon/hint/css-hint.js  
**MD5:** 55823389add79e8c52ffa7df6ba94515

**SHA1:** 59e0f4c17ecd9595fe88a84bc47fbb994803fab6  
**SHA256:** 0e22d6efa1ea084e8316ec6d5e4c809534f0e36f363bbc4156609201d95c6601  
**Referenced In Project/Scope:** CoWorkInstaller

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: codemirror.jar: css-lint.js

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/addon/lint/css-lint.js  
**MD5:** e392cd5f86989535e38b3cbfb5134985  
**SHA1:** 0986b3dc26b02d98a91b91bb38d46065b5c0214d  
**SHA256:** f3fc7474cbefded7f1b06d63efe980d58970785831cb35f29874ec371cb4ece8  
**Referenced In Project/Scope:** CoWorkInstaller

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: codemirror.jar: css.js

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/css/css.js  
**MD5:** 3675078ada8a185a353a6560bda2d5ac  
**SHA1:** 1045cdc88a58fb002511eb21db184ed242730f05  
**SHA256:** 60f0689e5c6af7f36c341e8e1341a4f10b4f0a04cebf7341bcbdba9b572b32  
**Referenced In Project/Scope:** CoWorkInstaller

#### Evidence



Type	Source	Name	Value	Confidence
Identifiers				
• None				

remotegui.zip: codemirror.jar: cypher.js

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/cypher/cypher.js  
**MD5:** 0439f14eea37e69f9bd0af1b9c57e014  
**SHA1:** c65b82f89865edb564d52f00afddafc3d18a8d6b  
**SHA256:**6d8c9c8993fdeb724f1f68e9574fdab0001da1d31196e33ac6112303005d3f63  
**Referenced In Project/Scope:** CoWorkInstaller

Evidence				
Type	Source	Name	Value	Confidence

Identifiers				
• None				

remotegui.zip: codemirror.jar: d.js

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/d/d.js  
**MD5:** 0632861907c7e77ea48e0952d2081136  
**SHA1:** f000ac2fe16c377837034c69cdace651a45f4e7a  
**SHA256:**8e3994ce4f507e692b65aa73ffbfd58112c4a22771b84b8ad86152578d4e8130  
**Referenced In Project/Scope:** CoWorkInstaller

Evidence				
Type	Source	Name	Value	Confidence

Identifiers				
-------------	--	--	--	--

- None

#### remotegui.zip: codemirror.jar: dart.js

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/dart/dart.js

**MD5:** 0bfa12b4210e1faba31c98d2fcbd226f

**SHA1:** 4caa7d422c3c931f7df5b46e09c9596a9ca19ed0

**SHA256:** b09be809dc1f9e3ad59374b198b0e5c4992788b9ff524765fccd0b84fde52212

**Referenced In Project/Scope:** CoWorkInstaller

##### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

##### Identifiers

- None

#### remotegui.zip: codemirror.jar: deleteNearSelection.js

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/src/edit/deleteNearSelection.js

**MD5:** 813d638d2d4693bd14f7b6490445a417

**SHA1:** eec62305710c8c0a032933bbee41c3fd45142669

**SHA256:** dac971ad5b761896b830e95f5e2240e2748fb83c909ef4c5ea4fd1f60ae031fd

**Referenced In Project/Scope:** CoWorkInstaller

##### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

##### Identifiers

- None

#### remotegui.zip: codemirror.jar: dialog.js

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/addon/dialog/dialog.js  
**MD5:** 1b33c63e7d89d740d4738ce9766b19b0  
**SHA1:** 14cccbefbcb2f33d928c4a41d854237cda5dd97  
**SHA256:** fd8c925fcc25357617faff21220c026bb91a617b995268d96c5d39232fd42833  
**Referenced In Project/Scope:** CoWorkInstaller

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: codemirror.jar: diff.js

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/diff/diff.js  
**MD5:** f80746d74770ee6dcf444e99f75d5537  
**SHA1:** 45f65817bf0cfe00f52a620c44e48031e926e5bc  
**SHA256:** 3fd0e844e22f475503415744b7e7af24df4cd0670709c77e5e43e92185ba32fd  
**Referenced In Project/Scope:** CoWorkInstaller

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: codemirror.jar: django.js

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/django/django.js  
**MD5:** 3c02fcac64b6100a0f369edc8d145f97

**SHA1:** 9ab00e90ea9a3788178187e9451bdaf61bd311fe  
**SHA256:** 71a3fa0ac63fe080a12097209e509c36abe0fde9c9709610be1656163d25a8bc  
**Referenced In Project/Scope:** CoWorkInstaller

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: codemirror.jar: dockerfile.js

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/dockerfile/dockerfile.js  
**MD5:** 35fd7d7d73ad6c400c0afed686a383da  
**SHA1:** b6574f6951c483c563456c9094178769ea733631  
**SHA256:** fca390cea85e1b711389d1a91b99faecf7b4df0f48e3ceaecf2e517982cb2b7  
**Referenced In Project/Scope:** CoWorkInstaller

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: codemirror.jar: document\_data.js

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/src/model/document\_data.js  
**MD5:** 86420f7d4afaa1aa00313618bff8292f  
**SHA1:** c26428a7245c7ccbc2da6e15ea8071a308efe21e  
**SHA256:** bdcd28025266e28229d4328e2a4ff6c829e26757b12861ec0c561c495d4b87e5  
**Referenced In Project/Scope:** CoWorkInstaller

#### Evidence





Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: dom.js

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/src/util/dom.js  
**MD5:** b56830faf8f75c5daea99bdc94508b38  
**SHA1:** 6425ef8de5f6d50a057a5cdaced4da9ed166ddfe  
**SHA256:**20275e6018fa90811c51e20246d4803c01d7e744f64434bb9194c7b1df41d1b1  
**Referenced In Project/Scope:** CoWorkInstaller

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: drop\_events.js

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/src/edit/drop\_events.js  
**MD5:** 940690e5c792ff535ef797090cb7ed5d  
**SHA1:** 05108fb9bb15e761e86ef290e006cb7c620de955  
**SHA256:**60fa1577514a516587de192c7c779b4447aff1b6d26de0498030340e12945390  
**Referenced In Project/Scope:** CoWorkInstaller

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

### remotegui.zip: codemirror.jar: dtd.js

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/dtd/dtd.js

**MD5:** eb3e9b71c4e33120225df386c29a0b30

**SHA1:** c91a19fca8b5bb610ff35e8ea7c9190c9ef996f0

**SHA256:** 3f04995b147addeee1637bbfd0054676e78d13f7accaf2f589c55837d70148c1

**Referenced In Project/Scope:** CoWorkInstaller

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: codemirror.jar: dylan.js

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/dylan/dylan.js

**MD5:** 99e3fa83adb7b3af2e363942a5b720ac

**SHA1:** 795b6199d3643d0a9eb0b018a02357da66be8f3d

**SHA256:** 999b862ebc559366e71a731e2a28b2762ae4fe7c7882ba5f6bf20c33a2d737b7

**Referenced In Project/Scope:** CoWorkInstaller

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: codemirror.jar: ebnf.js

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/ebnf/ebnf.js  
**MD5:** 8d8a62f6874e4e8378d16d02b09ada60  
**SHA1:** 84295b3d4f48cd3080508f3c5c12ecca2842dca4  
**SHA256:**1175e07f831fd02ccf09d4582351c5932a48fa03be5c0eb1028c8f96c051935f  
**Referenced In Project/Scope:** CoWorkInstaller

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: codemirror.jar: ecl.js

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/ecl/ecl.js  
**MD5:** 04722d23df4c17765bb397d871875452  
**SHA1:** 63a19016bf2e53ba5c73fde154b9bbc19d96130d  
**SHA256:**c78998872dd14cdb356d5a9bd196f7d3525e3cb03a591133e0e904afaaec11b7  
**Referenced In Project/Scope:** CoWorkInstaller

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: codemirror.jar: eiffel.js

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/eiffel/eiffel.js  
**MD5:** d202831cfe3aa85bdedffd44534dc98e

**SHA1:** e5767dbfb329d8e3786acf893d038e1e4dd35c39  
**SHA256:** 183e855f6474cc2c4cf0b6c5e5c40ea7821707d37ac414277dcda294ffae1721  
**Referenced In Project/Scope:** CoWorkInstaller

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: codemirror.jar: elm.js

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/elm/elm.js  
**MD5:** c37089c171d4384ec97f9af66d5ac972  
**SHA1:** e28a667656ac12ff06766d2ee857962dcd9146e2  
**SHA256:** e343ffaaff2dc6fd9c5923228b46c23723c396993459eca6217871f1c087ebc  
**Referenced In Project/Scope:** CoWorkInstaller

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: codemirror.jar: emacs.js

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/keymap/emacs.js  
**MD5:** 258e09f1d4cdb812940d869afce12a11  
**SHA1:** fa3b963c38f809ab13c37fd7aa654ac46a39e740  
**SHA256:** af2f42c9f461951f13e9785f634cc9f8e5d63b0c5c2375b331105dea19a71fef  
**Referenced In Project/Scope:** CoWorkInstaller

#### Evidence



Type	Source	Name	Value	Confidence
Identifiers				
• None				

remotegui.zip: codemirror.jar: erlang.js

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/erlang/erlang.js  
**MD5:** 29f92a4be923242d30cf1f4288c89adc  
**SHA1:** 45f94b33af2bc74d8c5eed73de27eb8a4047c20  
**SHA256:** 2ae29808247e9d6a58a83893b0e8b627c0ca337cfa541ef16fb506edfdb77e  
**Referenced In Project/Scope:** CoWorkInstaller

Evidence				
Type	Source	Name	Value	Confidence
Identifiers				
• None				

remotegui.zip: codemirror.jar: event.js

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/src/util/event.js  
**MD5:** b700f1676589e7f88e59c943cc209156  
**SHA1:** 516c718a9b2f86f68127680267b92d10fbf5a579  
**SHA256:** 1b13113fab8763c3c9e2284d1b6bdf1f84ab3424999a2eacffb771ea8b75513  
**Referenced In Project/Scope:** CoWorkInstaller

Evidence				
Type	Source	Name	Value	Confidence
Identifiers				

- None

### remotegui.zip: codemirror.jar: factor.js

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/factor/factor.js

**MD5:** d497dd1c4f0f85b83245bfb80943e5cc

**SHA1:** ec2430a02377f3b14692370e329b8f83b017d1b9

**SHA256:** baf7c16c387e7abfc308dfcb7fcc1ea9ae0a898d13455349083ea72c7bfa4c4a

**Referenced In Project/Scope:** CoWorkInstaller

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: codemirror.jar: fcl.js

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/fcl/fcl.js

**MD5:** bfa4a30d52fa501346b203c8ab6aa0cc

**SHA1:** 9befb1efc7f051c189e1c2c7cccd976576bcefca

**SHA256:** 7c9d372be44c1c418a101885662d80d4bf6104e1b717d36cbdbd05a5956abc70

**Referenced In Project/Scope:** CoWorkInstaller

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: codemirror.jar: feature\_detection.js

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/src/util/feature\_detection.js  
**MD5:** 3b63813f217d9351f7a1d90edf345310  
**SHA1:** f236ad77f54768dfaf4b78905be71b6873691698  
**SHA256:** 4aeaf197f379b3450c8c297f23e449df3795a9954bec48cfcddf4b3615d5f371  
**Referenced In Project/Scope:** CoWorkInstaller

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: codemirror.jar: focus.js

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/src/display/focus.js  
**MD5:** 307daeb9d6322c3905fc5b2ba846fa16  
**SHA1:** d1e1cceb41ec90a9b18fd25ae6cad9805e86811d  
**SHA256:** 2f6ad1d093d5d933ad58ded481d34002320d2887b5d06badb35918289338757e  
**Referenced In Project/Scope:** CoWorkInstaller

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: codemirror.jar: foldcode.js

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/addon/fold/foldcode.js  
**MD5:** f520bc635201c451609403065b8bacfa

**SHA1:** 78958ff57ef86b84ac8a8085a4f0923433eea9d3  
**SHA256:**07f353e02abcc300739b09f31a9d32a958ebe5d2f76959291e5643c6e40a26a5  
**Referenced In Project/Scope:** CoWorkInstaller

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: foldgutter.js

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/addon/fold/foldgutter.js  
**MD5:** 9606e4f3ca8c5ac259c2cf703753017b  
**SHA1:** 2f4f7e099042dcbde74bfd3a8f5856f595326ecd  
**SHA256:**fc85fcd61894dc551a4c7c221ec41b7fa4007d1e33239b1cf8faf56ef1811727  
**Referenced In Project/Scope:** CoWorkInstaller

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: forth.js

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/forth/forth.js  
**MD5:** 3e09048506ea36823a8a5e6ad244c7d5  
**SHA1:** ef3e2632de5a4c57f8b14225026940309167d270  
**SHA256:**1c6c0a8fb3572fba544083795b3259f8a35cae81ec2ddb19b4fd7af2a91ab34a  
**Referenced In Project/Scope:** CoWorkInstaller

Evidence





Type	Source	Name	Value	Confidence
Identifiers				
• None				

remotegui.zip: codemirror.jar: fortran.js

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/fortran/fortran.js  
**MD5:** acf9c5ff78882f6ee77416eb957e881e  
**SHA1:** 30130e625c08eedd8d62021c0dc77a71d066fd1d  
**SHA256:**b3351c6cd6e696c2ebf0e6ae1ff7925ed65add92947007402e0b3112634f6392  
**Referenced In Project/Scope:** CoWorkInstaller

Evidence				
Type	Source	Name	Value	Confidence

Identifiers				
• None				

remotegui.zip: codemirror.jar: fromTextArea.js

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/src/edit/fromTextArea.js  
**MD5:** a910ea4413c5f8fabb9be57bc80a7cc7  
**SHA1:** c2bb053e04c5cc11df632ae7332863f5f0d30c70  
**SHA256:**796a25d1e7f2a7c35ac9289bdb21e9c56c1253779a71c1b9e8a8c04160829e2d  
**Referenced In Project/Scope:** CoWorkInstaller

Evidence				
Type	Source	Name	Value	Confidence

Identifiers				
-------------	--	--	--	--

- None

### remotegui.zip: codemirror.jar: fullscreen.js

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/addon/display/fullscreen.js

**MD5:** dffe3df188ef201ff7f04977d0ead894

**SHA1:** 29d2bbd2368fb2dfc02a06aac6db6aa9691ab330

**SHA256:** 8e4a21aa77765df8893fc854c4b6be56279e12d9a70cbde913083c307ac769e

**Referenced In Project/Scope:** CoWorkInstaller

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: codemirror.jar: gas.js

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/gas/gas.js

**MD5:** 9403b8d57b58f52a0d02efd3d6d99571

**SHA1:** afdd8ef0502d68ba8020134c780ebce498f65ac9

**SHA256:** 414899aed81f9bdb726a6729047f1afb538679ee58623beb8fa51dc7412db6e9

**Referenced In Project/Scope:** CoWorkInstaller

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: codemirror.jar: gfm.js

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/gfm/gfm.js  
**MD5:** da48b005ec4e651d019aa09b3d6d4aac  
**SHA1:** ea5f855ce519bf55f09cb2c968dce9660615c698  
**SHA256:** 1fcd9a611c238acf53f906126fba93ae0550d74858efad61d72b8b3ed6e0bc  
**Referenced In Project/Scope:** CoWorkInstaller

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: codemirror.jar: gherkin.js

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/gherkin/gherkin.js  
**MD5:** 3d87a67e559ce2d1851c4f1fcca83fe2  
**SHA1:** 289ab840bb7ad7d5cf292406eff4fb8e55ece301  
**SHA256:** 732eb81eccbef7db49729af3f23d477dc8f27a4d9bf2fb2c6bb520d8ec19bddb  
**Referenced In Project/Scope:** CoWorkInstaller

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: codemirror.jar: global\_events.js

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/src/edit/global\_events.js  
**MD5:** 288615615004321c6abe2bf66842b8bc

**SHA1:** 858b4b90c061cf34960b0bd4231a2b7dd7ec5f3b  
**SHA256:**fa803fc7e109d232afd12dfdf4d99adea71081cc4b71e547d4b1c2bf46cc9ca2  
**Referenced In Project/Scope:** CoWorkInstaller

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: codemirror.jar: go.js

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/go/go.js  
**MD5:** 51890857b15156f02106103dd73d2b0e  
**SHA1:** ef0de14a73f6656facd0d7355a11b1d17df86b16  
**SHA256:**4e3b08bda2f85c9ef68c03f24c0c5ca3b8ba479127b6cbc50f33cb9593dbaf00  
**Referenced In Project/Scope:** CoWorkInstaller

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: codemirror.jar: groovy.js

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/groovy/groovy.js  
**MD5:** d6ca518a6aa5ab5b420bbf21d65b2d05  
**SHA1:** 48fb64db46a7408334eeda329d755dd09aec41ec  
**SHA256:**6641a0b1555ee0f1bca36975a4fcadd43d512de7ca814328cc6402e1ce836b4c  
**Referenced In Project/Scope:** CoWorkInstaller


#### Evidence



Type	Source	Name	Value	Confidence
Identifiers				
• None				

remotegui.zip: codemirror.jar: gutters.js


**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/src/display/gutters.js  
**MD5:** af3de2621d2ef402646889be16bcde7b  
**SHA1:** 130d94f44dea7f614a15009677e496ad2b853025  
**SHA256:** 2143db3d42d9a3408b556eb50068870d138041a9b98ab256d070d982e09346df  
**Referenced In Project/Scope:** CoWorkInstaller

Evidence 				
Type	Source	Name	Value	Confidence

Identifiers				
• None				

remotegui.zip: codemirror.jar: haml.js

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/haml/haml.js  
**MD5:** 7d65bfd39de90f56597eb8e278a39af7  
**SHA1:** 7bafda0fd81e500fb2f364d2e657fd9dec939505  
**SHA256:** 9e9606fecf19869e51c32a84e18c4447c0d4ad2031730e5690b571f318409022  
**Referenced In Project/Scope:** CoWorkInstaller

Evidence 				
Type	Source	Name	Value	Confidence

Identifiers				
-------------	--	--	--	--

- None

#### remotegui.zip: codemirror.jar: handlebars.js

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/handlebars/handlebars.js

**MD5:** efacd8d006bf9f83baec2fc5a8c71feb

**SHA1:** 7fefb944ec70e00d262252956fdc71f04c1046b2

**SHA256:** 60bac3d6993264e155b5a06f52cda56b7bab2fb5923f3d1cc7e8caf704fca724

**Referenced In Project/Scope:** CoWorkInstaller

##### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

##### Identifiers

- None

#### remotegui.zip: codemirror.jar: hardwrap.js

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/addon/wrap/hardwrap.js

**MD5:** 049ed63630662fcb8a977fa43f86e058

**SHA1:** 535a020f7839e52da6fc7b8af3d249f641c5e055

**SHA256:** bee81aee6222a46b1aeb14d6fc738d3cc09a4e421f808e29b3c6989710ccbfc8

**Referenced In Project/Scope:** CoWorkInstaller

##### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

##### Identifiers

- None

#### remotegui.zip: codemirror.jar: haskell-literate.js

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/haskell-literate/haskell-literate.js  
**MD5:** f0bd7313413cdc35018db90a6522d1ef  
**SHA1:** 670b7735a8c85e5251aeadf51f5005d5cf45df44  
**SHA256:** 7519d0b515603244f029c3031a4625fdccac88cb640fcb6e117718ec2c0b3c50  
**Referenced In Project/Scope:** CoWorkInstaller

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: codemirror.jar: haskell.js

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/haskell/haskell.js  
**MD5:** e4f82d95d10c028eebae3338e678be22  
**SHA1:** 30c46651b2b0b5a7fc70910b22e52e2d1d8687ff  
**SHA256:** 4745a90832e950c9536f0bf498e5bf6fb3753a4a98bea09ec152b92354c0fdaa  
**Referenced In Project/Scope:** CoWorkInstaller

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: codemirror.jar: haxe.js

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/haxe/haxe.js  
**MD5:** 13c21da31a992b536d4f37ee53e09605

**SHA1:** 6a694b4a0a68b148e0b2e0b761a521a5fa4a0296  
**SHA256:**f3596c7efe948a3331bb1bea299f6fcb8e7733777dc2114a9f2147dfc1c69257  
**Referenced In Project/Scope:** CoWorkInstaller

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: codemirror.jar: highlight.js

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/src/line/highlight.js  
**MD5:** d7710bcd63c26c5fdc37c19b15e02d4e  
**SHA1:** cc5bac275e64696339642c6f5a52c254f139fbfd  
**SHA256:**ccf8b3a879acfa0013ee5b11e036b822b68ec5a136c218400775fe2e35a3fd9b  
**Referenced In Project/Scope:** CoWorkInstaller

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: codemirror.jar: highlight\_worker.js

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/src/display/highlight\_worker.js  
**MD5:** fc6f314859dad397c1f867ed5d73205f  
**SHA1:** 80e56feeeffb3ad7b76e40dc4577962a60becc11  
**SHA256:**fc9d8bf90534b9a6c7d5a45e8f8f79a4f8827a661c4271f812776e7c3d2bdc09  
**Referenced In Project/Scope:** CoWorkInstaller

#### Evidence





Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## remotegui.zip: codemirror.jar: history.js

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/src/model/history.js  
**MD5:** 34cb233d1bf8cc676a0c5fc9e9c24b04  
**SHA1:** 4c42d70f020d1fd9397fa16ea34f5cf54487e93d  
**SHA256:**961d52432f8f463614f83e660c2945f9bfbbc9c8fb7767575b9221c3e88821a2  
**Referenced In Project/Scope:** CoWorkInstaller

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## remotegui.zip: codemirror.jar: html-hint.js

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/addon/hint/html-hint.js  
**MD5:** 609fea85a7894f8098719813c58219c5  
**SHA1:** f593de64cb802e0e456482b88959a68260e06bff  
**SHA256:**64d3ef9293ed8917e40ed4e8196da6919379a3b4970c007785c7ed27ab9a0478  
**Referenced In Project/Scope:** CoWorkInstaller

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

#### remotegui.zip: codemirror.jar: html-lint.js

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/addon/lint/html-lint.js

**MD5:** 0844a30ecec022fb60101fc0cc6a5cfe

**SHA1:** 3ed8b2f11d4c7462cf29fc93b58e579680bcc32f

**SHA256:** ab7827913934f06a8b4d00e41d5954974c90d5085d1295fe02c484c782c75843

**Referenced In Project/Scope:** CoWorkInstaller

##### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

##### Identifiers

- None

#### remotegui.zip: codemirror.jar: htmlembedded.js

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/htmlembedded/htmlembedded.js

**MD5:** e7a464409318dee8c3c6e0b68225d461

**SHA1:** 548ebed43650c26970abca5933aa237b4a1950c5

**SHA256:** 8afc8da4e446322cf92d78bef9940f9444aee339f56c8b9af5452fadfb867601

**Referenced In Project/Scope:** CoWorkInstaller

##### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

##### Identifiers

- None

#### remotegui.zip: codemirror.jar: htmlmixed.js

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/htmlmixed/htmlmixed.js  
**MD5:** 4c5a6f44d738b718d1f6164c1c8d6904  
**SHA1:** a4f9c3552740fb908e14fb0f47832d10a3f535d6  
**SHA256:** fe5912e1d10f8fecb98bd31e2f957c0bbc9abf6b505d11b6dbcd27542d0fdcad  
**Referenced In Project/Scope:** CoWorkInstaller

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: codemirror.jar: http.js

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/http/http.js  
**MD5:** 42dcfb1c4b83e85eea0303f75a3f08e1  
**SHA1:** 7fa224e2e3ab674ca61cedd48fd430c5e62e1218  
**SHA256:** 89842864a707564a989a841ce934b61659f34b012f2349e5c4fd9a09c5982f6c  
**Referenced In Project/Scope:** CoWorkInstaller

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: codemirror.jar: idl.js

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/idl/idl.js  
**MD5:** 1ae58242a3b61aae5bdc5665bd5fc2ed

**SHA1:** c25b0c5644c33ee3993ee3152df8f4c27235e172  
**SHA256:** 7d45bc0899e019f558e68eca684ed84660bf4687cd64fb4ed2c959ad249b763d  
**Referenced In Project/Scope:** CoWorkInstaller

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: codemirror.jar: indent-fold.js

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/addon/fold/indent-fold.js  
**MD5:** 623d14360009d84560611f43b83e6759  
**SHA1:** 731e1d84971dcafb20d1417761c18c55883c3d98  
**SHA256:** a835ed1af176b96a1bf00379622e76573a1f6327bd76b583d9c4757a2c4a4194  
**Referenced In Project/Scope:** CoWorkInstaller

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: codemirror.jar: indent.js

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/src/input/indent.js  
**MD5:** 835649b199c40a992e89a61de3514147  
**SHA1:** e3d98527805fcef17ac4f710d7600fe0da52db33  
**SHA256:** f28260cac8eba83de19891709eb8545ecaa6cfa3ec716e617992e14cd0112404  
**Referenced In Project/Scope:** CoWorkInstaller

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## remotegui.zip: codemirror.jar: input.js

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/src/input/input.js  
**MD5:** 8347e0beb43b7f458587e94f323c58bd  
**SHA1:** 62cfb278476d7f293b853e92e35bd9221c6d1a1c  
**SHA256:**bbfc32c56077171637375314abe257f54f925e8142b3f3a9eb669296ec3f12ff  
**Referenced In Project/Scope:** CoWorkInstaller

### Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## remotegui.zip: codemirror.jar: javascript-hint.js

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/addon/hint/javascript-hint.js  
**MD5:** de72c8e29800ee9ae93e5c8a43c6c6a4  
**SHA1:** e348c54c78f75047c06629a13422c0aee0ee3253  
**SHA256:**e4dfa3414b3b9535514737074cec2fb0cbf0bfea7e765307122295c98c5137fb  
**Referenced In Project/Scope:** CoWorkInstaller

### Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

#### remotegui.zip: codemirror.jar: javascript-lint.js

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/addon/lint/javascript-lint.js  
**MD5:** 55eb8a1558ef8c9da7d355a32334d62e  
**SHA1:** d452acc1222c992a222c6c4bc55c0546eb2a465f  
**SHA256:** 69906dbb83d60e0d104ddf395e29dcaf4a05063f24c085975b9c09693dc860c1  
**Referenced In Project/Scope:** CoWorkInstaller

##### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

##### Identifiers

- None

#### remotegui.zip: codemirror.jar: javascript.js

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/javascript/javascript.js  
**MD5:** 178dfcd5f64c97da22a3d3a62713b7a9  
**SHA1:** 969b4a80be53b334612b44a0cc6ef57cfe171a26  
**SHA256:** 21fa74c1638c7a4eb3e8cd04b5c8c997181394568330b341c83716da18ffad8e  
**Referenced In Project/Scope:** CoWorkInstaller

##### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

##### Identifiers

- None

#### remotegui.zip: codemirror.jar: jinja2.js

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/jinja2/jinja2.js  
**MD5:** 82ad8f3f5eac62b4012d21c9deabfc69  
**SHA1:** f1b92b1cce15292571979194dc1331accc5fb2d9  
**SHA256:** b408eeadec21747f7c4ed41dcb9ec4e540aa1493d0a7971e74aa1eed05049b93  
**Referenced In Project/Scope:** CoWorkInstaller

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: codemirror.jar: json-lint.js

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/addon/lint/json-lint.js  
**MD5:** b01056a065c6df2ed0f61038c88e5ecc  
**SHA1:** 8fcdcb87fd1c9f8fc04f3fc325fa590b27441183  
**SHA256:** cb3522e1bdffb075461c848ba2091cc781b52ef0e69cb39d9a33e1b74dc35ae2  
**Referenced In Project/Scope:** CoWorkInstaller

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: codemirror.jar: jsx.js

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/jsx/jsx.js  
**MD5:** 5dcc6cfebb32872e929bee63d517295e

**SHA1:** f22b5965deb7b3f6e434d6012b22af7a7ba4c9c6  
**SHA256:** c6babd67df23bb0278d432fba3d2dbd03bb1fb3862d4d70549cda1b0d9953abf  
**Referenced In Project/Scope:** CoWorkInstaller

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: codemirror.jar: julia.js

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/julia/julia.js  
**MD5:** 544d9103cd9877e0a7dbb26dd5a34eea  
**SHA1:** 4d6fef3f38c3c9717b6ac72fa4fa3c6d48ca189f  
**SHA256:** 54d93c9a83269af3bd8bc6593be2368f07b4efa4223074b54f3aad44097a4d32  
**Referenced In Project/Scope:** CoWorkInstaller

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: codemirror.jar: jump-to-line.js

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/addon/search/jump-to-line.js  
**MD5:** ae33156dd047f75a6d2539b21ac92df9  
**SHA1:** 4b8098d4df0e0bdbda6b27961ffc7bdaac14e85a  
**SHA256:** 39b7d80ee80cabe2f5936673b3cadbfd4d260dfe6dc6f936523a334044962ffa  
**Referenced In Project/Scope:** CoWorkInstaller

#### Evidence





Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## remotegui.zip: codemirror.jar: key\_events.js

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/src/edit/key\_events.js  
**MD5:** c299e1b06d3f6ec725718c1dc60141c7  
**SHA1:** 09df110e22b2eccc9f3deb5a2dbe0a6fa884d23  
**SHA256:**f24d2b392714dc1fe63b23f79d45d01503a1a8860cb7b92dff6e5eb05e35cc69  
**Referenced In Project/Scope:** CoWorkInstaller

### Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## remotegui.zip: codemirror.jar: keymap.js

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/src/input/keymap.js  
**MD5:** 1c8d554d0dfbb08ac3b4ff11303f313a  
**SHA1:** bcbddfc0d1411afa8455d75564758dacde1e15d5  
**SHA256:**9be4f88cba00a971a1a007ca4fcc56f244ac84fb8b24f165f6ce2793c2f83a95  
**Referenced In Project/Scope:** CoWorkInstaller

### Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

### remotegui.zip: codemirror.jar: keynames.js

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/src/input/keynames.js

**MD5:** e4ae7351260c5e7b9f2253e21b5ca9dd

**SHA1:** 9b6381177e6d4afdd03388c548a00bef7e101b0b

**SHA256:** 7054358c3e0ad3945e0c3c31fde7b77d1af78874a5fd436a908aa0e8eeab7b03

**Referenced In Project/Scope:** CoWorkInstaller

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: codemirror.jar: legacy.js

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/src/edit/legacy.js

**MD5:** dfa5acb74b48161d442a6d83e1abbc03

**SHA1:** 70f5248919c6a806ec8da7a53b9167ea0d28f28e

**SHA256:** 663e30df9b1f4994092c95d5a4a2a127d67d59896b4795807ac912773a759a4

**Referenced In Project/Scope:** CoWorkInstaller

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: codemirror.jar: line\_data.js

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/src/line/line\_data.js  
**MD5:** 0239405c8ea2b45a5a3a2de75bc481b7  
**SHA1:** 936ff2393f4614f8fb907274c896d2435d34250d  
**SHA256:** 11203cf446205f30a8eb2f5633369c7a6c00cc778b3cdbf1da16570571937d92  
**Referenced In Project/Scope:** CoWorkInstaller

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: codemirror.jar: line\_numbers.js

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/src/display/line\_numbers.js  
**MD5:** 22976744e5315917483bef53cab4d368  
**SHA1:** 32c75bf2e39c2315fd1a1d04cbcbddb666c998e0  
**SHA256:** 2474c6d14659ccbd6664aa88eaac7f1bb5589cc44f5acff4c5d8a22ed5da5d4c  
**Referenced In Project/Scope:** CoWorkInstaller

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: codemirror.jar: line\_widget.js

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/src/model/line\_widget.js  
**MD5:** 2a58b1a6d7eadb596d3968096f1493e4

**SHA1:** e06ec6ee060c9b180dd6269107c1643618024acf  
**SHA256:**4557109a8ced89105c13e911cd0d4036a043ce83abcfaefe9b6889ea8d058b16  
**Referenced In Project/Scope:** CoWorkInstaller

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: codemirror.jar: lint.js

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/addon/lint/lint.js  
**MD5:** 7930c46b5411e82099bf4d021be44897  
**SHA1:** 9d4fcf298565cd2e6b6234c331113e5ee80a996f  
**SHA256:**7c2e8241383104a6188c43b657b17ff7633e0de89d9b98f7d09df29570341e76  
**Referenced In Project/Scope:** CoWorkInstaller

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: codemirror.jar: livescript.js

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/livescript/livescript.js  
**MD5:** 303cf9371fc666702d07b7892d4d69b8  
**SHA1:** cc1a29423cc292dab8ceccbe8d1d4995426ce11d  
**SHA256:**b9b5f3fca094c735f94174d463746bc39d0930dc42b70bf5004efaed96b080ea  
**Referenced In Project/Scope:** CoWorkInstaller

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## remotegui.zip: codemirror.jar: loadmode.js

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/addon/mode/loadmode.js  
**MD5:** 43a51215f06278be12990128bf16cffa  
**SHA1:** 62a2787a4f3b623af185185edaedc7eaed7ffc08  
**SHA256:**be81c0312e7041f56c217430a177fea61e572bcb9579a39ca1922a2e4d51abec  
**Referenced In Project/Scope:** CoWorkInstaller

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## remotegui.zip: codemirror.jar: lua.js

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/lua/lua.js  
**MD5:** ccf279dcbc882c0e99fc9dfda9dd734d  
**SHA1:** 13ec1f41c7c723c70f185f6c22e116cdf532d8dd  
**SHA256:**5c702747f50d5d4158ab8c096b33a7e0092529d5682a728a20624b01dfd86e2a  
**Referenced In Project/Scope:** CoWorkInstaller

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

### remotegui.zip: codemirror.jar: main.js

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/src/edit/main.js

**MD5:** cc33d6b2c4f87f24fe91b103cfee3da7

**SHA1:** 7a267e163871e4d9c505a7dbda69289619573e76

**SHA256:** 2644139a384fcd2ff3bcb59fad7a45a3faa166c443fcd2d05315558dc7d1f99

**Referenced In Project/Scope:** CoWorkInstaller

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: codemirror.jar: mark-selection.js

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/addon/selection/mark-selection.js

**MD5:** f2b8639c24afc6cc370f4097eb6bb217

**SHA1:** 62883a7928526106b19fa78a1195fadf463550b4

**SHA256:** 5b9c6a0031fe895641f2eb2198df2592ec769a6685d6bb10f3f9b92a7822e286

**Referenced In Project/Scope:** CoWorkInstaller

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: codemirror.jar: mark\_text.js

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/src/model/mark\_text.js  
**MD5:** 7611054f886606aed04a7a3f3c4d5a78  
**SHA1:** 3e6ac9ae6a89f720e9c148d25746ff37f9207d07  
**SHA256:** b17ada4f3979fa8170a4abc071035badcddd87870a212cd92dc5b0a70fac19e0  
**Referenced In Project/Scope:** CoWorkInstaller

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: codemirror.jar: markdown-fold.js

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/addon/fold/markdown-fold.js  
**MD5:** e9844099dad7cf95607a804988677f22  
**SHA1:** 400fdaaf493a4d15e10b397553549b6b4e09dc92  
**SHA256:** 6a81721447c7260578e8e306c89b33a49e98edc1c2cb0c52a18ca0e913684d96  
**Referenced In Project/Scope:** CoWorkInstaller

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: codemirror.jar: markdown.js

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/markdown/markdown.js  
**MD5:** a7326be775e85028373f9236c26a572e

**SHA1:** c7dda08f12cf129cba6b317f70ee7ce0abf775b9  
**SHA256:** 8fe7b11848f79cc9119b2a239f38a00944f6f2bb764a00bc837ecf8d34cf7690  
**Referenced In Project/Scope:** CoWorkInstaller

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: codemirror.jar: match-highlighter.js

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/addon/search/match-highlighter.js  
**MD5:** d7d3dd2592e2df81c743b86a46ccc555  
**SHA1:** 21bd58338eb506c53cd367b4e30c6aefa2e7edee  
**SHA256:** 8c3e196f9a5f9e5cf9d7e71751132a05293e7cdb180defacf28be9fe919682cb  
**Referenced In Project/Scope:** CoWorkInstaller

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: codemirror.jar: matchbrackets.js

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/addon/edit/matchbrackets.js  
**MD5:** 2d2902edcfd32a8f481124c0957889ff  
**SHA1:** 1555a87118f8082edd03c7b7c1363ebd1daaea45  
**SHA256:** 9d0e5ee4c199fcb487a901860c2cf7d007263852677dd5858098fcaa8580f1e  
**Referenced In Project/Scope:** CoWorkInstaller

#### Evidence





Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## remotegui.zip: codemirror.jar: matchesonscrollbar.js

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/addon/search/matchesonscrollbar.js  
**MD5:** e005f8b0c7cedc509a29ea1a517cc829  
**SHA1:** 73a8bbcf26072f44bc7003faea790d1f3d59096f  
**SHA256:**a2deca7f8ca380dc7772929cc7c23b6737109f3cf0a55e7e18832808d98530c8  
**Referenced In Project/Scope:** CoWorkInstaller

### Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## remotegui.zip: codemirror.jar: matchtags.js

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/addon/edit/matchtags.js  
**MD5:** 6e8c7c68653d8d6b912138fe6f155e1f  
**SHA1:** 99f7135d209eb1da2c326486eb53ecdd330f0f2c  
**SHA256:**263d752f850b20890f0506fcb277b094b474138692a58b45d7b9bb03e20aa00c  
**Referenced In Project/Scope:** CoWorkInstaller

### Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

#### remotegui.zip: codemirror.jar: mathematica.js

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/mathematica/mathematica.js

**MD5:** a8c37dcebeb98162e29e9d1483edf7c4

**SHA1:** 82d9653bf7ca5b228759c5ad53845a8237625792

**SHA256:** a301011fbb5d9ea4f39fc574718c2d27afd9425e31a1a5bf9005617603b45c0a

**Referenced In Project/Scope:** CoWorkInstaller

##### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

##### Identifiers

- None

#### remotegui.zip: codemirror.jar: mbox.js

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/mbox/mbox.js

**MD5:** 9ce449eaef8f2c3e6253bb202a3da0d0

**SHA1:** 6848c5a33d4ea2c76fc6abb4fdc3c9253eedbc9b

**SHA256:** 9affa80931d9bb09746d08b9b0f90286d2b47f5b16a0bd8a1a06227b496c4b07

**Referenced In Project/Scope:** CoWorkInstaller

##### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

##### Identifiers

- None

#### remotegui.zip: codemirror.jar: merge.js

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/addon/merge/merge.js  
**MD5:** d2a6bc0c40e52723665afdc3b17ab226  
**SHA1:** c2c82dc8159b4d4b38ac4e74d88b513cae40be01  
**SHA256:**916279b765e93236826a1aa71f96924084707d50486739e9b4524a3f773d41ae  
**Referenced In Project/Scope:** CoWorkInstaller

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: codemirror.jar: meta.js

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/meta.js  
**MD5:** 11f14aa114ed56768aa48301be3b9f03  
**SHA1:** 516781b99334a9aeaed0d9f1b9463d8330d00ab2  
**SHA256:**f95786f9c83e631225fe7866f39892f808aeb015e80ce9d8a58d5a1d4e9c4bb6  
**Referenced In Project/Scope:** CoWorkInstaller

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: codemirror.jar: methods.js

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/src/edit/methods.js  
**MD5:** e0aee4bf62e8df22b1edf8c98171c1ff

**SHA1:** ec9e2b700a1252d5787249b1c8046b5fb0df6073  
**SHA256:**80aa117e54c13edec48656384e623b81f8ae5ecece3f426ba9b4638872fd88e6  
**Referenced In Project/Scope:** CoWorkInstaller

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: codemirror.jar: mirc.js

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/mirc/mirc.js  
**MD5:** 23555fdd21b7305d57c24d1378a03754  
**SHA1:** 373c327846304793f8016feaa0164226d6fd5020  
**SHA256:**ac173799c5f81a8c8813a5b0c20b700b27a1f571d1e70132e67d8451c3efaa5e  
**Referenced In Project/Scope:** CoWorkInstaller

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: codemirror.jar: misc.js

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/src/util/misc.js  
**MD5:** e94bdb7dadf69d57a0baf64df69e7780  
**SHA1:** 7d04fd04c64f91033740df1756ceb180fe1ec38b  
**SHA256:**dec9a3df5d525da109210c8f63bc47ef6270de5d0336e446c54d6c490f45bbfd  
**Referenced In Project/Scope:** CoWorkInstaller

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## remotegui.zip: codemirror.jar: mllike.js

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/mllike/mllike.js  
**MD5:** b30e7da7837eee7a5966685fa03522f0  
**SHA1:** 648a539e28df2714182163665b797d783cd47d80  
**SHA256:**a887947e50c37db0215fa4076c3b211093dd9abf643518a2f304677bef848211  
**Referenced In Project/Scope:** CoWorkInstaller

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## remotegui.zip: codemirror.jar: mode\_state.js

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/src/display/mode\_state.js  
**MD5:** ffc05060eaa3b3d89beeaaae86b0483a  
**SHA1:** ad4db1fa999cdec7dca274bc0d440b9817706fcb  
**SHA256:**7d986b2f9cea39f7829ffd57fe70a6d891afb68bda46557f3d361fce6abddedb  
**Referenced In Project/Scope:** CoWorkInstaller

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

### remotegui.zip: codemirror.jar: modelica.js

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/modelica/modelica.js  
**MD5:** 9d173268d73ae885e07741f6a60913ef  
**SHA1:** 2cebfe05d43ff1b9a4608bde365d0e340b9e2b08  
**SHA256:** 96befada89421de8d32f6355c326510128e429167390c60ba81d93dfce4b360a  
**Referenced In Project/Scope:** CoWorkInstaller

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: codemirror.jar: modes.js

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/src/modes.js  
**MD5:** bcf367e11e7fac26e7f1668e8f1d1968  
**SHA1:** 26c51a0d675e8420deabe41af39537b98b494f6a  
**SHA256:** faf6b57425b7b95a14650da5da6a488cde013e23c1ca57e4223146ccd369230b  
**Referenced In Project/Scope:** CoWorkInstaller

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: codemirror.jar: mouse\_events.js

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/src/edit/mouse\_events.js  
**MD5:** 9a8c2a4f4b71ceb0d641c905ea325dfa  
**SHA1:** 88d8b3f37ba37358b2f270ac184852f0f53c4e8d  
**SHA256:** 17a6d6d77b3607cfd0ba1d551fef84d161747a62b42ecd9454d7427a1c3da610  
**Referenced In Project/Scope:** CoWorkInstaller

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: codemirror.jar: movement.js

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/src/input/movement.js  
**MD5:** 386a27ecd12315f9eff836ce5ab2091f  
**SHA1:** 3170cd5a925774250a79d9e1c9130040e89a6be8  
**SHA256:** 45f4ab6d34f817b4d945449664a35848a252a87f7aa7e917cbefd5710cc06334  
**Referenced In Project/Scope:** CoWorkInstaller

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: codemirror.jar: mscgen.js

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/mscgen/mscgen.js  
**MD5:** 8e06dd81adc9a26c6c708d253868c290

**SHA1:** d44dd69d6fe4e456417da210928371090d426921  
**SHA256:** 91eff4cccc80f0048d1f7efce0197be483a013dd299e2718b49315639a3d4885  
**Referenced In Project/Scope:** CoWorkInstaller

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: codemirror.jar: multiplex.js

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/addon/mode/multiplex.js  
**MD5:** 0bdb637f0ca08689fe55e572cc10ab16  
**SHA1:** c1eb99a3fdd03722c84c78cb9351791428ff0bbe  
**SHA256:** 09ec21386de4e951c1eefe0f1db478a9f57701b202ce18424f2b89d4f74aeff5  
**Referenced In Project/Scope:** CoWorkInstaller

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: codemirror.jar: multiplex\_test.js

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/addon/mode/multiplex\_test.js  
**MD5:** 8a377bbbcf33896551524b1ccebcb823f  
**SHA1:** bf15c3dc16b8de593577266b9ef1f5625d67a0ea  
**SHA256:** 73e22c6765036bce1db37e31f8c46d62a56ca232840fb4fb968d17c24c3e8f74  
**Referenced In Project/Scope:** CoWorkInstaller

#### Evidence






Type	Source	Name	Value	Confidence
Identifiers				
• None				

remotegui.zip: codemirror.jar: mumps.js


**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/mumps/mumps.js  
**MD5:** 8e0c6375b6bbe74f633feed856f4283c  
**SHA1:** 6944b10c9a28d7097d90291dcae08e9924461140  
**SHA256:**1455108cba483e767bc5072ebda6c4c219395adb574aa70f7d7ec856225c3d42  
**Referenced In Project/Scope:** CoWorkInstaller

Evidence 				
Type	Source	Name	Value	Confidence

Identifiers				
• None				

remotegui.zip: codemirror.jar: nginx.js

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/nginx/nginx.js  
**MD5:** 63e717882de52ba3a4bb62c9e7bef83d  
**SHA1:** f008d01cd0b803de9bd5bf1088feec56c6eac9c5  
**SHA256:**e35111d1834678cd34bfec04abe169cb11739f39750d1c41ab57c8f2524748fe  
**Referenced In Project/Scope:** CoWorkInstaller

Evidence 				
Type	Source	Name	Value	Confidence

Identifiers				
-------------	--	--	--	--

- None

#### remotegui.zip: codemirror.jar: nsis.js

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/nsis/nsis.js

**MD5:** 4851ad88c595ddafbe3979f2e47b4d0a

**SHA1:** c27aea13ecb53b8797926e831d8730099a585d42

**SHA256:** 5f9aab831632e1de8d8a4f6fcf52dcd75eb704ab8fe47e2c76aac24c8c30fbd7

**Referenced In Project/Scope:** CoWorkInstaller

##### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

##### Identifiers

- None

#### remotegui.zip: codemirror.jar: ntriples.js

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/ntriples/ntriples.js

**MD5:** a21f011183564e5725ea16a6ca11b089

**SHA1:** 62d7d39e91ecca5bad75c91241aa31421a303ba4

**SHA256:** d7a1fd7fba26679ecb0a6ac0b67164ed12a37db25d32ece3472920c6f25a74cd

**Referenced In Project/Scope:** CoWorkInstaller

##### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

##### Identifiers

- None

#### remotegui.zip: codemirror.jar: octave.js

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/octave/octave.js  
**MD5:** d830f31f1647efb252a53d0cb1f18aa1  
**SHA1:** 1abba38966f306c238e8f9cf168f95db0e16d5a5  
**SHA256:** b6c6966b9a564ceafa2b2c5dde2f2efb0349cacdab3f61d90fce2544ece8615  
**Referenced In Project/Scope:** CoWorkInstaller

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: codemirror.jar: operation\_group.js

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/src/util/operation\_group.js  
**MD5:** 72f0c675f45f87c9a45b5f5784212fa9  
**SHA1:** 8ca609f3cf238954efccc55c720e733a56f5029d  
**SHA256:** aaa9c34bd1240b164897a412a257d2e693d2ad35bec219cf8959561de6559edb  
**Referenced In Project/Scope:** CoWorkInstaller

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: codemirror.jar: operations.js

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/src/display/operations.js  
**MD5:** f2e13ff94b86a05aa5daff82022da8d2

**SHA1:** dbbbc8bf0cd26ed344d48e6be8ba83d3a3ad983a  
**SHA256:**6570698684e4da9507306248649b72c362cb918b63180b3b3571d91ffed78f83  
**Referenced In Project/Scope:** CoWorkInstaller

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: codemirror.jar: options.js

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/src/edit/options.js  
**MD5:** feecb2723f03f979c8b8c9a85c553a1d  
**SHA1:** 99d3d0aa7ab678573f2970b2273404ed4c7cc73b  
**SHA256:**feb45909b7d01751e0edd20b7156ad016ec045cb2eea8e92b96b1505bf6e2159  
**Referenced In Project/Scope:** CoWorkInstaller

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: codemirror.jar: overlay.js

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/addon/mode/overlay.js  
**MD5:** 3cb76447dd1f64cc2bb037f3ec8c88a9  
**SHA1:** 1ad72da6c675d9b6074f69404c66118ff24389c7  
**SHA256:**1b44334e2a04d90f2b473c26847798859039190142e53f72f3b7de0f82696d0e  
**Referenced In Project/Scope:** CoWorkInstaller

#### Evidence



Type	Source	Name	Value	Confidence
Identifiers				
• None				

remotegui.zip: codemirror.jar: oz.js

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/oz/oz.js  
**MD5:** a097901a9fe996b190b9103a64ace0c6  
**SHA1:** d49b86c59bab331924fc03e3f680af92a6bd79d5  
**SHA256:**641554f9736e5260ff1aea064749a590cba2a854bad6fc334db8ffa2bc1a6892  
**Referenced In Project/Scope:** CoWorkInstaller

Evidence				
Type	Source	Name	Value	Confidence

Identifiers				
• None				

remotegui.zip: codemirror.jar: package.json

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/package.json  
**MD5:** e2faa7704d8de49e9d70e7a834d83ae8  
**SHA1:** cab269db696fc76be4a9c83dc82f287546253792  
**SHA256:**352f4e90706a839430cb2cee1a2080b0c1a0660243d4d2a544e81a57cf8c006a  
**Referenced In Project/Scope:** CoWorkInstaller

Evidence				
Type	Source	Name	Value	Confidence

Identifiers				
-------------	--	--	--	--

- None

### remotegui.zip: codemirror.jar: panel.js

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/addon/display/panel.js

**MD5:** f647c5e58b5c032c1691693333104941

**SHA1:** 5c8285f946d9888b499ae0266e8e165696947074

**SHA256:** 2b137f8e8631c717d2af81edc341d436cd3a6debb8e9fdfdc20630296685d3cb

**Referenced In Project/Scope:** CoWorkInstaller

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: codemirror.jar: pascal.js

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/pascal/pascal.js

**MD5:** bdc6c5432f1408c29254a933f45ca2e7

**SHA1:** 541ec18ed0863a528118a8026b6a5aa11a9c5918

**SHA256:** 5eaac022259857d3b9b127ac0deb76c84d2523dee102d203738293f95ce5086c

**Referenced In Project/Scope:** CoWorkInstaller

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: codemirror.jar: pegjs.js

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/pegjs/pegjs.js  
**MD5:** ad4350eff079b204cd634114959c0904  
**SHA1:** 978baa600d3539e1eb05834fd0b7d659f0fed792  
**SHA256:** 8cc7fe980c79a1ded9265d338062c8ecdfe6e0d044fb795bf11eb8d9813dc492  
**Referenced In Project/Scope:** CoWorkInstaller

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: codemirror.jar: perl.js

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/perl/perl.js  
**MD5:** c6a3b40a8b2971690ff06860516bd140  
**SHA1:** 08bb3e219af9990114dda08e2ad935c5992dd39f  
**SHA256:** a614830dc6e71770cb4feabc487dfa1b72e29444789b94d1bcad62490827ca1e  
**Referenced In Project/Scope:** CoWorkInstaller

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: codemirror.jar: php.js

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/php/php.js  
**MD5:** f2f1668dbc8a4b0fd9f031dceda0e4ab

**SHA1:** 31d6961d6d4cbe7bf5deb2f0b5ba099c49e5c962  
**SHA256:** 07819ae34d5830a3cf040e1904d4b641cb70142845394211f7fb63c891d80945  
**Referenced In Project/Scope:** CoWorkInstaller

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: codemirror.jar: pig.js

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/pig/pig.js  
**MD5:** 40f967482626259f7cdfb972548743cd  
**SHA1:** bd2d7d6522d69e9849f8a6cf3b631ddaf50a091e  
**SHA256:** e9a9ec475aeee8b2f75fd1c8a58ea0a2d0cffd383b1a3fb8bdc460881d612352  
**Referenced In Project/Scope:** CoWorkInstaller

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: codemirror.jar: placeholder.js

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/addon/display/placeholder.js  
**MD5:** b5b4d8391f1b94044cda61cc979cc772  
**SHA1:** af7eaa5519c4e0fa823224593b0ae0b7fda73a23  
**SHA256:** 44619626e2301fc16ebade252564e2c064113483e02f2fc8d8d262aed2485b9c  
**Referenced In Project/Scope:** CoWorkInstaller

#### Evidence






Type	Source	Name	Value	Confidence
Identifiers				
• None				

remotegui.zip: codemirror.jar: pos.js


**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/src/line/pos.js  
**MD5:** d1fc4bdcc5a93ac92f4c3c9cb34bd220  
**SHA1:** 810afb684197135ac8ac6626a4a7eebef9ad5cc3  
**SHA256:**b708bfbb9ce809d5ce2d1490d806933fad9b471ac63e0f4c72a31ada57e05f9b  
**Referenced In Project/Scope:** CoWorkInstaller

Evidence 				
Type	Source	Name	Value	Confidence

Identifiers				
• None				

remotegui.zip: codemirror.jar: position\_measurement.js

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/src/measurement/position\_measurement.js  
**MD5:** 6c17908c000f5a7beb67e75b1340c3ef  
**SHA1:** c5dd40151e773a61694906cf92f941fe27ce51de  
**SHA256:**c5c488b91320e33d6e25fbb8ce4fbd3c28621511328b48e9690f797b81d51c32  
**Referenced In Project/Scope:** CoWorkInstaller

Evidence 				
Type	Source	Name	Value	Confidence

Identifiers				
-------------	--	--	--	--

- None

### remotegui.zip: codemirror.jar: powershell.js

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/powershell/powershell.js  
**MD5:** cf3b0559e54ae537a420d86a07b441a5  
**SHA1:** 992cbac5ee6c618eab5f646438ba5fb54f66cfe1  
**SHA256:** 9530fdf52d164be6d021a87de567acb8738f86f6fd98577533a9db3545e873c8  
**Referenced In Project/Scope:** CoWorkInstaller

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: codemirror.jar: properties.js

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/properties/properties.js  
**MD5:** fdca15c3c811413459ed12fce119db54  
**SHA1:** 715881cc0ccd13302e302dade67f675d37cfdbd4  
**SHA256:** 3f85f36e32edf82eba526ad56edadf04c33864d72bf0cfae2592a490530a4966  
**Referenced In Project/Scope:** CoWorkInstaller

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: codemirror.jar: protobuf.js

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/protobuf/protobuf.js  
**MD5:** 3e57a349742d01647347b7339572d9fe  
**SHA1:** 909346135655b3aacdb909a19acb59876e2810dd  
**SHA256:** 93d1459ed6cc4e2a4701fc17959fe7f56b797d1d35b47f44b8030c0d19adf5b3  
**Referenced In Project/Scope:** CoWorkInstaller

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: codemirror.jar: pug.js

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/pug/pug.js  
**MD5:** 63473aabe4ad7435cc804132bf743ec3  
**SHA1:** 4e624a3174fd238241f692c1f935ae75d41269f4  
**SHA256:** 1f9e975ab889f6dd9183758bc7b454224dd11859b8e045ce5b98e2c4a05bcf9b  
**Referenced In Project/Scope:** CoWorkInstaller

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: codemirror.jar: puppet.js

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/puppet/puppet.js  
**MD5:** be03e9aad763ae4b5ee3d6a226aa8c78

**SHA1:** 7dae96b96e285c5e747624c864be8f1b0cb61e5e  
**SHA256:** 237b966a50a514c6beabddfb83649797f764a29f7f2c7100dac1f411709040af  
**Referenced In Project/Scope:** CoWorkInstaller

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: codemirror.jar: python.js

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/python/python.js  
**MD5:** 9b50648e6f546e4f63f1a8eb25adb039  
**SHA1:** b178c4d31cc4eeefe58e97a60723d47af96b79ed  
**SHA256:** ec56443dfebe73f332cc639289ad2de6921560c8952a3e2127397a0849882657  
**Referenced In Project/Scope:** CoWorkInstaller

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: codemirror.jar: q.js

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/q/q.js  
**MD5:** ec0a69917f7ff85ef3c89ab34cbd0ee9  
**SHA1:** c52261047f62fbf5a52a2fb36e0e926859505ac3  
**SHA256:** 1fecda8902c9c63fa36833c073370e479c7b8def1b883147c364f81cc6ac9171  
**Referenced In Project/Scope:** CoWorkInstaller

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## remotegui.zip: codemirror.jar: r.js

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/r/r.js  
**MD5:** 32999ceba0af47e9e6b4042314e2cdc0  
**SHA1:** f044c32fe6998d6c6fbf774910766fca456273d5  
**SHA256:**d4b1d1ad4275187d4f371fb61ca77ec10f63deba233644c484667750f934b23c  
**Referenced In Project/Scope:** CoWorkInstaller

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## remotegui.zip: codemirror.jar: rollup.config.js

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/rollup.config.js  
**MD5:** 73a1da56a828ad2854d28749fc155632  
**SHA1:** 48bed29223b72a22a9939b57333c2d6e58bdfd39  
**SHA256:**8c887c6ebd69fc77f4d1690cc0eb5afaaad25f0e18baaa5c7fdb16a6618ee08  
**Referenced In Project/Scope:** CoWorkInstaller

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

### remotegui.zip: codemirror.jar: rpm.js

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/rpm/rpm.js  
**MD5:** 5fbb2d4919f2d396e78074f4c98812c0  
**SHA1:** 719d22639e2bbb16d80df811da20013f3998c42b  
**SHA256:** 5e8a8253eb986b58fb170e2d58bdd134b05fc7dc02a456374a034d7564f77fcb  
**Referenced In Project/Scope:** CoWorkInstaller

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: codemirror.jar: rst.js

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/rst/rst.js  
**MD5:** bd89a589282ae08505026ef31cd4c6ad  
**SHA1:** bfc1dea7ab7b49ed20e4127add87019c8dc56850  
**SHA256:** b50d542cf38074c392f7fde44ef2cbab24b45bbfd178c426cfef6848d6d3e90d  
**Referenced In Project/Scope:** CoWorkInstaller

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: codemirror.jar: ruby.js

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/ruby/ruby.js  
**MD5:** b0b2ef072186390edb0444a0eb2e315f  
**SHA1:** d63568f7de026f9c17e0a4124161ad5007c0c709  
**SHA256:** 953daad8a24225d56733f77c0c4451cf05436f70ad00e5dd1618486a1d5e01b9  
**Referenced In Project/Scope:** CoWorkInstaller

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: codemirror.jar: rulers.js

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/addon/display/rulers.js  
**MD5:** 267bb54847534c8bfb41dcf227f7aeb0  
**SHA1:** ef8505818354f0e8e79d6ef7a902ec0feaaa0ed7  
**SHA256:** 175d32d6794e2d917f446c4bcc8053c9a9e69eb9fcb3b805daaf015189b6ec03  
**Referenced In Project/Scope:** CoWorkInstaller

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: codemirror.jar: runmode-standalone.js

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/addon/runmode/runmode-standalone.js  
**MD5:** 51867497bb73c2eba5e2e6cd1352f29d

**SHA1:** 591c22764dd7599a2d443c593bd5d4fd77928e65  
**SHA256:** c1c9bc16a627699da49d9733f93d75963603175081a540b276f11c604739abc9  
**Referenced In Project/Scope:** CoWorkInstaller

Evidence <span></span>				
Type	Source	Name	Value	Confidence

Identifiers				
• None				

**remotegui.zip: codemirror.jar: runmode-standalone.js**

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/src/addon/runmode/runmode-standalone.js  
**MD5:** 8bb22c65e3d5cb3b6466654c7c6ec4c8  
**SHA1:** 942779dcd636d8372e9d8c9949858ea5b68bfdcf  
**SHA256:** 8a06491ff4969718a7bbe2f8ae9d380e9f05f0947d7f5e0d940930e5a929e469  
**Referenced In Project/Scope:** CoWorkInstaller

Evidence <span></span>				
Type	Source	Name	Value	Confidence

Identifiers				
• None				

**remotegui.zip: codemirror.jar: runmode.js**

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/addon/runmode/runmode.js  
**MD5:** 6b9c51f3ec2f5a79c75836a0f75569c0  
**SHA1:** 88d7a8053ef7fe9996f63800076992a5f65c4dba  
**SHA256:** 920d8eee55e987468236ba7ed2886de0bb8b2fed9d7060383a39ea29924ae885  
**Referenced In Project/Scope:** CoWorkInstaller

Evidence <span></span>				



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## remotegui.zip: codemirror.jar: runmode.node.js

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/addon/runmode/runmode.node.js  
**MD5:** 3847af673a6ae44d53fa8d697df2b8e0  
**SHA1:** 91e688f6fc356c47f9bea928ea3768b7c7a57693  
**SHA256:**0d796745f8db549e4ade4132025a45994f45dd6f4765402ee75e4113019edea6  
**Referenced In Project/Scope:** CoWorkInstaller

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## remotegui.zip: codemirror.jar: runmode.node.js

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/src/addon/runmode/runmode.node.js  
**MD5:** fe41270e99f973a568d5a823cd6e2bfe  
**SHA1:** c78b8d45e3db1891ad28f93b64ebd5ec6d0b9c98  
**SHA256:**016bd87dc725d65c80cfa58d2e58033e013e703878cc05f322f938d58ddbcf9e  
**Referenced In Project/Scope:** CoWorkInstaller

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

### remotegui.zip: codemirror.jar: rust.js

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/rust/rust.js

**MD5:** bfb43032004a8d5d115c6b817cbbe2ba

**SHA1:** af76d8276b553e168b5fab49108e715452cff07e

**SHA256:** 797a9abcf8581f192bc49b11434346d3f8014763f4967ae260fbe31f25b2bdfb

**Referenced In Project/Scope:** CoWorkInstaller

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: codemirror.jar: sas.js

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/sas/sas.js

**MD5:** 46f6d321e806768f9ebbc0155a5f9807

**SHA1:** 441d94bf2da7c5299662ba76dba352aac7df705a

**SHA256:** b69f2877e395b89682a4066f62f686c12cb66eac441b6c1d3ee15d5004859f43

**Referenced In Project/Scope:** CoWorkInstaller

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: codemirror.jar: sass.js

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/sass/sass.js  
**MD5:** 0067718b0d6fa922bcf032b58966c3fa  
**SHA1:** 1dbee553e6dfa3d57a3aa6548b43a753ccdb7380  
**SHA256:** 01ba99f4a91e70d2a5d3ef881c542f14a1f59f3ded58672484bcd56b41921866  
**Referenced In Project/Scope:** CoWorkInstaller

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: codemirror.jar: saw\_special\_spans.js

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/src/line/saw\_special\_spans.js  
**MD5:** 72b6184ab657ca37a0d984dc73e7088c  
**SHA1:** d84fccefe8c3cd0f1a0b5b2f388de87e57503df3  
**SHA256:** fb122060ec500dd99a179c002fbb6a8709eba030bf8f7695d868109b470b31ff  
**Referenced In Project/Scope:** CoWorkInstaller

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: codemirror.jar: scheme.js

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/scheme/scheme.js  
**MD5:** a64f664dcef608b26dea48b1ea52b622

**SHA1:** 1e90715a9ecc9c8cc9500e9b064ffe0defc60b9c  
**SHA256:**0bc81b318e12c7c5bbd94943d9d64cf1a64674c3bcc7057788ed1ade8701ab80  
**Referenced In Project/Scope:** CoWorkInstaller

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: codemirror.jar: scroll\_events.js

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/src/display/scroll\_events.js  
**MD5:** 8c96ad450d94581a7a461c44fa1e7cfd  
**SHA1:** c92034958533fbaa6512c99d715a6032d43355b0  
**SHA256:**b0472dfdc7a904f6a082f064c9384dde3ce1ec95953d9c276216424da03ffa01  
**Referenced In Project/Scope:** CoWorkInstaller

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: codemirror.jar: scrollbar.js

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/src/display/scrollbars.js  
**MD5:** f06876b47feef8deb64e7cd59d76ab1f  
**SHA1:** 73c1a417818efb800852fec0742136fb1c891c1f  
**SHA256:**11cdf1fc628da528adf11b23bf19cc06072bb573cde470669343d27be9b0ab4  
**Referenced In Project/Scope:** CoWorkInstaller

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## remotegui.zip: codemirror.jar: scrolling.js

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/src/display/scrolling.js  
**MD5:** 104c04ec259e68a53516216e4947e9b1  
**SHA1:** 54446fd791e3331041e6e9a0874fa66d4794bcb4  
**SHA256:**07f6964d12cb85a698967bcfec73824a7b602475d488ed6f57e2981879e7487  
**Referenced In Project/Scope:** CoWorkInstaller

### Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## remotegui.zip: codemirror.jar: scrollpastend.js

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/addon/scroll/scrollpastend.js  
**MD5:** 74be53ff23fb5eda7725c96f1ff683b2  
**SHA1:** 1aec49fd4f7f5571fac13fddaad9eb1705cd522d  
**SHA256:**6cd389df1da1ff9ba25728e03afb7f47df3162c3d9bdb5cedd06fc91c6199479  
**Referenced In Project/Scope:** CoWorkInstaller

### Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

### remotegui.zip: codemirror.jar: search.js

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/addon/search/search.js

**MD5:** aee5a4efc34387df3d1974e09cd2965e

**SHA1:** aa36dc4a27460ccc0b4b40ee643907303b64a880

**SHA256:** 4949580371fcd81c0ad70164b169dd8bcab2bd9869eddaa0d7e295508bec7a04

**Referenced In Project/Scope:** CoWorkInstaller

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: codemirror.jar: searchcursor.js

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/addon/search/searchcursor.js

**MD5:** ca8612c41c44b87a10703ffe71d4f750

**SHA1:** 6bc4c36ea23ce7bf583f95ba4ad49e599bc646a1

**SHA256:** 2c0b8cd8fe7ca5ca2253f4aacc914b390bff5b3cac3475df66c43a9ea8c8ccbe

**Referenced In Project/Scope:** CoWorkInstaller

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: codemirror.jar: selection-pointer.js

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/addon/selection/selection-pointer.js  
**MD5:** 3ea743f9f1b458692e5258bcd8aafbd8  
**SHA1:** 4306383d109eb987ee62a6e2defa8926dec870ba  
**SHA256:** fdd7ff53d0ca796c5e3792ceb5063c84d0735bcdf198a1c06c78880f1c664a22  
**Referenced In Project/Scope:** CoWorkInstaller

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: codemirror.jar: selection.js

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/src/display/selection.js  
**MD5:** 34d76a4a0d6602f8d4ff937e499f7906  
**SHA1:** c759ce0c87a62abdd8916125e3bad601e4ce4efe  
**SHA256:** ca2d26085ea9380b686c57d5ef8789e3c3032ed8c5d90ae0e1c9dba69635a89f  
**Referenced In Project/Scope:** CoWorkInstaller

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: codemirror.jar: selection.js

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/src/model/selection.js  
**MD5:** 8f89f30a603010383e7c118550697100

**SHA1:** da2d4548c10827c45fd625bdfd1ffdf0e28e0c30  
**SHA256:**03cb03c86030e258ed013dc958cab854e2978893145cb096468ff8149417502f  
**Referenced In Project/Scope:** CoWorkInstaller

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: selection\_updates.js

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/src/model/selection\_updates.js  
**MD5:** 252e2ea7a38323b8d82902e6595d23ae  
**SHA1:** 27719d66e1ff98e650abbc5b48f2f4635f65df13  
**SHA256:**a285a62ec8522c5d8271505b1438dddaf39c3dbfd4dec5ac01971728e21a765  
**Referenced In Project/Scope:** CoWorkInstaller

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: shell.js

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/shell/shell.js  
**MD5:** ab0fc779b5fb9bdc1310a28d7dccc379  
**SHA1:** ece7e7661886871cc46ef71248c67ea53a61ac7d  
**SHA256:**24f77cb162ea9d9e9fc79b95ba547a7cc10a0767e3a5a52c786d4c24253736fe  
**Referenced In Project/Scope:** CoWorkInstaller

Evidence





Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## remotegui.zip: codemirror.jar: show-hint.js

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/addon/hint/show-hint.js  
**MD5:** c9e3db9bd2540c05ac67b249f8122387  
**SHA1:** e8092d9477bb1ad4d17d44522d99cc67ead53b16  
**SHA256:**28d2123fd1c9cf197651c2a0b3cb65762ba06dc073e023c75ec05b1f139b0af5  
**Referenced In Project/Scope:** CoWorkInstaller

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## remotegui.zip: codemirror.jar: sieve.js

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/sieve/sieve.js  
**MD5:** 88c6148d955c6542b3f10482b736e553  
**SHA1:** 72627a945e27e3044717e5b8db378f3d776ad0fc  
**SHA256:**c233866cf4990e2f28f11c96ecedc7e7dc465c19c5b445b30bdc037118f7b65d  
**Referenced In Project/Scope:** CoWorkInstaller

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

### remotegui.zip: codemirror.jar: simple.js

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/addon/mode/simple.js

**MD5:** 282f2d54ca2c7b60ab4bc0cd762b943d

**SHA1:** f08a5e5394568164edb85911dfc452f433bb2483

**SHA256:** 400f49309b31197c0c4ec76519c93647b494ab80f59f96d7f051463e0aa37eb0

**Referenced In Project/Scope:** CoWorkInstaller

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: codemirror.jar: simplescrollbars.js

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/addon/scroll/simplescrollbars.js

**MD5:** 34d6903cded2822fb2261678e1a479cc

**SHA1:** 0707d27834fdde0fe2c32935af79d4575cf9f1ad

**SHA256:** 62b48bff43436bfb8ecc5e3273e6047f0b934c1d873c81e863e13bb462d1e1ab

**Referenced In Project/Scope:** CoWorkInstaller

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: codemirror.jar: slim.js

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/slim/slim.js  
**MD5:** 447874e5c5dd225949004c357d17ffe2  
**SHA1:** 2cdc3263aa6d9766131d73157afb05fc6767b50  
**SHA256:**a8d555221c610512119f2107d58bb1c57d294cebc91f82638ea6e235286b5c15  
**Referenced In Project/Scope:** CoWorkInstaller

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: codemirror.jar: smalltalk.js

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/smalltalk/smalltalk.js  
**MD5:** f6e7ef04f9f907a13604ea5b1938d3d7  
**SHA1:** 57f009cf2b2147f14c530f697dfbd3ac493e053  
**SHA256:**9f649668162a61cfa6a3528dbe513d012162932c742c7b0696078bd2a6d3b190  
**Referenced In Project/Scope:** CoWorkInstaller

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: codemirror.jar: smarty.js

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/smarty/smarty.js  
**MD5:** 3ccd6f2129ee79c85ef96a8237f1de7a

**SHA1:** 5fc274f49b704c0a99e0f0b9030c90f56fc7c1f7

**SHA256:** 9e95bcd71635efe200c3871c57cbb1c07edc1f8206d173f4552fd2dfbcf9e9af

**Referenced In Project/Scope:** CoWorkInstaller

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: codemirror.jar: solr.js

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/solr/solr.js

**MD5:** df4ba46ed00e24c144deaef9a817d024

**SHA1:** c880da8431afd54034ae7fbfedb45d94966638b7

**SHA256:** 17f16060f00cd932914722bf2cd1a01318c402503b62f3bd2bda09bab6b42b85

**Referenced In Project/Scope:** CoWorkInstaller

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: codemirror.jar: soy.js

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/soy/soy.js

**MD5:** 1db8a99a573b2ab07cf30cc58da1bb2a

**SHA1:** 7c0a178caed0b849f140d0b21de6548a0355f9c1

**SHA256:** 358a1861e92366d238eb240fd5d5cf8ea6f5fe219f389667d277031c0a1a47c5

**Referenced In Project/Scope:** CoWorkInstaller


#### Evidence



Type	Source	Name	Value	Confidence
Identifiers				
• None				

remotegui.zip: codemirror.jar: spans.js


**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/src/line/spans.js  
**MD5:** 52150a5a01dd7c56de003aa132f71e25  
**SHA1:** 92cc8b4ab38a103a106f574c40d25d16e97d48eb  
**SHA256:** 719ad01e720518e7594a76ed4dc4904fec7c495b12d87fc4599b40032975789  
**Referenced In Project/Scope:** CoWorkInstaller

Evidence 				
Type	Source	Name	Value	Confidence

Identifiers				
• None				

remotegui.zip: codemirror.jar: sparql.js

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/sparql/sparql.js  
**MD5:** 856d73e41310b4dd6a18f13d64fec0be  
**SHA1:** 1669e717cbfb9fa9b30e99415a6e5f7a66feb286  
**SHA256:** e646ae1e2796c936a8760af321089f5814d0158ef72aa3f3efb60765430a2e6b  
**Referenced In Project/Scope:** CoWorkInstaller

Evidence 				
Type	Source	Name	Value	Confidence

Identifiers				
-------------	--	--	--	--

- None

### remotegui.zip: codemirror.jar: spreadsheet.js

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/spreadsheet/spreadsheet.js

**MD5:** 370c01bed3c433131f942ef7e6f69187

**SHA1:** 94b3e4c80f954a378ab94f13068d879e9ab3394b

**SHA256:** 0807dd557c55f5b6d8579c5c9019c5eddcda9c56ce559190e5f2985b156a00da

**Referenced In Project/Scope:** CoWorkInstaller

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: codemirror.jar: sql-hint.js

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/addon/hint/sql-hint.js

**MD5:** 8d41549d89ca9bfa3ef068190df379ca

**SHA1:** 6a2cbde78c9311f75509d3350877a8018499e8c7

**SHA256:** 60703945eb6cc93d4f47d70b65f955e66ae8a22c0cb1ceefa69cf0890564544d

**Referenced In Project/Scope:** CoWorkInstaller

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: codemirror.jar: sql.js

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/sql/sql.js  
**MD5:** b48a3934b20b392ae812b17df05355f4  
**SHA1:** 40d1a558afba1f5043b23131e496de37d8e2dfb4  
**SHA256:** ac23d3f196deb9be25cfcecb966bdc1789b9e177aac683ddccde1420670c4d8a  
**Referenced In Project/Scope:** CoWorkInstaller

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: codemirror.jar: stex.js

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/stex/stex.js  
**MD5:** c7ef8ac785ee813860cc414ea17dbf6d  
**SHA1:** 3e46d97b4e694c7389cd0df4d13b914697d28c8f  
**SHA256:** edc1f57c69920967a31defb66954aa29f5751fdb2f7ed8e52fa08978ff890e3b  
**Referenced In Project/Scope:** CoWorkInstaller

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: codemirror.jar: stylus.js

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/stylus/stylus.js  
**MD5:** 7e6d36c0cc269b4e518bd48b9b6342d6

**SHA1:** ea339b15b178a1082a2acdadae82ef1f4a599f32  
**SHA256:**85683adfef4f0129670fc2e5ee9148ad956213f5fa0c8dd05ac7970ad7f0b337  
**Referenced In Project/Scope:** CoWorkInstaller

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: codemirror.jar: sublime.js

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/keymap/sublime.js  
**MD5:** 1d7ea7f929183e76740bd9d98e9cac41  
**SHA1:** 84a64b60b5802e86b0689ccfa95665339347f0c7  
**SHA256:**1d532a67594845cb7163b090a06da9287b896944ab5f22df67f14e176bd434e5  
**Referenced In Project/Scope:** CoWorkInstaller

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: codemirror.jar: swift.js

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/swift/swift.js  
**MD5:** bf859160b6f348fc2d72673fc40b9da9  
**SHA1:** c6b46b402c9b1fc3166712d68eb10ad29c5d01f9  
**SHA256:**939dc67bbef9f0f6847f5bc2a89b0c8f4b411d57fbed4f9d5cc21fabd7e191c  
**Referenced In Project/Scope:** CoWorkInstaller

#### Evidence





Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## remotegui.zip: codemirror.jar: tcl.js

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/tcl/tcl.js  
**MD5:** 28a739b5550bd5ad13b47dbec84a9716  
**SHA1:** 2ce8afb99f36fece39e1b3df7be02509f77b19ee  
**SHA256:**98552bab94ce9adc9fcef5658da2965994a84e852c83098e94564884815b3026  
**Referenced In Project/Scope:** CoWorkInstaller

### Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## remotegui.zip: codemirror.jar: tern.js

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/addon/tern/tern.js  
**MD5:** b9418efb9c0d90a3432dff86169fd293  
**SHA1:** e4d1225e756d51fcb69c2f14ddce1b09fa2a23b7  
**SHA256:**1ebb5ad38f72115c49865b5537fd9c77da506b7ed2be38bd310306af3c698e44  
**Referenced In Project/Scope:** CoWorkInstaller

### Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

### remotegui.zip: codemirror.jar: textile.js

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/textile/textile.js

**MD5:** d3923b19d37114a9e2a346c191c318e1

**SHA1:** 979b17e6363d63ac2d1b3a6854ba6196564fc5d4

**SHA256:** c121fcf3e641a7433b9e328c76aa0b1755aa4c0412e4f59a1d8d6ac24b36df06

**Referenced In Project/Scope:** CoWorkInstaller

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: codemirror.jar: tiddlywiki.js

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/tiddlywiki/tiddlywiki.js

**MD5:** 3e4fb7a08d9df5cbe9822cb1756bec86

**SHA1:** 84885a1cb7be096c19a3dfddd70252efcc83960e

**SHA256:** 4b62acf34df4acb1a4bc1a2729edaf221583679761d35e0e9077883810fccbfe

**Referenced In Project/Scope:** CoWorkInstaller

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: codemirror.jar: tiki.js

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/tiki/tiki.js  
**MD5:** 6e4bd43879571d0dfa79714f550a3bf  
**SHA1:** 6fd2ece4b20160c1859f34cb245b173459c21163  
**SHA256:**af92cd0858a99f3c5cacf240874db7eac2704a7b193a3cdfddfc5ba70382a293  
**Referenced In Project/Scope:** CoWorkInstaller

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: codemirror.jar: toml.js

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/toml/toml.js  
**MD5:** dc2ba16cf830b53759b71306e9473ed5  
**SHA1:** 1a394f9f45c508febc270b7c0a1f72460fc897d9  
**SHA256:**67bbbc2696788633071f2a2b8a1cf6ca4f4ac82213e3d85b7cd183d60b117679  
**Referenced In Project/Scope:** CoWorkInstaller

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: codemirror.jar: tornado.js

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/tornado/tornado.js  
**MD5:** f45c2ec37cc008dc5dbd5f9c077ba666

**SHA1:** 8b55c6a85279c8f7d6b3f539fa097fed877c16b9  
**SHA256:** d006020d7d093cb4f5ed5088ed151d4c45417fe5ccde69d960eb82cfcb9e0ecc  
**Referenced In Project/Scope:** CoWorkInstaller

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: codemirror.jar: trailingspace.js

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/addon/edit/trailingspace.js  
**MD5:** 43599469275c2b662b7907971147c978  
**SHA1:** de4d3ee3d32f01f94921b8b3944c7383da7ba970  
**SHA256:** a0d2c0196d8f4991cd58f320498f7aece971e502e4811ecf58cb5af8e83007c6  
**Referenced In Project/Scope:** CoWorkInstaller

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: codemirror.jar: troff.js

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/troff/troff.js  
**MD5:** e7f5f0a2bf68a81f0f3e547ab5640627  
**SHA1:** f59246b4ff5ce93afc87a4ed30a0cba0e6ba4775  
**SHA256:** f7714fdc46774467c168e75fc36eca90e6df16e27afd0b608b882b2df769b8c3  
**Referenced In Project/Scope:** CoWorkInstaller


#### Evidence



Type	Source	Name	Value	Confidence
Identifiers				
• None				

remotegui.zip: codemirror.jar: ttcn-cfg.js


**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/ttcn-cfg/ttcn-cfg.js  
**MD5:** d847dacea4534ee2841f01f5ac419060  
**SHA1:** 0df7a9b8f5e91e2ae8d5a8a02c99bf779e221743  
**SHA256:** 22983894e4a3794c9bcf396e7a4119efa5ea07a4f97e060e15f3c13ec2c1a01b  
**Referenced In Project/Scope:** CoWorkInstaller

Evidence 				
Type	Source	Name	Value	Confidence

Identifiers				
• None				

remotegui.zip: codemirror.jar: ttcn.js

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/ttcn/ttcn.js  
**MD5:** f94e618b386e8bfd0ffa2252482e9c84  
**SHA1:** a463a8817c26dcec47a7d006aa097dacf74b28d1  
**SHA256:** 10be6704eac48032ce00890bdfffa03d445aae18e3ef7bd74eb14a26e5867a28  
**Referenced In Project/Scope:** CoWorkInstaller

Evidence 				
Type	Source	Name	Value	Confidence

Identifiers				
-------------	--	--	--	--

- None

#### remotegui.zip: codemirror.jar: turtle.js

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/turtle/turtle.js

**MD5:** f36ec21c639822b370b87c63415533f1

**SHA1:** 9b6341bdf7330b71a5959cde815241b6e7deaf05

**SHA256:** 0f82b51ecc43b95e55a752f80f719f8a39b607697b86d3fa4523a5e8280d3520

**Referenced In Project/Scope:** CoWorkInstaller

##### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

##### Identifiers

- None

#### remotegui.zip: codemirror.jar: twig.js

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/twig/twig.js

**MD5:** 09ab2491f1056e9d142e233dbc9dc1de

**SHA1:** 4cb5eb7c9bf77dce80f92f2498d83af92f3398b8

**SHA256:** 72b6e091bbd6a7c6eb786db2591c1f6f59c7880ef224ce5365ed39ec786d583b

**Referenced In Project/Scope:** CoWorkInstaller

##### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

##### Identifiers

- None

#### remotegui.zip: codemirror.jar: update\_display.js

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/src/display/update\_display.js  
**MD5:** 8a51230ca1be6a91aeb25d4d0f7b55a  
**SHA1:** 79b7a1faa3bfaa65f28ab4e324fa88b485ed21e2  
**SHA256:**cf96f09d7f210f2cbf0c1912058eca1f96b51e63b1bf7b39016c0156c2b9ffc6  
**Referenced In Project/Scope:** CoWorkInstaller

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: codemirror.jar: update\_line.js

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/src/display/update\_line.js  
**MD5:** b9b8f3c5e697e33d73d1044eaaa86dc9  
**SHA1:** 4f7c764ac36b54c918f06b68129b8835b22b55f4  
**SHA256:**5fafd013fc16591f0c978c6a4bacb3cf054d52f5051becd4325de8c21ba07f7d  
**Referenced In Project/Scope:** CoWorkInstaller

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: codemirror.jar: update\_lines.js

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/src/display/update\_lines.js  
**MD5:** c864b2f05d2101a47c52b9c01aad5b47

**SHA1:** c63e8555c30976387f5904fda11fb55174743a88  
**SHA256:** 80e80a6c8ad664587c2f01128e85c5c931f29cd021381584e2195073a53df45b  
**Referenced In Project/Scope:** CoWorkInstaller

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: codemirror.jar: utils.js

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/src/edit/utils.js  
**MD5:** 4e9e033cb9daa0702d84b88dfcebae20  
**SHA1:** 8e5257ed7b93a00cb5ecbf544d6a1043f2edac7  
**SHA256:** 06220f9e424434492b73e0aea65bebba1fe74fc3002f8b3672d1d0d3a445f20d  
**Referenced In Project/Scope:** CoWorkInstaller

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: codemirror.jar: utils\_line.js

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/src/line/utils\_line.js  
**MD5:** 0f6f365b60c1688d8f0fcb8d57a9d9d4  
**SHA1:** 574435cdc400815c829db19a67652b7077b00433  
**SHA256:** a8b39ff57b6d43dfceda786380d6dacef7b1738a81fb6033e7573502501d4b6e  
**Referenced In Project/Scope:** CoWorkInstaller

#### Evidence





Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## remotegui.zip: codemirror.jar: vb.js

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/vb/vb.js  
**MD5:** fa430588a34292ebd66e33fa60217b4a  
**SHA1:** a89cb1b315fbed1886d709d921ae95b216d89fc9  
**SHA256:**e8f8e4496baed70b1e6ff44979382bad81b921b9570b7da1a377835e973f28f6  
**Referenced In Project/Scope:** CoWorkInstaller

### Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## remotegui.zip: codemirror.jar: vbscript.js

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/vbscript/vbscript.js  
**MD5:** 2da61e304ec310d9291e372c53c6b06a  
**SHA1:** 9c582c79ac9ef6d1c08850c180f988bf974aedb5  
**SHA256:**77109e0c2218502dac03b5bc3b290cfe0b46ea00f4d267f3dc4378d9abe1bdc9  
**Referenced In Project/Scope:** CoWorkInstaller

### Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

### remotegui.zip: codemirror.jar: velocity.js

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/velocity/velocity.js

**MD5:** be30a2a88271b692c85d7de9744f7c16

**SHA1:** d45880a6f5d3d4840ed1297d7b3f14ba4c9a4be7

**SHA256:** 3c076c7bdb1e2d3d25bffa1a682556ae449f1545c3731935306333b5831aa951

**Referenced In Project/Scope:** CoWorkInstaller

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: codemirror.jar: verilog.js

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/verilog/verilog.js

**MD5:** a79b1a94e41866ba625c37e77a76ba16

**SHA1:** 4818788973bd3f66d3b9e14992710d96a7ec18d4

**SHA256:** ae7c58b13650019ca08760e04f3ece3315e889eb5aa849a34400f16542610eb1

**Referenced In Project/Scope:** CoWorkInstaller

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: codemirror.jar: vhdl.js

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/vhdl/vhdl.js  
**MD5:** 4f804b6884d0d7c233a0acc15fdab384  
**SHA1:** d30d775adce22818b6e3955fae1d653028abb5dc  
**SHA256:** da078efdda01a1245fb8ed5a16cfeb0a51823e5917e3802457041dc48243539  
**Referenced In Project/Scope:** CoWorkInstaller

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: codemirror.jar: view\_tracking.js

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/src/display/view\_tracking.js  
**MD5:** a26525bd629440e84b02128d6eb323b4  
**SHA1:** 2cb6103f9dad13f5ee416f272cc9f8f14084ffc6  
**SHA256:** 077f385b690f0c7af9976cb7b6d2b60a175f762753a77b3060a6db2686a5ee81  
**Referenced In Project/Scope:** CoWorkInstaller

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: codemirror.jar: vim.js

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/keymap/vim.js  
**MD5:** 3a5542b6dabf86e3983f29c5c5a184b6

**SHA1:** b8afaac94045745d4517c9635a5d0c1c266db7ca  
**SHA256:** c8124370e0ba7e76d5cde3c18d257c5c99e5578d6505f0eeaab5c791673c40e8  
**Referenced In Project/Scope:** CoWorkInstaller

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: codemirror.jar: vue.js

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/vue/vue.js  
**MD5:** 9e7dbdd0bcaee6279ed4e77f5ebc36ad  
**SHA1:** dc5c50230fdd556f9c3530f781b7a2b16ad30a20  
**SHA256:** 8b9c4f59c1230c537f44f593f5d608a81604e4b3dfd345ea938939d0d62f668e  
**Referenced In Project/Scope:** CoWorkInstaller

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: codemirror.jar: wast.js

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/wast/wast.js  
**MD5:** fb1f6ce81911f07db605e2e5ccf41cf2  
**SHA1:** be86e08e18cc74130b483022c355846d72116c20  
**SHA256:** 8e8ae8ab4475c66d2f05960ffda597af6279c8c93f62cdab443407bea74c0091  
**Referenced In Project/Scope:** CoWorkInstaller


#### Evidence



Type	Source	Name	Value	Confidence
Identifiers				
• None				

remotegui.zip: codemirror.jar: webidl.js


**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/webidl/webidl.js  
**MD5:** f31e84cde3fcc1fa2efec9889038d7e5  
**SHA1:** 0757847217a95faf4defc9685f6821accb9d8988  
**SHA256:**a12293542727a69514ae5477a65e33eed4f871fc207c6b275c9d8be1f2177062  
**Referenced In Project/Scope:** CoWorkInstaller

Evidence 				
Type	Source	Name	Value	Confidence

Identifiers				
• None				

remotegui.zip: codemirror.jar: widgets.js

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/src/measurement/widgets.js  
**MD5:** 675098b5f0aea0bf351a1b5762febfa6  
**SHA1:** c922dccdf98c79f92fa086bc2a36d970c76b56df  
**SHA256:**09874ad13a856fad11b3afd084e58411741ee2735e61b4d95fetc060b60bfd65  
**Referenced In Project/Scope:** CoWorkInstaller

Evidence 				
Type	Source	Name	Value	Confidence

Identifiers				
-------------	--	--	--	--

- None

#### remotegui.zip: codemirror.jar: worker.js

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/addon/tern/worker.js

**MD5:** c6d16e68bc203e9489fbbd11b5b100ef

**SHA1:** f8adb9ac9944f88bf6e69048c001f89537f32198

**SHA256:** 80c0e9bc4e2ef9ca9c97199818318429d26fae0d2452a20547b1e458eccf794d

**Referenced In Project/Scope:** CoWorkInstaller

##### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

##### Identifiers

- None

#### remotegui.zip: codemirror.jar: xml-fold.js

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/addon/fold/xml-fold.js

**MD5:** bcfaae27958026e83cd442b5df731da4

**SHA1:** 7ad4740f2ecbaa3869b066156b19401075a0315f

**SHA256:** 4ad0fdc2f93882174c9071e9a3c2324d15d4deb0c43fe607f9efe01dda1af9b4

**Referenced In Project/Scope:** CoWorkInstaller

##### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

##### Identifiers

- None

#### remotegui.zip: codemirror.jar: xml-hint.js

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/addon/hint/xml-hint.js  
**MD5:** f2651770cad286ae58d12e9f5c4e9e6f  
**SHA1:** 17bce6be75e45d7a291a32d0c1e346e4818296db  
**SHA256:** 6b78f04d2137358d5a01e9fa2b3a8f069acc70f925cc7efc39448ebe9599a805  
**Referenced In Project/Scope:** CoWorkInstaller

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: codemirror.jar: xml.js

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/xml/xml.js  
**MD5:** c93fe254ef100aeb5c9dfcda4c91d27f  
**SHA1:** 510c71566cf81560cb5bd1bb25287ed6502dde75  
**SHA256:** dc7e44d410399326f802e2924573cbf6f942a79f647fd0b97f0b607973bc9a09  
**Referenced In Project/Scope:** CoWorkInstaller

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: codemirror.jar: xquery.js

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/xquery/xquery.js  
**MD5:** 56cd9562591919c15b7610f13cd112be

**SHA1:** b294546669da04806196e6aca774914a30a0b3f8  
**SHA256:** 618685277efde78e0e48fd5cf95948ae32a4d57de942038ed0579415f3f2f9dc  
**Referenced In Project/Scope:** CoWorkInstaller

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: codemirror.jar: yacas.js

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/yacas/yacas.js  
**MD5:** a70c01cdbc7d4311d4dda287ace27a79  
**SHA1:** e853bda930d5fed1db0bd56ab9426612e759f9b3  
**SHA256:** edab39fac054aaee5ea8ad3d09e0d38f57d5b24f826df7561526b5efb229fc72  
**Referenced In Project/Scope:** CoWorkInstaller

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: codemirror.jar: yaml-frontmatter.js

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/yaml-frontmatter/yaml-frontmatter.js  
**MD5:** c2dc6071833d8d9bf02d81244403cbd6  
**SHA1:** 212780f18d78644233eb826c8c660eee51b6ac70  
**SHA256:** 98baa91eee7ba77aaf150a59d7e5146d4964ddb271076cd963cce43f9928b3f8  
**Referenced In Project/Scope:** CoWorkInstaller

#### Evidence





Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: yaml-lint.js

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/addon/lint/yaml-lint.js  
**MD5:** 925332d44aefcb89b106d4fe9b32e93d  
**SHA1:** 19221be874d11d57582a77dd08fd2f244e9b5500  
**SHA256:** ee7249600f6b395c302b24054060f8abe87cbaa68a9f426593ca5e5f3748bbf9  
**Referenced In Project/Scope:** CoWorkInstaller

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: yaml.js

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/yaml/yaml.js  
**MD5:** 77fd959da1bbaeff5cdd97689da94570  
**SHA1:** 9b206b33cc7b2b5e1e21d39bd177b1c6500e9722  
**SHA256:** 3256b4e40302d4488834925a990edb32cef7d431f70a40917c1c5398468d861b  
**Referenced In Project/Scope:** CoWorkInstaller

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

### remotegui.zip: codemirror.jar: z80.js

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/z80/z80.js

**MD5:** 85b28ee5eafe8552bf842eeba91325f7

**SHA1:** 34971fc9b5ed5aa2f8714030186cd3e0056cb2ac

**SHA256:** 0f501d7b8c9c48942900b4d7131f5bb18130395024e66ea5d98aea480f845e2e

**Referenced In Project/Scope:** CoWorkInstaller

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: crypto-js.jar

#### Description:

WebJar for crypto-js

#### License:

MIT

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/remotegui.zip/crypto-js.jar

**MD5:** e70e1fdbb3054453cd57ab3368e6bdb9

**SHA1:** 622835f605f708155af4ffdb1fda1fed2983bccf

**SHA256:** 9e11775c13feb6a3161844db96974ad007dc36d1f4b3033555f34813a1584270

**Referenced In Project/Scope:** CoWorkInstaller

#### Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	crypto-js	High
Vendor	Manifest	build-jdk-spec	1.8	Low
Vendor	Manifest	bundle-symbolicname	org.webjars.npm.crypto-js	Medium

Vendor	pom	artifactid	crypto-js	Low
Vendor	pom	developer id	webjars	Medium
Vendor	pom	groupid	org.webjars.npm	Highest
Vendor	pom	name	crypto-js	High
Vendor	pom	url	https://www.webjars.org	Highest
Product	file	name	crypto-js	High
Product	Manifest	build-jdk-spec	1.8	Low
Product	Manifest	Bundle-Name	crypto-js	Medium
Product	Manifest	bundle-symbolicname	org.webjars.npm.crypto-js	Medium
Product	pom	artifactid	crypto-js	Highest
Product	pom	developer id	webjars	Low
Product	pom	groupid	org.webjars.npm	Highest
Product	pom	name	crypto-js	High
Product	pom	url	https://www.webjars.org	Medium
Version	Manifest	Bundle-Version	4.2.0	High
Version	pom	version	4.2.0	Highest

#### Identifiers

- pkg:maven/org.webjars.npm/crypto-js@4.2.0 (Confidence:High)

### remotegui.zip: crypto-js.jar: aes.js

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/remotegui.zip/crypto-js.jar/META-INF/resources/webjars/crypto-js/4.2.0/aes.js

**MD5:** da81b91b1b57c279c29b3469649d9b86

**SHA1:** 5441866409bd32d32331c4b4b652057fb90bc298

**SHA256:** d6bb48feacbd63fd455becce7a5528877242f70e73ba1f7838c186ed8f35fd3c

**Referenced In Project/Scope:** CoWorkInstaller

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: crypto-js.jar: blowfish.js

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/remotegui.zip/crypto-js.jar/META-INF/resources/webjars/crypto-js/4.2.0/blowfish.js

**MD5:** f324783486bb1c6c2bad1faf07c63372

**SHA1:** abce1a3fd40ce0c3f511fc0ea0be9a5d9006e580

**SHA256:** dce696d0842412093ec68ceef095d0db470a358628dbc352867bf535ef3edfb6

**Referenced In Project/Scope:** CoWorkInstaller

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: crypto-js.jar: cipher-core.js

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/remotegui.zip/crypto-js.jar/META-INF/resources/webjars/crypto-js/4.2.0/cipher-core.js

**MD5:** b9c2f3c51e3ffe719444390f47c51627

**SHA1:** fb31443b26eb46eba12f324ff2c567d28e43c9c8

**SHA256:** 1b3331c29f4a1e222ebf7d3b9bd3458a308c2a47fc5e6cccb93f7d2d5c57533d

**Referenced In Project/Scope:** CoWorkInstaller

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: crypto-js.jar: core.js

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/remotegui.zip/crypto-js.jar/META-INF/resources/webjars/crypto-js/4.2.0/core.js  
**MD5:** b55ae8027253d4d54c4f1ef3b6254646  
**SHA1:** 06951bbea3ba1ca54de91f0feefc13fb62b66f38  
**SHA256:**2638bdd7224472f801890636d42df16c144ca46c84229ef3087190d21f935daf  
**Referenced In Project/Scope:** CoWorkInstaller

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: crypto-js.jar: crypto-js.js

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/remotegui.zip/crypto-js.jar/META-INF/resources/webjars/crypto-js/4.2.0/crypto-js.js  
**MD5:** 4b481d280be0331ef01b43c2d9b2a58c  
**SHA1:** 4e84b6508f97c27e80a3fdeea2923d489d2b8fc5  
**SHA256:**ee02257ffba0a9b481c7039b0f3bb20c360c9674fe4be8b38ae709b2ea59bbe  
**Referenced In Project/Scope:** CoWorkInstaller

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: crypto-js.jar: enc-base64.js

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/remotegui.zip/crypto-js.jar/META-INF/resources/webjars/crypto-js/4.2.0/enc-base64.js  
**MD5:** f551ce1340a86e5edbfef4a6aefa798f

**SHA1:** 9e1b1bf75f35833ca2480ee401b4cff8b7eb1fe3

**SHA256:** 84b69d1625474179d55622a8333c3aac376dd8bc77de7b06c21695762cb69cab

**Referenced In Project/Scope:** CoWorkInstaller

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: crypto-js.jar: enc-base64url.js

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/remotegui.zip/crypto-js.jar/META-INF/resources/webjars/crypto-js/4.2.0/enc-base64url.js

**MD5:** b87419e0e9ad776b37cfce5433ff5852

**SHA1:** 24aa5251bd4c6b8ca1bbaf0a5ab838fbdcb6ab

**SHA256:** 8747798ddd53f467bebd7101bcd053b3f12ef028b3e6c012aede147732c8a9c6

**Referenced In Project/Scope:** CoWorkInstaller

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: crypto-js.jar: enc-hex.js

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/remotegui.zip/crypto-js.jar/META-INF/resources/webjars/crypto-js/4.2.0/enc-hex.js

**MD5:** efb02f85686d948c69ad13ec6a7d479c

**SHA1:** 27f6a54ae346ef0a9a63084990591e0f986bea38

**SHA256:** c7dad9931250921c24508ba9949abb818745b38891da44693359249b11ed143d

**Referenced In Project/Scope:** CoWorkInstaller


#### Evidence



Type	Source	Name	Value	Confidence
Identifiers				
• None				

remotegui.zip: crypto-js.jar: enc-latin1.js


**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/remotegui.zip/crypto-js.jar/META-INF/resources/webjars/crypto-js/4.2.0/enc-latin1.js  
**MD5:** a8c77d13f48479c2f76678c6e7f06ca8  
**SHA1:** 9753af5959867f998f0feff6f1699e88c92f39e  
**SHA256:**24dfce2cc51ec0481aad1f62933bd0ae1238c34c5b0e73aeb1729027c913a26b  
**Referenced In Project/Scope:** CoWorkInstaller

Evidence 				
Type	Source	Name	Value	Confidence

Identifiers				
• None				

remotegui.zip: crypto-js.jar: enc-utf16.js

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/remotegui.zip/crypto-js.jar/META-INF/resources/webjars/crypto-js/4.2.0/enc-utf16.js  
**MD5:** e24e079fb22a2f7063cb9f856bdf10b  
**SHA1:** 01f29539d0bc1e2c10638d0f3b9af99d978e15f7  
**SHA256:**c35339900b45fa701c390c924009a95270b4b4d91b427e40984f117c2f7ec67d  
**Referenced In Project/Scope:** CoWorkInstaller

Evidence 				
Type	Source	Name	Value	Confidence

Identifiers				
-------------	--	--	--	--

- None

### remotegui.zip: crypto-js.jar: enc-utf8.js

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/remotegui.zip/crypto-js.jar/META-INF/resources/webjars/crypto-js/4.2.0/enc-utf8.js

**MD5:** 5a9aaa6b97e87bf258edf26223bdcf61

**SHA1:** 16bab2dd76daec10b9b3e2569f3fc1a207b5f726

**SHA256:** 8c7e44dc2d49b20fd78a44827fa962a28a5e22e0adfe036aa0fdcfc7adb89984

**Referenced In Project/Scope:** CoWorkInstaller

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: crypto-js.jar: evpkdf.js

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/remotegui.zip/crypto-js.jar/META-INF/resources/webjars/crypto-js/4.2.0/evpkdf.js

**MD5:** 7106e06bc97d1f59a9324ef5ef9c14c2

**SHA1:** 89cccca6c0e5261d31302cb4726a26f21a84ef39

**SHA256:** 03a8ec00db105b3b813902400ed65169d12ecd382fa13402fd62c55e251caacc

**Referenced In Project/Scope:** CoWorkInstaller

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: crypto-js.jar: format-hex.js



**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/remotegui.zip/crypto-js.jar/META-INF/resources/webjars/crypto-js/4.2.0/format-hex.js  
**MD5:** e2f78f02b844140cb8763fa7cd8daa45  
**SHA1:** a359182575c8d43c6e5381209472f8954e4d5496  
**SHA256:** 040a2918bec8cb8ba0a6303fa3c1bbfd899bc8644643e8ac493e3c08a0c09097  
**Referenced In Project/Scope:** CoWorkInstaller

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: crypto-js.jar: format-openssl.js

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/remotegui.zip/crypto-js.jar/META-INF/resources/webjars/crypto-js/4.2.0/format-openssl.js  
**MD5:** 502d6df5aa16084bf5abb0f3077c13b5  
**SHA1:** 7507a0c1ccf7049a8a10bf2ed73f24af5ed00aa3  
**SHA256:** 1ffa86862e66b6c0fff35cb96875e97a793aaf86ca749b29381cbc67a0877bba  
**Referenced In Project/Scope:** CoWorkInstaller

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: crypto-js.jar: hmac-md5.js

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/remotegui.zip/crypto-js.jar/META-INF/resources/webjars/crypto-js/4.2.0/hmac-md5.js  
**MD5:** 95b2fb61fbadc00bb3dce9098e37256a

**SHA1:** 143d92d0c7d56bc57036c318cf78dc50cd72b557  
**SHA256:** d3072014eb4186d02e335c511b3cc6e163a5cfebaa8c4ae13634af24887078e6  
**Referenced In Project/Scope:** CoWorkInstaller

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: crypto-js.jar: hmac-ripemd160.js

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/remotegui.zip/crypto-js.jar/META-INF/resources/webjars/crypto-js/4.2.0/hmac-ripemd160.js  
**MD5:** 6d51886c1d976bc143c790593cdc0920  
**SHA1:** 29a848612a72b95abd8d8a9ee8d4874939fac6f0  
**SHA256:** 28e2bdcbb143840e4e01eff312a728e0f652d7dcb0d1bbdceab0bf48ff5cae8ac  
**Referenced In Project/Scope:** CoWorkInstaller

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: crypto-js.jar: hmac-sha1.js

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/remotegui.zip/crypto-js.jar/META-INF/resources/webjars/crypto-js/4.2.0/hmac-sha1.js  
**MD5:** 4acf006c1688cf4513ed375d7a94f86e  
**SHA1:** 8fbe2fbecb2caa64f74c0393f9f6641f78e3b732  
**SHA256:** e104acb7379b834bd9249e3cfcb2196acbf90a22bb10947feb2a1fbe30ded105  
**Referenced In Project/Scope:** CoWorkInstaller


#### Evidence



Type	Source	Name	Value	Confidence
Identifiers				
• None				

remotegui.zip: crypto-js.jar: hmac-sha224.js


**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/remotegui.zip/crypto-js.jar/META-INF/resources/webjars/crypto-js/4.2.0/hmac-sha224.js  
**MD5:** 875a7a330903a92828b279818e6b06b8  
**SHA1:** 586cc496e368eb6f6119e0a6089ef7f8f421dee6  
**SHA256:** 35208e1e4631ff5f9bd83220dbfbef63290eb93e914055b35583fbf19eb76693  
**Referenced In Project/Scope:** CoWorkInstaller

Evidence 				
Type	Source	Name	Value	Confidence

Identifiers				
• None				

remotegui.zip: crypto-js.jar: hmac-sha256.js

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/remotegui.zip/crypto-js.jar/META-INF/resources/webjars/crypto-js/4.2.0/hmac-sha256.js  
**MD5:** 69817fc0da86033d4ef559f0febd3d32  
**SHA1:** 84c60e2a1dce8f06c1e4340542199cc9cc9a3454  
**SHA256:** 11d26c11f858b74bf0f106c74ddb579a112d3e7321fd684365a77ba2a7a5dfc  
**Referenced In Project/Scope:** CoWorkInstaller

Evidence 				
Type	Source	Name	Value	Confidence

Identifiers				
-------------	--	--	--	--

- None

### remotegui.zip: crypto-js.jar: hmac-sha3.js

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/remotegui.zip/crypto-js.jar/META-INF/resources/webjars/crypto-js/4.2.0/hmac-sha3.js

**MD5:** ea6cba03f7c6b257b70c1497022b5514

**SHA1:** 0d8f8002491a9311c7035aaf07d4a0329f38ced0

**SHA256:** bc63c36741416fb55fbbe3c7c4a78b5e056d9b902a471bb16b6f5672fbbacbf8

**Referenced In Project/Scope:** CoWorkInstaller

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: crypto-js.jar: hmac-sha384.js

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/remotegui.zip/crypto-js.jar/META-INF/resources/webjars/crypto-js/4.2.0/hmac-sha384.js

**MD5:** 7afbdf157b81970eb00a50bc421e7ce1

**SHA1:** 9196d839c46163f6e51c63410ba0076a09ccf178

**SHA256:** 93494b918b2eb79cd1be66145a41137ac0d65739ed6cb9e04f82bf1d7cdc7019

**Referenced In Project/Scope:** CoWorkInstaller

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: crypto-js.jar: hmac-sha512.js

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/remotegui.zip/crypto-js.jar/META-INF/resources/webjars/crypto-js/4.2.0/hmac-sha512.js  
**MD5:** 5d3e9930daf490e45b446cb42b31833e  
**SHA1:** 4b07089a6c56852d15ec948b58408d5b5d32cafd  
**SHA256:** 6c2b59ac5e27099986b28d32e425ed3d65a4621c1c6512d03d40b336c6e88a2d  
**Referenced In Project/Scope:** CoWorkInstaller

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: crypto-js.jar: hmac.js

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/remotegui.zip/crypto-js.jar/META-INF/resources/webjars/crypto-js/4.2.0/hmac.js  
**MD5:** ee162ca0ed3b55dd9b2fe74a3464bb74  
**SHA1:** d68f1ed4e3aed7807fe17a8193fca4775221dfa3  
**SHA256:** c89f8f08ae06990edbc0763cd46853d16c70eaf513de8592b1ffb74a2ad2f7da  
**Referenced In Project/Scope:** CoWorkInstaller

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: crypto-js.jar: index.js

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/remotegui.zip/crypto-js.jar/META-INF/resources/webjars/crypto-js/4.2.0/index.js  
**MD5:** 8181544c4f4842cba38a939989ddb460

**SHA1:** b4ff6b82e1e72ccc2a5de8f94968c3b82060f61c  
**SHA256:** 7de6a6041ebd1a43ecd79b59708795ac273930bb36265b41fff832d781e7bb27  
**Referenced In Project/Scope:** CoWorkInstaller

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: crypto-js.jar: lib-typedarrays.js

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/remotegui.zip/crypto-js.jar/META-INF/resources/webjars/crypto-js/4.2.0/lib-typedarrays.js  
**MD5:** b8bac2e22a7a589167e014be77736c72  
**SHA1:** 622fc0f297b3799ff91b08469989e6fe113cbda4  
**SHA256:** a5875f287e6cc6dea0ab64024db32783229a7db55f74deccf6566973bbd76ec9  
**Referenced In Project/Scope:** CoWorkInstaller

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: crypto-js.jar: md5.js

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/remotegui.zip/crypto-js.jar/META-INF/resources/webjars/crypto-js/4.2.0/md5.js  
**MD5:** fcd0c8cd3533c15bb4f0628f82cf5175  
**SHA1:** ed91751fd5c6009667d6b43c5fd3939993edd568  
**SHA256:** ffce8dc6b782620c6238a5b2280c5a98f6bef8c77fa80e581fac8cce0f08effe  
**Referenced In Project/Scope:** CoWorkInstaller

#### Evidence



Type	Source	Name	Value	Confidence
Identifiers				
• None				

remotegui.zip: crypto-js.jar: mode-cfb.js

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/remotegui.zip/crypto-js.jar/META-INF/resources/webjars/crypto-js/4.2.0/mode-cfb.js  
**MD5:** 5847dafc1beecdcd23925f9f4989b2  
**SHA1:** c9972596e02db6c6221ae019dcf1498d30e9ffb4  
**SHA256:**a3626b78fe53d7d32fbcaeaeb92750db305e84e2ccb84e61d735ac7a4dc7345c  
**Referenced In Project/Scope:** CoWorkInstaller

Evidence				
Type	Source	Name	Value	Confidence

Identifiers				
• None				

remotegui.zip: crypto-js.jar: mode-ctr-gladman.js

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/remotegui.zip/crypto-js.jar/META-INF/resources/webjars/crypto-js/4.2.0/mode-ctr-gladman.js  
**MD5:** c4bd3b4755cf275747f8e68b0eed7995  
**SHA1:** cabbcc4100b4d363f1b55d42b930ec547ad67dd1  
**SHA256:**fcd6166981435cc01bdfd2fb8f9e2773acfb144ab8c47e0c71473d9bdee755b0  
**Referenced In Project/Scope:** CoWorkInstaller

Evidence				
Type	Source	Name	Value	Confidence

Identifiers				
-------------	--	--	--	--

- None

#### remotegui.zip: crypto-js.jar: mode-ctr.js

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/remotegui.zip/crypto-js.jar/META-INF/resources/webjars/crypto-js/4.2.0/mode-ctr.js

**MD5:** 6cec0458e4e62c1ff8b534e59f9132ff

**SHA1:** 591484053ed26919fa6e4cecf7aa723dcade4bb6

**SHA256:** 9e67161f61922a475b142b2e18cb4470ed7860ef61bc6e7a41f327f7a59be96f

**Referenced In Project/Scope:** CoWorkInstaller

##### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

##### Identifiers

- None

#### remotegui.zip: crypto-js.jar: mode-ecb.js

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/remotegui.zip/crypto-js.jar/META-INF/resources/webjars/crypto-js/4.2.0/mode-ecb.js

**MD5:** 3a84195b8427195dd9c345a0f3aa2313

**SHA1:** fe621e95709e31a5289c78d114aad4a920f14923

**SHA256:** 4f563373ba4af442e1b425b7b7dd1030ed84b9babe9821949922d9677bf14701

**Referenced In Project/Scope:** CoWorkInstaller

##### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

##### Identifiers

- None

#### remotegui.zip: crypto-js.jar: mode-ofb.js



**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/remotegui.zip/crypto-js.jar/META-INF/resources/webjars/crypto-js/4.2.0/mode-ofb.js  
**MD5:** 48f5529799d5eac8fa9f855ba1402737  
**SHA1:** 4e97befa1e4d0003cd2fe9d21d85d6636513fdb4  
**SHA256:** b49077bf4bf5e8f2cbb2de0e2d48c4d941a3feba2bc7c629abd51fe2ac8bdb2f  
**Referenced In Project/Scope:** CoWorkInstaller

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: crypto-js.jar: package.json

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/remotegui.zip/crypto-js.jar/META-INF/resources/webjars/crypto-js/4.2.0/package.json  
**MD5:** 2f31b0aec8f5d1c63af62bf46623876c  
**SHA1:** 7316c3382382dee4cc36236a13bf43543b8a855d  
**SHA256:** 011d61589c95ad4e16051c492565f7c19c6a7832580674503cceeca612e7a6cd  
**Referenced In Project/Scope:** CoWorkInstaller

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: crypto-js.jar: pad-ansix923.js

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/remotegui.zip/crypto-js.jar/META-INF/resources/webjars/crypto-js/4.2.0/pad-ansix923.js  
**MD5:** ca8ab3266976ddad6e811577212b8c88

**SHA1:** 505018913484e110aa81842a4511a2a52cbf2231  
**SHA256:** 7d950bc42f262159a2786eea30d1153a3d0bca9aab9acdbcc1a981a8d2854ef7  
**Referenced In Project/Scope:** CoWorkInstaller

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: crypto-js.jar: pad-iso10126.js

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/remotegui.zip/crypto-js.jar/META-INF/resources/webjars/crypto-js/4.2.0/pad-iso10126.js  
**MD5:** b1c4aa95c8bc79280076e66352b6c219  
**SHA1:** 9c081665a8d0f4399c5f3874f38f811932900d54  
**SHA256:** d3695304e8e7a001cc6e1b84d4b58abd429dd7e3f09514c260bcd3122a3aa685  
**Referenced In Project/Scope:** CoWorkInstaller

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: crypto-js.jar: pad-iso97971.js

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/remotegui.zip/crypto-js.jar/META-INF/resources/webjars/crypto-js/4.2.0/pad-iso97971.js  
**MD5:** 4027c92ac1ed3c95f39e8e2a391500d3  
**SHA1:** b7034e19bcb012cf7549baea65a70d25b8e71480  
**SHA256:** f7f7179b8bea5b6ef4f0891f23b563db8aa530376795cd99ef84942cfc62d328  
**Referenced In Project/Scope:** CoWorkInstaller

#### Evidence



Type	Source	Name	Value	Confidence
Identifiers				
• None				

remotegui.zip: crypto-js.jar: pad-nopadding.js

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/remotegui.zip/crypto-js.jar/META-INF/resources/webjars/crypto-js/4.2.0/pad-nopadding.js  
**MD5:** e288e14e2cd299c3247120114e1178e6  
**SHA1:** af4df0df185ab10e12fe8c01f885027eabe3c8f3  
**SHA256:**a722d1f1486b807b34076ec3277ea3a65f21837db2d9f76eb5daa7de312479a6  
**Referenced In Project/Scope:** CoWorkInstaller

Evidence 				
Type	Source	Name	Value	Confidence

Identifiers				
• None				

remotegui.zip: crypto-js.jar: pad-pkcs7.js

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/remotegui.zip/crypto-js.jar/META-INF/resources/webjars/crypto-js/4.2.0/pad-pkcs7.js  
**MD5:** 23c101a5a832bfa8a894b9813323044c  
**SHA1:** d21f12b724eccd65c9f20503bdac2c41eb8ce985  
**SHA256:**9a3c909e8c3b6604bfd7a48a3c7e61504292744d894bce1266b44691b857c1bc  
**Referenced In Project/Scope:** CoWorkInstaller

Evidence 				
Type	Source	Name	Value	Confidence

Identifiers				
-------------	--	--	--	--

- None

### remotegui.zip: crypto-js.jar: pad-zeropadding.js

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/remotegui.zip/crypto-js.jar/META-INF/resources/webjars/crypto-js/4.2.0/pad-zeropadding.js

**MD5:** 23b4116306620a01bed22b52014c7c65

**SHA1:** 34360c2d2f9a38e5c3d197223a2f5b6777cbc1e9

**SHA256:** d99e781985e817da7c6af30d957c45419b1a7e176bf52160424ebbbf970df906

**Referenced In Project/Scope:** CoWorkInstaller

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: crypto-js.jar: pbkdf2.js

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/remotegui.zip/crypto-js.jar/META-INF/resources/webjars/crypto-js/4.2.0/pbkdf2.js

**MD5:** 3f2876e100b991885f606065d1342984

**SHA1:** 006198366f41423a82b05dc582d9882530c3f6e5

**SHA256:** 89cca1be3926c8d89b6f827d70970bb3bc94ae47943342ca8949992faf8d2b60

**Referenced In Project/Scope:** CoWorkInstaller

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: crypto-js.jar: rabbit-legacy.js

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/remotegui.zip/crypto-js.jar/META-INF/resources/webjars/crypto-js/4.2.0/rabbit-legacy.js  
**MD5:** 8fdb6b7d8bcf3aef27398d47d13dacb9  
**SHA1:** 23dc78f4b418c296ffc166bbcad8c678d6ab2efa  
**SHA256:** cf9afefa87b216dd4d8be00524f8904bba1147fbb90273e5e6a7b2824b52e56f  
**Referenced In Project/Scope:** CoWorkInstaller

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: crypto-js.jar: rabbit.js

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/remotegui.zip/crypto-js.jar/META-INF/resources/webjars/crypto-js/4.2.0/rabbit.js  
**MD5:** b3bae9fc93314924cbd6c4283c1e91ef  
**SHA1:** 4bd339e3a9e954c2766a07a96cf7ec2547e76cab  
**SHA256:** dc93dba650db41783f8a3faba6ba17ad82cb0eb1b6fa84df406f71d520d84b42  
**Referenced In Project/Scope:** CoWorkInstaller

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: crypto-js.jar: rc4.js

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/remotegui.zip/crypto-js.jar/META-INF/resources/webjars/crypto-js/4.2.0/rc4.js  
**MD5:** 846a99f1e90dbcbb5773793c3fe8aa5c

**SHA1:** fbb684811bde18ce2faad2ffbda3aa9c00939e90  
**SHA256:** 571eca05c055a26c729f757f83b9f849968ae0dc0ba9870e5be9526019c53a33  
**Referenced In Project/Scope:** CoWorkInstaller

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: crypto-js.jar: ripemd160.js

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/remotegui.zip/crypto-js.jar/META-INF/resources/webjars/crypto-js/4.2.0/ripemd160.js  
**MD5:** 1d13fd2d4858d87c36c43a0a6436f0d4  
**SHA1:** 9187ea140085390e357f1e7804f95e7a5812d494  
**SHA256:** 3d7eea732acb8f27ba7be5ec54cc1c5ea198be2f7b12ae78cf03ce3b87d78da1  
**Referenced In Project/Scope:** CoWorkInstaller

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: crypto-js.jar: sha1.js

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/remotegui.zip/crypto-js.jar/META-INF/resources/webjars/crypto-js/4.2.0/sha1.js  
**MD5:** 5fbc23cf1d5cf34e9f7798650d07b333  
**SHA1:** 7401e77dcaff4ecaab8e57fd11fccfaf5f33c75  
**SHA256:** fca2d5560acb8de760ebc94679ff210056722af8193871e75176a61a977ac30f  
**Referenced In Project/Scope:** CoWorkInstaller

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## remotegui.zip: crypto-js.jar: sha224.js

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/remotegui.zip/crypto-js.jar/META-INF/resources/webjars/crypto-js/4.2.0/sha224.js  
**MD5:** bd908518f276d2df58277bb38185b307  
**SHA1:** b10b13e02fadeea29119f6976b346d9b06c84342  
**SHA256:**542ddc722d9711595c11d57caa9424beca928b3553747a51e3f1c57c2c08ec16  
**Referenced In Project/Scope:** CoWorkInstaller

### Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## remotegui.zip: crypto-js.jar: sha256.js

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/remotegui.zip/crypto-js.jar/META-INF/resources/webjars/crypto-js/4.2.0/sha256.js  
**MD5:** 561d24c90633fb34c13537a330d12786  
**SHA1:** 7593f14b59ba2099cbb4ffb806e75758fdeb12f5  
**SHA256:**d8074f23cbd27aa6c2f231b8bdad34bbd8d49c7e47ffa0d7cd07a2c4d1d3c798  
**Referenced In Project/Scope:** CoWorkInstaller

### Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

### remotegui.zip: crypto-js.jar: sha3.js

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/remotegui.zip/crypto-js.jar/META-INF/resources/webjars/crypto-js/4.2.0/sha3.js

**MD5:** 6fe2614bbdfb802fa873f118621c7fb8

**SHA1:** d977f518e609149d1b51932648669a4be7a97f27

**SHA256:** 6ee08cd3d69b181cb735011acd0a0d57b6a4a071baf8ecbbbbb9aa18cf1e4d6ac

**Referenced In Project/Scope:** CoWorkInstaller

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: crypto-js.jar: sha384.js

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/remotegui.zip/crypto-js.jar/META-INF/resources/webjars/crypto-js/4.2.0/sha384.js

**MD5:** 6ae085f20325eb927ff673ef20568137

**SHA1:** 8d7bb4a99b713d53723f8f1ad3442cf9e9edf9a4

**SHA256:** 8d902216aef6840bb9951117bdd3aa6331078e68ee04987aa1d59c73b5ff3066

**Referenced In Project/Scope:** CoWorkInstaller

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: crypto-js.jar: sha512.js



**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/remotegui.zip/crypto-js.jar/META-INF/resources/webjars/crypto-js/4.2.0/sha512.js

**MD5:** 0e5e8946947671eefe910c58f1272c48

**SHA1:** 7b4efa121b30865b12f7546f1e99e22c6c2a3c40

**SHA256:**986ca486a1c9e58e9d8fc38d1db4e652e14c751ba1a6a15fd81439d261efe2b0

**Referenced In Project/Scope:** CoWorkInstaller

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: crypto-js.jar: tripledes.js

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/remotegui.zip/crypto-js.jar/META-INF/resources/webjars/crypto-js/4.2.0/tripledes.js

**MD5:** fcd80fd597ef5e6a0fe34cdf484a8825

**SHA1:** 94c5615ac7a0f2ee61bb5325e46d61151893dfa6

**SHA256:**8d8de06235e08f38ddc855070ef8cb86d7c69a67b3a5278f8cbf2af64b55122d

**Referenced In Project/Scope:** CoWorkInstaller

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: crypto-js.jar: x64-core.js

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/remotegui.zip/crypto-js.jar/META-INF/resources/webjars/crypto-js/4.2.0/x64-core.js

**MD5:** 677577ca38d04508f116ebc977dcb11b

**SHA1:** 966f596f1adb7e7780021ae463a62890de8b19fc  
**SHA256:**c54130dcd19ae2c7f8c4b4a69cb2038a65d363899cddf7ebaae0102bfc8fe086  
**Referenced In Project/Scope:** CoWorkInstaller

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: echarts.jar

#### Description:

WebJar for echarts

#### License:

Apache-2.0

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/remotegui.zip/echarts.jar

**MD5:** f1b0daa0d7a67341f1803381e1d4185a

**SHA1:** 1600ea69559037bf4fc553e97e72c6aa4c1b1822

**SHA256:**99333b79cba4fde148702ae3bbf26d30752a44944f1015e8ce7e7d2da692e515

**Referenced In Project/Scope:** CoWorkInstaller

#### Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	echarts	High
Vendor	Manifest	build-jdk-spec	1.8	Low
Vendor	Manifest	bundle-symbolicname	org.webjars.npm.echarts	Medium
Vendor	pom	artifactid	echarts	Low
Vendor	pom	developer id	webjars	Medium
Vendor	pom	groupid	org.webjars.npm	Highest
Vendor	pom	name	echarts	High
Vendor	pom	url	https://www.webjars.org	Highest
Product	file	name	echarts	High
Product	Manifest	build-jdk-spec	1.8	Low
Product	Manifest	Bundle-Name	echarts	Medium

Product	Manifest	bundle-symbolicname	org.webjars.npm.echarts	Medium
Product	pom	artifactid	echarts	Highest
Product	pom	developer id	webjars	Low
Product	pom	groupid	org.webjars.npm	Highest
Product	pom	name	echarts	High
Product	pom	url	https://www.webjars.org	Medium
Version	Manifest	Bundle-Version	6.0.0	High
Version	pom	version	6.0.0	Highest

#### Identifiers

- pkg:maven/org.webjars.npm/echarts@6.0.0 (Confidence:High)

### remotegui.zip: echarts.jar: echarts.min.js

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/remotegui.zip/echarts.jar/META-INF/resources/webjars/echarts/6.0.0/dist/echarts.min.js

**MD5:** 13a384552589b88e84f7bf0c757a66ac

**SHA1:** d8c844c3d7c681edb8c6b7f72464373cff593c98

**SHA256:** baa8dfe7e1d9336b98e8986ba7e20ea15e7cdbea1ef42a59d59478632fa45a1d

**Referenced In Project/Scope:** CoWorkInstaller

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: hugerte-languages.jar

**License:**

MIT

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/remotegui.zip/hugerte-languages.jar  
**MD5:** c9985319d244f7df278b01d7308df10c  
**SHA1:** a304c306ddbe826ac79f7ce83ad9e8c0a0222a4e  
**SHA256:** d2eb852d7120db344d837675afd1a4725104d7fc4dc4ab9d88c5f714128426b8  
**Referenced In Project/Scope:** CoWorkInstaller

#### Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	hugerte-languages	High
Vendor	Manifest	url	https://www.tiny.cloud/get-tiny/language-packages/	Low
Vendor	pom	artifactid	hugerte-languages	Low
Vendor	pom	groupid	org.webjars.npm	Highest
Vendor	pom	url	https://www.tiny.cloud/get-tiny/language-packages/	Highest
Product	file	name	hugerte-languages	High
Product	Manifest	url	https://www.tiny.cloud/get-tiny/language-packages/	Low
Product	pom	artifactid	hugerte-languages	Highest
Product	pom	groupid	org.webjars.npm	Highest
Product	pom	url	https://www.tiny.cloud/get-tiny/language-packages/	Medium
Version	pom	version	1.0.10	Highest

#### Identifiers

- pkg:maven/org.webjars.npm/hugerte-languages@1.0.10 (Confidence:High)

### remotegui.zip: hugerte-languages.jar: ar.js

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/remotegui.zip/hugerte-languages.jar/META-INF/resources/webjars/hugerte/langs/ar.js  
**MD5:** 823f9945c776bff8a5d1d33b7d053f76  
**SHA1:** dc44a63c5afd84dc271d61e5673fc814e1de20f0  
**SHA256:** 16ea01e589d138a6136652e9bbbff6f0a78c7da2c52f777e50c2b1c51b85cf6d  
**Referenced In Project/Scope:** CoWorkInstaller

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## remotegui.zip: hugerte-languages.jar: ar\_SA.js

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/remotegui.zip/hugerte-languages.jar/META-INF/resources/webjars/hugerte/langs/ar\_SA.js

**MD5:** de0f31d1f1a0932c71125d7baef80a5a

**SHA1:** 29240f1954b11d0cc527d22342d62b23d6be35d7

**SHA256:** df5dea24dc375556b47d00f787af4457a306dce441d7560dc5708926e65196a4

**Referenced In Project/Scope:** CoWorkInstaller

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## remotegui.zip: hugerte-languages.jar: az.js

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/remotegui.zip/hugerte-languages.jar/META-INF/resources/webjars/hugerte/langs/az.js

**MD5:** 41a5444280dc4fed40bd7007a8734bd1

**SHA1:** ebff1c1e5fe696a05d5b025cf996239d07e5728a

**SHA256:** 56722b025676cc2a88be8cb111e7d93a1cf5f076e25b57603c9ee34770eb1d21

**Referenced In Project/Scope:** CoWorkInstaller

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

### remotegui.zip: hugerte-languages.jar: be.js

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/remotegui.zip/hugerte-languages.jar/META-INF/resources/webjars/hugerte/langs/be.js

**MD5:** a21eb5c6f25273f8bad1ed7d263c9bb2

**SHA1:** 029a79f496d18774c6e463c76bb351c5e36d745f

**SHA256:** 38ac39070c67cc3dab2aa62cf3c67f6aae5de17412aadaa7f3a7f0fc07fe1f5f

**Referenced In Project/Scope:** CoWorkInstaller

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: hugerte-languages.jar: bg\_BG.js

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/remotegui.zip/hugerte-languages.jar/META-INF/resources/webjars/hugerte/langs/bg\_BG.js

**MD5:** 801f9914266c7293a3235a7fb0ae7f3c

**SHA1:** e7a34a80a73fff9be96fb31dc8f0f9d1a3987c59

**SHA256:** 251201625c9f4281c1c290631b000379b84305155f6e36387ff62c21ee8b45f0

**Referenced In Project/Scope:** CoWorkInstaller

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: hugerte-languages.jar: bn\_BD.js

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/remotegui.zip/hugerte-languages.jar/META-INF/resources/webjars/hugerte/langs/bn\_BD.js  
**MD5:** 220b63a6f7d42943f33d94ba67423a64  
**SHA1:** 86740e376336efef54a75384cc7b08ba1dbb8224  
**SHA256:**afcae81dc0d30507f943432518ba500a7fbb86b4e215643b400cdbc1b1ca219f  
**Referenced In Project/Scope:** CoWorkInstaller

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: hugerte-languages.jar: ca.js

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/remotegui.zip/hugerte-languages.jar/META-INF/resources/webjars/hugerte/langs/ca.js  
**MD5:** d44f1cce804fcec692b814e203609991  
**SHA1:** 1cf7f636e5e5b04322d9d339da3315384c58548a  
**SHA256:**268e5bd32cafc47a21baae85aece4afd933ca25ec9f9ead891679987c64579d3  
**Referenced In Project/Scope:** CoWorkInstaller

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: hugerte-languages.jar: cs.js

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/remotegui.zip/hugerte-languages.jar/META-INF/resources/webjars/hugerte/langs/cs.js  
**MD5:** 79a288d0c7f661ca7f5e3107341e4c9f  
**SHA1:** 9aee0c1dcba66150ddb2648fa9a827633e94366  
**SHA256:**a3f3b00c1079b33aa9ea1ecde5182c5f1e427931e6cf82e85271d5e8ed85a99c  
**Referenced In Project/Scope:** CoWorkInstaller

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## remotegui.zip: hugerte-languages.jar: cy.js

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/remotegui.zip/hugerte-languages.jar/META-INF/resources/webjars/hugerte/langs/cy.js

**MD5:** aa66134f9a69db8bf5e37e9c00486dc4

**SHA1:** a8e3c6399e8efe5cc72a88bca7d9df33ac016a41

**SHA256:** 7b39d495ecb2ea1eca56270c5591c17475756c9aee5f0178d7dda9fa41201f8b

**Referenced In Project/Scope:** CoWorkInstaller

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## remotegui.zip: hugerte-languages.jar: da.js

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/remotegui.zip/hugerte-languages.jar/META-INF/resources/webjars/hugerte/langs/da.js

**MD5:** 86be98bf9b1a2028d498158c10d995f6

**SHA1:** 2a88c16d9f97f6fbd64841c4bc7953775aa7c98d

**SHA256:** 5f26a49c249458207d87d14f4a13ea76f9dfe83aa3192d9519aa3564caa5b593

**Referenced In Project/Scope:** CoWorkInstaller

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------



### Identifiers

- None

## remotegui.zip: hugerte-languages.jar: de.js

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/remotegui.zip/hugerte-languages.jar/META-INF/resources/webjars/hugerte/langs/de.js

**MD5:** c2a71fc1e4286824de66f53bd7b82485

**SHA1:** 13afdd59bb4a7ed1d67154bf5b5e8fd4e74ecc31

**SHA256:** 89ecb25e929cb079bd55d7747c46f8c767d0ae6a82d0b5f4b88ed9764d899db7

**Referenced In Project/Scope:** CoWorkInstaller

### Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## remotegui.zip: hugerte-languages.jar: el.js

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/remotegui.zip/hugerte-languages.jar/META-INF/resources/webjars/hugerte/langs/el.js

**MD5:** 915f10cf164e849c6fcebadaab64b00ef

**SHA1:** 9915d6d53f204fb3098db4fcc6984f3c7aacb5ac

**SHA256:** 023ff4f96e5a56be54b8f5fe60b5dd437e7e0701452a1b2c3cccd9227b6dc35f

**Referenced In Project/Scope:** CoWorkInstaller

### Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## remotegui.zip: hugerte-languages.jar: eo.js

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/remotegui.zip/hugerte-languages.jar/META-INF/resources/webjars/hugerte/langs/eo.js

**MD5:** 8f0c327a379a1687bd1d79b356e0c6b9

**SHA1:** e8db0b00cf0948cc7912deffc721d91d55b8bed7

**SHA256:** 97e596fdc130fae102a9199bc538546abc46f300728c0f51697391d57aa31e5f

**Referenced In Project/Scope:** CoWorkInstaller

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## remotegui.zip: hugerte-languages.jar: es.js

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/remotegui.zip/hugerte-languages.jar/META-INF/resources/webjars/hugerte/langs/es.js

**MD5:** 033628b467ed06d308c9612dcd5bbdb5

**SHA1:** 09113c6d952a730226b8a1d12cd237b3899789e4

**SHA256:** dade4c15e9cf8d18119ca2fdf6482b3853f5b59cf0f970d089170daf767075f3

**Referenced In Project/Scope:** CoWorkInstaller

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## remotegui.zip: hugerte-languages.jar: es\_MX.js

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/remotegui.zip/hugerte-languages.jar/META-INF/resources

/webjars/hugerte/langs/es\_MX.js

**MD5:** 449d6aedeedbdb6381c83d9a5769597

**SHA1:** 5998163f1a11b65a5e7a0ab9c9dce230fd413e76

**SHA256:**bb871036a74c5306485caf250a509025740ee01a01c7423004462fea3cc2be39

**Referenced In Project/Scope:** CoWorkInstaller

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: hugerte-languages.jar: et.js

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/remotegui.zip/hugerte-languages.jar/META-INF/resources/webjars/hugerte/langs/et.js

**MD5:** 091758942df0564e10bebe19a78d313f

**SHA1:** ff025e62b8c42678618820b34d7931c5786b1aea

**SHA256:**6cc07e99a6c3b8c624a76c01a1fa3808711fae8f1f1dc47d2b8080b7522e8223

**Referenced In Project/Scope:** CoWorkInstaller

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: hugerte-languages.jar: eu.js

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/remotegui.zip/hugerte-languages.jar/META-INF/resources/webjars/hugerte/langs/eu.js

**MD5:** 1485b45393804c99c99314aebbdcc0e6

**SHA1:** a95f6eae92569b428b700fb12dbe489a0b71a4f5

**SHA256:**cc21d29d3cb923a4ff36015cbe7bd17dd7a64a5e72fc6ac872e4c945db16241b

**Referenced In Project/Scope:** CoWorkInstaller

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: hugerte-languages.jar: fa.js

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/remotegui.zip/hugerte-languages.jar/META-INF/resources/webjars/hugerte/langs/fa.js

**MD5:** 0dc23c9242a62695e3cbeb9a2f78e139

**SHA1:** ef67cbd5dc74eab86408aa69634ae8e2067620d2

**SHA256:** 22e7c7518a2bfad61e9fcbe065ecc02ab03fa8534322980bce9f99ebc63a73a4

**Referenced In Project/Scope:** CoWorkInstaller

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: hugerte-languages.jar: fi.js

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/remotegui.zip/hugerte-languages.jar/META-INF/resources/webjars/hugerte/langs/fi.js

**MD5:** b7e0faf1d8fe236d9b2936d625a0fdb7

**SHA1:** 20be70760980449856bb658599c1330a5a8075af

**SHA256:** 4917f9d328011a6ef7ab83ad444289f6f99f83b715427198ba361639dad96bb2

**Referenced In Project/Scope:** CoWorkInstaller

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: hugerte-languages.jar: fr\_FR.js

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/remotegui.zip/hugerte-languages.jar/META-INF/resources/webjars/hugerte/langs/fr\_FR.js

**MD5:** dfa01543f5cf0741603c794997fb5d9b

**SHA1:** 635f1e92319d08246c041243dc9095d3c93e1f8b

**SHA256:** bcdfb2da8b8415d7127043dd30676369f9beaec15d3f632bd4c956bf9cd52598

**Referenced In Project/Scope:** CoWorkInstaller

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: hugerte-languages.jar: ga.js

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/remotegui.zip/hugerte-languages.jar/META-INF/resources/webjars/hugerte/langs/ga.js

**MD5:** 845b69d910adfa4628178f438a718482

**SHA1:** 4943d1679c82f7e96a9336d77cb0d2c3aab1fecf

**SHA256:** 5958b2e476b049ab4baeedc79aba6df32354d77ab53d5d247031c770b1511651

**Referenced In Project/Scope:** CoWorkInstaller

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

## remotegui.zip: hugerte-languages.jar: gl.js

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/remotegui.zip/hugerte-languages.jar/META-INF/resources/webjars/hugerte/langs/gl.js

**MD5:** a795d0920b1380017ff30141839551e0

**SHA1:** f88dcdaa4f1ccc07c852f840f98e2152fef000dd

**SHA256:** 71207713e3e7847c58b60968a99f4a78433badc4fe7e30b72dba09aeca4555c5

**Referenced In Project/Scope:** CoWorkInstaller

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## remotegui.zip: hugerte-languages.jar: he\_IL.js

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/remotegui.zip/hugerte-languages.jar/META-INF/resources/webjars/hugerte/langs/he\_IL.js

**MD5:** f0c6393b918763fc15eee6d3e0c37466

**SHA1:** 9b1b2433bdf168dbaa699f013d91e7ea7604e892

**SHA256:** 78083d15ce5a545d77b567697bbf442b183cb251db84479fc6b4170d61dfb246

**Referenced In Project/Scope:** CoWorkInstaller

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## remotegui.zip: hugerte-languages.jar: hr.js

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/remotegui.zip/hugerte-languages.jar/META-INF/resources/webjars/hugerte/langs/hr.js

**MD5:** 2441d08f559cb16b4d43b9d5105b860f

**SHA1:** e0482438bc1ebbe8a1d0fa678fbea00ef712dbed  
**SHA256:** ce558c44bad214031591a960166ad57e48a3df1829acaaa11f5de44e4b7bf991  
**Referenced In Project/Scope:** CoWorkInstaller

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: hugerte-languages.jar: hu\_HU.js

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/remotegui.zip/hugerte-languages.jar/META-INF/resources/webjars/hugerte/langs/hu\_HU.js  
**MD5:** 2911b3d257d0dc7f14333016a7473155  
**SHA1:** 05f276655db6d3333857981a6810cb23c1e4c83  
**SHA256:** 57edd0020ed40bfa8c8bf17d3ce14d9ad3f55ceded462b4455ae9b01612a692d  
**Referenced In Project/Scope:** CoWorkInstaller

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: hugerte-languages.jar: hy.js

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/remotegui.zip/hugerte-languages.jar/META-INF/resources/webjars/hugerte/langs/hy.js  
**MD5:** 39fa7cf899184e065693c210effa166f  
**SHA1:** c1a4ef7965155b0bfe0c94264af6dde949ffb079  
**SHA256:** d917b7cfcb80a52e9a36f8b4bd7e234bf946fa052efd0cf3536bcb92cdf092aa  
**Referenced In Project/Scope:** CoWorkInstaller


#### Evidence



Type	Source	Name	Value	Confidence
Identifiers				
• None				

remotegui.zip: hugerte-languages.jar: id.js


**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/remotegui.zip/hugerte-languages.jar/META-INF/resources/webjars/hugerte/langs/id.js  
**MD5:** ed414a75874cc8ff481bfadbb830ddb3  
**SHA1:** cbca76c07a1123375eea910af43aeadd620e0308  
**SHA256:** 7c1fa631ca44d4e22f9c50b9891fbcca962e0220ef09aee6a40e75d5cdfd1cda  
**Referenced In Project/Scope:** CoWorkInstaller

Evidence 				
Type	Source	Name	Value	Confidence

Identifiers				
• None				

remotegui.zip: hugerte-languages.jar: is\_IS.js

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/remotegui.zip/hugerte-languages.jar/META-INF/resources/webjars/hugerte/langs/is\_IS.js  
**MD5:** 9b77beb5d73d767a20f9023e43b95cde  
**SHA1:** 89b10e76a8640b05c60235c2cd14f95fcecc5eee  
**SHA256:** 628c8dc10e2139d038274d9f0df5bc71f07dc761f94ebf2d6b16b26c1d492d81  
**Referenced In Project/Scope:** CoWorkInstaller

Evidence 				
Type	Source	Name	Value	Confidence

Identifiers				
-------------	--	--	--	--



- None

### remotegui.zip: hugerte-languages.jar: it.js

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/remotegui.zip/hugerte-languages.jar/META-INF/resources/webjars/hugerte/langs/it.js

**MD5:** 90e171ba4678a4ed19a31f0e440aee2e

**SHA1:** ce567152b20166647800c975e326ff77eb80b769

**SHA256:** b65405201879f02f69f991462a9874c1a3a3cd73789f120e4ce01e0e67ca0711

**Referenced In Project/Scope:** CoWorkInstaller

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: hugerte-languages.jar: ja.js

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/remotegui.zip/hugerte-languages.jar/META-INF/resources/webjars/hugerte/langs/ja.js

**MD5:** 9dc6598ea78c3171a5c79d12e9bd0d2b

**SHA1:** 4e7cb9da114814fe1bc798fc51cda71fcd0b38a6

**SHA256:** f8e09ab0e2d7b205a27ac040fe43756055e49247b706fa7ce3010507111eb2de

**Referenced In Project/Scope:** CoWorkInstaller

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: hugerte-languages.jar: ka\_GE.js

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/remotegui.zip/hugerte-languages.jar/META-INF/resources/webjars/hugerte/langs/ka\_GE.js  
**MD5:** b23cbf69f2fa02f39ed9086f46d0a527  
**SHA1:** 96a4216380b61acd215df2c2c62ec2cf27506e92  
**SHA256:** 60f5880d40ce0196356c7f8f1ccfa77284dfd4e528165e9da1a540570b0e587e  
**Referenced In Project/Scope:** CoWorkInstaller

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: hugerte-languages.jar: kab.js

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/remotegui.zip/hugerte-languages.jar/META-INF/resources/webjars/hugerte/langs/kab.js  
**MD5:** 3b7ec13af25657f158d12387daaf5ba0  
**SHA1:** 413a6adc6339cff29fc21c8a1ee9d713dd406d01  
**SHA256:** fcbbc32ff3396f8720fa5384f168495f2046b3fa6a38a3415bc6349cbe01933d  
**Referenced In Project/Scope:** CoWorkInstaller

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: hugerte-languages.jar: kk.js

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/remotegui.zip/hugerte-languages.jar/META-INF/resources/webjars/hugerte/langs/kk.js  
**MD5:** bfc0aef232b63aadea153d6169b33886

**SHA1:** edb0a148549b2481162c47544d83a46c26522f1a  
**SHA256:** 3a0eae48e37986a44e71d7aeabcc9048de840262309cb13ca4642b6a8f4c9619  
**Referenced In Project/Scope:** CoWorkInstaller

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: hugerte-languages.jar: ko\_KR.js

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/remotegui.zip/hugerte-languages.jar/META-INF/resources/webjars/hugerte/langs/ko\_KR.js  
**MD5:** 3c1ae38527476e28004119b28e635254  
**SHA1:** 179653599026e2ac4cb9b87c2ad7762b8c792dcd  
**SHA256:** 0ad35f07972e8121a88dcf1106a2f502b71998dbb485bd678fbb48adc8a6e3c9  
**Referenced In Project/Scope:** CoWorkInstaller

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: hugerte-languages.jar: ku.js

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/remotegui.zip/hugerte-languages.jar/META-INF/resources/webjars/hugerte/langs/ku.js  
**MD5:** 031a3776060e93cd2fcc2a469982794e  
**SHA1:** bde4d51b40929f76f5517c6381f02ef63beec9fb  
**SHA256:** 4c69b5c3c53f4f9069a26c409eae732e76316c1a39cb50e2b6296b9aee256f41  
**Referenced In Project/Scope:** CoWorkInstaller

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## remotegui.zip: hugerte-languages.jar: lt.js

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/remotegui.zip/hugerte-languages.jar/META-INF/resources/webjars/hugerte/langs/lt.js  
**MD5:** ae38ef0f7d831c5a2c0ebe933fd37040  
**SHA1:** e2267f00cb816718ceec6b265d536f0eb41ea7ad  
**SHA256:**a250c03862616afd2a73875e64c2ddd130c3bda5d565b744ec64e85bc6401cee  
**Referenced In Project/Scope:** CoWorkInstaller

### Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## remotegui.zip: hugerte-languages.jar: lv.js

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/remotegui.zip/hugerte-languages.jar/META-INF/resources/webjars/hugerte/langs/lv.js  
**MD5:** 5e9a34b9de6fb86881a0c116f445fcf0  
**SHA1:** 9914a2be93fa142736794389a8ef160cc64a8ed3  
**SHA256:**7068369f71f128d11f274aed093a35b649d6ffe0e33ec5b2cb56ecf5be1c4271  
**Referenced In Project/Scope:** CoWorkInstaller

### Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

### remotegui.zip: hugerte-languages.jar: nb\_NO.js

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/remotegui.zip/hugerte-languages.jar/META-INF/resources/webjars/hugerte/langs/nb\_NO.js

**MD5:** 2b23909699f576ef026ba5fb78ae31da

**SHA1:** cdbda59aa32791840f8d0428c7cffc54d722b63f

**SHA256:** e1ee0336aab8a84310f002fbfec4b7636ff074b5646c4552be7a8237593156bc

**Referenced In Project/Scope:** CoWorkInstaller

#### Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: hugerte-languages.jar: ne.js

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/remotegui.zip/hugerte-languages.jar/META-INF/resources/webjars/hugerte/langs/ne.js

**MD5:** 885af0f75b6673ac70ef74b275396b8f

**SHA1:** 5cbd5c46bad6c490f79dcfc6a53649cccca0f4b6

**SHA256:** 35322c1614889e08dfc7c46a8998db16efcd4b03ddb32e3c9813084920728b

**Referenced In Project/Scope:** CoWorkInstaller

#### Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: hugerte-languages.jar: nl.js

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/remotegui.zip/hugerte-languages.jar/META-INF/resources/webjars/hugerte/langs/nl.js  
**MD5:** 0826a3893ffe0dcf835c41f022fa6736  
**SHA1:** 0e3d08a78eb44a9c625d380a05c0995da54f9978  
**SHA256:** 42ca9cdc0c09b899c4c31bc9ad8ca252389ef50ad3f19ec09ea8160ca044b751  
**Referenced In Project/Scope:** CoWorkInstaller

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: hugerte-languages.jar: nl\_BE.js

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/remotegui.zip/hugerte-languages.jar/META-INF/resources/webjars/hugerte/langs/nl\_BE.js  
**MD5:** 81b7362a9af0bacb4f46de26b7258f98  
**SHA1:** 7f4f768b30b547d50dc27670114f1e5bd5a9de2d  
**SHA256:** 53578716f41e51150f1ef17e05294fcc4a9c251a05f63c4f9886c650999caef4  
**Referenced In Project/Scope:** CoWorkInstaller

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: hugerte-languages.jar: oc.js

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/remotegui.zip/hugerte-languages.jar/META-INF/resources/webjars/hugerte/langs/oc.js  
**MD5:** ad364ff6bfb912aaa60afcbe530eeb84

**SHA1:** 7178d959acb8e51067c6867dbc104d07c7a174ea  
**SHA256:**3dc4b06e29d1d0f9e1337341da3cc6855505b4443dcc505e60c75f0e8cc9d3a9  
**Referenced In Project/Scope:** CoWorkInstaller

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: hugerte-languages.jar: pl.js

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/remotegui.zip/hugerte-languages.jar/META-INF/resources/webjars/hugerte/langs/pl.js  
**MD5:** 73c0a111949ba936650bbca9d70e7f2f  
**SHA1:** e862ea235cff52a45837fd4b80f37e38b9933c47  
**SHA256:**d8630e2cd3a9abe445ed7475635580ecfb02da50ccf4d3534b275d7bcd7d85bc  
**Referenced In Project/Scope:** CoWorkInstaller

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: hugerte-languages.jar: pt\_BR.js

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/remotegui.zip/hugerte-languages.jar/META-INF/resources/webjars/hugerte/langs/pt\_BR.js  
**MD5:** 4025b9c06a52018128f87471d7536250  
**SHA1:** dcf2f7fe4ef9b75bd76fe24f6a29639d26484e7  
**SHA256:**bcdfab8b8e078ea63af41e912bf9fda8fe5bbb10efccd2fb59b59809dcdb5223  
**Referenced In Project/Scope:** CoWorkInstaller

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## remotegui.zip: hugerte-languages.jar: pt\_PT.js

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/remotegui.zip/hugerte-languages.jar/META-INF/resources/webjars/hugerte/langs/pt\_PT.js  
**MD5:** 9591ec64028ef59a6d4eed3254f77364  
**SHA1:** ed58d2d5a64a1dff28c1083d808405a5437c5971  
**SHA256:**f4687f157cacb710fefe7a234c7513e9c842375dc628fb85e356d7734e649892  
**Referenced In Project/Scope:** CoWorkInstaller

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## remotegui.zip: hugerte-languages.jar: ro.js

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/remotegui.zip/hugerte-languages.jar/META-INF/resources/webjars/hugerte/langs/ro.js  
**MD5:** ee5452aead10357b0225b214dd94ba7f  
**SHA1:** ae56e4a834e45614d4f26ddad0d7e0db61441f1d  
**SHA256:**66ee1e952526d1200d4426df433d3c9342ae28c1f4784715b1e2436cc36bad64  
**Referenced In Project/Scope:** CoWorkInstaller

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers



- None

### remotegui.zip: hugerte-languages.jar: ru.js

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/remotegui.zip/hugerte-languages.jar/META-INF/resources/webjars/hugerte/langs/ru.js

**MD5:** 5f4a09edb41ca0d3656f0d5ce9058860

**SHA1:** e4aefa0eb5f9f75fd1ea15807021e0867d860b76

**SHA256:** cc26bc049ef33a17197075266eaabe26a01ad63c304b964efcfc5cee4ceb41cc

**Referenced In Project/Scope:** CoWorkInstaller

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: hugerte-languages.jar: sk.js

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/remotegui.zip/hugerte-languages.jar/META-INF/resources/webjars/hugerte/langs/sk.js

**MD5:** 46334ad086220eadf9a63d34c0f2c0a1

**SHA1:** 100e6a70a6f05d43ee711601895399b3cbb7921b

**SHA256:** ff3342881ae9ce3f99283c5bb2874d1222b526ac3636148415f40cddd808d90d

**Referenced In Project/Scope:** CoWorkInstaller

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: hugerte-languages.jar: sl\_SI.js

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/remotegui.zip/hugerte-languages.jar/META-INF/resources/webjars/hugerte/langs/sl\_Sl.js  
**MD5:** bc7133a87c4c9d0bd8eaf59ef8c874ff  
**SHA1:** 29c1685346e76a3bed36059a6bbea63058969879  
**SHA256:** 58b6ab701cf8f0ee76a6fd7300e265cede6102c9acf83ceba8d4cf4b00251ff7  
**Referenced In Project/Scope:** CoWorkInstaller

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: hugerte-languages.jar: sq.js

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/remotegui.zip/hugerte-languages.jar/META-INF/resources/webjars/hugerte/langs/sq.js  
**MD5:** 861c26592664176acb3e275413859f28  
**SHA1:** e5f0e123e4d250d2b6e1ff6ef50f4ea3d7b7aa7c  
**SHA256:** 9e266507d00b4e3d55af374d7097e74a66049541f761c93f2402ef941b50d2f6  
**Referenced In Project/Scope:** CoWorkInstaller

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: hugerte-languages.jar: sr.js

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/remotegui.zip/hugerte-languages.jar/META-INF/resources/webjars/hugerte/langs/sr.js  
**MD5:** 85a21c38605be1a745a8d91d7d0b650b

**SHA1:** b42391f82ad5765fa205c62f6c63d1e365690c2c  
**SHA256:** 94c18c230ab69fd848a72c3276c91037f7a803859438d69b890395b97e9f1ff0  
**Referenced In Project/Scope:** CoWorkInstaller

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: hugerte-languages.jar: sv\_SE.js

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/remotegui.zip/hugerte-languages.jar/META-INF/resources/webjars/hugerte/langs/sv\_SE.js  
**MD5:** 5ed724e831b0b24b153d2ee7db5b3816  
**SHA1:** f729969fcd8b302547cab963d560acb8da35c1c4  
**SHA256:** 1ff7f0f713beb4d59fc3a45704ee9064264eba748dee158024af49ddd7d4ae20  
**Referenced In Project/Scope:** CoWorkInstaller

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: hugerte-languages.jar: ta.js

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/remotegui.zip/hugerte-languages.jar/META-INF/resources/webjars/hugerte/langs/ta.js  
**MD5:** e2088db6edf402bc276bfc8d6856e2d2  
**SHA1:** 42f8f57987cc20025703e0ba4df401d0cc8511b8  
**SHA256:** 2704c32a0eae180c20586f7b3ac7a5d83e777f5d2abe14ce8cab8cf786dc7d1a  
**Referenced In Project/Scope:** CoWorkInstaller

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## remotegui.zip: hugerte-languages.jar: tg.js

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/remotegui.zip/hugerte-languages.jar/META-INF/resources/webjars/hugerte/langs/tg.js  
**MD5:** cdd2d5743671715d8aaff1bda4ad1f94  
**SHA1:** 917638fd2950dd42fef4dbf6627cf078bd2b7aed  
**SHA256:**1ec107508768200fe55d3c56ca19f91bbcde436ae90d32c62d912f9131064038  
**Referenced In Project/Scope:** CoWorkInstaller

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## remotegui.zip: hugerte-languages.jar: th\_TH.js

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/remotegui.zip/hugerte-languages.jar/META-INF/resources/webjars/hugerte/langs/th\_TH.js  
**MD5:** 75f892fe79cac886b58ba8263b9304ab  
**SHA1:** ced62928d872f509b9112a7be0bd652a028b12b7  
**SHA256:**f09ba8c508eeb7fd2bd0a31ddb0909cde3e701a0c15a7f5dd7caa1aad1b721f2  
**Referenced In Project/Scope:** CoWorkInstaller

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

#### remotegui.zip: hugerte-languages.jar: tr.js

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/remotegui.zip/hugerte-languages.jar/META-INF/resources/webjars/hugerte/langs/tr.js

**MD5:** 705bd62d8012d72d0d4911d3ff5630cf

**SHA1:** 8d3beb46e6610edf2f362b5fd52cf6aa8763a3b2

**SHA256:** 96dd1e00efec4becd581735af1d6b1467cc9798de54f2e945ece2afb70d43e4c

**Referenced In Project/Scope:** CoWorkInstaller

##### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

##### Identifiers

- None

#### remotegui.zip: hugerte-languages.jar: ug.js

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/remotegui.zip/hugerte-languages.jar/META-INF/resources/webjars/hugerte/langs/ug.js

**MD5:** aaec10538e96e70ff869484f6c747c5e

**SHA1:** e398b581d4d74426689508a414eea025392e6fe8

**SHA256:** 6fcda2bec399a07ae3684fdd4497318ed005eadf33b3ac24ecba3f258007dc0c

**Referenced In Project/Scope:** CoWorkInstaller

##### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

##### Identifiers

- None

#### remotegui.zip: hugerte-languages.jar: uk.js

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/remotegui.zip/hugerte-languages.jar/META-INF/resources/webjars/hugerte/langs/uk.js  
**MD5:** 99020cb723ec0b122e56170b40053d20  
**SHA1:** 5fab28c63533fd3e3fe00d38cd63ba6f23c32b2d  
**SHA256:** 6f3fcb3f5f2d4920b3c5be68509ab140f28c454595cb5cfc3ad02e996146830b  
**Referenced In Project/Scope:** CoWorkInstaller

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: hugerte-languages.jar: uz.js

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/remotegui.zip/hugerte-languages.jar/META-INF/resources/webjars/hugerte/langs/uz.js  
**MD5:** 6efa9afc8b45dcb30d5c20dc2d651a99  
**SHA1:** 4cbfda4fa00dcfef02d859a683f6a2e049a395e4  
**SHA256:** b03c325f76d34d3d62a0de7aed705b4c015c5cef8fe07aa10e28b5261397cd4b  
**Referenced In Project/Scope:** CoWorkInstaller

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: hugerte-languages.jar: vi.js

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/remotegui.zip/hugerte-languages.jar/META-INF/resources/webjars/hugerte/langs/vi.js  
**MD5:** 181808a7542470b9901cefad7eb4b5bf

**SHA1:** be4a2aebc0c2e9fe45f2fbe7e9c19ee5ed78d6f9  
**SHA256:**24622b29a7ad643866d6c8a74277e58f207366f2f3c34b4311b42f93204092c7  
**Referenced In Project/Scope:** CoWorkInstaller

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: hugerte-languages.jar: zh\_CN.js

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/remotegui.zip/hugerte-languages.jar/META-INF/resources/webjars/hugerte/langs/zh\_CN.js  
**MD5:** 7584b32dc413a2d39e5b85d9dafa173a  
**SHA1:** 10dd91679dff2a3160f40ad3188db117b9afa2f  
**SHA256:**9c06f952379981963600a4b3aa40af35eec78c163d3daa9da681107f8c647089  
**Referenced In Project/Scope:** CoWorkInstaller

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: hugerte-languages.jar: zh\_HK.js

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/remotegui.zip/hugerte-languages.jar/META-INF/resources/webjars/hugerte/langs/zh\_HK.js  
**MD5:** 1b4894b4e6c2e724475ea8c701568734  
**SHA1:** 552f1316a1cfc565a018ea4fab9129a3825dd6d3  
**SHA256:**ba7fde91f1a45dd5c6901368d6dd18c24683a876629c54b88396222b493c4513  
**Referenced In Project/Scope:** CoWorkInstaller

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## remotegui.zip: hugerte-languages.jar: zh\_MO.js

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/remotegui.zip/hugerte-languages.jar/META-INF/resources/webjars/hugerte/langs/zh\_MO.js  
**MD5:** 90d19ed9a0ebb0b0680ba6ba483804eb  
**SHA1:** 4912da322d65705edd33e0570e81714a7209020c  
**SHA256:**395ffcd48bad59534174877050ef1f016fc7598382e46e6f2105a44620bcff31  
**Referenced In Project/Scope:** CoWorkInstaller

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## remotegui.zip: hugerte-languages.jar: zh\_SG.js

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/remotegui.zip/hugerte-languages.jar/META-INF/resources/webjars/hugerte/langs/zh\_SG.js  
**MD5:** e29a6f7769ede1bbbb5f96a5eeb2f24e  
**SHA1:** 3407630e6f9c9919f5e7b4d9b74cc652946189b2  
**SHA256:**0d13680b26585e33a31f21153391e341ff5d2c6a0803cb882a621e7dc5231284  
**Referenced In Project/Scope:** CoWorkInstaller

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers



- None

### remotegui.zip: hugerte-languages.jar: zh\_TW.js

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/remotegui.zip/hugerte-languages.jar/META-INF/resources/webjars/hugerte/langs/zh\_TW.js

**MD5:** 0a3c9f75e226b3129e8b7f89f7130007

**SHA1:** c940597951e8d42bafd5602b1801c00fccb1dc47

**SHA256:** 1dd655d41c2ac0bd1e939d787cb4baaf427fcdec6ba22c0f612f765195d548b0

**Referenced In Project/Scope:** CoWorkInstaller

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: hugerte.jar

#### Description:

WebJar for hugerte

#### License:

MIT

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/remotegui.zip/hugerte.jar

**MD5:** e8823d5cee4329f682c31bc6b67c603b

**SHA1:** 49d3c99a06ca34f1f5c1c801f923db7ba2c9d086

**SHA256:** 6fef359e4e1da9876186af41492f5c72f7928a5e0aa5c93e5026c86f17ffbc99

**Referenced In Project/Scope:** CoWorkInstaller

#### Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	hugerte	High
Vendor	Manifest	build-jdk-spec	1.8	Low
Vendor	Manifest	bundle-symbolicname	org.webjars.npm.hugerte	Medium

Vendor	pom	artifactid	hugerte	Low
Vendor	pom	developer id	webjars	Medium
Vendor	pom	groupid	org.webjars.npm	Highest
Vendor	pom	name	hugerte	High
Vendor	pom	url	https://www.webjars.org	Highest
Product	file	name	hugerte	High
Product	Manifest	build-jdk-spec	1.8	Low
Product	Manifest	Bundle-Name	hugerte	Medium
Product	Manifest	bundle-symbolicname	org.webjars.npm.hugerte	Medium
Product	pom	artifactid	hugerte	Highest
Product	pom	developer id	webjars	Low
Product	pom	groupid	org.webjars.npm	Highest
Product	pom	name	hugerte	High
Product	pom	url	https://www.webjars.org	Medium
Version	Manifest	Bundle-Version	1.0.10	High
Version	pom	version	1.0.10	Highest

#### Identifiers

- pkg:maven/org.webjars.npm/hugerte@1.0.10 (*Confidence:High*)

### remotegui.zip: hugerte.jar: ar.js

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.10/plugins/help/js/i18n/keynav/ar.js  
**MD5:** f5f0b4553a42a7a74e7be718fc557e2b  
**SHA1:** 302dcb720a73fd97345627a102ef162125fee945  
**SHA256:** 9866698a529f686db8b4222bdeb175003c3e09c142ba130aed9fa98d5aeef08c  
**Referenced In Project/Scope:** CoWorkInstaller

#### Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: hugerte.jar: bg\_BG.js

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.10/plugins/help/js/i18n/keynav/bg\_BG.js  
**MD5:** e532c81c8e86f9066729809870cff6fc  
**SHA1:** 4e1e104ee689097ff1192decfe90175300e6baf2  
**SHA256:** b884906123ab5b8b1ca1ea4c156a2d6635dc42319b10cf51b4d6e544c8c56867  
**Referenced In Project/Scope:** CoWorkInstaller

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: hugerte.jar: ca.js

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.10/plugins/help/js/i18n/keynav/ca.js  
**MD5:** abf90dbb77512d6a2bafa26c36c9e068  
**SHA1:** 77120a22296fdd4c779f3736396215ad82276065  
**SHA256:** 1f8935be80e07f8b30a9a96f5ba621ecc2f568fc96f69614ab4e073b6b3eeafc  
**Referenced In Project/Scope:** CoWorkInstaller

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: hugerte.jar: content.inline.js

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.10/skins/ui/hugerte-5-dark/content.inline.js  
**MD5:** a8531e7d906f77df4085d9ded150c281  
**SHA1:** b255e033e1b16c6df35859cc23c49a33c3baad8b  
**SHA256:** 7512a420bf16d072edbd796eadc03c74483fe6f5947bb070f517a012b80fc576  
**Referenced In Project/Scope:** CoWorkInstaller

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: hugerte.jar: content.inline.js

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.10/skins/ui/hugerte-5/content.inline.js  
**MD5:** cbf28002f872e95b1e9310dec7df4bdf  
**SHA1:** 22b3e10eb6a88534c75b1dc9be9d6b511eb53e08  
**SHA256:** 8d35969f2fee55d8d2eb61f1aa8a2372dd941c9629379dda6f9f131457132c03  
**Referenced In Project/Scope:** CoWorkInstaller

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: hugerte.jar: content.inline.js

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.10/skins/ui/oxide-dark/content.inline.js  
**MD5:** ac1812f6eb6c6bb8e98918582d3e855a

**SHA1:** 4681a3ada53a664e69ee64477e735aa371cb5a2f  
**SHA256:**f5433e2fcd731cc793e3c59313f39aecc22aa87dbc0a6b63ed1640ca6961dcf0  
**Referenced In Project/Scope:** CoWorkInstaller

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: hugerte.jar: content.inline.js

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.10/skins/ui/oxide/content.inline.js  
**MD5:** 3b6064b7d2242fcadf7c3cd1025eb192  
**SHA1:** 6e92f0f2c271bdeae04920ed292d5385cc91d344  
**SHA256:**ee579e0bb81106269b705dd351fd986dd576b01e418c5d7a9f34a15116163a3a  
**Referenced In Project/Scope:** CoWorkInstaller

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: hugerte.jar: content.js

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.10/skins/content/dark/content.js  
**MD5:** 218eb5454658554e8d6094d607ef9f35  
**SHA1:** f784fd4493d88dca9b7c46492a0a95ef16f5c0fb  
**SHA256:**cdd9773b89ccda5cfefb54982376a2e28ae038d2e24649cba35c88d17991d283  
**Referenced In Project/Scope:** CoWorkInstaller

#### Evidence



Type	Source	Name	Value	Confidence
Identifiers				
• None				

remotegui.zip: hugerte.jar: content.js

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.10/skins/content/default/content.js  
**MD5:** 132f74870c5e313c2fdab42f1284c595  
**SHA1:** 1005edec7a293e74d659823370d4fb589b1328ec  
**SHA256:**e7f4d1b242145ee6d6359b90140226a759267a8aa753a2d311545d432900fc10  
**Referenced In Project/Scope:** CoWorkInstaller

Evidence 				
Type	Source	Name	Value	Confidence

Identifiers				
• None				

remotegui.zip: hugerte.jar: content.js

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.10/skins/content/document/content.js  
**MD5:** 3b0be7f67904711c70f317ddd089f5c  
**SHA1:** 4ad6d86b14653ae3d62974017cfed4ee5294a695  
**SHA256:**4b45250053780a31fa19ead75e59f56d57d5d1dd6e285856ad5aedd3fc72960  
**Referenced In Project/Scope:** CoWorkInstaller

Evidence 				
Type	Source	Name	Value	Confidence

Identifiers				
-------------	--	--	--	--

- None

#### remotegui.zip: hugerte.jar: content.js

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.10/skins/content/hugerte-5-dark/content.js  
**MD5:** b982025040e29e7cbbb8d113fedfd69c  
**SHA1:** 4042d2d851ed0b54502fea16c06d9e28159f29a8  
**SHA256:** a28224012e76c4e795e0854f7fce99ec681ef424b589b4661bc8f68885f98e98  
**Referenced In Project/Scope:** CoWorkInstaller

##### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

##### Identifiers

- None

#### remotegui.zip: hugerte.jar: content.js

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.10/skins/content/hugerte-5/content.js  
**MD5:** 1130965418bf44c6d085f938cdff6650  
**SHA1:** c59de9f12455d9eddfc658b74c28a355f68319db  
**SHA256:** cec00ecbc3b3d3f8afe4586a97d23cb761994002a224c21be3e29057636013a3  
**Referenced In Project/Scope:** CoWorkInstaller

##### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

##### Identifiers

- None

#### remotegui.zip: hugerte.jar: content.js

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.10/skins/content/writer/content.js  
**MD5:** e4542246b3519a09b2d632b5197243e8  
**SHA1:** 9573c58453f17a4c921086d5f90938987fe511e8  
**SHA256:**852f7d5ae9af37997c185bff42937182a79e494089a75b782266882cb4f4f197  
**Referenced In Project/Scope:** CoWorkInstaller

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: hugerte.jar: content.js

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.10/skins/ui/hugerte-5-dark/content.js  
**MD5:** b7766067e593da14ae6f23d290c9bd6c  
**SHA1:** 6534e3c7ac5b4e5309a7dfc2ea3b0c337d442cc2  
**SHA256:**45e8515c9c66aa5066577c1d275c586965ba4080a951c292beeb2b3da0d0acbd  
**Referenced In Project/Scope:** CoWorkInstaller

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: hugerte.jar: content.js

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.10/skins/ui/hugerte-5/content.js  
**MD5:** 9d85292a93c6d2940a80f50d1f0e6966



**SHA1:** 935d111369099d41bd50a3db11d6563051a634c0  
**SHA256:** aee448e5c016b1143a15ecdee0f43e555f3c9add2bca6af40cc4b36b88cdc588  
**Referenced In Project/Scope:** CoWorkInstaller

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: hugerte.jar: content.js

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.10/skins/ui/oxide-dark/content.js  
**MD5:** add25b66f87fcb7ca581f9f2b953a653  
**SHA1:** 989b6df98ca78608dd8ddcc2c3033bde0de2d8be  
**SHA256:** 0786d0145a5e55b9ae24c45196348cb00c5c91454f75a186d978942739091bea  
**Referenced In Project/Scope:** CoWorkInstaller

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: hugerte.jar: content.js

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.10/skins/ui/oxide/content.js  
**MD5:** 76c08495990d174584d15c5f50a8e5c7  
**SHA1:** e75376adbaa0ac5d81908ec178263ada61dada8b  
**SHA256:** 23e53a768bc59564bcf0e8600b187a8fc8822e23c2f175701d760cf5153760a3  
**Referenced In Project/Scope:** CoWorkInstaller

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## remotegui.zip: hugerte.jar: cs.js

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.10/plugins/help/js/i18n/keynav/cs.js  
**MD5:** 1779aef97fcc89fa4e8c6ae639bec3b  
**SHA1:** 0c798783fa338bcf0b607e19b69a157e5aaf67fd  
**SHA256:**dfaf6a6afa02f7a7da5c27cde37b1074e860982c75ca4a7d8df9a42e8f1ad723  
**Referenced In Project/Scope:** CoWorkInstaller

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## remotegui.zip: hugerte.jar: da.js

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.10/plugins/help/js/i18n/keynav/da.js  
**MD5:** e3bcef539406efdba466a679cd9625ba  
**SHA1:** 3529f5c2cb29ac9eb0ef88d41ca2007e5b78fac7  
**SHA256:**96e1ded7bd90160f1a26e3b4e04128d0c45940c459cc25763a4898d4731e72cc  
**Referenced In Project/Scope:** CoWorkInstaller

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

### remotegui.zip: hugerte.jar: de.js

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.10/plugins/help/js/i18n/keynav/de.js  
**MD5:** 24268690ce3e0719f04f4d8bc47c1145  
**SHA1:** 57d8098db012b33e240b5816d014960db2d80087  
**SHA256:** f2f2eee6eb358dedbce018731c82def4a43e8343ce331fba26150f7377ebb410  
**Referenced In Project/Scope:** CoWorkInstaller

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: hugerte.jar: el.js

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.10/plugins/help/js/i18n/keynav/el.js  
**MD5:** 1f775a05597f190dddcbe67b14d4bfaa  
**SHA1:** ab9abb40af9aebdd589aeed4b24f3c50771f9d9c  
**SHA256:** f252b51d126cf0ffd18c3c2c68554e4026adcd0c520b1338ae353a0849178450  
**Referenced In Project/Scope:** CoWorkInstaller

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: hugerte.jar: emojiimages.js

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.10/plugins/emoticons/js/emojiimages.js  
**MD5:** ed66bd2151af667299e6c60554f9e4ac  
**SHA1:** ea6bc36f8302e15f1aae686a19816f76794bc2a0  
**SHA256:**a8d5510fcb0f8e4f45deefdcf8b6ed12e343674f9e18c236ce7fa45e072aa27f  
**Referenced In Project/Scope:** CoWorkInstaller

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: hugerte.jar: emojiimages.min.js

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.10/plugins/emoticons/js/emojiimages.min.js  
**MD5:** 00945ee808286ac74239c311ca723088  
**SHA1:** d3c2508585c67052a1809a6800fb645d1870afc6  
**SHA256:**750ba3f27289d888b1899310950a9188568bddce16352a0244c1c0242e41a55e  
**Referenced In Project/Scope:** CoWorkInstaller

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: hugerte.jar: emojis.js

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.10/plugins/emoticons/js/emojis.js  
**MD5:** 8f5b6dad1f50c9b70bd807f6cabb189b

**SHA1:** 13772cdbfa94f41d84ffc1d87c72016576a9d313  
**SHA256:** aacc15ae1a59e7d6d8bde23d5f105654201882b0a86fa9a8e689b1cdc8452784  
**Referenced In Project/Scope:** CoWorkInstaller

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: hugerte.jar: emojis.min.js

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.10/plugins/emoticons/js/emojis.min.js  
**MD5:** b77fd0dfa98dcc0be8192bf7f7bb9a9f  
**SHA1:** 137d76ba6858d7685f7128ff9173a19902110b5c  
**SHA256:** fc519f30e6cb48e46eb4d8f9ed5cf6c1e4877e625c68eae31e7723e42ff53ae9  
**Referenced In Project/Scope:** CoWorkInstaller

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: hugerte.jar: en.js

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.10/plugins/help/js/i18n/keynav/en.js  
**MD5:** 6282ec2e9f83d1acefa2850555212877  
**SHA1:** 853f9a0d2a2191756fed83005fdea7f97b5e41d5  
**SHA256:** 2223298388692bcc135105122d1686322188e6511163860453d791d1243279bc  
**Referenced In Project/Scope:** CoWorkInstaller


#### Evidence



Type	Source	Name	Value	Confidence
Identifiers				
• None				

remotegui.zip: hugerte.jar: es.js


**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.10/plugins/help/js/i18n/keynav/es.js  
**MD5:** 810a9870708a49348955ead70c5d7009  
**SHA1:** c6e78b5abb4c3cf4d67da9ff7c848caf24861c16  
**SHA256:**dbc1fb0acc05dd8e01e2834f69f5f19fadba93b90e76854063663e5b335fdc3f  
**Referenced In Project/Scope:** CoWorkInstaller

Evidence 				
Type	Source	Name	Value	Confidence

Identifiers				
• None				

remotegui.zip: hugerte.jar: eu.js

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.10/plugins/help/js/i18n/keynav/eu.js  
**MD5:** 0d85c3a9cf44223833af08ff51d80e27  
**SHA1:** 2ac31465284e8e4583a8ce69abb64c3ff461114f  
**SHA256:**5f6c854cf8372351ab402d7fe1f66a5a837c08e979b8072d16f32166edc07b02  
**Referenced In Project/Scope:** CoWorkInstaller

Evidence 				
Type	Source	Name	Value	Confidence

Identifiers				
-------------	--	--	--	--

- None

### remotegui.zip: hugerte.jar: fa.js

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.10/plugins/help/js/i18n/keynav/fa.js  
**MD5:** a6809dbb54bf58699540c6a210e3cfde  
**SHA1:** e3c03f38d4b4da86c3e9eb761c9f1a1ed542f436  
**SHA256:** 6c4c3e12ef9d008f12fa5b603658a6a00a0940ca7e85048d87ef80666eb3c36d  
**Referenced In Project/Scope:** CoWorkInstaller

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: hugerte.jar: fi.js

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.10/plugins/help/js/i18n/keynav/fi.js  
**MD5:** b7f976710075bdcbf5e57ee57acb59b0  
**SHA1:** 8a4b373ecc42055da226c1c31ad9d976a10b9a11  
**SHA256:** e67af5c13c21f4421bf7160bd19aab9318e6d19955111c5b9f890a362d0899e6  
**Referenced In Project/Scope:** CoWorkInstaller

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: hugerte.jar: fr\_FR.js

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.10/plugins/help/js/i18n/keynav/fr\_FR.js  
**MD5:** d2eb59e6f3de25ac913be0e61a05591c  
**SHA1:** 715dfb82a6e641415c0047f2901b7926ee8179f2  
**SHA256:** 5005b632badb0fc86ceaa196753a4712b1dd76d50b79e0d5d6410efa96f55ebe  
**Referenced In Project/Scope:** CoWorkInstaller

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: hugerte.jar: he\_IL.js

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.10/plugins/help/js/i18n/keynav/he\_IL.js  
**MD5:** 57b3dcbaeca69401b1a80d78ddb7d495  
**SHA1:** 95b7e01187222aaf1ea80d0b74f846cc9a4f4764  
**SHA256:** 692233e8906b51c91d1d70882a0502be5dddb2027b5095c07d79c491925ad8fc  
**Referenced In Project/Scope:** CoWorkInstaller

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: hugerte.jar: hi.js

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.10/plugins/help/js/i18n/keynav/hi.js  
**MD5:** 9eea865c5a377f40de2f8b4c41da17a1



**SHA1:** ddd56f4bd89abe1c502e0a9ead4b913fb1ea00fc  
**SHA256:**9585fc860ca2b1a749f458be9832932118b54d5e2b9591df62191ffa22102592  
**Referenced In Project/Scope:** CoWorkInstaller

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: hugerte.jar: hr.js

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.10/plugins/help/js/i18n/keynav/hr.js  
**MD5:** 3279eb68d7116c5e50c2445e392e313f  
**SHA1:** 2b3cb7b1e01fdd84b9a52becf9f310329f4bc61a  
**SHA256:**93300531f9cdd8b934d7a2f421fa0fd36ac20b2eb7f09a0b25ae96b28c3cfd84  
**Referenced In Project/Scope:** CoWorkInstaller

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: hugerte.jar: hu\_HU.js

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.10/plugins/help/js/i18n/keynav/hu\_HU.js  
**MD5:** 27b9bf10dbe7c9c15b8ea20a44b569aa  
**SHA1:** ca2dddca3514deeadbb45a59877a5498ecb7faea  
**SHA256:**9d62a3922fb0f24d96143e1a677211fec156bcd53ef0f60b386b8738861efce1  
**Referenced In Project/Scope:** CoWorkInstaller

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## remotegui.zip: hugerte.jar: hugerte.js

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.10/hugerte.js  
**MD5:** 0a6efbdc07b365918a67844e02cb30e2  
**SHA1:** 54aae4c54ccee8eea1b3b9f74d958d813a113a3  
**SHA256:**b366d47bca68c558550a58193bd4a1e05a1f5ef98cbaab316e392937da38f3eb  
**Referenced In Project/Scope:** CoWorkInstaller

### Evidence

Type	Source	Name	Value	Confidence
Vendor	RetireJS	name	DOMPurify	High
Product	RetireJS	name	DOMPurify	High
Version	RetireJS	version	3.2.4	High

### Identifiers

- pkg:javascript/DOMPurify@3.2.4 (Confidence: Highest)

## remotegui.zip: hugerte.jar: hugerte.min.js

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.10/hugerte.min.js  
**MD5:** e10c65060ff3bc9e44ae845e9adf32d4  
**SHA1:** 45071962f23d0351302cf74a264ca8a720947496  
**SHA256:**e973ed30d471115a93805d42aa332db35c300503992d32a186bc2de4b8d874da  
**Referenced In Project/Scope:** CoWorkInstaller

### Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## remotegui.zip: hugerte.jar: icons.js

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.10/icons/default/icons.js

**MD5:** 946e6ff563681f2a84bf542c7d1f835b

**SHA1:** 57dd9db9f500ae6bbc16c1b39d6871be228c12ec

**SHA256:** a70cbbbb7c397786fb814a416f691b2d39bbc1856af4c975acaccb27f190bb1e

**Referenced In Project/Scope:** CoWorkInstaller

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## remotegui.zip: hugerte.jar: icons.min.js

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.10/icons/default/icons.min.js

**MD5:** ee63c9a58bfadec7d3f124f01fe865d8

**SHA1:** 04bcd2f358ef5f562ff3bf05ded0e86ee39fb1f

**SHA256:** c422b0ee2a8c7c988d377c3455b95fe98b95b07616de53abe547a631cb7845ed

**Referenced In Project/Scope:** CoWorkInstaller

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

remotegui.zip: hugerte.jar: id.js

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.10/plugins/help/js/i18n/keynav/id.js  
**MD5:** 559f08d3791f170b18fab02235ec1682  
**SHA1:** 3e1621e3d7f2cc26ec7c76e3aad8b10740284c1c  
**SHA256:** 6b6f28465d15233f2f9d98dfea0ba7e43d983f7c5a616b5cf26185ece8248810  
**Referenced In Project/Scope:** CoWorkInstaller

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: hugerte.jar: index.js

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.10/icons/default/index.js  
**MD5:** 712c532c3b060cd5981af00496091812  
**SHA1:** 1f0e1f66069455601e60b07941f412ec8da948d5  
**SHA256:** 01dcd2e841efaea732b35abab85f9b9c177708377e8a71cca9aa1cbc08ce50fb  
**Referenced In Project/Scope:** CoWorkInstaller

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: hugerte.jar: index.js

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.10/models/dom/index.js  
**MD5:** bf6538ccd91ff0c8c459ea52568dad68  
**SHA1:** 039492d60bc08eff76200837b005f238a4a4d93b  
**SHA256:** 7e00163f1579c2463df0e1794c7083972c531e65e97e79cc1d3fa5fb79b8e782  
**Referenced In Project/Scope:** CoWorkInstaller

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: hugerte.jar: index.js

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.10/plugins/accordion/index.js  
**MD5:** 275d42a50d44665e7c641933489d2fb4  
**SHA1:** 4fe5780ee870d8e4ed3e19b06a6dcba0745951dc  
**SHA256:** cfcfb10117bda3513b6a8d5fc147c46d599d939188819b053cfe8b037d27aab68  
**Referenced In Project/Scope:** CoWorkInstaller

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: hugerte.jar: index.js

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.10/plugins/advlist/index.js  
**MD5:** bf1fd55a8b6b4c1288234708e4a63e04  
**SHA1:** 4c00e9817344c41649c8a5692b8a50f46e86ec63  
**SHA256:** 65afd673d4ccdd16025bbea20476e1e97173e975c6907b17a03bbbf3bfdb8e4f  
**Referenced In Project/Scope:** CoWorkInstaller

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## remotegui.zip: hugerte.jar: index.js

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.10/plugins/anchor/index.js

**MD5:** f53211f88e234e0b071178c50bb17158

**SHA1:** 7ce22ad1179e09599e011a9117e17a2b648fd131

**SHA256:** db1389e04f95143a547eac5a86b8b83ffacae1baa4abae7b1b9c71158745a10e

**Referenced In Project/Scope:** CoWorkInstaller

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## remotegui.zip: hugerte.jar: index.js

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.10/plugins/autolink/index.js

**MD5:** e71fe17e37cc448ee08c8073edbd8511

**SHA1:** 8f90089dd67c4dd2c43ce5bd0c2041957b33814b

**SHA256:** a8464397c27fa3fc75c53ab84f63daae3c85d7b25106af78b2337752f1e18768

**Referenced In Project/Scope:** CoWorkInstaller

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## remotegui.zip: hugerte.jar: index.js

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.10/plugins/autoresize/index.js

**MD5:** 6f84b0950a44436492f038d3aa0ba3e7

**SHA1:** 4f4bfdb1b26fa78144a693b7c3dbc4d33f0db94

**SHA256:** 171a9ea14e7b62d3300d5e5d557bd55d366d3ae3a707273898df479c096276eb

**Referenced In Project/Scope:** CoWorkInstaller

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## remotegui.zip: hugerte.jar: index.js

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.10/plugins/autosave/index.js

**MD5:** 08ef53866b246c81dfe6ef294869a901

**SHA1:** 431a34505e18811756e55c896308c5b1216fd994

**SHA256:** 421e960cdc5dfa2ed55fabf2223966e7b8ba0fa29b04eb16cd0d1076013e54b0

**Referenced In Project/Scope:** CoWorkInstaller

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## remotegui.zip: hugerte.jar: index.js

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.10/plugins/charmap/index.js

**MD5:** 4c65bd74732eab0ab7e847ecba83b2b8

**SHA1:** 39b4ed0edd6e1ee5c4636b947e518cd4d07b1c22

**SHA256:** 74c2ee3ce6dae9ab7052f10c47839820e2b8d15a8d82360d76c22adf2e140036

**Referenced In Project/Scope:** CoWorkInstaller

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## remotegui.zip: hugerte.jar: index.js

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.10/plugins/code/index.js

**MD5:** b44ce9c633a47f29ece07d74747d1e06

**SHA1:** 7ba540f71aa2a39348361b231a3836e247070e84

**SHA256:** 989a665058a05fa887eae0f403aee3207efe08c27adbf298db424ddd877002fe

**Referenced In Project/Scope:** CoWorkInstaller

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## remotegui.zip: hugerte.jar: index.js



**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.10/plugins/codesample/index.js  
**MD5:** 90f716db1597b13e7574913db0271635  
**SHA1:** c27fea0504a61d12e50a8064c3c8f76993e57304  
**SHA256:**090fd58bf0e341f935b41011fe6d785674f550720bc4d3d7fbe61b9d7250b573  
**Referenced In Project/Scope:** CoWorkInstaller

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: hugerte.jar: index.js

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.10/plugins/directionality/index.js  
**MD5:** f40440b25858539de61515b1dea80954  
**SHA1:** 33d1633c7f24beec0f6d23c6248f0df20a16816e  
**SHA256:**bacf651ffcb58e57f22f8f6fb14ffbf696a50ea7b868a1f4af9cd03bd13b3884  
**Referenced In Project/Scope:** CoWorkInstaller

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: hugerte.jar: index.js

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.10/plugins/emoticons/index.js  
**MD5:** 9c2896100b43bf842537b98ccb1696bd  
**SHA1:** 8a5d6682c000d686462ad08266489d5ef6e4bf6d  
**SHA256:**f6ab4d39b9c01bdb42e11a9aeed2f28e173155d1a8c3744ae766db3820ab6b02  
**Referenced In Project/Scope:** CoWorkInstaller

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## remotegui.zip: hugerte.jar: index.js

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.10/plugins/fullscreen/index.js

**MD5:** e187f0117b672a2e8033678f08d2f1f1

**SHA1:** d303bb5448dc1e0d404f366f07b51cd3f0487c28

**SHA256:** ea62f70b60de9fca52f2d2fa328391a3bf5d3de2965d40549fd1dbdd74f69d4b

**Referenced In Project/Scope:** CoWorkInstaller

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## remotegui.zip: hugerte.jar: index.js

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.10/plugins/help/index.js

**MD5:** b5bffc3c2adee9b308f33253c4fe7004

**SHA1:** b6307cda1e5123ee6c213d4f2c072011c69876c3

**SHA256:** 9740f6f6ad80924540a5bbf0c2a63cc9dfd8e61794fab7fd0f1b01a25cd6b92f

**Referenced In Project/Scope:** CoWorkInstaller

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## remotegui.zip: hugerte.jar: index.js

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.10/plugins/image/index.js

**MD5:** 095a51c136955dcc74a7e0fd9604e21a

**SHA1:** e68b5998a5cb615262e6d82f2e823bed40228967

**SHA256:** c4680d28a23819fd558d0535d085e7362d8cbac560044be6c9236708ee8ccf2f

**Referenced In Project/Scope:** CoWorkInstaller

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## remotegui.zip: hugerte.jar: index.js

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.10/plugins/importcss/index.js

**MD5:** 5e5f8c0aecc68703ecbbb0e4234e7d27

**SHA1:** 523289fb23e7e4902a037c16885ee32d836f00ac

**SHA256:** 81545fe205f290c3c31c7bfdb4ba83b3081f90ddfccea856d4b6c29ce6944745

**Referenced In Project/Scope:** CoWorkInstaller

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## remotegui.zip: hugerte.jar: index.js

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.10/plugins/insertdatetime/index.js

**MD5:** d8a0567abeb81a32ae97c146b2056f1c

**SHA1:** 6178edb15029bf8995370971585639e047345aab

**SHA256:** f5e4e03c4fceeaa5e024fd441d21be9d6f403c124335e0f4430f3cfb6ec4d124

**Referenced In Project/Scope:** CoWorkInstaller

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## remotegui.zip: hugerte.jar: index.js

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.10/plugins/link/index.js

**MD5:** 77e9b56d47087efd55f769120600d9e8

**SHA1:** 75dd165d3fc4f04daa39c21f2ade96fdea9afddd

**SHA256:** 320914e928c5be2837bec40ed93b5b6c536c027e67bdffd9db2119461057b7bd

**Referenced In Project/Scope:** CoWorkInstaller

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## remotegui.zip: hugerte.jar: index.js

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.10/plugins/lists/index.js  
**MD5:** 024e229dcff4a27cfcc170a5410b4843  
**SHA1:** 4c554e5bc1d9621a491410c001775da57f879798  
**SHA256:** 7790a64cb53b91a9153c1b69bc3da83e3b159d20a7af6bdc13d27874a4615168  
**Referenced In Project/Scope:** CoWorkInstaller

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: hugerte.jar: index.js

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.10/plugins/media/index.js  
**MD5:** a1da1bf87b3ac65830fd803e9a28c381  
**SHA1:** f09ec4275e63ebd377840fad37a65b011ddc6631  
**SHA256:** 45426a57dc58b349746fec58e3051f139895fdbd818c671f8f7c17443c46b701  
**Referenced In Project/Scope:** CoWorkInstaller

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: hugerte.jar: index.js

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.10/plugins/nonbreaking/index.js  
**MD5:** 8c1c718293b28a845a15c257772ff932  
**SHA1:** 7fa2acf1e9f7bc30632d71735ef9ed0d2f9fab29  
**SHA256:** 720b764ae93c6103550a9200e0effd11853b564f2d6be45743bd17e4276a23a2  
**Referenced In Project/Scope:** CoWorkInstaller

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## remotegui.zip: hugerte.jar: index.js

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.10/plugins/pagebreak/index.js

**MD5:** 165034455e178e0eb99918d3a1421dfa

**SHA1:** 8af3f0527d7530ef2e63e621e7dea1c3c376162f

**SHA256:** fff3b308b4a7e7e6756f7c1cd80517f788c8fc0e95cb9b7bb360b6f24892f5f2

**Referenced In Project/Scope:** CoWorkInstaller

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## remotegui.zip: hugerte.jar: index.js

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.10/plugins/preview/index.js

**MD5:** 83bb991d584186dab916e348799e4e2c

**SHA1:** 263f51c7a0512a1bed20eff7895b6498978532d8

**SHA256:** 2e7cbeb72f62c23c850b1376295742a5c4908ce80808e8a9b9de214deeb7a72b

**Referenced In Project/Scope:** CoWorkInstaller

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## remotegui.zip: hugerte.jar: index.js

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.10/plugins/quickbars/index.js

**MD5:** 99532be871de2c1e018b2f38fae3f505

**SHA1:** 4dad183c0694e2b520d32253e332e10179891435

**SHA256:** 3b0f4ee52d5f152c733aa21e443ddb633517fce8675fdb8b164346e32cea3770

**Referenced In Project/Scope:** CoWorkInstaller

### Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## remotegui.zip: hugerte.jar: index.js

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.10/plugins/save/index.js

**MD5:** 358e82db36264f8bf5d5f211581d2e12

**SHA1:** 85b2560fe9b4c7dd77be693082e8ca54561d04e2

**SHA256:** e4ad55ebe0c5dd257c742be63db9f7faa361a03febcd6949b34e50a5958e257

**Referenced In Project/Scope:** CoWorkInstaller

### Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## remotegui.zip: hugerte.jar: index.js

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.10/plugins/searchreplace/index.js

**MD5:** ed22a1e468fc1241e3e70c8720098442

**SHA1:** 49ad5ecf24b66612a3e9e8f1258f5fd8d1ac6624

**SHA256:** 2e9e32ea2edcd011f669cac3b7bf65efd4635a2c24c72a81167a7bf79e6a4c73

**Referenced In Project/Scope:** CoWorkInstaller

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## remotegui.zip: hugerte.jar: index.js

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.10/plugins/table/index.js

**MD5:** a40ed84889ba858c1d78a423a7339067

**SHA1:** cea53ea715d6b6010912a3bbcec73e7c9501bd4d

**SHA256:** e23ef84ba7634338aa304fce140296fb95ed92bddfa40e1e8975a2f725de0dc3

**Referenced In Project/Scope:** CoWorkInstaller

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## remotegui.zip: hugerte.jar: index.js



**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.10/plugins/template/index.js  
**MD5:** aeb80b7c4b07610c34901a284b372ed9  
**SHA1:** cccdcf94dd46b6ebfff271867bace1d0df8c3255  
**SHA256:** 6b6206bca3f79af4262b418278b2b1d44ffb0c16e618d6daabc3d022e555d6b  
**Referenced In Project/Scope:** CoWorkInstaller

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: hugerte.jar: index.js

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.10/plugins/visualblocks/index.js  
**MD5:** 99fbe6ec0ba267d5bd4f4b56834bd6df  
**SHA1:** dee26e00314addaf5d7359e4f672c6fdb309b17e  
**SHA256:** 1527138d82593c7a2c56998be7d938c05b1d18dc01590ba8638033f41655dfdf  
**Referenced In Project/Scope:** CoWorkInstaller

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: hugerte.jar: index.js

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.10/plugins/visualchars/index.js  
**MD5:** cc4e861499e09f90d3d9214c307a9078  
**SHA1:** 058e9ea96642f6d7da84f762a854c9aea27c7a5c  
**SHA256:** 09730d585920b1cb562c8e382cb7180101b81d419930364aee24714e1eec37fa  
**Referenced In Project/Scope:** CoWorkInstaller

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## remotegui.zip: hugerte.jar: index.js

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.10/plugins/wordcount/index.js

**MD5:** 042a01800558e0b5f08e835cabe311ee

**SHA1:** c0efda748192eb1ec1bed53d5d48447899f9e7e1

**SHA256:** 01e372dddf4f6441849ee78e1ded584ebd68d35fa0a7da3abb7c27fee75b90b

**Referenced In Project/Scope:** CoWorkInstaller

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## remotegui.zip: hugerte.jar: index.js

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.10/themes/silver/index.js

**MD5:** c116e3f9ad1e1e3e232e65a88c76606d

**SHA1:** 4b21b67afb114f7d741f0c78ff1a8a6d89342806

**SHA256:** 7a7e4dbaaebca073b2bb9bc3eeeba34ce5496be0a35b62bce19b461b43218911

**Referenced In Project/Scope:** CoWorkInstaller

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## remotegui.zip: hugerte.jar: it.js

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.10/plugins/help/js/i18n/keynav/it.js

**MD5:** 368a1232972a0c4f634c76db78e5b498

**SHA1:** dbb121749285ea1340cf147a3f44a3cac915e734

**SHA256:** 7b9aac4916b04925b60c3ed0c3f65adc48373d479b6d030b216b4f031401e9f8

**Referenced In Project/Scope:** CoWorkInstaller

### Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## remotegui.zip: hugerte.jar: ja.js

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.10/plugins/help/js/i18n/keynav/ja.js

**MD5:** 64c8b443274c245de92530cf50ac8706

**SHA1:** f567bfcd4417b6aeae2fc38edf748924b1181efc

**SHA256:** 53276c8771c3de2715c9ad8eb2826d997f0d8830ecf2e333388ff0c27d6ac30f

**Referenced In Project/Scope:** CoWorkInstaller

### Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## remotegui.zip: hugerte.jar: kk.js

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.10/plugins/help/js/i18n/keynav/kk.js

**MD5:** 3f9a7601fd781bb6c65059c58fe96989

**SHA1:** 189054aec78882a40f812d5cb9b300f452872a7f

**SHA256:** 37325ef03f35faca200aca41e278c54b67e437ff81e74147480598470e43b2fc

**Referenced In Project/Scope:** CoWorkInstaller

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## remotegui.zip: hugerte.jar: ko\_KR.js

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.10/plugins/help/js/i18n/keynav/ko\_KR.js

**MD5:** 20ef64c247eff15d94fab02896a15c6

**SHA1:** 4ffbdcd647ae10e4b54b50a1722ea75b8a9e1ad

**SHA256:** 85fe5b45bb8b659b296a16663f03987bf40ec88099d52a4d1d56879665d6da2b

**Referenced In Project/Scope:** CoWorkInstaller

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## remotegui.zip: hugerte.jar: model.js

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.10/models/dom/model.js  
**MD5:** 693591c57a4c5be7753aa7ccafb8b992  
**SHA1:** 807d1ab2050a295b68d5086dadcd52f08044e97b  
**SHA256:** 399e03b547224d98578a0c16e8c067708f95d87b90924374e8671fa277ccc5f5  
**Referenced In Project/Scope:** CoWorkInstaller

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: hugerte.jar: model.min.js

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.10/models/dom/model.min.js  
**MD5:** a6e1bb334185de329b72494f355aebad  
**SHA1:** bef665b9639100809a3a55b9236f9aaba033cae4  
**SHA256:** 522e6289e63e2aa67949846a0ca3860c9ad8da28423c0d00ad9dd54963dbee4b  
**Referenced In Project/Scope:** CoWorkInstaller

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: hugerte.jar: ms.js

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.10/plugins/help/js/i18n/keynav/ms.js  
**MD5:** f0f057fe6321dee6122f9dc1a0aebfeb  
**SHA1:** fbcacc7aac260a30a4c6213687aa7f3371995c83  
**SHA256:** abff2edcfb4baec1ebd93c681f58fe893a09d56a3a6c9ebe8bd51348dd78925b  
**Referenced In Project/Scope:** CoWorkInstaller

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## remotegui.zip: hugerte.jar: nb\_NO.js

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.10/plugins/help/js/i18n/keynav/nb\_NO.js

**MD5:** 776be941e0917d4513e0beb2f8e18e99

**SHA1:** 164b9c95814d8941940485a56e8d5c2144fd2693

**SHA256:** 4e2aa817da52cd69366fdf338b40d6e4284f521156b9e73653b468327431e3df

**Referenced In Project/Scope:** CoWorkInstaller

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## remotegui.zip: hugerte.jar: nl.js

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.10/plugins/help/js/i18n/keynav/nl.js

**MD5:** 5199e61a9d49f51233fa4996003bc1bd

**SHA1:** 19056a6dd9e7a5ca3f77eb810d821fa14c6b8ba9

**SHA256:** 5620e476f2a53f177ebd3dce0e5e1d0712922784e25f4a4a7e4ebd61133dacfe

**Referenced In Project/Scope:** CoWorkInstaller

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## remotegui.zip: hugerte.jar: package.json

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.10/package.json

**MD5:** aa4328c4319b66a9b6040df20ebc0c16

**SHA1:** 64319ba470ebfb488b980c9c4df8bb45f44f50a9

**SHA256:** 2ce753954dafdbc4b7ba92de362b265048bb6db00206bfca7e807909cf3922a6

**Referenced In Project/Scope:** CoWorkInstaller

### Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## remotegui.zip: hugerte.jar: pl.js

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.10/plugins/help/js/i18n/keynav/pl.js

**MD5:** ad4d61e73b6f7c576bb2d042b7c6ee83

**SHA1:** d88f3d98055cf7ed05a82402fe97fc5e08c9a2e1

**SHA256:** 9d0dfe442f6fe41f504a97ba8154fcc35d4cfd011c518f5812bf8afc5d2b4552

**Referenced In Project/Scope:** CoWorkInstaller

### Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## remotegui.zip: hugerte.jar: plugin.js

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.10/plugins/accordion/plugin.js

**MD5:** 234cbcdc0da1d0a1a157e75331d54d63

**SHA1:** ff49cc0296afa773743524e8a1db9b8c9f57ec48

**SHA256:** d8b5875507b80e142cb26c6f85429ce099c4c01155425068d0478655ef9068ac

**Referenced In Project/Scope:** CoWorkInstaller

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## remotegui.zip: hugerte.jar: plugin.js

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.10/plugins/advlist/plugin.js

**MD5:** b4e4c920e378044fe81e23d0438c638d

**SHA1:** 5788684f69347dc972e07b3f03a82e839c26077b

**SHA256:** c746af7a25617cc61a1f87a278597dac3278113889f249ef8c0d33aa0ced8628

**Referenced In Project/Scope:** CoWorkInstaller

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## remotegui.zip: hugerte.jar: plugin.js



**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.10/plugins/anchor/plugin.js  
**MD5:** 694564ae506ff7578592a7082c9f237b  
**SHA1:** 36c5389bb3d7fc9ff68b954c33b2d33beb67bb8a  
**SHA256:** 137796bc70179c913ad6edb175fada63f67a09a6954535027967c8f8144b4b7f  
**Referenced In Project/Scope:** CoWorkInstaller

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: hugerte.jar: plugin.js

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.10/plugins/autolink/plugin.js  
**MD5:** 9cfba96f10892ef31709d3e859c13be4  
**SHA1:** 6f9ecd536667d9deba06547b8478afad7a9195f9  
**SHA256:** 619c1484539653ed537c40ba095648d9ad5d9628052ad786e186816f29619864  
**Referenced In Project/Scope:** CoWorkInstaller

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: hugerte.jar: plugin.js

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.10/plugins/autoresize/plugin.js  
**MD5:** 428f77b5771b08b716a8d868c5176866  
**SHA1:** 9fa2da71224d4ef5de917b102a29f12bc29354ae  
**SHA256:** fdc13ec358a68706555c3240051a31d01930b69848851223062d2713b192e602  
**Referenced In Project/Scope:** CoWorkInstaller

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## remotegui.zip: hugerte.jar: plugin.js

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.10/plugins/autosave/plugin.js

**MD5:** 25ce048674acf5ef495a19831b70a6e0

**SHA1:** e9f4afd871014387251adb793388bc3fc11d1972

**SHA256:** a22dd43e8f4719006094945fd16bebdd7ffbf23740a277f760133906abcb4e35

**Referenced In Project/Scope:** CoWorkInstaller

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## remotegui.zip: hugerte.jar: plugin.js

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.10/plugins/charmap/plugin.js

**MD5:** 3c7c65bc89623c47ded1ed50edfd8d16

**SHA1:** 715627f4044592e3a8950e5740308c98930f34f3

**SHA256:** 58f4014c15ef46513294bf86e10cd0691f6e69dd23e54791bb7f73a8c0bafffa

**Referenced In Project/Scope:** CoWorkInstaller

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## remotegui.zip: hugerte.jar: plugin.js

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.10/plugins/code/plugin.js

**MD5:** 7ba0be72b364eaa1e71ee0f24f85a421

**SHA1:** 42dc0b6c2f0bdd0036b67d745b10beb3c3364933

**SHA256:**a88315edb070ed6e195a9bfdac8d6dfe8c624dc5abbf6818569abfe64909ccda

**Referenced In Project/Scope:** CoWorkInstaller

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## remotegui.zip: hugerte.jar: plugin.js

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.10/plugins/codesample/plugin.js

**MD5:** c9173f4770e386c7f3ffee98d951f09b

**SHA1:** 31f0b91b7022c5ee5c3c7149b92755c79c2f273c

**SHA256:**d73539073d6ae6c8cc2580af17b0536fca24b11196d10d820f8747a5af69cc65

**Referenced In Project/Scope:** CoWorkInstaller

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## remotegui.zip: hugerte.jar: plugin.js

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.10/plugins/directionality/plugin.js

**MD5:** e9e03d39c8c617772aa6d120d89e6f53

**SHA1:** 429fa7002656d1a8ef1c5ef84d0bf75bfdaf2efe

**SHA256:** d8a54ed3ccbc8006a0b1cc41b9f5e27fc13ebac18abc041f4582e3062f13c1a3

**Referenced In Project/Scope:** CoWorkInstaller

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## remotegui.zip: hugerte.jar: plugin.js

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.10/plugins/emoticons/plugin.js

**MD5:** a2139d5535c6025f4958a36bb22b641f

**SHA1:** c94f19247dad45103429207f6fd8ce2c4a4cb726

**SHA256:** 40349437ea647c28df4c79ea050a9dfaff05a0518fa92df8475047e219641099

**Referenced In Project/Scope:** CoWorkInstaller

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## remotegui.zip: hugerte.jar: plugin.js

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.10/plugins/fullscreen/plugin.js  
**MD5:** 3b15dba52fa9942ff9676907a2ed11d6  
**SHA1:** 5d37eb4d78ba52e56af213418959698ead6513e4  
**SHA256:** dd51cf286f028c73eed0ada97f84c8d7d850b438c7246cc0c58ee38f4ad77aad  
**Referenced In Project/Scope:** CoWorkInstaller

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: hugerte.jar: plugin.js

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.10/plugins/help/plugin.js  
**MD5:** d120d759c9d17c16ea6de8e58aed752b  
**SHA1:** d2346c718b8bcf6ece22ddcfb023c7cee6c84419  
**SHA256:** 27555e3b4f6d3a925cc290404848b9500cdaf65bf136f91724fb49945e95f6db  
**Referenced In Project/Scope:** CoWorkInstaller

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: hugerte.jar: plugin.js

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.10/plugins/image/plugin.js  
**MD5:** 0f013ffe1521b3f719e3225303372939  
**SHA1:** 3359a7ed29d3e07814f52217e909e57169f95291  
**SHA256:** 8a0e70e8f30ed79b6db181f57cf497026c3b85098b0346b593d4d9f33ed3f9eb  
**Referenced In Project/Scope:** CoWorkInstaller

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## remotegui.zip: hugerte.jar: plugin.js

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.10/plugins/importcss/plugin.js

**MD5:** 0eb49431bec88bb25e70a252866dff0b

**SHA1:** adb982d7c81a0bda96e3cabf8b26e27bfb7e5b5

**SHA256:** 2858596b1aab1ecc56a5e7b3822b522da99d18797bca9fdb9af57550a58ecd2c

**Referenced In Project/Scope:** CoWorkInstaller

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## remotegui.zip: hugerte.jar: plugin.js

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.10/plugins/insertdatetime/plugin.js

**MD5:** 88479b5f199578d1fd404846fd846338

**SHA1:** 35b48cc21acb0f0d1686fdd919de05bfc0a9934e

**SHA256:** 2773dcc58984c88e646fc8bcc6d4879cb45b291ae62816f75d26acfa74ecd8b1

**Referenced In Project/Scope:** CoWorkInstaller

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## remotegui.zip: hugerte.jar: plugin.js

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.10/plugins/link/plugin.js

**MD5:** c1ac650fb088c547ec90787fbd7f7d74

**SHA1:** 44c949ac551ace6a4c7a0abfc88023c336f531c2

**SHA256:** d8099f84024a099854b61de272ed27324af7dd77d7eabdb798475196e0e215dd

**Referenced In Project/Scope:** CoWorkInstaller

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## remotegui.zip: hugerte.jar: plugin.js

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.10/plugins/lists/plugin.js

**MD5:** b692d7c00bda07e511c0a2c522617027

**SHA1:** 0d88120e6c1099a1aaeee2160c02eda96e1ee1f5

**SHA256:** 535e4b6f453c290d975fe9928664b8d3722a9bdfa4bdb49198755b0f0734d194

**Referenced In Project/Scope:** CoWorkInstaller

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## remotegui.zip: hugerte.jar: plugin.js

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.10/plugins/media/plugin.js

**MD5:** fff0620163bce2a60977e3425ca679ea

**SHA1:** 44ad1254d5dc9351985967c9273a3376663d0733

**SHA256:** c6b6a6e5a96e0efd0c4de068c757e826f09f23c29eded9967b07819a77624fd7

**Referenced In Project/Scope:** CoWorkInstaller

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## remotegui.zip: hugerte.jar: plugin.js

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.10/plugins/nonbreaking/plugin.js

**MD5:** 1993928b1e7e7800b40daba2602cd69d

**SHA1:** a2d7f221373726e3de4cadacb39556688acf42d8

**SHA256:** 5c60a48d9693a6def7e66be084dd6b78d7a7c7f8986e4ff85940f9e20fa4b656

**Referenced In Project/Scope:** CoWorkInstaller

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## remotegui.zip: hugerte.jar: plugin.js



**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.10/plugins/pagebreak/plugin.js  
**MD5:** f3ddc3d170802e2b4db62728ed0abc28  
**SHA1:** 572244289f8e77749bf157ad173eb0356b4dfb94  
**SHA256:** 7691c5ce3f5b304a816ee27b78e1c24d0517e83aa53c6815268e261db44d90d1  
**Referenced In Project/Scope:** CoWorkInstaller

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: hugerte.jar: plugin.js

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.10/plugins/preview/plugin.js  
**MD5:** a12aa7010b0208471c51c3f73e016094  
**SHA1:** 851d545871a164d5e36c26a6ee77365567cf6282  
**SHA256:** 8bd3967bfe5b7e93f795f4aa01156a22639e6aa7fba2964143e8fe851614a9ac  
**Referenced In Project/Scope:** CoWorkInstaller

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: hugerte.jar: plugin.js

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.10/plugins/quickbars/plugin.js  
**MD5:** b6abe20c84a1d983f96a2ceb9dbeb8f9  
**SHA1:** 933d8867ea44d0e3d597acf419a125af1c80f5f5  
**SHA256:** f46408fe45d99837314c8df9ef71572f145bb54c969eb53f38fc4560c8643d59  
**Referenced In Project/Scope:** CoWorkInstaller

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## remotegui.zip: hugerte.jar: plugin.js

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.10/plugins/save/plugin.js

**MD5:** 12f532911ee63e5c329f35317770f876

**SHA1:** 827f03cc0bcb5d1934e0a4a93561078ed43e9759

**SHA256:** 1fecbf8e062157e5fa52def419ec097a737228c1e30b76984071207d60d424c

**Referenced In Project/Scope:** CoWorkInstaller

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## remotegui.zip: hugerte.jar: plugin.js

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.10/plugins/searchreplace/plugin.js

**MD5:** a8dd7c09ac69c61ae101a2f3d5ef7109

**SHA1:** f62d51aa5984eccdbcb0d762d8953748141c671

**SHA256:** 20bc8ce70fc314a9ded4a33c56a1bdfc80e45f08ab24ca646f5a0b82fb744b9b

**Referenced In Project/Scope:** CoWorkInstaller

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## remotegui.zip: hugerte.jar: plugin.js

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.10/plugins/table/plugin.js

**MD5:** ea782429b24b376c04ceab3f2c98ba79

**SHA1:** 2cd504d47e6c51834d6967a1062d3c7e8eaf8dd6

**SHA256:** 3ae59cb7ffa09ef5e19e55648207baf5e20e171d87e7389cb09426c7cd58b996

**Referenced In Project/Scope:** CoWorkInstaller

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## remotegui.zip: hugerte.jar: plugin.js

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.10/plugins/template/plugin.js

**MD5:** f81d5c9b9e0b1577eb08d7e981aa0736

**SHA1:** 57ef1d4ac15cfe3ed779d7621e3f95be73661bce

**SHA256:** 71cbbd6acd0e40aecc0cb8b6903ad1996179cf6d4bac3dc95e65b7bfb6216425

**Referenced In Project/Scope:** CoWorkInstaller

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## remotegui.zip: hugerte.jar: plugin.js

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.10/plugins/visualblocks/plugin.js

**MD5:** add8cfa2281ac41a2524dc01bc266f

**SHA1:** df96a4558a647510096e75736d41322691d6afb6

**SHA256:** 1e37c0b71b368cc4540696b4e63e71569736a95177a60d541cf1d4d468984c44

**Referenced In Project/Scope:** CoWorkInstaller

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## remotegui.zip: hugerte.jar: plugin.js

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.10/plugins/visualchars/plugin.js

**MD5:** efa3cd5a99538a82a5100e2e73578de1

**SHA1:** e58a97816bf84f3275700b270d6d9434f0dd0963

**SHA256:** 1a2053e8525390c955185714e2b5906a8aa4e53307ec19eb2ffb589d517ad59c

**Referenced In Project/Scope:** CoWorkInstaller

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## remotegui.zip: hugerte.jar: plugin.js

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.10/plugins/wordcount/plugin.js  
**MD5:** efaab82a4886f7fdd9b51dc1591d3766  
**SHA1:** 930d82e16272ae7ef7e0319b93a7c3cdc699bd21  
**SHA256:** 693ab5be6788391285a33bb73d3bba144a263a19323369a24ebb0b56e97338f5  
**Referenced In Project/Scope:** CoWorkInstaller

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: hugerte.jar: plugin.min.js

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.10/plugins/accordion/plugin.min.js  
**MD5:** 41b9fb04716b69dedf252f16a408224a  
**SHA1:** 8c042e9c14d70bf1201a7287389deb57572c6fd1  
**SHA256:** 23b1878f5a7b225f481cd6513fb66c349d2575c0188d1d7f6de4629ed7332464  
**Referenced In Project/Scope:** CoWorkInstaller

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: hugerte.jar: plugin.min.js

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.10/plugins/advlist/plugin.min.js  
**MD5:** f607e201cc782a368e5056495380ad8f  
**SHA1:** 34d87146befe75a28085e38bf5d1ea940e72612e  
**SHA256:** a9c5d61098c8ade34a8ababbc9598ee95e0ff40bf1a8dd5ad1189639be540e86  
**Referenced In Project/Scope:** CoWorkInstaller

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## remotegui.zip: hugerte.jar: plugin.min.js

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.10/plugins/anchor/plugin.min.js

**MD5:** cda80e549bfecddfb0c5660f7bd61c28

**SHA1:** a60a01a44e79fd7fe1e62294efbde9bdc7fb8391

**SHA256:** 80cc2719d808b1a7ed0c64f93ab527ff5e8037557aeaaeeb75e26dd0d520fb13

**Referenced In Project/Scope:** CoWorkInstaller

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## remotegui.zip: hugerte.jar: plugin.min.js

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.10/plugins/autolink/plugin.min.js

**MD5:** b29b97dff81e4e2bc9f93b2db18964f0

**SHA1:** ad8f6a077b4f4a2b81638b3b6028a0bfb61fe641

**SHA256:** 449bff07fa9e889d6242d605b72e6d0abda2e45b89d1c6536aede88d3a358dea

**Referenced In Project/Scope:** CoWorkInstaller

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## remotegui.zip: hugerte.jar: plugin.min.js

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.10/plugins/autoresize/plugin.min.js

**MD5:** 43f917cb227d2e801f8ed8a959f3b7f0

**SHA1:** 4befeaf8ded3d0342b989359c77ef171950a7b72

**SHA256:** 402cbfe848c67537977d26275726b8945f8bd9d7345ad78ba6dd10daf8703724

**Referenced In Project/Scope:** CoWorkInstaller

### Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## remotegui.zip: hugerte.jar: plugin.min.js

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.10/plugins/autosave/plugin.min.js

**MD5:** 5946f682c8fcaeedbf897e9b16f54e91

**SHA1:** 0c9bffbbf828835d43302963134542e095b1ffc1

**SHA256:** 770745ed4e2e0e2a87aa1ed9b127d8ba95b2d10c8bb1d68bf165b7da427fb424

**Referenced In Project/Scope:** CoWorkInstaller

### Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## remotegui.zip: hugerte.jar: plugin.min.js

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.10/plugins/charmap/plugin.min.js

**MD5:** b6fa0b80d789b03eb42f1c7b1bd9a317

**SHA1:** 0e66b1560d6594d5b06eda668f597e1c759ef9ca

**SHA256:** df569012757f04fb6da50db6f9d8547969c63b301af81e923cbe427724ab817e

**Referenced In Project/Scope:** CoWorkInstaller

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## remotegui.zip: hugerte.jar: plugin.min.js

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.10/plugins/code/plugin.min.js

**MD5:** 16f1b2b99652a6432bb7e26fc6275489

**SHA1:** 07aa6669ff4f20c394e58cf833949306ff59f85c

**SHA256:** df25480cdbaeb8e74cb937c44314c8a28debfb4ed8fa75498067620287a4b83

**Referenced In Project/Scope:** CoWorkInstaller

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## remotegui.zip: hugerte.jar: plugin.min.js



**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.10/plugins/codesample/plugin.min.js  
**MD5:** 03d7fc5ecdfe24bd5ea607f52860b8f8  
**SHA1:** 58c3ce163c656d9c72f0d8cd9a117c955ffddb3b  
**SHA256:** 93cca0a291f3a0777bf30f27618a25ba8febf40487c25f4c15e639412355053d  
**Referenced In Project/Scope:** CoWorkInstaller

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: hugerte.jar: plugin.min.js

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.10/plugins/directionality/plugin.min.js  
**MD5:** b9092e9c78ab5b637b720842473a04d5  
**SHA1:** 2a0535f7087827113bad03d00b2c354b5c26791e  
**SHA256:** 0a46316c620472d05aeeb3cf23b937ab695786337b243cbfb1a8ad57184b09e3  
**Referenced In Project/Scope:** CoWorkInstaller

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: hugerte.jar: plugin.min.js

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.10/plugins/emoticons/plugin.min.js  
**MD5:** 73b2b6326789ea8fbd7bb23efc22b43a  
**SHA1:** 85666ba62c9fd7d009439e4556bacfe0be7d63db  
**SHA256:** 9dfc962639418274959e3316a62522734cbe668dcfb5e8bb16716591a9f44ba8  
**Referenced In Project/Scope:** CoWorkInstaller

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## remotegui.zip: hugerte.jar: plugin.min.js

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.10/plugins/fullscreen/plugin.min.js

**MD5:** 2ef377fd40de18e8d301730055d8779d

**SHA1:** 7d431bf2ae164bb8c44b9e1798780cb893d63922

**SHA256:** b5f9ab18c6874378c7971cae5c6a13b72123b743b96625106c7ec959c9ea4b3c

**Referenced In Project/Scope:** CoWorkInstaller

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## remotegui.zip: hugerte.jar: plugin.min.js

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.10/plugins/help/plugin.min.js

**MD5:** 5195d68898ee18a266c2b70f9513e3ea

**SHA1:** ce5d65783ea455a7375995d8da788647fe6ef118

**SHA256:** 4eee85d199db2167600f30f884fdf5a678e0d829a934b46707d7b13a6ce12887

**Referenced In Project/Scope:** CoWorkInstaller

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## remotegui.zip: hugerte.jar: plugin.min.js

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.10/plugins/image/plugin.min.js

**MD5:** 5ead60b8ee2a5e57ee21d328a6996fd5

**SHA1:** 8845601750923c62116ce10e403c4b994b77cf73

**SHA256:** 0a8d0add48bbf1d9bffaddff80537482fc3208fd9f73bd02e6438c168f7d2b61

**Referenced In Project/Scope:** CoWorkInstaller

### Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## remotegui.zip: hugerte.jar: plugin.min.js

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.10/plugins/importcss/plugin.min.js

**MD5:** 80bfd8a5281df392b851bef6deb885ed

**SHA1:** 58b6f75cb02c07ba76b5f8398e03ad22320cc6d8

**SHA256:** 7dad55e6a7b2a0cf1def87a28d387ddb6d592b58f54a33acc84b0bf5923738b

**Referenced In Project/Scope:** CoWorkInstaller

### Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## remotegui.zip: hugerte.jar: plugin.min.js

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.10/plugins/insertdatetime/plugin.min.js

**MD5:** d97b95150778c9239945a3c66722c522

**SHA1:** 39a1d254e61ad580ade39bfbb3fd6d6a7f797c37

**SHA256:** 016c7b4529780e838f1894971fda9f76918d9edfd279569784f8de3a10b40b96

**Referenced In Project/Scope:** CoWorkInstaller

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## remotegui.zip: hugerte.jar: plugin.min.js

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.10/plugins/link/plugin.min.js

**MD5:** 7fefbb0fcd36a9a88bbdea3d482c1cd5

**SHA1:** a40def35131be11121ad243664092aacd8af5e40

**SHA256:** 742e558ca7de547e0cdb7ec6132f8f611729090b0322cb0c2bd65dd68c53361c

**Referenced In Project/Scope:** CoWorkInstaller

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## remotegui.zip: hugerte.jar: plugin.min.js

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.10/plugins/lists/plugin.min.js  
**MD5:** c67ba32694a4e2ac5cb6f3ed967a4860  
**SHA1:** ba54691c70395764688bf02e77e5aaf9918f890d  
**SHA256:** cc6938ad8297e6df86d066c993deb8332e84116b481dc6f21a1a05b1b999d33d  
**Referenced In Project/Scope:** CoWorkInstaller

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: hugerte.jar: plugin.min.js

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.10/plugins/media/plugin.min.js  
**MD5:** a9156f4bf8e68ee4d7bc03db5e88c67d  
**SHA1:** 7b416b06fff819bae4c82bb548d5213d7afbab99  
**SHA256:** 82fdf0a7087971569fab288ae0d99382a2219f3c5f7dcad1be71720e92f36052  
**Referenced In Project/Scope:** CoWorkInstaller

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: hugerte.jar: plugin.min.js

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.10/plugins/nonbreaking/plugin.min.js  
**MD5:** 7dcf88c43398084da0d575d280a2ce83  
**SHA1:** 7abd58e32e21afcfdcf7354a858ed4081df1b523  
**SHA256:** c2ff35d5781a42a0a60745f34b347a1be6771e974802f3b08e8f9b4568c9586a  
**Referenced In Project/Scope:** CoWorkInstaller

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## remotegui.zip: hugerte.jar: plugin.min.js

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.10/plugins/pagebreak/plugin.min.js

**MD5:** 8df5adfe40638a16627e677a370c95a6

**SHA1:** 11fed02125efde64ba5bdae09b68e9a89e221ee1

**SHA256:** 2a28c613a64dbe9f87f42eb8d83bfb0f0ba926afb96fb1b26805ca99af8a9494

**Referenced In Project/Scope:** CoWorkInstaller

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## remotegui.zip: hugerte.jar: plugin.min.js

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.10/plugins/preview/plugin.min.js

**MD5:** df9cf3dd607941f93d1c438b68a40a19

**SHA1:** 959b48bc1643c9c619f91ed1291553fe4b5c6df5

**SHA256:** 927d07fe0584b9aa1fe51022a7e48a2863057e1a82726c5755e7412e25e6930f

**Referenced In Project/Scope:** CoWorkInstaller

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## remotegui.zip: hugerte.jar: plugin.min.js

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.10/plugins/quickbars/plugin.min.js

**MD5:** c7f7fd9d489f82d4978a950a6fd326d0

**SHA1:** 35ad1ac0ec23f43babeaf2f71846d60e692a4370

**SHA256:** 27422ad514e9daf4cda714e01922c6b22ab80a7b2dd3d06ae4a12de604c4adb3

**Referenced In Project/Scope:** CoWorkInstaller

### Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## remotegui.zip: hugerte.jar: plugin.min.js

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.10/plugins/save/plugin.min.js

**MD5:** ef357be47e0f2531659760db570e3e08

**SHA1:** 5ce5f43cf8bdc9a84203be92d020dcd751516250

**SHA256:** 8ffea15aa59d2aeb61497c93642e812a303ceca942ff566834fcbb8c4376d67f

**Referenced In Project/Scope:** CoWorkInstaller

### Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## remotegui.zip: hugerte.jar: plugin.min.js

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.10/plugins/searchreplace/plugin.min.js

**MD5:** 139d7a0deca771c0b77b63098cd18ee0

**SHA1:** 8f3824236f0806918ef8095da2eb296ced32b89d

**SHA256:** 97cea5100aadbefc3610ad132afbe4f1bb4e19d8aceec2266cb1cb342173b69d

**Referenced In Project/Scope:** CoWorkInstaller

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## remotegui.zip: hugerte.jar: plugin.min.js

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.10/plugins/table/plugin.min.js

**MD5:** 502d776073efd10fcb209469a13a62b

**SHA1:** 8ac3ce728285e89236fef69eaf629d425fa30bc3

**SHA256:** 14e91010b6d0836c776ebb1ef82faa7507fc7e2c27f12c8dcf4f93da4601f332

**Referenced In Project/Scope:** CoWorkInstaller

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## remotegui.zip: hugerte.jar: plugin.min.js



**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.10/plugins/template/plugin.min.js  
**MD5:** 55e7bc92bab38e5cfb88cf0b1571e3e2  
**SHA1:** 87ac90adba9d19a1effa547ce0c180da9db38d10  
**SHA256:** 6fe4a268a991a7711b98189b027782c297ecf46b076b511d3861f9c44622049c  
**Referenced In Project/Scope:** CoWorkInstaller

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: hugerte.jar: plugin.min.js

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.10/plugins/visualblocks/plugin.min.js  
**MD5:** 955aaa78063c43c0e51c3fafcddd56b5  
**SHA1:** 656381bbbd38cc297ba0956035f6185d73f1d7b4  
**SHA256:** 2dd3ccb223e2d2138e7d924151c61199f2e9b1dd8cbbbf0be0d899d7aa52389e  
**Referenced In Project/Scope:** CoWorkInstaller

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: hugerte.jar: plugin.min.js

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.10/plugins/visualchars/plugin.min.js  
**MD5:** 47a01e3b8dea93ce5f7688cd00819514  
**SHA1:** 0495254050f00001f190e84c53ce1570af7e559c  
**SHA256:** a3405c392c40b97825e9fdee2fa63f936a7fd33f1f1a10d9453640dfa28e3f24  
**Referenced In Project/Scope:** CoWorkInstaller

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## remotegui.zip: hugerte.jar: plugin.min.js

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.10/plugins/wordcount/plugin.min.js

**MD5:** af966b39dd7380e0a7432f31ce9b7c0b

**SHA1:** b47d98b85bb9be88207358d699ef416965b0f1d9

**SHA256:** 5be02c864f261b33efd718f3b6c9a2a607a91ee9fef6462e0cec442e0ce3b180

**Referenced In Project/Scope:** CoWorkInstaller

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## remotegui.zip: hugerte.jar: pt\_BR.js

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.10/plugins/help/js/i18n/keynav/pt\_BR.js

**MD5:** ca7a4eeff4a8529a84f3ff5e7f1fbd4d

**SHA1:** 301b5e181620e9a86b8e0521cc3f56835f98a0e9

**SHA256:** 571938497a73a22fdc5ad20de30a0d6051b489ac787659a73dd6927f73bf813f

**Referenced In Project/Scope:** CoWorkInstaller

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## remotegui.zip: hugerte.jar: pt\_PT.js

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.10/plugins/help/js/i18n/keynav/pt\_PT.js

**MD5:** 98c786e104869984b866baa8ed1cc414

**SHA1:** 70386a8fcd314249ce73542a259404019f40fe56

**SHA256:** f9fcbf81468c7312fd52504380f411df09c2f59cb2a1647c6d0cab5f3f414b9c

**Referenced In Project/Scope:** CoWorkInstaller

### Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## remotegui.zip: hugerte.jar: ro.js

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.10/plugins/help/js/i18n/keynav/ro.js

**MD5:** 954a4ab723e0f927235bcd3020c8e0e7

**SHA1:** eeb3638b56c77058c31193b95ae72b4811ca2e92

**SHA256:** 1e0e4e94519949b7e750007e7193e3d3a20855f57b5ff982a985edb0718f885d

**Referenced In Project/Scope:** CoWorkInstaller

### Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

### remotegui.zip: hugerte.jar: ru.js

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.10/plugins/help/js/i18n/keynav/ru.js

**MD5:** 1d302511d2a9b1a0a765358559e6ed8c

**SHA1:** dc2960bf5917645f7f007fdc082efedce924e695

**SHA256:** 019be56e2cd8f3a4b7bc028535cabaf69c075744666652bcd40edd8483d543a6

**Referenced In Project/Scope:** CoWorkInstaller

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: hugerte.jar: sk.js

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.10/plugins/help/js/i18n/keynav/sk.js

**MD5:** fe4a80d8945887d8dcf20af8a3c1352e

**SHA1:** 36a21dd701f08b0d0acfb8294f006762fc424dde

**SHA256:** b259ee9a894fa2cc41a7900fa637a2aa8e4224be1f4ef842b541f977240f903f

**Referenced In Project/Scope:** CoWorkInstaller

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: hugerte.jar: skin.js

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.10/skins/ui/hugerte-5-dark/skin.js  
**MD5:** 33bfe3e522c9bcc81a0ac4a754d0fa01  
**SHA1:** 822a6e8c4751f9dda822f84703ee522f7ce0ccc1  
**SHA256:**bbf5986c65426afbf26be7c0e5de03fa8e68d8f2219e2919001f1a10b173a952  
**Referenced In Project/Scope:** CoWorkInstaller

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: hugerte.jar: skin.js

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.10/skins/ui/hugerte-5/skin.js  
**MD5:** e955f1a8b28d4fc0e3ff9437a54cf3f0  
**SHA1:** 7523ca2c72f80f957cce1cff4c6f697266e0b425  
**SHA256:**963a34799e5790f24ddf1824583cd10f3ba9c39db04e5ec60a5cf11ece7fca31  
**Referenced In Project/Scope:** CoWorkInstaller

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: hugerte.jar: skin.js

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.10/skins/ui/oxide-dark/skin.js  
**MD5:** f1e6180bbc9af02f6eadd4fb72053f8c  
**SHA1:** 58a5ea6b0767562cf4db3aa7b4f4e8bb1cc53dcf  
**SHA256:**5048d4c092234ee6ca7dc7cc764f9539b3dd8579355f4b64a30eaff4d05bf654  
**Referenced In Project/Scope:** CoWorkInstaller

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## remotegui.zip: hugerte.jar: skin.js

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.10/skins/ui/oxide/skin.js

**MD5:** eb819709d0ce9c502c5b7ad421407d60

**SHA1:** 9f75d43603bdcd46cc03bdfb67071160409dc91b

**SHA256:** 5a3d4132dbd49631dff83665fdc93242175673ee02a44c25303038edd70b7037

**Referenced In Project/Scope:** CoWorkInstaller

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## remotegui.zip: hugerte.jar: skin.shadowdom.js

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.10/skins/ui/hugerte-5-dark/skin.shadowdom.js

**MD5:** d738bf552b3156b0a77176ee6602cca5

**SHA1:** 268465839d61adf3a0b0672f8ffdecdfaafb053

**SHA256:** d24a492050fb69964cdb38329571b9fddd1b0834d3e7dbdb408ddd58493ca2e

**Referenced In Project/Scope:** CoWorkInstaller

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## remotegui.zip: hugerte.jar: skin.shadowdom.js

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.10/skins/ui/hugerte-5/skin.shadowdom.js

**MD5:** 20b5197219c55275d0b70c53fba64ed4

**SHA1:** 1e2c40c61236d680b9a79abc119fe7e9a0134f81

**SHA256:**afb05e588c7480e5fe4659e23d1455cf4d50d88ceee199989022fe3af1fba44

**Referenced In Project/Scope:** CoWorkInstaller

### Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## remotegui.zip: hugerte.jar: skin.shadowdom.js

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.10/skins/ui/oxide-dark/skin.shadowdom.js

**MD5:** 1e892ba61cc3e6d5bfec63dc9cec18c3

**SHA1:** 84dbd80ba099e183e44debb25fd01890797707cc

**SHA256:**60f0ac19cbb0903f7fd4bc8a1fadb16e818d45b1908db27a89679aadf6fd6332

**Referenced In Project/Scope:** CoWorkInstaller

### Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## remotegui.zip: hugerte.jar: skin.shadowdom.js

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.10/skins/ui/oxide/skin.shadowdom.js

**MD5:** 731f24060ee9a8c936071b8765cdde89

**SHA1:** 21f37b358ef16cc9fab3344261a2236b0260ac0d

**SHA256:** bea22e87cbf4ff22524e43516d28e285d0f096409d7891fb6e91aae8fdf56eda

**Referenced In Project/Scope:** CoWorkInstaller

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## remotegui.zip: hugerte.jar: sl\_SI.js

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.10/plugins/help/js/i18n/keynav/sl\_SI.js

**MD5:** ac35121257bf831e811f75c28c471dcb

**SHA1:** 5e2e75c81c74714798f3ab92f1cbf4889a705830

**SHA256:** f001ce48bbaaa6e711eda1b603d13edc38f0c2db5592f0f8cb3b798f001b6e17

**Referenced In Project/Scope:** CoWorkInstaller

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## remotegui.zip: hugerte.jar: sv\_SE.js



**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.10/plugins/help/js/i18n/keynav/sv\_SE.js  
**MD5:** b24075bd395a8abe5e100788bba0a74a  
**SHA1:** 699908a684581883ca84b7f43db273ee83d68245  
**SHA256:** 24e435fe459e6a809eb78b0b66c0146226482f29cf4caf7c84d6a09889a5ae25  
**Referenced In Project/Scope:** CoWorkInstaller

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: hugerte.jar: th\_TH.js

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.10/plugins/help/js/i18n/keynav/th\_TH.js  
**MD5:** 0f0c790204d30c81b6645735545d20ec  
**SHA1:** 5fee086306a6157bfa9758380c9da89040dcfaa4  
**SHA256:** 38e2e42abab10f72d5ea1f17714112c287f350fcbca05c5906ced9d3595c16aa  
**Referenced In Project/Scope:** CoWorkInstaller

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: hugerte.jar: theme.js

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.10/themes/silver/theme.js  
**MD5:** 44cb08e002fca06cb52f0a998a34b913  
**SHA1:** 55458cdd3c063b96d82693d141f535f61e280341  
**SHA256:** b21ab51f48963e96600868f198137d44fac2d2f4a932d90104ffb11ab80b5544  
**Referenced In Project/Scope:** CoWorkInstaller

### Evidence



Type	Source	Name	Value	Confidence
Vendor	RetireJS	name	DOMPurify	High
Product	RetireJS	name	DOMPurify	High
Version	RetireJS	version	3.2.4	High

### Identifiers

- pkg:javascript/DOMPurify@3.2.4 (Confidence: Highest)

## remotegui.zip: hugerte.jar: theme.min.js

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.10/themes/silver/theme.min.js

**MD5:** 091fe1ca3beba933e7daa4f5a474ffa2

**SHA1:** 5d14195972feff438279f71369e8eca16d80f922

**SHA256:** 8d2d093d1b1fed8e8ffcb4782c81602f43c998799f73d4cce0de8261a78e8d74

**Referenced In Project/Scope:** CoWorkInstaller

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## remotegui.zip: hugerte.jar: tr.js

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.10/plugins/help/js/i18n/keynav/tr.js

**MD5:** 4543135c90640b64ea11bd4ca58192b3

**SHA1:** 93c8cbd63e67d56b8943946634ebc319efcc8302

**SHA256:** fa1b123a9dc42af696b525c76386e38f2abaab07b29d29fca957a3d82feb9170

**Referenced In Project/Scope:** CoWorkInstaller

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## remotegui.zip: hugerte.jar: uk.js

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.10/plugins/help/js/i18n/keynav/uk.js

**MD5:** 64c0553a6c8b19667964e263a03dab26

**SHA1:** 998a732ac0b403137b79178d83163accdbbcad27

**SHA256:** 0d63c3d3ef18445fa032a6b4f8d6c80c26bebc6eacb71dc934d7b5666453b2a5

**Referenced In Project/Scope:** CoWorkInstaller

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## remotegui.zip: hugerte.jar: vi.js

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.10/plugins/help/js/i18n/keynav/vi.js

**MD5:** 85d7f56b3ae07bedcadde6e04251dc9a

**SHA1:** 5333ccaa75ac528e70e6d3a50bc47a46573dd353

**SHA256:** a8fd67b418a1d1225ded5342c6cb7ab53606818c22b7a964148c74cebfabd0ff

**Referenced In Project/Scope:** CoWorkInstaller

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## remotegui.zip: hugerte.jar: zh\_CN.js

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.10/plugins/help/js/i18n/keynav/zh\_CN.js

**MD5:** 93f3f1526fb8af6be6fea9c9d4cac78e

**SHA1:** dbd189b2ee499e1be666408ccd83b41c7ee84bb5

**SHA256:** 5f3a261a4604bf1e7116dbdb1602f87bb93e324849b64227398c8b93113a38ac

**Referenced In Project/Scope:** CoWorkInstaller

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## remotegui.zip: hugerte.jar: zh\_TW.js

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.10/plugins/help/js/i18n/keynav/zh\_TW.js

**MD5:** e3325e4ccd2fbabf42e18053b168428f

**SHA1:** 6c105cd27982cba07413ba280b946ea010c9ea5f

**SHA256:** 5f8f7d1e97005d84e3f868727db6c36baf3096f1cd4d14effb7ecd33ae0ccb1b

**Referenced In Project/Scope:** CoWorkInstaller

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## remotegui.zip: jquery-ui.jar

### Description:

WebJar for jQuery UI

### License:

MIT License: <https://github.com/jquery/jquery-ui/blob/master/LICENSE.txt>

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/remotegui.zip/jquery-ui.jar

**MD5:** 9ce7e600d17800cdae8476eb3dcf1789

**SHA1:** c1122cd36f9bab512ddb4ab072d84fba5ad0e2a

**SHA256:** 0ce631a38c140f67c210a407ead84ac6ef88d82aaf1cde4c8b8e210b92f2b59d

**Referenced In Project/Scope:** CoWorkInstaller

### Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	jquery-ui	High
Vendor	Manifest	build-jdk-spec	21	Low
Vendor	pom	artifactid	jquery-ui	Low
Vendor	pom	developer email	james@jamesward.org	Low
Vendor	pom	developer id	jamesward	Medium
Vendor	pom	developer name	James Ward	Medium
Vendor	pom	groupid	org.webjars	Highest
Vendor	pom	name	jQuery UI	High
Vendor	pom	url	<a href="http://webjars.org">http://webjars.org</a>	Highest
Product	file	name	jquery-ui	High
Product	Manifest	build-jdk-spec	21	Low
Product	pom	artifactid	jquery-ui	Highest
Product	pom	developer email	james@jamesward.org	Low
Product	pom	developer id	jamesward	Low
Product	pom	developer name	James Ward	Low
Product	pom	groupid	org.webjars	Highest
Product	pom	name	jQuery UI	High
Product	pom	url	<a href="http://webjars.org">http://webjars.org</a>	Medium
Version	pom	version	1.14.1	Highest

### Identifiers

- pkg:maven/org.webjars/jquery-ui@1.14.1 (Confidence:High)

#### remotegui.zip: jquery-ui.jar: jquery-ui.js

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/remotegui.zip/jquery-ui.jar/META-INF/resources/webjars/jquery-ui/1.14.1/jquery-ui.js

**MD5:** 0c983553a5edeaffb408e27b4bc526ad

**SHA1:** 01510c553ab12baa303a09fb5820e49807037389

**SHA256:** f739630caa44fe643199a47857670655a43b6ab17709c5f16abbe0afb4a3f147

**Referenced In Project/Scope:** CoWorkInstaller

##### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

##### Identifiers

- None

#### remotegui.zip: jquery-ui.jar: jquery-ui.min.js

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/remotegui.zip/jquery-ui.jar/META-INF/resources/webjars/jquery-ui/1.14.1/jquery-ui.min.js

**MD5:** 12c28b31a1369383b3549abf958b01fe

**SHA1:** 8b7a32df053a6b24e568f20908e47a90e9a3c852

**SHA256:** 0254e2768f39b973e54b2c9a64db23257782b34ede4afdebe3793209573c0a12

**Referenced In Project/Scope:** CoWorkInstaller

##### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

##### Identifiers

- None

#### remotegui.zip: jquery-ui.jar: package.json

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/remotegui.zip/jquery-ui.jar/META-INF/resources/webjars/jquery-ui/1.14.1/package.json  
**MD5:** 79f59c9c2d3b9b7f4b95c47c355c7d12  
**SHA1:** 2aa7dc3ced6d8ca3dae2d05030bf6d67dd83c417  
**SHA256:** 02f0804ebb96cdbc18ecdb1fcdc511d96a8f8ec9463bc33b847cd38f50180d06  
**Referenced In Project/Scope:** CoWorkInstaller

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: jquery-ui.jar: webjars-requirejs.js

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/remotegui.zip/jquery-ui.jar/META-INF/resources/webjars/jquery-ui/1.14.1/webjars-requirejs.js  
**MD5:** 2b45f24ce91f8c0d5c764e705b1eed88  
**SHA1:** 03056311ea772e4b7b09a70f108cb2733ae13766  
**SHA256:** a0f18ed7e4b55b53dcf2752e99573c9f7363fd4ba7d98f14a65c36cf34fe1ec3  
**Referenced In Project/Scope:** CoWorkInstaller

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: jquery.jar

#### Description:

WebJar for jQuery

#### License:

MIT License: <https://github.com/jquery/jquery/blob/master/MIT-LICENSE.txt>

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/remotegui.zip/jquery.jar

**MD5:** 4af65e569248d8a2411f66498d720280

**SHA1:** c3dc40b1b5f24c56afa36fd9a463bb9f378ac4ab

**SHA256:** de28c4da0ea9f16101352dd3582ec8021ee5e2de5f45104ca171876003d54db6

**Referenced In Project/Scope:** CoWorkInstaller

#### Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	jquery	High
Vendor	pom	artifactid	jquery	Low
Vendor	pom	developer email	james@jamesward.org	Low
Vendor	pom	developer id	jamesward	Medium
Vendor	pom	developer name	James Ward	Medium
Vendor	pom	groupid	org.webjars	Highest
Vendor	pom	name	jquery	High
Vendor	pom	url	http://webjars.org	Highest
Product	file	name	jquery	High
Product	pom	artifactid	jquery	Highest
Product	pom	developer email	james@jamesward.org	Low
Product	pom	developer id	jamesward	Low
Product	pom	developer name	James Ward	Low
Product	pom	groupid	org.webjars	Highest
Product	pom	name	jquery	High
Product	pom	url	http://webjars.org	Medium
Version	pom	version	2.2.4	Highest

#### Identifiers

- pkg:javascript/jquery@2.2.4 (*Confidence*:Highest)
- pkg:maven/org.webjars/jquery@2.2.4 (*Confidence*:High)

#### remotegui.zip: jquery.jar: webjars-requirejs.js

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/remotegui.zip/jquery.jar/META-INF/resources/webjars/jquery/2.2.4/webjars-requirejs.js



**MD5:** 30e1a7f167b667001f50e32ea87bf7b5  
**SHA1:** d18dc733350ad3549af2df096599e824c10f777e  
**SHA256:**daca7b23bc4d8302a8961373b92b78d36d5c85d730fc14130e29d55d976aa420  
**Referenced In Project/Scope:** CoWorkInstaller

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: moment-timezone.jar

#### Description:

WebJar for moment-timezone

#### License:

MIT

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/remotegui.zip/moment-timezone.jar

**MD5:** 965c389c2c25ed9874c9c0700fbc098

**SHA1:** a95406304b0b4edcb69e862878ff6be07262caaa

**SHA256:**2528312eb2938d368ce6ecb6aeb28ffc015d1b57ee099427df56a80757476a11

**Referenced In Project/Scope:** CoWorkInstaller

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Vendor	file	name	moment-timezone	High
--------	------	------	-----------------	------

Vendor	Manifest	build-jdk-spec	1.8	Low
--------	----------	----------------	-----	-----

Vendor	Manifest	bundle-symbolicname	org.webjars.npm.moment-timezone	Medium
--------	----------	---------------------	---------------------------------	--------

Vendor	pom	artifactid	moment-timezone	Low
--------	-----	------------	-----------------	-----

Vendor	pom	developer id	webjars	Medium
--------	-----	--------------	---------	--------

Vendor	pom	groupid	org.webjars.npm	Highest
--------	-----	---------	-----------------	---------

Vendor	pom	name	moment-timezone	High
--------	-----	------	-----------------	------

Vendor	pom	url	https://www.webjars.org	Highest
--------	-----	-----	-------------------------	---------

Product	file	name	moment-timezone	High
---------	------	------	-----------------	------

Product	Manifest	build-jdk-spec	1.8	Low
---------	----------	----------------	-----	-----

Product	Manifest	Bundle-Name	moment-timezone	Medium
Product	Manifest	bundle-symbolicname	org.webjars.npm.moment-timezone	Medium
Product	pom	artifactid	moment-timezone	Highest
Product	pom	developer id	webjars	Low
Product	pom	groupid	org.webjars.npm	Highest
Product	pom	name	moment-timezone	High
Product	pom	url	https://www.webjars.org	Medium
Version	Manifest	Bundle-Version	0.6.0	High
Version	pom	version	0.6.0	Highest

#### Identifiers

- pkg:maven/org.webjars.npm/moment-timezone@0.6.0 (*Confidence:High*)

### remotegui.zip: moment-timezone.jar: index.js

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/remotegui.zip/moment-timezone.jar/META-INF/resources/webjars/moment-timezone/0.6.0/index.js

**MD5:** 16b10b9be0471f35921bc17b645c6fcd

**SHA1:** 7e9c41f04cff37b876169e1e5108b5b757305822

**SHA256:** b93bc1a0ab15d56e12f0e281bf005d39166952d9208b828e8d056563f3ff1fd1

**Referenced In Project/Scope:** CoWorkInstaller

#### Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: moment-timezone.jar: moment-timezone-utils.js

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/remotegui.zip/moment-timezone.jar/META-INF/resources/webjars/moment-timezone/0.6.0/moment-timezone-utils.js

**MD5:** 5a72ca7999557748edc4ac3c5b86c4c4  
**SHA1:** 862bde4cbeb254895bbc265b122ad2bcf55f38fc  
**SHA256:**dfcfa868183af2ffc3b6ddb5fa648cc74ccb1be50296891ab29491d229829  
**Referenced In Project/Scope:** CoWorkInstaller

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: moment-timezone.jar: moment-timezone-with-data-10-year-range.js

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/remotegui.zip/moment-timezone.jar/META-INF/resources/webjars/moment-timezone/0.6.0/builds/moment-timezone-with-data-10-year-range.js

**MD5:** 1244ddda77a5e58bee785641cbe71668  
**SHA1:** 632e0cdd6a1bf803d7df9c7ae5fa0500c6f00cac  
**SHA256:**2a46af34f28304045bdefe9a7ac15c88c293af03bf938c964d8939bc17381fb3  
**Referenced In Project/Scope:** CoWorkInstaller

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: moment-timezone.jar: moment-timezone-with-data-10-year-range.min.js

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/remotegui.zip/moment-timezone.jar/META-INF/resources/webjars/moment-timezone/0.6.0/builds/moment-timezone-with-data-10-year-range.min.js

**MD5:** 57db2eff43ea24d536af5495b6ace9ea  
**SHA1:** c0abe6ca71423cd87c0f97a69b7e78d8e1ed0f52  
**SHA256:**24caa9fdbf4b58154688cfc895d752fcb52304b210a60bf65ca345a0323843af  
**Referenced In Project/Scope:** CoWorkInstaller

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## remotegui.zip: moment-timezone.jar: moment-timezone-with-data-1970-2030.js

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/remotegui.zip/moment-timezone.jar/META-INF/resources/webjars/moment-timezone/0.6.0/builds/moment-timezone-with-data-1970-2030.js

**MD5:** 826c95bd823a349b649da30102c49f3a

**SHA1:** 20464a7dbb5e63ad108197914599a2ab9e8ecb9d

**SHA256:** 933798309bb6ec8e4ce74728e0fac17e44852adef9b51bdeeb7a3bbd0c3a493d

**Referenced In Project/Scope:** CoWorkInstaller

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## remotegui.zip: moment-timezone.jar: moment-timezone-with-data-1970-2030.min.js

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/remotegui.zip/moment-timezone.jar/META-INF/resources/webjars/moment-timezone/0.6.0/builds/moment-timezone-with-data-1970-2030.min.js

**MD5:** 1ecec307fe3dce51beb4fc7258bb9587

**SHA1:** 4d23a0adaf0aac2187f7ccc5f208a11d656a6641

**SHA256:** e39a72a23c96621077399db07c291edbdffc2ec6e9cfd05fc09ff70b5bd06c6e

**Referenced In Project/Scope:** CoWorkInstaller

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## remotegui.zip: moment-timezone.jar: moment-timezone-with-data-2012-2022.js

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/remotegui.zip/moment-timezone.jar/META-INF/resources/webjars/moment-timezone/0.6.0/builds/moment-timezone-with-data-2012-2022.js

**MD5:** 220c8dd15a243ab90e253db58b7ad129

**SHA1:** 25dae9ee9df7f03a6c000c3e7d988fee694352af

**SHA256:** 3b34bfc3d3170349072baa5515a3fdd5210c0c4f1511091553b02e7286f1cd3e

**Referenced In Project/Scope:** CoWorkInstaller

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## remotegui.zip: moment-timezone.jar: moment-timezone-with-data-2012-2022.min.js

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/remotegui.zip/moment-timezone.jar/META-INF/resources/webjars/moment-timezone/0.6.0/builds/moment-timezone-with-data-2012-2022.min.js

**MD5:** 903bf6aa45be36363c5409156eaa936c

**SHA1:** b6777e523bfb2bcd1248356d87030026a0e1e8ae

**SHA256:** ec626a7f4e7c5a25a710c7a5116b10294a7f34fba7492448fe9602f2cf9a8061

**Referenced In Project/Scope:** CoWorkInstaller

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## remotegui.zip: moment-timezone.jar: moment-timezone-with-data.js

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/remotegui.zip/moment-timezone.jar/META-INF/resources/webjars/moment-timezone/0.6.0/builds/moment-timezone-with-data.js

**MD5:** 3bd82d213ffb09e37e1c445a23a2f709

**SHA1:** b4fbda1d67da286783a174e66f155c4277c4e6a9

**SHA256:** e14ebdec9a0ea32c313425cbae1445399050c1db33b5b922d855c3cc6031dc88

**Referenced In Project/Scope:** CoWorkInstaller

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## remotegui.zip: moment-timezone.jar: moment-timezone-with-data.min.js

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/remotegui.zip/moment-timezone.jar/META-INF/resources/webjars/moment-timezone/0.6.0/builds/moment-timezone-with-data.min.js

**MD5:** cba3b939885ab056f4d0d2256618bc07

**SHA1:** 7401c940378b757529a62ae87b9e5a1f6f67ed9d

**SHA256:** 13f709418e83cd77c85f619fc5ef419202abe9c8f7b97eb8407909c3a5074215

**Referenced In Project/Scope:** CoWorkInstaller

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## remotegui.zip: moment-timezone.jar: moment-timezone.js

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/remotegui.zip/moment-timezone.jar/META-INF/resources/webjars/moment-timezone/0.6.0/moment-timezone.js

**MD5:** c2a8ad8ebe15f202399f2d13c7966afa  
**SHA1:** 30b33952c4e48063a04ee63b3b458d7b746c20ed  
**SHA256:** 2fdaf5517c70f2b961cb4ddf4899ecabadbd5a9dc5b8ff30db994d4f78c7e7a9  
**Referenced In Project/Scope:** CoWorkInstaller

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: moment-timezone.jar: moment-timezone.min.js

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/remotegui.zip/moment-timezone.jar/META-INF/resources/webjars/moment-timezone/0.6.0/builds/moment-timezone.min.js

**MD5:** 910d22d12c71b0f889d7392e4107ade0  
**SHA1:** 91215b20c9a559f308f5271b1e61df4abf3cd1e5  
**SHA256:** b36954e04d7930475ffe4160d6bb1dbd823b520781097ddc284f2dcf82c16b2c  
**Referenced In Project/Scope:** CoWorkInstaller

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: moment-timezone.jar: package.json

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/remotegui.zip/moment-timezone.jar/META-INF/resources/webjars/moment-timezone/0.6.0/package.json

**MD5:** c98197434f21b1d7c3b9e81056144b9b  
**SHA1:** ecdbfb4bb5c1a78678c6fc92a7f9213a942dd4f9  
**SHA256:** f94c640ea71ab6570ecc9fced383366177307179fb3dc1b0bc1800d3702b9027  
**Referenced In Project/Scope:** CoWorkInstaller

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

## remotegui.zip: momentjs.jar

### Description:

WebJar for Moment.js

### License:

MIT License: <http://opensource.org/licenses/MIT>

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/remotegui.zip/momentjs.jar

**MD5:** 72ad6b420b3b741d7def80f4837682f5

**SHA1:** 6087f9eb29294249887afa1eb4ec8308657c35f1

**SHA256:** 71f0cbc7e4d2c943077dc758f7c8f0c7d48e1ddc7f9e7cfd27aecbc12712cfd

**Referenced In Project/Scope:** CoWorkInstaller

### Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	momentjs	High
Vendor	pom	artifactid	momentjs	Low
Vendor	pom	developer email	james@jamesward.org	Low
Vendor	pom	developer id	jamesward	Medium
Vendor	pom	developer name	James Ward	Medium
Vendor	pom	groupid	org.webjars	Highest
Vendor	pom	name	Moment.js	High
Vendor	pom	url	<a href="http://webjars.org">http://webjars.org</a>	Highest
Product	file	name	momentjs	High
Product	pom	artifactid	momentjs	Highest
Product	pom	developer email	james@jamesward.org	Low
Product	pom	developer id	jamesward	Low
Product	pom	developer name	James Ward	Low
Product	pom	groupid	org.webjars	Highest
Product	pom	name	Moment.js	High



Product	pom	url	http://webjars.org	Medium
Version	pom	version	2.29.4	Highest

#### Identifiers

- pkg:maven/org.webjars/momentjs@2.29.4 (Confidence: High)

### remotegui.zip: momentjs.jar: af.js

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/af.js

**MD5:** abbd3f78270e280c248535ca3e3b3e3b

**SHA1:** 489ddba9b2a2f15e2a8d59d751a45c5ed7041f14

**SHA256:** c59e2f2d09098829d00f5dab85e6ec623f6aa9e70285ec2aac12030a014e4161

**Referenced In Project/Scope:** CoWorkInstaller

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: momentjs.jar: ar-dz.js

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/ar-dz.js

**MD5:** 10e8f6da8f425e389f9dd462018dcece

**SHA1:** d638dc753916f10981ce562c7e7543944aa5755e

**SHA256:** 2fcf1465ad9fcb33a1ee00188d0d8cb19e0d9094da9e27f56444b67e50c6810c

**Referenced In Project/Scope:** CoWorkInstaller

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## remotegui.zip: momentjs.jar: ar-kw.js

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/ar-kw.js

**MD5:** 5ad9681e194f33543d33a588e2a21f09

**SHA1:** da190c4671145eb702d41ee980b985a9816bc9c5

**SHA256:**ebcd2afd129890e49aa91cbd6718916ceb743122a4d264c681a533d8066de673

**Referenced In Project/Scope:** CoWorkInstaller

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## remotegui.zip: momentjs.jar: ar-ly.js

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/ar-ly.js

**MD5:** 293c5c572f1e70336fb5a5cab29faded

**SHA1:** d969dc63c258a2c5587efa0cb2ac80034c44a5f3

**SHA256:**0a70bf3f66b074d68453af125059d60f1ce4d5a96d3401b0bb7f013fb7a56696

**Referenced In Project/Scope:** CoWorkInstaller

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## remotegui.zip: momentjs.jar: ar-ma.js

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/ar-ma.js

**MD5:** 6f5179b883bce68003df4d2c99caa156

**SHA1:** 3af849ad551cc126ea26fe472770b0f2c86363b2

**SHA256:** ae28a7c4d994a1d4059f2dc1e6385182f3d5aab262d637a6bdfc80f3e3f5471e

**Referenced In Project/Scope:** CoWorkInstaller

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## remotegui.zip: momentjs.jar: ar-sa.js

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/ar-sa.js

**MD5:** 92455d26a00821fe9aba7ea8e23ec89c

**SHA1:** 18d22d6e22b460fb0d248426001e4cbfd9a69393

**SHA256:** 4913900a380ed33b662fc5299fda05cfba74367870ba23f3d9db5dfd0775c876

**Referenced In Project/Scope:** CoWorkInstaller

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## remotegui.zip: momentjs.jar: ar-tn.js

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/ar-tn.js

**MD5:** bf6b33329fd589f8b3b393f6e64717d4  
**SHA1:** adf2dc833a46ad99f030b5761a7e6a97497ca764  
**SHA256:** 2b6a611f7d21a0752d9101347b22943dcdd91293f7e09ac11c3b04cee41f594f  
**Referenced In Project/Scope:** CoWorkInstaller

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: momentjs.jar: ar.js

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/ar.js

**MD5:** b0110c65e23d25860762820db7d2150e  
**SHA1:** 249cc300a99b9cdc47ff3fd70c9b4cb22f0aed61  
**SHA256:** 73485f16cb9317f156bab05ba8a3233fa87513cf1cb52728fefc53703ffd5b3e  
**Referenced In Project/Scope:** CoWorkInstaller

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: momentjs.jar: az.js

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/az.js

**MD5:** ec1a4acd4aa555dd71722c2639df4db6  
**SHA1:** 49b4198f1b008f9deeb9aa5d33e27647e812f0df  
**SHA256:** 21cfe14e920b3edc4bc394709929f61aa5f2f9e51d3ca0c6edd1e51f29d7e3c9  
**Referenced In Project/Scope:** CoWorkInstaller

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: momentjs.jar: be.js

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/be.js

**MD5:** 5c38f8d3d5da2b1b930f109553918781

**SHA1:** 181a1762773de78de3e2d21696e77a49a9e188a5

**SHA256:** aa0657f4f1e9f9ef3a3ce289bc882f5971195e4681499f02409486ed985e1407

**Referenced In Project/Scope:** CoWorkInstaller

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: momentjs.jar: bg.js

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/bg.js

**MD5:** ebd43c527dac81f273926142beec5553

**SHA1:** 46101d46348f560c622895e9e65465dd26e92d6a

**SHA256:** 0d034309eedbd03f17e22dbd963c8cc8d490c8e877f39c6c4081636d1cd28fca

**Referenced In Project/Scope:** CoWorkInstaller

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

#### remotegui.zip: momentjs.jar: bm.js

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/bm.js

**MD5:** 2ef1c37399931e14e2a4471ebc57bd21

**SHA1:** 1e10777797f13333027873cf0a1e05e52c2a9264

**SHA256:** 1f3217d69f6512ea3984fb7428e1afe0c7779cf3822582c52e6eaa8982ac23b1

**Referenced In Project/Scope:** CoWorkInstaller

##### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

##### Identifiers

- None

#### remotegui.zip: momentjs.jar: bn-bd.js

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/bn-bd.js

**MD5:** f2988fa9e29bc5573603a8140b321051

**SHA1:** ddca0b09ab220aa3e7d8b6d01e98b06071942e4a

**SHA256:** 87296cd8b904b633d89b0a72b779aaf04e8d625fd8ed772e3227046b3a3acf80

**Referenced In Project/Scope:** CoWorkInstaller

##### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

##### Identifiers

- None

#### remotegui.zip: momentjs.jar: bn.js

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/bn.js

**MD5:** f5037a3495a3fefb37d9456b6745537a

**SHA1:** 5d8e28e5703371e674a9b2947426e23a1429455a

**SHA256:** a43f974ec15f638e67cec9d73cb33c339ce7cb35bb7041b478a930197977a890

**Referenced In Project/Scope:** CoWorkInstaller

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: momentjs.jar: bo.js

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/bo.js

**MD5:** 7dc25ead6d51909386b03c060b891690

**SHA1:** 5b47f8a1cd1b1dad8e8ae1c6f408dadda7cd6983

**SHA256:** dbf83d196ab69149d5f056a2b44e06441626f1e5d3c3aa1a300e64dc5150565f

**Referenced In Project/Scope:** CoWorkInstaller

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: momentjs.jar: br.js

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/br.js

**MD5:** 65949057a5632b430fce65f65c89ace7

**SHA1:** eda5bd14e942c85896b263b137e2e14f161836e6

**SHA256:**35b4113f7552400639dc76ea40d55f1be6f44af2eaf4289e7c37e4e657522ba4  
**Referenced In Project/Scope:** CoWorkInstaller

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: momentjs.jar: bs.js

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/bs.js

**MD5:** fac80361cb7d5e0c44f8956063e8eb07

**SHA1:** e0f831af87ad28205b93fbe4d7ef9001227eb1e4

**SHA256:**1d185f2b71c18bb14d0e5db063d59912396d42a04aec97cfbbec19a5bb8bb5ec

**Referenced In Project/Scope:** CoWorkInstaller

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: momentjs.jar: ca.js

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/ca.js

**MD5:** 9c6c8738154552a40a29505cf41311af

**SHA1:** 65eee9703d130c7a90d085214ee60c4e087b9d1d

**SHA256:**c0ebe3bb033ce8f82c66a46dd297c19b30c80ba64036c721aca36a7f86f1b234

**Referenced In Project/Scope:** CoWorkInstaller

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------



### Identifiers

- None

## remotegui.zip: momentjs.jar: cs.js

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/cs.js

**MD5:** 8f0a7bef088e6698b6a090a6f6fe22de

**SHA1:** b137a5adfe662d0b1c258fe7bb2b73b971e2268e

**SHA256:** 0dcf511c06f565a917e4718cce467392bf898ba60af2b3fdb032b1910599ebc5

**Referenced In Project/Scope:** CoWorkInstaller

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## remotegui.zip: momentjs.jar: cv.js

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/cv.js

**MD5:** baf681a1e97ac68186325a98d5ef1861

**SHA1:** c0433a02791baf8efe6945a4ae0370c6d8d55b6

**SHA256:** 231b3a65bc4beb4d6f0920962dafc82611403df4979655cea53d9740d2986904

**Referenced In Project/Scope:** CoWorkInstaller

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

### remotegui.zip: momentjs.jar: cy.js

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/cy.js

**MD5:** 868cca92c4392ae5b0627f305f9633b4

**SHA1:** 9c0f75132a2eaa3fdf0631a08f210f0e29208501

**SHA256:** 05d100692e8cdd4a6b3b0eb56eb37c9c64dacab3254aaeba18c24689b18a6cf8

**Referenced In Project/Scope:** CoWorkInstaller

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: momentjs.jar: da.js

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/da.js

**MD5:** 47fe4d0a5079542391abdcd125b4cb60

**SHA1:** 423a66383275eaf3f441f384c69b2d6e2cf905d1

**SHA256:** 891e90544d1061ea578b51173a2dc4638c0e9af95cc2986f1f89ad5008e301e7

**Referenced In Project/Scope:** CoWorkInstaller

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: momentjs.jar: de-at.js

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/de-at.js  
**MD5:** c2df366205b041e50b0dc27fe427c54d  
**SHA1:** c52be9218cfbe8ae8d51f78af3494d3a2ed5d35f  
**SHA256:**0575c8ba66974f2eb3d7d74e16a265c40dbfe7802cefdecc9f196f92c0ecee97  
**Referenced In Project/Scope:** CoWorkInstaller

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: momentjs.jar: de-ch.js

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/de-ch.js  
**MD5:** 1f9bf40d5d392a14bb758de02e9d98df  
**SHA1:** 838d95c91f39f7e28483c660e6f5005921d3da11  
**SHA256:**b3c3d71abc98200d579cbbef89d470a6cbb272c4faa71e31232a68ef6451edd4  
**Referenced In Project/Scope:** CoWorkInstaller

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: momentjs.jar: de.js

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/de.js  
**MD5:** 260cd4a4a123af8e02f5aa4001cceaac  
**SHA1:** b928a076571a81fde7fc1fd4a2adb45d9a9a2279  
**SHA256:**20fb0d0967e2720d135a6894165bf96e327b42bdedcbf45a9b2f9e44da7986dc  
**Referenced In Project/Scope:** CoWorkInstaller

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## remotegui.zip: momentjs.jar: dv.js

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/dv.js

**MD5:** b3ac7e877fac1116b8759c6e7384e86d

**SHA1:** 3321dfc6f7147d148167b23a3642212fb10b1b89

**SHA256:** 94a1563faab9fe61f359a515042f56e2672886200e084de98bbd98769f71ba69

**Referenced In Project/Scope:** CoWorkInstaller

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## remotegui.zip: momentjs.jar: el.js

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/el.js

**MD5:** 7a1966e1fd7848aabcbeafa28ff2a445e

**SHA1:** 29af743b2dd9c09d9962080c3a5b4cdac2b09409

**SHA256:** a73fa8b59dd099d28a7824980577379437273f6ef35a90409cf36492bc2b3600

**Referenced In Project/Scope:** CoWorkInstaller

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## remotegui.zip: momentjs.jar: en-au.js

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/en-au.js

**MD5:** fc0b9a852c77ef21ee6deb24d95769f8

**SHA1:** 829e7b64e421cc91fbb306243b31d71f06fabdc2

**SHA256:** 6a84d80e99d57f1ca1faa1dcca9f48e9925de4013ac5ceab52cbf20b059cff8c

**Referenced In Project/Scope:** CoWorkInstaller

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## remotegui.zip: momentjs.jar: en-ca.js

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/en-ca.js

**MD5:** b6f095c75787cb0eb2421b32b2e9ea14

**SHA1:** 415ffbaa1c99a53d233979f5e907e83b59d54c9a

**SHA256:** d7b47d71cd5b63a0cd7bc3945ca1799d9345ba9dc3e85356231dbb4f6becdd01

**Referenced In Project/Scope:** CoWorkInstaller

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## remotegui.zip: momentjs.jar: en-gb.js

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/en-gb.js

**MD5:** 5ebfadfe47485b65c484822391d0aad1

**SHA1:** 4154fff794c0118f1c280d4e3c222b0b3f96a6eb

**SHA256:** 46e86bfd873ce2ba61885faa9e0ba2ae1a510574f698d6a3aba7da49d1505eb9

**Referenced In Project/Scope:** CoWorkInstaller

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## remotegui.zip: momentjs.jar: en-ie.js

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/en-ie.js

**MD5:** f5175b64f4c382500e7a00ed4113c3a3

**SHA1:** 12cf24c0dcfa4f82be14783a2889022043fe1f80

**SHA256:** 41a3d03fb561db37dc1e3a63cba10467c0bcabb2ab7e788329f86b6be6f72d9e

**Referenced In Project/Scope:** CoWorkInstaller

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## remotegui.zip: momentjs.jar: en-il.js

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars

/momentjs/2.29.4/locale/en-il.js

**MD5:** 8f131247f11cf746d1b477c75de2e0a2

**SHA1:** f1fbc068a029ca0fcb5755fc5211ae43c9b2dd00

**SHA256:**494c5f26d0a16c8c1645d70cfc327e19086831ce78bc98599f4e5abc321db7d7

**Referenced In Project/Scope:** CoWorkInstaller

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: momentjs.jar: en-in.js

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/en-in.js

**MD5:** 2d5a9ac86d2a83833aec6a68bc8947ae

**SHA1:** 64d4492b47eac3212f09a9dd1fdfe2afc9721142

**SHA256:**290dd53cb6262cfc22c961faf969851adfa8c38b30c80c496b8c8f19232a13e8

**Referenced In Project/Scope:** CoWorkInstaller

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: momentjs.jar: en-nz.js

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/en-nz.js

**MD5:** 3a68b41d7982ae7bbc8a396d23e9d1a1

**SHA1:** 0c30117c176ae1c60d35e54c3c0cd47b5104e28e

**SHA256:**9590cf61d2ab1b83f793be9f074340397e639fbb112a80c8bb7d2e3a77c45448

**Referenced In Project/Scope:** CoWorkInstaller

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: momentjs.jar: en-sg.js

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/en-sg.js

**MD5:** d32a209c24b07b617c68fb03e081061c

**SHA1:** 34729febed76ec17cccafdc06ce4f51902daaf42

**SHA256:** e3b29449d67e5d53d3420b5f4ec207dbd70f651380573b59f39aee2b1b9ca52d

**Referenced In Project/Scope:** CoWorkInstaller

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: momentjs.jar: eo.js

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/eo.js

**MD5:** f19d7f5dae34785b6ffd82971ff01712

**SHA1:** 8a6937235d4219a192ae127506cca9479097abdf

**SHA256:** 823d3e21f85f9d3801f7004cc5cde82d5f45d98e977979322543a65908411e4c

**Referenced In Project/Scope:** CoWorkInstaller

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers



- None

#### remotegui.zip: momentjs.jar: es-do.js

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/es-do.js

**MD5:** 3f09c253c2e7ed72706b062bdb3ecee6

**SHA1:** 3bcd2f7f697c4241a5f47985835b0190a643630a

**SHA256:** a1d29019dcff0ce2a11cdf97018c20e99fbc739163c059ad8bf2408f77d3161

**Referenced In Project/Scope:** CoWorkInstaller

##### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

##### Identifiers

- None

#### remotegui.zip: momentjs.jar: es-mx.js

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/es-mx.js

**MD5:** d16f10cddba51c3467b316318e592f22

**SHA1:** 4cc238005f4d59b4e3877449babf5cc8b3595f38

**SHA256:** a233573f641cc9c93c87b555fc5564c2e5ebb97e251338e971ba76e74d512646

**Referenced In Project/Scope:** CoWorkInstaller

##### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

##### Identifiers

- None

## remotegui.zip: momentjs.jar: es-us.js

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/es-us.js

**MD5:** 276e7c3c7756f9e962f6141f5048894d

**SHA1:** bab0d54cfa34f527dcf6960f5379aeef05cc66c8

**SHA256:** 3923c6bd6137387d5edc62f6dc0174cc9eef8363238c16eef78bd9d9c69bfafc

**Referenced In Project/Scope:** CoWorkInstaller

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## remotegui.zip: momentjs.jar: es.js

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/es.js

**MD5:** 0e92f45548e01672fc6a2f73979c397e

**SHA1:** 6e6385cb5f6e39ed9ba95ebc1fb66526e2c3371a

**SHA256:** 2a8f1790d492fc338933a032a862f99998f31bcaf7a0e4fc298b6a3cb04cdf7e

**Referenced In Project/Scope:** CoWorkInstaller

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## remotegui.zip: momentjs.jar: et.js

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/et.js

**MD5:** 8b5c6c8136c1bcb3dd35ff204c28b1fc

**SHA1:** 82ecebf743869c8231a6ef06cf5959e5cdbc7fc9

**SHA256:** 95c974679dba419b7d835fa51340c430bd0066bdc38a7a139caa575b67389d7e

**Referenced In Project/Scope:** CoWorkInstaller

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: momentjs.jar: eu.js

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/eu.js

**MD5:** 1f0f32ac558d6bf2591f0e7c59b09e88

**SHA1:** e8989f9da9ff458c51d7d4c21f9bfc99ddcd72a7

**SHA256:** ecbc07cdeb215cf9996405fa56ef306761ec6a9383e19a53c2b45d6a1c5c4dc68

**Referenced In Project/Scope:** CoWorkInstaller

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: momentjs.jar: fa.js

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/fa.js

**MD5:** bad9e9e51e7cd982360114a2d6b9a03a

**SHA1:** 7285494b159552cdee8bb7050d1278144da80b04

**SHA256:** 15ca66ce1faa865c68998fcc8ab1160207636b9161ad76f7cf7acd0d7c0ebd1f

**Referenced In Project/Scope:** CoWorkInstaller

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: momentjs.jar: fi.js

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/fi.js

**MD5:** 08d74def02ac724471fce607ab87f4af

**SHA1:** 7f40cb04e95803f706af5caf5a983f7aa3f2365b

**SHA256:** 1339d4170019588a6764a56236c2a7c5b2389ace52a9ec5e8c09f1997935741f

**Referenced In Project/Scope:** CoWorkInstaller

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: momentjs.jar: fil.js

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/fil.js

**MD5:** fbc9e6bd5b49897ba8503d27e2d061ec

**SHA1:** 2121d4a7333acb3b7b120c1580a809a8a5927dc6

**SHA256:** d24cac0d0069d89c48b4c8cee34cddcb7e39892c91f07b884574fe0cafb66ef7

**Referenced In Project/Scope:** CoWorkInstaller

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: momentjs.jar: fo.js

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/fo.js

**MD5:** 85d4a1a25dd5c3fa021f9e6f63fd01ac

**SHA1:** 95d11e45e86f344a148706df7f5c86019e02ae30

**SHA256:** 6338de573601e330030918569b8d2f80f98a57754e748a03ff56e3672fa25be7

**Referenced In Project/Scope:** CoWorkInstaller

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: momentjs.jar: fr-ca.js

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/fr-ca.js

**MD5:** c0ef60f7029fe6ab773c090320f0a66e

**SHA1:** 8970ff163faa9c8702be24f65f95e94b962d8622

**SHA256:** 59c5acfb5605fa641721bf16123300164ccc043f4bad6009aa8d880b159124a

**Referenced In Project/Scope:** CoWorkInstaller

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: momentjs.jar: fr-ch.js

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/fr-ch.js  
**MD5:** 3345c9d13645ae5fb2964c17559326f5  
**SHA1:** d0cd4c6466797300434db0d6c8028bf46fe35bc0  
**SHA256:**b32f50aa3d147ba5441d7728a45bce592125fd0a97117ca4b93b32c6393d847d  
**Referenced In Project/Scope:** CoWorkInstaller

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: momentjs.jar: fr.js

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/fr.js  
**MD5:** 775f1eb59d6f597b1c398036002ae329  
**SHA1:** e6f1741f5598b62a83bb071459d9e8cae4b3a127  
**SHA256:**d87b4eb850bc7742c104557450d0a70d18a48a917335221af08d23850667523e  
**Referenced In Project/Scope:** CoWorkInstaller

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: momentjs.jar: fy.js

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/fy.js  
**MD5:** a54d9827ca1a619a839a15c94b7893a0

**SHA1:** 66863e3aaff531e89e83acd8844ca87f8516cf38  
**SHA256:**c33ae59d9a05aca0dbe86d74bff25eb44d04ee97b738034fcb72a21b73ec1cf1  
**Referenced In Project/Scope:** CoWorkInstaller

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: momentjs.jar: ga.js

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/ga.js  
**MD5:** 264a960fc2850670387b1cc90dc29dbb  
**SHA1:** ddd261054362b16567ba858afae968cf2380bb6c  
**SHA256:**fc6d5d441553b23b5ebc3c79896499a093a3285f1e6134a680b8899b5cca4c86  
**Referenced In Project/Scope:** CoWorkInstaller

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: momentjs.jar: gd.js

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/gd.js  
**MD5:** 0f3b98fcc8a06995436819446130320f  
**SHA1:** 0050fa33180aa1f35c739cecb397846bff7d24e4  
**SHA256:**efa1d779f65671809a63f900479c69bed19c262f2fe7936076793bd13deda080  
**Referenced In Project/Scope:** CoWorkInstaller


#### Evidence



Type	Source	Name	Value	Confidence
Identifiers				
• None				

remotegui.zip: momentjs.jar: gl.js


**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/gl.js  
**MD5:** 0d346a7ad989c39c04631e181056acb5  
**SHA1:** 74c436284f15589fd53c9d4c090a4f75ff8376aa  
**SHA256:**825e6fad55094c13118d2cada0b6c5945a97ea9b647686c2b00dc6980bea4608  
**Referenced In Project/Scope:** CoWorkInstaller

Evidence 				
Type	Source	Name	Value	Confidence

Identifiers				
• None				

remotegui.zip: momentjs.jar: gom-deva.js

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/gom-deva.js  
**MD5:** 6d2091e4ba1b31399eb4f1f3d92acaa2  
**SHA1:** 9e27b24c4f8ff43da0373ca75738e0322cc1bd77  
**SHA256:**ff5ebf00d100f610caa956ea22c45584e34067f762c2e9811326d5903ccd819c  
**Referenced In Project/Scope:** CoWorkInstaller

Evidence 				
Type	Source	Name	Value	Confidence

Identifiers				
-------------	--	--	--	--



- None

#### remotegui.zip: momentjs.jar: gom-latn.js

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/gom-latn.js

**MD5:** 45f0c567784f534e16f304dd625682ad

**SHA1:** fc4b281f7d57696decbf3bd5e8c572f4191c9289

**SHA256:** caa6b3cafb8d463c7cb0b47783b84d7f7637f685b8d33d1224548f7f9a124cd5

**Referenced In Project/Scope:** CoWorkInstaller

##### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

##### Identifiers

- None

#### remotegui.zip: momentjs.jar: gu.js

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/gu.js

**MD5:** e108958bf473fcc52349ecba7dcff10e

**SHA1:** 977667ee217d20d2ff2338dfa6ea9bda2e0c13d5

**SHA256:** 5155f3aa5fe43b18c7b06cf02ff6e9d6c157d7da822c658fbd8e2f0edceef161

**Referenced In Project/Scope:** CoWorkInstaller

##### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

##### Identifiers

- None

#### remotegui.zip: momentjs.jar: he.js

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/he.js  
**MD5:** f5e7fb20bbb7618d95e4928fee094f7e  
**SHA1:** cbcd69bf9fa2cc2493d086af3a5cb15e893c7d64  
**SHA256:** 93b540d4f1bc21d5668854475e8efd2d6fcaa2f596704752a586ce07d471d475  
**Referenced In Project/Scope:** CoWorkInstaller

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: momentjs.jar: hi.js

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/hi.js  
**MD5:** 10451c28a31c032807f1fbf1bea5c32f  
**SHA1:** 8ab3e8fd6823a63a2348cca98ca4eba215ad01a9  
**SHA256:** 482f9289851cc5add17895787d427259acf8d9467db37000d383021aa097a1e3  
**Referenced In Project/Scope:** CoWorkInstaller

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: momentjs.jar: hr.js

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/hr.js  
**MD5:** bfeb6da022ce8f5d4610a485f6063935

**SHA1:** 0e475a985f8f3612c397a07781933bc4235be646  
**SHA256:** 4af37cc6b498a4c3418f0b5d90efe5354422b3d158681454dc2eedee31ce1469  
**Referenced In Project/Scope:** CoWorkInstaller

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: momentjs.jar: hu.js

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/hu.js  
**MD5:** d485a763ba31196c55bafddc763cf98e  
**SHA1:** 83c283112870db2a37b8d6a96e2ff423f27addac  
**SHA256:** 518c3c1b849d41be9ef9673726ac3c71290096a727ff29c9edfb0f7489e3253f  
**Referenced In Project/Scope:** CoWorkInstaller

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: momentjs.jar: hy-am.js

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/hy-am.js  
**MD5:** 8fedcd99fde263a8a5a906b27de70605  
**SHA1:** 3fbec521a9f7cddb7576fb37a3f35ba2705e88  
**SHA256:** 2c3bf5ef8c5162c7c4ed0ce4b144fad24eefd691911d7c8b86c21cab84f3bfe6  
**Referenced In Project/Scope:** CoWorkInstaller

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## remotegui.zip: momentjs.jar: id.js

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/id.js  
**MD5:** 3000b8d8d73e16384fd2a13aa7259d3e  
**SHA1:** 1bcd369482f53edce0c1d34aeb15a918f3c7af7c  
**SHA256:**036154641aa4cba94ac8a65b98af75d2fa0ec29156674947d1148fa146689dc3  
**Referenced In Project/Scope:** CoWorkInstaller

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## remotegui.zip: momentjs.jar: is.js

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/is.js  
**MD5:** 0f5a457d3457dfef1c5d256436b5e442  
**SHA1:** af0c0c6573bb9628ee8c97479651f65571d6a56e  
**SHA256:**6943c853ee0ad65ad2e3e38baecc90dc8088071f10406ee8a5ad995d7cf5f6e6  
**Referenced In Project/Scope:** CoWorkInstaller

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

### remotegui.zip: momentjs.jar: it-ch.js

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/it-ch.js

**MD5:** 0c0cd69247909aeca5d78d255b30a617

**SHA1:** 71631e4e4ce3a8466d80d4960a86605634a713dd

**SHA256:** 9670e2244dd63556408fc20671fd763fb91be52041eee92934710e75e2b3b7fa

**Referenced In Project/Scope:** CoWorkInstaller

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: momentjs.jar: it.js

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/it.js

**MD5:** 1abd9a8f32e7930bbdebd23a2bfa4afb

**SHA1:** 40cc21bf11475c48c1681ebc18a63a2bea4b8962

**SHA256:** 2fe7346bd6fdf02aee19fde76bd2ca0b5e65903ddd45d097be2342ee7b0b9470

**Referenced In Project/Scope:** CoWorkInstaller

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: momentjs.jar: ja.js

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/ja.js  
**MD5:** f39b4bc3b33715242a84fed53b50d596  
**SHA1:** 8bebb66d25df95fc67d48f4ebc4b519fbc7d9482  
**SHA256:** 9720de4592dd94861f2fabb51110533fe44620f517e50448dd828a7f2eef7009  
**Referenced In Project/Scope:** CoWorkInstaller

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: momentjs.jar: jv.js

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/jv.js  
**MD5:** 307628de0dbfe42c1aedc98c3afc1aae  
**SHA1:** 7620cfee82f0241100b34de89cefd40412456ef6  
**SHA256:** 707617feaac7459e5d5c39ff3ea4a5e5da0cf398384902c1cd5975cbd1a113cd  
**Referenced In Project/Scope:** CoWorkInstaller

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: momentjs.jar: ka.js

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/ka.js  
**MD5:** 629be6bde33738ff66f7119b3b617798

**SHA1:** 02209d78bf7dfa3b5e585e64ebfc61ce561e5f3d  
**SHA256:** 2c15068d2ceb1f34e4b92f95710b181bd1034410b8a96ae15dd11ee24d0ff0fa  
**Referenced In Project/Scope:** CoWorkInstaller

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: momentjs.jar: kk.js

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/kk.js  
**MD5:** 4532f947979a50597d1c82a42f0facb8  
**SHA1:** 9a8cad32d8e4350e40184813f4d19aa05882a8c9  
**SHA256:** 430c86f6c0ea0199d8622045883048b35875bea37b44424663bbe573056ec981  
**Referenced In Project/Scope:** CoWorkInstaller

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: momentjs.jar: km.js

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/km.js  
**MD5:** f73d0c92be21341d171e019c00173f3d  
**SHA1:** 6adb747842bb733d90ce2b7dcf4963f1d62a7a4b  
**SHA256:** 01b837409a1ee03d8269886915f10ae1b9460b2cc42cc5f6fac862f7360ba103  
**Referenced In Project/Scope:** CoWorkInstaller

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## remotegui.zip: momentjs.jar: kn.js

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/kn.js  
**MD5:** 72e237c519a91674447b268b61983bbe  
**SHA1:** d72624462d7dbcf362ccc15385d5cb5a124304c2  
**SHA256:**9673f6d7a10086cda8228f1c080ec032e8f34e3a3de2f1413582e0a6cc6f2128  
**Referenced In Project/Scope:** CoWorkInstaller

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## remotegui.zip: momentjs.jar: ko.js

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/ko.js  
**MD5:** 14369b837e9e15378938754b04bd2189  
**SHA1:** 9c886434ef46530e25cea737272027ac505b6adc  
**SHA256:**f15f592b5d7d5bbbd061c5ad31d4c45f462ad43acad74808c6a7105b108ec0eb  
**Referenced In Project/Scope:** CoWorkInstaller

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers



- None

### remotegui.zip: momentjs.jar: ku.js

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/ku.js

**MD5:** ba513eb127fa22206ca1a67ad8467da2

**SHA1:** 45c0c079a209932f8a8be25a94f0fb97be8ebf84

**SHA256:** 816c9c27f4237f1fa595c5be0a60b7e5c58ec0336d5a908e03f73fd8596e1caf

**Referenced In Project/Scope:** CoWorkInstaller

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: momentjs.jar: ky.js

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/ky.js

**MD5:** 68f9c0556546367a8c25903bb8348b80

**SHA1:** 5bc99ba86f969c07cd1b0dc62510c572707adb64

**SHA256:** d3c35f2c47610c7c921268cb98cf398599068d24d51e7a89167707130c85ad59

**Referenced In Project/Scope:** CoWorkInstaller

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: momentjs.jar: lb.js

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/lb.js  
**MD5:** 474c1a2279d961b67a8329372fb54367  
**SHA1:** c6acf49c446bb128ce8aa5f980664107e92523cd  
**SHA256:** cecd52da4e3f3a7a69d4cde1692c90d000a3726772f8e00a9c232faf4d6ff985  
**Referenced In Project/Scope:** CoWorkInstaller

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: momentjs.jar: lo.js

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/lo.js  
**MD5:** 629f0195acb5feb16432ffc78b6418d0  
**SHA1:** 10730e85c79a5c325f30a5f0fd1b83928918cde2  
**SHA256:** 83c284d16d40e861cd01c28683acf77475813993b2a17201f17127e238e5bcd6  
**Referenced In Project/Scope:** CoWorkInstaller

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: momentjs.jar: locales.js

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/min/locales.js  
**MD5:** 3aabc3a57ff7796110a9d427e6e61280

**SHA1:** 59155d41e1b7a2f651f26f8db2768c42206bc4b7  
**SHA256:** a6d8d341af2a118463f8dbec697f3b5210552997ef51e0d9a77c84235f2eb2dd  
**Referenced In Project/Scope:** CoWorkInstaller

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: momentjs.jar: locales.min.js

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/min/locales.min.js  
**MD5:** 5d62f0a64211c2d3e0d009cc69c48202  
**SHA1:** 4c6bb9ae2e43259229cc16e9eb7ef70f3c8cea12  
**SHA256:** 1a3224b3cabca0fa92ca56e14da46d7f209ed28ce68ed50940b4fa6ed2ffd254  
**Referenced In Project/Scope:** CoWorkInstaller

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: momentjs.jar: lt.js

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/lt.js  
**MD5:** fc931f5db9a4d5b832e7c53985cfb233  
**SHA1:** 6d5575d2ab06036bb29e50e7b4607985b0c10aec  
**SHA256:** a02ce50203e4cc9e85db77632d41f489f14c893f986199c8dd04191199924094  
**Referenced In Project/Scope:** CoWorkInstaller


#### Evidence



Type	Source	Name	Value	Confidence
Identifiers				
• None				

remotegui.zip: momentjs.jar: lv.js


**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/lv.js  
**MD5:** bc6f1396c4b85e2b01b4b2fca550c0b7  
**SHA1:** a18e4175ecd49b5e3382dac1bbcdc48c3279c60f  
**SHA256:**e4f68dbe7147bdc76d7614102eb525f9a5d8dacc690dd661091412b0c9505cb1  
**Referenced In Project/Scope:** CoWorkInstaller

Evidence 				
Type	Source	Name	Value	Confidence

Identifiers				
• None				

remotegui.zip: momentjs.jar: me.js

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/me.js  
**MD5:** 4b76ccc2617dfc9bd6a54643659bec05  
**SHA1:** 924aea795ae1a9581ed184b384806891ce336e27  
**SHA256:**24103df1e95500b3fdc4aa60b933c66d2cf33aa4ff8d2401ae847c516285679e  
**Referenced In Project/Scope:** CoWorkInstaller

Evidence 				
Type	Source	Name	Value	Confidence

Identifiers				
-------------	--	--	--	--

- None

### remotegui.zip: momentjs.jar: mi.js

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/mi.js

**MD5:** 89179085b30d2752584c4f4e9c3ac04a

**SHA1:** dbf999f790c8e7f99c27c55d8184cb46d1f0ee85

**SHA256:** 9cc67dce66cf3f0f9a57ce732af6878cc23fedcf256fd5302c6cf57df87eac3a

**Referenced In Project/Scope:** CoWorkInstaller

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: momentjs.jar: mk.js

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/mk.js

**MD5:** 7a6a2a4ae623481704f78bb0ed6e1968

**SHA1:** 3d984281f4acbb38920919c47916a0ecc46d8d82

**SHA256:** c38140b5408a91d9632765d23f4368f0cc98dfb6aafb0fcce452b6b4bfa93efd

**Referenced In Project/Scope:** CoWorkInstaller

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: momentjs.jar: ml.js

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/ml.js  
**MD5:** adaeaf5c9b5995567c7723ded581c647  
**SHA1:** 3cbb01a59dbfdd3b86caf1b30938598c52e1dac8  
**SHA256:** d45ac595a918393ae8f76838688fcd569c917b945e9c53861ec4a1f11f20aed2  
**Referenced In Project/Scope:** CoWorkInstaller

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: momentjs.jar: mn.js

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/mn.js  
**MD5:** 2229e9c27b35b688a4211bad4d7574eb  
**SHA1:** 7fb0c3b04afb903aaa0a3a1b4b478a8b2d9d6bf3  
**SHA256:** 0f1f5bbc9eaf020931f8cb54ae085e51c41c0761ffc7fd265dbb60cbe7d84076  
**Referenced In Project/Scope:** CoWorkInstaller

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: momentjs.jar: moment-with-locales.js

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/min/moment-with-locales.js  
**MD5:** d07131713d356424c14481ed9e77ced2

**SHA1:** 6ef93c81041412f1b60d1254595cb04b53f8ec39  
**SHA256:**f37cad4429c2815e53699ca98abd4e8773737f696fff554c63a58f4d6589200b  
**Referenced In Project/Scope:** CoWorkInstaller

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: momentjs.jar: moment-with-locales.min.js

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/min/moment-with-locales.min.js  
**MD5:** d458b68730a7330653700489333a7837  
**SHA1:** 4059aeca1d0b99aec8006b37a927f09d9c0e794d  
**SHA256:**430725b95468277dcbccc27e08e3d873276c0082737310b0b1ad330392511847  
**Referenced In Project/Scope:** CoWorkInstaller

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: momentjs.jar: moment.js

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/moment.js  
**MD5:** 6e5aa6783efbeff584f4292398326b32  
**SHA1:** 450696675b814c89ec016901b570c05891ca2c04  
**SHA256:**c33f09a4e1230f3075be8d2a94081108d52f62d3c30b9a238941fe80790267c6  
**Referenced In Project/Scope:** CoWorkInstaller

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## remotegui.zip: momentjs.jar: moment.min.js

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/min/moment.min.js  
**MD5:** 6c0a2330b0d8d6ea185d4669a0eddeab  
**SHA1:** d4f50308961144876b2b5fa57684b737694a4b04  
**SHA256:**f343aa319a17a3fc372ee6ad5af482b9bf6a298cb22652b4aa7502604821071f  
**Referenced In Project/Scope:** CoWorkInstaller

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## remotegui.zip: momentjs.jar: mr.js

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/mr.js  
**MD5:** cd715ac0f919538bf79acdb4a477763e  
**SHA1:** 467bc9f9b59ee399af6ef3f89886c150f74ae52a  
**SHA256:**f6347f442281844a205245620f9e469f52cacb7dd41640ef67d32a94f2c583d0  
**Referenced In Project/Scope:** CoWorkInstaller

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers



- None

### remotegui.zip: momentjs.jar: ms-my.js

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/ms-my.js

**MD5:** cb7a91cedb211e85abf06a4683d39800

**SHA1:** 05754f446f94d9b0d34885bdb0dd40d08df23295

**SHA256:** fa77f6b23884ace43199d189a596c8cd436ab20b2b6966599dd9fd589e51548f

**Referenced In Project/Scope:** CoWorkInstaller

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: momentjs.jar: ms.js

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/ms.js

**MD5:** 3f2df63e4e8e99e5f3a23b44e135f90a

**SHA1:** 7e8563a8e513fb3f2f711395992fb34d6039e841

**SHA256:** 6b6301d42544281a07e51e517a1acd2e498e6289b29e74817433a86751761f71

**Referenced In Project/Scope:** CoWorkInstaller

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: momentjs.jar: mt.js

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/mt.js  
**MD5:** 3cc610e1a28bb045e3f21adfa96614ce  
**SHA1:** f22377dc419295b8cf22ca6459df3f834475ddf9  
**SHA256:** 6af1d3643bd218941f30da0f6ba7bd64d4c2d0c49336876308af3af0387b0440  
**Referenced In Project/Scope:** CoWorkInstaller

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: momentjs.jar: my.js

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/my.js  
**MD5:** 1de06907d41a2fbf6861958ee0eaaba6  
**SHA1:** 1b5eaf3d04d7a45a9e93db791963bfa0cf999383  
**SHA256:** 92732cb26a774bc3e049c7e212d8ef1425413d63522ccca1fb1b0696854da4ad  
**Referenced In Project/Scope:** CoWorkInstaller

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: momentjs.jar: nb.js

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/nb.js  
**MD5:** ee293037089769cbdbbf9f2dba3e01e6

**SHA1:** bfed5520bb401c83f0b391cf09ab1907e4362f2e  
**SHA256:**36f088dce675389ff1b12afe35703b6d166cef8df8a24e1e1d6ecfcf7be84fd5  
**Referenced In Project/Scope:** CoWorkInstaller

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: momentjs.jar: ne.js

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/ne.js  
**MD5:** f09e1496b96096e594254145053e777d  
**SHA1:** 601e6b5e8ead8fac21d661c4cb1f5aee22c96755  
**SHA256:**804bbd6c30dc3b74de711a44f9019db06210323a0db31e53ce730feab5ea6275  
**Referenced In Project/Scope:** CoWorkInstaller

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: momentjs.jar: nl-be.js

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/nl-be.js  
**MD5:** e50c24ded5247900814470d1a6cc8854  
**SHA1:** 73d12dfe3645a5ea9e0b6c4d5b2a5f28ac022af2  
**SHA256:**2bd27e18811c7363a1b46b815173d626102523a2f76854792885166f4a99eb5f  
**Referenced In Project/Scope:** CoWorkInstaller

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## remotegui.zip: momentjs.jar: nl.js

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/nl.js  
**MD5:** 843085f588379356ba9556d93aa9ccdb  
**SHA1:** afe70913fffce08e256c3c9ffe350272bcb791a0  
**SHA256:**037e055b18b4376112d853e3d357b217dcc0bfd3990e0155b980ff622b4ff8d9  
**Referenced In Project/Scope:** CoWorkInstaller

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## remotegui.zip: momentjs.jar: nn.js

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/nn.js  
**MD5:** 7c29b42f21ff6b7e0b1f16ebb20d2a5a  
**SHA1:** 9464502746665d34779fd3e7c9c05212db534556  
**SHA256:**66007f84c945a3475100a3024d5fa3d430d6e11e64de81849e50ea73e3f390be  
**Referenced In Project/Scope:** CoWorkInstaller

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

#### remotegui.zip: momentjs.jar: oc-lnc.js

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/oc-lnc.js

**MD5:** 16a8d7288d0007906a6ebb39fd954265

**SHA1:** 5442e9e7ee72e6f2ed438139d5779ddcfaaf471c

**SHA256:** 1e03cd598c495e4dca3bae56e3822cacde57333ab5a85f555c582e104f54261c

**Referenced In Project/Scope:** CoWorkInstaller

##### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

##### Identifiers

- None

#### remotegui.zip: momentjs.jar: pa-in.js

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/pa-in.js

**MD5:** 8247ac1929cfdcc902a77542e9fa470c

**SHA1:** a0270710978d4f03b32a4d5cd38065d6d274729a

**SHA256:** 5ba548ba7844a1c5c4a7f003337237f940b5e8aa67254fb90e1a05a66f2b43ac

**Referenced In Project/Scope:** CoWorkInstaller

##### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

##### Identifiers

- None

#### remotegui.zip: momentjs.jar: package.js

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/package.js  
**MD5:** a26087930b5278aa21fd79491b952ac0  
**SHA1:** ea880b139fa5aad30129356d4c2b61c7acad7452  
**SHA256:**6334f70497c6d8fd22adb3089eec30bf1e2b3dacf92508df52eaa7a8aee12bba  
**Referenced In Project/Scope:** CoWorkInstaller

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: momentjs.jar: package.json

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/package.json  
**MD5:** f1965dc95e9d5ef4816ffbb597d484ab  
**SHA1:** fa7b033b3a1adcb85370480289e6a60cfd21ac89  
**SHA256:**25f5d25a676dda5763fea169d93a31dc12bd0a6d5d7f352379c8afcb1e3d794e  
**Referenced In Project/Scope:** CoWorkInstaller

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: momentjs.jar: pl.js

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/pl.js  
**MD5:** ea2f9b5ff7c97f62603f1e8786708d7a

**SHA1:** a9b097f9c1dfe0872befdf47995602029bbd22c9  
**SHA256:**5435a1265dacc269403f275095e24a63ff3b8bb0f95908f7a2a987fbe2ab9e43  
**Referenced In Project/Scope:** CoWorkInstaller

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: momentjs.jar: pt-br.js

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/pt-br.js  
**MD5:** b70a96c3353ca41f14b5628aaeef6461  
**SHA1:** 02e3841b0ed1fbf086a5b8bc1be8cf835cc9d8c2  
**SHA256:**8a8b165be42795d9e945e7494f38ea353ee2f7eee7eab123073f3a42ce755687  
**Referenced In Project/Scope:** CoWorkInstaller

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: momentjs.jar: pt.js

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/pt.js  
**MD5:** 71f120e6f7682b0e80a9d5982b8a4711  
**SHA1:** 49494f7c1cdb36294b6d640a524c2cf19eed12b5  
**SHA256:**89e4c2f2d351ad7e2fefec9332778b16cd4a31858ded9ad6fece12fd9db94ac2  
**Referenced In Project/Scope:** CoWorkInstaller

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## remotegui.zip: momentjs.jar: ro.js

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/ro.js  
**MD5:** 84b1a53a794d8749061a53eb558110f3  
**SHA1:** c2241e36357a248cdc870a8f83c19d12a031b479  
**SHA256:**f66bcaadde14018ffb3bce26ea8ffc3ce36cc65c4c1e9ef9ed6cb321b7ae9481  
**Referenced In Project/Scope:** CoWorkInstaller

### Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## remotegui.zip: momentjs.jar: ru.js

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/ru.js  
**MD5:** c66d22693e1e950330471ed9de408aaa  
**SHA1:** 3f4b2156029a26bc408cdfccf5812bd125c760cd  
**SHA256:**47b9c98d906dcdc3d7b7f40e604d793fff2e142f7d788f6ac0deac5030458ef5  
**Referenced In Project/Scope:** CoWorkInstaller

### Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers



- None

### remotegui.zip: momentjs.jar: sd.js

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/sd.js

**MD5:** 115132c218de16cbea034b2762b9df9d

**SHA1:** ff940a6362744a8258e15cb09c4e4b46c48f3ec9

**SHA256:** e5f27127927a41eb82e45491e52bd6a529d3db5e6cd519c48f7473268909f6c3

**Referenced In Project/Scope:** CoWorkInstaller

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: momentjs.jar: se.js

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/se.js

**MD5:** d63f9c00eb2beeff26eabfea1406a3bc

**SHA1:** 8fc07d6276adf84ab94a1d352d55c105769f9017

**SHA256:** 424ed10805d004f217b44ff6a0da5bad51d8f3b25577306f6e1f59c387525da2

**Referenced In Project/Scope:** CoWorkInstaller

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: momentjs.jar: si.js

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/si.js  
**MD5:** 0bdd326bd6fe94a1c3fed06cf79cdb  
**SHA1:** 6dc83c8bee2af014c11994abd5f0718ed9c4dc64  
**SHA256:** 8e7582efb99ff00bb7aeb6de0bfa65792592a5b4e81ae6caa7bf8cd8cb3180de  
**Referenced In Project/Scope:** CoWorkInstaller

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: momentjs.jar: sk.js

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/sk.js  
**MD5:** 0d4c93cc1adf0c2fe5bdcde7b1cca213  
**SHA1:** 17c72fd3b31573f097f962b851fc82db22f217c1  
**SHA256:** 7685c076b71fd8e36c2cb84c645bb3a75d84566f26c3682a2792f0113b4d9b16  
**Referenced In Project/Scope:** CoWorkInstaller

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: momentjs.jar: sl.js

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/sl.js  
**MD5:** 11bbdf40343f7ee615144b2c3df93d54

**SHA1:** 853a6dcfaa15df6205729d754739633de7e3f667  
**SHA256:** ff2e8352962c2d13d114356c863701f2473651f6491639e1826ab417d0377f90  
**Referenced In Project/Scope:** CoWorkInstaller

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: momentjs.jar: sq.js

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/sq.js

**MD5:** f5c6cad85947f97d184ce17397145e3c

**SHA1:** 1817cdeeb3261b7f03f13902a7d8adfe46c36a65

**SHA256:** 9d7d061c245349d6897732c90ad57841c9132b9b556be07a24dc76ff17cf75a0

**Referenced In Project/Scope:** CoWorkInstaller

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: momentjs.jar: sr-cyrl.js

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/sr-cyrl.js

**MD5:** 403a704d0b31d44f5d43a05f060f879d

**SHA1:** fe545c0831b16a2393a771221f2daf3f8af50cf8

**SHA256:** e62567ebcb6434f8652b1867386d7324c06d1f226fe9fad0517e658503ab496a

**Referenced In Project/Scope:** CoWorkInstaller

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## remotegui.zip: momentjs.jar: sr.js

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/sr.js  
**MD5:** b5752681e826802ad4578a65d446d2ab  
**SHA1:** 18c79b7064d378b578c83facf15be80314e34581  
**SHA256:**307eb8be823a2997ce88c5ad8c3ca19e7a6345f116331fe3856659665de0d453  
**Referenced In Project/Scope:** CoWorkInstaller

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## remotegui.zip: momentjs.jar: ss.js

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/ss.js  
**MD5:** e61a001b0c3ea5bebde2d4d96d7c19c6  
**SHA1:** a26e124883144d6ac990722d7915ceb80a44f7c8  
**SHA256:**0d8a08574cc28602738aca72bed6364e88dd93fb2131a20c06630e3dd7565945  
**Referenced In Project/Scope:** CoWorkInstaller

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

### remotegui.zip: momentjs.jar: sv.js

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/sv.js

**MD5:** a276c85890a03d5a55715768969516fc

**SHA1:** 135396ef7e63b71af3df1cbafc5b060a32aeea4e

**SHA256:** 08f8dbba970b89522adaabe609f47a3f20857c0985967888124f9204f4c3e2f0

**Referenced In Project/Scope:** CoWorkInstaller

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: momentjs.jar: sw.js

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/sw.js

**MD5:** b9e0ae98f621d6f9a622fe09225978cf

**SHA1:** 42f76f09c8d7049758fcf8f78e30881e6681c40e

**SHA256:** d6056ac79071a9f60793825357dac3ecf35c43acf10e02a65f1892f1fd9cc0c1

**Referenced In Project/Scope:** CoWorkInstaller

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: momentjs.jar: ta.js

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/ta.js  
**MD5:** 2b48e3a057ec1ecf49d4e16d56263ed8  
**SHA1:** 94a700dff6eda352ad3a2c4d7f5a4dc5e6219321  
**SHA256:** 2dae88a3138adda69fdec54914461ec28d4fa5e720d7626ddb3fb91a74a2ab6b  
**Referenced In Project/Scope:** CoWorkInstaller

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: momentjs.jar: te.js

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/te.js  
**MD5:** 39e36c17c46798dfdcf0ddae92610807  
**SHA1:** 1168038e9d7c735ac44fc0eca95796067ca7b51b  
**SHA256:** 2cc07292a2ab5702d8e1e849ae3b28cca5c6194d0d150ec637c6289d9d864e32  
**Referenced In Project/Scope:** CoWorkInstaller

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: momentjs.jar: tests.js

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/min/tests.js  
**MD5:** d39f31787b27fc1bb028ef80e699cd7c

**SHA1:** 4c0335c7f8c19e26ecdd2f9f0ed08323507031d7  
**SHA256:**895d3ab9bb945f1f86903438a18c9fb308e84a912e4859da39fd1bb08da63e44  
**Referenced In Project/Scope:** CoWorkInstaller

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: momentjs.jar: tet.js

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/tet.js  
**MD5:** 0a6f7fd649b280c8fff433d32591867  
**SHA1:** 15f108397be93776a1c232f3de813e27f305550e  
**SHA256:**d80dcb236c671594af031c93d32ed883c322a6f32bd25637d454d7b9d9e81593  
**Referenced In Project/Scope:** CoWorkInstaller

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: momentjs.jar: tg.js

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/tg.js  
**MD5:** 83e93f32f7f488c26def6938e280b716  
**SHA1:** 59886e50e9d7e53beb111b317d5195ee0382050e  
**SHA256:**24c8928619c471831467afc05aca6f0299e40b418b78bb30b4d66942d872d2bb  
**Referenced In Project/Scope:** CoWorkInstaller

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## remotegui.zip: momentjs.jar: th.js

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/th.js  
**MD5:** e14a3488b2c85b54f65262d6fcc6b1b5  
**SHA1:** 7697e04cbe08eefdc5ad4cefca7ea7ef42cac791  
**SHA256:**9911634c353a7ce63a81139f914552fc80a499029a803ced8b32b6af88c53bf4  
**Referenced In Project/Scope:** CoWorkInstaller

### Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## remotegui.zip: momentjs.jar: tk.js

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/tk.js  
**MD5:** c01b5d264b1cfa34c4723e995439ebb9  
**SHA1:** 8445ede8c1ce77556495f9a5469ead5d3b2b3ee8  
**SHA256:**fc6654229cf3f6e6bb2aeb5b70dc4e6adf7f307575af9d15b7a31aab897a9988  
**Referenced In Project/Scope:** CoWorkInstaller

### Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers



- None

### remotegui.zip: momentjs.jar: tl-ph.js

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/tl-ph.js

**MD5:** aefa584c5d3e7690a710b144fc505a7d

**SHA1:** ccc8535e56aeb0b2c2991ec7c2c232a16334f09b

**SHA256:** e324f1791432534af3ada36c185637db02eaf3d3ed8f88ddf143538dc484cc3a

**Referenced In Project/Scope:** CoWorkInstaller

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: momentjs.jar: tlh.js

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/tlh.js

**MD5:** 59508c37879615bd0a0beee8f69a28da

**SHA1:** 15324b9edf1a3e7bbc52b1e510ac53def8ce02ef

**SHA256:** dccea1319a2e92d9bf373e1d8dadcd4a130e1fa2457d7a66dd035c3cb93601cd

**Referenced In Project/Scope:** CoWorkInstaller

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: momentjs.jar: tr.js

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/tr.js  
**MD5:** 0cf5765f4f245b2cd8a21dee0c3c92ba  
**SHA1:** 7eb8afffa83fb85eba987c80a934c6ad30a23b23  
**SHA256:** e8af125b0bdb3c15ff5ef2eb171bfe698507a026a9cab54bedb0770cdca34fb2  
**Referenced In Project/Scope:** CoWorkInstaller

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: momentjs.jar: tzl.js

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/tzl.js  
**MD5:** a2587bce05b5fa3015dce4ccedbd802  
**SHA1:** b9c4bb7a9f9ad9dd515bb9de82be90d0d4932fe6  
**SHA256:** 393e6424d498fd2abbf646217a197b61c4c57706e6b29ec2873ab20e7bdf6970  
**Referenced In Project/Scope:** CoWorkInstaller

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: momentjs.jar: tzm-latn.js

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/tzm-latn.js  
**MD5:** 582198d314e9ced1007620d4e7701734

**SHA1:** 17859d3345ae82ce39d5d036649c1976b9e4474a  
**SHA256:** 7909cef0eb3080599c24794c079e05ba07af565f198450df0ad411c85be45030  
**Referenced In Project/Scope:** CoWorkInstaller

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: momentjs.jar: tzm.js

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/tzm.js  
**MD5:** 69d71f7f7674fd7f8b35f14dc179339b  
**SHA1:** b5166e0443eb54c38185227e954cd5cc2b1f589b  
**SHA256:** e6f3a2e2e3ca86953e2c06ca562607a95d2b5129e751e5e0905270f3e56a1f52  
**Referenced In Project/Scope:** CoWorkInstaller

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: momentjs.jar: ug-cn.js

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/ug-cn.js  
**MD5:** aad8845e8fb63517d21b322fef4a3545  
**SHA1:** aff6b2361311a6475b9fd755bf63d23e3e6132b1  
**SHA256:** 58de2ad653876b1eb27ceaffb0037ddb0e4fb7917e111fa7a88ef8ab01fd041d  
**Referenced In Project/Scope:** CoWorkInstaller


#### Evidence



Type	Source	Name	Value	Confidence
Identifiers				
• None				

remotegui.zip: momentjs.jar: uk.js


**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/uk.js  
**MD5:** fbe69f339b236b654b3e41d8d8b56536  
**SHA1:** d9fdc9224f535c1338048858a9e457558f95349e  
**SHA256:** 725764b2851d3db79d8fb20b96ce7708cd1dc60c6ca6f37bac4df2350f3ccbf4  
**Referenced In Project/Scope:** CoWorkInstaller

Evidence 				
Type	Source	Name	Value	Confidence

Identifiers				
• None				

remotegui.zip: momentjs.jar: ur.js

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/ur.js  
**MD5:** 3da71179953500680163984295abe43d  
**SHA1:** 2fdee5b33f8d29a565d84927fd333a2d9d41e5b2  
**SHA256:** c89fc485a14cb20c0576ff20bc3d157e1296f2b2ddfa8035f71e8b58f61a29a4  
**Referenced In Project/Scope:** CoWorkInstaller

Evidence 				
Type	Source	Name	Value	Confidence

Identifiers				
-------------	--	--	--	--

- None

### remotegui.zip: momentjs.jar: uz-latn.js

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/uz-latn.js

**MD5:** 75ce0ce4c28806c32575c4f28ded6185

**SHA1:** 2648a6adc3ebb4dc12b070a5cc0a126050cf685a

**SHA256:** 3943e946fcad9c965f147c50e08da71d3270239175de530d1f48be6fb44956ed

**Referenced In Project/Scope:** CoWorkInstaller

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: momentjs.jar: uz.js

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/uz.js

**MD5:** 3d11efeaad9c7b7f344eb8beb691a2d3

**SHA1:** 73ce197519648ecb5e6756bb2fb953688b42af2a

**SHA256:** 9f22344f9ff69b1cf5546c975fd8847884bb032216d15054ea267cb964a09b08

**Referenced In Project/Scope:** CoWorkInstaller

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: momentjs.jar: vi.js

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/vi.js  
**MD5:** 28c7ec0c4bf82120245da0d15112f4b0  
**SHA1:** 1470d1969733e49331f2e435910b045e6a0a518b  
**SHA256:** c5db03ae438e4c55a6edfa004540aaf1def14fe0968f9ed3e03fe7dd7c3faf03  
**Referenced In Project/Scope:** CoWorkInstaller

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: momentjs.jar: webjars-requirejs.js

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/webjars-requirejs.js  
**MD5:** 34b1a7dcca0ee03eed1432670ed9c472  
**SHA1:** 9de80e951270f04bbafd39d9d7822df4f7d08839  
**SHA256:** 197295e6af66b25f2aaa0909c6911f7c1c76e24eaf170d9cba2d84644146bfeb  
**Referenced In Project/Scope:** CoWorkInstaller

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: momentjs.jar: x-pseudo.js

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/x-pseudo.js  
**MD5:** 18b5b8d8f2f327f6d5ec947e550f35e0

**SHA1:** acc470244b95f709e4b68e7ab94b2c645f929f47  
**SHA256:**ca8ab052a09b2f320574c71c472609e026b4aa72c87a06f204ff33670249e2bf  
**Referenced In Project/Scope:** CoWorkInstaller

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: momentjs.jar: yo.js

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/yo.js  
**MD5:** 42b28f7a2ea67c7b5a342c87ef0a5771  
**SHA1:** 84f6d714e3aadf74ab8a755b465df7ec8215fada  
**SHA256:**d80655b604558af2855f5b67b21b28ec5770985b67fde59e94e1168e5f4795c8  
**Referenced In Project/Scope:** CoWorkInstaller

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: momentjs.jar: zh-cn.js

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/zh-cn.js  
**MD5:** 49fa27dd7c374122f336369f30a87973  
**SHA1:** 768eeb42e5372200634e8825680c6e18b0c8db8d  
**SHA256:**53138532aad7c571af10cf6b17a678552e9a9e7ef5014d250f97af8dc61ae6e1  
**Referenced In Project/Scope:** CoWorkInstaller

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## remotegui.zip: momentjs.jar: zh-hk.js

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/zh-hk.js  
**MD5:** 9338eb6ad8e887a63be4fbaa05cab197  
**SHA1:** 92340e4f48872df241a47bf9bd13647092fd25c9  
**SHA256:**c6d7de0d1f5544a1d3bb64c7eb27481b30316766f1214fbb5b1c6be358a4b921  
**Referenced In Project/Scope:** CoWorkInstaller

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## remotegui.zip: momentjs.jar: zh-mo.js

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/zh-mo.js  
**MD5:** a986f68bda18d9751f6bedd7356e6e7c  
**SHA1:** 6cac0e5b7b9e15ea799ce6a1575be93df4832c87  
**SHA256:**874ca3806f556c5809842613ba410c965111ea9441fb949a32abe2a7c3bf7f8a  
**Referenced In Project/Scope:** CoWorkInstaller

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers



- None

### remotegui.zip: momentjs.jar: zh-tw.js

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/zh-tw.js

**MD5:** 94fb46a7c1ce21f0a91512b170d4fdea

**SHA1:** cb69c6ca687ace454432d994ae5b624ba9011b62

**SHA256:** 62fb1b36d24050120cadf807b975ffe9d7986aeb41a0f4ac218c3ad23a1c9b1a

**Referenced In Project/Scope:** CoWorkInstaller

#### Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: remotegui.jar

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/remotegui.zip/remotegui.jar

**MD5:** 07b406f612028f959af252d28e73c7c3

**SHA1:** 09ef29f47ffc69ab9a673b7c70735843fdf9dab9

**SHA256:** 74cdf75a1676152b4aa62f1125c4fa854d943d090920fc8d43f7e777bd682b81

**Referenced In Project/Scope:** CoWorkInstaller

#### Evidence

Type	Source	Name	Value	Confidence
Vendor	file	name	remotegui	High
Vendor	jar	package name	gui	Low
Vendor	jar	package name	inet	Low
Vendor	jar	package name	remote	Low
Vendor	Manifest	built-date	2026-06-16 16:21	Low
Vendor	Manifest	implementation-group	shared	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High

Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	remotegui	High
Product	jar	package name	gui	Low
Product	jar	package name	remote	Low
Product	jar	package name	shared	Highest
Product	Manifest	built-date	2026-06-16 16:21	Low
Product	Manifest	implementation-group	shared	Low
Product	Manifest	Implementation-Title	remotegui	High
Product	Manifest	specification-title	remotegui	Medium
Version	jar	package name	shared	Highest
Version	Manifest	Implementation-Version	26.4.269	High

#### Identifiers

- None

### remotegui.zip: remotegui.jar: angular-websocket.js

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/lib/angularwebsocket/angular-websocket.js

**MD5:** 40cf028986784d5006d57219f6dbe0a8

**SHA1:** 40efa9ba93f90c2933ea22c767a0b1439e10303d

**SHA256:** eb77f7788e6b757192f2bf8c6af6560731c3539b06fdf7d476e92b989ca50b0

**Referenced In Project/Scope:** CoWorkInstaller

#### Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

## remotegui.zip: remotegui.jar: app.js

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/template/js/app.js

**MD5:** 6f61e39f7ed0928ce2046d44760db061

**SHA1:** 1a79dd0d084db06894770d115b3b808a0d8c0ecb

**SHA256:** bd0c38131628418202bc8a896fcee79fc4933ac37da60263562ddb37ede2f26

**Referenced In Project/Scope:** CoWorkInstaller

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## remotegui.zip: remotegui.jar: app.js

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/modules/login/js/app.js

**MD5:** d9a96ed732439b0dc0417d960d30b667

**SHA1:** a7b2247fb71c27e9eacc8f24859fb993be8d95d1

**SHA256:** 49b24b3125429b20e816a2082e45f104ac09590c64d61ad8d4fb5c86cbe83a93

**Referenced In Project/Scope:** CoWorkInstaller

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Related Dependencies



- remotegui.zip: remotegui.jar: app.js
  - File Path: /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/modules/logout/js/app.js
  - MD5: d9a96ed732439b0dc0417d960d30b667
  - SHA1: a7b2247fb71c27e9eacc8f24859fb993be8d95d1
  - SHA256: 49b24b3125429b20e816a2082e45f104ac09590c64d61ad8d4fb5c86cbe83a93
- remotegui.zip: remotegui.jar: app.js

- File Path: /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/modules/masterlogin/js/app.js
- MD5: d9a96ed732439b0dc0417d960d30b667
- SHA1: a7b2247fb71c27e9eacc8f24859fb993be8d95d1
- SHA256: 49b24b3125429b20e816a2082e45f104ac09590c64d61ad8d4fb5c86cbe83a93
- remotegui.zip: remotegui.jar: app.js
  - File Path: /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/modules/passwordreset/js/app.js
  - MD5: d9a96ed732439b0dc0417d960d30b667
  - SHA1: a7b2247fb71c27e9eacc8f24859fb993be8d95d1
  - SHA256: 49b24b3125429b20e816a2082e45f104ac09590c64d61ad8d4fb5c86cbe83a93
- remotegui.zip: remotegui.jar: app.js
  - File Path: /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/modules/signup/js/app.js
  - MD5: d9a96ed732439b0dc0417d960d30b667
  - SHA1: a7b2247fb71c27e9eacc8f24859fb993be8d95d1
  - SHA256: 49b24b3125429b20e816a2082e45f104ac09590c64d61ad8d4fb5c86cbe83a93
- remotegui.zip: remotegui.jar: app.js
  - File Path: /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/modules/signupbasic/js/app.js
  - MD5: d9a96ed732439b0dc0417d960d30b667
  - SHA1: a7b2247fb71c27e9eacc8f24859fb993be8d95d1
  - SHA256: 49b24b3125429b20e816a2082e45f104ac09590c64d61ad8d4fb5c86cbe83a93

#### Identifiers

- None

### remotegui.zip: remotegui.jar: app.js

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/modules/reporterror/js/app.js

**MD5:** 6ad83588ff8ae2fca8a22a9973c9a22e

**SHA1:** e34a66c038feb5d7eaaebe6f5641ff754ba2133a

**SHA256:** 171ea457d3942a068d637c9c416f4314d2e337896c4c06466d5048d1b207964c

**Referenced In Project/Scope:** CoWorkInstaller

#### Evidence

Type	Source	Name	Value	Confidence

#### Identifiers

- None

## remotegui.zip: remotegui.jar: app.js

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/modules/start/js/app.js

**MD5:** a92b24ddb292c48b2b37f8f612dcf510

**SHA1:** 4fb6c8ec1c639068e82cea773e346402bee5db6b

**SHA256:** f9a5dfaf43cc245a92f3da0e6a6a05df73027571f820767630c897274510e125

**Referenced In Project/Scope:** CoWorkInstaller

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## remotegui.zip: remotegui.jar: appbadge.service.js

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/appbadge.service.js

**MD5:** 4fd729dbd4e3e172e18625eeeb1d21f3

**SHA1:** bda842fc94e89b87c8ac7ab1fda990058708c679

**SHA256:** 8ba199a5047196dec59a090d09d62628d962bd4827c6f58491688405af98bf20

**Referenced In Project/Scope:** CoWorkInstaller

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## remotegui.zip: remotegui.jar: authInterceptor.service.js

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/authInterceptor.service.js  
**MD5:** 7fa3864d221a30bc7380c1d61fd0127d  
**SHA1:** 7711e764bb81e7518be8f1582ba36c0bcaffbc12  
**SHA256:** 78a5ae26f5463a9ffaa3aba943dcc4a6852dafea4e6a161a77db4e57e57c9565  
**Referenced In Project/Scope:** CoWorkInstaller

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: remotegui.jar: avatarcard.directive.js

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/avatarcard.directive.js  
**MD5:** 42e2eeddd15b1c78fa69908f6680ee70  
**SHA1:** 700e560ae973d1bc7fc1533f10000bff031ae452  
**SHA256:** 1f84952e5877f9a0a2bb6de1db33baec5f4bc55d5aba12f70cb4f7a6f79729d0  
**Referenced In Project/Scope:** CoWorkInstaller

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: remotegui.jar: avatardetails.directive.js

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/avatardetails.directive.js  
**MD5:** 1736536ca17f8949cfbcea3546666700  
**SHA1:** c6d2b53e9caa1ad5b19f0063a4c7f88c31784ccc  
**SHA256:** 5bedc4c3e7b3be6a29f2c85fbd2881b935f24172fd42d5f893f221c1972bdc5e  
**Referenced In Project/Scope:** CoWorkInstaller

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## remotegui.zip: remotegui.jar: avatarimage.directive.js

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/avatarimage.directive.js

**MD5:** 70e2255c02822aec0a74da3386baa781

**SHA1:** 927e3a72f635deb32b6dd3bd1e3deea711b73521

**SHA256:** 9c3a64b8c4c5e6bdeadd27b840e1835d240e7e291b2499e331545d0f3d6fb3da

**Referenced In Project/Scope:** CoWorkInstaller

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## remotegui.zip: remotegui.jar: avatarimagedetails.directive.js

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/avatarimagedetails.directive.js

**MD5:** 30a2af71a10ee42a8e840c52dc445a33

**SHA1:** 2767a8c4d10f738a7cbc2f0166473a721724465c

**SHA256:** 4c5603e04daff5cb4de37b3a8e120e0049036ea10683980c3062c96919d1521e

**Referenced In Project/Scope:** CoWorkInstaller

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## remotegui.zip: remotegui.jar: basic.js

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/basic.js

**MD5:** 6ce37bb0cdb3e8dfb60502a14fe7566

**SHA1:** b5cf170633b03bb7e703f0fe1369c71a0d451dae

**SHA256:** de45f22f52903c15f3869bbbf9856da834d7a0d535bc5138832434984996079

**Referenced In Project/Scope:** CoWorkInstaller

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## remotegui.zip: remotegui.jar: bootstrap-colorpicker.js

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/colorpicker/bootstrap-colorpicker.js

**MD5:** 66fc7adafdc312da33c1610ddb02650

**SHA1:** c0fe35fdc3e1a7b23415601264ee3f5f8b6408ba

**SHA256:** 359ac587e9aac88dcb26774fea01a3b04b89ff8f8d49c36b0dff82d0ca3f2a9

**Referenced In Project/Scope:** CoWorkInstaller

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None



### remotegui.zip: remotegui.jar: bootstrap-datetimepicker.js

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/datetimepicker/js/bootstrap-datetimepicker.js

**MD5:** f99cb51a76e41db0a93720a7ab76f79a

**SHA1:** 811d10b8029074990b4328164ea5645759789a5e

**SHA256:** 3ae825ea00eae0f2169e66d6574fa1e8323b51bf253091bb5a66df76663d37ef

**Referenced In Project/Scope:** CoWorkInstaller

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: remotegui.jar: browsercheck.js

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/browsercheck.js

**MD5:** 2a66f45992dabf075363ec46a8f1913e

**SHA1:** 6dd5a0ea9f6b8471d5133f32a13090af611156a5

**SHA256:** 9591b9925bdfd5c199c34417db703dda37c469646adfe38409453527af025015

**Referenced In Project/Scope:** CoWorkInstaller

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: remotegui.jar: changeavatar.js

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/changeavatar/changeavatar.js  
**MD5:** 8d2dac6b040a8c19644f32bf31bd71a5  
**SHA1:** 71bf152e7bc6f067ea04a5b3aa1cca0a77af4b2e  
**SHA256:** 2dee1dc75f9ea3da5c18de2d3f7ab5da477c1b0e29952f28f14ec488140c3d0d  
**Referenced In Project/Scope:** CoWorkInstaller

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: remotegui.jar: changeavatarcontroller.controller.js

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/changeavatar/changeavatarcontroller.controller.js  
**MD5:** f4c8b7a6dadbe05f4e359733f723d5f6  
**SHA1:** 119cdcaf2e65398e1f02c279bc915fb748c851e7  
**SHA256:** f6cdf51e77bf2b01b8d6d81d62929f453e651b07cecf5ec1a592556855c297d3  
**Referenced In Project/Scope:** CoWorkInstaller

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: remotegui.jar: changeavatar.service.service.js

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/changeavatar/changeavatar.service.service.js  
**MD5:** 0867b1420c57ea1bd0df6b217d0f0a27  
**SHA1:** 3b540de9bd01aa2d887ff4690636a46d59e54ac0  
**SHA256:** a4e383e6b3971ae28b1ab569fb9bd73553c7155615dd6684f9eb1db4c28f9ca8  
**Referenced In Project/Scope:** CoWorkInstaller

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## remotegui.zip: remotegui.jar: clearreports.controller.js

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/template/js/clearreports.controller.js

**MD5:** 503b31549ad61c01e747c3525a1cec4c

**SHA1:** d68647f840f74843715160798da5b18ffd57baf2

**SHA256:** 5fc415f2278a1c26a0417a62adec557dbe76b69e6a74d6eb190543ad099ff11e

**Referenced In Project/Scope:** CoWorkInstaller

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## remotegui.zip: remotegui.jar: clipboardservice.js

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/kytos/services/clipboardservice.js

**MD5:** 4e1e6b5bbd0964d0b63238792ed499a6

**SHA1:** cbd4f6c73a66c379830b7d39db2d5b719a145166

**SHA256:** 5aef981c32fe1ca7fe038ce1247b842ab70d9b5b84efcf6805d9c7a9cef14730

**Referenced In Project/Scope:** CoWorkInstaller

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## remotegui.zip: remotegui.jar: collapse.directive.js

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/components/collapse.directive.js

**MD5:** c1382e5bab1e0095998e5b19ac91f381

**SHA1:** 2bfac81cdcbdbc9919f24433ada8d3d78ff826a

**SHA256:** f09aeeb80d0d0811b4e6c9ae46d2a975cfa372d339236dc1f74e238218a60be4

**Referenced In Project/Scope:** CoWorkInstaller

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## remotegui.zip: remotegui.jar: colorPicker.directive.js

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/colorPicker.directive.js

**MD5:** 21ef7608799862ae50c2c74f78d0a9fc

**SHA1:** 747b3d2b2615c51fda36d4177ff6742a3f254784

**SHA256:** ecdde453424a6164c70d2a8ae42bbd0e2f36aa424dda81a021daddfc3be97cda

**Referenced In Project/Scope:** CoWorkInstaller

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## remotegui.zip: remotegui.jar: colorservice.js

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/kytos/services/colorservice.js

**MD5:** 6934527317c4e7ee60f522af05a6647b

**SHA1:** 82218ecade36315a6f9cca826698eb89b1e177a9

**SHA256:** fef655530069f2219f3c6227b143318de978c4f7be99e7aa9cdcb6484c8eaea7

**Referenced In Project/Scope:** CoWorkInstaller

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## remotegui.zip: remotegui.jar: connectionstate.js

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/components/connectionstate.js

**MD5:** 4a6174bd421f26ebbcfee0cd497cb818

**SHA1:** dd1fd437528d6680073b6ec992627e58a7117d1d

**SHA256:** 4b755f8f5c4c823a55df73cda77ecfaad11829b5945c0f60e9c3be0de7ffcaee

**Referenced In Project/Scope:** CoWorkInstaller

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## remotegui.zip: remotegui.jar: controller.js

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/template/js/controller.js  
**MD5:** 8886375e9fdbaea08407ec6d19efb81a  
**SHA1:** 1e0b4d981a4a8cefe6737624ea1f4ab9636116e9  
**SHA256:** dd9f87011fd0cb0ed630d3f392e7527a62dc516584014a2169a411d783d683e3  
**Referenced In Project/Scope:** CoWorkInstaller

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: remotegui.jar: controller.js

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/modules/invalidlicense/js/controller.js  
**MD5:** ca1979cf2df78c9a22c96f3478247107  
**SHA1:** 6b8bd8aa94a41d55d9b5c11f37a6e0a2a25a5a5e  
**SHA256:** 2e689b5bdc728198ed225e4e7634d0bc374f6d5f0190f706808d3c1857b1591c  
**Referenced In Project/Scope:** CoWorkInstaller

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: remotegui.jar: controller.js

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/modules/vetomessage/js/controller.js  
**MD5:** b3d1cbd2470d7a37317a1a3b2f731b76  
**SHA1:** 8be451bf390bbc31e274d966fa238675d192598d  
**SHA256:** d478572d76089fa663779be7fb47933ca9c7bec7f97ada36dd8d7ca80f6f4eb5  
**Referenced In Project/Scope:** CoWorkInstaller

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## remotegui.zip: remotegui.jar: controllerAbout.js

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/about/controllerAbout.js

**MD5:** 80b4da64ffededbe3c3523b55e2bf326

**SHA1:** df84d88eb510b8e820880297404310f5a8795f4f

**SHA256:** 48bbb094dfff3f6b7dcf787d12214c26dafedc27cd37003b651e1ce179026029

**Referenced In Project/Scope:** CoWorkInstaller

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## remotegui.zip: remotegui.jar: controllerShortcuts.controller.js

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/shortcuts/controllerShortcuts.controller.js

**MD5:** 9be25409fea8e060b32a3ed16afa0496

**SHA1:** 36808df213a842d807c44b517fcdabd52c7479ac

**SHA256:** 18169a2a57beb8edc203674e334cd2eccaf262635e4cea0b408e2f8608338008

**Referenced In Project/Scope:** CoWorkInstaller

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## remotegui.zip: remotegui.jar: controllerUserTheme.controller.js

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/usertheme/controllerUserTheme.controller.js

**MD5:** 3f22da2a31a50aae9eca2ddf181a32e6

**SHA1:** 92ef56f938fd823a8d2d234190af4aff18ce8223

**SHA256:**e3b5b9c6ba45a9f4e7ea82817ad2e4eebfa514eb88f0056ed61741a37917049a

**Referenced In Project/Scope:** CoWorkInstaller

### Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## remotegui.zip: remotegui.jar: controllers.js

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/modules/login/js/controllers.js

**MD5:** a8ac2709cc86b403df12e2112b1c50da

**SHA1:** 344a480dca6074c311786b03a13aeaff5cfb58a3

**SHA256:**3efd28cc6f37f33f4c99fcd534349933d13c07cfbb85ae6b424c7d0889e968fc

**Referenced In Project/Scope:** CoWorkInstaller

### Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None



## remotegui.zip: remotegui.jar: controllers.js

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/modules/logout/js/controllers.js

**MD5:** 72df17aceff55a08379e0d53b414a348

**SHA1:** e3364d95d630e8ee2831c6f8c043e380892303de

**SHA256:** fde8f9a6bd901c3a4fb1eff6e1b28cd70ed29ecd1ca0eb4d516fe8257b10866d

**Referenced In Project/Scope:** CoWorkInstaller

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## remotegui.zip: remotegui.jar: controllers.js

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/modules/masterlogin/js/controllers.js

**MD5:** b7ce1065cd78fdac56af02a9c2990479

**SHA1:** bb6e0f303c2a2601864542d89f2e2f5da4cc582d

**SHA256:** b062b60f3c71cca9147df8429acfeaf1333646ebed0a49abfd57e828594969bd

**Referenced In Project/Scope:** CoWorkInstaller

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## remotegui.zip: remotegui.jar: controllers.js

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/modules/passwordreset/js/controllers.js  
**MD5:** 4dbf4bd5e209bcf9da2dbea374055b93  
**SHA1:** 87bc7d80e618d023de04a942c4bcf78a0f63ef94  
**SHA256:** c4fc820510883428e8b7f8cc620917ad024a053406fc8e06a1f5d291e7cb8277  
**Referenced In Project/Scope:** CoWorkInstaller

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: remotegui.jar: controllers.js

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/modules/reporterror/js/controllers.js  
**MD5:** f0eae135a9846e9583286cd7e26e16c1  
**SHA1:** 2ebb1635a8de2bf5a5b733d22be21e702b12b72c  
**SHA256:** 03bece9cc5a2def46cb9af89cf57416e825bc861f4bef8e388418e2e2f7fd2fe  
**Referenced In Project/Scope:** CoWorkInstaller

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: remotegui.jar: controllers.js

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/modules/signup/js/controllers.js  
**MD5:** 258465212e0911f69571bb053df33a43  
**SHA1:** 91a7f8521507ac4c7f3694cf5dd955417828e559  
**SHA256:** f3cd796047cab32758bcd5425fddda63249ccf268422094f9bafb9183d52a13b  
**Referenced In Project/Scope:** CoWorkInstaller

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## remotegui.zip: remotegui.jar: controllers.js

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/modules/signupbasic/js/controllers.js

**MD5:** 17128560e8941aedb7e852204f4a179f

**SHA1:** bafe38ec75526c6f24a08468efcb54b174af8a12

**SHA256:** c86e24d128397562391debe2cda9c5a59382ed887ce040fdd950fba13307b093

**Referenced In Project/Scope:** CoWorkInstaller

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## remotegui.zip: remotegui.jar: controllers.js

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/modules/start/js/controllers.js

**MD5:** 3451d3dc4466d917bdaaeca802ffedae

**SHA1:** cf35aaaad9461c21764024842d788d1ffdd36bd

**SHA256:** 81ee322dec22a872c1c1b2cbdeb032036fb825c53bb8d0fee0270318ed49dae1

**Referenced In Project/Scope:** CoWorkInstaller

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## remotegui.zip: remotegui.jar: currencyNumber.directive.js

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/number/currencyNumber.directive.js

**MD5:** baae690d1879d5770a785db43c416078

**SHA1:** 6652a3fc50dbfeff6d2c3ba5d163b6198d48952a

**SHA256:** c6cf472a9ba060122120b728e7f034a46b42e3b035ef56144ff482bfe5092cf4

**Referenced In Project/Scope:** CoWorkInstaller

### Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## remotegui.zip: remotegui.jar: currencyValidator.directive.js

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/number/currencyValidator.directive.js

**MD5:** 73a660a1b69b3c877a80104908dcd0fe

**SHA1:** f452a6e6a90eafec046f8364e92e8991639fc0e3

**SHA256:** a54b14192bdf0b13eb46a513c0de90d2217df002a87b69faff4a97a2b438e78a

**Referenced In Project/Scope:** CoWorkInstaller

### Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## remotegui.zip: remotegui.jar: customEmojiUploadConfigItemRenderer.directive.js

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/emoji/customEmojiUploadConfigItemRenderer.directive.js

**MD5:** 614bca272bedcbaa6f867d223c67ca6b

**SHA1:** 158169ab1d6de578cf3d3157b44fc5568a0dff9d

**SHA256:** 38d245ad840d4d01acece7fb531bfaf683e40367b70e1965761df25378601795

**Referenced In Project/Scope:** CoWorkInstaller

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## remotegui.zip: remotegui.jar: customEmojiUploadConfigRenderer.directive.js

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/emoji/customEmojiUploadConfigRenderer.directive.js

**MD5:** 646c45383035b8a172b1e3cea4462065

**SHA1:** ccd25b4652f738ffd5db41da6f2c01b9bf2e8fdc

**SHA256:** 366ac5823f773c9420495a3f7cceb31703515e7840963340d9b088a9a280b8c

**Referenced In Project/Scope:** CoWorkInstaller

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## remotegui.zip: remotegui.jar: customemojiupload.js

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/emoji/customemojiupload.js  
**MD5:** 5ab9bc583256cb4bf16a2ed2611a694c  
**SHA1:** 8aa95d9a6f7aa446ca449dd06a22ec766e011c3e  
**SHA256:** 10c1b4c00e9ea48d9216001bfde435ad3d978dc7924328afcde5985e31cc5052  
**Referenced In Project/Scope:** CoWorkInstaller

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: remotegui.jar: dataservice.js

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/kytos/services/dataservice.js  
**MD5:** 831c4f71487c15cf96acac1c5e62dba4  
**SHA1:** 7ee282e9b09d9e8a5cc2167ca823c4cee77b0672  
**SHA256:** 9b6c1f04ab5000c9df3aac6d746397efa951e14e132c2f524bd8bb67b29eefed  
**Referenced In Project/Scope:** CoWorkInstaller

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: remotegui.jar: dataservice.service.js

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/dataservice.service.js  
**MD5:** 8113ec4651f3e49d30aa2b19b870211e  
**SHA1:** be3f9fe2f52163656934cbe37e014d0deda5a7ce  
**SHA256:** 129bd8006fb76601213a89a84686e13ccc5d8a3cfad5ce61d4d6a6120127e868  
**Referenced In Project/Scope:** CoWorkInstaller

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## remotegui.zip: remotegui.jar: datepicker-de.js

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/lib/jquery/i18n/datepicker-de.js

**MD5:** 797fabcb912b0290ab3e259ffab24855

**SHA1:** 46bdb9bae4acf4a0f014121d0f9eaf2d5c15cc63

**SHA256:** 1bd259fc9bb5d2965296710ef6ea072f59c2ad669173e47958f672d0ee98de1f

**Referenced In Project/Scope:** CoWorkInstaller

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## remotegui.zip: remotegui.jar: debug.directive.js

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/components/debug.directive.js

**MD5:** af5e64405e9df914078db9c21e2d6cd2

**SHA1:** 9daecb829ec4ef49f5ff9415f03c1130b97cdfa9

**SHA256:** 7e8f60d4320fb77c329b93858e2cb2435b756cc939395dcb0259f9324667cb25

**Referenced In Project/Scope:** CoWorkInstaller

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## remotegui.zip: remotegui.jar: dialogservice.service.js

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/dialogservice.service.js

**MD5:** e63e5787e78517515c545ae644786f88

**SHA1:** 88691106334ac503cbaab986eedfd6807f55f57f

**SHA256:** e5a253388ac6fad6a7b08237a09f561272016481509c850d540f7e9834ed8c82

**Referenced In Project/Scope:** CoWorkInstaller

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## remotegui.zip: remotegui.jar: directives.js

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/components/directives.js

**MD5:** 19f28ec5f19f91bee0b1c9e74e173dc1

**SHA1:** 8f3d5294a051eabba98d8b9ceada4b2411210e58

**SHA256:** 0543ab08833d1e44de5f6c23d230703cea6ad2cb637577549e308d185afea1fb

**Referenced In Project/Scope:** CoWorkInstaller

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None



### remotegui.zip: remotegui.jar: dropdown.directive.js

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/dropdown.directive.js

**MD5:** 34a62e5850a9c548493cfacae2971677

**SHA1:** 72304276999b43f29dd0ba3cd13829e7208c6d65

**SHA256:** 575b84426322c7c3724e5aac3bdacee5d92bcd2ddaecb017ff9bad91e1a714b9

**Referenced In Project/Scope:** CoWorkInstaller

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: remotegui.jar: emojiModel.service.js

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/emoji/emojiModel.service.js

**MD5:** 38564647d31b6797536db5765411e4ed

**SHA1:** 48fd70c8edf0adcf125823e861e4a139a381cbcf

**SHA256:** d22736cdec4e2e645ac67859b8dd33c6af37c304f60a2d1da1d4faefb33f087e

**Referenced In Project/Scope:** CoWorkInstaller

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: remotegui.jar: emojiselector.directive.js

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/emoji/emojiselector.directive.js  
**MD5:** cf4481407a72642bb8f659e8b1811a6d  
**SHA1:** f5b4d06097e39d132c2e341005a5f37945e6d25b  
**SHA256:** c9b023b87ba265d2fbc5af9dfaf4d739f2a5445ba1368d9fdf02f7cc0e07e307  
**Referenced In Project/Scope:** CoWorkInstaller

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: remotegui.jar: env.js

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/kytos/services/env.js  
**MD5:** d3470538188ec965e3e691b4fe8247d3  
**SHA1:** 5fc08f2ab3f8edea3f99db9b0a066f8d812f490a  
**SHA256:** 78299ecf92ecbcc8233e82709d2f47bd2c170d8a1ccc33b317a2e9a28871531f  
**Referenced In Project/Scope:** CoWorkInstaller

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: remotegui.jar: errorservice.js

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/kytos/services/errorservice.js  
**MD5:** 0b417819bafb4ba2ef637d2d33b359ac  
**SHA1:** 37a9a05422c4eb6fc45036a72bf41d62babc6eb9  
**SHA256:** cfe3685d68219b63688e6e91b225435695b1dc71abb6aea96082582decf0fa4f  
**Referenced In Project/Scope:** CoWorkInstaller

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## remotegui.zip: remotegui.jar: errorservice.service.js

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/errorservice.service.js

**MD5:** 0edeed6a24431bed40385eb6e6059a00

**SHA1:** 921f20422186b485ff13cd9199c290c458c46526

**SHA256:** 4b37ee559eeb7dca19907921ec4ed9880814fbed40ffb7e33824a05d47eb535c

**Referenced In Project/Scope:** CoWorkInstaller

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## remotegui.zip: remotegui.jar: eventemitter.js

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/kytos/services/eventemitter.js

**MD5:** 056790045377b9704e338b535f5371fa

**SHA1:** ed7ba1691b0bd3078ff84b201474126b3bf55e00

**SHA256:** f9a1efaafc842fe32d20f2060068275d707417f4c7462de8daf2f0585dcd117b

**Referenced In Project/Scope:** CoWorkInstaller

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## remotegui.zip: remotegui.jar: filechooser.service.js

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/filechooser.service.js

**MD5:** 0951390d90f4a7f0ff08beba7f18c2ef

**SHA1:** b51a32ae72caa993b880af1629f1bcd351d4556b

**SHA256:** f6a1ab61dc3641480a9c05791f6e98bf3e14dc9901cf018d03c30857e4ec1bcc

**Referenced In Project/Scope:** CoWorkInstaller

### Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## remotegui.zip: remotegui.jar: filechooserservice.js

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/kytos/services/filechooserservice.js

**MD5:** e81bf6e741ffb26878591b3e481eda1d

**SHA1:** 8ac847dfe8b64f26e890f7a03e2cacc2cbd38c5b

**SHA256:** dccb91f52258acbd53c4902c236597c33687542ee00c82a72be1a9c5252daa3c

**Referenced In Project/Scope:** CoWorkInstaller

### Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

### remotegui.zip: remotegui.jar: fixNumber.directive.js

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/number/fixNumber.directive.js

**MD5:** 4012901ce3b8c0dd2c30de58b4010f93

**SHA1:** 2f74672bcb93cbc5a5ad537ab900e5ea2993244c

**SHA256:** df68e84e582a52b12400fdbcf1ef79d935013e189579795a435a6ed8055573c35

**Referenced In Project/Scope:** CoWorkInstaller

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: remotegui.jar: fixNumberValidator.directive.js

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/number/fixNumberValidator.directive.js

**MD5:** cd63efa13934af29deb8ebaa34d99d16

**SHA1:** 6b6c6bb19f785f4cddf2aced9381c3578a3213f5

**SHA256:** 8d6e9515be7e1db5f56dfe91a1e96c91b8ca536f4ffdc31614a30a5a7e7dad88

**Referenced In Project/Scope:** CoWorkInstaller

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: remotegui.jar: floatNumber.directive.js

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/number/floatNumber.directive.js  
**MD5:** 0b5378d3a8d7f79543eefb43bd125bcb  
**SHA1:** 0c50d5b03526ee6a4b5ecafca50e139183e64bf6  
**SHA256:** e1e487d744826c96b46a8e946a32892ee07520f3f29e421d243df51291f729f6  
**Referenced In Project/Scope:** CoWorkInstaller

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: remotegui.jar: floatNumberValidator.directive.js

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/number/floatNumberValidator.directive.js  
**MD5:** cf0422e6f9e9d1503247ff475d10d3d2  
**SHA1:** c0d2a9c1ba8905a8853b7880e484fd2546bd91cc  
**SHA256:** f64676d8ca0e5be8cdbcde1658d71f18608ae7229a43e8076139ddf5d7f15  
**Referenced In Project/Scope:** CoWorkInstaller

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: remotegui.jar: globalactionservice.service.js

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/globalactionservice.service.js  
**MD5:** 6d4f2194f51d48cc3b21f9526f7fee57  
**SHA1:** 30f480f24b629a9dd3a93fe04dca7eb04a20b677  
**SHA256:** 8c1f6dd7a7ecd6472d75748edd38d98783b20e103c898220b2e3b25f4090f6a2  
**Referenced In Project/Scope:** CoWorkInstaller

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## remotegui.zip: remotegui.jar: guid.js

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/kytos/guid.js

**MD5:** efe9abb6d7be1e4185b69d4c4b3bf31d

**SHA1:** 760987f1cb1537a0f717d985537da6c01ddd4577

**SHA256:** d734566d2b0d9d89e73cc0c2ad503d73141ef79a99c75139d5fbc207a6663394

**Referenced In Project/Scope:** CoWorkInstaller

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## remotegui.zip: remotegui.jar: hdField.directive.js

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/components/hdField.directive.js

**MD5:** a693a2774b78373202304d2d9d5ac06f

**SHA1:** ea7b76c396bb2753deedc6663998c77f32aa201e

**SHA256:** 31226a6c2b7a11867fd336efe0597a8facb11ea21a28f1911be1807430d2ac4f

**Referenced In Project/Scope:** CoWorkInstaller

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## remotegui.zip: remotegui.jar: hdMandatory.directive.js

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/components/hdMandatory.directive.js

**MD5:** 5ebb609350c6d0ae645e8ac20cbb32b9

**SHA1:** 15bb7b61dcc2a479beee7e0162796788565fafc4

**SHA256:** 593ebe1d558142ea9e12a998fba8034c5539267794d3f1ae01fa61cc30103e2d

**Referenced In Project/Scope:** CoWorkInstaller

### Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## remotegui.zip: remotegui.jar: hdNeedchange.directive.js

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/components/hdNeedchange.directive.js

**MD5:** c3abe040e55d2f09b03b6ff4a839b795

**SHA1:** 4ba516326ef10cdbac82bfeca2ef5a82122c27b9

**SHA256:** 49e8d8b1fe5a2d491a81412531fe794b9b32ccad6536f9b06041e7931f83a8b

**Referenced In Project/Scope:** CoWorkInstaller

### Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None



### remotegui.zip: remotegui.jar: hdValidate.directive.js

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/components/hdValidate.directive.js

**MD5:** e6e8c3e26ad3be54df16ec1bb887bb70

**SHA1:** 4b1e88e7eed9dade1052f00086c2c09f18a0be32

**SHA256:** 18040f9661212ce2406d973b0431fd3c320033bd4d6b931db124aeca515873f1

**Referenced In Project/Scope:** CoWorkInstaller

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: remotegui.jar: hdattachment.js

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/components/hdattachment.js

**MD5:** 16e85502191f7fe25433de5ad6c746f9

**SHA1:** 712909937e6a4ad47396146d4e79e4a3dd0b32e4

**SHA256:** b59d7f8b2225790fa30812d87d012f6668ecf1ce2d3a0cba04d987812ad2cd4b

**Referenced In Project/Scope:** CoWorkInstaller

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: remotegui.jar: hdfileupload.js

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular

/weblib/inet/js/components/hdfileupload.js

**MD5:** 75a66761b717a6997b593736a3636c7f

**SHA1:** c7dcef33b520474109257a31e81c13967de4fd70

**SHA256:** 1e85e4d3ca53baf4a8da1008aaaf7bf0b048d078a08e8bae3fa8628804dbe5b4

**Referenced In Project/Scope:** CoWorkInstaller

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: remotegui.jar: helpservice.js

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/kytos/services/helpservice.js

**MD5:** 8c62a54227757b01b0f60d7ca811a270

**SHA1:** 963edb75fa6682082979958c1f0b667d530c84dd

**SHA256:** 334ef438ffce3ca6d6449195516553d5d55ddc8d37d8de6eea8780fc710c399f

**Referenced In Project/Scope:** CoWorkInstaller

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: remotegui.jar: hsimp.min.js

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/modules/hsimp/js/hsimp.min.js

**MD5:** 31da02c3356fe92d686f09c9e9a2d3b5

**SHA1:** 77c9d1aae30a77bb4f4ff1015d9886a9fb2bad93

**SHA256:** 44cdb7ca377e6793dac301775332a628e89b3624b6330964a9e2592d1f5b0389

**Referenced In Project/Scope:** CoWorkInstaller

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: remotegui.jar: hsimp.renderer.js

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/modules/hsimp/js/hsimp.renderer.js

**MD5:** 5f06f676ed65e93315ba629f480077b0

**SHA1:** 213a052ff56e4e0cce58b108a93995300b7f21b7

**SHA256:**a6741fb1ac97dd1d59dcfb635c018a4fc51ee6bcbecf8f0928fb76019cf3658

**Referenced In Project/Scope:** CoWorkInstaller

#### Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: remotegui.jar: html5modeurls.js

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/template/js/html5modeurls.js

**MD5:** 784c54f58e8351e6821785bdeaa852fd

**SHA1:** 945f8e892ff235c347b61d726cbca71c51cfa0ec

**SHA256:**3cb5e8d76193fd52fe4672a8510546b527e84df68876952b6965e146d816f97a

**Referenced In Project/Scope:** CoWorkInstaller

#### Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: remotegui.jar: htmleditor.directive.js

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/components/htmleditor.directive.js

**MD5:** 9b354c78a1bd6c6befaf75765c135f0e

**SHA1:** 3c0a48d4c88f0e1eb09f1c6394fd9eec567189fc

**SHA256:** 7cc59de18936d632936a198c0092d60e1bc1170ca24aa72b2c72ac96075c73e6

**Referenced In Project/Scope:** CoWorkInstaller

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: remotegui.jar: htmleditorFactory.service.js

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/components/htmleditorFactory.service.js

**MD5:** ae7cf9f1949727b0b0abbe02d00322a3

**SHA1:** 8f6ca76d2a1d16c23d015e5fc99c0b5eba633ca0

**SHA256:** ada0a0081829c6575f5107ad1f2b857976454e420b33fb4e11caa971d23243b9

**Referenced In Project/Scope:** CoWorkInstaller

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

## remotegui.zip: remotegui.jar: htmleditorModel.service.js

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/components/htmleditorModel.service.js

**MD5:** 5065e5c03040fe00e77e7c35c9491459

**SHA1:** a07cd621341d26b6a8af98193dad1b028e518a16

**SHA256:** e4eb54f0aa3b0f5e3b015668ac05a9410b2fe4e2af0f796f3b9a9c1dc68de3e1

**Referenced In Project/Scope:** CoWorkInstaller

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## remotegui.zip: remotegui.jar: icons.js

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/lib/customhugerte/icons/inet/icons.js

**MD5:** 81ce9691eda2df21f0904f09079b80e7

**SHA1:** b4a46ece9a2ab75c6aa0753ca006bc8b01d0169d

**SHA256:** 870a4c211fd913aeee81fddc05c555949806ad233f9bdd1e5151b3b20a370fbc

**Referenced In Project/Scope:** CoWorkInstaller

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## remotegui.zip: remotegui.jar: indexed-db.js

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/indexed-db.js

**MD5:** 8e18eb72cdab27b9f50d8be736fb5d3a

**SHA1:** 9a0e5e9098ca6fb8c1ff37a52cd41493b9c5b765  
**SHA256:** 8a7b578a09e75c8abf3b5c7796a3a9fdd812f0e1fe1b9cb2dde13c8ca4dec439  
**Referenced In Project/Scope:** CoWorkInstaller

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: remotegui.jar: initUsernameField.directive.js

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/template/js/initUsernameField.directive.js  
**MD5:** f3f6879a5d27234809f195e8361367fb  
**SHA1:** 24d20461bd9e38654b9feb17b07291ac539c186b  
**SHA256:** ce03423bc27bf8ae5f2a0ee43236549dedb25ae612839b3e645bc11849b5113f  
**Referenced In Project/Scope:** CoWorkInstaller

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: remotegui.jar: introduction.js

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/introduction.js  
**MD5:** 89901332f1495e0cd0ee5b86914cedb1  
**SHA1:** 35a849463bb5de9d8fc94de631c5641743d37abf  
**SHA256:** afee3a22ebd23a8eac80d546a023e642c33409bc80ed5340e4372fc91cc30360  
**Referenced In Project/Scope:** CoWorkInstaller

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## remotegui.zip: remotegui.jar: jquery.fileupload.js

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/components/jquery.fileupload.js  
**MD5:** 240236292f36eca6c17aeac05fd73d61  
**SHA1:** fac06f570617460bbc6f377136ee040bebad8828  
**SHA256:**16d6dd6c899f13098e81e50b8f75ef74df0da97ed95cd2759933a13d53dc876b  
**Referenced In Project/Scope:** CoWorkInstaller

### Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## remotegui.zip: remotegui.jar: keyservice.service.js

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/keyservice.service.js  
**MD5:** 727389b3179d690a641cface06314aba  
**SHA1:** 5d3a862aea87e3c8614cefdef4cfda9ebf521b73  
**SHA256:**a742b2d483cff1e82b6f1f2b09da02440addd6f44b2c6ba276f297c4a1c9cded  
**Referenced In Project/Scope:** CoWorkInstaller

### Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

### remotegui.zip: remotegui.jar: kytos-attribute.js

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/kytos/kytos-attribute.js

**MD5:** b316e4d0abe73690ed98456d76ae06fa

**SHA1:** 28e3b9464a101831d730e07b2d4d8756a0084f38

**SHA256:**cbaa2255f94654bbb15abd4d9019be925e1101b61625d807a942c6db7c6cd345

**Referenced In Project/Scope:** CoWorkInstaller

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: remotegui.jar: kytos-data.js

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/kytos/attributes/kytos-data.js

**MD5:** 9cd939b4d214a138e1f6912d8ff4a625

**SHA1:** 3ce6b8657f6c40ef854f538bb8dcaae5b213ff34

**SHA256:**9a1f40e1dd80682da2c5444d0e9d39f5bf5aba82768a35df3d8d36a8f27eb1ef

**Referenced In Project/Scope:** CoWorkInstaller

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: remotegui.jar: kytos-draggable-listitem.js



**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/kytos/attributes/kytos-draggable-listitem.js  
**MD5:** a75a0af0bc928e958f927fd6a0b54848  
**SHA1:** 597d004880e28553c8f46912b320d935b17efcf6  
**SHA256:** 2e97d801e932e8190d02ca979fbae6513a05dd5ee38bdbae34477d4477922ef5  
**Referenced In Project/Scope:** CoWorkInstaller

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: remotegui.jar: kytos-dropdown.js

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/kytos/components/kytos-dropdown.js  
**MD5:** 399d75675c7cfc2168a5176562856e98  
**SHA1:** f802a4b741cdaf6e45cae7d4bcc55d95bea72fbe  
**SHA256:** 4e9fa914f8e01060c947264ce4fe944cd4e7cda07e2e537306b0dcd2644ce727  
**Referenced In Project/Scope:** CoWorkInstaller

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: remotegui.jar: kytos-element.js

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/kytos/kytos-element.js  
**MD5:** dcd2cb6e2f1f2a64b198c0d46c210144

**SHA1:** abf7062312f615c2d671cef520bcfb55c4ed1e34

**SHA256:** 7f03a6a4cf815363f8a07d16ecc6fd290a6c21a4578c4337f2f695c9449aafe2

**Referenced In Project/Scope:** CoWorkInstaller

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: remotegui.jar: kytos-i18n-placeholder.js

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/kytos/attributes/kytos-i18n-placeholder.js

**MD5:** 1ecbf85231e6df5bff93793f9da0dbf9

**SHA1:** 75494133b8f634d822291571901a5109829747bd

**SHA256:** 85ca7c13eb0480386706977d017135d56243acec9744a44caf2bd714cedecbed

**Referenced In Project/Scope:** CoWorkInstaller

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: remotegui.jar: kytos-i18n-title.js

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/kytos/attributes/kytos-i18n-title.js

**MD5:** 4f13ffa1afc6de1e18753b8ff571eb11

**SHA1:** f2800872e2e0e70ffe69f2ceaec407dc2dc15102

**SHA256:** ca4a0fe0850986808fb897b6e2e408010bd743cb6f98a49eeb137f42d8b40ecc

**Referenced In Project/Scope:** CoWorkInstaller


#### Evidence



Type	Source	Name	Value	Confidence
Identifiers				
• None				

remotegui.zip: remotegui.jar: kytos-i18n.js


**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/kytos/attributes/kytos-i18n.js  
**MD5:** eef1960599366e9ff7c002476339991e  
**SHA1:** 098c48087ecf44e0084693623b2bbbf9609c115  
**SHA256:**a320b34e638aafd53882cf205a1b811e73157023e017ef40744c3e5b640a409f  
**Referenced In Project/Scope:** CoWorkInstaller

Evidence 				
Type	Source	Name	Value	Confidence

Identifiers				
• None				

remotegui.zip: remotegui.jar: kytos-on.js

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/kytos/attributes/kytos-on.js  
**MD5:** 364260b48161e2fdf989c4f88540ddbe  
**SHA1:** aa0924659733d3b10152b3d3ef9bb6173294b06a  
**SHA256:**4bebd05c257fd988b34b94c75e5c90705eccc9021616c6b65a0b7d667fa67966  
**Referenced In Project/Scope:** CoWorkInstaller

Evidence 				
Type	Source	Name	Value	Confidence

Identifiers				
-------------	--	--	--	--

- None

### remotegui.zip: remotegui.jar: kytos-repeat.js

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/kytos/kytos-repeat.js

**MD5:** 941373d2347b53b9ccfd523581e5458b

**SHA1:** 3a6cc55704f1aca5b7c24b7fb920e1b7e9f479d1

**SHA256:**2502c60afa9ca7e4c6634e014326acd7d3d73dd4b8b308a95df655c861dd9319

**Referenced In Project/Scope:** CoWorkInstaller

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: remotegui.jar: kytos-src.js

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/kytos/attributes/kytos-src.js

**MD5:** 09f25c077e3e3974fcf58c68fcca7200

**SHA1:** 609da5e117dce86a60ee4f330ca7ff224f876d84

**SHA256:**3d4758eb630910a186ecea7d5643aaa5414a504dd2a907bb844d4b9c13d39851

**Referenced In Project/Scope:** CoWorkInstaller

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: remotegui.jar: kytos.js

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/kytos/kytos.js  
**MD5:** e66d46766a2db4cdb2d0cc59b5fa76c0  
**SHA1:** a5068f4162e7252d78e66238fe220ee2ba58fe3a  
**SHA256:** 2ba2d0c8e3972158adec5d74212800741bc618d16e16f70b116d6c428f7e67b6  
**Referenced In Project/Scope:** CoWorkInstaller

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: remotegui.jar: localfilesystem.service.js

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/localfilesystem.service.js  
**MD5:** 277d95afddcd590e0d141b2d577b5e62  
**SHA1:** 20bcb984e60bdb0a2939939f52951e728a4f0af7  
**SHA256:** 07ed33c8a8d0f7931367e1c0138049de8105adefde3fa138dd50e4c7a31f8aae  
**Referenced In Project/Scope:** CoWorkInstaller

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: remotegui.jar: locationservice.service.js

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/locationservice.service.js  
**MD5:** 5992d3f32d30e25a9fb8adc39170d746

**SHA1:** af263303a961373e5cb23538f78f544287b59966  
**SHA256:**80c831cef5c54e7ef0abe9b80d7db7b906053c3fed584770b2e9895e92f27794  
**Referenced In Project/Scope:** CoWorkInstaller

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: remotegui.jar: modal.directive.js

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/modal.directive.js  
**MD5:** 8b4f5159c55d2de4f772c61b5bf7dcc3  
**SHA1:** 6d4df793d2fbad75c24f62e005eefa9ed62954cb  
**SHA256:**2a5553a5186b68c5f299d2e1f274ba754bf9af25bcea981725d472dd762d9e42  
**Referenced In Project/Scope:** CoWorkInstaller

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: remotegui.jar: modalservice.js

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/kytos/services/modalservice.js  
**MD5:** d5a34e3b4e346e244ade828e5b4e59fa  
**SHA1:** c2e316146f63d9f04980454cf074d8aefedbd5bf  
**SHA256:**ee2dde64ff7f11c67173be36fa517cdad951c032d170a1c1879e0226ca04f6a  
**Referenced In Project/Scope:** CoWorkInstaller

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## remotegui.zip: remotegui.jar: modalservice.service.js

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/modalservice.service.js  
**MD5:** 1a551ec66dae8370a3470b0f9fd72467  
**SHA1:** cc24ed601df4528c7ab569c8a67b0782f224c695  
**SHA256:**c88cfc6dda9f889ded182a3dc4cba434998762b267c2c984471896ec26e80fa4  
**Referenced In Project/Scope:** CoWorkInstaller

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## remotegui.zip: remotegui.jar: moduledragdrop.js

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/moduledragdrop.js  
**MD5:** 3958a1734972672ba1c124b1ed886668  
**SHA1:** 4eb0ba0abaf32269baf7023edcaf12cc623783d3  
**SHA256:**10d5980e1ab5d292009b20fd37d4d53367a0f76a55bd04b545074ece66d20a25  
**Referenced In Project/Scope:** CoWorkInstaller

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

#### remotegui.zip: remotegui.jar: navtaboverflow.directive.js

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/components/navtaboverflow.directive.js

**MD5:** 0ce7f7b7b6a5a148404b16e1962caf60

**SHA1:** 8ef17d2fe2fe1832fa5c49d6d65b6ef5fb1b7bdf

**SHA256:** b3557a1661a5cb1508bb1654d46bf5938bacaad8b4dcce03cf86d729793bd47e

**Referenced In Project/Scope:** CoWorkInstaller

##### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

##### Identifiers

- None

#### remotegui.zip: remotegui.jar: ng-hugerte.js

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/lib/ng-hugerte/ng-hugerte.js

**MD5:** f3e009963ba5778bff59c8e4ab5232c0

**SHA1:** e06306434c0debecd6e9a1e205e50b7f44afa51c

**SHA256:** 75a28c7c67022de0cb9c4da55dbf75d6ff6a2580a693498275987d58e8cd31a4

**Referenced In Project/Scope:** CoWorkInstaller

##### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

##### Identifiers

- None

#### remotegui.zip: remotegui.jar: ng-i18n.js



**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/ng-i18n.js  
**MD5:** f70ed5b4b0d12a1df931521a5bfd4d55  
**SHA1:** 2f141a8d67bb4381b248e0292c2b566eb17d6ea8  
**SHA256:**f8c9dd393e16101f533ed78c9c7d84eb60aeadd228f3573950b0930221c6425f  
**Referenced In Project/Scope:** CoWorkInstaller

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: remotegui.jar: number-util.js

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/kytos/services/number-util.js  
**MD5:** 05d0f35b5c89efea5c77f9775cd6bedc  
**SHA1:** 5f3fee5a2e389e76bb0d161c9d01b2d1aff9d5d2  
**SHA256:**e14c43e61d7a5c8afb3c41ac057e3c49b408ef29b84bb1d4a00e43554bb51af6  
**Referenced In Project/Scope:** CoWorkInstaller

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: remotegui.jar: numberUtil.js

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/number/numberUtil.js  
**MD5:** fc50f41d150aa956d3405cf5538d0ef8

**SHA1:** 36dd5feae806c1dff8a67fd8ae4c4b4ac8d590b1  
**SHA256:** 0a6ba6dc2719ab3741995db471ebc7e94594f837227eaad277bec79785ff9eb5  
**Referenced In Project/Scope:** CoWorkInstaller

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: remotegui.jar: numberValidatorUtil.factory.js

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/number/numberValidatorUtil.factory.js  
**MD5:** 5cfcc7ddeb5ee5abe9b657cb4c4aad1b  
**SHA1:** 3e1befb49a7e3de749bbf7c11db74fad428ac1a0  
**SHA256:** b098b08a665832d5ec3cc30a813f3ac471cc62b9f9362125b8fbc879d5d6be66  
**Referenced In Project/Scope:** CoWorkInstaller

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: remotegui.jar: ocLazyLoad.jsloader.js

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/ocLazyLoad.jsloader.js  
**MD5:** 6efc2b278388ff3b8fd01d214f68de95  
**SHA1:** 1d366d752be481f2502ad6e928bf443dc1bbc11e  
**SHA256:** 7c22d04e3e40f316fe62e2df4c73ffe9ca1fc552117386466972ad8a524b4154  
**Referenced In Project/Scope:** CoWorkInstaller

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## remotegui.zip: remotegui.jar: ocLazyLoad.min.js

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/ocLazyLoad.min.js  
**MD5:** f2d4908265b909369078aed0cfafffa3  
**SHA1:** 2d19edef03246ca520c6b3d658e75fad0d791695  
**SHA256:**a5f7c8f4292aba0f63174bbb86fef9e919d97ed72f80857e83065c66ddbcb5a4  
**Referenced In Project/Scope:** CoWorkInstaller

### Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## remotegui.zip: remotegui.jar: pageablenavbaractiondropdown.directive.js

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/template/js/pageablenavbaractiondropdown.directive.js  
**MD5:** 565f00db04cd686810eba88334ccb7ef  
**SHA1:** fc89397e87e0efb5da1dfbcf3d1f17261ddda0bc  
**SHA256:**a3e39ab34d61e335c68b31db9411d85869b5edabffbd58cf13cd8bd89ef36c66  
**Referenced In Project/Scope:** CoWorkInstaller

### Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

#### remotegui.zip: remotegui.jar: paged.filter.js

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/components/paged.filter.js

**MD5:** 620885e608d87c0af2184057fa716019

**SHA1:** 99aab6b764bd796a4fad0b23da057c07f0a173bd

**SHA256:** 7838a62ddb112a36d3f6b3ca85606aa02bc913e5551e40a1d37a2a7411f67c88

**Referenced In Project/Scope:** CoWorkInstaller

##### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

##### Identifiers

- None

#### remotegui.zip: remotegui.jar: pagination.directive.js

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/components/pagination.directive.js

**MD5:** 9072dd128b777cbe8c9a3f5cff6d1ffc

**SHA1:** 9aff2deccd8bd06b84530f2759b5d3708496680c

**SHA256:** fe2e2a1a9bd791563352ef8b3350fc0bde4b50ae191a675e4a0fb5d592389778

**Referenced In Project/Scope:** CoWorkInstaller

##### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

##### Identifiers

- None

#### remotegui.zip: remotegui.jar: piechart.directive.js

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/components/piechart.directive.js  
**MD5:** 57b1a6b4c82b90c7ae6728361bfd83aa  
**SHA1:** c4010db7bf32f2263f721e7d0642b0e4e99b7e2c  
**SHA256:** 514ec005ce503ed102e409c830b71a04afda4dec41d04cf23e4a80f6e1def184  
**Referenced In Project/Scope:** CoWorkInstaller

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: remotegui.jar: popover.js

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/popover.js  
**MD5:** 24e950e89aace08f1aaa17fd06bb396c  
**SHA1:** 1b794fe5f9c1c3015159425162f6b3b167ff1665  
**SHA256:** 4deeedf673d7fc514627d7ebca5d4595a76c7d11d9cf3bdeb720dd6f663666c6  
**Referenced In Project/Scope:** CoWorkInstaller

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: remotegui.jar: pwa-service-worker.js

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/pwa/pwa-service-worker.js  
**MD5:** 95a33b245d3237810fe50090f6719728

**SHA1:** 1092e1c782d256a86ba9034dfc86b2af50d31117  
**SHA256:** 933121280fca1f5ea88c243ffecbf998a62fdc3b62b5ca70875a990c18c9edd  
**Referenced In Project/Scope:** CoWorkInstaller

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: remotegui.jar: pwa.js

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/pwa/pwa.js  
**MD5:** d5f6fdc8eb151d3a71ca5eefe74f6dd9  
**SHA1:** e7e28c16da057e3d23295da872a11d99239f67cb  
**SHA256:** cd0a4ccc24239ef74ccf067d2eac8ac8989524fc41b0e7ce4946295f92a75b72  
**Referenced In Project/Scope:** CoWorkInstaller

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: remotegui.jar: qrcode.min.js

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/modules/reporterror/js/qrcode.min.js  
**MD5:** 4b36f8e71a871112384d908a90471a76  
**SHA1:** f103f61ed24f3dd86bbee1aecb91ad4ff0a15282  
**SHA256:** 6afbe1ebc2ba9b4bb0833f9f55c4eb80edb582903ea9611a9be49633a7aa3b09  
**Referenced In Project/Scope:** CoWorkInstaller

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## remotegui.zip: remotegui.jar: rangeSlider.directive.js

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/rangeSlider.directive.js  
**MD5:** 8f0195ad048023303ca75052988a2958  
**SHA1:** f30f14dce0300f317db5ad815d452dccf20c6726  
**SHA256:**20efc1b10baaf76c2d287f1553ab7650017d266804f3c8859c8abbfd89e3766f  
**Referenced In Project/Scope:** CoWorkInstaller

### Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## remotegui.zip: remotegui.jar: resizableDivider.js

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/resizableDivider.js  
**MD5:** 92155894052072c1b3585f3f378ed64c  
**SHA1:** 284e63d9a8d92f3227dabbba220ce81b406fd5f7  
**SHA256:**46db0e3c06217214be457419fa2e4a0df6dfbfa6424e163b2c9315162a9711a7  
**Referenced In Project/Scope:** CoWorkInstaller

### Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

#### remotegui.zip: remotegui.jar: scrollabledropdownmenu.directive.js

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/scrollabledropdownmenu.directive.js

**MD5:** 6ccf4fe00949b9ba0161679c557720b7

**SHA1:** ded14570028ed526c18dba9174881e0dd4c60ae3

**SHA256:** aea1486dfd6055925eaceaed65bbe26260cb5a9fa6bf17acfc4655308e34d1c

**Referenced In Project/Scope:** CoWorkInstaller

##### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

##### Identifiers

- None

#### remotegui.zip: remotegui.jar: search-input.js

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/kytos/components/search/search-input.js

**MD5:** cd41ac9c41117850b720610ad8539569

**SHA1:** f0c926311fa13b6183daa88938bf04f2cc8b6112

**SHA256:** be9df3569b1e1dea18e7163dfc9e0e319cceb4a9e88b2dd25f114a488f42504a

**Referenced In Project/Scope:** CoWorkInstaller

##### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

##### Identifiers

- None

#### remotegui.zip: remotegui.jar: search-panel.js



**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/search-panel.js  
**MD5:** 52b330560d2e9c15fa755adc6035b627  
**SHA1:** b389e4e2533e4a8b1ab5aab461ae0e9fd3b6f6fb  
**SHA256:** 8dec12408835bbb2e912eb560036eca82949cd6b842fcba0e2e9ca622886ebb3  
**Referenced In Project/Scope:** CoWorkInstaller

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: remotegui.jar: selectInput.directive.js

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/selectInput.directive.js  
**MD5:** 94814e3d56c2235cb31d6bc6ed5f92d7  
**SHA1:** 4619d613f58383a0bc148f0da510fdc6a4a32fee  
**SHA256:** 53afd5593d387bb8bb0730e2625220a66c60b62106d730f9177f84963ecda0e7  
**Referenced In Project/Scope:** CoWorkInstaller

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: remotegui.jar: settings-ui.js

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/kytos/components/settingsui/settings-ui.js  
**MD5:** 2b2db3e4097bef3d711f8ee3c430fc47

**SHA1:** 4cb79de267c32ddb49f339f2432f45d6b6a809e7  
**SHA256:**d3d046409f27e9ebbb37ff2aa42d26f9f954fda461d8618e24f410634de9565b  
**Referenced In Project/Scope:** CoWorkInstaller

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: remotegui.jar: shadowLogger.factory.js

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/shadowLogger.factory.js  
**MD5:** fa91436385b8994b55a7d310d63aae1b  
**SHA1:** 6dcf22bc7bc7561e394ab64f4cd68935378b77cb  
**SHA256:**99d32693c3484880d4e331ee348efbf9a6c37f657a63045a1f50ef3e8dd3d60c  
**Referenced In Project/Scope:** CoWorkInstaller

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: remotegui.jar: sidenavigation.js

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/sidenavigation.js  
**MD5:** 41e61e3b773bf6851e57056ebf4cbd3e  
**SHA1:** ccf7dd4e2a531856e99cc4865ae92a4ce80db8f4  
**SHA256:**ccf467b7d7629f106d0bf698be444ba56a7a1545c5118e5bdad132c177241323  
**Referenced In Project/Scope:** CoWorkInstaller

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## remotegui.zip: remotegui.jar: takeoutDataController.controller.js

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/takeout/js/takeoutDataController.controller.js  
**MD5:** 82d1cec699a839f96167893738956807  
**SHA1:** b0c88a87252c6c7c558b366e8f8c8b85179cd354  
**SHA256:**48b31ddf8b1f4607a020ba89e0cc44d41fa7d29e440224d794f494186a70d6  
**Referenced In Project/Scope:** CoWorkInstaller

### Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## remotegui.zip: remotegui.jar: takeoutDataFactory.factory.js

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/takeout/js/takeoutDataFactory.factory.js  
**MD5:** 4c2e4791571aa7c4beef1d13e162b700  
**SHA1:** 72b5880e8daf6c9ff20aa30132fe79c7f4868ca8  
**SHA256:**7cd1066a0db5c12af802b239d6d2b1d0afa29c5417460189ae5c22f5c6c3484e  
**Referenced In Project/Scope:** CoWorkInstaller

### Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

#### remotegui.zip: remotegui.jar: takeoutDataModel.service.js

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/takeout/js/takeoutDataModel.service.js

**MD5:** 6bcf8a37b4157e9c59412040d832b2e9

**SHA1:** 12b1e7fb37e1533e850a261eb24e5260e42368f8

**SHA256:** 9a256e7e32f5971e086b0aa0e02d74c9b128fa2b2700a957af0282d8a1387d72

**Referenced In Project/Scope:** CoWorkInstaller

##### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

##### Identifiers

- None

#### remotegui.zip: remotegui.jar: timeInput.directive.js

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/timeInput.directive.js

**MD5:** ba7319d83a3bcc33e0019d36fdfe0d9

**SHA1:** 019c707edf3c03914faea76cc116043f51a55ca2

**SHA256:** ae9ff67469f81911d87d69f7e89d7651b2517673b0a1538f04fb64076f5d0c70

**Referenced In Project/Scope:** CoWorkInstaller

##### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

##### Identifiers

- None

#### remotegui.zip: remotegui.jar: timeInputContainer.directive.js

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/timeInputContainer.directive.js  
**MD5:** fbc7a8c9f4e3a3cc38d7659d83a6c29e  
**SHA1:** 6b62e43062fdea0d9a6d7dc537e8be85787990a0  
**SHA256:** 13eb8eba0cfd94da346f8cd131a4f90c98261fd83473d80c6c4b98529dcb7e1c  
**Referenced In Project/Scope:** CoWorkInstaller

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: remotegui.jar: timeMeridiemContainer.directive.js

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/timeMeridiemContainer.directive.js  
**MD5:** e1458f3e6ea63204589509e5237f5c31  
**SHA1:** 0a3f9057c78f591a1bb4086e1910af248290e689  
**SHA256:** b9663e93c6051a50803d0425bf1da08bb6079b7eaedfbbb88f073880cd833088  
**Referenced In Project/Scope:** CoWorkInstaller

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: remotegui.jar: toastservice.js

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/kytos/services/toastservice.js  
**MD5:** c1e6d55ffb1832de666a82a5940d3481

**SHA1:** bdcef38fc0117a5abc6e2e81aaed372ce6b2a677  
**SHA256:** ebb72d1b0d2b92dafd57933bbf927401edafc083883983dbf984f175a3fbd023  
**Referenced In Project/Scope:** CoWorkInstaller

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: remotegui.jar: translate.js

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/translate.js  
**MD5:** 061e99802cbbcc1f551b74ad18d8f5e5  
**SHA1:** 941904c2d0237f7941cd16a088d3cf943a8628d7  
**SHA256:** eecc08ab9f22b266c4c1ca774958609372959797bcbc2ef9be0d68fbeac88ced  
**Referenced In Project/Scope:** CoWorkInstaller

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: remotegui.jar: ui-checkbox.js

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/kytos/components/settingsui/ui-checkbox.js  
**MD5:** fe6eee2b355801006196cc3b6c433ef4  
**SHA1:** 601688a4bedec2a507d81740ca8b1c5c1041ac03  
**SHA256:** 708b663a6753d0616c99aee1ef3227722e04d9b382ac4f24bbefc749546ebb8e  
**Referenced In Project/Scope:** CoWorkInstaller

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## remotegui.zip: remotegui.jar: ui-chooser-color.js

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/kytos/components/settingsui/ui-chooser-color.js  
**MD5:** b2a0520e28c04f5049d324eecc5012e2  
**SHA1:** bac3a8b733f5cf998ba4ab838610895f9dde77be  
**SHA256:**5e4bbfd9be0cd53fa1eafdc34568730e76841d6b77f5bfe2c2a323524ac1c4bd  
**Referenced In Project/Scope:** CoWorkInstaller

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## remotegui.zip: remotegui.jar: ui-chooser-file.js

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/kytos/components/settingsui/ui-chooser-file.js  
**MD5:** 5ace4b46de3be3dfec530a76b620dc02  
**SHA1:** aace44435ecdfe87d8182772d69039677ae3b9e0  
**SHA256:**470c920365c4c2159e112c3884b4d99cbd3d1bff6a71ede2564aae7c2479947a  
**Referenced In Project/Scope:** CoWorkInstaller

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

#### remotegui.zip: remotegui.jar: ui-group.js

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/kytos/components/settingsui/ui-group.js

**MD5:** fa782ef645795b1b86154ff18c554c1b

**SHA1:** 8dd9d0f296f696b6b503b51295b4c8a70cc40128

**SHA256:** 4ed1359b4df149ec8a635b2365332b05f79c875cf69fb895cfc5211526f9b7fe

**Referenced In Project/Scope:** CoWorkInstaller

##### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

##### Identifiers

- None

#### remotegui.zip: remotegui.jar: ui-input-multiline.js

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/kytos/components/settingsui/ui-input-multiline.js

**MD5:** dd1044f6ef8d326e07108810f6f547c8

**SHA1:** 732ba03356337c463fe58fc8d175d7d46c3c0881

**SHA256:** 46b951d106d480adad4b0a44d1233e7fccdc62217f3b87266eb18f847403ae3f

**Referenced In Project/Scope:** CoWorkInstaller

##### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

##### Identifiers

- None

#### remotegui.zip: remotegui.jar: ui-input-number-fixed.js



**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/kytos/components/settingsui/ui-input-number-fixed.js  
**MD5:** ecd738cfb1a0de5f65d19702e9f2fce7  
**SHA1:** ea7415bea2bc8d169f0be83a66fa0bf877797931  
**SHA256:** 59d476cd8519e1f17ad6de68a26f8ac36e70dbb5765da4f3461e4f9a1fe30275  
**Referenced In Project/Scope:** CoWorkInstaller

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: remotegui.jar: ui-input-number-float.js

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/kytos/components/settingsui/ui-input-number-float.js  
**MD5:** de1033fdf3f58d1232eec636d4b22db2  
**SHA1:** 6fecff0bf732b51dd0f9ba0432635dbbb2936af0  
**SHA256:** 20c1befc3a3a6bf0fea3592ef5f51cd9ae41a8a7f281c0c0432f968093882cc0  
**Referenced In Project/Scope:** CoWorkInstaller

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: remotegui.jar: ui-input-password.js

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/kytos/components/settingsui/ui-input-password.js  
**MD5:** 4210b1fce13b59e18f64ea2f83a49a96

**SHA1:** 71a010379e26463b8f032bfe1e8b2da6dd6499ed  
**SHA256:** c7a8b2bce91ed83040b145f44a62900914cf5258bd0a8e51aea2e55d136837c9  
**Referenced In Project/Scope:** CoWorkInstaller

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: remotegui.jar: ui-input-search.js

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/kytos/components/settingsui/ui-input-search.js  
**MD5:** eff8782c8d70988fc7731ba5e938fe3c  
**SHA1:** c8d3efe37ab55039ad15e8bf10e86baca0c252b  
**SHA256:** 559e2bdae976493a62504e6ca5e5ff1e08ca8e97e08a7e2d23daadde47f8a48b  
**Referenced In Project/Scope:** CoWorkInstaller

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: remotegui.jar: ui-input-text.js

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/kytos/components/settingsui/ui-input-text.js  
**MD5:** e0c7633173945a07f39a011a399cbb9c  
**SHA1:** d34267da617e9128b918e0788247ee6581a96544  
**SHA256:** 9bfe754fde42730c88bdfdb65838d73aaad4f0c43674a0219b852c1371c6f42e  
**Referenced In Project/Scope:** CoWorkInstaller

#### Evidence



Type	Source	Name	Value	Confidence
Identifiers				
<ul style="list-style-type: none"> <li>None</li> </ul>				

remotegui.zip: remotegui.jar: ui-input-unit.js

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/kytos/components/settingsui/ui-input-unit.js  
**MD5:** a1f6aebf47fcaf5eeeab7dd4221fd5d9  
**SHA1:** b578ec6a9750cbc5e4ca3e73be2c0db3c53c555e  
**SHA256:**a9ce9a93330223d410eecf60a06d53b968dcc211caa0bffc443f8e89104d9c71  
**Referenced In Project/Scope:** CoWorkInstaller

Evidence <span></span>				
Type	Source	Name	Value	Confidence

Identifiers				
<ul style="list-style-type: none"> <li>None</li> </ul>				

remotegui.zip: remotegui.jar: ui-label.js

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/kytos/components/settingsui/ui-label.js  
**MD5:** 2a31d8d04857fff1d5f5a7eb105e7c63  
**SHA1:** 6085114e785c842fd6c7c47147bfcd996faeb862  
**SHA256:**b78a278dde9d3992127e9622149d0d3e4b05ba74f32da9db52b8ba2506853456  
**Referenced In Project/Scope:** CoWorkInstaller

Evidence <span></span>				
Type	Source	Name	Value	Confidence

Identifiers				
-------------	--	--	--	--

- None

### remotegui.zip: remotegui.jar: ui-link.js

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/kytos/components/settingsui/ui-link.js

**MD5:** 3f5c629ffa7579705a8126f8ce73d3ad

**SHA1:** 6f17e49f27341afb6e3f791d46120e027a2de984

**SHA256:** daa21ae6c5f4ce66d4358b7e3a04c18a1a4feb8f9fd70bfe712f475c91f9f6f9

**Referenced In Project/Scope:** CoWorkInstaller

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: remotegui.jar: ui-radio-button.js

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/kytos/components/settingsui/ui-radio-button.js

**MD5:** a2f8083dbe841c6eda496e88fa18b1be

**SHA1:** 4c20190506e24664d262b18269a311106c034d56

**SHA256:** 0564466c0b9fcb9cd4d86fe27100502a19a821427a047c95525fe49cbb3a13cd

**Referenced In Project/Scope:** CoWorkInstaller

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: remotegui.jar: ui-select-edit.js

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/kytos/components/settingsui/ui-select-edit.js  
**MD5:** cce73d997d2482cda6978c3b9593071b  
**SHA1:** 486f22918c42730609bfdc0eb3cacf6d8cb09c2c  
**SHA256:** 61674a3afc0c6e99f0d03cb57d28e762bc5f225ecd7b5b907bf52ecd76416417  
**Referenced In Project/Scope:** CoWorkInstaller

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: remotegui.jar: ui-select-filtered.js

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/kytos/components/settingsui/ui-select-filtered.js  
**MD5:** a604af0ebe081631f367bc3294dce7e2  
**SHA1:** d8e13b6bc7277300608e6001224c7282096d6691  
**SHA256:** de10a4cc9170735184f92ec45e1088b338e4977e53701d813b24e27a23c8e1c7  
**Referenced In Project/Scope:** CoWorkInstaller

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: remotegui.jar: ui-select-options.js

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/kytos/components/settingsui/ui-select-options.js  
**MD5:** 0e52bbdbd1c589b1d77e202fc31657a5

**SHA1:** 7eb5f1d5ce530ec902a70704692c0af61d76fc54  
**SHA256:** 9f5340fc54b04c83ea9c8acb34eaa7a4411f41e50b526a5019ce0bc20fe8d19c  
**Referenced In Project/Scope:** CoWorkInstaller

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: remotegui.jar: unitFixNumber.directive.js

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/number/unitFixNumber.directive.js  
**MD5:** 29d24835a3a3f09d56371f64a9e5501d  
**SHA1:** 74508076d24cd85f342390ee1809e2bb70f48839  
**SHA256:** 6a20d4eca5c69740c0fa2f99c209aed92ffa49c48848e3ff63ab6fc9b2f6ac32  
**Referenced In Project/Scope:** CoWorkInstaller

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: remotegui.jar: unitFloatNumber.directive.js

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/number/unitFloatNumber.directive.js  
**MD5:** 1d3c2d9b2853e77c53b7f755e4f82bc0  
**SHA1:** 56134dad87141744f8fee3574ebde43a96484ce5  
**SHA256:** dde76e45fa7be7de9e04b3eb5a33954d8c2470636fa945458c08031b593b7492  
**Referenced In Project/Scope:** CoWorkInstaller


#### Evidence



Type	Source	Name	Value	Confidence
Identifiers				
• None				

remotegui.zip: remotegui.jar: userservice.js


**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/userdetails/userservice.js  
**MD5:** 2dd0b8375265a6ed68641819428de40a  
**SHA1:** 6dd8650e16e461e04b2261d6d8e3c0992e451e5d  
**SHA256:**3221cad085226391898e3d6fc0a9bdd431e46fe035d13029e89cbc497ecf6a28  
**Referenced In Project/Scope:** CoWorkInstaller

Evidence 				
Type	Source	Name	Value	Confidence

Identifiers				
• None				

remotegui.zip: remotegui.jar: usersorgroupsselection.js

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/usersorgroupsselection/usersorgroupsselection.js  
**MD5:** ba532f7f8d9ad9ddcd5e43589c875a9f  
**SHA1:** 878776cbfda46c3ba5b5c4c2340576fbab6ea109  
**SHA256:**7e213a45192881f06c8f3d521d02f32a8c380bb2c4551c6d1c527f4afceba266  
**Referenced In Project/Scope:** CoWorkInstaller

Evidence 				
Type	Source	Name	Value	Confidence

Identifiers				
-------------	--	--	--	--

- None

### remotegui.zip: remotegui.jar: usestrict.js

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/usestrict.js

**MD5:** 8e742d11d6b24c401e35f3b516726584

**SHA1:** 89b72153bd7e6390415ba25b9b5fbe750e6e16d5

**SHA256:** 8e8cc72e61ff6f6c0c945a976756d112732c499cd64fc5b207bb213fc84a1e40

**Referenced In Project/Scope:** CoWorkInstaller

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: remotegui.jar: websitedownload.renderer.js

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/modules/website/js/websitedownload.renderer.js

**MD5:** 997a09bf4e3740f123d6933770b57ed1

**SHA1:** d59541fedeba1aa388dc41757bccde3f35324d1a

**SHA256:** 53a3d1d2454b0730a885b126c853b9ee7a53ff1e01266fc2aae4b758fa1dd7a3

**Referenced In Project/Scope:** CoWorkInstaller

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: remotegui.jar: websocketdataservice.js



**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/websocketdataservice.js  
**MD5:** 56e88d9e4985d37afa97430a2d4f24dd  
**SHA1:** c1622a008f03218ec13c155b53d3f7f17a846650  
**SHA256:** 3b625fd3ce9f72757338a9a5c014a1c90f4be622323849bd21d5f0076e52fdca  
**Referenced In Project/Scope:** CoWorkInstaller

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: remotegui.jar: websocketkeepaliveworker.js

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/websocketkeepaliveworker.js  
**MD5:** b378595229f68cdd9acc7775a85e3746  
**SHA1:** 5eb59a40044f9cfb861f3c39cf4969cb7e969323  
**SHA256:** d695e751ea4e77b998aefab636299872246f04af2b189623dde151cce2fca67d  
**Referenced In Project/Scope:** CoWorkInstaller

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: remotegui.jar: windowdatastore.js

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/windowdatastore.js  
**MD5:** f9cf627d8040037181eed0b792258784

**SHA1:** b308fd5ef5d759a9891870ce0b9ae57e62fe338b  
**SHA256:** c80f708b2a3dcd3c44dabdc44165276c349e1226024fc40683a5ba68f03035  
**Referenced In Project/Scope:** CoWorkInstaller

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: twemoji.jar

#### License:

MIT

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/remotegui.zip/twemoji.jar

**MD5:** af9b535ef495075dfb0a7d5bec95eee6

**SHA1:** 0a559adee289b6b855ad1294b17dd71d9f3d21eb

**SHA256:** 9ce4f61ef563851b37c3918c54a876a865d2f66fda5f80dd2bfecebb2d7e386f

**Referenced In Project/Scope:** CoWorkInstaller

#### Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	twemoji	High
Vendor	Manifest	url	https://github.com/twitter/twemoji/blob/master/LICENSE	Low
Vendor	pom	artifactid	twemoji-null	Low
Vendor	pom	groupid	lib	Highest
Vendor	pom	url	twitter/twemoji/blob/master/LICENSE	Highest
Product	file	name	twemoji	High
Product	Manifest	url	https://github.com/twitter/twemoji/blob/master/LICENSE	Low
Product	pom	artifactid	twemoji-null	Highest
Product	pom	groupid	lib	Highest
Product	pom	url	twitter/twemoji/blob/master/LICENSE	High
Version	pom	version	1.0	Highest

## Identifiers

- pkg:maven/lib/twemoji-null@1.0 (*Confidence:High*)

## security.zip: security.jar

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/security.zip/security.jar

**MD5:** 4a8b3dfae024d178cfea6765da1f2810

**SHA1:** 75c5de2b84422c0b95219a5174acf92d66addcd4

**SHA256:**9649060d0df75df8658f14c581e268787a4898972dfb319aff8b9fca18562b09

**Referenced In Project/Scope:** CoWorkInstaller

## Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	security	High
Vendor	jar	package name	inet	Low
Vendor	jar	package name	security	Low
Vendor	jar	package name	server	Low
Vendor	Manifest	built-date	2026-06-16 16:53	Low
Vendor	Manifest	implementation-group	shared	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	security	High
Product	jar	package name	security	Highest
Product	jar	package name	security	Low
Product	jar	package name	server	Low
Product	Manifest	built-date	2026-06-16 16:53	Low
Product	Manifest	implementation-group	shared	Low
Product	Manifest	Implementation-Title	security	High
Product	Manifest	specification-title	security	Medium

Version	Manifest	Implementation-Version	26.4.269	High
---------	----------	------------------------	----------	------

#### Identifiers

- None

## setuplauncher.jar

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/core/setuplauncher.jar

**MD5:** aa8aeb35cf7f81bf8e4065a4307300e9

**SHA1:** b1ad32a52892a88d8db2fa0c3d47a4759b683938

**SHA256:** 6d28fda4db829e9a8c47b3a08faa68c13dc2f60ef8e0365841e8529c22e31ea8

**Referenced In Project/Scope:** CoWorkInstaller

#### Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	setuplauncher	High
Vendor	jar	package name	inet	Low
Vendor	jar	package name	setuplauncher	Low
Vendor	Manifest	built-date	2026-06-16 16:36	Low
Vendor	Manifest	implementation-group	shared	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	setuplauncher	High
Product	jar	package name	setuplauncher	Highest
Product	jar	package name	setuplauncher	Low
Product	Manifest	built-date	2026-06-16 16:36	Low
Product	Manifest	implementation-group	shared	Low
Product	Manifest	Implementation-Title	setuplauncher	High
Product	Manifest	specification-title	setuplauncher	Medium

Version	Manifest	Implementation-Version	26.4.269	High
---------	----------	------------------------	----------	------

## Identifiers

- None

## slf4j-api-2.0.17.jar

### Description:

The slf4j API

### License:

<https://opensource.org/license/mit>

**File Path:** /home/jenkins/.gradle/caches/modules-2/files-2.1/org.slf4j/slf4j-api/2.0.17/d9e58ac9c7779ba3bf8142aff6c830617a7fe60f/slf4j-api-2.0.17.jar

**MD5:** b6480d114a23683498ac3f746f959d2f

**SHA1:** d9e58ac9c7779ba3bf8142aff6c830617a7fe60f

**SHA256:** 7b751d952061954d5abfed7181c1f645d336091b679891591d63329c622eb832

### Referenced In Projects/Scopes:

- CoWorkInstaller:inetPlugin
- CoWorkInstaller

**Included by:** pkg:maven/cowork/CoWorkInstaller@26.4

## Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	slf4j-api	High
Vendor	gradle	artifactid	slf4j-api	Highest
Vendor	gradle	groupid	org.slf4j	Highest
Vendor	jar	package name	slf4j	Highest
Vendor	Manifest	build-jdk-spec	21	Low
Vendor	Manifest	bundle-docurl	http://www.slf4j.org	Low
Vendor	Manifest	bundle-symbolicname	slf4j-api	Medium
Vendor	Manifest	multi-release	true	Low
Vendor	pom	artifactid	slf4j-api	Low
Vendor	pom	groupid	org.slf4j	Highest
Vendor	pom	name	SLF4J API Module	High
Vendor	pom	parent-artifactid	slf4j-parent	Low

Vendor	pom	url	http://www.slf4j.org	Highest
Product	file	name	slf4j-api	High
Product	gradle	artifactid	slf4j-api	Highest
Product	jar	package name	slf4j	Highest
Product	Manifest	build-jdk-spec	21	Low
Product	Manifest	bundle-docurl	http://www.slf4j.org	Low
Product	Manifest	Bundle-Name	SLF4J API Module	Medium
Product	Manifest	bundle-symbolicname	slf4j.api	Medium
Product	Manifest	Implementation-Title	slf4j-api	High
Product	Manifest	multi-release	true	Low
Product	pom	artifactid	slf4j-api	Highest
Product	pom	groupid	org.slf4j	Highest
Product	pom	name	SLF4J API Module	High
Product	pom	parent-artifactid	slf4j-parent	Medium
Product	pom	url	http://www.slf4j.org	Medium
Version	file	version	2.0.17	High
Version	gradle	version	2.0.17	Highest
Version	Manifest	Bundle-Version	2.0.17	High
Version	Manifest	Implementation-Version	2.0.17	High
Version	pom	version	2.0.17	Highest

#### Related Dependencies



- slf4j-api.jar
  - File Path: /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/core/slf4j-api.jar
  - MD5: b6480d114a23683498ac3f746f959d2f
  - SHA1: d9e58ac9c7779ba3bf8142aff6c830617a7fe60f
  - SHA256: 7b751d952061954d5abfed7181c1f645d336091b679891591d63329c622eb832

#### Identifiers

- pkg:maven/org.slf4j/slf4j-api@2.0.17 (Confidence:High)

## taskplanner.coworkmessage.zip: taskplanner.coworkmessage.jar

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/taskplanner.coworkmessage.zip/taskplanner.coworkmessage.jar

**MD5:** ad293c71f06c148845f813b5bfd953f1

**SHA1:** 88805c8e7168d3f040fb1ff15e42f44556e4a272

**SHA256:** da9e3a164d50b7064c882fb116a9397eb3e56444e80e68925c7bfd65413a1ec1

**Referenced In Project/Scope:** CoWorkInstaller

### Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	taskplanner.coworkmessage	High
Vendor	jar	package name	inet	Low
Vendor	jar	package name	plugin	Low
Vendor	jar	package name	taskplanner	Low
Vendor	Manifest	built-date	2026-06-16 17:22	Low
Vendor	Manifest	implementation-group	cowork	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	taskplanner.coworkmessage	High
Product	jar	package name	cowork	Highest
Product	jar	package name	cowork	Low
Product	jar	package name	plugin	Low
Product	jar	package name	taskplanner	Highest
Product	jar	package name	taskplanner	Low
Product	Manifest	built-date	2026-06-16 17:22	Low
Product	Manifest	implementation-group	cowork	Low
Product	Manifest	Implementation-Title	taskplanner.coworkmessage	High
Product	Manifest	specification-title	taskplanner.coworkmessage	Medium
Version	jar	package name	cowork	Highest
Version	Manifest	Implementation-Version	26.4.269	High

## Identifiers

- None

## taskplanner.zip: commons-cli.jar

### Description:

Apache Commons CLI provides a simple API for presenting, processing, and validating a Command Line Interface.

### License:

<https://www.apache.org/licenses/LICENSE-2.0.txt>

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/taskplanner.zip/commons-cli.jar

**MD5:** e689f5e4947368dd0233fc28f613f561

**SHA1:** a461452d3e31bebf2706323f8738ec44b19c96e1

**SHA256:** 8f7f8605d68e15bf32db61ec94eac6fdafc51b1bdbe1e0e0802b57d23f387792

**Referenced In Project/Scope:** CoWorkInstaller

## Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	commons-cli	High
Vendor	jar	package name	apache	Highest
Vendor	jar	package name	cli	Highest
Vendor	jar	package name	commons	Highest
Vendor	Manifest	build-jdk-spec	25	Low
Vendor	Manifest	bundle-docurl	<a href="https://commons.apache.org/proper/commons-cli/">https://commons.apache.org/proper/commons-cli/</a>	Low
Vendor	Manifest	bundle-symbolicname	org.apache.commons.cli	Medium
Vendor	Manifest	Implementation-Vendor	The Apache Software Foundation	High
Vendor	Manifest	Implementation-Vendor-Id	org.apache	Medium
Vendor	Manifest	multi-release	true	Low
Vendor	Manifest	specification-vendor	The Apache Software Foundation	Low
Vendor	pom	artifactid	commons-cli	Low
Vendor	pom	developer email	bob@werken.com	Low



Vendor	pom	developer email	chtompki@apache.org	Low
Vendor	pom	developer email	ebourg@apache.org	Low
Vendor	pom	developer email	ggregory at apache.org	Low
Vendor	pom	developer email	jbjk@mac.com	Low
Vendor	pom	developer email	jstrachan@apache.org	Low
Vendor	pom	developer email	roxspring@imapmail.org	Low
Vendor	pom	developer email	tn@apache.org	Low
Vendor	pom	developer id	bob	Medium
Vendor	pom	developer id	chtompki	Medium
Vendor	pom	developer id	ebourg	Medium
Vendor	pom	developer id	ggregory	Medium
Vendor	pom	developer id	jkeyes	Medium
Vendor	pom	developer id	jstrachan	Medium
Vendor	pom	developer id	roxspring	Medium
Vendor	pom	developer id	tn	Medium
Vendor	pom	developer name	Bob McWhirter	Medium
Vendor	pom	developer name	Emmanuel Bourg	Medium
Vendor	pom	developer name	Gary Gregory	Medium
Vendor	pom	developer name	James Strachan	Medium
Vendor	pom	developer name	John Keyes	Medium
Vendor	pom	developer name	Rob Oxspring	Medium
Vendor	pom	developer name	Rob Tompkins	Medium
Vendor	pom	developer name	Thomas Neidhart	Medium
Vendor	pom	developer org	Ariane Software	Medium
Vendor	pom	developer org	Indigo Stone	Medium
Vendor	pom	developer org	integral Source	Medium
Vendor	pom	developer org	SpiritSoft, Inc.	Medium
Vendor	pom	developer org	The Apache Software Foundation	Medium
Vendor	pom	developer org	Werken	Medium
Vendor	pom	developer org URL	<a href="https://www.apache.org/">https://www.apache.org/</a>	Medium
Vendor	pom	groupid	commons-cli	Highest
Vendor	pom	name	Apache Commons CLI	High
Vendor	pom	parent-artifactid	commons-parent	Low
Vendor	pom	parent-groupid	org.apache.commons	Medium
Vendor	pom	url	<a href="https://commons.apache.org/proper">https://commons.apache.org/proper</a>	Highest

/commons-cli/

Product	file	name	commons-cli	High
Product	jar	package name	apache	Highest
Product	jar	package name	cli	Highest
Product	jar	package name	commons	Highest
Product	Manifest	build-jdk-spec	25	Low
Product	Manifest	bundle-docurl	<a href="https://commons.apache.org/proper/commons-cli/">https://commons.apache.org/proper/commons-cli/</a>	Low
Product	Manifest	Bundle-Name	Apache Commons CLI	Medium
Product	Manifest	bundle-symbolicname	org.apache.commons.cli	Medium
Product	Manifest	Implementation-Title	Apache Commons CLI	High
Product	Manifest	multi-release	true	Low
Product	Manifest	specification-title	Apache Commons CLI	Medium
Product	pom	artifactid	commons-cli	Highest
Product	pom	developer email	bob@werken.com	Low
Product	pom	developer email	chtompki@apache.org	Low
Product	pom	developer email	ebourg@apache.org	Low
Product	pom	developer email	ggregory at apache.org	Low
Product	pom	developer email	jbjk@mac.com	Low
Product	pom	developer email	jstrachan@apache.org	Low
Product	pom	developer email	roxspring@imapmail.org	Low
Product	pom	developer email	tn@apache.org	Low
Product	pom	developer id	bob	Low
Product	pom	developer id	chtompki	Low
Product	pom	developer id	ebourg	Low
Product	pom	developer id	ggregory	Low
Product	pom	developer id	jkeyes	Low
Product	pom	developer id	jstrachan	Low
Product	pom	developer id	roxspring	Low
Product	pom	developer id	tn	Low
Product	pom	developer name	Bob McWhirter	Low
Product	pom	developer name	Emmanuel Bourg	Low
Product	pom	developer name	Gary Gregory	Low
Product	pom	developer name	James Strachan	Low
Product	pom	developer name	John Keyes	Low

Product	pom	developer name	Rob Oxspring	Low
Product	pom	developer name	Rob Tompkins	Low
Product	pom	developer name	Thomas Neidhart	Low
Product	pom	developer org	Ariane Software	Low
Product	pom	developer org	Indigo Stone	Low
Product	pom	developer org	integral Source	Low
Product	pom	developer org	SpiritSoft, Inc.	Low
Product	pom	developer org	The Apache Software Foundation	Low
Product	pom	developer org	Werken	Low
Product	pom	developer org URL	<a href="https://www.apache.org/">https://www.apache.org/</a>	Low
Product	pom	groupid	commons-cli	Highest
Product	pom	name	Apache Commons CLI	High
Product	pom	parent-artifactid	commons-parent	Medium
Product	pom	parent-groupid	org.apache.commons	Medium
Product	pom	url	<a href="https://commons.apache.org/proper/commons-cli/">https://commons.apache.org/proper/commons-cli/</a>	Medium
Version	Manifest	Bundle-Version	1.11.0	High
Version	Manifest	Implementation-Version	1.11.0	High
Version	pom	parent-version	1.11.0	Low
Version	pom	version	1.11.0	Highest

#### Identifiers

- pkg:maven/commons-cli/commons-cli@1.11.0 (*Confidence:High*)

## taskplanner.zip: cron-utils.jar

### Description:

A Java library to parse, migrate and validate crons as well as describe them in human readable language

### License:

Apache 2.0: <http://www.apache.org/licenses/LICENSE-2.0.html>

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/taskplanner.zip/cron-utils.jar

**MD5:** 4c27537eecc6fa37ed5740b5383643c8

**SHA1:** 5d3738bc7a2eaa45a94a76c6e87af54a95414637

**SHA256:** 02af0e8b2fe93c9fa6eef97b53b39faae14c5b996356edb132e9fe620013744

**Referenced In Project/Scope:** CoWorkInstaller

## Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	cron-utils	High
Vendor	jar	package name	cron	Highest
Vendor	jar	package name	cronutils	Highest
Vendor	jar	package name	utils	Highest
Vendor	Manifest	automatic-module-name	com.cronutils	Medium
Vendor	Manifest	build-jdk-spec	1.8	Low
Vendor	Manifest	bundle-symbolicname	com.cronutils.cron-utils	Medium
Vendor	pom	artifactid	cron-utils	Low
Vendor	pom	developer id	jmrozanec	Medium
Vendor	pom	groupid	com.cronutils	Highest
Vendor	pom	name	cron-utils	High
Vendor	pom	url	http://cron-parser.com/	Highest
Product	file	name	cron-utils	High
Product	jar	package name	cron	Highest
Product	jar	package name	cronutils	Highest
Product	jar	package name	utils	Highest
Product	Manifest	automatic-module-name	com.cronutils	Medium
Product	Manifest	build-jdk-spec	1.8	Low
Product	Manifest	Bundle-Name	cron-utils	Medium
Product	Manifest	bundle-symbolicname	com.cronutils.cron-utils	Medium
Product	pom	artifactid	cron-utils	Highest
Product	pom	developer id	jmrozanec	Low
Product	pom	groupid	com.cronutils	Highest
Product	pom	name	cron-utils	High
Product	pom	url	http://cron-parser.com/	Medium
Version	Manifest	Bundle-Version	9.2.1	High
Version	pom	version	9.2.1	Highest

## Identifiers

- pkg:maven/com.cronutils/cron-utils@9.2.1 (*Confidence:High*)
- [cpe:2.3:a:cron-utils\\_project:cron-utils:9.2.1:\\*.~\\*~\\*~\\*~\\*~\\*~\\*](#) (*Confidence:Highest*) suppress
- [cpe:2.3:a:utils\\_project:utils:9.2.1:\\*.~\\*~\\*~\\*~\\*~\\*~\\*](#) (*Confidence:Highest*) suppress

## taskplanner.zip: guava.jar

### Description:

Guava is a suite of core and expanded libraries that include utility classes, Google's collections, I/O classes, and much more.

### License:

<http://www.apache.org/licenses/LICENSE-2.0.txt>

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/taskplanner.zip/guava.jar

**MD5:** d9fbf39a41a5bab891348f07668e18c5

**SHA1:** 8699de25f2f979108d6c1b804a7ba38cda1116bc

**SHA256:** 1e301f0c52ac248b0b14fdc3d12283c77252d4d6f48521d572e7d8c4c2cc4ac7

**Referenced In Project/Scope:** CoWorkInstaller

## Evidence

Type	Source	Name	Value	Confidence
Vendor	file	name	guava	High
Vendor	jar	package name	google	Highest
Vendor	Manifest	build-jdk-spec	11	Low
Vendor	Manifest	bundle-docurl	<a href="https://github.com/google/guava/">https://github.com/google/guava/</a>	Low
Vendor	Manifest	bundle-symbolicname	com.google.guava	Medium
Vendor	Manifest	multi-release	true	Low
Vendor	pom	artifactid	guava	Low
Vendor	pom	groupid	com.google.guava	Highest
Vendor	pom	name	Guava: Google Core Libraries for Java	High
Vendor	pom	parent-artifactid	guava-parent	Low
Vendor	pom	url	<a href="#">google/guava</a>	Highest
Product	file	name	guava	High
Product	jar	package name	google	Highest

Product	Manifest	build-jdk-spec	11	Low
Product	Manifest	bundle-docurl	https://github.com/google/guava/	Low
Product	Manifest	Bundle-Name	Guava: Google Core Libraries for Java	Medium
Product	Manifest	bundle-symbolicname	com.google.guava	Medium
Product	Manifest	multi-release	true	Low
Product	pom	artifactid	guava	Highest
Product	pom	groupid	com.google.guava	Highest
Product	pom	name	Guava: Google Core Libraries for Java	High
Product	pom	parent-artifactid	guava-parent	Medium
Product	pom	url	google/guava	High
Version	pom	version	33.5.0-jre	Highest

#### Identifiers

- pkg:maven/com.google.guava/guava@33.5.0-jre (Confidence:High)
- [cpe:2.3:a:google:guava:33.5.0:\\*:\\*:\\*:\\*:\\*](#) (Confidence:Highest) suppress

### taskplanner.zip: taskplanner-javadoc.jar

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/taskplanner.zip/taskplanner-javadoc.jar  
**MD5:** 5c08e1db5fabcd6c64cd355900472911  
**SHA1:** 454a3c571b8b323ec7d919319e805ae6b61f2ab5  
**SHA256:** eb9bc02bc3d8d18049bea2eb6667888090fb23ff9bd4b18e636fefff4890dcf0  
**Referenced In Project/Scope:** CoWorkInstaller

#### Evidence +

Type	Source	Name	Value	Confidence
Vendor	file	name	taskplanner-javadoc	High
Product	file	name	taskplanner-javadoc	High

#### Identifiers

- None

## taskplanner.zip: taskplanner-javadoc.jar: member-search-index.js

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/taskplanner.zip/taskplanner-javadoc.jar/member-search-index.js

**MD5:** ba2bd4ca27eb843fc9651bd99c826c2e

**SHA1:** aa0cf01bcdf89bc5ad477f9fe94ebca96226ecce

**SHA256:** 1c540458582297dee507d5ab045a946d9583bfa418e894ea428aa9560929c1ea

**Referenced In Project/Scope:** CoWorkInstaller

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## taskplanner.zip: taskplanner-javadoc.jar: package-search-index.js

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/taskplanner.zip/taskplanner-javadoc.jar/package-search-index.js

**MD5:** 255e24c89b3410ec719bc3e25178f792

**SHA1:** 6bc183e49cd63d4cc20af2cbeca91bd9ee190f0c

**SHA256:** 606dafa606a4f2884b54590b2a16b160220e981209dd992bc1c0f68baf1165cc

**Referenced In Project/Scope:** CoWorkInstaller

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## taskplanner.zip: taskplanner-javadoc.jar: tag-search-index.js

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/taskplanner.zip/taskplanner-javadoc.jar/tag-search-index.js

**MD5:** ec278f4b13380caca9964618a9dfd79f

**SHA1:** 1eb71a3e466628ff69b06ea2bd04d8153c919da4  
**SHA256:** 7a1f884ab397213a8d63202a55620934550f6ca917942a91fee40d375eba9e72  
**Referenced In Project/Scope:** CoWorkInstaller

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### taskplanner.zip: taskplanner-javadoc.jar: type-search-index.js

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/taskplanner.zip/taskplanner-javadoc.jar/type-search-index.js  
**MD5:** 7aea8ee7d728c052487d23b5abb794c0  
**SHA1:** c6c62d2fa8f3c5f874b3b5c9b4484d380fa6aaac  
**SHA256:** f9091ab1a896b609e3fa3cd8419cdac84e9c9d87e570f9a6387dbb212b824e10  
**Referenced In Project/Scope:** CoWorkInstaller

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### taskplanner.zip: taskplanner.jar

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/taskplanner.zip/taskplanner.jar  
**MD5:** af303396642b2ee3b3b576395965208c  
**SHA1:** 4a08f79ec92bd022f1387b05855f3329954aa78e  
**SHA256:** 1f2809f6c36a6a93465ced6847b8c478382505620ff1c0196182cfd2b4bcccc  
**Referenced In Project/Scope:** CoWorkInstaller

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------



Vendor	file	name	taskplanner	High
Vendor	jar	package name	inet	Low
Vendor	jar	package name	server	Low
Vendor	jar	package name	taskplanner	Low
Vendor	Manifest	built-date	2026-06-16 16:24	Low
Vendor	Manifest	implementation-group	shared	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	taskplanner	High
Product	jar	package name	api	Low
Product	jar	package name	server	Low
Product	jar	package name	taskplanner	Highest
Product	jar	package name	taskplanner	Low
Product	Manifest	built-date	2026-06-16 16:24	Low
Product	Manifest	implementation-group	shared	Low
Product	Manifest	Implementation-Title	taskplanner	High
Product	Manifest	specification-title	taskplanner	Medium
Version	Manifest	Implementation-Version	26.4.269	High

#### Identifiers

- None

**taskplanner.zip: taskplanner.jar: app.js**

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/taskplanner.zip/taskplanner.jar/com/inet/taskplanner/client/js/app.js

**MD5:** 22be8e86a9121096b162ff523e37842e

**SHA1:** cc6010fdc028f0b9c5c95def16c69e3bab116bf0

**SHA256:** 511c001c378b9f9e28f261cafaa88892acb5a29743c50d5daf15dd869357bc0c

**Referenced In Project/Scope:** CoWorkInstaller

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### taskplanner.zip: taskplanner.jar: boolean.directive.js

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/taskplanner.zip/taskplanner.jar/com/inet/taskplanner/client/js/fields/boolean.directive.js

**MD5:** 8dcbd2299e9082c7d30047c62d84fa7d

**SHA1:** 46e20aa1bd139542182a754edf0eaa8fa8684782

**SHA256:** f28e377c325d8ac419426606ae56bbb78e523210087910b9a595d87235d4eed0

**Referenced In Project/Scope:** CoWorkInstaller

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### taskplanner.zip: taskplanner.jar: colorField.directive.js

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/taskplanner.zip/taskplanner.jar/com/inet/taskplanner/client/js/fields/colorField.directive.js

**MD5:** 6befac83d2b0754235fb738ada07b8db

**SHA1:** fa581823e83812639dd7a834b580619472492cff

**SHA256:** 299ff7b917c507bb852d4c8f7a305e545c214806ae816b47aa9f2b37928a5154

**Referenced In Project/Scope:** CoWorkInstaller

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## taskplanner.zip: taskplanner.jar: controller.js

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/taskplanner.zip/taskplanner.jar/com/inet/taskplanner/client/js/controller.js

**MD5:** 7dbf39d0cdcf00b240d27828c8e1fa97

**SHA1:** 194abbb1c7955dcc8ef0db5a5957879e287f21b4

**SHA256:**a7886e872027c47e61d05e20b1abc56e5044e5446118f348e6d54d520be98f8e

**Referenced In Project/Scope:** CoWorkInstaller

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## taskplanner.zip: taskplanner.jar: factory.js

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/taskplanner.zip/taskplanner.jar/com/inet/taskplanner/client/js/factory.js

**MD5:** 13d732709b3814f00a145092b1f70217

**SHA1:** aba04c5f27c6e9377ea7e143303dbe557081952e

**SHA256:**421e6efc1ed786c72d76b700d64665062ac4fd6928ca91437109f3bf65063d83

**Referenced In Project/Scope:** CoWorkInstaller

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

#### taskplanner.zip: taskplanner.jar: filechooserAddonButton.directive.js

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/taskplanner.zip/taskplanner.jar/com/inet/taskplanner/client/js/fields/filechooserAddonButton.directive.js

**MD5:** 1dbc17a2a4e1fc7930dda7d5d3e4630a

**SHA1:** 350be18d05b89c69fa3167a09822876d21a42143

**SHA256:** 140100d27da0900d67a30dadcf9971ed9eff5c2787aa5814b930f986615c6abb

**Referenced In Project/Scope:** CoWorkInstaller

##### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

##### Identifiers

- None

#### taskplanner.zip: taskplanner.jar: model.js

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/taskplanner.zip/taskplanner.jar/com/inet/taskplanner/client/js/model.js

**MD5:** 6588aaa8413e5a66b75a1b3ec7fde632

**SHA1:** a7d2f8faa89de31ddb8f98a380c2f80375644c57

**SHA256:** 77a97db15204e8e3ab86b6f0c11ee95c91f327e70ec7582367d15d9644384919

**Referenced In Project/Scope:** CoWorkInstaller

##### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

##### Identifiers

- None

#### taskplanner.zip: taskplanner.jar: numberRange.directive.js

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/taskplanner.zip/taskplanner.jar/com/inet/taskplanner/client/js/fields/numberRange.directive.js  
**MD5:** e98f0aec3fd059575c390f4488396764  
**SHA1:** 5fb36b30f1022112f5da2a9373fa562859a8f05d  
**SHA256:** 2164d0a1c06a1750c41b3be860ade120946d0091f3f6c512241235601c3f74b6  
**Referenced In Project/Scope:** CoWorkInstaller

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### taskplanner.zip: taskplanner.jar: numberWrapper.directive.js

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/taskplanner.zip/taskplanner.jar/com/inet/taskplanner/client/js/fields/numberWrapper.directive.js  
**MD5:** c71128c3dac942fc1d5d488562b727a0  
**SHA1:** 51e1419abd22f7f48debceb976752bfec46e36f4  
**SHA256:** 3c3f6b8e5bcc8bf32a3cf2192a10de8472100d195cc2b08c4ff860a0dcb9bacf  
**Referenced In Project/Scope:** CoWorkInstaller

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### taskplanner.zip: taskplanner.jar: passwordTextField.directive.js

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/taskplanner.zip/taskplanner.jar/com/inet/taskplanner/client/js/fields/passwordTextField.directive.js  
**MD5:** 3c1bcad68930caf2fa88697134624473

**SHA1:** 6c25ac7bd32b0c40b2202c9dc43f83842c55f846  
**SHA256:**4620ce8c28a46c1675c50490a25f14d481e8910a7b3687a4bb712d73c80f3d73  
**Referenced In Project/Scope:** CoWorkInstaller

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### taskplanner.zip: taskplanner.jar: renderer.directive.js

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/taskplanner.zip/taskplanner.jar/com/inet/taskplanner/client/js/fields/renderer.directive.js  
**MD5:** 3e232b940bcd532e99c88f5b95bf60b2  
**SHA1:** a051ce6df82ad9673fc1b23bafc3670d70bb4cac  
**SHA256:**b930dc86802f4307b5f6d4671f27dac5bd85d5766f32567f5479ecc9077bf5a3  
**Referenced In Project/Scope:** CoWorkInstaller

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### taskplanner.zip: taskplanner.jar: simpleCurrencyField.directive.js

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/taskplanner.zip/taskplanner.jar/com/inet/taskplanner/client/js/fields/simpleCurrencyField.directive.js  
**MD5:** 54ae56c2f76e7b601b9e9785dc51a623  
**SHA1:** af05845b893807b4460bc65fa189700abcb4dc82  
**SHA256:**847d6da58f5887edac53896e6bec4dde5b293a08a8ac6e421aa2847991f3b877  
**Referenced In Project/Scope:** CoWorkInstaller


#### Evidence



Type	Source	Name	Value	Confidence
Identifiers				
• None				

#### taskplanner.zip: taskplanner.jar: simpleDateTimeField.directive.js


**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/taskplanner.zip/taskplanner.jar/com/inet/taskplanner/client/js/fields/simpleDateTimeField.directive.js  
**MD5:** 53d33b9956ea6ffea7cb1fef5e878961  
**SHA1:** 2388423f76a1b38cb2e5729e57a113245e1d3f2d  
**SHA256:** 7cbb2507fe22dfec607af8d76d85317a395c3ebb98e31ec9be26e73350dbcd9f  
**Referenced In Project/Scope:** CoWorkInstaller

Evidence 				
Type	Source	Name	Value	Confidence

Identifiers				
• None				

#### taskplanner.zip: taskplanner.jar: simpleFileFolderField.directive.js

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/taskplanner.zip/taskplanner.jar/com/inet/taskplanner/client/js/fields/simpleFileFolderField.directive.js  
**MD5:** 76de6683bc2d43547059d2f746b9524f  
**SHA1:** c6ce84f2d2a89f07c4f05e95137abcdade89cec5  
**SHA256:** 7e15aca0687784f1221b8c76328af4d013a0a1573a56232d880c4b60cd3311a0  
**Referenced In Project/Scope:** CoWorkInstaller

Evidence 				
Type	Source	Name	Value	Confidence

Identifiers				
-------------	--	--	--	--

- None

#### taskplanner.zip: taskplanner.jar: simpleGroup.directive.js

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/taskplanner.zip/taskplanner.jar/com/inet/taskplanner/client/js/fields/simpleGroup.directive.js

**MD5:** d69a3c1dd5569172999325602506517f

**SHA1:** 780808312f5a19e0b6726453655b1911dde585bc

**SHA256:** 4eada3908c9db4213e058eb378f9f7f28e7e96e0ee3de2817f5d408b88176dc5

**Referenced In Project/Scope:** CoWorkInstaller

##### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

##### Identifiers

- None

#### taskplanner.zip: taskplanner.jar: simpleLabel.directive.js

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/taskplanner.zip/taskplanner.jar/com/inet/taskplanner/client/js/fields/simpleLabel.directive.js

**MD5:** ecbe7da1cc7d51e0bd4e73e7c2fad4df

**SHA1:** d16a32bb34f1ff4d0f4740a06660ed72f4eca1fc

**SHA256:** 2b533fa13f74789de6b02fb037bfd7eae3b8b6e7d0f851a66f57739f565fd453

**Referenced In Project/Scope:** CoWorkInstaller

##### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

##### Identifiers

- None

#### taskplanner.zip: taskplanner.jar: simpleLink.directive.js



**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/taskplanner.zip/taskplanner.jar/com/inet/taskplanner/client/js/fields/simpleLink.directive.js  
**MD5:** 525dc45cb1886c4808186e1094480bba  
**SHA1:** 7198a40b645128e0495d6d04c008b31b37faf827  
**SHA256:** 7f2b60bda8c8e3938f9e8762c000606909ba0411aa784a202c93a1b2371cd82e  
**Referenced In Project/Scope:** CoWorkInstaller

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### taskplanner.zip: taskplanner.jar: simpleSelect.directive.js

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/taskplanner.zip/taskplanner.jar/com/inet/taskplanner/client/js/fields/simpleSelect.directive.js  
**MD5:** e54a750acec037585e380229a6b74b39  
**SHA1:** a6323f355bb4da4cdcac24be2572fec96332bfa8  
**SHA256:** 39d6b66fe24beb027a1445157af449f17a51069e0887603b4eaf624474b5ee6c  
**Referenced In Project/Scope:** CoWorkInstaller

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### taskplanner.zip: taskplanner.jar: simpleTextField.directive.js

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/taskplanner.zip/taskplanner.jar/com/inet/taskplanner/client/js/fields/simpleTextField.directive.js  
**MD5:** 998a4b2340386c5ff39fd74451642547

**SHA1:** b0025705125d1a18bec3624d0eb34176bb332c9d  
**SHA256:** 8a7ad2a61dbd1c78565a7626a8c100523c97984be77d431929041f19e2f24c1c  
**Referenced In Project/Scope:** CoWorkInstaller

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### taskplanner.zip: taskplanner.jar: stringTable.directive.js

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/taskplanner.zip/taskplanner.jar/com/inet/taskplanner/client/js/fields/stringTable.directive.js  
**MD5:** 2731ad8625d24769bc3f9727361b4d6f  
**SHA1:** d0c7a2e05d815252c80a51064ffe4d66f0d18843  
**SHA256:** db785a8486fd5f45ef2a56d1d977afa0b445bf4491e1b429a9863c46e5a2d35a  
**Referenced In Project/Scope:** CoWorkInstaller

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### taskplanner.zip: taskplanner.jar: taskplanner\_maintenance.js

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/taskplanner.zip/taskplanner.jar/com/inet/taskplanner/maintenance/taskplanner\_maintenance.js  
**MD5:** c4330ed5aced8829454f0e8893f8725c  
**SHA1:** 178b4ecba1c10e50c162c7e09dc5f4b643303508  
**SHA256:** 3ba039d8a74f4fd350441ef7a9f1f98322eb951887ee1635c7d78c66c8908b53  
**Referenced In Project/Scope:** CoWorkInstaller

#### Evidence



Type	Source	Name	Value	Confidence
Identifiers				
• None				

taskplanner.zip: taskplanner.jar: textAreaField.directive.js

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/taskplanner.zip/taskplanner.jar/com/inet/taskplanner/client/js/fields/textAreaField.directive.js  
**MD5:** 46bf6266b3aa8c7d331c34aa58185b2d  
**SHA1:** f6348f31ef689122ec81b2dac2455e15f4b561e6  
**SHA256:** 4f679ccc7d9fdb172764575fb3e9fdffb3cb21d370b3adcf06b17fd7326f877b  
**Referenced In Project/Scope:** CoWorkInstaller

Evidence				
Type	Source	Name	Value	Confidence
Identifiers				
• None				

theme.zip: theme.jar

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/theme.zip/theme.jar  
**MD5:** 8302b1c038c758034726796667e70277  
**SHA1:** c96c33a81fdff684aa5a71ababf9f6ef0c865fa3  
**SHA256:** 0b6d5e4c643eb94d2023d06c0028b89c5260159df702e1097c3c561067a97af6  
**Referenced In Project/Scope:** CoWorkInstaller

Evidence				
Type	Source	Name	Value	Confidence
Vendor	file	name	theme	High
Vendor	jar	package name	inet	Low
Vendor	jar	package name	server	Low
Vendor	jar	package name	theme	Low

Vendor	Manifest	built-date	2026-06-16 16:17	Low
Vendor	Manifest	implementation-group	shared	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	theme	High
Product	jar	package name	server	Low
Product	jar	package name	theme	Highest
Product	jar	package name	theme	Low
Product	Manifest	built-date	2026-06-16 16:17	Low
Product	Manifest	implementation-group	shared	Low
Product	Manifest	Implementation-Title	theme	High
Product	Manifest	specification-title	theme	Medium
Version	Manifest	Implementation-Version	26.4.269	High

#### Identifiers

- None

### usersandgroupsmanager.zip: usersandgroupsmanager.jar

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/usersandgroupsmanager.zip/usersandgroupsmanager.jar

**MD5:** d223db694960e00cd372a239b19e95c7

**SHA1:** b2e4383e6ec6c49031f749bccee07097acda0457

**SHA256:** 287993a150005c9c7ba341490b870ec8559d6484a4fffd76dd5f873ea7090f6a

**Referenced In Project/Scope:** CoWorkInstaller

#### Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	usersandgroupsmanager	High

Vendor	jar	package name	inet	Low
Vendor	jar	package name	server	Low
Vendor	jar	package name	usersandgroupsmanager	Low
Vendor	Manifest	built-date	2026-06-16 16:42	Low
Vendor	Manifest	implementation-group	shared	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	usersandgroupsmanager	High
Product	jar	package name	server	Low
Product	jar	package name	usersandgroupsmanager	Highest
Product	jar	package name	usersandgroupsmanager	Low
Product	Manifest	built-date	2026-06-16 16:42	Low
Product	Manifest	implementation-group	shared	Low
Product	Manifest	Implementation-Title	usersandgroupsmanager	High
Product	Manifest	specification-title	usersandgroupsmanager	Medium
Version	Manifest	Implementation-Version	26.4.269	High

#### Identifiers

- None

### usersandgroupsmanager.zip: usersandgroupsmanager.jar: fieldtypeAccountSettingsRenderer.directive.js

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/usersandgroupsmanager.zip/usersandgroupsmanager.jar/com/inet/usersandgroupsmanager/client/js/renderer/fieldtypeAccountSettingsRenderer.directive.js

**MD5:** 136a634e0236a238529acf990312d10e

**SHA1:** 75518847c3c3aa3737e31149c6834bb6c40f4606

**SHA256:** 9901a11fad82515fe2425d4f07163b716e8dfa8233196e7fcdc8f21b3aca6817

**Referenced In Project/Scope:** CoWorkInstaller

## Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

## Identifiers

- None

**usersandgroupsmanager.zip: usersandgroupsmanager.jar:  
fieldtypeBooleanRenderer.directive.js**

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/usersandgroupsmanager.zip/usersandgroupsmanager.jar/com/inet/usersandgroupsmanager/client/js/renderer/fieldtypeBooleanRenderer.directive.js

**MD5:** e6bb2b0218c39ede42d1779e09d0b306

**SHA1:** bfedb33d3a2d6896458956fdc4209692d43e0d02

**SHA256:** 7e4281e4831ef87da9cf9e032009349bcf48c35a0b2769e742a978cdda8de750

**Referenced In Project/Scope:** CoWorkInstaller

## Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

## Identifiers

- None

**usersandgroupsmanager.zip: usersandgroupsmanager.jar:  
fieldtypeCommaSeparatedRenderer.directive.js**

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/usersandgroupsmanager.zip/usersandgroupsmanager.jar/com/inet/usersandgroupsmanager/client/js/renderer/fieldtypeCommaSeparatedRenderer.directive.js

**MD5:** c951e088eb99044087cb876a2ad80f5c

**SHA1:** f2b74d24949b8a35f38a36bbff7f12a73c939305

**SHA256:** fffae5f607dd4f6b565ae943bb15075423a58f6601346c1fc670985cd1da7f9b

**Referenced In Project/Scope:** CoWorkInstaller

## Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## usersandgroupsmanager.zip: usersandgroupsmanager.jar: fieldTypeCurrencyRenderer.directive.js

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/usersandgroupsmanager.zip/usersandgroupsmanager.jar/com/inet/usersandgroupsmanager/client/js/renderer/fieldtypeCurrencyRenderer.directive.js  
**MD5:** 64550819586104467e438b403590e32a  
**SHA1:** e6c4957a7648c8baa484227d04cad8a186aac008  
**SHA256:** e8d9d2cffbcd1355ea33fe7d3615a95c3cef34b5be3445be5fe9bddd1b54b38f  
**Referenced In Project/Scope:** CoWorkInstaller

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## usersandgroupsmanager.zip: usersandgroupsmanager.jar: fieldTypeDateRenderer.directive.js

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/usersandgroupsmanager.zip/usersandgroupsmanager.jar/com/inet/usersandgroupsmanager/client/js/renderer/fieldtypeDateRenderer.directive.js  
**MD5:** 44f37b8866281fc7c293da24a2c85a70  
**SHA1:** 90bf5ee3414c0b14352fece7ff49252f0993ee34  
**SHA256:** 3cd49a8b48976c1456092476ff9e09678ade7ec6909c5e0f59f6f570b92c4256  
**Referenced In Project/Scope:** CoWorkInstaller

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## usersandgroupsmanager.zip: usersandgroupsmanager.jar: fieldTypeDoubleRenderer.directive.js

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/usersandgroupsmanager.zip/usersandgroupsmanager.jar/com/inet/usersandgroupsmanager/client/js/renderer/fieldtypeDoubleRenderer.directive.js

**MD5:** 65ddc17ce6fe22f66db3066174836be4

**SHA1:** a6f9bedc7c489f3e0f3b4ff366e2f892a08bf29c

**SHA256:** ec52f2531296ff86fda9a20858daf87e52ac3dfaf1bc942daae33c7513fac7e4

**Referenced In Project/Scope:** CoWorkInstaller

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## usersandgroupsmanager.zip: usersandgroupsmanager.jar: fieldTypeHintRenderer.directive.js

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/usersandgroupsmanager.zip/usersandgroupsmanager.jar/com/inet/usersandgroupsmanager/client/js/renderer/fieldtypeHintRenderer.directive.js

**MD5:** 9c0f5b5dde50569ef2e9efb5feef050

**SHA1:** 3793878df0a194ac7445ae9076fd1f235cf26a42

**SHA256:** d4a42152b9ce8527dc853e66f110464f038f4c885cf1df7fe415203dbcb8148b

**Referenced In Project/Scope:** CoWorkInstaller

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None



**usersandgroupsmanager.zip: usersandgroupsmanager.jar: fieldTypeIntegerRenderer.directive.js**

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/usersandgroupsmanager.zip/usersandgroupsmanager.jar/com/inet/usersandgroupsmanager/client/js/renderer/fieldtypeIntegerRenderer.directive.js

**MD5:** fb567b3054e16ecd92115183e677f194

**SHA1:** a956bb37b828d2b0016c3e63df573291cf3a65c1

**SHA256:** a25204639ecdb47cfdeaaba8461fe9caedc30b4fa3afa5865b502880c4c3fb80

**Referenced In Project/Scope:** CoWorkInstaller

**Evidence**



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

**Identifiers**

- None

**usersandgroupsmanager.zip: usersandgroupsmanager.jar: fieldTypeLinkRenderer.directive.js**

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/usersandgroupsmanager.zip/usersandgroupsmanager.jar/com/inet/usersandgroupsmanager/client/js/renderer/fieldtypeLinkRenderer.directive.js

**MD5:** b4e5347a3fc15cee057d292ac2fe7d91

**SHA1:** 70fba39954e7947be220792ce9d792ecfec06748

**SHA256:** 33ad47fd4a0e7943e9a39fdf239becc5fd54c4a1b9be4c727c27daf720b0d1e7

**Referenced In Project/Scope:** CoWorkInstaller

**Evidence**



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

**Identifiers**

- None

**usersandgroupsmanager.zip: usersandgroupsmanager.jar: fieldTypeLoginsRenderer.directive.js**

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/usersandgroupsmanager.zip/usersandgroupsmanager.jar/com/inet/usersandgroupsmanager/client/js/renderer/fieldtypeLoginsRenderer.directive.js  
**MD5:** 77e510f9e074e3104df3096deb39cd91  
**SHA1:** 68e57a5859aa1073fdb62dd1102867d0c7db3c9f  
**SHA256:** 70fdfe453166ed5a8bae30f56d71e5e52c58c98db676853519a0d35dd71de650  
**Referenced In Project/Scope:** CoWorkInstaller

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### usersandgroupsmanager.zip: usersandgroupsmanager.jar: fieldtypeMembersRenderer.directive.js

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/usersandgroupsmanager.zip/usersandgroupsmanager.jar/com/inet/usersandgroupsmanager/client/js/renderer/fieldtypeMembersRenderer.directive.js  
**MD5:** 110c0a60b3a8824c7cf38b3cfd38423b  
**SHA1:** b130d47d83af3073663f95cfe0392d9c055d06cd  
**SHA256:** e34d1d921aada8085754efea61b320506608504a2332d0b186031e7beba524f2  
**Referenced In Project/Scope:** CoWorkInstaller

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### usersandgroupsmanager.zip: usersandgroupsmanager.jar: fieldtypeMultilineRenderer.directive.js

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/usersandgroupsmanager.zip/usersandgroupsmanager.jar/com/inet/usersandgroupsmanager/client/js/renderer/fieldtypeMultilineRenderer.directive.js  
**MD5:** 5b24949676b9be3413f73641882f7125

**SHA1:** 1b5266b7516f4a6f4e1b25dc128969f10b0a8c09  
**SHA256:**698d88b748ec45a4e7bdd87b1c97472d8868165551ae5ecf7d0159925c92ed71  
**Referenced In Project/Scope:** CoWorkInstaller

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### usersandgroupsmanager.zip: usersandgroupsmanager.jar: fieldtypePermissionRenderer.directive.js

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller  
/build/tmp/dependencies/i-net CoWork/plugins/usersandgroupsmanager.zip/usersandgroupsmanager.jar  
/com/inet/usersandgroupsmanager/client/js/renderer/fieldtypePermissionRenderer.directive.js

**MD5:** cf56b95e7c81bb7bb0027f214dde9847

**SHA1:** b098c8143c168614aac2a46fda4bf02078b31f9e

**SHA256:**c8f403974591a2b05c630a7117596fd64540d53205808bee40d6ede27a166790

**Referenced In Project/Scope:** CoWorkInstaller

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### usersandgroupsmanager.zip: usersandgroupsmanager.jar: fieldtypeSelectRenderer. directive.js

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller  
/build/tmp/dependencies/i-net CoWork/plugins/usersandgroupsmanager.zip/usersandgroupsmanager.jar  
/com/inet/usersandgroupsmanager/client/js/renderer/fieldtypeSelectRenderer.directive.js

**MD5:** 96d7f09370447ddd5aec98e86896001f

**SHA1:** 42d97ea9de26906450eda22c70d6da2420469c84

**SHA256:**08aa4784c039f07dd522b3e5a73c8890a71983b4d25409afb6c31b41d8787f42

**Referenced In Project/Scope:** CoWorkInstaller

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## usersandgroupsmanager.zip: usersandgroupsmanager.jar: fieldtypeStayLoggedInSessionsRenderer.directive.js

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/usersandgroupsmanager.zip/usersandgroupsmanager.jar/com/inet/usersandgroupsmanager/client/js/renderer/fieldtypeStayLoggedInSessionsRenderer.directive.js  
**MD5:** 8f7246a8c4620515a714dd858c7b0847  
**SHA1:** bab49440daa202026ce7fdb25d3c3ab7d0ac2473  
**SHA256:**85a66f84209b323ddf4e87ee26891210234ea42bfc20d6befdc3074cde326595  
**Referenced In Project/Scope:** CoWorkInstaller

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## usersandgroupsmanager.zip: usersandgroupsmanager.jar: fieldtypeStringListRenderer.directive.js

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/usersandgroupsmanager.zip/usersandgroupsmanager.jar/com/inet/usersandgroupsmanager/client/js/renderer/fieldtypeStringListRenderer.directive.js  
**MD5:** ecfa08e9586484891e935de461582539  
**SHA1:** 128276640372b4e442f5c63c643c908710c7fedf  
**SHA256:**aff8a656bfc2d940c02a861b600e4a95cefa61453508fb2b8659fe42582bccea  
**Referenced In Project/Scope:** CoWorkInstaller

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## usersandgroupsmanager.zip: usersandgroupsmanager.jar: fieldTypeStringRenderer.directive.js

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/usersandgroupsmanager.zip/usersandgroupsmanager.jar/com/inet/usersandgroupsmanager/client/js/renderer/fieldtypeStringRenderer.directive.js  
**MD5:** 6e46d5a536692ff278cf276eeb7151bb  
**SHA1:** 11b326f65d25098d5d02c6077e20b867d5c331ec  
**SHA256:** b2158332ea8f76ceee5435e803e4def4b559a3216ce6eae90e0385d1554d3924  
**Referenced In Project/Scope:** CoWorkInstaller

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## usersandgroupsmanager.zip: usersandgroupsmanager.jar: fieldTypeTimeRenderer.directive.js

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/usersandgroupsmanager.zip/usersandgroupsmanager.jar/com/inet/usersandgroupsmanager/client/js/renderer/fieldtypeTimeRenderer.directive.js  
**MD5:** 8513454094f6efb43b4257acfab955f  
**SHA1:** 56784b3ea31cc21416f65da1661b7c18b8e9eb5e  
**SHA256:** 3758a9259a963b155469b4d6b979fd30fee14edcaca155910f20b33b7d2a9d7f  
**Referenced In Project/Scope:** CoWorkInstaller

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

**usersandgroupsmanager.zip: usersandgroupsmanager.jar:  
fieldtypeTimerangeRenderer.directive.js**

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/usersandgroupsmanager.zip/usersandgroupsmanager.jar/com/inet/usersandgroupsmanager/client/js/renderer/fieldtypeTimerangeRenderer.directive.js  
**MD5:** 8ca11f921f530ae3c6d14011f1026be2  
**SHA1:** 123f12b6375637b6819435453cbfc089589514d6  
**SHA256:** 3e31b81046fd3a24c691fc82c45f4779912d02b3bad3ca52366670c31042edfe  
**Referenced In Project/Scope:** CoWorkInstaller

**Evidence**



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

**Identifiers**

- None

**usersandgroupsmanager.zip: usersandgroupsmanager.jar: membershipentry.  
directive.js**

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/usersandgroupsmanager.zip/usersandgroupsmanager.jar/com/inet/usersandgroupsmanager/client/js/renderer/membershipentry.directive.js  
**MD5:** 84693fc1ef165371ef27b1475ee7408c  
**SHA1:** d49e9b44b5d99f5b63a93dcb031d51aea068ca3c  
**SHA256:** f3fecadbb3c511b7c006eb44006d5203c16f180a1cbb260c756f0b3b670a55d8  
**Referenced In Project/Scope:** CoWorkInstaller

**Evidence**



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

**Identifiers**

- None

## usersandgroupsmanager.zip: usersandgroupsmanager.jar: membershiplist.directive.js

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/usersandgroupsmanager.zip/usersandgroupsmanager.jar/com/inet/usersandgroupsmanager/client/js/renderer/membershiplist.directive.js

**MD5:** 9de8f2f539c79244aa95473d497004db

**SHA1:** dab0863017fbaf80d7da94770dbb17d87cff3a80

**SHA256:** 2939b841bcd7d14e9874e99c72e4c0f58e7c8f5b485fe04158782c2b0d3cdcd1

**Referenced In Project/Scope:** CoWorkInstaller

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## usersandgroupsmanager.zip: usersandgroupsmanager.jar: nonmembershiplist.directive.js

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/usersandgroupsmanager.zip/usersandgroupsmanager.jar/com/inet/usersandgroupsmanager/client/js/renderer/nonmembershiplist.directive.js

**MD5:** 22269c6c1e32356a15788a694358c895

**SHA1:** c4909db34c175ff0621e17f241f66994e0516bc6

**SHA256:** 1f276cac3365d03c06572f9325217ffc7c65db411b5d40035f818c4890e66ffc

**Referenced In Project/Scope:** CoWorkInstaller

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## usersandgroupsmanager.zip: usersandgroupsmanager.jar: permissionCheckboxRenderer.directive.js

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/usersandgroupsmanager.zip/usersandgroupsmanager.jar/com/inet/usersandgroupsmanager/client/js/renderer/permissionCheckboxRenderer.directive.js  
**MD5:** f43b62e6ec19922b603e65ac0d9811bc  
**SHA1:** b82e36201fade72e6423ba980d5351e13c657bbb  
**SHA256:** e3d32df00dc3c4d43110a9a8f277ce1383c133b6912f0154626190931c6daff7  
**Referenced In Project/Scope:** CoWorkInstaller

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### usersandgroupsmanager.zip: usersandgroupsmanager.jar: permissionRadiobuttonRenderer.directive.js

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/usersandgroupsmanager.zip/usersandgroupsmanager.jar/com/inet/usersandgroupsmanager/client/js/renderer/permissionRadiobuttonRenderer.directive.js  
**MD5:** b2674a06f9fcfb8cab9196229817a52c  
**SHA1:** 2816becffb93dad552e07d80fb7e5042e13f1d26  
**SHA256:** 07270db8fca85c74ed49ae3f2345692c66443c01ef0be67234cc3d01e0873675  
**Referenced In Project/Scope:** CoWorkInstaller

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### usersandgroupsmanager.zip: usersandgroupsmanager.jar: usersandgroupsmanagercontroller.js

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/usersandgroupsmanager.zip/usersandgroupsmanager.jar/com/inet/usersandgroupsmanager/client/js/usersandgroupsmanagercontroller.js  
**MD5:** 3966dde5288327ce4a7664ffa146425f



**SHA1:** 9f1156c2c726e731d362aff1b4bf1f611da47c70

**SHA256:**bf3ede557a367f1cca803b9a259d1cc6c8f4109e6b381d08ea43c1360e7f9598

**Referenced In Project/Scope:** CoWorkInstaller

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### usersandgroupsmanager.zip: usersandgroupsmanager.jar: usersandgroupsmanagerdetailscontroller.js

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/usersandgroupsmanager.zip/usersandgroupsmanager.jar/com/inet/usersandgroupsmanager/client/js/usersandgroupsmanagerdetailscontroller.js

**MD5:** cd4b90a897c42eb0c1a38f660153f739

**SHA1:** c582f35a31ed251b2b02456bf79fcb8e6edbf9dc

**SHA256:**656c50c31f9f812740468c695b10f58d1e54b770765a25e7be047e661e305870

**Referenced In Project/Scope:** CoWorkInstaller

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### usersandgroupsmanager.zip: usersandgroupsmanager.jar: usersandgroupsmanagerdialogcontroller.js

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/usersandgroupsmanager.zip/usersandgroupsmanager.jar/com/inet/usersandgroupsmanager/client/js/usersandgroupsmanagerdialogcontroller.js

**MD5:** e35a43fa1eb935369c4e018ff1ee7640

**SHA1:** d239261c725a4ba6e6efa911b48e4909c5372d69

**SHA256:**3625665593e42ba14b5b40999ac21bdaeaea0baa80831182e221207a5019b541

**Referenced In Project/Scope:** CoWorkInstaller

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### usersandgroupsmanager.zip: usersandgroupsmanager.jar: usersandgroupsmanagerdirectives.js

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/usersandgroupsmanager.zip/usersandgroupsmanager.jar/com/inet/usersandgroupsmanager/client/js/usersandgroupsmanagerdirectives.js

**MD5:** e1d11e0ea312cfb6b0e395077779112b

**SHA1:** 3d63a2c1282afd900c5d74643ba4c1e61bb4118a

**SHA256:** 98f7717de0a411a3513e01b7126c19ad53f28a4b4d62183b77083195660ed7ab

**Referenced In Project/Scope:** CoWorkInstaller

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### usersandgroupsmanager.zip: usersandgroupsmanager.jar: usersandgroupsmanagereffectivepermissionscontroller.js

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/usersandgroupsmanager.zip/usersandgroupsmanager.jar/com/inet/usersandgroupsmanager/client/js/usersandgroupsmanagereffectivepermissionscontroller.js

**MD5:** e38beee6d03d93074acba84010e4c176

**SHA1:** d27284aae10d28fac162196094e0196c7c2486cf

**SHA256:** c2c9dd56c576d23e8038048090751071a5b29f53bb9fbbba03d42cedb31d927d0

**Referenced In Project/Scope:** CoWorkInstaller

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## usersandgroupsmanager.zip: usersandgroupsmanager.jar: usersandgroupsmanagerfactory.js

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/usersandgroupsmanager.zip/usersandgroupsmanager.jar  
/com/inet/usersandgroupsmanager/client/js/usersandgroupsmanagerfactory.js

**MD5:** 94ac82f47d59b465f5bfc271f16543f3

**SHA1:** eeb9fff4352ecf04ab487cf0168b7c2911b2d01b

**SHA256:** 3bcc388d9d2174651a443c62b5a7dde3f08f38ff8a918c9c154277660be520eb

**Referenced In Project/Scope:** CoWorkInstaller

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## usersandgroupsmanager.zip: usersandgroupsmanager.jar: usersandgroupsmanagermodel.js

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/usersandgroupsmanager.zip/usersandgroupsmanager.jar  
/com/inet/usersandgroupsmanager/client/js/usersandgroupsmanagermodel.js

**MD5:** 6a3ab01b9cf9fe9c45e4228f3f0a449e

**SHA1:** 2bfe0e4bf86ed5c09f3e70231a4f30f64cf930d2

**SHA256:** 01056b1c5b989974d14013791592960bc20677ef95883092a6d52f78a2a44503

**Referenced In Project/Scope:** CoWorkInstaller

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

**usersandgroupsmanager.zip: usersandgroupsmanager.jar:  
usersandgroupsmanagerpredeletionwarning.js**

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/usersandgroupsmanager.zip/usersandgroupsmanager.jar/com/inet/usersandgroupsmanager/client/js/usersandgroupsmanagerpredeletionwarning.js  
**MD5:** 2e963c8f1de1c02f2a9c062f03aff6a5  
**SHA1:** 1f5065e679fefcb1e927248cecf6d615950df2d1f  
**SHA256:** 8cea620f3d0600315b5b8296a91d5b5826093ee4c728d432dd1f00460347aff5  
**Referenced In Project/Scope:** CoWorkInstaller

**Evidence**



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

**Identifiers**

- None

**usersandgroupsmanager.zip: usersandgroupsmanager.jar:  
usersandgroupsmanagerrenderer.js**

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/usersandgroupsmanager.zip/usersandgroupsmanager.jar/com/inet/usersandgroupsmanager/client/js/usersandgroupsmanagerrenderer.js  
**MD5:** 66a9eef845301ec92243566a8a8a5fd0  
**SHA1:** 07cdb6a5a6e3d559c7e69fc37aeb1261d9e8c54b  
**SHA256:** b8aba3f0ce4c611245296998ca48c1ba116b76a9aedef381e7ccfa69411b8b4bc  
**Referenced In Project/Scope:** CoWorkInstaller

**Evidence**



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

**Identifiers**

- None

## usersandgroupsmanager.zip: usersandgroupsmanager.jar: usersandgroupsmanagerstatisticscontroller.js

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/usersandgroupsmanager.zip/usersandgroupsmanager.jar  
/com/inet/usersandgroupsmanager/client/js/usersandgroupsmanagerstatisticscontroller.js

**MD5:** 15db7d8e1d9c9102dff09a6540eacfdc

**SHA1:** 0ca6006da11c419453850c3ec9ec855c42e7b58b

**SHA256:** 6d215333ea6f212da404f333e073a3ca4ab48c921f75f159950694913b1b17bf

**Referenced In Project/Scope:** CoWorkInstaller

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## usersandgroupsmanager.zip: usersandgroupsmanager.jar: usersandgroupsmanagertakeoutcontroller.js

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/usersandgroupsmanager.zip/usersandgroupsmanager.jar  
/com/inet/usersandgroupsmanager/client/js/usersandgroupsmanagertakeoutcontroller.js

**MD5:** aecb7916c7ddc1ab36bb620e0bba61aa

**SHA1:** e98561144eeaf1048f88096ef4adeb4de63d971f

**SHA256:** cdb865f01764972194727fb6a715369b4353c620ecfdbeeadc40021144b7361c

**Referenced In Project/Scope:** CoWorkInstaller

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## webserver.defender.zip: webserver.defender.jar

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/webserver.defender.zip/webserver.defender.jar

**MD5:** 3cccb3a1c4a90863e44b8defae803259  
**SHA1:** 8baddae60fefe1d978f0b83e0509db6c746dd3fb  
**SHA256:**50ff9d296292d2e06f7e1584799bfbf410fa315e8b5f80c0fc82e7bdedd08b71  
**Referenced In Project/Scope:** CoWorkInstaller

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	webserver.defender	High
Vendor	jar	package name	inet	Low
Vendor	jar	package name	webserverdefender	Low
Vendor	Manifest	built-date	2026-06-16 16:53	Low
Vendor	Manifest	implementation-group	shared	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	webserver.defender	High
Product	jar	package name	webserverdefender	Low
Product	Manifest	built-date	2026-06-16 16:53	Low
Product	Manifest	implementation-group	shared	Low
Product	Manifest	Implementation-Title	webserver.defender	High
Product	Manifest	specification-title	webserver.defender	Medium
Version	Manifest	Implementation-Version	26.4.269	High

Identifiers

- None

webserver.zip: acme4j-client.jar

Description:

ACME client for Java

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/webserver.zip/acme4j-client.jar  
**MD5:** 7dc0b1c03b3cc50a9a4ff57198d681e5  
**SHA1:** 61a9eac083a03d76d16bef326e2141e84ebfe36f  
**SHA256:**b4b378abd10df779d870bbc798dc8e6b18125203f07c829350726751ccbde80d  
**Referenced In Project/Scope:** CoWorkInstaller

Evidence

Type	Source	Name	Value	Confidence
Vendor	file	name	acme4j-client	High
Vendor	jar	package name	acme4j	Highest
Vendor	jar	package name	shredzone	Highest
Vendor	Manifest	build-jdk-spec	17	Low
Vendor	pom	artifactid	acme4j-client	Low
Vendor	pom	groupid	org.shredzone.acme4j	Highest
Vendor	pom	name	acme4j Client	High
Vendor	pom	parent-artifactid	acme4j	Low
Product	file	name	acme4j-client	High
Product	jar	package name	acme4j	Highest
Product	jar	package name	shredzone	Highest
Product	Manifest	build-jdk-spec	17	Low
Product	pom	artifactid	acme4j-client	Highest
Product	pom	groupid	org.shredzone.acme4j	Highest
Product	pom	name	acme4j Client	High
Product	pom	parent-artifactid	acme4j	Medium
Version	pom	version	3.5.1	Highest

Identifiers

- pkg:maven/org.shredzone.acme4j/acme4j-client@3.5.1 (Confidence:High)

webserver.zip: jetty-websocket-core-client.jar

Description:

Jetty Core WebSocket Client Artifact

License:

EPL-2.0 OR Apache-2.0  
<https://www.eclipse.org/legal/epl-2.0/>, <https://www.apache.org/licenses/LICENSE-2.0.txt>

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/webserver.zip/jetty-websocket-core-client.jar  
**MD5:** d46f724dae3d5c07b76f3dee273703d2  
**SHA1:** 450e6be4bb6c6e1f17bf4483076e9bc430962548  
**SHA256:**b8803d4c32d8282fff3d07eac5b999f1241dabbd8c2d7a3093821cc913c79a85  
**Referenced In Project/Scope:** CoWorkInstaller

Evidence +

Type	Source	Name	Value	Confidence
Vendor	file	name	jetty-websocket-core-client	High
Vendor	jar	package name	core	Highest
Vendor	jar	package name	eclipse	Highest
Vendor	jar	package name	jetty	Highest
Vendor	jar	package name	websocket	Highest
Vendor	Manifest	build-jdk-spec	25	Low
Vendor	Manifest	bundle-copyright	Copyright (c) 1995 Mort Bay Consulting Pty Ltd and others.	Low
Vendor	Manifest	bundle-docurl	<a href="https://jetty.org/">https://jetty.org/</a>	Low
Vendor	Manifest	bundle-symbolicname	org.eclipse.jetty.websocket.core.client	Medium
Vendor	Manifest	Implementation-Vendor	Eclipse Jetty Project	High
Vendor	Manifest	url	<a href="https://jetty.org/">https://jetty.org/</a>	Low
Vendor	pom	artifactid	jetty-websocket-core-client	Low
Vendor	pom	groupid	org.eclipse.jetty.websocket	Highest
Vendor	pom	name	Core :: Websocket :: Client	High
Vendor	pom	parent-artifactid	jetty-websocket	Low
Product	file	name	jetty-websocket-core-client	High
Product	jar	package name	core	Highest
Product	jar	package name	eclipse	Highest
Product	jar	package name	jetty	Highest
Product	jar	package name	websocket	Highest
Product	Manifest	build-jdk-spec	25	Low
Product	Manifest	bundle-copyright	Copyright (c) 1995 Mort Bay Consulting Pty Ltd and others.	Low
Product	Manifest	bundle-docurl	<a href="https://jetty.org/">https://jetty.org/</a>	Low
Product	Manifest	Bundle-Name	Core :: Websocket :: Client	Medium
Product	Manifest	bundle-	org.eclipse.jetty.websocket.core.client	Medium



		symbolicname		
Product	Manifest	url	https://jetty.org/	Low
Product	pom	artifactid	jetty-websocket-core-client	Highest
Product	pom	groupid	org.eclipse.jetty.websocket	Highest
Product	pom	name	Core :: Websocket :: Client	High
Product	pom	parent-artifactid	jetty-websocket	Medium
Version	Manifest	Bundle-Version	12.1.9	High
Version	Manifest	Implementation-Version	12.1.9	High
Version	pom	version	12.1.9	Highest

## Related Dependencies



- webserver.zip: jetty-client.jar
  - File Path: /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/webserver.zip/jetty-client.jar
  - MD5: a687afc6cc778c17fee4a88cc0a9142e
  - SHA1: 816c3372a055f67267e19d48ba053533501f31fc
  - SHA256: 83ef4b2554c12d9cbf0b50fe071d06a5d4f14ffbee94029db10b3198187a877c
  - pkg:maven/org.eclipse.jetty/jetty-client@12.1.9
- webserver.zip: jetty-ee11-servlet.jar
  - File Path: /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/webserver.zip/jetty-ee11-servlet.jar
  - MD5: 534eecb2b7fb229c24e83a5f1b51161c
  - SHA1: 6b6a8fec7a0681f98a0925f8d4e69265fdc977d6
  - SHA256: adc8811e16e3c255f291c8ef20075a4c70b1a56a1fa723eb65733f662f23e5b6
  - pkg:maven/org.eclipse.jetty.jetty-ee11/jetty-ee11-servlet@12.1.9
- webserver.zip: jetty-ee11-servlets.jar
  - File Path: /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/webserver.zip/jetty-ee11-servlets.jar
  - MD5: 3a072f3daf5cf35ce4677d9ff69c477f
  - SHA1: 27a26407a106e3ae35993d306f941b5d77a3fa0b
  - SHA256: d7080e2d34c83b8ba24908ca170540ff298894489d3399807e55dca6e21b45ae
  - pkg:maven/org.eclipse.jetty.jetty-ee11/jetty-ee11-servlets@12.1.9
- webserver.zip: jetty-ee11-websocket-jakarta-client.jar
  - File Path: /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/webserver.zip/jetty-ee11-websocket-jakarta-client.jar
  - MD5: c3f5847f742c45247b18c3be7627ca2a
  - SHA1: 0dbd29e6ec15d6072ff6065c381e92212342593e
  - SHA256: e1baad8ba915eb42ce4daf68afd9936b8247beece81fbb6d705f8f2c7ea304c5
  - pkg:maven/org.eclipse.jetty.jetty-ee11.websocket/jetty-ee11-websocket-jakarta-client@12.1.9
- webserver.zip: jetty-ee11-websocket-jakarta-common.jar
  - File Path: /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/webserver.zip/jetty-ee11-websocket-jakarta-common.jar
  - MD5: 351cc98c3c8a077a642cc7ef8f233c01
  - SHA1: ba4e2fb5d815023b59735abecd752b71c5738ae6
  - SHA256: 79524f3a00cc14c26cf79046e83889d3951ee4f6829e6f56de767830a9ad6c72
  - pkg:maven/org.eclipse.jetty.jetty-ee11.websocket/jetty-ee11-websocket-jakarta-common@12.1.9

- webserver.zip: jetty-ee11-websocket-servlet.jar
  - File Path: /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/webserver.zip/jetty-ee11-websocket-servlet.jar
  - MD5: 033ac748158a7fbd8b6fd5caf2f3c064
  - SHA1: 15567e7d466eff321ed7ac0894d34fe9bfefe28e
  - SHA256: c1019471a0d72055f365db5da15cb7d83beec0affccf8767b1d3d26083614de6
  - pkg:maven/org.eclipse.jetty.ee11.websocket/jetty-ee11-websocket-servlet@12.1.9
- webserver.zip: jetty-http.jar
  - File Path: /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/webserver.zip/jetty-http.jar
  - MD5: 957922ad8031fa851fb697f866f30e8f
  - SHA1: d4c8ce16b394a2cbea4834781d734e314bf26cfb
  - SHA256: 857eaf5e7823f9ee91099db5bedd179b7d3e93653ac288e27321544231014df0
  - pkg:maven/org.eclipse.jetty/jetty-http@12.1.9
- webserver.zip: jetty-http2-common.jar
  - File Path: /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/webserver.zip/jetty-http2-common.jar
  - MD5: cb0fa9331882e11f1dfad306b6449c3d
  - SHA1: 5e4d5aeed178e60342f2698e442e22de551ec1c3
  - SHA256: ee237d8098365e478e70062ebdf751b5caa900af63535de9cd64a8c837eac2ef
  - pkg:maven/org.eclipse.jetty.http2/jetty-http2-common@12.1.9
- webserver.zip: jetty-http2-hpack.jar
  - File Path: /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/webserver.zip/jetty-http2-hpack.jar
  - MD5: 75450d346ddd77abe4f3aab1b55ab416
  - SHA1: 4e5f54790177f2d971fc2ec680e6e25a3c36e1f6
  - SHA256: 22df0880a3937ec0b4f7a88371103d8512d39ebe4fea6df5ebd533cddb9ec13
  - pkg:maven/org.eclipse.jetty.http2/jetty-http2-hpack@12.1.9
- webserver.zip: jetty-io.jar
  - File Path: /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/webserver.zip/jetty-io.jar
  - MD5: e2b075927f922ce8bb84ae7742a5bcab
  - SHA1: eded2b009448a5e44e16add2fbb66701fe6456b
  - SHA256: 904c1680e74705794c15f9df2a9ccfb155152bdd3067521fd6522df009bfa9d9
  - pkg:maven/org.eclipse.jetty/jetty-io@12.1.9
- webserver.zip: jetty-security.jar
  - File Path: /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/webserver.zip/jetty-security.jar
  - MD5: 9b5837463c49ba4d850af991b31c479b
  - SHA1: da8049b28929f428a3945049be0d6956f2ab5363
  - SHA256: 00dcd3f9258d7eb41fc1c1cbcbaa33a1a47710783e30ad512816f0c051423142
  - pkg:maven/org.eclipse.jetty/jetty-security@12.1.9
- webserver.zip: jetty-session.jar
  - File Path: /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/webserver.zip/jetty-session.jar
  - MD5: 2c40adc4e4ec0aa38818c65a5410cbb0
  - SHA1: e21cde48bb64be19453015ab7d3c79c205b0edd4
  - SHA256: 121a9c2c9ba7274d751fe3e0d5408612c95b46df2ed20910cfecced5ae7b1659
  - pkg:maven/org.eclipse.jetty/jetty-session@12.1.9
- webserver.zip: jetty-util.jar
  - File Path: /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/webserver.zip/jetty-util.jar
  - MD5: 5a450ba05c7252a83c57e727f273c501
  - SHA1: d8a512027f8ccf8aa2299d4fdd5cd7ca1edc6fa1
  - SHA256: bb228358d4ae45c004d949edc397de1eb8aabc7adc5f9b9cbc833336e70a23bd
  - pkg:maven/org.eclipse.jetty/jetty-util@12.1.9
- webserver.zip: jetty-websocket-core-common.jar

- File Path: /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/webserver.zip/jetty-websocket-core-common.jar
- MD5: 3c1a5ac7d279105b43fdc110c1d2a813
- SHA1: 8f1e13820333b332c1357dbc9b85c0654fd08722
- SHA256: 7ac4edfd74d42983c6a6ff96a36f8c96dd422d8e23f9a2301890b4b4166ef957
- pkg:maven/org.eclipse.jetty.websocket/jetty-websocket-core-common@12.1.9
- webserver.zip: jetty-websocket-jetty-api.jar
  - File Path: /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/webserver.zip/jetty-websocket-jetty-api.jar
  - MD5: 9e238327e39f64236fb9eafa3bccc690
  - SHA1: 220fa4b8bcda6ca3078b3f363a23d8e245337ce6
  - SHA256: 8cf964d69272939166603c9c57a92a7791f09034a4f1bffa4734aa5c3140ad69
  - pkg:maven/org.eclipse.jetty.websocket/jetty-websocket-jetty-api@12.1.9

## Identifiers

- pkg:maven/org.eclipse.jetty.websocket/jetty-websocket-core-client@12.1.9 (*Confidence: High*)
- [cpe:2.3:a:eclipse:jetty:12.1.9:\\*:\\*:\\*:\\*:\\*](#) (*Confidence: Highest*) suppress
- [cpe:2.3:a:jetty:jetty:12.1.9:\\*:\\*:\\*:\\*:\\*](#) (*Confidence: Highest*) suppress
- [cpe:2.3:a:mortbay\\_jetty:jetty:12.1.9:\\*:\\*:\\*:\\*:\\*](#) (*Confidence: Highest*) suppress

## webserver.zip: jetty-websocket-core-server.jar

### Description:

Jetty Core WebSocket Server Artifact

### License:

EPL-2.0 OR Apache-2.0

<https://www.eclipse.org/legal/epl-2.0/>, <https://www.apache.org/licenses/LICENSE-2.0.txt>

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/webserver.zip/jetty-websocket-core-server.jar

**MD5:** 8853cdf9a6a1fa29c08b9b9f10048e4d

**SHA1:** 131cac560d4abc242d57a2ffb934c215e33860be

**SHA256:** 4dfe1f58fb52bc02a32f30693fc2d92ffdaa94d29508efa68e1f9bfebb43e71a

**Referenced In Project/Scope:** CoWorkInstaller

## Evidence

Type	Source	Name	Value	Confidence
Vendor	file	name	jetty-websocket-core-server	High
Vendor	jar	package name	core	Highest
Vendor	jar	package name	eclipse	Highest
Vendor	jar	package name	jetty	Highest

Vendor	jar	package name	websocket	Highest
Vendor	Manifest	build-jdk-spec	25	Low
Vendor	Manifest	bundle-copyright	Copyright (c) 1995 Mort Bay Consulting Pty Ltd and others.	Low
Vendor	Manifest	bundle-docurl	https://jetty.org/	Low
Vendor	Manifest	bundle-symbolicname	org.eclipse.jetty.websocket.core.server	Medium
Vendor	Manifest	Implementation-Vendor	Eclipse Jetty Project	High
Vendor	Manifest	url	https://jetty.org/	Low
Vendor	pom	artifactid	jetty-websocket-core-server	Low
Vendor	pom	groupid	org.eclipse.jetty.websocket	Highest
Vendor	pom	name	Core :: Websocket :: Server	High
Vendor	pom	parent-artifactid	jetty-websocket	Low
Product	file	name	jetty-websocket-core-server	High
Product	jar	package name	core	Highest
Product	jar	package name	eclipse	Highest
Product	jar	package name	jetty	Highest
Product	jar	package name	websocket	Highest
Product	Manifest	build-jdk-spec	25	Low
Product	Manifest	bundle-copyright	Copyright (c) 1995 Mort Bay Consulting Pty Ltd and others.	Low
Product	Manifest	bundle-docurl	https://jetty.org/	Low
Product	Manifest	Bundle-Name	Core :: Websocket :: Server	Medium
Product	Manifest	bundle-symbolicname	org.eclipse.jetty.websocket.core.server	Medium
Product	Manifest	url	https://jetty.org/	Low
Product	pom	artifactid	jetty-websocket-core-server	Highest
Product	pom	groupid	org.eclipse.jetty.websocket	Highest
Product	pom	name	Core :: Websocket :: Server	High
Product	pom	parent-artifactid	jetty-websocket	Medium
Version	Manifest	Bundle-Version	12.1.9	High
Version	Manifest	Implementation-Version	12.1.9	High
Version	pom	version	12.1.9	Highest

#### Related Dependencies



- webserver.zip: jetty-alpn-java-server.jar
  - File Path: /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/webserver.zip/jetty-alpn-java-server.jar
  - MD5: f9f5b3c30d7a6ead6ccc3c8c37c1bf69
  - SHA1: 5a3492462de5119a2cf2f883a9f294282776196f
  - SHA256: 17dd073b029aeea522250e002e6b69ff66f06356365f8790727dc9ed918a2124
  - pkg:maven/org.eclipse.jetty/jetty-alpn-java-server@12.1.9
- webserver.zip: jetty-alpn-server.jar
  - File Path: /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/webserver.zip/jetty-alpn-server.jar
  - MD5: eeb667e99c0ff79fc2ff8fb3c93f6626
  - SHA1: 08a9bea8dedeb8c29d5a5db55d01c3f58023591
  - SHA256: 0a77d1babf2ecf9398c9491fd80f01fcdc450eeb8065df6808a38d33f97472df
  - pkg:maven/org.eclipse.jetty/jetty-alpn-server@12.1.9
- webserver.zip: jetty-ee11-websocket-jakarta-server.jar
  - File Path: /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/webserver.zip/jetty-ee11-websocket-jakarta-server.jar
  - MD5: 7ff63f28fb2d47154c25e1589c107ccd
  - SHA1: 213eb3e97a729dd967aaf8d4c76ab1c9df1beb7e
  - SHA256: d748541b68912c761cc9a359347b31bdc6525ec3aed2388c751ec601457851bc
  - pkg:maven/org.eclipse.jetty.ee11.websocket/jetty-ee11-websocket-jakarta-server@12.1.9
- webserver.zip: jetty-ee11-websocket-jetty-server.jar
  - File Path: /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/webserver.zip/jetty-ee11-websocket-jetty-server.jar
  - MD5: a83a5b7414453a566c4f582c83c838db
  - SHA1: ca7cc28cb12f4879e9540df82fde312ebb1b9fd1
  - SHA256: 257c916f976d3dd96f94cc61cbf766f6bbd4f4b9dee4612a0d7f0243353d7cbc
  - pkg:maven/org.eclipse.jetty.ee11.websocket/jetty-ee11-websocket-jetty-server@12.1.9
- webserver.zip: jetty-http2-server.jar
  - File Path: /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/webserver.zip/jetty-http2-server.jar
  - MD5: 102732630daef00713501363b3cca8fb
  - SHA1: a8f7e9a71cf1c7c14becc82e1c714cce2a84f40d
  - SHA256: 5c07c756237795883c166f0a4775b88f0f6d21534d8292eea57ccd4d9c395e30
  - pkg:maven/org.eclipse.jetty.http2/jetty-http2-server@12.1.9
- webserver.zip: jetty-server.jar
  - File Path: /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/webserver.zip/jetty-server.jar
  - MD5: 16bbb6d08db98909901b235e132a51f6
  - SHA1: d9b173609c17b7ff258b03f9dd79192c4684d12a
  - SHA256: 5dfc3736056cd941a783b21e50c983c235c1b0a593d4b0d2954966173a3f6a3e
  - pkg:maven/org.eclipse.jetty/jetty-server@12.1.9

## Identifiers

- pkg:maven/org.eclipse.jetty.websocket/jetty-websocket-core-server@12.1.9 (*Confidence:High*)
- [cpe:2.3:a:eclipse:jetty:12.1.9:\\*.~\\*~\\*~\\*~\\*](#) (*Confidence:Highest*) suppress
- [cpe:2.3:a:jetty:jetty:12.1.9:\\*.~\\*~\\*~\\*~\\*](#) (*Confidence:Highest*) suppress
- cpe:2.3:a:jetty:jetty\_http\_server:12.1.9:\*.~\*~\*~\*~\* (*Confidence:Low*) suppress
- [cpe:2.3:a:mortbay:jetty:jetty:12.1.9:\\*.~\\*~\\*~\\*~\\*](#) (*Confidence:Highest*) suppress

## webserver.zip: jose4j.jar

### Description:

The jose4j library is a robust and easy to use open source implementation of JSON Web Token (JWT) and the JOSE specification suite (JWS, JWE, and JWK).

It is written in Java and relies solely on the JCA APIs for cryptography.

Please see [https://bitbucket.org/b\\_c/jose4j/wiki/Home](https://bitbucket.org/b_c/jose4j/wiki/Home) for more info, examples, etc..

### License:

The Apache Software License, Version 2.0: <http://www.apache.org/licenses/LICENSE-2.0.txt>

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/webserver.zip/jose4j.jar

**MD5:** f57cb91efc5beaa940029f5515a888c2

**SHA1:** 357a3836bb5da16f314f3a1e954518e5468cd915

**SHA256:** 7314af50cde9c99e8eaf43eee617a23edcc6bb43036221064355094999d837ef

**Referenced In Project/Scope:** CoWorkInstaller

### Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	jose4j	High
Vendor	jar	package name	jca	Highest
Vendor	jar	package name	jose4j	Highest
Vendor	jar	package name	json	Highest
Vendor	jar	package name	jwe	Highest
Vendor	jar	package name	jwk	Highest
Vendor	jar	package name	jws	Highest
Vendor	jar	package name	jwt	Highest
Vendor	jar	package name	use	Highest
Vendor	Manifest	automatic-module-name	org.jose4j	Medium
Vendor	Manifest	bundle-symbolicname	org.bitbucket.b_c.jose4j	Medium
Vendor	pom	artifactid	jose4j	Low
Vendor	pom	developer email	brian.d.campbell@gmail.com	Low
Vendor	pom	developer name	Brian Campbell	Medium
Vendor	pom	groupid	org.bitbucket.b_c	Highest
Vendor	pom	name	jose4j	High
Vendor	pom	url	<a href="https://bitbucket.org/b_c/jose4j/">https://bitbucket.org/b_c/jose4j/</a>	Highest

Product	file	name	jose4j	High
Product	jar	package name	jca	Highest
Product	jar	package name	jose4j	Highest
Product	jar	package name	json	Highest
Product	jar	package name	jwe	Highest
Product	jar	package name	jwk	Highest
Product	jar	package name	jws	Highest
Product	jar	package name	jwt	Highest
Product	jar	package name	use	Highest
Product	Manifest	automatic-module-name	org.jose4j	Medium
Product	Manifest	Bundle-Name	jose4j	Medium
Product	Manifest	bundle-symbolicname	org.bitbucket.b_c.jose4j	Medium
Product	pom	artifactid	jose4j	Highest
Product	pom	developer email	brian.d.campbell@gmail.com	Low
Product	pom	developer name	Brian Campbell	Low
Product	pom	groupid	org.bitbucket.b_c	Highest
Product	pom	name	jose4j	High
Product	pom	url	https://bitbucket.org/b_c/jose4j/	Medium
Version	Manifest	Bundle-Version	0.9.6	High
Version	pom	version	0.9.6	Highest

#### Identifiers

- pkg:maven/org.bitbucket.b\_c/jose4j@0.9.6 (Confidence:High)
- [cpe:2.3:a:jose4j\\_project:jose4j:0.9.6:\\*:\\*:\\*:\\*:\\*](#) (Confidence:Highest)

suppress

### webserver.zip: webserver.jar

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/webserver.zip/webserver.jar

**MD5:** 9786e238a9474c77b9ef02b4607159a3

**SHA1:** d6820f68eea9cb3641afdd4fc86348fb874de385

**SHA256:** 06fff7d9e04d1ab4c960f22695707fcef5c103bf6a9c4052dbb69898fa0cac3e

**Referenced In Project/Scope:** CoWorkInstaller

#### Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	webserver	High
Vendor	jar	package name	inet	Low
Vendor	jar	package name	webserver	Low
Vendor	Manifest	built-date	2026-06-16 16:31	Low
Vendor	Manifest	implementation-group	shared	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	webserver	High
Product	jar	package name	webserver	Highest
Product	jar	package name	webserver	Low
Product	Manifest	built-date	2026-06-16 16:31	Low
Product	Manifest	implementation-group	shared	Low
Product	Manifest	Implementation-Title	webserver	High
Product	Manifest	specification-title	webserver	Medium
Version	Manifest	Implementation-Version	26.4.269	High

#### Identifiers

- None

## Suppressed Vulnerabilities



### cowork.calls.zip: ice4j.jar

#### Description:

A Java implementation of the ICE protocol

#### License:



**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/cowork.calls.zip/ice4j.jar

**MD5:** f0adbd525d5fdd863e34317ac7f48248

**SHA1:** b532fe55ea7836581a6fe67eb991318762a541c5

**SHA256:** 11c4b2d9e12d199ed494f74a004d2468d323e4330f2285539381842aed725650

**Referenced In Project/Scope:** CoWorkInstaller

## Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	ice4j	High
Vendor	jar	package name	ice	Highest
Vendor	jar	package name	ice4j	Highest
Vendor	Manifest	build-jdk-spec	11	Low
Vendor	Manifest	bundle-developers	"org.jitsi";email="dev@jitsi.org";name="Jitsi Team"	Low
Vendor	Manifest	bundle-docurl	<a href="https://github.com/jitsi/ice4j">https://github.com/jitsi/ice4j</a>	Low
Vendor	Manifest	bundle-symbolicname	org.jitsi.ice4j	Medium
Vendor	pom	artifactid	ice4j	Low
Vendor	pom	developer email	dev@jitsi.org	Low
Vendor	pom	developer id	org.jitsi	Medium
Vendor	pom	developer name	Jitsi Team	Medium
Vendor	pom	groupid	org.jitsi	Highest
Vendor	pom	name	ice4j	High
Vendor	pom	organization name	jitsi.org	High
Vendor	pom	organization url	<a href="https://jitsi.org">https://jitsi.org</a>	Medium
Vendor	pom	url	<a href="https://jitsi.org/ice4j">jitsi/ice4j</a>	Highest
Product	file	name	ice4j	High
Product	jar	package name	ice	Highest
Product	jar	package name	ice4j	Highest
Product	Manifest	build-jdk-spec	11	Low
Product	Manifest	bundle-developers	"org.jitsi";email="dev@jitsi.org";name="Jitsi Team"	Low
Product	Manifest	bundle-docurl	<a href="https://github.com/jitsi/ice4j">https://github.com/jitsi/ice4j</a>	Low
Product	Manifest	Bundle-Name	ice4j	Medium
Product	Manifest	bundle-symbolicname	org.jitsi.ice4j	Medium
Product	pom	artifactid	ice4j	Highest

Product	pom	developer email	dev@jitsi.org	Low
Product	pom	developer id	org.jitsi	Low
Product	pom	developer name	Jitsi Team	Low
Product	pom	groupid	org.jitsi	Highest
Product	pom	name	ice4j	High
Product	pom	organization name	jitsi.org	Low
Product	pom	organization url	https://jitsi.org	Low
Product	pom	url	jitsi/ice4j	High
Version	pom	version	3.2-12-gc2cbf61	Highest

### Suppressed Identifiers

- None

### Suppressed Vulnerabilities



#### [CVE-2022-43550](#) suppressed

A command injection vulnerability exists in Jitsi before commit 8aa7be58522f4264078d54752aae5483bfd854b2 when launching browsers on Windows which could allow an attacker to insert an arbitrary URL which opens up the opportunity to remote execution.

CWE-77 Improper Neutralization of Special Elements used in a Command ('Command Injection'), CWE-78 Improper Neutralization of Special Elements used in an OS Command ('OS Command Injection')

Notes: false positives, no end date CVE-2008-7271 - This is for the eclipse ide and not for any library from eclipse. CVE-2010-4647 - This is for the eclipse ide and not for any library from eclipse. CVE-2020-26939 - The BouncyCastle FIPS variant uses same maven package matcher but has different version numbers. CVE-2021-4236 - This is for a go project, match on every lib with 'web' in the name CVE-2021-4277 - This is for a utils project from fredsmith, match on every lib with 'utils' in the name CVE-2022-31548 - This is a CVE for a sample python project. CVE-2022-43550 - This is a CVE for the jitsi main project and not for any library from jitsi. CVE-2022-45688 - This is for hutool-json, matched on every component with 'json' in the name CVE-2023-5072 - This is for JSON-java, matched on every component with 'json' in the name CVE-2023-33202 - The BouncyCastle FIPS variant uses same maven package matcher but has different version numbers. CVE-2023-35116 - DISPUTED CVE-2023-36052 - This is for Azure CLI and not for com.azure:azure-core. CVE-2023-45161 - This is for 1E-Exchange which we does not use. CVE-2026-33117 - azure-core has a different version as the Azure SDK for Java

CVSSv3:

- CRITICAL (9.8)
- CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:H/I:H/A:H/E:P/RC:R/MAV:A

References:

- af854a3a-2127-422b-91ae-364da2661108 - [PATCH](#)
- support@hackerone.com - [PATCH](#)

Vulnerable Software & Versions:

- [cpe:2.3:a:jitsi:jitsi:\\*:\\*:\\*:\\*:\\* versions up to \(excluding\) 2022-09-14](#)

## cowork.calls.zip: jicoco-config.jar

### Description:

Jitsi Common Components (Configuration Utilities)

### License:

"Apache-2.0";link="https://github.com/jitsi/jicoco/blob/master/LICENSE"

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/cowork.calls.zip/jicoco-config.jar

**MD5:** 8f02ad43cc5b7ce1803ab41720a88380

**SHA1:** 09ef0e37983dac8cc3e6c287822087a2b86efc56

**SHA256:** c55bdac708441b77a6d5b88a998853aae6ba9af62d059f52cf6679c85b2fa0ac

**Referenced In Project/Scope:** CoWorkInstaller

### Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	jicoco-config	High
Vendor	jar	package name	config	Highest
Vendor	jar	package name	jitsi	Highest
Vendor	Manifest	build-jdk-spec	11	Low
Vendor	Manifest	bundle-developers	"org.jitsi";email="dev@jitsi.org";name="Jitsi Team"	Low
Vendor	Manifest	bundle-docurl	https://github.com/jitsi/jicoco/jicoco-config	Low
Vendor	Manifest	bundle-symbolicname	org.jitsi.config	Medium
Vendor	pom	artifactid	jicoco-config	Low
Vendor	pom	groupid	org.jitsi	Highest
Vendor	pom	name	jicoco-config	High
Vendor	pom	parent-artifactid	jicoco-parent	Low
Product	file	name	jicoco-config	High
Product	jar	package name	config	Highest
Product	jar	package name	jitsi	Highest
Product	Manifest	build-jdk-spec	11	Low
Product	Manifest	bundle-developers	"org.jitsi";email="dev@jitsi.org";name="Jitsi Team"	Low
Product	Manifest	bundle-docurl	https://github.com/jitsi/jicoco/jicoco-config	Low
Product	Manifest	Bundle-Name	jicoco-config	Medium

Product	Manifest	bundle-symbolicname	org.jitsi.config	Medium
Product	pom	artifactid	jicoco-config	Highest
Product	pom	groupid	org.jitsi	Highest
Product	pom	name	jicoco-config	High
Product	pom	parent-artifactid	jicoco-parent	Medium
Version	pom	version	1.1-164-g4c67b0d	Highest

### Suppressed Identifiers

- None

### Suppressed Vulnerabilities



#### [CVE-2022-43550](#) suppressed

A command injection vulnerability exists in Jitsi before commit 8aa7be58522f4264078d54752aae5483bfd854b2 when launching browsers on Windows which could allow an attacker to insert an arbitrary URL which opens up the opportunity to remote execution.

CWE-77 Improper Neutralization of Special Elements used in a Command ('Command Injection'), CWE-78 Improper Neutralization of Special Elements used in an OS Command ('OS Command Injection')

Notes: false positives, no end date CVE-2008-7271 - This is for the eclipse ide and not for any library from eclipse. CVE-2010-4647 - This is for the eclipse ide and not for any library from eclipse. CVE-2020-26939 - The BouncyCastle FIPS variant uses same maven package matcher but has different version numbers. CVE-2021-4236 - This is for a go project, match on every lib with 'web' in the name CVE-2021-4277 - This is for a utils project from fredssmith, match on every lib with 'utils' in the name CVE-2022-31548 - This is a CVE for a sample python project. CVE-2022-43550 - This is a CVE for the jitsi main project and not for any library from jitsi. CVE-2022-45688 - This is for hutool-json, matched on every component with 'json' in the name CVE-2023-5072 - This is for JSON-java, matched on every component with 'json' in the name CVE-2023-33202 - The BouncyCastle FIPS variant uses same maven package matcher but has different version numbers. CVE-2023-35116 - DISPUTED CVE-2023-36052 - This is for Azure CLI and not for com.azure:azure-core. CVE-2023-45161 - This is for 1E-Exchange which we does not use. CVE-2026-33117 - azure-core has a different version as the Azure SDK for Java

CVSSv3:

- CRITICAL (9.8)
- CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:H/I:H/A:H/E:P/RC:R/MAV:A

References:

- af854a3a-2127-422b-91ae-364da2661108 - [PATCH](#)
- support@hackerone.com - [PATCH](#)

Vulnerable Software & Versions:

- [cpe:2.3:a:jitsi:jitsi:\\*.~\\*.~\\*.~\\*.~\\* versions up to \(excluding\) 2022-09-14](#)

## cowork.calls.zip: jitsi-metaconfig.jar

### Description:

jitsi-metaconfig helps solve the problems around the evolution of configuration properties

### License:

Apache-2.0: <https://github.com/jitsi/jitsi-metaconfig/blob/master/LICENSE>

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/cowork.calls.zip/jitsi-metaconfig.jar

**MD5:** 149facd87e6b7aa23daaf5ab34b612f0

**SHA1:** 2a88915e0216e985aef6d28b53ab572f11f11fe9

**SHA256:** d92696906349b12b99c929450637797c28b8971cc69ef75a0f093d5566ee17bf

**Referenced In Project/Scope:** CoWorkInstaller

### Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	jitsi-metaconfig	High
Vendor	jar	package name	jitsi	Highest
Vendor	jar	package name	metaconfig	Highest
Vendor	Manifest	build-jdk-spec	11	Low
Vendor	Manifest	bundle-developers	"org.jitsi";email="dev@jitsi.org";name="Jitsi Team"	Low
Vendor	Manifest	bundle-docurl	<a href="https://github.com/jitsi/jitsi-metaconfig">https://github.com/jitsi/jitsi-metaconfig</a>	Low
Vendor	Manifest	bundle-symbolicname	org.jitsi.metaconfig	Medium
Vendor	pom	artifactid	jitsi-metaconfig	Low
Vendor	pom	developer email	dev@jitsi.org	Low
Vendor	pom	developer id	org.jitsi	Medium
Vendor	pom	developer name	Jitsi Team	Medium
Vendor	pom	groupid	org.jitsi	Highest
Vendor	pom	name	jitsi-metaconfig	High
Vendor	pom	organization name	jitsi.org	High
Vendor	pom	organization url	<a href="https://jitsi.org">https://jitsi.org</a>	Medium
Vendor	pom	url	jitsi/jitsi-metaconfig	Highest
Product	file	name	jitsi-metaconfig	High
Product	jar	package name	jitsi	Highest
Product	jar	package name	metaconfig	Highest
Product	Manifest	build-jdk-spec	11	Low
Product	Manifest	bundle-	"org.jitsi";email="dev@jitsi.org";name="Jitsi	Low

		developers	Team"	
Product	Manifest	bundle-docurl	https://github.com/jitsi/jitsi-metaconfig	Low
Product	Manifest	Bundle-Name	jitsi-metaconfig	Medium
Product	Manifest	bundle-symbolicname	org.jitsi.metaconfig	Medium
Product	pom	artifactid	jitsi-metaconfig	Highest
Product	pom	developer email	dev@jitsi.org	Low
Product	pom	developer id	org.jitsi	Low
Product	pom	developer name	Jitsi Team	Low
Product	pom	groupid	org.jitsi	Highest
Product	pom	name	jitsi-metaconfig	High
Product	pom	organization name	jitsi.org	Low
Product	pom	organization url	https://jitsi.org	Low
Product	pom	url	jitsi/jitsi-metaconfig	High
Version	pom	version	1.0-16-gfce4953	Highest

### Suppressed Identifiers

- None

### Suppressed Vulnerabilities



#### [CVE-2022-43550](#) suppressed

A command injection vulnerability exists in Jitsi before commit 8aa7be58522f4264078d54752aae5483bfd854b2 when launching browsers on Windows which could allow an attacker to insert an arbitrary URL which opens up the opportunity to remote execution.

CWE-77 Improper Neutralization of Special Elements used in a Command ('Command Injection'), CWE-78 Improper Neutralization of Special Elements used in an OS Command ('OS Command Injection')

Notes: false positives, no end date CVE-2008-7271 - This is for the eclipse ide and not for any library from eclipse. CVE-2010-4647 - This is for the eclipse ide and not for any library from eclipse. CVE-2020-26939 - The BouncyCastle FIPS variant uses same maven package matcher but has different version numbers. CVE-2021-4236 - This is for a go project, match on every lib with 'web' in the name CVE-2021-4277 - This is for a utils project from fredssmith, match on every lib with 'utils' in the name CVE-2022-31548 - This is a CVE for a sample python project. CVE-2022-43550 - This is a CVE for the jitsi main project and not for any library from jitsi. CVE-2022-45688 - This is for hutool-json, matched on every component with 'json' in the name CVE-2023-5072 - This is for JSON-java, matched on every component with 'json' in the name CVE-2023-33202 - The BouncyCastle FIPS variant uses same maven package matcher but has different version numbers. CVE-2023-35116 - DISPUTED CVE-2023-36052 - This is for Azure CLI and not for com.azure:azure-core. CVE-2023-45161 - This is for 1E-Exchange which we

does not use. CVE-2026-33117 - azure-core has a different version as the Azure SDK for Java

CVSSv3:

- CRITICAL (9.8)
- CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:H/I:H/A:H/E:P/RC:R/MAV:A

References:

- af854a3a-2127-422b-91ae-364da2661108 - [PATCH](#)
- support@hackerone.com - [PATCH](#)

Vulnerable Software & Versions:

- [cpe:2.3:a:jitsi:jitsi:\\*:\\*:\\*:\\*:\\* versions up to \(excluding\) 2022-09-14](#)

## cowork.calls.zip: jitsi-utils.jar

### Description:

A set of basic utilities used in Jitsi projects

### License:

Apache-2.0: <https://github.com/jitsi/jitsi-utils/blob/master/LICENSE>

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/cowork.calls.zip/jitsi-utils.jar

**MD5:** 3833fa8e0ff61fa9c96f1c7fd4db32ee

**SHA1:** 280e539b5071be1ff5d8951e2c675818e0876b7f

**SHA256:** eba234ebd3a9fde0d291673a8d5cc29d8e0bdca7e425d552c43e28d5f2acc0f7

**Referenced In Project/Scope:** CoWorkInstaller

### Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	jitsi-utils	High
Vendor	jar	package name	jitsi	Highest
Vendor	jar	package name	utils	Highest
Vendor	Manifest	build-jdk-spec	11	Low
Vendor	Manifest	bundle-docurl	<a href="https://github.com/jitsi/jitsi-utils">https://github.com/jitsi/jitsi-utils</a>	Low
Vendor	Manifest	bundle-symbolicname	org.jitsi.utils	Medium
Vendor	pom	artifactid	jitsi-utils	Low
Vendor	pom	developer email	dev@jitsi.org	Low
Vendor	pom	developer id	org.jitsi	Medium
Vendor	pom	developer name	Jitsi Team	Medium
Vendor	pom	groupid	org.jitsi	Highest
Vendor	pom	name	jitsi-utils	High

Vendor	pom	organization name	jitsi.org	High
Vendor	pom	organization url	https://jitsi.org	Medium
Vendor	pom	url	jitsi/jitsi-utils	Highest
Product	file	name	jitsi-utils	High
Product	jar	package name	jitsi	Highest
Product	jar	package name	utils	Highest
Product	Manifest	build-jdk-spec	11	Low
Product	Manifest	bundle-docurl	https://github.com/jitsi/jitsi-utils	Low
Product	Manifest	Bundle-Name	jitsi-utils	Medium
Product	Manifest	bundle-symbolicname	org.jitsi.utils	Medium
Product	pom	artifactid	jitsi-utils	Highest
Product	pom	developer email	dev@jitsi.org	Low
Product	pom	developer id	org.jitsi	Low
Product	pom	developer name	Jitsi Team	Low
Product	pom	groupid	org.jitsi	Highest
Product	pom	name	jitsi-utils	High
Product	pom	organization name	jitsi.org	Low
Product	pom	organization url	https://jitsi.org	Low
Product	pom	url	jitsi/jitsi-utils	High
Version	pom	version	1.0-147-g12d0b20	Highest

### Suppressed Identifiers

- None

### Suppressed Vulnerabilities



#### [CVE-2022-43550](#) suppressed

A command injection vulnerability exists in Jitsi before commit 8aa7be58522f4264078d54752aae5483bfd854b2 when launching browsers on Windows which could allow an attacker to insert an arbitrary URL which opens up the opportunity to remote execution.

CWE-77 Improper Neutralization of Special Elements used in a Command ('Command Injection'), CWE-78 Improper Neutralization of Special Elements used in an OS Command ('OS Command Injection')

Notes: false positives, no end date CVE-2008-7271 - This is for the eclipse ide and not for any library from eclipse. CVE-2010-4647 - This is for the eclipse ide and not for any library from



eclipse. CVE-2020-26939 - The BouncyCastle FIPS variant uses same maven package matcher but has different version numbers. CVE-2021-4236 - This is for a go project, match on every lib with 'web' in the name CVE-2021-4277 - This is for a utils project from fredssmith, match on every lib with 'utils' in the name CVE-2022-31548 - This is a CVE for a sample phyton project. CVE-2022-43550 - This is a CVE for the jitsi main project and not for any library from jitsi. CVE-2022-45688 - This is for hutool-json, matched on every component with 'json' in the name CVE-2023-5072 - This is for JSON-java, matched on every component with 'json' in the name CVE-2023-33202 - The BouncyCastle FIPS variant uses same maven package matcher but has different version numbers. CVE-2023-35116 - DISPUTED CVE-2023-36052 - This is for Azure CLI and not for com.azure:azure-core. CVE-2023-45161 - This is for 1E-Exchange which we does not use. CVE-2026-33117 - azure-core has a different version as the Azure SDK for Java

CVSSv3:

- CRITICAL (9.8)
- CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:H/I:H/A:H/E:P/RC:R/MAV:A

References:

- af854a3a-2127-422b-91ae-364da2661108 - [PATCH](#)
- support@hackerone.com - [PATCH](#)

Vulnerable Software & Versions:

- [cpe:2.3:a:jitsi:jitsi:\\*:\\*:\\*:\\*:\\* versions up to \(excluding\) 2022-09-14](#)

remotegui.zip: angular-animate.jar: angular-animate.js

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/remotegui.zip/angular-animate.jar/META-INF/resources/webjars/angular-animate/1.8.3/angular-animate.js  
**MD5:** 31312b87e7226c8bf0714fcef0ea5d18  
**SHA1:** dc9fb55f2c7f922c5ba83449266239ba1353db45  
**SHA256:** 58e79e0e7cbb1e1502d216701e1fae41c405d92320aea1b68a223054096fda93  
**Referenced In Project/Scope:** CoWorkInstaller

Evidence

Type	Source	Name	Value	Confidence
Vendor	RetireJS	name	angularjs	High
Product	RetireJS	name	angularjs	High
Version	RetireJS	version	1.8.3	High

Suppressed Identifiers

- None

Suppressed Vulnerabilities

[CVE-2022-25844](#) suppressed

The package angular after 1.7.0 are vulnerable to Regular Expression Denial of Service (ReDoS) by providing a custom locale rule that makes it possible to assign the parameter in posPre: ' '.repeat() of NUMBER\_FORMATS.PATTERNS[1].posPre with a very high value.  
\*\*Note:\*\* 1) This package has been deprecated and is no longer maintained. 2) The vulnerable versions are 1.7.0 and higher.

#### CWE-1333 Inefficient Regular Expression Complexity

Notes: We can not yet update to newer Angular Version

CVSSv3:

- HIGH (7.5)
- CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:N/I:N/A:H/E:P/RC:R/MAV:A

CVSSv2:

- Base Score: MEDIUM (5.0)
- Vector: /AV:N/AC:L/Au:N/C:N/I:N/A:P

References:

- af854a3a-2127-422b-91ae-364da2661108 - <https://lists.debian.org/debian-lts-announce/2025/07/msg00005.html>
- af854a3a-2127-422b-91ae-364da2661108 - <https://lists.fedoraproject.org/archives/list/package-announce%40lists.fedoraproject.org/message/2WUSPYOTOMAZPDEFWPSCSPMNODRDKK3/>
- af854a3a-2127-422b-91ae-364da2661108 - <https://lists.fedoraproject.org/archives/list/package-announce%40lists.fedoraproject.org/message/7LNAKCNTVBIHWAUT3FKWV5N67PQXSZOO/>
- af854a3a-2127-422b-91ae-364da2661108 - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- af854a3a-2127-422b-91ae-364da2661108 - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- af854a3a-2127-422b-91ae-364da2661108 - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- af854a3a-2127-422b-91ae-364da2661108 - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- af854a3a-2127-422b-91ae-364da2661108 - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- af854a3a-2127-422b-91ae-364da2661108 - [THIRD\\_PARTY\\_ADVISORY](#)
- info - <https://github.com/advisories/GHSA-m2h2-264f-f486>
- report@snyk.io - <https://lists.fedoraproject.org/archives/list/package-announce%40lists.fedoraproject.org/message/2WUSPYOTOMAZPDEFWPSCSPMNODRDKK3/>
- report@snyk.io - <https://lists.fedoraproject.org/archives/list/package-announce%40lists.fedoraproject.org/message/7LNAKCNTVBIHWAUT3FKWV5N67PQXSZOO/>
- report@snyk.io - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- report@snyk.io - [THIRD\\_PARTY\\_ADVISORY](#)

Vulnerable Software & Versions (NVD):

- cpe:2.3:a:angularjs:angularjs:\*:\*:\*:\*:\* versions from (including) 1.7.0
- cpe:2.3:a:netapp:ontap\_select\_deploy\_administration\_utility:\*:\*:\*:\*:\*

**CVE-2024-21490** suppressed

This affects versions of the package angular from 1.3.0. A regular expression used to split the value of the ng-srcset directive is vulnerable to super-linear runtime due to backtracking. With large carefully-crafted input, this can result in catastrophic backtracking and cause a denial of service. \*\*Note:\*\* This package is EOL and will not receive any updates to address this issue. Users should migrate to [@angular/core](https://www.npmjs.com/package/@angular/core).

#### CWE-1333 Inefficient Regular Expression Complexity

Notes: We can not yet update to newer Angular Version

CVSSv3:

- HIGH (7.5)
- CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:N/I:N/A:H/E:P/RC:R/MAV:A

References:

- af854a3a-2127-422b-91ae-364da2661108 - <https://lists.debian.org/debian-lts-announce/2025/07/msg00005.html>
- af854a3a-2127-422b-91ae-364da2661108 - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- af854a3a-2127-422b-91ae-364da2661108 - [THIRD\\_PARTY\\_ADVISORY](#)
- af854a3a-2127-422b-91ae-364da2661108 - [THIRD\\_PARTY\\_ADVISORY](#)
- af854a3a-2127-422b-91ae-364da2661108 - [THIRD\\_PARTY\\_ADVISORY](#)
- af854a3a-2127-422b-91ae-364da2661108 - [THIRD\\_PARTY\\_ADVISORY](#)
- info - <https://github.com/advisories/GHSA-4w4v-5hc9-xrr2>
- info - <https://github.com/angular/angular.js>
- info - <https://nvd.nist.gov/vuln/detail/CVE-2024-21490>
- info - <https://security.snyk.io/vuln/SNYK-JAVA-ORGWEBJARSBOWER-6241746>
- info - <https://security.snyk.io/vuln/SNYK-JAVA-ORGWEBJARSNPM-6241747>
- info - <https://security.snyk.io/vuln/SNYK-JS-ANGULAR-6091113>
- info - <https://stackblitz.com/edit/angularjs-vulnerability-ng-srcset-redos>
- report@snyk.io - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- report@snyk.io - [THIRD\\_PARTY\\_ADVISORY](#)
- report@snyk.io - [THIRD\\_PARTY\\_ADVISORY](#)
- report@snyk.io - [THIRD\\_PARTY\\_ADVISORY](#)

Vulnerable Software & Versions (NVD):

- cpe:2.3:a:angularjs:angular.js:\*:\*:\*:\*:\* versions from (including) 1.3.0

[CVE-2022-25869](#) suppressed

All versions of the package angular; all versions of the package angularjs.core; all versions of the package angularjs are vulnerable to Cross-site Scripting (XSS) due to insecure page caching in the Internet Explorer browser, which allows interpolation of <textarea> elements.

CWE-79 Improper Neutralization of Input During Web Page Generation ('Cross-site Scripting')

Notes: We can not yet update to newer Angular Version

CVSSv3:

- MEDIUM (6.1)
- CVSS:3.1/AV:N/AC:L/PR:N/UI:R/S:C/C:L/I:L/A:N/E:P/RC:R/MAV:A

References:

- af854a3a-2127-422b-91ae-364da2661108 - [BROKEN\\_LINK](#)
- af854a3a-2127-422b-91ae-364da2661108 - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- af854a3a-2127-422b-91ae-364da2661108 - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- af854a3a-2127-422b-91ae-364da2661108 - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- af854a3a-2127-422b-91ae-364da2661108 - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- info - <https://github.com/advisories/GHSA-prc3-vjfx-vhm9>
- report@snyk.io - <https://neverendingsupport.github.io/angularjs-poc-cve-2022-25869>
- report@snyk.io - <https://security.snyk.io/vuln/SNYK-DOTNET-ANGULARJS-10771617>
- report@snyk.io - <https://security.snyk.io/vuln/SNYK-DOTNET-ANGULARJSCORE-6084031>
- report@snyk.io - <https://security.snyk.io/vuln/SNYK-JAVA-ORGWEBJARSBOWER-2949783>
- report@snyk.io - <https://security.snyk.io/vuln/SNYK-JAVA-ORGWEBJARSBOWERGITHUBANGULAR-2949784>
- report@snyk.io - <https://security.snyk.io/vuln/SNYK-JAVA-ORGWEBJARSNPM-2949782>
- report@snyk.io - <https://security.snyk.io/vuln/SNYK-JS-ANGULAR-2949781>

Vulnerable Software & Versions (NVD):

- cpe:2.3:a:angularjs:angularjs:\*:\*:\*:\*:\*

[CVE-2023-26116](#) suppressed

Versions of the package angular from 1.2.21 are vulnerable to Regular Expression Denial of Service (ReDoS) via the angular.copy() utility function due to the usage of an insecure regular expression. Exploiting this vulnerability is possible by a large carefully-crafted input, which can result in catastrophic backtracking.

CWE-1333 Inefficient Regular Expression Complexity

Notes: We can not yet update to newer Angular Version

CVSSv3:

- MEDIUM (5.3)
- CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:N/I:N/A:L/E:P/RC:R/MAV:A

References:

- af854a3a-2127-422b-91ae-364da2661108 - <https://lists.debian.org/debian-lts-announce/2025/07/msg00005.html>
- af854a3a-2127-422b-91ae-364da2661108 - <https://lists.fedoraproject.org/archives/list/package-announce@lists.fedoraproject.org/message/UDKFLKJ6VZKL52AFVW2OVZRMJWHMW55K/>
- af854a3a-2127-422b-91ae-364da2661108 - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- af854a3a-2127-422b-91ae-364da2661108 - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- af854a3a-2127-422b-91ae-364da2661108 - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- af854a3a-2127-422b-91ae-364da2661108 - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- af854a3a-2127-422b-91ae-364da2661108 - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- af854a3a-2127-422b-91ae-364da2661108 - [MAILING\\_LIST,THIRD\\_PARTY\\_ADVISORY](#)
- info - <https://github.com/advisories/GHSA-2vrf-hf26-jrp5>
- report@snyk.io - <https://lists.fedoraproject.org/archives/list/package-announce@lists.fedoraproject.org/message/UDKFLKJ6VZKL52AFVW2OVZRMJWHMW55K/>
- report@snyk.io - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- report@snyk.io - [MAILING\\_LIST,THIRD\\_PARTY\\_ADVISORY](#)

Vulnerable Software & Versions (NVD):

- cpe:2.3:a:angularjs:angularjs:\*:\*:\*:\*:\* versions from (including) 1.2.21; versions up to (including) 1.8.3

[CVE-2023-26117](#) suppressed

Versions of the package angular from 1.0.0 are vulnerable to Regular Expression Denial of Service (ReDoS) via the \$resource service due to the usage of an insecure regular expression. Exploiting this vulnerability is possible by a large carefully-crafted input, which can result in catastrophic backtracking.

CWE-1333 Inefficient Regular Expression Complexity

Notes: We can not yet update to newer Angular Version

CVSSv3:

- MEDIUM (5.3)
- CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:N/I:N/A:L/E:P/RC:R/MAV:A

References:

- af854a3a-2127-422b-91ae-364da2661108 - <https://lists.debian.org/debian-lts-announce/2025/07/msg00005.html>
- af854a3a-2127-422b-91ae-364da2661108 - <https://lists.fedoraproject.org/archives/list/package-announce@lists.fedoraproject.org/message/UDKFLKJ6VZKL52AFVW2OVZRMJWHMW55K/>
- af854a3a-2127-422b-91ae-364da2661108 - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- af854a3a-2127-422b-91ae-364da2661108 - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- af854a3a-2127-422b-91ae-364da2661108 - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- af854a3a-2127-422b-91ae-364da2661108 - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- af854a3a-2127-422b-91ae-364da2661108 - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- af854a3a-2127-422b-91ae-364da2661108 - [MAILING\\_LIST,THIRD\\_PARTY\\_ADVISORY](#)
- info - <https://github.com/advisories/GHSA-2qgx-w9hr-q5gx>
- report@snyk.io - <https://lists.fedoraproject.org/archives/list/package-announce@lists.fedoraproject.org/message/UDKFLKJ6VZKL52AFVW2OVZRMJWHMW55K/>
- report@snyk.io - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)

- report@snyk.io - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- report@snyk.io - [MAILING\\_LIST,THIRD\\_PARTY\\_ADVISORY](#)

Vulnerable Software & Versions (NVD):

- cpe:2.3:a:angularjs:angularjs:\*:\*:\*:\*:\* versions from (including) 1.0.0; versions up to (including) 1.8.3

[CVE-2023-26118](#) suppressed

Versions of the package angular from 1.4.9 are vulnerable to Regular Expression Denial of Service (ReDoS) via the <input type="url"> element due to the usage of an insecure regular expression in the input[url] functionality. Exploiting this vulnerability is possible by a large carefully-crafted input, which can result in catastrophic backtracking.

CWE-1333 Inefficient Regular Expression Complexity

Notes: We can not yet update to newer Angular Version

CVSSv3:

- MEDIUM (5.3)
- CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:N/I:N/A:L/E:P/RC:R/MAV:A

References:

- af854a3a-2127-422b-91ae-364da2661108 - <https://lists.debian.org/debian-lts-announce/2025/07/msg00005.html>
- af854a3a-2127-422b-91ae-364da2661108 - <https://lists.fedoraproject.org/archives/list/package-announce@lists.fedoraproject.org/message/UDKFLKJ6VZKL52AFVW2OVZRMJWHMW55K/>
- af854a3a-2127-422b-91ae-364da2661108 - [EXPLOIT](#)
- af854a3a-2127-422b-91ae-364da2661108 - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- af854a3a-2127-422b-91ae-364da2661108 - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- af854a3a-2127-422b-91ae-364da2661108 - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- af854a3a-2127-422b-91ae-364da2661108 - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- af854a3a-2127-422b-91ae-364da2661108 - [MAILING\\_LIST,THIRD\\_PARTY\\_ADVISORY](#)
- info - <https://github.com/advisories/GHSA-qwqh-hm9m-p5hr>
- report@snyk.io - <https://lists.fedoraproject.org/archives/list/package-announce@lists.fedoraproject.org/message/UDKFLKJ6VZKL52AFVW2OVZRMJWHMW55K/>
- report@snyk.io - [EXPLOIT](#)
- report@snyk.io - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- report@snyk.io - [MAILING\\_LIST,THIRD\\_PARTY\\_ADVISORY](#)

Vulnerable Software & Versions (NVD):

- cpe:2.3:a:angularjs:angularjs:\*:\*:\*:\*:\* versions from (including) 1.4.9; versions up to (including) 1.8.3

[CVE-2024-8372](#) suppressed

Improper sanitization of the value of the 'srcset' attribute in AngularJS allows attackers to bypass common image source restrictions, which can also lead to a form of Content Spoofing [https://owasp.org/www-community/attacks/Content\\_Spoofing](https://owasp.org/www-community/attacks/Content_Spoofing) .

This issue affects AngularJS versions 1.3.0-rc.4 and greater.

Note:

The AngularJS project is End-of-Life and will not receive any updates to address this issue. For more information see here <https://docs.angularjs.org/misc/version-support-status> .

CWE-1289 Improper Validation of Unsafe Equivalence in Input, NVD-CWE-Other

Notes: We can not yet update to newer Angular Version

CVSSv3:

- MEDIUM (4.3)
- CVSS:3.1/AV:N/AC:L/PR:N/UI:R/S:U/C:N/I:L/A:N/E:P/RC:R/MAV:A

References:

- 36c7be3b-2937-45df-85ea-ca7133ea542c - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- 36c7be3b-2937-45df-85ea-ca7133ea542c - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- af854a3a-2127-422b-91ae-364da2661108 - <https://lists.debian.org/debian-lts-announce/2025/07/msg00005.html>
- af854a3a-2127-422b-91ae-364da2661108 - [THIRD\\_PARTY\\_ADVISORY](#)
- info - <https://codepen.io/herodevs/full/xxoQRNL/0072e627abe03e9cda373bc75b4c1017>
- info - <https://github.com/advisories/GHSA-m9gf-397r-hwpg>
- info - <https://github.com/angular/angular.js>
- info - <https://nvd.nist.gov/vuln/detail/CVE-2024-8372>
- info - <https://www.herodevs.com/vulnerability-directory/cve-2024-8372>

Vulnerable Software & Versions (NVD):

- cpe:2.3:a:angularjs:angularjs:\*:\*:\*:\*:\* versions from (including) 1.3.1; versions up to (including) 1.8.3
- cpe:2.3:a:angularjs:angularjs:1.3.0:rc4:\*:\*:\*:\*
- cpe:2.3:a:angularjs:angularjs:1.3.0:rc5:\*:\*:\*:\*
- cpe:2.3:a:netapp:active\_iq\_unified\_manager:-:\*:\*:\*:linux:\*
- cpe:2.3:a:netapp:active\_iq\_unified\_manager:-:\*:\*:\*:vsphere:\*
- cpe:2.3:a:netapp:active\_iq\_unified\_manager:-:\*:\*:\*:windows:\*

**CVE-2024-8373** suppressed

Improper sanitization of the value of the [srcset] attribute in <source> HTML elements in AngularJS allows attackers to bypass common image source restrictions, which can also lead to a form of Content Spoofing [https://owasp.org/www-community/attacks/Content\\_Spoofing](https://owasp.org/www-community/attacks/Content_Spoofing) .

This issue affects all versions of AngularJS.

Note:

The AngularJS project is End-of-Life and will not receive any updates to address this issue. For more information see [here https://docs.angularjs.org/misc/version-support-status](https://docs.angularjs.org/misc/version-support-status) .

CWE-791 Incomplete Filtering of Special Elements, NVD-CWE-Other

Notes: We can not yet update to newer Angular Version

CVSSv3:

- MEDIUM (4.3)
- CVSS:3.1/AV:N/AC:L/PR:N/UI:R/S:U/C:N/I:L/A:N/E:P/RC:R/MAV:A

References:

- 36c7be3b-2937-45df-85ea-ca7133ea542c - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- 36c7be3b-2937-45df-85ea-ca7133ea542c - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- af854a3a-2127-422b-91ae-364da2661108 - <https://lists.debian.org/debian-lts-announce/2025/07/msg00005.html>
- af854a3a-2127-422b-91ae-364da2661108 - [THIRD\\_PARTY\\_ADVISORY](#)
- info - <https://codepen.io/herodevs/full/bGPQgMp/8da9ce87e99403ee13a295c305ebfa0b>
- info - <https://github.com/advisories/GHSA-mqm9-c95h-x2p6>
- info - <https://github.com/angular/angular.js>
- info - <https://nvd.nist.gov/vuln/detail/CVE-2024-8373>
- info - <https://www.herodevs.com/vulnerability-directory/cve-2024-8373>

Vulnerable Software & Versions (NVD):

- cpe:2.3:a:angularjs:angularjs:\*:\*:\*:\*:\* versions up to (including) 1.8.3
- cpe:2.3:a:netapp:active\_iq\_unified\_manager:-:\*:\*:\*:linux:\*
- cpe:2.3:a:netapp:active\_iq\_unified\_manager:-:\*:\*:\*:vsphere:\*
- cpe:2.3:a:netapp:active\_iq\_unified\_manager:-:\*:\*:\*:windows:\*

**CVE-2025-2336 (RETIREJS)** suppressed



Notes: We can not yet update to newer Angular Version

Unscored:

- Severity: medium

References:

- info - <https://codepen.io/herodevs/pen/bNGYxX/412a3a4218387479898912f60c269c6c>
- info - <https://github.com/advisories/GHSA-4p4w-6hg8-63wx>
- info - <https://github.com/angular/angular.js>
- info - <https://nvd.nist.gov/vuln/detail/CVE-2025-2336>
- info - <https://www.herodevs.com/vulnerability-directory/cve-2025-2336>

Vulnerable Software & Versions (RETIREJS):

**CVE-2025-4690** (RETIREJS) suppressed

Notes: We can not yet update to newer Angular Version

Unscored:

- Severity: medium

References:

- info - <https://codepen.io/herodevs/pen/RNNEPzP/751b91eab7730dff277523f3d50e4b77>
- info - <https://github.com/advisories/GHSA-hfff-63hg-f47j>
- info - <https://github.com/angular/angular.js>
- info - <https://nvd.nist.gov/vuln/detail/CVE-2025-4690>
- info - <https://www.herodevs.com/vulnerability-directory/cve-2025-4690>

Vulnerable Software & Versions (RETIREJS):

**CVE-2025-0716** (RETIREJS) suppressed

Notes: We can not yet update to newer Angular Version

Unscored:

- Severity: low

References:

- info - <https://codepen.io/herodevs/pen/qEWQmpd/a86a0d29310e12c7a3756768e6c7b915>
- info - <https://github.com/advisories/GHSA-j58c-ww9w-pwp5>
- info - <https://github.com/angular/angular.js>
- info - <https://nvd.nist.gov/vuln/detail/CVE-2025-0716>
- info - <https://www.herodevs.com/vulnerability-directory/cve-2025-0716>

Vulnerable Software & Versions (RETIREJS):

**End-of-Life: Long term support for AngularJS has been discontinued as of December 31, 2021** (RETIREJS) suppressed

End-of-Life: Long term support for AngularJS has been discontinued as of December 31, 2021

Notes: file name: remotegui.zip: angularjs.jar We can not yet update to newer Angular Version

Unscored:

- Severity: low

References:

- info - <https://docs.angularjs.org/misc/version-support-status>
- retid - 54

Vulnerable Software & Versions (RETIREJS):

## remotegui.zip: angular-animate.jar: angular-animate.min.js

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/remotegui.zip/angular-animate.jar/META-INF/resources/webjars/angular-animate/1.8.3/angular-animate.min.js

**MD5:** 5d2d0f42bb7e1b5503e914674f59dad0

**SHA1:** 4c15a58541e53c451c6f946d2048104f88b833c7

**SHA256:** 8e6202b1330a469a61ccdeebbd1cb3a20d0ecd8d106f68da5b85e9b67a1cd5

**Referenced In Project/Scope:** CoWorkInstaller

### Evidence

Type	Source	Name	Value	Confidence
Vendor	RetireJS	name	angularjs	High
Product	RetireJS	name	angularjs	High
Version	RetireJS	version	1.8.3	High

### Suppressed Identifiers

- None

### Suppressed Vulnerabilities

[CVE-2022-25844](#) suppressed

The package angular after 1.7.0 are vulnerable to Regular Expression Denial of Service (ReDoS) by providing a custom locale rule that makes it possible to assign the parameter in posPre: ' '.repeat() of NUMBER\_FORMATS.PATTERNS[1].posPre with a very high value.  
**\*\*Note:\*\*** 1) This package has been deprecated and is no longer maintained. 2) The vulnerable versions are 1.7.0 and higher.

CWE-1333 Inefficient Regular Expression Complexity

Notes: We can not yet update to newer Angular Version

CVSSv3:

- HIGH (7.5)
- CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:N/I:N/A:H/E:P/RC:R/MAV:A

CVSSv2:

- Base Score: MEDIUM (5.0)
- Vector: /AV:N/AC:L/Au:N/C:N/I:N/A:P

References:

- af854a3a-2127-422b-91ae-364da2661108 - <https://lists.debian.org/debian-lts-announce/2025/07/msg00005.html>
- af854a3a-2127-422b-91ae-364da2661108 - <https://lists.fedoraproject.org/archives/list/package-announce%40lists.fedoraproject.org/message/2WUSPYOTOMAZPDEFWPSCSPMNODRDKK3/>



- af854a3a-2127-422b-91ae-364da2661108 - <https://lists.fedoraproject.org/archives/list/package-announce%40lists.fedoraproject.org/message/7LNAKCNTVBIHWAUT3FKWV5N67PQXSZOO/>
- af854a3a-2127-422b-91ae-364da2661108 - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- af854a3a-2127-422b-91ae-364da2661108 - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- af854a3a-2127-422b-91ae-364da2661108 - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- af854a3a-2127-422b-91ae-364da2661108 - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- af854a3a-2127-422b-91ae-364da2661108 - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- af854a3a-2127-422b-91ae-364da2661108 - [THIRD\\_PARTY\\_ADVISORY](#)
- info - <https://github.com/advisories/GHSA-m2h2-264f-f486>
- report@snyk.io - <https://lists.fedoraproject.org/archives/list/package-announce%40lists.fedoraproject.org/message/2WUSPYOTOMAZPDEFWPSCSPMNODRDKK3/>
- report@snyk.io - <https://lists.fedoraproject.org/archives/list/package-announce%40lists.fedoraproject.org/message/7LNAKCNTVBIHWAUT3FKWV5N67PQXSZOO/>
- report@snyk.io - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- report@snyk.io - [THIRD\\_PARTY\\_ADVISORY](#)

#### Vulnerable Software & Versions (NVD):

- cpe:2.3:a:angularjs:angularjs:\*:\*:\*:\*:\* versions from (including) 1.7.0
- cpe:2.3:a:netapp:ontap\_select\_deploy\_administration\_utility:-:\*:\*:\*:\*

#### [CVE-2024-21490](#) suppressed

This affects versions of the package angular from 1.3.0. A regular expression used to split the value of the ng-srcset directive is vulnerable to super-linear runtime due to backtracking. With large carefully-crafted input, this can result in catastrophic backtracking and cause a denial of service. **Note:** This package is EOL and will not receive any updates to address this issue. Users should migrate to [angular/core](https://www.npmjs.com/package/@angular/core).

#### CWE-1333 Inefficient Regular Expression Complexity

Notes: We can not yet update to newer Angular Version

#### CVSSv3:

- HIGH (7.5)
- CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:N/I:N/A:H/E:P/RC:R/MAV:A

#### References:

- af854a3a-2127-422b-91ae-364da2661108 - <https://lists.debian.org/debian-lts-announce/2025/07/msg00005.html>
- af854a3a-2127-422b-91ae-364da2661108 - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- af854a3a-2127-422b-91ae-364da2661108 - [THIRD\\_PARTY\\_ADVISORY](#)
- af854a3a-2127-422b-91ae-364da2661108 - [THIRD\\_PARTY\\_ADVISORY](#)
- af854a3a-2127-422b-91ae-364da2661108 - [THIRD\\_PARTY\\_ADVISORY](#)
- af854a3a-2127-422b-91ae-364da2661108 - [THIRD\\_PARTY\\_ADVISORY](#)
- info - <https://github.com/advisories/GHSA-4w4v-5hc9-xrr2>
- info - <https://github.com/angular/angular.js>
- info - <https://nvd.nist.gov/vuln/detail/CVE-2024-21490>
- info - <https://security.snyk.io/vuln/SNYK-JAVA-ORGWEBJARSBOWER-6241746>
- info - <https://security.snyk.io/vuln/SNYK-JAVA-ORGWEBJARSNPM-6241747>
- info - <https://security.snyk.io/vuln/SNYK-JS-ANGULAR-6091113>
- info - <https://stackblitz.com/edit/angularjs-vulnerability-ng-srcset-redos>
- report@snyk.io - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- report@snyk.io - [THIRD\\_PARTY\\_ADVISORY](#)
- report@snyk.io - [THIRD\\_PARTY\\_ADVISORY](#)
- report@snyk.io - [THIRD\\_PARTY\\_ADVISORY](#)

#### Vulnerable Software & Versions (NVD):

- cpe:2.3:a:angularjs:angular.js:\*:\*:\*:\*:\* versions from (including) 1.3.0

#### [CVE-2022-25869](#) suppressed

All versions of the package angular; all versions of the package angularjs.core; all versions of the package angularjs are vulnerable to Cross-site Scripting (XSS) due to insecure page caching in the Internet Explorer browser, which allows interpolation of <textarea> elements.

CWE-79 Improper Neutralization of Input During Web Page Generation ('Cross-site Scripting')

Notes: We can not yet update to newer Angular Version

CVSSv3:

- MEDIUM (6.1)
- CVSS:3.1/AV:N/AC:L/PR:N/UI:R/S:C/C:L/I:L/A:N/E:P/RC:R/MAV:A

References:

- af854a3a-2127-422b-91ae-364da2661108 - [BROKEN\\_LINK](#)
- af854a3a-2127-422b-91ae-364da2661108 - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- af854a3a-2127-422b-91ae-364da2661108 - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- af854a3a-2127-422b-91ae-364da2661108 - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- af854a3a-2127-422b-91ae-364da2661108 - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- info - <https://github.com/advisories/GHSA-prc3-vjfx-vhm9>
- report@snyk.io - <https://neverendingsupport.github.io/angularjs-poc-cve-2022-25869>
- report@snyk.io - <https://security.snyk.io/vuln/SNYK-DOTNET-ANGULARJS-10771617>
- report@snyk.io - <https://security.snyk.io/vuln/SNYK-DOTNET-ANGULARJSCORE-6084031>
- report@snyk.io - <https://security.snyk.io/vuln/SNYK-JAVA-ORGWEBJARSBOWER-2949783>
- report@snyk.io - <https://security.snyk.io/vuln/SNYK-JAVA-ORGWEBJARSBOWERGITHUBANGULAR-2949784>
- report@snyk.io - <https://security.snyk.io/vuln/SNYK-JAVA-ORGWEBJARSNPM-2949782>
- report@snyk.io - <https://security.snyk.io/vuln/SNYK-JS-ANGULAR-2949781>

Vulnerable Software & Versions (NVD):

- cpe:2.3:a:angularjs:angularjs:\*:\*:\*:\*:\*.\*

[CVE-2023-26116](#) suppressed

Versions of the package angular from 1.2.21 are vulnerable to Regular Expression Denial of Service (ReDoS) via the angular.copy() utility function due to the usage of an insecure regular expression. Exploiting this vulnerability is possible by a large carefully-crafted input, which can result in catastrophic backtracking.

CWE-1333 Inefficient Regular Expression Complexity

Notes: We can not yet update to newer Angular Version

CVSSv3:

- MEDIUM (5.3)
- CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:N/I:N/A:L/E:P/RC:R/MAV:A

References:

- af854a3a-2127-422b-91ae-364da2661108 - <https://lists.debian.org/debian-lts-announce/2025/07/msg00005.html>
- af854a3a-2127-422b-91ae-364da2661108 - <https://lists.fedoraproject.org/archives/list/package-announce@lists.fedoraproject.org/message/UDKFLKJ6VZKL52AFVW2OVZRMJWHMW55K/>
- af854a3a-2127-422b-91ae-364da2661108 - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- af854a3a-2127-422b-91ae-364da2661108 - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- af854a3a-2127-422b-91ae-364da2661108 - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- af854a3a-2127-422b-91ae-364da2661108 - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- af854a3a-2127-422b-91ae-364da2661108 - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- af854a3a-2127-422b-91ae-364da2661108 - [MAILING\\_LIST,THIRD\\_PARTY\\_ADVISORY](#)
- info - <https://github.com/advisories/GHSA-2vrf-hf26-jrp5>
- report@snyk.io - <https://lists.fedoraproject.org/archives/list/package-announce@lists.fedoraproject.org/message/UDKFLKJ6VZKL52AFVW2OVZRMJWHMW55K/>
- report@snyk.io - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)

- report@snyk.io - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- report@snyk.io - [MAILING\\_LIST,THIRD\\_PARTY\\_ADVISORY](#)

#### Vulnerable Software & Versions (NVD):

- cpe:2.3:a:angularjs:angularjs:\*:\*:\*:\*:\* versions from (including) 1.2.21; versions up to (including) 1.8.3

[CVE-2023-26117](#) suppressed

Versions of the package angular from 1.0.0 are vulnerable to Regular Expression Denial of Service (ReDoS) via the \$resource service due to the usage of an insecure regular expression. Exploiting this vulnerability is possible by a large carefully-crafted input, which can result in catastrophic backtracking.

CWE-1333 Inefficient Regular Expression Complexity

Notes: We can not yet update to newer Angular Version

CVSSv3:

- MEDIUM (5.3)
- CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:N/I:N/A:L/E:P/RC:R/MAV:A

#### References:

- af854a3a-2127-422b-91ae-364da2661108 - <https://lists.debian.org/debian-lts-announce/2025/07/msg00005.html>
- af854a3a-2127-422b-91ae-364da2661108 - <https://lists.fedoraproject.org/archives/list/package-announce@lists.fedoraproject.org/message/UDKFLKJ6VZKL52AFVW2OVZRMJWHMW55K/>
- af854a3a-2127-422b-91ae-364da2661108 - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- af854a3a-2127-422b-91ae-364da2661108 - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- af854a3a-2127-422b-91ae-364da2661108 - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- af854a3a-2127-422b-91ae-364da2661108 - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- af854a3a-2127-422b-91ae-364da2661108 - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- af854a3a-2127-422b-91ae-364da2661108 - [MAILING\\_LIST,THIRD\\_PARTY\\_ADVISORY](#)
- info - <https://github.com/advisories/GHSA-2qgx-w9hr-q5gx>
- report@snyk.io - <https://lists.fedoraproject.org/archives/list/package-announce@lists.fedoraproject.org/message/UDKFLKJ6VZKL52AFVW2OVZRMJWHMW55K/>
- report@snyk.io - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- report@snyk.io - [MAILING\\_LIST,THIRD\\_PARTY\\_ADVISORY](#)

#### Vulnerable Software & Versions (NVD):

- cpe:2.3:a:angularjs:angularjs:\*:\*:\*:\*:\* versions from (including) 1.0.0; versions up to (including) 1.8.3

[CVE-2023-26118](#) suppressed

Versions of the package angular from 1.4.9 are vulnerable to Regular Expression Denial of Service (ReDoS) via the <input type="url"> element due to the usage of an insecure regular expression in the input[url] functionality. Exploiting this vulnerability is possible by a large carefully-crafted input, which can result in catastrophic backtracking.

CWE-1333 Inefficient Regular Expression Complexity

Notes: We can not yet update to newer Angular Version

CVSSv3:

- MEDIUM (5.3)
- CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:N/I:N/A:L/E:P/RC:R/MAV:A

#### References:

- af854a3a-2127-422b-91ae-364da2661108 - <https://lists.debian.org/debian-lts-announce/2025/07/msg00005.html>
- af854a3a-2127-422b-91ae-364da2661108 - <https://lists.fedoraproject.org/archives/list/package-announce@lists.fedoraproject.org/message/UDKFLKJ6VZKL52AFVW2OVZRMJWHMW55K/>
- af854a3a-2127-422b-91ae-364da2661108 - [EXPLOIT](#)
- af854a3a-2127-422b-91ae-364da2661108 - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- af854a3a-2127-422b-91ae-364da2661108 - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- af854a3a-2127-422b-91ae-364da2661108 - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- af854a3a-2127-422b-91ae-364da2661108 - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- af854a3a-2127-422b-91ae-364da2661108 - [MAILING\\_LIST,THIRD\\_PARTY\\_ADVISORY](#)
- info - <https://github.com/advisories/GHSA-qwqh-hm9m-p5hr>
- report@snyk.io - <https://lists.fedoraproject.org/archives/list/package-announce@lists.fedoraproject.org/message/UDKFLKJ6VZKL52AFVW2OVZRMJWHMW55K/>
- report@snyk.io - [EXPLOIT](#)
- report@snyk.io - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- report@snyk.io - [MAILING\\_LIST,THIRD\\_PARTY\\_ADVISORY](#)

#### Vulnerable Software & Versions (NVD):

- cpe:2.3:a:angularjs:angularjs:\*:\*:\*:\*:\* versions from (including) 1.4.9; versions up to (including) 1.8.3

#### **CVE-2024-8372** suppressed

Improper sanitization of the value of the 'srcset' attribute in AngularJS allows attackers to bypass common image source restrictions, which can also lead to a form of Content Spoofing [https://owasp.org/www-community/attacks/Content\\_Spoofing](https://owasp.org/www-community/attacks/Content_Spoofing) .

This issue affects AngularJS versions 1.3.0-rc.4 and greater.

#### Note:

The AngularJS project is End-of-Life and will not receive any updates to address this issue. For more information see [here https://docs.angularjs.org/misc/version-support-status](https://docs.angularjs.org/misc/version-support-status) .

CWE-1289 Improper Validation of Unsafe Equivalence in Input, NVD-CWE-Other

Notes: We can not yet update to newer Angular Version

#### CVSSv3:

- MEDIUM (4.3)
- CVSS:3.1/AV:N/AC:L/PR:N/UI:R/S:U/C:N/I:L/A:N/E:P/RC:R/MAV:A

#### References:

- 36c7be3b-2937-45df-85ea-ca7133ea542c - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- 36c7be3b-2937-45df-85ea-ca7133ea542c - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- af854a3a-2127-422b-91ae-364da2661108 - <https://lists.debian.org/debian-lts-announce/2025/07/msg00005.html>
- af854a3a-2127-422b-91ae-364da2661108 - [THIRD\\_PARTY\\_ADVISORY](#)
- info - <https://codepen.io/herodevs/full/xxoQRNL/0072e627abe03e9cda373bc75b4c1017>
- info - <https://github.com/advisories/GHSA-m9gf-397r-hwpg>
- info - <https://github.com/angular/angular.js>
- info - <https://nvd.nist.gov/vuln/detail/CVE-2024-8372>
- info - <https://www.herodevs.com/vulnerability-directory/cve-2024-8372>

#### Vulnerable Software & Versions (NVD):

- cpe:2.3:a:angularjs:angularjs:\*:\*:\*:\*:\* versions from (including) 1.3.1; versions up to (including) 1.8.3
- cpe:2.3:a:angularjs:angularjs:1.3.0:rc4:\*:\*:\*:\*
- cpe:2.3:a:angularjs:angularjs:1.3.0:rc5:\*:\*:\*:\*
- cpe:2.3:a:netapp:active\_iq\_unified\_manager:-:\*:\*:\*:linux:\*
- cpe:2.3:a:netapp:active\_iq\_unified\_manager:-:\*:\*:\*:vsphere:\*
- cpe:2.3:a:netapp:active\_iq\_unified\_manager:-:\*:\*:\*:windows:\*

## **CVE-2024-8373** suppressed

Improper sanitization of the value of the [srcset] attribute in <source> HTML elements in AngularJS allows attackers to bypass common image source restrictions, which can also lead to a form of Content Spoofing [https://owasp.org/www-community/attacks/Content\\_Spoofing](https://owasp.org/www-community/attacks/Content_Spoofing) .

This issue affects all versions of AngularJS.

Note:

The AngularJS project is End-of-Life and will not receive any updates to address this issue. For more information see [here https://docs.angularjs.org/misc/version-support-status](https://docs.angularjs.org/misc/version-support-status) .

CWE-791 Incomplete Filtering of Special Elements, NVD-CWE-Other

Notes: We can not yet update to newer Angular Version

CVSSv3:

- MEDIUM (4.3)
- CVSS:3.1/AV:N/AC:L/PR:N/UI:R/S:U/C:N/I:L/A:N/E:P/RC:R/MAV:A

References:

- 36c7be3b-2937-45df-85ea-ca7133ea542c - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- 36c7be3b-2937-45df-85ea-ca7133ea542c - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- af854a3a-2127-422b-91ae-364da2661108 - <https://lists.debian.org/debian-lts-announce/2025/07/msg00005.html>
- af854a3a-2127-422b-91ae-364da2661108 - [THIRD\\_PARTY\\_ADVISORY](#)
- info - <https://codepen.io/herodevs/full/bGPQgMp/8da9ce87e99403ee13a295c305ebfa0b>
- info - <https://github.com/advisories/GHSA-mqm9-c95h-x2p6>
- info - <https://github.com/angular/angular.js>
- info - <https://nvd.nist.gov/vuln/detail/CVE-2024-8373>
- info - <https://www.herodevs.com/vulnerability-directory/cve-2024-8373>

Vulnerable Software & Versions (NVD):

- cpe:2.3:a:angularjs:angularjs:\*:\*:\*:\*:\* versions up to (including) 1.8.3
- cpe:2.3:a:netapp:active\_iq\_unified\_manager:\*:\*:\*:\*:linux:\*:\*
- cpe:2.3:a:netapp:active\_iq\_unified\_manager:\*:\*:\*:\*:vsphere:\*:\*
- cpe:2.3:a:netapp:active\_iq\_unified\_manager:\*:\*:\*:\*:windows:\*:\*

## **CVE-2025-2336** (RETIREJS) suppressed

Notes: We can not yet update to newer Angular Version

Unscored:

- Severity: medium

References:

- info - <https://codepen.io/herodevs/pen/bNGYxX/412a3a4218387479898912f60c269c6c>
- info - <https://github.com/advisories/GHSA-4p4w-6hg8-63wx>
- info - <https://github.com/angular/angular.js>
- info - <https://nvd.nist.gov/vuln/detail/CVE-2025-2336>
- info - <https://www.herodevs.com/vulnerability-directory/cve-2025-2336>

Vulnerable Software & Versions (RETIREJS):

## **CVE-2025-4690** (RETIREJS) suppressed

Notes: We can not yet update to newer Angular Version

Unscored:

- Severity: medium

References:

- info - <https://codepen.io/herodevs/pen/RNNEPzP/751b91eab7730dff277523f3d50e4b77>
- info - <https://github.com/advisories/GHSA-hfff-63hg-f47j>

- info - <https://github.com/angular/angular.js>
- info - <https://nvd.nist.gov/vuln/detail/CVE-2025-4690>
- info - <https://www.herodevs.com/vulnerability-directory/cve-2025-4690>

Vulnerable Software & Versions (RETIREJS):

**CVE-2025-0716** (RETIREJS) suppressed

Notes: We can not yet update to newer Angular Version

Unscored:

- Severity: low

References:

- info - <https://codepen.io/herodevs/pen/qEWQmpd/a86a0d29310e12c7a3756768e6c7b915>
- info - <https://github.com/advisories/GHSA-j58c-ww9w-pwp5>
- info - <https://github.com/angular/angular.js>
- info - <https://nvd.nist.gov/vuln/detail/CVE-2025-0716>
- info - <https://www.herodevs.com/vulnerability-directory/cve-2025-0716>

Vulnerable Software & Versions (RETIREJS):

**End-of-Life: Long term support for AngularJS has been discontinued as of December 31, 2021** (RETIREJS) suppressed

End-of-Life: Long term support for AngularJS has been discontinued as of December 31, 2021

Notes: file name: remotegui.zip: angularjs.jar We can not yet update to newer Angular Version

Unscored:

- Severity: low

References:

- info - <https://docs.angularjs.org/misc/version-support-status>
- retid - 54

Vulnerable Software & Versions (RETIREJS):

## remotegui.zip: angular-cookies.jar: angular-cookies.js

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/remotegui.zip/angular-cookies.jar/META-INF/resources/webjars/angular-cookies/1.8.3/angular-cookies.js

**MD5:** e17187aea1f0e6dbd25722e34b754915

**SHA1:** 20f43f716b9fef7d72537bc1b0e5aa2bc480cee5

**SHA256:** f3291c552042f6d0c500167769912a78ab3ecec9917128b2d6ea8e7c6714bb97

**Referenced In Project/Scope:** CoWorkInstaller

### Evidence

Type	Source	Name	Value	Confidence
Vendor	RetireJS	name	angularjs	High
Product	RetireJS	name	angularjs	High
Version	RetireJS	version	1.8.3	High



## Suppressed Identifiers

- None

## Suppressed Vulnerabilities

### [CVE-2022-25844](#) suppressed

The package angular after 1.7.0 are vulnerable to Regular Expression Denial of Service (ReDoS) by providing a custom locale rule that makes it possible to assign the parameter in posPre: ' '.repeat() of NUMBER\_FORMATS.PATTERNS[1].posPre with a very high value.  
\*\*Note:\*\* 1) This package has been deprecated and is no longer maintained. 2) The vulnerable versions are 1.7.0 and higher.

CWE-1333 Inefficient Regular Expression Complexity

Notes: We can not yet update to newer Angular Version

CVSSv3:

- HIGH (7.5)
- CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:N/I:N/A:H/E:P/RC:R/MAV:A

CVSSv2:

- Base Score: MEDIUM (5.0)
- Vector: /AV:N/AC:L/Au:N/C:N/I:N/A:P

References:

- af854a3a-2127-422b-91ae-364da2661108 - <https://lists.debian.org/debian-lts-announce/2025/07/msg00005.html>
- af854a3a-2127-422b-91ae-364da2661108 - <https://lists.fedoraproject.org/archives/list/package-announce%40lists.fedoraproject.org/message/2WUSPYOTOMAZPDEFPPWSPSPMNODRDKK3/>
- af854a3a-2127-422b-91ae-364da2661108 - <https://lists.fedoraproject.org/archives/list/package-announce%40lists.fedoraproject.org/message/7LNAKCNTVBIHWAUT3FKWV5N67PQXSZOO/>
- af854a3a-2127-422b-91ae-364da2661108 - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- af854a3a-2127-422b-91ae-364da2661108 - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- af854a3a-2127-422b-91ae-364da2661108 - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- af854a3a-2127-422b-91ae-364da2661108 - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- af854a3a-2127-422b-91ae-364da2661108 - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- af854a3a-2127-422b-91ae-364da2661108 - [THIRD\\_PARTY\\_ADVISORY](#)
- info - <https://github.com/advisories/GHSA-m2h2-264f-f486>
- report@snyk.io - <https://lists.fedoraproject.org/archives/list/package-announce%40lists.fedoraproject.org/message/2WUSPYOTOMAZPDEFPPWSPSPMNODRDKK3/>
- report@snyk.io - <https://lists.fedoraproject.org/archives/list/package-announce%40lists.fedoraproject.org/message/7LNAKCNTVBIHWAUT3FKWV5N67PQXSZOO/>
- report@snyk.io - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- report@snyk.io - [THIRD\\_PARTY\\_ADVISORY](#)

Vulnerable Software & Versions (NVD):

- cpe:2.3:a:angularjs:angularjs:\*:\*:\*:\*:\* versions from (including) 1.7.0
- cpe:2.3:a:netapp:ontap\_select\_deploy\_administration\_utility:\*:\*:\*:\*:\*

### [CVE-2024-21490](#) suppressed

This affects versions of the package angular from 1.3.0. A regular expression used to split the value of the ng-srcset directive is vulnerable to super-linear runtime due to backtracking. With large carefully-crafted input, this can result in catastrophic backtracking and cause a denial of service. **Note:** This package is EOL and will not receive any updates to address this issue. Users should migrate to [[@angular/core](https://www.npmjs.com/package/@angular/core)](https://www.npmjs.com/package/@angular/core).

#### CWE-1333 Inefficient Regular Expression Complexity

Notes: We can not yet update to newer Angular Version

CVSSv3:

- HIGH (7.5)
- CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:N/I:N/A:H/E:P/RC:R/MAV:A

References:

- af854a3a-2127-422b-91ae-364da2661108 - <https://lists.debian.org/debian-lts-announce/2025/07/msg00005.html>
- af854a3a-2127-422b-91ae-364da2661108 - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- af854a3a-2127-422b-91ae-364da2661108 - [THIRD\\_PARTY\\_ADVISORY](#)
- af854a3a-2127-422b-91ae-364da2661108 - [THIRD\\_PARTY\\_ADVISORY](#)
- af854a3a-2127-422b-91ae-364da2661108 - [THIRD\\_PARTY\\_ADVISORY](#)
- af854a3a-2127-422b-91ae-364da2661108 - [THIRD\\_PARTY\\_ADVISORY](#)
- info - <https://github.com/advisories/GHSA-4w4v-5hc9-xrr2>
- info - <https://github.com/angular/angular.js>
- info - <https://nvd.nist.gov/vuln/detail/CVE-2024-21490>
- info - <https://security.snyk.io/vuln/SNYK-JAVA-ORGWEBJARSBOWER-6241746>
- info - <https://security.snyk.io/vuln/SNYK-JAVA-ORGWEBJARSNPM-6241747>
- info - <https://security.snyk.io/vuln/SNYK-JS-ANGULAR-6091113>
- info - <https://stackblitz.com/edit/angularjs-vulnerability-ng-srcset-redos>
- report@snyk.io - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- report@snyk.io - [THIRD\\_PARTY\\_ADVISORY](#)
- report@snyk.io - [THIRD\\_PARTY\\_ADVISORY](#)
- report@snyk.io - [THIRD\\_PARTY\\_ADVISORY](#)

Vulnerable Software & Versions (NVD):

- cpe:2.3:a:angularjs:angular.js:\*:\*:\*:\*:\* versions from (including) 1.3.0

[CVE-2022-25869](#) suppressed

All versions of the package angular; all versions of the package angularjs.core; all versions of the package angularjs are vulnerable to Cross-site Scripting (XSS) due to insecure page caching in the Internet Explorer browser, which allows interpolation of <textarea> elements.

#### CWE-79 Improper Neutralization of Input During Web Page Generation ('Cross-site Scripting')

Notes: We can not yet update to newer Angular Version

CVSSv3:

- MEDIUM (6.1)
- CVSS:3.1/AV:N/AC:L/PR:N/UI:R/S:C/C:L/I:L/A:N/E:P/RC:R/MAV:A

References:

- af854a3a-2127-422b-91ae-364da2661108 - [BROKEN\\_LINK](#)
- af854a3a-2127-422b-91ae-364da2661108 - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- af854a3a-2127-422b-91ae-364da2661108 - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- af854a3a-2127-422b-91ae-364da2661108 - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- af854a3a-2127-422b-91ae-364da2661108 - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- info - <https://github.com/advisories/GHSA-prc3-vjfx-vhm9>
- report@snyk.io - <https://neverendingsupport.github.io/angularjs-poc-cve-2022-25869>
- report@snyk.io - <https://security.snyk.io/vuln/SNYK-DOTNET-ANGULARJS-10771617>
- report@snyk.io - <https://security.snyk.io/vuln/SNYK-DOTNET-ANGULARJSORE-6084031>
- report@snyk.io - <https://security.snyk.io/vuln/SNYK-JAVA-ORGWEBJARSBOWER-2949783>
- report@snyk.io - <https://security.snyk.io/vuln/SNYK-JAVA-ORGWEBJARSBOWERGITHUBANGULAR-2949784>



- report@snyk.io - <https://security.snyk.io/vuln/SNYK-JAVA-ORGWEBJARSNPM-2949782>
- report@snyk.io - <https://security.snyk.io/vuln/SNYK-JS-ANGULAR-2949781>

Vulnerable Software & Versions (NVD):

- cpe:2.3:a:angularjs:angularjs:\*:\*:\*:\*:\*.\*

**CVE-2023-26116** suppressed

Versions of the package angular from 1.2.21 are vulnerable to Regular Expression Denial of Service (ReDoS) via the angular.copy() utility function due to the usage of an insecure regular expression. Exploiting this vulnerability is possible by a large carefully-crafted input, which can result in catastrophic backtracking.

CWE-1333 Inefficient Regular Expression Complexity

Notes: We can not yet update to newer Angular Version

CVSSv3:

- MEDIUM (5.3)
- CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:N/I:N/A:L/E:P/RC:R/MAV:A

References:

- af854a3a-2127-422b-91ae-364da2661108 - <https://lists.debian.org/debian-lts-announce/2025/07/msg00005.html>
- af854a3a-2127-422b-91ae-364da2661108 - <https://lists.fedoraproject.org/archives/list/package-announce@lists.fedoraproject.org/message/UDKFLKJ6VZKL52AFVW2OVZRMJWHMW55K/>
- af854a3a-2127-422b-91ae-364da2661108 - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- af854a3a-2127-422b-91ae-364da2661108 - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- af854a3a-2127-422b-91ae-364da2661108 - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- af854a3a-2127-422b-91ae-364da2661108 - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- af854a3a-2127-422b-91ae-364da2661108 - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- af854a3a-2127-422b-91ae-364da2661108 - [MAILING\\_LIST,THIRD\\_PARTY\\_ADVISORY](#)
- info - <https://github.com/advisories/GHSA-2vrf-hf26-jrp5>
- report@snyk.io - <https://lists.fedoraproject.org/archives/list/package-announce@lists.fedoraproject.org/message/UDKFLKJ6VZKL52AFVW2OVZRMJWHMW55K/>
- report@snyk.io - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- report@snyk.io - [MAILING\\_LIST,THIRD\\_PARTY\\_ADVISORY](#)

Vulnerable Software & Versions (NVD):

- cpe:2.3:a:angularjs:angularjs:\*:\*:\*:\*:\*.\* versions from (including) 1.2.21; versions up to (including) 1.8.3

**CVE-2023-26117** suppressed

Versions of the package angular from 1.0.0 are vulnerable to Regular Expression Denial of Service (ReDoS) via the \$resource service due to the usage of an insecure regular expression. Exploiting this vulnerability is possible by a large carefully-crafted input, which can result in catastrophic backtracking.

CWE-1333 Inefficient Regular Expression Complexity

Notes: We can not yet update to newer Angular Version

CVSSv3:

- MEDIUM (5.3)
- CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:N/I:N/A:L/E:P/RC:R/MAV:A

References:

- af854a3a-2127-422b-91ae-364da2661108 - <https://lists.debian.org/debian-lts-announce/2025/07/msg00005.html>

- af854a3a-2127-422b-91ae-364da2661108 - <https://lists.fedoraproject.org/archives/list/package-announce@lists.fedoraproject.org/message/UDKFLKJ6VZKL52AFVW2OVZRMJWHMW55K/>
- af854a3a-2127-422b-91ae-364da2661108 - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- af854a3a-2127-422b-91ae-364da2661108 - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- af854a3a-2127-422b-91ae-364da2661108 - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- af854a3a-2127-422b-91ae-364da2661108 - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- af854a3a-2127-422b-91ae-364da2661108 - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- af854a3a-2127-422b-91ae-364da2661108 - [MAILING\\_LIST,THIRD\\_PARTY\\_ADVISORY](#)
- info - <https://github.com/advisories/GHSA-2qgx-w9hr-q5gx>
- report@snyk.io - <https://lists.fedoraproject.org/archives/list/package-announce@lists.fedoraproject.org/message/UDKFLKJ6VZKL52AFVW2OVZRMJWHMW55K/>
- report@snyk.io - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- report@snyk.io - [MAILING\\_LIST,THIRD\\_PARTY\\_ADVISORY](#)

#### Vulnerable Software & Versions (NVD):

- cpe:2.3:a:angularjs:angularjs:\*:\*:\*:\*:\* versions from (including) 1.0.0; versions up to (including) 1.8.3

[CVE-2023-26118](#) suppressed

Versions of the package angular from 1.4.9 are vulnerable to Regular Expression Denial of Service (ReDoS) via the <input type="url"> element due to the usage of an insecure regular expression in the input[url] functionality. Exploiting this vulnerability is possible by a large carefully-crafted input, which can result in catastrophic backtracking.

#### CWE-1333 Inefficient Regular Expression Complexity

Notes: We can not yet update to newer Angular Version

#### CVSSv3:

- MEDIUM (5.3)
- CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:N/I:N/A:L/E:P/RC:R/MAV:A

#### References:

- af854a3a-2127-422b-91ae-364da2661108 - <https://lists.debian.org/debian-lts-announce/2025/07/msg00005.html>
- af854a3a-2127-422b-91ae-364da2661108 - <https://lists.fedoraproject.org/archives/list/package-announce@lists.fedoraproject.org/message/UDKFLKJ6VZKL52AFVW2OVZRMJWHMW55K/>
- af854a3a-2127-422b-91ae-364da2661108 - [EXPLOIT](#)
- af854a3a-2127-422b-91ae-364da2661108 - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- af854a3a-2127-422b-91ae-364da2661108 - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- af854a3a-2127-422b-91ae-364da2661108 - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- af854a3a-2127-422b-91ae-364da2661108 - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- af854a3a-2127-422b-91ae-364da2661108 - [MAILING\\_LIST,THIRD\\_PARTY\\_ADVISORY](#)
- info - <https://github.com/advisories/GHSA-qwqh-hm9m-p5hr>
- report@snyk.io - <https://lists.fedoraproject.org/archives/list/package-announce@lists.fedoraproject.org/message/UDKFLKJ6VZKL52AFVW2OVZRMJWHMW55K/>
- report@snyk.io - [EXPLOIT](#)
- report@snyk.io - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- report@snyk.io - [MAILING\\_LIST,THIRD\\_PARTY\\_ADVISORY](#)

#### Vulnerable Software & Versions (NVD):

- cpe:2.3:a:angularjs:angularjs:\*:\*:\*:\*:\* versions from (including) 1.4.9; versions up to (including) 1.8.3

[CVE-2024-8372](#) suppressed

Improper sanitization of the value of the 'srcset' attribute in AngularJS allows attackers to bypass common image source restrictions, which can also lead to a form of Content Spoofing [https://owasp.org/www-community/attacks/Content\\_Spoofing](https://owasp.org/www-community/attacks/Content_Spoofing) .

This issue affects AngularJS versions 1.3.0-rc.4 and greater.

Note:

The AngularJS project is End-of-Life and will not receive any updates to address this issue. For more information see [here https://docs.angularjs.org/misc/version-support-status](https://docs.angularjs.org/misc/version-support-status) .

CWE-1289 Improper Validation of Unsafe Equivalence in Input, NVD-CWE-Other

Notes: We can not yet update to newer Angular Version

CVSSv3:

- MEDIUM (4.3)
- CVSS:3.1/AV:N/AC:L/PR:N/UI:R/S:U/C:N/I:L/A:N/E:P/RC:R/MAV:A

References:

- 36c7be3b-2937-45df-85ea-ca7133ea542c - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- 36c7be3b-2937-45df-85ea-ca7133ea542c - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- af854a3a-2127-422b-91ae-364da2661108 - <https://lists.debian.org/debian-lts-announce/2025/07/msg00005.html>
- af854a3a-2127-422b-91ae-364da2661108 - [THIRD\\_PARTY\\_ADVISORY](#)
- info - <https://codepen.io/herodevs/full/xxoQRNL/0072e627abe03e9cda373bc75b4c1017>
- info - <https://github.com/advisories/GHSA-m9gf-397r-hwpg>
- info - <https://github.com/angular/angular.js>
- info - <https://nvd.nist.gov/vuln/detail/CVE-2024-8372>
- info - <https://www.herodevs.com/vulnerability-directory/cve-2024-8372>

Vulnerable Software & Versions (NVD):

- cpe:2.3:a:angularjs:angularjs:\*:\*:\*:\*:\* versions from (including) 1.3.1; versions up to (including) 1.8.3
- cpe:2.3:a:angularjs:angularjs:1.3.0:rc4:\*:\*:\*:\*
- cpe:2.3:a:angularjs:angularjs:1.3.0:rc5:\*:\*:\*:\*
- cpe:2.3:a:netapp:active\_iq\_unified\_manager:\*:\*:\*:\*:linux:\*:\*
- cpe:2.3:a:netapp:active\_iq\_unified\_manager:\*:\*:\*:\*:vsphere:\*:\*
- cpe:2.3:a:netapp:active\_iq\_unified\_manager:\*:\*:\*:\*:windows:\*:\*

[CVE-2024-8373](#) suppressed

Improper sanitization of the value of the [srcset] attribute in <source> HTML elements in AngularJS allows attackers to bypass common image source restrictions, which can also lead to a form of Content Spoofing [https://owasp.org/www-community/attacks/Content\\_Spoofing](https://owasp.org/www-community/attacks/Content_Spoofing) .

This issue affects all versions of AngularJS.

Note:

The AngularJS project is End-of-Life and will not receive any updates to address this issue. For more information see [here https://docs.angularjs.org/misc/version-support-status](https://docs.angularjs.org/misc/version-support-status) .

CWE-791 Incomplete Filtering of Special Elements, NVD-CWE-Other

Notes: We can not yet update to newer Angular Version

CVSSv3:

- MEDIUM (4.3)
- CVSS:3.1/AV:N/AC:L/PR:N/UI:R/S:U/C:N/I:L/A:N/E:P/RC:R/MAV:A

References:

- 36c7be3b-2937-45df-85ea-ca7133ea542c - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- 36c7be3b-2937-45df-85ea-ca7133ea542c - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- af854a3a-2127-422b-91ae-364da2661108 - <https://lists.debian.org/debian-lts-announce/2025/07/msg00005.html>
- af854a3a-2127-422b-91ae-364da2661108 - [THIRD\\_PARTY\\_ADVISORY](#)
- info - <https://codepen.io/herodevs/full/bGPQgMp/8da9ce87e99403ee13a295c305ebfa0b>

- info - <https://github.com/advisories/GHSA-mqmq9-c95h-x2p6>
- info - <https://github.com/angular/angular.js>
- info - <https://nvd.nist.gov/vuln/detail/CVE-2024-8373>
- info - <https://www.herodevs.com/vulnerability-directory/cve-2024-8373>

Vulnerable Software & Versions (NVD):

- cpe:2.3:a:angularjs:angularjs:\*:\*:\*:\*:\* versions up to (including) 1.8.3
- cpe:2.3:a:netapp:active\_iq\_unified\_manager:-:\*:\*:\*:linux:\*.\*
- cpe:2.3:a:netapp:active\_iq\_unified\_manager:-:\*:\*:\*:vsphere:\*.\*
- cpe:2.3:a:netapp:active\_iq\_unified\_manager:-:\*:\*:\*:windows:\*.\*

**CVE-2025-2336** (RETIREJS) suppressed

Notes: We can not yet update to newer Angular Version

Unscored:

- Severity: medium

References:

- info - <https://codepen.io/herodevs/pen/bNGYaxX/412a3a4218387479898912f60c269c6c>
- info - <https://github.com/advisories/GHSA-4p4w-6hg8-63wx>
- info - <https://github.com/angular/angular.js>
- info - <https://nvd.nist.gov/vuln/detail/CVE-2025-2336>
- info - <https://www.herodevs.com/vulnerability-directory/cve-2025-2336>

Vulnerable Software & Versions (RETIREJS):

**CVE-2025-4690** (RETIREJS) suppressed

Notes: We can not yet update to newer Angular Version

Unscored:

- Severity: medium

References:

- info - <https://codepen.io/herodevs/pen/RNNEPzP/751b91eab7730dff277523f3d50e4b77>
- info - <https://github.com/advisories/GHSA-hfff-63hg-f47j>
- info - <https://github.com/angular/angular.js>
- info - <https://nvd.nist.gov/vuln/detail/CVE-2025-4690>
- info - <https://www.herodevs.com/vulnerability-directory/cve-2025-4690>

Vulnerable Software & Versions (RETIREJS):

**CVE-2025-0716** (RETIREJS) suppressed

Notes: We can not yet update to newer Angular Version

Unscored:

- Severity: low

References:

- info - <https://codepen.io/herodevs/pen/qEWQmpd/a86a0d29310e12c7a3756768e6c7b915>
- info - <https://github.com/advisories/GHSA-j58c-ww9w-pwp5>
- info - <https://github.com/angular/angular.js>
- info - <https://nvd.nist.gov/vuln/detail/CVE-2025-0716>
- info - <https://www.herodevs.com/vulnerability-directory/cve-2025-0716>

Vulnerable Software & Versions (RETIREJS):

**End-of-Life: Long term support for AngularJS has been discontinued as of December 31, 2021** (RETIREJS) suppressed

End-of-Life: Long term support for AngularJS has been discontinued as of December 31, 2021

Notes: file name: remotegui.zip: angularjs.jar We can not yet update to newer Angular Version

Unscored:

- Severity: low

References:

- info - <https://docs.angularjs.org/misc/version-support-status>
- retid - 54

Vulnerable Software & Versions (RETIREJS):

## remotegui.zip: angular-cookies.jar: angular-cookies.min.js

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/remotegui.zip/angular-cookies.jar/META-INF/resources/webjars/angular-cookies/1.8.3/angular-cookies.min.js

**MD5:** c41aff8423276d46f0d02de6dcb71524

**SHA1:** 7dc53f75d5bf7dd2c770cb50f31242c70193c086

**SHA256:** 926509b494009bea03288bba191a2b238032188e9112377e50fbfe7814c6639b

**Referenced In Project/Scope:** CoWorkInstaller

### Evidence

Type	Source	Name	Value	Confidence
Vendor	RetireJS	name	angularjs	High
Product	RetireJS	name	angularjs	High
Version	RetireJS	version	1.8.3	High

### Suppressed Identifiers

- None

### Suppressed Vulnerabilities

[CVE-2022-25844](#) suppressed

The package angular after 1.7.0 are vulnerable to Regular Expression Denial of Service (ReDoS) by providing a custom locale rule that makes it possible to assign the parameter in posPre: ' '.repeat() of NUMBER\_FORMATS.PATTERNS[1].posPre with a very high value.  
**\*\*Note:\*\*** 1) This package has been deprecated and is no longer maintained. 2) The vulnerable versions are 1.7.0 and higher.

CWE-1333 Inefficient Regular Expression Complexity

Notes: We can not yet update to newer Angular Version

CVSSv3:

- HIGH (7.5)
- CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:N/I:N/A:H/E:P/RC:R/MAV:A

CVSSv2:

- Base Score: MEDIUM (5.0)
- Vector: /AV:N/AC:L/Au:N/C:N/I:N/A:P

References:

- af854a3a-2127-422b-91ae-364da2661108 - <https://lists.debian.org/debian-lts-announce/2025/07/msg00005.html>
- af854a3a-2127-422b-91ae-364da2661108 - <https://lists.fedoraproject.org/archives/list/package-announce%40lists.fedoraproject.org/message/2WUSPYOTOMAZPDEFPPWSPSPMNODRDKK3/>
- af854a3a-2127-422b-91ae-364da2661108 - <https://lists.fedoraproject.org/archives/list/package-announce%40lists.fedoraproject.org/message/7LNAKCNTVBIHWAUT3FKWV5N67PQXSZOO/>
- af854a3a-2127-422b-91ae-364da2661108 - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- af854a3a-2127-422b-91ae-364da2661108 - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- af854a3a-2127-422b-91ae-364da2661108 - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- af854a3a-2127-422b-91ae-364da2661108 - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- af854a3a-2127-422b-91ae-364da2661108 - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- af854a3a-2127-422b-91ae-364da2661108 - [THIRD\\_PARTY\\_ADVISORY](#)
- info - <https://github.com/advisories/GHSA-m2h2-264f-f486>
- report@snyk.io - <https://lists.fedoraproject.org/archives/list/package-announce%40lists.fedoraproject.org/message/2WUSPYOTOMAZPDEFPPWSPSPMNODRDKK3/>
- report@snyk.io - <https://lists.fedoraproject.org/archives/list/package-announce%40lists.fedoraproject.org/message/7LNAKCNTVBIHWAUT3FKWV5N67PQXSZOO/>
- report@snyk.io - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- report@snyk.io - [THIRD\\_PARTY\\_ADVISORY](#)

Vulnerable Software & Versions (NVD):

- cpe:2.3:a:angularjs:angularjs:\*:\*:\*:\*:\* versions from (including) 1.7.0
- cpe:2.3:a:netapp:ontap\_select\_deploy\_administration\_utility:-:\*:\*:\*:\*

**CVE-2024-21490** suppressed

This affects versions of the package angular from 1.3.0. A regular expression used to split the value of the ng-srcset directive is vulnerable to super-linear runtime due to backtracking. With large carefully-crafted input, this can result in catastrophic backtracking and cause a denial of service. **Note:** This package is EOL and will not receive any updates to address this issue. Users should migrate to [angular/core](https://www.npmjs.com/package/@angular/core).

CWE-1333 Inefficient Regular Expression Complexity

Notes: We can not yet update to newer Angular Version

CVSSv3:

- HIGH (7.5)
- CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:N/I:N/A:H/E:P/RC:R/MAV:A

References:

- af854a3a-2127-422b-91ae-364da2661108 - <https://lists.debian.org/debian-lts-announce/2025/07/msg00005.html>
- af854a3a-2127-422b-91ae-364da2661108 - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- af854a3a-2127-422b-91ae-364da2661108 - [THIRD\\_PARTY\\_ADVISORY](#)
- af854a3a-2127-422b-91ae-364da2661108 - [THIRD\\_PARTY\\_ADVISORY](#)
- af854a3a-2127-422b-91ae-364da2661108 - [THIRD\\_PARTY\\_ADVISORY](#)
- af854a3a-2127-422b-91ae-364da2661108 - [THIRD\\_PARTY\\_ADVISORY](#)
- info - <https://github.com/advisories/GHSA-4w4v-5hc9-xrr2>
- info - <https://github.com/angular/angular.js>
- info - <https://nvd.nist.gov/vuln/detail/CVE-2024-21490>
- info - <https://security.snyk.io/vuln/SNYK-JAVA-ORGWEBJARSBOWER-6241746>
- info - <https://security.snyk.io/vuln/SNYK-JAVA-ORGWEBJARSNPM-6241747>



- info - <https://security.snyk.io/vuln/SNYK-JS-ANGULAR-6091113>
- info - <https://stackblitz.com/edit/angularjs-vulnerability-ng-srcset-redos>
- report@snyk.io - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- report@snyk.io - [THIRD\\_PARTY\\_ADVISORY](#)
- report@snyk.io - [THIRD\\_PARTY\\_ADVISORY](#)
- report@snyk.io - [THIRD\\_PARTY\\_ADVISORY](#)

Vulnerable Software & Versions (NVD):

- cpe:2.3:a:angularjs:angular.js:\*:\*:\*:\*:\* versions from (including) 1.3.0

[CVE-2022-25869](#) suppressed

All versions of the package angular; all versions of the package angularjs.core; all versions of the package angularjs are vulnerable to Cross-site Scripting (XSS) due to insecure page caching in the Internet Explorer browser, which allows interpolation of <textarea> elements.

CWE-79 Improper Neutralization of Input During Web Page Generation ('Cross-site Scripting')

Notes: We can not yet update to newer Angular Version

CVSSv3:

- MEDIUM (6.1)
- CVSS:3.1/AV:N/AC:L/PR:N/UI:R/S:C/C:L/I:L/A:N/E:P/RC:R/MAV:A

References:

- af854a3a-2127-422b-91ae-364da2661108 - [BROKEN\\_LINK](#)
- af854a3a-2127-422b-91ae-364da2661108 - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- af854a3a-2127-422b-91ae-364da2661108 - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- af854a3a-2127-422b-91ae-364da2661108 - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- af854a3a-2127-422b-91ae-364da2661108 - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- info - <https://github.com/advisories/GHSA-prc3-vjfx-vhm9>
- report@snyk.io - <https://neverendingsupport.github.io/angularjs-poc-cve-2022-25869>
- report@snyk.io - <https://security.snyk.io/vuln/SNYK-DOTNET-ANGULARJS-10771617>
- report@snyk.io - <https://security.snyk.io/vuln/SNYK-DOTNET-ANGULARJSCORE-6084031>
- report@snyk.io - <https://security.snyk.io/vuln/SNYK-JAVA-ORGWEBJARSBOWER-2949783>
- report@snyk.io - <https://security.snyk.io/vuln/SNYK-JAVA-ORGWEBJARSBOWERGITHUBANGULAR-2949784>
- report@snyk.io - <https://security.snyk.io/vuln/SNYK-JAVA-ORGWEBJARSNPM-2949782>
- report@snyk.io - <https://security.snyk.io/vuln/SNYK-JS-ANGULAR-2949781>

Vulnerable Software & Versions (NVD):

- cpe:2.3:a:angularjs:angularjs:\*:\*:\*:\*:\*

[CVE-2023-26116](#) suppressed

Versions of the package angular from 1.2.21 are vulnerable to Regular Expression Denial of Service (ReDoS) via the angular.copy() utility function due to the usage of an insecure regular expression. Exploiting this vulnerability is possible by a large carefully-crafted input, which can result in catastrophic backtracking.

CWE-1333 Inefficient Regular Expression Complexity

Notes: We can not yet update to newer Angular Version

CVSSv3:

- MEDIUM (5.3)
- CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:N/I:N/A:L/E:P/RC:R/MAV:A

References:

- af854a3a-2127-422b-91ae-364da2661108 - <https://lists.debian.org/debian-lts-announce/2025/07/msg00005.html>

- af854a3a-2127-422b-91ae-364da2661108 - <https://lists.fedoraproject.org/archives/list/package-announce@lists.fedoraproject.org/message/UDKFLKJ6VZKL52AFVW2OVZRMJWHMW55K/>
- af854a3a-2127-422b-91ae-364da2661108 - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- af854a3a-2127-422b-91ae-364da2661108 - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- af854a3a-2127-422b-91ae-364da2661108 - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- af854a3a-2127-422b-91ae-364da2661108 - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- af854a3a-2127-422b-91ae-364da2661108 - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- af854a3a-2127-422b-91ae-364da2661108 - [MAILING\\_LIST,THIRD\\_PARTY\\_ADVISORY](#)
- info - <https://github.com/advisories/GHSA-2vrf-hf26-jrp5>
- report@snyk.io - <https://lists.fedoraproject.org/archives/list/package-announce@lists.fedoraproject.org/message/UDKFLKJ6VZKL52AFVW2OVZRMJWHMW55K/>
- report@snyk.io - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- report@snyk.io - [MAILING\\_LIST,THIRD\\_PARTY\\_ADVISORY](#)

#### Vulnerable Software & Versions (NVD):

- cpe:2.3:a:angularjs:angularjs:\*:\*:\*:\*:\* versions from (including) 1.2.21; versions up to (including) 1.8.3

[CVE-2023-26117](#) suppressed

Versions of the package angular from 1.0.0 are vulnerable to Regular Expression Denial of Service (ReDoS) via the \$resource service due to the usage of an insecure regular expression. Exploiting this vulnerability is possible by a large carefully-crafted input, which can result in catastrophic backtracking.

#### CWE-1333 Inefficient Regular Expression Complexity

Notes: We can not yet update to newer Angular Version

#### CVSSv3:

- MEDIUM (5.3)
- CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:N/I:N/A:L/E:P/RC:R/MAV:A

#### References:

- af854a3a-2127-422b-91ae-364da2661108 - <https://lists.debian.org/debian-lts-announce/2025/07/msg00005.html>
- af854a3a-2127-422b-91ae-364da2661108 - <https://lists.fedoraproject.org/archives/list/package-announce@lists.fedoraproject.org/message/UDKFLKJ6VZKL52AFVW2OVZRMJWHMW55K/>
- af854a3a-2127-422b-91ae-364da2661108 - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- af854a3a-2127-422b-91ae-364da2661108 - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- af854a3a-2127-422b-91ae-364da2661108 - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- af854a3a-2127-422b-91ae-364da2661108 - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- af854a3a-2127-422b-91ae-364da2661108 - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- af854a3a-2127-422b-91ae-364da2661108 - [MAILING\\_LIST,THIRD\\_PARTY\\_ADVISORY](#)
- info - <https://github.com/advisories/GHSA-2qgx-w9hr-q5gx>
- report@snyk.io - <https://lists.fedoraproject.org/archives/list/package-announce@lists.fedoraproject.org/message/UDKFLKJ6VZKL52AFVW2OVZRMJWHMW55K/>
- report@snyk.io - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- report@snyk.io - [MAILING\\_LIST,THIRD\\_PARTY\\_ADVISORY](#)

#### Vulnerable Software & Versions (NVD):

- cpe:2.3:a:angularjs:angularjs:\*:\*:\*:\*:\* versions from (including) 1.0.0; versions up to (including) 1.8.3

[CVE-2023-26118](#) suppressed



Versions of the package angular from 1.4.9 are vulnerable to Regular Expression Denial of Service (ReDoS) via the <input type="url"> element due to the usage of an insecure regular expression in the input[url] functionality. Exploiting this vulnerability is possible by a large carefully-crafted input, which can result in catastrophic backtracking.

#### CWE-1333 Inefficient Regular Expression Complexity

Notes: We can not yet update to newer Angular Version

CVSSv3:

- MEDIUM (5.3)
- CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:N/I:N/A:L/E:P/RC:R/MAV:A

References:

- af854a3a-2127-422b-91ae-364da2661108 - <https://lists.debian.org/debian-lts-announce/2025/07/msg00005.html>
- af854a3a-2127-422b-91ae-364da2661108 - <https://lists.fedoraproject.org/archives/list/package-announce@lists.fedoraproject.org/message/UDKFLKJ6VZKL52AFVW2OVZRMJWHMW55K/>
- af854a3a-2127-422b-91ae-364da2661108 - [EXPLOIT](#)
- af854a3a-2127-422b-91ae-364da2661108 - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- af854a3a-2127-422b-91ae-364da2661108 - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- af854a3a-2127-422b-91ae-364da2661108 - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- af854a3a-2127-422b-91ae-364da2661108 - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- af854a3a-2127-422b-91ae-364da2661108 - [MAILING\\_LIST,THIRD\\_PARTY\\_ADVISORY](#)
- info - <https://github.com/advisories/GHSA-qwqh-hm9m-p5hr>
- report@snyk.io - <https://lists.fedoraproject.org/archives/list/package-announce@lists.fedoraproject.org/message/UDKFLKJ6VZKL52AFVW2OVZRMJWHMW55K/>
- report@snyk.io - [EXPLOIT](#)
- report@snyk.io - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- report@snyk.io - [MAILING\\_LIST,THIRD\\_PARTY\\_ADVISORY](#)

Vulnerable Software & Versions (NVD):

- cpe:2.3:a:angularjs:angularjs:\*:\*:\*:\*:\* versions from (including) 1.4.9; versions up to (including) 1.8.3

[CVE-2024-8372](#) suppressed

Improper sanitization of the value of the 'srcset' attribute in AngularJS allows attackers to bypass common image source restrictions, which can also lead to a form of Content Spoofing [https://owasp.org/www-community/attacks/Content\\_Spoofing](https://owasp.org/www-community/attacks/Content_Spoofing) .

This issue affects AngularJS versions 1.3.0-rc.4 and greater.

Note:

The AngularJS project is End-of-Life and will not receive any updates to address this issue. For more information see [here https://docs.angularjs.org/misc/version-support-status](https://docs.angularjs.org/misc/version-support-status) .

CWE-1289 Improper Validation of Unsafe Equivalence in Input, NVD-CWE-Other

Notes: We can not yet update to newer Angular Version

CVSSv3:

- MEDIUM (4.3)
- CVSS:3.1/AV:N/AC:L/PR:N/UI:R/S:U/C:N/I:L/A:N/E:P/RC:R/MAV:A

References:

- 36c7be3b-2937-45df-85ea-ca7133ea542c - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- 36c7be3b-2937-45df-85ea-ca7133ea542c - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- af854a3a-2127-422b-91ae-364da2661108 - <https://lists.debian.org/debian-lts-announce/2025/07/msg00005.html>
- af854a3a-2127-422b-91ae-364da2661108 - [THIRD\\_PARTY\\_ADVISORY](#)
- info - <https://codepen.io/herodevs/full/xxoQRNL/0072e627abe03e9cda373bc75b4c1017>

- info - <https://github.com/advisories/GHSA-m9gf-397r-hwpg>
- info - <https://github.com/angular/angular.js>
- info - <https://nvd.nist.gov/vuln/detail/CVE-2024-8372>
- info - <https://www.herodevs.com/vulnerability-directory/cve-2024-8372>

#### Vulnerable Software & Versions (NVD):

- cpe:2.3:a:angularjs:angularjs:\*:\*:\*:\*:\* versions from (including) 1.3.1; versions up to (including) 1.8.3
- cpe:2.3:a:angularjs:angularjs:1.3.0:rc4:\*:\*:\*:\*
- cpe:2.3:a:angularjs:angularjs:1.3.0:rc5:\*:\*:\*:\*
- cpe:2.3:a:netapp:active\_iq\_unified\_manager:\*:\*:\*:\*:linux:\*
- cpe:2.3:a:netapp:active\_iq\_unified\_manager:\*:\*:\*:\*:vsphere:\*
- cpe:2.3:a:netapp:active\_iq\_unified\_manager:\*:\*:\*:\*:windows:\*

#### **CVE-2024-8373** suppressed

Improper sanitization of the value of the [srcset] attribute in <source> HTML elements in AngularJS allows attackers to bypass common image source restrictions, which can also lead to a form of Content Spoofing [https://owasp.org/www-community/attacks/Content\\_Spoofing](https://owasp.org/www-community/attacks/Content_Spoofing) .

This issue affects all versions of AngularJS.

#### Note:

The AngularJS project is End-of-Life and will not receive any updates to address this issue. For more information see [here https://docs.angularjs.org/misc/version-support-status](https://docs.angularjs.org/misc/version-support-status) .

CWE-791 Incomplete Filtering of Special Elements, NVD-CWE-Other

Notes: We can not yet update to newer Angular Version

#### CVSSv3:

- MEDIUM (4.3)
- CVSS:3.1/AV:N/AC:L/PR:N/UI:R/S:U/C:N/I:L/A:N/E:P/RC:R/MAV:A

#### References:

- 36c7be3b-2937-45df-85ea-ca7133ea542c - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- 36c7be3b-2937-45df-85ea-ca7133ea542c - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- af854a3a-2127-422b-91ae-364da2661108 - <https://lists.debian.org/debian-lts-announce/2025/07/msg00005.html>
- af854a3a-2127-422b-91ae-364da2661108 - [THIRD\\_PARTY\\_ADVISORY](#)
- info - <https://codepen.io/herodevs/full/bGPQgMp/8da9ce87e99403ee13a295c305ebfa0b>
- info - <https://github.com/advisories/GHSA-mqm9-c95h-x2p6>
- info - <https://github.com/angular/angular.js>
- info - <https://nvd.nist.gov/vuln/detail/CVE-2024-8373>
- info - <https://www.herodevs.com/vulnerability-directory/cve-2024-8373>

#### Vulnerable Software & Versions (NVD):

- cpe:2.3:a:angularjs:angularjs:\*:\*:\*:\*:\* versions up to (including) 1.8.3
- cpe:2.3:a:netapp:active\_iq\_unified\_manager:\*:\*:\*:\*:linux:\*
- cpe:2.3:a:netapp:active\_iq\_unified\_manager:\*:\*:\*:\*:vsphere:\*
- cpe:2.3:a:netapp:active\_iq\_unified\_manager:\*:\*:\*:\*:windows:\*

#### **CVE-2025-2336** (RETIREJS) suppressed

Notes: We can not yet update to newer Angular Version

#### Unscored:

- Severity: medium

#### References:

- info - <https://codepen.io/herodevs/pen/bNGYaxX/412a3a4218387479898912f60c269c6c>
- info - <https://github.com/advisories/GHSA-4p4w-6hg8-63wx>
- info - <https://github.com/angular/angular.js>
- info - <https://nvd.nist.gov/vuln/detail/CVE-2025-2336>

- info - <https://www.herodevs.com/vulnerability-directory/cve-2025-2336>

Vulnerable Software & Versions (RETIREJS):

**CVE-2025-4690** (RETIREJS) suppressed

Notes: We can not yet update to newer Angular Version

Unscored:

- Severity: medium

References:

- info - <https://codepen.io/herodevs/pen/RNNEPzP/751b91eab7730dff277523f3d50e4b77>
- info - <https://github.com/advisories/GHSA-hfff-63hg-f47j>
- info - <https://github.com/angular/angular.js>
- info - <https://nvd.nist.gov/vuln/detail/CVE-2025-4690>
- info - <https://www.herodevs.com/vulnerability-directory/cve-2025-4690>

Vulnerable Software & Versions (RETIREJS):

**CVE-2025-0716** (RETIREJS) suppressed

Notes: We can not yet update to newer Angular Version

Unscored:

- Severity: low

References:

- info - <https://codepen.io/herodevs/pen/qEWQmpd/a86a0d29310e12c7a3756768e6c7b915>
- info - <https://github.com/advisories/GHSA-j58c-ww9w-pwp5>
- info - <https://github.com/angular/angular.js>
- info - <https://nvd.nist.gov/vuln/detail/CVE-2025-0716>
- info - <https://www.herodevs.com/vulnerability-directory/cve-2025-0716>

Vulnerable Software & Versions (RETIREJS):

**End-of-Life: Long term support for AngularJS has been discontinued as of December 31, 2021** (RETIREJS) suppressed

End-of-Life: Long term support for AngularJS has been discontinued as of December 31, 2021

Notes: file name: remotegui.zip: angularjs.jar We can not yet update to newer Angular Version

Unscored:

- Severity: low

References:

- info - <https://docs.angularjs.org/misc/version-support-status>
- retid - 54

Vulnerable Software & Versions (RETIREJS):

## remotegui.zip: angular-sanitize.jar: angular-sanitize.js

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/remotegui.zip/angular-sanitize.jar/META-INF/resources/webjars/angular-sanitize/1.8.3/angular-sanitize.js  
**MD5:** 0127d7a139abfc8bd45875a9c8ea6348

SHA1: 197aea2acc25a0fa821766400950cac58a3627a5  
SHA256: c84c65250afe5a1265f36a7e16c6010652e55c2ae3a779c351fb68536c42bf64  
Referenced In Project/Scope: CoWorkInstaller

Evidence

Type	Source	Name	Value	Confidence
Vendor	RetireJS	name	angularjs	High
Product	RetireJS	name	angularjs	High
Version	RetireJS	version	1.8.3	High

Suppressed Identifiers

- None

Suppressed Vulnerabilities

[CVE-2022-25844](#) suppressed

The package angular after 1.7.0 are vulnerable to Regular Expression Denial of Service (ReDoS) by providing a custom locale rule that makes it possible to assign the parameter in posPre: ' '.repeat() of NUMBER\_FORMATS.PATTERNS[1].posPre with a very high value.  
\*\*Note:\*\* 1) This package has been deprecated and is no longer maintained. 2) The vulnerable versions are 1.7.0 and higher.

CWE-1333 Inefficient Regular Expression Complexity

Notes: We can not yet update to newer Angular Version

CVSSv3:

- HIGH (7.5)
- CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:N/I:N/A:H/E:P/RC:R/MAV:A

CVSSv2:

- Base Score: MEDIUM (5.0)
- Vector: /AV:N/AC:L/Au:N/C:N/I:N/A:P

References:

- af854a3a-2127-422b-91ae-364da2661108 - <https://lists.debian.org/debian-lts-announce/2025/07/msg00005.html>
- af854a3a-2127-422b-91ae-364da2661108 - <https://lists.fedoraproject.org/archives/list/package-announce%40lists.fedoraproject.org/message/2WUSPYOTOMAZPDEFPWPSCSPMNODRDKK3/>
- af854a3a-2127-422b-91ae-364da2661108 - <https://lists.fedoraproject.org/archives/list/package-announce%40lists.fedoraproject.org/message/7LNAKCNTVBIHWAUT3FKWV5N67PQXSZOO/>
- af854a3a-2127-422b-91ae-364da2661108 - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- af854a3a-2127-422b-91ae-364da2661108 - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- af854a3a-2127-422b-91ae-364da2661108 - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- af854a3a-2127-422b-91ae-364da2661108 - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- af854a3a-2127-422b-91ae-364da2661108 - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- af854a3a-2127-422b-91ae-364da2661108 - [THIRD\\_PARTY\\_ADVISORY](#)
- info - <https://github.com/advisories/GHSA-m2h2-264f-f486>
- report@snky.io - <https://lists.fedoraproject.org/archives/list/package-announce%40lists.fedoraproject.org/message/2WUSPYOTOMAZPDEFPWPSCSPMNODRDKK3/>

- report@snyk.io - <https://lists.fedoraproject.org/archives/list/package-announce%40lists.fedoraproject.org/message/7LNAKCNTVBIHWAUT3FKWV5N67PQXSZOO/>
- report@snyk.io - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- report@snyk.io - [THIRD\\_PARTY\\_ADVISORY](#)

Vulnerable Software & Versions (NVD):

- cpe:2.3:a:angularjs:angularjs:\*:\*:\*:\*:\* versions from (including) 1.7.0
- cpe:2.3:a:netapp:ontap\_select\_deploy\_administration\_utility:\*:\*:\*:\*:\*

**CVE-2024-21490** suppressed

This affects versions of the package angular from 1.3.0. A regular expression used to split the value of the ng-srcset directive is vulnerable to super-linear runtime due to backtracking. With large carefully-crafted input, this can result in catastrophic backtracking and cause a denial of service. **Note:** This package is EOL and will not receive any updates to address this issue. Users should migrate to `@angular/core` (<https://www.npmjs.com/package/@angular/core>).

CWE-1333 Inefficient Regular Expression Complexity

Notes: We can not yet update to newer Angular Version

CVSSv3:

- HIGH (7.5)
- CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:N/I:N/A:H/E:P/RC:R/MAV:A

References:

- af854a3a-2127-422b-91ae-364da2661108 - <https://lists.debian.org/debian-lts-announce/2025/07/msg00005.html>
- af854a3a-2127-422b-91ae-364da2661108 - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- af854a3a-2127-422b-91ae-364da2661108 - [THIRD\\_PARTY\\_ADVISORY](#)
- af854a3a-2127-422b-91ae-364da2661108 - [THIRD\\_PARTY\\_ADVISORY](#)
- af854a3a-2127-422b-91ae-364da2661108 - [THIRD\\_PARTY\\_ADVISORY](#)
- af854a3a-2127-422b-91ae-364da2661108 - [THIRD\\_PARTY\\_ADVISORY](#)
- info - <https://github.com/advisories/GHSA-4w4v-5hc9-xrr2>
- info - <https://github.com/angular/angular.js>
- info - <https://nvd.nist.gov/vuln/detail/CVE-2024-21490>
- info - <https://security.snyk.io/vuln/SNYK-JAVA-ORGWEBJARSBOWER-6241746>
- info - <https://security.snyk.io/vuln/SNYK-JAVA-ORGWEBJARSNPM-6241747>
- info - <https://security.snyk.io/vuln/SNYK-JS-ANGULAR-6091113>
- info - <https://stackblitz.com/edit/angularjs-vulnerability-ng-srcset-redos>
- report@snyk.io - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- report@snyk.io - [THIRD\\_PARTY\\_ADVISORY](#)
- report@snyk.io - [THIRD\\_PARTY\\_ADVISORY](#)
- report@snyk.io - [THIRD\\_PARTY\\_ADVISORY](#)

Vulnerable Software & Versions (NVD):

- cpe:2.3:a:angularjs:angular.js:\*:\*:\*:\*:\* versions from (including) 1.3.0

**CVE-2022-25869** suppressed

All versions of the package angular; all versions of the package angularjs.core; all versions of the package angularjs are vulnerable to Cross-site Scripting (XSS) due to insecure page caching in the Internet Explorer browser, which allows interpolation of `<textarea>` elements.

CWE-79 Improper Neutralization of Input During Web Page Generation ('Cross-site Scripting')

Notes: We can not yet update to newer Angular Version

CVSSv3:

- MEDIUM (6.1)
- CVSS:3.1/AV:N/AC:L/PR:N/UI:R/S:C/C:L/I:L/A:N/E:P/RC:R/MAV:A

#### References:

- af854a3a-2127-422b-91ae-364da2661108 - [BROKEN\\_LINK](#)
- af854a3a-2127-422b-91ae-364da2661108 - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- af854a3a-2127-422b-91ae-364da2661108 - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- af854a3a-2127-422b-91ae-364da2661108 - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- af854a3a-2127-422b-91ae-364da2661108 - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- info - <https://github.com/advisories/GHSA-prc3-vjfx-vhm9>
- report@snyk.io - <https://neverendingsupport.github.io/angularjs-poc-cve-2022-25869>
- report@snyk.io - <https://security.snyk.io/vuln/SNYK-DOTNET-ANGULARJS-10771617>
- report@snyk.io - <https://security.snyk.io/vuln/SNYK-DOTNET-ANGULARJSORE-6084031>
- report@snyk.io - <https://security.snyk.io/vuln/SNYK-JAVA-ORGWEBJARSBOWER-2949783>
- report@snyk.io - <https://security.snyk.io/vuln/SNYK-JAVA-ORGWEBJARSBOWERGITHUBANGULAR-2949784>
- report@snyk.io - <https://security.snyk.io/vuln/SNYK-JAVA-ORGWEBJARSNPM-2949782>
- report@snyk.io - <https://security.snyk.io/vuln/SNYK-JS-ANGULAR-2949781>

#### Vulnerable Software & Versions (NVD):

- cpe:2.3:a:angularjs:angularjs:\*:\*:\*:\*:\*

[CVE-2023-26116](#) suppressed

Versions of the package angular from 1.2.21 are vulnerable to Regular Expression Denial of Service (ReDoS) via the angular.copy() utility function due to the usage of an insecure regular expression. Exploiting this vulnerability is possible by a large carefully-crafted input, which can result in catastrophic backtracking.

#### CWE-1333 Inefficient Regular Expression Complexity

Notes: We can not yet update to newer Angular Version

#### CVSSv3:

- MEDIUM (5.3)
- CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:N/I:N/A:L/E:P/RC:R/MAV:A

#### References:

- af854a3a-2127-422b-91ae-364da2661108 - <https://lists.debian.org/debian-lts-announce/2025/07/msg00005.html>
- af854a3a-2127-422b-91ae-364da2661108 - <https://lists.fedoraproject.org/archives/list/package-announce@lists.fedoraproject.org/message/UDKFLKJ6VZKL52AFVW2OVZRMJWHMW55K/>
- af854a3a-2127-422b-91ae-364da2661108 - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- af854a3a-2127-422b-91ae-364da2661108 - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- af854a3a-2127-422b-91ae-364da2661108 - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- af854a3a-2127-422b-91ae-364da2661108 - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- af854a3a-2127-422b-91ae-364da2661108 - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- af854a3a-2127-422b-91ae-364da2661108 - [MAILING\\_LIST,THIRD\\_PARTY\\_ADVISORY](#)
- info - <https://github.com/advisories/GHSA-2vrf-hf26-jrp5>
- report@snyk.io - <https://lists.fedoraproject.org/archives/list/package-announce@lists.fedoraproject.org/message/UDKFLKJ6VZKL52AFVW2OVZRMJWHMW55K/>
- report@snyk.io - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- report@snyk.io - [MAILING\\_LIST,THIRD\\_PARTY\\_ADVISORY](#)

#### Vulnerable Software & Versions (NVD):

- cpe:2.3:a:angularjs:angularjs:\*:\*:\*:\*:\* versions from (including) 1.2.21; versions up to (including) 1.8.3

[CVE-2023-26117](#) suppressed



Versions of the package angular from 1.0.0 are vulnerable to Regular Expression Denial of Service (ReDoS) via the \$resource service due to the usage of an insecure regular expression. Exploiting this vulnerability is possible by a large carefully-crafted input, which can result in catastrophic backtracking.

#### CWE-1333 Inefficient Regular Expression Complexity

Notes: We can not yet update to newer Angular Version

CVSSv3:

- MEDIUM (5.3)
- CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:N/I:N/A:L/E:P/RC:R/MAV:A

References:

- af854a3a-2127-422b-91ae-364da2661108 - <https://lists.debian.org/debian-lts-announce/2025/07/msg00005.html>
- af854a3a-2127-422b-91ae-364da2661108 - <https://lists.fedoraproject.org/archives/list/package-announce@lists.fedoraproject.org/message/UDKFLKJ6VZKL52AFVW2OVZRMJWHMW55K/>
- af854a3a-2127-422b-91ae-364da2661108 - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- af854a3a-2127-422b-91ae-364da2661108 - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- af854a3a-2127-422b-91ae-364da2661108 - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- af854a3a-2127-422b-91ae-364da2661108 - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- af854a3a-2127-422b-91ae-364da2661108 - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- af854a3a-2127-422b-91ae-364da2661108 - [MAILING\\_LIST,THIRD\\_PARTY\\_ADVISORY](#)
- info - <https://github.com/advisories/GHSA-2qqx-w9hr-q5gx>
- report@snk.io - <https://lists.fedoraproject.org/archives/list/package-announce@lists.fedoraproject.org/message/UDKFLKJ6VZKL52AFVW2OVZRMJWHMW55K/>
- report@snk.io - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- report@snk.io - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- report@snk.io - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- report@snk.io - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- report@snk.io - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- report@snk.io - [MAILING\\_LIST,THIRD\\_PARTY\\_ADVISORY](#)

Vulnerable Software & Versions (NVD):

- cpe:2.3:a:angularjs:angularjs:\*:\*:\*:\*:\* versions from (including) 1.0.0; versions up to (including) 1.8.3

[CVE-2023-26118](#) suppressed

Versions of the package angular from 1.4.9 are vulnerable to Regular Expression Denial of Service (ReDoS) via the <input type="url"> element due to the usage of an insecure regular expression in the input[url] functionality. Exploiting this vulnerability is possible by a large carefully-crafted input, which can result in catastrophic backtracking.

#### CWE-1333 Inefficient Regular Expression Complexity

Notes: We can not yet update to newer Angular Version

CVSSv3:

- MEDIUM (5.3)
- CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:N/I:N/A:L/E:P/RC:R/MAV:A

References:

- af854a3a-2127-422b-91ae-364da2661108 - <https://lists.debian.org/debian-lts-announce/2025/07/msg00005.html>
- af854a3a-2127-422b-91ae-364da2661108 - <https://lists.fedoraproject.org/archives/list/package-announce@lists.fedoraproject.org/message/UDKFLKJ6VZKL52AFVW2OVZRMJWHMW55K/>
- af854a3a-2127-422b-91ae-364da2661108 - [EXPLOIT](#)
- af854a3a-2127-422b-91ae-364da2661108 - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- af854a3a-2127-422b-91ae-364da2661108 - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- af854a3a-2127-422b-91ae-364da2661108 - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- af854a3a-2127-422b-91ae-364da2661108 - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- af854a3a-2127-422b-91ae-364da2661108 - [MAILING\\_LIST,THIRD\\_PARTY\\_ADVISORY](#)

- info - <https://github.com/advisories/GHSA-gwqh-hm9m-p5hr>
- report@snyk.io - <https://lists.fedoraproject.org/archives/list/package-announce@lists.fedoraproject.org/message/UDKFLKJ6VZKL52AFVW2OVZRMJWHMW55K/>
- report@snyk.io - [EXPLOIT](#)
- report@snyk.io - [EXPLOIT\\_THIRD\\_PARTY\\_ADVISORY](#)
- report@snyk.io - [EXPLOIT\\_THIRD\\_PARTY\\_ADVISORY](#)
- report@snyk.io - [EXPLOIT\\_THIRD\\_PARTY\\_ADVISORY](#)
- report@snyk.io - [EXPLOIT\\_THIRD\\_PARTY\\_ADVISORY](#)
- report@snyk.io - [MAILING\\_LIST\\_THIRD\\_PARTY\\_ADVISORY](#)

Vulnerable Software & Versions (NVD):

- cpe:2.3:a:angularjs:angularjs:\*:\*:\*:\*:\* versions from (including) 1.4.9; versions up to (including) 1.8.3

**CVE-2024-8372** suppressed

Improper sanitization of the value of the 'srcset' attribute in AngularJS allows attackers to bypass common image source restrictions, which can also lead to a form of Content Spoofing [https://owasp.org/www-community/attacks/Content\\_Spoofing](https://owasp.org/www-community/attacks/Content_Spoofing) .

This issue affects AngularJS versions 1.3.0-rc.4 and greater.

Note:

The AngularJS project is End-of-Life and will not receive any updates to address this issue. For more information see [here https://docs.angularjs.org/misc/version-support-status](https://docs.angularjs.org/misc/version-support-status) .

CWE-1289 Improper Validation of Unsafe Equivalence in Input, NVD-CWE-Other

Notes: We can not yet update to newer Angular Version

CVSSv3:

- MEDIUM (4.3)
- CVSS:3.1/AV:N/AC:L/PR:N/UI:R/S:U/C:N/I:L/A:N/E:P/RC:R/MAV:A

References:

- 36c7be3b-2937-45df-85ea-ca7133ea542c - [EXPLOIT\\_THIRD\\_PARTY\\_ADVISORY](#)
- 36c7be3b-2937-45df-85ea-ca7133ea542c - [EXPLOIT\\_THIRD\\_PARTY\\_ADVISORY](#)
- af854a3a-2127-422b-91ae-364da2661108 - <https://lists.debian.org/debian-lts-announce/2025/07/msg00005.html>
- af854a3a-2127-422b-91ae-364da2661108 - [THIRD\\_PARTY\\_ADVISORY](#)
- info - <https://codepen.io/herodevs/full/xxoQRNL/0072e627abe03e9cda373bc75b4c1017>
- info - <https://github.com/advisories/GHSA-m9gf-397r-hwpg>
- info - <https://github.com/angular/angular.js>
- info - <https://nvd.nist.gov/vuln/detail/CVE-2024-8372>
- info - <https://www.herodevs.com/vulnerability-directory/cve-2024-8372>

Vulnerable Software & Versions (NVD):

- cpe:2.3:a:angularjs:angularjs:\*:\*:\*:\*:\* versions from (including) 1.3.1; versions up to (including) 1.8.3
- cpe:2.3:a:angularjs:angularjs:1.3.0:rc4:\*:\*:\*:\*
- cpe:2.3:a:angularjs:angularjs:1.3.0:rc5:\*:\*:\*:\*
- cpe:2.3:a:netapp:active\_iq\_unified\_manager:-:\*:\*:\*:linux:\*
- cpe:2.3:a:netapp:active\_iq\_unified\_manager:-:\*:\*:\*:vsphere:\*
- cpe:2.3:a:netapp:active\_iq\_unified\_manager:-:\*:\*:\*:windows:\*

**CVE-2024-8373** suppressed

Improper sanitization of the value of the [srcset] attribute in <source> HTML elements in AngularJS allows attackers to bypass common image source restrictions, which can also lead to a form of Content Spoofing [https://owasp.org/www-community/attacks/Content\\_Spoofing](https://owasp.org/www-community/attacks/Content_Spoofing) .

This issue affects all versions of AngularJS.



Note:

The AngularJS project is End-of-Life and will not receive any updates to address this issue. For more information see [here https://docs.angularjs.org/misc/version-support-status](https://docs.angularjs.org/misc/version-support-status).

CWE-791 Incomplete Filtering of Special Elements, NVD-CWE-Other

Notes: We can not yet update to newer Angular Version

CVSSv3:

- MEDIUM (4.3)
- CVSS:3.1/AV:N/AC:L/PR:N/UI:R/S:U/C:N/I:L/A:N/E:P/RC:R/MAV:A

References:

- 36c7be3b-2937-45df-85ea-ca7133ea542c - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- 36c7be3b-2937-45df-85ea-ca7133ea542c - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- af854a3a-2127-422b-91ae-364da2661108 - <https://lists.debian.org/debian-lts-announce/2025/07/msg00005.html>
- af854a3a-2127-422b-91ae-364da2661108 - [THIRD\\_PARTY\\_ADVISORY](#)
- info - <https://codepen.io/herodevs/full/bGPQgMp/8da9ce87e99403ee13a295c305ebfa0b>
- info - <https://github.com/advisories/GHSA-mqm9-c95h-x2p6>
- info - <https://github.com/angular/angular.js>
- info - <https://nvd.nist.gov/vuln/detail/CVE-2024-8373>
- info - <https://www.herodevs.com/vulnerability-directory/cve-2024-8373>

Vulnerable Software & Versions (NVD):

- cpe:2.3:a:angularjs:angularjs:\*:\*:\*:\*:\* versions up to (including) 1.8.3
- cpe:2.3:a:netapp:active\_iq\_unified\_manager:\*:\*:\*:\*:linux:\*:\*
- cpe:2.3:a:netapp:active\_iq\_unified\_manager:\*:\*:\*:\*:vsphere:\*:\*
- cpe:2.3:a:netapp:active\_iq\_unified\_manager:\*:\*:\*:\*:windows:\*:\*

**CVE-2025-2336** (RETIREJS) suppressed

Notes: We can not yet update to newer Angular Version

Unscored:

- Severity: medium

References:

- info - <https://codepen.io/herodevs/pen/bNGYaXx/412a3a4218387479898912f60c269c6c>
- info - <https://github.com/advisories/GHSA-4p4w-6hg8-63wx>
- info - <https://github.com/angular/angular.js>
- info - <https://nvd.nist.gov/vuln/detail/CVE-2025-2336>
- info - <https://www.herodevs.com/vulnerability-directory/cve-2025-2336>

Vulnerable Software & Versions (RETIREJS):

**CVE-2025-4690** (RETIREJS) suppressed

Notes: We can not yet update to newer Angular Version

Unscored:

- Severity: medium

References:

- info - <https://codepen.io/herodevs/pen/RNNEPzP/751b91eab7730dff277523f3d50e4b77>
- info - <https://github.com/advisories/GHSA-hfff-63hg-f47j>
- info - <https://github.com/angular/angular.js>
- info - <https://nvd.nist.gov/vuln/detail/CVE-2025-4690>
- info - <https://www.herodevs.com/vulnerability-directory/cve-2025-4690>

Vulnerable Software & Versions (RETIREJS):

**CVE-2025-0716** (RETIREJS) suppressed

Notes: We can not yet update to newer Angular Version

Unscored:

- Severity: low

References:

- info - <https://codepen.io/herodevs/pen/qEWQmpd/a86a0d29310e12c7a3756768e6c7b915>
- info - <https://github.com/advisories/GHSA-j58c-ww9w-pwp5>
- info - <https://github.com/angular/angular.js>
- info - <https://nvd.nist.gov/vuln/detail/CVE-2025-0716>
- info - <https://www.herodevs.com/vulnerability-directory/cve-2025-0716>

Vulnerable Software & Versions (RETIREJS):

**End-of-Life: Long term support for AngularJS has been discontinued as of December 31, 2021 (RETIREJS)** suppressed

End-of-Life: Long term support for AngularJS has been discontinued as of December 31, 2021

Notes: file name: remotegui.zip: angularjs.jar We can not yet update to newer Angular Version

Unscored:

- Severity: low

References:

- info - <https://docs.angularjs.org/misc/version-support-status>
- retid - 54

Vulnerable Software & Versions (RETIREJS):

## remotegui.zip: angular-sanitize.jar: angular-sanitize.min.js

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/remotegui.zip/angular-sanitize.jar/META-INF/resources/webjars/angular-sanitize/1.8.3/angular-sanitize.min.js

**MD5:** f3c62abeec216e9431e7d5b22d8e813b

**SHA1:** 21355ef18c5e1ce2b2c711b9dba21cbea0655646

**SHA256:** cc80a30ad0439c2e9c209b3d7fcfb1d10e6007fd1d00c9cc144f393664a7045

**Referenced In Project/Scope:** CoWorkInstaller

### Evidence +

Type	Source	Name	Value	Confidence
Vendor	RetireJS	name	angularjs	High
Product	RetireJS	name	angularjs	High
Version	RetireJS	version	1.8.3	High

### Suppressed Identifiers

- None

## Suppressed Vulnerabilities



### [CVE-2022-25844](#) suppressed

The package angular after 1.7.0 are vulnerable to Regular Expression Denial of Service (ReDoS) by providing a custom locale rule that makes it possible to assign the parameter in posPre: ' '.repeat() of NUMBER\_FORMATS.PATTERNS[1].posPre with a very high value. **Note:** 1) This package has been deprecated and is no longer maintained. 2) The vulnerable versions are 1.7.0 and higher.

CWE-1333 Inefficient Regular Expression Complexity

Notes: We can not yet update to newer Angular Version

CVSSv3:

- HIGH (7.5)
- CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:N/I:N/A:H/E:P/RC:R/MAV:A

CVSSv2:

- Base Score: MEDIUM (5.0)
- Vector: /AV:N/AC:L/Au:N/C:N/I:N/A:P

References:

- af854a3a-2127-422b-91ae-364da2661108 - <https://lists.debian.org/debian-lts-announce/2025/07/msg00005.html>
- af854a3a-2127-422b-91ae-364da2661108 - <https://lists.fedoraproject.org/archives/list/package-announce%40lists.fedoraproject.org/message/2WUSPYOTOMAZPDEFPPWSPSCSPMNODRDKK3/>
- af854a3a-2127-422b-91ae-364da2661108 - <https://lists.fedoraproject.org/archives/list/package-announce%40lists.fedoraproject.org/message/7LNAKCNTVBIHWAUT3FKWV5N67PQXSZOO/>
- af854a3a-2127-422b-91ae-364da2661108 - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- af854a3a-2127-422b-91ae-364da2661108 - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- af854a3a-2127-422b-91ae-364da2661108 - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- af854a3a-2127-422b-91ae-364da2661108 - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- af854a3a-2127-422b-91ae-364da2661108 - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- af854a3a-2127-422b-91ae-364da2661108 - [THIRD\\_PARTY\\_ADVISORY](#)
- info - <https://github.com/advisories/GHSA-m2h2-264f-f486>
- report@snyk.io - <https://lists.fedoraproject.org/archives/list/package-announce%40lists.fedoraproject.org/message/2WUSPYOTOMAZPDEFPPWSPSCSPMNODRDKK3/>
- report@snyk.io - <https://lists.fedoraproject.org/archives/list/package-announce%40lists.fedoraproject.org/message/7LNAKCNTVBIHWAUT3FKWV5N67PQXSZOO/>
- report@snyk.io - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- report@snyk.io - [THIRD\\_PARTY\\_ADVISORY](#)

Vulnerable Software & Versions (NVD):

- cpe:2.3:a:angularjs:angularjs:\*:\*:\*:\*:\* versions from (including) 1.7.0
- cpe:2.3:a:netapp:ontap\_select\_deploy\_administration\_utility:\*:\*:\*:\*:\*

### [CVE-2024-21490](#) suppressed

This affects versions of the package angular from 1.3.0. A regular expression used to split the value of the ng-srcset directive is vulnerable to super-linear runtime due to backtracking. With large carefully-crafted input, this can result in catastrophic backtracking and cause a denial of service. **Note:** This package is EOL and will not receive any updates to address this issue. Users should migrate to [@angular/core](https://www.npmjs.com/package/@angular/core).

CWE-1333 Inefficient Regular Expression Complexity

Notes: We can not yet update to newer Angular Version

CVSSv3:

- HIGH (7.5)
- CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:N/I:N/A:H/E:P/RC:R/MAV:A

References:

- af854a3a-2127-422b-91ae-364da2661108 - <https://lists.debian.org/debian-lts-announce/2025/07/msg00005.html>
- af854a3a-2127-422b-91ae-364da2661108 - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- af854a3a-2127-422b-91ae-364da2661108 - [THIRD\\_PARTY\\_ADVISORY](#)
- af854a3a-2127-422b-91ae-364da2661108 - [THIRD\\_PARTY\\_ADVISORY](#)
- af854a3a-2127-422b-91ae-364da2661108 - [THIRD\\_PARTY\\_ADVISORY](#)
- af854a3a-2127-422b-91ae-364da2661108 - [THIRD\\_PARTY\\_ADVISORY](#)
- info - <https://github.com/advisories/GHSA-4w4v-5hc9-xrr2>
- info - <https://github.com/angular/angular.js>
- info - <https://nvd.nist.gov/vuln/detail/CVE-2024-21490>
- info - <https://security.snyk.io/vuln/SNYK-JAVA-ORGWEBJARSBOWER-6241746>
- info - <https://security.snyk.io/vuln/SNYK-JAVA-ORGWEBJARSNPM-6241747>
- info - <https://security.snyk.io/vuln/SNYK-JS-ANGULAR-6091113>
- info - <https://stackblitz.com/edit/angularjs-vulnerability-ng-srcset-redos>
- report@snyk.io - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- report@snyk.io - [THIRD\\_PARTY\\_ADVISORY](#)
- report@snyk.io - [THIRD\\_PARTY\\_ADVISORY](#)
- report@snyk.io - [THIRD\\_PARTY\\_ADVISORY](#)

Vulnerable Software & Versions (NVD):

- cpe:2.3:a:angularjs:angular.js:\*:\*:\*:\*:\* versions from (including) 1.3.0

[CVE-2022-25869](#) suppressed

All versions of the package angular; all versions of the package angularjs.core; all versions of the package angularjs are vulnerable to Cross-site Scripting (XSS) due to insecure page caching in the Internet Explorer browser, which allows interpolation of <textarea> elements.

CWE-79 Improper Neutralization of Input During Web Page Generation ('Cross-site Scripting')

Notes: We can not yet update to newer Angular Version

CVSSv3:

- MEDIUM (6.1)
- CVSS:3.1/AV:N/AC:L/PR:N/UI:R/S:C/C:L/I:L/A:N/E:P/RC:R/MAV:A

References:

- af854a3a-2127-422b-91ae-364da2661108 - [BROKEN LINK](#)
- af854a3a-2127-422b-91ae-364da2661108 - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- af854a3a-2127-422b-91ae-364da2661108 - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- af854a3a-2127-422b-91ae-364da2661108 - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- af854a3a-2127-422b-91ae-364da2661108 - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- info - <https://github.com/advisories/GHSA-prc3-vjfx-vhm9>
- report@snyk.io - <https://neverendingsupport.github.io/angularjs-poc-cve-2022-25869>
- report@snyk.io - <https://security.snyk.io/vuln/SNYK-DOTNET-ANGULARJS-10771617>
- report@snyk.io - <https://security.snyk.io/vuln/SNYK-DOTNET-ANGULARJSCORE-6084031>
- report@snyk.io - <https://security.snyk.io/vuln/SNYK-JAVA-ORGWEBJARSBOWER-2949783>
- report@snyk.io - <https://security.snyk.io/vuln/SNYK-JAVA-ORGWEBJARSBOWERGITHUBANGULAR-2949784>
- report@snyk.io - <https://security.snyk.io/vuln/SNYK-JAVA-ORGWEBJARSNPM-2949782>
- report@snyk.io - <https://security.snyk.io/vuln/SNYK-JS-ANGULAR-2949781>

Vulnerable Software & Versions (NVD):

- cpe:2.3:a:angularjs:angularjs:\*:\*:\*:\*:\*

[CVE-2023-26116](#) suppressed

Versions of the package angular from 1.2.21 are vulnerable to Regular Expression Denial of Service (ReDoS) via the angular.copy() utility function due to the usage of an insecure regular expression. Exploiting this vulnerability is possible by a large carefully-crafted input, which can result in catastrophic backtracking.

CWE-1333 Inefficient Regular Expression Complexity

Notes: We can not yet update to newer Angular Version

CVSSv3:

- MEDIUM (5.3)
- CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:N/I:N/A:L/E:P/RC:R/MAV:A

References:

- af854a3a-2127-422b-91ae-364da2661108 - <https://lists.debian.org/debian-lts-announce/2025/07/msg00005.html>
- af854a3a-2127-422b-91ae-364da2661108 - <https://lists.fedoraproject.org/archives/list/package-announce@lists.fedoraproject.org/message/UDKFLKJ6VZKL52AFVW2OVZRMJWHMW55K/>
- af854a3a-2127-422b-91ae-364da2661108 - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- af854a3a-2127-422b-91ae-364da2661108 - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- af854a3a-2127-422b-91ae-364da2661108 - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- af854a3a-2127-422b-91ae-364da2661108 - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- af854a3a-2127-422b-91ae-364da2661108 - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- af854a3a-2127-422b-91ae-364da2661108 - [MAILING\\_LIST,THIRD\\_PARTY\\_ADVISORY](#)
- info - <https://github.com/advisories/GHSA-2vrf-hf26-jrp5>
- report@snyk.io - <https://lists.fedoraproject.org/archives/list/package-announce@lists.fedoraproject.org/message/UDKFLKJ6VZKL52AFVW2OVZRMJWHMW55K/>
- report@snyk.io - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- report@snyk.io - [MAILING\\_LIST,THIRD\\_PARTY\\_ADVISORY](#)

Vulnerable Software & Versions (NVD):

- cpe:2.3:a:angularjs:angularjs:\*:\*:\*:\*:\* versions from (including) 1.2.21; versions up to (including) 1.8.3

[CVE-2023-26117](#) suppressed

Versions of the package angular from 1.0.0 are vulnerable to Regular Expression Denial of Service (ReDoS) via the \$resource service due to the usage of an insecure regular expression. Exploiting this vulnerability is possible by a large carefully-crafted input, which can result in catastrophic backtracking.

CWE-1333 Inefficient Regular Expression Complexity

Notes: We can not yet update to newer Angular Version

CVSSv3:

- MEDIUM (5.3)
- CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:N/I:N/A:L/E:P/RC:R/MAV:A

References:

- af854a3a-2127-422b-91ae-364da2661108 - <https://lists.debian.org/debian-lts-announce/2025/07/msg00005.html>
- af854a3a-2127-422b-91ae-364da2661108 - <https://lists.fedoraproject.org/archives/list/package-announce@lists.fedoraproject.org/message/UDKFLKJ6VZKL52AFVW2OVZRMJWHMW55K/>
- af854a3a-2127-422b-91ae-364da2661108 - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- af854a3a-2127-422b-91ae-364da2661108 - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- af854a3a-2127-422b-91ae-364da2661108 - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- af854a3a-2127-422b-91ae-364da2661108 - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- af854a3a-2127-422b-91ae-364da2661108 - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)

- af854a3a-2127-422b-91ae-364da2661108 - [MAILING\\_LIST,THIRD\\_PARTY\\_ADVISORY](#)
- info - <https://github.com/advisories/GHSA-2qgx-w9hr-q5gx>
- report@snyk.io - <https://lists.fedoraproject.org/archives/list/package-announce@lists.fedoraproject.org/message/UDKFLKJ6VZKL52AFVW2OVZRMJWHMW55K/>
- report@snyk.io - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- report@snyk.io - [MAILING\\_LIST,THIRD\\_PARTY\\_ADVISORY](#)

Vulnerable Software & Versions (NVD):

- cpe:2.3:a:angularjs:angularjs:\*:\*:\*:\*:\* versions from (including) 1.0.0; versions up to (including) 1.8.3

**CVE-2023-26118** suppressed

Versions of the package angular from 1.4.9 are vulnerable to Regular Expression Denial of Service (ReDoS) via the <input type="url"> element due to the usage of an insecure regular expression in the input[url] functionality. Exploiting this vulnerability is possible by a large carefully-crafted input, which can result in catastrophic backtracking.

CWE-1333 Inefficient Regular Expression Complexity

Notes: We can not yet update to newer Angular Version

CVSSv3:

- MEDIUM (5.3)
- CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:N/I:N/A:L/E:P/RC:R/MAV:A

References:

- af854a3a-2127-422b-91ae-364da2661108 - <https://lists.debian.org/debian-lts-announce/2025/07/msg00005.html>
- af854a3a-2127-422b-91ae-364da2661108 - <https://lists.fedoraproject.org/archives/list/package-announce@lists.fedoraproject.org/message/UDKFLKJ6VZKL52AFVW2OVZRMJWHMW55K/>
- af854a3a-2127-422b-91ae-364da2661108 - [EXPLOIT](#)
- af854a3a-2127-422b-91ae-364da2661108 - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- af854a3a-2127-422b-91ae-364da2661108 - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- af854a3a-2127-422b-91ae-364da2661108 - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- af854a3a-2127-422b-91ae-364da2661108 - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- af854a3a-2127-422b-91ae-364da2661108 - [MAILING\\_LIST,THIRD\\_PARTY\\_ADVISORY](#)
- info - <https://github.com/advisories/GHSA-qwqh-hm9m-p5hr>
- report@snyk.io - <https://lists.fedoraproject.org/archives/list/package-announce@lists.fedoraproject.org/message/UDKFLKJ6VZKL52AFVW2OVZRMJWHMW55K/>
- report@snyk.io - [EXPLOIT](#)
- report@snyk.io - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- report@snyk.io - [MAILING\\_LIST,THIRD\\_PARTY\\_ADVISORY](#)

Vulnerable Software & Versions (NVD):

- cpe:2.3:a:angularjs:angularjs:\*:\*:\*:\*:\* versions from (including) 1.4.9; versions up to (including) 1.8.3

**CVE-2024-8372** suppressed

Improper sanitization of the value of the 'srcset' attribute in AngularJS allows attackers to bypass common image source restrictions, which can also lead to a form of Content Spoofing [https://owasp.org/www-community/attacks/Content\\_Spoofing](https://owasp.org/www-community/attacks/Content_Spoofing).

This issue affects AngularJS versions 1.3.0-rc.4 and greater.

Note:



The AngularJS project is End-of-Life and will not receive any updates to address this issue. For more information see [here https://docs.angularjs.org/misc/version-support-status](https://docs.angularjs.org/misc/version-support-status) .

CWE-1289 Improper Validation of Unsafe Equivalence in Input, NVD-CWE-Other

Notes: We can not yet update to newer Angular Version

CVSSv3:

- MEDIUM (4.3)
- CVSS:3.1/AV:N/AC:L/PR:N/UI:R/S:U/C:N/I:L/A:N/E:P/RC:R/MAV:A

References:

- 36c7be3b-2937-45df-85ea-ca7133ea542c - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- 36c7be3b-2937-45df-85ea-ca7133ea542c - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- af854a3a-2127-422b-91ae-364da2661108 - <https://lists.debian.org/debian-lts-announce/2025/07/msg00005.html>
- af854a3a-2127-422b-91ae-364da2661108 - [THIRD\\_PARTY\\_ADVISORY](#)
- info - <https://codepen.io/herodevs/full/xxoQRNL/0072e627abe03e9cda373bc75b4c1017>
- info - <https://github.com/advisories/GHSA-m9gf-397r-hwpg>
- info - <https://github.com/angular/angular.js>
- info - <https://nvd.nist.gov/vuln/detail/CVE-2024-8372>
- info - <https://www.herodevs.com/vulnerability-directory/cve-2024-8372>

Vulnerable Software & Versions (NVD):

- cpe:2.3:a:angularjs:angularjs:\*:\*:\*:\*:\* versions from (including) 1.3.1; versions up to (including) 1.8.3
- cpe:2.3:a:angularjs:angularjs:1.3.0:rc4:\*:\*:\*:\*
- cpe:2.3:a:angularjs:angularjs:1.3.0:rc5:\*:\*:\*:\*
- cpe:2.3:a:netapp:active\_iq\_unified\_manager:-:\*:\*:\*:linux:\*
- cpe:2.3:a:netapp:active\_iq\_unified\_manager:-:\*:\*:\*:vsphere:\*
- cpe:2.3:a:netapp:active\_iq\_unified\_manager:-:\*:\*:\*:windows:\*

[CVE-2024-8373](#) suppressed

Improper sanitization of the value of the [srcset] attribute in <source> HTML elements in AngularJS allows attackers to bypass common image source restrictions, which can also lead to a form of Content Spoofing [https://owasp.org/www-community/attacks/Content\\_Spoofing](https://owasp.org/www-community/attacks/Content_Spoofing) .

This issue affects all versions of AngularJS.

Note:

The AngularJS project is End-of-Life and will not receive any updates to address this issue. For more information see [here https://docs.angularjs.org/misc/version-support-status](https://docs.angularjs.org/misc/version-support-status) .

CWE-791 Incomplete Filtering of Special Elements, NVD-CWE-Other

Notes: We can not yet update to newer Angular Version

CVSSv3:

- MEDIUM (4.3)
- CVSS:3.1/AV:N/AC:L/PR:N/UI:R/S:U/C:N/I:L/A:N/E:P/RC:R/MAV:A

References:

- 36c7be3b-2937-45df-85ea-ca7133ea542c - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- 36c7be3b-2937-45df-85ea-ca7133ea542c - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- af854a3a-2127-422b-91ae-364da2661108 - <https://lists.debian.org/debian-lts-announce/2025/07/msg00005.html>
- af854a3a-2127-422b-91ae-364da2661108 - [THIRD\\_PARTY\\_ADVISORY](#)
- info - <https://codepen.io/herodevs/full/bGPQgMp/8da9ce87e99403ee13a295c305ebfa0b>
- info - <https://github.com/advisories/GHSA-mqmn-c95h-x2p6>
- info - <https://github.com/angular/angular.js>
- info - <https://nvd.nist.gov/vuln/detail/CVE-2024-8373>
- info - <https://www.herodevs.com/vulnerability-directory/cve-2024-8373>

Vulnerable Software & Versions (NVD):

- cpe:2.3:a:angularjs:angularjs:\*:\*:\*:\*:\* versions up to (including) 1.8.3
- cpe:2.3:a:netapp:active\_iq\_unified\_manager:\*:\*:\*:\*:linux:\*:\*
- cpe:2.3:a:netapp:active\_iq\_unified\_manager:\*:\*:\*:\*:vsphere:\*:\*
- cpe:2.3:a:netapp:active\_iq\_unified\_manager:\*:\*:\*:\*:windows:\*:\*

#### **CVE-2025-2336 (RETIREJS)** suppressed

Notes: We can not yet update to newer Angular Version

Unscored:

- Severity: medium

References:

- info - <https://codepen.io/herodevs/pen/bNGYaXx/412a3a4218387479898912f60c269c6c>
- info - <https://github.com/advisories/GHSA-4p4w-6hg8-63wx>
- info - <https://github.com/angular/angular.js>
- info - <https://nvd.nist.gov/vuln/detail/CVE-2025-2336>
- info - <https://www.herodevs.com/vulnerability-directory/cve-2025-2336>

Vulnerable Software & Versions (RETIREJS):

#### **CVE-2025-4690 (RETIREJS)** suppressed

Notes: We can not yet update to newer Angular Version

Unscored:

- Severity: medium

References:

- info - <https://codepen.io/herodevs/pen/RNNEPzP/751b91eab7730dff277523f3d50e4b77>
- info - <https://github.com/advisories/GHSA-hfff-63hg-f47j>
- info - <https://github.com/angular/angular.js>
- info - <https://nvd.nist.gov/vuln/detail/CVE-2025-4690>
- info - <https://www.herodevs.com/vulnerability-directory/cve-2025-4690>

Vulnerable Software & Versions (RETIREJS):

#### **CVE-2025-0716 (RETIREJS)** suppressed

Notes: We can not yet update to newer Angular Version

Unscored:

- Severity: low

References:

- info - <https://codepen.io/herodevs/pen/qEWQmpd/a86a0d29310e12c7a3756768e6c7b915>
- info - <https://github.com/advisories/GHSA-j58c-ww9w-pwp5>
- info - <https://github.com/angular/angular.js>
- info - <https://nvd.nist.gov/vuln/detail/CVE-2025-0716>
- info - <https://www.herodevs.com/vulnerability-directory/cve-2025-0716>

Vulnerable Software & Versions (RETIREJS):

#### **End-of-Life: Long term support for AngularJS has been discontinued as of December 31, 2021 (RETIREJS)** suppressed

End-of-Life: Long term support for AngularJS has been discontinued as of December 31, 2021

Notes: file name: remotegui.zip: angularjs.jar We can not yet update to newer Angular Version

Unscored:

- Severity: low



#### References:

- info - <https://docs.angularjs.org/misc/version-support-status>
- retid - 54

Vulnerable Software & Versions (RETIREJS):

### remotegui.zip: angular.jar: angular.js

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/remotegui.zip/angular.jar/META-INF/resources/webjars/angular/1.8.3/angular.js

**MD5:** e09f650a016c24bc1b5a1edc93bfbade

**SHA1:** 0f1f7445b761b9bbd5385f9f0b316dbf1ca48696

**SHA256:** fdca889e76f55fdee7ab661920f37ce19233563bf7f4ac8120f8ebc2ac768768

**Referenced In Project/Scope:** CoWorkInstaller

#### Evidence

Type	Source	Name	Value	Confidence
Vendor	RetireJS	name	angularjs	High
Product	RetireJS	name	angularjs	High
Version	RetireJS	version	1.8.3	High

#### Suppressed Identifiers

- None

#### Suppressed Vulnerabilities

[CVE-2022-25844](#) suppressed

The package angular after 1.7.0 are vulnerable to Regular Expression Denial of Service (ReDoS) by providing a custom locale rule that makes it possible to assign the parameter in posPre: ' '.repeat() of NUMBER\_FORMATS.PATTERNS[1].posPre with a very high value.

**\*\*Note:\*\*** 1) This package has been deprecated and is no longer maintained. 2) The vulnerable versions are 1.7.0 and higher.

CWE-1333 Inefficient Regular Expression Complexity

Notes: We can not yet update to newer Angular Version

CVSSv3:

- HIGH (7.5)
- CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:N/I:N/A:H/E:P/RC:R/MAV:A

CVSSv2:

- Base Score: MEDIUM (5.0)
- Vector: /AV:N/AC:L/Au:N/C:N/I:N/A:P

#### References:

- af854a3a-2127-422b-91ae-364da2661108 - <https://lists.debian.org/debian-lts-announce/2025/07/msg00005.html>
- af854a3a-2127-422b-91ae-364da2661108 - <https://lists.fedoraproject.org/archives/list/package-announce%40lists.fedoraproject.org/message/2WUSPYOTOMAZPDEFWPCSPMNODRDKK3/>
- af854a3a-2127-422b-91ae-364da2661108 - <https://lists.fedoraproject.org/archives/list/package-announce%40lists.fedoraproject.org/message/7LNAKCNTVBIHWAUT3FKWV5N67PQXSZOO/>
- af854a3a-2127-422b-91ae-364da2661108 - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- af854a3a-2127-422b-91ae-364da2661108 - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- af854a3a-2127-422b-91ae-364da2661108 - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- af854a3a-2127-422b-91ae-364da2661108 - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- af854a3a-2127-422b-91ae-364da2661108 - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- af854a3a-2127-422b-91ae-364da2661108 - [THIRD\\_PARTY\\_ADVISORY](#)
- info - <https://github.com/advisories/GHSA-m2h2-264f-f486>
- report@snyk.io - <https://lists.fedoraproject.org/archives/list/package-announce%40lists.fedoraproject.org/message/2WUSPYOTOMAZPDEFWPCSPMNODRDKK3/>
- report@snyk.io - <https://lists.fedoraproject.org/archives/list/package-announce%40lists.fedoraproject.org/message/7LNAKCNTVBIHWAUT3FKWV5N67PQXSZOO/>
- report@snyk.io - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- report@snyk.io - [THIRD\\_PARTY\\_ADVISORY](#)

#### Vulnerable Software & Versions (NVD):

- cpe:2.3:a:angularjs:angularjs:\*:\*:\*:\*:\*:\* versions from (including) 1.7.0
- cpe:2.3:a:netapp:ontap\_select\_deploy\_administration\_utility:\*:\*:\*:\*:\*:

#### **CVE-2024-21490** suppressed

This affects versions of the package angular from 1.3.0. A regular expression used to split the value of the ng-srcset directive is vulnerable to super-linear runtime due to backtracking. With large carefully-crafted input, this can result in catastrophic backtracking and cause a denial of service. **Note:** This package is EOL and will not receive any updates to address this issue. Users should migrate to `@angular/core` (<https://www.npmjs.com/package/@angular/core>).

#### CWE-1333 Inefficient Regular Expression Complexity

Notes: We can not yet update to newer Angular Version

#### CVSSv3:

- HIGH (7.5)
- CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:N/I:N/A:H/E:P/RC:R/MAV:A

#### References:

- af854a3a-2127-422b-91ae-364da2661108 - <https://lists.debian.org/debian-lts-announce/2025/07/msg00005.html>
- af854a3a-2127-422b-91ae-364da2661108 - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- af854a3a-2127-422b-91ae-364da2661108 - [THIRD\\_PARTY\\_ADVISORY](#)
- af854a3a-2127-422b-91ae-364da2661108 - [THIRD\\_PARTY\\_ADVISORY](#)
- af854a3a-2127-422b-91ae-364da2661108 - [THIRD\\_PARTY\\_ADVISORY](#)
- af854a3a-2127-422b-91ae-364da2661108 - [THIRD\\_PARTY\\_ADVISORY](#)
- info - <https://github.com/advisories/GHSA-4w4v-5hc9-xrr2>
- info - <https://github.com/angular/angular.js>
- info - <https://nvd.nist.gov/vuln/detail/CVE-2024-21490>
- info - <https://security.snyk.io/vuln/SNYK-JAVA-ORGWEBJARSBOWER-6241746>
- info - <https://security.snyk.io/vuln/SNYK-JAVA-ORGWEBJARSNPM-6241747>
- info - <https://security.snyk.io/vuln/SNYK-JS-ANGULAR-6091113>
- info - <https://stackblitz.com/edit/angularjs-vulnerability-ng-srcset-redos>
- report@snyk.io - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- report@snyk.io - [THIRD\\_PARTY\\_ADVISORY](#)
- report@snyk.io - [THIRD\\_PARTY\\_ADVISORY](#)

- report@snyk.io - [THIRD\\_PARTY\\_ADVISORY](#)

Vulnerable Software & Versions (NVD):

- cpe:2.3:a:angularjs:angular.js:\*:\*:\*:\*:\* versions from (including) 1.3.0

[CVE-2022-25869](#) suppressed

All versions of the package angular; all versions of the package angularjs.core; all versions of the package angularjs are vulnerable to Cross-site Scripting (XSS) due to insecure page caching in the Internet Explorer browser, which allows interpolation of <textarea> elements.

CWE-79 Improper Neutralization of Input During Web Page Generation ('Cross-site Scripting')

Notes: We can not yet update to newer Angular Version

CVSSv3:

- MEDIUM (6.1)
- CVSS:3.1/AV:N/AC:L/PR:N/UI:R/S:C/C:L/I:L/A:N/E:P/RC:R/MAV:A

References:

- af854a3a-2127-422b-91ae-364da2661108 - [BROKEN\\_LINK](#)
- af854a3a-2127-422b-91ae-364da2661108 - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- af854a3a-2127-422b-91ae-364da2661108 - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- af854a3a-2127-422b-91ae-364da2661108 - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- af854a3a-2127-422b-91ae-364da2661108 - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- info - <https://github.com/advisories/GHSA-prc3-vjfx-vhm9>
- report@snyk.io - <https://neverendingsupport.github.io/angularjs-poc-cve-2022-25869>
- report@snyk.io - <https://security.snyk.io/vuln/SNYK-DOTNET-ANGULARJS-10771617>
- report@snyk.io - <https://security.snyk.io/vuln/SNYK-DOTNET-ANGULARJSCORE-6084031>
- report@snyk.io - <https://security.snyk.io/vuln/SNYK-JAVA-ORGWEBJARSBOWER-2949783>
- report@snyk.io - <https://security.snyk.io/vuln/SNYK-JAVA-ORGWEBJARSBOWERGITHUBANGULAR-2949784>
- report@snyk.io - <https://security.snyk.io/vuln/SNYK-JAVA-ORGWEBJARSNPM-2949782>
- report@snyk.io - <https://security.snyk.io/vuln/SNYK-JS-ANGULAR-2949781>

Vulnerable Software & Versions (NVD):

- cpe:2.3:a:angularjs:angularjs:\*:\*:\*:\*:\*

[CVE-2023-26116](#) suppressed

Versions of the package angular from 1.2.21 are vulnerable to Regular Expression Denial of Service (ReDoS) via the angular.copy() utility function due to the usage of an insecure regular expression. Exploiting this vulnerability is possible by a large carefully-crafted input, which can result in catastrophic backtracking.

CWE-1333 Inefficient Regular Expression Complexity

Notes: We can not yet update to newer Angular Version

CVSSv3:

- MEDIUM (5.3)
- CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:N/I:N/A:L/E:P/RC:R/MAV:A

References:

- af854a3a-2127-422b-91ae-364da2661108 - <https://lists.debian.org/debian-lts-announce/2025/07/msg00005.html>
- af854a3a-2127-422b-91ae-364da2661108 - <https://lists.fedoraproject.org/archives/list/package-announce@lists.fedoraproject.org/message/UDKFLKJ6VZKL52AFVW2OVZRMJWHMW55K/>
- af854a3a-2127-422b-91ae-364da2661108 - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- af854a3a-2127-422b-91ae-364da2661108 - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- af854a3a-2127-422b-91ae-364da2661108 - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- af854a3a-2127-422b-91ae-364da2661108 - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)

- af854a3a-2127-422b-91ae-364da2661108 - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- af854a3a-2127-422b-91ae-364da2661108 - [MAILING\\_LIST,THIRD\\_PARTY\\_ADVISORY](#)
- info - <https://github.com/advisories/GHSA-2vrf-hf26-jrp5>
- report@snyk.io - <https://lists.fedoraproject.org/archives/list/package-announce@lists.fedoraproject.org/message/UDKFLKJ6VZKL52AFVW2OVZRMJWHMW55K/>
- report@snyk.io - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- report@snyk.io - [MAILING\\_LIST,THIRD\\_PARTY\\_ADVISORY](#)

#### Vulnerable Software & Versions (NVD):

- cpe:2.3:a:angularjs:angularjs:\*:\*:\*:\*:\* versions from (including) 1.2.21; versions up to (including) 1.8.3

#### [CVE-2023-26117](#) suppressed

Versions of the package angular from 1.0.0 are vulnerable to Regular Expression Denial of Service (ReDoS) via the \$resource service due to the usage of an insecure regular expression. Exploiting this vulnerability is possible by a large carefully-crafted input, which can result in catastrophic backtracking.

#### CWE-1333 Inefficient Regular Expression Complexity

Notes: We can not yet update to newer Angular Version

#### CVSSv3:

- MEDIUM (5.3)
- CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:N/I:N/A:L/E:P/RC:R/MAV:A

#### References:

- af854a3a-2127-422b-91ae-364da2661108 - <https://lists.debian.org/debian-lts-announce/2025/07/msg00005.html>
- af854a3a-2127-422b-91ae-364da2661108 - <https://lists.fedoraproject.org/archives/list/package-announce@lists.fedoraproject.org/message/UDKFLKJ6VZKL52AFVW2OVZRMJWHMW55K/>
- af854a3a-2127-422b-91ae-364da2661108 - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- af854a3a-2127-422b-91ae-364da2661108 - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- af854a3a-2127-422b-91ae-364da2661108 - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- af854a3a-2127-422b-91ae-364da2661108 - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- af854a3a-2127-422b-91ae-364da2661108 - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- af854a3a-2127-422b-91ae-364da2661108 - [MAILING\\_LIST,THIRD\\_PARTY\\_ADVISORY](#)
- info - <https://github.com/advisories/GHSA-2qgx-w9hr-q5gx>
- report@snyk.io - <https://lists.fedoraproject.org/archives/list/package-announce@lists.fedoraproject.org/message/UDKFLKJ6VZKL52AFVW2OVZRMJWHMW55K/>
- report@snyk.io - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- report@snyk.io - [MAILING\\_LIST,THIRD\\_PARTY\\_ADVISORY](#)

#### Vulnerable Software & Versions (NVD):

- cpe:2.3:a:angularjs:angularjs:\*:\*:\*:\*:\* versions from (including) 1.0.0; versions up to (including) 1.8.3

#### [CVE-2023-26118](#) suppressed

Versions of the package angular from 1.4.9 are vulnerable to Regular Expression Denial of Service (ReDoS) via the <input type="url"> element due to the usage of an insecure regular expression in the input[url] functionality. Exploiting this vulnerability is possible by a large carefully-crafted input, which can result in catastrophic backtracking.

#### CWE-1333 Inefficient Regular Expression Complexity

Notes: We can not yet update to newer Angular Version

CVSSv3:

- MEDIUM (5.3)
- CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:N/I:N/A:L/E:P/RC:R/MAV:A

References:

- af854a3a-2127-422b-91ae-364da2661108 - <https://lists.debian.org/debian-lts-announce/2025/07/msg00005.html>
- af854a3a-2127-422b-91ae-364da2661108 - <https://lists.fedoraproject.org/archives/list/package-announce@lists.fedoraproject.org/message/UDKFLKJ6VZKL52AFVW2OVZRMJWHMW55K/>
- af854a3a-2127-422b-91ae-364da2661108 - [EXPLOIT](#)
- af854a3a-2127-422b-91ae-364da2661108 - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- af854a3a-2127-422b-91ae-364da2661108 - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- af854a3a-2127-422b-91ae-364da2661108 - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- af854a3a-2127-422b-91ae-364da2661108 - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- af854a3a-2127-422b-91ae-364da2661108 - [MAILING\\_LIST,THIRD\\_PARTY\\_ADVISORY](#)
- info - <https://github.com/advisories/GHSA-gwqh-hm9m-p5hr>
- report@snyk.io - <https://lists.fedoraproject.org/archives/list/package-announce@lists.fedoraproject.org/message/UDKFLKJ6VZKL52AFVW2OVZRMJWHMW55K/>
- report@snyk.io - [EXPLOIT](#)
- report@snyk.io - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- report@snyk.io - [MAILING\\_LIST,THIRD\\_PARTY\\_ADVISORY](#)

Vulnerable Software & Versions (NVD):

- cpe:2.3:a:angularjs:angularjs:\*:\*:\*:\*:\* versions from (including) 1.4.9; versions up to (including) 1.8.3

[CVE-2024-8372](#) suppressed

Improper sanitization of the value of the 'srcset' attribute in AngularJS allows attackers to bypass common image source restrictions, which can also lead to a form of Content Spoofing [https://owasp.org/www-community/attacks/Content\\_Spoofing](https://owasp.org/www-community/attacks/Content_Spoofing) .

This issue affects AngularJS versions 1.3.0-rc.4 and greater.

Note:

The AngularJS project is End-of-Life and will not receive any updates to address this issue. For more information see [here https://docs.angularjs.org/misc/version-support-status](https://docs.angularjs.org/misc/version-support-status) .

CWE-1289 Improper Validation of Unsafe Equivalence in Input, NVD-CWE-Other

Notes: We can not yet update to newer Angular Version

CVSSv3:

- MEDIUM (4.3)
- CVSS:3.1/AV:N/AC:L/PR:N/UI:R/S:U/C:N/I:L/A:N/E:P/RC:R/MAV:A

References:

- 36c7be3b-2937-45df-85ea-ca7133ea542c - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- 36c7be3b-2937-45df-85ea-ca7133ea542c - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- af854a3a-2127-422b-91ae-364da2661108 - <https://lists.debian.org/debian-lts-announce/2025/07/msg00005.html>
- af854a3a-2127-422b-91ae-364da2661108 - [THIRD\\_PARTY\\_ADVISORY](#)
- info - <https://codepen.io/herodevs/full/xxoQRNL/0072e627abe03e9cda373bc75b4c1017>
- info - <https://github.com/advisories/GHSA-m9gf-397r-hwpg>
- info - <https://github.com/angular/angular.js>
- info - <https://nvd.nist.gov/vuln/detail/CVE-2024-8372>
- info - <https://www.herodevs.com/vulnerability-directory/cve-2024-8372>

Vulnerable Software & Versions (NVD):

- cpe:2.3:a:angularjs:angularjs:\*:\*:\*:\*:\* versions from (including) 1.3.1; versions up to (including) 1.8.3
- cpe:2.3:a:angularjs:angularjs:1.3.0:rc4:\*:\*:\*:\*
- cpe:2.3:a:angularjs:angularjs:1.3.0:rc5:\*:\*:\*:\*
- cpe:2.3:a:netapp:active\_iq\_unified\_manager:\*:\*:\*:\*:linux:\*
- cpe:2.3:a:netapp:active\_iq\_unified\_manager:\*:\*:\*:\*:vsphere:\*
- cpe:2.3:a:netapp:active\_iq\_unified\_manager:\*:\*:\*:\*:windows:\*

#### **CVE-2024-8373** suppressed

Improper sanitization of the value of the [srcset] attribute in <source> HTML elements in AngularJS allows attackers to bypass common image source restrictions, which can also lead to a form of Content Spoofing [https://owasp.org/www-community/attacks/Content\\_Spoofing](https://owasp.org/www-community/attacks/Content_Spoofing) .

This issue affects all versions of AngularJS.

Note:

The AngularJS project is End-of-Life and will not receive any updates to address this issue. For more information see [here https://docs.angularjs.org/misc/version-support-status](https://docs.angularjs.org/misc/version-support-status) .

CWE-791 Incomplete Filtering of Special Elements, NVD-CWE-Other

Notes: We can not yet update to newer Angular Version

CVSSv3:

- MEDIUM (4.3)
- CVSS:3.1/AV:N/AC:L/PR:N/UI:R/S:U/C:N/I:L/A:N/E:P/RC:R/MAV:A

References:

- 36c7be3b-2937-45df-85ea-ca7133ea542c - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- 36c7be3b-2937-45df-85ea-ca7133ea542c - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- af854a3a-2127-422b-91ae-364da2661108 - <https://lists.debian.org/debian-lts-announce/2025/07/msg00005.html>
- af854a3a-2127-422b-91ae-364da2661108 - [THIRD\\_PARTY\\_ADVISORY](#)
- info - <https://codepen.io/herodevs/full/bGPQgMp/8da9ce87e99403ee13a295c305ebfa0b>
- info - <https://github.com/advisories/GHSA-mqm9-c95h-x2p6>
- info - <https://github.com/angular/angular.js>
- info - <https://nvd.nist.gov/vuln/detail/CVE-2024-8373>
- info - <https://www.herodevs.com/vulnerability-directory/cve-2024-8373>

Vulnerable Software & Versions (NVD):

- cpe:2.3:a:angularjs:angularjs:\*:\*:\*:\*:\* versions up to (including) 1.8.3
- cpe:2.3:a:netapp:active\_iq\_unified\_manager:\*:\*:\*:\*:linux:\*
- cpe:2.3:a:netapp:active\_iq\_unified\_manager:\*:\*:\*:\*:vsphere:\*
- cpe:2.3:a:netapp:active\_iq\_unified\_manager:\*:\*:\*:\*:windows:\*

#### **CVE-2025-2336** (RETIREJS) suppressed

Notes: We can not yet update to newer Angular Version

Unscored:

- Severity: medium

References:

- info - <https://codepen.io/herodevs/pen/bNGYaXx/412a3a4218387479898912f60c269c6c>
- info - <https://github.com/advisories/GHSA-4p4w-6hg8-63wx>
- info - <https://github.com/angular/angular.js>
- info - <https://nvd.nist.gov/vuln/detail/CVE-2025-2336>
- info - <https://www.herodevs.com/vulnerability-directory/cve-2025-2336>

Vulnerable Software & Versions (RETIREJS):

#### **CVE-2025-4690** (RETIREJS) suppressed



Notes: We can not yet update to newer Angular Version

Unscored:

- Severity: medium

References:

- info - <https://codepen.io/herodevs/pen/RNNEPzP/751b91eab7730dff277523f3d50e4b77>
- info - <https://github.com/advisories/GHSA-hfff-63hg-f47j>
- info - <https://github.com/angular/angular.js>
- info - <https://nvd.nist.gov/vuln/detail/CVE-2025-4690>
- info - <https://www.herodevs.com/vulnerability-directory/cve-2025-4690>

Vulnerable Software & Versions (RETIREJS):

**CVE-2025-0716** (RETIREJS) suppressed

Notes: We can not yet update to newer Angular Version

Unscored:

- Severity: low

References:

- info - <https://codepen.io/herodevs/pen/qEWQmpd/a86a0d29310e12c7a3756768e6c7b915>
- info - <https://github.com/advisories/GHSA-j58c-ww9w-pwp5>
- info - <https://github.com/angular/angular.js>
- info - <https://nvd.nist.gov/vuln/detail/CVE-2025-0716>
- info - <https://www.herodevs.com/vulnerability-directory/cve-2025-0716>

Vulnerable Software & Versions (RETIREJS):

**End-of-Life: Long term support for AngularJS has been discontinued as of December 31, 2021** (RETIREJS) suppressed

End-of-Life: Long term support for AngularJS has been discontinued as of December 31, 2021

Notes: file name: remotegui.zip: angularjs.jar We can not yet update to newer Angular Version

Unscored:

- Severity: low

References:

- info - <https://docs.angularjs.org/misc/version-support-status>
- retid - 54

Vulnerable Software & Versions (RETIREJS):

## remotegui.zip: angular.jar: angular.min.js

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/remotegui.zip/angular.jar/META-INF/resources/webjars/angular/1.8.3/angular.min.js

**MD5:** 967a32633fa8f38f4ac3376c1a37b992

**SHA1:** b53b74d8e0b732dcdb98f521146b88299ea2f1

**SHA256:** 396dc1a03d6cc02e9c51a80246e0db53c5c8df9bd07287e3b51bce4a29dab355

**Referenced In Project/Scope:** CoWorkInstaller

## Evidence



Type	Source	Name	Value	Confidence
Vendor	RetireJS	name	angularjs	High
Product	RetireJS	name	angularjs	High
Version	RetireJS	version	1.8.3	High

## Suppressed Identifiers

- None

## Suppressed Vulnerabilities



### [CVE-2022-25844](#) suppressed

The package angular after 1.7.0 are vulnerable to Regular Expression Denial of Service (ReDoS) by providing a custom locale rule that makes it possible to assign the parameter in posPre: ' '.repeat() of NUMBER\_FORMATS.PATTERNS[1].posPre with a very high value.  
\*\*Note:\*\* 1) This package has been deprecated and is no longer maintained. 2) The vulnerable versions are 1.7.0 and higher.

CWE-1333 Inefficient Regular Expression Complexity

Notes: We can not yet update to newer Angular Version

CVSSv3:

- HIGH (7.5)
- CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:N/I:N/A:H/E:P/RC:R/MAV:A

CVSSv2:

- Base Score: MEDIUM (5.0)
- Vector: /AV:N/AC:L/Au:N/C:N/I:N/A:P

References:

- af854a3a-2127-422b-91ae-364da2661108 - <https://lists.debian.org/debian-lts-announce/2025/07/msg00005.html>
- af854a3a-2127-422b-91ae-364da2661108 - <https://lists.fedoraproject.org/archives/list/package-announce%40lists.fedoraproject.org/message/2WUSPYOTOMAZPDEFWPSCSPMNODRDKK3/>
- af854a3a-2127-422b-91ae-364da2661108 - <https://lists.fedoraproject.org/archives/list/package-announce%40lists.fedoraproject.org/message/7LNAKCNTVBIHWAUT3FKWV5N67PQXSZOO/>
- af854a3a-2127-422b-91ae-364da2661108 - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- af854a3a-2127-422b-91ae-364da2661108 - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- af854a3a-2127-422b-91ae-364da2661108 - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- af854a3a-2127-422b-91ae-364da2661108 - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- af854a3a-2127-422b-91ae-364da2661108 - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- af854a3a-2127-422b-91ae-364da2661108 - [THIRD\\_PARTY\\_ADVISORY](#)
- info - <https://github.com/advisories/GHSA-m2h2-264f-f486>
- report@snyk.io - <https://lists.fedoraproject.org/archives/list/package-announce%40lists.fedoraproject.org/message/2WUSPYOTOMAZPDEFWPSCSPMNODRDKK3/>
- report@snyk.io - <https://lists.fedoraproject.org/archives/list/package-announce%40lists.fedoraproject.org/message/7LNAKCNTVBIHWAUT3FKWV5N67PQXSZOO/>
- report@snyk.io - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)



- report@snyk.io - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- report@snyk.io - [THIRD\\_PARTY\\_ADVISORY](#)

Vulnerable Software & Versions (NVD):

- cpe:2.3:a:angularjs:angularjs:\*:\*:\*:\*:\* versions from (including) 1.7.0
- cpe:2.3:a:netapp:ontap\_select\_deploy\_administration\_utility:-:\*:\*:\*:\*

[CVE-2024-21490](#) suppressed

This affects versions of the package angular from 1.3.0. A regular expression used to split the value of the ng-srcset directive is vulnerable to super-linear runtime due to backtracking. With large carefully-crafted input, this can result in catastrophic backtracking and cause a denial of service. **Note:** This package is EOL and will not receive any updates to address this issue. Users should migrate to [[@angular/core](https://www.npmjs.com/package/@angular/core)](<https://www.npmjs.com/package/@angular/core>).

CWE-1333 Inefficient Regular Expression Complexity

Notes: We can not yet update to newer Angular Version

CVSSv3:

- HIGH (7.5)
- CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:N/I:N/A:H/E:P/RC:R/MAV:A

References:

- af854a3a-2127-422b-91ae-364da2661108 - <https://lists.debian.org/debian-lts-announce/2025/07/msg00005.html>
- af854a3a-2127-422b-91ae-364da2661108 - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- af854a3a-2127-422b-91ae-364da2661108 - [THIRD\\_PARTY\\_ADVISORY](#)
- af854a3a-2127-422b-91ae-364da2661108 - [THIRD\\_PARTY\\_ADVISORY](#)
- af854a3a-2127-422b-91ae-364da2661108 - [THIRD\\_PARTY\\_ADVISORY](#)
- af854a3a-2127-422b-91ae-364da2661108 - [THIRD\\_PARTY\\_ADVISORY](#)
- info - <https://github.com/advisories/GHSA-4w4v-5hc9-xrr2>
- info - <https://github.com/angular/angular.js>
- info - <https://nvd.nist.gov/vuln/detail/CVE-2024-21490>
- info - <https://security.snyk.io/vuln/SNYK-JAVA-ORGWEBJARSBOWER-6241746>
- info - <https://security.snyk.io/vuln/SNYK-JAVA-ORGWEBJARSNPM-6241747>
- info - <https://security.snyk.io/vuln/SNYK-JS-ANGULAR-6091113>
- info - <https://stackblitz.com/edit/angularjs-vulnerability-ng-srcset-redos>
- report@snyk.io - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- report@snyk.io - [THIRD\\_PARTY\\_ADVISORY](#)
- report@snyk.io - [THIRD\\_PARTY\\_ADVISORY](#)
- report@snyk.io - [THIRD\\_PARTY\\_ADVISORY](#)

Vulnerable Software & Versions (NVD):

- cpe:2.3:a:angularjs:angular.js:\*:\*:\*:\*:\* versions from (including) 1.3.0

[CVE-2022-25869](#) suppressed

All versions of the package angular; all versions of the package angularjs.core; all versions of the package angularjs are vulnerable to Cross-site Scripting (XSS) due to insecure page caching in the Internet Explorer browser, which allows interpolation of <textarea> elements.

CWE-79 Improper Neutralization of Input During Web Page Generation ('Cross-site Scripting')

Notes: We can not yet update to newer Angular Version

CVSSv3:

- MEDIUM (6.1)
- CVSS:3.1/AV:N/AC:L/PR:N/UI:R/S:C/C:L/I:L/A:N/E:P/RC:R/MAV:A

References:

- af854a3a-2127-422b-91ae-364da2661108 - [BROKEN LINK](#)
- af854a3a-2127-422b-91ae-364da2661108 - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- af854a3a-2127-422b-91ae-364da2661108 - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)

- af854a3a-2127-422b-91ae-364da2661108 - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- af854a3a-2127-422b-91ae-364da2661108 - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- info - <https://github.com/advisories/GHSA-prc3-vjfx-vhm9>
- report@snyk.io - <https://neverendingsupport.github.io/angularjs-poc-cve-2022-25869>
- report@snyk.io - <https://security.snyk.io/vuln/SNYK-DOTNET-ANGULARJS-10771617>
- report@snyk.io - <https://security.snyk.io/vuln/SNYK-DOTNET-ANGULARJSCORE-6084031>
- report@snyk.io - <https://security.snyk.io/vuln/SNYK-JAVA-ORGWEBJARSBOWER-2949783>
- report@snyk.io - <https://security.snyk.io/vuln/SNYK-JAVA-ORGWEBJARSBOWERGITHUBANGULAR-2949784>
- report@snyk.io - <https://security.snyk.io/vuln/SNYK-JAVA-ORGWEBJARSNPM-2949782>
- report@snyk.io - <https://security.snyk.io/vuln/SNYK-JS-ANGULAR-2949781>

Vulnerable Software & Versions (NVD):

- cpe:2.3:a:angularjs:angularjs:\*:\*:\*:\*:\*.\*

[CVE-2023-26116](#) suppressed

Versions of the package angular from 1.2.21 are vulnerable to Regular Expression Denial of Service (ReDoS) via the angular.copy() utility function due to the usage of an insecure regular expression. Exploiting this vulnerability is possible by a large carefully-crafted input, which can result in catastrophic backtracking.

CWE-1333 Inefficient Regular Expression Complexity

Notes: We can not yet update to newer Angular Version

CVSSv3:

- MEDIUM (5.3)
- CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:N/I:N/A:L/E:P/RC:R/MAV:A

References:

- af854a3a-2127-422b-91ae-364da2661108 - <https://lists.debian.org/debian-lts-announce/2025/07/msg00005.html>
- af854a3a-2127-422b-91ae-364da2661108 - <https://lists.fedoraproject.org/archives/list/package-announce@lists.fedoraproject.org/message/UDKFLKJ6VZKL52AFVW2OVZRMJWHMW55K/>
- af854a3a-2127-422b-91ae-364da2661108 - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- af854a3a-2127-422b-91ae-364da2661108 - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- af854a3a-2127-422b-91ae-364da2661108 - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- af854a3a-2127-422b-91ae-364da2661108 - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- af854a3a-2127-422b-91ae-364da2661108 - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- af854a3a-2127-422b-91ae-364da2661108 - [MAILING\\_LIST,THIRD\\_PARTY\\_ADVISORY](#)
- info - <https://github.com/advisories/GHSA-2vrf-hf26-jrp5>
- report@snyk.io - <https://lists.fedoraproject.org/archives/list/package-announce@lists.fedoraproject.org/message/UDKFLKJ6VZKL52AFVW2OVZRMJWHMW55K/>
- report@snyk.io - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- report@snyk.io - [MAILING\\_LIST,THIRD\\_PARTY\\_ADVISORY](#)

Vulnerable Software & Versions (NVD):

- cpe:2.3:a:angularjs:angularjs:\*:\*:\*:\*:\*.\* versions from (including) 1.2.21; versions up to (including) 1.8.3

[CVE-2023-26117](#) suppressed

Versions of the package angular from 1.0.0 are vulnerable to Regular Expression Denial of Service (ReDoS) via the \$resource service due to the usage of an insecure regular expression. Exploiting this vulnerability is possible by a large carefully-crafted input, which can result in catastrophic backtracking.

## CWE-1333 Inefficient Regular Expression Complexity

Notes: We can not yet update to newer Angular Version

CVSSv3:

- MEDIUM (5.3)
- CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:N/I:N/A:L/E:P/RC:R/MAV:A

References:

- af854a3a-2127-422b-91ae-364da2661108 - <https://lists.debian.org/debian-lts-announce/2025/07/msg00005.html>
- af854a3a-2127-422b-91ae-364da2661108 - <https://lists.fedoraproject.org/archives/list/package-announce@lists.fedoraproject.org/message/UDKFLKJ6VZKL52AFVW2OVZRMJWHMW55K/>
- af854a3a-2127-422b-91ae-364da2661108 - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- af854a3a-2127-422b-91ae-364da2661108 - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- af854a3a-2127-422b-91ae-364da2661108 - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- af854a3a-2127-422b-91ae-364da2661108 - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- af854a3a-2127-422b-91ae-364da2661108 - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- af854a3a-2127-422b-91ae-364da2661108 - [MAILING\\_LIST,THIRD\\_PARTY\\_ADVISORY](#)
- info - <https://github.com/advisories/GHSA-2qgx-w9hr-q5gx>
- report@snyk.io - <https://lists.fedoraproject.org/archives/list/package-announce@lists.fedoraproject.org/message/UDKFLKJ6VZKL52AFVW2OVZRMJWHMW55K/>
- report@snyk.io - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- report@snyk.io - [MAILING\\_LIST,THIRD\\_PARTY\\_ADVISORY](#)

Vulnerable Software & Versions (NVD):

- cpe:2.3:a:angularjs:angularjs:\*:\*:\*:\*:\* versions from (including) 1.0.0; versions up to (including) 1.8.3

**CVE-2023-26118** suppressed

Versions of the package angular from 1.4.9 are vulnerable to Regular Expression Denial of Service (ReDoS) via the <input type="url"> element due to the usage of an insecure regular expression in the input[url] functionality. Exploiting this vulnerability is possible by a large carefully-crafted input, which can result in catastrophic backtracking.

## CWE-1333 Inefficient Regular Expression Complexity

Notes: We can not yet update to newer Angular Version

CVSSv3:

- MEDIUM (5.3)
- CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:N/I:N/A:L/E:P/RC:R/MAV:A

References:

- af854a3a-2127-422b-91ae-364da2661108 - <https://lists.debian.org/debian-lts-announce/2025/07/msg00005.html>
- af854a3a-2127-422b-91ae-364da2661108 - <https://lists.fedoraproject.org/archives/list/package-announce@lists.fedoraproject.org/message/UDKFLKJ6VZKL52AFVW2OVZRMJWHMW55K/>
- af854a3a-2127-422b-91ae-364da2661108 - [EXPLOIT](#)
- af854a3a-2127-422b-91ae-364da2661108 - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- af854a3a-2127-422b-91ae-364da2661108 - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- af854a3a-2127-422b-91ae-364da2661108 - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- af854a3a-2127-422b-91ae-364da2661108 - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- af854a3a-2127-422b-91ae-364da2661108 - [MAILING\\_LIST,THIRD\\_PARTY\\_ADVISORY](#)
- info - <https://github.com/advisories/GHSA-qwqh-hm9m-p5hr>
- report@snyk.io - <https://lists.fedoraproject.org/archives/list/package-announce@lists.fedoraproject.org/message/UDKFLKJ6VZKL52AFVW2OVZRMJWHMW55K/>
- report@snyk.io - [EXPLOIT](#)
- report@snyk.io - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)

- report@snyk.io - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- report@snyk.io - [MAILING\\_LIST,THIRD\\_PARTY\\_ADVISORY](#)

#### Vulnerable Software & Versions (NVD):

- cpe:2.3:a:angularjs:angularjs:\*:\*:\*:\*:\* versions from (including) 1.4.9; versions up to (including) 1.8.3

[CVE-2024-8372](#) suppressed

Improper sanitization of the value of the 'srcset' attribute in AngularJS allows attackers to bypass common image source restrictions, which can also lead to a form of Content Spoofing [https://owasp.org/www-community/attacks/Content\\_Spoofing](https://owasp.org/www-community/attacks/Content_Spoofing) .

This issue affects AngularJS versions 1.3.0-rc.4 and greater.

#### Note:

The AngularJS project is End-of-Life and will not receive any updates to address this issue. For more information see [here https://docs.angularjs.org/misc/version-support-status](https://docs.angularjs.org/misc/version-support-status) .

CWE-1289 Improper Validation of Unsafe Equivalence in Input, NVD-CWE-Other

Notes: We can not yet update to newer Angular Version

#### CVSSv3:

- MEDIUM (4.3)
- CVSS:3.1/AV:N/AC:L/PR:N/UI:R/S:U/C:N/I:L/A:N/E:P/RC:R/MAV:A

#### References:

- 36c7be3b-2937-45df-85ea-ca7133ea542c - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- 36c7be3b-2937-45df-85ea-ca7133ea542c - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- af854a3a-2127-422b-91ae-364da2661108 - <https://lists.debian.org/debian-lts-announce/2025/07/msg00005.html>
- af854a3a-2127-422b-91ae-364da2661108 - [THIRD\\_PARTY\\_ADVISORY](#)
- info - <https://codepen.io/herodevs/full/xxoQRNL/0072e627abe03e9cda373bc75b4c1017>
- info - <https://github.com/advisories/GHSA-m9gf-397r-hwpg>
- info - <https://github.com/angular/angular.js>
- info - <https://nvd.nist.gov/vuln/detail/CVE-2024-8372>
- info - <https://www.herodevs.com/vulnerability-directory/cve-2024-8372>

#### Vulnerable Software & Versions (NVD):

- cpe:2.3:a:angularjs:angularjs:\*:\*:\*:\*:\* versions from (including) 1.3.1; versions up to (including) 1.8.3
- cpe:2.3:a:angularjs:angularjs:1.3.0:rc4:\*:\*:\*:\*
- cpe:2.3:a:angularjs:angularjs:1.3.0:rc5:\*:\*:\*:\*
- cpe:2.3:a:netapp:active\_iq\_unified\_manager:\*:\*:\*:\*:linux:\*
- cpe:2.3:a:netapp:active\_iq\_unified\_manager:\*:\*:\*:\*:vsphere:\*
- cpe:2.3:a:netapp:active\_iq\_unified\_manager:\*:\*:\*:\*:windows:\*

[CVE-2024-8373](#) suppressed

Improper sanitization of the value of the [srcset] attribute in <source> HTML elements in AngularJS allows attackers to bypass common image source restrictions, which can also lead to a form of Content Spoofing [https://owasp.org/www-community/attacks/Content\\_Spoofing](https://owasp.org/www-community/attacks/Content_Spoofing) .

This issue affects all versions of AngularJS.

#### Note:

The AngularJS project is End-of-Life and will not receive any updates to address this issue. For more information see [here https://docs.angularjs.org/misc/version-support-status](https://docs.angularjs.org/misc/version-support-status) .

CWE-791 Incomplete Filtering of Special Elements, NVD-CWE-Other

Notes: We can not yet update to newer Angular Version

CVSSv3:

- MEDIUM (4.3)
- CVSS:3.1/AV:N/AC:L/PR:N/UI:R/S:U/C:N/I:L/A:N/E:P/RC:R/MAV:A

References:

- 36c7be3b-2937-45df-85ea-ca7133ea542c - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- 36c7be3b-2937-45df-85ea-ca7133ea542c - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- af854a3a-2127-422b-91ae-364da2661108 - <https://lists.debian.org/debian-lts-announce/2025/07/msg00005.html>
- af854a3a-2127-422b-91ae-364da2661108 - [THIRD\\_PARTY\\_ADVISORY](#)
- info - <https://codepen.io/herodevs/full/bGPQgMp/8da9ce87e99403ee13a295c305ebfa0b>
- info - <https://github.com/advisories/GHSA-mqm9-c95h-x2p6>
- info - <https://github.com/angular/angular.js>
- info - <https://nvd.nist.gov/vuln/detail/CVE-2024-8373>
- info - <https://www.herodevs.com/vulnerability-directory/cve-2024-8373>

Vulnerable Software & Versions (NVD):

- cpe:2.3:a:angularjs:angularjs:\*:\*:\*:\*:\* versions up to (including) 1.8.3
- cpe:2.3:a:netapp:active\_iq\_unified\_manager:\*:\*:\*:\*linux:\*:\*
- cpe:2.3:a:netapp:active\_iq\_unified\_manager:\*:\*:\*:\*vsphere:\*:\*
- cpe:2.3:a:netapp:active\_iq\_unified\_manager:\*:\*:\*:\*windows:\*:\*

**CVE-2025-2336** (RETIREJS) suppressed

Notes: We can not yet update to newer Angular Version

Unscored:

- Severity: medium

References:

- info - <https://codepen.io/herodevs/pen/bNGYaxX/412a3a4218387479898912f60c269c6c>
- info - <https://github.com/advisories/GHSA-4p4w-6hg8-63wx>
- info - <https://github.com/angular/angular.js>
- info - <https://nvd.nist.gov/vuln/detail/CVE-2025-2336>
- info - <https://www.herodevs.com/vulnerability-directory/cve-2025-2336>

Vulnerable Software & Versions (RETIREJS):

**CVE-2025-4690** (RETIREJS) suppressed

Notes: We can not yet update to newer Angular Version

Unscored:

- Severity: medium

References:

- info - <https://codepen.io/herodevs/pen/RNNEPzP/751b91eab7730dff277523f3d50e4b77>
- info - <https://github.com/advisories/GHSA-hfff-63hg-f47j>
- info - <https://github.com/angular/angular.js>
- info - <https://nvd.nist.gov/vuln/detail/CVE-2025-4690>
- info - <https://www.herodevs.com/vulnerability-directory/cve-2025-4690>

Vulnerable Software & Versions (RETIREJS):

**CVE-2025-0716** (RETIREJS) suppressed

Notes: We can not yet update to newer Angular Version

Unscored:

- Severity: low

#### References:

- info - <https://codepen.io/herodevs/pen/qEWQmpd/a86a0d29310e12c7a3756768e6c7b915>
- info - <https://github.com/advisories/GHSA-j58c-ww9w-pwp5>
- info - <https://github.com/angular/angular.js>
- info - <https://nvd.nist.gov/vuln/detail/CVE-2025-0716>
- info - <https://www.herodevs.com/vulnerability-directory/cve-2025-0716>

#### Vulnerable Software & Versions (RETIREJS):

**End-of-Life: Long term support for AngularJS has been discontinued as of December 31, 2021** (RETIREJS) suppressed

End-of-Life: Long term support for AngularJS has been discontinued as of December 31, 2021

Notes: file name: remotegui.zip: angularjs.jar We can not yet update to newer Angular Version

#### Unscored:

- Severity: low

#### References:

- info - <https://docs.angularjs.org/misc/version-support-status>
- retid - 54

#### Vulnerable Software & Versions (RETIREJS):

### remotegui.zip: hugerte.jar: hugerte.js

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.10/hugerte.js

**MD5:** 0a6efbdc07b365918a67844e02cb30e2

**SHA1:** 54aae4c54ccee88eea1b3b9f74d958d813a113a3

**SHA256:** b366d47bca68c558550a58193bd4a1e05a1f5ef98cbaab316e392937da38f3eb

**Referenced In Project/Scope:** CoWorkInstaller

#### Evidence +

Type	Source	Name	Value	Confidence
Vendor	RetireJS	name	DOMPurify	High
Product	RetireJS	name	DOMPurify	High
Version	RetireJS	version	3.2.4	High

#### Suppressed Identifiers

- None

#### Suppressed Vulnerabilities -



**CVE-2026-41240** suppressed

DOMPurify is a DOM-only cross-site scripting sanitizer for HTML, MathML, and SVG. Versions prior to 3.4.0 have an inconsistency between FORBID\_TAGS and FORBID\_ATTR handling when function-based ADD\_TAGS is used. Commit c361baa added an early exit for FORBID\_ATTR at line 1214. The same fix was not applied to FORBID\_TAGS. At line 1118-1123, when EXTRA\_ELEMENT\_HANDLING.tagCheck returns true, the short-circuit evaluation skips the FORBID\_TAGS check entirely. This allows forbidden elements to survive sanitization with their attributes intact. Version 3.4.0 patches the issue.

CWE-79 Improper Neutralization of Input During Web Page Generation ('Cross-site Scripting'),  
CWE-183 Permissive List of Allowed Inputs

Notes: HugeRTE: There is currently no fixed date. <https://github.com/hugerte/hugerte/issues/128#issuecomment-4025527015>

CVSSv4:

- MEDIUM (6.0)
- CVSS:4.0/AV:N/AC:L/AT:P/PR:N/UI:P/VC:N/VI:H/VA:N/SC:N/SI:N/SA:N/E:X/CR:X/IR:X/AR:X/MAV:X/MAC:X/MAT:X/MPR:X/MUI:X/MVC:X/MVI:X/MVA:X/MSX:X/MSI:X/MSA:X/S:X/AU:X/R:X/V:X/RE:X/U:X

CVSSv3:

- MEDIUM (6.1)
- CVSS:3.1/AV:N/AC:L/PR:N/UI:R/S:C/C:L/I:L/A:N/E:P/RC:R/MAV:A

References:

- 134c704f-9b21-4f2e-91b3-4a467353bcc0 - [EXPLOIT,MITIGATION,PATCH,VENDOR\\_ADVISORY](#)
- info - <https://github.com/cure53/DOMPurify/releases/tag/3.4.0>
- info - <https://github.com/cure53/DOMPurify/security/advisories/GHSA-h7mw-gpvr-xq4m>
- security-advisories@github.com - [EXPLOIT,MITIGATION,PATCH,VENDOR\\_ADVISORY](#)
- security-advisories@github.com - [PATCH](#)
- security-advisories@github.com - [PRODUCT,RELEASE\\_NOTES](#)

Vulnerable Software & Versions (NVD):

- cpe:2.3:a:cure53:dompurify:\*:\*:\*:\*:\* versions up to (excluding) 3.4.0

**CVE-2026-0540** suppressed

DOMPurify 3.1.3 through 3.3.1 and 2.5.3 through 2.5.8, fixed in commit 2726c74, contain a cross-site scripting vulnerability that allows attackers to bypass attribute sanitization by exploiting five missing rawtext elements (noscript, xmp, noembed, noframes, iframe) in the SAFE\_FOR\_XML regex. Attackers can include payloads like </noscript><img src=x onerror=alert(1)> in attribute values to execute JavaScript when sanitized output is placed inside these unprotected rawtext contexts.

CWE-79 Improper Neutralization of Input During Web Page Generation ('Cross-site Scripting')

Notes: HugeRTE: There is currently no fixed date. <https://github.com/hugerte/hugerte/issues/128#issuecomment-4025527015>

CVSSv4:

- MEDIUM (5.3)
- CVSS:4.0/AV:N/AC:L/AT:N/PR:N/UI:P/VC:N/VI:N/VA:N/SC:L/SI:L/SA:N/E:X/CR:X/IR:X/AR:X/MAV:X/MAC:X/MAT:X/MPR:X/MUI:X/MVC:X/MVI:X/MVA:X/MSX:X/MSI:X/MSA:X/S:X/AU:X/R:X/V:X/RE:X/U:X

CVSSv3:

- MEDIUM (6.1)
- CVSS:3.1/AV:N/AC:L/PR:N/UI:R/S:C/C:L/I:L/A:N/E:P/RC:R/MAV:A

References:

- help@fluidattacks.com - <https://fluidattacks.com/advisories/daft>
- help@fluidattacks.com - <https://github.com/cure53/DOMPurify/commit/302b51de22535cc90235472c52e3401bedd46f80>

- help@fluidattacks.com - <https://github.com/cure53/DOMPurify/releases/tag/3.3.2>
- help@fluidattacks.com - [PRODUCT](#)
- help@fluidattacks.com - [THIRD\\_PARTY\\_ADVISORY](#)
- info - <https://github.com/cure53/DOMPurify/commit/fca0a938b4261ddc9c0293a289935a9029c049f5>
- info - <https://www.vulncheck.com/advisories/dompurify-xss-via-missing-rawtext-elements-in-safe-for-xml>
- info - <https://www.vulncheck.com/advisories/dompurify-xss-via-missing-rawtext-elements-in-safe-for-xml>

Vulnerable Software & Versions (NVD):

- cpe:2.3:a:cure53:dompurify:\*:\*:\*:\*:\* versions from (including) 2.5.3; versions up to (including) 2.5.8
- cpe:2.3:a:cure53:dompurify:\*:\*:\*:\*:\* versions from (including) 3.1.3; versions up to (including) 3.3.1

**CVE-2025-15599** suppressed

DOMPurify 3.1.3 through 3.2.6 and 2.5.3 through 2.5.8 contain a cross-site scripting vulnerability that allows attackers to bypass attribute sanitization by exploiting missing textarea rawtext element validation in the SAFE\_FOR\_XML regex. Attackers can include closing rawtext tags like </textarea> in attribute values to break out of rawtext contexts and execute JavaScript when sanitized output is placed inside rawtext elements. The 3.x branch was fixed in 3.2.7; the 2.x branch was never patched.

CWE-79 Improper Neutralization of Input During Web Page Generation ('Cross-site Scripting')

Notes: HugeRTE: There is currently no fixed date. <https://github.com/hugerte/hugerte/issues/128#issuecomment-4025527015>

CVSSv4:

- MEDIUM (5.1)
- CVSS:4.0/AV:N/AC:L/AT:N/PR:N/UI:A/VC:N/VI:N/VA:N/SC:L/SI:L/SA:N/E:X/CR:X/IR:X/AR:X/MAV:X/MAC:X/MAT:X/MPR:X/MUI:X/MVC:X/MVI:X/MVA:X/MSI:X/MSA:X/S:X/AU:X/R:X/V:X/RE:X/U:X

CVSSv3:

- MEDIUM (6.1)
- CVSS:3.1/AV:N/AC:L/PR:N/UI:R/S:C/C:L/I:L/A:N/E:P/RC:R/MAV:A

References:

- disclosure@vulncheck.com - [PATCH](#)
- disclosure@vulncheck.com - [PRODUCT](#)
- disclosure@vulncheck.com - [THIRD\\_PARTY\\_ADVISORY](#)
- info - <https://github.com/cure53/DOMPurify/commit/c861f5a83fb8d90800f1680f855fee551161ac2b>
- info - <https://www.vulncheck.com/advisories/dompurify-xss-via-textarea-rawtext-bypass-in-safe-for-xml>
- info - <https://www.vulncheck.com/advisories/dompurify-xss-via-textarea-rawtext-bypass-in-safe-for-xml>

Vulnerable Software & Versions (NVD):

- cpe:2.3:a:cure53:dompurify:\*:\*:\*:\*:\* versions from (including) 2.5.3; versions up to (including) 2.5.8
- cpe:2.3:a:cure53:dompurify:\*:\*:\*:\*:\* versions from (including) 3.1.3; versions up to (excluding) 3.2.7

**CVE-2026-41238** (RETIREJS) suppressed

Notes: HugeRTE: There is currently no fixed date. <https://github.com/hugerte/hugerte/issues/128#issuecomment-4025527015>

Unscored:

- Severity: medium



References:

- info - <https://github.com/cure53/DOMPurify/releases/tag/3.4.0>
- info - <https://github.com/cure53/DOMPurify/security/advisories/GHSA-v9jr-rg53-9pgp>

Vulnerable Software & Versions (RETIREJS):

**CVE-2026-41239** (RETIREJS) suppressed

Notes: HugeRTE: There is currently no fixed date. <https://github.com/hugerte/hugerte/issues/128#issuecomment-4025527015>

Unscored:

- Severity: medium

References:

- info - <https://github.com/cure53/DOMPurify/releases/tag/3.4.0>
- info - <https://github.com/cure53/DOMPurify/security/advisories/GHSA-crv5-9vww-q3g8>

Vulnerable Software & Versions (RETIREJS):

**DOMPurify has a logic inconsistency where FORBID\_TAGS is not checked when a function-based ADD\_TAGS (tagCheck) returns true. Due to short-circuit evaluation, the FORBID\_TAGS check is never evaluated, allowing explicitly forbidden elements to pass through sanitization when EXTRA\_ELEMENT\_HANDLING.tagCheck is configured.** (RETIREJS) suppressed

DOMPurify has a logic inconsistency where FORBID\_TAGS is not checked when a function-based ADD\_TAGS (tagCheck) returns true. Due to short-circuit evaluation, the FORBID\_TAGS check is never evaluated, allowing explicitly forbidden elements to pass through sanitization when EXTRA\_ELEMENT\_HANDLING.tagCheck is configured.

Notes: HugeRTE: There is currently no fixed date. <https://github.com/hugerte/hugerte/issues/128#issuecomment-4025527015>

Unscored:

- Severity: medium

References:

- githubID - GHSA-39q2-94rc-95cp
- info - <https://github.com/cure53/DOMPurify/security/advisories/GHSA-39q2-94rc-95cp>

Vulnerable Software & Versions (RETIREJS):

**DOMPurify is vulnerable to mutation-XSS (mXSS) when sanitized HTML is embedded into special raw-text wrapper elements such as xmp, script, iframe, noembed, noframes, or noscript before being assigned via innerHTML. Attacker-controlled sequences like </xmp> inside attribute values close the raw-text context during the second parse, causing the sanitized output to mutate into executable markup.** (RETIREJS) suppressed

DOMPurify is vulnerable to mutation-XSS (mXSS) when sanitized HTML is embedded into special raw-text wrapper elements such as xmp, script, iframe, noembed, noframes, or noscript before being assigned via innerHTML. Attacker-controlled sequences like </xmp> inside attribute values close the raw-text context during the second parse, causing the sanitized output to mutate into executable markup.

Notes: HugeRTE: There is currently no fixed date. <https://github.com/hugerte/hugerte/issues/128#issuecomment-4025527015>

Unscored:

- Severity: medium

References:

- githubID - GHSA-h8r8-wccr-v5f2
- info - <https://github.com/cure53/DOMPurify/releases/tag/3.3.2>

- info - <https://github.com/cure53/DOMPurify/security/advisories/GHSA-h8r8-wccr-v5f2>

Vulnerable Software & Versions (RETIREJS):

**DOMPurify's ADD\_ATTR predicate function mechanism (via EXTRA\_ELEMENT\_HANDLING.attributeCheck) short-circuits URI validation when the predicate returns true. This allows unsafe protocols such as javascript: to survive sanitization in href and similar attributes, enabling DOM-based XSS when such links are activated.** (RETIREJS) suppressed

DOMPurify's ADD\_ATTR predicate function mechanism (via EXTRA\_ELEMENT\_HANDLING.attributeCheck) short-circuits URI validation when the predicate returns true. This allows unsafe protocols such as javascript: to survive sanitization in href and similar attributes, enabling DOM-based XSS when such links are activated.

Notes: HugerTE: There is currently no fixed date. <https://github.com/hugerte/hugerte/issues/128#issuecomment-4025527015>

Unscored:

- Severity: medium

References:

- githubID - GHSA-cjmm-f4jc-qw8r
- info - <https://github.com/cure53/DOMPurify/releases/tag/3.3.2>
- info - <https://github.com/cure53/DOMPurify/security/advisories/GHSA-cjmm-f4jc-qw8r>

Vulnerable Software & Versions (RETIREJS):

**When USE\_PROFILES is enabled, DOMPurify rebuilds ALLOWED\_ATTR as a plain array whose properties are looked up by name, making it susceptible to prototype pollution. If Array.prototype has been polluted with an event handler attribute name (e.g. onclick), DOMPurify will allow that event handler to survive sanitization, resulting in DOM-based XSS.** (RETIREJS) suppressed

When USE\_PROFILES is enabled, DOMPurify rebuilds ALLOWED\_ATTR as a plain array whose properties are looked up by name, making it susceptible to prototype pollution. If Array.prototype has been polluted with an event handler attribute name (e.g. onclick), DOMPurify will allow that event handler to survive sanitization, resulting in DOM-based XSS.

Notes: HugerTE: There is currently no fixed date. <https://github.com/hugerte/hugerte/issues/128#issuecomment-4025527015>

Unscored:

- Severity: medium

References:

- githubID - GHSA-cj63-jhhr-wcxv
- info - <https://github.com/cure53/DOMPurify/releases/tag/3.3.2>
- info - <https://github.com/cure53/DOMPurify/security/advisories/GHSA-cj63-jhhr-wcxv>

Vulnerable Software & Versions (RETIREJS):

## remotegui.zip: hugerte.jar: theme.js

**File Path:** /home/jenkins/workspace/cowork/Check-Product-Installer-for-Security-Problems/CoWorkInstaller/build/tmp/dependencies/i-net CoWork/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.10/themes/silver/theme.js

**MD5:** 44cb08e002fca06cb52f0a998a34b913

**SHA1:** 55458cdd3c063b96d82693d141f535f61e280341

**SHA256:** b21ab51f48963e96600868f198137d44fac2d2f4a932d90104ffb11ab80b5544

**Referenced In Project/Scope:** CoWorkInstaller

## Evidence



Type	Source	Name	Value	Confidence
Vendor	RetireJS	name	DOMPurify	High
Product	RetireJS	name	DOMPurify	High
Version	RetireJS	version	3.2.4	High

## Suppressed Identifiers

- None

## Suppressed Vulnerabilities



### [CVE-2026-41240](#) suppressed

DOMPurify is a DOM-only cross-site scripting sanitizer for HTML, MathML, and SVG. Versions prior to 3.4.0 have an inconsistency between FORBID\_TAGS and FORBID\_ATTR handling when function-based ADD\_TAGS is used. Commit c361baa added an early exit for FORBID\_ATTR at line 1214. The same fix was not applied to FORBID\_TAGS. At line 1118-1123, when EXTRA\_ELEMENT\_HANDLING.tagCheck returns true, the short-circuit evaluation skips the FORBID\_TAGS check entirely. This allows forbidden elements to survive sanitization with their attributes intact. Version 3.4.0 patches the issue.

CWE-79 Improper Neutralization of Input During Web Page Generation ('Cross-site Scripting'),  
CWE-183 Permissive List of Allowed Inputs

Notes: HugeRTE: There is currently no fixed date. <https://github.com/hugerte/hugerte/issues/128#issuecomment-4025527015>

CVSSv4:

- MEDIUM (6.0)
- CVSS:4.0/AV:N/AC:L/AT:P/PR:N/UI:P/VC:N/VI:H/VA:N/SC:N/SI:N/SA:N/E:X/CR:X/IR:X/AR:X/MAV:X/MAC:X/MAT:X/MPR:X/MUI:X/MVC:X/MVI:X/MVA:X/MSC:X/MSI:X/MSA:X/S:X/AU:X/R:X/V:X/RE:X/U:X

CVSSv3:

- MEDIUM (6.1)
- CVSS:3.1/AV:N/AC:L/PR:N/UI:R/S:C/C:L/I:L/A:N/E:P/RC:R/MAV:A

References:

- 134c704f-9b21-4f2e-91b3-4a467353bcc0 - [EXPLOIT,MITIGATION,PATCH,VENDOR\\_ADVISORY](#)
- info - <https://github.com/cure53/DOMPurify/releases/tag/3.4.0>
- info - <https://github.com/cure53/DOMPurify/security/advisories/GHSA-h7mw-gpvr-xq4m>
- security-advisories@github.com - [EXPLOIT,MITIGATION,PATCH,VENDOR\\_ADVISORY](#)
- security-advisories@github.com - [PATCH](#)
- security-advisories@github.com - [PRODUCT,RELEASE\\_NOTES](#)

Vulnerable Software & Versions (NVD):

- cpe:2.3:a:cure53:dompurify:\*:\*:\*:\*:\* versions up to (excluding) 3.4.0

### [CVE-2026-0540](#) suppressed

DOMPurify 3.1.3 through 3.3.1 and 2.5.3 through 2.5.8, fixed in commit 2726c74, contain a cross-site scripting vulnerability that allows attackers to bypass attribute sanitization by exploiting five missing rawtext elements (noscript, xmp, noembed, noframes, iframe) in the SAFE\_FOR\_XML regex. Attackers can include payloads like `</noscript><img src=x onerror=alert(1)>` in attribute values to execute JavaScript when sanitized output is placed inside these unprotected rawtext contexts.

CWE-79 Improper Neutralization of Input During Web Page Generation ('Cross-site Scripting')

Notes: HugeRTE: There is currently no fixed date. <https://github.com/hugerte/hugerte/issues/128#issuecomment-4025527015>

CVSSv4:

- MEDIUM (5.3)
- CVSS:4.0/AV:N/AC:L/AT:N/PR:N/UI:P/VC:N/VI:N/VA:N/SC:L/SI:L/SA:N/E:X/CR:X/IR:X/AR:X/MAV:X/MAC:X/MAT:X/MPR:X/MUI:X/MVC:X/MVI:X/MVA:X/MSX:X/MSI:X/MSA:X/S:X/AU:X/R:X/V:X/RE:X/U:X

CVSSv3:

- MEDIUM (6.1)
- CVSS:3.1/AV:N/AC:L/PR:N/UI:R/S:C/C:L/I:L/A:N/E:P/RC:R/MAV:A

References:

- help@fluidattacks.com - <https://fluidattacks.com/advisories/daft>
- help@fluidattacks.com - <https://github.com/cure53/DOMPurify/commit/302b51de22535cc90235472c52e3401bedd46f80>
- help@fluidattacks.com - <https://github.com/cure53/DOMPurify/releases/tag/3.3.2>
- help@fluidattacks.com - [PRODUCT](#)
- help@fluidattacks.com - [THIRD PARTY ADVISORY](#)
- info - <https://github.com/cure53/DOMPurify/commit/fca0a938b4261ddc9c0293a289935a9029c049f5>
- info - <https://www.vulncheck.com/advisories/dompurify-xss-via-missing-rawtext-elements-in-safe-for-xml>
- info - <https://www.vulncheck.com/advisories/dompurify-xss-via-missing-rawtext-elements-in-safe-for-xml>

Vulnerable Software & Versions (NVD):

- cpe:2.3:a:cure53:dompurify:\*:\*:\*:\*:\* versions from (including) 2.5.3; versions up to (including) 2.5.8
- cpe:2.3:a:cure53:dompurify:\*:\*:\*:\*:\* versions from (including) 3.1.3; versions up to (including) 3.3.1

[CVE-2025-15599](#) suppressed

DOMPurify 3.1.3 through 3.2.6 and 2.5.3 through 2.5.8 contain a cross-site scripting vulnerability that allows attackers to bypass attribute sanitization by exploiting missing textarea rawtext element validation in the SAFE\_FOR\_XML regex. Attackers can include closing rawtext tags like `</textarea>` in attribute values to break out of rawtext contexts and execute JavaScript when sanitized output is placed inside rawtext elements. The 3.x branch was fixed in 3.2.7; the 2.x branch was never patched.

CWE-79 Improper Neutralization of Input During Web Page Generation ('Cross-site Scripting')

Notes: HugeRTE: There is currently no fixed date. <https://github.com/hugerte/hugerte/issues/128#issuecomment-4025527015>

CVSSv4:

- MEDIUM (5.1)
- CVSS:4.0/AV:N/AC:L/AT:N/PR:N/UI:A/VC:N/VI:N/VA:N/SC:L/SI:L/SA:N/E:X/CR:X/IR:X/AR:X/MAV:X/MAC:X/MAT:X/MPR:X/MUI:X/MVC:X/MVI:X/MVA:X/MSX:X/MSI:X/MSA:X/S:X/AU:X/R:X/V:X/RE:X/U:X

CVSSv3:

- MEDIUM (6.1)
- CVSS:3.1/AV:N/AC:L/PR:N/UI:R/S:C/C:L/I:L/A:N/E:P/RC:R/MAV:A

References:

- disclosure@vulncheck.com - [PATCH](#)
- disclosure@vulncheck.com - [PRODUCT](#)
- disclosure@vulncheck.com - [THIRD\\_PARTY\\_ADVISORY](#)
- info - <https://github.com/cure53/DOMPurify/commit/c861f5a83fb8d90800f1680f855fee551161ac2b>
- info - <https://www.vulncheck.com/advisories/dompurify-xss-via-textarea-rawtext-bypass-in-safe-for-xml>
- info - <https://www.vulncheck.com/advisories/dompurify-xss-via-textarea-rawtext-bypass-in-safe-for-xml>

Vulnerable Software & Versions (NVD):

- cpe:2.3:a:cure53:dompurify:\*:\*:\*:\*:\* versions from (including) 2.5.3; versions up to (including) 2.5.8
- cpe:2.3:a:cure53:dompurify:\*:\*:\*:\*:\* versions from (including) 3.1.3; versions up to (excluding) 3.2.7

**CVE-2026-41238** (RETIREJS) suppressed

Notes: HugeRTE: There is currently no fixed date. <https://github.com/hugerte/hugerte/issues/128#issuecomment-4025527015>

Unscored:

- Severity: medium

References:

- info - <https://github.com/cure53/DOMPurify/releases/tag/3.4.0>
- info - <https://github.com/cure53/DOMPurify/security/advisories/GHSA-v9jr-rg53-9pgp>

Vulnerable Software & Versions (RETIREJS):

**CVE-2026-41239** (RETIREJS) suppressed

Notes: HugeRTE: There is currently no fixed date. <https://github.com/hugerte/hugerte/issues/128#issuecomment-4025527015>

Unscored:

- Severity: medium

References:

- info - <https://github.com/cure53/DOMPurify/releases/tag/3.4.0>
- info - <https://github.com/cure53/DOMPurify/security/advisories/GHSA-crv5-9vww-q3g8>

Vulnerable Software & Versions (RETIREJS):

**DOMPurify has a logic inconsistency where FORBID\_TAGS is not checked when a function-based ADD\_TAGS (tagCheck) returns true. Due to short-circuit evaluation, the FORBID\_TAGS check is never evaluated, allowing explicitly forbidden elements to pass through sanitization when EXTRA\_ELEMENT\_HANDLING.tagCheck is configured.**  
(RETIREJS) suppressed

DOMPurify has a logic inconsistency where FORBID\_TAGS is not checked when a function-based ADD\_TAGS (tagCheck) returns true. Due to short-circuit evaluation, the FORBID\_TAGS check is never evaluated, allowing explicitly forbidden elements to pass through sanitization when EXTRA\_ELEMENT\_HANDLING.tagCheck is configured.

Notes: HugeRTE: There is currently no fixed date. <https://github.com/hugerte/hugerte/issues/128#issuecomment-4025527015>

Unscored:

- Severity: medium

References:

- githubID - GHSA-39q2-94rc-95cp
- info - <https://github.com/cure53/DOMPurify/security/advisories/GHSA-39q2-94rc-95cp>

Vulnerable Software & Versions (RETIREJS):

**DOMPurify is vulnerable to mutation-XSS (mXSS) when sanitized HTML is embedded into special raw-text wrapper elements such as xmp, script, iframe, noembed, noframes, or noscript before being assigned via innerHTML. Attacker-controlled sequences like </xmp> inside attribute values close the raw-text context during the second parse, causing the sanitized output to mutate into executable markup.** (RETIREJS) suppressed

DOMPurify is vulnerable to mutation-XSS (mXSS) when sanitized HTML is embedded into special raw-text wrapper elements such as xmp, script, iframe, noembed, noframes, or noscript before being assigned via innerHTML. Attacker-controlled sequences like </xmp> inside attribute values close the raw-text context during the second parse, causing the sanitized output to mutate into executable markup.

Notes: HugeRTE: There is currently no fixed date. <https://github.com/hugerte/hugerte/issues/128#issuecomment-4025527015>

Unscored:

- Severity: medium

References:

- githubID - GHSA-h8r8-wccr-v5f2
- info - <https://github.com/cure53/DOMPurify/releases/tag/3.3.2>
- info - <https://github.com/cure53/DOMPurify/security/advisories/GHSA-h8r8-wccr-v5f2>

Vulnerable Software & Versions (RETIREJS):

**DOMPurify's ADD\_ATTR predicate function mechanism (via EXTRA\_ELEMENT\_HANDLING.attributeCheck) short-circuits URI validation when the predicate returns true. This allows unsafe protocols such as javascript: to survive sanitization in href and similar attributes, enabling DOM-based XSS when such links are activated.** (RETIREJS) suppressed

DOMPurify's ADD\_ATTR predicate function mechanism (via EXTRA\_ELEMENT\_HANDLING.attributeCheck) short-circuits URI validation when the predicate returns true. This allows unsafe protocols such as javascript: to survive sanitization in href and similar attributes, enabling DOM-based XSS when such links are activated.

Notes: HugeRTE: There is currently no fixed date. <https://github.com/hugerte/hugerte/issues/128#issuecomment-4025527015>

Unscored:

- Severity: medium

References:

- githubID - GHSA-cjmm-f4jc-qw8r
- info - <https://github.com/cure53/DOMPurify/releases/tag/3.3.2>
- info - <https://github.com/cure53/DOMPurify/security/advisories/GHSA-cjmm-f4jc-qw8r>

Vulnerable Software & Versions (RETIREJS):

**When USE\_PROFILES is enabled, DOMPurify rebuilds ALLOWED\_ATTR as a plain array whose properties are looked up by name, making it susceptible to prototype pollution. If Array.prototype has been polluted with an event handler attribute name (e.g. onclick), DOMPurify will allow that event handler to survive sanitization, resulting in DOM-based XSS.** (RETIREJS) suppressed

When USE\_PROFILES is enabled, DOMPurify rebuilds ALLOWED\_ATTR as a plain array whose properties are looked up by name, making it susceptible to prototype pollution. If Array.prototype has been polluted with an event handler attribute name (e.g. onclick), DOMPurify will allow that event handler to survive sanitization, resulting in DOM-based XSS.

Notes: HugeRTE: There is currently no fixed date. <https://github.com/hugerte/hugerte/issues/128#issuecomment-4025527015>

Unscored:

- Severity: medium

References:

- githubID - GHSA-cj63-jhhr-wcxv
- info - <https://github.com/cure53/DOMPurify/releases/tag/3.3.2>
- info - <https://github.com/cure53/DOMPurify/security/advisories/GHSA-cj63-jhhr-wcxv>

Vulnerable Software & Versions (RETIREJS):

This report contains data retrieved from the [National Vulnerability Database](#).

This report may contain data retrieved from the [CISA Known Exploited Vulnerability Catalog](#).

This report may contain data retrieved from the [Github Advisory Database \(via NPM Audit API\)](#).

This report may contain data retrieved from [RetireJS](#).

This report may contain data retrieved from the [Sonatype OSS Index](#).