



Dependency-Check is an open source tool performing a best effort analysis of 3rd party dependencies; false positives and false negatives may exist in the analysis performed by the tool. Use of the tool and the reporting provided constitutes acceptance for use in an AS IS condition, and there are NO warranties, implied or otherwise, with regard to the analysis or its use. Any use of the tool and the reporting provided is at the user's risk. In no event shall the copyright holder or OWASP be held liable for any damages whatsoever arising out of or in connection with the use of this tool, the analysis performed, or the resulting report.

[How to read the report](#) | [Suppressing false positives](#) | [Getting Help: github issues](#)

♡  
[Sponsor](#)

## Project: project ':client'

helpdesk:client:23.10

Scan Information ([show all](#)):

- *dependency-check version:* 7.4.4
- *Report Generated On:* Wed, 10 Jan 2024 15:10:22 +0100
- *Dependencies Scanned:* 244 (243 unique)
- *Vulnerable Dependencies:* 0
- *Vulnerabilities Found:* 0
- *Vulnerabilities Suppressed:* 0
- ...
- *NVD CVE Checked:* 2024-01-10T15:08:54
- *NVD CVE Modified:* 2024-01-10T02:00:01

## Summary

Display: [Showing Vulnerable Dependencies \(click to show all\)](#)

| Dependency   | Vulnerability IDs   | Package                                | Highest Severity |
|--|---|--|------------------|
| <a href="#">Merlia-0.jar</a>                                     |   | <a href="#">pkg:maven/lib/Merlia@0</a> |                  |
| <a href="#">addrecipientstocc.zip:<br/>addrecipientstocc.jar</a> | cpe:2.3:a:inetsoftware:helpdesk:23.10.289:*:<br>*.*.*.*.* |  |                  |
| <a href="#">addrecipientstocc.zip: client.jar</a>                | cpe:2.3:a:inetsoftware:helpdesk:23.10.289:*:<br>*.*.*.*.* |  |                  |
| <a href="#">adhocreporing.zip:<br/>adhocClient.jar</a>           |   |  |                  |
| <a href="#">adhocreporing.zip:<br/>adhocreporing.jar</a>         | cpe:2.3:a:inetsoftware:helpdesk:23.10.289:*:<br>*.*.*.*.* |  |                  |
| <a href="#">adhocreporing.zip: client.jar</a>                    | cpe:2.3:a:inetsoftware:helpdesk:23.10.289:*:<br>*.*.*.*.* |  |                  |
| <a href="#">attachments.zip: attachments.<br/>jar</a>            | cpe:2.3:a:inetsoftware:helpdesk:23.10.289:*:<br>*.*.*.*.* |  |                  |
| <a href="#">attachments.zip: client.jar</a>                      | cpe:2.3:a:inetsoftware:helpdesk:23.10.289:*:<br>*.*.*.*.* |  |                  |

|   |  |   |  |
|---|--|---|--|
| <a href="#">autolinking.zip: autolinking.jar</a>  | cpe:2.3:a:inetsoftware:helpdesk:23.10.289:*:<br>*.*.*.*.*                      |   |  |
| <a href="#">cowork.tickets.zip: cowork.tickets.jar</a>  | <a href="#">cpe:2.3:a:tickets_project:tickets:23.10.289:*:*:<br/>*.*.*.*.*</a> |   |  |
| <a href="#">cowork.tickets.zip: cowork.tickets.jar:</a><br><a href="#">coworkchatextension.js</a>   |  |   |  |
| <a href="#">dataimport.zip: dataimport.jar</a>  | cpe:2.3:a:inetsoftware:helpdesk:23.10.289:*:<br>*.*.*.*.*                      |   |  |
| <a href="#">dataimport.zip: dataimport.jar:</a><br><a href="#">app.js</a>                           |  |   |  |
| <a href="#">dataimport.zip: dataimport.jar:</a><br><a href="#">controller.js</a>                    |  |   |  |
| <a href="#">dataimport.zip: dataimport.jar:</a><br><a href="#">devicesimport.js</a>                 |  |   |  |
| <a href="#">dataimport.zip: dataimport.jar:</a><br><a href="#">importfactory.js</a>                 |  |   |  |
| <a href="#">dataimport.zip: dataimport.jar:</a><br><a href="#">userimport.js</a>                    |  |   |  |
| <a href="#">diagnostics.helpdesk.zip: diagnostics.helpdesk.jar</a>                                  | cpe:2.3:a:inetsoftware:helpdesk:23.10.289:*:<br>*.*.*.*.*                      |   |  |
| <a href="#">diagnostics.helpdesk.zip: diagnostics.helpdesk.jar:</a><br><a href="#">connector.js</a> |  |   |  |
| <a href="#">grabaccess.zip: client.jar</a>  | cpe:2.3:a:inetsoftware:helpdesk:23.10.289:*:<br>*.*.*.*.*                      |   |  |
| <a href="#">grabaccess.zip: grabaccess.jar</a>  | cpe:2.3:a:inetsoftware:helpdesk:23.10.289:*:<br>*.*.*.*.*                      |   |  |
| <a href="#">hamcrest-2.2.jar</a>  |  | <a href="#">pkg:maven/org.hamcrest/hamcrest@2.2</a> |  |
| <a href="#">helpdesk.zip: Konneker-Server.jar</a>   |  |   |  |
| <a href="#">helpdesk.zip: helpdesk.jar</a>  | cpe:2.3:a:inetsoftware:helpdesk:23.10.289:*:<br>*.*.*.*.*                      |   |  |
| <a href="#">helpdesk.zip: helpdesk.jar:</a><br><a href="#">attachmentdisplay.js</a>                 |  |   |  |
| <a href="#">helpdesk.zip: helpdesk.jar:</a><br><a href="#">configuration.autotext.edit.js</a>       |  |   |  |
| <a href="#">helpdesk.zip: helpdesk.jar:</a><br><a href="#">configuration.autotext.js</a>            |  |   |  |
| <a href="#">helpdesk.zip: helpdesk.jar:</a><br><a href="#">configuration.mailtemplates.edit.js</a>  |  |   |  |
| <a href="#">helpdesk.zip: helpdesk.jar:</a><br><a href="#">configuration.mailtemplates.js</a>       |  |   |  |
| <a href="#">helpdesk.zip: helpdesk.jar:</a>   |  |   |  |

|   |   |  |  |
|---|---|--|--|
| <a href="#">effectiveactionscontroller.js</a>                                   |   |  |  |
| <a href="#">helpdesk.zip: helpdesk.jar: helpdeskconfig.js</a>                   |   |  |  |
| <a href="#">helpdesk.zip: helpdesk.jar: predeletionhandler.js</a>               |   |  |  |
| <a href="#">helpdesk.zip: helpdesk.jar: promptuserselectrenderer.js</a>         |   |  |  |
| <a href="#">helpdesk.zip: helpdesk.jar: renderer.js</a>                         |   |  |  |
| <a href="#">helpdesk.zip: helpdesk.jar: setdefaultguipreferencesaction.js</a>   |   |  |  |
| <a href="#">helpdesk.zip: helpdesk.jar: usersandgroupsreports.js</a>            |   |  |  |
| <a href="#">helpdesk.zip: rhino.jar</a>   |   | <a href="#">pkg:maven/org.mozilla/rhino@1.7.14</a> |  |
| <a href="#">helpdesk.zip: rhino.jar: test.js</a>                                |   |  |  |
| <a href="#">helpdesksetupwizard.zip: helpdesksetupwizard.jar</a>                | cpe:2.3:a:inetsoftware:helpdesk:23.10.289:*:*:*:*:* |  |  |
| <a href="#">helpdesksetupwizard.zip: helpdesksetupwizard.jar: controller.js</a> |   |  |  |
| <a href="#">helpdesksetupwizard.zip: helpdesksetupwizard.jar: controller.js</a> |   |  |  |
| <a href="#">helpdesksetupwizard.zip: helpdesksetupwizard.jar: controller.js</a> |   |  |  |
| <a href="#">inetcore-23.10-tools.jar</a>  |   | <a href="#">pkg:maven/shared/inetcore@23.10</a>    |  |
| <a href="#">inetcore-23.10.jar (shaded: com.inet.shared:inetcore:null)</a>      |   |  |  |
| <a href="#">inetcore-23.10.jar</a>  |   | <a href="#">pkg:maven/shared/inetcore@23.10</a>    |  |
| <a href="#">inventory.zip: inventory.jar</a>                                    | cpe:2.3:a:inetsoftware:helpdesk:23.10.289:*:*:*:*:* |  |  |
| <a href="#">inventory.zip: inventory.jar: genericfieldrenderer.js</a>           |   |  |  |
| <a href="#">inventory.zip: inventory.jar: inventory.3drenderer.directive.js</a> |   |  |  |
| <a href="#">inventory.zip: inventory.jar: inventory.3dview.directive.js</a>     |   |  |  |
| <a href="#">inventory.zip: inventory.jar:</a>                                   |   |  |  |

[inventory.asset3d.directive.js](#)

[inventory.zip: inventory.jar:  
inventory.assetdetailsform.  
directive.js](#)

[inventory.zip: inventory.jar:  
inventory.assetimage.directive.  
js](#)

[inventory.zip: inventory.jar:  
inventory.assetimagehover.  
directive.js](#)

[inventory.zip: inventory.jar:  
inventory.assetmenu.directive.  
js](#)

[inventory.zip: inventory.jar:  
inventory.default3dbox.  
directive.js](#)

[inventory.zip: inventory.jar:  
inventory.devicefieldrenderer.  
directive.js](#)

[inventory.zip: inventory.jar:  
inventory.  
devicefieldrenderercurrency.  
directive.js](#)

[inventory.zip: inventory.jar:  
inventory.  
devicefieldrendererdatetime.  
directive.js](#)

[inventory.zip: inventory.jar:  
inventory.  
devicefieldrendererselect.  
directive.js](#)

[inventory.zip: inventory.jar:  
inventory.  
devicefieldrenderertime.  
directive.js](#)

[inventory.zip: inventory.jar:  
inventory.  
devicefieldrendereruser.  
directive.js](#)

[inventory.zip: inventory.jar:  
inventory.  
deviceimagerenderer.directive.  
js](#)

[inventory.zip: inventory.jar:  
inventory.fieldgroup.filter.js](#)

[inventory.zip: inventory.jar:  
inventory.  
inventoryattachmentcontent.  
directive.js](#)

[inventory.zip: inventory.jar:  
inventory.  
inventoryattachments.directive.  
js](#)

[inventory.zip: inventory.jar:  
inventory.invoicepaper.  
directive.js](#)

[inventory.zip: inventory.jar:  
inventory.lazydetailfields.  
directive.js](#)

[inventory.zip: inventory.jar:  
inventory.levelslider.directive.js](#)

[inventory.zip: inventory.jar:  
inventory.licensepaper.  
directive.js](#)

[inventory.zip: inventory.jar:  
inventory.listview.directive.js](#)

[inventory.zip: inventory.jar:  
inventory.listviewrow.directive.  
js](#)

[inventory.zip: inventory.jar:  
inventory.locationbox.directive.  
js](#)

[inventory.zip: inventory.jar:  
inventory.roombox.directive.js](#)

[inventory.zip: inventory.jar:  
inventory.slaper.directive.js](#)

[inventory.zip: inventory.jar:  
inventory.structuretoolbar.  
directive.js](#)

[inventory.zip: inventory.jar:  
inventory.structureview.  
directive.js](#)

[inventory.zip: inventory.jar:  
inventory.tile.directive.js](#)

[inventory.zip: inventory.jar:  
inventory.tilelane.directive.js](#)

[inventory.zip: inventory.jar:  
inventory.tileview.directive.js](#)

[inventory.zip: inventory.jar:  
inventory.treegrouping.  
directive.js](#)

[inventory.zip: inventory.jar:  
inventory.typehandheld.  
directive.js](#)

[inventory.zip: inventory.jar:  
inventory.usertable.directive.js](#)

[inventory.zip: inventory.jar:  
inventorycontroller.js](#)

[inventory.zip: inventory.jar:  
inventoryextension.  
assetpreview.directive.js](#)

[inventory.zip: inventory.jar:  
inventoryextension.](#)

[detailscontroller.js](#)

[inventory.zip: inventory.jar: inventoryextension.js](#)

[inventory.zip: inventory.jar: inventoryextension.treenode.directive.js](#)

[inventory.zip: inventory.jar: inventoryfactory.js](#)

[inventory.zip: inventory.jar: inventorymodel.js](#)

[inventory.zip: inventory.jar: inventoryticketpagefactory.js](#)

[inventory.zip: inventory.jar: printinventory.js](#)

[inventory.zip: inventory.jar: resizeableColumn.js](#)

[inventory.zip: inventory.jar: treegroupingsettings.js](#)

[java-8-jre-x64-linux.tar.gz: java-8-jre-x64-linux.tar: US\\_export\\_policy.jar](#)

[java-8-jre-x64-linux.tar.gz: java-8-jre-x64-linux.tar: charsets.jar](#)

[java-8-jre-x64-linux.tar.gz: java-8-jre-x64-linux.tar: cldrdata.jar](#)

[java-8-jre-x64-linux.tar.gz: java-8-jre-x64-linux.tar: dnsns.jar](#)

[java-8-jre-x64-linux.tar.gz: java-8-jre-x64-linux.tar: jaccess.jar](#)

[java-8-jre-x64-linux.tar.gz: java-8-jre-x64-linux.tar: jce.jar](#)

[java-8-jre-x64-linux.tar.gz: java-8-jre-x64-linux.tar: jfr.jar](#)

[java-8-jre-x64-linux.tar.gz: java-8-jre-x64-linux.tar: jsse.jar](#) [cpe:2.3:a:oracle:platform\\_security\\_for\\_java:1.8.0.382:\\*:\\*:\\*:\\*:\\*](#)  
[cpe:2.3:a:sun:jsse:1.8.0.382:\\*:\\*:\\*:\\*:\\*](#)

[java-8-jre-x64-linux.tar.gz: java-8-jre-x64-linux.tar: local\\_policy.jar](#)

[java-8-jre-x64-linux.tar.gz: java-8-jre-x64-linux.tar: local\\_policy.jar](#)

[java-8-jre-x64-linux.tar.gz: java-8-jre-x64-linux.tar: localedata.jar](#)

[java-8-jre-x64-linux.tar.gz:](#)  
[java-8-jre-x64-linux.tar:](#)  
[management-agent.jar](#)

[java-8-jre-x64-linux.tar.gz:](#)  
[java-8-jre-x64-linux.tar:](#)  
[nashorn.jar](#)

[java-8-jre-x64-linux.tar.gz:](#)  
[java-8-jre-x64-linux.tar:](#)  
[nashorn.jar: base.js](#)

[java-8-jre-x64-linux.tar.gz:](#)  
[java-8-jre-x64-linux.tar:](#)  
[nashorn.jar: bootstrap.js](#)

[java-8-jre-x64-linux.tar.gz:](#)  
[java-8-jre-x64-linux.tar:](#)  
[nashorn.jar: controls.js](#)

[java-8-jre-x64-linux.tar.gz:](#)  
[java-8-jre-x64-linux.tar:](#)  
[nashorn.jar: fxml.js](#)

[java-8-jre-x64-linux.tar.gz:](#)  
[java-8-jre-x64-linux.tar:](#)  
[nashorn.jar: graphics.js](#)

[java-8-jre-x64-linux.tar.gz:](#)  
[java-8-jre-x64-linux.tar:](#)  
[nashorn.jar: media.js](#)

[java-8-jre-x64-linux.tar.gz:](#)  
[java-8-jre-x64-linux.tar:](#)  
[nashorn.jar: mozilla\\_compat.js](#)

[java-8-jre-x64-linux.tar.gz:](#)  
[java-8-jre-x64-linux.tar:](#)  
[nashorn.jar: parser.js](#)

[java-8-jre-x64-linux.tar.gz:](#)  
[java-8-jre-x64-linux.tar:](#)  
[nashorn.jar: swing.js](#)

[java-8-jre-x64-linux.tar.gz:](#)  
[java-8-jre-x64-linux.tar:](#)  
[nashorn.jar: swt.js](#)

[java-8-jre-x64-linux.tar.gz:](#)  
[java-8-jre-x64-linux.tar:](#)  
[nashorn.jar: web.js](#)

[java-8-jre-x64-linux.tar.gz:](#)  
[java-8-jre-x64-linux.tar:](#)  
[resources.jar](#)

[java-8-jre-x64-linux.tar.gz:](#)  
[java-8-jre-x64-linux.tar:](#)  
[rt.jar](#)

[java-8-jre-x64-linux.tar.gz:](#)  
[java-8-jre-x64-linux.tar: sunec.jar](#)  
[cpe:2.3:a:oracle:platform\\_security\\_for\\_java:1.8.0.382:\\*:\\*:\\*:\\*:\\*](#)

[java-8-jre-x64-linux.tar.gz:](#)  
[java-8-jre-x64-linux.tar:](#)  
[sunjce\\_provider.jar](#)

[java-8-jre-x64-linux.tar.gz:](#)  
[java-8-jre-x64-linux.tar:](#)  
[cpe:2.3:a:oracle:platform\\_security\\_for\\_java:1.8.0.382:\\*:\\*:\\*:\\*:\\*](#)

|   |  |  |   |
|---|--|--|---|
| <a href="#">sunpkcs11.jar</a>   |  |  |   |
| <a href="#">java-8-jre-x64-linux.tar.gz:</a><br><a href="#">java-8-jre-x64-linux.tar: zipfs.jar</a> |  |  |   |
| <a href="#">jlessc-1.11.jar</a>   |  |  | <a href="#">pkg:maven/de.inetsoftware/jlessc@1.11</a>                       |
| <a href="#">junit-4.13.2.jar</a>  | cpe:2.3:a:junit:junit4:4.13.2:*:*:*:*:*                      |  | <a href="#">pkg:maven/junit/junit@4.13.2</a>                                |
| <a href="#">junit-jupiter-5.10.0.jar</a>  |  |  | <a href="#">pkg:maven/org.junit.jupiter/junit-jupiter@5.10.0</a>            |
| <a href="#">junit-jupiter-api-5.10.0.jar</a>  |  |  | <a href="#">pkg:maven/org.junit.jupiter/junit-jupiter-api@5.10.0</a>        |
| <a href="#">junit-jupiter-engine-5.10.0.jar</a>   |  |  | <a href="#">pkg:maven/org.junit.jupiter/junit-jupiter-engine@5.10.0</a>     |
| <a href="#">junit-jupiter-params-5.10.0.jar</a>   |  |  | <a href="#">pkg:maven/org.junit.jupiter/junit-jupiter-params@5.10.0</a>     |
| <a href="#">junit-platform-commons-1.10.0.jar</a>   | cpe:2.3:a:fan_platform_project:fan_platform:1.10.0:*:*:*:*:* |  | <a href="#">pkg:maven/org.junit.platform/junit-platform-commons@1.10.0</a>  |
| <a href="#">junit-platform-engine-1.10.0.jar</a>  | cpe:2.3:a:fan_platform_project:fan_platform:1.10.0:*:*:*:*:* |  | <a href="#">pkg:maven/org.junit.platform/junit-platform-engine@1.10.0</a>   |
| <a href="#">junit-platform-launcher-1.10.0.jar</a>  | cpe:2.3:a:fan_platform_project:fan_platform:1.10.0:*:*:*:*:* |  | <a href="#">pkg:maven/org.junit.platform/junit-platform-launcher@1.10.0</a> |
| <a href="#">junit-platform-suite-1.10.0.jar</a>   | cpe:2.3:a:fan_platform_project:fan_platform:1.10.0:*:*:*:*:* |  | <a href="#">pkg:maven/org.junit.platform/junit-platform-suite@1.10.0</a>    |
| <a href="#">junit-platform-suite-api-1.10.0.jar</a>   | cpe:2.3:a:fan_platform_project:fan_platform:1.10.0:*:*:*:*:* |  | <a href="#">pkg:maven/org.junit.platform/junit-</a>                         |

|  |  |  |  |
|--|--|--|--|
|  |  | <a href="#">platform-suite-api@1.10.0</a>  |  |
| <a href="#">junit-platform-suite-commons-1.10.0.jar</a>                              | cpe:2.3:a:fan_platform_project:fan_platform:1.10.0:*:*:*:*:* | <a href="#">pkg:maven/org.junit.platform/junit-platform-suite-commons@1.10.0</a> |  |
| <a href="#">junit-platform-suite-engine-1.10.0.jar</a>                               | cpe:2.3:a:fan_platform_project:fan_platform:1.10.0:*:*:*:*:* | <a href="#">pkg:maven/org.junit.platform/junit-platform-suite-engine@1.10.0</a>  |  |
| <a href="#">junit-vintage-engine-5.10.0.jar</a>                                      | cpe:2.3:a:fan_platform_project:fan_platform:5.10.0:*:*:*:*:* | <a href="#">pkg:maven/org.junit.vintage/junit-vintage-engine@5.10.0</a>          |  |
| <a href="#">knowledgebase.zip: knowledgebase.jar</a>                                 | cpe:2.3:a:inetsoftware:helpdesk:23.10.289:*:*:*:*:*          |  |  |
| <a href="#">knowledgebase.zip: knowledgebase.jar: controllerArticleDetails.js</a>    |  |  |  |
| <a href="#">knowledgebase.zip: knowledgebase.jar: controllerArticleDialog.js</a>     |  |  |  |
| <a href="#">knowledgebase.zip: knowledgebase.jar: controllerArticleEditDialog.js</a> |  |  |  |
| <a href="#">knowledgebase.zip: knowledgebase.jar: controllerKnowledgeBase.js</a>     |  |  |  |
| <a href="#">knowledgebase.zip: knowledgebase.jar: fuzzysearcharticleextension.js</a> |  |  |  |
| <a href="#">knowledgebase.zip: knowledgebase.jar: knowledgeBaseFactory.js</a>        |  |  |  |
| <a href="#">knowledgebase.zip: knowledgebase.jar: ticketlist.extension.js</a>        |  |  |  |
| <a href="#">livesupport.zip: livesupport.jar</a>                                     | cpe:2.3:a:inetsoftware:helpdesk:23.10.289:*:*:*:*:*          |  |  |
| <a href="#">livesupport.zip: livesupport.jar: attachments.js</a>                     |  |  |  |
| <a href="#">livesupport.zip: livesupport.jar: connections.js</a>                     |  |  |  |
| <a href="#">livesupport.zip: livesupport.jar: controller.js</a>                      |  |  |  |
| <a href="#">livesupport.zip: livesupport.jar: dragging.js</a>                        |  |  |  |

|  |   |  |  |
|--|---|--|--|
| <a href="#">livesupport.zip: livesupport.jar: events.js</a>                              |   |  |  |
| <a href="#">livesupport.zip: livesupport.jar: fetch-promise.min.js</a>                   |   |  |  |
| <a href="#">livesupport.zip: livesupport.jar: i18n.js</a>                                |   |  |  |
| <a href="#">livesupport.zip: livesupport.jar: lazy-load.js</a>                           |   |  |  |
| <a href="#">livesupport.zip: livesupport.jar: prototype.array.js</a>                     |   |  |  |
| <a href="#">livesupport.zip: livesupport.jar: prototype.element.js</a>                   |   |  |  |
| <a href="#">livesupport.zip: livesupport.jar: ui-components.js</a>                       |   |  |  |
| <a href="#">maintenance.helpdesk.zip: maintenance.helpdesk.jar</a>                       | cpe:2.3:a:inetsoftware:helpdesk:23.10.289:*:*:*:*:*   |  |  |
| <a href="#">maintenance.helpdesk.zip: maintenance.helpdesk.jar: app.js</a>               |   |  |  |
| <a href="#">maintenance.helpdesk.zip: maintenance.helpdesk.jar: datacare.js</a>          |   |  |  |
| <a href="#">maintenance.helpdesk.zip: maintenance.helpdesk.jar: dbmigration.js</a>       |   |  |  |
| <a href="#">maintenance.helpdesk.zip: maintenance.helpdesk.jar: loginmodification.js</a> |   |  |  |
| <a href="#">mobilerpc.zip: mobilerpc.jar</a>   | cpe:2.3:a:inetsoftware:helpdesk:23.10.289:*:*:*:*:*   |  |  |
| <a href="#">opentest4j-1.3.0.jar</a>   |   | <a href="#">pkg:maven/org.opentest4j/opentest4j@1.3.0</a>      |  |
| <a href="#">pgp.zip: bcpg-jdk18on.jar</a>  | cpe:2.3:a:bouncycastle:bouncy_castle_for_java:1.76:*:*:*:*:*<br>cpe:2.3:a:bouncycastle:legion-of-the-bouncy-castle:1.76:*:*:*:*:*<br>cpe:2.3:a:openpgp:openpgp:1.76:*:*:*:*:*   | <a href="#">pkg:maven/org.bouncycastle/bcpg-jdk18on@1.76</a>   |  |
| <a href="#">pgp.zip: bcprov-jdk18on.jar</a>  | cpe:2.3:a:bouncycastle:bouncy-castle-crypto-package:1.76:*:*:*:*:*<br>cpe:2.3:a:bouncycastle:bouncy_castle_crypto_package:1.76:*:*:*:*:<br>*:*<br>cpe:2.3:a:bouncycastle:bouncy_castle_for_java:1.76:*:*:*:*:*<br>cpe:2.3:a:bouncycastle:legion-of-the-bouncy-castle:1.76:*:*:*:*:*<br>cpe:2.3:a:bouncycastle:legion-of-the-bouncy-castle-java-cryptography-api:1.76:*:*:*:*:*<br>cpe:2.3:a:bouncycastle:the_bouncy_castle_crypto_package_for_java:1.76:*:*:*:*:* | <a href="#">pkg:maven/org.bouncycastle/bcprov-jdk18on@1.76</a> |  |

|   |  |   |  |
|---|--|---|--|
| <a href="#">pgp.zip: client.jar</a>   | <a href="#">cpe:2.3:a:inetsoftware:helpdesk:23.10.289:*:*:*:*:*</a>  |   |  |
| <a href="#">pgp.zip: pgp.jar</a>  | <a href="#">cpe:2.3:a:pgp:pgp:23.10.289:*:*:*:*:*</a>  |   |  |
| <a href="#">push.helpdesk.zip: push.helpdesk.jar</a>  | <a href="#">cpe:2.3:a:inetsoftware:helpdesk:23.10.289:*:*:*:*:*</a>  |   |  |
| <a href="#">quickticket.zip: quickticket.jar</a>  | <a href="#">cpe:2.3:a:inetsoftware:helpdesk:23.10.289:*:*:*:*:*</a>  |   |  |
| <a href="#">quickticket.zip: quickticket.jar: configuration.quickticket.createfolder.js</a> |  |   |  |
| <a href="#">quickticket.zip: quickticket.jar: configuration.quickticket.edit.js</a>         |  |   |  |
| <a href="#">quickticket.zip: quickticket.jar: configuration.quickticket.js</a>              |  |   |  |
| <a href="#">quickticket.zip: quickticket.jar: configuration.quickticket.renderer.js</a>     |  |   |  |
| <a href="#">quickticket.zip: quickticket.jar: ticketlist.extension.js</a>                   |  |   |  |
| <a href="#">quickticket.zip: quickticket.jar: ticketlist.quickticket.apply.js</a>           |  |   |  |
| <a href="#">reporttree.zip: client.jar</a>  | <a href="#">cpe:2.3:a:inetsoftware:helpdesk:23.10.289:*:*:*:*:*</a>  |   |  |
| <a href="#">reporttree.zip: reporttree.jar</a>  | <a href="#">cpe:2.3:a:inetsoftware:helpdesk:23.10.289:*:*:*:*:*</a>  |   |  |
| <a href="#">slf4j-api-2.0.9.jar</a>   |  | <a href="#">pkg:maven/org.slf4j/slf4j-api@2.0.9</a> |  |
| <a href="#">swingclient.zip: Dialog.jar</a>   | <a href="#">cpe:2.3:a:inetsoftware:helpdesk:23.10.289:*:*:*:*:*</a>  |   |  |
| <a href="#">swingclient.zip: Dialog1.jar</a>  | <a href="#">cpe:2.3:a:inetsoftware:helpdesk:23.10.289:*:*:*:*:*</a>  |   |  |
| <a href="#">swingclient.zip: Dialog2.jar</a>  | <a href="#">cpe:2.3:a:inetsoftware:helpdesk:23.10.289:*:*:*:*:*</a>  |   |  |
| <a href="#">swingclient.zip: Dialog3.jar</a>  | <a href="#">cpe:2.3:a:inetsoftware:helpdesk:23.10.289:*:*:*:*:*</a>  |   |  |
| <a href="#">swingclient.zip: JWebEngine.jar</a>   |  |   |  |
| <a href="#">swingclient.zip: Konneker-Client.jar</a>  |  |   |  |
| <a href="#">swingclient.zip: ReportViewer.jar</a>   | <a href="#">cpe:2.3:a:inetsoftware:clear_reports:23.10.289:*:*:*:*:*</a><br><a href="#">cpe:2.3:a:inetsoftware:i-net_clear_reports:23.10.289:*:*:*:*:*</a> |   |  |
| <a href="#">swingclient.zip: TableLayout.jar</a>  |  |   |  |
| <a href="#">swingclient.zip: VividSwingAnimations.jar</a>                                   |  |   |  |

|   |  |  |  |
|---|--|--|--|
| <a href="#">swingclient.zip: images.jar</a>                                   | <a href="#">cpe:2.3:a:inetsoftware:helpdesk:23.10.289:*:<br/>*.*.*.*.*<br/>*.*.*.*.*</a> |  |  |
| <a href="#">swingclient.zip: jortho.jar</a>                                   |  |  |  |
| <a href="#">swingclient.zip: swingclient.jar</a>                              | <a href="#">cpe:2.3:a:inetsoftware:helpdesk:23.10.289:*:<br/>*.*.*.*.*<br/>*.*.*.*.*</a> |  |  |
| <a href="#">swingclient.zip: swingclient.jar:<br/>heldpeskswingclient.js</a>  |  |  |  |
| <a href="#">taskplanner.helpdesk.zip:<br/>taskplanner.helpdesk.jar</a>        | <a href="#">cpe:2.3:a:inetsoftware:helpdesk:23.10.289:*:<br/>*.*.*.*.*<br/>*.*.*.*.*</a> |  |  |
| <a href="#">ticketlist.zip: ticketlist.jar</a>                                | <a href="#">cpe:2.3:a:inetsoftware:helpdesk:23.10.289:*:<br/>*.*.*.*.*<br/>*.*.*.*.*</a> |  |  |
| <a href="#">ticketlist.zip: ticketlist.jar:<br/>annotationextension.js</a>    |  |  |  |
| <a href="#">ticketlist.zip: ticketlist.jar:<br/>applyactionfieldrender.js</a> |  |  |  |
| <a href="#">ticketlist.zip: ticketlist.jar:<br/>attachmentsextension.js</a>   |  |  |  |
| <a href="#">ticketlist.zip: ticketlist.jar:<br/>draganddrop.js</a>            |  |  |  |
| <a href="#">ticketlist.zip: ticketlist.jar:<br/>expertlayout.js</a>           |  |  |  |
| <a href="#">ticketlist.zip: ticketlist.jar:<br/>extendedpagelayout.js</a>     |  |  |  |
| <a href="#">ticketlist.zip: ticketlist.jar:<br/>fullviewpagelayout.js</a>     |  |  |  |
| <a href="#">ticketlist.zip: ticketlist.jar:<br/>linksextension.js</a>         |  |  |  |
| <a href="#">ticketlist.zip: ticketlist.jar:<br/>newticket.js</a>              |  |  |  |
| <a href="#">ticketlist.zip: ticketlist.jar: print.<br/>js</a>                 |  |  |  |
| <a href="#">ticketlist.zip: ticketlist.jar:<br/>relativetimerenderer.js</a>   |  |  |  |
| <a href="#">ticketlist.zip: ticketlist.jar:<br/>resizeableColumn.js</a>       |  |  |  |
| <a href="#">ticketlist.zip: ticketlist.jar:<br/>selectionCountBadge.js</a>    |  |  |  |
| <a href="#">ticketlist.zip: ticketlist.jar:<br/>sorter.js</a>                 |  |  |  |
| <a href="#">ticketlist.zip: ticketlist.jar:<br/>tabspagelayout.js</a>         |  |  |  |
| <a href="#">ticketlist.zip: ticketlist.jar:<br/>ticketattachment.js</a>       |  |  |  |
| <a href="#">ticketlist.zip: ticketlist.jar:<br/>ticketdetailsextension.js</a> |  |  |  |
| <a href="#">ticketlist.zip: ticketlist.jar:</a>                               |  |  |  |

|   |   |  |  |
|---|---|--|--|
| <a href="#">ticketeditor.js</a>   |   |  |  |
| <a href="#">ticketlist.zip: ticketlist.jar: ticketfactory.js</a>                  |   |  |  |
| <a href="#">ticketlist.zip: ticketlist.jar: ticketlist.js</a>                     |   |  |  |
| <a href="#">ticketlist.zip: ticketlist.jar: ticketlistadditionalcomponents.js</a> |   |  |  |
| <a href="#">ticketlist.zip: ticketlist.jar: ticketlistapp.js</a>                  |   |  |  |
| <a href="#">ticketlist.zip: ticketlist.jar: ticketlistapplyaction.js</a>          |   |  |  |
| <a href="#">ticketlist.zip: ticketlist.jar: ticketlisteditproperties.js</a>       |   |  |  |
| <a href="#">ticketlist.zip: ticketlist.jar: ticketlistlayoutsettings.js</a>       |   |  |  |
| <a href="#">ticketlist.zip: ticketlist.jar: ticketmodel.js</a>                    |   |  |  |
| <a href="#">ticketlist.zip: ticketlist.jar: ticketownerextension.js</a>           |   |  |  |
| <a href="#">ticketlist.zip: ticketlist.jar: ticketpage.js</a>                     |   |  |  |
| <a href="#">ticketlist.zip: ticketlist.jar: ticketpageheader.js</a>               |   |  |  |
| <a href="#">ticketlist.zip: ticketlist.jar: ticketpagehintsextension.js</a>       |   |  |  |
| <a href="#">ticketlist.zip: ticketlist.jar: ticketpagelayoutsettings.js</a>       |   |  |  |
| <a href="#">ticketlist.zip: ticketlist.jar: ticketpagesteps.js</a>                |   |  |  |
| <a href="#">ticketlist.zip: ticketlist.jar: ticketpreview.js</a>                  |   |  |  |
| <a href="#">ticketlist.zip: ticketlist.jar: ticketproperties.js</a>               |   |  |  |
| <a href="#">ticketlist.zip: ticketlist.jar: ticketrenderer.js</a>                 |   |  |  |
| <a href="#">ticketlist.zip: ticketlist.jar: ticketsharing.js</a>                  |   |  |  |
| <a href="#">ticketlist.zip: ticketlist.jar: ticketviewsortsettings.js</a>         |   |  |  |
| <a href="#">ticketlist.zip: ticketlist.jar: timelineextension.js</a>              |   |  |  |
| <a href="#">ticketlist.zip: ticketlist.jar: userticketshistoryextension.js</a>    |   |  |  |
| <a href="#">ticketprocess.zip: ticketprocess.jar</a>                              | cpe:2.3:a:inetsoftware:helpdesk:23.10.289:*:<br>*.*.*.*.* |  |  |

[ticketprocess.zip:](#)  
[ticketprocess.jar:](#)  
[applyProcessRenderer.js](#)

[ticketprocess.zip:](#)  
[ticketprocess.jar: configuration.](#)  
[ticketprocess.edit.js](#)

[ticketprocess.zip:](#)  
[ticketprocess.jar: configuration.](#)  
[ticketprocess.js](#)

[ticketprocess.zip:](#)  
[ticketprocess.jar: ticketlist.](#)  
[ticketprocess.js](#)

[ticketprocess.zip:](#)  
[ticketprocess.jar:](#)  
[ticketprocess.](#)  
[changeticketprocess.js](#)

[ticketprocess.zip:](#)  
[ticketprocess.jar:](#)  
[ticketprocess.parallelticket.](#)  
[preview.js](#)

[ticketprocess.zip:](#)  
[ticketprocess.jar:](#)  
[ticketprocessdirectives.js](#)

[ticketprocess.zip:](#)  
[ticketprocess.jar:](#)  
[ticketprocessfactory.js](#)

[ticketprocess.zip:](#)  
[ticketprocess.jar:](#)  
[ticketprocessmodel.js](#)

## Dependencies

### Merlia-0.jar

**File Path:** /home/jenkins/.gradle/caches/modules-2/files-2.1/lib/Merlia/0/fc0c94f56a1c43b76f3ae539f0cd8af2d832d9d2/Merlia-0.jar

**MD5:** 8e7f9f81ce022680498de9dfb63c1d23

**SHA1:** fc0c94f56a1c43b76f3ae539f0cd8af2d832d9d2

**SHA256:** 1dfd38a307f047b7584492c2c37197db896fc7dd24a8ab893e1bff306a4cf8b8

**Referenced In Project/Scope:** client:inetPlugin

#### Evidence +

| Type   | Source | Name         | Value    | Confidence |
|--------|--------|--------------|----------|------------|
| Vendor | file   | name         | Merlia-0 | High       |
| Vendor | gradle | artifactid   | Merlia   | Highest    |
| Vendor | gradle | groupid      | lib      | Highest    |
| Vendor | jar    | package name | inet     | Low        |
| Vendor | jar    | package name | tds      | Low        |

|         |          |                |          |         |
|---------|----------|----------------|----------|---------|
| Product | file     | name           | Merlia-0 | High    |
| Product | gradle   | artifactid     | Merlia   | Highest |
| Product | jar      | package name   | tds      | Low     |
| Version | file     | name           | Merlia-0 | Medium  |
| Version | file     | version        | 0        | Medium  |
| Version | gradle   | version        | 0        | Highest |
| Version | Manifest | driver-version | 8.13     | Medium  |

### Identifiers

- [pkg:maven/lib/Merlia@0](#) (*Confidence*:Highest)

## addrecipientstocc.zip: addrecipientstocc.jar

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/client/build/tmp/dependencies/i-net HelpDesk Anwendung/plugins/addrecipientstocc.zip/addrecipientstocc.jar

**MD5:** e88d0e046cc2823f8e7a6d95e3daf5ac

**SHA1:** 9a0bba7835172f972b94257ca8b6d1c161b8557a

**SHA256:** c18896ad28cf5eb8c95d4a51a7f46a89b850a99075348af07e59e3acf5660326

**Referenced In Project/Scope:** client

### Evidence +

| Type    | Source   | Name                     | Value                                | Confidence |
|---------|----------|--------------------------|--------------------------------------|------------|
| Vendor  | file     | name                     | addrecipientstocc                    | High       |
| Vendor  | jar      | package name             | helpdesk                             | Low        |
| Vendor  | jar      | package name             | inet                                 | Low        |
| Vendor  | jar      | package name             | plugins                              | Low        |
| Vendor  | Manifest | built-date               | 2024-01-10 14:50                     | Low        |
| Vendor  | Manifest | implementation-group     | helpdesk                             | Low        |
| Vendor  | Manifest | Implementation-Vendor    | i-net software                       | High       |
| Vendor  | Manifest | Implementation-Vendor-Id | de.inetsoftware                      | Medium     |
| Vendor  | Manifest | specification-vendor     | i-net software                       | Low        |
| Vendor  | Manifest | vendor                   | i-net software GmbH, Berlin, Germany | Medium     |
| Product | file     | name                     | addrecipientstocc                    | High       |

|         |          |                        |                   |         |
|---------|----------|------------------------|-------------------|---------|
| Product | jar      | package name           | addtocc           | Low     |
| Product | jar      | package name           | helpdesk          | Highest |
| Product | jar      | package name           | helpdesk          | Low     |
| Product | jar      | package name           | plugins           | Low     |
| Product | Manifest | built-date             | 2024-01-10 14:50  | Low     |
| Product | Manifest | implementation-group   | helpdesk          | Low     |
| Product | Manifest | Implementation-Title   | addrecipientstocc | High    |
| Product | Manifest | specification-title    | addrecipientstocc | Medium  |
| Version | jar      | package name           | helpdesk          | Highest |
| Version | Manifest | Implementation-Version | 23.10.289         | High    |

### Identifiers

- `cpe:2.3:a:inetsoftware:helpdesk:23.10.289:*:*:*:*:*` (*Confidence:Low*)

## addrecipientstocc.zip: client.jar

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/client/build/tmp/dependencies/i-net HelpDesk Anwendung/plugins/addrecipientstocc.zip/client.jar

**MD5:** 60728b8942c3ff05be88790c2e4e2665

**SHA1:** 9a6bf8a33fc892eb1e6f4f33cf34ba6ea46fda7c

**SHA256:** db8991faeb53d63d42d3e8907a0b929be5f3f5bba80100b46a640bf2dfedcf90

**Referenced In Project/Scope:** client

### Evidence +

| Type   | Source   | Name                                   | Value            | Confidence |
|--------|----------|--|------------------|------------|
| Vendor | file     | name                                   | client           | High       |
| Vendor | jar      | package name                           | helpdesk         | Low        |
| Vendor | jar      | package name                           | inet             | Low        |
| Vendor | jar      | package name                           | plugins          | Low        |
| Vendor | Manifest | application-library-allowable-codebase | *                | Low        |
| Vendor | Manifest | built-date                             | 2024-01-10 14:50 | Low        |

|         |          |  |                                      |         |
|---------|----------|--|--------------------------------------|---------|
| Vendor  | Manifest | codebase                               | *                                    | Low     |
| Vendor  | Manifest | implementation-group                   | helpdesk                             | Low     |
| Vendor  | Manifest | Implementation-Vendor                  | i-net software                       | High    |
| Vendor  | Manifest | Implementation-Vendor-Id               | de.inetsoftware                      | Medium  |
| Vendor  | Manifest | permissions                            | all-permissions                      | Low     |
| Vendor  | Manifest | specification-vendor                   | i-net software                       | Low     |
| Vendor  | Manifest | trusted-library                        | false                                | Low     |
| Vendor  | Manifest | trusted-only                           | false                                | Low     |
| Vendor  | Manifest | vendor                                 | i-net software GmbH, Berlin, Germany | Medium  |
| Product | file     | name                                   | client                               | High    |
| Product | jar      | package name                           | adttoc                               | Low     |
| Product | jar      | package name                           | helpdesk                             | Highest |
| Product | jar      | package name                           | helpdesk                             | Low     |
| Product | jar      | package name                           | plugins                              | Low     |
| Product | Manifest | application-library-allowable-codebase | *                                    | Low     |
| Product | Manifest | built-date                             | 2024-01-10 14:50                     | Low     |
| Product | Manifest | codebase                               | *                                    | Low     |
| Product | Manifest | implementation-group                   | helpdesk                             | Low     |
| Product | Manifest | Implementation-Title                   | client                               | High    |
| Product | Manifest | permissions                            | all-permissions                      | Low     |
| Product | Manifest | specification-title                    | client                               | Medium  |
| Product | Manifest | trusted-library                        | false                                | Low     |
| Product | Manifest | trusted-only                           | false                                | Low     |
| Version | jar      | package name                           | helpdesk                             | Highest |
| Version | Manifest | Implementation-Version                 | 23.10.289                            | High    |

### Identifiers

- cpe:2.3:a:inetsoftware:helpdesk:23.10.289:\*:\*:\*:\*:\* (Confidence:Low)

## adhocreporting.zip: adhocClient.jar

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/client/build/tmp/dependencies/i-net HelpDesk Anwendung/plugins/adhocreporting.zip/adhocClient.jar

**MD5:** 49775b5eefb3c4ce62711f1357e18e82

**SHA1:** 99c38d93cd17f2467fcf3496f6258eea2cbe82f5

**SHA256:** d8321f6d7427a770aa7cde92b776893d81ccd45cc01bd9e850d4c3c3360309df

**Referenced In Project/Scope:** client

### Evidence +

| Type    | Source   | Name                                   | Value                                | Confidence |
|---------|----------|--|--------------------------------------|------------|
| Vendor  | file     | name                                   | adhocClient                          | High       |
| Vendor  | jar      | package name                           | adhoc                                | Low        |
| Vendor  | jar      | package name                           | client                               | Low        |
| Vendor  | jar      | package name                           | inet                                 | Low        |
| Vendor  | Manifest | application-library-allowable-codebase | *                                    | Low        |
| Vendor  | Manifest | built-date                             | 2024-01-10 13:38                     | Low        |
| Vendor  | Manifest | codebase                               | *                                    | Low        |
| Vendor  | Manifest | implementation-group                   | reporting                            | Low        |
| Vendor  | Manifest | Implementation-Vendor                  | i-net software                       | High       |
| Vendor  | Manifest | Implementation-Vendor-Id               | de.inetsoftware                      | Medium     |
| Vendor  | Manifest | permissions                            | all-permissions                      | Low        |
| Vendor  | Manifest | specification-vendor                   | i-net software                       | Low        |
| Vendor  | Manifest | trusted-library                        | false                                | Low        |
| Vendor  | Manifest | trusted-only                           | false                                | Low        |
| Vendor  | Manifest | vendor                                 | i-net software GmbH, Berlin, Germany | Medium     |
| Product | file     | name                                   | adhocClient                          | High       |
| Product | jar      | package name                           | adhoc                                | Low        |
| Product | jar      | package name                           | client                               | Low        |
| Product | jar      | package name                           | page                                 | Low        |
| Product | Manifest | application-library-allowable-         | *                                    | Low        |

## codebase

|         |          |                        |                  |        |
|---------|----------|------------------------|------------------|--------|
| Product | Manifest | built-date             | 2024-01-10 13:38 | Low    |
| Product | Manifest | codebase               | *                | Low    |
| Product | Manifest | implementation-group   | reporting        | Low    |
| Product | Manifest | Implementation-Title   | adhocClient      | High   |
| Product | Manifest | permissions            | all-permissions  | Low    |
| Product | Manifest | specification-title    | adhocClient      | Medium |
| Product | Manifest | trusted-library        | false            | Low    |
| Product | Manifest | trusted-only           | false            | Low    |
| Version | Manifest | Implementation-Version | 23.10.289        | High   |

## Identifiers

- None

## adhocreporing.zip: adhocreporing.jar

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/client/build/tmp/dependencies/i-net HelpDesk Anwendung/plugins/adhocreporing.zip/adhocreporing.jar

**MD5:** 63a5fbad687e0b86fde483e14dff1a82

**SHA1:** 6ad8e30b79d1fda614e75874785a99741b206297

**SHA256:** 901b965834a34a64a61cfa598f4a58886254edf4fd5649fc678a1d0a60a3cb36

**Referenced In Project/Scope:** client

Evidence +

| Type   | Source   | Name                  | Value            | Confidence |
|--------|----------|-----------------------|------------------|------------|
| Vendor | file     | name                  | adhocreporing    | High       |
| Vendor | jar      | package name          | adhoc            | Low        |
| Vendor | jar      | package name          | helpdesk         | Low        |
| Vendor | jar      | package name          | inet             | Low        |
| Vendor | Manifest | built-date            | 2024-01-10 14:50 | Low        |
| Vendor | Manifest | implementation-group  | helpdesk         | Low        |
| Vendor | Manifest | Implementation-Vendor | i-net software   | High       |

|         |          |                          |                                      |         |
|---------|----------|--------------------------|--------------------------------------|---------|
| Vendor  | Manifest | Implementation-Vendor-Id | de.inetsoftware                      | Medium  |
| Vendor  | Manifest | specification-vendor     | i-net software                       | Low     |
| Vendor  | Manifest | vendor                   | i-net software GmbH, Berlin, Germany | Medium  |
| Product | file     | name                     | adhocreporing                        | High    |
| Product | jar      | package name             | adhoc                                | Low     |
| Product | jar      | package name             | helpdesk                             | Highest |
| Product | jar      | package name             | helpdesk                             | Low     |
| Product | jar      | package name             | server                               | Low     |
| Product | Manifest | built-date               | 2024-01-10 14:50                     | Low     |
| Product | Manifest | implementation-group     | helpdesk                             | Low     |
| Product | Manifest | Implementation-Title     | adhocreporing                        | High    |
| Product | Manifest | specification-title      | adhocreporing                        | Medium  |
| Version | jar      | package name             | helpdesk                             | Highest |
| Version | Manifest | Implementation-Version   | 23.10.289                            | High    |

### Identifiers

- `cpe:2.3:a:inetsoftware:helpdesk:23.10.289:*:*:*:*:*` (*Confidence:Low*) suppress

## adhocreporing.zip: client.jar

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/client/build/tmp/dependencies/i-net HelpDesk Anwendung/plugins/adhocreporing.zip/client.jar

**MD5:** 9ec9e14c586dc85aff040f650783a39b

**SHA1:** 51570924ad3cb620b4b4e5d5073526bd22561cc2

**SHA256:** 9fea7d3b396e25c51145d9b8d1a2ac520e2ae3422fd0048414a537b21bb7e9ae

**Referenced In Project/Scope:** client

### Evidence +

| Type   | Source | Name         | Value    | Confidence |
|--------|--------|--------------|----------|------------|
| Vendor | file   | name         | client   | High       |
| Vendor | jar    | package name | adhoc    | Low        |
| Vendor | jar    | package name | helpdesk | Low        |

|         |          |  |                                      |         |
|---------|----------|--|--------------------------------------|---------|
| Vendor  | jar      | package name                           | inet                                 | Low     |
| Vendor  | Manifest | application-library-allowable-codebase | *                                    | Low     |
| Vendor  | Manifest | built-date                             | 2024-01-10 14:50                     | Low     |
| Vendor  | Manifest | codebase                               | *                                    | Low     |
| Vendor  | Manifest | implementation-group                   | helpdesk                             | Low     |
| Vendor  | Manifest | Implementation-Vendor                  | i-net software                       | High    |
| Vendor  | Manifest | Implementation-Vendor-Id               | de.inetsoftware                      | Medium  |
| Vendor  | Manifest | permissions                            | all-permissions                      | Low     |
| Vendor  | Manifest | specification-vendor                   | i-net software                       | Low     |
| Vendor  | Manifest | trusted-library                        | false                                | Low     |
| Vendor  | Manifest | trusted-only                           | false                                | Low     |
| Vendor  | Manifest | vendor                                 | i-net software GmbH, Berlin, Germany | Medium  |
| Product | file     | name                                   | client                               | High    |
| Product | jar      | package name                           | adhoc                                | Low     |
| Product | jar      | package name                           | client                               | Highest |
| Product | jar      | package name                           | client                               | Low     |
| Product | jar      | package name                           | helpdesk                             | Highest |
| Product | jar      | package name                           | helpdesk                             | Low     |
| Product | Manifest | application-library-allowable-codebase | *                                    | Low     |
| Product | Manifest | built-date                             | 2024-01-10 14:50                     | Low     |
| Product | Manifest | codebase                               | *                                    | Low     |
| Product | Manifest | implementation-group                   | helpdesk                             | Low     |
| Product | Manifest | Implementation-Title                   | client                               | High    |
| Product | Manifest | permissions                            | all-permissions                      | Low     |
| Product | Manifest | specification-title                    | client                               | Medium  |
| Product | Manifest | trusted-library                        | false                                | Low     |
| Product | Manifest | trusted-only                           | false                                | Low     |
| Version | jar      | package name                           | helpdesk                             | Highest |
| Version | Manifest | Implementation-                        | 23.10.289                            | High    |

Version

### Identifiers

- cpe:2.3:a:inetsoftware:helpdesk:23.10.289:\*:\*:\*:\*:\* (Confidence:Low) suppress

## attachments.zip: attachments.jar

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/client/build/tmp/dependencies/i-net HelpDesk Anwendung/plugins/attachments.zip/attachments.jar

**MD5:** 8539409abc03a67a1d9c9bfbdd800bb9

**SHA1:** 3da33cc301cbcaf53cc3ca1b5fe2dcf50946bd7d

**SHA256:** dbabc95ad194474b45512c73537965efdf183de68045df595b44ad06d70f3f65

**Referenced In Project/Scope:** client

### Evidence +

| Type    | Source   | Name                     | Value                                | Confidence |
|---------|----------|--------------------------|--------------------------------------|------------|
| Vendor  | file     | name                     | attachments                          | High       |
| Vendor  | jar      | package name             | helpdesk                             | Low        |
| Vendor  | jar      | package name             | inet                                 | Low        |
| Vendor  | jar      | package name             | plugins                              | Low        |
| Vendor  | Manifest | built-date               | 2024-01-10 14:50                     | Low        |
| Vendor  | Manifest | implementation-group     | helpdesk                             | Low        |
| Vendor  | Manifest | Implementation-Vendor    | i-net software                       | High       |
| Vendor  | Manifest | Implementation-Vendor-Id | de.inetsoftware                      | Medium     |
| Vendor  | Manifest | specification-vendor     | i-net software                       | Low        |
| Vendor  | Manifest | vendor                   | i-net software GmbH, Berlin, Germany | Medium     |
| Product | file     | name                     | attachments                          | High       |
| Product | jar      | package name             | attachments                          | Highest    |
| Product | jar      | package name             | attachments                          | Low        |
| Product | jar      | package name             | helpdesk                             | Highest    |
| Product | jar      | package name             | helpdesk                             | Low        |
| Product | jar      | package name             | plugins                              | Low        |

|         |          |                        |                  |         |
|---------|----------|------------------------|------------------|---------|
| Product | Manifest | built-date             | 2024-01-10 14:50 | Low     |
| Product | Manifest | implementation-group   | helpdesk         | Low     |
| Product | Manifest | Implementation-Title   | attachments      | High    |
| Product | Manifest | specification-title    | attachments      | Medium  |
| Version | jar      | package name           | helpdesk         | Highest |
| Version | Manifest | Implementation-Version | 23.10.289        | High    |

### Identifiers

- cpe:2.3:a:inetsoftware:helpdesk:23.10.289:\*:\*:\*:\*:\* (Confidence:Low)

## attachments.zip: client.jar

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/client/build/tmp/dependencies/i-net HelpDesk Anwendung/plugins/attachments.zip/client.jar

**MD5:** 760f6cbc8fa3f44a4a03ef319a656f57

**SHA1:** 0e775de4215e7fc9038ee3a6741c120fa2985f90

**SHA256:** 1e7f5fcf7e34d1fe51d0a59015664e5c69d71ca98a8ffac0a33bcbbd3f86c51c

**Referenced In Project/Scope:** client

### Evidence +

| Type   | Source   | Name                                   | Value            | Confidence |
|--------|----------|--|------------------|------------|
| Vendor | file     | name                                   | client           | High       |
| Vendor | jar      | package name                           | helpdesk         | Low        |
| Vendor | jar      | package name                           | inet             | Low        |
| Vendor | jar      | package name                           | plugins          | Low        |
| Vendor | Manifest | application-library-allowable-codebase | *                | Low        |
| Vendor | Manifest | built-date                             | 2024-01-10 14:50 | Low        |
| Vendor | Manifest | codebase                               | *                | Low        |
| Vendor | Manifest | implementation-group                   | helpdesk         | Low        |
| Vendor | Manifest | Implementation-Vendor                  | i-net software   | High       |

|         |          |  |                                      |         |
|---------|----------|--|--------------------------------------|---------|
| Vendor  | Manifest | Implementation-Vendor-Id               | de.inetsoftware                      | Medium  |
| Vendor  | Manifest | permissions                            | all-permissions                      | Low     |
| Vendor  | Manifest | specification-vendor                   | i-net software                       | Low     |
| Vendor  | Manifest | trusted-library                        | false                                | Low     |
| Vendor  | Manifest | trusted-only                           | false                                | Low     |
| Vendor  | Manifest | vendor                                 | i-net software GmbH, Berlin, Germany | Medium  |
| Product | file     | name                                   | client                               | High    |
| Product | jar      | package name                           | attachments                          | Low     |
| Product | jar      | package name                           | helpdesk                             | Highest |
| Product | jar      | package name                           | helpdesk                             | Low     |
| Product | jar      | package name                           | plugins                              | Low     |
| Product | Manifest | application-library-allowable-codebase | *                                    | Low     |
| Product | Manifest | built-date                             | 2024-01-10 14:50                     | Low     |
| Product | Manifest | codebase                               | *                                    | Low     |
| Product | Manifest | implementation-group                   | helpdesk                             | Low     |
| Product | Manifest | Implementation-Title                   | client                               | High    |
| Product | Manifest | permissions                            | all-permissions                      | Low     |
| Product | Manifest | specification-title                    | client                               | Medium  |
| Product | Manifest | trusted-library                        | false                                | Low     |
| Product | Manifest | trusted-only                           | false                                | Low     |
| Version | jar      | package name                           | helpdesk                             | Highest |
| Version | Manifest | Implementation-Version                 | 23.10.289                            | High    |

### Identifiers

- `cpe:2.3:a:inetsoftware:helpdesk:23.10.289:*:*:*:*:*` (*Confidence:Low*)

**autolinking.zip: autolinking.jar**

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/client/build/tmp/dependencies/i-net HelpDesk Anwendung/plugins/autolinking.zip/autolinking.jar  
**MD5:** 8d706a044414ea8027978946c0dd0174  
**SHA1:** b09426a5715e3949005c212e6837652790a964de  
**SHA256:** 1fe99b7544052ed84420dd1cacdfb936994a2d9f898e3ebae36b1dfc0a1cc351  
**Referenced In Project/Scope:** client

**Evidence**



| Type    | Source   | Name                     | Value                                | Confidence |
|---------|----------|--------------------------|--------------------------------------|------------|
| Vendor  | file     | name                     | autolinking                          | High       |
| Vendor  | jar      | package name             | helpdesk                             | Low        |
| Vendor  | jar      | package name             | inet                                 | Low        |
| Vendor  | jar      | package name             | plugins                              | Low        |
| Vendor  | Manifest | built-date               | 2024-01-10 14:57                     | Low        |
| Vendor  | Manifest | implementation-group     | helpdesk                             | Low        |
| Vendor  | Manifest | Implementation-Vendor    | i-net software                       | High       |
| Vendor  | Manifest | Implementation-Vendor-Id | de.inetsoftware                      | Medium     |
| Vendor  | Manifest | specification-vendor     | i-net software                       | Low        |
| Vendor  | Manifest | vendor                   | i-net software GmbH, Berlin, Germany | Medium     |
| Product | file     | name                     | autolinking                          | High       |
| Product | jar      | package name             | autolinking                          | Highest    |
| Product | jar      | package name             | autolinking                          | Low        |
| Product | jar      | package name             | helpdesk                             | Highest    |
| Product | jar      | package name             | helpdesk                             | Low        |
| Product | jar      | package name             | plugins                              | Low        |
| Product | Manifest | built-date               | 2024-01-10 14:57                     | Low        |
| Product | Manifest | implementation-group     | helpdesk                             | Low        |
| Product | Manifest | Implementation-Title     | autolinking                          | High       |
| Product | Manifest | specification-title      | autolinking                          | Medium     |
| Version | jar      | package name             | helpdesk                             | Highest    |
| Version | Manifest | Implementation-Version   | 23.10.289                            | High       |

## Identifiers

- cpe:2.3:a:inetsoftware:helpdesk:23.10.289:\*:\*:\*:\*:\* (Confidence:Low) suppress

## cowork.tickets.zip: cowork.tickets.jar

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/client/build/tmp/dependencies/i-net HelpDesk Anwendung/plugins/cowork.tickets.zip/cowork.tickets.jar

**MD5:** 7018f4b7d586b0048a194cbf48c682a6

**SHA1:** 8719d371b1641ddcc01b6de99384d41befe27e2c

**SHA256:** 4cc3976a27d066008959c1228e165525f7c4492fedb64b3a86eeb630836caa1

**Referenced In Project/Scope:** client

## Evidence +

| Type    | Source   | Name                     | Value                                | Confidence |
|---------|----------|--------------------------|--------------------------------------|------------|
| Vendor  | file     | name                     | cowork.tickets                       | High       |
| Vendor  | jar      | package name             | cowork                               | Low        |
| Vendor  | jar      | package name             | inet                                 | Low        |
| Vendor  | jar      | package name             | integration                          | Low        |
| Vendor  | Manifest | built-date               | 2024-01-10 14:57                     | Low        |
| Vendor  | Manifest | implementation-group     | helpdesk                             | Low        |
| Vendor  | Manifest | Implementation-Vendor    | i-net software                       | High       |
| Vendor  | Manifest | Implementation-Vendor-Id | de.inetsoftware                      | Medium     |
| Vendor  | Manifest | specification-vendor     | i-net software                       | Low        |
| Vendor  | Manifest | vendor                   | i-net software GmbH, Berlin, Germany | Medium     |
| Product | file     | name                     | cowork.tickets                       | High       |
| Product | jar      | package name             | cowork                               | Highest    |
| Product | jar      | package name             | cowork                               | Low        |
| Product | jar      | package name             | integration                          | Low        |
| Product | jar      | package name             | ticketlist                           | Low        |
| Product | Manifest | built-date               | 2024-01-10 14:57                     | Low        |
| Product | Manifest | implementation-group     | helpdesk                             | Low        |
| Product | Manifest | Implementation-Title     | cowork.tickets                       | High       |

|         |          |                        |                |        |
|---------|----------|------------------------|----------------|--------|
| Product | Manifest | specification-title    | cowork.tickets | Medium |
| Version | Manifest | Implementation-Version | 23.10.289      | High   |

### Identifiers

- [cpe:2.3:a:tickets\\_project:tickets:23.10.289:\\*:\\*:\\*:\\*:\\*](#) (Confidence:High) suppress

## cowork.tickets.zip: cowork.tickets.jar: coworkchatextension.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/client/build/tmp/dependencies/i-net HelpDesk Anwendung/plugins/cowork.tickets.zip/cowork.tickets.jar/com/inet/cowork/integration/ticketlist/ticketpageextension/coworkchatextension.js  
**MD5:** c4933002ca8acac0d6463e1f6bdd0502  
**SHA1:** ece46f3e496f2b54e13b7d19ec78c62a3cc923ac  
**SHA256:**0695879bd759b27522ddd15a7c7a566be4b977a351a4bde0d65748a638dfead5  
**Referenced In Project/Scope:**client

### Evidence +

| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

### Identifiers

- None

## dataimport.zip: dataimport.jar

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/client/build/tmp/dependencies/i-net HelpDesk Anwendung/plugins/dataimport.zip/dataimport.jar  
**MD5:** a6953de4ac1559b5d00dad53d3785ae  
**SHA1:** 84ba1c9a27bfa9d31347e98667bc46e43fb4b600  
**SHA256:**834706d6779536c011b7aef8668a51196ce78739244c8379b038a10045c8ef35  
**Referenced In Project/Scope:**client

### Evidence +

| Type   | Source | Name | Value      | Confidence |
|--------|--------|------|------------|------------|
| Vendor | file   | name | dataimport | High       |

|         |          |                          |                                      |         |
|---------|----------|--------------------------|--------------------------------------|---------|
| Vendor  | jar      | package name             | helpdesk                             | Low     |
| Vendor  | jar      | package name             | inet                                 | Low     |
| Vendor  | jar      | package name             | plugins                              | Low     |
| Vendor  | Manifest | built-date               | 2024-01-10 14:50                     | Low     |
| Vendor  | Manifest | implementation-group     | helpdesk                             | Low     |
| Vendor  | Manifest | Implementation-Vendor    | i-net software                       | High    |
| Vendor  | Manifest | Implementation-Vendor-Id | de.inetsoftware                      | Medium  |
| Vendor  | Manifest | specification-vendor     | i-net software                       | Low     |
| Vendor  | Manifest | vendor                   | i-net software GmbH, Berlin, Germany | Medium  |
| Product | file     | name                     | dataimport                           | High    |
| Product | jar      | package name             | dataimport                           | Highest |
| Product | jar      | package name             | dataimport                           | Low     |
| Product | jar      | package name             | helpdesk                             | Highest |
| Product | jar      | package name             | helpdesk                             | Low     |
| Product | jar      | package name             | plugins                              | Low     |
| Product | Manifest | built-date               | 2024-01-10 14:50                     | Low     |
| Product | Manifest | implementation-group     | helpdesk                             | Low     |
| Product | Manifest | Implementation-Title     | dataimport                           | High    |
| Product | Manifest | specification-title      | dataimport                           | Medium  |
| Version | jar      | package name             | helpdesk                             | Highest |
| Version | Manifest | Implementation-Version   | 23.10.289                            | High    |

### Identifiers

- `cpe:2.3:a:inetsoftware:helpdesk:23.10.289:*:*:*:*:*` (*Confidence:Low*)

## dataimport.zip: dataimport.jar: app.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/client/build/tmp/dependencies/i-net HelpDesk Anwendung/plugins/dataimport.zip/dataimport.jar/com/inet/helpdesk/plugins/dataimport/resources/js/app.js

**MD5:** fd93107736925d6419327102dd5d2e37  
**SHA1:** 12179da154406d70548b0866d07ff4d91c2fa976  
**SHA256:** fa367e25cd6f8f7f765032367099657ec23e4b1a5dbc125458b3f3a41d8e2222  
**Referenced In Project/Scope:** client

Evidence +

| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

**dataimport.zip: dataimport.jar: controller.js**

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems /HelpDeskInstaller/client/build/tmp/dependencies/i-net HelpDesk Anwendung/plugins/dataimport.zip /dataimport.jar/com/inet/helpdesk/plugins/dataimport/resources/js/controller.js

**MD5:** 4f5995c450e39b1e0d722e3823de6f9f  
**SHA1:** 2fcb8dce2afc2baf6c532f02cdb8ee6ea7f7f033  
**SHA256:** a340b6a5bf8ec64708a7ffe02ce43c0f556ed45632d2313fc43970d0196306c9  
**Referenced In Project/Scope:** client

Evidence +

| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

**dataimport.zip: dataimport.jar: devicesimport.js**

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems /HelpDeskInstaller/client/build/tmp/dependencies/i-net HelpDesk Anwendung/plugins/dataimport.zip /dataimport.jar/com/inet/helpdesk/plugins/dataimport/resources/js/devicesimport.js

**MD5:** 6644d6345c74d963b7214be93f865599  
**SHA1:** cd92c0b187df0352e5961961f7470c8439aaaa30  
**SHA256:** 6c7c28929d06f1fa1dc99ec22de692942ef4f5cc2703c5f378e90d7d24aede27  
**Referenced In Project/Scope:** client

Evidence +

| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

**Identifiers**

- None

**dataimport.zip: dataimport.jar: importfactory.js**

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems /HelpDeskInstaller/client/build/tmp/dependencies/i-net HelpDesk Anwendung/plugins/dataimport.zip /dataimport.jar/com/inet/helpdesk/plugins/dataimport/resources/js/importfactory.js

**MD5:** 72207696d51fd6e20c673b6534cba54a

**SHA1:** 2b6f0c63622a7a947d616dbb52c12a3b39993a91

**SHA256:** 855e5826f0e032b23b007a9328ef4a0ef8e6a697d02afca8e2c58468bfcda6d0

**Referenced In Project/Scope:** client

**Evidence**



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

**Identifiers**

- None

**dataimport.zip: dataimport.jar: userimport.js**

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems /HelpDeskInstaller/client/build/tmp/dependencies/i-net HelpDesk Anwendung/plugins/dataimport.zip /dataimport.jar/com/inet/helpdesk/plugins/dataimport/resources/js/userimport.js

**MD5:** 344aafa1c9fe7d082b996201f82cbf18

**SHA1:** 35455185dc930d0f5998a598716d35acc74abc10

**SHA256:** 2bfe6a32e4e7ece5f24c05aa4150792d52218aca051abf0ef979cdb034dc2036

**Referenced In Project/Scope:** client

**Evidence**



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

**Identifiers**

- None

## diagnostics.helpdesk.zip: diagnostics.helpdesk.jar

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/client/build/tmp/dependencies/i-net HelpDesk Anwendung/plugins/diagnostics.helpdesk.zip/diagnostics.helpdesk.jar

**MD5:** 883a1adb2e5c69b85a575ee21f1e5441

**SHA1:** c98d4032fba03e7b8da4c6c10f91ed7996b8695c

**SHA256:** cdfb7fe7eaa7e98455d13a007acf586868e1e661ec5ebd6ccce23bf0e8fde06b

**Referenced In Project/Scope:** client

### Evidence +

| Type    | Source   | Name                     | Value                                | Confidence |
|---------|----------|--------------------------|--------------------------------------|------------|
| Vendor  | file     | name                     | diagnostics.helpdesk                 | High       |
| Vendor  | jar      | package name             | helpdesk                             | Low        |
| Vendor  | jar      | package name             | inet                                 | Low        |
| Vendor  | jar      | package name             | plugins                              | Low        |
| Vendor  | Manifest | built-date               | 2024-01-10 14:53                     | Low        |
| Vendor  | Manifest | implementation-group     | helpdesk                             | Low        |
| Vendor  | Manifest | Implementation-Vendor    | i-net software                       | High       |
| Vendor  | Manifest | Implementation-Vendor-Id | de.inetsoftware                      | Medium     |
| Vendor  | Manifest | specification-vendor     | i-net software                       | Low        |
| Vendor  | Manifest | vendor                   | i-net software GmbH, Berlin, Germany | Medium     |
| Product | file     | name                     | diagnostics.helpdesk                 | High       |
| Product | jar      | package name             | diagnostics                          | Highest    |
| Product | jar      | package name             | diagnostics                          | Low        |
| Product | jar      | package name             | helpdesk                             | Highest    |
| Product | jar      | package name             | helpdesk                             | Low        |
| Product | jar      | package name             | plugins                              | Low        |
| Product | Manifest | built-date               | 2024-01-10 14:53                     | Low        |
| Product | Manifest | implementation-group     | helpdesk                             | Low        |
| Product | Manifest | Implementation-Title     | diagnostics.helpdesk                 | High       |

|         |          |                        |                      |         |
|---------|----------|------------------------|----------------------|---------|
| Product | Manifest | specification-title    | diagnostics.helpdesk | Medium  |
| Version | jar      | package name           | helpdesk             | Highest |
| Version | Manifest | Implementation-Version | 23.10.289            | High    |

### Identifiers

- cpe:2.3:a:inetsoftware:helpdesk:23.10.289:\*:\*:\*:\*:\* (Confidence:Low) suppress

## diagnostics.helpdesk.zip: diagnostics.helpdesk.jar: connector.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/client/build/tmp/dependencies/i-net HelpDesk Anwendung/plugins/diagnostics.helpdesk.zip/diagnostics.helpdesk.jar/com/inet/helpdesk/plugins/diagnostics/widgets/benchmark/connector.js  
**MD5:** 110da1e11a9e02af3557bf9e3547fa58  
**SHA1:** 84a4a58bb838a543a74598d40c101430f3be6eaf  
**SHA256:** 3a973fb2bf02d001e30e2c02446c4487eed1e4088960365abf89a16d06af3a2e  
**Referenced In Project/Scope:**client

### Evidence

| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|      |        |      |       |            |

### Identifiers

- None

## grabaccess.zip: client.jar

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/client/build/tmp/dependencies/i-net HelpDesk Anwendung/plugins/grabaccess.zip/client.jar  
**MD5:** 7d6c974349208351d1fa9bde2e376cfa  
**SHA1:** 70035eb9defd4e2bb53aa718015e2014ace5e812  
**SHA256:** f7cb78633ef148bcb8a29f9a41c43a9a11bf05f09a4b823d4b59b253b3190626  
**Referenced In Project/Scope:**client

### Evidence

| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|      |        |      |       |            |

|         |          |  |                                      |         |
|---------|----------|--|--------------------------------------|---------|
| Vendor  | file     | name                                   | client                               | High    |
| Vendor  | jar      | package name                           | helpdesk                             | Low     |
| Vendor  | jar      | package name                           | inet                                 | Low     |
| Vendor  | jar      | package name                           | plugins                              | Low     |
| Vendor  | Manifest | application-library-allowable-codebase | *                                    | Low     |
| Vendor  | Manifest | built-date                             | 2024-01-10 14:50                     | Low     |
| Vendor  | Manifest | codebase                               | *                                    | Low     |
| Vendor  | Manifest | implementation-group                   | helpdesk                             | Low     |
| Vendor  | Manifest | Implementation-Vendor                  | i-net software                       | High    |
| Vendor  | Manifest | Implementation-Vendor-Id               | de.inetsoftware                      | Medium  |
| Vendor  | Manifest | permissions                            | all-permissions                      | Low     |
| Vendor  | Manifest | specification-vendor                   | i-net software                       | Low     |
| Vendor  | Manifest | trusted-library                        | false                                | Low     |
| Vendor  | Manifest | trusted-only                           | false                                | Low     |
| Vendor  | Manifest | vendor                                 | i-net software GmbH, Berlin, Germany | Medium  |
| Product | file     | name                                   | client                               | High    |
| Product | jar      | package name                           | grabaccess                           | Low     |
| Product | jar      | package name                           | helpdesk                             | Highest |
| Product | jar      | package name                           | helpdesk                             | Low     |
| Product | jar      | package name                           | plugins                              | Low     |
| Product | Manifest | application-library-allowable-codebase | *                                    | Low     |
| Product | Manifest | built-date                             | 2024-01-10 14:50                     | Low     |
| Product | Manifest | codebase                               | *                                    | Low     |
| Product | Manifest | implementation-group                   | helpdesk                             | Low     |
| Product | Manifest | Implementation-Title                   | client                               | High    |
| Product | Manifest | permissions                            | all-permissions                      | Low     |
| Product | Manifest | specification-title                    | client                               | Medium  |
| Product | Manifest | trusted-library                        | false                                | Low     |
| Product | Manifest | trusted-only                           | false                                | Low     |

|         |          |                        |           |         |
|---------|----------|------------------------|-----------|---------|
| Version | jar      | package name           | helpdesk  | Highest |
| Version | Manifest | Implementation-Version | 23.10.289 | High    |

### Identifiers

- cpe:2.3:a:inetsoftware:helpdesk:23.10.289:\*:\*:\*:\*:\* (Confidence:Low)

## grabaccess.zip: grabaccess.jar

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/client/build/tmp/dependencies/i-net HelpDesk Anwendung/plugins/grabaccess.zip/grabaccess.jar

**MD5:** 9ad4f1f973da1d144e75f6adf8427547

**SHA1:** f0e9ef764391078effbd78dbba5570ed1b00b189

**SHA256:** 4998f543c5002b34ad026f4d23335f910bb3dbe807e1d02552b6efedab184093

**Referenced In Project/Scope:** client

### Evidence +

| Type    | Source   | Name                     | Value                                | Confidence |
|---------|----------|--------------------------|--------------------------------------|------------|
| Vendor  | file     | name                     | grabaccess                           | High       |
| Vendor  | jar      | package name             | helpdesk                             | Low        |
| Vendor  | jar      | package name             | inet                                 | Low        |
| Vendor  | jar      | package name             | plugins                              | Low        |
| Vendor  | Manifest | built-date               | 2024-01-10 14:50                     | Low        |
| Vendor  | Manifest | implementation-group     | helpdesk                             | Low        |
| Vendor  | Manifest | Implementation-Vendor    | i-net software                       | High       |
| Vendor  | Manifest | Implementation-Vendor-Id | de.inetsoftware                      | Medium     |
| Vendor  | Manifest | specification-vendor     | i-net software                       | Low        |
| Vendor  | Manifest | vendor                   | i-net software GmbH, Berlin, Germany | Medium     |
| Product | file     | name                     | grabaccess                           | High       |
| Product | jar      | package name             | grabaccess                           | Highest    |
| Product | jar      | package name             | grabaccess                           | Low        |
| Product | jar      | package name             | helpdesk                             | Highest    |
| Product | jar      | package name             | helpdesk                             | Low        |

|         |          |                        |                  |         |
|---------|----------|------------------------|------------------|---------|
| Product | jar      | package name           | plugins          | Low     |
| Product | Manifest | built-date             | 2024-01-10 14:50 | Low     |
| Product | Manifest | implementation-group   | helpdesk         | Low     |
| Product | Manifest | Implementation-Title   | grabaccess       | High    |
| Product | Manifest | specification-title    | grabaccess       | Medium  |
| Version | jar      | package name           | helpdesk         | Highest |
| Version | Manifest | Implementation-Version | 23.10.289        | High    |

### Identifiers

- `cpe:2.3:a:inetsoftware:helpdesk:23.10.289:*:*:*:*:*` (*Confidence:Low*) suppress

## hamcrest-2.2.jar

### Description:

Core API and libraries of hamcrest matcher framework.

### License:

BSD License 3: <http://opensource.org/licenses/BSD-3-Clause>

**File Path:** /home/jenkins/.gradle/caches/modules-2/files-2.1/org.hamcrest/hamcrest/2.2/1820c0968dba3a11a1b30669bb1f01978a91dedc/hamcrest-2.2.jar

**MD5:** 10b47e837f271d0662f28780e60388e8

**SHA1:** 1820c0968dba3a11a1b30669bb1f01978a91dedc

**SHA256:** 5e62846a89f05cd78cd9c1a553f340d002458380c320455dd1f8fc5497a8a1c1

**Referenced In Project/Scope:** client:inetPlugin

### Evidence +

| Type   | Source  | Name         | Value        | Confidence |
|--------|---------|--------------|--------------|------------|
| Vendor | central | artifactid   | hamcrest     | Highest    |
| Vendor | central | groupid      | org.hamcrest | Highest    |
| Vendor | file    | name         | hamcrest     | High       |
| Vendor | gradle  | artifactid   | hamcrest     | Highest    |
| Vendor | gradle  | groupid      | org.hamcrest | Highest    |
| Vendor | jar     | package name | hamcrest     | Highest    |
| Vendor | jar     | package name | hamcrest     | Low        |

|         |          |                       |   |         |
|---------|----------|-----------------------|---|---------|
| Vendor  | Manifest | automatic-module-name | org.hamcrest  | Medium  |
| Vendor  | Manifest | bundle-symbolicname   | org.hamcrest  | Medium  |
| Vendor  | Manifest | Implementation-Vendor | hamcrest.org  | High    |
| Vendor  | Manifest | require-capability    | osgi.ee;filter:="(&(osgi.ee=JavaSE)(version=1.7))"                                | Low     |
| Vendor  | pom      | artifactid            | hamcrest  | Low     |
| Vendor  | pom      | developer id          | joewalnes   | Medium  |
| Vendor  | pom      | developer id          | npryce  | Medium  |
| Vendor  | pom      | developer id          | sf105   | Medium  |
| Vendor  | pom      | developer name        | Joe Walnes  | Medium  |
| Vendor  | pom      | developer name        | Nat Pryce   | Medium  |
| Vendor  | pom      | developer name        | Steve Freeman   | Medium  |
| Vendor  | pom      | groupid               | org.hamcrest  | Highest |
| Vendor  | pom      | name                  | Hamcrest  | High    |
| Vendor  | pom      | url                   | <a href="http://hamcrest.org/JavaHamcrest/">http://hamcrest.org/JavaHamcrest/</a> | Highest |
| Product | central  | artifactid            | hamcrest  | Highest |
| Product | file     | name                  | hamcrest  | High    |
| Product | gradle   | artifactid            | hamcrest  | Highest |
| Product | jar      | package name          | hamcrest  | Highest |
| Product | Manifest | automatic-module-name | org.hamcrest  | Medium  |
| Product | Manifest | Bundle-Name           | hamcrest  | Medium  |
| Product | Manifest | bundle-symbolicname   | org.hamcrest  | Medium  |
| Product | Manifest | Implementation-Title  | hamcrest  | High    |
| Product | Manifest | require-capability    | osgi.ee;filter:="(&(osgi.ee=JavaSE)(version=1.7))"                                | Low     |
| Product | pom      | artifactid            | hamcrest  | Highest |
| Product | pom      | developer id          | joewalnes   | Low     |
| Product | pom      | developer id          | npryce  | Low     |
| Product | pom      | developer id          | sf105   | Low     |
| Product | pom      | developer name        | Joe Walnes  | Low     |
| Product | pom      | developer name        | Nat Pryce   | Low     |
| Product | pom      | developer name        | Steve Freeman   | Low     |
| Product | pom      | groupid               | org.hamcrest  | Highest |
|         |          |                       |   |         |

|         |          |                        |                                   |         |
|---------|----------|------------------------|-----------------------------------|---------|
| Product | pom      | name                   | Hamcrest                          | High    |
| Product | pom      | url                    | http://hamcrest.org/JavaHamcrest/ | Medium  |
| Version | central  | version                | 2.2                               | Highest |
| Version | file     | version                | 2.2                               | High    |
| Version | gradle   | version                | 2.2                               | Highest |
| Version | Manifest | Bundle-Version         | 2.2                               | High    |
| Version | Manifest | Implementation-Version | 2.2                               | High    |
| Version | pom      | version                | 2.2                               | Highest |

#### Identifiers

- <pkg:maven/org.hamcrest/hamcrest@2.2> (*Confidence:High*)

### helpdesk.zip: Konnekter-Server.jar

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/client/build/tmp/dependencies/i-net HelpDesk Anwendung/plugins/helpdesk.zip/Konnekter-Server.jar

**MD5:** d5524c13b902c34c9949fcd1656c161c

**SHA1:** eb6974d3255841cac76aab9bd8be590ab8855f78

**SHA256:**680ece025d89a8fc4ed37ecc52380e1ef7eb36147a936df69f5f05a365eb0a49

**Referenced In Project/Scope:**client

#### Evidence +

| Type    | Source | Name         | Value            | Confidence |
|---------|--------|--------------|------------------|------------|
| Vendor  | file   | name         | Konnekter-Server | High       |
| Vendor  | jar    | package name | inet             | Low        |
| Vendor  | jar    | package name | jj               | Low        |
| Vendor  | jar    | package name | srv              | Low        |
| Product | file   | name         | Konnekter-Server | High       |
| Product | jar    | package name | jj               | Low        |
| Product | jar    | package name | srv              | Low        |

#### Identifiers

- None

## helpdesk.zip: helpdesk.jar

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/client/build/tmp/dependencies/i-net HelpDesk Anwendung/plugins/helpdesk.zip/helpdesk.jar

**MD5:** ae7c92877e56c1a14fb3284af8468c11

**SHA1:** 9edd8c26ff3b9bccd38e7b3503d14a287a6d8b1e

**SHA256:** 6eb1475702ce7ceb48c8a28ac23fc71e570c42e2a1e836583c5e98fd93bd7af4

**Referenced In Project/Scope:**client

### Evidence



| Type    | Source   | Name                     | Value                                | Confidence |
|---------|----------|--------------------------|--------------------------------------|------------|
| Vendor  | file     | name                     | helpdesk                             | High       |
| Vendor  | jar      | package name             | helpdesk                             | Low        |
| Vendor  | jar      | package name             | inet                                 | Low        |
| Vendor  | Manifest | built-date               | 2024-01-10 14:43                     | Low        |
| Vendor  | Manifest | implementation-group     | helpdesk                             | Low        |
| Vendor  | Manifest | Implementation-Vendor    | i-net software                       | High       |
| Vendor  | Manifest | Implementation-Vendor-Id | de.inetsoftware                      | Medium     |
| Vendor  | Manifest | specification-vendor     | i-net software                       | Low        |
| Vendor  | Manifest | vendor                   | i-net software GmbH, Berlin, Germany | Medium     |
| Product | file     | name                     | helpdesk                             | High       |
| Product | jar      | package name             | helpdesk                             | Highest    |
| Product | jar      | package name             | helpdesk                             | Low        |
| Product | Manifest | built-date               | 2024-01-10 14:43                     | Low        |
| Product | Manifest | implementation-group     | helpdesk                             | Low        |
| Product | Manifest | Implementation-Title     | helpdesk                             | High       |
| Product | Manifest | specification-title      | helpdesk                             | Medium     |
| Version | jar      | package name             | helpdesk                             | Highest    |
| Version | Manifest | Implementation-Version   | 23.10.289                            | High       |

### Identifiers

- cpe:2.3:a:inetsoftware:helpdesk:23.10.289.\*:\*:\*:\*:\* (Confidence:Low) suppress

### helpdesk.zip: helpdesk.jar: attachmentdisplay.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/client/build/tmp/dependencies/i-net HelpDesk Anwendung/plugins/helpdesk.zip/helpdesk.jar/com/inet/helpdesk/attachmentdisplay/attachmentdisplay.js

**MD5:** c57f9ee0d2a77bad774ebec1f34cdc37

**SHA1:** ebffd8f67a28e3c0a775cc5117e03418aa5ff1be

**SHA256:**5500f1ca58655e05851d6aa6333078e3b761ce965f45b56c75981d2e36dbd159

**Referenced In Project/Scope:**client

#### Evidence +

| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

#### Identifiers

- None

### helpdesk.zip: helpdesk.jar: configuration.autotext.edit.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/client/build/tmp/dependencies/i-net HelpDesk Anwendung/plugins/helpdesk.zip/helpdesk.jar/com/inet/helpdesk/config/autotext/configuration.autotext.edit.js

**MD5:** 1be2773d3cead825e0fc3946a46d00c4

**SHA1:** d34b49545d1ca6b3ab3b51345c0c692ae4c17038

**SHA256:**e41cdaa06a22d05d6ea08c839ef92bfb7007a6923cf08505ede5e0ec17ff7ba7

**Referenced In Project/Scope:**client

#### Evidence +

| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

#### Identifiers

- None

## helpdesk.zip: helpdesk.jar: configuration.autotext.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/client/build/tmp/dependencies/i-net HelpDesk Anwendung/plugins/helpdesk.zip/helpdesk.jar/com/inet/helpdesk/config/autotext/configuration.autotext.js

**MD5:** 91e694d5296d96f1885f49dbcee16f3f

**SHA1:** 1844910f96754ff26aa8e164abe301a82bcfb9ef

**SHA256:** a4a48056e7c10805f46944e476c6a6de0f0b9f16a464fc7be9b944d92080eae9

**Referenced In Project/Scope:** client

### Evidence +

| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

### Identifiers

- None

## helpdesk.zip: helpdesk.jar: configuration.mailtemplates.edit.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/client/build/tmp/dependencies/i-net HelpDesk Anwendung/plugins/helpdesk.zip/helpdesk.jar/com/inet/helpdesk/config/mailtemplates/configuration.mailtemplates.edit.js

**MD5:** 6067d24f726298c2cf6372044125130c

**SHA1:** cc5bb25755d7063e3f040bf08fc6df79aa9348c8

**SHA256:** f49a482293391c5c03288a3ab13af24a8923e6fb68d2fc473590500e8b634a00

**Referenced In Project/Scope:** client

### Evidence +

| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

### Identifiers

- None

## helpdesk.zip: helpdesk.jar: configuration.mailtemplates.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/client/build/tmp/dependencies/i-net HelpDesk Anwendung/plugins/helpdesk.zip/helpdesk.jar/com/inet/helpdesk/config/mailtemplates/configuration.mailtemplates.js

**MD5:** 155c7bfc70922fa8149d9129dbfbfb10

**SHA1:** b8fe6c21bbb0385ac46d23ebf1cfe85f731cf4c2

**SHA256:**25aa5e33d61df9bd78ed94932d72a65059cea1e20ee130b090fbef4e581c95d7

**Referenced In Project/Scope:**client

Evidence +

| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

**helpdesk.zip: helpdesk.jar: effectiveactionscontroller.js**

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/client/build/tmp/dependencies/i-net HelpDesk Anwendung/plugins/helpdesk.zip/helpdesk.jar/com/inet/helpdesk/usersandgroups/ui/js/effectiveactionscontroller.js

**MD5:** 8196d1a299d58b9a7ffd476510a66dcd

**SHA1:** fdd18e036d29673538f9629efa29cabb33daefab

**SHA256:**8ff98f4d6956fa5438a9974eee2d5605bf1b9a89427e3c76edd2a4a6f97ff837

**Referenced In Project/Scope:**client

Evidence +

| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

**helpdesk.zip: helpdesk.jar: helpdeskconfig.js**

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/client/build/tmp/dependencies/i-net HelpDesk Anwendung/plugins/helpdesk.zip/helpdesk.jar/com/inet/helpdesk/plugin/helpdeskconfig/helpdeskconfig.js

**MD5:** d480570477b3d6a50d670e0b982a6e0c

**SHA1:** 2537e5bd9a68a5c57744cc4e12aab82a248b8782

**SHA256:**99ad1ab1bd36d697eafe89871e6573eddcdd754c6b098645beab7da759bef579

**Referenced In Project/Scope:**client

Evidence +

| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

**Identifiers**

- None

**helpdesk.zip: helpdesk.jar: predeletionhandler.js**

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems /HelpDeskInstaller/client/build/tmp/dependencies/i-net HelpDesk Anwendung/plugins/helpdesk.zip /helpdesk.jar/com/inet/helpdesk/usersandgroups/ui/js/predeletionhandler.js  
**MD5:** a91c4d5d2ca5fb6e7ebaabec6a125ea7  
**SHA1:** 14bd5873ad427447d8f90e8036070141aa6d97df  
**SHA256:** 056a87a165e8b948e4738c115fb2f0e058f9cfa8ad67c0756d3b2e861c87297a  
**Referenced In Project/Scope:** client

**Evidence**

| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

**Identifiers**

- None

**helpdesk.zip: helpdesk.jar: promptuserselectrenderer.js**

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems /HelpDeskInstaller/client/build/tmp/dependencies/i-net HelpDesk Anwendung/plugins/helpdesk.zip /helpdesk.jar/com/inet/helpdesk/plugins/reporting/client/js/promptuserselectrenderer.js  
**MD5:** 568ecc46e94c00ed2bd10c3dd310587f  
**SHA1:** 4b952ce6e2268d982d19c26b527e3927c7c6f56b  
**SHA256:** 46e9e2baea18056db596b93b03f4ca7c02f9dd8420288fb5d63aa72a467d94be  
**Referenced In Project/Scope:** client

**Evidence**

| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

**Identifiers**

- None

### helpdesk.zip: helpdesk.jar: renderer.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/client/build/tmp/dependencies/i-net HelpDesk Anwendung/plugins/helpdesk.zip/helpdesk.jar/com/inet/helpdesk/usersandgroups/ui/js/renderer.js  
**MD5:** 4a84272622bc9867a13dfa575e5264de  
**SHA1:** 63f53f21185921dfed8e5d803e0927c0241c2589  
**SHA256:** 3f0ce92b62def17586b2c9d1528e24b55ba385b4d403aeb97e95e0f75e4a84d4  
**Referenced In Project/Scope:**client

#### Evidence +

| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

#### Identifiers

- None

### helpdesk.zip: helpdesk.jar: setdefaultguipreferencesaction.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/client/build/tmp/dependencies/i-net HelpDesk Anwendung/plugins/helpdesk.zip/helpdesk.jar/com/inet/helpdesk/usersandgroups/ui/js/setdefaultguipreferencesaction.js  
**MD5:** 69b3054c0e6f8c37ec3db8e874cb01cc  
**SHA1:** c4b7e26415c792e4c48739d70cee05f3706ca338  
**SHA256:** f8f13fbe5f6a1c528585c41be61b02aacc8dabfc871cf29dc325fe06ee536d08  
**Referenced In Project/Scope:**client

#### Evidence +

| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

#### Identifiers

- None

### helpdesk.zip: helpdesk.jar: usersandgroupsreports.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/client/build/tmp/dependencies/i-net HelpDesk Anwendung/plugins/helpdesk.zip/helpdesk.jar/com/inet/helpdesk/usersandgroups/ui/js/usersandgroupsreports.js  
**MD5:** f6fdb7e3a091580b1669aaf155b7f5e6  
**SHA1:** b7e6d72193d202354df258ba6f2704a56eb1b401  
**SHA256:** 4c2c4089c6767086a11bbfc0925018f86e4755d62bd50cf4bfdccf798be4ae7b  
**Referenced In Project/Scope:**client

#### Evidence +

| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

#### Identifiers

- None

## helpdesk.zip: rhino.jar

#### Description:

Rhino is an open-source implementation of JavaScript written entirely in Java. It is typically embedded into Java applications to provide scripting to end users. Full jar including tools, excluding the JSR-223 Script Engine wrapper.

#### License:

Mozilla Public License, Version 2.0: <http://www.mozilla.org/MPL/2.0/index.txt>

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/client/build/tmp/dependencies/i-net HelpDesk Anwendung/plugins/helpdesk.zip/rhino.jar  
**MD5:** 447e2bfd28fc15ecc185944db37dc9d8  
**SHA1:** 24d091b80d513846293c00350f46d85f71797aff  
**SHA256:** c9290b0d801bf0dbbbc44338e0f769b7650a0c5d04e6bb1aeb85775c0211b003  
**Referenced In Project/Scope:**client

#### Evidence +

| Type   | Source   | Name         | Value             | Confidence |
|--------|----------|--------------|-------------------|------------|
| Vendor | central  | artifactid   | rhino             | Highest    |
| Vendor | central  | groupid      | org.mozilla       | Highest    |
| Vendor | file     | name         | rhino             | High       |
| Vendor | jar      | package name | javascript        | Low        |
| Vendor | jar      | package name | mozilla           | Highest    |
| Vendor | jar      | package name | mozilla           | Low        |
| Vendor | Manifest | automatic-   | org.mozilla.rhino | Medium     |

|         |          |                        |                                  |         |
|---------|----------|------------------------|----------------------------------|---------|
|         |          | module-name            |                                  |         |
| Vendor  | Manifest | bundle-symbolicname    | org.mozilla.rhino                | Medium  |
| Vendor  | Manifest | implementation-url     | http://www.mozilla.org/rhino     | Low     |
| Vendor  | Manifest | Implementation-Vendor  | Mozilla Foundation               | High    |
| Vendor  | pom      | artifactid             | rhino                            | Low     |
| Vendor  | pom      | groupid                | org.mozilla                      | Highest |
| Vendor  | pom      | organization name      | The Mozilla Foundation           | High    |
| Vendor  | pom      | organization url       | http://www.mozilla.org           | Medium  |
| Vendor  | pom      | url                    | https://mozilla.github.io/rhino/ | Highest |
| Product | central  | artifactid             | rhino                            | Highest |
| Product | file     | name                   | rhino                            | High    |
| Product | jar      | package name           | javascript                       | Low     |
| Product | jar      | package name           | mozilla                          | Highest |
| Product | Manifest | automatic-module-name  | org.mozilla.rhino                | Medium  |
| Product | Manifest | bundle-symbolicname    | org.mozilla.rhino                | Medium  |
| Product | Manifest | Implementation-Title   | Mozilla Rhino                    | High    |
| Product | Manifest | implementation-url     | http://www.mozilla.org/rhino     | Low     |
| Product | pom      | artifactid             | rhino                            | Highest |
| Product | pom      | groupid                | org.mozilla                      | Highest |
| Product | pom      | organization name      | The Mozilla Foundation           | Low     |
| Product | pom      | organization url       | http://www.mozilla.org           | Low     |
| Product | pom      | url                    | https://mozilla.github.io/rhino/ | Medium  |
| Version | central  | version                | 1.7.14                           | Highest |
| Version | Manifest | Bundle-Version         | 1.7.14                           | High    |
| Version | Manifest | Implementation-Version | 1.7.14                           | High    |
| Version | pom      | version                | 1.7.14                           | Highest |

## Identifiers

- [pkg:maven/org.mozilla/rhino@1.7.14](https://maven.org/mozilla/rhino@1.7.14) (*Confidence:High*)

## helpdesk.zip: rhino.jar: test.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/client/build/tmp/dependencies/i-net HelpDesk Anwendung/plugins/helpdesk.zip/rhino.jar/org/mozilla/javascript/tools/debugger/test.js

**MD5:** 3f4137118304ccd25816067cf8d1edd6

**SHA1:** d3c7ae4c10cb6c7ac191cb65a39e53ba6a4e6cfb

**SHA256:** 950d2db0a646488500b58ba76a02c33501a048708c083e3b743b73b16e105331

**Referenced In Project/Scope:** client

### Evidence +

| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

### Identifiers

- None

## helpdesksetupwizard.zip: helpdesksetupwizard.jar

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/client/build/tmp/dependencies/i-net HelpDesk Anwendung/plugins/helpdesksetupwizard.zip/helpdesksetupwizard.jar

**MD5:** 45ef24d2393590feed44e7eac46b706

**SHA1:** b6b743d88e23c370c071baba24bcf232e5995d44

**SHA256:** 78b3e269dce7aad713a6729eac2c50f5f768f77bdf41d7269f15130c094fc5b

**Referenced In Project/Scope:** client

### Evidence +

| Type   | Source   | Name                  | Value               | Confidence |
|--------|----------|-----------------------|---------------------|------------|
| Vendor | file     | name                  | helpdesksetupwizard | High       |
| Vendor | jar      | package name          | helpdesk            | Low        |
| Vendor | jar      | package name          | inet                | Low        |
| Vendor | jar      | package name          | plugins             | Low        |
| Vendor | Manifest | built-date            | 2024-01-10 15:00    | Low        |
| Vendor | Manifest | implementation-group  | helpdesk            | Low        |
| Vendor | Manifest | Implementation-Vendor | i-net software      | High       |

|         |          |                          |                                      |         |
|---------|----------|--------------------------|--------------------------------------|---------|
| Vendor  | Manifest | Implementation-Vendor-Id | de.inetsoftware                      | Medium  |
| Vendor  | Manifest | specification-vendor     | i-net software                       | Low     |
| Vendor  | Manifest | vendor                   | i-net software GmbH, Berlin, Germany | Medium  |
| Product | file     | name                     | helpdesksetupwizard                  | High    |
| Product | jar      | package name             | helpdesk                             | Highest |
| Product | jar      | package name             | helpdesk                             | Low     |
| Product | jar      | package name             | plugins                              | Low     |
| Product | jar      | package name             | setupwizard                          | Low     |
| Product | Manifest | built-date               | 2024-01-10 15:00                     | Low     |
| Product | Manifest | implementation-group     | helpdesk                             | Low     |
| Product | Manifest | Implementation-Title     | helpdesksetupwizard                  | High    |
| Product | Manifest | specification-title      | helpdesksetupwizard                  | Medium  |
| Version | jar      | package name             | helpdesk                             | Highest |
| Version | Manifest | Implementation-Version   | 23.10.289                            | High    |

### Identifiers

- `cpe:2.3:a:inetsoftware:helpdesk:23.10.289:*:*:*:*:*` (*Confidence:Low*) suppress

## helpdesksetupwizard.zip: helpdesksetupwizard.jar: controller.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/client/build/tmp/dependencies/i-net HelpDesk Anwendung/plugins/helpdesksetupwizard.zip/helpdesksetupwizard.jar/com/inet/helpdesk/plugins/setupwizard/steps/database/controller.js

**MD5:** bc4938c77c744c18133bdcc343ac921

**SHA1:** 8ddc70f8682464b6730a85947c14521a5adb10bd

**SHA256:** 979cbd5a0efd10e44a000d6207b8592491aa5e38f7a1db2cab18abea8b835d5e

**Referenced In Project/Scope:** client

### Evidence +

| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

### Identifiers

- None

### helpdesksetupwizard.zip: helpdesksetupwizard.jar: controller.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/client/build/tmp/dependencies/i-net HelpDesk Anwendung/plugins/helpdesksetupwizard.zip/helpdesksetupwizard.jar/com/inet/helpdesk/plugins/setupwizard/steps/scheduledtasks/controller.js  
**MD5:** 88a55c5c1e295f21619553d0cd4f9aa3  
**SHA1:** 81e46e4ecc58f6b7defd7f18b777398344b69c6f  
**SHA256:** 2229426fa780e04dde70536e811aeab7de78fc64bae4dab5869e0cff366f7eac  
**Referenced In Project/Scope:**client

#### Evidence +

| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

#### Identifiers

- None

### helpdesksetupwizard.zip: helpdesksetupwizard.jar: controller.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/client/build/tmp/dependencies/i-net HelpDesk Anwendung/plugins/helpdesksetupwizard.zip/helpdesksetupwizard.jar/com/inet/helpdesk/plugins/setupwizard/steps/scheduledtasks/preCondition/controller.js  
**MD5:** d41d8cd98f00b204e9800998ecf8427e  
**SHA1:** da39a3ee5e6b4b0d3255bfef95601890afd80709  
**SHA256:** e3b0c44298fc1c149afb4c8996fb92427ae41e4649b934ca495991b7852b855  
**Referenced In Project/Scope:**client

#### Evidence +

| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

#### Identifiers

- None

## inetcore-23.10-tools.jar

**File Path:** /home/jenkins/.gradle/caches/modules-2/files-2.1/shared/inetcore/23.10/995e8b2968a8fe9bb41ea9d2722e99fe357c03b8/inetcore-23.10-tools.jar

**MD5:** d2e9217b412d797d6bac883262da1a82

**SHA1:** 995e8b2968a8fe9bb41ea9d2722e99fe357c03b8

**SHA256:** 83f99d9af51388dd49db54b1ddabe66d81e427b316ff3f71f3df90663ae9e47f

**Referenced In Project/Scope:** client:inetPlugin

### Evidence +

| Type    | Source | Name         | Value    | Confidence |
|---------|--------|--------------|----------|------------|
| Vendor  | file   | name         | inetcore | High       |
| Vendor  | gradle | artifactid   | inetcore | Highest    |
| Vendor  | gradle | groupid      | shared   | Highest    |
| Vendor  | jar    | package name | test     | Low        |
| Product | file   | name         | inetcore | High       |
| Product | gradle | artifactid   | inetcore | Highest    |
| Version | file   | name         | inetcore | Medium     |
| Version | file   | version      | 23.10    | High       |
| Version | gradle | version      | 23.10    | Highest    |

### Identifiers

- [pkg:maven/shared/inetcore@23.10](#) (*Confidence: Highest*)

## inetcore-23.10.jar (shaded: com.inet.shared:inetcore:null)

### Description:

A blend composite defines the rule according to which a drawing primitive (known as the source) is mixed with existing graphics (known as the destination.)

ColorUtilities contains a set of tools to perform common color operations easily.

### License:

LGPL: <http://www.gnu.org/licenses/lgpl.txt>

**File Path:** /home/jenkins/.gradle/caches/modules-2/files-2.1/shared/inetcore/23.10/792b32a16d7014cfa6cec030cb4e5e36cd4ef9bf/inetcore-23.10.jar/META-INF/com/inet/shared/Utils/BlendComposite/pom.xml

**MD5:** b7bc59004e73f85cce4369bc5e034e6b

**SHA1:** 9caff88589bdd8fdc3c3f320340b76830f3818de

**SHA256:** aab973b164e2d64808cd34c47b78399c4f016ec308900f5393733d3bc5c706bc

**Referenced In Project/Scope:** client:inetPlugin

**Evidence**

| Type    | Source     | Name            | Value                         | Confidence |
|---------|------------|-----------------|-------------------------------|------------|
| Vendor  | pom        | artifactid      | inetcore                      | Low        |
| Vendor  | pom        | developer email | contact@inetsoftware.de       | Low        |
| Vendor  | pom        | developer email | morgand@apache.org            | Low        |
| Vendor  | pom        | developer id    | inetsoftware                  | Medium     |
| Vendor  | pom        | developer id    | romainguy                     | Medium     |
| Vendor  | pom        | developer id    | sun                           | Medium     |
| Vendor  | pom        | developer name  | i-net /// software            | Medium     |
| Vendor  | pom        | developer name  | Romain Guy                    | Medium     |
| Vendor  | pom        | developer name  | Sun                           | Medium     |
| Vendor  | pom        | developer org   | Sun                           | Medium     |
| Vendor  | pom        | groupid         | com.inet.shared               | Highest    |
| Vendor  | pom        | name            | BlendComposite and ColorUtils | High       |
| Vendor  | pom (hint) | developer id    | oracle                        | Medium     |
| Vendor  | pom (hint) | developer name  | oracle                        | Medium     |
| Vendor  | pom (hint) | developer org   | oracle                        | Medium     |
| Product | pom        | artifactid      | inetcore                      | Highest    |
| Product | pom        | developer email | contact@inetsoftware.de       | Low        |
| Product | pom        | developer email | morgand@apache.org            | Low        |
| Product | pom        | developer id    | inetsoftware                  | Low        |
| Product | pom        | developer id    | romainguy                     | Low        |
| Product | pom        | developer id    | sun                           | Low        |
| Product | pom        | developer name  | i-net /// software            | Low        |
| Product | pom        | developer name  | Romain Guy                    | Low        |
| Product | pom        | developer name  | Sun                           | Low        |
| Product | pom        | developer org   | Sun                           | Low        |
| Product | pom        | groupid         | com.inet.shared               | Highest    |
| Product | pom        | name            | BlendComposite and ColorUtils | High       |

**Identifiers**

- None

## inetcore-23.10.jar

**File Path:** /home/jenkins/.gradle/caches/modules-2/files-2.1/shared/inetcore/23.10

/792b32a16d7014cfa6cec030cb4e5e36cd4ef9bf/inetcore-23.10.jar

**MD5:** 11bf272df4f34f20db53c8facdb0b093

**SHA1:** 792b32a16d7014cfa6cec030cb4e5e36cd4ef9bf

**SHA256:** 207c639f09dc564c4c8d9fb92cf43d00650edbfc265ec8fce92c2b2d763d0ebb

**Referenced In Project/Scope:** client:inetPlugin

### Evidence +

| Type    | Source   | Name                                   | Value                                | Confidence |
|---------|----------|--|--------------------------------------|------------|
| Vendor  | file     | name                                   | inetcore                             | High       |
| Vendor  | gradle   | artifactid                             | inetcore                             | Highest    |
| Vendor  | gradle   | groupid                                | shared                               | Highest    |
| Vendor  | jar      | package name                           | i                                    | Highest    |
| Vendor  | jar      | package name                           | inet                                 | Low        |
| Vendor  | Manifest | application-library-allowable-codebase | *                                    | Low        |
| Vendor  | Manifest | built-date                             | 2024-01-10 12:01                     | Low        |
| Vendor  | Manifest | codebase                               | *                                    | Low        |
| Vendor  | Manifest | implementation-group                   | shared                               | Low        |
| Vendor  | Manifest | Implementation-Vendor                  | i-net software                       | High       |
| Vendor  | Manifest | Implementation-Vendor-Id               | de.inetsoftware                      | Medium     |
| Vendor  | Manifest | permissions                            | all-permissions                      | Low        |
| Vendor  | Manifest | specification-vendor                   | i-net software                       | Low        |
| Vendor  | Manifest | trusted-library                        | false                                | Low        |
| Vendor  | Manifest | trusted-only                           | false                                | Low        |
| Vendor  | Manifest | vendor                                 | i-net software GmbH, Berlin, Germany | Medium     |
| Product | file     | name                                   | inetcore                             | High       |
| Product | gradle   | artifactid                             | inetcore                             | Highest    |
| Product | jar      | package name                           | permissions                          | Highest    |
| Product | jar      | package name                           | shared                               | Highest    |

|         |          |  |                  |         |
|---------|----------|--|------------------|---------|
| Product | Manifest | application-library-allowable-codebase | *                | Low     |
| Product | Manifest | built-date                             | 2024-01-10 12:01 | Low     |
| Product | Manifest | codebase                               | *                | Low     |
| Product | Manifest | implementation-group                   | shared           | Low     |
| Product | Manifest | Implementation-Title                   | inetcore         | High    |
| Product | Manifest | permissions                            | all-permissions  | Low     |
| Product | Manifest | specification-title                    | inetcore         | Medium  |
| Product | Manifest | trusted-library                        | false            | Low     |
| Product | Manifest | trusted-only                           | false            | Low     |
| Version | file     | name                                   | inetcore         | Medium  |
| Version | file     | version                                | 23.10            | High    |
| Version | gradle   | version                                | 23.10            | Highest |
| Version | jar      | package name                           | permissions      | Highest |
| Version | jar      | package name                           | shared           | Highest |
| Version | Manifest | Implementation-Version                 | 23.10.289        | High    |

### Identifiers

- [pkg:maven/shared/inetcore@23.10](https://maven.apache.org/shared/inetcore@23.10) (*Confidence: Highest*)

## inventory.zip: inventory.jar

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/client/build/tmp/dependencies/i-net HelpDesk Anwendung/plugins/inventory.zip/inventory.jar

**MD5:** b2760e307a83c58832d6e056f793a577

**SHA1:** a4cdc9df72d1d27e493de8b9987a02f689d9acef

**SHA256:** 304b4c7575ea0ef11eac9b4bb4b229ae90c176aa436a4af4ac571a714ef2f862

**Referenced In Project/Scope:** client

### Evidence +

| Type   | Source | Name | Value     | Confidence |
|--------|--------|------|-----------|------------|
| Vendor | file   | name | inventory | High       |

|         |          |                          |                                      |         |
|---------|----------|--------------------------|--------------------------------------|---------|
| Vendor  | jar      | package name             | helpdesk                             | Low     |
| Vendor  | jar      | package name             | inet                                 | Low     |
| Vendor  | jar      | package name             | plugins                              | Low     |
| Vendor  | Manifest | built-date               | 2024-01-10 14:54                     | Low     |
| Vendor  | Manifest | implementation-group     | helpdesk                             | Low     |
| Vendor  | Manifest | Implementation-Vendor    | i-net software                       | High    |
| Vendor  | Manifest | Implementation-Vendor-Id | de.inetsoftware                      | Medium  |
| Vendor  | Manifest | specification-vendor     | i-net software                       | Low     |
| Vendor  | Manifest | vendor                   | i-net software GmbH, Berlin, Germany | Medium  |
| Product | file     | name                     | inventory                            | High    |
| Product | jar      | package name             | helpdesk                             | Highest |
| Product | jar      | package name             | helpdesk                             | Low     |
| Product | jar      | package name             | inventory                            | Highest |
| Product | jar      | package name             | inventory                            | Low     |
| Product | jar      | package name             | plugins                              | Low     |
| Product | Manifest | built-date               | 2024-01-10 14:54                     | Low     |
| Product | Manifest | implementation-group     | helpdesk                             | Low     |
| Product | Manifest | Implementation-Title     | inventory                            | High    |
| Product | Manifest | specification-title      | inventory                            | Medium  |
| Version | jar      | package name             | helpdesk                             | Highest |
| Version | Manifest | Implementation-Version   | 23.10.289                            | High    |

### Identifiers

- `cpe:2.3:a:inetsoftware:helpdesk:23.10.289:*:*:*:*:*` (*Confidence:Low*)

## inventory.zip: inventory.jar: genericfieldrenderer.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/client/build/tmp/dependencies/i-net HelpDesk Anwendung/plugins/inventory.zip  
 /inventory.jar/com/inet/helpdesk/plugins/inventory/client/js/genericfieldrenderer.js

**MD5:** 520b07fb78895de04bc5db1d4b6995ec  
**SHA1:** a13b8c59c3d0e5e8d59507a3cdf3872c98c822a7  
**SHA256:** 310b06a77c507dce4937e98502d4a3ffa984097ae25f3d3eb6327d2c85a02c40  
**Referenced In Project/Scope:** client

Evidence +

| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

**inventory.zip: inventory.jar: inventory.3drenderer.directive.js**

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/client/build/tmp/dependencies/i-net HelpDesk Anwendung/plugins/inventory.zip/inventory.jar/com/inet/helpdesk/plugins/inventory/client/js/renderer3d/inventory.3drenderer.directive.js  
**MD5:** cc594ecf06056a35b41596d554035cb4  
**SHA1:** 435464416a38e20e8f11e125b0a5fb359d7ff0f0  
**SHA256:** 07c2f74e5369b572346dff7ca75111a12f44ab75a3209d27afd1d1ec411e99e7  
**Referenced In Project/Scope:** client

Evidence +

| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

**inventory.zip: inventory.jar: inventory.3dview.directive.js**

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/client/build/tmp/dependencies/i-net HelpDesk Anwendung/plugins/inventory.zip/inventory.jar/com/inet/helpdesk/plugins/inventory/client/js/inventory.3dview.directive.js  
**MD5:** 19c7df948db56b24f8f91e286b602b95  
**SHA1:** 257cf091b41c263157d19ec5f3555e0b38107c40  
**SHA256:** e7f39752f2a595ed64e8be3e9cd8c8aef6e675196cd3df0597419e080a7c3c67  
**Referenced In Project/Scope:** client

Evidence +

| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

**Identifiers**

- None

**inventory.zip: inventory.jar: inventory.asset3d.directive.js**

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems /HelpDeskInstaller/client/build/tmp/dependencies/i-net HelpDesk Anwendung/plugins/inventory.zip /inventory.jar/com/inet/helpdesk/plugins/inventory/client/js/renderer3d/inventory.asset3d.directive.js

**MD5:** 5d5bf26b2a87a7ab2e8d4332800097b4

**SHA1:** d5a7e1471a795f274a57675cf7924f7ea14ebd92

**SHA256:** d0bc52b20d930bcf1ad95c9598f5940962e063b5ede8e0aa4715f72c80ae3f86

**Referenced In Project/Scope:**client

**Evidence**

| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

**Identifiers**

- None

**inventory.zip: inventory.jar: inventory.assetdetailsform.directive.js**

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems /HelpDeskInstaller/client/build/tmp/dependencies/i-net HelpDesk Anwendung/plugins/inventory.zip /inventory.jar/com/inet/helpdesk/plugins/inventory/client/js/inventory.assetdetailsform.directive.js

**MD5:** 24fccc23b8f0adf9653eee8922990398

**SHA1:** ae7a5958647d96f19112d1f5cc939afa57611abf

**SHA256:** 468a9aa2672c9ab4e3236c6be969553b9f07cce1ed79d6f617747b6669ed7974

**Referenced In Project/Scope:**client

**Evidence**

| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

**Identifiers**

- None

### inventory.zip: inventory.jar: inventory.assetimage.directive.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/client/build/tmp/dependencies/i-net HelpDesk Anwendung/plugins/inventory.zip/inventory.jar/com/inet/helpdesk/plugins/inventory/client/js/inventory.assetimage.directive.js

**MD5:** f810881c3c19ea154633348ae49bee4f

**SHA1:** bfa3ccdbc4c8cde1737a732049d06551c89ed206

**SHA256:** 12108031ca7a2ee8ce8ecc1e89536e6eb42507bcea7f98e668613cd767b5af50

**Referenced In Project/Scope:**client

#### Evidence +

| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

#### Identifiers

- None

### inventory.zip: inventory.jar: inventory.assetimagehover.directive.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/client/build/tmp/dependencies/i-net HelpDesk Anwendung/plugins/inventory.zip/inventory.jar/com/inet/helpdesk/plugins/inventory/client/js/inventory.assetimagehover.directive.js

**MD5:** c71e85f174ff14c1cfc7a258df7c955b

**SHA1:** 8a8b18960fac4d1803fb7c2ab194c093ef7a5698

**SHA256:** b3c897c1e135741d8each148ad6610c7e83c90032ef9b0dd8c5b2a4c213b52bd

**Referenced In Project/Scope:**client

#### Evidence +

| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

#### Identifiers

- None

### inventory.zip: inventory.jar: inventory.assetmenu.directive.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/client/build/tmp/dependencies/i-net HelpDesk Anwendung/plugins/inventory.zip/inventory.jar/com/inet/helpdesk/plugins/inventory/client/js/inventory.assetmenu.directive.js  
**MD5:** 875f901e3741ce982ab70b17cbeccac  
**SHA1:** b5466a557ccb47ddc3940dff7abb26b11e764e07  
**SHA256:** 8baf6b6168045cdfd549ed84d0505fd1e35bb25dbf3da74e92b06f7d856b1931  
**Referenced In Project/Scope:**client

Evidence +

| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

**inventory.zip: inventory.jar: inventory.default3dbbox.directive.js**

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/client/build/tmp/dependencies/i-net HelpDesk Anwendung/plugins/inventory.zip/inventory.jar/com/inet/helpdesk/plugins/inventory/client/js/renderer3d/inventory.default3dbbox.directive.js  
**MD5:** 9d52c60ddd3e38972041770a24005537  
**SHA1:** e2ff386fe62437347e15a97533930858004fe258  
**SHA256:** 6b6eb4edaa46753111d9830fa8595d3ced2345efb1cc23437bc302382998e2eb  
**Referenced In Project/Scope:**client

Evidence +

| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

**inventory.zip: inventory.jar: inventory.devicefieldrenderer.directive.js**

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/client/build/tmp/dependencies/i-net HelpDesk Anwendung/plugins/inventory.zip/inventory.jar/com/inet/helpdesk/plugins/inventory/client/js/fieldrenderer/inventory.devicefieldrenderer.directive.js  
**MD5:** 2c98dcb760746793bc308aa0a8d52386

**SHA1:** fcd382a4b57392da60e78c6910c93fe7b4f36a2f

**SHA256:** bcad6652003ad907dac504f534c4ecd5f92f498826cfe504992df9ddca18873e

**Referenced In Project/Scope:** client

Evidence +

| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

**inventory.zip: inventory.jar: inventory.devicefieldrenderercurrency.directive.js**

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/client/build/tmp/dependencies/i-net HelpDesk Anwendung/plugins/inventory.zip/inventory.jar/com/inet/helpdesk/plugins/inventory/client/js/fieldrenderer/inventory.devicefieldrenderercurrency.directive.js

**MD5:** b82cdf232673fbe821e42e959246a1ba

**SHA1:** 001d6662eaec4c622ea94abc6080a246475df10c

**SHA256:** 192f1b24f72c5f691cfb430c60ad7ca0b221666db2d3ef6b2212470eed4cdf2b

**Referenced In Project/Scope:** client

Evidence +

| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

**inventory.zip: inventory.jar: inventory.devicefieldrendererdatetime.directive.js**

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/client/build/tmp/dependencies/i-net HelpDesk Anwendung/plugins/inventory.zip/inventory.jar/com/inet/helpdesk/plugins/inventory/client/js/fieldrenderer/inventory.devicefieldrendererdatetime.directive.js

**MD5:** da6c8155387e29b2d6c51b282c2f494f

**SHA1:** 9a543485d09b386341059abc63fe3f21cc8c3f12

**SHA256:** 97024626a78feae2344f2272ad8dd604bf5074e552769b7bbaafd3ca6ed9ec1a

**Referenced In Project/Scope:** client

Evidence +

| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

**Identifiers**

- None

**inventory.zip: inventory.jar: inventory.devicefieldrenderersselect.directive.js**

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems /HelpDeskInstaller/client/build/tmp/dependencies/i-net HelpDesk Anwendung/plugins/inventory.zip /inventory.jar/com/inet/helpdesk/plugins/inventory/client/js/fieldrenderers/inventory.devicefieldrenderersselect.directive.js

**MD5:** 095b67a31d592e404cae768c09ea1e65

**SHA1:** 13f191a6431b228956e9e7d41df57996f26f42a6

**SHA256:** 328337ca9a4c312c04060ecb05cf5fc8ec1c989eb34b186a1fb640de58dac6ce

**Referenced In Project/Scope:** client

**Evidence** +

| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

**Identifiers**

- None

**inventory.zip: inventory.jar: inventory.devicefieldrenderertime.directive.js**

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems /HelpDeskInstaller/client/build/tmp/dependencies/i-net HelpDesk Anwendung/plugins/inventory.zip /inventory.jar/com/inet/helpdesk/plugins/inventory/client/js/fieldrenderers/inventory.devicefieldrenderertime.directive.js

**MD5:** 0bff88bc57449757da3b18090b4046c9

**SHA1:** 0d7c8eaf94677d7302ac6afdd12b6e28397c3306

**SHA256:** 2c3bc7501220e7974bff9905278ac1e049796d329cc2afeb3d304e43534df09d

**Referenced In Project/Scope:** client

**Evidence** +

| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

### Identifiers

- None

## inventory.zip: inventory.jar: inventory.devicefieldrendereruser.directive.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/client/build/tmp/dependencies/i-net HelpDesk Anwendung/plugins/inventory.zip/inventory.jar/com/inet/helpdesk/plugins/inventory/client/js/fieldrenderer/inventory.devicefieldrendereruser.directive.js

**MD5:** 953e0ed5b359ba534013a0b68c9f9eec

**SHA1:** 3b5a13a60a80504346f855ec9733da85354b359f

**SHA256:** 1282a3cb55dad96ae702bbc58b3f40338f02e45e45e61fd321f36abb6ccffbad

**Referenced In Project/Scope:**client

### Evidence +

| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

### Identifiers

- None

## inventory.zip: inventory.jar: inventory.deviceimagerenderer.directive.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/client/build/tmp/dependencies/i-net HelpDesk Anwendung/plugins/inventory.zip/inventory.jar/com/inet/helpdesk/plugins/inventory/client/js/fieldrenderer/inventory.deviceimagerenderer.directive.js

**MD5:** a8dc1e289ce2d2db71017b7ff320b9d9

**SHA1:** bc400c6f4bfe2b53c870af5b9407b1b94a8f5cec

**SHA256:** 6babe54cc46edaaba35543f7e316242f14bde5e816029e27bab4f3c4c5f705ff

**Referenced In Project/Scope:**client

### Evidence +

| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

### Identifiers

- None

**inventory.zip: inventory.jar: inventory.fieldgroup.filter.js**

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems /HelpDeskInstaller/client/build/tmp/dependencies/i-net HelpDesk Anwendung/plugins/inventory.zip /inventory.jar/com/inet/helpdesk/plugins/inventory/client/js/inventory.fieldgroup.filter.js  
**MD5:** a8cefa83f570373fee7df4b34620fc29  
**SHA1:** 7b4265a3a651330b42fdcc061a6b24c8831b429c  
**SHA256:** 749d90545a450994f83be62ac6bf19e96ec9bbfaf690fea7733ae49f71825fb2  
**Referenced In Project/Scope:**client

**Evidence** +

| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

**Identifiers**

- None

**inventory.zip: inventory.jar: inventory.inventoryattachmentcontent.directive.js**

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems /HelpDeskInstaller/client/build/tmp/dependencies/i-net HelpDesk Anwendung/plugins/inventory.zip /inventory.jar/com/inet/helpdesk/plugins/inventory/client/js/fieldrenderer/inventory.inventoryattachmentcontent.directive.js  
**MD5:** 67ffdba13a479ab706d786483c680b33  
**SHA1:** 28d197fe76f56371aa8820c0386fe3fe9ebe5a8d  
**SHA256:**a25aba9b08af52d189ae8592d43f78525b25c817c7c6c601c1abd2cad5f76287  
**Referenced In Project/Scope:**client

**Evidence** +

| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

**Identifiers**

- None

**inventory.zip: inventory.jar: inventory.inventoryattachments.directive.js**

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems /HelpDeskInstaller/client/build/tmp/dependencies/i-net HelpDesk Anwendung/plugins/inventory.zip /inventory.jar/com/inet/helpdesk/plugins/inventory/client/js/fieldrenderer/inventory.inventoryattachments.directive.js  
**MD5:** 6abddff7faea04cec390924df7050b1e  
**SHA1:** db8a50f6c9839f4d0762253b66f3cecbacb4ee83  
**SHA256:**5b9a7049f23cf788664098030a66da3371f0bb372a55ce7b5807ade94dde9571  
**Referenced In Project/Scope:**client

Evidence +

| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

**inventory.zip: inventory.jar: inventory.invoicepaper.directive.js**

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems /HelpDeskInstaller/client/build/tmp/dependencies/i-net HelpDesk Anwendung/plugins/inventory.zip /inventory.jar/com/inet/helpdesk/plugins/inventory/client/js/renderer3d/inventory.invoicepaper.directive.js  
**MD5:** e399b7a8abd3693ce624a3bee59d09d5  
**SHA1:** e92653e79a4d5b20e7ee937fa78a2e189abc3587  
**SHA256:**e526060edd7a103e6fe96fd11a4c868e9b379b46d26375f0ce27759b841a30ce  
**Referenced In Project/Scope:**client

Evidence +

| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

**inventory.zip: inventory.jar: inventory.lazydetailfields.directive.js**

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems /HelpDeskInstaller/client/build/tmp/dependencies/i-net HelpDesk Anwendung/plugins/inventory.zip /inventory.jar/com/inet/helpdesk/plugins/inventory/client/js/fieldrenderer/inventory.lazydetailfields.directive.js  
**MD5:** 3c4edd77c86688b3d9120a8b0f6e1a3d  
**SHA1:** 8e92ec47308d95afe4f3f4915b13f84a66374173  
**SHA256:**145772d69ad409611661cc43dade8272d3edce634232be63b40c33bd5cb1c1d2  
**Referenced In Project/Scope:**client

### Evidence +

| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

### Identifiers

- None

## inventory.zip: inventory.jar: inventory.levelslider.directive.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/client/build/tmp/dependencies/i-net HelpDesk Anwendung/plugins/inventory.zip/inventory.jar/com/inet/helpdesk/plugins/inventory/client/js/inventory.levelslider.directive.js

**MD5:** 13de84844892f7283bb7d544639f7b72

**SHA1:** 831e01bd9799d36f8e41626951659c77494f078c

**SHA256:** 8b06fbb99db8732bd1e4785e145dcf612c04280d8d1c43438fb48c7c254cd709

**Referenced In Project/Scope:** client

### Evidence +

| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

### Identifiers

- None

## inventory.zip: inventory.jar: inventory.licensepaper.directive.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/client/build/tmp/dependencies/i-net HelpDesk Anwendung/plugins/inventory.zip/inventory.jar/com/inet/helpdesk/plugins/inventory/client/js/renderer3d/inventory.licensepaper.directive.js

**MD5:** 0e49fd896e343c302457dfe1b43f98cc

**SHA1:** 72e92e1affba5cc845c7ce655189098728b2dc45

**SHA256:** b041c473fcc987f13274f1b901e3fbd9745937d82f9b2e7c20118c435bc9cfb8

**Referenced In Project/Scope:** client

### Evidence +

| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

### Identifiers

- None

## inventory.zip: inventory.jar: inventory.listview.directive.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/client/build/tmp/dependencies/i-net HelpDesk Anwendung/plugins/inventory.zip/inventory.jar/com/inet/helpdesk/plugins/inventory/client/js/inventory.listview.directive.js

**MD5:** 665e6154cfdd8d12ab8b625e65fcac36

**SHA1:** b9a5cedff2d209305c609f780dae3f18ce1019d5

**SHA256:**6ac3d84d7105853fe8756e0b3f5b802679406169adb9a671de845315cb61527a

**Referenced In Project/Scope:**client

### Evidence +

| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

### Identifiers

- None

## inventory.zip: inventory.jar: inventory.listviewrow.directive.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/client/build/tmp/dependencies/i-net HelpDesk Anwendung/plugins/inventory.zip/inventory.jar/com/inet/helpdesk/plugins/inventory/client/js/inventory.listviewrow.directive.js

**MD5:** 57cba3ac5e7511ecaa01f16810ed8abb

**SHA1:** 40dba2d16fa12d457e6804e72cf3ac6bb0ba4bfd

**SHA256:**da56434a8eb93237f776529ff57f6a16cd7a900bc3e30e610d58f07734578d33

**Referenced In Project/Scope:**client

### Evidence +

| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

### Identifiers

- None

## inventory.zip: inventory.jar: inventory.locationbox.directive.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/client/build/tmp/dependencies/i-net HelpDesk Anwendung/plugins/inventory.zip/inventory.jar/com/inet/helpdesk/plugins/inventory/client/js/renderer3d/inventory.locationbox.directive.js  
**MD5:** b6c0c0dac7c4c7868d39c4a65eee4857  
**SHA1:** 8a4427cdbabc2f0a63f898b36fe780af595644d0  
**SHA256:** dae5b6aec4c2e878e91b94d4f6e605ae758ddaa78104bb2c75d446b9dbae6cc0  
**Referenced In Project/Scope:** client

### Evidence +

| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

### Identifiers

- None

## inventory.zip: inventory.jar: inventory.roombox.directive.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/client/build/tmp/dependencies/i-net HelpDesk Anwendung/plugins/inventory.zip/inventory.jar/com/inet/helpdesk/plugins/inventory/client/js/renderer3d/inventory.roombox.directive.js  
**MD5:** 117bfa4bb95676327a1ba6b23e041cab  
**SHA1:** 1f9770d27a6f69cec440c33846c46c6af624db74  
**SHA256:** ca7a26112ed7902a41a21eeae5ca0125b59e202e99b7da73f464a656babde8ad  
**Referenced In Project/Scope:** client

### Evidence +

| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

### Identifiers

- None

## inventory.zip: inventory.jar: inventory.slaper.directive.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems /HelpDeskInstaller/client/build/tmp/dependencies/i-net HelpDesk Anwendung/plugins/inventory.zip /inventory.jar/com/inet/helpdesk/plugins/inventory/client/js/renderer3d/inventory.slapaper.directive.js  
**MD5:** fd736110805a05fee05d4760781c5318  
**SHA1:** d3943b322852409699abdd851e5605d64c5b5dc7  
**SHA256:** b51599bbfab1b7bcf3f63259b20e17d07133315ccab1c62c2ed084bac9d23225  
**Referenced In Project/Scope:** client

Evidence +

| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

**inventory.zip: inventory.jar: inventory.structuretoolbar.directive.js**

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems /HelpDeskInstaller/client/build/tmp/dependencies/i-net HelpDesk Anwendung/plugins/inventory.zip /inventory.jar/com/inet/helpdesk/plugins/inventory/client/js/inventory.structuretoolbar.directive.js  
**MD5:** c3289bd2a227b4e2461de88e3fb68a6a  
**SHA1:** 2cd5ecd6f4c7610dfc21ebee9f7a249c362f0a19  
**SHA256:** 24345dbf848b4e5a936f9a7e070f267cd5d39675f04cb43118dae1a4a8634f58  
**Referenced In Project/Scope:** client

Evidence +

| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

**inventory.zip: inventory.jar: inventory.structurereview.directive.js**

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems /HelpDeskInstaller/client/build/tmp/dependencies/i-net HelpDesk Anwendung/plugins/inventory.zip /inventory.jar/com/inet/helpdesk/plugins/inventory/client/js/inventory.structurereview.directive.js  
**MD5:** 021c7dd740a522a52b648a24960af637  
**SHA1:** 383e3c3779473b4d7d6ee696d7812c706e507d22  
**SHA256:** 95053c42a715f054cbaa26e931430da9f2c60f13558760616e8370622a2dda15  
**Referenced In Project/Scope:** client

**Evidence**

| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

**Identifiers**

- None

**inventory.zip: inventory.jar: inventory.tile.directive.js**

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/client/build/tmp/dependencies/i-net HelpDesk Anwendung/plugins/inventory.zip/inventory.jar/com/inet/helpdesk/plugins/inventory/client/js/inventory.tile.directive.js

**MD5:** 910532d4b8b5a7a2799da277fadf08c6

**SHA1:** 326b8de61b7cd3bcb0c731e6a8ce60136625f366

**SHA256:** ebbcadd5d8e2d707d4bc9d53234152791b21624e8301a2782dc1604b55f7c31a

**Referenced In Project/Scope:** client

**Evidence**

| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

**Identifiers**

- None

**inventory.zip: inventory.jar: inventory.tilelane.directive.js**

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/client/build/tmp/dependencies/i-net HelpDesk Anwendung/plugins/inventory.zip/inventory.jar/com/inet/helpdesk/plugins/inventory/client/js/inventory.tilelane.directive.js

**MD5:** 0100953763ea523da932bdf3b32859df

**SHA1:** 7bf189f102152469d50a2b3516873ce89b676ca1

**SHA256:** 74e562b6f36df3914ae0b0a70e6f145b23e41210c82598f611ab45441e9a1b42

**Referenced In Project/Scope:** client

**Evidence**

| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

### Identifiers

- None

## inventory.zip: inventory.jar: inventory.tileview.directive.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/client/build/tmp/dependencies/i-net HelpDesk Anwendung/plugins/inventory.zip  
/inventory.jar/com/inet/helpdesk/plugins/inventory/client/js/inventory.tileview.directive.js

**MD5:** 4dc179fd29dbc9466f5f39dc61380dac

**SHA1:** fea78f44c725f4156a8d311a90ecec7438502ea4

**SHA256:** 3897e6e042466b7bf195e3d9ce5ecd9b5ec8ce7fcbdfbdb34035c032b3ff6282

**Referenced In Project/Scope:**client

### Evidence +

| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

### Identifiers

- None

## inventory.zip: inventory.jar: inventory.treegrouping.directive.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/client/build/tmp/dependencies/i-net HelpDesk Anwendung/plugins/inventory.zip  
/inventory.jar/com/inet/helpdesk/plugins/inventory/client/js/inventory.treegrouping.directive.js

**MD5:** f22cd5880d98dad9f2fa53a9e640ec5d

**SHA1:** 5c3d3a18332fee0f9295917d291fd7e90a4fc2e5

**SHA256:** fd1b409586015feb26342f1f71082bceb5a79629988d075abd09e42b8e7e6577

**Referenced In Project/Scope:**client

### Evidence +

| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

### Identifiers

- None

## inventory.zip: inventory.jar: inventory.typehandheld.directive.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/client/build/tmp/dependencies/i-net HelpDesk Anwendung/plugins/inventory.zip/inventory.jar/com/inet/helpdesk/plugins/inventory/client/js/renderer3d/inventory.typehandheld.directive.js  
**MD5:** 2680b68ce483eca22184c5958c8bfff2  
**SHA1:** f1f7df267cc7507441371cf424b040b40bea21da  
**SHA256:** 1b164e6e205aa9f53a042a52f887ff321a8c68624166ae72a65e8323b8576ee2  
**Referenced In Project/Scope:**client

### Evidence +

| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

### Identifiers

- None

## inventory.zip: inventory.jar: inventory.usertable.directive.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/client/build/tmp/dependencies/i-net HelpDesk Anwendung/plugins/inventory.zip/inventory.jar/com/inet/helpdesk/plugins/inventory/client/js/renderer3d/inventory.usertable.directive.js  
**MD5:** d4384a2a02e75394a2a7b3f131451bfd  
**SHA1:** fe425f703d30a750c45452772d5458aa4029610b  
**SHA256:**967fe1c06d3f1ef04c8638ff78a88e21cefc6cf80a4abbb135936cd2a31b1eb1  
**Referenced In Project/Scope:**client

### Evidence +

| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

### Identifiers

- None

## inventory.zip: inventory.jar: inventorycontroller.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems /HelpDeskInstaller/client/build/tmp/dependencies/i-net HelpDesk Anwendung/plugins/inventory.zip /inventory.jar/com/inet/helpdesk/plugins/inventory/client/js/inventorycontroller.js  
**MD5:** a4f306831f948dcfe90b882d909b039c  
**SHA1:** 4846fd0edbcc734af2854c9cb256eb5504af5a30  
**SHA256:** b868934e11b8d1d6842d91525b134052d55403e5cc35348099f17181149b3105  
**Referenced In Project/Scope:** client

Evidence +

| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

**inventory.zip: inventory.jar: inventoryextension.assetpreview.directive.js**

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems /HelpDeskInstaller/client/build/tmp/dependencies/i-net HelpDesk Anwendung/plugins/inventory.zip /inventory.jar/com/inet/helpdesk/plugins/inventory/client/ticketpageextension/inventoryextension.assetpreview.directive.js  
**MD5:** 8cf4d3d8fd02e546551fe45686af64e5  
**SHA1:** 6b8193f565852fcfb28d1a907e32ce7d6106ee73  
**SHA256:** c48546bf1f138718c108a87ab9a7d972fd1ff0f34da0a7782c18e65db71f1f63  
**Referenced In Project/Scope:** client

Evidence +

| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

**inventory.zip: inventory.jar: inventoryextension.detailscontroller.js**

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems /HelpDeskInstaller/client/build/tmp/dependencies/i-net HelpDesk Anwendung/plugins/inventory.zip /inventory.jar/com/inet/helpdesk/plugins/inventory/client/ticketpageextension/inventoryextension.detailscontroller.js  
**MD5:** 72bb0a1480eca6ee425112a4d1a5fa4d  
**SHA1:** f38bad643fbee538dd788313528205fdde6f16a

**SHA256:**a184800353363303e016fe03487c314647daa7c863954c12fd831991f31b32c1  
**Referenced In Project/Scope:**client

Evidence +

| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

**inventory.zip: inventory.jar: inventoryextension.js**

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/client/build/tmp/dependencies/i-net HelpDesk Anwendung/plugins/inventory.zip/inventory.jar/com/inet/helpdesk/plugins/inventory/client/ticketpageextension/inventoryextension.js  
**MD5:** bd689b27ab826c7be6d0a7e01e30ae11  
**SHA1:** 9a17c81d2d8126211b2e1fce2bd3c2891f00ee2b  
**SHA256:**0fa5426db71a74a574ba95fba589b5035eac85fe5facd646fca69088b67a4912  
**Referenced In Project/Scope:**client

Evidence +

| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

**inventory.zip: inventory.jar: inventoryextension.treenode.directive.js**

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/client/build/tmp/dependencies/i-net HelpDesk Anwendung/plugins/inventory.zip/inventory.jar/com/inet/helpdesk/plugins/inventory/client/ticketpageextension/inventoryextension.treenode.directive.js  
**MD5:** 7610fb7e71399e7ab71e77915c4a8a85  
**SHA1:** 8e766083bf3e07041c8416f935e3fedc251d1096  
**SHA256:**261959ff5d838854f49123c98cfaf204a295f5378d99cb8a514110e507ccd48f  
**Referenced In Project/Scope:**client

Evidence +

| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

#### Identifiers

- None

### inventory.zip: inventory.jar: inventoryfactory.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/client/build/tmp/dependencies/i-net HelpDesk Anwendung/plugins/inventory.zip  
/inventory.jar/com/inet/helpdesk/plugins/inventory/client/js/inventoryfactory.js

**MD5:** 4b5b7246d00efa3908ef628b94756aa9

**SHA1:** 9874a28bc68569c066db4a85f67819ffaa05c697

**SHA256:** a94791e864f830f47310f2d0297db832c90ffb5f8681d3016336fda7223e5445

**Referenced In Project/Scope:** client

#### Evidence +

| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

#### Identifiers

- None

### inventory.zip: inventory.jar: inventorymodel.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/client/build/tmp/dependencies/i-net HelpDesk Anwendung/plugins/inventory.zip  
/inventory.jar/com/inet/helpdesk/plugins/inventory/client/js/inventorymodel.js

**MD5:** 04ef554547d78224ee2f3e59bce06b2

**SHA1:** 1019a60c0b2dad636f6dbd16e669baca91a763f4

**SHA256:** f87a78f15e61ab9a8e4e90272b146a03c3aaaf4131befc24ec67815a3a370da9

**Referenced In Project/Scope:** client

#### Evidence +

| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

#### Identifiers

- None

### inventory.zip: inventory.jar: inventoryticketpagefactory.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/client/build/tmp/dependencies/i-net HelpDesk Anwendung/plugins/inventory.zip/inventory.jar/com/inet/helpdesk/plugins/inventory/client/ticketpageextension/inventoryticketpagefactory.js  
**MD5:** 54f97aeef829a4200c6db7c23a37002c  
**SHA1:** a139fa12324b64553543fb312e016546122ed411  
**SHA256:** 9f663f4f2c30be1c23d399baf596259751e17ed494d38a76af8dece840f1406b  
**Referenced In Project/Scope:**client

#### Evidence +

| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

#### Identifiers

- None

### inventory.zip: inventory.jar: printinventory.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/client/build/tmp/dependencies/i-net HelpDesk Anwendung/plugins/inventory.zip/inventory.jar/com/inet/helpdesk/plugins/inventory/client/js/print/printinventory.js  
**MD5:** 15b15f07138f26721e8f7b757a247b71  
**SHA1:** c0b07b80ff6361600d6a00fbd6ae50a9cb54a09f  
**SHA256:** a72948f1994f5ff864e9a8c113974427ff86c897f2bc7cfb7c9d66d1f3e19b37  
**Referenced In Project/Scope:**client

#### Evidence +

| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

#### Identifiers

- None

### inventory.zip: inventory.jar: resizableColumn.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/client/build/tmp/dependencies/i-net HelpDesk Anwendung/plugins/inventory.zip/inventory.jar/com/inet/helpdesk/plugins/inventory/client/js/resizeableColumn.js  
**MD5:** c9520a35d6540951cc46bdf080dfc5bf  
**SHA1:** d12e0af269ac8ef24cdb802f0ba1f9b986d07b44  
**SHA256:**f076654f980dd3aba3f40ba1472f2696628aa5e2fb93c7e5ed94eba5fafaca64  
**Referenced In Project/Scope:**client

Evidence +

| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

### inventory.zip: inventory.jar: treegroupingsettings.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/client/build/tmp/dependencies/i-net HelpDesk Anwendung/plugins/inventory.zip/inventory.jar/com/inet/helpdesk/plugins/inventory/client/js/treegroupingsettings.js  
**MD5:** 65972f3482462f83dac79c7b0ecc056a  
**SHA1:** 768af312b53372d1c646fd6a3982ce2902414288  
**SHA256:**86ba25588946cf6e5f4cef72ab3eea131836d89d5d7e855616777ff7126ce019  
**Referenced In Project/Scope:**client

Evidence +

| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

### java-8-jre-x64-linux.tar.gz: java-8-jre-x64-linux.tar: US\_export\_policy.jar

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/client/build/tmp/dependencies/java-8-jre-x64-linux.tar.gz/java-8-jre-x64-linux.tar/jdk8u382-b05-jre/lib/security/policy/limited/US\_export\_policy.jar  
**MD5:** 9fd21ad5919da18612ddf645358a5558

**SHA1:** 022f0104843f73380c7d3368af4ab34ac1b91a74

**SHA256:** e631ec7e8c64a385aed0994a3eb95c464107ef05361e6da10a67bd5d19164c83

**Referenced In Project/Scope:** client

#### Evidence +

| Type    | Source   | Name            | Value            | Confidence |
|---------|----------|-----------------|------------------|------------|
| Vendor  | file     | name            | US_export_policy | High       |
| Vendor  | Manifest | crypto-strength | unlimited        | Low        |
| Product | file     | name            | US_export_policy | High       |
| Product | Manifest | crypto-strength | unlimited        | Low        |

#### Related Dependencies +

- java-8-jre-x64-linux.tar.gz: java-8-jre-x64-linux.tar: US\_export\_policy.jar
  - File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/client/build/tmp/dependencies/java-8-jre-x64-linux.tar.gz/java-8-jre-x64-linux.tar/jdk8u382-b05-jre/lib/security/policy/unlimited/US\_export\_policy.jar
  - MD5: 9fd21ad5919da18612ddf645358a5558
  - SHA1: 022f0104843f73380c7d3368af4ab34ac1b91a74
  - SHA256: e631ec7e8c64a385aed0994a3eb95c464107ef05361e6da10a67bd5d19164c83

#### Identifiers

- None

### java-8-jre-x64-linux.tar.gz: java-8-jre-x64-linux.tar: charsets.jar

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/client/build/tmp/dependencies/java-8-jre-x64-linux.tar.gz/java-8-jre-x64-linux.tar/jdk8u382-b05-jre/lib/charsets.jar

**MD5:** 236104afe98081a4a19ef2331acc0f8f

**SHA1:** c316df4b64fc35b6a1fe3769bde8601306dbc4da

**SHA256:** 429ead509b5f4e00e145ac6144089f4853850b957fa8e73ebec7483c1f4b2d1c

**Referenced In Project/Scope:** client

#### Evidence +

| Type   | Source | Name         | Value    | Confidence |
|--------|--------|--------------|----------|------------|
| Vendor | file   | name         | charsets | High       |
| Vendor | jar    | package name | cs       | Low        |
| Vendor | jar    | package name | nio      | Low        |

|         |            |              |          |      |
|---------|------------|--------------|----------|------|
| Vendor  | jar        | package name | sun      | Low  |
| Vendor  | jar (hint) | package name | oracle   | Low  |
| Product | file       | name         | charsets | High |
| Product | jar        | package name | cs       | Low  |
| Product | jar        | package name | ext      | Low  |
| Product | jar        | package name | nio      | Low  |

### Identifiers

- None

## java-8-jre-x64-linux.tar.gz: java-8-jre-x64-linux.tar: cldrdata.jar

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/client/build/tmp/dependencies/java-8-jre-x64-linux.tar.gz/java-8-jre-x64-linux.tar/jdk8u382-b05-jre/lib/ext/cldrdata.jar

**MD5:** c0a4e8a444b17639911928ac6acf87ef

**SHA1:** b7473cc09fe8aee9850d14768d5282a837492eb9

**SHA256:** 54de3efa05825808e1690cdb3a7cb667c4169a546f67d0b72a99262e283dbde2

**Referenced In Project/Scope:** client

### Evidence +

| Type    | Source     | Name         | Value     | Confidence |
|---------|------------|--------------|-----------|------------|
| Vendor  | file       | name         | cldrdata  | High       |
| Vendor  | jar        | package name | resources | Low        |
| Vendor  | jar        | package name | sun       | Low        |
| Vendor  | jar        | package name | util      | Low        |
| Vendor  | jar (hint) | package name | oracle    | Low        |
| Product | file       | name         | cldrdata  | High       |
| Product | jar        | package name | cldr      | Low        |
| Product | jar        | package name | resources | Low        |
| Product | jar        | package name | util      | Low        |
| Version | Manifest   | cldr-version | 21.0.1    | Medium     |

### Identifiers

- None

### java-8-jre-x64-linux.tar.gz: java-8-jre-x64-linux.tar: dnsns.jar

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/client/build/tmp/dependencies/java-8-jre-x64-linux.tar.gz/java-8-jre-x64-linux.tar/jdk8u382-b05-jre/lib/ext/dnsns.jar

**MD5:** f6a0f6da0ac64a9cb02fca8002603030

**SHA1:** 140b558e464aab512aad8546f653a533d023bdc7

**SHA256:** d8ff17f726698d270e230731121739b0529bd7e230efcb98a2e8fc5b4dfca1d6

**Referenced In Project/Scope:** client

#### Evidence +

| Type    | Source     | Name         | Value       | Confidence |
|---------|------------|--------------|-------------|------------|
| Vendor  | file       | name         | dnsns       | High       |
| Vendor  | jar        | package name | net         | Low        |
| Vendor  | jar        | package name | spi         | Low        |
| Vendor  | jar        | package name | sun         | Low        |
| Vendor  | jar (hint) | package name | oracle      | Low        |
| Product | file       | name         | dnsns       | High       |
| Product | jar        | package name | nameservice | Low        |
| Product | jar        | package name | net         | Low        |
| Product | jar        | package name | spi         | Low        |

#### Identifiers

- None

### java-8-jre-x64-linux.tar.gz: java-8-jre-x64-linux.tar: jaccess.jar

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/client/build/tmp/dependencies/java-8-jre-x64-linux.tar.gz/java-8-jre-x64-linux.tar/jdk8u382-b05-jre/lib/ext/jaccess.jar

**MD5:** 78215bb4b7060d07f693ffdcc3983472

**SHA1:** f618cc4e26e31f913e59d8a46f60d2ccfa265523

**SHA256:** d5d0f5ea0af5478d7fdec77259d4836338acd0fe1d3fdbffc1622d3b57ff27c0

**Referenced In Project/Scope:** client

## Evidence



| Type    | Source     | Name         | Value         | Confidence |
|---------|------------|--------------|---------------|------------|
| Vendor  | file       | name         | jaccess       | High       |
| Vendor  | jar        | package name | accessibility | Low        |
| Vendor  | jar        | package name | java          | Low        |
| Vendor  | jar        | package name | sun           | Low        |
| Vendor  | jar (hint) | package name | oracle        | Low        |
| Product | file       | name         | jaccess       | High       |
| Product | jar        | package name | accessibility | Low        |
| Product | jar        | package name | java          | Low        |
| Product | jar        | package name | util          | Low        |

## Identifiers

- None

## java-8-jre-x64-linux.tar.gz: java-8-jre-x64-linux.tar: jce.jar

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/client/build/tmp/dependencies/java-8-jre-x64-linux.tar.gz/java-8-jre-x64-linux.tar/jdk8u382-b05-jre/lib/jce.jar

**MD5:** 26566b25bc9c4c183b765d1f7236e1d7

**SHA1:** ba562be8bdf3be944f0cc692b3e8d54c0223f58

**SHA256:** 030801aeb95bfd1dd7ab48c83666c51b99c7b5db5527cbc8e78cf9e368bcb843

**Referenced In Project/Scope:** client

## Evidence



| Type   | Source     | Name         | Value  | Confidence |
|--------|------------|--------------|--------|------------|
| Vendor | file       | name         | jce    | High       |
| Vendor | jar        | package name | crypto | Highest    |
| Vendor | jar        | package name | crypto | Low        |
| Vendor | jar        | package name | javax  | Highest    |
| Vendor | jar        | package name | javax  | Low        |
| Vendor | jar        | package name | sun    | Highest    |
| Vendor | jar (hint) | package name | oracle | Highest    |

|         |          |                          |                                 |         |
|---------|----------|--------------------------|---------------------------------|---------|
| Vendor  | Manifest | extension-name           | javax.crypto                    | Medium  |
| Vendor  | Manifest | Implementation-Vendor    | Temurin                         | High    |
| Vendor  | Manifest | Implementation-Vendor-Id | com.sun                         | Medium  |
| Vendor  | Manifest | specification-vendor     | Oracle Corporation              | Low     |
| Product | file     | name                     | jce                             | High    |
| Product | jar      | package name             | crypto                          | Highest |
| Product | jar      | package name             | crypto                          | Low     |
| Product | jar      | package name             | javax                           | Highest |
| Product | Manifest | extension-name           | javax.crypto                    | Medium  |
| Product | Manifest | Implementation-Title     | Java Runtime Environment        | High    |
| Product | Manifest | specification-title      | Java Platform API Specification | Medium  |
| Version | Manifest | Implementation-Version   | 1.8.0_382                       | High    |

#### Identifiers

- None

### java-8-jre-x64-linux.tar.gz: java-8-jre-x64-linux.tar: jfr.jar

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/client/build/tmp/dependencies/java-8-jre-x64-linux.tar.gz/java-8-jre-x64-linux.tar/jdk8u382-b05-jre/lib/jfr.jar

**MD5:** fc4e6fee203ba4e8e587e49fe04d1f67

**SHA1:** 7d6c6f5bb20561dfce36492af6011e58eaa2efa8

**SHA256:** 5667a6e0832a510b3ea42c412899de7f51ad35fb5bf1a5ff9e77607b53565c03

**Referenced In Project/Scope:** client

#### Evidence +

| Type   | Source   | Name                  | Value    | Confidence |
|--------|----------|-----------------------|----------|------------|
| Vendor | file     | name                  | jfr      | High       |
| Vendor | jar      | package name          | internal | Low        |
| Vendor | jar      | package name          | jdk      | Low        |
| Vendor | jar      | package name          | jfr      | Low        |
| Vendor | Manifest | Implementation-Vendor | Temurin  | High       |

|         |          |                        |                                 |        |
|---------|----------|------------------------|---------------------------------|--------|
| Vendor  | Manifest | specification-vendor   | Oracle Corporation              | Low    |
| Product | file     | name                   | jfr                             | High   |
| Product | jar      | package name           | internal                        | Low    |
| Product | jar      | package name           | jfr                             | Low    |
| Product | Manifest | Implementation-Title   | Java Runtime Environment        | High   |
| Product | Manifest | specification-title    | Java Platform API Specification | Medium |
| Version | Manifest | Implementation-Version | 1.8.0_382                       | High   |

#### Identifiers

- None

### java-8-jre-x64-linux.tar.gz: java-8-jre-x64-linux.tar: jsse.jar

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/client/build/tmp/dependencies/java-8-jre-x64-linux.tar.gz/java-8-jre-x64-linux.tar/jdk8u382-b05-jre/lib/jsse.jar

**MD5:** 8e17ee9effbb0f5aaf1b4aa23312885c

**SHA1:** a09d450b4a7028aceb9378ecf0dc03c1e4cff159

**SHA256:** 4aa0b74f0568f0643d45b8c2243bed75bf0693c979d863b81a9474dac19149d1

**Referenced In Project/Scope:** client

#### Evidence +

| Type    | Source     | Name                  | Value              | Confidence |
|---------|------------|-----------------------|--------------------|------------|
| Vendor  | file       | name                  | jsse               | High       |
| Vendor  | jar        | package name          | security           | Low        |
| Vendor  | jar        | package name          | ssl                | Low        |
| Vendor  | jar        | package name          | sun                | Low        |
| Vendor  | jar (hint) | package name          | oracle             | Low        |
| Vendor  | Manifest   | Implementation-Vendor | Temurin            | High       |
| Vendor  | Manifest   | specification-vendor  | Oracle Corporation | Low        |
| Product | file       | name                  | jsse               | High       |
| Product | jar        | package name          | security           | Low        |

|         |          |                        |                                 |        |
|---------|----------|------------------------|---------------------------------|--------|
| Product | jar      | package name           | ssl                             | Low    |
| Product | Manifest | Implementation-Title   | Java Runtime Environment        | High   |
| Product | Manifest | specification-title    | Java Platform API Specification | Medium |
| Version | Manifest | Implementation-Version | 1.8.0_382                       | High   |

### Identifiers

- [cpe:2.3:a:oracle:platform\\_security\\_for\\_java:1.8.0.382:~::~::~::~](#) (Confidence:Low)

suppress

- [cpe:2.3:a:sun:jsse:1.8.0.382:~::~::~::~](#) (Confidence:Low)

suppress

## java-8-jre-x64-linux.tar.gz: java-8-jre-x64-linux.tar: local\_policy.jar

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/client/build/tmp/dependencies/java-8-jre-x64-linux.tar.gz/java-8-jre-x64-linux.tar/jdk8u382-b05-jre/lib/security/policy/limited/local\_policy.jar

**MD5:** 390b85a1c3cd6a9c8e48337ebd92448f

**SHA1:** 25cc62aac5729356d0d9ecc554b50eae5b5abe30

**SHA256:** 01b7c2b01acd7e92264c607d9dc79032941e19616387e6d16ca726f74799f04c

**Referenced In Project/Scope:** client

### Evidence +

| Type    | Source   | Name            | Value        | Confidence |
|---------|----------|-----------------|--------------|------------|
| Vendor  | file     | name            | local_policy | High       |
| Vendor  | Manifest | crypto-strength | limited      | Low        |
| Product | file     | name            | local_policy | High       |
| Product | Manifest | crypto-strength | limited      | Low        |

### Identifiers

- None

## java-8-jre-x64-linux.tar.gz: java-8-jre-x64-linux.tar: local\_policy.jar

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/client/build/tmp/dependencies/java-8-jre-x64-linux.tar.gz/java-8-jre-x64-linux.tar/jdk8u382-b05-jre/lib/security/policy/unlimited/local\_policy.jar  
**MD5:** fa88dec62d3b25713114e94b1784d842  
**SHA1:** 9768af297020463aa356f7639e3533405c603fc2  
**SHA256:** 86e52fa042e4c662d7d469c9c2b0703fe77f3c57e162503990fdd9d2a2ed6776  
**Referenced In Project/Scope:** client

**Evidence** +

| Type    | Source   | Name            | Value        | Confidence |
|---------|----------|-----------------|--------------|------------|
| Vendor  | file     | name            | local_policy | High       |
| Vendor  | Manifest | crypto-strength | unlimited    | Low        |
| Product | file     | name            | local_policy | High       |
| Product | Manifest | crypto-strength | unlimited    | Low        |

**Identifiers**

- None

**java-8-jre-x64-linux.tar.gz: java-8-jre-x64-linux.tar: localedata.jar**

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/client/build/tmp/dependencies/java-8-jre-x64-linux.tar.gz/java-8-jre-x64-linux.tar/jdk8u382-b05-jre/lib/ext/localedata.jar  
**MD5:** 1358d7d6ce3b1a910c762e61d07b7422  
**SHA1:** 9a6dbd22bff52ef93c44ca46982f2bd5666d8971  
**SHA256:** cd09546607bb50abaa82ef2556fc2f3b8723ec45a5a94f0b128b8828d6f4a0e3  
**Referenced In Project/Scope:** client

**Evidence** +

| Type    | Source     | Name         | Value      | Confidence |
|---------|------------|--------------|------------|------------|
| Vendor  | file       | name         | localedata | High       |
| Vendor  | jar        | package name | resources  | Low        |
| Vendor  | jar        | package name | sun        | Low        |
| Vendor  | jar        | package name | util       | Low        |
| Vendor  | jar (hint) | package name | oracle     | Low        |
| Product | file       | name         | localedata | High       |
| Product | jar        | package name | resources  | Low        |

Product jar package name util Low

#### Identifiers

- None

### java-8-jre-x64-linux.tar.gz: java-8-jre-x64-linux.tar: management-agent.jar

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/client/build/tmp/dependencies/java-8-jre-x64-linux.tar.gz/java-8-jre-x64-linux.tar/jdk8u382-b05-jre/lib/management-agent.jar  
**MD5:** 608700db569a80f6c02f056dbdbe5727  
**SHA1:** 0a681a4f6b96fd745709d83d0c21ae5f25dfd7e2  
**SHA256:** 68f989128765d436ed866888cbb02013fa31f8f34425e203e5d1d6e16d75fb4c  
**Referenced In Project/Scope:** client

#### Evidence +

| Type    | Source | Name | Value            | Confidence |
|---------|--------|------|------------------|------------|
| Vendor  | file   | name | management-agent | High       |
| Product | file   | name | management-agent | High       |

#### Identifiers

- None

### java-8-jre-x64-linux.tar.gz: java-8-jre-x64-linux.tar: nashorn.jar

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/client/build/tmp/dependencies/java-8-jre-x64-linux.tar.gz/java-8-jre-x64-linux.tar/jdk8u382-b05-jre/lib/ext/nashorn.jar  
**MD5:** de6e0c061b79428c52c354aba3845b04  
**SHA1:** d62f83231edd549bee3ab4c78382b866c5d1def0  
**SHA256:** f3c6e3c2b2a03ff9f4ff10490d431cd785f641292d794c0256fdf8bd5b3dcac6  
**Referenced In Project/Scope:** client

#### Evidence +

| Type   | Source | Name | Value   | Confidence |
|--------|--------|------|---------|------------|
| Vendor | file   | name | nashorn | High       |

|         |                      |                        |                    |         |
|---------|----------------------|------------------------|--------------------|---------|
| Vendor  | jar                  | package name           | internal           | Low     |
| Vendor  | jar                  | package name           | jdk                | Low     |
| Vendor  | jar                  | package name           | nashorn            | Low     |
| Vendor  | manifest-jdk/nashorn | Implementation-Vendor  | Oracle Corporation | Medium  |
| Product | file                 | name                   | nashorn            | High    |
| Product | jar                  | package name           | internal           | Low     |
| Product | jar                  | package name           | nashorn            | Highest |
| Product | jar                  | package name           | nashorn            | Low     |
| Product | manifest-jdk/nashorn | Implementation-Title   | Oracle Nashorn     | Medium  |
| Version | manifest-jdk/nashorn | Implementation-Version | 1.8.0_382-b05      | Medium  |

#### Identifiers

- None

### java-8-jre-x64-linux.tar.gz: java-8-jre-x64-linux.tar: nashorn.jar: base.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/client/build/tmp/dependencies/java-8-jre-x64-linux.tar.gz/java-8-jre-x64-linux.tar/jdk8u382-b05-jre/lib/ext/nashorn.jar/jdk/nashorn/internal/runtime/resources/fx/base.js

**MD5:** 172817e3e1e2cd6470440ac02c872dd2

**SHA1:** effcdb4c03ca43f0528ea691de919eb18aeb1a3d

**SHA256:** e25163f04bc589808ca266f1a85dd93c8e917b63c0f5d8a478a022f3dcea4d44

**Referenced In Project/Scope:** client

#### Evidence +

| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

#### Identifiers

- None

## java-8-jre-x64-linux.tar.gz: java-8-jre-x64-linux.tar: nashorn.jar: bootstrap.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/client/build/tmp/dependencies/java-8-jre-x64-linux.tar.gz/java-8-jre-x64-linux.tar/jdk8u382-b05-jre/lib/ext/nashorn.jar/jdk/nashorn/internal/runtime/resources/fx/bootstrap.js

**MD5:** 57eb6cbf5cead0c1b28923fe25568897

**SHA1:** 47b6d3a7fc7b45762fde2ccac62d8a838d59f5df

**SHA256:** 7ab9ac8ec364df4542eda9ab92bf9245857a09f91e6e3090661018f5f3c46ddb

**Referenced In Project/Scope:** client

### Evidence +

| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

### Identifiers

- None

## java-8-jre-x64-linux.tar.gz: java-8-jre-x64-linux.tar: nashorn.jar: controls.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/client/build/tmp/dependencies/java-8-jre-x64-linux.tar.gz/java-8-jre-x64-linux.tar/jdk8u382-b05-jre/lib/ext/nashorn.jar/jdk/nashorn/internal/runtime/resources/fx/controls.js

**MD5:** b855d96a117baf6ca6aa51f9267125e5

**SHA1:** 69b0255808dd03710dbaeac027131b4e3e63573e

**SHA256:** b4b2dbbb6ac1eb29425e6e9d76d7a7c981e86ffb48fa4eae10d0f6b30d3df550

**Referenced In Project/Scope:** client

### Evidence +

| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

### Identifiers

- None

## java-8-jre-x64-linux.tar.gz: java-8-jre-x64-linux.tar: nashorn.jar: fx.xml.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/client/build/tmp/dependencies/java-8-jre-x64-linux.tar.gz/java-8-jre-x64-linux.tar/jdk8u382-b05-jre/lib/ext/nashorn.jar/jdk/nashorn/internal/runtime/resources/fx/fxml.js

**MD5:** e734cd82d10a30a88aa0fa81f601f4e1

**SHA1:** 288fc450d3446e0d0b44749c749f3031f2a2d403

**SHA256:**3915a0d5a5e50ee1b173b1f4b79f5f4dba91c526b11165c7a04191616f850635

**Referenced In Project/Scope:**client

Evidence +

| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

**java-8-jre-x64-linux.tar.gz: java-8-jre-x64-linux.tar: nashorn.jar: graphics.js**

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/client/build/tmp/dependencies/java-8-jre-x64-linux.tar.gz/java-8-jre-x64-linux.tar/jdk8u382-b05-jre/lib/ext/nashorn.jar/jdk/nashorn/internal/runtime/resources/fx/graphics.js

**MD5:** 2450ad3f25e3232c399ca4155311ae3d

**SHA1:** 369d47b08d15f9768a35fcb581f5afeeaae9792f

**SHA256:**fd5808da9c79a28838d9b0dd5d9208eae17768a48e9d7eb1d664ddbbae0b07c2

**Referenced In Project/Scope:**client

Evidence +

| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

**java-8-jre-x64-linux.tar.gz: java-8-jre-x64-linux.tar: nashorn.jar: media.js**

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/client/build/tmp/dependencies/java-8-jre-x64-linux.tar.gz/java-8-jre-x64-linux.tar/jdk8u382-b05-jre/lib/ext/nashorn.jar/jdk/nashorn/internal/runtime/resources/fx/media.js

**MD5:** fedbf49c3e59d8e785f235e4d6708eef

**SHA1:** 4bb0bf40b44e6e03f4cf3d1a5e87789ab5dfcfc2

**SHA256:**ce70ac27876fa16282430a5cb3213a8ff5284a91c523a396c6f1667ca0cbf972

**Referenced In Project/Scope:**client

Evidence +

| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

java-8-jre-x64-linux.tar.gz: java-8-jre-x64-linux.tar: nashorn.jar: mozilla\_compat.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/client/build/tmp/dependencies/java-8-jre-x64-linux.tar.gz/java-8-jre-x64-linux.tar/jdk8u382-b05-jre/lib/ext/nashorn.jar/jdk/nashorn/internal/runtime/resources/mozilla\_compat.js  
**MD5:** f922bd6e2f0e2628fadccb2b980216ec  
**SHA1:** d4faaa86e8be69c1f160292cf82beea907053441  
**SHA256:** 4f67437922c21ee362cfa5fd6a7fdc373b5d364df9dac47750f16b6e726cb418  
**Referenced In Project/Scope:**client

Evidence +

| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

java-8-jre-x64-linux.tar.gz: java-8-jre-x64-linux.tar: nashorn.jar: parser.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/client/build/tmp/dependencies/java-8-jre-x64-linux.tar.gz/java-8-jre-x64-linux.tar/jdk8u382-b05-jre/lib/ext/nashorn.jar/jdk/nashorn/internal/runtime/resources/parser.js  
**MD5:** 98730df26fdb1db36d8b97d9db6aaf1  
**SHA1:** 89c0968eadcb317ca70ef9e0567e2c56ff0cd1d4  
**SHA256:** 77fc27d0bc34cf4ec189f3ed3a3975e24aa3e1eb94b22ce0678335017f67edff  
**Referenced In Project/Scope:**client

Evidence +

| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

### java-8-jre-x64-linux.tar.gz: java-8-jre-x64-linux.tar: nashorn.jar: swing.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/client/build/tmp/dependencies/java-8-jre-x64-linux.tar.gz/java-8-jre-x64-linux.tar/jdk8u382-b05-jre/lib/ext/nashorn.jar/jdk/nashorn/internal/runtime/resources/fx/swing.js  
**MD5:** 5ee33d10c092cb075e42efe744b51a3b  
**SHA1:** 326caa6d8526d27ed9f509db5abf5ac093246b49  
**SHA256:**67cd478f891f011437922cd765761b701de5fe900d296942fd5358894df5aed0  
**Referenced In Project/Scope:**client

#### Evidence +

| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

#### Identifiers

- None

### java-8-jre-x64-linux.tar.gz: java-8-jre-x64-linux.tar: nashorn.jar: swt.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/client/build/tmp/dependencies/java-8-jre-x64-linux.tar.gz/java-8-jre-x64-linux.tar/jdk8u382-b05-jre/lib/ext/nashorn.jar/jdk/nashorn/internal/runtime/resources/fx/swt.js  
**MD5:** 53df68a72330907c33493814163a2bc2  
**SHA1:** 20c4a6452487d85a19d22538feb14b15a6346e9a  
**SHA256:**963d243f27be3ba288e12957a0a32293c59863f9a642e08a93ac832ea44b62f4  
**Referenced In Project/Scope:**client

#### Evidence +

| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

#### Identifiers

- None

### java-8-jre-x64-linux.tar.gz: java-8-jre-x64-linux.tar: nashorn.jar: web.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/client/build/tmp/dependencies/java-8-jre-x64-linux.tar.gz/java-8-jre-x64-linux.tar/jdk8u382-b05-jre/lib/ext/nashorn.jar/jdk/nashorn/internal/runtime/resources/fx/web.js  
**MD5:** 80d62f35f89c2a2d2fee9715bcc8a833  
**SHA1:** 1826e342b5a339ede5883d16827d4f605cd9410a  
**SHA256:** 23867be85c027e78ba119fe588191712982aa49672ed0c245f137c1795fca959  
**Referenced In Project/Scope:** client

#### Evidence +

| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

#### Identifiers

- None

### java-8-jre-x64-linux.tar.gz: java-8-jre-x64-linux.tar: resources.jar

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/client/build/tmp/dependencies/java-8-jre-x64-linux.tar.gz/java-8-jre-x64-linux.tar/jdk8u382-b05-jre/lib/resources.jar  
**MD5:** 353eae0a0a8e1ee2b33c489de68e1af9  
**SHA1:** a2924a09670fec4aee5a4d6742782ac57221123f  
**SHA256:** df169a76511f78b2a2223f55cf4e4fda6e9cf2e71b79cf493d9d9712a8d5e466  
**Referenced In Project/Scope:** client

#### Evidence +

| Type    | Source   | Name                   | Value                           | Confidence |
|---------|----------|------------------------|---------------------------------|------------|
| Vendor  | file     | name                   | resources                       | High       |
| Vendor  | Manifest | Implementation-Vendor  | Temurin                         | High       |
| Vendor  | Manifest | specification-vendor   | Oracle Corporation              | Low        |
| Product | file     | name                   | resources                       | High       |
| Product | Manifest | Implementation-Title   | Java Runtime Environment        | High       |
| Product | Manifest | specification-title    | Java Platform API Specification | Medium     |
| Version | Manifest | Implementation-Version | 1.8.0_382                       | High       |

#### Identifiers

- None

## java-8-jre-x64-linux.tar.gz: java-8-jre-x64-linux.tar: rt.jar

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/client/build/tmp/dependencies/java-8-jre-x64-linux.tar.gz/java-8-jre-x64-linux.tar/jdk8u382-b05-jre/lib/rt.jar

**MD5:** 4500eff2852cf4a2ba3f2bfa1f95dc6e

**SHA1:** 4ae9f016c856526e4337c27260ac061185754b14

**SHA256:**656ab3bbd17eb83fb8daae01dea8fbd99be09fc6a093864ec1382ecd7c0387b9

**Referenced In Project/Scope:**client

### Evidence +

| Type    | Source     | Name                   | Value                           | Confidence |
|---------|------------|------------------------|---------------------------------|------------|
| Vendor  | file       | name                   | rt                              | High       |
| Vendor  | jar        | package name           | sun                             | Low        |
| Vendor  | jar (hint) | package name           | oracle                          | Low        |
| Vendor  | Manifest   | Implementation-Vendor  | Temurin                         | High       |
| Vendor  | Manifest   | specification-vendor   | Oracle Corporation              | Low        |
| Product | file       | name                   | rt                              | High       |
| Product | jar        | package name           | api                             | Highest    |
| Product | jar        | package name           | environment                     | Highest    |
| Product | jar        | package name           | java                            | Highest    |
| Product | jar        | package name           | platform                        | Highest    |
| Product | jar        | package name           | runtime                         | Highest    |
| Product | Manifest   | Implementation-Title   | Java Runtime Environment        | High       |
| Product | Manifest   | specification-title    | Java Platform API Specification | Medium     |
| Version | Manifest   | Implementation-Version | 1.8.0_382                       | High       |

### Identifiers

- None

## java-8-jre-x64-linux.tar.gz: java-8-jre-x64-linux.tar: sunec.jar

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/client/build/tmp/dependencies/java-8-jre-x64-linux.tar.gz/java-8-jre-x64-linux.tar/jdk8u382-b05-jre/lib/ext/sunec.jar

**MD5:** 8c3d12f84da2ea0dd084574bee4e0164

**SHA1:** 42ff2b1e7cf8eef4241cde01989eae3fae414c42

**SHA256:** 7e3cf5c790d255577d9d822cb53185884eaf2801302166401e66650863909673

**Referenced In Project/Scope:** client

### Evidence +

| Type    | Source     | Name                      | Value                           | Confidence |
|---------|------------|---------------------------|---------------------------------|------------|
| Vendor  | file       | name                      | sunec                           | High       |
| Vendor  | jar        | package name              | ec                              | Low        |
| Vendor  | jar        | package name              | security                        | Low        |
| Vendor  | jar        | package name              | sun                             | Highest    |
| Vendor  | jar        | package name              | sun                             | Low        |
| Vendor  | jar (hint) | package name              | oracle                          | Highest    |
| Vendor  | jar (hint) | package name              | oracle                          | Low        |
| Vendor  | Manifest   | extension-name            | javax.crypto                    | Medium     |
| Vendor  | Manifest   | Implementation-Vendor     | Temurin                         | High       |
| Vendor  | Manifest   | Implementation-Vendor-IId | com.sun                         | Medium     |
| Vendor  | Manifest   | specification-vendor      | Oracle Corporation              | Low        |
| Product | file       | name                      | sunec                           | High       |
| Product | jar        | package name              | ec                              | Low        |
| Product | jar        | package name              | security                        | Low        |
| Product | Manifest   | extension-name            | javax.crypto                    | Medium     |
| Product | Manifest   | Implementation-Title      | Java Runtime Environment        | High       |
| Product | Manifest   | specification-title       | Java Platform API Specification | Medium     |
| Version | Manifest   | Implementation-Version    | 1.8.0_382                       | High       |

### Identifiers

- [cpe:2.3:a:oracle:platform\\_security\\_for\\_java:1.8.0.382:\\*:\\*:\\*:\\*:\\*](#) (Confidence:High)

suppress

## java-8-jre-x64-linux.tar.gz: java-8-jre-x64-linux.tar: sunjce\_provider.jar

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/client/build/tmp/dependencies/java-8-jre-x64-linux.tar.gz/java-8-jre-x64-linux.tar/jdk8u382-b05-jre/lib/ext/sunjce\_provider.jar

**MD5:** 650923d4f3a0e1be3b2acdce87dfa21e

**SHA1:** 920f306942aea99773569df39a84cd9d2acaaf54

**SHA256:** b135e8846c422eb0b7f77b9a2e5d4b9e852cda40c6c7e301571bea000b010885

**Referenced In Project/Scope:** client

### Evidence +

| Type    | Source     | Name                     | Value                           | Confidence |
|---------|------------|--------------------------|---------------------------------|------------|
| Vendor  | file       | name                     | sunjce_provider                 | High       |
| Vendor  | jar        | package name             | crypto                          | Highest    |
| Vendor  | jar        | package name             | crypto                          | Low        |
| Vendor  | jar        | package name             | provider                        | Low        |
| Vendor  | jar        | package name             | sun                             | Highest    |
| Vendor  | jar        | package name             | sun                             | Low        |
| Vendor  | jar (hint) | package name             | oracle                          | Highest    |
| Vendor  | jar (hint) | package name             | oracle                          | Low        |
| Vendor  | Manifest   | extension-name           | javax.crypto                    | Medium     |
| Vendor  | Manifest   | Implementation-Vendor    | Temurin                         | High       |
| Vendor  | Manifest   | Implementation-Vendor-Id | com.sun                         | Medium     |
| Vendor  | Manifest   | specification-vendor     | Oracle Corporation              | Low        |
| Product | file       | name                     | sunjce_provider                 | High       |
| Product | jar        | package name             | crypto                          | Highest    |
| Product | jar        | package name             | crypto                          | Low        |
| Product | jar        | package name             | provider                        | Low        |
| Product | Manifest   | extension-name           | javax.crypto                    | Medium     |
| Product | Manifest   | Implementation-Title     | Java Runtime Environment        | High       |
| Product | Manifest   | specification-title      | Java Platform API Specification | Medium     |

|         |          |                        |           |      |
|---------|----------|------------------------|-----------|------|
| Version | Manifest | Implementation-Version | 1.8.0_382 | High |
|---------|----------|------------------------|-----------|------|

### Identifiers

- None

## java-8-jre-x64-linux.tar.gz: java-8-jre-x64-linux.tar: sunpkcs11.jar

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/client/build/tmp/dependencies/java-8-jre-x64-linux.tar.gz/java-8-jre-x64-linux.tar/jdk8u382-b05-jre/lib/ext/sunpkcs11.jar

**MD5:** 5d3331e7df33dd43cd69bc4426763449

**SHA1:** 36082daab7a573e033c37b00d25ebbeff863bf6b

**SHA256:** a327d2db44ed8811abc0bfc9eaedf4af583a986b6b33ecc2cacd5d880a9967ec

**Referenced In Project/Scope:** client

### Evidence +

| Type    | Source     | Name                      | Value              | Confidence |
|---------|------------|---------------------------|--------------------|------------|
| Vendor  | file       | name                      | sunpkcs11          | High       |
| Vendor  | jar        | package name              | pkcs11             | Low        |
| Vendor  | jar        | package name              | security           | Low        |
| Vendor  | jar        | package name              | sun                | Highest    |
| Vendor  | jar        | package name              | sun                | Low        |
| Vendor  | jar (hint) | package name              | oracle             | Highest    |
| Vendor  | jar (hint) | package name              | oracle             | Low        |
| Vendor  | Manifest   | extension-name            | javax.crypto       | Medium     |
| Vendor  | Manifest   | Implementation-Vendor     | Temurin            | High       |
| Vendor  | Manifest   | Implementation-Vendor-IId | com.sun            | Medium     |
| Vendor  | Manifest   | specification-vendor      | Oracle Corporation | Low        |
| Product | file       | name                      | sunpkcs11          | High       |
| Product | jar        | package name              | pkcs11             | Low        |
| Product | jar        | package name              | security           | Low        |
| Product | Manifest   | extension-name            | javax.crypto       | Medium     |

|         |          |                        |                                 |        |
|---------|----------|------------------------|---------------------------------|--------|
| Product | Manifest | Implementation-Title   | Java Runtime Environment        | High   |
| Product | Manifest | specification-title    | Java Platform API Specification | Medium |
| Version | file     | name                   | sunpkcs11                       | Medium |
| Version | file     | version                | 11                              | Medium |
| Version | Manifest | Implementation-Version | 1.8.0_382                       | High   |

### Identifiers

- `cpe:2.3:a:oracle:platform_security_for_java:1.8.0.382:*:*:*:*:*` (*Confidence:Low*)

## java-8-jre-x64-linux.tar.gz: java-8-jre-x64-linux.tar: zipfs.jar

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/client/build/tmp/dependencies/java-8-jre-x64-linux.tar.gz/java-8-jre-x64-linux.tar/jdk8u382-b05-jre/lib/ext/zipfs.jar

**MD5:** c1011e9e3d8c6765cc6cd42144a49936

**SHA1:** 7e41e7a81240584f0714815baa0e2f6396685195

**SHA256:** 6e7aca30b1b9916e8179b9939377d3a89593c9830dbaf244631d9e4247d80a02

**Referenced In Project/Scope:** client

### Evidence +

| Type    | Source     | Name                  | Value                    | Confidence |
|---------|------------|-----------------------|--------------------------|------------|
| Vendor  | file       | name                  | zipfs                    | High       |
| Vendor  | jar        | package name          | nio                      | Low        |
| Vendor  | jar        | package name          | sun                      | Low        |
| Vendor  | jar        | package name          | zipfs                    | Low        |
| Vendor  | jar (hint) | package name          | oracle                   | Low        |
| Vendor  | Manifest   | Implementation-Vendor | Temurin                  | High       |
| Vendor  | Manifest   | specification-vendor  | Oracle Corporation       | Low        |
| Product | file       | name                  | zipfs                    | High       |
| Product | jar        | package name          | nio                      | Low        |
| Product | jar        | package name          | zipfs                    | Low        |
| Product | Manifest   | Implementation-Title  | Java Runtime Environment | High       |

|         |          |                        |                                 |        |
|---------|----------|------------------------|---------------------------------|--------|
| Product | Manifest | specification-title    | Java Platform API Specification | Medium |
| Version | Manifest | Implementation-Version | 1.8.0_382                       | High   |

#### Identifiers

- None

## jlessc-1.11.jar

### Description:

A Less CSS compiler written completely in Java (pure Java).

### License:

MIT License: <http://www.opensource.org/licenses/mit-license.php>

**File Path:** /home/jenkins/.gradle/caches/modules-2/files-2.1/de.inetsoftware/jlessc/1.11/525ff2466d960d86981ab5c9549ed5f27630d240/jlessc-1.11.jar

**MD5:** 079ff98c0653477f054269bc624a5b1a

**SHA1:** 525ff2466d960d86981ab5c9549ed5f27630d240

**SHA256:** a03f0805182f417a220007940616c77abc13b6f2e5c46bb1e1205061a2ec4ef6

**Referenced In Project/Scope:** client:inetPlugin

### Evidence +

| Type   | Source   | Name                  | Value                                | Confidence |
|--------|----------|-----------------------|--------------------------------------|------------|
| Vendor | central  | artifactid            | jlessc                               | Highest    |
| Vendor | central  | groupid               | de.inetsoftware                      | Highest    |
| Vendor | file     | name                  | jlessc                               | High       |
| Vendor | gradle   | artifactid            | jlessc                               | Highest    |
| Vendor | gradle   | groupid               | de.inetsoftware                      | Highest    |
| Vendor | jar      | package name          | inet                                 | Low        |
| Vendor | jar      | package name          | less                                 | Low        |
| Vendor | jar      | package name          | lib                                  | Low        |
| Vendor | Manifest | automatic-module-name | de.inetsoftware.jlessc               | Medium     |
| Vendor | Manifest | bundle-symbolicname   | de.inetsoftware.jlessc               | Medium     |
| Vendor | Manifest | Implementation-Vendor | i-net software GmbH, Berlin, Germany | High       |
| Vendor | Manifest | Implementation-       | de.inetsoftware                      | Medium     |

## Vendor-Id

|         |          |                        |                              |         |
|---------|----------|------------------------|------------------------------|---------|
| Vendor  | pom      | artifactid             | jlessc                       | Low     |
| Vendor  | pom      | developer email        | vberlin@inetsoftware.de      | Low     |
| Vendor  | pom      | developer id           | vberlin                      | Medium  |
| Vendor  | pom      | developer name         | Volker Berlin                | Medium  |
| Vendor  | pom      | developer org          | i-net software               | Medium  |
| Vendor  | pom      | developer org URL      | https://www.inetsoftware.de/ | Medium  |
| Vendor  | pom      | groupid                | de.inetsoftware              | Highest |
| Vendor  | pom      | name                   | JLessC                       | High    |
| Vendor  | pom      | url                    | i-net-software/jlessc        | Highest |
| Product | central  | artifactid             | jlessc                       | Highest |
| Product | file     | name                   | jlessc                       | High    |
| Product | gradle   | artifactid             | jlessc                       | Highest |
| Product | jar      | package name           | less                         | Low     |
| Product | jar      | package name           | lib                          | Low     |
| Product | Manifest | automatic-module-name  | de.inetsoftware.jlessc       | Medium  |
| Product | Manifest | bundle-symbolicname    | de.inetsoftware.jlessc       | Medium  |
| Product | Manifest | Implementation-Title   | JLessC, a Less CSS compiler  | High    |
| Product | pom      | artifactid             | jlessc                       | Highest |
| Product | pom      | developer email        | vberlin@inetsoftware.de      | Low     |
| Product | pom      | developer id           | vberlin                      | Low     |
| Product | pom      | developer name         | Volker Berlin                | Low     |
| Product | pom      | developer org          | i-net software               | Low     |
| Product | pom      | developer org URL      | https://www.inetsoftware.de/ | Low     |
| Product | pom      | groupid                | de.inetsoftware              | Highest |
| Product | pom      | name                   | JLessC                       | High    |
| Product | pom      | url                    | i-net-software/jlessc        | High    |
| Version | central  | version                | 1.11                         | Highest |
| Version | file     | version                | 1.11                         | High    |
| Version | gradle   | version                | 1.11                         | Highest |
| Version | Manifest | Bundle-Version         | 1.11                         | High    |
| Version | Manifest | Implementation-Version | 1.11                         | High    |

Version pom version 1.11 Highest

### Identifiers

- <pkg:maven/de.inetsoftware/jlessc@1.11> (Confidence:High)

## junit-4.13.2.jar

### Description:

JUnit is a unit testing framework for Java, created by Erich Gamma and Kent Beck.

### License:

Eclipse Public License 1.0: <http://www.eclipse.org/legal/epl-v10.html>

**File Path:** /home/jenkins/.gradle/caches/modules-2/files-2.1/junit/junit/4.13.2/8ac9e16d933b6fb43bc7f576336b8f4d7eb5ba12/junit-4.13.2.jar

**MD5:** d98a9a02a99a9acd22d7653cbcc1f31f

**SHA1:** 8ac9e16d933b6fb43bc7f576336b8f4d7eb5ba12

**SHA256:** 8e495b634469d64fb8acfa3495a065cbacc8a0fff55ce1e31007be4c16dc57d3

**Referenced In Project/Scope:** client:inetPlugin

### Evidence +

| Type   | Source   | Name                     | Value   | Confidence |
|--------|----------|--------------------------|---|------------|
| Vendor | central  | artifactid               | junit   | Highest    |
| Vendor | central  | groupid                  | junit   | Highest    |
| Vendor | file     | name                     | junit   | High       |
| Vendor | gradle   | artifactid               | junit   | Highest    |
| Vendor | gradle   | groupid                  | junit   | Highest    |
| Vendor | jar      | package name             | junit   | Highest    |
| Vendor | jar      | package name             | junit   | Low        |
| Vendor | Manifest | automatic-module-name    | junit   | Medium     |
| Vendor | Manifest | implementation-url       | <a href="http://junit.org">http://junit.org</a> | Low        |
| Vendor | Manifest | Implementation-Vendor    | JUnit   | High       |
| Vendor | Manifest | Implementation-Vendor-Id | junit   | Medium     |
| Vendor | pom      | artifactid               | junit   | Low        |
| Vendor | pom      | developer email          | david@saff.net                                  | Low        |

|         |          |                       |                        |         |
|---------|----------|-----------------------|------------------------|---------|
| Vendor  | pom      | developer email       | kcooney@google.com     | Low     |
| Vendor  | pom      | developer email       | mail@marcphilipp.de    | Low     |
| Vendor  | pom      | developer email       | mail@stefan-birkner.de | Low     |
| Vendor  | pom      | developer id          | dsaff                  | Medium  |
| Vendor  | pom      | developer id          | kcooney                | Medium  |
| Vendor  | pom      | developer id          | marcphilipp            | Medium  |
| Vendor  | pom      | developer id          | stefanbirkner          | Medium  |
| Vendor  | pom      | developer name        | David Saff             | Medium  |
| Vendor  | pom      | developer name        | Kevin Cooney           | Medium  |
| Vendor  | pom      | developer name        | Marc Philipp           | Medium  |
| Vendor  | pom      | developer name        | Stefan Birkner         | Medium  |
| Vendor  | pom      | groupid               | junit                  | Highest |
| Vendor  | pom      | name                  | JUnit                  | High    |
| Vendor  | pom      | organization name     | JUnit                  | High    |
| Vendor  | pom      | organization url      | http://www.junit.org   | Medium  |
| Vendor  | pom      | url                   | http://junit.org       | Highest |
| Product | central  | artifactid            | junit                  | Highest |
| Product | file     | name                  | junit                  | High    |
| Product | gradle   | artifactid            | junit                  | Highest |
| Product | jar      | package name          | junit                  | Highest |
| Product | Manifest | automatic-module-name | junit                  | Medium  |
| Product | Manifest | Implementation-Title  | JUnit                  | High    |
| Product | Manifest | implementation-url    | http://junit.org       | Low     |
| Product | pom      | artifactid            | junit                  | Highest |
| Product | pom      | developer email       | david@saff.net         | Low     |
| Product | pom      | developer email       | kcooney@google.com     | Low     |
| Product | pom      | developer email       | mail@marcphilipp.de    | Low     |
| Product | pom      | developer email       | mail@stefan-birkner.de | Low     |
| Product | pom      | developer id          | dsaff                  | Low     |
| Product | pom      | developer id          | kcooney                | Low     |
| Product | pom      | developer id          | marcphilipp            | Low     |
| Product | pom      | developer id          | stefanbirkner          | Low     |
| Product | pom      | developer name        | David Saff             | Low     |
|         |          |                       |                        |         |

|         |          |                        |                      |         |
|---------|----------|------------------------|----------------------|---------|
| Product | pom      | developer name         | Kevin Cooney         | Low     |
| Product | pom      | developer name         | Marc Philipp         | Low     |
| Product | pom      | developer name         | Stefan Birkner       | Low     |
| Product | pom      | groupid                | junit                | Highest |
| Product | pom      | name                   | JUnit                | High    |
| Product | pom      | organization name      | JUnit                | Low     |
| Product | pom      | organization url       | http://www.junit.org | Low     |
| Product | pom      | url                    | http://junit.org     | Medium  |
| Version | central  | version                | 4.13.2               | Highest |
| Version | file     | version                | 4.13.2               | High    |
| Version | gradle   | version                | 4.13.2               | Highest |
| Version | Manifest | Implementation-Version | 4.13.2               | High    |
| Version | pom      | version                | 4.13.2               | Highest |

### Identifiers

- [pkg:maven/junit/junit@4.13.2](#) (*Confidence:High*)
- [cpe:2.3:a:junit:junit4:4.13.2:\\*:\\*:\\*:\\*:\\*](#) (*Confidence:Low*)

## junit-jupiter-5.10.0.jar

### Description:

Module "junit-jupiter" of JUnit 5.

### License:

Eclipse Public License v2.0: <https://www.eclipse.org/legal/epl-v20.html>

**File Path:** /home/jenkins/.gradle/caches/modules-2/files-2.1/org.junit.jupiter/junit-jupiter/5.10.0/8fea1d9c58b2156f1b998f2f18da04bc9e087f74/junit-jupiter-5.10.0.jar

**MD5:** ba19f309e63d0c128c381a8d68432c34

**SHA1:** 8fea1d9c58b2156f1b998f2f18da04bc9e087f74

**SHA256:** 8e4bde23ee28fc443975654a7b28c410a3b78d6be96b78c99ab73695ec344f7c

**Referenced In Project/Scope:** client:inetPlugin

### Evidence +

| Type   | Source  | Name       | Value         | Confidence |
|--------|---------|------------|---------------|------------|
| Vendor | central | artifactid | junit-jupiter | Highest    |

|        |          |                       |  |         |
|--------|----------|-----------------------|--|---------|
| Vendor | central  | groupid               | org.junit.jupiter                        | Highest |
| Vendor | file     | name                  | junit-jupiter                            | High    |
| Vendor | gradle   | artifactid            | junit-jupiter                            | Highest |
| Vendor | gradle   | groupid               | org.junit.jupiter                        | Highest |
| Vendor | jar      | package name          | module-info                              | Low     |
| Vendor | Manifest | build-date            | 2023-07-23                               | Low     |
| Vendor | Manifest | build-revision        | 7f619ca7ac9ecd1b20cc01c44a4df98f5fb67804 | Low     |
| Vendor | Manifest | build-time            | 14:51:13.722+0200                        | Low     |
| Vendor | Manifest | bundle-symbolicname   | junit-jupiter                            | Medium  |
| Vendor | Manifest | Implementation-Vendor | junit.org                                | High    |
| Vendor | Manifest | specification-vendor  | junit.org                                | Low     |
| Vendor | pom      | artifactid            | junit-jupiter                            | Low     |
| Vendor | pom      | developer email       | business@johanneslink.net                | Low     |
| Vendor | pom      | developer email       | derancourt.juliette@gmail.com            | Low     |
| Vendor | pom      | developer email       | mail@marcphilipp.de                      | Low     |
| Vendor | pom      | developer email       | matthias.merdes@heidelpay.com            | Low     |
| Vendor | pom      | developer email       | sam@sambrannen.com                       | Low     |
| Vendor | pom      | developer email       | sormuras@gmail.com                       | Low     |
| Vendor | pom      | developer email       | stefan.bechtold@me.com                   | Low     |
| Vendor | pom      | developer id          | bechte                                   | Medium  |
| Vendor | pom      | developer id          | jlink                                    | Medium  |
| Vendor | pom      | developer id          | juliette-derancourt                      | Medium  |
| Vendor | pom      | developer id          | marcphilipp                              | Medium  |
| Vendor | pom      | developer id          | mmerdes                                  | Medium  |
| Vendor | pom      | developer id          | sbrannen                                 | Medium  |
| Vendor | pom      | developer id          | sormuras                                 | Medium  |
| Vendor | pom      | developer name        | Christian Stein                          | Medium  |
| Vendor | pom      | developer name        | Johannes Link                            | Medium  |
| Vendor | pom      | developer name        | Juliette de Rancourt                     | Medium  |
| Vendor | pom      | developer name        | Marc Philipp                             | Medium  |
| Vendor | pom      | developer name        | Matthias Merdes                          | Medium  |
| Vendor | pom      | developer name        | Sam Brannen                              | Medium  |
| Vendor | pom      | developer name        | Stefan Bechtold                          | Medium  |
| Vendor | pom      | groupid               | org.junit.jupiter                        | Highest |

|         |          |                      |   |         |
|---------|----------|----------------------|---|---------|
| Vendor  | pom      | name                 | JUnit Jupiter (Aggregator)  | High    |
| Vendor  | pom      | url                  | <a href="https://junit.org/junit5/">https://junit.org/junit5/</a> | Highest |
| Product | central  | artifactid           | junit-jupiter   | Highest |
| Product | file     | name                 | junit-jupiter   | High    |
| Product | gradle   | artifactid           | junit-jupiter   | Highest |
| Product | Manifest | build-date           | 2023-07-23  | Low     |
| Product | Manifest | build-revision       | 7f619ca7ac9ecd1b20cc01c44a4df98f5fb67804                          | Low     |
| Product | Manifest | build-time           | 14:51:13.722+0200   | Low     |
| Product | Manifest | Bundle-Name          | JUnit Jupiter (Aggregator)  | Medium  |
| Product | Manifest | bundle-symbolicname  | junit-jupiter   | Medium  |
| Product | Manifest | Implementation-Title | junit-jupiter   | High    |
| Product | Manifest | specification-title  | junit-jupiter   | Medium  |
| Product | pom      | artifactid           | junit-jupiter   | Highest |
| Product | pom      | developer email      | business@johanneslink.net   | Low     |
| Product | pom      | developer email      | derancourt.juliette@gmail.com                                     | Low     |
| Product | pom      | developer email      | mail@marcphilipp.de   | Low     |
| Product | pom      | developer email      | matthias.merdes@heidelpay.com                                     | Low     |
| Product | pom      | developer email      | sam@sambrannen.com  | Low     |
| Product | pom      | developer email      | sormuras@gmail.com  | Low     |
| Product | pom      | developer email      | stefan.bechtold@me.com  | Low     |
| Product | pom      | developer id         | bechte  | Low     |
| Product | pom      | developer id         | jlink   | Low     |
| Product | pom      | developer id         | juliette-derancourt   | Low     |
| Product | pom      | developer id         | marcphilipp   | Low     |
| Product | pom      | developer id         | mmerdes   | Low     |
| Product | pom      | developer id         | sbrannen  | Low     |
| Product | pom      | developer id         | sormuras  | Low     |
| Product | pom      | developer name       | Christian Stein   | Low     |
| Product | pom      | developer name       | Johannes Link   | Low     |
| Product | pom      | developer name       | Juliette de Rancourt  | Low     |
| Product | pom      | developer name       | Marc Philipp  | Low     |
| Product | pom      | developer name       | Matthias Merdes   | Low     |
| Product | pom      | developer name       | Sam Brannen   | Low     |
| Product | pom      | developer name       | Stefan Bechtold   | Low     |

|         |          |                        |                            |         |
|---------|----------|------------------------|----------------------------|---------|
| Product | pom      | groupid                | org.junit.jupiter          | Highest |
| Product | pom      | name                   | JUnit Jupiter (Aggregator) | High    |
| Product | pom      | url                    | https://junit.org/junit5/  | Medium  |
| Version | central  | version                | 5.10.0                     | Highest |
| Version | file     | version                | 5.10.0                     | High    |
| Version | gradle   | version                | 5.10.0                     | Highest |
| Version | Manifest | Bundle-Version         | 5.10.0                     | High    |
| Version | Manifest | Implementation-Version | 5.10.0                     | High    |
| Version | pom      | version                | 5.10.0                     | Highest |

### Identifiers

- <pkg:maven/org.junit.jupiter/junit-jupiter@5.10.0> (Confidence:High)

## junit-jupiter-api-5.10.0.jar

### Description:

Module "junit-jupiter-api" of JUnit 5.

### License:

Eclipse Public License v2.0: <https://www.eclipse.org/legal/epl-v20.html>

**File Path:** /home/jenkins/.gradle/caches/modules-2/files-2.1/org.junit.jupiter/junit-jupiter-api/5.10.0/2fe4ba3d31d5067878e468c96aa039005a9134d3/junit-jupiter-api-5.10.0.jar

**MD5:** d976b1d3b22eded7c2e496ea881ed77f

**SHA1:** 2fe4ba3d31d5067878e468c96aa039005a9134d3

**SHA256:** 108088fd7ea46a8e65a0ce7f5d75ae3ff7865606770a078715f5a6e5709e17d8

**Referenced In Project/Scope:** client:inetPlugin

### Evidence +

| Type   | Source  | Name         | Value             | Confidence |
|--------|---------|--------------|-------------------|------------|
| Vendor | central | artifactid   | junit-jupiter-api | Highest    |
| Vendor | central | groupid      | org.junit.jupiter | Highest    |
| Vendor | file    | name         | junit-jupiter-api | High       |
| Vendor | gradle  | artifactid   | junit-jupiter-api | Highest    |
| Vendor | gradle  | groupid      | org.junit.jupiter | Highest    |
| Vendor | jar     | package name | api               | Highest    |
| Vendor | jar     | package name | api               | Low        |

|        |          |                       |   |         |
|--------|----------|-----------------------|---|---------|
| Vendor | jar      | package name          | junit   | Highest |
| Vendor | jar      | package name          | junit   | Low     |
| Vendor | jar      | package name          | jupiter   | Highest |
| Vendor | jar      | package name          | jupiter   | Low     |
| Vendor | Manifest | build-date            | 2023-07-23  | Low     |
| Vendor | Manifest | build-revision        | 7f619ca7ac9ecd1b20cc01c44a4df98f5fb67804  | Low     |
| Vendor | Manifest | build-time            | 14:51:13.722+0200   | Low     |
| Vendor | Manifest | bundle-symbolicname   | junit-jupiter-api   | Medium  |
| Vendor | Manifest | Implementation-Vendor | junit.org   | High    |
| Vendor | Manifest | require-capability    | org.junit.platform.engine;filter:="(&(org.junit.platform.engine=junit-jupiter)(version>=5.10.0)(!(version>=6)))";effective:=active,osgi.ee;filter:="(&(osgi.ee=JavaSE)(version=1.8))" | Low     |
| Vendor | Manifest | specification-vendor  | junit.org   | Low     |
| Vendor | pom      | artifactid            | junit-jupiter-api   | Low     |
| Vendor | pom      | developer email       | business@johanneslink.net   | Low     |
| Vendor | pom      | developer email       | derancourt.juliette@gmail.com   | Low     |
| Vendor | pom      | developer email       | mail@marcphilipp.de   | Low     |
| Vendor | pom      | developer email       | matthias.merdes@heidelpay.com   | Low     |
| Vendor | pom      | developer email       | sam@sambrannen.com  | Low     |
| Vendor | pom      | developer email       | sormuras@gmail.com  | Low     |
| Vendor | pom      | developer email       | stefan.bechtold@me.com  | Low     |
| Vendor | pom      | developer id          | bechte  | Medium  |
| Vendor | pom      | developer id          | jlink   | Medium  |
| Vendor | pom      | developer id          | juliette-derancourt   | Medium  |
| Vendor | pom      | developer id          | marcphilipp   | Medium  |
| Vendor | pom      | developer id          | mmerdes   | Medium  |
| Vendor | pom      | developer id          | sbrannen  | Medium  |
| Vendor | pom      | developer id          | sormuras  | Medium  |
| Vendor | pom      | developer name        | Christian Stein   | Medium  |
| Vendor | pom      | developer name        | Johannes Link   | Medium  |
| Vendor | pom      | developer name        | Juliette de Rancourt  | Medium  |
| Vendor | pom      | developer name        | Marc Philipp  | Medium  |
| Vendor | pom      | developer name        | Matthias Merdes   | Medium  |
| Vendor | pom      | developer name        | Sam Brannen   | Medium  |

|         |          |                      |   |         |
|---------|----------|----------------------|---|---------|
| Vendor  | pom      | developer name       | Stefan Bechtold   | Medium  |
| Vendor  | pom      | groupid              | org.junit.jupiter   | Highest |
| Vendor  | pom      | name                 | JUnit Jupiter API   | High    |
| Vendor  | pom      | url                  | https://junit.org/junit5/   | Highest |
| Product | central  | artifactid           | junit-jupiter-api   | Highest |
| Product | file     | name                 | junit-jupiter-api   | High    |
| Product | gradle   | artifactid           | junit-jupiter-api   | Highest |
| Product | jar      | package name         | api   | Highest |
| Product | jar      | package name         | api   | Low     |
| Product | jar      | package name         | junit   | Highest |
| Product | jar      | package name         | jupiter   | Highest |
| Product | jar      | package name         | jupiter   | Low     |
| Product | Manifest | build-date           | 2023-07-23  | Low     |
| Product | Manifest | build-revision       | 7f619ca7ac9ecd1b20cc01c44a4df98f5fb67804  | Low     |
| Product | Manifest | build-time           | 14:51:13.722+0200   | Low     |
| Product | Manifest | Bundle-Name          | JUnit Jupiter API   | Medium  |
| Product | Manifest | bundle-symbolicname  | junit-jupiter-api   | Medium  |
| Product | Manifest | Implementation-Title | junit-jupiter-api   | High    |
| Product | Manifest | require-capability   | org.junit.platform.engine;filter:="(&(org.junit.platform.engine=junit-jupiter)(version>=5.10.0)(!(version>=6)))";effective:=active,osgi.ee;filter:="(&(osgi.ee=JavaSE)(version=1.8))" | Low     |
| Product | Manifest | specification-title  | junit-jupiter-api   | Medium  |
| Product | pom      | artifactid           | junit-jupiter-api   | Highest |
| Product | pom      | developer email      | business@johanneslink.net   | Low     |
| Product | pom      | developer email      | derancourt.juliette@gmail.com   | Low     |
| Product | pom      | developer email      | mail@marcphilipp.de   | Low     |
| Product | pom      | developer email      | matthias.merdes@heidelpay.com   | Low     |
| Product | pom      | developer email      | sam@sambrannen.com  | Low     |
| Product | pom      | developer email      | sormuras@gmail.com  | Low     |
| Product | pom      | developer email      | stefan.bechtold@me.com  | Low     |
| Product | pom      | developer id         | bechte  | Low     |
| Product | pom      | developer id         | jlink   | Low     |
| Product | pom      | developer id         | juliette-derancourt   | Low     |
| Product | pom      | developer id         | marcphilipp   | Low     |
| Product | pom      | developer id         | mmerdes   | Low     |

|         |          |                        |                           |         |
|---------|----------|------------------------|---------------------------|---------|
| Product | pom      | developer id           | sbrannen                  | Low     |
| Product | pom      | developer id           | sormuras                  | Low     |
| Product | pom      | developer name         | Christian Stein           | Low     |
| Product | pom      | developer name         | Johannes Link             | Low     |
| Product | pom      | developer name         | Juliette de Rancourt      | Low     |
| Product | pom      | developer name         | Marc Philipp              | Low     |
| Product | pom      | developer name         | Matthias Merdes           | Low     |
| Product | pom      | developer name         | Sam Brannen               | Low     |
| Product | pom      | developer name         | Stefan Bechtold           | Low     |
| Product | pom      | groupid                | org.junit.jupiter         | Highest |
| Product | pom      | name                   | JUnit Jupiter API         | High    |
| Product | pom      | url                    | https://junit.org/junit5/ | Medium  |
| Version | central  | version                | 5.10.0                    | Highest |
| Version | file     | version                | 5.10.0                    | High    |
| Version | gradle   | version                | 5.10.0                    | Highest |
| Version | Manifest | Bundle-Version         | 5.10.0                    | High    |
| Version | Manifest | Implementation-Version | 5.10.0                    | High    |
| Version | pom      | version                | 5.10.0                    | Highest |

### Identifiers

- [pkg:maven/org.junit.jupiter/junit-jupiter-api@5.10.0](https://maven.org/junit.jupiter/junit-jupiter-api@5.10.0) (*Confidence:High*)

## junit-jupiter-engine-5.10.0.jar

### Description:

Module "junit-jupiter-engine" of JUnit 5.

### License:

Eclipse Public License v2.0: <https://www.eclipse.org/legal/epl-v20.html>

**File Path:** /home/jenkins/.gradle/caches/modules-2/files-2.1/org.junit.jupiter/junit-jupiter-engine/5.10.0/90587932d718fc51a48112d33045a18476c542ad/junit-jupiter-engine-5.10.0.jar

**MD5:** 9b559627f23413bf20f450211f6edcba

**SHA1:** 90587932d718fc51a48112d33045a18476c542ad

**SHA256:** 57ea48e6f795200791065bbc86b70b84cd05367c5c9f2ac8f9268e27154c88a8

**Referenced In Project/Scope:** client:inetPlugin

## Evidence



| Type   | Source   | Name                  | Value   | Confidence |
|--------|----------|-----------------------|---|------------|
| Vendor | central  | artifactid            | junit-jupiter-engine  | Highest    |
| Vendor | central  | groupid               | org.junit.jupiter   | Highest    |
| Vendor | file     | name                  | junit-jupiter-engine  | High       |
| Vendor | gradle   | artifactid            | junit-jupiter-engine  | Highest    |
| Vendor | gradle   | groupid               | org.junit.jupiter   | Highest    |
| Vendor | jar      | package name          | engine  | Highest    |
| Vendor | jar      | package name          | engine  | Low        |
| Vendor | jar      | package name          | junit   | Highest    |
| Vendor | jar      | package name          | junit   | Low        |
| Vendor | jar      | package name          | jupiter   | Highest    |
| Vendor | jar      | package name          | jupiter   | Low        |
| Vendor | Manifest | build-date            | 2023-07-23  | Low        |
| Vendor | Manifest | build-revision        | 7f619ca7ac9ecd1b20cc01c44a4df98f5fb67804  | Low        |
| Vendor | Manifest | build-time            | 14:51:13.722+0200   | Low        |
| Vendor | Manifest | bundle-symbolicname   | junit-jupiter-engine  | Medium     |
| Vendor | Manifest | Implementation-Vendor | junit.org   | High       |
| Vendor | Manifest | provide-capability    | org.junit.platform.engine=junit-jupiter;version:Version="5.10.0"  | Low        |
| Vendor | Manifest | require-capability    | org.junit.platform.launcher;filter:="(&(org.junit.platform.launcher=junit-platform-launcher)(version>=1.10.0)(!(version>=2)))";effective:=active,osgi.ee;filter:="(&(osgi.ee=JavaSE)(version=1.8))" | Low        |
| Vendor | Manifest | specification-vendor  | junit.org   | Low        |
| Vendor | pom      | artifactid            | junit-jupiter-engine  | Low        |
| Vendor | pom      | developer email       | business@johanneslink.net   | Low        |
| Vendor | pom      | developer email       | derancourt.juliette@gmail.com   | Low        |
| Vendor | pom      | developer email       | mail@marcphilipp.de   | Low        |
| Vendor | pom      | developer email       | matthias.merdes@heidelpay.com   | Low        |
| Vendor | pom      | developer email       | sam@sambrannen.com  | Low        |
| Vendor | pom      | developer email       | sormuras@gmail.com  | Low        |
| Vendor | pom      | developer email       | stefan.bechtold@me.com  | Low        |
| Vendor | pom      | developer id          | bechte  | Medium     |
| Vendor | pom      | developer id          | jlink   | Medium     |

|         |          |                      |   |         |
|---------|----------|----------------------|---|---------|
| Vendor  | pom      | developer id         | juliette-derancourt   | Medium  |
| Vendor  | pom      | developer id         | marcphilipp   | Medium  |
| Vendor  | pom      | developer id         | mmerdes   | Medium  |
| Vendor  | pom      | developer id         | sbrannen  | Medium  |
| Vendor  | pom      | developer id         | sormuras  | Medium  |
| Vendor  | pom      | developer name       | Christian Stein   | Medium  |
| Vendor  | pom      | developer name       | Johannes Link   | Medium  |
| Vendor  | pom      | developer name       | Juliette de Rancourt  | Medium  |
| Vendor  | pom      | developer name       | Marc Philipp  | Medium  |
| Vendor  | pom      | developer name       | Matthias Merdes   | Medium  |
| Vendor  | pom      | developer name       | Sam Brannen   | Medium  |
| Vendor  | pom      | developer name       | Stefan Bechtold   | Medium  |
| Vendor  | pom      | groupid              | org.junit.jupiter   | Highest |
| Vendor  | pom      | name                 | JUnit Jupiter Engine  | High    |
| Vendor  | pom      | url                  | <a href="https://junit.org/junit5/">https://junit.org/junit5/</a>   | Highest |
| Product | central  | artifactid           | junit-jupiter-engine  | Highest |
| Product | file     | name                 | junit-jupiter-engine  | High    |
| Product | gradle   | artifactid           | junit-jupiter-engine  | Highest |
| Product | jar      | package name         | engine  | Highest |
| Product | jar      | package name         | engine  | Low     |
| Product | jar      | package name         | junit   | Highest |
| Product | jar      | package name         | jupiter   | Highest |
| Product | jar      | package name         | jupiter   | Low     |
| Product | Manifest | build-date           | 2023-07-23  | Low     |
| Product | Manifest | build-revision       | 7f619ca7ac9ecd1b20cc01c44a4df98f5fb67804  | Low     |
| Product | Manifest | build-time           | 14:51:13.722+0200   | Low     |
| Product | Manifest | Bundle-Name          | JUnit Jupiter Engine  | Medium  |
| Product | Manifest | bundle-symbolicname  | junit-jupiter-engine  | Medium  |
| Product | Manifest | Implementation-Title | junit-jupiter-engine  | High    |
| Product | Manifest | provide-capability   | org.junit.platform.engine;org.junit.platform.engine=junit-jupiter;version:Version="5.10.0"  | Low     |
| Product | Manifest | require-capability   | org.junit.platform.launcher;filter:="(&(org.junit.platform.launcher=junit-platform-launcher)(version>=1.10.0)(!(version>=2)))";effective:=active,osgi.ee;filter:="(&(osgi.ee=JavaSE)(version=1.8))" | Low     |
|         |          |                      |   |         |

|         |          |                        |                               |         |
|---------|----------|------------------------|-------------------------------|---------|
| Product | Manifest | specification-title    | junit-jupiter-engine          | Medium  |
| Product | pom      | artifactid             | junit-jupiter-engine          | Highest |
| Product | pom      | developer email        | business@johanneslink.net     | Low     |
| Product | pom      | developer email        | derancourt.juliette@gmail.com | Low     |
| Product | pom      | developer email        | mail@marcphilipp.de           | Low     |
| Product | pom      | developer email        | matthias.merdes@heidelpay.com | Low     |
| Product | pom      | developer email        | sam@sambrannen.com            | Low     |
| Product | pom      | developer email        | sormuras@gmail.com            | Low     |
| Product | pom      | developer email        | stefan.bechtold@me.com        | Low     |
| Product | pom      | developer id           | bechte                        | Low     |
| Product | pom      | developer id           | jlink                         | Low     |
| Product | pom      | developer id           | juliette-derancourt           | Low     |
| Product | pom      | developer id           | marcphilipp                   | Low     |
| Product | pom      | developer id           | mmerdes                       | Low     |
| Product | pom      | developer id           | sbrannen                      | Low     |
| Product | pom      | developer id           | sormuras                      | Low     |
| Product | pom      | developer name         | Christian Stein               | Low     |
| Product | pom      | developer name         | Johannes Link                 | Low     |
| Product | pom      | developer name         | Juliette de Rancourt          | Low     |
| Product | pom      | developer name         | Marc Philipp                  | Low     |
| Product | pom      | developer name         | Matthias Merdes               | Low     |
| Product | pom      | developer name         | Sam Brannen                   | Low     |
| Product | pom      | developer name         | Stefan Bechtold               | Low     |
| Product | pom      | groupid                | org.junit.jupiter             | Highest |
| Product | pom      | name                   | JUnit Jupiter Engine          | High    |
| Product | pom      | url                    | https://junit.org/junit5/     | Medium  |
| Version | central  | version                | 5.10.0                        | Highest |
| Version | file     | version                | 5.10.0                        | High    |
| Version | gradle   | version                | 5.10.0                        | Highest |
| Version | Manifest | Bundle-Version         | 5.10.0                        | High    |
| Version | Manifest | Implementation-Version | 5.10.0                        | High    |
| Version | pom      | version                | 5.10.0                        | Highest |

## Identifiers

- [pkg:maven/org.junit.jupiter/junit-jupiter-engine@5.10.0](https://maven.org/junit.jupiter/junit-jupiter-engine@5.10.0) (Confidence:High)

## junit-jupiter-params-5.10.0.jar

### Description:

Module "junit-jupiter-params" of JUnit 5.

### License:

Eclipse Public License v2.0: <https://www.eclipse.org/legal/epl-v20.html>

**File Path:** /home/jenkins/.gradle/caches/modules-2/files-2.1/org.junit.jupiter/junit-jupiter-params/5.10.0/9041c7365495a897a64782ea5a6fdb99dab1814e/junit-jupiter-params-5.10.0.jar

**MD5:** f005062186389c756ce58cb380190cc4

**SHA1:** 9041c7365495a897a64782ea5a6fdb99dab1814e

**SHA256:** f259a7322cce375430c2236a2dcb24d4a49d22045b723ad85af88e11704391c2

**Referenced In Project/Scope:** client:inetPlugin

### Evidence



| Type   | Source   | Name                  | Value  | Confidence |
|--------|----------|-----------------------|--|------------|
| Vendor | central  | artifactid            | junit-jupiter-params                               | Highest    |
| Vendor | central  | groupid               | org.junit.jupiter                                  | Highest    |
| Vendor | file     | name                  | junit-jupiter-params                               | High       |
| Vendor | gradle   | artifactid            | junit-jupiter-params                               | Highest    |
| Vendor | gradle   | groupid               | org.junit.jupiter                                  | Highest    |
| Vendor | jar      | package name          | junit  | Highest    |
| Vendor | jar      | package name          | junit  | Low        |
| Vendor | jar      | package name          | jupiter  | Highest    |
| Vendor | jar      | package name          | jupiter  | Low        |
| Vendor | jar      | package name          | params   | Highest    |
| Vendor | jar      | package name          | params   | Low        |
| Vendor | Manifest | build-date            | 2023-07-23   | Low        |
| Vendor | Manifest | build-revision        | 7f619ca7ac9ecd1b20cc01c44a4df98f5fb67804           | Low        |
| Vendor | Manifest | build-time            | 14:51:13.722+0200                                  | Low        |
| Vendor | Manifest | bundle-symbolicname   | junit-jupiter-params                               | Medium     |
| Vendor | Manifest | Implementation-Vendor | junit.org  | High       |
| Vendor | Manifest | require-capability    | osgi.ee;filter:="(&(osgi.ee=JavaSE)(version=1.8))" | Low        |
| Vendor | Manifest | specification-        | junit.org  | Low        |

vendor

|         |         |                 |                               |         |
|---------|---------|-----------------|-------------------------------|---------|
| Vendor  | pom     | artifactid      | junit-jupiter-params          | Low     |
| Vendor  | pom     | developer email | business@johanneslink.net     | Low     |
| Vendor  | pom     | developer email | derancourt.juliette@gmail.com | Low     |
| Vendor  | pom     | developer email | mail@marcphilipp.de           | Low     |
| Vendor  | pom     | developer email | matthias.merdes@heidelpay.com | Low     |
| Vendor  | pom     | developer email | sam@sambrannen.com            | Low     |
| Vendor  | pom     | developer email | sormuras@gmail.com            | Low     |
| Vendor  | pom     | developer email | stefan.bechtold@me.com        | Low     |
| Vendor  | pom     | developer id    | bechte                        | Medium  |
| Vendor  | pom     | developer id    | jlink                         | Medium  |
| Vendor  | pom     | developer id    | juliette-derancourt           | Medium  |
| Vendor  | pom     | developer id    | marcphilipp                   | Medium  |
| Vendor  | pom     | developer id    | mmerdes                       | Medium  |
| Vendor  | pom     | developer id    | sbrannen                      | Medium  |
| Vendor  | pom     | developer id    | sormuras                      | Medium  |
| Vendor  | pom     | developer name  | Christian Stein               | Medium  |
| Vendor  | pom     | developer name  | Johannes Link                 | Medium  |
| Vendor  | pom     | developer name  | Juliette de Rancourt          | Medium  |
| Vendor  | pom     | developer name  | Marc Philipp                  | Medium  |
| Vendor  | pom     | developer name  | Matthias Merdes               | Medium  |
| Vendor  | pom     | developer name  | Sam Brannen                   | Medium  |
| Vendor  | pom     | developer name  | Stefan Bechtold               | Medium  |
| Vendor  | pom     | groupid         | org.junit.jupiter             | Highest |
| Vendor  | pom     | name            | JUnit Jupiter Params          | High    |
| Vendor  | pom     | url             | https://junit.org/junit5/     | Highest |
| Product | central | artifactid      | junit-jupiter-params          | Highest |
| Product | file    | name            | junit-jupiter-params          | High    |
| Product | gradle  | artifactid      | junit-jupiter-params          | Highest |
| Product | jar     | package name    | junit                         | Highest |
| Product | jar     | package name    | jupiter                       | Highest |
| Product | jar     | package name    | jupiter                       | Low     |
| Product | jar     | package name    | params                        | Highest |
| Product | jar     | package name    | params                        | Low     |
| Product | jar     | package name    | shadow                        | Low     |
|         |         |                 |                               |         |

|         |          |                      |  |         |
|---------|----------|----------------------|--|---------|
| Product | Manifest | build-date           | 2023-07-23   | Low     |
| Product | Manifest | build-revision       | 7f619ca7ac9ecd1b20cc01c44a4df98f5fb67804           | Low     |
| Product | Manifest | build-time           | 14:51:13.722+0200                                  | Low     |
| Product | Manifest | Bundle-Name          | JUnit Jupiter Params                               | Medium  |
| Product | Manifest | bundle-symbolicname  | junit-jupiter-params                               | Medium  |
| Product | Manifest | Implementation-Title | junit-jupiter-params                               | High    |
| Product | Manifest | require-capability   | osgi.ee;filter:="(&(osgi.ee=JavaSE)(version=1.8))" | Low     |
| Product | Manifest | specification-title  | junit-jupiter-params                               | Medium  |
| Product | pom      | artifactid           | junit-jupiter-params                               | Highest |
| Product | pom      | developer email      | business@johanneslink.net                          | Low     |
| Product | pom      | developer email      | derancourt.juliette@gmail.com                      | Low     |
| Product | pom      | developer email      | mail@marcphilipp.de                                | Low     |
| Product | pom      | developer email      | matthias.merdes@heidelpay.com                      | Low     |
| Product | pom      | developer email      | sam@sambrannen.com                                 | Low     |
| Product | pom      | developer email      | sormuras@gmail.com                                 | Low     |
| Product | pom      | developer email      | stefan.bechtold@me.com                             | Low     |
| Product | pom      | developer id         | bechte   | Low     |
| Product | pom      | developer id         | jlink  | Low     |
| Product | pom      | developer id         | juliette-derancourt                                | Low     |
| Product | pom      | developer id         | marcphilipp  | Low     |
| Product | pom      | developer id         | mmerdes  | Low     |
| Product | pom      | developer id         | sbrannen   | Low     |
| Product | pom      | developer id         | sormuras   | Low     |
| Product | pom      | developer name       | Christian Stein                                    | Low     |
| Product | pom      | developer name       | Johannes Link                                      | Low     |
| Product | pom      | developer name       | Juliette de Rancourt                               | Low     |
| Product | pom      | developer name       | Marc Philipp                                       | Low     |
| Product | pom      | developer name       | Matthias Merdes                                    | Low     |
| Product | pom      | developer name       | Sam Brannen  | Low     |
| Product | pom      | developer name       | Stefan Bechtold                                    | Low     |
| Product | pom      | groupid              | org.junit.jupiter                                  | Highest |
| Product | pom      | name                 | JUnit Jupiter Params                               | High    |
| Product | pom      | url                  | https://junit.org/junit5/                          | Medium  |
| Version | central  | version              | 5.10.0   | Highest |

|         |          |                        |        |         |
|---------|----------|------------------------|--------|---------|
| Version | file     | version                | 5.10.0 | High    |
| Version | gradle   | version                | 5.10.0 | Highest |
| Version | Manifest | Bundle-Version         | 5.10.0 | High    |
| Version | Manifest | Implementation-Version | 5.10.0 | High    |
| Version | pom      | version                | 5.10.0 | Highest |

### Identifiers

- [pkg:maven/org.junit.jupiter/junit-jupiter-params@5.10.0](https://pkg:maven/org.junit.jupiter/junit-jupiter-params@5.10.0) (*Confidence:High*)

## junit-platform-commons-1.10.0.jar

### Description:

Module "junit-platform-commons" of JUnit 5.

### License:

Eclipse Public License v2.0: <https://www.eclipse.org/legal/epl-v20.html>

**File Path:** /home/jenkins/.gradle/caches/modules-2/files-2.1/org.junit.platform/junit-platform-commons/1.10.0/d533ff2c286eaf963566f92baf5f8a06628d2609/junit-platform-commons-1.10.0.jar

**MD5:** 0cef49daddba2084397f34eca55502f9

**SHA1:** d533ff2c286eaf963566f92baf5f8a06628d2609

**SHA256:** 6083db08ca11fca1e16099d0dcfede0193d80b3762b276349d80d3da536791b2

**Referenced In Project/Scope:** client:inetPlugin

### Evidence +

| Type   | Source  | Name         | Value                  | Confidence |
|--------|---------|--------------|------------------------|------------|
| Vendor | central | artifactid   | junit-platform-commons | Highest    |
| Vendor | central | groupid      | org.junit.platform     | Highest    |
| Vendor | file    | name         | junit-platform-commons | High       |
| Vendor | gradle  | artifactid   | junit-platform-commons | Highest    |
| Vendor | gradle  | groupid      | org.junit.platform     | Highest    |
| Vendor | jar     | package name | commons                | Highest    |
| Vendor | jar     | package name | commons                | Low        |
| Vendor | jar     | package name | junit                  | Highest    |
| Vendor | jar     | package name | junit                  | Low        |
| Vendor | jar     | package name | org                    | Highest    |
| Vendor | jar     | package name | platform               | Highest    |

|        |          |                       |  |         |
|--------|----------|-----------------------|--|---------|
| Vendor | jar      | package name          | platform   | Low     |
| Vendor | Manifest | build-date            | 2023-07-23   | Low     |
| Vendor | Manifest | build-revision        | 7f619ca7ac9ecd1b20cc01c44a4df98f5fb67804           | Low     |
| Vendor | Manifest | build-time            | 14:51:13.722+0200                                  | Low     |
| Vendor | Manifest | bundle-symbolicname   | junit-platform-commons                             | Medium  |
| Vendor | Manifest | Implementation-Vendor | junit.org  | High    |
| Vendor | Manifest | multi-release         | true   | Low     |
| Vendor | Manifest | require-capability    | osgi.ee;filter:="(&(osgi.ee=JavaSE)(version=1.8))" | Low     |
| Vendor | Manifest | specification-vendor  | junit.org  | Low     |
| Vendor | pom      | artifactid            | junit-platform-commons                             | Low     |
| Vendor | pom      | developer email       | business@johanneslink.net                          | Low     |
| Vendor | pom      | developer email       | derancourt.juliette@gmail.com                      | Low     |
| Vendor | pom      | developer email       | mail@marcphilipp.de                                | Low     |
| Vendor | pom      | developer email       | matthias.merdes@heidelpay.com                      | Low     |
| Vendor | pom      | developer email       | sam@sambrannen.com                                 | Low     |
| Vendor | pom      | developer email       | sormuras@gmail.com                                 | Low     |
| Vendor | pom      | developer email       | stefan.bechtold@me.com                             | Low     |
| Vendor | pom      | developer id          | bechte   | Medium  |
| Vendor | pom      | developer id          | jlink  | Medium  |
| Vendor | pom      | developer id          | juliette-derancourt                                | Medium  |
| Vendor | pom      | developer id          | marcphilipp  | Medium  |
| Vendor | pom      | developer id          | mmerdes  | Medium  |
| Vendor | pom      | developer id          | sbrannen   | Medium  |
| Vendor | pom      | developer id          | sormuras   | Medium  |
| Vendor | pom      | developer name        | Christian Stein                                    | Medium  |
| Vendor | pom      | developer name        | Johannes Link                                      | Medium  |
| Vendor | pom      | developer name        | Juliette de Rancourt                               | Medium  |
| Vendor | pom      | developer name        | Marc Philipp                                       | Medium  |
| Vendor | pom      | developer name        | Matthias Merdes                                    | Medium  |
| Vendor | pom      | developer name        | Sam Brannen  | Medium  |
| Vendor | pom      | developer name        | Stefan Bechtold                                    | Medium  |
| Vendor | pom      | groupid               | org.junit.platform                                 | Highest |
| Vendor | pom      | name                  | JUnit Platform Commons                             | High    |

|         |          |                      |  |         |
|---------|----------|----------------------|--|---------|
| Vendor  | pom      | url                  | https://junit.org/junit5/                          | Highest |
| Product | central  | artifactid           | junit-platform-commons                             | Highest |
| Product | file     | name                 | junit-platform-commons                             | High    |
| Product | gradle   | artifactid           | junit-platform-commons                             | Highest |
| Product | jar      | package name         | commons  | Highest |
| Product | jar      | package name         | commons  | Low     |
| Product | jar      | package name         | junit  | Highest |
| Product | jar      | package name         | platform   | Highest |
| Product | jar      | package name         | platform   | Low     |
| Product | jar      | package name         | util   | Low     |
| Product | Manifest | build-date           | 2023-07-23   | Low     |
| Product | Manifest | build-revision       | 7f619ca7ac9ecd1b20cc01c44a4df98f5fb67804           | Low     |
| Product | Manifest | build-time           | 14:51:13.722+0200                                  | Low     |
| Product | Manifest | Bundle-Name          | JUnit Platform Commons                             | Medium  |
| Product | Manifest | bundle-symbolicname  | junit-platform-commons                             | Medium  |
| Product | Manifest | Implementation-Title | junit-platform-commons                             | High    |
| Product | Manifest | multi-release        | true   | Low     |
| Product | Manifest | require-capability   | osgi.ee;filter:="(&(osgi.ee=JavaSE)(version=1.8))" | Low     |
| Product | Manifest | specification-title  | junit-platform-commons                             | Medium  |
| Product | pom      | artifactid           | junit-platform-commons                             | Highest |
| Product | pom      | developer email      | business@johanneslink.net                          | Low     |
| Product | pom      | developer email      | derancourt.juliette@gmail.com                      | Low     |
| Product | pom      | developer email      | mail@marcphilipp.de                                | Low     |
| Product | pom      | developer email      | matthias.merdes@heidelpay.com                      | Low     |
| Product | pom      | developer email      | sam@sambrannen.com                                 | Low     |
| Product | pom      | developer email      | sormuras@gmail.com                                 | Low     |
| Product | pom      | developer email      | stefan.bechtold@me.com                             | Low     |
| Product | pom      | developer id         | bechte   | Low     |
| Product | pom      | developer id         | jlink  | Low     |
| Product | pom      | developer id         | juliette-derancourt                                | Low     |
| Product | pom      | developer id         | marcphilipp  | Low     |
| Product | pom      | developer id         | mmerdes  | Low     |
| Product | pom      | developer id         | sbrannen   | Low     |
| Product | pom      | developer id         | sormuras   | Low     |

|         |          |                        |                           |         |
|---------|----------|------------------------|---------------------------|---------|
| Product | pom      | developer name         | Christian Stein           | Low     |
| Product | pom      | developer name         | Johannes Link             | Low     |
| Product | pom      | developer name         | Juliette de Rancourt      | Low     |
| Product | pom      | developer name         | Marc Philipp              | Low     |
| Product | pom      | developer name         | Matthias Merdes           | Low     |
| Product | pom      | developer name         | Sam Brannen               | Low     |
| Product | pom      | developer name         | Stefan Bechtold           | Low     |
| Product | pom      | groupid                | org.junit.platform        | Highest |
| Product | pom      | name                   | JUnit Platform Commons    | High    |
| Product | pom      | url                    | https://junit.org/junit5/ | Medium  |
| Version | central  | version                | 1.10.0                    | Highest |
| Version | file     | version                | 1.10.0                    | High    |
| Version | gradle   | version                | 1.10.0                    | Highest |
| Version | Manifest | Bundle-Version         | 1.10.0                    | High    |
| Version | Manifest | Implementation-Version | 1.10.0                    | High    |
| Version | pom      | version                | 1.10.0                    | Highest |

#### Identifiers

- [pkg:maven/org.junit.platform/junit-platform-commons@1.10.0](https://maven.org/junit.platform/junit-platform-commons@1.10.0) (*Confidence:High*)
- [cpe:2.3:a:fan\\_platform\\_project:fan\\_platform:1.10.0:\\*:\\*:\\*:\\*](https://cpe:2.3:a:fan_platform_project:fan_platform:1.10.0:*:*:*:*:*) (*Confidence:Low*)

suppress

## junit-platform-engine-1.10.0.jar

### Description:

Module "junit-platform-engine" of JUnit 5.

### License:

Eclipse Public License v2.0: <https://www.eclipse.org/legal/epl-v20.html>

**File Path:** /home/jenkins/.gradle/caches/modules-2/files-2.1/org.junit.platform/junit-platform-engine/1.10.0/276c4edcf64fabb5a139fa7b4f99330d7a93b804/junit-platform-engine-1.10.0.jar

**MD5:** a383ac183081fe771888842534e77e62

**SHA1:** 276c4edcf64fabb5a139fa7b4f99330d7a93b804

**SHA256:** cd338efd02ee73966ea754e0c0c71e1a11f4af5db9c2003e4b6137e119155abe

**Referenced In Project/Scope:** client:inetPlugin

## Evidence



| Type   | Source   | Name                  | Value  | Confidence |
|--------|----------|-----------------------|--|------------|
| Vendor | central  | artifactid            | junit-platform-engine                              | Highest    |
| Vendor | central  | groupid               | org.junit.platform                                 | Highest    |
| Vendor | file     | name                  | junit-platform-engine                              | High       |
| Vendor | gradle   | artifactid            | junit-platform-engine                              | Highest    |
| Vendor | gradle   | groupid               | org.junit.platform                                 | Highest    |
| Vendor | jar      | package name          | engine   | Highest    |
| Vendor | jar      | package name          | engine   | Low        |
| Vendor | jar      | package name          | junit  | Highest    |
| Vendor | jar      | package name          | junit  | Low        |
| Vendor | jar      | package name          | platform   | Highest    |
| Vendor | jar      | package name          | platform   | Low        |
| Vendor | Manifest | build-date            | 2023-07-23   | Low        |
| Vendor | Manifest | build-revision        | 7f619ca7ac9ecd1b20cc01c44a4df98f5fb67804           | Low        |
| Vendor | Manifest | build-time            | 14:51:13.722+0200                                  | Low        |
| Vendor | Manifest | bundle-symbolicname   | junit-platform-engine                              | Medium     |
| Vendor | Manifest | Implementation-Vendor | junit.org  | High       |
| Vendor | Manifest | require-capability    | osgi.ee;filter:="(&(osgi.ee=JavaSE)(version=1.8))" | Low        |
| Vendor | Manifest | specification-vendor  | junit.org  | Low        |
| Vendor | pom      | artifactid            | junit-platform-engine                              | Low        |
| Vendor | pom      | developer email       | business@johanneslink.net                          | Low        |
| Vendor | pom      | developer email       | derancourt.juliette@gmail.com                      | Low        |
| Vendor | pom      | developer email       | mail@marcphilipp.de                                | Low        |
| Vendor | pom      | developer email       | matthias.merdes@heidelpay.com                      | Low        |
| Vendor | pom      | developer email       | sam@sambrannen.com                                 | Low        |
| Vendor | pom      | developer email       | sormuras@gmail.com                                 | Low        |
| Vendor | pom      | developer email       | stefan.bechtold@me.com                             | Low        |
| Vendor | pom      | developer id          | bechte   | Medium     |
| Vendor | pom      | developer id          | jlink  | Medium     |
| Vendor | pom      | developer id          | juliette-derancourt                                | Medium     |
| Vendor | pom      | developer id          | marcphilipp  | Medium     |
| Vendor | pom      | developer id          | mmerdes  | Medium     |

|         |          |                      |   |         |
|---------|----------|----------------------|---|---------|
| Vendor  | pom      | developer id         | sbrannen  | Medium  |
| Vendor  | pom      | developer id         | sormuras  | Medium  |
| Vendor  | pom      | developer name       | Christian Stein   | Medium  |
| Vendor  | pom      | developer name       | Johannes Link   | Medium  |
| Vendor  | pom      | developer name       | Juliette de Rancourt  | Medium  |
| Vendor  | pom      | developer name       | Marc Philipp  | Medium  |
| Vendor  | pom      | developer name       | Matthias Merdes   | Medium  |
| Vendor  | pom      | developer name       | Sam Brannen   | Medium  |
| Vendor  | pom      | developer name       | Stefan Bechtold   | Medium  |
| Vendor  | pom      | groupid              | org.junit.platform  | Highest |
| Vendor  | pom      | name                 | JUnit Platform Engine API   | High    |
| Vendor  | pom      | url                  | <a href="https://junit.org/junit5/">https://junit.org/junit5/</a> | Highest |
| Product | central  | artifactid           | junit-platform-engine   | Highest |
| Product | file     | name                 | junit-platform-engine   | High    |
| Product | gradle   | artifactid           | junit-platform-engine   | Highest |
| Product | jar      | package name         | engine  | Highest |
| Product | jar      | package name         | engine  | Low     |
| Product | jar      | package name         | filter  | Highest |
| Product | jar      | package name         | junit   | Highest |
| Product | jar      | package name         | platform  | Highest |
| Product | jar      | package name         | platform  | Low     |
| Product | jar      | package name         | support   | Low     |
| Product | Manifest | build-date           | 2023-07-23  | Low     |
| Product | Manifest | build-revision       | 7f619ca7ac9ecd1b20cc01c44a4df98f5fb67804                          | Low     |
| Product | Manifest | build-time           | 14:51:13.722+0200   | Low     |
| Product | Manifest | Bundle-Name          | JUnit Platform Engine API   | Medium  |
| Product | Manifest | bundle-symbolicname  | junit-platform-engine   | Medium  |
| Product | Manifest | Implementation-Title | junit-platform-engine   | High    |
| Product | Manifest | require-capability   | osgi.ee;filter:="(&(osgi.ee=JavaSE)(version=1.8))"                | Low     |
| Product | Manifest | specification-title  | junit-platform-engine   | Medium  |
| Product | pom      | artifactid           | junit-platform-engine   | Highest |
| Product | pom      | developer email      | business@johanneslink.net   | Low     |
| Product | pom      | developer email      | derancourt.juliette@gmail.com                                     | Low     |
|         |          |                      |   |         |

|         |          |                        |                               |         |
|---------|----------|------------------------|-------------------------------|---------|
| Product | pom      | developer email        | mail@marcphilipp.de           | Low     |
| Product | pom      | developer email        | matthias.merdes@heidelpay.com | Low     |
| Product | pom      | developer email        | sam@sambrannen.com            | Low     |
| Product | pom      | developer email        | sormuras@gmail.com            | Low     |
| Product | pom      | developer email        | stefan.bechtold@me.com        | Low     |
| Product | pom      | developer id           | bechte                        | Low     |
| Product | pom      | developer id           | jlink                         | Low     |
| Product | pom      | developer id           | juliette-derancourt           | Low     |
| Product | pom      | developer id           | marcphilipp                   | Low     |
| Product | pom      | developer id           | mmerdes                       | Low     |
| Product | pom      | developer id           | sbrannen                      | Low     |
| Product | pom      | developer id           | sormuras                      | Low     |
| Product | pom      | developer name         | Christian Stein               | Low     |
| Product | pom      | developer name         | Johannes Link                 | Low     |
| Product | pom      | developer name         | Juliette de Rancourt          | Low     |
| Product | pom      | developer name         | Marc Philipp                  | Low     |
| Product | pom      | developer name         | Matthias Merdes               | Low     |
| Product | pom      | developer name         | Sam Brannen                   | Low     |
| Product | pom      | developer name         | Stefan Bechtold               | Low     |
| Product | pom      | groupid                | org.junit.platform            | Highest |
| Product | pom      | name                   | JUnit Platform Engine API     | High    |
| Product | pom      | url                    | https://junit.org/junit5/     | Medium  |
| Version | central  | version                | 1.10.0                        | Highest |
| Version | file     | version                | 1.10.0                        | High    |
| Version | gradle   | version                | 1.10.0                        | Highest |
| Version | Manifest | Bundle-Version         | 1.10.0                        | High    |
| Version | Manifest | Implementation-Version | 1.10.0                        | High    |
| Version | pom      | version                | 1.10.0                        | Highest |

## Identifiers

- [pkg:maven/org.junit.platform/junit-platform-engine@1.10.0](#) (*Confidence:High*)
- [cpe:2.3:a:fan\\_platform\\_project:fan\\_platform:1.10.0:\\*:\\*:\\*:\\*:\\*](#) (*Confidence:Low*)

suppress

## junit-platform-launcher-1.10.0.jar

### Description:

Module "junit-platform-launcher" of JUnit 5.

### License:

Eclipse Public License v2.0: <https://www.eclipse.org/legal/epl-v20.html>

**File Path:** /home/jenkins/.gradle/caches/modules-2/files-2.1/org.junit.platform/junit-platform-launcher/1.10.0/89a1922534ed102be1fb2a8c0b2c6151297a12bf/junit-platform-launcher-1.10.0.jar

**MD5:** ec357e6d7d3c5aafdca114aec83f1790

**SHA1:** 89a1922534ed102be1fb2a8c0b2c6151297a12bf

**SHA256:** 8c60b661ac170701a635dfc67565efbb8c85b5c5cdd5a4a9576e3a015c7111a4

**Referenced In Project/Scope:** client:inetPlugin

### Evidence +

| Type   | Source   | Name                  | Value  | Confidence |
|--------|----------|-----------------------|--|------------|
| Vendor | central  | artifactid            | junit-platform-launcher  | Highest    |
| Vendor | central  | groupid               | org.junit.platform   | Highest    |
| Vendor | file     | name                  | junit-platform-launcher  | High       |
| Vendor | gradle   | artifactid            | junit-platform-launcher  | Highest    |
| Vendor | gradle   | groupid               | org.junit.platform   | Highest    |
| Vendor | jar      | package name          | junit  | Highest    |
| Vendor | jar      | package name          | junit  | Low        |
| Vendor | jar      | package name          | launcher   | Highest    |
| Vendor | jar      | package name          | launcher   | Low        |
| Vendor | jar      | package name          | platform   | Highest    |
| Vendor | jar      | package name          | platform   | Low        |
| Vendor | Manifest | build-date            | 2023-07-23   | Low        |
| Vendor | Manifest | build-revision        | 7f619ca7ac9ecd1b20cc01c44a4df98f5fb67804   | Low        |
| Vendor | Manifest | build-time            | 14:51:13.722+0200  | Low        |
| Vendor | Manifest | bundle-symbolicname   | junit-platform-launcher  | Medium     |
| Vendor | Manifest | Implementation-Vendor | junit.org  | High       |
| Vendor | Manifest | provide-capability    | org.junit.platform.launcher;org.junit.platform.launcher=junit-platform-launcher;version:Version="1.10.0" | Low        |
| Vendor | Manifest | require-capability    | osgi.ee;filter="(&(osgi.ee=JavaSE)(version=1.8))"  | Low        |
| Vendor | Manifest | specification-        | junit.org  | Low        |

|         |          |                 |                               |         |
|---------|----------|-----------------|-------------------------------|---------|
|         |          | vendor          |                               |         |
| Vendor  | pom      | artifactid      | junit-platform-launcher       | Low     |
| Vendor  | pom      | developer email | business@johanneslink.net     | Low     |
| Vendor  | pom      | developer email | derancourt.juliette@gmail.com | Low     |
| Vendor  | pom      | developer email | mail@marcphilipp.de           | Low     |
| Vendor  | pom      | developer email | matthias.merdes@heidelpay.com | Low     |
| Vendor  | pom      | developer email | sam@sambrannen.com            | Low     |
| Vendor  | pom      | developer email | sormuras@gmail.com            | Low     |
| Vendor  | pom      | developer email | stefan.bechtold@me.com        | Low     |
| Vendor  | pom      | developer id    | bechte                        | Medium  |
| Vendor  | pom      | developer id    | jlink                         | Medium  |
| Vendor  | pom      | developer id    | juliette-derancourt           | Medium  |
| Vendor  | pom      | developer id    | marcphilipp                   | Medium  |
| Vendor  | pom      | developer id    | mmerdes                       | Medium  |
| Vendor  | pom      | developer id    | sbrannen                      | Medium  |
| Vendor  | pom      | developer id    | sormuras                      | Medium  |
| Vendor  | pom      | developer name  | Christian Stein               | Medium  |
| Vendor  | pom      | developer name  | Johannes Link                 | Medium  |
| Vendor  | pom      | developer name  | Juliette de Rancourt          | Medium  |
| Vendor  | pom      | developer name  | Marc Philipp                  | Medium  |
| Vendor  | pom      | developer name  | Matthias Merdes               | Medium  |
| Vendor  | pom      | developer name  | Sam Brannen                   | Medium  |
| Vendor  | pom      | developer name  | Stefan Bechtold               | Medium  |
| Vendor  | pom      | groupid         | org.junit.platform            | Highest |
| Vendor  | pom      | name            | JUnit Platform Launcher       | High    |
| Vendor  | pom      | url             | https://junit.org/junit5/     | Highest |
| Product | central  | artifactid      | junit-platform-launcher       | Highest |
| Product | file     | name            | junit-platform-launcher       | High    |
| Product | gradle   | artifactid      | junit-platform-launcher       | Highest |
| Product | jar      | package name    | junit                         | Highest |
| Product | jar      | package name    | launcher                      | Highest |
| Product | jar      | package name    | launcher                      | Low     |
| Product | jar      | package name    | platform                      | Highest |
| Product | jar      | package name    | platform                      | Low     |
| Product | Manifest | build-date      | 2023-07-23                    | Low     |

|         |          |                      |  |         |
|---------|----------|----------------------|--|---------|
| Product | Manifest | build-revision       | 7f619ca7ac9ecd1b20cc01c44a4df98f5fb67804   | Low     |
| Product | Manifest | build-time           | 14:51:13.722+0200  | Low     |
| Product | Manifest | Bundle-Name          | JUnit Platform Launcher  | Medium  |
| Product | Manifest | bundle-symbolicname  | junit-platform-launcher  | Medium  |
| Product | Manifest | Implementation-Title | junit-platform-launcher  | High    |
| Product | Manifest | provide-capability   | org.junit.platform.launcher;org.junit.platform.launcher=junit-platform-launcher;version:Version="1.10.0" | Low     |
| Product | Manifest | require-capability   | osgi.ee;filter:="(&(osgi.ee=JavaSE)(version=1.8))"   | Low     |
| Product | Manifest | specification-title  | junit-platform-launcher  | Medium  |
| Product | pom      | artifactid           | junit-platform-launcher  | Highest |
| Product | pom      | developer email      | business@johanneslink.net  | Low     |
| Product | pom      | developer email      | derancourt.juliette@gmail.com  | Low     |
| Product | pom      | developer email      | mail@marcphilipp.de  | Low     |
| Product | pom      | developer email      | matthias.merdes@heidelpay.com  | Low     |
| Product | pom      | developer email      | sam@sambrannen.com   | Low     |
| Product | pom      | developer email      | sormuras@gmail.com   | Low     |
| Product | pom      | developer email      | stefan.bechtold@me.com   | Low     |
| Product | pom      | developer id         | bechte   | Low     |
| Product | pom      | developer id         | jlink  | Low     |
| Product | pom      | developer id         | juliette-derancourt  | Low     |
| Product | pom      | developer id         | marcphilipp  | Low     |
| Product | pom      | developer id         | mmerdes  | Low     |
| Product | pom      | developer id         | sbrannen   | Low     |
| Product | pom      | developer id         | sormuras   | Low     |
| Product | pom      | developer name       | Christian Stein  | Low     |
| Product | pom      | developer name       | Johannes Link  | Low     |
| Product | pom      | developer name       | Juliette de Rancourt   | Low     |
| Product | pom      | developer name       | Marc Philipp   | Low     |
| Product | pom      | developer name       | Matthias Merdes  | Low     |
| Product | pom      | developer name       | Sam Brannen  | Low     |
| Product | pom      | developer name       | Stefan Bechtold  | Low     |
| Product | pom      | groupid              | org.junit.platform   | Highest |
| Product | pom      | name                 | JUnit Platform Launcher  | High    |
| Product | pom      | url                  | https://junit.org/junit5/  | Medium  |

|         |          |                        |        |         |
|---------|----------|------------------------|--------|---------|
| Version | central  | version                | 1.10.0 | Highest |
| Version | file     | version                | 1.10.0 | High    |
| Version | gradle   | version                | 1.10.0 | Highest |
| Version | Manifest | Bundle-Version         | 1.10.0 | High    |
| Version | Manifest | Implementation-Version | 1.10.0 | High    |
| Version | pom      | version                | 1.10.0 | Highest |

### Identifiers

- [pkg:maven/org.junit.platform/junit-platform-launcher@1.10.0](#) (*Confidence:High*)
- [cpe:2.3:a:fan\\_platform\\_project:fan\\_platform:1.10.0:\\*:\\*:\\*:\\*:\\*](#) (*Confidence:Low*)

## junit-platform-suite-1.10.0.jar

### Description:

Module "junit-platform-suite" of JUnit 5.

### License:

Eclipse Public License v2.0: <https://www.eclipse.org/legal/epl-v20.html>

**File Path:** /home/jenkins/.gradle/caches/modules-2/files-2.1/org.junit.platform/junit-platform-suite/1.10.0/65cf50c8940b9dfdf8b53b3e612e7d4664a4f631/junit-platform-suite-1.10.0.jar

**MD5:** 73d33febb587db050803e6b93e55eb1d

**SHA1:** 65cf50c8940b9dfdf8b53b3e612e7d4664a4f631

**SHA256:** 5982b7b258e031e5cee3f3fb7357e7c1175237559bd812cebcbdaec74c38d8d

**Referenced In Project/Scope:** client:inetPlugin

### Evidence +

| Type   | Source   | Name           | Value                                    | Confidence |
|--------|----------|----------------|--|------------|
| Vendor | central  | artifactid     | junit-platform-suite                     | Highest    |
| Vendor | central  | groupid        | org.junit.platform                       | Highest    |
| Vendor | file     | name           | junit-platform-suite                     | High       |
| Vendor | gradle   | artifactid     | junit-platform-suite                     | Highest    |
| Vendor | gradle   | groupid        | org.junit.platform                       | Highest    |
| Vendor | jar      | package name   | module-info                              | Low        |
| Vendor | Manifest | build-date     | 2023-07-23                               | Low        |
| Vendor | Manifest | build-revision | 7f619ca7ac9ecd1b20cc01c44a4df98f5fb67804 | Low        |

|         |          |                       |  |         |
|---------|----------|-----------------------|--|---------|
| Vendor  | Manifest | build-time            | 14:51:13.722+0200                        | Low     |
| Vendor  | Manifest | bundle-symbolicname   | junit-platform-suite                     | Medium  |
| Vendor  | Manifest | Implementation-Vendor | junit.org                                | High    |
| Vendor  | Manifest | specification-vendor  | junit.org                                | Low     |
| Vendor  | pom      | artifactid            | junit-platform-suite                     | Low     |
| Vendor  | pom      | developer email       | business@johanneslink.net                | Low     |
| Vendor  | pom      | developer email       | derancourt.juliette@gmail.com            | Low     |
| Vendor  | pom      | developer email       | mail@marcphilipp.de                      | Low     |
| Vendor  | pom      | developer email       | matthias.merdes@heidelpay.com            | Low     |
| Vendor  | pom      | developer email       | sam@sambrannen.com                       | Low     |
| Vendor  | pom      | developer email       | sormuras@gmail.com                       | Low     |
| Vendor  | pom      | developer email       | stefan.bechtold@me.com                   | Low     |
| Vendor  | pom      | developer id          | bechte                                   | Medium  |
| Vendor  | pom      | developer id          | jlink                                    | Medium  |
| Vendor  | pom      | developer id          | juliette-derancourt                      | Medium  |
| Vendor  | pom      | developer id          | marcphilipp                              | Medium  |
| Vendor  | pom      | developer id          | mmerdes                                  | Medium  |
| Vendor  | pom      | developer id          | sbrannen                                 | Medium  |
| Vendor  | pom      | developer id          | sormuras                                 | Medium  |
| Vendor  | pom      | developer name        | Christian Stein                          | Medium  |
| Vendor  | pom      | developer name        | Johannes Link                            | Medium  |
| Vendor  | pom      | developer name        | Juliette de Rancourt                     | Medium  |
| Vendor  | pom      | developer name        | Marc Philipp                             | Medium  |
| Vendor  | pom      | developer name        | Matthias Merdes                          | Medium  |
| Vendor  | pom      | developer name        | Sam Brannen                              | Medium  |
| Vendor  | pom      | developer name        | Stefan Bechtold                          | Medium  |
| Vendor  | pom      | groupid               | org.junit.platform                       | Highest |
| Vendor  | pom      | name                  | JUnit Platform Suite (Aggregator)        | High    |
| Vendor  | pom      | url                   | https://junit.org/junit5/                | Highest |
| Product | central  | artifactid            | junit-platform-suite                     | Highest |
| Product | file     | name                  | junit-platform-suite                     | High    |
| Product | gradle   | artifactid            | junit-platform-suite                     | Highest |
| Product | Manifest | build-date            | 2023-07-23                               | Low     |
| Product | Manifest | build-revision        | 7f619ca7ac9ecd1b20cc01c44a4df98f5fb67802 | Low     |

|         |          |                      |   |         |
|---------|----------|----------------------|---|---------|
| Product | Manifest | build-time           | 14:51:13.722+0200   | Low     |
| Product | Manifest | Bundle-Name          | JUnit Platform Suite (Aggregator)                                 | Medium  |
| Product | Manifest | bundle-symbolicname  | junit-platform-suite  | Medium  |
| Product | Manifest | Implementation-Title | junit-platform-suite  | High    |
| Product | Manifest | specification-title  | junit-platform-suite  | Medium  |
| Product | pom      | artifactid           | junit-platform-suite  | Highest |
| Product | pom      | developer email      | business@johanneslink.net   | Low     |
| Product | pom      | developer email      | derancourt.juliette@gmail.com                                     | Low     |
| Product | pom      | developer email      | mail@marcphilipp.de   | Low     |
| Product | pom      | developer email      | matthias.merdes@heidelpay.com                                     | Low     |
| Product | pom      | developer email      | sam@sambrannen.com  | Low     |
| Product | pom      | developer email      | sormuras@gmail.com  | Low     |
| Product | pom      | developer email      | stefan.bechtold@me.com  | Low     |
| Product | pom      | developer id         | bechte  | Low     |
| Product | pom      | developer id         | jlink   | Low     |
| Product | pom      | developer id         | juliette-derancourt   | Low     |
| Product | pom      | developer id         | marcphilipp   | Low     |
| Product | pom      | developer id         | mmerdes   | Low     |
| Product | pom      | developer id         | sbrannen  | Low     |
| Product | pom      | developer id         | sormuras  | Low     |
| Product | pom      | developer name       | Christian Stein   | Low     |
| Product | pom      | developer name       | Johannes Link   | Low     |
| Product | pom      | developer name       | Juliette de Rancourt  | Low     |
| Product | pom      | developer name       | Marc Philipp  | Low     |
| Product | pom      | developer name       | Matthias Merdes   | Low     |
| Product | pom      | developer name       | Sam Brannen   | Low     |
| Product | pom      | developer name       | Stefan Bechtold   | Low     |
| Product | pom      | groupid              | org.junit.platform  | Highest |
| Product | pom      | name                 | JUnit Platform Suite (Aggregator)                                 | High    |
| Product | pom      | url                  | <a href="https://junit.org/junit5/">https://junit.org/junit5/</a> | Medium  |
| Version | central  | version              | 1.10.0  | Highest |
| Version | file     | version              | 1.10.0  | High    |
| Version | gradle   | version              | 1.10.0  | Highest |
| Version | Manifest | Bundle-Version       | 1.10.0  | High    |

|         |          |                        |        |         |
|---------|----------|------------------------|--------|---------|
| Version | Manifest | Implementation-Version | 1.10.0 | High    |
| Version | pom      | version                | 1.10.0 | Highest |

### Identifiers

- [pkg:maven/org.junit.platform/junit-platform-suite@1.10.0](#) (*Confidence:High*)
- [cpe:2.3:a:fan\\_platform\\_project:fan\\_platform:1.10.0:\\*:\\*:\\*:\\*:\\*](#) (*Confidence:Low*)

## junit-platform-suite-api-1.10.0.jar

### Description:

Module "junit-platform-suite-api" of JUnit 5.

### License:

Eclipse Public License v2.0: <https://www.eclipse.org/legal/epl-v20.html>

**File Path:** /home/jenkins/.gradle/caches/modules-2/files-2.1/org.junit.platform/junit-platform-suite-api/1.10.0/baa35277c5e4913167fc8c5b2ceb0e5b2aa6b700/junit-platform-suite-api-1.10.0.jar

**MD5:** 7fc1c589754da082f208f8f240000792

**SHA1:** baa35277c5e4913167fc8c5b2ceb0e5b2aa6b700

**SHA256:** 29375380c304d96c93466dd2d21e7a0692381689a0a2205e3c0d1961638beaf3

**Referenced In Project/Scope:** client:inetPlugin

### Evidence +

| Type   | Source  | Name         | Value                    | Confidence |
|--------|---------|--------------|--------------------------|------------|
| Vendor | central | artifactid   | junit-platform-suite-api | Highest    |
| Vendor | central | groupid      | org.junit.platform       | Highest    |
| Vendor | file    | name         | junit-platform-suite-api | High       |
| Vendor | gradle  | artifactid   | junit-platform-suite-api | Highest    |
| Vendor | gradle  | groupid      | org.junit.platform       | Highest    |
| Vendor | jar     | package name | api                      | Highest    |
| Vendor | jar     | package name | junit                    | Highest    |
| Vendor | jar     | package name | junit                    | Low        |
| Vendor | jar     | package name | platform                 | Highest    |
| Vendor | jar     | package name | platform                 | Low        |
| Vendor | jar     | package name | suite                    | Highest    |
| Vendor | jar     | package name | suite                    | Low        |

|         |          |                       |  |         |
|---------|----------|-----------------------|--|---------|
| Vendor  | Manifest | build-date            | 2023-07-23   | Low     |
| Vendor  | Manifest | build-revision        | 7f619ca7ac9ecd1b20cc01c44a4df98f5fb67804           | Low     |
| Vendor  | Manifest | build-time            | 14:51:13.722+0200                                  | Low     |
| Vendor  | Manifest | bundle-symbolicname   | junit-platform-suite-api                           | Medium  |
| Vendor  | Manifest | Implementation-Vendor | junit.org  | High    |
| Vendor  | Manifest | require-capability    | osgi.ee;filter:="(&(osgi.ee=JavaSE)(version=1.8))" | Low     |
| Vendor  | Manifest | specification-vendor  | junit.org  | Low     |
| Vendor  | pom      | artifactid            | junit-platform-suite-api                           | Low     |
| Vendor  | pom      | developer email       | business@johanneslink.net                          | Low     |
| Vendor  | pom      | developer email       | derancourt.juliette@gmail.com                      | Low     |
| Vendor  | pom      | developer email       | mail@marcphilipp.de                                | Low     |
| Vendor  | pom      | developer email       | matthias.merdes@heidelpay.com                      | Low     |
| Vendor  | pom      | developer email       | sam@sambrannen.com                                 | Low     |
| Vendor  | pom      | developer email       | sormuras@gmail.com                                 | Low     |
| Vendor  | pom      | developer email       | stefan.bechtold@me.com                             | Low     |
| Vendor  | pom      | developer id          | bechte   | Medium  |
| Vendor  | pom      | developer id          | jlink  | Medium  |
| Vendor  | pom      | developer id          | juliette-derancourt                                | Medium  |
| Vendor  | pom      | developer id          | marcphilipp  | Medium  |
| Vendor  | pom      | developer id          | mmerdes  | Medium  |
| Vendor  | pom      | developer id          | sbrannen   | Medium  |
| Vendor  | pom      | developer id          | sormuras   | Medium  |
| Vendor  | pom      | developer name        | Christian Stein                                    | Medium  |
| Vendor  | pom      | developer name        | Johannes Link                                      | Medium  |
| Vendor  | pom      | developer name        | Juliette de Rancourt                               | Medium  |
| Vendor  | pom      | developer name        | Marc Philipp                                       | Medium  |
| Vendor  | pom      | developer name        | Matthias Merdes                                    | Medium  |
| Vendor  | pom      | developer name        | Sam Brannen  | Medium  |
| Vendor  | pom      | developer name        | Stefan Bechtold                                    | Medium  |
| Vendor  | pom      | groupid               | org.junit.platform                                 | Highest |
| Vendor  | pom      | name                  | JUnit Platform Suite API                           | High    |
| Vendor  | pom      | url                   | https://junit.org/junit5/                          | Highest |
| Product | central  | artifactid            | junit-platform-suite-api                           | Highest |

|         |          |                      |  |         |
|---------|----------|----------------------|--|---------|
| Product | file     | name                 | junit-platform-suite-api                           | High    |
| Product | gradle   | artifactid           | junit-platform-suite-api                           | Highest |
| Product | jar      | package name         | api  | Highest |
| Product | jar      | package name         | api  | Low     |
| Product | jar      | package name         | junit  | Highest |
| Product | jar      | package name         | platform   | Highest |
| Product | jar      | package name         | platform   | Low     |
| Product | jar      | package name         | suite  | Highest |
| Product | jar      | package name         | suite  | Low     |
| Product | Manifest | build-date           | 2023-07-23   | Low     |
| Product | Manifest | build-revision       | 7f619ca7ac9ecd1b20cc01c44a4df98f5fb67804           | Low     |
| Product | Manifest | build-time           | 14:51:13.722+0200                                  | Low     |
| Product | Manifest | Bundle-Name          | JUnit Platform Suite API                           | Medium  |
| Product | Manifest | bundle-symbolicname  | junit-platform-suite-api                           | Medium  |
| Product | Manifest | Implementation-Title | junit-platform-suite-api                           | High    |
| Product | Manifest | require-capability   | osgi.ee;filter:="(&(osgi.ee=JavaSE)(version=1.8))" | Low     |
| Product | Manifest | specification-title  | junit-platform-suite-api                           | Medium  |
| Product | pom      | artifactid           | junit-platform-suite-api                           | Highest |
| Product | pom      | developer email      | business@johanneslink.net                          | Low     |
| Product | pom      | developer email      | derancourt.juliette@gmail.com                      | Low     |
| Product | pom      | developer email      | mail@marcphilipp.de                                | Low     |
| Product | pom      | developer email      | matthias.merdes@heidelpay.com                      | Low     |
| Product | pom      | developer email      | sam@sambrannen.com                                 | Low     |
| Product | pom      | developer email      | sormuras@gmail.com                                 | Low     |
| Product | pom      | developer email      | stefan.bechtold@me.com                             | Low     |
| Product | pom      | developer id         | bechte   | Low     |
| Product | pom      | developer id         | jlink  | Low     |
| Product | pom      | developer id         | juliette-derancourt                                | Low     |
| Product | pom      | developer id         | marcphilipp  | Low     |
| Product | pom      | developer id         | mmerdes  | Low     |
| Product | pom      | developer id         | sbrannen   | Low     |
| Product | pom      | developer id         | sormuras   | Low     |
| Product | pom      | developer name       | Christian Stein                                    | Low     |
| Product | pom      | developer name       | Johannes Link                                      | Low     |

|         |          |                        |                           |         |
|---------|----------|------------------------|---------------------------|---------|
| Product | pom      | developer name         | Juliette de Rancourt      | Low     |
| Product | pom      | developer name         | Marc Philipp              | Low     |
| Product | pom      | developer name         | Matthias Merdes           | Low     |
| Product | pom      | developer name         | Sam Brannen               | Low     |
| Product | pom      | developer name         | Stefan Bechtold           | Low     |
| Product | pom      | groupid                | org.junit.platform        | Highest |
| Product | pom      | name                   | JUnit Platform Suite API  | High    |
| Product | pom      | url                    | https://junit.org/junit5/ | Medium  |
| Version | central  | version                | 1.10.0                    | Highest |
| Version | file     | version                | 1.10.0                    | High    |
| Version | gradle   | version                | 1.10.0                    | Highest |
| Version | Manifest | Bundle-Version         | 1.10.0                    | High    |
| Version | Manifest | Implementation-Version | 1.10.0                    | High    |
| Version | pom      | version                | 1.10.0                    | Highest |

#### Identifiers

- [pkg:maven/org.junit.platform/junit-platform-suite-api@1.10.0](#) (*Confidence:High*)
- [cpe:2.3:a:fan\\_platform\\_project:fan\\_platform:1.10.0:\\*:\\*:\\*:\\*:\\*](#) (*Confidence:Low*)

suppress

## junit-platform-suite-commons-1.10.0.jar

### Description:

Module "junit-platform-suite-commons" of JUnit 5.

### License:

Eclipse Public License v2.0: <https://www.eclipse.org/legal/epl-v20.html>

**File Path:** /home/jenkins/.gradle/caches/modules-2/files-2.1/org.junit.platform/junit-platform-suite-commons/1.10.0/cee3d71ae0b90f7c96a1fb46cd788b77ab59ce52/junit-platform-suite-commons-1.10.0.jar

**MD5:** 7e1b4ab2643a4003eb8378581312ffc3

**SHA1:** cee3d71ae0b90f7c96a1fb46cd788b77ab59ce52

**SHA256:** 01eb735855dc0d9d24d7219c84c4d4bf8751a126101e56948f792b27289f676b

**Referenced In Project/Scope:** client:inetPlugin

### Evidence +

| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|      |        |      |       |            |

|        |          |                       |  |         |
|--------|----------|-----------------------|--|---------|
| Vendor | central  | artifactid            | junit-platform-suite-commons                       | Highest |
| Vendor | central  | groupid               | org.junit.platform                                 | Highest |
| Vendor | file     | name                  | junit-platform-suite-commons                       | High    |
| Vendor | gradle   | artifactid            | junit-platform-suite-commons                       | Highest |
| Vendor | gradle   | groupid               | org.junit.platform                                 | Highest |
| Vendor | jar      | package name          | commons  | Highest |
| Vendor | jar      | package name          | junit  | Highest |
| Vendor | jar      | package name          | junit  | Low     |
| Vendor | jar      | package name          | platform   | Highest |
| Vendor | jar      | package name          | platform   | Low     |
| Vendor | jar      | package name          | suite  | Highest |
| Vendor | jar      | package name          | suite  | Low     |
| Vendor | Manifest | build-date            | 2023-07-23   | Low     |
| Vendor | Manifest | build-revision        | 7f619ca7ac9ecd1b20cc01c44a4df98f5fb67804           | Low     |
| Vendor | Manifest | build-time            | 14:51:13.722+0200                                  | Low     |
| Vendor | Manifest | bundle-symbolicname   | junit-platform-suite-commons                       | Medium  |
| Vendor | Manifest | Implementation-Vendor | junit.org  | High    |
| Vendor | Manifest | require-capability    | osgi.ee;filter:="(&(osgi.ee=JavaSE)(version=1.8))" | Low     |
| Vendor | Manifest | specification-vendor  | junit.org  | Low     |
| Vendor | pom      | artifactid            | junit-platform-suite-commons                       | Low     |
| Vendor | pom      | developer email       | business@johanneslink.net                          | Low     |
| Vendor | pom      | developer email       | derancourt.juliette@gmail.com                      | Low     |
| Vendor | pom      | developer email       | mail@marcphilipp.de                                | Low     |
| Vendor | pom      | developer email       | matthias.merdes@heidelpay.com                      | Low     |
| Vendor | pom      | developer email       | sam@sambrannen.com                                 | Low     |
| Vendor | pom      | developer email       | sormuras@gmail.com                                 | Low     |
| Vendor | pom      | developer email       | stefan.bechtold@me.com                             | Low     |
| Vendor | pom      | developer id          | bechte   | Medium  |
| Vendor | pom      | developer id          | jlink  | Medium  |
| Vendor | pom      | developer id          | juliette-derancourt                                | Medium  |
| Vendor | pom      | developer id          | marcphilipp  | Medium  |
| Vendor | pom      | developer id          | mmerdes  | Medium  |
| Vendor | pom      | developer id          | sbrannen   | Medium  |

|         |          |                      |   |         |
|---------|----------|----------------------|---|---------|
| Vendor  | pom      | developer id         | sormuras  | Medium  |
| Vendor  | pom      | developer name       | Christian Stein   | Medium  |
| Vendor  | pom      | developer name       | Johannes Link   | Medium  |
| Vendor  | pom      | developer name       | Juliette de Rancourt  | Medium  |
| Vendor  | pom      | developer name       | Marc Philipp  | Medium  |
| Vendor  | pom      | developer name       | Matthias Merdes   | Medium  |
| Vendor  | pom      | developer name       | Sam Brannen   | Medium  |
| Vendor  | pom      | developer name       | Stefan Bechtold   | Medium  |
| Vendor  | pom      | groupid              | org.junit.platform  | Highest |
| Vendor  | pom      | name                 | JUnit Platform Suite Commons                                      | High    |
| Vendor  | pom      | url                  | <a href="https://junit.org/junit5/">https://junit.org/junit5/</a> | Highest |
| Product | central  | artifactid           | junit-platform-suite-commons                                      | Highest |
| Product | file     | name                 | junit-platform-suite-commons                                      | High    |
| Product | gradle   | artifactid           | junit-platform-suite-commons                                      | Highest |
| Product | jar      | package name         | commons   | Highest |
| Product | jar      | package name         | commons   | Low     |
| Product | jar      | package name         | junit   | Highest |
| Product | jar      | package name         | platform  | Highest |
| Product | jar      | package name         | platform  | Low     |
| Product | jar      | package name         | suite   | Highest |
| Product | jar      | package name         | suite   | Low     |
| Product | Manifest | build-date           | 2023-07-23  | Low     |
| Product | Manifest | build-revision       | 7f619ca7ac9ecd1b20cc01c44a4df98f5fb67804                          | Low     |
| Product | Manifest | build-time           | 14:51:13.722+0200   | Low     |
| Product | Manifest | Bundle-Name          | JUnit Platform Suite Commons                                      | Medium  |
| Product | Manifest | bundle-symbolicname  | junit-platform-suite-commons                                      | Medium  |
| Product | Manifest | Implementation-Title | junit-platform-suite-commons                                      | High    |
| Product | Manifest | require-capability   | osgi.ee;filter:="(&(osgi.ee=JavaSE)(version=1.8))"                | Low     |
| Product | Manifest | specification-title  | junit-platform-suite-commons                                      | Medium  |
| Product | pom      | artifactid           | junit-platform-suite-commons                                      | Highest |
| Product | pom      | developer email      | business@johanneslink.net   | Low     |
| Product | pom      | developer email      | derancourt.juliette@gmail.com                                     | Low     |
| Product | pom      | developer email      | mail@marcphilipp.de   | Low     |
| Product | pom      | developer email      | matthias.merdes@heidelpay.com                                     | Low     |

|         |          |                        |                              |         |
|---------|----------|------------------------|------------------------------|---------|
| Product | pom      | developer email        | sam@sambrannen.com           | Low     |
| Product | pom      | developer email        | sormuras@gmail.com           | Low     |
| Product | pom      | developer email        | stefan.bechtold@me.com       | Low     |
| Product | pom      | developer id           | bechte                       | Low     |
| Product | pom      | developer id           | jlink                        | Low     |
| Product | pom      | developer id           | juliette-derancourt          | Low     |
| Product | pom      | developer id           | marcphilipp                  | Low     |
| Product | pom      | developer id           | mmerdes                      | Low     |
| Product | pom      | developer id           | sbrannen                     | Low     |
| Product | pom      | developer id           | sormuras                     | Low     |
| Product | pom      | developer name         | Christian Stein              | Low     |
| Product | pom      | developer name         | Johannes Link                | Low     |
| Product | pom      | developer name         | Juliette de Rancourt         | Low     |
| Product | pom      | developer name         | Marc Philipp                 | Low     |
| Product | pom      | developer name         | Matthias Merdes              | Low     |
| Product | pom      | developer name         | Sam Brannen                  | Low     |
| Product | pom      | developer name         | Stefan Bechtold              | Low     |
| Product | pom      | groupid                | org.junit.platform           | Highest |
| Product | pom      | name                   | JUnit Platform Suite Commons | High    |
| Product | pom      | url                    | https://junit.org/junit5/    | Medium  |
| Version | central  | version                | 1.10.0                       | Highest |
| Version | file     | version                | 1.10.0                       | High    |
| Version | gradle   | version                | 1.10.0                       | Highest |
| Version | Manifest | Bundle-Version         | 1.10.0                       | High    |
| Version | Manifest | Implementation-Version | 1.10.0                       | High    |
| Version | pom      | version                | 1.10.0                       | Highest |

### Identifiers

- [pkg:maven/org.junit.platform/junit-platform-suite-commons@1.10.0](#) (*Confidence:High*)
- [cpe:2.3:a:fan\\_platform\\_project:fan\\_platform:1.10.0:\\*:\\*:\\*:\\*:\\*](#) (*Confidence:Low*)

**Description:**

Module "junit-platform-suite-engine" of JUnit 5.

**License:**

Eclipse Public License v2.0: <https://www.eclipse.org/legal/epl-v20.html>

**File Path:** /home/jenkins/.gradle/caches/modules-2/files-2.1/org.junit.platform/junit-platform-suite-engine/1.10.0/911f55d5abdfa09306d09332fbf33bb024dbbb64/junit-platform-suite-engine-1.10.0.jar

**MD5:** cc571c912931dafb3da248845db9e98e

**SHA1:** 911f55d5abdfa09306d09332fbf33bb024dbbb64

**SHA256:** a70e59f996a222ca36c04989e766266cc2b446a63ce379bf02bac241fcebdf7f3

**Referenced In Project/Scope:** client:inetPlugin

**Evidence**

| Type   | Source   | Name                  | Value   | Confidence |
|--------|----------|-----------------------|---|------------|
| Vendor | central  | artifactid            | junit-platform-suite-engine                       | Highest    |
| Vendor | central  | groupid               | org.junit.platform                                | Highest    |
| Vendor | file     | name                  | junit-platform-suite-engine                       | High       |
| Vendor | gradle   | artifactid            | junit-platform-suite-engine                       | Highest    |
| Vendor | gradle   | groupid               | org.junit.platform                                | Highest    |
| Vendor | jar      | package name          | engine  | Highest    |
| Vendor | jar      | package name          | junit   | Highest    |
| Vendor | jar      | package name          | junit   | Low        |
| Vendor | jar      | package name          | platform  | Highest    |
| Vendor | jar      | package name          | platform  | Low        |
| Vendor | jar      | package name          | suite   | Highest    |
| Vendor | jar      | package name          | suite   | Low        |
| Vendor | Manifest | build-date            | 2023-07-23  | Low        |
| Vendor | Manifest | build-revision        | 7f619ca7ac9ecd1b20cc01c44a4df98f5fb67804          | Low        |
| Vendor | Manifest | build-time            | 14:51:13.722+0200                                 | Low        |
| Vendor | Manifest | bundle-symbolicname   | junit-platform-suite-engine                       | Medium     |
| Vendor | Manifest | Implementation-Vendor | junit.org   | High       |
| Vendor | Manifest | require-capability    | osgi.ee;filter="(&(osgi.ee=JavaSE)(version=1.8))" | Low        |
| Vendor | Manifest | specification-vendor  | junit.org   | Low        |
| Vendor | pom      | artifactid            | junit-platform-suite-engine                       | Low        |
| Vendor | pom      | developer email       | business@johanneslink.net                         | Low        |

|         |          |                 |   |         |
|---------|----------|-----------------|---|---------|
| Vendor  | pom      | developer email | derancourt.juliette@gmail.com                                     | Low     |
| Vendor  | pom      | developer email | mail@marcphilipp.de   | Low     |
| Vendor  | pom      | developer email | matthias.merdes@heidelpay.com                                     | Low     |
| Vendor  | pom      | developer email | sam@sambrannen.com  | Low     |
| Vendor  | pom      | developer email | sormuras@gmail.com  | Low     |
| Vendor  | pom      | developer email | stefan.bechtold@me.com  | Low     |
| Vendor  | pom      | developer id    | bechte  | Medium  |
| Vendor  | pom      | developer id    | jlink   | Medium  |
| Vendor  | pom      | developer id    | juliette-derancourt   | Medium  |
| Vendor  | pom      | developer id    | marcphilipp   | Medium  |
| Vendor  | pom      | developer id    | mmerdes   | Medium  |
| Vendor  | pom      | developer id    | sbrannen  | Medium  |
| Vendor  | pom      | developer id    | sormuras  | Medium  |
| Vendor  | pom      | developer name  | Christian Stein   | Medium  |
| Vendor  | pom      | developer name  | Johannes Link   | Medium  |
| Vendor  | pom      | developer name  | Juliette de Rancourt  | Medium  |
| Vendor  | pom      | developer name  | Marc Philipp  | Medium  |
| Vendor  | pom      | developer name  | Matthias Merdes   | Medium  |
| Vendor  | pom      | developer name  | Sam Brannen   | Medium  |
| Vendor  | pom      | developer name  | Stefan Bechtold   | Medium  |
| Vendor  | pom      | groupid         | org.junit.platform  | Highest |
| Vendor  | pom      | name            | JUnit Platform Suite Engine                                       | High    |
| Vendor  | pom      | url             | <a href="https://junit.org/junit5/">https://junit.org/junit5/</a> | Highest |
| Product | central  | artifactid      | junit-platform-suite-engine                                       | Highest |
| Product | file     | name            | junit-platform-suite-engine                                       | High    |
| Product | gradle   | artifactid      | junit-platform-suite-engine                                       | Highest |
| Product | jar      | package name    | engine  | Highest |
| Product | jar      | package name    | engine  | Low     |
| Product | jar      | package name    | junit   | Highest |
| Product | jar      | package name    | platform  | Highest |
| Product | jar      | package name    | platform  | Low     |
| Product | jar      | package name    | suite   | Highest |
| Product | jar      | package name    | suite   | Low     |
| Product | Manifest | build-date      | 2023-07-23  | Low     |
| Product | Manifest | build-revision  | 7f619ca7ac9ecd1b20cc01c44a4df98f5fb67804                          | Low     |
|         |          |                 |   |         |

|         |          |                      |   |         |
|---------|----------|----------------------|---|---------|
| Product | Manifest | build-time           | 14:51:13.722+0200                                 | Low     |
| Product | Manifest | Bundle-Name          | JUnit Platform Suite Engine                       | Medium  |
| Product | Manifest | bundle-symbolicname  | junit-platform-suite-engine                       | Medium  |
| Product | Manifest | Implementation-Title | junit-platform-suite-engine                       | High    |
| Product | Manifest | require-capability   | osgi.ee;filter="(&(osgi.ee=JavaSE)(version=1.8))" | Low     |
| Product | Manifest | specification-title  | junit-platform-suite-engine                       | Medium  |
| Product | pom      | artifactid           | junit-platform-suite-engine                       | Highest |
| Product | pom      | developer email      | business@johanneslink.net                         | Low     |
| Product | pom      | developer email      | derancourt.juliette@gmail.com                     | Low     |
| Product | pom      | developer email      | mail@marcphilipp.de                               | Low     |
| Product | pom      | developer email      | matthias.merdes@heidelpay.com                     | Low     |
| Product | pom      | developer email      | sam@sambrannen.com                                | Low     |
| Product | pom      | developer email      | sormuras@gmail.com                                | Low     |
| Product | pom      | developer email      | stefan.bechtold@me.com                            | Low     |
| Product | pom      | developer id         | bechte  | Low     |
| Product | pom      | developer id         | jlink   | Low     |
| Product | pom      | developer id         | juliette-derancourt                               | Low     |
| Product | pom      | developer id         | marcphilipp                                       | Low     |
| Product | pom      | developer id         | mmerdes   | Low     |
| Product | pom      | developer id         | sbrannen  | Low     |
| Product | pom      | developer id         | sormuras  | Low     |
| Product | pom      | developer name       | Christian Stein                                   | Low     |
| Product | pom      | developer name       | Johannes Link                                     | Low     |
| Product | pom      | developer name       | Juliette de Rancourt                              | Low     |
| Product | pom      | developer name       | Marc Philipp                                      | Low     |
| Product | pom      | developer name       | Matthias Merdes                                   | Low     |
| Product | pom      | developer name       | Sam Brannen                                       | Low     |
| Product | pom      | developer name       | Stefan Bechtold                                   | Low     |
| Product | pom      | groupid              | org.junit.platform                                | Highest |
| Product | pom      | name                 | JUnit Platform Suite Engine                       | High    |
| Product | pom      | url                  | https://junit.org/junit5/                         | Medium  |
| Version | central  | version              | 1.10.0  | Highest |
| Version | file     | version              | 1.10.0  | High    |
| Version | gradle   | version              | 1.10.0  | Highest |

|         |          |                        |        |         |
|---------|----------|------------------------|--------|---------|
| Version | Manifest | Bundle-Version         | 1.10.0 | High    |
| Version | Manifest | Implementation-Version | 1.10.0 | High    |
| Version | pom      | version                | 1.10.0 | Highest |

### Identifiers

- [pkg:maven/org.junit.platform/junit-platform-suite-engine@1.10.0](#) (Confidence:High)
- [cpe:2.3:a:fan\\_platform\\_project:fan\\_platform:1.10.0:\\*:\\*:\\*:\\*:\\*](#) (Confidence:Low)

suppress

## junit-vintage-engine-5.10.0.jar

### Description:

Module "junit-vintage-engine" of JUnit 5.

### License:

Eclipse Public License v2.0: <https://www.eclipse.org/legal/epl-v20.html>

**File Path:** /home/jenkins/.gradle/caches/modules-2/files-2.1/org.junit.vintage/junit-vintage-engine/5.10.0/af4e0a3cb6901aa53d6401003fc10638014b39b1/junit-vintage-engine-5.10.0.jar

**MD5:** ff0ab1be3b14c837ca3d5d71defce409

**SHA1:** af4e0a3cb6901aa53d6401003fc10638014b39b1

**SHA256:** 6cb4d98b2f37ad78d28bbee4864869a110d278d9684445bde243de01148d8e8a

**Referenced In Project/Scope:** client:inetPlugin

### Evidence +

| Type   | Source  | Name         | Value                | Confidence |
|--------|---------|--------------|----------------------|------------|
| Vendor | central | artifactid   | junit-vintage-engine | Highest    |
| Vendor | central | groupid      | org.junit.vintage    | Highest    |
| Vendor | file    | name         | junit-vintage-engine | High       |
| Vendor | gradle  | artifactid   | junit-vintage-engine | Highest    |
| Vendor | gradle  | groupid      | org.junit.vintage    | Highest    |
| Vendor | jar     | package name | engine               | Highest    |
| Vendor | jar     | package name | engine               | Low        |
| Vendor | jar     | package name | junit                | Highest    |
| Vendor | jar     | package name | junit                | Low        |
| Vendor | jar     | package name | vintage              | Highest    |
| Vendor | jar     | package name | vintage              | Low        |

|        |          |                       |  |         |
|--------|----------|-----------------------|--|---------|
| Vendor | Manifest | build-date            | 2023-07-23   | Low     |
| Vendor | Manifest | build-revision        | 7f619ca7ac9ecd1b20cc01c44a4df98f5fb67804   | Low     |
| Vendor | Manifest | build-time            | 14:51:13.722+0200  | Low     |
| Vendor | Manifest | bundle-symbolicname   | junit-vintage-engine   | Medium  |
| Vendor | Manifest | Implementation-Vendor | junit.org  | High    |
| Vendor | Manifest | provide-capability    | org.junit.platform.engine;org.junit.platform.engine=junit-vintage;version:Version="5.10.0"   | Low     |
| Vendor | Manifest | require-capability    | org.junit.platform.launcher;filter:="(&(org.junit.platform.launcher=junit-platform-launcher)(version>=1.10.0)!(version>=2)))";effective:=active,osgi.ee;filter:="(&(osgi.ee=JavaSE)(version=1.8))" | Low     |
| Vendor | Manifest | specification-vendor  | junit.org  | Low     |
| Vendor | pom      | artifactid            | junit-vintage-engine   | Low     |
| Vendor | pom      | developer email       | business@johanneslink.net  | Low     |
| Vendor | pom      | developer email       | derancourt.juliette@gmail.com  | Low     |
| Vendor | pom      | developer email       | mail@marcphilipp.de  | Low     |
| Vendor | pom      | developer email       | matthias.merdes@heidelpay.com  | Low     |
| Vendor | pom      | developer email       | sam@sambrannen.com   | Low     |
| Vendor | pom      | developer email       | sormuras@gmail.com   | Low     |
| Vendor | pom      | developer email       | stefan.bechtold@me.com   | Low     |
| Vendor | pom      | developer id          | bechte   | Medium  |
| Vendor | pom      | developer id          | jlink  | Medium  |
| Vendor | pom      | developer id          | juliette-derancourt  | Medium  |
| Vendor | pom      | developer id          | marcphilipp  | Medium  |
| Vendor | pom      | developer id          | mmerdes  | Medium  |
| Vendor | pom      | developer id          | sbrannen   | Medium  |
| Vendor | pom      | developer id          | sormuras   | Medium  |
| Vendor | pom      | developer name        | Christian Stein  | Medium  |
| Vendor | pom      | developer name        | Johannes Link  | Medium  |
| Vendor | pom      | developer name        | Juliette de Rancourt   | Medium  |
| Vendor | pom      | developer name        | Marc Philipp   | Medium  |
| Vendor | pom      | developer name        | Matthias Merdes  | Medium  |
| Vendor | pom      | developer name        | Sam Brannen  | Medium  |
| Vendor | pom      | developer name        | Stefan Bechtold  | Medium  |
| Vendor | pom      | groupid               | org.junit.vintage  | Highest |

|         |          |                      |   |         |
|---------|----------|----------------------|---|---------|
| Vendor  | pom      | name                 | JUnit Vintage Engine  | High    |
| Vendor  | pom      | url                  | https://junit.org/junit5/   | Highest |
| Product | central  | artifactid           | junit-vintage-engine  | Highest |
| Product | file     | name                 | junit-vintage-engine  | High    |
| Product | gradle   | artifactid           | junit-vintage-engine  | Highest |
| Product | jar      | package name         | engine  | Highest |
| Product | jar      | package name         | engine  | Low     |
| Product | jar      | package name         | junit   | Highest |
| Product | jar      | package name         | vintage   | Highest |
| Product | jar      | package name         | vintage   | Low     |
| Product | Manifest | build-date           | 2023-07-23  | Low     |
| Product | Manifest | build-revision       | 7f619ca7ac9ecd1b20cc01c44a4df98f5fb67804  | Low     |
| Product | Manifest | build-time           | 14:51:13.722+0200   | Low     |
| Product | Manifest | Bundle-Name          | JUnit Vintage Engine  | Medium  |
| Product | Manifest | bundle-symbolicname  | junit-vintage-engine  | Medium  |
| Product | Manifest | Implementation-Title | junit-vintage-engine  | High    |
| Product | Manifest | provide-capability   | org.junit.platform.engine;org.junit.platform.engine=junit-vintage;version:Version="5.10.0"  | Low     |
| Product | Manifest | require-capability   | org.junit.platform.launcher;filter:="(&(org.junit.platform.launcher=junit-platform-launcher)(version>=1.10.0)(!(version>=2)))";effective:=active,osgi.ee;filter:="(&(osgi.ee=JavaSE)(version=1.8))" | Low     |
| Product | Manifest | specification-title  | junit-vintage-engine  | Medium  |
| Product | pom      | artifactid           | junit-vintage-engine  | Highest |
| Product | pom      | developer email      | business@johanneslink.net   | Low     |
| Product | pom      | developer email      | derancourt.juliette@gmail.com   | Low     |
| Product | pom      | developer email      | mail@marcphilipp.de   | Low     |
| Product | pom      | developer email      | matthias.merdes@heidelpay.com   | Low     |
| Product | pom      | developer email      | sam@sambrannen.com  | Low     |
| Product | pom      | developer email      | sormuras@gmail.com  | Low     |
| Product | pom      | developer email      | stefan.bechtold@me.com  | Low     |
| Product | pom      | developer id         | bechte  | Low     |
| Product | pom      | developer id         | jlink   | Low     |
| Product | pom      | developer id         | juliette-derancourt   | Low     |
| Product | pom      | developer id         | marcphilipp   | Low     |

|         |          |                        |                           |         |
|---------|----------|------------------------|---------------------------|---------|
| Product | pom      | developer id           | mmerdes                   | Low     |
| Product | pom      | developer id           | sbrannen                  | Low     |
| Product | pom      | developer id           | sormuras                  | Low     |
| Product | pom      | developer name         | Christian Stein           | Low     |
| Product | pom      | developer name         | Johannes Link             | Low     |
| Product | pom      | developer name         | Juliette de Rancourt      | Low     |
| Product | pom      | developer name         | Marc Philipp              | Low     |
| Product | pom      | developer name         | Matthias Merdes           | Low     |
| Product | pom      | developer name         | Sam Brannen               | Low     |
| Product | pom      | developer name         | Stefan Bechtold           | Low     |
| Product | pom      | groupid                | org.junit.vintage         | Highest |
| Product | pom      | name                   | JUnit Vintage Engine      | High    |
| Product | pom      | url                    | https://junit.org/junit5/ | Medium  |
| Version | central  | version                | 5.10.0                    | Highest |
| Version | file     | version                | 5.10.0                    | High    |
| Version | gradle   | version                | 5.10.0                    | Highest |
| Version | Manifest | Bundle-Version         | 5.10.0                    | High    |
| Version | Manifest | Implementation-Version | 5.10.0                    | High    |
| Version | pom      | version                | 5.10.0                    | Highest |

### Identifiers

- [pkg:maven/org.junit.vintage/junit-vintage-engine@5.10.0](#) (*Confidence:High*)
- [cpe:2.3:a:fan\\_platform\\_project:fan\\_platform:5.10.0:\\*:\\*:\\*:\\*:\\*](#) (*Confidence:Low*)

## knowledgebase.zip: knowledgebase.jar

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/client/build/tmp/dependencies/i-net HelpDesk Anwendung/plugins/knowledgebase.zip/knowledgebase.jar

**MD5:** de51445a2dcb44e4599b45ccec3e2bb5

**SHA1:** b3cb241861ee14d7efe0c48d59526bd2add5e7ce

**SHA256:** c58ae1388d03e73a906506504a4a260f871d403aea5c967bfca7cc056e202770

**Referenced In Project/Scope:** client

### Evidence



| Type    | Source   | Name                     | Value                                | Confidence |
|---------|----------|--------------------------|--------------------------------------|------------|
| Vendor  | file     | name                     | knowledgebase                        | High       |
| Vendor  | jar      | package name             | helpdesk                             | Low        |
| Vendor  | jar      | package name             | inet                                 | Low        |
| Vendor  | jar      | package name             | plugins                              | Low        |
| Vendor  | Manifest | built-date               | 2024-01-10 14:54                     | Low        |
| Vendor  | Manifest | implementation-group     | helpdesk                             | Low        |
| Vendor  | Manifest | Implementation-Vendor    | i-net software                       | High       |
| Vendor  | Manifest | Implementation-Vendor-Id | de.inetsoftware                      | Medium     |
| Vendor  | Manifest | specification-vendor     | i-net software                       | Low        |
| Vendor  | Manifest | vendor                   | i-net software GmbH, Berlin, Germany | Medium     |
| Product | file     | name                     | knowledgebase                        | High       |
| Product | jar      | package name             | helpdesk                             | Highest    |
| Product | jar      | package name             | helpdesk                             | Low        |
| Product | jar      | package name             | knowledgebase                        | Highest    |
| Product | jar      | package name             | knowledgebase                        | Low        |
| Product | jar      | package name             | plugins                              | Low        |
| Product | Manifest | built-date               | 2024-01-10 14:54                     | Low        |
| Product | Manifest | implementation-group     | helpdesk                             | Low        |
| Product | Manifest | Implementation-Title     | knowledgebase                        | High       |
| Product | Manifest | specification-title      | knowledgebase                        | Medium     |
| Version | jar      | package name             | helpdesk                             | Highest    |
| Version | Manifest | Implementation-Version   | 23.10.289                            | High       |

### Identifiers

- cpe:2.3:a:inetsoftware:helpdesk:23.10.289:\*:\*:\*:\*:\* (Confidence:Low)

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems /HelpDeskInstaller/client/build/tmp/dependencies/i-net HelpDesk Anwendung/plugins/knowledgebase.zip /knowledgebase.jar/com/inet/helpdesk/plugins/knowledgebase/client/knowledgebase /controllerArticleDetails.js

**MD5:** aa5140f5fb3f636a0e3cae7939df3dc9

**SHA1:** 1c54ef58220800232a6aa35d7da4e9a154e3ffc9

**SHA256:** c4d83f3033398979e7c1ecc9fb0153d1cbbad23cdb4b17bd4ea8e36146927d7e

**Referenced In Project/Scope:** client

#### Evidence +

| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

#### Identifiers

- None

### knowledgebase.zip: knowledgebase.jar: controllerArticleDialog.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems /HelpDeskInstaller/client/build/tmp/dependencies/i-net HelpDesk Anwendung/plugins/knowledgebase.zip /knowledgebase.jar/com/inet/helpdesk/plugins/knowledgebase/client/knowledgebase /controllerArticleDialog.js

**MD5:** 9317956ef6eebda94fea24ff366738de

**SHA1:** 434faf3fffc227eeb040bd18fdf4fdd815ccf37c

**SHA256:** 7bd95943810a1cc7e2ddb6aa93e1a591ce7235626f4651d487e554a967ebfa18

**Referenced In Project/Scope:** client

#### Evidence +

| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

#### Identifiers

- None

### knowledgebase.zip: knowledgebase.jar: controllerArticleEditDialog.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems /HelpDeskInstaller/client/build/tmp/dependencies/i-net HelpDesk Anwendung/plugins/knowledgebase.zip /knowledgebase.jar/com/inet/helpdesk/plugins/knowledgebase/client/knowledgebase /controllerArticleEditDialog.js

**MD5:** bd9b8c2319f3b71e5ce72b764eed86da

**SHA1:** fbd0ba2faf3e2a48a28dc96c681e2d56f8510e53  
**SHA256:**554ca5eb51d6526c2e708d35cac139caff55a93625b33e957244374e2051f9d8  
**Referenced In Project/Scope:**client

Evidence +

| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

**knowledgebase.zip: knowledgebase.jar: controllerKnowledgeBase.js**

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems /HelpDeskInstaller/client/build/tmp/dependencies/i-net HelpDesk Anwendung/plugins/knowledgebase.zip /knowledgebase.jar/com/inet/helpdesk/plugins/knowledgebase/client/knowledgebase /controllerKnowledgeBase.js

**MD5:** 11ddc540f33fc6ea68f7280bea2dca50

**SHA1:** a3732311ccc9523391eb8e36bdba5c92d8951195

**SHA256:**dacc970715f657f8a5d342779067435ca31db265098c5252d2027142cbbefbef

**Referenced In Project/Scope:**client

Evidence +

| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

**knowledgebase.zip: knowledgebase.jar: fuzzysearcharticleextension.js**

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems /HelpDeskInstaller/client/build/tmp/dependencies/i-net HelpDesk Anwendung/plugins/knowledgebase.zip /knowledgebase.jar/com/inet/helpdesk/plugins/knowledgebase/server/ticketextension /fuzzysearcharticleextension.js

**MD5:** 1261f80fca5731093fdee8a73ce2269f

**SHA1:** 79c19cbd84ed9fab7653ace8a8d689f39f016b1c

**SHA256:**c8315c3d0a570aa98ac887bca42e55424c5a15755db49ce2c06ed566f51fd639

**Referenced In Project/Scope:**client

Evidence +

| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

**Identifiers**

- None

**knowledgebase.zip: knowledgebase.jar: knowledgeBaseFactory.js**

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems /HelpDeskInstaller/client/build/tmp/dependencies/i-net HelpDesk Anwendung/plugins/knowledgebase.zip /knowledgebase.jar/com/inet/helpdesk/plugins/knowledgebase/client/knowledgebase /knowledgeBaseFactory.js

**MD5:** 25177d781c33af0013c009016a99a89a

**SHA1:** 49bbb6fee2763fe39cfe33010824b2617e1526d4

**SHA256:** 5e496111fc4d576bde6769e0ef4bfe6c96ed79d08c085e2fba89757d6d70b41f

**Referenced In Project/Scope:** client

**Evidence**



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

**Identifiers**

- None

**knowledgebase.zip: knowledgebase.jar: ticketlist.extension.js**

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems /HelpDeskInstaller/client/build/tmp/dependencies/i-net HelpDesk Anwendung/plugins/knowledgebase.zip /knowledgebase.jar/com/inet/helpdesk/plugins/knowledgebase/client/knowledgebase/ticketlist.extension.js

**MD5:** f5967f9c4bd620384913cbee6e34d140

**SHA1:** d620a6455eb859f7d27819d738b9ae34f610d290

**SHA256:** fb0bd36e7a233aa611dbc564cf347bcce2ac23b1bb0cddb7f2bba544c976b53c

**Referenced In Project/Scope:** client

**Evidence**



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

## Identifiers

- None

## livesupport.zip: livesupport.jar

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/client/build/tmp/dependencies/i-net HelpDesk Anwendung/plugins/livesupport.zip/livesupport.jar

**MD5:** 2bc0baee4ff508561c82028e545e12be

**SHA1:** 3f19d3f209b197081ba1fc2eafd76979661a54dc

**SHA256:**ffab27ae139af445a3976477a5720d0d07b591d9e9855cac98b475c0560cf6dc

**Referenced In Project/Scope:**client

## Evidence



| Type    | Source   | Name                     | Value                                | Confidence |
|---------|----------|--------------------------|--------------------------------------|------------|
| Vendor  | file     | name                     | livesupport                          | High       |
| Vendor  | jar      | package name             | helpdesk                             | Low        |
| Vendor  | jar      | package name             | inet                                 | Low        |
| Vendor  | jar      | package name             | plugins                              | Low        |
| Vendor  | Manifest | built-date               | 2024-01-10 14:56                     | Low        |
| Vendor  | Manifest | implementation-group     | helpdesk                             | Low        |
| Vendor  | Manifest | Implementation-Vendor    | i-net software                       | High       |
| Vendor  | Manifest | Implementation-Vendor-Id | de.inetsoftware                      | Medium     |
| Vendor  | Manifest | specification-vendor     | i-net software                       | Low        |
| Vendor  | Manifest | vendor                   | i-net software GmbH, Berlin, Germany | Medium     |
| Product | file     | name                     | livesupport                          | High       |
| Product | jar      | package name             | helpdesk                             | Highest    |
| Product | jar      | package name             | helpdesk                             | Low        |
| Product | jar      | package name             | livesupport                          | Highest    |
| Product | jar      | package name             | livesupport                          | Low        |
| Product | jar      | package name             | plugins                              | Low        |
| Product | Manifest | built-date               | 2024-01-10 14:56                     | Low        |
| Product | Manifest | implementation-group     | helpdesk                             | Low        |
| Product | Manifest | Implementation-          | livesupport                          | High       |

|         |          | Title                  |             |         |
|---------|----------|------------------------|-------------|---------|
| Product | Manifest | specification-title    | livesupport | Medium  |
| Version | jar      | package name           | helpdesk    | Highest |
| Version | Manifest | Implementation-Version | 23.10.289   | High    |

#### Identifiers

- cpe:2.3:a:inetsoftware:helpdesk:23.10.289:\*:\*:\*:\*:\* (Confidence:Low)

### livesupport.zip: livesupport.jar: attachments.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/client/build/tmp/dependencies/i-net HelpDesk Anwendung/plugins/livesupport.zip/livesupport.jar/com/inet/helpdesk/plugins/livesupport/client/js/attachments.js

**MD5:** e36b20c3945f4aaecf55660154e28814

**SHA1:** bd564bf82ad916692c04a3c40e79d66bde2c8144

**SHA256:** 4b0d074f589de684d3b68840d23972fee550b25877f2c5bfe0d0ebc3d8011ae7

**Referenced In Project/Scope:**client

#### Evidence +

| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|      |        |      |       |            |

#### Identifiers

- None

### livesupport.zip: livesupport.jar: connections.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/client/build/tmp/dependencies/i-net HelpDesk Anwendung/plugins/livesupport.zip/livesupport.jar/com/inet/helpdesk/plugins/livesupport/client/js/connections.js

**MD5:** 36b8280197ef286a5b0b5156e005f017

**SHA1:** a7e921c1f7b9f1cb018a0cd386a73b9d2c8e4393

**SHA256:** 48fcd233eff13f716d9ac2c314896599d9bbe02bd820503d224ac6aa44428868

**Referenced In Project/Scope:**client

#### Evidence +

| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

#### Identifiers

- None

### livesupport.zip: livesupport.jar: controller.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/client/build/tmp/dependencies/i-net HelpDesk Anwendung/plugins/livesupport.zip/livesupport.jar/com/inet/helpdesk/plugins/livesupport/client/js/controller.js

**MD5:** 75e5da2497ff082de4e78609f68267a0

**SHA1:** 9480e67859bd449ad4bf968d5b1549ea85978562

**SHA256:** 1d998c12cc49269f278daa99710bb3da7965b87f4b8ee429b7e7b46f9756c22f

**Referenced In Project/Scope:**client

#### Evidence +

| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

#### Identifiers

- None

### livesupport.zip: livesupport.jar: dragging.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/client/build/tmp/dependencies/i-net HelpDesk Anwendung/plugins/livesupport.zip/livesupport.jar/com/inet/helpdesk/plugins/livesupport/client/js/lib/dragging.js

**MD5:** 0b71570c16534ca2d13c687e21c00017

**SHA1:** 62fc899fa0f0452efb8556fee2756c35383fdb35

**SHA256:**a5884efeab4465033d4fdcedf03f7dc2138d938ae6d566c4f70d3a4d8ea8519a

**Referenced In Project/Scope:**client

#### Evidence +

| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

#### Identifiers

- None

### livesupport.zip: livesupport.jar: events.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/client/build/tmp/dependencies/i-net HelpDesk Anwendung/plugins/livesupport.zip/livesupport.jar/com/inet/helpdesk/plugins/livesupport/client/js/lib/events.js  
**MD5:** 2b3d46a27ea9601db330eead65c08798  
**SHA1:** 84b4be596cf504baf3ccc5c198b1424852019444  
**SHA256:** b21b4dbc664ae47a61fb5ecfd87dc4760009386a8d98c127836b4dd07e97ffb1  
**Referenced In Project/Scope:** client

#### Evidence +

| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

#### Identifiers

- None

### livesupport.zip: livesupport.jar: fetch-promise.min.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/client/build/tmp/dependencies/i-net HelpDesk Anwendung/plugins/livesupport.zip/livesupport.jar/com/inet/helpdesk/plugins/livesupport/client/js/lib/fetch-promise.min.js  
**MD5:** 58b3e33a90cd1b4b5f31f2cab8add76e  
**SHA1:** 59e1613cc5ba26d993c2f61a32aa6d7e62bd4f6c  
**SHA256:** 9563fb9eaf9f5e97c1462bf433c895d0ff340e8ec0500938fbefa5a9e0081a0a  
**Referenced In Project/Scope:** client

#### Evidence +

| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

#### Identifiers

- None

### livesupport.zip: livesupport.jar: i18n.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems /HelpDeskInstaller/client/build/tmp/dependencies/i-net HelpDesk Anwendung/plugins/livesupport.zip /livesupport.jar/com/inet/helpdesk/plugins/livesupport/client/js/i18n.js  
**MD5:** 3de74bcd53be3fc42c7a8018fca44f1e  
**SHA1:** 93a1cb8a69478f26b581e03dd840225b1d77d191  
**SHA256:** 659ea6498c2d84601e168a643af1346401d54bc5accaab3cd7c519ecde9b7236  
**Referenced In Project/Scope:** client

Evidence +

| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

### livesupport.zip: livesupport.jar: lazy-load.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems /HelpDeskInstaller/client/build/tmp/dependencies/i-net HelpDesk Anwendung/plugins/livesupport.zip /livesupport.jar/com/inet/helpdesk/plugins/livesupport/client/js/lazy-load.js  
**MD5:** c8c4f76c76d8c4e6226ad139ca512a4d  
**SHA1:** 622d10441ded57bfdac20d655e796feeb2337f09  
**SHA256:** 1f32ead7094f11b9f7169ecb93d39bc03071ae342575631e77a2f58171e4f8bb  
**Referenced In Project/Scope:** client

Evidence +

| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

### livesupport.zip: livesupport.jar: prototype.array.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems /HelpDeskInstaller/client/build/tmp/dependencies/i-net HelpDesk Anwendung/plugins/livesupport.zip /livesupport.jar/com/inet/helpdesk/plugins/livesupport/client/js/lib/prototype.array.js  
**MD5:** 45dacd23529e4c8be70b74ff815261b1

**SHA1:** 5a5989506e8ddefd3434852cbe7edc89d22a8bab

**SHA256:** 5b4e150fe813fa86ccb19ea06ec77b49419da7ddfb24e65ef1e5d2b4db20571e

**Referenced In Project/Scope:** client

Evidence +

| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

**livesupport.zip: livesupport.jar: prototype.element.js**

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/client/build/tmp/dependencies/i-net HelpDesk Anwendung/plugins/livesupport.zip/livesupport.jar/com/inet/helpdesk/plugins/livesupport/client/js/lib/prototype.element.js

**MD5:** 4149978a5d0a8cb904e22b018eb1cf3d

**SHA1:** f49de5b0eda4a0229155ba40780c32c9d57ca0b3

**SHA256:** 2660c214d72def6ddb9bcde3145ff5fff661848bb2dc530a6224b89155bc7b7d

**Referenced In Project/Scope:** client

Evidence +

| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

**livesupport.zip: livesupport.jar: ui-components.js**

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/client/build/tmp/dependencies/i-net HelpDesk Anwendung/plugins/livesupport.zip/livesupport.jar/com/inet/helpdesk/plugins/livesupport/client/js/ui-components.js

**MD5:** b4cc80693c860ebc34452d7a10147137

**SHA1:** 0a9eeb6ab06add7a023893e3e6ee27b7609a80b7

**SHA256:** 172025aa740112bb57d9aa9cf8a76d9b869109291ce681b393fabcd8f8a820ec

**Referenced In Project/Scope:** client

Evidence +

| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

### Identifiers

- None

## maintenance.helpdesk.zip: maintenance.helpdesk.jar

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/client/build/tmp/dependencies/i-net HelpDesk Anwendung/plugins/maintenance.helpdesk.zip/maintenance.helpdesk.jar

**MD5:** 8e31b064f539013b04230ac79538bf9c

**SHA1:** b86c433808e984411bd0275bdb79e83f75fd5bff

**SHA256:** adadabb17a8c3e5fecad7b8c949a4d27ee5ba9356998f04f616ad936a41b8cc1

**Referenced In Project/Scope:** client

### Evidence +

| Type    | Source   | Name                     | Value                                | Confidence |
|---------|----------|--------------------------|--------------------------------------|------------|
| Vendor  | file     | name                     | maintenance.helpdesk                 | High       |
| Vendor  | jar      | package name             | helpdesk                             | Low        |
| Vendor  | jar      | package name             | inet                                 | Low        |
| Vendor  | jar      | package name             | plugins                              | Low        |
| Vendor  | Manifest | built-date               | 2024-01-10 14:51                     | Low        |
| Vendor  | Manifest | implementation-group     | helpdesk                             | Low        |
| Vendor  | Manifest | Implementation-Vendor    | i-net software                       | High       |
| Vendor  | Manifest | Implementation-Vendor-Id | de.inetsoftware                      | Medium     |
| Vendor  | Manifest | specification-vendor     | i-net software                       | Low        |
| Vendor  | Manifest | vendor                   | i-net software GmbH, Berlin, Germany | Medium     |
| Product | file     | name                     | maintenance.helpdesk                 | High       |
| Product | jar      | package name             | helpdesk                             | Highest    |
| Product | jar      | package name             | helpdesk                             | Low        |
| Product | jar      | package name             | maintenance                          | Highest    |
| Product | jar      | package name             | maintenance                          | Low        |
| Product | jar      | package name             | plugins                              | Low        |
| Product | Manifest | built-date               | 2024-01-10 14:51                     | Low        |

|         |          |                        |                      |         |
|---------|----------|------------------------|----------------------|---------|
| Product | Manifest | implementation-group   | helpdesk             | Low     |
| Product | Manifest | Implementation-Title   | maintenance.helpdesk | High    |
| Product | Manifest | specification-title    | maintenance.helpdesk | Medium  |
| Version | jar      | package name           | helpdesk             | Highest |
| Version | Manifest | Implementation-Version | 23.10.289            | High    |

### Identifiers

- `cpe:2.3:a:inetsoftware:helpdesk:23.10.289:*:*:*:*:*` (*Confidence:Low*)

## maintenance.helpdesk.zip: maintenance.helpdesk.jar: app.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/client/build/tmp/dependencies/i-net HelpDesk Anwendung/plugins/maintenance.helpdesk.zip/maintenance.helpdesk.jar/com/inet/helpdesk/plugins/maintenance/server/datacare/js/app.js  
**MD5:** 52a0959e0d631f3110283fc69ef65833  
**SHA1:** 6326b9129b3f552b9b3141c1445645f005e4b6d4  
**SHA256:** 7b01584ba3e3a5040dfc21ce0cc3698f98ad17d2513a7da5da470e5e5a2d218b  
**Referenced In Project/Scope:**client

### Evidence +

| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
| None |        |      |       |            |

### Identifiers

- None

## maintenance.helpdesk.zip: maintenance.helpdesk.jar: datacare.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/client/build/tmp/dependencies/i-net HelpDesk Anwendung/plugins/maintenance.helpdesk.zip/maintenance.helpdesk.jar/com/inet/helpdesk/plugins/maintenance/server/datacare/js/datacare.js  
**MD5:** 257869e677fe6ae3a9e20353d429269c  
**SHA1:** 1da2e72a62aaa6e7a5ca8390585d9c5fd87574db  
**SHA256:** 94abb50d5610464b7d24a1cd93fba1de6afe887c3ea486bc2ea05d90c97add71  
**Referenced In Project/Scope:**client

**Evidence**

| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

**Identifiers**

- None

**maintenance.helpdesk.zip: maintenance.helpdesk.jar: dbmigration.js**

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/client/build/tmp/dependencies/i-net HelpDesk Anwendung/plugins/maintenance.helpdesk.zip/maintenance.helpdesk.jar/com/inet/helpdesk/plugins/maintenance/server/dbmigration/js/dbmigration.js

**MD5:** cbedd0460a83b3eb5d36f397ccce4c14

**SHA1:** 8427b062cdfcf4c6142ada5d34187da77a7ae9e3

**SHA256:** 4a57d59dbd3f5d33998e2fd454bf45f887b9dfce923336fb1365d3baacaa038e

**Referenced In Project/Scope:** client

**Evidence**

| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

**Identifiers**

- None

**maintenance.helpdesk.zip: maintenance.helpdesk.jar: loginmodification.js**

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/client/build/tmp/dependencies/i-net HelpDesk Anwendung/plugins/maintenance.helpdesk.zip/maintenance.helpdesk.jar/com/inet/helpdesk/plugins/maintenance/server/loginmodification/js/loginmodification.js

**MD5:** 586c75a48eb97b7fb1fb27ef06ba8e9b

**SHA1:** 1b1e55b6b9e619cfde4e502fbc59248d4c8da8c5

**SHA256:** c2e4132b57073e62e79f0f2dd75a39e8b5300ce8c66a6c88593c6ef97df681

**Referenced In Project/Scope:** client

**Evidence**

| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

## Identifiers

- None

## mobilerpc.zip: mobilerpc.jar

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/client/build/tmp/dependencies/i-net HelpDesk Anwendung/plugins/mobilerpc.zip/mobilerpc.jar

**MD5:** 3fef3deb0127285a32afadedf866a98d

**SHA1:** 3b699ca89c9b35930e91aefac175baad22ba1ba1

**SHA256:** ff62dde38c1e9322ac6730101f545d5bb7d86008d325d41178a88c293efa2528

**Referenced In Project/Scope:** client

## Evidence +

| Type    | Source   | Name                     | Value                                | Confidence |
|---------|----------|--------------------------|--------------------------------------|------------|
| Vendor  | file     | name                     | mobilerpc                            | High       |
| Vendor  | jar      | package name             | helpdesk                             | Low        |
| Vendor  | jar      | package name             | inet                                 | Low        |
| Vendor  | jar      | package name             | plugins                              | Low        |
| Vendor  | Manifest | built-date               | 2024-01-10 14:50                     | Low        |
| Vendor  | Manifest | implementation-group     | helpdesk                             | Low        |
| Vendor  | Manifest | Implementation-Vendor    | i-net software                       | High       |
| Vendor  | Manifest | Implementation-Vendor-Id | de.inetsoftware                      | Medium     |
| Vendor  | Manifest | specification-vendor     | i-net software                       | Low        |
| Vendor  | Manifest | vendor                   | i-net software GmbH, Berlin, Germany | Medium     |
| Product | file     | name                     | mobilerpc                            | High       |
| Product | jar      | package name             | helpdesk                             | Highest    |
| Product | jar      | package name             | helpdesk                             | Low        |
| Product | jar      | package name             | mobilerpc                            | Highest    |
| Product | jar      | package name             | mobilerpc                            | Low        |
| Product | jar      | package name             | plugins                              | Low        |
| Product | Manifest | built-date               | 2024-01-10 14:50                     | Low        |

|         |          |                        |           |         |
|---------|----------|------------------------|-----------|---------|
| Product | Manifest | implementation-group   | helpdesk  | Low     |
| Product | Manifest | Implementation-Title   | mobilerpc | High    |
| Product | Manifest | specification-title    | mobilerpc | Medium  |
| Version | jar      | package name           | helpdesk  | Highest |
| Version | Manifest | Implementation-Version | 23.10.289 | High    |

### Identifiers

- cpe:2.3:a:inetsoftware:helpdesk:23.10.289:\*:\*:\*:\*:\* (Confidence:Low)

## opentest4j-1.3.0.jar

### Description:

Open Test Alliance for the JVM

### License:

The Apache License, Version 2.0: <https://www.apache.org/licenses/LICENSE-2.0.txt>

**File Path:** /home/jenkins/.gradle/caches/modules-2/files-2.1/org.opentest4j/opentest4j/1.3.0/152ea56b3a72f655d4fd677fc0ef2596c3dd5e6e/opentest4j-1.3.0.jar

**MD5:** 03c404f727531f3fd3b4c73997899327

**SHA1:** 152ea56b3a72f655d4fd677fc0ef2596c3dd5e6e

**SHA256:** 48e2df636cab6563ced64dcdff8abb2355627cb236ef0bf37598682ddf742f1b

**Referenced In Project/Scope:** client:inetPlugin

### Evidence +

| Type   | Source   | Name           | Value                                  | Confidence |
|--------|----------|----------------|--|------------|
| Vendor | central  | artifactid     | opentest4j                             | Highest    |
| Vendor | central  | groupid        | org.opentest4j                         | Highest    |
| Vendor | file     | name           | opentest4j                             | High       |
| Vendor | gradle   | artifactid     | opentest4j                             | Highest    |
| Vendor | gradle   | groupid        | org.opentest4j                         | Highest    |
| Vendor | jar      | package name   | opentest4j                             | Highest    |
| Vendor | jar      | package name   | opentest4j                             | Low        |
| Vendor | Manifest | build-date     | 2023-07-06                             | Low        |
| Vendor | Manifest | build-revision | 214973bfa4e7e9be7d04e623202cc4147c7036 | Low        |

|         |          |                       |  |         |
|---------|----------|-----------------------|--|---------|
| Vendor  | Manifest | build-time            | 14:25:06.116+0200                                  | Low     |
| Vendor  | Manifest | bundle-symbolicname   | org.opentest4j                                     | Medium  |
| Vendor  | Manifest | Implementation-Vendor | opentest4j.org                                     | High    |
| Vendor  | Manifest | require-capability    | osgi.ee;filter:="(&(osgi.ee=JavaSE)(version=1.6))" | Low     |
| Vendor  | Manifest | specification-vendor  | opentest4j.org                                     | Low     |
| Vendor  | pom      | artifactid            | opentest4j   | Low     |
| Vendor  | pom      | developer email       | business@johanneslink.net                          | Low     |
| Vendor  | pom      | developer email       | mail@marcphilipp.de                                | Low     |
| Vendor  | pom      | developer email       | matthias.merdes@heidelpay.com                      | Low     |
| Vendor  | pom      | developer email       | sam@sambrannen.com                                 | Low     |
| Vendor  | pom      | developer email       | stefan.bechtold@me.com                             | Low     |
| Vendor  | pom      | developer id          | bechte   | Medium  |
| Vendor  | pom      | developer id          | jlink  | Medium  |
| Vendor  | pom      | developer id          | marcphilipp  | Medium  |
| Vendor  | pom      | developer id          | mmerdes  | Medium  |
| Vendor  | pom      | developer id          | sbrannen   | Medium  |
| Vendor  | pom      | developer name        | Johannes Link                                      | Medium  |
| Vendor  | pom      | developer name        | Marc Philipp                                       | Medium  |
| Vendor  | pom      | developer name        | Matthias Merdes                                    | Medium  |
| Vendor  | pom      | developer name        | Sam Brannen  | Medium  |
| Vendor  | pom      | developer name        | Stefan Bechtold                                    | Medium  |
| Vendor  | pom      | groupid               | org.opentest4j                                     | Highest |
| Vendor  | pom      | name                  | org.opentest4j:opentest4j                          | High    |
| Vendor  | pom      | url                   | ota4j-team/opentest4j                              | Highest |
| Product | central  | artifactid            | opentest4j   | Highest |
| Product | file     | name                  | opentest4j   | High    |
| Product | gradle   | artifactid            | opentest4j   | Highest |
| Product | jar      | package name          | opentest4j   | Highest |
| Product | Manifest | build-date            | 2023-07-06   | Low     |
| Product | Manifest | build-revision        | 214973bfa4e7e9be7d04e623202cc4147c7036             | Low     |
| Product | Manifest | build-time            | 14:25:06.116+0200                                  | Low     |
| Product | Manifest | Bundle-Name           | opentest4j   | Medium  |
| Product | Manifest | bundle-symbolicname   | org.opentest4j                                     | Medium  |

|         |          |                        |  |         |
|---------|----------|------------------------|--|---------|
| Product | Manifest | Implementation-Title   | opentest4j   | High    |
| Product | Manifest | require-capability     | osgi.ee;filter:="(&(osgi.ee=JavaSE)(version=1.6))" | Low     |
| Product | Manifest | specification-title    | opentest4j   | Medium  |
| Product | pom      | artifactid             | opentest4j   | Highest |
| Product | pom      | developer email        | business@johanneslink.net                          | Low     |
| Product | pom      | developer email        | mail@marcphilipp.de                                | Low     |
| Product | pom      | developer email        | matthias.merdes@heidelpay.com                      | Low     |
| Product | pom      | developer email        | sam@sambrannen.com                                 | Low     |
| Product | pom      | developer email        | stefan.bechtold@me.com                             | Low     |
| Product | pom      | developer id           | bechte   | Low     |
| Product | pom      | developer id           | jlink  | Low     |
| Product | pom      | developer id           | marcphilipp  | Low     |
| Product | pom      | developer id           | mmerdes  | Low     |
| Product | pom      | developer id           | sbrannen   | Low     |
| Product | pom      | developer name         | Johannes Link                                      | Low     |
| Product | pom      | developer name         | Marc Philipp                                       | Low     |
| Product | pom      | developer name         | Matthias Merdes                                    | Low     |
| Product | pom      | developer name         | Sam Brannen  | Low     |
| Product | pom      | developer name         | Stefan Bechtold                                    | Low     |
| Product | pom      | groupid                | org.opentest4j                                     | Highest |
| Product | pom      | name                   | org.opentest4j:opentest4j                          | High    |
| Product | pom      | url                    | ota4j-team/opentest4j                              | High    |
| Version | central  | version                | 1.3.0  | Highest |
| Version | file     | version                | 1.3.0  | High    |
| Version | gradle   | version                | 1.3.0  | Highest |
| Version | Manifest | Bundle-Version         | 1.3.0  | High    |
| Version | Manifest | Implementation-Version | 1.3.0  | High    |
| Version | pom      | version                | 1.3.0  | Highest |

### Identifiers

- [pkg:maven/org.opentest4j/opentest4j@1.3.0](https://maven.org/opentest4j/opentest4j@1.3.0) (*Confidence:High*)

## pgp.zip: bcpjg-jdk18on.jar

### Description:

The Bouncy Castle Java API for handling the OpenPGP protocol. This jar contains the OpenPGP API for JDK 1.8 and up. The APIs can be used in conjunction with a JCE/JCA provider such as the one provided with the Bouncy Castle Cryptography APIs.

### License:

Bouncy Castle Licence: <https://www.bouncycastle.org/licence.html>  
Apache Software License, Version 2.0: <https://www.apache.org/licenses/LICENSE-2.0>

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/client/build/tmp/dependencies/i-net HelpDesk Anwendung/plugins/pgp.zip/bcpjg-jdk18on.jar

**MD5:** 6d7037402e65947f42ab73a0fb0dc196

**SHA1:** d5c23d0470261254d0e84dde1d4237d228540298

**SHA256:**5bc7c7ea6fc4d38cdfa0cf28142cc11944c6fa9abfa756ce8fb7a7e11d2fb9e

**Referenced In Project/Scope:**client

### Evidence



| Type   | Source   | Name                                   | Value                     | Confidence |
|--------|----------|--|---------------------------|------------|
| Vendor | central  | artifactid                             | bcpjg-jdk18on             | Highest    |
| Vendor | central  | groupid                                | org.bouncycastle          | Highest    |
| Vendor | file     | name                                   | bcpjg-jdk18on             | High       |
| Vendor | jar      | package name                           | bcpjg                     | Highest    |
| Vendor | jar      | package name                           | bouncycastle              | Highest    |
| Vendor | jar      | package name                           | bouncycastle              | Low        |
| Vendor | jar      | package name                           | openpgp                   | Highest    |
| Vendor | jar      | package name                           | openpgp                   | Low        |
| Vendor | Manifest | application-library-allowable-codebase | *                         | Low        |
| Vendor | Manifest | application-name                       | Bouncy Castle OpenPGP API | Medium     |
| Vendor | Manifest | automatic-module-name                  | org.bouncycastle.pg       | Medium     |
| Vendor | Manifest | bundle-requiredexecution               | J2SE-1.5                  | Low        |
| Vendor | Manifest | bundle-symbolicname                    | bcpjg                     | Medium     |
| Vendor | Manifest | caller-allowable-codebase              | *                         | Low        |
| Vendor | Manifest | codebase                               | *                         | Low        |
| Vendor | Manifest | extension-name                         | org.bouncycastle.bcpjg    | Medium     |

|         |          |  |   |         |
|---------|----------|--|---|---------|
| Vendor  | Manifest | Implementation-Vendor                  | BouncyCastle.org  | High    |
| Vendor  | Manifest | Implementation-Vendor-Id               | org.bouncycastle  | Medium  |
| Vendor  | Manifest | multi-release                          | true  | Low     |
| Vendor  | Manifest | originally-created-by                  | 25.362-b09 (Private Build)  | Low     |
| Vendor  | Manifest | permissions                            | all-permissions   | Low     |
| Vendor  | Manifest | specification-vendor                   | BouncyCastle.org  | Low     |
| Vendor  | Manifest | trusted-library                        | true  | Low     |
| Vendor  | pom      | artifactid                             | bcpjg-jdk18on   | Low     |
| Vendor  | pom      | developer email                        | feedback-crypto@bouncycastle.org  | Low     |
| Vendor  | pom      | developer id                           | feedback-crypto   | Medium  |
| Vendor  | pom      | developer name                         | The Legion of the Bouncy Castle Inc.  | Medium  |
| Vendor  | pom      | groupid                                | org.bouncycastle  | Highest |
| Vendor  | pom      | name                                   | Bouncy Castle OpenPGP API   | High    |
| Vendor  | pom      | url                                    | <a href="https://www.bouncycastle.org/java.html">https://www.bouncycastle.org/java.html</a> | Highest |
| Product | central  | artifactid                             | bcpjg-jdk18on   | Highest |
| Product | file     | name                                   | bcpjg-jdk18on   | High    |
| Product | jar      | package name                           | bcpjg   | Highest |
| Product | jar      | package name                           | bouncycastle  | Highest |
| Product | jar      | package name                           | openpgp   | Highest |
| Product | jar      | package name                           | openpgp   | Low     |
| Product | Manifest | application-library-allowable-codebase | *   | Low     |
| Product | Manifest | application-name                       | Bouncy Castle OpenPGP API   | Medium  |
| Product | Manifest | automatic-module-name                  | org.bouncycastle.pg   | Medium  |
| Product | Manifest | Bundle-Name                            | bcpjg   | Medium  |
| Product | Manifest | bundle-requiredexecution               | J2SE-1.5  | Low     |
| Product | Manifest | bundle-symbolicname                    | bcpjg   | Medium  |
| Product | Manifest | caller-allowable-codebase              | *   | Low     |
| Product | Manifest | codebase                               | *   | Low     |
| Product | Manifest | extension-name                         | org.bouncycastle.bcpjg  | Medium  |

|         |          |                       |  |         |
|---------|----------|-----------------------|--|---------|
| Product | Manifest | multi-release         | true                                   | Low     |
| Product | Manifest | originally-created-by | 25.362-b09 (Private Build)             | Low     |
| Product | Manifest | permissions           | all-permissions                        | Low     |
| Product | Manifest | trusted-library       | true                                   | Low     |
| Product | pom      | artifactid            | bcpjg-jdk18on                          | Highest |
| Product | pom      | developer email       | feedback-crypto@bouncycastle.org       | Low     |
| Product | pom      | developer id          | feedback-crypto                        | Low     |
| Product | pom      | developer name        | The Legion of the Bouncy Castle Inc.   | Low     |
| Product | pom      | groupid               | org.bouncycastle                       | Highest |
| Product | pom      | name                  | Bouncy Castle OpenPGP API              | High    |
| Product | pom      | url                   | https://www.bouncycastle.org/java.html | Medium  |
| Version | central  | version               | 1.76                                   | Highest |
| Version | Manifest | Bundle-Version        | 1.76                                   | High    |
| Version | pom      | version               | 1.76                                   | Highest |

### Identifiers

- [pkg:maven/org.bouncycastle/bcpjg-jdk18on@1.76](#) (*Confidence:High*)
- [cpe:2.3:a:bouncycastle:bouncy\\_castle\\_for\\_java:1.76:\\*:\\*:\\*:\\*:\\*](#) (*Confidence:Low*)
- [cpe:2.3:a:bouncycastle:legion-of-the-bouncy-castle:1.76:\\*:\\*:\\*:\\*:\\*](#) (*Confidence:Low*)
- [cpe:2.3:a:openpgp:openpgp:1.76:\\*:\\*:\\*:\\*:\\*](#) (*Confidence:Low*)

## pgp.zip: bcprov-jdk18on.jar

### Description:

The Bouncy Castle Crypto package is a Java implementation of cryptographic algorithms. This jar contains JCE provider and lightweight API for the Bouncy Castle Cryptography APIs for JDK 1.8 and up.

### License:

Bouncy Castle Licence: <https://www.bouncycastle.org/licence.html>

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/client/build/tmp/dependencies/i-net HelpDesk Anwendung/plugins/pgp.zip/bcprov-jdk18on.jar

**MD5:** 7020b9a9e1b951f5754a2168a26367f1

**SHA1:** 3a785d0b41806865ad7e311162bfa3fa60b3965b

**SHA256:** fda85d777aaae168015860b23a77cad9b8d3a1d5c904fda875313427bd560179

**Referenced In Project/Scope:** client

## Evidence



| Type   | Source   | Name                                   | Value                                | Confidence |
|--------|----------|--|--------------------------------------|------------|
| Vendor | central  | artifactid                             | bcprov-jdk18on                       | Highest    |
| Vendor | central  | groupid                                | org.bouncycastle                     | Highest    |
| Vendor | file     | name                                   | bcprov-jdk18on                       | High       |
| Vendor | jar      | package name                           | bouncycastle                         | Highest    |
| Vendor | jar      | package name                           | bouncycastle                         | Low        |
| Vendor | jar      | package name                           | org                                  | Highest    |
| Vendor | jar      | package name                           | provider                             | Highest    |
| Vendor | Manifest | application-library-allowable-codebase | *                                    | Low        |
| Vendor | Manifest | application-name                       | Bouncy Castle Provider               | Medium     |
| Vendor | Manifest | automatic-module-name                  | org.bouncycastle.provider            | Medium     |
| Vendor | Manifest | bundle-requiredexecution               | J2SE-1.5                             | Low        |
| Vendor | Manifest | bundle-symbolicname                    | bcprov                               | Medium     |
| Vendor | Manifest | caller-allowable-codebase              | *                                    | Low        |
| Vendor | Manifest | codebase                               | *                                    | Low        |
| Vendor | Manifest | extension-name                         | org.bouncycastle.bcprovider          | Medium     |
| Vendor | Manifest | Implementation-Vendor                  | BouncyCastle.org                     | High       |
| Vendor | Manifest | Implementation-Vendor-Id               | org.bouncycastle                     | Medium     |
| Vendor | Manifest | multi-release                          | true                                 | Low        |
| Vendor | Manifest | originally-created-by                  | 25.362-b09 (Private Build)           | Low        |
| Vendor | Manifest | permissions                            | all-permissions                      | Low        |
| Vendor | Manifest | specification-vendor                   | BouncyCastle.org                     | Low        |
| Vendor | Manifest | trusted-library                        | true                                 | Low        |
| Vendor | pom      | artifactid                             | bcprov-jdk18on                       | Low        |
| Vendor | pom      | developer email                        | feedback-crypto@bouncycastle.org     | Low        |
| Vendor | pom      | developer id                           | feedback-crypto                      | Medium     |
| Vendor | pom      | developer name                         | The Legion of the Bouncy Castle Inc. | Medium     |

|         |               |  |   |         |
|---------|---------------|--|---|---------|
| Vendor  | pom           | groupid                                | org.bouncycastle                                  | Highest |
| Vendor  | pom           | name                                   | Bouncy Castle Provider                            | High    |
| Vendor  | pom           | url                                    | https://www.bouncycastle.org/java.html            | Highest |
| Product | central       | artifactid                             | bcprov-jdk18on                                    | Highest |
| Product | file          | name                                   | bcprov-jdk18on                                    | High    |
| Product | hint analyzer | product                                | legion-of-the-bouncy-castle-java-cryptography-api | High    |
| Product | hint analyzer | product                                | the_bouncy_castle_crypto_package_for_java         | High    |
| Product | jar           | package name                           | bouncycastle                                      | Highest |
| Product | jar           | package name                           | org   | Highest |
| Product | jar           | package name                           | provider  | Highest |
| Product | Manifest      | application-library-allowable-codebase | *   | Low     |
| Product | Manifest      | application-name                       | Bouncy Castle Provider                            | Medium  |
| Product | Manifest      | automatic-module-name                  | org.bouncycastle.provider                         | Medium  |
| Product | Manifest      | Bundle-Name                            | bcprov  | Medium  |
| Product | Manifest      | bundle-requiredexecution               | J2SE-1.5  | Low     |
| Product | Manifest      | bundle-symbolicname                    | bcprov  | Medium  |
| Product | Manifest      | caller-allowable-codebase              | *   | Low     |
| Product | Manifest      | codebase                               | *   | Low     |
| Product | Manifest      | extension-name                         | org.bouncycastle.bcprovider                       | Medium  |
| Product | Manifest      | multi-release                          | true  | Low     |
| Product | Manifest      | originally-created-by                  | 25.362-b09 (Private Build)                        | Low     |
| Product | Manifest      | permissions                            | all-permissions                                   | Low     |
| Product | Manifest      | trusted-library                        | true  | Low     |
| Product | pom           | artifactid                             | bcprov-jdk18on                                    | Highest |
| Product | pom           | developer email                        | feedback-crypto@bouncycastle.org                  | Low     |
| Product | pom           | developer id                           | feedback-crypto                                   | Low     |
| Product | pom           | developer name                         | The Legion of the Bouncy Castle Inc.              | Low     |
| Product | pom           | groupid                                | org.bouncycastle                                  | Highest |
| Product | pom           | name                                   | Bouncy Castle Provider                            | High    |

|         |          |                |  |         |
|---------|----------|----------------|--|---------|
| Product | pom      | url            | https://www.bouncycastle.org/java.html | Medium  |
| Version | central  | version        | 1.76                                   | Highest |
| Version | Manifest | Bundle-Version | 1.76                                   | High    |
| Version | pom      | version        | 1.76                                   | Highest |

### Identifiers

- [pkg:maven/org.bouncycastle/bcprov-jdk18on@1.76](#) (*Confidence:High*)
- [cpe:2.3:a:bouncycastle:bouncy-castle-crypto-package:1.76:\\*:\\*:\\*:\\*:\\*](#) (*Confidence:Low*)
- [cpe:2.3:a:bouncycastle:bouncy\\_castle\\_crypto\\_package:1.76:\\*:\\*:\\*:\\*:\\*](#) (*Confidence:Low*)
- [cpe:2.3:a:bouncycastle:bouncy\\_castle\\_for\\_java:1.76:\\*:\\*:\\*:\\*:\\*](#) (*Confidence:Low*)
- [cpe:2.3:a:bouncycastle:legion-of-the-bouncy-castle:1.76:\\*:\\*:\\*:\\*:\\*](#) (*Confidence:Low*)
- [cpe:2.3:a:bouncycastle:legion-of-the-bouncy-castle-java-cryptography-api:1.76:\\*:\\*:\\*:\\*:\\*](#) (*Confidence:Low*)
- [cpe:2.3:a:bouncycastle:the\\_bouncy\\_castle\\_crypto\\_package\\_for\\_java:1.76:\\*:\\*:\\*:\\*:\\*](#) (*Confidence:Low*)

## pgp.zip: client.jar

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/client/build/tmp/dependencies/i-net HelpDesk Anwendung/plugins/pgp.zip/client.jar  
**MD5:** 6df92a26118dc2f05c4e7e7a46deedf1  
**SHA1:** f2312f4b8caba47a8a06b59a34b74185475c0e17  
**SHA256:** dacbf1dcfc654146cb931667ffa2e6cd7c47e562544027f3fbd9203d75cbd1d4  
**Referenced In Project/Scope:** client

### Evidence +

| Type   | Source   | Name                                   | Value            | Confidence |
|--------|----------|--|------------------|------------|
| Vendor | file     | name                                   | client           | High       |
| Vendor | jar      | package name                           | helpdesk         | Low        |
| Vendor | jar      | package name                           | inet             | Low        |
| Vendor | jar      | package name                           | plugins          | Low        |
| Vendor | Manifest | application-library-allowable-codebase | *                | Low        |
| Vendor | Manifest | built-date                             | 2024-01-10 14:50 | Low        |

|         |          |  |                                      |         |
|---------|----------|--|--------------------------------------|---------|
| Vendor  | Manifest | codebase                               | *                                    | Low     |
| Vendor  | Manifest | implementation-group                   | helpdesk                             | Low     |
| Vendor  | Manifest | Implementation-Vendor                  | i-net software                       | High    |
| Vendor  | Manifest | Implementation-Vendor-Id               | de.inetsoftware                      | Medium  |
| Vendor  | Manifest | permissions                            | all-permissions                      | Low     |
| Vendor  | Manifest | specification-vendor                   | i-net software                       | Low     |
| Vendor  | Manifest | trusted-library                        | false                                | Low     |
| Vendor  | Manifest | trusted-only                           | false                                | Low     |
| Vendor  | Manifest | vendor                                 | i-net software GmbH, Berlin, Germany | Medium  |
| Product | file     | name                                   | client                               | High    |
| Product | jar      | package name                           | helpdesk                             | Highest |
| Product | jar      | package name                           | helpdesk                             | Low     |
| Product | jar      | package name                           | pgp                                  | Low     |
| Product | jar      | package name                           | plugins                              | Low     |
| Product | Manifest | application-library-allowable-codebase | *                                    | Low     |
| Product | Manifest | built-date                             | 2024-01-10 14:50                     | Low     |
| Product | Manifest | codebase                               | *                                    | Low     |
| Product | Manifest | implementation-group                   | helpdesk                             | Low     |
| Product | Manifest | Implementation-Title                   | client                               | High    |
| Product | Manifest | permissions                            | all-permissions                      | Low     |
| Product | Manifest | specification-title                    | client                               | Medium  |
| Product | Manifest | trusted-library                        | false                                | Low     |
| Product | Manifest | trusted-only                           | false                                | Low     |
| Version | jar      | package name                           | helpdesk                             | Highest |
| Version | Manifest | Implementation-Version                 | 23.10.289                            | High    |

## Identifiers

- cpe:2.3:a:inetsoftware:helpdesk:23.10.289:\*:\*:\*:\*:\* (Confidence:Low) suppress

## pgp.zip: pgp.jar

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/client/build/tmp/dependencies/i-net HelpDesk Anwendung/plugins/pgp.zip/pgp.jar

**MD5:** dfac21376eb90464a24cf81ef5994ae0

**SHA1:** 1d5afeaf026a717a1d59b3f85f481478437f8a81

**SHA256:** 6c26745b172d1e01c3bf396fc00ee2ad528ea9238281e2e764b606ce04a8dd1a

**Referenced In Project/Scope:**client

### Evidence



| Type    | Source   | Name                     | Value                                | Confidence |
|---------|----------|--------------------------|--------------------------------------|------------|
| Vendor  | file     | name                     | pgp                                  | High       |
| Vendor  | jar      | package name             | helpdesk                             | Low        |
| Vendor  | jar      | package name             | inet                                 | Low        |
| Vendor  | jar      | package name             | plugins                              | Low        |
| Vendor  | Manifest | built-date               | 2024-01-10 14:50                     | Low        |
| Vendor  | Manifest | implementation-group     | helpdesk                             | Low        |
| Vendor  | Manifest | Implementation-Vendor    | i-net software                       | High       |
| Vendor  | Manifest | Implementation-Vendor-Id | de.inetsoftware                      | Medium     |
| Vendor  | Manifest | specification-vendor     | i-net software                       | Low        |
| Vendor  | Manifest | vendor                   | i-net software GmbH, Berlin, Germany | Medium     |
| Product | file     | name                     | pgp                                  | High       |
| Product | jar      | package name             | helpdesk                             | Highest    |
| Product | jar      | package name             | helpdesk                             | Low        |
| Product | jar      | package name             | pgp                                  | Highest    |
| Product | jar      | package name             | pgp                                  | Low        |
| Product | jar      | package name             | plugins                              | Low        |
| Product | Manifest | built-date               | 2024-01-10 14:50                     | Low        |
| Product | Manifest | implementation-group     | helpdesk                             | Low        |
| Product | Manifest | Implementation-Title     | pgp                                  | High       |
| Product | Manifest | specification-title      | pgp                                  | Medium     |
| Version | jar      | package name             | helpdesk                             | Highest    |
| Version | Manifest | Implementation-          | 23.10.289                            | High       |

Version

### Identifiers

- cpe:2.3:a:pgp:pgp:23.10.289:\*:\*:\*:\*:\* (Confidence:Low) suppress

## push.helpdesk.zip: push.helpdesk.jar

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/client/build/tmp/dependencies/i-net HelpDesk Anwendung/plugins/push.helpdesk.zip/push.helpdesk.jar

**MD5:** 353a60216fbc239c0377332f9a7a56ef

**SHA1:** 84cd0ac72c66524f15b6d963d6f0bde90bd4092f

**SHA256:**355954cd6b310b161740a784f6bf11fb2349fc8a91fafb4418919ff6d7c3159a

**Referenced In Project/Scope:**client

### Evidence +

| Type    | Source   | Name                     | Value                                | Confidence |
|---------|----------|--------------------------|--------------------------------------|------------|
| Vendor  | file     | name                     | push.helpdesk                        | High       |
| Vendor  | jar      | package name             | helpdesk                             | Low        |
| Vendor  | jar      | package name             | inet                                 | Low        |
| Vendor  | jar      | package name             | plugins                              | Low        |
| Vendor  | Manifest | built-date               | 2024-01-10 14:53                     | Low        |
| Vendor  | Manifest | implementation-group     | helpdesk                             | Low        |
| Vendor  | Manifest | Implementation-Vendor    | i-net software                       | High       |
| Vendor  | Manifest | Implementation-Vendor-Id | de.inetsoftware                      | Medium     |
| Vendor  | Manifest | specification-vendor     | i-net software                       | Low        |
| Vendor  | Manifest | vendor                   | i-net software GmbH, Berlin, Germany | Medium     |
| Product | file     | name                     | push.helpdesk                        | High       |
| Product | jar      | package name             | helpdesk                             | Highest    |
| Product | jar      | package name             | helpdesk                             | Low        |
| Product | jar      | package name             | plugins                              | Low        |
| Product | jar      | package name             | push                                 | Highest    |
| Product | jar      | package name             | push                                 | Low        |

|         |          |                        |                  |         |
|---------|----------|------------------------|------------------|---------|
| Product | Manifest | built-date             | 2024-01-10 14:53 | Low     |
| Product | Manifest | implementation-group   | helpdesk         | Low     |
| Product | Manifest | Implementation-Title   | push.helpdesk    | High    |
| Product | Manifest | specification-title    | push.helpdesk    | Medium  |
| Version | jar      | package name           | helpdesk         | Highest |
| Version | Manifest | Implementation-Version | 23.10.289        | High    |

### Identifiers

- cpe:2.3:a:inetsoftware:helpdesk:23.10.289:\*:\*:\*:\*:\* (Confidence:Low)

## quicketicket.zip: quicketicket.jar

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/client/build/tmp/dependencies/i-net HelpDesk Anwendung/plugins/quicketicket.zip/quicketicket.jar

**MD5:** cdef3cea4c3bf7eb531f6c3cd3303bc1

**SHA1:** 1eeb36d15781ed9c2da929d46c7f9cb7b7f4bd70

**SHA256:** 903128e466263562c2ec07f4df6b563a5acf49ae9ab9fd1528afcca0d3d01f0f

**Referenced In Project/Scope:** client

### Evidence +

| Type   | Source   | Name                     | Value                                | Confidence |
|--------|----------|--------------------------|--------------------------------------|------------|
| Vendor | file     | name                     | quicketicket                         | High       |
| Vendor | jar      | package name             | helpdesk                             | Low        |
| Vendor | jar      | package name             | inet                                 | Low        |
| Vendor | jar      | package name             | plugins                              | Low        |
| Vendor | Manifest | built-date               | 2024-01-10 14:57                     | Low        |
| Vendor | Manifest | implementation-group     | helpdesk                             | Low        |
| Vendor | Manifest | Implementation-Vendor    | i-net software                       | High       |
| Vendor | Manifest | Implementation-Vendor-Id | de.inetsoftware                      | Medium     |
| Vendor | Manifest | specification-vendor     | i-net software                       | Low        |
| Vendor | Manifest | vendor                   | i-net software GmbH, Berlin, Germany | Medium     |

|         |          |                        |                  |         |
|---------|----------|------------------------|------------------|---------|
| Product | file     | name                   | quickticket      | High    |
| Product | jar      | package name           | helpdesk         | Highest |
| Product | jar      | package name           | helpdesk         | Low     |
| Product | jar      | package name           | plugins          | Low     |
| Product | jar      | package name           | quickticket      | Highest |
| Product | jar      | package name           | quickticket      | Low     |
| Product | Manifest | built-date             | 2024-01-10 14:57 | Low     |
| Product | Manifest | implementation-group   | helpdesk         | Low     |
| Product | Manifest | Implementation-Title   | quickticket      | High    |
| Product | Manifest | specification-title    | quickticket      | Medium  |
| Version | jar      | package name           | helpdesk         | Highest |
| Version | Manifest | Implementation-Version | 23.10.289        | High    |

#### Identifiers

- `cpe:2.3:a:inetsoftware:helpdesk:23.10.289:*:*:*:*:*` (*Confidence:Low*) suppress

### quickticket.zip: quickticket.jar: configuration.quickticket.createfolder.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/client/build/tmp/dependencies/i-net HelpDesk Anwendung/plugins/quickticket.zip  
 /quickticket.jar/com/inet/helpdesk/plugins/quickticket/client/config/configuration.quickticket.createfolder.js  
**MD5:** 0acca039ac68bd854d5864f400189648  
**SHA1:** ff71156139fb2293bcb6f1103a0b0ea72393ddd4  
**SHA256:** f3bf1017ac9e9060cb5235db711be19714864b1ec5bb5419118e2d5af0a32b81  
**Referenced In Project/Scope:** client

#### Evidence +

| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

#### Identifiers

- None

## quickticket.zip: quickticket.jar: configuration.quickticket.edit.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/client/build/tmp/dependencies/i-net HelpDesk Anwendung/plugins/quickticket.zip/quickticket.jar/com/inet/helpdesk/plugins/quickticket/client/config/configuration.quickticket.edit.js

**MD5:** e822d2192752f24ad31a860787d1b03f

**SHA1:** 56af9d108e691bd28ac6b482f149671ae4cc8a75

**SHA256:** b0bd5e1ffb9321a94ef82a378dfe657889ccf788a00cdc6adbaba067fceefac0

**Referenced In Project/Scope:** client

### Evidence +

| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

### Identifiers

- None

## quickticket.zip: quickticket.jar: configuration.quickticket.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/client/build/tmp/dependencies/i-net HelpDesk Anwendung/plugins/quickticket.zip/quickticket.jar/com/inet/helpdesk/plugins/quickticket/client/config/configuration.quickticket.js

**MD5:** 4c84ed001ea962d772f7982ae068eb76

**SHA1:** d4f7e63b8d46207bd43b5959b6816856b26fca3b

**SHA256:** 6240197f64643c7acd1ab72e68eaeaa58dadfa4b47280c3dd9dbefd3d770956a

**Referenced In Project/Scope:** client

### Evidence +

| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

### Identifiers

- None

## quickticket.zip: quickticket.jar: configuration.quickticket.renderer.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/client/build/tmp/dependencies/i-net HelpDesk Anwendung/plugins/quickticket.zip/quickticket.jar/com/inet/helpdesk/plugins/quickticket/client/config/configuration.quickticket.renderer.js

**MD5:** 92f2220b16dae76836ad3ed427e08f53

**SHA1:** 40b88a0d6e7f6df697cc7190639cc22726a14980

**SHA256:** d0f50a5c3801d3d0dce5c6d63a944f75a489c4bb120fdce4e05f62dae95177db

**Referenced In Project/Scope:** client

Evidence +

| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

**quickticket.zip: quickticket.jar: ticketlist.extension.js**

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/client/build/tmp/dependencies/i-net HelpDesk Anwendung/plugins/quickticket.zip/quickticket.jar/com/inet/helpdesk/plugins/quickticket/client/ticketlist/ticketlist.extension.js

**MD5:** d533e34a257c157749dd5d4728694e91

**SHA1:** c6972a0988651a3cd6977877d5f6b661a8c40cc8

**SHA256:** aff429be287d6a51121ed475c0d710ff3eaa63214d14d7a758e55fe95169ae91

**Referenced In Project/Scope:** client

Evidence +

| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

**quickticket.zip: quickticket.jar: ticketlist.quickticket.apply.js**

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/client/build/tmp/dependencies/i-net HelpDesk Anwendung/plugins/quickticket.zip/quickticket.jar/com/inet/helpdesk/plugins/quickticket/client/ticketlist/ticketlist.quickticket.apply.js

**MD5:** e3e8cfaf2b44269d1d669cc85219f638

**SHA1:** a2db814b957bb42ec9e9f95ec2f7eb81341b8a57

**SHA256:** 1bdce88d13514a77ac0fe2da69148c7023bdbda3b4558140a892f615e98cf1d7

**Referenced In Project/Scope:** client

Evidence +

| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

### Identifiers

- None

## reporttree.zip: client.jar

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/client/build/tmp/dependencies/i-net HelpDesk Anwendung/plugins/reporttree.zip/client.jar

**MD5:** bbd5ad173ceae007a2db23c5c14ceb26

**SHA1:** 926a285baffdf9b56b5548ef12a3763a2be4825b

**SHA256:** b07ff6dd6c533e74a3a5ac876f3b750cd152c7040e8b3227324094220ab0cc0f

**Referenced In Project/Scope:** client

### Evidence +

| Type    | Source   | Name                                   | Value                                | Confidence |
|---------|----------|--|--------------------------------------|------------|
| Vendor  | file     | name                                   | client                               | High       |
| Vendor  | Manifest | application-library-allowable-codebase | *                                    | Low        |
| Vendor  | Manifest | built-date                             | 2024-01-10 14:53                     | Low        |
| Vendor  | Manifest | codebase                               | *                                    | Low        |
| Vendor  | Manifest | implementation-group                   | helpdesk                             | Low        |
| Vendor  | Manifest | Implementation-Vendor                  | i-net software                       | High       |
| Vendor  | Manifest | Implementation-Vendor-Id               | de.inetsoftware                      | Medium     |
| Vendor  | Manifest | permissions                            | all-permissions                      | Low        |
| Vendor  | Manifest | specification-vendor                   | i-net software                       | Low        |
| Vendor  | Manifest | trusted-library                        | false                                | Low        |
| Vendor  | Manifest | trusted-only                           | false                                | Low        |
| Vendor  | Manifest | vendor                                 | i-net software GmbH, Berlin, Germany | Medium     |
| Product | file     | name                                   | client                               | High       |
| Product | Manifest | application-library-allowable-codebase | *                                    | Low        |

|         |          |                        |                  |        |
|---------|----------|------------------------|------------------|--------|
| Product | Manifest | built-date             | 2024-01-10 14:53 | Low    |
| Product | Manifest | codebase               | *                | Low    |
| Product | Manifest | implementation-group   | helpdesk         | Low    |
| Product | Manifest | Implementation-Title   | client           | High   |
| Product | Manifest | permissions            | all-permissions  | Low    |
| Product | Manifest | specification-title    | client           | Medium |
| Product | Manifest | trusted-library        | false            | Low    |
| Product | Manifest | trusted-only           | false            | Low    |
| Version | Manifest | Implementation-Version | 23.10.289        | High   |

### Identifiers

- [cpe:2.3:a:inetsoftware:helpdesk:23.10.289:\\*:\\*:\\*:\\*:\\*](#) (Confidence:Low)

## reporttree.zip: reporttree.jar

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/client/build/tmp/dependencies/i-net HelpDesk Anwendung/plugins/reporttree.zip/reporttree.jar

**MD5:** 2eac078039d9077184d8f3ce57a2fbdf

**SHA1:** 13490a3f18647ba697759b898c897642cce5fbc3

**SHA256:** 2e1337a0445d3cc54f31c64775bfa031f7b6567ea429893ddf8b8917b5f6daa0

**Referenced In Project/Scope:** client

### Evidence +

| Type   | Source   | Name                  | Value            | Confidence |
|--------|----------|-----------------------|------------------|------------|
| Vendor | file     | name                  | reporttree       | High       |
| Vendor | jar      | package name          | helpdesk         | Low        |
| Vendor | jar      | package name          | inet             | Low        |
| Vendor | jar      | package name          | plugins          | Low        |
| Vendor | Manifest | built-date            | 2024-01-10 14:53 | Low        |
| Vendor | Manifest | implementation-group  | helpdesk         | Low        |
| Vendor | Manifest | Implementation-Vendor | i-net software   | High       |

|         |          |                          |                                      |         |
|---------|----------|--------------------------|--------------------------------------|---------|
| Vendor  | Manifest | Implementation-Vendor-Id | de.inetsoftware                      | Medium  |
| Vendor  | Manifest | specification-vendor     | i-net software                       | Low     |
| Vendor  | Manifest | vendor                   | i-net software GmbH, Berlin, Germany | Medium  |
| Product | file     | name                     | reporttree                           | High    |
| Product | jar      | package name             | helpdesk                             | Highest |
| Product | jar      | package name             | helpdesk                             | Low     |
| Product | jar      | package name             | plugins                              | Low     |
| Product | jar      | package name             | reporttree                           | Highest |
| Product | jar      | package name             | reporttree                           | Low     |
| Product | Manifest | built-date               | 2024-01-10 14:53                     | Low     |
| Product | Manifest | implementation-group     | helpdesk                             | Low     |
| Product | Manifest | Implementation-Title     | reporttree                           | High    |
| Product | Manifest | specification-title      | reporttree                           | Medium  |
| Version | jar      | package name             | helpdesk                             | Highest |
| Version | Manifest | Implementation-Version   | 23.10.289                            | High    |

### Identifiers

- `cpe:2.3:a:inetsoftware:helpdesk:23.10.289:*:*:*:*:*` (*Confidence:Low*)

## slf4j-api-2.0.9.jar

### Description:

The slf4j API

### License:

<http://www.opensource.org/licenses/mit-license.php>

**File Path:** /home/jenkins/.gradle/caches/modules-2/files-2.1/org.slf4j/slf4j-api/2.0.9/7cf2726fdcfbc8610f9a71fb3ed639871f315340/slf4j-api-2.0.9.jar

**MD5:** 45630e54b0f0ac2b3c80462515ad8fda

**SHA1:** 7cf2726fdcfbc8610f9a71fb3ed639871f315340

**SHA256:** 0818930dc8d7debb403204611691da58e49d42c50b6ffcfcdce02dadb7c3c2b6c

**Referenced In Project/Scope:** client:inetPlugin

### Evidence



| Type    | Source   | Name                 | Value   | Confidence |
|---------|----------|----------------------|---|------------|
| Vendor  | file     | name                 | slf4j-api   | High       |
| Vendor  | gradle   | artifactid           | slf4j-api   | Highest    |
| Vendor  | gradle   | groupid              | org.slf4j   | Highest    |
| Vendor  | jar      | package name         | slf4j   | Highest    |
| Vendor  | Manifest | build-jdk-spec       | 20  | Low        |
| Vendor  | Manifest | bundle-docurl        | http://www.slf4j.org  | Low        |
| Vendor  | Manifest | bundle-symbolicname  | slf4j-api   | Medium     |
| Vendor  | Manifest | multi-release        | true  | Low        |
| Vendor  | Manifest | require-capability   | osgi.extender;filter:="(&(osgi.extender=osgi.serviceloader.processor)(version>=1.0.0)(!(version>=2.0.0)))",osgi.serviceloader;filter:="(osgi.serviceloader=org.slf4j.spi.SLF4JServiceProvider)";osgi.serviceloader=org.slf4j.spi.SLF4JServiceProvider",osgi.ee;filter:="(&(osgi.ee=JavaSE)(version=1.8))" | Low        |
| Vendor  | pom      | artifactid           | slf4j-api   | Low        |
| Vendor  | pom      | groupid              | org.slf4j   | Highest    |
| Vendor  | pom      | name                 | SLF4J API Module  | High       |
| Vendor  | pom      | parent-artifactid    | slf4j-parent  | Low        |
| Vendor  | pom      | url                  | http://www.slf4j.org  | Highest    |
| Product | file     | name                 | slf4j-api   | High       |
| Product | gradle   | artifactid           | slf4j-api   | Highest    |
| Product | jar      | package name         | slf4j   | Highest    |
| Product | jar      | package name         | slf4jserviceprovider  | Highest    |
| Product | jar      | package name         | spi   | Highest    |
| Product | Manifest | build-jdk-spec       | 20  | Low        |
| Product | Manifest | bundle-docurl        | http://www.slf4j.org  | Low        |
| Product | Manifest | Bundle-Name          | SLF4J API Module  | Medium     |
| Product | Manifest | bundle-symbolicname  | slf4j-api   | Medium     |
| Product | Manifest | Implementation-Title | slf4j-api   | High       |
| Product | Manifest | multi-release        | true  | Low        |
| Product | Manifest | require-capability   | osgi.extender;filter:="(&(osgi.extender=osgi.serviceloader.processor)(version>=1.0.0)(!(version>=2.0.0)))",osgi.serviceloader;filter:="(osgi.serviceloader=org.slf4j.spi.SLF4JServiceProvider)";osgi.serviceloader=org.slf4j.spi.SLF4JServiceProvider",osgi.ee;filter:="(&(osgi.ee=JavaSE)(version=1.8))" | Low        |

|         |          |                        |                      |         |
|---------|----------|------------------------|----------------------|---------|
| Product | pom      | artifactid             | slf4j-api            | Highest |
| Product | pom      | groupid                | org.slf4j            | Highest |
| Product | pom      | name                   | SLF4J API Module     | High    |
| Product | pom      | parent-artifactid      | slf4j-parent         | Medium  |
| Product | pom      | url                    | http://www.slf4j.org | Medium  |
| Version | file     | version                | 2.0.9                | High    |
| Version | gradle   | version                | 2.0.9                | Highest |
| Version | Manifest | Bundle-Version         | 2.0.9                | High    |
| Version | Manifest | Implementation-Version | 2.0.9                | High    |
| Version | pom      | version                | 2.0.9                | Highest |

### Identifiers

- <pkg:maven/org.slf4j/slf4j-api@2.0.9> (*Confidence:High*)

## swingclient.zip: Dialog.jar

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/client/build/tmp/dependencies/i-net HelpDesk Anwendung/plugins/swingclient.zip/Dialog.jar

**MD5:** 04d801616d3215d6b8790212ef736691

**SHA1:** c7cd3bdf19868793f73c5ad3befc251c32c64c16

**SHA256:** f6b13a282edb4afc385fa6a52be4b350dd1f2b10fb3d2400ba451159d09237ee

**Referenced In Project/Scope:** client

### Evidence +

| Type   | Source   | Name                                   | Value          | Confidence |
|--------|----------|--|----------------|------------|
| Vendor | file     | name                                   | Dialog         | High       |
| Vendor | jar      | package name                           | helpdesk       | Highest    |
| Vendor | jar      | package name                           | inet           | Low        |
| Vendor | jar      | package name                           | loader         | Low        |
| Vendor | jar      | package name                           | shared         | Low        |
| Vendor | Manifest | application-library-allowable-codebase | *              | Low        |
| Vendor | Manifest | application-name                       | i-net HelpDesk | Medium     |

|         |          |  |                                      |         |
|---------|----------|--|--------------------------------------|---------|
| Vendor  | Manifest | built-date                             | 2024-01-10 14:44                     | Low     |
| Vendor  | Manifest | codebase                               | *                                    | Low     |
| Vendor  | Manifest | implementation-group                   | helpdesk                             | Low     |
| Vendor  | Manifest | Implementation-Vendor                  | i-net software                       | High    |
| Vendor  | Manifest | Implementation-Vendor-Id               | de.inetsoftware                      | Medium  |
| Vendor  | Manifest | permissions                            | all-permissions                      | Low     |
| Vendor  | Manifest | specification-vendor                   | i-net software                       | Low     |
| Vendor  | Manifest | trusted-library                        | false                                | Low     |
| Vendor  | Manifest | trusted-only                           | false                                | Low     |
| Vendor  | Manifest | vendor                                 | i-net software GmbH, Berlin, Germany | Medium  |
| Product | file     | name                                   | Dialog                               | High    |
| Product | jar      | package name                           | helpdesk                             | Highest |
| Product | jar      | package name                           | loader                               | Low     |
| Product | jar      | package name                           | shared                               | Low     |
| Product | Manifest | application-library-allowable-codebase | *                                    | Low     |
| Product | Manifest | application-name                       | i-net HelpDesk                       | Medium  |
| Product | Manifest | built-date                             | 2024-01-10 14:44                     | Low     |
| Product | Manifest | codebase                               | *                                    | Low     |
| Product | Manifest | implementation-group                   | helpdesk                             | Low     |
| Product | Manifest | Implementation-Title                   | Dialog                               | High    |
| Product | Manifest | permissions                            | all-permissions                      | Low     |
| Product | Manifest | specification-title                    | Dialog                               | Medium  |
| Product | Manifest | trusted-library                        | false                                | Low     |
| Product | Manifest | trusted-only                           | false                                | Low     |
| Version | jar      | package name                           | helpdesk                             | Highest |
| Version | Manifest | Implementation-Version                 | 23.10.289                            | High    |

## Identifiers

-

**swingclient.zip: Dialog1.jar**

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/client/build/tmp/dependencies/i-net HelpDesk Anwendung/plugins/swingclient.zip/Dialog1.jar

**MD5:** ea3928208feba62c80cc36119d2aadbo

**SHA1:** fa2823e3036c869ade53ec00399ae12b2b75d133

**SHA256:** ea4f62b63b5c3bbdc433eb105ddc8e4c8fe44d3590c4b1ed8239ce55be5cc6b3

**Referenced In Project/Scope:** client

**Evidence** +

| Type    | Source   | Name                                   | Value                                | Confidence |
|---------|----------|--|--------------------------------------|------------|
| Vendor  | file     | name                                   | Dialog1                              | High       |
| Vendor  | jar      | package name                           | helpdesk                             | Highest    |
| Vendor  | jar      | package name                           | helpdesk                             | Low        |
| Vendor  | jar      | package name                           | inet                                 | Low        |
| Vendor  | Manifest | application-library-allowable-codebase | *                                    | Low        |
| Vendor  | Manifest | application-name                       | i-net HelpDesk                       | Medium     |
| Vendor  | Manifest | built-date                             | 2024-01-10 14:43                     | Low        |
| Vendor  | Manifest | codebase                               | *                                    | Low        |
| Vendor  | Manifest | implementation-group                   | helpdesk                             | Low        |
| Vendor  | Manifest | Implementation-Vendor                  | i-net software                       | High       |
| Vendor  | Manifest | Implementation-Vendor-Id               | de.inetsoftware                      | Medium     |
| Vendor  | Manifest | permissions                            | all-permissions                      | Low        |
| Vendor  | Manifest | specification-vendor                   | i-net software                       | Low        |
| Vendor  | Manifest | trusted-library                        | false                                | Low        |
| Vendor  | Manifest | trusted-only                           | false                                | Low        |
| Vendor  | Manifest | vendor                                 | i-net software GmbH, Berlin, Germany | Medium     |
| Product | file     | name                                   | Dialog1                              | High       |
| Product | jar      | package name                           | helpdesk                             | Highest    |

|         |          |  |                  |         |
|---------|----------|--|------------------|---------|
| Product | jar      | package name                           | helpdesk         | Low     |
| Product | Manifest | application-library-allowable-codebase | *                | Low     |
| Product | Manifest | application-name                       | i-net HelpDesk   | Medium  |
| Product | Manifest | built-date                             | 2024-01-10 14:43 | Low     |
| Product | Manifest | codebase                               | *                | Low     |
| Product | Manifest | implementation-group                   | helpdesk         | Low     |
| Product | Manifest | Implementation-Title                   | Dialog1          | High    |
| Product | Manifest | permissions                            | all-permissions  | Low     |
| Product | Manifest | specification-title                    | Dialog1          | Medium  |
| Product | Manifest | trusted-library                        | false            | Low     |
| Product | Manifest | trusted-only                           | false            | Low     |
| Version | file     | name                                   | Dialog1          | Medium  |
| Version | file     | version                                | 1                | Medium  |
| Version | jar      | package name                           | helpdesk         | Highest |
| Version | Manifest | Implementation-Version                 | 23.10.289        | High    |

### Identifiers

- `cpe:2.3:a:inetsoftware:helpdesk:23.10.289:*:*:*:*:*` (*Confidence:Low*)

## swingclient.zip: Dialog2.jar

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/client/build/tmp/dependencies/i-net HelpDesk Anwendung/plugins/swingclient.zip/Dialog2.jar

**MD5:** daa6317bb5f835334a70d579172e345f

**SHA1:** 63a5f27b23c97f8ddaee7fb9c960113c4cbd8b70

**SHA256:** 6780e554ce7e6a84810f9dd588f34812b2aeae9f814c77dcf8caa8068ffd13a8

**Referenced In Project/Scope:** client

### Evidence +

| Type   | Source | Name | Value   | Confidence |
|--------|--------|------|---------|------------|
| Vendor | file   | name | Dialog2 | High       |

|         |          |  |                                      |        |
|---------|----------|--|--------------------------------------|--------|
| Vendor  | jar      | package name                           | inet                                 | Low    |
| Vendor  | jar      | package name                           | looks                                | Low    |
| Vendor  | jar      | package name                           | plastic                              | Low    |
| Vendor  | Manifest | application-library-allowable-codebase | *                                    | Low    |
| Vendor  | Manifest | application-name                       | i-net HelpDesk                       | Medium |
| Vendor  | Manifest | built-date                             | 2024-01-10 14:43                     | Low    |
| Vendor  | Manifest | codebase                               | *                                    | Low    |
| Vendor  | Manifest | implementation-group                   | helpdesk                             | Low    |
| Vendor  | Manifest | Implementation-Vendor                  | i-net software                       | High   |
| Vendor  | Manifest | Implementation-Vendor-Id               | de.inetsoftware                      | Medium |
| Vendor  | Manifest | permissions                            | all-permissions                      | Low    |
| Vendor  | Manifest | specification-vendor                   | i-net software                       | Low    |
| Vendor  | Manifest | trusted-library                        | false                                | Low    |
| Vendor  | Manifest | trusted-only                           | false                                | Low    |
| Vendor  | Manifest | vendor                                 | i-net software GmbH, Berlin, Germany | Medium |
| Product | file     | name                                   | Dialog2                              | High   |
| Product | jar      | package name                           | looks                                | Low    |
| Product | jar      | package name                           | plastic                              | Low    |
| Product | Manifest | application-library-allowable-codebase | *                                    | Low    |
| Product | Manifest | application-name                       | i-net HelpDesk                       | Medium |
| Product | Manifest | built-date                             | 2024-01-10 14:43                     | Low    |
| Product | Manifest | codebase                               | *                                    | Low    |
| Product | Manifest | implementation-group                   | helpdesk                             | Low    |
| Product | Manifest | Implementation-Title                   | Dialog2                              | High   |
| Product | Manifest | permissions                            | all-permissions                      | Low    |
| Product | Manifest | specification-title                    | Dialog2                              | Medium |
| Product | Manifest | trusted-library                        | false                                | Low    |
| Product | Manifest | trusted-only                           | false                                | Low    |

|         |          |                        |           |        |
|---------|----------|------------------------|-----------|--------|
| Version | file     | name                   | Dialog2   | Medium |
| Version | file     | version                | 2         | Medium |
| Version | Manifest | Implementation-Version | 23.10.289 | High   |

### Identifiers

- cpe:2.3:a:inetsoftware:helpdesk:23.10.289:\*:\*:\*:\*:\* (Confidence:Low)

## swingclient.zip: Dialog3.jar

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/client/build/tmp/dependencies/i-net HelpDesk Anwendung/plugins/swingclient.zip/Dialog3.jar

**MD5:** 047350b8678707e96604fa696842b77e

**SHA1:** 4875656fe2b0234058cf6c53da18b43b1a6535a8

**SHA256:** cf2b5608c7ddb4ee67cd38ae40fe951c6e631cf73b9ba40c64087718cbc83ef

**Referenced In Project/Scope:** client

### Evidence +

| Type   | Source   | Name                                   | Value            | Confidence |
|--------|----------|--|------------------|------------|
| Vendor | file     | name                                   | Dialog3          | High       |
| Vendor | jar      | package name                           | helpdesk         | Highest    |
| Vendor | jar      | package name                           | helpdesk         | Low        |
| Vendor | jar      | package name                           | inet             | Low        |
| Vendor | Manifest | application-library-allowable-codebase | *                | Low        |
| Vendor | Manifest | application-name                       | i-net HelpDesk   | Medium     |
| Vendor | Manifest | built-date                             | 2024-01-10 14:44 | Low        |
| Vendor | Manifest | codebase                               | *                | Low        |
| Vendor | Manifest | implementation-group                   | helpdesk         | Low        |
| Vendor | Manifest | Implementation-Vendor                  | i-net software   | High       |
| Vendor | Manifest | Implementation-Vendor-Id               | de.inetsoftware  | Medium     |
| Vendor | Manifest | permissions                            | all-permissions  | Low        |

|         |          |  |                                      |         |
|---------|----------|--|--------------------------------------|---------|
| Vendor  | Manifest | specification-vendor                   | i-net software                       | Low     |
| Vendor  | Manifest | trusted-library                        | false                                | Low     |
| Vendor  | Manifest | trusted-only                           | false                                | Low     |
| Vendor  | Manifest | vendor                                 | i-net software GmbH, Berlin, Germany | Medium  |
| Product | file     | name                                   | Dialog3                              | High    |
| Product | jar      | package name                           | all                                  | Highest |
| Product | jar      | package name                           | helpdesk                             | Highest |
| Product | jar      | package name                           | helpdesk                             | Low     |
| Product | Manifest | application-library-allowable-codebase | *                                    | Low     |
| Product | Manifest | application-name                       | i-net HelpDesk                       | Medium  |
| Product | Manifest | built-date                             | 2024-01-10 14:44                     | Low     |
| Product | Manifest | codebase                               | *                                    | Low     |
| Product | Manifest | implementation-group                   | helpdesk                             | Low     |
| Product | Manifest | Implementation-Title                   | Dialog3                              | High    |
| Product | Manifest | permissions                            | all-permissions                      | Low     |
| Product | Manifest | specification-title                    | Dialog3                              | Medium  |
| Product | Manifest | trusted-library                        | false                                | Low     |
| Product | Manifest | trusted-only                           | false                                | Low     |
| Version | file     | name                                   | Dialog3                              | Medium  |
| Version | file     | version                                | 3                                    | Medium  |
| Version | jar      | package name                           | all                                  | Highest |
| Version | jar      | package name                           | helpdesk                             | Highest |
| Version | Manifest | Implementation-Version                 | 23.10.289                            | High    |

### Identifiers

- `cpe:2.3:a:inetsoftware:helpdesk:23.10.289:*:*:*:*:*` (*Confidence:Low*)

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/client/build/tmp/dependencies/i-net HelpDesk Anwendung/plugins/swingclient.zip/JWebEngine.jar  
**MD5:** 916f54c0912617dd72726fd45ff763c3  
**SHA1:** 225b9be946555453a95275c961a508edc9e7f704  
**SHA256:** 881479e2529ee1cfb98a3b698d8d809aefab0d1ad6e63dd4e2451e90cd5239a8  
**Referenced In Project/Scope:** client

**Evidence**



| Type    | Source   | Name                                   | Value                                | Confidence |
|---------|----------|--|--------------------------------------|------------|
| Vendor  | file     | name                                   | JWebEngine                           | High       |
| Vendor  | jar      | package name                           | html                                 | Low        |
| Vendor  | jar      | package name                           | inet                                 | Low        |
| Vendor  | Manifest | application-library-allowable-codebase | *                                    | Low        |
| Vendor  | Manifest | built-date                             | 2024-01-10 01:23                     | Low        |
| Vendor  | Manifest | codebase                               | *                                    | Low        |
| Vendor  | Manifest | implementation-group                   | lib                                  | Low        |
| Vendor  | Manifest | Implementation-Vendor                  | i-net software                       | High       |
| Vendor  | Manifest | Implementation-Vendor-Id               | de.inetsoftware                      | Medium     |
| Vendor  | Manifest | permissions                            | all-permissions                      | Low        |
| Vendor  | Manifest | specification-vendor                   | i-net software                       | Low        |
| Vendor  | Manifest | trusted-library                        | false                                | Low        |
| Vendor  | Manifest | trusted-only                           | false                                | Low        |
| Vendor  | Manifest | vendor                                 | i-net software GmbH, Berlin, Germany | Medium     |
| Product | file     | name                                   | JWebEngine                           | High       |
| Product | jar      | package name                           | html                                 | Low        |
| Product | Manifest | application-library-allowable-codebase | *                                    | Low        |
| Product | Manifest | built-date                             | 2024-01-10 01:23                     | Low        |
| Product | Manifest | codebase                               | *                                    | Low        |
| Product | Manifest | implementation-group                   | lib                                  | Low        |
| Product | Manifest | Implementation-Title                   | JWebEngine                           | High       |

|         |          |                        |                 |        |
|---------|----------|------------------------|-----------------|--------|
| Product | Manifest | permissions            | all-permissions | Low    |
| Product | Manifest | specification-title    | JWebEngine      | Medium |
| Product | Manifest | trusted-library        | false           | Low    |
| Product | Manifest | trusted-only           | false           | Low    |
| Version | Manifest | Implementation-Version | 1.12.1157       | High   |

#### Identifiers

- None

### swingclient.zip: Konnekter-Client.jar

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/client/build/tmp/dependencies/i-net HelpDesk Anwendung/plugins/swingclient.zip/Konnekter-Client.jar

**MD5:** 21bc4d29a5b8ffb9c92490bbc5a863ad

**SHA1:** 0c74fc5178616ea78f693c9ea3d5a812415a3bab

**SHA256:** 018b51b519dc09b4cfcfb9e0028df32ee5d22120fe553d3bd573bbd395673c07

**Referenced In Project/Scope:** client

#### Evidence +

| Type    | Source | Name         | Value            | Confidence |
|---------|--------|--------------|------------------|------------|
| Vendor  | file   | name         | Konnekter-Client | High       |
| Vendor  | jar    | package name | cli              | Low        |
| Vendor  | jar    | package name | inet             | Low        |
| Vendor  | jar    | package name | jj               | Low        |
| Product | file   | name         | Konnekter-Client | High       |
| Product | jar    | package name | cli              | Low        |
| Product | jar    | package name | jj               | Low        |

#### Identifiers

- None

### swingclient.zip: ReportViewer.jar

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/client/build/tmp/dependencies/i-net HelpDesk Anwendung/plugins/swingclient.zip/ReportViewer.jar  
**MD5:** b6ef3e0fd6bd089823b42470e874dee2  
**SHA1:** f830133b3c9dc3d3329fd7f5574e74e55372804b  
**SHA256:** c41afafbac9c8d9102ed35738ed80d7417ba8ed85896928afb00f6c84d7556a9  
**Referenced In Project/Scope:** client

**Evidence**



| Type    | Source   | Name                                   | Value                                | Confidence |
|---------|----------|--|--------------------------------------|------------|
| Vendor  | file     | name                                   | ReportViewer                         | High       |
| Vendor  | jar      | package name                           | i                                    | Highest    |
| Vendor  | jar      | package name                           | inet                                 | Low        |
| Vendor  | jar      | package name                           | viewer                               | Low        |
| Vendor  | Manifest | application-library-allowable-codebase | *                                    | Low        |
| Vendor  | Manifest | application-name                       | i-net Clear Reports                  | Medium     |
| Vendor  | Manifest | built-date                             | 2024-01-10 13:19                     | Low        |
| Vendor  | Manifest | codebase                               | *                                    | Low        |
| Vendor  | Manifest | implementation-group                   | reporting                            | Low        |
| Vendor  | Manifest | Implementation-Vendor                  | i-net software                       | High       |
| Vendor  | Manifest | Implementation-Vendor-Id               | de.inetsoftware                      | Medium     |
| Vendor  | Manifest | permissions                            | all-permissions                      | Low        |
| Vendor  | Manifest | specification-vendor                   | i-net software                       | Low        |
| Vendor  | Manifest | trusted-library                        | false                                | Low        |
| Vendor  | Manifest | trusted-only                           | false                                | Low        |
| Vendor  | Manifest | vendor                                 | i-net software GmbH, Berlin, Germany | Medium     |
| Product | file     | name                                   | ReportViewer                         | High       |
| Product | jar      | package name                           | i                                    | Highest    |
| Product | jar      | package name                           | reportviewer                         | Highest    |
| Product | jar      | package name                           | viewer                               | Low        |
| Product | Manifest | application-library-allowable-codebase | *                                    | Low        |

|         |          |                        |                     |        |
|---------|----------|------------------------|---------------------|--------|
| Product | Manifest | application-name       | i-net Clear Reports | Medium |
| Product | Manifest | built-date             | 2024-01-10 13:19    | Low    |
| Product | Manifest | codebase               | *                   | Low    |
| Product | Manifest | implementation-group   | reporting           | Low    |
| Product | Manifest | Implementation-Title   | ReportViewer        | High   |
| Product | Manifest | permissions            | all-permissions     | Low    |
| Product | Manifest | specification-title    | ReportViewer        | Medium |
| Product | Manifest | trusted-library        | false               | Low    |
| Product | Manifest | trusted-only           | false               | Low    |
| Version | Manifest | Implementation-Version | 23.10.289           | High   |

### Identifiers

- [cpe:2.3:a:inetsoftware:clear\\_reports:23.10.289:\\*:\\*:\\*:\\*:\\*](#) (Confidence:Medium)
- [cpe:2.3:a:inetsoftware:i-net\\_clear\\_reports:23.10.289:\\*:\\*:\\*:\\*:\\*](#) (Confidence:Medium)

## swingclient.zip: TableLayout.jar

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/client/build/tmp/dependencies/i-net HelpDesk Anwendung/plugins/swingclient.zip/TableLayout.jar

**MD5:** 1e432e776e18d71f12dd72b7d235a965

**SHA1:** 62ffa1cca3e71f94d0bdce85ea97ea7083fdb1b

**SHA256:** 13e73cf77a93f0c52184e5a5557d7dbba081bf54904edfdb84645b5daf7dd18

**Referenced In Project/Scope:** client

### Evidence +

| Type    | Source | Name         | Value        | Confidence |
|---------|--------|--------------|--------------|------------|
| Vendor  | file   | name         | TableLayout  | High       |
| Vendor  | jar    | package name | clearthought | Low        |
| Vendor  | jar    | package name | info         | Low        |
| Vendor  | jar    | package name | layout       | Low        |
| Product | file   | name         | TableLayout  | High       |

|         |     |              |              |     |
|---------|-----|--------------|--------------|-----|
| Product | jar | package name | clearthought | Low |
|---------|-----|--------------|--------------|-----|

|         |     |              |        |     |
|---------|-----|--------------|--------|-----|
| Product | jar | package name | layout | Low |
|---------|-----|--------------|--------|-----|

#### Identifiers

- None

### swingclient.zip: VividSwingAnimations.jar

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/client/build/tmp/dependencies/i-net HelpDesk Anwendung/plugins/swingclient.zip/VividSwingAnimations.jar

**MD5:** 3f8bfce43cee6f5bf712881bde6d3379

**SHA1:** 539fa7c887865bc82e12f359bbf259fd330bfe5e

**SHA256:** 0cdae11fed0c91c56935eec42b3b626891a80c0fcfdb25e67b6abd6460db35cd

**Referenced In Project/Scope:** client

#### Evidence +

| Type    | Source | Name         | Value                | Confidence |
|---------|--------|--------------|----------------------|------------|
| Vendor  | file   | name         | VividSwingAnimations | High       |
| Vendor  | jar    | package name | anormalmedia         | Low        |
| Vendor  | jar    | package name | de                   | Low        |
| Vendor  | jar    | package name | vividswinganimations | Low        |
| Product | file   | name         | VividSwingAnimations | High       |
| Product | jar    | package name | anormalmedia         | Low        |
| Product | jar    | package name | vividswinganimations | Low        |

#### Identifiers

- None

### swingclient.zip: images.jar

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/client/build/tmp/dependencies/i-net HelpDesk Anwendung/plugins/swingclient.zip/images.jar

**MD5:** 544b5ef457bdde5cf13386caf82e09db

SHA1: 73518b583afa0df4e61bdd3c45d7b7a1e005ca8f

SHA256:041d5bc4544318555f4724f87fb1d370c807c6b291f4013afa9346851966e34a

Referenced In Project/Scope:client

### Evidence



| Type    | Source   | Name                     | Value                                | Confidence |
|---------|----------|--------------------------|--------------------------------------|------------|
| Vendor  | file     | name                     | images                               | High       |
| Vendor  | Manifest | application-name         | i-net HelpDesk Client Images         | Medium     |
| Vendor  | Manifest | built-date               | 2024-01-10 14:44                     | Low        |
| Vendor  | Manifest | implementation-group     | helpdesk                             | Low        |
| Vendor  | Manifest | Implementation-Vendor    | i-net software                       | High       |
| Vendor  | Manifest | Implementation-Vendor-Id | de.inetsoftware                      | Medium     |
| Vendor  | Manifest | specification-vendor     | i-net software                       | Low        |
| Vendor  | Manifest | vendor                   | i-net software GmbH, Berlin, Germany | Medium     |
| Product | file     | name                     | images                               | High       |
| Product | Manifest | application-name         | i-net HelpDesk Client Images         | Medium     |
| Product | Manifest | built-date               | 2024-01-10 14:44                     | Low        |
| Product | Manifest | implementation-group     | helpdesk                             | Low        |
| Product | Manifest | Implementation-Title     | images                               | High       |
| Product | Manifest | specification-title      | images                               | Medium     |
| Version | Manifest | Implementation-Version   | 23.10.289                            | High       |

### Identifiers

- [cpe:2.3:a:inetsoftware:helpdesk:23.10.289:\\*:\\*:\\*:\\*:\\*](#) (Confidence:Medium)

**swingclient.zip: jorth.jar**

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/client/build/tmp/dependencies/i-net HelpDesk Anwendung/plugins/swingclient.zip/jorth.jar

MD5: a63c8673e4d5e3ce74bf613566c964da

SHA1: 648d48f880eb44a728ec44b37cfa7fc58f5ac249

SHA256:8b524d036859bb3a7e0128e665fe13ac63bd7c1cf14a873f354ea79a36f04d18

Referenced In Project/Scope:client

## Evidence



| Type    | Source   | Name                                   | Value               | Confidence |
|---------|----------|--|---------------------|------------|
| Vendor  | file     | name                                   | jortho              | High       |
| Vendor  | jar      | package name                           | inet                | Low        |
| Vendor  | jar      | package name                           | jortho              | Highest    |
| Vendor  | jar      | package name                           | jortho              | Low        |
| Vendor  | Manifest | application-library-allowable-codebase | *                   | Low        |
| Vendor  | Manifest | application-name                       | i-net JOrtho        | Medium     |
| Vendor  | Manifest | codebase                               | *                   | Low        |
| Vendor  | Manifest | Implementation-Vendor                  | i-net software GmbH | High       |
| Vendor  | Manifest | permissions                            | sandbox             | Low        |
| Vendor  | Manifest | trusted-library                        | false               | Low        |
| Vendor  | Manifest | trusted-only                           | false               | Low        |
| Product | file     | name                                   | jortho              | High       |
| Product | jar      | package name                           | jortho              | Highest    |
| Product | jar      | package name                           | jortho              | Low        |
| Product | Manifest | application-library-allowable-codebase | *                   | Low        |
| Product | Manifest | application-name                       | i-net JOrtho        | Medium     |
| Product | Manifest | codebase                               | *                   | Low        |
| Product | Manifest | Implementation-Title                   | i-net JOrtho        | High       |
| Product | Manifest | permissions                            | sandbox             | Low        |
| Product | Manifest | trusted-library                        | false               | Low        |
| Product | Manifest | trusted-only                           | false               | Low        |
| Version | Manifest | Implementation-Version                 | 1.0                 | High       |

## Identifiers

- None

## swingclient.zip: swingclient.jar

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/client/build/tmp/dependencies/i-net HelpDesk Anwendung/plugins/swingclient.zip/swingclient.jar

**MD5:** 260a8b6fcaa51306fe106a97d1a9b537

**SHA1:** 295b0d8da55bf768e7ba67828a277732d34c180b

**SHA256:** 072dca1e5b3cb75d4ea30d5bbfb9116dc03f1906ba08def21b931b2ade8ff106

**Referenced In Project/Scope:** client

## Evidence +

| Type    | Source   | Name                     | Value                                | Confidence |
|---------|----------|--------------------------|--------------------------------------|------------|
| Vendor  | file     | name                     | swingclient                          | High       |
| Vendor  | jar      | package name             | helpdesk                             | Low        |
| Vendor  | jar      | package name             | inet                                 | Low        |
| Vendor  | jar      | package name             | plugins                              | Low        |
| Vendor  | Manifest | built-date               | 2024-01-10 14:53                     | Low        |
| Vendor  | Manifest | implementation-group     | helpdesk                             | Low        |
| Vendor  | Manifest | Implementation-Vendor    | i-net software                       | High       |
| Vendor  | Manifest | Implementation-Vendor-Id | de.inetsoftware                      | Medium     |
| Vendor  | Manifest | specification-vendor     | i-net software                       | Low        |
| Vendor  | Manifest | vendor                   | i-net software GmbH, Berlin, Germany | Medium     |
| Product | file     | name                     | swingclient                          | High       |
| Product | jar      | package name             | helpdesk                             | Highest    |
| Product | jar      | package name             | helpdesk                             | Low        |
| Product | jar      | package name             | plugins                              | Low        |
| Product | jar      | package name             | swingclient                          | Highest    |
| Product | jar      | package name             | swingclient                          | Low        |
| Product | Manifest | built-date               | 2024-01-10 14:53                     | Low        |
| Product | Manifest | implementation-group     | helpdesk                             | Low        |
| Product | Manifest | Implementation-          | swingclient                          | High       |

|         |          | Title                  |             |         |
|---------|----------|------------------------|-------------|---------|
| Product | Manifest | specification-title    | swingclient | Medium  |
| Version | jar      | package name           | helpdesk    | Highest |
| Version | Manifest | Implementation-Version | 23.10.289   | High    |

#### Identifiers

- `cpe:2.3:a:inetsoftware:helpdesk:23.10.289:*:*:*:*:*` (*Confidence:Low*)

### swingclient.zip: swingclient.jar: heldpeskswingclient.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/client/build/tmp/dependencies/i-net HelpDesk Anwendung/plugins/swingclient.zip/swingclient.jar/com/inet/helpdesk/plugins/swingclient/module/resources/js/heldpeskswingclient.js

**MD5:** 5f6a71be27ffc83379cfe56f66ad39a9

**SHA1:** a806654aaa7f937fb834b3ba7a6bf274021e91b1

**SHA256:** c2aba628d2516f08cf23f42199796650a551ada031a45643edcefc1563f2fe85

**Referenced In Project/Scope:**client

#### Evidence +

| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|      |        |      |       |            |

#### Identifiers

- None

### taskplanner.helpdesk.zip: taskplanner.helpdesk.jar

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/client/build/tmp/dependencies/i-net HelpDesk Anwendung/plugins/taskplanner.helpdesk.zip/taskplanner.helpdesk.jar

**MD5:** c10f9d7feef0184405a21710ceb8d03

**SHA1:** 2793a95fd5dc356e95592e6303486ef5d2c83691

**SHA256:** d6d33c3cda0f3081cf2f124ef74cb4f91e1fb00733f478f8b9b18a9d03f06ef7

**Referenced In Project/Scope:**client

#### Evidence +

| Type    | Source   | Name                     | Value                                | Confidence |
|---------|----------|--------------------------|--------------------------------------|------------|
| Vendor  | file     | name                     | taskplanner.helpdesk                 | High       |
| Vendor  | jar      | package name             | helpdesk                             | Low        |
| Vendor  | jar      | package name             | inet                                 | Low        |
| Vendor  | jar      | package name             | plugins                              | Low        |
| Vendor  | Manifest | built-date               | 2024-01-10 14:54                     | Low        |
| Vendor  | Manifest | implementation-group     | helpdesk                             | Low        |
| Vendor  | Manifest | Implementation-Vendor    | i-net software                       | High       |
| Vendor  | Manifest | Implementation-Vendor-Id | de.inetsoftware                      | Medium     |
| Vendor  | Manifest | specification-vendor     | i-net software                       | Low        |
| Vendor  | Manifest | vendor                   | i-net software GmbH, Berlin, Germany | Medium     |
| Product | file     | name                     | taskplanner.helpdesk                 | High       |
| Product | jar      | package name             | helpdesk                             | Highest    |
| Product | jar      | package name             | helpdesk                             | Low        |
| Product | jar      | package name             | plugins                              | Low        |
| Product | jar      | package name             | taskplanner                          | Highest    |
| Product | jar      | package name             | taskplanner                          | Low        |
| Product | Manifest | built-date               | 2024-01-10 14:54                     | Low        |
| Product | Manifest | implementation-group     | helpdesk                             | Low        |
| Product | Manifest | Implementation-Title     | taskplanner.helpdesk                 | High       |
| Product | Manifest | specification-title      | taskplanner.helpdesk                 | Medium     |
| Version | jar      | package name             | helpdesk                             | Highest    |
| Version | Manifest | Implementation-Version   | 23.10.289                            | High       |

#### Identifiers

- cpe:2.3:a:inetsoftware:helpdesk:23.10.289:\*:\*:\*:\*:\* (Confidence:Low)

ticketlist.zip: ticketlist.jar

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/client/build/tmp/dependencies/i-net HelpDesk Anwendung/plugins/ticketlist.zip/ticketlist.jar  
**MD5:** 2beac00570b2a8fb2d9b4ea84c105656  
**SHA1:** e017a9047dc3a9f5bb2e93e0621967cfed8e6b98  
**SHA256:**0707ef1f3613b8c182ee3337c86e8c9b13c4e558e1115341ba654dd3b2de438c  
**Referenced In Project/Scope:**client

**Evidence**



| Type    | Source   | Name                     | Value                                | Confidence |
|---------|----------|--------------------------|--------------------------------------|------------|
| Vendor  | file     | name                     | ticketlist                           | High       |
| Vendor  | jar      | package name             | helpdesk                             | Low        |
| Vendor  | jar      | package name             | inet                                 | Low        |
| Vendor  | jar      | package name             | plugins                              | Low        |
| Vendor  | Manifest | built-date               | 2024-01-10 14:55                     | Low        |
| Vendor  | Manifest | implementation-group     | helpdesk                             | Low        |
| Vendor  | Manifest | Implementation-Vendor    | i-net software                       | High       |
| Vendor  | Manifest | Implementation-Vendor-Id | de.inetsoftware                      | Medium     |
| Vendor  | Manifest | specification-vendor     | i-net software                       | Low        |
| Vendor  | Manifest | vendor                   | i-net software GmbH, Berlin, Germany | Medium     |
| Product | file     | name                     | ticketlist                           | High       |
| Product | jar      | package name             | helpdesk                             | Highest    |
| Product | jar      | package name             | helpdesk                             | Low        |
| Product | jar      | package name             | plugins                              | Low        |
| Product | jar      | package name             | ticketlist                           | Highest    |
| Product | jar      | package name             | ticketlist                           | Low        |
| Product | Manifest | built-date               | 2024-01-10 14:55                     | Low        |
| Product | Manifest | implementation-group     | helpdesk                             | Low        |
| Product | Manifest | Implementation-Title     | ticketlist                           | High       |
| Product | Manifest | specification-title      | ticketlist                           | Medium     |
| Version | jar      | package name             | helpdesk                             | Highest    |
| Version | Manifest | Implementation-Version   | 23.10.289                            | High       |

**Identifiers**

- cpe:2.3:a:inetsoftware:helpdesk:23.10.289:\*:\*:\*:\*:\* (Confidence:Low) suppress

### ticketlist.zip: ticketlist.jar: annotationextension.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/client/build/tmp/dependencies/i-net HelpDesk Anwendung/plugins/ticketlist.zip/ticketlist.jar/com/inet/helpdesk/plugins/ticketlist/client/ticketpage/extensions/annotationextension.js

**MD5:** a416b4e2155474909e5ebbce208e0e7e

**SHA1:** 312f694139c3e0078ceded0f7ba6432c8d6cf452

**SHA256:** 72d43f5b5db7684c85ca2228d530c9b88f4f84a388fc4f65b6ad5f5b0163b1f8

**Referenced In Project/Scope:**client

#### Evidence +

| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

#### Identifiers

- None

### ticketlist.zip: ticketlist.jar: applyactionfieldrenderer.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/client/build/tmp/dependencies/i-net HelpDesk Anwendung/plugins/ticketlist.zip/ticketlist.jar/com/inet/helpdesk/plugins/ticketlist/client/ticketmanipulation/applyactionfieldrenderer.js

**MD5:** 1164f685e3f5c53096ca13f5502d6d4a

**SHA1:** b48317340125abdc1add2c1d399c9ebf5885378

**SHA256:**c968b2e0234db4bbe4e0eeefb6a19bcded9a9dd0909d906e684e67f56db922397

**Referenced In Project/Scope:**client

#### Evidence +

| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

#### Identifiers

- None

## ticketlist.zip: ticketlist.jar: attachmentsextension.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/client/build/tmp/dependencies/i-net HelpDesk Anwendung/plugins/ticketlist.zip/ticketlist.jar/com/inet/helpdesk/plugins/ticketlist/client/ticketpage/extensions/attachmentsextension.js

**MD5:** 789d6814227673d787802c7e0f5d9b3b

**SHA1:** eddd7938e81a516ec82f657c9c7d1ba57bff539b

**SHA256:** 5870ab73a69e5ce56c69d01b4eb04b92bc6f920e3bb2544253b7333c656c84be

**Referenced In Project/Scope:**client

### Evidence +

| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

### Identifiers

- None

## ticketlist.zip: ticketlist.jar: draganddrop.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/client/build/tmp/dependencies/i-net HelpDesk Anwendung/plugins/ticketlist.zip/ticketlist.jar/com/inet/helpdesk/plugins/ticketlist/client/sorter/draganddrop.js

**MD5:** c7b85c0a40d86188d956c4a4e215f835

**SHA1:** fae884cdec4032e1183c33f1965e5f395c5ed1ed

**SHA256:** eda930845e0f1fdb2b6921511b1869bf9b5a2c8235f6d1246afda0a464d65d78

**Referenced In Project/Scope:**client

### Evidence +

| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

### Identifiers

- None

## ticketlist.zip: ticketlist.jar: expertlayout.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/client/build/tmp/dependencies/i-net HelpDesk Anwendung/plugins/ticketlist.zip/ticketlist.jar/com/inet/helpdesk/plugins/ticketlist/client/ticketlistlayout/expertlayout.js

**MD5:** 19293ba6f0bc0214632fdcdf4e1e6fce

**SHA1:** 231754f73e504006ea7967aa279898508676b28c

**SHA256:** 1c42d04fe9d39e1607dcdf88045888fb24ed91c7e0a525f2f596aa3c1c26e2d5

**Referenced In Project/Scope:**client

Evidence +

| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

**ticketlist.zip: ticketlist.jar: extendedpagelayout.js**

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/client/build/tmp/dependencies/i-net HelpDesk Anwendung/plugins/ticketlist.zip/ticketlist.jar/com/inet/helpdesk/plugins/ticketlist/client/ticketpagelayout/extendedpagelayout.js

**MD5:** f96a82cf1325ba4fc91cc0df7a069a1e

**SHA1:** cffb1275c3ecdb0046393a4bf21e2342d8bad76f

**SHA256:** 1d27fc5d224f7c30e931ae46566d1cad6d75ac1f3a0c6ad9f1cfd1e320ca08a3

**Referenced In Project/Scope:**client

Evidence +

| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

**ticketlist.zip: ticketlist.jar: fullviewpagelayout.js**

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/client/build/tmp/dependencies/i-net HelpDesk Anwendung/plugins/ticketlist.zip/ticketlist.jar/com/inet/helpdesk/plugins/ticketlist/client/ticketpagelayout/fullviewpagelayout.js

**MD5:** ba56494a904cf6a286d43a1f907a863f

**SHA1:** ce10988b1fafae2043a7a627c341f50a863e123a

**SHA256:** 0d07b5cc1438756721bab10d9bd1b54fba791465faa9b124a584a30ff219af47

**Referenced In Project/Scope:**client

Evidence +

| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

**Identifiers**

- None

**ticketlist.zip: ticketlist.jar: linksextension.js**

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems /HelpDeskInstaller/client/build/tmp/dependencies/i-net HelpDesk Anwendung/plugins/ticketlist.zip/ticketlist.jar/com/inet/helpdesk/plugins/ticketlist/client/ticketpage/extensions/linksextension.js

**MD5:** 54ed4f9588633937fd13c41c2cd32eb8

**SHA1:** 8e99358b15fc135d91c7cbf863fa2b02c00a42ce

**SHA256:** a5f5a1760d139b6dbf3a9873b9510a72b718a29feda03a4acb28be39333c3e0c

**Referenced In Project/Scope:** client

**Evidence**

| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

**Identifiers**

- None

**ticketlist.zip: ticketlist.jar: newticket.js**

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems /HelpDeskInstaller/client/build/tmp/dependencies/i-net HelpDesk Anwendung/plugins/ticketlist.zip/ticketlist.jar/com/inet/helpdesk/plugins/ticketlist/client/ticketcreation/newticket.js

**MD5:** 6a4f0a036eca9505ee572ea145a70a72

**SHA1:** 97085a5085070968ad18b2bcf08c698564f6afac

**SHA256:** af688ba2eefb5f5ce17ed5622ef673207c5a305c1a4a9fe65fa6559b217b4557

**Referenced In Project/Scope:** client

**Evidence**

| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

**Identifiers**

- None

### ticketlist.zip: ticketlist.jar: print.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/client/build/tmp/dependencies/i-net HelpDesk Anwendung/plugins/ticketlist.zip/ticketlist.jar/com/inet/helpdesk/plugins/ticketlist/client/print/print.js

**MD5:** db8002ecec7ea83edd34fd5dd2ee5115

**SHA1:** 7eca857a2d3d060cbf759a4cbc6cb019f69dd947

**SHA256:** ab6ccdaf00dbca2ee2e0b68c3eab29404116f6b6a173945df013806bfa38df79

**Referenced In Project/Scope:**client

#### Evidence +

| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

#### Identifiers

- None

### ticketlist.zip: ticketlist.jar: relativetimerenderer.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/client/build/tmp/dependencies/i-net HelpDesk Anwendung/plugins/ticketlist.zip/ticketlist.jar/com/inet/helpdesk/plugins/ticketlist/client/ticketmanipulation/relativetimerenderer.js

**MD5:** bd7f8b94e01f27bdc8cc048f04b52c8f

**SHA1:** 360b8d9430a3d2331710be6dc593b70340b72f36

**SHA256:** 1daf35857ae89cbdf28f88a4661540500c99a22305c7118733e5e6944ba7096e

**Referenced In Project/Scope:**client

#### Evidence +

| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

#### Identifiers

- None

### ticketlist.zip: ticketlist.jar: resizableColumn.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/client/build/tmp/dependencies/i-net HelpDesk Anwendung/plugins/ticketlist.zip/ticketlist.jar/com/inet/helpdesk/plugins/ticketlist/client/ticketlist/resizeableColumn.js  
**MD5:** f624c38ee5d946c45f5b0159580a0527  
**SHA1:** b66c51fbd905d9073f726189c901b10c8aa65398  
**SHA256:**9df28c21dc675e7143baf2dd0765bc4fdabba26b8ad147fd8f3d7d0847c85a6a  
**Referenced In Project/Scope:**client

Evidence +

| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

**ticketlist.zip: ticketlist.jar: selectionCountBadge.js**

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/client/build/tmp/dependencies/i-net HelpDesk Anwendung/plugins/ticketlist.zip/ticketlist.jar/com/inet/helpdesk/plugins/ticketlist/client/ticketlist/selectionCountBadge.js  
**MD5:** 39dd740e1692b0aa03d9c5a47ce231bb  
**SHA1:** 3c758682f31079d96c051bab9cbc836467142d9f  
**SHA256:**dda0f13713aba74e3ba6fa77a240b0cf98d59cf5a50a4bb87b0664f46339e7da  
**Referenced In Project/Scope:**client

Evidence +

| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

**ticketlist.zip: ticketlist.jar: sorter.js**

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/client/build/tmp/dependencies/i-net HelpDesk Anwendung/plugins/ticketlist.zip/ticketlist.jar/com/inet/helpdesk/plugins/ticketlist/client/sorter/sorter.js  
**MD5:** aa66cfb3bc511fc7f3bad634f2e66522

**SHA1:** 1948e95e87a8a41cb71d3dc8ae3ad80fb4154ee7

**SHA256:** 3954bc5d2631901a75535f41117075d3d6f4edf60a6bb939cc9e2670396d62a7

**Referenced In Project/Scope:** client

Evidence +

| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

**ticketlist.zip: ticketlist.jar: tabspagelayout.js**

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/client/build/tmp/dependencies/i-net HelpDesk Anwendung/plugins/ticketlist.zip/ticketlist.jar/com/inet/helpdesk/plugins/ticketlist/client/ticketpagelayout/tabspagelayout.js

**MD5:** 0c02c1fba21bacaa389d517632e6dfe1

**SHA1:** 6b14d053a8e54235151f098bfc88194069e5e8ed

**SHA256:** d7bafc90207735d769318518c5591b45b5bd29d56de3d02c064e6dfd74533728

**Referenced In Project/Scope:** client

Evidence +

| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

**ticketlist.zip: ticketlist.jar: ticketattachment.js**

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/client/build/tmp/dependencies/i-net HelpDesk Anwendung/plugins/ticketlist.zip/ticketlist.jar/com/inet/helpdesk/plugins/ticketlist/client/ticketpage/ticketattachment.js

**MD5:** 1d6f86fd9526c396eea339a38bab0f01

**SHA1:** 3040baef73abb16f52c5164585e6add2fa3a84c7

**SHA256:** 3e88b174cadb45c7aaa1967294318d2a12a9d78ea016ac0d35adae95817b6cb4

**Referenced In Project/Scope:** client

Evidence +

| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

#### Identifiers

- None

### ticketlist.zip: ticketlist.jar: ticketdetailsextension.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/client/build/tmp/dependencies/i-net HelpDesk Anwendung/plugins/ticketlist.zip/ticketlist.jar/com/inet/helpdesk/plugins/ticketlist/client/ticketpage/extensions/ticketdetailsextension.js

**MD5:** 8945035e4473cc9d16ca4893363937d0

**SHA1:** 49f0799d86c64675791cb3137ce81986875054b6

**SHA256:** e0421d9e0b90e4eaddfb9acff8d3be6171acd86f5318b33fc3c8fb3528dab6ea

**Referenced In Project/Scope:** client

#### Evidence +

| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

#### Identifiers

- None

### ticketlist.zip: ticketlist.jar: ticketeditor.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/client/build/tmp/dependencies/i-net HelpDesk Anwendung/plugins/ticketlist.zip/ticketlist.jar/com/inet/helpdesk/plugins/ticketlist/client/ticketmanipulation/ticketeditor.js

**MD5:** b5db09314ecf904225c97ce9e0c90674

**SHA1:** 72afe1e84725889a8fc7b468f469be1f20d0c8eb

**SHA256:** ddd45344945c723aa6275e0a9fa6096c03fb274cdf6277e00d041e22c324224

**Referenced In Project/Scope:** client

#### Evidence +

| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

#### Identifiers

- None

### ticketlist.zip: ticketlist.jar: ticketfactory.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/client/build/tmp/dependencies/i-net HelpDesk Anwendung/plugins/ticketlist.zip/ticketlist.jar/com/inet/helpdesk/plugins/ticketlist/client/ticketfactory.js

**MD5:** 3dae874398e764e30c9975b3255a5889

**SHA1:** 16f6a191a0f4ee8b94680b393db46dcedd4e29e9

**SHA256:** 6e1d131706e7e6452e214bcf458c81012b911a1cd7dbd98e533b169b49ef9622

**Referenced In Project/Scope:**client

#### Evidence +

| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

#### Identifiers

- None

### ticketlist.zip: ticketlist.jar: ticketlist.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/client/build/tmp/dependencies/i-net HelpDesk Anwendung/plugins/ticketlist.zip/ticketlist.jar/com/inet/helpdesk/plugins/ticketlist/client/ticketlist/ticketlist.js

**MD5:** 282d133d29e76e3cede54b9b8e135438

**SHA1:** 9581a55743bbbc3283a42d1bb794d781c6566702

**SHA256:** 555b2fdc46cc6810e74277a9e5d57ef35170aef77d337b420726d01b1735e022

**Referenced In Project/Scope:**client

#### Evidence +

| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

#### Identifiers

- None

### ticketlist.zip: ticketlist.jar: ticketlistadditionalcomponents.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems /HelpDeskInstaller/client/build/tmp/dependencies/i-net HelpDesk Anwendung/plugins/ticketlist.zip/ticketlist.jar/com/inet/helpdesk/plugins/ticketlist/client/ticketlist/ticketlistadditionalcomponents.js  
**MD5:** f87c9242f3bfd04974e963e8b1ce7782  
**SHA1:** 9c26e0c7235ad87c17e5d8bd2ccaf34db726a3d3  
**SHA256:**4715f6f952541db537e3b8c2eae26e31a6b270ec877314e7325bd30cda5c840f  
**Referenced In Project/Scope:**client

Evidence +

| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

**ticketlist.zip: ticketlist.jar: ticketlistapp.js**

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems /HelpDeskInstaller/client/build/tmp/dependencies/i-net HelpDesk Anwendung/plugins/ticketlist.zip/ticketlist.jar/com/inet/helpdesk/plugins/ticketlist/client/ticketlistapp.js  
**MD5:** 5ce909ea9755e757c7e00fce2bc22e83  
**SHA1:** 8c995a83c2d7de3b6b938a4dca02367a0d5ab6f2  
**SHA256:**d8231b46b71ae1838a7a30eecbb862cc3a4c2cccb9810be2e3deb2e8279a404b  
**Referenced In Project/Scope:**client

Evidence +

| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

**ticketlist.zip: ticketlist.jar: ticketlistapplyaction.js**

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems /HelpDeskInstaller/client/build/tmp/dependencies/i-net HelpDesk Anwendung/plugins/ticketlist.zip/ticketlist.jar/com/inet/helpdesk/plugins/ticketlist/client/ticketmanipulation/ticketlistapplyaction.js  
**MD5:** 39a8d471e1f5b4c1fd8f96d0268facfa

**SHA1:** c38094392c73f0a7ef02e34b40afd239fac7ddb2

**SHA256:** aad3cead9755f6aed7187a3de64cddf0ab3eebe1f39b4b116b31e8dccb4a84e2

**Referenced In Project/Scope:** client

Evidence +

| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

**ticketlist.zip: ticketlist.jar: ticketlisteditproperties.js**

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/client/build/tmp/dependencies/i-net HelpDesk Anwendung/plugins/ticketlist.zip/ticketlist.jar/com/inet/helpdesk/plugins/ticketlist/client/ticketmanipulation/ticketlisteditproperties.js

**MD5:** bed5ea602845d604005d03cdddef7f9ee

**SHA1:** 9ea0088aa9f196b4b5520ee437a5d79d31dac613

**SHA256:** 2cb9b0748b91ab316c7eefc91fa20f1f7aea0eee424b7c9da4bba073b7b1acf0

**Referenced In Project/Scope:** client

Evidence +

| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

**ticketlist.zip: ticketlist.jar: ticketlistlayoutsettings.js**

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/client/build/tmp/dependencies/i-net HelpDesk Anwendung/plugins/ticketlist.zip/ticketlist.jar/com/inet/helpdesk/plugins/ticketlist/client/ticketlistlayout/ticketlistlayoutsettings.js

**MD5:** c1161071978303974f04017f726b83f0

**SHA1:** 0ba93e26da1289de2ad52dfd4ec54057542a3163

**SHA256:** b5ac2322548425d6bc45ae35fded3e8742a7074208596bdaeb1e8a993fe7b8da

**Referenced In Project/Scope:** client

Evidence +

| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

**Identifiers**

- None

**ticketlist.zip: ticketlist.jar: ticketmodel.js**

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems /HelpDeskInstaller/client/build/tmp/dependencies/i-net HelpDesk Anwendung/plugins/ticketlist.zip/ticketlist.jar/com/inet/helpdesk/plugins/ticketlist/client/ticketmodel.js

**MD5:** 3c4a029ee9a9bec18f6296cbd1d3e3d8

**SHA1:** 06ea4410175831e3707f1d2f94abd9fae2d69963

**SHA256:** bcf0483d84245a1896bbaff8eb883e42df7ef340051dba6bb1cc843727fe0561

**Referenced In Project/Scope:** client

**Evidence**

| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

**Identifiers**

- None

**ticketlist.zip: ticketlist.jar: ticketownerextension.js**

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems /HelpDeskInstaller/client/build/tmp/dependencies/i-net HelpDesk Anwendung/plugins/ticketlist.zip/ticketlist.jar/com/inet/helpdesk/plugins/ticketlist/client/ticketpage/extensions/ticketownerextension.js

**MD5:** 9d510409f1f448085166dc6e45e18402

**SHA1:** 2c4d8ec86b90e2b848b5bac2497ff5740c65c0a3

**SHA256:** 847f468b7e75800bcaf2a4b5caa88841693ea38cb394bc2e0344ee36cfe8be1a

**Referenced In Project/Scope:** client

**Evidence**

| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

**Identifiers**

- None

### ticketlist.zip: ticketlist.jar: ticketpage.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/client/build/tmp/dependencies/i-net HelpDesk Anwendung/plugins/ticketlist.zip/ticketlist.jar/com/inet/helpdesk/plugins/ticketlist/client/ticketpage/ticketpage.js

**MD5:** 8cd96b28295e5ab67f396dfbf30d28e6

**SHA1:** fe81c86f8d78bf6d9c492ec553a7aadad0448fb1

**SHA256:** 52e76bc0a692d98f8d42a34520873a1fd2c8c0836f032cfc4cbbe6577c2adfc3

**Referenced In Project/Scope:**client

#### Evidence +

| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

#### Identifiers

- None

### ticketlist.zip: ticketlist.jar: ticketpageheader.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/client/build/tmp/dependencies/i-net HelpDesk Anwendung/plugins/ticketlist.zip/ticketlist.jar/com/inet/helpdesk/plugins/ticketlist/client/ticketpage/ticketpageheader.js

**MD5:** f63a12231c8ae332cc246498ce972190

**SHA1:** 5d8fd5a0a9c185f8f025c037e19b4960cce43885

**SHA256:** 38a4f95a364572dfaf25de2bad7d02b933847d43b6b1e5870a663cfd8a756059

**Referenced In Project/Scope:**client

#### Evidence +

| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

#### Identifiers

- None

### ticketlist.zip: ticketlist.jar: ticketpagehintsextension.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems /HelpDeskInstaller/client/build/tmp/dependencies/i-net HelpDesk Anwendung/plugins/ticketlist.zip/ticketlist.jar/com/inet/helpdesk/plugins/ticketlist/client/ticketpage/extensions/ticketpagehintsextension.js  
**MD5:** 4988846edbed2e37f9cacccf799036f0b  
**SHA1:** 69422b00c692ea5f255803a444b44732e85af075  
**SHA256:** c1d081272c0206cc4a6fd2569ce861af7308b0993a02407bb7d2c822b587b8d0  
**Referenced In Project/Scope:** client

Evidence +

| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

**ticketlist.zip: ticketlist.jar: ticketpagelayoutsettings.js**

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems /HelpDeskInstaller/client/build/tmp/dependencies/i-net HelpDesk Anwendung/plugins/ticketlist.zip/ticketlist.jar/com/inet/helpdesk/plugins/ticketlist/client/ticketpagelayout/ticketpagelayoutsettings.js  
**MD5:** 34ba68bf9c18eee32bfedae7beb09e3a  
**SHA1:** 656ca699ee2ec6f11b2a81867411e2d894ecbb39  
**SHA256:** f5704f2d7111be1d62e7e6f1ec94384fb2bb994be31a47890ebc81a5b79326f7  
**Referenced In Project/Scope:** client

Evidence +

| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

**ticketlist.zip: ticketlist.jar: ticketpagesteps.js**

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems /HelpDeskInstaller/client/build/tmp/dependencies/i-net HelpDesk Anwendung/plugins/ticketlist.zip/ticketlist.jar/com/inet/helpdesk/plugins/ticketlist/client/ticketpage/ticketpagesteps.js  
**MD5:** f7decd9fadd0883c4d03f4dd07d1c9dc

**SHA1:** 0d0b3ce881df7b0994772a7ed04577297a3e3b33

**SHA256:** 8d872ef67109a29c5999835422dfcdf01845f07277be0fb0d52204691f3b152f

**Referenced In Project/Scope:** client

Evidence +

| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

**ticketlist.zip: ticketlist.jar: ticketpreview.js**

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/client/build/tmp/dependencies/i-net HelpDesk Anwendung/plugins/ticketlist.zip/ticketlist.jar/com/inet/helpdesk/plugins/ticketlist/client/ticketpreview/ticketpreview.js

**MD5:** cf0441fc683ab3767826c67c5b3725fe

**SHA1:** 1643c787b4e429e0bc9ba2fe1f6416c9b6eff140

**SHA256:** 264d946713f91dfc04cb7fbacdbd6f1cdcf31ca83d299958bcc9aaed8c2c729

**Referenced In Project/Scope:** client

Evidence +

| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

**ticketlist.zip: ticketlist.jar: ticketproperties.js**

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/client/build/tmp/dependencies/i-net HelpDesk Anwendung/plugins/ticketlist.zip/ticketlist.jar/com/inet/helpdesk/plugins/ticketlist/client/ticketmanipulation/ticketproperties.js

**MD5:** 018679399162acbf5d7d97e1db45ddd

**SHA1:** 088a07ca1656c535a8029e6470d933689c11d0fe

**SHA256:** a343d4612ebdf374ed177f7ad39c6f5f5a4c881c03738d67e1ee9424399b6123

**Referenced In Project/Scope:** client

Evidence +

| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

**Identifiers**

- None

**ticketlist.zip: ticketlist.jar: ticketrenderer.js**

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems /HelpDeskInstaller/client/build/tmp/dependencies/i-net HelpDesk Anwendung/plugins/ticketlist.zip/ticketlist.jar/com/inet/helpdesk/plugins/ticketlist/client/ticketrenderer.js

**MD5:** 66d78502f81067c8bab79ba943bb1387

**SHA1:** 163ef0e3a12e4ff0b95c64ed88d3a03e4fd30e59

**SHA256:** e43d40e9b1fd3210025d3268ce9cc0321f0f27cbe38d9e4f34eadaa960e67798

**Referenced In Project/Scope:** client

**Evidence** +

| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

**Identifiers**

- None

**ticketlist.zip: ticketlist.jar: ticketsharing.js**

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems /HelpDeskInstaller/client/build/tmp/dependencies/i-net HelpDesk Anwendung/plugins/ticketlist.zip/ticketlist.jar/com/inet/helpdesk/plugins/ticketlist/client/ticketpage/ticketsharing.js

**MD5:** 6640534600c485a7f0a2d6d4ed42862c

**SHA1:** 02c3a3055c95dccc95229c87c26c10d563a98cbd

**SHA256:** 6cda2b1f735fb00f723af902142cfff5183e686eaf25eee4d9adf7493e39115c

**Referenced In Project/Scope:** client

**Evidence** +

| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

**Identifiers**

- None

### ticketlist.zip: ticketlist.jar: ticketviewsortsettings.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/client/build/tmp/dependencies/i-net HelpDesk Anwendung/plugins/ticketlist.zip/ticketlist.jar/com/inet/helpdesk/plugins/ticketlist/client/ticketviewsortsettings/ticketviewsortsettings.js  
**MD5:** 9a6b171d86b0774638d12f44dcfd5faf  
**SHA1:** 020c37e73a0fe3b25036d9bda7063d8dff23088e  
**SHA256:** c6533f15627e2b7e3fb54a6737cd20df5c8f748e6ed27f57ccaa437f4aa84b55  
**Referenced In Project/Scope:** client

#### Evidence +

| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

#### Identifiers

- None

### ticketlist.zip: ticketlist.jar: timelineextension.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/client/build/tmp/dependencies/i-net HelpDesk Anwendung/plugins/ticketlist.zip/ticketlist.jar/com/inet/helpdesk/plugins/ticketlist/client/ticketpage/extensions/timelineextension.js  
**MD5:** 2a5dd0e7dba249487cb561b4860dd168  
**SHA1:** 368647b0c98fea92b27c4ac8fdb0440a520cd245  
**SHA256:** 3f58281ee015b398eef37ef59a694a6693b1ab3a86eb2300f1b95d4f3857ef82  
**Referenced In Project/Scope:** client

#### Evidence +

| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

#### Identifiers

- None

### ticketlist.zip: ticketlist.jar: userticketshistoryextension.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/client/build/tmp/dependencies/i-net HelpDesk Anwendung/plugins/ticketlist.zip/ticketlist.jar/com/inet/helpdesk/plugins/ticketlist/client/ticketpage/extensions/userticketshistoryextension.js  
**MD5:** c879c8f16d2310fc9496cbb98e23ae11  
**SHA1:** ff5489eb8e7c70e47fd90dd1bc0d53939e274ca1  
**SHA256:** 4bce1265da5d5195ecc974838d19fa352d01a85aa101fe37c84ef7cbcf38186b  
**Referenced In Project/Scope:** client

Evidence +

| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

**ticketprocess.zip: ticketprocess.jar**

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/client/build/tmp/dependencies/i-net HelpDesk Anwendung/plugins/ticketprocess.zip/ticketprocess.jar  
**MD5:** 4fa5b20f43c21bf80f988877af20f0f8  
**SHA1:** 1eaec4bffad879d86351efa824b25157b0c56af  
**SHA256:** 4b43cd7eeb27c2e8dc41518929664665b83f8465a037b3c278c91b3dae218a08  
**Referenced In Project/Scope:** client

Evidence +

| Type   | Source   | Name                     | Value            | Confidence |
|--------|----------|--------------------------|------------------|------------|
| Vendor | file     | name                     | ticketprocess    | High       |
| Vendor | jar      | package name             | helpdesk         | Low        |
| Vendor | jar      | package name             | inet             | Low        |
| Vendor | jar      | package name             | plugins          | Low        |
| Vendor | Manifest | built-date               | 2024-01-10 14:53 | Low        |
| Vendor | Manifest | implementation-group     | helpdesk         | Low        |
| Vendor | Manifest | Implementation-Vendor    | i-net software   | High       |
| Vendor | Manifest | Implementation-Vendor-Id | de.inetsoftware  | Medium     |
| Vendor | Manifest | specification-vendor     | i-net software   | Low        |

|         |          |                        |                                      |         |
|---------|----------|------------------------|--------------------------------------|---------|
| Vendor  | Manifest | vendor                 | i-net software GmbH, Berlin, Germany | Medium  |
| Product | file     | name                   | ticketprocess                        | High    |
| Product | jar      | package name           | helpdesk                             | Highest |
| Product | jar      | package name           | helpdesk                             | Low     |
| Product | jar      | package name           | plugins                              | Low     |
| Product | jar      | package name           | ticketprocess                        | Highest |
| Product | jar      | package name           | ticketprocess                        | Low     |
| Product | Manifest | built-date             | 2024-01-10 14:53                     | Low     |
| Product | Manifest | implementation-group   | helpdesk                             | Low     |
| Product | Manifest | Implementation-Title   | ticketprocess                        | High    |
| Product | Manifest | specification-title    | ticketprocess                        | Medium  |
| Version | jar      | package name           | helpdesk                             | Highest |
| Version | Manifest | Implementation-Version | 23.10.289                            | High    |

#### Identifiers

- cpe:2.3:a:inetsoftware:helpdesk:23.10.289:\*:\*:\*:\*:\* (Confidence:Low)

### ticketprocess.zip: ticketprocess.jar: applyProcessRenderer.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/client/build/tmp/dependencies/i-net HelpDesk Anwendung/plugins/ticketprocess.zip  
 /ticketprocess.jar/com/inet/helpdesk/plugins/ticketprocess/client/js/applyProcessRenderer.js

**MD5:** 932b73c849c7b560f261e197ad02fca0

**SHA1:** be2371e05a3ae962639b6131a0b9e542d00dba79

**SHA256:** 6f418b5ffb80024822bd03502b2459e0f98ed5b7450f922267317845cb616cac

**Referenced In Project/Scope:** client

#### Evidence +

| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|      |        |      |       |            |

#### Identifiers

- None

**ticketprocess.zip: ticketprocess.jar: configuration.ticketprocess.edit.js**

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems /HelpDeskInstaller/client/build/tmp/dependencies/i-net HelpDesk Anwendung/plugins/ticketprocess.zip /ticketprocess.jar/com/inet/helpdesk/plugins/ticketprocess/client/js/configuration.ticketprocess.edit.js

**MD5:** d64bb2ba27379b6f7a9555b1bed67266

**SHA1:** 7d8a50dab6fd3aecdeee64c96ceadbb2097ba591

**SHA256:** 91616ff82f2297fd7aeac5291d2fb168167342d61261639ec706ca9b4348bca3

**Referenced In Project/Scope:**client

**Evidence**



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

**Identifiers**

- None

**ticketprocess.zip: ticketprocess.jar: configuration.ticketprocess.js**

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems /HelpDeskInstaller/client/build/tmp/dependencies/i-net HelpDesk Anwendung/plugins/ticketprocess.zip /ticketprocess.jar/com/inet/helpdesk/plugins/ticketprocess/client/js/configuration.ticketprocess.js

**MD5:** 2b6490885fbf930d74cc13ea31a70df3

**SHA1:** a10b6da5e08da207be6f5dd71393c765872d8ab4

**SHA256:** 53e74ef470d7c5aa58ecfc615fb992ff3d3f937853d70ffaa0e12c174ae29df

**Referenced In Project/Scope:**client

**Evidence**



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

**Identifiers**

- None

**ticketprocess.zip: ticketprocess.jar: ticketlist.ticketprocess.js**

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems /HelpDeskInstaller/client/build/tmp/dependencies/i-net HelpDesk Anwendung/plugins/ticketprocess.zip /ticketprocess.jar/com/inet/helpdesk/plugins/ticketprocess/client/js/ticketlist.ticketprocess.js  
**MD5:** 7401d823e845e90f38b844639b8c9088  
**SHA1:** 9a4b8f59d630e6ab82224d1994b075faa5479d1d  
**SHA256:** 1c3d45a1a7e6ea58597db1cb5975f50ba8cebadfeb4c7f31d9baab21b917fb12  
**Referenced In Project/Scope:**client

Evidence +

| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

**ticketprocess.zip: ticketprocess.jar: ticketprocess.changeticketprocess.js**

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems /HelpDeskInstaller/client/build/tmp/dependencies/i-net HelpDesk Anwendung/plugins/ticketprocess.zip /ticketprocess.jar/com/inet/helpdesk/plugins/ticketprocess/client/js/ticketprocess.changeticketprocess.js  
**MD5:** c019f6fc33f0dcf3d7fd3ada7727488c  
**SHA1:** 075b237289495db82ec40e169964f49929bc129e  
**SHA256:** 444f2bad720c1cbc6280955fa737f671c24dc94de908fc1045933314b346d0bc  
**Referenced In Project/Scope:**client

Evidence +

| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

**ticketprocess.zip: ticketprocess.jar: ticketprocess.parallelticket.preview.js**

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems /HelpDeskInstaller/client/build/tmp/dependencies/i-net HelpDesk Anwendung/plugins/ticketprocess.zip /ticketprocess.jar/com/inet/helpdesk/plugins/ticketprocess/client/js/ticketprocess.parallelticket.preview.js  
**MD5:** 5c0ec18a22f7b9fb6292e21070950368  
**SHA1:** 192f66d3427f6caad3262ac4e2e566124abef922  
**SHA256:** 6df54aa11bc1aef6d458fd2e7f677f8f90773769e9da83b8629a469418a37a0a  
**Referenced In Project/Scope:**client

**Evidence**

| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

**Identifiers**

- None

**ticketprocess.zip: ticketprocess.jar: ticketprocessdirectives.js**

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/client/build/tmp/dependencies/i-net HelpDesk Anwendung/plugins/ticketprocess.zip/ticketprocess.jar/com/inet/helpdesk/plugins/ticketprocess/client/js/ticketprocessdirectives.js

**MD5:** 8a57179ef7236377d9fa628218885b76

**SHA1:** 09d8a932f651cfcad814bdd0693199123cb11724

**SHA256:** bcbcb2c1c5116661515b023ce012a6df77289975600414e15316a2477cd014cb

**Referenced In Project/Scope:** client

**Evidence**

| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

**Identifiers**

- None

**ticketprocess.zip: ticketprocess.jar: ticketprocessfactory.js**

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/client/build/tmp/dependencies/i-net HelpDesk Anwendung/plugins/ticketprocess.zip/ticketprocess.jar/com/inet/helpdesk/plugins/ticketprocess/client/js/ticketprocessfactory.js

**MD5:** c3a5d294b1624a5d4a8fda30a91e6a37

**SHA1:** 19057c1c01d74f4a5dde0dcf58c30c60cb1e9472

**SHA256:** 0e6325857f9980c8d519037891b15e3cc562fd255809871123cb3156e3de4d5e

**Referenced In Project/Scope:** client

**Evidence**

| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

### Identifiers

- None

## ticketprocess.zip: ticketprocess.jar: ticketprocessmodel.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/client/build/tmp/dependencies/i-net HelpDesk Anwendung/plugins/ticketprocess.zip/ticketprocess.jar/com/inet/helpdesk/plugins/ticketprocess/client/js/ticketprocessmodel.js

**MD5:** d11d38dc36a243c64f33345bbe5a6bad

**SHA1:** 6694a85c71da6d6ded5190e510cdfb3d042b37e

**SHA256:** 99f139697a8d3ec5d935857176f6fcb210404c3d70b92510979f60453c948961

**Referenced In Project/Scope:**client

### Evidence +

| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

### Identifiers

- None

This report contains data retrieved from the [National Vulnerability Database](#).

This report may contain data retrieved from the [NPM Public Advisories](#).

This report may contain data retrieved from [RetireJS](#).

This report may contain data retrieved from the [Sonatype OSS Index](#).