



Dependency-Check is an open source tool performing a best effort analysis of 3rd party dependencies; false positives and false negatives may exist in the analysis performed by the tool. Use of the tool and the reporting provided constitutes acceptance for use in an AS IS condition, and there are NO warranties, implied or otherwise, with regard to the analysis or its use. Any use of the tool and the reporting provided is at the user's risk. In no event shall the copyright holder or OWASP be held liable for any damages whatsoever arising out of or in connection with the use of this tool, the analysis performed, or the resulting report.

[How to read the report](#) | [Suppressing false positives](#) | [Getting Help: github issues](#)



[Sponsor](#)

## Project: project ':client'

helpdesk:client:23.10

Scan Information ([show all](#)):

- *dependency-check version:* 7.4.4
- *Report Generated On:* Tue, 16 Jan 2024 14:57:45 +0100
- *Dependencies Scanned:* 244 (243 unique)
- *Vulnerable Dependencies:* 0
- *Vulnerabilities Found:* 0
- *Vulnerabilities Suppressed:* 0
- ...
- *NVD CVE Checked:* 2024-01-16T14:56:16
- *NVD CVE Modified:* 2024-01-16T02:00:01

## Summary

Display: [Showing Vulnerable Dependencies \(click to show all\)](#)

Dependency	Vulnerability IDs	Package	Highest Severity
<a href="#">Merlia-0.jar</a>		<a href="#">pkg:maven/lib/Merlia@0</a>	
<a href="#">addrecipientstocc.zip: addrecipientstocc.jar</a>	cpe:2.3:a:inetsoftware:helpdesk:23.10.295:*: *.***.*.*		
<a href="#">addrecipientstocc.zip: client.jar</a>	cpe:2.3:a:inetsoftware:helpdesk:23.10.295:*: *.***.*.*		
<a href="#">adhocreporting.zip: adhocreporting.jar</a>			
<a href="#">adhocreporting.zip: adhocreporting.jar</a>	cpe:2.3:a:inetsoftware:helpdesk:23.10.295:*: *.***.*.*		
<a href="#">adhocreporting.zip: client.jar</a>	cpe:2.3:a:inetsoftware:helpdesk:23.10.295:*: *.***.*.*		
<a href="#">attachments.zip: attachments.jar</a>	cpe:2.3:a:inetsoftware:helpdesk:23.10.295:*: *.***.*.*		
<a href="#">attachments.zip: client.jar</a>	cpe:2.3:a:inetsoftware:helpdesk:23.10.295:*: *.***.*.*		

<a href="#">autolinking.zip: autolinking.jar</a>	cpe:2.3:a:inetsoftware:helpdesk:23.10.295:*: *.~*~*~*~*		
<a href="#">cowork.tickets.zip: cowork.tickets.jar</a>	<a href="#">cpe:2.3:a:tickets_project:tickets:23.10.295:*:*: *.~*~*~*~*</a>		
<a href="#">cowork.tickets.zip: cowork.tickets.jar:</a> <a href="#">coworkchatextension.js</a>			
<a href="#">dataimport.zip: dataimport.jar</a>	cpe:2.3:a:inetsoftware:helpdesk:23.10.295:*: *.~*~*~*~*		
<a href="#">dataimport.zip: dataimport.jar:</a> <a href="#">app.js</a>			
<a href="#">dataimport.zip: dataimport.jar:</a> <a href="#">controller.js</a>			
<a href="#">dataimport.zip: dataimport.jar:</a> <a href="#">devicesimport.js</a>			
<a href="#">dataimport.zip: dataimport.jar:</a> <a href="#">importfactory.js</a>			
<a href="#">dataimport.zip: dataimport.jar:</a> <a href="#">userimport.js</a>			
<a href="#">diagnostics.helpdesk.zip: diagnostics.helpdesk.jar</a>	cpe:2.3:a:inetsoftware:helpdesk:23.10.295:*: *.~*~*~*~*		
<a href="#">diagnostics.helpdesk.zip: diagnostics.helpdesk.jar:</a> <a href="#">connector.js</a>			
<a href="#">grabaccess.zip: client.jar</a>	cpe:2.3:a:inetsoftware:helpdesk:23.10.295:*: *.~*~*~*~*		
<a href="#">grabaccess.zip: grabaccess.jar</a>	cpe:2.3:a:inetsoftware:helpdesk:23.10.295:*: *.~*~*~*~*		
<a href="#">hamcrest-2.2.jar</a>		<a href="#">pkg:maven/org.hamcrest/hamcrest@2.2</a>	
<a href="#">helpdesk.zip: Konneker-Server.jar</a>			
<a href="#">helpdesk.zip: helpdesk.jar</a>	cpe:2.3:a:inetsoftware:helpdesk:23.10.295:*: *.~*~*~*~*		
<a href="#">helpdesk.zip: helpdesk.jar:</a> <a href="#">attachmentdisplay.js</a>			
<a href="#">helpdesk.zip: helpdesk.jar:</a> <a href="#">configuration.autotext.edit.js</a>			
<a href="#">helpdesk.zip: helpdesk.jar:</a> <a href="#">configuration.autotext.js</a>			
<a href="#">helpdesk.zip: helpdesk.jar:</a> <a href="#">configuration.mailtemplates.edit.js</a>			
<a href="#">helpdesk.zip: helpdesk.jar:</a> <a href="#">configuration.mailtemplates.js</a>			
<a href="#">helpdesk.zip: helpdesk.jar:</a>			

<a href="#">effectiveactionscontroller.js</a>			
<a href="#">helpdesk.zip: helpdesk.jar: helpdeskconfig.js</a>			
<a href="#">helpdesk.zip: helpdesk.jar: predeletionhandler.js</a>			
<a href="#">helpdesk.zip: helpdesk.jar: promptuserselectrenderer.js</a>			
<a href="#">helpdesk.zip: helpdesk.jar: renderer.js</a>			
<a href="#">helpdesk.zip: helpdesk.jar: setdefaultguipreferencesaction.js</a>			
<a href="#">helpdesk.zip: helpdesk.jar: usersandgroupsreports.js</a>			
<a href="#">helpdesk.zip: rhino.jar</a>		<a href="#">pkg:maven/org.mozilla/rhino@1.7.14</a>	
<a href="#">helpdesk.zip: rhino.jar: test.js</a>			
<a href="#">helpdesksetupwizard.zip: helpdesksetupwizard.jar</a>	cpe:2.3:a:inetsoftware:helpdesk:23.10.295:*:*:*:*:*		
<a href="#">helpdesksetupwizard.zip: helpdesksetupwizard.jar: controller.js</a>			
<a href="#">helpdesksetupwizard.zip: helpdesksetupwizard.jar: controller.js</a>			
<a href="#">helpdesksetupwizard.zip: helpdesksetupwizard.jar: controller.js</a>			
<a href="#">inetcore-23.10-tools.jar</a>		<a href="#">pkg:maven/shared/inetcore@23.10</a>	
<a href="#">inetcore-23.10.jar (shaded: com.inet.shared:inetcore:null)</a>			
<a href="#">inetcore-23.10.jar</a>		<a href="#">pkg:maven/shared/inetcore@23.10</a>	
<a href="#">inventory.zip: inventory.jar</a>	cpe:2.3:a:inetsoftware:helpdesk:23.10.295:*:*:*:*:*		
<a href="#">inventory.zip: inventory.jar: genericfieldrenderer.js</a>			
<a href="#">inventory.zip: inventory.jar: inventory.3drenderer.directive.js</a>			
<a href="#">inventory.zip: inventory.jar: inventory.3dview.directive.js</a>			
<a href="#">inventory.zip: inventory.jar:</a>			

<a href="#">inventory.asset3d.directive.js</a>			
<a href="#">inventory.zip: inventory.jar: inventory.assetdetailsform.directive.js</a>			
<a href="#">inventory.zip: inventory.jar: inventory.assetimage.directive.js</a>			
<a href="#">inventory.zip: inventory.jar: inventory.assetimagehover.directive.js</a>			
<a href="#">inventory.zip: inventory.jar: inventory.assetmenu.directive.js</a>			
<a href="#">inventory.zip: inventory.jar: inventory.default3dbox.directive.js</a>			
<a href="#">inventory.zip: inventory.jar: inventory.devicefieldrenderer.directive.js</a>			
<a href="#">inventory.zip: inventory.jar: inventory.devicefieldrenderercurrency.directive.js</a>			
<a href="#">inventory.zip: inventory.jar: inventory.devicefieldrendererdatetime.directive.js</a>			
<a href="#">inventory.zip: inventory.jar: inventory.devicefieldrenderersselect.directive.js</a>			
<a href="#">inventory.zip: inventory.jar: inventory.devicefieldrenderertime.directive.js</a>			
<a href="#">inventory.zip: inventory.jar: inventory.devicefieldrendererus.directive.js</a>			
<a href="#">inventory.zip: inventory.jar: inventory.deviceimagerenderer.directive.js</a>			
<a href="#">inventory.zip: inventory.jar: inventory.fieldgroup.filter.js</a>			
<a href="#">inventory.zip: inventory.jar: inventory.attachmentcontent.directive.js</a>			
<a href="#">inventory.zip: inventory.jar: inventory.attachments.directive.js</a>			

[inventory.zip: inventory.jar:  
inventory.invoicepaper.  
directive.js](#)

[inventory.zip: inventory.jar:  
inventory.lazydetailfields.  
directive.js](#)

[inventory.zip: inventory.jar:  
inventory.levelslider.directive.js](#)

[inventory.zip: inventory.jar:  
inventory.licensepaper.  
directive.js](#)

[inventory.zip: inventory.jar:  
inventory.listview.directive.js](#)

[inventory.zip: inventory.jar:  
inventory.listviewrow.directive.  
js](#)

[inventory.zip: inventory.jar:  
inventory.locationbox.directive.  
js](#)

[inventory.zip: inventory.jar:  
inventory.roombox.directive.js](#)

[inventory.zip: inventory.jar:  
inventory.slaper.directive.js](#)

[inventory.zip: inventory.jar:  
inventory.structuretoolbar.  
directive.js](#)

[inventory.zip: inventory.jar:  
inventory.structurereview.  
directive.js](#)

[inventory.zip: inventory.jar:  
inventory.tile.directive.js](#)

[inventory.zip: inventory.jar:  
inventory.tilelane.directive.js](#)

[inventory.zip: inventory.jar:  
inventory.tileview.directive.js](#)

[inventory.zip: inventory.jar:  
inventory.treegrouping.  
directive.js](#)

[inventory.zip: inventory.jar:  
inventory.typehandheld.  
directive.js](#)

[inventory.zip: inventory.jar:  
inventory.usertable.directive.js](#)

[inventory.zip: inventory.jar:  
inventorycontroller.js](#)

[inventory.zip: inventory.jar:  
inventoryextension.  
assetpreview.directive.js](#)

[inventory.zip: inventory.jar:  
inventoryextension.](#)

[detailscontroller.js](#)

[inventory.zip: inventory.jar:  
inventoryextension.js](#)

[inventory.zip: inventory.jar:  
inventoryextension.treenode.  
directive.js](#)

[inventory.zip: inventory.jar:  
inventoryfactory.js](#)

[inventory.zip: inventory.jar:  
inventorymodel.js](#)

[inventory.zip: inventory.jar:  
inventoryticketpagefactory.js](#)

[inventory.zip: inventory.jar:  
printinventory.js](#)

[inventory.zip: inventory.jar:  
resizeableColumn.js](#)

[inventory.zip: inventory.jar:  
treegroupingsettings.js](#)

[java-8-jre-x64-linux.tar.gz:  
java-8-jre-x64-linux.tar:  
US\\_export\\_policy.jar](#)

[java-8-jre-x64-linux.tar.gz:  
java-8-jre-x64-linux.tar:  
charsets.jar](#)

[java-8-jre-x64-linux.tar.gz:  
java-8-jre-x64-linux.tar:  
clldrdata.jar](#)

[java-8-jre-x64-linux.tar.gz:  
java-8-jre-x64-linux.tar: dnsns.  
jar](#)

[java-8-jre-x64-linux.tar.gz:  
java-8-jre-x64-linux.tar:  
jaccess.jar](#)

[java-8-jre-x64-linux.tar.gz:  
java-8-jre-x64-linux.tar: jce.jar](#)

[java-8-jre-x64-linux.tar.gz:  
java-8-jre-x64-linux.tar: jfr.jar](#)

[java-8-jre-x64-linux.tar.gz:  
java-8-jre-x64-linux.tar: jsse.jar](#) [cpe:2.3:a:oracle:platform\\_security\\_for\\_java:  
1.8.0.382:\\*.\\*\\*\\*.\\*.\\*.\\*](#)  
[cpe:2.3:a:sun:jsse:1.8.0.382:\\*.\\*\\*\\*.\\*.\\*.\\*](#)

[java-8-jre-x64-linux.tar.gz:  
java-8-jre-x64-linux.tar:  
local\\_policy.jar](#)

[java-8-jre-x64-linux.tar.gz:  
java-8-jre-x64-linux.tar:  
local\\_policy.jar](#)

[java-8-jre-x64-linux.tar.gz:  
java-8-jre-x64-linux.tar:  
localedata.jar](#)

[java-8-jre-x64-linux.tar.gz:](#)  
[java-8-jre-x64-linux.tar:](#)  
[management-agent.jar](#)

[java-8-jre-x64-linux.tar.gz:](#)  
[java-8-jre-x64-linux.tar:](#)  
[nashorn.jar](#)

[java-8-jre-x64-linux.tar.gz:](#)  
[java-8-jre-x64-linux.tar:](#)  
[nashorn.jar: base.js](#)

[java-8-jre-x64-linux.tar.gz:](#)  
[java-8-jre-x64-linux.tar:](#)  
[nashorn.jar: bootstrap.js](#)

[java-8-jre-x64-linux.tar.gz:](#)  
[java-8-jre-x64-linux.tar:](#)  
[nashorn.jar: controls.js](#)

[java-8-jre-x64-linux.tar.gz:](#)  
[java-8-jre-x64-linux.tar:](#)  
[nashorn.jar: fxml.js](#)

[java-8-jre-x64-linux.tar.gz:](#)  
[java-8-jre-x64-linux.tar:](#)  
[nashorn.jar: graphics.js](#)

[java-8-jre-x64-linux.tar.gz:](#)  
[java-8-jre-x64-linux.tar:](#)  
[nashorn.jar: media.js](#)

[java-8-jre-x64-linux.tar.gz:](#)  
[java-8-jre-x64-linux.tar:](#)  
[nashorn.jar: mozilla\\_compat.js](#)

[java-8-jre-x64-linux.tar.gz:](#)  
[java-8-jre-x64-linux.tar:](#)  
[nashorn.jar: parser.js](#)

[java-8-jre-x64-linux.tar.gz:](#)  
[java-8-jre-x64-linux.tar:](#)  
[nashorn.jar: swing.js](#)

[java-8-jre-x64-linux.tar.gz:](#)  
[java-8-jre-x64-linux.tar:](#)  
[nashorn.jar: swt.js](#)

[java-8-jre-x64-linux.tar.gz:](#)  
[java-8-jre-x64-linux.tar:](#)  
[nashorn.jar: web.js](#)

[java-8-jre-x64-linux.tar.gz:](#)  
[java-8-jre-x64-linux.tar:](#)  
[resources.jar](#)

[java-8-jre-x64-linux.tar.gz:](#)  
[java-8-jre-x64-linux.tar: rt.jar](#)

[java-8-jre-x64-linux.tar.gz:](#)  
[java-8-jre-x64-linux.tar: sunec.jar](#)  
[cpe:2.3:a:oracle:platform\\_security\\_for\\_java:1.8.0.382:\\*:\\*:\\*:\\*:\\*](#)

[java-8-jre-x64-linux.tar.gz:](#)  
[java-8-jre-x64-linux.tar:](#)  
[sunjce\\_provider.jar](#)

[java-8-jre-x64-linux.tar.gz:](#)  
[java-8-jre-x64-linux.tar:](#)  
[cpe:2.3:a:oracle:platform\\_security\\_for\\_java:1.8.0.382:\\*:\\*:\\*:\\*:\\*](#)

<a href="#">sunpkcs11.jar</a>			
<a href="#">java-8-jre-x64-linux.tar.gz:</a> <a href="#">java-8-jre-x64-linux.tar: zipfs.jar</a>			
<a href="#">jlessc-1.11.jar</a>		<a href="#">pkg:maven/de.inetsoftware/jlessc@1.11</a>	
<a href="#">junit-4.13.2.jar</a>	cpe:2.3:a:junit:junit4:4.13.2:*:*:*:*:*	<a href="#">pkg:maven/junit/junit@4.13.2</a>	
<a href="#">junit-jupiter-5.10.0.jar</a>		<a href="#">pkg:maven/org.junit.jupiter/junit-jupiter@5.10.0</a>	
<a href="#">junit-jupiter-api-5.10.0.jar</a>		<a href="#">pkg:maven/org.junit.jupiter/junit-jupiter-api@5.10.0</a>	
<a href="#">junit-jupiter-engine-5.10.0.jar</a>		<a href="#">pkg:maven/org.junit.jupiter/junit-jupiter-engine@5.10.0</a>	
<a href="#">junit-jupiter-params-5.10.0.jar</a>		<a href="#">pkg:maven/org.junit.jupiter/junit-jupiter-params@5.10.0</a>	
<a href="#">junit-platform-commons-1.10.0.jar</a>	cpe:2.3:a:fan_platform_project:fan_platform:1.10.0:*:*:*:*:*	<a href="#">pkg:maven/org.junit.platform/junit-platform-commons@1.10.0</a>	
<a href="#">junit-platform-engine-1.10.0.jar</a>	cpe:2.3:a:fan_platform_project:fan_platform:1.10.0:*:*:*:*:*	<a href="#">pkg:maven/org.junit.platform/junit-platform-engine@1.10.0</a>	
<a href="#">junit-platform-launcher-1.10.0.jar</a>	cpe:2.3:a:fan_platform_project:fan_platform:1.10.0:*:*:*:*:*	<a href="#">pkg:maven/org.junit.platform/junit-platform-launcher@1.10.0</a>	
<a href="#">junit-platform-suite-1.10.0.jar</a>	cpe:2.3:a:fan_platform_project:fan_platform:1.10.0:*:*:*:*:*	<a href="#">pkg:maven/org.junit.platform/junit-platform-suite@1.10.0</a>	
<a href="#">junit-platform-suite-api-1.10.0.jar</a>	cpe:2.3:a:fan_platform_project:fan_platform:1.10.0:*:*:*:*:*	<a href="#">pkg:maven/org.junit.platform/junit-</a>	



		<a href="#">platform-suite-api@1.10.0</a>	
<a href="#">junit-platform-suite-commons-1.10.0.jar</a>	cpe:2.3:a:fan_platform_project:fan_platform:1.10.0:*:*:*:*:*	<a href="#">pkg:maven/org.junit.platform/junit-platform-suite-commons@1.10.0</a>	
<a href="#">junit-platform-suite-engine-1.10.0.jar</a>	cpe:2.3:a:fan_platform_project:fan_platform:1.10.0:*:*:*:*:*	<a href="#">pkg:maven/org.junit.platform/junit-platform-suite-engine@1.10.0</a>	
<a href="#">junit-vintage-engine-5.10.0.jar</a>	cpe:2.3:a:fan_platform_project:fan_platform:5.10.0:*:*:*:*:*	<a href="#">pkg:maven/org.junit.vintage/junit-vintage-engine@5.10.0</a>	
<a href="#">knowledgebase.zip: knowledgebase.jar</a>	cpe:2.3:a:inetsoftware:helpdesk:23.10.295:*:*:*:*:*		
<a href="#">knowledgebase.zip: knowledgebase.jar: controllerArticleDetails.js</a>			
<a href="#">knowledgebase.zip: knowledgebase.jar: controllerArticleDialog.js</a>			
<a href="#">knowledgebase.zip: knowledgebase.jar: controllerArticleEditDialog.js</a>			
<a href="#">knowledgebase.zip: knowledgebase.jar: controllerKnowledgeBase.js</a>			
<a href="#">knowledgebase.zip: knowledgebase.jar: fuzzysearcharticleextension.js</a>			
<a href="#">knowledgebase.zip: knowledgebase.jar: knowledgeBaseFactory.js</a>			
<a href="#">knowledgebase.zip: knowledgebase.jar: ticketlist.extension.js</a>			
<a href="#">livesupport.zip: livesupport.jar</a>	cpe:2.3:a:inetsoftware:helpdesk:23.10.295:*:*:*:*:*		
<a href="#">livesupport.zip: livesupport.jar: attachments.js</a>			
<a href="#">livesupport.zip: livesupport.jar: connections.js</a>			
<a href="#">livesupport.zip: livesupport.jar: controller.js</a>			
<a href="#">livesupport.zip: livesupport.jar: dragging.js</a>			

<a href="#">livesupport.zip: livesupport.jar: events.js</a>			
<a href="#">livesupport.zip: livesupport.jar: fetch-promise.min.js</a>			
<a href="#">livesupport.zip: livesupport.jar: i18n.js</a>			
<a href="#">livesupport.zip: livesupport.jar: lazy-load.js</a>			
<a href="#">livesupport.zip: livesupport.jar: prototype.array.js</a>			
<a href="#">livesupport.zip: livesupport.jar: prototype.element.js</a>			
<a href="#">livesupport.zip: livesupport.jar: ui-components.js</a>			
<a href="#">maintenance.helpdesk.zip: maintenance.helpdesk.jar</a>	cpe:2.3:a:inetsoftware:helpdesk:23.10.295:*:*:*:*:*		
<a href="#">maintenance.helpdesk.zip: maintenance.helpdesk.jar: app.js</a>			
<a href="#">maintenance.helpdesk.zip: maintenance.helpdesk.jar: datacare.js</a>			
<a href="#">maintenance.helpdesk.zip: maintenance.helpdesk.jar: dbmigration.js</a>			
<a href="#">maintenance.helpdesk.zip: maintenance.helpdesk.jar: loginmodification.js</a>			
<a href="#">mobilerpc.zip: mobilerpc.jar</a>	cpe:2.3:a:inetsoftware:helpdesk:23.10.295:*:*:*:*:*		
<a href="#">opentest4j-1.3.0.jar</a>		<a href="#">pkg:maven/org.opentest4j/opentest4j@1.3.0</a>	
<a href="#">pgp.zip: bcpg-jdk18on.jar</a>	cpe:2.3:a:bouncycastle:bouncy_castle_for_java:1.76:*:*:*:*:* cpe:2.3:a:bouncycastle:legion-of-the-bouncy-castle:1.76:*:*:*:*:* cpe:2.3:a:openpgp:openpgp:1.76:*:*:*:*:*	<a href="#">pkg:maven/org.bouncycastle/bcpg-jdk18on@1.76</a>	
<a href="#">pgp.zip: bcprov-jdk18on.jar</a>	cpe:2.3:a:bouncycastle:bouncy-castle-crypto-package:1.76:*:*:*:*:* cpe:2.3:a:bouncycastle:bouncy_castle_crypto_package:1.76:*:*:*:*:* cpe:2.3:a:bouncycastle:bouncy_castle_for_java:1.76:*:*:*:*:* cpe:2.3:a:bouncycastle:legion-of-the-bouncy-castle:1.76:*:*:*:*:* cpe:2.3:a:bouncycastle:legion-of-the-bouncy-castle-java-cryptography-api:1.76:*:*:*:*:* cpe:2.3:a:bouncycastle:the_bouncy_castle_crypto_package_for_java:1.76:*:*:*:*:*	<a href="#">pkg:maven/org.bouncycastle/bcprov-jdk18on@1.76</a>	

<a href="#">pgp.zip: client.jar</a>	<a href="#">cpe:2.3:a:inetsoftware:helpdesk:23.10.295:*: *.***.*.*.*</a>		
<a href="#">pgp.zip: pgp.jar</a>	<a href="#">cpe:2.3:a:pgp:pgp:23.10.295:*.***.*.*.*</a>		
<a href="#">push.helpdesk.zip: push.helpdesk.jar</a>	<a href="#">cpe:2.3:a:inetsoftware:helpdesk:23.10.295:*: *.***.*.*.*</a>		
<a href="#">quickticket.zip: quickticket.jar</a>	<a href="#">cpe:2.3:a:inetsoftware:helpdesk:23.10.295:*: *.***.*.*.*</a>		
<a href="#">quickticket.zip: quickticket.jar: configuration.quickticket.createfolder.js</a>			
<a href="#">quickticket.zip: quickticket.jar: configuration.quickticket.edit.js</a>			
<a href="#">quickticket.zip: quickticket.jar: configuration.quickticket.js</a>			
<a href="#">quickticket.zip: quickticket.jar: configuration.quickticket.renderer.js</a>			
<a href="#">quickticket.zip: quickticket.jar: ticketlist.extension.js</a>			
<a href="#">quickticket.zip: quickticket.jar: ticketlist.quickticket.apply.js</a>			
<a href="#">reporttree.zip: client.jar</a>	<a href="#">cpe:2.3:a:inetsoftware:helpdesk:23.10.295:*: *.***.*.*.*</a>		
<a href="#">reporttree.zip: reporttree.jar</a>	<a href="#">cpe:2.3:a:inetsoftware:helpdesk:23.10.295:*: *.***.*.*.*</a>		
<a href="#">slf4j-api-2.0.9.jar</a>		<a href="#">pkg:maven/org.slf4j/slf4j-api@2.0.9</a>	
<a href="#">swingclient.zip: Dialog.jar</a>	<a href="#">cpe:2.3:a:inetsoftware:helpdesk:23.10.295:*: *.***.*.*.*</a>		
<a href="#">swingclient.zip: Dialog1.jar</a>	<a href="#">cpe:2.3:a:inetsoftware:helpdesk:23.10.295:*: *.***.*.*.*</a>		
<a href="#">swingclient.zip: Dialog2.jar</a>	<a href="#">cpe:2.3:a:inetsoftware:helpdesk:23.10.295:*: *.***.*.*.*</a>		
<a href="#">swingclient.zip: Dialog3.jar</a>	<a href="#">cpe:2.3:a:inetsoftware:helpdesk:23.10.295:*: *.***.*.*.*</a>		
<a href="#">swingclient.zip: JWebEngine.jar</a>			
<a href="#">swingclient.zip: Konnekte-Client.jar</a>			
<a href="#">swingclient.zip: ReportViewer.jar</a>	<a href="#">cpe:2.3:a:inetsoftware:clear_reports:23.10.295:*.***.*.*.*</a> <a href="#">cpe:2.3:a:inetsoftware:i-net_clear_reports:23.10.295:*.***.*.*.*</a>		
<a href="#">swingclient.zip: TableLayout.jar</a>			
<a href="#">swingclient.zip: VividSwingAnimations.jar</a>			

<a href="#">swingclient.zip: images.jar</a>	<a href="#">cpe:2.3:a:inetsoftware:helpdesk:23.10.295:*: *.***.*.* .*.*.*.*</a>		
<a href="#">swingclient.zip: jortho.jar</a>			
<a href="#">swingclient.zip: swingclient.jar</a>	<a href="#">cpe:2.3:a:inetsoftware:helpdesk:23.10.295:*: *.***.*.* .*.*.*.*</a>		
<a href="#">swingclient.zip: swingclient.jar: heldpeskswingclient.js</a>			
<a href="#">taskplanner.helpdesk.zip: taskplanner.helpdesk.jar</a>	<a href="#">cpe:2.3:a:inetsoftware:helpdesk:23.10.295:*: *.***.*.* .*.*.*.*</a>		
<a href="#">ticketlist.zip: ticketlist.jar</a>	<a href="#">cpe:2.3:a:inetsoftware:helpdesk:23.10.295:*: *.***.*.* .*.*.*.*</a>		
<a href="#">ticketlist.zip: ticketlist.jar: annotationextension.js</a>			
<a href="#">ticketlist.zip: ticketlist.jar: applyactionfieldrenderer.js</a>			
<a href="#">ticketlist.zip: ticketlist.jar: attachmentsextension.js</a>			
<a href="#">ticketlist.zip: ticketlist.jar: draganddrop.js</a>			
<a href="#">ticketlist.zip: ticketlist.jar: expertlayout.js</a>			
<a href="#">ticketlist.zip: ticketlist.jar: extendedpagelayout.js</a>			
<a href="#">ticketlist.zip: ticketlist.jar: fullviewpagelayout.js</a>			
<a href="#">ticketlist.zip: ticketlist.jar: linksextension.js</a>			
<a href="#">ticketlist.zip: ticketlist.jar: newticket.js</a>			
<a href="#">ticketlist.zip: ticketlist.jar: print. js</a>			
<a href="#">ticketlist.zip: ticketlist.jar: relativetimerenderer.js</a>			
<a href="#">ticketlist.zip: ticketlist.jar: resizeableColumn.js</a>			
<a href="#">ticketlist.zip: ticketlist.jar: selectionCountBadge.js</a>			
<a href="#">ticketlist.zip: ticketlist.jar: sorter.js</a>			
<a href="#">ticketlist.zip: ticketlist.jar: tabspagelayout.js</a>			
<a href="#">ticketlist.zip: ticketlist.jar: ticketattachment.js</a>			
<a href="#">ticketlist.zip: ticketlist.jar: ticketdetailsextension.js</a>			
<a href="#">ticketlist.zip: ticketlist.jar:</a>			

<a href="#">ticketeditor.js</a>			
<a href="#">ticketlist.zip: ticketlist.jar: ticketfactory.js</a>			
<a href="#">ticketlist.zip: ticketlist.jar: ticketlist.js</a>			
<a href="#">ticketlist.zip: ticketlist.jar: ticketlistadditionalcomponents.js</a>			
<a href="#">ticketlist.zip: ticketlist.jar: ticketlistapp.js</a>			
<a href="#">ticketlist.zip: ticketlist.jar: ticketlistapplyaction.js</a>			
<a href="#">ticketlist.zip: ticketlist.jar: ticketlisteditproperties.js</a>			
<a href="#">ticketlist.zip: ticketlist.jar: ticketlistlayoutsettings.js</a>			
<a href="#">ticketlist.zip: ticketlist.jar: ticketmodel.js</a>			
<a href="#">ticketlist.zip: ticketlist.jar: ticketownerextension.js</a>			
<a href="#">ticketlist.zip: ticketlist.jar: ticketpage.js</a>			
<a href="#">ticketlist.zip: ticketlist.jar: ticketpageheader.js</a>			
<a href="#">ticketlist.zip: ticketlist.jar: ticketpagehintsextension.js</a>			
<a href="#">ticketlist.zip: ticketlist.jar: ticketpagelayoutsettings.js</a>			
<a href="#">ticketlist.zip: ticketlist.jar: ticketpagesteps.js</a>			
<a href="#">ticketlist.zip: ticketlist.jar: ticketpreview.js</a>			
<a href="#">ticketlist.zip: ticketlist.jar: ticketproperties.js</a>			
<a href="#">ticketlist.zip: ticketlist.jar: ticketrenderer.js</a>			
<a href="#">ticketlist.zip: ticketlist.jar: ticketsharing.js</a>			
<a href="#">ticketlist.zip: ticketlist.jar: ticketviewsortsettings.js</a>			
<a href="#">ticketlist.zip: ticketlist.jar: timelineextension.js</a>			
<a href="#">ticketlist.zip: ticketlist.jar: userticketshistoryextension.js</a>			
<a href="#">ticketprocess.zip: ticketprocess.jar</a>	cpe:2.3:a:inetsoftware:helpdesk:23.10.295:*: *****		

[ticketprocess.zip:](#)  
[ticketprocess.jar:](#)  
[applyProcessRenderer.js](#)

[ticketprocess.zip:](#)  
[ticketprocess.jar: configuration.](#)  
[ticketprocess.edit.js](#)

[ticketprocess.zip:](#)  
[ticketprocess.jar: configuration.](#)  
[ticketprocess.js](#)

[ticketprocess.zip:](#)  
[ticketprocess.jar: ticketlist.](#)  
[ticketprocess.js](#)

[ticketprocess.zip:](#)  
[ticketprocess.jar:](#)  
[ticketprocess.](#)  
[changeticketprocess.js](#)

[ticketprocess.zip:](#)  
[ticketprocess.jar:](#)  
[ticketprocess.parallelticket.](#)  
[preview.js](#)

[ticketprocess.zip:](#)  
[ticketprocess.jar:](#)  
[ticketprocessdirectives.js](#)

[ticketprocess.zip:](#)  
[ticketprocess.jar:](#)  
[ticketprocessfactory.js](#)

[ticketprocess.zip:](#)  
[ticketprocess.jar:](#)  
[ticketprocessmodel.js](#)

## Dependencies

### Merlia-0.jar

**File Path:** /home/jenkins/.gradle/caches/modules-2/files-2.1/lib/Merlia/0  
/fc0c94f56a1c43b76f3ae539f0cd8af2d832d9d2/Merlia-0.jar

**MD5:** 8e7f9f81ce022680498de9dfb63c1d23

**SHA1:** fc0c94f56a1c43b76f3ae539f0cd8af2d832d9d2

**SHA256:** 1dfd38a307f047b7584492c2c37197db896fc7dd24a8ab893e1bff306a4cf8b8

**Referenced In Project/Scope:**client:inetPlugin

#### Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	Merlia-0	High
Vendor	gradle	artifactid	Merlia	Highest
Vendor	gradle	groupid	lib	Highest
Vendor	jar	package name	inet	Low
Vendor	jar	package name	tds	Low

Product	file	name	Merlia-0	High
Product	gradle	artifactid	Merlia	Highest
Product	jar	package name	tds	Low
Version	file	name	Merlia-0	Medium
Version	file	version	0	Medium
Version	gradle	version	0	Highest
Version	Manifest	driver-version	8.13	Medium

#### Identifiers

- [pkg:maven/lib/Merlia@0](#) (*Confidence*:Highest)

### addrecipientstocc.zip: addrecipientstocc.jar

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/client/build/tmp/dependencies/i-net HelpDesk Anwendung/plugins/addrecipientstocc.zip  
/addrecipientstocc.jar

**MD5:** 0500b971d4593d5e8c85d87fb780568f

**SHA1:** 405ba8e75514af09a4da164f32d83d1ae043e289

**SHA256:** ffb4d9c68ceb17678eb841effe53b45306b52b00a6c1901341e45ebc0a9fef71

**Referenced In Project/Scope:** client

#### Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	addrecipientstocc	High
Vendor	jar	package name	helpdesk	Low
Vendor	jar	package name	inet	Low
Vendor	jar	package name	plugins	Low
Vendor	Manifest	built-date	2024-01-16 14:37	Low
Vendor	Manifest	implementation-group	helpdesk	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	addrecipientstocc	High

Product	jar	package name	addtocc	Low
Product	jar	package name	helpdesk	Highest
Product	jar	package name	helpdesk	Low
Product	jar	package name	plugins	Low
Product	Manifest	built-date	2024-01-16 14:37	Low
Product	Manifest	implementation-group	helpdesk	Low
Product	Manifest	Implementation-Title	addrecipientstocc	High
Product	Manifest	specification-title	addrecipientstocc	Medium
Version	jar	package name	helpdesk	Highest
Version	Manifest	Implementation-Version	23.10.295	High

### Identifiers

- `cpe:2.3:a:inetsoftware:helpdesk:23.10.295:*:*:*:*:*` (*Confidence:Low*) suppress

## addrecipientstocc.zip: client.jar

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/client/build/tmp/dependencies/i-net HelpDesk Anwendung/plugins/addrecipientstocc.zip/client.jar  
**MD5:** 599f07822040773b40726b7d8e88efb0  
**SHA1:** 9fa60852aeea4d32d65f7b9583f83d7c13956b85  
**SHA256:** 3023291eb40902a1438d62bcc25d99b37c54e31c10d17afbb3fd6878c25bb688  
**Referenced In Project/Scope:**client

### Evidence

Type	Source	Name	Value	Confidence
Vendor	file	name	client	High
Vendor	jar	package name	helpdesk	Low
Vendor	jar	package name	inet	Low
Vendor	jar	package name	plugins	Low
Vendor	Manifest	application-library-allowable-codebase	*	Low
Vendor	Manifest	built-date	2024-01-16 14:37	Low



Vendor	Manifest	codebase	*	Low
Vendor	Manifest	implementation-group	helpdesk	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	permissions	all-permissions	Low
Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	trusted-library	false	Low
Vendor	Manifest	trusted-only	false	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	client	High
Product	jar	package name	addtocc	Low
Product	jar	package name	helpdesk	Highest
Product	jar	package name	helpdesk	Low
Product	jar	package name	plugins	Low
Product	Manifest	application-library-allowable-codebase	*	Low
Product	Manifest	built-date	2024-01-16 14:37	Low
Product	Manifest	codebase	*	Low
Product	Manifest	implementation-group	helpdesk	Low
Product	Manifest	Implementation-Title	client	High
Product	Manifest	permissions	all-permissions	Low
Product	Manifest	specification-title	client	Medium
Product	Manifest	trusted-library	false	Low
Product	Manifest	trusted-only	false	Low
Version	jar	package name	helpdesk	Highest
Version	Manifest	Implementation-Version	23.10.295	High

## Identifiers

- cpe:2.3:a:inetsoftware:helpdesk:23.10.295:\*:\*:\*:\*:\* (Confidence:Low) suppress

## adhocreporting.zip: adhocClient.jar

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/client/build/tmp/dependencies/i-net HelpDesk Anwendung/plugins/adhocreporting.zip/adhocClient.jar

**MD5:** 8dcc318604776f99df018ed075e03538

**SHA1:** 1bc04c06086a296391d596a02b5a743f6c5d319f

**SHA256:**ac8e34bac6bd23bd74af27641187d9b2c20150bce7e09710d3aed322493b9747

**Referenced In Project/Scope:**client

### Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	adhocClient	High
Vendor	jar	package name	adhoc	Low
Vendor	jar	package name	client	Low
Vendor	jar	package name	inet	Low
Vendor	Manifest	application-library-allowable-codebase	*	Low
Vendor	Manifest	built-date	2024-01-16 13:19	Low
Vendor	Manifest	codebase	*	Low
Vendor	Manifest	implementation-group	reporting	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	permissions	all-permissions	Low
Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	trusted-library	false	Low
Vendor	Manifest	trusted-only	false	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	adhocClient	High
Product	jar	package name	adhoc	Low
Product	jar	package name	client	Low
Product	jar	package name	page	Low
Product	Manifest	application-library-allowable-	*	Low

## codebase

Product	Manifest	built-date	2024-01-16 13:19	Low
Product	Manifest	codebase	*	Low
Product	Manifest	implementation-group	reporting	Low
Product	Manifest	Implementation-Title	adhocClient	High
Product	Manifest	permissions	all-permissions	Low
Product	Manifest	specification-title	adhocClient	Medium
Product	Manifest	trusted-library	false	Low
Product	Manifest	trusted-only	false	Low
Version	Manifest	Implementation-Version	23.10.295	High

## Identifiers

- None

## adhocreporing.zip: adhocreporing.jar

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/client/build/tmp/dependencies/i-net HelpDesk Anwendung/plugins/adhocreporing.zip/adhocreporing.jar

**MD5:** bcc3e1e2b16de3fb9e2a65dc58502359

**SHA1:** 1fc2f36cd51c2ef4f73266fadfc5f541ca179558

**SHA256:**2b23b11b46ade1178034a06b29ec6b0305b7a65d0911f611ff5375fa2e7ce896

**Referenced In Project/Scope:**client

## Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	adhocreporing	High
Vendor	jar	package name	adhoc	Low
Vendor	jar	package name	helpdesk	Low
Vendor	jar	package name	inet	Low
Vendor	Manifest	built-date	2024-01-16 14:37	Low
Vendor	Manifest	implementation-group	helpdesk	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High

Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	adhocreporing	High
Product	jar	package name	adhoc	Low
Product	jar	package name	helpdesk	Highest
Product	jar	package name	helpdesk	Low
Product	jar	package name	server	Low
Product	Manifest	built-date	2024-01-16 14:37	Low
Product	Manifest	implementation-group	helpdesk	Low
Product	Manifest	Implementation-Title	adhocreporing	High
Product	Manifest	specification-title	adhocreporing	Medium
Version	jar	package name	helpdesk	Highest
Version	Manifest	Implementation-Version	23.10.295	High

Identifiers

- cpe:2.3:a:inetsoftware:helpdesk:23.10.295:\*:\*:\*:\*:\* (Confidence:Low) suppress

adhocreporing.zip: client.jar

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/client/build/tmp/dependencies/i-net HelpDesk Anwendung/plugins/adhocreporing.zip/client.jar  
**MD5:** 670c715788dc0f9246eb9214bee4d46b  
**SHA1:** 08434650667772a076763951da45cad407f0df08  
**SHA256:** dbb39ed319235fe70e3f4c2d3f5bb01b5ecda2385c2ac5c557ebdb5c1fd9af68  
**Referenced In Project/Scope:** client

Evidence

Type	Source	Name	Value	Confidence
Vendor	file	name	client	High
Vendor	jar	package name	adhoc	Low
Vendor	jar	package name	helpdesk	Low

Vendor	jar	package name	inet	Low
Vendor	Manifest	application-library-allowable-codebase	*	Low
Vendor	Manifest	built-date	2024-01-16 14:37	Low
Vendor	Manifest	codebase	*	Low
Vendor	Manifest	implementation-group	helpdesk	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	permissions	all-permissions	Low
Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	trusted-library	false	Low
Vendor	Manifest	trusted-only	false	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	client	High
Product	jar	package name	adhoc	Low
Product	jar	package name	client	Highest
Product	jar	package name	client	Low
Product	jar	package name	helpdesk	Highest
Product	jar	package name	helpdesk	Low
Product	Manifest	application-library-allowable-codebase	*	Low
Product	Manifest	built-date	2024-01-16 14:37	Low
Product	Manifest	codebase	*	Low
Product	Manifest	implementation-group	helpdesk	Low
Product	Manifest	Implementation-Title	client	High
Product	Manifest	permissions	all-permissions	Low
Product	Manifest	specification-title	client	Medium
Product	Manifest	trusted-library	false	Low
Product	Manifest	trusted-only	false	Low
Version	jar	package name	helpdesk	Highest
Version	Manifest	Implementation-	23.10.295	High

Version

Identifiers

- cpe:2.3:a:inetsoftware:helpdesk:23.10.295.\*:\*:\*:\*:\* (Confidence:Low) suppress

attachments.zip: attachments.jar

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/client/build/tmp/dependencies/i-net HelpDesk Anwendung/plugins/attachments.zip/attachments.jar

**MD5:** 0b2597768864e21d8d1b4be8be88bdf2

**SHA1:** dd3995f7a96e55613ef478a9997d357da700e524

**SHA256:**98410142ef3018c2e7f44653f66827282b7e11670325097953d3a9b395489a59

**Referenced In Project/Scope:**client

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	attachments	High
Vendor	jar	package name	helpdesk	Low
Vendor	jar	package name	inet	Low
Vendor	jar	package name	plugins	Low
Vendor	Manifest	built-date	2024-01-16 14:37	Low
Vendor	Manifest	implementation-group	helpdesk	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	attachments	High
Product	jar	package name	attachments	Highest
Product	jar	package name	attachments	Low
Product	jar	package name	helpdesk	Highest
Product	jar	package name	helpdesk	Low
Product	jar	package name	plugins	Low

Product	Manifest	built-date	2024-01-16 14:37	Low
Product	Manifest	implementation-group	helpdesk	Low
Product	Manifest	Implementation-Title	attachments	High
Product	Manifest	specification-title	attachments	Medium
Version	jar	package name	helpdesk	Highest
Version	Manifest	Implementation-Version	23.10.295	High

### Identifiers

- cpe:2.3:a:inetsoftware:helpdesk:23.10.295:\*:\*:\*:\*:\* (Confidence:Low) suppress

## attachments.zip: client.jar

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/client/build/tmp/dependencies/i-net HelpDesk Anwendung/plugins/attachments.zip/client.jar

**MD5:** b8867733c63f898bf77bc549c6933ad2

**SHA1:** a9c60559beda16afd1a6f339d95b459e3a347537

**SHA256:**b57d72cb26157d0345c7dd72059185f80bb4978af1288c82e8447e77c0b8f9c7

**Referenced In Project/Scope:**client

### Evidence

Type	Source	Name	Value	Confidence
Vendor	file	name	client	High
Vendor	jar	package name	helpdesk	Low
Vendor	jar	package name	inet	Low
Vendor	jar	package name	plugins	Low
Vendor	Manifest	application-library-allowable-codebase	*	Low
Vendor	Manifest	built-date	2024-01-16 14:37	Low
Vendor	Manifest	codebase	*	Low
Vendor	Manifest	implementation-group	helpdesk	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High

Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	permissions	all-permissions	Low
Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	trusted-library	false	Low
Vendor	Manifest	trusted-only	false	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	client	High
Product	jar	package name	attachments	Low
Product	jar	package name	helpdesk	Highest
Product	jar	package name	helpdesk	Low
Product	jar	package name	plugins	Low
Product	Manifest	application-library-allowable-codebase	*	Low
Product	Manifest	built-date	2024-01-16 14:37	Low
Product	Manifest	codebase	*	Low
Product	Manifest	implementation-group	helpdesk	Low
Product	Manifest	Implementation-Title	client	High
Product	Manifest	permissions	all-permissions	Low
Product	Manifest	specification-title	client	Medium
Product	Manifest	trusted-library	false	Low
Product	Manifest	trusted-only	false	Low
Version	jar	package name	helpdesk	Highest
Version	Manifest	Implementation-Version	23.10.295	High

#### Identifiers

- cpe:2.3:a:inetsoftware:helpdesk:23.10.295:\*:\*:\*:\*:\* (Confidence:Low) suppress

**autolinking.zip: autolinking.jar**



**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/client/build/tmp/dependencies/i-net HelpDesk Anwendung/plugins/autolinking.zip/autolinking.jar  
**MD5:** fb774ebd3a436800b0c362e63c07defd  
**SHA1:** bab4959190be06b59b9834641c71a463ca1e87ff  
**SHA256:**d70ad2c4555f9c1835a5b08aa8691db29fb06817d6e81a174718ed4a37e97fa4  
**Referenced In Project/Scope:**client

Evidence +

Type	Source	Name	Value	Confidence
Vendor	file	name	autolinking	High
Vendor	jar	package name	helpdesk	Low
Vendor	jar	package name	inet	Low
Vendor	jar	package name	plugins	Low
Vendor	Manifest	built-date	2024-01-16 14:44	Low
Vendor	Manifest	implementation-group	helpdesk	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	autolinking	High
Product	jar	package name	autolinking	Highest
Product	jar	package name	autolinking	Low
Product	jar	package name	helpdesk	Highest
Product	jar	package name	helpdesk	Low
Product	jar	package name	plugins	Low
Product	Manifest	built-date	2024-01-16 14:44	Low
Product	Manifest	implementation-group	helpdesk	Low
Product	Manifest	Implementation-Title	autolinking	High
Product	Manifest	specification-title	autolinking	Medium
Version	jar	package name	helpdesk	Highest
Version	Manifest	Implementation-Version	23.10.295	High

Identifiers

• cpe:2.3:a:inetsoftware:helpdesk:23.10.295.\*.\*.\*.\*.\* (Confidence:Low) suppress

cowork.tickets.zip: cowork.tickets.jar

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/client/build/tmp/dependencies/i-net HelpDesk Anwendung/plugins/cowork.tickets.zip/cowork.tickets.jar  
**MD5:** c93642ddceffb8a65bdee293a99092c7  
**SHA1:** aca88b5aa9243622111641f76d16ecf346d2de28  
**SHA256:** 71a37721ae85e8a092691989e5d6ce1a64644baddc84a1f7363b9c6cb87bbea3  
**Referenced In Project/Scope:**client

Evidence

Type	Source	Name	Value	Confidence
Vendor	file	name	cowork.tickets	High
Vendor	jar	package name	cowork	Low
Vendor	jar	package name	inet	Low
Vendor	jar	package name	integration	Low
Vendor	Manifest	built-date	2024-01-16 14:44	Low
Vendor	Manifest	implementation-group	helpdesk	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	cowork.tickets	High
Product	jar	package name	cowork	Highest
Product	jar	package name	cowork	Low
Product	jar	package name	integration	Low
Product	jar	package name	ticketlist	Low
Product	Manifest	built-date	2024-01-16 14:44	Low
Product	Manifest	implementation-group	helpdesk	Low
Product	Manifest	Implementation-Title	cowork.tickets	High

Product	Manifest	specification-title	cowork.tickets	Medium
Version	Manifest	Implementation-Version	23.10.295	High

#### Identifiers

- [cpe:2.3:a:tickets\\_project:tickets:23.10.295:\\*\\*\\*\\*:\\*:\\*](#) (Confidence:High) suppress

### cowork.tickets.zip: cowork.tickets.jar: coworkchatextension.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/client/build/tmp/dependencies/i-net HelpDesk Anwendung/plugins/cowork.tickets.zip/cowork.tickets.jar/com/inet/cowork/integration/ticketlist/ticketpageextension/coworkchatextension.js  
**MD5:** c4933002ca8acac0d6463e1f6bdd0502  
**SHA1:** ece46f3e496f2b54e13b7d19ec78c62a3cc923ac  
**SHA256:** 0695879bd759b27522ddd15a7c7a566be4b977a351a4bde0d65748a638dfead5  
**Referenced In Project/Scope:** client

#### Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### dataimport.zip: dataimport.jar

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/client/build/tmp/dependencies/i-net HelpDesk Anwendung/plugins/dataimport.zip/dataimport.jar  
**MD5:** 620c87be0fc7eca62523d360ed46aa58  
**SHA1:** 867028eecc2684d333aae18d1ea169ce0bef227d  
**SHA256:** 42c23beb4aea1cd53984fd3260afcb187486f21564c4df62f7fbdb7f8d21bea  
**Referenced In Project/Scope:** client

#### Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Vendor	file	name	dataimport	High
--------	------	------	------------	------

Vendor	jar	package name	helpdesk	Low
Vendor	jar	package name	inet	Low
Vendor	jar	package name	plugins	Low
Vendor	Manifest	built-date	2024-01-16 14:37	Low
Vendor	Manifest	implementation-group	helpdesk	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	dataimport	High
Product	jar	package name	dataimport	Highest
Product	jar	package name	dataimport	Low
Product	jar	package name	helpdesk	Highest
Product	jar	package name	helpdesk	Low
Product	jar	package name	plugins	Low
Product	Manifest	built-date	2024-01-16 14:37	Low
Product	Manifest	implementation-group	helpdesk	Low
Product	Manifest	Implementation-Title	dataimport	High
Product	Manifest	specification-title	dataimport	Medium
Version	jar	package name	helpdesk	Highest
Version	Manifest	Implementation-Version	23.10.295	High

#### Identifiers

- `cpe:2.3:a:inetsoftware:helpdesk:23.10.295:*:*:*:*:*` (*Confidence:Low*) suppress

### dataimport.zip: dataimport.jar: app.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/client/build/tmp/dependencies/i-net HelpDesk Anwendung/plugins/dataimport.zip  
 /dataimport.jar/com/inet/helpdesk/plugins/dataimport/resources/js/app.js

**MD5:** fd93107736925d6419327102dd5d2e37  
**SHA1:** 12179da154406d70548b0866d07ff4d91c2fa976  
**SHA256:** fa367e25cd6f8f7f765032367099657ec23e4b1a5dbc125458b3f3a41d8e2222  
**Referenced In Project/Scope:** client

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### dataimport.zip: dataimport.jar: controller.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems  
/HelpDeskInstaller/client/build/tmp/dependencies/i-net HelpDesk Anwendung/plugins/dataimport.zip  
/dataimport.jar/com/inet/helpdesk/plugins/dataimport/resources/js/controller.js

**MD5:** 4f5995c450e39b1e0d722e3823de6f9f  
**SHA1:** 2fcb8dce2afc2baf6c532f02cdb8ee6ea7f7f033  
**SHA256:** a340b6a5bf8ec64708a7ffe02ce43c0f556ed45632d2313fc43970d0196306c9  
**Referenced In Project/Scope:** client

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### dataimport.zip: dataimport.jar: devicesimport.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems  
/HelpDeskInstaller/client/build/tmp/dependencies/i-net HelpDesk Anwendung/plugins/dataimport.zip  
/dataimport.jar/com/inet/helpdesk/plugins/dataimport/resources/js/devicesimport.js

**MD5:** 6644d6345c74d963b7214be93f865599  
**SHA1:** cd92c0b187df0352e5961961f7470c8439aaaa30  
**SHA256:** 6c7c28929d06f1fa1dc99ec22de692942ef4f5cc2703c5f378e90d7d24aede27  
**Referenced In Project/Scope:** client

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

dataimport.zip: dataimport.jar: importfactory.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/client/build/tmp/dependencies/i-net HelpDesk Anwendung/plugins/dataimport.zip/dataimport.jar/com/inet/helpdesk/plugins/dataimport/resources/js/importfactory.js

**MD5:** 72207696d51fd6e20c673b6534cba54a

**SHA1:** 2b6f0c63622a7a947d616dbb52c12a3b39993a91

**SHA256:**855e5826f0e032b23b007a9328ef4a0ef8e6a697d02afca8e2c58468bfcdad6d0

**Referenced In Project/Scope:**client

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

dataimport.zip: dataimport.jar: userimport.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/client/build/tmp/dependencies/i-net HelpDesk Anwendung/plugins/dataimport.zip/dataimport.jar/com/inet/helpdesk/plugins/dataimport/resources/js/userimport.js

**MD5:** 344aafa1c9fe7d082b996201f82cbf18

**SHA1:** 35455185dc930d0f5998a598716d35acc74abc10

**SHA256:**2bfe6a32e4e7ece5f24c05aa4150792d52218aca051abf0ef979cdb034dc2036

**Referenced In Project/Scope:**client

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

• None

diagnostics.helpdesk.zip: diagnostics.helpdesk.jar

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/client/build/tmp/dependencies/i-net HelpDesk Anwendung/plugins/diagnostics.helpdesk.zip/diagnostics.helpdesk.jar  
**MD5:** 3bc9660fe5f4beab2537c283ce6dc40a  
**SHA1:** 77a7c5ada7c54f3cdcaec575fa3428963a6bfc2c  
**SHA256:** 0d9687ca92aaa1837c5c46b9042c1d7bc59c5c2ca653eae971b9817b31f741e3  
**Referenced In Project/Scope:** client

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	diagnostics.helpdesk	High
Vendor	jar	package name	helpdesk	Low
Vendor	jar	package name	inet	Low
Vendor	jar	package name	plugins	Low
Vendor	Manifest	built-date	2024-01-16 14:40	Low
Vendor	Manifest	implementation-group	helpdesk	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	diagnostics.helpdesk	High
Product	jar	package name	diagnostics	Highest
Product	jar	package name	diagnostics	Low
Product	jar	package name	helpdesk	Highest
Product	jar	package name	helpdesk	Low
Product	jar	package name	plugins	Low
Product	Manifest	built-date	2024-01-16 14:40	Low
Product	Manifest	implementation-group	helpdesk	Low
Product	Manifest	Implementation-Title	diagnostics.helpdesk	High

Product	Manifest	specification-title	diagnostics.helpdesk	Medium
Version	jar	package name	helpdesk	Highest
Version	Manifest	Implementation-Version	23.10.295	High

#### Identifiers

- cpe:2.3:a:inetsoftware:helpdesk:23.10.295:\*:\*:\*:\*:\* (Confidence:Low) suppress

### diagnostics.helpdesk.zip: diagnostics.helpdesk.jar: connector.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/client/build/tmp/dependencies/i-net HelpDesk Anwendung/plugins/diagnostics.helpdesk.zip/diagnostics.helpdesk.jar/com/inet/helpdesk/plugins/diagnostics/widgets/benchmark/connector.js  
**MD5:** 110da1e11a9e02af3557bf9e3547fa58  
**SHA1:** 84a4a58bb838a543a74598d40c101430f3be6eaf  
**SHA256:** 3a973fb2bf02d001e30e2c02446c4487eed1e4088960365abf89a16d06af3a2e  
**Referenced In Project/Scope:**client

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### grabaccess.zip: client.jar

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/client/build/tmp/dependencies/i-net HelpDesk Anwendung/plugins/grabaccess.zip/client.jar  
**MD5:** 4fcc1e9abe8f4bb4e30d7b0c4136b765  
**SHA1:** 7e839afdda2912f441e5d97582085ea4a6d6935d  
**SHA256:** e1a91de616e31d2a4ddc0722316373e32129ff04ea8f2d88c78c6c52b45b9925  
**Referenced In Project/Scope:**client

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------



Vendor	file	name	client	High
Vendor	jar	package name	helpdesk	Low
Vendor	jar	package name	inet	Low
Vendor	jar	package name	plugins	Low
Vendor	Manifest	application-library-allowable-codebase	*	Low
Vendor	Manifest	built-date	2024-01-16 14:37	Low
Vendor	Manifest	codebase	*	Low
Vendor	Manifest	implementation-group	helpdesk	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	permissions	all-permissions	Low
Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	trusted-library	false	Low
Vendor	Manifest	trusted-only	false	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	client	High
Product	jar	package name	grabaccess	Low
Product	jar	package name	helpdesk	Highest
Product	jar	package name	helpdesk	Low
Product	jar	package name	plugins	Low
Product	Manifest	application-library-allowable-codebase	*	Low
Product	Manifest	built-date	2024-01-16 14:37	Low
Product	Manifest	codebase	*	Low
Product	Manifest	implementation-group	helpdesk	Low
Product	Manifest	Implementation-Title	client	High
Product	Manifest	permissions	all-permissions	Low
Product	Manifest	specification-title	client	Medium
Product	Manifest	trusted-library	false	Low
Product	Manifest	trusted-only	false	Low

Version	jar	package name	helpdesk	Highest
Version	Manifest	Implementation-Version	23.10.295	High

### Identifiers

- cpe:2.3:a:inetsoftware:helpdesk:23.10.295:\*:\*:\*:\*:\* (Confidence:Low) suppress

## grabaccess.zip: grabaccess.jar

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/client/build/tmp/dependencies/i-net HelpDesk Anwendung/plugins/grabaccess.zip/grabaccess.jar

**MD5:** e0d87a945ef34e551b8f4a9ed0ecd021

**SHA1:** e3a2b1fdad4d0fbc4d5ad82567f94e18a91d6609

**SHA256:** 157c74ef6095835a49738a0cd17d19fc9ad45c37397a93e1e366c78ebdddc33e

**Referenced In Project/Scope:** client

### Evidence

Type	Source	Name	Value	Confidence
Vendor	file	name	grabaccess	High
Vendor	jar	package name	helpdesk	Low
Vendor	jar	package name	inet	Low
Vendor	jar	package name	plugins	Low
Vendor	Manifest	built-date	2024-01-16 14:37	Low
Vendor	Manifest	implementation-group	helpdesk	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	grabaccess	High
Product	jar	package name	grabaccess	Highest
Product	jar	package name	grabaccess	Low
Product	jar	package name	helpdesk	Highest
Product	jar	package name	helpdesk	Low

Product	jar	package name	plugins	Low
Product	Manifest	built-date	2024-01-16 14:37	Low
Product	Manifest	implementation-group	helpdesk	Low
Product	Manifest	Implementation-Title	grabaccess	High
Product	Manifest	specification-title	grabaccess	Medium
Version	jar	package name	helpdesk	Highest
Version	Manifest	Implementation-Version	23.10.295	High

### Identifiers

- cpe:2.3:a:inetsoftware:helpdesk:23.10.295:\*:\*:\*:\*:\* (Confidence:Low) suppress

## hamcrest-2.2.jar

### Description:

Core API and libraries of hamcrest matcher framework.

### License:

BSD License 3: <http://opensource.org/licenses/BSD-3-Clause>

**File Path:** /home/jenkins/.gradle/caches/modules-2/files-2.1/org.hamcrest/hamcrest/2.2/1820c0968dba3a11a1b30669bb1f01978a91dedc/hamcrest-2.2.jar

**MD5:** 10b47e837f271d0662f28780e60388e8

**SHA1:** 1820c0968dba3a11a1b30669bb1f01978a91dedc

**SHA256:** 5e62846a89f05cd78cd9c1a553f340d002458380c320455dd1f8fc5497a8a1c1

**Referenced In Project/Scope:** client:inetPlugin

### Evidence



Type	Source	Name	Value	Confidence
Vendor	central	artifactid	hamcrest	Highest
Vendor	central	groupid	org.hamcrest	Highest
Vendor	file	name	hamcrest	High
Vendor	gradle	artifactid	hamcrest	Highest
Vendor	gradle	groupid	org.hamcrest	Highest
Vendor	jar	package name	hamcrest	Highest
Vendor	jar	package name	hamcrest	Low

Vendor	Manifest	automatic-module-name	org.hamcrest	Medium
Vendor	Manifest	bundle-symbolicname	org.hamcrest	Medium
Vendor	Manifest	Implementation-Vendor	hamcrest.org	High
Vendor	Manifest	require-capability	osgi.ee;filter:="(&(osgi.ee=JavaSE)(version=1.7))"	Low
Vendor	pom	artifactid	hamcrest	Low
Vendor	pom	developer id	joewalnes	Medium
Vendor	pom	developer id	npryce	Medium
Vendor	pom	developer id	sf105	Medium
Vendor	pom	developer name	Joe Walnes	Medium
Vendor	pom	developer name	Nat Pryce	Medium
Vendor	pom	developer name	Steve Freeman	Medium
Vendor	pom	groupid	org.hamcrest	Highest
Vendor	pom	name	Hamcrest	High
Vendor	pom	url	http://hamcrest.org/JavaHamcrest/	Highest
Product	central	artifactid	hamcrest	Highest
Product	file	name	hamcrest	High
Product	gradle	artifactid	hamcrest	Highest
Product	jar	package name	hamcrest	Highest
Product	Manifest	automatic-module-name	org.hamcrest	Medium
Product	Manifest	Bundle-Name	hamcrest	Medium
Product	Manifest	bundle-symbolicname	org.hamcrest	Medium
Product	Manifest	Implementation-Title	hamcrest	High
Product	Manifest	require-capability	osgi.ee;filter:="(&(osgi.ee=JavaSE)(version=1.7))"	Low
Product	pom	artifactid	hamcrest	Highest
Product	pom	developer id	joewalnes	Low
Product	pom	developer id	npryce	Low
Product	pom	developer id	sf105	Low
Product	pom	developer name	Joe Walnes	Low
Product	pom	developer name	Nat Pryce	Low
Product	pom	developer name	Steve Freeman	Low
Product	pom	groupid	org.hamcrest	Highest

Product	pom	name	Hamcrest	High
Product	pom	url	http://hamcrest.org/JavaHamcrest/	Medium
Version	central	version	2.2	Highest
Version	file	version	2.2	High
Version	gradle	version	2.2	Highest
Version	Manifest	Bundle-Version	2.2	High
Version	Manifest	Implementation-Version	2.2	High
Version	pom	version	2.2	Highest

#### Identifiers

- <pkg:maven/org.hamcrest/hamcrest@2.2> (Confidence:High)

### helpdesk.zip: Konnektek-Server.jar

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/client/build/tmp/dependencies/i-net HelpDesk Anwendung/plugins/helpdesk.zip/Konnektek-Server.jar

**MD5:** d5524c13b902c34c9949fcd1656c161c

**SHA1:** eb6974d3255841cac76aab9bd8be590ab8855f78

**SHA256:**680ece025d89a8fc4ed37ecc52380e1ef7eb36147a936df69f5f05a365eb0a49

**Referenced In Project/Scope:**client

#### Evidence +

Type	Source	Name	Value	Confidence
Vendor	file	name	Konnektek-Server	High
Vendor	jar	package name	inet	Low
Vendor	jar	package name	jj	Low
Vendor	jar	package name	srv	Low
Product	file	name	Konnektek-Server	High
Product	jar	package name	jj	Low
Product	jar	package name	srv	Low

#### Identifiers

- None

helpdesk.zip: helpdesk.jar

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/client/build/tmp/dependencies/i-net HelpDesk Anwendung/plugins/helpdesk.zip/helpdesk.jar  
**MD5:** 550839dc70d192bd8155173422561af5  
**SHA1:** 6b65bf278980e35a2c3a85d9965a93a5f54d228c  
**SHA256:**0f80ceb49a4fd697fa8348d087b4f62340cd0e6d0c03dfb7d330d523f83d9be9  
**Referenced In Project/Scope:**client

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	helpdesk	High
Vendor	jar	package name	helpdesk	Low
Vendor	jar	package name	inet	Low
Vendor	Manifest	built-date	2024-01-16 14:30	Low
Vendor	Manifest	implementation-group	helpdesk	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	helpdesk	High
Product	jar	package name	helpdesk	Highest
Product	jar	package name	helpdesk	Low
Product	Manifest	built-date	2024-01-16 14:30	Low
Product	Manifest	implementation-group	helpdesk	Low
Product	Manifest	Implementation-Title	helpdesk	High
Product	Manifest	specification-title	helpdesk	Medium
Version	jar	package name	helpdesk	Highest
Version	Manifest	Implementation-Version	23.10.295	High

Identifiers

• cpe:2.3:a:inetsoftware:helpdesk:23.10.295.\*:\*:\*:\*:\* (Confidence:Low) suppress

### helpdesk.zip: helpdesk.jar: attachmentdisplay.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/client/build/tmp/dependencies/i-net HelpDesk Anwendung/plugins/helpdesk.zip/helpdesk.jar/com/inet/helpdesk/attachmentdisplay/attachmentdisplay.js

**MD5:** c57f9ee0d2a77bad774ebec1f34cdc37

**SHA1:** ebffd8f67a28e3c0a775cc5117e03418aa5ff1be

**SHA256:** 5500f1ca58655e05851d6aa6333078e3b761ce965f45b56c75981d2e36dbd159

**Referenced In Project/Scope:** client

#### Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

• None

### helpdesk.zip: helpdesk.jar: configuration.autotext.edit.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/client/build/tmp/dependencies/i-net HelpDesk Anwendung/plugins/helpdesk.zip/helpdesk.jar/com/inet/helpdesk/config/autotext/configuration.autotext.edit.js

**MD5:** 1be2773d3cead825e0fc3946a46d00c4

**SHA1:** d34b49545d1ca6b3ab3b51345c0c692ae4c17038

**SHA256:** e41cdaa06a22d05d6ea08c839ef92bfb7007a6923cf08505ede5e0ec17ff7ba7

**Referenced In Project/Scope:** client

#### Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

• None

## helpdesk.zip: helpdesk.jar: configuration.autotext.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/client/build/tmp/dependencies/i-net HelpDesk Anwendung/plugins/helpdesk.zip/helpdesk.jar/com/inet/helpdesk/config/autotext/configuration.autotext.js

**MD5:** 91e694d5296d96f1885f49dbcee16f3f

**SHA1:** 1844910f96754ff26aa8e164abe301a82bcfb9ef

**SHA256:** a4a48056e7c10805f46944e476c6a6de0f0b9f16a464fc7be9b944d92080eae9

**Referenced In Project/Scope:** client

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## helpdesk.zip: helpdesk.jar: configuration.mailtemplates.edit.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/client/build/tmp/dependencies/i-net HelpDesk Anwendung/plugins/helpdesk.zip/helpdesk.jar/com/inet/helpdesk/config/mailtemplates/configuration.mailtemplates.edit.js

**MD5:** 6067d24f726298c2cf6372044125130c

**SHA1:** cc5bb25755d7063e3f040bf08fc6df79aa9348c8

**SHA256:** f49a482293391c5c03288a3ab13af24a8923e6fb68d2fc473590500e8b634a00

**Referenced In Project/Scope:** client

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## helpdesk.zip: helpdesk.jar: configuration.mailtemplates.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/client/build/tmp/dependencies/i-net HelpDesk Anwendung/plugins/helpdesk.zip/helpdesk.jar/com/inet/helpdesk/config/mailtemplates/configuration.mailtemplates.js

**MD5:** 155c7bfc70922fa8149d9129dbfbfb10



**SHA1:** b8fe6c21bbb0385ac46d23ebf1cfe85f731cf4c2  
**SHA256:**25aa5e33d61df9bd78ed94932d72a65059cea1e20ee130b090fbef4e581c95d7  
**Referenced In Project/Scope:**client

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### helpdesk.zip: helpdesk.jar: effectiveactionscontroller.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems  
/HelpDeskInstaller/client/build/tmp/dependencies/i-net HelpDesk Anwendung/plugins/helpdesk.zip  
/helpdesk.jar/com/inet/helpdesk/usersandgroups/ui/js/effectiveactionscontroller.js  
**MD5:** 8196d1a299d58b9a7ffd476510a66dcd  
**SHA1:** fdd18e036d29673538f9629efa29cabb33daefab  
**SHA256:**8ff98f4d6956fa5438a9974eee2d5605bf1b9a89427e3c76edd2a4a6f97ff837  
**Referenced In Project/Scope:**client

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### helpdesk.zip: helpdesk.jar: helpdeskconfig.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems  
/HelpDeskInstaller/client/build/tmp/dependencies/i-net HelpDesk Anwendung/plugins/helpdesk.zip  
/helpdesk.jar/com/inet/helpdesk/plugin/helpdeskconfig/helpdeskconfig.js  
**MD5:** d480570477b3d6a50d670e0b982a6e0c  
**SHA1:** 2537e5bd9a68a5c57744cc4e12aab82a248b8782  
**SHA256:**99ad1ab1bd36d697eafe89871e6573eddcdd754c6b098645beab7da759bef579  
**Referenced In Project/Scope:**client

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## helpdesk.zip: helpdesk.jar: predeletionhandler.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/client/build/tmp/dependencies/i-net HelpDesk Anwendung/plugins/helpdesk.zip/helpdesk.jar/com/inet/helpdesk/usersandgroups/ui/js/predeletionhandler.js  
**MD5:** a91c4d5d2ca5fb6e7ebaabec6a125ea7  
**SHA1:** 14bd5873ad427447d8f90e8036070141aa6d97df  
**SHA256:**056a87a165e8b948e4738c115fb2f0e058f9cfa8ad67c0756d3b2e861c87297a  
**Referenced In Project/Scope:**client

### Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## helpdesk.zip: helpdesk.jar: promptuserselectrenderer.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/client/build/tmp/dependencies/i-net HelpDesk Anwendung/plugins/helpdesk.zip/helpdesk.jar/com/inet/helpdesk/plugins/reporting/client/js/promptuserselectrenderer.js  
**MD5:** 568ecc46e94c00ed2bd10c3dd310587f  
**SHA1:** 4b952ce6e2268d982d19c26b527e3927c7c6f56b  
**SHA256:**46e9e2baea18056db596b93b03f4ca7c02f9dd8420288fb5d63aa72a467d94be  
**Referenced In Project/Scope:**client

### Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

### helpdesk.zip: helpdesk.jar: renderer.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/client/build/tmp/dependencies/i-net HelpDesk Anwendung/plugins/helpdesk.zip/helpdesk.jar/com/inet/helpdesk/usersandgroups/ui/js/renderer.js  
**MD5:** 4a84272622bc9867a13dfa575e5264de  
**SHA1:** 63f53f21185921dfed8e5d803e0927c0241c2589  
**SHA256:** 3f0ce92b62def17586b2c9d1528e24b55ba385b4d403aeb97e95e0f75e4a84d4  
**Referenced In Project/Scope:**client

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### helpdesk.zip: helpdesk.jar: setdefaultguipreferencesaction.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/client/build/tmp/dependencies/i-net HelpDesk Anwendung/plugins/helpdesk.zip/helpdesk.jar/com/inet/helpdesk/usersandgroups/ui/js/setdefaultguipreferencesaction.js  
**MD5:** 69b3054c0e6f8c37ec3db8e874cb01cc  
**SHA1:** c4b7e26415c792e4c48739d70cee05f3706ca338  
**SHA256:** f8f13fbe5f6a1c528585c41be61b02aacc8dabfc871cf29dc325fe06ee536d08  
**Referenced In Project/Scope:**client

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### helpdesk.zip: helpdesk.jar: usersandgroupsreports.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/client/build/tmp/dependencies/i-net HelpDesk Anwendung/plugins/helpdesk.zip  
/helpdesk.jar/com/inet/helpdesk/usersandgroups/ui/js/usersandgroupsreports.js  
**MD5:** f6fdb7e3a091580b1669aaf155b7f5e6  
**SHA1:** b7e6d72193d202354df258ba6f2704a56eb1b401  
**SHA256:** 4c2c4089c6767086a11bbfc0925018f86e4755d62bd50cf4bfdccf798be4ae7b  
**Referenced In Project/Scope:**client

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

## helpdesk.zip: rhino.jar

### Description:

Rhino is an open-source implementation of JavaScript written entirely in Java.  
It is typically embedded into Java applications to provide scripting to end users.  
Full jar including tools, excluding the JSR-223 Script Engine wrapper.

### License:

Mozilla Public License, Version 2.0: <http://www.mozilla.org/MPL/2.0/index.txt>

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/client/build/tmp/dependencies/i-net HelpDesk Anwendung/plugins/helpdesk.zip/rhino.jar  
**MD5:** 447e2bfd28fc15ecc185944db37dc9d8  
**SHA1:** 24d091b80d513846293c00350f46d85f71797aff  
**SHA256:** c9290b0d801bf0dbbbc44338e0f769b7650a0c5d04e6bb1aeb85775c0211b003  
**Referenced In Project/Scope:**client

#### Evidence



Type	Source	Name	Value	Confidence
Vendor	central	artifactid	rhino	Highest
Vendor	central	groupid	org.mozilla	Highest
Vendor	file	name	rhino	High
Vendor	jar	package name	javascript	Low
Vendor	jar	package name	mozilla	Highest
Vendor	jar	package name	mozilla	Low
Vendor	Manifest	automatic-	org.mozilla.rhino	Medium

		module-name		
Vendor	Manifest	bundle-symbolicname	org.mozilla.rhino	Medium
Vendor	Manifest	implementation-url	http://www.mozilla.org/rhino	Low
Vendor	Manifest	Implementation-Vendor	Mozilla Foundation	High
Vendor	pom	artifactid	rhino	Low
Vendor	pom	groupid	org.mozilla	Highest
Vendor	pom	organization name	The Mozilla Foundation	High
Vendor	pom	organization url	http://www.mozilla.org	Medium
Vendor	pom	url	https://mozilla.github.io/rhino/	Highest
Product	central	artifactid	rhino	Highest
Product	file	name	rhino	High
Product	jar	package name	javascript	Low
Product	jar	package name	mozilla	Highest
Product	Manifest	automatic-module-name	org.mozilla.rhino	Medium
Product	Manifest	bundle-symbolicname	org.mozilla.rhino	Medium
Product	Manifest	Implementation-Title	Mozilla Rhino	High
Product	Manifest	implementation-url	http://www.mozilla.org/rhino	Low
Product	pom	artifactid	rhino	Highest
Product	pom	groupid	org.mozilla	Highest
Product	pom	organization name	The Mozilla Foundation	Low
Product	pom	organization url	http://www.mozilla.org	Low
Product	pom	url	https://mozilla.github.io/rhino/	Medium
Version	central	version	1.7.14	Highest
Version	Manifest	Bundle-Version	1.7.14	High
Version	Manifest	Implementation-Version	1.7.14	High
Version	pom	version	1.7.14	Highest

## Identifiers

- [pkg:maven/org.mozilla/rhino@1.7.14](https://maven.org/mozilla/rhino@1.7.14) (*Confidence:High*)

helpdesk.zip: rhino.jar: test.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/client/build/tmp/dependencies/i-net HelpDesk Anwendung/plugins/helpdesk.zip/rhino.jar/org/mozilla/javascript/tools/debugger/test.js  
**MD5:** 3f4137118304ccd25816067cf8d1edd6  
**SHA1:** d3c7ae4c10cb6c7ac191cb65a39e53ba6a4e6cfb  
**SHA256:**950d2db0a646488500b58ba76a02c33501a048708c083e3b743b73b16e105331  
**Referenced In Project/Scope:**client

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

helpdesksetupwizard.zip: helpdesksetupwizard.jar

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/client/build/tmp/dependencies/i-net HelpDesk Anwendung/plugins/helpdesksetupwizard.zip/helpdesksetupwizard.jar  
**MD5:** b20794bd0e888b1771a99813e477bfb6  
**SHA1:** a638416090bc84785386505f948db0c2200328a8  
**SHA256:**1317777b80e52dcb8a64185a1b4a8205ae6c848c62a9495ff195018a60c6e2b5  
**Referenced In Project/Scope:**client

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	helpdesksetupwizard	High
Vendor	jar	package name	helpdesk	Low
Vendor	jar	package name	inet	Low
Vendor	jar	package name	plugins	Low
Vendor	Manifest	built-date	2024-01-16 14:47	Low
Vendor	Manifest	implementation-group	helpdesk	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High

Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	helpdesksetupwizard	High
Product	jar	package name	helpdesk	Highest
Product	jar	package name	helpdesk	Low
Product	jar	package name	plugins	Low
Product	jar	package name	setupwizard	Low
Product	Manifest	built-date	2024-01-16 14:47	Low
Product	Manifest	implementation-group	helpdesk	Low
Product	Manifest	Implementation-Title	helpdesksetupwizard	High
Product	Manifest	specification-title	helpdesksetupwizard	Medium
Version	jar	package name	helpdesk	Highest
Version	Manifest	Implementation-Version	23.10.295	High

Identifiers

- cpe:2.3:a:inetsoftware:helpdesk:23.10.295:\*:\*:\*:\*:\* (Confidence:Low) suppress

helpdesksetupwizard.zip: helpdesksetupwizard.jar: controller.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/client/build/tmp/dependencies/i-net HelpDesk Anwendung/plugins/helpdesksetupwizard.zip/helpdesksetupwizard.jar/com/inet/helpdesk/plugins/setupwizard/steps/database/controller.js  
**MD5:** bc4938c77c744c18133fbdcc343ac921  
**SHA1:** 8ddc70f8682464b6730a85947c14521a5adb10bd  
**SHA256:** 979cbd5a0efd10e44a000d6207b8592491aa5e38f7a1db2cab18abea8b835d5e  
**Referenced In Project/Scope:** client

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

### helpdesksetupwizard.zip: helpdesksetupwizard.jar: controller.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/client/build/tmp/dependencies/i-net HelpDesk Anwendung/plugins/helpdesksetupwizard.zip/helpdesksetupwizard.jar/com/inet/helpdesk/plugins/setupwizard/steps/scheduledtasks/controller.js

**MD5:** 88a55c5c1e295f21619553d0cd4f9aa3

**SHA1:** 81e46e4ecc58f6b7defd7f18b777398344b69c6f

**SHA256:** 2229426fa780e04dde70536e811aeab7de78fc64bae4dab5869e0cff366f7eac

**Referenced In Project/Scope:**client

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### helpdesksetupwizard.zip: helpdesksetupwizard.jar: controller.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/client/build/tmp/dependencies/i-net HelpDesk Anwendung/plugins/helpdesksetupwizard.zip/helpdesksetupwizard.jar/com/inet/helpdesk/plugins/setupwizard/steps/scheduledtasks/preCondition/controller.js

**MD5:** d41d8cd98f00b204e9800998ecf8427e

**SHA1:** da39a3ee5e6b4b0d3255bfef95601890afd80709

**SHA256:** e3b0c44298fc1c149afb4c8996fb92427ae41e4649b934ca495991b7852b855

**Referenced In Project/Scope:**client

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None



## inetcore-23.10-tools.jar

**File Path:** /home/jenkins/.gradle/caches/modules-2/files-2.1/shared/inetcore/23.10

/f3b42daed1351532e9c0d1c8abcd2942e1900fdf/inetcore-23.10-tools.jar

**MD5:** 73e63f94645ccdbc824050e22b275bd6

**SHA1:** f3b42daed1351532e9c0d1c8abcd2942e1900fdf

**SHA256:** 4ba90830087ebf59913f54e9b8c020b8b5373fa2639dfa77798e60dc2342e0a2

**Referenced In Project/Scope:** client:inetPlugin

### Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	inetcore	High
Vendor	gradle	artifactid	inetcore	Highest
Vendor	gradle	groupid	shared	Highest
Vendor	jar	package name	test	Low
Product	file	name	inetcore	High
Product	gradle	artifactid	inetcore	Highest
Version	file	name	inetcore	Medium
Version	file	version	23.10	High
Version	gradle	version	23.10	Highest

### Identifiers

- [pkg:maven/shared/inetcore@23.10](#) (*Confidence:*Highest)

## inetcore-23.10.jar (shaded: com.inet.shared:inetcore:null)

### Description:

A blend composite defines the rule according to which a drawing primitive (known as the source) is mixed with existing graphics (known as the destination.)

ColorUtilities contains a set of tools to perform common color operations easily.

### License:

LGPL: <http://www.gnu.org/licenses/lgpl.txt>

**File Path:** /home/jenkins/.gradle/caches/modules-2/files-2.1/shared/inetcore/23.10

/ae8e7b2228454b5bc46f4d990b0f2ed0a2eeced9/inetcore-23.10.jar/META-INF/com/inet/shared/Utils/BlendComposite/pom.xml

**MD5:** b7bc59004e73f85cce4369bc5e034e6b

**SHA1:** 9caff88589bdd8fdc3c3f320340b76830f3818de

**SHA256:** aab973b164e2d64808cd34c47b78399c4f016ec308900f5393733d3bc5c706bc

**Referenced In Project/Scope:** client:inetPlugin

## Evidence



Type	Source	Name	Value	Confidence
Vendor	pom	artifactid	inetcore	Low
Vendor	pom	developer email	contact@inetsoftware.de	Low
Vendor	pom	developer email	morgand@apache.org	Low
Vendor	pom	developer id	inetsoftware	Medium
Vendor	pom	developer id	romainguy	Medium
Vendor	pom	developer id	sun	Medium
Vendor	pom	developer name	i-net /// software	Medium
Vendor	pom	developer name	Romain Guy	Medium
Vendor	pom	developer name	Sun	Medium
Vendor	pom	developer org	Sun	Medium
Vendor	pom	groupid	com.inet.shared	Highest
Vendor	pom	name	BlendComposite and ColorUtils	High
Vendor	pom (hint)	developer id	oracle	Medium
Vendor	pom (hint)	developer name	oracle	Medium
Vendor	pom (hint)	developer org	oracle	Medium
Product	pom	artifactid	inetcore	Highest
Product	pom	developer email	contact@inetsoftware.de	Low
Product	pom	developer email	morgand@apache.org	Low
Product	pom	developer id	inetsoftware	Low
Product	pom	developer id	romainguy	Low
Product	pom	developer id	sun	Low
Product	pom	developer name	i-net /// software	Low
Product	pom	developer name	Romain Guy	Low
Product	pom	developer name	Sun	Low
Product	pom	developer org	Sun	Low
Product	pom	groupid	com.inet.shared	Highest
Product	pom	name	BlendComposite and ColorUtils	High

## Identifiers

- None

## inetcore-23.10.jar

**File Path:** /home/jenkins/.gradle/caches/modules-2/files-2.1/shared/inetcore/23.10

/ae8e7b2228454b5bc46f4d990b0f2ed0a2eeced9/inetcore-23.10.jar

**MD5:** b84ca8a30fe3dfd2d2c81244cb8bfe25

**SHA1:** ae8e7b2228454b5bc46f4d990b0f2ed0a2eeced9

**SHA256:** aad1b596da5f7a4d8eb420fed1f25798b33e1d344229a31cd5aef0b58fd944c

**Referenced In Project/Scope:** client:inetPlugin

### Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	inetcore	High
Vendor	gradle	artifactid	inetcore	Highest
Vendor	gradle	groupid	shared	Highest
Vendor	jar	package name	i	Highest
Vendor	jar	package name	inet	Low
Vendor	Manifest	application-library-allowable-codebase	*	Low
Vendor	Manifest	built-date	2024-01-16 11:42	Low
Vendor	Manifest	codebase	*	Low
Vendor	Manifest	implementation-group	shared	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	permissions	all-permissions	Low
Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	trusted-library	false	Low
Vendor	Manifest	trusted-only	false	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	inetcore	High
Product	gradle	artifactid	inetcore	Highest
Product	jar	package name	permissions	Highest
Product	jar	package name	shared	Highest

Product	Manifest	application-library-allowable-codebase	*	Low
Product	Manifest	built-date	2024-01-16 11:42	Low
Product	Manifest	codebase	*	Low
Product	Manifest	implementation-group	shared	Low
Product	Manifest	Implementation-Title	inetcore	High
Product	Manifest	permissions	all-permissions	Low
Product	Manifest	specification-title	inetcore	Medium
Product	Manifest	trusted-library	false	Low
Product	Manifest	trusted-only	false	Low
Version	file	name	inetcore	Medium
Version	file	version	23.10	High
Version	gradle	version	23.10	Highest
Version	jar	package name	permissions	Highest
Version	jar	package name	shared	Highest
Version	Manifest	Implementation-Version	23.10.295	High

#### Identifiers

- <pkg:maven/shared/inetcore@23.10> (*Confidence: Highest*)

### inventory.zip: inventory.jar

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/client/build/tmp/dependencies/i-net HelpDesk Anwendung/plugins/inventory.zip/inventory.jar

**MD5:** 6e0dbaa49cdd708b209e37bee94d5433

**SHA1:** 326eeec8aab4565f05ccc082590fb4ad5020ddc9

**SHA256:** 2256bfde653537d183da37da02c96afb4a93017325cdcb4fbc8b34f36792110

**Referenced In Project/Scope:** client

#### Evidence +

Type	Source	Name	Value	Confidence
Vendor	file	name	inventory	High

Vendor	jar	package name	helpdesk	Low
Vendor	jar	package name	inet	Low
Vendor	jar	package name	plugins	Low
Vendor	Manifest	built-date	2024-01-16 14:41	Low
Vendor	Manifest	implementation-group	helpdesk	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	inventory	High
Product	jar	package name	helpdesk	Highest
Product	jar	package name	helpdesk	Low
Product	jar	package name	inventory	Highest
Product	jar	package name	inventory	Low
Product	jar	package name	plugins	Low
Product	Manifest	built-date	2024-01-16 14:41	Low
Product	Manifest	implementation-group	helpdesk	Low
Product	Manifest	Implementation-Title	inventory	High
Product	Manifest	specification-title	inventory	Medium
Version	jar	package name	helpdesk	Highest
Version	Manifest	Implementation-Version	23.10.295	High

#### Identifiers

- `cpe:2.3:a:inetsoftware:helpdesk:23.10.295:*:*:*:*:*` (*Confidence:Low*) suppress

### inventory.zip: inventory.jar: genericfieldrenderer.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/client/build/tmp/dependencies/i-net HelpDesk Anwendung/plugins/inventory.zip  
 /inventory.jar/com/inet/helpdesk/plugins/inventory/client/js/genericfieldrenderer.js

**MD5:** 520b07fb78895de04bc5db1d4b6995ec  
**SHA1:** a13b8c59c3d0e5e8d59507a3cdf3872c98c822a7  
**SHA256:** 310b06a77c507dce4937e98502d4a3ffa984097ae25f3d3eb6327d2c85a02c40  
**Referenced In Project/Scope:** client

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### inventory.zip: inventory.jar: inventory.3drenderer.directive.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/client/build/tmp/dependencies/i-net HelpDesk Anwendung/plugins/inventory.zip  
/inventory.jar/com/inet/helpdesk/plugins/inventory/client/js/renderer3d/inventory.3drenderer.directive.js

**MD5:** cc594ecf06056a35b41596d554035cb4  
**SHA1:** 435464416a38e20e8f11e125b0a5fb359d7ff0f0  
**SHA256:** 07c2f74e5369b572346dff7ca75111a12f44ab75a3209d27afd1d1ec411e99e7  
**Referenced In Project/Scope:** client

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### inventory.zip: inventory.jar: inventory.3dview.directive.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/client/build/tmp/dependencies/i-net HelpDesk Anwendung/plugins/inventory.zip  
/inventory.jar/com/inet/helpdesk/plugins/inventory/client/js/inventory.3dview.directive.js

**MD5:** 19c7df948db56b24f8f91e286b602b95  
**SHA1:** 257cf091b41c263157d19ec5f3555e0b38107c40  
**SHA256:** e7f39752f2a595ed64e8be3e9cd8c8aef6e675196cd3df0597419e080a7c3c67  
**Referenced In Project/Scope:** client

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

inventory.zip: inventory.jar: inventory.asset3d.directive.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/client/build/tmp/dependencies/i-net HelpDesk Anwendung/plugins/inventory.zip  
/inventory.jar/com/inet/helpdesk/plugins/inventory/client/js/renderer3d/inventory.asset3d.directive.js

**MD5:** 5d5bf26b2a87a7ab2e8d4332800097b4

**SHA1:** d5a7e1471a795f274a57675cf7924f7ea14ebd92

**SHA256:**d0bc52b20d930bcf1ad95c9598f5940962e063b5ede8e0aa4715f72c80ae3f86

**Referenced In Project/Scope:**client

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

inventory.zip: inventory.jar: inventory.assetdetailsform.directive.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/client/build/tmp/dependencies/i-net HelpDesk Anwendung/plugins/inventory.zip  
/inventory.jar/com/inet/helpdesk/plugins/inventory/client/js/inventory.assetdetailsform.directive.js

**MD5:** 24fccc23b8f0adf9653eee8922990398

**SHA1:** ae7a5958647d96f19112d1f5cc939afa57611abf

**SHA256:**468a9aa2672c9ab4e3236c6be969553b9f07cce1ed79d6f617747b6669ed7974

**Referenced In Project/Scope:**client

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

### inventory.zip: inventory.jar: inventory.assetimage.directive.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/client/build/tmp/dependencies/i-net HelpDesk Anwendung/plugins/inventory.zip/inventory.jar/com/inet/helpdesk/plugins/inventory/client/js/inventory.assetimage.directive.js

**MD5:** f810881c3c19ea154633348ae49bee4f

**SHA1:** bfa3ccdbc4c8cde1737a732049d06551c89ed206

**SHA256:** 12108031ca7a2ee8ce8ecc1e89536e6eb42507bcea7f98e668613cd767b5af50

**Referenced In Project/Scope:**client

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### inventory.zip: inventory.jar: inventory.assetimagehover.directive.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/client/build/tmp/dependencies/i-net HelpDesk Anwendung/plugins/inventory.zip/inventory.jar/com/inet/helpdesk/plugins/inventory/client/js/inventory.assetimagehover.directive.js

**MD5:** c71e85f174ff14c1cfc7a258df7c955b

**SHA1:** 8a8b18960fac4d1803fb7c2ab194c093ef7a5698

**SHA256:** b3c897c1e135741d8eachb148ad6610c7e83c90032ef9b0dd8c5b2a4c213b52bd

**Referenced In Project/Scope:**client

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### inventory.zip: inventory.jar: inventory.assetmenu.directive.js



**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/client/build/tmp/dependencies/i-net HelpDesk Anwendung/plugins/inventory.zip  
/inventory.jar/com/inet/helpdesk/plugins/inventory/client/js/inventory.assetmenu.directive.js  
**MD5:** 875f901e3741ce982ab70b17cbecccac  
**SHA1:** b5466a557ccb47ddc3940dff7abb26b11e764e07  
**SHA256:** 8baf6b6168045cfd549ed84d0505fd1e35bb25dbf3da74e92b06f7d856b1931  
**Referenced In Project/Scope:**client

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### inventory.zip: inventory.jar: inventory.default3dbox.directive.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/client/build/tmp/dependencies/i-net HelpDesk Anwendung/plugins/inventory.zip  
/inventory.jar/com/inet/helpdesk/plugins/inventory/client/js/renderer3d/inventory.default3dbox.directive.js  
**MD5:** 9d52c60ddd3e38972041770a24005537  
**SHA1:** e2ff386fe62437347e15a97533930858004fe258  
**SHA256:** 6b6eb4edaa46753111d9830fa8595d3ced2345efb1cc23437bc302382998e2eb  
**Referenced In Project/Scope:**client

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### inventory.zip: inventory.jar: inventory.devicefieldrenderer.directive.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/client/build/tmp/dependencies/i-net HelpDesk Anwendung/plugins/inventory.zip  
/inventory.jar/com/inet/helpdesk/plugins/inventory/client/js/fieldrenderer/inventory.devicefieldrenderer.directive.js  
**MD5:** 2c98dcb760746793bc308aa0a8d52386

**SHA1:** fcd382a4b57392da60e78c6910c93fe7b4f36a2f  
**SHA256:** bcad6652003ad907dac504f534c4ecd5f92f498826cfe504992df9ddca18873e  
**Referenced In Project/Scope:** client

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### inventory.zip: inventory.jar: inventory.devicefieldrenderercurrency.directive.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/client/build/tmp/dependencies/i-net HelpDesk Anwendung/plugins/inventory.zip/inventory.jar/com/inet/helpdesk/plugins/inventory/client/js/fieldrenderer/inventory.devicefieldrenderercurrency.directive.js

**MD5:** b82cdf232673fbe821e42e959246a1ba

**SHA1:** 001d6662eaec4c622ea94abc6080a246475df10c

**SHA256:** 192f1b24f72c5f691cfb430c60ad7ca0b221666db2d3ef6b2212470eed4cdf2b

**Referenced In Project/Scope:** client

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### inventory.zip: inventory.jar: inventory.devicefieldrendererdatetime.directive.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/client/build/tmp/dependencies/i-net HelpDesk Anwendung/plugins/inventory.zip/inventory.jar/com/inet/helpdesk/plugins/inventory/client/js/fieldrenderer/inventory.devicefieldrendererdatetime.directive.js

**MD5:** da6c8155387e29b2d6c51b282c2f494f

**SHA1:** 9a543485d09b386341059abc63fe3f21cc8c3f12

**SHA256:** 97024626a78feae2344f2272ad8dd604bf5074e552769b7bbaafd3ca6ed9ec1a

**Referenced In Project/Scope:** client

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

inventory.zip: inventory.jar: inventory.devicefieldrenderersselect.directive.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/client/build/tmp/dependencies/i-net HelpDesk Anwendung/plugins/inventory.zip/inventory.jar/com/inet/helpdesk/plugins/inventory/client/js/fieldrenderers/inventory.devicefieldrenderersselect.directive.js

**MD5:** 095b67a31d592e404cae768c09ea1e65

**SHA1:** 13f191a6431b228956e9e7d41df57996f26f42a6

**SHA256:** 328337ca9a4c312c04060ecb05cf5fc8ec1c989eb34b186a1fb640de58dac6ce

**Referenced In Project/Scope:** client

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

inventory.zip: inventory.jar: inventory.devicefieldrenderertime.directive.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/client/build/tmp/dependencies/i-net HelpDesk Anwendung/plugins/inventory.zip/inventory.jar/com/inet/helpdesk/plugins/inventory/client/js/fieldrenderers/inventory.devicefieldrenderertime.directive.js

**MD5:** 0bff88bc57449757da3b18090b4046c9

**SHA1:** 0d7c8eaf94677d7302ac6afdd12b6e28397c3306

**SHA256:** 2c3bc7501220e7974bff9905278ac1e049796d329cc2afeb3d304e43534df09d

**Referenced In Project/Scope:** client

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## inventory.zip: inventory.jar: inventory.devicefieldrendereruser.directive.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/client/build/tmp/dependencies/i-net HelpDesk Anwendung/plugins/inventory.zip/inventory.jar/com/inet/helpdesk/plugins/inventory/client/js/fieldrenderer/inventory.devicefieldrendereruser.directive.js

**MD5:** 953e0ed5b359ba534013a0b68c9f9eec

**SHA1:** 3b5a13a60a80504346f855ec9733da85354b359f

**SHA256:** 1282a3cb55dad96ae702bbc58b3f40338f02e45e45e61fd321f36abb6ccffbad

**Referenced In Project/Scope:** client

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## inventory.zip: inventory.jar: inventory.deviceimagerenderer.directive.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/client/build/tmp/dependencies/i-net HelpDesk Anwendung/plugins/inventory.zip/inventory.jar/com/inet/helpdesk/plugins/inventory/client/js/fieldrenderer/inventory.deviceimagerenderer.directive.js

**MD5:** a8dc1e289ce2d2db71017b7ff320b9d9

**SHA1:** bc400c6f4bfe2b53c870af5b9407b1b94a8f5cec

**SHA256:** 6babe54cc46edaaba35543f7e316242f14bde5e816029e27bab4f3c4c5f705ff

**Referenced In Project/Scope:** client

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## inventory.zip: inventory.jar: inventory.fieldgroup.filter.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/client/build/tmp/dependencies/i-net HelpDesk Anwendung/plugins/inventory.zip/inventory.jar/com/inet/helpdesk/plugins/inventory/client/js/inventory.fieldgroup.filter.js  
**MD5:** a8cefa83f570373fee7df4b34620fc29  
**SHA1:** 7b4265a3a651330b42fdcc061a6b24c8831b429c  
**SHA256:** 749d90545a450994f83be62ac6bf19e96ec9bbfaf690fea7733ae49f71825fb2  
**Referenced In Project/Scope:** client

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## inventory.zip: inventory.jar: inventory.inventoryattachmentcontent.directive.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/client/build/tmp/dependencies/i-net HelpDesk Anwendung/plugins/inventory.zip/inventory.jar/com/inet/helpdesk/plugins/inventory/client/js/fieldrenderer/inventory.inventoryattachmentcontent.directive.js  
**MD5:** 67ffdba13a479ab706d786483c680b33  
**SHA1:** 28d197fe76f56371aa8820c0386fe3fe9ebe5a8d  
**SHA256:** a25aba9b08af52d189ae8592d43f78525b25c817c7c6c601c1abd2cad5f76287  
**Referenced In Project/Scope:** client

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## inventory.zip: inventory.jar: inventory.inventoryattachments.directive.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/client/build/tmp/dependencies/i-net HelpDesk Anwendung/plugins/inventory.zip/inventory.jar/com/inet/helpdesk/plugins/inventory/client/js/fieldrenderer/inventory.inventoryattachments.directive.js  
**MD5:** 6abddff7faea04cec390924df7050b1e  
**SHA1:** db8a50f6c9839f4d0762253b66f3cecbacb4ee83  
**SHA256:** 5b9a7049f23cf788664098030a66da3371f0bb372a55ce7b5807ade94dde9571  
**Referenced In Project/Scope:**client

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### inventory.zip: inventory.jar: inventory.invoicepaper.directive.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/client/build/tmp/dependencies/i-net HelpDesk Anwendung/plugins/inventory.zip/inventory.jar/com/inet/helpdesk/plugins/inventory/client/js/renderer3d/inventory.invoicepaper.directive.js  
**MD5:** e399b7a8abd3693ce624a3bee59d09d5  
**SHA1:** e92653e79a4d5b20e7ee937fa78a2e189abc3587  
**SHA256:** e526060edd7a103e6fe96fd11a4c868e9b379b46d26375f0ce27759b841a30ce  
**Referenced In Project/Scope:**client

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### inventory.zip: inventory.jar: inventory.lazydetailfields.directive.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/client/build/tmp/dependencies/i-net HelpDesk Anwendung/plugins/inventory.zip/inventory.jar/com/inet/helpdesk/plugins/inventory/client/js/fieldrenderer/inventory.lazydetailfields.directive.js  
**MD5:** 3c4edd77c86688b3d9120a8b0f6e1a3d  
**SHA1:** 8e92ec47308d95afe4f3f4915b13f84a66374173  
**SHA256:** 145772d69ad409611661cc43dade8272d3edce634232be63b40c33bd5cb1c1d2  
**Referenced In Project/Scope:**client

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## inventory.zip: inventory.jar: inventory.levelslider.directive.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/client/build/tmp/dependencies/i-net HelpDesk Anwendung/plugins/inventory.zip/inventory.jar/com/inet/helpdesk/plugins/inventory/client/js/inventory.levelslider.directive.js

**MD5:** 13de84844892f7283bb7d544639f7b72

**SHA1:** 831e01bd9799d36f8e41626951659c77494f078c

**SHA256:** 8b06fbb99db8732bd1e4785e145dcf612c04280d8d1c43438fb48c7c254cd709

**Referenced In Project/Scope:** client

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## inventory.zip: inventory.jar: inventory.licensepaper.directive.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/client/build/tmp/dependencies/i-net HelpDesk Anwendung/plugins/inventory.zip/inventory.jar/com/inet/helpdesk/plugins/inventory/client/js/renderer3d/inventory.licensepaper.directive.js

**MD5:** 0e49fd896e343c302457dfe1b43f98cc

**SHA1:** 72e92e1affba5cc845c7ce655189098728b2dc45

**SHA256:** b041c473fcc987f13274f1b901e3fbd9745937d82f9b2e7c20118c435bc9cfb8

**Referenced In Project/Scope:** client

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## inventory.zip: inventory.jar: inventory.listview.directive.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/client/build/tmp/dependencies/i-net HelpDesk Anwendung/plugins/inventory.zip  
/inventory.jar/com/inet/helpdesk/plugins/inventory/client/js/inventory.listview.directive.js

**MD5:** 665e6154cfdd8d12ab8b625e65fcac36

**SHA1:** b9a5cedff2d209305c609f780dae3f18ce1019d5

**SHA256:** 6ac3d84d7105853fe8756e0b3f5b802679406169adb9a671de845315cb61527a

**Referenced In Project/Scope:** client

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## inventory.zip: inventory.jar: inventory.listviewrow.directive.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/client/build/tmp/dependencies/i-net HelpDesk Anwendung/plugins/inventory.zip  
/inventory.jar/com/inet/helpdesk/plugins/inventory/client/js/inventory.listviewrow.directive.js

**MD5:** 57cba3ac5e7511ecaa01f16810ed8abb

**SHA1:** 40dba2d16fa12d457e6804e72cf3ac6bb0ba4bfd

**SHA256:** da56434a8eb93237f776529ff57f6a16cd7a900bc3e30e610d58f07734578d33

**Referenced In Project/Scope:** client

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None



## inventory.zip: inventory.jar: inventory.locationbox.directive.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/client/build/tmp/dependencies/i-net HelpDesk Anwendung/plugins/inventory.zip/inventory.jar/com/inet/helpdesk/plugins/inventory/client/js/renderer3d/inventory.locationbox.directive.js  
**MD5:** b6c0c0dac7c4c7868d39c4a65eee4857  
**SHA1:** 8a4427cdbabc2f0a63f898b36fe780af595644d0  
**SHA256:** dae5b6aec4c2e878e91b94d4f6e605ae758ddaa78104bb2c75d446b9dbae6cc0  
**Referenced In Project/Scope:** client

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## inventory.zip: inventory.jar: inventory.roombox.directive.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/client/build/tmp/dependencies/i-net HelpDesk Anwendung/plugins/inventory.zip/inventory.jar/com/inet/helpdesk/plugins/inventory/client/js/renderer3d/inventory.roombox.directive.js  
**MD5:** 117bfa4bb95676327a1ba6b23e041cab  
**SHA1:** 1f9770d27a6f69cec440c33846c46c6af624db74  
**SHA256:** ca7a26112ed7902a41a21eeae5ca0125b59e202e99b7da73f464a656babde8ad  
**Referenced In Project/Scope:** client

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## inventory.zip: inventory.jar: inventory.slaper.directive.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/client/build/tmp/dependencies/i-net HelpDesk Anwendung/plugins/inventory.zip  
/inventory.jar/com/inet/helpdesk/plugins/inventory/client/js/renderer3d/inventory.slapaper.directive.js  
**MD5:** fd736110805a05fee05d4760781c5318  
**SHA1:** d3943b322852409699abdd851e5605d64c5b5dc7  
**SHA256:** b51599bbfab1b7bcf3f63259b20e17d07133315ccab1c62c2ed084bac9d23225  
**Referenced In Project/Scope:** client

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### inventory.zip: inventory.jar: inventory.structuretoolbar.directive.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/client/build/tmp/dependencies/i-net HelpDesk Anwendung/plugins/inventory.zip  
/inventory.jar/com/inet/helpdesk/plugins/inventory/client/js/inventory.structuretoolbar.directive.js  
**MD5:** c3289bd2a227b4e2461de88e3fb68a6a  
**SHA1:** 2cd5ecd6f4c7610dfc21ebee9f7a249c362f0a19  
**SHA256:** 24345dbf848b4e5a936f9a7e070f267cd5d39675f04cb43118dae1a4a8634f58  
**Referenced In Project/Scope:** client

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### inventory.zip: inventory.jar: inventory.structurereview.directive.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/client/build/tmp/dependencies/i-net HelpDesk Anwendung/plugins/inventory.zip  
/inventory.jar/com/inet/helpdesk/plugins/inventory/client/js/inventory.structurereview.directive.js  
**MD5:** 021c7dd740a522a52b648a24960af637  
**SHA1:** 383e3c3779473b4d7d6ee696d7812c706e507d22  
**SHA256:** 95053c42a715f054cbaa26e931430da9f2c60f13558760616e8370622a2dda15  
**Referenced In Project/Scope:** client

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## inventory.zip: inventory.jar: inventory.tile.directive.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/client/build/tmp/dependencies/i-net HelpDesk Anwendung/plugins/inventory.zip/inventory.jar/com/inet/helpdesk/plugins/inventory/client/js/inventory.tile.directive.js

**MD5:** 910532d4b8b5a7a2799da277fadf08c6

**SHA1:** 326b8de61b7cd3bcb0c731e6a8ce60136625f366

**SHA256:** ebbcadd5d8e2d707d4bc9d53234152791b21624e8301a2782dc1604b55f7c31a

**Referenced In Project/Scope:** client

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## inventory.zip: inventory.jar: inventory.tilelane.directive.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/client/build/tmp/dependencies/i-net HelpDesk Anwendung/plugins/inventory.zip/inventory.jar/com/inet/helpdesk/plugins/inventory/client/js/inventory.tilelane.directive.js

**MD5:** 0100953763ea523da932bdf3b32859df

**SHA1:** 7bf189f102152469d50a2b3516873ce89b676ca1

**SHA256:** 74e562b6f36df3914ae0b0a70e6f145b23e41210c82598f611ab45441e9a1b42

**Referenced In Project/Scope:** client

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## inventory.zip: inventory.jar: inventory.tileview.directive.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/client/build/tmp/dependencies/i-net HelpDesk Anwendung/plugins/inventory.zip  
/inventory.jar/com/inet/helpdesk/plugins/inventory/client/js/inventory.tileview.directive.js

**MD5:** 4dc179fd29dbc9466f5f39dc61380dac

**SHA1:** fea78f44c725f4156a8d311a90ecec7438502ea4

**SHA256:** 3897e6e042466b7bf195e3d9ce5ecd9b5ec8ce7fcbdfbdb34035c032b3ff6282

**Referenced In Project/Scope:** client

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## inventory.zip: inventory.jar: inventory.treegrouping.directive.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/client/build/tmp/dependencies/i-net HelpDesk Anwendung/plugins/inventory.zip  
/inventory.jar/com/inet/helpdesk/plugins/inventory/client/js/inventory.treegrouping.directive.js

**MD5:** f22cd5880d98dad9f2fa53a9e640ec5d

**SHA1:** 5c3d3a18332fee0f9295917d291fd7e90a4fc2e5

**SHA256:** fd1b409586015feb26342f1f71082bceb5a79629988d075abd09e42b8e7e6577

**Referenced In Project/Scope:** client

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## inventory.zip: inventory.jar: inventory.typehandheld.directive.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/client/build/tmp/dependencies/i-net HelpDesk Anwendung/plugins/inventory.zip/inventory.jar/com/inet/helpdesk/plugins/inventory/client/js/renderer3d/inventory.typehandheld.directive.js  
**MD5:** 2680b68ce483eca22184c5958c8bfff2  
**SHA1:** f1f7df267cc7507441371cf424b040b40bea21da  
**SHA256:** 1b164e6e205aa9f53a042a52f887ff321a8c68624166ae72a65e8323b8576ee2  
**Referenced In Project/Scope:**client

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## inventory.zip: inventory.jar: inventory.usertable.directive.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/client/build/tmp/dependencies/i-net HelpDesk Anwendung/plugins/inventory.zip/inventory.jar/com/inet/helpdesk/plugins/inventory/client/js/renderer3d/inventory.usertable.directive.js  
**MD5:** d4384a2a02e75394a2a7b3f131451bfd  
**SHA1:** fe425f703d30a750c45452772d5458aa4029610b  
**SHA256:** 967fe1c06d3f1ef04c8638ff78a88e21cefc6cf80a4abbb135936cd2a31b1eb1  
**Referenced In Project/Scope:**client

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## inventory.zip: inventory.jar: inventorycontroller.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/client/build/tmp/dependencies/i-net HelpDesk Anwendung/plugins/inventory.zip/inventory.jar/com/inet/helpdesk/plugins/inventory/client/js/inventorycontroller.js  
**MD5:** a4f306831f948dcfe90b882d909b039c  
**SHA1:** 4846fd0edbcc734af2854c9cb256eb5504af5a30  
**SHA256:** b868934e11b8d1d6842d91525b134052d55403e5cc35348099f17181149b3105  
**Referenced In Project/Scope:** client

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### inventory.zip: inventory.jar: inventoryextension.assetpreview.directive.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/client/build/tmp/dependencies/i-net HelpDesk Anwendung/plugins/inventory.zip/inventory.jar/com/inet/helpdesk/plugins/inventory/client/ticketpageextension/inventoryextension.assetpreview.directive.js  
**MD5:** 8cf4d3d8fd02e546551fe45686af64e5  
**SHA1:** 6b8193f565852fcfb28d1a907e32ce7d6106ee73  
**SHA256:** c48546bf1f138718c108a87ab9a7d972fd1ff0f34da0a7782c18e65db71f1f63  
**Referenced In Project/Scope:** client

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### inventory.zip: inventory.jar: inventoryextension.detailscontroller.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/client/build/tmp/dependencies/i-net HelpDesk Anwendung/plugins/inventory.zip/inventory.jar/com/inet/helpdesk/plugins/inventory/client/ticketpageextension/inventoryextension.detailscontroller.js  
**MD5:** 72bb0a1480eca6ee425112a4d1a5fa4d  
**SHA1:** f38bad643fbee538dd788313528205fdde6f16a

**SHA256:**a184800353363303e016fe03487c314647daa7c863954c12fd831991f31b32c1  
**Referenced In Project/Scope:**client

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### inventory.zip: inventory.jar: inventoryextension.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/client/build/tmp/dependencies/i-net HelpDesk Anwendung/plugins/inventory.zip/inventory.jar/com/inet/helpdesk/plugins/inventory/client/ticketpageextension/inventoryextension.js  
**MD5:** bd689b27ab826c7be6d0a7e01e30ae11  
**SHA1:** 9a17c81d2d8126211b2e1fce2bd3c2891f00ee2b  
**SHA256:**0fa5426db71a74a574ba95fba589b5035eac85fe5facd646fca69088b67a4912  
**Referenced In Project/Scope:**client

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### inventory.zip: inventory.jar: inventoryextension.treenode.directive.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/client/build/tmp/dependencies/i-net HelpDesk Anwendung/plugins/inventory.zip/inventory.jar/com/inet/helpdesk/plugins/inventory/client/ticketpageextension/inventoryextension.treenode.directive.js  
**MD5:** 7610fb7e71399e7ab71e77915c4a8a85  
**SHA1:** 8e766083bf3e07041c8416f935e3fedc251d1096  
**SHA256:**261959ff5d838854f49123c98cfaf204a295f5378d99cb8a514110e507ccd48f  
**Referenced In Project/Scope:**client

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## inventory.zip: inventory.jar: inventoryfactory.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/client/build/tmp/dependencies/i-net HelpDesk Anwendung/plugins/inventory.zip/inventory.jar/com/inet/helpdesk/plugins/inventory/client/js/inventoryfactory.js  
**MD5:** 4b5b7246d00efa3908ef628b94756aa9  
**SHA1:** 9874a28bc68569c066db4a85f67819ffaa05c697  
**SHA256:**a94791e864f830f47310f2d0297db832c90ffb5f8681d3016336fda7223e5445  
**Referenced In Project/Scope:**client

### Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## inventory.zip: inventory.jar: inventorymodel.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/client/build/tmp/dependencies/i-net HelpDesk Anwendung/plugins/inventory.zip/inventory.jar/com/inet/helpdesk/plugins/inventory/client/js/inventorymodel.js  
**MD5:** 04ef554547d78224ee2f3e59bceec06b2  
**SHA1:** 1019a60c0b2dad636f6dbd16e669baca91a763f4  
**SHA256:**f87a78f15e61ab9a8e4e90272b146a03c3aaaf4131befc24ec67815a3a370da9  
**Referenced In Project/Scope:**client

### Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers



- None

#### inventory.zip: inventory.jar: inventoryticketpagefactory.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/client/build/tmp/dependencies/i-net HelpDesk Anwendung/plugins/inventory.zip/inventory.jar/com/inet/helpdesk/plugins/inventory/client/ticketpageextension/inventoryticketpagefactory.js  
**MD5:** 54f97aeef829a4200c6db7c23a37002c  
**SHA1:** a139fa12324b64553543fb312e016546122ed411  
**SHA256:** 9f663f4f2c30be1c23d399baf596259751e17ed494d38a76af8dece840f1406b  
**Referenced In Project/Scope:** client

##### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

##### Identifiers

- None

#### inventory.zip: inventory.jar: printinventory.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/client/build/tmp/dependencies/i-net HelpDesk Anwendung/plugins/inventory.zip/inventory.jar/com/inet/helpdesk/plugins/inventory/client/js/print/printinventory.js  
**MD5:** 15b15f07138f26721e8f7b757a247b71  
**SHA1:** c0b07b80ff6361600d6a00fbd6ae50a9cb54a09f  
**SHA256:** a72948f1994f5ff864e9a8c113974427ff86c897f2bc7cfb7c9d66d1f3e19b37  
**Referenced In Project/Scope:** client

##### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

##### Identifiers

- None

#### inventory.zip: inventory.jar: resizableColumn.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/client/build/tmp/dependencies/i-net HelpDesk Anwendung/plugins/inventory.zip  
/inventory.jar/com/inet/helpdesk/plugins/inventory/client/js/resizeableColumn.js  
**MD5:** c9520a35d6540951cc46bdf080dfc5bf  
**SHA1:** d12e0af269ac8ef24cdb802f0ba1f9b986d07b44  
**SHA256:** f076654f980dd3aba3f40ba1472f2696628aa5e2fb93c7e5ed94eba5fafaca64  
**Referenced In Project/Scope:** client

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### inventory.zip: inventory.jar: treegroupingsettings.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/client/build/tmp/dependencies/i-net HelpDesk Anwendung/plugins/inventory.zip  
/inventory.jar/com/inet/helpdesk/plugins/inventory/client/js/treegroupingsettings.js  
**MD5:** 65972f3482462f83dac79c7b0ecc056a  
**SHA1:** 768af312b53372d1c646fd6a3982ce2902414288  
**SHA256:** 86ba25588946cf6e5f4cef72ab3eea131836d89d5d7e855616777ff7126ce019  
**Referenced In Project/Scope:** client

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### java-8-jre-x64-linux.tar.gz: java-8-jre-x64-linux.tar: US\_export\_policy.jar

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/client/build/tmp/dependencies/java-8-jre-x64-linux.tar.gz/java-8-jre-x64-linux.tar  
/jdk8u382-b05-jre/lib/security/policy/limited/US\_export\_policy.jar  
**MD5:** 9fd21ad5919da18612ddf645358a5558

**SHA1:** 022f0104843f73380c7d3368af4ab34ac1b91a74  
**SHA256:** e631ec7e8c64a385aed0994a3eb95c464107ef05361e6da10a67bd5d19164c83  
**Referenced In Project/Scope:** client

#### Evidence

Type	Source	Name	Value	Confidence
Vendor	file	name	US_export_policy	High
Vendor	Manifest	crypto-strength	unlimited	Low
Product	file	name	US_export_policy	High
Product	Manifest	crypto-strength	unlimited	Low

#### Related Dependencies

- java-8-jre-x64-linux.tar.gz: java-8-jre-x64-linux.tar: US\_export\_policy.jar
  - File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/client/build/tmp/dependencies/java-8-jre-x64-linux.tar.gz/java-8-jre-x64-linux.tar/jdk8u382-b05-jre/lib/security/policy/unlimited/US\_export\_policy.jar
  - MD5: 9fd21ad5919da18612ddf645358a5558
  - SHA1: 022f0104843f73380c7d3368af4ab34ac1b91a74
  - SHA256: e631ec7e8c64a385aed0994a3eb95c464107ef05361e6da10a67bd5d19164c83

#### Identifiers

- None

### java-8-jre-x64-linux.tar.gz: java-8-jre-x64-linux.tar: charsets.jar

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/client/build/tmp/dependencies/java-8-jre-x64-linux.tar.gz/java-8-jre-x64-linux.tar/jdk8u382-b05-jre/lib/charsets.jar  
**MD5:** 236104afe98081a4a19ef2331acc0f8f  
**SHA1:** c316df4b64fc35b6a1fe3769bde8601306dbc4da  
**SHA256:** 429ead509b5f4e00e145ac6144089f4853850b957fa8e73ebec7483c1f4b2d1c  
**Referenced In Project/Scope:** client

#### Evidence

Type	Source	Name	Value	Confidence
Vendor	file	name	charsets	High
Vendor	jar	package name	cs	Low
Vendor	jar	package name	nio	Low

Vendor	jar	package name	sun	Low
Vendor	jar (hint)	package name	oracle	Low
Product	file	name	charsets	High
Product	jar	package name	cs	Low
Product	jar	package name	ext	Low
Product	jar	package name	nio	Low

#### Identifiers

- None

### java-8-jre-x64-linux.tar.gz: java-8-jre-x64-linux.tar: cldrdata.jar

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/client/build/tmp/dependencies/java-8-jre-x64-linux.tar.gz/java-8-jre-x64-linux.tar/jdk8u382-b05-jre/lib/ext/cldrdata.jar

**MD5:** c0a4e8a444b17639911928ac6acf87ef

**SHA1:** b7473cc09fe8aee9850d14768d5282a837492eb9

**SHA256:** 54de3efa05825808e1690cdb3a7cb667c4169a546f67d0b72a99262e283dbde2

**Referenced In Project/Scope:** client

#### Evidence +

Type	Source	Name	Value	Confidence
Vendor	file	name	cldrdata	High
Vendor	jar	package name	resources	Low
Vendor	jar	package name	sun	Low
Vendor	jar	package name	util	Low
Vendor	jar (hint)	package name	oracle	Low
Product	file	name	cldrdata	High
Product	jar	package name	cldr	Low
Product	jar	package name	resources	Low
Product	jar	package name	util	Low
Version	Manifest	cldr-version	21.0.1	Medium

#### Identifiers

- None

#### java-8-jre-x64-linux.tar.gz: java-8-jre-x64-linux.tar: dnsns.jar

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/client/build/tmp/dependencies/java-8-jre-x64-linux.tar.gz/java-8-jre-x64-linux.tar/jdk8u382-b05-jre/lib/ext/dnsns.jar

**MD5:** f6a0f6da0ac64a9cb02fca8002603030

**SHA1:** 140b558e464aab512aad8546f653a533d023bdc7

**SHA256:** d8ff17f726698d270e230731121739b0529bd7e230efcb98a2e8fc5b4dfca1d6

**Referenced In Project/Scope:** client

##### Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	dnsns	High
Vendor	jar	package name	net	Low
Vendor	jar	package name	spi	Low
Vendor	jar	package name	sun	Low
Vendor	jar (hint)	package name	oracle	Low
Product	file	name	dnsns	High
Product	jar	package name	nameservice	Low
Product	jar	package name	net	Low
Product	jar	package name	spi	Low

##### Identifiers

- None

#### java-8-jre-x64-linux.tar.gz: java-8-jre-x64-linux.tar: jaccess.jar

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/client/build/tmp/dependencies/java-8-jre-x64-linux.tar.gz/java-8-jre-x64-linux.tar/jdk8u382-b05-jre/lib/ext/jaccess.jar

**MD5:** 78215bb4b7060d07f693ffdcc3983472

**SHA1:** f618cc4e26e31f913e59d8a46f60d2ccfa265523

**SHA256:** d5d0f5ea0af5478d7fdec77259d4836338acd0fe1d3fdbffc1622d3b57ff27c0

**Referenced In Project/Scope:** client

## Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	jaccess	High
Vendor	jar	package name	accessibility	Low
Vendor	jar	package name	java	Low
Vendor	jar	package name	sun	Low
Vendor	jar (hint)	package name	oracle	Low
Product	file	name	jaccess	High
Product	jar	package name	accessibility	Low
Product	jar	package name	java	Low
Product	jar	package name	util	Low

## Identifiers

- None

## java-8-jre-x64-linux.tar.gz: java-8-jre-x64-linux.tar: jce.jar

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/client/build/tmp/dependencies/java-8-jre-x64-linux.tar.gz/java-8-jre-x64-linux.tar/jdk8u382-b05-jre/lib/jce.jar  
**MD5:** 26566b25bc9c4c183b765d1f7236e1d7  
**SHA1:** ba562be8bdf3be944f0cc692b3e8d54c0223f58  
**SHA256:** 030801aeb95bfd1dd7ab48c83666c51b99c7b5db5527cbc8e78cf9e368bcb843  
**Referenced In Project/Scope:** client

## Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	jce	High
Vendor	jar	package name	crypto	Highest
Vendor	jar	package name	crypto	Low
Vendor	jar	package name	javax	Highest
Vendor	jar	package name	javax	Low
Vendor	jar	package name	sun	Highest
Vendor	jar (hint)	package name	oracle	Highest

Vendor	Manifest	extension-name	javax.crypto	Medium
Vendor	Manifest	Implementation-Vendor	Temurin	High
Vendor	Manifest	Implementation-Vendor-Id	com.sun	Medium
Vendor	Manifest	specification-vendor	Oracle Corporation	Low
Product	file	name	jce	High
Product	jar	package name	crypto	Highest
Product	jar	package name	crypto	Low
Product	jar	package name	javax	Highest
Product	Manifest	extension-name	javax.crypto	Medium
Product	Manifest	Implementation-Title	Java Runtime Environment	High
Product	Manifest	specification-title	Java Platform API Specification	Medium
Version	Manifest	Implementation-Version	1.8.0_382	High

#### Identifiers

- None

### java-8-jre-x64-linux.tar.gz: java-8-jre-x64-linux.tar: jfr.jar

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/client/build/tmp/dependencies/java-8-jre-x64-linux.tar.gz/java-8-jre-x64-linux.tar/jdk8u382-b05-jre/lib/jfr.jar

**MD5:** fc4e6fee203ba4e8e587e49fe04d1f67

**SHA1:** 7d6c6f5bb20561dfce36492af6011e58eaa2efa8

**SHA256:** 5667a6e0832a510b3ea42c412899de7f51ad35fb5bf1a5ff9e77607b53565c03

**Referenced In Project/Scope:** client

#### Evidence

Type	Source	Name	Value	Confidence
Vendor	file	name	jfr	High
Vendor	jar	package name	internal	Low
Vendor	jar	package name	jdk	Low
Vendor	jar	package name	jfr	Low
Vendor	Manifest	Implementation-Vendor	Temurin	High

Vendor	Manifest	specification-vendor	Oracle Corporation	Low
Product	file	name	jfr	High
Product	jar	package name	internal	Low
Product	jar	package name	jfr	Low
Product	Manifest	Implementation-Title	Java Runtime Environment	High
Product	Manifest	specification-title	Java Platform API Specification	Medium
Version	Manifest	Implementation-Version	1.8.0_382	High

#### Identifiers

- None

### java-8-jre-x64-linux.tar.gz: java-8-jre-x64-linux.tar: jsse.jar

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/client/build/tmp/dependencies/java-8-jre-x64-linux.tar.gz/java-8-jre-x64-linux.tar/jdk8u382-b05-jre/lib/jsse.jar

**MD5:** 8e17ee9effbb0f5aaf1b4aa23312885c

**SHA1:** a09d450b4a7028aceb9378ecf0dc03c1e4cff159

**SHA256:** 4aa0b74f0568f0643d45b8c2243bed75bf0693c979d863b81a9474dac19149d1

**Referenced In Project/Scope:**client

#### Evidence

Type	Source	Name	Value	Confidence
Vendor	file	name	jsse	High
Vendor	jar	package name	security	Low
Vendor	jar	package name	ssl	Low
Vendor	jar	package name	sun	Low
Vendor	jar (hint)	package name	oracle	Low
Vendor	Manifest	Implementation-Vendor	Temurin	High
Vendor	Manifest	specification-vendor	Oracle Corporation	Low
Product	file	name	jsse	High
Product	jar	package name	security	Low



Product	jar	package name	ssl	Low
Product	Manifest	Implementation-Title	Java Runtime Environment	High
Product	Manifest	specification-title	Java Platform API Specification	Medium
Version	Manifest	Implementation-Version	1.8.0_382	High

## Identifiers

- [cpe:2.3:a:oracle:platform\\_security\\_for\\_java:1.8.0.382:\\*.~\\*~\\*~\\*~\\*](#) (*Confidence:Low*)

```
suppress
```

- [cpe:2.3:a:sun:jssse:1.8.0.382:\\*:\\*:\\*:\\*:\\*](#) (*Confidence:Low*)

```
java-8-jre-x64-linux.tar.gz: java-8-jre-x64-linux.tar: local_policy.jar
```

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/client/build/tmp/dependencies/java-8-jre-x64-linux.tar.gz/java-8-jre-x64-linux.tar/jdk8u382-b05-jre/lib/security/policy/limited/local\_policy.jar

**MD5:** 390b85a1c3cd6a9c8e48337ebd92448f

**SHA1:** 25cc62aac5729356d0d9ecc554b50eae5b5abe30

**SHA256:**01b7c2b01acd7e92264c607d9dc79032941e19616387e6d16ca726f74799f04c

**Referenced In Project/Scope:**client

## Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	local_policy	High
Vendor	Manifest	crypto-strength	limited	Low
Product	file	name	local_policy	High
Product	Manifest	crypto-strength	limited	Low

## Identifiers

- None

```
java-8-jre-x64-linux.tar.gz: java-8-jre-x64-linux.tar: local_policy.jar
```

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/client/build/tmp/dependencies/java-8-jre-x64-linux.tar.gz/java-8-jre-x64-linux.tar/jdk8u382-b05-jre/lib/security/policy/unlimited/local\_policy.jar  
**MD5:** fa88dec62d3b25713114e94b1784d842  
**SHA1:** 9768af297020463aa356f7639e3533405c603fc2  
**SHA256:** 86e52fa042e4c662d7d469c9c2b0703fe77f3c57e162503990fdd9d2a2ed6776  
**Referenced In Project/Scope:**client

#### Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	local_policy	High
Vendor	Manifest	crypto-strength	unlimited	Low
Product	file	name	local_policy	High
Product	Manifest	crypto-strength	unlimited	Low

#### Identifiers

- None

### java-8-jre-x64-linux.tar.gz: java-8-jre-x64-linux.tar: localedata.jar

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/client/build/tmp/dependencies/java-8-jre-x64-linux.tar.gz/java-8-jre-x64-linux.tar/jdk8u382-b05-jre/lib/ext/localedata.jar  
**MD5:** 1358d7d6ce3b1a910c762e61d07b7422  
**SHA1:** 9a6dbd22bff52ef93c44ca46982f2bd5666d8971  
**SHA256:** cd09546607bb50abaa82ef2556fc2f3b8723ec45a5a94f0b128b8828d6f4a0e3  
**Referenced In Project/Scope:**client

#### Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	localedata	High
Vendor	jar	package name	resources	Low
Vendor	jar	package name	sun	Low
Vendor	jar	package name	util	Low
Vendor	jar (hint)	package name	oracle	Low
Product	file	name	localedata	High
Product	jar	package name	resources	Low

Product jar package name util

Low

#### Identifiers

- None

### java-8-jre-x64-linux.tar.gz: java-8-jre-x64-linux.tar: management-agent.jar

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/client/build/tmp/dependencies/java-8-jre-x64-linux.tar.gz/java-8-jre-x64-linux.tar/jdk8u382-b05-jre/lib/management-agent.jar  
**MD5:** 608700db569a80f6c02f056dbdbe5727  
**SHA1:** 0a681a4f6b96fd745709d83d0c21ae5f25dfd7e2  
**SHA256:** 68f989128765d436ed866888cbb02013fa31f8f34425e203e5d1d6e16d75fb4c  
**Referenced In Project/Scope:** client

#### Evidence

Type	Source	Name	Value	Confidence
Vendor	file	name	management-agent	High
Product	file	name	management-agent	High

#### Identifiers

- None

### java-8-jre-x64-linux.tar.gz: java-8-jre-x64-linux.tar: nashorn.jar

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/client/build/tmp/dependencies/java-8-jre-x64-linux.tar.gz/java-8-jre-x64-linux.tar/jdk8u382-b05-jre/lib/ext/nashorn.jar  
**MD5:** de6e0c061b79428c52c354aba3845b04  
**SHA1:** d62f83231edd549bee3ab4c78382b866c5d1def0  
**SHA256:** f3c6e3c2b2a03ff9f4ff10490d431cd785f641292d794c0256fdf8bd5b3dcac6  
**Referenced In Project/Scope:** client

#### Evidence

Type	Source	Name	Value	Confidence
Vendor	file	name	nashorn	High

Vendor	jar	package name	internal	Low
Vendor	jar	package name	jdk	Low
Vendor	jar	package name	nashorn	Low
Vendor	manifest-jdk/nashorn	Implementation-Vendor	Oracle Corporation	Medium
Product	file	name	nashorn	High
Product	jar	package name	internal	Low
Product	jar	package name	nashorn	Highest
Product	jar	package name	nashorn	Low
Product	manifest-jdk/nashorn	Implementation-Title	Oracle Nashorn	Medium
Version	manifest-jdk/nashorn	Implementation-Version	1.8.0_382-b05	Medium

#### Identifiers

- None

### java-8-jre-x64-linux.tar.gz: java-8-jre-x64-linux.tar: nashorn.jar: base.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/client/build/tmp/dependencies/java-8-jre-x64-linux.tar.gz/java-8-jre-x64-linux.tar/jdk8u382-b05-jre/lib/ext/nashorn.jar/jdk/nashorn/internal/runtime/resources/fx/base.js

**MD5:** 172817e3e1e2cd6470440ac02c872dd2

**SHA1:** effcdb4c03ca43f0528ea691de919eb18aeb1a3d

**SHA256:** e25163f04bc589808ca266f1a85dd93c8e917b63c0f5d8a478a022f3dcea4d44

**Referenced In Project/Scope:** client

#### Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

## java-8-jre-x64-linux.tar.gz: java-8-jre-x64-linux.tar: nashorn.jar: bootstrap.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/client/build/tmp/dependencies/java-8-jre-x64-linux.tar.gz/java-8-jre-x64-linux.tar/jdk8u382-b05-jre/lib/ext/nashorn.jar/jdk/nashorn/internal/runtime/resources/fx/bootstrap.js

**MD5:** 57eb6cbf5cead0c1b28923fe25568897

**SHA1:** 47b6d3a7fc7b45762fde2ccac62d8a838d59f5df

**SHA256:** 7ab9ac8ec364df4542eda9ab92bf9245857a09f91e6e3090661018f5f3c46ddb

**Referenced In Project/Scope:** client

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## java-8-jre-x64-linux.tar.gz: java-8-jre-x64-linux.tar: nashorn.jar: controls.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/client/build/tmp/dependencies/java-8-jre-x64-linux.tar.gz/java-8-jre-x64-linux.tar/jdk8u382-b05-jre/lib/ext/nashorn.jar/jdk/nashorn/internal/runtime/resources/fx/controls.js

**MD5:** b855d96a117baf6ca6aa51f9267125e5

**SHA1:** 69b0255808dd03710dbaeac027131b4e3e63573e

**SHA256:** b4b2dbbb6ac1eb29425e6e9d76d7a7c981e86ffb48fa4eae10d0f6b30d3df550

**Referenced In Project/Scope:** client

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## java-8-jre-x64-linux.tar.gz: java-8-jre-x64-linux.tar: nashorn.jar: fx.xml.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/client/build/tmp/dependencies/java-8-jre-x64-linux.tar.gz/java-8-jre-x64-linux.tar/jdk8u382-b05-jre/lib/ext/nashorn.jar/jdk/nashorn/internal/runtime/resources/fx/fxml.js

**MD5:** e734cd82d10a30a88aa0fa81f601f4e1

**SHA1:** 288fc450d3446e0d0b44749c749f3031f2a2d403  
**SHA256:** 3915a0d5a5e50ee1b173b1f4b79f5f4dba91c526b11165c7a04191616f850635  
**Referenced In Project/Scope:** client

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### java-8-jre-x64-linux.tar.gz: java-8-jre-x64-linux.tar: nashorn.jar: graphics.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/client/build/tmp/dependencies/java-8-jre-x64-linux.tar.gz/java-8-jre-x64-linux.tar/jdk8u382-b05-jre/lib/ext/nashorn.jar/jdk/nashorn/internal/runtime/resources/fx/graphics.js  
**MD5:** 2450ad3f25e3232c399ca4155311ae3d  
**SHA1:** 369d47b08d15f9768a35fcb581f5afeeaaee9792f  
**SHA256:** fd5808da9c79a28838d9b0dd5d9208eae17768a48e9d7eb1d664ddbbae0b07c2  
**Referenced In Project/Scope:** client

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### java-8-jre-x64-linux.tar.gz: java-8-jre-x64-linux.tar: nashorn.jar: media.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/client/build/tmp/dependencies/java-8-jre-x64-linux.tar.gz/java-8-jre-x64-linux.tar/jdk8u382-b05-jre/lib/ext/nashorn.jar/jdk/nashorn/internal/runtime/resources/fx/media.js  
**MD5:** fedbf49c3e59d8e785f235e4d6708eef  
**SHA1:** 4bb0bf40b44e6e03f4cf3d1a5e87789ab5dfcfc2  
**SHA256:** ce70ac27876fa16282430a5cb3213a8ff5284a91c523a396c6f1667ca0cbf972  
**Referenced In Project/Scope:** client

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

java-8-jre-x64-linux.tar.gz: java-8-jre-x64-linux.tar: nashorn.jar: mozilla\_compat.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/client/build/tmp/dependencies/java-8-jre-x64-linux.tar.gz/java-8-jre-x64-linux.tar/jdk8u382-b05-jre/lib/ext/nashorn.jar/jdk/nashorn/internal/runtime/resources/mozilla\_compat.js  
**MD5:** f922bd6e2f0e2628fadccb2b980216ec  
**SHA1:** d4faaa86e8be69c1f160292cf82beea907053441  
**SHA256:**4f67437922c21ee362cfa5fd6a7fdc373b5d364df9dac47750f16b6e726cb418  
**Referenced In Project/Scope:**client

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

java-8-jre-x64-linux.tar.gz: java-8-jre-x64-linux.tar: nashorn.jar: parser.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/client/build/tmp/dependencies/java-8-jre-x64-linux.tar.gz/java-8-jre-x64-linux.tar/jdk8u382-b05-jre/lib/ext/nashorn.jar/jdk/nashorn/internal/runtime/resources/parser.js  
**MD5:** 98730df26fdb1db36d8b97d9db6aaf1  
**SHA1:** 89c0968eadcb317ca70ef9e0567e2c56ff0cd1d4  
**SHA256:**77fc27d0bc34cf4ec189f3ed3a3975e24aa3e1eb94b22ce0678335017f67edff  
**Referenced In Project/Scope:**client

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

#### java-8-jre-x64-linux.tar.gz: java-8-jre-x64-linux.tar: nashorn.jar: swing.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/client/build/tmp/dependencies/java-8-jre-x64-linux.tar.gz/java-8-jre-x64-linux.tar/jdk8u382-b05-jre/lib/ext/nashorn.jar/jdk/nashorn/internal/runtime/resources/fx/swing.js  
**MD5:** 5ee33d10c092cb075e42efe744b51a3b  
**SHA1:** 326caa6d8526d27ed9f509db5abf5ac093246b49  
**SHA256:** 67cd478f891f011437922cd765761b701de5fe900d296942fd5358894df5aed0  
**Referenced In Project/Scope:** client

##### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

##### Identifiers

- None

#### java-8-jre-x64-linux.tar.gz: java-8-jre-x64-linux.tar: nashorn.jar: swt.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/client/build/tmp/dependencies/java-8-jre-x64-linux.tar.gz/java-8-jre-x64-linux.tar/jdk8u382-b05-jre/lib/ext/nashorn.jar/jdk/nashorn/internal/runtime/resources/fx/swt.js  
**MD5:** 53df68a72330907c33493814163a2bc2  
**SHA1:** 20c4a6452487d85a19d22538feb14b15a6346e9a  
**SHA256:** 963d243f27be3ba288e12957a0a32293c59863f9a642e08a93ac832ea44b62f4  
**Referenced In Project/Scope:** client

##### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

##### Identifiers

- None

#### java-8-jre-x64-linux.tar.gz: java-8-jre-x64-linux.tar: nashorn.jar: web.js



**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/client/build/tmp/dependencies/java-8-jre-x64-linux.tar.gz/java-8-jre-x64-linux.tar/jdk8u382-b05-jre/lib/ext/nashorn.jar/jdk/nashorn/internal/runtime/resources/fx/web.js  
**MD5:** 80d62f35f89c2a2d2fee9715bcc8a833  
**SHA1:** 1826e342b5a339ede5883d16827d4f605cd9410a  
**SHA256:** 23867be85c027e78ba119fe588191712982aa49672ed0c245f137c1795fca959  
**Referenced In Project/Scope:** client

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### java-8-jre-x64-linux.tar.gz: java-8-jre-x64-linux.tar: resources.jar

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/client/build/tmp/dependencies/java-8-jre-x64-linux.tar.gz/java-8-jre-x64-linux.tar/jdk8u382-b05-jre/lib/resources.jar  
**MD5:** 353eae0a0a8e1ee2b33c489de68e1af9  
**SHA1:** a2924a09670fec4aee5a4d6742782ac57221123f  
**SHA256:** df169a76511f78b2a2223f55cf4e4fda6e9cf2e71b79cf493d9d9712a8d5e466  
**Referenced In Project/Scope:** client

#### Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	resources	High
Vendor	Manifest	Implementation-Vendor	Temurin	High
Vendor	Manifest	specification-vendor	Oracle Corporation	Low
Product	file	name	resources	High
Product	Manifest	Implementation-Title	Java Runtime Environment	High
Product	Manifest	specification-title	Java Platform API Specification	Medium
Version	Manifest	Implementation-Version	1.8.0_382	High

#### Identifiers

- None

## java-8-jre-x64-linux.tar.gz: java-8-jre-x64-linux.tar: rt.jar

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/client/build/tmp/dependencies/java-8-jre-x64-linux.tar.gz/java-8-jre-x64-linux.tar/jdk8u382-b05-jre/lib/rt.jar

**MD5:** 4500eff2852cf4a2ba3f2bfa1f95dc6e

**SHA1:** 4ae9f016c856526e4337c27260ac061185754b14

**SHA256:** 656ab3bbd17eb83fb8daae01dea8fbd99be09fc6a093864ec1382ecd7c0387b9

**Referenced In Project/Scope:** client

### Evidence

Type	Source	Name	Value	Confidence
Vendor	file	name	rt	High
Vendor	jar	package name	sun	Low
Vendor	jar (hint)	package name	oracle	Low
Vendor	Manifest	Implementation-Vendor	Temurin	High
Vendor	Manifest	specification-vendor	Oracle Corporation	Low
Product	file	name	rt	High
Product	jar	package name	api	Highest
Product	jar	package name	environment	Highest
Product	jar	package name	java	Highest
Product	jar	package name	platform	Highest
Product	jar	package name	runtime	Highest
Product	Manifest	Implementation-Title	Java Runtime Environment	High
Product	Manifest	specification-title	Java Platform API Specification	Medium
Version	Manifest	Implementation-Version	1.8.0_382	High

### Identifiers

- None

## java-8-jre-x64-linux.tar.gz: java-8-jre-x64-linux.tar: sunec.jar

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/client/build/tmp/dependencies/java-8-jre-x64-linux.tar.gz/java-8-jre-x64-linux.tar/jdk8u382-b05-jre/lib/ext/sunec.jar

**MD5:** 8c3d12f84da2ea0dd084574bee4e0164

**SHA1:** 42ff2b1e7cf8eef4241cde01989eae3fae414c42

**SHA256:** 7e3cf5c790d255577d9d822cb53185884eaf2801302166401e66650863909673

**Referenced In Project/Scope:** client

### Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	sunec	High
Vendor	jar	package name	ec	Low
Vendor	jar	package name	security	Low
Vendor	jar	package name	sun	Highest
Vendor	jar	package name	sun	Low
Vendor	jar (hint)	package name	oracle	Highest
Vendor	jar (hint)	package name	oracle	Low
Vendor	Manifest	extension-name	javax.crypto	Medium
Vendor	Manifest	Implementation-Vendor	Temurin	High
Vendor	Manifest	Implementation-Vendor-Id	com.sun	Medium
Vendor	Manifest	specification-vendor	Oracle Corporation	Low
Product	file	name	sunec	High
Product	jar	package name	ec	Low
Product	jar	package name	security	Low
Product	Manifest	extension-name	javax.crypto	Medium
Product	Manifest	Implementation-Title	Java Runtime Environment	High
Product	Manifest	specification-title	Java Platform API Specification	Medium
Version	Manifest	Implementation-Version	1.8.0_382	High

### Identifiers

- [cpe:2.3:a:oracle:platform\\_security\\_for\\_java:1.8.0.382:\\*\\*\\*\\*\\*](#) (Confidence:High)

suppress

## java-8-jre-x64-linux.tar.gz: java-8-jre-x64-linux.tar: sunjce\_provider.jar

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/client/build/tmp/dependencies/java-8-jre-x64-linux.tar.gz/java-8-jre-x64-linux.tar/jdk8u382-b05-jre/lib/ext/sunjce\_provider.jar

**MD5:** 650923d4f3a0e1be3b2acdce87dfa21e

**SHA1:** 920f306942aea99773569df39a84cd9d2acaaf54

**SHA256:** b135e8846c422eb0b7f77b9a2e5d4b9e852cda40c6c7e301571bea000b010885

**Referenced In Project/Scope:** client

### Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	sunjce_provider	High
Vendor	jar	package name	crypto	Highest
Vendor	jar	package name	crypto	Low
Vendor	jar	package name	provider	Low
Vendor	jar	package name	sun	Highest
Vendor	jar	package name	sun	Low
Vendor	jar (hint)	package name	oracle	Highest
Vendor	jar (hint)	package name	oracle	Low
Vendor	Manifest	extension-name	javax.crypto	Medium
Vendor	Manifest	Implementation-Vendor	Temurin	High
Vendor	Manifest	Implementation-Vendor-Id	com.sun	Medium
Vendor	Manifest	specification-vendor	Oracle Corporation	Low
Product	file	name	sunjce_provider	High
Product	jar	package name	crypto	Highest
Product	jar	package name	crypto	Low
Product	jar	package name	provider	Low
Product	Manifest	extension-name	javax.crypto	Medium
Product	Manifest	Implementation-Title	Java Runtime Environment	High
Product	Manifest	specification-title	Java Platform API Specification	Medium

Version	Manifest	Implementation-Version	1.8.0_382	High
---------	----------	------------------------	-----------	------

#### Identifiers

- None

### java-8-jre-x64-linux.tar.gz: java-8-jre-x64-linux.tar: sunpkcs11.jar

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/client/build/tmp/dependencies/java-8-jre-x64-linux.tar.gz/java-8-jre-x64-linux.tar/jdk8u382-b05-jre/lib/ext/sunpkcs11.jar

**MD5:** 5d3331e7df33dd43cd69bc4426763449

**SHA1:** 36082daab7a573e033c37b00d25ebbeff863bf6b

**SHA256:** a327d2db44ed8811abc0bfc9eae4af583a986b6b33ecc2cacd5d880a9967ec

**Referenced In Project/Scope:** client

#### Evidence

Type	Source	Name	Value	Confidence
Vendor	file	name	sunpkcs11	High
Vendor	jar	package name	pkcs11	Low
Vendor	jar	package name	security	Low
Vendor	jar	package name	sun	Highest
Vendor	jar	package name	sun	Low
Vendor	jar (hint)	package name	oracle	Highest
Vendor	jar (hint)	package name	oracle	Low
Vendor	Manifest	extension-name	javax.crypto	Medium
Vendor	Manifest	Implementation-Vendor	Temurin	High
Vendor	Manifest	Implementation-Vendor-Id	com.sun	Medium
Vendor	Manifest	specification-vendor	Oracle Corporation	Low
Product	file	name	sunpkcs11	High
Product	jar	package name	pkcs11	Low
Product	jar	package name	security	Low
Product	Manifest	extension-name	javax.crypto	Medium

Product	Manifest	Implementation-Title	Java Runtime Environment	High
Product	Manifest	specification-title	Java Platform API Specification	Medium
Version	file	name	sunpkcs11	Medium
Version	file	version	11	Medium
Version	Manifest	Implementation-Version	1.8.0_382	High

### Identifiers

- cpe:2.3:a:oracle:platform\_security\_for\_java:1.8.0.382:\*:\*:\*:\*:\* ( *Confidence:Low* )

suppress

## java-8-jre-x64-linux.tar.gz: java-8-jre-x64-linux.tar: zipfs.jar

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/client/build/tmp/dependencies/java-8-jre-x64-linux.tar.gz/java-8-jre-x64-linux.tar/jdk8u382-b05-jre/lib/ext/zipfs.jar

**MD5:** c1011e9e3d8c6765cc6cd42144a49936

**SHA1:** 7e41e7a81240584f0714815baa0e2f6396685195

**SHA256:** 6e7aca30b1b9916e8179b9939377d3a89593c9830dbaf244631d9e4247d80a02

**Referenced In Project/Scope:** client

### Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	zipfs	High
Vendor	jar	package name	nio	Low
Vendor	jar	package name	sun	Low
Vendor	jar	package name	zipfs	Low
Vendor	jar (hint)	package name	oracle	Low
Vendor	Manifest	Implementation-Vendor	Temurin	High
Vendor	Manifest	specification-vendor	Oracle Corporation	Low
Product	file	name	zipfs	High
Product	jar	package name	nio	Low
Product	jar	package name	zipfs	Low
Product	Manifest	Implementation-Title	Java Runtime Environment	High

Product	Manifest	specification-title	Java Platform API Specification	Medium
Version	Manifest	Implementation-Version	1.8.0_382	High

#### Identifiers

- None

## jlessc-1.11.jar

### Description:

A Less CSS compiler written completely in Java (pure Java).

### License:

MIT License: <http://www.opensource.org/licenses/mit-license.php>

**File Path:** /home/jenkins/.gradle/caches/modules-2/files-2.1/de.inetsoftware/jlessc/1.11/525ff2466d960d86981ab5c9549ed5f27630d240/jlessc-1.11.jar

**MD5:** 079ff98c0653477f054269bc624a5b1a

**SHA1:** 525ff2466d960d86981ab5c9549ed5f27630d240

**SHA256:** a03f0805182f417a220007940616c77abc13b6f2e5c46bb1e1205061a2ec4ef6

**Referenced In Project/Scope:** client:inetPlugin

### Evidence



Type	Source	Name	Value	Confidence
Vendor	central	artifactid	jlessc	Highest
Vendor	central	groupid	de.inetsoftware	Highest
Vendor	file	name	jlessc	High
Vendor	gradle	artifactid	jlessc	Highest
Vendor	gradle	groupid	de.inetsoftware	Highest
Vendor	jar	package name	inet	Low
Vendor	jar	package name	less	Low
Vendor	jar	package name	lib	Low
Vendor	Manifest	automatic-module-name	de.inetsoftware.jlessc	Medium
Vendor	Manifest	bundle-symbolicname	de.inetsoftware.jlessc	Medium
Vendor	Manifest	Implementation-Vendor	i-net software GmbH, Berlin, Germany	High
Vendor	Manifest	Implementation-	de.inetsoftware	Medium

## Vendor-Id

Vendor	pom	artifactid	jlessc	Low
Vendor	pom	developer email	vberlin@inetsoftware.de	Low
Vendor	pom	developer id	vberlin	Medium
Vendor	pom	developer name	Volker Berlin	Medium
Vendor	pom	developer org	i-net software	Medium
Vendor	pom	developer org URL	https://www.inetsoftware.de/	Medium
Vendor	pom	groupid	de.inetsoftware	Highest
Vendor	pom	name	JLessC	High
Vendor	pom	url	i-net-software/jlessc	Highest
Product	central	artifactid	jlessc	Highest
Product	file	name	jlessc	High
Product	gradle	artifactid	jlessc	Highest
Product	jar	package name	less	Low
Product	jar	package name	lib	Low
Product	Manifest	automatic-module-name	de.inetsoftware.jlessc	Medium
Product	Manifest	bundle-symbolicname	de.inetsoftware.jlessc	Medium
Product	Manifest	Implementation-Title	JLessC, a Less CSS compiler	High
Product	pom	artifactid	jlessc	Highest
Product	pom	developer email	vberlin@inetsoftware.de	Low
Product	pom	developer id	vberlin	Low
Product	pom	developer name	Volker Berlin	Low
Product	pom	developer org	i-net software	Low
Product	pom	developer org URL	https://www.inetsoftware.de/	Low
Product	pom	groupid	de.inetsoftware	Highest
Product	pom	name	JLessC	High
Product	pom	url	i-net-software/jlessc	High
Version	central	version	1.11	Highest
Version	file	version	1.11	High
Version	gradle	version	1.11	Highest
Version	Manifest	Bundle-Version	1.11	High
Version	Manifest	Implementation-Version	1.11	High



Version pom version 1.11 Highest

#### Identifiers

- <pkg:maven/de.inetsoftware/jlessc@1.11> (*Confidence:High*)

## junit-4.13.2.jar

#### Description:

JUnit is a unit testing framework for Java, created by Erich Gamma and Kent Beck.

#### License:

Eclipse Public License 1.0: <http://www.eclipse.org/legal/epl-v10.html>

**File Path:** /home/jenkins/.gradle/caches/modules-2/files-2.1/junit/junit/4.13.2/8ac9e16d933b6fb43bc7f576336b8f4d7eb5ba12/junit-4.13.2.jar

**MD5:** d98a9a02a99a9acd22d7653cbcc1f31f

**SHA1:** 8ac9e16d933b6fb43bc7f576336b8f4d7eb5ba12

**SHA256:** 8e495b634469d64fb8acfa3495a065cbacc8a0ff55ce1e31007be4c16dc57d3

**Referenced In Project/Scope:** client:inetPlugin

#### Evidence



Type	Source	Name	Value	Confidence
Vendor	central	artifactid	junit	Highest
Vendor	central	groupid	junit	Highest
Vendor	file	name	junit	High
Vendor	gradle	artifactid	junit	Highest
Vendor	gradle	groupid	junit	Highest
Vendor	jar	package name	junit	Highest
Vendor	jar	package name	junit	Low
Vendor	Manifest	automatic-module-name	junit	Medium
Vendor	Manifest	implementation-url	<a href="http://junit.org">http://junit.org</a>	Low
Vendor	Manifest	Implementation-Vendor	JUnit	High
Vendor	Manifest	Implementation-Vendor-Id	junit	Medium
Vendor	pom	artifactid	junit	Low
Vendor	pom	developer email	david@saff.net	Low

Vendor	pom	developer email	kcooney@google.com	Low
Vendor	pom	developer email	mail@marcphilipp.de	Low
Vendor	pom	developer email	mail@stefan-birkner.de	Low
Vendor	pom	developer id	dsaff	Medium
Vendor	pom	developer id	kcooney	Medium
Vendor	pom	developer id	marcphilipp	Medium
Vendor	pom	developer id	stefanbirkner	Medium
Vendor	pom	developer name	David Saff	Medium
Vendor	pom	developer name	Kevin Cooney	Medium
Vendor	pom	developer name	Marc Philipp	Medium
Vendor	pom	developer name	Stefan Birkner	Medium
Vendor	pom	groupid	junit	Highest
Vendor	pom	name	JUnit	High
Vendor	pom	organization name	JUnit	High
Vendor	pom	organization url	http://www.junit.org	Medium
Vendor	pom	url	http://junit.org	Highest
Product	central	artifactid	junit	Highest
Product	file	name	junit	High
Product	gradle	artifactid	junit	Highest
Product	jar	package name	junit	Highest
Product	Manifest	automatic-module-name	junit	Medium
Product	Manifest	Implementation-Title	JUnit	High
Product	Manifest	implementation-url	http://junit.org	Low
Product	pom	artifactid	junit	Highest
Product	pom	developer email	david@saff.net	Low
Product	pom	developer email	kcooney@google.com	Low
Product	pom	developer email	mail@marcphilipp.de	Low
Product	pom	developer email	mail@stefan-birkner.de	Low
Product	pom	developer id	dsaff	Low
Product	pom	developer id	kcooney	Low
Product	pom	developer id	marcphilipp	Low
Product	pom	developer id	stefanbirkner	Low
Product	pom	developer name	David Saff	Low

Product	pom	developer name	Kevin Cooney	Low
Product	pom	developer name	Marc Philipp	Low
Product	pom	developer name	Stefan Birkner	Low
Product	pom	groupid	junit	Highest
Product	pom	name	JUnit	High
Product	pom	organization name	JUnit	Low
Product	pom	organization url	http://www.junit.org	Low
Product	pom	url	http://junit.org	Medium
Version	central	version	4.13.2	Highest
Version	file	version	4.13.2	High
Version	gradle	version	4.13.2	Highest
Version	Manifest	Implementation-Version	4.13.2	High
Version	pom	version	4.13.2	Highest

#### Identifiers

- [pkg:maven/junit/junit@4.13.2](#) (*Confidence:High*)
- [cpe:2.3:a:junit:junit4:4.13.2:\\*:\\*:\\*:\\*:\\*](#) (*Confidence:Low*) suppress

## junit-jupiter-5.10.0.jar

### Description:

Module "junit-jupiter" of JUnit 5.

### License:

Eclipse Public License v2.0: <https://www.eclipse.org/legal/epl-v20.html>

**File Path:** /home/jenkins/.gradle/caches/modules-2/files-2.1/org.junit.jupiter/junit-jupiter/5.10.0/8fea1d9c58b2156f1b998f2f18da04bc9e087f74/junit-jupiter-5.10.0.jar

**MD5:** ba19f309e63d0c128c381a8d68432c34

**SHA1:** 8fea1d9c58b2156f1b998f2f18da04bc9e087f74

**SHA256:** 8e4bde23ee28fc443975654a7b28c410a3b78d6be96b78c99ab73695ec344f7c

**Referenced In Project/Scope:** client:inetPlugin

### Evidence +

Type	Source	Name	Value	Confidence
Vendor	central	artifactid	junit-jupiter	Highest

Vendor	central	groupid	org.junit.jupiter	Highest
Vendor	file	name	junit-jupiter	High
Vendor	gradle	artifactid	junit-jupiter	Highest
Vendor	gradle	groupid	org.junit.jupiter	Highest
Vendor	jar	package name	module-info	Low
Vendor	Manifest	build-date	2023-07-23	Low
Vendor	Manifest	build-revision	7f619ca7ac9ecd1b20cc01c44a4df98f5fb67804	Low
Vendor	Manifest	build-time	14:51:13.722+0200	Low
Vendor	Manifest	bundle-symbolicname	junit-jupiter	Medium
Vendor	Manifest	Implementation-Vendor	junit.org	High
Vendor	Manifest	specification-vendor	junit.org	Low
Vendor	pom	artifactid	junit-jupiter	Low
Vendor	pom	developer email	business@johanneslink.net	Low
Vendor	pom	developer email	derancourt.juliette@gmail.com	Low
Vendor	pom	developer email	mail@marcphilipp.de	Low
Vendor	pom	developer email	matthias.merdes@heidelpay.com	Low
Vendor	pom	developer email	sam@sambrannen.com	Low
Vendor	pom	developer email	sormuras@gmail.com	Low
Vendor	pom	developer email	stefan.bechtold@me.com	Low
Vendor	pom	developer id	bechte	Medium
Vendor	pom	developer id	jlink	Medium
Vendor	pom	developer id	juliette-derancourt	Medium
Vendor	pom	developer id	marcphilipp	Medium
Vendor	pom	developer id	mmerdes	Medium
Vendor	pom	developer id	sbrannen	Medium
Vendor	pom	developer id	sormuras	Medium
Vendor	pom	developer name	Christian Stein	Medium
Vendor	pom	developer name	Johannes Link	Medium
Vendor	pom	developer name	Juliette de Rancourt	Medium
Vendor	pom	developer name	Marc Philipp	Medium
Vendor	pom	developer name	Matthias Merdes	Medium
Vendor	pom	developer name	Sam Brannen	Medium
Vendor	pom	developer name	Stefan Bechtold	Medium
Vendor	pom	groupid	org.junit.jupiter	Highest

Vendor	pom	name	JUnit Jupiter (Aggregator)	High
Vendor	pom	url	<a href="https://junit.org/junit5/">https://junit.org/junit5/</a>	Highest
Product	central	artifactid	junit-jupiter	Highest
Product	file	name	junit-jupiter	High
Product	gradle	artifactid	junit-jupiter	Highest
Product	Manifest	build-date	2023-07-23	Low
Product	Manifest	build-revision	7f619ca7ac9ecd1b20cc01c44a4df98f5fb67804	Low
Product	Manifest	build-time	14:51:13.722+0200	Low
Product	Manifest	Bundle-Name	JUnit Jupiter (Aggregator)	Medium
Product	Manifest	bundle-symbolicname	junit-jupiter	Medium
Product	Manifest	Implementation-Title	junit-jupiter	High
Product	Manifest	specification-title	junit-jupiter	Medium
Product	pom	artifactid	junit-jupiter	Highest
Product	pom	developer email	business@johanneslink.net	Low
Product	pom	developer email	derancourt.juliette@gmail.com	Low
Product	pom	developer email	mail@marcphilipp.de	Low
Product	pom	developer email	matthias.merdes@heidelpay.com	Low
Product	pom	developer email	sam@sambrannen.com	Low
Product	pom	developer email	sormuras@gmail.com	Low
Product	pom	developer email	stefan.bechtold@me.com	Low
Product	pom	developer id	bechte	Low
Product	pom	developer id	jlink	Low
Product	pom	developer id	juliette-derancourt	Low
Product	pom	developer id	marcphilipp	Low
Product	pom	developer id	mmerdes	Low
Product	pom	developer id	sbrannen	Low
Product	pom	developer id	sormuras	Low
Product	pom	developer name	Christian Stein	Low
Product	pom	developer name	Johannes Link	Low
Product	pom	developer name	Juliette de Rancourt	Low
Product	pom	developer name	Marc Philipp	Low
Product	pom	developer name	Matthias Merdes	Low
Product	pom	developer name	Sam Brannen	Low
Product	pom	developer name	Stefan Bechtold	Low

Product	pom	groupid	org.junit.jupiter	Highest
Product	pom	name	JUnit Jupiter (Aggregator)	High
Product	pom	url	https://junit.org/junit5/	Medium
Version	central	version	5.10.0	Highest
Version	file	version	5.10.0	High
Version	gradle	version	5.10.0	Highest
Version	Manifest	Bundle-Version	5.10.0	High
Version	Manifest	Implementation-Version	5.10.0	High
Version	pom	version	5.10.0	Highest

#### Identifiers

- [pkg:maven/org.junit.jupiter/junit-jupiter@5.10.0](https://maven.org.junit.jupiter/junit-jupiter@5.10.0) (*Confidence:High*)

## junit-jupiter-api-5.10.0.jar

#### Description:

Module "junit-jupiter-api" of JUnit 5.

#### License:

Eclipse Public License v2.0: <https://www.eclipse.org/legal/epl-v20.html>

**File Path:** /home/jenkins/.gradle/caches/modules-2/files-2.1/org.junit.jupiter/junit-jupiter-api/5.10.0/2fe4ba3d31d5067878e468c96aa039005a9134d3/junit-jupiter-api-5.10.0.jar

**MD5:** d976b1d3b22eded7c2e496ea881ed77f

**SHA1:** 2fe4ba3d31d5067878e468c96aa039005a9134d3

**SHA256:** 108088fd7ea46a8e65a0ce7f5d75ae3ff7865606770a078715f5a6e5709e17d8

**Referenced In Project/Scope:** client:inetPlugin

#### Evidence



Type	Source	Name	Value	Confidence
Vendor	central	artifactid	junit-jupiter-api	Highest
Vendor	central	groupid	org.junit.jupiter	Highest
Vendor	file	name	junit-jupiter-api	High
Vendor	gradle	artifactid	junit-jupiter-api	Highest
Vendor	gradle	groupid	org.junit.jupiter	Highest
Vendor	jar	package name	api	Highest
Vendor	jar	package name	api	Low

Vendor	jar	package name	junit	Highest
Vendor	jar	package name	junit	Low
Vendor	jar	package name	jupiter	Highest
Vendor	jar	package name	jupiter	Low
Vendor	Manifest	build-date	2023-07-23	Low
Vendor	Manifest	build-revision	7f619ca7ac9ecd1b20cc01c44a4df98f5fb67804	Low
Vendor	Manifest	build-time	14:51:13.722+0200	Low
Vendor	Manifest	bundle-symbolicname	junit-jupiter-api	Medium
Vendor	Manifest	Implementation-Vendor	junit.org	High
Vendor	Manifest	require-capability	org.junit.platform.engine;filter:="(&(org.junit.platform.engine=junit-jupiter)(version>=5.10.0)(!(version>=6)))";effective:=active,osgi.ee;filter:="(&(osgi.ee=JavaSE)(version=1.8))"	Low
Vendor	Manifest	specification-vendor	junit.org	Low
Vendor	pom	artifactid	junit-jupiter-api	Low
Vendor	pom	developer email	business@johanneslink.net	Low
Vendor	pom	developer email	derancourt.juliette@gmail.com	Low
Vendor	pom	developer email	mail@marcphilipp.de	Low
Vendor	pom	developer email	matthias.merdes@heidelpay.com	Low
Vendor	pom	developer email	sam@sambrannen.com	Low
Vendor	pom	developer email	sormuras@gmail.com	Low
Vendor	pom	developer email	stefan.bechtold@me.com	Low
Vendor	pom	developer id	bechte	Medium
Vendor	pom	developer id	jlink	Medium
Vendor	pom	developer id	juliette-derancourt	Medium
Vendor	pom	developer id	marcphilipp	Medium
Vendor	pom	developer id	mmerdes	Medium
Vendor	pom	developer id	sbrannen	Medium
Vendor	pom	developer id	sormuras	Medium
Vendor	pom	developer name	Christian Stein	Medium
Vendor	pom	developer name	Johannes Link	Medium
Vendor	pom	developer name	Juliette de Rancourt	Medium
Vendor	pom	developer name	Marc Philipp	Medium
Vendor	pom	developer name	Matthias Merdes	Medium
Vendor	pom	developer name	Sam Brannen	Medium

Vendor	pom	developer name	Stefan Bechtold	Medium
Vendor	pom	groupid	org.junit.jupiter	Highest
Vendor	pom	name	JUnit Jupiter API	High
Vendor	pom	url	<a href="https://junit.org/junit5/">https://junit.org/junit5/</a>	Highest
Product	central	artifactid	junit-jupiter-api	Highest
Product	file	name	junit-jupiter-api	High
Product	gradle	artifactid	junit-jupiter-api	Highest
Product	jar	package name	api	Highest
Product	jar	package name	api	Low
Product	jar	package name	junit	Highest
Product	jar	package name	jupiter	Highest
Product	jar	package name	jupiter	Low
Product	Manifest	build-date	2023-07-23	Low
Product	Manifest	build-revision	7f619ca7ac9ecd1b20cc01c44a4df98f5fb67804	Low
Product	Manifest	build-time	14:51:13.722+0200	Low
Product	Manifest	Bundle-Name	JUnit Jupiter API	Medium
Product	Manifest	bundle-symbolicname	junit-jupiter-api	Medium
Product	Manifest	Implementation-Title	junit-jupiter-api	High
Product	Manifest	require-capability	org.junit.platform.engine;filter:="(&(org.junit.platform.engine=junit-jupiter)(version>=5.10.0)(!(version>=6)))";effective:=active,osgi.ee;filter:="(&(osgi.ee=JavaSE)(version=1.8))"	Low
Product	Manifest	specification-title	junit-jupiter-api	Medium
Product	pom	artifactid	junit-jupiter-api	Highest
Product	pom	developer email	business@johanneslink.net	Low
Product	pom	developer email	derancourt.juliette@gmail.com	Low
Product	pom	developer email	mail@marcphilipp.de	Low
Product	pom	developer email	matthias.merdes@heidelpay.com	Low
Product	pom	developer email	sam@sambrannen.com	Low
Product	pom	developer email	sormuras@gmail.com	Low
Product	pom	developer email	stefan.bechtold@me.com	Low
Product	pom	developer id	bechte	Low
Product	pom	developer id	jlink	Low
Product	pom	developer id	juliette-derancourt	Low
Product	pom	developer id	marcphilipp	Low
Product	pom	developer id	mmerdes	Low



Product	pom	developer id	sbrannen	Low
Product	pom	developer id	sormuras	Low
Product	pom	developer name	Christian Stein	Low
Product	pom	developer name	Johannes Link	Low
Product	pom	developer name	Juliette de Rancourt	Low
Product	pom	developer name	Marc Philipp	Low
Product	pom	developer name	Matthias Merdes	Low
Product	pom	developer name	Sam Brannen	Low
Product	pom	developer name	Stefan Bechtold	Low
Product	pom	groupid	org.junit.jupiter	Highest
Product	pom	name	JUnit Jupiter API	High
Product	pom	url	https://junit.org/junit5/	Medium
Version	central	version	5.10.0	Highest
Version	file	version	5.10.0	High
Version	gradle	version	5.10.0	Highest
Version	Manifest	Bundle-Version	5.10.0	High
Version	Manifest	Implementation-Version	5.10.0	High
Version	pom	version	5.10.0	Highest

#### Identifiers

- [pkg:maven/org.junit.jupiter/junit-jupiter-api@5.10.0](https://maven.org.junit.jupiter/junit-jupiter-api@5.10.0) (*Confidence:High*)

## junit-jupiter-engine-5.10.0.jar

### Description:

Module "junit-jupiter-engine" of JUnit 5.

### License:

Eclipse Public License v2.0: <https://www.eclipse.org/legal/epl-v20.html>

**File Path:** /home/jenkins/.gradle/caches/modules-2/files-2.1/org.junit.jupiter/junit-jupiter-engine/5.10.0/90587932d718fc51a48112d33045a18476c542ad/junit-jupiter-engine-5.10.0.jar

**MD5:** 9b559627f23413bf20f450211f6edcba

**SHA1:** 90587932d718fc51a48112d33045a18476c542ad

**SHA256:** 57ea48e6f795200791065bbc86b70b84cd05367c5c9f2ac8f9268e27154c88a8

**Referenced In Project/Scope:** client:inetPlugin

## Evidence



Type	Source	Name	Value	Confidence
Vendor	central	artifactid	junit-jupiter-engine	Highest
Vendor	central	groupid	org.junit.jupiter	Highest
Vendor	file	name	junit-jupiter-engine	High
Vendor	gradle	artifactid	junit-jupiter-engine	Highest
Vendor	gradle	groupid	org.junit.jupiter	Highest
Vendor	jar	package name	engine	Highest
Vendor	jar	package name	engine	Low
Vendor	jar	package name	junit	Highest
Vendor	jar	package name	junit	Low
Vendor	jar	package name	jupiter	Highest
Vendor	jar	package name	jupiter	Low
Vendor	Manifest	build-date	2023-07-23	Low
Vendor	Manifest	build-revision	7f619ca7ac9ecd1b20cc01c44a4df98f5fb67804	Low
Vendor	Manifest	build-time	14:51:13.722+0200	Low
Vendor	Manifest	bundle-symbolicname	junit-jupiter-engine	Medium
Vendor	Manifest	Implementation-Vendor	junit.org	High
Vendor	Manifest	provide-capability	org.junit.platform.engine;org.junit.platform.engine=junit-jupiter;version:Version="5.10.0"	Low
Vendor	Manifest	require-capability	org.junit.platform.launcher;filter:="(&(org.junit.platform.launcher=junit-platform-launcher)(version>=1.10.0)(!(version>=2)))";effective:=active,osgi.ee;filter:="(&(osgi.ee=JavaSE)(version=1.8))"	Low
Vendor	Manifest	specification-vendor	junit.org	Low
Vendor	pom	artifactid	junit-jupiter-engine	Low
Vendor	pom	developer email	business@johanneslink.net	Low
Vendor	pom	developer email	derancourt.juliette@gmail.com	Low
Vendor	pom	developer email	mail@marcphilipp.de	Low
Vendor	pom	developer email	matthias.merdes@heidelpay.com	Low
Vendor	pom	developer email	sam@sambrannen.com	Low
Vendor	pom	developer email	sormuras@gmail.com	Low
Vendor	pom	developer email	stefan.bechtold@me.com	Low
Vendor	pom	developer id	bechte	Medium
Vendor	pom	developer id	jlink	Medium

Vendor	pom	developer id	juliette-derancourt	Medium
Vendor	pom	developer id	marcphilipp	Medium
Vendor	pom	developer id	mmerdes	Medium
Vendor	pom	developer id	sbrannen	Medium
Vendor	pom	developer id	sormuras	Medium
Vendor	pom	developer name	Christian Stein	Medium
Vendor	pom	developer name	Johannes Link	Medium
Vendor	pom	developer name	Juliette de Rancourt	Medium
Vendor	pom	developer name	Marc Philipp	Medium
Vendor	pom	developer name	Matthias Merdes	Medium
Vendor	pom	developer name	Sam Brannen	Medium
Vendor	pom	developer name	Stefan Bechtold	Medium
Vendor	pom	groupid	org.junit.jupiter	Highest
Vendor	pom	name	JUnit Jupiter Engine	High
Vendor	pom	url	<a href="https://junit.org/junit5/">https://junit.org/junit5/</a>	Highest
Product	central	artifactid	junit-jupiter-engine	Highest
Product	file	name	junit-jupiter-engine	High
Product	gradle	artifactid	junit-jupiter-engine	Highest
Product	jar	package name	engine	Highest
Product	jar	package name	engine	Low
Product	jar	package name	junit	Highest
Product	jar	package name	jupiter	Highest
Product	jar	package name	jupiter	Low
Product	Manifest	build-date	2023-07-23	Low
Product	Manifest	build-revision	7f619ca7ac9ecd1b20cc01c44a4df98f5fb67804	Low
Product	Manifest	build-time	14:51:13.722+0200	Low
Product	Manifest	Bundle-Name	JUnit Jupiter Engine	Medium
Product	Manifest	bundle-symbolicname	junit-jupiter-engine	Medium
Product	Manifest	Implementation-Title	junit-jupiter-engine	High
Product	Manifest	provide-capability	org.junit.platform.engine;org.junit.platform.engine=junit-jupiter;version:Version="5.10.0"	Low
Product	Manifest	require-capability	org.junit.platform.launcher;filter:="(&(org.junit.platform.launcher=junit-platform-launcher)(version>=1.10.0)(!(version>=2)))";effective:=active,osgi.ee;filter:="(&(osgi.ee=JavaSE)(version=1.8))"	Low

Product	Manifest	specification-title	junit-jupiter-engine	Medium
Product	pom	artifactid	junit-jupiter-engine	Highest
Product	pom	developer email	business@johanneslink.net	Low
Product	pom	developer email	derancourt.juliette@gmail.com	Low
Product	pom	developer email	mail@marcphilipp.de	Low
Product	pom	developer email	matthias.merdes@heidelpay.com	Low
Product	pom	developer email	sam@sambrannen.com	Low
Product	pom	developer email	sormuras@gmail.com	Low
Product	pom	developer email	stefan.bechtold@me.com	Low
Product	pom	developer id	bechte	Low
Product	pom	developer id	jlink	Low
Product	pom	developer id	juliette-derancourt	Low
Product	pom	developer id	marcphilipp	Low
Product	pom	developer id	mmerdes	Low
Product	pom	developer id	sbrannen	Low
Product	pom	developer id	sormuras	Low
Product	pom	developer name	Christian Stein	Low
Product	pom	developer name	Johannes Link	Low
Product	pom	developer name	Juliette de Rancourt	Low
Product	pom	developer name	Marc Philipp	Low
Product	pom	developer name	Matthias Merdes	Low
Product	pom	developer name	Sam Brannen	Low
Product	pom	developer name	Stefan Bechtold	Low
Product	pom	groupid	org.junit.jupiter	Highest
Product	pom	name	JUnit Jupiter Engine	High
Product	pom	url	https://junit.org/junit5/	Medium
Version	central	version	5.10.0	Highest
Version	file	version	5.10.0	High
Version	gradle	version	5.10.0	Highest
Version	Manifest	Bundle-Version	5.10.0	High
Version	Manifest	Implementation-Version	5.10.0	High
Version	pom	version	5.10.0	Highest

## Identifiers

- [pkg:maven/org.junit.jupiter/junit-jupiter-engine@5.10.0](https://maven.org/junit.jupiter/junit-jupiter-engine@5.10.0) (Confidence:High)

## junit-jupiter-params-5.10.0.jar

### Description:

Module "junit-jupiter-params" of JUnit 5.

### License:

Eclipse Public License v2.0: <https://www.eclipse.org/legal/epl-v20.html>

**File Path:** /home/jenkins/.gradle/caches/modules-2/files-2.1/org.junit.jupiter/junit-jupiter-params/5.10.0/9041c7365495a897a64782ea5a6fdb99dab1814e/junit-jupiter-params-5.10.0.jar

**MD5:** f005062186389c756ce58cb380190cc4

**SHA1:** 9041c7365495a897a64782ea5a6fdb99dab1814e

**SHA256:** f259a7322cce375430c2236a2dcb24d4a49d22045b723ad85af88e11704391c2

**Referenced In Project/Scope:** client:inetPlugin

### Evidence



Type	Source	Name	Value	Confidence
Vendor	central	artifactid	junit-jupiter-params	Highest
Vendor	central	groupid	org.junit.jupiter	Highest
Vendor	file	name	junit-jupiter-params	High
Vendor	gradle	artifactid	junit-jupiter-params	Highest
Vendor	gradle	groupid	org.junit.jupiter	Highest
Vendor	jar	package name	junit	Highest
Vendor	jar	package name	junit	Low
Vendor	jar	package name	jupiter	Highest
Vendor	jar	package name	jupiter	Low
Vendor	jar	package name	params	Highest
Vendor	jar	package name	params	Low
Vendor	Manifest	build-date	2023-07-23	Low
Vendor	Manifest	build-revision	7f619ca7ac9ecd1b20cc01c44a4df98f5fb67804	Low
Vendor	Manifest	build-time	14:51:13.722+0200	Low
Vendor	Manifest	bundle-symbolicname	junit-jupiter-params	Medium
Vendor	Manifest	Implementation-Vendor	junit.org	High
Vendor	Manifest	require-capability	osgi.ee;filter:="(&(osgi.ee=JavaSE)(version=1.8))"	Low
Vendor	Manifest	specification-	junit.org	Low

vendor

Vendor	pom	artifactid	junit-jupiter-params	Low
Vendor	pom	developer email	business@johanneslink.net	Low
Vendor	pom	developer email	derancourt.juliette@gmail.com	Low
Vendor	pom	developer email	mail@marcphilipp.de	Low
Vendor	pom	developer email	matthias.merdes@heidelpay.com	Low
Vendor	pom	developer email	sam@sambrannen.com	Low
Vendor	pom	developer email	sormuras@gmail.com	Low
Vendor	pom	developer email	stefan.bechtold@me.com	Low
Vendor	pom	developer id	bechte	Medium
Vendor	pom	developer id	jlink	Medium
Vendor	pom	developer id	juliette-derancourt	Medium
Vendor	pom	developer id	marcphilipp	Medium
Vendor	pom	developer id	mmerdes	Medium
Vendor	pom	developer id	sbrannen	Medium
Vendor	pom	developer id	sormuras	Medium
Vendor	pom	developer name	Christian Stein	Medium
Vendor	pom	developer name	Johannes Link	Medium
Vendor	pom	developer name	Juliette de Rancourt	Medium
Vendor	pom	developer name	Marc Philipp	Medium
Vendor	pom	developer name	Matthias Merdes	Medium
Vendor	pom	developer name	Sam Brannen	Medium
Vendor	pom	developer name	Stefan Bechtold	Medium
Vendor	pom	groupid	org.junit.jupiter	Highest
Vendor	pom	name	JUnit Jupiter Params	High
Vendor	pom	url	https://junit.org/junit5/	Highest
Product	central	artifactid	junit-jupiter-params	Highest
Product	file	name	junit-jupiter-params	High
Product	gradle	artifactid	junit-jupiter-params	Highest
Product	jar	package name	junit	Highest
Product	jar	package name	jupiter	Highest
Product	jar	package name	jupiter	Low
Product	jar	package name	params	Highest
Product	jar	package name	params	Low
Product	jar	package name	shadow	Low

Product	Manifest	build-date	2023-07-23	Low
Product	Manifest	build-revision	7f619ca7ac9ecd1b20cc01c44a4df98f5fb67804	Low
Product	Manifest	build-time	14:51:13.722+0200	Low
Product	Manifest	Bundle-Name	JUnit Jupiter Params	Medium
Product	Manifest	bundle-symbolicname	junit-jupiter-params	Medium
Product	Manifest	Implementation-Title	junit-jupiter-params	High
Product	Manifest	require-capability	osgi.ee;filter:="(&(osgi.ee=JavaSE)(version=1.8))"	Low
Product	Manifest	specification-title	junit-jupiter-params	Medium
Product	pom	artifactid	junit-jupiter-params	Highest
Product	pom	developer email	business@johanneslink.net	Low
Product	pom	developer email	derancourt.juliette@gmail.com	Low
Product	pom	developer email	mail@marcphilipp.de	Low
Product	pom	developer email	matthias.merdes@heidelpay.com	Low
Product	pom	developer email	sam@sambrannen.com	Low
Product	pom	developer email	sormuras@gmail.com	Low
Product	pom	developer email	stefan.bechtold@me.com	Low
Product	pom	developer id	bechte	Low
Product	pom	developer id	jlink	Low
Product	pom	developer id	juliette-derancourt	Low
Product	pom	developer id	marcphilipp	Low
Product	pom	developer id	mmerdes	Low
Product	pom	developer id	sbrannen	Low
Product	pom	developer id	sormuras	Low
Product	pom	developer name	Christian Stein	Low
Product	pom	developer name	Johannes Link	Low
Product	pom	developer name	Juliette de Rancourt	Low
Product	pom	developer name	Marc Philipp	Low
Product	pom	developer name	Matthias Merdes	Low
Product	pom	developer name	Sam Brannen	Low
Product	pom	developer name	Stefan Bechtold	Low
Product	pom	groupid	org.junit.jupiter	Highest
Product	pom	name	JUnit Jupiter Params	High
Product	pom	url	https://junit.org/junit5/	Medium
Version	central	version	5.10.0	Highest

Version	file	version	5.10.0	High
Version	gradle	version	5.10.0	Highest
Version	Manifest	Bundle-Version	5.10.0	High
Version	Manifest	Implementation-Version	5.10.0	High
Version	pom	version	5.10.0	Highest

## Identifiers

- [pkg:maven/org.junit.jupiter/junit-jupiter-params@5.10.0](https://maven.org/junit.jupiter/junit-jupiter-params@5.10.0) (*Confidence:High*)

## junit-platform-commons-1.10.0.jar

### Description:

Module "junit-platform-commons" of JUnit 5.

### License:

Eclipse Public License v2.0: <https://www.eclipse.org/legal/epl-v20.html>

**File Path:** /home/jenkins/.gradle/caches/modules-2/files-2.1/org.junit.platform/junit-platform-commons/1.10.0/d533ff2c286eaf963566f92baf5f8a06628d2609/junit-platform-commons-1.10.0.jar

**MD5:** 0cef49daddba2084397f34eca55502f9

**SHA1:** d533ff2c286eaf963566f92baf5f8a06628d2609

**SHA256:** 6083db08ca11fca1e16099d0dcfede0193d80b3762b276349d80d3da536791b2

**Referenced In Project/Scope:** client:inetPlugin

## Evidence



Type	Source	Name	Value	Confidence
Vendor	central	artifactid	junit-platform-commons	Highest
Vendor	central	groupid	org.junit.platform	Highest
Vendor	file	name	junit-platform-commons	High
Vendor	gradle	artifactid	junit-platform-commons	Highest
Vendor	gradle	groupid	org.junit.platform	Highest
Vendor	jar	package name	commons	Highest
Vendor	jar	package name	commons	Low
Vendor	jar	package name	junit	Highest
Vendor	jar	package name	junit	Low
Vendor	jar	package name	org	Highest
Vendor	jar	package name	platform	Highest



Vendor	jar	package name	platform	Low
Vendor	Manifest	build-date	2023-07-23	Low
Vendor	Manifest	build-revision	7f619ca7ac9ecd1b20cc01c44a4df98f5fb67804	Low
Vendor	Manifest	build-time	14:51:13.722+0200	Low
Vendor	Manifest	bundle-symbolicname	junit-platform-commons	Medium
Vendor	Manifest	Implementation-Vendor	junit.org	High
Vendor	Manifest	multi-release	true	Low
Vendor	Manifest	require-capability	osgi.ee;filter:="(&(osgi.ee=JavaSE)(version=1.8))"	Low
Vendor	Manifest	specification-vendor	junit.org	Low
Vendor	pom	artifactid	junit-platform-commons	Low
Vendor	pom	developer email	business@johanneslink.net	Low
Vendor	pom	developer email	derancourt.juliette@gmail.com	Low
Vendor	pom	developer email	mail@marcphilipp.de	Low
Vendor	pom	developer email	matthias.merdes@heidelpay.com	Low
Vendor	pom	developer email	sam@sambrannen.com	Low
Vendor	pom	developer email	sormuras@gmail.com	Low
Vendor	pom	developer email	stefan.bechtold@me.com	Low
Vendor	pom	developer id	bechte	Medium
Vendor	pom	developer id	jlink	Medium
Vendor	pom	developer id	juliette-derancourt	Medium
Vendor	pom	developer id	marcphilipp	Medium
Vendor	pom	developer id	mmerdes	Medium
Vendor	pom	developer id	sbrannen	Medium
Vendor	pom	developer id	sormuras	Medium
Vendor	pom	developer name	Christian Stein	Medium
Vendor	pom	developer name	Johannes Link	Medium
Vendor	pom	developer name	Juliette de Rancourt	Medium
Vendor	pom	developer name	Marc Philipp	Medium
Vendor	pom	developer name	Matthias Merdes	Medium
Vendor	pom	developer name	Sam Brannen	Medium
Vendor	pom	developer name	Stefan Bechtold	Medium
Vendor	pom	groupid	org.junit.platform	Highest
Vendor	pom	name	JUnit Platform Commons	High

Vendor	pom	url	https://junit.org/junit5/	Highest
Product	central	artifactid	junit-platform-commons	Highest
Product	file	name	junit-platform-commons	High
Product	gradle	artifactid	junit-platform-commons	Highest
Product	jar	package name	commons	Highest
Product	jar	package name	commons	Low
Product	jar	package name	junit	Highest
Product	jar	package name	platform	Highest
Product	jar	package name	platform	Low
Product	jar	package name	util	Low
Product	Manifest	build-date	2023-07-23	Low
Product	Manifest	build-revision	7f619ca7ac9ecd1b20cc01c44a4df98f5fb67804	Low
Product	Manifest	build-time	14:51:13.722+0200	Low
Product	Manifest	Bundle-Name	JUnit Platform Commons	Medium
Product	Manifest	bundle-symbolicname	junit-platform-commons	Medium
Product	Manifest	Implementation-Title	junit-platform-commons	High
Product	Manifest	multi-release	true	Low
Product	Manifest	require-capability	osgi.ee;filter:="(&(osgi.ee=JavaSE)(version=1.8))"	Low
Product	Manifest	specification-title	junit-platform-commons	Medium
Product	pom	artifactid	junit-platform-commons	Highest
Product	pom	developer email	business@johanneslink.net	Low
Product	pom	developer email	derancourt.juliette@gmail.com	Low
Product	pom	developer email	mail@marcphilipp.de	Low
Product	pom	developer email	matthias.merdes@heidelpay.com	Low
Product	pom	developer email	sam@sambrannen.com	Low
Product	pom	developer email	sormuras@gmail.com	Low
Product	pom	developer email	stefan.bechtold@me.com	Low
Product	pom	developer id	bechte	Low
Product	pom	developer id	jlink	Low
Product	pom	developer id	juliette-derancourt	Low
Product	pom	developer id	marcphilipp	Low
Product	pom	developer id	mmerdes	Low
Product	pom	developer id	sbrannen	Low
Product	pom	developer id	sormuras	Low

Product	pom	developer name	Christian Stein	Low
Product	pom	developer name	Johannes Link	Low
Product	pom	developer name	Juliette de Rancourt	Low
Product	pom	developer name	Marc Philipp	Low
Product	pom	developer name	Matthias Merdes	Low
Product	pom	developer name	Sam Brannen	Low
Product	pom	developer name	Stefan Bechtold	Low
Product	pom	groupid	org.junit.platform	Highest
Product	pom	name	JUnit Platform Commons	High
Product	pom	url	https://junit.org/junit5/	Medium
Version	central	version	1.10.0	Highest
Version	file	version	1.10.0	High
Version	gradle	version	1.10.0	Highest
Version	Manifest	Bundle-Version	1.10.0	High
Version	Manifest	Implementation-Version	1.10.0	High
Version	pom	version	1.10.0	Highest

#### Identifiers

- [pkg:maven/org.junit.platform/junit-platform-commons@1.10.0](#) (*Confidence:High*)
- [cpe:2.3:a:fan\\_platform\\_project:fan\\_platform:1.10.0:\\*\\*\\*\\*:\\*](#) (*Confidence:Low*)

suppress

## junit-platform-engine-1.10.0.jar

### Description:

Module "junit-platform-engine" of JUnit 5.

### License:

Eclipse Public License v2.0: <https://www.eclipse.org/legal/epl-v20.html>

**File Path:** /home/jenkins/.gradle/caches/modules-2/files-2.1/org.junit.platform/junit-platform-engine/1.10.0/276c4edcf64fabb5a139fa7b4f99330d7a93b804/junit-platform-engine-1.10.0.jar

**MD5:** a383ac183081fe771888842534e77e62

**SHA1:** 276c4edcf64fabb5a139fa7b4f99330d7a93b804

**SHA256:** cd338efd02ee73966ea754e0c0c71e1a11f4af5db9c2003e4b6137e119155abe

**Referenced In Project/Scope:** client:inetPlugin

## Evidence



Type	Source	Name	Value	Confidence
Vendor	central	artifactid	junit-platform-engine	Highest
Vendor	central	groupid	org.junit.platform	Highest
Vendor	file	name	junit-platform-engine	High
Vendor	gradle	artifactid	junit-platform-engine	Highest
Vendor	gradle	groupid	org.junit.platform	Highest
Vendor	jar	package name	engine	Highest
Vendor	jar	package name	engine	Low
Vendor	jar	package name	junit	Highest
Vendor	jar	package name	junit	Low
Vendor	jar	package name	platform	Highest
Vendor	jar	package name	platform	Low
Vendor	Manifest	build-date	2023-07-23	Low
Vendor	Manifest	build-revision	7f619ca7ac9ecd1b20cc01c44a4df98f5fb67804	Low
Vendor	Manifest	build-time	14:51:13.722+0200	Low
Vendor	Manifest	bundle-symbolicname	junit-platform-engine	Medium
Vendor	Manifest	Implementation-Vendor	junit.org	High
Vendor	Manifest	require-capability	osgi.ee;filter:="(&(osgi.ee=JavaSE)(version=1.8))"	Low
Vendor	Manifest	specification-vendor	junit.org	Low
Vendor	pom	artifactid	junit-platform-engine	Low
Vendor	pom	developer email	business@johanneslink.net	Low
Vendor	pom	developer email	derancourt.juliette@gmail.com	Low
Vendor	pom	developer email	mail@marcphilipp.de	Low
Vendor	pom	developer email	matthias.merdes@heidelpay.com	Low
Vendor	pom	developer email	sam@sambrannen.com	Low
Vendor	pom	developer email	sormuras@gmail.com	Low
Vendor	pom	developer email	stefan.bechtold@me.com	Low
Vendor	pom	developer id	bechte	Medium
Vendor	pom	developer id	jlink	Medium
Vendor	pom	developer id	juliette-derancourt	Medium
Vendor	pom	developer id	marcphilipp	Medium
Vendor	pom	developer id	mmerdes	Medium

Vendor	pom	developer id	sbrannen	Medium
Vendor	pom	developer id	sormuras	Medium
Vendor	pom	developer name	Christian Stein	Medium
Vendor	pom	developer name	Johannes Link	Medium
Vendor	pom	developer name	Juliette de Rancourt	Medium
Vendor	pom	developer name	Marc Philipp	Medium
Vendor	pom	developer name	Matthias Merdes	Medium
Vendor	pom	developer name	Sam Brannen	Medium
Vendor	pom	developer name	Stefan Bechtold	Medium
Vendor	pom	groupid	org.junit.platform	Highest
Vendor	pom	name	JUnit Platform Engine API	High
Vendor	pom	url	<a href="https://junit.org/junit5/">https://junit.org/junit5/</a>	Highest
Product	central	artifactid	junit-platform-engine	Highest
Product	file	name	junit-platform-engine	High
Product	gradle	artifactid	junit-platform-engine	Highest
Product	jar	package name	engine	Highest
Product	jar	package name	engine	Low
Product	jar	package name	filter	Highest
Product	jar	package name	junit	Highest
Product	jar	package name	platform	Highest
Product	jar	package name	platform	Low
Product	jar	package name	support	Low
Product	Manifest	build-date	2023-07-23	Low
Product	Manifest	build-revision	7f619ca7ac9ecd1b20cc01c44a4df98f5fb67804	Low
Product	Manifest	build-time	14:51:13.722+0200	Low
Product	Manifest	Bundle-Name	JUnit Platform Engine API	Medium
Product	Manifest	bundle-symbolicname	junit-platform-engine	Medium
Product	Manifest	Implementation-Title	junit-platform-engine	High
Product	Manifest	require-capability	osgi.ee;filter:="(&(osgi.ee=JavaSE)(version=1.8))"	Low
Product	Manifest	specification-title	junit-platform-engine	Medium
Product	pom	artifactid	junit-platform-engine	Highest
Product	pom	developer email	business@johanneslink.net	Low
Product	pom	developer email	derancourt.juliette@gmail.com	Low

Product	pom	developer email	mail@marcphilipp.de	Low
Product	pom	developer email	matthias.merdes@heidelpay.com	Low
Product	pom	developer email	sam@sambrannen.com	Low
Product	pom	developer email	sormuras@gmail.com	Low
Product	pom	developer email	stefan.bechtold@me.com	Low
Product	pom	developer id	bechte	Low
Product	pom	developer id	jlink	Low
Product	pom	developer id	juliette-derancourt	Low
Product	pom	developer id	marcphilipp	Low
Product	pom	developer id	mmerdes	Low
Product	pom	developer id	sbrannen	Low
Product	pom	developer id	sormuras	Low
Product	pom	developer name	Christian Stein	Low
Product	pom	developer name	Johannes Link	Low
Product	pom	developer name	Juliette de Rancourt	Low
Product	pom	developer name	Marc Philipp	Low
Product	pom	developer name	Matthias Merdes	Low
Product	pom	developer name	Sam Brannen	Low
Product	pom	developer name	Stefan Bechtold	Low
Product	pom	groupid	org.junit.platform	Highest
Product	pom	name	JUnit Platform Engine API	High
Product	pom	url	https://junit.org/junit5/	Medium
Version	central	version	1.10.0	Highest
Version	file	version	1.10.0	High
Version	gradle	version	1.10.0	Highest
Version	Manifest	Bundle-Version	1.10.0	High
Version	Manifest	Implementation-Version	1.10.0	High
Version	pom	version	1.10.0	Highest

## Identifiers

- [pkg:maven/org.junit.platform/junit-platform-engine@1.10.0](#) (*Confidence:High*)
- [cpe:2.3:a:fan\\_platform\\_project:fan\\_platform:1.10.0:\\*:\\*:\\*:\\*:\\*](#) (*Confidence:Low*)

suppress

## junit-platform-launcher-1.10.0.jar

### Description:

Module "junit-platform-launcher" of JUnit 5.

### License:

Eclipse Public License v2.0: <https://www.eclipse.org/legal/epl-v20.html>

**File Path:** /home/jenkins/.gradle/caches/modules-2/files-2.1/org.junit.platform/junit-platform-launcher/1.10.0/89a1922534ed102be1fb2a8c0b2c6151297a12bf/junit-platform-launcher-1.10.0.jar

**MD5:** ec357e6d7d3c5aafdca114aec83f1790

**SHA1:** 89a1922534ed102be1fb2a8c0b2c6151297a12bf

**SHA256:** 8c60b661ac170701a635dfc67565efbb8c85b5c5cdd5a4a9576e3a015c7111a4

**Referenced In Project/Scope:** client:inetPlugin

### Evidence



Type	Source	Name	Value	Confidence
Vendor	central	artifactid	junit-platform-launcher	Highest
Vendor	central	groupid	org.junit.platform	Highest
Vendor	file	name	junit-platform-launcher	High
Vendor	gradle	artifactid	junit-platform-launcher	Highest
Vendor	gradle	groupid	org.junit.platform	Highest
Vendor	jar	package name	junit	Highest
Vendor	jar	package name	junit	Low
Vendor	jar	package name	launcher	Highest
Vendor	jar	package name	launcher	Low
Vendor	jar	package name	platform	Highest
Vendor	jar	package name	platform	Low
Vendor	Manifest	build-date	2023-07-23	Low
Vendor	Manifest	build-revision	7f619ca7ac9ecd1b20cc01c44a4df98f5fb67804	Low
Vendor	Manifest	build-time	14:51:13.722+0200	Low
Vendor	Manifest	bundle-symbolicname	junit-platform-launcher	Medium
Vendor	Manifest	Implementation-Vendor	junit.org	High
Vendor	Manifest	provide-capability	org.junit.platform.launcher;org.junit.platform.launcher=junit-platform-launcher;version:Version="1.10.0"	Low
Vendor	Manifest	require-capability	osgi.ee;filter="(&(osgi.ee=JavaSE)(version=1.8))"	Low
Vendor	Manifest	specification-	junit.org	Low

		vendor		
Vendor	pom	artifactid	junit-platform-launcher	Low
Vendor	pom	developer email	business@johanneslink.net	Low
Vendor	pom	developer email	derancourt.juliette@gmail.com	Low
Vendor	pom	developer email	mail@marcphilipp.de	Low
Vendor	pom	developer email	matthias.merdes@heidelpay.com	Low
Vendor	pom	developer email	sam@sambrannen.com	Low
Vendor	pom	developer email	sormuras@gmail.com	Low
Vendor	pom	developer email	stefan.bechtold@me.com	Low
Vendor	pom	developer id	bechte	Medium
Vendor	pom	developer id	jlink	Medium
Vendor	pom	developer id	juliette-derancourt	Medium
Vendor	pom	developer id	marcphilipp	Medium
Vendor	pom	developer id	mmerdes	Medium
Vendor	pom	developer id	sbrannen	Medium
Vendor	pom	developer id	sormuras	Medium
Vendor	pom	developer name	Christian Stein	Medium
Vendor	pom	developer name	Johannes Link	Medium
Vendor	pom	developer name	Juliette de Rancourt	Medium
Vendor	pom	developer name	Marc Philipp	Medium
Vendor	pom	developer name	Matthias Merdes	Medium
Vendor	pom	developer name	Sam Brannen	Medium
Vendor	pom	developer name	Stefan Bechtold	Medium
Vendor	pom	groupid	org.junit.platform	Highest
Vendor	pom	name	JUnit Platform Launcher	High
Vendor	pom	url	https://junit.org/junit5/	Highest
Product	central	artifactid	junit-platform-launcher	Highest
Product	file	name	junit-platform-launcher	High
Product	gradle	artifactid	junit-platform-launcher	Highest
Product	jar	package name	junit	Highest
Product	jar	package name	launcher	Highest
Product	jar	package name	launcher	Low
Product	jar	package name	platform	Highest
Product	jar	package name	platform	Low
Product	Manifest	build-date	2023-07-23	Low



Product	Manifest	build-revision	7f619ca7ac9ecd1b20cc01c44a4df98f5fb67804	Low
Product	Manifest	build-time	14:51:13.722+0200	Low
Product	Manifest	Bundle-Name	JUnit Platform Launcher	Medium
Product	Manifest	bundle-symbolicname	junit-platform-launcher	Medium
Product	Manifest	Implementation-Title	junit-platform-launcher	High
Product	Manifest	provide-capability	org.junit.platform.launcher;org.junit.platform.launcher=junit-platform-launcher;version:Version="1.10.0"	Low
Product	Manifest	require-capability	osgi.ee;filter:="(&(osgi.ee=JavaSE)(version=1.8))"	Low
Product	Manifest	specification-title	junit-platform-launcher	Medium
Product	pom	artifactid	junit-platform-launcher	Highest
Product	pom	developer email	business@johanneslink.net	Low
Product	pom	developer email	derancourt.juliette@gmail.com	Low
Product	pom	developer email	mail@marcphilipp.de	Low
Product	pom	developer email	matthias.merdes@heidelpay.com	Low
Product	pom	developer email	sam@sambrannen.com	Low
Product	pom	developer email	sormuras@gmail.com	Low
Product	pom	developer email	stefan.bechtold@me.com	Low
Product	pom	developer id	bechte	Low
Product	pom	developer id	jlink	Low
Product	pom	developer id	juliette-derancourt	Low
Product	pom	developer id	marcphilipp	Low
Product	pom	developer id	mmerdes	Low
Product	pom	developer id	sbrannen	Low
Product	pom	developer id	sormuras	Low
Product	pom	developer name	Christian Stein	Low
Product	pom	developer name	Johannes Link	Low
Product	pom	developer name	Juliette de Rancourt	Low
Product	pom	developer name	Marc Philipp	Low
Product	pom	developer name	Matthias Merdes	Low
Product	pom	developer name	Sam Brannen	Low
Product	pom	developer name	Stefan Bechtold	Low
Product	pom	groupid	org.junit.platform	Highest
Product	pom	name	JUnit Platform Launcher	High
Product	pom	url	https://junit.org/junit5/	Medium

Version	central	version	1.10.0	Highest
Version	file	version	1.10.0	High
Version	gradle	version	1.10.0	Highest
Version	Manifest	Bundle-Version	1.10.0	High
Version	Manifest	Implementation-Version	1.10.0	High
Version	pom	version	1.10.0	Highest

### Identifiers

- [pkg:maven/org.junit.platform/junit-platform-launcher@1.10.0](#) (*Confidence:High*)
- [cpe:2.3:a:fan\\_platform\\_project:fan\\_platform:1.10.0:\\*:\\*:\\*:\\*:\\*](#) (*Confidence:Low*)

suppress

## junit-platform-suite-1.10.0.jar

### Description:

Module "junit-platform-suite" of JUnit 5.

### License:

Eclipse Public License v2.0: <https://www.eclipse.org/legal/epl-v20.html>

**File Path:** /home/jenkins/.gradle/caches/modules-2/files-2.1/org.junit.platform/junit-platform-suite/1.10.0/65cf50c8940b9dfdf8b53b3e612e7d4664a4f631/junit-platform-suite-1.10.0.jar

**MD5:** 73d33febb587db050803e6b93e55eb1d

**SHA1:** 65cf50c8940b9dfdf8b53b3e612e7d4664a4f631

**SHA256:** 5982b7b258e031e5cee3f3fb7357e7c1175237559bd812cebcbdcaec74c38d8d

**Referenced In Project/Scope:** client:inetPlugin

### Evidence



Type	Source	Name	Value	Confidence
Vendor	central	artifactid	junit-platform-suite	Highest
Vendor	central	groupid	org.junit.platform	Highest
Vendor	file	name	junit-platform-suite	High
Vendor	gradle	artifactid	junit-platform-suite	Highest
Vendor	gradle	groupid	org.junit.platform	Highest
Vendor	jar	package name	module-info	Low
Vendor	Manifest	build-date	2023-07-23	Low
Vendor	Manifest	build-revision	7f619ca7ac9ecd1b20cc01c44a4df98f5fb67804	Low

Vendor	Manifest	build-time	14:51:13.722+0200	Low
Vendor	Manifest	bundle-symbolicname	junit-platform-suite	Medium
Vendor	Manifest	Implementation-Vendor	junit.org	High
Vendor	Manifest	specification-vendor	junit.org	Low
Vendor	pom	artifactid	junit-platform-suite	Low
Vendor	pom	developer email	business@johanneslink.net	Low
Vendor	pom	developer email	derancourt.juliette@gmail.com	Low
Vendor	pom	developer email	mail@marcphilipp.de	Low
Vendor	pom	developer email	matthias.merdes@heidelpay.com	Low
Vendor	pom	developer email	sam@sambrannen.com	Low
Vendor	pom	developer email	sormuras@gmail.com	Low
Vendor	pom	developer email	stefan.bechtold@me.com	Low
Vendor	pom	developer id	bechte	Medium
Vendor	pom	developer id	jlink	Medium
Vendor	pom	developer id	juliette-derancourt	Medium
Vendor	pom	developer id	marcphilipp	Medium
Vendor	pom	developer id	mmerdes	Medium
Vendor	pom	developer id	sbrannen	Medium
Vendor	pom	developer id	sormuras	Medium
Vendor	pom	developer name	Christian Stein	Medium
Vendor	pom	developer name	Johannes Link	Medium
Vendor	pom	developer name	Juliette de Rancourt	Medium
Vendor	pom	developer name	Marc Philipp	Medium
Vendor	pom	developer name	Matthias Merdes	Medium
Vendor	pom	developer name	Sam Brannen	Medium
Vendor	pom	developer name	Stefan Bechtold	Medium
Vendor	pom	groupid	org.junit.platform	Highest
Vendor	pom	name	JUnit Platform Suite (Aggregator)	High
Vendor	pom	url	<a href="https://junit.org/junit5/">https://junit.org/junit5/</a>	Highest
Product	central	artifactid	junit-platform-suite	Highest
Product	file	name	junit-platform-suite	High
Product	gradle	artifactid	junit-platform-suite	Highest
Product	Manifest	build-date	2023-07-23	Low
Product	Manifest	build-revision	7f619ca7ac9ecd1b20cc01c44a4df98f5fb67804	Low

Product	Manifest	build-time	14:51:13.722+0200	Low
Product	Manifest	Bundle-Name	JUnit Platform Suite (Aggregator)	Medium
Product	Manifest	bundle-symbolicname	junit-platform-suite	Medium
Product	Manifest	Implementation-Title	junit-platform-suite	High
Product	Manifest	specification-title	junit-platform-suite	Medium
Product	pom	artifactid	junit-platform-suite	Highest
Product	pom	developer email	business@johanneslink.net	Low
Product	pom	developer email	derancourt.juliette@gmail.com	Low
Product	pom	developer email	mail@marcphilipp.de	Low
Product	pom	developer email	matthias.merdes@heidelpay.com	Low
Product	pom	developer email	sam@sambrannen.com	Low
Product	pom	developer email	sormuras@gmail.com	Low
Product	pom	developer email	stefan.bechtold@me.com	Low
Product	pom	developer id	bechte	Low
Product	pom	developer id	jlink	Low
Product	pom	developer id	juliette-derancourt	Low
Product	pom	developer id	marcphilipp	Low
Product	pom	developer id	mmerdes	Low
Product	pom	developer id	sbrannen	Low
Product	pom	developer id	sormuras	Low
Product	pom	developer name	Christian Stein	Low
Product	pom	developer name	Johannes Link	Low
Product	pom	developer name	Juliette de Rancourt	Low
Product	pom	developer name	Marc Philipp	Low
Product	pom	developer name	Matthias Merdes	Low
Product	pom	developer name	Sam Brannen	Low
Product	pom	developer name	Stefan Bechtold	Low
Product	pom	groupid	org.junit.platform	Highest
Product	pom	name	JUnit Platform Suite (Aggregator)	High
Product	pom	url	<a href="https://junit.org/junit5/">https://junit.org/junit5/</a>	Medium
Version	central	version	1.10.0	Highest
Version	file	version	1.10.0	High
Version	gradle	version	1.10.0	Highest
Version	Manifest	Bundle-Version	1.10.0	High

Version	Manifest	Implementation-Version	1.10.0	High
Version	pom	version	1.10.0	Highest

#### Identifiers

- [pkg:maven/org.junit.platform/junit-platform-suite@1.10.0](#) (*Confidence:High*)
- [cpe:2.3:a:fan\\_platform\\_project:fan\\_platform:1.10.0:\\*:\\*:\\*:\\*:\\*](#) (*Confidence:Low*)

## junit-platform-suite-api-1.10.0.jar

#### Description:

Module "junit-platform-suite-api" of JUnit 5.

#### License:

Eclipse Public License v2.0: <https://www.eclipse.org/legal/epl-v20.html>

**File Path:** /home/jenkins/.gradle/caches/modules-2/files-2.1/org.junit.platform/junit-platform-suite-api/1.10.0/baa35277c5e4913167fc8c5b2ceb0e5b2aa6b700/junit-platform-suite-api-1.10.0.jar

**MD5:** 7fc1c589754da082f208f8f240000792

**SHA1:** baa35277c5e4913167fc8c5b2ceb0e5b2aa6b700

**SHA256:** 29375380c304d96c93466dd2d21e7a0692381689a0a2205e3c0d1961638beaf3

**Referenced In Project/Scope:** client:inetPlugin

#### Evidence



Type	Source	Name	Value	Confidence
Vendor	central	artifactid	junit-platform-suite-api	Highest
Vendor	central	groupid	org.junit.platform	Highest
Vendor	file	name	junit-platform-suite-api	High
Vendor	gradle	artifactid	junit-platform-suite-api	Highest
Vendor	gradle	groupid	org.junit.platform	Highest
Vendor	jar	package name	api	Highest
Vendor	jar	package name	junit	Highest
Vendor	jar	package name	junit	Low
Vendor	jar	package name	platform	Highest
Vendor	jar	package name	platform	Low
Vendor	jar	package name	suite	Highest
Vendor	jar	package name	suite	Low

Vendor	Manifest	build-date	2023-07-23	Low
Vendor	Manifest	build-revision	7f619ca7ac9ecd1b20cc01c44a4df98f5fb67804	Low
Vendor	Manifest	build-time	14:51:13.722+0200	Low
Vendor	Manifest	bundle-symbolicname	junit-platform-suite-api	Medium
Vendor	Manifest	Implementation-Vendor	junit.org	High
Vendor	Manifest	require-capability	osgi.ee;filter:="(&(osgi.ee=JavaSE)(version=1.8))"	Low
Vendor	Manifest	specification-vendor	junit.org	Low
Vendor	pom	artifactid	junit-platform-suite-api	Low
Vendor	pom	developer email	business@johanneslink.net	Low
Vendor	pom	developer email	derancourt.juliette@gmail.com	Low
Vendor	pom	developer email	mail@marcphilipp.de	Low
Vendor	pom	developer email	matthias.merdes@heidelpay.com	Low
Vendor	pom	developer email	sam@sambrannen.com	Low
Vendor	pom	developer email	sormuras@gmail.com	Low
Vendor	pom	developer email	stefan.bechtold@me.com	Low
Vendor	pom	developer id	bechte	Medium
Vendor	pom	developer id	jlink	Medium
Vendor	pom	developer id	juliette-derancourt	Medium
Vendor	pom	developer id	marcphilipp	Medium
Vendor	pom	developer id	mmerdes	Medium
Vendor	pom	developer id	sbrannen	Medium
Vendor	pom	developer id	sormuras	Medium
Vendor	pom	developer name	Christian Stein	Medium
Vendor	pom	developer name	Johannes Link	Medium
Vendor	pom	developer name	Juliette de Rancourt	Medium
Vendor	pom	developer name	Marc Philipp	Medium
Vendor	pom	developer name	Matthias Merdes	Medium
Vendor	pom	developer name	Sam Brannen	Medium
Vendor	pom	developer name	Stefan Bechtold	Medium
Vendor	pom	groupid	org.junit.platform	Highest
Vendor	pom	name	JUnit Platform Suite API	High
Vendor	pom	url	https://junit.org/junit5/	Highest
Product	central	artifactid	junit-platform-suite-api	Highest

Product	file	name	junit-platform-suite-api	High
Product	gradle	artifactid	junit-platform-suite-api	Highest
Product	jar	package name	api	Highest
Product	jar	package name	api	Low
Product	jar	package name	junit	Highest
Product	jar	package name	platform	Highest
Product	jar	package name	platform	Low
Product	jar	package name	suite	Highest
Product	jar	package name	suite	Low
Product	Manifest	build-date	2023-07-23	Low
Product	Manifest	build-revision	7f619ca7ac9ecd1b20cc01c44a4df98f5fb67804	Low
Product	Manifest	build-time	14:51:13.722+0200	Low
Product	Manifest	Bundle-Name	JUnit Platform Suite API	Medium
Product	Manifest	bundle-symbolicname	junit-platform-suite-api	Medium
Product	Manifest	Implementation-Title	junit-platform-suite-api	High
Product	Manifest	require-capability	osgi.ee;filter:="(&(osgi.ee=JavaSE)(version=1.8))"	Low
Product	Manifest	specification-title	junit-platform-suite-api	Medium
Product	pom	artifactid	junit-platform-suite-api	Highest
Product	pom	developer email	business@johanneslink.net	Low
Product	pom	developer email	derancourt.juliette@gmail.com	Low
Product	pom	developer email	mail@marcphilipp.de	Low
Product	pom	developer email	matthias.merdes@heidelpay.com	Low
Product	pom	developer email	sam@sambrannen.com	Low
Product	pom	developer email	sormuras@gmail.com	Low
Product	pom	developer email	stefan.bechtold@me.com	Low
Product	pom	developer id	bechte	Low
Product	pom	developer id	jlink	Low
Product	pom	developer id	juliette-derancourt	Low
Product	pom	developer id	marcphilipp	Low
Product	pom	developer id	mmerdes	Low
Product	pom	developer id	sbrannen	Low
Product	pom	developer id	sormuras	Low
Product	pom	developer name	Christian Stein	Low
Product	pom	developer name	Johannes Link	Low

Product	pom	developer name	Juliette de Rancourt	Low
Product	pom	developer name	Marc Philipp	Low
Product	pom	developer name	Matthias Merdes	Low
Product	pom	developer name	Sam Brannen	Low
Product	pom	developer name	Stefan Bechtold	Low
Product	pom	groupid	org.junit.platform	Highest
Product	pom	name	JUnit Platform Suite API	High
Product	pom	url	https://junit.org/junit5/	Medium
Version	central	version	1.10.0	Highest
Version	file	version	1.10.0	High
Version	gradle	version	1.10.0	Highest
Version	Manifest	Bundle-Version	1.10.0	High
Version	Manifest	Implementation-Version	1.10.0	High
Version	pom	version	1.10.0	Highest

#### Identifiers

- [pkg:maven/org.junit.platform/junit-platform-suite-api@1.10.0](#) (*Confidence:High*)
- [cpe:2.3:a:fan\\_platform\\_project:fan\\_platform:1.10.0:\\*:\\*:\\*:\\*:\\*](#) (*Confidence:Low*)

suppress

## junit-platform-suite-commons-1.10.0.jar

### Description:

Module "junit-platform-suite-commons" of JUnit 5.

### License:

Eclipse Public License v2.0: <https://www.eclipse.org/legal/epl-v20.html>

**File Path:** /home/jenkins/.gradle/caches/modules-2/files-2.1/org.junit.platform/junit-platform-suite-commons/1.10.0/cee3d71ae0b90f7c96a1fb46cd788b77ab59ce52/junit-platform-suite-commons-1.10.0.jar

**MD5:** 7e1b4ab2643a4003eb8378581312ffc3

**SHA1:** cee3d71ae0b90f7c96a1fb46cd788b77ab59ce52

**SHA256:** 01eb735855dc0d9d24d7219c84c4d4bf8751a126101e56948f792b27289f676b

**Referenced In Project/Scope:** client:inetPlugin

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------



Vendor	central	artifactid	junit-platform-suite-commons	Highest
Vendor	central	groupid	org.junit.platform	Highest
Vendor	file	name	junit-platform-suite-commons	High
Vendor	gradle	artifactid	junit-platform-suite-commons	Highest
Vendor	gradle	groupid	org.junit.platform	Highest
Vendor	jar	package name	commons	Highest
Vendor	jar	package name	junit	Highest
Vendor	jar	package name	junit	Low
Vendor	jar	package name	platform	Highest
Vendor	jar	package name	platform	Low
Vendor	jar	package name	suite	Highest
Vendor	jar	package name	suite	Low
Vendor	Manifest	build-date	2023-07-23	Low
Vendor	Manifest	build-revision	7f619ca7ac9ecd1b20cc01c44a4df98f5fb67804	Low
Vendor	Manifest	build-time	14:51:13.722+0200	Low
Vendor	Manifest	bundle-symbolicname	junit-platform-suite-commons	Medium
Vendor	Manifest	Implementation-Vendor	junit.org	High
Vendor	Manifest	require-capability	osgi.ee;filter="(&(osgi.ee=JavaSE)(version=1.8))"	Low
Vendor	Manifest	specification-vendor	junit.org	Low
Vendor	pom	artifactid	junit-platform-suite-commons	Low
Vendor	pom	developer email	business@johanneslink.net	Low
Vendor	pom	developer email	derancourt.juliette@gmail.com	Low
Vendor	pom	developer email	mail@marcphilipp.de	Low
Vendor	pom	developer email	matthias.merdes@heidelpay.com	Low
Vendor	pom	developer email	sam@sambrannen.com	Low
Vendor	pom	developer email	sormuras@gmail.com	Low
Vendor	pom	developer email	stefan.bechtold@me.com	Low
Vendor	pom	developer id	bechte	Medium
Vendor	pom	developer id	jlink	Medium
Vendor	pom	developer id	juliette-derancourt	Medium
Vendor	pom	developer id	marcphilipp	Medium
Vendor	pom	developer id	mmerdes	Medium
Vendor	pom	developer id	sbrannen	Medium

Vendor	pom	developer id	sormuras	Medium
Vendor	pom	developer name	Christian Stein	Medium
Vendor	pom	developer name	Johannes Link	Medium
Vendor	pom	developer name	Juliette de Rancourt	Medium
Vendor	pom	developer name	Marc Philipp	Medium
Vendor	pom	developer name	Matthias Merdes	Medium
Vendor	pom	developer name	Sam Brannen	Medium
Vendor	pom	developer name	Stefan Bechtold	Medium
Vendor	pom	groupid	org.junit.platform	Highest
Vendor	pom	name	JUnit Platform Suite Commons	High
Vendor	pom	url	https://junit.org/junit5/	Highest
Product	central	artifactid	junit-platform-suite-commons	Highest
Product	file	name	junit-platform-suite-commons	High
Product	gradle	artifactid	junit-platform-suite-commons	Highest
Product	jar	package name	commons	Highest
Product	jar	package name	commons	Low
Product	jar	package name	junit	Highest
Product	jar	package name	platform	Highest
Product	jar	package name	platform	Low
Product	jar	package name	suite	Highest
Product	jar	package name	suite	Low
Product	Manifest	build-date	2023-07-23	Low
Product	Manifest	build-revision	7f619ca7ac9ecd1b20cc01c44a4df98f5fb67804	Low
Product	Manifest	build-time	14:51:13.722+0200	Low
Product	Manifest	Bundle-Name	JUnit Platform Suite Commons	Medium
Product	Manifest	bundle-symbolicname	junit-platform-suite-commons	Medium
Product	Manifest	Implementation-Title	junit-platform-suite-commons	High
Product	Manifest	require-capability	osgi.ee;filter:="(&(osgi.ee=JavaSE)(version=1.8))"	Low
Product	Manifest	specification-title	junit-platform-suite-commons	Medium
Product	pom	artifactid	junit-platform-suite-commons	Highest
Product	pom	developer email	business@johanneslink.net	Low
Product	pom	developer email	derancourt.juliette@gmail.com	Low
Product	pom	developer email	mail@marcphilipp.de	Low
Product	pom	developer email	matthias.merdes@heidelpay.com	Low

Product	pom	developer email	sam@sambrannen.com	Low
Product	pom	developer email	sormuras@gmail.com	Low
Product	pom	developer email	stefan.bechtold@me.com	Low
Product	pom	developer id	bechte	Low
Product	pom	developer id	jlink	Low
Product	pom	developer id	juliette-derancourt	Low
Product	pom	developer id	marcphilipp	Low
Product	pom	developer id	mmerdes	Low
Product	pom	developer id	sbrannen	Low
Product	pom	developer id	sormuras	Low
Product	pom	developer name	Christian Stein	Low
Product	pom	developer name	Johannes Link	Low
Product	pom	developer name	Juliette de Rancourt	Low
Product	pom	developer name	Marc Philipp	Low
Product	pom	developer name	Matthias Merdes	Low
Product	pom	developer name	Sam Brannen	Low
Product	pom	developer name	Stefan Bechtold	Low
Product	pom	groupid	org.junit.platform	Highest
Product	pom	name	JUnit Platform Suite Commons	High
Product	pom	url	https://junit.org/junit5/	Medium
Version	central	version	1.10.0	Highest
Version	file	version	1.10.0	High
Version	gradle	version	1.10.0	Highest
Version	Manifest	Bundle-Version	1.10.0	High
Version	Manifest	Implementation-Version	1.10.0	High
Version	pom	version	1.10.0	Highest

## Identifiers

- [pkg:maven/org.junit.platform/junit-platform-suite-commons@1.10.0](#) (*Confidence:High*)
- [cpe:2.3:a:fan\\_platform\\_project:fan\\_platform:1.10.0:\\*:\\*:\\*:\\*:\\*](#) (*Confidence:Low*)

suppress

**Description:**

Module "junit-platform-suite-engine" of JUnit 5.

**License:**

Eclipse Public License v2.0: <https://www.eclipse.org/legal/epl-v20.html>

**File Path:** /home/jenkins/.gradle/caches/modules-2/files-2.1/org.junit.platform/junit-platform-suite-engine/1.10.0/911f55d5abdfa09306d09332fbf33bb024dbbb64/junit-platform-suite-engine-1.10.0.jar

**MD5:** cc571c912931dafb3da248845db9e98e

**SHA1:** 911f55d5abdfa09306d09332fbf33bb024dbbb64

**SHA256:**a70e59f996a222ca36c04989e766266cc2b446a63ce379bf02bac241fcebdf7f3

**Referenced In Project/Scope:**client:inetPlugin

**Evidence**



Type	Source	Name	Value	Confidence
Vendor	central	artifactid	junit-platform-suite-engine	Highest
Vendor	central	groupid	org.junit.platform	Highest
Vendor	file	name	junit-platform-suite-engine	High
Vendor	gradle	artifactid	junit-platform-suite-engine	Highest
Vendor	gradle	groupid	org.junit.platform	Highest
Vendor	jar	package name	engine	Highest
Vendor	jar	package name	junit	Highest
Vendor	jar	package name	junit	Low
Vendor	jar	package name	platform	Highest
Vendor	jar	package name	platform	Low
Vendor	jar	package name	suite	Highest
Vendor	jar	package name	suite	Low
Vendor	Manifest	build-date	2023-07-23	Low
Vendor	Manifest	build-revision	7f619ca7ac9ecd1b20cc01c44a4df98f5fb67804	Low
Vendor	Manifest	build-time	14:51:13.722+0200	Low
Vendor	Manifest	bundle-symbolicname	junit-platform-suite-engine	Medium
Vendor	Manifest	Implementation-Vendor	junit.org	High
Vendor	Manifest	require-capability	osgi.ee;filter:="(&(osgi.ee=JavaSE)(version=1.8))"	Low
Vendor	Manifest	specification-vendor	junit.org	Low
Vendor	pom	artifactid	junit-platform-suite-engine	Low
Vendor	pom	developer email	business@johanneslink.net	Low

Vendor	pom	developer email	derancourt.juliette@gmail.com	Low
Vendor	pom	developer email	mail@marcphilipp.de	Low
Vendor	pom	developer email	matthias.merdes@heidelpay.com	Low
Vendor	pom	developer email	sam@sambrannen.com	Low
Vendor	pom	developer email	sormuras@gmail.com	Low
Vendor	pom	developer email	stefan.bechtold@me.com	Low
Vendor	pom	developer id	bechte	Medium
Vendor	pom	developer id	jlink	Medium
Vendor	pom	developer id	juliette-derancourt	Medium
Vendor	pom	developer id	marcphilipp	Medium
Vendor	pom	developer id	mmerdes	Medium
Vendor	pom	developer id	sbrannen	Medium
Vendor	pom	developer id	sormuras	Medium
Vendor	pom	developer name	Christian Stein	Medium
Vendor	pom	developer name	Johannes Link	Medium
Vendor	pom	developer name	Juliette de Rancourt	Medium
Vendor	pom	developer name	Marc Philipp	Medium
Vendor	pom	developer name	Matthias Merdes	Medium
Vendor	pom	developer name	Sam Brannen	Medium
Vendor	pom	developer name	Stefan Bechtold	Medium
Vendor	pom	groupid	org.junit.platform	Highest
Vendor	pom	name	JUnit Platform Suite Engine	High
Vendor	pom	url	https://junit.org/junit5/	Highest
Product	central	artifactid	junit-platform-suite-engine	Highest
Product	file	name	junit-platform-suite-engine	High
Product	gradle	artifactid	junit-platform-suite-engine	Highest
Product	jar	package name	engine	Highest
Product	jar	package name	engine	Low
Product	jar	package name	junit	Highest
Product	jar	package name	platform	Highest
Product	jar	package name	platform	Low
Product	jar	package name	suite	Highest
Product	jar	package name	suite	Low
Product	Manifest	build-date	2023-07-23	Low
Product	Manifest	build-revision	7f619ca7ac9ecd1b20cc01c44a4df98f5fb67804	Low

Product	Manifest	build-time	14:51:13.722+0200	Low
Product	Manifest	Bundle-Name	JUnit Platform Suite Engine	Medium
Product	Manifest	bundle-symbolicname	junit-platform-suite-engine	Medium
Product	Manifest	Implementation-Title	junit-platform-suite-engine	High
Product	Manifest	require-capability	osgi.ee;filter:="(&(osgi.ee=JavaSE)(version=1.8))"	Low
Product	Manifest	specification-title	junit-platform-suite-engine	Medium
Product	pom	artifactid	junit-platform-suite-engine	Highest
Product	pom	developer email	business@johanneslink.net	Low
Product	pom	developer email	derancourt.juliette@gmail.com	Low
Product	pom	developer email	mail@marcphilipp.de	Low
Product	pom	developer email	matthias.merdes@heidelpay.com	Low
Product	pom	developer email	sam@sambrannen.com	Low
Product	pom	developer email	sormuras@gmail.com	Low
Product	pom	developer email	stefan.bechtold@me.com	Low
Product	pom	developer id	bechte	Low
Product	pom	developer id	jlink	Low
Product	pom	developer id	juliette-derancourt	Low
Product	pom	developer id	marcphilipp	Low
Product	pom	developer id	mmerdes	Low
Product	pom	developer id	sbrannen	Low
Product	pom	developer id	sormuras	Low
Product	pom	developer name	Christian Stein	Low
Product	pom	developer name	Johannes Link	Low
Product	pom	developer name	Juliette de Rancourt	Low
Product	pom	developer name	Marc Philipp	Low
Product	pom	developer name	Matthias Merdes	Low
Product	pom	developer name	Sam Brannen	Low
Product	pom	developer name	Stefan Bechtold	Low
Product	pom	groupid	org.junit.platform	Highest
Product	pom	name	JUnit Platform Suite Engine	High
Product	pom	url	https://junit.org/junit5/	Medium
Version	central	version	1.10.0	Highest
Version	file	version	1.10.0	High
Version	gradle	version	1.10.0	Highest

Version	Manifest	Bundle-Version	1.10.0	High
Version	Manifest	Implementation-Version	1.10.0	High
Version	pom	version	1.10.0	Highest

### Identifiers

- [pkg:maven/org.junit.platform/junit-platform-suite-engine@1.10.0](#) (*Confidence:High*)
- [cpe:2.3:a:fan\\_platform\\_project:fan\\_platform:1.10.0:\\*:\\*:\\*:\\*:\\*](#) (*Confidence:Low*)

suppress

## junit-vintage-engine-5.10.0.jar

### Description:

Module "junit-vintage-engine" of JUnit 5.

### License:

Eclipse Public License v2.0: <https://www.eclipse.org/legal/epl-v20.html>

**File Path:** /home/jenkins/.gradle/caches/modules-2/files-2.1/org.junit.vintage/junit-vintage-engine/5.10.0/af4e0a3cb6901aa53d6401003fc10638014b39b1/junit-vintage-engine-5.10.0.jar

**MD5:** ff0ab1be3b14c837ca3d5d71defce409

**SHA1:** af4e0a3cb6901aa53d6401003fc10638014b39b1

**SHA256:** 6cb4d98b2f37ad78d28bbee4864869a110d278d9684445bde243de01148d8e8a

**Referenced In Project/Scope:** client:inetPlugin

### Evidence



Type	Source	Name	Value	Confidence
Vendor	central	artifactid	junit-vintage-engine	Highest
Vendor	central	groupid	org.junit.vintage	Highest
Vendor	file	name	junit-vintage-engine	High
Vendor	gradle	artifactid	junit-vintage-engine	Highest
Vendor	gradle	groupid	org.junit.vintage	Highest
Vendor	jar	package name	engine	Highest
Vendor	jar	package name	engine	Low
Vendor	jar	package name	junit	Highest
Vendor	jar	package name	junit	Low
Vendor	jar	package name	vintage	Highest
Vendor	jar	package name	vintage	Low

Vendor	Manifest	build-date	2023-07-23	Low
Vendor	Manifest	build-revision	7f619ca7ac9ecd1b20cc01c44a4df98f5fb67804	Low
Vendor	Manifest	build-time	14:51:13.722+0200	Low
Vendor	Manifest	bundle-symbolicname	junit-vintage-engine	Medium
Vendor	Manifest	Implementation-Vendor	junit.org	High
Vendor	Manifest	provide-capability	org.junit.platform.engine;org.junit.platform.engine=junit-vintage;version:Version="5.10.0"	Low
Vendor	Manifest	require-capability	org.junit.platform.launcher;filter:="(&(org.junit.platform.launcher=junit-platform-launcher)(version>=1.10.0)(!(version>=2)))";effective:=active,osgi.ee;filter:="(&(osgi.ee=JavaSE)(version=1.8))"	Low
Vendor	Manifest	specification-vendor	junit.org	Low
Vendor	pom	artifactid	junit-vintage-engine	Low
Vendor	pom	developer email	business@johanneslink.net	Low
Vendor	pom	developer email	derancourt.juliette@gmail.com	Low
Vendor	pom	developer email	mail@marcphilipp.de	Low
Vendor	pom	developer email	matthias.merdes@heidelpay.com	Low
Vendor	pom	developer email	sam@sambrannen.com	Low
Vendor	pom	developer email	sormuras@gmail.com	Low
Vendor	pom	developer email	stefan.bechtold@me.com	Low
Vendor	pom	developer id	bechte	Medium
Vendor	pom	developer id	jlink	Medium
Vendor	pom	developer id	juliette-derancourt	Medium
Vendor	pom	developer id	marcphilipp	Medium
Vendor	pom	developer id	mmerdes	Medium
Vendor	pom	developer id	sbrannen	Medium
Vendor	pom	developer id	sormuras	Medium
Vendor	pom	developer name	Christian Stein	Medium
Vendor	pom	developer name	Johannes Link	Medium
Vendor	pom	developer name	Juliette de Rancourt	Medium
Vendor	pom	developer name	Marc Philipp	Medium
Vendor	pom	developer name	Matthias Merdes	Medium
Vendor	pom	developer name	Sam Brannen	Medium
Vendor	pom	developer name	Stefan Bechtold	Medium
Vendor	pom	groupid	org.junit.vintage	Highest



Vendor	pom	name	JUnit Vintage Engine	High
Vendor	pom	url	https://junit.org/junit5/	Highest
Product	central	artifactid	junit-vintage-engine	Highest
Product	file	name	junit-vintage-engine	High
Product	gradle	artifactid	junit-vintage-engine	Highest
Product	jar	package name	engine	Highest
Product	jar	package name	engine	Low
Product	jar	package name	junit	Highest
Product	jar	package name	vintage	Highest
Product	jar	package name	vintage	Low
Product	Manifest	build-date	2023-07-23	Low
Product	Manifest	build-revision	7f619ca7ac9ecd1b20cc01c44a4df98f5fb67804	Low
Product	Manifest	build-time	14:51:13.722+0200	Low
Product	Manifest	Bundle-Name	JUnit Vintage Engine	Medium
Product	Manifest	bundle-symbolicname	junit-vintage-engine	Medium
Product	Manifest	Implementation-Title	junit-vintage-engine	High
Product	Manifest	provide-capability	org.junit.platform.engine;org.junit.platform.engine=junit-vintage;version:Version="5.10.0"	Low
Product	Manifest	require-capability	org.junit.platform.launcher;filter:="(&(org.junit.platform.launcher=junit-platform-launcher)(version>=1.10.0)(!(version>=2)))";effective:=active,osgi.ee;filter:="(&(osgi.ee=JavaSE)(version=1.8))"	Low
Product	Manifest	specification-title	junit-vintage-engine	Medium
Product	pom	artifactid	junit-vintage-engine	Highest
Product	pom	developer email	business@johanneslink.net	Low
Product	pom	developer email	derancourt.juliette@gmail.com	Low
Product	pom	developer email	mail@marcphilipp.de	Low
Product	pom	developer email	matthias.merdes@heidelpay.com	Low
Product	pom	developer email	sam@sambrannen.com	Low
Product	pom	developer email	sormuras@gmail.com	Low
Product	pom	developer email	stefan.bechtold@me.com	Low
Product	pom	developer id	bechte	Low
Product	pom	developer id	jlink	Low
Product	pom	developer id	juliette-derancourt	Low
Product	pom	developer id	marcphilipp	Low

Product	pom	developer id	mmerdes	Low
Product	pom	developer id	sbrannen	Low
Product	pom	developer id	sormuras	Low
Product	pom	developer name	Christian Stein	Low
Product	pom	developer name	Johannes Link	Low
Product	pom	developer name	Juliette de Rancourt	Low
Product	pom	developer name	Marc Philipp	Low
Product	pom	developer name	Matthias Merdes	Low
Product	pom	developer name	Sam Brannen	Low
Product	pom	developer name	Stefan Bechtold	Low
Product	pom	groupid	org.junit.vintage	Highest
Product	pom	name	JUnit Vintage Engine	High
Product	pom	url	https://junit.org/junit5/	Medium
Version	central	version	5.10.0	Highest
Version	file	version	5.10.0	High
Version	gradle	version	5.10.0	Highest
Version	Manifest	Bundle-Version	5.10.0	High
Version	Manifest	Implementation-Version	5.10.0	High
Version	pom	version	5.10.0	Highest

#### Identifiers

- [pkg:maven/org.junit.vintage/junit-vintage-engine@5.10.0](#) (*Confidence:High*)
- [cpe:2.3:a:fan\\_platform\\_project:fan\\_platform:5.10.0:\\*:\\*:\\*:\\*:\\*](#) (*Confidence:Low*)

suppress

### knowledgebase.zip: knowledgebase.jar

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/client/build/tmp/dependencies/i-net HelpDesk Anwendung/plugins/knowledgebase.zip/knowledgebase.jar

**MD5:** 6b4df0b150fd942283685df897c34e20

**SHA1:** c317617330253f0f43f58fa9fb0065bdf341d63e

**SHA256:** 528d8e0b307ae0f11f61847108bf20c68e15185c4a7ced6dc87d60643fa185cd

**Referenced In Project/Scope:** client

#### Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	knowledgebase	High
Vendor	jar	package name	helpdesk	Low
Vendor	jar	package name	inet	Low
Vendor	jar	package name	plugins	Low
Vendor	Manifest	built-date	2024-01-16 14:41	Low
Vendor	Manifest	implementation-group	helpdesk	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	knowledgebase	High
Product	jar	package name	helpdesk	Highest
Product	jar	package name	helpdesk	Low
Product	jar	package name	knowledgebase	Highest
Product	jar	package name	knowledgebase	Low
Product	jar	package name	plugins	Low
Product	Manifest	built-date	2024-01-16 14:41	Low
Product	Manifest	implementation-group	helpdesk	Low
Product	Manifest	Implementation-Title	knowledgebase	High
Product	Manifest	specification-title	knowledgebase	Medium
Version	jar	package name	helpdesk	Highest
Version	Manifest	Implementation-Version	23.10.295	High

### Identifiers

- cpe:2.3:a:inetsoftware:helpdesk:23.10.295:\*:\*:\*:\*:\* (Confidence:Low) suppress

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/client/build/tmp/dependencies/i-net HelpDesk Anwendung/plugins/knowledgebase.zip/knowledgebase.jar/com/inet/helpdesk/plugins/knowledgebase/client/knowledgebase/controllerArticleDetails.js

**MD5:** aa5140f5fb3f636a0e3cae7939df3dc9

**SHA1:** 1c54ef58220800232a6aa35d7da4e9a154e3ffc9

**SHA256:** c4d83f3033398979e7c1ecc9fb0153d1cbbad23cdb4b17bd4ea8e36146927d7e

**Referenced In Project/Scope:** client

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### knowledgebase.zip: knowledgebase.jar: controllerArticleDialog.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/client/build/tmp/dependencies/i-net HelpDesk Anwendung/plugins/knowledgebase.zip/knowledgebase.jar/com/inet/helpdesk/plugins/knowledgebase/client/knowledgebase/controllerArticleDialog.js

**MD5:** 9317956ef6eebda94fea24ff366738de

**SHA1:** 434faf3fffc227eeb040bd18fdf4fdd815ccf37c

**SHA256:** 7bd95943810a1cc7e2ddb6aa93e1a591ce7235626f4651d487e554a967ebfa18

**Referenced In Project/Scope:** client

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### knowledgebase.zip: knowledgebase.jar: controllerArticleEditDialog.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/client/build/tmp/dependencies/i-net HelpDesk Anwendung/plugins/knowledgebase.zip/knowledgebase.jar/com/inet/helpdesk/plugins/knowledgebase/client/knowledgebase/controllerArticleEditDialog.js

**MD5:** bd9b8c2319f3b71e5ce72b764eed86da

**SHA1:** fbd0ba2faf3e2a48a28dc96c681e2d56f8510e53  
**SHA256:**554ca5eb51d6526c2e708d35cac139caff55a93625b33e957244374e2051f9d8  
**Referenced In Project/Scope:**client

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### knowledgebase.zip: knowledgebase.jar: controllerKnowledgeBase.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems  
/HelpDeskInstaller/client/build/tmp/dependencies/i-net HelpDesk Anwendung/plugins/knowledgebase.zip  
/knowledgebase.jar/com/inet/helpdesk/plugins/knowledgebase/client/knowledgebase  
/controllerKnowledgeBase.js

**MD5:** 11ddc540f33fc6ea68f7280bea2dca50

**SHA1:** a3732311ccc9523391eb8e36bdba5c92d8951195

**SHA256:**dacc970715f657f8a5d342779067435ca31db265098c5252d2027142cbbefbef

**Referenced In Project/Scope:**client

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### knowledgebase.zip: knowledgebase.jar: fuzzysearcharticleextension.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems  
/HelpDeskInstaller/client/build/tmp/dependencies/i-net HelpDesk Anwendung/plugins/knowledgebase.zip  
/knowledgebase.jar/com/inet/helpdesk/plugins/knowledgebase/server/ticketextension  
/fuzzysearcharticleextension.js

**MD5:** 1261f80fca5731093fdee8a73ce2269f

**SHA1:** 79c19cbd84ed9fab7653ace8a8d689f39f016b1c

**SHA256:**c8315c3d0a570aa98ac887bca42e55424c5a15755db49ce2c06ed566f51fd639

**Referenced In Project/Scope:**client

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

knowledgebase.zip: knowledgebase.jar: knowledgeBaseFactory.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/client/build/tmp/dependencies/i-net HelpDesk Anwendung/plugins/knowledgebase.zip/knowledgebase.jar/com/inet/helpdesk/plugins/knowledgebase/client/knowledgebase/knowledgeBaseFactory.js

**MD5:** 25177d781c33af0013c009016a99a89a

**SHA1:** 49bbb6fee2763fe39cfe33010824b2617e1526d4

**SHA256:** 5e496111fc4d576bde6769e0ef4bfe6c96ed79d08c085e2fba89757d6d70b41f

**Referenced In Project/Scope:**client

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

knowledgebase.zip: knowledgebase.jar: ticketlist.extension.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/client/build/tmp/dependencies/i-net HelpDesk Anwendung/plugins/knowledgebase.zip/knowledgebase.jar/com/inet/helpdesk/plugins/knowledgebase/client/knowledgebase/ticketlist.extension.js

**MD5:** f5967f9c4bd620384913cbee6e34d140

**SHA1:** d620a6455eb859f7d27819d738b9ae34f610d290

**SHA256:** fb0bd36e7a233aa611dbc564cf347bcce2ac23b1bb0cddb7f2bba544c976b53c

**Referenced In Project/Scope:**client

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

livesupport.zip: livesupport.jar

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems /HelpDeskInstaller/client/build/tmp/dependencies/i-net HelpDesk Anwendung/plugins/livesupport.zip /livesupport.jar  
**MD5:** fc2188d18e5f74cc9ff1122eb5a6d7b9  
**SHA1:** ad170bf0d254d4162db4b12d67b39f1c1e660743  
**SHA256:**8e9990a3a6a979d1713b5a90afdd62b87e6ab8e1b520f9dabe4c50b4d30eddc5  
**Referenced In Project/Scope:**client

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	livesupport	High
Vendor	jar	package name	helpdesk	Low
Vendor	jar	package name	inet	Low
Vendor	jar	package name	plugins	Low
Vendor	Manifest	built-date	2024-01-16 14:43	Low
Vendor	Manifest	implementation-group	helpdesk	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	livesupport	High
Product	jar	package name	helpdesk	Highest
Product	jar	package name	helpdesk	Low
Product	jar	package name	livesupport	Highest
Product	jar	package name	livesupport	Low
Product	jar	package name	plugins	Low
Product	Manifest	built-date	2024-01-16 14:43	Low
Product	Manifest	implementation-group	helpdesk	Low
Product	Manifest	Implementation-	livesupport	High

		Title		
Product	Manifest	specification-title	livesupport	Medium
Version	jar	package name	helpdesk	Highest
Version	Manifest	Implementation-Version	23.10.295	High

#### Identifiers

- cpe:2.3:a:inetsoftware:helpdesk:23.10.295:\*:\*:\*:\*:\* (Confidence:Low) suppress

### livesupport.zip: livesupport.jar: attachments.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/client/build/tmp/dependencies/i-net HelpDesk Anwendung/plugins/livesupport.zip/livesupport.jar/com/inet/helpdesk/plugins/livesupport/client/js/attachments.js

**MD5:** e36b20c3945f4aaecf55660154e28814

**SHA1:** bd564bf82ad916692c04a3c40e79d66bde2c8144

**SHA256:** 4b0d074f589de684d3b68840d23972fee550b25877f2c5bfe0d0ebc3d8011ae7

**Referenced In Project/Scope:**client

#### Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### livesupport.zip: livesupport.jar: connections.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/client/build/tmp/dependencies/i-net HelpDesk Anwendung/plugins/livesupport.zip/livesupport.jar/com/inet/helpdesk/plugins/livesupport/client/js/connections.js

**MD5:** 36b8280197ef286a5b0b5156e005f017

**SHA1:** a7e921c1f7b9f1cb018a0cd386a73b9d2c8e4393

**SHA256:** 48fcd233eff13f716d9ac2c314896599d9bbe02bd820503d224ac6aa44428868

**Referenced In Project/Scope:**client

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## livesupport.zip: livesupport.jar: controller.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/client/build/tmp/dependencies/i-net HelpDesk Anwendung/plugins/livesupport.zip/livesupport.jar/com/inet/helpdesk/plugins/livesupport/client/js/controller.js  
**MD5:** 75e5da2497ff082de4e78609f68267a0  
**SHA1:** 9480e67859bd449ad4bf968d5b1549ea85978562  
**SHA256:**1d998c12cc49269f278daa99710bb3da7965b87f4b8ee429b7e7b46f9756c22f  
**Referenced In Project/Scope:**client

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## livesupport.zip: livesupport.jar: dragging.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/client/build/tmp/dependencies/i-net HelpDesk Anwendung/plugins/livesupport.zip/livesupport.jar/com/inet/helpdesk/plugins/livesupport/client/js/lib/dragging.js  
**MD5:** 0b71570c16534ca2d13c687e21c00017  
**SHA1:** 62fc899fa0f0452efb8556fee2756c35383fdb35  
**SHA256:**a5884efeab4465033d4fdcedf03f7dc2138d938ae6d566c4f70d3a4d8ea8519a  
**Referenced In Project/Scope:**client

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

### livesupport.zip: livesupport.jar: events.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/client/build/tmp/dependencies/i-net HelpDesk Anwendung/plugins/livesupport.zip/livesupport.jar/com/inet/helpdesk/plugins/livesupport/client/js/lib/events.js  
**MD5:** 2b3d46a27ea9601db330eead65c08798  
**SHA1:** 84b4be596cf504baf3ccc5c198b1424852019444  
**SHA256:** b21b4dbc664ae47a61fb5ecfd87dc4760009386a8d98c127836b4dd07e97ffb1  
**Referenced In Project/Scope:** client

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### livesupport.zip: livesupport.jar: fetch-promise.min.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/client/build/tmp/dependencies/i-net HelpDesk Anwendung/plugins/livesupport.zip/livesupport.jar/com/inet/helpdesk/plugins/livesupport/client/js/lib/fetch-promise.min.js  
**MD5:** 58b3e33a90cd1b4b5f31f2cab8add76e  
**SHA1:** 59e1613cc5ba26d993c2f61a32aa6d7e62bd4f6c  
**SHA256:** 9563fb9eaf9f5e97c1462bf433c895d0ff340e8ec0500938fbefa5a9e0081a0a  
**Referenced In Project/Scope:** client

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### livesupport.zip: livesupport.jar: i18n.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/client/build/tmp/dependencies/i-net HelpDesk Anwendung/plugins/livesupport.zip/livesupport.jar/com/inet/helpdesk/plugins/livesupport/client/js/i18n.js  
**MD5:** 3de74bcd53be3fc42c7a8018fca44f1e  
**SHA1:** 93a1cb8a69478f26b581e03dd840225b1d77d191  
**SHA256:** 659ea6498c2d84601e168a643af1346401d54bc5accaab3cd7c519ecde9b7236  
**Referenced In Project/Scope:** client

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### livesupport.zip: livesupport.jar: lazy-load.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/client/build/tmp/dependencies/i-net HelpDesk Anwendung/plugins/livesupport.zip/livesupport.jar/com/inet/helpdesk/plugins/livesupport/client/js/lazy-load.js  
**MD5:** c8c4f76c76d8c4e6226ad139ca512a4d  
**SHA1:** 622d10441ded57bfdac20d655e796feeb2337f09  
**SHA256:** 1f32ead7094f11b9f7169ecb93d39bc03071ae342575631e77a2f58171e4f8bb  
**Referenced In Project/Scope:** client

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### livesupport.zip: livesupport.jar: prototype.array.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/client/build/tmp/dependencies/i-net HelpDesk Anwendung/plugins/livesupport.zip/livesupport.jar/com/inet/helpdesk/plugins/livesupport/client/js/lib/prototype.array.js  
**MD5:** 45dacd23529e4c8be70b74ff815261b1

**SHA1:** 5a5989506e8ddefd3434852cbe7edc89d22a8bab  
**SHA256:** 5b4e150fe813fa86ccb19ea06ec77b49419da7ddfb24e65ef1e5d2b4db20571e  
**Referenced In Project/Scope:** client

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

**livesupport.zip: livesupport.jar: prototype.element.js**

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems  
/HelpDeskInstaller/client/build/tmp/dependencies/i-net HelpDesk Anwendung/plugins/livesupport.zip  
/livesupport.jar/com/inet/helpdesk/plugins/livesupport/client/js/lib/prototype.element.js  
**MD5:** 4149978a5d0a8cb904e22b018eb1cf3d  
**SHA1:** f49de5b0eda4a0229155ba40780c32c9d57ca0b3  
**SHA256:** 2660c214d72def6ddb9bcde3145ff5fff661848bb2dc530a6224b89155bc7b7d  
**Referenced In Project/Scope:** client

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

**livesupport.zip: livesupport.jar: ui-components.js**

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems  
/HelpDeskInstaller/client/build/tmp/dependencies/i-net HelpDesk Anwendung/plugins/livesupport.zip  
/livesupport.jar/com/inet/helpdesk/plugins/livesupport/client/js/ui-components.js  
**MD5:** b4cc80693c860ebc34452d7a10147137  
**SHA1:** 0a9eeb6ab06add7a023893e3e6ee27b7609a80b7  
**SHA256:** 172025aa740112bb57d9aa9cf8a76d9b869109291ce681b393fabcd8f8a820ec  
**Referenced In Project/Scope:** client

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

maintenance.helpdesk.zip: maintenance.helpdesk.jar

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/client/build/tmp/dependencies/i-net HelpDesk Anwendung/plugins/maintenance.helpdesk.zip/maintenance.helpdesk.jar  
**MD5:** d236c1878b3866ce8b47fbc1d8e60bdf  
**SHA1:** 6e4f6632d954f37fab3b8ef9ca5d12551cc66b16  
**SHA256:**b1be64dcb138257ee8273000ea7d9a8918be9d71fef1c4fb962c436f1c91a6c7  
**Referenced In Project/Scope:**client

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	maintenance.helpdesk	High
Vendor	jar	package name	helpdesk	Low
Vendor	jar	package name	inet	Low
Vendor	jar	package name	plugins	Low
Vendor	Manifest	built-date	2024-01-16 14:37	Low
Vendor	Manifest	implementation-group	helpdesk	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	maintenance.helpdesk	High
Product	jar	package name	helpdesk	Highest
Product	jar	package name	helpdesk	Low
Product	jar	package name	maintenance	Highest
Product	jar	package name	maintenance	Low
Product	jar	package name	plugins	Low
Product	Manifest	built-date	2024-01-16 14:37	Low

Product	Manifest	implementation-group	helpdesk	Low
Product	Manifest	Implementation-Title	maintenance.helpdesk	High
Product	Manifest	specification-title	maintenance.helpdesk	Medium
Version	jar	package name	helpdesk	Highest
Version	Manifest	Implementation-Version	23.10.295	High

#### Identifiers

- cpe:2.3:a:inetsoftware:helpdesk:23.10.295:\*:\*:\*:\*:\* ( *Confidence:Low* ) suppress

### maintenance.helpdesk.zip: maintenance.helpdesk.jar: app.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/client/build/tmp/dependencies/i-net HelpDesk Anwendung/plugins/maintenance.helpdesk.zip/maintenance.helpdesk.jar/com/inet/helpdesk/plugins/maintenance/server/datacare/js/app.js  
**MD5:** 52a0959e0d631f3110283fc69ef65833  
**SHA1:** 6326b9129b3f552b9b3141c1445645f005e4b6d4  
**SHA256:** 7b01584ba3e3a5040dfc21ce0cc3698f98ad17d2513a7da5da470e5e5a2d218b  
**Referenced In Project/Scope:**client

#### Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### maintenance.helpdesk.zip: maintenance.helpdesk.jar: datacare.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/client/build/tmp/dependencies/i-net HelpDesk Anwendung/plugins/maintenance.helpdesk.zip/maintenance.helpdesk.jar/com/inet/helpdesk/plugins/maintenance/server/datacare/js/datacare.js  
**MD5:** 257869e677fe6ae3a9e20353d429269c  
**SHA1:** 1da2e72a62aaa6e7a5ca8390585d9c5fd87574db  
**SHA256:** 94abb50d5610464b7d24a1cd93fba1de6afe887c3ea486bc2ea05d90c97add71  
**Referenced In Project/Scope:**client

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## maintenance.helpdesk.zip: maintenance.helpdesk.jar: dbmigration.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/client/build/tmp/dependencies/i-net HelpDesk Anwendung/plugins/maintenance.helpdesk.zip/maintenance.helpdesk.jar/com/inet/helpdesk/plugins/maintenance/server/dbmigration/js/dbmigration.js

**MD5:** cbedd0460a83b3eb5d36f397ccce4c14

**SHA1:** 8427b062cdfcf4c6142ada5d34187da77a7ae9e3

**SHA256:** 4a57d59dbd3f5d33998e2fd454bf45f887b9dfce923336fb1365d3baacaa038e

**Referenced In Project/Scope:** client

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## maintenance.helpdesk.zip: maintenance.helpdesk.jar: loginmodification.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/client/build/tmp/dependencies/i-net HelpDesk Anwendung/plugins/maintenance.helpdesk.zip/maintenance.helpdesk.jar/com/inet/helpdesk/plugins/maintenance/server/loginmodification/js/loginmodification.js

**MD5:** 586c75a48eb97b7fb1fb27ef06ba8e9b

**SHA1:** 1b1e55b6b9e619cfde4e502fbc59248d4c8da8c5

**SHA256:** c2e4132b57073e62e79f0f02dd75a39e8b5300ce8c66a6c88593c6ef97df681

**Referenced In Project/Scope:** client

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

mobilerpc.zip: mobilerpc.jar

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/client/build/tmp/dependencies/i-net HelpDesk Anwendung/plugins/mobilerpc.zip/mobilerpc.jar

**MD5:** c3f6055fe7135ab2040f8b4e190d74d9

**SHA1:** ff2007affac255023b6b8cc7c82c77116521769c

**SHA256:** 7cf761d5a3f2e97bd443686c90cb37cb1c064972d04e3a791acc61b3c28b0e03

**Referenced In Project/Scope:** client

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	mobilerpc	High
Vendor	jar	package name	helpdesk	Low
Vendor	jar	package name	inet	Low
Vendor	jar	package name	plugins	Low
Vendor	Manifest	built-date	2024-01-16 14:37	Low
Vendor	Manifest	implementation-group	helpdesk	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	mobilerpc	High
Product	jar	package name	helpdesk	Highest
Product	jar	package name	helpdesk	Low
Product	jar	package name	mobilerpc	Highest
Product	jar	package name	mobilerpc	Low
Product	jar	package name	plugins	Low
Product	Manifest	built-date	2024-01-16 14:37	Low



Product	Manifest	implementation-group	helpdesk	Low
Product	Manifest	Implementation-Title	mobilerpc	High
Product	Manifest	specification-title	mobilerpc	Medium
Version	jar	package name	helpdesk	Highest
Version	Manifest	Implementation-Version	23.10.295	High

#### Identifiers

- cpe:2.3:a:inetsoftware:helpdesk:23.10.295:\*:\*:\*:\*:\* (Confidence:Low) suppress

## opentest4j-1.3.0.jar

### Description:

Open Test Alliance for the JVM

### License:

The Apache License, Version 2.0: <https://www.apache.org/licenses/LICENSE-2.0.txt>

**File Path:** /home/jenkins/.gradle/caches/modules-2/files-2.1/org.opentest4j/opentest4j/1.3.0/152ea56b3a72f655d4fd677fc0ef2596c3dd5e6e/opentest4j-1.3.0.jar

**MD5:** 03c404f727531f3fd3b4c73997899327

**SHA1:** 152ea56b3a72f655d4fd677fc0ef2596c3dd5e6e

**SHA256:** 48e2df636cab6563ced64dcdff8abb2355627cb236ef0bf37598682ddf742f1b

**Referenced In Project/Scope:** client:inetPlugin

### Evidence



Type	Source	Name	Value	Confidence
Vendor	central	artifactid	opentest4j	Highest
Vendor	central	groupid	org.opentest4j	Highest
Vendor	file	name	opentest4j	High
Vendor	gradle	artifactid	opentest4j	Highest
Vendor	gradle	groupid	org.opentest4j	Highest
Vendor	jar	package name	opentest4j	Highest
Vendor	jar	package name	opentest4j	Low
Vendor	Manifest	build-date	2023-07-06	Low
Vendor	Manifest	build-revision	214973bfa4e7e9be7d04e623202cc4147c7036	Low

Vendor	Manifest	build-time	14:25:06.116+0200	Low
Vendor	Manifest	bundle-symbolicname	org.opentest4j	Medium
Vendor	Manifest	Implementation-Vendor	opentest4j.org	High
Vendor	Manifest	require-capability	osgi.ee;filter:="(&(osgi.ee=JavaSE)(version=1.6))"	Low
Vendor	Manifest	specification-vendor	opentest4j.org	Low
Vendor	pom	artifactid	opentest4j	Low
Vendor	pom	developer email	business@johanneslink.net	Low
Vendor	pom	developer email	mail@marcphilipp.de	Low
Vendor	pom	developer email	matthias.merdes@heidelpay.com	Low
Vendor	pom	developer email	sam@sambrannen.com	Low
Vendor	pom	developer email	stefan.bechtold@me.com	Low
Vendor	pom	developer id	bechte	Medium
Vendor	pom	developer id	jlink	Medium
Vendor	pom	developer id	marcphilipp	Medium
Vendor	pom	developer id	mmerdes	Medium
Vendor	pom	developer id	sbrannen	Medium
Vendor	pom	developer name	Johannes Link	Medium
Vendor	pom	developer name	Marc Philipp	Medium
Vendor	pom	developer name	Matthias Merdes	Medium
Vendor	pom	developer name	Sam Brannen	Medium
Vendor	pom	developer name	Stefan Bechtold	Medium
Vendor	pom	groupid	org.opentest4j	Highest
Vendor	pom	name	org.opentest4j:opentest4j	High
Vendor	pom	url	ota4j-team/opentest4j	Highest
Product	central	artifactid	opentest4j	Highest
Product	file	name	opentest4j	High
Product	gradle	artifactid	opentest4j	Highest
Product	jar	package name	opentest4j	Highest
Product	Manifest	build-date	2023-07-06	Low
Product	Manifest	build-revision	214973bfa4e7e9be7d04e623202cc4147c7036	Low
Product	Manifest	build-time	14:25:06.116+0200	Low
Product	Manifest	Bundle-Name	opentest4j	Medium
Product	Manifest	bundle-symbolicname	org.opentest4j	Medium

Product	Manifest	Implementation-Title	opentest4j	High
Product	Manifest	require-capability	osgi.ee;filter:="(&(osgi.ee=JavaSE)(version=1.6))"	Low
Product	Manifest	specification-title	opentest4j	Medium
Product	pom	artifactid	opentest4j	Highest
Product	pom	developer email	business@johanneslink.net	Low
Product	pom	developer email	mail@marcphilipp.de	Low
Product	pom	developer email	matthias.merdes@heidelpay.com	Low
Product	pom	developer email	sam@sambrannen.com	Low
Product	pom	developer email	stefan.bechtold@me.com	Low
Product	pom	developer id	bechte	Low
Product	pom	developer id	jlink	Low
Product	pom	developer id	marcphilipp	Low
Product	pom	developer id	mmerdes	Low
Product	pom	developer id	sbrannen	Low
Product	pom	developer name	Johannes Link	Low
Product	pom	developer name	Marc Philipp	Low
Product	pom	developer name	Matthias Merdes	Low
Product	pom	developer name	Sam Brannen	Low
Product	pom	developer name	Stefan Bechtold	Low
Product	pom	groupid	org.opentest4j	Highest
Product	pom	name	org.opentest4j:opentest4j	High
Product	pom	url	ota4j-team/opentest4j	High
Version	central	version	1.3.0	Highest
Version	file	version	1.3.0	High
Version	gradle	version	1.3.0	Highest
Version	Manifest	Bundle-Version	1.3.0	High
Version	Manifest	Implementation-Version	1.3.0	High
Version	pom	version	1.3.0	Highest

#### Identifiers

- [pkg:maven/org.opentest4j/opentest4j@1.3.0](https://pkg:maven/org.opentest4j/opentest4j@1.3.0) (*Confidence:High*)

## pgp.zip: bcpkg-jdk18on.jar

### Description:

The Bouncy Castle Java API for handling the OpenPGP protocol. This jar contains the OpenPGP API for JDK 1.8 and up. The APIs can be used in conjunction with a JCE/JCA provider such as the one provided with the Bouncy Castle Cryptography APIs.

### License:

Bouncy Castle Licence: <https://www.bouncycastle.org/licence.html>

Apache Software License, Version 2.0: <https://www.apache.org/licenses/LICENSE-2.0>

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/client/build/tmp/dependencies/i-net HelpDesk Anwendung/plugins/pgp.zip/bcpkg-jdk18on.jar

**MD5:** 6d7037402e65947f42ab73a0fb0dc196

**SHA1:** d5c23d0470261254d0e84dde1d4237d228540298

**SHA256:** 5bc7c7ea6fc4d38cdfa0cf28142cc11944c6fa9abfa756ce8fb7a7e11d2fbf9e

**Referenced In Project/Scope:** client

### Evidence



Type	Source	Name	Value	Confidence
Vendor	central	artifactid	bcpkg-jdk18on	Highest
Vendor	central	groupid	org.bouncycastle	Highest
Vendor	file	name	bcpkg-jdk18on	High
Vendor	jar	package name	bcpkg	Highest
Vendor	jar	package name	bouncycastle	Highest
Vendor	jar	package name	bouncycastle	Low
Vendor	jar	package name	openpgp	Highest
Vendor	jar	package name	openpgp	Low
Vendor	Manifest	application-library-allowable-codebase	*	Low
Vendor	Manifest	application-name	Bouncy Castle OpenPGP API	Medium
Vendor	Manifest	automatic-module-name	org.bouncycastle.pg	Medium
Vendor	Manifest	bundle-requiredexecution	J2SE-1.5	Low
Vendor	Manifest	bundle-symbolicname	bcpkg	Medium
Vendor	Manifest	caller-allowable-codebase	*	Low
Vendor	Manifest	codebase	*	Low
Vendor	Manifest	extension-name	org.bouncycastle.bcpkg	Medium

Vendor	Manifest	Implementation-Vendor	BouncyCastle.org	High
Vendor	Manifest	Implementation-Vendor-Id	org.bouncycastle	Medium
Vendor	Manifest	multi-release	true	Low
Vendor	Manifest	originally-created-by	25.362-b09 (Private Build)	Low
Vendor	Manifest	permissions	all-permissions	Low
Vendor	Manifest	specification-vendor	BouncyCastle.org	Low
Vendor	Manifest	trusted-library	true	Low
Vendor	pom	artifactid	bcpg-jdk18on	Low
Vendor	pom	developer email	feedback-crypto@bouncycastle.org	Low
Vendor	pom	developer id	feedback-crypto	Medium
Vendor	pom	developer name	The Legion of the Bouncy Castle Inc.	Medium
Vendor	pom	groupid	org.bouncycastle	Highest
Vendor	pom	name	Bouncy Castle OpenPGP API	High
Vendor	pom	url	<a href="https://www.bouncycastle.org/java.html">https://www.bouncycastle.org/java.html</a>	Highest
Product	central	artifactid	bcpg-jdk18on	Highest
Product	file	name	bcpg-jdk18on	High
Product	jar	package name	bcpg	Highest
Product	jar	package name	bouncycastle	Highest
Product	jar	package name	openpgp	Highest
Product	jar	package name	openpgp	Low
Product	Manifest	application-library-allowable-codebase	*	Low
Product	Manifest	application-name	Bouncy Castle OpenPGP API	Medium
Product	Manifest	automatic-module-name	org.bouncycastle.pg	Medium
Product	Manifest	Bundle-Name	bcpg	Medium
Product	Manifest	bundle-requiredexecution	J2SE-1.5	Low
Product	Manifest	bundle-symbolicname	bcpg	Medium
Product	Manifest	caller-allowable-codebase	*	Low
Product	Manifest	codebase	*	Low
Product	Manifest	extension-name	org.bouncycastle.bcpg	Medium

Product	Manifest	multi-release	true	Low
Product	Manifest	originally-created-by	25.362-b09 (Private Build)	Low
Product	Manifest	permissions	all-permissions	Low
Product	Manifest	trusted-library	true	Low
Product	pom	artifactid	bcpjg-jdk18on	Highest
Product	pom	developer email	feedback-crypto@bouncycastle.org	Low
Product	pom	developer id	feedback-crypto	Low
Product	pom	developer name	The Legion of the Bouncy Castle Inc.	Low
Product	pom	groupid	org.bouncycastle	Highest
Product	pom	name	Bouncy Castle OpenPGP API	High
Product	pom	url	https://www.bouncycastle.org/java.html	Medium
Version	central	version	1.76	Highest
Version	Manifest	Bundle-Version	1.76	High
Version	pom	version	1.76	Highest

## Identifiers

- [pkg:maven/org.bouncycastle/bcpjg-jdk18on@1.76](#) (Confidence:High)
- [cpe:2.3:a:bouncycastle:bouncy\\_castle\\_for\\_java:1.76:\\*\\*\\*\\*\\*](#) (Confidence:Low)
- [cpe:2.3:a:bouncycastle:legion-of-the-bouncy-castle:1.76:\\*\\*\\*\\*\\*](#) (Confidence:Low)
- [cpe:2.3:a:openpgp:openpgp:1.76:\\*\\*\\*\\*\\*](#) (Confidence:Low)

## pgp.zip: bcprov-jdk18on.jar

### Description:

The Bouncy Castle Crypto package is a Java implementation of cryptographic algorithms. This jar contains JCE provider and lightweight API for the Bouncy Castle Cryptography APIs for JDK 1.8 and up.

### License:

Bouncy Castle Licence: <https://www.bouncycastle.org/licence.html>

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/client/build/tmp/dependencies/i-net HelpDesk Anwendung/plugins/pgp.zip/bcprov-jdk18on.jar

**MD5:** 7020b9a9e1b951f5754a2168a26367f1

**SHA1:** 3a785d0b41806865ad7e311162bfa3fa60b3965b

**SHA256:** fda85d777aaae168015860b23a77cad9b8d3a1d5c904fda875313427bd560179

**Referenced In Project/Scope:** client

## Evidence



Type	Source	Name	Value	Confidence
Vendor	central	artifactid	bcprov-jdk18on	Highest
Vendor	central	groupid	org.bouncycastle	Highest
Vendor	file	name	bcprov-jdk18on	High
Vendor	jar	package name	bouncycastle	Highest
Vendor	jar	package name	bouncycastle	Low
Vendor	jar	package name	org	Highest
Vendor	jar	package name	provider	Highest
Vendor	Manifest	application-library-allowable-codebase	*	Low
Vendor	Manifest	application-name	Bouncy Castle Provider	Medium
Vendor	Manifest	automatic-module-name	org.bouncycastle.provider	Medium
Vendor	Manifest	bundle-requiredexecution	J2SE-1.5	Low
Vendor	Manifest	bundle-symbolicname	bcprov	Medium
Vendor	Manifest	caller-allowable-codebase	*	Low
Vendor	Manifest	codebase	*	Low
Vendor	Manifest	extension-name	org.bouncycastle.bcprovider	Medium
Vendor	Manifest	Implementation-Vendor	BouncyCastle.org	High
Vendor	Manifest	Implementation-Vendor-Id	org.bouncycastle	Medium
Vendor	Manifest	multi-release	true	Low
Vendor	Manifest	originally-created-by	25.362-b09 (Private Build)	Low
Vendor	Manifest	permissions	all-permissions	Low
Vendor	Manifest	specification-vendor	BouncyCastle.org	Low
Vendor	Manifest	trusted-library	true	Low
Vendor	pom	artifactid	bcprov-jdk18on	Low
Vendor	pom	developer email	feedback-crypto@bouncycastle.org	Low
Vendor	pom	developer id	feedback-crypto	Medium
Vendor	pom	developer name	The Legion of the Bouncy Castle Inc.	Medium

Vendor	pom	groupid	org.bouncycastle	Highest
Vendor	pom	name	Bouncy Castle Provider	High
Vendor	pom	url	<a href="https://www.bouncycastle.org/java.html">https://www.bouncycastle.org/java.html</a>	Highest
Product	central	artifactid	bcprov-jdk18on	Highest
Product	file	name	bcprov-jdk18on	High
Product	hint analyzer	product	legion-of-the-bouncy-castle-java-cryptography-api	High
Product	hint analyzer	product	the_bouncy_castle_crypto_package_for_java	High
Product	jar	package name	bouncycastle	Highest
Product	jar	package name	org	Highest
Product	jar	package name	provider	Highest
Product	Manifest	application-library-allowable-codebase	*	Low
Product	Manifest	application-name	Bouncy Castle Provider	Medium
Product	Manifest	automatic-module-name	org.bouncycastle.provider	Medium
Product	Manifest	Bundle-Name	bcprov	Medium
Product	Manifest	bundle-requiredexecution	J2SE-1.5	Low
Product	Manifest	bundle-symbolicname	bcprov	Medium
Product	Manifest	caller-allowable-codebase	*	Low
Product	Manifest	codebase	*	Low
Product	Manifest	extension-name	org.bouncycastle.bcprovider	Medium
Product	Manifest	multi-release	true	Low
Product	Manifest	originally-created-by	25.362-b09 (Private Build)	Low
Product	Manifest	permissions	all-permissions	Low
Product	Manifest	trusted-library	true	Low
Product	pom	artifactid	bcprov-jdk18on	Highest
Product	pom	developer email	feedback-crypto@bouncycastle.org	Low
Product	pom	developer id	feedback-crypto	Low
Product	pom	developer name	The Legion of the Bouncy Castle Inc.	Low
Product	pom	groupid	org.bouncycastle	Highest
Product	pom	name	Bouncy Castle Provider	High



Product	pom	url	https://www.bouncycastle.org/java.html	Medium
Version	central	version	1.76	Highest
Version	Manifest	Bundle-Version	1.76	High
Version	pom	version	1.76	Highest

### Identifiers

- [pkg:maven/org.bouncycastle/bcprov-jdk18on@1.76](#) (*Confidence:High*)
- [cpe:2.3:a:bouncycastle:bouncy-castle-crypto-package:1.76:\\*:\\*:\\*:\\*:\\*](#) (*Confidence:Low*)
- [cpe:2.3:a:bouncycastle:bouncy\\_castle\\_crypto\\_package:1.76:\\*:\\*:\\*:\\*:\\*](#) (*Confidence:Low*)
- [cpe:2.3:a:bouncycastle:bouncy\\_castle\\_for\\_java:1.76:\\*:\\*:\\*:\\*:\\*](#) (*Confidence:Low*)
- [cpe:2.3:a:bouncycastle:legion-of-the-bouncy-castle:1.76:\\*:\\*:\\*:\\*:\\*](#) (*Confidence:Low*)
- [cpe:2.3:a:bouncycastle:legion-of-the-bouncy-castle-java-cryptography-api:1.76:\\*:\\*:\\*:\\*:\\*](#) (*Confidence:Low*)
- [cpe:2.3:a:bouncycastle:the\\_bouncy\\_castle\\_crypto\\_package\\_for\\_java:1.76:\\*:\\*:\\*:\\*:\\*](#) (*Confidence:Low*)

### pgp.zip: client.jar

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/client/build/tmp/dependencies/i-net HelpDesk Anwendung/plugins/pgp.zip/client.jar  
**MD5:** 77a5acb05f829d7f27b7bf5e09b1f056  
**SHA1:** 51958842984234d3c0a13f88ef2e7274931e9660  
**SHA256:** f3b8173ac8a61688d12c55071e0b03eaf393efcdec8dc202d1cc5a68d71c448f  
**Referenced In Project/Scope:** client

### Evidence

Type	Source	Name	Value	Confidence
Vendor	file	name	client	High
Vendor	jar	package name	helpdesk	Low
Vendor	jar	package name	inet	Low
Vendor	jar	package name	plugins	Low
Vendor	Manifest	application-library-allowable-codebase	*	Low
Vendor	Manifest	built-date	2024-01-16 14:37	Low

Vendor	Manifest	codebase	*	Low
Vendor	Manifest	implementation-group	helpdesk	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	permissions	all-permissions	Low
Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	trusted-library	false	Low
Vendor	Manifest	trusted-only	false	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	client	High
Product	jar	package name	helpdesk	Highest
Product	jar	package name	helpdesk	Low
Product	jar	package name	pgp	Low
Product	jar	package name	plugins	Low
Product	Manifest	application-library-allowable-codebase	*	Low
Product	Manifest	built-date	2024-01-16 14:37	Low
Product	Manifest	codebase	*	Low
Product	Manifest	implementation-group	helpdesk	Low
Product	Manifest	Implementation-Title	client	High
Product	Manifest	permissions	all-permissions	Low
Product	Manifest	specification-title	client	Medium
Product	Manifest	trusted-library	false	Low
Product	Manifest	trusted-only	false	Low
Version	jar	package name	helpdesk	Highest
Version	Manifest	Implementation-Version	23.10.295	High

## Identifiers

- cpe:2.3:a:inetsoftware:helpdesk:23.10.295:\*:\*:\*:\*:\* ( *Confidence:Low* ) suppress

pgp.zip: pgp.jar

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/client/build/tmp/dependencies/i-net HelpDesk Anwendung/plugins/pgp.zip/pgp.jar  
**MD5:** 9a2b8939006d995b05427cf161e1f5c8  
**SHA1:** d2e2b765bf21d406ace02d67b0603d6e001dbf70  
**SHA256:** a13ac4fec39d2f34dc4e393a06d33301eb3cbc0e9742d7293850e4e7300daa4b  
**Referenced In Project/Scope:** client

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	pgp	High
Vendor	jar	package name	helpdesk	Low
Vendor	jar	package name	inet	Low
Vendor	jar	package name	plugins	Low
Vendor	Manifest	built-date	2024-01-16 14:37	Low
Vendor	Manifest	implementation-group	helpdesk	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	pgp	High
Product	jar	package name	helpdesk	Highest
Product	jar	package name	helpdesk	Low
Product	jar	package name	pgp	Highest
Product	jar	package name	pgp	Low
Product	jar	package name	plugins	Low
Product	Manifest	built-date	2024-01-16 14:37	Low
Product	Manifest	implementation-group	helpdesk	Low
Product	Manifest	Implementation-Title	pgp	High
Product	Manifest	specification-title	pgp	Medium
Version	jar	package name	helpdesk	Highest
Version	Manifest	Implementation-	23.10.295	High

Version

Identifiers

- cpe:2.3:a:pgp:pgp:23.10.295:\*:\*:\*:\*:\* (Confidence:Low) suppress

push.helpdesk.zip: push.helpdesk.jar

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/client/build/tmp/dependencies/i-net HelpDesk Anwendung/plugins/push.helpdesk.zip/push.helpdesk.jar

**MD5:** d44ac5f65383950f08e827688ce89ec4

**SHA1:** c8a31ebf6b583de4ce7d4c82177d1146c987f4f2

**SHA256:**f4d919b5fc8d9738a9b26b6dcf5ec7e1ad784238dabeed9fcdf28233350ecd29

**Referenced In Project/Scope:**client

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	push.helpdesk	High
Vendor	jar	package name	helpdesk	Low
Vendor	jar	package name	inet	Low
Vendor	jar	package name	plugins	Low
Vendor	Manifest	built-date	2024-01-16 14:40	Low
Vendor	Manifest	implementation-group	helpdesk	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	push.helpdesk	High
Product	jar	package name	helpdesk	Highest
Product	jar	package name	helpdesk	Low
Product	jar	package name	plugins	Low
Product	jar	package name	push	Highest
Product	jar	package name	push	Low

Product	Manifest	built-date	2024-01-16 14:40	Low
Product	Manifest	implementation-group	helpdesk	Low
Product	Manifest	Implementation-Title	push.helpdesk	High
Product	Manifest	specification-title	push.helpdesk	Medium
Version	jar	package name	helpdesk	Highest
Version	Manifest	Implementation-Version	23.10.295	High

### Identifiers

- cpe:2.3:a:inetsoftware:helpdesk:23.10.295:\*:\*:\*:\*:\* (Confidence:Low) suppress

## quicketicket.zip: quickticket.jar

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/client/build/tmp/dependencies/i-net HelpDesk Anwendung/plugins/quicketicket.zip/quicketicket.jar

**MD5:** 5ef6346fb1dff2bef500b780d1d18683

**SHA1:** 744892bb9fcc4ce58cce6e0b79ca80e71a075458

**SHA256:**a31a02d38f190093182196f6ad9e3a9e41866d513d2317b4bc26bf4119a6e978

**Referenced In Project/Scope:**client

### Evidence

Type	Source	Name	Value	Confidence
Vendor	file	name	quicketicket	High
Vendor	jar	package name	helpdesk	Low
Vendor	jar	package name	inet	Low
Vendor	jar	package name	plugins	Low
Vendor	Manifest	built-date	2024-01-16 14:42	Low
Vendor	Manifest	implementation-group	helpdesk	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium

Product	file	name	quicketicket	High
Product	jar	package name	helpdesk	Highest
Product	jar	package name	helpdesk	Low
Product	jar	package name	plugins	Low
Product	jar	package name	quicketicket	Highest
Product	jar	package name	quicketicket	Low
Product	Manifest	built-date	2024-01-16 14:42	Low
Product	Manifest	implementation-group	helpdesk	Low
Product	Manifest	Implementation-Title	quicketicket	High
Product	Manifest	specification-title	quicketicket	Medium
Version	jar	package name	helpdesk	Highest
Version	Manifest	Implementation-Version	23.10.295	High

Identifiers

- cpe:2.3:a:inetsoftware:helpdesk:23.10.295:\*:\*:\*:\*:\* (Confidence:Low) suppress

quicketicket.zip: quickticket.jar: configuration.quicketicket.createfolder.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/client/build/tmp/dependencies/i-net HelpDesk Anwendung/plugins/quicketicket.zip  
/quicketicket.jar/com/inet/helpdesk/plugins/quicketicket/client/config/configuration.quicketicket.createfolder.js  
**MD5:** 0acca039ac68bd854d5864f400189648  
**SHA1:** ff71156139fb2293bcb6f1103a0b0ea72393ddd4  
**SHA256:**f3bf1017ac9e9060cb5235db711be19714864b1ec5bb5419118e2d5af0a32b81  
**Referenced In Project/Scope:**client

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

## quicketticket.zip: quickticket.jar: configuration.quickticket.edit.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/client/build/tmp/dependencies/i-net HelpDesk Anwendung/plugins/quicketticket.zip/quicketticket.jar/com/inet/helpdesk/plugins/quicketticket/client/config/configuration.quickticket.edit.js

**MD5:** e822d2192752f24ad31a860787d1b03f

**SHA1:** 56af9d108e691bd28ac6b482f149671ae4cc8a75

**SHA256:** b0bd5e1ffb9321a94ef82a378dfe657889ccf788a00cdc6adbaba067fceefac0

**Referenced In Project/Scope:** client

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## quicketticket.zip: quickticket.jar: configuration.quickticket.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/client/build/tmp/dependencies/i-net HelpDesk Anwendung/plugins/quicketticket.zip/quicketticket.jar/com/inet/helpdesk/plugins/quicketticket/client/config/configuration.quickticket.js

**MD5:** 4c84ed001ea962d772f7982ae068eb76

**SHA1:** d4f7e63b8d46207bd43b5959b6816856b26fca3b

**SHA256:** 6240197f64643c7acd1ab72e68eaeaa58dadfa4b47280c3dd9dbefd3d770956a

**Referenced In Project/Scope:** client

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## quicketticket.zip: quickticket.jar: configuration.quickticket.renderer.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/client/build/tmp/dependencies/i-net HelpDesk Anwendung/plugins/quicketticket.zip/quicketticket.jar/com/inet/helpdesk/plugins/quicketticket/client/config/configuration.quickticket.renderer.js

**MD5:** 92f2220b16dae76836ad3ed427e08f53  
**SHA1:** 40b88a0d6e7f6df697cc7190639cc22726a14980  
**SHA256:** d0f50a5c3801d3d0dce5c6d63a944f75a489c4bb120fdce4e05f62dae95177db  
**Referenced In Project/Scope:** client

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### quicketicket.zip: quickticket.jar: ticketlist.extension.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/client/build/tmp/dependencies/i-net HelpDesk Anwendung/plugins/quicketicket.zip/quicketicket.jar/com/inet/helpdesk/plugins/quicketicket/client/ticketlist/ticketlist.extension.js

**MD5:** d533e34a257c157749dd5d4728694e91  
**SHA1:** c6972a0988651a3cd6977877d5f6b661a8c40cc8  
**SHA256:** aff429be287d6a51121ed475c0d710ff3eaa63214d14d7a758e55fe95169ae91  
**Referenced In Project/Scope:** client

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### quicketicket.zip: quickticket.jar: ticketlist.quickticket.apply.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/client/build/tmp/dependencies/i-net HelpDesk Anwendung/plugins/quicketicket.zip/quicketicket.jar/com/inet/helpdesk/plugins/quicketicket/client/ticketlist/ticketlist.quickticket.apply.js

**MD5:** e3e8cfaf2b44269d1d669cc85219f638  
**SHA1:** a2db814b957bb42ec9e9f95ec2f7eb81341b8a57  
**SHA256:** 1bdce88d13514a77ac0fe2da69148c7023bdbda3b4558140a892f615e98cf1d7  
**Referenced In Project/Scope:** client

#### Evidence





Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### reporttree.zip: client.jar

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/client/build/tmp/dependencies/i-net HelpDesk Anwendung/plugins/reporttree.zip/client.jar  
**MD5:** aa1d8cf19d045f8ed9b45a8c7a36d0fe  
**SHA1:** 9095d7b6aee192ef200266e06940edbf802c9caf  
**SHA256:** eeb39b306db9f7dd4644b9d2b58a9620746d2454e0ef3909aab7b13ddac6c5d4  
**Referenced In Project/Scope:** client

#### Evidence

Type	Source	Name	Value	Confidence
Vendor	file	name	client	High
Vendor	Manifest	application-library-allowable-codebase	*	Low
Vendor	Manifest	built-date	2024-01-16 14:40	Low
Vendor	Manifest	codebase	*	Low
Vendor	Manifest	implementation-group	helpdesk	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	permissions	all-permissions	Low
Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	trusted-library	false	Low
Vendor	Manifest	trusted-only	false	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	client	High
Product	Manifest	application-library-allowable-codebase	*	Low

Product	Manifest	built-date	2024-01-16 14:40	Low
Product	Manifest	codebase	*	Low
Product	Manifest	implementation-group	helpdesk	Low
Product	Manifest	Implementation-Title	client	High
Product	Manifest	permissions	all-permissions	Low
Product	Manifest	specification-title	client	Medium
Product	Manifest	trusted-library	false	Low
Product	Manifest	trusted-only	false	Low
Version	Manifest	Implementation-Version	23.10.295	High

Identifiers

- [cpe:2.3:a:inetsoftware:helpdesk:23.10.295:\\*\\*\\*\\*:\\*](#) (Confidence:Low) suppress

reporttree.zip: reporttree.jar

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/client/build/tmp/dependencies/i-net HelpDesk Anwendung/plugins/reporttree.zip/reporttree.jar  
**MD5:** bfd907a1b14dbac4ed4e9c707d341d7e  
**SHA1:** 05acc0744ec67419179fe75f035f54f87527610a  
**SHA256:**0b7764ca3d7e5049fd2e07d18e8d006d7fad05e5fa9ba4294d9ee00e9bfdd73f  
**Referenced In Project/Scope:**client

Evidence

Type	Source	Name	Value	Confidence
Vendor	file	name	reporttree	High
Vendor	jar	package name	helpdesk	Low
Vendor	jar	package name	inet	Low
Vendor	jar	package name	plugins	Low
Vendor	Manifest	built-date	2024-01-16 14:40	Low
Vendor	Manifest	implementation-group	helpdesk	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High

Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	reporttree	High
Product	jar	package name	helpdesk	Highest
Product	jar	package name	helpdesk	Low
Product	jar	package name	plugins	Low
Product	jar	package name	reporttree	Highest
Product	jar	package name	reporttree	Low
Product	Manifest	built-date	2024-01-16 14:40	Low
Product	Manifest	implementation-group	helpdesk	Low
Product	Manifest	Implementation-Title	reporttree	High
Product	Manifest	specification-title	reporttree	Medium
Version	jar	package name	helpdesk	Highest
Version	Manifest	Implementation-Version	23.10.295	High

#### Identifiers

- cpe:2.3:a:inetsoftware:helpdesk:23.10.295:\*:\*:\*:\*:\* ( *Confidence:Low* ) suppress

## slf4j-api-2.0.9.jar

### Description:

The slf4j API

### License:

<http://www.opensource.org/licenses/mit-license.php>

**File Path:** /home/jenkins/.gradle/caches/modules-2/files-2.1/org.slf4j/slf4j-api/2.0.9/7cf2726fdbc8610f9a71fb3ed639871f315340/slf4j-api-2.0.9.jar

**MD5:** 45630e54b0f0ac2b3c80462515ad8fda

**SHA1:** 7cf2726fdbc8610f9a71fb3ed639871f315340

**SHA256:** 0818930dc8d7debb403204611691da58e49d42c50b6ffcfcdce02dadb7c3c2b6c

**Referenced In Project/Scope:** client:inetPlugin

### Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	slf4j-api	High
Vendor	gradle	artifactid	slf4j-api	Highest
Vendor	gradle	groupid	org.slf4j	Highest
Vendor	jar	package name	slf4j	Highest
Vendor	Manifest	build-jdk-spec	20	Low
Vendor	Manifest	bundle-docurl	http://www.slf4j.org	Low
Vendor	Manifest	bundle-symbolicname	slf4j.api	Medium
Vendor	Manifest	multi-release	true	Low
Vendor	Manifest	require-capability	osgi.extender;filter:="(&(osgi.extender=osgi.serviceloader.processor)(version>=1.0.0)(!(version>=2.0.0)))",osgi.serviceloader;filter:="(osgi.serviceloader=org.slf4j.spi.SLF4JServiceProvider);osgi.serviceloader=org.slf4j.spi.SLF4JServiceProvider",osgi.ee;filter:="(&(osgi.ee=JavaSE)(version=1.8))"	Low
Vendor	pom	artifactid	slf4j-api	Low
Vendor	pom	groupid	org.slf4j	Highest
Vendor	pom	name	SLF4J API Module	High
Vendor	pom	parent-artifactid	slf4j-parent	Low
Vendor	pom	url	http://www.slf4j.org	Highest
Product	file	name	slf4j-api	High
Product	gradle	artifactid	slf4j-api	Highest
Product	jar	package name	slf4j	Highest
Product	jar	package name	slf4jserviceprovider	Highest
Product	jar	package name	spi	Highest
Product	Manifest	build-jdk-spec	20	Low
Product	Manifest	bundle-docurl	http://www.slf4j.org	Low
Product	Manifest	Bundle-Name	SLF4J API Module	Medium
Product	Manifest	bundle-symbolicname	slf4j.api	Medium
Product	Manifest	Implementation-Title	slf4j-api	High
Product	Manifest	multi-release	true	Low
Product	Manifest	require-capability	osgi.extender;filter:="(&(osgi.extender=osgi.serviceloader.processor)(version>=1.0.0)(!(version>=2.0.0)))",osgi.serviceloader;filter:="(osgi.serviceloader=org.slf4j.spi.SLF4JServiceProvider);osgi.serviceloader=org.slf4j.spi.SLF4JServiceProvider",osgi.ee;filter:="(&(osgi.ee=JavaSE)(version=1.8))"	Low

Product	pom	artifactid	slf4j-api	Highest
Product	pom	groupid	org.slf4j	Highest
Product	pom	name	SLF4J API Module	High
Product	pom	parent-artifactid	slf4j-parent	Medium
Product	pom	url	http://www.slf4j.org	Medium
Version	file	version	2.0.9	High
Version	gradle	version	2.0.9	Highest
Version	Manifest	Bundle-Version	2.0.9	High
Version	Manifest	Implementation-Version	2.0.9	High
Version	pom	version	2.0.9	Highest

#### Identifiers

- [pkg:maven/org.slf4j/slf4j-api@2.0.9](https://search.maven.org/artifact/org.slf4j/slf4j-api/2.0.9) (*Confidence:High*)

### swingclient.zip: Dialog.jar

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/client/build/tmp/dependencies/i-net HelpDesk Anwendung/plugins/swingclient.zip/Dialog.jar

**MD5:** 4050f47e80f92177aadfcd7605b663d9

**SHA1:** baede6cc39ce2efb20f65d760b7f519a790f5184

**SHA256:** f253791138908ddb96be3a0ca0c77265204440262c3b6504c4eb612a8ecff995

**Referenced In Project/Scope:** client

#### Evidence

Type	Source	Name	Value	Confidence
Vendor	file	name	Dialog	High
Vendor	jar	package name	helpdesk	Highest
Vendor	jar	package name	inet	Low
Vendor	jar	package name	loader	Low
Vendor	jar	package name	shared	Low
Vendor	Manifest	application-library-allowable-codebase	*	Low
Vendor	Manifest	application-name	i-net HelpDesk	Medium

Vendor	Manifest	built-date	2024-01-16 14:30	Low
Vendor	Manifest	codebase	*	Low
Vendor	Manifest	implementation-group	helpdesk	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	permissions	all-permissions	Low
Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	trusted-library	false	Low
Vendor	Manifest	trusted-only	false	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	Dialog	High
Product	jar	package name	helpdesk	Highest
Product	jar	package name	loader	Low
Product	jar	package name	shared	Low
Product	Manifest	application-library-allowable-codebase	*	Low
Product	Manifest	application-name	i-net HelpDesk	Medium
Product	Manifest	built-date	2024-01-16 14:30	Low
Product	Manifest	codebase	*	Low
Product	Manifest	implementation-group	helpdesk	Low
Product	Manifest	Implementation-Title	Dialog	High
Product	Manifest	permissions	all-permissions	Low
Product	Manifest	specification-title	Dialog	Medium
Product	Manifest	trusted-library	false	Low
Product	Manifest	trusted-only	false	Low
Version	jar	package name	helpdesk	Highest
Version	Manifest	Implementation-Version	23.10.295	High

## Identifiers

•

swingclient.zip: Dialog1.jar

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/client/build/tmp/dependencies/i-net HelpDesk Anwendung/plugins/swingclient.zip/Dialog1.jar

**MD5:** 10fca712ebdab4daeea81470114a7d34

**SHA1:** 03f4309ebcb8da409a2bd5368644df240414f023

**SHA256:**d3fb34bb6342967099261d9fb9f1812d639e1c31daa9e13d8a6c872fb0c04888

**Referenced In Project/Scope:**client

Evidence

Type	Source	Name	Value	Confidence
Vendor	file	name	Dialog1	High
Vendor	jar	package name	helpdesk	Highest
Vendor	jar	package name	helpdesk	Low
Vendor	jar	package name	inet	Low
Vendor	Manifest	application-library-allowable-codebase	*	Low
Vendor	Manifest	application-name	i-net HelpDesk	Medium
Vendor	Manifest	built-date	2024-01-16 14:29	Low
Vendor	Manifest	codebase	*	Low
Vendor	Manifest	implementation-group	helpdesk	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	permissions	all-permissions	Low
Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	trusted-library	false	Low
Vendor	Manifest	trusted-only	false	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	Dialog1	High
Product	jar	package name	helpdesk	Highest

Product	jar	package name	helpdesk	Low
Product	Manifest	application-library-allowable-codebase	*	Low
Product	Manifest	application-name	i-net HelpDesk	Medium
Product	Manifest	built-date	2024-01-16 14:29	Low
Product	Manifest	codebase	*	Low
Product	Manifest	implementation-group	helpdesk	Low
Product	Manifest	Implementation-Title	Dialog1	High
Product	Manifest	permissions	all-permissions	Low
Product	Manifest	specification-title	Dialog1	Medium
Product	Manifest	trusted-library	false	Low
Product	Manifest	trusted-only	false	Low
Version	file	name	Dialog1	Medium
Version	file	version	1	Medium
Version	jar	package name	helpdesk	Highest
Version	Manifest	Implementation-Version	23.10.295	High

#### Identifiers

- cpe:2.3:a:inetsoftware:helpdesk:23.10.295:\*:\*:\*:\*:\* (Confidence:Low) suppress

### swingclient.zip: Dialog2.jar

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/client/build/tmp/dependencies/i-net HelpDesk Anwendung/plugins/swingclient.zip/Dialog2.jar

**MD5:** d1ba7d1b7a7646bb45d503464089c8de

**SHA1:** c3eae79f09c1a7534feeca0c1cbae5084c806843

**SHA256:** 9b5c898378681d3481efdfb9efc490bdd1321598fc3613bc66bb61c8fa43e4d6

**Referenced In Project/Scope:** client

#### Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	Dialog2	High



Vendor	jar	package name	inet	Low
Vendor	jar	package name	looks	Low
Vendor	jar	package name	plastic	Low
Vendor	Manifest	application-library-allowable-codebase	*	Low
Vendor	Manifest	application-name	i-net HelpDesk	Medium
Vendor	Manifest	built-date	2024-01-16 14:29	Low
Vendor	Manifest	codebase	*	Low
Vendor	Manifest	implementation-group	helpdesk	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	permissions	all-permissions	Low
Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	trusted-library	false	Low
Vendor	Manifest	trusted-only	false	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	Dialog2	High
Product	jar	package name	looks	Low
Product	jar	package name	plastic	Low
Product	Manifest	application-library-allowable-codebase	*	Low
Product	Manifest	application-name	i-net HelpDesk	Medium
Product	Manifest	built-date	2024-01-16 14:29	Low
Product	Manifest	codebase	*	Low
Product	Manifest	implementation-group	helpdesk	Low
Product	Manifest	Implementation-Title	Dialog2	High
Product	Manifest	permissions	all-permissions	Low
Product	Manifest	specification-title	Dialog2	Medium
Product	Manifest	trusted-library	false	Low
Product	Manifest	trusted-only	false	Low

Version	file	name	Dialog2	Medium
Version	file	version	2	Medium
Version	Manifest	Implementation-Version	23.10.295	High

#### Identifiers

- cpe:2.3:a:inetsoftware:helpdesk:23.10.295:\*:\*:\*:\*:\* (Confidence:Low) suppress

### swingclient.zip: Dialog3.jar

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/client/build/tmp/dependencies/i-net HelpDesk Anwendung/plugins/swingclient.zip/Dialog3.jar

**MD5:** a0ddedf8ed911e2bdcf6748ea007329e

**SHA1:** 028b7652df02ea7860fd69a9150d4a89d4a1f293

**SHA256:** 29d1b32896a5402310ba5e9bef0e912b47432b21d0acf77a41a6e808a354da2d

**Referenced In Project/Scope:** client

#### Evidence

Type	Source	Name	Value	Confidence
Vendor	file	name	Dialog3	High
Vendor	jar	package name	helpdesk	Highest
Vendor	jar	package name	helpdesk	Low
Vendor	jar	package name	inet	Low
Vendor	Manifest	application-library-allowable-codebase	*	Low
Vendor	Manifest	application-name	i-net HelpDesk	Medium
Vendor	Manifest	built-date	2024-01-16 14:30	Low
Vendor	Manifest	codebase	*	Low
Vendor	Manifest	implementation-group	helpdesk	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	permissions	all-permissions	Low

Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	trusted-library	false	Low
Vendor	Manifest	trusted-only	false	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	Dialog3	High
Product	jar	package name	all	Highest
Product	jar	package name	helpdesk	Highest
Product	jar	package name	helpdesk	Low
Product	Manifest	application-library-allowable-codebase	*	Low
Product	Manifest	application-name	i-net HelpDesk	Medium
Product	Manifest	built-date	2024-01-16 14:30	Low
Product	Manifest	codebase	*	Low
Product	Manifest	implementation-group	helpdesk	Low
Product	Manifest	Implementation-Title	Dialog3	High
Product	Manifest	permissions	all-permissions	Low
Product	Manifest	specification-title	Dialog3	Medium
Product	Manifest	trusted-library	false	Low
Product	Manifest	trusted-only	false	Low
Version	file	name	Dialog3	Medium
Version	file	version	3	Medium
Version	jar	package name	all	Highest
Version	jar	package name	helpdesk	Highest
Version	Manifest	Implementation-Version	23.10.295	High

#### Identifiers

- cpe:2.3:a:inetsoftware:helpdesk:23.10.295:\*:\*:\*:\*:\* (Confidence:Low) suppress

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/client/build/tmp/dependencies/i-net HelpDesk Anwendung/plugins/swingclient.zip/JWebEngine.jar  
**MD5:** cac294ec4b01768968d4b7b125fdbcb2b  
**SHA1:** 0b1bffa114e0f84e0f4363caa1254b1ea9b1b79d  
**SHA256:**3d18995c7ec5ff10af55d803f77df0c1143455a5db68b1c4f96b523e2969df6f  
**Referenced In Project/Scope:**client

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	JWebEngine	High
Vendor	jar	package name	html	Low
Vendor	jar	package name	inet	Low
Vendor	Manifest	application-library-allowable-codebase	*	Low
Vendor	Manifest	built-date	2024-01-16 01:23	Low
Vendor	Manifest	codebase	*	Low
Vendor	Manifest	implementation-group	lib	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	permissions	all-permissions	Low
Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	trusted-library	false	Low
Vendor	Manifest	trusted-only	false	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	JWebEngine	High
Product	jar	package name	html	Low
Product	Manifest	application-library-allowable-codebase	*	Low
Product	Manifest	built-date	2024-01-16 01:23	Low
Product	Manifest	codebase	*	Low
Product	Manifest	implementation-group	lib	Low
Product	Manifest	Implementation-Title	JWebEngine	High

Product	Manifest	permissions	all-permissions	Low
Product	Manifest	specification-title	JWebEngine	Medium
Product	Manifest	trusted-library	false	Low
Product	Manifest	trusted-only	false	Low
Version	Manifest	Implementation-Version	1.13.1163	High

#### Identifiers

- None

### swingclient.zip: Konnekter-Client.jar

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/client/build/tmp/dependencies/i-net HelpDesk Anwendung/plugins/swingclient.zip/Konnekter-Client.jar

**MD5:** 21bc4d29a5b8ffb9c92490bbc5a863ad

**SHA1:** 0c74fc5178616ea78f693c9ea3d5a812415a3bab

**SHA256:** 018b51b519dc09b4cfcfb9e0028df32ee5d22120fe553d3bd573bbd395673c07

**Referenced In Project/Scope:**client

#### Evidence

Type	Source	Name	Value	Confidence
Vendor	file	name	Konnekter-Client	High
Vendor	jar	package name	cli	Low
Vendor	jar	package name	inet	Low
Vendor	jar	package name	jj	Low
Product	file	name	Konnekter-Client	High
Product	jar	package name	cli	Low
Product	jar	package name	jj	Low

#### Identifiers

- None

### swingclient.zip: ReportViewer.jar

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/client/build/tmp/dependencies/i-net HelpDesk Anwendung/plugins/swingclient.zip/ReportViewer.jar  
**MD5:** 7c0f06d3f98f71da2a0454dbc7ad1b6e  
**SHA1:** 7331023d5271f5d5b4eea191376a3c4a75ea0f4f  
**SHA256:**34711945dc14f7e4b837731d72abe699a085f4fa20e17ccadb9a747b449353ad  
**Referenced In Project/Scope:**client

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	ReportViewer	High
Vendor	jar	package name	i	Highest
Vendor	jar	package name	inet	Low
Vendor	jar	package name	viewer	Low
Vendor	Manifest	application-library-allowable-codebase	*	Low
Vendor	Manifest	application-name	i-net Clear Reports	Medium
Vendor	Manifest	built-date	2024-01-16 12:58	Low
Vendor	Manifest	codebase	*	Low
Vendor	Manifest	implementation-group	reporting	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	permissions	all-permissions	Low
Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	trusted-library	false	Low
Vendor	Manifest	trusted-only	false	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	ReportViewer	High
Product	jar	package name	i	Highest
Product	jar	package name	reportviewer	Highest
Product	jar	package name	viewer	Low
Product	Manifest	application-library-allowable-codebase	*	Low

Product	Manifest	application-name	i-net Clear Reports	Medium
Product	Manifest	built-date	2024-01-16 12:58	Low
Product	Manifest	codebase	*	Low
Product	Manifest	implementation-group	reporting	Low
Product	Manifest	Implementation-Title	ReportViewer	High
Product	Manifest	permissions	all-permissions	Low
Product	Manifest	specification-title	ReportViewer	Medium
Product	Manifest	trusted-library	false	Low
Product	Manifest	trusted-only	false	Low
Version	Manifest	Implementation-Version	23.10.295	High

Identifiers

- [cpe:2.3:a:inetsoftware:clear\\_reports:23.10.295:\\*:\\*:\\*:\\*:\\*](#) (Confidence:Medium)  

suppress
- [cpe:2.3:a:inetsoftware:i-net\\_clear\\_reports:23.10.295:\\*:\\*:\\*:\\*:\\*](#) (Confidence:Medium)  

suppress

swingclient.zip: TableLayout.jar

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/client/build/tmp/dependencies/i-net HelpDesk Anwendung/plugins/swingclient.zip/TableLayout.jar  
**MD5:** 1e432e776e18d71f12dd72b7d235a965  
**SHA1:** 62ffa1cca3e71f94d0bdce85ea97ea7083fdb1b  
**SHA256:** 13e73cf77a93f0c52184e5a5557d7dbba081bf54904edfdb84645b5daf7dd18  
**Referenced In Project/Scope:** client

Evidence

Type	Source	Name	Value	Confidence
Vendor	file	name	TableLayout	High
Vendor	jar	package name	clearthought	Low
Vendor	jar	package name	info	Low
Vendor	jar	package name	layout	Low
Product	file	name	TableLayout	High

Product	jar	package name	clearthought	Low
---------	-----	--------------	--------------	-----

Product	jar	package name	layout	Low
---------	-----	--------------	--------	-----

#### Identifiers

- None

### swingclient.zip: VividSwingAnimations.jar

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/client/build/tmp/dependencies/i-net HelpDesk Anwendung/plugins/swingclient.zip/VividSwingAnimations.jar

**MD5:** 3f8bfce43cee6f5bf712881bde6d3379

**SHA1:** 539fa7c887865bc82e12f359bbf259fd330bfe5e

**SHA256:** 0cdae11fed0c91c56935eec42b3b626891a80c0fcfdb25e67b6abd6460db35cd

**Referenced In Project/Scope:** client

#### Evidence

Type	Source	Name	Value	Confidence
Vendor	file	name	VividSwingAnimations	High
Vendor	jar	package name	anormalmedia	Low
Vendor	jar	package name	de	Low
Vendor	jar	package name	vividswinganimations	Low
Product	file	name	VividSwingAnimations	High
Product	jar	package name	anormalmedia	Low
Product	jar	package name	vividswinganimations	Low

#### Identifiers

- None

### swingclient.zip: images.jar

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/client/build/tmp/dependencies/i-net HelpDesk Anwendung/plugins/swingclient.zip/images.jar

**MD5:** 1894c395ec18a64ef614331c8b23aba8



SHA1: a97458839143b9d84d92cca1aba3840633de9e96  
SHA256:657030772e58dc4d45188ce0f6024e20295a67f14c1fc775ec3f1b1833e22832  
Referenced In Project/Scope:client

Evidence +

Type	Source	Name	Value	Confidence
Vendor	file	name	images	High
Vendor	Manifest	application-name	i-net HelpDesk Client Images	Medium
Vendor	Manifest	built-date	2024-01-16 14:30	Low
Vendor	Manifest	implementation-group	helpdesk	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	images	High
Product	Manifest	application-name	i-net HelpDesk Client Images	Medium
Product	Manifest	built-date	2024-01-16 14:30	Low
Product	Manifest	implementation-group	helpdesk	Low
Product	Manifest	Implementation-Title	images	High
Product	Manifest	specification-title	images	Medium
Version	Manifest	Implementation-Version	23.10.295	High

Identifiers

- [cpe:2.3:a:inetsoftware:helpdesk:23.10.295:\\*:\\*:\\*:\\*:\\*](#) (Confidence:Medium) suppress

swingclient.zip: jortho.jar

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/client/build/tmp/dependencies/i-net HelpDesk Anwendung/plugins/swingclient.zip/jortho.jar

**MD5:** dd4446c22613b76ee524965884ebc4ca

**SHA1:** 54afc06c23712a2b772b92ac69ad1c4b2aa05429

**SHA256:** ea620e29f5a455f1694950bae3758e7899981fd65bbcf99facfc67e12785f83e

**Referenced In Project/Scope:** client

## Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	jortho	High
Vendor	jar	package name	inet	Low
Vendor	jar	package name	jortho	Highest
Vendor	jar	package name	jortho	Low
Vendor	Manifest	application-library-allowable-codebase	*	Low
Vendor	Manifest	application-name	i-net JOrtho	Medium
Vendor	Manifest	codebase	*	Low
Vendor	Manifest	Implementation-Vendor	i-net software GmbH	High
Vendor	Manifest	permissions	sandbox	Low
Vendor	Manifest	trusted-library	false	Low
Vendor	Manifest	trusted-only	false	Low
Product	file	name	jortho	High
Product	jar	package name	jortho	Highest
Product	jar	package name	jortho	Low
Product	Manifest	application-library-allowable-codebase	*	Low
Product	Manifest	application-name	i-net JOrtho	Medium
Product	Manifest	codebase	*	Low
Product	Manifest	Implementation-Title	i-net JOrtho	High
Product	Manifest	permissions	sandbox	Low
Product	Manifest	trusted-library	false	Low
Product	Manifest	trusted-only	false	Low
Version	Manifest	Implementation-Version	1.0	High

Identifiers

- None

swingclient.zip: swingclient.jar

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/client/build/tmp/dependencies/i-net HelpDesk Anwendung/plugins/swingclient.zip/swingclient.jar  
**MD5:** 44ce9820765e40446e2d7b0cde22e560  
**SHA1:** 4314dea17636c5d495e9a309ea9d094cf64279e7  
**SHA256:**1c42d6465065352b92301cc84d72bd8e4a65cae01301725cfce84308b0f159ee  
**Referenced In Project/Scope:**client

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	swingclient	High
Vendor	jar	package name	helpdesk	Low
Vendor	jar	package name	inet	Low
Vendor	jar	package name	plugins	Low
Vendor	Manifest	built-date	2024-01-16 14:40	Low
Vendor	Manifest	implementation-group	helpdesk	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	swingclient	High
Product	jar	package name	helpdesk	Highest
Product	jar	package name	helpdesk	Low
Product	jar	package name	plugins	Low
Product	jar	package name	swingclient	Highest
Product	jar	package name	swingclient	Low
Product	Manifest	built-date	2024-01-16 14:40	Low
Product	Manifest	implementation-group	helpdesk	Low
Product	Manifest	Implementation-	swingclient	High

		Title		
Product	Manifest	specification-title	swingclient	Medium
Version	jar	package name	helpdesk	Highest
Version	Manifest	Implementation-Version	23.10.295	High

#### Identifiers

- cpe:2.3:a:inetsoftware:helpdesk:23.10.295:\*:\*:\*:\*:\* (Confidence:Low) suppress

### swingclient.zip: swingclient.jar: heldpeskswingclient.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/client/build/tmp/dependencies/i-net HelpDesk Anwendung/plugins/swingclient.zip/swingclient.jar/com/inet/helpdesk/plugins/swingclient/module/resources/js/heldpeskswingclient.js

**MD5:** 5f6a71be27ffc83379cfe56f66ad39a9

**SHA1:** a806654aaa7f937fb834b3ba7a6bf274021e91b1

**SHA256:** c2aba628d2516f08cf23f42199796650a551ada031a45643edcefc1563f2fe85

**Referenced In Project/Scope:** client

#### Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### taskplanner.helpdesk.zip: taskplanner.helpdesk.jar

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/client/build/tmp/dependencies/i-net HelpDesk Anwendung/plugins/taskplanner.helpdesk.zip/taskplanner.helpdesk.jar

**MD5:** 7a583e994c309210b514eb10412630ed

**SHA1:** f6c5e95f8fb7425d54d31bd2b4d98bbebf52f3

**SHA256:** d8403ee44f237f148c99b163c2c6a09f04f0d1ff2ee7279193a43c6ab3f4cf86

**Referenced In Project/Scope:** client

#### Evidence

Type	Source	Name	Value	Confidence
Vendor	file	name	taskplanner.helpdesk	High
Vendor	jar	package name	helpdesk	Low
Vendor	jar	package name	inet	Low
Vendor	jar	package name	plugins	Low
Vendor	Manifest	built-date	2024-01-16 14:41	Low
Vendor	Manifest	implementation-group	helpdesk	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	taskplanner.helpdesk	High
Product	jar	package name	helpdesk	Highest
Product	jar	package name	helpdesk	Low
Product	jar	package name	plugins	Low
Product	jar	package name	taskplanner	Highest
Product	jar	package name	taskplanner	Low
Product	Manifest	built-date	2024-01-16 14:41	Low
Product	Manifest	implementation-group	helpdesk	Low
Product	Manifest	Implementation-Title	taskplanner.helpdesk	High
Product	Manifest	specification-title	taskplanner.helpdesk	Medium
Version	jar	package name	helpdesk	Highest
Version	Manifest	Implementation-Version	23.10.295	High

#### Identifiers

- cpe:2.3:a:inetsoftware:helpdesk:23.10.295:\*:\*:\*:\*:\* (Confidence:Low) suppress

ticketlist.zip: ticketlist.jar

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems /HelpDeskInstaller/client/build/tmp/dependencies/i-net HelpDesk Anwendung/plugins/ticketlist.zip/ticketlist.jar  
**MD5:** 3a4f633272d1e3ef36c24a3a12e24217  
**SHA1:** 3899de3d29351d4d59cdb5750828fd420d71c778  
**SHA256:** eb72c0aad181864309d2f3368f8cc79ce07355f48b5996cbc27581a65f02be05  
**Referenced In Project/Scope:** client

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	ticketlist	High
Vendor	jar	package name	helpdesk	Low
Vendor	jar	package name	inet	Low
Vendor	jar	package name	plugins	Low
Vendor	Manifest	built-date	2024-01-16 14:42	Low
Vendor	Manifest	implementation-group	helpdesk	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	ticketlist	High
Product	jar	package name	helpdesk	Highest
Product	jar	package name	helpdesk	Low
Product	jar	package name	plugins	Low
Product	jar	package name	ticketlist	Highest
Product	jar	package name	ticketlist	Low
Product	Manifest	built-date	2024-01-16 14:42	Low
Product	Manifest	implementation-group	helpdesk	Low
Product	Manifest	Implementation-Title	ticketlist	High
Product	Manifest	specification-title	ticketlist	Medium
Version	jar	package name	helpdesk	Highest
Version	Manifest	Implementation-Version	23.10.295	High

Identifiers

- cpe:2.3:a:inetsoftware:helpdesk:23.10.295.\*:\*:\*:\*:\* (Confidence:Low) suppress

### ticketlist.zip: ticketlist.jar: annotationextension.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/client/build/tmp/dependencies/i-net HelpDesk Anwendung/plugins/ticketlist.zip/ticketlist.jar/com/inet/helpdesk/plugins/ticketlist/client/ticketpage/extensions/annotationextension.js

**MD5:** a416b4e2155474909e5ebbce208e0e7e

**SHA1:** 312f694139c3e0078ceded0f7ba6432c8d6cf452

**SHA256:** 72d43f5b5db7684c85ca2228d530c9b88f4f84a388fc4f65b6ad5f5b0163b1f8

**Referenced In Project/Scope:**client

#### Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### ticketlist.zip: ticketlist.jar: applyactionfieldrenderer.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/client/build/tmp/dependencies/i-net HelpDesk Anwendung/plugins/ticketlist.zip/ticketlist.jar/com/inet/helpdesk/plugins/ticketlist/client/ticketmanipulation/applyactionfieldrenderer.js

**MD5:** 1164f685e3f5c53096ca13f5502d6d4a

**SHA1:** b48317340125abcdc1add2c1d399c9ebf5885378

**SHA256:**c968b2e0234db4bbe4e0eefb6a19bcded9a9dd0909d906e684e67f56db922397

**Referenced In Project/Scope:**client

#### Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

## ticketlist.zip: ticketlist.jar: attachmentsextension.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/client/build/tmp/dependencies/i-net HelpDesk Anwendung/plugins/ticketlist.zip/ticketlist.jar/com/inet/helpdesk/plugins/ticketlist/client/ticketpage/extensions/attachmentsextension.js

**MD5:** 789d6814227673d787802c7e0f5d9b3b

**SHA1:** eddd7938e81a516ec82f657c9c7d1ba57bff539b

**SHA256:** 5870ab73a69e5ce56c69d01b4eb04b92bc6f920e3bb2544253b7333c656c84be

**Referenced In Project/Scope:** client

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## ticketlist.zip: ticketlist.jar: draganddrop.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/client/build/tmp/dependencies/i-net HelpDesk Anwendung/plugins/ticketlist.zip/ticketlist.jar/com/inet/helpdesk/plugins/ticketlist/client/sorter/draganddrop.js

**MD5:** c7b85c0a40d86188d956c4a4e215f835

**SHA1:** fae884cdec4032e1183c33f1965e5f395c5ed1ed

**SHA256:** eda930845e0f1fdb2b6921511b1869bf9b5a2c8235f6d1246afda0a464d65d78

**Referenced In Project/Scope:** client

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## ticketlist.zip: ticketlist.jar: expertlayout.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/client/build/tmp/dependencies/i-net HelpDesk Anwendung/plugins/ticketlist.zip/ticketlist.jar/com/inet/helpdesk/plugins/ticketlist/client/ticketlistlayout/expertlayout.js

**MD5:** 19293ba6f0bc0214632fdcfd4e1e6fce



**SHA1:** 231754f73e504006ea7967aa279898508676b28c  
**SHA256:** 1c42d04fe9d39e1607dcdf88045888fb24ed91c7e0a525f2f596aa3c1c26e2d5  
**Referenced In Project/Scope:** client

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### ticketlist.zip: ticketlist.jar: extendedpagelayout.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/client/build/tmp/dependencies/i-net HelpDesk Anwendung/plugins/ticketlist.zip/ticketlist.jar/com/inet/helpdesk/plugins/ticketlist/client/ticketpagelayout/extendedpagelayout.js  
**MD5:** f96a82cf1325ba4fc91cc0df7a069a1e  
**SHA1:** cffb1275c3ecdb0046393a4bf21e2342d8bad76f  
**SHA256:** 1d27fc5d224f7c30e931ae46566d1cad6d75ac1f3a0c6ad9f1cfd1e320ca08a3  
**Referenced In Project/Scope:** client

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### ticketlist.zip: ticketlist.jar: fullviewpagelayout.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/client/build/tmp/dependencies/i-net HelpDesk Anwendung/plugins/ticketlist.zip/ticketlist.jar/com/inet/helpdesk/plugins/ticketlist/client/ticketpagelayout/fullviewpagelayout.js  
**MD5:** ba56494a904cf6a286d43a1f907a863f  
**SHA1:** ce10988b1fafae2043a7a627c341f50a863e123a  
**SHA256:** 0d07b5cc1438756721bab10d9bd1b54fba791465faa9b124a584a30ff219af47  
**Referenced In Project/Scope:** client

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## ticketlist.zip: ticketlist.jar: linksextension.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/client/build/tmp/dependencies/i-net HelpDesk Anwendung/plugins/ticketlist.zip/ticketlist.jar/com/inet/helpdesk/plugins/ticketlist/client/ticketpage/extensions/linksextension.js  
**MD5:** 54ed4f9588633937fd13c41c2cd32eb8  
**SHA1:** 8e99358b15fc135d91c7cbf863fa2b02c00a42ce  
**SHA256:**a5f5a1760d139b6dbf3a9873b9510a72b718a29feda03a4acb28be39333c3e0c  
**Referenced In Project/Scope:**client

### Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## ticketlist.zip: ticketlist.jar: newticket.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/client/build/tmp/dependencies/i-net HelpDesk Anwendung/plugins/ticketlist.zip/ticketlist.jar/com/inet/helpdesk/plugins/ticketlist/client/ticketcreation/newticket.js  
**MD5:** 6a4f0a036eca9505ee572ea145a70a72  
**SHA1:** 97085a5085070968ad18b2bcf08c698564f6afac  
**SHA256:**af688ba2eefb5f5ce17ed5622ef673207c5a305c1a4a9fe65fa6559b217b4557  
**Referenced In Project/Scope:**client

### Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

### ticketlist.zip: ticketlist.jar: print.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/client/build/tmp/dependencies/i-net HelpDesk Anwendung/plugins/ticketlist.zip/ticketlist.jar/com/inet/helpdesk/plugins/ticketlist/client/print/print.js  
**MD5:** db8002ecec7ea83edd34fd5dd2ee5115  
**SHA1:** 7eca857a2d3d060cbf759a4cbc6cb019f69dd947  
**SHA256:** ab6ccdaf00dbca2ee2e0b68c3eab29404116f6b6a173945df013806bfa38df79  
**Referenced In Project/Scope:** client

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### ticketlist.zip: ticketlist.jar: relativetimerenderer.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/client/build/tmp/dependencies/i-net HelpDesk Anwendung/plugins/ticketlist.zip/ticketlist.jar/com/inet/helpdesk/plugins/ticketlist/client/ticketmanipulation/relativetimerenderer.js  
**MD5:** bd7f8b94e01f27bdc8cc048f04b52c8f  
**SHA1:** 360b8d9430a3d2331710be6dc593b70340b72f36  
**SHA256:** 1daf35857ae89cbdf28f88a4661540500c99a22305c7118733e5e6944ba7096e  
**Referenced In Project/Scope:** client

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### ticketlist.zip: ticketlist.jar: resizableColumn.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/client/build/tmp/dependencies/i-net HelpDesk Anwendung/plugins/ticketlist.zip/ticketlist.jar/com/inet/helpdesk/plugins/ticketlist/client/ticketlist/resizeableColumn.js  
**MD5:** f624c38ee5d946c45f5b0159580a0527  
**SHA1:** b66c51fbd905d9073f726189c901b10c8aa65398  
**SHA256:** 9df28c21dc675e7143baf2dd0765bc4fdabba26b8ad147fd8f3d7d0847c85a6a  
**Referenced In Project/Scope:**client

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### ticketlist.zip: ticketlist.jar: selectionCountBadge.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/client/build/tmp/dependencies/i-net HelpDesk Anwendung/plugins/ticketlist.zip/ticketlist.jar/com/inet/helpdesk/plugins/ticketlist/client/ticketlist/selectionCountBadge.js  
**MD5:** 39dd740e1692b0aa03d9c5a47ce231bb  
**SHA1:** 3c758682f31079d96c051bab9cbc836467142d9f  
**SHA256:** dda0f13713aba74e3ba6fa77a240b0cf98d59cf5a50a4bb87b0664f46339e7da  
**Referenced In Project/Scope:**client

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### ticketlist.zip: ticketlist.jar: sorter.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/client/build/tmp/dependencies/i-net HelpDesk Anwendung/plugins/ticketlist.zip/ticketlist.jar/com/inet/helpdesk/plugins/ticketlist/client/sorter/sorter.js  
**MD5:** aa66cfb3bc511fc7f3bad634f2e66522

**SHA1:** 1948e95e87a8a41cb71d3dc8ae3ad80fb4154ee7  
**SHA256:** 3954bc5d2631901a75535f41117075d3d6f4edf60a6bb939cc9e2670396d62a7  
**Referenced In Project/Scope:** client

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### ticketlist.zip: ticketlist.jar: tabspagelayout.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/client/build/tmp/dependencies/i-net HelpDesk Anwendung/plugins/ticketlist.zip/ticketlist.jar/com/inet/helpdesk/plugins/ticketlist/client/ticketpagelayout/tabspagelayout.js  
**MD5:** 0c02c1fba21bacaa389d517632e6dfe1  
**SHA1:** 6b14d053a8e54235151f098bfc88194069e5e8ed  
**SHA256:** d7bafc90207735d769318518c5591b45b5bd29d56de3d02c064e6dfd74533728  
**Referenced In Project/Scope:** client

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### ticketlist.zip: ticketlist.jar: ticketattachment.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/client/build/tmp/dependencies/i-net HelpDesk Anwendung/plugins/ticketlist.zip/ticketlist.jar/com/inet/helpdesk/plugins/ticketlist/client/ticketpage/ticketattachment.js  
**MD5:** 1d6f86fd9526c396eea339a38bab0f01  
**SHA1:** 3040baef73abb16f52c5164585e6add2fa3a84c7  
**SHA256:** 3e88b174cadb45c7aaa1967294318d2a12a9d78ea016ac0d35adae95817b6cb4  
**Referenced In Project/Scope:** client

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### ticketlist.zip: ticketlist.jar: ticketdetailsextension.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/client/build/tmp/dependencies/i-net HelpDesk Anwendung/plugins/ticketlist.zip/ticketlist.jar/com/inet/helpdesk/plugins/ticketlist/client/ticketpage/extensions/ticketdetailsextension.js  
**MD5:** 8945035e4473cc9d16ca4893363937d0  
**SHA1:** 49f0799d86c64675791cb3137ce81986875054b6  
**SHA256:**e0421d9e0b90e4eaddfb9acff8d3be6171acd86f5318b33fc3c8fb3528dab6ea  
**Referenced In Project/Scope:**client

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### ticketlist.zip: ticketlist.jar: ticketeditor.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/client/build/tmp/dependencies/i-net HelpDesk Anwendung/plugins/ticketlist.zip/ticketlist.jar/com/inet/helpdesk/plugins/ticketlist/client/ticketmanipulation/ticketeditor.js  
**MD5:** b5db09314ecf904225c97ce9e0c90674  
**SHA1:** 72afe1e84725889a8fc7b468f469be1f20d0c8eb  
**SHA256:**ddd45344945c723aa6275e0a9fa6096c03fb274cdff6277e00d041e22c324224  
**Referenced In Project/Scope:**client

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

#### ticketlist.zip: ticketlist.jar: ticketfactory.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/client/build/tmp/dependencies/i-net HelpDesk Anwendung/plugins/ticketlist.zip/ticketlist.jar/com/inet/helpdesk/plugins/ticketlist/client/ticketfactory.js  
**MD5:** 3dae874398e764e30c9975b3255a5889  
**SHA1:** 16f6a191a0f4ee8b94680b393db46dcedd4e29e9  
**SHA256:** 6e1d131706e7e6452e214bcf458c81012b911a1cd7dbd98e533b169b49ef9622  
**Referenced In Project/Scope:** client

##### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

##### Identifiers

- None

#### ticketlist.zip: ticketlist.jar: ticketlist.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/client/build/tmp/dependencies/i-net HelpDesk Anwendung/plugins/ticketlist.zip/ticketlist.jar/com/inet/helpdesk/plugins/ticketlist/client/ticketlist/ticketlist.js  
**MD5:** 282d133d29e76e3cede54b9b8e135438  
**SHA1:** 9581a55743bbbc3283a42d1bb794d781c6566702  
**SHA256:** 555b2fdc46cc6810e74277a9e5d57ef35170aef77d337b420726d01b1735e022  
**Referenced In Project/Scope:** client

##### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

##### Identifiers

- None

#### ticketlist.zip: ticketlist.jar: ticketlistadditionalcomponents.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/client/build/tmp/dependencies/i-net HelpDesk Anwendung/plugins/ticketlist.zip/ticketlist.jar/com/inet/helpdesk/plugins/ticketlist/client/ticketlist/ticketlistadditionalcomponents.js  
**MD5:** f87c9242f3bfd04974e963e8b1ce7782  
**SHA1:** 9c26e0c7235ad87c17e5d8bd2ccaf34db726a3d3  
**SHA256:** 4715f6f952541db537e3b8c2eae26e31a6b270ec877314e7325bd30cda5c840f  
**Referenced In Project/Scope:**client

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### ticketlist.zip: ticketlist.jar: ticketlistapp.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/client/build/tmp/dependencies/i-net HelpDesk Anwendung/plugins/ticketlist.zip/ticketlist.jar/com/inet/helpdesk/plugins/ticketlist/client/ticketlistapp.js  
**MD5:** 5ce909ea9755e757c7e00fce2bc22e83  
**SHA1:** 8c995a83c2d7de3b6b938a4dca02367a0d5ab6f2  
**SHA256:** d8231b46b71ae1838a7a30eecbb862cc3a4c2cccb9810be2e3deb2e8279a404b  
**Referenced In Project/Scope:**client

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### ticketlist.zip: ticketlist.jar: ticketlistapplyaction.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/client/build/tmp/dependencies/i-net HelpDesk Anwendung/plugins/ticketlist.zip/ticketlist.jar/com/inet/helpdesk/plugins/ticketlist/client/ticketmanipulation/ticketlistapplyaction.js  
**MD5:** 39a8d471e1f5b4c1fd8f96d0268facfa



**SHA1:** c38094392c73f0a7ef02e34b40afd239fac7ddb2  
**SHA256:** aad3cead9755f6aed7187a3de64cdbf0ab3eebe1f39b4b116b31e8dccf4a84e2  
**Referenced In Project/Scope:** client

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### ticketlist.zip: ticketlist.jar: ticketlisteditproperties.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/client/build/tmp/dependencies/i-net HelpDesk Anwendung/plugins/ticketlist.zip/ticketlist.jar/com/inet/helpdesk/plugins/ticketlist/client/ticketmanipulation/ticketlisteditproperties.js  
**MD5:** bed5ea602845d604005d03cddef7f9ee  
**SHA1:** 9ea0088aa9f196b4b5520ee437a5d79d31dac613  
**SHA256:** 2cb9b0748b91ab316c7eefc91fa20f1f7aea0eee424b7c9da4bba073b7b1acf0  
**Referenced In Project/Scope:** client

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### ticketlist.zip: ticketlist.jar: ticketlistlayoutsettings.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/client/build/tmp/dependencies/i-net HelpDesk Anwendung/plugins/ticketlist.zip/ticketlist.jar/com/inet/helpdesk/plugins/ticketlist/client/ticketlistlayout/ticketlistlayoutsettings.js  
**MD5:** c1161071978303974f04017f726b83f0  
**SHA1:** 0ba93e26da1289de2ad52dfd4ec54057542a3163  
**SHA256:** b5ac2322548425d6bc45ae35fded3e8742a7074208596bdaeb1e8a993fe7b8da  
**Referenced In Project/Scope:** client

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## ticketlist.zip: ticketlist.jar: ticketmodel.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/client/build/tmp/dependencies/i-net HelpDesk Anwendung/plugins/ticketlist.zip/ticketlist.jar/com/inet/helpdesk/plugins/ticketlist/client/ticketmodel.js  
**MD5:** 3c4a029ee9a9bec18f6296cbd1d3e3d8  
**SHA1:** 06ea4410175831e3707f1d2f94abd9fae2d69963  
**SHA256:**bcf0483d84245a1896bbaff8eb883e42df7ef340051dba6bb1cc843727fe0561  
**Referenced In Project/Scope:**client

### Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## ticketlist.zip: ticketlist.jar: ticketownerextension.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/client/build/tmp/dependencies/i-net HelpDesk Anwendung/plugins/ticketlist.zip/ticketlist.jar/com/inet/helpdesk/plugins/ticketlist/client/ticketpage/extensions/ticketownerextension.js  
**MD5:** 9d510409f1f448085166dc6e45e18402  
**SHA1:** 2c4d8ec86b90e2b848b5bac2497ff5740c65c0a3  
**SHA256:**847f468b7e75800bcaf2a4b5caa88841693ea38cb394bc2e0344ee36cfe8be1a  
**Referenced In Project/Scope:**client

### Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

#### ticketlist.zip: ticketlist.jar: ticketpage.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/client/build/tmp/dependencies/i-net HelpDesk Anwendung/plugins/ticketlist.zip/ticketlist.jar/com/inet/helpdesk/plugins/ticketlist/client/ticketpage/ticketpage.js  
**MD5:** 8cd96b28295e5ab67f396dfbf30d28e6  
**SHA1:** fe81c86f8d78bf6d9c492ec553a7aadad0448fb1  
**SHA256:** 52e76bc0a692d98f8d42a34520873a1fd2c8c0836f032cfc4cbbe6577c2adfc3  
**Referenced In Project/Scope:** client

##### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

##### Identifiers

- None

#### ticketlist.zip: ticketlist.jar: ticketpageheader.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/client/build/tmp/dependencies/i-net HelpDesk Anwendung/plugins/ticketlist.zip/ticketlist.jar/com/inet/helpdesk/plugins/ticketlist/client/ticketpage/ticketpageheader.js  
**MD5:** f63a12231c8ae332cc246498ce972190  
**SHA1:** 5d8fd5a0a9c185f8f025c037e19b4960cce43885  
**SHA256:** 38a4f95a364572dfaf25de2bad7d02b933847d43b6b1e5870a663cfd8a756059  
**Referenced In Project/Scope:** client

##### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

##### Identifiers

- None

#### ticketlist.zip: ticketlist.jar: ticketpagehintsextension.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/client/build/tmp/dependencies/i-net HelpDesk Anwendung/plugins/ticketlist.zip/ticketlist.jar/com/inet/helpdesk/plugins/ticketlist/client/ticketpage/extensions/ticketpagehintsextension.js  
**MD5:** 4988846edbed2e37f9caccf799036f0b  
**SHA1:** 69422b00c692ea5f255803a444b44732e85af075  
**SHA256:** c1d081272c0206cc4a6fd2569ce861af7308b0993a02407bb7d2c822b587b8d0  
**Referenced In Project/Scope:** client

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### ticketlist.zip: ticketlist.jar: ticketpagelayoutsettings.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/client/build/tmp/dependencies/i-net HelpDesk Anwendung/plugins/ticketlist.zip/ticketlist.jar/com/inet/helpdesk/plugins/ticketlist/client/ticketpagelayout/ticketpagelayoutsettings.js  
**MD5:** 34ba68bf9c18eee32bfedae7beb09e3a  
**SHA1:** 656ca699ee2ec6f11b2a81867411e2d894ecbb39  
**SHA256:** f5704f2d7111be1d62e7e6f1ec94384fb2bb994be31a47890ebc81a5b79326f7  
**Referenced In Project/Scope:** client

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### ticketlist.zip: ticketlist.jar: ticketpagesteps.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/client/build/tmp/dependencies/i-net HelpDesk Anwendung/plugins/ticketlist.zip/ticketlist.jar/com/inet/helpdesk/plugins/ticketlist/client/ticketpage/ticketpagesteps.js  
**MD5:** f7decd9fadd0883c4d03f4dd07d1c9dc

**SHA1:** 0d0b3ce881df7b0994772a7ed04577297a3e3b33  
**SHA256:**8d872ef67109a29c5999835422dfcdf01845f07277be0fb0d52204691f3b152f  
**Referenced In Project/Scope:**client

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### ticketlist.zip: ticketlist.jar: ticketpreview.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/client/build/tmp/dependencies/i-net HelpDesk Anwendung/plugins/ticketlist.zip/ticketlist.jar/com/inet/helpdesk/plugins/ticketlist/client/ticketpreview/ticketpreview.js  
**MD5:** cf0441fc683ab3767826c67c5b3725fe  
**SHA1:** 1643c787b4e429e0bc9ba2fe1f6416c9b6eff140  
**SHA256:**264d946713f91dfc04cb7fbacdbd6f1cdcf31ca83d299958bcc9aaed8c2c729  
**Referenced In Project/Scope:**client

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### ticketlist.zip: ticketlist.jar: ticketproperties.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/client/build/tmp/dependencies/i-net HelpDesk Anwendung/plugins/ticketlist.zip/ticketlist.jar/com/inet/helpdesk/plugins/ticketlist/client/ticketmanipulation/ticketproperties.js  
**MD5:** 018679399162acbfe5d7d97e1db45ddd  
**SHA1:** 088a07ca1656c535a8029e6470d933689c11d0fe  
**SHA256:**a343d4612ebdf374ed177f7ad39c6f5f5a4c881c03738d67e1ee9424399b6123  
**Referenced In Project/Scope:**client

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## ticketlist.zip: ticketlist.jar: ticketrenderer.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/client/build/tmp/dependencies/i-net HelpDesk Anwendung/plugins/ticketlist.zip/ticketlist.jar/com/inet/helpdesk/plugins/ticketlist/client/ticketrenderer.js  
**MD5:** 66d78502f81067c8bab79ba943bb1387  
**SHA1:** 163ef0e3a12e4ff0b95c64ed88d3a03e4fd30e59  
**SHA256:**e43d40e9b1fd3210025d3268ce9cc0321f0f27cbe38d9e4f34eadaa960e67798  
**Referenced In Project/Scope:**client

### Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## ticketlist.zip: ticketlist.jar: ticketsharing.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/client/build/tmp/dependencies/i-net HelpDesk Anwendung/plugins/ticketlist.zip/ticketlist.jar/com/inet/helpdesk/plugins/ticketlist/client/ticketpage/ticketsharing.js  
**MD5:** 6640534600c485a7f0a2d6d4ed42862c  
**SHA1:** 02c3a3055c95dccc95229c87c26c10d563a98cbd  
**SHA256:**6cda2b1f735fb00f723af902142cfff5183e686eaf25eee4d9adf7493e39115c  
**Referenced In Project/Scope:**client

### Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

#### ticketlist.zip: ticketlist.jar: ticketviewsortsettings.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/client/build/tmp/dependencies/i-net HelpDesk Anwendung/plugins/ticketlist.zip/ticketlist.jar/com/inet/helpdesk/plugins/ticketlist/client/ticketviewsortsettings/ticketviewsortsettings.js  
**MD5:** 9a6b171d86b0774638d12f44dcfd5faf  
**SHA1:** 020c37e73a0fe3b25036d9bda7063d8dff23088e  
**SHA256:** c6533f15627e2b7e3fb54a6737cd20df5c8f748e6ed27f57ccaa437f4aa84b55  
**Referenced In Project/Scope:** client

##### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

##### Identifiers

- None

#### ticketlist.zip: ticketlist.jar: timelineextension.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/client/build/tmp/dependencies/i-net HelpDesk Anwendung/plugins/ticketlist.zip/ticketlist.jar/com/inet/helpdesk/plugins/ticketlist/client/ticketpage/extensions/timelineextension.js  
**MD5:** 2a5dd0e7dba249487cb561b4860dd168  
**SHA1:** 368647b0c98fea92b27c4ac8fdb0440a520cd245  
**SHA256:** 3f58281ee015b398eef37ef59a694a6693b1ab3a86eb2300f1b95d4f3857ef82  
**Referenced In Project/Scope:** client

##### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

##### Identifiers

- None

#### ticketlist.zip: ticketlist.jar: userticketshistoryextension.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/client/build/tmp/dependencies/i-net HelpDesk Anwendung/plugins/ticketlist.zip/ticketlist.jar/com/inet/helpdesk/plugins/ticketlist/client/ticketpage/extensions/userticketshistoryextension.js  
**MD5:** c879c8f16d2310fc9496cbb98e23ae11  
**SHA1:** ff5489eb8e7c70e47fd90dd1bc0d53939e274ca1  
**SHA256:**4bce1265da5d5195ecc974838d19fa352d01a85aa101fe37c84ef7cbcf38186b  
**Referenced In Project/Scope:**client

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

ticketprocess.zip: ticketprocess.jar

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/client/build/tmp/dependencies/i-net HelpDesk Anwendung/plugins/ticketprocess.zip/ticketprocess.jar  
**MD5:** 0f693a05ff51a5d19635f3e0d79a436c  
**SHA1:** b90411bc631fcb8e4f34919e102d255d6dc3c0fc  
**SHA256:**6d2bea213f168813c7009f213ceef7f88af19110735b62aef03b8fe695c67250  
**Referenced In Project/Scope:**client

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	ticketprocess	High
Vendor	jar	package name	helpdesk	Low
Vendor	jar	package name	inet	Low
Vendor	jar	package name	plugins	Low
Vendor	Manifest	built-date	2024-01-16 14:40	Low
Vendor	Manifest	implementation-group	helpdesk	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	specification-vendor	i-net software	Low



Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	ticketprocess	High
Product	jar	package name	helpdesk	Highest
Product	jar	package name	helpdesk	Low
Product	jar	package name	plugins	Low
Product	jar	package name	ticketprocess	Highest
Product	jar	package name	ticketprocess	Low
Product	Manifest	built-date	2024-01-16 14:40	Low
Product	Manifest	implementation-group	helpdesk	Low
Product	Manifest	Implementation-Title	ticketprocess	High
Product	Manifest	specification-title	ticketprocess	Medium
Version	jar	package name	helpdesk	Highest
Version	Manifest	Implementation-Version	23.10.295	High

Identifiers

- cpe:2.3:a:inetsoftware:helpdesk:23.10.295:\*:\*:\*:\*:\* (Confidence:Low) suppress

ticketprocess.zip: ticketprocess.jar: applyProcessRenderer.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/client/build/tmp/dependencies/i-net HelpDesk Anwendung/plugins/ticketprocess.zip  
/ticketprocess.jar/com/inet/helpdesk/plugins/ticketprocess/client/js/applyProcessRenderer.js  
**MD5:** 932b73c849c7b560f261e197ad02fca0  
**SHA1:** be2371e05a3ae962639b6131a0b9e542d00dba79  
**SHA256:** 6f418b5ffb80024822bd03502b2459e0f98ed5b7450f922267317845cb616cac  
**Referenced In Project/Scope:**client

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

### ticketprocess.zip: ticketprocess.jar: configuration.ticketprocess.edit.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/client/build/tmp/dependencies/i-net HelpDesk Anwendung/plugins/ticketprocess.zip/ticketprocess.jar/com/inet/helpdesk/plugins/ticketprocess/client/js/configuration.ticketprocess.edit.js

**MD5:** d64bb2ba27379b6f7a9555b1bed67266

**SHA1:** 7d8a50dab6fd3aecdeee64c96ceadbb2097ba591

**SHA256:** 91616ff82f2297fd7aeac5291d2fb168167342d61261639ec706ca9b4348bca3

**Referenced In Project/Scope:** client

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### ticketprocess.zip: ticketprocess.jar: configuration.ticketprocess.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/client/build/tmp/dependencies/i-net HelpDesk Anwendung/plugins/ticketprocess.zip/ticketprocess.jar/com/inet/helpdesk/plugins/ticketprocess/client/js/configuration.ticketprocess.js

**MD5:** 2b6490885fbf930d74cc13ea31a70df3

**SHA1:** a10b6da5e08da207be6f5dd71393c765872d8ab4

**SHA256:** 53e74ef470d7c5aa58ecfc615fb992ff3d3f937853d70ffaa0e12c174ae29df

**Referenced In Project/Scope:** client

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### ticketprocess.zip: ticketprocess.jar: ticketlist.ticketprocess.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/client/build/tmp/dependencies/i-net HelpDesk Anwendung/plugins/ticketprocess.zip/ticketprocess.jar/com/inet/helpdesk/plugins/ticketprocess/client/js/ticketlist.ticketprocess.js  
**MD5:** 7401d823e845e90f38b844639b8c9088  
**SHA1:** 9a4b8f59d630e6ab82224d1994b075faa5479d1d  
**SHA256:** 1c3d45a1a7e6ea58597db1cb5975f50ba8cebadfeb4c7f31d9baab21b917fb12  
**Referenced In Project/Scope:**client

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### ticketprocess.zip: ticketprocess.jar: ticketprocess.changeticketprocess.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/client/build/tmp/dependencies/i-net HelpDesk Anwendung/plugins/ticketprocess.zip/ticketprocess.jar/com/inet/helpdesk/plugins/ticketprocess/client/js/ticketprocess.changeticketprocess.js  
**MD5:** c019f6fc33f0dcf3d7fd3ada7727488c  
**SHA1:** 075b237289495db82ec40e169964f49929bc129e  
**SHA256:** 444f2bad720c1cbc6280955fa737f671c24dc94de908fc1045933314b346d0bc  
**Referenced In Project/Scope:**client

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### ticketprocess.zip: ticketprocess.jar: ticketprocess.parallelticket.preview.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/client/build/tmp/dependencies/i-net HelpDesk Anwendung/plugins/ticketprocess.zip/ticketprocess.jar/com/inet/helpdesk/plugins/ticketprocess/client/js/ticketprocess.parallelticket.preview.js  
**MD5:** 5c0ec18a22f7b9fb6292e21070950368  
**SHA1:** 192f66d3427f6caad3262ac4e2e566124abef922  
**SHA256:** 6df54aa11bc1aef6d458fd2e7f677f8f90773769e9da83b8629a469418a37a0a  
**Referenced In Project/Scope:**client

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## ticketprocess.zip: ticketprocess.jar: ticketprocessdirectives.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/client/build/tmp/dependencies/i-net HelpDesk Anwendung/plugins/ticketprocess.zip/ticketprocess.jar/com/inet/helpdesk/plugins/ticketprocess/client/js/ticketprocessdirectives.js

**MD5:** 8a57179ef7236377d9fa628218885b76

**SHA1:** 09d8a932f651cfcad814bdd0693199123cb11724

**SHA256:** bcbcb2c1c5116661515b023ce012a6df77289975600414e15316a2477cd014cb

**Referenced In Project/Scope:** client

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## ticketprocess.zip: ticketprocess.jar: ticketprocessfactory.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/client/build/tmp/dependencies/i-net HelpDesk Anwendung/plugins/ticketprocess.zip/ticketprocess.jar/com/inet/helpdesk/plugins/ticketprocess/client/js/ticketprocessfactory.js

**MD5:** c3a5d294b1624a5d4a8fda30a91e6a37

**SHA1:** 19057c1c01d74f4a5dde0dcf58c30c60cb1e9472

**SHA256:** 0e6325857f9980c8d519037891b15e3cc562fd255809871123cb3156e3de4d5e

**Referenced In Project/Scope:** client

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### ticketprocess.zip: ticketprocess.jar: ticketprocessmodel.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/client/build/tmp/dependencies/i-net HelpDesk Anwendung/plugins/ticketprocess.zip/ticketprocess.jar/com/inet/helpdesk/plugins/ticketprocess/client/js/ticketprocessmodel.js

**MD5:** d11d38dc36a243c64f33345bbe5a6bad

**SHA1:** 6694a85c71da6d6ded5190e510cdffb3d042b37e

**SHA256:** 99f139697a8d3ec5d935857176f6fcb210404c3d70b92510979f60453c948961

**Referenced In Project/Scope:** client

#### Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

This report contains data retrieved from the [National Vulnerability Database](#).

This report may contain data retrieved from the [NPM Public Advisories](#).

This report may contain data retrieved from [RetireJS](#).

This report may contain data retrieved from the [Sonatype OSS Index](#).