Dependency-Check is an open source tool performing a best effort analysis of 3rd party dependencies; false positives and false negatives may exist in the analysis performed by the tool. Use of the tool and the reporting provided constitutes acceptance for use in an AS IS condition, and there are NO warranties, implied or otherwise, with regard to the analysis or its use. Any use of the tool and the reporting provided is at the user's risk. In no event shall the copyright holder or OWASP be held liable for any damages whatsoever arising out of or in connection with the use of this tool, the analysis performed, or the resulting report.

How to read the report | Suppressing false positives | Getting Help: github issues

Sponsor

Project: project ':server'

helpdesk:server:25.4

Scan Information (show all):

- *dependency-check version*: 10.0.3
- *Report Generated On*: Thu, 1 May 2025 14:02:56 +0200
- *Dependencies Scanned*: 1485 (1415 unique)
- *Vulnerable Dependencies*: 0
- *Vulnerabilities Found*: 0
- *Vulnerabilities Suppressed*: 94 (show)
- ...
- *NVD API Last Checked*: 2025-05-01T11:59:58Z
- *NVD API Last Modified*: 2024-09-18T11:15:10Z
- *NVD Cache Last Checked*: 2025-05-01T11:59:58Z
- *NVD Cache Last Modified*: 2024-09-18T11:15:10Z

Summary

Display: Showing Vulnerable Dependencies (click to show all)

Dependency	Vulnerability IDs	Package	Highest Severi
BarcodePDF417Bean.jar			
JBarcodeBean.jar			
Merlia-0.jar		pkg:maven/lib/Merlia@0	
Merlia.jar			
Oranxo.jar			
ZxingBarCodes.jar			
adhoc.zip: adhoc-javadoc.jar			
adhoc.zip: adhoc-javadoc.jar: jquery-3.6.1.min.js			
adhoc.zip: adhoc-javadoc.jar: jquery-ui.min.js		pkg:javascript/jquery-ui@1.13.1	
adhoc.zip: adhoc-javadoc.jar: member-search-index.js			

adhoc.zip: adhoc-javadoc.jar: module-search-index.js			
adhoc.zip: adhoc-javadoc.jar: package-search-index.js			
adhoc.zip: adhoc-javadoc.jar: script.js			
adhoc.zip: adhoc-javadoc.jar: search.js			
adhoc.zip: adhoc-javadoc.jar: tag-search-index.js			
adhoc.zip: adhoc-javadoc.jar: type-search-index.js			
adhoc.zip: adhoc.jar			
adhoc.zip: adhoc.jar: adhoc.chartresizeobserver.js			
adhoc.zip: adhoc.jar: adhoc.componentresizeobserver.js			
adhoc.zip: adhoc.jar: adhoc.openfiledropzone.js			
adhoc.zip: adhoc.jar: adhoc.pageheadertoolbar.js			
adhoc.zip: adhoc.jar: adhoc.reportcomponentview.js			
adhoc.zip: adhoc.jar: adhoc.reportpropertiesarea.js			
adhoc.zip: adhoc.jar: adhoc.reportproperty.js			
adhoc.zip: adhoc.jar: adhoc.reportproperty.printconverter.js			
adhoc.zip: adhoc.jar: adhoc.reportproperty.renderer.access.js			
adhoc.zip: adhoc.jar: adhoc.reportproperty.renderer.boolean.js			
adhoc.zip: adhoc.jar: adhoc.reportproperty.renderer.color.js			
adhoc.zip: adhoc.jar: adhoc.reportproperty.renderer.colorscheme.js			
adhoc.zip: adhoc.jar: adhoc.reportproperty.renderer.columns.js			
adhoc.zip: adhoc.jar: adhoc.reportproperty.renderer.filter.js			
adhoc.zip: adhoc.jar: adhoc.reportproperty.renderer.image.select.js			
adhoc.zip: adhoc.jar: adhoc.reportproperty.renderer.logo.js			
adhoc.zip: adhoc.jar: adhoc.reportproperty.renderer.select.js			
adhoc.zip: adhoc.jar: adhoc.reportproperty.renderer.slider.js			
adhoc.zip: adhoc.jar: adhoc.reportproperty.renderer.source.js			
adhoc.zip: adhoc.jar: adhoc.reportproperty.renderer.templatesource.js			
adhoc.zip: adhoc.jar: adhoc.reportproperty.renderer.			

text.js			
adhoc.zip: adhoc.jar: adhoc.reportview.js			
adhoc.zip: adhoc.jar: adhoc.toolbar.js			
adhoc.zip: adhoc.jar: adhoccontroller.js			
adhoc.zip: adhoc.jar: adhocfactory.js			
adhoc.zip: adhoc.jar: adhocmodel.js			
adhoc.zip: adhoc.jar: configuration.adhoc.templates.edit.js			
adhoc.zip: adhoc.jar: configuration.adhoc.templates.js			
adhoc.zip: adhoc.jar: configuration.adhoc.themes.edit.js			
adhoc.zip: adhoc.jar: configuration.adhoc.themes.js			
adhoc.zip: plotly.js-dist-min.jar	cpe:2.3:a:plotly:plotly.js:2.35.2:*:*:*:*:*:*:*	pkg:maven/org.webjars.npm/plotly.js-dist-min@2.35.2	
adhoc.zip: plotly.js-dist-min.jar: package.json			
adhoc.zip: plotly.js-dist-min.jar: plotly.min.js			
attachments.zip: attachments.jar	cpe:2.3:a:inetsoftware:helpdesk:25.4.227:*:*:*:*:*:*:*		
authentication.pam.zip: authentication.pam.jar			
authentication.product.zip: authentication.product.jar			
authentication.windows.zip: authentication.windows.jar			
authentication.windows.zip: caffeine.jar			
authentication.windows.zip: jna-platform.jar			
authentication.windows.zip: waffle-jna-jakarta.jar	cpe:2.3:a:4d:4d:3.5.1:*:*:*:*:*:*:*	pkg:maven/com.github.waffle/waffle-jna-jakarta@3.5.1	
autolinking.zip: autolinking.jar	cpe:2.3:a:inetsoftware:helpdesk:25.4.227:*:*:*:*:*:*:*		
collaboration.zip: collaboration.jar			
commons-logging.jar		pkg:maven/commons-logging/commons-logging@1.3.4	
configuration.zip: configuration.jar			
configuration.zip: configuration.jar: authenticationItemRenderer.directive.js			
configuration.zip: configuration.jar:			

authenticationRenderer.directive.js			
configuration.zip: configuration.jar: boolean.directive.js			
configuration.zip: configuration.jar: booleanButton.directive.js			
configuration.zip: configuration.jar: colorInput.directive.js			
configuration.zip: configuration.jar: controller.js			
configuration.zip: configuration.jar: datafactory.js			
configuration.zip: configuration.jar: fileUploadRenderer.directive.js			
configuration.zip: configuration.jar: filesystemInputButton.directive.js			
configuration.zip: configuration.jar: filesystemInputDirectory.directive.js			
configuration.zip: configuration.jar: filesystemInputFile.directive.js			
configuration.zip: configuration.jar: iconDropRenderer.directive.js			
configuration.zip: configuration.jar: inlinerenderer.directive.js			
configuration.zip: configuration.jar: keyLabelText.directive.js			
configuration.zip: configuration.jar: labelLink.directive.js			
configuration.zip: configuration.jar: labelText.directive.js			
configuration.zip: configuration.jar: licenseKeyItemRenderer.directive.js			
configuration.zip: configuration.jar: licenseKeyRenderer.directive.js			
configuration.zip: configuration.jar: listItemRenderer.directive.js			
configuration.zip: configuration.jar: logopreview.directive.js			
configuration.zip: configuration.jar: multiLineCode.directive.js			
configuration.zip: configuration.jar: multiLineText.directive.js			
configuration.zip: configuration.jar: multiLingualTextRenderer.directive.js			
configuration.zip: configuration.jar: passwordText.directive.js			
configuration.zip: configuration.jar: reloadSelectInputsTrigger.directive.js			
configuration.zip: configuration.jar: renderer.directive.js			

configuration.zip: configuration.jar: repoDbRenderer.directive.js			
configuration.zip: configuration.jar: repoFsRenderer.directive.js			
configuration.zip: configuration.jar: repositoryItemRenderer.directive.js			
configuration.zip: configuration.jar: repositoryRenderer.directive.js			
configuration.zip: configuration.jar: selectEditText.directive.js			
configuration.zip: configuration.jar: selectFilteredText.directive.js			
configuration.zip: configuration.jar: selectLanguageChooserRenderer.directive.js			
configuration.zip: configuration.jar: selectSimpleText.directive.js			
configuration.zip: configuration.jar: simpleDate.directive.js			
configuration.zip: configuration.jar: simpleSlider.directive.js			
configuration.zip: configuration.jar: simpleText.directive.js			
configuration.zip: configuration.jar: tableRenderer.directive.js			
configuration.zip: configuration.jar: treeRenderer.directive.js			
configuration.zip: configuration.jar: usersandgroupsselect.directive.js			
core.jar		pkg:maven/com.google.zxing/core@3.5.3	
cowork.tickets.zip: cowork.tickets.jar	cpe:2.3:a:tickets_project:tickets:25.4.227:*:*:*:*:*:*:*		
cowork.tickets.zip: cowork.tickets.jar: coworkchatextension.js			
cowork.zip: cowork-javadoc.jar			
cowork.zip: cowork-javadoc.jar: member-search-index.js			
cowork.zip: cowork-javadoc.jar: package-search-index.js			
cowork.zip: cowork-javadoc.jar: type-search-index.js			
cowork.zip: cowork.jar			
cowork.zip: cowork.jar: MessageCreationChart.js			
cowork.zip: cowork.jar: cowork.diagnostics.js			

cowork.zip: cowork.jar: coworkcomponents.js			
cowork.zip: cowork.jar: coworkcontroller.js			
cowork.zip: cowork.jar: coworkconversation.js			
cowork.zip: cowork.jar: coworkfactory.js			
cowork.zip: cowork.jar: coworkinputbox.js			
cowork.zip: cowork.jar: coworkmodel.js			
cowork.zip: cowork.jar: coworksettingscontroller.js			
cowork.zip: cowork.jar: inetmarkdown.js			
cowork.zip: cowork.jar: showreactionscontroller.js			
cowork.zip: cowork.jar: teamsettingscontroller.js			
dataimport.zip: dataimport.jar	cpe:2.3:a:inetsoftware:helpdesk:25.4.227:*:*:*:*:*:*:*		
dataimport.zip: dataimport.jar: actionsBar.directive.js			
dataimport.zip: dataimport.jar: checkbox.directive.js			
dataimport.zip: dataimport.jar: controller.js			
dataimport.zip: dataimport.jar: deviceDataImport.directive.js			
dataimport.zip: dataimport.jar: filtereablevalueselection.directive.js			
dataimport.zip: dataimport.jar: importfactory.js			
dataimport.zip: dataimport.jar: importjob.directive.js			
dataimport.zip: dataimport.jar: itemRenderer.directive.js			
dataimport.zip: dataimport.jar: userDataImport.directive.js			
diagnostics.reporting.zip: diagnostics.reporting.jar			
diagnostics.reporting.zip: diagnostics.reporting.jar: connectionPool.js			
diagnostics.reporting.zip: diagnostics.reporting.jar: reportcache.js			
diagnostics.reporting.zip: diagnostics.reporting.jar: server-datasource.js			
diagnostics.zip: diagnostics.jar			
diagnostics.zip: diagnostics.jar: MemoryPieChart.js			
diagnostics.zip: diagnostics.jar: MemoryUsageChart.js			
diagnostics.zip: diagnostics.jar: WebServerErrorChart.js			
diagnostics.zip: diagnostics.jar: benchmarkCtrl.js			
diagnostics.zip: diagnostics.jar: client-server.js			

diagnostics.zip: diagnostics.jar: controller.js			
diagnostics.zip: diagnostics.jar: cpu.js			
diagnostics.zip: diagnostics.jar: cpuspeed.js			
diagnostics.zip: diagnostics.jar: directives.js			
diagnostics.zip: diagnostics.jar: errorHistoryChart.js			
diagnostics.zip: diagnostics.jar: flotr2.min.js			
diagnostics.zip: diagnostics.jar: global.js			
diagnostics.zip: diagnostics.jar: harddisk.js			
diagnostics.zip: diagnostics.jar: heapdumpCtrl.js			
diagnostics.zip: diagnostics.jar: informationCtrl.js			
diagnostics.zip: diagnostics.jar: intArrayUtils.js			
diagnostics.zip: diagnostics.jar: iospeed.js			
diagnostics.zip: diagnostics.jar: jobs.js			
diagnostics.zip: diagnostics.jar: logging.js			
diagnostics.zip: diagnostics.jar: memory.js			
diagnostics.zip: diagnostics.jar: overviewCtrl.js			
diagnostics.zip: diagnostics.jar: pde.diagnostics.js			
diagnostics.zip: diagnostics.jar: timeformat.js			
drive.zip: commons-compress.jar	cpe:2.3:a:apache:commons_compress:1.27.1:*:*:*:*:*:*:*	pkg:maven/org.apache.commons/commons-compress@1.27.1	
drive.zip: commons-io.jar	cpe:2.3:a:apache:commons_io:2.18.0:*:*:*:*:*:*:*	pkg:maven/commons-io/commons-io@2.18.0	
drive.zip: drive.jar			
drive.zip: drive.jar: actions.js			
drive.zip: drive.jar: actions.service.js			
drive.zip: drive.jar: contentextension.js			
drive.zip: drive.jar: controller.js			
drive.zip: drive.jar: drivecleanup.js			
drive.zip: drive.jar: drivecontroller.js			
drive.zip: drive.jar: drivefactory.js			
drive.zip: drive.jar: drivemodel.js			
drive.zip: drive.jar: dropzone.directive.js			
drive.zip: drive.jar: entryactions.directive.js			

drive.zip: drive.jar: fileconfig.directive.js			
drive.zip: drive.jar: folderlist.directive.js			
drive.zip: drive.jar: linkdialog.js			
drive.zip: drive.jar: locationchooser.js			
drive.zip: drive.jar: mountdialog.js			
drive.zip: drive.jar: myshareextension.js			
drive.zip: drive.jar: permissionsextension.js			
drive.zip: drive.jar: progress.service.js			
drive.zip: drive.jar: progresspanel.directive.js			
drive.zip: drive.jar: resolve.service.js			
drive.zip: drive.jar: responsivetoolbar.directive.js			
drive.zip: drive.jar: selectedextension.js			
drive.zip: drive.jar: shareextension.js			
drive.zip: drive.jar: shareextension.js			
drive.zip: drive.jar: thumbnailextension.js			
drive.zip: drive.jar: toolbaraction.directive.js			
drive.zip: drive.jar: unzipextension.js			
drive.zip: drive.jar: zipextension.js			
exceljconnect.jar			
fieldsettings.zip: fieldsettings.jar			
fieldsettings.zip: fieldsettings.jar: FieldSettingsPropertyRenderer.js			
fieldsettings.zip: fieldsettings.jar: UserFieldSettingsPropertyRenderer.js			
hamcrest-3.0.jar		pkg:maven/org.hamcrest/hamcrest@3.0	
help.zip: commons-beanutils.jar	cpe:2.3:a:apache:commons_beanutils:1.9.4:*:*:*:*:*:*:*	pkg:maven/commons-beanutils/commons-beanutils@1.9.4	
help.zip: commons-digester3.jar		pkg:maven/org.apache.commons/commons-digester3@3.2	
help.zip: help.jar			
help.zip: help.jar: app.js			
help.zip: help.jar: controller.js			
help.zip: help.jar: shared.factory.js			

help.zip: help.jar: shared.highlighter.js			
help.zip: jsoup.jar	cpe:2.3:a:jsoup:jsoup:1.18.3:*:*:*:*:*:*:*	pkg:maven/org.jsoup/jsoup@1.18.3	
helpdesk.forms.zip: helpdesk.forms.jar	cpe:2.3:a:inetsoftware:helpdesk:25.4.227:*:*:*:*:*:*:*		
helpdesk.forms.zip: helpdesk.forms.jar: FormInterceptor.service.js			
helpdesk.forms.zip: helpdesk.forms.jar: configuration.ticketforms.edit.js			
helpdesk.forms.zip: helpdesk.forms.jar: configuration.ticketforms.js			
helpdesk.forms.zip: helpdesk.forms.jar: editFormField.js			
helpdesk.forms.zip: helpdesk.forms.jar: fieldrenderer.js			
helpdesk.forms.zip: helpdesk.forms.jar: fieldrenderer_conditionValue.js			
helpdesk.forms.zip: helpdesk.forms.jar: fieldrenderer_defaultValue.js			
helpdesk.forms.zip: helpdesk.forms.jar: folderPermissionsDisplay.js			
helpdesk.forms.zip: helpdesk.forms.jar: formExecution.js			
helpdesk.forms.zip: helpdesk.forms.jar: formHandlingService.js			
helpdesk.forms.zip: helpdesk.forms.jar: formfields.js			
helpdesk.forms.zip: helpdesk.forms.jar: formicondropzone.js			
helpdesk.forms.zip: helpdesk.forms.jar: formmetadata.js			
helpdesk.forms.zip: helpdesk.forms.jar: formrenderer.js			
helpdesk.forms.zip: helpdesk.forms.jar: formsections.js			
helpdesk.forms.zip: helpdesk.forms.jar: sectionid.js			
helpdesk.forms.zip: helpdesk.forms.jar: ticketPreviewSettings.js			
helpdesk.forms.zip: helpdesk.forms.jar: ticketformsfactory.js			
helpdesk.forms.zip: helpdesk.forms.jar: ticketformsmodel.js			
helpdesk.forms.zip: helpdesk.forms.jar: ticketlist.form.controller.js			
helpdesk.forms.zip: helpdesk.forms.jar: ticketlist.form.extension.js			
helpdesk.zip: helpdesk.jar	cpe:2.3:a:inetsoftware:		

	helpdesk:25.4.227:*:*:*:*:*:*:*		
helpdesk.zip: helpdesk.jar: TicketFieldSettingsPropertyRenderer.js			
helpdesk.zip: helpdesk.jar: attachmentdisplay.js			
helpdesk.zip: helpdesk.jar: configuration.autotext.edit.js			
helpdesk.zip: helpdesk.jar: configuration.autotext.js			
helpdesk.zip: helpdesk.jar: configuration.mailtemplates.edit.js			
helpdesk.zip: helpdesk.jar: configuration.mailtemplates.js			
helpdesk.zip: helpdesk.jar: effectiveactionscontroller.js			
helpdesk.zip: helpdesk.jar: helpdeskconfig.js			
helpdesk.zip: helpdesk.jar: predeletionhandler.js			
helpdesk.zip: helpdesk.jar: promptuserselectrenderer.js			
helpdesk.zip: helpdesk.jar: renderer.js			
helpdesk.zip: helpdesk.jar: setdefaultguipreferencesaction.js			
helpdesk.zip: helpdesk.jar: usersandgroupsreports.js			
helpdesk.zip: rhino.jar			
helpdesksetupwizard.zip: helpdesksetupwizard.jar	cpe:2.3:a:inetsoftware:helpdesk:25.4.227:*:*:*:*:*:*:*		
helpdesksetupwizard.zip: helpdesksetupwizard.jar: controller.js			
htmlengine.zip: JWebEngine.jar			
htmlengine.zip: htmlengine.jar			
htmlviewer.toolbar.zip: htmlviewer.toolbar.jar			
htmlviewer.toolbar.zip: htmlviewer.toolbar.jar: htmlviewer.angular.js			
inetcore-25.4-tools.jar		pkg:maven/shared/inetcore@25.4	
inetcore-25.4.jar (shaded: com.inet.shared:inetcore:null)			
inetcore-25.4.jar		pkg:maven/shared/inetcore@25.4	
inetloggeradapter.jar			
inventory.zip: inventory.jar	cpe:2.3:a:inetsoftware:helpdesk:25.4.227:*:*:*:*:*:*:*		
inventory.zip: inventory.jar: genericfieldrenderer.js			

inventory.zip: inventory.jar: inventory.3drenderer.directive.js			
inventory.zip: inventory.jar: inventory.3dview.directive.js			
inventory.zip: inventory.jar: inventory.asset3d.directive.js			
inventory.zip: inventory.jar: inventory.assetdetailsform.directive.js			
inventory.zip: inventory.jar: inventory.assetimage.directive.js			
inventory.zip: inventory.jar: inventory.assetimagehover.directive.js			
inventory.zip: inventory.jar: inventory.assetmenu.directive.js			
inventory.zip: inventory.jar: inventory.default3dbox.directive.js			
inventory.zip: inventory.jar: inventory.devicefieldrenderer.directive.js			
inventory.zip: inventory.jar: inventory.devicefieldrendercurrency.directive.js			
inventory.zip: inventory.jar: inventory.devicefieldrendererdatetime.directive.js			
inventory.zip: inventory.jar: inventory.devicefieldrendererlink.directive.js			
inventory.zip: inventory.jar: inventory.devicefieldrendererselect.directive.js			
inventory.zip: inventory.jar: inventory.devicefieldrenderertime.directive.js			
inventory.zip: inventory.jar: inventory.devicefieldrendereruser.directive.js			
inventory.zip: inventory.jar: inventory.deviceimagerenderer.directive.js			
inventory.zip: inventory.jar: inventory.editproperties.controller.js			
inventory.zip: inventory.jar: inventory.editproperties.directive.js			
inventory.zip: inventory.jar: inventory.fieldgroup.filter.js			
inventory.zip: inventory.jar: inventory.inventoryattachmentcontent.directive.js			
inventory.zip: inventory.jar: inventory.inventoryattachments.directive.js			
inventory.zip: inventory.jar: inventory.invoicepaper.directive.js			
inventory.zip: inventory.jar: inventory.lazydetailfields.directive.js			
inventory.zip: inventory.jar: inventory.levelslider.			

directive.js			
inventory.zip: inventory.jar: inventory.licensepaper.directive.js			
inventory.zip: inventory.jar: inventory.listview.directive.js			
inventory.zip: inventory.jar: inventory.listviewrow.directive.js			
inventory.zip: inventory.jar: inventory.locationbox.directive.js			
inventory.zip: inventory.jar: inventory.roombox.directive.js			
inventory.zip: inventory.jar: inventory.slapaper.directive.js			
inventory.zip: inventory.jar: inventory.structuretoolbar.directive.js			
inventory.zip: inventory.jar: inventory.structureview.directive.js			
inventory.zip: inventory.jar: inventory.tile.directive.js			
inventory.zip: inventory.jar: inventory.tilelane.directive.js			
inventory.zip: inventory.jar: inventory.tileview.directive.js			
inventory.zip: inventory.jar: inventory.treegrouping.directive.js			
inventory.zip: inventory.jar: inventory.typehandheld.directive.js			
inventory.zip: inventory.jar: inventory.usertable.directive.js			
inventory.zip: inventory.jar: inventorycontroller.js			
inventory.zip: inventory.jar: inventoryextension.assetpreview.directive.js			
inventory.zip: inventory.jar: inventoryextension.detailscontroller.js			
inventory.zip: inventory.jar: inventoryextension.js			
inventory.zip: inventory.jar: inventoryextension.treenode.directive.js			
inventory.zip: inventory.jar: inventoryfactory.js			
inventory.zip: inventory.jar: inventorymodel.js			
inventory.zip: inventory.jar: inventoryticketpagefactory.js			
inventory.zip: inventory.jar: printinventory.js			
inventory.zip: inventory.jar: resizeableColumn.js			
inventory.zip: inventory.jar: treegroupingsettings.js			
jakarta.servlet-api.jar	cpe:2.3:a:oracle:	pkg:maven	

	projects:6.1.0:*:*:*:*:*:*:*	/jakarta.servlet /jakarta.servlet-api@6.1.0	
jakarta.websocket-api.jar		pkg:maven /jakarta. websocket /jakarta. websocket-api@2.2.0	
jakarta.websocket-client-api.jar	cpe:2.3:a:web_project: web:2.2.0:*:*:*:*:*:*:*	pkg:maven /jakarta. websocket /jakarta. websocket-client-api@2. 2.0	
java-21-jre-x64-linux.tar.gz: java-21-jre-x64-linux.tar: jrt-fs.jar	cpe:2.3:a:eclipse: platform:21.0.7:*:*:*:*:*: *:*		
javase.jar		pkg:maven /com.google. zxing /javase@3.5.3	
jlessc-1.12.jar		pkg:maven/de. inetsoftware /jlessc@1.12	
jna.jar	cpe:2.3:a:oracle: java_se:5.14.0:*:*:*:*:*: *:*		
jna.jar: jnidispatch.dll			
jna.jar: jnidispatch.dll			
jna.jar: jnidispatch.dll			
junit-4.13.2.jar	cpe:2.3:a:junit:junit4: 4.13.2:*:*:*:*:*:*:*	pkg:maven/junit /junit@4.13.2	
junit-jupiter-5.11.4.jar		pkg:maven/org. junit.jupiter /junit-jupiter@5. 11.4	
junit-jupiter-api-5.11.4.jar		pkg:maven/org. junit.jupiter /junit-jupiter- api@5.11.4	
junit-jupiter-engine-5.11.4.jar		pkg:maven/org. junit.jupiter /junit-jupiter- engine@5.11.4	
junit-jupiter-params-5.11.4.jar		pkg:maven/org. junit.jupiter /junit-jupiter- params@5. 11.4	
junit-platform-commons-1.11.4.jar		pkg:maven/org. junit.platform /junit-platform-	

		commons@1.11.4	
junit-platform-engine-1.11.4.jar		pkg:maven/org.junit.platform/junit-platform-engine@1.11.4	
junit-platform-launcher-1.11.4.jar		pkg:maven/org.junit.platform/junit-platform-launcher@1.11.4	
junit-platform-suite-1.11.4.jar		pkg:maven/org.junit.platform/junit-platform-suite@1.11.4	
junit-platform-suite-api-1.11.4.jar		pkg:maven/org.junit.platform/junit-platform-suite-api@1.11.4	
junit-platform-suite-commons-1.11.4.jar		pkg:maven/org.junit.platform/junit-platform-suite-commons@1.11.4	
junit-platform-suite-engine-1.11.4.jar		pkg:maven/org.junit.platform/junit-platform-suite-engine@1.11.4	
junit-vintage-engine-5.11.4.jar		pkg:maven/org.junit.vintage/junit-vintage-engine@5.11.4	
knowledgebase.zip: knowledgebase.jar	cpe:2.3:a:inetsoftware:helpdesk:25.4.227:*:*:*:*:*:*:*		
knowledgebase.zip: knowledgebase.jar: controllerArticleDetails.js			
knowledgebase.zip: knowledgebase.jar: controllerArticleDialog.js			
knowledgebase.zip: knowledgebase.jar: controllerArticleEditDialog.js			
knowledgebase.zip: knowledgebase.jar: controllerKnowledgeBase.js			
knowledgebase.zip: knowledgebase.jar: fuzzysearcharticleextension.js			
knowledgebase.zip: knowledgebase.jar: knowledgeBaseFactory.js			
knowledgebase.zip: knowledgebase.jar: ticketlist.extension.js			
livesupport.zip: livesupport.jar	cpe:2.3:a:inetsoftware:		

	helpdesk:25.4.227:*:*:*:*:*:*:*		
livesupport.zip: livesupport.jar: attachments.js			
livesupport.zip: livesupport.jar: connections.js			
livesupport.zip: livesupport.jar: controller.js			
livesupport.zip: livesupport.jar: dragging.js			
livesupport.zip: livesupport.jar: events.js			
livesupport.zip: livesupport.jar: fetch-promise.min.js			
livesupport.zip: livesupport.jar: i18n.js			
livesupport.zip: livesupport.jar: lazy-load.js			
livesupport.zip: livesupport.jar: prototype.array.js			
livesupport.zip: livesupport.jar: prototype.element.js			
livesupport.zip: livesupport.jar: ui-components.js			
mail.zip: angus-activation.jar		pkg:maven/org.eclipse.angus/angus-activation@2.0.2	
mail.zip: angus-mail.jar (shaded: org.eclipse.angus:angus-core:2.0.3)		pkg:maven/org.eclipse.angus/angus-core@2.0.3	
mail.zip: angus-mail.jar (shaded: org.eclipse.angus:imap:2.0.3)		pkg:maven/org.eclipse.angus/imap@2.0.3	
mail.zip: angus-mail.jar (shaded: org.eclipse.angus:logging-mailhandler:2.0.3)		pkg:maven/org.eclipse.angus/logging-mailhandler@2.0.3	
mail.zip: angus-mail.jar (shaded: org.eclipse.angus:pop3:2.0.3)		pkg:maven/org.eclipse.angus/pop3@2.0.3	
mail.zip: angus-mail.jar (shaded: org.eclipse.angus:smtp:2.0.3)		pkg:maven/org.eclipse.angus/smtp@2.0.3	
mail.zip: angus-mail.jar		pkg:maven/org.eclipse.angus/angus-mail@2.0.3	
mail.zip: bc-fips.jar			
mail.zip: bcjmail-fips.jar	cpe:2.3:a:bouncycastle:bouncy_castle_for_java:2.0.5:*:*:*:*:*:*:*		
mail.zip: bcpg-fips.jar	cpe:2.3:a:bouncycastle:bouncy_castle_for_java:2.0.9:*:*:*:*:*:*:* cpe:2.3:a:openpgp:		

	openpgp:2.0.9:*:*:*:*:*:*:*		
mail.zip: bcpkix-fips.jar	cpe:2.3:a:bouncycastle:bouncy_castle_for_java:2.0.7:*:*:*:*:*:*:*		
mail.zip: bcutil-fips.jar	cpe:2.3:a:bouncycastle:bouncy_castle_for_java:2.0.3:*:*:*:*:*:*:*		
mail.zip: jakarta.activation-api.jar		pkg:maven/jakarta.activation/jakarta.activation-api@2.1.3	
mail.zip: jakarta.mail-api.jar		pkg:maven/jakarta.mail/jakarta.mail-api@2.1.3	
mail.zip: mail.jar			
mail.zip: mail.jar: smimeconfig.js			
maintenance.helpdesk.zip: maintenance.helpdesk.jar	cpe:2.3:a:inetsoftware:helpdesk:25.4.227:*:*:*:*:*:*:*		
maintenance.helpdesk.zip: maintenance.helpdesk.jar: app.js			
maintenance.helpdesk.zip: maintenance.helpdesk.jar: datacare.js			
maintenance.helpdesk.zip: maintenance.helpdesk.jar: dbmigration.js			
maintenance.helpdesk.zip: maintenance.helpdesk.jar: loginmodification.js			
maintenance.reporting.zip: maintenance.reporting.jar			
maintenance.zip: maintenance-javadoc.jar			
maintenance.zip: maintenance-javadoc.jar: member-search-index.js			
maintenance.zip: maintenance-javadoc.jar: package-search-index.js			
maintenance.zip: maintenance-javadoc.jar: tag-search-index.js			
maintenance.zip: maintenance-javadoc.jar: type-search-index.js			
maintenance.zip: maintenance.jar			
maintenance.zip: maintenance.jar: controller.js			
maintenance.zip: maintenance.jar: controller.js			
maintenance.zip: maintenance.jar: controller.js			
maintenance.zip: maintenance.jar: controller.js			

maintenance.zip: maintenance.jar: controller.js			
maintenance.zip: maintenance.jar: filechooser.js			
maintenance.zip: maintenance.jar: multieditusers.js			
mariadb-java-client.jar		pkg:maven/org.mariadb.jdbc/mariadb-java-client@3.5.1	
mysql-connector-j.jar	cpe:2.3:a:mysql:mysql:8.2.0:*:*:*:*:*:*:* cpe:2.3:a:oracle:connector\/j:8.2.0:*:*:*:*:*:*:* cpe:2.3:a:oracle:jdbc:8.2.0:*:*:*:*:*:*:* cpe:2.3:a:oracle:mysql_connector\/j:8.2.0:*:*:*:*:*:*:* cpe:2.3:a:oracle:mysql_connectors:8.2.0:*:*:*:*:*:*:*		
notification.zip: notification.jar			
notification.zip: notification.jar: notification.js			
notification.zip: notification.jar: notification_config.js			
notification.zip: notification.jar: notification_taskplanner.js			
notification.zip: notification.jar: targetrenderer.js			
odbc.jar			
opentest4j-1.3.0.jar		pkg:maven/org.opentest4j/opentest4j@1.3.0	
pdfviewer.zip: pdfjs-dist.jar		pkg:maven/org.webjars.npm/pdfjs-dist@4.9.155	
pdfviewer.zip: pdfjs-dist.jar: package.json			
pdfviewer.zip: pdfviewer.jar			
pdfviewer.zip: pdfviewer.jar: drive.js			
pdfviewer.zip: pdfviewer.jar: pdfviewer.angular.js			
pdfviewer.zip: pdfviewer.jar: pdfviewer.embedded.js			
pdfviewer.zip: pdfviewer.jar: pdfviewer.factory.js			
pdfviewer.zip: pdfviewer.jar: pdfviewer.model.js			
pdfviewer.zip: pdfviewer.jar: pdfviewer.renderer.js			
pdfviewer.zip: pdfviewer.jar: pdfviewer.reporting.js			
pluginstore.client.zip: pluginstore.client.jar			
pluginstore.client.zip: pluginstore.client.jar: controller.js			

pluginstore.client.zip: pluginstore.client.jar: pluginstorehelpcontroller.js			
pluginstore.client.zip: pluginstore.client.jar: publicstoreconfig.js			
pluginstore.client.zip: pluginstore.client.jar: storecontroller.js			
pluginstore.client.zip: pluginstore.client.jar: storedirectives.js			
pluginstore.client.zip: pluginstore.client.jar: storemodel.js			
promptdialog.zip: promptdialog.jar			
promptdialog.zip: promptdialog.jar: promptcontroller.js			
promptdialog.zip: promptdialog.jar: promptcustomrenderer.js			
promptdialog.zip: promptdialog.jar: promptfactory.js			
promptdialog.zip: promptdialog.jar: promptpanel.js			
promptdialog.zip: promptdialog.jar: promptrenderer.js			
quickticket.zip: quickticket.jar	cpe:2.3:a:inetsoftware:helpdesk:25.4.227:*:*:*:*:*:*:*		
quickticket.zip: quickticket.jar: configuration.quickticket.createfolder.js			
quickticket.zip: quickticket.jar: configuration.quickticket.edit.js			
quickticket.zip: quickticket.jar: configuration.quickticket.js			
quickticket.zip: quickticket.jar: configuration.quickticket.renderer.js			
quickticket.zip: quickticket.jar: ticketlist.extension.js			
quickticket.zip: quickticket.jar: ticketlist.quickticket.apply.js			
remotegui.zip: angular-animate.jar		pkg:maven/org.webjars.npm/angular-animate@1.8.3	
remotegui.zip: angular-animate.jar: angular-animate.js		pkg:javascript/angularjs@1.8.3	
remotegui.zip: angular-animate.jar: angular-animate.min.js		pkg:javascript/angularjs@1.8.3	
remotegui.zip: angular-animate.jar: index.js			
remotegui.zip: angular-animate.jar: package.json			
remotegui.zip: angular-cookies.jar		pkg:maven/org.webjars.npm/angular-	

		cookies@1.8.3	
remotegui.zip: angular-cookies.jar: angular-cookies.js		pkg:javascript/angularjs@1.8.3	
remotegui.zip: angular-cookies.jar: angular-cookies.min.js		pkg:javascript/angularjs@1.8.3	
remotegui.zip: angular-cookies.jar: index.js			
remotegui.zip: angular-cookies.jar: package.json			
remotegui.zip: angular-sanitize.jar		pkg:maven/org.webjars.npm/angular-sanitize@1.8.3	
remotegui.zip: angular-sanitize.jar: angular-sanitize.js		pkg:javascript/angularjs@1.8.3	
remotegui.zip: angular-sanitize.jar: angular-sanitize.min.js		pkg:javascript/angularjs@1.8.3	
remotegui.zip: angular-sanitize.jar: index.js			
remotegui.zip: angular-sanitize.jar: package.json			
remotegui.zip: angular.jar		pkg:maven/org.webjars.npm/angular@1.8.3	
remotegui.zip: angular.jar: angular.js		pkg:javascript/angularjs@1.8.3	
remotegui.zip: angular.jar: angular.min.js		pkg:javascript/angularjs@1.8.3	
remotegui.zip: angular.jar: index.js			
remotegui.zip: angular.jar: package.json			
remotegui.zip: codemirror.jar	cpe:2.3:a:codemirror:codemirror:6.65.7:*:*:*:*:*:*:*	pkg:maven/org.webjars.npm/codemirror@6.65.7	
remotegui.zip: codemirror.jar: CodeMirror.js			
remotegui.zip: codemirror.jar: ContentEditableInput.js			
remotegui.zip: codemirror.jar: Display.js			
remotegui.zip: codemirror.jar: Doc.js			
remotegui.zip: codemirror.jar: StringStream.js			
remotegui.zip: codemirror.jar: TextareaInput.js			
remotegui.zip: codemirror.jar: active-line.js			
remotegui.zip: codemirror.jar: annotatescrollbar.js			
remotegui.zip: codemirror.jar: anyword-hint.js			

remotegui.zip: codemirror.jar: apl.js			
remotegui.zip: codemirror.jar: asciiarmor.js			
remotegui.zip: codemirror.jar: asn.1.js			
remotegui.zip: codemirror.jar: asterisk.js			
remotegui.zip: codemirror.jar: autorefresh.js			
remotegui.zip: codemirror.jar: bidi.js			
remotegui.zip: codemirror.jar: brace-fold.js			
remotegui.zip: codemirror.jar: brainfuck.js			
remotegui.zip: codemirror.jar: browser.js			
remotegui.zip: codemirror.jar: change_measurement.js			
remotegui.zip: codemirror.jar: changes.js			
remotegui.zip: codemirror.jar: chunk.js			
remotegui.zip: codemirror.jar: clike.js			
remotegui.zip: codemirror.jar: clojure.js			
remotegui.zip: codemirror.jar: closebrackets.js			
remotegui.zip: codemirror.jar: closetag.js			
remotegui.zip: codemirror.jar: cmake.js			
remotegui.zip: codemirror.jar: cobol.js			
remotegui.zip: codemirror.jar: codemirror-standalone.js			
remotegui.zip: codemirror.jar: codemirror.js			
remotegui.zip: codemirror.jar: codemirror.js			
remotegui.zip: codemirror.jar: codemirror.node.js			
remotegui.zip: codemirror.jar: coffeescript-lint.js			
remotegui.zip: codemirror.jar: coffeescript.js			
remotegui.zip: codemirror.jar: colorize.js			
remotegui.zip: codemirror.jar: commands.js			
remotegui.zip: codemirror.jar: comment-fold.js			
remotegui.zip: codemirror.jar: comment.js			
remotegui.zip: codemirror.jar: commonlisp.js			
remotegui.zip: codemirror.jar: continuecomment.js			
remotegui.zip: codemirror.jar: continuelist.js			
remotegui.zip: codemirror.jar: crystal.js			
remotegui.zip: codemirror.jar: css-hint.js			
remotegui.zip: codemirror.jar: css-lint.js			
remotegui.zip: codemirror.jar: css.js			

remotegui.zip: codemirror.jar: cypher.js			
remotegui.zip: codemirror.jar: d.js			
remotegui.zip: codemirror.jar: dart.js			
remotegui.zip: codemirror.jar: deleteNearSelection.js			
remotegui.zip: codemirror.jar: dialog.js			
remotegui.zip: codemirror.jar: diff.js			
remotegui.zip: codemirror.jar: django.js			
remotegui.zip: codemirror.jar: dockerfile.js			
remotegui.zip: codemirror.jar: document_data.js			
remotegui.zip: codemirror.jar: dom.js			
remotegui.zip: codemirror.jar: drop_events.js			
remotegui.zip: codemirror.jar: dtd.js			
remotegui.zip: codemirror.jar: dylan.js			
remotegui.zip: codemirror.jar: ebnf.js			
remotegui.zip: codemirror.jar: ecl.js			
remotegui.zip: codemirror.jar: eiffel.js			
remotegui.zip: codemirror.jar: elm.js			
remotegui.zip: codemirror.jar: emacs.js			
remotegui.zip: codemirror.jar: erlang.js			
remotegui.zip: codemirror.jar: event.js			
remotegui.zip: codemirror.jar: factor.js			
remotegui.zip: codemirror.jar: fcl.js			
remotegui.zip: codemirror.jar: feature_detection.js			
remotegui.zip: codemirror.jar: focus.js			
remotegui.zip: codemirror.jar: foldcode.js			
remotegui.zip: codemirror.jar: foldgutter.js			
remotegui.zip: codemirror.jar: forth.js			
remotegui.zip: codemirror.jar: fortran.js			
remotegui.zip: codemirror.jar: fromTextArea.js			
remotegui.zip: codemirror.jar: fullscreen.js			
remotegui.zip: codemirror.jar: gas.js			
remotegui.zip: codemirror.jar: gfm.js			
remotegui.zip: codemirror.jar: gherkin.js			
remotegui.zip: codemirror.jar: global_events.js			
remotegui.zip: codemirror.jar: go.js			

remotegui.zip: codemirror.jar: groovy.js			
remotegui.zip: codemirror.jar: gutters.js			
remotegui.zip: codemirror.jar: haml.js			
remotegui.zip: codemirror.jar: handlebars.js			
remotegui.zip: codemirror.jar: hardwrap.js			
remotegui.zip: codemirror.jar: haskell-literate.js			
remotegui.zip: codemirror.jar: haskell.js			
remotegui.zip: codemirror.jar: haxe.js			
remotegui.zip: codemirror.jar: highlight.js			
remotegui.zip: codemirror.jar: highlight_worker.js			
remotegui.zip: codemirror.jar: history.js			
remotegui.zip: codemirror.jar: html-hint.js			
remotegui.zip: codemirror.jar: html-lint.js			
remotegui.zip: codemirror.jar: htmlembedded.js			
remotegui.zip: codemirror.jar: htmlmixed.js			
remotegui.zip: codemirror.jar: http.js			
remotegui.zip: codemirror.jar: idl.js			
remotegui.zip: codemirror.jar: indent-fold.js			
remotegui.zip: codemirror.jar: indent.js			
remotegui.zip: codemirror.jar: input.js			
remotegui.zip: codemirror.jar: javascript-hint.js			
remotegui.zip: codemirror.jar: javascript-lint.js			
remotegui.zip: codemirror.jar: javascript.js			
remotegui.zip: codemirror.jar: jinja2.js			
remotegui.zip: codemirror.jar: json-lint.js			
remotegui.zip: codemirror.jar: jsx.js			
remotegui.zip: codemirror.jar: julia.js			
remotegui.zip: codemirror.jar: jump-to-line.js			
remotegui.zip: codemirror.jar: key_events.js			
remotegui.zip: codemirror.jar: keymap.js			
remotegui.zip: codemirror.jar: keynames.js			
remotegui.zip: codemirror.jar: legacy.js			
remotegui.zip: codemirror.jar: line_data.js			
remotegui.zip: codemirror.jar: line_numbers.js			
remotegui.zip: codemirror.jar: line_widget.js			

remotegui.zip: codemirror.jar: lint.js			
remotegui.zip: codemirror.jar: livescript.js			
remotegui.zip: codemirror.jar: loadmode.js			
remotegui.zip: codemirror.jar: lua.js			
remotegui.zip: codemirror.jar: main.js			
remotegui.zip: codemirror.jar: mark-selection.js			
remotegui.zip: codemirror.jar: mark_text.js			
remotegui.zip: codemirror.jar: markdown-fold.js			
remotegui.zip: codemirror.jar: markdown.js			
remotegui.zip: codemirror.jar: match-highlighter.js			
remotegui.zip: codemirror.jar: matchbrackets.js			
remotegui.zip: codemirror.jar: matchesonscrollbar.js			
remotegui.zip: codemirror.jar: matchtags.js			
remotegui.zip: codemirror.jar: mathematica.js			
remotegui.zip: codemirror.jar: mbox.js			
remotegui.zip: codemirror.jar: merge.js			
remotegui.zip: codemirror.jar: meta.js			
remotegui.zip: codemirror.jar: methods.js			
remotegui.zip: codemirror.jar: mirc.js			
remotegui.zip: codemirror.jar: misc.js			
remotegui.zip: codemirror.jar: mllike.js			
remotegui.zip: codemirror.jar: mode_state.js			
remotegui.zip: codemirror.jar: modelica.js			
remotegui.zip: codemirror.jar: modes.js			
remotegui.zip: codemirror.jar: mouse_events.js			
remotegui.zip: codemirror.jar: movement.js			
remotegui.zip: codemirror.jar: mscgen.js			
remotegui.zip: codemirror.jar: multiplex.js			
remotegui.zip: codemirror.jar: multiplex_test.js			
remotegui.zip: codemirror.jar: mumps.js			
remotegui.zip: codemirror.jar: nginx.js			
remotegui.zip: codemirror.jar: nsis.js			
remotegui.zip: codemirror.jar: ntriples.js			
remotegui.zip: codemirror.jar: octave.js			
remotegui.zip: codemirror.jar: operation_group.js			

remotegui.zip: codemirror.jar: operations.js			
remotegui.zip: codemirror.jar: options.js			
remotegui.zip: codemirror.jar: overlay.js			
remotegui.zip: codemirror.jar: oz.js			
remotegui.zip: codemirror.jar: package.json			
remotegui.zip: codemirror.jar: panel.js			
remotegui.zip: codemirror.jar: pascal.js			
remotegui.zip: codemirror.jar: pegjs.js			
remotegui.zip: codemirror.jar: perl.js			
remotegui.zip: codemirror.jar: php.js			
remotegui.zip: codemirror.jar: pig.js			
remotegui.zip: codemirror.jar: placeholder.js			
remotegui.zip: codemirror.jar: pos.js			
remotegui.zip: codemirror.jar: position_measurement.js			
remotegui.zip: codemirror.jar: powershell.js			
remotegui.zip: codemirror.jar: properties.js			
remotegui.zip: codemirror.jar: protobuf.js			
remotegui.zip: codemirror.jar: pug.js			
remotegui.zip: codemirror.jar: puppet.js			
remotegui.zip: codemirror.jar: python.js			
remotegui.zip: codemirror.jar: q.js			
remotegui.zip: codemirror.jar: r.js			
remotegui.zip: codemirror.jar: rollup.config.js			
remotegui.zip: codemirror.jar: rpm.js			
remotegui.zip: codemirror.jar: rst.js			
remotegui.zip: codemirror.jar: ruby.js			
remotegui.zip: codemirror.jar: rulers.js			
remotegui.zip: codemirror.jar: runmode-standalone.js			
remotegui.zip: codemirror.jar: runmode-standalone.js			
remotegui.zip: codemirror.jar: runmode.js			
remotegui.zip: codemirror.jar: runmode.node.js			
remotegui.zip: codemirror.jar: runmode.node.js			
remotegui.zip: codemirror.jar: rust.js			
remotegui.zip: codemirror.jar: sas.js			
remotegui.zip: codemirror.jar: sass.js			

remotegui.zip: codemirror.jar: saw_special_spans.js			
remotegui.zip: codemirror.jar: scheme.js			
remotegui.zip: codemirror.jar: scroll_events.js			
remotegui.zip: codemirror.jar: scrollbars.js			
remotegui.zip: codemirror.jar: scrolling.js			
remotegui.zip: codemirror.jar: scrollpastend.js			
remotegui.zip: codemirror.jar: search.js			
remotegui.zip: codemirror.jar: searchcursor.js			
remotegui.zip: codemirror.jar: selection-pointer.js			
remotegui.zip: codemirror.jar: selection.js			
remotegui.zip: codemirror.jar: selection.js			
remotegui.zip: codemirror.jar: selection_updates.js			
remotegui.zip: codemirror.jar: shell.js			
remotegui.zip: codemirror.jar: show-hint.js			
remotegui.zip: codemirror.jar: sieve.js			
remotegui.zip: codemirror.jar: simple.js			
remotegui.zip: codemirror.jar: simplescrollbars.js			
remotegui.zip: codemirror.jar: slim.js			
remotegui.zip: codemirror.jar: smalltalk.js			
remotegui.zip: codemirror.jar: smarty.js			
remotegui.zip: codemirror.jar: solr.js			
remotegui.zip: codemirror.jar: soy.js			
remotegui.zip: codemirror.jar: spans.js			
remotegui.zip: codemirror.jar: sparql.js			
remotegui.zip: codemirror.jar: spreadsheet.js			
remotegui.zip: codemirror.jar: sql-hint.js			
remotegui.zip: codemirror.jar: sql.js			
remotegui.zip: codemirror.jar: stex.js			
remotegui.zip: codemirror.jar: stylus.js			
remotegui.zip: codemirror.jar: sublime.js			
remotegui.zip: codemirror.jar: swift.js			
remotegui.zip: codemirror.jar: tcl.js			
remotegui.zip: codemirror.jar: tern.js			
remotegui.zip: codemirror.jar: textile.js			
remotegui.zip: codemirror.jar: tiddlywiki.js			

remotegui.zip: codemirror.jar: tiki.js			
remotegui.zip: codemirror.jar: toml.js			
remotegui.zip: codemirror.jar: tornado.js			
remotegui.zip: codemirror.jar: trailingspace.js			
remotegui.zip: codemirror.jar: troff.js			
remotegui.zip: codemirror.jar: ttcn-cfg.js			
remotegui.zip: codemirror.jar: ttcn.js			
remotegui.zip: codemirror.jar: turtle.js			
remotegui.zip: codemirror.jar: twig.js			
remotegui.zip: codemirror.jar: update_display.js			
remotegui.zip: codemirror.jar: update_line.js			
remotegui.zip: codemirror.jar: update_lines.js			
remotegui.zip: codemirror.jar: utils.js			
remotegui.zip: codemirror.jar: utils_line.js			
remotegui.zip: codemirror.jar: vb.js			
remotegui.zip: codemirror.jar: vbscript.js			
remotegui.zip: codemirror.jar: velocity.js			
remotegui.zip: codemirror.jar: verilog.js			
remotegui.zip: codemirror.jar: vhdl.js			
remotegui.zip: codemirror.jar: view_tracking.js			
remotegui.zip: codemirror.jar: vim.js			
remotegui.zip: codemirror.jar: vue.js			
remotegui.zip: codemirror.jar: wast.js			
remotegui.zip: codemirror.jar: webidl.js			
remotegui.zip: codemirror.jar: widgets.js			
remotegui.zip: codemirror.jar: worker.js			
remotegui.zip: codemirror.jar: xml-fold.js			
remotegui.zip: codemirror.jar: xml-hint.js			
remotegui.zip: codemirror.jar: xml.js			
remotegui.zip: codemirror.jar: xquery.js			
remotegui.zip: codemirror.jar: yacas.js			
remotegui.zip: codemirror.jar: yaml-frontmatter.js			
remotegui.zip: codemirror.jar: yaml-lint.js			
remotegui.zip: codemirror.jar: yaml.js			
remotegui.zip: codemirror.jar: z80.js			

remotegui.zip: crypto-js.jar		pkg:maven/org.webjars.npm/crypto-js@4.2.0	
remotegui.zip: crypto-js.jar: aes.js			
remotegui.zip: crypto-js.jar: blowfish.js			
remotegui.zip: crypto-js.jar: cipher-core.js			
remotegui.zip: crypto-js.jar: core.js			
remotegui.zip: crypto-js.jar: crypto-js.js			
remotegui.zip: crypto-js.jar: enc-base64.js			
remotegui.zip: crypto-js.jar: enc-base64url.js			
remotegui.zip: crypto-js.jar: enc-hex.js			
remotegui.zip: crypto-js.jar: enc-latin1.js			
remotegui.zip: crypto-js.jar: enc-utf16.js			
remotegui.zip: crypto-js.jar: enc-utf8.js			
remotegui.zip: crypto-js.jar: evpkdf.js			
remotegui.zip: crypto-js.jar: format-hex.js			
remotegui.zip: crypto-js.jar: format-openssl.js			
remotegui.zip: crypto-js.jar: hmac-md5.js			
remotegui.zip: crypto-js.jar: hmac-ripemd160.js			
remotegui.zip: crypto-js.jar: hmac-sha1.js			
remotegui.zip: crypto-js.jar: hmac-sha224.js			
remotegui.zip: crypto-js.jar: hmac-sha256.js			
remotegui.zip: crypto-js.jar: hmac-sha3.js			
remotegui.zip: crypto-js.jar: hmac-sha384.js			
remotegui.zip: crypto-js.jar: hmac-sha512.js			
remotegui.zip: crypto-js.jar: hmac.js			
remotegui.zip: crypto-js.jar: index.js			
remotegui.zip: crypto-js.jar: lib-typedarrays.js			
remotegui.zip: crypto-js.jar: md5.js			
remotegui.zip: crypto-js.jar: mode-cfb.js			
remotegui.zip: crypto-js.jar: mode-ctr-gladman.js			
remotegui.zip: crypto-js.jar: mode-ctr.js			
remotegui.zip: crypto-js.jar: mode-ecb.js			
remotegui.zip: crypto-js.jar: mode-ofb.js			
remotegui.zip: crypto-js.jar: package.json			
remotegui.zip: crypto-js.jar: pad-ansix923.js			

remotegui.zip: crypto-js.jar: pad-iso10126.js			
remotegui.zip: crypto-js.jar: pad-iso97971.js			
remotegui.zip: crypto-js.jar: pad-nopadding.js			
remotegui.zip: crypto-js.jar: pad-pkcs7.js			
remotegui.zip: crypto-js.jar: pad-zeropadding.js			
remotegui.zip: crypto-js.jar: pbkdf2.js			
remotegui.zip: crypto-js.jar: rabbit-legacy.js			
remotegui.zip: crypto-js.jar: rabbit.js			
remotegui.zip: crypto-js.jar: rc4.js			
remotegui.zip: crypto-js.jar: ripemd160.js			
remotegui.zip: crypto-js.jar: sha1.js			
remotegui.zip: crypto-js.jar: sha224.js			
remotegui.zip: crypto-js.jar: sha256.js			
remotegui.zip: crypto-js.jar: sha3.js			
remotegui.zip: crypto-js.jar: sha384.js			
remotegui.zip: crypto-js.jar: sha512.js			
remotegui.zip: crypto-js.jar: tripledes.js			
remotegui.zip: crypto-js.jar: x64-core.js			
remotegui.zip: jquery-ui.jar		pkg:maven/org.webjars/jquery-ui@1.14.1	
remotegui.zip: jquery-ui.jar: jquery-ui.js			
remotegui.zip: jquery-ui.jar: jquery-ui.min.js			
remotegui.zip: jquery-ui.jar: package.json			
remotegui.zip: jquery-ui.jar: webjars-requirejs.js			
remotegui.zip: jquery.jar		pkg:javascript/jquery@2.2.4 pkg:maven/org.webjars/jquery@2.2.4	
remotegui.zip: jquery.jar: webjars-requirejs.js			
remotegui.zip: moment-timezone.jar		pkg:maven/org.webjars.npm/moment-timezone@0.5.46	
remotegui.zip: moment-timezone.jar: index.js			
remotegui.zip: moment-timezone.jar: moment-timezone-utils.js			
remotegui.zip: moment-timezone.jar: moment-timezone-with-data-10-year-range.js			

remotegui.zip: moment-timezone.jar: moment-timezone-with-data-10-year-range.min.js			
remotegui.zip: moment-timezone.jar: moment-timezone-with-data-1970-2030.js			
remotegui.zip: moment-timezone.jar: moment-timezone-with-data-1970-2030.min.js			
remotegui.zip: moment-timezone.jar: moment-timezone-with-data-2012-2022.js			
remotegui.zip: moment-timezone.jar: moment-timezone-with-data-2012-2022.min.js			
remotegui.zip: moment-timezone.jar: moment-timezone-with-data.js			
remotegui.zip: moment-timezone.jar: moment-timezone-with-data.min.js			
remotegui.zip: moment-timezone.jar: moment-timezone.js			
remotegui.zip: moment-timezone.jar: moment-timezone.min.js			
remotegui.zip: moment-timezone.jar: package.json			
remotegui.zip: momentjs.jar		pkg:maven/org.webjars/momentjs@2.29.4	
remotegui.zip: momentjs.jar: af.js			
remotegui.zip: momentjs.jar: ar-dz.js			
remotegui.zip: momentjs.jar: ar-kw.js			
remotegui.zip: momentjs.jar: ar-ly.js			
remotegui.zip: momentjs.jar: ar-ma.js			
remotegui.zip: momentjs.jar: ar-sa.js			
remotegui.zip: momentjs.jar: ar-tn.js			
remotegui.zip: momentjs.jar: ar.js			
remotegui.zip: momentjs.jar: az.js			
remotegui.zip: momentjs.jar: be.js			
remotegui.zip: momentjs.jar: bg.js			
remotegui.zip: momentjs.jar: bm.js			
remotegui.zip: momentjs.jar: bn-bd.js			
remotegui.zip: momentjs.jar: bn.js			
remotegui.zip: momentjs.jar: bo.js			
remotegui.zip: momentjs.jar: br.js			
remotegui.zip: momentjs.jar: bs.js			
remotegui.zip: momentjs.jar: ca.js			

remotegui.zip: momentjs.jar: cs.js			
remotegui.zip: momentjs.jar: cv.js			
remotegui.zip: momentjs.jar: cy.js			
remotegui.zip: momentjs.jar: da.js			
remotegui.zip: momentjs.jar: de-at.js			
remotegui.zip: momentjs.jar: de-ch.js			
remotegui.zip: momentjs.jar: de.js			
remotegui.zip: momentjs.jar: dv.js			
remotegui.zip: momentjs.jar: el.js			
remotegui.zip: momentjs.jar: en-au.js			
remotegui.zip: momentjs.jar: en-ca.js			
remotegui.zip: momentjs.jar: en-gb.js			
remotegui.zip: momentjs.jar: en-ie.js			
remotegui.zip: momentjs.jar: en-il.js			
remotegui.zip: momentjs.jar: en-in.js			
remotegui.zip: momentjs.jar: en-nz.js			
remotegui.zip: momentjs.jar: en-sg.js			
remotegui.zip: momentjs.jar: eo.js			
remotegui.zip: momentjs.jar: es-do.js			
remotegui.zip: momentjs.jar: es-mx.js			
remotegui.zip: momentjs.jar: es-us.js			
remotegui.zip: momentjs.jar: es.js			
remotegui.zip: momentjs.jar: et.js			
remotegui.zip: momentjs.jar: eu.js			
remotegui.zip: momentjs.jar: fa.js			
remotegui.zip: momentjs.jar: fi.js			
remotegui.zip: momentjs.jar: fil.js			
remotegui.zip: momentjs.jar: fo.js			
remotegui.zip: momentjs.jar: fr-ca.js			
remotegui.zip: momentjs.jar: fr-ch.js			
remotegui.zip: momentjs.jar: fr.js			
remotegui.zip: momentjs.jar: fy.js			
remotegui.zip: momentjs.jar: ga.js			
remotegui.zip: momentjs.jar: gd.js			
remotegui.zip: momentjs.jar: gl.js			

remotegui.zip: momentjs.jar: gom-deva.js			
remotegui.zip: momentjs.jar: gom-latn.js			
remotegui.zip: momentjs.jar: gu.js			
remotegui.zip: momentjs.jar: he.js			
remotegui.zip: momentjs.jar: hi.js			
remotegui.zip: momentjs.jar: hr.js			
remotegui.zip: momentjs.jar: hu.js			
remotegui.zip: momentjs.jar: hy-am.js			
remotegui.zip: momentjs.jar: id.js			
remotegui.zip: momentjs.jar: is.js			
remotegui.zip: momentjs.jar: it-ch.js			
remotegui.zip: momentjs.jar: it.js			
remotegui.zip: momentjs.jar: ja.js			
remotegui.zip: momentjs.jar: jv.js			
remotegui.zip: momentjs.jar: ka.js			
remotegui.zip: momentjs.jar: kk.js			
remotegui.zip: momentjs.jar: km.js			
remotegui.zip: momentjs.jar: kn.js			
remotegui.zip: momentjs.jar: ko.js			
remotegui.zip: momentjs.jar: ku.js			
remotegui.zip: momentjs.jar: ky.js			
remotegui.zip: momentjs.jar: lb.js			
remotegui.zip: momentjs.jar: lo.js			
remotegui.zip: momentjs.jar: locales.js			
remotegui.zip: momentjs.jar: locales.min.js			
remotegui.zip: momentjs.jar: lt.js			
remotegui.zip: momentjs.jar: lv.js			
remotegui.zip: momentjs.jar: me.js			
remotegui.zip: momentjs.jar: mi.js			
remotegui.zip: momentjs.jar: mk.js			
remotegui.zip: momentjs.jar: ml.js			
remotegui.zip: momentjs.jar: mn.js			
remotegui.zip: momentjs.jar: moment-with-locales.js			
remotegui.zip: momentjs.jar: moment-with-locales.min.js			
remotegui.zip: momentjs.jar: moment.js			

remotegui.zip: momentjs.jar: moment.min.js			
remotegui.zip: momentjs.jar: mr.js			
remotegui.zip: momentjs.jar: ms-my.js			
remotegui.zip: momentjs.jar: ms.js			
remotegui.zip: momentjs.jar: mt.js			
remotegui.zip: momentjs.jar: my.js			
remotegui.zip: momentjs.jar: nb.js			
remotegui.zip: momentjs.jar: ne.js			
remotegui.zip: momentjs.jar: nl-be.js			
remotegui.zip: momentjs.jar: nl.js			
remotegui.zip: momentjs.jar: nn.js			
remotegui.zip: momentjs.jar: oc-lnc.js			
remotegui.zip: momentjs.jar: pa-in.js			
remotegui.zip: momentjs.jar: package.js			
remotegui.zip: momentjs.jar: package.json			
remotegui.zip: momentjs.jar: pl.js			
remotegui.zip: momentjs.jar: pt-br.js			
remotegui.zip: momentjs.jar: pt.js			
remotegui.zip: momentjs.jar: ro.js			
remotegui.zip: momentjs.jar: ru.js			
remotegui.zip: momentjs.jar: sd.js			
remotegui.zip: momentjs.jar: se.js			
remotegui.zip: momentjs.jar: si.js			
remotegui.zip: momentjs.jar: sk.js			
remotegui.zip: momentjs.jar: sl.js			
remotegui.zip: momentjs.jar: sq.js			
remotegui.zip: momentjs.jar: sr-cyrl.js			
remotegui.zip: momentjs.jar: sr.js			
remotegui.zip: momentjs.jar: ss.js			
remotegui.zip: momentjs.jar: sv.js			
remotegui.zip: momentjs.jar: sw.js			
remotegui.zip: momentjs.jar: ta.js			
remotegui.zip: momentjs.jar: te.js			
remotegui.zip: momentjs.jar: tests.js			
remotegui.zip: momentjs.jar: tet.js			

remotegui.zip: momentjs.jar: tg.js			
remotegui.zip: momentjs.jar: th.js			
remotegui.zip: momentjs.jar: tk.js			
remotegui.zip: momentjs.jar: tl-ph.js			
remotegui.zip: momentjs.jar: tlh.js			
remotegui.zip: momentjs.jar: tr.js			
remotegui.zip: momentjs.jar: tzl.js			
remotegui.zip: momentjs.jar: tzm-latn.js			
remotegui.zip: momentjs.jar: tzm.js			
remotegui.zip: momentjs.jar: ug-cn.js			
remotegui.zip: momentjs.jar: uk.js			
remotegui.zip: momentjs.jar: ur.js			
remotegui.zip: momentjs.jar: uz-latn.js			
remotegui.zip: momentjs.jar: uz.js			
remotegui.zip: momentjs.jar: vi.js			
remotegui.zip: momentjs.jar: webjars-requirejs.js			
remotegui.zip: momentjs.jar: x-pseudo.js			
remotegui.zip: momentjs.jar: yo.js			
remotegui.zip: momentjs.jar: zh-cn.js			
remotegui.zip: momentjs.jar: zh-hk.js			
remotegui.zip: momentjs.jar: zh-mo.js			
remotegui.zip: momentjs.jar: zh-tw.js			
remotegui.zip: remotegui.jar			
remotegui.zip: remotegui.jar: angular-websocket.js			
remotegui.zip: remotegui.jar: app.js			
remotegui.zip: remotegui.jar: app.js			
remotegui.zip: remotegui.jar: app.js			
remotegui.zip: remotegui.jar: app.js			
remotegui.zip: remotegui.jar: appbadge.service.js			
remotegui.zip: remotegui.jar: authInterceptor.service.js			
remotegui.zip: remotegui.jar: avatarcard.directive.js			
remotegui.zip: remotegui.jar: avatardetails.directive.js			
remotegui.zip: remotegui.jar: avatarimage.directive.js			
remotegui.zip: remotegui.jar: avatarimagedetails.directive.js			
remotegui.zip: remotegui.jar: basic.js			

remotegui.zip: remotegui.jar: bootstrap-colorpicker.js			
remotegui.zip: remotegui.jar: bootstrap-datetimepicker.js			
remotegui.zip: remotegui.jar: browsercheck.js			
remotegui.zip: remotegui.jar: changeavatar.js			
remotegui.zip: remotegui.jar: changeavatarcontroller.controller.js			
remotegui.zip: remotegui.jar: changeavatarservice.service.js			
remotegui.zip: remotegui.jar: clearreports.controller.js			
remotegui.zip: remotegui.jar: collapse.directive.js			
remotegui.zip: remotegui.jar: colorPicker.directive.js			
remotegui.zip: remotegui.jar: connectionstate.js			
remotegui.zip: remotegui.jar: controller.js			
remotegui.zip: remotegui.jar: controller.js			
remotegui.zip: remotegui.jar: controller.js			
remotegui.zip: remotegui.jar: controllerAbout.js			
remotegui.zip: remotegui.jar: controllerShortcuts.controller.js			
remotegui.zip: remotegui.jar: controllerUserTheme.controller.js			
remotegui.zip: remotegui.jar: controllers.js			
remotegui.zip: remotegui.jar: controllers.js			
remotegui.zip: remotegui.jar: controllers.js			
remotegui.zip: remotegui.jar: controllers.js			
remotegui.zip: remotegui.jar: controllers.js			
remotegui.zip: remotegui.jar: controllers.js			
remotegui.zip: remotegui.jar: controllers.js			
remotegui.zip: remotegui.jar: controllers.js			
remotegui.zip: remotegui.jar: currencyNumber.directive.js			
remotegui.zip: remotegui.jar: currencyValidator.directive.js			
remotegui.zip: remotegui.jar: customEmojiUploadConfigItemRenderer.directive.js			
remotegui.zip: remotegui.jar: customEmojiUploadConfigRenderer.directive.js			
remotegui.zip: remotegui.jar: customemojiupload.js			
remotegui.zip: remotegui.jar: dataservice.service.js			

remotegui.zip: remotegui.jar: datepicker-de.js			
remotegui.zip: remotegui.jar: debug.directive.js			
remotegui.zip: remotegui.jar: dialogservice.service.js			
remotegui.zip: remotegui.jar: directives.js			
remotegui.zip: remotegui.jar: dropdown.directive.js			
remotegui.zip: remotegui.jar: emojiModel.service.js			
remotegui.zip: remotegui.jar: emojiselector.directive.js			
remotegui.zip: remotegui.jar: errorservice.service.js			
remotegui.zip: remotegui.jar: filechooser.service.js			
remotegui.zip: remotegui.jar: fixNumber.directive.js			
remotegui.zip: remotegui.jar: fixNumberValidator.directive.js			
remotegui.zip: remotegui.jar: floatNumber.directive.js			
remotegui.zip: remotegui.jar: floatNumberValidator.directive.js			
remotegui.zip: remotegui.jar: globalactionservice.service.js			
remotegui.zip: remotegui.jar: hdField.directive.js			
remotegui.zip: remotegui.jar: hdMandatory.directive.js			
remotegui.zip: remotegui.jar: hdNeedchange.directive.js			
remotegui.zip: remotegui.jar: hdValidate.directive.js			
remotegui.zip: remotegui.jar: hdattachment.js			
remotegui.zip: remotegui.jar: hdfileupload.js			
remotegui.zip: remotegui.jar: hsimp.min.js			
remotegui.zip: remotegui.jar: hsimp.renderer.js			
remotegui.zip: remotegui.jar: html5modeurls.js			
remotegui.zip: remotegui.jar: htmleditor.directive.js			
remotegui.zip: remotegui.jar: htmleditorFactory.service.js			
remotegui.zip: remotegui.jar: htmleditorModel.service.js			
remotegui.zip: remotegui.jar: icons.js			
remotegui.zip: remotegui.jar: indexed-db.js			
remotegui.zip: remotegui.jar: initUsernameField.directive.js			
remotegui.zip: remotegui.jar: introduction.js			
remotegui.zip: remotegui.jar: jquery.fileupload.js			
remotegui.zip: remotegui.jar: keyservice.service.js			

remotegui.zip: remotegui.jar: localfilesystem.service.js			
remotegui.zip: remotegui.jar: locationservice.service.js			
remotegui.zip: remotegui.jar: modal.directive.js			
remotegui.zip: remotegui.jar: modalservice.service.js			
remotegui.zip: remotegui.jar: moduledragdrop.js			
remotegui.zip: remotegui.jar: navtabsoverflow.directive.js			
remotegui.zip: remotegui.jar: ng-tinymce.js			
remotegui.zip: remotegui.jar: numberUtil.js			
remotegui.zip: remotegui.jar: numberValidatorUtil.factory.js			
remotegui.zip: remotegui.jar: ocLazyLoad.jsloader.js			
remotegui.zip: remotegui.jar: ocLazyLoad.min.js			
remotegui.zip: remotegui.jar: pageablenavbaractiondropdown.directive.js			
remotegui.zip: remotegui.jar: paged.filter.js			
remotegui.zip: remotegui.jar: pagination.directive.js			
remotegui.zip: remotegui.jar: piechart.directive.js			
remotegui.zip: remotegui.jar: popover.js			
remotegui.zip: remotegui.jar: pwa-service-worker.js			
remotegui.zip: remotegui.jar: pwa.js			
remotegui.zip: remotegui.jar: qrcode.min.js			
remotegui.zip: remotegui.jar: rangeSlider.directive.js			
remotegui.zip: remotegui.jar: resizableDivider.js			
remotegui.zip: remotegui.jar: scrollabledropdownmenu.directive.js			
remotegui.zip: remotegui.jar: search-panel.js			
remotegui.zip: remotegui.jar: selectInput.directive.js			
remotegui.zip: remotegui.jar: shadowLogger.factory.js			
remotegui.zip: remotegui.jar: sidenavigation.js			
remotegui.zip: remotegui.jar: takeoutDataController.controller.js			
remotegui.zip: remotegui.jar: takeoutDataFactory.factory.js			
remotegui.zip: remotegui.jar: takeoutDataModel.service.js			
remotegui.zip: remotegui.jar: timeInput.directive.js			
remotegui.zip: remotegui.jar: timeInputContainer.directive.js			

remotegui.zip: remotegui.jar: timeMeridiemContainer.directive.js			
remotegui.zip: remotegui.jar: translate.js			
remotegui.zip: remotegui.jar: unitFixNumber.directive.js			
remotegui.zip: remotegui.jar: unitFloatNumber.directive.js			
remotegui.zip: remotegui.jar: userservice.js			
remotegui.zip: remotegui.jar: usersorgroupsselection.js			
remotegui.zip: remotegui.jar: usestrict.js			
remotegui.zip: remotegui.jar: websitedownload.renderer.js			
remotegui.zip: remotegui.jar: websocketdataservice.js			
remotegui.zip: remotegui.jar: websocketkeepaliveworker.js			
remotegui.zip: remotegui.jar: windowdatarestore.js			
remotegui.zip: tinymce-languages.jar: ar.js			
remotegui.zip: tinymce-languages.jar: bg_BG.js			
remotegui.zip: tinymce-languages.jar: ca.js			
remotegui.zip: tinymce-languages.jar: cs.js			
remotegui.zip: tinymce-languages.jar: cy.js			
remotegui.zip: tinymce-languages.jar: da.js			
remotegui.zip: tinymce-languages.jar: de.js			
remotegui.zip: tinymce-languages.jar: el.js			
remotegui.zip: tinymce-languages.jar: eo.js			
remotegui.zip: tinymce-languages.jar: es.js			
remotegui.zip: tinymce-languages.jar: es_ES.js			
remotegui.zip: tinymce-languages.jar: es_MX.js			
remotegui.zip: tinymce-languages.jar: eu.js			
remotegui.zip: tinymce-languages.jar: fa.js			
remotegui.zip: tinymce-languages.jar: fa_IR.js			
remotegui.zip: tinymce-languages.jar: fi.js			
remotegui.zip: tinymce-languages.jar: fr_FR.js			
remotegui.zip: tinymce-languages.jar: gl.js			
remotegui.zip: tinymce-languages.jar: he_IL.js			
remotegui.zip: tinymce-languages.jar: hr.js			
remotegui.zip: tinymce-languages.jar: hu_HU.js			
remotegui.zip: tinymce-languages.jar: id.js			

remotegui.zip: tinymce-languages.jar: it.js			
remotegui.zip: tinymce-languages.jar: it_IT.js			
remotegui.zip: tinymce-languages.jar: ja.js			
remotegui.zip: tinymce-languages.jar: kk.js			
remotegui.zip: tinymce-languages.jar: ko_KR.js			
remotegui.zip: tinymce-languages.jar: lt.js			
remotegui.zip: tinymce-languages.jar: nb_NO.js			
remotegui.zip: tinymce-languages.jar: nl.js			
remotegui.zip: tinymce-languages.jar: pl.js			
remotegui.zip: tinymce-languages.jar: pt_BR.js			
remotegui.zip: tinymce-languages.jar: pt_PT.js			
remotegui.zip: tinymce-languages.jar: ro.js			
remotegui.zip: tinymce-languages.jar: ro_RO.js			
remotegui.zip: tinymce-languages.jar: ru.js			
remotegui.zip: tinymce-languages.jar: sk.js			
remotegui.zip: tinymce-languages.jar: sl.js			
remotegui.zip: tinymce-languages.jar: sl_SI.js			
remotegui.zip: tinymce-languages.jar: sv_SE.js			
remotegui.zip: tinymce-languages.jar: ta.js			
remotegui.zip: tinymce-languages.jar: ta_IN.js			
remotegui.zip: tinymce-languages.jar: th_TH.js			
remotegui.zip: tinymce-languages.jar: tr.js			
remotegui.zip: tinymce-languages.jar: tr_TR.js			
remotegui.zip: tinymce-languages.jar: uk.js			
remotegui.zip: tinymce-languages.jar: vi.js			
remotegui.zip: tinymce-languages.jar: zh_CN.js			
remotegui.zip: tinymce-languages.jar: zh_TW.js			
remotegui.zip: tinymce.jar	cpe:2.3:a:tinymce:tinymce:5.10.9:*:*:*:*:*:*:*	pkg:maven/org.webjars.bower/tinymce@5.10.9	
remotegui.zip: tinymce.jar: emojiimages.js			
remotegui.zip: tinymce.jar: emojiimages.min.js			
remotegui.zip: tinymce.jar: emojis.js			
remotegui.zip: tinymce.jar: emojis.min.js			
remotegui.zip: tinymce.jar: icons.js			
remotegui.zip: tinymce.jar: icons.min.js			

remotegui.zip: tinymce.jar: index.js			
remotegui.zip: tinymce.jar: index.js			
remotegui.zip: tinymce.jar: index.js			

remotegui.zip: tinymce.jar: index.js			
remotegui.zip: tinymce.jar: index.js			
remotegui.zip: tinymce.jar: index.js			
remotegui.zip: tinymce.jar: index.js			
remotegui.zip: tinymce.jar: index.js			
remotegui.zip: tinymce.jar: index.js			
remotegui.zip: tinymce.jar: index.js			
remotegui.zip: tinymce.jar: index.js			
remotegui.zip: tinymce.jar: index.js			
remotegui.zip: tinymce.jar: index.js			
remotegui.zip: tinymce.jar: index.js			
remotegui.zip: tinymce.jar: index.js			
remotegui.zip: tinymce.jar: jquery.tinymce.js			
remotegui.zip: tinymce.jar: plugin.js			
remotegui.zip: tinymce.jar: plugin.js			
remotegui.zip: tinymce.jar: plugin.js			
remotegui.zip: tinymce.jar: plugin.js			
remotegui.zip: tinymce.jar: plugin.js			
remotegui.zip: tinymce.jar: plugin.js			
remotegui.zip: tinymce.jar: plugin.js			
remotegui.zip: tinymce.jar: plugin.js			
remotegui.zip: tinymce.jar: plugin.js			
remotegui.zip: tinymce.jar: plugin.js			
remotegui.zip: tinymce.jar: plugin.js			
remotegui.zip: tinymce.jar: plugin.js			
remotegui.zip: tinymce.jar: plugin.js			
remotegui.zip: tinymce.jar: plugin.js			
remotegui.zip: tinymce.jar: plugin.js			
remotegui.zip: tinymce.jar: plugin.js			
remotegui.zip: tinymce.jar: plugin.js			
remotegui.zip: tinymce.jar: plugin.js			
remotegui.zip: tinymce.jar: plugin.js			
remotegui.zip: tinymce.jar: plugin.js			
remotegui.zip: tinymce.jar: plugin.js			
remotegui.zip: tinymce.jar: plugin.js			
remotegui.zip: tinymce.jar: plugin.js			
remotegui.zip: tinymce.jar: plugin.js			
remotegui.zip: tinymce.jar: plugin.js			
remotegui.zip: tinymce.jar: plugin.js			

remotegui.zip: tinymce.jar: plugin.js			
remotegui.zip: tinymce.jar: plugin.js			
remotegui.zip: tinymce.jar: plugin.js			
remotegui.zip: tinymce.jar: plugin.js			
remotegui.zip: tinymce.jar: plugin.js			
remotegui.zip: tinymce.jar: plugin.js			
remotegui.zip: tinymce.jar: plugin.js			
remotegui.zip: tinymce.jar: plugin.js			
remotegui.zip: tinymce.jar: plugin.js			
remotegui.zip: tinymce.jar: plugin.js			
remotegui.zip: tinymce.jar: plugin.js			
remotegui.zip: tinymce.jar: plugin.js			
remotegui.zip: tinymce.jar: plugin.js			
remotegui.zip: tinymce.jar: plugin.js			
remotegui.zip: tinymce.jar: plugin.js			
remotegui.zip: tinymce.jar: plugin.js			
remotegui.zip: tinymce.jar: plugin.js			
remotegui.zip: tinymce.jar: plugin.js			
remotegui.zip: tinymce.jar: plugin.js			
remotegui.zip: tinymce.jar: plugin.js			
remotegui.zip: tinymce.jar: plugin.min.js			
remotegui.zip: tinymce.jar: plugin.min.js			
remotegui.zip: tinymce.jar: plugin.min.js			
remotegui.zip: tinymce.jar: plugin.min.js			
remotegui.zip: tinymce.jar: plugin.min.js			
remotegui.zip: tinymce.jar: plugin.min.js			
remotegui.zip: tinymce.jar: plugin.min.js			
remotegui.zip: tinymce.jar: plugin.min.js			
remotegui.zip: tinymce.jar: plugin.min.js			
remotegui.zip: tinymce.jar: plugin.min.js			
remotegui.zip: tinymce.jar: plugin.min.js			
remotegui.zip: tinymce.jar: plugin.min.js			

remotegui.zip: tinymce.jar: plugin.min.js			
remotegui.zip: tinymce.jar: plugin.min.js			
remotegui.zip: tinymce.jar: plugin.min.js			

remotegui.zip: tinymce.jar: theme.min.js			
remotegui.zip: tinymce.jar: tinymce.js		pkg:javascript/tinyMCE@5.10.9	
remotegui.zip: tinymce.jar: tinymce.min.js		pkg:javascript/tinyMCE@5.10.9	
remotegui.zip: twemoji.jar		pkg:maven/lib/twemoji-null@1.0	
reporting.zip: jcommon.jar		pkg:maven/org.jfree/jcommon@1.0.24	
reporting.zip: jfreechartCC.jar			
reporting.zip: reporting-javadoc.jar			
reporting.zip: reporting-javadoc.jar: member-search-index.js			
reporting.zip: reporting-javadoc.jar: package-search-index.js			
reporting.zip: reporting-javadoc.jar: tag-search-index.js			
reporting.zip: reporting-javadoc.jar: type-search-index.js			
reporting.zip: reporting.jar			
reporting.zip: reporting.jar: events.js			
reporting.zip: reporting.jar: export.js			
reporting.zip: reporting.jar: functions.js			
reporting.zip: reporting.jar: generator.js			
reporting.zip: reporting.jar: grouptree.js			
reporting.zip: reporting.jar: htmlreportextension.js			
reporting.zip: reporting.jar: jstorage.js			
reporting.zip: reporting.jar: keylistener.js			
reporting.zip: reporting.jar: menubar.js			
reporting.zip: reporting.jar: page.js			
reporting.zip: reporting.jar: pagecount.js			
reporting.zip: reporting.jar: popup.js			
reporting.zip: reporting.jar: print.js			
reporting.zip: reporting.jar: prompts.js			
reporting.zip: reporting.jar: prototype.array.js			
reporting.zip: reporting.jar: prototype.element.js			
reporting.zip: reporting.jar: prototype.string.js			

reporting.zip: reporting.jar: renderreportextension.js			
reporting.zip: reporting.jar: reorder.js			
reporting.zip: reporting.jar: report.export.js			
reporting.zip: reporting.jar: report.exportdialog.controller.js			
reporting.zip: reporting.jar: report.exportdialog.service.js			
reporting.zip: reporting.jar: report.exportframe.js			
reporting.zip: reporting.jar: script.js			
reporting.zip: reporting.jar: search.js			
reporting.zip: reporting.jar: serverping.js			
reporting.zip: reporting.jar: stacktrace.js			
reporting.zip: reporting.jar: tabbar.js			
security.zip: security.jar			
setuplauncher.jar			
slf4j-api-2.0.16.jar		pkg:maven/org.slf4j/slf4j-api@2.0.16	
taskplanner.helpdesk.zip: taskplanner.helpdesk.jar	cpe:2.3:a:inetsoftware:helpdesk:25.4.227:*:*:*:*:*:*:*		
taskplanner.reporting.zip: taskplanner.reporting-javadoc.jar			
taskplanner.reporting.zip: taskplanner.reporting-javadoc.jar: member-search-index.js			
taskplanner.reporting.zip: taskplanner.reporting-javadoc.jar: package-search-index.js			
taskplanner.reporting.zip: taskplanner.reporting-javadoc.jar: type-search-index.js			
taskplanner.reporting.zip: taskplanner.reporting.jar			
taskplanner.reporting.zip: taskplanner.reporting.jar: crtaskplanner.js			
taskplanner.zip: commons-cli.jar		pkg:maven/commons-cli/commons-cli@1.9.0	
taskplanner.zip: cron-utils.jar	cpe:2.3:a:cron-utils_project:cron-utils:9.2.1:*:*:*:*:*:*:* cpe:2.3:a:utils_project:utils:9.2.1:*:*:*:*:*:*:*	pkg:maven/com.cronutils/cron-utils@9.2.1	
taskplanner.zip: guava.jar	cpe:2.3:a:google:guava:33.4.0:*:*:*:*:*:*:*	pkg:maven/com.google.guava/guava@33.4.0-jre	

taskplanner.zip: taskplanner-javadoc.jar			
taskplanner.zip: taskplanner-javadoc.jar: member-search-index.js			
taskplanner.zip: taskplanner-javadoc.jar: package-search-index.js			
taskplanner.zip: taskplanner-javadoc.jar: type-search-index.js			
taskplanner.zip: taskplanner.jar			
taskplanner.zip: taskplanner.jar: app.js			
taskplanner.zip: taskplanner.jar: boolean.directive.js			
taskplanner.zip: taskplanner.jar: colorField.directive.js			
taskplanner.zip: taskplanner.jar: controller.js			
taskplanner.zip: taskplanner.jar: factory.js			
taskplanner.zip: taskplanner.jar: filechooserAddonButton.directive.js			
taskplanner.zip: taskplanner.jar: model.js			
taskplanner.zip: taskplanner.jar: numberRange.directive.js			
taskplanner.zip: taskplanner.jar: numberWrapper.directive.js			
taskplanner.zip: taskplanner.jar: passwordTextField.directive.js			
taskplanner.zip: taskplanner.jar: renderer.directive.js			
taskplanner.zip: taskplanner.jar: simpleCurrencyField.directive.js			
taskplanner.zip: taskplanner.jar: simpleDateTimeField.directive.js			
taskplanner.zip: taskplanner.jar: simpleFileFolderField.directive.js			
taskplanner.zip: taskplanner.jar: simpleGroup.directive.js			
taskplanner.zip: taskplanner.jar: simpleLabel.directive.js			
taskplanner.zip: taskplanner.jar: simpleLink.directive.js			
taskplanner.zip: taskplanner.jar: simpleSelect.directive.js			
taskplanner.zip: taskplanner.jar: simpleTextField.directive.js			
taskplanner.zip: taskplanner.jar: stringTable.directive.js			
taskplanner.zip: taskplanner.jar: taskplanner_maintenance.js			
taskplanner.zip: taskplanner.jar: textAreaField.directive.js			

theme.zip: theme.jar			
ticketlist.zip: ticketlist.jar	cpe:2.3:a:inetsoftware:helpdesk:25.4.227:*:*:*:*:*:*:*		
ticketlist.zip: ticketlist.jar: annotationextension.js			
ticketlist.zip: ticketlist.jar: applyactionfieldrenderer.js			
ticketlist.zip: ticketlist.jar: arearenderer.directive.js			
ticketlist.zip: ticketlist.jar: attachmentsextension.js			
ticketlist.zip: ticketlist.jar: booleanrenderer.directive.js			
ticketlist.zip: ticketlist.jar: cardobserver.js			
ticketlist.zip: ticketlist.jar: controllerTicketViewSortSettings.controller.js			
ticketlist.zip: ticketlist.jar: currencyrenderer.directive.js			
ticketlist.zip: ticketlist.jar: daterenderer.directive.js			
ticketlist.zip: ticketlist.jar: doublerenderer.directive.js			
ticketlist.zip: ticketlist.jar: draganddrop.js			
ticketlist.zip: ticketlist.jar: expertlayout.js			
ticketlist.zip: ticketlist.jar: extendedpagelayout.js			
ticketlist.zip: ticketlist.jar: fullviewpagelayout.js			
ticketlist.zip: ticketlist.jar: htmleditorrenderer.directive.js			
ticketlist.zip: ticketlist.jar: inputrenderer.directive.js			
ticketlist.zip: ticketlist.jar: integerrenderer.directive.js			
ticketlist.zip: ticketlist.jar: itilselectrenderer.directive.js			
ticketlist.zip: ticketlist.jar: linksextension.js			
ticketlist.zip: ticketlist.jar: newticket.js			
ticketlist.zip: ticketlist.jar: ownerrenderer.directive.js			
ticketlist.zip: ticketlist.jar: print.js			
ticketlist.zip: ticketlist.jar: ratingrenderer.directive.js			
ticketlist.zip: ticketlist.jar: relativeabsolutedateswitcher.directive.js			
ticketlist.zip: ticketlist.jar: relativetimerenderer.js			
ticketlist.zip: ticketlist.jar: resizeableColumn.js			
ticketlist.zip: ticketlist.jar: selectionCountBadge.js			
ticketlist.zip: ticketlist.jar: selectmultirenderer.directive.js			
ticketlist.zip: ticketlist.jar: selectrenderer.directive.js			
ticketlist.zip: ticketlist.jar: sorter.js			
ticketlist.zip: ticketlist.jar: stopwatch.js			

ticketlist.zip: ticketlist.jar: tabspagelayout.js			
ticketlist.zip: ticketlist.jar: ticketattachment.js			
ticketlist.zip: ticketlist.jar: ticketdetailsextension.js			
ticketlist.zip: ticketlist.jar: ticketeditor.js			
ticketlist.zip: ticketlist.jar: ticketfactory.js			
ticketlist.zip: ticketlist.jar: ticketfieldrenderer.directive.js			
ticketlist.zip: ticketlist.jar: ticketlist.js			
ticketlist.zip: ticketlist.jar: ticketlistadditionalcomponents.js			
ticketlist.zip: ticketlist.jar: ticketlistapp.js			
ticketlist.zip: ticketlist.jar: ticketlistapplyaction.js			
ticketlist.zip: ticketlist.jar: ticketlisteditproperties.js			
ticketlist.zip: ticketlist.jar: ticketlistlayoutsettings.js			
ticketlist.zip: ticketlist.jar: ticketmodel.js			
ticketlist.zip: ticketlist.jar: ticketownerextension.js			
ticketlist.zip: ticketlist.jar: ticketpage.js			
ticketlist.zip: ticketlist.jar: ticketpageheader.js			
ticketlist.zip: ticketlist.jar: ticketpagehintsextension.js			
ticketlist.zip: ticketlist.jar: ticketpagelayoutsettings.js			
ticketlist.zip: ticketlist.jar: ticketpagesteps.js			
ticketlist.zip: ticketlist.jar: ticketpreview.js			
ticketlist.zip: ticketlist.jar: ticketproperties.js			
ticketlist.zip: ticketlist.jar: ticketrenderer.js			
ticketlist.zip: ticketlist.jar: ticketsharing.js			
ticketlist.zip: ticketlist.jar: ticketviewsMember.directive.js			
ticketlist.zip: ticketlist.jar: timelineextension.js			
ticketlist.zip: ticketlist.jar: userticketshistoryextension.js			
ticketprocess.zip: ticketprocess.jar	cpe:2.3:a:inetsoftware:helpdesk:25.4.227:*:*:*:*:*:*:*		
ticketprocess.zip: ticketprocess.jar: applyProcessRenderer.js			
ticketprocess.zip: ticketprocess.jar: configuration.ticketprocess.edit.js			
ticketprocess.zip: ticketprocess.jar: configuration.ticketprocess.js			
ticketprocess.zip: ticketprocess.jar: ticketlist.ticketprocess.js			

ticketprocess.zip: ticketprocess.jar: ticketprocess.changeticketprocess.js			
ticketprocess.zip: ticketprocess.jar: ticketprocess.parallelticket.preview.js			
ticketprocess.zip: ticketprocess.jar: ticketprocessdirectives.js			
ticketprocess.zip: ticketprocess.jar: ticketprocessfactory.js			
ticketprocess.zip: ticketprocess.jar: ticketprocessmodel.js			
usersandgroupsmanager.zip: usersandgroupsmanager.jar			
usersandgroupsmanager.zip: usersandgroupsmanager.jar: fieldtypeAccountSettingsRenderer.directive.js			
usersandgroupsmanager.zip: usersandgroupsmanager.jar: fieldtypeBooleanRenderer.directive.js			
usersandgroupsmanager.zip: usersandgroupsmanager.jar: fieldtypeCommaSeparatedRenderer.directive.js			
usersandgroupsmanager.zip: usersandgroupsmanager.jar: fieldtypeCurrencyRenderer.directive.js			
usersandgroupsmanager.zip: usersandgroupsmanager.jar: fieldtypeDateRenderer.directive.js			
usersandgroupsmanager.zip: usersandgroupsmanager.jar: fieldtypeDoubleRenderer.directive.js			
usersandgroupsmanager.zip: usersandgroupsmanager.jar: fieldtypeHintRenderer.directive.js			
usersandgroupsmanager.zip: usersandgroupsmanager.jar: fieldtypeIntegerRenderer.directive.js			
usersandgroupsmanager.zip: usersandgroupsmanager.jar: fieldtypeLinkRenderer.directive.js			
usersandgroupsmanager.zip: usersandgroupsmanager.jar: fieldtypeLoginsRenderer.directive.js			
usersandgroupsmanager.zip: usersandgroupsmanager.jar: fieldtypeMembersRenderer.directive.js			
usersandgroupsmanager.zip: usersandgroupsmanager.jar: fieldtypeMultilineRenderer.directive.js			
usersandgroupsmanager.zip: usersandgroupsmanager.jar: fieldtypePermissionRenderer.directive.js			

usersandgroupsmanager.zip: usersandgroupsmanager.jar: fieldtypeSelectRenderer.directive.js			
usersandgroupsmanager.zip: usersandgroupsmanager.jar: fieldtypeStayLoggedInSessionsRenderer.directive.js			
usersandgroupsmanager.zip: usersandgroupsmanager.jar: fieldtypeStringListRenderer.directive.js			
usersandgroupsmanager.zip: usersandgroupsmanager.jar: fieldtypeStringRenderer.directive.js			
usersandgroupsmanager.zip: usersandgroupsmanager.jar: fieldtypeTimeRenderer.directive.js			
usersandgroupsmanager.zip: usersandgroupsmanager.jar: fieldtypeTimerangeRenderer.directive.js			
usersandgroupsmanager.zip: usersandgroupsmanager.jar: membershipentry.directive.js			
usersandgroupsmanager.zip: usersandgroupsmanager.jar: membershiplist.directive.js			
usersandgroupsmanager.zip: usersandgroupsmanager.jar: nonmembershiplist.directive.js			
usersandgroupsmanager.zip: usersandgroupsmanager.jar: permissionCheckboxRenderer.directive.js			
usersandgroupsmanager.zip: usersandgroupsmanager.jar: permissionRadiobuttonRenderer.directive.js			
usersandgroupsmanager.zip: usersandgroupsmanager.jar: usersandgroupsmanagercontroller.js			
usersandgroupsmanager.zip: usersandgroupsmanager.jar: usersandgroupsmanagerdetailscontroller.js			
usersandgroupsmanager.zip: usersandgroupsmanager.jar: usersandgroupsmanagerdialogcontroller.js			
usersandgroupsmanager.zip: usersandgroupsmanager.jar: usersandgroupsmanagerdirectives.js			
usersandgroupsmanager.zip: usersandgroupsmanager.jar: usersandgroupsmanagereffectivepermissionscontroller.js			
usersandgroupsmanager.zip: usersandgroupsmanager.jar: usersandgroupsmanagerfactory.js			

usersandgroupsmanager.zip: usersandgroupsmanager.jar: usersandgroupsmanagermodel.js			
usersandgroupsmanager.zip: usersandgroupsmanager.jar: usersandgroupsmanagerpredeletionwarning.js			
usersandgroupsmanager.zip: usersandgroupsmanager.jar: usersandgroupsmanagerrenderer.js			
usersandgroupsmanager.zip: usersandgroupsmanager.jar: usersandgroupsmanagerstatisticscontroller.js			
usersandgroupsmanager.zip: usersandgroupsmanager.jar: usersandgroupsmanagertakeoutcontroller.js			
webserver.defender.zip: webserver.defender.jar			
webserver.zip: acme4j-client.jar		pkg:maven/org.shredzone.acme4j/acme4j-client@2.16	
webserver.zip: jetty-websocket-core-client.jar	cpe:2.3:a:eclipse:jetty:12.0.16:*:*:*:*:*:*:* cpe:2.3:a:jetty:jetty:12.0.16:*:*:*:*:*:*:* cpe:2.3:a:mortbay_jetty:jetty:12.0.16:*:*:*:*:*:*:*	pkg:maven/org.eclipse.jetty.websocket/jetty-websocket-core-client@12.0.16	
webserver.zip: jetty-websocket-core-server.jar	cpe:2.3:a:eclipse:jetty:12.0.16:*:*:*:*:*:*:* cpe:2.3:a:jetty:jetty:12.0.16:*:*:*:*:*:*:* cpe:2.3:a:jetty:jetty_http_server:12.0.16:*:*:*:*:*:*:* cpe:2.3:a:mortbay_jetty:jetty:12.0.16:*:*:*:*:*:*:*	pkg:maven/org.eclipse.jetty.websocket/jetty-websocket-core-server@12.0.16	
webserver.zip: jose4j.jar	cpe:2.3:a:jose4j_project:jose4j:0.9.6:*:*:*:*:*:*:*	pkg:maven/org.bitbucket.b_c/jose4j@0.9.6	
webserver.zip: webserver.jar			

Dependencies (vulnerable)

BarcodePDF417Bean.jar

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/lib/BarcodePDF417Bean.jar
MD5: a69d0a1545e40b71419bca6da770e210
SHA1: 3cb0c668657718276b22ceacc11c27e6dd403948
SHA256:37301a5764d6e70f3e5904142e5324a7705abdc51f7da8138c26533f838a8490
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence
Vendor	file	name	BarcodePDF417Bean	High
Vendor	jar	package name	beans	Low
Vendor	jar	package name	inet	Low
Vendor	jar	package name	pdf417	Low
Vendor	Manifest	built-date	2025-05-01 12:54	Low
Vendor	Manifest	implementation-group	reporting	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	BarcodePDF417Bean	High
Product	jar	package name	beans	Low
Product	jar	package name	pdf417	Low
Product	Manifest	built-date	2025-05-01 12:54	Low
Product	Manifest	implementation-group	reporting	Low
Product	Manifest	Implementation-Title	BarcodePDF417Bean	High
Product	Manifest	specification-title	BarcodePDF417Bean	Medium
Version	file	name	BarcodePDF417Bean	Medium
Version	file	version	417	Medium
Version	Manifest	Implementation-Version	25.4.227	High

Identifiers

- **None**

JBarcodeBean.jar

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems
/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/lib/JBarcodeBean.jar
MD5: c650fda9e7f38dd5059e775f67e4c738
SHA1: fd113b0c0b4f4e5a90c59b95504b6255a466c566
SHA256:6a876a81e622477c2dfc059f95411bd02109c418a471a497917b89e4ff7bf551
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence
Vendor	file	name	JBarcodeBean	High
Vendor	jar	package name	jbarcodebean	Low
Product	file	name	JBarcodeBean	High

Identifiers

- **None**

Merlia-0.jar

File Path: /home/jenkins/.gradle/caches/modules-2/files-2.1/lib/Merlia/0
/e4af937135679cc07f99529ee7ca127519bd3a06/Merlia-0.jar
MD5: 3eb81fb3cc977f1a3eb1fb26b2b38666
SHA1: e4af937135679cc07f99529ee7ca127519bd3a06
SHA256:b1d1878d936c27b010e6f3c123d8d7f2f7f6960a53e5b01b1b1c3d104c29b0a8
Referenced In Project/Scope: server:inetPlugin
Included by: pkg:maven/helpdesk/server@25.4

Evidence

Type	Source	Name	Value	Confidence
Vendor	file	name	Merlia-0	High
Vendor	gradle	artifactid	Merlia	Highest
Vendor	gradle	groupid	lib	Highest
Vendor	jar	package name	inet	Low
Vendor	jar	package name	tds	Low
Product	file	name	Merlia-0	High
Product	gradle	artifactid	Merlia	Highest
Product	jar	package name	tds	Low
Version	file	name	Merlia-0	Medium

Version	file	version	0	Medium
Version	gradle	version	0	Highest
Version	Manifest	driver-version	8.13	Medium

Identifiers

- pkg:maven/lib/Merlia@0 (*Confidence*:Highest)

Merlia.jar

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/lib/Merlia.jar
MD5: db5e5c0a9e2b5a55f08344cb5f81d67c
SHA1: 8f2c319a39c73c0bf61928e60565bd8ac484701f
SHA256:f4b78de71bc947325db7474de001373060660263de160dfb5ab3941beca591ab
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence
Vendor	file	name	Merlia	High
Vendor	jar	package name	inet	Low
Vendor	jar	package name	tds	Low
Product	file	name	Merlia	High
Product	jar	package name	tds	Low
Version	Manifest	driver-version	8.13	Medium

Identifiers

- **None**

Oranxo.jar

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/lib/Oranxo.jar
MD5: 7b19c69bde21df46d838f8a4cb51a4c9

SHA1: 1935c72b2b3b05cd7b849516a65a079335887fc3
SHA256:3ab44e3b02ef6dc7cfc1f21b2119f3ae863d976b1ae1c09c5fb9244aff3bcc59
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence
Vendor	file	name	Oranxo	High
Vendor	jar	package name	inet	Low
Vendor	jar	package name	ora	Low
Product	file	name	Oranxo	High
Product	jar	package name	ora	Low
Version	Manifest	driver-version	4.06	Medium

Identifiers

- **None**

ZxingBarCodes.jar

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/lib/ZxingBarCodes.jar
MD5: 7f8a8787e641d2926e919a9b48632216
SHA1: e376a39344e389d83f0e0babc438983bb3fe426a
SHA256:f64a03d08790e10be0925dc438ce6227823a1f179936eb31db10bea1b065f8e7
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence
Vendor	file	name	ZxingBarCodes	High
Vendor	jar	package name	beans	Low
Vendor	jar	package name	inet	Low
Vendor	jar	package name	zxing	Low
Vendor	Manifest	built-date	2025-05-01 12:54	Low
Vendor	Manifest	implementation-group	reporting	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium

Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	ZxingBarCodes	High
Product	jar	package name	beans	Low
Product	jar	package name	zxing	Low
Product	jar	package name	zxingbarcodes	Highest
Product	Manifest	built-date	2025-05-01 12:54	Low
Product	Manifest	implementation-group	reporting	Low
Product	Manifest	Implementation-Title	ZxingBarCodes	High
Product	Manifest	specification-title	ZxingBarCodes	Medium
Version	Manifest	Implementation-Version	25.4.227	High

Identifiers

- **None**

adhoc.zip: adhoc-javadoc.jar

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/adhoc.zip/adhoc-javadoc.jar
MD5: a17b9964d5eea5b113ad3048866713f7
SHA1: b0a9248536ca8abd5987f3a5cac4bd0484a3c73b
SHA256:56c046bc3855547dfff48733703b7bd58cb6e0d6582b0a59072c614c0ea2ae47
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence
Vendor	file	name	adhoc-javadoc	High
Product	file	name	adhoc-javadoc	High

Identifiers

- **None**

adhoc.zip: adhoc-javadoc.jar: jquery-3.6.1.min.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/adhoc.zip/adhoc-javadoc.jar/script-dir/jquery-3.6.1.min.js
MD5: 00727d1d5d9c90f7de826f1a4a9cc632
SHA1: ea61688671d0c3044f2c5b2f2c4af0a6620ac6c2
SHA256:a3cf00c109d907e543bc4f6dbc85eb31068f94515251347e9e57509b52ee3d74
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Related Dependencies

- cowork.zip: cowork-javadoc.jar: jquery-3.6.1.min.js
  - File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/cowork.zip/cowork-javadoc.jar/script-dir/jquery-3.6.1.min.js
  - MD5: 00727d1d5d9c90f7de826f1a4a9cc632
  - SHA1: ea61688671d0c3044f2c5b2f2c4af0a6620ac6c2
  - SHA256: a3cf00c109d907e543bc4f6dbc85eb31068f94515251347e9e57509b52ee3d74
- maintenance.zip: maintenance-javadoc.jar: jquery-3.6.1.min.js
  - File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/maintenance.zip/maintenance-javadoc.jar/script-dir/jquery-3.6.1.min.js
  - MD5: 00727d1d5d9c90f7de826f1a4a9cc632
  - SHA1: ea61688671d0c3044f2c5b2f2c4af0a6620ac6c2
  - SHA256: a3cf00c109d907e543bc4f6dbc85eb31068f94515251347e9e57509b52ee3d74
- reporting.zip: reporting-javadoc.jar: jquery-3.6.1.min.js
  - File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/reporting.zip/reporting-javadoc.jar/script-dir/jquery-3.6.1.min.js
  - MD5: 00727d1d5d9c90f7de826f1a4a9cc632
  - SHA1: ea61688671d0c3044f2c5b2f2c4af0a6620ac6c2
  - SHA256: a3cf00c109d907e543bc4f6dbc85eb31068f94515251347e9e57509b52ee3d74
- taskplanner.reporting.zip: taskplanner.reporting-javadoc.jar: jquery-3.6.1.min.js
  - File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/taskplanner.reporting.zip/taskplanner.reporting-javadoc.jar/script-dir/jquery-3.6.1.min.js
  - MD5: 00727d1d5d9c90f7de826f1a4a9cc632
  - SHA1: ea61688671d0c3044f2c5b2f2c4af0a6620ac6c2
  - SHA256: a3cf00c109d907e543bc4f6dbc85eb31068f94515251347e9e57509b52ee3d74
- taskplanner.zip: taskplanner-javadoc.jar: jquery-3.6.1.min.js
  - File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/taskplanner.zip/taskplanner-javadoc.jar/script-dir/jquery-3.6.1.min.js
  - MD5: 00727d1d5d9c90f7de826f1a4a9cc632
  - SHA1: ea61688671d0c3044f2c5b2f2c4af0a6620ac6c2
  - SHA256: a3cf00c109d907e543bc4f6dbc85eb31068f94515251347e9e57509b52ee3d74

Identifiers

- **None**

adhoc.zip: adhoc-javadoc.jar: jquery-ui.min.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/adhoc.zip/adhoc-javadoc.jar/script-dir/jquery-ui.min.js
MD5: 32059df39c14a910ccc2325f6a3cd62f
SHA1: d3289f1b527a3f054d303ec769402e037fbfcf4b
SHA256:672f278182cdf04f3c62a5b8d93f406791854a28791f27aecdb9981573c61424
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence
Vendor	file	name	jquery-ui	High
Product	file	name	jquery-ui	High
Version	file	version	1.13.1	High

Related Dependencies

- cowork.zip: cowork-javadoc.jar: jquery-ui.min.js
  - File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/cowork.zip/cowork-javadoc.jar/script-dir/jquery-ui.min.js
  - MD5: 32059df39c14a910ccc2325f6a3cd62f
  - SHA1: d3289f1b527a3f054d303ec769402e037fbfcf4b
  - SHA256: 672f278182cdf04f3c62a5b8d93f406791854a28791f27aecdb9981573c61424
  - pkg:javascript/jquery-ui@1.13.1
- maintenance.zip: maintenance-javadoc.jar: jquery-ui.min.js
  - File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/maintenance.zip/maintenance-javadoc.jar/script-dir/jquery-ui.min.js
  - MD5: 32059df39c14a910ccc2325f6a3cd62f
  - SHA1: d3289f1b527a3f054d303ec769402e037fbfcf4b
  - SHA256: 672f278182cdf04f3c62a5b8d93f406791854a28791f27aecdb9981573c61424
  - pkg:javascript/jquery-ui@1.13.1
- reporting.zip: reporting-javadoc.jar: jquery-ui.min.js
  - File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/reporting.zip/reporting-javadoc.jar/script-dir/jquery-ui.min.js
  - MD5: 32059df39c14a910ccc2325f6a3cd62f
  - SHA1: d3289f1b527a3f054d303ec769402e037fbfcf4b
  - SHA256: 672f278182cdf04f3c62a5b8d93f406791854a28791f27aecdb9981573c61424
  - pkg:javascript/jquery-ui@1.13.1
- taskplanner.reporting.zip: taskplanner.reporting-javadoc.jar: jquery-ui.min.js
  - File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server

/plugins/taskplanner.reporting.zip/taskplanner.reporting-javadoc.jar/script-dir
/jquery-ui.min.js
- MD5: 32059df39c14a910ccc2325f6a3cd62f
- SHA1: d3289f1b527a3f054d303ec769402e037fbfcf4b
- SHA256: 672f278182cdf04f3c62a5b8d93f406791854a28791f27aecdb9981573c61424
- pkg:javascript/jquery-ui@1.13.1

- taskplanner.zip: taskplanner-javadoc.jar: jquery-ui.min.js
  - File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/taskplanner.zip/taskplanner-javadoc.jar/script-dir/jquery-ui.min.js
  - MD5: 32059df39c14a910ccc2325f6a3cd62f
  - SHA1: d3289f1b527a3f054d303ec769402e037fbfcf4b
  - SHA256: 672f278182cdf04f3c62a5b8d93f406791854a28791f27aecdb9981573c61424
  - pkg:javascript/jquery-ui@1.13.1

Identifiers

- pkg:javascript/jquery-ui@1.13.1 (*Confidence*:Highest)

adhoc.zip: adhoc-javadoc.jar: member-search-index.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/adhoc.zip/adhoc-javadoc.jar/member-search-index.js
MD5: b236367ec1f2be0cb8e504a891078a8e
SHA1: cb4ed3a1090c013aa2bc1639d7dfb901b3c246bf
SHA256:e06db9a25a52d9ed9f9c75b2c83f55a1f292d5bbcd7bee7d485fe9fd9cc1d88b
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

adhoc.zip: adhoc-javadoc.jar: module-search-index.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/adhoc.zip/adhoc-javadoc.jar/module-search-index.js
MD5: a33da0f469acbd03f77bf407bac505f5
SHA1: 1e996ce630c6e1ada3ea86d7b71dabca0180f8e8
SHA256:814a05983e3267d591c7e62b314eb8eb0504eee844c8a70d494f6edbaa0f4f18
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Related Dependencies

- cowork.zip: cowork-javadoc.jar: module-search-index.js
  - File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server /plugins/cowork.zip/cowork-javadoc.jar/module-search-index.js
  - MD5: a33da0f469acbd03f77bf407bac505f5
  - SHA1: 1e996ce630c6e1ada3ea86d7b71dabca0180f8e8
  - SHA256: 814a05983e3267d591c7e62b314eb8eb0504eee844c8a70d494f6edbaa0f4f18
- maintenance.zip: maintenance-javadoc.jar: module-search-index.js
  - File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server /plugins/maintenance.zip/maintenance-javadoc.jar/module-search-index.js
  - MD5: a33da0f469acbd03f77bf407bac505f5
  - SHA1: 1e996ce630c6e1ada3ea86d7b71dabca0180f8e8
  - SHA256: 814a05983e3267d591c7e62b314eb8eb0504eee844c8a70d494f6edbaa0f4f18
- reporting.zip: reporting-javadoc.jar: module-search-index.js
  - File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server /plugins/reporting.zip/reporting-javadoc.jar/module-search-index.js
  - MD5: a33da0f469acbd03f77bf407bac505f5
  - SHA1: 1e996ce630c6e1ada3ea86d7b71dabca0180f8e8
  - SHA256: 814a05983e3267d591c7e62b314eb8eb0504eee844c8a70d494f6edbaa0f4f18
- taskplanner.reporting.zip: taskplanner.reporting-javadoc.jar: module-search-index.js
  - File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server /plugins/taskplanner.reporting.zip/taskplanner.reporting-javadoc.jar/module-search-index.js
  - MD5: a33da0f469acbd03f77bf407bac505f5
  - SHA1: 1e996ce630c6e1ada3ea86d7b71dabca0180f8e8
  - SHA256: 814a05983e3267d591c7e62b314eb8eb0504eee844c8a70d494f6edbaa0f4f18
- taskplanner.zip: taskplanner-javadoc.jar: module-search-index.js
  - File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server /plugins/taskplanner.zip/taskplanner-javadoc.jar/module-search-index.js
  - MD5: a33da0f469acbd03f77bf407bac505f5
  - SHA1: 1e996ce630c6e1ada3ea86d7b71dabca0180f8e8
  - SHA256: 814a05983e3267d591c7e62b314eb8eb0504eee844c8a70d494f6edbaa0f4f18

Identifiers

- **None**

adhoc.zip: adhoc-javadoc.jar: package-search-index.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/adhoc.zip/adhoc-javadoc.jar/package-search-index.js
MD5: 72930d5c343f38077600ffa27efeda01
SHA1: 8ccb545110ab8534e96352413199783e0629dc33
SHA256:e9bafef568a38ad9f6e7a8148be5353713a583e6d1cea74cb6374c5e3549538e
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

adhoc.zip: adhoc-javadoc.jar: script.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/adhoc.zip/adhoc-javadoc.jar/script.js
MD5: baf9d9e16237acbdce975a33c54ee8ae
SHA1: cc6a3c8d72f17eff0d613ddfcf7c1095535573f7
SHA256:9a027b197c6b3b44c4952797b2eb0477318a03093a5bbad089e12959e562b975
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Related Dependencies

- cowork.zip: cowork-javadoc.jar: script.js
  - File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/cowork.zip/cowork-javadoc.jar/script.js
  - MD5: baf9d9e16237acbdce975a33c54ee8ae
  - SHA1: cc6a3c8d72f17eff0d613ddfcf7c1095535573f7
  - SHA256: 9a027b197c6b3b44c4952797b2eb0477318a03093a5bbad089e12959e562b975
- maintenance.zip: maintenance-javadoc.jar: script.js
  - File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/maintenance.zip/maintenance-javadoc.jar/script.js
  - MD5: baf9d9e16237acbdce975a33c54ee8ae
  - SHA1: cc6a3c8d72f17eff0d613ddfcf7c1095535573f7
  - SHA256: 9a027b197c6b3b44c4952797b2eb0477318a03093a5bbad089e12959e562b975
- reporting.zip: reporting-javadoc.jar: script.js

- File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/reporting.zip/reporting-javadoc.jar/script.js
- MD5: baf9d9e16237acbdce975a33c54ee8ae
- SHA1: cc6a3c8d72f17eff0d613ddfcf7c1095535573f7
- SHA256: 9a027b197c6b3b44c4952797b2eb0477318a03093a5bbad089e12959e562b975

- taskplanner.reporting.zip: taskplanner.reporting-javadoc.jar: script.js
  - File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/taskplanner.reporting.zip/taskplanner.reporting-javadoc.jar/script.js
  - MD5: baf9d9e16237acbdce975a33c54ee8ae
  - SHA1: cc6a3c8d72f17eff0d613ddfcf7c1095535573f7
  - SHA256: 9a027b197c6b3b44c4952797b2eb0477318a03093a5bbad089e12959e562b975
- taskplanner.zip: taskplanner-javadoc.jar: script.js
  - File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/taskplanner.zip/taskplanner-javadoc.jar/script.js
  - MD5: baf9d9e16237acbdce975a33c54ee8ae
  - SHA1: cc6a3c8d72f17eff0d613ddfcf7c1095535573f7
  - SHA256: 9a027b197c6b3b44c4952797b2eb0477318a03093a5bbad089e12959e562b975

Identifiers

- **None**

adhoc.zip: adhoc-javadoc.jar: search.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/adhoc.zip/adhoc-javadoc.jar/search.js
MD5: cb277f670590ffec20a12745260518dc
SHA1: 4b222ef8d1c52e1ce5ceb40a3b5c1fb9cad01eca
SHA256:47c74de257f7e407a21e5d22519b664cfa1c83d04c362bff466c8424b702d31f
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Related Dependencies

- cowork.zip: cowork-javadoc.jar: search.js
  - File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/cowork.zip/cowork-javadoc.jar/search.js
  - MD5: cb277f670590ffec20a12745260518dc
  - SHA1: 4b222ef8d1c52e1ce5ceb40a3b5c1fb9cad01eca
  - SHA256: 47c74de257f7e407a21e5d22519b664cfa1c83d04c362bff466c8424b702d31f
- maintenance.zip: maintenance-javadoc.jar: search.js

- File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/maintenance.zip/maintenance-javadoc.jar/search.js
- MD5: cb277f670590ffec20a12745260518dc
- SHA1: 4b222ef8d1c52e1ce5ceb40a3b5c1fb9cad01eca
- SHA256: 47c74de257f7e407a21e5d22519b664cfa1c83d04c362bff466c8424b702d31f

- reporting.zip: reporting-javadoc.jar: search.js
  - File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/reporting.zip/reporting-javadoc.jar/search.js
  - MD5: cb277f670590ffec20a12745260518dc
  - SHA1: 4b222ef8d1c52e1ce5ceb40a3b5c1fb9cad01eca
  - SHA256: 47c74de257f7e407a21e5d22519b664cfa1c83d04c362bff466c8424b702d31f
- taskplanner.reporting.zip: taskplanner.reporting-javadoc.jar: search.js
  - File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/taskplanner.reporting.zip/taskplanner.reporting-javadoc.jar/search.js
  - MD5: cb277f670590ffec20a12745260518dc
  - SHA1: 4b222ef8d1c52e1ce5ceb40a3b5c1fb9cad01eca
  - SHA256: 47c74de257f7e407a21e5d22519b664cfa1c83d04c362bff466c8424b702d31f
- taskplanner.zip: taskplanner-javadoc.jar: search.js
  - File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/taskplanner.zip/taskplanner-javadoc.jar/search.js
  - MD5: cb277f670590ffec20a12745260518dc
  - SHA1: 4b222ef8d1c52e1ce5ceb40a3b5c1fb9cad01eca
  - SHA256: 47c74de257f7e407a21e5d22519b664cfa1c83d04c362bff466c8424b702d31f

Identifiers

- **None**

adhoc.zip: adhoc-javadoc.jar: tag-search-index.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/adhoc.zip/adhoc-javadoc.jar/tag-search-index.js
MD5: acda0a4d961a2dbb052cf81694d1c50b
SHA1: 4853e0d2a022b5098359e59d740952ee1e187c04
SHA256:4394bc27c97d0c9018c2fb763bfc045db14433b160e3c1fec16795d1d1967aaf
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Related Dependencies

- cowork.zip: cowork-javadoc.jar: tag-search-index.js

- File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/cowork.zip/cowork-javadoc.jar/tag-search-index.js
- MD5: acda0a4d961a2dbb052cf81694d1c50b
- SHA1: 4853e0d2a022b5098359e59d740952ee1e187c04
- SHA256: 4394bc27c97d0c9018c2fb763bfc045db14433b160e3c1fec16795d1d1967aaf

Identifiers

- **None**

adhoc.zip: adhoc-javadoc.jar: type-search-index.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/adhoc.zip/adhoc-javadoc.jar/type-search-index.js
MD5: ad309ca1fb460a1c329f6cf6e454508c
SHA1: 97fb5b5d5f6b14ef002e4185b77b279fa74a1c06
SHA256:f26ee6801b8e79ca15ecccea5c7f05c44c7c91842c524115f516aab34475b070
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

adhoc.zip: adhoc.jar

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/adhoc.zip/adhoc.jar
MD5: 64dc58970da0b6da0936bafff7c29049
SHA1: 3265961e5ba7c17c5e2b698644f9949e26db82a7
SHA256:1a52dbbaa22a6137f93eaab7869a543874d061151516b7fd966d64ec2a0d09de
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence
Vendor	file	name	adhoc	High

Vendor	jar	package name	adhoc	Low
Vendor	jar	package name	inet	Low
Vendor	jar	package name	report	Low
Vendor	Manifest	built-date	2025-05-01 12:51	Low
Vendor	Manifest	implementation-group	reporting	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	adhoc	High
Product	jar	package name	adhoc	Highest
Product	jar	package name	adhoc	Low
Product	jar	package name	report	Low
Product	jar	package name	server	Low
Product	Manifest	built-date	2025-05-01 12:51	Low
Product	Manifest	implementation-group	reporting	Low
Product	Manifest	Implementation-Title	adhoc	High
Product	Manifest	specification-title	adhoc	Medium
Version	Manifest	Implementation-Version	25.4.227	High

Identifiers

- **None**

adhoc.zip: adhoc.jar: adhoc.chartresizeobserver.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/adhoc.zip/adhoc.jar/com/inet/report/adhoc/webgui/js/adhoc.chartresizeobserver.js
MD5: 56d4ef60578cd0568fe73883d5e6f3a0
SHA1: bc65cc02e9aecd7e8dfd581eec87f0fa026813e2
SHA256:6eec3f437aa616acd4b089284ec26d8e22e6b6ae5da0e8574b34f3cabbceb517
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

adhoc.zip: adhoc.jar: adhoc.componentresizeobserver.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/adhoc.zip/adhoc.jar/com/inet/report/adhoc/webgui/js/adhoc.componentresizeobserver.js
MD5: e456cb79474b1658f85e888026638cc9
SHA1: 8a3dbb6395ed6bfd0daabd706cc3eff68b69db88
SHA256:9dd8d55582f0fcc3da01c52225fdf9feb0a013053e7fe284a05e02a529becec7
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

adhoc.zip: adhoc.jar: adhoc.openfiledropzone.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/adhoc.zip/adhoc.jar/com/inet/report/adhoc/webgui/js/adhoc.openfiledropzone.js
MD5: 987174ce85969a6f059c3e514f02c259
SHA1: c7742e3dca3e8ecf4f19c13997b072c7cccd9936
SHA256:025f0e40eca6d1be38512b70eedd85d602670d08b864b8791c643680b50a212d
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

adhoc.zip: adhoc.jar: adhoc.pageheadertoolbar.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/adhoc.zip/adhoc.jar/com/inet/report/adhoc/webgui/js/adhoc.pageheadertoolbar.js
MD5: 3db0f95df6f62025ca4806507d4f0f43
SHA1: fbe797943666cf95d624757a2fd20061ad8a46ec
SHA256:52b002248c5ee906fffd1d9dcbde2fbd9879ae541cb6ecbec575fa6d0c20213b
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

adhoc.zip: adhoc.jar: adhoc.reportcomponentview.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/adhoc.zip/adhoc.jar/com/inet/report/adhoc/webgui/js/adhoc.reportcomponentview.js
MD5: db162d12aace7dafbcc89df92a7d9d99
SHA1: d5bad232e6d7bebf7f98d6d99c7ba0e8cdd1d77e
SHA256:97af9f3fac4fb8bf599abe67b6fc670f9f77911f4d8c3aedc43e5750065efe5d
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

adhoc.zip: adhoc.jar: adhoc.reportpropertiesarea.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/adhoc.zip/adhoc.jar/com/inet/report/adhoc/webgui/js/adhoc.reportpropertiesarea.js
MD5: 66e39cbb1c1a68f71d5d8644b757ce94
SHA1: 267aed374d6ed69510ce8dfa22e53514c0b37ba7
SHA256:9fd5b15728af631f2004b4ddd85943bcaa2978c9c2601626b8daba6a02731534
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

adhoc.zip: adhoc.jar: adhoc.reportproperty.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/adhoc.zip/adhoc.jar/com/inet/report/adhoc/webgui/js/adhoc.reportproperty.js
MD5: b983a3cfd912512fbc60090e89711a79
SHA1: 5ee3a9659326fa2c537a989847992beeba94a732
SHA256:a990433c893aab0121361a967244ca651adabdd7fcc466c6fe7aa0b929241fff
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

adhoc.zip: adhoc.jar: adhoc.reportproperty.printconverter.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/adhoc.zip/adhoc.jar/com/inet/report/adhoc/webgui/js/adhoc.reportproperty.printconverter.js

MD5: 13dffcedaf67f26c047bc0835dc89a1e
SHA1: cfccca717413b754d4743b36586f9ddad57eefe7
SHA256:033edbde2566728a88115e640e855f221739acb6655930f7204a35f8fec490f0
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

adhoc.zip: adhoc.jar: adhoc.reportproperty.renderer.access.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/adhoc.zip/adhoc.jar/com/inet/report/adhoc/webgui/js/adhoc.reportproperty.renderer.access.js
MD5: 3c3cc1f827d6dbcf0ac4c5a51c4ab89f
SHA1: 67d3370998c83d720424474dfd3fcc1fa772148c
SHA256:0482946023e643fb686feffd6a17471305f135f4c37bc5dc4b425b5c16e237cd
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

adhoc.zip: adhoc.jar: adhoc.reportproperty.renderer.boolean.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/adhoc.zip/adhoc.jar/com/inet/report/adhoc/webgui/js/adhoc.reportproperty.renderer.boolean.js
MD5: 8dc62791382904705c86dd5b30dd6057
SHA1: 0dd574f611b4a9e778e2eb5d35f6eb053b2ff9b6
SHA256:92f8f5f2b8ea2dc1144577404450c4a027a3ad58acffe5bc40d148ec60dd1b63
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

adhoc.zip: adhoc.jar: adhoc.reportproperty.renderer.color.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/adhoc.zip/adhoc.jar/com/inet/report/adhoc/webgui/js/adhoc.reportproperty.renderer.color.js
MD5: 57bb880e05f35d1266a05d8cd42ab23b
SHA1: 3865d3959ace7c0e8df9939bd2491f2caaf7eeae
SHA256:054ab0edc0c5e1778c1770fee484d0dc431fb605b808b2f7fd3a363ea1349a4b
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

adhoc.zip: adhoc.jar: adhoc.reportproperty.renderer.colorscheme.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/adhoc.zip/adhoc.jar/com/inet/report/adhoc/webgui/js/adhoc.reportproperty.renderer.colorscheme.js
MD5: bf076d6942b679343e59e02dfbca5c78
SHA1: 44cff0512ae4f820e2b94c42f7bb426714a6dfc9
SHA256:b5db1a6088d0bd4b13feb52ef897b8e1ba664cc81b0394eaf879838a912f0f61
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

adhoc.zip: adhoc.jar: adhoc.reportproperty.renderer.columns.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/adhoc.zip/adhoc.jar/com/inet/report/adhoc/webgui/js/adhoc.reportproperty.renderer.columns.js
MD5: 4b77d30cb3c9e4386240c057c301e669
SHA1: 661a3a3efab8ecfa276797bf67cdf678f5652139
SHA256:b317c1cb95f288e765cf998efb063f79581c77d13435025be1ceca70c046f84c
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

adhoc.zip: adhoc.jar: adhoc.reportproperty.renderer.filter.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/adhoc.zip/adhoc.jar/com/inet/report/adhoc/webgui/js/adhoc.reportproperty.renderer.filter.js
MD5: fd8d52d1814c11623d5132de245a9396
SHA1: 7c27ee60029b5c97feb9e64003d9ce122299a0bc
SHA256:13e91216a58d3dc302c24d00be78aaaae67ff7d99721c211fc8216b11f1398ae
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

adhoc.zip: adhoc.jar: adhoc.reportproperty.renderer.image.select.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/adhoc.zip/adhoc.jar/com/inet/report/adhoc/webgui/js/adhoc.reportproperty.renderer.image.select.js
MD5: 4e4c9d65d59a92adf877a61a71756393
SHA1: 8e676f076cc14ef4622a8ed65a410e61fd992c1e
SHA256:584cb6b59493fd20bb1eb9b59c90c84ee9dc61bc078fc61cd2ab2d012e2902c1
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

adhoc.zip: adhoc.jar: adhoc.reportproperty.renderer.logo.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/adhoc.zip/adhoc.jar/com/inet/report/adhoc/webgui/js/adhoc.reportproperty.renderer.logo.js
MD5: ecaff58fb7d486379c09558c67b6adb4
SHA1: 3e5d9e14b525ca20c60d1ec4ffccfd73fc3dbbf3
SHA256:8d8650c4d2ddab25549397f8f300bd9323e6676a51ed34b393c801a749f7ca43
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

adhoc.zip: adhoc.jar: adhoc.reportproperty.renderer.select.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/adhoc.zip/adhoc.jar/com/inet/report/adhoc/webgui/js/adhoc.reportproperty.renderer.select.js
MD5: 0549a79f7b3fb7d1137877c24c712429
SHA1: acc3bc8a50ebda76d8f595e869d14a116302a3b6

SHA256:84d14666741d8b52e22bc90fb1af53450ae0c4517a60f4e00cee826c6fd1f7fc
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

adhoc.zip: adhoc.jar: adhoc.reportproperty.renderer.slider.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/adhoc.zip/adhoc.jar/com/inet/report/adhoc/webgui/js/adhoc.reportproperty.renderer.slider.js
MD5: 4b5d05e2c310201701297eadad19abca
SHA1: c30e2757675ca8316173a36d3c39765226175de2
SHA256:abccfa14c95c8403913d4a9729fd9881a1adc29ca4da9860268a26fd5459550d
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

adhoc.zip: adhoc.jar: adhoc.reportproperty.renderer.source.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/adhoc.zip/adhoc.jar/com/inet/report/adhoc/webgui/js/adhoc.reportproperty.renderer.source.js
MD5: 25f2e6ddc8931d62b37d641d6635657f
SHA1: 4cfcab19a9eb3121949bb002d8404267517e8a14
SHA256:9e178435faa292ea1ab15aa3bc967f6d520b8618683ab85fcb9c6ab9422e9c0e
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

adhoc.zip: adhoc.jar: adhoc.reportproperty.renderer.templatesource.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/adhoc.zip/adhoc.jar/com/inet/report/adhoc/webgui/js/adhoc.reportproperty.renderer.templatesource.js
MD5: 3528a62f71a82a0be2b78f8a64de3497
SHA1: 4029d60d787120027ca739895ee0bb362fc671f6
SHA256:358a1d431f2ab4433d121b476af854e744d7b1121ed25afe405b59238b041563
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

adhoc.zip: adhoc.jar: adhoc.reportproperty.renderer.text.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/adhoc.zip/adhoc.jar/com/inet/report/adhoc/webgui/js/adhoc.reportproperty.renderer.text.js
MD5: 63f0e10a167f83195cb68fd0e882fb88
SHA1: cf7819683de9726f187028f9f5a632f264796467
SHA256:2b9e194cb44834c7f9a47202dd485f5be9eff7103a8f28fc52bde01c7eb685c8
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

adhoc.zip: adhoc.jar: adhoc.reportview.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/adhoc.zip/adhoc.jar/com/inet/report/adhoc/webgui/js/adhoc.reportview.js
MD5: cd8aa6814055a62d9e3b8f8afdccbcd9
SHA1: 80f3e0e6c53b6cec04e3bbe918f39cd62b3f3100
SHA256:30458b766ec67d55633a658ff581cf75c6f374a09f0b46f67573755eb980a3b8
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

adhoc.zip: adhoc.jar: adhoc.toolbar.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/adhoc.zip/adhoc.jar/com/inet/report/adhoc/webgui/js/adhoc.toolbar.js
MD5: 6c3017fcfef9bafef9a95f4ecab24c32
SHA1: 2f5dbc45ba9b52267f67eb5744e6da57890fa036
SHA256:6c7905bd8193e3bcba2911c9588b6391d9fbd2d2234e8a7fcbaee96dddca34a0
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

adhoc.zip: adhoc.jar: adhoccontroller.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/adhoc.zip/adhoc.jar/com/inet/report/adhoc/webgui/js/adhoccontroller.js
MD5: 4ad7d7f2fd240bc7c58595858f7eb0fc
SHA1: 9da3d248b9a46b164281eb82287ea775de10d838
SHA256:1102bef0ee130496707ef5afd32ed63d2e8b8fa6c6e2db4ac83b946d2ba2fe82
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

adhoc.zip: adhoc.jar: adhocfactory.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/adhoc.zip/adhoc.jar/com/inet/report/adhoc/webgui/js/adhocfactory.js
MD5: 22ac11591e77f2e9a676371558ecbe53
SHA1: 81ef4838e6f1a98e230dbe3adf5d14a470a43022
SHA256:9d5f7ef31815155c7a4d17e95578315b0d20df37764ea3d7f77c31effeb2de68
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

adhoc.zip: adhoc.jar: adhocmodel.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/adhoc.zip/adhoc.jar/com/inet/report/adhoc/webgui/js/adhocmodel.js
MD5: 929f43706935e7a2685f21c8bb370ea3
SHA1: cda2e65ad14b245db43164b759a1cede52d342bc
SHA256:492fdeb0652e5d09669ba5ef71e5ddf0459aaf6d3978e133973d4dda41dba968
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

adhoc.zip: adhoc.jar: configuration.adhoc.templates.edit.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/adhoc.zip/adhoc.jar/com/inet/report/adhoc/webgui/configuration/templates/configuration.adhoc.templates.edit.js
MD5: 5fde177e1fe760a873bc1eec6790c747
SHA1: ea09c1b8b425b11dabdadfa340733cead4fb391f
SHA256:005ffffac2bdb1e7afbf2f4a96d05ce6bd9e50e7aa90dfa59b67d07c3092a6a2
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

adhoc.zip: adhoc.jar: configuration.adhoc.templates.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/adhoc.zip/adhoc.jar/com/inet/report/adhoc/webgui/configuration/templates/configuration.adhoc.templates.js
MD5: 7003e616506cf628e25ee3debe27264a
SHA1: 60eb9aae8ed4419008acd4bb4cfe03baa87ea843
SHA256:f13a5f0c5d6f68e16eb54a6904ccb00f6df6ff19e0605369558c6afe25ac2e6c
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

adhoc.zip: adhoc.jar: configuration.adhoc.themes.edit.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/adhoc.zip/adhoc.jar/com/inet/report/adhoc/webgui/configuration/themes/configuration.adhoc.themes.edit.js
MD5: 016735aeee324a0c8ec039bcf044a90b
SHA1: 04e3f6a79e8cf255f96989599e9a2115f7c26924
SHA256:f270a00b331a7a97970d864f67effd85a10509dc0acf3f0f164b8ac901c80afc
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

adhoc.zip: adhoc.jar: configuration.adhoc.themes.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/adhoc.zip/adhoc.jar/com/inet/report/adhoc/webgui/configuration/themes/configuration.adhoc.themes.js
MD5: b1ad812c14dcd1fe5e2b7062268f571c
SHA1: a708eae13369c42e13a88f6eccd2a803b68414b5
SHA256:90f2459efc98b028e092fe336c9db4c2169abac3a9a3df01afdda00011340c09
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

adhoc.zip: plotly.js-dist-min.jar

Description:

WebJar for plotly.js-dist-min

License:

MIT

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/adhoc.zip/plotly.js-dist-min.jar
MD5: ea52d443f5b40e049fc65b86e949cb0e
SHA1: c3070d3ad0280ef1b7ba5e7e62cb7489f2be577c
SHA256:2b193239990e4b744a3e074c541848e58337cbd923bd54fba8f22e146058b27c
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence
Vendor	file	name	plotly.js-dist-min	High
Vendor	Manifest	build-jdk-spec	1.8	Low
Vendor	Manifest	bundle-symbolicname	org.webjars.npm.plotly.js-dist-min	Medium
Vendor	pom	artifactid	plotly.js-dist-min	Low
Vendor	pom	developer id	webjars	Medium
Vendor	pom	groupid	org.webjars.npm	Highest
Vendor	pom	name	plotly.js-dist-min	High
Vendor	pom	url	https://www.webjars.org	Highest
Product	file	name	plotly.js-dist-min	High
Product	Manifest	build-jdk-spec	1.8	Low
Product	Manifest	Bundle-Name	plotly.js-dist-min	Medium
Product	Manifest	bundle-symbolicname	org.webjars.npm.plotly.js-dist-min	Medium
Product	pom	artifactid	plotly.js-dist-min	Highest
Product	pom	developer id	webjars	Low
Product	pom	groupid	org.webjars.npm	Highest
Product	pom	name	plotly.js-dist-min	High
Product	pom	url	https://www.webjars.org	Medium
Version	Manifest	Bundle-Version	2.35.2	High
Version	pom	version	2.35.2	Highest

Identifiers

- pkg:maven/org.webjars.npm/plotly.js-dist-min@2.35.2 (*Confidence*:High)
- cpe:2.3:a:plotly:plotly.js:2.35.2:*:*:*:*:*:*:* (*Confidence*:High) suppress

adhoc.zip: plotly.js-dist-min.jar: package.json

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/adhoc.zip/plotly.js-dist-min.jar/META-INF/resources/webjars/plotly.js-dist-min/2.35.2/package.json
MD5: 8a693b24ff00e4a1af0ef4bd5965ec8a
SHA1: cad505af19ea9df1ebd3ec3d6db2a5965385f65b
SHA256:ed69dd8343a57f2a0450be56eb28d51444b15e4ac3cefe13bd44270b5bdc9063
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

adhoc.zip: plotly.js-dist-min.jar: plotly.min.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/adhoc.zip/plotly.js-dist-min.jar/META-INF/resources/webjars/plotly.js-dist-min/2.35.2/plotly.min.js
MD5: bed2e6700214f7cc365e0f159f538531
SHA1: 336cadb4cbbdc7bb6b32119b87146cdebaf5399d
SHA256:6d21266ce1bd7d9e5ab4e115989c70c20de0382fd973a8f26ab58619eba4d603
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

attachments.zip: attachments.jar

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/plugins/attachments.zip/attachments.jar
MD5: 5bcdf5f3c459d2b59741bd70a0906ae4
SHA1: 7d4f24ce79b2727cf868f8dd2d862a911bb44df8
SHA256:b95c372a1363c02228f8202b54ee2c816dc67542727031b98e936c37137c0294
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence
Vendor	file	name	attachments	High
Vendor	jar	package name	helpdesk	Low
Vendor	jar	package name	inet	Low
Vendor	jar	package name	plugins	Low
Vendor	Manifest	built-date	2025-05-01 13:45	Low
Vendor	Manifest	implementation-group	helpdesk	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	attachments	High
Product	jar	package name	attachments	Highest
Product	jar	package name	attachments	Low
Product	jar	package name	helpdesk	Highest
Product	jar	package name	helpdesk	Low
Product	jar	package name	plugins	Low
Product	Manifest	built-date	2025-05-01 13:45	Low
Product	Manifest	implementation-group	helpdesk	Low
Product	Manifest	Implementation-Title	attachments	High
Product	Manifest	specification-title	attachments	Medium
Version	jar	package name	helpdesk	Highest
Version	Manifest	Implementation-	25.4.227	High

Version

Identifiers

- cpe:2.3:a:inetsoftware:helpdesk:25.4.227:*:*:*:*:*:*:* (*Confidence*:Low) suppress

authentication.pam.zip: authentication.pam.jar

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/authentication.pam.zip/authentication.pam.jar
MD5: 15fc796b3280a1aa30edd1237c5d69fd
SHA1: a12ab26f39a1f4bfc2ecbdb86c63d7440e2e0d51
SHA256:8523381875ed7d75d96e8ba1d344ffc086ca3f80b5ae979df409375fe1269bb2
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence
Vendor	file	name	authentication.pam	High
Vendor	jar	package name	authentication	Low
Vendor	jar	package name	inet	Low
Vendor	jar	package name	pam	Low
Vendor	Manifest	built-date	2025-05-01 11:33	Low
Vendor	Manifest	implementation-group	shared	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	authentication.pam	High
Product	jar	package name	authentication	Highest
Product	jar	package name	authentication	Low
Product	jar	package name	libpam	Low
Product	jar	package name	pam	Highest
Product	jar	package name	pam	Low

Product	Manifest	built-date	2025-05-01 11:33	Low
Product	Manifest	implementation-group	shared	Low
Product	Manifest	Implementation-Title	authentication.pam	High
Product	Manifest	specification-title	authentication.pam	Medium
Version	Manifest	Implementation-Version	25.4.227	High

Identifiers

- **None**

authentication.product.zip: authentication.product.jar

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/authentication.product.zip/authentication.product.jar
MD5: c1e5baa8e2e742cb35b542b37bd8460a
SHA1: e6bd943c79185f76347307f9fe4bcc5e73864f08
SHA256:48309d8d398ec02c25ed2a3a446dee7123bca8fd9434fa5804c23abd51c567ac
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence
Vendor	file	name	authentication.product	High
Vendor	jar	package name	authentication	Low
Vendor	jar	package name	inet	Low
Vendor	jar	package name	product	Low
Vendor	Manifest	built-date	2025-05-01 11:38	Low
Vendor	Manifest	implementation-group	shared	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	authentication.product	High

Product	jar	package name	authentication	Highest
Product	jar	package name	authentication	Low
Product	jar	package name	product	Highest
Product	jar	package name	product	Low
Product	Manifest	built-date	2025-05-01 11:38	Low
Product	Manifest	implementation-group	shared	Low
Product	Manifest	Implementation-Title	authentication.product	High
Product	Manifest	specification-title	authentication.product	Medium
Version	Manifest	Implementation-Version	25.4.227	High

Identifiers

- **None**

authentication.windows.zip: authentication.windows.jar

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/authentication.windows.zip/authentication.windows.jar
MD5: e9eafbb8219c85368bd53599f925691d
SHA1: 90e0ef96eb122f775fedfb0b94b96e34e73fd723
SHA256:6b61f825175a96bcd1e5b0c52fd08dd6fae73cb44b3548e134e9092ac386ff8f
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence
Vendor	file	name	authentication.windows	High
Vendor	jar	package name	authentication	Low
Vendor	jar	package name	inet	Low
Vendor	jar	package name	windows	Low
Vendor	Manifest	built-date	2025-05-01 11:33	Low
Vendor	Manifest	implementation-group	shared	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium

Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	authentication.windows	High
Product	jar	package name	authentication	Highest
Product	jar	package name	authentication	Low
Product	jar	package name	windows	Highest
Product	jar	package name	windows	Low
Product	Manifest	built-date	2025-05-01 11:33	Low
Product	Manifest	implementation-group	shared	Low
Product	Manifest	Implementation-Title	authentication.windows	High
Product	Manifest	specification-title	authentication.windows	Medium
Version	Manifest	Implementation-Version	25.4.227	High

Identifiers

- **None**

authentication.windows.zip: caffeine.jar

Description:

A high performance caching library

License:

https://www.apache.org/licenses/LICENSE-2.0

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/authentication.windows.zip/caffeine.jar
MD5: 7661b25999918646ec802846cc4c16bc
SHA1: 3646a0d1b1abe6a31f72f2237d9004d10a5be91d
SHA256:0311f9d5d9750aa2a1c11cbdba5a5cb7fec91c8870d6f179f324b3f5295b87dd
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence
Vendor	file	name	caffeine	High

Vendor	jar	package name	benmanes	Highest
Vendor	jar	package name	benmanes	Low
Vendor	jar	package name	caffeine	Highest
Vendor	jar	package name	caffeine	Low
Vendor	jar	package name	github	Highest
Vendor	jar	package name	github	Low
Vendor	Manifest	automatic-module-name	com.github.benmanes.caffeine	Medium
Vendor	Manifest	build-jdk-spec	11	Low
Vendor	Manifest	bundle-symbolicname	com.github.ben-manes.caffeine	Medium
Product	file	name	caffeine	High
Product	jar	package name	benmanes	Highest
Product	jar	package name	benmanes	Low
Product	jar	package name	cache	Low
Product	jar	package name	caffeine	Highest
Product	jar	package name	caffeine	Low
Product	jar	package name	github	Highest
Product	Manifest	automatic-module-name	com.github.benmanes.caffeine	Medium
Product	Manifest	build-jdk-spec	11	Low
Product	Manifest	Bundle-Name	com.github.ben-manes.caffeine	Medium
Product	Manifest	bundle-symbolicname	com.github.ben-manes.caffeine	Medium
Product	Manifest	Implementation-Title	A high performance caching library	High
Version	Manifest	build-jdk-spec	11	Low
Version	Manifest	Bundle-Version	3.1.6	High
Version	Manifest	Implementation-Version	3.1.6	High

Identifiers

- **None**

authentication.windows.zip: jna-platform.jar

Description:

JNA Platform Library

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/authentication.windows.zip/jna-platform.jar
MD5: 3bc3f09a698e6ad250dd093f64fbb8a7
SHA1: 28934d48aed814f11e4c584da55c49fa7032b31b
SHA256:ae4caceb3840730c2537f9b7fb55a01baba580286b4122951488bcee558c2449
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence
Vendor	file	name	jna-platform	High
Vendor	jar	package name	jna	Highest
Vendor	jar	package name	jna	Low
Vendor	jar	package name	platform	Highest
Vendor	jar	package name	platform	Low
Vendor	jar	package name	sun	Highest
Vendor	jar	package name	sun	Low
Vendor	jar (hint)	package name	oracle	Highest
Vendor	jar (hint)	package name	oracle	Low
Vendor	Manifest	automatic-module-name	com.sun.jna.platform	Medium
Vendor	Manifest	bundle-category	jni	Low
Vendor	Manifest	bundle-requiredexecution	J2SE-1.4	Low
Vendor	Manifest	bundle-symbolicname	com.sun.jna.platform	Medium
Vendor	Manifest	Implementation-Vendor	JNA Development Team	High
Vendor	Manifest	require-bundle	com.sun.jna;bundle-version="5.14.0"	Low
Vendor	Manifest	specification-vendor	JNA Development Team	Low
Product	file	name	jna-platform	High
Product	jar	package name	jna	Highest
Product	jar	package name	jna	Low
Product	jar	package name	platform	Highest
Product	jar	package name	platform	Low
Product	jar	package name	sun	Highest

Product	jar	package name	win32	Low
Product	Manifest	automatic-module-name	com.sun.jna.platform	Medium
Product	Manifest	bundle-category	jni	Low
Product	Manifest	Bundle-Name	jna-platform	Medium
Product	Manifest	bundle-requiredexecution	J2SE-1.4	Low
Product	Manifest	bundle-symbolicname	com.sun.jna.platform	Medium
Product	Manifest	Implementation-Title	com.sun.jna	High
Product	Manifest	require-bundle	com.sun.jna;bundle-version="5.14.0"	Low
Product	Manifest	specification-title	Java Native Access (JNA)	Medium
Version	jar	package name	jna	Highest
Version	jar	package name	sun	Highest
Version	Manifest	Bundle-Version	5.14.0	High
Version	Manifest	Implementation-Version	5.14.0 (b0)	High

Identifiers

- **None**

authentication.windows.zip: waffle-jna-jakarta.jar

Description:

WAFFLE JNA Jakarta Pakage implementation

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/authentication.windows.zip/waffle-jna-jakarta.jar
MD5: 4292b31211ec75d0a54780009f620fd7
SHA1: a54b03b4de48b62188b183e04313092119f3e247
SHA256:e53d74bd6e09b543b97ccb7b5aff7dbdb1a9058066eafb9c2573c75adf254703
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence
Vendor	file	name	waffle-jna-jakarta	High
Vendor	jar	package name	waffle	Highest

Vendor	Manifest	automatic-module-name	waffle.jna.jakarta	Medium
Vendor	Manifest	build-jdk-spec	21	Low
Vendor	Manifest	copyright	2024	Low
Vendor	Manifest	git-revision	725e568c485ae01eddb2777e17e1c3f78955d4	Low
Vendor	Manifest	Implementation-Vendor	com.github.waffle	High
Vendor	Manifest	specification-vendor	com.github.waffle	Low
Vendor	pom	artifactid	waffle-jna-jakarta	Low
Vendor	pom	groupid	com.github.waffle	Highest
Vendor	pom	name	waffle-jna-jakarta	High
Vendor	pom	parent-artifactid	waffle	Low
Vendor	pom	url	https://waffle.github.io/waffle/	Highest
Product	file	name	waffle-jna-jakarta	High
Product	jar	package name	waffle	Highest
Product	Manifest	automatic-module-name	waffle.jna.jakarta	Medium
Product	Manifest	build-jdk-spec	21	Low
Product	Manifest	copyright	2024	Low
Product	Manifest	git-revision	725e568c485ae01eddb2777e17e1c3f78955d4	Low
Product	Manifest	Implementation-Title	waffle-jna-jakarta	High
Product	Manifest	specification-title	waffle-jna-jakarta	Medium
Product	pom	artifactid	waffle-jna-jakarta	Highest
Product	pom	groupid	com.github.waffle	Highest
Product	pom	name	waffle-jna-jakarta	High
Product	pom	parent-artifactid	waffle	Medium
Product	pom	url	https://waffle.github.io/waffle/	Medium
Version	Manifest	Implementation-Version	3.5.1	High
Version	pom	version	3.5.1	Highest

Identifiers

- pkg:maven/com.github.waffle/waffle-jna-jakarta@3.5.1 (*Confidence*:High)
- cpe:2.3:a:4d:4d:3.5.1:*:*:*:*:*:*:* (*Confidence*:Low) suppress

autolinking.zip: autolinking.jar

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/plugins/autolinking.zip/autolinking.jar
MD5: 23b5488b7859ada4166fb96f12150ae3
SHA1: b8519cfb644468179b51e080f8b23bd28d539ccf
SHA256:371c789f40f7d23902541912c94f402d93dbe055a0a64b8bde318e3c97476382
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence
Vendor	file	name	autolinking	High
Vendor	jar	package name	helpdesk	Low
Vendor	jar	package name	inet	Low
Vendor	jar	package name	plugins	Low
Vendor	Manifest	built-date	2025-05-01 13:49	Low
Vendor	Manifest	implementation-group	helpdesk	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	autolinking	High
Product	jar	package name	autolinking	Highest
Product	jar	package name	autolinking	Low
Product	jar	package name	helpdesk	Highest
Product	jar	package name	helpdesk	Low
Product	jar	package name	plugins	Low
Product	Manifest	built-date	2025-05-01 13:49	Low
Product	Manifest	implementation-group	helpdesk	Low
Product	Manifest	Implementation-Title	autolinking	High
Product	Manifest	specification-title	autolinking	Medium
Version	jar	package name	helpdesk	Highest
Version	Manifest	Implementation-Version	25.4.227	High

Identifiers

- cpe:2.3:a:inetsoftware:helpdesk:25.4.227:*:*:*:*:*:*:* (*Confidence*:Low) suppress

collaboration.zip: collaboration.jar

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/collaboration.zip/collaboration.jar
MD5: 811cdd668f009046f4b2abb34fefbf67
SHA1: df28464e3d1e35242e196dcf887cdc2be548e594
SHA256:a04b7e04c326822fc1fcc2ab66944c6229ce20c5c4dbd4719163ec80a948f5de
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence
Vendor	file	name	collaboration	High
Vendor	jar	package name	bot	Low
Vendor	jar	package name	collaboration	Low
Vendor	jar	package name	inet	Low
Vendor	Manifest	built-date	2025-05-01 11:41	Low
Vendor	Manifest	implementation-group	shared	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	collaboration	High
Product	jar	package name	bot	Low
Product	jar	package name	collaboration	Highest
Product	jar	package name	collaboration	Low
Product	Manifest	built-date	2025-05-01 11:41	Low
Product	Manifest	implementation-group	shared	Low
Product	Manifest	Implementation-	collaboration	High

		Title		
Product	Manifest	specification-title	collaboration	Medium
Version	Manifest	Implementation-Version	25.4.227	High

Identifiers

- **None**

commons-logging.jar

Description:

Apache Commons Logging is a thin adapter allowing configurable bridging to other, well-known logging systems.

License:

https://www.apache.org/licenses/LICENSE-2.0.txt

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/core/commons-logging.jar
MD5: e7a1e7cb6a89241ed9bfec4c25b6c645
SHA1: b9fc14968d63a8b8a8a2c1885fe3e90564239708
SHA256:bc2dfe32f1ef06509e6a065144c1adf7b420eabf11a87f30bd127f8faa332016
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence
Vendor	file	name	commons-logging	High
Vendor	jar	package name	apache	Highest
Vendor	jar	package name	commons	Highest
Vendor	jar	package name	logging	Highest
Vendor	Manifest	automatic-module-name	org.apache.commons.logging	Medium
Vendor	Manifest	build-jdk-spec	17	Low
Vendor	Manifest	bundle-docurl	https://commons.apache.org/proper/commons-logging/	Low
Vendor	Manifest	bundle-symbolicname	org.apache.commons.commons-logging	Medium
Vendor	Manifest	Implementation-Vendor	The Apache Software Foundation	High
Vendor	Manifest	multi-release	true	Low

Vendor	Manifest	specification-vendor	The Apache Software Foundation	Low
Vendor	pom	artifactid	commons-logging	Low
Vendor	pom	developer email	baliuka@apache.org	Low
Vendor	pom	developer email	costin@apache.org	Low
Vendor	pom	developer email	craigmcc@apache.org	Low
Vendor	pom	developer email	dennisl@apache.org	Low
Vendor	pom	developer email	donaldp@apache.org	Low
Vendor	pom	developer email	ggregory at apache.org	Low
Vendor	pom	developer email	morgand@apache.org	Low
Vendor	pom	developer email	rdonkin@apache.org	Low
Vendor	pom	developer email	rsitze@apache.org	Low
Vendor	pom	developer email	rwaldhoff@apache.org	Low
Vendor	pom	developer email	sanders@apache.org	Low
Vendor	pom	developer email	skitching@apache.org	Low
Vendor	pom	developer email	tn@apache.org	Low
Vendor	pom	developer id	baliuka	Medium
Vendor	pom	developer id	bstansberry	Medium
Vendor	pom	developer id	costin	Medium
Vendor	pom	developer id	craigmcc	Medium
Vendor	pom	developer id	dennisl	Medium
Vendor	pom	developer id	donaldp	Medium
Vendor	pom	developer id	ggregory	Medium
Vendor	pom	developer id	morgand	Medium
Vendor	pom	developer id	rdonkin	Medium
Vendor	pom	developer id	rsitze	Medium
Vendor	pom	developer id	rwaldhoff	Medium
Vendor	pom	developer id	sanders	Medium
Vendor	pom	developer id	skitching	Medium
Vendor	pom	developer id	tn	Medium
Vendor	pom	developer name	Brian Stansberry	Medium
Vendor	pom	developer name	Costin Manolache	Medium
Vendor	pom	developer name	Craig McClanahan	Medium
Vendor	pom	developer name	Dennis Lundberg	Medium
Vendor	pom	developer name	Gary Gregory	Medium
Vendor	pom	developer name	Juozas Baliuka	Medium

Vendor	pom	developer name	Morgan Delagrange	Medium
Vendor	pom	developer name	Peter Donald	Medium
Vendor	pom	developer name	Richard Sitze	Medium
Vendor	pom	developer name	Robert Burrell Donkin	Medium
Vendor	pom	developer name	Rodney Waldhoff	Medium
Vendor	pom	developer name	Scott Sanders	Medium
Vendor	pom	developer name	Simon Kitching	Medium
Vendor	pom	developer name	Thomas Neidhart	Medium
Vendor	pom	developer org	Apache	Medium
Vendor	pom	developer org	The Apache Software Foundation	Medium
Vendor	pom	developer org URL	https://www.apache.org/	Medium
Vendor	pom	groupid	commons-logging	Highest
Vendor	pom	name	Apache Commons Logging	High
Vendor	pom	parent-artifactid	commons-parent	Low
Vendor	pom	parent-groupid	org.apache.commons	Medium
Vendor	pom	url	https://commons.apache.org/proper/commons-logging/	Highest
Product	file	name	commons-logging	High
Product	jar	package name	apache	Highest
Product	jar	package name	commons	Highest
Product	jar	package name	logging	Highest
Product	Manifest	automatic-module-name	org.apache.commons.logging	Medium
Product	Manifest	build-jdk-spec	17	Low
Product	Manifest	bundle-docurl	https://commons.apache.org/proper/commons-logging/	Low
Product	Manifest	Bundle-Name	Apache Commons Logging	Medium
Product	Manifest	bundle-symbolicname	org.apache.commons.commons-logging	Medium
Product	Manifest	Implementation-Title	Apache Commons Logging	High
Product	Manifest	multi-release	true	Low
Product	Manifest	specification-title	Apache Commons Logging	Medium
Product	pom	artifactid	commons-logging	Highest
Product	pom	developer email	baliuka@apache.org	Low
Product	pom	developer email	costin@apache.org	Low
Product	pom	developer email	craigmcc@apache.org	Low

Product	pom	developer email	dennisl@apache.org	Low
Product	pom	developer email	donaldp@apache.org	Low
Product	pom	developer email	ggregory at apache.org	Low
Product	pom	developer email	morgand@apache.org	Low
Product	pom	developer email	rdonkin@apache.org	Low
Product	pom	developer email	rsitze@apache.org	Low
Product	pom	developer email	rwaldhoff@apache.org	Low
Product	pom	developer email	sanders@apache.org	Low
Product	pom	developer email	skitching@apache.org	Low
Product	pom	developer email	tn@apache.org	Low
Product	pom	developer id	baliuka	Low
Product	pom	developer id	bstansberry	Low
Product	pom	developer id	costin	Low
Product	pom	developer id	craigmcc	Low
Product	pom	developer id	dennisl	Low
Product	pom	developer id	donaldp	Low
Product	pom	developer id	ggregory	Low
Product	pom	developer id	morgand	Low
Product	pom	developer id	rdonkin	Low
Product	pom	developer id	rsitze	Low
Product	pom	developer id	rwaldhoff	Low
Product	pom	developer id	sanders	Low
Product	pom	developer id	skitching	Low
Product	pom	developer id	tn	Low
Product	pom	developer name	Brian Stansberry	Low
Product	pom	developer name	Costin Manolache	Low
Product	pom	developer name	Craig McClanahan	Low
Product	pom	developer name	Dennis Lundberg	Low
Product	pom	developer name	Gary Gregory	Low
Product	pom	developer name	Juozas Baliuka	Low
Product	pom	developer name	Morgan Delagrange	Low
Product	pom	developer name	Peter Donald	Low
Product	pom	developer name	Richard Sitze	Low
Product	pom	developer name	Robert Burrell Donkin	Low
Product	pom	developer name	Rodney Waldhoff	Low

Product	pom	developer name	Scott Sanders	Low
Product	pom	developer name	Simon Kitching	Low
Product	pom	developer name	Thomas Neidhart	Low
Product	pom	developer org	Apache	Low
Product	pom	developer org	The Apache Software Foundation	Low
Product	pom	developer org URL	https://www.apache.org/	Low
Product	pom	groupid	commons-logging	Highest
Product	pom	name	Apache Commons Logging	High
Product	pom	parent-artifactid	commons-parent	Medium
Product	pom	parent-groupid	org.apache.commons	Medium
Product	pom	url	https://commons.apache.org/proper/commons-logging/	Medium
Version	Manifest	Bundle-Version	1.3.4	High
Version	Manifest	Implementation-Version	1.3.4	High
Version	pom	parent-version	1.3.4	Low
Version	pom	version	1.3.4	Highest

Identifiers

- pkg:maven/commons-logging/commons-logging@1.3.4 (*Confidence*:High)

configuration.zip: configuration.jar

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/configuration.zip/configuration.jar
MD5: cd31bc4da8b3974413f7b1b18caaa77e
SHA1: 702c4900f8b780d377701c777189e1eadee6865b
SHA256:5bfabff102ddd55ee0c189dbbc5606680aeba0c6cdf15cacae8c8d877146c0bf
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence
Vendor	file	name	configuration	High
Vendor	jar	package name	inet	Low
Vendor	jar	package name	plugins	Low

Vendor	jar	package name	report	Low
Vendor	Manifest	built-date	2025-05-01 11:38	Low
Vendor	Manifest	implementation-group	shared	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	configuration	High
Product	jar	package name	config	Low
Product	jar	package name	plugins	Low
Product	jar	package name	report	Low
Product	Manifest	built-date	2025-05-01 11:38	Low
Product	Manifest	implementation-group	shared	Low
Product	Manifest	Implementation-Title	configuration	High
Product	Manifest	specification-title	configuration	Medium
Version	Manifest	Implementation-Version	25.4.227	High

Identifiers

- **None**

configuration.zip: configuration.jar: authenticationItemRenderer.directive.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/configuration.zip/configuration.jar/com/inet/report/plugins/config/client/js/renderer/authenticationItemRenderer.directive.js
MD5: aefb1a2a7d97d2df669e0545658c3e24
SHA1: 4a2a34c98fb71cf2dfa520bb02dc8baf0d0810f9
SHA256:c277d6842312394b3aa4ac0385e1c800c73dc0b2b0cd9696bc5f51293d859b29
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

configuration.zip: configuration.jar: authenticationRenderer.directive.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/configuration.zip/configuration.jar/com/inet/report/plugins/config/client/js/renderer/authenticationRenderer.directive.js
MD5: 08d42fd374d37fbb791917830a779fa8
SHA1: 3e7daea97fb445ace87c90fd3e9188690660d99d
SHA256:1719515423a8f8edcddfccb5519f22251afbedfd9de10bea76c99e461bd82929
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

configuration.zip: configuration.jar: boolean.directive.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/configuration.zip/configuration.jar/com/inet/report/plugins/config/client/js/renderer/boolean.directive.js
MD5: e281bd179c94019bdff388759a526f31
SHA1: 5f4be414c7db7b9c699a371bc3a84a945e1c13a3
SHA256:3e819332e6b9a66c5041ae377459a6b7d7f10fd94dd71ad85a3f8169fdab4f48
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

configuration.zip: configuration.jar: booleanButton.directive.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/configuration.zip/configuration.jar/com/inet/report/plugins/config/client/js/renderer/booleanButton.directive.js
MD5: dc5744f572a36fa29dc813914156944d
SHA1: 40a96829d9f498e1364fac7ec8bf8a626c4ac66c
SHA256:edf806317b3487f3998c758a4e56a0aa8bb08bfe38fd4b38c9ec68abbabf25f6
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

configuration.zip: configuration.jar: colorInput.directive.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/configuration.zip/configuration.jar/com/inet/report/plugins/config/client/js/renderer/colorInput.directive.js
MD5: db9d1ee17d2b4f79813c66e8a52b8fcd
SHA1: 68e81a259a7bce7f49dbf629230020cdf0b01398
SHA256:1fff0ddf3d275467e77832ae82c55ffdebfbc4cc31aee0bfb31def6574f734ae
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

configuration.zip: configuration.jar: controller.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/configuration.zip/configuration.jar/com/inet/report/plugins/config/client/js/controller.js
MD5: b0813d0ec9806c583ef329e581525cfa
SHA1: e9aa95314c1ff7db39f348a7f4971530842a422b
SHA256:7e63f4f6c7700fc7d5195d3b9d94ae7cdf3586e27564c4ef4b49aa61788adca4
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

configuration.zip: configuration.jar: datafactory.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/configuration.zip/configuration.jar/com/inet/report/plugins/config/client/js/datafactory.js
MD5: 07ae83528b0f987b01930435cc86454e
SHA1: 37740d90bf0cc142a3375c9e47512da796531d83
SHA256:3cb2f55655d2214888210be8aea166e47e41a03cf2212c8ea2fd91a03c585ca5
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

configuration.zip: configuration.jar: fileUploadRenderer.directive.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/configuration.zip/configuration.jar/com/inet/report/plugins/config/client/js/renderer/fileUploadRenderer.directive.js
MD5: 20b3a86faec53d2c52df25ddca88019d
SHA1: 4679535064a337528d0af74e436ed9efc3ecba34
SHA256:3b1c9149d512831e048e5f304017d98f9f3a881df714df1eaa7f80a5c715ffb9
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

configuration.zip: configuration.jar: filesystemInputButton.directive.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/configuration.zip/configuration.jar/com/inet/report/plugins/config/client/js/renderer/filesystemInputButton.directive.js
MD5: d4fa34d24a58237edaff0fcd1e52a98b
SHA1: 61aeecd618d7e15f1db7a65874b6fb9b3cdf9206
SHA256:40e25504ccab4019abc2801de1f33715437dbb95c92d03bf759376bed942d8c3
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

configuration.zip: configuration.jar: filesystemInputDirectory.directive.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/configuration.zip/configuration.jar/com/inet/report/plugins/config/client/js/renderer/filesystemInputDirectory.directive.js
MD5: b969add17dc880386a4a12aeb1418ac7
SHA1: 043902937f854307250351d4962b245ba7d35da0
SHA256:176336118fdd2a25e038b03053b99b681052199b0a55c4b8a1f7dbbbbcbdfdcb
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

configuration.zip: configuration.jar: filesystemInputFile.directive.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/configuration.zip/configuration.jar/com/inet/report/plugins/config/client/js/renderer/filesystemInputFile.directive.js
MD5: 95eec66eb56684db24cb9d8c5cc387fc
SHA1: 33e9abd6b5c84780196226b277217e4d189216c8
SHA256:1eab4ff2b96200a36c283d701e3b2bbdc0b3a527544f1b0eed6f31172a9dd10b
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

configuration.zip: configuration.jar: iconDropRenderer.directive.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/configuration.zip/configuration.jar/com/inet/report/plugins/config/client/js/renderer/iconDropRenderer.directive.js
MD5: e01df58e761b7fba83e716c5d665eb22
SHA1: b4fd37979b7a3ae4d7252b56bcec8ef0903113ba
SHA256:50bae6b105ce7e868d443dcc911cc8170f2e5dd175482ab0d89bb1dec6f7e51d
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

configuration.zip: configuration.jar: inlinerenderer.directive.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/configuration.zip/configuration.jar/com/inet/report/plugins/config/client/js/renderer/inlinerenderer.directive.js
MD5: 4531879fc071658f5888a12116e31f0d
SHA1: 374bcc0bbcc65b4d88ff5a224731409c78a4f7b7
SHA256:032c6ac3238780e1eb1767300dae7818ccda70bb17ccb70725ea06d8ee19adf2
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

configuration.zip: configuration.jar: keyLabelText.directive.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/configuration.zip/configuration.jar/com/inet/report/plugins/config/client/js/renderer/keyLabelText.directive.js
MD5: 2f2a25596ec290d0f62e10a37fc973c8
SHA1: a4e327416b73eeda15ba6d1874a3bbc3849ae81e
SHA256:2a481ea7ff3b62f87adb28b57e222ef1352f1cfa73a154d63902cb0df0113b42
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

configuration.zip: configuration.jar: labelLink.directive.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/configuration.zip

/configuration.jar/com/inet/report/plugins/config/client/js/renderer/labelLink.directive.js
MD5: a90349ac59fc4f16a05deb269d1c3519
SHA1: 484e8d038dafee8f547b1259f7e4d2d65ab5ee4a
SHA256:be8c4ebe7804af2f0d1f03340173d04745cff39383aa6ba47e144cf4177ffd99
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

configuration.zip: configuration.jar: labelText.directive.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/configuration.zip/configuration.jar/com/inet/report/plugins/config/client/js/renderer/labelText.directive.js
MD5: 07e0e206944a58f4cdbdf7650c525baf
SHA1: 7835f237aaba8bcab20abdbcf39fd819b2965a69
SHA256:f429d8ef4497a3bc8347c737a37dec47141e9468e5c2ed4d5e221b8a28b531e2
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

configuration.zip: configuration.jar: licenseKeyItemRenderer.directive.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/configuration.zip/configuration.jar/com/inet/report/plugins/config/client/js/renderer/licenseKeyItemRenderer.directive.js
MD5: 1b7acb7f77157666bd8163e13cc47fdf
SHA1: e623aa9b016fc3d3f9fc16449dd1ac48f3e17fd3
SHA256:ac41f0893480d1086562eef9c8269ea35f4605b80fd3f60628e4a9f3d6aa73a4
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

configuration.zip: configuration.jar: licenseKeyRenderer.directive.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/configuration.zip/configuration.jar/com/inet/report/plugins/config/client/js/renderer/licenseKeyRenderer.directive.js
MD5: 6d48b1b05a2bd2ef4384bb996789ddca
SHA1: d1131bfe50939a01e50982034b1b7574822215bf
SHA256:8c881d970f4c71dc3a5eddb6a2028729ce9efc82dc629880885a4bd043db53ba
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

configuration.zip: configuration.jar: listItemRenderer.directive.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/configuration.zip/configuration.jar/com/inet/report/plugins/config/client/js/renderer/listItemRenderer.directive.js
MD5: 3861af3c3295e6c4a5294cb6acbba516
SHA1: c50509a982a993396e02d822b3c3fb34e222436e
SHA256:311fd55e9bc277170770072f1ea723e6ad7a851aaec8163599e666ff544d8be6
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

configuration.zip: configuration.jar: logopreview.directive.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/configuration.zip/configuration.jar/com/inet/report/plugins/config/client/js/renderer/logopreview.directive.js
MD5: 26dcfa1ad0cdb0544ef008924888a991
SHA1: 0ea96c5d21849d29d88b410e3183598f055b3731
SHA256:af02f5e1a9d65ef994a9f218d87d8ad6a257aff3de9891fe0a42b06afa8a6cee
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

configuration.zip: configuration.jar: multiLineCode.directive.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/configuration.zip/configuration.jar/com/inet/report/plugins/config/client/js/renderer/multiLineCode.directive.js
MD5: e2a752736b313cd15c5067b9e2f7abc6
SHA1: 2c22df117b9f45a082498e2696385eca5919534d
SHA256:c1d8916f36bc63228d52ff52432d599f6001077d784d2bf47870569daf2a99c6
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

configuration.zip: configuration.jar: multiLineText.directive.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/configuration.zip/configuration.jar/com/inet/report/plugins/config/client/js/renderer/multiLineText.directive.js
MD5: 9769483af9509271e1ffd9602c681481
SHA1: fbb61268f1e63f705fb6d167bdb9f5138d622a18
SHA256:36e44de5802b59df141325897a839a73be22d803df0300985e3eb23ef0f060d4
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

configuration.zip: configuration.jar: multiLingualTextRenderer.directive.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/configuration.zip/configuration.jar/com/inet/report/plugins/config/client/js/renderer/multiLingualTextRenderer.directive.js
MD5: c417f8278dcca4343be0b1c60d6c5fe1
SHA1: 3eda017cc7075b934736e1daf71b0d59aa412203
SHA256:c497b95a7eb0af1ef36a9733a5e9675a5ac62c094a738288ed8c021b7cd9a429
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

configuration.zip: configuration.jar: passwordText.directive.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/configuration.zip/configuration.jar/com/inet/report/plugins/config/client/js/renderer/passwordText.directive.js
MD5: a762f68eb820d383f03214a0c401d090

SHA1: 05c793442f5193f2ffa3b952cd62af88309e68f6
SHA256:fba766ee79b545a364e9b8d53a5fd0df688657a201bdd25c7c6bcf3a92678337
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

configuration.zip: configuration.jar: reloadSelectInputsTrigger.directive.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/configuration.zip/configuration.jar/com/inet/report/plugins/config/client/js/renderer/reloadSelectInputsTrigger.directive.js
MD5: ee0760c34d35b7ab1f556b36ef72504b
SHA1: cfcab22873b681c7d9019378b4c7fa9c6af49b47
SHA256:40e2a2f7b5e647a301971e061dbd5a7d614458f9172510d8f64f1b21b2347e3f
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

configuration.zip: configuration.jar: renderer.directive.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/configuration.zip/configuration.jar/com/inet/report/plugins/config/client/js/renderer/renderer.directive.js
MD5: e6700ce9f732a1f1b614ffdcd2c94933
SHA1: 1c5c4b48b29a6b9fd8b9f560207df52cf3ff430d
SHA256:3c26aeb2ecfd733d17ff0facd86c8328a20759a6fe1b4059bbcc8221461d3574
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

configuration.zip: configuration.jar: repoDbRenderer.directive.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/configuration.zip/configuration.jar/com/inet/report/plugins/config/client/js/renderer/repoDbRenderer.directive.js
MD5: 5ef1c770c4e5fe42e93f01f633f453d3
SHA1: 5da8e6fda8968333e5a0badb6aa45020a83b6b69
SHA256:c763e8eefee951c377e2c0c54a8d52618e50224dbb458529d750701c7a1f9e96
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

configuration.zip: configuration.jar: repoFsRenderer.directive.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/configuration.zip/configuration.jar/com/inet/report/plugins/config/client/js/renderer/repoFsRenderer.directive.js
MD5: 6bf0ab3a102f1607ad605c4820851ff4
SHA1: ec76ee20ea8fc5950c233ebb71a89367fb0b5d48
SHA256:71fb520ea8562e3a06f3eabc3117b85a874092205bc7052a856faaec867e7df6
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

configuration.zip: configuration.jar: repositoryItemRenderer.directive.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/configuration.zip/configuration.jar/com/inet/report/plugins/config/client/js/renderer/repositoryItemRenderer.directive.js
MD5: 35b661e3e8a0b9517b5ef113729adebf
SHA1: 451b13b299f3189adeb149487bd614b2de8ec78c
SHA256:f155af09a82a7d6babc233a77ffa620935e78b1bb8e8636ec2987241a0fec48b
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

configuration.zip: configuration.jar: repositoryRenderer.directive.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/configuration.zip/configuration.jar/com/inet/report/plugins/config/client/js/renderer/repositoryRenderer.directive.js
MD5: cca1b6d749a3ff9bb3ed1e546c1ddd3f
SHA1: 295dbe208d68b96973cfde80dc8f657cdaedb7f2
SHA256:597b792888878b76bd3e67b99651b5d52c1332790765d4a6e11a9f9d3d289490
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

configuration.zip: configuration.jar: selectEditText.directive.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/configuration.zip/configuration.jar/com/inet/report/plugins/config/client/js/renderer/selectEditText.directive.js
MD5: 3aa24125a54ec0a890cf9c3ecb3579ad
SHA1: 5cf9a71def93c493f1781f6729abeeabe36999f4
SHA256:8bcd98ff5ca4562ebacaae43968be209fdf058365ea8bfea6ac96342f42de0a2
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

configuration.zip: configuration.jar: selectFilteredText.directive.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/configuration.zip/configuration.jar/com/inet/report/plugins/config/client/js/renderer/selectFilteredText.directive.js
MD5: 1d900550c21095ac4bf85607121a14e1
SHA1: e756ceb1b1e5a6eaa30bbb366c4e62c59e77d783
SHA256:bbfd861491aa357cbbfa2f1ee15b232366b1f88b28c4962339bf5756e49297b9
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

configuration.zip: configuration.jar: selectLanguageChooserRenderer.directive.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/configuration.zip/configuration.jar/com/inet/report/plugins/config/client/js/renderer/selectLanguageChooserRenderer.directive.js
MD5: b2dfe60265ea9129a4b1abe952ad92ff
SHA1: 20176c71d76cb163d19b6add0667a5179bb4e9ec

SHA256:3c3904cb2f26ca946b317091a674646fbdf692bed2a7288097f016bbe7be7af1
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

configuration.zip: configuration.jar: selectSimpleText.directive.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/configuration.zip/configuration.jar/com/inet/report/plugins/config/client/js/renderer/selectSimpleText.directive.js
MD5: 133dcb833b683d40c4a902b736bdd1d6
SHA1: e8d02811739badfec2c515780b99466e9d5f2dc9
SHA256:9d3df25fc91e91042b12096910ee5628baff6e5ea237e5809a9ea1856531b312
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

configuration.zip: configuration.jar: simpleDate.directive.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/configuration.zip/configuration.jar/com/inet/report/plugins/config/client/js/renderer/simpleDate.directive.js
MD5: 7859e473016ba4b6c663b2de73e886d0
SHA1: 2c6104c939065689031febe53b2c4690eb17af15
SHA256:cf6b91be17479f785ea267d269c6a254a9fd14d70df735721d723e556bf07f28
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

configuration.zip: configuration.jar: simpleSlider.directive.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/configuration.zip/configuration.jar/com/inet/report/plugins/config/client/js/renderer/simpleSlider.directive.js
MD5: 00171fe096529318005c987067f6cae4
SHA1: 586d31e6a344760d84d76e12763b6f47e69618d0
SHA256:db8ceb31a065dc67a9b7d9bc2144e6906a6f0dadd1e698f77b41cc6232246aec
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

configuration.zip: configuration.jar: simpleText.directive.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/configuration.zip/configuration.jar/com/inet/report/plugins/config/client/js/renderer/simpleText.directive.js
MD5: 8c4598540efc682f3551a75bde20dfd9
SHA1: 42c3a77e9067c8d053e4dac23de2a40a70d67ec4
SHA256:b18a8129f293a7ce070aa7b9bd5edbe9eceebe36b10e82a9e6a3469c1484f3d0
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

configuration.zip: configuration.jar: tableRenderer.directive.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/configuration.zip/configuration.jar/com/inet/report/plugins/config/client/js/renderer/tableRenderer.directive.js
MD5: 9c912ea0c0e6a7cd18a45ab3aa2234d2
SHA1: cb8d0ba6ae90abff58f47ae07d63f3e57dfc0723
SHA256:967fadfacccbc663230a6fc2c0242cba122ea115816585f28e1c43518005c99d
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

configuration.zip: configuration.jar: treeRenderer.directive.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/configuration.zip/configuration.jar/com/inet/report/plugins/config/client/js/renderer/treeRenderer.directive.js
MD5: 0a727a5f05e3fd245c2160b5366328f1
SHA1: 678f64bfd07d434e17c8ec082ae6b65c34e80953
SHA256:926c541bf1a1faa35175ff6d0aec1875cef3da5828a2a7cd24816b3052023d10
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

configuration.zip: configuration.jar: usersandgroupsselect.directive.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/configuration.zip/configuration.jar/com/inet/report/plugins/config/client/js/renderer/usersandgroupsselect.directive.js
MD5: 27bf7f8502a7aa8612104bf9da20aa9d
SHA1: a75f988f7790d6be413c8f962c051a78880d96d7
SHA256:c7b08fadcb0c0d0907adf944c05e79a20d065d9faebfe4472b570f5f73a976d1
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

core.jar

Description:

Core barcode encoding/decoding library

License:

"The Apache Software License, Version 2.0";link="https://www.apache.org/licenses/LICENSE-2.0.txt"

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/lib/zxing/core.jar
MD5: b5269d7bf1eea1d064240c342829b117
SHA1: ca1349214a356cd7958651b2d5a0e1f3811a9c4b
SHA256:8d8064c1636fdaef7189dd9055c7d59950a8940a12f2293956446ec3c109fd82
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence
Vendor	file	name	core	High
Vendor	jar	package name	google	Highest
Vendor	jar	package name	zxing	Highest
Vendor	Manifest	automatic-module-name	com.google.zxing	Medium
Vendor	Manifest	build-jdk-spec	1.8	Low
Vendor	Manifest	bundle-developers	zxing-authors;name="ZXing Authors"	Low
Vendor	Manifest	bundle-docurl	https://github.com/zxing/zxing/core	Low
Vendor	Manifest	bundle-	com.google.zxing.core	Medium

		symbolicname		
Vendor	pom	artifactid	core	Low
Vendor	pom	groupid	com.google.zxing	Highest
Vendor	pom	name	ZXing Core	High
Vendor	pom	parent-artifactid	zxing-parent	Low
Product	file	name	core	High
Product	jar	package name	google	Highest
Product	jar	package name	zxing	Highest
Product	Manifest	automatic-module-name	com.google.zxing	Medium
Product	Manifest	build-jdk-spec	1.8	Low
Product	Manifest	bundle-developers	zxing-authors;name="ZXing Authors"	Low
Product	Manifest	bundle-docurl	https://github.com/zxing/zxing/core	Low
Product	Manifest	Bundle-Name	ZXing Core	Medium
Product	Manifest	bundle-symbolicname	com.google.zxing.core	Medium
Product	pom	artifactid	core	Highest
Product	pom	groupid	com.google.zxing	Highest
Product	pom	name	ZXing Core	High
Product	pom	parent-artifactid	zxing-parent	Medium
Version	Manifest	Bundle-Version	3.5.3	High
Version	pom	version	3.5.3	Highest

Identifiers

- pkg:maven/com.google.zxing/core@3.5.3 (*Confidence*:High)

cowork.tickets.zip: cowork.tickets.jar

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/plugins/cowork.tickets.zip/cowork.tickets.jar
MD5: 4d71632694b4eee61a8ac44c1a8b99ea
SHA1: 602147d42aea49d10770df806b41e61b6446ff9c
SHA256:138f19a167cf4cf0b642f5fce1153a40fe7ea9a1814ef044256da515cb27dd47
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence
Vendor	file	name	cowork.tickets	High
Vendor	jar	package name	cowork	Low
Vendor	jar	package name	inet	Low
Vendor	jar	package name	integration	Low
Vendor	Manifest	built-date	2025-05-01 13:48	Low
Vendor	Manifest	implementation-group	helpdesk	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	cowork.tickets	High
Product	jar	package name	cowork	Highest
Product	jar	package name	cowork	Low
Product	jar	package name	integration	Low
Product	jar	package name	ticketlist	Low
Product	Manifest	built-date	2025-05-01 13:48	Low
Product	Manifest	implementation-group	helpdesk	Low
Product	Manifest	Implementation-Title	cowork.tickets	High
Product	Manifest	specification-title	cowork.tickets	Medium
Version	Manifest	Implementation-Version	25.4.227	High

Identifiers

- cpe:2.3:a:tickets_project:tickets:25.4.227:*:*:*:*:*:*:* (*Confidence*:High) suppress

cowork.tickets.zip: cowork.tickets.jar: coworkchatextension.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/plugins/cowork.tickets.zip/cowork.tickets.

jar/com/inet/cowork/integration/ticketlist/ticketpageextension/coworkchatextension.js
MD5: 4cb588b0bf8a628cc3c843b798104816
SHA1: defeae4778460d7dba551d85ca8b04557fa003e5
SHA256:04d499d7b215b22cffdb669f82f837bab0a7231ee78c6bf41418a8ed9f135788
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

cowork.zip: cowork-javadoc.jar

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/cowork.zip/cowork-javadoc.jar
MD5: 2c7e0042ce71ec004e7c553b7cafbcff
SHA1: 6e104bcfe842efdfa8b8ba37d719713b8437048b
SHA256:7d4a1f3b32706bb45f014f41189b6697163fb364880ebaffa9ddde9e4404ca1d
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence
Vendor	file	name	cowork-javadoc	High
Product	file	name	cowork-javadoc	High

Identifiers

- **None**

cowork.zip: cowork-javadoc.jar: member-search-index.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/cowork.zip/cowork-javadoc.jar/member-search-index.js
MD5: b53fed2c85f54971f9814355b8658c01

SHA1: 0214b99220b6797c45f01569549fcc923694a5d7
SHA256:8d88b33f1eebff05ff24ecdd0d7685ba49518f2fb0dfda9e31318a930d29e445
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

cowork.zip: cowork-javadoc.jar: package-search-index.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/cowork.zip/cowork-javadoc.jar/package-search-index.js
MD5: 7843e0fe10197c0f0117f699e1e7cd40
SHA1: e48fd8df27e997b6b55659eac22ae3a2d68c20a5
SHA256:1aba1d547394c186ec32485f12fa55450a73511ab1cefa478a92dcf1d359520a
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

cowork.zip: cowork-javadoc.jar: type-search-index.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/cowork.zip/cowork-javadoc.jar/type-search-index.js
MD5: 8c30fed2a2e350ef639f9b7bda912507
SHA1: 5670fb1b145339466f0ea57751f0d816cd8eb8b3
SHA256:6340ac435040dd803b2df28710ff32c54598221a2e79d45bf7dbcec174962a57
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

cowork.zip: cowork.jar

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/cowork.zip/cowork.jar
MD5: b84b0a1c69b0df2e938f8199598052d1
SHA1: 55f05f36fef0109ab7172569bc763c29704b91fd
SHA256:555c7bddf80b918aafe5ff594a48306e156b57b72ea7f1c4c82fc4da324138cd
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence
Vendor	file	name	cowork	High
Vendor	jar	package name	cowork	Low
Vendor	jar	package name	i	Highest
Vendor	jar	package name	inet	Low
Vendor	jar	package name	server	Low
Vendor	Manifest	built-date	2025-05-01 13:49	Low
Vendor	Manifest	implementation-group	cowork	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	cowork	High
Product	jar	package name	cowork	Highest
Product	jar	package name	cowork	Low
Product	jar	package name	server	Low
Product	Manifest	built-date	2025-05-01 13:49	Low
Product	Manifest	implementation-group	cowork	Low

Product	Manifest	Implementation-Title	cowork	High
Product	Manifest	specification-title	cowork	Medium
Version	jar	package name	cowork	Highest
Version	Manifest	Implementation-Version	25.4.227	High

Identifiers

- **None**

cowork.zip: cowork.jar: MessageCreationChart.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/cowork.zip/cowork.jar/com/inet/cowork/integration/diagnostics/MessageCreationChart.js
MD5: f4c599d8972b7b53d9343562328ed654
SHA1: a94fea0ec8920c5f5c167ca01f4aecf5195407a7
SHA256:fc7edcf5111888705df4335864ec9c210360a7284e889fe9fa6edb1f0fb3d3e4
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

cowork.zip: cowork.jar: cowork.diagnostics.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/cowork.zip/cowork.jar/com/inet/cowork/integration/diagnostics/cowork.diagnostics.js
MD5: 61bdfed6bb2704fbe22d33f93da17f84
SHA1: 5c1617a08b0b62537b8b9aca098691405c38c6a5
SHA256:4b4ce83af515336cbc544bda234527c6f541a2abdd456dd1554b0b9c5ce7bf08
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

cowork.zip: cowork.jar: coworkcomponents.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/cowork.zip/cowork.jar/com/inet/cowork/client/js/coworkcomponents.js
MD5: fbf1a223b1647efe67092fa2810ebe1c
SHA1: 0a414e3126ab88629e70b94a448f960a54cae128
SHA256:7fdcff971c146290716df650ad26fbab008737b3ed5f1f8aa887dd42d0a1dee0
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

cowork.zip: cowork.jar: coworkcontroller.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/cowork.zip/cowork.jar/com/inet/cowork/client/js/coworkcontroller.js
MD5: b92bcc498d4577990c9d2afacf32185a
SHA1: b9b8318888f29163ad4e177eef9815a3ccaa0a8e
SHA256:7226bb6c38b95670b7bae75bb25114c4d04f62894bf3b5ebf039d175fc01289b
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

cowork.zip: cowork.jar: coworkconversation.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/cowork.zip/cowork.jar/com/inet/cowork/client/js/coworkconversation.js
MD5: 68d74db2822dbf248a10225f8fccb3ce
SHA1: 782dbaf6e57fe26b8f1c22e32adbb759d5a5bedd
SHA256:6c8f2e08a2eb50bd4714a9383a6291441da0b831b39b8de63512551bb10642a2
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

cowork.zip: cowork.jar: coworkfactory.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/cowork.zip/cowork.jar/com/inet/cowork/client/js/coworkfactory.js
MD5: 59f527ceb52dd8066d9cf0caaedd4a9d
SHA1: a1bf98e7dd8ea7e490a5c10e8498218c52615cf1
SHA256:379cb406950bcefb36436f516dda578c5992f46714ce8f8fb196694ceb314a87
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

cowork.zip: cowork.jar: coworkinputbox.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/cowork.zip/cowork.jar/com/inet/cowork/client/js/coworkinputbox.js
MD5: 897aec8e481dc789c0a191b6471e5cc7
SHA1: a975f07155cdf5a4d8810f0eb280a48ba35713bb
SHA256:46ebf922a1065d7c0b69a3956b8fc250120b6eb0a79a5fb44822e7314b0f540f
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

cowork.zip: cowork.jar: coworkmodel.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/cowork.zip/cowork.jar/com/inet/cowork/client/js/coworkmodel.js
MD5: e9d699655b02385130c6e1bae9e48e67
SHA1: 362dfa3c7194edef45aa806096069fd61f81725e
SHA256:e46e192dae12315f596d74d0e317c1b57e3e97420e85c6d4e5b8ed3f6d9edd60
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

cowork.zip: cowork.jar: coworksettingscontroller.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/cowork.zip/cowork.jar/com/inet/cowork/client/js/coworksettingscontroller.js
MD5: f03330b6a50eb2188e5714486cbc76d3

SHA1: 5186f8bf71b626e7d88bd818fb6a4f1765df5657
SHA256:daec405ffba8cbed86614fae4e666658bc39e58956e850f4189eb010ee9cea9b
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

cowork.zip: cowork.jar: inetmarkdown.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/cowork.zip/cowork.jar/com/inet/cowork/client/js/inetmarkdown.js
MD5: e2ffc59274042d1caa1ac43dddf8a10c
SHA1: c2bfbe449b77aab091a19e29d9d8ebd472187231
SHA256:5931729e41d3e1aa91dcfb6107388d141ea63ef2a1c22419a07c75d0fcb3ca43
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

cowork.zip: cowork.jar: showreactionscontroller.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/cowork.zip/cowork.jar/com/inet/cowork/client/js/showreactionscontroller.js
MD5: b72ebeef733ddaef5734b2426cae3787
SHA1: 0d9069c4e55362bcb3c54bb834bd622661348c0b
SHA256:e38cd47b134e24364d6462eba469e7d7cf76b3b1222bb1b11566b6b01e81c38e
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

cowork.zip: cowork.jar: teamsettingscontroller.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/cowork.zip/cowork.jar/com/inet/cowork/client/js/teamsettingscontroller.js
MD5: 729da9798ef3dfcff996d5f2b8bef6d5
SHA1: 3ac925b9279b84c1bc4eeb9d29cbaed6216f2a1d
SHA256:4bffa93c7e6cc3cf83a2431ce63399db14ed1827528cbb291dfae2b0c8153210
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

dataimport.zip: dataimport.jar

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/plugins/dataimport.zip/dataimport.jar
MD5: c296afa23a69640a4a95a105966bcf49
SHA1: 31a9dc3a8e50531211b16cb0f3a1019b49680ee8
SHA256:ad1dec52e3516155988069dbd1eba6583a644cec6088f866b3deb3e68e1856bd
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence
Vendor	file	name	dataimport	High
Vendor	jar	package name	helpdesk	Low
Vendor	jar	package name	inet	Low
Vendor	jar	package name	plugins	Low

Vendor	Manifest	built-date	2025-05-01 13:44	Low
Vendor	Manifest	implementation-group	helpdesk	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	dataimport	High
Product	jar	package name	dataimport	Highest
Product	jar	package name	dataimport	Low
Product	jar	package name	helpdesk	Highest
Product	jar	package name	helpdesk	Low
Product	jar	package name	plugins	Low
Product	Manifest	built-date	2025-05-01 13:44	Low
Product	Manifest	implementation-group	helpdesk	Low
Product	Manifest	Implementation-Title	dataimport	High
Product	Manifest	specification-title	dataimport	Medium
Version	jar	package name	helpdesk	Highest
Version	Manifest	Implementation-Version	25.4.227	High

Identifiers

- cpe:2.3:a:inetsoftware:helpdesk:25.4.227:*:*:*:*:*:*:* (*Confidence*:Low) suppress

dataimport.zip: dataimport.jar: actionsBar.directive.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/plugins/dataimport.zip/dataimport.jar/com/inet/helpdesk/plugins/dataimport/resources/js/actionsBar.directive.js
MD5: 0737f430cb58e0a3f9cebee8c97fe517
SHA1: 9ceb13eba78df9780efea3097bc753e5c249d06e
SHA256:946ff7a9a922067e1cd9b6a53aeeda58846c5427576c997e0b82a1af1e419dbf
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

dataimport.zip: dataimport.jar: checkbox.directive.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/plugins/dataimport.zip/dataimport.jar/com/inet/helpdesk/plugins/dataimport/resources/js/checkbox.directive.js
MD5: d0b8aaa56cb91923f395da427084f479
SHA1: 13fa629914620d7c3cbe2a827943ee1d0d9648f3
SHA256:c7379177b7566bae7daa6c4288c3d2f5b343fc14790f55091640c6ae5558e408
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

dataimport.zip: dataimport.jar: controller.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/plugins/dataimport.zip/dataimport.jar/com/inet/helpdesk/plugins/dataimport/resources/js/controller.js
MD5: af6e4f3e79a5b207bb40e5b99a25e308
SHA1: a1f4eb48564a704635d9650d765e1939b3b12094
SHA256:d232408e460a0364d82501d967f35ed7afced90a08a9049fe51c455c6ad7e995
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

dataimport.zip: dataimport.jar: deviceDataImport.directive.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/plugins/dataimport.zip/dataimport.jar/com/inet/helpdesk/plugins/dataimport/resources/js/deviceDataImport.directive.js
MD5: 19e991c8424b94865553aeae616f58a6
SHA1: 99a6629166baf8a0d92b08c013f43418f6085cab
SHA256:2b51530689539b9d59c4b93eee981f2d1b362aa17a2d5bfa0d31855226add111
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

dataimport.zip: dataimport.jar: filtereablevalueselection.directive.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/plugins/dataimport.zip/dataimport.jar/com/inet/helpdesk/plugins/dataimport/resources/js/filtereablevalueselection.directive.js
MD5: f8a57c297779d59af110ca00114947ef
SHA1: 51a0744521b7e89abcc754417b99bfef140932b5
SHA256:8825e3946d4ebeb3bb55ecae19a33867c39530e2ad3de3780df5e405afdcc570
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

dataimport.zip: dataimport.jar: importfactory.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/plugins/dataimport.zip/dataimport.jar/com/inet/helpdesk/plugins/dataimport/resources/js/importfactory.js
MD5: e3b1cba9111b187973cca4ac4cb2d52b
SHA1: aed9d54703d7af0be8b68a5a0682cb7aea90b4bc
SHA256:ff85eaaf9d17f80402190f93d21df186820766b51ec004e6d71c14eab349149a
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

dataimport.zip: dataimport.jar: importjob.directive.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/plugins/dataimport.zip/dataimport.jar/com/inet/helpdesk/plugins/dataimport/resources/js/importjob.directive.js
MD5: da0d0fcca7f920c14f9c84816378f252
SHA1: da1f064aa2b785dfccada1b5a469ad2264cbbf0a
SHA256:4d8b20f7d162f30a729328f0534d8be93099a519ebad078684687529e42c2609
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

dataimport.zip: dataimport.jar: itemRenderer.directive.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/plugins/dataimport.zip/dataimport.jar/com/inet/helpdesk/plugins/dataimport/resources/js/itemRenderer.directive.js

MD5: 793086efa6efaab42a85182dd83b1462
SHA1: 1f381651608356075dda6abe743bfdcfdc4c9fc3
SHA256:92cdeba6b5be2c875e6fc37e47cde9f25399b209d82684ca101bad7cbec8fc3c
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

dataimport.zip: dataimport.jar: userDataImport.directive.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/plugins/dataimport.zip/dataimport.jar/com/inet/helpdesk/plugins/dataimport/resources/js/userDataImport.directive.js
MD5: f4f771d58ecfe2cebb98d55b1e366473
SHA1: e77e585f81220d600ec6b40f150e54c1acb2de6b
SHA256:0f66028b02ac08304ba0aa5605b77c5b65419483834f0da7195013ef6c5d3ad9
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

diagnostics.reporting.zip: diagnostics.reporting.jar

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/diagnostics.reporting.zip/diagnostics.reporting.jar
MD5: df32de4301f086b130e38601fad6bff6
SHA1: a6d609bdbfaf30adb8e877367eec4c2bede165c6
SHA256:5d83e8157b3209af55ec48f5ce9f68bbb180e15b946c64195f33f63f67a57d5b
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence
Vendor	file	name	diagnostics.reporting	High
Vendor	jar	package name	diagnostics	Low
Vendor	jar	package name	inet	Low
Vendor	jar	package name	report	Low
Vendor	Manifest	built-date	2025-05-01 12:50	Low
Vendor	Manifest	implementation-group	reporting	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	diagnostics.reporting	High
Product	jar	package name	diagnostics	Highest
Product	jar	package name	diagnostics	Low
Product	jar	package name	report	Low
Product	jar	package name	widgets	Low
Product	Manifest	built-date	2025-05-01 12:50	Low
Product	Manifest	implementation-group	reporting	Low
Product	Manifest	Implementation-Title	diagnostics.reporting	High
Product	Manifest	specification-title	diagnostics.reporting	Medium
Version	Manifest	Implementation-Version	25.4.227	High

Identifiers

- **None**

diagnostics.reporting.zip: diagnostics.reporting.jar: connectionPool.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/diagnostics.reporting.zip/diagnostics.reporting.jar/com/inet/report/diagnostics/widgets/connectionpool/resources/connectionPool.js

MD5: f53d87419cca81933623ab8325b500e4
SHA1: 5d4d1ae1f0f86f84711e9090df767880dacd62f0
SHA256:0276fb918e86662478f9fe2f51a4ea88862d48c2b848059cfbca686f96a9dd87
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

diagnostics.reporting.zip: diagnostics.reporting.jar: reportcache.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/diagnostics.reporting.zip/diagnostics.reporting.jar/com/inet/report/diagnostics/widgets/reportcache/resources/reportcache.js
MD5: 69cf1345e403fa8c11c27e3fa01fb71b
SHA1: e9ae6aca9c42c00ad18a935a7f84a3d2d59d0384
SHA256:b25ec00b6d64bcc7db7b3c3c9ca17ac561f5b7658d986a9d28cbb7ed6cbf3e41
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

diagnostics.reporting.zip: diagnostics.reporting.jar: server-datasource.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/diagnostics.reporting.zip/diagnostics.reporting.jar/com/inet/report/diagnostics/widgets/benchmark/datasource/server-datasource.js
MD5: 7ff5a1d205b088435a55eebe6b299af9
SHA1: f34ca1847e716ee3d759eef5ea0c1dd0a409ac6c
SHA256:8f5ea4bc5b949a0626b8e5f715b8c7c2a55e9a6e043d110dc5e583e18bb6595c
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

diagnostics.zip: diagnostics.jar

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/diagnostics.zip/diagnostics.jar
MD5: cf99755af7d3c6feae783d1522b8f7e9
SHA1: 761cfc926382658e17ec407b29d4d2bae59c00d0
SHA256:4e2e794170a38fe3ce363f93962b83afa1fb8eaa933e6070f409dad95e12aa7c
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence
Vendor	file	name	diagnostics	High
Vendor	jar	package name	diagnostics	Low
Vendor	jar	package name	inet	Low
Vendor	jar	package name	shared	Low
Vendor	Manifest	built-date	2025-05-01 11:47	Low
Vendor	Manifest	implementation-group	shared	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	diagnostics	High
Product	jar	package name	diagnostics	Highest
Product	jar	package name	diagnostics	Low
Product	jar	package name	shared	Highest
Product	jar	package name	shared	Low
Product	jar	package name	widgets	Low

Product	Manifest	built-date	2025-05-01 11:47	Low
Product	Manifest	implementation-group	shared	Low
Product	Manifest	Implementation-Title	diagnostics	High
Product	Manifest	specification-title	diagnostics	Medium
Version	jar	package name	shared	Highest
Version	Manifest	Implementation-Version	25.4.227	High

Identifiers

- **None**

diagnostics.zip: diagnostics.jar: MemoryPieChart.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/diagnostics.zip/diagnostics.jar/com/inet/shared/diagnostics/widgets/information/resources/MemoryPieChart.js
MD5: 6672ce6950e54f655abda54ed0f66ed5
SHA1: 3043ce3c7f15e47f311010f1863bbe38f47f9902
SHA256:c1e3f04eb8893a9a04750d0c1b6da7de0e22820db78773eb345add1267fbd784
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

diagnostics.zip: diagnostics.jar: MemoryUsageChart.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/diagnostics.zip/diagnostics.jar/com/inet/shared/diagnostics/widgets/information/resources/MemoryUsageChart.js
MD5: 8755baee0fb97dbfdf5d5b972b7cf9bc
SHA1: 1c4299a3df93cd84ff68923b6db924b325e8ed79
SHA256:576dde92cfe5caf4a9fb8084b64d73ef914d1b44b695cd74ee916829c6d652cf
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

diagnostics.zip: diagnostics.jar: WebServerErrorChart.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/diagnostics.zip/diagnostics.jar/com/inet/shared/diagnostics/widgets/webserver/resources/WebServerErrorChart.js
MD5: 46ed42c329ea270b64073af7b041554e
SHA1: 1e2685c45d920807865bde8647def47f405d70c0
SHA256:b062fe753fb5117f9ee299ce3d7c7aa6631e229aaecfea9351af3847f20ef152
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

diagnostics.zip: diagnostics.jar: benchmarkCtrl.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/diagnostics.zip/diagnostics.jar/com/inet/shared/diagnostics/widgets/benchmark/resources/benchmarkCtrl.js
MD5: 9eaeff897d71b988456b1081f7baa57e
SHA1: 8dc7208ccfa11ba9eb736aaee676e9c7f2f62146
SHA256:3457f3446ce7a565f734ecd3aa8712884c713b10dd97713ffab9cf196becafc9
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

diagnostics.zip: diagnostics.jar: client-server.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/diagnostics.zip/diagnostics.jar/com/inet/shared/diagnostics/widgets/benchmark/tasks/clientserver/client-server.js
MD5: 0f1ab9cf9534b099e18cc5852ee024dc
SHA1: 404002851f13cee9f19794e77396da6d11c9adfd
SHA256:93af3fdaf826e858e80a21ea6ece6281e38bc6e6c4c006f76db5ed3849aaa629
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

diagnostics.zip: diagnostics.jar: controller.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/diagnostics.zip/diagnostics.jar/com/inet/shared/diagnostics/resources/js/controller.js
MD5: c9d9a63b248de3b1ab32753b2652581f
SHA1: 9e9f1cf1ddcea2a7ae541d2a67b0f36d68514e77
SHA256:6ab396c52d329bb05ffc977b19f70afaee28b05f93ed53e7766369f734126485
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

diagnostics.zip: diagnostics.jar: cpu.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/diagnostics.zip/diagnostics.jar/com/inet/shared/diagnostics/widgets/benchmark/tasks/cpu/cpu.js
MD5: 00bbba279bab5ddacde78dc991498f9f
SHA1: c0c245794ad50fdff5bae6b15f494130d740ee51
SHA256:492f447221e59374290a8994359099d7c8ce3de45961e5dd2cbb648d4a6b29c2
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

diagnostics.zip: diagnostics.jar: cpuspeed.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/diagnostics.zip/diagnostics.jar/com/inet/shared/diagnostics/widgets/benchmark/tasks/cpuspeed/cpuspeed.js
MD5: affca3db509cabc73d34a15f21623ee7
SHA1: d3a2d26b44827807dd0035932815b1a8f72e453d
SHA256:c7328c891ff58d6da40001887b68e993052b856d83e1d6493a32f0fed8dff6a5
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

diagnostics.zip: diagnostics.jar: directives.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/diagnostics.zip

/diagnostics.jar/com/inet/shared/diagnostics/resources/js/directives.js
MD5: c7436529172605f449dda5c983dc74dd
SHA1: e7fd8c8ccf06d2fadce799bb442b4b8bc10fcad4
SHA256:993aecee895d9e18dd484cbcfc7b1b908db6dd2fe5a8078bf664faa39070dbe7
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

diagnostics.zip: diagnostics.jar: errorHistoryChart.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/diagnostics.zip/diagnostics.jar/com/inet/shared/diagnostics/widgets/logging/resources/errorHistoryChart.js
MD5: 83231947ca2ffb7ee6d2839bbfac6a62
SHA1: 7418ac3a78c906c55d8779d363184d5f2a335428
SHA256:7ad4ad758d262497faee037107f81e81b1a996d6f4111a46bd91092925cc58a3
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

diagnostics.zip: diagnostics.jar: flotr2.min.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/diagnostics.zip/diagnostics.jar/com/inet/shared/diagnostics/resources/js/flotr2.min.js
MD5: 0b7015815b97473a69b1917da6dc9c7c
SHA1: d23aa3eb0326ea5ae26e4d98383e80f3f63a05de
SHA256:8e91d325cb89a573c87ec87930a17a0dd4e16b59926d4bcc06691c26e37ab9fc
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

diagnostics.zip: diagnostics.jar: global.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/diagnostics.zip/diagnostics.jar/com/inet/shared/diagnostics/resources/js/global.js
MD5: ea308918919d88577b89513d61dfa21b
SHA1: 42b1d16409b39bb01ede0fbb44357a27bb8d0249
SHA256:dc162fa9f5ab8b95bec8b06db139fa7b57a14257b51a349578ff6c2681a1fd6a
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

diagnostics.zip: diagnostics.jar: harddisk.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/diagnostics.zip/diagnostics.jar/com/inet/shared/diagnostics/widgets/benchmark/tasks/harddisk/harddisk.js
MD5: 538fd0fdeb11c4fa3dd2ac88c8711204
SHA1: 80957f16c25af55fc467e6c5af84153a595115c8
SHA256:a7762d8a143e8ac4eb9931e082988207cd45ab55d088120ff28d5f833fc09c2e
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

diagnostics.zip: diagnostics.jar: heapdumpCtrl.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/diagnostics.zip/diagnostics.jar/com/inet/shared/diagnostics/widgets/dump/resources/heapdumpCtrl.js
MD5: c5fdaf4ccf9027d4a81c2f62b897e927
SHA1: 667f13f878547fe5bdd76d63151a8bf8113736ac
SHA256:9694aabb30d8dc4bd9f9a6886f91248fe5a68d51a0f4dfd3a7b7adcd4db0b625
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

diagnostics.zip: diagnostics.jar: informationCtrl.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/diagnostics.zip/diagnostics.jar/com/inet/shared/diagnostics/widgets/information/resources/informationCtrl.js
MD5: 751ab48845663bb2e183db1c23837049
SHA1: 68afe450d8d8b18885e9a1609dcdaa354cdc38ea
SHA256:03827ae0ce0f6ce8e4b023a418f796284cbe2358a1f468fa3e5a5ee24018ad20
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

diagnostics.zip: diagnostics.jar: intArrayUtils.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/diagnostics.zip/diagnostics.jar/com/inet/shared/diagnostics/widgets/benchmark/tasks/intArrayUtils.js
MD5: 132205ce288f4d0108593ba2adf79e7f
SHA1: b1fc530ffd7332db05d9b5431535ec0beb9ff688
SHA256:089688ab933277e0148ec91a8bd6d1d3d6e1030ec0216139675a78f8c9fd672e
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

diagnostics.zip: diagnostics.jar: iospeed.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/diagnostics.zip/diagnostics.jar/com/inet/shared/diagnostics/widgets/benchmark/tasks/iospeed/iospeed.js
MD5: 43d6af3fce515e8c01c806b587663d18
SHA1: 3144a2d2373abb1e911388b3cc049467fe9f616e
SHA256:8ad0c4ac7fb4dea2dc4f38137e5136e2d4b9f4f380203be7de3fd430cbab5260
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

diagnostics.zip: diagnostics.jar: jobs.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/diagnostics.zip/diagnostics.jar/com/inet/shared/diagnostics/widgets/jobs/resources/jobs.js
MD5: c86f20826acb4cd47c7bd5dbfb75b0d4

SHA1: 91bc3730aac03d2108e538843d28f0e47d531bc2
SHA256:392dd734b01789eb4d38f999bfa2cc439550d8bb4321024a2047179676315e47
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

diagnostics.zip: diagnostics.jar: logging.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/diagnostics.zip/diagnostics.jar/com/inet/shared/diagnostics/widgets/logging/resources/logging.js
MD5: 547f9875c9c43a8e13e5831262ce7629
SHA1: 777e8a815832ebb01cd38d376692c43b66e58cb8
SHA256:0348322950015a8c715d7eac1366190d313bbaeb529ab02d7ee49e2b182071f3
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

diagnostics.zip: diagnostics.jar: memory.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/diagnostics.zip/diagnostics.jar/com/inet/shared/diagnostics/widgets/benchmark/tasks/memory/memory.js
MD5: 362ed951b53dd4ef9c8494e8d1749466
SHA1: 9879a26fb052a8e75d1b46672397dfb5b1927f77
SHA256:abbe117c43a3b186c9453af73cceb55b3f42ab2cccb6809a4b1dc04b4b1489e9
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

diagnostics.zip: diagnostics.jar: overviewCtrl.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/diagnostics.zip/diagnostics.jar/com/inet/shared/diagnostics/widgets/overview/resources/overviewCtrl.js
MD5: 80f5e4358aa6a9ba6d35c364803e6c6a
SHA1: 43c0492bb6e31b22174edb46514f0981930d2e39
SHA256:cdf4ae1ac491e48bcb17849a4b9ccdfeb5eea517798c0dc10fe13fb75b1eca99
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

diagnostics.zip: diagnostics.jar: pde.diagnostics.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/diagnostics.zip/diagnostics.jar/com/inet/shared/diagnostics/widgets/webserver/resources/pde.diagnostics.js
MD5: d341fba13a10131585866bd8575fb85c
SHA1: 1829064e54bcc91f1a96ef0605fcb71188f6126d
SHA256:8554a8c566d5aed56913953c9cd38fdb6a59fb3292279d76e624f615c2c97c1e
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

diagnostics.zip: diagnostics.jar: timeformat.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/diagnostics.zip/diagnostics.jar/com/inet/shared/diagnostics/resources/js/timeformat.js
MD5: 31e9928c521c394f829c570f248fab50
SHA1: 97977864881447d98bab1568b64f96115f4a4d4a
SHA256:f96d3c13acc616439828fdcf4a368dedb6f8a740eb44cef5980b659ee9c07845
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

drive.zip: commons-compress.jar

Description:

Apache Commons Compress defines an API for working with
compression and archive formats. These include bzip2, gzip, pack200,
LZMA, XZ, Snappy, traditional Unix Compress, DEFLATE, DEFLATE64, LZ4,
Brotli, Zstandard and ar, cpio, jar, tar, zip, dump, 7z, arj.

License:

https://www.apache.org/licenses/LICENSE-2.0.txt

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/drive.zip/commons-compress.jar
MD5: 1db4bd87b0082044c6e7a6af0b977a3e
SHA1: a19151084758e2fbb6b41eddaa88e7b8ff4e6599
SHA256:293d80f54b536b74095dcd7ea3cf0a29bbfc3402519281332495f4420d370d16
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence
Vendor	file	name	commons-compress	High

Vendor	jar	package name	apache	Highest
Vendor	jar	package name	commons	Highest
Vendor	jar	package name	compress	Highest
Vendor	Manifest	automatic-module-name	org.apache.commons.compress	Medium
Vendor	Manifest	build-jdk-spec	17	Low
Vendor	Manifest	bundle-docurl	https://commons.apache.org/proper/commons-compress/	Low
Vendor	Manifest	bundle-symbolicname	org.apache.commons.commons-compress	Medium
Vendor	Manifest	extension-name	org.apache.commons.compress	Medium
Vendor	Manifest	Implementation-Vendor	The Apache Software Foundation	High
Vendor	Manifest	Implementation-Vendor-Id	org.apache	Medium
Vendor	Manifest	multi-release	true	Low
Vendor	Manifest	originally-created-by	Apache Maven Bundle Plugin 5.1.9	Low
Vendor	Manifest	specification-vendor	The Apache Software Foundation	Low
Vendor	pom	artifactid	commons-compress	Low
Vendor	pom	developer email	bodewig at apache.org	Low
Vendor	pom	developer email	chtompki at apache.org	Low
Vendor	pom	developer email	damjan at apache.org	Low
Vendor	pom	developer email	ebourg at apache.org	Low
Vendor	pom	developer email	ggregory at apache.org	Low
Vendor	pom	developer email	grobmeier at apache.org	Low
Vendor	pom	developer email	julius at apache.org	Low
Vendor	pom	developer email	peterlee at apache.org	Low
Vendor	pom	developer email	sebb at apache.org	Low
Vendor	pom	developer email	tcurdt at apache.org	Low
Vendor	pom	developer id	bodewig	Medium
Vendor	pom	developer id	chtompki	Medium
Vendor	pom	developer id	damjan	Medium
Vendor	pom	developer id	ebourg	Medium
Vendor	pom	developer id	ggregory	Medium
Vendor	pom	developer id	grobmeier	Medium
Vendor	pom	developer id	julius	Medium
Vendor	pom	developer id	peterlee	Medium

Vendor	pom	developer id	sebb	Medium
Vendor	pom	developer id	tcurdt	Medium
Vendor	pom	developer name	Christian Grobmeier	Medium
Vendor	pom	developer name	Damjan Jovanovic	Medium
Vendor	pom	developer name	Emmanuel Bourg	Medium
Vendor	pom	developer name	Gary Gregory	Medium
Vendor	pom	developer name	Julius Davies	Medium
Vendor	pom	developer name	Peter Alfred Lee	Medium
Vendor	pom	developer name	Rob Tompkins	Medium
Vendor	pom	developer name	Sebastian Bazley	Medium
Vendor	pom	developer name	Stefan Bodewig	Medium
Vendor	pom	developer name	Torsten Curdt	Medium
Vendor	pom	developer org	The Apache Software Foundation	Medium
Vendor	pom	developer org URL	https://www.apache.org/	Medium
Vendor	pom	groupid	org.apache.commons	Highest
Vendor	pom	name	Apache Commons Compress	High
Vendor	pom	parent-artifactid	commons-parent	Low
Vendor	pom	url	https://commons.apache.org/proper/commons-compress/	Highest
Product	file	name	commons-compress	High
Product	jar	package name	9	Highest
Product	jar	package name	apache	Highest
Product	jar	package name	commons	Highest
Product	jar	package name	compress	Highest
Product	Manifest	automatic-module-name	org.apache.commons.compress	Medium
Product	Manifest	build-jdk-spec	17	Low
Product	Manifest	bundle-docurl	https://commons.apache.org/proper/commons-compress/	Low
Product	Manifest	Bundle-Name	Apache Commons Compress	Medium
Product	Manifest	bundle-symbolicname	org.apache.commons.commons-compress	Medium
Product	Manifest	extension-name	org.apache.commons.compress	Medium
Product	Manifest	Implementation-Title	Apache Commons Compress	High
Product	Manifest	multi-release	true	Low
Product	Manifest	originally-	Apache Maven Bundle Plugin 5.1.9	Low

		created-by		
Product	Manifest	specification-title	Apache Commons Compress	Medium
Product	pom	artifactid	commons-compress	Highest
Product	pom	developer email	bodewig at apache.org	Low
Product	pom	developer email	chtompki at apache.org	Low
Product	pom	developer email	damjan at apache.org	Low
Product	pom	developer email	ebourg at apache.org	Low
Product	pom	developer email	ggregory at apache.org	Low
Product	pom	developer email	grobmeier at apache.org	Low
Product	pom	developer email	julius at apache.org	Low
Product	pom	developer email	peterlee at apache.org	Low
Product	pom	developer email	sebb at apache.org	Low
Product	pom	developer email	tcurdt at apache.org	Low
Product	pom	developer id	bodewig	Low
Product	pom	developer id	chtompki	Low
Product	pom	developer id	damjan	Low
Product	pom	developer id	ebourg	Low
Product	pom	developer id	ggregory	Low
Product	pom	developer id	grobmeier	Low
Product	pom	developer id	julius	Low
Product	pom	developer id	peterlee	Low
Product	pom	developer id	sebb	Low
Product	pom	developer id	tcurdt	Low
Product	pom	developer name	Christian Grobmeier	Low
Product	pom	developer name	Damjan Jovanovic	Low
Product	pom	developer name	Emmanuel Bourg	Low
Product	pom	developer name	Gary Gregory	Low
Product	pom	developer name	Julius Davies	Low
Product	pom	developer name	Peter Alfred Lee	Low
Product	pom	developer name	Rob Tompkins	Low
Product	pom	developer name	Sebastian Bazley	Low
Product	pom	developer name	Stefan Bodewig	Low
Product	pom	developer name	Torsten Curdt	Low
Product	pom	developer org	The Apache Software Foundation	Low
Product	pom	developer org URL	https://www.apache.org/	Low

Product	pom	groupid	org.apache.commons	Highest
Product	pom	name	Apache Commons Compress	High
Product	pom	parent-artifactid	commons-parent	Medium
Product	pom	url	https://commons.apache.org/proper/commons-compress/	Medium
Version	Manifest	Bundle-Version	1.27.1	High
Version	Manifest	Implementation-Version	1.27.1	High
Version	pom	parent-version	1.27.1	Low
Version	pom	version	1.27.1	Highest

Identifiers

- pkg:maven/org.apache.commons/commons-compress@1.27.1 (*Confidence*:High)
- cpe:2.3:a:apache:commons_compress:1.27.1:*:*:*:*:*:*:* (*Confidence*:Highest) suppress

drive.zip: commons-io.jar

Description:

The Apache Commons IO library contains utility classes, stream implementations, file filters, file comparators, endian transformation classes, and much more.

License:

https://www.apache.org/licenses/LICENSE-2.0.txt

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/drive.zip/commons-io.jar
MD5: 8cce74ccf461cd6502ae04c908eca917
SHA1: 44084ef756763795b31c578403dd028ff4a22950
SHA256:f3ca0f8d63c40e23a56d54101c60d5edee136b42d84bfb85bc7963093109cf8b
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence
Vendor	file	name	commons-io	High
Vendor	jar	package name	apache	Highest
Vendor	jar	package name	commons	Highest
Vendor	jar	package name	file	Highest
Vendor	jar	package name	io	Highest

Vendor	Manifest	automatic-module-name	org.apache.commons.io	Medium
Vendor	Manifest	build-jdk-spec	17	Low
Vendor	Manifest	bundle-docurl	https://commons.apache.org/proper/commons-io/	Low
Vendor	Manifest	bundle-symbolicname	org.apache.commons.commons-io	Medium
Vendor	Manifest	Implementation-Vendor	The Apache Software Foundation	High
Vendor	Manifest	multi-release	true	Low
Vendor	Manifest	specification-vendor	The Apache Software Foundation	Low
Vendor	pom	artifactid	commons-io	Low
Vendor	pom	developer email	bayard@apache.org	Low
Vendor	pom	developer email	dion@apache.org	Low
Vendor	pom	developer email	ggregory at apache.org	Low
Vendor	pom	developer email	jeremias@apache.org	Low
Vendor	pom	developer email	jochen.wiedmann@gmail.com	Low
Vendor	pom	developer email	krosenvold@apache.org	Low
Vendor	pom	developer email	martinc@apache.org	Low
Vendor	pom	developer email	matth@apache.org	Low
Vendor	pom	developer email	nicolaken@apache.org	Low
Vendor	pom	developer email	roxspring@apache.org	Low
Vendor	pom	developer email	sanders@apache.org	Low
Vendor	pom	developer id	bayard	Medium
Vendor	pom	developer id	dion	Medium
Vendor	pom	developer id	ggregory	Medium
Vendor	pom	developer id	jeremias	Medium
Vendor	pom	developer id	jochen	Medium
Vendor	pom	developer id	jukka	Medium
Vendor	pom	developer id	krosenvold	Medium
Vendor	pom	developer id	martinc	Medium
Vendor	pom	developer id	matth	Medium
Vendor	pom	developer id	niallp	Medium
Vendor	pom	developer id	nicolaken	Medium
Vendor	pom	developer id	roxspring	Medium
Vendor	pom	developer id	sanders	Medium

Vendor	pom	developer id	scolebourne	Medium
Vendor	pom	developer name	dIon Gillard	Medium
Vendor	pom	developer name	Gary Gregory	Medium
Vendor	pom	developer name	Henri Yandell	Medium
Vendor	pom	developer name	Jeremias Maerki	Medium
Vendor	pom	developer name	Jochen Wiedmann	Medium
Vendor	pom	developer name	Jukka Zitting	Medium
Vendor	pom	developer name	Kristian Rosenvold	Medium
Vendor	pom	developer name	Martin Cooper	Medium
Vendor	pom	developer name	Matthew Hawthorne	Medium
Vendor	pom	developer name	Niall Pemberton	Medium
Vendor	pom	developer name	Nicola Ken Barozzi	Medium
Vendor	pom	developer name	Rob Oxspring	Medium
Vendor	pom	developer name	Scott Sanders	Medium
Vendor	pom	developer name	Stephen Colebourne	Medium
Vendor	pom	developer org	The Apache Software Foundation	Medium
Vendor	pom	developer org URL	https://www.apache.org/	Medium
Vendor	pom	groupid	commons-io	Highest
Vendor	pom	name	Apache Commons IO	High
Vendor	pom	parent-artifactid	commons-parent	Low
Vendor	pom	parent-groupid	org.apache.commons	Medium
Vendor	pom	url	https://commons.apache.org/proper/commons-io/	Highest
Product	file	name	commons-io	High
Product	jar	package name	apache	Highest
Product	jar	package name	commons	Highest
Product	jar	package name	file	Highest
Product	jar	package name	io	Highest
Product	Manifest	automatic-module-name	org.apache.commons.io	Medium
Product	Manifest	build-jdk-spec	17	Low
Product	Manifest	bundle-docurl	https://commons.apache.org/proper/commons-io/	Low
Product	Manifest	Bundle-Name	Apache Commons IO	Medium
Product	Manifest	bundle-symbolicname	org.apache.commons.commons-io	Medium
Product	Manifest	Implementation-	Apache Commons IO	High

		Title		
Product	Manifest	multi-release	true	Low
Product	Manifest	specification-title	Apache Commons IO	Medium
Product	pom	artifactid	commons-io	Highest
Product	pom	developer email	bayard@apache.org	Low
Product	pom	developer email	dion@apache.org	Low
Product	pom	developer email	ggregory at apache.org	Low
Product	pom	developer email	jeremias@apache.org	Low
Product	pom	developer email	jochen.wiedmann@gmail.com	Low
Product	pom	developer email	krosenvold@apache.org	Low
Product	pom	developer email	martinc@apache.org	Low
Product	pom	developer email	matth@apache.org	Low
Product	pom	developer email	nicolaken@apache.org	Low
Product	pom	developer email	roxspring@apache.org	Low
Product	pom	developer email	sanders@apache.org	Low
Product	pom	developer id	bayard	Low
Product	pom	developer id	dion	Low
Product	pom	developer id	ggregory	Low
Product	pom	developer id	jeremias	Low
Product	pom	developer id	jochen	Low
Product	pom	developer id	jukka	Low
Product	pom	developer id	krosenvold	Low
Product	pom	developer id	martinc	Low
Product	pom	developer id	matth	Low
Product	pom	developer id	niallp	Low
Product	pom	developer id	nicolaken	Low
Product	pom	developer id	roxspring	Low
Product	pom	developer id	sanders	Low
Product	pom	developer id	scolebourne	Low
Product	pom	developer name	dIon Gillard	Low
Product	pom	developer name	Gary Gregory	Low
Product	pom	developer name	Henri Yandell	Low
Product	pom	developer name	Jeremias Maerki	Low
Product	pom	developer name	Jochen Wiedmann	Low
Product	pom	developer name	Jukka Zitting	Low

Product	pom	developer name	Kristian Rosenvold	Low
Product	pom	developer name	Martin Cooper	Low
Product	pom	developer name	Matthew Hawthorne	Low
Product	pom	developer name	Niall Pemberton	Low
Product	pom	developer name	Nicola Ken Barozzi	Low
Product	pom	developer name	Rob Oxspring	Low
Product	pom	developer name	Scott Sanders	Low
Product	pom	developer name	Stephen Colebourne	Low
Product	pom	developer org	The Apache Software Foundation	Low
Product	pom	developer org URL	https://www.apache.org/	Low
Product	pom	groupid	commons-io	Highest
Product	pom	name	Apache Commons IO	High
Product	pom	parent-artifactid	commons-parent	Medium
Product	pom	parent-groupid	org.apache.commons	Medium
Product	pom	url	https://commons.apache.org/proper/commons-io/	Medium
Version	Manifest	Bundle-Version	2.18.0	High
Version	Manifest	Implementation-Version	2.18.0	High
Version	pom	parent-version	2.18.0	Low
Version	pom	version	2.18.0	Highest

Identifiers

- pkg:maven/commons-io/commons-io@2.18.0 (*Confidence*:High)
- cpe:2.3:a:apache:commons_io:2.18.0:*:*:*:*:*:*:* (*Confidence*:Highest) suppress

drive.zip: drive.jar

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/drive.zip/drive.jar
MD5: f6028844ae124dce12f066cd90b99a5f
SHA1: 5d8960a9344c581653046626f34b0b7833fd5f4e
SHA256:b4d0b1a542724aa3e8c427479143c3ea4988fcbb0e70988499ba550a119b30e3
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence
Vendor	file	name	drive	High
Vendor	jar	package name	drive	Low
Vendor	jar	package name	inet	Low
Vendor	Manifest	built-date	2025-05-01 11:49	Low
Vendor	Manifest	implementation-group	shared	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	drive	High
Product	jar	package name	drive	Highest
Product	jar	package name	drive	Low
Product	jar	package name	server	Low
Product	Manifest	built-date	2025-05-01 11:49	Low
Product	Manifest	implementation-group	shared	Low
Product	Manifest	Implementation-Title	drive	High
Product	Manifest	specification-title	drive	Medium
Version	Manifest	Implementation-Version	25.4.227	High

Identifiers

- **None**

drive.zip: drive.jar: actions.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/drive.zip/drive.jar/com/inet/drive/webgui/client/js/actions.js
MD5: 5a6ae0c7fc82c58bab37f4285e30512b
SHA1: f1eb0409af6e5773374b81f52f389bca0ce2b3f1
SHA256:28381f95ccbb508ef57234b2bb33f0446e2d705a298d38be6dd5dbcdae45963c
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

drive.zip: drive.jar: actions.service.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/drive.zip/drive.jar/com/inet/drive/webgui/client/js/service/actions.service.js
MD5: 998a27160003a3469286feae6566087f
SHA1: c89f2b764a184edcb2ecea721a8de5505e120645
SHA256:b3974489f4a331f499333d670ff26406e81127f12e9f67922bbbe93fb8b7d1f9
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

drive.zip: drive.jar: contentextension.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/drive.zip/drive.jar/com/inet/drive/webgui/client/details/contentextension.js
MD5: e99878ac66d8fee42530ec9cbf14d75f
SHA1: bf4cac0f4d3f8e744876675ab122dc1ccc2cd7d1
SHA256:0a3b2a0f884a52125aa6e456f74a8ab1b866787cccafa24cc38a174433b81e25
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

drive.zip: drive.jar: controller.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/drive.zip/drive.jar/com/inet/drive/setup/controller.js
MD5: 6a09c1de9657a2568448b248854ce706
SHA1: 9a21426a9902e57e5297092257ac4293c38d4e66
SHA256:8b126647fca0365414ccc650e8abdb03e33a34c1017ad17ee81216c410ce4ab6
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

drive.zip: drive.jar: drivecleanup.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/drive.zip/drive.jar/com/inet/drive/server/maintenance/js/drivecleanup.js
MD5: b169a86e136d29c6086ce2d4ce844940
SHA1: f9e647250896fbe4c6447cf54b8388cce0536699
SHA256:313ebf97b25e12025391ae0648df534c31991d488f9566cc1aa530aa79ce3178
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

drive.zip: drive.jar: drivecontroller.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/drive.zip/drive.jar/com/inet/drive/webgui/client/js/drivecontroller.js
MD5: 79316912d24539555baa8dc8db6ad5cc
SHA1: 1eaadda2ee84d53e49e24fcb4ed7771295a80d1c
SHA256:b1e82a7ac200d82e2bab797e80f8262e5c3e3b90a9c1cda15319150caa540839
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

drive.zip: drive.jar: drivefactory.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/drive.zip/drive.jar/com/inet/drive/webgui/client/js/drivefactory.js
MD5: ec1a645849b15ac87257c67b72db01e5
SHA1: fd5919d6e363363288fa4f36598641d2e8d1037b
SHA256:5408f66148315113346fe686fc546487de94f3492a3a8e44a38f54cdfc7969ae
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

drive.zip: drive.jar: drivemodel.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/drive.zip/drive.jar/com/inet/drive/webgui/client/js/drivemodel.js

MD5: 15baadf362e4a6bbe9a11156c356379c
SHA1: 05a6ac4aa85f9d1b98cac8d1c942db6e00b10395
SHA256:533450f05968f0823eaa8fa4554a274f3495c13109443dde13ad2c4c7227783a
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

drive.zip: drive.jar: dropzone.directive.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/drive.zip/drive.jar/com/inet/drive/webgui/client/js/directive/dropzone.directive.js
MD5: 9333360f3ab2b58025292cfc300d2306
SHA1: feb2c2ae6a060ba3b1f51732fa15a8440054ca42
SHA256:2efa8838dffff4758fb089069c6248dc2cde45767d752411bff610fb5ca61bfe
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

drive.zip: drive.jar: entryactions.directive.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/drive.zip/drive.jar/com/inet/drive/webgui/client/js/directive/entryactions.directive.js
MD5: 4e1af222fa8434c45c9967dae33e4ba9
SHA1: 067370c7d53fca7b04dc7ebc1bcde2b2a68ba7c3
SHA256:a716406bfdebc18c913061f0087bcdcfc9c08d7c1379619071da2993ad8a853f
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

drive.zip: drive.jar: fileconfig.directive.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/drive.zip/drive.jar/com/inet/drive/server/mount/file/webgui/fileconfig.directive.js
MD5: 50021227a8c1fde7c5e9021fb4c9662e
SHA1: 9e1c4f0d2797885ed42bd13c2d5f61c8503ea8a5
SHA256:c85bf99b97ddbb557902ed0f23d4a3f240b7a30d98a7d14b30770b463cd10535
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

drive.zip: drive.jar: folderlist.directive.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/drive.zip/drive.jar/com/inet/drive/webgui/client/js/directive/folderlist.directive.js
MD5: 4b24a6e7eed98f96a4aacd30236cf1ff
SHA1: 2fa7cc99c29eff9ed30d996376e090b14c7546dc
SHA256:e2afefbd377b98737e447807786aec7287ad53863379816259cc9e9d069218f9
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

drive.zip: drive.jar: linkdialog.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/drive.zip/drive.jar/com/inet/drive/webgui/client/js/linkdialog.js
MD5: f15f4145fae202d6226cd16552f4332e
SHA1: 55d3a3a74a0097f2140679fd038db9e117b91210
SHA256:00e825cc4311746a4694f6534bb97e2baf9eb0fd8230e28d0a18ad504118b3d2
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

drive.zip: drive.jar: locationchooser.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/drive.zip/drive.jar/com/inet/drive/webgui/client/js/locationchooser.js
MD5: 63cc3a56e78e101f8772b6971837cabe
SHA1: 9607b46402152c52677255207bfb1d8a53ddc65d
SHA256:8a0b7240d62d62efd231eff9b0eef7e552534e05f2e86e58d0898cdab40acbf0
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

drive.zip: drive.jar: mountdialog.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/drive.zip/drive.jar/com/inet/drive/webgui/client/js/mountdialog.js
MD5: bae8655b5724d052aa7a9711f4152936
SHA1: 56bf6845f5178a95afec6d2038d3f9ab6f73c0c3
SHA256:a3fa9b43fda1a23e4ba1bca6d626d4e4f75856ccb567e99c66f5c1bed6cbe54e
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

drive.zip: drive.jar: myshareextension.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/drive.zip/drive.jar/com/inet/drive/webgui/client/details/myshareextension.js
MD5: 3341e49fd8b74545b74fb5801eea08f7
SHA1: 495f3198d67735901fcee27163e685c11dcc548c
SHA256:c167e8ab447f2bbff5cd9ca084cfbf20a53ebf7dbafa0e715ca07abdbc75832e
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

drive.zip: drive.jar: permissionsextension.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/drive.zip/drive.jar/com/inet/drive/webgui/client/extensions/permissionsextension.js
MD5: 5d4347a1688c497e577b0f206f03f387
SHA1: e04d5fc64f5f793c15da17d5d17aec329d2a07e2

SHA256:a8cef4b2cab03b5feff517a8ae7945812af41773a05f64a7922e44a0271586a3
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

drive.zip: drive.jar: progress.service.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/drive.zip/drive.jar/com/inet/drive/webgui/client/js/service/progress.service.js
MD5: b004817959f313b9b60d12ef02c30ed9
SHA1: 67a59999e03435474845d8662a6e15158bc1a963
SHA256:e971b5c8d0b1dbb020ee0093bce0fd08bbad7b83a8f5f64365f39d96f5cec439
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

drive.zip: drive.jar: progresspanel.directive.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/drive.zip/drive.jar/com/inet/drive/webgui/client/js/directive/progresspanel.directive.js
MD5: bea9ad91c5e843050f2f26c1224edb8d
SHA1: 7b690153a846fd222ce973ce5f83f429d226e2ef
SHA256:c8f9e65c8e6e6438ecb4ee3062ec7c66b0145e32d68de0cd2f543bb6e4945b12
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

drive.zip: drive.jar: resolve.service.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/drive.zip/drive.jar/com/inet/drive/webgui/client/js/service/resolve.service.js
MD5: 95b31366585c193c85a04bef11668e8f
SHA1: 61138ba7e20763911657b0f426b3f1c2c56f1cb6
SHA256:de639385d47d388a361976f14e9672ee20b4864fa1c51f4157d8c2055c4d0f6e
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

drive.zip: drive.jar: responsivetoolbar.directive.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/drive.zip/drive.jar/com/inet/drive/webgui/client/js/directive/responsivetoolbar.directive.js
MD5: 27e0c257622ce7abaa3d79b16f4ca956
SHA1: fdc8792d25cc1f9c717829edcb42bccb96ba815c
SHA256:678811dd758af1a5a9e1cc6245c15c92dc6cf3ab19048a02e4974ab57851d175
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

drive.zip: drive.jar: selectedextension.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/drive.zip/drive.jar/com/inet/drive/webgui/client/details/selectedextension.js
MD5: bc1586beb3196d958558dec1e3aad8cc
SHA1: 6692fb56799c97f45146219295a634e5b3f8bd3c
SHA256:eb9e87833bf57bcbc808231f58e7fb4efc25bea6865755e41f9c9f21e3045630
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

drive.zip: drive.jar: shareextension.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/drive.zip/drive.jar/com/inet/drive/webgui/client/details/shareextension.js
MD5: b709a1856dfd4688f3d642ba8512838d
SHA1: f119d948dc1479b33bd304aebd0650c239c8a903
SHA256:8667bdb30f708796b86f3992836b5d25e63ba5c73c7932014d4d7e8b00df628a
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

drive.zip: drive.jar: shareextension.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/drive.zip/drive.jar/com/inet/drive/webgui/client/extensions/shareextension.js
MD5: b07b04985445ebdbba87887d414abea0
SHA1: 3744199533dc4ec6e6518de0e4ca457488bcfac4
SHA256:fa52946d9bcdb4e2a16aa25d3affc4ee3928e701b2869b6603efbe26776e0602
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

drive.zip: drive.jar: thumbnailextension.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/drive.zip/drive.jar/com/inet/drive/webgui/client/details/thumbnailextension.js
MD5: 16297c9704c91eea2ca65ad4ccef42ab
SHA1: d21cb0b96916a7659a493e0f7d2e62c61df3633d
SHA256:34505c2844ba933bdf08fac79eb6a642e7581e6630fd14fc7313fcab99bda312
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

drive.zip: drive.jar: toolbaraction.directive.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/drive.zip/drive.jar/com/inet/drive/webgui/client/js/directive/toolbaraction.directive.js
MD5: 6f4fabe4efc8a816d22cdc075c83e252
SHA1: 2499850520381d89890f6b1188c0d78785e8c4b0
SHA256:67ecf4f475e00aa01cbfd00b745b4b7fd982f7355d720238534dcbfc39e94874
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

drive.zip: drive.jar: unzipextension.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/drive.zip/drive.jar/com/inet/drive/webgui/client/extensions/unzipextension.js
MD5: eb1cc3ddc27ca5cebcc29928a73b284b
SHA1: d88389fb2ca0c9f222856c4448dffedf192893d0
SHA256:16131306dd92c55b463f0f0ef4c3c4316c2a3d16d4d43c6e26ca17ec547f9f7f
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

drive.zip: drive.jar: zipextension.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/drive.zip/drive.jar/com/inet/drive/webgui/client/extensions/zipextension.js
MD5: 0a73ec5359838800bd35ba9a1f9e5559
SHA1: 207e48452de653ffa8c64e97d421c4424f38e84c
SHA256:761ecdcbebba3f0826296e17c414d975e421c5b571cb4613982020e3f7c17822
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

exceljconnect.jar

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/lib/exceljconnect.jar
MD5: b982d56a619863a31f4f3a348934940d
SHA1: 35253a9b22fe561d9d7e3b3c656e82b0e6358b32
SHA256:6293004aa0862e83901e33bd661d811af96fefb6a7d38b2663eb24cba346131c
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence
Vendor	file	name	exceljconnect	High
Vendor	jar	package name	excel	Low
Vendor	jar	package name	inet	Low
Product	file	name	exceljconnect	High
Product	jar	package name	excel	Low

Identifiers

- **None**

fieldsettings.zip: fieldsettings.jar

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/fieldsettings.zip/fieldsettings.jar
MD5: 9eeed7eba056f3d64d9ca7f85dc00d9e
SHA1: 0cbbba2b0e0d0fa4ed6cedb1f9b9f48a855d4c71
SHA256:07dbbb02e2b019b3373f17e3d14c0bf9a1f58f94a689cee0f820561da8290b17
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence
Vendor	file	name	fieldsettings	High

Vendor	jar	package name	fieldsettings	Low
Vendor	jar	package name	inet	Low
Vendor	Manifest	built-date	2025-05-01 11:48	Low
Vendor	Manifest	implementation-group	shared	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	fieldsettings	High
Product	jar	package name	fieldsettings	Highest
Product	jar	package name	fieldsettings	Low
Product	Manifest	built-date	2025-05-01 11:48	Low
Product	Manifest	implementation-group	shared	Low
Product	Manifest	Implementation-Title	fieldsettings	High
Product	Manifest	specification-title	fieldsettings	Medium
Version	Manifest	Implementation-Version	25.4.227	High

Identifiers

- **None**

fieldsettings.zip: fieldsettings.jar: FieldSettingsPropertyRenderer.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/fieldsettings.zip/fieldsettings.jar/com/inet/fieldsettings/structure/js/FieldSettingsPropertyRenderer.js
MD5: b30db2172e156665e72370cb1f59da28
SHA1: 1c33e6fbcb5e81fdbe3b5a618b48217161689889
SHA256:446e26508852c2f708e13a91d9d8c3206526a5946c2feb6da0e4b29b85bb47b0
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

fieldsettings.zip: fieldsettings.jar: UserFieldSettingsPropertyRenderer.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/fieldsettings.zip/fieldsettings.jar/com/inet/fieldsettings/user/structure/js/UserFieldSettingsPropertyRenderer.js
MD5: b57967a5eb546bf11c0b6a019fcb8f94
SHA1: 8d4d45137f41d47bca97bfcf525f23e2d7bc2fb8
SHA256:782b64995ea2b81f17244ceced006eba827f5da882ad5d0e9b790b3dbd2cc75d
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

hamcrest-3.0.jar

License:

BSD-3-Clause

File Path: /home/jenkins/.gradle/caches/modules-2/files-2.1/org.hamcrest/hamcrest/3.0/8fd9b78a8e6a6510a078a9e30e9e86a6035cfaf7/hamcrest-3.0.jar
MD5: 781023c38b054e9cf1c818c77895e1eb
SHA1: 8fd9b78a8e6a6510a078a9e30e9e86a6035cfaf7
SHA256:5d66b6a4a680755cb6ed7cb104fa7835ef644667586ff0737adeb977c39ecdbc
Referenced In Project/Scope: server:inetPlugin
Included by: pkg:maven/helpdesk/server@25.4

Evidence

Type	Source	Name	Value	Confidence
Vendor	file	name	hamcrest	High
Vendor	gradle	artifactid	hamcrest	Highest

Vendor	gradle	groupid	org.hamcrest	Highest
Vendor	jar	package name	hamcrest	Highest
Vendor	jar	package name	hamcrest	Low
Vendor	Manifest	automatic-module-name	org.hamcrest	Medium
Vendor	Manifest	bundle-symbolicname	org.hamcrest	Medium
Vendor	Manifest	Implementation-Vendor	hamcrest.org	High
Product	file	name	hamcrest	High
Product	gradle	artifactid	hamcrest	Highest
Product	jar	package name	hamcrest	Highest
Product	Manifest	automatic-module-name	org.hamcrest	Medium
Product	Manifest	Bundle-Name	org.hamcrest	Medium
Product	Manifest	bundle-symbolicname	org.hamcrest	Medium
Product	Manifest	Implementation-Title	hamcrest	High
Version	file	version	3.0	High
Version	Manifest	Implementation-Version	3.0	High

Identifiers

- pkg:maven/org.hamcrest/hamcrest@3.0 (*Confidence*:Highest)

help.zip: commons-beanutils.jar

Description:

Apache Commons BeanUtils provides an easy-to-use but flexible wrapper around reflection and introspection.

License:

https://www.apache.org/licenses/LICENSE-2.0.txt

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/help.zip/commons-beanutils.jar
MD5: 07dc532ee316fe1f2f0323e9bd2f8df4
SHA1: d52b9abcd97f38c81342bb7e7ae1eee9b73cba51
SHA256:7d938c81789028045c08c065e94be75fc280527620d5bd62b519d5838532368a
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence
Vendor	file	name	commons-beanutils	High
Vendor	jar	package name	apache	Highest
Vendor	jar	package name	beanutils	Highest
Vendor	jar	package name	commons	Highest
Vendor	Manifest	bundle-docurl	https://commons.apache.org/proper/commons-beanutils/	Low
Vendor	Manifest	bundle-symbolicname	org.apache.commons.commons-beanutils	Medium
Vendor	Manifest	implementation-build	UNKNOWN_BRANCH@r??????; 2019-07-28 22:14:44+0000	Low
Vendor	Manifest	implementation-url	https://commons.apache.org/proper/commons-beanutils/	Low
Vendor	Manifest	Implementation-Vendor	The Apache Software Foundation	High
Vendor	Manifest	Implementation-Vendor-Id	org.apache	Medium
Vendor	Manifest	specification-vendor	The Apache Software Foundation	Low
Vendor	pom	artifactid	commons-beanutils	Low
Vendor	pom	developer email	britter@apache.org	Low
Vendor	pom	developer email	chtompki@apache.org	Low
Vendor	pom	developer email	craigmcc@apache.org	Low
Vendor	pom	developer email	dion@apache.org	Low
Vendor	pom	developer email	epugh@apache.org	Low
Vendor	pom	developer email	geirm@apache.org	Low
Vendor	pom	developer email	ggregory@apache.org	Low
Vendor	pom	developer email	jcarman@apache.org	Low
Vendor	pom	developer email	jconlon@apache.org	Low
Vendor	pom	developer email	jstrachan@apache.org	Low
Vendor	pom	developer email	morgand@apache.org	Low
Vendor	pom	developer email	mvdb@apache.org	Low
Vendor	pom	developer email	niallp@apache.org	Low
Vendor	pom	developer email	rdonkin@apache.org	Low
Vendor	pom	developer email	rwaldhoff@apache.org	Low
Vendor	pom	developer email	sanders@apache.org	Low

Vendor	pom	developer email	scolebourne@apache.org	Low
Vendor	pom	developer email	skitching@apache.org	Low
Vendor	pom	developer email	stain@apache.org	Low
Vendor	pom	developer email	tobrien@apache.org	Low
Vendor	pom	developer email	yoavs@apache.org	Low
Vendor	pom	developer id	britter	Medium
Vendor	pom	developer id	chtompki	Medium
Vendor	pom	developer id	craigmcc	Medium
Vendor	pom	developer id	dion	Medium
Vendor	pom	developer id	epugh	Medium
Vendor	pom	developer id	geirm	Medium
Vendor	pom	developer id	ggregory	Medium
Vendor	pom	developer id	jcarman	Medium
Vendor	pom	developer id	jconlon	Medium
Vendor	pom	developer id	jstrachan	Medium
Vendor	pom	developer id	morgand	Medium
Vendor	pom	developer id	mvdb	Medium
Vendor	pom	developer id	niallp	Medium
Vendor	pom	developer id	rdonkin	Medium
Vendor	pom	developer id	rwaldhoff	Medium
Vendor	pom	developer id	sanders	Medium
Vendor	pom	developer id	scolebourne	Medium
Vendor	pom	developer id	skitching	Medium
Vendor	pom	developer id	stain	Medium
Vendor	pom	developer id	tobrien	Medium
Vendor	pom	developer id	yoavs	Medium
Vendor	pom	developer name	Benedikt Ritter	Medium
Vendor	pom	developer name	Craig McClanahan	Medium
Vendor	pom	developer name	David Eric Pugh	Medium
Vendor	pom	developer name	Dion Gillard	Medium
Vendor	pom	developer name	Gary Gregory	Medium
Vendor	pom	developer name	Geir Magnusson Jr.	Medium
Vendor	pom	developer name	James Carman	Medium
Vendor	pom	developer name	James Strachan	Medium
Vendor	pom	developer name	John E. Conlon	Medium

Vendor	pom	developer name	Martin van den Bemt	Medium
Vendor	pom	developer name	Morgan James Delagrange	Medium
Vendor	pom	developer name	Niall Pemberton	Medium
Vendor	pom	developer name	Rob Tompkins	Medium
Vendor	pom	developer name	Robert Burrell Donkin	Medium
Vendor	pom	developer name	Rodney Waldhoff	Medium
Vendor	pom	developer name	Scott Sanders	Medium
Vendor	pom	developer name	Simon Kitching	Medium
Vendor	pom	developer name	Stephen Colebourne	Medium
Vendor	pom	developer name	Stian Soiland-Reyes	Medium
Vendor	pom	developer name	Tim O'Brien	Medium
Vendor	pom	developer name	Yoav Shapira	Medium
Vendor	pom	developer org	The Apache Software Foundation	Medium
Vendor	pom	groupid	commons-beanutils	Highest
Vendor	pom	name	Apache Commons BeanUtils	High
Vendor	pom	parent-artifactid	commons-parent	Low
Vendor	pom	parent-groupid	org.apache.commons	Medium
Vendor	pom	url	https://commons.apache.org/proper/commons-beanutils/	Highest
Product	file	name	commons-beanutils	High
Product	jar	package name	apache	Highest
Product	jar	package name	beanutils	Highest
Product	jar	package name	commons	Highest
Product	Manifest	bundle-docurl	https://commons.apache.org/proper/commons-beanutils/	Low
Product	Manifest	Bundle-Name	Apache Commons BeanUtils	Medium
Product	Manifest	bundle-symbolicname	org.apache.commons.commons-beanutils	Medium
Product	Manifest	implementation-build	UNKNOWN_BRANCH@r??????; 2019-07-28 22:14:44+0000	Low
Product	Manifest	Implementation-Title	Apache Commons BeanUtils	High
Product	Manifest	implementation-url	https://commons.apache.org/proper/commons-beanutils/	Low
Product	Manifest	specification-title	Apache Commons BeanUtils	Medium
Product	pom	artifactid	commons-beanutils	Highest
Product	pom	developer email	britter@apache.org	Low
Product	pom	developer email	chtompki@apache.org	Low

Product	pom	developer email	craigmcc@apache.org	Low
Product	pom	developer email	dion@apache.org	Low
Product	pom	developer email	epugh@apache.org	Low
Product	pom	developer email	geirm@apache.org	Low
Product	pom	developer email	ggregory@apache.org	Low
Product	pom	developer email	jcarman@apache.org	Low
Product	pom	developer email	jconlon@apache.org	Low
Product	pom	developer email	jstrachan@apache.org	Low
Product	pom	developer email	morgand@apache.org	Low
Product	pom	developer email	mvdb@apache.org	Low
Product	pom	developer email	niallp@apache.org	Low
Product	pom	developer email	rdonkin@apache.org	Low
Product	pom	developer email	rwaldhoff@apache.org	Low
Product	pom	developer email	sanders@apache.org	Low
Product	pom	developer email	scolebourne@apache.org	Low
Product	pom	developer email	skitching@apache.org	Low
Product	pom	developer email	stain@apache.org	Low
Product	pom	developer email	tobrien@apache.org	Low
Product	pom	developer email	yoavs@apache.org	Low
Product	pom	developer id	britter	Low
Product	pom	developer id	chtompki	Low
Product	pom	developer id	craigmcc	Low
Product	pom	developer id	dion	Low
Product	pom	developer id	epugh	Low
Product	pom	developer id	geirm	Low
Product	pom	developer id	ggregory	Low
Product	pom	developer id	jcarman	Low
Product	pom	developer id	jconlon	Low
Product	pom	developer id	jstrachan	Low
Product	pom	developer id	morgand	Low
Product	pom	developer id	mvdb	Low
Product	pom	developer id	niallp	Low
Product	pom	developer id	rdonkin	Low
Product	pom	developer id	rwaldhoff	Low
Product	pom	developer id	sanders	Low

Product	pom	developer id	scolebourne	Low
Product	pom	developer id	skitching	Low
Product	pom	developer id	stain	Low
Product	pom	developer id	tobrien	Low
Product	pom	developer id	yoavs	Low
Product	pom	developer name	Benedikt Ritter	Low
Product	pom	developer name	Craig McClanahan	Low
Product	pom	developer name	David Eric Pugh	Low
Product	pom	developer name	Dion Gillard	Low
Product	pom	developer name	Gary Gregory	Low
Product	pom	developer name	Geir Magnusson Jr.	Low
Product	pom	developer name	James Carman	Low
Product	pom	developer name	James Strachan	Low
Product	pom	developer name	John E. Conlon	Low
Product	pom	developer name	Martin van den Bemt	Low
Product	pom	developer name	Morgan James Delagrange	Low
Product	pom	developer name	Niall Pemberton	Low
Product	pom	developer name	Rob Tompkins	Low
Product	pom	developer name	Robert Burrell Donkin	Low
Product	pom	developer name	Rodney Waldhoff	Low
Product	pom	developer name	Scott Sanders	Low
Product	pom	developer name	Simon Kitching	Low
Product	pom	developer name	Stephen Colebourne	Low
Product	pom	developer name	Stian Soiland-Reyes	Low
Product	pom	developer name	Tim O'Brien	Low
Product	pom	developer name	Yoav Shapira	Low
Product	pom	developer org	The Apache Software Foundation	Low
Product	pom	groupid	commons-beanutils	Highest
Product	pom	name	Apache Commons BeanUtils	High
Product	pom	parent-artifactid	commons-parent	Medium
Product	pom	parent-groupid	org.apache.commons	Medium
Product	pom	url	https://commons.apache.org/proper/commons-beanutils/	Medium
Version	Manifest	Bundle-Version	1.9.4	High
Version	Manifest	Implementation-Version	1.9.4	High

Version	pom	parent-version	1.9.4	Low
Version	pom	version	1.9.4	Highest

Identifiers

- pkg:maven/commons-beanutils/commons-beanutils@1.9.4 (*Confidence*:High)
- cpe:2.3:a:apache:commons_beanutils:1.9.4:*:*:*:*:*:*:* (*Confidence*:Highest) suppress

help.zip: commons-digester3.jar

Description:

The Apache Commons Digester package lets you configure an XML to Java object mapping module which triggers certain actions called rules whenever a particular pattern of nested XML elements is recognized.

License:

http://www.apache.org/licenses/LICENSE-2.0.txt

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/help.zip/commons-digester3.jar
MD5: 41d2c62c7aedafa7a3627794abc83f71
SHA1: c3f68c5ff25ec5204470fd8fdf4cb8feff5e8a79
SHA256:1c150e3d2df4b4237b47e28fea2079fb0da324578d5cca6a5fed2e37a62082ec
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence
Vendor	file	name	commons-digester3	High
Vendor	jar	package name	apache	Highest
Vendor	jar	package name	commons	Highest
Vendor	jar	package name	digester	Highest
Vendor	jar	package name	digester3	Highest
Vendor	jar	package name	rules	Highest
Vendor	Manifest	bundle-docurl	http://commons.apache.org/digester/	Low
Vendor	Manifest	bundle-symbolicname	org.apache.commons.digester	Medium
Vendor	Manifest	implementation-build	tags/DIGESTER3_3_2_RC2@r1212807; 2011-12-10 15:57:06+0100	Low
Vendor	Manifest	Implementation-Vendor	The Apache Software Foundation	High

Vendor	Manifest	Implementation-Vendor-Id	org.apache	Medium
Vendor	Manifest	specification-vendor	The Apache Software Foundation	Low
Vendor	pom	artifactid	commons-digester3	Low
Vendor	pom	developer email	craigmcc@apache.org	Low
Vendor	pom	developer email	jfarcand@apache.org	Low
Vendor	pom	developer email	jstrachan@apache.org	Low
Vendor	pom	developer email	jvanzyl@apache.org	Low
Vendor	pom	developer email	mbenson AT apache DOT org	Low
Vendor	pom	developer email	rahul AT apache DOT org	Low
Vendor	pom	developer email	rdonkin@apache.org	Low
Vendor	pom	developer email	sanders@totalsync.com	Low
Vendor	pom	developer email	simonetripodi AT apache DOT org	Low
Vendor	pom	developer email	skitching@apache.org	Low
Vendor	pom	developer email	tobrien@apache.org	Low
Vendor	pom	developer id	craigmcc	Medium
Vendor	pom	developer id	jfarcand	Medium
Vendor	pom	developer id	jstrachan	Medium
Vendor	pom	developer id	jvanzyl	Medium
Vendor	pom	developer id	mbenson	Medium
Vendor	pom	developer id	rahul	Medium
Vendor	pom	developer id	rdonkin	Medium
Vendor	pom	developer id	sanders	Medium
Vendor	pom	developer id	simonetripodi	Medium
Vendor	pom	developer id	skitching	Medium
Vendor	pom	developer id	tobrien	Medium
Vendor	pom	developer name	Craig McClanahan	Medium
Vendor	pom	developer name	James Strachan	Medium
Vendor	pom	developer name	Jason van Zyl	Medium
Vendor	pom	developer name	Jean-Francois Arcand	Medium
Vendor	pom	developer name	Matt Benson	Medium
Vendor	pom	developer name	Rahul Akolkar	Medium
Vendor	pom	developer name	Robert Burrell Donkin	Medium
Vendor	pom	developer name	Scott Sanders	Medium
Vendor	pom	developer name	Simon Kitching	Medium

Vendor	pom	developer name	Simone Tripodi	Medium
Vendor	pom	developer name	Tim OBrien	Medium
Vendor	pom	groupid	org.apache.commons	Highest
Vendor	pom	name	Apache Commons Digester	High
Vendor	pom	parent-artifactid	commons-parent	Low
Vendor	pom	url	http://commons.apache.org/digester/	Highest
Product	file	name	commons-digester3	High
Product	jar	package name	apache	Highest
Product	jar	package name	commons	Highest
Product	jar	package name	digester	Highest
Product	jar	package name	digester3	Highest
Product	jar	package name	rules	Highest
Product	Manifest	bundle-docurl	http://commons.apache.org/digester/	Low
Product	Manifest	Bundle-Name	Apache Commons Digester	Medium
Product	Manifest	bundle-symbolicname	org.apache.commons.digester	Medium
Product	Manifest	implementation-build	tags/DIGESTER3_3_2_RC2@r1212807; 2011-12-10 15:57:06+0100	Low
Product	Manifest	Implementation-Title	Apache Commons Digester	High
Product	Manifest	specification-title	Apache Commons Digester	Medium
Product	pom	artifactid	commons-digester3	Highest
Product	pom	developer email	craigmcc@apache.org	Low
Product	pom	developer email	jfarcand@apache.org	Low
Product	pom	developer email	jstrachan@apache.org	Low
Product	pom	developer email	jvanzyl@apache.org	Low
Product	pom	developer email	mbenson AT apache DOT org	Low
Product	pom	developer email	rahul AT apache DOT org	Low
Product	pom	developer email	rdonkin@apache.org	Low
Product	pom	developer email	sanders@totalsync.com	Low
Product	pom	developer email	simonetripodi AT apache DOT org	Low
Product	pom	developer email	skitching@apache.org	Low
Product	pom	developer email	tobrien@apache.org	Low
Product	pom	developer id	craigmcc	Low
Product	pom	developer id	jfarcand	Low
Product	pom	developer id	jstrachan	Low
Product	pom	developer id	jvanzyl	Low

Product	pom	developer id	mbenson	Low
Product	pom	developer id	rahul	Low
Product	pom	developer id	rdonkin	Low
Product	pom	developer id	sanders	Low
Product	pom	developer id	simonetripodi	Low
Product	pom	developer id	skitching	Low
Product	pom	developer id	tobrien	Low
Product	pom	developer name	Craig McClanahan	Low
Product	pom	developer name	James Strachan	Low
Product	pom	developer name	Jason van Zyl	Low
Product	pom	developer name	Jean-Francois Arcand	Low
Product	pom	developer name	Matt Benson	Low
Product	pom	developer name	Rahul Akolkar	Low
Product	pom	developer name	Robert Burrell Donkin	Low
Product	pom	developer name	Scott Sanders	Low
Product	pom	developer name	Simon Kitching	Low
Product	pom	developer name	Simone Tripodi	Low
Product	pom	developer name	Tim OBrien	Low
Product	pom	groupid	org.apache.commons	Highest
Product	pom	name	Apache Commons Digester	High
Product	pom	parent-artifactid	commons-parent	Medium
Product	pom	url	http://commons.apache.org/digester/	Medium
Version	Manifest	Implementation-Version	3.2	High
Version	pom	parent-version	3.2	Low
Version	pom	version	3.2	Highest

Identifiers

- pkg:maven/org.apache.commons/commons-digester3@3.2 (*Confidence*:High)

help.zip: help.jar

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/help.zip/help.jar

MD5: de0287cdc82522003c100ac44f4d9152
SHA1: f29ee6153487a0952ff44a97050049d5d187940e
SHA256:0c2e4fbb3d3c13c51174d084b1b2c7a4715e362d6038dbb35f27cf3922a6f4c1
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence
Vendor	file	name	help	High
Vendor	jar	package name	help	Low
Vendor	jar	package name	inet	Low
Vendor	Manifest	built-date	2025-05-01 11:38	Low
Vendor	Manifest	implementation-group	shared	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	help	High
Product	jar	package name	help	Highest
Product	jar	package name	help	Low
Product	Manifest	built-date	2025-05-01 11:38	Low
Product	Manifest	implementation-group	shared	Low
Product	Manifest	Implementation-Title	help	High
Product	Manifest	specification-title	help	Medium
Version	Manifest	Implementation-Version	25.4.227	High

Identifiers

- **None**

help.zip: help.jar: app.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/help.zip/help.jar/com/inet/help/resources/js/app.js
MD5: 3a626c6ba8ee31fb8ebf60eabda6f994
SHA1: c39bfbdd57aadcb966452b9fc2790e555fa12867
SHA256:1a77be335c5f6949c202f5b8e959c01b7d20c29d70b1fa242805724dc08a5f71
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

help.zip: help.jar: controller.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/help.zip/help.jar/com/inet/help/resources/js/controller.js
MD5: 56aaa1c940ebe63e698f2c96d8d349b1
SHA1: ec2bffbd788815074a91285778836919c4fe6245
SHA256:dcadc7df6c99e3ec93d8e539c3d7e5f3a1aac871e021c961ea6df16ade78162d
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

help.zip: help.jar: shared.factory.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/help.zip/help.jar/com/inet/help/resources/js/shared.factory.js
MD5: 0b9f1c69fe745940b59dfcc46b07c9e8
SHA1: d04efd9797d2fdca767d508cf120351bef141846
SHA256:1b2cc4f4fd954ea4954b04681293f059a417fe38c59c129f87bd22dbc9bdf0cc
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

help.zip: help.jar: shared.highlighter.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/help.zip/help.jar/com/inet/help/resources/js/shared.highlighter.js
MD5: af91e703b72f064acb7b0980a1981705
SHA1: 53a2a1c5190b1f3a3e3d4e68e645a152732c1893
SHA256:12e9a91bfad9c6958f82cc85b396c869363b181054843e472342bad54ebd4ad1
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

help.zip: jsoup.jar

Description:

jsoup is a Java library that simplifies working with real-world HTML and XML. It offers an easy-to-use API for URL fetching, data parsing, extraction, and manipulation using DOM API methods, CSS, and xpath selectors. jsoup implements the WHATWG HTML5 specification, and parses HTML to the same DOM as modern browsers.

License:

The MIT License: https://jsoup.org/license

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/help.zip/jsoup.jar
MD5: d15bd94d71d99e967c893e64f6452b84
SHA1: 0fb42d6cc9898ced4b73175eac49c61a40f35325

SHA256:5be1ccd3228ae5fd6eed1bd6d827bac2bc65b91c20e9957d16ea65f739f15302
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence
Vendor	file	name	jsoup	High
Vendor	jar	package name	jsoup	Highest
Vendor	jar	package name	org	Highest
Vendor	jar	package name	parser	Highest
Vendor	Manifest	build-jdk-spec	17	Low
Vendor	Manifest	bundle-docurl	https://jsoup.org/	Low
Vendor	Manifest	bundle-symbolicname	org.jsoup	Medium
Vendor	Manifest	Implementation-Vendor	Jonathan Hedley	High
Vendor	Manifest	multi-release	true	Low
Vendor	Manifest	originally-created-by	Apache Maven Bundle Plugin 5.1.9	Low
Vendor	pom	artifactid	jsoup	Low
Vendor	pom	developer email	jonathan@hedley.net	Low
Vendor	pom	developer id	jhy	Medium
Vendor	pom	developer name	Jonathan Hedley	Medium
Vendor	pom	groupid	org.jsoup	Highest
Vendor	pom	name	jsoup Java HTML Parser	High
Vendor	pom	organization name	Jonathan Hedley	High
Vendor	pom	organization url	https://jhy.io/	Medium
Vendor	pom	url	https://jsoup.org/	Highest
Product	file	name	jsoup	High
Product	jar	package name	9	Highest
Product	jar	package name	jsoup	Highest
Product	jar	package name	org	Highest
Product	jar	package name	parser	Highest
Product	Manifest	build-jdk-spec	17	Low
Product	Manifest	bundle-docurl	https://jsoup.org/	Low
Product	Manifest	Bundle-Name	jsoup Java HTML Parser	Medium
Product	Manifest	bundle-symbolicname	org.jsoup	Medium

Product	Manifest	Implementation-Title	jsoup Java HTML Parser	High
Product	Manifest	multi-release	true	Low
Product	Manifest	originally-created-by	Apache Maven Bundle Plugin 5.1.9	Low
Product	pom	artifactid	jsoup	Highest
Product	pom	developer email	jonathan@hedley.net	Low
Product	pom	developer id	jhy	Low
Product	pom	developer name	Jonathan Hedley	Low
Product	pom	groupid	org.jsoup	Highest
Product	pom	name	jsoup Java HTML Parser	High
Product	pom	organization name	Jonathan Hedley	Low
Product	pom	organization url	https://jhy.io/	Low
Product	pom	url	https://jsoup.org/	Medium
Version	Manifest	Bundle-Version	1.18.3	High
Version	Manifest	Implementation-Version	1.18.3	High
Version	pom	version	1.18.3	Highest

Identifiers

- pkg:maven/org.jsoup/jsoup@1.18.3 (*Confidence*:High)
- cpe:2.3:a:jsoup:jsoup:1.18.3:*:*:*:*:*:*:* (*Confidence*:Highest) suppress

helpdesk.forms.zip: helpdesk.forms.jar

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/plugins/helpdesk.forms.zip/helpdesk.forms.jar
MD5: 2dc80b893ee608718676bbd85d87edd5
SHA1: 937c5e29ddf321d2500af67319ac87ce17cace33
SHA256:dd12291ff498697f902c87fbd240fcdf18a4a4847f86ae7014e0be7312220e9a
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence
Vendor	file	name	helpdesk.forms	High
Vendor	jar	package name	helpdesk	Low

Vendor	jar	package name	inet	Low
Vendor	jar	package name	plugins	Low
Vendor	Manifest	built-date	2025-05-01 13:46	Low
Vendor	Manifest	implementation-group	helpdesk	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	helpdesk.forms	High
Product	jar	package name	forms	Highest
Product	jar	package name	forms	Low
Product	jar	package name	helpdesk	Highest
Product	jar	package name	helpdesk	Low
Product	jar	package name	plugins	Low
Product	Manifest	built-date	2025-05-01 13:46	Low
Product	Manifest	implementation-group	helpdesk	Low
Product	Manifest	Implementation-Title	helpdesk.forms	High
Product	Manifest	specification-title	helpdesk.forms	Medium
Version	jar	package name	helpdesk	Highest
Version	Manifest	Implementation-Version	25.4.227	High

Identifiers

- cpe:2.3:a:inetsoftware:helpdesk:25.4.227:*:*:*:*:*:*:* (*Confidence*:Low) suppress

helpdesk.forms.zip: helpdesk.forms.jar: FormInterceptor.service.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/plugins/helpdesk.forms.zip/helpdesk.forms.jar/com/inet/helpdesk/plugins/forms/client/js/FormInterceptor.service.js
MD5: 57625b1f4afe6720b63e4f1e9f5d77b9
SHA1: f0fa47e081e9c293106bde070d1b612ec9c0d887

SHA256:36dd0b05e29076c9d78fe0dcc0f6d1bff4683d6a6ee7af75fcf6ce44dedbd5ea
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

helpdesk.forms.zip: helpdesk.forms.jar: configuration.ticketforms.edit.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/plugins/helpdesk.forms.zip/helpdesk.forms.jar/com/inet/helpdesk/plugins/forms/client/js/configuration.ticketforms.edit.js
MD5: b545916fb80169c8c844bf560fbb5960
SHA1: c807a7dbf5f7cbd6c444afffbdc4b134832cc084
SHA256:7048388c761dd4b9ef0b3ca470a9e90a70de45468af557efbb39d71b390aad34
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

helpdesk.forms.zip: helpdesk.forms.jar: configuration.ticketforms.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/plugins/helpdesk.forms.zip/helpdesk.forms.jar/com/inet/helpdesk/plugins/forms/client/js/configuration.ticketforms.js
MD5: 59ad512f8b3600829b18437ccb18767d
SHA1: c00458ffb7351900d3669d88d448f922c5dacc30
SHA256:86c5b5c0524c6b7a7eddee38066d63d887c3e568146406e708c2c7b9f9c1af10
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

helpdesk.forms.zip: helpdesk.forms.jar: editFormField.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/plugins/helpdesk.forms.zip/helpdesk.forms.jar/com/inet/helpdesk/plugins/forms/client/js/directives/editFormField.js
MD5: 002fd9674a051eadb78e67108bd463b8
SHA1: defef61b1eca34088102a7a1e1fcc3cbbf3a47eb
SHA256:ffcab6e704f7d1b867adb30aff11b7b3b8c7c7046128ac7eed0f987738dd73a2
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

helpdesk.forms.zip: helpdesk.forms.jar: fieldrenderer.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/plugins/helpdesk.forms.zip/helpdesk.forms.jar/com/inet/helpdesk/plugins/forms/client/js/directives/fieldrenderer.js
MD5: 3e38958237ec25bd84418542890dde72
SHA1: 865f12f97500417370882b34a22f61ba83938ce5
SHA256:46deb0fdd0498f573fb6ff7c1e4d54eae0d82174e37229bdbf7bdc85f62e44c4
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

helpdesk.forms.zip: helpdesk.forms.jar: fieldrenderer_conditionValue.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/plugins/helpdesk.forms.zip/helpdesk.forms.jar/com/inet/helpdesk/plugins/forms/client/js/directives/fieldrenderer_conditionValue.js
MD5: 031e6a4b5305b72e310d4fcf86004ed2
SHA1: a2dbc2eb8adf5a7c5a7e6097419c3a2e764e6018
SHA256:af6c7af4da9647d9f0a80916eece0dbe3417febd0407fe6769f817d2d30ccd5b
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

helpdesk.forms.zip: helpdesk.forms.jar: fieldrenderer_defaultValue.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/plugins/helpdesk.forms.zip/helpdesk.forms.jar/com/inet/helpdesk/plugins/forms/client/js/directives/fieldrenderer_defaultValue.js
MD5: a0be66dcdadef7f307b5bcb4397a6d2f
SHA1: ac7b77cb3e917d71cf1c4fe6167c53d6f8638cfe
SHA256:a9f74e58de0e6cbd6b0a40dbbb2c39f9c0c0a21e0af16d9ddef2b558ab834826
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

helpdesk.forms.zip: helpdesk.forms.jar: folderPermissionsDisplay.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/plugins/helpdesk.forms.zip/helpdesk.forms.jar/com/inet/helpdesk/plugins/forms/client/js/directives/folderPermissionsDisplay.js
MD5: 14601718259c92137b919428c333a368
SHA1: 2dc8144483c6da42a0f6a39ee6a6bee2027f04cd
SHA256:c5c605b7fcca1ad842867895516f4fcc77564db4572fff3707a03c1906ef6a2f
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

helpdesk.forms.zip: helpdesk.forms.jar: formExecution.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/plugins/helpdesk.forms.zip/helpdesk.forms.jar/com/inet/helpdesk/plugins/forms/client/js/formExecution.js
MD5: 0d0ca9d1aca73e425a63ae5aabf1155b
SHA1: 7a3a6b06adbe5cbe6f49cef65b68e143dc151c79
SHA256:c98cb896652b0cf1ec0f4df31ad784892a4f9e4b5eb7fb32493f003d1c15b19d
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

helpdesk.forms.zip: helpdesk.forms.jar: formHandlingService.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/plugins/helpdesk.forms.zip/helpdesk.forms.jar/com/inet/helpdesk/plugins/forms/client/js/formHandlingService.js
MD5: 5a25cb0a73d56553e2727412be597e22
SHA1: cf77decbf87da33954fd90c8596783c6c7422968
SHA256:4cedc111f1a1c7787c5eb67c15f52851cd06a885280e3a396322fa511db38c28
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

helpdesk.forms.zip: helpdesk.forms.jar: formfields.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/plugins/helpdesk.forms.zip/helpdesk.forms.jar/com/inet/helpdesk/plugins/forms/client/js/directives/formfields.js
MD5: 0d71b2eb25d063dfc0238875eb0337e7
SHA1: 466612b81dbf6fb956b87fd98dbe81a14f4018a1
SHA256:ce05f327d06178b2c2f715a36be6ca4a1aeb1a5cd2458e2a587141ccbe134d72
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

helpdesk.forms.zip: helpdesk.forms.jar: formicondropzone.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/plugins/helpdesk.forms.zip/helpdesk.forms.jar/com/inet/helpdesk/plugins/forms/client/js/directives/formicondropzone.js
MD5: 0f0ae951a7e2769aab6edce3b889067f
SHA1: 982b012023463e93d5d8e1815c62b1ea012ecdbc
SHA256:6abaf6d32ad7d51d2479ca51e59d2b014819bdbfd76fd0a2c1fb3191ecf0967c
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

helpdesk.forms.zip: helpdesk.forms.jar: formmetadata.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/plugins/helpdesk.forms.zip/helpdesk.forms.jar/com/inet/helpdesk/plugins/forms/client/js/directives/formmetadata.js
MD5: 86e2fd184348d0cc84dea0881268f1e1
SHA1: 02c2ba49c9fd2313cb44589d0ff8ea482a13daed
SHA256:40c5ada41c478dd82d3430258f4c49ea80f236700ad755216f817dcd903e1bda
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

helpdesk.forms.zip: helpdesk.forms.jar: formrenderer.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/plugins/helpdesk.forms.zip/helpdesk.forms.jar/com/inet/helpdesk/plugins/forms/client/js/directives/formrenderer.js
MD5: 0e1e05cf781e9694def6b664c3d19b81
SHA1: ea0a97dce510457921e668033b14a067a96aaec6
SHA256:f7e719e8aae43a9d31720555753b031d7cea92e9f5a38cffb68663197fef6f9d
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

helpdesk.forms.zip: helpdesk.forms.jar: formsections.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/plugins/helpdesk.forms.zip/helpdesk.forms.jar/com/inet/helpdesk/plugins/forms/client/js/directives/formsections.js
MD5: fd560567cb958022ef247562518bd32c
SHA1: f7435fc01357702c03880361d400ef1aa0db9899
SHA256:b20636482f9d906997bef5fd5a8ffa2bcf6f52d51110ecf1711b10690ad0b668
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

helpdesk.forms.zip: helpdesk.forms.jar: sectionid.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/plugins/helpdesk.forms.zip/helpdesk.forms.jar/com/inet/helpdesk/plugins/forms/client/js/directives/sectionid.js
MD5: 854ae53f85b457cbb0c65f16a48879ef
SHA1: 6580c71bc53b959567a3cead71a3d689b8822ffd
SHA256:76b4d5260aad83a2db63d539dd196618a073b0df296917a0a70457b21a7dcf70
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

helpdesk.forms.zip: helpdesk.forms.jar: ticketPreviewSettings.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/plugins/helpdesk.forms.zip/helpdesk.

forms.jar/com/inet/helpdesk/plugins/forms/client/js/ticketPreviewSettings.js
MD5: f0af9ca1bdcdb5563cb80ae26af99e9f
SHA1: 68fb4304fc250a2cfa08dc0d9f6db2641cb78a15
SHA256:b53e6d831f6b62d65b8ddb7029182545e453bc0b1ebfdcb5ef19ad93e1d10ddb
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

helpdesk.forms.zip: helpdesk.forms.jar: ticketformsfactory.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/plugins/helpdesk.forms.zip/helpdesk.forms.jar/com/inet/helpdesk/plugins/forms/client/js/ticketformsfactory.js
MD5: 75e0ca79e7a12408a449c5adc108ff36
SHA1: 2e4c7a5a28573faace3cbb969965c666a6458a72
SHA256:3009446c3bfd48dae827a0325e8e0455b9bfb1ebdead408dc3703383785535ee
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

helpdesk.forms.zip: helpdesk.forms.jar: ticketformsmodel.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/plugins/helpdesk.forms.zip/helpdesk.forms.jar/com/inet/helpdesk/plugins/forms/client/js/ticketformsmodel.js
MD5: 5065e9849bb98b8d778faa91261d0327
SHA1: 2586f2dd5c51341c1c93338dadcf3af61e3547d1
SHA256:56a4e13c29c033fc6b8d0f55b5d1e4e7a5a7c71d4855d89f7585ea8604041d5d
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

helpdesk.forms.zip: helpdesk.forms.jar: ticketlist.form.controller.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/plugins/helpdesk.forms.zip/helpdesk.forms.jar/com/inet/helpdesk/plugins/forms/client/ticketlist/ticketlist.form.controller.js
MD5: 0562d6a2e2c2a89e28a7f76e41ce7f29
SHA1: 9e93a336cd0bfdfb00b192aecb2347c163c83466
SHA256:c24d9cf2a1fbd5d4d6f8659f984d0b9b5fce7f6dbc69aa857d3f0ba2a0d835ab
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

helpdesk.forms.zip: helpdesk.forms.jar: ticketlist.form.extension.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/plugins/helpdesk.forms.zip/helpdesk.forms.jar/com/inet/helpdesk/plugins/forms/client/ticketlist/ticketlist.form.extension.js
MD5: de57c91dc4f10e9ef51fe5fd18e27832
SHA1: 8b85ba053fdf52134297a8e5f86b2eea1decc1ce
SHA256:91dcd3a92ccde5d3750aabf33e02c458fa1349f3b20e44159054796f564b4aad
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

helpdesk.zip: helpdesk.jar

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/plugins/helpdesk.zip/helpdesk.jar
MD5: d6156a25165a78e4674fc1957aac20a0
SHA1: df51a9f04f816a18968bef1254844b8bc27944e2
SHA256:21f5e6b23ec3e9f504af804f60ea7a6e8d7a7d170ae64b463b88506f6a9f5a44
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence
Vendor	file	name	helpdesk	High
Vendor	jar	package name	helpdesk	Low
Vendor	jar	package name	inet	Low
Vendor	Manifest	built-date	2025-05-01 13:50	Low
Vendor	Manifest	implementation-group	helpdesk	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	helpdesk	High
Product	jar	package name	helpdesk	Highest
Product	jar	package name	helpdesk	Low
Product	Manifest	built-date	2025-05-01 13:50	Low
Product	Manifest	implementation-group	helpdesk	Low
Product	Manifest	Implementation-Title	helpdesk	High
Product	Manifest	specification-title	helpdesk	Medium
Version	jar	package name	helpdesk	Highest
Version	Manifest	Implementation-Version	25.4.227	High

Identifiers

- cpe:2.3:a:inetsoftware:helpdesk:25.4.227:*:*:*:*:*:*:* (*Confidence*:Low) suppress

helpdesk.zip: helpdesk.jar: TicketFieldSettingsPropertyRenderer.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/plugins/helpdesk.zip/helpdesk.jar/com/inet/helpdesk/core/ticketfieldsettings/config/js/TicketFieldSettingsPropertyRenderer.js
MD5: 03b0895784855f49e572fd5f839c197a
SHA1: 844899bfd0e770b3f7609e998505c34fd3affb00
SHA256:908d11c8715fe1e93ac8fbde98c1372901f9d216fb00f5ac796a7974f98657bf
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

helpdesk.zip: helpdesk.jar: attachmentdisplay.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/plugins/helpdesk.zip/helpdesk.jar/com/inet/helpdesk/attachmentdisplay/attachmentdisplay.js
MD5: 92413f9190fb6a3b2b617768c20b46e0
SHA1: 54c3061a784301a3f4f1778e0558820858bb9438
SHA256:4adba3acdb226cd7a1cb6a9f0ffa87ea43ad5ca8869e22b1e81e79aa81adc3e7
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

helpdesk.zip: helpdesk.jar: configuration.autotext.edit.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/plugins/helpdesk.zip/helpdesk.jar/com/inet/helpdesk/config/autotext/configuration.autotext.edit.js
MD5: b218e904b5605b3355f10f00a20b31f3
SHA1: ec80bd7877a787329fab41013160bc0eff27cf19
SHA256:191f90b91fe98959f58716b75e06e95938f7b4b9e53f269c40b9bf048cbbe145
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

helpdesk.zip: helpdesk.jar: configuration.autotext.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/plugins/helpdesk.zip/helpdesk.jar/com/inet/helpdesk/config/autotext/configuration.autotext.js
MD5: 2eeeae48e2d3fa720b9db7c5d72604cc
SHA1: bc2c5c0c79bc940f8b86e604be7c1a6f2f0c446c
SHA256:79f7326b94c4a315fa11f4dfd76a80859f8f2710e3c9af3379662b92bf608945
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

helpdesk.zip: helpdesk.jar: configuration.mailtemplates.edit.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/plugins/helpdesk.zip/helpdesk.jar/com/inet/helpdesk/config/mailtemplates/configuration.mailtemplates.edit.js
MD5: 7ed2deffb5bc3d241290f148a225acc5
SHA1: 8dfa7c30f7f52536be750a5e5a03b3ec9baf54b7
SHA256:73046127dbc9b2fc62e2ef971a7bcf5b7a8c38cd6a7b246bc654def65979ce90
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

helpdesk.zip: helpdesk.jar: configuration.mailtemplates.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/plugins/helpdesk.zip/helpdesk.jar/com/inet/helpdesk/config/mailtemplates/configuration.mailtemplates.js
MD5: c1c3e119b9134e34f445e10e01e063ca
SHA1: 0eda11b37bbf3ed6a79ada4548f6d02064bd61bb
SHA256:761152bb2b114d2ffe347c3368c95a0048faa3f3d2c17d09d25dbbe475697d9e
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

helpdesk.zip: helpdesk.jar: effectiveactionscontroller.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/plugins/helpdesk.zip/helpdesk.jar/com/inet/helpdesk/usersandgroups/ui/js/effectiveactionscontroller.js
MD5: aafff8fd79e48722797b8d8c9d67f132
SHA1: 3cf76d85fc2a8f840d76c611a560e5106237dd06
SHA256:90e8e62a9cb4fdfc4ebc669dc7a1cdb10f8481fbf91dbe7e198a47f5781b6ba6
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

helpdesk.zip: helpdesk.jar: helpdeskconfig.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/plugins/helpdesk.zip/helpdesk.jar/com/inet/helpdesk/plugin/helpdeskconfig/helpdeskconfig.js
MD5: 1a49e536245a3de15bb59d31ff17c2a4
SHA1: a909e24646fbbeeeb7b3a99bc735fd77418c5141
SHA256:d0fafab8862cbe629c019737d54e7fa3a226bb3b3f3717131af6d7dedab89db9
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

helpdesk.zip: helpdesk.jar: predeletionhandler.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/plugins/helpdesk.zip/helpdesk.jar/com/inet/helpdesk/usersandgroups/ui/js/predeletionhandler.js
MD5: b07228667f35f2db8fe97e14072330e2
SHA1: 56563dca2887c8794cc93f79dec86721dedbbdc5
SHA256:94b564b4d308da955ec91f35eef6ce2d43a4e0404ed85c818860fd52b1db112b
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

helpdesk.zip: helpdesk.jar: promptuserselectrenderer.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/plugins/helpdesk.zip/helpdesk.jar/com/inet/helpdesk/plugins/reporting/client/js/promptuserselectrenderer.js
MD5: 568ecc46e94c00ed2bd10c3dd310587f
SHA1: 4b952ce6e2268d982d19c26b527e3927c7c6f56b
SHA256:46e9e2baea18056db596b93b03f4ca7c02f9dd8420288fb5d63aa72a467d94be
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

helpdesk.zip: helpdesk.jar: renderer.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/plugins/helpdesk.zip/helpdesk.jar/com/inet/helpdesk/usersandgroups/ui/js/renderer.js
MD5: a47f1f73b8680db9e410eccce8f95d59
SHA1: 971157e547fce34414e1eb46161846eb6b6443cf
SHA256:9a8813949765fa23463f597a0520b86b65f935d3b51b0bc2ec3ab43522ec556c
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

helpdesk.zip: helpdesk.jar: setdefaultguipreferencesaction.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/plugins/helpdesk.zip/helpdesk.jar/com/inet/helpdesk/usersandgroups/ui/js/setdefaultguipreferencesaction.js
MD5: 5e91ab327ff4b854d6ced204e261202c
SHA1: 1f94572d6c505563aee1641cf40efc651a42b5f3
SHA256:94b19ceceff3b2a2c595f896f7320749430b1d99113ba3c7f35decfae603bd0a
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

helpdesk.zip: helpdesk.jar: usersandgroupsreports.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/plugins/helpdesk.zip/helpdesk.jar/com/inet/helpdesk/usersandgroups/ui/js/usersandgroupsreports.js
MD5: d1dc1ae5cdb8871ed9859374c31db24a
SHA1: 61f294a069c216b738878861dcea4deeb24f0ac6
SHA256:9e33365a5e3d861ddecb2a2fb72179dbdad8d332b5114efc5e44d5d884db743a
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

helpdesk.zip: rhino.jar

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/plugins/helpdesk.zip/rhino.jar
MD5: f1aed8c6aac3d1e65bf0331e826f8037
SHA1: 889636434674822ce2d14d6e92f7cf96726c6783
SHA256:e7ff37ec00b4c19ea16f42b5b3a601616d559dbb76e65bc9d094bd6bda2a925d
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence
Vendor	file	name	rhino	High
Vendor	jar	package name	javascript	Low
Vendor	jar	package name	mozilla	Highest
Vendor	jar	package name	mozilla	Low
Vendor	Manifest	implementation-url	http://github.com/mozilla/rhino	Low
Vendor	Manifest	Implementation-Vendor	Mozilla Foundation	High
Product	file	name	rhino	High
Product	jar	package name	javascript	Low
Product	jar	package name	mozilla	Highest
Product	Manifest	Implementation-Title	Mozilla Rhino	High
Product	Manifest	implementation-url	http://github.com/mozilla/rhino	Low
Version	jar	package name	mozilla	Highest
Version	Manifest	Implementation-Version	1.8.0	High

Identifiers

- **None**

helpdesksetupwizard.zip: helpdesksetupwizard.jar

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/plugins/helpdesksetupwizard.zip/helpdesksetupwizard.jar
MD5: 3bc5cceaf2ec0fdcd1ef85ed643b12e6
SHA1: dbb265a08ee4fa731e2a9ef5624d606d2c54ef8a
SHA256:a5c636b35d9d932add6de50dc8b557037e8fa5fe2e6c0e379adbbe93e2591fc0
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence
Vendor	file	name	helpdesksetupwizard	High
Vendor	jar	package name	helpdesk	Low
Vendor	jar	package name	inet	Low
Vendor	jar	package name	plugins	Low
Vendor	Manifest	built-date	2025-05-01 13:51	Low
Vendor	Manifest	implementation-group	helpdesk	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	helpdesksetupwizard	High
Product	jar	package name	helpdesk	Highest
Product	jar	package name	helpdesk	Low
Product	jar	package name	plugins	Low
Product	jar	package name	setupwizard	Low
Product	Manifest	built-date	2025-05-01 13:51	Low
Product	Manifest	implementation-group	helpdesk	Low
Product	Manifest	Implementation-Title	helpdesksetupwizard	High
Product	Manifest	specification-title	helpdesksetupwizard	Medium
Version	jar	package name	helpdesk	Highest
Version	Manifest	Implementation-Version	25.4.227	High

Identifiers

- cpe:2.3:a:inetsoftware:helpdesk:25.4.227:*:*:*:*:*:*:* (*Confidence*:Low) suppress

helpdesksetupwizard.zip: helpdesksetupwizard.jar: controller.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems /HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/plugins/helpdesksetupwizard.zip /helpdesksetupwizard.jar/com/inet/helpdesk/plugins/setupwizard/steps/database/controller.js
MD5: 8b6eeb545c7b5887e26a15361021d50e
SHA1: 7a4011053e83d53c0d49cf02dc3129ee60836b91
SHA256:a2b34c03b76bf460f526e4ea4cfa3b19fcc952b86a131302718d2aad42807aab
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

htmlengine.zip: JWebEngine.jar

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems /HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/htmlengine.zip /JWebEngine.jar
MD5: 178d5fe700ac300f684c9fd097cb2c8e
SHA1: c2a701af633d4356c28f51439a01fe2e538502c8
SHA256:c8ae2dfb5c94a418d4e474af4617c9dc060b9fc45dc09ae29fed28f275025efb
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence
Vendor	file	name	JWebEngine	High
Vendor	jar	package name	html	Low
Vendor	jar	package name	inet	Low
Vendor	Manifest	application-library-allowable-codebase	*	Low
Vendor	Manifest	built-date	2025-05-01 01:23	Low
Vendor	Manifest	codebase	*	Low
Vendor	Manifest	implementation-group	lib	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-	de.inetsoftware	Medium

		Vendor-Id		
Vendor	Manifest	permissions	all-permissions	Low
Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	trusted-library	false	Low
Vendor	Manifest	trusted-only	false	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	JWebEngine	High
Product	jar	package name	html	Low
Product	Manifest	application-library-allowable-codebase	*	Low
Product	Manifest	built-date	2025-05-01 01:23	Low
Product	Manifest	codebase	*	Low
Product	Manifest	implementation-group	lib	Low
Product	Manifest	Implementation-Title	JWebEngine	High
Product	Manifest	permissions	all-permissions	Low
Product	Manifest	specification-title	JWebEngine	Medium
Product	Manifest	trusted-library	false	Low
Product	Manifest	trusted-only	false	Low
Version	Manifest	Implementation-Version	1.13.1634	High

Identifiers

- **None**

htmlengine.zip: htmlengine.jar

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/htmlengine.zip/htmlengine.jar
MD5: 271cf5f7da308d386089ebc07bdaeca0
SHA1: b258c237c2f923dbd32f281e98d35224ec937507
SHA256:876ce89edc14752b56d67ed90b05069dae78d9386cd7317bf6288fa8aac8f7bc
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence
Vendor	file	name	htmlengine	High
Vendor	jar	package name	htmlengine	Low
Vendor	jar	package name	inet	Low
Vendor	Manifest	built-date	2025-05-01 11:50	Low
Vendor	Manifest	implementation-group	shared	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	htmlengine	High
Product	jar	package name	hmtlengineserverplugin	Low
Product	jar	package name	htmlengine	Highest
Product	jar	package name	htmlengine	Low
Product	Manifest	built-date	2025-05-01 11:50	Low
Product	Manifest	implementation-group	shared	Low
Product	Manifest	Implementation-Title	htmlengine	High
Product	Manifest	specification-title	htmlengine	Medium
Version	Manifest	Implementation-Version	25.4.227	High

Identifiers

- **None**

htmlviewer.toolbar.zip: htmlviewer.toolbar.jar

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/htmlviewer.toolbar.zip/htmlviewer.toolbar.jar
MD5: 429d4d2fee3b227180b186e0b5376848

SHA1: 490227abad8b4989d816ec247cfe2407831171a3
SHA256:ebac85ec52a4839a558425d6d0c37c23da12b8d2cda2f930029b6e21bf3a157a
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence
Vendor	file	name	htmlviewer.toolbar	High
Vendor	jar	package name	htmlviewer	Low
Vendor	jar	package name	inet	Low
Vendor	Manifest	built-date	2025-05-01 12:53	Low
Vendor	Manifest	implementation-group	reporting	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	htmlviewer.toolbar	High
Product	jar	package name	htmlviewer	Highest
Product	jar	package name	htmlviewer	Low
Product	Manifest	built-date	2025-05-01 12:53	Low
Product	Manifest	implementation-group	reporting	Low
Product	Manifest	Implementation-Title	htmlviewer.toolbar	High
Product	Manifest	specification-title	htmlviewer.toolbar	Medium
Version	Manifest	Implementation-Version	25.4.227	High

Identifiers

- **None**

htmlviewer.toolbar.zip: htmlviewer.toolbar.jar: htmlviewer.angular.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/htmlviewer.toolbar.zip

/htmlviewer.toolbar.jar/com/inet/htmlviewer/client/htmlviewer.angular.js
MD5: 3d4ffd97b4b2889874ab2c25fd81dfd0
SHA1: ea87dcc7a044e2517277934bea09c98994d3134f
SHA256:74009939b76ca622b76ee6abefb1cbe3632398f76f7282f51b90ccd1ca9998d3
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

inetcore-25.4-tools.jar

File Path: /home/jenkins/.gradle/caches/modules-2/files-2.1/shared/inetcore/25.4/a1ec3b817c42109c9619d6141103d0a9cba7a9ac/inetcore-25.4-tools.jar
MD5: a481b71fe7c78c6577a524f5e97db847
SHA1: a1ec3b817c42109c9619d6141103d0a9cba7a9ac
SHA256:e7d2324ca4f390420d506d6e96f3c8ed48299424dc22f488693f12573e479e3c
Referenced In Project/Scope: server:inetPlugin
Included by: pkg:maven/helpdesk/server@25.4

Evidence

Type	Source	Name	Value	Confidence
Vendor	file	name	inetcore	High
Vendor	gradle	artifactid	inetcore	Highest
Vendor	gradle	groupid	shared	Highest
Vendor	jar	package name	test	Low
Product	file	name	inetcore	High
Product	gradle	artifactid	inetcore	Highest
Version	file	name	inetcore	Medium
Version	file	version	25.4	High
Version	gradle	version	25.4	Highest

Identifiers

- pkg:maven/shared/inetcore@25.4 (*Confidence*:Highest)

inetcore-25.4.jar (shaded: com.inet.shared:inetcore:null)

Description:

A blend composite defines the rule according to which a drawing primitive (known as the source) is mixed with existing graphics (know as the destination.)

ColorUtilities contains a set of tools to perform common color operations easily.

License:

LGPL: http://www.gnu.org/licenses/lgpl.txt

File Path: /home/jenkins/.gradle/caches/modules-2/files-2.1/shared/inetcore/25.4/c2ea43c0b356c03b59ffcfceefa38106f4dee41a/inetcore-25.4.jar/META-INF/com/inet/shared/utils/BlendComposite/pom.xml
MD5: b7bc59004e73f85cce4369bc5e034e6b
SHA1: 9caff88589bdd8fdc3c3f320340b76830f3818de
SHA256:aab973b164e2d64808cd34c47b78399c4f016ec308900f5393733d3bc5c706bc
Referenced In Projects/Scopes:

- server
- server:inetPlugin

Evidence

Type	Source	Name	Value	Confidence
Vendor	pom	artifactid	inetcore	Low
Vendor	pom	developer email	contact@inetsoftware.de	Low
Vendor	pom	developer email	morgand@apache.org	Low
Vendor	pom	developer id	inetsoftware	Medium
Vendor	pom	developer id	romainguy	Medium
Vendor	pom	developer id	sun	Medium
Vendor	pom	developer name	i-net /// software	Medium
Vendor	pom	developer name	Romain Guy	Medium
Vendor	pom	developer name	Sun	Medium
Vendor	pom	developer org	Sun	Medium
Vendor	pom	groupid	com.inet.shared	Highest
Vendor	pom	name	BlendComposite and ColorUtils	High
Vendor	pom (hint)	developer id	oracle	Medium
Vendor	pom (hint)	developer name	oracle	Medium
Vendor	pom (hint)	developer org	oracle	Medium
Product	pom	artifactid	inetcore	Highest

Product	pom	developer email	contact@inetsoftware.de	Low
Product	pom	developer email	morgand@apache.org	Low
Product	pom	developer id	inetsoftware	Low
Product	pom	developer id	romainguy	Low
Product	pom	developer id	sun	Low
Product	pom	developer name	i-net /// software	Low
Product	pom	developer name	Romain Guy	Low
Product	pom	developer name	Sun	Low
Product	pom	developer org	Sun	Low
Product	pom	groupid	com.inet.shared	Highest
Product	pom	name	BlendComposite and ColorUtils	High

Identifiers

- **None**

inetcore-25.4.jar

File Path: /home/jenkins/.gradle/caches/modules-2/files-2.1/shared/inetcore/25.4/c2ea43c0b356c03b59ffcfceefa38106f4dee41a/inetcore-25.4.jar
MD5: 6170412be972950d50d373f817c58c3f
SHA1: c2ea43c0b356c03b59ffcfceefa38106f4dee41a
SHA256:19c911bd5d950f8524de221c2229ad8bd642a0feb78b580b4f975a8a7507ccca
Referenced In Projects/Scopes:

- server
- server:inetPlugin

Included by: pkg:maven/helpdesk/server@25.4

Evidence

Type	Source	Name	Value	Confidence
Vendor	file	name	inetcore	High
Vendor	gradle	artifactid	inetcore	Highest
Vendor	gradle	groupid	shared	Highest
Vendor	jar	package name	i	Highest
Vendor	jar	package name	inet	Low
Vendor	Manifest	application-library-allowable-	*	Low

		codebase		
Vendor	Manifest	built-date	2025-05-01 10:59	Low
Vendor	Manifest	codebase	*	Low
Vendor	Manifest	implementation-group	shared	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	permissions	all-permissions	Low
Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	trusted-library	false	Low
Vendor	Manifest	trusted-only	false	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	inetcore	High
Product	gradle	artifactid	inetcore	Highest
Product	jar	package name	permissions	Highest
Product	jar	package name	shared	Highest
Product	Manifest	application-library-allowable-codebase	*	Low
Product	Manifest	built-date	2025-05-01 10:59	Low
Product	Manifest	codebase	*	Low
Product	Manifest	implementation-group	shared	Low
Product	Manifest	Implementation-Title	inetcore	High
Product	Manifest	permissions	all-permissions	Low
Product	Manifest	specification-title	inetcore	Medium
Product	Manifest	trusted-library	false	Low
Product	Manifest	trusted-only	false	Low
Version	file	name	inetcore	Medium
Version	file	version	25.4	High
Version	gradle	version	25.4	Highest
Version	jar	package name	permissions	Highest
Version	jar	package name	shared	Highest
Version	Manifest	Implementation-Version	25.4.227	High

Related Dependencies

- inetcore.jar
  - File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server /core/inetcore.jar
  - MD5: 6170412be972950d50d373f817c58c3f
  - SHA1: c2ea43c0b356c03b59ffcfceefa38106f4dee41a
  - SHA256: 19c911bd5d950f8524de221c2229ad8bd642a0feb78b580b4f975a8a7507ccca

Identifiers

- pkg:maven/shared/inetcore@25.4 (*Confidence*:Highest)

inetloggeradapter.jar

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems /HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/core/inetloggeradapter.jar
MD5: c37e7cdb7274fd59b3a2340455671ec1
SHA1: 6b63be4d5e933ce5a9ccae507c12f19027cb807f
SHA256:b363bf5bc53cef1855a3cd938dbde1dd9d786921bc5f2d8c604c593c7170e0a2
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence
Vendor	file	name	inetloggeradapter	High
Vendor	jar	package name	inet	Low
Vendor	jar	package name	slf4j	Low
Vendor	Manifest	application-library-allowable-codebase	*	Low
Vendor	Manifest	built-date	2025-05-01 11:30	Low
Vendor	Manifest	codebase	*	Low
Vendor	Manifest	implementation-group	shared	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	permissions	all-permissions	Low

Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	trusted-library	false	Low
Vendor	Manifest	trusted-only	false	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	inetloggeradapter	High
Product	jar	package name	slf4j	Low
Product	Manifest	application-library-allowable-codebase	*	Low
Product	Manifest	built-date	2025-05-01 11:30	Low
Product	Manifest	codebase	*	Low
Product	Manifest	implementation-group	shared	Low
Product	Manifest	Implementation-Title	i-net Logger Adapter	High
Product	Manifest	permissions	all-permissions	Low
Product	Manifest	specification-title	inetloggeradapter	Medium
Product	Manifest	trusted-library	false	Low
Product	Manifest	trusted-only	false	Low
Version	Manifest	Implementation-Version	25.4.227	High

Identifiers

- **None**

inventory.zip: inventory.jar

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/plugins/inventory.zip/inventory.jar
MD5: 59cb1e9a6b66f9f53ad563294b06a8f6
SHA1: ee5d6806d83eddacbeeaa1bb7fb908bb9f3e68bd
SHA256:d9daed26fd02cb01951eb585f666a619499b474536d444a3d09fe25e534547cc
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence
Vendor	file	name	inventory	High

Vendor	jar	package name	helpdesk	Low
Vendor	jar	package name	inet	Low
Vendor	jar	package name	plugins	Low
Vendor	Manifest	built-date	2025-05-01 13:45	Low
Vendor	Manifest	implementation-group	helpdesk	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	inventory	High
Product	jar	package name	helpdesk	Highest
Product	jar	package name	helpdesk	Low
Product	jar	package name	inventory	Highest
Product	jar	package name	inventory	Low
Product	jar	package name	plugins	Low
Product	Manifest	built-date	2025-05-01 13:45	Low
Product	Manifest	implementation-group	helpdesk	Low
Product	Manifest	Implementation-Title	inventory	High
Product	Manifest	specification-title	inventory	Medium
Version	jar	package name	helpdesk	Highest
Version	Manifest	Implementation-Version	25.4.227	High

Identifiers

- cpe:2.3:a:inetsoftware:helpdesk:25.4.227:*:*:*:*:*:*:* (*Confidence*:Low) suppress

inventory.zip: inventory.jar: genericfieldrenderer.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/plugins/inventory.zip/inventory.jar/com/inet/helpdesk/plugins/inventory/client/js/genericfieldrenderer.js

MD5: e0fe014b9d536dce5624250d171f6fe6
SHA1: 62216f45c304d52705aa417ede29297845b09b64
SHA256:24449ce41d8de8f57fd14329f15641cfc7f1b2082300b12e9a8ecfa4ea14fb1f
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

inventory.zip: inventory.jar: inventory.3drenderer.directive.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/plugins/inventory.zip/inventory.jar/com/inet/helpdesk/plugins/inventory/client/js/renderer3d/inventory.3drenderer.directive.js
MD5: 99fd7eedbc6b51a251301919c0adc442
SHA1: db4e27ea46f3810d28676ecc347f985c873457c3
SHA256:8938eb0246363c111e9bbe22caabd2a5cb96a37a26946beb852fcd3c25bf51ad
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

inventory.zip: inventory.jar: inventory.3dview.directive.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/plugins/inventory.zip/inventory.jar/com/inet/helpdesk/plugins/inventory/client/js/inventory.3dview.directive.js
MD5: 298045c849bdc046231e2c9eaca08e24
SHA1: 0176e2ed4fa8d03898a3783511097ef3e2be1f07
SHA256:a164d9ed30f1c97f64b3df756615fc741515eb776fa401bbc376e7168e4b9779
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

inventory.zip: inventory.jar: inventory.asset3d.directive.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/plugins/inventory.zip/inventory.jar/com/inet/helpdesk/plugins/inventory/client/js/renderer3d/inventory.asset3d.directive.js
MD5: 324f454219204d6ece0388baefc2b598
SHA1: 2c92ff4efb740b54806730fdf171fc86e6931a36
SHA256:982334a7f0ccf9ac099f80454ff6017a7935b3387c806687a8b6060dc40a6d38
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

inventory.zip: inventory.jar: inventory.assetdetailsform.directive.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/plugins/inventory.zip/inventory.jar/com/inet/helpdesk/plugins/inventory/client/js/inventory.assetdetailsform.directive.js
MD5: 900eed90a6f1a9fca890b9a156b9df0c
SHA1: fcf9d9ddb064c8677e18eb01cb9c0407ffead07f
SHA256:43a1ea04ac38d9eb821d5fabdc13ba821af59513209892606ae84c6ffb467e81
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

inventory.zip: inventory.jar: inventory.assetimage.directive.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/plugins/inventory.zip/inventory.jar/com/inet/helpdesk/plugins/inventory/client/js/inventory.assetimage.directive.js
MD5: 0cde9235c1970f21768406c1ad9ecc8b
SHA1: 754b64e4d87233cfc54f209e4e53b566d7c43eda
SHA256:87781d74ff9a0193ea03ceed9fdb76e211c2f0dfbd0a9034c34d6add095cea33
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

inventory.zip: inventory.jar: inventory.assetimagehover.directive.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/plugins/inventory.zip/inventory.jar/com/inet/helpdesk/plugins/inventory/client/js/inventory.assetimagehover.directive.js
MD5: e9aa0425a92846afc32dcc6749d285f5
SHA1: fde3448d146ca8fd27e236c6fae905a49a6284ee
SHA256:107430e83cfd95a68eafa0219a0840dc465dadf6374ce0938653055433c08356
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

inventory.zip: inventory.jar: inventory.assetmenu.directive.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/plugins/inventory.zip/inventory.jar/com/inet/helpdesk/plugins/inventory/client/js/inventory.assetmenu.directive.js
MD5: 2e6a7fbd33cad433035e0d253c349727
SHA1: 0495b2e5e7773658e40d5a0f3da720d4b8e4a898
SHA256:0d7c559962b804411455e3c5f376862e5290f698a0a7f741e0369754cc46d2cc
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

inventory.zip: inventory.jar: inventory.default3dbox.directive.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/plugins/inventory.zip/inventory.jar/com/inet/helpdesk/plugins/inventory/client/js/renderer3d/inventory.default3dbox.directive.js
MD5: c65d1572b8a63f4e949ecca7f03fc517
SHA1: cbf915fe19ea07c6256c24fc5548d3b6f268155e
SHA256:f41260738f7ad56071e00ea7a3c87b2bea318b343e4c899e5bfcd2e78c0f8340
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

inventory.zip: inventory.jar: inventory.devicefieldrenderer.directive.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/plugins/inventory.zip/inventory.jar/com/inet/helpdesk/plugins/inventory/client/js/fieldrenderer/inventory.devicefieldrenderer.directive.js
MD5: 47cdd86e98265ea8eb89e8455937a688
SHA1: f516d1d34778415708b6fb44d34c368439365eb5

SHA256:fd92cf790c9fa1c0b1a926543391f585c775121d1f18adb2d3d8beb399d24312
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

inventory.zip: inventory.jar: inventory.devicefieldrenderercurrency.directive.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/plugins/inventory.zip/inventory.jar/com/inet/helpdesk/plugins/inventory/client/js/fieldrenderer/inventory.devicefieldrenderercurrency.directive.js
MD5: b826f74c88b0c8d88299d1033d5bf92a
SHA1: e6e574c70946ce108bbf3bd2a78d64c4015ef26c
SHA256:1d5e2dceb7eb94d71ae08c1efc3e25664f1172225d49b0d7e23cea6df410cfb7
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

inventory.zip: inventory.jar: inventory.devicefieldrendererdatetime.directive.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/plugins/inventory.zip/inventory.jar/com/inet/helpdesk/plugins/inventory/client/js/fieldrenderer/inventory.devicefieldrendererdatetime.directive.js
MD5: 51436cf81eb8f5ef01fa1eb87c9964a2
SHA1: 928f42a2646572117daa38a8b1acfc328d96c42a
SHA256:f07f1f392d52103d3ac8b322f6ec867848709e2025e6c91f6bebc23f9fa86b9c
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

inventory.zip: inventory.jar: inventory.devicefieldrendererlink.directive.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/plugins/inventory.zip/inventory.jar/com/inet/helpdesk/plugins/inventory/client/js/fieldrenderer/inventory.devicefieldrendererlink.directive.js
MD5: 9697bab126ef2744b52c26e2dab99e4e
SHA1: 8ad5369b52de630939dc1a354494a4b3226618f7
SHA256:c810d49ab6d089999398cdfff23421f7eadf9341862b18e165edcad20b974cf2
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

inventory.zip: inventory.jar: inventory.devicefieldrendererselect.directive.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/plugins/inventory.zip/inventory.jar/com/inet/helpdesk/plugins/inventory/client/js/fieldrenderer/inventory.devicefieldrendererselect.directive.js
MD5: a77f911d247e284040efd9c2c142f072
SHA1: 1ba72ae3216ea703907b8862149291f2bbbd305e
SHA256:e3d72c38f4dd907207fe814500fb69b23036b5eefeb0b2a1498ec60d8a0cbc28
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

inventory.zip: inventory.jar: inventory.devicefieldrenderertime.directive.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/plugins/inventory.zip/inventory.jar/com/inet/helpdesk/plugins/inventory/client/js/fieldrenderer/inventory.devicefieldrenderertime.directive.js
MD5: 6f4e0302f746d6b3484d17e51e571cd9
SHA1: 1373e2cae26581522169bf4897b7691d049f37c5
SHA256:f68f95f40432f554b738df6732bc78a5bdfaf240b4ef66cd7dd3580ef7cf7162
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

inventory.zip: inventory.jar: inventory.devicefieldrendereruser.directive.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/plugins/inventory.zip/inventory.jar/com/inet/helpdesk/plugins/inventory/client/js/fieldrenderer/inventory.devicefieldrendereruser.directive.js
MD5: 5f187583a4bb9eb725b407099baac465
SHA1: 36e2495ba10c40ec19ee6af12ad86d56a9685eb2
SHA256:209105db611166a586b85a186f1b7febe47e0240dbec7a7dde96f179db7e2768
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

inventory.zip: inventory.jar: inventory.deviceimagerenderer.directive.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/plugins/inventory.zip/inventory.jar/com/inet/helpdesk/plugins/inventory/client/js/fieldrenderer/inventory.deviceimagerenderer.directive.js
MD5: 669fc52237b6537df427662b42840bfb
SHA1: fd97f4d179e45769a71cc1d14dbdbcc69f040746
SHA256:3d0dd847817962d02f8c3240eb4d9738bee8b39c211285a4054693819d562e0b
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

inventory.zip: inventory.jar: inventory.editproperties.controller.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/plugins/inventory.zip/inventory.jar/com/inet/helpdesk/plugins/inventory/client/js/inventory.editproperties.controller.js
MD5: 6c3ea0dabdb6ee3b55249cdeb66987dd
SHA1: 5141ca3dcd8d497f6464e2ae9f0eccc552d3ea1b
SHA256:2186fe615e7a40fca2c76d2f8d279d53b756a8c51f8870d21ba3b8c7946c2d62
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

inventory.zip: inventory.jar: inventory.editproperties.directive.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/plugins/inventory.zip/inventory.jar/com/inet/helpdesk/plugins/inventory/client/js/inventory.editproperties.directive.js
MD5: d47965695584086ff3d8ac3e32a2f208
SHA1: d9cd468394c73da2c6cf943aebe8ca1cbe47d093
SHA256:c80172be6cf462850b68e5529af5a2fee41d840379b99ac604832e8b03ef2d82
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

inventory.zip: inventory.jar: inventory.fieldgroup.filter.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/plugins/inventory.zip/inventory.jar/com/inet/helpdesk/plugins/inventory/client/js/inventory.fieldgroup.filter.js
MD5: 20579e47316a82bc692d6a298a4de1d9
SHA1: 0a9e0d689b1c87e0bdd342fd79d8e481c82eab45
SHA256:79b55b12bcf08fccb4e7175bfb73d218862eea502b4a4776b6a658d22d18350d
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

inventory.zip: inventory.jar: inventory.inventoryattachmentcontent.directive.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/plugins/inventory.zip/inventory.jar/com/inet/helpdesk/plugins/inventory/client/js/fieldrenderer/inventory.inventoryattachmentcontent.directive.js
MD5: e7b1b00dc4c65f25d358e917aa150149
SHA1: fd6332d61f18421a51f6d11684aabf88a283fe13
SHA256:a9b6f3d5794a157bb2e77fef23f75b51b44a18391f6769fa5bb6754eb9d4836d
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

inventory.zip: inventory.jar: inventory.inventoryattachments.directive.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/plugins/inventory.zip/inventory.jar/com/inet/helpdesk/plugins/inventory/client/js/fieldrenderer/inventory.inventoryattachments.directive.js
MD5: 806f7c2465a7299d3f82d0a8c60e71f7
SHA1: 9820634b466f59bd6bf8f12ea2671d69f690950e
SHA256:21a0bad88da5497ac6581f5e91636df5fbfa0039c7182fd2c4e4f2d82b0003e1
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

inventory.zip: inventory.jar: inventory.invoicepaper.directive.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/plugins/inventory.zip/inventory.jar/com/inet/helpdesk/plugins/inventory/client/js/renderer3d/inventory.invoicepaper.directive.js
MD5: 320bf431bf4223ab584d5b58babc072d
SHA1: e6edfbb96297ea1e6bcdaa6de81e956edfcafb2d
SHA256:a0003056ba768b411b6a0a15e3cbf4acaa838bb4b6aece92fe838271b56fbee6
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

inventory.zip: inventory.jar: inventory.lazydetailfields.directive.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/plugins/inventory.zip/inventory.jar/com/inet/helpdesk/plugins/inventory/client/js/fieldrenderer/inventory.lazydetailfields.directive.js
MD5: 59e62cf70151320812a6798ec7cad038
SHA1: 12660855b937c60c70d4ca3ec47b19f7dcda9968
SHA256:4422b57310e272a94ce62f29387e851220baead3289889915d91379120ca8082
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

inventory.zip: inventory.jar: inventory.levelslider.directive.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/plugins/inventory.zip/inventory.jar/com/inet/helpdesk/plugins/inventory/client/js/inventory.levelslider.directive.js
MD5: c99d499a960fe7e224f99583276747d3
SHA1: d36fe8cb2f81beb065e9c4fdf08df8285708c459
SHA256:73fe73ffae97c34b70ea823237cf3ea7263f3742358bf9720290c85e3a8d8e37
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

inventory.zip: inventory.jar: inventory.licensepaper.directive.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/plugins/inventory.zip/inventory.jar/com

/inet/helpdesk/plugins/inventory/client/js/renderer3d/inventory.licensepaper.directive.js
MD5: 197bd542f3648ce95ddaf954e47ecc83
SHA1: 262c5c7f328990409e9db68932de7e5fcbce49ac
SHA256:65aa477cdb1d9b9fae55c33b771c8990fdb71d7e2fb4eca8f91d9a7bfb169fc0
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

inventory.zip: inventory.jar: inventory.listview.directive.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/plugins/inventory.zip/inventory.jar/com/inet/helpdesk/plugins/inventory/client/js/inventory.listview.directive.js
MD5: 23bc01c78a7992f8f6e5b9862b6ad636
SHA1: 2ecd347b5ab1c9b81254568bcc3280aa293a84c5
SHA256:41a373b6233267bb5c6c46546d8861e09df2948b0bdf4d0d091c4975892c5894
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

inventory.zip: inventory.jar: inventory.listviewrow.directive.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/plugins/inventory.zip/inventory.jar/com/inet/helpdesk/plugins/inventory/client/js/inventory.listviewrow.directive.js
MD5: d8aaa25d136d27cf6a7c7471f12f2408
SHA1: 40ee9d9004dee7bb3e10d9c116d1eec83efb7582
SHA256:2eb81be09a299169d72ae3f5ba6dab81080f7a310bded724e9c9e273e6583e04
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

inventory.zip: inventory.jar: inventory.locationbox.directive.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/plugins/inventory.zip/inventory.jar/com/inet/helpdesk/plugins/inventory/client/js/renderer3d/inventory.locationbox.directive.js
MD5: da502552d3a0fa1dd22e4e44a0908c36
SHA1: 91c62a7c10c69522246f09adb192e160ab28bb44
SHA256:7aaef95a13159b8bb56db40487e80cd0f54d00d88675e935f4312ed59fe97cf2
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

inventory.zip: inventory.jar: inventory.roombox.directive.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/plugins/inventory.zip/inventory.jar/com/inet/helpdesk/plugins/inventory/client/js/renderer3d/inventory.roombox.directive.js
MD5: 4440dfcb00617f03cea6d209e0b9a072
SHA1: 7e1f67f065c917eac70b059e8047fa77fb340778
SHA256:0d0dd3ad20296e3e5b987e4896f13ea819daf6fdff4f31b9c3e422c563701d12
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

inventory.zip: inventory.jar: inventory.slapaper.directive.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/plugins/inventory.zip/inventory.jar/com/inet/helpdesk/plugins/inventory/client/js/renderer3d/inventory.slapaper.directive.js
MD5: fde32226b25f8d33e04b97cddaabe4a8
SHA1: 67818373a3829c07938c3c5e5bb50220752265d8
SHA256:59fdc4a7966d8280295cb13233430472d73584a52a4798c88f76812879baecef
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

inventory.zip: inventory.jar: inventory.structuretoolbar.directive.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/plugins/inventory.zip/inventory.jar/com/inet/helpdesk/plugins/inventory/client/js/inventory.structuretoolbar.directive.js
MD5: a7cc3cfb69ab99c236e77d6242f001a6
SHA1: 699f787d8597d6bce127dde0a9f3c831e0a731c3
SHA256:44f2723f97193661ec28cbddf6ecfe2c5c90e144f42ec1d14f51b8d7d38f233b
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

inventory.zip: inventory.jar: inventory.structureview.directive.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/plugins/inventory.zip/inventory.jar/com/inet/helpdesk/plugins/inventory/client/js/inventory.structureview.directive.js
MD5: 0f21f3403a91aa5e15ea2dde9a70a476
SHA1: 882183b297f4d8dd39f5cef48a861265e96f082b
SHA256:795aa84436bece8899c6f415a73b04a431e2296b29f21687ca2792cf7fdba44b
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

inventory.zip: inventory.jar: inventory.tile.directive.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/plugins/inventory.zip/inventory.jar/com/inet/helpdesk/plugins/inventory/client/js/inventory.tile.directive.js
MD5: 80b79d2bdf7e5a09d3562806baaf07d6
SHA1: 0ce8d33ff04992e6d2bacc7e6c2c54069ee9c13a
SHA256:74bb00ea13987077212d8cbc130996f9f1dba923efef944756586a16bd0db665
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

inventory.zip: inventory.jar: inventory.tilelane.directive.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/plugins/inventory.zip/inventory.jar/com/inet/helpdesk/plugins/inventory/client/js/inventory.tilelane.directive.js
MD5: 16b9355b290e4227fac95b22a75582a9

SHA1: 2525650f4f76d399422ea63f03b12dbd2f481a37
SHA256:34d815e75b2e7b1d62ba3f77fd17fb4fbc3037b508d5a54b0b19d074426a5643
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

inventory.zip: inventory.jar: inventory.tileview.directive.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/plugins/inventory.zip/inventory.jar/com/inet/helpdesk/plugins/inventory/client/js/inventory.tileview.directive.js
MD5: 73e2fcbc5f835a17503204aa5491f8b1
SHA1: 728b1a7d00260d50e5c91716ba52e54ab89cae00
SHA256:bb3a7db5e4865272906f0a5146b092395495b412cff78255107093e2db8f9c7e
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

inventory.zip: inventory.jar: inventory.treegrouping.directive.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/plugins/inventory.zip/inventory.jar/com/inet/helpdesk/plugins/inventory/client/js/inventory.treegrouping.directive.js
MD5: 9ef71ff4afd18607bd3fddbc8fa16a37
SHA1: d2d8a0244b5c0cd0233bf3941ca92dc66de4d85e
SHA256:21fd22b42797824932878ee5c3d0c252fc5154075fcf6074c67052f060f57b95
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

inventory.zip: inventory.jar: inventory.typehandheld.directive.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/plugins/inventory.zip/inventory.jar/com/inet/helpdesk/plugins/inventory/client/js/renderer3d/inventory.typehandheld.directive.js
MD5: 74059a46f155a3770f7ecd8e786344ee
SHA1: 01f12d1a7f740f2452b34a0918c9a37c65945571
SHA256:795688d2ffe364aaf34f236e8f8c44ef3c11e44ddf8f10ef5c7a79a472070837
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

inventory.zip: inventory.jar: inventory.usertable.directive.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/plugins/inventory.zip/inventory.jar/com/inet/helpdesk/plugins/inventory/client/js/renderer3d/inventory.usertable.directive.js
MD5: 4e60d8621aa8d771da6680fa8898cfe6
SHA1: 483280bc778ef0b92aa3f1893587d3e7c917db1d
SHA256:623182e99a58833e8c5bea9bb9c13ab78f57d5d8f4229bfeedd5f4438d6b092c
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

inventory.zip: inventory.jar: inventorycontroller.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/plugins/inventory.zip/inventory.jar/com/inet/helpdesk/plugins/inventory/client/js/inventorycontroller.js
MD5: 4f846a9552d3751e3b67c6e981df0d3c
SHA1: dcdfccdeb5a308177891e104f985600837f86ce6
SHA256:370220146f83de0168ff5a7644f0732f568c0d8bb4d56a5d41f629ddf2bfb6c8
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

inventory.zip: inventory.jar: inventoryextension.assetpreview.directive.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/plugins/inventory.zip/inventory.jar/com/inet/helpdesk/plugins/inventory/client/ticketpageextension/inventoryextension.assetpreview.directive.js
MD5: 3f4bb65c3308386d35f938cc838dacdc
SHA1: d446782e386862f04367a8e0aa068dfec56d258a
SHA256:927fff7bbc45a1e5595aa02fdffab131ebf58398b4d85eed5ff597345ec9e7f2
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

inventory.zip: inventory.jar: inventoryextension.detailscontroller.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/plugins/inventory.zip/inventory.jar/com/inet/helpdesk/plugins/inventory/client/ticketpageextension/inventoryextension.detailscontroller.js
MD5: bd4e2948c7504213a1a7c5a3a778b7ba
SHA1: e5c9eac153a0e5de3c272e9b48da3f015d4b5822
SHA256:a892121cdef608afdc069cffe9d1e43dd3e6666abf1016ca134c46d2051c931d
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

inventory.zip: inventory.jar: inventoryextension.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/plugins/inventory.zip/inventory.jar/com/inet/helpdesk/plugins/inventory/client/ticketpageextension/inventoryextension.js
MD5: aaaf45832af8c5ec34f19469b87a10ec
SHA1: d470a553e3b59e87cb5da9fd4228450e7d433d0c
SHA256:2690eb5811b8b61afa8169b4008b60c5d14a242c34dc51cb6acd5f0927947a54
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

inventory.zip: inventory.jar: inventoryextension.treenode.directive.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/plugins/inventory.zip/inventory.jar/com/inet/helpdesk/plugins/inventory/client/ticketpageextension/inventoryextension.treenode.directive.js
MD5: de55dd804458f39980a5e00b24628b17

SHA1: 553d96d4fe4fe45cb4feee9951b549e05338e65b
SHA256:20e3e1bab81eb8215d5bd2c72cf413365c7a6c9885535ee454d7297b5d3dfb05
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

inventory.zip: inventory.jar: inventoryfactory.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/plugins/inventory.zip/inventory.jar/com/inet/helpdesk/plugins/inventory/client/js/inventoryfactory.js
MD5: 8d30f2fe643c1496fc4c518fdcfc2142
SHA1: 5c96de62b911023baffef3faaba02af6f9c3b530
SHA256:0a90653a109cf65fd05bdbea10bba65a5ab47cae6498f089561f599cc2091b89
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

inventory.zip: inventory.jar: inventorymodel.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/plugins/inventory.zip/inventory.jar/com/inet/helpdesk/plugins/inventory/client/js/inventorymodel.js
MD5: f65af4d75fdd5919b95b313b386e8ed7
SHA1: db84e31f03fbfcc124c1bd4996d3a6292acc3536
SHA256:66917be5fcb8a1c91b346113e8477a562cf866881874cca589e234db294b8b6e
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

inventory.zip: inventory.jar: inventoryticketpagefactory.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/plugins/inventory.zip/inventory.jar/com/inet/helpdesk/plugins/inventory/client/ticketpageextension/inventoryticketpagefactory.js
MD5: 2cc0c4ef757e81ac4d604a6d3179ed76
SHA1: fedd712796da8684caa46525d6e7e31e09eb05ba
SHA256:a6910668e374392148ed5cd255b9c77792f8372d5d3431a897f7574d34d18d53
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

inventory.zip: inventory.jar: printinventory.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/plugins/inventory.zip/inventory.jar/com/inet/helpdesk/plugins/inventory/client/js/print/printinventory.js
MD5: dd4fdbde5ce0b27b985d404b8ea356c1
SHA1: 567635255bce3b26dbfd4aa47501c6eacad78137
SHA256:6fa8802a7c5fdc7b1aec88d1e7402303e0fe9119c201588b604062b03d2d8d41
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

inventory.zip: inventory.jar: resizeableColumn.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/plugins/inventory.zip/inventory.jar/com/inet/helpdesk/plugins/inventory/client/js/resizeableColumn.js
MD5: ed544f97f5d5e3bd3bb409a71d197558
SHA1: 07e223b222d93bedefb31b1512da658c762cacc0
SHA256:d2a0d653e455a0a292fabaeff1ffc9520124b564a5b5bc924e01f4da344e18e5
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

inventory.zip: inventory.jar: treegroupingsettings.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/plugins/inventory.zip/inventory.jar/com/inet/helpdesk/plugins/inventory/client/js/treegroupingsettings.js
MD5: 5137f121e745bdf55ec1c13a80bcf68d
SHA1: b4f63b97fef280bc381e34ec8ee136799432b5c3
SHA256:d0f678e1011470a06e9b71f25288847087e9169f2c204121b472727ba3a0e508
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

jakarta.servlet-api.jar

Description:

Jakarta Servlet 6.1

License:

EPL 2.0: http://www.eclipse.org/legal/epl-2.0
GPL2 w/ CPE: https://www.gnu.org/software/classpath/license.html

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/core/jakarta.servlet-api.jar
MD5: 314c930b3e40ac1abc3529c7c9942f09
SHA1: 1169a246913fe3823782af7943e7a103634867c5
SHA256:8a31f465f3593bf2351531a5c952014eb839da96a605b5825b93dd54714c48c4
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence
Vendor	file	name	jakarta.servlet-api	High
Vendor	jar	package name	jakarta	Highest
Vendor	jar	package name	servlet	Highest
Vendor	Manifest	build-jdk-spec	11	Low
Vendor	Manifest	bundle-docurl	https://www.eclipse.org	Low
Vendor	Manifest	bundle-symbolicname	jakarta.servlet-api	Medium
Vendor	Manifest	extension-name	jakarta.servlet	Medium
Vendor	Manifest	Implementation-Vendor	Eclipse Foundation	High
Vendor	Manifest	Implementation-Vendor-Id	org.eclipse	Medium
Vendor	Manifest	specification-vendor	Eclipse Foundation	Low
Vendor	pom	artifactid	jakarta.servlet-api	Low
Vendor	pom	developer id	yaminikb	Medium
Vendor	pom	developer name	Yamini K B	Medium
Vendor	pom	developer org	Oracle Corporation	Medium
Vendor	pom	developer org URL	http://www.oracle.com/	Medium
Vendor	pom	groupid	jakarta.servlet	Highest
Vendor	pom	name	Jakarta Servlet	High
Vendor	pom	parent-artifactid	project	Low
Vendor	pom	parent-groupid	org.eclipse.ee4j	Medium
Vendor	pom	url	https://projects.eclipse.org/projects/ee4j.servlet	Highest

Product	file	name	jakarta.servlet-api	High
Product	jar	package name	jakarta	Highest
Product	jar	package name	servlet	Highest
Product	Manifest	build-jdk-spec	11	Low
Product	Manifest	bundle-docurl	https://www.eclipse.org	Low
Product	Manifest	Bundle-Name	Jakarta Servlet	Medium
Product	Manifest	bundle-symbolicname	jakarta.servlet-api	Medium
Product	Manifest	extension-name	jakarta.servlet	Medium
Product	pom	artifactid	jakarta.servlet-api	Highest
Product	pom	developer id	yaminikb	Low
Product	pom	developer name	Yamini K B	Low
Product	pom	developer org	Oracle Corporation	Low
Product	pom	developer org URL	http://www.oracle.com/	Low
Product	pom	groupid	jakarta.servlet	Highest
Product	pom	name	Jakarta Servlet	High
Product	pom	parent-artifactid	project	Medium
Product	pom	parent-groupid	org.eclipse.ee4j	Medium
Product	pom	url	https://projects.eclipse.org/projects/ee4j.servlet	Medium
Version	Manifest	Bundle-Version	6.1.0	High
Version	Manifest	Implementation-Version	6.1.0	High
Version	pom	parent-version	6.1.0	Low
Version	pom	version	6.1.0	Highest

Identifiers

- pkg:maven/jakarta.servlet/jakarta.servlet-api@6.1.0 (*Confidence*:High)
- cpe:2.3:a:oracle:projects:6.1.0:*:*:*:*:*:*:* (*Confidence*:Low) suppress

jakarta.websocket-api.jar

Description:

Jakarta WebSocket - Server API

License:

https://www.eclipse.org/org/documents/epl-2.0/EPL-2.0.txt, https://www.gnu.org/software/classpath/license.html

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/core/jakarta.websocket-api.jar
MD5: b1098129a9c74ae03d618fb841990ab0
SHA1: 60e525188fdb42120506debd90ffd4e204fd6f24
SHA256:541d00436cbca0a5e1f6a457c9f70a64f00bd2f83e10ed89c2b372bc34843b7e
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence
Vendor	file	name	jakarta.websocket-api	High
Vendor	jar	package name	jakarta	Highest
Vendor	jar	package name	server	Highest
Vendor	jar	package name	websocket	Highest
Vendor	Manifest	build-jdk-spec	11	Low
Vendor	Manifest	bundle-docurl	https://www.eclipse.org	Low
Vendor	Manifest	bundle-symbolicname	jakarta.websocket-api	Medium
Vendor	Manifest	extension-name	jakarta.websocket	Medium
Vendor	Manifest	Implementation-Vendor	Eclipse Foundation	High
Vendor	Manifest	specification-vendor	Eclipse Foundation	Low
Vendor	pom	artifactid	jakarta.websocket-api	Low
Vendor	pom	groupid	jakarta.websocket	Highest
Vendor	pom	name	Jakarta WebSocket - Server API	High
Vendor	pom	parent-artifactid	jakarta.websocket-all	Low
Vendor	pom	url	https://projects.eclipse.org/projects/ee4j.websocket	Highest
Product	file	name	jakarta.websocket-api	High
Product	jar	package name	jakarta	Highest
Product	jar	package name	server	Highest
Product	jar	package name	websocket	Highest
Product	Manifest	build-jdk-spec	11	Low
Product	Manifest	bundle-docurl	https://www.eclipse.org	Low
Product	Manifest	Bundle-Name	Jakarta WebSocket - Server API	Medium
Product	Manifest	bundle-symbolicname	jakarta.websocket-api	Medium

Product	Manifest	extension-name	jakarta.websocket	Medium
Product	pom	artifactid	jakarta.websocket-api	Highest
Product	pom	groupid	jakarta.websocket	Highest
Product	pom	name	Jakarta WebSocket - Server API	High
Product	pom	parent-artifactid	jakarta.websocket-all	Medium
Product	pom	url	https://projects.eclipse.org/projects/ee4j.websocket	Medium
Version	Manifest	Bundle-Version	2.2.0	High
Version	Manifest	Implementation-Version	2.2.0	High
Version	pom	version	2.2.0	Highest

Identifiers

- pkg:maven/jakarta.websocket/jakarta.websocket-api@2.2.0 (*Confidence*:High)

jakarta.websocket-client-api.jar

Description:

Jakarta WebSocket - Client API

License:

https://www.eclipse.org/org/documents/epl-2.0/EPL-2.0.txt, https://www.gnu.org/software/classpath/license.html

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/core/jakarta.websocket-client-api.jar
MD5: 9c363a8d4ab7b78b6160569e27568c1a
SHA1: cf7eafc1b929a80429c77e4450c6720a7de56814
SHA256:aa6fa9331a3f470daee0dbfcf084abfbd7a49507297575d5bb8bfbf3d62fe8c0
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence
Vendor	file	name	jakarta.websocket-client-api	High
Vendor	jar	package name	jakarta	Highest
Vendor	jar	package name	websocket	Highest
Vendor	Manifest	build-jdk-spec	11	Low
Vendor	Manifest	bundle-docurl	https://www.eclipse.org	Low

Vendor	Manifest	bundle-symbolicname	jakarta.websocket-client-api	Medium
Vendor	Manifest	extension-name	jakarta.websocket-client	Medium
Vendor	Manifest	Implementation-Vendor	Eclipse Foundation	High
Vendor	Manifest	specification-vendor	Eclipse Foundation	Low
Vendor	pom	artifactid	jakarta.websocket-client-api	Low
Vendor	pom	groupid	jakarta.websocket	Highest
Vendor	pom	name	Jakarta WebSocket - Client API	High
Vendor	pom	parent-artifactid	jakarta.websocket-all	Low
Vendor	pom	url	https://projects.eclipse.org/projects/ee4j.websocket	Highest
Product	file	name	jakarta.websocket-client-api	High
Product	jar	package name	jakarta	Highest
Product	jar	package name	websocket	Highest
Product	Manifest	build-jdk-spec	11	Low
Product	Manifest	bundle-docurl	https://www.eclipse.org	Low
Product	Manifest	Bundle-Name	Jakarta WebSocket - Client API	Medium
Product	Manifest	bundle-symbolicname	jakarta.websocket-client-api	Medium
Product	Manifest	extension-name	jakarta.websocket-client	Medium
Product	pom	artifactid	jakarta.websocket-client-api	Highest
Product	pom	groupid	jakarta.websocket	Highest
Product	pom	name	Jakarta WebSocket - Client API	High
Product	pom	parent-artifactid	jakarta.websocket-all	Medium
Product	pom	url	https://projects.eclipse.org/projects/ee4j.websocket	Medium
Version	Manifest	Bundle-Version	2.2.0	High
Version	Manifest	Implementation-Version	2.2.0	High
Version	pom	version	2.2.0	Highest

Identifiers

- pkg:maven/jakarta.websocket/jakarta.websocket-client-api@2.2.0 (*Confidence*:High)
- cpe:2.3:a:web_project:web:2.2.0:*:*:*:*:*:*:* (*Confidence*:High) suppress

java-21-jre-x64-linux.tar.gz: java-21-jre-x64-linux.tar: jrt-fs.jar

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/java-21-jre-x64-linux.tar.gz/java-21-jre-x64-linux.tar/jre-11/lib/jrt-fs.jar
MD5: 8ed3e4038b8fa18cbef7427bee343481
SHA1: b1a2abbd70c4d7c7796c7ed889334330907a4886
SHA256:7e6b5b9dc0997f5097abfa818d0c0500944dcb3c87db9aaaf741d4cff58c5950
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence
Vendor	file	name	jrt-fs	High
Vendor	jar	package name	internal	Low
Vendor	jar	package name	jdk	Low
Vendor	jar	package name	jimage	Low
Vendor	Manifest	Implementation-Vendor	Eclipse Adoptium	High
Vendor	Manifest	specification-vendor	Oracle Corporation	Low
Product	file	name	jrt-fs	High
Product	jar	package name	internal	Low
Product	jar	package name	jimage	Low
Product	Manifest	Implementation-Title	Java Runtime Environment	High
Product	Manifest	specification-title	Java Platform API Specification	Medium
Version	Manifest	Implementation-Version	21.0.7	High

Identifiers

- cpe:2.3:a:eclipse:platform:21.0.7:*:*:*:*:*:*:* (*Confidence*:Medium) suppress

javase.jar

Description:

Java SE-specific extensions to core ZXing library

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/lib/zxing/javase.jar
MD5: 1a5b45e1a7235398bdccfbc94a287d0c
SHA1: 55d93bb3ffee425a7be56cd6ff572fb64ac84593
SHA256:d65795b789efac8a2156cb2a4b648d20e58bfe03613165bb5dce6870ecef798e
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence
Vendor	file	name	javase	High
Vendor	jar	package name	google	Highest
Vendor	jar	package name	zxing	Highest
Vendor	Manifest	automatic-module-name	com.google.zxing.javase	Medium
Vendor	Manifest	build-jdk-spec	1.8	Low
Vendor	pom	artifactid	javase	Low
Vendor	pom	groupid	com.google.zxing	Highest
Vendor	pom	name	ZXing Java SE extensions	High
Vendor	pom	parent-artifactid	zxing-parent	Low
Product	file	name	javase	High
Product	jar	package name	google	Highest
Product	jar	package name	zxing	Highest
Product	Manifest	automatic-module-name	com.google.zxing.javase	Medium
Product	Manifest	build-jdk-spec	1.8	Low
Product	pom	artifactid	javase	Highest
Product	pom	groupid	com.google.zxing	Highest
Product	pom	name	ZXing Java SE extensions	High
Product	pom	parent-artifactid	zxing-parent	Medium
Version	pom	version	3.5.3	Highest

Identifiers

- pkg:maven/com.google.zxing/javase@3.5.3 (*Confidence*:High)

jlessc-1.12.jar

File Path: /home/jenkins/.gradle/caches/modules-2/files-2.1/de.inetsoftware/jlessc/1.12/8ea5dba973ee8e969a243e08e47a27ca48121b5c/jlessc-1.12.jar
MD5: 8e0d57ed6e6809be8002db58024c370e
SHA1: 8ea5dba973ee8e969a243e08e47a27ca48121b5c
SHA256:0969bc655eba47f824791ef12ed90c96baac2238a775b0ceaa0921deeb6681f8
Referenced In Projects/Scopes:

- server
- server:inetPlugin

Included by: pkg:maven/helpdesk/server@25.4

Evidence

Type	Source	Name	Value	Confidence
Vendor	file	name	jlessc	High
Vendor	gradle	artifactid	jlessc	Highest
Vendor	gradle	groupid	de.inetsoftware	Highest
Vendor	jar	package name	inet	Low
Vendor	jar	package name	less	Low
Vendor	jar	package name	lib	Low
Vendor	Manifest	automatic-module-name	de.inetsoftware.jlessc	Medium
Vendor	Manifest	bundle-symbolicname	de.inetsoftware.jlessc	Medium
Vendor	Manifest	Implementation-Vendor	i-net software GmbH, Berlin, Germany	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Product	file	name	jlessc	High
Product	gradle	artifactid	jlessc	Highest
Product	jar	package name	less	Low
Product	jar	package name	lib	Low
Product	Manifest	automatic-module-name	de.inetsoftware.jlessc	Medium
Product	Manifest	bundle-symbolicname	de.inetsoftware.jlessc	Medium
Product	Manifest	Implementation-Title	JLessC, a Less CSS compiler	High
Version	file	version	1.12	High
Version	Manifest	Implementation-Version	1.12	High

Related Dependencies

- theme.zip: jlessc.jar
  - File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/theme.zip/jlessc.jar
  - MD5: 8e0d57ed6e6809be8002db58024c370e
  - SHA1: 8ea5dba973ee8e969a243e08e47a27ca48121b5c
  - SHA256: 0969bc655eba47f824791ef12ed90c96baac2238a775b0ceaa0921deeb6681f8

Identifiers

- pkg:maven/de.inetsoftware/jlessc@1.12 (*Confidence*:Highest)

jna.jar

Description:

JNA Library

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/lib/jna.jar
MD5: 9bb1338e58031463c300f643cb3c41fa
SHA1: d9c6794f22c2e3c846b02d51c6a95c304e8e056b
SHA256:336f2ae25222389eb9f3c90f8f7c3a6258c33581964b2338bf836b3b865b049e
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence
Vendor	file	name	jna	High
Vendor	jar	package name	jna	Highest
Vendor	jar	package name	jna	Low
Vendor	jar	package name	sun	Highest
Vendor	jar	package name	sun	Low
Vendor	jar (hint)	package name	oracle	Highest
Vendor	jar (hint)	package name	oracle	Low
Vendor	Manifest	automatic-module-name	com.sun.jna	Medium
Vendor	Manifest	bundle-activationpolicy	lazy	Low
Vendor	Manifest	bundle-category	jni	Low
Vendor	Manifest	bundle-nativecode	com/sun/jna/win32-x86/jnidispatch.dll; processor=x86;osname=win32, com/sun/jna/win32-x86-64/jnidispatch.dll; processor=x86-	Low

64;osname=win32, com/sun/jna/win32-aarch64/jnidispatch.dll; processor=aarch64; osname=win32, com/sun/jna/win32-x86/jnidispatch.dll; processor=x86;osname=win, com/sun/jna/win32-x86-64/jnidispatch.dll; processor=x86-64;osname=win, com/sun/jna/win32-aarch64/jnidispatch.dll; processor=aarch64;osname=win, com/sun/jna/w32ce-arm/jnidispatch.dll; processor=arm;osname=wince, com/sun/jna/sunos-x86/libjnidispatch.so; processor=x86; osname=sunos, com/sun/jna/sunos-x86-64/libjnidispatch.so; processor=x86-64; osname=sunos, com/sun/jna/sunos-sparc/libjnidispatch.so; processor=sparc; osname=sunos, com/sun/jna/sunos-sparcv9/libjnidispatch.so; processor=sparcv9; osname=sunos, com/sun/jna/aix-ppc/libjnidispatch.a; processor=ppc; osname=aix, com/sun/jna/aix-ppc64/libjnidispatch.a; processor=ppc64; osname=aix, com/sun/jna/linux-ppc/libjnidispatch.so; processor=ppc; osname=linux, com/sun/jna/linux-ppc64/libjnidispatch.so; processor=ppc64; osname=linux, com/sun/jna/linux-ppc64le/libjnidispatch.so; processor=ppc64le; osname=linux, com/sun/jna/linux-x86/libjnidispatch.so; processor=x86; osname=linux, com/sun/jna/linux-x86-64/libjnidispatch.so; processor=x86-64; osname=linux, com/sun/jna/linux-arm/libjnidispatch.so; processor=arm; osname=linux, com/sun/jna/linux-arm/libjnidispatch.so; processor=arm_le; osname=linux, com/sun/jna/linux-armel/libjnidispatch.so; processor=armel; osname=linux, com/sun/jna/linux-aarch64/libjnidispatch.so; processor=aarch64; osname=linux, com/sun/jna/linux-ia64/libjnidispatch.so; processor=ia64; osname=linux, com/sun/jna/linux-sparcv9/libjnidispatch.so; processor=sparcv9; osname=linux, com/sun/jna/linux-mips64el/libjnidispatch.so; processor=mips64el; osname=linux, com/sun/jna/linux-s390x/libjnidispatch.so; processor=S390x; osname=linux, com/sun/jna/linux-loongarch64/libjnidispatch.so; processor=loongarch64;osname=linux, com/sun/jna/freebsd-x86/libjnidispatch.so; processor=x86;osname=freebsd, com/sun/jna/freebsd-x86-64/libjnidispatch.so; processor=x86-64;osname=freebsd, com/sun/jna/openbsd-x86/libjnidispatch.so; processor=x86;osname=openbsd, com/sun/jna/openbsd-x86-64/libjnidispatch.so; processor=x86-64;osname=openbsd, com/sun/jna/darwin-ppc/libjnidispatch.jnilib; osname=macosx;processor=ppc, com/sun/jna/darwin-ppc64/libjnidispatch.jnilib; osname=macosx;processor=ppc64, com/sun/jna/darwin-x86/libjnidispatch.jnilib; osname=macosx;processor=x86, com/sun/jna/darwin-x86-64/libjnidispatch.jnilib; osname=macosx;processor=x86-64, com/sun/jna/darwin-aarch64/libjnidispatch.jnilib; osname=macosx;processor=aarch64

Vendor	Manifest	bundle-requiredexecution	JavaSE-1.6	Low
Vendor	Manifest	bundle-symbolicname	com.sun.jna	Medium
Vendor	Manifest	Implementation-Vendor	JNA Development Team	High
Vendor	Manifest	specification-vendor	JNA Development Team	Low
Product	file	name	jna	High
Product	jar	package name	jna	Highest
Product	jar	package name	jna	Low
Product	jar	package name	library	Highest
Product	jar	package name	native	Highest
Product	jar	package name	sun	Highest
Product	jar	package name	win32	Highest
Product	Manifest	automatic-module-name	com.sun.jna	Medium
Product	Manifest	bundle-activationpolicy	lazy	Low
Product	Manifest	bundle-category	jni	Low
Product	Manifest	Bundle-Name	jna	Medium
Product	Manifest	bundle-nativecode	com/sun/jna/win32-x86/jnidispatch.dll; processor=x86;osname=win32, com/sun/jna/win32-x86-64/jnidispatch.dll; processor=x86-64;osname=win32, com/sun/jna/win32-aarch64/jnidispatch.dll; processor=aarch64; osname=win32, com/sun/jna/win32-x86/jnidispatch.dll; processor=x86;osname=win, com/sun/jna/win32-x86-64/jnidispatch.dll; processor=x86-64;osname=win, com/sun/jna/win32-aarch64/jnidispatch.dll; processor=aarch64;osname=win, com/sun/jna/w32ce-arm/jnidispatch.dll; processor=arm;osname=wince, com/sun/jna/sunos-x86/libjnidispatch.so; processor=x86; osname=sunos, com/sun/jna/sunos-x86-64/libjnidispatch.so; processor=x86-64; osname=sunos, com/sun/jna/sunos-sparc/libjnidispatch.so; processor=sparc; osname=sunos, com/sun/jna/sunos-sparcv9/libjnidispatch.so; processor=sparcv9; osname=sunos, com/sun/jna/aix-ppc/libjnidispatch.a; processor=ppc; osname=aix, com/sun/jna/aix-ppc64/libjnidispatch.a; processor=ppc64; osname=aix, com/sun/jna/linux-ppc/libjnidispatch.so; processor=ppc; osname=linux, com/sun/jna/linux-ppc64/libjnidispatch.so; processor=ppc64; osname=linux, com/sun/jna/linux-ppc64le/libjnidispatch.so; processor=ppc64le; osname=linux, com/sun/jna/linux-x86/libjnidispatch.so; processor=x86;	Low

			osname=linux, com/sun/jna/linux-x86-64 /libjnidispatch.so; processor=x86-64; osname=linux, com/sun/jna/linux-arm /libjnidispatch.so; processor=arm; osname=linux, com/sun/jna/linux-arm /libjnidispatch.so; processor=arm_le; osname=linux, com/sun/jna/linux-armel /libjnidispatch.so; processor=armel; osname=linux, com/sun/jna/linux-aarch64 /libjnidispatch.so; processor=aarch64; osname=linux, com/sun/jna/linux-ia64 /libjnidispatch.so; processor=ia64; osname=linux, com/sun/jna/linux-sparcv9 /libjnidispatch.so; processor=sparcv9; osname=linux, com/sun/jna/linux-mips64el /libjnidispatch.so; processor=mips64el; osname=linux, com/sun/jna/linux-s390x /libjnidispatch.so; processor=S390x; osname=linux, com/sun/jna/linux-loongarch64/libjnidispatch.so; processor=loongarch64;osname=linux, com /sun/jna/freebsd-x86/libjnidispatch.so; processor=x86;osname=freebsd, com/sun /jna/freebsd-x86-64/libjnidispatch.so; processor=x86-64;osname=freebsd, com /sun/jna/openbsd-x86/libjnidispatch.so; processor=x86;osname=openbsd, com/sun /jna/openbsd-x86-64/libjnidispatch.so; processor=x86-64;osname=openbsd, com /sun/jna/darwin-ppc/libjnidispatch.jnilib; osname=macosx;processor=ppc, com/sun /jna/darwin-ppc64/libjnidispatch.jnilib; osname=macosx;processor=ppc64, com/sun /jna/darwin-x86/libjnidispatch.jnilib; osname=macosx;processor=x86, com/sun /jna/darwin-x86-64/libjnidispatch.jnilib; osname=macosx;processor=x86-64, com /sun/jna/darwin-aarch64/libjnidispatch.jnilib; osname=macosx;processor=aarch64	
Product	Manifest	bundle-requiredexecution	JavaSE-1.6	Low
Product	Manifest	bundle-symbolicname	com.sun.jna	Medium
Product	Manifest	Implementation-Title	com.sun.jna	High
Product	Manifest	specification-title	Java Native Access (JNA)	Medium
Version	jar	package name	jna	Highest
Version	jar	package name	sun	Highest
Version	jar	package name	win32	Highest
Version	Manifest	Bundle-Version	5.14.0	High
Version	Manifest	Implementation-Version	5.14.0 (b0)	High

Related Dependencies

- authentication.pam.zip: jna.jar

- File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/authentication.pam.zip/jna.jar
- MD5: 9bb1338e58031463c300f643cb3c41fa
- SHA1: d9c6794f22c2e3c846b02d51c6a95c304e8e056b
- SHA256: 336f2ae25222389eb9f3c90f8f7c3a6258c33581964b2338bf836b3b865b049e

- authentication.windows.zip: jna.jar
  - File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/authentication.windows.zip/jna.jar
  - MD5: 9bb1338e58031463c300f643cb3c41fa
  - SHA1: d9c6794f22c2e3c846b02d51c6a95c304e8e056b
  - SHA256: 336f2ae25222389eb9f3c90f8f7c3a6258c33581964b2338bf836b3b865b049e

Identifiers

- cpe:2.3:a:oracle:java_se:5.14.0:*:*:*:*:*:*:* (*Confidence*:Low) suppress

jna.jar: jnidispatch.dll

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/lib/jna.jar/com/sun/jna/win32-aarch64/jnidispatch.dll
MD5: f6bef568e690d361a5dcc165f5ad4b1f
SHA1: 05638a4aaafa689a6c246530823afdc18d3fd438
SHA256:b9d1479b9619b7ece4a36b6ae31365ffaf15a1355d4f6da02f8b5f09df2fa82f
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence
Vendor	file	name	jnidispatch	High
Product	file	name	jnidispatch	High

Related Dependencies

- authentication.pam.zip: jna.jar: jnidispatch.dll
  - File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/authentication.pam.zip/jna.jar/com/sun/jna/win32-aarch64/jnidispatch.dll
  - MD5: f6bef568e690d361a5dcc165f5ad4b1f
  - SHA1: 05638a4aaafa689a6c246530823afdc18d3fd438
  - SHA256: b9d1479b9619b7ece4a36b6ae31365ffaf15a1355d4f6da02f8b5f09df2fa82f
- authentication.windows.zip: jna.jar: jnidispatch.dll
  - File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/authentication.windows.zip/jna.jar/com/sun/jna/win32-aarch64/jnidispatch.dll
  - MD5: f6bef568e690d361a5dcc165f5ad4b1f

- SHA1: 05638a4aaafa689a6c246530823afdc18d3fd438
- SHA256: b9d1479b9619b7ece4a36b6ae31365ffaf15a1355d4f6da02f8b5f09df2fa82f

Identifiers

- **None**

jna.jar: jnidispatch.dll

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/lib/jna.jar/com/sun/jna/win32-x86-64/jnidispatch.dll
MD5: 719d6ba1946c25aa61ce82f90d77ffd5
SHA1: 94d2191378cac5719daecc826fc116816284c406
SHA256:69c45175ecfd25af023f96ac0bb2c45e6a95e3ba8a5a50ee7969ccab14825c44
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence
Vendor	file	name	jnidispatch	High
Product	file	name	jnidispatch	High

Related Dependencies

- authentication.pam.zip: jna.jar: jnidispatch.dll
  - File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/authentication.pam.zip/jna.jar/com/sun/jna/win32-x86-64/jnidispatch.dll
  - MD5: 719d6ba1946c25aa61ce82f90d77ffd5
  - SHA1: 94d2191378cac5719daecc826fc116816284c406
  - SHA256: 69c45175ecfd25af023f96ac0bb2c45e6a95e3ba8a5a50ee7969ccab14825c44
- authentication.windows.zip: jna.jar: jnidispatch.dll
  - File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/authentication.windows.zip/jna.jar/com/sun/jna/win32-x86-64/jnidispatch.dll
  - MD5: 719d6ba1946c25aa61ce82f90d77ffd5
  - SHA1: 94d2191378cac5719daecc826fc116816284c406
  - SHA256: 69c45175ecfd25af023f96ac0bb2c45e6a95e3ba8a5a50ee7969ccab14825c44

Identifiers

- **None**

jna.jar: jnidispatch.dll

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/lib/jna.jar/com/sun/jna/win32-x86/jnidispatch.dll
MD5: e15183ef9c6c255b76fda73d01ca7ecb
SHA1: f816f998c43204230d9ea3eecffb5f8372a32c2e
SHA256:38650a0612730c52580c9f32ff766b44b1c5a426d52e7dd7a53687bf3389ac2c
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence
Vendor	file	name	jnidispatch	High
Product	file	name	jnidispatch	High

Related Dependencies

- authentication.pam.zip: jna.jar: jnidispatch.dll
  - File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/authentication.pam.zip/jna.jar/com/sun/jna/win32-x86/jnidispatch.dll
  - MD5: e15183ef9c6c255b76fda73d01ca7ecb
  - SHA1: f816f998c43204230d9ea3eecffb5f8372a32c2e
  - SHA256: 38650a0612730c52580c9f32ff766b44b1c5a426d52e7dd7a53687bf3389ac2c
- authentication.windows.zip: jna.jar: jnidispatch.dll
  - File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/authentication.windows.zip/jna.jar/com/sun/jna/win32-x86/jnidispatch.dll
  - MD5: e15183ef9c6c255b76fda73d01ca7ecb
  - SHA1: f816f998c43204230d9ea3eecffb5f8372a32c2e
  - SHA256: 38650a0612730c52580c9f32ff766b44b1c5a426d52e7dd7a53687bf3389ac2c

Identifiers

- **None**

junit-4.13.2.jar

File Path: /home/jenkins/.gradle/caches/modules-2/files-2.1/junit/junit/4.13.2/8ac9e16d933b6fb43bc7f576336b8f4d7eb5ba12/junit-4.13.2.jar
MD5: d98a9a02a99a9acd22d7653cbcc1f31f
SHA1: 8ac9e16d933b6fb43bc7f576336b8f4d7eb5ba12
SHA256:8e495b634469d64fb8acfa3495a065cbacc8a0fff55ce1e31007be4c16dc57d3
Referenced In Project/Scope: server:inetPlugin
Included by: pkg:maven/helpdesk/server@25.4

Evidence

Type	Source	Name	Value	Confidence
Vendor	file	name	junit	High
Vendor	gradle	artifactid	junit	Highest
Vendor	gradle	groupid	junit	Highest
Vendor	jar	package name	junit	Highest
Vendor	jar	package name	junit	Low
Vendor	Manifest	automatic-module-name	junit	Medium
Vendor	Manifest	implementation-url	http://junit.org	Low
Vendor	Manifest	Implementation-Vendor	JUnit	High
Vendor	Manifest	Implementation-Vendor-Id	junit	Medium
Product	file	name	junit	High
Product	gradle	artifactid	junit	Highest
Product	jar	package name	junit	Highest
Product	Manifest	automatic-module-name	junit	Medium
Product	Manifest	Implementation-Title	JUnit	High
Product	Manifest	implementation-url	http://junit.org	Low
Version	file	version	4.13.2	High
Version	Manifest	Implementation-Version	4.13.2	High

Identifiers

- pkg:maven/junit/junit@4.13.2 (*Confidence*:Highest)
- cpe:2.3:a:junit:junit4:4.13.2:*:*:*:*:*:*:* (*Confidence*:Highest) suppress

junit-jupiter-5.11.4.jar

File Path: /home/jenkins/.gradle/caches/modules-2/files-2.1/org.junit.jupiter/junit-jupiter/5.11.4/a699f024a4a4706b36bddbeb42d499aff9e09379/junit-jupiter-5.11.4.jar

MD5: 0ff4b8499092fdeb7905380e53e848cb
SHA1: a699f024a4a4706b36bddbeb42d499aff9e09379
SHA256:aa880e4afba87d447357e4c1fc098c5cb1d200cb9403496c00d3b35a5bd0e8db
Referenced In Project/Scope: server:inetPlugin
Included by:

- pkg:maven/org.junit.platform/junit-platform-suite@1.11.4
- pkg:maven/org.junit.jupiter/junit-jupiter@5.11.4
- pkg:maven/org.junit.jupiter/junit-jupiter-engine@5.11.4
- pkg:maven/helpdesk/server@25.4

Evidence

Type	Source	Name	Value	Confidence
Vendor	file	name	junit-jupiter	High
Vendor	gradle	artifactid	junit-jupiter	Highest
Vendor	gradle	groupid	org.junit.jupiter	Highest
Vendor	jar	package name	module-info	Low
Vendor	Manifest	build-date	2024-12-16	Low
Vendor	Manifest	build-revision	6430ba4f653f6ae42f326cd0731b259ee699c71	Low
Vendor	Manifest	build-time	14:07:27.656+0100	Low
Vendor	Manifest	bundle-symbolicname	junit-jupiter	Medium
Vendor	Manifest	Implementation-Vendor	junit.org	High
Vendor	Manifest	specification-vendor	junit.org	Low
Product	file	name	junit-jupiter	High
Product	gradle	artifactid	junit-jupiter	Highest
Product	Manifest	build-date	2024-12-16	Low
Product	Manifest	build-revision	6430ba4f653f6ae42f326cd0731b259ee699c71	Low
Product	Manifest	build-time	14:07:27.656+0100	Low
Product	Manifest	Bundle-Name	JUnit Jupiter (Aggregator)	Medium
Product	Manifest	bundle-symbolicname	junit-jupiter	Medium
Product	Manifest	Implementation-Title	junit-jupiter	High
Product	Manifest	specification-title	junit-jupiter	Medium
Version	file	version	5.11.4	High
Version	Manifest	Implementation-Version	5.11.4	High

Identifiers

- pkg:maven/org.junit.jupiter/junit-jupiter@5.11.4 (*Confidence*:Highest)

junit-jupiter-api-5.11.4.jar

File Path: /home/jenkins/.gradle/caches/modules-2/files-2.1/org.junit.jupiter/junit-jupiter-api/5.11.4/308315b28e667db4091b2ba1f7aa220d1ddadb97/junit-jupiter-api-5.11.4.jar
MD5: e055a09339f2abd6ad3dc6d206ff1c3a
SHA1: 308315b28e667db4091b2ba1f7aa220d1ddadb97
SHA256:ab83ef9e51ac4597d59d26b4b58812129550e2f579a404c8af7d09f5ce5b4293
Referenced In Project/Scope: server:inetPlugin
Included by:

- pkg:maven/org.junit.platform/junit-platform-suite@1.11.4
- pkg:maven/org.junit.jupiter/junit-jupiter@5.11.4
- pkg:maven/org.junit.jupiter/junit-jupiter-engine@5.11.4

Evidence

Type	Source	Name	Value	Confidence
Vendor	file	name	junit-jupiter-api	High
Vendor	gradle	artifactid	junit-jupiter-api	Highest
Vendor	gradle	groupid	org.junit.jupiter	Highest
Vendor	jar	package name	api	Highest
Vendor	jar	package name	api	Low
Vendor	jar	package name	junit	Highest
Vendor	jar	package name	junit	Low
Vendor	jar	package name	jupiter	Highest
Vendor	jar	package name	jupiter	Low
Vendor	Manifest	build-date	2024-12-16	Low
Vendor	Manifest	build-revision	6430ba4f653f6ae42f326cd0731b259ee699c71	Low
Vendor	Manifest	build-time	14:07:27.656+0100	Low
Vendor	Manifest	bundle-symbolicname	junit-jupiter-api	Medium
Vendor	Manifest	Implementation-Vendor	junit.org	High
Vendor	Manifest	specification-vendor	junit.org	Low
Product	file	name	junit-jupiter-api	High
Product	gradle	artifactid	junit-jupiter-api	Highest
Product	jar	package name	api	Highest

Product	jar	package name	api	Low
Product	jar	package name	junit	Highest
Product	jar	package name	jupiter	Highest
Product	jar	package name	jupiter	Low
Product	Manifest	build-date	2024-12-16	Low
Product	Manifest	build-revision	6430ba4f653f6ae42f326cd0731b259ee699c71	Low
Product	Manifest	build-time	14:07:27.656+0100	Low
Product	Manifest	Bundle-Name	JUnit Jupiter API	Medium
Product	Manifest	bundle-symbolicname	junit-jupiter-api	Medium
Product	Manifest	Implementation-Title	junit-jupiter-api	High
Product	Manifest	specification-title	junit-jupiter-api	Medium
Version	file	version	5.11.4	High
Version	Manifest	Implementation-Version	5.11.4	High

Identifiers

- pkg:maven/org.junit.jupiter/junit-jupiter-api@5.11.4 (*Confidence*:Highest)

junit-jupiter-engine-5.11.4.jar

File Path: /home/jenkins/.gradle/caches/modules-2/files-2.1/org.junit.jupiter/junit-jupiter-engine/5.11.4/dc10ec209623986a68ea07f67cdc7d2a65a60355/junit-jupiter-engine-5.11.4.jar
MD5: ff0242ed33cb684ec5a1d02164c5d26d
SHA1: dc10ec209623986a68ea07f67cdc7d2a65a60355
SHA256:cdf8ac59f3fad774ca738ad03890950eeb91833ef0e8908753177edd26f1581c
Referenced In Project/Scope: server:inetPlugin
Included by:

- pkg:maven/org.junit.platform/junit-platform-suite@1.11.4
- pkg:maven/org.junit.jupiter/junit-jupiter@5.11.4
- pkg:maven/org.junit.jupiter/junit-jupiter-engine@5.11.4
- pkg:maven/helpdesk/server@25.4

Evidence

Type	Source	Name	Value	Confidence
Vendor	file	name	junit-jupiter-engine	High
Vendor	gradle	artifactid	junit-jupiter-engine	Highest
Vendor	gradle	groupid	org.junit.jupiter	Highest

Vendor	jar	package name	engine	Highest
Vendor	jar	package name	engine	Low
Vendor	jar	package name	junit	Highest
Vendor	jar	package name	junit	Low
Vendor	jar	package name	jupiter	Highest
Vendor	jar	package name	jupiter	Low
Vendor	Manifest	build-date	2024-12-16	Low
Vendor	Manifest	build-revision	6430ba4f653f6ae42f326cd0731b259ee699c71	Low
Vendor	Manifest	build-time	14:07:27.656+0100	Low
Vendor	Manifest	bundle-symbolicname	junit-jupiter-engine	Medium
Vendor	Manifest	Implementation-Vendor	junit.org	High
Vendor	Manifest	provide-capability	org.junit.platform.engine;org.junit.platform.engine=junit-jupiter;version:Version="5.11.4"	Low
Vendor	Manifest	specification-vendor	junit.org	Low
Product	file	name	junit-jupiter-engine	High
Product	gradle	artifactid	junit-jupiter-engine	Highest
Product	jar	package name	engine	Highest
Product	jar	package name	engine	Low
Product	jar	package name	junit	Highest
Product	jar	package name	jupiter	Highest
Product	jar	package name	jupiter	Low
Product	Manifest	build-date	2024-12-16	Low
Product	Manifest	build-revision	6430ba4f653f6ae42f326cd0731b259ee699c71	Low
Product	Manifest	build-time	14:07:27.656+0100	Low
Product	Manifest	Bundle-Name	JUnit Jupiter Engine	Medium
Product	Manifest	bundle-symbolicname	junit-jupiter-engine	Medium
Product	Manifest	Implementation-Title	junit-jupiter-engine	High
Product	Manifest	provide-capability	org.junit.platform.engine;org.junit.platform.engine=junit-jupiter;version:Version="5.11.4"	Low
Product	Manifest	specification-title	junit-jupiter-engine	Medium
Version	file	version	5.11.4	High
Version	Manifest	Implementation-Version	5.11.4	High

Identifiers

- pkg:maven/org.junit.jupiter/junit-jupiter-engine@5.11.4 (*Confidence*:Highest)

junit-jupiter-params-5.11.4.jar

File Path: /home/jenkins/.gradle/caches/modules-2/files-2.1/org.junit.jupiter/junit-jupiter-params/5.11.4/e4c86fbe2a39c60c6b87260ef7f7e7c1a1906481/junit-jupiter-params-5.11.4.jar
MD5: 2eee588489ec62b5134fa04cff32592c
SHA1: e4c86fbe2a39c60c6b87260ef7f7e7c1a1906481
SHA256:02a6e015de7ce94ac7f256e7fa05b8091dea861fe79a555a7993313d0f6c7d96
Referenced In Project/Scope: server:inetPlugin
Included by:

- pkg:maven/org.junit.platform/junit-platform-suite@1.11.4
- pkg:maven/org.junit.jupiter/junit-jupiter@5.11.4
- pkg:maven/org.junit.jupiter/junit-jupiter-engine@5.11.4

Evidence

Type	Source	Name	Value	Confidence
Vendor	file	name	junit-jupiter-params	High
Vendor	gradle	artifactid	junit-jupiter-params	Highest
Vendor	gradle	groupid	org.junit.jupiter	Highest
Vendor	jar	package name	junit	Highest
Vendor	jar	package name	junit	Low
Vendor	jar	package name	jupiter	Highest
Vendor	jar	package name	jupiter	Low
Vendor	jar	package name	params	Highest
Vendor	jar	package name	params	Low
Vendor	Manifest	build-date	2024-12-16	Low
Vendor	Manifest	build-revision	6430ba4f653f6ae42f326cd0731b259ee699c71	Low
Vendor	Manifest	build-time	14:07:27.656+0100	Low
Vendor	Manifest	bundle-symbolicname	junit-jupiter-params	Medium
Vendor	Manifest	Implementation-Vendor	junit.org	High
Vendor	Manifest	specification-vendor	junit.org	Low
Product	file	name	junit-jupiter-params	High
Product	gradle	artifactid	junit-jupiter-params	Highest

Product	jar	package name	junit	Highest
Product	jar	package name	jupiter	Highest
Product	jar	package name	jupiter	Low
Product	jar	package name	params	Highest
Product	jar	package name	params	Low
Product	jar	package name	shadow	Low
Product	Manifest	build-date	2024-12-16	Low
Product	Manifest	build-revision	6430ba4f653f6ae42f326cd0731b259ee699c71	Low
Product	Manifest	build-time	14:07:27.656+0100	Low
Product	Manifest	Bundle-Name	JUnit Jupiter Params	Medium
Product	Manifest	bundle-symbolicname	junit-jupiter-params	Medium
Product	Manifest	Implementation-Title	junit-jupiter-params	High
Product	Manifest	specification-title	junit-jupiter-params	Medium
Version	file	version	5.11.4	High
Version	Manifest	Implementation-Version	5.11.4	High

Identifiers

- pkg:maven/org.junit.jupiter/junit-jupiter-params@5.11.4 (*Confidence*:Highest)

junit-platform-commons-1.11.4.jar

File Path: /home/jenkins/.gradle/caches/modules-2/files-2.1/org.junit.platform/junit-platform-commons/1.11.4/8898eea3ed0da2641548d602c3e308804f166303/junit-platform-commons-1.11.4.jar
MD5: 7e51034e6332ac61c11f9a00eb1d9471
SHA1: 8898eea3ed0da2641548d602c3e308804f166303
SHA256:9edd969b0d0670c54105bc91ae79bd1c6f503e12115faba82073b84c86bbc334
Referenced In Project/Scope: server:inetPlugin
Included by:

- pkg:maven/org.junit.platform/junit-platform-suite@1.11.4
- pkg:maven/org.junit.jupiter/junit-jupiter@5.11.4
- pkg:maven/org.junit.jupiter/junit-jupiter-engine@5.11.4

Evidence

Type	Source	Name	Value	Confidence
Vendor	file	name	junit-platform-commons	High

Vendor	gradle	artifactid	junit-platform-commons	Highest
Vendor	gradle	groupid	org.junit.platform	Highest
Vendor	jar	package name	commons	Highest
Vendor	jar	package name	commons	Low
Vendor	jar	package name	junit	Highest
Vendor	jar	package name	junit	Low
Vendor	jar	package name	org	Highest
Vendor	jar	package name	platform	Highest
Vendor	jar	package name	platform	Low
Vendor	Manifest	build-date	2024-12-16	Low
Vendor	Manifest	build-revision	6430ba4f653f6ae42f326cd0731b259ee699c71	Low
Vendor	Manifest	build-time	14:07:27.656+0100	Low
Vendor	Manifest	bundle-symbolicname	junit-platform-commons	Medium
Vendor	Manifest	Implementation-Vendor	junit.org	High
Vendor	Manifest	multi-release	true	Low
Vendor	Manifest	specification-vendor	junit.org	Low
Product	file	name	junit-platform-commons	High
Product	gradle	artifactid	junit-platform-commons	Highest
Product	jar	package name	commons	Highest
Product	jar	package name	commons	Low
Product	jar	package name	junit	Highest
Product	jar	package name	platform	Highest
Product	jar	package name	platform	Low
Product	Manifest	build-date	2024-12-16	Low
Product	Manifest	build-revision	6430ba4f653f6ae42f326cd0731b259ee699c71	Low
Product	Manifest	build-time	14:07:27.656+0100	Low
Product	Manifest	Bundle-Name	JUnit Platform Commons	Medium
Product	Manifest	bundle-symbolicname	junit-platform-commons	Medium
Product	Manifest	Implementation-Title	junit-platform-commons	High
Product	Manifest	multi-release	true	Low
Product	Manifest	specification-title	junit-platform-commons	Medium
Version	file	version	1.11.4	High
Version	Manifest	Implementation-	1.11.4	High

Version

Identifiers

- pkg:maven/org.junit.platform/junit-platform-commons@1.11.4 (*Confidence*:Highest)

junit-platform-engine-1.11.4.jar

File Path: /home/jenkins/.gradle/caches/modules-2/files-2.1/org.junit.platform/junit-platform-engine/1.11.4/21f61b123ad6ac8f7e73971bff3a096c8d8e1cd0/junit-platform-engine-1.11.4.jar
MD5: a2489480705c1a83a9e371b053046987
SHA1: 21f61b123ad6ac8f7e73971bff3a096c8d8e1cd0
SHA256:b1dd998f64f9acadc15966d9cd3d08074662677b3e390f0a38fcbf0bb4c72330
Referenced In Project/Scope: server:inetPlugin
Included by:

- pkg:maven/org.junit.platform/junit-platform-suite@1.11.4
- pkg:maven/org.junit.jupiter/junit-jupiter@5.11.4
- pkg:maven/org.junit.jupiter/junit-jupiter-engine@5.11.4

Evidence

Type	Source	Name	Value	Confidence
Vendor	file	name	junit-platform-engine	High
Vendor	gradle	artifactid	junit-platform-engine	Highest
Vendor	gradle	groupid	org.junit.platform	Highest
Vendor	jar	package name	engine	Highest
Vendor	jar	package name	engine	Low
Vendor	jar	package name	junit	Highest
Vendor	jar	package name	junit	Low
Vendor	jar	package name	platform	Highest
Vendor	jar	package name	platform	Low
Vendor	Manifest	build-date	2024-12-16	Low
Vendor	Manifest	build-revision	6430ba4f653f6ae42f326cd0731b259ee699c71	Low
Vendor	Manifest	build-time	14:07:27.656+0100	Low
Vendor	Manifest	bundle-symbolicname	junit-platform-engine	Medium
Vendor	Manifest	Implementation-Vendor	junit.org	High
Vendor	Manifest	specification-vendor	junit.org	Low

Product	file	name	junit-platform-engine	High
Product	gradle	artifactid	junit-platform-engine	Highest
Product	jar	package name	engine	Highest
Product	jar	package name	engine	Low
Product	jar	package name	junit	Highest
Product	jar	package name	platform	Highest
Product	jar	package name	platform	Low
Product	jar	package name	support	Low
Product	Manifest	build-date	2024-12-16	Low
Product	Manifest	build-revision	6430ba4f653f6ae42f326cd0731b259ee699c71	Low
Product	Manifest	build-time	14:07:27.656+0100	Low
Product	Manifest	Bundle-Name	JUnit Platform Engine API	Medium
Product	Manifest	bundle-symbolicname	junit-platform-engine	Medium
Product	Manifest	Implementation-Title	junit-platform-engine	High
Product	Manifest	specification-title	junit-platform-engine	Medium
Version	file	version	1.11.4	High
Version	Manifest	Implementation-Version	1.11.4	High

Identifiers

- pkg:maven/org.junit.platform/junit-platform-engine@1.11.4 (*Confidence*:Highest)

junit-platform-launcher-1.11.4.jar

File Path: /home/jenkins/.gradle/caches/modules-2/files-2.1/org.junit.platform/junit-platform-launcher/1.11.4/3d83c201899d8c5e74e1a5d628eab900342a0e48/junit-platform-launcher-1.11.4.jar
MD5: f8835afc4e99e5194c4a34d9b80a65e0
SHA1: 3d83c201899d8c5e74e1a5d628eab900342a0e48
SHA256:d7430bd029e7fcced53ee445e4d2d1a8a1e043ea4c4df43b6335a857f79761ae
Referenced In Project/Scope: server:inetPlugin
Included by:

- pkg:maven/org.junit.platform/junit-platform-suite@1.11.4
- pkg:maven/org.junit.jupiter/junit-jupiter@5.11.4
- pkg:maven/org.junit.jupiter/junit-jupiter-engine@5.11.4

Evidence

Type	Source	Name	Value	Confidence
Vendor	file	name	junit-platform-launcher	High
Vendor	gradle	artifactid	junit-platform-launcher	Highest
Vendor	gradle	groupid	org.junit.platform	Highest
Vendor	jar	package name	junit	Highest
Vendor	jar	package name	junit	Low
Vendor	jar	package name	launcher	Highest
Vendor	jar	package name	launcher	Low
Vendor	jar	package name	platform	Highest
Vendor	jar	package name	platform	Low
Vendor	Manifest	build-date	2024-12-16	Low
Vendor	Manifest	build-revision	6430ba4f653f6ae42f326cd0731b259ee699c71	Low
Vendor	Manifest	build-time	14:07:27.656+0100	Low
Vendor	Manifest	bundle-symbolicname	junit-platform-launcher	Medium
Vendor	Manifest	Implementation-Vendor	junit.org	High
Vendor	Manifest	provide-capability	org.junit.platform.launcher;org.junit.platform.launcher=junit-platform-launcher;version:Version="1.11.4"	Low
Vendor	Manifest	specification-vendor	junit.org	Low
Product	file	name	junit-platform-launcher	High
Product	gradle	artifactid	junit-platform-launcher	Highest
Product	jar	package name	junit	Highest
Product	jar	package name	launcher	Highest
Product	jar	package name	launcher	Low
Product	jar	package name	platform	Highest
Product	jar	package name	platform	Low
Product	Manifest	build-date	2024-12-16	Low
Product	Manifest	build-revision	6430ba4f653f6ae42f326cd0731b259ee699c71	Low
Product	Manifest	build-time	14:07:27.656+0100	Low
Product	Manifest	Bundle-Name	JUnit Platform Launcher	Medium
Product	Manifest	bundle-symbolicname	junit-platform-launcher	Medium
Product	Manifest	Implementation-Title	junit-platform-launcher	High
Product	Manifest	provide-capability	org.junit.platform.launcher;org.junit.platform.launcher=junit-platform-launcher;version:Version="1.11.4"	Low

Product	Manifest	specification-title	junit-platform-launcher	Medium
Version	file	version	1.11.4	High
Version	Manifest	Implementation-Version	1.11.4	High

Identifiers

- pkg:maven/org.junit.platform/junit-platform-launcher@1.11.4 (*Confidence*:Highest)

junit-platform-suite-1.11.4.jar

File Path: /home/jenkins/.gradle/caches/modules-2/files-2.1/org.junit.platform/junit-platform-suite/1.11.4/48b0add04256be602379ca7b2964edce30b2dff/junit-platform-suite-1.11.4.jar
MD5: 43381c147e29db866e14eab9434dc817
SHA1: 048b0add04256be602379ca7b2964edce30b2dff
SHA256:dfd78a246ec9063b401fe7f68d169aed5d9b9d974aabc85555af6ebd13d8507c
Referenced In Project/Scope: server:inetPlugin
Included by:

- pkg:maven/org.junit.platform/junit-platform-suite@1.11.4
- pkg:maven/org.junit.jupiter/junit-jupiter@5.11.4
- pkg:maven/org.junit.jupiter/junit-jupiter-engine@5.11.4
- pkg:maven/helpdesk/server@25.4

Evidence

Type	Source	Name	Value	Confidence
Vendor	file	name	junit-platform-suite	High
Vendor	gradle	artifactid	junit-platform-suite	Highest
Vendor	gradle	groupid	org.junit.platform	Highest
Vendor	jar	package name	module-info	Low
Vendor	Manifest	build-date	2024-12-16	Low
Vendor	Manifest	build-revision	6430ba4f653f6ae42f326cd0731b259ee699c71	Low
Vendor	Manifest	build-time	14:07:27.656+0100	Low
Vendor	Manifest	bundle-symbolicname	junit-platform-suite	Medium
Vendor	Manifest	Implementation-Vendor	junit.org	High
Vendor	Manifest	specification-vendor	junit.org	Low
Product	file	name	junit-platform-suite	High
Product	gradle	artifactid	junit-platform-suite	Highest

Product	Manifest	build-date	2024-12-16	Low
Product	Manifest	build-revision	6430ba4f653f6ae42f326cd0731b259ee699c71	Low
Product	Manifest	build-time	14:07:27.656+0100	Low
Product	Manifest	Bundle-Name	JUnit Platform Suite (Aggregator)	Medium
Product	Manifest	bundle-symbolicname	junit-platform-suite	Medium
Product	Manifest	Implementation-Title	junit-platform-suite	High
Product	Manifest	specification-title	junit-platform-suite	Medium
Version	file	version	1.11.4	High
Version	Manifest	Implementation-Version	1.11.4	High

Identifiers

- pkg:maven/org.junit.platform/junit-platform-suite@1.11.4 (*Confidence*:Highest)

junit-platform-suite-api-1.11.4.jar

File Path: /home/jenkins/.gradle/caches/modules-2/files-2.1/org.junit.platform/junit-platform-suite-api/1.11.4/745fc2bfc37c15a6233bbc1328524fd1b1429279/junit-platform-suite-api-1.11.4.jar
MD5: 44323f08839840de0ef6ef28a1573b36
SHA1: 745fc2bfc37c15a6233bbc1328524fd1b1429279
SHA256:3c918f69219bbb30fc14ab10889d680e9dcbb3a5f1f506cd220a5504bed64822
Referenced In Project/Scope: server:inetPlugin
Included by:

- pkg:maven/org.junit.platform/junit-platform-suite@1.11.4
- pkg:maven/org.junit.jupiter/junit-jupiter@5.11.4
- pkg:maven/org.junit.jupiter/junit-jupiter-engine@5.11.4

Evidence

Type	Source	Name	Value	Confidence
Vendor	file	name	junit-platform-suite-api	High
Vendor	gradle	artifactid	junit-platform-suite-api	Highest
Vendor	gradle	groupid	org.junit.platform	Highest
Vendor	jar	package name	api	Highest
Vendor	jar	package name	junit	Highest
Vendor	jar	package name	junit	Low
Vendor	jar	package name	platform	Highest

Vendor	jar	package name	platform	Low
Vendor	jar	package name	suite	Highest
Vendor	jar	package name	suite	Low
Vendor	Manifest	build-date	2024-12-16	Low
Vendor	Manifest	build-revision	6430ba4f653f6ae42f326cd0731b259ee699c71	Low
Vendor	Manifest	build-time	14:07:27.656+0100	Low
Vendor	Manifest	bundle-symbolicname	junit-platform-suite-api	Medium
Vendor	Manifest	Implementation-Vendor	junit.org	High
Vendor	Manifest	specification-vendor	junit.org	Low
Product	file	name	junit-platform-suite-api	High
Product	gradle	artifactid	junit-platform-suite-api	Highest
Product	jar	package name	api	Highest
Product	jar	package name	api	Low
Product	jar	package name	junit	Highest
Product	jar	package name	platform	Highest
Product	jar	package name	platform	Low
Product	jar	package name	suite	Highest
Product	jar	package name	suite	Low
Product	Manifest	build-date	2024-12-16	Low
Product	Manifest	build-revision	6430ba4f653f6ae42f326cd0731b259ee699c71	Low
Product	Manifest	build-time	14:07:27.656+0100	Low
Product	Manifest	Bundle-Name	JUnit Platform Suite API	Medium
Product	Manifest	bundle-symbolicname	junit-platform-suite-api	Medium
Product	Manifest	Implementation-Title	junit-platform-suite-api	High
Product	Manifest	specification-title	junit-platform-suite-api	Medium
Version	file	version	1.11.4	High
Version	Manifest	Implementation-Version	1.11.4	High

Identifiers

- pkg:maven/org.junit.platform/junit-platform-suite-api@1.11.4 (*Confidence*:Highest)

junit-platform-suite-commons-1.11.4.jar

File Path: /home/jenkins/.gradle/caches/modules-2/files-2.1/org.junit.platform/junit-platform-suite-commons/1.11.4/b381d0e04bd2721c4bf348d5be61d2b4768df305/junit-platform-suite-commons-1.11.4.jar
MD5: e3e4537735e3a87f10f3d5b62e27f812
SHA1: b381d0e04bd2721c4bf348d5be61d2b4768df305
SHA256:11fb1e06a5e2bbb8e6ce483bd4e03c1340492f75eaf4239618325e7430f39193
Referenced In Project/Scope: server:inetPlugin
Included by:

- pkg:maven/org.junit.platform/junit-platform-suite@1.11.4
- pkg:maven/org.junit.jupiter/junit-jupiter@5.11.4
- pkg:maven/org.junit.jupiter/junit-jupiter-engine@5.11.4

Evidence

Type	Source	Name	Value	Confidence
Vendor	file	name	junit-platform-suite-commons	High
Vendor	gradle	artifactid	junit-platform-suite-commons	Highest
Vendor	gradle	groupid	org.junit.platform	Highest
Vendor	jar	package name	commons	Highest
Vendor	jar	package name	junit	Highest
Vendor	jar	package name	junit	Low
Vendor	jar	package name	platform	Highest
Vendor	jar	package name	platform	Low
Vendor	jar	package name	suite	Highest
Vendor	jar	package name	suite	Low
Vendor	Manifest	build-date	2024-12-16	Low
Vendor	Manifest	build-revision	6430ba4f653f6ae42f326cd0731b259ee699c71	Low
Vendor	Manifest	build-time	14:07:27.656+0100	Low
Vendor	Manifest	bundle-symbolicname	junit-platform-suite-commons	Medium
Vendor	Manifest	Implementation-Vendor	junit.org	High
Vendor	Manifest	specification-vendor	junit.org	Low
Product	file	name	junit-platform-suite-commons	High
Product	gradle	artifactid	junit-platform-suite-commons	Highest
Product	jar	package name	commons	Highest
Product	jar	package name	commons	Low
Product	jar	package name	junit	Highest

Product	jar	package name	platform	Highest
Product	jar	package name	platform	Low
Product	jar	package name	suite	Highest
Product	jar	package name	suite	Low
Product	Manifest	build-date	2024-12-16	Low
Product	Manifest	build-revision	6430ba4f653f6ae42f326cd0731b259ee699c71	Low
Product	Manifest	build-time	14:07:27.656+0100	Low
Product	Manifest	Bundle-Name	JUnit Platform Suite Commons	Medium
Product	Manifest	bundle-symbolicname	junit-platform-suite-commons	Medium
Product	Manifest	Implementation-Title	junit-platform-suite-commons	High
Product	Manifest	specification-title	junit-platform-suite-commons	Medium
Version	file	version	1.11.4	High
Version	Manifest	Implementation-Version	1.11.4	High

Identifiers

- pkg:maven/org.junit.platform/junit-platform-suite-commons@1.11.4 (*Confidence*:Highest)

junit-platform-suite-engine-1.11.4.jar

File Path: /home/jenkins/.gradle/caches/modules-2/files-2.1/org.junit.platform/junit-platform-suite-engine/1.11.4/679cc57f175e5924686d600a8b2bb02fecd16623/junit-platform-suite-engine-1.11.4.jar
MD5: b9b8e0600cba56964a087a299f312639
SHA1: 679cc57f175e5924686d600a8b2bb02fecd16623
SHA256:7e66132d34b7a2c2fef63da3f7d799e15dca374a5191f1875ac8c053b44ba793
Referenced In Project/Scope: server:inetPlugin
Included by:

- pkg:maven/org.junit.platform/junit-platform-suite@1.11.4
- pkg:maven/org.junit.jupiter/junit-jupiter@5.11.4
- pkg:maven/org.junit.jupiter/junit-jupiter-engine@5.11.4

Evidence

Type	Source	Name	Value	Confidence
Vendor	file	name	junit-platform-suite-engine	High
Vendor	gradle	artifactid	junit-platform-suite-engine	Highest
Vendor	gradle	groupid	org.junit.platform	Highest

Vendor	jar	package name	engine	Highest
Vendor	jar	package name	junit	Highest
Vendor	jar	package name	junit	Low
Vendor	jar	package name	platform	Highest
Vendor	jar	package name	platform	Low
Vendor	jar	package name	suite	Highest
Vendor	jar	package name	suite	Low
Vendor	Manifest	build-date	2024-12-16	Low
Vendor	Manifest	build-revision	6430ba4f653f6ae42f326cd0731b259ee699c71	Low
Vendor	Manifest	build-time	14:07:27.656+0100	Low
Vendor	Manifest	bundle-symbolicname	junit-platform-suite-engine	Medium
Vendor	Manifest	Implementation-Vendor	junit.org	High
Vendor	Manifest	specification-vendor	junit.org	Low
Product	file	name	junit-platform-suite-engine	High
Product	gradle	artifactid	junit-platform-suite-engine	Highest
Product	jar	package name	engine	Highest
Product	jar	package name	engine	Low
Product	jar	package name	junit	Highest
Product	jar	package name	platform	Highest
Product	jar	package name	platform	Low
Product	jar	package name	suite	Highest
Product	jar	package name	suite	Low
Product	Manifest	build-date	2024-12-16	Low
Product	Manifest	build-revision	6430ba4f653f6ae42f326cd0731b259ee699c71	Low
Product	Manifest	build-time	14:07:27.656+0100	Low
Product	Manifest	Bundle-Name	JUnit Platform Suite Engine	Medium
Product	Manifest	bundle-symbolicname	junit-platform-suite-engine	Medium
Product	Manifest	Implementation-Title	junit-platform-suite-engine	High
Product	Manifest	specification-title	junit-platform-suite-engine	Medium
Version	file	version	1.11.4	High
Version	Manifest	Implementation-Version	1.11.4	High

Identifiers

- pkg:maven/org.junit.platform/junit-platform-suite-engine@1.11.4 (*Confidence*:Highest)

junit-vintage-engine-5.11.4.jar

File Path: /home/jenkins/.gradle/caches/modules-2/files-2.1/org.junit.vintage/junit-vintage-engine/5.11.4/81904e219c1b038fc83ab156ba2e458e213a549e/junit-vintage-engine-5.11.4.jar
MD5: d4255a851a102f2e3d16fe8b9f1c1797
SHA1: 81904e219c1b038fc83ab156ba2e458e213a549e
SHA256:19239ff6cbef4b43e51ed5551faf1f2f1083494596ce1dd2c3275e698ccbc023
Referenced In Project/Scope: server:inetPlugin
Included by:

- pkg:maven/org.junit.platform/junit-platform-suite@1.11.4
- pkg:maven/org.junit.jupiter/junit-jupiter@5.11.4
- pkg:maven/org.junit.jupiter/junit-jupiter-engine@5.11.4
- pkg:maven/helpdesk/server@25.4

Evidence

Type	Source	Name	Value	Confidence
Vendor	file	name	junit-vintage-engine	High
Vendor	gradle	artifactid	junit-vintage-engine	Highest
Vendor	gradle	groupid	org.junit.vintage	Highest
Vendor	jar	package name	engine	Highest
Vendor	jar	package name	engine	Low
Vendor	jar	package name	junit	Highest
Vendor	jar	package name	junit	Low
Vendor	jar	package name	vintage	Highest
Vendor	jar	package name	vintage	Low
Vendor	Manifest	build-date	2024-12-16	Low
Vendor	Manifest	build-revision	6430ba4f653f6ae42f326cd0731b259ee699c71	Low
Vendor	Manifest	build-time	14:07:27.656+0100	Low
Vendor	Manifest	bundle-symbolicname	junit-vintage-engine	Medium
Vendor	Manifest	Implementation-Vendor	junit.org	High
Vendor	Manifest	provide-capability	org.junit.platform.engine;org.junit.platform.engine=junit-vintage;version:Version="5.11.4"	Low
Vendor	Manifest	specification-vendor	junit.org	Low

Product	file	name	junit-vintage-engine	High
Product	gradle	artifactid	junit-vintage-engine	Highest
Product	jar	package name	engine	Highest
Product	jar	package name	engine	Low
Product	jar	package name	junit	Highest
Product	jar	package name	vintage	Highest
Product	jar	package name	vintage	Low
Product	Manifest	build-date	2024-12-16	Low
Product	Manifest	build-revision	6430ba4f653f6ae42f326cd0731b259ee699c71	Low
Product	Manifest	build-time	14:07:27.656+0100	Low
Product	Manifest	Bundle-Name	JUnit Vintage Engine	Medium
Product	Manifest	bundle-symbolicname	junit-vintage-engine	Medium
Product	Manifest	Implementation-Title	junit-vintage-engine	High
Product	Manifest	provide-capability	org.junit.platform.engine;org.junit.platform.engine=junit-vintage;version:Version="5.11.4"	Low
Product	Manifest	specification-title	junit-vintage-engine	Medium
Version	file	version	5.11.4	High
Version	Manifest	Implementation-Version	5.11.4	High

Identifiers

- pkg:maven/org.junit.vintage/junit-vintage-engine@5.11.4 (*Confidence*:Highest)

knowledgebase.zip: knowledgebase.jar

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/plugins/knowledgebase.zip/knowledgebase.jar
MD5: 4d4382714acaa3748d806927a70a9f0c
SHA1: 544c29dfd27ed774321524908ded6ebb018e5fc1
SHA256:8a07d2e2d3083e2f0fafc2b43b4ba74c3b17b720134774b4bbbb907552c163ae
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Vendor	file	name	knowledgebase	High
Vendor	jar	package name	helpdesk	Low
Vendor	jar	package name	inet	Low
Vendor	jar	package name	plugins	Low
Vendor	Manifest	built-date	2025-05-01 13:45	Low
Vendor	Manifest	implementation-group	helpdesk	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	knowledgebase	High
Product	jar	package name	helpdesk	Highest
Product	jar	package name	helpdesk	Low
Product	jar	package name	knowledgebase	Highest
Product	jar	package name	knowledgebase	Low
Product	jar	package name	plugins	Low
Product	Manifest	built-date	2025-05-01 13:45	Low
Product	Manifest	implementation-group	helpdesk	Low
Product	Manifest	Implementation-Title	knowledgebase	High
Product	Manifest	specification-title	knowledgebase	Medium
Version	jar	package name	helpdesk	Highest
Version	Manifest	Implementation-Version	25.4.227	High

Identifiers

- cpe:2.3:a:inetsoftware:helpdesk:25.4.227:*:*:*:*:*:*:* (*Confidence*:Low) suppress

knowledgebase.zip: knowledgebase.jar: controllerArticleDetails.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/plugins/knowledgebase.zip

/knowledgebase.jar/com/inet/helpdesk/plugins/knowledgebase/client/knowledgebase
/controllerArticleDetails.js
MD5: 0a32a593fb4c1b90c135ed3aa3c9957d
SHA1: 551d4267e63e73e7a6579b7ff0b2d0625f84f159
SHA256:025d5e629c6420b299a9219520d352a1ac2ed0fcdc66307ef6c2e1b80864c971
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

knowledgebase.zip: knowledgebase.jar: controllerArticleDialog.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems
/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/plugins/knowledgebase.zip
/knowledgebase.jar/com/inet/helpdesk/plugins/knowledgebase/client/knowledgebase
/controllerArticleDialog.js
MD5: 3516d13494fc40fd93822f0ce316525a
SHA1: 31f1e74d9f91d87feeb02465a8eb58e1de8c41bf
SHA256:e87dc3a83197af159506108442fab2dadbb47dd2702cc6c017e951e7762a0c01
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

knowledgebase.zip: knowledgebase.jar: controllerArticleEditDialog.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems
/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/plugins/knowledgebase.zip
/knowledgebase.jar/com/inet/helpdesk/plugins/knowledgebase/client/knowledgebase
/controllerArticleEditDialog.js
MD5: f82daba421a25b8d67554ea9437f9035
SHA1: 9bb18041badb21669abe86aaf76e452a488d7598
SHA256:a01cbceca6d04babbc9f447820bdb67479e7401a58babb91f2f8345485146cf8
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

knowledgebase.zip: knowledgebase.jar: controllerKnowledgeBase.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/plugins/knowledgebase.zip/knowledgebase.jar/com/inet/helpdesk/plugins/knowledgebase/client/knowledgebase/controllerKnowledgeBase.js
MD5: c583682e88bb3d5846b0a65e59011ccf
SHA1: c7303314e37424d8bfb0589969988199c5980e09
SHA256:9fe464fdd1529fc9458bc8502bd9a66713d66087741b42b059c8beb0d82d3b10
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

knowledgebase.zip: knowledgebase.jar: fuzzysearcharticleextension.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/plugins/knowledgebase.zip/knowledgebase.jar/com/inet/helpdesk/plugins/knowledgebase/server/ticketextension/fuzzysearcharticleextension.js
MD5: 25d91f7911aaea1321d87ec47063cbf6
SHA1: 45d47a91c8d112ddb3834215592d703d2ed2dd54
SHA256:998b9aa8b5e7e45a9f02e2e0ff8fd561d7e0d9d1c84bdb054ebee28f38b1a394
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

knowledgebase.zip: knowledgebase.jar: knowledgeBaseFactory.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/plugins/knowledgebase.zip/knowledgebase.jar/com/inet/helpdesk/plugins/knowledgebase/client/knowledgebase/knowledgeBaseFactory.js
MD5: b84213d030458050a97abafc6474a888
SHA1: 93542f87196f91ad576fa831580f2fd08cfe0e43
SHA256:d16a519b17d2b49897a4f1d3325971ea0da226c095ef892f3f07df9b1949a3d2
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

knowledgebase.zip: knowledgebase.jar: ticketlist.extension.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/plugins/knowledgebase.zip/knowledgebase.jar/com/inet/helpdesk/plugins/knowledgebase/client/knowledgebase/ticketlist.extension.js
MD5: 685d4ac8096e6bb08a7bf25b7f2d0fe3
SHA1: d9ea31f86ffce13a64c6f74a34421fda9d867427
SHA256:8ddfd849fe00ed503f63d796c755d0fc941bbaf5d75ebceda9ac84627efa6c06
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

livesupport.zip: livesupport.jar

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/plugins/livesupport.zip/livesupport.jar
MD5: e75abf7171e5e2918490550302c58bc8
SHA1: e720c5a68649058e94dd258f510f2099dcf2b4a0
SHA256:ab43c503566183efdb3966c76186d04a8ffe0aa9e438d7c53e53628dded513e7
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence
Vendor	file	name	livesupport	High
Vendor	jar	package name	helpdesk	Low
Vendor	jar	package name	inet	Low
Vendor	jar	package name	plugins	Low
Vendor	Manifest	built-date	2025-05-01 13:48	Low
Vendor	Manifest	implementation-group	helpdesk	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	livesupport	High
Product	jar	package name	helpdesk	Highest
Product	jar	package name	helpdesk	Low
Product	jar	package name	livesupport	Highest
Product	jar	package name	livesupport	Low
Product	jar	package name	plugins	Low
Product	Manifest	built-date	2025-05-01 13:48	Low
Product	Manifest	implementation-group	helpdesk	Low
Product	Manifest	Implementation-Title	livesupport	High
Product	Manifest	specification-title	livesupport	Medium

Version	jar	package name	helpdesk	Highest
Version	Manifest	Implementation-Version	25.4.227	High

Identifiers

- cpe:2.3:a:inetsoftware:helpdesk:25.4.227:*:*:*:*:*:*:* (*Confidence*:Low) suppress

livesupport.zip: livesupport.jar: attachments.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/plugins/livesupport.zip/livesupport.jar/com/inet/helpdesk/plugins/livesupport/client/js/attachments.js
MD5: 20e8f8252ff3f4f9e153360817c98fc1
SHA1: 9a3dc65b961f0e65391c5bcae8d250bb3f65beab
SHA256:1acad717f854efc39572e7f866a8a8cb10b020a2f9e432530a288de9d155c66d
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

livesupport.zip: livesupport.jar: connections.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/plugins/livesupport.zip/livesupport.jar/com/inet/helpdesk/plugins/livesupport/client/js/connections.js
MD5: 2324501402b0ef619744394c587a8b9d
SHA1: 0a12fb7a01fad8c231b1ddec2e9b0c20559bfdca
SHA256:0eae8e293fccc0760fc1617e06684758df6b5f1e476b565dd9e6c968204a88d3
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

livesupport.zip: livesupport.jar: controller.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/plugins/livesupport.zip/livesupport.jar/com/inet/helpdesk/plugins/livesupport/client/js/controller.js
MD5: 7e747bf88d1643a72ab10bb20f9d389f
SHA1: 87071f6cb01f43551d219497fe11431809984e41
SHA256:cb81780c639a6438a4d7241ba6eaf45d522aea024f8503437eddf30f7b3f54a2
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

livesupport.zip: livesupport.jar: dragging.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/plugins/livesupport.zip/livesupport.jar/com/inet/helpdesk/plugins/livesupport/client/js/lib/dragging.js
MD5: 2e36a4332ba0465433898d894ffe3846
SHA1: 9b0174f08a1878f04c93ec926a783bc31f0615e1
SHA256:caebd8310f7504b2c86d5b9621bf446b2ae88dfff02b9fff191b67140df42bd3
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

livesupport.zip: livesupport.jar: events.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/plugins/livesupport.zip/livesupport.jar/com/inet/helpdesk/plugins/livesupport/client/js/lib/events.js
MD5: 4bd2ce7d660f65c57f38b780ca3fcdf8
SHA1: 95ab1609b96e68357e73c50d6aa5864cbec86a37
SHA256:6fe447ec8d21c1ebe70157559ea4330f86124b274d0ac4dd83ce7d3b49ff00ee
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

livesupport.zip: livesupport.jar: fetch-promise.min.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/plugins/livesupport.zip/livesupport.jar/com/inet/helpdesk/plugins/livesupport/client/js/lib/fetch-promise.min.js
MD5: 58b3e33a90cd1b4b5f31f2cab8add76e
SHA1: 59e1613cc5ba26d993c2f61a32aa6d7e62bd4f6c
SHA256:9563fb9eaf9f5e97c1462bf433c895d0ff340e8ec0500938fbefa5a9e0081a0a
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

livesupport.zip: livesupport.jar: i18n.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/plugins/livesupport.zip/livesupport.jar/com/inet/helpdesk/plugins/livesupport/client/js/i18n.js

MD5: dbaed5ab096b2ca0f16c25320e632a29
SHA1: 96a2b0603ee939d0409f9aabf47b4b40320f2b74
SHA256:78244731784dd802c3b27f4bed555e15af12c8c73149a56543579a3491882f7e
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

livesupport.zip: livesupport.jar: lazy-load.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/plugins/livesupport.zip/livesupport.jar/com/inet/helpdesk/plugins/livesupport/client/js/lazy-load.js
MD5: 12eeca1fefd108b2cb2e2649fcc26662
SHA1: 2bd7fd2b42dd4a58865a356682751967ef66208a
SHA256:25f9ad44a9b6d82688d321acbf9f99f09c13d65b9e513c7fdc61f13096530cb1
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

livesupport.zip: livesupport.jar: prototype.array.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/plugins/livesupport.zip/livesupport.jar/com/inet/helpdesk/plugins/livesupport/client/js/lib/prototype.array.js
MD5: 972f3ca3ca45cce7a72061b11a11869b
SHA1: d66b758c091f79d118cb6deb26c05b81aea95547
SHA256:02e2b469b3b5f9a7469e745d88ce0f5dae948790def9b59a6eda20582c4d16c8
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

livesupport.zip: livesupport.jar: prototype.element.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/plugins/livesupport.zip/livesupport.jar/com/inet/helpdesk/plugins/livesupport/client/js/lib/prototype.element.js
MD5: 9ee7a668e778eabd8de20312f312f9e9
SHA1: 96ebfdc252c25bb67259cfcce1788c9d820cc7a7
SHA256:3c2a9acfb9f27cab19634ffb4a8904a2ebce85f74998b954b78fef2672278e76
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

livesupport.zip: livesupport.jar: ui-components.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/plugins/livesupport.zip/livesupport.jar/com/inet/helpdesk/plugins/livesupport/client/js/ui-components.js
MD5: 69e7e16d3da65f8f4dd4c77117dea492
SHA1: c6ba0f869498f6e8f74ac1a68e7f1cf2286a9730
SHA256:97b8da8e4d18d88cefecea52ea5b6dba577400bc67f731f3d165e14ba8b6fb3d
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

mail.zip: angus-activation.jar

Description:

Implementation

License:

http://www.eclipse.org/org/documents/edl-v10.php

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/mail.zip/angus-activation.jar
MD5: 42bba74155dc773eca277ee7a16f74be
SHA1: 41f1e0ddd157c856926ed149ab837d110955a9fc
SHA256:6dd3bcffc22bce83b07376a0e2e094e4964a3195d4118fb43e380ef35436cc1e
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence
Vendor	file	name	angus-activation	High
Vendor	jar	package name	activation	Highest
Vendor	jar	package name	angus	Highest
Vendor	jar	package name	eclipse	Highest
Vendor	Manifest	bundle-docurl	https://www.eclipse.org	Low
Vendor	Manifest	bundle-symbolicname	angus-activation	Medium
Vendor	Manifest	extension-name	org.eclipse.angus	Medium
Vendor	Manifest	implementation-build-id	2.0.2-RELEASE-c08e320	Low
Vendor	Manifest	Implementation-Vendor	Eclipse Foundation	High
Vendor	Manifest	provide-capability	osgi.serviceloader;osgi.serviceloader="jakarta.activation.spi.MailcapRegistryProvider",osgi.serviceloader;osgi.serviceloader="jakarta.activation.spi.MimeTypeRegistryProvider"	Low
Vendor	Manifest	specification-vendor	Eclipse Foundation	Low
Vendor	pom	artifactid	angus-activation	Low
Vendor	pom	groupid	org.eclipse.angus	Highest
Vendor	pom	name	Angus Activation Registries	High

Vendor	pom	parent-artifactid	angus-activation-project	Low
Product	file	name	angus-activation	High
Product	jar	package name	activation	Highest
Product	jar	package name	angus	Highest
Product	jar	package name	eclipse	Highest
Product	Manifest	bundle-docurl	https://www.eclipse.org	Low
Product	Manifest	Bundle-Name	Angus Activation Registries	Medium
Product	Manifest	bundle-symbolicname	angus-activation	Medium
Product	Manifest	extension-name	org.eclipse.angus	Medium
Product	Manifest	implementation-build-id	2.0.2-RELEASE-c08e320	Low
Product	Manifest	Implementation-Title	Angus Activation Registries	High
Product	Manifest	provide-capability	osgi.serviceloader;osgi.serviceloader="jakarta.activation.spi.MailcapRegistryProvider",osgi.serviceloader;osgi.serviceloader="jakarta.activation.spi.MimeTypeRegistryProvider"	Low
Product	Manifest	specification-title	Jakarta Activation Specification	Medium
Product	pom	artifactid	angus-activation	Highest
Product	pom	groupid	org.eclipse.angus	Highest
Product	pom	name	Angus Activation Registries	High
Product	pom	parent-artifactid	angus-activation-project	Medium
Version	Manifest	Bundle-Version	2.0.2	High
Version	pom	version	2.0.2	Highest

Identifiers

- pkg:maven/org.eclipse.angus/angus-activation@2.0.2 (*Confidence*:High)

mail.zip: angus-mail.jar (shaded: org.eclipse.angus:angus-core:2.0.3)

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/mail.zip/angus-mail.jar/META-INF/maven/org.eclipse.angus/angus-core/pom.xml
MD5: 9907dbe21768f81f0436f492e8ceca57
SHA1: 108609abe9269199421273dfe2b5520c00ac800c
SHA256:a52a66e7dd0b6006ab29360dfe735a9d32243f70be56ea1af92bc7dca11fd1ed
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence
Vendor	pom	artifactid	angus-core	Low
Vendor	pom	groupid	org.eclipse.angus	Highest
Vendor	pom	name	Angus Mail Core	High
Vendor	pom	parent-artifactid	all	Low
Product	pom	artifactid	angus-core	Highest
Product	pom	groupid	org.eclipse.angus	Highest
Product	pom	name	Angus Mail Core	High
Product	pom	parent-artifactid	all	Medium
Version	pom	version	2.0.3	Highest

Identifiers

- pkg:maven/org.eclipse.angus/angus-core@2.0.3 (*Confidence*:High)

mail.zip: angus-mail.jar (shaded: org.eclipse.angus:imap:2.0.3)

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/mail.zip/angus-mail.jar/META-INF/maven/org.eclipse.angus/imap/pom.xml
MD5: 55d43d94fda869a2551af9303a7ea370
SHA1: fed2fd168251a00aef8e0ebfc379a58a05aa6346
SHA256:2769e1c98f6d6ae4285eb0872ae1d20ce78bd503ed7a824d406e22e25e9d1b16
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence
Vendor	pom	artifactid	imap	Low
Vendor	pom	groupid	org.eclipse.angus	Highest
Vendor	pom	name	Angus Mail imap provider	High
Vendor	pom	parent-artifactid	providers	Low
Product	pom	artifactid	imap	Highest
Product	pom	groupid	org.eclipse.angus	Highest
Product	pom	name	Angus Mail imap provider	High
Product	pom	parent-artifactid	providers	Medium

Version	pom	version	2.0.3	Highest

Identifiers

- pkg:maven/org.eclipse.angus/imap@2.0.3 (*Confidence*:High)

mail.zip: angus-mail.jar (shaded: org.eclipse.angus:logging-mailhandler:2.0.3)

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/mail.zip/angus-mail.jar/META-INF/maven/org.eclipse.angus/logging-mailhandler/pom.xml
MD5: eb9a0a396f32310dcaeddef53c4fecf2
SHA1: 9d10a9bd90cb079dcdb9b1ab25e1d1f6c253e78d
SHA256:e9546707cf60f5eace422c9f542ba2548fcef1639f1270e103720d54a4ea2a66
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence
Vendor	pom	artifactid	logging-mailhandler	Low
Vendor	pom	groupid	org.eclipse.angus	Highest
Vendor	pom	name	Angus Mail logging handler	High
Vendor	pom	parent-artifactid	all	Low
Product	pom	artifactid	logging-mailhandler	Highest
Product	pom	groupid	org.eclipse.angus	Highest
Product	pom	name	Angus Mail logging handler	High
Product	pom	parent-artifactid	all	Medium
Version	pom	version	2.0.3	Highest

Identifiers

- pkg:maven/org.eclipse.angus/logging-mailhandler@2.0.3 (*Confidence*:High)

mail.zip: angus-mail.jar (shaded: org.eclipse.angus:pop3:2.0.3)

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/mail.zip/angus-mail.jar/META-INF/maven/org.eclipse.angus/pop3/pom.xml

MD5: f814ea6c49648addacecaad34e700890
SHA1: fad30d04e576332a8ce304438a8c60444a2a15fd
SHA256:1bf0ed0c897f7825319a0b4a8926a95a7a4430ddf4d9c11b6d1af7a34acf5261
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence
Vendor	pom	artifactid	pop3	Low
Vendor	pom	groupid	org.eclipse.angus	Highest
Vendor	pom	name	Angus Mail pop3 provider	High
Vendor	pom	parent-artifactid	providers	Low
Product	pom	artifactid	pop3	Highest
Product	pom	groupid	org.eclipse.angus	Highest
Product	pom	name	Angus Mail pop3 provider	High
Product	pom	parent-artifactid	providers	Medium
Version	pom	version	2.0.3	Highest

Identifiers

- pkg:maven/org.eclipse.angus/pop3@2.0.3 (*Confidence*:High)

mail.zip: angus-mail.jar (shaded: org.eclipse.angus:smtp:2.0.3)

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/mail.zip/angus-mail.jar/META-INF/maven/org.eclipse.angus/smtp/pom.xml
MD5: 88fdc95cc63d9167e76af8fd06ad205d
SHA1: 3d3b38a40ef48a4feb95a7e4d6d133df2b58c5b0
SHA256:f69db19b0c17d856e923ce29d4d6089e5dcafa30678fe549c11d316712ca3fae
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence
Vendor	pom	artifactid	smtp	Low
Vendor	pom	groupid	org.eclipse.angus	Highest
Vendor	pom	name	Angus Mail smtp provider	High
Vendor	pom	parent-artifactid	providers	Low
Product	pom	artifactid	smtp	Highest

Product	pom	groupid	org.eclipse.angus	Highest
Product	pom	name	Angus Mail smtp provider	High
Product	pom	parent-artifactid	providers	Medium
Version	pom	version	2.0.3	Highest

Identifiers

- pkg:maven/org.eclipse.angus/smtp@2.0.3 (*Confidence*:High)

mail.zip: angus-mail.jar

Description:

Angus Mail Provider

License:

http://www.eclipse.org/legal/epl-2.0, https://www.gnu.org/software/classpath/license.html, http://www.eclipse.org/org/documents/edl-v10.php

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/mail.zip/angus-mail.jar
MD5: 44f609355db6385cec29ef7eab9be8ea
SHA1: 56f811522d693700013768db83b741a65da6c61c
SHA256:6b5b6fc2ba633c53733d829c56cae51d343fb1eadee3e17b8eea01a49edc72d3
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence
Vendor	file	name	angus-mail	High
Vendor	jar	package name	angus	Highest
Vendor	jar	package name	eclipse	Highest
Vendor	jar	package name	mail	Highest
Vendor	Manifest	bundle-docurl	https://www.eclipse.org	Low
Vendor	Manifest	bundle-symbolicname	org.eclipse.angus.mail	Medium
Vendor	Manifest	provide-capability	osgi.serviceloader;osgi.serviceloader="jakarta.mail.util.StreamProvider",osgi.serviceloader;osgi.serviceloader="jakarta.mail.Provider"	Low
Vendor	pom	artifactid	angus-mail	Low
Vendor	pom	groupid	org.eclipse.angus	Highest
Vendor	pom	name	Angus Mail Provider	High

Vendor	pom	parent-artifactid	all	Low
Product	file	name	angus-mail	High
Product	jar	package name	angus	Highest
Product	jar	package name	eclipse	Highest
Product	jar	package name	mail	Highest
Product	jar	package name	util	Highest
Product	Manifest	bundle-docurl	https://www.eclipse.org	Low
Product	Manifest	Bundle-Name	Angus Mail Provider	Medium
Product	Manifest	bundle-symbolicname	org.eclipse.angus.mail	Medium
Product	Manifest	provide-capability	osgi.serviceloader;osgi.serviceloader="jakarta.mail.util.StreamProvider",osgi.serviceloader;osgi.serviceloader="jakarta.mail.Provider"	Low
Product	pom	artifactid	angus-mail	Highest
Product	pom	groupid	org.eclipse.angus	Highest
Product	pom	name	Angus Mail Provider	High
Product	pom	parent-artifactid	all	Medium
Version	Manifest	Bundle-Version	2.0.3	High
Version	pom	version	2.0.3	Highest

Identifiers

- pkg:maven/org.eclipse.angus/angus-mail@2.0.3 (*Confidence*:High)

mail.zip: bc-fips.jar

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/mail.zip/bc-fips.jar
MD5: 027174ee7fa414dab1721ab0ca72d119
SHA1: ee9ac432cf08f9a9ebee35d7cf8a45f94959a7ab
SHA256:f6a25fd5744e91cc019a9f79733ae757da6648a80946fad9932041ad05695240
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence
Vendor	file	name	bc-fips	High
Vendor	jar	package name	bouncycastle	Highest

Vendor	jar	package name	bouncycastle	Low
Vendor	jar	package name	fips	Highest
Vendor	jar	package name	org	Highest
Vendor	jar	package name	provider	Highest
Vendor	Manifest	application-library-allowable-codebase	*	Low
Vendor	Manifest	application-name	Bouncy Castle FIPS Provider	Medium
Vendor	Manifest	caller-allowable-codebase	*	Low
Vendor	Manifest	codebase	*	Low
Vendor	Manifest	extension-name	org.bouncycastle.bcfips	Medium
Vendor	Manifest	Implementation-Vendor	BouncyCastle.org	High
Vendor	Manifest	Implementation-Vendor-Id	org.bouncycastle	Medium
Vendor	Manifest	multi-release	true	Low
Vendor	Manifest	permissions	all-permissions	Low
Vendor	Manifest	specification-vendor	BouncyCastle.org	Low
Vendor	Manifest	trusted-library	true	Low
Product	file	name	bc-fips	High
Product	jar	package name	bouncycastle	Highest
Product	jar	package name	fips	Highest
Product	jar	package name	org	Highest
Product	jar	package name	permissions	Highest
Product	jar	package name	provider	Highest
Product	Manifest	application-library-allowable-codebase	*	Low
Product	Manifest	application-name	Bouncy Castle FIPS Provider	Medium
Product	Manifest	caller-allowable-codebase	*	Low
Product	Manifest	codebase	*	Low
Product	Manifest	extension-name	org.bouncycastle.bcfips	Medium
Product	Manifest	multi-release	true	Low
Product	Manifest	permissions	all-permissions	Low
Product	Manifest	trusted-library	true	Low

Version	jar	package name	permissions	Highest
Version	Manifest	Implementation-Version	2.0.0	High

Related Dependencies

- webserver.zip: bc-fips.jar
  - File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server /plugins/webserver.zip/bc-fips.jar
  - MD5: 027174ee7fa414dab1721ab0ca72d119
  - SHA1: ee9ac432cf08f9a9ebee35d7cf8a45f94959a7ab
  - SHA256: f6a25fd5744e91cc019a9f79733ae757da6648a80946fad9932041ad05695240

Identifiers

- **None**

mail.zip: bcjmail-fips.jar

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems /HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/mail.zip/bcjmail-fips.jar
MD5: 59c98a4085cbcd64543de157d9edd82f
SHA1: 367db7b2da9fd8e62e8a0317323ad26922a8bc4f
SHA256:0c785a7f67769b5bab279ee49d6dd2046995d76315341d9a9e744e1409adc531
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence
Vendor	file	name	bcjmail-fips	High
Vendor	jar	package name	bouncycastle	Highest
Vendor	jar	package name	bouncycastle	Low
Vendor	jar	package name	mail	Low
Vendor	jar	package name	smime	Low
Vendor	Manifest	application-library-allowable-codebase	*	Low
Vendor	Manifest	application-name	Bouncy Castle FIPS JAKARTA S/MIME API	Medium
Vendor	Manifest	automatic-module-name	org.bouncycastle.fips.bcjmail	Medium

Vendor	Manifest	bundle-requiredexecution	JavaSE-1.8	Low
Vendor	Manifest	bundle-symbolicname	bcjmail	Medium
Vendor	Manifest	caller-allowable-codebase	*	Low
Vendor	Manifest	codebase	*	Low
Vendor	Manifest	extension-name	org.bouncycastle.bcjmail.mail	Medium
Vendor	Manifest	Implementation-Vendor	BouncyCastle.org	High
Vendor	Manifest	Implementation-Vendor-Id	org.bouncycastle	Medium
Vendor	Manifest	multi-release	true	Low
Vendor	Manifest	permissions	all-permissions	Low
Vendor	Manifest	specification-vendor	BouncyCastle.org	Low
Vendor	Manifest	trusted-library	true	Low
Product	file	name	bcjmail-fips	High
Product	jar	package name	bouncycastle	Highest
Product	jar	package name	mail	Low
Product	jar	package name	smime	Low
Product	Manifest	application-library-allowable-codebase	*	Low
Product	Manifest	application-name	Bouncy Castle FIPS JAKARTA S/MIME API	Medium
Product	Manifest	automatic-module-name	org.bouncycastle.fips.bcjmail	Medium
Product	Manifest	Bundle-Name	bcjmail	Medium
Product	Manifest	bundle-requiredexecution	JavaSE-1.8	Low
Product	Manifest	bundle-symbolicname	bcjmail	Medium
Product	Manifest	caller-allowable-codebase	*	Low
Product	Manifest	codebase	*	Low
Product	Manifest	extension-name	org.bouncycastle.bcjmail.mail	Medium
Product	Manifest	multi-release	true	Low
Product	Manifest	permissions	all-permissions	Low
Product	Manifest	trusted-library	true	Low
Version	Manifest	Bundle-Version	2.0.5	High

Version	Manifest	Implementation-Version	2.0.5	High

Identifiers

- cpe:2.3:a:bouncycastle:bouncy_castle_for_java:2.0.5:*:*:*:*:*:*:* (*Confidence*:Highest) suppress

mail.zip: bcpg-fips.jar

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/mail.zip/bcpg-fips.jar
MD5: 05f2bad16aa3094a96fc397cf4f100d6
SHA1: f69719ef8dbf34d5f906ce480496446b2fd2ae27
SHA256:a9daf4d3c8d484a510b66dc121db1aafa435504f2aef0fa01ef3a020aae5f3ec
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence
Vendor	file	name	bcpg-fips	High
Vendor	jar	package name	bcpg	Highest
Vendor	jar	package name	bouncycastle	Highest
Vendor	jar	package name	bouncycastle	Low
Vendor	jar	package name	openpgp	Highest
Vendor	Manifest	application-library-allowable-codebase	*	Low
Vendor	Manifest	application-name	Bouncy Castle FIPS OpenPGP API	Medium
Vendor	Manifest	automatic-module-name	org.bouncycastle.fips.pg	Medium
Vendor	Manifest	bundle-requiredexecution	JavaSE-1.8	Low
Vendor	Manifest	bundle-symbolicname	bcpg	Medium
Vendor	Manifest	caller-allowable-codebase	*	Low
Vendor	Manifest	codebase	*	Low
Vendor	Manifest	extension-name	org.bouncycastle.bcfips.pg	Medium
Vendor	Manifest	Implementation-	BouncyCastle.org	High

		Vendor		
Vendor	Manifest	Implementation-Vendor-Id	org.bouncycastle	Medium
Vendor	Manifest	multi-release	true	Low
Vendor	Manifest	permissions	all-permissions	Low
Vendor	Manifest	specification-vendor	BouncyCastle.org	Low
Vendor	Manifest	trusted-library	true	Low
Product	file	name	bcpg-fips	High
Product	jar	package name	bcpg	Highest
Product	jar	package name	bouncycastle	Highest
Product	jar	package name	openpgp	Highest
Product	Manifest	application-library-allowable-codebase	*	Low
Product	Manifest	application-name	Bouncy Castle FIPS OpenPGP API	Medium
Product	Manifest	automatic-module-name	org.bouncycastle.fips.pg	Medium
Product	Manifest	Bundle-Name	bcpg	Medium
Product	Manifest	bundle-requiredexecution	JavaSE-1.8	Low
Product	Manifest	bundle-symbolicname	bcpg	Medium
Product	Manifest	caller-allowable-codebase	*	Low
Product	Manifest	codebase	*	Low
Product	Manifest	extension-name	org.bouncycastle.bcfips.pg	Medium
Product	Manifest	multi-release	true	Low
Product	Manifest	permissions	all-permissions	Low
Product	Manifest	trusted-library	true	Low
Version	Manifest	Bundle-Version	2.0.9	High
Version	Manifest	Implementation-Version	2.0.9	High

Identifiers

- cpe:2.3:a:bouncycastle:bouncy_castle_for_java:2.0.9:*:*:*:*:*:*:* (*Confidence*:Highest) suppress
- cpe:2.3:a:openpgp:openpgp:2.0.9:*:*:*:*:*:*:* (*Confidence*:Highest) suppress

mail.zip: bcpkix-fips.jar

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/mail.zip/bcpkix-fips.jar
MD5: d9a095c74c538144db95e8252803651e
SHA1: 01eea0f325315ca6295b0a6926ff862d8001cdf9
SHA256:4471e25adb42e400fd9ffa472d78a40a3b6add49b37cd5945ac2ca62398b16fd
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence
Vendor	file	name	bcpkix-fips	High
Vendor	jar	package name	bouncycastle	Highest
Vendor	jar	package name	bouncycastle	Low
Vendor	jar	package name	pkix	Highest
Vendor	Manifest	application-library-allowable-codebase	*	Low
Vendor	Manifest	application-name	Bouncy Castle FIPS PKIX API	Medium
Vendor	Manifest	automatic-module-name	org.bouncycastle.fips.pkix	Medium
Vendor	Manifest	bundle-requiredexecution	JavaSE-1.8	Low
Vendor	Manifest	bundle-symbolicname	bcpkix	Medium
Vendor	Manifest	caller-allowable-codebase	*	Low
Vendor	Manifest	codebase	*	Low
Vendor	Manifest	extension-name	org.bouncycastle.bcfips.pkix	Medium
Vendor	Manifest	Implementation-Vendor	BouncyCastle.org	High
Vendor	Manifest	Implementation-Vendor-Id	org.bouncycastle	Medium
Vendor	Manifest	multi-release	true	Low
Vendor	Manifest	permissions	all-permissions	Low
Vendor	Manifest	specification-vendor	BouncyCastle.org	Low
Vendor	Manifest	trusted-library	true	Low

Product	file	name	bcpkix-fips	High
Product	jar	package name	bouncycastle	Highest
Product	jar	package name	pkix	Highest
Product	Manifest	application-library-allowable-codebase	*	Low
Product	Manifest	application-name	Bouncy Castle FIPS PKIX API	Medium
Product	Manifest	automatic-module-name	org.bouncycastle.fips.pkix	Medium
Product	Manifest	Bundle-Name	bcpkix	Medium
Product	Manifest	bundle-requiredexecution	JavaSE-1.8	Low
Product	Manifest	bundle-symbolicname	bcpkix	Medium
Product	Manifest	caller-allowable-codebase	*	Low
Product	Manifest	codebase	*	Low
Product	Manifest	extension-name	org.bouncycastle.bcfips.pkix	Medium
Product	Manifest	multi-release	true	Low
Product	Manifest	permissions	all-permissions	Low
Product	Manifest	trusted-library	true	Low
Version	Manifest	Bundle-Version	2.0.7	High
Version	Manifest	Implementation-Version	2.0.7	High

Related Dependencies

- webserver.zip: bcpkix-fips.jar
  - File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server /plugins/webserver.zip/bcpkix-fips.jar
  - MD5: d9a095c74c538144db95e8252803651e
  - SHA1: 01eea0f325315ca6295b0a6926ff862d8001cdf9
  - SHA256: 4471e25adb42e400fd9ffa472d78a40a3b6add49b37cd5945ac2ca62398b16fd

Identifiers

- cpe:2.3:a:bouncycastle:bouncy_castle_for_java:2.0.7:*:*:*:*:*:*:* (*Confidence*:Highest) suppress

mail.zip: bcutil-fips.jar

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/mail.zip/bcutil-fips.jar
MD5: 66094c025a07ead8d600cb35b194b560
SHA1: a1857cd639295b10cc90e6d31ecbc523cdafcc19
SHA256:d7ab2fa5ba33594324a2cc26c75fd30e6a13e4d6524cb2027bb8384fd1befa14
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence
Vendor	file	name	bcutil-fips	High
Vendor	jar	package name	asn1	Low
Vendor	jar	package name	bouncycastle	Highest
Vendor	jar	package name	bouncycastle	Low
Vendor	jar	package name	its	Low
Vendor	Manifest	application-library-allowable-codebase	*	Low
Vendor	Manifest	application-name	Bouncy Castle FIPS Utility API	Medium
Vendor	Manifest	automatic-module-name	org.bouncycastle.fips.util	Medium
Vendor	Manifest	bundle-requiredexecution	JavaSE-1.8	Low
Vendor	Manifest	bundle-symbolicname	bcutil	Medium
Vendor	Manifest	caller-allowable-codebase	*	Low
Vendor	Manifest	codebase	*	Low
Vendor	Manifest	extension-name	org.bouncycastle.bcfips.util	Medium
Vendor	Manifest	Implementation-Vendor	BouncyCastle.org	High
Vendor	Manifest	Implementation-Vendor-Id	org.bouncycastle	Medium
Vendor	Manifest	multi-release	true	Low
Vendor	Manifest	permissions	all-permissions	Low
Vendor	Manifest	specification-vendor	BouncyCastle.org	Low
Vendor	Manifest	trusted-library	true	Low
Product	file	name	bcutil-fips	High

Product	jar	package name	asn1	Low
Product	jar	package name	bouncycastle	Highest
Product	jar	package name	its	Low
Product	Manifest	application-library-allowable-codebase	*	Low
Product	Manifest	application-name	Bouncy Castle FIPS Utility API	Medium
Product	Manifest	automatic-module-name	org.bouncycastle.fips.util	Medium
Product	Manifest	Bundle-Name	bcutil	Medium
Product	Manifest	bundle-requiredexecution	JavaSE-1.8	Low
Product	Manifest	bundle-symbolicname	bcutil	Medium
Product	Manifest	caller-allowable-codebase	*	Low
Product	Manifest	codebase	*	Low
Product	Manifest	extension-name	org.bouncycastle.bcfips.util	Medium
Product	Manifest	multi-release	true	Low
Product	Manifest	permissions	all-permissions	Low
Product	Manifest	trusted-library	true	Low
Version	Manifest	Bundle-Version	2.0.3	High
Version	Manifest	Implementation-Version	2.0.3	High

Related Dependencies

- webserver.zip: bcutil-fips.jar
  - File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server /plugins/webserver.zip/bcutil-fips.jar
  - MD5: 66094c025a07ead8d600cb35b194b560
  - SHA1: a1857cd639295b10cc90e6d31ecbc523cdafcc19
  - SHA256: d7ab2fa5ba33594324a2cc26c75fd30e6a13e4d6524cb2027bb8384fd1befa14

Identifiers

- cpe:2.3:a:bouncycastle:bouncy_castle_for_java:2.0.3:*:*:*:*:*:*:* (*Confidence*:Highest) suppress

mail.zip: jakarta.activation-api.jar

Description:

Specification

License:

EDL 1.0: http://www.eclipse.org/org/documents/edl-v10.php

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/mail.zip/jakarta.activation-api.jar
MD5: 76e7b680375ea9f40f3ddbd702efcd25
SHA1: fa165bd70cda600368eee31555222776a46b881f
SHA256:01b176d718a169263e78290691fc479977186bcc6b333487325084d6586f4627
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence
Vendor	file	name	jakarta.activation-api	High
Vendor	jar	package name	activation	Highest
Vendor	jar	package name	jakarta	Highest
Vendor	Manifest	bundle-docurl	https://www.eclipse.org	Low
Vendor	Manifest	bundle-symbolicname	jakarta.activation-api	Medium
Vendor	Manifest	extension-name	jakarta.activation	Medium
Vendor	Manifest	implementation-build-id	7f7d358	Low
Vendor	Manifest	Implementation-Vendor	Eclipse Foundation	High
Vendor	Manifest	specification-vendor	Eclipse Foundation	Low
Vendor	pom	artifactid	jakarta.activation-api	Low
Vendor	pom	developer email	bill.shannon@oracle.com	Low
Vendor	pom	developer id	shannon	Medium
Vendor	pom	developer name	Bill Shannon	Medium
Vendor	pom	developer org	Oracle	Medium
Vendor	pom	groupid	jakarta.activation	Highest
Vendor	pom	name	Jakarta Activation API	High
Vendor	pom	parent-artifactid	project	Low
Vendor	pom	parent-groupid	org.eclipse.ee4j	Medium
Vendor	pom	url	jakartaee/jaf-api	Highest

Vendor	pom (hint)	developer org	sun	Medium
Product	file	name	jakarta.activation-api	High
Product	jar	package name	activation	Highest
Product	jar	package name	jakarta	Highest
Product	Manifest	bundle-docurl	https://www.eclipse.org	Low
Product	Manifest	Bundle-Name	Jakarta Activation API	Medium
Product	Manifest	bundle-symbolicname	jakarta.activation-api	Medium
Product	Manifest	extension-name	jakarta.activation	Medium
Product	Manifest	implementation-build-id	7f7d358	Low
Product	Manifest	Implementation-Title	Jakarta Activation API	High
Product	Manifest	specification-title	Jakarta Activation Specification	Medium
Product	pom	artifactid	jakarta.activation-api	Highest
Product	pom	developer email	bill.shannon@oracle.com	Low
Product	pom	developer id	shannon	Low
Product	pom	developer name	Bill Shannon	Low
Product	pom	developer org	Oracle	Low
Product	pom	groupid	jakarta.activation	Highest
Product	pom	name	Jakarta Activation API	High
Product	pom	parent-artifactid	project	Medium
Product	pom	parent-groupid	org.eclipse.ee4j	Medium
Product	pom	url	jakartaee/jaf-api	High
Version	Manifest	Bundle-Version	2.1.3	High
Version	pom	parent-version	2.1.3	Low
Version	pom	version	2.1.3	Highest

Identifiers

- pkg:maven/jakarta.activation/jakarta.activation-api@2.1.3 (*Confidence*:High)

mail.zip: jakarta.mail-api.jar

Description:

Specification API

License:

EPL 2.0: http://www.eclipse.org/legal/epl-2.0
GPL2 w/ CPE: https://www.gnu.org/software/classpath/license.html
EDL 1.0: http://www.eclipse.org/org/documents/edl-v10.php

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/mail.zip/jakarta.mail-api.jar
MD5: 288a687deb06b87602ce14cd03dddff4
SHA1: a327aa5f514ba86e80d54584417d7376ed2bde0e
SHA256:8051b58d75f982f9a5b963b3765426e824b2a64865ef0af17205e455b98db05c
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence
Vendor	file	name	jakarta.mail-api	High
Vendor	jar	package name	jakarta	Highest
Vendor	jar	package name	mail	Highest
Vendor	Manifest	bundle-docurl	https://www.eclipse.org	Low
Vendor	Manifest	bundle-symbolicname	jakarta.mail-api	Medium
Vendor	Manifest	extension-name	jakarta.mail	Medium
Vendor	Manifest	implementation-build-id	0f448dc	Low
Vendor	Manifest	Implementation-Vendor	Eclipse Foundation	High
Vendor	Manifest	specification-vendor	Eclipse Foundation	Low
Vendor	pom	artifactid	jakarta.mail-api	Low
Vendor	pom	groupid	jakarta.mail	Highest
Vendor	pom	name	Jakarta Mail API	High
Vendor	pom	parent-artifactid	project	Low
Vendor	pom	parent-groupid	org.eclipse.ee4j	Medium
Product	file	name	jakarta.mail-api	High
Product	jar	package name	jakarta	Highest
Product	jar	package name	mail	Highest
Product	Manifest	bundle-docurl	https://www.eclipse.org	Low
Product	Manifest	Bundle-Name	Jakarta Mail API	Medium
Product	Manifest	bundle-symbolicname	jakarta.mail-api	Medium
Product	Manifest	extension-name	jakarta.mail	Medium
Product	Manifest	implementation-	0f448dc	Low

		build-id		
Product	Manifest	Implementation-Title	Jakarta Mail API	High
Product	Manifest	specification-title	Jakarta Mail Specification	Medium
Product	pom	artifactid	jakarta.mail-api	Highest
Product	pom	groupid	jakarta.mail	Highest
Product	pom	name	Jakarta Mail API	High
Product	pom	parent-artifactid	project	Medium
Product	pom	parent-groupid	org.eclipse.ee4j	Medium
Version	Manifest	Bundle-Version	2.1.3	High
Version	pom	parent-version	2.1.3	Low
Version	pom	version	2.1.3	Highest

Identifiers

- pkg:maven/jakarta.mail/jakarta.mail-api@2.1.3 (*Confidence*:High)

mail.zip: mail.jar

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/mail.zip/mail.jar
MD5: 821ac4b3a8f3458eaa573743fea93e95
SHA1: c94d2925eb6541237f1e5fd5505e9805a0393893
SHA256:8580d97827802688733529d96048516f8058f2a0fa95658d3d6a211508b08f85
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence
Vendor	file	name	mail	High
Vendor	jar	package name	inet	Low
Vendor	jar	package name	mail	Low
Vendor	Manifest	built-date	2025-05-01 11:47	Low
Vendor	Manifest	implementation-group	shared	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium

Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	mail	High
Product	jar	package name	mail	Highest
Product	jar	package name	mail	Low
Product	jar	package name	shared	Highest
Product	Manifest	built-date	2025-05-01 11:47	Low
Product	Manifest	implementation-group	shared	Low
Product	Manifest	Implementation-Title	mail	High
Product	Manifest	specification-title	mail	Medium
Version	jar	package name	shared	Highest
Version	Manifest	Implementation-Version	25.4.227	High

Identifiers

- **None**

mail.zip: mail.jar: smimeconfig.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/mail.zip/mail.jar/com/inet/mail/structure/smimeconfig.js
MD5: 76ded92d7b56d80d0af85480a18651dd
SHA1: 33c396d1db9c7f1133a9a79735ace61fd94b171e
SHA256:97dd0e725e45950514b5652e5da386fa01e98aae4788d9489e3219e4a71cf3d6
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

maintenance.helpdesk.zip: maintenance.helpdesk.jar

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/plugins/maintenance.helpdesk.zip/maintenance.helpdesk.jar
MD5: 1867227f61baa4c7a9dc50f3d4afc43c
SHA1: 37f505d6d42f3c673ab3ecfcc9385e675c481d7a
SHA256:5f01d045c991e26315a226d689464ec71144c7ac0ff997da19489af4ee23e0a1
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence
Vendor	file	name	maintenance.helpdesk	High
Vendor	jar	package name	helpdesk	Low
Vendor	jar	package name	inet	Low
Vendor	jar	package name	plugins	Low
Vendor	Manifest	built-date	2025-05-01 13:44	Low
Vendor	Manifest	implementation-group	helpdesk	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	maintenance.helpdesk	High
Product	jar	package name	helpdesk	Highest
Product	jar	package name	helpdesk	Low
Product	jar	package name	maintenance	Highest
Product	jar	package name	maintenance	Low
Product	jar	package name	plugins	Low
Product	Manifest	built-date	2025-05-01 13:44	Low
Product	Manifest	implementation-group	helpdesk	Low
Product	Manifest	Implementation-Title	maintenance.helpdesk	High
Product	Manifest	specification-title	maintenance.helpdesk	Medium
Version	jar	package name	helpdesk	Highest
Version	Manifest	Implementation-Version	25.4.227	High

Identifiers

- cpe:2.3:a:inetsoftware:helpdesk:25.4.227:*:*:*:*:*:*:* (*Confidence*:Low) suppress

maintenance.helpdesk.zip: maintenance.helpdesk.jar: app.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/plugins/maintenance.helpdesk.zip/maintenance.helpdesk.jar/com/inet/helpdesk/plugins/maintenance/server/datacare/js/app.js
MD5: 2353fe5cb51132fe3ded041fef2e0e69
SHA1: 1f0279d0202a7edf601926b358d117acbfc76083
SHA256:2ee4e265db89bbc6b99258f445b33a6fcc442601a59c191c77acbaba947e6d85
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

maintenance.helpdesk.zip: maintenance.helpdesk.jar: datacare.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/plugins/maintenance.helpdesk.zip/maintenance.helpdesk.jar/com/inet/helpdesk/plugins/maintenance/server/datacare/js/datacare.js
MD5: fb95e1f028908babec4a02282a867661
SHA1: bace3ed52594675239e40fdeebf0aba9c14716ee
SHA256:ed2c2220b93664648a73a415a769d62e478881b8dee3cd45130de8858994ad13
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

maintenance.helpdesk.zip: maintenance.helpdesk.jar: dbmigration.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/plugins/maintenance.helpdesk.zip/maintenance.helpdesk.jar/com/inet/helpdesk/plugins/maintenance/server/dbmigration/js/dbmigration.js
MD5: 4ffba52db7029cb7db4cf6fd9173402e
SHA1: 218ecb9ed2827aca3003bab831a9ca5251047527
SHA256:ec5d010aee089adc31d44d3b20a30abed81b40822102fd4487c2b385bd60d5cf
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

maintenance.helpdesk.zip: maintenance.helpdesk.jar: loginmodification.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/plugins/maintenance.helpdesk.zip/maintenance.helpdesk.jar/com/inet/helpdesk/plugins/maintenance/server/loginmodification/js/loginmodification.js
MD5: c9caaf80af602574445f7bd08806acb4
SHA1: 95812b03c104f2a6adfbbf273a0218e2d70f52da
SHA256:145a041432ca0a48250e35f28ce0aaba8b9d33a0b5868d9a580bbb75ae2446bd
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

maintenance.reporting.zip: maintenance.reporting.jar

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/maintenance.reporting.zip/maintenance.reporting.jar
MD5: 989056b6c9387619c6d00aa047f6a14a
SHA1: 572247f2370d29c8391c14f54fbcb1318af970bb
SHA256:44f67620c3e15b9a8f32deb1d8d32482fd139714fb24c4f7fb5de02034a5482a
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence
Vendor	file	name	maintenance.reporting	High
Vendor	jar	package name	inet	Low
Vendor	jar	package name	plugins	Low
Vendor	jar	package name	report	Low
Vendor	Manifest	built-date	2025-05-01 12:50	Low
Vendor	Manifest	implementation-group	reporting	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	maintenance.reporting	High
Product	jar	package name	maintenance	Highest
Product	jar	package name	maintenance	Low
Product	jar	package name	plugins	Low
Product	jar	package name	report	Low
Product	Manifest	built-date	2025-05-01 12:50	Low
Product	Manifest	implementation-group	reporting	Low
Product	Manifest	Implementation-Title	maintenance.reporting	High
Product	Manifest	specification-title	maintenance.reporting	Medium
Version	Manifest	Implementation-Version	25.4.227	High

Identifiers

- **None**

maintenance.zip: maintenance-javadoc.jar

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/maintenance.zip/maintenance-javadoc.jar
MD5: e7e8292892a973854af26eeb3dff8cf6
SHA1: 0a97648fa4c2d7b23790f64fef00295f4e9824d0
SHA256:0f3bbe0bd5db5ba927100fc230edafca71772d39dd0c6ce33afecb9c2afbf0d8
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence
Vendor	file	name	maintenance-javadoc	High
Product	file	name	maintenance-javadoc	High

Identifiers

- **None**

maintenance.zip: maintenance-javadoc.jar: member-search-index.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/maintenance.zip/maintenance-javadoc.jar/member-search-index.js
MD5: 93b51609403fe383f95ae75000fd9e09
SHA1: 32a7d291fa90846ef3a1b919485866573b8bd07b
SHA256:5902db037c53061d68cc19ef2af2e3578c16ce0ec0397438e34dd8119c609087
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

maintenance.zip: maintenance-javadoc.jar: package-search-index.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/maintenance.zip/maintenance-javadoc.jar/package-search-index.js
MD5: e89f47c422716f6284a74cd96ed0cd3f
SHA1: 658d9c6eebf7c62d01f7808a26b6024b8c39ecf4
SHA256:9687f5061532bbd21fa8c795aca6a657bdac71e356eb43f7103a1cd02bd9306d
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

maintenance.zip: maintenance-javadoc.jar: tag-search-index.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/maintenance.zip/maintenance-javadoc.jar/tag-search-index.js
MD5: 3236248138000d701400e0346999c1a8
SHA1: 565146643a30712208f9299bd94a37566eab76b8
SHA256:72960c457566fe509fb1610d2612152b3f78b15485c891197f1053febdf8f8d1
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Related Dependencies

- taskplanner.reporting.zip: taskplanner.reporting-javadoc.jar: tag-search-index.js
  - File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/taskplanner.reporting.zip/taskplanner.reporting-javadoc.jar/tag-search-index.js
  - MD5: 3236248138000d701400e0346999c1a8
  - SHA1: 565146643a30712208f9299bd94a37566eab76b8
  - SHA256: 72960c457566fe509fb1610d2612152b3f78b15485c891197f1053febdf8f8d1

Identifiers

- **None**

maintenance.zip: maintenance-javadoc.jar: type-search-index.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/maintenance.zip/maintenance-javadoc.jar/type-search-index.js
MD5: 4fc01a884f0b77974cfda0ecd2b9008f
SHA1: d9610bba6879a5a4f88fb61427b75cd69bce1546
SHA256:cb975e5713d5cd570800e6107aceaa23f53deee11f68222408fec819358da987
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

maintenance.zip: maintenance.jar

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/maintenance.zip/maintenance.jar
MD5: 34d66e66eb0bd3ac59b96c970b2d59ec
SHA1: 6f92af626e9a240f1dfbcf38b9b32b0b387539a7
SHA256:8cfaa451d2cf031791c6104ffea0faab373aea16d7c3eada1e681c3f5b503a3c
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence
Vendor	file	name	maintenance	High
Vendor	jar	package name	inet	Low
Vendor	jar	package name	maintenance	Low
Vendor	jar	package name	server	Low
Vendor	Manifest	built-date	2025-05-01 11:31	Low
Vendor	Manifest	implementation-group	shared	Low

Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	maintenance	High
Product	jar	package name	maintenance	Highest
Product	jar	package name	maintenance	Low
Product	jar	package name	server	Low
Product	Manifest	built-date	2025-05-01 11:31	Low
Product	Manifest	implementation-group	shared	Low
Product	Manifest	Implementation-Title	maintenance	High
Product	Manifest	specification-title	maintenance	Medium
Version	Manifest	Implementation-Version	25.4.227	High

Identifiers

- **None**

maintenance.zip: maintenance.jar: controller.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/maintenance.zip/maintenance.jar/com/inet/maintenance/resources/backup/js/controller.js
MD5: eda28b0d3fc75e6df1ec801c4dda1184
SHA1: bde7771a725ab5f735940d621e891210d76d746c
SHA256:a6b050a5c95270a0c67687822415186d22ee8330dcf39902d53e80d8272effda
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

maintenance.zip: maintenance.jar: controller.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/maintenance.zip/maintenance.jar/com/inet/maintenance/resources/cache/js/controller.js
MD5: aa44ef9d57351256e8288279206e9da0
SHA1: 29d071ac271977ff8019c6031ee24ddabc5fc3f1
SHA256:4fbd2dbd4693521ea657c6d95d5f20f8128e38208d742ad6388f76e962052fec
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

maintenance.zip: maintenance.jar: controller.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/maintenance.zip/maintenance.jar/com/inet/maintenance/resources/main/js/controller.js
MD5: 0ff72e191a3f127973fc5a9381f1e3fb
SHA1: 2ed064d4500a047ef82b23173f0abf1e9813e1a2
SHA256:6d60b6004b5b228cc1e6fcaf6ba01afc922d7d6e174f32773dbf32f1993085a0
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

maintenance.zip: maintenance.jar: controller.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/maintenance.zip/maintenance.jar/com/inet/maintenance/resources/programdata/js/controller.js
MD5: fa453d5635f82f0078c224f27dd99a7d
SHA1: 6288a3c4fbff29ee7cc6a8f69149de44c49ef5c6
SHA256:f7902fb5b8dd900a95b90969872c55787e2d4f65f3736d827fcb13c0ebcef46b
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

maintenance.zip: maintenance.jar: controller.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/maintenance.zip/maintenance.jar/com/inet/maintenance/resources/usercleanup/js/controller.js
MD5: 8761a32cdcf4e1e4a7685026230292f7
SHA1: c2d0abdc930a08da61c93cf63f310c9a74434f3c
SHA256:358479a73183963c1626c72ae92d5c4f7c03b83363c80257ac03dc58eb4285bd
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

maintenance.zip: maintenance.jar: filechooser.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/maintenance.zip/maintenance.jar/com/inet/maintenance/resources/main/js/filechooser.js
MD5: e68e2ea53d15557b2fb1deaf06d441d3
SHA1: 047d5f2582143536ea470e92aa91fb7b77c7f093
SHA256:c44d53718171530ce586b9932fe7126a09de8e6f7bb9e40aaf949483e432e87d
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

maintenance.zip: maintenance.jar: multieditusers.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/maintenance.zip/maintenance.jar/com/inet/maintenance/resources/usercleanup/js/multieditusers.js
MD5: 9344849a6f020a58c0f0d718e8c76929
SHA1: 2d636915befebb9bd1db90c54bffe6acfb088d87
SHA256:ab73fb84fe0687eaea50fa310992eb630da346b49387ccee829854f6ecc03329
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

mariadb-java-client.jar

Description:

JDBC driver for MariaDB and MySQL

License:

LGPL-2.1-or-later

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/lib/mariadb-java-client.jar
MD5: a463fc46873b50706932984f2de23894
SHA1: 1151269d76927b782351eaa15e981c56abc7717f
SHA256:50a50c4a3c13c30dfbd40587f7ad9a496197d285ede0948641d9eee68fdf2106
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence
Vendor	file	name	mariadb-java-client	High
Vendor	jar	package name	client	Highest
Vendor	jar	package name	driver	Highest
Vendor	jar	package name	jdbc	Highest
Vendor	jar	package name	mariadb	Highest
Vendor	jar	package name	org	Highest
Vendor	Manifest	build-jdk-spec	21	Low
Vendor	Manifest	bundle-developers	mariadbJdbcDevelopers;name="mariadb jdbc developers"	Low
Vendor	Manifest	bundle-docurl	https://mariadb.com/kb/en/mariadb/about-mariadb-connector-j/	Low
Vendor	Manifest	bundle-symbolicname	mariadb-java-client	Medium
Vendor	Manifest	multi-release	true	Low
Vendor	pom	artifactid	mariadb-java-client	Low
Vendor	pom	developer id	mariadbJdbcDevelopers	Medium
Vendor	pom	developer name	mariadb jdbc developers	Medium
Vendor	pom	groupid	org.mariadb.jdbc	Highest
Vendor	pom	name	mariadb-java-client	High
Vendor	pom	organization name	mariadb.com	High
Vendor	pom	organization url	https://mariadb.com	Medium
Vendor	pom	url	https://mariadb.com/kb/en/mariadb/about-mariadb-connector-j/	Highest
Product	file	name	mariadb-java-client	High
Product	jar	package name	client	Highest
Product	jar	package name	driver	Highest
Product	jar	package name	jdbc	Highest
Product	jar	package name	mariadb	Highest
Product	jar	package name	org	Highest
Product	Manifest	build-jdk-spec	21	Low
Product	Manifest	bundle-developers	mariadbJdbcDevelopers;name="mariadb jdbc developers"	Low
Product	Manifest	bundle-docurl	https://mariadb.com/kb/en/mariadb/about-mariadb-connector-j/	Low
Product	Manifest	Bundle-Name	mariadb-java-client	Medium

Product	Manifest	bundle-symbolicname	mariadb-java-client	Medium
Product	Manifest	multi-release	true	Low
Product	pom	artifactid	mariadb-java-client	Highest
Product	pom	developer id	mariadbJdbcDevelopers	Low
Product	pom	developer name	mariadb jdbc developers	Low
Product	pom	groupid	org.mariadb.jdbc	Highest
Product	pom	name	mariadb-java-client	High
Product	pom	organization name	mariadb.com	Low
Product	pom	organization url	https://mariadb.com	Low
Product	pom	url	https://mariadb.com/kb/en/mariadb/about-mariadb-connector-j/	Medium
Version	Manifest	Bundle-Version	3.5.1	High
Version	pom	version	3.5.1	Highest

Identifiers

- pkg:maven/org.mariadb.jdbc/mariadb-java-client@3.5.1 (*Confidence*:High)

mysql-connector-j.jar

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/lib/mysql-connector-j.jar
MD5: a331817ab5c572777e25539a70b51bb6
SHA1: 56d34aea30915904b1c883f1cfae731dd2df6029
SHA256:06f14fbd664d0e382347489e66495ca27ab7e6c2e1d9969a496931736197465f
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence
Vendor	file	name	mysql-connector-j	High
Vendor	hint analyzer	vendor	oracle	Highest
Vendor	hint analyzer (hint)	vendor	sun	Highest
Vendor	jar	package name	cj	Highest
Vendor	jar	package name	cj	Low

Vendor	jar	package name	mysql	Highest
Vendor	jar	package name	mysql	Low
Vendor	Manifest	bundle-symbolicname	com.mysql.cj	Medium
Vendor	Manifest	Implementation-Vendor	Oracle	High
Vendor	Manifest	Implementation-Vendor-Id	com.mysql	Medium
Vendor	Manifest	specification-vendor	Oracle Corporation	Low
Vendor	Manifest (hint)	Implementation-Vendor	sun	High
Product	file	name	mysql-connector-j	High
Product	hint analyzer	product	mysql_connector/j	Highest
Product	hint analyzer	product	mysql_connector_j	Highest
Product	hint analyzer	product	mysql_connectors	Highest
Product	jar	package name	cj	Highest
Product	jar	package name	cj	Low
Product	jar	package name	driver	Highest
Product	jar	package name	jdbc	Highest
Product	jar	package name	mysql	Highest
Product	jar	package name	xdevapi	Highest
Product	Manifest	Bundle-Name	Oracle Corporation's JDBC and XDevAPI Driver for MySQL	Medium
Product	Manifest	bundle-symbolicname	com.mysql.cj	Medium
Product	Manifest	Implementation-Title	MySQL Connector/J	High
Product	Manifest	specification-title	JDBC	Medium
Version	Manifest	Bundle-Version	8.2.0	High
Version	Manifest	Implementation-Version	8.2.0	High

Identifiers

- cpe:2.3:a:mysql:mysql:8.2.0:*:*:*:*:*:*:* (*Confidence*:Highest) suppress
- cpe:2.3:a:oracle:connector\/j:8.2.0:*:*:*:*:*:*:* (*Confidence*:Highest) suppress
- cpe:2.3:a:oracle:jdbc:8.2.0:*:*:*:*:*:*:* (*Confidence*:Highest) suppress
-

- cpe:2.3:a:oracle:mysql_connector\/j:8.2.0:*:*:*:*:*:*:* (*Confidence*:Highest) suppress
- cpe:2.3:a:oracle:mysql_connectors:8.2.0:*:*:*:*:*:*:* (*Confidence*:Highest) suppress

notification.zip: notification.jar

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/notification.zip/notification.jar
MD5: 4dae6a1bb05b6975ea12790bbc9fbf83
SHA1: a216123fbe895c3defc1d30fefc58b7da52927b9
SHA256:3dff0acef9ec869bdebf9a6fa62856f3185f7edc4dc15400fd3f568fd0f6cb11
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence
Vendor	file	name	notification	High
Vendor	jar	package name	inet	Low
Vendor	jar	package name	notificationui	Low
Vendor	jar	package name	server	Low
Vendor	Manifest	built-date	2025-05-01 11:45	Low
Vendor	Manifest	implementation-group	shared	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	notification	High
Product	jar	package name	notificationui	Low
Product	jar	package name	server	Low
Product	Manifest	built-date	2025-05-01 11:45	Low
Product	Manifest	implementation-group	shared	Low
Product	Manifest	Implementation-Title	notification	High
Product	Manifest	specification-title	notification	Medium
Version	Manifest	Implementation-Version	25.4.227	High

Identifiers

- **None**

notification.zip: notification.jar: notification.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/notification.zip/notification.jar/com/inet/notificationui/client/js/notification.js
MD5: a7914294220b5e8b3455195997e7a654
SHA1: 6aa5184b6872c79a90cb0c7db02e4b383ae1d6f0
SHA256:1adacc2b14565423a88959085345d44027d4ca43cb75b2a1dceb5ffdde9c0637
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

notification.zip: notification.jar: notification_config.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/notification.zip/notification.jar/com/inet/notificationui/client/js/notification_config.js
MD5: 323c074408d9e2dc2145230f2f2bec9e
SHA1: e6ca6eb13f3c22aedfbd90b0d7306c35cd7d2b28
SHA256:c86eed2c4c6b7df65bdebffc00a3ea2d809997c4b7a97cd22d55f7193ebd4b94
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

notification.zip: notification.jar: notification_taskplanner.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/notification.zip/notification.jar/com/inet/notificationui/client/js/notification_taskplanner.js
MD5: 34de69c55375ed77dcc583b60d7682a7
SHA1: 61bc262edf6fc6e902bbbc4bbc16c546a01e4f78
SHA256:ddb2f468d7348ce9388681d450895a6e4b5ba6c22d632f3d53bc1e837be83508
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

notification.zip: notification.jar: targetrenderer.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/notification.zip/notification.jar/com/inet/notificationui/client/js/targetrenderer.js
MD5: 9207efb9b92d4108c031b3e7f469ccff
SHA1: fc19cd09c51417a29979d39e3a74a2d99fbf9c03
SHA256:c6c83159f063f74a44c1d68bd67a67c4c96023c3eba9f87ce1090b8f994f49bd
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

odbc.jar

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/lib/odbc.jar
MD5: f633114e085fdb90dfc693cadccc9190
SHA1: 4ac12dc234b22614c5a6a2e84ad9a7a0a4830dd0
SHA256:09f8cb6c8cec042361360be8d768ea7156701561fd54ccb1bef33ca6e1501792
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence
Vendor	file	name	odbc	High
Vendor	jar	package name	inet	Low
Vendor	jar	package name	odbc	Low
Vendor	Manifest	Implementation-Vendor	i-net software GmbH, Berlin, Germany	High
Vendor	Manifest	specification-vendor	i-net software GmbH, Berlin, Germany	Low
Product	file	name	odbc	High
Product	jar	package name	odbc	Highest
Product	jar	package name	odbc	Low
Product	Manifest	Implementation-Title	odbc	High
Product	Manifest	specification-title	odbc	Medium
Version	Manifest	Implementation-Version	5.0.168	High

Identifiers

- **None**

opentest4j-1.3.0.jar

License:

The Apache License, Version 2.0

File Path: /home/jenkins/.gradle/caches/modules-2/files-2.1/org.opentest4j/opentest4j/1.3.0/152ea56b3a72f655d4fd677fc0ef2596c3dd5e6e/opentest4j-1.3.0.jar
MD5: 03c404f727531f3fd3b4c73997899327
SHA1: 152ea56b3a72f655d4fd677fc0ef2596c3dd5e6e
SHA256:48e2df636cab6563ced64dcdff8abb2355627cb236ef0bf37598682ddf742f1b
Referenced In Project/Scope: server:inetPlugin
Included by:

- pkg:maven/org.junit.platform/junit-platform-suite@1.11.4
- pkg:maven/org.junit.jupiter/junit-jupiter@5.11.4

- pkg:maven/org.junit.jupiter/junit-jupiter-engine@5.11.4

Evidence

Type	Source	Name	Value	Confidence
Vendor	file	name	opentest4j	High
Vendor	gradle	artifactid	opentest4j	Highest
Vendor	gradle	groupid	org.opentest4j	Highest
Vendor	jar	package name	opentest4j	Highest
Vendor	jar	package name	opentest4j	Low
Vendor	Manifest	build-date	2023-07-06	Low
Vendor	Manifest	build-revision	214973bfa4e7e9be7d04e623202cc4147c7036	Low
Vendor	Manifest	build-time	14:25:06.116+0200	Low
Vendor	Manifest	bundle-symbolicname	org.opentest4j	Medium
Vendor	Manifest	Implementation-Vendor	opentest4j.org	High
Vendor	Manifest	specification-vendor	opentest4j.org	Low
Product	file	name	opentest4j	High
Product	gradle	artifactid	opentest4j	Highest
Product	jar	package name	opentest4j	Highest
Product	Manifest	build-date	2023-07-06	Low
Product	Manifest	build-revision	214973bfa4e7e9be7d04e623202cc4147c7036	Low
Product	Manifest	build-time	14:25:06.116+0200	Low
Product	Manifest	Bundle-Name	opentest4j	Medium
Product	Manifest	bundle-symbolicname	org.opentest4j	Medium
Product	Manifest	Implementation-Title	opentest4j	High
Product	Manifest	specification-title	opentest4j	Medium
Version	file	version	1.3.0	High
Version	Manifest	Implementation-Version	1.3.0	High

Identifiers

- pkg:maven/org.opentest4j/opentest4j@1.3.0 (*Confidence*:Highest)

pdfviewer.zip: pdfjs-dist.jar

Description:

WebJar for pdfjs-dist

License:

Apache-2.0

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/pdfviewer.zip/pdfjs-dist.jar
MD5: 57149d661792caab7b262b841f199ca0
SHA1: 1dd919385c724d3caf7294f870cbfa3fc2185530
SHA256:55641dec5fc0d26127af3ec412c80234bc8c76e45639188034793c2205e8718a
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence
Vendor	file	name	pdfjs-dist	High
Vendor	Manifest	build-jdk-spec	1.8	Low
Vendor	Manifest	bundle-symbolicname	org.webjars.npm.pdfjs-dist	Medium
Vendor	pom	artifactid	pdfjs-dist	Low
Vendor	pom	developer id	webjars	Medium
Vendor	pom	groupid	org.webjars.npm	Highest
Vendor	pom	name	pdfjs-dist	High
Vendor	pom	url	https://www.webjars.org	Highest
Product	file	name	pdfjs-dist	High
Product	Manifest	build-jdk-spec	1.8	Low
Product	Manifest	Bundle-Name	pdfjs-dist	Medium
Product	Manifest	bundle-symbolicname	org.webjars.npm.pdfjs-dist	Medium
Product	pom	artifactid	pdfjs-dist	Highest
Product	pom	developer id	webjars	Low
Product	pom	groupid	org.webjars.npm	Highest
Product	pom	name	pdfjs-dist	High
Product	pom	url	https://www.webjars.org	Medium
Version	Manifest	Bundle-Version	4.9.155	High
Version	pom	version	4.9.155	Highest

Identifiers

- pkg:maven/org.webjars.npm/pdfjs-dist@4.9.155 (*Confidence*:High)

pdfviewer.zip: pdfjs-dist.jar: package.json

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/pdfviewer.zip/pdfjs-dist.jar/META-INF/resources/webjars/pdfjs-dist/4.9.155/package.json
MD5: f65798a4fb5f72545ae76304dcf58ed6
SHA1: 9a8fec5d3dbad5400bbed30a0be7cb07c854f0f4
SHA256:5a3c6c424b00e9d9cc490b0e357197f1b099a2f91cf6aeb4dd5002f77e1155ce
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

pdfviewer.zip: pdfviewer.jar

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/pdfviewer.zip/pdfviewer.jar
MD5: b237b6b5eff2bb8c94951afdef003664
SHA1: 6684c6061d7d458f60826c000331755dbf1a9fff
SHA256:1182195571b6fb1738cf45ef5b7bc2cc780e51a6fe03ebac0fdf182afebd0cfc
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence
Vendor	file	name	pdfviewer	High
Vendor	jar	package name	inet	Low
Vendor	jar	package name	pdf	Low
Vendor	jar	package name	viewer	Low
Vendor	Manifest	built-date	2025-05-01 12:53	Low
Vendor	Manifest	implementation-group	reporting	Low

Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	pdfviewer	High
Product	jar	package name	pdf	Low
Product	jar	package name	viewer	Low
Product	Manifest	built-date	2025-05-01 12:53	Low
Product	Manifest	implementation-group	reporting	Low
Product	Manifest	Implementation-Title	pdfviewer	High
Product	Manifest	specification-title	pdfviewer	Medium
Version	Manifest	Implementation-Version	25.4.227	High

Identifiers

- **None**

pdfviewer.zip: pdfviewer.jar: drive.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/pdfviewer.zip/pdfviewer.jar/com/inet/viewer/pdf/drive/js/drive.js
MD5: a61df90ad012e9d4c83859788ec19151
SHA1: 9a3461f7171aa71cb5200a7dd1140a5dd4c1d86a
SHA256:b16d712ec3e0e24b89a91b1d6002f61ce094fcd6a2624ff9e67ad9722ee90dfb
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

pdfviewer.zip: pdfviewer.jar: pdfviewer.angular.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/pdfviewer.zip/pdfviewer.jar/com/inet/viewer/pdf/client/js/pdfviewer.angular.js
MD5: e6954ccb4c0a3831a35f1b9e752fec42
SHA1: 208b965824e12aa9ed738fe0b632eb211bca20bf
SHA256:1344c0c858c9af3a4b868aebe1a4880ef4068f66c1e608522197bfe0cb173a1f
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

pdfviewer.zip: pdfviewer.jar: pdfviewer.embedded.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/pdfviewer.zip/pdfviewer.jar/com/inet/viewer/pdf/client/js/pdfviewer.embedded.js
MD5: 83c45e0d7293b9373aa727b5b46fad6f
SHA1: 501bddea7565a6ddfbcc28dbd28548db4c5e75a2
SHA256:ecb5a921e11426c887e8dfbaff8454aa16e4a7c5f73d59463e951f9ac89d3c9e
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

pdfviewer.zip: pdfviewer.jar: pdfviewer.factory.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/pdfviewer.zip/pdfviewer.jar/com/inet/viewer/pdf/client/js/pdfviewer.factory.js
MD5: 039933761f909593c1aee987e2d06a51
SHA1: 2df87d32494141ad03e09e9d69ba84b5b0096caf
SHA256:b8a9e43adf06ee74839d5dc250797aef98f13dbf861baed1adda91032d200d88
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

pdfviewer.zip: pdfviewer.jar: pdfviewer.model.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/pdfviewer.zip/pdfviewer.jar/com/inet/viewer/pdf/client/js/pdfviewer.model.js
MD5: 68901fe5c47acc46479c9e3e5cff6dd3
SHA1: 6db0a82aad55b6697eba55421549b8134b0285db
SHA256:cbada41244972ed937bfb2b4d69d24e42990e03e3adb0f18c9ce6c36739d7980
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

pdfviewer.zip: pdfviewer.jar: pdfviewer.renderer.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/pdfviewer.zip/pdfviewer.jar/com/inet/viewer/pdf/client/js/pdfviewer.renderer.js
MD5: 26622a6848f3d36a4366c4488546be82
SHA1: 35ef18dca36c26ef5167f970dd1af6857d16d0da
SHA256:5e33f6fe3044b63d7ce34c94444962c70b20e9c1e7ade0e3bd9879d47305f502
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

pdfviewer.zip: pdfviewer.jar: pdfviewer.reporting.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/pdfviewer.zip/pdfviewer.jar/com/inet/viewer/pdf/client/js/pdfviewer.reporting.js
MD5: effb4436a65f704a76dda056e6c68b01
SHA1: 91fda57186cd1069c5333898418ec74710978922
SHA256:e4ac8228b4f19e1eadb9590c9e030f1c3d805735c93c22be9405ff589ace8236
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

pluginstore.client.zip: pluginstore.client.jar

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/pluginstore.client.zip/pluginstore.client.jar
MD5: bb9e30a21ee80ef0c5398d8f978b2d20
SHA1: b7659a586d3748c7efb572151574880c101b12e4
SHA256:96c719c92b4c7eecf3b68e672c5d8823fb7b3a44cbe12b55cc69e811f674a604
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence
Vendor	file	name	pluginstore.client	High

Vendor	jar	package name	client	Low
Vendor	jar	package name	inet	Low
Vendor	jar	package name	store	Low
Vendor	Manifest	built-date	2025-05-01 11:47	Low
Vendor	Manifest	implementation-group	shared	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	pluginstore.client	High
Product	jar	package name	client	Highest
Product	jar	package name	client	Low
Product	jar	package name	shared	Highest
Product	jar	package name	store	Low
Product	Manifest	built-date	2025-05-01 11:47	Low
Product	Manifest	implementation-group	shared	Low
Product	Manifest	Implementation-Title	pluginstore.client	High
Product	Manifest	specification-title	pluginstore.client	Medium
Version	jar	package name	shared	Highest
Version	Manifest	Implementation-Version	25.4.227	High

Identifiers

- **None**

pluginstore.client.zip: pluginstore.client.jar: controller.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/pluginstore.client.zip/pluginstore.client.jar/com/inet/store/client/setup/controller.js
MD5: b890353af95e8d67ed666d72e55d5583

SHA1: cdc7ae95f6ea08ce7051388a5a6487c8a965eec3
SHA256:b2efe42a4dfe713e2a079e24a1044fdc777effb0518d6750fdf9a3974ac78936
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

pluginstore.client.zip: pluginstore.client.jar: pluginstorehelpcontroller.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/pluginstore.client.zip/pluginstore.client.jar/com/inet/store/client/plugin/help/js/pluginstorehelpcontroller.js
MD5: 33e0b25623e005ecbba43c00c91b043a
SHA1: 6b9855a487458ce85ae48ee1c5a129b26093b289
SHA256:a70a95787e2759bf1d43b76947ea5d48e541c6d94c640d25c9efd31ce281e3a7
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

pluginstore.client.zip: pluginstore.client.jar: publicstoreconfig.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/pluginstore.client.zip/pluginstore.client.jar/com/inet/store/client/ui/js/publicstoreconfig.js
MD5: 640b897e30bb04f24b310e948f963701
SHA1: c4f24830c5130eabd110ac29f1e198ca4f88e35b
SHA256:45bf77256d46306542a6592243af524e1be940c5bef8746be0fd62ec7209eb84
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

pluginstore.client.zip: pluginstore.client.jar: storecontroller.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/pluginstore.client.zip/pluginstore.client.jar/com/inet/store/client/ui/js/storecontroller.js
MD5: 512668a61bc16fe85f6442a56f622a9d
SHA1: f9bc6cb342455404802657a7c0d1dd1ed6ec7297
SHA256:7f183982c67d73d4a2bfb963dcc5aa8241b3beb2f2acf5d19aaec20357b715d6
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

pluginstore.client.zip: pluginstore.client.jar: storedirectives.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/pluginstore.client.zip/pluginstore.client.jar/com/inet/store/client/ui/js/storedirectives.js
MD5: ec0e5529e70952af58b9df0ce2bfebb4
SHA1: 0b859497e1b59e55936959192636c3fec9bacef5
SHA256:5066f9af1ecc472186f35289ec17fd270e6a0ef404796f1fbe6acdf69c40fe90
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

pluginstore.client.zip: pluginstore.client.jar: storemodel.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/pluginstore.client.zip/pluginstore.client.jar/com/inet/store/client/ui/js/storemodel.js
MD5: 79df37a017eb872811c499812d1eb6dc
SHA1: 1765bf02e7673e3559cac97d4e8a8308c3cf7fcb
SHA256:763d9661e237f8406a59f8fbec70549b5f4cf3e70e58b0c038bc233447d29669
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

promptdialog.zip: promptdialog.jar

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/promptdialog.zip/promptdialog.jar
MD5: 2646a31e377849d12a01464ea43821ec
SHA1: 83c6ab363968a08fa66ae5bd7b0aba3c35803a0b
SHA256:ea0a23dde29a038b1c114d24b2ba72edef72932df5ebb78e20dc71c410af8463
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence
Vendor	file	name	promptdialog	High
Vendor	jar	package name	inet	Low
Vendor	jar	package name	promptdialog	Low
Vendor	jar	package name	report	Low
Vendor	Manifest	built-date	2025-05-01 12:54	Low
Vendor	Manifest	implementation-group	reporting	Low
Vendor	Manifest	Implementation-	i-net software	High

		Vendor		
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	promptdialog	High
Product	jar	package name	promptdialog	Highest
Product	jar	package name	promptdialog	Low
Product	jar	package name	report	Low
Product	jar	package name	server	Low
Product	Manifest	built-date	2025-05-01 12:54	Low
Product	Manifest	implementation-group	reporting	Low
Product	Manifest	Implementation-Title	promptdialog	High
Product	Manifest	specification-title	promptdialog	Medium
Version	Manifest	Implementation-Version	25.4.227	High

Identifiers

- **None**

promptdialog.zip: promptdialog.jar: promptcontroller.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/promptdialog.zip/promptdialog.jar/com/inet/report/promptdialog/client/js/promptcontroller.js
MD5: 9a1030e31357faa7ff332e07f31b2013
SHA1: 719be987ccdcc3264d5d3d086f00c1aefb24e080
SHA256:5da72dc8b28b981a4ae5ff12babe1ed24733a8e828f6734da7e32988bc276783
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

promptdialog.zip: promptdialog.jar: promptcustomrenderer.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/promptdialog.zip/promptdialog.jar/com/inet/report/promptdialog/client/js/promptcustomrenderer.js
MD5: 4a2ab3e2f8b066e6c2faad02c1bf6c16
SHA1: e78d0c78e0a4222aa77bb5bab99d5686ceef8786
SHA256:249dece5c3251a2ed48cf1d60b25c93f473b33e22ec83b8980a3907bdf267b47
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

promptdialog.zip: promptdialog.jar: promptfactory.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/promptdialog.zip/promptdialog.jar/com/inet/report/promptdialog/client/js/promptfactory.js
MD5: 8fdaefff173cebe93a61e37d38b411f5
SHA1: df01371336e4d20ec91101bd4183bda94b5fb6ea
SHA256:2c84e71877b13721299f62b69e9daf89c9b20db27cb8e8ade6fd4528949b37b8
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

promptdialog.zip: promptdialog.jar: promptpanel.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/promptdialog.zip/promptdialog.jar/com/inet/report/promptdialog/client/js/promptpanel.js
MD5: 99d16b2383290d43cd354674196e40b0
SHA1: 03c6c2111b242719e26e7ebb64a1c5e89e6e540c
SHA256:7863b068cfa31af1c989f23a8f888f7858759728968e0d0335b6d5ac7411eea4
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

promptdialog.zip: promptdialog.jar: promptrenderer.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/promptdialog.zip/promptdialog.jar/com/inet/report/promptdialog/client/js/promptrenderer.js
MD5: 61c61ff08c770911316a7fef2450d6ba
SHA1: 9ab51332b7278bd9f50630cebbf0064101971b4b
SHA256:6ee26567dca9cf9d36e34c332500b735c83732876a89fba13607cf332eb3b715
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

quickticket.zip: quickticket.jar

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/plugins/quickticket.zip/quickticket.jar
MD5: 68342bc3a01c049331ae56c6e177a791
SHA1: 17aa6882ac0c56c384d84e0db9368880ecf58b93
SHA256:73a981aed23b7a0254b21f261d87a3e91a7674219c1046406c87a9f02bcc133c
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence
Vendor	file	name	quickticket	High
Vendor	jar	package name	helpdesk	Low
Vendor	jar	package name	inet	Low
Vendor	jar	package name	plugins	Low
Vendor	Manifest	built-date	2025-05-01 13:45	Low
Vendor	Manifest	implementation-group	helpdesk	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	quickticket	High
Product	jar	package name	helpdesk	Highest
Product	jar	package name	helpdesk	Low
Product	jar	package name	plugins	Low
Product	jar	package name	quickticket	Highest
Product	jar	package name	quickticket	Low
Product	Manifest	built-date	2025-05-01 13:45	Low
Product	Manifest	implementation-group	helpdesk	Low
Product	Manifest	Implementation-Title	quickticket	High
Product	Manifest	specification-title	quickticket	Medium
Version	jar	package name	helpdesk	Highest
Version	Manifest	Implementation-Version	25.4.227	High

Identifiers

- cpe:2.3:a:inetsoftware:helpdesk:25.4.227:*:*:*:*:*:*:* (*Confidence*:Low) suppress

quickticket.zip: quickticket.jar: configuration.quickticket.createfolder.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/plugins/quickticket.zip/quickticket.jar/com/inet/helpdesk/plugins/quickticket/client/config/configuration.quickticket.createfolder.js
MD5: fc5ef70d60d8574fe55112306a06907b
SHA1: 73ad9791f16dea6b384d900f6e1ccd7893bfa4dc
SHA256:93a3db50c5bcc486ad8bd79970aef9bd766c1131bbd84664f9195843caf5b6df
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

quickticket.zip: quickticket.jar: configuration.quickticket.edit.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/plugins/quickticket.zip/quickticket.jar/com/inet/helpdesk/plugins/quickticket/client/config/configuration.quickticket.edit.js
MD5: 9364cfe30bab6ae0296229fbea4f7aa7
SHA1: 2ea9f0818b6928489cc404a44fb69d591ec245e8
SHA256:42dce4e0b75892e253b99e3b49e64c8c36608ac4cabfe1dffb3cc5c1a3be77b3
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

quickticket.zip: quickticket.jar: configuration.quickticket.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/plugins/quickticket.zip/quickticket.jar/com/inet/helpdesk/plugins/quickticket/client/config/configuration.quickticket.js

MD5: c6e56f0b46ea4850b31200ee98d6ba03
SHA1: 91689e003a8df0ea100d46e76e7406cc41c01777
SHA256:51ccb75031fb8e7cf7bd23e8c7e971afc2c9ba41d408cf72237b140681236ab2
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

quickticket.zip: quickticket.jar: configuration.quickticket.renderer.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/plugins/quickticket.zip/quickticket.jar/com/inet/helpdesk/plugins/quickticket/client/config/configuration.quickticket.renderer.js
MD5: ca9692ad08b8e24f750cbe47cbf9b156
SHA1: 5bd270f9d5363e2f0a7827cb01d634363e1cd7ba
SHA256:89db080f32a112fb4c668b1ce1376f98067edf7c89dcff9249ed3aaa0099b5c5
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

quickticket.zip: quickticket.jar: ticketlist.extension.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/plugins/quickticket.zip/quickticket.jar/com/inet/helpdesk/plugins/quickticket/client/ticketlist/ticketlist.extension.js
MD5: eb9510fb0314fe12203eca0f75b16ae3
SHA1: e3f18085713d2ddffbcc28f79008d99156d2d40f
SHA256:c8d575a739dca75b067d2d004318fee69e31c012b998841d892e388879495499
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

quickticket.zip: quickticket.jar: ticketlist.quickticket.apply.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/plugins/quickticket.zip/quickticket.jar/com/inet/helpdesk/plugins/quickticket/client/ticketlist/ticketlist.quickticket.apply.js
MD5: b233e7a67413fe78c5ca169b53799a80
SHA1: 17cfeddcd3ad725e8cc6bb96eb98a83ad4c0bc14
SHA256:eda543914916c26b6b9a0a0108f669667e970138656922b22aba98bc848cb2d5
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

remotegui.zip: angular-animate.jar

Description:

WebJar for angular-animate

License:

MIT

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/angular-animate.jar
MD5: 1dcc988a8392618e7c5127f57b3453d1
SHA1: 7ea94213dad8a46ab088e1a3dd6a5def2ecf8e78
SHA256:dbbce06145963ef7bfd197c1646722fedfe76a9b54b01f1b6dc7ccf7e8b51163
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence
Vendor	file	name	angular-animate	High
Vendor	pom	artifactid	angular-animate	Low
Vendor	pom	developer id	webjars	Medium
Vendor	pom	groupid	org.webjars.npm	Highest
Vendor	pom	name	angular-animate	High
Vendor	pom	url	https://www.webjars.org	Highest
Product	file	name	angular-animate	High
Product	pom	artifactid	angular-animate	Highest
Product	pom	developer id	webjars	Low
Product	pom	groupid	org.webjars.npm	Highest
Product	pom	name	angular-animate	High
Product	pom	url	https://www.webjars.org	Medium
Version	pom	version	1.8.3	Highest

Identifiers

- pkg:maven/org.webjars.npm/angular-animate@1.8.3 (*Confidence*:High)

remotegui.zip: angular-animate.jar: angular-animate.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/angular-animate.jar/META-INF/resources/webjars/angular-animate/1.8.3/angular-animate.js
MD5: 31312b87e7226c8bf0714fcef0ea5d18
SHA1: dc9fb55f2c7f922c5ba83449266239ba1353db45
SHA256:58e79e0e7cbb1e1502d216701e1fae41c405d92320aea1b68a223054096fda93
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence
Vendor	file	name	angularjs	High
Product	file	name	angularjs	High
Version	file	version	1.8.3	High

Identifiers

- pkg:javascript/angularjs@1.8.3 (*Confidence*:Highest)

remotegui.zip: angular-animate.jar: angular-animate.min.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/angular-animate.jar/META-INF/resources/webjars/angular-animate/1.8.3/angular-animate.min.js
MD5: 5d2d0f42bb7e1b5503e914674f59dad0
SHA1: 4c15a58541e53c451c6f946d2048104f88b833c7
SHA256:8e6202b1330a469a61ccdeebbd1cb3a20d0ecdfc8d106f68da5b85e9b67a1cd5
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence
Vendor	file	name	angularjs	High
Product	file	name	angularjs	High
Version	file	version	1.8.3	High

Identifiers

- pkg:javascript/angularjs@1.8.3 (*Confidence*:Highest)

remotegui.zip: angular-animate.jar: index.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/angular-animate.jar/META-INF/resources/webjars/angular-animate/1.8.3/index.js
MD5: eca59ea32960ae595dd18ad9480185b1
SHA1: b8fe1c0a06b723a75c7e596fd8a86d91965f681c
SHA256:7f2f9350e5624bf86e8760d1deae03fae4477949284b49471eb67e2b6498cb7d
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

remotegui.zip: angular-animate.jar: package.json

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/angular-animate.jar/META-INF/resources/webjars/angular-animate/1.8.3/package.json
MD5: 13957f0482b591f50a2e9528a5b84330
SHA1: 16ec0d9e9e70f179261a1bd672e610b159876ff5
SHA256:e2fcbc9996d890ec0c6601b2c9176a1ada7806e1dcd6eca8549bba9022235877
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

remotegui.zip: angular-cookies.jar

Description:

WebJar for angular-cookies

License:

MIT

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/angular-cookies.jar
MD5: 5d743cd15e44b5a942478abaa3a008ae
SHA1: 2ebe196f9032e261a470467b5a14632d81d3d4f9
SHA256:0809dd125183f03e6682985208de5f1221478221ed41667545133f7e729dd000
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence
Vendor	file	name	angular-cookies	High
Vendor	pom	artifactid	angular-cookies	Low
Vendor	pom	developer id	webjars	Medium
Vendor	pom	groupid	org.webjars.npm	Highest

Vendor	pom	name	angular-cookies	High
Vendor	pom	url	https://www.webjars.org	Highest
Product	file	name	angular-cookies	High
Product	pom	artifactid	angular-cookies	Highest
Product	pom	developer id	webjars	Low
Product	pom	groupid	org.webjars.npm	Highest
Product	pom	name	angular-cookies	High
Product	pom	url	https://www.webjars.org	Medium
Version	pom	version	1.8.3	Highest

Identifiers

- pkg:maven/org.webjars.npm/angular-cookies@1.8.3 (*Confidence*:High)

remotegui.zip: angular-cookies.jar: angular-cookies.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/angular-cookies.jar/META-INF/resources/webjars/angular-cookies/1.8.3/angular-cookies.js
MD5: e17187aea1f0e6dbd25722e34b754915
SHA1: 20f43f716b9fef7d72537bc1b0e5aa2bc480cee5
SHA256:f3291c552042f6d0c500167769912a78ab3ecec9917128b2d6ea8e7c6714bb97
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence
Vendor	file	name	angularjs	High
Product	file	name	angularjs	High
Version	file	version	1.8.3	High

Identifiers

- pkg:javascript/angularjs@1.8.3 (*Confidence*:Highest)

remotegui.zip: angular-cookies.jar: angular-cookies.min.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/angular-cookies.jar/META-INF/resources/webjars/angular-cookies/1.8.3/angular-cookies.min.js
MD5: c41aff8423276d46f0d02de6dcb71524
SHA1: 7dc53f75d5bf7dd2c770cb50f31242c70193c086
SHA256:926509b494009bea03288bba191a2b238032188e9112377e50fbfe7814c6639b
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence
Vendor	file	name	angularjs	High
Product	file	name	angularjs	High
Version	file	version	1.8.3	High

Identifiers

- pkg:javascript/angularjs@1.8.3 (*Confidence*:Highest)

remotegui.zip: angular-cookies.jar: index.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/angular-cookies.jar/META-INF/resources/webjars/angular-cookies/1.8.3/index.js
MD5: 88188b8869bb0cbae63eb86aa6c1059a
SHA1: ce388b565b0d0392802138b2a7d4bf393c3d49f9
SHA256:b1b8d54ed8400d4f997da0f2fa672e8728d4771a77028d9f495cf1732fcb1e6f
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

remotegui.zip: angular-cookies.jar: package.json

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/angular-cookies.jar/META-INF/resources/webjars/angular-cookies/1.8.3/package.json
MD5: 6785fbb341602e147af808078db0d42b
SHA1: a30ac55dae62b1a7c8921c7687a3276dbeeed564
SHA256:81847196d700fe42834ebf82cb0c68267d9c237134566556a466e070659c7222
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

remotegui.zip: angular-sanitize.jar

Description:

WebJar for angular-sanitize

License:

MIT

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/angular-sanitize.jar
MD5: f47ca0f7e843acea25d245b34ce30feb
SHA1: 8050e163f66fb899645cc67ffa67d92a25096902
SHA256:4de072c9e746b2bf70aee70cc1c9b61350e017002dd71089e5f66a587f7ed92f
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence
Vendor	file	name	angular-sanitize	High
Vendor	pom	artifactid	angular-sanitize	Low
Vendor	pom	developer id	webjars	Medium
Vendor	pom	groupid	org.webjars.npm	Highest
Vendor	pom	name	angular-sanitize	High
Vendor	pom	url	https://www.webjars.org	Highest
Product	file	name	angular-sanitize	High
Product	pom	artifactid	angular-sanitize	Highest

Product	pom	developer id	webjars	Low
Product	pom	groupid	org.webjars.npm	Highest
Product	pom	name	angular-sanitize	High
Product	pom	url	https://www.webjars.org	Medium
Version	pom	version	1.8.3	Highest

Identifiers

- pkg:maven/org.webjars.npm/angular-sanitize@1.8.3 (*Confidence*:High)

remotegui.zip: angular-sanitize.jar: angular-sanitize.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/angular-sanitize.jar/META-INF/resources/webjars/angular-sanitize/1.8.3/angular-sanitize.js
MD5: 0127d7a139abfc8bd45875a9c8ea6348
SHA1: 197aea2acc25a0fa821766400950cac58a3627a5
SHA256:c84c65250afe5a1265f36a7e16c6010652e55c2ae3a779c351fb68536c42bf64
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence
Vendor	file	name	angularjs	High
Product	file	name	angularjs	High
Version	file	version	1.8.3	High

Identifiers

- pkg:javascript/angularjs@1.8.3 (*Confidence*:Highest)

remotegui.zip: angular-sanitize.jar: angular-sanitize.min.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/angular-sanitize.jar/META-INF/resources/webjars/angular-sanitize/1.8.3/angular-sanitize.min.js
MD5: f3c62abeec216e9431e7d5b22d8e813b

SHA1: 21355ef18c5e1ce2b2c711b9dba21cbea0655646
SHA256:cc80a30ad0439c2e9c209b3d7fcffb1d10e6007fd1d00c9cc144f393664a7045
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence
Vendor	file	name	angularjs	High
Product	file	name	angularjs	High
Version	file	version	1.8.3	High

Identifiers

- pkg:javascript/angularjs@1.8.3 (*Confidence*:Highest)

remotegui.zip: angular-sanitize.jar: index.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/angular-sanitize.jar/META-INF/resources/webjars/angular-sanitize/1.8.3/index.js
MD5: 796078246b8e97f002ea5c97c4c7de54
SHA1: 0ce03000a4c04ae0a8b4353715bda54b8a8e8c69
SHA256:44cbd8c36c3e2818d011eb0dc7d95293730667fa5a98a23449e9b4add369f65b
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

remotegui.zip: angular-sanitize.jar: package.json

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/angular-sanitize.jar/META-INF/resources/webjars/angular-sanitize/1.8.3/package.json
MD5: 515d23261280a10a4d84ed267c425880

SHA1: 84d37bbaefc2117ac59c79b0d87a953a1abd4911
SHA256:5e5c191e41b4e9902cfaeb95878d5b92333585e6dad936588fe1adfd1445af86
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

remotegui.zip: angular.jar

Description:

WebJar for angular

License:

MIT

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/angular.jar
MD5: f339a9a66a64c67eebb21ec3b251dfc6
SHA1: cff4aee339a9ca4ae2f095079930edeaad6a94ee
SHA256:a997eb40987ddb5d3bf64adf3d33afcff3ac2b1eb2e7255b5203a387f8097cd0
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence
Vendor	file	name	angular	High
Vendor	pom	artifactid	angular	Low
Vendor	pom	developer id	webjars	Medium
Vendor	pom	groupid	org.webjars.npm	Highest
Vendor	pom	name	angular	High
Vendor	pom	url	https://www.webjars.org	Highest
Product	file	name	angular	High
Product	pom	artifactid	angular	Highest
Product	pom	developer id	webjars	Low
Product	pom	groupid	org.webjars.npm	Highest
Product	pom	name	angular	High

Product	pom	url	https://www.webjars.org	Medium
Version	pom	version	1.8.3	Highest

Identifiers

- pkg:maven/org.webjars.npm/angular@1.8.3 (*Confidence*:High)

remotegui.zip: angular.jar: angular.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/angular.jar/META-INF/resources/webjars/angular/1.8.3/angular.js
MD5: e09f650a016c24bc1b5a1edc93bfbade
SHA1: 0f1f7445b761b9bbd5385f9f0b316dbf1ca48696
SHA256:fdca889e76f55fdee7ab661920f37ce19233563bf7f4ac8120f8ebc2ac768768
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence
Vendor	file	name	angularjs	High
Product	file	name	angularjs	High
Version	file	version	1.8.3	High

Identifiers

- pkg:javascript/angularjs@1.8.3 (*Confidence*:Highest)

remotegui.zip: angular.jar: angular.min.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/angular.jar/META-INF/resources/webjars/angular/1.8.3/angular.min.js
MD5: 967a32633fa8f38f4ac3376c1a37b992
SHA1: b53b74d8e0b732dcdb98fbe521146b88299ea2f1
SHA256:396dc1a03d6cc02e9c51a80246e0db53c5c8df9bd07287e3b51bce4a29dab355
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence
Vendor	file	name	angularjs	High
Product	file	name	angularjs	High
Version	file	version	1.8.3	High

Identifiers

- pkg:javascript/angularjs@1.8.3 (*Confidence*:Highest)

remotegui.zip: angular.jar: index.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/angular.jar/META-INF/resources/webjars/angular/1.8.3/index.js
MD5: 0d848853205d22ab8be985876aec948a
SHA1: a2bfe847bea879ad2775509c4421291c404d8c21
SHA256:d469f8e93a4c345f01d81d162a803116de1bc6afd4bfeba8b45951449956b686
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

remotegui.zip: angular.jar: package.json

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/angular.jar/META-INF/resources/webjars/angular/1.8.3/package.json
MD5: c5e0d73dc5121cf479c775248d2ca497
SHA1: bc29d1f7c080dfb1f701ad4f1c4ff548916f28e5
SHA256:95ad7872af90c37e7a5597581f5bb2362d59c49fc3f2766dd9f2568a041cf10a
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

remotegui.zip: codemirror.jar

Description:

WebJar for codemirror

License:

MIT

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/codemirror.jar
MD5: 669061572ba6292cc848f48535366409
SHA1: c1c5b1fda926e89ab3204a2b4d2871078ce6d448
SHA256:b5f4ff56ec0eb788f4c150fc67b7a127e189e555e2438318742003e01c78282c
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence
Vendor	file	name	codemirror	High
Vendor	pom	artifactid	codemirror	Low
Vendor	pom	developer id	webjars	Medium
Vendor	pom	groupid	org.webjars.npm	Highest
Vendor	pom	name	codemirror	High
Vendor	pom	url	https://www.webjars.org	Highest
Product	file	name	codemirror	High
Product	pom	artifactid	codemirror	Highest
Product	pom	developer id	webjars	Low
Product	pom	groupid	org.webjars.npm	Highest
Product	pom	name	codemirror	High
Product	pom	url	https://www.webjars.org	Medium
Version	pom	version	6.65.7	Highest

Identifiers

- pkg:maven/org.webjars.npm/codemirror@6.65.7 (*Confidence*:High)
- cpe:2.3:a:codemirror:codemirror:6.65.7:*:*:*:*:*:*:* (*Confidence*:High) suppress

remotegui.zip: codemirror.jar: CodeMirror.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/src/edit/CodeMirror.js
MD5: d154477df9eebe156a1a493731acb01d
SHA1: 69efd74f28f36317a2bb9101dbbaec73f5ca3735
SHA256:258db73a89eb6d88475013d38f4e0e01cc1476788f931058bf470db1ee26ca53
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

remotegui.zip: codemirror.jar: ContentEditableInput.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/src/input/ContentEditableInput.js
MD5: 40e61dbb4388425c66403ecd7e9a5a10
SHA1: 70cfc8bedef61e8d2f6cbb85ee41d65088d44c53
SHA256:5c07c3caef1fc6122ef3ce8d681afb87d65f86aaead8db5d1ca3466803b57da8
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

remotegui.zip: codemirror.jar: Display.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/src/display/Display.js
MD5: bbf05006cf414f786e21cdb02b443aac
SHA1: 6bcab3100f9fd46d39f5c47d78b6ad9ad863b464
SHA256:6e26756a9ae829558cf81a83fd9d48dd0f605241c7c7e8028a8bcf94bfa7a9d4
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

remotegui.zip: codemirror.jar: Doc.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/src/model/Doc.js
MD5: 66f02c635454d1ae55f7472709417566
SHA1: 8799d7becd0b3ee9bfd397c157c43ca6ebb264d0
SHA256:32bf377fa99365b49732f69c5e565c61995fefdf8d0bc6f3404d4fc00ed8ac7f
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

remotegui.zip: codemirror.jar: StringStream.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/src/util/StringStream.js
MD5: d187f08909bf9bb188d04c79f089c26a

SHA1: f5c4fc956b8b4de762087204024eb625cb00a790
SHA256:9f1ab50bba4ae102fa5c611d4ef5b056d063a63a7f20cfef59eea64e93c3e04e
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

remotegui.zip: codemirror.jar: TextareaInput.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/src/input/TextareaInput.js
MD5: 87e959dd1978b0e022083d3e5ad65158
SHA1: d08b9e7e675368968faf8e93bb1dbaddf9996410
SHA256:48684a26a28a3fd1793a80aa67509c4281b56d6924d25511540a1d19aed72eb9
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

remotegui.zip: codemirror.jar: active-line.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/addon/selection/active-line.js
MD5: 774e515fe054cbcd6cc869bfd550b17d
SHA1: 3d950f5055286088e93e0ee4c8a1d62eaf8aedac
SHA256:3afbcf78835c9bdc342e3992c53d9b74286722613bb1a8adc9d140edc8737ee8
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

remotegui.zip: codemirror.jar: annotatescrollbar.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/addon/scroll/annotatescrollbar.js
MD5: a9dfd7f9d78bd36c617429ed88cb67e5
SHA1: ad1133e5432a7c65881747c87c84529fed297ecb
SHA256:9041e8d81e3cebc481cabfae90d3b80596f3194de75d98e5526d3bfa44ae3bbc
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

remotegui.zip: codemirror.jar: anyword-hint.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/addon/hint/anyword-hint.js
MD5: ba7fa17b24f0937d9431f93b9de2da37
SHA1: a87db7c6de5231a1bfd702e26ecf4aa76d822a0a
SHA256:e834ad178bd23449476e29179e8cb9f0c1ebaed35dab9059ed9a46b388271f3e
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

remotegui.zip: codemirror.jar: apl.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/apl/apl.js
MD5: c0d55e310ae0a4290d3fccca84bff448
SHA1: 006c98d2b17e85168065eebf44c3fdd91b9ff874
SHA256:47e0fdac0a39e0186019064e13b674dda4223b03b2748d34cccc09489fde2674
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

remotegui.zip: codemirror.jar: asciiarmor.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/asciiarmor/asciiarmor.js
MD5: 42e5c7f3f48fa085f63bd7708bb204fd
SHA1: b15cdadbf5a869d06a79e6a9e187d0509dca1239
SHA256:bdcb68c4b0c9dc53b2af587673461a495f123a5b9da8f6be79d97fee2790f9ae
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

remotegui.zip: codemirror.jar: asn.1.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/asn.1/asn.1.js
MD5: a928fdb102ef88113a9d1c0d9e520114
SHA1: f293930644bd6093dbb02475e8b409fe9794f437
SHA256:5b50cca4b34820cb3d57c218945ff2d870d57eba83e13c2c66590063e2a23acc
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

remotegui.zip: codemirror.jar: asterisk.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/asterisk/asterisk.js
MD5: 2f4e25e805d878f43b8568609c48dba8
SHA1: 109a76d631e43dd32c13cbb0c23ad83e1851ad0a
SHA256:0849e3a141e967559d752de2205956cb690f1d4ba0a5ace5481c6c565db9b674
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

remotegui.zip: codemirror.jar: autorefresh.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/addon/display/autorefresh.js
MD5: 16b07faa9ef79a1fb79432fb4f4a9e3a

SHA1: 091a2b17758e7c3182542314256139a2247b508c
SHA256:2ec9d5585bd24d7611f30ebbb1cd8fedf79747cf89c1f83852dd1dd9981f10bd
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

remotegui.zip: codemirror.jar: bidi.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/src/util/bidi.js
MD5: 22a12be2f1e24a9bfddc5c3b0d187ede
SHA1: ab735d3376e0040172b6dc972f97df663f231dc4
SHA256:0a4646d7a1214acfc71ad351d021f31795b056ce7a08f80d29857aeca1a5163b
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

remotegui.zip: codemirror.jar: brace-fold.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/addon/fold/brace-fold.js
MD5: d56849bd7cce8a10ccb842d50f0de179
SHA1: 4103103f28436925442d5397c24425fbaf660fce
SHA256:2907087538a295e5b4f084f8c5ee7eba35cc973db194cbf596ab13a6c97a6834
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

remotegui.zip: codemirror.jar: brainfuck.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/brainfuck/brainfuck.js
MD5: f3ff733b3609dfb34a49652f6a4a2d09
SHA1: 41a8164ddba5e25fe2401265eb9fd4222e415549
SHA256:67496a83fe1ea3304a3f65a8f8196f3a4a40060ea4febcbb60a82c7657205abd
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

remotegui.zip: codemirror.jar: browser.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/src/util/browser.js
MD5: 564eafde7c1566f1b9b0d976cc3ace2f
SHA1: 2c592606b3242ac9cf080d138aae3516cc2ef05d
SHA256:de647094595511fabe9d548d9e45dacf746d7b83a198cb69b5b8859fa3eccb30
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

remotegui.zip: codemirror.jar: change_measurement.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/src/model/change_measurement.js
MD5: 39707c0eb637648efc07d95bb60253d3
SHA1: 025a52f620cc5b6edee8fb9c63a3f6ecf4c2284c
SHA256:1d1648706bf317acc33a64673cb4fbc2d2a7db8205bcc1cd9fe52819c13b87f0
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

remotegui.zip: codemirror.jar: changes.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/src/model/changes.js
MD5: 822465b81d600e9a703579605e2147bc
SHA1: 1b77f1034de1cac51a8ff50e48f9604bc62556e5
SHA256:13b0b2c417e0181ec9cb012932c1fa167c50171133391c00582e2939206362a0
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

remotegui.zip: codemirror.jar: chunk.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/src/model/chunk.js
MD5: 7dd1b45f75341b5a03a01f6607da69a4
SHA1: 89dfb21758e8a384033d09678a8d5b1ce8983e6f
SHA256:18f55da6b39c1b12fb5406c7962a88884e00d2122566622784720cbe612fc676
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

remotegui.zip: codemirror.jar: clike.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/clike/clike.js
MD5: 145b41ea6cde47e8889ef8b2214eecde
SHA1: d0ae7cc4040a57a76b86265f492f87e251d1cc9d
SHA256:a1ff458a030f8b1db2d901811344f3e178eaceb19b598277d054bf83dacfecd2
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

remotegui.zip: codemirror.jar: clojure.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/clojure/clojure.js
MD5: 7f3277e322bd000aefbfb172d3edf7e6

SHA1: e701f8e843e3390a0a411700d3c8989dc147780c
SHA256:86b7b779ab84fa77bc6e461a05fd0887d85a3c8cd42a96576cad973b355bb1b8
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

remotegui.zip: codemirror.jar: closebrackets.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/addon/edit/closebrackets.js
MD5: 667059f346609f6ad778936b17c43824
SHA1: 248b45be826a8856a0ed0733c8511d9d0c595507
SHA256:143c3014c29254f3531cc30be6d90205084bcfc36cffa6f9b2a46fd42a40be20
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

remotegui.zip: codemirror.jar: closetag.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/addon/edit/closetag.js
MD5: 744876ab906996c429eef7654278f514
SHA1: 0e0e10e59f93f87c9bc35247b14831091113adb4
SHA256:6fbe2b93cc1744d9e14ad1d613449f7e16df4c2aa2842f658efc17abf662f850
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

remotegui.zip: codemirror.jar: cmake.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/cmake/cmake.js
MD5: fc204bb5f2393f59bcd34a860f1e1a57
SHA1: 73985b80cdb80d12831a7476b740733e3fdd065d
SHA256:6379ded0f75af38659031d1eaa803d2bd5be0fa7cebc216e55ca65d01a35bf1a
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

remotegui.zip: codemirror.jar: cobol.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/cobol/cobol.js
MD5: d8a271c0bf27ef5cc2dd8ea19886aa75
SHA1: 93072b3c895318fc58f8ed16d68cc213ac7910de
SHA256:0cecf82da2915c20187ab4e29cfc4abbb0078536874b27978726d48371487e4c
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

remotegui.zip: codemirror.jar: codemirror-standalone.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/src/addon/runmode/codemirror-standalone.js
MD5: f1f47322e6af5937de4a14fb10863e3e
SHA1: 843d01e1379550e5fed3e64aba1af1a359441e7a
SHA256:a18754c4ae17e27b7bba46b338c404d28804e237f41425aed96904c0aa1f49f2
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

remotegui.zip: codemirror.jar: codemirror.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/lib/codemirror.js
MD5: 15fc3cdfe569fa38b1f91d86ebbea13d
SHA1: c5f9252d9467c2af70c5e6fc579e696648ee242b
SHA256:a4f1c30365d5f85951a22160b07a7ce34048cb640c283545c8192132b46efba8
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

remotegui.zip: codemirror.jar: codemirror.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/src/codemirror.js
MD5: 0d4d22de0bcdf7f7afd8131d4e59f130
SHA1: 819f8c37a4df0c61ef735d5b884c6c598bc0983e
SHA256:b2a1b676605c6428b6dd7ce21a8a0d2509d4652ceb2297be93078ca6d66926dd
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

remotegui.zip: codemirror.jar: codemirror.node.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/src/addon/runmode/codemirror.node.js
MD5: a524724c274d1c038c7984e164428b3d
SHA1: 18fd7183236cbf1437175c8d31509ffa6cd4ba64
SHA256:fdc02024dc3845f85b38046ae842b0f572f91adc5f34a6979cd92ead0fe4a0a1
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

remotegui.zip: codemirror.jar: coffeescript-lint.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/addon/lint/coffeescript-lint.js
MD5: e852ea5b9ebb97947ffd169523eca098

SHA1: 58ec1f05cb6893a519fe2d7ad1b9716f15219b89
SHA256:824caa68710a7f931ebd30491fec19dcd2c6fa166c21158f5ccd61321069da2d
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

remotegui.zip: codemirror.jar: coffeescript.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/coffeescript/coffeescript.js
MD5: 438a52e20ca46a26383d4eb6d33a5c6f
SHA1: 8dd398cbd2955bcffcd70180f9fb560f56acf567
SHA256:67792b36933d29b482307761ee03da520a19b3b30ca60f54df9cdef4051db628
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

remotegui.zip: codemirror.jar: colorize.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/addon/runmode/colorize.js
MD5: 626a64f8687ca9576bb017843ab2c30b
SHA1: 4899e8d499849fb02f134afb39711d3ab2c28903
SHA256:9d39f5267c05d930f079fc4f223b453e8f9fd54cae6cf52db9b5dc3a0b9dd694
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

remotegui.zip: codemirror.jar: commands.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/src/edit/commands.js
MD5: 9f984e904c9556f8e270502eaf1d5a5b
SHA1: d16928b2cc389c46f7b77121beb7376a50f11c35
SHA256:5f23178d2f8f62f97af955560fb192e5aa898f81153b9c24cee8ed6ac567f658
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

remotegui.zip: codemirror.jar: comment-fold.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/addon/fold/comment-fold.js
MD5: 3bf750756a24d5a0ba9cf16819bf5cfe
SHA1: ad4d1534287f90692567139c0b007be29aac4a9d
SHA256:a79d02eb1b425d8a4823f2d962b7b9f49af578fc9042b928b892417c00e7d13a
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

remotegui.zip: codemirror.jar: comment.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/addon/comment/comment.js
MD5: 18fc449bec0798e43182173ba47455b9
SHA1: 29442cfbafce86a08679824a999b87ec1acdf567
SHA256:a65c038258c6541658a0e9f24c56c78255e0e20d4cf06aa9ad83342069a589be
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

remotegui.zip: codemirror.jar: commonlisp.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/commonlisp/commonlisp.js
MD5: 9449ffe942392a1ad14eaa723578b606
SHA1: c734ecc91ff4949d4cac179a55bec5cee55da153
SHA256:0efe46913f843f5c335c79e05ae758e60212dde9cd3c45d99fae8066bd13c128
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

remotegui.zip: codemirror.jar: continuecomment.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/addon/comment/continuecomment.js
MD5: 174c186ec1902fdcb1aa708a9dea1aa4
SHA1: 7c3bb959b0c3befa4395c61ee8fbba3f7f6c6033
SHA256:eb64c50f80cb3080052971bc075bbbf421ab50287804af8ce47b0536da5365e9
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

remotegui.zip: codemirror.jar: continuelist.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/addon/edit/continuelist.js
MD5: 630509c4379923d8c811b3f1acc931fc
SHA1: 09118fd53589fe18289006df5cc57b4818321197
SHA256:6ba9cd9528b74e7f76f4b9ce9ed0677bfed7057d1aade0050185368cfd0ea2e3
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

remotegui.zip: codemirror.jar: crystal.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/crystal/crystal.js
MD5: ae980ca83523592958a2c7f8144bd365

SHA1: b52f1f9ec7c854891491f792ae93aae419efd2ac
SHA256:5e6e8458e3fa4079ff438060ac7f93b8b7a160212b1cce92516f1ea9680b57da
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

remotegui.zip: codemirror.jar: css-hint.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/addon/hint/css-hint.js
MD5: 55823389add79e8c52ffa7df6ba94515
SHA1: 59e0f4c17ecd9595fe88a84bc47fbb994803fab6
SHA256:0e22d6efa1ea084e8316ec6d5e4c809534f0e36f363bbc4156609201d95c6601
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

remotegui.zip: codemirror.jar: css-lint.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/addon/lint/css-lint.js
MD5: e392cd5f86989535e38b3cbfb5134985
SHA1: 0986b3dc26b02d98a91b91bb38d46065b5c0214d
SHA256:f3fc7474cbefded7f1b06d63efe980d58970785831cb35f29874ec371cb4ece8
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

remotegui.zip: codemirror.jar: css.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/css/css.js
MD5: 3675078ada8a185a353a6560bda2d5ac
SHA1: 1045cdc88a58fb002511eb21db184ed242730f05
SHA256:60f0689e5c6af7f36c341e8e1341a4f10b4f0a04cebfb7341bcbedba9b572b32
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

remotegui.zip: codemirror.jar: cypher.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/cypher/cypher.js
MD5: 0439f14eea37e69f9bd0af1b9c57e014
SHA1: c65b82f89865edb564d52f00afddafc3d18a8d6b
SHA256:6d8c9c8993fdeb724f1f68e9574fdab0001da1d31196e33ac6112303005d3f63
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

remotegui.zip: codemirror.jar: d.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/d/d.js
MD5: 0632861907c7e77ea48e0952d2081136
SHA1: f000ac2fe16c377837034c69cdace651a45f4e7a
SHA256:8e3994ce4f507e692b65aa73ffbfd58112c4a22771b84b8ad86152578d4e8130
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

remotegui.zip: codemirror.jar: dart.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/dart/dart.js
MD5: 0bfa12b4210e1faba31c98d2fcbd226f
SHA1: 4caa7d422c3c931f7df5b46e09c9596a9ca19ed0
SHA256:b09be809dc1f9e3ad59374b198b0e5c4992788b9ff524765fccd0b84fde52212
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

remotegui.zip: codemirror.jar: deleteNearSelection.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/src/edit/deleteNearSelection.js
MD5: 813d638d2d4693bd14f7b6490445a417
SHA1: eec62305710c8c0a032933bbee41c3fd45142669
SHA256:dac971ad5b761896b830e95f5e2240e2748fb83c909ef4c5ea4fd1f60ae031fd
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

remotegui.zip: codemirror.jar: dialog.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/addon/dialog/dialog.js
MD5: 1b33c63e7d89d740d4738ce9766b19b0
SHA1: 14cccbebffcb2f33d928c4a41d854237cda5dd97
SHA256:fd8c925fcc25357617faff21220c026bb91a617b995268d96c5d39232fd42833
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

remotegui.zip: codemirror.jar: diff.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/diff/diff.js
MD5: f80746d74770ee6dcf444e99f75d5537

SHA1: 45f65817bf0cfe00f52a620c44e48031e926e5bc
SHA256:3fd0e844e22f475503415744b7e7af24df4cd0670709c77e5e43e92185ba32fd
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

remotegui.zip: codemirror.jar: django.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/django/django.js
MD5: 3c02fcac64b6100a0f369edc8d145f97
SHA1: 9ab00e90ea9a3788178187e9451bdaf61bd311fe
SHA256:71a3fa0ac63fe080a12097209e509c36abe0fde9c9709610be1656163d25a8bc
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

remotegui.zip: codemirror.jar: dockerfile.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/dockerfile/dockerfile.js
MD5: 35fd7d7d73ad6c400c0afed686a383da
SHA1: b6574f6951c483c563456c9094178769ea733631
SHA256:fca390cea85e1b711389d1a91b99faeccf7b4df0f48e3ceaecf2e517982cb2b7
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

remotegui.zip: codemirror.jar: document_data.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/src/model/document_data.js
MD5: 86420f7d4afaa1aa00313618bff8292f
SHA1: c26428a7245c7ccbc2da6e15ea8071a308efe21e
SHA256:bded28025266e28229d4328e2a4ff6c829e26757b12861ec0c561c495d4b87e5
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

remotegui.zip: codemirror.jar: dom.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/src/util/dom.js
MD5: b56830faf8f75c5daea99bdc94508b38
SHA1: 6425ef8de5f6d50a057a5cdaced4da9ed166ddfe
SHA256:20275e6018fa90811c51e20246d4803c01d7e744f64434bb9194c7b1df41d1b1
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

remotegui.zip: codemirror.jar: drop_events.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/src/edit/drop_events.js
MD5: 940690e5c792ff535ef797090cb7ed5d
SHA1: 05108fb9bb15e761e86ef290e006cb7c620de955
SHA256:60fa1577514a516587de192c7c779b4447aff1b6d26de0498030340e12945390
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

remotegui.zip: codemirror.jar: dtd.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/dtd/dtd.js
MD5: eb3e9b71c4e33120225df386c29a0b30
SHA1: c91a19fca8b5bb610ff35e8ea7c9190c9ef996f0
SHA256:3f04995b147addeee1637bbfd0054676e78d13f7accaf2f589c55837d70148c1
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

remotegui.zip: codemirror.jar: dylan.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/dylan/dylan.js
MD5: 99e3fa83adb7b3af2e363942a5b720ac
SHA1: 795b6199d3643d0a9eb0b018a02357da66be8f3d
SHA256:999b862ebc559366e71a731e2a28b2762ae4fe7c7882ba5f6bf20c33a2d737b7
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

remotegui.zip: codemirror.jar: ebnf.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/ebnf/ebnf.js
MD5: 8d8a62f6874e4e8378d16d02b09ada60
SHA1: 84295b3d4f48cd3080508f3c5c12ecca2842dca4
SHA256:1175e07f831fd02ccf09d4582351c5932a48fa03be5c0eb1028c8f96c051935f
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

remotegui.zip: codemirror.jar: ecl.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/ecl/ecl.js
MD5: 04722d23df4c17765bb397d871875452

SHA1: 63a19016bf2e53ba5c73fde154b9bbc19d96130d
SHA256:c78998872dd14cdb356d5a9bd196f7d3525e3cb03a591133e0e904afaaec11b7
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

remotegui.zip: codemirror.jar: eiffel.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/eiffel/eiffel.js
MD5: d202831cfe3aa85bdedffd44534dc98e
SHA1: e5767dbfb329d8e3786acf893d038e1e4dd35c39
SHA256:183e855f6474cc2c4cf0b6c5e5c40ea7821707d37ac414277dcda294ffae1721
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

remotegui.zip: codemirror.jar: elm.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/elm/elm.js
MD5: c37089c171d4384ec97f9af66d5ac972
SHA1: e28a667656ac12ff06766d2ee857962dcd9146e2
SHA256:e343ffaffff2dc6fd9c5923228b46c23723c396993459eca6217871f1c087ebc
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

remotegui.zip: codemirror.jar: emacs.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/keymap/emacs.js
MD5: 258e09f1d4cdb812940d869afce12a11
SHA1: fa3b963c38f809ab13c37fd7aa654ac46a39e740
SHA256:af2f42c9f461951f13e9785f634cc9f8e5d63b0c5c2375b331105dea19a71fef
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

remotegui.zip: codemirror.jar: erlang.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/erlang/erlang.js
MD5: 29f92a4be923242d30cf1f4288c89adc
SHA1: 45f94b33af2bc74d8c5eeed73de27eb8a4047c20
SHA256:2ae29808247e9d6a58a83893b0e8b627c0ca337cffa541ef16fb506edfdba77e
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

remotegui.zip: codemirror.jar: event.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/src/util/event.js
MD5: b700f1676589e7f88e59c943cc209156
SHA1: 516c718a9b2f86f68127680267b92d10fbf5a579
SHA256:1b13113fab8763c3c9e2284d1b6bdf1f84ab3424999a2eacffbf771ea8b75513
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

remotegui.zip: codemirror.jar: factor.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/factor/factor.js
MD5: d497dd1c4f0f85b83245bfb80943e5cc
SHA1: ec2430a02377f3b14692370e329b8f83b017d1b9
SHA256:baf7c16c387e7abfc308dfcb7fcc1ea9ae0a898d13455349083ea72c7bfa4c4a
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

remotegui.zip: codemirror.jar: fcl.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/fcl/fcl.js
MD5: bfa4a30d52fa501346b203c8ab6aa0cc
SHA1: 9befb1efc7f051c189e1c2c7cccd976576bcefca
SHA256:7c9d372be44c1c418a101885662d80d4bf6104e1b717d36cbdbd05a5956abc70
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

remotegui.zip: codemirror.jar: feature_detection.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/src/util/feature_detection.js
MD5: 3b63813f217d9351f7a1d90edf345310
SHA1: f236ad77f54768dfaf4b78905be71b6873691698
SHA256:4aeaf197f379b3450c8c297f23e449df3795a9954bec48cfcddf4b3615d5f371
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

remotegui.zip: codemirror.jar: focus.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/src/display/focus.js
MD5: 307daeb9d6322c3905fc5b2ba846fa16

SHA1: d1e1cceb41ec90a9b18fd25ae6cad9805e86811d
SHA256:2f6ad1d093d5d933ad58ded481d34002320d2887b5d06badb35918289338757e
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

remotegui.zip: codemirror.jar: foldcode.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/addon/fold/foldcode.js
MD5: f520bc635201c451609403065b8bacfa
SHA1: 78958ff57ef86b84ac8a8085a4f0923433eea9d3
SHA256:07f353e02abcc300739b09f31a9d32a958ebe5d2f76959291e5643c6e40a26a5
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

remotegui.zip: codemirror.jar: foldgutter.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/addon/fold/foldgutter.js
MD5: 9606e4f3ca8c5ac259c2cf703753017b
SHA1: 2f4f7e099042dcbde74bfd3a8f5856f595326ecd
SHA256:fc85fcd61894dc551a4c7c221ec41b7fa4007d1e33239b1cf8faf56ef1811727
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

remotegui.zip: codemirror.jar: forth.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/forth/forth.js
MD5: 3e09048506ea36823a8a5e6ad244c7d5
SHA1: ef3e2632de5a4c57f8b14225026940309167d270
SHA256:1c6c0a8fb3572fba544083795b3259f8a35cae81ec2ddb19b4fd7af2a91ab34a
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

remotegui.zip: codemirror.jar: fortran.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/fortran/fortran.js
MD5: acf9c5ff78882f6ee77416eb957e881e
SHA1: 30130e625c08eedd8d62021c0dc77a71d066fd1d
SHA256:b3351c6cd6e696c2ebf0e6ae1ff7925ed65add92947007402e0b3112634f6392
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

remotegui.zip: codemirror.jar: fromTextArea.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/src/edit/fromTextArea.js
MD5: a910ea4413c5f8fabb9be57bc80a7cc7
SHA1: c2bb053e04c5cc11df632ae7332863f5f0d30c70
SHA256:796a25d1e7f2a7c35ac9289bdb21e9c56c1253779a71c1b9e8a8c04160829e2d
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

remotegui.zip: codemirror.jar: fullscreen.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/addon/display/fullscreen.js
MD5: dffe3df188ef201ff7f04977d0ead894
SHA1: 29d2bbd2368fb2dfc02a06aac6db6aa9691ab330
SHA256:8e4a21aa77765df8893fc854c4b6be56279e12d9a70cbede913083c307ac769e
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

remotegui.zip: codemirror.jar: gas.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/gas/gas.js
MD5: 9403b8d57b58f52a0d02efd3d6d99571
SHA1: afdd8ef0502d68ba8020134c780ebce498f65ac9
SHA256:414899aed81f9bdb726a6729047f1afb538679ee58623beb8fa51dc7412db6e9
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

remotegui.zip: codemirror.jar: gfm.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/gfm/gfm.js
MD5: da48b005ec4e651d019aa09b3d6d4aac
SHA1: ea5f855ce519bf55f09cb2c968dce9660615c698
SHA256:1fcdbf9a611c238acf53f906126fba93ae0550d74858efad61d72b8b3ed6e0bc
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

remotegui.zip: codemirror.jar: gherkin.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/gherkin/gherkin.js
MD5: 3d87a67e559ce2d1851c4f1fcca83fe2

SHA1: 289ab840bb7ad7d5cf292406eff4fb8e55ece301
SHA256:732eb81eccbef7db49729af3f23d477dc8f27a4d9bf2fb2c6bb520d8ec19bddb
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

remotegui.zip: codemirror.jar: global_events.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/src/edit/global_events.js
MD5: 288615615004321c6abe2bf66842b8bc
SHA1: 858b4b90c061cf34960b0bd4231a2b7dd7ec5f3b
SHA256:fa803fc7e109d232afd12dfdf4d99adea71081cc4b71e547d4b1c2bf46cc9ca2
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

remotegui.zip: codemirror.jar: go.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/go/go.js
MD5: 51890857b15156f02106103dd73d2b0e
SHA1: ef0de14a73f6656facd0d7355a11b1d17df86b16
SHA256:4e3b08bda2f85c9ef68c03f24c0c5ca3b8ba479127b6cbc50f33cb9593dbaf00
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

remotegui.zip: codemirror.jar: groovy.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/groovy/groovy.js
MD5: d6ca518a6aa5ab5b420bbf21d65b2d05
SHA1: 48fb64db46a7408334eeda329d755dd09aec41ec
SHA256:6641a0b1555ee0f1bca36975a4fcadd43d512de7ca814328cc6402e1ce836b4c
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

remotegui.zip: codemirror.jar: gutters.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/src/display/gutters.js
MD5: af3de2621d2ef402646889be16bcde7b
SHA1: 130d94f44dea7f614a15009677e496ad2b853025
SHA256:2143db3d42d9a3408b556eb50068870d138041a9b98ab256d070d982e09346df
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

remotegui.zip: codemirror.jar: haml.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/haml/haml.js
MD5: 7d65bfd39de90f56597eb8e278a39af7
SHA1: 7bafda0fd81e500fb2f364d2e657fd9dec939505
SHA256:9e9606fecf19869e51c32a84e18c4447c0d4ad2031730e5690b571f318409022
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

remotegui.zip: codemirror.jar: handlebars.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/handlebars/handlebars.js
MD5: efacd8d006bf9f83baec2fc5a8c71feb
SHA1: 7fefb944ec70e00d262252956fdc71f04c1046b2
SHA256:60bac3d6993264e155b5a06f52cda56b7bab2fb5923f3d1cc7e8caf704fca724
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

remotegui.zip: codemirror.jar: hardwrap.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/addon/wrap/hardwrap.js
MD5: 049ed63630662fcb8a977fa43f86e058
SHA1: 535a020f7839e52da6fc7b8af3d249f641c5e055
SHA256:bee81aee6222a46b1aeb14d6fc738d3cc09a4e421f808e29b3c6989710ccbfc8
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

remotegui.zip: codemirror.jar: haskell-literate.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/haskell-literate/haskell-literate.js
MD5: f0bd7313413cdc35018db90a6522d1ef
SHA1: 670b7735a8c85e5251aeadf51f5005d5cf45df44
SHA256:7519d0b515603244f029c3031a4625fdccac88cb640fcb6e117718ec2c0b3c50
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

remotegui.zip: codemirror.jar: haskell.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/haskell/haskell.js
MD5: e4f82d95d10c028eebae3338e678be22

SHA1: 30c46651b2b0b5a7fc70910b22e52e2d1d8687ff
SHA256:4745a90832e950c9536f0bf498e5bf6fb3753a4a98bea09ec152b92354c0fdaa
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

remotegui.zip: codemirror.jar: haxe.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/haxe/haxe.js
MD5: 13c21da31a992b536d4f37ee53e09605
SHA1: 6a694b4a0a68b148e0b2e0b761a521a5fa4a0296
SHA256:f3596c7efe948a3331bb1bea299f6fcb8e7733777dc2114a9f2147dfc1c69257
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

remotegui.zip: codemirror.jar: highlight.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/src/line/highlight.js
MD5: d7710bcd63c26c5fdc37c19b15e02d4e
SHA1: cc5bac275e64696339642c6f5a52c254f139fbfd
SHA256:ccf8b3a879acfa0013ee5b11e036b822b68ec5a136c218400775fe2e35a3fd9b
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

remotegui.zip: codemirror.jar: highlight_worker.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/src/display/highlight_worker.js
MD5: fc6f314859dad397c1f867ed5d73205f
SHA1: 80e56feeeffb3ad7b76e40dc4577962a60becc11
SHA256:fc9d8bf90534b9a6c7d5a45e8f8f79a4f8827a661c4271f812776e7c3d2bdc09
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

remotegui.zip: codemirror.jar: history.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/src/model/history.js
MD5: 34cb233d1bf8cc676a0c5fc9e9c24b04
SHA1: 4c42d70f020d1fd9397fa16ea34f5cf54487e93d
SHA256:961d52432f8f463614f83e660c2945f9bfbbc9c8fb7767575b9221c3e88821a2
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

remotegui.zip: codemirror.jar: html-hint.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/addon/hint/html-hint.js
MD5: 609fea85a7894f8098719813c58219c5
SHA1: f593de64cb802e0e456482b88959a68260e06bff
SHA256:64d3ef9293ed8917e40ed4e8196da6919379a3b4970c007785c7ed27ab9a0478
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

remotegui.zip: codemirror.jar: html-lint.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/addon/lint/html-lint.js
MD5: 0844a30ecec022fb60101fc0cc6a5cfe
SHA1: 3ed8b2f11d4c7462cf29fc93b58e579680bcc32f
SHA256:ab7827913934f06a8b4d00e41d5954974c90d5085d1295fe02c484c782c75843
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

remotegui.zip: codemirror.jar: htmlembedded.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/htmlembedded/htmlembedded.js
MD5: e7a464409318dee8c3c6e0b68225d461
SHA1: 548ebed43650c26970abca5933aa237b4a1950c5
SHA256:8afc8da4e446322cf92d78bef9940f9444aee339f56c8b9af5452fadfb867601
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

remotegui.zip: codemirror.jar: htmlmixed.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/htmlmixed/htmlmixed.js
MD5: 4c5a6f44d738b718d1f6164c1c8d6904
SHA1: a4f9c3552740fb908e14fb0f47832d10a3f535d6
SHA256:fe5912e1d10f8fecb98bd31e2f957c0bbc9abf6b505d11b6dbcd27542d0fdcad
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

remotegui.zip: codemirror.jar: http.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/http/http.js
MD5: 42dcfb1c4b83e85eea0303f75a3f08e1

SHA1: 7fa224e2e3ab674ca61cedd48fd430c5e62e1218
SHA256:89842864a707564a989a841ce934b61659f34b012f2349e5c4fd9a09c5982f6c
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

remotegui.zip: codemirror.jar: idl.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/idl/idl.js
MD5: 1ae58242a3b61aae5bdc5665bd5fc2ed
SHA1: c25b0c5644c33ee3993ee3152df8f4c27235e172
SHA256:7d45bc0899e019f558e68eca684ed84660bf4687cd64fb4ed2c959ad249b763d
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

remotegui.zip: codemirror.jar: indent-fold.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/addon/fold/indent-fold.js
MD5: 623d14360009d84560611f43b83e6759
SHA1: 731e1d84971dcafb20d1417761c18c55883c3d98
SHA256:a835ed1af176b96a1bf00379622e76573a1f6327bd76b583d9c4757a2c4a4194
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

remotegui.zip: codemirror.jar: indent.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/src/input/indent.js
MD5: 835649b199c40a992e89a61de3514147
SHA1: e3d98527805fcef17ac4f710d7600fe0da52db33
SHA256:f28260cac8eba83de19891709eb8545ecaa6cfa3ec716e617992e14cd0112404
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

remotegui.zip: codemirror.jar: input.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/src/input/input.js
MD5: 8347e0beb43b7f458587e94f323c58bd
SHA1: 62cfb278476d7f293b853e92e35bd9221c6d1a1c
SHA256:bbfc32c56077171637375314abe257f54f925e8142b3f3a9eb669296ec3f12ff
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

remotegui.zip: codemirror.jar: javascript-hint.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/addon/hint/javascript-hint.js
MD5: de72c8e29800ee9ae93e5c8a43c6c6a4
SHA1: e348c54c78f75047c06629a13422c0aee0ee3253
SHA256:e4dfa3414b3b9535514737074cec2fb0cbf0bfea7e765307122295c98c5137fb
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

remotegui.zip: codemirror.jar: javascript-lint.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/addon/lint/javascript-lint.js
MD5: 55eb8a1558ef8c9da7d355a32334d62e
SHA1: d452acc1222c992a222c6c4bc55c0546eb2a465f
SHA256:69906dbb83d60e0d104ddf395e29dcaf4a05063f24c085975b9c09693dc860c1
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

remotegui.zip: codemirror.jar: javascript.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/javascript/javascript.js
MD5: 178dfcd5f64c97da22a3d3a62713b7a9
SHA1: 969b4a80be53b334612b44a0cc6ef57cfe171a26
SHA256:21fa74c1638c7a4eb3e8cd04b5c8c997181394568330b341c83716da18ffad8e
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

remotegui.zip: codemirror.jar: jinja2.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/jinja2/jinja2.js
MD5: 82ad8f3f5eac62b4012d21c9deabfc69
SHA1: f1b92b1cce15292571979194dc1331accc5fb2d9
SHA256:b408eeadec21747f7c4ed41dcb9ec4e540aa1493d0a7971e74aa1eed05049b93
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

remotegui.zip: codemirror.jar: json-lint.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/addon/lint/json-lint.js
MD5: b01056a065c6df2ed0f61038c88e5ecc

SHA1: 8fcdcb87fd1c9f8fc04f3fc325fa590b27441183
SHA256:cb3522e1bdffb075461c848ba2091cc781b52ef0e69cb39d9a33e1b74dc35ae2
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

remotegui.zip: codemirror.jar: jsx.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/jsx/jsx.js
MD5: 5dcc6cfebb32872e929bee63d517295e
SHA1: f22b5965deb7b3f6e434d6012b22af7a7ba4c9c6
SHA256:c6babd67df23bb0278d432fba3d2dbd03bb1fb3862d4d70549cda1b0d9953abf
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

remotegui.zip: codemirror.jar: julia.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/julia/julia.js
MD5: 544d9103cd9877e0a7dbb26dd5a34eea
SHA1: 4d6fef3f38c3c9717b6ac72fa4fa3c6d48ca189f
SHA256:54d93c9a83269af3bd8bc6593be2368f07b4efa4223074b54f3aad44097a4d32
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

remotegui.zip: codemirror.jar: jump-to-line.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/addon/search/jump-to-line.js
MD5: ae33156dd047f75a6d2539b21ac92df9
SHA1: 4b8098d4df0e0bdbda6b27961ffc7bdaac14e85a
SHA256:39b7d80ee80cabe2f5936673b3cadbfd4d260dfe6dc6f936523a334044962ffa
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

remotegui.zip: codemirror.jar: key_events.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/src/edit/key_events.js
MD5: c299e1b06d3f6ec725718c1dc60141c7
SHA1: 09df110e22b2ecccf9f3deb5a2dbe0a6fa884d23
SHA256:f24d2b392714dc1fe63b23f79d45d01503a1a8860cb7b92dff6e5eb05e35cc69
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

remotegui.zip: codemirror.jar: keymap.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/src/input/keymap.js
MD5: 1c8d554d0dfbb08ac3b4ff11303f313a
SHA1: bcbddfc0d1411afa8455d75564758dacde1e15d5
SHA256:9be4f88cba00a971a1a007ca4fcc56f244ac84fb8b24f165f6ce2793c2f83a95
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

remotegui.zip: codemirror.jar: keynames.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/src/input/keynames.js
MD5: e4ae7351260c5e7b9f2253e21b5ca9dd
SHA1: 9b6381177e6d4afdd03388c548a00bef7e101b0b
SHA256:7054358c3e0ad3945e0c3c31fde7b77d1af78874a5fd436a908aa0e8eeab7b03
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

remotegui.zip: codemirror.jar: legacy.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/src/edit/legacy.js
MD5: dfa5acb74b48161d442a6d83e1abbc03
SHA1: 70f5248919c6a806ec8da7a53b9167ea0d28f28e
SHA256:663e30df9fb1f4994092c95d5a4a2a127d67d59896b4795807ac912773a759a4
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

remotegui.zip: codemirror.jar: line_data.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/src/line/line_data.js
MD5: 0239405c8ea2b45a5a3a2de75bc481b7
SHA1: 936ff2393f4614f8fb907274c896d2435d34250d
SHA256:11203cf446205f30a8eb2f5633369c7a6c00cc778b3cdbf1da16570571937d92
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

remotegui.zip: codemirror.jar: line_numbers.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/src/display/line_numbers.js
MD5: 22976744e5315917483bef53cab4d368

SHA1: 32c75bf2e39c2315fd1a1d04cbcbddb666c998e0
SHA256:2474c6d14659ccbd6664aa88eaac7f1bb5589cc44f5acff4c5d8a22ed5da5d4c
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

remotegui.zip: codemirror.jar: line_widget.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/src/model/line_widget.js
MD5: 2a58b1a6d7eadb596d3968096f1493e4
SHA1: e06ec6ee060c9b180dd6269107c1643618024acf
SHA256:4557109a8ced89105c13e911cd0d4036a043ce83abcfaefe9b6889ea8d058b16
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

remotegui.zip: codemirror.jar: lint.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/addon/lint/lint.js
MD5: 7930c46b5411e82099bf4d021be44897
SHA1: 9d4fcf298565cd2e6b6234c331113e5ee80a996f
SHA256:7c2e8241383104a6188c43b657b17ff7633e0de89d9b98f7d09df29570341e76
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

remotegui.zip: codemirror.jar: livescript.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/livescript/livescript.js
MD5: 303cf9371fc666702d07b7892d4d69b8
SHA1: cc1a29423cc292dab8ceccbe8d1d4995426ce11d
SHA256:b9b5f3fca094c735f94174d463746bc39d0930dc42b70bf5004efaed96b080ea
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

remotegui.zip: codemirror.jar: loadmode.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/addon/mode/loadmode.js
MD5: 43a51215f06278be12990128bf16cffa
SHA1: 62a2787a4f3b623af185185edaedc7eaed7ffc08
SHA256:be81c0312e7041f56c217430a177fea61e572bcb9579a39ca1922a2e4d51abec
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

remotegui.zip: codemirror.jar: lua.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/lua/lua.js
MD5: ccf279dcbc882c0e99fc9dfda9dd734d
SHA1: 13ec1f41c7c723c70f185f6c22e116cdf532d8dd
SHA256:5c702747f50d5d4158ab8c096b33a7e0092529d5682a728a20624b01dfd86e2a
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

remotegui.zip: codemirror.jar: main.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/src/edit/main.js
MD5: cc33d6b2c4f87f24fe91b103cfee3da7
SHA1: 7a267e163871e4d9c505a7dbda69289619573e76
SHA256:2644139a384fcda2ff3bcb59fad7a45a3faa166c443fcd2d05315558dc7d1f99
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

remotegui.zip: codemirror.jar: mark-selection.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/addon/selection/mark-selection.js
MD5: f2b8639c24afc6cc370f4097eb6bb217
SHA1: 62883a7928526106b19fa78a1195fadf463550b4
SHA256:5b9c6a0031fe895641f2eb2198df2592ec769a6685d6bb10f3f9b92a7822e286
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

remotegui.zip: codemirror.jar: mark_text.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/src/model/mark_text.js
MD5: 7611054f886606aed04a7a3f3c4d5a78
SHA1: 3e6ac9ae6a89f720e9c148d25746ff37f9207d07
SHA256:b17ada4f3979fa8170a4abc071035badcddd87870a212cd92dc5b0a70fac19e0
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

remotegui.zip: codemirror.jar: markdown-fold.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/addon/fold/markdown-fold.js
MD5: e9844099dad7cf95607a804988677f22

SHA1: 400fdaaf493a4d15e10b397553549b6b4e09dc92
SHA256:6a81721447c7260578e8e306c89b33a49e98edc1c2cb0c52a18ca0e913684d96
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

remotegui.zip: codemirror.jar: markdown.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/markdown/markdown.js
MD5: a7326be775e85028373f9236c26a572e
SHA1: c7dda08f12cf129cba6b317f70ee7ce0abf775b9
SHA256:8fe7b11848f79cc9119b2a239f38a00944f6f2bb764a00bc837ecf8d34cf7690
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

remotegui.zip: codemirror.jar: match-highlighter.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/addon/search/match-highlighter.js
MD5: d7d3dd2592e2df81c743b86a46ccc555
SHA1: 21bd58338eb506c53cd367b4e30c6aefa2e7edee
SHA256:8c3e196f9a5f9e5cf9d7e71751132a05293e7cdb180defacf28be9fe919682cb
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

remotegui.zip: codemirror.jar: matchbrackets.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/addon/edit/matchbrackets.js
MD5: 2d2902edcfd32a8f481124c0957889ff
SHA1: 1555a87118f8082edd03c7b7c1363ebd1daaea45
SHA256:9d0e5ee4c199fcbe487a901860c2cf7d007263852677dd5858098fcaa8580f1e
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

remotegui.zip: codemirror.jar: matchesonscrollbar.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/addon/search/matchesonscrollbar.js
MD5: e005f8b0c7cedc509a29ea1a517cc829
SHA1: 73a8bbcf26072f44bc7003faea790d1f3d59096f
SHA256:a2deca7f8ca380dc7772929cc7c23b6737109f3cf0a55e7e18832808d98530c8
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

remotegui.zip: codemirror.jar: matchtags.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/addon/edit/matchtags.js
MD5: 6e8c7c68653d8d6b912138fe6f155e1f
SHA1: 99f7135d209eb1da2c326486eb53ecdd330f0f2c
SHA256:263d752f850b20890f0506fcb277b094b474138692a58b45d7b9bb03e20aa00c
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

remotegui.zip: codemirror.jar: mathematica.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/mathematica/mathematica.js
MD5: a8c37dcebeb98162e29e9d1483edf7c4
SHA1: 82d9653bf7ca5b228759c5ad53845a8237625792
SHA256:a301011fbb5d9ea4f39fc574718c2d27afd9425e31a1a5bf9005617603b45c0a
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

remotegui.zip: codemirror.jar: mbox.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/mbox/mbox.js
MD5: 9ce449eaef8f2c3e6253bb202a3da0d0
SHA1: 6848c5a33d4ea2c76fc6abb4fdc3c9253eedbc9b
SHA256:9affa80931d9bb09746d08b9b0f90286d2b47f5b16a0bd8a1a06227b496c4b07
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

remotegui.zip: codemirror.jar: merge.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/addon/merge/merge.js
MD5: d2a6bc0c40e52723665afdc3b17ab226
SHA1: c2c82dc8159b4d4b38ac4e74d88b513cae40be01
SHA256:916279b765e93236826a1aa71f96924084707d50486739e9b4524a3f773d41ae
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

remotegui.zip: codemirror.jar: meta.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/meta.js
MD5: 11f14aa114ed56768aa48301be3b9f03

SHA1: 516781b99334a9aeaed0d9f1b9463d8330d00ab2
SHA256:f95786f9c83e631225fe7866f39892f808aeb015e80ce9d8a58d5a1d4e9c4bb6
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

remotegui.zip: codemirror.jar: methods.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/src/edit/methods.js
MD5: e0aee4bf62e8df22b1edf8c98171c1ff
SHA1: ec9e2b700a1252d5787249b1c8046b5fb0df6073
SHA256:80aa117e54c13edec48656384e623b81f8ae5ecece3f426ba9b4638872fd88e6
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

remotegui.zip: codemirror.jar: mirc.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/mirc/mirc.js
MD5: 23555fdd21b7305d57c24d1378a03754
SHA1: 373c327846304793f8016feaa0164226d6fd5020
SHA256:ac173799c5f81a8c8813a5b0c20b700b27a1f571d1e70132e67d8451c3efaa5e
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

remotegui.zip: codemirror.jar: misc.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/src/util/misc.js
MD5: e94bdb7dadf69d57a0bafe4df69e7780
SHA1: 7d04fd04c64f91033740df1756ceb180fe1ec38b
SHA256:dec9a3df5d525da109210c8f63bc47ef6270de5d0336e446c54d6c490f45bbfd
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

remotegui.zip: codemirror.jar: mllike.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/mllike/mllike.js
MD5: b30e7da7837eee7a5966685fa03522f0
SHA1: 648a539e28df2714182163665b797d783cd47d80
SHA256:a887947e50c37db0215fa4076c3b211093dd9abf643518a2f304677bef848211
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

remotegui.zip: codemirror.jar: mode_state.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/src/display/mode_state.js
MD5: ffc05060eaa3b3d89beeaaae86b0483a
SHA1: ad4db1fa999cdec7dca274bc0d440b9817706fcb
SHA256:7d986b2f9cea39f7829ffd57fe70a6d891afb68bda46557f3d361fce6abddedb
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

remotegui.zip: codemirror.jar: modelica.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/modelica/modelica.js
MD5: 9d173268d73ae885e07741f6a60913ef
SHA1: 2cebfe05d43ff1b9a4608bde365d0e340b9e2b08
SHA256:96befada89421de8d32f6355c326510128e429167390c60ba81d93dfce4b360a
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

remotegui.zip: codemirror.jar: modes.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/src/modes.js
MD5: bcf367e11e7fac26e7f1668e8f1d1968
SHA1: 26c51a0d675e8420deabe41af39537b98b494f6a
SHA256:faf6b57425b7b95a14650da5da6a488cde013e23c1ca57e4223146ccd369230b
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

remotegui.zip: codemirror.jar: mouse_events.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/src/edit/mouse_events.js
MD5: 9a8c2a4f4b71ceb0d641c905ea325dfa
SHA1: 88d8b3f37ba37358b2f270ac184852f0f53c4e8d
SHA256:17a6d6d77b3607cfd0ba1d551fef84d161747a62b42ecd9454d7427a1c3da610
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

remotegui.zip: codemirror.jar: movement.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/src/input/movement.js
MD5: 386a27ecd12315f9eff836ce5ab2091f

SHA1: 3170cd5a925774250a79d9e1c9130040e89a6be8
SHA256:45f4ab6d34f817b4d945449664a35848a252a87f7aa7e917cbefd5710cc06334
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

remotegui.zip: codemirror.jar: mscgen.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/mscgen/mscgen.js
MD5: 8e06dd81adc9a26c6c708d253868c290
SHA1: d44dd69d6fe4e456417da210928371090d426921
SHA256:91eff4cccc80f0048d1f7efce0197be483a013dd299e2718b49315639a3d4885
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

remotegui.zip: codemirror.jar: multiplex.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/addon/mode/multiplex.js
MD5: 0bdb637f0ca08689fe55e572cc10ab16
SHA1: c1eb99a3fdd03722c84c78cb9351791428ff0bbe
SHA256:09ec21386de4e951c1eefe0f1db478a9f57701b202ce18424f2b89d4f74aeff5
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

remotegui.zip: codemirror.jar: multiplex_test.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/addon/mode/multiplex_test.js
MD5: 8a377bbbcf33896551524b1ccebc823f
SHA1: bf15c3dc16b8de593577266b9ef1f5625d67a0ea
SHA256:73e22c6765036bce1db37e31f8c46d62a56ca232840fb4fb968d17c24c3e8f74
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

remotegui.zip: codemirror.jar: mumps.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/mumps/mumps.js
MD5: 8e0c6375b6bbe74f633feed856f4283c
SHA1: 6944b10c9a28d7097d90291dcae08e9924461140
SHA256:1455108cba483e767bc5072ebda6c4c219395adb574aa70f7d7ec856225c3d42
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

remotegui.zip: codemirror.jar: nginx.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/nginx/nginx.js
MD5: 63e717882de52ba3a4bb62c9e7bef83d
SHA1: f008d01cd0b803de9bd5bf1088feec56c6eac9c5
SHA256:e35111d1834678cd34bfec04abe169cb11739f39750d1c41ab57c8f2524748fe
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

remotegui.zip: codemirror.jar: nsis.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/nsis/nsis.js
MD5: 4851ad88c595ddafbe3979f2e47b4d0a
SHA1: c27aea13ecb53b8797926e831d8730099a585d42
SHA256:5f9aab831632e1de8d8a4f6fcf52dcd75eb704ab8fe47e2c76aac24c8c30fbd7
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

remotegui.zip: codemirror.jar: ntriples.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/ntriples/ntriples.js
MD5: a21f011183564e5725ea16a6ca11b089
SHA1: 62d7d39e91ecca5bad75c91241aa31421a303ba4
SHA256:d7a1fd7fba26679ecb0a6ac0b67164ed12a37db25d32ece3472920c6f25a74cd
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

remotegui.zip: codemirror.jar: octave.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/octave/octave.js
MD5: d830f31f1647efb252a53d0cb1f18aa1
SHA1: 1abba38966f306c238e8f9cf168f95db0e16d5a5
SHA256:b6c6966b9a564ceafa2b2c5ddde2f2efb0349cacdab3f61d90fce2544ece8615
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

remotegui.zip: codemirror.jar: operation_group.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/src/util/operation_group.js
MD5: 72f0c675f45f87c9a45b5f5784212fa9

SHA1: 8ca609f3cf238954efccc55c720e733a56f5029d
SHA256:aaa9c34bd1240b164897a412a257d2e693d2ad35bec219cf8959561de6559edb
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

remotegui.zip: codemirror.jar: operations.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/src/display/operations.js
MD5: f2e13ff94b86a05aa5daff82022da8d2
SHA1: dbbbc8bf0cd26ed344d48e6be8ba83d3a3ad983a
SHA256:6570698684e4da9507306248649b72c362cb918b63180b3b3571d91ffed78f83
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

remotegui.zip: codemirror.jar: options.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/src/edit/options.js
MD5: feecb2723f03f979c8b8c9a85c553a1d
SHA1: 99d3d0aa7ab678573f2970b2273404ed4c7cc73b
SHA256:feb45909b7d01751e0edd20b7156ad016ec045cb2eea8e92b96b1505bf6e2159
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

remotegui.zip: codemirror.jar: overlay.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/addon/mode/overlay.js
MD5: 3cb76447dd1f64cc2bb037f3ec8c88a9
SHA1: 1ad72da6c675d9b6074f69404c66118ff24389c7
SHA256:1b44334e2a04d90f2b473c2684779885903919014 2e53f72f3b7de0f82696d0e
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

remotegui.zip: codemirror.jar: oz.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/oz/oz.js
MD5: a097901a9fe996b190b9103a64ace0c6
SHA1: d49b86c59bab331924fc03e3f680af92a6bd79d5
SHA256:641554f9736e5260ff1aea064749a590cba2a854bad6fc334db8ffa2bc1a6892
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

remotegui.zip: codemirror.jar: package.json

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/package.json
MD5: e2faa7704d8de49e9d70e7a834d83ae8
SHA1: cab269db696fc76be4a9c83dc82f287546253792
SHA256:352f4e90706a839430cb2cee1a2080b0c1a0660243d4d2a544e81a57cf8c006a
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

remotegui.zip: codemirror.jar: panel.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/addon/display/panel.js
MD5: f647c5e58b5c032c1691693333104941
SHA1: 5c8285f946d9888b499ae0266e8e165696947074
SHA256:2b137f8e8631c717d2af81edc341d436cd3a6debb8e9fdfdc20630296685d3cb
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

remotegui.zip: codemirror.jar: pascal.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/pascal/pascal.js
MD5: bdc6c5432f1408c29254a933f45ca2e7
SHA1: 541ec18ed0863a528118a8026b6a5aa11a9c5918
SHA256:5eaac022259857d3b9b127ac0deb76c84d2523dee102d203738293f95ce5086c
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

remotegui.zip: codemirror.jar: pegjs.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/pegjs/pegjs.js
MD5: ad4350eff079b204cd634114959c0904
SHA1: 978baa600d3539e1eb05834fd0b7d659f0fed792
SHA256:8cc7fe980c79a1ded9265d338062c8ecdfe6e0d044fb795bf11eb8d9813dc492
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

remotegui.zip: codemirror.jar: perl.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/perl/perl.js
MD5: c6a3b40a8b2971690ff06860516bd140

SHA1: 08bb3e219af9990114dda08e2ad935c5992dd39f
SHA256:a614830dc6e71770cb4feabc487dfa1b72e29444789b94d1bcad62490827ca1e
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

remotegui.zip: codemirror.jar: php.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/php/php.js
MD5: f2f1668dbc8a4b0fd9f031dceda0e4ab
SHA1: 31d6961d6d4cbe7bf5deb2f0b5ba099c49e5c962
SHA256:07819ae34d5830a3cf040e1904d4b641cb70142845394211f7fb63c891d80945
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

remotegui.zip: codemirror.jar: pig.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/pig/pig.js
MD5: 40f967482626259f7cdfb972548743cd
SHA1: bd2d7d6522d69e9849f8a6cf3b631ddaf50a091e
SHA256:e9a9ec475aeee8b2f75fd1c8a58ea0a2d0cffd383b1a3fb8bdc460881d612352
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

remotegui.zip: codemirror.jar: placeholder.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/addon/display/placeholder.js
MD5: b5b4d8391f1b94044cda61cc979cc772
SHA1: af7eaa5519c4e0fa823224593b0ae0b7fda73a23
SHA256:44619626e2301fc16ebade252564e2c064113483e02f2fc8d8d262aed2485b9c
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

remotegui.zip: codemirror.jar: pos.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/src/line/pos.js
MD5: d1fc4bdcc5a93ac92f4c3c9cb34bd220
SHA1: 810afb684197135ac8ac6626a4a7eebef9ad5cc3
SHA256:b708bfbb9ce809d5ce2d1490d806933fad9b471ac63e0f4c72a31ada57e05f9b
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

remotegui.zip: codemirror.jar: position_measurement.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/src/measurement/position_measurement.js
MD5: 6c17908c000f5a7beb67e75b1340c3ef
SHA1: c5dd40151e773a61694906cf92f941fe27ce51de
SHA256:c5c488b91320e33d6e25fbb8ce4fbd3c28621511328b48e9690f797b81d51c32
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

remotegui.zip: codemirror.jar: powershell.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/powershell/powershell.js
MD5: cf3b0559e54ae537a420d86a07b441a5
SHA1: 992cbac5ee6c618eab5f646438ba5fb54f66cfe1
SHA256:9530fdf52d164be6d021a87de567acb8738f86f6fd98577533a9db3545e873c8
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

remotegui.zip: codemirror.jar: properties.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/properties/properties.js
MD5: fdca15c3c811413459ed12fce119db54
SHA1: 715881cc0ccd13302e302dade67f675d37cfdbd4
SHA256:3f85f36e32edf82eba526ad56edadf04c33864d72bf0cfae2592a490530a4966
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

remotegui.zip: codemirror.jar: protobuf.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/protobuf/protobuf.js
MD5: 3e57a349742d01647347b7339572d9fe
SHA1: 909346135655b3aacdb909a19acb59876e2810dd
SHA256:93d1459ed6cc4e2a4701fc17959fe7f56b797d1d35b47f44b8030c0d19adf5b3
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

remotegui.zip: codemirror.jar: pug.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/pug/pug.js
MD5: 63473aabe4ad7435cc804132bf743ec3

SHA1: 4e624a3174fd238241f692c1f935ae75d41269f4
SHA256:1f9e975ab889f6dd9183758bc7b454224dd11859b8e045ce5b98e2c4a05bcf9b
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

remotegui.zip: codemirror.jar: puppet.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/puppet/puppet.js
MD5: be03e9aad763ae4b5ee3d6a226aa8c78
SHA1: 7dae96b96e285c5e747624c864be8f1b0cb61e5e
SHA256:237b966a50a514c6beabddfb83649797f764a29f7f2c7100dac1f411709040af
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

remotegui.zip: codemirror.jar: python.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/python/python.js
MD5: 9b50648e6f546e4f63f1a8eb25adb039
SHA1: b178c4d31cc4eeefe58e97a60723d47af96b79ed
SHA256:ec56443dfebe73f332cc639289ad2de6921560c8952a3e2127397a0849882657
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

remotegui.zip: codemirror.jar: q.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/q/q.js
MD5: ec0a69917f7ff85ef3c89ab34cbd0ee9
SHA1: c52261047f62fbf5a52a2fb36e0e926859505ac3
SHA256:1fecda8902c9c63fa36833c073370e479c7b8def1b883147c364f81cc6ac9171
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

remotegui.zip: codemirror.jar: r.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/r/r.js
MD5: 32999ceba0af47e9e6b4042314e2cdc0
SHA1: f044c32fe6998d6c6fbf774910766fca456273d5
SHA256:d4b1d1ad4275187d4f371fb61ca77ec10f63deba233644c484667750f934b23c
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

remotegui.zip: codemirror.jar: rollup.config.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/rollup.config.js
MD5: 73a1da56a828ad2854d28749fc155632
SHA1: 48bed29223b72a22a9939b57333c2d6e58bdfd39
SHA256:8c887c6ebd69fc77f4d1690cc0eb5afaaad25f0e18baaa5c7fdba16a6618ee08
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

remotegui.zip: codemirror.jar: rpm.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/rpm/rpm.js
MD5: 5fbb2d4919f2d396e78074f4c98812c0
SHA1: 719d22639e2bbb16d80df811da20013f3998c42b
SHA256:5e8a8253eb986b58fb170e2d58bdd134b05fc7dc02a456374a034d7564f77fcb
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

remotegui.zip: codemirror.jar: rst.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/rst/rst.js
MD5: bd89a589282ae08505026ef31cd4c6ad
SHA1: bfc1dea7ab7b49ed20e4127add87019c8dc56850
SHA256:b50d542cf38074c392f7fde44ef2cbab24b45bbfd178c426cfef6848d6d3e90d
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

remotegui.zip: codemirror.jar: ruby.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/ruby/ruby.js
MD5: b0b2ef072186390edb0444a0eb2e315f
SHA1: d63568f7de026f9c17e0a4124161ad5007c0c709
SHA256:953daad8a24225d56733f77c0c4451cf05436f70ad00e5dd1618486a1d5e01b9
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

remotegui.zip: codemirror.jar: rulers.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/addon/display/rulers.js
MD5: 267bb54847534c8bfb41dcf227f7aeb0

SHA1: ef8505818354f0e8e79d6ef7a902ec0feaaa0ed7
SHA256:175d32d6794e2d917f446c4bcc8053c9a9e69eb9fcb3b805daaf015189b6ec03
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

remotegui.zip: codemirror.jar: runmode-standalone.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/addon/runmode/runmode-standalone.js
MD5: 51867497bb73c2eba5e2e6cd1352f29d
SHA1: 591c22764dd7599a2d443c593bd5d4fd77928e65
SHA256:c1c9bc16a627699da49d9733f93d75963603175081a540b276f11c604739abc9
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

remotegui.zip: codemirror.jar: runmode-standalone.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/src/addon/runmode/runmode-standalone.js
MD5: 8bb22c65e3d5cb3b6466654c7c6ec4c8
SHA1: 942779dcd636d8372e9d8c9949858ea5b68bfdcf
SHA256:8a06491ff4969718a7bbe2f8ae9d380e9f05f0947d7f5e0d940930e5a929e469
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

remotegui.zip: codemirror.jar: runmode.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/addon/runmode/runmode.js
MD5: 6b9c51f3ec2f5a79c75836a0f75569c0
SHA1: 88d7a8053ef7fe9996f63800076992a5f65c4dba
SHA256:920d8eee55e987468236ba7ed2886de0bb8b2fed9d7060383a39ea29924ae885
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

remotegui.zip: codemirror.jar: runmode.node.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/addon/runmode/runmode.node.js
MD5: 3847af673a6ae44d53fa8d697df2b8e0
SHA1: 91e688f6fc356c47f9bea928ea3768b7c7a57693
SHA256:0d796745f8db549e4ade4132025a45994f45dd6f4765402ee75e4113019edea6
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

remotegui.zip: codemirror.jar: runmode.node.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/src/addon/runmode/runmode.node.js
MD5: fe41270e99f973a568d5a823cd6e2bfe
SHA1: c78b8d45e3db1891ad28f93b64ebd5ec6d0b9c98
SHA256:016bd87dc725d65c80cfa58d2e58033e013e703878cc05f322f938d58ddbcf9e
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

remotegui.zip: codemirror.jar: rust.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/rust/rust.js
MD5: bfb43032004a8d5d115c6b817cbbe2ba
SHA1: af76d8276b553e168b5fab49108e715452cff07e
SHA256:797a9abcf8581f192bc49b11434346d3f8014763f4967ae260fbe31f25b2bdfb
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

remotegui.zip: codemirror.jar: sas.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/sas/sas.js
MD5: 46f6d321e806768f9ebbc0155a5f9807
SHA1: 441d94bf2da7c5299662ba76dba352aac7df705a
SHA256:b69f2877e395b89682a4066f62f686c12cb66eac441b6c1d3ee15d5004859f43
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

remotegui.zip: codemirror.jar: sass.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/sass/sass.js
MD5: 0067718b0d6fa922bcf032b58966c3fa
SHA1: 1dbee553e6dfa3d57a3aa6548b43a753ccdb7380
SHA256:01ba99f4a91e70d2a5d3ef881c542f14a1f59f3ded58672484bcd56b41921866
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

remotegui.zip: codemirror.jar: saw_special_spans.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/src/line/saw_special_spans.js
MD5: 72b6184ab657ca37a0d984dc73e7088c

SHA1: d84fccefe8c3cd0f1a0b5b2f388de87e57503df3
SHA256:fb122060ec500dd99a179c002fbb6a8709eba030bf8f7695d868109b470b31ff
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

remotegui.zip: codemirror.jar: scheme.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/scheme/scheme.js
MD5: a64f664dcef608b26dea48b1ea52b622
SHA1: 1e90715a9ecc9c8cc9500e9b064ffe0defc60b9c
SHA256:0bc81b318e12c7c5bbd94943d9d64cf1a64674c3bcc7057788ed1ade8701ab80
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

remotegui.zip: codemirror.jar: scroll_events.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/src/display/scroll_events.js
MD5: 8c96ad450d94581a7a461c44fa1e7cfd
SHA1: c92034958533fbaa6512c99d715a6032d43355b0
SHA256:b0472dfdc7a904f6a082f064c9384dde3ce1ec95953d9c276216424da03ffa01
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

remotegui.zip: codemirror.jar: scrollbars.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/src/display/scrollbars.js
MD5: f06876b47feef8deb64e7cd59d76ab1f
SHA1: 73c1a417818efb800852fec0742136fb1c891c1f
SHA256:11cdff1fc628da528adf11b23bf19cc06072bb573cde470669343d27be9b0ab4
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

remotegui.zip: codemirror.jar: scrolling.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/src/display/scrolling.js
MD5: 104c04ec259e68a53516216e4947e9b1
SHA1: 54446fd791e3331041e6e9a0874fa66d4794bcb4
SHA256:07f6964d12cb85a698967bcfeca73824a7b602475d488ed6f57e2981879e7487
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

remotegui.zip: codemirror.jar: scrollpastend.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/addon/scroll/scrollpastend.js
MD5: 74be53ff23fb5eda7725c96f1ff683b2
SHA1: 1aec49fd4f7f5571fac13fddaad9eb1705cd522d
SHA256:6cd389df1da1ff9ba25728e03afb7f47df3162c3d9bdb5cedd06fc91c6199479
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

remotegui.zip: codemirror.jar: search.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/addon/search/search.js
MD5: aee5a4efc34387df3d1974e09cd2965e
SHA1: aa36dc4a27460ccc0b4b40ee643907303b64a880
SHA256:4949580371fcd81c0ad70164b169dd8bcab2bd9869eddaa0d7e295508bec7a04
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

remotegui.zip: codemirror.jar: searchcursor.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/addon/search/searchcursor.js
MD5: ca8612c41c44b87a10703ffe71d4f750
SHA1: 6bc4c36ea23ce7bf583f95ba4ad49e599bc646a1
SHA256:2c0b8cd8fe7ca5ca2253f4aacc914b390bff5b3cac3475df66c43a9ea8c8ccbe
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

remotegui.zip: codemirror.jar: selection-pointer.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/addon/selection/selection-pointer.js
MD5: 3ea743f9f1b458692e5258bcdc8afbd8
SHA1: 4306383d109eb987ee62a6e2defa8926dec870ba
SHA256:fdd7ff53d0ca796c5e3792ceb5063c84d0735bcaf198a1c06c78880f1c664a22
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

remotegui.zip: codemirror.jar: selection.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/src/display/selection.js
MD5: 34d76a4a0d6602f8d4ff937e499f7906

SHA1: c759ce0c87a62abdd8916125e3bad601e4ce4efe
SHA256:ca2d26085ea9380b686c57d5ef8789e3c3032ed8c5d90ae0e1c9dba69635a89f
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

remotegui.zip: codemirror.jar: selection.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/src/model/selection.js
MD5: 8f89f30a603010383e7c118550697100
SHA1: da2d4548c10827c45fd625bdfd1ffdf0e28e0c30
SHA256:03cb03c86030e258ed013dc958cab854e2978893145cb096468ff8149417502f
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

remotegui.zip: codemirror.jar: selection_updates.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/src/model/selection_updates.js
MD5: 252e2ea7a38323b8d82902e6595d23ae
SHA1: 27719d66e1ff98e650abbc5b48f2f4635f65df13
SHA256:a285a62ec8522c5d8271505b1438ddddaf39c3dbfd4dec5ac01971728e21a765
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

remotegui.zip: codemirror.jar: shell.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/shell/shell.js
MD5: ab0fc779b5fb9bdc1310a28d7dccd379
SHA1: ece7e7661886871cc46ef71248c67ea53a61ac7d
SHA256:24f77cb162ea9d9e9fc79b95ba547a7cc10a0767e3a5a52c786d4c24253736fe
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

remotegui.zip: codemirror.jar: show-hint.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/addon/hint/show-hint.js
MD5: c9e3db9bd2540c05ac67b249f8122387
SHA1: e8092d9477bb1ad4d17d44522d99cc67ead53b16
SHA256:28d2123fd1c9cf197651c2a0b3cb65762ba06dc073e023c75ec05b1f139b0af5
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

remotegui.zip: codemirror.jar: sieve.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/sieve/sieve.js
MD5: 88c6148d955c6542b3f10482b736e553
SHA1: 72627a945e27e3044717e5b8db378f3d776ad0fc
SHA256:c233866cf4990e2f28f11c96ecedc7e7dc465c19c5b445b30bdc037118f7b65d
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

remotegui.zip: codemirror.jar: simple.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/addon/mode/simple.js
MD5: 282f2d54ca2c7b60ab4bc0cd762b943d
SHA1: f08a5e5394568164edb85911dfc452f433bb2483
SHA256:400f49309b31197c0c4ec76519c93647b494ab80f59f96d7f051463e0aa37eb0
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

remotegui.zip: codemirror.jar: simplescrollbars.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/addon/scroll/simplescrollbars.js
MD5: 34d6903cded2822fb2261678e1a479cc
SHA1: 0707d27834fdde0fe2c32935af79d4575cf9f1ad
SHA256:62b48bff43436bfb8ecc5e3273e6047f0b934c1d873c81e863e13bb462d1e1ab
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

remotegui.zip: codemirror.jar: slim.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/slim/slim.js
MD5: 447874e5c5dd225949004c357d17ffe2
SHA1: 2cdc3263aa6d9766131d73157afbf05fc6767b50
SHA256:a8d555221c610512119f2107d58bb1c57d294cebc91f82638ea6e235286b5c15
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

remotegui.zip: codemirror.jar: smalltalk.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/smalltalk/smalltalk.js
MD5: f6e7ef04f9f907a13604ea5b1938d3d7

SHA1: 57f009cf2b2147f14c530f697fdfbd3ac493e053
SHA256:9f649668162a61cfa6a3528dbe513d012162932c742c7b0696078bd2a6d3b190
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

remotegui.zip: codemirror.jar: smarty.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/smarty/smarty.js
MD5: 3ccd6f2129ee79c85ef96a8237f1de7a
SHA1: 5fc274f49b704c0a99e0f0b9030c90f56fc7c1f7
SHA256:9e95bcd71635efe200c3871c57cbb1c07edc1f8206d173f4552fd2dfbcf9e9af
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

remotegui.zip: codemirror.jar: solr.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/solr/solr.js
MD5: df4ba46ed00e24c144deaef9a817d024
SHA1: c880da8431afd54034ae7fbfedb45d94966638b7
SHA256:17f16060f00cd932914722bf2cd1a01318c402503b62f3bd2bda09bab6b42b85
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

remotegui.zip: codemirror.jar: soy.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/soy/soy.js
MD5: 1db8a99a573b2ab07cf30cc58da1bb2a
SHA1: 7c0a178caed0b849f140d0b21de6548a0355f9c1
SHA256:358a1861e92366d238eb240fd5d5cf8ea6f5fe219f389667d277031c0a1a47c5
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

remotegui.zip: codemirror.jar: spans.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/src/line/spans.js
MD5: 52150a5a01dd7c56de003aa132f71e25
SHA1: 92cc8b4ab38a103a106f574c40d25d16e97d48eb
SHA256:719ad01e720518e7594a76ed4dc4904fecd7c495b12d87fc4599b40032975789
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

remotegui.zip: codemirror.jar: sparql.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/sparql/sparql.js
MD5: 856d73e41310b4dd6a18f13d64fec0be
SHA1: 1669e717cbfb9fa9b30e99415a6e5f7a66feb286
SHA256:e646ae1e2796c936a8760af321089f5814d0158ef72aa3f3efb60765430a2e6b
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

remotegui.zip: codemirror.jar: spreadsheet.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/spreadsheet/spreadsheet.js
MD5: 370c01bed3c433131f942ef7e6f69187
SHA1: 94b3e4c80f954a378ab94f13068d879e9ab3394b
SHA256:0807dd557c55f5b6d8579c5c9019c5eddcda9c56ce559190e5f2985b156a00da
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

remotegui.zip: codemirror.jar: sql-hint.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/addon/hint/sql-hint.js
MD5: 8d41549d89ca9bfa3ef068190df379ca
SHA1: 6a2cbde78c9311f75509d3350877a8018499e8c7
SHA256:60703945eb6cc93d4f47d70b65f955e66ae8a22c0cb1ceefa69cf0890564544d
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

remotegui.zip: codemirror.jar: sql.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/sql/sql.js
MD5: b48a3934b20b392ae812b17df05355f4
SHA1: 40d1a558afba1f5043b23131e496de37d8e2dfb4
SHA256:ac23d3f196deb9be25cfcecb966bdc1789b9e177aac683ddccde1420670c4d8a
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

remotegui.zip: codemirror.jar: stex.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/stex/stex.js
MD5: c7ef8ac785ee813860cc414ea17dbf6d

SHA1: 3e46d97b4e694c7389cd0df4d13b914697d28c8f
SHA256:edc1f57c69920967a31defb66954aa29f5751fdb2f7ed8e52fa08978ff890e3b
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

remotegui.zip: codemirror.jar: stylus.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/stylus/stylus.js
MD5: 7e6d36c0cc269b4e518bd48b9b6342d6
SHA1: ea339b15b178a1082a2acdadae82ef1f4a599f32
SHA256:85683adfef4f0129670fc2e5ee9148ad956213f5fa0c8dd05ac7970ad7f0b337
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

remotegui.zip: codemirror.jar: sublime.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/keymap/sublime.js
MD5: 1d7ea7f929183e76740bd9d98e9cac41
SHA1: 84a64b60b5802e86b0689ccfa95665339347f0c7
SHA256:1d532a67594845cb7163b090a06da9287b896944ab5f22df67f14e176bd434e5
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

remotegui.zip: codemirror.jar: swift.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/swift/swift.js
MD5: bf859160b6f348fc2d72673fc40b9da9
SHA1: c6b46b402c9b1fc3166712d68eb10ad29c5d01f9
SHA256:939dc67bbef9f0f6847f5bc2a89b0c8f4b411d57fbeed4f9d5cc21fabd7e191c
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

remotegui.zip: codemirror.jar: tcl.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/tcl/tcl.js
MD5: 28a739b5550bd5ad13b47dbec84a9716
SHA1: 2ce8afb99f36fece39e1b3df7be02509f77b19ee
SHA256:98552bab94ce9adc9fcef5658da2965994a84e852c83098e94564884815b3026
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

remotegui.zip: codemirror.jar: tern.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/addon/tern/tern.js
MD5: b9418efb9c0d90a3432dff86169fd293
SHA1: e4d1225e756d51fcb69c2f14ddce1b09fa2a23b7
SHA256:1ebb5ad38f72115c49865b5537fd9c77da506b7ed2be38bd310306af3c698e44
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

remotegui.zip: codemirror.jar: textile.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/textile/textile.js
MD5: d3923b19d37114a9e2a346c191c318e1
SHA1: 979b17e6363d63ac2d1b3a6854ba6196564fc5d4
SHA256:c121fcf3e641a7433b9e328c76aa0b1755aa4c0412e4f59a1d8d6ac24b36df06
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

remotegui.zip: codemirror.jar: tiddlywiki.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/tiddlywiki/tiddlywiki.js
MD5: 3e4fb7a08d9df5cbe9822cb1756bec86
SHA1: 84885a1cb7be096c19a3dfddd70252efcc83960e
SHA256:4b62acf34df4acb1a4bc1a2729edaf221583679761d35e0e9077883810fccbfe
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

remotegui.zip: codemirror.jar: tiki.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/tiki/tiki.js
MD5: 6e4bd43879571d0fdfa79714f550a3bf
SHA1: 6fd2ece4b20160c1859f34cb245b173459c21163
SHA256:af92cd0858a99f3c5cacf240874db7eac2704a7b193a3cdfddfc5ba70382a293
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

remotegui.zip: codemirror.jar: toml.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/toml/toml.js
MD5: dc2ba16cf830b53759b71306e9473ed5

SHA1: 1a394f9f45c508febc270b7c0a1f72460fc897d9
SHA256:67bbbc2696788633071f2a2b8a1cf6ca4f4ac82213e3d85b7cd183d60b117679
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

remotegui.zip: codemirror.jar: tornado.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/tornado/tornado.js
MD5: f45c2ec37cc008dc5dbd5f9c077ba666
SHA1: 8b55c6a85279c8f7d6b3f539fa097fed877c16b9
SHA256:d006020d7d093cb4f5ed5088ed151d4c45417fe5ccde69d960eb82cfcb9e0ecc
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

remotegui.zip: codemirror.jar: trailingspace.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/addon/edit/trailingspace.js
MD5: 43599469275c2b662b7907971147c978
SHA1: de4d3ee3d32f01f94921b8b3944c7383da7ba970
SHA256:a0d2c0196d8f4991cd58f320498f7aece971e502e4811ecf58cb5af8e83007c6
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

remotegui.zip: codemirror.jar: troff.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/troff/troff.js
MD5: e7f5f0a2bf68a81f0f3e547ab5640627
SHA1: f59246b4ff5ce93afc87a4ed30a0cba0e6ba4775
SHA256:f7714fdc46774467c168e75fc36eca90e6df16e27afd0b608b882b2df769b8c3
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

remotegui.zip: codemirror.jar: ttcn-cfg.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/ttcn-cfg/ttcn-cfg.js
MD5: d847dacea4534ee2841f01f5ac419060
SHA1: 0df7a9b8f5e91e2ae8d5a8a02c99bf779e221743
SHA256:22983894e4a3794c9bcf396e7a4119efa5ea07a4f97e060e15f3c13ec2c1a01b
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

remotegui.zip: codemirror.jar: ttcn.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/ttcn/ttcn.js
MD5: f94e618b386e8bfd0ffa2252482e9c84
SHA1: a463a8817c26dcec47a7d006aa097dacf74b28d1
SHA256:10be6704eac48032ce00890bdfffa03d445aae18e3ef7bd74eb14a26e5867a28
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

remotegui.zip: codemirror.jar: turtle.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/turtle/turtle.js
MD5: f36ec21c639822b370b87c63415533f1
SHA1: 9b6341bdf7330b71a5959cde815241b6e7deaf05
SHA256:0f82b51ecc43b95e55a752f80f719f8a39b607697b86d3fa4523a5e8280d3520
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

remotegui.zip: codemirror.jar: twig.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/twig/twig.js
MD5: 09ab2491f1056e9d142e233dbc9dc1de
SHA1: 4cb5eb7c9bf77dce80f92f2498d83af92f3398b8
SHA256:72b6e091bbd6a7c6eb786db2591c1f6f59c7880ef224ce5365ed39ec786d583b
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

remotegui.zip: codemirror.jar: update_display.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/src/display/update_display.js
MD5: 8a51230ca1be6a91aebe25d4d0f7b55a
SHA1: 79b7a1faa3bfaa65f28ab4e324fa88b485ed21e2
SHA256:cf96f09d7f210f2cbf0c1912058eca1f96b51e63b1bf7b39016c0156c2b9ffc6
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

remotegui.zip: codemirror.jar: update_line.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/src/display/update_line.js
MD5: b9b8f3c5e697e33d73d1044eaaa86dc9

SHA1: 4f7c764ac36b54c918f06b68129b8835b22b55f4
SHA256:5fafd013fc16591f0c978c6a4bacb3cf054d52f5051becd4325de8c21ba07f7d
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

remotegui.zip: codemirror.jar: update_lines.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/src/display/update_lines.js
MD5: c864b2f05d2101a47c52b9c01aad5b47
SHA1: c63e8555c30976387f5904fda11fb55174743a88
SHA256:80e80a6c8ad664587c2f01128e85c5c931f29cd021381584e2195073a53df45b
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

remotegui.zip: codemirror.jar: utils.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/src/edit/utils.js
MD5: 4e9e033cb9daa0702d84b88dfcebae20
SHA1: 8e5257ed7b93a00cb5eccbf544d6a1043f2edac7
SHA256:06220f9e424434492b73e0aea65bebba1fe74fc3002f8b3672d1d0d3a445f20d
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

remotegui.zip: codemirror.jar: utils_line.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/src/line/utils_line.js
MD5: 0f6f365b60c1688d8f0fcb8d57a9d9d4
SHA1: 574435cdc400815c829db19a67652b7077b00433
SHA256:a8b39ff57b6d43dfceda786380d6dacef7b1738a81fb6033e7573502501d4b6e
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

remotegui.zip: codemirror.jar: vb.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/vb/vb.js
MD5: fa430588a34292ebd66e33fa60217b4a
SHA1: a89cb1b315fbed1886d709d921ae95b216d89fc9
SHA256:e8f8e4496baed70b1e6ff44979382bad81b921b9570b7da1a377835e973f28f6
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

remotegui.zip: codemirror.jar: vbscript.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/vbscript/vbscript.js
MD5: 2da61e304ec310d9291e372c53c6b06a
SHA1: 9c582c79ac9ef6d1c08850c180f988bf974aedb5
SHA256:77109e0c2218502dac03b5bc3b290cfe0b46ea00f4d267f3dc4378d9abe1bdc9
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

remotegui.zip: codemirror.jar: velocity.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/velocity/velocity.js
MD5: be30a2a88271b692c85d7de9744f7c16
SHA1: d45880a6f5d3d4840ed1297d7b3f14ba4c9a4be7
SHA256:3c076c7bdb1e2d3d25bffa1a682556ae449f1545c3731935306333b5831aa951
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

remotegui.zip: codemirror.jar: verilog.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/verilog/verilog.js
MD5: a79b1a94e41866ba625c37e77a76ba16
SHA1: 4818788973bd3f66d3b9e14992710d96a7ec18d4
SHA256:ae7c58b13650019ca08760e04f3ece3315e889eb5aa849a34400f16542610eb1
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

remotegui.zip: codemirror.jar: vhdl.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/vhdl/vhdl.js
MD5: 4f804b6884d0d7c233a0acc15fdab384
SHA1: d30d775adce22818b6e3955fae1d653028abb5dc
SHA256:da078efdda01a1245fb8ed5a16cffeb0a51823e5917e3802457041dc48243539
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

remotegui.zip: codemirror.jar: view_tracking.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/src/display/view_tracking.js
MD5: a26525bd629440e84b02128d6eb323b4

SHA1: 2cb6103f9dad13f5ee416f272cc9f8f14084ffc6
SHA256:077f385b690f0c7af9976cb7b6d2b60a175f762753a77b3060a6db2686a5ee81
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

remotegui.zip: codemirror.jar: vim.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/keymap/vim.js
MD5: 3a5542b6dabf86e3983f29c5c5a184b6
SHA1: b8afaac94045745d4517c9635a5d0c1c266db7ca
SHA256:c8124370e0ba7e76d5cde3c18d257c5c99e5578d6505f0eeaab5c791673c40e8
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

remotegui.zip: codemirror.jar: vue.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/vue/vue.js
MD5: 9e7dbdd0bcaee6279ed4e77f5ebc36ad
SHA1: dc5c50230fdd556f9c3530f781b7a2b16ad30a20
SHA256:8b9c4f59c1230c537f44f593f5d608a81604e4b3dfd345ea938939d0d62f668e
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

remotegui.zip: codemirror.jar: wast.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/wast/wast.js
MD5: fb1f6ce81911f07db605e2e5ccf41cf2
SHA1: be86e08e18cc74130b483022c355846d72116c20
SHA256:8e8ae8ab4475c66d2f05960ffda597af6279c8c93f62cdab443407bea74c0091
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

remotegui.zip: codemirror.jar: webidl.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/webidl/webidl.js
MD5: f31e84cde3fcc1fa2efec9889038d7e5
SHA1: 0757847217a95faf4defc9685f6821accb9d8988
SHA256:a12293542727a69514ae5477a65e33eed4f871fc207c6b275c9d8be1f2177062
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

remotegui.zip: codemirror.jar: widgets.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/src/measurement/widgets.js
MD5: 675098b5f0aea0bf351a1b5762febfa6
SHA1: c922dccdf98c79f92fa086bc2a36d970c76b56df
SHA256:09874ad13a856fad11b3afd084e58411741ee2735e61b4d95fefc060b60bfd65
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

remotegui.zip: codemirror.jar: worker.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/addon/tern/worker.js
MD5: c6d16e68bc203e9489fbbd11b5b100ef
SHA1: f8adb9ac9944f88bf6e69048c001f89537f32198
SHA256:80c0e9bc4e2ef9ca9c97199818318429d26fae0d2452a20547b1e458eccf794d
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

remotegui.zip: codemirror.jar: xml-fold.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/addon/fold/xml-fold.js
MD5: bcfaae27958026e83cd442b5df731da4
SHA1: 7ad4740f2ecbaa3869b066156b19401075a0315f
SHA256:4ad0fdc2f93882174c9071e9a3c2324d15d4deb0c43fe607f9efe01dda1af9b4
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

remotegui.zip: codemirror.jar: xml-hint.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/addon/hint/xml-hint.js
MD5: f2651770cad286ae58d12e9f5c4e9e6f
SHA1: 17bce6be75e45d7a291a32d0c1e346e4818296db
SHA256:6b78f04d2137358d5a01e9fa2b3a8f069acc70f925cc7efc39448ebe9599a805
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

remotegui.zip: codemirror.jar: xml.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/xml/xml.js
MD5: c93fe254ef100aeb5c9dfcda4c91d27f

SHA1: 510c71566cf81560cb5bd1bb25287ed6502dde75
SHA256:dc7e44d410399326f802e2924573cbf6f942a79f647fd0b97f0b607973bc9a09
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

remotegui.zip: codemirror.jar: xquery.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/xquery/xquery.js
MD5: 56cd9562591919c15b7610f13cd112be
SHA1: b294546669da04806196e6aca774914a30a0b3f8
SHA256:618685277efde78e0e48fd5cf95948ae32a4d57de942038ed0579415f3f2f9dc
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

remotegui.zip: codemirror.jar: yacas.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/yacas/yacas.js
MD5: a70c01cdbd7d4311d4dda287ace27a79
SHA1: e853bda930d5fed1db0bd56ab9426612e759f9b3
SHA256:edab39fac054aaee5ea8ad3d09e0d38f57d5b24f826df7561526b5efb229fc72
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

remotegui.zip: codemirror.jar: yaml-frontmatter.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/yaml-frontmatter/yaml-frontmatter.js
MD5: c2dc6071833d8d9bf02d81244403cbd6
SHA1: 212780f18d78644233eb826c8c660eee51b6ac70
SHA256:98baa91eee7ba77aaf150a59d7e5146d4964ddb271076cd963cce43f9928b3f8
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

remotegui.zip: codemirror.jar: yaml-lint.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/addon/lint/yaml-lint.js
MD5: 925332d44aefcb89b106d4fe9b32e93d
SHA1: 19221be874d11d57582a77dd08fd2f244e9b5500
SHA256:ee7249600f6b395c302b24054060f8abe87cbaa68a9f426593ca5e5f3748bbf9
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

remotegui.zip: codemirror.jar: yaml.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/yaml/yaml.js
MD5: 77fd959da1bbaeff5cdd97689da94570
SHA1: 9b206b33cc7b2b5e1e21d39bd177b1c6500e9722
SHA256:3256b4e40302d4488834925a990edb32cef7d431f70a40917c1c5398468d861b
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

remotegui.zip: codemirror.jar: z80.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/z80/z80.js
MD5: 85b28ee5eafe8552bf842eeba91325f7
SHA1: 34971fc9b5ed5aa2f8714030186cd3e0056cb2ac
SHA256:0f501d7b8c9c48942900b4d7131f5bb18130395024e66ea5d98aea480f845e2e
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

remotegui.zip: crypto-js.jar

Description:

WebJar for crypto-js

License:

MIT

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/crypto-js.jar
MD5: e70e1fdbb3054453cd57ab3368e6bdb9
SHA1: 622835f605f708155af4ffdb1fda1fed2983bccf
SHA256:9e11775c13feb6a3161844db96974ad007dc36d1f4b3033555f34813a1584270
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence
Vendor	file	name	crypto-js	High
Vendor	Manifest	build-jdk-spec	1.8	Low
Vendor	Manifest	bundle-symbolicname	org.webjars.npm.crypto-js	Medium
Vendor	pom	artifactid	crypto-js	Low
Vendor	pom	developer id	webjars	Medium
Vendor	pom	groupid	org.webjars.npm	Highest
Vendor	pom	name	crypto-js	High
Vendor	pom	url	https://www.webjars.org	Highest
Product	file	name	crypto-js	High
Product	Manifest	build-jdk-spec	1.8	Low
Product	Manifest	Bundle-Name	crypto-js	Medium
Product	Manifest	bundle-symbolicname	org.webjars.npm.crypto-js	Medium
Product	pom	artifactid	crypto-js	Highest
Product	pom	developer id	webjars	Low
Product	pom	groupid	org.webjars.npm	Highest
Product	pom	name	crypto-js	High
Product	pom	url	https://www.webjars.org	Medium
Version	Manifest	Bundle-Version	4.2.0	High
Version	pom	version	4.2.0	Highest

Identifiers

- pkg:maven/org.webjars.npm/crypto-js@4.2.0 (*Confidence*:High)

remotegui.zip: crypto-js.jar: aes.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/crypto-js.jar/META-INF/resources/webjars/crypto-js/4.2.0/aes.js
MD5: da81b91b1b57c279c29b3469649d9b86
SHA1: 5441866409bd32d32331c4b4b652057fb90bc298
SHA256:d6bb48feacbd63fd455becce7a5528877242f70e73ba1f7838c186ed8f35fd3c
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

remotegui.zip: crypto-js.jar: blowfish.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/crypto-js.jar/META-INF/resources/webjars/crypto-js/4.2.0/blowfish.js
MD5: f324783486bb1c6c2bad1faf07c63372
SHA1: abce1a3fd40ce0c3f511fc0ea0be9a5d9006e580
SHA256:dce696d0842412093ec68ceef095d0db470a358628dbc352867bf535ef3edfb6
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

remotegui.zip: crypto-js.jar: cipher-core.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/crypto-js.jar/META-INF/resources/webjars/crypto-js/4.2.0/cipher-core.js
MD5: b9c2f3c51e3ffe719444390f47c51627
SHA1: fb31443b26eb46eba12f324ff2c567d28e43c9c8
SHA256:1b3331c29f4a1e222ebf7d3b9bd3458a308c2a47fc5e6cccb93f7d2d5c57533d
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

remotegui.zip: crypto-js.jar: core.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/crypto-js.jar/META-INF/resources/webjars/crypto-js/4.2.0/core.js
MD5: b55ae8027253d4d54c4f1ef3b6254646
SHA1: 06951bbea3ba1ca54de91f0feefc13fb62b66f38
SHA256:2638bdd7224472f801890636d42df16c144ca46c84229ef3087190d21f935daf
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

remotegui.zip: crypto-js.jar: crypto-js.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/crypto-js.jar/META-INF/resources/webjars/crypto-js/4.2.0/crypto-js.js
MD5: 4b481d280be0331ef01b43c2d9b2a58c

SHA1: 4e84b6508f97c27e80a3fdeea2923d489d2b8fc5
SHA256:ee02257ffbaf0a9b481c7039b0f3bb20c360c9674fe4be8b38ae709b2ea59bbe
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

remotegui.zip: crypto-js.jar: enc-base64.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/crypto-js.jar/META-INF/resources/webjars/crypto-js/4.2.0/enc-base64.js
MD5: f551ce1340a86e5edbfef4a6aefa798f
SHA1: 9e1b1bf75f35833ca2480ee401b4cff8b7eb1fe3
SHA256:84b69d1625474179d55622a8333c3aac376dd8bc77de7b06c21695762cb69cab
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

remotegui.zip: crypto-js.jar: enc-base64url.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/crypto-js.jar/META-INF/resources/webjars/crypto-js/4.2.0/enc-base64url.js
MD5: b87419e0e9ad776b37cfce5433ff5852
SHA1: 24aa5251bd4c6b8ca1bbaf0a5ab838fbdbfcb6ab
SHA256:8747798ddd53f467bebd7101bcd053b3f12ef028b3e6c012aede147732c8a9c6
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

remotegui.zip: crypto-js.jar: enc-hex.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/crypto-js.jar/META-INF/resources/webjars/crypto-js/4.2.0/enc-hex.js
MD5: efb02f85686d948c69ad13ec6a7d479c
SHA1: 27f6a54ae346ef0a9a63084990591e0f986bea38
SHA256:c7dad9931250921c24508ba9949abb818745b38891da44693359249b11ed143d
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

remotegui.zip: crypto-js.jar: enc-latin1.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/crypto-js.jar/META-INF/resources/webjars/crypto-js/4.2.0/enc-latin1.js
MD5: a8c77d13f48479c2f76678c6e7f06ca8
SHA1: 9753af5959867f998f0feffd6f1699e88c92f39e
SHA256:24dfee2cc51ec0481aad1f62933bd0ae1238c34c5b0e73aeb1729027c913a26b
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

remotegui.zip: crypto-js.jar: enc-utf16.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/crypto-js.jar/META-INF/resources/webjars/crypto-js/4.2.0/enc-utf16.js
MD5: e24e079fb22a2f7063cb9f856bdff10b
SHA1: 01f29539d0bc1e2c10638d0f3b9af99d978e15f7
SHA256:c35339900b45fa701c390c924009a95270b4b4d91b427e40984f117c2f7ec67d
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

remotegui.zip: crypto-js.jar: enc-utf8.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/crypto-js.jar/META-INF/resources/webjars/crypto-js/4.2.0/enc-utf8.js
MD5: 5a9aaa6b97e87bf258edf26223bdcf61
SHA1: 16bab2dd76daec10b9b3e2569f3fc1a207b5f726
SHA256:8c7e44dc2d49b20fd78a44827fa962a28a5e22e0adfe036aa0fdcfc7adb89984
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

remotegui.zip: crypto-js.jar: evpkdf.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/crypto-js.jar/META-INF/resources/webjars/crypto-js/4.2.0/evpkdf.js
MD5: 7106e06bc97d1f59a9324ef5ef9c14c2
SHA1: 89cccca6c0e5261d31302cb4726a26f21a84ef39
SHA256:03a8ec00db105b3b813902400ed65169d12ecd382fa13402fd62c55e251caacc
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

remotegui.zip: crypto-js.jar: format-hex.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/crypto-js.jar/META-INF/resources/webjars/crypto-js/4.2.0/format-hex.js
MD5: e2f78f02b844140cb8763fa7cd8daa45
SHA1: a359182575c8d43c6e5381209472f8954e4d5496
SHA256:040a2918bec8cb8ba0a6303fa3c1bbfd899bc8644643e8ac493e3c08a0c09097
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

remotegui.zip: crypto-js.jar: format-openssl.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/crypto-js.jar/META-INF/resources/webjars/crypto-js/4.2.0/format-openssl.js
MD5: 502d6df5aa16084bf5abb0f3077c13b5

SHA1: 7507a0c1ccf7049a8a10bf2ed73f24af5ed00aa3
SHA256:1ffa86862e66b6c0fff35cb96875e97a793aaf86ca749b29381cbc67a0877bba
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

remotegui.zip: crypto-js.jar: hmac-md5.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/crypto-js.jar/META-INF/resources/webjars/crypto-js/4.2.0/hmac-md5.js
MD5: 95b2fb61fbadc00bb3dce9098e37256a
SHA1: 143d92d0c7d56bc57036c318cf78dc50cd72b557
SHA256:d3072014eb4186d02e335c511b3cc6e163a5cfebaa8c4ae13634af24887078e6
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

remotegui.zip: crypto-js.jar: hmac-ripemd160.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/crypto-js.jar/META-INF/resources/webjars/crypto-js/4.2.0/hmac-ripemd160.js
MD5: 6d51886c1d976bc143c790593cdc0920
SHA1: 29a848612a72b95abd8d8a9ee8d4874939fac6f0
SHA256:28e2bdcb143840e4e01eff312a728e0f652d7dcb0d1bbdceab0bf48ff5cae8ac
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

remotegui.zip: crypto-js.jar: hmac-sha1.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/crypto-js.jar/META-INF/resources/webjars/crypto-js/4.2.0/hmac-sha1.js
MD5: 4acf006c1688cf4513ed375d7a94f86e
SHA1: 8fbe2fbecb2caa64f74c0393f9f6641f78e3b732
SHA256:e104acb7379b834bd9249e3cfcb2196acbf90a22bb10947feb2a1fbe30ded105
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

remotegui.zip: crypto-js.jar: hmac-sha224.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/crypto-js.jar/META-INF/resources/webjars/crypto-js/4.2.0/hmac-sha224.js
MD5: 875a7a330903a92828b279818e6b06b8
SHA1: 586cc496e368eb6f6119e0a6089ef7f8f421dee6
SHA256:35208e1e4631ff5f9bd83220dbfbef63290eb93e914055b35583fbf19eb76693
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

remotegui.zip: crypto-js.jar: hmac-sha256.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/crypto-js.jar/META-INF/resources/webjars/crypto-js/4.2.0/hmac-sha256.js
MD5: 69817fc0da86033d4ef559f0febd3d32
SHA1: 84c60e2a1dce8f06c1e4340542199cc9cc9a3454
SHA256:11d26c11f858b74bf0f106c74ddb579a112d3e7321fd684365a77ba2a7a5dffc
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

remotegui.zip: crypto-js.jar: hmac-sha3.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/crypto-js.jar/META-INF/resources/webjars/crypto-js/4.2.0/hmac-sha3.js
MD5: ea6cba03f7c6b257b70c1497022b5514
SHA1: 0d8f8002491a9311c7035aaf07d4a0329f38ced0
SHA256:bc63c36741416fb55fbbe3c7c4a78b5e056d9b902a471bb16b6f5672fbbacbf8
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

remotegui.zip: crypto-js.jar: hmac-sha384.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/crypto-js.jar/META-INF/resources/webjars/crypto-js/4.2.0/hmac-sha384.js
MD5: 7afbdf157b81970eb00a50bc421e7ce1
SHA1: 9196d839c46163f6e51c63410ba0076a09ccf178
SHA256:93494b918b2eb79cd1be66145a41137ac0d65739ed6cb9e04f82bf1d7cdc7019
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

remotegui.zip: crypto-js.jar: hmac-sha512.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/crypto-js.jar/META-INF/resources/webjars/crypto-js/4.2.0/hmac-sha512.js
MD5: 5d3e9930daf490e45b446cb42b31833e
SHA1: 4b07089a6c56852d15ec948b58408d5b5d32cafd
SHA256:6c2b59ac5e27099986b28d32e425ed3d65a4621c1c6512d03d40b336c6e88a2d
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

remotegui.zip: crypto-js.jar: hmac.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/crypto-js.jar/META-INF/resources/webjars/crypto-js/4.2.0/hmac.js
MD5: ee162ca0ed3b55dd9b2fe74a3464bb74

SHA1: d68f1ed4e3aed7807fe17a8193fca4775221dfa3
SHA256:c89f8f08ae06990edbc0763cd46853d16c70eaf513de8592b1ffb74a2ad2f7da
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

remotegui.zip: crypto-js.jar: index.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/crypto-js.jar/META-INF/resources/webjars/crypto-js/4.2.0/index.js
MD5: 8181544c4f4842cba38a939989ddb460
SHA1: b4ff6b82e1e72ccc2a5de8f94968c3b82060f61c
SHA256:7de6a6041ebd1a43ecd79b59708795ac273930bb36265b41fff832d781e7bb27
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

remotegui.zip: crypto-js.jar: lib-typedarrays.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/crypto-js.jar/META-INF/resources/webjars/crypto-js/4.2.0/lib-typedarrays.js
MD5: b8bac2e22a7a589167e014be77736c72
SHA1: 622fc0f297b3799ff91b08469989e6fe113cbda4
SHA256:a5875f287e6cc6dea0ab64024db32783229a7db55f74deccf6566973bbd76ec9
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

remotegui.zip: crypto-js.jar: md5.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/crypto-js.jar/META-INF/resources/webjars/crypto-js/4.2.0/md5.js
MD5: fcd0c8cd3533c15bb4f0628f82cf5175
SHA1: ed91751fd5c6009667d6b43c5fd3939993edd568
SHA256:ffce8dc6b782620c6238a5b2280c5a98f6bef8c77fa80e581fac8cce0f08effe
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

remotegui.zip: crypto-js.jar: mode-cfb.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/crypto-js.jar/META-INF/resources/webjars/crypto-js/4.2.0/mode-cfb.js
MD5: 5847dafc1beecdcdfd23925f9f4989b2
SHA1: c9972596e02db6c6221ae019dcf1498d30e9ffb4
SHA256:a3626b78fe53d7d32fbcaeaeb92750db305e84e2ccb84e61d735ac7a4dc7345c
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

remotegui.zip: crypto-js.jar: mode-ctr-gladman.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/crypto-js.jar/META-INF/resources/webjars/crypto-js/4.2.0/mode-ctr-gladman.js
MD5: c4bd3b4755cf275747f8e68b0eed7995
SHA1: cabbcc4100b4d363f1b55d42b930ec547ad67dd1
SHA256:fcd6166981435cc01bdfd2fb8f9e2773acfb144ab8c47e0c71473d9bdee755b0
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

remotegui.zip: crypto-js.jar: mode-ctr.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/crypto-js.jar/META-INF/resources/webjars/crypto-js/4.2.0/mode-ctr.js
MD5: 6cec0458e4e62c1ff8b534e59f9132ff
SHA1: 591484053ed26919fa6e4cecf7aa723dcade4bb6
SHA256:9e67161f61922a475b142b2e18cb4470ed7860ef61bc6e7a41f327f7a59be96f
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

remotegui.zip: crypto-js.jar: mode-ecb.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/crypto-js.jar/META-INF/resources/webjars/crypto-js/4.2.0/mode-ecb.js
MD5: 3a84195b8427195dd9c345a0f3aa2313
SHA1: fe621e95709e31a5289c78d114aad4a920f14923
SHA256:4f563373ba4af442e1b425b7b7dd1030ed84b9babe9821949922d9677bf14701
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

remotegui.zip: crypto-js.jar: mode-ofb.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/crypto-js.jar/META-INF/resources/webjars/crypto-js/4.2.0/mode-ofb.js
MD5: 48f5529799d5eac8fa9f855ba1402737
SHA1: 4e97befa1e4d0003cd2fe9d21d85d6636513fdb4
SHA256:b49077bf4bf5e8f2cbb2de0e2d48c4d941a3feba2bc7c629abd51fe2ac8bdb2f
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

remotegui.zip: crypto-js.jar: package.json

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/crypto-js.jar/META-INF/resources/webjars/crypto-js/4.2.0/package.json
MD5: 2f31b0aec8f5d1c63af62bf46623876c

SHA1: 7316c3382382dee4cc36236a13bf43543b8a855d
SHA256:011d61589c95ad4e16051c492565f7c19c6a7832580674503cceeca612e7a6cd
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

remotegui.zip: crypto-js.jar: pad-ansix923.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/crypto-js.jar/META-INF/resources/webjars/crypto-js/4.2.0/pad-ansix923.js
MD5: ca8ab3266976ddad6e811577212b8c88
SHA1: 505018913484e110aa81842a4511a2a52cbf2231
SHA256:7d950bc42f262159a2786eea30d1153a3d0bca9aab9acdbcc1a981a8d2854ef7
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

remotegui.zip: crypto-js.jar: pad-iso10126.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/crypto-js.jar/META-INF/resources/webjars/crypto-js/4.2.0/pad-iso10126.js
MD5: b1c4aa95c8bc79280076e66352b6c219
SHA1: 9c081665a8d0f4399c5f3874f38f811932900d54
SHA256:d3695304e8e7a001cc6e1b84d4b58abd429dd7e3f09514c260bcd3122a3aa685
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

remotegui.zip: crypto-js.jar: pad-iso97971.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/crypto-js.jar/META-INF/resources/webjars/crypto-js/4.2.0/pad-iso97971.js
MD5: 4027c92ac1ed3c95f39e8e2a391500d3
SHA1: b7034e19bcb012cf7549baea65a70d25b8e71480
SHA256:f7f7179b8bea5b6ef4f0891f23b563db8aa530376795cd99ef84942cfc62d328
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

remotegui.zip: crypto-js.jar: pad-nopadding.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/crypto-js.jar/META-INF/resources/webjars/crypto-js/4.2.0/pad-nopadding.js
MD5: e288e14e2cd299c3247120114e1178e6
SHA1: af4df0df185ab10e12fe8c01f885027eabe3c8f3
SHA256:a722d1f1486b807b34076ec3277ea3a65f21837db2d9f76eb5daa7de312479a6
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

remotegui.zip: crypto-js.jar: pad-pkcs7.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/crypto-js.jar/META-INF/resources/webjars/crypto-js/4.2.0/pad-pkcs7.js
MD5: 23c101a5a832bfa8a894b9813323044c
SHA1: d21f12b724eccd65c9f20503bdac2c41eb8ce985
SHA256:9a3c909e8c3b6604bfd7a48a3c7e61504292744d894bce1266b44691b857c1bc
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

remotegui.zip: crypto-js.jar: pad-zeropadding.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/crypto-js.jar/META-INF/resources/webjars/crypto-js/4.2.0/pad-zeropadding.js
MD5: 23b4116306620a01bed22b52014c7c65
SHA1: 34360c2d2f9a38e5c3d197223a2f5b6777cbc1e9
SHA256:d99e781985e817da7c6af30d957c45419b1a7e176bf52160424ebbbf970df906
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

remotegui.zip: crypto-js.jar: pbkdf2.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/crypto-js.jar/META-INF/resources/webjars/crypto-js/4.2.0/pbkdf2.js
MD5: 3f2876e100b991885f606065d1342984
SHA1: 006198366f41423a82b05dc582d9882530c3f6e5
SHA256:89cca1be3926c8d89b6f827d70970bb3bc94ae47943342ca8949992faf8d2b60
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

remotegui.zip: crypto-js.jar: rabbit-legacy.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/crypto-js.jar/META-INF/resources/webjars/crypto-js/4.2.0/rabbit-legacy.js
MD5: 8fdb6b7d8bcf3aef27398d47d13dacb9
SHA1: 23dc78f4b418c296ffc166bbcad8c678d6ab2efa
SHA256:cf9afefa87b216dd4d8be00524f8904bba1147fbb90273e5e6a7b2824b52e56f
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

remotegui.zip: crypto-js.jar: rabbit.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/crypto-js.jar/META-INF/resources/webjars/crypto-js/4.2.0/rabbit.js
MD5: b3bae9fc93314924cbd6c4283c1e91ef

SHA1: 4bd339e3a9e954c2766a07a96cf7ec2547e76cab
SHA256:dc93dba650db41783f8a3faba6ba17ad82cb0eb1b6fa84df406f71d520d84b42
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

remotegui.zip: crypto-js.jar: rc4.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/crypto-js.jar/META-INF/resources/webjars/crypto-js/4.2.0/rc4.js
MD5: 846a99f1e90dbcbb5773793c3fe8aa5c
SHA1: fbb684811bde18ce2faad2ffbda3aa9c00939e90
SHA256:571eca05c055a26c729f757f83b9f849968ae0dc0ba9870e5be9526019c53a33
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

remotegui.zip: crypto-js.jar: ripemd160.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/crypto-js.jar/META-INF/resources/webjars/crypto-js/4.2.0/ripemd160.js
MD5: 1d13fd2d4858d87c36c43a0a6436f0d4
SHA1: 9187ea140085390e357f1e7804f95e7a5812d494
SHA256:3d7eea732acb8f27ba7be5ec54cc1c5ea198be2f7b12ae78cf03ce3b87d78da1
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

remotegui.zip: crypto-js.jar: sha1.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/crypto-js.jar/META-INF/resources/webjars/crypto-js/4.2.0/sha1.js
MD5: 5fbc23cf1d5cf34e9f7798650d07b333
SHA1: 7401e77dccaff4ecaab8e57fd11fccfaf5f33c75
SHA256:fca2d5560acb8de760ebc94679ff210056722af8193871e75176a61a977ac30f
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

remotegui.zip: crypto-js.jar: sha224.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/crypto-js.jar/META-INF/resources/webjars/crypto-js/4.2.0/sha224.js
MD5: bd908518f276d2df58277bb38185b307
SHA1: b10b13e02fadeea29119f6976b346d9b06c84342
SHA256:542ddc722d9711595c11d57caa9424beca928b3553747a51e3f1c57c2c08ec16
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

remotegui.zip: crypto-js.jar: sha256.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/crypto-js.jar/META-INF/resources/webjars/crypto-js/4.2.0/sha256.js
MD5: 561d24c90633fb34c13537a330d12786
SHA1: 7593f14b59ba2099cbb4ffb806e75758fdeb12f5
SHA256:d8074f23cbd27aa6c2f231b8bdad34bbd8d49c7e47ffa0d7cd07a2c4d1d3c798
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

remotegui.zip: crypto-js.jar: sha3.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/crypto-js.jar/META-INF/resources/webjars/crypto-js/4.2.0/sha3.js
MD5: 6fe2614bbdfb802fa873f118621c7fb8
SHA1: d977f518e609149d1b51932648669a4be7a97f27
SHA256:6ee08cd3d69b181cb735011acd0a0d57b6a4a071baf8ecbbbb9aa18cf1e4d6ac
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

remotegui.zip: crypto-js.jar: sha384.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/crypto-js.jar/META-INF/resources/webjars/crypto-js/4.2.0/sha384.js
MD5: 6ae085f20325eb927ff673ef20568137
SHA1: 8d7bb4a99b713d53723f8f1ad3442cf9e9edf9a4
SHA256:8d902216aef6840bb9951117bdd3aa6331078e68ee04987aa1d59c73b5ff3066
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

remotegui.zip: crypto-js.jar: sha512.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/crypto-js.jar/META-INF/resources/webjars/crypto-js/4.2.0/sha512.js
MD5: 0e5e8946947671eefe910c58f1272c48
SHA1: 7b4efa121b30865b12f7546f1e99e22c6c2a3c40
SHA256:986ca486a1c9e58e9d8fc38d1db4e652e14c751ba1a6a15fd81439d261efe2b0
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

remotegui.zip: crypto-js.jar: tripledes.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/crypto-js.jar/META-INF/resources/webjars/crypto-js/4.2.0/tripledes.js
MD5: fcd80fd597ef5e6a0fe34cdf484a8825

SHA1: 94c5615ac7a0f2ee61bb5325e46d61151893dfa6
SHA256:8d8de06235e08f38ddc855070ef8cb86d7c69a67b3a5278f8cbf2af64b55122d
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

remotegui.zip: crypto-js.jar: x64-core.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/crypto-js.jar/META-INF/resources/webjars/crypto-js/4.2.0/x64-core.js
MD5: 677577ca38d04508f116ebc977dcb11b
SHA1: 966f596f1adb7e7780021ae463a62890de8b19fc
SHA256:c54130dcd19ae2c7f8c4b4a69cb2038a65d363899cddf7ebaae0102bfc8fe086
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

remotegui.zip: jquery-ui.jar

Description:

WebJar for jQuery UI

License:

MIT License: https://github.com/jquery/jquery-ui/blob/master/LICENSE.txt

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/jquery-ui.jar
MD5: 9ce7e600d17800cdae8476eb3dcf1789
SHA1: c1122cd36f9bab512ddbb4ab072d84fba5ad0e2a

SHA256:0ce631a38c140f67c210a407ead84ac6ef88d82aaf1cde4c8b8e210b92f2b59d
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence
Vendor	file	name	jquery-ui	High
Vendor	Manifest	build-jdk-spec	21	Low
Vendor	pom	artifactid	jquery-ui	Low
Vendor	pom	developer email	james@jamesward.org	Low
Vendor	pom	developer id	jamesward	Medium
Vendor	pom	developer name	James Ward	Medium
Vendor	pom	groupid	org.webjars	Highest
Vendor	pom	name	jQuery UI	High
Vendor	pom	url	http://webjars.org	Highest
Product	file	name	jquery-ui	High
Product	Manifest	build-jdk-spec	21	Low
Product	pom	artifactid	jquery-ui	Highest
Product	pom	developer email	james@jamesward.org	Low
Product	pom	developer id	jamesward	Low
Product	pom	developer name	James Ward	Low
Product	pom	groupid	org.webjars	Highest
Product	pom	name	jQuery UI	High
Product	pom	url	http://webjars.org	Medium
Version	pom	version	1.14.1	Highest

Identifiers

- pkg:maven/org.webjars/jquery-ui@1.14.1 (*Confidence*:High)

remotegui.zip: jquery-ui.jar: jquery-ui.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/jquery-ui.jar/META-INF/resources/webjars/jquery-ui/1.14.1/jquery-ui.js
MD5: 0c983553a5edeaffb408e27b4bc526ad

SHA1: 01510c553ab12baa303a09fb5820e49807037389
SHA256:f739630caa44fe643199a47857670655a43b6ab17709c5f16abbe0afb4a3f147
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

remotegui.zip: jquery-ui.jar: jquery-ui.min.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/jquery-ui.jar/META-INF/resources/webjars/jquery-ui/1.14.1/jquery-ui.min.js
MD5: 12c28b31a1369383b3549abf958b01fe
SHA1: 8b7a32df053a6b24e568f20908e47a90e9a3c852
SHA256:0254e2768f39b973e54b2c9a64db23257782b34ede4afdebe3793209573c0a12
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

remotegui.zip: jquery-ui.jar: package.json

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/jquery-ui.jar/META-INF/resources/webjars/jquery-ui/1.14.1/package.json
MD5: 79f59c9c2d3b9b7f4b95c47c355c7d12
SHA1: 2aa7dc3ced6d8ca3dae2d05030bf6d67dd83c417
SHA256:02f0804ebb96cdbc18ecdb1fcdc511d96a8f8ec9463bc33b847cd38f50180d06
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

remotegui.zip: jquery-ui.jar: webjars-requirejs.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/jquery-ui.jar/META-INF/resources/webjars/jquery-ui/1.14.1/webjars-requirejs.js
MD5: 2b45f24ce91f8c0d5c764e705b1eed88
SHA1: 03056311ea772e4b7b09a70f108cb2733ae13766
SHA256:a0f18ed7e4b55b53dcf2752e99573c9f7363fd4ba7d98f14a65c36cf34fe1ec3
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

remotegui.zip: jquery.jar

Description:

WebJar for jQuery

License:

MIT License: https://github.com/jquery/jquery/blob/master/MIT-LICENSE.txt

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/jquery.jar
MD5: 4af65e569248d8a2411f66498d720280
SHA1: c3dc40b1b5f24c56afa36fd9a463bb9f378ac4ab
SHA256:de28c4da0ea9f16101352dd3582ec8021ee5e2de5f45104ca171876003d54db6
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Vendor	file	name	jquery	High
Vendor	pom	artifactid	jquery	Low
Vendor	pom	developer email	james@jamesward.org	Low
Vendor	pom	developer id	jamesward	Medium
Vendor	pom	developer name	James Ward	Medium
Vendor	pom	groupid	org.webjars	Highest
Vendor	pom	name	jquery	High
Vendor	pom	url	http://webjars.org	Highest
Product	file	name	jquery	High
Product	pom	artifactid	jquery	Highest
Product	pom	developer email	james@jamesward.org	Low
Product	pom	developer id	jamesward	Low
Product	pom	developer name	James Ward	Low
Product	pom	groupid	org.webjars	Highest
Product	pom	name	jquery	High
Product	pom	url	http://webjars.org	Medium
Version	pom	version	2.2.4	Highest

Identifiers

- pkg:javascript/jquery@2.2.4 (*Confidence*:Highest)
- pkg:maven/org.webjars/jquery@2.2.4 (*Confidence*:High)

remotegui.zip: jquery.jar: webjars-requirejs.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/jquery.jar/META-INF/resources/webjars/jquery/2.2.4/webjars-requirejs.js
MD5: 30e1a7f167b667001f50e32ea87bf7b5
SHA1: d18dc733350ad3549af2df096599e824c10f777e
SHA256:daca7b23bc4d8302a8961373b92b78d36d5c85d730fc14130e29d55d976aa420
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

remotegui.zip: moment-timezone.jar

Description:

WebJar for moment-timezone

License:

MIT

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/moment-timezone.jar
MD5: b67a7dc1dcd1cde774e16ea7295f7a7a
SHA1: d6ffe442fb3dcdee42878d04c1b4d976b7cd20ca
SHA256:49205ba9340f3485b3e34bdda5b108f5e569c633cb58e19eff52fefcc28399de
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence
Vendor	file	name	moment-timezone	High
Vendor	Manifest	build-jdk-spec	1.8	Low
Vendor	Manifest	bundle-symbolicname	org.webjars.npm.moment-timezone	Medium
Vendor	pom	artifactid	moment-timezone	Low
Vendor	pom	developer id	webjars	Medium
Vendor	pom	groupid	org.webjars.npm	Highest
Vendor	pom	name	moment-timezone	High
Vendor	pom	url	https://www.webjars.org	Highest
Product	file	name	moment-timezone	High
Product	Manifest	build-jdk-spec	1.8	Low
Product	Manifest	Bundle-Name	moment-timezone	Medium
Product	Manifest	bundle-symbolicname	org.webjars.npm.moment-timezone	Medium
Product	pom	artifactid	moment-timezone	Highest
Product	pom	developer id	webjars	Low
Product	pom	groupid	org.webjars.npm	Highest
Product	pom	name	moment-timezone	High

Product	pom	url	https://www.webjars.org	Medium
Version	Manifest	Bundle-Version	0.5.46	High
Version	pom	version	0.5.46	Highest

Identifiers

- pkg:maven/org.webjars.npm/moment-timezone@0.5.46 (*Confidence*:High)

remotegui.zip: moment-timezone.jar: index.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/moment-timezone.jar/META-INF/resources/webjars/moment-timezone/0.5.46/index.js
MD5: 16b10b9be0471f35921bc17b645c6fcd
SHA1: 7e9c41f04cff37b876169e1e5108b5b757305822
SHA256:b93bc1a0ab15d56e12f0e281bf005d39166952d9208b828e8d056563f3ff1fd1
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

remotegui.zip: moment-timezone.jar: moment-timezone-utils.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/moment-timezone.jar/META-INF/resources/webjars/moment-timezone/0.5.46/moment-timezone-utils.js
MD5: 90654a904bb09eceee1bb69826888a5d
SHA1: d06ace28682186b95e8c77ccac6be2c6b78e2af9
SHA256:2308979235e0b497edfe99b6d8e26f73741116759cc94146b8eb3f5f4330b9e9
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

remotegui.zip: moment-timezone.jar: moment-timezone-with-data-10-year-range.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/moment-timezone.jar/META-INF/resources/webjars/moment-timezone/0.5.46/builds/moment-timezone-with-data-10-year-range.js
MD5: 5c7411391c96d7a9407d012ad63feb21
SHA1: 7cf2adfb51070ff78c591c68dd6ca2cb590380d2
SHA256:1a7b3990451f312b3740f47e1e3f87786238be17c2cbaa6d3550873051e7bf42
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

remotegui.zip: moment-timezone.jar: moment-timezone-with-data-10-year-range.min.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/moment-timezone.jar/META-INF/resources/webjars/moment-timezone/0.5.46/builds/moment-timezone-with-data-10-year-range.min.js
MD5: d5aeae4a577010e7c15ddcd154274d2b
SHA1: 4ae699e9510e9618df20ed048f6fd0331146de51
SHA256:c03a6809ab0f5c7f1f6ef0425ac96517d78de1112f26f3ae9de8064bdfdefd1b
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

remotegui.zip: moment-timezone.jar: moment-timezone-with-data-1970-2030.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/moment-timezone.jar/META-INF/resources/webjars/moment-timezone/0.5.46/builds/moment-timezone-with-data-1970-2030.js
MD5: f82a24e0aa5d8afcf2b7a3c1a7b4bfcd
SHA1: 6a6e43fdeddbed946fed9519ccd79faefaeedaae
SHA256:661b21dfa5f1ada53fb2213cd08db079ce356c2a4ce854ce7a97cccbb4cafc87
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

remotegui.zip: moment-timezone.jar: moment-timezone-with-data-1970-2030.min.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/moment-timezone.jar/META-INF/resources/webjars/moment-timezone/0.5.46/builds/moment-timezone-with-data-1970-2030.min.js
MD5: e06ec12b8553baf30ff6e85ce8d10964
SHA1: 34c1a456edc895eb873ffd479e54e08a7a74bee2
SHA256:769d4a0ebe9a9bfba668de05ba0981f0ec387f0f79da4c4e98648762cf40f20c
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

remotegui.zip: moment-timezone.jar: moment-timezone-with-data-2012-2022.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/moment-timezone.jar/META-INF/resources/webjars/moment-timezone/0.5.46/builds/moment-timezone-with-data-2012-2022.js
MD5: 6da99be351d53c831a06d6d7317d4d60
SHA1: 7adf9fa72a350e9caf2e7a81632b68976a446de8
SHA256:e35b085c0170469205050f559c0bdffa06443a48769d1ba730221d83bad2cf38
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

remotegui.zip: moment-timezone.jar: moment-timezone-with-data-2012-2022.min.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/moment-timezone.jar/META-INF/resources/webjars/moment-timezone/0.5.46/builds/moment-timezone-with-data-2012-2022.min.js
MD5: f356ef2c04a62c0e75c97be41dade934
SHA1: 75639764d95ffcc67d8b504d057fbf3e81141980
SHA256:52cf16914f9e1d6513783cd3d0ca694210108b5b7b07f754375e3b554eba96b1
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

remotegui.zip: moment-timezone.jar: moment-timezone-with-data.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/moment-timezone.jar/META-INF/resources/webjars/moment-timezone/0.5.46/builds/moment-timezone-with-data.js
MD5: b5b482e4b444b7d90addbf0d37eea19f

SHA1: 8a17c35adb3b76b5bd6d73d61fdd43c285769574
SHA256:71f92c899d20ad2218587d86dfab051adbcc75a29dfd8491cfd6461142afffa0
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

remotegui.zip: moment-timezone.jar: moment-timezone-with-data.min.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/moment-timezone.jar/META-INF/resources/webjars/moment-timezone/0.5.46/builds/moment-timezone-with-data.min.js
MD5: 0f804300030c5469cc61b626ed611aca
SHA1: 7b8f841bd2c3164c4875faa5c2f43b03db6ed346
SHA256:841048af54bda7e255160dc05c6b1d527c2454a4a7aab021e71330c9486822cf
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

remotegui.zip: moment-timezone.jar: moment-timezone.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/moment-timezone.jar/META-INF/resources/webjars/moment-timezone/0.5.46/moment-timezone.js
MD5: 86d592243f72b1cdc5e7b6b76a813771
SHA1: 8ae2cd2ad133ae4f4110731b6eba9006d550c02f
SHA256:7094d157b8819a2c51d9f43a4a278ff8f99e51bcbef23adfc0954fbe47f063cd
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

remotegui.zip: moment-timezone.jar: moment-timezone.min.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/moment-timezone.jar/META-INF/resources/webjars/moment-timezone/0.5.46/builds/moment-timezone.min.js
MD5: 0241a5d39425af1420371aa287a5a983
SHA1: 5fcf85ba0aba14d8ab9f083e27e803b2f2fe6a6b
SHA256:4609240cd6b8f3830421bcc16b761a2852a219a919dfb2b8c5283880e0650c3a
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

remotegui.zip: moment-timezone.jar: package.json

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/moment-timezone.jar/META-INF/resources/webjars/moment-timezone/0.5.46/package.json
MD5: 110931c82b0ed1700693a3adc127b31b
SHA1: 257d60a4a93567698cff76f4ab43a745ade67e7c
SHA256:3c13f23eaecb30aa04a119df2d1a2d78ea662cc890816f740b676b3a91b0d84a
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

remotegui.zip: momentjs.jar

Description:

WebJar for Moment.js

License:

MIT License: http://opensource.org/licenses/MIT

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/momentjs.jar
MD5: 72ad6b420b3b741d7def80f4837682f5
SHA1: 6087f9eb29294249887afa1eb4ec8308657c35f1
SHA256:71f0cbc7e4d2c943077dc758f7c8f0c7d48e1ddc7f9e7cfd27aecbc12712cfcd
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence
Vendor	file	name	momentjs	High
Vendor	pom	artifactid	momentjs	Low
Vendor	pom	developer email	james@jamesward.org	Low
Vendor	pom	developer id	jamesward	Medium
Vendor	pom	developer name	James Ward	Medium
Vendor	pom	groupid	org.webjars	Highest
Vendor	pom	name	Moment.js	High
Vendor	pom	url	http://webjars.org	Highest
Product	file	name	momentjs	High
Product	pom	artifactid	momentjs	Highest
Product	pom	developer email	james@jamesward.org	Low
Product	pom	developer id	jamesward	Low
Product	pom	developer name	James Ward	Low
Product	pom	groupid	org.webjars	Highest
Product	pom	name	Moment.js	High
Product	pom	url	http://webjars.org	Medium
Version	pom	version	2.29.4	Highest

Identifiers

- pkg:maven/org.webjars/momentjs@2.29.4 (*Confidence*:High)

remotegui.zip: momentjs.jar: af.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/af.js
MD5: abbd3f78270e280c248535ca3e3b3e3b
SHA1: 489ddba9b2a2f15e2a8d59d751a45c5ed7041f14
SHA256:c59e2f2d09098829d00f5dab85e6ec623f6aa9e70285ec2aac12030a014e4161
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

remotegui.zip: momentjs.jar: ar-dz.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/ar-dz.js
MD5: 10e8f6da8f425e389f9dd462018dcece
SHA1: d638dc753916f10981ce562c7e7543944aa5755e
SHA256:2fcf1465ad9fcb33a1ee00188d0d8cb19e0d9094da9e27f56444b67e50c6810c
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

remotegui.zip: momentjs.jar: ar-kw.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/ar-kw.js
MD5: 5ad9681e194f33543d33a588e2a21f09
SHA1: da190c4671145eb702d41ee980b985a9816bc9c5
SHA256:ebcd2afd129890e49aa91cbd6718916ceb743122a4d264c681a533d8066de673
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

remotegui.zip: momentjs.jar: ar-ly.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/ar-ly.js
MD5: 293c5c572f1e70336fb5a5cab29faded
SHA1: d969dc63c258a2c5587efa0cb2ac80034c44a5f3
SHA256:0a70bf3f66b074d68453af125059d60f1ce4d5a96d3401b0bb7f013fb7a56696
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

remotegui.zip: momentjs.jar: ar-ma.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/ar-ma.js

MD5: 6f5179b883bce68003df4d2c99caa156
SHA1: 3af849ad551cc126ea26fe472770b0f2c86363b2
SHA256:ae28a7c4d994a1d4059f2dc1e6385182f3d5aab262d637a6bdfc80f3e3f5471e
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

remotegui.zip: momentjs.jar: ar-sa.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/ar-sa.js
MD5: 92455d26a00821fe9aba7ea8e23ec89c
SHA1: 18d22d6e22b460fb0d248426001e4cbfd9a69393
SHA256:4913900a380ed33b662fc5299fda05cfba74367870ba23f3d9db5dfd0775c876
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

remotegui.zip: momentjs.jar: ar-tn.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/ar-tn.js
MD5: bf6b33329fd589f8b3b393f6e64717d4
SHA1: adf2dc833a46ad99f030b5761a7e6a97497ca764
SHA256:2b6a611f7d21a0752d9101347b22943dcdd91293f7e09ac11c3b04cee41f594f
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

remotegui.zip: momentjs.jar: ar.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/ar.js
MD5: b0110c65e23d25860762820db7d2150e
SHA1: 249cc300a99b9cdc47ff3fd70c9b4cb22f0aed61
SHA256:73485f16cb9317f156bab05ba8a3233fa87513cf1cb52728fefc53703ffd5b3e
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

remotegui.zip: momentjs.jar: az.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/az.js
MD5: ec1a4acd4aa555dd71722c2639df4db6
SHA1: 49b4198f1b008f9deeb9aa5d33e27647e812f0df
SHA256:21cfe14e920b3edc4bc394709929f61aa5f2f9e51d3ca0c6edd1e51f29d7e3c9
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

remotegui.zip: momentjs.jar: be.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/be.js
MD5: 5c38f8d3d5da2b1b930f109553918781
SHA1: 181a1762773de78de3e2d21696e77a49a9e188a5
SHA256:aa0657f4f1e9f9ef3a3ce289bc882f5971195e4681499f02409486ed985e1407
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

remotegui.zip: momentjs.jar: bg.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/bg.js
MD5: ebd43c527dac81f273926142beec5553
SHA1: 46101d46348f560c622895e9e65465dd26e92d6a
SHA256:0d034309eedbd03f17e22dbd963c8cc8d490c8e877f39c6c4081636d1cd28fca
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

remotegui.zip: momentjs.jar: bm.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/bm.js
MD5: 2ef1c37399931e14e2a4471ebc57bd21
SHA1: 1e10777797f13333027873cf0a1e05e52c2a9264
SHA256:1f3217d69f6512ea3984fb7428e1afe0c7779cf3822582c52e6eaa8982ac23b1
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

remotegui.zip: momentjs.jar: bn-bd.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/bn-bd.js
MD5: f2988fa9e29bc5573603a8140b321051
SHA1: ddca0b09ab220aa3e7d8b6d01e98b06071942e4a
SHA256:87296cd8b904b633d89b0a72b779aaf04e8d625fd8ed772e3227046b3a3acf80
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

remotegui.zip: momentjs.jar: bn.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/bn.js
MD5: f5037a3495a3fefb37d9456b6745537a
SHA1: 5d8e28e5703371e674a9b2947426e23a1429455a

SHA256:a43f974ec15f638e67cec9d73cb33c339ce7cb35bb7041b478a930197977a890
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

remotegui.zip: momentjs.jar: bo.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/bo.js
MD5: 7dc25ead6d51909386b03c060b891690
SHA1: 5b47f8a1cd1b1dad8e8ae1c6f408dadda7cd6983
SHA256:dbf83d196ab69149d5f056a2b44e06441626f1e5d3c3aa1a300e64dc5150565f
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

remotegui.zip: momentjs.jar: br.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/br.js
MD5: 65949057a5632b430fce65f65c89ace7
SHA1: eda5bd14e942c85896b263b137e2e14f161836e6
SHA256:35b4113f7552400639dc76ea40d55f1be6f44af2eaf4289e7c37e4e657522ba4
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

remotegui.zip: momentjs.jar: bs.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/bs.js
MD5: fac80361cb7d5e0c44f8956063e8eb07
SHA1: e0f831af87ad28205b93fbe4d7ef9001227eb1e4
SHA256:1d185f2b71c18bb14d0e5db063d59912396d42a04aec97cfbbec19a5bb8bb5ec
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

remotegui.zip: momentjs.jar: ca.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/ca.js
MD5: 9c6c8738154552a40a29505cf41311af
SHA1: 65eee9703d130c7a90d085214ee60c4e087b9d1d
SHA256:c0ebe3bb033ce8f82c66a46dd297c19b30c80ba64036c721aca36a7f86f1b234
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

remotegui.zip: momentjs.jar: cs.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/cs.js
MD5: 8f0a7bef088e6698b6a090a6f6fe22de
SHA1: b137a5adfe662d0b1c258fe7bb2b73b971e2268e
SHA256:0dcf511c06f565a917e4718cce467392bf898ba60af2b3fdb032b1910599ebc5
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

remotegui.zip: momentjs.jar: cv.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/cv.js
MD5: baf681a1e97ac68186325a98d5ef1861
SHA1: c0433a02791bafe8efe6945a4ae0370c6d8d55b6
SHA256:231b3a65bc4beb4d6f0920962dafc82611403df4979655cea53d9740d2986904
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

remotegui.zip: momentjs.jar: cy.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/cy.js
MD5: 868cca92c4392ae5b0627f305f9633b4
SHA1: 9c0f75132a2eaa3fdf0631a08f210f0e29208501
SHA256:05d100692e8cdd4a6b3b0eb56eb37c9c64dacab3254aaeba18c24689b18a6cf8
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

remotegui.zip: momentjs.jar: da.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/da.js
MD5: 47fe4d0a5079542391abdcd125b4cb60
SHA1: 423a66383275eaf3f441f384c69b2d6e2cf905d1
SHA256:891e90544d1061ea578b51173a2dc4638c0e9af95cc2986f1f89ad5008e301e7
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

remotegui.zip: momentjs.jar: de-at.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/de-at.js
MD5: c2df366205b041e50b0dc27fe427c54d
SHA1: c52be9218cfbe8ae8d51f78af3494d3a2ed5d35f
SHA256:0575c8ba66974f2eb3d7d74e16a265c40dbfe7802cefdecc9f196f92c0ecee97
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

remotegui.zip: momentjs.jar: de-ch.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/de-ch.js
MD5: 1f9bf40d5d392a14bb758de02e9d98df
SHA1: 838d95c91f39f7e28483c660e6f5005921d3da11
SHA256:b3c3d71abc98200d579cbbef89d470a6cbb272c4faa71e31232a68ef6451edd4
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

remotegui.zip: momentjs.jar: de.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/de.js
MD5: 260cdaa4a123af8e02f5aa4001cceaac
SHA1: b928a076571a81fde7fc1fd4a2adb45d9a9a2279
SHA256:20fb0d0967e2720d135a6894165bf96e327b42bdedcbf45a9b2f9e44da7986dc
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

remotegui.zip: momentjs.jar: dv.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/dv.js
MD5: b3ac7e877fac1116b8759c6e7384e86d
SHA1: 3321dfc6f7147d148167b23a3642212fb10b1b89
SHA256:94a1563faab9fe61f359a515042f56e2672886200e084de98bbd98769f71ba69
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

remotegui.zip: momentjs.jar: el.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/el.js
MD5: 7a1966e1fd7848aabcbefa28ff2a445e
SHA1: 29af743b2dd9c09d9962080c3a5b4cdac2b09409
SHA256:a73fa8b59dd099d28a782498057737943727 3f6ef35a90409cf36492bc2b3600
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

remotegui.zip: momentjs.jar: en-au.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/en-au.js
MD5: fc0b9a852c77ef21ee6deb24d95769f8
SHA1: 829e7b64e421cc91fbb306243b31d71f06fabdc2
SHA256:6a84d80e99d57f1ca1faa1dcca9f48e9925de4013ac5ceab52cbf20b059cff8c
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

remotegui.zip: momentjs.jar: en-ca.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/en-ca.js
MD5: b6f095c75787cb0eb2421b32b2e9ea14
SHA1: 415ffbaa1c99a53d233979f5e907e83b59d54c9a
SHA256:d7b47d71cd5b63a0cd7bc3945ca1799d9345ba9dc3e85356231dbb4f6becdd01
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

remotegui.zip: momentjs.jar: en-gb.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/momentjs.

jar/META-INF/resources/webjars/momentjs/2.29.4/locale/en-gb.js
MD5: 5ebfadfe47485b65c484822391d0aad1
SHA1: 4154fff794c0118f1c280d4e3c222b0b3f96a6eb
SHA256:46e86bfd873ce2ba61885faa9e0ba2ae1a510574f698d6a3aba7da49d1505eb9
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

remotegui.zip: momentjs.jar: en-ie.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/en-ie.js
MD5: f5175b64f4c382500e7a00ed4113c3a3
SHA1: 12cf24c0dcfa4f82be14783a2889022043fe1f80
SHA256:41a3d03fb561db37dc1e3a63cba10467c0bcabb2ab7e788329f86b6be6f72d9e
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

remotegui.zip: momentjs.jar: en-il.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/en-il.js
MD5: 8f131247f11cf746d1b477c75de2e0a2
SHA1: f1fbc068a029ca0fcb5755fc5211ae43c9b2dd00
SHA256:494c5f26d0a16c8c1645d70cfc327e19086831ce78bc98599f4e5abc321db7d7
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

remotegui.zip: momentjs.jar: en-in.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/en-in.js
MD5: 2d5a9ac86d2a83833aec6a68bc8947ae
SHA1: 64d4492b47eac3212f09a9dd1fdfe2afc9721142
SHA256:290dd53cb6262cfc22c961faf969851adfa8c38b30c80c496b8c8f19232a13e8
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

remotegui.zip: momentjs.jar: en-nz.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/en-nz.js
MD5: 3a68b41d7982ae7bbc8a396d23e9d1a1
SHA1: 0c30117c176ae1c60d35e54c3c0cd47b5104e28e
SHA256:9590cf61d2ab1b83f793be9f074340397e639fbb112a80c8bb7d2e3a77c45448
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

remotegui.zip: momentjs.jar: en-sg.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/en-sg.js
MD5: d32a209c24b07b617c68fb03e081061c
SHA1: 34729febed76ec17cccafdc06ce4f51902daaf42
SHA256:e3b29449d67e5d53d3420b5f4ec207dbd70f651380573b59f39aee2b1b9ca52d
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

remotegui.zip: momentjs.jar: eo.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/eo.js
MD5: f19d7f5dae34785b6ffd82971ff01712
SHA1: 8a6937235d4219a192ae127506cca9479097abdf
SHA256:823d3e21f85f9d3801f7004cc5cde82d5f45d98e977979322543a65908411e4c
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

remotegui.zip: momentjs.jar: es-do.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/es-do.js
MD5: 3f09c253c2e7ed72706b062bdb3ecee6
SHA1: 3bcd2f7f697c4241a5f47985835b0190a643630a
SHA256:a1d29019dcff0ce2a11cdf97018c20e99fbcb739163c059ad8bf2408f77d3161
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

remotegui.zip: momentjs.jar: es-mx.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/es-mx.js
MD5: d16f10cddba51c3467b316318e592f22
SHA1: 4cc238005f4d59b4e3877449babf5cc8b3595f38
SHA256:a233573f641cc9c93c87b555fc5564c2e5ebb97e251338e971ba76e74d512646
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

remotegui.zip: momentjs.jar: es-us.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/es-us.js
MD5: 276e7c3c7756f9e962f6141f5048894d

SHA1: bab0d54cfa34f527dcf6960f5379aeef05cc66c8
SHA256:3923c6bd6137387d5edc62f6dc0174cc9eef8363238c16eef78bd9d9c69bfafc
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

remotegui.zip: momentjs.jar: es.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/es.js
MD5: 0e92f45548e01672fc6a2f73979c397e
SHA1: 6e6385cb5f6e39ed9ba95ebc1fb66526e2c3371a
SHA256:2a8f1790d492fc338933a032a862f99998f31bcaf7a0e4fc298b6a3cb04cdf7e
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

remotegui.zip: momentjs.jar: et.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/et.js
MD5: 8b5c6c8136c1bcb3dd35ff204c28b1fc
SHA1: 82ecebf743869c8231a6ef06cf5959e5cdbc7fc9
SHA256:95c974679dba419b7d835fa51340c430bd0066bdc38a7a139caa575b67389d7e
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

remotegui.zip: momentjs.jar: eu.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/eu.js
MD5: 1f0f32ac558d6bf2591f0e7c59b09e88
SHA1: e8989f9da9ff458c51d7d4c21f9bfc99ddcd72a7
SHA256:ecbc07cdb215cf9996405fa56ef306761ec6a9383e19a53c2b45d6a1c5c4dc68
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

remotegui.zip: momentjs.jar: fa.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/fa.js
MD5: bad9e9e51e7cd982360114a2d6b9a03a
SHA1: 7285494b159552cdee8bb7050d1278144da80b04
SHA256:15ca66ce1faa865c68998fcc8ab1160207636b9161ad76f7cf7acd0d7c0ebd1f
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

remotegui.zip: momentjs.jar: fi.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/fi.js
MD5: 08d74def02ac724471fce607ab87f4af
SHA1: 7f40cb04e95803f706af5caf5a983f7aa3f2365b
SHA256:1339d4170019588a6764a56236c2a7c5b2389ace52a9ec5e8c09f1997935741f
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

remotegui.zip: momentjs.jar: fil.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/fil.js
MD5: fbc9e6bd5b49897ba8503d27e2d061ec
SHA1: 2121d4a7333acb3b7b120c1580a809a8a5927dc6
SHA256:d24cac0d0069d89c48b4c8cee34cddcb7e39892c91f07b884574fe0cafb66ef7
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

remotegui.zip: momentjs.jar: fo.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/fo.js
MD5: 85d4a1a25dd5c3fa021f9e6f63fd01ac
SHA1: 95d11e45e86f344a148706df7f5c86019e02ae30
SHA256:6338de573601e330030918569b8d2f80f98a57754e748a03ff56e3672fa25be7
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

remotegui.zip: momentjs.jar: fr-ca.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/fr-ca.js
MD5: c0ef60f7029fe6ab773c090320f0a66e
SHA1: 8970ff163faa9c8702be24f65f95e94b962d8622
SHA256:59c5acfba5605fa641721bf16123300164ccc043f4bad6009aa8d880b159124a
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

remotegui.zip: momentjs.jar: fr-ch.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/fr-ch.js
MD5: 3345c9d13645ae5fb2964c17559326f5

SHA1: d0cd4c6466797300434db0d6c8028bf46fe35bc0
SHA256:b32f50aa3d147ba5441d7728a45bce592125fd0a97117ca4b93b32c6393d847d
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

remotegui.zip: momentjs.jar: fr.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/fr.js
MD5: 775f1eb59d6f597b1c398036002ae329
SHA1: e6f1741f5598b62a83bb071459d9e8cae4b3a127
SHA256:d87b4eb850bc7742c104557450d0a70d18a48a917335221af08d23850667523e
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

remotegui.zip: momentjs.jar: fy.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/fy.js
MD5: a54d9827ca1a619a839a15c94b7893a0
SHA1: 66863e3aaff531e89e83acd8844ca87f8516cf38
SHA256:c33ae59d9a05aca0dbe86d74bff25eb44d04ee97b738034fcb72a21b73ec1cf1
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

remotegui.zip: momentjs.jar: ga.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/ga.js
MD5: 264a960fc2850670387b1cc90dc29dbb
SHA1: ddd261054362b16567ba858afae968cf2380bb6c
SHA256:fc6d5d441553b23b5ebc3c79896499a093a3285f1e6134a680b8899b5cca4c86
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

remotegui.zip: momentjs.jar: gd.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/gd.js
MD5: 0f3b98fcc8a06995436819446130320f
SHA1: 0050fa33180aa1f35c739cecb397846bff7d24e4
SHA256:efa1d779f65671809a63f900479c69bed19c262f2fe7936076793bd13deda080
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

remotegui.zip: momentjs.jar: gl.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/gl.js
MD5: 0d346a7ad989c39c04631e181056acb5
SHA1: 74c436284f15589fd53c9d4c090a4f75ff8376aa
SHA256:825e6fad55094c13118d2cada0b6c5945a97ea9b647686c2b00dc6980bea4608
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

remotegui.zip: momentjs.jar: gom-deva.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/gom-deva.js
MD5: 6d2091e4ba1b31399eb4f1f3d92acaa2
SHA1: 9e27b24c4f8ff43da0373ca75738e0322cc1bd77
SHA256:ff5ebf00d100f610caa956ea22c45584e34067f762c2e9811326d5903ccd819c
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

remotegui.zip: momentjs.jar: gom-latn.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/gom-latn.js
MD5: 45f0c567784f534e16f304dd625682ad
SHA1: fc4b281f7d57696decbf3bd5e8c572f4191c9289
SHA256:caa6b3cafb8d463c7cb0b47783b84d7f7637f685b8d33d1224548f7f9a124cd5
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

remotegui.zip: momentjs.jar: gu.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/gu.js
MD5: e108958bf473fcc52349ecba7dcff10e
SHA1: 977667ee217d20d2ff2338dfa6ea9bda2e0c13d5
SHA256:5155f3aa5fe43b18c7b06cf02ff6e9d6c157d7da822c658fbd8e2f0edceef161
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

remotegui.zip: momentjs.jar: he.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/he.js
MD5: f5e7fb20bbb7618d95e4928fee094f7e

SHA1: cbcd69bf9fa2cc2493d086af3a5cb15e893c7d64
SHA256:93b540d4f1bc21d5668854475e8efd2d6fcaa2f596704752a586ce07d471d475
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

remotegui.zip: momentjs.jar: hi.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/hi.js
MD5: 10451c28a31c032807f1fbf1bea5c32f
SHA1: 8ab3e8fd6823a63a2348cca98ca4eba215ad01a9
SHA256:482f9289851cc5add17895787d427259acf8d9467db37000d383021aa097a1e3
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

remotegui.zip: momentjs.jar: hr.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/hr.js
MD5: bfeb6da022ce8f5d4610a485f6063935
SHA1: 0e475a985f8f3612c397a07781933bc4235be646
SHA256:4af37cc6b498a4c3418f0b5d90efe5354422b3d158681454dc2eedee31ce1469
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

remotegui.zip: momentjs.jar: hu.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/hu.js
MD5: d485a763ba31196c55bafddc763cf98e
SHA1: 83c283112870db2a37b8d6a96e2ff423f27addac
SHA256:518c3c1b849d41be9ef9673726ac3c71290096a727ff29c9edfb0f7489e3253f
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

remotegui.zip: momentjs.jar: hy-am.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/hy-am.js
MD5: 8fedcd99fde263a8a5a906b27de70605
SHA1: 3fbecec521a9f7cdbb7576fb37a3f35ba2705e88
SHA256:2c3bf5ef8c5162c7c4ed0ce4b144fad24eefd691911d7c8b86c21cab84f3bfe6
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

remotegui.zip: momentjs.jar: id.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/id.js
MD5: 3000b8d8d73e16384fd2a13aa7259d3e
SHA1: 1bcd369482f53edce0c1d34aeb15a918f3c7af7c
SHA256:036154641aa4cba94ac8a65b98af75d2fa0ec29156674947d1148fa146689dc3
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

remotegui.zip: momentjs.jar: is.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/is.js
MD5: 0f5a457d3457dfeb1c5d256436b5e442
SHA1: af0c0c6573bb9628ee8c97479651f65571d6a56e
SHA256:6943c853ee0ad65ad2e3e38baecc90dc8088071f10406ee8a5ad995d7cf5f6e6
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

remotegui.zip: momentjs.jar: it-ch.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/it-ch.js
MD5: 0c0cd69247909aeca5d78d255b30a617
SHA1: 71631e4e4ce3a8466d80d4960a86605634a713dd
SHA256:9670e2244dd63556408fc20671fd763fb91be52041eee92934710e75e2b3b7fa
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

remotegui.zip: momentjs.jar: it.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/it.js
MD5: 1abd9a8f32e7930bbdebd23a2bfa4afb
SHA1: 40cc21bf11475c48c1681ebc18a63a2bea4b8962
SHA256:2fe7346bd6fdf02aee19fde76bd2ca0b5e65903ddd45d097be2342ee7b0b9470
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

remotegui.zip: momentjs.jar: ja.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/ja.js
MD5: f39b4bc3b33715242a84fed53b50d596

SHA1: 8bebb66d25df95fc67d48f4ebc4b519fbc7d9482
SHA256:9720de4592dd94861f2fabb51110533fe44620f517e50448dd828a7f2eef7009
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

remotegui.zip: momentjs.jar: jv.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/jv.js
MD5: 307628de0dbfe42c1aedc98c3afc1aae
SHA1: 7620cfee82f0241100b34de89cefd40412456ef6
SHA256:707617feaac7459e5d5c39ff3ea4a5e5da0cf398384902c1cd5975cbd1a113cd
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

remotegui.zip: momentjs.jar: ka.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/ka.js
MD5: 629be6bde33738ff66f7119b3b617798
SHA1: 02209d78bf7dfa3b5e585e64ebfc61ce561e5f3d
SHA256:2c15068d2ceb1f34e4b92f95710b181bd1034410b8a96ae15dd11ee24d0ff0fa
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

remotegui.zip: momentjs.jar: kk.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/kk.js
MD5: 4532f947979a50597d1c82a42f0facb8
SHA1: 9a8cad32d8e4350e40184813f4d19aa05882a8c9
SHA256:430c86f6c0ea0199d8622045883048b35875bea37b44424663bbe573056ec981
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

remotegui.zip: momentjs.jar: km.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/km.js
MD5: f73d0c92be21341d171e019c00173f3d
SHA1: 6adb747842bb733d90ce2b7dcf4963f1d62a7a4b
SHA256:01b837409a1ee03d8269886915f10ae1b9460b2cc42cc5f6fac862f7360ba103
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

remotegui.zip: momentjs.jar: kn.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/kn.js
MD5: 72e237c519a91674447b268b61983bbe
SHA1: d72624462d7dbcf362ccc15385d5cb5a124304c2
SHA256:9673f6d7a10086cda8228f1c080ec032e8f34e3a3de2f1413582e0a6cc6f2128
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

remotegui.zip: momentjs.jar: ko.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/ko.js
MD5: 14369b837e9e15378938754b04bd2189
SHA1: 9c886434ef46530e25cea737272027ac505b6adc
SHA256:f15f592b5d7d5bbbd061c5ad31d4c45f462ad43acad74808c6a7105b108ec0eb
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

remotegui.zip: momentjs.jar: ku.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/ku.js
MD5: ba513eb127fa22206ca1a67ad8467da2
SHA1: 45c0c079a209932f8a8be25a94f0fb97be8ebf84
SHA256:816c9c27f4237f1fa595c5be0a60b7e5c58ec0336d5a908e03f73fd8596e1caf
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

remotegui.zip: momentjs.jar: ky.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/ky.js
MD5: 68f9c0556546367a8c25903bb8348b80
SHA1: 5bc99ba86f969c07cd1b0dc62510c572707adb64
SHA256:d3c35f2c47610c7c921268cb98cf398599068d24d51e7a89167707130c85ad59
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

remotegui.zip: momentjs.jar: lb.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/lb.js
MD5: 474c1a2279d961b67a8329372fb54367

SHA1: c6acf49c446bb128ce8aa5f980664107e92523cd
SHA256:cecd52da4e3f3a7a69d4cde1692c90d000a3726772f8e00a9c232faf4d6ff985
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

remotegui.zip: momentjs.jar: lo.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/lo.js
MD5: 629f0195acb5feb16432ffc78b6418d0
SHA1: 10730e85c79a5c325f30a5f0fd1b83928918cde2
SHA256:83c284d16d40e861cd01c28683acf77475813993b2a17201f17127e238e5bcd6
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

remotegui.zip: momentjs.jar: locales.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/min/locales.js
MD5: 3aabc3a57ff7796110a9d427e6e61280
SHA1: 59155d41e1b7a2f651f26f8db2768c42206bc4b7
SHA256:a6d8d341af2a118463f8dbec697f3b5210552997ef51e0d9a77c84235f2eb2dd
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

remotegui.zip: momentjs.jar: locales.min.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/min/locales.min.js
MD5: 5d62f0a64211c2d3e0d009cc69c48202
SHA1: 4c6bb9ae2e43259229cc16e9eb7ef70f3c8cea12
SHA256:1a3224b3cabca0fa92ca56e14da46d7f209ed28ce68ed50940b4fa6ed2ffd254
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

remotegui.zip: momentjs.jar: lt.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/lt.js
MD5: fc931f5db9a4d5b832e7c53985cfb233
SHA1: 6d5575d2ab06036bb29e50e7b4607985b0c10aec
SHA256:a02ce50203e4cc9e85db77632d41f489f14c893f986199c8dd04191199924094
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

remotegui.zip: momentjs.jar: lv.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/lv.js
MD5: bc6f1396c4b85e2b01b4b2fca550c0b7
SHA1: a18e4175ecd49b5e3382dac1bbcdc48c3279c60f
SHA256:e4f68dbe7147bdc76d7614102eb525f9a5d8dacc690dd661091412b0c9505cb1
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

remotegui.zip: momentjs.jar: me.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/me.js
MD5: 4b76ccc2617dfc9bd6a54643659bec05
SHA1: 924aea795ae1a9581ed184b384806891ce336e27
SHA256:24103df1e95500b3fdc4aa60b933c66d2cf33aa4ff8d2401ae847c516285679e
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

remotegui.zip: momentjs.jar: mi.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/mi.js
MD5: 89179085b30d2752584c4f4e9c3ac04a
SHA1: dbf999f790c8e7f99c27c55d8184cb46d1f0ee85
SHA256:9cc67dce66cf3f0f9a57ce732af6878cc23fedcf256fd5302c6cf57df87eac3a
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

remotegui.zip: momentjs.jar: mk.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/mk.js
MD5: 7a6a2a4ae623481704f78bb0ed6e1968
SHA1: 3d984281f4acbb38920919c47916a0ecc46d8d82
SHA256:c38140b5408a91d9632765d23f4368f0cc98dfb6aafb0fcce452b6b4bfa93efd
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

remotegui.zip: momentjs.jar: ml.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/ml.js
MD5: adaeaf5c9b5995567c7723ded581c647

SHA1: 3cbb01a59dbfdd3b86caf1b30938598c52e1dac8
SHA256:d45ac595a918393ae8f76838688fcd569c917b945e9c53861ec4a1f11f20aed2
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

remotegui.zip: momentjs.jar: mn.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/mn.js
MD5: 2229e9c27b35b688a4211bad4d7574eb
SHA1: 7fb0c3b04afb903aaa0a3a1b4b478a8b2d9d6bf3
SHA256:0f1f5bbc9eaf020931f8cb54ae085e51c41c0761ffc7fd265dbb60cbe7d84076
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

remotegui.zip: momentjs.jar: moment-with-locales.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/min/moment-with-locales.js
MD5: d07131713d356424c14481ed9e77ced2
SHA1: 6ef93c81041412f1b60d1254595cb04b53f8ec39
SHA256:f37cad4429c2815e53699ca98abd4e8773737f696fff554c63a58f4d6589200b
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

remotegui.zip: momentjs.jar: moment-with-locales.min.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/min/moment-with-locales.min.js
MD5: d458b68730a7330653700489333a7837
SHA1: 4059aeca1d0b99aec8006b37a927f09d9c0e794d
SHA256:430725b95468277dcbccc27e08e3d873276c0082737310b0b1ad330392511847
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

remotegui.zip: momentjs.jar: moment.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/moment.js
MD5: 6e5aa6783efbeff584f4292398326b32
SHA1: 450696675b814c89ec016901b570c05891ca2c04
SHA256:c33f09a4e1230f3075be8d2a94081108d52f62d3c30b9a238941fe80790267c6
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

remotegui.zip: momentjs.jar: moment.min.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/min/moment.min.js
MD5: 6c0a2330b0d8d6ea185d4669a0eddeab
SHA1: d4f50308961144876b2b5fa57684b737694a4b04
SHA256:f343aa319a17a3fc372ee6ad5af482b9bf6a298cb22652b4aa7502604821071f
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

remotegui.zip: momentjs.jar: mr.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/mr.js
MD5: cd715ac0f919538bf79acdb4a477763e
SHA1: 467bc9f9b59ee399af6ef3f89886c150f74ae52a
SHA256:f6347f442281844a205245620f9e469f52cacb7dd41640ef67d32a94f2c583d0
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

remotegui.zip: momentjs.jar: ms-my.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/ms-my.js
MD5: cb7a91cedb211e85abf06a4683d39800
SHA1: 05754f446f94d9b0d34885bdb0dd40d08df23295
SHA256:fa77f6b23884ace43199d189a596c8cd436ab20b2b6966599dd9fd589e51548f
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

remotegui.zip: momentjs.jar: ms.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/ms.js
MD5: 3f2df63e4e8e99e5f3a23b44e135f90a
SHA1: 7e8563a8e513fb3f2f711395992fb34d6039e841
SHA256:6b6301d42544281a07e51e517a1acd2e498e6289b29e74817433a86751761f71
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

remotegui.zip: momentjs.jar: mt.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/mt.js
MD5: 3cc610e1a28bb045e3f21adfa96614ce

SHA1: f22377dc419295b8cf22ca6459df3f834475ddf9
SHA256:6af1d3643bd218941f30da0f6ba7bd64d4c2d0c49336876308af3af0387b0440
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

remotegui.zip: momentjs.jar: my.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/my.js
MD5: 1de06907d41a2fbf6861958ee0eaaba6
SHA1: 1b5eaf3d04d7a45a9e93db791963bfa0cf999383
SHA256:92732cb26a774bc3e049c7e212d8ef1425413d63522ccca1fb1b0696854da4ad
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

remotegui.zip: momentjs.jar: nb.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/nb.js
MD5: ee293037089769cbdbbf9f2dba3e01e6
SHA1: bfed5520bb401c83f0b391cf09ab1907e4362f2e
SHA256:36f088dce675389ff1b12afe35703b6d166cef8df8a24e1e1d6ecfcf7be84fd5
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

remotegui.zip: momentjs.jar: ne.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/ne.js
MD5: f09e1496b96096e594254145053e777d
SHA1: 601e6b5e8ead8fac21d661c4cb1f5aee22c96755
SHA256:804bbd6c30dc3b74de711a44f9019db06210323a0db31e53ce730feab5ea6275
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

remotegui.zip: momentjs.jar: nl-be.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/nl-be.js
MD5: e50c24ded5247900814470d1a6cc8854
SHA1: 73d12dfe3645a5ea9e0b6c4d5b2a5f28ac022af2
SHA256:2bd27e18811c7363a1b46b815173d626102523a2f76854792885166f4a99eb5f
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

remotegui.zip: momentjs.jar: nl.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/nl.js
MD5: 843085f588379356ba9556d93aa9ccdb
SHA1: afe70913fffce08e256c3c9ffe350272bcb791a0
SHA256:037e055b18b4376112d853e3d357b217dcc0bfd3990e0155b980ff622b4ff8d9
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

remotegui.zip: momentjs.jar: nn.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/nn.js
MD5: 7c29b42f21ff6b7e0b1f16ebb20d2a5a
SHA1: 9464502746665d34779fd3e7c9c05212db534556
SHA256:66007f84c945a3475100a3024d5fa3d430d6e11e64de81849e50ea73e3f390be
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

remotegui.zip: momentjs.jar: oc-lnc.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/oc-lnc.js
MD5: 16a8d7288d0007906a6ebb39fd954265
SHA1: 5442e9e7ee72e6f2ed438139d5779ddcfaaf471c
SHA256:1e03cd598c495e4dca3bae56e3822cacde57333ab5a85f555c582e104f54261c
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

remotegui.zip: momentjs.jar: pa-in.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/pa-in.js
MD5: 8247ac1929cfdcc902a77542e9fa470c
SHA1: a0270710978d4f03b32a4d5cd38065d6d274729a
SHA256:5ba548ba7844a1c5c4a7f003337237f940b5e8aa67254fb90e1a05a66f2b43ac
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

remotegui.zip: momentjs.jar: package.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/package.js
MD5: a26087930b5278aa21fd79491b952ac0

SHA1: ea880b139fa5aad30129356d4c2b61c7acad7452
SHA256:6334f70497c6d8fd22adb3089eec30bf1e2b3dacf92508df52eaa7a8aee12bba
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

remotegui.zip: momentjs.jar: package.json

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/package.json
MD5: f1965dc95e9d5ef4816ffbb597d484ab
SHA1: fa7b033b3a1adcb85370480289e6a60cfd21ac89
SHA256:25f5d25a676dda5763fea169d93a31dc12bd0a6d5d7f352379c8afcb1e3d794e
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

remotegui.zip: momentjs.jar: pl.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/pl.js
MD5: ea2f9b5ff7c97f62603f1e8786708d7a
SHA1: a9b097f9c1dfe0872befdf47995602029bbd22c9
SHA256:5435a1265dacc269403f275095e24a63ff3b8bb0f95908f7a2a987fbe2ab9e43
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

remotegui.zip: momentjs.jar: pt-br.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/pt-br.js
MD5: b70a96c3353ca41f14b5628aaeef6461
SHA1: 02e3841b0ed1fbf086a5b8bc1be8cf835cc9d8c2
SHA256:8a8b165be42795d9e945e7494f38ea353ee2f7eee7eab123073f3a42ce755687
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

remotegui.zip: momentjs.jar: pt.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/pt.js
MD5: 71f120e6f7682b0e80a9d5982b8a4711
SHA1: 49494f7c1cdb36294b6d640a524c2cf19eed12b5
SHA256:89e4c2f2d351ad7e2fefec9332778b16cd4a31858ded9ad6fece12fd9db94ac2
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

remotegui.zip: momentjs.jar: ro.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/ro.js
MD5: 84b1a53a794d8749061a53eb558110f3
SHA1: c2241e36357a248cdc870a8f83c19d12a031b479
SHA256:f66bcaadde14018ffb3bce26ea8ffc3ce36cc65c4c1e9ef9ed6cb321b7ae9481
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

remotegui.zip: momentjs.jar: ru.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/ru.js
MD5: c66d22693e1e950330471ed9de408aaa
SHA1: 3f4b2156029a26bc408cdfccf5812bd125c760cd
SHA256:47b9c98d906dcdc3d7b7f40e604d793fff2e142f7d788f6ac0deac5030458ef5
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

remotegui.zip: momentjs.jar: sd.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/sd.js
MD5: 115132c218de16cbea034b2762b9df9d
SHA1: ff940a6362744a8258e15cb09c4e4b46c48f3ec9
SHA256:e5f27127927a41eb82e45491e52bd6a529d3db5e6cd519c48f7473268909f6c3
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

remotegui.zip: momentjs.jar: se.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/se.js
MD5: d63f9c00eb2beeff26eabfea1406a3bc
SHA1: 8fc07d6276adf84ab94a1d352d55c105769f9017
SHA256:424ed10805d004f217b44ff6a0da5bad51d8f3b25577306f6e1f59c387525da2
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

remotegui.zip: momentjs.jar: si.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/si.js
MD5: 0bdd326bd6fe7e94a1c3fed06cf79cdb

SHA1: 6dc83c8bee2af014c11994abd5f0718ed9c4dc64
SHA256:8e7582efb99ff00bb7aeb6de0bfa65792592a5b4e81ae6caa7bf8cd8cb3180de
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

remotegui.zip: momentjs.jar: sk.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/sk.js
MD5: 0d4c93cc1adf0c2fe5bdcde7b1cca213
SHA1: 17c72fd3b31573f097f962b851fc82db22f217c1
SHA256:7685c076b71fd8e36c2cb84c645bb3a75d84566f26c3682a2792f0113b4d9b16
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

remotegui.zip: momentjs.jar: sl.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/sl.js
MD5: 11bbdf40343f7ee615144b2c3df93d54
SHA1: 853a6dcfaa15df6205729d754739633de7e3f667
SHA256:ff2e8352962c2d13d114356c863701f2473651f6491639e1826ab417d0377f90
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

remotegui.zip: momentjs.jar: sq.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/sq.js
MD5: f5c6cad85947f97d184ce17397145e3c
SHA1: 1817cdeeb3261b7f03f13902a7d8adfe46c36a65
SHA256:9d7d061c245349d6897732c90ad57841c9132b9b556be07a24dc76ff17cf75a0
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

remotegui.zip: momentjs.jar: sr-cyrl.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/sr-cyrl.js
MD5: 403a704d0b31d44f5d43a05f060f879d
SHA1: fe545c0831b16a2393a771221f2daf3f8af50cf8
SHA256:e62567ebcb6434f8652b1867386d7324c06d1f226fe9fad0517e658503ab496a
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

remotegui.zip: momentjs.jar: sr.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/sr.js
MD5: b5752681e826802ad4578a65d446d2ab
SHA1: 18c79b7064d378b578c83facf15be80314e34581
SHA256:307eb8be823a2997ce88c5ad8c3ca19e7a6345f116331fe3856659665de0d453
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

remotegui.zip: momentjs.jar: ss.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/ss.js
MD5: e61a001b0c3ea5bebde2d4d96d7c19c6
SHA1: a26e124883144d6ac990722d7915ceb80a44f7c8
SHA256:0d8a08574cc28602738aca72bed6364e88dd93fb2131a20c06630e3dd7565945
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

remotegui.zip: momentjs.jar: sv.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/sv.js
MD5: a276c85890a03d5a55715768969516fc
SHA1: 135396ef7e63b71af3df1cbafc5b060a32aaea4e
SHA256:08f8dbba970b89522adaabe609f47a3f20857c0985967888124f9204f4c3e2f0
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

remotegui.zip: momentjs.jar: sw.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/sw.js
MD5: b9e0ae98f621d6f9a622fe09225978cf
SHA1: 42f76f09c8d7049758fcf8f78e30881e6681c40e
SHA256:d6056ac79071a9f60793825357dac3ecf35c43acf10e02a65f1892f1fd9cc0c1
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

remotegui.zip: momentjs.jar: ta.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/ta.js
MD5: 2b48e3a057ec1ecf49d4e16d56263ed8

SHA1: 94a700dff6eda352ad3a2c4d7f5a4dc5e6219321
SHA256:2dae88a3138adda69fdec54914461ec28d4fa5e720d7626ddb3fb91a74a2ab6b
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

remotegui.zip: momentjs.jar: te.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/te.js
MD5: 39e36c17c46798dfdcf0ddae92610807
SHA1: 1168038e9d7c735ac44fc0eca95796067ca7b51b
SHA256:2cc07292a2ab5702d8e1e849ae3b28cca5c6194d0d150ec637c6289d9d864e32
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

remotegui.zip: momentjs.jar: tests.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/min/tests.js
MD5: d39f31787b27fc1bb028ef80e699cd7c
SHA1: 4c0335c7f8c19e26ecdd2f9f0ed08323507031d7
SHA256:895d3ab9bb945f1f86903438a18c9fb308e84a912e4859da39fd1bb08da63e44
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

remotegui.zip: momentjs.jar: tet.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/tet.js
MD5: 0a6f7fbd649b280c8fff433d32591867
SHA1: 15f108397be93776a1c232f3de813e27f305550e
SHA256:d80dcb236c671594af031c93d32ed883c322a6f32bd25637d454d7b9d9e81593
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

remotegui.zip: momentjs.jar: tg.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/tg.js
MD5: 83e93f32f7f488c26def6938e280b716
SHA1: 59886e50e9d7e53beb111b317d5195ee0382050e
SHA256:24c8928619c471831467afc05aca6f0299e40b418b78bb30b4d66942d872d2bb
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

remotegui.zip: momentjs.jar: th.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/th.js
MD5: e14a3488b2c85b54f65262d6fcc6b1b5
SHA1: 7697e04cbe08eefdc5ad4cefca7ea7ef42cac791
SHA256:9911634c353a7ce63a81139f914552fc80a499029a803ced8b32b6af88c53bf4
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

remotegui.zip: momentjs.jar: tk.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/tk.js
MD5: c01b5d264b1cfa34c4723e995439ebb9
SHA1: 8445ede8c1ce77556495f9a5469ead5d3b2b3ee8
SHA256:fc6654229cf3f6e6bb2aeb5b70dc4e6adf7f307575af9d15b7a31aab897a9988
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

remotegui.zip: momentjs.jar: tl-ph.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/tl-ph.js
MD5: aefa584c5d3e7690a710b144fc505a7d
SHA1: ccc8535e56aeb0b2c2991ec7c2c232a16334f09b
SHA256:e324f1791432534af3ada36c185637db02eaf3d3ed8f88ddf143538dc484cc3a
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

remotegui.zip: momentjs.jar: tlh.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/tlh.js
MD5: 59508c37879615bd0a0beee8f69a28da
SHA1: 15324b9edf1a3e7bbc52b1e510ac53def8ce02ef
SHA256:dccea1319a2e92d9bf373e1d8dadcd4a130e1fa2457d7a66dd035c3cb93601cd
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

remotegui.zip: momentjs.jar: tr.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/tr.js
MD5: 0cf5765f4f245b2cd8a21dee0c3c92ba

SHA1: 7eb8afffa83fb85eba987c80a934c6ad30a23b23
SHA256:e8af125b0bdb3c15ff5ef2eb171bfe698507a026a9cab54bedb0770cdca34fb2
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

remotegui.zip: momentjs.jar: tzl.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/tzl.js
MD5: a2587bce05b5fa3015dce4ccedbdc802
SHA1: b9c4bb7a9f9ad9dd515bb9de82be90d0d4932fe6
SHA256:393e6424d498fd2abbf646217a197b61c4c57706e6b29ec2873ab20e7bdf6970
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

remotegui.zip: momentjs.jar: tzm-latn.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/tzm-latn.js
MD5: 582198d314e9ced1007620d4e7701734
SHA1: 17859d3345ae82ce39d5d036649c1976b9e4474a
SHA256:7909cef0eb3080599c24794c079e05ba07af565f198450df0ad411c85be45030
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

remotegui.zip: momentjs.jar: tzm.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/tzm.js
MD5: 69d71f7f7674fd7f8b35f14dc179339b
SHA1: b5166e0443eb54c38185227e954cd5cc2b1f589b
SHA256:e6f3a2e2e3ca86953e2c06ca562607a95d2b5129e751e5e0905270f3e56a1f52
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

remotegui.zip: momentjs.jar: ug-cn.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/ug-cn.js
MD5: aad8845e8fb63517d21b322fef4a3545
SHA1: aff6b2361311a6475b9fd755bf63d23e3e6132b1
SHA256:58de2ad653876b1eb27ceaffb0037ddb0e4fb7917e111fa7a88ef8ab01fd041d
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

remotegui.zip: momentjs.jar: uk.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/uk.js
MD5: fbe69f339b236b654b3e41d8d8b56536
SHA1: d9fdc9224f535c1338048858a9e457558f95349e
SHA256:725764b2851d3db79d8fb20b96ce7708cd1dc60c6ca6f37bac4df2350f3ccbf4
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

remotegui.zip: momentjs.jar: ur.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/ur.js
MD5: 3da7117995350068016398429 5abe43d
SHA1: 2fdee5b33f8d29a565d84927fd333a2d9d41e5b2
SHA256:c89fc485a14cb20c0576ff20bc3d157e1296f2b2ddfa8035f71e8b58f61a29a4
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

remotegui.zip: momentjs.jar: uz-latn.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/uz-latn.js
MD5: 75ce0ce4c28806c32575c4f28ded6185
SHA1: 2648a6adc3ebb4dc12b070a5cc0a126050cf685a
SHA256:3943e946fcad9c965f147c50e08da71d3270239175de530d1f48be6fb44956ed
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

remotegui.zip: momentjs.jar: uz.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/uz.js
MD5: 3d11efeaad9c7b7f344eb8beb691a2d3
SHA1: 73ce197519648ecb5e6756bb2fb953688b42af2a
SHA256:9f22344f9ff69b1cf5546c975fd8847884bb032216d15054ea267cb964a09b08
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

remotegui.zip: momentjs.jar: vi.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/vi.js
MD5: 28c7ec0c4bf82120245da0d15112f4b0

SHA1: 1470d1969733e49331f2e435910b045e6a0a518b
SHA256:c5db03ae438e4c55a6edfa004540aaf1def14fe0968f9ed3e03fe7dd7c3faf03
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

remotegui.zip: momentjs.jar: webjars-requirejs.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/webjars-requirejs.js
MD5: 34b1a7dcca0ee03eed1432670ed9c472
SHA1: 9de80e951270f04bbafd39d9d7822df4f7d08839
SHA256:197295e6af66b25f2aaa0909c6911f7c1c76e24eaf170d9cba2d84644146bfeb
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

remotegui.zip: momentjs.jar: x-pseudo.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/x-pseudo.js
MD5: 18b5b8d8f2f327f6d5ec947e550f35e0
SHA1: acc470244b95f709e4b68e7ab94b2c645f929f47
SHA256:ca8ab052a09b2f320574c71c472609e026b4aa72c87a06f204ff33670249e2bf
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

remotegui.zip: momentjs.jar: yo.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/yo.js
MD5: 42b28f7a2ea67c7b5a342c87ef0a5771
SHA1: 84f6d714e3aadf74ab8a755b465df7ec8215fada
SHA256:d80655b604558af2855f5b67b21b28ec5770985b67fde59e94e1168e5f4795c8
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

remotegui.zip: momentjs.jar: zh-cn.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/zh-cn.js
MD5: 49fa27dd7c374122f336369f30a87973
SHA1: 768eeb42e5372200634e8825680c6e18b0c8db8d
SHA256:53138532aad7c571af10cf6b17a678552e9a9e7ef5014d250f97af8dc61ae6e1
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

remotegui.zip: momentjs.jar: zh-hk.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/zh-hk.js
MD5: 9338eb6ad8e887a63be4fbaa05cab197
SHA1: 92340e4f48872df241a47bf9bd13647092fd25c9
SHA256:c6d7de0d1f5544a1d3bb64c7eb27481b30316766f1214fbb5b1c6be358a4b921
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

remotegui.zip: momentjs.jar: zh-mo.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/zh-mo.js
MD5: a986f68bda18d9751f6bedd7356e6e7c
SHA1: 6cac0e5b7b9e15ea799ce6a1575be93df4832c87
SHA256:874ca3806f556c5809842613ba410c965111ea9441fb949a32abe2a7c3bf7f8a
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

remotegui.zip: momentjs.jar: zh-tw.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/zh-tw.js
MD5: 94fb46a7c1ce21f0a91512b170d4fdea
SHA1: cb69c6ca687ace454432d994ae5b624ba9011b62
SHA256:62fb1b36d24050120cadf807b975ffe9d7986aeb41a0f4ac218c3ad23a1c9b1a
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

remotegui.zip: remotegui.jar

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/remotegui.jar
MD5: 4536d9f45a94021ed27b5a2398dbbc82
SHA1: f4b7cdb77d19258654f77e870b84ad03eb712af4
SHA256:b943eadab3a07c75dbda88db3a15ee6b1d4a3f41f5d95fd8209490e6e01a26c7
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence
Vendor	file	name	remotegui	High
Vendor	jar	package name	gui	Low
Vendor	jar	package name	inet	Low
Vendor	jar	package name	remote	Low
Vendor	Manifest	built-date	2025-05-01 11:17	Low
Vendor	Manifest	implementation-group	shared	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	specification-vendor	i-net software	Low

Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	remotegui	High
Product	jar	package name	gui	Low
Product	jar	package name	remote	Low
Product	jar	package name	shared	Highest
Product	Manifest	built-date	2025-05-01 11:17	Low
Product	Manifest	implementation-group	shared	Low
Product	Manifest	Implementation-Title	remotegui	High
Product	Manifest	specification-title	remotegui	Medium
Version	jar	package name	shared	Highest
Version	Manifest	Implementation-Version	25.4.227	High

Identifiers

- **None**

remotegui.zip: remotegui.jar: angular-websocket.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/lib/angularwebsocket/angular-websocket.js
MD5: 40cf028986784d5006d57219f6dbe0a8
SHA1: 40efa9ba93f90c2933ea22c767a0b1439e10303d
SHA256:eb77f7788e6b757192f2fbf8c6af6560731c3539b06fdf7d476e92b989ca50b0
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

remotegui.zip: remotegui.jar: app.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/template/js/app.js
MD5: 6f61e39f7ed0928ce2046d44760db061
SHA1: 1a79dd0d084db06894770d115b3b808a0d8c0ecb
SHA256:bd0c38131628418202bc8a896fceee79fc4933ac37da60263562ddb37ede2f26
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

remotegui.zip: remotegui.jar: app.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/modules/login/js/app.js
MD5: d9a96ed732439b0dc0417d960d30b667
SHA1: a7b2247fb71c27e9eacc8f24859fb993be8d95d1
SHA256:49b24b3125429b20e816a2082e45f104ac09590c64d61ad8d4fb5c86cbe83a93
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Related Dependencies

- remotegui.zip: remotegui.jar: app.js
  - File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/modules/logout/js/app.js
  - MD5: d9a96ed732439b0dc0417d960d30b667
  - SHA1: a7b2247fb71c27e9eacc8f24859fb993be8d95d1
  - SHA256: 49b24b3125429b20e816a2082e45f104ac09590c64d61ad8d4fb5c86cbe83a93
- remotegui.zip: remotegui.jar: app.js
  - File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/modules/masterlogin/js/app.js
  - MD5: d9a96ed732439b0dc0417d960d30b667
  - SHA1: a7b2247fb71c27e9eacc8f24859fb993be8d95d1
  - SHA256: 49b24b3125429b20e816a2082e45f104ac09590c64d61ad8d4fb5c86cbe83a93

- remotegui.zip: remotegui.jar: app.js
  - File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/modules/passwordreset/js/app.js
  - MD5: d9a96ed732439b0dc0417d960d30b667
  - SHA1: a7b2247fb71c27e9eacc8f24859fb993be8d95d1
  - SHA256: 49b24b3125429b20e816a2082e45f104ac09590c64d61ad8d4fb5c86cbe83a93
- remotegui.zip: remotegui.jar: app.js
  - File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/modules/signup/js/app.js
  - MD5: d9a96ed732439b0dc0417d960d30b667
  - SHA1: a7b2247fb71c27e9eacc8f24859fb993be8d95d1
  - SHA256: 49b24b3125429b20e816a2082e45f104ac09590c64d61ad8d4fb5c86cbe83a93
- remotegui.zip: remotegui.jar: app.js
  - File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/modules/signupbasic/js/app.js
  - MD5: d9a96ed732439b0dc0417d960d30b667
  - SHA1: a7b2247fb71c27e9eacc8f24859fb993be8d95d1
  - SHA256: 49b24b3125429b20e816a2082e45f104ac09590c64d61ad8d4fb5c86cbe83a93

Identifiers

- **None**

remotegui.zip: remotegui.jar: app.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/modules/reporterror/js/app.js
MD5: 6ad83588ff8ae2fca8a22a9973c9a22e
SHA1: e34a66c038feb5d7eaaebe6f5641ff754ba2133a
SHA256:171ea457d3942a068d637c9c416f4314d2e337896c4c06466d5048d1b207964c
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

remotegui.zip: remotegui.jar: app.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/modules/start/js/app.js
MD5: a92b24ddb292c48b2b37f8f612dcf510
SHA1: 4fb6c8ec1c639068e82cea773e346402bee5db6b
SHA256:f9a5dfaf43cc245a92f3da0e6a6a05df73027571f820767630c897274510e125
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

remotegui.zip: remotegui.jar: appbadge.service.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/appbadge.service.js
MD5: 4fd729dbd4e3e172e18625eeeb1d21f3
SHA1: bda842fc94e89b87c8ac7ab1fda990058708c679
SHA256:8ba199a5047196dec59a090d09d62628d962bd4827c6f58491688405af98bf20
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

remotegui.zip: remotegui.jar: authInterceptor.service.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/authInterceptor.service.js
MD5: 7fa3864d221a30bc7380c1d61fd0127d
SHA1: 7711e764bb81e7518be8f1582ba36c0bcaffbc12

SHA256:78a5ae26f5463a9ffaa3aba943dcc4a6852dafea4e6a161a77db4e57e57c9565
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

remotegui.zip: remotegui.jar: avatarcard.directive.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/avatarcard.directive.js
MD5: 42e2eeddd15b1c78fa69908f6680ee70
SHA1: 700e560ae973d1bc7fc1533f10000bff031ae452
SHA256:1f84952e5877f9a0a2bb6de1db33baec5f4bc55d5aba12f70cb4f7a6f79729d0
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

remotegui.zip: remotegui.jar: avatardetails.directive.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/avatardetails.directive.js
MD5: 1736536ca17f8949cfbcea3546666700
SHA1: c6d2b53e9caa1ad5b19f0063a4c7f88c31784ccc
SHA256:5bedc4c3e7b3be6a29f2c85fbd2881b935f24172fd42d5f893f221c1972bdc5e
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

remotegui.zip: remotegui.jar: avatarimage.directive.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/avatarimage.directive.js
MD5: 70e2255c02822aec0a74da3386baa781
SHA1: 927e3a72f635deb32b6dd3bd1e3deea711b73521
SHA256:9c3a64b8c4c5e6bdeadd27b840e1835d240e7e291b2499e331545d0f3d6fb3da
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

remotegui.zip: remotegui.jar: avatarimagedetails.directive.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/avatarimagedetails.directive.js
MD5: 30a2af71a10ee42a8e840c52dc445a33
SHA1: 2767a8c4d10f738a7cbc2f0166473a721724465c
SHA256:4c5603e04daff5cb4de37b3a8e120e0049036ea10683980c3062c96919d1521e
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

remotegui.zip: remotegui.jar: basic.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/basic.js
MD5: 574a7af25da940f55deebb2e71be9458
SHA1: ca75b040dee3dac2685871142ac1edfc40dfc8c4
SHA256:ca1fe925906d2cfc908f253e79f30c4a7f964c45c47c84baa22975d8886c6bc4
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

remotegui.zip: remotegui.jar: bootstrap-colorpicker.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/colorpicker/bootstrap-colorpicker.js
MD5: 66fc7adafdfc312da33c1610ddb02650
SHA1: c0fe35fdc3e1a7b23415601264ee3f5f8b6408ba
SHA256:359ac587e9aac88dcb26774fea01a3b04b89ff8f8d49c36b0dffd82d0ca3f2a9
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

remotegui.zip: remotegui.jar: bootstrap-datetimepicker.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/datetimepicker/js/bootstrap-datetimepicker.js
MD5: f99cb51a76e41db0a93720a7ab76f79a
SHA1: 811d10b8029074990b4328164ea5645759789a5e
SHA256:3ae825ea00eae0f2169e66d6574fa1e8323b51bf253091bb5a66df76663d37ef
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

remotegui.zip: remotegui.jar: browsercheck.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/browsercheck.js
MD5: 2a66f45992dabf075363ec46a8f1913e
SHA1: 6dd5a0ea9f6b8471d5133f32a13090af611156a5
SHA256:9591b9925bdfd5c199c34417db703dda37c469646adfe38409453527af025015
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

remotegui.zip: remotegui.jar: changeavatar.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/changeavatar/changeavatar.js
MD5: 8d2dac6b040a8c19644f32bf31bd71a5
SHA1: 71bf152e7bc6f067ea04a5b3aa1cca0a77af4b2e
SHA256:2dee1dc75f9ea3da5c18de2d3f7ab5da477c1b0e29952f28f14ec488140c3d0d
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

remotegui.zip: remotegui.jar: changeavatarcontroller.controller.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/changeavatar/changeavatarcontroller.controller.js
MD5: f4c8b7a6dadbe05f4e359733f723d5f6
SHA1: 119cdcaf2e65398e1f02c279bc915fb748c851e7
SHA256:f6cdf51e77bf2b01b8d6d81d62929f453e651b07cecf5ec1a592556855c297d3
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

remotegui.zip: remotegui.jar: changeavatarservice.service.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/changeavatar/changeavatarservice.service.js
MD5: 0867b1420c57ea1bd0df6b217d0f0a27
SHA1: 3b540de9bd01aa2d887ff4690636a46d59e54ac0
SHA256:a4e383e6b3971ae28b1ab569fb9bd73553c7155615dd6684f9eb1db4c28f9ca8
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

remotegui.zip: remotegui.jar: clearreports.controller.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/template/js/clearreports.controller.js
MD5: 35ac87b4adda24a0ff88a6d84061be8d
SHA1: cb8ff8b6732e44086f6387f1309a13d9a8a133db
SHA256:40c05d8a60c1ee5908ef44430e55d543796e710051e24b21e490d27d461bd933
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

remotegui.zip: remotegui.jar: collapse.directive.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/components/collapse.directive.js
MD5: c1382e5bab1e0095998e5b19ac91f381
SHA1: 2bfacf81cdcbdbc9919f24433ada8d3d78ff826a
SHA256:f09aeeb80d0d0811b4e6c9ae46d2a975cfa372d339236dc1f74e238218a60be4
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

remotegui.zip: remotegui.jar: colorPicker.directive.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/colorPicker.directive.js
MD5: 21ef7608799862ae50c2c74f78d0a9fc
SHA1: 747b3d2b2615c51fda36d4177ff6742a3f254784
SHA256:ecdde453424a6164c70d2a8ae42bbd0e2f36aa424dda81a021daddfc3be97cda
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

remotegui.zip: remotegui.jar: connectionstate.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/components/connectionstate.js
MD5: 4a6174bd421f26ebbcfee0cd497cb818
SHA1: dd1fd437528d6680073b6ec992627e58a7117d1d
SHA256:4b755f8f5c4c823a55df73cda77ecfaad11829b5945c0f60e9c3be0de7ffcaee
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

remotegui.zip: remotegui.jar: controller.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/remotegui.

jar/com/inet/remote/gui/angular/template/js/controller.js
MD5: 8886375e9fdbaea08407ec6d19efb81a
SHA1: 1e0b4d981a4a8cefe6737624ea1f4ab9636116e9
SHA256:dd9f87011fd0cb0ed630d3f392e7527a62dc516584014a2169a411d783d683e3
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

remotegui.zip: remotegui.jar: controller.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/modules/invalidlicense/js/controller.js
MD5: ca1979cf2df78c9a22c96f3478247107
SHA1: 6b8bd8aa94a41d55d9b5c11f37a6e0a2a25a5a5e
SHA256:2e689b5bdc728198ed225e4e7634d0bc374f6d5f0190f706808d3c1857b1591c
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

remotegui.zip: remotegui.jar: controller.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/modules/vetomessage/js/controller.js
MD5: b3d1cbd2470d7a37317a1a3b2f731b76
SHA1: 8be451bf390bbc31e274d966fa238675d192598d
SHA256:d478572d76089fa663779be7fb47933ca9c7bec7f97ada36dd8d7ca80f6f4eb5
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

remotegui.zip: remotegui.jar: controllerAbout.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/about/controllerAbout.js
MD5: 80b4da64ffededbe3c3523b55e2bf326
SHA1: df84d88eb510b8e820880297404310f5a8795f4f
SHA256:48bbb094dfff3f6b7dcf787d12214c26dafedc27cd37003b651e1ce179026029
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

remotegui.zip: remotegui.jar: controllerShortcuts.controller.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/shortcuts/controllerShortcuts.controller.js
MD5: 9be25409fea8e060b32a3ed16afa0496
SHA1: 36808df213a842d807c44b517fcdabd52c7479ac
SHA256:18169a2a57beb8edc203674e334cd2eccaf262635e4cea0b408e2f8608338008
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

remotegui.zip: remotegui.jar: controllerUserTheme.controller.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/usertheme/controllerUserTheme.controller.js
MD5: 3f22da2a31a50aae9eca2ddf181a32e6
SHA1: 92ef56f938fd823a8d2d234190af4aff18ce8223
SHA256:e3b5b9c6ba45a9f4e7ea82817ad2e4eebfa514eb88f0056ed61741a37917049a
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

remotegui.zip: remotegui.jar: controllers.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/modules/login/js/controllers.js
MD5: a8ac2709cc86b403df12e2112b1c50da
SHA1: 344a480dca6074c311786b03a13aeaff5cfb58a3
SHA256:3efd28cc6f37f33f4c99fcd534349933d13c07cfbb85ae6b424c7d0889e968fc
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

remotegui.zip: remotegui.jar: controllers.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/modules/logout/js/controllers.js
MD5: 72df17aceff55a08379e0d53b414a348
SHA1: e3364d95d630e8ee2831c6f8c043e380892303de
SHA256:fde8f9a6bd901c3a4fb1eff6e1b28cd70ed29ecd1ca0eb4d516fe8257b10866d
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

remotegui.zip: remotegui.jar: controllers.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/modules/masterlogin/js/controllers.js
MD5: b7ce1065cd78fdac56af02a9c2990479
SHA1: bb6e0f303c2a2601864542d89f2e2f5da4cc582d
SHA256:b062b60f3c71cca9147df8429acfeaf1333646ebed0a49abfd57e828594969bd
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

remotegui.zip: remotegui.jar: controllers.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/modules/passwordreset/js/controllers.js
MD5: 4dbf4bd5e209bcf9da2dbea374055b93

SHA1: 87bc7d80e618d023de04a942c4bcf78a0f63ef94
SHA256:c4fc820510883428e8b7f8cc620917ad024a053406fc8e06a1f5d291e7cb8277
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

remotegui.zip: remotegui.jar: controllers.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/modules/reporterror/js/controllers.js
MD5: f0eae135a9846e9583286cd7e26e16c1
SHA1: 2ebb1635a8de2bf5a5b733d22be21e702b12b72c
SHA256:03bece9cc5a2def46cb9af89cf57416e825bc861f4bef8e388418e2e2f7fd2fe
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

remotegui.zip: remotegui.jar: controllers.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/modules/signup/js/controllers.js
MD5: 258465212e0911f69571bb053df33a43
SHA1: 91a7f8521507ac4c7f3694cf5dd955417828e559
SHA256:f3cd796047cab32758bcd5425fddda63249ccf268422094f9bafb9183d52a13b
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

remotegui.zip: remotegui.jar: controllers.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/modules/signupbasic/js/controllers.js
MD5: 17128560e8941aedb7e852204f4a179f
SHA1: bafe38ec75526c6f24a08468efcb54b174af8a12
SHA256:c86e24d128397562391debe2cda9c5a59382ed887ce040fdd950fba13307b093
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

remotegui.zip: remotegui.jar: controllers.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/modules/start/js/controllers.js
MD5: 3451d3dc4466d917bdaaeca802ffedae
SHA1: cf35aaaad9461c21764024842d788d1fffdd36bd
SHA256:81ee322dec22a872c1c1b2cbdeb032036fb825c53bb8d0fee0270318ed49dae1
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

remotegui.zip: remotegui.jar: currencyNumber.directive.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/number/currencyNumber.directive.js
MD5: baae690d1879d5770a785db43c416078
SHA1: 6652a3fc50dbfeff6d2c3ba5d163b6198d48952a
SHA256:c6cf472a9ba060122120b728e7f034a46b42e3b035ef56144ff482bfe5092cf4
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

remotegui.zip: remotegui.jar: currencyValidator.directive.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/number/currencyValidator.directive.js
MD5: 73a660a1b69b3c877a80104908dcd0fe
SHA1: f452a6e6a90eafec046f8364e92e8991639fc0e3
SHA256:a54b14192bdf0b13eb46a513c0de90d2217df002a87b69faff4a97a2b438e78a
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

remotegui.zip: remotegui.jar: customEmojiUploadConfigItemRenderer.directive.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/emoji/customEmojiUploadConfigItemRenderer.directive.js
MD5: 614bca272bedcbaa6f867d223c67ca6b
SHA1: 158169ab1d6de578cf3d3157b44fc5568a0dff9d
SHA256:38d245ad840d4d01acece7fb531bfaf683e40367b70e1965761df25378601795
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

remotegui.zip: remotegui.jar: customEmojiUploadConfigRenderer.directive.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/emoji/customEmojiUploadConfigRenderer.directive.js
MD5: 646c45383035b8a172b1e3cea4462065
SHA1: ccd25b4652f738ffd5db41da6f2c01b9bf2e8fdc
SHA256:366ac5823f773c9420495a3f7ccebc31703515e7840963340d9b088a9a280b8c
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

remotegui.zip: remotegui.jar: customemojiupload.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/emoji/customemojiupload.js
MD5: 5ab9bc583256cb4bf16a2ed2611a694c

SHA1: 8aa95d9a6f7aa446ca449dd06a22ec766e011c3e
SHA256:10c1b4c00e9ea48d9216001bfde435ad3d978dc7924328afcde5985e31cc5052
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

remotegui.zip: remotegui.jar: dataservice.service.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/dataservice.service.js
MD5: 937a0f3324f0745d23c6683df6519937
SHA1: 333ac3ae229c679ac686515da033ac7825811518
SHA256:700c6dfd2f907359d5b5b26b233e029e202955200013e847a6b1ec8b33a841a5
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

remotegui.zip: remotegui.jar: datepicker-de.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/lib/jquery/i18n/datepicker-de.js
MD5: 797fabcb912b0290ab3e259ffab24855
SHA1: 46bdb9bae4acf4a0f014121d0f9eaf2d5c15cc63
SHA256:1bd259fc9bb5d2965296710ef6ea072f59c2ad669173e47958f672d0ee98de1f
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

remotegui.zip: remotegui.jar: debug.directive.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/components/debug.directive.js
MD5: af5e64405e9df914078db9c21e2d6cd2
SHA1: 9daecb829ec4ef49f5ff9415f03c1130b97cdfa9
SHA256:7e8f60d4320fb77c329b93858e2cb2435b756cc939395dcb0259f9324667cb25
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

remotegui.zip: remotegui.jar: dialogservice.service.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/dialogservice.service.js
MD5: ff3705252f1a1e7205abc5305b16d24d
SHA1: 5d137431c4fecf3c36e40aa0024d48f64c0f3b9a
SHA256:c030948a627465a777ae0f4a631c5cee1339c36a6fd57b5feb86cccf2b57569f
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

remotegui.zip: remotegui.jar: directives.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/components/directives.js
MD5: 19f28ec5f19f91bee0b1c9e74e173dc1
SHA1: 8f3d5294a051eabba98d8b9ceada4b2411210e58
SHA256:0543ab08833d1e44de5f6c23d230703cea6ad2cb637577549e308d185afea1fb
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

remotegui.zip: remotegui.jar: dropdown.directive.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/dropdown.directive.js
MD5: 40ad7d2b68347bef0008d1791b5b5eba
SHA1: 1c064c2f1ffd0ad48afb8f90e26278f9c2c39b73
SHA256:bd2194fa55f283113dc3e1b43c1e961a9be2cd763e189e05c173b32a07bd18fc
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

remotegui.zip: remotegui.jar: emojiModel.service.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/emoji/emojiModel.service.js
MD5: 38564647d31b6797536db5765411e4ed
SHA1: 48fd70c8edf0adcf125823e861e4a139a381cbcf
SHA256:d22736cdec4e2e645ac67859b8dd33c6af37c304f60a2d1da1d4faefb33f087e
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

remotegui.zip: remotegui.jar: emojiselector.directive.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/emoji/emojiselector.directive.js
MD5: cf4481407a72642bb8f659e8b1811a6d
SHA1: f5b4d06097e39d132c2e341005a5f37945e6d25b
SHA256:c9b023b87ba265d2fbc5af9dfaf4d739f2a5445ba1368d9fdf02f7cc0e07e307
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

remotegui.zip: remotegui.jar: errorservice.service.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/errorservice.service.js
MD5: 99c26eab33a362c6882c3eac06061d33

SHA1: e4ab728acf5b24584f9252170f2f4878ec227589
SHA256:ea1929f9f8740d81ccd097c3ea42e22da13108b9a31c41e253e068abae9aef90
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

remotegui.zip: remotegui.jar: filechooser.service.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/filechooser.service.js
MD5: afd055cf3465f9374026bca068948171
SHA1: b4cf82dabdbcffc4fc94ceb916fb315af8c627f6
SHA256:822a3db5d471ba6b60257f286a7b087f2ae6585243893abcc946e47c4fb4a00c
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

remotegui.zip: remotegui.jar: fixNumber.directive.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/number/fixNumber.directive.js
MD5: 4012901ce3b8c0dd2c30de58b4010f93
SHA1: 2f74672bcb93cbc5a5ad537ab900e5ea2993244c
SHA256:df68e84e582a52b12400fdbc1ef79d935013e189579795a435a6ed8055573c35
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

remotegui.zip: remotegui.jar: fixNumberValidator.directive.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/number/fixNumberValidator.directive.js
MD5: 3c4bc570a3e7246d6c36a87e1499d7a9
SHA1: 859f2045ffa4ce48f54b6adc97bdbe18566adfcc
SHA256:1ae715ed60ed513ed2c543dc86ff592bd7ec3a7125818ea6d22a900607eda017
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

remotegui.zip: remotegui.jar: floatNumber.directive.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/number/floatNumber.directive.js
MD5: 0b5378d3a8d7f79543eefb43bd125bcb
SHA1: 0c50d5b03526ee6a4b5ecafca50e139183e64bf6
SHA256:e1e487d744826c96b46a8e946a32892ee07520f3f29e421d243df51291f729f6
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

remotegui.zip: remotegui.jar: floatNumberValidator.directive.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/number/floatNumberValidator.directive.js
MD5: 6a4dacb6228e6f4d39a9e30d0878291f
SHA1: 2162d21c1d9f48311daf8383c4b641a7cb15518a
SHA256:a14ee2997beb2fa7407e5c6fbe7e6d22b75441cfffaea522fa279ccd512a022c
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

remotegui.zip: remotegui.jar: globalactionservice.service.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/globalactionservice.service.js
MD5: 6d4f2194f51d48cc3b21f9526f7fee57
SHA1: 30f480f24b629a9dd3a93fe04dca7eb04a20b677
SHA256:8c1f6dd7a7ecd6472d75748edd38d98783b20e103c898220b2e3b25f4090f6a2
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

remotegui.zip: remotegui.jar: hdField.directive.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/components/hdField.directive.js
MD5: eb473c0da5fce407a8585e0ecce20bc8
SHA1: 3f2b16de362bb37d19bdd9147b03dc59f1036b18
SHA256:6e58cc4e6bd4b86833f4d7eb154a422d0ea77f2481cebb41cf784722eafa2548
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

remotegui.zip: remotegui.jar: hdMandatory.directive.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/components/hdMandatory.directive.js
MD5: 5ebb609350c6d0ae645e8ac20cbb32b9
SHA1: 15bb7b61dcc2a479beee7e0162796788565fafc4
SHA256:593ebe1d558142ea9e12a998fba8034c5539267794d3f1ae01fa61cc30103e2d
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

remotegui.zip: remotegui.jar: hdNeedchange.directive.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/components/hdNeedchange.directive.js
MD5: c3abe040e55d2f09b03b6ff4a839b795

SHA1: 4ba516326ef10cdbac82bfeca2ef5a82122c27b9
SHA256:49e8d8b1fe5a2d491a81412531fe794b9b32dccad6536f9b06041e7931f83a8b
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

remotegui.zip: remotegui.jar: hdValidate.directive.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/components/hdValidate.directive.js
MD5: e6e8c3e26ad3be54df16ec1bb887bb70
SHA1: 4b1e88e7eed9dade1052f00086c2c09f18a0be32
SHA256:18040f9661212ce2406d973b0431fd3c320033bd4d6b931db124aeca515873f1
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

remotegui.zip: remotegui.jar: hdattachment.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/components/hdattachment.js
MD5: 16e85502191f7fe25433de5ad6c746f9
SHA1: 712909937e6a4ad47396146d4e79e4a3dd0b32e4
SHA256:b59d7f8b2225790fa30812d87d012f6668ecf1ce2d3a0cba04d987812ad2cd4b
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

remotegui.zip: remotegui.jar: hdfileupload.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/components/hdfileupload.js
MD5: 75a66761b717a6997b593736a3636c7f
SHA1: c7dcef33b520474109257a31e81c13967de4fd70
SHA256:1e85e4d3ca53baf4a8da1008aaaf7bf0b048d078a08e8bae3fa8628804dbe5b4
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

remotegui.zip: remotegui.jar: hsimp.min.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/modules/hsimp/js/hsimp.min.js
MD5: 31da02c3356fe92d686f09c9e9a2d3b5
SHA1: 77c9d1aae30a77bb4f4ff1015d9886a9fb2bad93
SHA256:44cdb7ca377e6793dac301775332a628e89b3624b6330964a9e2592d1f5b0389
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

remotegui.zip: remotegui.jar: hsimp.renderer.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/modules/hsimp/js/hsimp.renderer.js
MD5: 5f06f676ed65e93315ba629f480077b0
SHA1: 213a052ff56e4e0cce58b108a93995300b7f21b7
SHA256:a6741fb1ac97dd1d59dcbfb635c018a4fc51ee6bcbecf8f0928fb76019cf3658
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

remotegui.zip: remotegui.jar: html5modeurls.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/template/js/html5modeurls.js
MD5: 784c54f58e8351e6821785bdeaa852fd
SHA1: 945f8e892ff235c347b61d726cbca71c51cfa0ec
SHA256:3cb5e8d76193fd52fe4672a8510546b527e84df68876952b6965e146d816f97a
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

remotegui.zip: remotegui.jar: htmleditor.directive.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/components/htmleditor.directive.js
MD5: 5ffebcdafb5eed81b8a2a65418f48fd0
SHA1: 3cdc33deda9588ec7cf4495b2c5e3d9740f12a7d
SHA256:cfc0073759c7970f394696b3628e411af71f8df3f392e0d4f0fc197988ab7a1d
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

remotegui.zip: remotegui.jar: htmleditorFactory.service.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/components/htmleditorFactory.service.js
MD5: ae7cf9f1949727b0b0abbe02d00322a3
SHA1: 8f6ca76d2a1d16c23d015e5fc99c0b5eba633ca0
SHA256:ada0a0081829c6575f5107ad1f2b857976454e420b33fb4e11caa971d23243b9
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

remotegui.zip: remotegui.jar: htmleditorModel.service.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/components/htmleditorModel.service.js
MD5: 5065e5c03040fe00e77e7c35c9491459

SHA1: a07cd621341d26b6a8af98193dad1b028e518a16
SHA256:e4eb54f0aa3b0f5e3b015668ac05a9410b2fe4e2af0f796f3b9a9c1dc68de3e1
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

remotegui.zip: remotegui.jar: icons.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/lib/customtinymce/icons/inet/icons.js
MD5: f38d8cd5ddc30af9d60e7975dc9bf09e
SHA1: deb48848205420e8e128fbba61d54f505a9ce08b
SHA256:9dbe9eab86795cf51d6d7a06a9133c273cacc7277b27a2b99060740a6d47eaf4
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

remotegui.zip: remotegui.jar: indexed-db.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/indexed-db.js
MD5: 8e18eb72cdab27b9f50d8be736fb5d3a
SHA1: 9a0e5e9098ca6fb8c1ff37a52cd41493b9c5b765
SHA256:8a7b578a09e75c8abf3b5c7796a3a9fdd812f0e1fe1b9cb2dde13c8ca4dec439
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

remotegui.zip: remotegui.jar: initUsernameField.directive.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/template/js/initUsernameField.directive.js
MD5: f3f6879a5d27234809f195e8361367fb
SHA1: 24d20461bd9e38654b9feb17b07291ac539c186b
SHA256:ce03423bc27bf8ae5f2a0ee43236549dedb25ae612839b3e645bc11849b5113f
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

remotegui.zip: remotegui.jar: introduction.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/introduction.js
MD5: 89901332f1495e0cd0ee5b86914cedb1
SHA1: 35a849463bb5de9d8fc94de631c5641743d37abf
SHA256:afee3a22ebd23a8eac80d546a023e642c33409bc80ed5340e4372fc91cc30360
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

remotegui.zip: remotegui.jar: jquery.fileupload.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/components/jquery.fileupload.js
MD5: 240236292f36eca6c17aeac05fd73d61
SHA1: fac06f570617460bbc6f377136ee040bebad8828
SHA256:16d6dd6c899f13098e81e50b8f75ef74df0da97ed95cd2759933a13d53dc876b
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

remotegui.zip: remotegui.jar: keyservice.service.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/keyservice.service.js
MD5: f1cc27a91ae66d028adca2b6d897f85c
SHA1: d124c396d8b2c54da75b2bd16087fd12dfe53e54
SHA256:0be96e02f64d28f1ddaa64afe28fa9aa3eb2aa7567242ab9cb54a9b3d2902036
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

remotegui.zip: remotegui.jar: localfilesystem.service.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/localfilesystem.service.js
MD5: 277d95afddcd590e0d141b2d577b5e62
SHA1: 20bcb984e60bdb0a2939939f52951e728a4f0af7
SHA256:07ed33c8a8d0f7931367e1c0138049de8105adefde3fa138dd50e4c7a31f8aae
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

remotegui.zip: remotegui.jar: locationservice.service.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/locationservice.service.js
MD5: 46cec6c60b7272f24587325abda377f2
SHA1: 89b2f6bb29c4a9072e0dde7ad14a901fe105e5eb
SHA256:ae1f0ae132cf4591b41f2ce9ed9ab90b14827ec2007ae485c7b13408b02df937
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

remotegui.zip: remotegui.jar: modal.directive.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/modal.directive.js
MD5: 8b4f5159c55d2de4f772c61b5bf7dcc3

SHA1: 6d4df793d2fbad75c24f62e005eefa9ed62954cb
SHA256:2a5553a5186b68c5f299d2e1f274ba754bf9af25bcea981725d472dd762d9e42
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

remotegui.zip: remotegui.jar: modalservice.service.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/modalservice.service.js
MD5: 4acca3d003e0b03b3f5e384003755de3
SHA1: 1e0cae788079de22547aabb02d319de12adcaeef
SHA256:0ff64d3810936ecaa504005327a4ce6b1d113fc762a15ad24874427cd51fe144
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

remotegui.zip: remotegui.jar: moduledragdrop.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/moduledragdrop.js
MD5: 3958a1734972672ba1c124b1ed886668
SHA1: 4eb0ba0abaf32269baf7023edcaf12cc623783d3
SHA256:10d5980e1ab5d292009b20fd37d4d53367a0f76a55bd04b545074ece66d20a25
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

remotegui.zip: remotegui.jar: navtabsoverflow.directive.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/components/navtabsoverflow.directive.js
MD5: 0ce7f7b7b6a5a148404b16e1962caf60
SHA1: 8ef17d2fe2fe1832fa5c49d6d65b6ef5fb1b7bdf
SHA256:b3557a1661a5cb1508bb1654d46bf5938bacaad8b4dcce03cf86d729793bd47e
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

remotegui.zip: remotegui.jar: ng-tinymce.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/lib/ngtinymce/ng-tinymce.js
MD5: fa3aa2ac8be2d68b85dbf5577d159de7
SHA1: 8f50aa02f73423a054955bcbb8cc04a19abeda22
SHA256:3eff1fc4e1a4233c840ee575812bec93aabd2e88d04e03d291d6fb3982434444
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

remotegui.zip: remotegui.jar: numberUtil.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/number/numberUtil.js
MD5: fc50f41d150aa956d3405cf5538d0ef8
SHA1: 36dd5feae806c1dff8a67fd8ae4c4b4ac8d590b1
SHA256:0a6ba6dc2719ab3741995db471ebc7e94594f837227eaad277bec79785ff9eb5
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

remotegui.zip: remotegui.jar: numberValidatorUtil.factory.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/number/numberValidatorUtil.factory.js
MD5: 947bd87a3346f4361a6bdf6b86004441
SHA1: 78cfcd42fbc4a1183e2eb7e638187c56d809eded
SHA256:6604157155c49c84813a29f51c89129608ca164104d19e4b87119ffb8b3423be
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

remotegui.zip: remotegui.jar: ocLazyLoad.jsloader.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/ocLazyLoad.jsloader.js
MD5: 6efc2b278388ff3b8fd01d214f68de95
SHA1: 1d366d752be481f2502ad6e928bf443dc1bbc11e
SHA256:7c22d04e3e40f316fe62e2df4c73ffe9ca1fc552117386466972ad8a524b4154
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

remotegui.zip: remotegui.jar: ocLazyLoad.min.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/ocLazyLoad.min.js
MD5: f2d4908265b909369078aed0cfafffa3
SHA1: 2d19edef03246ca520c6b3d658e75fad0d791695
SHA256:a5f7c8f4292aba0f63174bbb86fef9e919d97ed72f80857e83065c66ddbcb5a4
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

remotegui.zip: remotegui.jar: pageablenavbaractiondropdown.directive.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/template/js/pageablenavbaractiondropdown.directive.js
MD5: d1feb482374e4058601ab2f7b89adab6

SHA1: 3c5f495653d3856460bcd8ff62dc530292fe91a5
SHA256:ef9d71d87d4a4d8f2222fb5ce1f9030667e65a51b42e7a65ab47139193909983
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

remotegui.zip: remotegui.jar: paged.filter.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/components/paged.filter.js
MD5: 620885e608d87c0af2184057fa716019
SHA1: 99aab6b764bd796a4fad0b23da057c07f0a173bd
SHA256:7838a62ddb112a36d3f6b3ca85606aa02bc913e5551e40a1d37a2a7411f67c88
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

remotegui.zip: remotegui.jar: pagination.directive.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/components/pagination.directive.js
MD5: 9072dd128b777cbe8c9a3f5cff6d1ffc
SHA1: 9aff2deccd8bd06b84530f2759b5d3708496680c
SHA256:fe2e2a1a9bd791563352ef8b3350fc0bde4b50ae191a675e4a0fb5d592389778
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

remotegui.zip: remotegui.jar: piechart.directive.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/components/piechart.directive.js
MD5: 57b1a6b4c82b90c7ae6728361bfd83aa
SHA1: c4010db7bf32f2263f721e7d0642b0e4e99b7e2c
SHA256:514ec005ce503ed102e409c830b71a04afda4dec41d04cf23e4a80f6e1def184
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

remotegui.zip: remotegui.jar: popover.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/popover.js
MD5: 24e950e89aace08f1aaa17fd06bb396c
SHA1: 1b794fe5f9c1c3015159425162f6b3b167ff1665
SHA256:4deeedf673d7fc514627d7ebca5d4595a76c7d11d9cf3bdeb720dd6f663666c6
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

remotegui.zip: remotegui.jar: pwa-service-worker.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/pwa/pwa-service-worker.js
MD5: 95a33b245d3237810fe50090f6719728
SHA1: 1092e1c782d256a86ba9034dfc86b2af50d31117
SHA256:933121280fca1f5ea88c243ffeccbf998a62fdc3b62b5ca70875a990c18c9edd
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

remotegui.zip: remotegui.jar: pwa.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/pwa/pwa.js
MD5: d5f6fdc8eb151d3a71ca5eefe74f6dd9
SHA1: e7e28c16da057e3d23295da872a11d99239f67cb
SHA256:cd0a4ccc24239ef74ccf067d2eac8ac8989524fc41b0e7ce4946295f92a75b72
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

remotegui.zip: remotegui.jar: qrcode.min.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/modules/reporterror/js/qrcode.min.js
MD5: 4b36f8e71a871112384d908a90471a76
SHA1: f103f61ed24f3dd86bbee1aecb91ad4ff0a15282
SHA256:6afbe1ebc2ba9b4bb0833f9f55c4eb80edb582903ea9611a9be49633a7aa3b09
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

remotegui.zip: remotegui.jar: rangeSlider.directive.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/rangeSlider.directive.js
MD5: 8f0195ad048023303ca75052988a2958
SHA1: f30f14dce0300f317db5ad815d452dccf20c6726
SHA256:20efc1b10baaf76c2d287f1553ab7650017d266804f3c8859c8abbfd89e3766f
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

remotegui.zip: remotegui.jar: resizableDivider.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/resizableDivider.js
MD5: 92155894052072c1b3585f3f378ed64c

SHA1: 284e63d9a8d92f3227dabbba220ce81b406fd5f7
SHA256:46db0e3c06217214be457419fa2e4a0df6dfbfa6424e163b2c9315162a9711a7
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

remotegui.zip: remotegui.jar: scrollabledropdownmenu.directive.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/scrollabledropdownmenu.directive.js
MD5: 6d4112ef908310750bc9abb11d9a0c63
SHA1: fe21a1d0063252eef334f9885461edc8a7d69f2a
SHA256:5bdf53db43994e8684d4c4cf0dae20ba09de34e84aa902fcc0e9f68ccbe913cf
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

remotegui.zip: remotegui.jar: search-panel.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/search-panel.js
MD5: 62e0a4cb45cdf5cbb82f93ee7c43f679
SHA1: c9bece27698f9e7c6f272a2b83425f6e4d73c0ef
SHA256:e93b61232ebe9eae031c84bccd6eb15b7fb360a8ddd65b7c910ccc93ded13ece
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

remotegui.zip: remotegui.jar: selectInput.directive.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/selectInput.directive.js
MD5: 94814e3d56c2235cb31d6bc6ed5f92d7
SHA1: 4619d613f58383a0bc148f0da510fdc6a4a32fee
SHA256:53afd5593d387bb8bb0730e2625220a66c60b62106d730f9177f84963ecda0e7
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

remotegui.zip: remotegui.jar: shadowLogger.factory.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/shadowLogger.factory.js
MD5: fa91436385b8994b55a7d310d63aae1b
SHA1: 6dcf22bc7bc7561e394ab64f4cd68935378b77cb
SHA256:99d32693c3484880d4e331ee348efbf9a6c37f657a63045a1f50ef3e8dd3d60c
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

remotegui.zip: remotegui.jar: sidenavigation.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/sidenavigation.js
MD5: 41e61e3b773bf6851e57056ebf4cbd3e
SHA1: ccf7dd4e2a531856e99cc4865ae92a4ce80db8f4
SHA256:ccf467b7d7629f106d0bf698be444ba56a7a1545c5118e5bdad132c177241323
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

remotegui.zip: remotegui.jar: takeoutDataController.controller.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/takeout/js/takeoutDataController.controller.js
MD5: 82d1cec699a839f96167893738956807
SHA1: b0c88a87252c6c7c558b366e8f8c8b85179cd354
SHA256:48b31ddfab8b1f4607a020ba89e0cc44d41fa7d29e440224d794f494186a70d6
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

remotegui.zip: remotegui.jar: takeoutDataFactory.factory.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/takeout/js/takeoutDataFactory.factory.js
MD5: 4c2e4791571aa7c4beef1d13e162b700
SHA1: 72b5880e8daf6c9ff20aa30132fe79c7f4868ca8
SHA256:7cd1066a0db5c12af802b239d6d2b1d0afa29c5417460189ae5c22f5c6c3484e
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

remotegui.zip: remotegui.jar: takeoutDataModel.service.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/takeout/js/takeoutDataModel.service.js
MD5: 6bcf8a37b4157e9c59412040d832b2e9
SHA1: 12b1e7fb37e1533e850a261eb24e5260e42368f8
SHA256:9a256e7e32f5971e086b0aa0e02d74c9b128fa2b2700a957af0282d8a1387d72
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

remotegui.zip: remotegui.jar: timeInput.directive.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/timeInput.directive.js
MD5: ba7319d83a3bcc33e0019d36fdfef0d9

SHA1: 019c707edf3c03914faea76cc116043f51a55ca2
SHA256:ae9ff67469f81911d87d69f7e89d7651b2517673b0a1538f04fb64076f5d0c70
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

remotegui.zip: remotegui.jar: timeInputContainer.directive.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/timeInputContainer.directive.js
MD5: fbc7a8c9f4e3a3cc38d7659d83a6c29e
SHA1: 6b62e43062fdea0d9a6d7dc537e8be85787990a0
SHA256:13eb8eba0cfd94da346f8cd131a4f90c98261fd83473d80c6c4b98529dcb7e1c
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

remotegui.zip: remotegui.jar: timeMeridiemContainer.directive.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/timeMeridiemContainer.directive.js
MD5: e1458f3e6ea63204589509e5237f5c31
SHA1: 0a3f9057c78f591a1bb4086e1910af248290e689
SHA256:b9663e93c6051a50803d0425bf1da08bb6079b7eaedfbbb88f073880cd833088
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

remotegui.zip: remotegui.jar: translate.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/translate.js
MD5: c21b1ca3aa6cbb690bb2f2720074a41a
SHA1: c13b04d1326ca083b29db9d793485f20cb13a62b
SHA256:17aad88363a3786e6b33a5f24c20319d26b18093956482cf4c1ac94f6f9b0de0
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

remotegui.zip: remotegui.jar: unitFixNumber.directive.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/number/unitFixNumber.directive.js
MD5: 29d24835a3a3f09d56371f64a9e5501d
SHA1: 74508076d24cd85f342390ee1809e2bb70f48839
SHA256:6a20d4eca5c69740c0fa2f99c209aed92ffa49c48848e3ff63ab6fc9b2f6ac32
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

remotegui.zip: remotegui.jar: unitFloatNumber.directive.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/number/unitFloatNumber.directive.js
MD5: 1d3c2d9b2853e77c53b7f755e4f82bc0
SHA1: 56134dad87141744f8fee3574ebde43a96484ce5
SHA256:dde76e45fa7be7de9e04b3eb5a33954d8c2470636fa945458c08031b593b7492
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

remotegui.zip: remotegui.jar: userservice.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/userdetails/userservice.js
MD5: 8b519101d8b11cdf9b3981d47452b48e
SHA1: fa4b18f4979b804b3a6312eb8c851f050789e244
SHA256:87668f5830e7c8ce1c26eaee7c671a78e3c3116971e6f11c18d7bd6c3ae7ba8d
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

remotegui.zip: remotegui.jar: usersorgroupsselection.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/usersorgroupsselection/usersorgroupsselection.js
MD5: ba532f7f8d9ad9ddcd5e43589c875a9f
SHA1: 878776cbfda46c3ba5b5c4c2340576fbab6ea109
SHA256:7e213a45192881f06c8f3d521d02f32a8c380bb2c4551c6d1c527f4afceba266
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

remotegui.zip: remotegui.jar: usestrict.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/usestrict.js
MD5: 8e742d11d6b24c401e35f3b516726584
SHA1: 89b72153bd7e6390415ba25b9b5fbe750e6e16d5
SHA256:8e8cc72e61ff6f6c0c945a976756d112732c499cd64fc5b207bb213fc84a1e40
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

remotegui.zip: remotegui.jar: websitedownload.renderer.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/modules/website/js/websitedownload.renderer.js
MD5: 997a09bf4e3740f123d6933770b57ed1

SHA1: d59541fedeba1aa388dc41757bccde3f35324d1a
SHA256:53a3d1d2454b0730a885b126c853b9ee7a53ff1e01266fc2aae4b758fa1dd7a3
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

remotegui.zip: remotegui.jar: websocketdataservice.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/websocketdataservice.js
MD5: 1cc96c975f832a236c163c562ffaf922
SHA1: 414e1e26600a6b724a30d9270560ee8e0e51ef8e
SHA256:ad0eaa536d38b479cd06ed54e6f630fe029710af48ddd47c7ec63796be119cbd
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

remotegui.zip: remotegui.jar: websocketkeepaliveworker.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/websocketkeepaliveworker.js
MD5: b378595229f68cdd9acc7775a85e3746
SHA1: 5eb59a40044f9cfb861f3c39cf4969cb7e969323
SHA256:d695e751ea4e77b998aefab636299872246f04af2b189623dde151cce2fca67d
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

remotegui.zip: remotegui.jar: windowdatarestore.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/windowdatarestore.js
MD5: f9cf627d8040037181eed0b792258784
SHA1: b308fd5ef5d759a9891870ce0b9ae57e62fe338b
SHA256:c80f708b2a3dcd3c44dabdcbc44165276c349e1226024fc40683a5ba68f03035
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

remotegui.zip: tinymce-languages.jar: ar.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/tinymce-languages.jar/META-INF/resources/webjars/tinymce/5.10.9/langs/ar.js
MD5: 0f886efdc70323a44979e1cefce05038
SHA1: 9d6816b96f0b595631ec3f0a8ef095b79d2aadc2
SHA256:7f3e6c66626d88d970c57d3883e155c93d97cf378b6e8b27c3e0294eaf1c3cd2
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

remotegui.zip: tinymce-languages.jar: bg_BG.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/tinymce-languages.jar/META-INF/resources/webjars/tinymce/5.10.9/langs/bg_BG.js
MD5: 4e9304054a5dba87c44a97301ad66b18
SHA1: b4c2faa214f8b1439ad6fcbf25064557a609cdff
SHA256:b1430ba8c8ffca397dccb798611def8cec0ebd83965fff5fb0799090aa2c8f12
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

remotegui.zip: tinymce-languages.jar: ca.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/tinymce-languages.jar/META-INF/resources/webjars/tinymce/5.10.9/langs/ca.js
MD5: 089ce05c476ac2670a3e7191e27cac9a
SHA1: 1e076c780755f0ca6dc33f275f615cd3bf4480ca
SHA256:41d6c5ca9f26f3d51b65ec32dfc001eb5b31dba3b7ebe634fe722115ff449c94
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

remotegui.zip: tinymce-languages.jar: cs.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/tinymce-languages.jar/META-INF/resources/webjars/tinymce/5.10.9/langs/cs.js
MD5: d10d9585dcd93ae57323c6a655aa2c3d
SHA1: 9349c258353e88585b5400726f66d9d49b329f26
SHA256:f876fc46225f5d756b7c93868a122d13ee141f32b4083c7f7ef6592b9004a059
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

remotegui.zip: tinymce-languages.jar: cy.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/tinymce-languages.jar/META-INF/resources/webjars/tinymce/5.10.9/langs/cy.js
MD5: 2a0728ef1086a55e02eb37af4eb5b0b1
SHA1: d35bd8d1c3c3397fdec0db042d0c0c17ea7fdaf9
SHA256:df7b1c6f8cedac1f23dd1ab8c9f180665d66c7325eba121dca192c18a06f58a9
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

remotegui.zip: tinymce-languages.jar: da.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/tinymce-languages.jar/META-INF/resources/webjars/tinymce/5.10.9/langs/da.js
MD5: 481aa7c5d1ceb5a94c54bd71af91b607

SHA1: fa4a7ecb526f6b215f8da7853dd2326a99838c06
SHA256:440828eeb73162291e2f8eee67763d7e34039e5b9fe4d4ad506a521e48fbd438
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

remotegui.zip: tinymce-languages.jar: de.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/tinymce-languages.jar/META-INF/resources/webjars/tinymce/5.10.9/langs/de.js
MD5: 42f1476160d0c1c8da694470a77af56a
SHA1: 4862a9cb5f4ed83a312bcc769d520440f1f95a0a
SHA256:bd997ca871108f0124849619dc28981047f7e7a1ade9360e2d258a3a86ad02af
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

remotegui.zip: tinymce-languages.jar: el.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/tinymce-languages.jar/META-INF/resources/webjars/tinymce/5.10.9/langs/el.js
MD5: 5416576d60c441187a77aae0846865ba
SHA1: 0f11a7714c7e4da72cd55dd70f5dbc2f0829f8fe
SHA256:970b4322bdfe3fedb6e4544b65a9684099e82d208a6c2ad86e6550fe2d79543a
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

remotegui.zip: tinymce-languages.jar: eo.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/tinymce-languages.jar/META-INF/resources/webjars/tinymce/5.10.9/langs/eo.js
MD5: c1f238debe6f92e597d18890a9b9cf39
SHA1: f10c044ef2e30b353442bc536c3c6302f83b42f4
SHA256:c316804de553f2aaa5c7724f0e1a8e2f1aaf2b7342f236358a7e12365e212384
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

remotegui.zip: tinymce-languages.jar: es.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/tinymce-languages.jar/META-INF/resources/webjars/tinymce/5.10.9/langs/es.js
MD5: 833bb31f5d452f0b036f558304f7bd43
SHA1: 0c34ae192edba65fa21b762ddfda7226b129c8da
SHA256:f020e09f41ca04101127c4236b44d0d5b4938587f7449421b38f666ba9159ed1
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

remotegui.zip: tinymce-languages.jar: es_ES.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/tinymce-languages.jar/META-INF/resources/webjars/tinymce/5.10.9/langs/es_ES.js
MD5: f2bf4385f9ac938c22d699caa13805fd
SHA1: 08cd53fb716153b4a47d34b2181e53d49ea45a36
SHA256:b2356afb30584c7359dd65ceffb42296b0e420650033e73422be09da30511cd0
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

remotegui.zip: tinymce-languages.jar: es_MX.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/tinymce-languages.jar/META-INF/resources/webjars/tinymce/5.10.9/langs/es_MX.js
MD5: 0d9bd141cec3e0a3c3b32d6dcf0a1739
SHA1: 976438b6d6a826cb437a4a7be47a6ba4c107be73
SHA256:8be7384d5888618e3ef7ea227c3f10cb0533db5f01fd8ecd75309cf0652008ec
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

remotegui.zip: tinymce-languages.jar: eu.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/tinymce-languages.jar/META-INF/resources/webjars/tinymce/5.10.9/langs/eu.js
MD5: c674049d2a4b1c0c2bbedb9f5e519858
SHA1: d8458d8d1c93154c51a0d724785d972506cdf2a1
SHA256:3942f6abba9679f58ccc36ba38a1f3fd6ec5a5824fb2910a3b3a922c740d1df7
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

remotegui.zip: tinymce-languages.jar: fa.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/tinymce-languages.jar/META-INF/resources/webjars/tinymce/5.10.9/langs/fa.js
MD5: f4242d89d4890093b57c6435a0feef5d
SHA1: f84cbc6d12884492dcae0bb2fb25de3bd8a54fcf
SHA256:1465f18074f43b691afb310e5dfdbb8f4f1d70f5817e5e26a1ddd23753ce962b
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

remotegui.zip: tinymce-languages.jar: fa_IR.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/tinymce-languages.jar/META-INF/resources/webjars/tinymce/5.10.9/langs/fa_IR.js
MD5: e2e4fffe84b41b1763eec91c0d41c879

SHA1: df983f084fa4b2acbbaf8c2f42e2e9cb981645f8
SHA256:019a970f6414584cd6e87515d3fe7dff153c9fc49dbc7a7bbc25b33803f19b32
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

remotegui.zip: tinymce-languages.jar: fi.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/tinymce-languages.jar/META-INF/resources/webjars/tinymce/5.10.9/langs/fi.js
MD5: b5688fed7ee5c373ebb60f499959b374
SHA1: 07eced4202e01f9fe821ff7a917b65917cd814f7
SHA256:1f1e100752101230f1b10717f8ea615f816388a79dd5ad1c47605c553f9ad935
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

remotegui.zip: tinymce-languages.jar: fr_FR.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/tinymce-languages.jar/META-INF/resources/webjars/tinymce/5.10.9/langs/fr_FR.js
MD5: 39a6068252db59fd4692c3ddb15a5707
SHA1: 8b7cfcf0ed4fccaf10ec9ead72c39ea6f566a4c9
SHA256:0eef8817097810e7cbfe4ca46e9347b2e14ba0d2c91bc02d0f217ac6a2bf6bdb
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

remotegui.zip: tinymce-languages.jar: gl.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/tinymce-languages.jar/META-INF/resources/webjars/tinymce/5.10.9/langs/gl.js
MD5: 4c87b5345d76e5fb9fa24d89824cbfda
SHA1: 46bae6aaf29f1d534c0312c9e8c5f8934e9196bd
SHA256:ae5a04893fc2f1900a2358fa8b43134f8f69bf72a4e7b2be58344296a788be38
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

remotegui.zip: tinymce-languages.jar: he_IL.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/tinymce-languages.jar/META-INF/resources/webjars/tinymce/5.10.9/langs/he_IL.js
MD5: ab3335919ec5e713be56b82a8df6252f
SHA1: 4b9a0a979384da17166919e5f584a59226244a97
SHA256:c411d772751ae83c939e62ee23459abf33465b9f364b89fff5d1402591eee2a5
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

remotegui.zip: tinymce-languages.jar: hr.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/tinymce-languages.jar/META-INF/resources/webjars/tinymce/5.10.9/langs/hr.js
MD5: ab6217dad69a25ec43e59f1a76b0c060
SHA1: 9e7f2bd0909ead0e63258d24b18cbe5c1d79c44a
SHA256:02002bcccf9d9a73114794022ac7d48d0a4b9acb0ae1094b98a001cda06d9543
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

remotegui.zip: tinymce-languages.jar: hu_HU.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/tinymce-languages.jar/META-INF/resources/webjars/tinymce/5.10.9/langs/hu_HU.js
MD5: 2afccb31e0cdea6f08c23750f5531a3e
SHA1: 47b7ffbe8714c92446e18065bb622ffdabfca060
SHA256:795f98a9f97ea2a3a0edf1056ab6dd697d9138a8cc7d6c0416a24b293c79751d
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

remotegui.zip: tinymce-languages.jar: id.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/tinymce-languages.jar/META-INF/resources/webjars/tinymce/5.10.9/langs/id.js
MD5: 804ca5c83b16e8aa31011340aa43cfde
SHA1: d85239b65123d712897c0b9705b1d75140320b6a
SHA256:ee0a95c92105fea050a683bc2b617332366e3f5ffda2f5b4a4df6b558ccf210e
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

remotegui.zip: tinymce-languages.jar: it.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/tinymce-languages.jar/META-INF/resources/webjars/tinymce/5.10.9/langs/it.js
MD5: 2307d7e18f4d82323f8460b954366d6c
SHA1: 2dd5945ec46a5fc412a03dfe3e706096169cb50a
SHA256:853effa3129e6856e7c555788753721d89c48efa7f35536ef08fd9d5e2860b68
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

remotegui.zip: tinymce-languages.jar: it_IT.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/tinymce-languages.jar/META-INF/resources/webjars/tinymce/5.10.9/langs/it_IT.js
MD5: f5f75ba5738d186bea305abd351699d4

SHA1: 80449c059f59ab177abe08deb15d2a0fd55b25f3
SHA256:5bd51b8d9f3bb9fa4c44b54df600ba4468c16511f8272c5c30f816dea88cebd1
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

remotegui.zip: tinymce-languages.jar: ja.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/tinymce-languages.jar/META-INF/resources/webjars/tinymce/5.10.9/langs/ja.js
MD5: 7199e3d236184cf0a06a219442b578c9
SHA1: 16add7d88b9628d906e62a8b7d88e52057b93e29
SHA256:f250108ef667f96cf5b0e8fd061e15306267a23d9f0d6d06ac3443e268a542d9
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

remotegui.zip: tinymce-languages.jar: kk.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/tinymce-languages.jar/META-INF/resources/webjars/tinymce/5.10.9/langs/kk.js
MD5: adf69e41309e0553b26d71ad07cfbb92
SHA1: 6dad67ba7364db9096844dedf946a13d8e796109
SHA256:97e466a88551bac32d4ac08dd86dee6d8db34d763ec9c9c2db42044299f79280
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

remotegui.zip: tinymce-languages.jar: ko_KR.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/tinymce-languages.jar/META-INF/resources/webjars/tinymce/5.10.9/langs/ko_KR.js
MD5: c60c7a4d77abf22380711ea8c1982bb1
SHA1: 631fe4673b89932fc6855b13284f22febb9a1d41
SHA256:66fb29bdfd16163298e024e448a6774d5ddc1b4fff7e6683173ad2e6f20f2dbd
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

remotegui.zip: tinymce-languages.jar: lt.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/tinymce-languages.jar/META-INF/resources/webjars/tinymce/5.10.9/langs/lt.js
MD5: 2219c653129ccc476847f054786ec676
SHA1: d6ef2ce6c2d82e07fe9e59cc2d22f3767ac94625
SHA256:22195ef38c08fdbee31662434b50c6928b10e0adde3d0d86cd10a72230304e9b
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

remotegui.zip: tinymce-languages.jar: nb_NO.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/tinymce-languages.jar/META-INF/resources/webjars/tinymce/5.10.9/langs/nb_NO.js
MD5: 0a7352214f0ce32fcd9c1e6522df1bbe
SHA1: ee23293fd4b9972547400cf4a3249a2059b6b165
SHA256:944131baab48a0af7fa0aed2c8bd2ebb3e9064b3772712f22e976909914971f0
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

remotegui.zip: tinymce-languages.jar: nl.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/tinymce-languages.jar/META-INF/resources/webjars/tinymce/5.10.9/langs/nl.js
MD5: 6f571210666a2f5e6337080e579baba6
SHA1: 836f979abe265e75b745b723288058a708392756
SHA256:7f5b894c53f3e6cdaac59ea898930837fd21369800ab6d16136427c7a773916e
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

remotegui.zip: tinymce-languages.jar: pl.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/tinymce-languages.jar/META-INF/resources/webjars/tinymce/5.10.9/langs/pl.js
MD5: e250adf7e075ad1f30905b07ad627631
SHA1: 3c4f16669f023e06b0c6a3527b7465c67b57c90d
SHA256:a22b468acd116dea2dea78bd49ea798fae8e5ca8c09af7afded580fb77a19171
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

remotegui.zip: tinymce-languages.jar: pt_BR.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/tinymce-languages.jar/META-INF/resources/webjars/tinymce/5.10.9/langs/pt_BR.js
MD5: cc070dfc893595619ae7c8e5349376ce
SHA1: 147966d1e0e89574988c516b1debb37add6df970
SHA256:dd8b585165d8ba7f896a08bf038278f0f0ca7bd9e4ecc80b9c1c7a8bcc2881df
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

remotegui.zip: tinymce-languages.jar: pt_PT.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/tinymce-languages.jar/META-INF/resources/webjars/tinymce/5.10.9/langs/pt_PT.js
MD5: 4dd1d7b30c2fd8e55f9880b7581977c5

SHA1: 11642b53c34e4ca6a5062cd3077ed4f4bad123b7
SHA256:de802efbfdcb321426edb9cde7e6422597bdf15c173b116afc097298e96bdfc4
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

remotegui.zip: tinymce-languages.jar: ro.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/tinymce-languages.jar/META-INF/resources/webjars/tinymce/5.10.9/langs/ro.js
MD5: e23437166aef4c09b1b704399f8aba35
SHA1: e9bdcf37aee82113f51cbe365ed71cf0b28b7b8b
SHA256:f9337551af759ed5b346f36393b77800d9cfff670e830decdb3908027f49852c
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

remotegui.zip: tinymce-languages.jar: ro_RO.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/tinymce-languages.jar/META-INF/resources/webjars/tinymce/5.10.9/langs/ro_RO.js
MD5: 3f2950ecf56ad7a4afda95cac7e2bb65
SHA1: fa5af1a474a2b0e73af2dcf25d7b2446ccdacfbd
SHA256:2d4ed665899adbe9e64a5aff8a5d686a320935e0fcac8ad5d41e1061abb0343c
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

remotegui.zip: tinymce-languages.jar: ru.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/tinymce-languages.jar/META-INF/resources/webjars/tinymce/5.10.9/langs/ru.js
MD5: 511a44e58e8fc2713a4544de603ab7bd
SHA1: 06132cf2444c50c1b3910bbbf82902444128f8ed
SHA256:3fc08c1c46f210eeca7a90d384b4ba7ebf4d9655beb3b7b87e597f1e9608043d
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

remotegui.zip: tinymce-languages.jar: sk.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/tinymce-languages.jar/META-INF/resources/webjars/tinymce/5.10.9/langs/sk.js
MD5: 1b3c7faef9a1e74b2b8f0543732da813
SHA1: e9b96981febbd3d364add8502420c656621bebad
SHA256:bcf6c8f5e62ee6dd60ebbd78fcb002ab1f93ba553d8e0fcd980c5559da6dc787
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

remotegui.zip: tinymce-languages.jar: sl.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/tinymce-languages.jar/META-INF/resources/webjars/tinymce/5.10.9/langs/sl.js
MD5: e70856ec865c4becf6af5ee48190ed91
SHA1: a0271f39bc7d4a46c9b5b5377ee4d1eae45c6518
SHA256:0917a76a02bd84a46cd31d22a4486fc15fc5217b0da405faa980d3b4513c12cf
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

remotegui.zip: tinymce-languages.jar: sl_SI.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/tinymce-languages.jar/META-INF/resources/webjars/tinymce/5.10.9/langs/sl_SI.js
MD5: 3de18771671f7e28f3df9b68e53552ce
SHA1: 1dd6b41b237df4033169ea3293fd15a36135fcef
SHA256:1e9ac60048fe7e452b59441876289e7a7a42a90820d7a8ef67ac1339e1b9dcee
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

remotegui.zip: tinymce-languages.jar: sv_SE.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/tinymce-languages.jar/META-INF/resources/webjars/tinymce/5.10.9/langs/sv_SE.js
MD5: ed26794df73aa50316d1fffbbf86e51b
SHA1: ba4720adf16d253917e5718508b9d261ff317d85
SHA256:9ddd42e6af9c413ef5e26c9b69b2f5620bf442c1cd7005bc56c1380e4b6ac7b9
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

remotegui.zip: tinymce-languages.jar: ta.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/tinymce-languages.jar/META-INF/resources/webjars/tinymce/5.10.9/langs/ta.js
MD5: 28baeda3ba8aad2c457984c138420160
SHA1: 8ecfbcc9693bef79e05fbde679c6576327bc1f55
SHA256:ecb0d22d12a6262265057d41923a35430e18fe42f4b7f1d12e3fe3ec52cb7cfb
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

remotegui.zip: tinymce-languages.jar: ta_IN.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/tinymce-languages.jar/META-INF/resources/webjars/tinymce/5.10.9/langs/ta_IN.js
MD5: c245824dc4a046048a23355d513b545b

SHA1: 064cb44b3e558377efaaa14af781563e18d184e6
SHA256:b601b126c40b5c19c89a4e7724ddad003a7db0f41357c12cbdb0be440ca6f8e5
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

remotegui.zip: tinymce-languages.jar: th_TH.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/tinymce-languages.jar/META-INF/resources/webjars/tinymce/5.10.9/langs/th_TH.js
MD5: 5f149677f7303a92c615738a19bd43cf
SHA1: 3f4882111c0163aa3f1189ae12b9cbab25b9ff3c
SHA256:6d1838ea80df11333cb5844f5ca276ac6222481e4e9c4bf1d5c5484d8e05a67c
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

remotegui.zip: tinymce-languages.jar: tr.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/tinymce-languages.jar/META-INF/resources/webjars/tinymce/5.10.9/langs/tr.js
MD5: 1d942271407e5a9e69b3ec4ccb11ac50
SHA1: 6eac1370cf372727316c7fb02d92cc6e5dd75b1d
SHA256:7e7130921470f315dd16d4cc12dc0ee7c1590671129d22fe5d663bd8b65b35b8
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

remotegui.zip: tinymce-languages.jar: tr_TR.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/tinymce-languages.jar/META-INF/resources/webjars/tinymce/5.10.9/langs/tr_TR.js
MD5: 21a6afe57b91f50fdc2a04d40330ae97
SHA1: 2aa3e1a82924df177c986869e3eb2dbe9e5b33fc
SHA256:ba178265ac4f4d1f4c4caba3d9b04f3c4a4254773dbde4228a68484715b300dc
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

remotegui.zip: tinymce-languages.jar: uk.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/tinymce-languages.jar/META-INF/resources/webjars/tinymce/5.10.9/langs/uk.js
MD5: acb23eed47495327f505e52144615a23
SHA1: 67d20eda3fa76c5327e39093ffc9de28b28e5a6a
SHA256:a057713c5ba1ace10f76f58e4dd6dee88a84d2e78ca957480f5459b21cf5d94f
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

remotegui.zip: tinymce-languages.jar: vi.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/tinymce-languages.jar/META-INF/resources/webjars/tinymce/5.10.9/langs/vi.js
MD5: 5dacd7e85f49ada603617302ff7571b0
SHA1: a1bb8e49ba273ec276154fe04cce93edec4d64e8
SHA256:86da5c88594ba0b5377f5a7e20b04dae1251be817879a47645d60e25cf8e42d5
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

remotegui.zip: tinymce-languages.jar: zh_CN.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/tinymce-languages.jar/META-INF/resources/webjars/tinymce/5.10.9/langs/zh_CN.js
MD5: c3ceccb2b20bc1c32a74b8ee394c399e
SHA1: 970871e70fa9c310de345b1c590335c9a75adb52
SHA256:bbf4bc7f799bd37f6a52eb032b1708583ca401e778a85c0e58cbeed4c71ef3c7
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

remotegui.zip: tinymce-languages.jar: zh_TW.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/tinymce-languages.jar/META-INF/resources/webjars/tinymce/5.10.9/langs/zh_TW.js
MD5: 8b3673b738b3b96f90997fdf09121fff
SHA1: 392e2f7e6a83c9c5f4c187f371f4d0fdafd239a6
SHA256:7868b9dbbae773b768f477746f7d72383603963069426a6281c4d24298160ef1
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

remotegui.zip: tinymce.jar

Description:

WebJar for tinymce

License:

LGPL-2.1

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/tinymce.jar
MD5: fd9f87ce352ee6c8d270db931c0e6026
SHA1: 9174bcf85629c63f7cc55439ff890bb7893fe451
SHA256:26c357c95e53e0d99f3e2b840194cc7d170a31c85de15c6017de976f60919cd7
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence
Vendor	file	name	tinymce	High
Vendor	pom	artifactid	tinymce	Low
Vendor	pom	developer id	webjars	Medium
Vendor	pom	groupid	org.webjars.bower	Highest
Vendor	pom	name	tinymce	High
Vendor	pom	url	https://www.webjars.org	Highest
Product	file	name	tinymce	High
Product	pom	artifactid	tinymce	Highest

Product	pom	developer id	webjars	Low
Product	pom	groupid	org.webjars.bower	Highest
Product	pom	name	tinymce	High
Product	pom	url	https://www.webjars.org	Medium
Version	pom	version	5.10.9	Highest

Related Dependencies

- remotegui.zip: tinymce-languages.jar
  - File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server /plugins/remotegui.zip/tinymce-languages.jar
  - MD5: 47bff91bb6cd602682ddc705ba5872fb
  - SHA1: 06c508488e5d6f2ce5c92aa8b3fa165ca871d597
  - SHA256: fa2ecf575248fc802677c26f54fd5f23a636d496223e1a654f5d6540f6c36200
  - pkg:maven/org.webjars.bower/tinymce-languages@5.10.9

Identifiers

- pkg:maven/org.webjars.bower/tinymce@5.10.9 (*Confidence*:High)
- cpe:2.3:a:tinymce:tinymce:5.10.9:*:*:*:*:*:*:* (*Confidence*:High) suppress

remotegui.zip: tinymce.jar: emojiimages.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/emoticons/js/emojiimages.js
MD5: b7c1a7f3d27f00745fb752c8bcad1476
SHA1: 96af86fa69e17db88d8c1ddbd8dd5af8f01aede1
SHA256:498c4614b7363884c469599aed4290a30c8eb2eebbbf07d5bb16886d8090aa43
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

remotegui.zip: tinymce.jar: emojiimages.min.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/emoticons/js/emojiimages.min.js
MD5: cd8d1bac37c0a70d1d4d2005bf7c4e8e
SHA1: 29651e17ac1dd07e21f81edfaf56cdded37e8600
SHA256:39ede17a1386121cbd7a543ab27a27f2b4dd79c7873377bea577fc0c9e942a8b
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

remotegui.zip: tinymce.jar: emojis.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/emoticons/js/emojis.js
MD5: a64de2c5911dd74a7c8ce92819084843
SHA1: d9b37d490e6cf339e85f0bb008e673c823cc6cda
SHA256:2f086a646d26f121f214f9de1df8c2ac45020e40dba0cbe4d8fd31b1df3381d7
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

remotegui.zip: tinymce.jar: emojis.min.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/emoticons/js/emojis.min.js
MD5: 1f434c25c9c5ee365c94af299372298f

SHA1: 16d23948cbb0716178f14b58e7b50f3869d76307
SHA256:57bb9d32b2a696c30269a8af59d2d13ca7724e501bd054986c9702069acb9b0b
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

remotegui.zip: tinymce.jar: icons.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/icons/default/icons.js
MD5: 9034bf9d33164db799056592af8f8041
SHA1: f48380a7f8ea48f94f20df7526a6dbc33aa802ee
SHA256:cddbc569467f55c984f4236d0e6b7a54b35006c47eb18813ad7ca367b14c45bb
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

remotegui.zip: tinymce.jar: icons.min.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/icons/default/icons.min.js
MD5: 18db240f0fcf5635332dbadd948cc500
SHA1: 4421813e10fd371e67d15dbf74bf748a0a5c1794
SHA256:6c5a69c090aa1418082e7ad5e707bbe6c531269607e080821a7089a16e0f2b61
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

remotegui.zip: tinymce.jar: index.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/icons/default/index.js
MD5: 9c5b7a740ca30e13e64b6a4de5b17c77
SHA1: cf4e63fb059346d52364a6e7592dfdd9b00eb0a8
SHA256:772e5e2b50c2288b47f812cd3219901d992020c71940628b4cdd0ee23f3c8cc2
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

remotegui.zip: tinymce.jar: index.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/advlist/index.js
MD5: 344ca56d8dedfae33380a44b89dfdd1d
SHA1: 2ce6aebe71809802341499202ed673788fc04149
SHA256:0e88dc5e755ed26a62535b443dc90fed27844b58677a97fb1ffa3cccdc6d410c
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

remotegui.zip: tinymce.jar: index.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/anchor/index.js
MD5: dd697e3891ed83de226860a7aa436b10
SHA1: 775e112dbcdb929e3c3ac944f65b91ad9b41dc35
SHA256:199df9a5149e52b35f0fad38f46eca0ccfc98e3c7b09de4a6e3562ed97f8190d
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

remotegui.zip: tinymce.jar: index.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/autolink/index.js
MD5: fa84bd3bd42aeb01da94b784344d4d84
SHA1: 2f2169188eaa6ee85da0c015f878de6ee9bd34b4
SHA256:cf9dbb0d6d43ecab9faa41baf38db169f11d668573349d2d7f879be5868e8d43
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

remotegui.zip: tinymce.jar: index.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/autoresize/index.js
MD5: 00116480a9865b9b84937b8c6ec471ed
SHA1: 9d33c32c4cc484f5c7c011b16157b63f32004e7e
SHA256:f218e9db68e5e70965a405e2c2204ce9711067ae0c277f014844a40f7c7fee66
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

remotegui.zip: tinymce.jar: index.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/autosave/index.js
MD5: 8d9bb78be9ddbce43bfd7964b71678ae
SHA1: e3695d2b623495a93594f23e4132f6226b309012
SHA256:3b68f2f8049499f537ba66c2fa27aa9648aa93a43e81b977dac7ae20eeb803fe
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

remotegui.zip: tinymce.jar: index.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/bbcode/index.js
MD5: bed89377ddde78f2d27067c6b3dcc633

SHA1: e4d0c191e90df0249d2f50c12f9979902581ab1a
SHA256:98fe74eb6872c6e65d9a400d9da7b9b77d6fc4cfbfd7acc0fb9bbe697e43c73c
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

remotegui.zip: tinymce.jar: index.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/charmap/index.js
MD5: 18775f459a8bd073ba47b3ad3e2f6bdf
SHA1: f991e9bd8cd4912b0cd28d806beb7c1a4ec6c8c0
SHA256:1701e8a9ccea8f198bf323636b8ceeb6dd8972625d07b466f92c65b16fc635bb
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

remotegui.zip: tinymce.jar: index.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/code/index.js
MD5: d2db687200588ab654afd39728df329f
SHA1: 55bfce05960107cf42e7d3687e330a3f42164c23
SHA256:defd6476de2e2c8f411eed38d53a774d52c7408565280806bcba0bc32e98192f
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

remotegui.zip: tinymce.jar: index.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/codesample/index.js
MD5: 23fdb57b1d401abe9ff929ab26ec394e
SHA1: c3f3fc7e21c7627247fcd2069ebb3a36bc755c0c
SHA256:60856a5c13ac87dcb4e3ecea3ce3eefd47e348c4b696b5b74f0be9766cbd1f08
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

remotegui.zip: tinymce.jar: index.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/colorpicker/index.js
MD5: f1771fdd14cab627310b813da43fa5ba
SHA1: 30f7ba13c981711ac0f84662dbf6c50e2af6c27c
SHA256:15de4cb9a7437d15f6631509fd379df2fdf4cc6c6c35dfcaad47c87e899e96b0
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

remotegui.zip: tinymce.jar: index.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/contextmenu/index.js
MD5: 92e19a31db91abb704ccaa13cc28b766
SHA1: 8fe36efc411a29d7579d3754f039ff35786c2e64
SHA256:f24829122684173e779bcdf89afb1736b6cad304d08b002698753504db32b80e
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

remotegui.zip: tinymce.jar: index.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/directionality/index.js
MD5: cd2c90f18e8c7d1215bc4ede4a2ed3ff
SHA1: f16e46d6103a081937651c9824bda91c37906e86
SHA256:75a8d057b97663fbdb36db445ac97baedc0d4ca3948f4ee6ee5a45ca56c6fc5f
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

remotegui.zip: tinymce.jar: index.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/emoticons/index.js
MD5: 57e489f4ab69ca17dc7c95aef7052d88
SHA1: b665f4f4f94b9a2aab91235965d594b8932e75be
SHA256:5b3937addd68158ae4add69fa47d2c47ae49ce17165a08dc7ce26f376979126a
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

remotegui.zip: tinymce.jar: index.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/fullpage/index.js
MD5: f5837caffaa3ead2f0b68daa0463cac0
SHA1: 6acc21854086d6155a19b3c1060ab5dbd98251b7
SHA256:b1d2d7667f4be6d981f9fd5f58219a414d83c4068cd77c3b0c9d2fbac6ec90f1
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

remotegui.zip: tinymce.jar: index.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/fullscreen/index.js
MD5: 2a071ce05b6865fc1a874f298b920e9e

SHA1: 898dd0ec802d60ee716f9ab55401720dc05840d0
SHA256:ecfc6baf3a081373dfc60f97efc1f14f7a6840f398ee8dee57502ed547370190
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

remotegui.zip: tinymce.jar: index.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/help/index.js
MD5: b7c64e9d5f9003aacb929b6944987c2e
SHA1: 92f87e4057b89c4faf476fc34898d688fea0b52a
SHA256:90ef3eb5f05933c63e52ac470156c1eee495583b1184ae9a6abc8702e9685b36
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

remotegui.zip: tinymce.jar: index.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/hr/index.js
MD5: 95e49e5a2cd979c3e7345c78d2d15779
SHA1: 48a187d6a5e4539029a140c36b3b1010d3473975
SHA256:1dbf6d7a4b2d4cea2135823eea377fd6052a510cca33935d23f4f58e3d49af98
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

remotegui.zip: tinymce.jar: index.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/image/index.js
MD5: 27415d3d43098d4bdb48c6c45c15e08c
SHA1: 5a081de74c9d2bf97decb82753cbdaad6366db76
SHA256:ba0e02cc9a0a8ab32790d825b0711c27452e297c4c72c8479cfd00c00a228c36
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

remotegui.zip: tinymce.jar: index.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/imagetools/index.js
MD5: 1fcdb4ed72eff27ef54bdd585e306d29
SHA1: 00c9be7d060282e6d5ec5d0779b977275c28b8b5
SHA256:3a075c96ab9819e53918f2fdf308f1390e339cee21755ea4112c71a9d012b53f
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

remotegui.zip: tinymce.jar: index.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/importcss/index.js
MD5: 2409fda93c2625fad2c9dfffe31b1473
SHA1: 39d57c8b02129997bf23302916dd7166c3726a43
SHA256:da3a35bf760696421d5dee9795c287730c310cc56f2f955ef8d7418f243ea5ef
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

remotegui.zip: tinymce.jar: index.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/insertdatetime/index.js
MD5: 4ece334f6233df3aa3e5becbfe1f9a8e
SHA1: 6734731b620634cbfa9a06a57d3ce35f3c24296c
SHA256:6a58d89cb41c85fe3ec472376fcdaa55bb875b6397a054bf4a3d53e7734fd440
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

remotegui.zip: tinymce.jar: index.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/legacyoutput/index.js
MD5: ccdb9783bca4eebefc56e308b5fd8169
SHA1: b1f84b1fa17eae3d22bb380a22eff3efea2e7fa3
SHA256:a6ad834a6a462e968bdb77190a1d8660d3bccc4e5b55b905420d6c6a1707cbeb
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

remotegui.zip: tinymce.jar: index.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/link/index.js
MD5: 5837f9d0ed7b2cc610dbffa6a7d7dafe
SHA1: d3d6b6d764556d547dfe70694b8e26bbeabd4b8a
SHA256:393a397a9577a88039217240518250 6aeabc1a368da461853f6fd98c19b96292
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

remotegui.zip: tinymce.jar: index.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/lists/index.js
MD5: 959bf9c345e983ce032814178b94cb09

SHA1: adc80fe2030cfe121d120440dcf49498f526c7af
SHA256:8ca0f39fb279b30498948068be734b8a2a2178e32b094b98931622ee4c649ae5
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

remotegui.zip: tinymce.jar: index.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/media/index.js
MD5: 22710d182e71e1bef50ee3838ac15b07
SHA1: d8f008c3f8abebcf2efdce06032350e2a1b80fc7
SHA256:2cf1f01a424a6e9981e16a7c162bd51ecdf2785cd5d7e36d78edba78aa91b0c0
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

remotegui.zip: tinymce.jar: index.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/nonbreaking/index.js
MD5: 851e4039437062e49d5729f1fe30cb40
SHA1: a1acce39f47b74cb33d2e0c0070d8af323ca0018
SHA256:ec23845a38bfd445146565839769274deb1c0d83adb74c8e464c2714f6509b87
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

remotegui.zip: tinymce.jar: index.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/noneditable/index.js
MD5: 6f84addf13157d5abd4c1f2e9f1189f5
SHA1: 974a855b957d74c47f1fca8b3582b6db5f562f51
SHA256:73b8c1e02264f43e6acd2d72b9882d87550b913c71b87a6ccd1caa2d88c0ee24
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

remotegui.zip: tinymce.jar: index.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/pagebreak/index.js
MD5: b2ec3630c22897879bc089749ca3466e
SHA1: eeef9066bc1642e349bbaf234f20bd363f89ef19
SHA256:3239c47c5ea169f05c26f2cb0726e85aa4a365a4e3cff8d16f79bec35d393ee4
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

remotegui.zip: tinymce.jar: index.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/paste/index.js
MD5: cd72ad7d99e1849620ff535b4f64daed
SHA1: 2e48dacc929d42922ccb634392e26310531f1d83
SHA256:ce91452b503e136d45e552ab157ab3f8b123530950cc02e7b778d04bcb6a0de0
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

remotegui.zip: tinymce.jar: index.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/preview/index.js
MD5: ac924715206330e49ae83f0ce0a41a7c
SHA1: b9fb134e272eaad188c9da26d8c6aa22621e6cdf
SHA256:da5b43a242cf576435e63e27522182fe61afb1ea0d28aee116193c24d60c18f3
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

remotegui.zip: tinymce.jar: index.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/print/index.js
MD5: 7f3c93e1e7cf55fb60d83431fbe0af2c
SHA1: 77a64982ff692d12b1086a70ed0796bcf45c35c3
SHA256:c54ff5c05b484d6eac7bb601ddd4bcf916faf8dbdebf65a707fa6f7510a99c52
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

remotegui.zip: tinymce.jar: index.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/quickbars/index.js
MD5: 24942b053967586fefe96a215c44ae07
SHA1: 4a72eaaeb0dbddb84dbb4268e618b4451a482670
SHA256:a61d6bc69e64f107292c929d2ac70819a3970890e79c9895bc0fe0999803ce2d
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

remotegui.zip: tinymce.jar: index.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/save/index.js
MD5: d2a87bcc64b326fc6dfa962fcbc662e8

SHA1: dd1516808ce28ded9008890e2dac0b24d5a7dae0
SHA256:bcda64c02c52e23430e42fd33907ffe16b02d163174a5896f6e9f96cc1b08411
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

remotegui.zip: tinymce.jar: index.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/searchreplace/index.js
MD5: 027916795b63233ba94d3938bc15cc28
SHA1: 61bdc3b8ffb05818fa9b91a399abeafb2a4fd8d8
SHA256:7f93e70dba14735765044f7199ff8b24fcd517b285f806d34cefb0d2e55a098c
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

remotegui.zip: tinymce.jar: index.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/spellchecker/index.js
MD5: e22949d41a8208123a8694f0c8e6dec4
SHA1: 9d66cbf780b982f778e561ce35786b7589b8fa85
SHA256:bcb0b4911bd0fef17ee195fc758585e7717500248fafdc58f32c94f6a12f08bd
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

remotegui.zip: tinymce.jar: index.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/tabfocus/index.js
MD5: c8dd5b7b07c3808712c5000e3b1d252a
SHA1: c9e127134794c715139acb1bba1fc9a90541e7b5
SHA256:779f4c8d8f7804301d0d3d63c6f4d7d12e5a4f3fc409b6433aa465ce51309bad
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

remotegui.zip: tinymce.jar: index.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/table/index.js
MD5: dc0a57cf52e5c96e8886974820620f30
SHA1: 63b104aa10ee6b0e09f6beeb420028164214037a
SHA256:d571c3bcfa2fb750545e52334325e494d60916f8db2504a8e64fbd421e901929
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

remotegui.zip: tinymce.jar: index.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/template/index.js
MD5: 4629fcd244d51c5f71a77cca7a6f0b36
SHA1: d33e8183488bfd00554ccc12b63efdcc46acbf12
SHA256:07acf1abcbf6231d2ca53a091fa7cc1fb6206e4b268301750ef9020d6881425c
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

remotegui.zip: tinymce.jar: index.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/textcolor/index.js
MD5: ceb47c7e6b71b1089ec10b30a6aac374
SHA1: 21d607e821838299375c0ed523bca0a33c0acc05
SHA256:4c54b2959afce4d61251463bbbd0d2e32dadc074d3634192bce2bc937ee59633
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

remotegui.zip: tinymce.jar: index.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/textpattern/index.js
MD5: 4ca571ec216214e68d950539134d2e66
SHA1: 9ed373e0e6e173e7b1663344b83acd313d37cefd
SHA256:955780d950579ce70deeb8e7ba2ca04eff56e53fe983ce81e9bf932c69d7652c
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

remotegui.zip: tinymce.jar: index.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/toc/index.js
MD5: 4fb0e875239aec497c229dcaf18d7bb5
SHA1: 1c9880a27fd0487d99bcbe666d90fde1c4fa41fa
SHA256:2f3e63d7b8e0f9597a78fa84e92790bc91099fb7382037e870f06afc8e23d95f
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

remotegui.zip: tinymce.jar: index.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/visualblocks/index.js
MD5: 1f348278fc3fa3ae9d560a2c6074537d

SHA1: d55ebc12b7d22b21a6f06a7b1e8a4d869ddba0af
SHA256:ac58944fdb4136e5d63fd08b6070d40a9c964ba2739ea46970f1c27464f0059f
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

remotegui.zip: tinymce.jar: index.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/visualchars/index.js
MD5: 01e4394764848c643482a4e060c3c16c
SHA1: fa3c991ab8a4b06d3022a1a9050d12f97eca084a
SHA256:4cc095ed74a300b53b61907f46468821a3fd16e9abfd9b96157e72c5a6a4f901
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

remotegui.zip: tinymce.jar: index.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/wordcount/index.js
MD5: 8702637f4301b2c60b0d036a74a57952
SHA1: 10150542a5551da1d75408d86ba07b45d78a24cf
SHA256:ea19d7ceae4197532bdfdb08d97f4b64ff025cfd3016ec12428b81517f2e92fb
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

remotegui.zip: tinymce.jar: index.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/themes/mobile/index.js
MD5: a136bd2faba801a12080888b27e65afb
SHA1: 58533b052ba5b2cbee9fe44e6a3cebd042efb7d1
SHA256:e20188436d5d6ad6bd97a590c274fdbe955fc83715e800509e4a61b25bda4e0e
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

remotegui.zip: tinymce.jar: index.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/themes/silver/index.js
MD5: 7281b0268319c90508a1a300a7c06d97
SHA1: 0e3a4056988e7a06c5f4ded3f30006f1be55d445
SHA256:3bc724f73bd41f1c6af41d5c08cd472a1da8ccf6db49c6fad853998a130231d6
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

remotegui.zip: tinymce.jar: jquery.tinymce.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/jquery.tinymce.js
MD5: abc669a993b54748fbd9e3f1b04ab3bf
SHA1: edddd7e07aa9ace3afd2f3bc1579f7901708ce69
SHA256:20e802d69c0fd9912eb39bfdaad9f85f089e383d415ef193ac6aaa2e108a8949
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Related Dependencies

- remotegui.zip: tinymce.jar: jquery.tinymce.min.js
  - File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/jquery.tinymce.min.js
  - MD5: abc669a993b54748fbd9e3f1b04ab3bf
  - SHA1: edddd7e07aa9ace3afd2f3bc1579f7901708ce69
  - SHA256: 20e802d69c0fd9912eb39bfdaad9f85f089e383d415ef193ac6aaa2e108a8949

Identifiers

- **None**

remotegui.zip: tinymce.jar: plugin.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/advlist/plugin.js
MD5: 9a469d4c30ceeb89187f85215a5e5161
SHA1: be1f2023c91a4fef2828a452272319447f80b786
SHA256:d9457557927bd306e2cd90b622494db6d36d346ffd04aa825e71d061c243f7d6
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

remotegui.zip: tinymce.jar: plugin.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/anchor/plugin.js
MD5: e204923e44d53e7610828846fdb23722
SHA1: 550446f55b597c4c376992addf459bf00fc2e0dc
SHA256:8bf2878b95bfbe4ddef911cfebb70a07815060a6c52d85227695267900a45085
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

remotegui.zip: tinymce.jar: plugin.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/autolink/plugin.js
MD5: f62ca8be62d1dbe910069c09b20b53a1
SHA1: 9bc811f23db52d4081a089f9774fafd7e3f21f67
SHA256:2b218bd0095199604914b22b67b4b1a68fbcb0fab309a734f2fae54496f734b9
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

remotegui.zip: tinymce.jar: plugin.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/autoresize/plugin.js
MD5: 3130530b80820d2fe333f0a434987ebc
SHA1: 0c8b231c3d55b9724a4564ba02ad4be38c197293
SHA256:4c7802957b5f7ddc47a97d1cab371e7c0b39592f17fbb86103626762e593c872
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

remotegui.zip: tinymce.jar: plugin.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/autosave/plugin.js
MD5: 78ae76cf436707ded3a0ae8cb1f8f4be
SHA1: 2db5d96907012d7ad0c4c50abd11994a63637507
SHA256:8739940eef76bbc0ad0ea5e4b6f7ded4e1ceda9aba15a52543fd00c180373756
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

remotegui.zip: tinymce.jar: plugin.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/bbcode/plugin.js
MD5: 5baedc3309a92d6d3b3fe7944984845f
SHA1: c3bc65277f12b71bffab0ac04fe737deb6634b8c
SHA256:960eb4c3c3d150b615d4ee81042b4a5f0616d876af4ca66d7841597192313ac1
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

remotegui.zip: tinymce.jar: plugin.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/charmap/plugin.js
MD5: 132a6594d2c2580c00fe3fc881f64a3e
SHA1: d4a2ccf9d64dd6eeebbdbf4cbf9d4c2e2834737f
SHA256:07beee90d71107fff1ffd218d552ede08c0393118345c052ef1540d2070221de
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

remotegui.zip: tinymce.jar: plugin.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/code/plugin.js
MD5: 6a3b1fa39f64d704ab9c8d8ffa3b85d5
SHA1: 2acb5fbaec43ab35346e8a564fb3104f197086bd
SHA256:bb6ada6875a1d6432000990c110825e5c12cc9d13a33dc1fc215c199f96c27e4
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

remotegui.zip: tinymce.jar: plugin.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/codesample/plugin.js
MD5: 2f0097d95781f1a4d2711d9f8fc5c334
SHA1: e181f02bd7bfcf5816508dde0b0ad1c99d9c40c9
SHA256:8a19cde548a1dd6b0970a24eead3e04e85e69a3117642891a42d7b7b5361495d
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

remotegui.zip: tinymce.jar: plugin.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/colorpicker/plugin.js
MD5: fb7f0cac79b75d40a9ec81581acf75e7
SHA1: 0ed6610a578326d03411345bf8027c443cd7d105
SHA256:b7ff65effc877a633ad79dfc82ef0b3cd6c6c16107cd03580479b1239006091b
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

remotegui.zip: tinymce.jar: plugin.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/contextmenu/plugin.js
MD5: 63f32e24fb0dd17b1fe982314c29b55a
SHA1: 42b09e6b0cc5674ec3497c9c4d4c4d3de6a39047
SHA256:e7070041c1a1edfa77a48438ef4294f8da38caeb50411c25207e16316cd0c889
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

remotegui.zip: tinymce.jar: plugin.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/directionality/plugin.js
MD5: b73632a4533311d6dfca1b3841534ebc
SHA1: 0c6aef806245b102e3332080c811d3375337a662
SHA256:2e201c96ce771956becaf72e4f2d4abf67d4941e5735f5d0dce965d5150a5ed5
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

remotegui.zip: tinymce.jar: plugin.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/emoticons/plugin.js
MD5: ff191fd241bd1933c67f5fea4a52107b
SHA1: 7a9cbb74716ce1e0e86d90690f7de79162c60db3
SHA256:374fb04498849e7e18bc5a698387055dbe1de48fff78f7fc8bd5668c73b73d54
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

remotegui.zip: tinymce.jar: plugin.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/fullpage/plugin.js
MD5: 3c14f849d19f550aaf23f9e4bc2b647b
SHA1: 5e95acd51eb15d13129fab8bca354ca5aa440c52
SHA256:b6a5c94a76cf5fb719b6455c239d39e678e3fbb7c053e049103d2d02bbd2ea04
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

remotegui.zip: tinymce.jar: plugin.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/tinymce.jar

/META-INF/resources/webjars/tinymce/5.10.9/plugins/fullscreen/plugin.js
MD5: 2227d3ff362f92145a0d66ba1bf68f1e
SHA1: 37fbe66ad5aa755498bc8ceb5e421b56df27539f
SHA256:197cc4190c8782e40dfca6b28225cb4766c1ab0b1bf60cc445fe024265d18db2
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

remotegui.zip: tinymce.jar: plugin.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/help/plugin.js
MD5: 667d246d02a71436f2f4a4fb80f720ab
SHA1: 0691382a7959a2ce6fe97b92bc08d737d8fb385b
SHA256:35d0d9f12208794695c9e3594e309feb53af67897d9a31ce0eb85d06f17e9953
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

remotegui.zip: tinymce.jar: plugin.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/hr/plugin.js
MD5: 70b7ff4273d8b9374b7d35a570e60eff
SHA1: ec2f770c33132f6aa30982fc444d56da76ffe337
SHA256:e11ffde0e9f4d65d0ce9214df8176401176b795d5fa15e95d00458e39328ffef
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

remotegui.zip: tinymce.jar: plugin.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/image/plugin.js
MD5: 25e0f52ab1477d0d8d7eb7500760cb50
SHA1: 75de5182c87d9ea18ef952ee17fa0d7131128973
SHA256:47fa10a331f5515c0d838a0f33d6b5447a55e32342351fd20c95b00c4265e6bc
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

remotegui.zip: tinymce.jar: plugin.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/imagetools/plugin.js
MD5: a0523d774ffc8fc8cd0049100a2336e2
SHA1: ce5fe228f3eaecace4cff2459dac6d430311903b
SHA256:cd6286fa790dcb7351a562f856620986a8a2d68f7095c1a3aad5a4f2d96887ff
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

remotegui.zip: tinymce.jar: plugin.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/importcss/plugin.js
MD5: 6142b879008bd87224ca38716e663f4e
SHA1: a9296ae9c5141bfbeffe856412663f7aaf1ec9a1
SHA256:e7d53d5e29ff44e1505671f160bf2c300864e7b8de6ef937661af0e77fd15067
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

remotegui.zip: tinymce.jar: plugin.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/insertdatetime/plugin.js
MD5: 8d40733352776d516145934e3afc7bff
SHA1: 9bf39632e2eb45d37130f66081589ec5ada617fd
SHA256:6d5492320474868f5ec67e14057819a762c46f8962726b307eb3d26d011c49f9
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

remotegui.zip: tinymce.jar: plugin.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/legacyoutput/plugin.js
MD5: acac6af2d9e273f2b23a63a08dd3c558
SHA1: c07692391443114f0d7e0b4a6aa521007e3bd8df
SHA256:5ba6ccaa7469904d908818b1dd6c5331c643b586f9489987411faecaccae6de6
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

remotegui.zip: tinymce.jar: plugin.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/link/plugin.js
MD5: 584389affa07184e25c194a8fdabb9d5
SHA1: 10746d4434b26d0ae62fd1e3b3d538b6aaf67e94
SHA256:34de8ceb8abf707ad68cdcde8a7d0aa174f0814891be74edf444fee067a2b855
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

remotegui.zip: tinymce.jar: plugin.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/lists/plugin.js
MD5: 37f5953ed2ff9078029c1a7259991b9f

SHA1: ecd87c0474db0e683895008b64b0813603e32e96
SHA256:c9b0aa3c06581904734ac6b8b3fb4aea155e39d1e91f1f039bb338a5b9e72b01
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

remotegui.zip: tinymce.jar: plugin.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/media/plugin.js
MD5: 9099b48009886ed8e16a4c118f5238d3
SHA1: c3ea8c6ca9bd1d99f11b849f809548139473a928
SHA256:c7e3539ab59b62e06199f97fa9f24b57810a1089419ae10b4120be59d1ef1e73
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

remotegui.zip: tinymce.jar: plugin.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/nonbreaking/plugin.js
MD5: 749eb6330381762948b2f20a202bdbc8
SHA1: 734c7fc31992486d576ddf4cf2be102364eb269d
SHA256:db5d0af653b72f4eed01361aadfbdb8d6156166764a6560f26094bb8af4b1dd0
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

remotegui.zip: tinymce.jar: plugin.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/noneditable/plugin.js
MD5: 0cd8420a08e51a6933403f015aaa3411
SHA1: f134de62fb37750ba86539b494fb2d1a4a8c3375
SHA256:b744c8b53bfd3743261cdf34c97adcc906ee0e8bb4d6e5f678ec17aa94ace620
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

remotegui.zip: tinymce.jar: plugin.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/pagebreak/plugin.js
MD5: 7c4ccd64b6155d8214b5b1a3f73f3b7b
SHA1: 0a4109c7fd5c0e8c3fc0ed4c5a0327d89127eb33
SHA256:428ed1c11ed3db50d423675174945be116a37f9f0272962ee963c5761e46ee53
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

remotegui.zip: tinymce.jar: plugin.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/paste/plugin.js
MD5: cfdc8703816a9737a79ae9ed7beabf8d
SHA1: efd58468ce97492f8ea66bed478b128ba718c6f6
SHA256:3707fd09dec450191849481685e06a0f772fdb864ecc65ea7d44408bb5eda060
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

remotegui.zip: tinymce.jar: plugin.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/preview/plugin.js
MD5: 155059d4164fa84a11a8fcf832c167ef
SHA1: 4e9f13defe9e7105e46f8c5abd3dcd90f72884de
SHA256:bea49d22120d6084722e0622159923503c64ef38381627ba59453315c79899fe
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

remotegui.zip: tinymce.jar: plugin.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/print/plugin.js
MD5: 512f5958e5be1292e0b40b81acb3961b
SHA1: a593a69a04d2ee2d87500e43b22887a79d1cc0ab
SHA256:c2ed0f9eb835dbe6dbc07720f357d305d6d92f5f3b3f6c93582a08913f071a38
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

remotegui.zip: tinymce.jar: plugin.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/quickbars/plugin.js
MD5: 2a2749604c1d1c01d6449640386921a4
SHA1: 700d9a8bdb922519681b7066110d8ffbfb6d35af
SHA256:edc7cac600a5a192dd9631e1ce4486a9b2a4cf57130a854f95ed14407957a7ed
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

remotegui.zip: tinymce.jar: plugin.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/save/plugin.js
MD5: 1c596c6695f6fb677724104a5cb6ef09

SHA1: 1ab96f1ecc15c8464f4a21e6d87a8abfc5b6301f
SHA256:b1ceb34483e8524a67f86f0fafe3a4912b9cdbc459edd836d7d68782278929aa
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

remotegui.zip: tinymce.jar: plugin.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/searchreplace/plugin.js
MD5: d3638fa2fe4ff0254d106f74919fd5ba
SHA1: 7a97e21f55ddbdd50bebe88e7d1eb87961592238
SHA256:352556506ab24dcc232614318170876cbfb89cdf3d4365b6b8b7768c9d10048b
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

remotegui.zip: tinymce.jar: plugin.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/spellchecker/plugin.js
MD5: 5c3a67b4eabdcdb17750b9515bf92835
SHA1: c3de092a25b1f541d896740a2d63ba1198376712
SHA256:a4a22a608a50d5674a7e92f3c9049eb69932b9641f8356f4ce200b38c38f29d3
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

remotegui.zip: tinymce.jar: plugin.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/tabfocus/plugin.js
MD5: 548f7a6c2fbfb65617f46ab7fe2bfd2e
SHA1: 74d5dfb9f0338becd85ce7c5333ff8cdca2e1160
SHA256:f5b1882e884a14b216bc1d7edd8a61e1b50161cf5010dca09566d35aa53a6c0e
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

remotegui.zip: tinymce.jar: plugin.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/table/plugin.js
MD5: e1ea98e3eca4999c14dc0951b666d993
SHA1: 6a09bb055bdaa37a0b45ce400f928b80b675c26d
SHA256:858bd022fa57b3d57340a2c87a58f8ef7e653e866f1cc22b0123391a0fb11977
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

remotegui.zip: tinymce.jar: plugin.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/template/plugin.js
MD5: 47caf788dd51be3ebcf03d4eaa0d50f1
SHA1: e271f8d918420b03bb2a07510fb96ebeb51363ee
SHA256:339a4e659e0647090aee2bc5fc343479303dea8e928cac3c5ede9f1584ea61d0
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

remotegui.zip: tinymce.jar: plugin.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/textcolor/plugin.js
MD5: aa12124c60995407172b2ae1fa8206cd
SHA1: 09b8f038908b04a597a16cbcb1ab7fc50b77e2ad
SHA256:09c4059de65cd8ce14bb8fcf927787e77ec90d4daaa0160fd0e21002b8078171
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

remotegui.zip: tinymce.jar: plugin.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/textpattern/plugin.js
MD5: 215e9c4d9865b6321a969f773e0a7193
SHA1: 8ffc9ff16531e40c2bd3cf614c8019a3a52caff6
SHA256:8dd84aec717ae70a619ad5f4d3f3fbe4119ff590884537d47d4225aa7b5ab460
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

remotegui.zip: tinymce.jar: plugin.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/toc/plugin.js
MD5: 78afdfe32c32fcd51a56fe5ce479238f
SHA1: 874e7bd351c0928cd7346816f3cf18a323d5436f
SHA256:4d27f86380b38c414e7b626863811d39bc6a3a1e7ab47e253259dadaca3a2830
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

remotegui.zip: tinymce.jar: plugin.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/visualblocks/plugin.js
MD5: 89774b121e225bb29c44c53f47e2a183

SHA1: 6069c8d84a6dcf9c2f92864d6d1758510ef8b4d9
SHA256:33e5237bfeffe2ed9eb14a2418ebe6be1baf4395465661f66c3f9ca00bdc72cb
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

remotegui.zip: tinymce.jar: plugin.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/visualchars/plugin.js
MD5: b85145891b077f3216852bc21e7677c1
SHA1: f3ceee80fa4bbc6d0205e610ed39688d4fa65d66
SHA256:5be2c7c5ad1025ad62c0e89d39bf6b8ee44c97e21d2f30e21ca13794e1cd7bdc
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

remotegui.zip: tinymce.jar: plugin.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/wordcount/plugin.js
MD5: d1c1769efd1232e07105603c1032e43d
SHA1: a2d9f7f149ad34bedecdb6bb5cad1ae4a4b5c0d8
SHA256:d3c70ee49b0f099523d93bcf93f9e37d6a248c35c960f49a76085b17e5fb0958
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

remotegui.zip: tinymce.jar: plugin.min.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/advlist/plugin.min.js
MD5: 202d95b04d93c98fa6faea3b20ee2ac4
SHA1: 0107c4ede81a2681847699b607b0f5d4a8e9dcfa
SHA256:d30b35f56c2366c7e0a291f1be18171851d412d926ea4b91784d212101e36cde
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

remotegui.zip: tinymce.jar: plugin.min.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/anchor/plugin.min.js
MD5: 3112de0d66e518fc6e87e5b4bc54ff4b
SHA1: 022a805c78fe6f3c5c5b8a91125d98fb54b1d15e
SHA256:cf1e93f7be5e348ee4776f6e65f54298aef6b6fca5d44aa24997b9d4b9d7212e
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

remotegui.zip: tinymce.jar: plugin.min.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/autolink/plugin.min.js
MD5: edc2ccc56661043eb8418fdfd9703b5e
SHA1: ee1a580f7c7f1281e770e7d9c34123b59e59178b
SHA256:309c10e01eb2a9d35f84ed872ccbacbef6d5c4d2f5f2d8355bc9ec2bf44eb346
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

remotegui.zip: tinymce.jar: plugin.min.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/autoresize/plugin.min.js
MD5: ae63cbe86bfd1dcffa4b04660f28aaa0
SHA1: f9a63a98a97eab4d781ca01f71cc1addc3c5c56e
SHA256:8ac4ad0984018281d653b8ba59747a797d7d8cf9ad2c6d4097f626686d75f7ed
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

remotegui.zip: tinymce.jar: plugin.min.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/autosave/plugin.min.js
MD5: e2a4aacd72790b6845b73b65a11c6b3b
SHA1: 2733e8839d95a76fb62e9cf2ef3cb299c2842fa9
SHA256:6e409f97910c72655fd039e18989d8014b12e78bdb05857e8d6c7bbe54aac446
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

remotegui.zip: tinymce.jar: plugin.min.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/bbcode/plugin.min.js
MD5: d1562b4cfafdf0f1ba200fea776bd78a
SHA1: eacba8561e2fdec7c46448aa157a67b382731363
SHA256:74a9c60d78820683b8ce5aab6ca007bf4272c79365cc3e38c76c15b32707c7f3
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

remotegui.zip: tinymce.jar: plugin.min.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/charmap/plugin.min.js
MD5: 329bc956fdd115d17a570e1c012aa29b

SHA1: d8c16a0341fb4bf0a68bdda349854578ac7930c9
SHA256:f02db784fa9fbff1ad2c355d51b7f5ac1eb88f66323d88d6ab7a9de24ca40941
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

remotegui.zip: tinymce.jar: plugin.min.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/code/plugin.min.js
MD5: 16a00a8a00e7bedfb8eca0b51cf91582
SHA1: ffe9b8ffe7ce4697a1dc933df3df85babceea49d
SHA256:2bd8c63c4d6361b92ce0babc4926c162dc03af995d9e4d16f3ee7a04719840f0
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

remotegui.zip: tinymce.jar: plugin.min.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/codesample/plugin.min.js
MD5: 1b42aad83df23dddcdb3eb08051adad4
SHA1: 6e51ce3687f2c008d37e1697107d4e3512fbc54e
SHA256:2259133ad05e1690cb479fd270193fa560462ac382dddded37059f5fa9260802
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

remotegui.zip: tinymce.jar: plugin.min.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/colorpicker/plugin.min.js
MD5: f2f33bb1a07f8fde712895df570c6dfa
SHA1: c3e7bc5ba0f4b176c86d0f71edbe598584ec10e4
SHA256:5a00b7584123d24eebedd3b90ba83e82eb3d92e6b25b308138e85b2b1ca9dcf3
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

remotegui.zip: tinymce.jar: plugin.min.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/contextmenu/plugin.min.js
MD5: 742eaeecaa0020e9bdf8d3e1727f4dfd
SHA1: 4a58d3d2bc2d4b0497c3bc849841ee6071dd9d92
SHA256:a5ac1a81055ca6448c15958011faeba3c194fc1b9028336a13d50dd121abf4e7
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

remotegui.zip: tinymce.jar: plugin.min.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/directionality/plugin.min.js
MD5: 88407de4bae634b4b861f1784d6765ee
SHA1: d6cb3dd73846f0ebc118ee4e191261416b65f8ec
SHA256:f6c7d021ff2c3298dd324d3de5d468a37aedd3919fdfa04738c38878ad43f64f
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

remotegui.zip: tinymce.jar: plugin.min.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/emoticons/plugin.min.js
MD5: 8e3a6564df728a54bbfc2007d35dd2fc
SHA1: 2bc65bce44cebef706234bddaa3fef61fddc2791
SHA256:4ee4a74d6b13afa099bc6dd48f7a240219b87a24626d25a80fcdf06f3535b840
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

remotegui.zip: tinymce.jar: plugin.min.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/fullpage/plugin.min.js
MD5: 12f9d416422e0984dfb0ad3c124a30e8
SHA1: 4c0cfd1305cd1b0b8373bbf11342e7c494cac4f8
SHA256:3563499ed8b42c6d986ed4f805de9066a7a04f99d3343e2123369491fb6daa6c
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

remotegui.zip: tinymce.jar: plugin.min.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/fullscreen/plugin.min.js
MD5: 28c6f465baeeeba5f7711483c4a0e426
SHA1: 09ad73eeb65c59def15937ea120b3ed6682b6513
SHA256:72033751454cb26f52d9981653f49b2eb2b727e500b8a6ac941cebe0c6287c10
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

remotegui.zip: tinymce.jar: plugin.min.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/help/plugin.min.js
MD5: c1cf37a849f126f10d8ac2b826aa39ce

SHA1: b7ddc1cfab6f87604bb7aa4577eb2b3812297340
SHA256:611e336e89f80588550f49e8c15ba06bafba2902af4f81dbd63193548f18cfb1
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

remotegui.zip: tinymce.jar: plugin.min.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/hr/plugin.min.js
MD5: 25ffeedf184858ee3d71823eaf4990e0
SHA1: ade2fbb0b51b6d889b2a768e556cf96815bac0e1
SHA256:ee59ded600aa421083e0787156220364a82df074ef9b325c3238440404fb2c81
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

remotegui.zip: tinymce.jar: plugin.min.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/image/plugin.min.js
MD5: a1410f44dc4dae7dde1ad1b37cfcf5c2
SHA1: 794592d3040282761a5a3c186558f5edc87c40ea
SHA256:b0b7035786562496f47ccc7f69e2917966d1227a9f405f67e5e61d75deb619a3
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

remotegui.zip: tinymce.jar: plugin.min.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/imagetools/plugin.min.js
MD5: bf4eeab4ff114a3ca465e2e00e0ed817
SHA1: 7c4796ab1f08d4a30fa1ea15734af2c89d33b673
SHA256:d6993e4195cf8098114f3024c8c556a9aaee2ad2249150ac84d9b5230f076dbb
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

remotegui.zip: tinymce.jar: plugin.min.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/importcss/plugin.min.js
MD5: 4dfbf3010085640e499ffa4ed53f3e9f
SHA1: 806b76dbeef2d9c4fd1aa243d1af03bba35b555e
SHA256:3c92a77bb7032d571c3c6c0a18123891e06bb40ae4498f137743d25ee6414ea8
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

remotegui.zip: tinymce.jar: plugin.min.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/insertdatetime/plugin.min.js
MD5: 5a27df4fa9592be99446da8e6d67a2cf
SHA1: a031aff6bf079251c757636841a29b2e9d6a8b1c
SHA256:321c0a514308e5c84257d8cdd3969e350486a6db0978e0e5ad143c0bc6a4ce0c
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

remotegui.zip: tinymce.jar: plugin.min.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/legacyoutput/plugin.min.js
MD5: 5516e774422ea64df103c3c2234a4ec6
SHA1: 657da397fb739dd03cb8aafa7177716b40f9d45b
SHA256:57c72a86b59964c2b67e744ae14557c3eeb3839eed6bca42883e3190dc2620eb
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

remotegui.zip: tinymce.jar: plugin.min.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/link/plugin.min.js
MD5: d7059f353e02e66f01aa09b0fb193b61
SHA1: 5d94fa0eed6547f0bbd61c15bb0b9fd66ee095fc
SHA256:d539e25d6b9b7c1d912d731846be75285fd7813e9d23e6868a0fd602ed4d9bfe
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

remotegui.zip: tinymce.jar: plugin.min.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/lists/plugin.min.js
MD5: 153f9440390dfd0852bc13b37e4a99cf
SHA1: 098629a46a42755f921a2a6a8d2eee46dbbd6254
SHA256:2e7d9385c8fd8248220ff2c5f34b30ad92a6bf34e65f05b611f24c9fd820a2a2
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

remotegui.zip: tinymce.jar: plugin.min.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/media/plugin.min.js
MD5: bff1f8494661523d9d921dd568dea68f

SHA1: 47b1e97c66ac4532a1cc0cdc213e84b2e1e5cb3d
SHA256:c4ddc7ef78871c0e384b32eede7953b391f1ebfab367fd6e38cd24aacb74808b
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

remotegui.zip: tinymce.jar: plugin.min.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/nonbreaking/plugin.min.js
MD5: 22cec5d1cd67de1710ac237a51b1eff2
SHA1: b78369ddc84f703ff894b59a951eb8713fbb0eaf
SHA256:9bb250342be2c9a4b71b46f553e5700b958b90356796f9d136c2d30cf51613af
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

remotegui.zip: tinymce.jar: plugin.min.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/noneditable/plugin.min.js
MD5: b559bf0c485035ccc5adc2cc5d27edc2
SHA1: d9535a360c55123550f45d2a13112e5c54613b09
SHA256:a3dcfa365c12b7cdc0102e3a3ba5f139cffbcb58c93de5cfd1cfd6758787e3f8
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

remotegui.zip: tinymce.jar: plugin.min.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/pagebreak/plugin.min.js
MD5: 2e7175073fbd4c9d0d41a620b87f47c8
SHA1: c3808c1045cf485075c41586755b610a5e56f2c3
SHA256:e8796cc7df647c286d04bca204e397e9f77e274aa31a982196424842284dc11f
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

remotegui.zip: tinymce.jar: plugin.min.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/paste/plugin.min.js
MD5: e6ceced2c0b57ae7a093c250025d4b93
SHA1: 83000fb948b32522f4c391a21deca3c6ab3a41cd
SHA256:02f6cf2f00a0470edc2ce45521fe9e7ef083f1c0315558ee42c0f8c90d5059b8
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

remotegui.zip: tinymce.jar: plugin.min.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/preview/plugin.min.js
MD5: 3662f07953f093e774ef09cd282aa456
SHA1: 995e14b009b09f1eb9f8a6694f2a63d3f03b28cc
SHA256:c56fdc4fc82a79bdcfaffa7173b9d73eb4ece00386a1cd6a3cf08441eaeca800
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

remotegui.zip: tinymce.jar: plugin.min.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/print/plugin.min.js
MD5: 779799d120a0e0ad3822f9e54640cf19
SHA1: d5848caf54e8617ad251491c9251d8f339a216e3
SHA256:b4dd176e085a39bddd30362cc503b757e8648fa763374927cc1f771032f2c432
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

remotegui.zip: tinymce.jar: plugin.min.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/quickbars/plugin.min.js
MD5: cf09c9aca413bc4fbb19c1b8db79bd2a
SHA1: f540a233d19ab3f34123e7dd97d09a12c0946139
SHA256:4f0a83cc96e7e818d2ee734b8dabcb31e2de69516c2f6a3338cc412d53795ab5
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

remotegui.zip: tinymce.jar: plugin.min.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/save/plugin.min.js
MD5: 1d255a40141338ace9a468f382ebc116
SHA1: 0f0dcf709e333cdd51f50dbffaa8249cb46ab218
SHA256:887deb37b92ba8b6aff6e65565fd22e338d267622e308d30c768cc5b1d11527e
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

remotegui.zip: tinymce.jar: plugin.min.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/searchreplace/plugin.min.js
MD5: ac0e1a41a7ac38053f65df3d3e899d50

SHA1: 2e7f1c6e0210b98b18cd48cc7a79ebd5ff9bf7bc
SHA256:2c00411b358e2836734b729c7dd85155c7398086f52be27124b314536d1ced65
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

remotegui.zip: tinymce.jar: plugin.min.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/spellchecker/plugin.min.js
MD5: ba970e24a9000a62537e9a61dc67af21
SHA1: 975d4817120905cdba5d2f3c41c8d40548c79b15
SHA256:4e7e4741970c39f8c2e10f4b9375e2841ef82520e2f092daabfdec68bcd72c50
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

remotegui.zip: tinymce.jar: plugin.min.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/tabfocus/plugin.min.js
MD5: b3ed291355f244a08de7c6cdd28bdc24
SHA1: be298bad6688fb4979fe9acb1949ea89c4afa36b
SHA256:13c873fca170d4949c38b556f8d76c09abfedb4c4a01b4e056a2d1ddaeaf915f
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

remotegui.zip: tinymce.jar: plugin.min.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/table/plugin.min.js
MD5: e49127ac5d6d510bcfee6d834109d7d9
SHA1: 3e845f3a31bc77ff139f6c738afc05eddaee9573
SHA256:9130f4972ccd49565986d6e624d3a70109de6b5dfd56a9e0ff23954f17877e6d
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

remotegui.zip: tinymce.jar: plugin.min.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/template/plugin.min.js
MD5: f5d5437a7c23a78a945a8db00bae1dc5
SHA1: ec33f38e54858e4f4282fc27f8e635fa8d054701
SHA256:9bb402bbdba8a4d4b5a73a9f91d8150ef2805dda6ed96fd393c11e369c92a8ac
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

remotegui.zip: tinymce.jar: plugin.min.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/textcolor/plugin.min.js
MD5: c423242c5a16c97be3b9a24d6b4f1062
SHA1: d50ad5bd7ea69a614899837e4cd3ecace1df2621
SHA256:1a882eb097c9d69037a035c897a63cbbad1bd3b59cf5d22bacb4784d8994a3c1
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

remotegui.zip: tinymce.jar: plugin.min.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/textpattern/plugin.min.js
MD5: 4d23619babf8fc972428cfe3dd010411
SHA1: f57a6cebae882fb8d9c3a507de83d9b1fdb3a1a8
SHA256:166cbed9d86dce2a0890c62f6757500d3d4212a26c39757d9921f9e2615ba948
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

remotegui.zip: tinymce.jar: plugin.min.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/toc/plugin.min.js
MD5: 13707deaf5f0430745e57d913ea31257
SHA1: 2d23b19db8821b9910ba04c34d8bc1d4800e90b0
SHA256:3a2df41858244f3207c16189f0eb78079e3da18d1151fe2a99c1adab3f117331
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

remotegui.zip: tinymce.jar: plugin.min.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/visualblocks/plugin.min.js
MD5: 9c96006cef6c3ac93b762398112b4855
SHA1: f9ec40c80b863f409947844e841cc0037b379657
SHA256:0f1e3d314633726deea43eff70a76e1308fcc6d85570aa4cf6392abaa7d81e78
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

remotegui.zip: tinymce.jar: plugin.min.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/visualchars/plugin.min.js
MD5: 9869c6e0ff649172df808ed22c7b9a08

SHA1: 592dc0de3aa1d7e3a7f572a8d51e67fe3b2c7a43
SHA256:469be54f8ba9ddbb9c8020d65aae0521d43f05a9197b8412e0247501f8da4490
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

remotegui.zip: tinymce.jar: plugin.min.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/wordcount/plugin.min.js
MD5: ca6ae0cddf594fd58d16eedfbf25e5a2
SHA1: da6fa1c97cb33defad55c1767e08f40b4955aa66
SHA256:7b59f6d1fd0047cf530d9358dcbb7af7cc8982ab52642d230e10b0534ef1480e
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

remotegui.zip: tinymce.jar: theme.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/themes/mobile/theme.js
MD5: bf71e3c8a676f9f33cae81ef702d5077
SHA1: cd57219abb6d0a23e19a100979d353f2ef5d98c1
SHA256:a0ca0d72dd1b77c66cbed1eab25daa174ed8048507027218477bacf04e4cef11
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

remotegui.zip: tinymce.jar: theme.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/themes/silver/theme.js
MD5: b99cdf5dcb718bb3d31d6c8667ae2462
SHA1: 26d8486e0ec39d27e79b0b37965b28e2b45afb6d
SHA256:0147750f4214d0acd55cadda52809ac73766443333bb65947c7fe1e0684d85c7
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence
Vendor	file	name	DOMPurify	High
Product	file	name	DOMPurify	High
Version	file	version	2.3.8	High

Identifiers

- pkg:javascript/DOMPurify@2.3.8 (*Confidence*:Highest)

remotegui.zip: tinymce.jar: theme.min.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/themes/mobile/theme.min.js
MD5: 16cae3454aa3d42affaa77affd250d0f
SHA1: d1aabbd81b26a0cea4f2463fc3834e19b96577db
SHA256:41c734ae3943763aa08ab0b42b85aa755621e26124f15a7a0708ccb8b3ae3c63
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

remotegui.zip: tinymce.jar: theme.min.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/themes/silver/theme.min.js
MD5: 9f7fbf793a00485e1943e7270b1194b2
SHA1: 2dbf1744e59360da304128ddd7cc25476e376af5
SHA256:05f5cf013cd5b6c793f9d5f745350088d3c5686ba001197b7ce2e1cb8c961f99
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

remotegui.zip: tinymce.jar: tinymce.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/tinymce.js
MD5: f7a8350f10f92d58a952e1feb0d28f2c
SHA1: d3ecc2861e41722d51e1ede38da5ead47a530c14
SHA256:a78ee6bd10002d050a314768a523533144228f654d80571a8ed28ff3011208a1
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence
Vendor	file	name	tinyMCE	High
Product	file	name	tinyMCE	High
Version	file	version	5.10.9	High

Identifiers

- pkg:javascript/tinyMCE@5.10.9 (*Confidence*:Highest)

remotegui.zip: tinymce.jar: tinymce.min.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/tinymce.min.js
MD5: 10df005254d5668ccedbda2614354acd
SHA1: fbcd5a3f14b7c3dd8a9d203b9b30acfba49a38f4
SHA256:3c3041cb95a1c979ee2205901cf1c670a36c192ef089e6f63b94beabef386c30
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence
Vendor	file	name	tinyMCE	High
Product	file	name	tinyMCE	High
Version	file	version	5.10.9	High

Identifiers

- pkg:javascript/tinyMCE@5.10.9 (*Confidence*:Highest)

remotegui.zip: twemoji.jar

License:

MIT

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/twemoji.jar
MD5: af9b535ef495075dfb0a7d5bec95eee6
SHA1: 0a559adee289b6b855ad1294b17dd71d9f3d21eb
SHA256:9ce4f61ef563851b37c3918c54a876a865d2f66fda5f80dd2bfecebb2d7e386f
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence
Vendor	file	name	twemoji	High

Vendor	Manifest	url	https://github.com/twitter/twemoji/blob/master/LICENSE	Low
Vendor	pom	artifactid	twemoji-null	Low
Vendor	pom	groupid	lib	Highest
Vendor	pom	url	twitter/twemoji/blob/master/LICENSE	Highest
Product	file	name	twemoji	High
Product	Manifest	url	https://github.com/twitter/twemoji/blob/master/LICENSE	Low
Product	pom	artifactid	twemoji-null	Highest
Product	pom	groupid	lib	Highest
Product	pom	url	twitter/twemoji/blob/master/LICENSE	High
Version	pom	version	1.0	Highest

Identifiers

- pkg:maven/lib/twemoji-null@1.0 (*Confidence*:High)

reporting.zip: jcommon.jar

Description:

JCommon is a free general purpose Java class library that is used in several projects at www.jfree.org, including JFreeChart and JFreeReport.

License:

GNU Lesser General Public Licence: http://www.gnu.org/licenses/lgpl.txt

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/reporting.zip/jcommon.jar
MD5: 3872e82627df950d40a949144a93e491
SHA1: d5016f7703896c38f9e511f8a9edda2585cbac8b
SHA256:13e2596044935f76694cce65a22d1df908907ddcba0da2b49ff030930262d417
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence
Vendor	file	name	jcommon	High
Vendor	jar	package name	jcommon	Highest
Vendor	jar	package name	jfree	Highest
Vendor	jar	package name	jfree	Low

Vendor	jar	package name	library	Highest
Vendor	jar	package name	ui	Low
Vendor	pom	artifactid	jcommon	Low
Vendor	pom	developer email	dave@jfree.org	Low
Vendor	pom	developer name	David Gilbert	Medium
Vendor	pom	developer org	Object Refinery Limited	Medium
Vendor	pom	developer org URL	http://www.object-refinery.com	Medium
Vendor	pom	groupid	org.jfree	Highest
Vendor	pom	name	JCommon	High
Vendor	pom	organization name	JFree.org	High
Vendor	pom	organization url	http://www.jfree.org/	Medium
Vendor	pom	url	http://www.jfree.org/jcommon/	Highest
Product	file	name	jcommon	High
Product	jar	package name	jcommon	Highest
Product	jar	package name	jfree	Highest
Product	jar	package name	library	Highest
Product	jar	package name	ui	Low
Product	pom	artifactid	jcommon	Highest
Product	pom	developer email	dave@jfree.org	Low
Product	pom	developer name	David Gilbert	Low
Product	pom	developer org	Object Refinery Limited	Low
Product	pom	developer org URL	http://www.object-refinery.com	Low
Product	pom	groupid	org.jfree	Highest
Product	pom	name	JCommon	High
Product	pom	organization name	JFree.org	Low
Product	pom	organization url	http://www.jfree.org/	Low
Product	pom	url	http://www.jfree.org/jcommon/	Medium
Version	pom	version	1.0.24	Highest

Identifiers

- pkg:maven/org.jfree/jcommon@1.0.24 (*Confidence*:High)

reporting.zip: jfreechartCC.jar

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/reporting.zip/jfreechartCC.jar
MD5: 346ba1ed5f23feef033a0d2b7167144b
SHA1: 1c08affc47641df3cd2ec88898a76f144d1f3e48
SHA256:0af3da3f5c411a0784b79da486015a572b2fa110342d73535e8e45bfde589ef6
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence
Vendor	file	name	jfreechartCC	High
Vendor	jar	package name	chart	Low
Vendor	jar	package name	inet	Low
Vendor	jar	package name	jfree	Low
Vendor	Manifest	built-date	2025-05-01 12:32	Low
Vendor	Manifest	implementation-group	reporting	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	jfreechartCC	High
Product	jar	package name	chart	Low
Product	jar	package name	jfree	Low
Product	Manifest	built-date	2025-05-01 12:32	Low
Product	Manifest	implementation-group	reporting	Low
Product	Manifest	Implementation-Title	jfreechartCC	High
Product	Manifest	specification-title	jfreechartCC	Medium
Version	Manifest	Implementation-Version	25.4.227	High

Identifiers

- **None**

reporting.zip: reporting-javadoc.jar

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/reporting.zip/reporting-javadoc.jar
MD5: a70c598b93f13506ccd858927c86833b
SHA1: b35e8b5d7298bc7e8522e6600aea9fd5aa3b7781
SHA256:08937ef204e344f061c13c6d8fb74c272ce29920fa79c16370a5bc18403b22ad
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence
Vendor	file	name	reporting-javadoc	High
Product	file	name	reporting-javadoc	High

Identifiers

- **None**

reporting.zip: reporting-javadoc.jar: member-search-index.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/reporting.zip/reporting-javadoc.jar/member-search-index.js
MD5: ccdea62d223965e04e37be8ff2061293
SHA1: 784facf0ae891194a75af49a380ab6c335f23e92
SHA256:209d7f53759f9789d1dc0513dc7e27d85892bd80ba12c0e03ebb952fa8ed6e0a
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

reporting.zip: reporting-javadoc.jar: package-search-index.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/reporting.zip/reporting-javadoc.jar/package-search-index.js
MD5: 2c0f8742f3f9b12b580ebbb1d05b246c
SHA1: 4ab261d1781d9f77c131e641ec031d38e39a0444
SHA256:40e580f6c42f5eaad108580601b9279ee0d06eb1b35574573d0d2a3798580d82
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

reporting.zip: reporting-javadoc.jar: tag-search-index.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/reporting.zip/reporting-javadoc.jar/tag-search-index.js
MD5: 95810a7878ddd3f49d938eb6b5c0f1b2
SHA1: 4d0358e131242bfb1a29d1db368e9e24381ad979
SHA256:e31bd7c6847cd8b49a884fe01244f740ad184cdb7aa6449830be21985158f0d9
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Related Dependencies

- taskplanner.zip: taskplanner-javadoc.jar: tag-search-index.js
  - File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/taskplanner.zip/taskplanner-javadoc.jar/tag-search-index.js
  - MD5: 95810a7878ddd3f49d938eb6b5c0f1b2
  - SHA1: 4d0358e131242bfb1a29d1db368e9e24381ad979
  - SHA256: e31bd7c6847cd8b49a884fe01244f740ad184cdb7aa6449830be21985158f0d9

Identifiers

- **None**

reporting.zip: reporting-javadoc.jar: type-search-index.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/reporting.zip/reporting-javadoc.jar/type-search-index.js
MD5: 8008687a1ad6ed821adc84cca8826520
SHA1: a21713c3a63548a6651afc41259760ad85b6226d
SHA256:a9e4cb81069076017cfaf4566173432128024441225b5c4d9bc20a04637f5416
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

reporting.zip: reporting.jar

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/reporting.zip/reporting.jar
MD5: 8f73f3478730dae3dac36e9355196398
SHA1: 65d331aa7ddc77f7b86ecab1f8edc35a975c4f3b
SHA256:710cdc204cce42b28e3360d1717b168bd86a57b088a8adae7de1f12d4a3fab44
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence
Vendor	file	name	reporting	High
Vendor	jar	package name	i	Highest
Vendor	jar	package name	inet	Low
Vendor	jar	package name	report	Low
Vendor	Manifest	application-library-allowable-codebase	*	Low
Vendor	Manifest	built-date	2025-05-01 12:35	Low

Vendor	Manifest	codebase	*	Low
Vendor	Manifest	implementation-group	reporting	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	permissions	all-permissions	Low
Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	trusted-library	false	Low
Vendor	Manifest	trusted-only	false	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	reporting	High
Product	jar	package name	permissions	Highest
Product	jar	package name	report	Low
Product	jar	package name	reporting	Highest
Product	Manifest	application-library-allowable-codebase	*	Low
Product	Manifest	built-date	2025-05-01 12:35	Low
Product	Manifest	codebase	*	Low
Product	Manifest	implementation-group	reporting	Low
Product	Manifest	Implementation-Title	reporting	High
Product	Manifest	permissions	all-permissions	Low
Product	Manifest	specification-title	reporting	Medium
Product	Manifest	trusted-library	false	Low
Product	Manifest	trusted-only	false	Low
Version	jar	package name	permissions	Highest
Version	jar	package name	reporting	Highest
Version	Manifest	Implementation-Version	25.4.227	High

Identifiers

- **None**

reporting.zip: reporting.jar: events.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/reporting.zip/reporting.jar/com/inet/report/renderer/html/viewer/helper/events.js
MD5: 867af7b9527093452195d3057166a9ca
SHA1: e4856efc3e95a20f25beff5da4ce9b907c3a1575
SHA256:c342986741d1c87b03bfc899d7640ab9267f3e95c5a744e75c5ee12c321f2408
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

reporting.zip: reporting.jar: export.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/reporting.zip/reporting.jar/com/inet/report/renderer/html/viewer/modules/export.js
MD5: af5776d1f4c0f90fdda642460095cb85
SHA1: c2dc9db0273b351d4b598e0f72638148752fd650
SHA256:10c81c741c713864819c8304285dd6394c841b37469652f4f72d716237c9a401
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

reporting.zip: reporting.jar: functions.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/reporting.zip/reporting.jar/com/inet/report/renderer/html/viewer/helper/functions.js
MD5: 3a126ddb2c4899eaa005990077cbaad0
SHA1: d5ba743c6d9c6743664ad4fb213876000f8ba125
SHA256:839f1199523c7f48011c7a023fc938cbe07d13041507fe68a77d58ea909b029b
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

reporting.zip: reporting.jar: generator.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/reporting.zip/reporting.jar/com/inet/report/renderer/html/viewer/helper/generator.js
MD5: d98c2ca06a72837183dc17a3eeec0039
SHA1: cfa6d7f381d3cb43b6702884df53b0fa08149fc8
SHA256:b865ad0a07fa5779ed8ae8610cf3129c95c79337b20cbe479477b13d2c83d876
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

reporting.zip: reporting.jar: grouptree.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/reporting.zip/reporting.jar/com/inet/report/renderer/html/viewer/modules/grouptree.js
MD5: 73664ae0ed6a804d29957e83068ffc60
SHA1: 747d0a84b6d98c8a252cb9476d2ec689396f7d86
SHA256:b38e7787f6690520e1c2cc297e569e6941b6c3da97fdeba4ce044f7b4a17e114
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

reporting.zip: reporting.jar: htmlreportextension.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/reporting.zip/reporting.jar/com/inet/report/plugins/drive/client/js/htmlreportextension.js
MD5: 4a91827e853ef0bf19cf06f343e18e98
SHA1: fda14009355a1098b25c75a307900e27d43a5e09
SHA256:004b3358d2bc621a7bb7c3b3f7e350876ed7904cd41c4d51d88533babf4cf590
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

reporting.zip: reporting.jar: jstorage.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/reporting.zip/reporting.jar/com/inet/report/renderer/html/viewer/helper/jstorage.js
MD5: 8078b278235f9eb8cf63b1474a1362db
SHA1: feb74af17fb5ba7b01c4ad997759ec21ac685ad5
SHA256:9d86bf1ad26f873ca615b15fc8cab964e332fa363317b8569c3f624fc947d8a8
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

reporting.zip: reporting.jar: keylistener.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/reporting.zip/reporting.jar/com/inet/report/renderer/html/viewer/modules/keylistener.js
MD5: 54d50496c4b43d4c78c30facfd01809d
SHA1: 9e29b6d13b0478339596ac131e214c605e10fa0d
SHA256:29f7a3a51b8d139109d0165111d062e6e9ecd2c2d90de1e99b539da6c2e966bf
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

reporting.zip: reporting.jar: menubar.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/reporting.zip/reporting.jar/com/inet/report/renderer/html/viewer/modules/menubar.js
MD5: 9da058e8a7ffde691780207953d63b52
SHA1: e6306c9b5ce0b1ab552b72cd203055f10c8e9707
SHA256:6d223deb0ff80c9cf56a50eacc728c36440bbffc82a8cd5ee38e10fd6317482e
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

reporting.zip: reporting.jar: page.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/reporting.zip/reporting.jar/com/inet/report/renderer/html/viewer/page.js
MD5: 214a1cd3653bb9aa3cec9078e6ee3316
SHA1: edb8d66493699591d0202d1a14b8f34af49daa75
SHA256:c559154fab98f5343d44cb8c02a2203f800eabd9e13d1fd9dd926440ee5fe825
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

reporting.zip: reporting.jar: pagecount.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/reporting.zip/reporting.jar/com/inet/report/renderer/html/viewer/modules/pagecount.js
MD5: c6823ab782e12fa9e9c0325321ab0011
SHA1: facbdd75d7176e5809cebd5d5702cfbb0bf677ac
SHA256:5d189f3efc0e10f5c5e85964e89ffde18c81a1279c9132c64453f2a149423a5e
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

reporting.zip: reporting.jar: popup.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/reporting.zip/reporting.jar/com/inet/report/renderer/html/viewer/modules/popup.js
MD5: c3941efe0d33e1e9b046fccd239033cb
SHA1: 53951b79a3c0e93768dd4043b3d16d884fc2c7ca
SHA256:0ed137328526d278076dcab6bfac9792717dadda6c0776cc839710fa0f1e49a3
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

reporting.zip: reporting.jar: print.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/reporting.zip/reporting.jar/com/inet/report/renderer/html/viewer/modules/print.js
MD5: f8fec5b39e4c5055f35e01c926e8b959
SHA1: b4f6666f078b60a130ec12b993d2884b2d3f81e7
SHA256:2e3276591241b179642f2159147f317f020fc03df408dfbe6f8d370cd04f5824
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

reporting.zip: reporting.jar: prompts.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/reporting.zip/reporting.jar/com/inet/report/renderer/html/viewer/modules/prompts.js
MD5: 3b849b5bb11227c5ac033e504ed6aff0
SHA1: 98bdf6eb30305508d86670957ee0b52685fa37ce
SHA256:34222344e247919691862f921320cae83bb6a658f4259412117b489cfa0097ee
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

reporting.zip: reporting.jar: prototype.array.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/reporting.zip/reporting.jar/com/inet/report/renderer/html/viewer/helper/prototype.array.js
MD5: c69ba575e53ba415b800f18386ce2d65
SHA1: 968d437fa28bd784a3dac6a58d090027bf8e0563
SHA256:6dcde95b98fa808923a311e7b4a345da4c1b3df17ea2554294d6ef47e871dad5
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

reporting.zip: reporting.jar: prototype.element.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/reporting.zip/reporting.jar/com/inet/report/renderer/html/viewer/helper/prototype.element.js
MD5: b51b2dd46fafbff64c30ff2e731c814d
SHA1: ea525bae8dd23860d1b8202869a316626af91c26
SHA256:bd28001d8f95e450a5aed4bcd72851bbc126f9f5efb13feba698c034774a06ff
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

reporting.zip: reporting.jar: prototype.string.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/reporting.zip/reporting.jar/com/inet/report/renderer/html/viewer/helper/prototype.string.js
MD5: f0bb166a036ca364a6c047d345fc9a0e
SHA1: d491f3851e9aa5d8fd70d4139669635eb5cdd1b0
SHA256:fd0fc8d93a6bce3d07ec8a7db922110e3d15f5f0a7a66562599f9b369b6f6f30
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

reporting.zip: reporting.jar: renderreportextension.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/reporting.zip/reporting.jar/com/inet/report/plugins/drive/client/js/renderreportextension.js
MD5: e4f2d17c10a193f2e46e30c80de52d09
SHA1: d37d5dc99e12ada04ae0737c180ced7fef7450c7
SHA256:ddf8e053d7cd180056fdd26cd15e3e269b917ce948d11b7a487dd6d000dc5051
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

reporting.zip: reporting.jar: reorder.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems /HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/reporting.zip/reporting.jar /com/inet/report/renderer/html/viewer/modules/reorder.js
MD5: c2f6f517d3d3f572c54fe096339ff49d
SHA1: a429dd95146869f4ab9b00c3611947ddf6b91d1a
SHA256:d4dbc3e3b8d16c84dc14e11b1e02ed413473d7d8da48b2c733f8c7024179f7fd
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

reporting.zip: reporting.jar: report.export.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems /HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/reporting.zip/reporting.jar /com/inet/report/exportwebui/js/report.export.js
MD5: 11b5592b08b3a2f21b98843222cb5c99
SHA1: d2b4b4fd948c46fbb8d18d5f26ddbdfc243b676d
SHA256:95bfb6ccb730c142642ebafe6267fb4f2d94703b26c26084ac9073d75f14ebed
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

reporting.zip: reporting.jar: report.exportdialog.controller.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/reporting.zip/reporting.jar/com/inet/report/exportwebui/js/report.exportdialog.controller.js
MD5: 33165ad89f5e1337a51632847b2d0e27
SHA1: 5d2c08233db36cafec84fdf42311ea706c186980
SHA256:2e5f124cbc095e6af716907a4f7a2222563c5f198f7b80c115807d3dd20293a5
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

reporting.zip: reporting.jar: report.exportdialog.service.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/reporting.zip/reporting.jar/com/inet/report/exportwebui/js/report.exportdialog.service.js
MD5: e0c64da7a618e8b61743ab3f796e480f
SHA1: b3f3b1820ac805200784c2a04a8e9e0c5c6a773d
SHA256:e57c19851718e326461b09834966d70d0de3d3ce09f1656d16afe7f88f2807e7
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

reporting.zip: reporting.jar: report.exportframe.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/reporting.zip/reporting.jar/com/inet/report/exportwebui/js/report.exportframe.js
MD5: 2c9f57a3ef5d760bc9f1fe6d344384da
SHA1: a2562e63bc825ea8eeaaea75a98e09c2a6be7186
SHA256:f4417bf8d9d1430364d95d6e8eebffba28cc97c6cb34346e78d0612d5842d02a
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

reporting.zip: reporting.jar: script.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/reporting.zip/reporting.jar/com/inet/report/renderer/html/viewer/script.js
MD5: 9237075ecd44006d5ab48177001c5314
SHA1: fe08bb48bf207cdcf0ff4e2d776b59672f965518
SHA256:bf5ee8cda7861d90ae35343c6233ccb210da8860285def9b47d20057685f97ba
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

reporting.zip: reporting.jar: search.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/reporting.zip/reporting.jar/com/inet/report/renderer/html/viewer/modules/search.js
MD5: faa3f4fb9604ed70bec53256b055ffa6
SHA1: 892688617be684946fa39098413d0c55d9e769cc
SHA256:ea1c42a5640880562ea7639e1c6ff2bb1af2496964ce572c64fa7735b51a5f6f
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

reporting.zip: reporting.jar: serverping.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/reporting.zip/reporting.jar/com/inet/report/renderer/html/viewer/modules/serverping.js
MD5: 6124f0f67286f7e3fbf239bdc4988d95
SHA1: aa0bb794c4e5c40bf4a7e580e251c2d15ae09e1d
SHA256:f688956f4c5cba792d04903423d249f8eeeaffe37e3537b723f10572cf0d66d8
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

reporting.zip: reporting.jar: stacktrace.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/reporting.zip/reporting.jar/com/inet/report/renderer/html/viewer/stacktrace.js
MD5: e9687f11beba8f607c0c98af4eb0cc94
SHA1: f92f65d1f27fad2febcc8ad23824f10f51cc722b
SHA256:0b4e8ce367ded3ec4d68ff2fa931958f8e3d99d649e7175b4a1e62f27cf15701
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

reporting.zip: reporting.jar: tabbar.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/reporting.zip/reporting.jar/com/inet/report/renderer/html/viewer/modules/tabbar.js
MD5: fdb707b4dc212e365bff1fa637bbfa32
SHA1: 14e364be23b61f3f94427a79ce8c0f87bb186c04
SHA256:f9e18e41672898499dd50f0e802618952e153ddb40c052148dff9edce742a0ba
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

security.zip: security.jar

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/security.zip/security.jar
MD5: 511bc7605d29c6e5ac0870b0aeb260fd
SHA1: dae6845a1d1d17d5535c1a15c4a57d92b7e8309b
SHA256:c3a6a06662a2428df7afa8edea3b531d82bdeb4873f4b4f1e1c2bd9fe92127cc
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence
Vendor	file	name	security	High
Vendor	jar	package name	inet	Low
Vendor	jar	package name	security	Low
Vendor	jar	package name	server	Low
Vendor	Manifest	built-date	2025-05-01 11:45	Low
Vendor	Manifest	implementation-group	shared	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium

Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	security	High
Product	jar	package name	security	Highest
Product	jar	package name	security	Low
Product	jar	package name	server	Low
Product	Manifest	built-date	2025-05-01 11:45	Low
Product	Manifest	implementation-group	shared	Low
Product	Manifest	Implementation-Title	security	High
Product	Manifest	specification-title	security	Medium
Version	Manifest	Implementation-Version	25.4.227	High

Identifiers

- **None**

setuplauncher.jar

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/core/setuplauncher.jar
MD5: a288e685b16fd9ecfdb835c7c6f0f7f0
SHA1: 36253a46f8c1263930bce237b5c72cee35ca79e6
SHA256:2c8841b3a792d29218c122a8a6dcff7071deec88c8ef8cf4729a221164c59765
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence
Vendor	file	name	setuplauncher	High
Vendor	jar	package name	inet	Low
Vendor	jar	package name	setuplauncher	Low
Vendor	Manifest	built-date	2025-05-01 11:32	Low
Vendor	Manifest	implementation-group	shared	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High

Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	setuplauncher	High
Product	jar	package name	setuplauncher	Highest
Product	jar	package name	setuplauncher	Low
Product	Manifest	built-date	2025-05-01 11:32	Low
Product	Manifest	implementation-group	shared	Low
Product	Manifest	Implementation-Title	setuplauncher	High
Product	Manifest	specification-title	setuplauncher	Medium
Version	Manifest	Implementation-Version	25.4.227	High

Identifiers

- **None**

slf4j-api-2.0.16.jar

Description:

The slf4j API

License:

http://www.opensource.org/licenses/mit-license.php

File Path: /home/jenkins/.gradle/caches/modules-2/files-2.1/org.slf4j/slf4j-api/2.0.16/172931663a09a1fa515567af5fbef00897d3c04/slf4j-api-2.0.16.jar
MD5: c8de8f5d740584cb24b5652cfba8b3c4
SHA1: 0172931663a09a1fa515567af5fbef00897d3c04
SHA256:a12578dde1ba00bd9b816d388a0b879928d00bab3c83c240f7013bf4196c579a
Referenced In Projects/Scopes:

- server
- server:inetPlugin

Included by: pkg:maven/helpdesk/server@25.4

Evidence

Type	Source	Name	Value	Confidence

Vendor	file	name	slf4j-api	High
Vendor	gradle	artifactid	slf4j-api	Highest
Vendor	gradle	groupid	org.slf4j	Highest
Vendor	jar	package name	slf4j	Highest
Vendor	Manifest	build-jdk-spec	21	Low
Vendor	Manifest	bundle-docurl	http://www.slf4j.org	Low
Vendor	Manifest	bundle-symbolicname	slf4j.api	Medium
Vendor	Manifest	multi-release	true	Low
Vendor	pom	artifactid	slf4j-api	Low
Vendor	pom	groupid	org.slf4j	Highest
Vendor	pom	name	SLF4J API Module	High
Vendor	pom	parent-artifactid	slf4j-parent	Low
Vendor	pom	url	http://www.slf4j.org	Highest
Product	file	name	slf4j-api	High
Product	gradle	artifactid	slf4j-api	Highest
Product	jar	package name	slf4j	Highest
Product	Manifest	build-jdk-spec	21	Low
Product	Manifest	bundle-docurl	http://www.slf4j.org	Low
Product	Manifest	Bundle-Name	SLF4J API Module	Medium
Product	Manifest	bundle-symbolicname	slf4j.api	Medium
Product	Manifest	Implementation-Title	slf4j-api	High
Product	Manifest	multi-release	true	Low
Product	pom	artifactid	slf4j-api	Highest
Product	pom	groupid	org.slf4j	Highest
Product	pom	name	SLF4J API Module	High
Product	pom	parent-artifactid	slf4j-parent	Medium
Product	pom	url	http://www.slf4j.org	Medium
Version	file	version	2.0.16	High
Version	gradle	version	2.0.16	Highest
Version	Manifest	Bundle-Version	2.0.16	High
Version	Manifest	Implementation-Version	2.0.16	High
Version	pom	version	2.0.16	Highest

Related Dependencies

- slf4j-api.jar
  - File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server /core/slf4j-api.jar
  - MD5: c8de8f5d740584cb24b5652cfba8b3c4
  - SHA1: 0172931663a09a1fa515567af5fbef00897d3c04
  - SHA256: a12578dde1ba00bd9b816d388a0b879928d00bab3c83c240f7013bf4196c579a

Identifiers

- pkg:maven/org.slf4j/slf4j-api@2.0.16 (*Confidence*:High)

taskplanner.helpdesk.zip: taskplanner.helpdesk.jar

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems /HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/plugins/taskplanner.helpdesk.zip /taskplanner.helpdesk.jar
MD5: fc62c2af3181040b94e5254991fac3db
SHA1: 6a350f28a2036646d74db4b1d9e798ccb6452a3a
SHA256:33722d07754ea2e483956e0fc1bd40755d1e78ca05a3f8376b36d57023f4c31f
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence
Vendor	file	name	taskplanner.helpdesk	High
Vendor	jar	package name	helpdesk	Low
Vendor	jar	package name	inet	Low
Vendor	jar	package name	plugins	Low
Vendor	Manifest	built-date	2025-05-01 13:45	Low
Vendor	Manifest	implementation-group	helpdesk	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	taskplanner.helpdesk	High
Product	jar	package name	helpdesk	Highest

Product	jar	package name	helpdesk	Low
Product	jar	package name	plugins	Low
Product	jar	package name	taskplanner	Highest
Product	jar	package name	taskplanner	Low
Product	Manifest	built-date	2025-05-01 13:45	Low
Product	Manifest	implementation-group	helpdesk	Low
Product	Manifest	Implementation-Title	taskplanner.helpdesk	High
Product	Manifest	specification-title	taskplanner.helpdesk	Medium
Version	jar	package name	helpdesk	Highest
Version	Manifest	Implementation-Version	25.4.227	High

Identifiers

- cpe:2.3:a:inetsoftware:helpdesk:25.4.227:*:*:*:*:*:*:* (*Confidence*:Low) suppress

taskplanner.reporting.zip: taskplanner.reporting-javadoc.jar

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/taskplanner.reporting.zip/taskplanner.reporting-javadoc.jar
MD5: 6eab2d08fc2c9b242e1aecc789bafb03
SHA1: b7df92a5fb5bd3cd10f372776f49c72bf85e586d
SHA256:2ead927ac87183326ce5bd9fb7c680f715cf06bcd94fc69f79ac8d2fdbc2ab60
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence
Vendor	file	name	taskplanner.reporting-javadoc	High
Product	file	name	taskplanner.reporting-javadoc	High

Identifiers

- **None**

taskplanner.reporting.zip: taskplanner.reporting-javadoc.jar: member-search-index.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/taskplanner.reporting.zip/taskplanner.reporting-javadoc.jar/member-search-index.js
MD5: 129109d2f67ec6f406b60107b610d11a
SHA1: dc505388484f1177b6849c5ff60038a174b27cfb
SHA256:ef24a0fcdfafa687ed57452909bd0f7af891ca00d1214008edc2366815de0545
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

taskplanner.reporting.zip: taskplanner.reporting-javadoc.jar: package-search-index.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/taskplanner.reporting.zip/taskplanner.reporting-javadoc.jar/package-search-index.js
MD5: 53fb7ab8ab8de6b33f33254e2c32fbc9
SHA1: f9bac0ca4dca6228416bed44f903f85acc19d969
SHA256:4dc686e5e4b0138073c3ffc1106bea2df96559da6d6e7d7ec2273bb12978c8ed
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

taskplanner.reporting.zip: taskplanner.reporting-javadoc.jar: type-search-index.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/taskplanner.reporting.zip/taskplanner.reporting-javadoc.jar/type-search-index.js

MD5: b0dcdeedc2201c62287cfb168bca35f5
SHA1: aabb00fe2be134923fb716b9b6d1909e247d0dfa
SHA256:c655265fb2ffb91913da0407621313cf8139ee6bf04a9374cde419395878e64e
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

taskplanner.reporting.zip: taskplanner.reporting.jar

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/taskplanner.reporting.zip/taskplanner.reporting.jar
MD5: 708b566a1942bb554040a8119e8edcf9
SHA1: 074bdbf1130c0d308f6d1088491d674ac093935c
SHA256:8d08bfe831fd3479186490e005ac54871085bcf4882f549ec2df9c297849f622
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence
Vendor	file	name	taskplanner.reporting	High
Vendor	jar	package name	inet	Low
Vendor	jar	package name	report	Low
Vendor	jar	package name	taskplanner	Low
Vendor	Manifest	built-date	2025-05-01 12:50	Low
Vendor	Manifest	implementation-group	reporting	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	taskplanner.reporting	High
Product	jar	package name	report	Low

Product	jar	package name	taskplanner	Highest
Product	jar	package name	taskplanner	Low
Product	Manifest	built-date	2025-05-01 12:50	Low
Product	Manifest	implementation-group	reporting	Low
Product	Manifest	Implementation-Title	taskplanner.reporting	High
Product	Manifest	specification-title	taskplanner.reporting	Medium
Version	Manifest	Implementation-Version	25.4.227	High

Identifiers

- **None**

taskplanner.reporting.zip: taskplanner.reporting.jar: crtaskplanner.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/taskplanner.reporting.zip/taskplanner.reporting.jar/com/inet/report/taskplanner/client/crtaskplanner.js
MD5: ea3fd5ef6a70616ed664aaeb73227b89
SHA1: 38cee119cd4daac08a3949a972643854a1b2acc5
SHA256:83b12efacba175acc1938d90d8bdb8f3f94802f94d39fc11dbd5a08417ef03e0
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

taskplanner.zip: commons-cli.jar

Description:

Apache Commons CLI provides a simple API for presenting, processing, and validating a Command Line Interface.

License:

https://www.apache.org/licenses/LICENSE-2.0.txt

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/taskplanner.zip/commons-cli.jar
MD5: ef66360f30909f8372d6358dfc5d1b6c
SHA1: e1cdfa8bf40ccbb7440b2d1232f9f45bb20a1844
SHA256:d3d530d0f28fd0fbbffe2b0b338f70e8cb96f1605579e2e3abd4db29cac24e69
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence
Vendor	file	name	commons-cli	High
Vendor	jar	package name	apache	Highest
Vendor	jar	package name	cli	Highest
Vendor	jar	package name	commons	Highest
Vendor	Manifest	build-jdk-spec	17	Low
Vendor	Manifest	bundle-docurl	https://commons.apache.org/proper/commons-cli/	Low
Vendor	Manifest	bundle-symbolicname	org.apache.commons.cli	Medium
Vendor	Manifest	Implementation-Vendor	The Apache Software Foundation	High
Vendor	Manifest	Implementation-Vendor-Id	org.apache	Medium
Vendor	Manifest	multi-release	true	Low
Vendor	Manifest	specification-vendor	The Apache Software Foundation	Low
Vendor	pom	artifactid	commons-cli	Low
Vendor	pom	developer email	bob@werken.com	Low
Vendor	pom	developer email	chtompki@apache.org	Low
Vendor	pom	developer email	ebourg@apache.org	Low
Vendor	pom	developer email	ggregory at apache.org	Low
Vendor	pom	developer email	jbjk@mac.com	Low
Vendor	pom	developer email	jstrachan@apache.org	Low
Vendor	pom	developer email	roxspring@imapmail.org	Low
Vendor	pom	developer email	tn@apache.org	Low
Vendor	pom	developer id	bob	Medium
Vendor	pom	developer id	chtompki	Medium
Vendor	pom	developer id	ebourg	Medium

Vendor	pom	developer id	ggregory	Medium
Vendor	pom	developer id	jkeyes	Medium
Vendor	pom	developer id	jstrachan	Medium
Vendor	pom	developer id	roxspring	Medium
Vendor	pom	developer id	tn	Medium
Vendor	pom	developer name	Bob McWhirter	Medium
Vendor	pom	developer name	Emmanuel Bourg	Medium
Vendor	pom	developer name	Gary Gregory	Medium
Vendor	pom	developer name	James Strachan	Medium
Vendor	pom	developer name	John Keyes	Medium
Vendor	pom	developer name	Rob Oxspring	Medium
Vendor	pom	developer name	Rob Tompkins	Medium
Vendor	pom	developer name	Thomas Neidhart	Medium
Vendor	pom	developer org	Ariane Software	Medium
Vendor	pom	developer org	Indigo Stone	Medium
Vendor	pom	developer org	integral Source	Medium
Vendor	pom	developer org	SpiritSoft, Inc.	Medium
Vendor	pom	developer org	The Apache Software Foundation	Medium
Vendor	pom	developer org	Werken	Medium
Vendor	pom	developer org URL	https://www.apache.org/	Medium
Vendor	pom	groupid	commons-cli	Highest
Vendor	pom	name	Apache Commons CLI	High
Vendor	pom	parent-artifactid	commons-parent	Low
Vendor	pom	parent-groupid	org.apache.commons	Medium
Vendor	pom	url	https://commons.apache.org/proper/commons-cli/	Highest
Product	file	name	commons-cli	High
Product	jar	package name	apache	Highest
Product	jar	package name	cli	Highest
Product	jar	package name	commons	Highest
Product	Manifest	build-jdk-spec	17	Low
Product	Manifest	bundle-docurl	https://commons.apache.org/proper/commons-cli/	Low
Product	Manifest	Bundle-Name	Apache Commons CLI	Medium
Product	Manifest	bundle-symbolicname	org.apache.commons.cli	Medium

Product	Manifest	Implementation-Title	Apache Commons CLI	High
Product	Manifest	multi-release	true	Low
Product	Manifest	specification-title	Apache Commons CLI	Medium
Product	pom	artifactid	commons-cli	Highest
Product	pom	developer email	bob@werken.com	Low
Product	pom	developer email	chtompki@apache.org	Low
Product	pom	developer email	ebourg@apache.org	Low
Product	pom	developer email	ggregory at apache.org	Low
Product	pom	developer email	jbjk@mac.com	Low
Product	pom	developer email	jstrachan@apache.org	Low
Product	pom	developer email	roxspring@imapmail.org	Low
Product	pom	developer email	tn@apache.org	Low
Product	pom	developer id	bob	Low
Product	pom	developer id	chtompki	Low
Product	pom	developer id	ebourg	Low
Product	pom	developer id	ggregory	Low
Product	pom	developer id	jkeyes	Low
Product	pom	developer id	jstrachan	Low
Product	pom	developer id	roxspring	Low
Product	pom	developer id	tn	Low
Product	pom	developer name	Bob McWhirter	Low
Product	pom	developer name	Emmanuel Bourg	Low
Product	pom	developer name	Gary Gregory	Low
Product	pom	developer name	James Strachan	Low
Product	pom	developer name	John Keyes	Low
Product	pom	developer name	Rob Oxspring	Low
Product	pom	developer name	Rob Tompkins	Low
Product	pom	developer name	Thomas Neidhart	Low
Product	pom	developer org	Ariane Software	Low
Product	pom	developer org	Indigo Stone	Low
Product	pom	developer org	integral Source	Low
Product	pom	developer org	SpiritSoft, Inc.	Low
Product	pom	developer org	The Apache Software Foundation	Low
Product	pom	developer org	Werken	Low
Product	pom	developer org	https://www.apache.org/	Low

		URL		
Product	pom	groupid	commons-cli	Highest
Product	pom	name	Apache Commons CLI	High
Product	pom	parent-artifactid	commons-parent	Medium
Product	pom	parent-groupid	org.apache.commons	Medium
Product	pom	url	https://commons.apache.org/proper/commons-cli/	Medium
Version	Manifest	Bundle-Version	1.9.0	High
Version	Manifest	Implementation-Version	1.9.0	High
Version	pom	parent-version	1.9.0	Low
Version	pom	version	1.9.0	Highest

Identifiers

- pkg:maven/commons-cli/commons-cli@1.9.0 (*Confidence*:High)

taskplanner.zip: cron-utils.jar

Description:

A Java library to parse, migrate and validate crons as well as describe them in human readable language

License:

Apache 2.0: http://www.apache.org/licenses/LICENSE-2.0.html

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/taskplanner.zip/cron-utils.jar
MD5: 4c27537eecc6fa37ed5740b5383643c8
SHA1: 5d3738bc7a2eaa45a94a76c6e87af54a95414637
SHA256:02af0e8b2fe93c9fa6eecf97b53b39faae14c5b996356edb132e9fe620013744
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence
Vendor	file	name	cron-utils	High
Vendor	jar	package name	cron	Highest
Vendor	jar	package name	cronutils	Highest
Vendor	jar	package name	utils	Highest

Vendor	Manifest	automatic-module-name	com.cronutils	Medium
Vendor	Manifest	build-jdk-spec	1.8	Low
Vendor	Manifest	bundle-symbolicname	com.cronutils.cron-utils	Medium
Vendor	pom	artifactid	cron-utils	Low
Vendor	pom	developer id	jmrozanec	Medium
Vendor	pom	groupid	com.cronutils	Highest
Vendor	pom	name	cron-utils	High
Vendor	pom	url	http://cron-parser.com/	Highest
Product	file	name	cron-utils	High
Product	jar	package name	cron	Highest
Product	jar	package name	cronutils	Highest
Product	jar	package name	utils	Highest
Product	Manifest	automatic-module-name	com.cronutils	Medium
Product	Manifest	build-jdk-spec	1.8	Low
Product	Manifest	Bundle-Name	cron-utils	Medium
Product	Manifest	bundle-symbolicname	com.cronutils.cron-utils	Medium
Product	pom	artifactid	cron-utils	Highest
Product	pom	developer id	jmrozanec	Low
Product	pom	groupid	com.cronutils	Highest
Product	pom	name	cron-utils	High
Product	pom	url	http://cron-parser.com/	Medium
Version	Manifest	Bundle-Version	9.2.1	High
Version	pom	version	9.2.1	Highest

Identifiers

- pkg:maven/com.cronutils/cron-utils@9.2.1 (*Confidence*:High)
- cpe:2.3:a:cron-utils_project:cron-utils:9.2.1:*:*:*:*:*:*:* (*Confidence*:Highest) suppress
- cpe:2.3:a:utils_project:utils:9.2.1:*:*:*:*:*:*:* (*Confidence*:Highest) suppress

taskplanner.zip: guava.jar

Description:

Guava is a suite of core and expanded libraries that include utility classes, Google's collections, I/O classes, and much more.

License:

http://www.apache.org/licenses/LICENSE-2.0.txt

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/taskplanner.zip/guava.jar
MD5: 5732af16367192820c7bf177e9b29512
SHA1: 03fcc0a259f724c7de54a6a55ea7e26d3d5c0cac
SHA256:b918c98a7e44dbe94ebd9fe3e40cddaadb5a93e6a78eb6008b42df237241e538
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence
Vendor	file	name	guava	High
Vendor	jar	package name	common	Highest
Vendor	jar	package name	google	Highest
Vendor	Manifest	automatic-module-name	com.google.common	Medium
Vendor	Manifest	build-jdk-spec	11	Low
Vendor	Manifest	bundle-docurl	https://github.com/google/guava/	Low
Vendor	Manifest	bundle-symbolicname	com.google.guava	Medium
Vendor	pom	artifactid	guava	Low
Vendor	pom	groupid	com.google.guava	Highest
Vendor	pom	name	Guava: Google Core Libraries for Java	High
Vendor	pom	parent-artifactid	guava-parent	Low
Vendor	pom	url	google/guava	Highest
Product	file	name	guava	High
Product	jar	package name	common	Highest
Product	jar	package name	google	Highest
Product	Manifest	automatic-module-name	com.google.common	Medium
Product	Manifest	build-jdk-spec	11	Low
Product	Manifest	bundle-docurl	https://github.com/google/guava/	Low
Product	Manifest	Bundle-Name	Guava: Google Core Libraries for Java	Medium
Product	Manifest	bundle-symbolicname	com.google.guava	Medium
Product	pom	artifactid	guava	Highest

Product	pom	groupid	com.google.guava	Highest
Product	pom	name	Guava: Google Core Libraries for Java	High
Product	pom	parent-artifactid	guava-parent	Medium
Product	pom	url	google/guava	High
Version	pom	version	33.4.0-jre	Highest

Identifiers

- pkg:maven/com.google.guava/guava@33.4.0-jre (*Confidence*:High)
- cpe:2.3:a:google:guava:33.4.0:*:*:*:*:*:*:* (*Confidence*:Highest) suppress

taskplanner.zip: taskplanner-javadoc.jar

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/taskplanner.zip/taskplanner-javadoc.jar
MD5: 5606188603a136e2493c2425f82a885d
SHA1: 37e4454fea14f40d86d93a22ae58f67e89bf5196
SHA256:f1aaf72022a6e6f8cd6c9a7c646d94e21bfc9d3532989891a4d7981be60ffc83
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence
Vendor	file	name	taskplanner-javadoc	High
Product	file	name	taskplanner-javadoc	High

Identifiers

- **None**

taskplanner.zip: taskplanner-javadoc.jar: member-search-index.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/taskplanner.zip/taskplanner-javadoc.jar/member-search-index.js
MD5: 89033498326fab816297572664f5cf6d

SHA1: 0ca5f98a2dcd54fb148595401f471de2bbd0250f
SHA256:c94e33bae41613b39a252e5a6ec781e44f14fdc3cf9b815117d0c99f2b92851f
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

taskplanner.zip: taskplanner-javadoc.jar: package-search-index.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/taskplanner.zip/taskplanner-javadoc.jar/package-search-index.js
MD5: 664e97ca24dfa41c9d227a21aa0d43c5
SHA1: 4594dfafaa4e3780974c8476ea5a1ea1b9898f41
SHA256:d5638352f038b195118792e06962bd06f15b8ca6ebd6df9db669aa096012ec0d
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

taskplanner.zip: taskplanner-javadoc.jar: type-search-index.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/taskplanner.zip/taskplanner-javadoc.jar/type-search-index.js
MD5: d4cdbbc6c76d43ead6c21a98fcbe5e61
SHA1: df7c0c10fdb529b9419bd2a38286160b47eda99c
SHA256:7c7aa1396f244a9a3375bbda8e04124171c29b5858c2847f548cd0b4c3361427
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

taskplanner.zip: taskplanner.jar

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/taskplanner.zip/taskplanner.jar
MD5: 9579f0ef2067560fc42a4e3d9f170752
SHA1: 80da22167ac637f18a1db4cd02515a8a6f1bc6e0
SHA256:d26d5b8747ed20982f5adee4f76525a82d5ac919f171658cf67a5d821f101593
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence
Vendor	file	name	taskplanner	High
Vendor	jar	package name	inet	Low
Vendor	jar	package name	server	Low
Vendor	jar	package name	taskplanner	Low
Vendor	Manifest	built-date	2025-05-01 11:20	Low
Vendor	Manifest	implementation-group	shared	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	taskplanner	High
Product	jar	package name	api	Low
Product	jar	package name	server	Low
Product	jar	package name	taskplanner	Highest
Product	jar	package name	taskplanner	Low
Product	Manifest	built-date	2025-05-01 11:20	Low
Product	Manifest	implementation-	shared	Low

		group		
Product	Manifest	Implementation-Title	taskplanner	High
Product	Manifest	specification-title	taskplanner	Medium
Version	Manifest	Implementation-Version	25.4.227	High

Identifiers

- **None**

taskplanner.zip: taskplanner.jar: app.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/taskplanner.zip/taskplanner.jar/com/inet/taskplanner/client/js/app.js
MD5: 22be8e86a9121096b162ff523e37842e
SHA1: cc6010fdc028f0b9c5c95def16c69e3bab116bf0
SHA256:511c001c378b9f9e28f261cafaa88892acb5a29743c50d5daf15dd869357bc0c
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

taskplanner.zip: taskplanner.jar: boolean.directive.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/taskplanner.zip/taskplanner.jar/com/inet/taskplanner/client/js/fields/boolean.directive.js
MD5: 8dcbd2299e9082c7d30047c62d84fa7d
SHA1: 46e20aa1bd139542182a754edf0eaa8fa8684782
SHA256:f28e377c325d8ac419426606ae56bbb78e523210087910b9a595d87235d4eed0
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

taskplanner.zip: taskplanner.jar: colorField.directive.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/taskplanner.zip/taskplanner.jar/com/inet/taskplanner/client/js/fields/colorField.directive.js
MD5: 6befac83d2b0754235fb738ada07b8db
SHA1: fa581823e83812639dd7a834b580619472492cff
SHA256:299ff7b917c507bb852d4c8f7a305e545c214806ae816b47aa9f2b37928a5154
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

taskplanner.zip: taskplanner.jar: controller.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/taskplanner.zip/taskplanner.jar/com/inet/taskplanner/client/js/controller.js
MD5: 517f2fee6b44d05a1c7cf14aa5403b4f
SHA1: 9408064531c8eb0a3bc248f9cfcc8b2c0e0aff34
SHA256:d0d94c33ddbca3323fc50c1832481e43d6d4786e35b4da44a329a7b6a2adb463
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

taskplanner.zip: taskplanner.jar: factory.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/taskplanner.zip/taskplanner.jar/com/inet/taskplanner/client/js/factory.js
MD5: 65a0e2a58b46b6bf17b8a6cb4fa3be15
SHA1: cab237a6e2092eb72ce73d77a47114eb3d2ce4b3
SHA256:b45ec15f580b0d9f02a31c366f6656130361fa1b95f798fa0066d1ab9f5a2488
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

taskplanner.zip: taskplanner.jar: filechooserAddonButton.directive.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/taskplanner.zip/taskplanner.jar/com/inet/taskplanner/client/js/fields/filechooserAddonButton.directive.js
MD5: 1dbc17a2a4e1fc7930dda7d5d3e4630a
SHA1: 350be18d05b89c69fa3167a09822876d21a42143
SHA256:140100d27da0900d67a30dadcf9971ed9eff5c2787aa5814b930f986615c6abb
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

taskplanner.zip: taskplanner.jar: model.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/taskplanner.zip/taskplanner.jar/com/inet/taskplanner/client/js/model.js
MD5: 97d28d6942b4bc22b121b554b5b9d36f
SHA1: 25ad1c5dac475ab3a13df6e6a2792d52e9fd29ca
SHA256:7bdd9f9c01104aa2dec6ba649ad42a0617e31cdb655b1a5920934fdd0a75519b
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

taskplanner.zip: taskplanner.jar: numberRange.directive.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/taskplanner.zip/taskplanner.jar/com/inet/taskplanner/client/js/fields/numberRange.directive.js
MD5: e98f0aec3fd059575c390f4488396764
SHA1: 5fb36b30f1022112f5da2a9373fa562859a8f05d
SHA256:2164d0a1c06a1750c41b3be860ade120946d0091f3f6c512241235601c3f74b6
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

taskplanner.zip: taskplanner.jar: numberWrapper.directive.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/taskplanner.zip/taskplanner.jar/com/inet/taskplanner/client/js/fields/numberWrapper.directive.js
MD5: c71128c3dac942fc1d5d488562b727a0

SHA1: 51e1419abd22f7f48debceb976752bfec46e36f4
SHA256:3c3f6b8e5bcc8bf32a3cf2192a10de8472100d195cc2b08c4ff860a0dcb9bacf
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

taskplanner.zip: taskplanner.jar: passwordTextField.directive.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/taskplanner.zip/taskplanner.jar/com/inet/taskplanner/client/js/fields/passwordTextField.directive.js
MD5: 3c1bcad68930caf2fa88697134624473
SHA1: 6c25ac7bd32b0c40b2202c9dc43f83842c55f846
SHA256:4620ce8c28a46c1675c50490a25f14d481e8910a7b3687a4bb712d73c80f3d73
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

taskplanner.zip: taskplanner.jar: renderer.directive.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/taskplanner.zip/taskplanner.jar/com/inet/taskplanner/client/js/fields/renderer.directive.js
MD5: 3e232b940bcd532e99c88f5b95bf60b2
SHA1: a051ce6df82ad9673fc1b23bafc3670d70bb4cac
SHA256:b930dc86802f4307b5f6d4671f27dac5bd85d5766f32567f5479ecc9077bf5a3
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

taskplanner.zip: taskplanner.jar: simpleCurrencyField.directive.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/taskplanner.zip/taskplanner.jar/com/inet/taskplanner/client/js/fields/simpleCurrencyField.directive.js
MD5: 54ae56c2f76e7b601b9e9785dc51a623
SHA1: af05845b893807b4460bc65fa189700abcb4dc82
SHA256:847d6da58f5887edac53896e6bec4dde5b293a08a8ac6e421aa2847991f3b877
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

taskplanner.zip: taskplanner.jar: simpleDateTimeField.directive.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/taskplanner.zip/taskplanner.jar/com/inet/taskplanner/client/js/fields/simpleDateTimeField.directive.js
MD5: 53d33b9956ea6ffea7cb1fef5e878961
SHA1: 2388423f76a1b38cb2e5729e57a113245e1d3f2d
SHA256:7cbb2507fe22dfec607af8d76d85317a395c3ebb98e31ec9be26e73350dbcd9f
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

taskplanner.zip: taskplanner.jar: simpleFileFolderField.directive.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/taskplanner.zip/taskplanner.jar/com/inet/taskplanner/client/js/fields/simpleFileFolderField.directive.js
MD5: f5286e610a6bb3285e052f2e91efb466
SHA1: 71fbce03897306e305f9e7763076f6cdff1d23ef
SHA256:f0b62fb39485c6232a6ca1373326e0bdd6485c6b7a9b6e1d7d263f2bceba3aad
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

taskplanner.zip: taskplanner.jar: simpleGroup.directive.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/taskplanner.zip/taskplanner.jar/com/inet/taskplanner/client/js/fields/simpleGroup.directive.js
MD5: d69a3c1dd5569172999325602506517f
SHA1: 780808312f5a19e0b6726453655b1911dde585bc
SHA256:4eada3908c9db4213e058eb378f9f7f28e7e96e0ee3de2817f5d408b88176dc5
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

taskplanner.zip: taskplanner.jar: simpleLabel.directive.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/taskplanner.zip/taskplanner.jar/com/inet/taskplanner/client/js/fields/simpleLabel.directive.js
MD5: ecbe7da1cc7d51e0bd4e73e7c2fad4df
SHA1: d16a32bb34f1ff4d0f4740a06660ed72f4eca1fc
SHA256:2b533fa13f74789de6b02fb037bfd7eae3b8b6e7d0f851a66f57739f565fd453
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

taskplanner.zip: taskplanner.jar: simpleLink.directive.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/taskplanner.zip/taskplanner.jar/com/inet/taskplanner/client/js/fields/simpleLink.directive.js
MD5: 525dc45cb1886c4808186e1094480bba
SHA1: 7198a40b645128e0495d6d04c008b31b37faf827
SHA256:7f2b60bda8c8e3938f9e8762c000606909ba0411aa784a202c93a1b2371cd82e
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

taskplanner.zip: taskplanner.jar: simpleSelect.directive.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/taskplanner.zip/taskplanner.jar/com/inet/taskplanner/client/js/fields/simpleSelect.directive.js
MD5: e54a750acec037585e380229a6b74b39

SHA1: a6323f355bb4da4cdcac24be2572fec96332bfa8
SHA256:39d6b66fe24beb027a1445157af449f17a51069e0887603b4eaf624474b5ee6c
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

taskplanner.zip: taskplanner.jar: simpleTextField.directive.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/taskplanner.zip/taskplanner.jar/com/inet/taskplanner/client/js/fields/simpleTextField.directive.js
MD5: 998a4b2340386c5ff39fd74451642547
SHA1: b0025705125d1a18bec3624d0eb34176bb332c9d
SHA256:8a7ad2a61dbd1c78565a7626a8c100523c97984be77d431929041f19e2f24c1c
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

taskplanner.zip: taskplanner.jar: stringTable.directive.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/taskplanner.zip/taskplanner.jar/com/inet/taskplanner/client/js/fields/stringTable.directive.js
MD5: 2731ad8625d24769bc3f9727361b4d6f
SHA1: d0c7a2e05d815252c80a51064ffe4d66f0d18843
SHA256:db785a8486fd5f45ef2a56d1d977afa0b445bf4491e1b429a9863c46e5a2d35a
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

taskplanner.zip: taskplanner.jar: taskplanner_maintenance.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/taskplanner.zip/taskplanner.jar/com/inet/taskplanner/maintenance/taskplanner_maintenance.js
MD5: e17e990210a0b6ccd25d7aa85efdb501
SHA1: 783e33954dbca62f5eee8e905260273716633edf
SHA256:aad4ed23724cab1efe4abcf2672f64149c007b0aff1ce93d621b8080fcbfcae3
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

taskplanner.zip: taskplanner.jar: textAreaField.directive.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/taskplanner.zip/taskplanner.jar/com/inet/taskplanner/client/js/fields/textAreaField.directive.js
MD5: 46bf6266b3aa8c7d331c34aa58185b2d
SHA1: f6348f31ef689122ec81b2dac2455e15f4b561e6
SHA256:4f679ccc7d9fdb172764575fb3e9fdfbb3cb21d370b3adcf06b17fd7326f877b
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

theme.zip: theme.jar

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/theme.zip/theme.jar
MD5: 7616ccefb0898bfc47e0346b8140d3f0
SHA1: 21cbe492a81d8208a4a488b483b921e55d2f0e0a
SHA256:78bcf9a92ef21c06c34e82e34e815fba16d49d65914874aa64e61627dab108bf
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence
Vendor	file	name	theme	High
Vendor	jar	package name	inet	Low
Vendor	jar	package name	server	Low
Vendor	jar	package name	theme	Low
Vendor	Manifest	built-date	2025-05-01 11:14	Low
Vendor	Manifest	implementation-group	shared	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	theme	High
Product	jar	package name	server	Low
Product	jar	package name	theme	Highest
Product	jar	package name	theme	Low
Product	Manifest	built-date	2025-05-01 11:14	Low
Product	Manifest	implementation-group	shared	Low
Product	Manifest	Implementation-Title	theme	High
Product	Manifest	specification-title	theme	Medium
Version	Manifest	Implementation-Version	25.4.227	High

Identifiers

- **None**

ticketlist.zip: ticketlist.jar

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/plugins/ticketlist.zip/ticketlist.jar
MD5: 53e6b3f3b703f91c5936dfbfe71bc8dd
SHA1: 1e42bfd0700648fd8b5d170f67a65a55d694282d
SHA256:56982ccb9ab8d46735ce633734790fa568c2bc9e4bde7e3c803449bfd0b19434
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence
Vendor	file	name	ticketlist	High
Vendor	jar	package name	helpdesk	Low
Vendor	jar	package name	inet	Low
Vendor	jar	package name	plugins	Low
Vendor	Manifest	built-date	2025-05-01 13:45	Low
Vendor	Manifest	implementation-group	helpdesk	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	ticketlist	High
Product	jar	package name	helpdesk	Highest
Product	jar	package name	helpdesk	Low
Product	jar	package name	plugins	Low
Product	jar	package name	ticketlist	Highest
Product	jar	package name	ticketlist	Low
Product	Manifest	built-date	2025-05-01 13:45	Low
Product	Manifest	implementation-group	helpdesk	Low

Product	Manifest	Implementation-Title	ticketlist	High
Product	Manifest	specification-title	ticketlist	Medium
Version	jar	package name	helpdesk	Highest
Version	Manifest	Implementation-Version	25.4.227	High

Identifiers

- cpe:2.3:a:inetsoftware:helpdesk:25.4.227:*:*:*:*:*:*:* (*Confidence*:Low) suppress

ticketlist.zip: ticketlist.jar: annotationextension.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/plugins/ticketlist.zip/ticketlist.jar/com/inet/helpdesk/plugins/ticketlist/client/ticketpage/extensions/annotationextension.js
MD5: 1e6414569e9b4c2530828fb946cf6b6a
SHA1: 84e16216dee5b924f1f580f4c4c2f5c428a416a1
SHA256:7456433ebf7ab221917c0f0c40a1f53bd66ee4488e13829fb7cc859c437a6b1b
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

ticketlist.zip: ticketlist.jar: applyactionfieldrenderer.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/plugins/ticketlist.zip/ticketlist.jar/com/inet/helpdesk/plugins/ticketlist/client/ticketmanipulation/applyactionfieldrenderer.js
MD5: 9fd135b5b302ac43e5f114fec70c171a
SHA1: 286ed2dae5d27bf1eb0121f2f138f3c98c8fa3a8
SHA256:3561aee6ee3af3225a313651b2f42541229c7f7ab5520fd3be84acc5806a7a84
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

ticketlist.zip: ticketlist.jar: arearenderer.directive.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/plugins/ticketlist.zip/ticketlist.jar/com/inet/helpdesk/plugins/ticketlist/client/ticketrenderer/arearenderer.directive.js
MD5: 92a497f58608130db2130f2a1e233cf9
SHA1: fd07751d7f757fdf2641e8722f5019288a28e1e1
SHA256:22aff422d002c6b305b6a7a4772e23d1aaf64de81fddce63271076b03d543320
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

ticketlist.zip: ticketlist.jar: attachmentsextension.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/plugins/ticketlist.zip/ticketlist.jar/com/inet/helpdesk/plugins/ticketlist/client/ticketpage/extensions/attachmentsextension.js
MD5: 4f40840cc0eb2be4fb2f83d23099f2e5
SHA1: fc19be141473ee3ce521094a1095d8807cd00731
SHA256:05ec5c1183b1e040b79eee352d1e671857548e537bc215615072a7da1ec3e4d6
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

ticketlist.zip: ticketlist.jar: booleanrenderer.directive.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/plugins/ticketlist.zip/ticketlist.jar/com/inet/helpdesk/plugins/ticketlist/client/ticketrenderer/booleanrenderer.directive.js
MD5: c55c1011d6b4c6af5ff9ff740b0be20f
SHA1: 90e9009f928026d9131c75bc8e16cb563e855c50
SHA256:4be51693942b4b865400f691d23adf3a441d49c9216a678ab9056bdee7d203b2
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

ticketlist.zip: ticketlist.jar: cardobserver.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/plugins/ticketlist.zip/ticketlist.jar/com/inet/helpdesk/plugins/ticketlist/client/ticketlistlayout/cardobserver.js
MD5: 061c3768ae6a5b61f411b95b4e03979f
SHA1: e76da2c8840e9b45654eb473936be10096cfcbcb
SHA256:ad5865f7e57dda98c5df9f329fce841d67cfbdab41a2a327a4d73b854d687e50
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

ticketlist.zip: ticketlist.jar: controllerTicketViewSortSettings.controller.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/plugins/ticketlist.zip/ticketlist.jar/com/inet/helpdesk/plugins/ticketlist/client/ticketviewsortsettings/controllerTicketViewSortSettings.controller.js
MD5: 426fae71a7933b2a6f36922b6ff87c2f
SHA1: 2250e352edcddd0c66f0df464aaa3d27f1249ec8
SHA256:1dc79aa4f2487e838d42882c72bee2a1188dae60a77849024f1f302701d99417
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

ticketlist.zip: ticketlist.jar: currencyrenderer.directive.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/plugins/ticketlist.zip/ticketlist.jar/com/inet/helpdesk/plugins/ticketlist/client/ticketrenderer/currencyrenderer.directive.js
MD5: f9f712df1a9c7c8516de0300bf8753d8
SHA1: c9094be1b1307f600a4131bbc9dcc4413e1c9ad3
SHA256:a7d7210b8d2af98b690b342aa1002d06364820e31d2ff06ab9c9b8e265555fa6
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

ticketlist.zip: ticketlist.jar: daterenderer.directive.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/plugins/ticketlist.zip/ticketlist.jar/com/inet/helpdesk/plugins/ticketlist/client/ticketrenderer/daterenderer.directive.js
MD5: 21226e06def7a5d08b0bb3475d791b8b

SHA1: 2c8bdba7ffe603242df49f1a42e9a052233e44f8
SHA256:fa927868ecaf4758a4ba01c3bce0abeae8132429353e8f502cc6c0777e17d9c6
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

ticketlist.zip: ticketlist.jar: doublerenderer.directive.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/plugins/ticketlist.zip/ticketlist.jar/com/inet/helpdesk/plugins/ticketlist/client/ticketrenderer/doublerenderer.directive.js
MD5: 3157052cc5a6cbd2400e62c904df0319
SHA1: faad09d68d9a54395fd245961e0a132ae36d6ded
SHA256:0c822624ba07ff1a764e6dea5280dffbfb6c6ecc15dbc9e6768f8cf9a8f8734e
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

ticketlist.zip: ticketlist.jar: draganddrop.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/plugins/ticketlist.zip/ticketlist.jar/com/inet/helpdesk/plugins/ticketlist/client/sorter/draganddrop.js
MD5: 155dd08e39b79c2ab4b8aad44af61088
SHA1: a4249334d3cbf9da6ab084066ce824c63314ec5c
SHA256:81d64cf839480f265428e50b8819819f22cbf2ed4e9b629d8272ca835f107a9f
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

ticketlist.zip: ticketlist.jar: expertlayout.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/plugins/ticketlist.zip/ticketlist.jar/com/inet/helpdesk/plugins/ticketlist/client/ticketlistlayout/expertlayout.js
MD5: 8f8ed9c8c978c50b2892c6c5e8cd72a5
SHA1: 08a30738b3b58aa29c8df3062ae5b27363fbed0d
SHA256:b964f97c31a3853342f8325fb8bfe7404577f218fe73992efa44bccbc583f558
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

ticketlist.zip: ticketlist.jar: extendedpagelayout.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/plugins/ticketlist.zip/ticketlist.jar/com/inet/helpdesk/plugins/ticketlist/client/ticketpagelayout/extendedpagelayout.js
MD5: bb47ea667d3aac8b3b23be107177d460
SHA1: 460009a2820e7b9afe2c16a1b7538423251afe8e
SHA256:95ee4d5138194ca37fb73684684578ffb562d0f0f222022d0d2fcdf240cc4097
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

ticketlist.zip: ticketlist.jar: fullviewpagelayout.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/plugins/ticketlist.zip/ticketlist.jar/com/inet/helpdesk/plugins/ticketlist/client/ticketpagelayout/fullviewpagelayout.js
MD5: d969ef60417ecdf6a0c12a84b3f77fc1
SHA1: f93b6f7d3a26a8b239849737cebd43130655d979
SHA256:2b8572d62b447ebeb0273bbd0c94b2294a1fd522ee16b3bca7ac54fad7e0d873
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

ticketlist.zip: ticketlist.jar: htmleditorrenderer.directive.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/plugins/ticketlist.zip/ticketlist.jar/com/inet/helpdesk/plugins/ticketlist/client/ticketrenderer/htmleditorrenderer.directive.js
MD5: 013ff76ca6cbdd8508fb782d68894aaf
SHA1: 38190bc9d72e2c1441b1ea4aeee172edb531047d
SHA256:8eccb55b89b6836807c6a1773b625caacdb414eb623cfa71f0599aa0ad9e2d73
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

ticketlist.zip: ticketlist.jar: inputrenderer.directive.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/plugins/ticketlist.zip/ticketlist.jar/com/inet/helpdesk/plugins/ticketlist/client/ticketrenderer/inputrenderer.directive.js
MD5: c79c1493ddc14a7271c694d83be3de3b
SHA1: 00bf4b523c19c42a190b9e4f7ac44c87486bffac
SHA256:f82febed05cebac8f70b6ea2e32440fc168ca3bdc1eaae4ff9ec5d3efb2fd42b
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

ticketlist.zip: ticketlist.jar: integerrenderer.directive.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/plugins/ticketlist.zip/ticketlist.jar/com/inet/helpdesk/plugins/ticketlist/client/ticketrenderer/integerrenderer.directive.js
MD5: ed310096c56c733c5fa51a11e3c9f68e
SHA1: f3071527fa1459d7aaa52686aea377577fa0cb1a
SHA256:602e022f2439b1e2d9edfb2e12549af6119d656d0a4468665d1b65438941176d
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

ticketlist.zip: ticketlist.jar: itilselectrenderer.directive.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/plugins/ticketlist.zip/ticketlist.jar/com/inet/helpdesk/plugins/ticketlist/client/ticketrenderer/itilselectrenderer.directive.js
MD5: 0d9d77023491fea47cfe54434882c04f

SHA1: 54ec29d8c597cf7b6e1116cc3ebb880dfbc4799f
SHA256:02c1b734f9c8e435480c19c54d43cc0b35c23e26650261c21e4da3a83c1e7225
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

ticketlist.zip: ticketlist.jar: linksextension.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/plugins/ticketlist.zip/ticketlist.jar/com/inet/helpdesk/plugins/ticketlist/client/ticketpage/extensions/linksextension.js
MD5: 2e1cadd6a10881dd97792da36c1c1753
SHA1: 4729050fc3d518ea19fb2c637d2a9e89de3a457e
SHA256:5ba1a0a062f1550d3ab360558e086a54e81fe68a4a17a8578c0366174f631ed1
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

ticketlist.zip: ticketlist.jar: newticket.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/plugins/ticketlist.zip/ticketlist.jar/com/inet/helpdesk/plugins/ticketlist/client/ticketcreation/newticket.js
MD5: ae96f6ceaf1d06f6da7f2844a66f723f
SHA1: 308e420aad523d0ec5a5f3b5b9bd3d22ee32525a
SHA256:2d4c4f17fcf92358f90716cf226ddbe7eaa263c107a6383c6e78e0efbf7df08e
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

ticketlist.zip: ticketlist.jar: ownerrenderer.directive.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/plugins/ticketlist.zip/ticketlist.jar/com/inet/helpdesk/plugins/ticketlist/client/ticketrenderer/ownerrenderer.directive.js
MD5: f7f1745b5e75bb9494094e6f96422c31
SHA1: d759cf0651b2d0d29de9533c557b49a4f3c6ef2b
SHA256:10e156fba8168bae503e39b189cdff814173d87bd1746356f574af3cb7a65998
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

ticketlist.zip: ticketlist.jar: print.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/plugins/ticketlist.zip/ticketlist.jar/com/inet/helpdesk/plugins/ticketlist/client/print/print.js
MD5: 86ba4ef164fa8afa300aef2de1722988
SHA1: d56b0ce429ec817826ba5f82e7782d9ce0b02657
SHA256:5441685549aef8c987b054fdfc8657f2f2a289a948602ea2a504e4511931e1c5
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

ticketlist.zip: ticketlist.jar: ratingrenderer.directive.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/plugins/ticketlist.zip/ticketlist.jar/com/inet/helpdesk/plugins/ticketlist/client/ticketrenderer/ratingrenderer.directive.js
MD5: 8515102e0e2f4a50761e61d49d45161d
SHA1: 65dc1b65ccb2e3aacddaa192cedf82b735711090
SHA256:098805a88b8e118b0bc1c91f7aaab08ecb267b0831ffe94ffc88c72e27474a6a
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

ticketlist.zip: ticketlist.jar: relativeabsolutedateswitcher.directive.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/plugins/ticketlist.zip/ticketlist.jar/com/inet/helpdesk/plugins/ticketlist/client/ticketrenderer/relativeabsolutedateswitcher.directive.js
MD5: 118413aabffebdb0f9dd3989eff7dbdd
SHA1: d7f301cd9ca62112eb57790879b5421e8dedb59a
SHA256:02ec820b8a3eeaeccb7529c932f6979fc9468dbb26513e92332960785b033f3a
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

ticketlist.zip: ticketlist.jar: relativetimerenderer.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/plugins/ticketlist.zip/ticketlist.jar/com/inet/helpdesk/plugins/ticketlist/client/ticketmanipulation/relativetimerenderer.js
MD5: 2d2bd20db181fcc2d0d02a3670bfe8a0
SHA1: 88923031bd6be947ee61d6a5fcc7db6365d125fe
SHA256:ebb9f043c5c200e42f06c29861dae6f4606c095143a262119d053e9a9b2683f7
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

ticketlist.zip: ticketlist.jar: resizeableColumn.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/plugins/ticketlist.zip/ticketlist.jar/com/inet/helpdesk/plugins/ticketlist/client/ticketlist/resizeableColumn.js
MD5: 55b909ff6d7c1f42d85ba543d77f3b29
SHA1: 2d9dcae73dc0ada105c41ef40efacff01fda70a2
SHA256:446ff06f0416d4cd765f5922c5915a097596c9a4fc0fe8885c61a3e920317aad
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

ticketlist.zip: ticketlist.jar: selectionCountBadge.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/plugins/ticketlist.zip/ticketlist.jar/com/inet/helpdesk/plugins/ticketlist/client/ticketlist/selectionCountBadge.js
MD5: e433163fcbd8884e0b89493b9ab1c80a

SHA1: efa6091e8e2e696e9a706f879b16ec804b7f85aa
SHA256:eed812ab7fe1cef13eba59185d88b5d7b0c35e0b79b2fbd31fffc233e2e09f6c
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

ticketlist.zip: ticketlist.jar: selectmultirenderer.directive.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/plugins/ticketlist.zip/ticketlist.jar/com/inet/helpdesk/plugins/ticketlist/client/ticketrenderer/selectmultirenderer.directive.js
MD5: 71bc056a83b8eaa07f030a6bf12700f5
SHA1: acee74dbdffd7a9c46e835277dd3c9909fedca38
SHA256:a7dd80b181cfb139f94fc3a75d408694805313218bc265ec7f4b9738273b43d4
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

ticketlist.zip: ticketlist.jar: selectrenderer.directive.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/plugins/ticketlist.zip/ticketlist.jar/com/inet/helpdesk/plugins/ticketlist/client/ticketrenderer/selectrenderer.directive.js
MD5: d854d6358954fb6eb11becbe3b665244
SHA1: ae7a4ffd4588070587eff84113fd525d4f4b107a
SHA256:73e341945ca88d105a0abd94abf37d423cb735472b355570de6498f520b2474a
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

ticketlist.zip: ticketlist.jar: sorter.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/plugins/ticketlist.zip/ticketlist.jar/com/inet/helpdesk/plugins/ticketlist/client/sorter/sorter.js
MD5: 2f33f440b9e71cdb31a6a52434686c59
SHA1: d9aa8c469563271f12e3ccdcf7a180261ee68d21
SHA256:684bc58c8fff89ef6e5cd29c898c636c6bddf0dd2de7202919f29f969d26df40
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

ticketlist.zip: ticketlist.jar: stopwatch.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/plugins/ticketlist.zip/ticketlist.jar/com/inet/helpdesk/plugins/ticketlist/client/ticketpage/stopwatch/stopwatch.js
MD5: 21b1ad3d4f338eae67979c3b3b1bc30b
SHA1: 68139316c192343ef8d1a56a464630f302e2ddc5
SHA256:bfd0d6516064171509949552a16cce5c410e811a744246b31f272ed4394d0fad
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

ticketlist.zip: ticketlist.jar: tabspagelayout.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/plugins/ticketlist.zip/ticketlist.jar/com/inet/helpdesk/plugins/ticketlist/client/ticketpagelayout/tabspagelayout.js
MD5: 8977127307b429237d4edf3b4e31d7d2
SHA1: ccb3e69248ff25b862e11f0b5bee61891e5bc82d
SHA256:c26f3ebb05d893a00325346a3285e90543f757cb0dd717e49141d1ade7410386
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

ticketlist.zip: ticketlist.jar: ticketattachment.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/plugins/ticketlist.zip/ticketlist.jar/com/inet/helpdesk/plugins/ticketlist/client/ticketpage/ticketattachment.js
MD5: 4608614311adb932892118c1f12e0f23
SHA1: 2a07e5d1b5ca032ad6481ae38098b69c7e23dba9
SHA256:b0c11e3dc0417ad1996cf0509cb84176ca26837187db405bdf41acb307afa124
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

ticketlist.zip: ticketlist.jar: ticketdetailsextension.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/plugins/ticketlist.zip/ticketlist.jar/com/inet/helpdesk/plugins/ticketlist/client/ticketpage/extensions/ticketdetailsextension.js
MD5: 38d9ae52f66ea3a6435f36d2f2bd2358
SHA1: 2d9baa1aa4bf531e9781acf79195e411807c1b78
SHA256:76ee1473fa665c68a6dc9bd7ff3432111dfb479a159ad9007fbdab5b3e8f6aa8
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

ticketlist.zip: ticketlist.jar: ticketeditor.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/plugins/ticketlist.zip/ticketlist.jar/com/inet/helpdesk/plugins/ticketlist/client/ticketmanipulation/ticketeditor.js
MD5: dce8b234a7615394e5334bb5d3ce7a26
SHA1: 1861ce1c680828f171e715bc68ba6cb5b9cc69cb
SHA256:8e58a11230c37c8a49e8ba6e8e52881e31a32545a5f70a0b8fc5a0747834f740
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

ticketlist.zip: ticketlist.jar: ticketfactory.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/plugins/ticketlist.zip/ticketlist.jar/com/inet/helpdesk/plugins/ticketlist/client/ticketfactory.js
MD5: 93ea5ee5f9dbc74830b2292d4484f205

SHA1: f79609abd7bcb9a12707b897ac12ced7723e24a2
SHA256:9306ae493876d63239a19be0c474b1f0d42244f66e1d5ea0a80bc4ee590ece26
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

ticketlist.zip: ticketlist.jar: ticketfieldrenderer.directive.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/plugins/ticketlist.zip/ticketlist.jar/com/inet/helpdesk/plugins/ticketlist/client/ticketrenderer/ticketfieldrenderer.directive.js
MD5: 7696325b88afe6ece5252976de31de23
SHA1: 43ae36d413f743ee204ea8b9f60e3297ac2c49ff
SHA256:13e7ed838a535d8497f397cd2d39576dd0c91206bf5190d1322d6c7d4d2a273e
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

ticketlist.zip: ticketlist.jar: ticketlist.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/plugins/ticketlist.zip/ticketlist.jar/com/inet/helpdesk/plugins/ticketlist/client/ticketlist/ticketlist.js
MD5: 3336c9ab968809047532ca7d3e5f1f67
SHA1: 03bea8d0219d9a656b0d4ba9a7540e2bc6f16fc6
SHA256:3ac0e8e6721a9bfad6a51c6adebe1a995ccc8c9c8913a71a0c9b339800914c65
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

ticketlist.zip: ticketlist.jar: ticketlistadditionalcomponents.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/plugins/ticketlist.zip/ticketlist.jar/com/inet/helpdesk/plugins/ticketlist/client/ticketlist/ticketlistadditionalcomponents.js
MD5: 032a2e02aecd63882ac4d8b337f5276f
SHA1: 7481b7bdc4a20e5040cbeaf71c979c0321dbfcc4
SHA256:8b1ba806777b676382c2024da23c7c5ffb63cae73bd7989620ee2f348b55311f
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

ticketlist.zip: ticketlist.jar: ticketlistapp.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/plugins/ticketlist.zip/ticketlist.jar/com/inet/helpdesk/plugins/ticketlist/client/ticketlistapp.js
MD5: f8e0a76011d77c2797b1d0b9b57d243a
SHA1: 47cf11cabd0a6edf87da01d5d90678787730b145
SHA256:6d7bb6609903f1c1a7b7cd93996d95b476e1a34a45f8e0d2a14849af241d6260
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

ticketlist.zip: ticketlist.jar: ticketlistapplyaction.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/plugins/ticketlist.zip/ticketlist.jar/com/inet/helpdesk/plugins/ticketlist/client/ticketmanipulation/ticketlistapplyaction.js
MD5: 893ae4903ba4c253520de6b46ca4702b
SHA1: cf0d31378905f52e40dee94e67219e2488309470
SHA256:a3179ba91a1c620ffbe2919e32740d9fef00f95cb321611f3c282dff2fa4b0e8
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

ticketlist.zip: ticketlist.jar: ticketlisteditproperties.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/plugins/ticketlist.zip/ticketlist.jar/com/inet/helpdesk/plugins/ticketlist/client/ticketmanipulation/ticketlisteditproperties.js
MD5: c77a10b509ba41edaace91b309bdb958
SHA1: 4ad55f35fbb3c284ea929f2642a6e4f842e84890
SHA256:41a84b60bea6c4a16c397169a75662961508751f7996020ca31780086187b7ff
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

ticketlist.zip: ticketlist.jar: ticketlistlayoutsettings.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/plugins/ticketlist.zip/ticketlist.jar/com/inet/helpdesk/plugins/ticketlist/client/ticketlistlayout/ticketlistlayoutsettings.js
MD5: 9b973516da3532defad792b9021ba431
SHA1: 7743eefb0ada281a097d118eb308f468c43fecdb
SHA256:00cfab68f199afb8ba4e68f8740150077ccbb7b161718ff9a4315c250ce3b15b
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

ticketlist.zip: ticketlist.jar: ticketmodel.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/plugins/ticketlist.zip/ticketlist.jar/com/inet/helpdesk/plugins/ticketlist/client/ticketmodel.js
MD5: f7c6841ca1b63100a7733a2545a32dc4
SHA1: 15e593ccd68f1544cc7c26cd272e6695a64ec0c2
SHA256:2bcea5cb0ae7ccf8c4679e9bfe21b4c8880bcdb73ef056397b9d2998d6b3765f
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

ticketlist.zip: ticketlist.jar: ticketownerextension.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/plugins/ticketlist.zip/ticketlist.jar/com/inet/helpdesk/plugins/ticketlist/client/ticketpage/extensions/ticketownerextension.js
MD5: 55f478ad1c7e5078ab48659180f4b338

SHA1: c360bf8cc8633cfdd34393d10a67b59459c01eaf
SHA256:21cd8e04c85856cd45a03eef3f1c60c4bccb863949a0f495d2a51c3de698001a
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

ticketlist.zip: ticketlist.jar: ticketpage.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/plugins/ticketlist.zip/ticketlist.jar/com/inet/helpdesk/plugins/ticketlist/client/ticketpage/ticketpage.js
MD5: 4faba0c897d89c61de2eda83693e7f28
SHA1: aed13b73138396d81320fc2a811ab412e754f5fa
SHA256:f4760827fe4304796537867367943 0f70e6efc6471d532d4d3962b2be1576ff7
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

ticketlist.zip: ticketlist.jar: ticketpageheader.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/plugins/ticketlist.zip/ticketlist.jar/com/inet/helpdesk/plugins/ticketlist/client/ticketpage/ticketpageheader.js
MD5: 136a26b4ccfd629523f0b2b06b3f457b
SHA1: 8de3fb50bce847af1f081aa2dd0eca28f64f3bbc
SHA256:c8337c7abf2672f77721555d42382e0c9cc729408954e82f944245caea5db106
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

ticketlist.zip: ticketlist.jar: ticketpagehintsextension.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/plugins/ticketlist.zip/ticketlist.jar/com/inet/helpdesk/plugins/ticketlist/client/ticketpage/extensions/ticketpagehintsextension.js
MD5: 6cc32885f99b6a6f2228a90ad6ce5f84
SHA1: d0845be17e612a888d6e431ed46eda5b1a013a65
SHA256:99262eb53a8121b62a370bbc0d2925637d96acb510a8f6c95a6cacb5ff3e2cda
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

ticketlist.zip: ticketlist.jar: ticketpagelayoutsettings.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/plugins/ticketlist.zip/ticketlist.jar/com/inet/helpdesk/plugins/ticketlist/client/ticketpagelayout/ticketpagelayoutsettings.js
MD5: 62a9e39c34a38824464e4a8363f1031e
SHA1: 46df2f93cb17d730b3cd5f66e841bb64f944e3ed
SHA256:1034eaee3fe1cd2e8bec2a05787cf8f061058b97e65807b2d7131593b4426b97
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

ticketlist.zip: ticketlist.jar: ticketpagesteps.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/plugins/ticketlist.zip/ticketlist.jar/com/inet/helpdesk/plugins/ticketlist/client/ticketpage/ticketpagesteps.js
MD5: 62884a6038f8724a607fdd49058d0e5a
SHA1: 555a9b947e7d7ad9568154782710d29608766008
SHA256:d94ba4322f24346c56ccee565bb0f42094f233a776b8ff4c267f984f8aa19b52
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

ticketlist.zip: ticketlist.jar: ticketpreview.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/plugins/ticketlist.zip/ticketlist.jar/com/inet/helpdesk/plugins/ticketlist/client/ticketpreview/ticketpreview.js
MD5: 0084bfa8c084b5551473182c49ad9457
SHA1: 34945d5608459acf06f12fb43009a73f16313ccb
SHA256:9b6581d175fd5ac2ab9575be3256772a05a9410bc0ae6bdd8d81d152d1098930
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

ticketlist.zip: ticketlist.jar: ticketproperties.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/plugins/ticketlist.zip/ticketlist.jar/com/inet/helpdesk/plugins/ticketlist/client/ticketmanipulation/ticketproperties.js
MD5: 3dd182cd6f65ec5b3cbcffd0e6830dc0
SHA1: 839d1ffa2a05c58473da8c3522a42471ac46dc1b
SHA256:d781eabc8c6fedcc67daa6cb0c5180b4cb06f3dbe418c8f504d2ed642b89145f
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

ticketlist.zip: ticketlist.jar: ticketrenderer.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/plugins/ticketlist.zip/ticketlist.jar/com/inet/helpdesk/plugins/ticketlist/client/ticketrenderer.js
MD5: c0174e25ab8f0ddd2a01f4b1aeaaab5d
SHA1: 0f6b0e82615599d1e9155a419423c7fb89806308
SHA256:ad57ca83e2100479e55eb5ed978a824d8627596868606dd3097dee2c329e3480
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

ticketlist.zip: ticketlist.jar: ticketsharing.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/plugins/ticketlist.zip/ticketlist.jar/com/inet/helpdesk/plugins/ticketlist/client/ticketpage/ticketsharing.js
MD5: 5e618782e458a324792668fe2c336e5c

SHA1: 09c387b162f461da61231482c2401fa9c6bde49c
SHA256:aeb5f819ceb597b61a598ecf6bc3c95a9b6938824c49e9bc2e69ae968a8b0ac3
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

ticketlist.zip: ticketlist.jar: ticketviewsMember.directive.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/plugins/ticketlist.zip/ticketlist.jar/com/inet/helpdesk/plugins/ticketlist/client/ticketviewsortsettings/ticketviewsMember.directive.js
MD5: 886aea89fe103f6b8fe441afdfbddf97
SHA1: db4569f1fc30afcb8d5502efd958840d2629fd52
SHA256:43104065cd2e6f730e4c66729a268e9e37966a94095aecf1eb9e62716033d5df
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

ticketlist.zip: ticketlist.jar: timelineextension.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/plugins/ticketlist.zip/ticketlist.jar/com/inet/helpdesk/plugins/ticketlist/client/ticketpage/extensions/timelineextension.js
MD5: dadbecac94ff1347179a8b439e5c6fbe
SHA1: bab05d689b7986085b5a7972d5b4ca38fc12d384
SHA256:0e788638e485265e0580faf94ed7d0b3acaa974da393172fe961c66b54864e2b
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

ticketlist.zip: ticketlist.jar: userticketshistoryextension.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/plugins/ticketlist.zip/ticketlist.jar/com/inet/helpdesk/plugins/ticketlist/client/ticketpage/extensions/userticketshistoryextension.js
MD5: d4c7284d3df93189ee704e14fa10be11
SHA1: b53608c1ec0f7b65547b7cab9155f7e439cb7dfc
SHA256:86a041f1fac94cf0ba747d7218b1ec248adf1a709bb1cbb4e02aa924cd8ce9f4
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

ticketprocess.zip: ticketprocess.jar

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/plugins/ticketprocess.zip/ticketprocess.jar
MD5: 0c6c3de15176e863c77345c268225664
SHA1: 4b156f50fa2b607f88c8f52b2521bacebd6ab117
SHA256:89cf5fcf141fa37fcb67b55b44023dc83d5340ed97faffcadecfec50721b2165
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence
Vendor	file	name	ticketprocess	High
Vendor	jar	package name	helpdesk	Low
Vendor	jar	package name	inet	Low
Vendor	jar	package name	plugins	Low

Vendor	Manifest	built-date	2025-05-01 13:46	Low
Vendor	Manifest	implementation-group	helpdesk	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	ticketprocess	High
Product	jar	package name	helpdesk	Highest
Product	jar	package name	helpdesk	Low
Product	jar	package name	plugins	Low
Product	jar	package name	ticketprocess	Highest
Product	jar	package name	ticketprocess	Low
Product	Manifest	built-date	2025-05-01 13:46	Low
Product	Manifest	implementation-group	helpdesk	Low
Product	Manifest	Implementation-Title	ticketprocess	High
Product	Manifest	specification-title	ticketprocess	Medium
Version	jar	package name	helpdesk	Highest
Version	Manifest	Implementation-Version	25.4.227	High

Identifiers

- cpe:2.3:a:inetsoftware:helpdesk:25.4.227:*:*:*:*:*:*:* (*Confidence*:Low) suppress

ticketprocess.zip: ticketprocess.jar: applyProcessRenderer.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/plugins/ticketprocess.zip/ticketprocess.jar/com/inet/helpdesk/plugins/ticketprocess/client/js/applyProcessRenderer.js
MD5: f4a8de33cdb14daf9fff2a17d4f1f756
SHA1: d60976a322a815d23fa61fd10b3ee4d93cc2d2bf
SHA256:193a8ace1973c9776decd40022c82ca1d0e95d38774aa154178cb6fb2f1110d1
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

ticketprocess.zip: ticketprocess.jar: configuration.ticketprocess.edit.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/plugins/ticketprocess.zip/ticketprocess.jar/com/inet/helpdesk/plugins/ticketprocess/client/js/configuration.ticketprocess.edit.js
MD5: d9bb699877a490cf2f2299bbf5d4caf3
SHA1: ff8c07ab93b4b2acf132f395319803045a6a62a6
SHA256:171adda9a85c79bbc4308b96c58460a2b7c6b06f3a2699d0d0d5551cbaa3d7fc
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

ticketprocess.zip: ticketprocess.jar: configuration.ticketprocess.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/plugins/ticketprocess.zip/ticketprocess.jar/com/inet/helpdesk/plugins/ticketprocess/client/js/configuration.ticketprocess.js
MD5: 4f4e85a63abb6b0cf2c353041d6ec3e0
SHA1: 0d5941359e7539b29028cbb0a52635a39e33df4b
SHA256:d3a1109cb761acfa883104067c092b77b75cd9e1415abe42f93d6afd3a0196db
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

ticketprocess.zip: ticketprocess.jar: ticketlist.ticketprocess.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/plugins/ticketprocess.zip/ticketprocess.jar/com/inet/helpdesk/plugins/ticketprocess/client/js/ticketlist.ticketprocess.js
MD5: 75460890099cbef09968aaf7aedc8cd8
SHA1: e3105cbc36228b0d71662de31ee500177b72eb24
SHA256:d1ef3764744b7fb4fb6329a5b30631be201f4bb9fbe1f4ec590439a696d33aa5
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

ticketprocess.zip: ticketprocess.jar: ticketprocess.changeticketprocess.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/plugins/ticketprocess.zip/ticketprocess.jar/com/inet/helpdesk/plugins/ticketprocess/client/js/ticketprocess.changeticketprocess.js
MD5: 4dabd73527cadc6f6b6299bac53654c5
SHA1: bbb8dbe11fac53fae372ae3616d5bd6884faa85b
SHA256:7e82f55befea143b2dffd7d953001ae6cc2c825577fdf5f43d851e37daa2d087
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

ticketprocess.zip: ticketprocess.jar: ticketprocess.parallelticket.preview.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/plugins/ticketprocess.zip/ticketprocess.jar/com/inet/helpdesk/plugins/ticketprocess/client/js/ticketprocess.parallelticket.preview.js
MD5: 9770111135de6942abf7e9d70d0b8f51
SHA1: 03f929750cc5b9d8a2b9f7c2e88b26b15563c1f2
SHA256:4894ab0bb3b03c24ef617d2989595d31ad34543a111c6047d8764d46c9406b3e
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

ticketprocess.zip: ticketprocess.jar: ticketprocessdirectives.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/plugins/ticketprocess.zip/ticketprocess.jar/com/inet/helpdesk/plugins/ticketprocess/client/js/ticketprocessdirectives.js
MD5: 755e036d9d42f62d70f74ab0c2d6f716
SHA1: 34f4f17687706204c91c3b2cb67558a4d3a675cb
SHA256:62cab84d5200b18ee6dbab683c4150714b2a784077219f3870893d153394936d
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

ticketprocess.zip: ticketprocess.jar: ticketprocessfactory.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/plugins/ticketprocess.zip/ticketprocess.jar/com/inet/helpdesk/plugins/ticketprocess/client/js/ticketprocessfactory.js

MD5: b823161f0d8527e67533ae11eeb8e9b4
SHA1: b05ec7e26af676a09b0926fc8cd14a031ac3e162
SHA256:3808e0c16eaf3fbe4b60307e5caa673180b4daec861b6f32b7883858cf284fa8
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

ticketprocess.zip: ticketprocess.jar: ticketprocessmodel.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/plugins/ticketprocess.zip/ticketprocess.jar/com/inet/helpdesk/plugins/ticketprocess/client/js/ticketprocessmodel.js
MD5: f53cbbbf7a7c33f512eccf915a4196e4
SHA1: d8d813caf6e60ffbcb8dd50f5727130c47d6bd0d
SHA256:f66c69cc3e0909e92174a0d9eea5424229c0bebcd1aaa8b5c1b01cdd426e4378
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

usersandgroupsmanager.zip: usersandgroupsmanager.jar

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/usersandgroupsmanager.zip/usersandgroupsmanager.jar
MD5: df706999eebfd67ca67dfce2b0e34878
SHA1: 5fded43f8a55c458eb9e040a10502d80a93509ff
SHA256:e6ea0ff8ad06bc8f1cf2a40e65d26445d5f32b6fa454f2c7fb681672dd4d87bb
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence
Vendor	file	name	usersandgroupsmanager	High
Vendor	jar	package name	inet	Low
Vendor	jar	package name	server	Low
Vendor	jar	package name	usersandgroupsmanager	Low
Vendor	Manifest	built-date	2025-05-01 11:38	Low
Vendor	Manifest	implementation-group	shared	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	usersandgroupsmanager	High
Product	jar	package name	server	Low
Product	jar	package name	usersandgroupsmanager	Highest
Product	jar	package name	usersandgroupsmanager	Low
Product	Manifest	built-date	2025-05-01 11:38	Low
Product	Manifest	implementation-group	shared	Low
Product	Manifest	Implementation-Title	usersandgroupsmanager	High
Product	Manifest	specification-title	usersandgroupsmanager	Medium
Version	Manifest	Implementation-Version	25.4.227	High

Identifiers

- **None**

usersandgroupsmanager.zip: usersandgroupsmanager.jar: fieldtypeAccountSettingsRenderer.directive.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/usersandgroupsmanager.zip/usersandgroupsmanager.jar/com/inet/usersandgroupsmanager/client/js/renderer/fieldtypeAccountSettingsRenderer.directive.js

MD5: 136a634e0236a238529acf990312d10e
SHA1: 75518847c3c3aa3737e31149c6834bb6c40f4606
SHA256:9901a11fad82515fe2425d4f07163b716e8dfa8233196e7fcdc8f21b3aca6817
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

usersandgroupsmanager.zip: usersandgroupsmanager.jar: fieldtypeBooleanRenderer.directive.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/usersandgroupsmanager.zip/usersandgroupsmanager.jar/com/inet/usersandgroupsmanager/client/js/renderer/fieldtypeBooleanRenderer.directive.js
MD5: e6bb2b0218c39ede42d1779e09d0b306
SHA1: bfedb33d3a2d6896458956fdc4209692d43e0d02
SHA256:7e4281e4831ef87da9cf9e032009349bcf48c35a0b2769e742a978cdda8de750
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

usersandgroupsmanager.zip: usersandgroupsmanager.jar: fieldtypeCommaSeparatedRenderer.directive.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/usersandgroupsmanager.zip/usersandgroupsmanager.jar/com/inet/usersandgroupsmanager/client/js/renderer/fieldtypeCommaSeparatedRenderer.directive.js
MD5: c951e088eb99044087cb876a2ad80f5c

SHA1: f2b74d24949b8a35f38a36bbff7f12a73c939305
SHA256:fffae5f607dd4f6b565ae943bb15075423a58f6601346c1fc670985cd1da7f9b
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

usersandgroupsmanager.zip: usersandgroupsmanager.jar: fieldtypeCurrencyRenderer.directive.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/usersandgroupsmanager.zip/usersandgroupsmanager.jar/com/inet/usersandgroupsmanager/client/js/renderer/fieldtypeCurrencyRenderer.directive.js
MD5: 645508195861044 67e438b403590e32a
SHA1: e6c4957a7648c8baa484227d04cad8a186aac008
SHA256:e8d9d2cffbcd1355ea33fe7d3615a95c3cef34b5be3445be5fe9bddd1b54b38f
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

usersandgroupsmanager.zip: usersandgroupsmanager.jar: fieldtypeDateRenderer.directive.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/usersandgroupsmanager.zip/usersandgroupsmanager.jar/com/inet/usersandgroupsmanager/client/js/renderer/fieldtypeDateRenderer.directive.js
MD5: 44f37b8866281fc7c293da24a2c85a70
SHA1: 90bf5ee3414c0b14352fece7ff49252f0993ee34
SHA256:3cd49a8b48976c1456092476ff9e09678ade7ec6909c5e0f59f6f570b92c4256
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

usersandgroupsmanager.zip: usersandgroupsmanager.jar: fieldtypeDoubleRenderer.directive.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/usersandgroupsmanager.zip/usersandgroupsmanager.jar/com/inet/usersandgroupsmanager/client/js/renderer/fieldtypeDoubleRenderer.directive.js
MD5: 65ddc17ce6fe22f66db3066174836be4
SHA1: a6f9bedc7c489f3e0f3b4ff366e2f892a08bf29c
SHA256:ec52f2531296ff86fda9a20858daf87e52ac3dfaf1bc942daae33c7513fac7e4
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

usersandgroupsmanager.zip: usersandgroupsmanager.jar: fieldtypeHintRenderer.directive.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/usersandgroupsmanager.zip/usersandgroupsmanager.jar/com/inet/usersandgroupsmanager/client/js/renderer/fieldtypeHintRenderer.directive.js
MD5: 9c0f5b5dde50569ef2e9efb5feeef050
SHA1: 3793878df0a194ac7445ae9076fd1f235cf26a42
SHA256:d4a42152b9ce8527dc853e66f110464f038f4c885cf1df7fe415203dbcb8148b
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

usersandgroupsmanager.zip: usersandgroupsmanager.jar: fieldtypeIntegerRenderer.directive.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/usersandgroupsmanager.zip/usersandgroupsmanager.jar/com/inet/usersandgroupsmanager/client/js/renderer/fieldtypeIntegerRenderer.directive.js
MD5: fb567b3054e16ecd92115183e677f194
SHA1: a956bb37b828d2b0016c3e63df573291cf3a65c1
SHA256:a25204639ecdb47cfdeaaba8461fe9caedc30b4fa3afa5865b502880c4c3fb80
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

usersandgroupsmanager.zip: usersandgroupsmanager.jar: fieldtypeLinkRenderer.directive.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/usersandgroupsmanager.zip/usersandgroupsmanager.jar/com/inet/usersandgroupsmanager/client/js/renderer/fieldtypeLinkRenderer.directive.js
MD5: b4e5347a3fc15cee057d292ac2fe7d91
SHA1: 70fba39954e7947be220792ce9d792ecfec06748
SHA256:33ad47fd4a0e7943e9a39fdf239becc5fd54c4a1b9be4c727c27daf720b0d1e7
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

usersandgroupsmanager.zip: usersandgroupsmanager.jar: fieldtypeLoginsRenderer.directive.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/usersandgroupsmanager.zip/usersandgroupsmanager.jar/com/inet/usersandgroupsmanager/client/js/renderer/fieldtypeLoginsRenderer.directive.js
MD5: 77e510f9e074e3104df3096deb39cd91
SHA1: 68e57a5859aa1073fdb62dd1102867d0c7db3c9f
SHA256:70fdfe453166ed5a8bae30f56d71e5e52c58c98db676853519a0d35dd71de650
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

usersandgroupsmanager.zip: usersandgroupsmanager.jar: fieldtypeMembersRenderer.directive.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/usersandgroupsmanager.zip/usersandgroupsmanager.jar/com/inet/usersandgroupsmanager/client/js/renderer/fieldtypeMembersRenderer.directive.js
MD5: 110c0a60b3a8824c7cf38b3cfd38423b
SHA1: b130d47d83af3073663f95cfe0392d9c055d06cd
SHA256:e34d1d921aada8085754efea61b320506608504a2332d0b186031e7beba524f2
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

usersandgroupsmanager.zip: usersandgroupsmanager.jar: fieldtypeMultilineRenderer.directive.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/usersandgroupsmanager.zip/usersandgroupsmanager.jar/com/inet/usersandgroupsmanager/client/js/renderer/fieldtypeMultilineRenderer.directive.js
MD5: 5b24949676b9be3413f73641882f7125
SHA1: 1b5266b7516f4a6f4e1b25dc128969f10b0a8c09
SHA256:698d88b748ec45a4e7bdd87b1c97472d8868165551ae5ecf7d0159925c92ed71
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

usersandgroupsmanager.zip: usersandgroupsmanager.jar: fieldtypePermissionRenderer.directive.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/usersandgroupsmanager.zip/usersandgroupsmanager.jar/com/inet/usersandgroupsmanager/client/js/renderer/fieldtypePermissionRenderer.directive.js
MD5: cf56b95e7c81bb7bb0027f214dde9847
SHA1: b098c8143c168614aac2a46fda4bf02078b31f9e
SHA256:c8f403974591a2b05c630a7117596fd64540d53205808bee40d6ede27a166790
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

usersandgroupsmanager.zip: usersandgroupsmanager.jar: fieldtypeSelectRenderer.directive.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/usersandgroupsmanager.zip/usersandgroupsmanager.jar/com/inet/usersandgroupsmanager/client/js/renderer/fieldtypeSelectRenderer.directive.js
MD5: eff35ed2335d82f48e0f301bbe002c13
SHA1: 33c6717aeac4415d8fd2b3e573c2c4c067344351
SHA256:ff2a7f5c982515dbdf6a16e2205866e1b5a8f45df37e0297357daf27aa4ac042
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

usersandgroupsmanager.zip: usersandgroupsmanager.jar: fieldtypeStayLoggedInSessionsRenderer.directive.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/usersandgroupsmanager.zip/usersandgroupsmanager.jar/com/inet/usersandgroupsmanager/client/js/renderer/fieldtypeStayLoggedInSessionsRenderer.directive.js
MD5: 8f7246a8c4620515a714dd858c7b0847
SHA1: bab49440daa202026ce7fdb25d3c3ab7d0ac2473
SHA256:85a66f84209b323ddf4e87ee26891210234ea42bfc20d6befdc3074cde326595
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

usersandgroupsmanager.zip: usersandgroupsmanager.jar: fieldtypeStringListRenderer.directive.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/usersandgroupsmanager.zip/usersandgroupsmanager.jar/com/inet/usersandgroupsmanager/client/js/renderer/fieldtypeStringListRenderer.directive.js
MD5: ecfa08e9586484891e935de461582539
SHA1: 128276640372b4e442f5c63c643c908710c7fedf
SHA256:aff8a656bfc2d940c02a861b600e4a95cefa61453508fb2b8659fe42582bccea
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

usersandgroupsmanager.zip: usersandgroupsmanager.jar: fieldtypeStringRenderer.directive.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/usersandgroupsmanager.zip/usersandgroupsmanager.jar/com/inet/usersandgroupsmanager/client/js/renderer/fieldtypeStringRenderer.directive.js
MD5: 6e46d5a536692ff278cf276eeb7151bb
SHA1: 11b326f65d25098d5d02c6077e20b867d5c331ec
SHA256:b2158332ea8f76ceee5435e803e4def4b559a3216ce6eae90e0385d1554d3924
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

usersandgroupsmanager.zip: usersandgroupsmanager.jar: fieldtypeTimeRenderer.directive.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/usersandgroupsmanager.zip/usersandgroupsmanager.jar/com/inet/usersandgroupsmanager/client/js/renderer/fieldtypeTimeRenderer.directive.js
MD5: 8513454094f6efb43b4257acfafb955f
SHA1: 56784b3ea31cc21416f65da1661b7c18b8e9eb5e
SHA256:3758a9259a963b155469b4d6b979fd30fee14edcaca155910f20b33b7d2a9d7f
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

usersandgroupsmanager.zip: usersandgroupsmanager.jar: fieldtypeTimerangeRenderer.directive.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/usersandgroupsmanager.zip/usersandgroupsmanager.jar/com/inet/usersandgroupsmanager/client/js/renderer/fieldtypeTimerangeRenderer.directive.js
MD5: 8ca11f921f530ae3c6d14011f1026be2
SHA1: 123f12b6375637b6819435453cbfc089589514d6
SHA256:3e31b81046fd3a24c691fc82c45f4779912d02b3bad3ca52366670c31042edfe
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

usersandgroupsmanager.zip: usersandgroupsmanager.jar: membershipentry.directive.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/usersandgroupsmanager.

zip/usersandgroupsmanager.jar/com/inet/usersandgroupsmanager/client/js/renderer/membershipentry.directive.js
MD5: 44b5a1bc9d21d123546c077cc5ee0273
SHA1: a662eed543d97810f0150150724386a00d4cd140
SHA256:593b7224b59ecc7b59b3ea52f23ba1ffd60a7b0dc9075c47106d48d062da6e7a
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

usersandgroupsmanager.zip: usersandgroupsmanager.jar: membershiplist.directive.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/usersandgroupsmanager.zip/usersandgroupsmanager.jar/com/inet/usersandgroupsmanager/client/js/renderer/membershiplist.directive.js
MD5: 9de8f2f539c79244aa95473d497004db
SHA1: dab0863017fbaf80d7da94770dbb17d87cff3a80
SHA256:2939b841bcd7d14e9874e99c72e4c0f58e7c8f5b485fe04158782c2b0d3cdcd1
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

usersandgroupsmanager.zip: usersandgroupsmanager.jar: nonmembershiplist.directive.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/usersandgroupsmanager.zip/usersandgroupsmanager.jar/com/inet/usersandgroupsmanager/client/js/renderer/nonmembershiplist.directive.js
MD5: 22269c6c1e32356a15788a694358c895

SHA1: c4909db34c175ff0621e17f241f66994e0516bc6
SHA256:1f276cac3365d03c06572f9325217ffc7c65db411b5d40035f818c4890e66ffc
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

usersandgroupsmanager.zip: usersandgroupsmanager.jar: permissionCheckboxRenderer.directive.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/usersandgroupsmanager.zip/usersandgroupsmanager.jar/com/inet/usersandgroupsmanager/client/js/renderer/permissionCheckboxRenderer.directive.js
MD5: f43b62e6ec19922b603e65ac0d9811bc
SHA1: b82e36201fade72e6423ba980d5351e13c657bbb
SHA256:e3d32df00dc3c4d43110a9a8f277ce1383c133b6912f0154626190931c6daff7
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

usersandgroupsmanager.zip: usersandgroupsmanager.jar: permissionRadiobuttonRenderer.directive.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/usersandgroupsmanager.zip/usersandgroupsmanager.jar/com/inet/usersandgroupsmanager/client/js/renderer/permissionRadiobuttonRenderer.directive.js
MD5: b2674a06f9fcfb8cab9196229817a52c
SHA1: 2816becffb93dad552e07d80fb7e5042e13f1d26
SHA256:07270db8fca85c74ed49ae3f2345692c66443c01ef0be67234cc3d01e0873675
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

usersandgroupsmanager.zip: usersandgroupsmanager.jar: usersandgroupsmanagercontroller.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/usersandgroupsmanager.zip/usersandgroupsmanager.jar/com/inet/usersandgroupsmanager/client/js/usersandgroupsmanagercontroller.js
MD5: 3966dde5288327ce4a7664ffa146425f
SHA1: 9f1156c2c726e731d362aff1b4bf1f611da47c70
SHA256:bf3ede557a367f1cca803b9a259d1cc6c8f4109e6b381d08ea43c1360e7f9598
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

usersandgroupsmanager.zip: usersandgroupsmanager.jar: usersandgroupsmanagerdetailscontroller.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/usersandgroupsmanager.zip/usersandgroupsmanager.jar/com/inet/usersandgroupsmanager/client/js/usersandgroupsmanagerdetailscontroller.js
MD5: cd4b90a897c42eb0c1a38f660153f739
SHA1: c582f35a31ed251b2b02456bf79fcb8e6edbf9dc
SHA256:656c50c31f9f812740468c695b10f58d1e54b770765a25e7be047e661e305870
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

usersandgroupsmanager.zip: usersandgroupsmanager.jar: usersandgroupsmanagerdialogcontroller.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/usersandgroupsmanager.zip/usersandgroupsmanager.jar/com/inet/usersandgroupsmanager/client/js/usersandgroupsmanagerdialogcontroller.js
MD5: e35a43fa1eb935369c4e018ff1ee7640
SHA1: d239261c725a4ba6e6efa911b48e4909c5372d69
SHA256:3625665593e42ba14b5b40999ac21bdaeaea0baa80831182e221207a5019b541
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

usersandgroupsmanager.zip: usersandgroupsmanager.jar: usersandgroupsmanagerdirectives.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/usersandgroupsmanager.zip/usersandgroupsmanager.jar/com/inet/usersandgroupsmanager/client/js/usersandgroupsmanagerdirectives.js
MD5: e9dc4bc3ba3fd9f9adf5de4a8617ed4c
SHA1: ac32c4a6c290226d25046f3d824109ace6801dbf
SHA256:89db6ce36a44feba7b3cb9557170fc002549b6357e38b520102ec0eada56f661
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

usersandgroupsmanager.zip: usersandgroupsmanager.jar: usersandgroupsmanagereffectivepermissionscontroller.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/usersandgroupsmanager.zip/usersandgroupsmanager.jar/com/inet/usersandgroupsmanager/client/js/usersandgroupsmanagereffectivepermissionscontroller.js
MD5: e38beee6d03d93074acba84010e4c176
SHA1: d27284aae10d28fac162196094e0196c7c2486cf
SHA256:c2c9dd56c576d23e8038048090751071a5b29f53bb9fbba03d42cedb31d927d0
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

usersandgroupsmanager.zip: usersandgroupsmanager.jar: usersandgroupsmanagerfactory.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/usersandgroupsmanager.zip/usersandgroupsmanager.jar/com/inet/usersandgroupsmanager/client/js/usersandgroupsmanagerfactory.js
MD5: dc8c0a6680f31ab372911a958ba66b98
SHA1: f9f73f7ae49f35bea16b6ad67b5f70cf30361692
SHA256:296a2f8f249c84716c1085a55767e813d7333bad64db7233333c98e5c3a3cb25
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

usersandgroupsmanager.zip: usersandgroupsmanager.jar: usersandgroupsmanagermodel.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems /HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/usersandgroupsmanager.zip/usersandgroupsmanager.jar/com/inet/usersandgroupsmanager/client/js/usersandgroupsmanagermodel.js
MD5: 78fa68eb33bb346554c0e6c6d9c899da
SHA1: 51ddb1f42d082d80f29f683114a9392a751dc361
SHA256:9bd38ddc3c2f13b295438b16555afe7407a4a56d535e0b512be540164beefa0e
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

usersandgroupsmanager.zip: usersandgroupsmanager.jar: usersandgroupsmanagerpredeletionwarning.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems /HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/usersandgroupsmanager.zip/usersandgroupsmanager.jar/com/inet/usersandgroupsmanager/client/js /usersandgroupsmanagerpredeletionwarning.js
MD5: 2e963c8f1de1c02f2a9c062f03aff6a5
SHA1: 1f5065e679fefcb1e927248cecfd615950df2d1f
SHA256:8cea620f3d0600315b5b8296a91d5b5826093ee4c728d432dd1f00460347aff5
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

usersandgroupsmanager.zip: usersandgroupsmanager.jar: usersandgroupsmanagerrenderer.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/usersandgroupsmanager.zip/usersandgroupsmanager.jar/com/inet/usersandgroupsmanager/client/js/usersandgroupsmanagerrenderer.js
MD5: 66a9eef845301ec92243566a8a8a5fd0
SHA1: 07cdb6a5a6e3d559c7e69fc37aeb1261d9e8c54b
SHA256:b8aba3f0ce4c611245296998ca48c1ba116b76a9aedf381e7ccfa69411b8b4bc
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

usersandgroupsmanager.zip: usersandgroupsmanager.jar: usersandgroupsmanagerstatisticscontroller.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/usersandgroupsmanager.zip/usersandgroupsmanager.jar/com/inet/usersandgroupsmanager/client/js/usersandgroupsmanagerstatisticscontroller.js
MD5: 15db7d8e1d9c9102dff09a6540eacfdc
SHA1: 0ca6006da11c419453850c3ec9ec855c42e7b58b
SHA256:6d215333ea6f212da404f333e073a3ca4ab48c921f75f159950694913b1b17bf
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

usersandgroupsmanager.zip: usersandgroupsmanager.jar: usersandgroupsmanagertakeoutcontroller.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/usersandgroupsmanager.zip/usersandgroupsmanager.jar/com/inet/usersandgroupsmanager/client/js/usersandgroupsmanagertakeoutcontroller.js
MD5: aecb7916c7ddc1ab36bb620e0bba61aa
SHA1: e98561144eeaf1048f88096ef4adeb4de63d971f
SHA256:cdb865f01764972194727fb6a715369b4353c620ecfdbeeadc40021144b7361c
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- **None**

webserver.defender.zip: webserver.defender.jar

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/webserver.defender.zip/webserver.defender.jar
MD5: 94197d60783bed6645db85f376aa9cc8
SHA1: 9552d8052f82a5316749456e0ebde75fe4ba2750
SHA256:a2d7d76472a7fe5095bc6730a623005b437144027ec7b2dba2de3a725489d39f
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence
Vendor	file	name	webserver.defender	High
Vendor	jar	package name	inet	Low
Vendor	jar	package name	webserverdefender	Low
Vendor	Manifest	built-date	2025-05-01 11:45	Low
Vendor	Manifest	implementation-group	shared	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	specification-	i-net software	Low

		vendor		
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	webserver.defender	High
Product	jar	package name	webserverdefender	Low
Product	Manifest	built-date	2025-05-01 11:45	Low
Product	Manifest	implementation-group	shared	Low
Product	Manifest	Implementation-Title	webserver.defender	High
Product	Manifest	specification-title	webserver.defender	Medium
Version	Manifest	Implementation-Version	25.4.227	High

Identifiers

- **None**

webserver.zip: acme4j-client.jar

Description:

ACME client for Java

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/webserver.zip/acme4j-client.jar
MD5: 6a777e9a2790f92e3ca84ab3f670372a
SHA1: 2fc4db562eb89dd97d01efbd66498af44f010fc5
SHA256:3fc818cdf24695c427dd85aa62c6510fb488602618272935c61a7525e47fdd8a
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence
Vendor	file	name	acme4j-client	High
Vendor	jar	package name	acme4j	Highest
Vendor	jar	package name	shredzone	Highest
Vendor	Manifest	build-jdk-spec	17	Low
Vendor	pom	artifactid	acme4j-client	Low
Vendor	pom	groupid	org.shredzone.acme4j	Highest
Vendor	pom	name	acme4j Client	High

Vendor	pom	parent-artifactid	acme4j	Low
Product	file	name	acme4j-client	High
Product	jar	package name	acme4j	Highest
Product	jar	package name	shredzone	Highest
Product	Manifest	build-jdk-spec	17	Low
Product	pom	artifactid	acme4j-client	Highest
Product	pom	groupid	org.shredzone.acme4j	Highest
Product	pom	name	acme4j Client	High
Product	pom	parent-artifactid	acme4j	Medium
Version	pom	version	2.16	Highest

Identifiers

- pkg:maven/org.shredzone.acme4j/acme4j-client@2.16 (*Confidence*:High)

webserver.zip: jetty-websocket-core-client.jar

Description:

Jetty module for Core :: Websocket :: Client

License:

EPL-2.0 OR Apache-2.0
https://www.eclipse.org/legal/epl-2.0/, https://www.apache.org/licenses/LICENSE-2.0

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/webserver.zip/jetty-websocket-core-client.jar
MD5: 89b79d4b92bc54ebd1dbff12dca7d94c
SHA1: ab0040f5331831417a8ef920242c40404167b9f8
SHA256:0ee04f306ac0759980f8b81e2585ad1caa4aead7df22f1a5277264b2d5ad6431
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence
Vendor	file	name	jetty-websocket-core-client	High
Vendor	jar	package name	core	Highest
Vendor	jar	package name	eclipse	Highest
Vendor	jar	package name	jetty	Highest
Vendor	jar	package name	websocket	Highest

Vendor	Manifest	build-jdk-spec	22	Low
Vendor	Manifest	bundle-copyright	Copyright (c) 1995 Mort Bay Consulting Pty Ltd and others.	Low
Vendor	Manifest	bundle-docurl	https://jetty.org/	Low
Vendor	Manifest	bundle-symbolicname	org.eclipse.jetty.websocket.core.client	Medium
Vendor	Manifest	Implementation-Vendor	Eclipse Jetty Project	High
Vendor	Manifest	url	https://jetty.org/	Low
Vendor	pom	artifactid	jetty-websocket-core-client	Low
Vendor	pom	groupid	org.eclipse.jetty.websocket	Highest
Vendor	pom	name	Core :: Websocket :: Client	High
Vendor	pom	parent-artifactid	jetty-websocket	Low
Product	file	name	jetty-websocket-core-client	High
Product	jar	package name	core	Highest
Product	jar	package name	eclipse	Highest
Product	jar	package name	jetty	Highest
Product	jar	package name	websocket	Highest
Product	Manifest	build-jdk-spec	22	Low
Product	Manifest	bundle-copyright	Copyright (c) 1995 Mort Bay Consulting Pty Ltd and others.	Low
Product	Manifest	bundle-docurl	https://jetty.org/	Low
Product	Manifest	Bundle-Name	Core :: Websocket :: Client	Medium
Product	Manifest	bundle-symbolicname	org.eclipse.jetty.websocket.core.client	Medium
Product	Manifest	url	https://jetty.org/	Low
Product	pom	artifactid	jetty-websocket-core-client	Highest
Product	pom	groupid	org.eclipse.jetty.websocket	Highest
Product	pom	name	Core :: Websocket :: Client	High
Product	pom	parent-artifactid	jetty-websocket	Medium
Version	Manifest	Bundle-Version	12.0.16	High
Version	Manifest	Implementation-Version	12.0.16	High
Version	pom	version	12.0.16	Highest

Related Dependencies

- webserver.zip: jetty-client.jar

- File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server /plugins/webserver.zip/jetty-client.jar
- MD5: 9ae45a77f4a0643f10381c9bb9d4ad82
- SHA1: 5107a785b8c102eb92325afc01a8386256391282
- SHA256: 0d5375c83a60362f2225ae06d4837463942f39c5bc6bd83172b4ad2aef28df29
- pkg:maven/org.eclipse.jetty/jetty-client@12.0.16

- webserver.zip: jetty-ee10-servlet.jar
  - File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server /plugins/webserver.zip/jetty-ee10-servlet.jar
  - MD5: baf3dbe9ee077d04df134c78e4bfa7ae
  - SHA1: 022a746c00b1ac5c790fee65a398c707160a46d8
  - SHA256: 18a6c41074061a0ff440d618b43e7ab328e81226ec21c4d6a4d53b90b2c94a55
  - pkg:maven/org.eclipse.jetty.ee10/jetty-ee10-servlet@12.0.16
- webserver.zip: jetty-ee10-servlets.jar
  - File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server /plugins/webserver.zip/jetty-ee10-servlets.jar
  - MD5: f291d63b180d59ed1cd1c3969b68fa20
  - SHA1: cab66998f9fe91e4c097641005b634d88da0373e
  - SHA256: c5a750269f66300183dc4ea7ae158a20b933e7733f7718d4b3b7d037c08e56f1
  - pkg:maven/org.eclipse.jetty.ee10/jetty-ee10-servlets@12.0.16
- webserver.zip: jetty-ee10-websocket-jakarta-client.jar
  - File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server /plugins/webserver.zip/jetty-ee10-websocket-jakarta-client.jar
  - MD5: 792343c085cedff98b24d0e316cc3e8f
  - SHA1: 449a9ce343582735625b4011e4d8e25de9e3a8f8
  - SHA256: 2cf2e4e450a28a64b496730bdc65ae6aad41407fb4ab1bf195c4b829d18b1dcd
  - pkg:maven/org.eclipse.jetty.ee10.websocket/jetty-ee10-websocket-jakarta-client@12.0.16
- webserver.zip: jetty-ee10-websocket-jakarta-common.jar
  - File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server /plugins/webserver.zip/jetty-ee10-websocket-jakarta-common.jar
  - MD5: d408cd9ae11058fdb732d929f16155cf
  - SHA1: 5b76d970f502c4f428096b06dbe521319bc9b649
  - SHA256: b015a32840876ab5a772c2db14bd6a6c7e568eebcefd3e0c6c5d84e6bf9a3ca2
  - pkg:maven/org.eclipse.jetty.ee10.websocket/jetty-ee10-websocket-jakarta-common@12.0.16
- webserver.zip: jetty-ee10-websocket-servlet.jar
  - File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server /plugins/webserver.zip/jetty-ee10-websocket-servlet.jar
  - MD5: ca31dd05159b245852d29fc1de3d761f
  - SHA1: 8c0da42377b7e69b5c51eeba8323575b95044d9c
  - SHA256: 979376b6bc583fa670bd200be77f04f6bce0945d2e61378c04f4f9163624ede2
  - pkg:maven/org.eclipse.jetty.ee10.websocket/jetty-ee10-websocket-servlet@12.0.16
- webserver.zip: jetty-http.jar
  - File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server /plugins/webserver.zip/jetty-http.jar
  - MD5: 97fbad480f90455582cefadd2b030332
  - SHA1: 68019fa90e8420ae15c109bd8c8611cacbaf43e5
  - SHA256: b0751b3dd9a8abc79ba0c5061613843dba1d2ce231057f53ad3d038ca888dfb0
  - pkg:maven/org.eclipse.jetty/jetty-http@12.0.16
- webserver.zip: jetty-http2-common.jar
  - File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server /plugins/webserver.zip/jetty-http2-common.jar
  - MD5: a7b42a203fbc4e41ab41bbe18b34445c
  - SHA1: da74b966122d797583a8b58db4f81272f2865cb4
  - SHA256: eb74c664c0b39dcbbab5c4b2d98133f0c273bea0ec8495ab00a8e6a209809ed1

- pkg:maven/org.eclipse.jetty.http2/jetty-http2-common@12.0.16
- webserver.zip: jetty-http2-hpack.jar
  - File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server /plugins/webserver.zip/jetty-http2-hpack.jar
  - MD5: 2d0e11fbe69fc4087320f09371e04c31
  - SHA1: 09c742fd760f447177d725e7eee61d960b3c8f43
  - SHA256: 2a8f1c8c258389fde1c4939758d8322e6cfd6a00fd9e722556f48058d0780bd5
  - pkg:maven/org.eclipse.jetty.http2/jetty-http2-hpack@12.0.16
- webserver.zip: jetty-io.jar
  - File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server /plugins/webserver.zip/jetty-io.jar
  - MD5: ae480591a63c1b212f4c7911349761a4
  - SHA1: 7a162c537a99bbaf35a074fec9a50815e6c81d9d
  - SHA256: c8dfd2d88d34be5461417f2256be0cc868865c45815f7ee0e409ddd872f0e84f
  - pkg:maven/org.eclipse.jetty/jetty-io@12.0.16
- webserver.zip: jetty-security.jar
  - File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server /plugins/webserver.zip/jetty-security.jar
  - MD5: 255464da6183b5c0148887757273e23f
  - SHA1: 23b1a3abecf9d6f5498064a32d9145ae1d8330f9
  - SHA256: 7a6d5b2d0edb1b5012b5510a80411c7fb4b9844b3879938d3b6e9ace3b9b6876
  - pkg:maven/org.eclipse.jetty/jetty-security@12.0.16
- webserver.zip: jetty-session.jar
  - File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server /plugins/webserver.zip/jetty-session.jar
  - MD5: 3eab34dcfbeee6e4210e23c654a543b6
  - SHA1: 79cdedc7afebbdba4453f603dfe2f970baa35cc3
  - SHA256: 5d7dfd24c94472c368441488791412a31ea476ad4f1d9286b4f5802c5d85514b
  - pkg:maven/org.eclipse.jetty/jetty-session@12.0.16
- webserver.zip: jetty-util.jar
  - File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server /plugins/webserver.zip/jetty-util.jar
  - MD5: b3c132eb692790fe9b29bb03ee52003e
  - SHA1: e262e505363e5925df15618622d9888aefc1b0d0
  - SHA256: a03d43c194993ebb4d51fbfe7fe29134d7863b28708380eeedd11797c83543cf
  - pkg:maven/org.eclipse.jetty/jetty-util@12.0.16
- webserver.zip: jetty-websocket-core-common.jar
  - File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server /plugins/webserver.zip/jetty-websocket-core-common.jar
  - MD5: 4ed47b2a59d30ecae35aca39ead29435
  - SHA1: dcb9deb8e5fbff3654b4e6abc99f3e16eddb3ba3
  - SHA256: bebe6fac6ddd4047bd7334bf43362c7f5d1404282ef866ca6b092950f6c1fa91
  - pkg:maven/org.eclipse.jetty.websocket/jetty-websocket-core-common@12.0.16
- webserver.zip: jetty-websocket-jetty-api.jar
  - File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server /plugins/webserver.zip/jetty-websocket-jetty-api.jar
  - MD5: 6ff3f94a36e47ff5623e64983f732551
  - SHA1: 6f9daad7d609bf04622b2d36bba7dce90dcc20e1
  - SHA256: 4d4b7f0a0848be5df55c99fec923202d5c117b60d7b9d9642b09534e3274477d
  - pkg:maven/org.eclipse.jetty.websocket/jetty-websocket-jetty-api@12.0.16

Identifiers

- pkg:maven/org.eclipse.jetty.websocket/jetty-websocket-core-client@12.0.16 (*Confidence*:High)

- cpe:2.3:a:eclipse:jetty:12.0.16:*:*:*:*:*:*:* (*Confidence*:Highest) suppress
- cpe:2.3:a:jetty:jetty:12.0.16:*:*:*:*:*:*:* (*Confidence*:Highest) suppress
- cpe:2.3:a:mortbay_jetty:jetty:12.0.16:*:*:*:*:*:*:* (*Confidence*:Highest) suppress

webserver.zip: jetty-websocket-core-server.jar

Description:

Jetty module for Core :: Websocket :: Server

License:

EPL-2.0 OR Apache-2.0
https://www.eclipse.org/legal/epl-2.0/, https://www.apache.org/licenses/LICENSE-2.0

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/webserver.zip/jetty-websocket-core-server.jar
MD5: 618fdd3dc45292ed17c8a887c8b574d1
SHA1: 5a45294e7ade2ffc2f1928cd3175db7b913c09bf
SHA256:03ae2eef7ba6ddbc9906a570a7d6cbac9bf243aa189f0793ecf1dd42711b2c91
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence
Vendor	file	name	jetty-websocket-core-server	High
Vendor	jar	package name	core	Highest
Vendor	jar	package name	eclipse	Highest
Vendor	jar	package name	jetty	Highest
Vendor	jar	package name	websocket	Highest
Vendor	Manifest	build-jdk-spec	22	Low
Vendor	Manifest	bundle-copyright	Copyright (c) 1995 Mort Bay Consulting Pty Ltd and others.	Low
Vendor	Manifest	bundle-docurl	https://jetty.org/	Low
Vendor	Manifest	bundle-symbolicname	org.eclipse.jetty.websocket.core.server	Medium
Vendor	Manifest	Implementation-Vendor	Eclipse Jetty Project	High
Vendor	Manifest	url	https://jetty.org/	Low
Vendor	pom	artifactid	jetty-websocket-core-server	Low
Vendor	pom	groupid	org.eclipse.jetty.websocket	Highest
Vendor	pom	name	Core :: Websocket :: Server	High

Vendor	pom	parent-artifactid	jetty-websocket	Low
Product	file	name	jetty-websocket-core-server	High
Product	jar	package name	core	Highest
Product	jar	package name	eclipse	Highest
Product	jar	package name	jetty	Highest
Product	jar	package name	websocket	Highest
Product	Manifest	build-jdk-spec	22	Low
Product	Manifest	bundle-copyright	Copyright (c) 1995 Mort Bay Consulting Pty Ltd and others.	Low
Product	Manifest	bundle-docurl	https://jetty.org/	Low
Product	Manifest	Bundle-Name	Core :: Websocket :: Server	Medium
Product	Manifest	bundle-symbolicname	org.eclipse.jetty.websocket.core.server	Medium
Product	Manifest	url	https://jetty.org/	Low
Product	pom	artifactid	jetty-websocket-core-server	Highest
Product	pom	groupid	org.eclipse.jetty.websocket	Highest
Product	pom	name	Core :: Websocket :: Server	High
Product	pom	parent-artifactid	jetty-websocket	Medium
Version	Manifest	Bundle-Version	12.0.16	High
Version	Manifest	Implementation-Version	12.0.16	High
Version	pom	version	12.0.16	Highest

Related Dependencies

- webserver.zip: jetty-alpn-java-server.jar
  - File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server /plugins/webserver.zip/jetty-alpn-java-server.jar
  - MD5: 7ac4ca72e4dc9fe02bed049f900f800f
  - SHA1: 49ea9f19f4b6852b6fb99591e686d6923d82d7d8
  - SHA256: 6ee5093ae33dc0e4f3517d6cf1a14ada7a4c77239815fdb809082e97c47641be
  - pkg:maven/org.eclipse.jetty/jetty-alpn-java-server@12.0.16
- webserver.zip: jetty-alpn-server.jar
  - File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server /plugins/webserver.zip/jetty-alpn-server.jar
  - MD5: 4123211945cdbc974b14e8122e028714
  - SHA1: c6de38985b73448453b99233fcec8439587ee43c
  - SHA256: 9c57b57c808fbb765295028349e3781cb39f264a21b7903735d67162d4b33bbd
  - pkg:maven/org.eclipse.jetty/jetty-alpn-server@12.0.16
- webserver.zip: jetty-ee10-websocket-jakarta-server.jar
  - File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server /plugins/webserver.zip/jetty-ee10-websocket-jakarta-server.jar
  - MD5: b9eb00aafd14bb1b263807135e677bc8

- SHA1: bf4f44d5a56280739d946a98f075a50b163a7e9f
- SHA256: b9182cd571fcfa83e55c5c9ea2e95ec24472a3961bbeb530f03ccc28f4acd2ba
- pkg:maven/org.eclipse.jetty.ee10.websocket/jetty-ee10-websocket-jakarta-server@12.0.16

- webserver.zip: jetty-ee10-websocket-jetty-server.jar
  - File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server /plugins/webserver.zip/jetty-ee10-websocket-jetty-server.jar
  - MD5: e2ffe9c1a0e3adffce119ee3c98cbe00
  - SHA1: 252d08c79e13adcbd067ad691f2ead59fab5f9d3
  - SHA256: 0b401f758638220ef1b7f898c5c8c8dc969ccc2bf3918e086b1cc9ae16bf7239
  - pkg:maven/org.eclipse.jetty.ee10.websocket/jetty-ee10-websocket-jetty-server@12.0.16
- webserver.zip: jetty-http2-server.jar
  - File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server /plugins/webserver.zip/jetty-http2-server.jar
  - MD5: 88e6ec842e5b68ba66ffefb7c8c49093
  - SHA1: ef14dad1c484bc2e1d0a6a886dab7a8fcc8af21f
  - SHA256: 8f41ddce65f14e09c54f97e854d09739410a84ba1349efdf04132566e7fea5a8
  - pkg:maven/org.eclipse.jetty.http2/jetty-http2-server@12.0.16
- webserver.zip: jetty-server.jar
  - File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server /plugins/webserver.zip/jetty-server.jar
  - MD5: 8bc8e31a2ebea7cb185fd188e5b4b5ca
  - SHA1: 3e3638b4bfbee04c27b3ae68e4949fc43b40a042
  - SHA256: 9e3f17ca732154ee2c67cc2bc340f322b29335f74d65f7cc0104c2e9cdc6640e
  - pkg:maven/org.eclipse.jetty/jetty-server@12.0.16

Identifiers

- pkg:maven/org.eclipse.jetty.websocket/jetty-websocket-core-server@12.0.16 (*Confidence*:High)
- cpe:2.3:a:eclipse:jetty:12.0.16:*:*:*:*:*:*:* (*Confidence*:Highest) suppress
- cpe:2.3:a:jetty:jetty:12.0.16:*:*:*:*:*:*:* (*Confidence*:Highest) suppress
- cpe:2.3:a:jetty:jetty_http_server:12.0.16:*:*:*:*:*:*:* (*Confidence*:Low) suppress
- cpe:2.3:a:mortbay_jetty:jetty:12.0.16:*:*:*:*:*:*:* (*Confidence*:Highest) suppress

webserver.zip: jose4j.jar

Description:

The jose.4.j library is a robust and easy to use open source implementation of JSON Web Token (JWT) and the JOSE specification suite (JWS, JWE, and JWK).
It is written in Java and relies solely on the JCA APIs for cryptography.
Please see https://bitbucket.org/b_c/jose4j/wiki/Home for more info, examples, etc..

License:

The Apache Software License, Version 2.0: http://www.apache.org/licenses/LICENSE-2.0.txt

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/webserver.zip/jose4j.jar
MD5: f57cb91efc5beaa940029f5515a888c2
SHA1: 357a3836bb5da16f314f3a1e954518e5468cd915
SHA256:7314af50cde9c99e8eaf43eee617a23edcc6bb4303622106435509499 9d837ef
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence
Vendor	file	name	jose4j	High
Vendor	jar	package name	jca	Highest
Vendor	jar	package name	jose4j	Highest
Vendor	jar	package name	json	Highest
Vendor	jar	package name	jwe	Highest
Vendor	jar	package name	jwk	Highest
Vendor	jar	package name	jws	Highest
Vendor	jar	package name	jwt	Highest
Vendor	jar	package name	use	Highest
Vendor	Manifest	automatic-module-name	org.jose4j	Medium
Vendor	Manifest	bundle-symbolicname	org.bitbucket.b_c.jose4j	Medium
Vendor	pom	artifactid	jose4j	Low
Vendor	pom	developer email	brian.d.campbell@gmail.com	Low
Vendor	pom	developer name	Brian Campbell	Medium
Vendor	pom	groupid	org.bitbucket.b_c	Highest
Vendor	pom	name	jose4j	High
Vendor	pom	url	https://bitbucket.org/b_c/jose4j/	Highest
Product	file	name	jose4j	High
Product	jar	package name	jca	Highest
Product	jar	package name	jose4j	Highest
Product	jar	package name	json	Highest
Product	jar	package name	jwe	Highest
Product	jar	package name	jwk	Highest
Product	jar	package name	jws	Highest
Product	jar	package name	jwt	Highest
Product	jar	package name	use	Highest
Product	Manifest	automatic-module-name	org.jose4j	Medium

Product	Manifest	Bundle-Name	jose4j	Medium
Product	Manifest	bundle-symbolicname	org.bitbucket.b_c.jose4j	Medium
Product	pom	artifactid	jose4j	Highest
Product	pom	developer email	brian.d.campbell@gmail.com	Low
Product	pom	developer name	Brian Campbell	Low
Product	pom	groupid	org.bitbucket.b_c	Highest
Product	pom	name	jose4j	High
Product	pom	url	https://bitbucket.org/b_c/jose4j/	Medium
Version	Manifest	Bundle-Version	0.9.6	High
Version	pom	version	0.9.6	Highest

Identifiers

- pkg:maven/org.bitbucket.b_c/jose4j@0.9.6 (*Confidence*:High)
- cpe:2.3:a:jose4j_project:jose4j:0.9.6:*:*:*:*:*:*:* (*Confidence*:Highest) suppress

webserver.zip: webserver.jar

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/webserver.zip/webserver.jar
MD5: 017fc7751d2ca07d752bb431bae8ca16
SHA1: 12d9d67fb9afbe56134b555ada85a078a1e2041a
SHA256:7e277edd90a3735e455d14f0206d7166194e3dfa163e7f9aa916e40409cb445d
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence
Vendor	file	name	webserver	High
Vendor	jar	package name	inet	Low
Vendor	jar	package name	webserver	Low
Vendor	Manifest	built-date	2025-05-01 11:27	Low
Vendor	Manifest	implementation-group	shared	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium

Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	webserver	High
Product	jar	package name	webserver	Highest
Product	jar	package name	webserver	Low
Product	Manifest	built-date	2025-05-01 11:27	Low
Product	Manifest	implementation-group	shared	Low
Product	Manifest	Implementation-Title	webserver	High
Product	Manifest	specification-title	webserver	Medium
Version	Manifest	Implementation-Version	25.4.227	High

Identifiers

- **None**

Suppressed Vulnerabilities

adhoc.zip: adhoc-javadoc.jar: jquery-ui.min.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/adhoc.zip/adhoc-javadoc.jar/script-dir/jquery-ui.min.js
MD5: 32059df39c14a910ccc2325f6a3cd62f
SHA1: d3289f1b527a3f054d303ec769402e037fbfcf4b
SHA256: 672f278182cdf04f3c62a5b8d93f406791854a28791f27aecdb9981573c61424
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence
Vendor	file	name	jquery-ui	High
Product	file	name	jquery-ui	High
Version	file	version	1.13.1	High

Related Dependencies

- cowork.zip: cowork-javadoc.jar: jquery-ui.min.js
  - File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server /plugins/cowork.zip/cowork-javadoc.jar/script-dir/jquery-ui.min.js
  - MD5: 32059df39c14a910ccc2325f6a3cd62f
  - SHA1: d3289f1b527a3f054d303ec769402e037fbfcf4b
  - SHA256: 672f278182cdf04f3c62a5b8d93f406791854a28791f27aecdb9981573c61424
- maintenance.zip: maintenance-javadoc.jar: jquery-ui.min.js
  - File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server /plugins/maintenance.zip/maintenance-javadoc.jar/script-dir/jquery-ui.min.js
  - MD5: 32059df39c14a910ccc2325f6a3cd62f
  - SHA1: d3289f1b527a3f054d303ec769402e037fbfcf4b
  - SHA256: 672f278182cdf04f3c62a5b8d93f406791854a28791f27aecdb9981573c61424
- reporting.zip: reporting-javadoc.jar: jquery-ui.min.js
  - File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server /plugins/reporting.zip/reporting-javadoc.jar/script-dir/jquery-ui.min.js
  - MD5: 32059df39c14a910ccc2325f6a3cd62f
  - SHA1: d3289f1b527a3f054d303ec769402e037fbfcf4b
  - SHA256: 672f278182cdf04f3c62a5b8d93f406791854a28791f27aecdb9981573c61424
- taskplanner.reporting.zip: taskplanner.reporting-javadoc.jar: jquery-ui.min.js
  - File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server /plugins/taskplanner.reporting.zip/taskplanner.reporting-javadoc.jar/script-dir /jquery-ui.min.js
  - MD5: 32059df39c14a910ccc2325f6a3cd62f
  - SHA1: d3289f1b527a3f054d303ec769402e037fbfcf4b
  - SHA256: 672f278182cdf04f3c62a5b8d93f406791854a28791f27aecdb9981573c61424
- taskplanner.zip: taskplanner-javadoc.jar: jquery-ui.min.js
  - File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server /plugins/taskplanner.zip/taskplanner-javadoc.jar/script-dir/jquery-ui.min.js
  - MD5: 32059df39c14a910ccc2325f6a3cd62f
  - SHA1: d3289f1b527a3f054d303ec769402e037fbfcf4b
  - SHA256: 672f278182cdf04f3c62a5b8d93f406791854a28791f27aecdb9981573c61424

Suppressed Identifiers

- **None**

Suppressed Vulnerabilities

CVE-2022-31160 suppressed

jQuery UI is a curated set of user interface interactions, effects, widgets, and themes built on top of jQuery. Versions prior to 1.13.2 are potentially vulnerable to cross-site scripting. Initializing a checkboxradio widget on an input enclosed within a label makes that parent label contents considered as the input label. Calling `.checkboxradio( "refresh" )` on such a widget and the initial HTML contained encoded HTML entities will make them erroneously get decoded. This can lead to potentially executing JavaScript code. The bug has been patched in jQuery UI 1.13.2. To remediate the issue, someone who can change the initial HTML can wrap all the non-input contents of the `label` in a `span`.

CWE-79 Improper Neutralization of Input During Web Page Generation ('Cross-site Scripting')

Notes: JavaDoc embedded JQuery UI - requires updated Java Version with newer javadoc

CVSSv3:

- MEDIUM (6.1)
- CVSS:3.1/AV:N/AC:L/PR:N/UI:R/S:C/C:L/I:L/A:N/E:2.8/RC:R/MAV:A

References:

- info - https://github.com/advisories/GHSA-h6gj-6jjq-h8g9
- info - https://github.com/jquery/jquery-ui/commit/8cc5bae1caa1fcf96bf5862c5646c787020ba3f9
- info - https://github.com/jquery/jquery-ui/issues/2101
- info - https://nvd.nist.gov/vuln/detail/CVE-2022-31160
- security-advisories@github.com - EXPLOIT,MITIGATION,RELEASE_NOTES,THIRD_PARTY_ADVISORY
- security-advisories@github.com - MAILING_LIST,THIRD_PARTY_ADVISORY
- security-advisories@github.com - PATCH,THIRD_PARTY_ADVISORY
- security-advisories@github.com - RELEASE_NOTES,VENDOR_ADVISORY
- security-advisories@github.com - THIRD_PARTY_ADVISORY
- security-advisories@github.com - THIRD_PARTY_ADVISORY

Vulnerable Software & Versions (NVD):

- cpe:2.3:a:drupal:jquery_ui_checkboxradio:8.x-1.0:*:*:*:*:drupal:*:*
- cpe:2.3:a:drupal:jquery_ui_checkboxradio:8.x-1.1:*:*:*:*:drupal:*:*
- cpe:2.3:a:drupal:jquery_ui_checkboxradio:8.x-1.2:*:*:*:*:drupal:*:*
- cpe:2.3:a:drupal:jquery_ui_checkboxradio:8.x-1.3:*:*:*:*:drupal:*:*
- cpe:2.3:a:jqueryui:jquery_ui:*:*:*:*:*:jquery:*:* versions up to (excluding) 1.13.2
- cpe:2.3:a:netapp:oncommand_insight:-:*:*:*:*:*:*:*

remotegui.zip: angular-animate.jar: angular-animate.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/angular-animate.jar/META-INF/resources/webjars/angular-animate/1.8.3/angular-animate.js
MD5: 31312b87e7226c8bf0714fcef0ea5d18
SHA1: dc9fb55f2c7f922c5ba83449266239ba1353db45
SHA256: 58e79e0e7cbb1e1502d216701e1fae41c405d92320aea1b68a223054096fda93
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence
Vendor	file	name	angularjs	High
Product	file	name	angularjs	High
Version	file	version	1.8.3	High

Suppressed Identifiers

- **None**

Suppressed Vulnerabilities

CVE-2022-25844 suppressed

The package angular after 1.7.0 are vulnerable to Regular Expression Denial of Service (ReDoS) by providing a custom locale rule that makes it possible to assign the parameter in posPre: ' '.repeat() of NUMBER_FORMATS.PATTERNS[1].posPre with a very high value. **Note:** 1) This package has been deprecated and is no longer maintained. 2) The vulnerable versions are 1.7.0 and higher.

CWE-1333 Inefficient Regular Expression Complexity

Notes: We can not yet update to newer Angular Version

CVSSv2:

- Base Score: MEDIUM (5.0)
- Vector: /AV:N/AC:L/Au:N/C:N/I:N/A:P

CVSSv3:

- HIGH (7.5)
- CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:N/I:N/A:H/E:3.9/RC:R/MAV:A

References:

- info - https://github.com/advisories/GHSA-m2h2-264f-f486
- report@snyk.io - EXPLOIT,THIRD_PARTY_ADVISORY
- report@snyk.io - EXPLOIT,THIRD_PARTY_ADVISORY
- report@snyk.io - EXPLOIT,THIRD_PARTY_ADVISORY
- report@snyk.io - EXPLOIT,THIRD_PARTY_ADVISORY
- report@snyk.io - EXPLOIT,THIRD_PARTY_ADVISORY
- report@snyk.io - THIRD_PARTY_ADVISORY

Vulnerable Software & Versions (NVD):

- cpe:2.3:a:angularjs:angular:*:*:*:*:*:node.js:*:* versions from (including) 1.7.0
- cpe:2.3:a:netapp:ontap_select_deploy_administration_utility:-:*:*:*:*:*:*:*

CVE-2024-21490 suppressed

This affects versions of the package angular from 1.3.0. A regular expression used to split the value of the ng-srcset directive is vulnerable to super-linear runtime due to backtracking. With large carefully-crafted input, this can result in catastrophic backtracking and cause a denial of service. **Note:**This package is EOL and will not receive any updates to address this issue. Users should migrate to [@angular/core](https://www.npmjs.com/package/@angular/core).

CWE-1333 Inefficient Regular Expression Complexity

Notes: We can not yet update to newer Angular Version

CVSSv3:

- HIGH (7.5)
- CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:N/I:N/A:H/E:3.9/RC:R/MAV:A

References:

- info - https://github.com/advisories/GHSA-4w4v-5hc9-xrr2
- info - https://github.com/angular/angular.js
- info - https://nvd.nist.gov/vuln/detail/CVE-2024-21490
- info - https://security.snyk.io/vuln/SNYK-JAVA-ORGWEBJARSBOWER-6241746
- info - https://security.snyk.io/vuln/SNYK-JAVA-ORGWEBJARSNPM-6241747
- info - https://security.snyk.io/vuln/SNYK-JS-ANGULAR-6091113
- info - https://stackblitz.com/edit/angularjs-vulnerability-ng-srcset-redos
- report@snyk.io - EXPLOIT,THIRD_PARTY_ADVISORY
- report@snyk.io - THIRD_PARTY_ADVISORY

Vulnerable Software & Versions (NVD):

- cpe:2.3:a:angular:angular:*:*:*:*:*:node.js:*:* versions from (including) 1.3.0

CVE-2022-25869 suppressed

All versions of package angular are vulnerable to Cross-site Scripting (XSS) due to insecure page caching in the Internet Explorer browser, which allows interpolation of <textarea> elements.

CWE-79 Improper Neutralization of Input During Web Page Generation ('Cross-site Scripting')

Notes: We can not yet update to newer Angular Version

CVSSv3:

- MEDIUM (6.1)
- CVSS:3.1/AV:N/AC:L/PR:N/UI:R/S:C/C:L/I:L/A:N/E:2.8/RC:R/MAV:A

References:

- info - https://github.com/advisories/GHSA-prc3-vjfx-vhm9
- report@snyk.io - BROKEN_LINK
- report@snyk.io - EXPLOIT,THIRD_PARTY_ADVISORY
- report@snyk.io - EXPLOIT,THIRD_PARTY_ADVISORY
- report@snyk.io - EXPLOIT,THIRD_PARTY_ADVISORY
- report@snyk.io - EXPLOIT,THIRD_PARTY_ADVISORY

Vulnerable Software & Versions (NVD):

- cpe:2.3:a:angularjs:angular:*:*:*:*:*:node.js:*:*

CVE-2023-26116 suppressed

Versions of the package angular from 1.2.21 are vulnerable to Regular Expression Denial of Service (ReDoS) via the angular.copy() utility function due to the usage of an insecure regular expression. Exploiting this vulnerability is possible by a large carefully-crafted input, which can result in catastrophic backtracking.

CWE-1333 Inefficient Regular Expression Complexity

Notes: We can not yet update to newer Angular Version

CVSSv3:

- MEDIUM (5.3)
- CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:N/I:N/A:L/E:3.9/RC:R/MAV:A

References:

- info - https://github.com/advisories/GHSA-2vrf-hf26-jrp5
- report@snyk.io - EXPLOIT,THIRD_PARTY_ADVISORY
- report@snyk.io - EXPLOIT,THIRD_PARTY_ADVISORY
- report@snyk.io - EXPLOIT,THIRD_PARTY_ADVISORY
- report@snyk.io - EXPLOIT,THIRD_PARTY_ADVISORY
- report@snyk.io - EXPLOIT,THIRD_PARTY_ADVISORY
- report@snyk.io - MAILING_LIST,THIRD_PARTY_ADVISORY

Vulnerable Software & Versions (NVD):

- cpe:2.3:a:angularjs:angular:*:*:*:*:*:node.js:*:* versions from (including) 1.2.21; versions up to (including) 1.8.3

CVE-2023-26117 suppressed

Versions of the package angular from 1.0.0 are vulnerable to Regular Expression Denial of Service (ReDoS) via the $resource service due to the usage of an insecure regular expression. Exploiting this vulnerability is possible by a large carefully-crafted input, which can result in catastrophic backtracking.

CWE-1333 Inefficient Regular Expression Complexity

Notes: We can not yet update to newer Angular Version

CVSSv3:

- MEDIUM (5.3)
- CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:N/I:N/A:L/E:3.9/RC:R/MAV:A

References:

- info - https://github.com/advisories/GHSA-2qqx-w9hr-q5gx
- report@snyk.io - EXPLOIT,THIRD_PARTY_ADVISORY
- report@snyk.io - EXPLOIT,THIRD_PARTY_ADVISORY
- report@snyk.io - EXPLOIT,THIRD_PARTY_ADVISORY
- report@snyk.io - EXPLOIT,THIRD_PARTY_ADVISORY
- report@snyk.io - EXPLOIT,THIRD_PARTY_ADVISORY
- report@snyk.io - MAILING_LIST,THIRD_PARTY_ADVISORY

Vulnerable Software & Versions (NVD):

- cpe:2.3:a:angularjs:angular:*:*:*:*:*:node.js:*:* versions from (including) 1.0.0; versions up to (including) 1.8.3

CVE-2023-26118 suppressed

Versions of the package angular from 1.4.9 are vulnerable to Regular Expression Denial of Service (ReDoS) via the <input type="url"> element due to the usage of an insecure regular expression in the input[url] functionality. Exploiting this vulnerability is possible by a large carefully-crafted input, which can result in catastrophic backtracking.

CWE-1333 Inefficient Regular Expression Complexity

Notes: We can not yet update to newer Angular Version

CVSSv3:

- MEDIUM (5.3)
- CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:N/I:N/A:L/E:3.9/RC:R/MAV:A

References:

- info - https://github.com/advisories/GHSA-qwqh-hm9m-p5hr
- report@snyk.io - EXPLOIT
- report@snyk.io - EXPLOIT,THIRD_PARTY_ADVISORY
- report@snyk.io - EXPLOIT,THIRD_PARTY_ADVISORY
- report@snyk.io - EXPLOIT,THIRD_PARTY_ADVISORY
- report@snyk.io - EXPLOIT,THIRD_PARTY_ADVISORY
- report@snyk.io - MAILING_LIST,THIRD_PARTY_ADVISORY

Vulnerable Software & Versions (NVD):

- cpe:2.3:a:angularjs:angular:*:*:*:*:*:node.js:*:* versions from (including) 1.4.9; versions up to (including) 1.8.3

CVE-2024-8372 suppressed

Improper sanitization of the value of the '[srcset]' attribute in AngularJS allows attackers to bypass common image source restrictions, which can also lead to a form of Content Spoofing https://owasp.org/www-community/attacks/Content_Spoofing .

This issue affects AngularJS versions 1.3.0-rc.4 and greater.

Note:
The AngularJS project is End-of-Life and will not receive any updates to address this issue. For more information see here https://docs.angularjs.org/misc/version-support-status .

CWE-1289 Improper Validation of Unsafe Equivalence in Input, NVD-CWE-Other

Notes: We can not yet update to newer Angular Version

CVSSv3:

- MEDIUM (4.3)
- CVSS:3.1/AV:N/AC:L/PR:N/UI:R/S:U/C:N/I:L/A:N/E:2.8/RC:R/MAV:A

References:

- 36c7be3b-2937-45df-85ea-ca7133ea542c - EXPLOIT,THIRD_PARTY_ADVISORY
- 36c7be3b-2937-45df-85ea-ca7133ea542c - EXPLOIT,THIRD_PARTY_ADVISORY

- info - https://codepen.io/herodevs/full/xxoQRNL/0072e627abe03e9cda373bc75b4c1017
- info - https://github.com/advisories/GHSA-m9gf-397r-hwpg
- info - https://github.com/angular/angular.js
- info - https://nvd.nist.gov/vuln/detail/CVE-2024-8372
- info - https://www.herodevs.com/vulnerability-directory/cve-2024-8372

Vulnerable Software & Versions (NVD):

- cpe:2.3:a:angularjs:angular.js:*:*:*:*:*:*:*:* versions from (including) 1.3.1; versions up to (excluding) 1.9.6
- cpe:2.3:a:angularjs:angular.js:1.3.0:rc4:*:*:*:*:*:*
- cpe:2.3:a:angularjs:angular.js:1.3.0:rc5:*:*:*:*:*:*

CVE-2024-8373 suppressed

Improper sanitization of the value of the [srcset] attribute in <source> HTML elements in AngularJS allows attackers to bypass common image source restrictions, which can also lead to a form of Content Spoofing https://owasp.org/www-community/attacks/Content_Spoofing .

This issue affects all versions of AngularJS.

Note:
The AngularJS project is End-of-Life and will not receive any updates to address this issue. For more information see here https://docs.angularjs.org/misc/version-support-status .

NVD-CWE-Other, CWE-791 Incomplete Filtering of Special Elements

Notes: We can not yet update to newer Angular Version

CVSSv3:
- MEDIUM (4.3)
- CVSS:3.1/AV:N/AC:L/PR:N/UI:R/S:U/C:N/I:L/A:N/E:2.8/RC:R/MAV:A

References:
- 36c7be3b-2937-45df-85ea-ca7133ea542c - EXPLOIT,THIRD_PARTY_ADVISORY
- 36c7be3b-2937-45df-85ea-ca7133ea542c - EXPLOIT,THIRD_PARTY_ADVISORY
- info - https://codepen.io/herodevs/full/bGPQgMp/8da9ce87e99403ee13a295c305ebfa0b
- info - https://github.com/advisories/GHSA-mqm9-c95h-x2p6
- info - https://github.com/angular/angular.js
- info - https://nvd.nist.gov/vuln/detail/CVE-2024-8373
- info - https://www.herodevs.com/vulnerability-directory/cve-2024-8373

Vulnerable Software & Versions (NVD):

- cpe:2.3:a:angularjs:angular.js:*:*:*:*:*:*:*:* versions up to (excluding) 1.9.6

End-of-Life: Long term support for AngularJS has been discontinued as of December 31, 2021 (RETIREJS) suppressed

End-of-Life: Long term support for AngularJS has been discontinued as of December 31, 2021

Notes: file name: remotegui.zip: angularjs.jar We can not yet update to newer Angular Version

Unscored:
- Severity: low

References:
- info - https://docs.angularjs.org/misc/version-support-status
- retid - 54

Vulnerable Software & Versions (RETIREJS):

remotegui.zip: angular-animate.jar: angular-animate.min.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/angular-animate.jar/META-INF/resources/webjars/angular-animate/1.8.3/angular-animate.min.js
MD5: 5d2d0f42bb7e1b5503e914674f59dad0
SHA1: 4c15a58541e53c451c6f946d2048104f88b833c7
SHA256: 8e6202b1330a469a61ccdeebbd1cb3a20d0ecdfc8d106f68da5b85e9b67a1cd5
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence
Vendor	file	name	angularjs	High
Product	file	name	angularjs	High
Version	file	version	1.8.3	High

Suppressed Identifiers

- **None**

Suppressed Vulnerabilities

CVE-2022-25844 suppressed

The package angular after 1.7.0 are vulnerable to Regular Expression Denial of Service (ReDoS) by providing a custom locale rule that makes it possible to assign the parameter in posPre: ' '.repeat() of NUMBER_FORMATS.PATTERNS[1].posPre with a very high value. **Note:** 1) This package has been deprecated and is no longer maintained. 2) The vulnerable versions are 1.7.0 and higher.

CWE-1333 Inefficient Regular Expression Complexity

Notes: We can not yet update to newer Angular Version

CVSSv2:
- Base Score: MEDIUM (5.0)
- Vector: /AV:N/AC:L/Au:N/C:N/I:N/A:P

CVSSv3:
- HIGH (7.5)
- CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:N/I:N/A:H/E:3.9/RC:R/MAV:A

References:
- info - https://github.com/advisories/GHSA-m2h2-264f-f486
- report@snyk.io - EXPLOIT,THIRD_PARTY_ADVISORY
- report@snyk.io - EXPLOIT,THIRD_PARTY_ADVISORY
- report@snyk.io - EXPLOIT,THIRD_PARTY_ADVISORY
- report@snyk.io - EXPLOIT,THIRD_PARTY_ADVISORY
- report@snyk.io - EXPLOIT,THIRD_PARTY_ADVISORY
- report@snyk.io - THIRD_PARTY_ADVISORY

Vulnerable Software & Versions (NVD):

- cpe:2.3:a:angularjs:angular:*:*:*:*:*:node.js:*:* versions from (including) 1.7.0
- cpe:2.3:a:netapp:ontap_select_deploy_administration_utility:-:*:*:*:*:*:*:*

CVE-2024-21490 suppressed

This affects versions of the package angular from 1.3.0. A regular expression used to split the value of the ng-srcset directive is vulnerable to super-linear runtime due to backtracking. With large carefully-crafted input, this can result in catastrophic backtracking and cause a denial of service. **Note:**This package is EOL and will not receive any updates to address this issue. Users should migrate to [@angular/core](https://www.npmjs.com/package/@angular/core).

CWE-1333 Inefficient Regular Expression Complexity

Notes: We can not yet update to newer Angular Version

CVSSv3:
- HIGH (7.5)
- CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:N/I:N/A:H/E:3.9/RC:R/MAV:A

References:
- info - https://github.com/advisories/GHSA-4w4v-5hc9-xrr2
- info - https://github.com/angular/angular.js
- info - https://nvd.nist.gov/vuln/detail/CVE-2024-21490
- info - https://security.snyk.io/vuln/SNYK-JAVA-ORGWEBJARSBOWER-6241746
- info - https://security.snyk.io/vuln/SNYK-JAVA-ORGWEBJARSNPM-6241747
- info - https://security.snyk.io/vuln/SNYK-JS-ANGULAR-6091113
- info - https://stackblitz.com/edit/angularjs-vulnerability-ng-srcset-redos
- report@snyk.io - EXPLOIT,THIRD_PARTY_ADVISORY
- report@snyk.io - THIRD_PARTY_ADVISORY

Vulnerable Software & Versions (NVD):

- cpe:2.3:a:angular:angular:*:*:*:*:*:node.js:*:* versions from (including) 1.3.0

CVE-2022-25869 suppressed

All versions of package angular are vulnerable to Cross-site Scripting (XSS) due to insecure page caching in the Internet Explorer browser, which allows interpolation of <textarea> elements.

CWE-79 Improper Neutralization of Input During Web Page Generation ('Cross-site Scripting')

Notes: We can not yet update to newer Angular Version

CVSSv3:
- MEDIUM (6.1)
- CVSS:3.1/AV:N/AC:L/PR:N/UI:R/S:C/C:L/I:L/A:N/E:2.8/RC:R/MAV:A

References:
- info - https://github.com/advisories/GHSA-prc3-vjfx-vhm9
- report@snyk.io - BROKEN_LINK
- report@snyk.io - EXPLOIT,THIRD_PARTY_ADVISORY
- report@snyk.io - EXPLOIT,THIRD_PARTY_ADVISORY
- report@snyk.io - EXPLOIT,THIRD_PARTY_ADVISORY
- report@snyk.io - EXPLOIT,THIRD_PARTY_ADVISORY

Vulnerable Software & Versions (NVD):

- cpe:2.3:a:angularjs:angular:*:*:*:*:*:node.js:*:*

CVE-2023-26116 suppressed

Versions of the package angular from 1.2.21 are vulnerable to Regular Expression Denial of Service (ReDoS) via the angular.copy() utility function due to the usage of an insecure regular expression. Exploiting this vulnerability is possible by a large carefully-crafted input, which can result in catastrophic backtracking.

CWE-1333 Inefficient Regular Expression Complexity

Notes: We can not yet update to newer Angular Version

CVSSv3:

- MEDIUM (5.3)
- CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:N/I:N/A:L/E:3.9/RC:R/MAV:A

References:

- info - https://github.com/advisories/GHSA-2vrf-hf26-jrp5
- report@snyk.io - EXPLOIT,THIRD_PARTY_ADVISORY
- report@snyk.io - EXPLOIT,THIRD_PARTY_ADVISORY
- report@snyk.io - EXPLOIT,THIRD_PARTY_ADVISORY
- report@snyk.io - EXPLOIT,THIRD_PARTY_ADVISORY
- report@snyk.io - EXPLOIT,THIRD_PARTY_ADVISORY
- report@snyk.io - MAILING_LIST,THIRD_PARTY_ADVISORY

Vulnerable Software & Versions (NVD):

- cpe:2.3:a:angularjs:angular:*:*:*:*:*:node.js:*:* versions from (including) 1.2.21; versions up to (including) 1.8.3

CVE-2023-26117 suppressed

Versions of the package angular from 1.0.0 are vulnerable to Regular Expression Denial of Service (ReDoS) via the $resource service due to the usage of an insecure regular expression. Exploiting this vulnerability is possible by a large carefully-crafted input, which can result in catastrophic backtracking.

CWE-1333 Inefficient Regular Expression Complexity

Notes: We can not yet update to newer Angular Version

CVSSv3:

- MEDIUM (5.3)
- CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:N/I:N/A:L/E:3.9/RC:R/MAV:A

References:

- info - https://github.com/advisories/GHSA-2qqx-w9hr-q5gx
- report@snyk.io - EXPLOIT,THIRD_PARTY_ADVISORY
- report@snyk.io - EXPLOIT,THIRD_PARTY_ADVISORY
- report@snyk.io - EXPLOIT,THIRD_PARTY_ADVISORY
- report@snyk.io - EXPLOIT,THIRD_PARTY_ADVISORY
- report@snyk.io - EXPLOIT,THIRD_PARTY_ADVISORY
- report@snyk.io - MAILING_LIST,THIRD_PARTY_ADVISORY

Vulnerable Software & Versions (NVD):

- cpe:2.3:a:angularjs:angular:*:*:*:*:*:node.js:*:* versions from (including) 1.0.0; versions up to (including) 1.8.3

CVE-2023-26118 suppressed

Versions of the package angular from 1.4.9 are vulnerable to Regular Expression Denial of Service (ReDoS) via the <input type="url"> element due to the usage of an insecure regular expression in the input[url] functionality. Exploiting this vulnerability is possible by a large carefully-crafted input, which can result in catastrophic backtracking.

CWE-1333 Inefficient Regular Expression Complexity

Notes: We can not yet update to newer Angular Version

CVSSv3:

- MEDIUM (5.3)
- CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:N/I:N/A:L/E:3.9/RC:R/MAV:A

References:

- info - https://github.com/advisories/GHSA-qwqh-hm9m-p5hr
- report@snyk.io - EXPLOIT
- report@snyk.io - EXPLOIT,THIRD_PARTY_ADVISORY
- report@snyk.io - EXPLOIT,THIRD_PARTY_ADVISORY
- report@snyk.io - EXPLOIT,THIRD_PARTY_ADVISORY
- report@snyk.io - EXPLOIT,THIRD_PARTY_ADVISORY
- report@snyk.io - MAILING_LIST,THIRD_PARTY_ADVISORY

Vulnerable Software & Versions (NVD):

- cpe:2.3:a:angularjs:angular:*:*:*:*:*:node.js:*:* versions from (including) 1.4.9; versions up to (including) 1.8.3

CVE-2024-8372 suppressed

Improper sanitization of the value of the '[srcset]' attribute in AngularJS allows attackers to bypass common image source restrictions, which can also lead to a form of Content Spoofing https://owasp.org/www-community/attacks/Content_Spoofing .

This issue affects AngularJS versions 1.3.0-rc.4 and greater.

Note:
The AngularJS project is End-of-Life and will not receive any updates to address this issue. For more information see here https://docs.angularjs.org/misc/version-support-status .

CWE-1289 Improper Validation of Unsafe Equivalence in Input, NVD-CWE-Other

Notes: We can not yet update to newer Angular Version

CVSSv3:
- MEDIUM (4.3)
- CVSS:3.1/AV:N/AC:L/PR:N/UI:R/S:U/C:N/I:L/A:N/E:2.8/RC:R/MAV:A

References:
- 36c7be3b-2937-45df-85ea-ca7133ea542c - EXPLOIT,THIRD_PARTY_ADVISORY
- 36c7be3b-2937-45df-85ea-ca7133ea542c - EXPLOIT,THIRD_PARTY_ADVISORY
- info - https://codepen.io/herodevs/full/xxoQRNL/0072e627abe03e9cda373bc75b4c1017
- info - https://github.com/advisories/GHSA-m9gf-397r-hwpg
- info - https://github.com/angular/angular.js
- info - https://nvd.nist.gov/vuln/detail/CVE-2024-8372
- info - https://www.herodevs.com/vulnerability-directory/cve-2024-8372

Vulnerable Software & Versions (NVD):

- cpe:2.3:a:angularjs:angular.js:*:*:*:*:*:*:*:* versions from (including) 1.3.1; versions up to (excluding) 1.9.6
- cpe:2.3:a:angularjs:angular.js:1.3.0:rc4:*:*:*:*:*:*
- cpe:2.3:a:angularjs:angular.js:1.3.0:rc5:*:*:*:*:*:*

CVE-2024-8373 suppressed

Improper sanitization of the value of the [srcset] attribute in <source> HTML elements in AngularJS allows attackers to bypass common image source restrictions, which can also lead to a form of Content Spoofing https://owasp.org/www-community/attacks/Content_Spoofing .

This issue affects all versions of AngularJS.

Note:
The AngularJS project is End-of-Life and will not receive any updates to address this issue. For more information see here https://docs.angularjs.org/misc/version-support-status .

NVD-CWE-Other, CWE-791 Incomplete Filtering of Special Elements

Notes: We can not yet update to newer Angular Version

CVSSv3:
- MEDIUM (4.3)

- CVSS:3.1/AV:N/AC:L/PR:N/UI:R/S:U/C:N/I:L/A:N/E:2.8/RC:R/MAV:A

References:

- 36c7be3b-2937-45df-85ea-ca7133ea542c - EXPLOIT,THIRD_PARTY_ADVISORY
- 36c7be3b-2937-45df-85ea-ca7133ea542c - EXPLOIT,THIRD_PARTY_ADVISORY
- info - https://codepen.io/herodevs/full/bGPQgMp/8da9ce87e99403ee13a295c305ebfa0b
- info - https://github.com/advisories/GHSA-mqm9-c95h-x2p6
- info - https://github.com/angular/angular.js
- info - https://nvd.nist.gov/vuln/detail/CVE-2024-8373
- info - https://www.herodevs.com/vulnerability-directory/cve-2024-8373

Vulnerable Software & Versions (NVD):

- cpe:2.3:a:angularjs:angular.js:*:*:*:*:*:*:*:* versions up to (excluding) 1.9.6

End-of-Life: Long term support for AngularJS has been discontinued as of December 31, 2021 (RETIREJS) suppressed

End-of-Life: Long term support for AngularJS has been discontinued as of December 31, 2021

Notes: file name: remotegui.zip: angularjs.jar We can not yet update to newer Angular Version

Unscored:

- Severity: low

References:

- info - https://docs.angularjs.org/misc/version-support-status
- retid - 54

Vulnerable Software & Versions (RETIREJS):

remotegui.zip: angular-cookies.jar: angular-cookies.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/angular-cookies.jar/META-INF/resources/webjars/angular-cookies/1.8.3/angular-cookies.js
MD5: e17187aea1f0e6dbd25722e34b754915
SHA1: 20f43f716b9fef7d72537bc1b0e5aa2bc480cee5
SHA256: f3291c552042f6d0c500167769912a78ab3ecec9917128b2d6ea8e7c6714bb97
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence
Vendor	file	name	angularjs	High
Product	file	name	angularjs	High
Version	file	version	1.8.3	High

Suppressed Identifiers

- **None**

Suppressed Vulnerabilities

CVE-2022-25844 suppressed

The package angular after 1.7.0 are vulnerable to Regular Expression Denial of Service (ReDoS) by providing a custom locale rule that makes it possible to assign the parameter in posPre: ' '.repeat() of NUMBER_FORMATS.PATTERNS[1].posPre with a very high value. **Note:** 1) This package has been deprecated and is no longer maintained. 2) The vulnerable versions are 1.7.0 and higher.

CWE-1333 Inefficient Regular Expression Complexity

Notes: We can not yet update to newer Angular Version

CVSSv2:

- Base Score: MEDIUM (5.0)
- Vector: /AV:N/AC:L/Au:N/C:N/I:N/A:P

CVSSv3:

- HIGH (7.5)
- CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:N/I:N/A:H/E:3.9/RC:R/MAV:A

References:

- info - https://github.com/advisories/GHSA-m2h2-264f-f486
- report@snyk.io - EXPLOIT,THIRD_PARTY_ADVISORY
- report@snyk.io - EXPLOIT,THIRD_PARTY_ADVISORY
- report@snyk.io - EXPLOIT,THIRD_PARTY_ADVISORY
- report@snyk.io - EXPLOIT,THIRD_PARTY_ADVISORY
- report@snyk.io - EXPLOIT,THIRD_PARTY_ADVISORY
- report@snyk.io - THIRD_PARTY_ADVISORY

Vulnerable Software & Versions (NVD):

- cpe:2.3:a:angularjs:angular:*:*:*:*:*:node.js:*:* versions from (including) 1.7.0
- cpe:2.3:a:netapp:ontap_select_deploy_administration_utility:-:*:*:*:*:*:*:*

CVE-2024-21490 suppressed

This affects versions of the package angular from 1.3.0. A regular expression used to split the value of the ng-srcset directive is vulnerable to super-linear runtime due to backtracking. With large carefully-crafted input, this can result in catastrophic backtracking and cause a denial of service. **Note:**This package is EOL and will not receive any updates to address this issue. Users should migrate to [@angular/core](https://www.npmjs.com/package/@angular/core).

CWE-1333 Inefficient Regular Expression Complexity

Notes: We can not yet update to newer Angular Version

CVSSv3:

- HIGH (7.5)
- CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:N/I:N/A:H/E:3.9/RC:R/MAV:A

References:

- info - https://github.com/advisories/GHSA-4w4v-5hc9-xrr2
- info - https://github.com/angular/angular.js
- info - https://nvd.nist.gov/vuln/detail/CVE-2024-21490
- info - https://security.snyk.io/vuln/SNYK-JAVA-ORGWEBJARSBOWER-6241746
- info - https://security.snyk.io/vuln/SNYK-JAVA-ORGWEBJARSNPM-6241747
- info - https://security.snyk.io/vuln/SNYK-JS-ANGULAR-6091113
- info - https://stackblitz.com/edit/angularjs-vulnerability-ng-srcset-redos
- report@snyk.io - EXPLOIT,THIRD_PARTY_ADVISORY
- report@snyk.io - THIRD_PARTY_ADVISORY

Vulnerable Software & Versions (NVD):

- cpe:2.3:a:angular:angular:*:*:*:*:*:node.js:*:* versions from (including) 1.3.0

CVE-2022-25869 suppressed

All versions of package angular are vulnerable to Cross-site Scripting (XSS) due to insecure page caching in the Internet Explorer browser, which allows interpolation of <textarea> elements.

CWE-79 Improper Neutralization of Input During Web Page Generation ('Cross-site Scripting')

Notes: We can not yet update to newer Angular Version

CVSSv3:
- MEDIUM (6.1)
- CVSS:3.1/AV:N/AC:L/PR:N/UI:R/S:C/C:L/I:L/A:N/E:2.8/RC:R/MAV:A

References:
- info - https://github.com/advisories/GHSA-prc3-vjfx-vhm9
- report@snyk.io - BROKEN_LINK
- report@snyk.io - EXPLOIT,THIRD_PARTY_ADVISORY
- report@snyk.io - EXPLOIT,THIRD_PARTY_ADVISORY
- report@snyk.io - EXPLOIT,THIRD_PARTY_ADVISORY
- report@snyk.io - EXPLOIT,THIRD_PARTY_ADVISORY

Vulnerable Software & Versions (NVD):

- cpe:2.3:a:angularjs:angular:*:*:*:*:*:node.js:*:*

CVE-2023-26116 suppressed

Versions of the package angular from 1.2.21 are vulnerable to Regular Expression Denial of Service (ReDoS) via the angular.copy() utility function due to the usage of an insecure regular expression. Exploiting this vulnerability is possible by a large carefully-crafted input, which can result in catastrophic backtracking.

CWE-1333 Inefficient Regular Expression Complexity

Notes: We can not yet update to newer Angular Version

CVSSv3:
- MEDIUM (5.3)
- CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:N/I:N/A:L/E:3.9/RC:R/MAV:A

References:
- info - https://github.com/advisories/GHSA-2vrf-hf26-jrp5
- report@snyk.io - EXPLOIT,THIRD_PARTY_ADVISORY
- report@snyk.io - EXPLOIT,THIRD_PARTY_ADVISORY
- report@snyk.io - EXPLOIT,THIRD_PARTY_ADVISORY
- report@snyk.io - EXPLOIT,THIRD_PARTY_ADVISORY
- report@snyk.io - EXPLOIT,THIRD_PARTY_ADVISORY
- report@snyk.io - MAILING_LIST,THIRD_PARTY_ADVISORY

Vulnerable Software & Versions (NVD):

- cpe:2.3:a:angularjs:angular:*:*:*:*:*:node.js:*:* versions from (including) 1.2.21; versions up to (including) 1.8.3

CVE-2023-26117 suppressed

Versions of the package angular from 1.0.0 are vulnerable to Regular Expression Denial of Service (ReDoS) via the $resource service due to the usage of an insecure regular expression. Exploiting this vulnerability is possible by a large carefully-crafted input, which can result in catastrophic backtracking.

CWE-1333 Inefficient Regular Expression Complexity

Notes: We can not yet update to newer Angular Version

CVSSv3:
- MEDIUM (5.3)
- CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:N/I:N/A:L/E:3.9/RC:R/MAV:A

References:
- info - https://github.com/advisories/GHSA-2qqx-w9hr-q5gx
- report@snyk.io - EXPLOIT,THIRD_PARTY_ADVISORY
- report@snyk.io - EXPLOIT,THIRD_PARTY_ADVISORY
- report@snyk.io - EXPLOIT,THIRD_PARTY_ADVISORY
- report@snyk.io - EXPLOIT,THIRD_PARTY_ADVISORY
- report@snyk.io - EXPLOIT,THIRD_PARTY_ADVISORY
- report@snyk.io - MAILING_LIST,THIRD_PARTY_ADVISORY

Vulnerable Software & Versions (NVD):

- cpe:2.3:a:angularjs:angular:*:*:*:*:*:node.js:*:* versions from (including) 1.0.0; versions up to (including) 1.8.3

CVE-2023-26118 suppressed

Versions of the package angular from 1.4.9 are vulnerable to Regular Expression Denial of Service (ReDoS) via the <input type="url"> element due to the usage of an insecure regular expression in the input[url] functionality. Exploiting this vulnerability is possible by a large carefully-crafted input, which can result in catastrophic backtracking.

CWE-1333 Inefficient Regular Expression Complexity

Notes: We can not yet update to newer Angular Version

CVSSv3:
- MEDIUM (5.3)
- CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:N/I:N/A:L/E:3.9/RC:R/MAV:A

References:
- info - https://github.com/advisories/GHSA-qwqh-hm9m-p5hr
- report@snyk.io - EXPLOIT
- report@snyk.io - EXPLOIT,THIRD_PARTY_ADVISORY
- report@snyk.io - EXPLOIT,THIRD_PARTY_ADVISORY
- report@snyk.io - EXPLOIT,THIRD_PARTY_ADVISORY
- report@snyk.io - EXPLOIT,THIRD_PARTY_ADVISORY
- report@snyk.io - MAILING_LIST,THIRD_PARTY_ADVISORY

Vulnerable Software & Versions (NVD):

- cpe:2.3:a:angularjs:angular:*:*:*:*:*:node.js:*:* versions from (including) 1.4.9; versions up to (including) 1.8.3

CVE-2024-8372 suppressed

Improper sanitization of the value of the '[srcset]' attribute in AngularJS allows attackers to bypass common image source restrictions, which can also lead to a form of Content Spoofing https://owasp.org/www-community/attacks/Content_Spoofing .

This issue affects AngularJS versions 1.3.0-rc.4 and greater.

Note:
The AngularJS project is End-of-Life and will not receive any updates to address this issue. For more information see here https://docs.angularjs.org/misc/version-support-status .

CWE-1289 Improper Validation of Unsafe Equivalence in Input, NVD-CWE-Other

Notes: We can not yet update to newer Angular Version

CVSSv3:
- MEDIUM (4.3)

- CVSS:3.1/AV:N/AC:L/PR:N/UI:R/S:U/C:N/I:L/A:N/E:2.8/RC:R/MAV:A

References:

- 36c7be3b-2937-45df-85ea-ca7133ea542c - EXPLOIT,THIRD_PARTY_ADVISORY
- 36c7be3b-2937-45df-85ea-ca7133ea542c - EXPLOIT,THIRD_PARTY_ADVISORY
- info - https://codepen.io/herodevs/full/xxoQRNL/0072e627abe03e9cda373bc75b4c1017
- info - https://github.com/advisories/GHSA-m9gf-397r-hwpg
- info - https://github.com/angular/angular.js
- info - https://nvd.nist.gov/vuln/detail/CVE-2024-8372
- info - https://www.herodevs.com/vulnerability-directory/cve-2024-8372

Vulnerable Software & Versions (NVD):

- cpe:2.3:a:angularjs:angular.js:*:*:*:*:*:*:*:* versions from (including) 1.3.1; versions up to (excluding) 1.9.6
- cpe:2.3:a:angularjs:angular.js:1.3.0:rc4:*:*:*:*:*:*
- cpe:2.3:a:angularjs:angular.js:1.3.0:rc5:*:*:*:*:*:*

CVE-2024-8373 suppressed

Improper sanitization of the value of the [srcset] attribute in <source> HTML elements in AngularJS allows attackers to bypass common image source restrictions, which can also lead to a form of Content Spoofing https://owasp.org/www-community/attacks/Content_Spoofing .

This issue affects all versions of AngularJS.

Note:
The AngularJS project is End-of-Life and will not receive any updates to address this issue. For more information see here https://docs.angularjs.org/misc/version-support-status .

NVD-CWE-Other, CWE-791 Incomplete Filtering of Special Elements

Notes: We can not yet update to newer Angular Version

CVSSv3:

- MEDIUM (4.3)
- CVSS:3.1/AV:N/AC:L/PR:N/UI:R/S:U/C:N/I:L/A:N/E:2.8/RC:R/MAV:A

References:

- 36c7be3b-2937-45df-85ea-ca7133ea542c - EXPLOIT,THIRD_PARTY_ADVISORY
- 36c7be3b-2937-45df-85ea-ca7133ea542c - EXPLOIT,THIRD_PARTY_ADVISORY
- info - https://codepen.io/herodevs/full/bGPQgMp/8da9ce87e99403ee13a295c305ebfa0b
- info - https://github.com/advisories/GHSA-mqm9-c95h-x2p6
- info - https://github.com/angular/angular.js
- info - https://nvd.nist.gov/vuln/detail/CVE-2024-8373
- info - https://www.herodevs.com/vulnerability-directory/cve-2024-8373

Vulnerable Software & Versions (NVD):

- cpe:2.3:a:angularjs:angular.js:*:*:*:*:*:*:*:* versions up to (excluding) 1.9.6

End-of-Life: Long term support for AngularJS has been discontinued as of December 31, 2021 (RETIREJS) suppressed

End-of-Life: Long term support for AngularJS has been discontinued as of December 31, 2021

Notes: file name: remotegui.zip: angularjs.jar We can not yet update to newer Angular Version

Unscored:

- Severity: low

References:

- info - https://docs.angularjs.org/misc/version-support-status
- retid - 54

Vulnerable Software & Versions (RETIREJS):

remotegui.zip: angular-cookies.jar: angular-cookies.min.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/angular-cookies.jar/META-INF/resources/webjars/angular-cookies/1.8.3/angular-cookies.min.js
MD5: c41aff8423276d46f0d02de6dcb71524
SHA1: 7dc53f75d5bf7dd2c770cb50f31242c70193c086
SHA256: 926509b494009bea03288bba191a2b238032188e9112377e50fbfe7814c6639b
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence
Vendor	file	name	angularjs	High
Product	file	name	angularjs	High
Version	file	version	1.8.3	High

Suppressed Identifiers

- **None**

Suppressed Vulnerabilities

CVE-2022-25844 suppressed

The package angular after 1.7.0 are vulnerable to Regular Expression Denial of Service (ReDoS) by providing a custom locale rule that makes it possible to assign the parameter in posPre: ' '.repeat() of NUMBER_FORMATS.PATTERNS[1].posPre with a very high value. **Note:** 1) This package has been deprecated and is no longer maintained. 2) The vulnerable versions are 1.7.0 and higher.

CWE-1333 Inefficient Regular Expression Complexity

Notes: We can not yet update to newer Angular Version

CVSSv2:
- Base Score: MEDIUM (5.0)
- Vector: /AV:N/AC:L/Au:N/C:N/I:N/A:P

CVSSv3:
- HIGH (7.5)
- CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:N/I:N/A:H/E:3.9/RC:R/MAV:A

References:
- info - https://github.com/advisories/GHSA-m2h2-264f-f486
- report@snyk.io - EXPLOIT,THIRD_PARTY_ADVISORY
- report@snyk.io - EXPLOIT,THIRD_PARTY_ADVISORY
- report@snyk.io - EXPLOIT,THIRD_PARTY_ADVISORY
- report@snyk.io - EXPLOIT,THIRD_PARTY_ADVISORY

- report@snyk.io - EXPLOIT,THIRD_PARTY_ADVISORY
- report@snyk.io - THIRD_PARTY_ADVISORY

Vulnerable Software & Versions (NVD):

- cpe:2.3:a:angularjs:angular:*:*:*:*:*:node.js:*:* versions from (including) 1.7.0
- cpe:2.3:a:netapp:ontap_select_deploy_administration_utility:-:*:*:*:*:*:*:*

CVE-2024-21490 suppressed

This affects versions of the package angular from 1.3.0. A regular expression used to split the value of the ng-srcset directive is vulnerable to super-linear runtime due to backtracking. With large carefully-crafted input, this can result in catastrophic backtracking and cause a denial of service. **Note:**This package is EOL and will not receive any updates to address this issue. Users should migrate to [@angular/core](https://www.npmjs.com/package/@angular/core).

CWE-1333 Inefficient Regular Expression Complexity

Notes: We can not yet update to newer Angular Version

CVSSv3:
- HIGH (7.5)
- CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:N/I:N/A:H/E:3.9/RC:R/MAV:A

References:
- info - https://github.com/advisories/GHSA-4w4v-5hc9-xrr2
- info - https://github.com/angular/angular.js
- info - https://nvd.nist.gov/vuln/detail/CVE-2024-21490
- info - https://security.snyk.io/vuln/SNYK-JAVA-ORGWEBJARSBOWER-6241746
- info - https://security.snyk.io/vuln/SNYK-JAVA-ORGWEBJARSNPM-6241747
- info - https://security.snyk.io/vuln/SNYK-JS-ANGULAR-6091113
- info - https://stackblitz.com/edit/angularjs-vulnerability-ng-srcset-redos
- report@snyk.io - EXPLOIT,THIRD_PARTY_ADVISORY
- report@snyk.io - THIRD_PARTY_ADVISORY

Vulnerable Software & Versions (NVD):

- cpe:2.3:a:angular:angular:*:*:*:*:*:node.js:*:* versions from (including) 1.3.0

CVE-2022-25869 suppressed

All versions of package angular are vulnerable to Cross-site Scripting (XSS) due to insecure page caching in the Internet Explorer browser, which allows interpolation of <textarea> elements.

CWE-79 Improper Neutralization of Input During Web Page Generation ('Cross-site Scripting')

Notes: We can not yet update to newer Angular Version

CVSSv3:
- MEDIUM (6.1)
- CVSS:3.1/AV:N/AC:L/PR:N/UI:R/S:C/C:L/I:L/A:N/E:2.8/RC:R/MAV:A

References:
- info - https://github.com/advisories/GHSA-prc3-vjfx-vhm9
- report@snyk.io - BROKEN_LINK
- report@snyk.io - EXPLOIT,THIRD_PARTY_ADVISORY
- report@snyk.io - EXPLOIT,THIRD_PARTY_ADVISORY
- report@snyk.io - EXPLOIT,THIRD_PARTY_ADVISORY
- report@snyk.io - EXPLOIT,THIRD_PARTY_ADVISORY

Vulnerable Software & Versions (NVD):

- cpe:2.3:a:angularjs:angular:*:*:*:*:*:node.js:*:*

CVE-2023-26116 suppressed

Versions of the package angular from 1.2.21 are vulnerable to Regular Expression Denial of Service (ReDoS) via the angular.copy() utility function due to the usage of an insecure regular expression. Exploiting this vulnerability is possible by a large carefully-crafted input, which can result in catastrophic backtracking.

CWE-1333 Inefficient Regular Expression Complexity

Notes: We can not yet update to newer Angular Version

CVSSv3:

- MEDIUM (5.3)
- CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:N/I:N/A:L/E:3.9/RC:R/MAV:A

References:

- info - https://github.com/advisories/GHSA-2vrf-hf26-jrp5
- report@snyk.io - EXPLOIT,THIRD_PARTY_ADVISORY
- report@snyk.io - EXPLOIT,THIRD_PARTY_ADVISORY
- report@snyk.io - EXPLOIT,THIRD_PARTY_ADVISORY
- report@snyk.io - EXPLOIT,THIRD_PARTY_ADVISORY
- report@snyk.io - EXPLOIT,THIRD_PARTY_ADVISORY
- report@snyk.io - MAILING_LIST,THIRD_PARTY_ADVISORY

Vulnerable Software & Versions (NVD):

- cpe:2.3:a:angularjs:angular:*:*:*:*:*:node.js:*:* versions from (including) 1.2.21; versions up to (including) 1.8.3

CVE-2023-26117 suppressed

Versions of the package angular from 1.0.0 are vulnerable to Regular Expression Denial of Service (ReDoS) via the $resource service due to the usage of an insecure regular expression. Exploiting this vulnerability is possible by a large carefully-crafted input, which can result in catastrophic backtracking.

CWE-1333 Inefficient Regular Expression Complexity

Notes: We can not yet update to newer Angular Version

CVSSv3:

- MEDIUM (5.3)
- CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:N/I:N/A:L/E:3.9/RC:R/MAV:A

References:

- info - https://github.com/advisories/GHSA-2qqx-w9hr-q5gx
- report@snyk.io - EXPLOIT,THIRD_PARTY_ADVISORY
- report@snyk.io - EXPLOIT,THIRD_PARTY_ADVISORY
- report@snyk.io - EXPLOIT,THIRD_PARTY_ADVISORY
- report@snyk.io - EXPLOIT,THIRD_PARTY_ADVISORY
- report@snyk.io - EXPLOIT,THIRD_PARTY_ADVISORY
- report@snyk.io - MAILING_LIST,THIRD_PARTY_ADVISORY

Vulnerable Software & Versions (NVD):

- cpe:2.3:a:angularjs:angular:*:*:*:*:*:node.js:*:* versions from (including) 1.0.0; versions up to (including) 1.8.3

CVE-2023-26118 suppressed

Versions of the package angular from 1.4.9 are vulnerable to Regular Expression Denial of Service (ReDoS) via the <input type="url"> element due to the usage of an insecure regular expression in the input[url] functionality. Exploiting this vulnerability is possible by a large carefully-crafted input, which can result in catastrophic backtracking.

CWE-1333 Inefficient Regular Expression Complexity

Notes: We can not yet update to newer Angular Version

CVSSv3:

- MEDIUM (5.3)
- CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:N/I:N/A:L/E:3.9/RC:R/MAV:A

References:

- info - https://github.com/advisories/GHSA-qwqh-hm9m-p5hr
- report@snyk.io - EXPLOIT
- report@snyk.io - EXPLOIT,THIRD_PARTY_ADVISORY
- report@snyk.io - EXPLOIT,THIRD_PARTY_ADVISORY
- report@snyk.io - EXPLOIT,THIRD_PARTY_ADVISORY
- report@snyk.io - EXPLOIT,THIRD_PARTY_ADVISORY
- report@snyk.io - MAILING_LIST,THIRD_PARTY_ADVISORY

Vulnerable Software & Versions (NVD):

- cpe:2.3:a:angularjs:angular:*:*:*:*:*:node.js:*:* versions from (including) 1.4.9; versions up to (including) 1.8.3

CVE-2024-8372 suppressed

Improper sanitization of the value of the '[srcset]' attribute in AngularJS allows attackers to bypass common image source restrictions, which can also lead to a form of Content Spoofing https://owasp.org/www-community/attacks/Content_Spoofing .

This issue affects AngularJS versions 1.3.0-rc.4 and greater.

Note:
The AngularJS project is End-of-Life and will not receive any updates to address this issue. For more information see here https://docs.angularjs.org/misc/version-support-status .

CWE-1289 Improper Validation of Unsafe Equivalence in Input, NVD-CWE-Other

Notes: We can not yet update to newer Angular Version

CVSSv3:

- MEDIUM (4.3)
- CVSS:3.1/AV:N/AC:L/PR:N/UI:R/S:U/C:N/I:L/A:N/E:2.8/RC:R/MAV:A

References:

- 36c7be3b-2937-45df-85ea-ca7133ea542c - EXPLOIT,THIRD_PARTY_ADVISORY
- 36c7be3b-2937-45df-85ea-ca7133ea542c - EXPLOIT,THIRD_PARTY_ADVISORY
- info - https://codepen.io/herodevs/full/xxoQRNL/0072e627abe03e9cda373bc75b4c1017
- info - https://github.com/advisories/GHSA-m9gf-397r-hwpg
- info - https://github.com/angular/angular.js
- info - https://nvd.nist.gov/vuln/detail/CVE-2024-8372
- info - https://www.herodevs.com/vulnerability-directory/cve-2024-8372

Vulnerable Software & Versions (NVD):

- cpe:2.3:a:angularjs:angular.js:*:*:*:*:*:*:*:* versions from (including) 1.3.1; versions up to (excluding) 1.9.6
- cpe:2.3:a:angularjs:angular.js:1.3.0:rc4:*:*:*:*:*:*
- cpe:2.3:a:angularjs:angular.js:1.3.0:rc5:*:*:*:*:*:*

CVE-2024-8373 suppressed

Improper sanitization of the value of the [srcset] attribute in <source> HTML elements in AngularJS allows attackers to bypass common image source restrictions, which can also lead to a form of Content Spoofing https://owasp.org/www-community/attacks/Content_Spoofing .

This issue affects all versions of AngularJS.

Note:
The AngularJS project is End-of-Life and will not receive any updates to address this issue. For more information see here https://docs.angularjs.org/misc/version-support-status .

NVD-CWE-Other, CWE-791 Incomplete Filtering of Special Elements

Notes: We can not yet update to newer Angular Version

CVSSv3:
- MEDIUM (4.3)
- CVSS:3.1/AV:N/AC:L/PR:N/UI:R/S:U/C:N/I:L/A:N/E:2.8/RC:R/MAV:A

References:
- 36c7be3b-2937-45df-85ea-ca7133ea542c - EXPLOIT,THIRD_PARTY_ADVISORY
- 36c7be3b-2937-45df-85ea-ca7133ea542c - EXPLOIT,THIRD_PARTY_ADVISORY
- info - https://codepen.io/herodevs/full/bGPQgMp/8da9ce87e99403ee13a295c305ebfa0b
- info - https://github.com/advisories/GHSA-mqm9-c95h-x2p6
- info - https://github.com/angular/angular.js
- info - https://nvd.nist.gov/vuln/detail/CVE-2024-8373
- info - https://www.herodevs.com/vulnerability-directory/cve-2024-8373

Vulnerable Software & Versions (NVD):

- cpe:2.3:a:angularjs:angular.js:*:*:*:*:*:*:*:* versions up to (excluding) 1.9.6

End-of-Life: Long term support for AngularJS has been discontinued as of December 31, 2021 (RETIREJS) suppressed

End-of-Life: Long term support for AngularJS has been discontinued as of December 31, 2021

Notes: file name: remotegui.zip: angularjs.jar We can not yet update to newer Angular Version

Unscored:
- Severity: low

References:
- info - https://docs.angularjs.org/misc/version-support-status
- retid - 54

Vulnerable Software & Versions (RETIREJS):

remotegui.zip: angular-sanitize.jar: angular-sanitize.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems /HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/angular-sanitize.jar/META-INF/resources/webjars/angular-sanitize/1.8.3/angular-sanitize.js
MD5: 0127d7a139abfc8bd45875a9c8ea6348
SHA1: 197aea2acc25a0fa821766400950cac58a3627a5
SHA256: c84c65250afe5a1265f36a7e16c6010652e55c2ae3a779c351fb68536c42bf64
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence
Vendor	file	name	angularjs	High
Product	file	name	angularjs	High
Version	file	version	1.8.3	High

Suppressed Identifiers

- **None**

Suppressed Vulnerabilities

CVE-2022-25844 suppressed

The package angular after 1.7.0 are vulnerable to Regular Expression Denial of Service (ReDoS) by providing a custom locale rule that makes it possible to assign the parameter in posPre: ' '.repeat() of NUMBER_FORMATS.PATTERNS[1].posPre with a very high value. **Note:** 1) This package has been deprecated and is no longer maintained. 2) The vulnerable versions are 1.7.0 and higher.

CWE-1333 Inefficient Regular Expression Complexity

Notes: We can not yet update to newer Angular Version

CVSSv2:

- Base Score: MEDIUM (5.0)
- Vector: /AV:N/AC:L/Au:N/C:N/I:N/A:P

CVSSv3:

- HIGH (7.5)
- CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:N/I:N/A:H/E:3.9/RC:R/MAV:A

References:

- info - https://github.com/advisories/GHSA-m2h2-264f-f486
- report@snyk.io - EXPLOIT,THIRD_PARTY_ADVISORY
- report@snyk.io - EXPLOIT,THIRD_PARTY_ADVISORY
- report@snyk.io - EXPLOIT,THIRD_PARTY_ADVISORY
- report@snyk.io - EXPLOIT,THIRD_PARTY_ADVISORY
- report@snyk.io - EXPLOIT,THIRD_PARTY_ADVISORY
- report@snyk.io - THIRD_PARTY_ADVISORY

Vulnerable Software & Versions (NVD):

- cpe:2.3:a:angularjs:angular:*:*:*:*:*:node.js:*:* versions from (including) 1.7.0
- cpe:2.3:a:netapp:ontap_select_deploy_administration_utility:-:*:*:*:*:*:*:*

CVE-2024-21490 suppressed

This affects versions of the package angular from 1.3.0. A regular expression used to split the value of the ng-srcset directive is vulnerable to super-linear runtime due to backtracking. With large carefully-crafted input, this can result in catastrophic backtracking and cause a denial of service. **Note:**This package is EOL and will not receive any updates to address this issue. Users should migrate to [@angular/core](https://www.npmjs.com/package/@angular/core).

CWE-1333 Inefficient Regular Expression Complexity

Notes: We can not yet update to newer Angular Version

CVSSv3:

- HIGH (7.5)
- CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:N/I:N/A:H/E:3.9/RC:R/MAV:A

References:

- info - https://github.com/advisories/GHSA-4w4v-5hc9-xrr2
- info - https://github.com/angular/angular.js
- info - https://nvd.nist.gov/vuln/detail/CVE-2024-21490
- info - https://security.snyk.io/vuln/SNYK-JAVA-ORGWEBJARSBOWER-6241746
- info - https://security.snyk.io/vuln/SNYK-JAVA-ORGWEBJARSNPM-6241747

- info - https://security.snyk.io/vuln/SNYK-JS-ANGULAR-6091113
- info - https://stackblitz.com/edit/angularjs-vulnerability-ng-srcset-redos
- report@snyk.io - EXPLOIT,THIRD_PARTY_ADVISORY
- report@snyk.io - THIRD_PARTY_ADVISORY

Vulnerable Software & Versions (NVD):

- cpe:2.3:a:angular:angular:*:*:*:*:*:node.js:*:* versions from (including) 1.3.0

CVE-2022-25869 suppressed

All versions of package angular are vulnerable to Cross-site Scripting (XSS) due to insecure page caching in the Internet Explorer browser, which allows interpolation of <textarea> elements.

CWE-79 Improper Neutralization of Input During Web Page Generation ('Cross-site Scripting')

Notes: We can not yet update to newer Angular Version

CVSSv3:
- MEDIUM (6.1)
- CVSS:3.1/AV:N/AC:L/PR:N/UI:R/S:C/C:L/I:L/A:N/E:2.8/RC:R/MAV:A

References:
- info - https://github.com/advisories/GHSA-prc3-vjfx-vhm9
- report@snyk.io - BROKEN_LINK
- report@snyk.io - EXPLOIT,THIRD_PARTY_ADVISORY
- report@snyk.io - EXPLOIT,THIRD_PARTY_ADVISORY
- report@snyk.io - EXPLOIT,THIRD_PARTY_ADVISORY
- report@snyk.io - EXPLOIT,THIRD_PARTY_ADVISORY

Vulnerable Software & Versions (NVD):

- cpe:2.3:a:angularjs:angular:*:*:*:*:*:node.js:*:*

CVE-2023-26116 suppressed

Versions of the package angular from 1.2.21 are vulnerable to Regular Expression Denial of Service (ReDoS) via the angular.copy() utility function due to the usage of an insecure regular expression. Exploiting this vulnerability is possible by a large carefully-crafted input, which can result in catastrophic backtracking.

CWE-1333 Inefficient Regular Expression Complexity

Notes: We can not yet update to newer Angular Version

CVSSv3:
- MEDIUM (5.3)
- CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:N/I:N/A:L/E:3.9/RC:R/MAV:A

References:
- info - https://github.com/advisories/GHSA-2vrf-hf26-jrp5
- report@snyk.io - EXPLOIT,THIRD_PARTY_ADVISORY
- report@snyk.io - EXPLOIT,THIRD_PARTY_ADVISORY
- report@snyk.io - EXPLOIT,THIRD_PARTY_ADVISORY
- report@snyk.io - EXPLOIT,THIRD_PARTY_ADVISORY
- report@snyk.io - EXPLOIT,THIRD_PARTY_ADVISORY
- report@snyk.io - MAILING_LIST,THIRD_PARTY_ADVISORY

Vulnerable Software & Versions (NVD):

- cpe:2.3:a:angularjs:angular:*:*:*:*:*:node.js:*:* versions from (including) 1.2.21; versions up to (including) 1.8.3

CVE-2023-26117 suppressed

Versions of the package angular from 1.0.0 are vulnerable to Regular Expression Denial of Service (ReDoS) via the $resource service due to the usage of an insecure regular expression.

Exploiting this vulnerability is possible by a large carefully-crafted input, which can result in catastrophic backtracking.

CWE-1333 Inefficient Regular Expression Complexity

Notes: We can not yet update to newer Angular Version

CVSSv3:
- MEDIUM (5.3)
- CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:N/I:N/A:L/E:3.9/RC:R/MAV:A

References:
- info - https://github.com/advisories/GHSA-2qqx-w9hr-q5gx
- report@snyk.io - EXPLOIT,THIRD_PARTY_ADVISORY
- report@snyk.io - EXPLOIT,THIRD_PARTY_ADVISORY
- report@snyk.io - EXPLOIT,THIRD_PARTY_ADVISORY
- report@snyk.io - EXPLOIT,THIRD_PARTY_ADVISORY
- report@snyk.io - EXPLOIT,THIRD_PARTY_ADVISORY
- report@snyk.io - MAILING_LIST,THIRD_PARTY_ADVISORY

Vulnerable Software & Versions (NVD):

- cpe:2.3:a:angularjs:angular:*:*:*:*:*:node.js:*:* versions from (including) 1.0.0; versions up to (including) 1.8.3

CVE-2023-26118 suppressed

Versions of the package angular from 1.4.9 are vulnerable to Regular Expression Denial of Service (ReDoS) via the <input type="url"> element due to the usage of an insecure regular expression in the input[url] functionality. Exploiting this vulnerability is possible by a large carefully-crafted input, which can result in catastrophic backtracking.

CWE-1333 Inefficient Regular Expression Complexity

Notes: We can not yet update to newer Angular Version

CVSSv3:
- MEDIUM (5.3)
- CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:N/I:N/A:L/E:3.9/RC:R/MAV:A

References:
- info - https://github.com/advisories/GHSA-qwqh-hm9m-p5hr
- report@snyk.io - EXPLOIT
- report@snyk.io - EXPLOIT,THIRD_PARTY_ADVISORY
- report@snyk.io - EXPLOIT,THIRD_PARTY_ADVISORY
- report@snyk.io - EXPLOIT,THIRD_PARTY_ADVISORY
- report@snyk.io - EXPLOIT,THIRD_PARTY_ADVISORY
- report@snyk.io - MAILING_LIST,THIRD_PARTY_ADVISORY

Vulnerable Software & Versions (NVD):

- cpe:2.3:a:angularjs:angular:*:*:*:*:*:node.js:*:* versions from (including) 1.4.9; versions up to (including) 1.8.3

CVE-2024-8372 suppressed

Improper sanitization of the value of the '[srcset]' attribute in AngularJS allows attackers to bypass common image source restrictions, which can also lead to a form of Content Spoofing https://owasp.org/www-community/attacks/Content_Spoofing .

This issue affects AngularJS versions 1.3.0-rc.4 and greater.

Note:
The AngularJS project is End-of-Life and will not receive any updates to address this issue. For more information see here https://docs.angularjs.org/misc/version-support-status .

CWE-1289 Improper Validation of Unsafe Equivalence in Input, NVD-CWE-Other

Notes: We can not yet update to newer Angular Version

CVSSv3:
- MEDIUM (4.3)
- CVSS:3.1/AV:N/AC:L/PR:N/UI:R/S:U/C:N/I:L/A:N/E:2.8/RC:R/MAV:A

References:
- 36c7be3b-2937-45df-85ea-ca7133ea542c - EXPLOIT,THIRD_PARTY_ADVISORY
- 36c7be3b-2937-45df-85ea-ca7133ea542c - EXPLOIT,THIRD_PARTY_ADVISORY
- info - https://codepen.io/herodevs/full/xxoQRNL/0072e627abe03e9cda373bc75b4c1017
- info - https://github.com/advisories/GHSA-m9gf-397r-hwpg
- info - https://github.com/angular/angular.js
- info - https://nvd.nist.gov/vuln/detail/CVE-2024-8372
- info - https://www.herodevs.com/vulnerability-directory/cve-2024-8372

Vulnerable Software & Versions (NVD):

- cpe:2.3:a:angularjs:angular.js:*:*:*:*:*:*:*:* versions from (including) 1.3.1; versions up to (excluding) 1.9.6
- cpe:2.3:a:angularjs:angular.js:1.3.0:rc4:*:*:*:*:*:*
- cpe:2.3:a:angularjs:angular.js:1.3.0:rc5:*:*:*:*:*:*

CVE-2024-8373 suppressed

Improper sanitization of the value of the [srcset] attribute in <source> HTML elements in AngularJS allows attackers to bypass common image source restrictions, which can also lead to a form of Content Spoofing https://owasp.org/www-community/attacks/Content_Spoofing .

This issue affects all versions of AngularJS.

Note:
The AngularJS project is End-of-Life and will not receive any updates to address this issue. For more information see here https://docs.angularjs.org/misc/version-support-status .

NVD-CWE-Other, CWE-791 Incomplete Filtering of Special Elements

Notes: We can not yet update to newer Angular Version

CVSSv3:
- MEDIUM (4.3)
- CVSS:3.1/AV:N/AC:L/PR:N/UI:R/S:U/C:N/I:L/A:N/E:2.8/RC:R/MAV:A

References:
- 36c7be3b-2937-45df-85ea-ca7133ea542c - EXPLOIT,THIRD_PARTY_ADVISORY
- 36c7be3b-2937-45df-85ea-ca7133ea542c - EXPLOIT,THIRD_PARTY_ADVISORY
- info - https://codepen.io/herodevs/full/bGPQgMp/8da9ce87e99403ee13a295c305ebfa0b
- info - https://github.com/advisories/GHSA-mqm9-c95h-x2p6
- info - https://github.com/angular/angular.js
- info - https://nvd.nist.gov/vuln/detail/CVE-2024-8373
- info - https://www.herodevs.com/vulnerability-directory/cve-2024-8373

Vulnerable Software & Versions (NVD):

- cpe:2.3:a:angularjs:angular.js:*:*:*:*:*:*:*:* versions up to (excluding) 1.9.6

End-of-Life: Long term support for AngularJS has been discontinued as of December 31, 2021 (RETIREJS) suppressed

End-of-Life: Long term support for AngularJS has been discontinued as of December 31, 2021

Notes: file name: remotegui.zip: angularjs.jar We can not yet update to newer Angular Version

Unscored:
- Severity: low

References:

- info - https://docs.angularjs.org/misc/version-support-status
- retid - 54

Vulnerable Software & Versions (RETIREJS):

remotegui.zip: angular-sanitize.jar: angular-sanitize.min.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/angular-sanitize.jar/META-INF/resources/webjars/angular-sanitize/1.8.3/angular-sanitize.min.js
MD5: f3c62abeec216e9431e7d5b22d8e813b
SHA1: 21355ef18c5e1ce2b2c711b9dba21cbea0655646
SHA256: cc80a30ad0439c2e9c209b3d7fcffb1d10e6007fd1d00c9cc144f393664a7045
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence
Vendor	file	name	angularjs	High
Product	file	name	angularjs	High
Version	file	version	1.8.3	High

Suppressed Identifiers

- **None**

Suppressed Vulnerabilities

CVE-2022-25844 suppressed

The package angular after 1.7.0 are vulnerable to Regular Expression Denial of Service (ReDoS) by providing a custom locale rule that makes it possible to assign the parameter in posPre: ' '.repeat() of NUMBER_FORMATS.PATTERNS[1].posPre with a very high value. **Note:** 1) This package has been deprecated and is no longer maintained. 2) The vulnerable versions are 1.7.0 and higher.

CWE-1333 Inefficient Regular Expression Complexity

Notes: We can not yet update to newer Angular Version

CVSSv2:

- Base Score: MEDIUM (5.0)
- Vector: /AV:N/AC:L/Au:N/C:N/I:N/A:P

CVSSv3:

- HIGH (7.5)
- CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:N/I:N/A:H/E:3.9/RC:R/MAV:A

References:

- info - https://github.com/advisories/GHSA-m2h2-264f-f486
- report@snyk.io - EXPLOIT,THIRD_PARTY_ADVISORY
- report@snyk.io - EXPLOIT,THIRD_PARTY_ADVISORY
- report@snyk.io - EXPLOIT,THIRD_PARTY_ADVISORY
- report@snyk.io - EXPLOIT,THIRD_PARTY_ADVISORY
- report@snyk.io - EXPLOIT,THIRD_PARTY_ADVISORY
- report@snyk.io - THIRD_PARTY_ADVISORY

Vulnerable Software & Versions (NVD):

- cpe:2.3:a:angularjs:angular:*:*:*:*:*:node.js:*:* versions from (including) 1.7.0
- cpe:2.3:a:netapp:ontap_select_deploy_administration_utility:-:*:*:*:*:*:*:*

CVE-2024-21490 suppressed

This affects versions of the package angular from 1.3.0. A regular expression used to split the value of the ng-srcset directive is vulnerable to super-linear runtime due to backtracking. With large carefully-crafted input, this can result in catastrophic backtracking and cause a denial of service. **Note:**This package is EOL and will not receive any updates to address this issue. Users should migrate to [@angular/core](https://www.npmjs.com/package/@angular/core).

CWE-1333 Inefficient Regular Expression Complexity

Notes: We can not yet update to newer Angular Version

CVSSv3:

- HIGH (7.5)
- CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:N/I:N/A:H/E:3.9/RC:R/MAV:A

References:

- info - https://github.com/advisories/GHSA-4w4v-5hc9-xrr2
- info - https://github.com/angular/angular.js
- info - https://nvd.nist.gov/vuln/detail/CVE-2024-21490
- info - https://security.snyk.io/vuln/SNYK-JAVA-ORGWEBJARSBOWER-6241746
- info - https://security.snyk.io/vuln/SNYK-JAVA-ORGWEBJARSNPM-6241747
- info - https://security.snyk.io/vuln/SNYK-JS-ANGULAR-6091113
- info - https://stackblitz.com/edit/angularjs-vulnerability-ng-srcset-redos
- report@snyk.io - EXPLOIT,THIRD_PARTY_ADVISORY
- report@snyk.io - THIRD_PARTY_ADVISORY

Vulnerable Software & Versions (NVD):

- cpe:2.3:a:angular:angular:*:*:*:*:*:node.js:*:* versions from (including) 1.3.0

CVE-2022-25869 suppressed

All versions of package angular are vulnerable to Cross-site Scripting (XSS) due to insecure page caching in the Internet Explorer browser, which allows interpolation of <textarea> elements.

CWE-79 Improper Neutralization of Input During Web Page Generation ('Cross-site Scripting')

Notes: We can not yet update to newer Angular Version

CVSSv3:

- MEDIUM (6.1)
- CVSS:3.1/AV:N/AC:L/PR:N/UI:R/S:C/C:L/I:L/A:N/E:2.8/RC:R/MAV:A

References:

- info - https://github.com/advisories/GHSA-prc3-vjfx-vhm9
- report@snyk.io - BROKEN_LINK
- report@snyk.io - EXPLOIT,THIRD_PARTY_ADVISORY
- report@snyk.io - EXPLOIT,THIRD_PARTY_ADVISORY
- report@snyk.io - EXPLOIT,THIRD_PARTY_ADVISORY
- report@snyk.io - EXPLOIT,THIRD_PARTY_ADVISORY

Vulnerable Software & Versions (NVD):

- cpe:2.3:a:angularjs:angular:*:*:*:*:*:node.js:*:*

CVE-2023-26116 suppressed

Versions of the package angular from 1.2.21 are vulnerable to Regular Expression Denial of Service (ReDoS) via the angular.copy() utility function due to the usage of an insecure regular expression. Exploiting this vulnerability is possible by a large carefully-crafted input, which can result in catastrophic backtracking.

CWE-1333 Inefficient Regular Expression Complexity

Notes: We can not yet update to newer Angular Version

CVSSv3:
- MEDIUM (5.3)
- CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:N/I:N/A:L/E:3.9/RC:R/MAV:A

References:
- info - https://github.com/advisories/GHSA-2vrf-hf26-jrp5
- report@snyk.io - EXPLOIT,THIRD_PARTY_ADVISORY
- report@snyk.io - EXPLOIT,THIRD_PARTY_ADVISORY
- report@snyk.io - EXPLOIT,THIRD_PARTY_ADVISORY
- report@snyk.io - EXPLOIT,THIRD_PARTY_ADVISORY
- report@snyk.io - EXPLOIT,THIRD_PARTY_ADVISORY
- report@snyk.io - MAILING_LIST,THIRD_PARTY_ADVISORY

Vulnerable Software & Versions (NVD):

- cpe:2.3:a:angularjs:angular:*:*:*:*:*:node.js:*:* versions from (including) 1.2.21; versions up to (including) 1.8.3

CVE-2023-26117 suppressed

Versions of the package angular from 1.0.0 are vulnerable to Regular Expression Denial of Service (ReDoS) via the $resource service due to the usage of an insecure regular expression. Exploiting this vulnerability is possible by a large carefully-crafted input, which can result in catastrophic backtracking.

CWE-1333 Inefficient Regular Expression Complexity

Notes: We can not yet update to newer Angular Version

CVSSv3:
- MEDIUM (5.3)
- CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:N/I:N/A:L/E:3.9/RC:R/MAV:A

References:
- info - https://github.com/advisories/GHSA-2qqx-w9hr-q5gx
- report@snyk.io - EXPLOIT,THIRD_PARTY_ADVISORY
- report@snyk.io - EXPLOIT,THIRD_PARTY_ADVISORY
- report@snyk.io - EXPLOIT,THIRD_PARTY_ADVISORY
- report@snyk.io - EXPLOIT,THIRD_PARTY_ADVISORY
- report@snyk.io - EXPLOIT,THIRD_PARTY_ADVISORY
- report@snyk.io - MAILING_LIST,THIRD_PARTY_ADVISORY

Vulnerable Software & Versions (NVD):

- cpe:2.3:a:angularjs:angular:*:*:*:*:*:node.js:*:* versions from (including) 1.0.0; versions up to (including) 1.8.3

CVE-2023-26118 suppressed

Versions of the package angular from 1.4.9 are vulnerable to Regular Expression Denial of Service (ReDoS) via the <input type="url"> element due to the usage of an insecure regular expression in the input[url] functionality. Exploiting this vulnerability is possible by a large carefully-crafted input, which can result in catastrophic backtracking.

CWE-1333 Inefficient Regular Expression Complexity

Notes: We can not yet update to newer Angular Version

CVSSv3:

- MEDIUM (5.3)
- CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:N/I:N/A:L/E:3.9/RC:R/MAV:A

References:

- info - https://github.com/advisories/GHSA-qwqh-hm9m-p5hr
- report@snyk.io - EXPLOIT
- report@snyk.io - EXPLOIT,THIRD_PARTY_ADVISORY
- report@snyk.io - EXPLOIT,THIRD_PARTY_ADVISORY
- report@snyk.io - EXPLOIT,THIRD_PARTY_ADVISORY
- report@snyk.io - EXPLOIT,THIRD_PARTY_ADVISORY
- report@snyk.io - MAILING_LIST,THIRD_PARTY_ADVISORY

Vulnerable Software & Versions (NVD):

- cpe:2.3:a:angularjs:angular:*:*:*:*:*:node.js:*:* versions from (including) 1.4.9; versions up to (including) 1.8.3

CVE-2024-8372 suppressed

Improper sanitization of the value of the '[srcset]' attribute in AngularJS allows attackers to bypass common image source restrictions, which can also lead to a form of Content Spoofing https://owasp.org/www-community/attacks/Content_Spoofing .

This issue affects AngularJS versions 1.3.0-rc.4 and greater.

Note:
The AngularJS project is End-of-Life and will not receive any updates to address this issue. For more information see here https://docs.angularjs.org/misc/version-support-status .

CWE-1289 Improper Validation of Unsafe Equivalence in Input, NVD-CWE-Other

Notes: We can not yet update to newer Angular Version

CVSSv3:

- MEDIUM (4.3)
- CVSS:3.1/AV:N/AC:L/PR:N/UI:R/S:U/C:N/I:L/A:N/E:2.8/RC:R/MAV:A

References:

- 36c7be3b-2937-45df-85ea-ca7133ea542c - EXPLOIT,THIRD_PARTY_ADVISORY
- 36c7be3b-2937-45df-85ea-ca7133ea542c - EXPLOIT,THIRD_PARTY_ADVISORY
- info - https://codepen.io/herodevs/full/xxoQRNL/0072e627abe03e9cda373bc75b4c1017
- info - https://github.com/advisories/GHSA-m9gf-397r-hwpg
- info - https://github.com/angular/angular.js
- info - https://nvd.nist.gov/vuln/detail/CVE-2024-8372
- info - https://www.herodevs.com/vulnerability-directory/cve-2024-8372

Vulnerable Software & Versions (NVD):

- cpe:2.3:a:angularjs:angular.js:*:*:*:*:*:*:*:* versions from (including) 1.3.1; versions up to (excluding) 1.9.6
- cpe:2.3:a:angularjs:angular.js:1.3.0:rc4:*:*:*:*:*:*
- cpe:2.3:a:angularjs:angular.js:1.3.0:rc5:*:*:*:*:*:*

CVE-2024-8373 suppressed

Improper sanitization of the value of the [srcset] attribute in <source> HTML elements in AngularJS allows attackers to bypass common image source restrictions, which can also lead to a form of Content Spoofing https://owasp.org/www-community/attacks/Content_Spoofing .

This issue affects all versions of AngularJS.

Note:
The AngularJS project is End-of-Life and will not receive any updates to address this issue. For more information see here https://docs.angularjs.org/misc/version-support-status .

NVD-CWE-Other, CWE-791 Incomplete Filtering of Special Elements

Notes: We can not yet update to newer Angular Version

CVSSv3:
- MEDIUM (4.3)
- CVSS:3.1/AV:N/AC:L/PR:N/UI:R/S:U/C:N/I:L/A:N/E:2.8/RC:R/MAV:A

References:
- 36c7be3b-2937-45df-85ea-ca7133ea542c - EXPLOIT,THIRD_PARTY_ADVISORY
- 36c7be3b-2937-45df-85ea-ca7133ea542c - EXPLOIT,THIRD_PARTY_ADVISORY
- info - https://codepen.io/herodevs/full/bGPQgMp/8da9ce87e99403ee13a295c305ebfa0b
- info - https://github.com/advisories/GHSA-mqm9-c95h-x2p6
- info - https://github.com/angular/angular.js
- info - https://nvd.nist.gov/vuln/detail/CVE-2024-8373
- info - https://www.herodevs.com/vulnerability-directory/cve-2024-8373

Vulnerable Software & Versions (NVD):

- cpe:2.3:a:angularjs:angular.js:*:*:*:*:*:*:*:* versions up to (excluding) 1.9.6

End-of-Life: Long term support for AngularJS has been discontinued as of December 31, 2021 (RETIREJS) suppressed

End-of-Life: Long term support for AngularJS has been discontinued as of December 31, 2021

Notes: file name: remotegui.zip: angularjs.jar We can not yet update to newer Angular Version

Unscored:
- Severity: low

References:
- info - https://docs.angularjs.org/misc/version-support-status
- retid - 54

Vulnerable Software & Versions (RETIREJS):

remotegui.zip: angular.jar

Description:

WebJar for angular

License:

MIT

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems /HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/angular.jar
MD5: f339a9a66a64c67eebb21ec3b251dfc6

SHA1: cff4aee339a9ca4ae2f095079930edeaad6a94ee
SHA256: a997eb40987ddb5d3bf64adf3d33afcff3ac2b1eb2e7255b5203a387f8097cd0
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence
Vendor	file	name	angular	High
Vendor	pom	artifactid	angular	Low
Vendor	pom	developer id	webjars	Medium
Vendor	pom	groupid	org.webjars.npm	Highest
Vendor	pom	name	angular	High
Vendor	pom	url	https://www.webjars.org	Highest
Product	file	name	angular	High
Product	pom	artifactid	angular	Highest
Product	pom	developer id	webjars	Low
Product	pom	groupid	org.webjars.npm	Highest
Product	pom	name	angular	High
Product	pom	url	https://www.webjars.org	Medium
Version	pom	version	1.8.3	Highest

Suppressed Identifiers

- **None**

Suppressed Vulnerabilities

CVE-2022-25844 (OSSINDEX) suppressed

The package angular after 1.7.0 are vulnerable to Regular Expression Denial of Service (ReDoS) by providing a custom locale rule that makes it possible to assign the parameter in posPre: ' '.repeat() of NUMBER_FORMATS.PATTERNS[1].posPre with a very high value. **Note:** 1) This package has been deprecated and is no longer maintained. 2) The vulnerable versions are 1.7.0 and higher.

Sonatype's research suggests that this CVE's details differ from those defined at NVD. See https://ossindex.sonatype.org/vulnerability/CVE-2022-25844 for details

CWE-1333 Inefficient Regular Expression Complexity

Notes: We can not yet update to newer Angular Version

CVSSv3:
- HIGH (7.5)
- CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:N/I:N/A:H

References:

- OSSINDEX - [CVE-2022-25844] CWE-1333
- OSSIndex - http://web.nvd.nist.gov/view/vuln/detail?vulnId=CVE-2022-25844
- OSSIndex - https://www.tenable.com/cve/CVE-2022-25844

Vulnerable Software & Versions (OSSINDEX):

- cpe:2.3:a:org.webjars.npm:angular:1.8.3:*:*:*:*:*:*:*

CVE-2021-4231 (OSSINDEX) suppressed

A vulnerability was found in Angular up to 11.0.4/11.1.0-next.2. It has been classified as problematic. Affected is the handling of comments. The manipulation leads to cross site scripting. It is possible to launch the attack remotely but it might require an authentication first. Upgrading to version 11.0.5 and 11.1.0-next.3 is able to address this issue. The name of the patch is ba8da742e3b243e8f43d4c63aa842b44e14f2b09. It is recommended to upgrade the affected component.

Sonatype's research suggests that this CVE's details differ from those defined at NVD. See https://ossindex.sonatype.org/vulnerability/CVE-2021-4231 for details

CWE-79 Improper Neutralization of Input During Web Page Generation ('Cross-site Scripting')

Notes: We can not yet update to newer Angular Version

CVSSv3:

- MEDIUM (5.400000095367432)
- CVSS:3.1/AV:N/AC:L/PR:L/UI:R/S:C/C:L/I:L/A:N

References:

- OSSINDEX - [CVE-2021-4231] CWE-79: Improper Neutralization of Input During Web Page Generation ('Cross-site Scripting')
- OSSIndex - http://web.nvd.nist.gov/view/vuln/detail?vulnId=CVE-2021-4231
- OSSIndex - https://github.com/angular/angular/pull/40136
- OSSIndex - https://github.com/angular/angular/pull/40525

Vulnerable Software & Versions (OSSINDEX):

- cpe:2.3:a:org.webjars.npm:angular:1.8.3:*:*:*:*:*:*:*

CVE-2023-26116 (OSSINDEX) suppressed

Versions of the package angular from 1.2.21 are vulnerable to Regular Expression Denial of Service (ReDoS) via the angular.copy() utility function due to the usage of an insecure regular expression. Exploiting this vulnerability is possible by a large carefully-crafted input, which can result in catastrophic backtracking.

CWE-1333 Inefficient Regular Expression Complexity

Notes: We can not yet update to newer Angular Version

CVSSv3:

- MEDIUM (5.300000190734863)
- CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:N/I:N/A:L

References:

- OSSINDEX - [CVE-2023-26116] CWE-1333
- OSSIndex - http://web.nvd.nist.gov/view/vuln/detail?vulnId=CVE-2023-26116
- OSSIndex - https://github.com/advisories/GHSA-2vrf-hf26-jrp5
- OSSIndex - https://stackblitz.com/edit/angularjs-vulnerability-angular-copy-redos?file=index.js

Vulnerable Software & Versions (OSSINDEX):

- cpe:2.3:a:org.webjars.npm:angular:1.8.3:*:*:*:*:*:*:*

CVE-2023-26118 (OSSINDEX) suppressed

Versions of the package angular from 1.4.9 are vulnerable to Regular Expression Denial of Service (ReDoS) via the <input type="url"> element due to the usage of an insecure regular expression in the input[url] functionality. Exploiting this vulnerability is possible by a large carefully-crafted input, which can result in catastrophic backtracking.

Sonatype's research suggests that this CVE's details differ from those defined at NVD. See https://ossindex.sonatype.org/vulnerability/CVE-2023-26118 for details

CWE-1333 Inefficient Regular Expression Complexity

Notes: We can not yet update to newer Angular Version

CVSSv3:

- MEDIUM (5.300000190734863)
- CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:N/I:N/A:L

References:

- OSSINDEX - [CVE-2023-26118] CWE-1333
- OSSIndex - http://web.nvd.nist.gov/view/vuln/detail?vulnId=CVE-2023-26118
- OSSIndex - https://github.com/advisories/GHSA-qwqh-hm9m-p5hr
- OSSIndex - https://stackblitz.com/edit/angularjs-vulnerability-inpur-url-validation-redos?file=index.js

Vulnerable Software & Versions (OSSINDEX):

- cpe:2.3:a:org.webjars.npm:angular:1.8.3:*:*:*:*:*:*:*

remotegui.zip: angular.jar: angular.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/angular.jar/META-INF/resources/webjars/angular/1.8.3/angular.js
MD5: e09f650a016c24bc1b5a1edc93bfbade
SHA1: 0f1f7445b761b9bbd5385f9f0b316dbf1ca48696
SHA256: fdca889e76f55fdee7ab661920f37ce19233563bf7f4ac8120f8ebc2ac768768
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence
Vendor	file	name	angularjs	High
Product	file	name	angularjs	High
Version	file	version	1.8.3	High

Suppressed Identifiers

- **None**

Suppressed Vulnerabilities

CVE-2022-25844 suppressed

The package angular after 1.7.0 are vulnerable to Regular Expression Denial of Service (ReDoS) by providing a custom locale rule that makes it possible to assign the parameter in posPre: ' '.repeat() of NUMBER_FORMATS.PATTERNS[1].posPre with a very high value. **Note:** 1) This package has been deprecated and is no longer maintained. 2) The vulnerable versions are 1.7.0 and higher.

CWE-1333 Inefficient Regular Expression Complexity

Notes: We can not yet update to newer Angular Version

CVSSv2:

- Base Score: MEDIUM (5.0)
- Vector: /AV:N/AC:L/Au:N/C:N/I:N/A:P

CVSSv3:

- HIGH (7.5)
- CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:N/I:N/A:H/E:3.9/RC:R/MAV:A

References:

- info - https://github.com/advisories/GHSA-m2h2-264f-f486
- report@snyk.io - EXPLOIT,THIRD_PARTY_ADVISORY
- report@snyk.io - EXPLOIT,THIRD_PARTY_ADVISORY
- report@snyk.io - EXPLOIT,THIRD_PARTY_ADVISORY
- report@snyk.io - EXPLOIT,THIRD_PARTY_ADVISORY
- report@snyk.io - EXPLOIT,THIRD_PARTY_ADVISORY
- report@snyk.io - THIRD_PARTY_ADVISORY

Vulnerable Software & Versions (NVD):

- cpe:2.3:a:angularjs:angular:*:*:*:*:*:node.js:*:* versions from (including) 1.7.0
- cpe:2.3:a:netapp:ontap_select_deploy_administration_utility:-:*:*:*:*:*:*:*

CVE-2024-21490 suppressed

This affects versions of the package angular from 1.3.0. A regular expression used to split the value of the ng-srcset directive is vulnerable to super-linear runtime due to backtracking. With large carefully-crafted input, this can result in catastrophic backtracking and cause a denial of service. **Note:**This package is EOL and will not receive any updates to address this issue. Users should migrate to [@angular/core](https://www.npmjs.com/package/@angular/core).

CWE-1333 Inefficient Regular Expression Complexity

Notes: We can not yet update to newer Angular Version

CVSSv3:

- HIGH (7.5)
- CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:N/I:N/A:H/E:3.9/RC:R/MAV:A

References:

- info - https://github.com/advisories/GHSA-4w4v-5hc9-xrr2
- info - https://github.com/angular/angular.js
- info - https://nvd.nist.gov/vuln/detail/CVE-2024-21490
- info - https://security.snyk.io/vuln/SNYK-JAVA-ORGWEBJARSBOWER-6241746
- info - https://security.snyk.io/vuln/SNYK-JAVA-ORGWEBJARSNPM-6241747
- info - https://security.snyk.io/vuln/SNYK-JS-ANGULAR-6091113
- info - https://stackblitz.com/edit/angularjs-vulnerability-ng-srcset-redos
- report@snyk.io - EXPLOIT,THIRD_PARTY_ADVISORY
- report@snyk.io - THIRD_PARTY_ADVISORY

Vulnerable Software & Versions (NVD):

- cpe:2.3:a:angular:angular:*:*:*:*:*:node.js:*:* versions from (including) 1.3.0

CVE-2022-25869 suppressed

All versions of package angular are vulnerable to Cross-site Scripting (XSS) due to insecure page caching in the Internet Explorer browser, which allows interpolation of <textarea> elements.

CWE-79 Improper Neutralization of Input During Web Page Generation ('Cross-site Scripting')

Notes: We can not yet update to newer Angular Version

CVSSv3:
- MEDIUM (6.1)
- CVSS:3.1/AV:N/AC:L/PR:N/UI:R/S:C/C:L/I:L/A:N/E:2.8/RC:R/MAV:A

References:
- info - https://github.com/advisories/GHSA-prc3-vjfx-vhm9
- report@snyk.io - BROKEN_LINK
- report@snyk.io - EXPLOIT,THIRD_PARTY_ADVISORY
- report@snyk.io - EXPLOIT,THIRD_PARTY_ADVISORY
- report@snyk.io - EXPLOIT,THIRD_PARTY_ADVISORY
- report@snyk.io - EXPLOIT,THIRD_PARTY_ADVISORY

Vulnerable Software & Versions (NVD):

- cpe:2.3:a:angularjs:angular:*:*:*:*:*:node.js:*:*

CVE-2023-26116 suppressed

Versions of the package angular from 1.2.21 are vulnerable to Regular Expression Denial of Service (ReDoS) via the angular.copy() utility function due to the usage of an insecure regular expression. Exploiting this vulnerability is possible by a large carefully-crafted input, which can result in catastrophic backtracking.

CWE-1333 Inefficient Regular Expression Complexity

Notes: We can not yet update to newer Angular Version

CVSSv3:
- MEDIUM (5.3)
- CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:N/I:N/A:L/E:3.9/RC:R/MAV:A

References:
- info - https://github.com/advisories/GHSA-2vrf-hf26-jrp5
- report@snyk.io - EXPLOIT,THIRD_PARTY_ADVISORY
- report@snyk.io - EXPLOIT,THIRD_PARTY_ADVISORY
- report@snyk.io - EXPLOIT,THIRD_PARTY_ADVISORY
- report@snyk.io - EXPLOIT,THIRD_PARTY_ADVISORY
- report@snyk.io - EXPLOIT,THIRD_PARTY_ADVISORY
- report@snyk.io - MAILING_LIST,THIRD_PARTY_ADVISORY

Vulnerable Software & Versions (NVD):

- cpe:2.3:a:angularjs:angular:*:*:*:*:*:node.js:*:* versions from (including) 1.2.21; versions up to (including) 1.8.3

CVE-2023-26117 suppressed

Versions of the package angular from 1.0.0 are vulnerable to Regular Expression Denial of Service (ReDoS) via the $resource service due to the usage of an insecure regular expression. Exploiting this vulnerability is possible by a large carefully-crafted input, which can result in catastrophic backtracking.

CWE-1333 Inefficient Regular Expression Complexity

Notes: We can not yet update to newer Angular Version

CVSSv3:
- MEDIUM (5.3)

- CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:N/I:N/A:L/E:3.9/RC:R/MAV:A

References:

- info - https://github.com/advisories/GHSA-2qqx-w9hr-q5gx
- report@snyk.io - EXPLOIT,THIRD_PARTY_ADVISORY
- report@snyk.io - EXPLOIT,THIRD_PARTY_ADVISORY
- report@snyk.io - EXPLOIT,THIRD_PARTY_ADVISORY
- report@snyk.io - EXPLOIT,THIRD_PARTY_ADVISORY
- report@snyk.io - EXPLOIT,THIRD_PARTY_ADVISORY
- report@snyk.io - MAILING_LIST,THIRD_PARTY_ADVISORY

Vulnerable Software & Versions (NVD):

- cpe:2.3:a:angularjs:angular:*:*:*:*:*:node.js:*:* versions from (including) 1.0.0; versions up to (including) 1.8.3

CVE-2023-26118 suppressed

Versions of the package angular from 1.4.9 are vulnerable to Regular Expression Denial of Service (ReDoS) via the <input type="url"> element due to the usage of an insecure regular expression in the input[url] functionality. Exploiting this vulnerability is possible by a large carefully-crafted input, which can result in catastrophic backtracking.

CWE-1333 Inefficient Regular Expression Complexity

Notes: We can not yet update to newer Angular Version

CVSSv3:

- MEDIUM (5.3)
- CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:N/I:N/A:L/E:3.9/RC:R/MAV:A

References:

- info - https://github.com/advisories/GHSA-qwqh-hm9m-p5hr
- report@snyk.io - EXPLOIT
- report@snyk.io - EXPLOIT,THIRD_PARTY_ADVISORY
- report@snyk.io - EXPLOIT,THIRD_PARTY_ADVISORY
- report@snyk.io - EXPLOIT,THIRD_PARTY_ADVISORY
- report@snyk.io - EXPLOIT,THIRD_PARTY_ADVISORY
- report@snyk.io - MAILING_LIST,THIRD_PARTY_ADVISORY

Vulnerable Software & Versions (NVD):

- cpe:2.3:a:angularjs:angular:*:*:*:*:*:node.js:*:* versions from (including) 1.4.9; versions up to (including) 1.8.3

CVE-2024-8372 suppressed

Improper sanitization of the value of the '[srcset]' attribute in AngularJS allows attackers to bypass common image source restrictions, which can also lead to a form of Content Spoofing https://owasp.org/www-community/attacks/Content_Spoofing .

This issue affects AngularJS versions 1.3.0-rc.4 and greater.

Note:
The AngularJS project is End-of-Life and will not receive any updates to address this issue. For more information see here https://docs.angularjs.org/misc/version-support-status .

CWE-1289 Improper Validation of Unsafe Equivalence in Input, NVD-CWE-Other

Notes: We can not yet update to newer Angular Version

CVSSv3:

- MEDIUM (4.3)
- CVSS:3.1/AV:N/AC:L/PR:N/UI:R/S:U/C:N/I:L/A:N/E:2.8/RC:R/MAV:A

References:

- 36c7be3b-2937-45df-85ea-ca7133ea542c - EXPLOIT,THIRD_PARTY_ADVISORY

- 36c7be3b-2937-45df-85ea-ca7133ea542c - EXPLOIT,THIRD_PARTY_ADVISORY
- info - https://codepen.io/herodevs/full/xxoQRNL/0072e627abe03e9cda373bc75b4c1017
- info - https://github.com/advisories/GHSA-m9gf-397r-hwpg
- info - https://github.com/angular/angular.js
- info - https://nvd.nist.gov/vuln/detail/CVE-2024-8372
- info - https://www.herodevs.com/vulnerability-directory/cve-2024-8372

Vulnerable Software & Versions (NVD):

- cpe:2.3:a:angularjs:angular.js:*:*:*:*:*:*:*:* versions from (including) 1.3.1; versions up to (excluding) 1.9.6
- cpe:2.3:a:angularjs:angular.js:1.3.0:rc4:*:*:*:*:*:*
- cpe:2.3:a:angularjs:angular.js:1.3.0:rc5:*:*:*:*:*:*

CVE-2024-8373 suppressed

Improper sanitization of the value of the [srcset] attribute in <source> HTML elements in AngularJS allows attackers to bypass common image source restrictions, which can also lead to a form of Content Spoofing https://owasp.org/www-community/attacks/Content_Spoofing .

This issue affects all versions of AngularJS.

Note:
The AngularJS project is End-of-Life and will not receive any updates to address this issue. For more information see here https://docs.angularjs.org/misc/version-support-status .

NVD-CWE-Other, CWE-791 Incomplete Filtering of Special Elements

Notes: We can not yet update to newer Angular Version

CVSSv3:
- MEDIUM (4.3)
- CVSS:3.1/AV:N/AC:L/PR:N/UI:R/S:U/C:N/I:L/A:N/E:2.8/RC:R/MAV:A

References:
- 36c7be3b-2937-45df-85ea-ca7133ea542c - EXPLOIT,THIRD_PARTY_ADVISORY
- 36c7be3b-2937-45df-85ea-ca7133ea542c - EXPLOIT,THIRD_PARTY_ADVISORY
- info - https://codepen.io/herodevs/full/bGPQgMp/8da9ce87e99403ee13a295c305ebfa0b
- info - https://github.com/advisories/GHSA-mqm9-c95h-x2p6
- info - https://github.com/angular/angular.js
- info - https://nvd.nist.gov/vuln/detail/CVE-2024-8373
- info - https://www.herodevs.com/vulnerability-directory/cve-2024-8373

Vulnerable Software & Versions (NVD):

- cpe:2.3:a:angularjs:angular.js:*:*:*:*:*:*:*:* versions up to (excluding) 1.9.6

End-of-Life: Long term support for AngularJS has been discontinued as of December 31, 2021 (RETIREJS) suppressed

End-of-Life: Long term support for AngularJS has been discontinued as of December 31, 2021

Notes: file name: remotegui.zip: angularjs.jar We can not yet update to newer Angular Version

Unscored:
- Severity: low

References:
- info - https://docs.angularjs.org/misc/version-support-status
- retid - 54

Vulnerable Software & Versions (RETIREJS):

remotegui.zip: angular.jar: angular.min.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/angular.jar/META-INF/resources/webjars/angular/1.8.3/angular.min.js
MD5: 967a32633fa8f38f4ac3376c1a37b992
SHA1: b53b74d8e0b732dcdb98fbe521146b88299ea2f1
SHA256: 396dc1a03d6cc02e9c51a80246e0db53c5c8df9bd07287e3b51bce4a29dab355
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence
Vendor	file	name	angularjs	High
Product	file	name	angularjs	High
Version	file	version	1.8.3	High

Suppressed Identifiers

- **None**

Suppressed Vulnerabilities

CVE-2022-25844 suppressed

The package angular after 1.7.0 are vulnerable to Regular Expression Denial of Service (ReDoS) by providing a custom locale rule that makes it possible to assign the parameter in posPre: ' '.repeat() of NUMBER_FORMATS.PATTERNS[1].posPre with a very high value. **Note:** 1) This package has been deprecated and is no longer maintained. 2) The vulnerable versions are 1.7.0 and higher.

CWE-1333 Inefficient Regular Expression Complexity

Notes: We can not yet update to newer Angular Version

CVSSv2:
- Base Score: MEDIUM (5.0)
- Vector: /AV:N/AC:L/Au:N/C:N/I:N/A:P

CVSSv3:
- HIGH (7.5)
- CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:N/I:N/A:H/E:3.9/RC:R/MAV:A

References:
- info - https://github.com/advisories/GHSA-m2h2-264f-f486
- report@snyk.io - EXPLOIT,THIRD_PARTY_ADVISORY
- report@snyk.io - EXPLOIT,THIRD_PARTY_ADVISORY
- report@snyk.io - EXPLOIT,THIRD_PARTY_ADVISORY
- report@snyk.io - EXPLOIT,THIRD_PARTY_ADVISORY
- report@snyk.io - EXPLOIT,THIRD_PARTY_ADVISORY
- report@snyk.io - THIRD_PARTY_ADVISORY

Vulnerable Software & Versions (NVD):

- cpe:2.3:a:angularjs:angular:*:*:*:*:*:node.js:*:* versions from (including) 1.7.0
- cpe:2.3:a:netapp:ontap_select_deploy_administration_utility:-:*:*:*:*:*:*:*

CVE-2024-21490 suppressed

This affects versions of the package angular from 1.3.0. A regular expression used to split the value of the ng-srcset directive is vulnerable to super-linear runtime due to backtracking. With large carefully-crafted input, this can result in catastrophic backtracking and cause a denial of service. **Note:**This package is EOL and will not receive any updates to address this issue. Users should migrate to [@angular/core](https://www.npmjs.com/package/@angular/core).

CWE-1333 Inefficient Regular Expression Complexity

Notes: We can not yet update to newer Angular Version

CVSSv3:
- HIGH (7.5)
- CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:N/I:N/A:H/E:3.9/RC:R/MAV:A

References:
- info - https://github.com/advisories/GHSA-4w4v-5hc9-xrr2
- info - https://github.com/angular/angular.js
- info - https://nvd.nist.gov/vuln/detail/CVE-2024-21490
- info - https://security.snyk.io/vuln/SNYK-JAVA-ORGWEBJARSBOWER-6241746
- info - https://security.snyk.io/vuln/SNYK-JAVA-ORGWEBJARSNPM-6241747
- info - https://security.snyk.io/vuln/SNYK-JS-ANGULAR-6091113
- info - https://stackblitz.com/edit/angularjs-vulnerability-ng-srcset-redos
- report@snyk.io - EXPLOIT,THIRD_PARTY_ADVISORY
- report@snyk.io - THIRD_PARTY_ADVISORY

Vulnerable Software & Versions (NVD):

- cpe:2.3:a:angular:angular:*:*:*:*:*:node.js:*:* versions from (including) 1.3.0

CVE-2022-25869 suppressed

All versions of package angular are vulnerable to Cross-site Scripting (XSS) due to insecure page caching in the Internet Explorer browser, which allows interpolation of <textarea> elements.

CWE-79 Improper Neutralization of Input During Web Page Generation ('Cross-site Scripting')

Notes: We can not yet update to newer Angular Version

CVSSv3:
- MEDIUM (6.1)
- CVSS:3.1/AV:N/AC:L/PR:N/UI:R/S:C/C:L/I:L/A:N/E:2.8/RC:R/MAV:A

References:
- info - https://github.com/advisories/GHSA-prc3-vjfx-vhm9
- report@snyk.io - BROKEN_LINK
- report@snyk.io - EXPLOIT,THIRD_PARTY_ADVISORY
- report@snyk.io - EXPLOIT,THIRD_PARTY_ADVISORY
- report@snyk.io - EXPLOIT,THIRD_PARTY_ADVISORY
- report@snyk.io - EXPLOIT,THIRD_PARTY_ADVISORY

Vulnerable Software & Versions (NVD):

- cpe:2.3:a:angularjs:angular:*:*:*:*:*:node.js:*:*

CVE-2023-26116 suppressed

Versions of the package angular from 1.2.21 are vulnerable to Regular Expression Denial of Service (ReDoS) via the angular.copy() utility function due to the usage of an insecure regular expression. Exploiting this vulnerability is possible by a large carefully-crafted input, which can result in catastrophic backtracking.

CWE-1333 Inefficient Regular Expression Complexity

Notes: We can not yet update to newer Angular Version

CVSSv3:

- MEDIUM (5.3)
- CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:N/I:N/A:L/E:3.9/RC:R/MAV:A

References:

- info - https://github.com/advisories/GHSA-2vrf-hf26-jrp5
- report@snyk.io - EXPLOIT,THIRD_PARTY_ADVISORY
- report@snyk.io - EXPLOIT,THIRD_PARTY_ADVISORY
- report@snyk.io - EXPLOIT,THIRD_PARTY_ADVISORY
- report@snyk.io - EXPLOIT,THIRD_PARTY_ADVISORY
- report@snyk.io - EXPLOIT,THIRD_PARTY_ADVISORY
- report@snyk.io - MAILING_LIST,THIRD_PARTY_ADVISORY

Vulnerable Software & Versions (NVD):

- cpe:2.3:a:angularjs:angular:*:*:*:*:*:node.js:*:* versions from (including) 1.2.21; versions up to (including) 1.8.3

CVE-2023-26117 suppressed

Versions of the package angular from 1.0.0 are vulnerable to Regular Expression Denial of Service (ReDoS) via the $resource service due to the usage of an insecure regular expression. Exploiting this vulnerability is possible by a large carefully-crafted input, which can result in catastrophic backtracking.

CWE-1333 Inefficient Regular Expression Complexity

Notes: We can not yet update to newer Angular Version

CVSSv3:

- MEDIUM (5.3)
- CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:N/I:N/A:L/E:3.9/RC:R/MAV:A

References:

- info - https://github.com/advisories/GHSA-2qqx-w9hr-q5gx
- report@snyk.io - EXPLOIT,THIRD_PARTY_ADVISORY
- report@snyk.io - EXPLOIT,THIRD_PARTY_ADVISORY
- report@snyk.io - EXPLOIT,THIRD_PARTY_ADVISORY
- report@snyk.io - EXPLOIT,THIRD_PARTY_ADVISORY
- report@snyk.io - EXPLOIT,THIRD_PARTY_ADVISORY
- report@snyk.io - MAILING_LIST,THIRD_PARTY_ADVISORY

Vulnerable Software & Versions (NVD):

- cpe:2.3:a:angularjs:angular:*:*:*:*:*:node.js:*:* versions from (including) 1.0.0; versions up to (including) 1.8.3

CVE-2023-26118 suppressed

Versions of the package angular from 1.4.9 are vulnerable to Regular Expression Denial of Service (ReDoS) via the <input type="url"> element due to the usage of an insecure regular expression in the input[url] functionality. Exploiting this vulnerability is possible by a large carefully-crafted input, which can result in catastrophic backtracking.

CWE-1333 Inefficient Regular Expression Complexity

Notes: We can not yet update to newer Angular Version

CVSSv3:

- MEDIUM (5.3)
- CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:N/I:N/A:L/E:3.9/RC:R/MAV:A

References:

- info - https://github.com/advisories/GHSA-qwqh-hm9m-p5hr
- report@snyk.io - EXPLOIT
- report@snyk.io - EXPLOIT,THIRD_PARTY_ADVISORY
- report@snyk.io - EXPLOIT,THIRD_PARTY_ADVISORY
- report@snyk.io - EXPLOIT,THIRD_PARTY_ADVISORY
- report@snyk.io - EXPLOIT,THIRD_PARTY_ADVISORY
- report@snyk.io - MAILING_LIST,THIRD_PARTY_ADVISORY

Vulnerable Software & Versions (NVD):

- cpe:2.3:a:angularjs:angular:*:*:*:*:*:node.js:*:* versions from (including) 1.4.9; versions up to (including) 1.8.3

CVE-2024-8372 suppressed

Improper sanitization of the value of the '[srcset]' attribute in AngularJS allows attackers to bypass common image source restrictions, which can also lead to a form of Content Spoofing https://owasp.org/www-community/attacks/Content_Spoofing .

This issue affects AngularJS versions 1.3.0-rc.4 and greater.

Note:
The AngularJS project is End-of-Life and will not receive any updates to address this issue. For more information see here https://docs.angularjs.org/misc/version-support-status .

CWE-1289 Improper Validation of Unsafe Equivalence in Input, NVD-CWE-Other

Notes: We can not yet update to newer Angular Version

CVSSv3:
- MEDIUM (4.3)
- CVSS:3.1/AV:N/AC:L/PR:N/UI:R/S:U/C:N/I:L/A:N/E:2.8/RC:R/MAV:A

References:
- 36c7be3b-2937-45df-85ea-ca7133ea542c - EXPLOIT,THIRD_PARTY_ADVISORY
- 36c7be3b-2937-45df-85ea-ca7133ea542c - EXPLOIT,THIRD_PARTY_ADVISORY
- info - https://codepen.io/herodevs/full/xxoQRNL/0072e627abe03e9cda373bc75b4c1017
- info - https://github.com/advisories/GHSA-m9gf-397r-hwpg
- info - https://github.com/angular/angular.js
- info - https://nvd.nist.gov/vuln/detail/CVE-2024-8372
- info - https://www.herodevs.com/vulnerability-directory/cve-2024-8372

Vulnerable Software & Versions (NVD):

- cpe:2.3:a:angularjs:angular.js:*:*:*:*:*:*:*:* versions from (including) 1.3.1; versions up to (excluding) 1.9.6
- cpe:2.3:a:angularjs:angular.js:1.3.0:rc4:*:*:*:*:*:*
- cpe:2.3:a:angularjs:angular.js:1.3.0:rc5:*:*:*:*:*:*

CVE-2024-8373 suppressed

Improper sanitization of the value of the [srcset] attribute in <source> HTML elements in AngularJS allows attackers to bypass common image source restrictions, which can also lead to a form of Content Spoofing https://owasp.org/www-community/attacks/Content_Spoofing .

This issue affects all versions of AngularJS.

Note:
The AngularJS project is End-of-Life and will not receive any updates to address this issue. For more information see here https://docs.angularjs.org/misc/version-support-status .

NVD-CWE-Other, CWE-791 Incomplete Filtering of Special Elements

Notes: We can not yet update to newer Angular Version

CVSSv3:
- MEDIUM (4.3)

- CVSS:3.1/AV:N/AC:L/PR:N/UI:R/S:U/C:N/I:L/A:N/E:2.8/RC:R/MAV:A

References:

- 36c7be3b-2937-45df-85ea-ca7133ea542c - EXPLOIT,THIRD_PARTY_ADVISORY
- 36c7be3b-2937-45df-85ea-ca7133ea542c - EXPLOIT,THIRD_PARTY_ADVISORY
- info - https://codepen.io/herodevs/full/bGPQgMp/8da9ce87e99403ee13a295c305ebfa0b
- info - https://github.com/advisories/GHSA-mqm9-c95h-x2p6
- info - https://github.com/angular/angular.js
- info - https://nvd.nist.gov/vuln/detail/CVE-2024-8373
- info - https://www.herodevs.com/vulnerability-directory/cve-2024-8373

Vulnerable Software & Versions (NVD):

- cpe:2.3:a:angularjs:angular.js:*:*:*:*:*:*:*:* versions up to (excluding) 1.9.6

End-of-Life: Long term support for AngularJS has been discontinued as of December 31, 2021 (RETIREJS) suppressed

End-of-Life: Long term support for AngularJS has been discontinued as of December 31, 2021

Notes: file name: remotegui.zip: angularjs.jar We can not yet update to newer Angular Version

Unscored:

- Severity: low

References:

- info - https://docs.angularjs.org/misc/version-support-status
- retid - 54

Vulnerable Software & Versions (RETIREJS):

remotegui.zip: jquery.jar

Description:

WebJar for jQuery

License:

MIT License: https://github.com/jquery/jquery/blob/master/MIT-LICENSE.txt

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/jquery.jar
MD5: 4af65e569248d8a2411f66498d720280
SHA1: c3dc40b1b5f24c56afa36fd9a463bb9f378ac4ab
SHA256: de28c4da0ea9f16101352dd3582ec8021ee5e2de5f45104ca171876003d54db6
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence
Vendor	file	name	jquery	High
Vendor	pom	artifactid	jquery	Low
Vendor	pom	developer email	james@jamesward.org	Low
Vendor	pom	developer id	jamesward	Medium

Vendor	pom	developer name	James Ward	Medium
Vendor	pom	groupid	org.webjars	Highest
Vendor	pom	name	jquery	High
Vendor	pom	url	http://webjars.org	Highest
Product	file	name	jquery	High
Product	pom	artifactid	jquery	Highest
Product	pom	developer email	james@jamesward.org	Low
Product	pom	developer id	jamesward	Low
Product	pom	developer name	James Ward	Low
Product	pom	groupid	org.webjars	Highest
Product	pom	name	jquery	High
Product	pom	url	http://webjars.org	Medium
Version	pom	version	2.2.4	Highest

Suppressed Identifiers

- **None**

Suppressed Vulnerabilities

CVE-2016-10707 (OSSINDEX) suppressed

jquery - Uncontrolled Resource Consumption

The software does not properly restrict the size or amount of resources that are requested or influenced by an actor, which can be used to consume more resources than intended.

Sonatype's research suggests that this CVE's details differ from those defined at NVD. See https://ossindex.sonatype.org/vulnerability/CVE-2016-10707 for details

CWE-400 Uncontrolled Resource Consumption

Notes: file name: remotegui.jar: jquery.min.js - We can not yet upgrade to a newer version due to dependencies. We do, however, not directly use the functionality that is being CVEd

CVSSv3:

- HIGH (7.5)
- CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:N/I:N/A:H

References:

- OSSINDEX - [CVE-2016-10707] CWE-400: Uncontrolled Resource Consumption ('Resource Exhaustion')
- OSSIndex - https://github.com/advisories/GHSA-mhpp-875w-9cpv
- OSSIndex - https://github.com/jquery/jquery/issues/3133
- OSSIndex - https://github.com/jquery/jquery/issues/3371
- OSSIndex - https://github.com/jquery/jquery/pull/2916
- OSSIndex - https://github.com/jquery/jquery/pull/3134

Vulnerable Software & Versions (OSSINDEX):

- cpe:2.3:a:org.webjars:jquery:2.2.4:*:*:*:*:*:*:*

CVE-2019-11358 (OSSINDEX) suppressed

jQuery before 3.4.0, as used in Drupal, Backdrop CMS, and other products, mishandles jQuery.extend(true, {}, ...) because of Object.prototype pollution. If an unsanitized source object contained an enumerable __proto__ property, it could extend the native Object.prototype.

Sonatype's research suggests that this CVE's details differ from those defined at NVD. See https://ossindex.sonatype.org/vulnerability/CVE-2019-11358 for details

CWE-1321 Improperly Controlled Modification of Object Prototype Attributes ('Prototype Pollution')

Notes: file name: remotegui.jar: jquery.min.js - We can not yet upgrade to a newer version due to dependencies. We do, however, not directly use the functionality that is being CVEd

CVSSv3:
- MEDIUM (6.099999904632568)
- CVSS:3.1/AV:N/AC:L/PR:N/UI:R/S:C/C:L/I:L/A:N

References:
- OSSINDEX - [CVE-2019-11358] CWE-1321
- OSSIndex - http://web.nvd.nist.gov/view/vuln/detail?vulnId=CVE-2019-11358
- OSSIndex - https://blog.jquery.com/2019/04/10/jquery-3-4-0-released/
- OSSIndex - https://github.com/cbeust/testng/issues/2150
- OSSIndex - https://github.com/jquery/jquery/pull/4333

Vulnerable Software & Versions (OSSINDEX):

- cpe:2.3:a:org.webjars:jquery:2.2.4:*:*:*:*:*:*:*

CVE-2020-11023 (OSSINDEX) suppressed

In jQuery versions greater than or equal to 1.0.3 and before 3.5.0, passing HTML containing <option> elements from untrusted sources - even after sanitizing it - to one of jQuery's DOM manipulation methods (i.e. .html(), .append(), and others) may execute untrusted code. This problem is patched in jQuery 3.5.0.

CWE-79 Improper Neutralization of Input During Web Page Generation ('Cross-site Scripting')

Notes: file name: remotegui.jar: jquery.min.js - We can not yet upgrade to a newer version due to dependencies. We do, however, not directly use the functionality that is being CVEd

CVSSv3:
- MEDIUM (6.099999904632568)
- CVSS:3.1/AV:N/AC:L/PR:N/UI:R/S:C/C:L/I:L/A:N

References:
- OSSINDEX - [CVE-2020-11023] CWE-79: Improper Neutralization of Input During Web Page Generation ('Cross-site Scripting')
- OSSIndex - http://web.nvd.nist.gov/view/vuln/detail?vulnId=CVE-2020-11023
- OSSIndex - https://github.com/advisories/GHSA-jpcq-cgw6-v4j6
- OSSIndex - https://jquery.com/upgrade-guide/3.5/

Vulnerable Software & Versions (OSSINDEX):

- cpe:2.3:a:org.webjars:jquery:2.2.4:*:*:*:*:*:*:*

remotegui.zip: tinymce.jar

Description:

WebJar for tinymce

License:

LGPL-2.1

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/tinymce.jar
MD5: fd9f87ce352ee6c8d270db931c0e6026
SHA1: 9174bcf85629c63f7cc55439ff890bb7893fe451
SHA256: 26c357c95e53e0d99f3e2b840194cc7d170a31c85de15c6017de976f60919cd7
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence
Vendor	file	name	tinymce	High
Vendor	pom	artifactid	tinymce	Low
Vendor	pom	developer id	webjars	Medium
Vendor	pom	groupid	org.webjars.bower	Highest
Vendor	pom	name	tinymce	High
Vendor	pom	url	https://www.webjars.org	Highest
Product	file	name	tinymce	High
Product	pom	artifactid	tinymce	Highest
Product	pom	developer id	webjars	Low
Product	pom	groupid	org.webjars.bower	Highest
Product	pom	name	tinymce	High
Product	pom	url	https://www.webjars.org	Medium
Version	pom	version	5.10.9	Highest

Related Dependencies

- remotegui.zip: tinymce-languages.jar
  - File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/tinymce-languages.jar
  - MD5: 47bff91bb6cd602682ddc705ba5872fb
  - SHA1: 06c508488e5d6f2ce5c92aa8b3fa165ca871d597
  - SHA256: fa2ecf575248fc802677c26f54fd5f23a636d496223e1a654f5d6540f6c36200

Suppressed Identifiers

- **None**

Suppressed Vulnerabilities

CVE-2024-38356 (OSSINDEX) suppressed

TinyMCE is an open source rich text editor. A cross-site scripting (XSS) vulnerability was discovered in TinyMCE's content extraction code. When using the `noneditable_regexp` option, specially crafted HTML attributes containing malicious code were able to be executed when content was extracted from the editor. This vulnerability has been patched in TinyMCE 7.2.0, TinyMCE 6.8.4 and TinyMCE 5.11.0 LTS by ensuring that, when using the `noneditable_regexp` option, any content within an attribute is properly verified to match the configured regular expression before being added. Users are advised to upgrade. There are no known workarounds for this vulnerability.

Sonatype's research suggests that this CVE's details differ from those defined at NVD. See https://ossindex.sonatype.org/vulnerability/CVE-2024-38356 for details

CWE-79 Improper Neutralization of Input During Web Page Generation ('Cross-site Scripting')

Notes: Can not update beyond v5 for implementation reasons just now. tinyMCE is primarily used in non-pulbic way.

CVSSv2:

- Base Score: MEDIUM (5.099999904632568)
- Vector: CVSS:4.0/AV:N/AC:L/AT:N/PR:N/UI:A/VC:N/VI:N/VA:N/SC:L/SI:L/SA:N

References:

- OSSINDEX - [CVE-2024-38356] CWE-79: Improper Neutralization of Input During Web Page Generation ('Cross-site Scripting')
- OSSIndex - http://web.nvd.nist.gov/view/vuln/detail?vulnId=CVE-2024-38356
- OSSIndex - https://github.com/tinymce/tinymce/security/advisories/GHSA-9hcv-j9pv-qmph

Vulnerable Software & Versions (OSSINDEX):

- cpe:2.3:a:org.webjars.bower:tinymce:5.10.9:*:*:*:*:*:*:*

CVE-2024-38357 (OSSINDEX) suppressed

TinyMCE is an open source rich text editor. A cross-site scripting (XSS) vulnerability was discovered in TinyMCE's content parsing code. This allowed specially crafted noscript elements containing malicious code to be executed when that content was loaded into the editor. This vulnerability has been patched in TinyMCE 7.2.0, TinyMCE 6.8.4 and TinyMCE 5.11.0 LTS by ensuring that content within noscript elements are properly parsed. Users are advised to upgrade. There are no known workarounds for this vulnerability.

CWE-79 Improper Neutralization of Input During Web Page Generation ('Cross-site Scripting')

Notes: Can not update beyond v5 for implementation reasons just now. tinyMCE is primarily used in non-pulbic way.

CVSSv2:

- Base Score: MEDIUM (5.099999904632568)
- Vector: CVSS:4.0/AV:N/AC:L/AT:N/PR:N/UI:A/VC:N/VI:N/VA:N/SC:L/SI:L/SA:N

References:

- OSSINDEX - [CVE-2024-38357] CWE-79: Improper Neutralization of Input During Web Page Generation ('Cross-site Scripting')
- OSSIndex - http://web.nvd.nist.gov/view/vuln/detail?vulnId=CVE-2024-38357
- OSSIndex - https://github.com/tinymce/tinymce/security/advisories/GHSA-w9jx-4g6g-rp7x

Vulnerable Software & Versions (OSSINDEX):

- cpe:2.3:a:org.webjars.bower:tinymce:5.10.9:*:*:*:*:*:*:*

remotegui.zip: tinymce.jar: theme.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/themes/silver/theme.js
MD5: b99cdf5dcb718bb3d31d6c8667ae2462
SHA1: 26d8486e0ec39d27e79b0b37965b28e2b45afb6d
SHA256: 0147750f4214d0acd55cadda52809ac73766443333bb65947c7fe1e0684d85c7
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence
Vendor	file	name	DOMPurify	High
Product	file	name	DOMPurify	High
Version	file	version	2.3.8	High

Suppressed Identifiers

- **None**

Suppressed Vulnerabilities

CVE-2024-45801 (RETIREJS) suppressed

Notes: DOMPurify can not be updated due to tinyMCE this time. However, there are plans to fully update tinyMCE in the future.

Unscored:

- Severity: high

References:

- info - https://github.com/advisories/GHSA-mmhx-hmjr-r674
- info - https://github.com/cure53/DOMPurify
- info - https://github.com/cure53/DOMPurify/commit/1e520262bf4c66b5efda49e2316d6d1246ca7b21
- info - https://github.com/cure53/DOMPurify/commit/26e1d69ca7f769f5c558619d644d90dd8bf26ebc
- info - https://github.com/cure53/DOMPurify/security/advisories/GHSA-mmhx-hmjr-r674
- info - https://nvd.nist.gov/vuln/detail/CVE-2024-45801

Vulnerable Software & Versions (RETIREJS):

CVE-2024-47875 (RETIREJS) suppressed

Notes: Can not update beyond v5 for implementation reasons just now. tinyMCE is primarily used in non-pulbic way.

Unscored:

- Severity: high

References:

- info - https://github.com/advisories/GHSA-gx9m-whjm-85jf
- info - https://github.com/cure53/DOMPurify
- info - https://github.com/cure53/DOMPurify/blob/0ef5e537a514f904b6aa1d7ad9e749e365d7185f/test/test-suite.js#L2098
- info - https://github.com/cure53/DOMPurify/commit/0ef5e537a514f904b6aa1d7ad9e749e365d7185f
- info - https://github.com/cure53/DOMPurify/commit/6ea80cd8b47640c20f2f230c7920b1f4ce4fdf7a
- info - https://github.com/cure53/DOMPurify/security/advisories/GHSA-gx9m-whjm-85jf
- info - https://nvd.nist.gov/vuln/detail/CVE-2024-47875

Vulnerable Software & Versions (RETIREJS):

CVE-2024-48910 (RETIREJS) suppressed

Notes: DOMPurify can not be updated due to tinyMCE this time. However, there are plans to fully update tinyMCE in the future.

Unscored:

- Severity: high

References:

- info - https://github.com/advisories/GHSA-p3vf-v8qc-cwcr
- info - https://github.com/cure53/DOMPurify
- info - https://github.com/cure53/DOMPurify/commit/d1dd0374caef2b4c56c3bd09fe1988c3479166dc
- info - https://github.com/cure53/DOMPurify/security/advisories/GHSA-p3vf-v8qc-cwcr
- info - https://nvd.nist.gov/vuln/detail/CVE-2024-48910

Vulnerable Software & Versions (RETIREJS):

CVE-2025-26791 (RETIREJS) suppressed

Notes: DOMPurify can not be updated due to tinyMCE this time. However, there are plans to fully update tinyMCE in the future.

Unscored:

- Severity: medium

References:

- info - https://ensy.zip/posts/dompurify-323-bypass
- info - https://github.com/advisories/GHSA-vhxf-7vqr-mrjg
- info - https://github.com/cure53/DOMPurify
- info - https://github.com/cure53/DOMPurify/commit/d18ffcb554e0001748865da03ac75dd7829f0f02
- info - https://github.com/cure53/DOMPurify/releases/tag/3.2.4
- info - https://nsysean.github.io/posts/dompurify-323-bypass
- info - https://nvd.nist.gov/vuln/detail/CVE-2025-26791

Vulnerable Software & Versions (RETIREJS):

remotegui.zip: tinymce.jar: tinymce.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/tinymce.js
MD5: f7a8350f10f92d58a952e1feb0d28f2c
SHA1: d3ecc2861e41722d51e1ede38da5ead47a530c14
SHA256: a78ee6bd10002d050a314768a523533144228f654d80571a8ed28ff3011208a1
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence
Vendor	file	name	tinyMCE	High
Product	file	name	tinyMCE	High
Version	file	version	5.10.9	High

Suppressed Identifiers

- **None**

Suppressed Vulnerabilities

CVE-2024-29203 (RETIREJS) suppressed

Notes: Can not update beyond v5 for implementation reasons just now. tinyMCE is primarily used in non-pulbic way.

Unscored:

- Severity: medium

References:

- info - https://github.com/advisories/GHSA-438c-3975-5x3f
- info - https://github.com/tinymce/tinymce
- info - https://github.com/tinymce/tinymce/commit/bcdea2ad14e3c2cea40743fb48c63bba067ae6d1
- info - https://github.com/tinymce/tinymce/security/advisories/GHSA-438c-3975-5x3f
- info - https://nvd.nist.gov/vuln/detail/CVE-2024-29203
- info - https://www.tiny.cloud/docs/tinymce/6/6.8.1-release-notes/#new-convert_unsafe_embeds-option-that-controls-whether-object-and-embed-elements-will-be-converted-to-more-restrictive-alternatives-namely-img-for-image-mime-types-video-for-video-mime-types-audio-audio-mime-types-or-iframe-for-other-or-unspecified-mime-types
- info - https://www.tiny.cloud/docs/tinymce/7/7.0-release-notes/#sandbox_iframes-editor-option-is-now-defaulted-to-true

Vulnerable Software & Versions (RETIREJS):

CVE-2024-29881 (RETIREJS) suppressed

Notes: Can not update beyond v5 for implementation reasons just now. tinyMCE is primarily used in non-pulbic way.

Unscored:

- Severity: medium

References:

- info - https://github.com/advisories/GHSA-5359-pvf2-pw78
- info - https://github.com/tinymce/tinymce
- info - https://github.com/tinymce/tinymce/commit/bcdea2ad14e3c2cea40743fb48c63bba067ae6d1
- info - https://github.com/tinymce/tinymce/security/advisories/GHSA-5359-pvf2-pw78
- info - https://nvd.nist.gov/vuln/detail/CVE-2024-29881
- info - https://www.tiny.cloud/docs/tinymce/6/6.8.1-release-notes/#new-convert_unsafe_embeds-option-that-controls-whether-object-and-embed-elements-will-be-converted-to-more-restrictive-alternatives-namely-img-for-image-mime-types-video-for-video-mime-types-audio-audio-mime-types-or-iframe-for-other-or-unspecified-mime-types
- info - https://www.tiny.cloud/docs/tinymce/7/7.0-release-notes/#convert_unsafe_embeds-editor-option-is-now-defaulted-to-true

Vulnerable Software & Versions (RETIREJS):

CVE-2024-38356 (RETIREJS) suppressed

Notes: Can not update beyond v5 for implementation reasons just now. tinyMCE is primarily used in non-pulbic way.

Unscored:

- Severity: medium

References:

- info - https://github.com/advisories/GHSA-9hcv-j9pv-qmph
- info - https://github.com/tinymce/tinymce
- info - https://github.com/tinymce/tinymce/commit/5acb741665a98e83d62b91713c800abbff43b00d
- info - https://github.com/tinymce/tinymce/commit/a9fb858509f86dacfa8b01cfd34653b408983ac0
- info - https://github.com/tinymce/tinymce/security/advisories/GHSA-9hcv-j9pv-qmph
- info - https://nvd.nist.gov/vuln/detail/CVE-2024-38356
- info - https://owasp.org/www-community/attacks/xss
- info - https://www.tiny.cloud/docs/tinymce/6/6.8.4-release-notes/#overview
- info - https://www.tiny.cloud/docs/tinymce/7/7.2-release-notes/#overview
- info - https://www.tiny.cloud/docs/tinymce/latest/7.2-release-notes/#overview

Vulnerable Software & Versions (RETIREJS):

CVE-2024-38357 (RETIREJS) suppressed

Notes: Can not update beyond v5 for implementation reasons just now. tinyMCE is primarily used in non-pulbic way.

Unscored:

- Severity: medium

References:

- info - https://github.com/advisories/GHSA-w9jx-4g6g-rp7x
- info - https://github.com/tinymce/tinymce
- info - https://github.com/tinymce/tinymce/commit/5acb741665a98e83d62b91713c800abbff43b00d
- info - https://github.com/tinymce/tinymce/commit/a9fb858509f86dacfa8b01cfd34653b408983ac0
- info - https://github.com/tinymce/tinymce/security/advisories/GHSA-w9jx-4g6g-rp7x
- info - https://nvd.nist.gov/vuln/detail/CVE-2024-38357

- info - https://owasp.org/www-community/attacks/xss
- info - https://www.tiny.cloud/docs/tinymce/6/6.8.4-release-notes/#overview
- info - https://www.tiny.cloud/docs/tinymce/7/7.2-release-notes/#overview

Vulnerable Software & Versions (RETIREJS):

remotegui.zip: tinymce.jar: tinymce.min.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/tinymce.min.js
MD5: 10df005254d5668ccedbda2614354acd
SHA1: fbcd5a3f14b7c3dd8a9d203b9b30acfba49a38f4
SHA256: 3c3041cb95a1c979ee2205901cf1c670a36c192ef089e6f63b94beabef386c30
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence
Vendor	file	name	tinyMCE	High
Product	file	name	tinyMCE	High
Version	file	version	5.10.9	High

Suppressed Identifiers

- **None**

Suppressed Vulnerabilities

CVE-2024-29203 (RETIREJS) suppressed

Notes: Can not update beyond v5 for implementation reasons just now. tinyMCE is primarily used in non-pulbic way.

Unscored:

- Severity: medium

References:
- info - https://github.com/advisories/GHSA-438c-3975-5x3f
- info - https://github.com/tinymce/tinymce
- info - https://github.com/tinymce/tinymce/commit/bcdea2ad14e3c2cea40743fb48c63bba067ae6d1
- info - https://github.com/tinymce/tinymce/security/advisories/GHSA-438c-3975-5x3f
- info - https://nvd.nist.gov/vuln/detail/CVE-2024-29203
- info - https://www.tiny.cloud/docs/tinymce/6/6.8.1-release-notes/#new-convert_unsafe_embeds-option-that-controls-whether-object-and-embed-elements-will-be-converted-to-more-restrictive-alternatives-namely-img-for-image-mime-types-video-for-video-mime-types-audio-audio-mime-types-or-iframe-for-other-or-unspecified-mime-types

- info - https://www.tiny.cloud/docs/tinymce/7/7.0-release-notes/#sandbox_iframes-editor-option-is-now-defaulted-to-true

Vulnerable Software & Versions (RETIREJS):

CVE-2024-29881 (RETIREJS) suppressed

Notes: Can not update beyond v5 for implementation reasons just now. tinyMCE is primarily used in non-pulbic way.

Unscored:

- Severity: medium

References:
- info - https://github.com/advisories/GHSA-5359-pvf2-pw78
- info - https://github.com/tinymce/tinymce
- info - https://github.com/tinymce/tinymce/commit/bcdea2ad14e3c2cea40743fb48c63bba067ae6d1
- info - https://github.com/tinymce/tinymce/security/advisories/GHSA-5359-pvf2-pw78
- info - https://nvd.nist.gov/vuln/detail/CVE-2024-29881
- info - https://www.tiny.cloud/docs/tinymce/6/6.8.1-release-notes/#new-convert_unsafe_embeds-option-that-controls-whether-object-and-embed-elements-will-be-converted-to-more-restrictive-alternatives-namely-img-for-image-mime-types-video-for-video-mime-types-audio-audio-mime-types-or-iframe-for-other-or-unspecified-mime-types
- info - https://www.tiny.cloud/docs/tinymce/7/7.0-release-notes/#convert_unsafe_embeds-editor-option-is-now-defaulted-to-true

Vulnerable Software & Versions (RETIREJS):

CVE-2024-38356 (RETIREJS) suppressed

Notes: Can not update beyond v5 for implementation reasons just now. tinyMCE is primarily used in non-pulbic way.

Unscored:

- Severity: medium

References:
- info - https://github.com/advisories/GHSA-9hcv-j9pv-qmph
- info - https://github.com/tinymce/tinymce
- info - https://github.com/tinymce/tinymce/commit/5acb741665a98e83d62b91713c800abbff43b00d
- info - https://github.com/tinymce/tinymce/commit/a9fb858509f86dacfa8b01cfd34653b408983ac0
- info - https://github.com/tinymce/tinymce/security/advisories/GHSA-9hcv-j9pv-qmph
- info - https://nvd.nist.gov/vuln/detail/CVE-2024-38356
- info - https://owasp.org/www-community/attacks/xss
- info - https://www.tiny.cloud/docs/tinymce/6/6.8.4-release-notes/#overview
- info - https://www.tiny.cloud/docs/tinymce/7/7.2-release-notes/#overview
- info - https://www.tiny.cloud/docs/tinymce/latest/7.2-release-notes/#overview

Vulnerable Software & Versions (RETIREJS):

CVE-2024-38357 (RETIREJS) suppressed

Notes: Can not update beyond v5 for implementation reasons just now. tinyMCE is primarily used in non-pulbic way.

Unscored:

- Severity: medium

References:
- info - https://github.com/advisories/GHSA-w9jx-4g6g-rp7x
- info - https://github.com/tinymce/tinymce

- info - https://github.com/tinymce/tinymce/commit/5acb741665a98e83d62b91713c800abbff43b00d
- info - https://github.com/tinymce/tinymce/commit/a9fb858509f86dacfa8b01cfd34653b408983ac0
- info - https://github.com/tinymce/tinymce/security/advisories/GHSA-w9jx-4g6g-rp7x
- info - https://nvd.nist.gov/vuln/detail/CVE-2024-38357
- info - https://owasp.org/www-community/attacks/xss
- info - https://www.tiny.cloud/docs/tinymce/6/6.8.4-release-notes/#overview
- info - https://www.tiny.cloud/docs/tinymce/7/7.2-release-notes/#overview

Vulnerable Software & Versions (RETIREJS):

This report contains data retrieved from the National Vulnerability Database.
This report may contain data retrieved from the CISA Known Exploited Vulnerability Catalog.
This report may contain data retrieved from the Github Advisory Database (via NPM Audit API).
This report may contain data retrieved from RetireJS.
This report may contain data retrieved from the Sonatype OSS Index.