



Dependency-Check is an open source tool performing a best effort analysis of 3rd party dependencies; false positives and false negatives may exist in the analysis performed by the tool. Use of the tool and the reporting provided constitutes acceptance for use in an AS IS condition, and there are NO warranties, implied or otherwise, with regard to the analysis or its use. Any use of the tool and the reporting provided is at the user's risk. In no event shall the copyright holder or OWASP be held liable for any damages whatsoever arising out of or in connection with the use of this tool, the analysis performed, or the resulting report.

[How to read the report](#) | [Suppressing false positives](#) | [Getting Help: github issues](#)



[Sponsor](#)

## Project: project ':gui'

pdfc:gui:23.10

Scan Information ([show all](#)):

- *dependency-check version:* 7.4.4
- *Report Generated On:* Thu, 23 Nov 2023 14:29:24 +0100
- *Dependencies Scanned:* 148 (142 unique)
- *Vulnerable Dependencies:* 0
- *Vulnerabilities Found:* 0
- *Vulnerabilities Suppressed:* 12
- ...
- *NVD CVE Checked:* 2023-11-23T14:28:08
- *NVD CVE Modified:* 2023-11-23T02:00:01

## Summary

Display: [Showing Vulnerable Dependencies \(click to show all\)](#)

Dependency	Vulnerability IDs	Package	Highest Severity	CVE Cou
<a href="#">Merlia-0.jar</a>		<a href="#">pkg:maven/lib/Merlia@0</a>		0
<a href="#">analysis.language.zip: analysis.language.jar</a>	<a href="#">cpe:2.3:a:inetsoftware:pdfc:23.10.241:*****</a>			0
<a href="#">analysis.language.zip: guava.jar</a>	<a href="#">cpe:2.3:a:google:guava:32.0.1:*****</a>	<a href="#">pkg:maven/com.google.guava/guava@32.0.1-jre</a>		0
<a href="#">analysis.language.zip: jsonic.jar</a>		<a href="#">pkg:maven/net.arnx/jsonic@1.3.10</a>		0
<a href="#">analysis.language.zip: language-detector.jar</a>		<a href="#">pkg:maven/com.optimaize.languagedetector/language-detector@0.6</a>		0
<a href="#">command.jsonexport.zip: command.jsonexport.jar</a>	<a href="#">cpe:2.3:a:inetsoftware:pdfc:23.10.241:*****</a>			0

<a href="#">comparison.api.zip:</a> <a href="#">comparison.api.jar</a>	cpe:2.3:a:inetsoftware:pdfc:23.10.241: *****.*			0
<a href="#">comparison.rpc.zip:</a> <a href="#">comparison.rpc.jar</a>	cpe:2.3:a:inetsoftware:pdfc:23.10.241: *****.*			0
<a href="#">comparison.webgui.zip:</a> <a href="#">comparison.webgui.jar</a>	cpe:2.3:a:inetsoftware:pdfc:23.10.241: *****.*			0
<a href="#">comparison.webgui.zip:</a> <a href="#">comparison.webgui.jar: app.js</a>				0
<a href="#">comparison.webgui.zip:</a> <a href="#">comparison.webgui.jar: compare.js</a>				0
<a href="#">comparison.webgui.zip:</a> <a href="#">comparison.webgui.jar: contingent.js</a>				0
<a href="#">comparison.webgui.zip:</a> <a href="#">comparison.webgui.jar: controller.js</a>				0
<a href="#">comparison.webgui.zip:</a> <a href="#">comparison.webgui.jar: descriptionarea.js</a>				0
<a href="#">comparison.webgui.zip:</a> <a href="#">comparison.webgui.jar: dropzone.js</a>				0
<a href="#">comparison.webgui.zip:</a> <a href="#">comparison.webgui.jar: export.js</a>				0
<a href="#">comparison.webgui.zip:</a> <a href="#">comparison.webgui.jar: factory.js</a>				0
<a href="#">comparison.webgui.zip:</a> <a href="#">comparison.webgui.jar: model.js</a>				0
<a href="#">comparison.webgui.zip:</a> <a href="#">comparison.webgui.jar: multipasswordpanel.js</a>				0
<a href="#">comparison.webgui.zip:</a> <a href="#">comparison.webgui.jar: mycomparisons.js</a>				0
<a href="#">comparison.webgui.zip:</a> <a href="#">comparison.webgui.jar: passwordpanel.js</a>				0
<a href="#">comparison.webgui.zip:</a> <a href="#">comparison.webgui.jar: pdfconfig.js</a>				0

<a href="#">comparison.webgui.zip: comparison.webgui.jar: profil.js</a>				0
<a href="#">comparison.webgui.zip: comparison.webgui.jar: profileentry.js</a>				0
<a href="#">comparison.webgui.zip: comparison.webgui.jar: publishdialog.js</a>				0
<a href="#">comparison.webgui.zip: comparison.webgui.jar: publishprofiledialog.js</a>				0
<a href="#">comparison.webgui.zip: comparison.webgui.jar: report.js</a>				0
<a href="#">comparison.webgui.zip: comparison.webgui.jar: scroller.js</a>				0
<a href="#">comparison.webgui.zip: comparison.webgui.jar: searchcomponent.js</a>				0
<a href="#">comparison.webgui.zip: comparison.webgui.jar: userlist.js</a>				0
<a href="#">comparison.webgui.zip: comparison.webgui.jar: visibilitysettings.js</a>				0
<a href="#">comparison.webgui.zip: comparison.webgui.jar: zoomer.js</a>				0
<a href="#">filter.area.zip: filter.area.jar</a>	cpe:2.3:a:inetsoftware:pdfc:23.10.241:*****			0
<a href="#">filter.baselinetable.zip: filter.baselinetable.jar</a>	cpe:2.3:a:inetsoftware:pdfc:23.10.241:*****			0
<a href="#">filter.cmappatch.zip: filter.cmappatch.jar</a>	cpe:2.3:a:inetsoftware:pdfc:23.10.241:*****			0
<a href="#">filter.headerfooter.zip: filter.headerfooter.jar</a>	cpe:2.3:a:inetsoftware:pdfc:23.10.241:*****			0
<a href="#">filter.hiderotation.zip: filter.hiderotation.jar</a>	cpe:2.3:a:inetsoftware:pdfc:23.10.241:*****			0
<a href="#">filter.invisibleelements.zip: filter.invisibleelements.jar</a>	cpe:2.3:a:inetsoftware:pdfc:23.10.241:*****			0
<a href="#">filter.multicolumn.zip: filter.multicolumn.jar</a>	cpe:2.3:a:inetsoftware:pdfc:23.10.241:*****			0
<a href="#">filter.ocr.zip: filter.ocr.jar</a>	cpe:2.3:a:inetsoftware:pdfc:23.10.241:*****			0

<a href="#">filter.pagerange.zip:</a> <a href="#">filter.pagerange.jar</a>	cpe:2.3:a:inetsoftware:pdfc:23.10.241: *****.*			0
<a href="#">filter.regex.zip:</a> <a href="#">filter.regex.jar</a>	cpe:2.3:a:inetsoftware:pdfc:23.10.241: *****.*			0
<a href="#">filter.regex.zip:</a> <a href="#">filter.regex.jar:</a> <a href="#">filterrenderer.js</a>				0
<a href="#">filter.texttransform.zip:</a> <a href="#">filter.texttransform.jar</a>	cpe:2.3:a:inetsoftware:pdfc:23.10.241: *****.*			0
<a href="#">filter.urllookup.zip:</a> <a href="#">filter.urllookup.jar</a>	cpe:2.3:a:inetsoftware:pdfc:23.10.241: *****.*			0
<a href="#">hamcrest-2.2.jar</a>		<a href="#">pkg:maven/org.hamcrest/hamcrest@2.2</a>		0
<a href="#">inetcore-23.10-tools.jar</a>		<a href="#">pkg:maven/shared/inetcore@23.10</a>		0
<a href="#">inetcore-23.10.jar</a> (shaded: com.inet. shared:inetcore:null)				0
<a href="#">inetcore-23.10.jar</a>		<a href="#">pkg:maven/shared/inetcore@23.10</a>		0
<a href="#">java-17-jre-x64-linux.tar.gz:</a> <a href="#">java-17-jre-x64-linux.tar:</a> <a href="#">jrt-fs.jar</a>	<a href="#">cpe:2.3:a:eclipse:platform:17.0.9:****.*.*.*</a>			0
<a href="#">junit-4.13.2.jar</a>	cpe:2.3:a:junit:junit4:4.13.2:*****.*	<a href="#">pkg:maven/junit/junit@4.13.2</a>		0
<a href="#">junit-jupiter-5.10.0.jar</a>		<a href="#">pkg:maven/org.junit.jupiter/junit-jupiter@5.10.0</a>		0
<a href="#">junit-jupiter-api-5.10.0.jar</a>		<a href="#">pkg:maven/org.junit.jupiter/junit-jupiter-api@5.10.0</a>		0
<a href="#">junit-jupiter-engine-5.10.0.jar</a>		<a href="#">pkg:maven/org.junit.jupiter/junit-jupiter-engine@5.10.0</a>		0
<a href="#">junit-jupiter-params-5.10.0.jar</a>		<a href="#">pkg:maven/org.junit.jupiter/junit-jupiter-params@5.10.0</a>		0
<a href="#">junit-platform-commons-1.10.0.jar</a>	cpe:2.3:a:fan_platform_project:fan_platform:1.10.0:*****.*	<a href="#">pkg:maven/org.junit.platform/junit-platform-commons@1.10.0</a>		0
<a href="#">junit-platform-engine-1.10.0.jar</a>	cpe:2.3:a:fan_platform_project:fan_platform:1.10.0:*****.*	<a href="#">pkg:maven/org.junit.platform/junit-platform-engine@1.10.0</a>		0

<a href="#">junit-platform-launcher-1.10.0.jar</a>	cpe:2.3:a:fan_platform_project:fan_platform:1.10.0:*.~*~*~*~*~*	<a href="#">pkg:maven/org.junit.platform/junit-platform-launcher@1.10.0</a>		0
<a href="#">junit-platform-suite-1.10.0.jar</a>	cpe:2.3:a:fan_platform_project:fan_platform:1.10.0:*.~*~*~*~*~*	<a href="#">pkg:maven/org.junit.platform/junit-platform-suite@1.10.0</a>		0
<a href="#">junit-platform-suite-api-1.10.0.jar</a>	cpe:2.3:a:fan_platform_project:fan_platform:1.10.0:*.~*~*~*~*~*	<a href="#">pkg:maven/org.junit.platform/junit-platform-suite-api@1.10.0</a>		0
<a href="#">junit-platform-suite-commons-1.10.0.jar</a>	cpe:2.3:a:fan_platform_project:fan_platform:1.10.0:*.~*~*~*~*~*	<a href="#">pkg:maven/org.junit.platform/junit-platform-suite-commons@1.10.0</a>		0
<a href="#">junit-platform-suite-engine-1.10.0.jar</a>	cpe:2.3:a:fan_platform_project:fan_platform:1.10.0:*.~*~*~*~*~*	<a href="#">pkg:maven/org.junit.platform/junit-platform-suite-engine@1.10.0</a>		0
<a href="#">junit-vintage-engine-5.10.0.jar</a>	cpe:2.3:a:fan_platform_project:fan_platform:5.10.0:*.~*~*~*~*~*	<a href="#">pkg:maven/org.junit.vintage/junit-vintage-engine@5.10.0</a>		0
<a href="#">maintenance.pdf.zip:maintenance.pdf.jar</a>	cpe:2.3:a:inetsoftware:pdfc:23.10.241:*.~*~*~*~*~*			0
<a href="#">maintenance.pdf.zip:maintenance.pdf.jar:app.js</a>				0
<a href="#">maintenance.pdf.zip:maintenance.pdf.jar:comparisons.js</a>				0
<a href="#">ocr.tesseract.zip:commons-io.jar</a>	<a href="#">cpe:2.3:a:apache:commons_io:2.13.0:*.~*~*~*~*~*</a>	<a href="#">pkg:maven/commons-io/commons-io@2.13.0</a>		0
<a href="#">ocr.tesseract.zip:commons-logging.jar</a>		<a href="#">pkg:maven/commons-logging/commons-logging@1.2</a>		0
<a href="#">ocr.tesseract.zip:fontbox.jar</a>		<a href="#">pkg:maven/org.apache.pdfbox/fontbox@2.0.29</a>		0
<a href="#">ocr.tesseract.zip:jai-imageio-core.jar</a>		<a href="#">pkg:maven/com.github.jai-imageio/jai-imageio-core@1.4.0</a>		0
<a href="#">ocr.tesseract.zip:jbig2-imageio.jar</a>	<a href="#">cpe:2.3:a:apache:pdfbox:3.0.4:*.~*~*~*~*~*</a>	<a href="#">pkg:maven/org.apache.pdfbox/jbig2-imageio@3.0.4</a>		0

<a href="#">ocr.tesseract.zip: jboss-vfs.jar</a>		<a href="#">pkg:maven/org.jboss/jboss-vfs@3.3.0.Final</a>		0
<a href="#">ocr.tesseract.zip: jna.jar</a>	cpe:2.3:a:oracle:java_se:5.11.0:*:*:*:*:*:*	<a href="#">pkg:maven/net.java.dev.jna/jna@5.11.0</a>		0
<a href="#">ocr.tesseract.zip: jna.jar: jnidispatch.dll</a>				0
<a href="#">ocr.tesseract.zip: jna.jar: jnidispatch.dll</a>				0
<a href="#">ocr.tesseract.zip: jna.jar: jnidispatch.dll</a>				0
<a href="#">ocr.tesseract.zip: lept4j.jar</a>		<a href="#">pkg:maven/net.sourceforge.lept4j/lept4j@1.18.1</a>		0
<a href="#">ocr.tesseract.zip: lept4j.jar: libleptonica1831.dll</a>				0
<a href="#">ocr.tesseract.zip: lept4j.jar: libleptonica1831.dll</a>				0
<a href="#">ocr.tesseract.zip: ocr.tesseract.jar</a>	cpe:2.3:a:tesseract_ocr_project:tesseract_ocr:23.10.241:*:*:*:*:* cpe:2.3:a:tesseract_project:tesseract:23.10.241:*:*:*:*:*			0
<a href="#">ocr.tesseract.zip: pdfbox.jar</a>	<a href="#">cpe:2.3:a:apache:pdfbox:2.0.29:*:*:*:*</a>	<a href="#">pkg:maven/org.apache.pdfbox/pdfbox@2.0.29</a>		0
<a href="#">ocr.tesseract.zip: tess4j.jar</a>	cpe:2.3:a:tesseract_project:tesseract:5.7.0:*:*:*:*:*	<a href="#">pkg:maven/net.sourceforge.tess4j/tess4j@5.7.0</a>		0
<a href="#">ocr.tesseract.zip: tess4j.jar: libtesseract531.dll</a>				0
<a href="#">ocr.tesseract.zip: tess4j.jar: libtesseract531.dll</a>				0
<a href="#">opentest4j-1.3.0.jar</a>		<a href="#">pkg:maven/org.opentest4j/opentest4j@1.3.0</a>		0
<a href="#">parser.docx.zip: DocxParser.jar</a>				0
<a href="#">parser.docx.zip: EmfParser.jar</a>				0
<a href="#">parser.docx.zip: SparseBitSet.jar</a>	cpe:2.3:a:bit_project:bit:1.3:*:*:*:*:*	<a href="#">pkg:maven/com.zaxxer/SparseBitSet@1.3</a>		0
<a href="#">parser.docx.zip: commons-codec.jar</a>		<a href="#">pkg:maven/commons-codec/commons-codec@1.16.0</a>		0

<a href="#">parser.docx.zip: commons-collections4.jar</a>	<a href="#">cpe:2.3:a:apache:commons_collections:4.4:*.***.***.*</a>	<a href="#">pkg:maven/org.apache.commons/commons-collections4@4.4</a>		0
<a href="#">parser.docx.zip: commons-compress.jar</a>	<a href="#">cpe:2.3:a:apache:commons_compress:1.24.0:*.***.***.*</a>	<a href="#">pkg:maven/org.apache.commons/commons-compress@1.24.0</a>		0
<a href="#">parser.docx.zip: commons-io.jar</a>	<a href="#">cpe:2.3:a:apache:commons_io:2.11.0:*.***.***.*</a>	<a href="#">pkg:maven/commons-io/commons-io@2.11.0</a>		0
<a href="#">parser.docx.zip: commons-math3.jar</a>		<a href="#">pkg:maven/org.apache.commons/commons-math3@3.6.1</a>		0
<a href="#">parser.docx.zip: curvesapi.jar</a>		<a href="#">pkg:maven/com.github.virtuald/curvesapi@1.08</a>		0
<a href="#">parser.docx.zip: log4j-api.jar</a>	<a href="#">cpe:2.3:a:apache:log4j:2.20.0:*.***.***.*</a>	<a href="#">pkg:maven/org.apache.logging.log4j/log4j-api@2.20.0</a>		0
<a href="#">parser.docx.zip: ooxml-schemas.jar</a>		<a href="#">pkg:maven/org.apache.poi/ooxml-schemas@1.4</a>		0
<a href="#">parser.docx.zip: parser.docx.jar</a>	<a href="#">cpe:2.3:a:inetsoftware:pdfc:23.10.241:*.***.***.*</a>			0
<a href="#">parser.docx.zip: poi.jar</a>	<a href="#">cpe:2.3:a:apache:poi:5.2.3:*.***.***.*</a>	<a href="#">pkg:maven/org.apache.poi/poi@5.2.3</a>		0
<a href="#">parser.docx.zip: xmlbeans.jar</a>	<a href="#">cpe:2.3:a:apache:xmlbeans:5.1.1:*.***.***.*</a>	<a href="#">pkg:maven/org.apache.xmlbeans/xmlbeans@5.1.1</a>		0
<a href="#">parser.image.zip: parser.image.jar</a>	<a href="#">cpe:2.3:a:inetsoftware:pdfc:23.10.241:*.***.***.*</a>			0
<a href="#">parser.pdf.config.zip: parser.pdf.config.jar</a>	<a href="#">cpe:2.3:a:inetsoftware:pdfc:23.10.241:*.***.***.*</a>			0
<a href="#">parser.pdf.zip: PDFParser.jar</a>				0
<a href="#">parser.pdf.zip: jbig2.jar</a>	<a href="#">cpe:2.3:a:homepage_project:homepage:5.5.1:*.***.***.*</a>	<a href="#">pkg:maven/de.intarsys.opensource/jbig2@5.5.1</a>		0
<a href="#">parser.pdf.zip: parser.pdf.jar</a>	<a href="#">cpe:2.3:a:inetsoftware:pdfc:23.10.241:*.***.***.*</a>			0
<a href="#">parser.text.zip: parser.text.jar</a>	<a href="#">cpe:2.3:a:inetsoftware:pdfc:23.10.241:*.***.***.*</a>			0
<a href="#">pdfc.gui.zip: TableLayout.jar</a>				0

<a href="#">pdfc.gui.zip: VividSwingAnimations. jar</a>				0
<a href="#">pdfc.gui.zip: inetswingcore.jar</a>				0
<a href="#">pdfc.gui.zip: pdfc.gui.jar</a>	cpe:2.3:a:inetsoftware:pdfc:23.10.241: *****.* *****.*			0
<a href="#">pdfc.standalone.zip: pdfc.standalone.jar</a>	cpe:2.3:a:inetsoftware:pdfc:23.10.241: *****.* *****.*			0
<a href="#">pdfc.standalone.zip: pdfc.standalone.jar: bridge.js</a>				0
<a href="#">pdfc.standalone.zip: pdfc.standalone.jar: bridgeConfig.js</a>				0
<a href="#">pdfc.standalone.zip: pdfc.standalone.jar: bridgePDFC.js</a>				0
<a href="#">pdfc.standalone.zip: pdfc.standalone.jar: extraMenu.js</a>				0
<a href="#">pdfc.standalone.zip: pdfc.standalone.jar: removeHeader.js</a>				0
<a href="#">pdfc.standalone.zip: pdfc.standalone.jar: removePDFCElements. js</a>				0
<a href="#">pdfc.standalone.zip: pdfc.standalone.jar: theme.js</a>				0
<a href="#">pdfc.standalone.zip: pdfc.standalone.jar: translation.js</a>				0
<a href="#">pdfc.zip: icu4j.jar</a>	cpe:2.3:a:icu-project: international_components_for_unicode: 73.2:*****.* cpe:2.3:a:unicode: international_components_for_unicode: 73.2:*****.*	<a href="#">pkg:maven/com. ibm.icu/icu4j@73. 2</a>		0
<a href="#">pdfc.zip: pdfc-javadoc. jar</a>				0
<a href="#">pdfc.zip: pdfc-javadoc. jar: jquery-3.5.1.js</a>				0
<a href="#">pdfc.zip: pdfc-javadoc. jar: jquery-ui.js</a>		<a href="#">pkg:javascript /jquery-ui@1.12.1</a>		0
<a href="#">pdfc.zip: pdfc-javadoc. jar: jquery-ui.min.js</a>		<a href="#">pkg:javascript /jquery-ui@1.12.1</a>		0
<a href="#">pdfc.zip: pdfc-javadoc. jar: jszip-utils-ie.js</a>				0
<a href="#">pdfc.zip: pdfc-javadoc.</a>				0



<a href="#">jar: jszip-utils-ie.min.js</a>				
<a href="#">pdfc.zip: pdfc-javadoc.jar: jszip-utils.js</a>				0
<a href="#">pdfc.zip: pdfc-javadoc.jar: jszip-utils.min.js</a>				0
<a href="#">pdfc.zip: pdfc-javadoc.jar: jszip.js</a>		<a href="#">pkg:javascript/jszip@3.2.1</a>		0
<a href="#">pdfc.zip: pdfc-javadoc.jar: jszip.min.js</a>		<a href="#">pkg:javascript/jszip@3.2.1</a>		0
<a href="#">pdfc.zip: pdfc-javadoc.jar: member-search-index.js</a>				0
<a href="#">pdfc.zip: pdfc-javadoc.jar: package-search-index.js</a>				0
<a href="#">pdfc.zip: pdfc-javadoc.jar: script.js</a>				0
<a href="#">pdfc.zip: pdfc-javadoc.jar: search.js</a>				0
<a href="#">pdfc.zip: pdfc-javadoc.jar: type-search-index.js</a>				0
<a href="#">pdfc.zip: pdfc.jar</a>	cpe:2.3:a:inetsoftware:pdfc:23.10.241:*****.*			0
<a href="#">pdfcserver.zip: pdfcserver.jar</a>	cpe:2.3:a:inetsoftware:pdfc:23.10.241:*****.*			0
<a href="#">pdfcserver.zip: pdfcserver.jar: compareconfigrender.js</a>				0
<a href="#">pdfcsetupwizard.zip: pdfcsetupwizard.jar</a>	cpe:2.3:a:inetsoftware:pdfc:23.10.241:*****.*			0
<a href="#">pdfcsetupwizard.zip: pdfcsetupwizard.jar: controller.js</a>				0
<a href="#">processbridge.pdfc.zip: processbridge.pdfc.jar</a>	cpe:2.3:a:inetsoftware:pdfc:23.10.241:*****.*			0
<a href="#">slf4j-api-2.0.9.jar</a>		<a href="#">pkg:maven/org.slf4j/slf4j-api@2.0.9</a>		0
<a href="#">taskplanner.pdfc.zip: taskplanner.pdfc.jar</a>	cpe:2.3:a:inetsoftware:pdfc:23.10.241:*****.*			0

## Dependencies

**Merlia-0.jar**

**File Path:** /home/jenkins/.gradle/caches/modules-2/files-2.1/lib/Merlia/0/fc0c94f56a1c43b76f3ae539f0cd8af2d832d9d2/Merlia-0.jar  
**MD5:** 8e7f9f81ce022680498de9dfb63c1d23  
**SHA1:** fc0c94f56a1c43b76f3ae539f0cd8af2d832d9d2  
**SHA256:** 1dfd38a307f047b7584492c2c37197db896fc7dd24a8ab893e1bff306a4cf8b8  
**Referenced In Project/Scope:**gui:inetPlugin

#### Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	Merlia-0	High
Vendor	gradle	artifactid	Merlia	Highest
Vendor	gradle	groupid	lib	Highest
Vendor	jar	package name	inet	Low
Vendor	jar	package name	tds	Low
Product	file	name	Merlia-0	High
Product	gradle	artifactid	Merlia	Highest
Product	jar	package name	tds	Low
Version	file	name	Merlia-0	Medium
Version	file	version	0	Medium
Version	gradle	version	0	Highest
Version	Manifest	driver-version	8.13	Medium

#### Identifiers

- [pkg:maven/lib/Merlia@0](#) (*Confidence:*Highest)

### analysis.language.zip: analysis.language.jar

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/gui/build/tmp/dependencies/i-net PDFC/plugins/analysis.language.zip/analysis.language.jar  
**MD5:** 3cb0b8ba750598dfc387227f307c1a0c  
**SHA1:** 287a4539081a179f1e681789c6d06c6d08662f75  
**SHA256:** 1a2cc19cba25a36f591c2b99ca41c83207e0b5885e4b3861068c615a796ee6d1  
**Referenced In Project/Scope:**gui

#### Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	analysis.language	High

Vendor	jar	package name	analysis	Low
Vendor	jar	package name	inet	Low
Vendor	jar	package name	pdfc	Low
Vendor	Manifest	application-library-allowable-codebase	*	Low
Vendor	Manifest	built-date	2023-11-23 14:19	Low
Vendor	Manifest	codebase	*	Low
Vendor	Manifest	implementation-group	pdfc	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	permissions	all-permissions	Low
Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	trusted-library	false	Low
Vendor	Manifest	trusted-only	false	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	analysis.language	High
Product	jar	package name	analysis	Highest
Product	jar	package name	analysis	Low
Product	jar	package name	language	Highest
Product	jar	package name	language	Low
Product	jar	package name	pdfc	Highest
Product	jar	package name	pdfc	Low
Product	Manifest	application-library-allowable-codebase	*	Low
Product	Manifest	built-date	2023-11-23 14:19	Low
Product	Manifest	codebase	*	Low
Product	Manifest	implementation-group	pdfc	Low
Product	Manifest	Implementation-Title	analysis.language	High
Product	Manifest	permissions	all-permissions	Low
Product	Manifest	specification-title	analysis.language	Medium
Product	Manifest	trusted-library	false	Low

Product	Manifest	trusted-only	false	Low
Version	jar	package name	pdfc	Highest
Version	Manifest	Implementation-Version	23.10.241	High

## Identifiers

- cpe:2.3:a:inetsoftware:pdfc:23.10.241:\*:\*:\*:\*:\* ( *Confidence:Low* ) suppress

## analysis.language.zip: guava.jar

### Description:

Guava is a suite of core and expanded libraries that include utility classes, Google's collections, I/O classes, and much more.

### License:

<http://www.apache.org/licenses/LICENSE-2.0.txt>

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/gui/build/tmp/dependencies/i-net PDFC/plugins/analysis.language.zip/guava.jar

**MD5:** 6951895e804b36322214c95917e598d4

**SHA1:** 6e5d51a72d142f2d40a57dfb897188b36a95b489

**SHA256:** bd7fa227591fb8509677d0d1122cf95158f3b8a9f45653f58281d879f6dc48c5

**Referenced In Project/Scope:**gui

## Evidence

Type	Source	Name	Value	Confidence
Vendor	file	name	guava	High
Vendor	jar	package name	common	Highest
Vendor	jar	package name	google	Highest
Vendor	Manifest	automatic-module-name	com.google.common	Medium
Vendor	Manifest	build-jdk-spec	11	Low
Vendor	Manifest	bundle-docurl	<a href="https://github.com/google/guava/">https://github.com/google/guava/</a>	Low
Vendor	Manifest	bundle-symbolicname	com.google.guava	Medium
Vendor	Manifest	require-capability	osgi.ee;filter="(&(osgi.ee=JavaSE)(version=1.8))"	Low
Vendor	pom	artifactid	guava	Low

Vendor	pom	groupid	com.google.guava	Highest
Vendor	pom	name	Guava: Google Core Libraries for Java	High
Vendor	pom	parent-artifactid	guava-parent	Low
Vendor	pom	url	google/guava	Highest
Product	file	name	guava	High
Product	jar	package name	common	Highest
Product	jar	package name	google	Highest
Product	Manifest	automatic-module-name	com.google.common	Medium
Product	Manifest	build-jdk-spec	11	Low
Product	Manifest	bundle-docurl	https://github.com/google/guava/	Low
Product	Manifest	Bundle-Name	Guava: Google Core Libraries for Java	Medium
Product	Manifest	bundle-symbolicname	com.google.guava	Medium
Product	Manifest	require-capability	osgi.ee;filter:=("(&(osgi.ee=JavaSE)(version=1.8))"	Low
Product	pom	artifactid	guava	Highest
Product	pom	groupid	com.google.guava	Highest
Product	pom	name	Guava: Google Core Libraries for Java	High
Product	pom	parent-artifactid	guava-parent	Medium
Product	pom	url	google/guava	High
Version	pom	version	32.0.1-jre	Highest

### Identifiers

- [pkg:maven/com.google.guava/guava@32.0.1-jre](#) (*Confidence:High*)
- [cpe:2.3:a:google:guava:32.0.1:\\*:\\*:\\*:\\*:\\*](#) (*Confidence:Highest*) suppress

## analysis.language.zip: jsonic.jar

### Description:

simple json encoder/decoder for java

### License:

The Apache Software License, Version 2.0: <http://www.apache.org/licenses/LICENSE-2.0.txt>

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/gui/build/tmp/dependencies/i-net PDFC/plugins/analysis.language.zip/jsonic.jar

**MD5:** 504496d0069da0121c059c219147e90c

**SHA1:** 98e8a1f25aa40ed92ff2ecca4d1301d48b552452

**SHA256:** 150e3ac24b103cb0cd50595018dbe3c8ba4b3dee81a76eb4b987607f96e9602b

**Referenced In Project/Scope:**gui

## Evidence



Type	Source	Name	Value	Confidence
Vendor	central	artifactid	jsonic	Highest
Vendor	central	groupid	net.arnx	Highest
Vendor	file	name	jsonic	High
Vendor	jar	package name	arnx	Low
Vendor	jar	package name	jsonic	Low
Vendor	jar	package name	net	Low
Vendor	pom	artifactid	jsonic	Low
Vendor	pom	developer email	hidekatsu.izuno@gmail.com	Low
Vendor	pom	developer id	hidekatsu.izuno	Medium
Vendor	pom	developer name	Hidekatsu Izuno	Medium
Vendor	pom	groupid	net.arnx	Highest
Vendor	pom	name	jsonic	High
Vendor	pom	url	http://jsonic.sourceforge.jp/	Highest
Product	central	artifactid	jsonic	Highest
Product	file	name	jsonic	High
Product	jar	package name	arnx	Low
Product	jar	package name	jsonic	Low
Product	pom	artifactid	jsonic	Highest
Product	pom	developer email	hidekatsu.izuno@gmail.com	Low
Product	pom	developer id	hidekatsu.izuno	Low
Product	pom	developer name	Hidekatsu Izuno	Low
Product	pom	groupid	net.arnx	Highest
Product	pom	name	jsonic	High
Product	pom	url	http://jsonic.sourceforge.jp/	Medium
Version	central	version	1.3.10	Highest
Version	pom	version	1.3.10	Highest

## Identifiers

- [pkg:maven/net.arnx/jsonic@1.3.10](#) (*Confidence*:High)

## analysis.language.zip: language-detector.jar

### Description:

Language Detection Library for Java.

### License:

Apache 2: <http://www.apache.org/licenses/LICENSE-2.0>

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/gui/build/tmp/dependencies/i-net PDFC/plugins/analysis.language.zip/language-detector.jar

**MD5:** e5475d5cabd54e5ddf6428d63864888f

**SHA1:** 52fee1eaa101f8d3e30b7095e1b6e0054d514dde

**SHA256:** f53ecc3d71da9ebc82edd10fb35638d32e8b9d849273dd717a021eca02f2278d

**Referenced In Project/Scope:**gui

### Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	language-detector	High
Vendor	jar	package name	langdetect	Low
Vendor	jar	package name	languagedetector	Highest
Vendor	jar	package name	optimaize	Highest
Vendor	jar	package name	optimaize	Low
Vendor	pom	artifactid	language-detector	Low
Vendor	pom	developer name	Fabian Kessler	Medium
Vendor	pom	developer name	François ROLAND	Medium
Vendor	pom	developer name	Nakatani Shuyo	Medium
Vendor	pom	developer name	Robert Theis	Medium
Vendor	pom	groupid	com.optimaize.languagedetector	Highest
Vendor	pom	name	language-detector	High
Vendor	pom	url	optimaize/language-detector	Highest
Product	file	name	language-detector	High
Product	jar	package name	langdetect	Low
Product	jar	package name	languagedetector	Highest
Product	jar	package name	optimaize	Highest
Product	pom	artifactid	language-detector	Highest
Product	pom	developer name	Fabian Kessler	Low

Product	pom	developer name	François ROLAND	Low
Product	pom	developer name	Nakatani Shuyo	Low
Product	pom	developer name	Robert Theis	Low
Product	pom	groupid	com.optimaize.languagedetector	Highest
Product	pom	name	language-detector	High
Product	pom	url	optimaize/language-detector	High
Version	pom	version	0.6	Highest

#### Identifiers

- <pkg:maven/com.optimaize.languagedetector/language-detector@0.6> (Confidence:High)

### command.jsonexport.zip: command.jsonexport.jar

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/gui/build/tmp/dependencies/i-net PDFC/plugins/command.jsonexport.zip/command.jsonexport.jar

**MD5:** d01294cc3a842ff29f1c32ccb51b8b0f

**SHA1:** 09e9ea5fc4cdd812f119b06847120aa7ba1ca8f4

**SHA256:** 564de21fff031ca8c5569c0b62d3330b4e06ed4ef2b2384a34a13f89df7c167

**Referenced In Project/Scope:**gui

#### Evidence

Type	Source	Name	Value	Confidence
Vendor	file	name	command.jsonexport	High
Vendor	jar	package name	command	Low
Vendor	jar	package name	inet	Low
Vendor	jar	package name	pdfc	Low
Vendor	Manifest	application-library-allowable-codebase	*	Low
Vendor	Manifest	built-date	2023-11-23 14:18	Low
Vendor	Manifest	codebase	*	Low
Vendor	Manifest	implementation-group	pdfc	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium



Vendor	Manifest	permissions	all-permissions	Low
Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	trusted-library	false	Low
Vendor	Manifest	trusted-only	false	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	command.jsonexport	High
Product	jar	package name	command	Highest
Product	jar	package name	command	Low
Product	jar	package name	json	Low
Product	jar	package name	pdfc	Highest
Product	jar	package name	pdfc	Low
Product	Manifest	application-library-allowable-codebase	*	Low
Product	Manifest	built-date	2023-11-23 14:18	Low
Product	Manifest	codebase	*	Low
Product	Manifest	implementation-group	pdfc	Low
Product	Manifest	Implementation-Title	command.jsonexport	High
Product	Manifest	permissions	all-permissions	Low
Product	Manifest	specification-title	command.jsonexport	Medium
Product	Manifest	trusted-library	false	Low
Product	Manifest	trusted-only	false	Low
Version	jar	package name	pdfc	Highest
Version	Manifest	Implementation-Version	23.10.241	High

#### Identifiers

- cpe:2.3:a:inetsoftware:pdfc:23.10.241:\*:\*:\*:\*:\* (Confidence:Low) suppress

### comparison.api.zip: comparison.api.jar

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/gui/build/tmp/dependencies/i-net PDFC/plugins/comparison.api.zip/comparison.api.jar

**MD5:** d04c15f970da1376579744fab59c73ae

**SHA1:** 0b703c0a5e2b88c23f3c65a3d00ac029fc5384ba

**SHA256:** 47549f4fb788516a626c9d282b13a2b618b6a0ce77fd283fc3a8df302560715e

**Referenced In Project/Scope:**gui

## Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	comparison.api	High
Vendor	jar	package name	comparisonapi	Low
Vendor	jar	package name	inet	Low
Vendor	jar	package name	pdfc	Low
Vendor	Manifest	application-library-allowable-codebase	*	Low
Vendor	Manifest	built-date	2023-11-23 14:11	Low
Vendor	Manifest	codebase	*	Low
Vendor	Manifest	implementation-group	pdfc	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	permissions	all-permissions	Low
Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	trusted-library	false	Low
Vendor	Manifest	trusted-only	false	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	comparison.api	High
Product	jar	package name	comparisonapi	Low
Product	jar	package name	pdfc	Highest
Product	jar	package name	pdfc	Low
Product	Manifest	application-library-allowable-codebase	*	Low
Product	Manifest	built-date	2023-11-23 14:11	Low
Product	Manifest	codebase	*	Low
Product	Manifest	implementation-group	pdfc	Low
Product	Manifest	Implementation-	comparison.api	High

Title				
Product	Manifest	permissions	all-permissions	Low
Product	Manifest	specification-title	comparison.api	Medium
Product	Manifest	trusted-library	false	Low
Product	Manifest	trusted-only	false	Low
Version	jar	package name	pdfc	Highest
Version	Manifest	Implementation-Version	23.10.241	High

### Identifiers

- cpe:2.3:a:inetsoftware:pdfc:23.10.241:\*:\*:\*:\*:\* (Confidence:Low) suppress

## comparison.rpc.zip: comparison.rpc.jar

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/gui/build/tmp/dependencies/i-net PDFC/plugins/comparison.rpc.zip/comparison.rpc.jar

**MD5:** 12e7aae4dce65a640f9f24075d9811fc

**SHA1:** 5396f660ee65aca91d7d4fddcb9b55be1756c77c

**SHA256:** 9a3d945cff2915ebe67b489b277fd0db419cdee0815b24c217f835c744728a72

**Referenced In Project/Scope:**gui

### Evidence +

Type	Source	Name	Value	Confidence
Vendor	file	name	comparison.rpc	High
Vendor	jar	package name	inet	Low
Vendor	jar	package name	pdfc	Low
Vendor	jar	package name	rpc	Low
Vendor	Manifest	application-library-allowable-codebase	*	Low
Vendor	Manifest	built-date	2023-11-23 14:10	Low
Vendor	Manifest	codebase	*	Low
Vendor	Manifest	implementation-group	pdfc	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-	de.inetsoftware	Medium

## Vendor-Id

Vendor	Manifest	permissions	all-permissions	Low
Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	trusted-library	false	Low
Vendor	Manifest	trusted-only	false	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	comparison.rpc	High
Product	jar	package name	pdfc	Highest
Product	jar	package name	pdfc	Low
Product	jar	package name	rpc	Highest
Product	jar	package name	rpc	Low
Product	jar	package name	websocket	Low
Product	Manifest	application-library-allowable-codebase	*	Low
Product	Manifest	built-date	2023-11-23 14:10	Low
Product	Manifest	codebase	*	Low
Product	Manifest	implementation-group	pdfc	Low
Product	Manifest	Implementation-Title	comparison.rpc	High
Product	Manifest	permissions	all-permissions	Low
Product	Manifest	specification-title	comparison.rpc	Medium
Product	Manifest	trusted-library	false	Low
Product	Manifest	trusted-only	false	Low
Version	jar	package name	pdfc	Highest
Version	Manifest	Implementation-Version	23.10.241	High

## Identifiers

- cpe:2.3:a:inetsoftware:pdfc:23.10.241:\*\*\*\*\*:\* (Confidence:Low) suppress

comparison.webgui.zip: comparison.webgui.jar

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/gui/build/tmp/dependencies/i-net PDFC/plugins/comparison.webgui.zip/comparison.webgui.jar  
**MD5:** 3b7b422805eaae846a0321ab6cedd6f6  
**SHA1:** e2c52906f4c5c23ccf5df2bbf1b5494610e073dc  
**SHA256:**99458ee0b079447a5a732e6b468151e18efda8a324e1258475ab00b4dd42c79a  
**Referenced In Project/Scope:**gui

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	comparison.webgui	High
Vendor	jar	package name	inet	Low
Vendor	jar	package name	pdfc	Low
Vendor	jar	package name	webgui	Low
Vendor	Manifest	built-date	2023-11-23 14:11	Low
Vendor	Manifest	implementation-group	pdfc	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	comparison.webgui	High
Product	jar	package name	pdfc	Highest
Product	jar	package name	pdfc	Low
Product	jar	package name	server	Low
Product	jar	package name	webgui	Highest
Product	jar	package name	webgui	Low
Product	Manifest	built-date	2023-11-23 14:11	Low
Product	Manifest	implementation-group	pdfc	Low
Product	Manifest	Implementation-Title	comparison.webgui	High
Product	Manifest	specification-title	comparison.webgui	Medium
Version	jar	package name	pdfc	Highest
Version	Manifest	Implementation-Version	23.10.241	High

Identifiers

• cpe:2.3:a:inetsoftware:pdfc:23.10.241:\*\*\*\*\* (Confidence:Low) suppress

### comparison.webgui.zip: comparison.webgui.jar: app.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/gui/build/tmp/dependencies/i-net PDFC/plugins/comparison.webgui.zip/comparison.webgui.jar/com/inet/pdfc/webgui/client/js/app.js

**MD5:** b5337bb448dd2bfdc4393b33453a03e6

**SHA1:** 0c01af2e2032b7a61d88e120f9f6a16d1cee8bd0

**SHA256:** 0e584547e2891e2a31485a68d453938275706e0acc2b61210c906d6ae20f0330

**Referenced In Project/Scope:**gui

#### Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

• None

### comparison.webgui.zip: comparison.webgui.jar: compare.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/gui/build/tmp/dependencies/i-net PDFC/plugins/comparison.webgui.zip/comparison.webgui.jar/com/inet/pdfc/webgui/client/js/compare.js

**MD5:** bb21c5183e03455cf46f8b15b2b4f3f7

**SHA1:** 55820654e476e75f8deb8e39fb4d62132bddbb9b

**SHA256:** a7cd0c4e618e1dbda07c00f2113bab993fcfbdb88fdb55e32434ecf37a6df79de

**Referenced In Project/Scope:**gui

#### Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

• None

### comparison.webgui.zip: comparison.webgui.jar: contingent.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/gui/build/tmp/dependencies/i-net PDFC/plugins/comparison.webgui.zip/comparison.webgui.jar/com/inet/pdfc/webgui/client/js/directives/contingent.js

**MD5:** 6ac23911d240f38a83b402239f734b38

**SHA1:** 00f8c7c7dc0a845ae3853f14097f78bdbafad2ce

**SHA256:** b0745dccf768bc039eb3890a8c7007f168f23acb2b3a0d8a1fe68e989a8508fc

**Referenced In Project/Scope:**gui

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### comparison.webgui.zip: comparison.webgui.jar: controller.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/gui/build/tmp/dependencies/i-net PDFC/plugins/comparison.webgui.zip/comparison.webgui.jar/com/inet/pdfc/webgui/client/js/controller.js

**MD5:** 71483af5e05f78c556cd0dbb4f221adb

**SHA1:** 942045f3b83ea37b125a7b109b9bf313832c58ac

**SHA256:** a584bba4703e68f80803b0d20e0f6e9c6596b3c4a239b3885cb94dcf2ef0f60f

**Referenced In Project/Scope:**gui

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### comparison.webgui.zip: comparison.webgui.jar: descriptionarea.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/gui/build/tmp/dependencies/i-net PDFC/plugins/comparison.webgui.zip/comparison.webgui.jar/com/inet/pdfc/webgui/client/js/directives/descriptionarea.js

**MD5:** 701a0be35d209679f118d923e4e7b21d

**SHA1:** ab78eeb6bfe59c5275d3d959d43b8b6aa5bd6563  
**SHA256:** 7b0ac0adc1b2d4bfd4dd3d3012b38c6323fbd55672925ae09c23d82e55a5b5f3  
**Referenced In Project/Scope:**gui

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### comparison.webgui.zip: comparison.webgui.jar: dropzone.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/gui/build/tmp/dependencies/i-net PDFC/plugins/comparison.webgui.zip/comparison.webgui.jar/com/inet/pdfc/webgui/client/js/directives/dropzone.js  
**MD5:** 2b21cb4acb1c36a85d7896145b60980b  
**SHA1:** 3e56072bca86902951997d839ea183ecadc67089  
**SHA256:** dc90bd465d95f3ceec6b883a6d2b37f74db0a698f5e8c95cfa91564bded9b4e2  
**Referenced In Project/Scope:**gui

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### comparison.webgui.zip: comparison.webgui.jar: export.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/gui/build/tmp/dependencies/i-net PDFC/plugins/comparison.webgui.zip/comparison.webgui.jar/com/inet/pdfc/webgui/client/js/export.js  
**MD5:** 00a335e0a1adb71537b6d272455c92d1  
**SHA1:** 802efb2a89887f226992e8e674b78338ecfacee4  
**SHA256:** 6363581f9cc2b589350be39f2501195586a083de244528a88fe0c778ebe78702  
**Referenced In Project/Scope:**gui

#### Evidence





Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## comparison.webgui.zip: comparison.webgui.jar: factory.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/gui/build/tmp/dependencies/i-net PDFC/plugins/comparison.webgui.zip/comparison.webgui.jar/com/inet/pdfc/webgui/client/js/factory.js

**MD5:** a2b23d73bf938b3d4fde3bdfa6d580c1

**SHA1:** d5ecfad2162e432708aa93b0c68a76f8f0547722

**SHA256:**969d37d49ca5858e1c619c4441bbedc51eaf08cbf329989f45f014f7e9ea4e69

**Referenced In Project/Scope:**gui

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## comparison.webgui.zip: comparison.webgui.jar: model.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/gui/build/tmp/dependencies/i-net PDFC/plugins/comparison.webgui.zip/comparison.webgui.jar/com/inet/pdfc/webgui/client/js/model.js

**MD5:** 45f60c03a9c42a69e48be11d4253fcd b

**SHA1:** ade62de16b056ad46785df5f2f376a3472f80d74

**SHA256:**9df5d15c1768b1c0823eed5a4784da2f7dbeaa2d72c2d45a66a4d25ae4d41afb

**Referenced In Project/Scope:**gui

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

#### comparison.webgui.zip: comparison.webgui.jar: multipasswordpanel.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/gui/build/tmp/dependencies/i-net PDFC/plugins/comparison.webgui.zip/comparison.webgui.jar/com/inet/pdfc/webgui/client/js/directives/multipasswordpanel.js

**MD5:** 8dc57163fcdafc64e5d324a9fe39bb46

**SHA1:** 79196a59f44ed72b0baa529857b2ad4321751eff

**SHA256:** b0c30c119ab1d75be1b2f83480ef8bb0ca3f9dd30de6a0d09acf54806ab7beda

**Referenced In Project/Scope:**gui

##### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

##### Identifiers

- None

#### comparison.webgui.zip: comparison.webgui.jar: mycomparisons.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/gui/build/tmp/dependencies/i-net PDFC/plugins/comparison.webgui.zip/comparison.webgui.jar/com/inet/pdfc/webgui/client/js/mycomparisons.js

**MD5:** cdbfc2ee5a50238442648e2ff1d098f7

**SHA1:** 9582d0491b095c2df43791e55df6a8bcd1f0eb53

**SHA256:** b1fba2191ae3d4713ac9431a575c581095ccfd03022a9eb771241d2cb97ca55d

**Referenced In Project/Scope:**gui

##### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

##### Identifiers

- None

#### comparison.webgui.zip: comparison.webgui.jar: passwordpanel.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/gui/build/tmp/dependencies/i-net PDFC/plugins/comparison.webgui.zip/comparison.webgui.jar/com/inet/pdfc/webgui/client/js/directives/passwordpanel.js  
**MD5:** 35b1c24467988a11c51aee3faccca01f  
**SHA1:** e3d68ef1e938a548d514971783c96a37b91afa38  
**SHA256:**2862fd50225ed1b9c2fc33421258114f0ef367bdb72bb929b0f213468b635a2  
**Referenced In Project/Scope:**gui

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### comparison.webgui.zip: comparison.webgui.jar: pdfconfig.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/gui/build/tmp/dependencies/i-net PDFC/plugins/comparison.webgui.zip/comparison.webgui.jar/com/inet/pdfc/webgui/client/js/pdfconfig.js  
**MD5:** 9ff486177a5ce262ea8e4a0c31be01f2  
**SHA1:** 37361e5e5d850a989559380c767de28e68d07098  
**SHA256:**5e2a890647ea95d78ecae6386f2cae26006a6b03df6e1a9eddee29f2f87812ca  
**Referenced In Project/Scope:**gui

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### comparison.webgui.zip: comparison.webgui.jar: profil.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/gui/build/tmp/dependencies/i-net PDFC/plugins/comparison.webgui.zip/comparison.webgui.jar/com/inet/pdfc/webgui/client/js/profil.js  
**MD5:** 2032bab900d8fad60cfda17a28694fb3

**SHA1:** 825c875a2167539bca8be66bd2c45f0e8ec8b590

**SHA256:** b38f0b2dbe80bd0ad889f39dc78916dcfd59345658462b4ba3af71632e4f9119

**Referenced In Project/Scope:**gui

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### comparison.webgui.zip: comparison.webgui.jar: profileentry.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/gui/build/tmp/dependencies/i-net PDFC/plugins/comparison.webgui.zip/comparison.webgui.jar/com/inet/pdfc/webgui/client/js/directives/profileentry.js

**MD5:** 57391e3ca531f4ef83608f10c87ce691

**SHA1:** b3e2cae88e689b0b877df8ef290b3f37e60157d7

**SHA256:** 3bd41ad34829aec63f02d57d8b98d473e606b2df49186575ee0feae53d164665

**Referenced In Project/Scope:**gui

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### comparison.webgui.zip: comparison.webgui.jar: publishdialog.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/gui/build/tmp/dependencies/i-net PDFC/plugins/comparison.webgui.zip/comparison.webgui.jar/com/inet/pdfc/webgui/client/js/publishdialog.js

**MD5:** cb39f0740cca72df1160d0c4b97412ce

**SHA1:** ea4b087dba9daa1fb8c7c71ca78bc91e884af69b

**SHA256:** e2f58b24368d3a27a4aadaa91e4372d37bec648e23e803bd702dbdff891ca3b7

**Referenced In Project/Scope:**gui

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### comparison.webgui.zip: comparison.webgui.jar: publishprofiledialog.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/gui/build/tmp/dependencies/i-net PDFC/plugins/comparison.webgui.zip/comparison.webgui.jar/com/inet/pdfc/webgui/client/js/directives/publishprofiledialog.js

**MD5:** 71f9c6a407bcdd70cd94fd2cfa1ca6da

**SHA1:** 0ac49131f58dcfc1651d1780b543b88dedcecb95

**SHA256:** 23c4ac9e297f97dbea24f75b1736a2e8a59c305704aafb1e55f7d389ec37687d

**Referenced In Project/Scope:**gui

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### comparison.webgui.zip: comparison.webgui.jar: report.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/gui/build/tmp/dependencies/i-net PDFC/plugins/comparison.webgui.zip/comparison.webgui.jar/com/inet/pdfc/webgui/client/js/report.js

**MD5:** fe6f78391d124b17a695fcc736f79f53

**SHA1:** b5e0d55a8c900944b3547efe1cb5cf6592aba6d5

**SHA256:** 896c1486fb2119e198dd92a6aae101d72fd6c0adf8f38957dbf68a0f15673a6

**Referenced In Project/Scope:**gui

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

#### comparison.webgui.zip: comparison.webgui.jar: scroller.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/gui/build/tmp/dependencies/i-net PDFC/plugins/comparison.webgui.zip/comparison.webgui.jar/com/inet/pdfc/webgui/client/js/scroller.js

**MD5:** ad12d28b5e3618b706a9970939e2b0e0

**SHA1:** 67a7a71c09f318990a28b0ae583410c90387b1ff

**SHA256:** 599dcb73fb56e7d158e9b9134bf61095a248412e14de0bbe81500a001e3aa8ec

**Referenced In Project/Scope:**gui

##### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

##### Identifiers

- None

#### comparison.webgui.zip: comparison.webgui.jar: searchcomponent.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/gui/build/tmp/dependencies/i-net PDFC/plugins/comparison.webgui.zip/comparison.webgui.jar/com/inet/pdfc/webgui/client/js/directives/searchcomponent.js

**MD5:** c6ef98e4c02889301cf95b6f1bbbb5e8

**SHA1:** 915e5c61ed716f8c386a60105c5ce1dd32eadf45

**SHA256:** 4b9e4d307dc19682de95d89434940a53f08635f4c6669c1ba6971fc72565bf5e

**Referenced In Project/Scope:**gui

##### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

##### Identifiers

- None

#### comparison.webgui.zip: comparison.webgui.jar: userlist.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/gui/build/tmp/dependencies/i-net PDFC/plugins/comparison.webgui.zip/comparison.webgui.jar/com/inet/pdfc/webgui/client/js/directives/userlist.js  
**MD5:** 7f02b9beea14ccaf1aa69d56774af047  
**SHA1:** 13c4d28849ac5ac894035c6cbd23c2aadcd17107  
**SHA256:** e264ece3d2ee5e04afd67551a7f6f360985b1f61e9d264719ffe73d4258bdf  
**Referenced In Project/Scope:**gui

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### comparison.webgui.zip: comparison.webgui.jar: visibilitysettings.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/gui/build/tmp/dependencies/i-net PDFC/plugins/comparison.webgui.zip/comparison.webgui.jar/com/inet/pdfc/webgui/client/js/visibilitysettings.js  
**MD5:** 17292e740ec3b0b51b2529dfe5941f33  
**SHA1:** 699771072d39aad920b27c9c58ceaaece5af4a60  
**SHA256:** b10b0143b19dc62be6802ceba75ecceca42bdbc6fe177b305efe416fe91c200b  
**Referenced In Project/Scope:**gui

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### comparison.webgui.zip: comparison.webgui.jar: zoomer.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/gui/build/tmp/dependencies/i-net PDFC/plugins/comparison.webgui.zip/comparison.webgui.jar/com/inet/pdfc/webgui/client/js/directives/zoomer.js  
**MD5:** c20fdefd0af14059811238b3c10f1775

**SHA1:** 7c7359ce516337d0eaf08c01aa2c90bdc22a230e  
**SHA256:**6714fd8e5901ab628f84757a9826908f3528aade6bf9f1ce5c440ae638232ee0  
**Referenced In Project/Scope:**gui

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

filter.area.zip: filter.area.jar

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/gui/build/tmp/dependencies/i-net PDFC/plugins/filter.area.zip/filter.area.jar  
**MD5:** b3d364f68d543ea49fd21d2b9ae5e052  
**SHA1:** eea11b0800c48d09202f620f089017f9ec002c9a  
**SHA256:**2e3991374a08bb93e13baaa98b4f03690867e095514b39448339b1362f7b2aa2  
**Referenced In Project/Scope:**gui

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Vendor	file	name	filter.area	High
Vendor	jar	package name	filter	Low
Vendor	jar	package name	inet	Low
Vendor	jar	package name	pdfc	Low
Vendor	Manifest	application-library-allowable-codebase	*	Low
Vendor	Manifest	built-date	2023-11-23 14:17	Low
Vendor	Manifest	codebase	*	Low
Vendor	Manifest	implementation-group	pdfc	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	permissions	all-permissions	Low
Vendor	Manifest	specification-	i-net software	Low



## vendor

Vendor	Manifest	trusted-library	false	Low
Vendor	Manifest	trusted-only	false	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	filter.area	High
Product	jar	package name	area	Highest
Product	jar	package name	area	Low
Product	jar	package name	filter	Highest
Product	jar	package name	filter	Low
Product	jar	package name	pdfc	Highest
Product	jar	package name	pdfc	Low
Product	Manifest	application-library-allowable-codebase	*	Low
Product	Manifest	built-date	2023-11-23 14:17	Low
Product	Manifest	codebase	*	Low
Product	Manifest	implementation-group	pdfc	Low
Product	Manifest	Implementation-Title	filter.area	High
Product	Manifest	permissions	all-permissions	Low
Product	Manifest	specification-title	filter.area	Medium
Product	Manifest	trusted-library	false	Low
Product	Manifest	trusted-only	false	Low
Version	jar	package name	pdfc	Highest
Version	Manifest	Implementation-Version	23.10.241	High

## Identifiers

- cpe:2.3:a:inetsoftware:pdfc:23.10.241:\*:\*:\*:\*:\* (Confidence:Low) suppress

## filter.baselinetable.zip: filter.baselinetable.jar

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/gui/build/tmp/dependencies/i-net PDFC/plugins/filter.baselinetable.zip/filter.baselinetable.jar

**MD5:** 0695a7ac42e681b4a71946f84c3e5527

**SHA1:** c44e5512168fd11476fe8fe971e25976784b71ac

**SHA256:**cd6fe9885095e557ee29dc7a61ee3ecdda3b0411afa27b314145347e3a4c7613

**Referenced In Project/Scope:**gui

## Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	filter.baselinetable	High
Vendor	jar	package name	filter	Low
Vendor	jar	package name	inet	Low
Vendor	jar	package name	pdfc	Low
Vendor	Manifest	application-library-allowable-codebase	*	Low
Vendor	Manifest	built-date	2023-11-23 14:15	Low
Vendor	Manifest	codebase	*	Low
Vendor	Manifest	implementation-group	pdfc	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	permissions	all-permissions	Low
Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	trusted-library	false	Low
Vendor	Manifest	trusted-only	false	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	filter.baselinetable	High
Product	jar	package name	baselinetable	Highest
Product	jar	package name	baselinetable	Low
Product	jar	package name	filter	Highest
Product	jar	package name	filter	Low
Product	jar	package name	pdfc	Highest
Product	jar	package name	pdfc	Low
Product	Manifest	application-library-allowable-codebase	*	Low
Product	Manifest	built-date	2023-11-23 14:15	Low

Product	Manifest	codebase	*	Low
Product	Manifest	implementation-group	pdfc	Low
Product	Manifest	Implementation-Title	filter.baselinetable	High
Product	Manifest	permissions	all-permissions	Low
Product	Manifest	specification-title	filter.baselinetable	Medium
Product	Manifest	trusted-library	false	Low
Product	Manifest	trusted-only	false	Low
Version	jar	package name	pdfc	Highest
Version	Manifest	Implementation-Version	23.10.241	High

## Identifiers

- cpe:2.3:a:inetsoftware:pdfc:23.10.241.\*.\*.\*.\*.\* (Confidence:Low) suppress

**filter.cmappatch.zip: filter.cmappatch.jar**

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/gui/build/tmp/dependencies/i-net PDFC/plugins/filter.cmappatch.zip/filter.cmappatch.jar

MD5: 80534b128273a6116dca486058fcfecc

**SHA1:** 56b70e2b76b9cf516530441c3b0fc981232d8f83

**SHA256:**acd413717fc3cc420511e81cb5e11bc7c9e1657ce8252caed9f24cb2e6e71619

**Referenced In Project/Scope:**gui

## Evidence

Type	Source	Name	Value	Confidence
Vendor	file	name	filter.cmappatch	High
Vendor	jar	package name	filter	Low
Vendor	jar	package name	inet	Low
Vendor	jar	package name	pdfc	Low
Vendor	Manifest	application-library-allowable-codebase	*	Low
Vendor	Manifest	built-date	2023-11-23 14:11	Low
Vendor	Manifest	codebase	*	Low
Vendor	Manifest	implementation-	pdfc	Low

## group

Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	permissions	all-permissions	Low
Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	trusted-library	false	Low
Vendor	Manifest	trusted-only	false	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	filter.cmappatch	High
Product	jar	package name	cmappatch	Highest
Product	jar	package name	cmappatch	Low
Product	jar	package name	filter	Highest
Product	jar	package name	filter	Low
Product	jar	package name	pdfc	Highest
Product	jar	package name	pdfc	Low
Product	Manifest	application-library-allowable-codebase	*	Low
Product	Manifest	built-date	2023-11-23 14:11	Low
Product	Manifest	codebase	*	Low
Product	Manifest	implementation-group	pdfc	Low
Product	Manifest	Implementation-Title	filter.cmappatch	High
Product	Manifest	permissions	all-permissions	Low
Product	Manifest	specification-title	filter.cmappatch	Medium
Product	Manifest	trusted-library	false	Low
Product	Manifest	trusted-only	false	Low
Version	jar	package name	pdfc	Highest
Version	Manifest	Implementation-Version	23.10.241	High

## Identifiers

- cpe:2.3:a:inetsoftware:pdfc:23.10.241:\*\*\*\*\*:\* (Confidence:Low)

suppress

## filter.headerfooter.zip: filter.headerfooter.jar

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/gui/build/tmp/dependencies/i-net PDFC/plugins/filter.headerfooter.zip/filter.headerfooter.jar

**MD5:** e5cd217931bfa5826749cbe7bc4975d3

**SHA1:** 3772814536a5030bd9c636ca1d193cad410d72aa

**SHA256:** 5bcccc5bec925983ebf7b5d43bf18be7785b27e63fc514c8732a39eacde30591

**Referenced In Project/Scope:**gui

### Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	filter.headerfooter	High
Vendor	jar	package name	filter	Low
Vendor	jar	package name	inet	Low
Vendor	jar	package name	pdfc	Low
Vendor	Manifest	application-library-allowable-codebase	*	Low
Vendor	Manifest	built-date	2023-11-23 14:14	Low
Vendor	Manifest	codebase	*	Low
Vendor	Manifest	implementation-group	pdfc	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	permissions	all-permissions	Low
Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	trusted-library	false	Low
Vendor	Manifest	trusted-only	false	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	filter.headerfooter	High
Product	jar	package name	filter	Highest
Product	jar	package name	filter	Low
Product	jar	package name	headerfooter	Highest
Product	jar	package name	headerfooter	Low
Product	jar	package name	pdfc	Highest

Product	jar	package name	pdfc	Low
Product	Manifest	application-library-allowable-codebase	*	Low
Product	Manifest	built-date	2023-11-23 14:14	Low
Product	Manifest	codebase	*	Low
Product	Manifest	implementation-group	pdfc	Low
Product	Manifest	Implementation-Title	filter.headerfooter	High
Product	Manifest	permissions	all-permissions	Low
Product	Manifest	specification-title	filter.headerfooter	Medium
Product	Manifest	trusted-library	false	Low
Product	Manifest	trusted-only	false	Low
Version	jar	package name	pdfc	Highest
Version	Manifest	Implementation-Version	23.10.241	High

## Identifiers

- cpe:2.3:a:inetsoftware:pdfc:23.10.241.\*:\*:\*:\*:\* (Confidence:Low) suppress

**filter.hiderotation.zip: filter.hiderotation.jar**

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/gui/build/tmp/dependencies/i-net PDFC/plugins/filter.hiderotation.zip/filter.hiderotation.jar

**MD5:** ffc87d19255cf43d2ae9da328957a4dd

**SHA1:** 1ecc8d2a1b8623b0ce00510c75f9f79e64a149b9

**SHA256:**8313b16871f39170203c6b94e466e5eca86f6e2c7a78b09f719efe784597ffcb

**Referenced In Project/Scope:**qui

## Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	filter.hiderotation	High
Vendor	jar	package name	filter	Low
Vendor	jar	package name	inet	Low
Vendor	jar	package name	pdfc	Low
Vendor	Manifest	application-	*	Low

		library-allowable-codebase		
Vendor	Manifest	built-date	2023-11-23 14:11	Low
Vendor	Manifest	codebase	*	Low
Vendor	Manifest	implementation-group	pdfc	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	permissions	all-permissions	Low
Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	trusted-library	false	Low
Vendor	Manifest	trusted-only	false	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	filter.hiderotation	High
Product	jar	package name	filter	Highest
Product	jar	package name	filter	Low
Product	jar	package name	hiderotation	Highest
Product	jar	package name	hiderotation	Low
Product	jar	package name	pdfc	Highest
Product	jar	package name	pdfc	Low
Product	Manifest	application-library-allowable-codebase	*	Low
Product	Manifest	built-date	2023-11-23 14:11	Low
Product	Manifest	codebase	*	Low
Product	Manifest	implementation-group	pdfc	Low
Product	Manifest	Implementation-Title	filter.hiderotation	High
Product	Manifest	permissions	all-permissions	Low
Product	Manifest	specification-title	filter.hiderotation	Medium
Product	Manifest	trusted-library	false	Low
Product	Manifest	trusted-only	false	Low
Version	jar	package name	pdfc	Highest
Version	Manifest	Implementation-Version	23.10.241	High

## Identifiers

- cpe:2.3:a:inetsoftware:pdfc:23.10.241:\*:\*:\*:\*:\* (Confidence:Low) suppress

## filter.invisibleelements.zip: filter.invisibleelements.jar

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/gui/build/tmp/dependencies/i-net PDFC/plugins/filter.invisibleelements.zip/filter.invisibleelements.jar

**MD5:** 38bb83de21093439316f6151dddf5635

**SHA1:** 77bf05ca960d3c8b228f96525f03da52f50cb6ef

**SHA256:**08537d41da18705cc6e81f0c711eaf57d8092cae0a8e8bf8b9ac73b49641076e

**Referenced In Project/Scope:**gui

## Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	filter.invisibleelements	High
Vendor	jar	package name	filter	Low
Vendor	jar	package name	inet	Low
Vendor	jar	package name	pdfc	Low
Vendor	Manifest	application-library-allowable-codebase	*	Low
Vendor	Manifest	built-date	2023-11-23 14:13	Low
Vendor	Manifest	codebase	*	Low
Vendor	Manifest	implementation-group	pdfc	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	permissions	all-permissions	Low
Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	trusted-library	false	Low
Vendor	Manifest	trusted-only	false	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	filter.invisibleelements	High



Product	jar	package name	filter	Highest
Product	jar	package name	filter	Low
Product	jar	package name	invisibleelements	Highest
Product	jar	package name	invisibleelements	Low
Product	jar	package name	pdfc	Highest
Product	jar	package name	pdfc	Low
Product	Manifest	application-library-allowable-codebase	*	Low
Product	Manifest	built-date	2023-11-23 14:13	Low
Product	Manifest	codebase	*	Low
Product	Manifest	implementation-group	pdfc	Low
Product	Manifest	Implementation-Title	filter.invisibleelements	High
Product	Manifest	permissions	all-permissions	Low
Product	Manifest	specification-title	filter.invisibleelements	Medium
Product	Manifest	trusted-library	false	Low
Product	Manifest	trusted-only	false	Low
Version	jar	package name	pdfc	Highest
Version	Manifest	Implementation-Version	23.10.241	High

#### Identifiers

- cpe:2.3:a:inetsoftware:pdfc:23.10.241:\*:\*:\*:\*:\* (Confidence:Low) suppress

### filter.multicolumn.zip: filter.multicolumn.jar

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/gui/build/tmp/dependencies/i-net PDFC/plugins/filter.multicolumn.zip/filter.multicolumn.jar

**MD5:** 29bfa0639a22e9398e193635537dbbae

**SHA1:** 550940bb6e21bf6c4fe3ba18fc355bd3c368da8

**SHA256:** e00e236cb2725b1c31f778290e7fb920f8d245ddfb8a076b2f540eb0e7c0e985

**Referenced In Project/Scope:**gui

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Vendor	file	name	filter.multicolumn	High
Vendor	jar	package name	filter	Low
Vendor	jar	package name	inet	Low
Vendor	jar	package name	pdfc	Low
Vendor	Manifest	application-library-allowable-codebase	*	Low
Vendor	Manifest	built-date	2023-11-23 14:14	Low
Vendor	Manifest	codebase	*	Low
Vendor	Manifest	implementation-group	pdfc	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	permissions	all-permissions	Low
Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	trusted-library	false	Low
Vendor	Manifest	trusted-only	false	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	filter.multicolumn	High
Product	jar	package name	filter	Highest
Product	jar	package name	filter	Low
Product	jar	package name	multicolumn	Highest
Product	jar	package name	multicolumn	Low
Product	jar	package name	pdfc	Highest
Product	jar	package name	pdfc	Low
Product	Manifest	application-library-allowable-codebase	*	Low
Product	Manifest	built-date	2023-11-23 14:14	Low
Product	Manifest	codebase	*	Low
Product	Manifest	implementation-group	pdfc	Low
Product	Manifest	Implementation-Title	filter.multicolumn	High
Product	Manifest	permissions	all-permissions	Low
Product	Manifest	specification-title	filter.multicolumn	Medium

Product	Manifest	trusted-library	false	Low
Product	Manifest	trusted-only	false	Low
Version	jar	package name	pdfc	Highest
Version	Manifest	Implementation-Version	23.10.241	High

#### Identifiers

- cpe:2.3:a:inetsoftware:pdfc:23.10.241:\*:\*:\*:\*:\* (Confidence:Low) suppress

### filter.ocr.zip: filter.ocr.jar

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/gui/build/tmp/dependencies/i-net PDFC/plugins/filter.ocr.zip/filter.ocr.jar

**MD5:** bf4338fb529c169fbb1798d6e19a337d

**SHA1:** 9db53223e1311a9dcd8537135f066e746c3707c1

**SHA256:** f995066d4dfa9414cb05c610f2974849f6c1f489c98c81966d44f61e3a60bfdb

**Referenced In Project/Scope:**gui

#### Evidence

Type	Source	Name	Value	Confidence
Vendor	file	name	filter.ocr	High
Vendor	jar	package name	filter	Low
Vendor	jar	package name	inet	Low
Vendor	jar	package name	pdfc	Low
Vendor	Manifest	application-library-allowable-codebase	*	Low
Vendor	Manifest	built-date	2023-11-23 14:11	Low
Vendor	Manifest	codebase	*	Low
Vendor	Manifest	implementation-group	pdfc	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	permissions	all-permissions	Low
Vendor	Manifest	specification-vendor	i-net software	Low

Vendor	Manifest	trusted-library	false	Low
Vendor	Manifest	trusted-only	false	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	filter.ocr	High
Product	jar	package name	filter	Highest
Product	jar	package name	filter	Low
Product	jar	package name	ocr	Highest
Product	jar	package name	ocr	Low
Product	jar	package name	pdfc	Highest
Product	jar	package name	pdfc	Low
Product	Manifest	application-library-allowable-codebase	*	Low
Product	Manifest	built-date	2023-11-23 14:11	Low
Product	Manifest	codebase	*	Low
Product	Manifest	implementation-group	pdfc	Low
Product	Manifest	Implementation-Title	filter.ocr	High
Product	Manifest	permissions	all-permissions	Low
Product	Manifest	specification-title	filter.ocr	Medium
Product	Manifest	trusted-library	false	Low
Product	Manifest	trusted-only	false	Low
Version	jar	package name	pdfc	Highest
Version	Manifest	Implementation-Version	23.10.241	High

#### Identifiers

- cpe:2.3:a:inetsoftware:pdfc:23.10.241:\*:\*:\*:\*:\* (Confidence:Low) suppress

### filter.pagerange.zip: filter.pagerange.jar

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/gui/build/tmp/dependencies/i-net PDFC/plugins/filter.pagerange.zip/filter.pagerange.jar

**MD5:** 71dcbc0f9817d13d883013e155f85cf4

**SHA1:** c390ae4d5688d57222f41144cb5f0b3dff938f9

## Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	filter.pagerange	High
Vendor	jar	package name	filter	Low
Vendor	jar	package name	inet	Low
Vendor	jar	package name	pdfc	Low
Vendor	Manifest	application-library-allowable-codebase	*	Low
Vendor	Manifest	built-date	2023-11-23 14:16	Low
Vendor	Manifest	codebase	*	Low
Vendor	Manifest	implementation-group	pdfc	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	permissions	all-permissions	Low
Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	trusted-library	false	Low
Vendor	Manifest	trusted-only	false	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	filter.pagerange	High
Product	jar	package name	filter	Highest
Product	jar	package name	filter	Low
Product	jar	package name	page	Low
Product	jar	package name	pdfc	Highest
Product	jar	package name	pdfc	Low
Product	Manifest	application-library-allowable-codebase	*	Low
Product	Manifest	built-date	2023-11-23 14:16	Low
Product	Manifest	codebase	*	Low
Product	Manifest	implementation-group	pdfc	Low

Product	Manifest	Implementation-Title	filter.pagerange	High
Product	Manifest	permissions	all-permissions	Low
Product	Manifest	specification-title	filter.pagerange	Medium
Product	Manifest	trusted-library	false	Low
Product	Manifest	trusted-only	false	Low
Version	jar	package name	pdfc	Highest
Version	Manifest	Implementation-Version	23.10.241	High

#### Identifiers

- cpe:2.3:a:inetsoftware:pdfc:23.10.241:\*:\*:\*:\*:\* (Confidence:Low) suppress

### filter.regex.zip: filter.regex.jar

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/gui/build/tmp/dependencies/i-net PDFC/plugins/filter.regex.zip/filter.regex.jar

**MD5:** 3c314966c26dd6d4f0c97602952a3bad

**SHA1:** 21850ce8f311899a57c2211a9e5a458022a604c0

**SHA256:** 9998f3dc34f27d3dee7863f9b8e1e5a5677748f7e1a1efdc3ba1a1abe68f1b9a

**Referenced In Project/Scope:**gui

#### Evidence

Type	Source	Name	Value	Confidence
Vendor	file	name	filter.regex	High
Vendor	jar	package name	filter	Low
Vendor	jar	package name	inet	Low
Vendor	jar	package name	pdfc	Low
Vendor	Manifest	application-library-allowable-codebase	*	Low
Vendor	Manifest	built-date	2023-11-23 14:14	Low
Vendor	Manifest	codebase	*	Low
Vendor	Manifest	implementation-group	pdfc	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High

Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	permissions	all-permissions	Low
Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	trusted-library	false	Low
Vendor	Manifest	trusted-only	false	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	filter.regex	High
Product	jar	package name	filter	Highest
Product	jar	package name	filter	Low
Product	jar	package name	pdfc	Highest
Product	jar	package name	pdfc	Low
Product	jar	package name	regex	Highest
Product	jar	package name	regex	Low
Product	Manifest	application-library-allowable-codebase	*	Low
Product	Manifest	built-date	2023-11-23 14:14	Low
Product	Manifest	codebase	*	Low
Product	Manifest	implementation-group	pdfc	Low
Product	Manifest	Implementation-Title	filter.regex	High
Product	Manifest	permissions	all-permissions	Low
Product	Manifest	specification-title	filter.regex	Medium
Product	Manifest	trusted-library	false	Low
Product	Manifest	trusted-only	false	Low
Version	jar	package name	pdfc	Highest
Version	Manifest	Implementation-Version	23.10.241	High

## Identifiers

- cpe:2.3:a:inetsoftware:pdfc:23.10.241:\*:\*:\*:\*:\* (Confidence:Low) suppress

filter.regex.zip: filter.regex.jar: filterrenderer.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/gui/build/tmp/dependencies/i-net PDFC/plugins/filter.regex.zip/filter.regex.jar/com/inet/pdfc/filter/regex/structure/filterrenderer.js  
**MD5:** c42f30a7f03547aa1909e8e5c0e838ad  
**SHA1:** e49f9703fbda0ffcaf831b7e625228dff91a26cf  
**SHA256:**a08751ad11877d90715267b89484ca690a46135b36725e99eb21701e0510cf50  
**Referenced In Project/Scope:**gui

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

filter.texttransform.zip: filter.texttransform.jar

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/gui/build/tmp/dependencies/i-net PDFC/plugins/filter.texttransform.zip/filter.texttransform.jar  
**MD5:** 25d744454ae695815957f0b485fcddec2  
**SHA1:** 6f29518568652eaf8f6395b9ed54b5bab5810087  
**SHA256:**cf16fff23bb520d0602b39404d500d53991007aa76faf5aa3997c86e1bcb9ba4  
**Referenced In Project/Scope:**gui

Evidence

Type	Source	Name	Value	Confidence
Vendor	file	name	filter.texttransform	High
Vendor	jar	package name	filter	Low
Vendor	jar	package name	inet	Low
Vendor	jar	package name	pdfc	Low
Vendor	Manifest	application-library-allowable-codebase	*	Low
Vendor	Manifest	built-date	2023-11-23 14:14	Low
Vendor	Manifest	codebase	*	Low
Vendor	Manifest	implementation-group	pdfc	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High



Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	permissions	all-permissions	Low
Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	trusted-library	false	Low
Vendor	Manifest	trusted-only	false	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	filter.texttransform	High
Product	jar	package name	filter	Highest
Product	jar	package name	filter	Low
Product	jar	package name	pdfc	Highest
Product	jar	package name	pdfc	Low
Product	jar	package name	texttransform	Highest
Product	jar	package name	texttransform	Low
Product	Manifest	application-library-allowable-codebase	*	Low
Product	Manifest	built-date	2023-11-23 14:14	Low
Product	Manifest	codebase	*	Low
Product	Manifest	implementation-group	pdfc	Low
Product	Manifest	Implementation-Title	filter.texttransform	High
Product	Manifest	permissions	all-permissions	Low
Product	Manifest	specification-title	filter.texttransform	Medium
Product	Manifest	trusted-library	false	Low
Product	Manifest	trusted-only	false	Low
Version	jar	package name	pdfc	Highest
Version	Manifest	Implementation-Version	23.10.241	High

## Identifiers

- cpe:2.3:a:inetsoftware:pdfc:23.10.241:\*\*\*\*\*:\* (Confidence:Low) suppress

## filter.urllookup.zip: filter.urllookup.jar

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/gui/build/tmp/dependencies/i-net PDFC/plugins/filter.urllookup.zip/filter.urllookup.jar

**MD5:** c6f9dfcd249b7c65ae9ca31062cac6ae

**SHA1:** d26029253903c844bdaef08a759bb38c5088483c

**SHA256:** 0357e1a69013c0cf6ea8a76d6c580597e2b8b532b7b76e78bef2a0d9cef0804a

**Referenced In Project/Scope:**gui

### Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	filter.urllookup	High
Vendor	jar	package name	filter	Low
Vendor	jar	package name	inet	Low
Vendor	jar	package name	pdfc	Low
Vendor	Manifest	application-library-allowable-codebase	*	Low
Vendor	Manifest	built-date	2023-11-23 14:17	Low
Vendor	Manifest	codebase	*	Low
Vendor	Manifest	implementation-group	pdfc	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	permissions	all-permissions	Low
Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	trusted-library	false	Low
Vendor	Manifest	trusted-only	false	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	filter.urllookup	High
Product	jar	package name	filter	Highest
Product	jar	package name	filter	Low
Product	jar	package name	pdfc	Highest
Product	jar	package name	pdfc	Low
Product	jar	package name	urllookup	Highest
Product	jar	package name	urllookup	Low
Product	Manifest	application-library-	*	Low

		allowable-codebase		
Product	Manifest	built-date	2023-11-23 14:17	Low
Product	Manifest	codebase	*	Low
Product	Manifest	implementation-group	pdfc	Low
Product	Manifest	Implementation-Title	filter.urllookup	High
Product	Manifest	permissions	all-permissions	Low
Product	Manifest	specification-title	filter.urllookup	Medium
Product	Manifest	trusted-library	false	Low
Product	Manifest	trusted-only	false	Low
Version	jar	package name	pdfc	Highest
Version	Manifest	Implementation-Version	23.10.241	High

#### Identifiers

- cpe:2.3:a:inetsoftware:pdfc:23.10.241:\*:\*:\*:\*:\* (Confidence:Low) suppress

## hamcrest-2.2.jar

### Description:

Core API and libraries of hamcrest matcher framework.

### License:

BSD License 3: <http://opensource.org/licenses/BSD-3-Clause>

**File Path:** /home/jenkins/.gradle/caches/modules-2/files-2.1/org.hamcrest/hamcrest/2.2/1820c0968dba3a11a1b30669bb1f01978a91dedc/hamcrest-2.2.jar

**MD5:** 10b47e837f271d0662f28780e60388e8

**SHA1:** 1820c0968dba3a11a1b30669bb1f01978a91dedc

**SHA256:** 5e62846a89f05cd78cd9c1a553f340d002458380c320455dd1f8fc5497a8a1c1

**Referenced In Project/Scope:** gui:inetPlugin

### Evidence



Type	Source	Name	Value	Confidence
Vendor	central	artifactid	hamcrest	Highest
Vendor	central	groupid	org.hamcrest	Highest
Vendor	file	name	hamcrest	High

Vendor	gradle	artifactid	hamcrest	Highest
Vendor	gradle	groupid	org.hamcrest	Highest
Vendor	jar	package name	hamcrest	Highest
Vendor	jar	package name	hamcrest	Low
Vendor	Manifest	automatic-module-name	org.hamcrest	Medium
Vendor	Manifest	bundle-symbolicname	org.hamcrest	Medium
Vendor	Manifest	Implementation-Vendor	hamcrest.org	High
Vendor	Manifest	require-capability	osgi.ee;filter:="(&(osgi.ee=JavaSE)(version=1.7))"	Low
Vendor	pom	artifactid	hamcrest	Low
Vendor	pom	developer id	joewalnes	Medium
Vendor	pom	developer id	npryce	Medium
Vendor	pom	developer id	sf105	Medium
Vendor	pom	developer name	Joe Walnes	Medium
Vendor	pom	developer name	Nat Pryce	Medium
Vendor	pom	developer name	Steve Freeman	Medium
Vendor	pom	groupid	org.hamcrest	Highest
Vendor	pom	name	Hamcrest	High
Vendor	pom	url	http://hamcrest.org/JavaHamcrest/	Highest
Product	central	artifactid	hamcrest	Highest
Product	file	name	hamcrest	High
Product	gradle	artifactid	hamcrest	Highest
Product	jar	package name	hamcrest	Highest
Product	Manifest	automatic-module-name	org.hamcrest	Medium
Product	Manifest	Bundle-Name	hamcrest	Medium
Product	Manifest	bundle-symbolicname	org.hamcrest	Medium
Product	Manifest	Implementation-Title	hamcrest	High
Product	Manifest	require-capability	osgi.ee;filter:="(&(osgi.ee=JavaSE)(version=1.7))"	Low
Product	pom	artifactid	hamcrest	Highest
Product	pom	developer id	joewalnes	Low
Product	pom	developer id	npryce	Low
Product	pom	developer id	sf105	Low

Product	pom	developer name	Joe Walnes	Low
Product	pom	developer name	Nat Pryce	Low
Product	pom	developer name	Steve Freeman	Low
Product	pom	groupid	org.hamcrest	Highest
Product	pom	name	Hamcrest	High
Product	pom	url	http://hamcrest.org/JavaHamcrest/	Medium
Version	central	version	2.2	Highest
Version	file	version	2.2	High
Version	gradle	version	2.2	Highest
Version	Manifest	Bundle-Version	2.2	High
Version	Manifest	Implementation-Version	2.2	High
Version	pom	version	2.2	Highest

#### Identifiers

- <pkg:maven/org.hamcrest/hamcrest@2.2> (Confidence:High)

## inetcore-23.10-tools.jar

**File Path:** /home/jenkins/.gradle/caches/modules-2/files-2.1/shared/inetcore/23.10

/750eec9379e6f99932bcb6f7ca84edc875ff8ea8/inetcore-23.10-tools.jar

**MD5:** a712ea653fe7836c8fed9db07897433f

**SHA1:** 750eec9379e6f99932bcb6f7ca84edc875ff8ea8

**SHA256:**dbc4eaff696a228fc59820b197a56c831ba6dae1996965410e7b6f443b427eb3

**Referenced In Project/Scope:**gui:inetPlugin

#### Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	inetcore	High
Vendor	gradle	artifactid	inetcore	Highest
Vendor	gradle	groupid	shared	Highest
Vendor	jar	package name	test	Low
Product	file	name	inetcore	High
Product	gradle	artifactid	inetcore	Highest
Version	file	name	inetcore	Medium
Version	file	version	23.10	High

Version	gradle	version	23.10	Highest
---------	--------	---------	-------	---------

## Identifiers

- <pkg:maven/shared/inetcore@23.10> (*Confidence*:Highest)

## inetcore-23.10.jar (shaded: com.inet.shared:inetcore:null)

### Description:

A blend composite defines the rule according to which a drawing primitive (known as the source) is mixed with existing graphics (know as the destination.)

ColorUtilities contains a set of tools to perform common color operations easily.

### License:

LGPL: <http://www.gnu.org/licenses/lgpl.txt>

**File Path:** /home/jenkins/.gradle/caches/modules-2/files-2.1/shared/inetcore/23.10/316e9f67934f6521b0cc3491ab952c4b31c220ea/inetcore-23.10.jar/META-INF/com/inet/shared/utlis/BlendComposite/pom.xml

**MD5:** b7bc59004e73f85cce4369bc5e034e6b

**SHA1:** 9caff88589bdd8fdc3c3f320340b76830f3818de

**SHA256:** aab973b164e2d64808cd34c47b78399c4f016ec308900f5393733d3bc5c706bc

**Referenced In Project/Scope:**gui:inetPlugin

## Evidence

Type	Source	Name	Value	Confidence
Vendor	pom	artifactid	inetcore	Low
Vendor	pom	developer email	contact@inetsoftware.de	Low
Vendor	pom	developer email	morgand@apache.org	Low
Vendor	pom	developer id	inetsoftware	Medium
Vendor	pom	developer id	romainguy	Medium
Vendor	pom	developer id	sun	Medium
Vendor	pom	developer name	i-net /// software	Medium
Vendor	pom	developer name	Romain Guy	Medium
Vendor	pom	developer name	Sun	Medium
Vendor	pom	developer org	Sun	Medium
Vendor	pom	groupid	com.inet.shared	Highest
Vendor	pom	name	BlendComposite and ColorUtils	High
Vendor	pom	developer id	oracle	Medium

	(hint)			
Vendor	pom (hint)	developer name	oracle	Medium
Vendor	pom (hint)	developer org	oracle	Medium
Product	pom	artifactid	inetcore	Highest
Product	pom	developer email	contact@inetsoftware.de	Low
Product	pom	developer email	morgand@apache.org	Low
Product	pom	developer id	inetsoftware	Low
Product	pom	developer id	romainguy	Low
Product	pom	developer id	sun	Low
Product	pom	developer name	i-net /// software	Low
Product	pom	developer name	Romain Guy	Low
Product	pom	developer name	Sun	Low
Product	pom	developer org	Sun	Low
Product	pom	groupid	com.inet.shared	Highest
Product	pom	name	BlendComposite and ColorUtils	High

#### Identifiers

- None

## inetcore-23.10.jar

**File Path:** /home/jenkins/.gradle/caches/modules-2/files-2.1/shared/inetcore/23.10/316e9f67934f6521b0cc3491ab952c4b31c220ea/inetcore-23.10.jar

**MD5:** bd5b5e02f73ac8d9aae45e641bf1de87

**SHA1:** 316e9f67934f6521b0cc3491ab952c4b31c220ea

**SHA256:** af39304c3ce6b6a03dc23c5f78060ff22ec02288f24d261cff2b5e31fb538294

**Referenced In Project/Scope:**gui:inetPlugin

#### Evidence +

Type	Source	Name	Value	Confidence
Vendor	file	name	inetcore	High
Vendor	gradle	artifactid	inetcore	Highest
Vendor	gradle	groupid	shared	Highest
Vendor	jar	package name	i	Highest

Vendor	jar	package name	inet	Low
Vendor	Manifest	application-library-allowable-codebase	*	Low
Vendor	Manifest	built-date	2023-11-23 10:39	Low
Vendor	Manifest	codebase	*	Low
Vendor	Manifest	implementation-group	shared	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	permissions	all-permissions	Low
Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	trusted-library	false	Low
Vendor	Manifest	trusted-only	false	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	inetcore	High
Product	gradle	artifactid	inetcore	Highest
Product	jar	package name	permissions	Highest
Product	jar	package name	shared	Highest
Product	Manifest	application-library-allowable-codebase	*	Low
Product	Manifest	built-date	2023-11-23 10:39	Low
Product	Manifest	codebase	*	Low
Product	Manifest	implementation-group	shared	Low
Product	Manifest	Implementation-Title	inetcore	High
Product	Manifest	permissions	all-permissions	Low
Product	Manifest	specification-title	inetcore	Medium
Product	Manifest	trusted-library	false	Low
Product	Manifest	trusted-only	false	Low
Version	file	name	inetcore	Medium
Version	file	version	23.10	High
Version	gradle	version	23.10	Highest
Version	jar	package name	permissions	Highest



Version	jar	package name	shared	Highest
Version	Manifest	Implementation-Version	23.10.241	High

#### Identifiers

- <pkg:maven/shared/inetcore@23.10> (*Confidence:High*est)

### java-17-jre-x64-linux.tar.gz: java-17-jre-x64-linux.tar: jrt-fs.jar

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/gui/build/tmp/dependencies/java-17-jre-x64-linux.tar.gz/java-17-jre-x64-linux.tar/jre-11/lib/jrt-fs.jar

**MD5:** ea4c2a3bc8b6563e4e5453ca022447f3

**SHA1:** 4702067e43a1ba583999aa3e72c1a12fc99f8e80

**SHA256:** f4fde8064ec1dc1494a6bf12955dcc83347e1aab2c1bf206c55fa3e0aa7e690b

**Referenced In Project/Scope:**gui

#### Evidence

Type	Source	Name	Value	Confidence
Vendor	file	name	jrt-fs	High
Vendor	jar	package name	internal	Low
Vendor	jar	package name	jdk	Low
Vendor	jar	package name	jimage	Low
Vendor	Manifest	Implementation-Vendor	Eclipse Adoptium	High
Vendor	Manifest	specification-vendor	Oracle Corporation	Low
Product	file	name	jrt-fs	High
Product	jar	package name	internal	Low
Product	jar	package name	jimage	Low
Product	Manifest	Implementation-Title	Java Runtime Environment	High
Product	Manifest	specification-title	Java Platform API Specification	Medium
Version	Manifest	Implementation-Version	17.0.9	High

#### Identifiers

-

## junit-4.13.2.jar

### Description:

JUnit is a unit testing framework for Java, created by Erich Gamma and Kent Beck.

### License:

Eclipse Public License 1.0: <http://www.eclipse.org/legal/epl-v10.html>

**File Path:** /home/jenkins/.gradle/caches/modules-2/files-2.1/junit/junit/4.13.2/8ac9e16d933b6fb43bc7f576336b8f4d7eb5ba12/junit-4.13.2.jar

**MD5:** d98a9a02a99a9acd22d7653cbcc1f31f

**SHA1:** 8ac9e16d933b6fb43bc7f576336b8f4d7eb5ba12

**SHA256:** 8e495b634469d64fb8acfa3495a065cbacc8a0fff55ce1e31007be4c16dc57d3

**Referenced In Project/Scope:**gui:inetPlugin

### Evidence



Type	Source	Name	Value	Confidence
Vendor	central	artifactid	junit	Highest
Vendor	central	groupid	junit	Highest
Vendor	file	name	junit	High
Vendor	gradle	artifactid	junit	Highest
Vendor	gradle	groupid	junit	Highest
Vendor	jar	package name	junit	Highest
Vendor	jar	package name	junit	Low
Vendor	Manifest	automatic-module-name	junit	Medium
Vendor	Manifest	implementation-url	<a href="http://junit.org">http://junit.org</a>	Low
Vendor	Manifest	Implementation-Vendor	JUnit	High
Vendor	Manifest	Implementation-Vendor-Id	junit	Medium
Vendor	pom	artifactid	junit	Low
Vendor	pom	developer email	david@saff.net	Low
Vendor	pom	developer email	kcooney@google.com	Low
Vendor	pom	developer email	mail@marcphilipp.de	Low
Vendor	pom	developer email	mail@stefan-birkner.de	Low
Vendor	pom	developer id	dsaff	Medium

Vendor	pom	developer id	kcooney	Medium
Vendor	pom	developer id	marcphilipp	Medium
Vendor	pom	developer id	stefanbirkner	Medium
Vendor	pom	developer name	David Saff	Medium
Vendor	pom	developer name	Kevin Cooney	Medium
Vendor	pom	developer name	Marc Philipp	Medium
Vendor	pom	developer name	Stefan Birkner	Medium
Vendor	pom	groupid	junit	Highest
Vendor	pom	name	JUnit	High
Vendor	pom	organization name	JUnit	High
Vendor	pom	organization url	http://www.junit.org	Medium
Vendor	pom	url	http://junit.org	Highest
Product	central	artifactid	junit	Highest
Product	file	name	junit	High
Product	gradle	artifactid	junit	Highest
Product	jar	package name	junit	Highest
Product	Manifest	automatic-module-name	junit	Medium
Product	Manifest	Implementation-Title	JUnit	High
Product	Manifest	implementation-url	http://junit.org	Low
Product	pom	artifactid	junit	Highest
Product	pom	developer email	david@saff.net	Low
Product	pom	developer email	kcooney@google.com	Low
Product	pom	developer email	mail@marcphilipp.de	Low
Product	pom	developer email	mail@stefan-birkner.de	Low
Product	pom	developer id	dsaff	Low
Product	pom	developer id	kcooney	Low
Product	pom	developer id	marcphilipp	Low
Product	pom	developer id	stefanbirkner	Low
Product	pom	developer name	David Saff	Low
Product	pom	developer name	Kevin Cooney	Low
Product	pom	developer name	Marc Philipp	Low
Product	pom	developer name	Stefan Birkner	Low
Product	pom	groupid	junit	Highest

Product	pom	name	JUnit	High
Product	pom	organization name	JUnit	Low
Product	pom	organization url	http://www.junit.org	Low
Product	pom	url	http://junit.org	Medium
Version	central	version	4.13.2	Highest
Version	file	version	4.13.2	High
Version	gradle	version	4.13.2	Highest
Version	Manifest	Implementation-Version	4.13.2	High
Version	pom	version	4.13.2	Highest

### Identifiers

- [pkg:maven/junit/junit@4.13.2](#) ( *Confidence:High* )
- [cpe:2.3:a:junit:junit4:4.13.2:\\*:\\*:\\*:\\*:\\*](#) ( *Confidence:Low* ) suppress

## junit-jupiter-5.10.0.jar

### Description:

Module "junit-jupiter" of JUnit 5.

### License:

Eclipse Public License v2.0: <https://www.eclipse.org/legal/epl-v20.html>

**File Path:** /home/jenkins/.gradle/caches/modules-2/files-2.1/org.junit.jupiter/junit-jupiter/5.10.0/8fea1d9c58b2156f1b998f2f18da04bc9e087f74/junit-jupiter-5.10.0.jar

**MD5:** ba19f309e63d0c128c381a8d68432c34

**SHA1:** 8fea1d9c58b2156f1b998f2f18da04bc9e087f74

**SHA256:** 8e4bde23ee28fc443975654a7b28c410a3b78d6be96b78c99ab73695ec344f7c

**Referenced In Project/Scope:**gui:inetPlugin

### Evidence +

Type	Source	Name	Value	Confidence
Vendor	central	artifactid	junit-jupiter	Highest
Vendor	central	groupid	org.junit.jupiter	Highest
Vendor	file	name	junit-jupiter	High
Vendor	gradle	artifactid	junit-jupiter	Highest
Vendor	gradle	groupid	org.junit.jupiter	Highest

Vendor	jar	package name	module-info	Low
Vendor	Manifest	build-date	2023-07-23	Low
Vendor	Manifest	build-revision	7f619ca7ac9ecd1b20cc01c44a4df98f5fb67804	Low
Vendor	Manifest	build-time	14:51:13.722+0200	Low
Vendor	Manifest	bundle-symbolicname	junit-jupiter	Medium
Vendor	Manifest	Implementation-Vendor	junit.org	High
Vendor	Manifest	specification-vendor	junit.org	Low
Vendor	pom	artifactid	junit-jupiter	Low
Vendor	pom	developer email	business@johanneslink.net	Low
Vendor	pom	developer email	derancourt.juliette@gmail.com	Low
Vendor	pom	developer email	mail@marcphilipp.de	Low
Vendor	pom	developer email	matthias.merdes@heidelpay.com	Low
Vendor	pom	developer email	sam@sambrannen.com	Low
Vendor	pom	developer email	sormuras@gmail.com	Low
Vendor	pom	developer email	stefan.bechtold@me.com	Low
Vendor	pom	developer id	bechte	Medium
Vendor	pom	developer id	jlink	Medium
Vendor	pom	developer id	juliette-derancourt	Medium
Vendor	pom	developer id	marcphilipp	Medium
Vendor	pom	developer id	mmerdes	Medium
Vendor	pom	developer id	sbrannen	Medium
Vendor	pom	developer id	sormuras	Medium
Vendor	pom	developer name	Christian Stein	Medium
Vendor	pom	developer name	Johannes Link	Medium
Vendor	pom	developer name	Juliette de Rancourt	Medium
Vendor	pom	developer name	Marc Philipp	Medium
Vendor	pom	developer name	Matthias Merdes	Medium
Vendor	pom	developer name	Sam Brannen	Medium
Vendor	pom	developer name	Stefan Bechtold	Medium
Vendor	pom	groupid	org.junit.jupiter	Highest
Vendor	pom	name	JUnit Jupiter (Aggregator)	High
Vendor	pom	url	https://junit.org/junit5/	Highest
Product	central	artifactid	junit-jupiter	Highest
Product	file	name	junit-jupiter	High

Product	gradle	artifactid	junit-jupiter	Highest
Product	Manifest	build-date	2023-07-23	Low
Product	Manifest	build-revision	7f619ca7ac9ecd1b20cc01c44a4df98f5fb67804	Low
Product	Manifest	build-time	14:51:13.722+0200	Low
Product	Manifest	Bundle-Name	JUnit Jupiter (Aggregator)	Medium
Product	Manifest	bundle-symbolicname	junit-jupiter	Medium
Product	Manifest	Implementation-Title	junit-jupiter	High
Product	Manifest	specification-title	junit-jupiter	Medium
Product	pom	artifactid	junit-jupiter	Highest
Product	pom	developer email	business@johanneslink.net	Low
Product	pom	developer email	derancourt.juliette@gmail.com	Low
Product	pom	developer email	mail@marcphilipp.de	Low
Product	pom	developer email	matthias.merdes@heidelpay.com	Low
Product	pom	developer email	sam@sambrannen.com	Low
Product	pom	developer email	sormuras@gmail.com	Low
Product	pom	developer email	stefan.bechtold@me.com	Low
Product	pom	developer id	bechte	Low
Product	pom	developer id	jlink	Low
Product	pom	developer id	juliette-derancourt	Low
Product	pom	developer id	marcphilipp	Low
Product	pom	developer id	mmerdes	Low
Product	pom	developer id	sbrannen	Low
Product	pom	developer id	sormuras	Low
Product	pom	developer name	Christian Stein	Low
Product	pom	developer name	Johannes Link	Low
Product	pom	developer name	Juliette de Rancourt	Low
Product	pom	developer name	Marc Philipp	Low
Product	pom	developer name	Matthias Merdes	Low
Product	pom	developer name	Sam Brannen	Low
Product	pom	developer name	Stefan Bechtold	Low
Product	pom	groupid	org.junit.jupiter	Highest
Product	pom	name	JUnit Jupiter (Aggregator)	High
Product	pom	url	https://junit.org/junit5/	Medium
Version	central	version	5.10.0	Highest

Version	file	version	5.10.0	High
Version	gradle	version	5.10.0	Highest
Version	Manifest	Bundle-Version	5.10.0	High
Version	Manifest	Implementation-Version	5.10.0	High
Version	pom	version	5.10.0	Highest

#### Identifiers

- [pkg:maven/org.junit.jupiter/junit-jupiter@5.10.0](https://maven.org/junit.jupiter/junit-jupiter@5.10.0) (*Confidence:High*)

## junit-jupiter-api-5.10.0.jar

#### Description:

Module "junit-jupiter-api" of JUnit 5.

#### License:

Eclipse Public License v2.0: <https://www.eclipse.org/legal/epl-v20.html>

**File Path:** /home/jenkins/.gradle/caches/modules-2/files-2.1/org.junit.jupiter/junit-jupiter-api/5.10.0/2fe4ba3d31d5067878e468c96aa039005a9134d3/junit-jupiter-api-5.10.0.jar

**MD5:** d976b1d3b22eded7c2e496ea881ed77f

**SHA1:** 2fe4ba3d31d5067878e468c96aa039005a9134d3

**SHA256:** 108088fd7ea46a8e65a0ce7f5d75ae3ff7865606770a078715f5a6e5709e17d8

**Referenced In Project/Scope:**gui:inetPlugin

#### Evidence

Type	Source	Name	Value	Confidence
Vendor	central	artifactid	junit-jupiter-api	Highest
Vendor	central	groupid	org.junit.jupiter	Highest
Vendor	file	name	junit-jupiter-api	High
Vendor	gradle	artifactid	junit-jupiter-api	Highest
Vendor	gradle	groupid	org.junit.jupiter	Highest
Vendor	jar	package name	api	Highest
Vendor	jar	package name	api	Low
Vendor	jar	package name	junit	Highest
Vendor	jar	package name	junit	Low
Vendor	jar	package name	jupiter	Highest
Vendor	jar	package name	jupiter	Low

Vendor	Manifest	build-date	2023-07-23	Low
Vendor	Manifest	build-revision	7f619ca7ac9ecd1b20cc01c44a4df98f5fb67804	Low
Vendor	Manifest	build-time	14:51:13.722+0200	Low
Vendor	Manifest	bundle-symbolicname	junit-jupiter-api	Medium
Vendor	Manifest	Implementation-Vendor	junit.org	High
Vendor	Manifest	require-capability	org.junit.platform.engine;filter:="(&(org.junit.platform.engine=junit-jupiter)(version>=5.10.0)(!(version>=6)))";effective:=active,osgi.ee;filter:="(&(osgi.ee=JavaSE)(version=1.8))"	Low
Vendor	Manifest	specification-vendor	junit.org	Low
Vendor	pom	artifactid	junit-jupiter-api	Low
Vendor	pom	developer email	business@johanneslink.net	Low
Vendor	pom	developer email	derancourt.juliette@gmail.com	Low
Vendor	pom	developer email	mail@marcphilipp.de	Low
Vendor	pom	developer email	matthias.merdes@heidelpay.com	Low
Vendor	pom	developer email	sam@sambrannen.com	Low
Vendor	pom	developer email	sormuras@gmail.com	Low
Vendor	pom	developer email	stefan.bechtold@me.com	Low
Vendor	pom	developer id	bechte	Medium
Vendor	pom	developer id	jlink	Medium
Vendor	pom	developer id	juliette-derancourt	Medium
Vendor	pom	developer id	marcphilipp	Medium
Vendor	pom	developer id	mmerdes	Medium
Vendor	pom	developer id	sbrannen	Medium
Vendor	pom	developer id	sormuras	Medium
Vendor	pom	developer name	Christian Stein	Medium
Vendor	pom	developer name	Johannes Link	Medium
Vendor	pom	developer name	Juliette de Rancourt	Medium
Vendor	pom	developer name	Marc Philipp	Medium
Vendor	pom	developer name	Matthias Merdes	Medium
Vendor	pom	developer name	Sam Brannen	Medium
Vendor	pom	developer name	Stefan Bechtold	Medium
Vendor	pom	groupid	org.junit.jupiter	Highest
Vendor	pom	name	JUnit Jupiter API	High
Vendor	pom	url	https://junit.org/junit5/	Highest



Product	central	artifactid	junit-jupiter-api	Highest
Product	file	name	junit-jupiter-api	High
Product	gradle	artifactid	junit-jupiter-api	Highest
Product	jar	package name	api	Highest
Product	jar	package name	api	Low
Product	jar	package name	junit	Highest
Product	jar	package name	jupiter	Highest
Product	jar	package name	jupiter	Low
Product	Manifest	build-date	2023-07-23	Low
Product	Manifest	build-revision	7f619ca7ac9ecd1b20cc01c44a4df98f5fb67804	Low
Product	Manifest	build-time	14:51:13.722+0200	Low
Product	Manifest	Bundle-Name	JUnit Jupiter API	Medium
Product	Manifest	bundle-symbolicname	junit-jupiter-api	Medium
Product	Manifest	Implementation-Title	junit-jupiter-api	High
Product	Manifest	require-capability	org.junit.platform.engine;filter:="(&(org.junit.platform.engine=junit-jupiter)(version>=5.10.0)(!(version>=6)))";effective:=active,osgi.ee;filter:="(&(osgi.ee=JavaSE)(version=1.8))"	Low
Product	Manifest	specification-title	junit-jupiter-api	Medium
Product	pom	artifactid	junit-jupiter-api	Highest
Product	pom	developer email	business@johanneslink.net	Low
Product	pom	developer email	derancourt.juliette@gmail.com	Low
Product	pom	developer email	mail@marcphilipp.de	Low
Product	pom	developer email	matthias.merdes@heidelpay.com	Low
Product	pom	developer email	sam@sambrannen.com	Low
Product	pom	developer email	sormuras@gmail.com	Low
Product	pom	developer email	stefan.bechtold@me.com	Low
Product	pom	developer id	bechte	Low
Product	pom	developer id	jlink	Low
Product	pom	developer id	juliette-derancourt	Low
Product	pom	developer id	marcphilipp	Low
Product	pom	developer id	mmerdes	Low
Product	pom	developer id	sbrannen	Low
Product	pom	developer id	sormuras	Low
Product	pom	developer name	Christian Stein	Low
Product	pom	developer name	Johannes Link	Low

Product	pom	developer name	Juliette de Rancourt	Low
Product	pom	developer name	Marc Philipp	Low
Product	pom	developer name	Matthias Merdes	Low
Product	pom	developer name	Sam Brannen	Low
Product	pom	developer name	Stefan Bechtold	Low
Product	pom	groupid	org.junit.jupiter	Highest
Product	pom	name	JUnit Jupiter API	High
Product	pom	url	https://junit.org/junit5/	Medium
Version	central	version	5.10.0	Highest
Version	file	version	5.10.0	High
Version	gradle	version	5.10.0	Highest
Version	Manifest	Bundle-Version	5.10.0	High
Version	Manifest	Implementation-Version	5.10.0	High
Version	pom	version	5.10.0	Highest

#### Identifiers

- <pkg:maven/org.junit.jupiter/junit-jupiter-api@5.10.0> (*Confidence:High*)

## junit-jupiter-engine-5.10.0.jar

#### Description:

Module "junit-jupiter-engine" of JUnit 5.

#### License:

Eclipse Public License v2.0: <https://www.eclipse.org/legal/epl-v20.html>

**File Path:** /home/jenkins/.gradle/caches/modules-2/files-2.1/org.junit.jupiter/junit-jupiter-engine/5.10.0/90587932d718fc51a48112d33045a18476c542ad/junit-jupiter-engine-5.10.0.jar

**MD5:** 9b559627f23413bf20f450211f6edcba

**SHA1:** 90587932d718fc51a48112d33045a18476c542ad

**SHA256:** 57ea48e6f795200791065bbc86b70b84cd05367c5c9f2ac8f9268e27154c88a8

**Referenced In Project/Scope:**gui:inetPlugin

#### Evidence



Type	Source	Name	Value	Confidence
Vendor	central	artifactid	junit-jupiter-engine	Highest

Vendor	central	groupid	org.junit.jupiter	Highest
Vendor	file	name	junit-jupiter-engine	High
Vendor	gradle	artifactid	junit-jupiter-engine	Highest
Vendor	gradle	groupid	org.junit.jupiter	Highest
Vendor	jar	package name	engine	Highest
Vendor	jar	package name	engine	Low
Vendor	jar	package name	junit	Highest
Vendor	jar	package name	junit	Low
Vendor	jar	package name	jupiter	Highest
Vendor	jar	package name	jupiter	Low
Vendor	Manifest	build-date	2023-07-23	Low
Vendor	Manifest	build-revision	7f619ca7ac9ecd1b20cc01c44a4df98f5fb67804	Low
Vendor	Manifest	build-time	14:51:13.722+0200	Low
Vendor	Manifest	bundle-symbolicname	junit-jupiter-engine	Medium
Vendor	Manifest	Implementation-Vendor	junit.org	High
Vendor	Manifest	provide-capability	org.junit.platform.engine;org.junit.platform.engine=junit-jupiter;version:Version="5.10.0"	Low
Vendor	Manifest	require-capability	org.junit.platform.launcher;filter:="(&(org.junit.platform.launcher=junit-platform-launcher)(version>=1.10.0)(!(version>=2)))";effective:=active,osgi.ee;filter:="(&(osgi.ee=JavaSE)(version=1.8))"	Low
Vendor	Manifest	specification-vendor	junit.org	Low
Vendor	pom	artifactid	junit-jupiter-engine	Low
Vendor	pom	developer email	business@johanneslink.net	Low
Vendor	pom	developer email	derancourt.juliette@gmail.com	Low
Vendor	pom	developer email	mail@marcphilipp.de	Low
Vendor	pom	developer email	matthias.merdes@heidelpay.com	Low
Vendor	pom	developer email	sam@sambrannen.com	Low
Vendor	pom	developer email	sormuras@gmail.com	Low
Vendor	pom	developer email	stefan.bechtold@me.com	Low
Vendor	pom	developer id	bechte	Medium
Vendor	pom	developer id	jlink	Medium
Vendor	pom	developer id	juliette-derancourt	Medium
Vendor	pom	developer id	marcphilipp	Medium
Vendor	pom	developer id	mmerdes	Medium

Vendor	pom	developer id	sbrannen	Medium
Vendor	pom	developer id	sormuras	Medium
Vendor	pom	developer name	Christian Stein	Medium
Vendor	pom	developer name	Johannes Link	Medium
Vendor	pom	developer name	Juliette de Rancourt	Medium
Vendor	pom	developer name	Marc Philipp	Medium
Vendor	pom	developer name	Matthias Merdes	Medium
Vendor	pom	developer name	Sam Brannen	Medium
Vendor	pom	developer name	Stefan Bechtold	Medium
Vendor	pom	groupid	org.junit.jupiter	Highest
Vendor	pom	name	JUnit Jupiter Engine	High
Vendor	pom	url	<a href="https://junit.org/junit5/">https://junit.org/junit5/</a>	Highest
Product	central	artifactid	junit-jupiter-engine	Highest
Product	file	name	junit-jupiter-engine	High
Product	gradle	artifactid	junit-jupiter-engine	Highest
Product	jar	package name	engine	Highest
Product	jar	package name	engine	Low
Product	jar	package name	junit	Highest
Product	jar	package name	jupiter	Highest
Product	jar	package name	jupiter	Low
Product	Manifest	build-date	2023-07-23	Low
Product	Manifest	build-revision	7f619ca7ac9ecd1b20cc01c44a4df98f5fb67804	Low
Product	Manifest	build-time	14:51:13.722+0200	Low
Product	Manifest	Bundle-Name	JUnit Jupiter Engine	Medium
Product	Manifest	bundle-symbolicname	junit-jupiter-engine	Medium
Product	Manifest	Implementation-Title	junit-jupiter-engine	High
Product	Manifest	provide-capability	org.junit.platform.engine;org.junit.platform.engine=junit-jupiter;version:Version="5.10.0"	Low
Product	Manifest	require-capability	org.junit.platform.launcher;filter:="(&(org.junit.platform.launcher=junit-platform-launcher)(version>=1.10.0)(!(version>=2)))";effective:=active,osgi.ee;filter:="(&(osgi.ee=JavaSE)(version=1.8))"	Low
Product	Manifest	specification-title	junit-jupiter-engine	Medium
Product	pom	artifactid	junit-jupiter-engine	Highest
Product	pom	developer email	business@johanneslink.net	Low
Product	pom	developer email	derancourt.juliette@gmail.com	Low

Product	pom	developer email	mail@marcphilipp.de	Low
Product	pom	developer email	matthias.merdes@heidelpay.com	Low
Product	pom	developer email	sam@sambrannen.com	Low
Product	pom	developer email	sormuras@gmail.com	Low
Product	pom	developer email	stefan.bechtold@me.com	Low
Product	pom	developer id	bechte	Low
Product	pom	developer id	jlink	Low
Product	pom	developer id	juliette-derancourt	Low
Product	pom	developer id	marcphilipp	Low
Product	pom	developer id	mmerdes	Low
Product	pom	developer id	sbrannen	Low
Product	pom	developer id	sormuras	Low
Product	pom	developer name	Christian Stein	Low
Product	pom	developer name	Johannes Link	Low
Product	pom	developer name	Juliette de Rancourt	Low
Product	pom	developer name	Marc Philipp	Low
Product	pom	developer name	Matthias Merdes	Low
Product	pom	developer name	Sam Brannen	Low
Product	pom	developer name	Stefan Bechtold	Low
Product	pom	groupid	org.junit.jupiter	Highest
Product	pom	name	JUnit Jupiter Engine	High
Product	pom	url	https://junit.org/junit5/	Medium
Version	central	version	5.10.0	Highest
Version	file	version	5.10.0	High
Version	gradle	version	5.10.0	Highest
Version	Manifest	Bundle-Version	5.10.0	High
Version	Manifest	Implementation-Version	5.10.0	High
Version	pom	version	5.10.0	Highest

## Identifiers

- [pkg:maven/org.junit.jupiter/junit-jupiter-engine@5.10.0](https://maven.org/junit/jupiter/junit-jupiter-engine@5.10.0) (*Confidence:High*)

## junit-jupiter-params-5.10.0.jar

### Description:

Module "junit-jupiter-params" of JUnit 5.

### License:

Eclipse Public License v2.0: <https://www.eclipse.org/legal/epl-v20.html>

**File Path:** /home/jenkins/.gradle/caches/modules-2/files-2.1/org.junit.jupiter/junit-jupiter-params/5.10.0/9041c7365495a897a64782ea5a6fdb99dab1814e/junit-jupiter-params-5.10.0.jar

**MD5:** f005062186389c756ce58cb380190cc4

**SHA1:** 9041c7365495a897a64782ea5a6fdb99dab1814e

**SHA256:** f259a7322cce375430c2236a2dcb24d4a49d22045b723ad85af88e11704391c2

**Referenced In Project/Scope:**gui:inetPlugin

### Evidence



Type	Source	Name	Value	Confidence
Vendor	central	artifactid	junit-jupiter-params	Highest
Vendor	central	groupid	org.junit.jupiter	Highest
Vendor	file	name	junit-jupiter-params	High
Vendor	gradle	artifactid	junit-jupiter-params	Highest
Vendor	gradle	groupid	org.junit.jupiter	Highest
Vendor	jar	package name	junit	Highest
Vendor	jar	package name	junit	Low
Vendor	jar	package name	jupiter	Highest
Vendor	jar	package name	jupiter	Low
Vendor	jar	package name	params	Highest
Vendor	jar	package name	params	Low
Vendor	Manifest	build-date	2023-07-23	Low
Vendor	Manifest	build-revision	7f619ca7ac9ecd1b20cc01c44a4df98f5fb67804	Low
Vendor	Manifest	build-time	14:51:13.722+0200	Low
Vendor	Manifest	bundle-symbolicname	junit-jupiter-params	Medium
Vendor	Manifest	Implementation-Vendor	junit.org	High
Vendor	Manifest	require-capability	osgi.ee;filter:="(&(osgi.ee=JavaSE)(version=1.8))"	Low
Vendor	Manifest	specification-vendor	junit.org	Low
Vendor	pom	artifactid	junit-jupiter-params	Low
Vendor	pom	developer email	business@johanneslink.net	Low
Vendor	pom	developer email	derancourt.juliette@gmail.com	Low

Vendor	pom	developer email	mail@marcphilipp.de	Low
Vendor	pom	developer email	matthias.merdes@heidelpay.com	Low
Vendor	pom	developer email	sam@sambrannen.com	Low
Vendor	pom	developer email	sormuras@gmail.com	Low
Vendor	pom	developer email	stefan.bechtold@me.com	Low
Vendor	pom	developer id	bechte	Medium
Vendor	pom	developer id	jlink	Medium
Vendor	pom	developer id	juliette-derancourt	Medium
Vendor	pom	developer id	marcphilipp	Medium
Vendor	pom	developer id	mmerdes	Medium
Vendor	pom	developer id	sbrannen	Medium
Vendor	pom	developer id	sormuras	Medium
Vendor	pom	developer name	Christian Stein	Medium
Vendor	pom	developer name	Johannes Link	Medium
Vendor	pom	developer name	Juliette de Rancourt	Medium
Vendor	pom	developer name	Marc Philipp	Medium
Vendor	pom	developer name	Matthias Merdes	Medium
Vendor	pom	developer name	Sam Brannen	Medium
Vendor	pom	developer name	Stefan Bechtold	Medium
Vendor	pom	groupid	org.junit.jupiter	Highest
Vendor	pom	name	JUnit Jupiter Params	High
Vendor	pom	url	https://junit.org/junit5/	Highest
Product	central	artifactid	junit-jupiter-params	Highest
Product	file	name	junit-jupiter-params	High
Product	gradle	artifactid	junit-jupiter-params	Highest
Product	jar	package name	junit	Highest
Product	jar	package name	jupiter	Highest
Product	jar	package name	jupiter	Low
Product	jar	package name	params	Highest
Product	jar	package name	params	Low
Product	jar	package name	shadow	Low
Product	Manifest	build-date	2023-07-23	Low
Product	Manifest	build-revision	7f619ca7ac9ecd1b20cc01c44a4df98f5fb67804	Low
Product	Manifest	build-time	14:51:13.722+0200	Low
Product	Manifest	Bundle-Name	JUnit Jupiter Params	Medium

Product	Manifest	bundle-symbolicname	junit-jupiter-params	Medium
Product	Manifest	Implementation-Title	junit-jupiter-params	High
Product	Manifest	require-capability	osgi.ee;filter="(&(osgi.ee=JavaSE)(version=1.8))"	Low
Product	Manifest	specification-title	junit-jupiter-params	Medium
Product	pom	artifactid	junit-jupiter-params	Highest
Product	pom	developer email	business@johanneslink.net	Low
Product	pom	developer email	derancourt.juliette@gmail.com	Low
Product	pom	developer email	mail@marcphilipp.de	Low
Product	pom	developer email	matthias.merdes@heidelpay.com	Low
Product	pom	developer email	sam@sambrannen.com	Low
Product	pom	developer email	sormuras@gmail.com	Low
Product	pom	developer email	stefan.bechtold@me.com	Low
Product	pom	developer id	bechte	Low
Product	pom	developer id	jlink	Low
Product	pom	developer id	juliette-derancourt	Low
Product	pom	developer id	marcphilipp	Low
Product	pom	developer id	mmerdes	Low
Product	pom	developer id	sbrannen	Low
Product	pom	developer id	sormuras	Low
Product	pom	developer name	Christian Stein	Low
Product	pom	developer name	Johannes Link	Low
Product	pom	developer name	Juliette de Rancourt	Low
Product	pom	developer name	Marc Philipp	Low
Product	pom	developer name	Matthias Merdes	Low
Product	pom	developer name	Sam Brannen	Low
Product	pom	developer name	Stefan Bechtold	Low
Product	pom	groupid	org.junit.jupiter	Highest
Product	pom	name	JUnit Jupiter Params	High
Product	pom	url	https://junit.org/junit5/	Medium
Version	central	version	5.10.0	Highest
Version	file	version	5.10.0	High
Version	gradle	version	5.10.0	Highest
Version	Manifest	Bundle-Version	5.10.0	High
Version	Manifest	Implementation-	5.10.0	High



## Version

Version	pom	version	5.10.0	Highest
---------	-----	---------	--------	---------

## Identifiers

- [pkg:maven/org.junit.jupiter/junit-jupiter-params@5.10.0](https://maven.org/junit.jupiter/junit-jupiter-params@5.10.0) (*Confidence:High*)

## junit-platform-commons-1.10.0.jar

### Description:

Module "junit-platform-commons" of JUnit 5.

### License:

Eclipse Public License v2.0: <https://www.eclipse.org/legal/epl-v20.html>

**File Path:** /home/jenkins/.gradle/caches/modules-2/files-2.1/org.junit.platform/junit-platform-commons/1.10.0/d533ff2c286eaf963566f92baf5f8a06628d2609/junit-platform-commons-1.10.0.jar

**MD5:** 0cef49daddba2084397f34eca55502f9

**SHA1:** d533ff2c286eaf963566f92baf5f8a06628d2609

**SHA256:**6083db08ca11fca1e16099d0dcfede0193d80b3762b276349d80d3da536791b2

**Referenced In Project/Scope:**gui:inetPlugin

## Evidence



Type	Source	Name	Value	Confidence
Vendor	central	artifactid	junit-platform-commons	Highest
Vendor	central	groupid	org.junit.platform	Highest
Vendor	file	name	junit-platform-commons	High
Vendor	gradle	artifactid	junit-platform-commons	Highest
Vendor	gradle	groupid	org.junit.platform	Highest
Vendor	jar	package name	commons	Highest
Vendor	jar	package name	commons	Low
Vendor	jar	package name	junit	Highest
Vendor	jar	package name	junit	Low
Vendor	jar	package name	org	Highest
Vendor	jar	package name	platform	Highest
Vendor	jar	package name	platform	Low
Vendor	Manifest	build-date	2023-07-23	Low
Vendor	Manifest	build-revision	7f619ca7ac9ecd1b20cc01c44a4df98f5fb67804	Low

Vendor	Manifest	build-time	14:51:13.722+0200	Low
Vendor	Manifest	bundle-symbolicname	junit-platform-commons	Medium
Vendor	Manifest	Implementation-Vendor	junit.org	High
Vendor	Manifest	multi-release	true	Low
Vendor	Manifest	require-capability	osgi.ee;filter:="(&(osgi.ee=JavaSE)(version=1.8))"	Low
Vendor	Manifest	specification-vendor	junit.org	Low
Vendor	pom	artifactid	junit-platform-commons	Low
Vendor	pom	developer email	business@johanneslink.net	Low
Vendor	pom	developer email	derancourt.juliette@gmail.com	Low
Vendor	pom	developer email	mail@marcphilipp.de	Low
Vendor	pom	developer email	matthias.merdes@heidelpay.com	Low
Vendor	pom	developer email	sam@sambrannen.com	Low
Vendor	pom	developer email	sormuras@gmail.com	Low
Vendor	pom	developer email	stefan.bechtold@me.com	Low
Vendor	pom	developer id	bechte	Medium
Vendor	pom	developer id	jlink	Medium
Vendor	pom	developer id	juliette-derancourt	Medium
Vendor	pom	developer id	marcphilipp	Medium
Vendor	pom	developer id	mmerdes	Medium
Vendor	pom	developer id	sbrannen	Medium
Vendor	pom	developer id	sormuras	Medium
Vendor	pom	developer name	Christian Stein	Medium
Vendor	pom	developer name	Johannes Link	Medium
Vendor	pom	developer name	Juliette de Rancourt	Medium
Vendor	pom	developer name	Marc Philipp	Medium
Vendor	pom	developer name	Matthias Merdes	Medium
Vendor	pom	developer name	Sam Brannen	Medium
Vendor	pom	developer name	Stefan Bechtold	Medium
Vendor	pom	groupid	org.junit.platform	Highest
Vendor	pom	name	JUnit Platform Commons	High
Vendor	pom	url	https://junit.org/junit5/	Highest
Product	central	artifactid	junit-platform-commons	Highest
Product	file	name	junit-platform-commons	High

Product	gradle	artifactid	junit-platform-commons	Highest
Product	jar	package name	commons	Highest
Product	jar	package name	commons	Low
Product	jar	package name	junit	Highest
Product	jar	package name	platform	Highest
Product	jar	package name	platform	Low
Product	jar	package name	util	Low
Product	Manifest	build-date	2023-07-23	Low
Product	Manifest	build-revision	7f619ca7ac9ecd1b20cc01c44a4df98f5fb67804	Low
Product	Manifest	build-time	14:51:13.722+0200	Low
Product	Manifest	Bundle-Name	JUnit Platform Commons	Medium
Product	Manifest	bundle-symbolicname	junit-platform-commons	Medium
Product	Manifest	Implementation-Title	junit-platform-commons	High
Product	Manifest	multi-release	true	Low
Product	Manifest	require-capability	osgi.ee;filter:="(&(osgi.ee=JavaSE)(version=1.8))"	Low
Product	Manifest	specification-title	junit-platform-commons	Medium
Product	pom	artifactid	junit-platform-commons	Highest
Product	pom	developer email	business@johanneslink.net	Low
Product	pom	developer email	derancourt.juliette@gmail.com	Low
Product	pom	developer email	mail@marcphilipp.de	Low
Product	pom	developer email	matthias.merdes@heidelpay.com	Low
Product	pom	developer email	sam@sambrannen.com	Low
Product	pom	developer email	sormuras@gmail.com	Low
Product	pom	developer email	stefan.bechtold@me.com	Low
Product	pom	developer id	bechte	Low
Product	pom	developer id	jlink	Low
Product	pom	developer id	juliette-derancourt	Low
Product	pom	developer id	marcphilipp	Low
Product	pom	developer id	mmerdes	Low
Product	pom	developer id	sbrannen	Low
Product	pom	developer id	sormuras	Low
Product	pom	developer name	Christian Stein	Low
Product	pom	developer name	Johannes Link	Low
Product	pom	developer name	Juliette de Rancourt	Low

Product	pom	developer name	Marc Philipp	Low
Product	pom	developer name	Matthias Merdes	Low
Product	pom	developer name	Sam Brannen	Low
Product	pom	developer name	Stefan Bechtold	Low
Product	pom	groupid	org.junit.platform	Highest
Product	pom	name	JUnit Platform Commons	High
Product	pom	url	https://junit.org/junit5/	Medium
Version	central	version	1.10.0	Highest
Version	file	version	1.10.0	High
Version	gradle	version	1.10.0	Highest
Version	Manifest	Bundle-Version	1.10.0	High
Version	Manifest	Implementation-Version	1.10.0	High
Version	pom	version	1.10.0	Highest

#### Identifiers

- [pkg:maven/org.junit.platform/junit-platform-commons@1.10.0](#) (*Confidence:High*)
- [cpe:2.3:a:fan\\_platform\\_project:fan\\_platform:1.10.0:\\*:\\*:\\*:\\*:\\*](#) (*Confidence:Low*)

suppress

## junit-platform-engine-1.10.0.jar

### Description:

Module "junit-platform-engine" of JUnit 5.

### License:

Eclipse Public License v2.0: <https://www.eclipse.org/legal/epl-v20.html>

**File Path:** /home/jenkins/.gradle/caches/modules-2/files-2.1/org.junit.platform/junit-platform-engine/1.10.0/276c4edcf64fabb5a139fa7b4f99330d7a93b804/junit-platform-engine-1.10.0.jar

**MD5:** a383ac183081fe771888842534e77e62

**SHA1:** 276c4edcf64fabb5a139fa7b4f99330d7a93b804

**SHA256:** cd338efd02ee73966ea754e0c0c71e1a11f4af5db9c2003e4b6137e119155abe

**Referenced In Project/Scope:**gui:inetPlugin

### Evidence



Type	Source	Name	Value	Confidence
Vendor	central	artifactid	junit-platform-engine	Highest

Vendor	central	groupid	org.junit.platform	Highest
Vendor	file	name	junit-platform-engine	High
Vendor	gradle	artifactid	junit-platform-engine	Highest
Vendor	gradle	groupid	org.junit.platform	Highest
Vendor	jar	package name	engine	Highest
Vendor	jar	package name	engine	Low
Vendor	jar	package name	junit	Highest
Vendor	jar	package name	junit	Low
Vendor	jar	package name	platform	Highest
Vendor	jar	package name	platform	Low
Vendor	Manifest	build-date	2023-07-23	Low
Vendor	Manifest	build-revision	7f619ca7ac9ecd1b20cc01c44a4df98f5fb67804	Low
Vendor	Manifest	build-time	14:51:13.722+0200	Low
Vendor	Manifest	bundle-symbolicname	junit-platform-engine	Medium
Vendor	Manifest	Implementation-Vendor	junit.org	High
Vendor	Manifest	require-capability	osgi.ee;filter:="(&(osgi.ee=JavaSE)(version=1.8))"	Low
Vendor	Manifest	specification-vendor	junit.org	Low
Vendor	pom	artifactid	junit-platform-engine	Low
Vendor	pom	developer email	business@johanneslink.net	Low
Vendor	pom	developer email	derancourt.juliette@gmail.com	Low
Vendor	pom	developer email	mail@marcphilipp.de	Low
Vendor	pom	developer email	matthias.merdes@heidelpay.com	Low
Vendor	pom	developer email	sam@sambrannen.com	Low
Vendor	pom	developer email	sormuras@gmail.com	Low
Vendor	pom	developer email	stefan.bechtold@me.com	Low
Vendor	pom	developer id	bechte	Medium
Vendor	pom	developer id	jlink	Medium
Vendor	pom	developer id	juliette-derancourt	Medium
Vendor	pom	developer id	marcphilipp	Medium
Vendor	pom	developer id	mmerdes	Medium
Vendor	pom	developer id	sbrannen	Medium
Vendor	pom	developer id	sormuras	Medium
Vendor	pom	developer name	Christian Stein	Medium

Vendor	pom	developer name	Johannes Link	Medium
Vendor	pom	developer name	Juliette de Rancourt	Medium
Vendor	pom	developer name	Marc Philipp	Medium
Vendor	pom	developer name	Matthias Merdes	Medium
Vendor	pom	developer name	Sam Brannen	Medium
Vendor	pom	developer name	Stefan Bechtold	Medium
Vendor	pom	groupid	org.junit.platform	Highest
Vendor	pom	name	JUnit Platform Engine API	High
Vendor	pom	url	<a href="https://junit.org/junit5/">https://junit.org/junit5/</a>	Highest
Product	central	artifactid	junit-platform-engine	Highest
Product	file	name	junit-platform-engine	High
Product	gradle	artifactid	junit-platform-engine	Highest
Product	jar	package name	engine	Highest
Product	jar	package name	engine	Low
Product	jar	package name	filter	Highest
Product	jar	package name	junit	Highest
Product	jar	package name	platform	Highest
Product	jar	package name	platform	Low
Product	jar	package name	support	Low
Product	Manifest	build-date	2023-07-23	Low
Product	Manifest	build-revision	7f619ca7ac9ecd1b20cc01c44a4df98f5fb67804	Low
Product	Manifest	build-time	14:51:13.722+0200	Low
Product	Manifest	Bundle-Name	JUnit Platform Engine API	Medium
Product	Manifest	bundle-symbolicname	junit-platform-engine	Medium
Product	Manifest	Implementation-Title	junit-platform-engine	High
Product	Manifest	require-capability	osgi.ee;filter:="(&(osgi.ee=JavaSE)(version=1.8))"	Low
Product	Manifest	specification-title	junit-platform-engine	Medium
Product	pom	artifactid	junit-platform-engine	Highest
Product	pom	developer email	business@johanneslink.net	Low
Product	pom	developer email	derancourt.juliette@gmail.com	Low
Product	pom	developer email	mail@marcphilipp.de	Low
Product	pom	developer email	matthias.merdes@heidelpay.com	Low
Product	pom	developer email	sam@sambrannen.com	Low
Product	pom	developer email	sormuras@gmail.com	Low

Product	pom	developer email	stefan.bechtold@me.com	Low
Product	pom	developer id	bechte	Low
Product	pom	developer id	jlink	Low
Product	pom	developer id	juliette-derancourt	Low
Product	pom	developer id	marcphilipp	Low
Product	pom	developer id	mmerdes	Low
Product	pom	developer id	sbrannen	Low
Product	pom	developer id	sormuras	Low
Product	pom	developer name	Christian Stein	Low
Product	pom	developer name	Johannes Link	Low
Product	pom	developer name	Juliette de Rancourt	Low
Product	pom	developer name	Marc Philipp	Low
Product	pom	developer name	Matthias Merdes	Low
Product	pom	developer name	Sam Brannen	Low
Product	pom	developer name	Stefan Bechtold	Low
Product	pom	groupid	org.junit.platform	Highest
Product	pom	name	JUnit Platform Engine API	High
Product	pom	url	https://junit.org/junit5/	Medium
Version	central	version	1.10.0	Highest
Version	file	version	1.10.0	High
Version	gradle	version	1.10.0	Highest
Version	Manifest	Bundle-Version	1.10.0	High
Version	Manifest	Implementation-Version	1.10.0	High
Version	pom	version	1.10.0	Highest

#### Identifiers

- [pkg:maven/org.junit.platform/junit-platform-engine@1.10.0](#) (*Confidence:High*)
- [cpe:2.3:a:fan\\_platform\\_project:fan\\_platform:1.10.0:\\*:\\*:\\*:\\*:\\*](#) (*Confidence:Low*)

suppress

## junit-platform-launcher-1.10.0.jar

### Description:

Module "junit-platform-launcher" of JUnit 5.

**License:**

Eclipse Public License v2.0: <https://www.eclipse.org/legal/epl-v20.html>

**File Path:** /home/jenkins/.gradle/caches/modules-2/files-2.1/org.junit.platform/junit-platform-launcher/1.10.0/89a1922534ed102be1fb2a8c0b2c6151297a12bf/junit-platform-launcher-1.10.0.jar

**MD5:** ec357e6d7d3c5aafdca114aec83f1790

**SHA1:** 89a1922534ed102be1fb2a8c0b2c6151297a12bf

**SHA256:** 8c60b661ac170701a635dfc67565efbb8c85b5c5cdd5a4a9576e3a015c7111a4

**Referenced In Project/Scope:**gui:inetPlugin

**Evidence**



Type	Source	Name	Value	Confidence
Vendor	central	artifactid	junit-platform-launcher	Highest
Vendor	central	groupid	org.junit.platform	Highest
Vendor	file	name	junit-platform-launcher	High
Vendor	gradle	artifactid	junit-platform-launcher	Highest
Vendor	gradle	groupid	org.junit.platform	Highest
Vendor	jar	package name	junit	Highest
Vendor	jar	package name	junit	Low
Vendor	jar	package name	launcher	Highest
Vendor	jar	package name	launcher	Low
Vendor	jar	package name	platform	Highest
Vendor	jar	package name	platform	Low
Vendor	Manifest	build-date	2023-07-23	Low
Vendor	Manifest	build-revision	7f619ca7ac9ecd1b20cc01c44a4df98f5fb67804	Low
Vendor	Manifest	build-time	14:51:13.722+0200	Low
Vendor	Manifest	bundle-symbolicname	junit-platform-launcher	Medium
Vendor	Manifest	Implementation-Vendor	junit.org	High
Vendor	Manifest	provide-capability	org.junit.platform.launcher;org.junit.platform.launcher=junit-platform-launcher;version:Version="1.10.0"	Low
Vendor	Manifest	require-capability	osgi.ee;filter:="(&(osgi.ee=JavaSE)(version=1.8))"	Low
Vendor	Manifest	specification-vendor	junit.org	Low
Vendor	pom	artifactid	junit-platform-launcher	Low
Vendor	pom	developer email	business@johanneslink.net	Low
Vendor	pom	developer email	derancourt.juliette@gmail.com	Low



Vendor	pom	developer email	mail@marcphilipp.de	Low
Vendor	pom	developer email	matthias.merdes@heidelpay.com	Low
Vendor	pom	developer email	sam@sambrannen.com	Low
Vendor	pom	developer email	sormuras@gmail.com	Low
Vendor	pom	developer email	stefan.bechtold@me.com	Low
Vendor	pom	developer id	bechte	Medium
Vendor	pom	developer id	jlink	Medium
Vendor	pom	developer id	juliette-derancourt	Medium
Vendor	pom	developer id	marcphilipp	Medium
Vendor	pom	developer id	mmerdes	Medium
Vendor	pom	developer id	sbrannen	Medium
Vendor	pom	developer id	sormuras	Medium
Vendor	pom	developer name	Christian Stein	Medium
Vendor	pom	developer name	Johannes Link	Medium
Vendor	pom	developer name	Juliette de Rancourt	Medium
Vendor	pom	developer name	Marc Philipp	Medium
Vendor	pom	developer name	Matthias Merdes	Medium
Vendor	pom	developer name	Sam Brannen	Medium
Vendor	pom	developer name	Stefan Bechtold	Medium
Vendor	pom	groupid	org.junit.platform	Highest
Vendor	pom	name	JUnit Platform Launcher	High
Vendor	pom	url	<a href="https://junit.org/junit5/">https://junit.org/junit5/</a>	Highest
Product	central	artifactid	junit-platform-launcher	Highest
Product	file	name	junit-platform-launcher	High
Product	gradle	artifactid	junit-platform-launcher	Highest
Product	jar	package name	junit	Highest
Product	jar	package name	launcher	Highest
Product	jar	package name	launcher	Low
Product	jar	package name	platform	Highest
Product	jar	package name	platform	Low
Product	Manifest	build-date	2023-07-23	Low
Product	Manifest	build-revision	7f619ca7ac9ecd1b20cc01c44a4df98f5fb67804	Low
Product	Manifest	build-time	14:51:13.722+0200	Low
Product	Manifest	Bundle-Name	JUnit Platform Launcher	Medium
Product	Manifest	bundle-symbolicname	junit-platform-launcher	Medium

Product	Manifest	Implementation-Title	junit-platform-launcher	High
Product	Manifest	provide-capability	org.junit.platform.launcher;org.junit.platform.launcher=junit-platform-launcher;version:Version="1.10.0"	Low
Product	Manifest	require-capability	osgi.ee;filter:="(&(osgi.ee=JavaSE)(version=1.8))"	Low
Product	Manifest	specification-title	junit-platform-launcher	Medium
Product	pom	artifactid	junit-platform-launcher	Highest
Product	pom	developer email	business@johanneslink.net	Low
Product	pom	developer email	derancourt.juliette@gmail.com	Low
Product	pom	developer email	mail@marcphilipp.de	Low
Product	pom	developer email	matthias.merdes@heidelpay.com	Low
Product	pom	developer email	sam@sambrannen.com	Low
Product	pom	developer email	sormuras@gmail.com	Low
Product	pom	developer email	stefan.bechtold@me.com	Low
Product	pom	developer id	bechte	Low
Product	pom	developer id	jlink	Low
Product	pom	developer id	juliette-derancourt	Low
Product	pom	developer id	marcphilipp	Low
Product	pom	developer id	mmerdes	Low
Product	pom	developer id	sbrannen	Low
Product	pom	developer id	sormuras	Low
Product	pom	developer name	Christian Stein	Low
Product	pom	developer name	Johannes Link	Low
Product	pom	developer name	Juliette de Rancourt	Low
Product	pom	developer name	Marc Philipp	Low
Product	pom	developer name	Matthias Merdes	Low
Product	pom	developer name	Sam Brannen	Low
Product	pom	developer name	Stefan Bechtold	Low
Product	pom	groupid	org.junit.platform	Highest
Product	pom	name	JUnit Platform Launcher	High
Product	pom	url	<a href="https://junit.org/junit5/">https://junit.org/junit5/</a>	Medium
Version	central	version	1.10.0	Highest
Version	file	version	1.10.0	High
Version	gradle	version	1.10.0	Highest
Version	Manifest	Bundle-Version	1.10.0	High

Version	Manifest	Implementation-Version	1.10.0	High
Version	pom	version	1.10.0	Highest

#### Identifiers

- [pkg:maven/org.junit.platform/junit-platform-launcher@1.10.0](#) (*Confidence:High*)
- [cpe:2.3:a:fan\\_platform\\_project:fan\\_platform:1.10.0:\\*:\\*:\\*:\\*:\\*](#) (*Confidence:Low*)

## junit-platform-suite-1.10.0.jar

### Description:

Module "junit-platform-suite" of JUnit 5.

### License:

Eclipse Public License v2.0: <https://www.eclipse.org/legal/epl-v20.html>

**File Path:** /home/jenkins/.gradle/caches/modules-2/files-2.1/org.junit.platform/junit-platform-suite/1.10.0/65cf50c8940b9dfdf8b53b3e612e7d4664a4f631/junit-platform-suite-1.10.0.jar

**MD5:** 73d33febb587db050803e6b93e55eb1d

**SHA1:** 65cf50c8940b9dfdf8b53b3e612e7d4664a4f631

**SHA256:** 5982b7b258e031e5cee3f3fb7357e7c1175237559bd812cebcbdcaec74c38d8d

**Referenced In Project/Scope:**gui:inetPlugin

### Evidence



Type	Source	Name	Value	Confidence
Vendor	central	artifactid	junit-platform-suite	Highest
Vendor	central	groupid	org.junit.platform	Highest
Vendor	file	name	junit-platform-suite	High
Vendor	gradle	artifactid	junit-platform-suite	Highest
Vendor	gradle	groupid	org.junit.platform	Highest
Vendor	jar	package name	module-info	Low
Vendor	Manifest	build-date	2023-07-23	Low
Vendor	Manifest	build-revision	7f619ca7ac9ecd1b20cc01c44a4df98f5fb67804	Low
Vendor	Manifest	build-time	14:51:13.722+0200	Low
Vendor	Manifest	bundle-symbolicname	junit-platform-suite	Medium
Vendor	Manifest	Implementation-Vendor	junit.org	High

Vendor	Manifest	specification-vendor	junit.org	Low
Vendor	pom	artifactid	junit-platform-suite	Low
Vendor	pom	developer email	business@johanneslink.net	Low
Vendor	pom	developer email	derancourt.juliette@gmail.com	Low
Vendor	pom	developer email	mail@marcphilipp.de	Low
Vendor	pom	developer email	matthias.merdes@heidelpay.com	Low
Vendor	pom	developer email	sam@sambrannen.com	Low
Vendor	pom	developer email	sormuras@gmail.com	Low
Vendor	pom	developer email	stefan.bechtold@me.com	Low
Vendor	pom	developer id	bechte	Medium
Vendor	pom	developer id	jlink	Medium
Vendor	pom	developer id	juliette-derancourt	Medium
Vendor	pom	developer id	marcphilipp	Medium
Vendor	pom	developer id	mmerdes	Medium
Vendor	pom	developer id	sbrannen	Medium
Vendor	pom	developer id	sormuras	Medium
Vendor	pom	developer name	Christian Stein	Medium
Vendor	pom	developer name	Johannes Link	Medium
Vendor	pom	developer name	Juliette de Rancourt	Medium
Vendor	pom	developer name	Marc Philipp	Medium
Vendor	pom	developer name	Matthias Merdes	Medium
Vendor	pom	developer name	Sam Brannen	Medium
Vendor	pom	developer name	Stefan Bechtold	Medium
Vendor	pom	groupid	org.junit.platform	Highest
Vendor	pom	name	JUnit Platform Suite (Aggregator)	High
Vendor	pom	url	https://junit.org/junit5/	Highest
Product	central	artifactid	junit-platform-suite	Highest
Product	file	name	junit-platform-suite	High
Product	gradle	artifactid	junit-platform-suite	Highest
Product	Manifest	build-date	2023-07-23	Low
Product	Manifest	build-revision	7f619ca7ac9ecd1b20cc01c44a4df98f5fb67804	Low
Product	Manifest	build-time	14:51:13.722+0200	Low
Product	Manifest	Bundle-Name	JUnit Platform Suite (Aggregator)	Medium
Product	Manifest	bundle-symbolicname	junit-platform-suite	Medium

Product	Manifest	Implementation-Title	junit-platform-suite	High
Product	Manifest	specification-title	junit-platform-suite	Medium
Product	pom	artifactid	junit-platform-suite	Highest
Product	pom	developer email	business@johanneslink.net	Low
Product	pom	developer email	derancourt.juliette@gmail.com	Low
Product	pom	developer email	mail@marcphilipp.de	Low
Product	pom	developer email	matthias.merdes@heidelpay.com	Low
Product	pom	developer email	sam@sambrannen.com	Low
Product	pom	developer email	sormuras@gmail.com	Low
Product	pom	developer email	stefan.bechtold@me.com	Low
Product	pom	developer id	bechte	Low
Product	pom	developer id	jlink	Low
Product	pom	developer id	juliette-derancourt	Low
Product	pom	developer id	marcphilipp	Low
Product	pom	developer id	mmerdes	Low
Product	pom	developer id	sbrannen	Low
Product	pom	developer id	sormuras	Low
Product	pom	developer name	Christian Stein	Low
Product	pom	developer name	Johannes Link	Low
Product	pom	developer name	Juliette de Rancourt	Low
Product	pom	developer name	Marc Philipp	Low
Product	pom	developer name	Matthias Merdes	Low
Product	pom	developer name	Sam Brannen	Low
Product	pom	developer name	Stefan Bechtold	Low
Product	pom	groupid	org.junit.platform	Highest
Product	pom	name	JUnit Platform Suite (Aggregator)	High
Product	pom	url	<a href="https://junit.org/junit5/">https://junit.org/junit5/</a>	Medium
Version	central	version	1.10.0	Highest
Version	file	version	1.10.0	High
Version	gradle	version	1.10.0	Highest
Version	Manifest	Bundle-Version	1.10.0	High
Version	Manifest	Implementation-Version	1.10.0	High
Version	pom	version	1.10.0	Highest

Identifiers

- [pkg:maven/org.junit.platform/junit-platform-suite@1.10.0](#) (Confidence:High)
- [cpe:2.3:a:fan\\_platform\\_project:fan\\_platform:1.10.0:\\*:\\*:\\*:\\*:\\*](#) (Confidence:Low)

suppress

junit-platform-suite-api-1.10.0.jar

Description:

Module "junit-platform-suite-api" of JUnit 5.

License:

Eclipse Public License v2.0: <https://www.eclipse.org/legal/epl-v20.html>

**File Path:** /home/jenkins/.gradle/caches/modules-2/files-2.1/org.junit.platform/junit-platform-suite-api/1.10.0/baa35277c5e4913167fc8c5b2ceb0e5b2aa6b700/junit-platform-suite-api-1.10.0.jar

**MD5:** 7fc1c589754da082f208f8f240000792

**SHA1:** baa35277c5e4913167fc8c5b2ceb0e5b2aa6b700

**SHA256:**29375380c304d96c93466dd2d21e7a0692381689a0a2205e3c0d1961638beaf3

**Referenced In Project/Scope:**gui:inetPlugin

Evidence



Type	Source	Name	Value	Confidence
Vendor	central	artifactid	junit-platform-suite-api	Highest
Vendor	central	groupid	org.junit.platform	Highest
Vendor	file	name	junit-platform-suite-api	High
Vendor	gradle	artifactid	junit-platform-suite-api	Highest
Vendor	gradle	groupid	org.junit.platform	Highest
Vendor	jar	package name	api	Highest
Vendor	jar	package name	junit	Highest
Vendor	jar	package name	junit	Low
Vendor	jar	package name	platform	Highest
Vendor	jar	package name	platform	Low
Vendor	jar	package name	suite	Highest
Vendor	jar	package name	suite	Low
Vendor	Manifest	build-date	2023-07-23	Low
Vendor	Manifest	build-revision	7f619ca7ac9ecd1b20cc01c44a4df98f5fb67804	Low
Vendor	Manifest	build-time	14:51:13.722+0200	Low
Vendor	Manifest	bundle-symbolicname	junit-platform-suite-api	Medium

Vendor	Manifest	Implementation-Vendor	junit.org	High
Vendor	Manifest	require-capability	osgi.ee;filter:="(&(osgi.ee=JavaSE)(version=1.8))"	Low
Vendor	Manifest	specification-vendor	junit.org	Low
Vendor	pom	artifactid	junit-platform-suite-api	Low
Vendor	pom	developer email	business@johanneslink.net	Low
Vendor	pom	developer email	derancourt.juliette@gmail.com	Low
Vendor	pom	developer email	mail@marcphilipp.de	Low
Vendor	pom	developer email	matthias.merdes@heidelpay.com	Low
Vendor	pom	developer email	sam@sambrannen.com	Low
Vendor	pom	developer email	sormuras@gmail.com	Low
Vendor	pom	developer email	stefan.bechtold@me.com	Low
Vendor	pom	developer id	bechte	Medium
Vendor	pom	developer id	jlink	Medium
Vendor	pom	developer id	juliette-derancourt	Medium
Vendor	pom	developer id	marcphilipp	Medium
Vendor	pom	developer id	mmerdes	Medium
Vendor	pom	developer id	sbrannen	Medium
Vendor	pom	developer id	sormuras	Medium
Vendor	pom	developer name	Christian Stein	Medium
Vendor	pom	developer name	Johannes Link	Medium
Vendor	pom	developer name	Juliette de Rancourt	Medium
Vendor	pom	developer name	Marc Philipp	Medium
Vendor	pom	developer name	Matthias Merdes	Medium
Vendor	pom	developer name	Sam Brannen	Medium
Vendor	pom	developer name	Stefan Bechtold	Medium
Vendor	pom	groupid	org.junit.platform	Highest
Vendor	pom	name	JUnit Platform Suite API	High
Vendor	pom	url	https://junit.org/junit5/	Highest
Product	central	artifactid	junit-platform-suite-api	Highest
Product	file	name	junit-platform-suite-api	High
Product	gradle	artifactid	junit-platform-suite-api	Highest
Product	jar	package name	api	Highest
Product	jar	package name	api	Low

Product	jar	package name	junit	Highest
Product	jar	package name	platform	Highest
Product	jar	package name	platform	Low
Product	jar	package name	suite	Highest
Product	jar	package name	suite	Low
Product	Manifest	build-date	2023-07-23	Low
Product	Manifest	build-revision	7f619ca7ac9ecd1b20cc01c44a4df98f5fb67804	Low
Product	Manifest	build-time	14:51:13.722+0200	Low
Product	Manifest	Bundle-Name	JUnit Platform Suite API	Medium
Product	Manifest	bundle-symbolicname	junit-platform-suite-api	Medium
Product	Manifest	Implementation-Title	junit-platform-suite-api	High
Product	Manifest	require-capability	osgi.ee;filter:="(&(osgi.ee=JavaSE)(version=1.8))"	Low
Product	Manifest	specification-title	junit-platform-suite-api	Medium
Product	pom	artifactid	junit-platform-suite-api	Highest
Product	pom	developer email	business@johanneslink.net	Low
Product	pom	developer email	derancourt.juliette@gmail.com	Low
Product	pom	developer email	mail@marcphilipp.de	Low
Product	pom	developer email	matthias.merdes@heidelpay.com	Low
Product	pom	developer email	sam@sambrannen.com	Low
Product	pom	developer email	sormuras@gmail.com	Low
Product	pom	developer email	stefan.bechtold@me.com	Low
Product	pom	developer id	bechte	Low
Product	pom	developer id	jlink	Low
Product	pom	developer id	juliette-derancourt	Low
Product	pom	developer id	marcphilipp	Low
Product	pom	developer id	mmerdes	Low
Product	pom	developer id	sbrannen	Low
Product	pom	developer id	sormuras	Low
Product	pom	developer name	Christian Stein	Low
Product	pom	developer name	Johannes Link	Low
Product	pom	developer name	Juliette de Rancourt	Low
Product	pom	developer name	Marc Philipp	Low
Product	pom	developer name	Matthias Merdes	Low
Product	pom	developer name	Sam Brannen	Low



Product	pom	developer name	Stefan Bechtold	Low
Product	pom	groupid	org.junit.platform	Highest
Product	pom	name	JUnit Platform Suite API	High
Product	pom	url	https://junit.org/junit5/	Medium
Version	central	version	1.10.0	Highest
Version	file	version	1.10.0	High
Version	gradle	version	1.10.0	Highest
Version	Manifest	Bundle-Version	1.10.0	High
Version	Manifest	Implementation-Version	1.10.0	High
Version	pom	version	1.10.0	Highest

### Identifiers

- [pkg:maven/org.junit.platform/junit-platform-suite-api@1.10.0](#) (*Confidence:High*)
- [cpe:2.3:a:fan\\_platform\\_project:fan\\_platform:1.10.0:\\*:\\*:\\*:\\*:\\*](#) (*Confidence:Low*)

suppress

## junit-platform-suite-commons-1.10.0.jar

### Description:

Module "junit-platform-suite-commons" of JUnit 5.

### License:

Eclipse Public License v2.0: <https://www.eclipse.org/legal/epl-v20.html>

**File Path:** /home/jenkins/.gradle/caches/modules-2/files-2.1/org.junit.platform/junit-platform-suite-commons/1.10.0/cee3d71ae0b90f7c96a1fb46cd788b77ab59ce52/junit-platform-suite-commons-1.10.0.jar

**MD5:** 7e1b4ab2643a4003eb8378581312ffc3

**SHA1:** cee3d71ae0b90f7c96a1fb46cd788b77ab59ce52

**SHA256:** 01eb735855dc0d9d24d7219c84c4d4bf8751a126101e56948f792b27289f676b

**Referenced In Project/Scope:**gui:inetPlugin

### Evidence



Type	Source	Name	Value	Confidence
Vendor	central	artifactid	junit-platform-suite-commons	Highest
Vendor	central	groupid	org.junit.platform	Highest
Vendor	file	name	junit-platform-suite-commons	High
Vendor	gradle	artifactid	junit-platform-suite-commons	Highest

Vendor	gradle	groupid	org.junit.platform	Highest
Vendor	jar	package name	commons	Highest
Vendor	jar	package name	junit	Highest
Vendor	jar	package name	junit	Low
Vendor	jar	package name	platform	Highest
Vendor	jar	package name	platform	Low
Vendor	jar	package name	suite	Highest
Vendor	jar	package name	suite	Low
Vendor	Manifest	build-date	2023-07-23	Low
Vendor	Manifest	build-revision	7f619ca7ac9ecd1b20cc01c44a4df98f5fb67804	Low
Vendor	Manifest	build-time	14:51:13.722+0200	Low
Vendor	Manifest	bundle-symbolicname	junit-platform-suite-commons	Medium
Vendor	Manifest	Implementation-Vendor	junit.org	High
Vendor	Manifest	require-capability	osgi.ee;filter:="(&(osgi.ee=JavaSE)(version=1.8))"	Low
Vendor	Manifest	specification-vendor	junit.org	Low
Vendor	pom	artifactid	junit-platform-suite-commons	Low
Vendor	pom	developer email	business@johanneslink.net	Low
Vendor	pom	developer email	derancourt.juliette@gmail.com	Low
Vendor	pom	developer email	mail@marcphilipp.de	Low
Vendor	pom	developer email	matthias.merdes@heidelpay.com	Low
Vendor	pom	developer email	sam@sambrannen.com	Low
Vendor	pom	developer email	sormuras@gmail.com	Low
Vendor	pom	developer email	stefan.bechtold@me.com	Low
Vendor	pom	developer id	bechte	Medium
Vendor	pom	developer id	jlink	Medium
Vendor	pom	developer id	juliette-derancourt	Medium
Vendor	pom	developer id	marcphilipp	Medium
Vendor	pom	developer id	mmerdes	Medium
Vendor	pom	developer id	sbrannen	Medium
Vendor	pom	developer id	sormuras	Medium
Vendor	pom	developer name	Christian Stein	Medium
Vendor	pom	developer name	Johannes Link	Medium
Vendor	pom	developer name	Juliette de Rancourt	Medium

Vendor	pom	developer name	Marc Philipp	Medium
Vendor	pom	developer name	Matthias Merdes	Medium
Vendor	pom	developer name	Sam Brannen	Medium
Vendor	pom	developer name	Stefan Bechtold	Medium
Vendor	pom	groupid	org.junit.platform	Highest
Vendor	pom	name	JUnit Platform Suite Commons	High
Vendor	pom	url	<a href="https://junit.org/junit5/">https://junit.org/junit5/</a>	Highest
Product	central	artifactid	junit-platform-suite-commons	Highest
Product	file	name	junit-platform-suite-commons	High
Product	gradle	artifactid	junit-platform-suite-commons	Highest
Product	jar	package name	commons	Highest
Product	jar	package name	commons	Low
Product	jar	package name	junit	Highest
Product	jar	package name	platform	Highest
Product	jar	package name	platform	Low
Product	jar	package name	suite	Highest
Product	jar	package name	suite	Low
Product	Manifest	build-date	2023-07-23	Low
Product	Manifest	build-revision	7f619ca7ac9ecd1b20cc01c44a4df98f5fb67804	Low
Product	Manifest	build-time	14:51:13.722+0200	Low
Product	Manifest	Bundle-Name	JUnit Platform Suite Commons	Medium
Product	Manifest	bundle-symbolicname	junit-platform-suite-commons	Medium
Product	Manifest	Implementation-Title	junit-platform-suite-commons	High
Product	Manifest	require-capability	osgi.ee;filter="(&(osgi.ee=JavaSE)(version=1.8))"	Low
Product	Manifest	specification-title	junit-platform-suite-commons	Medium
Product	pom	artifactid	junit-platform-suite-commons	Highest
Product	pom	developer email	business@johanneslink.net	Low
Product	pom	developer email	derancourt.juliette@gmail.com	Low
Product	pom	developer email	mail@marcphilipp.de	Low
Product	pom	developer email	matthias.merdes@heidelpay.com	Low
Product	pom	developer email	sam@sambrannen.com	Low
Product	pom	developer email	sormuras@gmail.com	Low
Product	pom	developer email	stefan.bechtold@me.com	Low
Product	pom	developer id	bechte	Low

Product	pom	developer id	jlink	Low
Product	pom	developer id	juliette-derancourt	Low
Product	pom	developer id	marcphilipp	Low
Product	pom	developer id	mmerdes	Low
Product	pom	developer id	sbrannen	Low
Product	pom	developer id	sormuras	Low
Product	pom	developer name	Christian Stein	Low
Product	pom	developer name	Johannes Link	Low
Product	pom	developer name	Juliette de Rancourt	Low
Product	pom	developer name	Marc Philipp	Low
Product	pom	developer name	Matthias Merdes	Low
Product	pom	developer name	Sam Brannen	Low
Product	pom	developer name	Stefan Bechtold	Low
Product	pom	groupid	org.junit.platform	Highest
Product	pom	name	JUnit Platform Suite Commons	High
Product	pom	url	<a href="https://junit.org/junit5/">https://junit.org/junit5/</a>	Medium
Version	central	version	1.10.0	Highest
Version	file	version	1.10.0	High
Version	gradle	version	1.10.0	Highest
Version	Manifest	Bundle-Version	1.10.0	High
Version	Manifest	Implementation-Version	1.10.0	High
Version	pom	version	1.10.0	Highest

#### Identifiers

- [pkg:maven/org.junit.platform/junit-platform-suite-commons@1.10.0](#) (*Confidence:High*)
- [cpe:2.3:a:fan\\_platform\\_project:fan\\_platform:1.10.0:\\*:\\*:\\*:\\*:\\*](#) (*Confidence:Low*)

## junit-platform-suite-engine-1.10.0.jar

#### Description:

Module "junit-platform-suite-engine" of JUnit 5.

#### License:

**File Path:** /home/jenkins/.gradle/caches/modules-2/files-2.1/org.junit.platform/junit-platform-suite-engine/1.10.0/911f55d5abdfa09306d09332fbf33bb024dbbb64/junit-platform-suite-engine-1.10.0.jar

**MD5:** cc571c912931dafb3da248845db9e98e

**SHA1:** 911f55d5abdfa09306d09332fbf33bb024dbbb64

**SHA256:** a70e59f996a222ca36c04989e766266cc2b446a63ce379bf02bac241fcebdf7f3

**Referenced In Project/Scope:** gui:inetPlugin

**Evidence**

Type	Source	Name	Value	Confidence
Vendor	central	artifactid	junit-platform-suite-engine	Highest
Vendor	central	groupid	org.junit.platform	Highest
Vendor	file	name	junit-platform-suite-engine	High
Vendor	gradle	artifactid	junit-platform-suite-engine	Highest
Vendor	gradle	groupid	org.junit.platform	Highest
Vendor	jar	package name	engine	Highest
Vendor	jar	package name	junit	Highest
Vendor	jar	package name	junit	Low
Vendor	jar	package name	platform	Highest
Vendor	jar	package name	platform	Low
Vendor	jar	package name	suite	Highest
Vendor	jar	package name	suite	Low
Vendor	Manifest	build-date	2023-07-23	Low
Vendor	Manifest	build-revision	7f619ca7ac9ecd1b20cc01c44a4df98f5fb67804	Low
Vendor	Manifest	build-time	14:51:13.722+0200	Low
Vendor	Manifest	bundle-symbolicname	junit-platform-suite-engine	Medium
Vendor	Manifest	Implementation-Vendor	junit.org	High
Vendor	Manifest	require-capability	osgi.ee;filter:="(&(osgi.ee=JavaSE)(version=1.8))"	Low
Vendor	Manifest	specification-vendor	junit.org	Low
Vendor	pom	artifactid	junit-platform-suite-engine	Low
Vendor	pom	developer email	business@johanneslink.net	Low
Vendor	pom	developer email	derancourt.juliette@gmail.com	Low
Vendor	pom	developer email	mail@marcphilipp.de	Low
Vendor	pom	developer email	matthias.merdes@heidelpay.com	Low
Vendor	pom	developer email	sam@sambrannen.com	Low

Vendor	pom	developer email	sormuras@gmail.com	Low
Vendor	pom	developer email	stefan.bechtold@me.com	Low
Vendor	pom	developer id	bechte	Medium
Vendor	pom	developer id	jlink	Medium
Vendor	pom	developer id	juliette-derancourt	Medium
Vendor	pom	developer id	marcphilipp	Medium
Vendor	pom	developer id	mmerdes	Medium
Vendor	pom	developer id	sbrannen	Medium
Vendor	pom	developer id	sormuras	Medium
Vendor	pom	developer name	Christian Stein	Medium
Vendor	pom	developer name	Johannes Link	Medium
Vendor	pom	developer name	Juliette de Rancourt	Medium
Vendor	pom	developer name	Marc Philipp	Medium
Vendor	pom	developer name	Matthias Merdes	Medium
Vendor	pom	developer name	Sam Brannen	Medium
Vendor	pom	developer name	Stefan Bechtold	Medium
Vendor	pom	groupid	org.junit.platform	Highest
Vendor	pom	name	JUnit Platform Suite Engine	High
Vendor	pom	url	<a href="https://junit.org/junit5/">https://junit.org/junit5/</a>	Highest
Product	central	artifactid	junit-platform-suite-engine	Highest
Product	file	name	junit-platform-suite-engine	High
Product	gradle	artifactid	junit-platform-suite-engine	Highest
Product	jar	package name	engine	Highest
Product	jar	package name	engine	Low
Product	jar	package name	junit	Highest
Product	jar	package name	platform	Highest
Product	jar	package name	platform	Low
Product	jar	package name	suite	Highest
Product	jar	package name	suite	Low
Product	Manifest	build-date	2023-07-23	Low
Product	Manifest	build-revision	7f619ca7ac9ecd1b20cc01c44a4df98f5fb67804	Low
Product	Manifest	build-time	14:51:13.722+0200	Low
Product	Manifest	Bundle-Name	JUnit Platform Suite Engine	Medium
Product	Manifest	bundle-symbolicname	junit-platform-suite-engine	Medium
Product	Manifest	Implementation-	junit-platform-suite-engine	High

Title				
Product	Manifest	require-capability	osgi.ee;filter:="(&(osgi.ee=JavaSE) (version=1.8))"	Low
Product	Manifest	specification-title	junit-platform-suite-engine	Medium
Product	pom	artifactid	junit-platform-suite-engine	Highest
Product	pom	developer email	business@johanneslink.net	Low
Product	pom	developer email	derancourt.juliette@gmail.com	Low
Product	pom	developer email	mail@marcphilipp.de	Low
Product	pom	developer email	matthias.merdes@heidelpay.com	Low
Product	pom	developer email	sam@sambrannen.com	Low
Product	pom	developer email	sormuras@gmail.com	Low
Product	pom	developer email	stefan.bechtold@me.com	Low
Product	pom	developer id	bechte	Low
Product	pom	developer id	jlink	Low
Product	pom	developer id	juliette-derancourt	Low
Product	pom	developer id	marcphilipp	Low
Product	pom	developer id	mmerdes	Low
Product	pom	developer id	sbrannen	Low
Product	pom	developer id	sormuras	Low
Product	pom	developer name	Christian Stein	Low
Product	pom	developer name	Johannes Link	Low
Product	pom	developer name	Juliette de Rancourt	Low
Product	pom	developer name	Marc Philipp	Low
Product	pom	developer name	Matthias Merdes	Low
Product	pom	developer name	Sam Brannen	Low
Product	pom	developer name	Stefan Bechtold	Low
Product	pom	groupid	org.junit.platform	Highest
Product	pom	name	JUnit Platform Suite Engine	High
Product	pom	url	<a href="https://junit.org/junit5/">https://junit.org/junit5/</a>	Medium
Version	central	version	1.10.0	Highest
Version	file	version	1.10.0	High
Version	gradle	version	1.10.0	Highest
Version	Manifest	Bundle-Version	1.10.0	High
Version	Manifest	Implementation-Version	1.10.0	High
Version	pom	version	1.10.0	Highest

## Identifiers

- [pkg:maven/org.junit.platform/junit-platform-suite-engine@1.10.0](#) (*Confidence:High*)
- [cpe:2.3:a:fan\\_platform\\_project:fan\\_platform:1.10.0:\\*:\\*:\\*:\\*:\\*](#) (*Confidence:Low*)

suppress

## junit-vintage-engine-5.10.0.jar

### Description:

Module "junit-vintage-engine" of JUnit 5.

### License:

Eclipse Public License v2.0: <https://www.eclipse.org/legal/epl-v20.html>

**File Path:** /home/jenkins/.gradle/caches/modules-2/files-2.1/org.junit.vintage/junit-vintage-engine/5.10.0/af4e0a3cb6901aa53d6401003fc10638014b39b1/junit-vintage-engine-5.10.0.jar

**MD5:** ff0ab1be3b14c837ca3d5d71defce409

**SHA1:** af4e0a3cb6901aa53d6401003fc10638014b39b1

**SHA256:** 6cb4d98b2f37ad78d28bbe4864869a110d278d9684445bde243de01148d8e8a

**Referenced In Project/Scope:**gui:inetPlugin

## Evidence



Type	Source	Name	Value	Confidence
Vendor	central	artifactid	junit-vintage-engine	Highest
Vendor	central	groupid	org.junit.vintage	Highest
Vendor	file	name	junit-vintage-engine	High
Vendor	gradle	artifactid	junit-vintage-engine	Highest
Vendor	gradle	groupid	org.junit.vintage	Highest
Vendor	jar	package name	engine	Highest
Vendor	jar	package name	engine	Low
Vendor	jar	package name	junit	Highest
Vendor	jar	package name	junit	Low
Vendor	jar	package name	vintage	Highest
Vendor	jar	package name	vintage	Low
Vendor	Manifest	build-date	2023-07-23	Low
Vendor	Manifest	build-revision	7f619ca7ac9ecd1b20cc01c44a4df98f5fb67804	Low
Vendor	Manifest	build-time	14:51:13.722+0200	Low
Vendor	Manifest	bundle-symbolicname	junit-vintage-engine	Medium



Vendor	Manifest	Implementation-Vendor	junit.org	High
Vendor	Manifest	provide-capability	org.junit.platform.engine;org.junit.platform.engine=junit-vintage;version:Version="5.10.0"	Low
Vendor	Manifest	require-capability	org.junit.platform.launcher;filter:="(&(org.junit.platform.launcher=junit-platform-launcher)(version>=1.10.0)(!(version>=2)))";effective:=active,osgi.ee;filter:="(&(osgi.ee=JavaSE)(version=1.8))"	Low
Vendor	Manifest	specification-vendor	junit.org	Low
Vendor	pom	artifactid	junit-vintage-engine	Low
Vendor	pom	developer email	business@johanneslink.net	Low
Vendor	pom	developer email	derancourt.juliette@gmail.com	Low
Vendor	pom	developer email	mail@marcphilipp.de	Low
Vendor	pom	developer email	matthias.merdes@heidelpay.com	Low
Vendor	pom	developer email	sam@sambrannen.com	Low
Vendor	pom	developer email	sormuras@gmail.com	Low
Vendor	pom	developer email	stefan.bechtold@me.com	Low
Vendor	pom	developer id	bechte	Medium
Vendor	pom	developer id	jlink	Medium
Vendor	pom	developer id	juliette-derancourt	Medium
Vendor	pom	developer id	marcphilipp	Medium
Vendor	pom	developer id	mmerdes	Medium
Vendor	pom	developer id	sbrannen	Medium
Vendor	pom	developer id	sormuras	Medium
Vendor	pom	developer name	Christian Stein	Medium
Vendor	pom	developer name	Johannes Link	Medium
Vendor	pom	developer name	Juliette de Rancourt	Medium
Vendor	pom	developer name	Marc Philipp	Medium
Vendor	pom	developer name	Matthias Merdes	Medium
Vendor	pom	developer name	Sam Brannen	Medium
Vendor	pom	developer name	Stefan Bechtold	Medium
Vendor	pom	groupid	org.junit.vintage	Highest
Vendor	pom	name	JUnit Vintage Engine	High
Vendor	pom	url	https://junit.org/junit5/	Highest
Product	central	artifactid	junit-vintage-engine	Highest
Product	file	name	junit-vintage-engine	High

Product	gradle	artifactid	junit-vintage-engine	Highest
Product	jar	package name	engine	Highest
Product	jar	package name	engine	Low
Product	jar	package name	junit	Highest
Product	jar	package name	vintage	Highest
Product	jar	package name	vintage	Low
Product	Manifest	build-date	2023-07-23	Low
Product	Manifest	build-revision	7f619ca7ac9ecd1b20cc01c44a4df98f5fb67804	Low
Product	Manifest	build-time	14:51:13.722+0200	Low
Product	Manifest	Bundle-Name	JUnit Vintage Engine	Medium
Product	Manifest	bundle-symbolicname	junit-vintage-engine	Medium
Product	Manifest	Implementation-Title	junit-vintage-engine	High
Product	Manifest	provide-capability	org.junit.platform.engine;org.junit.platform.engine=junit-vintage;version:Version="5.10.0"	Low
Product	Manifest	require-capability	org.junit.platform.launcher;filter:="(&(org.junit.platform.launcher=junit-platform-launcher)(version>=1.10.0)(!(version>=2)))";effective:=active,osgi.ee;filter:="(&(osgi.ee=JavaSE)(version=1.8))"	Low
Product	Manifest	specification-title	junit-vintage-engine	Medium
Product	pom	artifactid	junit-vintage-engine	Highest
Product	pom	developer email	business@johanneslink.net	Low
Product	pom	developer email	derancourt.juliette@gmail.com	Low
Product	pom	developer email	mail@marcphilipp.de	Low
Product	pom	developer email	matthias.merdes@heidelpay.com	Low
Product	pom	developer email	sam@sambrannen.com	Low
Product	pom	developer email	sormuras@gmail.com	Low
Product	pom	developer email	stefan.bechtold@me.com	Low
Product	pom	developer id	bechte	Low
Product	pom	developer id	jlink	Low
Product	pom	developer id	juliette-derancourt	Low
Product	pom	developer id	marcphilipp	Low
Product	pom	developer id	mmerdes	Low
Product	pom	developer id	sbrannen	Low
Product	pom	developer id	sormuras	Low
Product	pom	developer name	Christian Stein	Low

Product	pom	developer name	Johannes Link	Low
Product	pom	developer name	Juliette de Rancourt	Low
Product	pom	developer name	Marc Philipp	Low
Product	pom	developer name	Matthias Merdes	Low
Product	pom	developer name	Sam Brannen	Low
Product	pom	developer name	Stefan Bechtold	Low
Product	pom	groupid	org.junit.vintage	Highest
Product	pom	name	JUnit Vintage Engine	High
Product	pom	url	https://junit.org/junit5/	Medium
Version	central	version	5.10.0	Highest
Version	file	version	5.10.0	High
Version	gradle	version	5.10.0	Highest
Version	Manifest	Bundle-Version	5.10.0	High
Version	Manifest	Implementation-Version	5.10.0	High
Version	pom	version	5.10.0	Highest

#### Identifiers

- [pkg:maven/org.junit.vintage/junit-vintage-engine@5.10.0](#) (*Confidence:High*)
- [cpe:2.3:a:fan\\_platform\\_project:fan\\_platform:5.10.0:\\*:\\*:\\*:\\*:\\*](#) (*Confidence:Low*)

suppress

### maintenance.pdf.zip: maintenance.pdf.jar

**File Path:** /home/jenkins/workspace/pdf/Check-Product-Installer-for-Security-Problems/PDFCInstaller/gui/build/tmp/dependencies/i-net PDFC/plugins/maintenance.pdf.zip/maintenance.pdf.jar

**MD5:** 7125252e32bf26d777086c95ae1cdacd

**SHA1:** b29dbc430e0bc60787a72e9cf7a62b582b947dfe

**SHA256:** 74173fd775f7c10b4beb6a5430a3d0964dc10f1fef7ff148f1539ef609056d92

**Referenced In Project/Scope:**gui

#### Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	maintenance.pdf	High
Vendor	jar	package name	inet	Low
Vendor	jar	package name	pdfc	Low

Vendor	jar	package name	plugins	Low
Vendor	Manifest	built-date	2023-11-23 14:11	Low
Vendor	Manifest	implementation-group	pdfc	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	maintenance.pdfc	High
Product	jar	package name	maintenance	Highest
Product	jar	package name	maintenance	Low
Product	jar	package name	pdfc	Highest
Product	jar	package name	pdfc	Low
Product	jar	package name	plugins	Low
Product	Manifest	built-date	2023-11-23 14:11	Low
Product	Manifest	implementation-group	pdfc	Low
Product	Manifest	Implementation-Title	maintenance.pdfc	High
Product	Manifest	specification-title	maintenance.pdfc	Medium
Version	jar	package name	pdfc	Highest
Version	Manifest	Implementation-Version	23.10.241	High

## Identifiers

- cpe:2.3:a:inetsoftware:pdfc:23.10.241.\*.\*.\*.\*.\* (Confidence:Low) suppress

suppress

**maintenance.pdf**.zip: maintenance.pdf.jar: app.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/gui/build/tmp/dependencies/i-net PDFC/plugins/maintenance.pdfc.zip/maintenance.pdfc.jar/com/inet/pdfc/plugins/maintenance/server/comparisons/js/app.js

**MD5:** c5b81bbd2ccc5c70732cb9b5140031e8

**SHA1:** 3600bcef3b8e5e8673753dba6e44219e1ee6084e

**SHA256:**29f813005b914380fb3d2431e48cc5256085b01352b29cd52a030c039f4c5048

**Referenced In Project/Scope:**qui

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### maintenance.pdfcrack.zip: maintenance.pdfcrack.jar: comparisons.js

**File Path:** /home/jenkins/workspace/pdfcrack/Check-Product-Installer-for-Security-Problems/PDFCrackInstaller/gui/build/tmp/dependencies/i-net PDFCrack/plugins/maintenance.pdfcrack.zip/maintenance.pdfcrack.jar/com/inet/pdfcrack/plugins/maintenance/server/comparisons/js/comparisons.js

**MD5:** 4a358909e70f5e92382c4ffa1ad9b09f

**SHA1:** bbfe46ecb44e78fddfc7d2b46e8eac1f2e064425

**SHA256:** 744b2fd3fca72ee7c3e807ad435821ce5d5591dbdfd7222b8772637807543e16

**Referenced In Project/Scope:**gui

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### ocr.tesseract.zip: commons-io.jar

#### Description:

The Apache Commons IO library contains utility classes, stream implementations, file filters, file comparators, endian transformation classes, and much more.

#### License:

<https://www.apache.org/licenses/LICENSE-2.0.txt>

**File Path:** /home/jenkins/workspace/pdfcrack/Check-Product-Installer-for-Security-Problems/PDFCrackInstaller/gui/build/tmp/dependencies/i-net PDFCrack/plugins/ocr.tesseract.zip/commons-io.jar

**MD5:** 8d000fa8939b71b8894637f0ef6ea28c

**SHA1:** 8bb2bc9b4df17e2411533a0708a69f983bf5e83b

**SHA256:** 671eaa39688dac2ffaa4645b3c9980ae2d0ea2471e4ae6a5da199cd15ae23666

**Referenced In Project/Scope:**gui

## Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	commons-io	High
Vendor	jar	package name	apache	Highest
Vendor	jar	package name	commons	Highest
Vendor	jar	package name	file	Highest
Vendor	jar	package name	io	Highest
Vendor	Manifest	automatic-module-name	org.apache.commons.io	Medium
Vendor	Manifest	build-jdk-spec	1.8	Low
Vendor	Manifest	bundle-docurl	<a href="https://commons.apache.org/proper/commons-io/">https://commons.apache.org/proper/commons-io/</a>	Low
Vendor	Manifest	bundle-symbolicname	org.apache.commons.commons-io	Medium
Vendor	Manifest	Implementation-Vendor	The Apache Software Foundation	High
Vendor	Manifest	require-capability	osgi.ee;filter:="(&(osgi.ee=JavaSE)(version=1.8))"	Low
Vendor	Manifest	specification-vendor	The Apache Software Foundation	Low
Vendor	pom	artifactid	commons-io	Low
Vendor	pom	developer email	bayard@apache.org	Low
Vendor	pom	developer email	dion@apache.org	Low
Vendor	pom	developer email	ggregory at apache.org	Low
Vendor	pom	developer email	jeremias@apache.org	Low
Vendor	pom	developer email	jochen.wiedmann@gmail.com	Low
Vendor	pom	developer email	krosenvold@apache.org	Low
Vendor	pom	developer email	martinc@apache.org	Low
Vendor	pom	developer email	matth@apache.org	Low
Vendor	pom	developer email	nicolaken@apache.org	Low
Vendor	pom	developer email	roxspring@apache.org	Low
Vendor	pom	developer email	sanders@apache.org	Low
Vendor	pom	developer id	bayard	Medium
Vendor	pom	developer id	dion	Medium
Vendor	pom	developer id	ggregory	Medium
Vendor	pom	developer id	jeremias	Medium
Vendor	pom	developer id	jochen	Medium

Vendor	pom	developer id	jukka	Medium
Vendor	pom	developer id	krosenvold	Medium
Vendor	pom	developer id	martinc	Medium
Vendor	pom	developer id	matth	Medium
Vendor	pom	developer id	niallp	Medium
Vendor	pom	developer id	nicolaken	Medium
Vendor	pom	developer id	roxspring	Medium
Vendor	pom	developer id	sanders	Medium
Vendor	pom	developer id	scolebourne	Medium
Vendor	pom	developer name	dlon Gillard	Medium
Vendor	pom	developer name	Gary Gregory	Medium
Vendor	pom	developer name	Henri Yandell	Medium
Vendor	pom	developer name	Jeremias Maerki	Medium
Vendor	pom	developer name	Jochen Wiedmann	Medium
Vendor	pom	developer name	Jukka Zitting	Medium
Vendor	pom	developer name	Kristian Rosenvold	Medium
Vendor	pom	developer name	Martin Cooper	Medium
Vendor	pom	developer name	Matthew Hawthorne	Medium
Vendor	pom	developer name	Niall Pemberton	Medium
Vendor	pom	developer name	Nicola Ken Barozzi	Medium
Vendor	pom	developer name	Rob Oxspring	Medium
Vendor	pom	developer name	Scott Sanders	Medium
Vendor	pom	developer name	Stephen Colebourne	Medium
Vendor	pom	developer org	The Apache Software Foundation	Medium
Vendor	pom	developer org URL	<a href="https://www.apache.org/">https://www.apache.org/</a>	Medium
Vendor	pom	groupid	commons-io	Highest
Vendor	pom	name	Apache Commons IO	High
Vendor	pom	parent-artifactid	commons-parent	Low
Vendor	pom	parent-groupid	org.apache.commons	Medium
Vendor	pom	url	<a href="https://commons.apache.org/proper/commons-io/">https://commons.apache.org/proper/commons-io/</a>	Highest
Product	file	name	commons-io	High
Product	jar	package name	apache	Highest
Product	jar	package name	commons	Highest
Product	jar	package name	file	Highest

Product	jar	package name	io	Highest
Product	Manifest	automatic-module-name	org.apache.commons.io	Medium
Product	Manifest	build-jdk-spec	1.8	Low
Product	Manifest	bundle-docurl	<a href="https://commons.apache.org/proper/commons-io/">https://commons.apache.org/proper/commons-io/</a>	Low
Product	Manifest	Bundle-Name	Apache Commons IO	Medium
Product	Manifest	bundle-symbolicname	org.apache.commons.commons-io	Medium
Product	Manifest	Implementation-Title	Apache Commons IO	High
Product	Manifest	require-capability	osgi.ee;filter:="(&(osgi.ee=JavaSE)(version=1.8))"	Low
Product	Manifest	specification-title	Apache Commons IO	Medium
Product	pom	artifactid	commons-io	Highest
Product	pom	developer email	bayard@apache.org	Low
Product	pom	developer email	dion@apache.org	Low
Product	pom	developer email	ggregory at apache.org	Low
Product	pom	developer email	jeremias@apache.org	Low
Product	pom	developer email	jochen.wiedmann@gmail.com	Low
Product	pom	developer email	krosenvold@apache.org	Low
Product	pom	developer email	martinc@apache.org	Low
Product	pom	developer email	matth@apache.org	Low
Product	pom	developer email	nicolaken@apache.org	Low
Product	pom	developer email	roxspring@apache.org	Low
Product	pom	developer email	sanders@apache.org	Low
Product	pom	developer id	bayard	Low
Product	pom	developer id	dion	Low
Product	pom	developer id	ggregory	Low
Product	pom	developer id	jeremias	Low
Product	pom	developer id	jochen	Low
Product	pom	developer id	jukka	Low
Product	pom	developer id	krosenvold	Low
Product	pom	developer id	martinc	Low
Product	pom	developer id	matth	Low
Product	pom	developer id	niallp	Low
Product	pom	developer id	nicolaken	Low
Product	pom	developer id	roxspring	Low



Product	pom	developer id	sanders	Low
Product	pom	developer id	scolebourne	Low
Product	pom	developer name	dlon Gillard	Low
Product	pom	developer name	Gary Gregory	Low
Product	pom	developer name	Henri Yandell	Low
Product	pom	developer name	Jeremias Maerki	Low
Product	pom	developer name	Jochen Wiedmann	Low
Product	pom	developer name	Jukka Zitting	Low
Product	pom	developer name	Kristian Rosenvold	Low
Product	pom	developer name	Martin Cooper	Low
Product	pom	developer name	Matthew Hawthorne	Low
Product	pom	developer name	Niall Pemberton	Low
Product	pom	developer name	Nicola Ken Barozzi	Low
Product	pom	developer name	Rob Oxspring	Low
Product	pom	developer name	Scott Sanders	Low
Product	pom	developer name	Stephen Colebourne	Low
Product	pom	developer org	The Apache Software Foundation	Low
Product	pom	developer org URL	https://www.apache.org/	Low
Product	pom	groupid	commons-io	Highest
Product	pom	name	Apache Commons IO	High
Product	pom	parent-artifactid	commons-parent	Medium
Product	pom	parent-groupid	org.apache.commons	Medium
Product	pom	url	https://commons.apache.org/proper/commons-io/	Medium
Version	Manifest	Bundle-Version	2.13.0	High
Version	Manifest	Implementation-Version	2.13.0	High
Version	pom	parent-version	2.13.0	Low
Version	pom	version	2.13.0	Highest

## Identifiers

- [pkg:maven/commons-io/commons-io@2.13.0](#) (*Confidence:High*)
- [cpe:2.3:a:apache:commons\\_io:2.13.0:\\*.~\\*~\\*~\\*~\\*~\\*~\\*](#) (*Confidence:Highest*) suppress

## ocr.tesseract.zip: commons-logging.jar

### Description:

Apache Commons Logging is a thin adapter allowing configurable bridging to other, well known logging systems.

### License:

<http://www.apache.org/licenses/LICENSE-2.0.txt>

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/gui/build/tmp/dependencies/i-net PDFC/plugins/ocr.tesseract.zip/commons-logging.jar

**MD5:** 040b4b4d8eac886f6b4a2a3bd2f31b00

**SHA1:** 4bfc12adfe4842bf07b657f0369c4cb522955686

**SHA256:** daddea1ea0be0f56978ab3006b8ac92834afeefbd9b7e4e6316fca57df0fa636

**Referenced In Project/Scope:**gui

### Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	commons-logging	High
Vendor	jar	package name	apache	Highest
Vendor	jar	package name	commons	Highest
Vendor	jar	package name	logging	Highest
Vendor	Manifest	bundle-docurl	<a href="http://commons.apache.org/proper/commons-logging/">http://commons.apache.org/proper/commons-logging/</a>	Low
Vendor	Manifest	bundle-symbolicname	org.apache.commons.logging	Medium
Vendor	Manifest	implementation-build	tags/LOGGING_1_2_RC2@r1608092; 2014-07-05 20:11:44+0200	Low
Vendor	Manifest	Implementation-Vendor	The Apache Software Foundation	High
Vendor	Manifest	Implementation-Vendor-Id	org.apache	Medium
Vendor	Manifest	specification-vendor	The Apache Software Foundation	Low
Vendor	pom	artifactid	commons-logging	Low
Vendor	pom	developer email	baliuka@apache.org	Low
Vendor	pom	developer email	costin@apache.org	Low
Vendor	pom	developer email	craigmcc@apache.org	Low
Vendor	pom	developer email	dennisl@apache.org	Low
Vendor	pom	developer email	donaldp@apache.org	Low
Vendor	pom	developer email	morgand@apache.org	Low
Vendor	pom	developer email	rdonkin@apache.org	Low

Vendor	pom	developer email	rsitze@apache.org	Low
Vendor	pom	developer email	rwaldhoff@apache.org	Low
Vendor	pom	developer email	sanders@apache.org	Low
Vendor	pom	developer email	skitching@apache.org	Low
Vendor	pom	developer email	tn@apache.org	Low
Vendor	pom	developer id	baliuka	Medium
Vendor	pom	developer id	bstansberry	Medium
Vendor	pom	developer id	costin	Medium
Vendor	pom	developer id	craigmcc	Medium
Vendor	pom	developer id	dennisl	Medium
Vendor	pom	developer id	donaldp	Medium
Vendor	pom	developer id	morgand	Medium
Vendor	pom	developer id	rdonkin	Medium
Vendor	pom	developer id	rsitze	Medium
Vendor	pom	developer id	rwaldhoff	Medium
Vendor	pom	developer id	sanders	Medium
Vendor	pom	developer id	skitching	Medium
Vendor	pom	developer id	tn	Medium
Vendor	pom	developer name	Brian Stansberry	Medium
Vendor	pom	developer name	Costin Manolache	Medium
Vendor	pom	developer name	Craig McClanahan	Medium
Vendor	pom	developer name	Dennis Lundberg	Medium
Vendor	pom	developer name	Juozas Baliuka	Medium
Vendor	pom	developer name	Morgan Delagrange	Medium
Vendor	pom	developer name	Peter Donald	Medium
Vendor	pom	developer name	Richard Sitze	Medium
Vendor	pom	developer name	Robert Burrell Donkin	Medium
Vendor	pom	developer name	Rodney Waldhoff	Medium
Vendor	pom	developer name	Scott Sanders	Medium
Vendor	pom	developer name	Simon Kitching	Medium
Vendor	pom	developer name	Thomas Neidhart	Medium
Vendor	pom	developer org	Apache	Medium
Vendor	pom	developer org	The Apache Software Foundation	Medium
Vendor	pom	groupid	commons-logging	Highest
Vendor	pom	name	Apache Commons Logging	High

Vendor	pom	parent-artifactid	commons-parent	Low
Vendor	pom	parent-groupid	org.apache.commons	Medium
Vendor	pom	url	http://commons.apache.org/proper/commons-logging/	Highest
Product	file	name	commons-logging	High
Product	jar	package name	apache	Highest
Product	jar	package name	commons	Highest
Product	jar	package name	logging	Highest
Product	Manifest	bundle-docurl	http://commons.apache.org/proper/commons-logging/	Low
Product	Manifest	Bundle-Name	Apache Commons Logging	Medium
Product	Manifest	bundle-symbolicname	org.apache.commons.logging	Medium
Product	Manifest	implementation-build	tags/LOGGING_1_2_RC2@r1608092; 2014-07-05 20:11:44+0200	Low
Product	Manifest	Implementation-Title	Apache Commons Logging	High
Product	Manifest	specification-title	Apache Commons Logging	Medium
Product	pom	artifactid	commons-logging	Highest
Product	pom	developer email	baliuka@apache.org	Low
Product	pom	developer email	costin@apache.org	Low
Product	pom	developer email	craigmcc@apache.org	Low
Product	pom	developer email	dennisl@apache.org	Low
Product	pom	developer email	donaldp@apache.org	Low
Product	pom	developer email	morgand@apache.org	Low
Product	pom	developer email	rdonkin@apache.org	Low
Product	pom	developer email	rsitze@apache.org	Low
Product	pom	developer email	rwaldhoff@apache.org	Low
Product	pom	developer email	sanders@apache.org	Low
Product	pom	developer email	skitching@apache.org	Low
Product	pom	developer email	tn@apache.org	Low
Product	pom	developer id	baliuka	Low
Product	pom	developer id	bstansberry	Low
Product	pom	developer id	costin	Low
Product	pom	developer id	craigmcc	Low
Product	pom	developer id	dennisl	Low
Product	pom	developer id	donaldp	Low
Product	pom	developer id	morgand	Low

Product	pom	developer id	rdonkin	Low
Product	pom	developer id	rsitze	Low
Product	pom	developer id	rwaldhoff	Low
Product	pom	developer id	sanders	Low
Product	pom	developer id	skitching	Low
Product	pom	developer id	tn	Low
Product	pom	developer name	Brian Stansberry	Low
Product	pom	developer name	Costin Manolache	Low
Product	pom	developer name	Craig McClanahan	Low
Product	pom	developer name	Dennis Lundberg	Low
Product	pom	developer name	Juozas Baliuka	Low
Product	pom	developer name	Morgan Delagrange	Low
Product	pom	developer name	Peter Donald	Low
Product	pom	developer name	Richard Sitze	Low
Product	pom	developer name	Robert Burrell Donkin	Low
Product	pom	developer name	Rodney Waldhoff	Low
Product	pom	developer name	Scott Sanders	Low
Product	pom	developer name	Simon Kitching	Low
Product	pom	developer name	Thomas Neidhart	Low
Product	pom	developer org	Apache	Low
Product	pom	developer org	The Apache Software Foundation	Low
Product	pom	groupid	commons-logging	Highest
Product	pom	name	Apache Commons Logging	High
Product	pom	parent-artifactid	commons-parent	Medium
Product	pom	parent-groupid	org.apache.commons	Medium
Product	pom	url	http://commons.apache.org/proper/commons-logging/	Medium
Version	Manifest	Implementation-Version	1.2	High
Version	pom	parent-version	1.2	Low
Version	pom	version	1.2	Highest

## Identifiers

- [pkg:maven/commons-logging/commons-logging@1.2](http://pkg:maven/commons-logging/commons-logging@1.2) (*Confidence:High*)

## ocr.tesseract.zip: fontbox.jar

### Description:

The Apache FontBox library is an open source Java tool to obtain low level information from font files. FontBox is a subproject of Apache PDFBox.

### License:

<https://www.apache.org/licenses/LICENSE-2.0.txt>

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/gui/build/tmp/dependencies/i-net PDFC/plugins/ocr.tesseract.zip/fontbox.jar

**MD5:** a72b60d8c93807ba29c4d24cc09d58a3

**SHA1:** 6e0cd64e30d019d8b98cba9201b979934e4cdae6

**SHA256:** a4efc56064dd34caf8f38a192c04b32422c72ef3c964c0fbbbe8a6b4564d2830

**Referenced In Project/Scope:** gui

### Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	fontbox	High
Vendor	jar	package name	apache	Highest
Vendor	jar	package name	fontbox	Highest
Vendor	Manifest	automatic-module-name	org.apache.fontbox	Medium
Vendor	Manifest	bundle-docurl	<a href="http://pdfbox.apache.org">http://pdfbox.apache.org</a>	Low
Vendor	Manifest	bundle-symbolicname	org.apache.pdfbox.fontbox	Medium
Vendor	Manifest	implementation-url	<a href="http://pdfbox.apache.org/">http://pdfbox.apache.org/</a>	Low
Vendor	Manifest	Implementation-Vendor	The Apache Software Foundation	High
Vendor	Manifest	Implementation-Vendor-Id	org.apache.pdfbox	Medium
Vendor	Manifest	require-capability	osgi.ee;filter="(&(osgi.ee=JavaSE)(version=1.6))"	Low
Vendor	Manifest	specification-vendor	The Apache Software Foundation	Low
Vendor	pom	artifactid	fontbox	Low
Vendor	pom	groupid	org.apache.pdfbox	Highest
Vendor	pom	name	Apache FontBox	High
Vendor	pom	parent-artifactid	pdfbox-parent	Low
Vendor	pom	url	<a href="http://pdfbox.apache.org/">http://pdfbox.apache.org/</a>	Highest
Product	file	name	fontbox	High

Product	jar	package name	apache	Highest
Product	jar	package name	fontbox	Highest
Product	Manifest	automatic-module-name	org.apache.fontbox	Medium
Product	Manifest	bundle-docurl	http://pdfbox.apache.org	Low
Product	Manifest	Bundle-Name	Apache FontBox	Medium
Product	Manifest	bundle-symbolicname	org.apache.pdfbox.fontbox	Medium
Product	Manifest	Implementation-Title	Apache FontBox	High
Product	Manifest	implementation-url	http://pdfbox.apache.org/	Low
Product	Manifest	require-capability	osgi.ee;filter:="(&(osgi.ee=JavaSE)(version=1.6))"	Low
Product	Manifest	specification-title	Apache FontBox	Medium
Product	pom	artifactid	fontbox	Highest
Product	pom	groupid	org.apache.pdfbox	Highest
Product	pom	name	Apache FontBox	High
Product	pom	parent-artifactid	pdfbox-parent	Medium
Product	pom	url	http://pdfbox.apache.org/	Medium
Version	Manifest	Bundle-Version	2.0.29	High
Version	Manifest	Implementation-Version	2.0.29	High
Version	pom	version	2.0.29	Highest

#### Identifiers

- <pkg:maven/org.apache.pdfbox/fontbox@2.0.29> (*Confidence:High*)

## ocr.tesseract.zip: jai-imageio-core.jar

### Description:

Java Advanced Imaging Image I/O Tools API core, but without the classes involved with javax.media.jai dependencies, JPEG2000 or codecLibJIO, meaning that this library can be distributed under the modified BSD license and should be GPL compatible.

### License:

BSD 3-clause License w/nuclear disclaimer: LICENSE.txt

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/gui/build/tmp/dependencies/i-net PDFC/plugins/ocr.tesseract.zip/jai-imageio-core.jar  
**MD5:** 6978d733bfb55c0a82639f724fe5f3bb  
**SHA1:** fb6d79b929556362a241b2f65a04e538062f0077  
**SHA256:** 8ad3c68e9efffb10ac87ff8bc589adf64b04a729c5194c079efd0643607fd72a  
**Referenced In Project/Scope:**gui

## Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	jai-imageio-core	High
Vendor	jar	package name	github	Highest
Vendor	Manifest	bundle-docurl	https://github.com/jai-imageio/	Low
Vendor	Manifest	bundle-symbolicname	jai-imageio-core	Medium
Vendor	Manifest	extension-name	com.github.jai-imageio-jai-imageio-core	Medium
Vendor	Manifest	Implementation-Vendor	https://github.com/jai-imageio/ jai-imageio GitHub group	High
Vendor	Manifest	require-capability	osgi.ee;filter:="(&(osgi.ee=JavaSE)(version=1.6))"	Low
Vendor	Manifest	specification-vendor	Sun Microsystems, Inc.	Low
Vendor	Manifest	url	https://github.com/jai-imageio/jai-imageio-core	Low
Vendor	pom	artifactid	jai-imageio-core	Low
Vendor	pom	developer email	stian@s11.no	Low
Vendor	pom	developer name	Stian Soiland-Reyes	Medium
Vendor	pom	developer org	s11	Medium
Vendor	pom	developer org URL	http://s11.no/	Medium
Vendor	pom	groupid	com.github.jai-imageio	Highest
Vendor	pom	name	Java Advanced Imaging Image I/O Tools API core (standalone)	High
Vendor	pom	organization name	jai-imageio GitHub group	High
Vendor	pom	organization url	jai-imageio/	Medium
Vendor	pom	url	jai-imageio/jai-imageio-core	Highest
Product	file	name	jai-imageio-core	High
Product	jar	package name	github	Highest
Product	Manifest	bundle-docurl	https://github.com/jai-imageio/	Low
Product	Manifest	Bundle-Name	Java Advanced Imaging Image I/O Tools API core (standalone)	Medium



Product	Manifest	bundle-symbolicname	jai-imageio-core	Medium
Product	Manifest	extension-name	com.github.jai-imageio-jai-imageio-core	Medium
Product	Manifest	Implementation-Title	Java Advanced Imaging Image I/O Tools API core (standalone)	High
Product	Manifest	require-capability	osgi.ee;filter:="(&(osgi.ee=JavaSE)(version=1.6))"	Low
Product	Manifest	specification-title	Java Advanced Imaging	Medium
Product	Manifest	url	https://github.com/jai-imageio/jai-imageio-core	Low
Product	pom	artifactid	jai-imageio-core	Highest
Product	pom	developer email	stian@s11.no	Low
Product	pom	developer name	Stian Soiland-Reyes	Low
Product	pom	developer org	s11	Low
Product	pom	developer org URL	http://s11.no/	Low
Product	pom	groupid	com.github.jai-imageio	Highest
Product	pom	name	Java Advanced Imaging Image I/O Tools API core (standalone)	High
Product	pom	organization name	jai-imageio GitHub group	Low
Product	pom	url	jai-imageio/	High
Product	pom	url	jai-imageio/jai-imageio-core	High
Version	Manifest	Bundle-Version	1.4.0	High
Version	Manifest	Implementation-Version	1.4.0	High
Version	pom	version	1.4.0	Highest

#### Identifiers

- [pkg:maven/com.github.jai-imageio/jai-imageio-core@1.4.0](https://maven.com.github.jai-imageio/jai-imageio-core@1.4.0) (*Confidence:High*)

## ocr.tesseract.zip: jbig2-imageio.jar

#### Description:

Java Image I/O plugin for reading JBIG2-compressed image data.  
Formerly known as the levigo JBig2 ImageIO plugin (com.levigo.jbig2:levigo-jbig2-imageio).

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/gui/build/tmp/dependencies/i-net PDFC/plugins/ocr.tesseract.zip/jbig2-imageio.jar  
**MD5:** c51f45dc3d29bbf716774f9ff9e95ad6  
**SHA1:** ad09a9bb94ea791ea81fb6c5bc2b13dd77872598  
**SHA256:** 29cb2951622f10acf61fd0656c4e6fa5562194a9095f7a1d26aa426e2f6b17eb  
**Referenced In Project/Scope:**gui

## Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	jbig2-imageio	High
Vendor	jar	package name	apache	Highest
Vendor	jar	package name	image	Highest
Vendor	jar	package name	jbig2	Highest
Vendor	jar	package name	pdfbox	Highest
Vendor	Manifest	automatic-module-name	org.apache.pdfbox.jbig2	Medium
Vendor	Manifest	implementation-url	<a href="https://www.apache.org/jbig2-imageio/">https://www.apache.org/jbig2-imageio/</a>	Low
Vendor	Manifest	Implementation-Vendor	The Apache Software Foundation	High
Vendor	Manifest	Implementation-Vendor-Id	org.apache.pdfbox	Medium
Vendor	Manifest	specification-vendor	The Apache Software Foundation	Low
Vendor	pom	artifactid	jbig2-imageio	Low
Vendor	pom	developer id	adam	Medium
Vendor	pom	developer id	blitchfield	Medium
Vendor	pom	developer id	carrier	Medium
Vendor	pom	developer id	danielwilson	Medium
Vendor	pom	developer id	gbailleul	Medium
Vendor	pom	developer id	hennejg	Medium
Vendor	pom	developer id	holdersn	Medium
Vendor	pom	developer id	jahewson	Medium
Vendor	pom	developer id	jeremias	Medium
Vendor	pom	developer id	jukka	Medium
Vendor	pom	developer id	kjackson	Medium
Vendor	pom	developer id	koch	Medium
Vendor	pom	developer id	koehlecn	Medium
Vendor	pom	developer id	lehmi	Medium

Vendor	pom	developer id	leleueri	Medium
Vendor	pom	developer id	mmayer	Medium
Vendor	pom	developer id	msayhoun	Medium
Vendor	pom	developer id	pkoch	Medium
Vendor	pom	developer id	tallison	Medium
Vendor	pom	developer id	tboehme	Medium
Vendor	pom	developer id	tchojecki	Medium
Vendor	pom	developer id	tilman	Medium
Vendor	pom	developer id	vfed	Medium
Vendor	pom	developer name	Adam Nichols	Medium
Vendor	pom	developer name	Andreas Lehmkuhler	Medium
Vendor	pom	developer name	Ben Litchfield	Medium
Vendor	pom	developer name	Brian Carrier	Medium
Vendor	pom	developer name	Carolin Köhler	Medium
Vendor	pom	developer name	Daniel Wilson	Medium
Vendor	pom	developer name	Eric Leleu	Medium
Vendor	pom	developer name	Guillaume Bailleul	Medium
Vendor	pom	developer name	Jeremias Maerki	Medium
Vendor	pom	developer name	Johannes Koch	Medium
Vendor	pom	developer name	John Hewson	Medium
Vendor	pom	developer name	Jukka Zitting	Medium
Vendor	pom	developer name	Jörg Henne	Medium
Vendor	pom	developer name	Kevin Jackson	Medium
Vendor	pom	developer name	Maruan Sayhoun	Medium
Vendor	pom	developer name	Matthäus Mayer	Medium
Vendor	pom	developer name	Phillipp Koch	Medium
Vendor	pom	developer name	Sebastian Holder	Medium
Vendor	pom	developer name	Thomas Chojecki	Medium
Vendor	pom	developer name	Tilman Hausherr	Medium
Vendor	pom	developer name	Tim Allison	Medium
Vendor	pom	developer name	Timo Boehme	Medium
Vendor	pom	developer name	Villu Ruusmann	Medium
Vendor	pom	groupid	org.apache.pdfbox	Highest
Vendor	pom	name	PDFBox JBIG2 ImageIO plugin	High
Vendor	pom	organization name	The Apache Software Foundation	High

Vendor	pom	organization url	http://pdfbox.apache.org	Medium
Vendor	pom	parent-artifactid	apache	Low
Vendor	pom	parent-groupid	org.apache	Medium
Product	file	name	jbig2-imageio	High
Product	jar	package name	apache	Highest
Product	jar	package name	image	Highest
Product	jar	package name	jbig2	Highest
Product	jar	package name	pdfbox	Highest
Product	Manifest	automatic-module-name	org.apache.pdfbox.jbig2	Medium
Product	Manifest	Implementation-Title	PDFBox JBIG2 ImageIO plugin	High
Product	Manifest	implementation-url	https://www.apache.org/jbig2-imageio/	Low
Product	Manifest	specification-title	PDFBox JBIG2 ImageIO plugin	Medium
Product	pom	artifactid	jbig2-imageio	Highest
Product	pom	developer id	adam	Low
Product	pom	developer id	blitchfield	Low
Product	pom	developer id	carrier	Low
Product	pom	developer id	danielwilson	Low
Product	pom	developer id	gbailleul	Low
Product	pom	developer id	hennejg	Low
Product	pom	developer id	holdersn	Low
Product	pom	developer id	jahewson	Low
Product	pom	developer id	jeremias	Low
Product	pom	developer id	jukka	Low
Product	pom	developer id	kjackson	Low
Product	pom	developer id	koch	Low
Product	pom	developer id	koehlecn	Low
Product	pom	developer id	lehmi	Low
Product	pom	developer id	leleueri	Low
Product	pom	developer id	mmayer	Low
Product	pom	developer id	msayhoun	Low
Product	pom	developer id	pkoch	Low
Product	pom	developer id	tallison	Low
Product	pom	developer id	tboehme	Low
Product	pom	developer id	tchojecki	Low

Product	pom	developer id	tilman	Low
Product	pom	developer id	vfed	Low
Product	pom	developer name	Adam Nichols	Low
Product	pom	developer name	Andreas Lehmkuhler	Low
Product	pom	developer name	Ben Litchfield	Low
Product	pom	developer name	Brian Carrier	Low
Product	pom	developer name	Carolin Köhler	Low
Product	pom	developer name	Daniel Wilson	Low
Product	pom	developer name	Eric Leleu	Low
Product	pom	developer name	Guillaume Bailleul	Low
Product	pom	developer name	Jeremias Maerki	Low
Product	pom	developer name	Johannes Koch	Low
Product	pom	developer name	John Hewson	Low
Product	pom	developer name	Jukka Zitting	Low
Product	pom	developer name	Jörg Henne	Low
Product	pom	developer name	Kevin Jackson	Low
Product	pom	developer name	Maruan Sayhoun	Low
Product	pom	developer name	Matthäus Mayer	Low
Product	pom	developer name	Phillipp Koch	Low
Product	pom	developer name	Sebastian Holder	Low
Product	pom	developer name	Thomas Chojecki	Low
Product	pom	developer name	Tilman Hausherr	Low
Product	pom	developer name	Tim Allison	Low
Product	pom	developer name	Timo Boehme	Low
Product	pom	developer name	Villu Ruusmann	Low
Product	pom	groupid	org.apache.pdfbox	Highest
Product	pom	name	PDFBox JBIG2 ImageIO plugin	High
Product	pom	organization name	The Apache Software Foundation	Low
Product	pom	organization url	http://pdfbox.apache.org	Low
Product	pom	parent-artifactid	apache	Medium
Product	pom	parent-groupid	org.apache	Medium
Version	Manifest	Implementation-Version	3.0.4	High
Version	pom	parent-version	3.0.4	Low
Version	pom	version	3.0.4	Highest

## Identifiers

- [pkg:maven/org.apache.pdfbox/big2-imageio@3.0.4](#) (*Confidence:High*)
- [cpe:2.3:a:apache:pdfbox:3.0.4:\\*:\\*:\\*:\\*:\\*](#) (*Confidence:Highest*) suppress

## ocr.tesseract.zip: jboss-vfs.jar

### Description:

A VFS library

### License:

asl: <http://repository.jboss.org/licenses/apache-2.0.txt>

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/gui/build/tmp/dependencies/i-net PDFC/plugins/ocr.tesseract.zip/jboss-vfs.jar

**MD5:** 9e4be1fd11218a5bfd48129dd2e44025

**SHA1:** 677ec117cb3edae129eb0d3856ff3a0b09e7de84

**SHA256:** c5252e73e2bb48d6bc9431747ce18e401fa65f3979d8b457927144305fd46f36

**Referenced In Project/Scope:**gui

## Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	jboss-vfs	High
Vendor	jar	package name	jboss	Highest
Vendor	jar	package name	vfs	Highest
Vendor	Manifest	build-jdk-spec	11	Low
Vendor	Manifest	implementation-url	<a href="http://www.jboss.org">http://www.jboss.org</a>	Low
Vendor	Manifest	Implementation-Vendor	JBoss, A division of Red Hat, Inc	High
Vendor	Manifest	os-arch	amd64	Low
Vendor	Manifest	os-name	Linux	Medium
Vendor	Manifest	specification-vendor	JBoss, A division of Red Hat, Inc	Low
Vendor	pom	artifactid	jboss-vfs	Low
Vendor	pom	groupid	org.jboss	Highest
Vendor	pom	name	JBoss VFS	High
Vendor	pom	organization name	JBoss, A division of Red Hat, Inc	High

Vendor	pom	organization url	http://www.jboss.org	Medium
Vendor	pom	parent-artifactid	jboss-parent	Low
Vendor	pom	url	http://www.jboss.org	Highest
Product	file	name	jboss-vfs	High
Product	jar	package name	jboss	Highest
Product	jar	package name	vfs	Highest
Product	Manifest	build-jdk-spec	11	Low
Product	Manifest	Implementation-Title	JBoss VFS	High
Product	Manifest	implementation-url	http://www.jboss.org	Low
Product	Manifest	os-arch	amd64	Low
Product	Manifest	os-name	Linux	Medium
Product	Manifest	specification-title	JBoss VFS	Medium
Product	pom	artifactid	jboss-vfs	Highest
Product	pom	groupid	org.jboss	Highest
Product	pom	name	JBoss VFS	High
Product	pom	organization name	JBoss, A division of Red Hat, Inc	Low
Product	pom	organization url	http://www.jboss.org	Low
Product	pom	parent-artifactid	jboss-parent	Medium
Product	pom	url	http://www.jboss.org	Medium
Version	Manifest	Implementation-Version	3.3.0.Final	High
Version	pom	parent-version	3.3.0.Final	Low
Version	pom	version	3.3.0.Final	Highest

#### Identifiers

- [pkg:maven/org.jboss/jboss-vfs@3.3.0.Final](https://pkg:maven/org.jboss/jboss-vfs@3.3.0.Final) (*Confidence:High*)

## ocr.tesseract.zip: jna.jar

### Description:

Java Native Access

### License:

LGPL-2.1-or-later: <https://www.gnu.org/licenses/old-licenses/lgpl-2.1>  
Apache-2.0: <https://www.apache.org/licenses/LICENSE-2.0.txt>

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/gui/build/tmp/dependencies/i-net PDFC/plugins/ocr.tesseract.zip/jna.jar

**MD5:** 237d9e29373db1962be6ddecf1dfc8f3

**SHA1:** 27770efb6329f092f895c7329662d1aa8ee8c0ac

**SHA256:** e2bce99e4aefd4dab097019a799d317cb3b5d56c3ddd7984c69a772dceed0dd3

**Referenced In Project/Scope:** gui

## Evidence



Type	Source	Name	Value	Confidence
Vendor	central	artifactid	jna	Highest
Vendor	central	groupid	net.java.dev.jna	Highest
Vendor	file	name	jna	High
Vendor	jar	package name	jna	Highest
Vendor	jar	package name	jna	Low
Vendor	jar	package name	sun	Highest
Vendor	jar	package name	sun	Low
Vendor	jar (hint)	package name	oracle	Highest
Vendor	jar (hint)	package name	oracle	Low
Vendor	Manifest	automatic-module-name	com.sun.jna	Medium
Vendor	Manifest	bundle-activationpolicy	lazy	Low
Vendor	Manifest	bundle-category	jni	Low
Vendor	Manifest	bundle-nativecode	com/sun/jna/win32-x86/jnidispatch.dll; processor=x86;osname=win32, com/sun/jna/win32-x86-64/jnidispatch.dll; processor=x86-64;osname=win32, com/sun/jna/win32-x86/jnidispatch.dll; processor=x86;osname=win, com/sun/jna/win32-x86-64/jnidispatch.dll; processor=x86-64;osname=win, com/sun/jna/win32-aarch64/jnidispatch.dll; processor=aarch64;osname=win, com/sun/jna/w32ce-arm/jnidispatch.dll; processor=arm;osname=wince, com/sun/jna/sunos-x86/libjnidispatch.so; processor=x86;osname=sunos, com/sun/jna/sunos-x86-64/libjnidispatch.so; processor=x86-64;osname=sunos, com/sun/jna/sunos-sparc/libjnidispatch.so; processor=sparc;osname=sunos, com/sun/jna/sunos-sparcv9/libjnidispatch.so; processor=sparcv9;osname=sunos, com/sun/jna/aix-ppc/libjnidispatch.a; processor=ppc;osname=aix, com/sun/jna/aix-ppc64/libjnidispatch.a; processor=ppc64;osname=aix, com/sun/jna/linux-ppc/libjnidispatch.so; processor=ppc;osname=linux, com/sun/jna/linux-ppc64	Low



			/libjnidispatch.so; processor=ppc64; osname=linux, com/sun/jna/linux-ppc64le /libjnidispatch.so; processor=ppc64le; osname=linux, com/sun/jna/linux-x86 /libjnidispatch.so; processor=x86; osname=linux, com/sun/jna/linux-x86-64 /libjnidispatch.so; processor=x86-64; osname=linux, com/sun/jna/linux-arm /libjnidispatch.so; processor=arm; osname=linux, com/sun/jna/linux-arm /libjnidispatch.so; processor=arm_le; osname=linux, com/sun/jna/linux-armel /libjnidispatch.so; processor=armel; osname=linux, com/sun/jna/linux-aarch64 /libjnidispatch.so; processor=aarch64; osname=linux, com/sun/jna/linux-ia64 /libjnidispatch.so; processor=ia64; osname=linux, com/sun/jna/linux-sparcv9 /libjnidispatch.so; processor=sparcv9; osname=linux, com/sun/jna/linux-mips64el /libjnidispatch.so; processor=mips64el; osname=linux, com/sun/jna/linux-s390x /libjnidispatch.so; processor=S390x; osname=linux, com/sun/jna/freebsd-x86 /libjnidispatch.so; processor=x86; osname=freebsd, com/sun/jna/freebsd-x86-64 /libjnidispatch.so; processor=x86-64; osname=freebsd, com/sun/jna/openbsd-x86 /libjnidispatch.so; processor=x86; osname=openbsd, com/sun/jna/openbsd-x86-64 /libjnidispatch.so; processor=x86-64; osname=openbsd, com/sun/jna/darwin-ppc /libjnidispatch.jnilib; osname=macosx; processor=ppc, com/sun/jna/darwin-ppc64 /libjnidispatch.jnilib; osname=macosx; processor=ppc64, com/sun/jna/darwin-x86 /libjnidispatch.jnilib; osname=macosx; processor=x86, com/sun/jna/darwin-x86-64 /libjnidispatch.jnilib; osname=macosx; processor=x86-64, com/sun/jna/darwin-aarch64 /libjnidispatch.jnilib; osname=macosx;processor=aarch64	
Vendor	Manifest	bundle-requiredexecution	JavaSE-1.6	Low
Vendor	Manifest	bundle-symbolicname	com.sun.jna	Medium
Vendor	Manifest	Implementation-Vendor	JNA Development Team	High
Vendor	Manifest	specification-vendor	JNA Development Team	Low
Vendor	pom	artifactid	jna	Low
Vendor	pom	developer email	mblaesing@doppel-helix.eu	Low
Vendor	pom	developer id	twall	Medium
Vendor	pom	developer name	Matthias Bläsing	Medium
Vendor	pom	developer name	Timothy Wall	Medium
Vendor	pom	groupid	net.java.dev.jna	Highest
Vendor	pom	name	Java Native Access	High

Vendor	pom	url	java-native-access/jna	Highest
Product	central	artifactid	jna	Highest
Product	file	name	jna	High
Product	jar	package name	jna	Highest
Product	jar	package name	jna	Low
Product	jar	package name	library	Highest
Product	jar	package name	native	Highest
Product	jar	package name	sun	Highest
Product	jar	package name	win32	Highest
Product	Manifest	automatic-module-name	com.sun.jna	Medium
Product	Manifest	bundle-activationpolicy	lazy	Low
Product	Manifest	bundle-category	jni	Low
Product	Manifest	Bundle-Name	jna	Medium
Product	Manifest	bundle-nativecode	com/sun/jna/win32-x86/jnidispach.dll; processor=x86;osname=win32, com/sun/jna/win32-x86-64/jnidispach.dll; processor=x86-64;osname=win32, com/sun/jna/win32-x86/jnidispach.dll; processor=x86;osname=win, com/sun/jna/win32-x86-64/jnidispach.dll; processor=x86-64;osname=win, com/sun/jna/win32-aarch64/jnidispach.dll; processor=aarch64;osname=win, com/sun/jna/w32ce-arm/jnidispach.dll; processor=arm;osname=wince, com/sun/jna/sunos-x86/libjnidispach.so; processor=x86;osname=sunos, com/sun/jna/sunos-x86-64/libjnidispach.so; processor=x86-64;osname=sunos, com/sun/jna/sunos-sparc/libjnidispach.so; processor=sparc;osname=sunos, com/sun/jna/sunos-sparcv9/libjnidispach.so; processor=sparcv9;osname=sunos, com/sun/jna/aix-ppc/libjnidispach.a; processor=ppc;osname=aix, com/sun/jna/aix-ppc64/libjnidispach.a; processor=ppc64;osname=aix, com/sun/jna/linux-ppc/libjnidispach.so; processor=ppc;osname=linux, com/sun/jna/linux-ppc64/libjnidispach.so; processor=ppc64;osname=linux, com/sun/jna/linux-ppc64le/libjnidispach.so; processor=ppc64le;osname=linux, com/sun/jna/linux-x86/libjnidispach.so; processor=x86;osname=linux, com/sun/jna/linux-x86-64/libjnidispach.so; processor=x86-64;osname=linux, com/sun/jna/linux-arm/libjnidispach.so; processor=arm;osname=linux, com/sun/jna/linux-arm/libjnidispach.so; processor=arm_le;osname=linux, com/sun/jna/linux-armel/libjnidispach.so; processor=armel;osname=linux, com/sun/jna/linux-aarch64/libjnidispach.so; processor=aarch64;osname=linux, com/sun/jna/linux-ia64	Low

```

/libjnidispatch.so; processor=ia64;
osname=linux, com/sun/jna/linux-sparcv9
/libjnidispatch.so; processor=sparcv9;
osname=linux, com/sun/jna/linux-mips64el
/libjnidispatch.so; processor=mips64el;
osname=linux, com/sun/jna/linux-s390x
/libjnidispatch.so; processor=S390x;
osname=linux, com/sun/jna/freebsd-x86
/libjnidispatch.so; processor=x86;
osname=freebsd, com/sun/jna/freebsd-x86-64
/libjnidispatch.so; processor=x86-64;
osname=freebsd, com/sun/jna/openbsd-x86
/libjnidispatch.so; processor=x86;
osname=openbsd, com/sun/jna/openbsd-x86-64
/libjnidispatch.so; processor=x86-64;
osname=openbsd, com/sun/jna/darwin-ppc
/libjnidispatch.jnilib; osname=macosx;
processor=ppc, com/sun/jna/darwin-ppc64
/libjnidispatch.jnilib; osname=macosx;
processor=ppc64, com/sun/jna/darwin-x86
/libjnidispatch.jnilib; osname=macosx;
processor=x86, com/sun/jna/darwin-x86-64
/libjnidispatch.jnilib; osname=macosx;
processor=x86-64, com/sun/jna/darwin-aarch64
/libjnidispatch.jnilib;
osname=macosx;processor=aarch64

```

Product	Manifest	bundle-requiredexecution	JavaSE-1.6	Low
Product	Manifest	bundle-symbolicname	com.sun.jna	Medium
Product	Manifest	Implementation-Title	com.sun.jna	High
Product	Manifest	specification-title	Java Native Access (JNA)	Medium
Product	pom	artifactid	jna	Highest
Product	pom	developer email	mblaesing@doppel-helix.eu	Low
Product	pom	developer id	twall	Low
Product	pom	developer name	Matthias Bläsing	Low
Product	pom	developer name	Timothy Wall	Low
Product	pom	groupid	net.java.dev.jna	Highest
Product	pom	name	Java Native Access	High
Product	pom	url	java-native-access/jna	High
Version	central	version	5.11.0	Highest
Version	Manifest	Bundle-Version	5.11.0	High
Version	pom	version	5.11.0	Highest

## Identifiers

- [pkg:maven/net.java.dev.jna/jna@5.11.0](#) (*Confidence:High*)
- [cpe:2.3:a:oracle:java\\_se:5.11.0:\\*:\\*:\\*:\\*:\\*](#) (*Confidence:Low*)

suppress

## ocr.tesseract.zip: jna.jar: jnidispatch.dll

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/gui/build/tmp/dependencies/i-net PDFC/plugins/ocr.tesseract.zip/jna.jar/com/sun/jna/win32-aarch64/jnidispatch.dll

**MD5:** 65b93b8a446bc4eded1e03db3e996164

**SHA1:** 272ad296884df043407db41c435d3114dc39538a

**SHA256:** 31904d830fadbc72f1f68436049434b4afd6719420fe59958537c276be449373

**Referenced In Project/Scope:**gui

### Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	jnidispatch	High
Product	file	name	jnidispatch	High

### Identifiers

- None

## ocr.tesseract.zip: jna.jar: jnidispatch.dll

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/gui/build/tmp/dependencies/i-net PDFC/plugins/ocr.tesseract.zip/jna.jar/com/sun/jna/win32-x86-64/jnidispatch.dll

**MD5:** 4de85f9679c3a75f6d7d3e56094aa106

**SHA1:** 052f62fb2ebec89fbe412db480865910eab693ad

**SHA256:** 3d1b2427b45ff5178bbb4db395758bedd3a1e91121ebb3e3640b5c4e20eb22cc

**Referenced In Project/Scope:**gui

### Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	jnidispatch	High
Product	file	name	jnidispatch	High

### Identifiers

- None

## ocr.tesseract.zip: jna.jar: jnidispatch.dll

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/gui/build/tmp/dependencies/i-net PDFC/plugins/ocr.tesseract.zip/jna.jar/com/sun/jna/win32-x86/jnidispatch.dll

**MD5:** 856291fc5f373c1368a70b6bf31697ce

**SHA1:** d03cb1df184c322cd8285f7cee50c5f861e24116

**SHA256:** f1225df0c346e0d4fde129771a7ce81c6a23e01950ae59f38fde86e626d8cd59

**Referenced In Project/Scope:**gui

### Evidence

Type	Source	Name	Value	Confidence
Vendor	file	name	jnidispatch	High
Product	file	name	jnidispatch	High

### Identifiers

- None

## ocr.tesseract.zip: lept4j.jar

### Description:

# Lept4J

## Description:

A Java JNA wrapper for Leptonica Image Processing library.

Lept4J is released and distributed under the Apache License, v2.0.

### License:

Apache License 2.0: <http://www.apache.org/licenses/LICENSE-2.0.txt>

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/gui/build/tmp/dependencies/i-net PDFC/plugins/ocr.tesseract.zip/lept4j.jar

**MD5:** cf4d81e4637416b32909a72dda7a6131

**SHA1:** f98a8c60db74964c16d5e28d0cd8804c41da1dc7

**SHA256:** a69ebcd0ed984c406b6001f02a7c1567c3abd5eef514bf1fe6e7e31985a2fbf1

**Referenced In Project/Scope:**gui

### Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Vendor	file	name	lept4j	High
Vendor	jar	package name	lept4j	Highest
Vendor	jar	package name	leptonica	Highest
Vendor	jar	package name	net	Highest
Vendor	jar	package name	sourceforge	Highest
Vendor	Manifest	build-jdk-spec	1.8	Low
Vendor	pom	artifactid	lept4j	Low
Vendor	pom	developer email	nguyenq@users.sf.net	Low
Vendor	pom	developer name	Quan Nguyen	Medium
Vendor	pom	groupid	net.sourceforge.lept4j	Highest
Vendor	pom	name	Lept4J - Leptonica for Java	High
Vendor	pom	url	nguyenq/lept4j	Highest
Product	file	name	lept4j	High
Product	jar	package name	lept4j	Highest
Product	jar	package name	leptonica	Highest
Product	jar	package name	net	Highest
Product	jar	package name	sourceforge	Highest
Product	Manifest	build-jdk-spec	1.8	Low
Product	pom	artifactid	lept4j	Highest
Product	pom	developer email	nguyenq@users.sf.net	Low
Product	pom	developer name	Quan Nguyen	Low
Product	pom	groupid	net.sourceforge.lept4j	Highest
Product	pom	name	Lept4J - Leptonica for Java	High
Product	pom	url	nguyenq/lept4j	High
Version	pom	version	1.18.1	Highest

#### Identifiers

- [pkg:maven/net.sourceforge.lept4j/lept4j@1.18.1](https://sourceforge.net/projects/leptonica/files/lept4j/1.18.1/) (*Confidence:High*)

**ocr.tesseract.zip: lept4j.jar: libleptonica1831.dll**

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/gui/build/tmp/dependencies/i-net PDFC/plugins/ocr.tesseract.zip/lept4j.jar/win32-x86-64/libleptonica1831.dll  
**MD5:** 45ceb4717c485444b84eaff204608254

**SHA1:** cd19a5081122f5653df80e5c0b8039e1ae5e7b29

**SHA256:** 95e47e6c3c4a9654a663ae91f0f9d74ee9907bd279354e3c427fec644602f545

**Referenced In Project/Scope:**gui

#### Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	libleptonica1831	High
Product	file	name	libleptonica1831	High
Version	file	name	libleptonica1831	Medium
Version	file	version	1831	Medium

#### Identifiers

- None

### ocr.tesseract.zip: lept4j.jar: libleptonica1831.dll

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/gui/build/tmp/dependencies/i-net PDFC/plugins/ocr.tesseract.zip/lept4j.jar/win32-x86/libleptonica1831.dll

**MD5:** d07978f8df68e7297c51d5454344b829

**SHA1:** 9f9c497c67f61b267ffad002d7f4cbae00eeee38

**SHA256:** 975023c6acf7fb4d056740b762fd3f4ab33b5d117d3ddd19ae9788f5d156e718

**Referenced In Project/Scope:**gui

#### Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	libleptonica1831	High
Product	file	name	libleptonica1831	High
Version	file	name	libleptonica1831	Medium
Version	file	version	1831	Medium

#### Identifiers

- None

### ocr.tesseract.zip: ocr.tesseract.jar

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/gui/build/tmp/dependencies/i-net PDFC/plugins/ocr.tesseract.zip/ocr.tesseract.jar  
**MD5:** b458a00dcca4607ddda399d20923833f  
**SHA1:** ec8b80141abb7ae45c06719d29d2fe2c8f0d91cc  
**SHA256:** 80ab30bef7e45f3f2f1185b66af773552393f00b55f26c78d11672fe9bf49639  
**Referenced In Project/Scope:**gui

## Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	ocr.tesseract	High
Vendor	jar	package name	inet	Low
Vendor	jar	package name	ocr	Low
Vendor	jar	package name	pdfc	Low
Vendor	Manifest	application-library-allowable-codebase	*	Low
Vendor	Manifest	built-date	2023-11-23 14:11	Low
Vendor	Manifest	codebase	*	Low
Vendor	Manifest	implementation-group	pdfc	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	permissions	all-permissions	Low
Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	trusted-library	false	Low
Vendor	Manifest	trusted-only	false	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	ocr.tesseract	High
Product	jar	package name	ocr	Highest
Product	jar	package name	ocr	Low
Product	jar	package name	pdfc	Highest
Product	jar	package name	pdfc	Low
Product	jar	package name	tesseract	Highest
Product	jar	package name	tesseract	Low
Product	Manifest	application-library-allowable-	*	Low



		codebase		
Product	Manifest	built-date	2023-11-23 14:11	Low
Product	Manifest	codebase	*	Low
Product	Manifest	implementation-group	pdfc	Low
Product	Manifest	Implementation-Title	ocr.tesseract	High
Product	Manifest	permissions	all-permissions	Low
Product	Manifest	specification-title	ocr.tesseract	Medium
Product	Manifest	trusted-library	false	Low
Product	Manifest	trusted-only	false	Low
Version	jar	package name	pdfc	Highest
Version	Manifest	Implementation-Version	23.10.241	High

#### Identifiers

- cpe:2.3:a:tesseract\_ocr\_project:tesseract\_ocr:23.10.241:\*:\*:\*:\*:\* ( *Confidence:Low* )  
suppress
- cpe:2.3:a:tesseract\_project:tesseract:23.10.241:\*:\*:\*:\*:\* ( *Confidence:Low* ) suppress

### ocr.tesseract.zip: pdfbox.jar

#### Description:

The Apache PDFBox library is an open source Java tool for working with PDF documents.

#### License:

<https://www.apache.org/licenses/LICENSE-2.0.txt>

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/gui/build/tmp/dependencies/i-net PDFC/plugins/ocr.tesseract.zip/pdfbox.jar

**MD5:** abbc429999c3b2522f1055ddde2b5111

**SHA1:** 875ee3970cc5000bc33e2daa427a07174482ca5a

**SHA256:** 69728a41a6e9feb98399560a31c1fe1b6467a66d1a8e33e677da24fda9263937

**Referenced In Project/Scope:**gui

#### Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	pdfbox	High

Vendor	jar	package name	apache	Highest
Vendor	jar	package name	pdfbox	Highest
Vendor	Manifest	automatic-module-name	org.apache.pdfbox	Medium
Vendor	Manifest	bundle-docurl	http://pdfbox.apache.org	Low
Vendor	Manifest	bundle-symbolicname	org.apache.pdfbox	Medium
Vendor	Manifest	implementation-url	https://www.apache.org/pdfbox-parent/pdfbox/	Low
Vendor	Manifest	Implementation-Vendor	The Apache Software Foundation	High
Vendor	Manifest	Implementation-Vendor-Id	org.apache.pdfbox	Medium
Vendor	Manifest	require-capability	osgi.ee;filter:="(&(osgi.ee=JavaSE)(version=1.6))"	Low
Vendor	Manifest	specification-vendor	The Apache Software Foundation	Low
Vendor	pom	artifactid	pdfbox	Low
Vendor	pom	groupid	org.apache.pdfbox	Highest
Vendor	pom	name	Apache PDFBox	High
Vendor	pom	parent-artifactid	pdfbox-parent	Low
Product	file	name	pdfbox	High
Product	jar	package name	apache	Highest
Product	jar	package name	filter	Highest
Product	jar	package name	pdfbox	Highest
Product	jar	package name	version	Highest
Product	Manifest	automatic-module-name	org.apache.pdfbox	Medium
Product	Manifest	bundle-docurl	http://pdfbox.apache.org	Low
Product	Manifest	Bundle-Name	Apache PDFBox	Medium
Product	Manifest	bundle-symbolicname	org.apache.pdfbox	Medium
Product	Manifest	Implementation-Title	Apache PDFBox	High
Product	Manifest	implementation-url	https://www.apache.org/pdfbox-parent/pdfbox/	Low
Product	Manifest	require-capability	osgi.ee;filter:="(&(osgi.ee=JavaSE)(version=1.6))"	Low
Product	Manifest	specification-title	Apache PDFBox	Medium
Product	pom	artifactid	pdfbox	Highest
Product	pom	groupid	org.apache.pdfbox	Highest

Product	pom	name	Apache PDFBox	High
Product	pom	parent-artifactid	pdfbox-parent	Medium
Version	Manifest	Bundle-Version	2.0.29	High
Version	Manifest	Implementation-Version	2.0.29	High
Version	pom	version	2.0.29	Highest

### Related Dependencies

- ocr.tesseract.zip: pdfbox-debugger.jar
  - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/gui/build/tmp/dependencies/i-net PDFC/plugins/ocr.tesseract.zip/pdfbox-debugger.jar
  - MD5: a140e1caa81f748ae6ad567a44e282f7
  - SHA1: 6a37d018c1b5d6bfb1cd4ebb1e95ab5a054a276
  - SHA256: c22e8e5e14ad023758e4e03474b6a7d570e1949f31e1ec05495e0c8ec5f88b22
  - [pkg:maven/org.apache.pdfbox/pdfbox-debugger@2.0.29](#)

### Identifiers

- [pkg:maven/org.apache.pdfbox/pdfbox@2.0.29](#) (*Confidence:High*)
- [cpe:2.3:a:apache:pdfbox:2.0.29:\\*.~\\*~\\*~\\*~\\*](#) (*Confidence:Highest*) suppress

## ocr.tesseract.zip: tess4j.jar

### Description:

# Tess4J

## Description:

A Java JNA wrapper for Tesseract OCR API.

Tess4J is released and distributed under the Apache License, v2.0.

## Features:

The library provides optical character recognition (OCR) support for:

TIFF, JPEG, GIF, PNG, and BMP image formats  
 Multi-page TIFF images  
 PDF document format

### License:

Apache License 2.0: <http://www.apache.org/licenses/LICENSE-2.0.txt>

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/gui/build/tmp/dependencies/i-net PDFC/plugins/ocr.tesseract.zip/tess4j.jar

**MD5:** 7e7f2bc2a23faa5f78d241cb60d66ec2

**SHA1:** 941ecee9af519e70182854eef2f109b2efad88d6

**SHA256:**561c378e814a21ec7f452c761505d2a515b4a4b710ac2bd09353f7d848597603

**Referenced In Project/Scope:**gui

## Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	tess4j	High
Vendor	jar	package name	net	Highest
Vendor	jar	package name	recognition	Highest
Vendor	jar	package name	sourceforge	Highest
Vendor	jar	package name	tess4j	Highest
Vendor	jar	package name	tesseract	Highest
Vendor	Manifest	build-jdk-spec	20	Low
Vendor	Manifest	implementation-url	http://tess4j.sourceforge.net	Low
Vendor	Manifest	Implementation-Vendor	Tess4J	High
Vendor	Manifest	specification-vendor	Tess4J	Low
Vendor	pom	artifactid	tess4j	Low
Vendor	pom	developer email	nguyenq@users.sf.net	Low
Vendor	pom	developer email	osoriojaques@gmail.com	Low
Vendor	pom	developer name	O.J. Sousa Rodrigues	Medium
Vendor	pom	developer name	Quan Nguyen	Medium
Vendor	pom	groupid	net.sourceforge.tess4j	Highest
Vendor	pom	name	Tess4J - Tesseract for Java	High
Vendor	pom	organization name	Tess4J	High
Vendor	pom	organization url	http://tess4j.sourceforge.net	Medium
Vendor	pom	url	http://tess4j.sourceforge.net	Highest
Product	file	name	tess4j	High
Product	jar	package name	net	Highest
Product	jar	package name	recognition	Highest
Product	jar	package name	sourceforge	Highest
Product	jar	package name	tess4j	Highest
Product	jar	package name	tesseract	Highest
Product	Manifest	build-jdk-spec	20	Low

Product	Manifest	Implementation-Title	Tess4J - Tesseract for Java	High
Product	Manifest	implementation-url	http://tess4j.sourceforge.net	Low
Product	Manifest	specification-title	Tess4J - Tesseract for Java	Medium
Product	pom	artifactid	tess4j	Highest
Product	pom	developer email	nguyenq@users.sf.net	Low
Product	pom	developer email	osoriojaques@gmail.com	Low
Product	pom	developer name	O.J. Sousa Rodrigues	Low
Product	pom	developer name	Quan Nguyen	Low
Product	pom	groupid	net.sourceforge.tess4j	Highest
Product	pom	name	Tess4J - Tesseract for Java	High
Product	pom	organization name	Tess4J	Low
Product	pom	organization url	http://tess4j.sourceforge.net	Low
Product	pom	url	http://tess4j.sourceforge.net	Medium
Version	Manifest	Implementation-Version	5.7.0	High
Version	pom	version	5.7.0	Highest

#### Identifiers

- [pkg:maven/net.sourceforge.tess4j/tess4j@5.7.0](https://maven.apache.org/repositories/m2/repository/net/sourceforge/tess4j/tess4j/5.7.0/) (*Confidence:High*)
- cpe:2.3:a:tesseract\_project:tesseract:5.7.0:\*:\*:\*:\*:\* (*Confidence:Low*) suppress

### ocr.tesseract.zip: tess4j.jar: libtesseract531.dll

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/gui/build/tmp/dependencies/i-net PDFC/plugins/ocr.tesseract.zip/tess4j.jar/win32-x86-64/libtesseract531.dll

**MD5:** 378b1899171ee6093b697638cc8d8884

**SHA1:** 6ee365640e95ea6fba24826e418a8a7b339afeba

**SHA256:** 67669def8be8c3111ce273c1c03e9c83a2cadd6c3c84f4b3c76ed57e4fc94f2

**Referenced In Project/Scope:**gui

#### Evidence

Type	Source	Name	Value	Confidence
Vendor	file	name	libtesseract531	High
Product	file	name	libtesseract531	High

Version	file	name	libtesseract531	Medium
Version	file	version	531	Medium

#### Identifiers

- None

### ocr.tesseract.zip: tess4j.jar: libtesseract531.dll

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/gui/build/tmp/dependencies/i-net PDFC/plugins/ocr.tesseract.zip/tess4j.jar/win32-x86/libtesseract531.dll

**MD5:** 440288f9814dd92787091160fa1604de

**SHA1:** a9dc6c68073b2c223c99aefefd23685b3b20ed19

**SHA256:** 9abb51ab17a22d6243199146b3feb57a4909762abd72797cc208e5bf7631907a

**Referenced In Project/Scope:**gui

#### Evidence

Type	Source	Name	Value	Confidence
Vendor	file	name	libtesseract531	High
Product	file	name	libtesseract531	High
Version	file	name	libtesseract531	Medium
Version	file	version	531	Medium

#### Identifiers

- None

### opentest4j-1.3.0.jar

#### Description:

Open Test Alliance for the JVM

#### License:

The Apache License, Version 2.0: <https://www.apache.org/licenses/LICENSE-2.0.txt>

**File Path:** /home/jenkins/.gradle/caches/modules-2/files-2.1/org.opentest4j/opentest4j/1.3.0/152ea56b3a72f655d4fd677fc0ef2596c3dd5e6e/opentest4j-1.3.0.jar

**MD5:** 03c404f727531f3fd3b4c73997899327

**SHA1:** 152ea56b3a72f655d4fd677fc0ef2596c3dd5e6e

**SHA256:** 48e2df636cab6563ced64dcdff8abb2355627cb236ef0bf37598682ddf742f1b

**Referenced In Project/Scope:**gui:inetPlugin

## Evidence



Type	Source	Name	Value	Confidence
Vendor	central	artifactid	opentest4j	Highest
Vendor	central	groupid	org.opentest4j	Highest
Vendor	file	name	opentest4j	High
Vendor	gradle	artifactid	opentest4j	Highest
Vendor	gradle	groupid	org.opentest4j	Highest
Vendor	jar	package name	opentest4j	Highest
Vendor	jar	package name	opentest4j	Low
Vendor	Manifest	build-date	2023-07-06	Low
Vendor	Manifest	build-revision	214973bfa4e7e9be7d04e623202cc4147c7036	Low
Vendor	Manifest	build-time	14:25:06.116+0200	Low
Vendor	Manifest	bundle-symbolicname	org.opentest4j	Medium
Vendor	Manifest	Implementation-Vendor	opentest4j.org	High
Vendor	Manifest	require-capability	osgi.ee;filter:="(&(osgi.ee=JavaSE)(version=1.6))"	Low
Vendor	Manifest	specification-vendor	opentest4j.org	Low
Vendor	pom	artifactid	opentest4j	Low
Vendor	pom	developer email	business@johanneslink.net	Low
Vendor	pom	developer email	mail@marcphilipp.de	Low
Vendor	pom	developer email	matthias.merdes@heidelpay.com	Low
Vendor	pom	developer email	sam@sambrannen.com	Low
Vendor	pom	developer email	stefan.bechtold@me.com	Low
Vendor	pom	developer id	bechte	Medium
Vendor	pom	developer id	jlink	Medium
Vendor	pom	developer id	marcphilipp	Medium
Vendor	pom	developer id	mmerdes	Medium
Vendor	pom	developer id	sbrannen	Medium
Vendor	pom	developer name	Johannes Link	Medium
Vendor	pom	developer name	Marc Philipp	Medium
Vendor	pom	developer name	Matthias Merdes	Medium

Vendor	pom	developer name	Sam Brannen	Medium
Vendor	pom	developer name	Stefan Bechtold	Medium
Vendor	pom	groupid	org.opentest4j	Highest
Vendor	pom	name	org.opentest4j:opentest4j	High
Vendor	pom	url	ota4j-team/opentest4j	Highest
Product	central	artifactid	opentest4j	Highest
Product	file	name	opentest4j	High
Product	gradle	artifactid	opentest4j	Highest
Product	jar	package name	opentest4j	Highest
Product	Manifest	build-date	2023-07-06	Low
Product	Manifest	build-revision	214973bfa4e7e9be7d04e623202cc4147c7036	Low
Product	Manifest	build-time	14:25:06.116+0200	Low
Product	Manifest	Bundle-Name	opentest4j	Medium
Product	Manifest	bundle-symbolicname	org.opentest4j	Medium
Product	Manifest	Implementation-Title	opentest4j	High
Product	Manifest	require-capability	osgi.ee;filter:="(&(osgi.ee=JavaSE)(version=1.6))"	Low
Product	Manifest	specification-title	opentest4j	Medium
Product	pom	artifactid	opentest4j	Highest
Product	pom	developer email	business@johanneslink.net	Low
Product	pom	developer email	mail@marcphilipp.de	Low
Product	pom	developer email	matthias.merdes@heidelpay.com	Low
Product	pom	developer email	sam@sambrannen.com	Low
Product	pom	developer email	stefan.bechtold@me.com	Low
Product	pom	developer id	bechte	Low
Product	pom	developer id	jlink	Low
Product	pom	developer id	marcphilipp	Low
Product	pom	developer id	mmerdes	Low
Product	pom	developer id	sbrannen	Low
Product	pom	developer name	Johannes Link	Low
Product	pom	developer name	Marc Philipp	Low
Product	pom	developer name	Matthias Merdes	Low
Product	pom	developer name	Sam Brannen	Low
Product	pom	developer name	Stefan Bechtold	Low
Product	pom	groupid	org.opentest4j	Highest



Product	pom	name	org.opentest4j:opentest4j	High
Product	pom	url	ota4j-team/opentest4j	High
Version	central	version	1.3.0	Highest
Version	file	version	1.3.0	High
Version	gradle	version	1.3.0	Highest
Version	Manifest	Bundle-Version	1.3.0	High
Version	Manifest	Implementation-Version	1.3.0	High
Version	pom	version	1.3.0	Highest

### Identifiers

- <pkg:maven/org.opentest4j/opentest4j@1.3.0> (*Confidence:High*)

## parser.docx.zip: DocxParser.jar

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/gui/build/tmp/dependencies/i-net PDFC/plugins/parser.docx.zip/DocxParser.jar

**MD5:** a45ebcefcbebdd5a4c9cdf5417b9d881

**SHA1:** 75eac69a12e783c8464d5630f7c44331d0ab8b54

**SHA256:** c86b7326b9b5791c5dd45604a9aa571074f6daef4d62455dbd7754808fa5d0fc

**Referenced In Project/Scope:**gui

### Evidence

Type	Source	Name	Value	Confidence
Vendor	file	name	DocxParser	High
Vendor	jar	package name	docx	Low
Vendor	jar	package name	inet	Low
Vendor	Manifest	application-library-allowable-codebase	*	Low
Vendor	Manifest	built-date	2023-11-23 11:08	Low
Vendor	Manifest	codebase	*	Low
Vendor	Manifest	implementation-group	shared	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-	de.inetsoftware	Medium

		Vendor-Id		
Vendor	Manifest	permissions	all-permissions	Low
Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	trusted-library	false	Low
Vendor	Manifest	trusted-only	false	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	DocxParser	High
Product	jar	package name	docx	Low
Product	Manifest	application-library-allowable-codebase	*	Low
Product	Manifest	built-date	2023-11-23 11:08	Low
Product	Manifest	codebase	*	Low
Product	Manifest	implementation-group	shared	Low
Product	Manifest	Implementation-Title	DocxParser	High
Product	Manifest	permissions	all-permissions	Low
Product	Manifest	specification-title	DocxParser	Medium
Product	Manifest	trusted-library	false	Low
Product	Manifest	trusted-only	false	Low
Version	Manifest	Implementation-Version	23.10.241	High

#### Identifiers

- None

### parser.docx.zip: EmfParser.jar

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/gui/build/tmp/dependencies/i-net PDFC/plugins/parser.docx.zip/EmfParser.jar

**MD5:** c323552cece317bb9caa34006aeab2a4

**SHA1:** fcf32157c2ec764f519731d2463e615bf0712404

**SHA256:** aca4d93ca6cf0b04f92ad43ec4946954805788b40367cd017d12630cbe673631

**Referenced In Project/Scope:**gui

#### Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	EmfParser	High
Vendor	jar	package name	emf	Low
Vendor	jar	package name	inet	Low
Vendor	jar	package name	records	Low
Vendor	Manifest	application-library-allowable-codebase	*	Low
Vendor	Manifest	built-date	2023-11-23 11:07	Low
Vendor	Manifest	codebase	*	Low
Vendor	Manifest	implementation-group	shared	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	permissions	all-permissions	Low
Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	trusted-library	false	Low
Vendor	Manifest	trusted-only	false	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	EmfParser	High
Product	jar	package name	emf	Low
Product	jar	package name	records	Low
Product	Manifest	application-library-allowable-codebase	*	Low
Product	Manifest	built-date	2023-11-23 11:07	Low
Product	Manifest	codebase	*	Low
Product	Manifest	implementation-group	shared	Low
Product	Manifest	Implementation-Title	EmfParser	High
Product	Manifest	permissions	all-permissions	Low
Product	Manifest	specification-title	EmfParser	Medium
Product	Manifest	trusted-library	false	Low
Product	Manifest	trusted-only	false	Low
Version	Manifest	Implementation-	23.10.241	High

Version

#### Identifiers

- None

## parser.docx.zip: SparseBitSet.jar

### Description:

An efficient sparse bitset implementation for Java

### License:

The Apache Software License, Version 2.0: <http://www.apache.org/licenses/LICENSE-2.0.txt>

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/gui/build/tmp/dependencies/i-net PDFC/plugins/parser.docx.zip/SparseBitSet.jar

**MD5:** fbe27bb4c05e8719b7fff5aa71a57364

**SHA1:** 533eac055afe3d5f614ea95e333afd6c2bde8f26

**SHA256:** f76b85adb0c00721ae267b7cfde4da7f71d3121cc2160c9fc00c0c89f8c53c8a

**Referenced In Project/Scope:**gui

### Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	SparseBitSet	High
Vendor	jar	package name	sparsebitset	Highest
Vendor	jar	package name	zaxxer	Highest
Vendor	Manifest	automatic-module-name	com.zaxxer.sparsebitset	Medium
Vendor	Manifest	build-jdk-spec	11	Low
Vendor	pom	artifactid	SparseBitSet	Low
Vendor	pom	developer email	brett.wooldridge@gmail.com	Low
Vendor	pom	developer name	Brett Wooldridge	Medium
Vendor	pom	groupid	com.zaxxer	Highest
Vendor	pom	name	SparseBitSet	High
Vendor	pom	organization name	Zaxxer.com	High
Vendor	pom	organization url	brettwooldridge/SparseBitSet	Medium
Vendor	pom	url	brettwooldridge/SparseBitSet	Highest
Product	file	name	SparseBitSet	High

Product	jar	package name	sparsebitset	Highest
Product	jar	package name	zaxxer	Highest
Product	Manifest	automatic-module-name	com.zaxxer.sparsebitset	Medium
Product	Manifest	build-jdk-spec	11	Low
Product	pom	artifactid	SparseBitSet	Highest
Product	pom	developer email	brett.wooldridge@gmail.com	Low
Product	pom	developer name	Brett Wooldridge	Low
Product	pom	groupid	com.zaxxer	Highest
Product	pom	name	SparseBitSet	High
Product	pom	organization name	Zaxxer.com	Low
Product	pom	url	brettwooldridge/SparseBitSet	High
Version	pom	version	1.3	Highest

#### Identifiers

- [pkg:maven/com.zaxxer/SparseBitSet@1.3](#) (*Confidence:High*)
- [cpe:2.3:a:bit\\_project:bit:1.3:\\*:\\*:\\*:\\*:\\*](#) (*Confidence:Low*) suppress

## parser.docx.zip: commons-codec.jar

### Description:

The Apache Commons Codec package contains simple encoder and decoders for various formats such as Base64 and Hexadecimal. In addition to these widely used encoders and decoders, the codec package also maintains a collection of phonetic encoding utilities.

### License:

<https://www.apache.org/licenses/LICENSE-2.0.txt>

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/gui/build/tmp/dependencies/i-net PDFC/plugins/parser.docx.zip/commons-codec.jar

**MD5:** 6e26920fa7228891980890cce06b718c

**SHA1:** 4e3eb3d79888d76b54e28b350915b5dc3919c9de

**SHA256:** 56595fb20b0b85bc91d0d503dad50bb7f1b9afc0eed5dffa6cbb25929000484d

**Referenced In Project/Scope:**gui

### Evidence



Type	Source	Name	Value	Confidence

Vendor	file	name	commons-codec	High
Vendor	jar	package name	apache	Highest
Vendor	jar	package name	codec	Highest
Vendor	jar	package name	commons	Highest
Vendor	jar	package name	encoder	Highest
Vendor	Manifest	automatic-module-name	org.apache.commons.codec	Medium
Vendor	Manifest	build-jdk-spec	1.8	Low
Vendor	Manifest	bundle-docurl	<a href="https://commons.apache.org/proper/commons-codec/">https://commons.apache.org/proper/commons-codec/</a>	Low
Vendor	Manifest	bundle-symbolicname	org.apache.commons.commons-codec	Medium
Vendor	Manifest	Implementation-Vendor	The Apache Software Foundation	High
Vendor	Manifest	require-capability	osgi.ee;filter:="(&(osgi.ee=JavaSE)(version=1.8))"	Low
Vendor	Manifest	specification-vendor	The Apache Software Foundation	Low
Vendor	pom	artifactid	commons-codec	Low
Vendor	pom	developer email	bayard@apache.org	Low
Vendor	pom	developer email	chtompki@apache.org	Low
Vendor	pom	developer email	dgraham@apache.org	Low
Vendor	pom	developer email	dlr@finemaltcoding.com	Low
Vendor	pom	developer email	ggregory at apache.org	Low
Vendor	pom	developer email	jon@collab.net	Low
Vendor	pom	developer email	julius@apache.org	Low
Vendor	pom	developer email	mattsicker@apache.org	Low
Vendor	pom	developer email	rwaldhoff@apache.org	Low
Vendor	pom	developer email	sanders@totalsync.com	Low
Vendor	pom	developer email	tn@apache.org	Low
Vendor	pom	developer email	tobrien@apache.org	Low
Vendor	pom	developer id	bayard	Medium
Vendor	pom	developer id	chtompki	Medium
Vendor	pom	developer id	dgraham	Medium
Vendor	pom	developer id	dlr	Medium
Vendor	pom	developer id	ggregory	Medium
Vendor	pom	developer id	jon	Medium
Vendor	pom	developer id	julius	Medium

Vendor	pom	developer id	mattsicker	Medium
Vendor	pom	developer id	rwaldhoff	Medium
Vendor	pom	developer id	sanders	Medium
Vendor	pom	developer id	tn	Medium
Vendor	pom	developer id	tobrien	Medium
Vendor	pom	developer name	Daniel Rall	Medium
Vendor	pom	developer name	David Graham	Medium
Vendor	pom	developer name	Gary Gregory	Medium
Vendor	pom	developer name	Henri Yandell	Medium
Vendor	pom	developer name	Jon S. Stevens	Medium
Vendor	pom	developer name	Julius Davies	Medium
Vendor	pom	developer name	Matt Sicker	Medium
Vendor	pom	developer name	Rob Tompkins	Medium
Vendor	pom	developer name	Rodney Waldhoff	Medium
Vendor	pom	developer name	Scott Sanders	Medium
Vendor	pom	developer name	Thomas Neidhart	Medium
Vendor	pom	developer name	Tim OBrien	Medium
Vendor	pom	developer org	The Apache Software Foundation	Medium
Vendor	pom	developer org URL	<a href="http://juliusdavies.ca/">http://juliusdavies.ca/</a>	Medium
Vendor	pom	developer org URL	<a href="https://www.apache.org/">https://www.apache.org/</a>	Medium
Vendor	pom	groupid	commons-codec	Highest
Vendor	pom	name	Apache Commons Codec	High
Vendor	pom	parent-artifactid	commons-parent	Low
Vendor	pom	parent-groupid	org.apache.commons	Medium
Vendor	pom	url	<a href="https://commons.apache.org/proper/commons-codec/">https://commons.apache.org/proper/commons-codec/</a>	Highest
Product	file	name	commons-codec	High
Product	jar	package name	apache	Highest
Product	jar	package name	codec	Highest
Product	jar	package name	commons	Highest
Product	jar	package name	encoder	Highest
Product	Manifest	automatic-module-name	org.apache.commons.codec	Medium
Product	Manifest	build-jdk-spec	1.8	Low
Product	Manifest	bundle-docurl	<a href="https://commons.apache.org/proper/commons-codec/">https://commons.apache.org/proper/commons-codec/</a>	Low

Product	Manifest	Bundle-Name	Apache Commons Codec	Medium
Product	Manifest	bundle-symbolicname	org.apache.commons.commons-codec	Medium
Product	Manifest	Implementation-Title	Apache Commons Codec	High
Product	Manifest	require-capability	osgi.ee;filter:="(&(osgi.ee=JavaSE)(version=1.8))"	Low
Product	Manifest	specification-title	Apache Commons Codec	Medium
Product	pom	artifactid	commons-codec	Highest
Product	pom	developer email	bayard@apache.org	Low
Product	pom	developer email	chtompki@apache.org	Low
Product	pom	developer email	dgraham@apache.org	Low
Product	pom	developer email	dlr@finemaltcoding.com	Low
Product	pom	developer email	ggregory at apache.org	Low
Product	pom	developer email	jon@collab.net	Low
Product	pom	developer email	julius@apache.org	Low
Product	pom	developer email	mattsicker@apache.org	Low
Product	pom	developer email	rwaldhoff@apache.org	Low
Product	pom	developer email	sanders@totalsync.com	Low
Product	pom	developer email	tn@apache.org	Low
Product	pom	developer email	tobrien@apache.org	Low
Product	pom	developer id	bayard	Low
Product	pom	developer id	chtompki	Low
Product	pom	developer id	dgraham	Low
Product	pom	developer id	dlr	Low
Product	pom	developer id	ggregory	Low
Product	pom	developer id	jon	Low
Product	pom	developer id	julius	Low
Product	pom	developer id	mattsicker	Low
Product	pom	developer id	rwaldhoff	Low
Product	pom	developer id	sanders	Low
Product	pom	developer id	tn	Low
Product	pom	developer id	tobrien	Low
Product	pom	developer name	Daniel Rall	Low
Product	pom	developer name	David Graham	Low
Product	pom	developer name	Gary Gregory	Low
Product	pom	developer name	Henri Yandell	Low



Product	pom	developer name	Jon S. Stevens	Low
Product	pom	developer name	Julius Davies	Low
Product	pom	developer name	Matt Sicker	Low
Product	pom	developer name	Rob Tompkins	Low
Product	pom	developer name	Rodney Waldhoff	Low
Product	pom	developer name	Scott Sanders	Low
Product	pom	developer name	Thomas Neidhart	Low
Product	pom	developer name	Tim OBrien	Low
Product	pom	developer org	The Apache Software Foundation	Low
Product	pom	developer org URL	<a href="http://juliusdavies.ca/">http://juliusdavies.ca/</a>	Low
Product	pom	developer org URL	<a href="https://www.apache.org/">https://www.apache.org/</a>	Low
Product	pom	groupid	commons-codec	Highest
Product	pom	name	Apache Commons Codec	High
Product	pom	parent-artifactid	commons-parent	Medium
Product	pom	parent-groupid	org.apache.commons	Medium
Product	pom	url	<a href="https://commons.apache.org/proper/commons-codec/">https://commons.apache.org/proper/commons-codec/</a>	Medium
Version	Manifest	Bundle-Version	1.16.0	High
Version	Manifest	Implementation-Version	1.16.0	High
Version	pom	parent-version	1.16.0	Low
Version	pom	version	1.16.0	Highest

#### Identifiers

- <pkg:maven/commons-codec/commons-codec@1.16.0> (*Confidence:High*)

## parser.docx.zip: commons-collections4.jar

### Description:

The Apache Commons Collections package contains types that extend and augment the Java Collections Framework.

### License:

<https://www.apache.org/licenses/LICENSE-2.0.txt>

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/gui/build/tmp/dependencies/i-net PDFC/plugins/parser.docx.zip/commons-collections4.jar  
**MD5:** 4a37023740719b391f10030362c86be6  
**SHA1:** 62ebe7544cb7164d87e0637a2a6a2bdc981395e8  
**SHA256:** 1df8b9430b5c8ed143d7815e403e33ef5371b2400aadbe9bda0883762e0846d1  
**Referenced In Project/Scope:**gui

## Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	commons-collections4	High
Vendor	jar	package name	apache	Highest
Vendor	jar	package name	collections4	Highest
Vendor	jar	package name	commons	Highest
Vendor	Manifest	automatic-module-name	org.apache.commons.collections4	Medium
Vendor	Manifest	bundle-docurl	https://commons.apache.org/proper/commons-collections/	Low
Vendor	Manifest	bundle-symbolicname	org.apache.commons.commons-collections4	Medium
Vendor	Manifest	implementation-url	https://commons.apache.org/proper/commons-collections/	Low
Vendor	Manifest	Implementation-Vendor	The Apache Software Foundation	High
Vendor	Manifest	Implementation-Vendor-Id	org.apache.commons	Medium
Vendor	Manifest	require-capability	osgi.ee;filter:="(&(osgi.ee=JavaSE)(version=1.8))"	Low
Vendor	Manifest	specification-vendor	The Apache Software Foundation	Low
Vendor	pom	artifactid	commons-collections4	Low
Vendor	pom	developer id	adriannistor	Medium
Vendor	pom	developer id	amamment	Medium
Vendor	pom	developer id	bayard	Medium
Vendor	pom	developer id	chtompki	Medium
Vendor	pom	developer id	craigmcc	Medium
Vendor	pom	developer id	dlaha	Medium
Vendor	pom	developer id	geirm	Medium
Vendor	pom	developer id	ggregory	Medium
Vendor	pom	developer id	jcarman	Medium
Vendor	pom	developer id	luc	Medium
Vendor	pom	developer id	matth	Medium

Vendor	pom	developer id	mbenson	Medium
Vendor	pom	developer id	morgand	Medium
Vendor	pom	developer id	rdonkin	Medium
Vendor	pom	developer id	rwaldhoff	Medium
Vendor	pom	developer id	scolebourne	Medium
Vendor	pom	developer id	tn	Medium
Vendor	pom	developer name	Adrian Nistor	Medium
Vendor	pom	developer name	Arun M. Thomas	Medium
Vendor	pom	developer name	Craig McClanahan	Medium
Vendor	pom	developer name	Dipanjan Laha	Medium
Vendor	pom	developer name	Gary Gregory	Medium
Vendor	pom	developer name	Geir Magnusson	Medium
Vendor	pom	developer name	Henri Yandell	Medium
Vendor	pom	developer name	James Carman	Medium
Vendor	pom	developer name	Luc Maisonobe	Medium
Vendor	pom	developer name	Matt Benson	Medium
Vendor	pom	developer name	Matthew Hawthorne	Medium
Vendor	pom	developer name	Morgan Delagrange	Medium
Vendor	pom	developer name	Rob Tompkins	Medium
Vendor	pom	developer name	Robert Burrell Donkin	Medium
Vendor	pom	developer name	Rodney Waldhoff	Medium
Vendor	pom	developer name	Stephen Colebourne	Medium
Vendor	pom	developer name	Thomas Neidhart	Medium
Vendor	pom	groupid	org.apache.commons	Highest
Vendor	pom	name	Apache Commons Collections	High
Vendor	pom	parent-artifactid	commons-parent	Low
Vendor	pom	url	<a href="https://commons.apache.org/proper/commons-collections/">https://commons.apache.org/proper/commons-collections/</a>	Highest
Product	file	name	commons-collections4	High
Product	jar	package name	apache	Highest
Product	jar	package name	collections4	Highest
Product	jar	package name	commons	Highest
Product	Manifest	automatic-module-name	org.apache.commons.collections4	Medium
Product	Manifest	bundle-docurl	<a href="https://commons.apache.org/proper/commons-collections/">https://commons.apache.org/proper/commons-collections/</a>	Low
Product	Manifest	Bundle-Name	Apache Commons Collections	Medium

Product	Manifest	bundle-symbolicname	org.apache.commons.commons-collections4	Medium
Product	Manifest	Implementation-Title	Apache Commons Collections	High
Product	Manifest	implementation-url	<a href="https://commons.apache.org/proper/commons-collections/">https://commons.apache.org/proper/commons-collections/</a>	Low
Product	Manifest	require-capability	osgi.ee;filter:="(&(osgi.ee=JavaSE)(version=1.8))"	Low
Product	Manifest	specification-title	Apache Commons Collections	Medium
Product	pom	artifactid	commons-collections4	Highest
Product	pom	developer id	adriannistor	Low
Product	pom	developer id	amamment	Low
Product	pom	developer id	bayard	Low
Product	pom	developer id	chtompki	Low
Product	pom	developer id	craigmcc	Low
Product	pom	developer id	dlaha	Low
Product	pom	developer id	geirm	Low
Product	pom	developer id	ggregory	Low
Product	pom	developer id	jcarman	Low
Product	pom	developer id	luc	Low
Product	pom	developer id	matth	Low
Product	pom	developer id	mbenson	Low
Product	pom	developer id	morgand	Low
Product	pom	developer id	rdonkin	Low
Product	pom	developer id	rwaldhoff	Low
Product	pom	developer id	scolebourne	Low
Product	pom	developer id	tn	Low
Product	pom	developer name	Adrian Nistor	Low
Product	pom	developer name	Arun M. Thomas	Low
Product	pom	developer name	Craig McClanahan	Low
Product	pom	developer name	Dipanjan Laha	Low
Product	pom	developer name	Gary Gregory	Low
Product	pom	developer name	Geir Magnusson	Low
Product	pom	developer name	Henri Yandell	Low
Product	pom	developer name	James Carman	Low
Product	pom	developer name	Luc Maisonobe	Low
Product	pom	developer name	Matt Benson	Low

Product	pom	developer name	Matthew Hawthorne	Low
Product	pom	developer name	Morgan Delagrance	Low
Product	pom	developer name	Rob Tompkins	Low
Product	pom	developer name	Robert Burrell Donkin	Low
Product	pom	developer name	Rodney Waldhoff	Low
Product	pom	developer name	Stephen Colebourne	Low
Product	pom	developer name	Thomas Neidhart	Low
Product	pom	groupid	org.apache.commons	Highest
Product	pom	name	Apache Commons Collections	High
Product	pom	parent-artifactid	commons-parent	Medium
Product	pom	url	https://commons.apache.org/proper/commons-collections/	Medium
Version	Manifest	Implementation-Version	4.4	High
Version	pom	parent-version	4.4	Low
Version	pom	version	4.4	Highest

#### Identifiers

- [pkg:maven/org.apache.commons/commons-collections4@4.4](#) (*Confidence:High*)
- [cpe:2.3:a:apache:commons\\_collections:4.4:\\*:\\*:\\*:\\*:\\*](#) (*Confidence:Highest*)

## parser.docx.zip: commons-compress.jar

### Description:

Apache Commons Compress defines an API for working with compression and archive formats. These include: bzip2, gzip, pack200, lzma, xz, Snappy, traditional Unix Compress, DEFLATE, DEFLATE64, LZ4, Brotli, Zstandard and ar, cpio, jar, tar, zip, dump, 7z, arj.

### License:

<https://www.apache.org/licenses/LICENSE-2.0.txt>

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/gui/build/tmp/dependencies/i-net PDFC/plugins/parser.docx.zip/commons-compress.jar

**MD5:** a99bcb4c7967d685eeecaa814b9a902d

**SHA1:** b4b1b5a3d9573b2970fddab236102c0a4d27d35e

**SHA256:** fbf2c5d275e513c08f4e4fb539726dbf3ac2142af956ba93efb983244f0c36bd

**Referenced In Project/Scope:**gui

### Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	commons-compress	High
Vendor	jar	package name	apache	Highest
Vendor	jar	package name	commons	Highest
Vendor	jar	package name	compress	Highest
Vendor	Manifest	automatic-module-name	org.apache.commons.compress	Medium
Vendor	Manifest	build-jdk-spec	17	Low
Vendor	Manifest	bundle-docurl	<a href="https://commons.apache.org/proper/commons-compress/">https://commons.apache.org/proper/commons-compress/</a>	Low
Vendor	Manifest	bundle-symbolicname	org.apache.commons.commons-compress	Medium
Vendor	Manifest	extension-name	org.apache.commons.compress	Medium
Vendor	Manifest	Implementation-Vendor	The Apache Software Foundation	High
Vendor	Manifest	Implementation-Vendor-Id	org.apache	Medium
Vendor	Manifest	multi-release	true	Low
Vendor	Manifest	originally-created-by	Apache Maven Bundle Plugin 5.1.9	Low
Vendor	Manifest	require-capability	osgi.ee;filter:="(&(osgi.ee=JavaSE)(version=1.8))"	Low
Vendor	Manifest	specification-vendor	The Apache Software Foundation	Low
Vendor	pom	artifactid	commons-compress	Low
Vendor	pom	developer email	bodewig at apache.org	Low
Vendor	pom	developer email	chtompki at apache.org	Low
Vendor	pom	developer email	damjan at apache.org	Low
Vendor	pom	developer email	ebourg at apache.org	Low
Vendor	pom	developer email	ggregory at apache.org	Low
Vendor	pom	developer email	grobmeier at apache.org	Low
Vendor	pom	developer email	julius at apache.org	Low
Vendor	pom	developer email	peterlee at apache.org	Low
Vendor	pom	developer email	sebb at apache.org	Low
Vendor	pom	developer email	tcurdt at apache.org	Low
Vendor	pom	developer id	bodewig	Medium
Vendor	pom	developer id	chtompki	Medium
Vendor	pom	developer id	damjan	Medium

Vendor	pom	developer id	ebourg	Medium
Vendor	pom	developer id	ggregory	Medium
Vendor	pom	developer id	grobmeier	Medium
Vendor	pom	developer id	julius	Medium
Vendor	pom	developer id	peterlee	Medium
Vendor	pom	developer id	sebb	Medium
Vendor	pom	developer id	tcurdt	Medium
Vendor	pom	developer name	Christian Grobmeier	Medium
Vendor	pom	developer name	Damjan Jovanovic	Medium
Vendor	pom	developer name	Emmanuel Bourg	Medium
Vendor	pom	developer name	Gary Gregory	Medium
Vendor	pom	developer name	Julius Davies	Medium
Vendor	pom	developer name	Peter Alfred Lee	Medium
Vendor	pom	developer name	Rob Tompkins	Medium
Vendor	pom	developer name	Sebastian Bazley	Medium
Vendor	pom	developer name	Stefan Bodewig	Medium
Vendor	pom	developer name	Torsten Curdt	Medium
Vendor	pom	developer org	The Apache Software Foundation	Medium
Vendor	pom	developer org URL	<a href="https://www.apache.org/">https://www.apache.org/</a>	Medium
Vendor	pom	groupid	org.apache.commons	Highest
Vendor	pom	name	Apache Commons Compress	High
Vendor	pom	parent-artifactid	commons-parent	Low
Vendor	pom	url	<a href="https://commons.apache.org/proper/commons-compress/">https://commons.apache.org/proper/commons-compress/</a>	Highest
Product	file	name	commons-compress	High
Product	jar	package name	9	Highest
Product	jar	package name	apache	Highest
Product	jar	package name	commons	Highest
Product	jar	package name	compress	Highest
Product	Manifest	automatic-module-name	org.apache.commons.compress	Medium
Product	Manifest	build-jdk-spec	17	Low
Product	Manifest	bundle-docurl	<a href="https://commons.apache.org/proper/commons-compress/">https://commons.apache.org/proper/commons-compress/</a>	Low
Product	Manifest	Bundle-Name	Apache Commons Compress	Medium
Product	Manifest	bundle-symbolicname	org.apache.commons.commons-compress	Medium

Product	Manifest	extension-name	org.apache.commons.compress	Medium
Product	Manifest	Implementation-Title	Apache Commons Compress	High
Product	Manifest	multi-release	true	Low
Product	Manifest	originally-created-by	Apache Maven Bundle Plugin 5.1.9	Low
Product	Manifest	require-capability	osgi.ee;filter:="(&(osgi.ee=JavaSE)(version=1.8))"	Low
Product	Manifest	specification-title	Apache Commons Compress	Medium
Product	pom	artifactid	commons-compress	Highest
Product	pom	developer email	bodewig at apache.org	Low
Product	pom	developer email	chtompki at apache.org	Low
Product	pom	developer email	damjan at apache.org	Low
Product	pom	developer email	ebourg at apache.org	Low
Product	pom	developer email	ggregory at apache.org	Low
Product	pom	developer email	grobmeier at apache.org	Low
Product	pom	developer email	julius at apache.org	Low
Product	pom	developer email	peterlee at apache.org	Low
Product	pom	developer email	sebb at apache.org	Low
Product	pom	developer email	tcurdt at apache.org	Low
Product	pom	developer id	bodewig	Low
Product	pom	developer id	chtompki	Low
Product	pom	developer id	damjan	Low
Product	pom	developer id	ebourg	Low
Product	pom	developer id	ggregory	Low
Product	pom	developer id	grobmeier	Low
Product	pom	developer id	julius	Low
Product	pom	developer id	peterlee	Low
Product	pom	developer id	sebb	Low
Product	pom	developer id	tcurdt	Low
Product	pom	developer name	Christian Grobmeier	Low
Product	pom	developer name	Damjan Jovanovic	Low
Product	pom	developer name	Emmanuel Bourg	Low
Product	pom	developer name	Gary Gregory	Low
Product	pom	developer name	Julius Davies	Low
Product	pom	developer name	Peter Alfred Lee	Low
Product	pom	developer name	Rob Tompkins	Low



Product	pom	developer name	Sebastian Bazley	Low
Product	pom	developer name	Stefan Bodewig	Low
Product	pom	developer name	Torsten Curdt	Low
Product	pom	developer org	The Apache Software Foundation	Low
Product	pom	developer org URL	https://www.apache.org/	Low
Product	pom	groupid	org.apache.commons	Highest
Product	pom	name	Apache Commons Compress	High
Product	pom	parent-artifactid	commons-parent	Medium
Product	pom	url	https://commons.apache.org/proper/commons-compress/	Medium
Version	Manifest	Bundle-Version	1.24.0	High
Version	Manifest	Implementation-Version	1.24.0	High
Version	pom	parent-version	1.24.0	Low
Version	pom	version	1.24.0	Highest

#### Identifiers

- [pkg:maven/org.apache.commons/commons-compress@1.24.0](#) (*Confidence:High*)
- [cpe:2.3:a:apache:commons\\_compress:1.24.0:\\*:\\*:\\*:\\*:\\*](#) (*Confidence:Highest*)

suppress

## parser.docx.zip: commons-io.jar

### Description:

The Apache Commons IO library contains utility classes, stream implementations, file filters, file comparators, endian transformation classes, and much more.

### License:

<https://www.apache.org/licenses/LICENSE-2.0.txt>

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/gui/build/tmp/dependencies/i-net PDFC/plugins/parser.docx.zip/commons-io.jar

**MD5:** 3b4b7ccfaeceeac240b804839ee1a1ca

**SHA1:** a2503f302b11ebde7ebc3df41daebe0e4eea3689

**SHA256:** 961b2f6d87dbacc5d54abf45ab7a6e2495f89b75598962d8c723cea9bc210908

**Referenced In Project/Scope:**gui

### Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	commons-io	High
Vendor	jar	package name	apache	Highest
Vendor	jar	package name	commons	Highest
Vendor	jar	package name	file	Highest
Vendor	jar	package name	io	Highest
Vendor	Manifest	automatic-module-name	org.apache.commons.io	Medium
Vendor	Manifest	build-jdk-spec	1.8	Low
Vendor	Manifest	bundle-docurl	<a href="https://commons.apache.org/proper/commons-io/">https://commons.apache.org/proper/commons-io/</a>	Low
Vendor	Manifest	bundle-symbolicname	org.apache.commons.commons-io	Medium
Vendor	Manifest	Implementation-Vendor	The Apache Software Foundation	High
Vendor	Manifest	require-capability	osgi.ee;filter:="(&(osgi.ee=JavaSE)(version=1.8))"	Low
Vendor	Manifest	specification-vendor	The Apache Software Foundation	Low
Vendor	pom	artifactid	commons-io	Low
Vendor	pom	developer email	bayard@apache.org	Low
Vendor	pom	developer email	dion@apache.org	Low
Vendor	pom	developer email	gggregory at apache.org	Low
Vendor	pom	developer email	jeremias@apache.org	Low
Vendor	pom	developer email	jochen.wiedmann@gmail.com	Low
Vendor	pom	developer email	krosenvold@apache.org	Low
Vendor	pom	developer email	martinc@apache.org	Low
Vendor	pom	developer email	matth@apache.org	Low
Vendor	pom	developer email	nicolaken@apache.org	Low
Vendor	pom	developer email	roxspring@apache.org	Low
Vendor	pom	developer email	sanders@apache.org	Low
Vendor	pom	developer id	bayard	Medium
Vendor	pom	developer id	dion	Medium
Vendor	pom	developer id	gggregory	Medium
Vendor	pom	developer id	jeremias	Medium
Vendor	pom	developer id	jochen	Medium
Vendor	pom	developer id	jukka	Medium
Vendor	pom	developer id	krosenvold	Medium

Vendor	pom	developer id	martinc	Medium
Vendor	pom	developer id	matth	Medium
Vendor	pom	developer id	niallp	Medium
Vendor	pom	developer id	nicolaken	Medium
Vendor	pom	developer id	roxspring	Medium
Vendor	pom	developer id	sanders	Medium
Vendor	pom	developer id	scolebourne	Medium
Vendor	pom	developer name	dlon Gillard	Medium
Vendor	pom	developer name	Gary Gregory	Medium
Vendor	pom	developer name	Henri Yandell	Medium
Vendor	pom	developer name	Jeremias Maerki	Medium
Vendor	pom	developer name	Jochen Wiedmann	Medium
Vendor	pom	developer name	Jukka Zitting	Medium
Vendor	pom	developer name	Kristian Rosenvold	Medium
Vendor	pom	developer name	Martin Cooper	Medium
Vendor	pom	developer name	Matthew Hawthorne	Medium
Vendor	pom	developer name	Niall Pemberton	Medium
Vendor	pom	developer name	Nicola Ken Barozzi	Medium
Vendor	pom	developer name	Rob Oxspring	Medium
Vendor	pom	developer name	Scott Sanders	Medium
Vendor	pom	developer name	Stephen Colebourne	Medium
Vendor	pom	developer org	The Apache Software Foundation	Medium
Vendor	pom	developer org URL	<a href="https://www.apache.org/">https://www.apache.org/</a>	Medium
Vendor	pom	groupid	commons-io	Highest
Vendor	pom	name	Apache Commons IO	High
Vendor	pom	parent-artifactid	commons-parent	Low
Vendor	pom	parent-groupid	org.apache.commons	Medium
Vendor	pom	url	<a href="https://commons.apache.org/proper/commons-io/">https://commons.apache.org/proper/commons-io/</a>	Highest
Product	file	name	commons-io	High
Product	jar	package name	apache	Highest
Product	jar	package name	commons	Highest
Product	jar	package name	file	Highest
Product	jar	package name	io	Highest
Product	Manifest	automatic-module-name	org.apache.commons.io	Medium

Product	Manifest	build-jdk-spec	1.8	Low
Product	Manifest	bundle-docurl	<a href="https://commons.apache.org/proper/commons-io/">https://commons.apache.org/proper/commons-io/</a>	Low
Product	Manifest	Bundle-Name	Apache Commons IO	Medium
Product	Manifest	bundle-symbolicname	org.apache.commons.commons-io	Medium
Product	Manifest	Implementation-Title	Apache Commons IO	High
Product	Manifest	require-capability	osgi.ee;filter:="(&(osgi.ee=JavaSE)(version=1.8))"	Low
Product	Manifest	specification-title	Apache Commons IO	Medium
Product	pom	artifactid	commons-io	Highest
Product	pom	developer email	bayard@apache.org	Low
Product	pom	developer email	dion@apache.org	Low
Product	pom	developer email	gggregory at apache.org	Low
Product	pom	developer email	jeremias@apache.org	Low
Product	pom	developer email	jochen.wiedmann@gmail.com	Low
Product	pom	developer email	krosenvold@apache.org	Low
Product	pom	developer email	martinc@apache.org	Low
Product	pom	developer email	matth@apache.org	Low
Product	pom	developer email	nicolaken@apache.org	Low
Product	pom	developer email	roxspring@apache.org	Low
Product	pom	developer email	sanders@apache.org	Low
Product	pom	developer id	bayard	Low
Product	pom	developer id	dion	Low
Product	pom	developer id	gggregory	Low
Product	pom	developer id	jeremias	Low
Product	pom	developer id	jochen	Low
Product	pom	developer id	jukka	Low
Product	pom	developer id	krosenvold	Low
Product	pom	developer id	martinc	Low
Product	pom	developer id	matth	Low
Product	pom	developer id	niallp	Low
Product	pom	developer id	nicolaken	Low
Product	pom	developer id	roxspring	Low
Product	pom	developer id	sanders	Low
Product	pom	developer id	scolebourne	Low

Product	pom	developer name	dlon Gillard	Low
Product	pom	developer name	Gary Gregory	Low
Product	pom	developer name	Henri Yandell	Low
Product	pom	developer name	Jeremias Maerki	Low
Product	pom	developer name	Jochen Wiedmann	Low
Product	pom	developer name	Jukka Zitting	Low
Product	pom	developer name	Kristian Rosenvold	Low
Product	pom	developer name	Martin Cooper	Low
Product	pom	developer name	Matthew Hawthorne	Low
Product	pom	developer name	Niall Pemberton	Low
Product	pom	developer name	Nicola Ken Barozzi	Low
Product	pom	developer name	Rob Oxspring	Low
Product	pom	developer name	Scott Sanders	Low
Product	pom	developer name	Stephen Colebourne	Low
Product	pom	developer org	The Apache Software Foundation	Low
Product	pom	developer org URL	https://www.apache.org/	Low
Product	pom	groupid	commons-io	Highest
Product	pom	name	Apache Commons IO	High
Product	pom	parent-artifactid	commons-parent	Medium
Product	pom	parent-groupid	org.apache.commons	Medium
Product	pom	url	https://commons.apache.org/proper/commons-io/	Medium
Version	Manifest	Bundle-Version	2.11.0	High
Version	Manifest	Implementation-Version	2.11.0	High
Version	pom	parent-version	2.11.0	Low
Version	pom	version	2.11.0	Highest

#### Identifiers

- [pkg:maven/commons-io/commons-io@2.11.0](#) (*Confidence:High*)
- [cpe:2.3:a:apache:commons\\_io:2.11.0:\\*\\*\\*\\*.\\*.\\*](#) (*Confidence:Highest*) suppress

## Description:

The Apache Commons Math project is a library of lightweight, self-contained mathematics and statistics components addressing the most common practical problems not immediately available in the Java programming language or commons-lang.

## License:

<http://www.apache.org/licenses/LICENSE-2.0.txt>

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/gui/build/tmp/dependencies/i-net PDFC/plugins/parser.docx.zip/commons-math3.jar

**MD5:** 5b730d97e4e6368069de1983937c508e

**SHA1:** e4ba98f1d4b3c80ec46392f25e094a6a2e58fcfb

**SHA256:** 1e56d7b058d28b65abd256b8458e3885b674c1d588fa43cd7d1cbb9c7ef2b308

**Referenced In Project/Scope:**gui

## Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	commons-math3	High
Vendor	jar	package name	apache	Highest
Vendor	jar	package name	commons	Highest
Vendor	jar	package name	math3	Highest
Vendor	Manifest	bundle-docurl	http://commons.apache.org/proper/commons-math/	Low
Vendor	Manifest	bundle-symbolicname	org.apache.commons.math3	Medium
Vendor	Manifest	implementation-build	16abfe5de688cc52fb0396e0609cb33044b15692016-03-17 13:30:43-0400	Low
Vendor	Manifest	implementation-url	http://commons.apache.org/proper/commons-math/	Low
Vendor	Manifest	Implementation-Vendor	The Apache Software Foundation	High
Vendor	Manifest	Implementation-Vendor-Id	org.apache	Medium
Vendor	Manifest	require-capability	osgi.ee;filter:="(&(osgi.ee=JavaSE)(version=1.5))"	Low
Vendor	Manifest	specification-vendor	The Apache Software Foundation	Low
Vendor	pom	artifactid	commons-math3	Low
Vendor	pom	developer email	achou at apache dot org	Low
Vendor	pom	developer email	billbarker at apache dot org	Low
Vendor	pom	developer email	brentworden at apache dot org	Low
Vendor	pom	developer email	celestine at apache dot org	Low
Vendor	pom	developer email	dimpbx at apache dot org	Low
Vendor	pom	developer email	erans at apache dot org	Low

Vendor	pom	developer email	evanward at apache dot org	Low
Vendor	pom	developer email	gregs at apache dot org	Low
Vendor	pom	developer email	j3322ptm at yahoo dot de	Low
Vendor	pom	developer email	luc at apache dot org	Low
Vendor	pom	developer email	mdiggory at apache dot org	Low
Vendor	pom	developer email	mikl at apache dot org	Low
Vendor	pom	developer email	oertl at apache dot org	Low
Vendor	pom	developer email	rdonkin at apache dot org	Low
Vendor	pom	developer email	tn at apache dot org	Low
Vendor	pom	developer email	tobrien at apache dot org	Low
Vendor	pom	developer id	achou	Medium
Vendor	pom	developer id	billbarker	Medium
Vendor	pom	developer id	brentworden	Medium
Vendor	pom	developer id	celestin	Medium
Vendor	pom	developer id	dimpbx	Medium
Vendor	pom	developer id	erans	Medium
Vendor	pom	developer id	evanward	Medium
Vendor	pom	developer id	gregs	Medium
Vendor	pom	developer id	luc	Medium
Vendor	pom	developer id	mdiggory	Medium
Vendor	pom	developer id	mikl	Medium
Vendor	pom	developer id	oertl	Medium
Vendor	pom	developer id	pietsch	Medium
Vendor	pom	developer id	rdonkin	Medium
Vendor	pom	developer id	tn	Medium
Vendor	pom	developer id	tobrien	Medium
Vendor	pom	developer name	Albert Davidson Chou	Medium
Vendor	pom	developer name	Bill Barker	Medium
Vendor	pom	developer name	Brent Worden	Medium
Vendor	pom	developer name	Dimitri Pourbaix	Medium
Vendor	pom	developer name	Evan Ward	Medium
Vendor	pom	developer name	Gilles Sadowski	Medium
Vendor	pom	developer name	Greg Sterijevski	Medium
Vendor	pom	developer name	J. Pietschmann	Medium
Vendor	pom	developer name	Luc Maisonobe	Medium

Vendor	pom	developer name	Mark Diggory	Medium
Vendor	pom	developer name	Mikkel Meyer Andersen	Medium
Vendor	pom	developer name	Otmar Ertl	Medium
Vendor	pom	developer name	Robert Burrell Donkin	Medium
Vendor	pom	developer name	S&#233;bastien Brisard	Medium
Vendor	pom	developer name	Thomas Neidhart	Medium
Vendor	pom	developer name	Tim O'Brien	Medium
Vendor	pom	groupid	org.apache.commons	Highest
Vendor	pom	name	Apache Commons Math	High
Vendor	pom	parent-artifactid	commons-parent	Low
Vendor	pom	url	http://commons.apache.org/proper/commons-math/	Highest
Product	file	name	commons-math3	High
Product	jar	package name	apache	Highest
Product	jar	package name	commons	Highest
Product	jar	package name	filter	Highest
Product	jar	package name	math3	Highest
Product	Manifest	bundle-docurl	http://commons.apache.org/proper/commons-math/	Low
Product	Manifest	Bundle-Name	Apache Commons Math	Medium
Product	Manifest	bundle-symbolicname	org.apache.commons.math3	Medium
Product	Manifest	implementation-build	16abfe5de688cc52fb0396e0609cb33044b156! 2016-03-17 13:30:43-0400	Low
Product	Manifest	Implementation-Title	Apache Commons Math	High
Product	Manifest	implementation-url	http://commons.apache.org/proper/commons-math/	Low
Product	Manifest	require-capability	osgi.ee;filter:="(&(osgi.ee=JavaSE)(version=1.5))"	Low
Product	Manifest	specification-title	Apache Commons Math	Medium
Product	pom	artifactid	commons-math3	Highest
Product	pom	developer email	achou at apache dot org	Low
Product	pom	developer email	billbarker at apache dot org	Low
Product	pom	developer email	brentworden at apache dot org	Low
Product	pom	developer email	celestine at apache dot org	Low
Product	pom	developer email	dimpbx at apache dot org	Low
Product	pom	developer email	erans at apache dot org	Low
Product	pom	developer email	evanward at apache dot org	Low



Product	pom	developer email	gregs at apache dot org	Low
Product	pom	developer email	j3322ptm at yahoo dot de	Low
Product	pom	developer email	luc at apache dot org	Low
Product	pom	developer email	mdiggory at apache dot org	Low
Product	pom	developer email	mikl at apache dot org	Low
Product	pom	developer email	oertl at apache dot org	Low
Product	pom	developer email	rdonkin at apache dot org	Low
Product	pom	developer email	tn at apache dot org	Low
Product	pom	developer email	tobrien at apache dot org	Low
Product	pom	developer id	achou	Low
Product	pom	developer id	billbarker	Low
Product	pom	developer id	brentworden	Low
Product	pom	developer id	celestin	Low
Product	pom	developer id	dimpbx	Low
Product	pom	developer id	erans	Low
Product	pom	developer id	evanward	Low
Product	pom	developer id	gregs	Low
Product	pom	developer id	luc	Low
Product	pom	developer id	mdiggory	Low
Product	pom	developer id	mikl	Low
Product	pom	developer id	oertl	Low
Product	pom	developer id	pietsch	Low
Product	pom	developer id	rdonkin	Low
Product	pom	developer id	tn	Low
Product	pom	developer id	tobrien	Low
Product	pom	developer name	Albert Davidson Chou	Low
Product	pom	developer name	Bill Barker	Low
Product	pom	developer name	Brent Worden	Low
Product	pom	developer name	Dimitri Pourbaix	Low
Product	pom	developer name	Evan Ward	Low
Product	pom	developer name	Gilles Sadowski	Low
Product	pom	developer name	Greg Sterijevski	Low
Product	pom	developer name	J. Pietschmann	Low
Product	pom	developer name	Luc Maisonobe	Low
Product	pom	developer name	Mark Diggory	Low

Product	pom	developer name	Mikkel Meyer Andersen	Low
Product	pom	developer name	Otmar Ertl	Low
Product	pom	developer name	Robert Burrell Donkin	Low
Product	pom	developer name	S&#233;bastien Brisard	Low
Product	pom	developer name	Thomas Neidhart	Low
Product	pom	developer name	Tim O'Brien	Low
Product	pom	groupid	org.apache.commons	Highest
Product	pom	name	Apache Commons Math	High
Product	pom	parent-artifactid	commons-parent	Medium
Product	pom	url	http://commons.apache.org/proper/commons-math/	Medium
Version	Manifest	Bundle-Version	3.6.1	High
Version	Manifest	Implementation-Version	3.6.1	High
Version	pom	parent-version	3.6.1	Low
Version	pom	version	3.6.1	Highest

#### Identifiers

- [pkg:maven/org.apache.commons/commons-math3@3.6.1](https://maven.apache.org/commons/math3@3.6.1) (Confidence:High)

## parser.docx.zip: curvesapi.jar

### Description:

Implementation of various mathematical curves that define themselves over a set of control points. The API is written in Java. The curves supported are: Bezier, B-Spline, Cardinal Spline, Catmull-Rom Spline, Lagrange, Natural Cubic Spline, and NURBS.

### License:

BSD License: <http://opensource.org/licenses/BSD-3-Clause>

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/gui/build/tmp/dependencies/i-net PDFC/plugins/parser.docx.zip/curvesapi.jar

**MD5:** fc3aed90346691e7c79da06bb6606beb

**SHA1:** 3d3d36568154059825089b289dcfca481fe44e2c

**SHA256:** ad95b08b8bbf9d7d17e5e00814898fa23324f32bc5b62f1a37801e6a56ce0079

**Referenced In Project/Scope:**gui

#### Evidence



Type	Source	Name	Value	Confidence

Vendor	file	name	curvesapi	High
Vendor	Manifest	automatic-module-name	com.github.virtuald.curvesapi	Medium
Vendor	pom	artifactid	curvesapi	Low
Vendor	pom	developer id	stormdollar	Medium
Vendor	pom	developer id	virtuald	Medium
Vendor	pom	developer name	Dustin Spicuzza	Medium
Vendor	pom	developer name	stormdollar	Medium
Vendor	pom	groupid	com.github.virtuald	Highest
Vendor	pom	name	curvesapi	High
Vendor	pom	url	virtuald/curvesapi	Highest
Product	file	name	curvesapi	High
Product	Manifest	automatic-module-name	com.github.virtuald.curvesapi	Medium
Product	pom	artifactid	curvesapi	Highest
Product	pom	developer id	stormdollar	Low
Product	pom	developer id	virtuald	Low
Product	pom	developer name	Dustin Spicuzza	Low
Product	pom	developer name	stormdollar	Low
Product	pom	groupid	com.github.virtuald	Highest
Product	pom	name	curvesapi	High
Product	pom	url	virtuald/curvesapi	High
Version	pom	version	1.08	Highest

#### Identifiers

- [pkg:maven/com.github.virtuald/curvesapi@1.08](#) (*Confidence:High*)

## parser.docx.zip: log4j-api.jar

#### Description:

The Apache Log4j API

#### License:

<https://www.apache.org/licenses/LICENSE-2.0.txt>

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/gui/build/tmp/dependencies/i-net PDFC/plugins/parser.docx.zip/log4j-api.jar  
**MD5:** f9446464667f0139b839b5e9da37f5b9  
**SHA1:** 1fe6082e660daf07c689a89c94dc0f49c26b44bb  
**SHA256:** 2f43eea679ea66f14ca0f13fec2a8600ac124f5a5231dcb4df8393eddc97550  
**Referenced In Project/Scope:**gui

## Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	log4j-api	High
Vendor	jar	package name	apache	Highest
Vendor	jar	package name	log4j	Highest
Vendor	jar	package name	logging	Highest
Vendor	jar	package name	org	Highest
Vendor	Manifest	build-jdk-spec	1.8	Low
Vendor	Manifest	bundle-docurl	https://www.apache.org/	Low
Vendor	Manifest	bundle-symbolicname	org.apache.logging.log4j.api	Medium
Vendor	Manifest	Implementation-Vendor	The Apache Software Foundation	High
Vendor	Manifest	Implementation-Vendor-Id	org.apache	Medium
Vendor	Manifest	multi-release	true	Low
Vendor	Manifest	require-capability	osgi.ee;filter:="(&(osgi.ee=JavaSE)(version=1.8))"	Low
Vendor	Manifest	specification-vendor	The Apache Software Foundation	Low
Vendor	pom	artifactid	log4j-api	Low
Vendor	pom	groupid	org.apache.logging.log4j	Highest
Vendor	pom	name	Apache Log4j API	High
Vendor	pom	parent-artifactid	log4j	Low
Product	file	name	log4j-api	High
Product	jar	package name	apache	Highest
Product	jar	package name	log4j	Highest
Product	jar	package name	logging	Highest
Product	jar	package name	org	Highest
Product	Manifest	build-jdk-spec	1.8	Low
Product	Manifest	bundle-docurl	https://www.apache.org/	Low
Product	Manifest	Bundle-Name	Apache Log4j API	Medium
Product	Manifest	bundle-	org.apache.logging.log4j.api	Medium

## symbolicname

Product	Manifest	Implementation-Title	Apache Log4j API	High
Product	Manifest	multi-release	true	Low
Product	Manifest	require-capability	osgi.ee;filter:="(&(osgi.ee=JavaSE)(version=1.8))"	Low
Product	Manifest	specification-title	Apache Log4j API	Medium
Product	pom	artifactid	log4j-api	Highest
Product	pom	groupid	org.apache.logging.log4j	Highest
Product	pom	name	Apache Log4j API	High
Product	pom	parent-artifactid	log4j	Medium
Version	Manifest	Bundle-Version	2.20.0	High
Version	Manifest	Implementation-Version	2.20.0	High
Version	pom	version	2.20.0	Highest

## Identifiers

- [pkg:maven/org.apache.logging.log4j/log4j-api@2.20.0](#) (*Confidence:High*)
- [cpe:2.3:a:apache:log4j:2.20.0:\\*:\\*:\\*:\\*:\\*](#) (*Confidence:Highest*) suppress

## parser.docx.zip: ooxml-schemas.jar

## Description:

XmlBeans generated from the Ecma supplied xsds:

[http://www.ecma-international.org/publications/files/ECMA-ST/Office%20Open%20XML%20Part%204%20\(DOCX\).zip](http://www.ecma-international.org/publications/files/ECMA-ST/Office%20Open%20XML%20Part%204%20(DOCX).zip)

## License:

The Apache Software License, Version 2.0: <http://www.apache.org/licenses/LICENSE-2.0.txt>

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/gui/build/tmp/dependencies/i-net PDFC/plugins/parser.docx.zip/ooxml-schemas.jar

**MD5:** e8f3b2f9a80ab82d94fac5bef904d62d

**SHA1:** 147993bd2ef26de9e54728f6762011c8c6b8cda7

**SHA256:** f8256738040d66ccb677814873674c1212464e00af491e9df490fc45decdbd932

**Referenced In Project/Scope:**gui

## Evidence



Type	Source	Name	Value	Confidence
Vendor	central	artifactid	ooxml-schemas	Highest

Vendor	central	groupid	org.apache.poi	Highest
Vendor	file	name	ooxml-schemas	High
Vendor	jar	package name	openxmlformats	Low
Vendor	jar	package name	schemas	Low
Vendor	pom	artifactid	ooxml-schemas	Low
Vendor	pom	groupid	org.apache.poi	Highest
Vendor	pom	name	OOXML schemas	High
Vendor	pom	organization name	Apache Software Foundation	High
Vendor	pom	organization url	http://www.apache.org/	Medium
Vendor	pom	url	http://poi.apache.org/	Highest
Product	central	artifactid	ooxml-schemas	Highest
Product	file	name	ooxml-schemas	High
Product	jar	package name	schemas	Low
Product	jar	package name	x2006	Low
Product	pom	artifactid	ooxml-schemas	Highest
Product	pom	groupid	org.apache.poi	Highest
Product	pom	name	OOXML schemas	High
Product	pom	organization name	Apache Software Foundation	Low
Product	pom	organization url	http://www.apache.org/	Low
Product	pom	url	http://poi.apache.org/	Medium
Version	central	version	1.4	Highest
Version	pom	version	1.4	Highest

#### Identifiers

- <pkg:maven/org.apache.poi/ooxml-schemas@1.4> (*Confidence:High*)

#### parser.docx.zip: parser.docx.jar

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/gui/build/tmp/dependencies/i-net PDFC/plugins/parser.docx.zip/parser.docx.jar

**MD5:** c12589428bb12aeb35c5887c379b84e2

**SHA1:** d4bb677494560df1daee0b1beb432294a4e346ad

**SHA256:** 2c423ff04e2c77c91d170263eee0345fe9ceb89c7a31a17311d75c4387e78b31

**Referenced In Project/Scope:**gui

## Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	parser.docx	High
Vendor	jar	package name	inet	Low
Vendor	jar	package name	pdfc	Low
Vendor	jar	package name	plugin	Low
Vendor	Manifest	application-library-allowable-codebase	*	Low
Vendor	Manifest	built-date	2023-11-23 14:12	Low
Vendor	Manifest	codebase	*	Low
Vendor	Manifest	implementation-group	pdfc	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	permissions	all-permissions	Low
Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	trusted-library	false	Low
Vendor	Manifest	trusted-only	false	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	parser.docx	High
Product	jar	package name	docxparser	Low
Product	jar	package name	pdfc	Highest
Product	jar	package name	pdfc	Low
Product	jar	package name	plugin	Low
Product	Manifest	application-library-allowable-codebase	*	Low
Product	Manifest	built-date	2023-11-23 14:12	Low
Product	Manifest	codebase	*	Low
Product	Manifest	implementation-group	pdfc	Low
Product	Manifest	Implementation-Title	parser.docx	High
Product	Manifest	permissions	all-permissions	Low

Product	Manifest	specification-title	parser.docx	Medium
Product	Manifest	trusted-library	false	Low
Product	Manifest	trusted-only	false	Low
Version	jar	package name	pdfc	Highest
Version	Manifest	Implementation-Version	23.10.241	High

## Identifiers

- cpe:2.3:a:inetsoftware:pdfc:23.10.241.\*.\*.\*.\*.\* (Confidence:Low) suppress

**parser.docx.zip: poi.jar**

**Description:**

## Apache POI - Java API To Access Microsoft Format Files

**License:**

Apache License, Version 2.0: <http://www.apache.org/licenses/LICENSE-2.0.txt>

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/gui/build/tmp/dependencies/i-net PDFC/plugins/parser.docx.zip/poi.jar

**MD5:** d4b21c2109d83abb8e93ba4bcfbdeb3a

**SHA1:** 2fb22ae74ad5aea6af1a9c64b9542f2ccf348604

**SHA256:**1d4c81a283e127693db89e85df45119d9d312d5686d2439b5be9445c2c649155

**Referenced In Project/Scope:**gui

## Evidence

Type	Source	Name	Value	Confidence
Vendor	central	artifactid	poi	Highest
Vendor	central	groupid	org.apache.poi	Highest
Vendor	file	name	poi	High
Vendor	jar	package name	apache	Highest
Vendor	jar	package name	apache	Low
Vendor	jar	package name	poi	Highest
Vendor	jar	package name	poi	Low
Vendor	Manifest	automatic-module-name	org.apache.poi.poi	Medium
Vendor	Manifest	Implementation-Vendor	org.apache.poi	High



Vendor	Manifest	Implementation-Vendor-Id	The Apache Software Foundation	Medium
Vendor	Manifest	multi-release	true	Low
Vendor	Manifest	specification-vendor	The Apache Software Foundation	Low
Vendor	pom	artifactid	poi	Low
Vendor	pom	groupid	org.apache.poi	Highest
Vendor	pom	name	Apache POI - Common	High
Vendor	pom	organization name	Apache Software Foundation	High
Vendor	pom	organization url	http://www.apache.org/	Medium
Vendor	pom	url	https://poi.apache.org/	Highest
Product	central	artifactid	poi	Highest
Product	file	name	poi	High
Product	jar	package name	apache	Highest
Product	jar	package name	poi	Highest
Product	jar	package name	poi	Low
Product	Manifest	automatic-module-name	org.apache.poi.poi	Medium
Product	Manifest	Implementation-Title	Apache POI	High
Product	Manifest	multi-release	true	Low
Product	Manifest	specification-title	Apache POI	Medium
Product	pom	artifactid	poi	Highest
Product	pom	groupid	org.apache.poi	Highest
Product	pom	name	Apache POI - Common	High
Product	pom	organization name	Apache Software Foundation	Low
Product	pom	organization url	http://www.apache.org/	Low
Product	pom	url	https://poi.apache.org/	Medium
Version	central	version	5.2.3	Highest
Version	Manifest	Implementation-Version	5.2.3	High
Version	pom	version	5.2.3	Highest

#### Related Dependencies



- parser.docx.zip: poi-ooxml-full.jar

- File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/gui/build/tmp/dependencies/i-net PDFC/plugins/parser.docx.zip/poi-ooxml-full.jar
- MD5: 12cee970c8c7143c8d5ff643e1599bd8
- SHA1: 339a05530a7076e8a86b88253a48a44e0144ce25
- SHA256: 0484b712eb63a8872723cafb88004be60f47187baccacddaee12712a1ad2e7b5
- [pkg:maven/org.apache.poi/poi-ooxml-full@5.2.3](#)
- parser.docx.zip: poi-ooxml.jar
  - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/gui/build/tmp/dependencies/i-net PDFC/plugins/parser.docx.zip/poi-ooxml.jar
  - MD5: 4874ead60c5e3aa7fcf29d3ad351eefa
  - SHA1: 02efd11c940adb18c03eb9ce7ad88fc40ee6a196
  - SHA256: 9b8ff6ecf562836299ce15997796e3d47fe063a5956c1c7d3f6e2a4bf6e60b79
  - [pkg:maven/org.apache.poi/poi-ooxml@5.2.3](#)
- parser.docx.zip: poi-scratchpad.jar
  - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/gui/build/tmp/dependencies/i-net PDFC/plugins/parser.docx.zip/poi-scratchpad.jar
  - MD5: 760ac0bcd0f4877fb57b134fc7e79fb4
  - SHA1: 2a7fce47e22b7fedb1b277347ff4fe36d6eda50d
  - SHA256: f0a98ad2a2a8c2863135357224fe8ffb2b4e7bb121d75aff59750eb671451aed
  - [pkg:maven/org.apache.poi/poi-scratchpad@5.2.3](#)

#### Identifiers

- [pkg:maven/org.apache.poi/poi@5.2.3](#) (*Confidence:High*)
- [cpe:2.3:a:apache:poi:5.2.3:\\*:\\*:\\*:\\*:\\*](#) (*Confidence:Highest*) suppress

### parser.docx.zip: xmlbeans.jar

#### Description:

XmlBeans main jar

#### License:

The Apache Software License, Version 2.0: <http://www.apache.org/licenses/LICENSE-2.0.txt>

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/gui/build/tmp/dependencies/i-net PDFC/plugins/parser.docx.zip/xmlbeans.jar

**MD5:** 6f137af5334fbd77a2d64f5de8bf6ff6

**SHA1:** 48a369df0eccb509d46203104e4df9cb00f0f68b

**SHA256:** 5f484a78bed71cbffe3709678b6bdd3463781a7c61c6d9872330aecbf150762a

**Referenced In Project/Scope:**gui

#### Evidence

Type	Source	Name	Value	Confidence
Vendor	file	name	xmlbeans	High
Vendor	jar	package name	apache	Highest
Vendor	jar	package name	org	Highest

Vendor	jar	package name	xmlbeans	Highest
Vendor	Manifest	multi-release	true	Low
Vendor	manifest org /apache /xmlbear	Implementation- Vendor	org.apache.xmlbeans	Medium
Vendor	pom	artifactid	xmlbeans	Low
Vendor	pom	developer email	user@poi.apache.org	Low
Vendor	pom	developer id	poi	Medium
Vendor	pom	developer name	POI Team	Medium
Vendor	pom	developer org	Apache POI	Medium
Vendor	pom	groupid	org.apache.xmlbeans	Highest
Vendor	pom	name	XmlBeans	High
Vendor	pom	organization name	XmlBeans	High
Vendor	pom	organization url	https://xmlbeans.apache.org/	Medium
Vendor	pom	url	https://xmlbeans.apache.org/	Highest
Product	file	name	xmlbeans	High
Product	jar	package name	apache	Highest
Product	jar	package name	org	Highest
Product	jar	package name	xmlbeans	Highest
Product	Manifest	multi-release	true	Low
Product	manifest org /apache /xmlbear	Implementation- Title	Apache XmlBeans	Medium
Product	manifest org /apache /xmlbear	Specification- Title	Apache XmlBeans	Medium
Product	pom	artifactid	xmlbeans	Highest
Product	pom	developer email	user@poi.apache.org	Low
Product	pom	developer id	poi	Low
Product	pom	developer name	POI Team	Low
Product	pom	developer org	Apache POI	Low
Product	pom	groupid	org.apache.xmlbeans	Highest
Product	pom	name	XmlBeans	High
Product	pom	organization name	XmlBeans	Low
Product	pom	organization url	https://xmlbeans.apache.org/	Low

Product	pom	url	https://xmlbeans.apache.org/	Medium
Version	manifest org /apache /xmlbear	Implementation- Version	5.1.1	Medium
Version	pom	version	5.1.1	Highest

### Identifiers

- [pkg:maven/org.apache.xmlbeans/xmlbeans@5.1.1](#) (Confidence:High)
- [cpe:2.3:a:apache:xmlbeans:5.1.1:\\*:\\*:\\*:\\*:\\*](#) (Confidence:Highest) suppress

## parser.image.zip: parser.image.jar

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/gui/build/tmp/dependencies/i-net PDFC/plugins/parser.image.zip/parser.image.jar

**MD5:** 9d24e57021e5be266cdcafc72c28d5d4

**SHA1:** aa6d8afcadeb2b80d95f52cf82e4ba19d009315b

**SHA256:** 33cdc56c5387031318076b9970db60026fb1429d258c420a847fac45204b8312

**Referenced In Project/Scope:**gui

### Evidence +

Type	Source	Name	Value	Confidence
Vendor	file	name	parser.image	High
Vendor	jar	package name	inet	Low
Vendor	jar	package name	pdfc	Low
Vendor	jar	package name	plugin	Low
Vendor	Manifest	application-library-allowable-codebase	*	Low
Vendor	Manifest	built-date	2023-11-23 14:10	Low
Vendor	Manifest	codebase	*	Low
Vendor	Manifest	implementation-group	pdfc	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	permissions	all-permissions	Low
Vendor	Manifest	specification-	i-net software	Low

## vendor

Vendor	Manifest	trusted-library	false	Low
Vendor	Manifest	trusted-only	false	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	parser.image	High
Product	jar	package name	imageparser	Low
Product	jar	package name	pdfc	Highest
Product	jar	package name	pdfc	Low
Product	jar	package name	plugin	Low
Product	Manifest	application-library-allowable-codebase	*	Low
Product	Manifest	built-date	2023-11-23 14:10	Low
Product	Manifest	codebase	*	Low
Product	Manifest	implementation-group	pdfc	Low
Product	Manifest	Implementation-Title	parser.image	High
Product	Manifest	permissions	all-permissions	Low
Product	Manifest	specification-title	parser.image	Medium
Product	Manifest	trusted-library	false	Low
Product	Manifest	trusted-only	false	Low
Version	jar	package name	pdfc	Highest
Version	Manifest	Implementation-Version	23.10.241	High

## Identifiers

- cpe:2.3:a:inetsoftware:pdfc:23.10.241:\*:\*:\*:\*:\* (Confidence:Low)

suppress

## parser.pdf.config.zip: parser.pdf.config.jar

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/gui/build/tmp/dependencies/i-net PDFC/plugins/parser.pdf.config.zip/parser.pdf.config.jar

**MD5:** 65a1dee31d632c2795c344ef8facd1f4

**SHA1:** 6962605b37a08d5e00b0f286339eef1160c5661f

**SHA256:** 1aebacfb151f9225f31565758035c2429894f8bccb5fdd06c3fa41f0a39484bb

**Referenced In Project/Scope:**gui

## Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	parser.pdf.config	High
Vendor	jar	package name	inet	Low
Vendor	jar	package name	pdfc	Low
Vendor	jar	package name	plugin	Low
Vendor	Manifest	application-library-allowable-codebase	*	Low
Vendor	Manifest	built-date	2023-11-23 14:11	Low
Vendor	Manifest	codebase	*	Low
Vendor	Manifest	implementation-group	pdfc	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	permissions	all-permissions	Low
Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	trusted-library	false	Low
Vendor	Manifest	trusted-only	false	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	parser.pdf.config	High
Product	jar	package name	pdfc	Highest
Product	jar	package name	pdfc	Low
Product	jar	package name	pdfparserconfig	Low
Product	jar	package name	plugin	Low
Product	Manifest	application-library-allowable-codebase	*	Low
Product	Manifest	built-date	2023-11-23 14:11	Low
Product	Manifest	codebase	*	Low
Product	Manifest	implementation-group	pdfc	Low
Product	Manifest	Implementation-Title	parser.pdf.config	High
Product	Manifest	permissions	all-permissions	Low

Product	Manifest	specification-title	parser.pdf.config	Medium
Product	Manifest	trusted-library	false	Low
Product	Manifest	trusted-only	false	Low
Version	jar	package name	pdfc	Highest
Version	Manifest	Implementation-Version	23.10.241	High

### Identifiers

- cpe:2.3:a:inetsoftware:pdfc:23.10.241:\*\*\*\*:\* (Confidence:Low) suppress

## parser.pdf.zip: PDFParser.jar

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/gui/build/tmp/dependencies/i-net PDFC/plugins/parser.pdf.zip/PDFParser.jar

**MD5:** 52a2678d724bcf2c101b39af3b6d629b

**SHA1:** 94a72c0d90a81f5120dcad4fa81150cca518763c

**SHA256:** 0f7b0d2a3bf86fd4ea198b47b5b0e63c427549db858b4f63f28af5749442a5c4

**Referenced In Project/Scope:**gui

### Evidence +

Type	Source	Name	Value	Confidence
Vendor	file	name	PDFParser	High
Vendor	jar	package name	inet	Low
Vendor	jar	package name	pdfview	Low
Vendor	Manifest	application-library-allowable-codebase	*	Low
Vendor	Manifest	built-date	2023-11-23 11:07	Low
Vendor	Manifest	codebase	*	Low
Vendor	Manifest	implementation-group	shared	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	permissions	all-permissions	Low
Vendor	Manifest	specification-vendor	i-net software	Low

Vendor	Manifest	trusted-library	false	Low
Vendor	Manifest	trusted-only	false	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	PDFParser	High
Product	jar	package name	pdfparser	Highest
Product	jar	package name	pdfview	Low
Product	Manifest	application-library-allowable-codebase	*	Low
Product	Manifest	built-date	2023-11-23 11:07	Low
Product	Manifest	codebase	*	Low
Product	Manifest	implementation-group	shared	Low
Product	Manifest	Implementation-Title	PDFParser	High
Product	Manifest	permissions	all-permissions	Low
Product	Manifest	specification-title	PDFParser	Medium
Product	Manifest	trusted-library	false	Low
Product	Manifest	trusted-only	false	Low
Version	Manifest	Implementation-Version	23.10.241	High

#### Identifiers

- None

## parser.pdf.zip: jbig2.jar

### Description:

This implementation uses the JBIG2 decoder provider by IDR solutions (jPedal).

### License:

BSD: <http://www.opensource.org/licenses/BSD-3-Clause>

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/gui/build/tmp/dependencies/i-net PDFC/plugins/parser.pdf.zip/jbig2.jar

**MD5:** ab5dd1acc5e6c85903e342dac7998ce7

**SHA1:** a3f4214b62615d4456de761ccef1136cba65a663

**SHA256:** 93e79e795182b4b6e12991046e489c2c0780e867d3e18e4e7ee20973316930d4

**Referenced In Project/Scope:**gui



## Evidence



Type	Source	Name	Value	Confidence
Vendor	central	artifactid	jbig2	Highest
Vendor	central	groupid	de.intarsys.opensource	Highest
Vendor	file	name	jbig2	High
Vendor	jar	package name	jbig2	Low
Vendor	jar	package name	jpedal	Low
Vendor	pom	artifactid	jbig2	Low
Vendor	pom	developer email	support@intarsys.de	Low
Vendor	pom	developer id	intarsys	Medium
Vendor	pom	developer name	intarsys support	Medium
Vendor	pom	groupid	de.intarsys.opensource	Highest
Vendor	pom	name	jbig2	High
Vendor	pom	organization name	intarsys consulting GmbH	High
Vendor	pom	organization url	<a href="http://www.intarsys.de">http://www.intarsys.de</a>	Medium
Vendor	pom	url	<a href="http://opensource.intarsys.de/home/en/index.php?n=JPodRenderer.HomePage">http://opensource.intarsys.de/home/en/index.php?n=JPodRenderer.HomePage</a>	Highest
Product	central	artifactid	jbig2	Highest
Product	file	name	jbig2	High
Product	jar	package name	jbig2	Low
Product	pom	artifactid	jbig2	Highest
Product	pom	developer email	support@intarsys.de	Low
Product	pom	developer id	intarsys	Low
Product	pom	developer name	intarsys support	Low
Product	pom	groupid	de.intarsys.opensource	Highest
Product	pom	name	jbig2	High
Product	pom	organization name	intarsys consulting GmbH	Low
Product	pom	organization url	<a href="http://www.intarsys.de">http://www.intarsys.de</a>	Low
Product	pom	url	<a href="http://opensource.intarsys.de/home/en/index.php?n=JPodRenderer.HomePage">http://opensource.intarsys.de/home/en/index.php?n=JPodRenderer.HomePage</a>	Medium
Version	central	version	5.5.1	Highest
Version	pom	version	5.5.1	Highest

Related Dependencies

- pdfc.zip: jbig2.jar
  - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/gui/build/tmp/dependencies/i-net PDFC/plugins/pdfc.zip/jbig2.jar
  - MD5: ab5dd1acc5e6c85903e342dac7998ce7
  - SHA1: a3f4214b62615d4456de761ccef1136cba65a663
  - SHA256: 93e79e795182b4b6e12991046e489c2c0780e867d3e18e4e7ee20973316930d4
  - [pkg:maven/de.intarsys.opensource/jbig2@5.5.1](#)

Identifiers

- [pkg:maven/de.intarsys.opensource/jbig2@5.5.1](#) (Confidence:High)
- cpe:2.3:a:homepage\_project:homepage:5.5.1:\*:\*:\*:\*:\* (Confidence:Low) suppress

parser.pdf.zip: parser.pdf.jar

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/gui/build/tmp/dependencies/i-net PDFC/plugins/parser.pdf.zip/parser.pdf.jar  
**MD5:** 9a84b2511d29e6565b640d03520fe195  
**SHA1:** e9ee81f3958c50c91ac0d121b4bf3814ced4f7ef  
**SHA256:** f6bc4bb559d62c851717966382f5772dcf7c5b068d241ee00339716939381675  
**Referenced In Project/Scope:**gui

Evidence

Type	Source	Name	Value	Confidence
Vendor	file	name	parser.pdf	High
Vendor	jar	package name	inet	Low
Vendor	jar	package name	pdfc	Low
Vendor	jar	package name	plugin	Low
Vendor	Manifest	application-library-allowable-codebase	*	Low
Vendor	Manifest	built-date	2023-11-23 14:11	Low
Vendor	Manifest	codebase	*	Low
Vendor	Manifest	implementation-group	pdfc	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium

Vendor	Manifest	permissions	all-permissions	Low
Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	trusted-library	false	Low
Vendor	Manifest	trusted-only	false	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	parser.pdf	High
Product	jar	package name	pdfc	Highest
Product	jar	package name	pdfc	Low
Product	jar	package name	pdfparser	Low
Product	jar	package name	plugin	Low
Product	Manifest	application-library-allowable-codebase	*	Low
Product	Manifest	built-date	2023-11-23 14:11	Low
Product	Manifest	codebase	*	Low
Product	Manifest	implementation-group	pdfc	Low
Product	Manifest	Implementation-Title	parser.pdf	High
Product	Manifest	permissions	all-permissions	Low
Product	Manifest	specification-title	parser.pdf	Medium
Product	Manifest	trusted-library	false	Low
Product	Manifest	trusted-only	false	Low
Version	jar	package name	pdfc	Highest
Version	Manifest	Implementation-Version	23.10.241	High

#### Identifiers

- cpe:2.3:a:inetsoftware:pdfc:23.10.241:\*:\*:\*:\*:\* (Confidence:Low) suppress

### parser.text.zip: parser.text.jar

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/gui/build/tmp/dependencies/i-net PDFC/plugins/parser.text.zip/parser.text.jar  
**MD5:** afc420ad1787e13f7c2dbbad60da555a

**SHA1:** e764776a01226b07d5f82f8567b237e1fe6e98a3

**SHA256:**1b7f204e2e552ebb506b47cd684cbac3fbec1882260ee1d23fe7f71619fe0822

**Referenced In Project/Scope:**gui

## Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	parser.text	High
Vendor	jar	package name	inet	Low
Vendor	jar	package name	pdfc	Low
Vendor	jar	package name	plugin	Low
Vendor	Manifest	application-library-allowable-codebase	*	Low
Vendor	Manifest	built-date	2023-11-23 14:10	Low
Vendor	Manifest	codebase	*	Low
Vendor	Manifest	implementation-group	pdfc	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	permissions	all-permissions	Low
Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	trusted-library	false	Low
Vendor	Manifest	trusted-only	false	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	parser.text	High
Product	jar	package name	pdfc	Highest
Product	jar	package name	pdfc	Low
Product	jar	package name	plugin	Low
Product	jar	package name	textparser	Low
Product	Manifest	application-library-allowable-codebase	*	Low
Product	Manifest	built-date	2023-11-23 14:10	Low
Product	Manifest	codebase	*	Low
Product	Manifest	implementation-group	pdfc	Low

Product	Manifest	Implementation-Title	parser.text	High
Product	Manifest	permissions	all-permissions	Low
Product	Manifest	specification-title	parser.text	Medium
Product	Manifest	trusted-library	false	Low
Product	Manifest	trusted-only	false	Low
Version	jar	package name	pdfc	Highest
Version	Manifest	Implementation-Version	23.10.241	High

## Identifiers

- cpe:2.3:a:inetsoftware:pdfc:23.10.241.\*.\*.\*.\*.\* (Confidence:Low)

pdfc.gui.zip: TableLayout.jar

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/gui/build/tmp/dependencies/i-net PDFC/plugins/pdfc.gui.zip/TableLayout.jar

**MD5:** 1e432e776e18d71f12dd72b7d235a965

**SHA1:** 62ffa1cca3e71f94d0bdce85ea97ea7083fdb1b

**SHA256:**13e73cf77a93f0c52184e5a5557d7dbba081bf54904edfdb84645b5daf7dd18

**Referenced In Project/Scope:**gui

## Evidence

Type	Source	Name	Value	Confidence
Vendor	file	name	TableLayout	High
Vendor	jar	package name	clearthought	Low
Vendor	jar	package name	info	Low
Vendor	jar	package name	layout	Low
Product	file	name	TableLayout	High
Product	jar	package name	clearthought	Low
Product	jar	package name	layout	Low

## Identifiers

- None

## pdfc.gui.zip: VividSwingAnimations.jar

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/gui/build/tmp/dependencies/i-net PDFC/plugins/pdfc.gui.zip/VividSwingAnimations.jar

**MD5:** 3f8bfce43cee6f5bf712881bde6d3379

**SHA1:** 539fa7c887865bc82e12f359bbf259fd330bfe5e

**SHA256:** 0cdae11fed0c91c56935eec42b3b626891a80c0fcfdb25e67b6abd6460db35cd

**Referenced In Project/Scope:**gui

### Evidence

Type	Source	Name	Value	Confidence
Vendor	file	name	VividSwingAnimations	High
Vendor	jar	package name	anormalmedia	Low
Vendor	jar	package name	de	Low
Vendor	jar	package name	vividswinganimations	Low
Product	file	name	VividSwingAnimations	High
Product	jar	package name	anormalmedia	Low
Product	jar	package name	vividswinganimations	Low

### Identifiers

- None

## pdfc.gui.zip: inetswingcore.jar

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/gui/build/tmp/dependencies/i-net PDFC/plugins/pdfc.gui.zip/inetswingcore.jar

**MD5:** 28a41cdfb569812fed2fd4e0ea4faa3f

**SHA1:** 32462c7ff09ed79101f29c265b4d10f6a5e5a70d

**SHA256:** 5ee6b35fcff0f47397e1c842c273131206b2058ff18b7f894a9f9c474a77c66e

**Referenced In Project/Scope:**gui

### Evidence

Type	Source	Name	Value	Confidence
Vendor	file	name	inetswingcore	High
Vendor	jar	package name	i	Highest
Vendor	jar	package name	inet	Low

Vendor	jar	package name	swing	Low
Vendor	Manifest	built-date	2023-11-23 11:07	Low
Vendor	Manifest	implementation-group	shared	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	inetswingcore	High
Product	jar	package name	swing	Low
Product	Manifest	built-date	2023-11-23 11:07	Low
Product	Manifest	implementation-group	shared	Low
Product	Manifest	Implementation-Title	inetswingcore	High
Product	Manifest	specification-title	inetswingcore	Medium
Version	Manifest	Implementation-Version	23.10.241	High

#### Identifiers

- None

### pdfc.gui.zip: pdfc.gui.jar

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/gui/build/tmp/dependencies/i-net PDFC/plugins/pdfc.gui.zip/pdfc.gui.jar

**MD5:** c6064b37c0d5cf0d9d17bdc947b13493

**SHA1:** 4b34a6fed68fca6255ad96c2deb8d4b2e934c3fc

**SHA256:** 7dfcb4f32c1a3e9b7e9fa7f076c9300e0e8120cd04faf50a725b7c6b3968ff47

**Referenced In Project/Scope:**gui

#### Evidence +

Type	Source	Name	Value	Confidence
Vendor	file	name	pdfc.gui	High
Vendor	jar	package name	gui	Low
Vendor	jar	package name	i	Highest

Vendor	jar	package name	inet	Low
Vendor	jar	package name	pdfc	Low
Vendor	Manifest	application-library-allowable-codebase	*	Low
Vendor	Manifest	built-date	2023-11-23 14:01	Low
Vendor	Manifest	codebase	*	Low
Vendor	Manifest	implementation-group	pdfc	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	permissions	all-permissions	Low
Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	trusted-library	false	Low
Vendor	Manifest	trusted-only	false	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	pdfc.gui	High
Product	jar	package name	gui	Highest
Product	jar	package name	gui	Low
Product	jar	package name	pdfc	Highest
Product	jar	package name	pdfc	Low
Product	Manifest	application-library-allowable-codebase	*	Low
Product	Manifest	built-date	2023-11-23 14:01	Low
Product	Manifest	codebase	*	Low
Product	Manifest	implementation-group	pdfc	Low
Product	Manifest	Implementation-Title	pdfc.gui	High
Product	Manifest	permissions	all-permissions	Low
Product	Manifest	specification-title	pdfc.gui	Medium
Product	Manifest	trusted-library	false	Low
Product	Manifest	trusted-only	false	Low
Version	jar	package name	pdfc	Highest
Version	Manifest	Implementation-	23.10.241	High



Version

#### Identifiers

- cpe:2.3:a:inetsoftware:pdfc:23.10.241:\*:\*:\*:\*:\* (Confidence:Low) suppress

### pdfc.standalone.zip: pdfc.standalone.jar

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/gui/build/tmp/dependencies/i-net PDFC/plugins/pdfc.standalone.zip/pdfc.standalone.jar

**MD5:** 85ad5221b5d7fc69a2b5c47664869811

**SHA1:** 5846eec6781845dd524caf6a5fa0521d97993e51

**SHA256:** 1b7eb012d5cef1f3afca75372f6f505f0128e58ce6278c4bf149f43c64253753

**Referenced In Project/Scope:**gui

#### Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	pdfc.standalone	High
Vendor	jar	package name	inet	Low
Vendor	jar	package name	pdfc	Low
Vendor	jar	package name	standalone	Low
Vendor	Manifest	application-library-allowable-codebase	*	Low
Vendor	Manifest	built-date	2023-11-23 14:18	Low
Vendor	Manifest	codebase	*	Low
Vendor	Manifest	implementation-group	pdfc	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	permissions	all-permissions	Low
Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	trusted-library	false	Low
Vendor	Manifest	trusted-only	false	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium

Product	file	name	pdfc.standalone	High
Product	jar	package name	pdfc	Highest
Product	jar	package name	pdfc	Low
Product	jar	package name	standalone	Highest
Product	jar	package name	standalone	Low
Product	Manifest	application-library-allowable-codebase	*	Low
Product	Manifest	built-date	2023-11-23 14:18	Low
Product	Manifest	codebase	*	Low
Product	Manifest	implementation-group	pdfc	Low
Product	Manifest	Implementation-Title	pdfc.standalone	High
Product	Manifest	permissions	all-permissions	Low
Product	Manifest	specification-title	pdfc.standalone	Medium
Product	Manifest	trusted-library	false	Low
Product	Manifest	trusted-only	false	Low
Version	jar	package name	pdfc	Highest
Version	Manifest	Implementation-Version	23.10.241	High

Identifiers

- cpe:2.3:a:inetsoftware:pdfc:23.10.241:\*:\*:\*:\*:\* (Confidence:Low) suppress

pdfc.standalone.zip: pdfc.standalone.jar: bridge.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/gui/build/tmp/dependencies/i-net PDFC/plugins/pdfc.standalone.zip/pdfc.standalone.jar/com/inet/pdfc/standalone/webgui/bridge.js

**MD5:** 2c10337140d468803edc96666f87fc6d

**SHA1:** 3d0dfd1690bba14194c515a4b9bff2b59bdcc146

**SHA256:** fedd760101b89ee10cc7875b98f0371aa2bd3b269531a50859c3799eba1434c7

**Referenced In Project/Scope:**gui

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## pdfc.standalone.zip: pdfc.standalone.jar: bridgeConfig.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/gui/build/tmp/dependencies/i-net PDFC/plugins/pdfc.standalone.zip/pdfc.standalone.jar/com/inet/pdfc/standalone/webgui/bridgeConfig.js

**MD5:** 227429ab8efc3610564a70ad81df045c

**SHA1:** 47dd8c95e56254385c1f2e5651272bf16b5c408e

**SHA256:** be928d3640892fd788f70bf6ac4312d7dbee093e21c7af985d4401d089d53750

**Referenced In Project/Scope:**gui

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## pdfc.standalone.zip: pdfc.standalone.jar: bridgePDFC.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/gui/build/tmp/dependencies/i-net PDFC/plugins/pdfc.standalone.zip/pdfc.standalone.jar/com/inet/pdfc/standalone/webgui/bridgePDFC.js

**MD5:** 6f1b068a819554bea01447fc952456fd

**SHA1:** 4328a162a0bc9f6e1f5f94e38c5bae13634117dc

**SHA256:** 83cf2d17d83fc39e68c59bba7607214e1ff1cd9689e638c108786a05b33f8cbf

**Referenced In Project/Scope:**gui

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

### pdfc.standalone.zip: pdfc.standalone.jar: extraMenu.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/gui/build/tmp/dependencies/i-net PDFC/plugins/pdfc.standalone.zip/pdfc.standalone.jar/com/inet/pdfc/standalone/webgui/extraMenu.js

**MD5:** ba5b8c1cc5d28f6c4b86fdd9083e003f

**SHA1:** 7b2e74b6fca72890b710369fb06b53e54ca9e3be

**SHA256:** 9e2dcc31335f078f5c6319b8170dfebeca535f9e9db85984da9553c057942f2c

**Referenced In Project/Scope:**gui

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### pdfc.standalone.zip: pdfc.standalone.jar: removeHeader.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/gui/build/tmp/dependencies/i-net PDFC/plugins/pdfc.standalone.zip/pdfc.standalone.jar/com/inet/pdfc/standalone/webgui/removeHeader.js

**MD5:** a8b4230454da739eab400d2e9f2ff298

**SHA1:** 481935ac331cfa918a6ac03dc7790e12e5dbf395

**SHA256:** f009dd87443ae4d9f07430d9cf97da5a98822df85ac48b1f66a5f0c3c57bb8fd

**Referenced In Project/Scope:**gui

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### pdfc.standalone.zip: pdfc.standalone.jar: removePDFCElements.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/gui/build/tmp/dependencies/i-net PDFC/plugins/pdfc.standalone.zip/pdfc.standalone.jar/com/inet/pdfc/standalone/webgui/removePDFCElements.js  
**MD5:** fcc7442097338c14ba2cd8cdf00a1da  
**SHA1:** 506821ea8b11fda1b7ad16967edf8dce0cd05c59  
**SHA256:** 535372463777922ce25ad14febe7954c85ed3cc8e6d8f054c69fb3295997aa87  
**Referenced In Project/Scope:**gui

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### pdfc.standalone.zip: pdfc.standalone.jar: theme.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/gui/build/tmp/dependencies/i-net PDFC/plugins/pdfc.standalone.zip/pdfc.standalone.jar/com/inet/pdfc/standalone/webgui/theme.js  
**MD5:** 2b3991a80a6412fd41dfcec1a5117846  
**SHA1:** b26bd23f00d37cf02446b3a154eaaa250c334ec8  
**SHA256:** e2007b5127a88c2b54896711eb30d3a7e9ee60dabb5c13f5ebcaab233de8ae2c  
**Referenced In Project/Scope:**gui

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### pdfc.standalone.zip: pdfc.standalone.jar: translation.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/gui/build/tmp/dependencies/i-net PDFC/plugins/pdfc.standalone.zip/pdfc.standalone.jar/com/inet/pdfc/standalone/webgui/translation.js  
**MD5:** 9d8e3dc7dedcf1efc6e6d206b17d32b  
**SHA1:** 973f851a166f625cabf697c7333a501810e22362  
**SHA256:** 9ccb685fb42b5b980c79d4066496dd0737f34da4716146d2ef07256fa1e16ad5  
**Referenced In Project/Scope:**gui

## Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

## Identifiers

- None

## pdfc.zip: icu4j.jar

### Description:

International Component for Unicode for Java (ICU4J) is a mature, widely used Java library providing Unicode and Globalization support

### License:

Unicode/ICU License: <https://raw.githubusercontent.com/unicode-org/icu/main/icu4c/LICENSE>

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/gui/build/tmp/dependencies/i-net PDFC/plugins/pdfc.zip/icu4j.jar

**MD5:** 23a23de561dd4f83e13d46e7273a35de

**SHA1:** 61ad4ef7f9131fc6d25c34b817f90d6da06c9e9

**SHA256:** 29280822f4b0796acef1f79b90b1d0c1edd86c10e876a848e04b8a6298a16bf9

**Referenced In Project/Scope:**gui

## Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Vendor	central	artifactid	icu4j	Highest
--------	---------	------------	-------	---------

Vendor	central	groupid	com.ibm.icu	Highest
--------	---------	---------	-------------	---------

Vendor	central (hint)	artifactid	icu-project	Highest
--------	----------------	------------	-------------	---------

Vendor	central (hint)	artifactid	unicode	Highest
--------	----------------	------------	---------	---------

Vendor	file	name	icu4j	High
--------	------	------	-------	------

Vendor	file (hint)	name	icu-project	High
--------	-------------	------	-------------	------

Vendor	file (hint)	name	unicode	High
--------	-------------	------	---------	------

Vendor	jar	package name	ibm	Highest
--------	-----	--------------	-----	---------

Vendor	jar	package name	ibm	Low
--------	-----	--------------	-----	-----

Vendor	jar	package name	icu	Highest
--------	-----	--------------	-----	---------

Vendor	jar	package name	icu	Low
Vendor	Manifest	automatic-module-name	com.ibm.icu	Medium
Vendor	Manifest	bundle-copyright	© 2016 and later: Unicode, Inc. and others. License & terms of use: <a href="http://www.unicode.org/copyright.html">http://www.unicode.org/copyright.html</a>	Low
Vendor	Manifest	bundle-requiredexecution	JavaSE-1.7	Low
Vendor	Manifest	bundle-symbolicname	com.ibm.icu	Medium
Vendor	Manifest	Implementation-Vendor	Unicode, Inc.	High
Vendor	Manifest	Implementation-Vendor-Id	org.unicode	Medium
Vendor	pom	artifactid	icu4j	Low
Vendor	pom	developer id	deborah	Medium
Vendor	pom	developer id	dougfelt	Medium
Vendor	pom	developer id	JCEmmons	Medium
Vendor	pom	developer id	macchiati	Medium
Vendor	pom	developer id	markusicu	Medium
Vendor	pom	developer id	pedberg	Medium
Vendor	pom	developer id	srl295	Medium
Vendor	pom	developer id	yumaoka	Medium
Vendor	pom	developer name	Deborah Goldsmith	Medium
Vendor	pom	developer name	Doug Felt	Medium
Vendor	pom	developer name	John Emmons	Medium
Vendor	pom	developer name	Mark Davis	Medium
Vendor	pom	developer name	Markus Scherer	Medium
Vendor	pom	developer name	Peter Edberg	Medium
Vendor	pom	developer name	Steven Loomis	Medium
Vendor	pom	developer name	Yoshito Umaoka	Medium
Vendor	pom	developer org	Apple	Medium
Vendor	pom	developer org	Google	Medium
Vendor	pom	developer org	IBM Corporation	Medium
Vendor	pom	groupid	com.ibm.icu	Highest
Vendor	pom	name	ICU4J	High
Vendor	pom	url	<a href="https://icu.unicode.org/">https://icu.unicode.org/</a>	Highest
Vendor	pom (hint)	artifactid	icu-project	Low

Vendor	pom (hint)	artifactid	unicode	Low
Vendor	pom (hint)	name	icu-project	High
Vendor	pom (hint)	name	unicode	High
Product	central	artifactid	icu4j	Highest
Product	file	name	icu4j	High
Product	hint analyzer	product	international_components_for_unicode	Highest
Product	jar	package name	ibm	Highest
Product	jar	package name	icu	Highest
Product	jar	package name	icu	Low
Product	Manifest	automatic-module-name	com.ibm.icu	Medium
Product	Manifest	bundle-copyright	© 2016 and later: Unicode, Inc. and others. License & terms of use: <a href="http://www.unicode.org/copyright.html">http://www.unicode.org/copyright.html</a>	Low
Product	Manifest	Bundle-Name	ICU4J	Medium
Product	Manifest	bundle-requiredexecution	JavaSE-1.7	Low
Product	Manifest	bundle-symbolicname	com.ibm.icu	Medium
Product	Manifest	Implementation-Title	International Components for Unicode for Java	High
Product	Manifest	specification-title	International Components for Unicode for Java	Medium
Product	pom	artifactid	icu4j	Highest
Product	pom	developer id	deborah	Low
Product	pom	developer id	dougfelt	Low
Product	pom	developer id	JCEmmons	Low
Product	pom	developer id	macchiati	Low
Product	pom	developer id	markusicu	Low
Product	pom	developer id	pedberg	Low
Product	pom	developer id	srl295	Low
Product	pom	developer id	yumaoka	Low
Product	pom	developer name	Deborah Goldsmith	Low
Product	pom	developer name	Doug Felt	Low
Product	pom	developer name	John Emmons	Low
Product	pom	developer name	Mark Davis	Low



Product	pom	developer name	Markus Scherer	Low
Product	pom	developer name	Peter Edberg	Low
Product	pom	developer name	Steven Loomis	Low
Product	pom	developer name	Yoshito Umaoka	Low
Product	pom	developer org	Apple	Low
Product	pom	developer org	Google	Low
Product	pom	developer org	IBM Corporation	Low
Product	pom	groupid	com.ibm.icu	Highest
Product	pom	name	ICU4J	High
Product	pom	url	https://icu.unicode.org/	Medium
Version	central	version	73.2	Highest
Version	Manifest	Bundle-Version	73.2	High
Version	Manifest	Implementation-Version	73.2	High
Version	pom	version	73.2	Highest

## Identifiers

- [pkg:maven/com.ibm.icu/icu4j@73.2](#) (*Confidence:High*)
- [cpe:2.3:a:icu-project:international\\_components\\_for\\_unicode:73.2:\\*\\*\\*\\*\\*](#) (*Confidence:Low*)
- [cpe:2.3:a:unicode:international\\_components\\_for\\_unicode:73.2:\\*\\*\\*\\*\\*](#) (*Confidence:Low*)

## pdfc.zip: pdfc-javadoc.jar

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/gui/build/tmp/dependencies/i-net PDFC/plugins/pdfc.zip/pdfc-javadoc.jar

**MD5:** 9afb40ac9a461c8c62f8d069e0b0789f

**SHA1:** 7d3efc15699261b47c1312603cbc6906d08b9f77

**SHA256:** 9f8e3c2f5edbf99d45bdd0bb92dec3ef4a65931b5e51c44d51d6e65b94f6e47a

**Referenced In Project/Scope:**gui

## Evidence

Type	Source	Name	Value	Confidence
Vendor	file	name	pdfc-javadoc	High
Product	file	name	pdfc-javadoc	High

### Identifiers

- None

## pdfc.zip: pdfc-javadoc.jar: jquery-3.5.1.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/gui/build/tmp/dependencies/i-net PDFC/plugins/pdfc.zip/pdfc-javadoc.jar/jquery/jquery-3.5.1.js

**MD5:** 23c7c5d2d1317508e807a6c7f777d6ed

**SHA1:** ad16c4a132ad2a03b4951185fed46d55397b5e88

**SHA256:** 416a3b2c3bf16d64f6b5b6d0f7b079df2267614dd6847fc2f3271b4409233c37

**Referenced In Project/Scope:**gui

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Related Dependencies



- pdfc.zip: pdfc-javadoc.jar: jquery.js
  - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/gui/build/tmp/dependencies/i-net PDFC/plugins/pdfc.zip/pdfc-javadoc.jar/jquery/external/jquery/jquery.js
  - MD5: 23c7c5d2d1317508e807a6c7f777d6ed
  - SHA1: ad16c4a132ad2a03b4951185fed46d55397b5e88
  - SHA256: 416a3b2c3bf16d64f6b5b6d0f7b079df2267614dd6847fc2f3271b4409233c37

### Identifiers

- None

## pdfc.zip: pdfc-javadoc.jar: jquery-ui.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/gui/build/tmp/dependencies/i-net PDFC/plugins/pdfc.zip/pdfc-javadoc.jar/jquery/jquery-ui.js

**MD5:** 3e34f50eab2e13d720c93e44ac5cb7ca

**SHA1:** c432ac324c727a86a9a54eff1b90d79e115e3f16

**SHA256:** 712e2e2efe1717a1e10aee0e02163e1deadf88760ade58b5cdfc333ea6de5247

**Referenced In Project/Scope:**gui

### Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	jquery-ui	High
Product	file	name	jquery-ui	High
Version	file	version	1.12.1	High

#### Identifiers

- [pkg:javascript/jquery-ui@1.12.1](#) (*Confidence: Highest*)

### pdfc.zip: pdfc-javadoc.jar: jquery-ui.min.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/gui/build/tmp/dependencies/i-net PDFC/plugins/pdfc.zip/pdfc-javadoc.jar/jquery/jquery-ui.min.js

**MD5:** 28d157e58272e91b054c254eab737df0

**SHA1:** 4165e40107b31b0ce5f022f579635fccb887bef9

**SHA256:** 76e849220d7fe7778affeaaf0806e48bbb69a5ec5b8c8b8f5f3cd89439a6dedc

**Referenced In Project/Scope:**gui

#### Evidence

Type	Source	Name	Value	Confidence
Vendor	file	name	jquery-ui	High
Product	file	name	jquery-ui	High
Version	file	version	1.12.1	High

#### Identifiers

- [pkg:javascript/jquery-ui@1.12.1](#) (*Confidence: Highest*)

### pdfc.zip: pdfc-javadoc.jar: jszip-utils-ie.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/gui/build/tmp/dependencies/i-net PDFC/plugins/pdfc.zip/pdfc-javadoc.jar/jquery/jszip-utils/dist/jszip-utils-ie.js

**MD5:** 9ec16c4857f56351e91cae003483bc8f

**SHA1:** 98fe94534d85ac506afac72bcd109eadb0024c32

**SHA256:** 0ce844c4c202c352e3210a61fc0910039a70708453b0db6f29d4da9496f2711e

**Referenced In Project/Scope:**gui

#### Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### pdfc.zip: pdfc-javadoc.jar: jszip-utils-ie.min.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/gui/build/tmp/dependencies/i-net PDFC/plugins/pdfc.zip/pdfc-javadoc.jar/jquery/jszip-utils/dist/jszip-utils-ie.min.js

**MD5:** 5d44e2ad643c15a737b056b08def582a

**SHA1:** aad1e840064b0d5d046d2087d17ceb24f7ec165d

**SHA256:** 794491b22860b2a9267b6327e19cb45cb999d290f167f7c87204ffc2ff87e457

**Referenced In Project/Scope:**gui

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### pdfc.zip: pdfc-javadoc.jar: jszip-utils.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/gui/build/tmp/dependencies/i-net PDFC/plugins/pdfc.zip/pdfc-javadoc.jar/jquery/jszip-utils/dist/jszip-utils.js

**MD5:** d3b9e4ee8dff5107ce1285f0d51d86f3

**SHA1:** 57aca6d613287c93f41f32efd124dd2a72994eed

**SHA256:** c06f765f3bed456436a8819b4d41fba66e537d88c90c4f46eb95d604c94086e3

**Referenced In Project/Scope:**gui

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### pdfc.zip: pdfc-javadoc.jar: jszip-utils.min.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/gui/build/tmp/dependencies/i-net PDFC/plugins/pdfc.zip/pdfc-javadoc.jar/jquery/jszip-utils/dist/jszip-utils.min.js  
**MD5:** 0608ff0ca6b939ae7263f0b219b0e4f2  
**SHA1:** a0885000845dedb7f5bf0db35e1f92cc79a0d40c  
**SHA256:** c38706b6ead21f5636ea9b79297a7976c59f8c1ff9242bf675aee5dce392ce98  
**Referenced In Project/Scope:** gui

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### pdfc.zip: pdfc-javadoc.jar: jszip.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/gui/build/tmp/dependencies/i-net PDFC/plugins/pdfc.zip/pdfc-javadoc.jar/jquery/jszip/dist/jszip.js  
**MD5:** 445655f2b60614c242f0c073c319ebd3  
**SHA1:** 2f46d4b06054852cdde51cee3764f71b8658da87  
**SHA256:** 6c18a4b2cee69dd705e8a9ac911e2284f4a5c68c86031b86e067ffaf3a253938  
**Referenced In Project/Scope:** gui

#### Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	jszip	High
Product	file	name	jszip	High
Version	file	version	3.2.1	High

#### Identifiers

- [pkg:javascript/jszip@3.2.1](#) (Confidence: Highest)

## pdfc.zip: pdfc-javadoc.jar: jszip.min.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/gui/build/tmp/dependencies/i-net PDFC/plugins/pdfc.zip/pdfc-javadoc.jar/jquery/jszip/dist/jszip.min.js

**MD5:** dc5d2aac976b1ad09faa452b4ce37519

**SHA1:** 3437dfa4dce6aa98c78ff6768de5694a70768892

**SHA256:** 832e56e7fad75a5b965c546f31614531586871fa417bb4dfe125b658c7e3b381

**Referenced In Project/Scope:**gui

### Evidence

Type	Source	Name	Value	Confidence
Vendor	file	name	jszip	High
Product	file	name	jszip	High
Version	file	version	3.2.1	High

### Identifiers

- [pkg:javascript/jszip@3.2.1](#) (*Confidence: Highest*)

## pdfc.zip: pdfc-javadoc.jar: member-search-index.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/gui/build/tmp/dependencies/i-net PDFC/plugins/pdfc.zip/pdfc-javadoc.jar/member-search-index.js

**MD5:** 451ab4a3010cd5f0964db101f56c3a05

**SHA1:** 6ca105e2ce47723b817093dd851a1c036ff41c8d

**SHA256:** e85c6fbc776e7efca477a127021853400c21e22d6b57d73527969ecab0fea629

**Referenced In Project/Scope:**gui

### Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## pdfc.zip: pdfc-javadoc.jar: package-search-index.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/gui/build/tmp/dependencies/i-net PDFC/plugins/pdfc.zip/pdfc-javadoc.jar/package-search-index.js  
**MD5:** 8aa809d9ad54e216f6de39437dc0611c  
**SHA1:** 01090aa7a548d18c41cf5379b811b9fc303a0b6f  
**SHA256:** cea5ebfaed9cbae3addfddab1ddc9ee3832800bc4ca149c5a41afc0fad03b02f  
**Referenced In Project/Scope:**gui

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### pdfc.zip: pdfc-javadoc.jar: script.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/gui/build/tmp/dependencies/i-net PDFC/plugins/pdfc.zip/pdfc-javadoc.jar/script.js  
**MD5:** 09faf3df2baf98a85204181a24f8474a  
**SHA1:** b12f5b1b9ec286814b1874bf7647b26755be106f  
**SHA256:** 2074e4b64cfac3a17618a69de47892e81023b97caf77e33c4db9048dfac1a09b  
**Referenced In Project/Scope:**gui

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### pdfc.zip: pdfc-javadoc.jar: search.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/gui/build/tmp/dependencies/i-net PDFC/plugins/pdfc.zip/pdfc-javadoc.jar/search.js  
**MD5:** a2cf11ffe638bf82e355d8d832869e24  
**SHA1:** 34a05458bceae78a6f624db3e3a754fecc015358  
**SHA256:** b2f9760a7aa9b092c3c79efa7f058afb851cc447d1283d57421df909b54f2fb9  
**Referenced In Project/Scope:**gui

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## pdfc.zip: pdfc-javadoc.jar: type-search-index.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/gui/build/tmp/dependencies/i-net PDFC/plugins/pdfc.zip/pdfc-javadoc.jar/type-search-index.js

**MD5:** 47312a78e4c44dbb780476ee146c7e68

**SHA1:** 67e8c937a3a115f13206a7e1e31f01c28cc41773

**SHA256:** 0116423c600a05fbf2935d2a49cf3943b64b077c6b8f265380cac74c5f8f5b8b

**Referenced In Project/Scope:**gui

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## pdfc.zip: pdfc.jar

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/gui/build/tmp/dependencies/i-net PDFC/plugins/pdfc.zip/pdfc.jar

**MD5:** 237687ec67b4e412464295820d72f870

**SHA1:** 167e7088ca74ef052541ef998f3e9ccec8246ca9

**SHA256:** 9086029cb31aa5ded4ca613279b83d5fbb138988918f747193f23d54732755a8

**Referenced In Project/Scope:**gui

### Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	pdfc	High
Vendor	jar	package name	inet	Low
Vendor	jar	package name	pdfc	Low



Vendor	Manifest	application-library-allowable-codebase	*	Low
Vendor	Manifest	built-date	2023-11-23 14:01	Low
Vendor	Manifest	codebase	*	Low
Vendor	Manifest	implementation-group	pdfc	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	permissions	all-permissions	Low
Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	trusted-library	false	Low
Vendor	Manifest	trusted-only	false	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	pdfc	High
Product	jar	package name	pdfc	Highest
Product	jar	package name	pdfc	Low
Product	jar	package name	permissions	Highest
Product	Manifest	application-library-allowable-codebase	*	Low
Product	Manifest	built-date	2023-11-23 14:01	Low
Product	Manifest	codebase	*	Low
Product	Manifest	implementation-group	pdfc	Low
Product	Manifest	Implementation-Title	pdfc	High
Product	Manifest	permissions	all-permissions	Low
Product	Manifest	specification-title	pdfc	Medium
Product	Manifest	trusted-library	false	Low
Product	Manifest	trusted-only	false	Low
Version	jar	package name	pdfc	Highest
Version	jar	package name	permissions	Highest
Version	Manifest	Implementation-Version	23.10.241	High

## Identifiers

- cpe:2.3:a:inetsoftware:pdfc:23.10.241.\*.\*.\*.\*.\* (Confidence:Low) suppress

**pdfcserver.zip: pdfcserver.jar**

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/gui/build/tmp/dependencies/i-net PDFC/plugins/pdfcserver.zip/pdfcserver.jar

**MD5:** 8e4bd3ae5dd27e5dafb1ef161556d028

**SHA1:** d5b0ffcbf0c4d4ce52f9dac532fd34d0f3bc6855

**SHA256:**1155f68d27c0558fe19fcaeefabea5f9ec3fc71fd938911f508256e3d5a51aef

**Referenced In Project/Scope:gui**

## Evidence

Type	Source	Name	Value	Confidence
Vendor	file	name	pdfcserver	High
Vendor	jar	package name	inet	Low
Vendor	jar	package name	pdfc	Low
Vendor	jar	package name	server	Low
Vendor	Manifest	application-library-allowable-codebase	*	Low
Vendor	Manifest	built-date	2023-11-23 14:01	Low
Vendor	Manifest	codebase	*	Low
Vendor	Manifest	implementation-group	pdfc	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	permissions	all-permissions	Low
Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	trusted-library	false	Low
Vendor	Manifest	trusted-only	false	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	pdfcserver	High
Product	jar	package name	pdfc	Highest
Product	jar	package name	pdfc	Low

Product	jar	package name	persistence	Low
Product	jar	package name	server	Low
Product	Manifest	application-library-allowable-codebase	*	Low
Product	Manifest	built-date	2023-11-23 14:01	Low
Product	Manifest	codebase	*	Low
Product	Manifest	implementation-group	pdfc	Low
Product	Manifest	Implementation-Title	pdfcserver	High
Product	Manifest	permissions	all-permissions	Low
Product	Manifest	specification-title	pdfcserver	Medium
Product	Manifest	trusted-library	false	Low
Product	Manifest	trusted-only	false	Low
Version	jar	package name	pdfc	Highest
Version	Manifest	Implementation-Version	23.10.241	High

#### Identifiers

- cpe:2.3:a:inetsoftware:pdfc:23.10.241:\*:\*:\*:\*:\* (Confidence:Low) suppress

### pdfcserver.zip: pdfcserver.jar: compareconfigrenderer.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/gui/build/tmp/dependencies/i-net PDFC/plugins/pdfcserver.zip/pdfcserver.jar/com/inet/pdfc/server/structure/compareconfigrenderer.js

**MD5:** 433763c0501141554e5d9cdd2c98f338

**SHA1:** cb28b1fb22141841a461a33be936b6a4fe452805

**SHA256:** ddd7dabcd7fec65fcb080a48ed89c5e358d4162481c91016de23ebe761ccfcb

**Referenced In Project/Scope:** gui

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

## pdfcsetupwizard.zip: pdfcsetupwizard.jar

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/gui/build/tmp/dependencies/i-net PDFC/plugins/pdfcsetupwizard.zip/pdfcsetupwizard.jar

**MD5:** cdea907525a466893def8669fa6b350b

**SHA1:** b5dcb9f050b329f9561ef485f53a9e1c4bddaab8

**SHA256:** 60814f4089bbb6ff3ca11e1b9891bf1e92d69328108ce919d01053059e55c802

**Referenced In Project/Scope:**gui

### Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	pdfcsetupwizard	High
Vendor	jar	package name	inet	Low
Vendor	jar	package name	pdfc	Low
Vendor	jar	package name	setupwizard	Low
Vendor	Manifest	built-date	2023-11-23 14:11	Low
Vendor	Manifest	implementation-group	pdfc	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	pdfcsetupwizard	High
Product	jar	package name	pdfc	Highest
Product	jar	package name	pdfc	Low
Product	jar	package name	setupwizard	Low
Product	jar	package name	steps	Low
Product	Manifest	built-date	2023-11-23 14:11	Low
Product	Manifest	implementation-group	pdfc	Low
Product	Manifest	Implementation-Title	pdfcsetupwizard	High
Product	Manifest	specification-title	pdfcsetupwizard	Medium
Version	jar	package name	pdfc	Highest

Version	Manifest	Implementation-Version	23.10.241	High
---------	----------	------------------------	-----------	------

#### Identifiers

- cpe:2.3:a:inetsoftware:pdfc:23.10.241:\*:\*:\*:\*:\* (Confidence:Low) suppress

### pdfcsetupwizard.zip: pdfcsetupwizard.jar: controller.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/gui/build/tmp/dependencies/i-net PDFC/plugins/pdfcsetupwizard.zip/pdfcsetupwizard.jar/com/inet/pdfc/setupwizard/steps/license/controller.js

**MD5:** 28064d813b7b4f519286b6f9b91b353e

**SHA1:** d0aea8640d5be736f694756b93918aee566ba695

**SHA256:** 7ea701b81499fa8a5967783b2b2a8b6eb1e5ad976a2805b5320d954f34f5750a

**Referenced In Project/Scope:**gui

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### processbridge.pdfcd.zip: processbridge.pdfcd.jar

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/gui/build/tmp/dependencies/i-net PDFC/plugins/processbridge.pdfcd.zip/processbridge.pdfcd.jar

**MD5:** b8f97e365ac136e20cc9402c7d3eb4d8

**SHA1:** 20c1a86c896ce3fae1c4483d4da25169f76e0c50

**SHA256:** 7e9430a5636b050edeb6570743b2556ac6015b03d82ef49535bdc8064e706de8

**Referenced In Project/Scope:**gui

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Vendor	file	name	processbridge.pdfcd	High
--------	------	------	---------------------	------

Vendor	jar	package name	inet	Low
--------	-----	--------------	------	-----

Vendor	jar	package name	pdfc	Low
--------	-----	--------------	------	-----

Vendor	jar	package name	processbridge	Low
Vendor	Manifest	built-date	2023-11-23 14:15	Low
Vendor	Manifest	implementation-group	pdfc	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	processbridge.pdfc	High
Product	jar	package name	api	Low
Product	jar	package name	pdfc	Highest
Product	jar	package name	pdfc	Low
Product	jar	package name	processbridge	Highest
Product	jar	package name	processbridge	Low
Product	Manifest	built-date	2023-11-23 14:15	Low
Product	Manifest	implementation-group	pdfc	Low
Product	Manifest	Implementation-Title	processbridge.pdfc	High
Product	Manifest	specification-title	processbridge.pdfc	Medium
Version	jar	package name	pdfc	Highest
Version	Manifest	Implementation-Version	23.10.241	High

#### Identifiers

- cpe:2.3:a:inetsoftware:pdfc:23.10.241:\*\*\*\*\* (Confidence:Low) suppress

## slf4j-api-2.0.9.jar

### Description:

The slf4j API

### License:

<http://www.opensource.org/licenses/mit-license.php>

**File Path:** /home/jenkins/.gradle/caches/modules-2/files-2.1/org.slf4j/slf4j-api/2.0.9/7cf2726fbc8610f9a71fb3ed639871f315340/slf4j-api-2.0.9.jar  
**MD5:** 45630e54b0f0ac2b3c80462515ad8fda  
**SHA1:** 7cf2726fbc8610f9a71fb3ed639871f315340  
**SHA256:** 0818930dc8d7debb403204611691da58e49d42c50b6ffcfcdce02dadb7c3c2b6c  
**Referenced In Project/Scope:**gui:inetPlugin

## Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	slf4j-api	High
Vendor	gradle	artifactid	slf4j-api	Highest
Vendor	gradle	groupid	org.slf4j	Highest
Vendor	jar	package name	slf4j	Highest
Vendor	Manifest	build-jdk-spec	20	Low
Vendor	Manifest	bundle-docurl	http://www.slf4j.org	Low
Vendor	Manifest	bundle-symbolicname	slf4j.api	Medium
Vendor	Manifest	multi-release	true	Low
Vendor	Manifest	require-capability	osgi.extender;filter:="(&(osgi.extender=osgi.serviceloader.processor)(version>=1.0.0)(!(version>=2.0.0)))",osgi.serviceloader;filter:="(osgi.serviceloader=org.slf4j.spi.SLF4JServiceProvider)",osgi.serviceloader="org.slf4j.spi.SLF4JServiceProvider",osgi.ee;filter:="(&(osgi.ee=JavaSE)(version=1.8))"	Low
Vendor	pom	artifactid	slf4j-api	Low
Vendor	pom	groupid	org.slf4j	Highest
Vendor	pom	name	SLF4J API Module	High
Vendor	pom	parent-artifactid	slf4j-parent	Low
Vendor	pom	url	http://www.slf4j.org	Highest
Product	file	name	slf4j-api	High
Product	gradle	artifactid	slf4j-api	Highest
Product	jar	package name	slf4j	Highest
Product	jar	package name	slf4jserviceprovider	Highest
Product	jar	package name	spi	Highest
Product	Manifest	build-jdk-spec	20	Low
Product	Manifest	bundle-docurl	http://www.slf4j.org	Low
Product	Manifest	Bundle-Name	SLF4J API Module	Medium
Product	Manifest	bundle-symbolicname	slf4j.api	Medium
Product	Manifest	Implementation-Title	slf4j-api	High

Product	Manifest	multi-release	true	Low
Product	Manifest	require-capability	osgi.extender;filter:="(&(osgi.extender=osgi.serviceloader.processor)(version>=1.0.0)(!(version>=2.0.0)))",osgi.serviceloader;filter:="(osgi.serviceloader=org.slf4j.spi.SLF4JServiceProvider)";osgi.serviceloader="org.slf4j.spi.SLF4JServiceProvider",osgi.ee;filter:="(&(osgi.ee=JavaSE)(version=1.8))"	Low
Product	pom	artifactid	slf4j-api	Highest
Product	pom	groupid	org.slf4j	Highest
Product	pom	name	SLF4J API Module	High
Product	pom	parent-artifactid	slf4j-parent	Medium
Product	pom	url	http://www.slf4j.org	Medium
Version	file	version	2.0.9	High
Version	gradle	version	2.0.9	Highest
Version	Manifest	Bundle-Version	2.0.9	High
Version	Manifest	Implementation-Version	2.0.9	High
Version	pom	version	2.0.9	Highest

#### Identifiers

- <pkg:maven/org.slf4j/slf4j-api@2.0.9> (*Confidence:High*)

### taskplanner.pdfc.zip: taskplanner.pdfc.jar

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/gui/build/tmp/dependencies/i-net PDFC/plugins/taskplanner.pdfc.zip/taskplanner.pdfc.jar

**MD5:** af736a987ab76febee53605b29fb8029

**SHA1:** 0e8f36d598c049ad78645596fbd40529b2cb73e4

**SHA256:** c1162d7b784717909401d54917ba1ef56536677d302204222fe9d852f0ca450e

**Referenced In Project/Scope:**gui

#### Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	taskplanner.pdfc	High
Vendor	jar	package name	inet	Low
Vendor	jar	package name	pdfc	Low
Vendor	jar	package name	taskplanner	Low



Vendor	Manifest	built-date	2023-11-23 14:14	Low
Vendor	Manifest	implementation-group	pdfc	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	taskplanner.pdfc	High
Product	jar	package name	pdfc	Highest
Product	jar	package name	pdfc	Low
Product	jar	package name	taskplanner	Highest
Product	jar	package name	taskplanner	Low
Product	Manifest	built-date	2023-11-23 14:14	Low
Product	Manifest	implementation-group	pdfc	Low
Product	Manifest	Implementation-Title	taskplanner.pdfc	High
Product	Manifest	specification-title	taskplanner.pdfc	Medium
Version	jar	package name	pdfc	Highest
Version	Manifest	Implementation-Version	23.10.241	High

#### Identifiers

- cpe:2.3:a:inetsoftware:pdfc:23.10.241:\*:\*:\*:\*:\* (Confidence:Low) suppress

## Suppressed Vulnerabilities



### pdfc.zip: pdfc-javadoc.jar: jquery-ui.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/gui/build/tmp/dependencies/i-net PDFC/plugins/pdfc.zip/pdfc-javadoc.jar/jquery/jquery-ui.js

**MD5:** 3e34f50eab2e13d720c93e44ac5cb7ca

**SHA1:** c432ac324c727a86a9a54eff1b90d79e115e3f16

**SHA256:** 712e2e2efe1717a1e10aee0e02163e1deadf88760ade58b5cdfc333ea6de5247

#### Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	jquery-ui	High
Product	file	name	jquery-ui	High
Version	file	version	1.12.1	High

### Suppressed Identifiers

- None

### Suppressed Vulnerabilities

#### [CVE-2021-41182](#) suppressed

jQuery-UI is the official jQuery user interface library. Prior to version 1.13.0, accepting the value of the `altField` option of the Datepicker widget from untrusted sources may execute untrusted code. The issue is fixed in jQuery UI 1.13.0. Any string value passed to the `altField` option is now treated as a CSS selector. A workaround is to not accept the value of the `altField` option from untrusted sources.

CWE-79 Improper Neutralization of Input During Web Page Generation ('Cross-site Scripting')

Notes: JavaDoc embedded JQuery UI - requires updated Java Version with newer javadoc

CVSSv2:

- Base Score: MEDIUM (4.3)
- Vector: /AV:N/AC:M/Au:N/C:N/I:P/A:N

CVSSv3:

- MEDIUM (6.1)
- CVSS:3.1/AV:N/AC:L/PR:N/UI:R/S:C/C:L/I:L/A:N

References:

- CONFIRM - <https://github.com/jquery/jquery-ui/security/advisories/GHSA-9gj3-hwp5-pmwc>
- CONFIRM - <https://security.netapp.com/advisory/ntap-20211118-0004/>
- CONFIRM - <https://www.drupal.org/sa-core-2022-002>
- CONFIRM - <https://www.tenable.com/security/tns-2022-09>
- MISC - <https://blog.jqueryui.com/2021/10/jquery-ui-1-13-0-released/>
- MISC - <https://github.com/jquery/jquery-ui/pull/1954/commits/6809ce843e5ac4128108ea4c15cbc100653c2b63>
- MISC - <https://lists.debian.org/debian-lts-announce/2023/08/msg00040.html>
- MISC - <https://lists.fedoraproject.org/archives/list/package-announce%40lists.fedoraproject.org/message/HVKIOWSXL2RF2ULNAP7PHESYCFSZIJ3/>
- MISC - <https://lists.fedoraproject.org/archives/list/package-announce%40lists.fedoraproject.org/message/NXIUUBRVLA4E7G7MMIKCEN75YN7UFERW/>
- MISC - <https://lists.fedoraproject.org/archives/list/package-announce%40lists.fedoraproject.org/message/O74SXYY7RGXREQDQUDQD4BPJ4QQTD2XQ/>
- MISC - <https://lists.fedoraproject.org/archives/list/package-announce%40lists.fedoraproject.org/message/SGSY236PYSFYIEBRGDERLA7OSY6D7XL4/>
- MISC - <https://lists.fedoraproject.org/archives/list/package-announce%40lists.fedoraproject.org/message/SNXA7XRKGINWSUIPIZ6ZBCTV6N3KSHES/>
- MISC - <https://www.drupal.org/sa-contrib-2022-004>
- MISC - <https://www.oracle.com/security-alerts/cpuapr2022.html>
- MLIST - [\[debian-lts-announce\] 20220119 \[SECURITY\] \[DLA-2889-1\] drupal7 security update](#)
- N/A - N/A
- info - <https://github.com/jquery/jquery-ui/security/advisories/GHSA-9gj3-hwp5-pmwc>

- info - <https://nvd.nist.gov/vuln/detail/CVE-2021-41182>

#### Vulnerable Software & Versions (NVD):

- cpe:2.3:a:drupal:drupal:\*:\*:\*:\*:\* versions from (including) 7.0; versions up to (excluding) 7.86
- cpe:2.3:a:jqueryui:jquery\_ui:\*:\*:\*:\*:\* versions up to (excluding) 1.13.0
- cpe:2.3:a:oracle:agile\_plm:9.3.6:\*:\*:\*:\*:\*
- cpe:2.3:a:oracle:application\_express:\*:\*:\*:\*:\* versions up to (excluding) 22.1.1
- cpe:2.3:a:oracle:banking\_platform:2.9.0:\*:\*:\*:\*:\*
- cpe:2.3:a:oracle:banking\_platform:2.12.0:\*:\*:\*:\*:\*
- cpe:2.3:a:oracle:big\_data\_spatial\_and\_graph:\*:\*:\*:\*:\* versions up to (excluding) 23.1
- cpe:2.3:a:oracle:big\_data\_spatial\_and\_graph:23.1:\*:\*:\*:\*:\*
- cpe:2.3:a:oracle:communications\_interactive\_session\_recorder:6.4:\*:\*:\*:\*:\*
- cpe:2.3:a:oracle:communications\_operations\_monitor:4.3:\*:\*:\*:\*:\*
- cpe:2.3:a:oracle:communications\_operations\_monitor:4.4:\*:\*:\*:\*:\*
- cpe:2.3:a:oracle:communications\_operations\_monitor:5.0:\*:\*:\*:\*:\*
- cpe:2.3:a:oracle:hospitality\_inventory\_management:9.1.0:\*:\*:\*:\*:\*
- cpe:2.3:a:oracle:hospitality\_materials\_control:18.1:\*:\*:\*:\*:\*
- cpe:2.3:a:oracle:hospitality\_suite8:\*:\*:\*:\*:\* versions from (including) 8.11.0; versions up to (including) 8.14.0
- cpe:2.3:a:oracle:hospitality\_suite8:8.10.2:\*:\*:\*:\*:\*
- cpe:2.3:a:oracle:jd\_edwards\_enterpriseone\_tools:\*:\*:\*:\*:\* versions up to (including) 9.2.6.3
- cpe:2.3:a:oracle:mysql\_enterprise\_monitor:\*:\*:\*:\*:\* versions up to (including) 8.0.29
- cpe:2.3:a:oracle:peoplesoft\_enterprise\_peopletools:8.58:\*:\*:\*:\*:\*
- cpe:2.3:a:oracle:peoplesoft\_enterprise\_peopletools:8.59:\*:\*:\*:\*:\*
- cpe:2.3:a:oracle:policy\_automation:\*:\*:\*:\*:\* versions from (including) 12.2.0; versions up to (including) 12.2.25
- cpe:2.3:a:oracle:primavera\_unifier:\*:\*:\*:\*:\* versions from (including) 17.7; versions up to (including) 17.12
- cpe:2.3:a:oracle:primavera\_unifier:17.7:\*:\*:\*:\*:\*
- cpe:2.3:a:oracle:primavera\_unifier:17.8:\*:\*:\*:\*:\*
- cpe:2.3:a:oracle:primavera\_unifier:17.9:\*:\*:\*:\*:\*
- cpe:2.3:a:oracle:primavera\_unifier:17.10:\*:\*:\*:\*:\*
- cpe:2.3:a:oracle:primavera\_unifier:17.11:\*:\*:\*:\*:\*
- cpe:2.3:a:oracle:primavera\_unifier:17.12:\*:\*:\*:\*:\*
- cpe:2.3:a:oracle:primavera\_unifier:18.8:\*:\*:\*:\*:\*
- cpe:2.3:a:oracle:primavera\_unifier:19.12:\*:\*:\*:\*:\*
- cpe:2.3:a:oracle:primavera\_unifier:20.12:\*:\*:\*:\*:\*
- cpe:2.3:a:oracle:primavera\_unifier:21.12:\*:\*:\*:\*:\*
- cpe:2.3:a:oracle:rest\_data\_services:\*:\*:\*:\*:\* versions up to (excluding) 22.1.1
- cpe:2.3:a:oracle:rest\_data\_services:22.1.1:\*:\*:\*:\*:\*
- cpe:2.3:a:oracle:weblogic\_server:12.2.1.3.0:\*:\*:\*:\*:\*
- cpe:2.3:a:oracle:weblogic\_server:12.2.1.4.0:\*:\*:\*:\*:\*
- cpe:2.3:a:oracle:weblogic\_server:14.1.1.0.0:\*:\*:\*:\*:\*
- cpe:2.3:a:tenable:tenable.sc:\*:\*:\*:\*:\* versions up to (excluding) 5.21.0

**CVE-2021-41183** suppressed

jQuery-UI is the official jQuery user interface library. Prior to version 1.13.0, accepting the value of various `\*Text` options of the Datepicker widget from untrusted sources may execute untrusted code. The issue is fixed in jQuery UI 1.13.0. The values passed to various `\*Text` options are now always treated as pure text, not HTML. A workaround is to not accept the value of the `\*Text` options from untrusted sources.

CWE-79 Improper Neutralization of Input During Web Page Generation ('Cross-site Scripting')

Notes: JavaDoc embedded JQuery UI - requires updated Java Version with newer javadoc

#### CVSSv2:

- Base Score: MEDIUM (4.3)
- Vector: /AV:N/AC:M/Au:N/C:N/I:P/A:N

#### CVSSv3:

- MEDIUM (6.1)
- CVSS:3.1/AV:N/AC:L/PR:N/UI:R/S:C/C:L/I:L/A:N

## References:

- CONFIRM - <https://github.com/jquery/jquery-ui/security/advisories/GHSA-j7qv-pg6f-hvh4>
- CONFIRM - <https://security.netapp.com/advisory/ntap-20211118-0004/>
- CONFIRM - <https://www.drupal.org/sa-core-2022-001>
- CONFIRM - <https://www.drupal.org/sa-core-2022-002>
- CONFIRM - <https://www.tenable.com/security/tns-2022-09>
- MISC - <https://blog.jqueryui.com/2021/10/jquery-ui-1-13-0-released/>
- MISC - <https://bugs.jqueryui.com/ticket/15284>
- MISC - <https://github.com/jquery/jquery-ui/pull/1953>
- MISC - <https://lists.debian.org/debian-lts-announce/2023/08/msg00040.html>
- MISC - <https://lists.fedoraproject.org/archives/list/package-announce%40lists.fedoraproject.org/message/HVKIOWSXL2RF2ULNAP7PHESYCFSTIJE3/>
- MISC - <https://lists.fedoraproject.org/archives/list/package-announce%40lists.fedoraproject.org/message/NXIUUBRVLA4E7G7MMIKCEN75YN7UFERW/>
- MISC - <https://lists.fedoraproject.org/archives/list/package-announce%40lists.fedoraproject.org/message/O74SXY7RGXREQDQUDQD4BPJ4QQTD2XQ/>
- MISC - <https://lists.fedoraproject.org/archives/list/package-announce%40lists.fedoraproject.org/message/SGSY236PYSFYIEBRGDERLA7OSY6D7XL4/>
- MISC - <https://lists.fedoraproject.org/archives/list/package-announce%40lists.fedoraproject.org/message/SNXA7XRKGINWSUIPIZ6ZBCTV6N3KSHES/>
- MISC - <https://www.drupal.org/sa-contrib-2022-004>
- MISC - <https://www.oracle.com/security-alerts/cpuapr2022.html>
- MLIST - [\[debian-lts-announce\] 20220119 \[SECURITY\] \[DLA-2889-1\] drupal7 security update](#)
- N/A - N/A
- info - <https://bugs.jqueryui.com/ticket/15284>
- info - <https://nvd.nist.gov/vuln/detail/CVE-2021-41183>

## Vulnerable Software & Versions (NVD):

- cpe:2.3:a:drupal:drupal:\*:\*:\*:\*:\* versions from (including) 7.0; versions up to (excluding) 7.86
- cpe:2.3:a:drupal:drupal:\*:\*:\*:\*:\* versions from (including) 9.2.0; versions up to (excluding) 9.2.11
- cpe:2.3:a:drupal:drupal:\*:\*:\*:\*:\* versions from (including) 9.3.0; versions up to (excluding) 9.3.3
- cpe:2.3:a:jqueryui:jquery\_ui:\*:\*:\*:\*:\* versions up to (excluding) 1.13.0
- cpe:2.3:a:oracle:agile\_plm:9.3.6:\*:\*:\*:\*:\*
- cpe:2.3:a:oracle:application\_express:\*:\*:\*:\*:\* versions up to (excluding) 22.1.1
- cpe:2.3:a:oracle:banking\_platform:2.9.0:\*:\*:\*:\*:\*
- cpe:2.3:a:oracle:banking\_platform:2.12.0:\*:\*:\*:\*:\*
- cpe:2.3:a:oracle:big\_data\_spatial\_and\_graph:\*:\*:\*:\*:\* versions up to (excluding) 23.1
- cpe:2.3:a:oracle:big\_data\_spatial\_and\_graph:23.1:\*:\*:\*:\*:\*
- cpe:2.3:a:oracle:communications\_interactive\_session\_recorder:6.4:\*:\*:\*:\*:\*
- cpe:2.3:a:oracle:communications\_operations\_monitor:4.3:\*:\*:\*:\*:\*
- cpe:2.3:a:oracle:communications\_operations\_monitor:4.4:\*:\*:\*:\*:\*
- cpe:2.3:a:oracle:communications\_operations\_monitor:5.0:\*:\*:\*:\*:\*
- cpe:2.3:a:oracle:hospitality\_inventory\_management:9.1.0:\*:\*:\*:\*:\*
- cpe:2.3:a:oracle:hospitality\_suite8:\*:\*:\*:\*:\* versions from (including) 8.11.0; versions up to (including) 11.14.0
- cpe:2.3:a:oracle:hospitality\_suite8:8.10.2:\*:\*:\*:\*:\*
- cpe:2.3:a:oracle:jd\_edwards\_enterpriseone\_tools:\*:\*:\*:\*:\* versions up to (including) 9.2.6.3
- cpe:2.3:a:oracle:mysql\_enterprise\_monitor:\*:\*:\*:\*:\* versions up to (including) 8.0.29
- cpe:2.3:a:oracle:peoplesoft\_enterprise\_peopletools:8.58:\*:\*:\*:\*:\*
- cpe:2.3:a:oracle:peoplesoft\_enterprise\_peopletools:8.59:\*:\*:\*:\*:\*
- cpe:2.3:a:oracle:policy\_automation:\*:\*:\*:\*:\* versions from (including) 12.2.0; versions up to (including) 12.2.5
- cpe:2.3:a:oracle:primavera\_gateway:\*:\*:\*:\*:\* versions from (including) 17.7; versions up to (including) 17.12
- cpe:2.3:a:oracle:primavera\_gateway:18.8.0:\*:\*:\*:\*:\*
- cpe:2.3:a:oracle:primavera\_gateway:19.12.0:\*:\*:\*:\*:\*
- cpe:2.3:a:oracle:primavera\_gateway:20.12.0:\*:\*:\*:\*:\*
- cpe:2.3:a:oracle:primavera\_gateway:21.12.0:\*:\*:\*:\*:\*
- cpe:2.3:a:oracle:rest\_data\_services:\*:\*:\*:\*:\* versions up to (excluding) 22.1.1
- cpe:2.3:a:oracle:rest\_data\_services:22.1.1:\*:\*:\*:\*:\*
- cpe:2.3:a:oracle:weblogic\_server:12.2.1.3.0:\*:\*:\*:\*:\*

- cpe:2.3:a:oracle:weblogic\_server:12.2.1.4.0:\*\*\*\*\*
- cpe:2.3:a:oracle:weblogic\_server:14.1.1.0.0:\*\*\*\*\*
- cpe:2.3:a:tenable:tenable.sc:\*\*\*\*\* versions up to (excluding) 5.21.0

## CVE-2021-41184 suppressed

jQuery-UI is the official jQuery user interface library. Prior to version 1.13.0, accepting the value of the `of` option of the `.position()` util from untrusted sources may execute untrusted code. The issue is fixed in jQuery UI 1.13.0. Any string value passed to the `of` option is now treated as a CSS selector. A workaround is to not accept the value of the `of` option from untrusted sources.

CWE-79 Improper Neutralization of Input During Web Page Generation ('Cross-site Scripting')

Notes: JavaDoc embedded JQuery UI - requires updated Java Version with newer javadoc

CVSSv2:

- Base Score: MEDIUM (4.3)
- Vector: /AV:N/AC:M/Au:N/C:N/I:P/A:N

CVSSv3:

- MEDIUM (6.1)
- CVSS:3.1/AV:N/AC:L/PR:N/UI:R/S:C/C:L/I:L/A:N

References:

- CONFIRM - <https://github.com/jquery/jquery-ui/security/advisories/GHSA-gpqq-952q-5327>
- CONFIRM - <https://security.netapp.com/advisory/ntap-20211118-0004/>
- CONFIRM - <https://www.drupal.org/sa-core-2022-001>
- CONFIRM - <https://www.tenable.com/security/tns-2022-09>
- MISC - <https://blog.jqueryui.com/2021/10/jquery-ui-1-13-0-released/>
- MISC - <https://github.com/jquery/jquery-ui/commit/effa323f1505f2ce7a324e4f429fa9032c72f280>
- MISC - <https://lists.debian.org/debian-lts-announce/2023/08/msg00040.html>
- MISC - <https://lists.fedoraproject.org/archives/list/package-announce%40lists.fedoraproject.org/message/HVKIOWSXL2RF2ULNAP7PHESYCFJSZIE3/>
- MISC - <https://lists.fedoraproject.org/archives/list/package-announce%40lists.fedoraproject.org/message/NXIUUBRVLA4E7G7MMIKCEN75YN7UFERW/>
- MISC - <https://lists.fedoraproject.org/archives/list/package-announce%40lists.fedoraproject.org/message/O74SXYY7RGXREQDQUDQD4BPJ4QQTD2XQ/>
- MISC - <https://lists.fedoraproject.org/archives/list/package-announce%40lists.fedoraproject.org/message/SGSY236PYSFYIEBRGDERLA7OSY6D7XL4/>
- MISC - <https://lists.fedoraproject.org/archives/list/package-announce%40lists.fedoraproject.org/message/SNXA7XRKGINWSUIPIZ6ZBCTV6N3KSHE5/>
- MISC - <https://www.oracle.com/security-alerts/cpuapr2022.html>
- N/A - N/A
- info - <https://github.com/jquery/jquery-ui/security/advisories/GHSA-gpqq-952q-5327>
- info - <https://nvd.nist.gov/vuln/detail/CVE-2021-41184>

Vulnerable Software & Versions (NVD):

- cpe:2.3:a:drupal:drupal:\*\*\*\*\* versions from (including) 7.0; versions up to (excluding) 7.86
- cpe:2.3:a:drupal:drupal:\*\*\*\*\* versions from (including) 9.2.0; versions up to (excluding) 9.2.11
- cpe:2.3:a:drupal:drupal:\*\*\*\*\* versions from (including) 9.3.0; versions up to (excluding) 9.3.3
- cpe:2.3:a:jqueryui:jquery\_ui:\*\*\*\*\*jquery:\*\*\* versions up to (excluding) 1.13.0
- cpe:2.3:a:oracle:agile\_plm:9.3.6:\*\*\*\*\*
- cpe:2.3:a:oracle:application\_express:\*\*\*\*\* versions up to (excluding) 22.1.1
- cpe:2.3:a:oracle:banking\_platform:2.9.0:\*\*\*\*\*
- cpe:2.3:a:oracle:banking\_platform:2.12.0:\*\*\*\*\*
- cpe:2.3:a:oracle:big\_data\_spatial\_and\_graph:\*\*\*\*\* versions up to (excluding) 23.1
- cpe:2.3:a:oracle:big\_data\_spatial\_and\_graph:23.1:\*\*\*\*\*
- cpe:2.3:a:oracle:communications\_interactive\_session\_recorder:6.4:\*\*\*\*\*
- cpe:2.3:a:oracle:communications\_operations\_monitor:4.3:\*\*\*\*\*
- cpe:2.3:a:oracle:communications\_operations\_monitor:4.4:\*\*\*\*\*
- cpe:2.3:a:oracle:communications\_operations\_monitor:5.0:\*\*\*\*\*
- cpe:2.3:a:oracle:hospitality\_inventory\_management:9.1.0:\*\*\*\*\*

- cpe:2.3:a:oracle:hospitality\_materials\_control:18.1:\*\*\*\*\*
- cpe:2.3:a:oracle:hospitality\_suite8:\*\*\*\*\* versions from (including) 8.11.0; versions up to (including) 8.14.0
- cpe:2.3:a:oracle:hospitality\_suite8:8.10.2:\*\*\*\*\*
- cpe:2.3:a:oracle:jd\_edwards\_enterpriseone\_tools:\*\*\*\*\* versions up to (including) 9.2.6.3
- cpe:2.3:a:oracle:peoplesoft\_enterprise\_peopletools:8.58:\*\*\*\*\*
- cpe:2.3:a:oracle:peoplesoft\_enterprise\_peopletools:8.59:\*\*\*\*\*
- cpe:2.3:a:oracle:policy\_automation:\*\*\*\*\* versions from (including) 12.2.0; versions up to (including) 12.2.25
- cpe:2.3:a:oracle:primavera\_unifier:\*\*\*\*\* versions from (including) 17.7; versions up to (including) 17.12
- cpe:2.3:a:oracle:primavera\_unifier:18.8:\*\*\*\*\*
- cpe:2.3:a:oracle:primavera\_unifier:19.12:\*\*\*\*\*
- cpe:2.3:a:oracle:primavera\_unifier:20.12:\*\*\*\*\*
- cpe:2.3:a:oracle:primavera\_unifier:21.12:\*\*\*\*\*
- cpe:2.3:a:oracle:rest\_data\_services:\*\*\*\*\* versions up to (excluding) 22.1.1
- cpe:2.3:a:oracle:rest\_data\_services:22.1.1:\*\*\*\*\*
- cpe:2.3:a:oracle:weblogic\_server:12.2.1.3.0:\*\*\*\*\*
- cpe:2.3:a:oracle:weblogic\_server:12.2.1.4.0:\*\*\*\*\*
- cpe:2.3:a:oracle:weblogic\_server:14.1.1.0.0:\*\*\*\*\*
- cpe:2.3:a:tenable:tenable.sc:\*\*\*\*\* versions up to (excluding) 5.21.0

## CVE-2022-31160 suppressed

jQuery UI is a curated set of user interface interactions, effects, widgets, and themes built on top of jQuery. Versions prior to 1.13.2 are potentially vulnerable to cross-site scripting. Initializing a checkboxradio widget on an input enclosed within a label makes that parent label contents considered as the input label. Calling `.checkboxradio("refresh")` on such a widget and the initial HTML contained encoded HTML entities will make them erroneously get decoded. This can lead to potentially executing JavaScript code. The bug has been patched in jQuery UI 1.13.2. To remediate the issue, someone who can change the initial HTML can wrap all the non-input contents of the `label` in a `span`.

CWE-79 Improper Neutralization of Input During Web Page Generation ('Cross-site Scripting')

Notes: JavaDoc embedded JQuery UI - requires updated Java Version with newer javadoc

CVSSv3:

- MEDIUM (6.1)
- CVSS:3.1/AV:N/AC:L/PR:N/UI:R/S:C/C:L/I:L/A:N

References:

- - [FEDORA-2022-1a01ed37e2](#)
- - [FEDORA-2022-22d8ba36d0](#)
- - [FEDORA-2022-7291b78111](#)
- CONFIRM - <https://github.com/jquery/jquery-ui/security/advisories/GHSA-h6gj-6jjq-h8g9>
- CONFIRM - <https://security.netapp.com/advisory/ntap-20220909-0007/>
- MISC - <https://blog.jqueryui.com/2022/07/jquery-ui-1-13-2-released/>
- MISC - <https://github.com/jquery/jquery-ui/commit/8cc5bae1caa1fcf96bf5862c5646c787020ba3f9>
- MISC - <https://www.drupal.org/sa-contrib-2022-052>
- MLIST - [\[debian-lts-announce\] 20221207 \[SECURITY\] \[DLA 3230-1\] jqueryui security update](#)
- info - <https://github.com/advisories/GHSA-h6gj-6jjq-h8g9>
- info - <https://github.com/jquery/jquery-ui/commit/8cc5bae1caa1fcf96bf5862c5646c787020ba3f9>
- info - <https://github.com/jquery/jquery-ui/issues/2101>
- info - <https://nvd.nist.gov/vuln/detail/CVE-2022-31160>

Vulnerable Software & Versions (NVD):

- cpe:2.3:a:drupal:jquery\_ui\_checkboxradio:8.x-1.0:\*\*\*\*\*:drupal:\*
- cpe:2.3:a:drupal:jquery\_ui\_checkboxradio:8.x-1.1:\*\*\*\*\*:drupal:\*
- cpe:2.3:a:drupal:jquery\_ui\_checkboxradio:8.x-1.2:\*\*\*\*\*:drupal:\*
- cpe:2.3:a:drupal:jquery\_ui\_checkboxradio:8.x-1.3:\*\*\*\*\*:drupal:\*
- cpe:2.3:a:jqueryui:jquery-ui:\*\*\*\*\*:jquery:\*\*\*\*\* versions up to (excluding) 1.13.2

- cpe:2.3:a:netapp:oncommand\_insight:-:\*:\*:\*:\*:\*

## pdfc.zip: pdfc-javadoc.jar: jquery-ui.min.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/gui/build/tmp/dependencies/i-net PDFC/plugins/pdfc.zip/pdfc-javadoc.jar/jquery/jquery-ui.min.js

**MD5:** 28d157e58272e91b054c254eab737df0

**SHA1:** 4165e40107b31b0ce5f022f579635fccb887bef9

**SHA256:** 76e849220d7fe7778affeaa0806e48bbb69a5ec5b8c8b8f5f3cd89439a6dedc

### Evidence

Type	Source	Name	Value	Confidence
Vendor	file	name	jquery-ui	High
Product	file	name	jquery-ui	High
Version	file	version	1.12.1	High

### Suppressed Identifiers

- None

### Suppressed Vulnerabilities

[CVE-2021-41182](#) suppressed

jQuery-UI is the official jQuery user interface library. Prior to version 1.13.0, accepting the value of the `altField` option of the Datepicker widget from untrusted sources may execute untrusted code. The issue is fixed in jQuery UI 1.13.0. Any string value passed to the `altField` option is now treated as a CSS selector. A workaround is to not accept the value of the `altField` option from untrusted sources.

CWE-79 Improper Neutralization of Input During Web Page Generation ('Cross-site Scripting')

Notes: Javadoc embedded JQuery UI - requires updated Java Version with newer javadoc

CVSSv2:

- Base Score: MEDIUM (4.3)
- Vector: /AV:N/AC:M/Au:N/C:N/I:P/A:N

CVSSv3:

- MEDIUM (6.1)
- CVSS:3.1/AV:N/AC:L/PR:N/UI:R/S:C/C:L/I:L/A:N

References:

- CONFIRM - <https://github.com/jquery/jquery-ui/security/advisories/GHSA-9gj3-hwp5-pmwc>
- CONFIRM - <https://security.netapp.com/advisory/ntap-20211118-0004/>
- CONFIRM - <https://www.drupal.org/sa-core-2022-002>
- CONFIRM - <https://www.tenable.com/security/tns-2022-09>



- MISC - <https://blog.jqueryui.com/2021/10/jquery-ui-1-13-0-released/>
- MISC - <https://github.com/jquery/jquery-ui/pull/1954/commits/6809ce843e5ac4128108ea4c15cbc100653c2b63>
- MISC - <https://lists.debian.org/debian-lts-announce/2023/08/msg00040.html>
- MISC - <https://lists.fedoraproject.org/archives/list/package-announce%40lists.fedoraproject.org/message/HVKIOWSXL2RF2ULNAP7PHESYCFSTZIE3/>
- MISC - <https://lists.fedoraproject.org/archives/list/package-announce%40lists.fedoraproject.org/message/NXIUUBRVLA4E7G7MMIKCEN75YN7UFERW/>
- MISC - <https://lists.fedoraproject.org/archives/list/package-announce%40lists.fedoraproject.org/message/O74SXY7RGXREQDQUDQD4BPJ4QQTD2XQ/>
- MISC - <https://lists.fedoraproject.org/archives/list/package-announce%40lists.fedoraproject.org/message/SGSY236PYSFYIEBRGDERLA7OSY6D7XL4/>
- MISC - <https://lists.fedoraproject.org/archives/list/package-announce%40lists.fedoraproject.org/message/SNXA7XRKGINWSUIPIZ6ZBCTV6N3KSHES/>
- MISC - <https://www.drupal.org/sa-contrib-2022-004>
- MISC - <https://www.oracle.com/security-alerts/cpuapr2022.html>
- MLIST - [\[debian-lts-announce\] 20220119 \[SECURITY\] \[DLA-2889-1\] drupal7 security update](#)
- N/A - [N/A](#)
- info - <https://github.com/jquery/jquery-ui/security/advisories/GHSA-9gj3-hwp5-pmwc>
- info - <https://nvd.nist.gov/vuln/detail/CVE-2021-41182>

#### Vulnerable Software & Versions (NVD):

- cpe:2.3:a:drupal:drupal:\*:\*:\*:\*:\* versions from (including) 7.0; versions up to (excluding) 7.86
- cpe:2.3:a:jqueryui:jquery\_ui:\*:\*:\*:\*:\* versions up to (excluding) 1.13.0
- cpe:2.3:a:oracle:agile\_plm:9.3.6:\*:\*:\*:\*
- cpe:2.3:a:oracle:application\_express:\*:\*:\*:\*:\* versions up to (excluding) 22.1.1
- cpe:2.3:a:oracle:banking\_platform:2.9.0:\*:\*:\*:\*
- cpe:2.3:a:oracle:banking\_platform:2.12.0:\*:\*:\*:\*
- cpe:2.3:a:oracle:big\_data\_spatial\_and\_graph:\*:\*:\*:\*:\* versions up to (excluding) 23.1
- cpe:2.3:a:oracle:big\_data\_spatial\_and\_graph:23.1:\*:\*:\*:\*
- cpe:2.3:a:oracle:communications\_interactive\_session\_recorder:6.4:\*:\*:\*:\*
- cpe:2.3:a:oracle:communications\_operations\_monitor:4.3:\*:\*:\*:\*
- cpe:2.3:a:oracle:communications\_operations\_monitor:4.4:\*:\*:\*:\*
- cpe:2.3:a:oracle:communications\_operations\_monitor:5.0:\*:\*:\*:\*
- cpe:2.3:a:oracle:hospitality\_inventory\_management:9.1.0:\*:\*:\*:\*
- cpe:2.3:a:oracle:hospitality\_materials\_control:18.1:\*:\*:\*:\*
- cpe:2.3:a:oracle:hospitality\_suite8:\*:\*:\*:\*:\* versions from (including) 8.11.0; versions up to (including) 8.14.0
- cpe:2.3:a:oracle:hospitality\_suite8:8.10.2:\*:\*:\*:\*
- cpe:2.3:a:oracle:jd\_edwards\_enterpriseone\_tools:\*:\*:\*:\*:\* versions up to (including) 9.2.6.3
- cpe:2.3:a:oracle:mysql\_enterprise\_monitor:\*:\*:\*:\*:\* versions up to (including) 8.0.29
- cpe:2.3:a:oracle:peoplesoft\_enterprise\_peopletools:8.58:\*:\*:\*:\*
- cpe:2.3:a:oracle:peoplesoft\_enterprise\_peopletools:8.59:\*:\*:\*:\*
- cpe:2.3:a:oracle:policy\_automation:\*:\*:\*:\*:\* versions from (including) 12.2.0; versions up to (including) 12.2.25
- cpe:2.3:a:oracle:primavera\_unifier:\*:\*:\*:\*:\* versions from (including) 17.7; versions up to (including) 17.12
- cpe:2.3:a:oracle:primavera\_unifier:17.7:\*:\*:\*:\*
- cpe:2.3:a:oracle:primavera\_unifier:17.8:\*:\*:\*:\*
- cpe:2.3:a:oracle:primavera\_unifier:17.9:\*:\*:\*:\*
- cpe:2.3:a:oracle:primavera\_unifier:17.10:\*:\*:\*:\*
- cpe:2.3:a:oracle:primavera\_unifier:17.11:\*:\*:\*:\*
- cpe:2.3:a:oracle:primavera\_unifier:17.12:\*:\*:\*:\*
- cpe:2.3:a:oracle:primavera\_unifier:18.8:\*:\*:\*:\*
- cpe:2.3:a:oracle:primavera\_unifier:19.12:\*:\*:\*:\*
- cpe:2.3:a:oracle:primavera\_unifier:20.12:\*:\*:\*:\*
- cpe:2.3:a:oracle:primavera\_unifier:21.12:\*:\*:\*:\*
- cpe:2.3:a:oracle:rest\_data\_services:\*:\*:\*:\*:\* versions up to (excluding) 22.1.1
- cpe:2.3:a:oracle:rest\_data\_services:22.1.1:\*:\*:\*:
- cpe:2.3:a:oracle:weblogic\_server:12.2.1.3.0:\*:\*:\*:\*
- cpe:2.3:a:oracle:weblogic\_server:12.2.1.4.0:\*:\*:\*:\*
- cpe:2.3:a:oracle:weblogic\_server:14.1.1.0.0:\*:\*:\*:\*
- cpe:2.3:a:tenable:tenable.sc:\*:\*:\*:\*:\* versions up to (excluding) 5.21.0



## **CVE-2021-41183** suppressed

jQuery-UI is the official jQuery user interface library. Prior to version 1.13.0, accepting the value of various `\*Text` options of the Datepicker widget from untrusted sources may execute untrusted code. The issue is fixed in jQuery UI 1.13.0. The values passed to various `\*Text` options are now always treated as pure text, not HTML. A workaround is to not accept the value of the `\*Text` options from untrusted sources.

CWE-79 Improper Neutralization of Input During Web Page Generation ('Cross-site Scripting')

Notes: JavaDoc embedded JQuery UI - requires updated Java Version with newer javadoc

CVSSv2:

- Base Score: MEDIUM (4.3)
- Vector: /AV:N/AC:M/Au:N/C:N/I:P/A:N

CVSSv3:

- MEDIUM (6.1)
- CVSS:3.1/AV:N/AC:L/PR:N/UI:R/S:C/C:L/I:L/A:N

References:

- CONFIRM - <https://github.com/jquery/jquery-ui/security/advisories/GHSA-j7qv-pg6f-hvh4>
- CONFIRM - <https://security.netapp.com/advisory/ntap-20211118-0004/>
- CONFIRM - <https://www.drupal.org/sa-core-2022-001>
- CONFIRM - <https://www.drupal.org/sa-core-2022-002>
- CONFIRM - <https://www.tenable.com/security/tns-2022-09>
- MISC - <https://blog.jqueryui.com/2021/10/jquery-ui-1-13-0-released/>
- MISC - <https://bugs.jqueryui.com/ticket/15284>
- MISC - <https://github.com/jquery/jquery-ui/pull/1953>
- MISC - <https://lists.debian.org/debian-lts-announce/2023/08/msg00040.html>
- MISC - <https://lists.fedoraproject.org/archives/list/package-announce%40lists.fedoraproject.org/message/HVKIOWSXL2RF2ULNAP7PHESYCF5ZIJ3/>
- MISC - <https://lists.fedoraproject.org/archives/list/package-announce%40lists.fedoraproject.org/message/NXIUUBRVLA4E7G7MMIKCEN75YN7UFERW/>
- MISC - <https://lists.fedoraproject.org/archives/list/package-announce%40lists.fedoraproject.org/message/O74SXY7RGXREQDQUDQD4BPJ4QQTD2XQ/>
- MISC - <https://lists.fedoraproject.org/archives/list/package-announce%40lists.fedoraproject.org/message/SGSY236PYSFYIEBRGDERLA7OSY6D7XL4/>
- MISC - <https://lists.fedoraproject.org/archives/list/package-announce%40lists.fedoraproject.org/message/SNXA7XRKGINWSUIPIZ6ZBCTV6N3KSHES/>
- MISC - <https://www.drupal.org/sa-contrib-2022-004>
- MISC - <https://www.oracle.com/security-alerts/cpuapr2022.html>
- MLIST - [\[debian-lts-announce\] 20220119 \[SECURITY\] \[DLA-2889-1\] drupal7 security update](#)
- N/A - [N/A](#)
- info - <https://bugs.jqueryui.com/ticket/15284>
- info - <https://nvd.nist.gov/vuln/detail/CVE-2021-41183>

Vulnerable Software & Versions (NVD):

- cpe:2.3:a:drupal:drupal:\*:\*:\*:\*:\* versions from (including) 7.0; versions up to (excluding) 7.86
- cpe:2.3:a:drupal:drupal:\*:\*:\*:\*:\* versions from (including) 9.2.0; versions up to (excluding) 9.2.11
- cpe:2.3:a:drupal:drupal:\*:\*:\*:\*:\* versions from (including) 9.3.0; versions up to (excluding) 9.3.3
- cpe:2.3:a:jqueryui:jquery\_ui:\*:\*:\*:\*:\* versions up to (excluding) 1.13.0
- cpe:2.3:a:oracle:agile\_plm:9.3.6:\*:\*:\*:\*:\*
- cpe:2.3:a:oracle:application\_express:\*:\*:\*:\*:\* versions up to (excluding) 22.1.1
- cpe:2.3:a:oracle:banking\_platform:2.9.0:\*:\*:\*:\*:\*
- cpe:2.3:a:oracle:banking\_platform:2.12.0:\*:\*:\*:\*:\*
- cpe:2.3:a:oracle:big\_data\_spatial\_and\_graph:\*:\*:\*:\*:\* versions up to (excluding) 23.1
- cpe:2.3:a:oracle:big\_data\_spatial\_and\_graph:23.1:\*:\*:\*:\*:\*
- cpe:2.3:a:oracle:communications\_interactive\_session\_recorder:6.4:\*:\*:\*:\*:\*
- cpe:2.3:a:oracle:communications\_operations\_monitor:4.3:\*:\*:\*:\*:\*
- cpe:2.3:a:oracle:communications\_operations\_monitor:4.4:\*:\*:\*:\*:\*
- cpe:2.3:a:oracle:communications\_operations\_monitor:5.0:\*:\*:\*:\*:\*
- cpe:2.3:a:oracle:hospitality\_inventory\_management:9.1.0:\*:\*:\*:\*:\*

- cpe:2.3:a:oracle:hospitality\_suite8:\*.~\*~\*~\*~\*~\*~\* versions from (including) 8.11.0; versions up to (including) 11.14.0
- cpe:2.3:a:oracle:hospitality\_suite8:8.10.2:~\*~\*~\*~\*~\*~\*~\*
- cpe:2.3:a:oracle:jd\_edwards\_enterpriseone\_tools:~\*~\*~\*~\*~\*~\*~\* versions up to (including) 9.2.6.3
- cpe:2.3:a:oracle:mysql\_enterprise\_monitor:~\*~\*~\*~\*~\*~\*~\* versions up to (including) 8.0.29
- cpe:2.3:a:oracle:peoplesoft\_enterprise\_peopletools:8.58:~\*~\*~\*~\*~\*~\*~\*
- cpe:2.3:a:oracle:peoplesoft\_enterprise\_peopletools:8.59:~\*~\*~\*~\*~\*~\*~\*
- cpe:2.3:a:oracle:policy\_automation:~\*~\*~\*~\*~\*~\*~\* versions from (including) 12.2.0; versions up to (including) 12.2.5
- cpe:2.3:a:oracle:primavera\_gateway:~\*~\*~\*~\*~\*~\*~\* versions from (including) 17.7; versions up to (including) 17.12
- cpe:2.3:a:oracle:primavera\_gateway:18.8.0:~\*~\*~\*~\*~\*~\*~\*
- cpe:2.3:a:oracle:primavera\_gateway:19.12.0:~\*~\*~\*~\*~\*~\*~\*
- cpe:2.3:a:oracle:primavera\_gateway:20.12.0:~\*~\*~\*~\*~\*~\*~\*
- cpe:2.3:a:oracle:primavera\_gateway:21.12.0:~\*~\*~\*~\*~\*~\*~\*
- cpe:2.3:a:oracle:rest\_data\_services:~\*~\*~\*~\*~\*~\*~\* versions up to (excluding) 22.1.1
- cpe:2.3:a:oracle:rest\_data\_services:22.1.1:~\*~\*~\*~\*~\*~\*~\*
- cpe:2.3:a:oracle:weblogic\_server:12.2.1.3.0:~\*~\*~\*~\*~\*~\*~\*
- cpe:2.3:a:oracle:weblogic\_server:12.2.1.4.0:~\*~\*~\*~\*~\*~\*~\*
- cpe:2.3:a:oracle:weblogic\_server:14.1.1.0.0:~\*~\*~\*~\*~\*~\*~\*
- cpe:2.3:a:tenable:tenable.sc:~\*~\*~\*~\*~\*~\*~\* versions up to (excluding) 5.21.0

## CVE-2021-41184 suppressed

jQuery-UI is the official jQuery user interface library. Prior to version 1.13.0, accepting the value of the `of` option of the `.position()` util from untrusted sources may execute untrusted code. The issue is fixed in jQuery UI 1.13.0. Any string value passed to the `of` option is now treated as a CSS selector. A workaround is to not accept the value of the `of` option from untrusted sources.

CWE-79 Improper Neutralization of Input During Web Page Generation ('Cross-site Scripting')

Notes: JavaDoc embedded JQuery UI - requires updated Java Version with newer javadoc

CVSSv2:

- Base Score: MEDIUM (4.3)
- Vector: /AV:N/AC:M/Au:N/C:N/I:P/A:N

CVSSv3:

- MEDIUM (6.1)
- CVSS:3.1/AV:N/AC:L/PR:N/UI:R/S:C/C:L/I:L/A:N

References:

- CONFIRM - <https://github.com/jquery/jquery-ui/security/advisories/GHSA-gpqq-952q-5327>
- CONFIRM - <https://security.netapp.com/advisory/ntap-20211118-0004/>
- CONFIRM - <https://www.drupal.org/sa-core-2022-001>
- CONFIRM - <https://www.tenable.com/security/tns-2022-09>
- MISC - <https://blog.jqueryui.com/2021/10/jquery-ui-1-13-0-released/>
- MISC - <https://github.com/jquery/jquery-ui/commit/effa323f1505f2ce7a324e4f429fa9032c72f280>
- MISC - <https://lists.debian.org/debian-lts-announce/2023/08/msg00040.html>
- MISC - <https://lists.fedoraproject.org/archives/list/package-announce%40lists.fedoraproject.org/message/HVKIOWSXL2RF2ULNAP7PHESYCFJSZIE3/>
- MISC - <https://lists.fedoraproject.org/archives/list/package-announce%40lists.fedoraproject.org/message/NXIUUBRVLA4E7G7MMIKCEN75YN7UFERW/>
- MISC - <https://lists.fedoraproject.org/archives/list/package-announce%40lists.fedoraproject.org/message/O74SXY7RGXREQDQUDQD4BPJ4QQTD2XQ/>
- MISC - <https://lists.fedoraproject.org/archives/list/package-announce%40lists.fedoraproject.org/message/SGSY236PYSFYIEBRGDERLA7OSY6D7XL4/>
- MISC - <https://lists.fedoraproject.org/archives/list/package-announce%40lists.fedoraproject.org/message/SNXA7XRKGINWSUIPIZ6ZBCTV6N3KSHES/>
- MISC - <https://www.oracle.com/security-alerts/cpuapr2022.html>
- N/A - [N/A](#)
- info - <https://github.com/jquery/jquery-ui/security/advisories/GHSA-gpqq-952q-5327>
- info - <https://nvd.nist.gov/vuln/detail/CVE-2021-41184>

Vulnerable Software & Versions (NVD):

- cpe:2.3:a:drupal:drupal:\*:\*:\*:\*:\* versions from (including) 7.0; versions up to (excluding) 7.86
- cpe:2.3:a:drupal:drupal:\*:\*:\*:\*:\* versions from (including) 9.2.0; versions up to (excluding) 9.2.11
- cpe:2.3:a:drupal:drupal:\*:\*:\*:\*:\* versions from (including) 9.3.0; versions up to (excluding) 9.3.3
- cpe:2.3:a:jqueryui:jquery\_ui:\*:\*:\*:\*:\* versions up to (excluding) 1.13.0
- cpe:2.3:a:oracle:agile\_plm:9.3.6:\*:\*:\*:\*:\*
- cpe:2.3:a:oracle:application\_express:\*:\*:\*:\*:\* versions up to (excluding) 22.1.1
- cpe:2.3:a:oracle:banking\_platform:2.9.0:\*:\*:\*:\*:\*
- cpe:2.3:a:oracle:banking\_platform:2.12.0:\*:\*:\*:\*:\*
- cpe:2.3:a:oracle:big\_data\_spatial\_and\_graph:\*:\*:\*:\*:\* versions up to (excluding) 23.1
- cpe:2.3:a:oracle:big\_data\_spatial\_and\_graph:23.1:\*:\*:\*:\*:\*
- cpe:2.3:a:oracle:communications\_interactive\_session\_recorder:6.4:\*:\*:\*:\*:\*
- cpe:2.3:a:oracle:communications\_operations\_monitor:4.3:\*:\*:\*:\*:\*
- cpe:2.3:a:oracle:communications\_operations\_monitor:4.4:\*:\*:\*:\*:\*
- cpe:2.3:a:oracle:communications\_operations\_monitor:5.0:\*:\*:\*:\*:\*
- cpe:2.3:a:oracle:hospitality\_inventory\_management:9.1.0:\*:\*:\*:\*:\*
- cpe:2.3:a:oracle:hospitality\_materials\_control:18.1:\*:\*:\*:\*:\*
- cpe:2.3:a:oracle:hospitality\_suite8:\*:\*:\*:\*:\* versions from (including) 8.11.0; versions up to (including) 8.14.0
- cpe:2.3:a:oracle:hospitality\_suite8:8.10.2:\*:\*:\*:\*:\*
- cpe:2.3:a:oracle:jd\_edwards\_enterpriseone\_tools:\*:\*:\*:\*:\* versions up to (including) 9.2.6.3
- cpe:2.3:a:oracle:peoplesoft\_enterprise\_peopletools:8.58:\*:\*:\*:\*:\*
- cpe:2.3:a:oracle:peoplesoft\_enterprise\_peopletools:8.59:\*:\*:\*:\*:\*
- cpe:2.3:a:oracle:policy\_automation:\*:\*:\*:\*:\* versions from (including) 12.2.0; versions up to (including) 12.2.25
- cpe:2.3:a:oracle:primavera\_unifier:\*:\*:\*:\*:\* versions from (including) 17.7; versions up to (including) 17.12
- cpe:2.3:a:oracle:primavera\_unifier:18.8:\*:\*:\*:\*:\*
- cpe:2.3:a:oracle:primavera\_unifier:19.12:\*:\*:\*:\*:\*
- cpe:2.3:a:oracle:primavera\_unifier:20.12:\*:\*:\*:\*:\*
- cpe:2.3:a:oracle:primavera\_unifier:21.12:\*:\*:\*:\*:\*
- cpe:2.3:a:oracle:rest\_data\_services:\*:\*:\*:\*:\* versions up to (excluding) 22.1.1
- cpe:2.3:a:oracle:rest\_data\_services:22.1.1:\*:\*:\*:\*:\*
- cpe:2.3:a:oracle:weblogic\_server:12.2.1.3.0:\*:\*:\*:\*:\*
- cpe:2.3:a:oracle:weblogic\_server:12.2.1.4.0:\*:\*:\*:\*:\*
- cpe:2.3:a:oracle:weblogic\_server:14.1.1.0.0:\*:\*:\*:\*:\*
- cpe:2.3:a:tenable:tenable.sc:\*:\*:\*:\*:\* versions up to (excluding) 5.21.0

## **CVE-2022-31160** suppressed

jQuery UI is a curated set of user interface interactions, effects, widgets, and themes built on top of jQuery. Versions prior to 1.13.2 are potentially vulnerable to cross-site scripting. Initializing a checkboxradio widget on an input enclosed within a label makes that parent label contents considered as the input label. Calling `.checkboxradio("refresh")` on such a widget and the initial HTML contained encoded HTML entities will make them erroneously get decoded. This can lead to potentially executing JavaScript code. The bug has been patched in jQuery UI 1.13.2. To remediate the issue, someone who can change the initial HTML can wrap all the non-input contents of the `label` in a `span`.

CWE-79 Improper Neutralization of Input During Web Page Generation ('Cross-site Scripting')

Notes: JavaDoc embedded JQuery UI - requires updated Java Version with newer javadoc

CVSSv3:

- MEDIUM (6.1)
- CVSS:3.1/AV:N/AC:L/PR:N/UI:R/S:C/C:L/I:L/A:N

References:

- - [FEDORA-2022-1a01ed37e2](#)
- - [FEDORA-2022-22d8ba36d0](#)
- - [FEDORA-2022-7291b78111](#)
- CONFIRM - <https://github.com/jquery/jquery-ui/security/advisories/GHSA-h6gj-6jjq-h8g9>
- CONFIRM - <https://security.netapp.com/advisory/ntap-20220909-0007/>
- MISC - <https://blog.jqueryui.com/2022/07/jquery-ui-1-13-2-released/>

- MISC - <https://github.com/jquery/jquery-ui/commit/8cc5bae1caa1fc96bf5862c5646c787020ba3f9>
- MISC - <https://www.drupal.org/sa-contrib-2022-052>
- MLIST - [\[debian-lts-announce\] 20221207 \[SECURITY\] \[DLA 3230-1\] jqueryui security update](#)
- info - <https://github.com/advisories/GHSA-h6gj-6jjq-h8g9>
- info - <https://github.com/jquery/jquery-ui/commit/8cc5bae1caa1fc96bf5862c5646c787020ba3f9>
- info - <https://github.com/jquery/jquery-ui/issues/2101>
- info - <https://nvd.nist.gov/vuln/detail/CVE-2022-31160>

#### Vulnerable Software & Versions (NVD):

- cpe:2.3:a:drupal:jquery\_ui\_checkboxradio:8.x-1.0:\*:\*:\*:\*:drupal:\*:\*
- cpe:2.3:a:drupal:jquery\_ui\_checkboxradio:8.x-1.1:\*:\*:\*:\*:drupal:\*:\*
- cpe:2.3:a:drupal:jquery\_ui\_checkboxradio:8.x-1.2:\*:\*:\*:\*:drupal:\*:\*
- cpe:2.3:a:drupal:jquery\_ui\_checkboxradio:8.x-1.3:\*:\*:\*:\*:drupal:\*:\*
- cpe:2.3:a:jqueryui:jquery\_ui:\*:\*:\*:\*:jquery:\*:\* versions up to (excluding) 1.13.2
- cpe:2.3:a:netapp:oncommand\_insight:\*:\*:\*:\*:\*

## pdfc.zip: pdfc-javadoc.jar: jszip.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/gui/build/tmp/dependencies/i-net PDFC/plugins/pdfc.zip/pdfc-javadoc.jar/jquery/jszip/dist/jszip.js

**MD5:** 445655f2b60614c242f0c073c319ebd3

**SHA1:** 2f46d4b06054852cdde51cee3764f71b8658da87

**SHA256:** 6c18a4b2cee69dd705e8a9ac911e2284f4a5c68c86031b86e067ffaf3a253938

### Evidence

Type	Source	Name	Value	Confidence
Vendor	file	name	jszip	High
Product	file	name	jszip	High
Version	file	version	3.2.1	High

### Suppressed Identifiers

- None

### Suppressed Vulnerabilities

[CVE-2022-48285](#) suppressed

loadAsync in JSZip before 3.8.0 allows Directory Traversal via a crafted ZIP archive.

CWE-22 Improper Limitation of a Pathname to a Restricted Directory ('Path Traversal')

Notes: JavaDoc embedded library. file name: reporting-22.10.zip: reporting-javadoc.jar: jszip.js

CVSSv3:

- HIGH (7.3)
- CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:L/I:L/A:L

References:

- MISC - <https://exchange.xforce.ibmcloud.com/vulnerabilities/244499>
- MISC - <https://github.com/Stuk/jszip/commit/2edab366119c9ee948357c02f1206c28566cdf15>
- MISC - <https://github.com/Stuk/jszip/compare/v3.7.1...v3.8.0>
- MISC - <https://www.mend.io/vulnerability-database/WS-2023-0004>
- info - <https://stuk.github.io/jszip/CHANGES.html>

Vulnerable Software & Versions (NVD):

- cpe:2.3:a:jszip\_project:jszip:\*:\*:\*:\*:node.js:\*:\* versions up to (excluding) 3.8.0

[CVE-2021-23413](#) suppressed

This affects the package jszip before 3.7.0. Crafting a new zip file with filenames set to Object prototype values (e.g \_\_proto\_\_, toString, etc) results in a returned object with a modified prototype instance.

NVD-CWE-noinfo

Notes: JavaDoc embedded library. file name: reporting-22.10.zip: reporting-javadoc.jar: jszip.js

CVSSv2:

- Base Score: MEDIUM (5.0)
- Vector: /AV:N/AC:L/Au:N/C:N/I:N/A:P

CVSSv3:

- MEDIUM (5.3)
- CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:N/I:N/A:L

References:

- CONFIRM - [N/A](#)
- CONFIRM - [N/A](#)
- CONFIRM - [N/A](#)
- CONFIRM - [N/A](#)
- CONFIRM - [N/A](#)
- CONFIRM - [N/A](#)
- info - <https://github.com/advisories/GHSA-jg8v-48h5-wgxg>
- info - <https://nvd.nist.gov/vuln/detail/CVE-2021-23413>
- info - <https://security.snyk.io/vuln/SNYK-JS-JSZIP-1251497>

Vulnerable Software & Versions (NVD):

- cpe:2.3:a:jszip\_project:jszip:\*:\*:\*:\*:node.js:\*:\* versions up to (excluding) 3.7.0

## pdfc.zip: pdfc-javadoc.jar: jszip.min.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/gui/build/tmp/dependencies/i-net PDFC/plugins/pdfc.zip/pdfc-javadoc.jar/jquery/jszip/dist/jszip.min.js

**MD5:** dc5d2aac976b1ad09faa452b4ce37519

**SHA1:** 3437dfa4dce6aa98c78ff6768de5694a70768892

**SHA256:** 832e56e7fad75a5b965c546f31614531586871fa417bb4dfe125b658c7e3b381

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	jszip	High
Product	file	name	jszip	High
Version	file	version	3.2.1	High

### Suppressed Identifiers

- None

### Suppressed Vulnerabilities

#### [CVE-2022-48285](#) suppressed

loadAsync in JSZip before 3.8.0 allows Directory Traversal via a crafted ZIP archive.

CWE-22 Improper Limitation of a Pathname to a Restricted Directory ('Path Traversal')

Notes: JavaDoc embedded library. file name: reporting-22.10.zip: reporting-javadoc.jar: jszip.js

CVSSv3:

- HIGH (7.3)
- CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:L/I:L/A:L

References:

- MISC - <https://exchange.xforce.ibmcloud.com/vulnerabilities/244499>
- MISC - <https://github.com/Stuk/jszip/commit/2edab366119c9ee948357c02f1206c28566cdf15>
- MISC - <https://github.com/Stuk/jszip/compare/v3.7.1...v3.8.0>
- MISC - <https://www.mend.io/vulnerability-database/WS-2023-0004>
- info - <https://stuk.github.io/jszip/CHANGES.html>

Vulnerable Software & Versions (NVD):

- cpe:2.3:a:jszip\_project:jszip:\*:\*:\*:\*:node.js:\*:\* versions up to (excluding) 3.8.0

#### [CVE-2021-23413](#) suppressed

This affects the package jszip before 3.7.0. Crafting a new zip file with filenames set to Object prototype values (e.g \_\_proto\_\_, toString, etc) results in a returned object with a modified prototype instance.

NVD-CWE-noinfo

Notes: JavaDoc embedded library. file name: reporting-22.10.zip: reporting-javadoc.jar: jszip.js

CVSSv2:

- Base Score: MEDIUM (5.0)
- Vector: /AV:N/AC:L/Au:N/C:N/I:N/A:P

CVSSv3:

- MEDIUM (5.3)
- CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:N/I:N/A:L

References:

- CONFIRM - [N/A](#)
- CONFIRM - [N/A](#)

- CONFIRM - [N/A](#)
- CONFIRM - [N/A](#)
- CONFIRM - [N/A](#)
- CONFIRM - [N/A](#)
- info - <https://github.com/advisories/GHSA-jg8v-48h5-wgxg>
- info - <https://nvd.nist.gov/vuln/detail/CVE-2021-23413>
- info - <https://security.snyk.io/vuln/SNYK-JS-JSZIP-1251497>

Vulnerable Software & Versions (NVD):

- cpe:2.3:a:jszip\_project:jszip:\*:\*:\*:\*:node.js:\*:\* versions up to (excluding) 3.7.0

This report contains data retrieved from the [National Vulnerability Database](#).

This report may contain data retrieved from the [NPM Public Advisories](#).

This report may contain data retrieved from [RetireJS](#).

This report may contain data retrieved from the [Sonatype OSS Index](#).