



Dependency-Check is an open source tool performing a best effort analysis of 3rd party dependencies; false positives and false negatives may exist in the analysis performed by the tool. Use of the tool and the reporting provided constitutes acceptance for use in an AS IS condition, and there are NO warranties, implied or otherwise, with regard to the analysis or its use. Any use of the tool and the reporting provided is at the user's risk. In no event shall the copyright holder or OWASP be held liable for any damages whatsoever arising out of or in connection with the use of this tool, the analysis performed, or the resulting report.

[How to read the report](#) | [Suppressing false positives](#) | [Getting Help: github issues](#)



[Sponsor](#)

## Project: project ':server'

pdfc:server:23.10

Scan Information ([show all](#)):

- *dependency-check version:* 7.4.4
- *Report Generated On:* Tue, 16 Jan 2024 15:53:29 +0100
- *Dependencies Scanned:* 2900 (2019 unique)
- *Vulnerable Dependencies:* 0
- *Vulnerabilities Found:* 0
- *Vulnerabilities Suppressed:* 20
- ...
- *NVD CVE Checked:* 2024-01-16T15:50:49
- *NVD CVE Modified:* 2024-01-16T02:00:01

## Summary

Display: [Showing Vulnerable Dependencies \(click to show all\)](#)

Dependency	Vulnerability IDs	Package
<a href="#">JWebEngine.jar</a>		
<a href="#">Merlia-0.jar</a>		<a href="#">pkg:maven/merlia/merlia-0</a>
<a href="#">PDFCNUit.dll</a>		<a href="#">pkg:generic/pdfcnu/10.294.0</a>
<a href="#">analysis.language.zip: analysis.language.jar</a>	<a href="#">cpe:2.3:a:inetsoftware:pdfc:23.10.295:*:*:*:*:*</a>	
<a href="#">analysis.language.zip: guava.jar</a>	<a href="#">cpe:2.3:a:google:guava:32.0.1-*:*:*:*:*</a>	<a href="#">pkg:maven/google/guava/guava@32.0.1-jre</a>
<a href="#">analysis.language.zip: jsonic.jar</a>		<a href="#">pkg:maven/arnx/jsonic@3.10</a>
<a href="#">analysis.language.zip: language-detector.jar</a>		<a href="#">pkg:maven/optimaize/language-detector</a>



<a href="#">application.currenttime.zip: application.currenttime.sample.jar</a>		
<a href="#">application.currenttime.zip: application.currenttime.sample.jar: sampleapplication.js</a>		
<a href="#">application.embedded.zip: application.embedded.sample.jar</a>		
<a href="#">application.embedded.zip: application.embedded.sample.jar: embeddedMode.js</a>		
<a href="#">application.googleanalytics.zip: application.googleanalytics.sample.jar</a>		
<a href="#">application.googleanalytics.zip: application.googleanalytics.sample.jar: googleanalytics.js</a>		
<a href="#">application.helloworld.zip: application.helloworld.sample.jar</a>		
<a href="#">authentication.oauth.ex.zip: authentication.oauth.ex.sample.jar</a>		
<a href="#">authentication.pam.zip: authentication.pam.jar</a>		
<a href="#">authentication.pam.zip: jna.jar</a>	cpe:2.3:a:oracle:java_se:5.11.0:****:*	<a href="#">pkg:maven/java.dev/jna/jna@5.11.0</a>
<a href="#">authentication.pam.zip: jna.jar: jnidispatch.dll</a>		
<a href="#">authentication.pam.zip: jna.jar: jnidispatch.dll</a>		
<a href="#">authentication.pam.zip: jna.jar: jnidispatch.dll</a>		
<a href="#">authentication.passwordfile.zip: authentication.passwordfile.sample.jar</a>		
<a href="#">authentication.product.zip: authentication.product.jar</a>		
<a href="#">authentication.windows.zip: authentication.windows.jar</a>		
<a href="#">authentication.windows.zip: caffeine.jar</a>		<a href="#">pkg:maven/github.ben-manes/caffeine/caffeine@3</a>
<a href="#">authentication.windows.zip: jna-platform.jar</a>		<a href="#">pkg:maven/java.dev/jna/platform@5</a>
<a href="#">authentication.windows.zip: waffle-jna.jar</a>		<a href="#">pkg:maven/github.waffle/waffle-jna@</a>
<a href="#">command.jsonexport.zip: command.jsonexport.jar</a>	cpe:2.3:a:inetsoftware:pdfc:23.10.295:****:*	
<a href="#">commons-logging.jar</a>		<a href="#">pkg:maven/commons-logging/commons-logging@1.2</a>
<a href="#">comparison.api.zip: comparison.api.jar</a>	cpe:2.3:a:inetsoftware:pdfc:23.10.295:****:*	



<a href="#">comparison.rpc.zip: comparison.rpc.jar</a>	cpe:2.3:a/inetsoftware:pdfc:23.10.295.*:*:*:*:*:
<a href="#">comparison.webgui.zip: comparison.webgui.jar</a>	cpe:2.3:a/inetsoftware:pdfc:23.10.295.*:*:*:*:*:
<a href="#">comparison.webgui.zip: comparison.webgui.jar: app.js</a>	
<a href="#">comparison.webgui.zip: comparison.webgui.jar: compare.js</a>	
<a href="#">comparison.webgui.zip: comparison.webgui.jar: contingent.js</a>	
<a href="#">comparison.webgui.zip: comparison.webgui.jar: controller.js</a>	
<a href="#">comparison.webgui.zip: comparison.webgui.jar: descriptionarea.js</a>	
<a href="#">comparison.webgui.zip: comparison.webgui.jar: dropzone.js</a>	
<a href="#">comparison.webgui.zip: comparison.webgui.jar: export.js</a>	
<a href="#">comparison.webgui.zip: comparison.webgui.jar: factory.js</a>	
<a href="#">comparison.webgui.zip: comparison.webgui.jar: model.js</a>	
<a href="#">comparison.webgui.zip: comparison.webgui.jar: multipasswordpanel.js</a>	
<a href="#">comparison.webgui.zip: comparison.webgui.jar: mycomparisons.js</a>	
<a href="#">comparison.webgui.zip: comparison.webgui.jar: passwordpanel.js</a>	
<a href="#">comparison.webgui.zip: comparison.webgui.jar: pdfconfig.js</a>	
<a href="#">comparison.webgui.zip: comparison.webgui.jar: profil.js</a>	
<a href="#">comparison.webgui.zip: comparison.webgui.jar: profileentry.js</a>	
<a href="#">comparison.webgui.zip: comparison.webgui.jar: publishdialog.js</a>	
<a href="#">comparison.webgui.zip: comparison.webgui.jar: publishprofiledialog.js</a>	
<a href="#">comparison.webgui.zip: comparison.webgui.jar: report.js</a>	
<a href="#">comparison.webgui.zip: comparison.webgui.jar: scroller.js</a>	
<a href="#">comparison.webgui.zip: comparison.webgui.jar: searchcomponent.js</a>	
<a href="#">comparison.webgui.zip: comparison.webgui.jar: userlist.js</a>	



[comparison.webgui.zip: comparison.webgui.jar: visibilitysettings.js](#)

[comparison.webgui.zip: comparison.webgui.jar: zoomer.js](#)

[configuration.zip: configuration.jar](#)

[configuration.zip: configuration.jar: authentication.js](#)

[configuration.zip: configuration.jar: boolean.directive.js](#)

[configuration.zip: configuration.jar: booleanButton.directive.js](#)

[configuration.zip: configuration.jar: colorInput.directive.js](#)

[configuration.zip: configuration.jar: controller.js](#)

[configuration.zip: configuration.jar: datafactory.js](#)

[configuration.zip: configuration.jar: file.js](#)

[configuration.zip: configuration.jar: inlinerenderer.directive.js](#)

[configuration.zip: configuration.jar: keyLabelText.directive.js](#)

[configuration.zip: configuration.jar: labelLink.directive.js](#)

[configuration.zip: configuration.jar: labelText.directive.js](#)

[configuration.zip: configuration.jar: licensekey.js](#)

[configuration.zip: configuration.jar: list.js](#)

[configuration.zip: configuration.jar: logopreview.js](#)

[configuration.zip: configuration.jar: multiLineText.directive.js](#)

[configuration.zip: configuration.jar: multiLingualTextRenderer.directive.js](#)

[configuration.zip: configuration.jar: passwordText.directive.js](#)

[configuration.zip: configuration.jar: permissions.js](#)

[configuration.zip: configuration.jar: plugin.js](#)

[configuration.zip: configuration.jar: renderer.directive.js](#)

[configuration.zip: configuration.jar: repository.js](#)

[configuration.zip: configuration.jar: selectEditText.directive.js](#)

[configuration.zip: configuration.jar: selectFilteredText.directive.js](#)

[configuration.zip: configuration.jar: selectLanguageChooserRenderer.directive.js](#)

[configuration.zip: configuration.jar: selectSimpleText.directive.js](#)



[configuration.zip: configuration.jar: simpleDate.  
directive.js](#)

[configuration.zip: configuration.jar: simpleSlider.  
directive.js](#)

[configuration.zip: configuration.jar: simpleText.  
directive.js](#)

[configuration.zip: configuration.jar: table.js](#)

[configuration.zip: configuration.jar: tree.js](#)

[configuration.zip: configuration.jar:  
userandgroupselect.js](#)

[diagnostics.zip: diagnostics.jar](#)

[diagnostics.zip: diagnostics.jar: MemoryPieChart.js](#)

[diagnostics.zip: diagnostics.jar: MemoryUsageChart.js](#)

[diagnostics.zip: diagnostics.jar: WebServerErrorChart.  
js](#)

[diagnostics.zip: diagnostics.jar: benchmarkCtrl.js](#)

[diagnostics.zip: diagnostics.jar: client-server.js](#)

[diagnostics.zip: diagnostics.jar: controller.js](#)

[diagnostics.zip: diagnostics.jar: cpu.js](#)

[diagnostics.zip: diagnostics.jar: cpuspeed.js](#)

[diagnostics.zip: diagnostics.jar: directives.js](#)

[diagnostics.zip: diagnostics.jar: errorHistoryChart.js](#)

[diagnostics.zip: diagnostics.jar: flot2.min.js](#)

[diagnostics.zip: diagnostics.jar: global.js](#)

[diagnostics.zip: diagnostics.jar: hddisk.js](#)

[diagnostics.zip: diagnostics.jar: heapdumpCtrl.js](#)

[diagnostics.zip: diagnostics.jar: informationCtrl.js](#)

[diagnostics.zip: diagnostics.jar: intArrayUtils.js](#)

[diagnostics.zip: diagnostics.jar: iospeed.js](#)

[diagnostics.zip: diagnostics.jar: jobs.js](#)

[diagnostics.zip: diagnostics.jar: logging.js](#)

[diagnostics.zip: diagnostics.jar: memory.js](#)

[diagnostics.zip: diagnostics.jar: overviewCtrl.js](#)

[diagnostics.zip: diagnostics.jar: pde.diagnostics.js](#)

[diagnostics.zip: diagnostics.jar: timeformat.js](#)

[docfx.js](#)

[docfx.vendor.js](#)

[pkg:javascri  
/bootstrap@](#)



[embeddedMode.js](#)

<a href="#">filter.area.zip: filter.area.jar</a>	cpe:2.3:a/inetsoftware:pdfc:23.10.295:*.*.*.*.* *.*	
<a href="#">filter.baselinetable.zip: filter.baselinetable.jar</a>	cpe:2.3:a/inetsoftware:pdfc:23.10.295:*.*.*.*.* *.*	
<a href="#">filter.cmappatch.zip: filter.cmappatch.jar</a>	cpe:2.3:a/inetsoftware:pdfc:23.10.295:*.*.*.*.* *.*	
<a href="#">filter.headerfooter.zip: filter.headerfooter.jar</a>	cpe:2.3:a/inetsoftware:pdfc:23.10.295:*.*.*.*.* *.*	
<a href="#">filter.hiderotation.zip: filter.hiderotation.jar</a>	cpe:2.3:a/inetsoftware:pdfc:23.10.295:*.*.*.*.* *.*	
<a href="#">filter.invisibleelements.zip: filter.invisibleelements.jar</a>	cpe:2.3:a/inetsoftware:pdfc:23.10.295:*.*.*.*.* *.*	
<a href="#">filter.multicolumn.zip: filter.multicolumn.jar</a>	cpe:2.3:a/inetsoftware:pdfc:23.10.295:*.*.*.*.* *.*	
<a href="#">filter.ocr.zip: filter.ocr.jar</a>	cpe:2.3:a/inetsoftware:pdfc:23.10.295:*.*.*.*.* *.*	
<a href="#">filter.pagerange.zip: filter.pagerange.jar</a>	cpe:2.3:a/inetsoftware:pdfc:23.10.295:*.*.*.*.* *.*	
<a href="#">filter.regex.zip: filter.regex.jar</a>	cpe:2.3:a/inetsoftware:pdfc:23.10.295:*.*.*.*.* *.*	
<a href="#">filter.regex.zip: filter.regex.jar: filterrenderer.js</a>		
<a href="#">filter.texttransform.zip: filter.texttransform.jar</a>	cpe:2.3:a/inetsoftware:pdfc:23.10.295:*.*.*.*.* *.*	
<a href="#">filter.urllookup.zip: filter.urllookup.jar</a>	cpe:2.3:a/inetsoftware:pdfc:23.10.295:*.*.*.*.* *.*	
<a href="#">googleanalytics.js</a>		
<a href="#">hamcrest-2.2.jar</a>		pkg:maven/c hamcrest /hamcrest@
<a href="#">help.zip: commons-beanutils.jar</a>	<a href="#">cpe:2.3:a:apache:commons_beanutils:1.9.4:*.*.*.*.* *.***.*.*</a>	pkg:maven/ commons- beanutils /commons- beanutils@1
<a href="#">help.zip: commons-digester3.jar</a>		pkg:maven/c apache.com /commons- digester3@:
<a href="#">help.zip: help.jar</a>		
<a href="#">help.zip: help.jar: app.js</a>		
<a href="#">help.zip: help.jar: controller.js</a>		
<a href="#">help.zip: help.jar: shared.factory.js</a>		
<a href="#">help.zip: help.jar: shared.highlighter.js</a>		
<a href="#">help.zip: jsoup.jar</a>	<a href="#">cpe:2.3:a:jsoup:jsoup:1.16.1:*.*.*.*.*</a>	pkg:maven/c jsoup/jsoup@



		<a href="#">16.1</a>
<a href="#">inetcore-23.10-tools.jar</a>		<a href="#">pkg:maven/shared/inetcore@2</a>
<a href="#">inetcore-23.10.jar (shaded: com.inet.shared:inetcore:null)</a>		
<a href="#">inetcore-23.10.jar</a>		<a href="#">pkg:maven/shared/inetcore@2</a>
<a href="#">inetloggeradapter.jar</a>		
<a href="#">inetsoftware.Pdfc.dll</a>	<a href="#">cpe:2.3:a:inetsoftware:pdfc:23.10.295.0:*:*:*:*:*:*</a>	<a href="#">pkg:generic/inetsoftware/Pdfc@23.10.295.0</a>
<a href="#">jakarta.servlet-api.jar</a>	<a href="#">cpe:2.3:a:oracle:java_se:4.0.4:*:*:*:*:*:*</a> <a href="#">cpe:2.3:a:oracle:projects:4.0.4:*:*:*:*:*:*</a>	<a href="#">pkg:maven/jakarta.servlet-api@4.0.4</a>
<a href="#">jakarta.websocket-api.jar</a>		<a href="#">pkg:maven/jakarta.websocket-api@1.1.2</a>
<a href="#">java-17-jre-x64-linux.tar.gz: java-17-jre-x64-linux.tar: jrt-fs.jar</a>	<a href="#">cpe:2.3:a:eclipse:platform:17.0.9:*:*:*:*:*</a>	
<a href="#">jlessc-1.11.jar</a>		<a href="#">pkg:maven/inetsoftware/jlessc@1.11</a>
<a href="#">jpeg2000.zip: asm.jar</a>		
<a href="#">jpeg2000.zip: conctr140.dll</a>		
<a href="#">jpeg2000.zip: imageio-openjpeg.jar</a>		<a href="#">pkg:maven/digitalcollect/imageio/openjpeg@0</a>
<a href="#">jpeg2000.zip: jffi-native.jar</a>		
<a href="#">jpeg2000.zip: jffi-native.jar: jffi-1.2.dll</a>		
<a href="#">jpeg2000.zip: jffi-native.jar: jffi-1.2.dll</a>		
<a href="#">jpeg2000.zip: jffi.jar</a>		<a href="#">pkg:maven/github.jnr/jffi@3.11</a>
<a href="#">jpeg2000.zip: jnr-ffi.jar</a>		<a href="#">pkg:maven/github.jnr/jnr-ffi@2.2.14</a>
<a href="#">jpeg2000.zip: jpeg2000.jar</a>		
<a href="#">jpeg2000.zip: msvcp140.dll</a>		
<a href="#">jpeg2000.zip: openjp2.dll</a>		
<a href="#">jpeg2000.zip: vcruntime140.dll</a>		



<a href="#">junit-4.13.2.jar</a>	cpe:2.3:a:junit:junit4:4.13.2:*:*:*:*:*	<a href="#">pkg:maven/junit@4.13.2</a>
<a href="#">junit-jupiter-5.10.0.jar</a>		<a href="#">pkg:maven/junit.jupiter/junit-jupiter@5.10.0</a>
<a href="#">junit-jupiter-api-5.10.0.jar</a>		<a href="#">pkg:maven/junit.jupiter/junit-jupiter-api@5.10.0</a>
<a href="#">junit-jupiter-engine-5.10.0.jar</a>		<a href="#">pkg:maven/junit.jupiter/junit-jupiter-engine@5.10.0</a>
<a href="#">junit-jupiter-params-5.10.0.jar</a>		<a href="#">pkg:maven/junit.jupiter/junit-jupiter-params@5.10.0</a>
<a href="#">junit-platform-commons-1.10.0.jar</a>	cpe:2.3:a:fan_platform_project:fan_platform:1.10.0:*:*:*:*:*	<a href="#">pkg:maven/junit.platform/junit-platform-commons@1.10.0</a>
<a href="#">junit-platform-engine-1.10.0.jar</a>	cpe:2.3:a:fan_platform_project:fan_platform:1.10.0:*:*:*:*:*	<a href="#">pkg:maven/junit.platform/junit-platform-engine@1.10.0</a>
<a href="#">junit-platform-launcher-1.10.0.jar</a>	cpe:2.3:a:fan_platform_project:fan_platform:1.10.0:*:*:*:*:*	<a href="#">pkg:maven/junit.platform/junit-platform-launcher@1.10.0</a>
<a href="#">junit-platform-suite-1.10.0.jar</a>	cpe:2.3:a:fan_platform_project:fan_platform:1.10.0:*:*:*:*:*	<a href="#">pkg:maven/junit.platform/junit-platform-suite@1.10.0</a>
<a href="#">junit-platform-suite-api-1.10.0.jar</a>	cpe:2.3:a:fan_platform_project:fan_platform:1.10.0:*:*:*:*:*	<a href="#">pkg:maven/junit.platform/junit-platform-suite-api@1.10.0</a>
<a href="#">junit-platform-suite-commons-1.10.0.jar</a>	cpe:2.3:a:fan_platform_project:fan_platform:1.10.0:*:*:*:*:*	<a href="#">pkg:maven/junit.platform/junit-platform-suite-commons@1.10.0</a>
<a href="#">junit-platform-suite-engine-1.10.0.jar</a>	cpe:2.3:a:fan_platform_project:fan_platform:1.10.0:*:*:*:*:*	<a href="#">pkg:maven/junit.platform/junit-platform-suite-engine@1.10.0</a>
<a href="#">junit-vintage-engine-5.10.0.jar</a>	cpe:2.3:a:fan_platform_project:fan_platform:5.10.0:*:*:*:*:*	<a href="#">pkg:maven/junit.vintage-engine@5.10.0</a>
<a href="#">lunr.js</a>		



<a href="#">lunr.min.js</a>		
<a href="#">mail.zip: bcmail-jdk18on.jar</a>	cpe:2.3:a:bouncycastle: bouncy_castle_for_java:1.76:*.~*.~*.~*.~* cpe:2.3:a:bouncycastle:legion-of-the-bouncycastle:1.76:*.~*.~*.~*.~*	<a href="#">pkg:maven/bouncycastle/bcmail-jdk18on@1.</a>
<a href="#">mail.zip: bcpkix-jdk18on.jar</a>	cpe:2.3:a:bouncycastle: bouncy_castle_for_java:1.76:*.~*.~*.~*.~* cpe:2.3:a:bouncycastle:legion-of-the-bouncycastle:1.76:*.~*.~*.~*.~*	<a href="#">pkg:maven/bouncycastle/bcpkix-jdk18on@1.</a>
<a href="#">mail.zip: bcprov-jdk18on.jar</a>	cpe:2.3:a:bouncycastle:bouncy-castle-crypto-package:1.76:*.~*.~*.~*.~* cpe:2.3:a:bouncycastle: bouncy_castle_crypto_package:1.76:*.~*.~*.~*.~* *.~* cpe:2.3:a:bouncycastle: bouncy_castle_for_java:1.76:*.~*.~*.~*.~* cpe:2.3:a:bouncycastle:legion-of-the-bouncycastle:1.76:*.~*.~*.~*.~* cpe:2.3:a:bouncycastle:legion-of-the-bouncycastle-java-cryptography-api:1.76:*.~*.~*.~*.~* cpe:2.3:a:bouncycastle: the_bouncy_castle_crypto_package_for_java:1.76:*.~*.~*.~*.~*	<a href="#">pkg:maven/bouncycastle/bcprov-jdk18on@1.</a>
<a href="#">mail.zip: bcutil-jdk18on.jar</a>	cpe:2.3:a:bouncycastle: bouncy_castle_for_java:1.76:*.~*.~*.~*.~* cpe:2.3:a:bouncycastle:legion-of-the-bouncycastle:1.76:*.~*.~*.~*.~*	<a href="#">pkg:maven/bouncycastle/bcutil-jdk18on@1.</a>
<a href="#">mail.zip: jakarta.activation.jar</a>	cpe:2.3:a:oracle:java_se:1.2.2:*.~*.~*.~*.~*	<a href="#">pkg:maven/sun.activation/jakarta.activation@1.</a>
<a href="#">mail.zip: jakarta.mail.jar</a>	cpe:2.3:a:oracle:java_se:1.6.7:*.~*.~*.~*.~*	<a href="#">pkg:maven/sun.mail/jakarta.mail@1.6.7</a>
<a href="#">mail.zip: mail.jar</a>		
<a href="#">mail.zip: mail.jar: smimeconfig.js</a>		
<a href="#">main.js</a>		
<a href="#">maintenance.pdf.zip: maintenance.pdf.jar</a>	cpe:2.3:a:inetsoftware:pdfc:23.10.295:*.~*.~*.~*.~* *.~*	
<a href="#">maintenance.pdf.zip: maintenance.pdf.jar: app.js</a>		
<a href="#">maintenance.pdf.zip: maintenance.pdf.jar: comparisons.js</a>		
<a href="#">maintenance.zip: maintenance-javadoc.jar</a>		
<a href="#">maintenance.zip: maintenance-javadoc.jar: jquery-3.5.1.js</a>		
<a href="#">maintenance.zip: maintenance-javadoc.jar: jquery-ui.js</a>		<a href="#">pkg:jquery/jquery-ui@1.</a>
<a href="#">maintenance.zip: maintenance-javadoc.jar: jquery-ui.min.js</a>		<a href="#">pkg:jquery/jquery-ui@1.</a>
<a href="#">maintenance.zip: maintenance-javadoc.jar: jszip-utils-ie.js</a>		



<a href="#">maintenance.zip: maintenance-javadoc.jar: jszip-utils-ie.min.js</a>		
<a href="#">maintenance.zip: maintenance-javadoc.jar: jszip-utils.js</a>		
<a href="#">maintenance.zip: maintenance-javadoc.jar: jszip-utils.min.js</a>		
<a href="#">maintenance.zip: maintenance-javadoc.jar: jszip.js</a>		pkg:javascript/jszip@3.2.1
<a href="#">maintenance.zip: maintenance-javadoc.jar: jszip.min.js</a>		pkg:javascript/jszip@3.2.1
<a href="#">maintenance.zip: maintenance-javadoc.jar: member-search-index.js</a>		
<a href="#">maintenance.zip: maintenance-javadoc.jar: package-search-index.js</a>		
<a href="#">maintenance.zip: maintenance-javadoc.jar: script.js</a>		
<a href="#">maintenance.zip: maintenance-javadoc.jar: search.js</a>		
<a href="#">maintenance.zip: maintenance-javadoc.jar: type-search-index.js</a>		
<a href="#">maintenance.zip: maintenance.jar</a>		
<a href="#">maintenance.zip: maintenance.jar: controller.js</a>		
<a href="#">maintenance.zip: maintenance.jar: controller.js</a>		
<a href="#">maintenance.zip: maintenance.jar: controller.js</a>		
<a href="#">maintenance.zip: maintenance.jar: controller.js</a>		
<a href="#">maintenance.zip: maintenance.jar: controller.js</a>		
<a href="#">maintenance.zip: maintenance.jar: filechooser.js</a>		
<a href="#">maintenance.zip: maintenance.jar: multieditusers.js</a>		
<a href="#">mongo-java-driver.jar</a>	cpe:2.3:a:mongodb:java_driver:3.12.14:*:*:*:*:*:*	pkg:maven/mongodb/mongo-java-driver@3.12.14
<a href="#">notification.zip: notification.jar</a>		
<a href="#">notification.zip: notification.jar: notification.js</a>		
<a href="#">notification.zip: notification.jar: notification_config.js</a>		
<a href="#">notification.zip: notification.jar: notification_taskplanner.js</a>		
<a href="#">notification.zip: notification.jar: targetrenderer.js</a>		
<a href="#">ocr.tesseract.zip: commons-io.jar</a>	cpe:2.3:a:apache:commons_io:2.13.0:*:*:*:*:*:*	pkg:maven/commons-io/commons-io@2.13.0
<a href="#">ocr.tesseract.zip: fontbox.jar</a>		pkg:maven/apache/pdfbox/fontbox@2.0.2
<a href="#">ocr.tesseract.zip: jai-imageio-core.jar</a>		pkg:maven/java-imageio/jai-imageio-core@1.4.0



		<a href="#">/jai-imageio-core@1.4.0</a>
<a href="#">ocr.tesseract.zip: jbig2-imageio.jar</a>	<a href="#">cpe:2.3:a:apache:pdfbox:3.0.4:*:*:*:*:*</a>	<a href="#">pkg:maven/apache.pdfbox/jbig2-imageio@3.</a>
<a href="#">ocr.tesseract.zip: jboss-vfs.jar</a>		<a href="#">pkg:maven/jboss/jboss-vfs@3.3.0.F</a>
<a href="#">ocr.tesseract.zip: lept4j.jar</a>		<a href="#">pkg:maven/sourceforge/lept4j@1.18</a>
<a href="#">ocr.tesseract.zip: lept4j.jar: libleptonica1831.dll</a>		
<a href="#">ocr.tesseract.zip: lept4j.jar: libleptonica1831.dll</a>		
<a href="#">ocr.tesseract.zip: ocr.tesseract.jar</a>	<a href="#">cpe:2.3:a:tesseract_ocr_project:tesseract_ocr:23.10.295:*:*:*:*:*</a> <a href="#">cpe:2.3:a:tesseract_project:tesseract:23.10.295:*:*:*:**</a>	
<a href="#">ocr.tesseract.zip: pdfbox.jar</a>	<a href="#">cpe:2.3:a:apache:pdfbox:2.0.29:*:*:*:*:*</a>	<a href="#">pkg:maven/apache.pdfbox/pdfbox@2.0</a>
<a href="#">ocr.tesseract.zip: tess4j.jar</a>	<a href="#">cpe:2.3:a:tesseract_project:tesseract:5.7.0:*:*:*:**</a>	<a href="#">pkg:maven/sourceforge/tess4j/tess4j@7.0</a>
<a href="#">ocr.tesseract.zip: tess4j.jar: libtesseract531.dll</a>		
<a href="#">ocr.tesseract.zip: tess4j.jar: libtesseract531.dll</a>		
<a href="#">opentest4j-1.3.0.jar</a>		<a href="#">pkg:maven/opentest4j/opentest4j@3.0</a>
<a href="#">parser.docx.zip: DocxParser.jar</a>		
<a href="#">parser.docx.zip: EmfParser.jar</a>		
<a href="#">parser.docx.zip: SparseBitSet.jar</a>	<a href="#">cpe:2.3:a:bit_project:bit:1.3:*:*:*:**</a>	<a href="#">pkg:maven/zaxxer/SparseBitSet@3</a>
<a href="#">parser.docx.zip: commons-codec.jar</a>		<a href="#">pkg:maven/commons-codec@1.16</a>
<a href="#">parser.docx.zip: commons-collections4.jar</a>	<a href="#">cpe:2.3:a:apache:commons_collections:4.4:*:*:*:**</a>	<a href="#">pkg:maven/apache.commons-collections4</a>
<a href="#">parser.docx.zip: commons-compress.jar</a>	<a href="#">cpe:2.3:a:apache:commons_compress:1.24.0:*:*:*:**</a>	<a href="#">pkg:maven/apache.commons-compress@24.0</a>
<a href="#">parser.docx.zip: commons-io.jar</a>	<a href="#">cpe:2.3:a:apache:commons_io:2.11.0:*:*:*:**</a>	<a href="#">pkg:maven</a>



	<a href="#">** .*</a>	<a href="#">/commons-ic /commons-ic 11.0</a>
<a href="#">parser.docx.zip: commons-math3.jar</a>		<a href="#">pkg:maven/ apache.com /commons- math3@3.6.</a>
<a href="#">parser.docx.zip: curvesapi.jar</a>		<a href="#">pkg:maven/ github.virtua /curvesapi@</a>
<a href="#">parser.docx.zip: log4j-api.jar</a>	<a href="#">cpe:2.3:a:apache:log4j:2.20.0:.*:.*:.*:.*</a>	<a href="#">pkg:maven/ apache.logg log4j/log4j- api@2.20.0</a>
<a href="#">parser.docx.zip: ooxml-schemas.jar</a>		<a href="#">pkg:maven/ apache.poi /ooxml- schemas@1</a>
<a href="#">parser.docx.zip: parser.docx.jar</a>	<a href="#">cpe:2.3:a:inetsoftware:pdfc:23.10.295:.*:.*:.*:.*</a>	
<a href="#">parser.docx.zip: poi.jar</a>	<a href="#">cpe:2.3:a:apache:poi:5.2.3:.*:.*:.*:.*</a>	<a href="#">pkg:maven/ apache.poi /poi@5.2.3</a>
<a href="#">parser.docx.zip: xmlbeans.jar</a>	<a href="#">cpe:2.3:a:apache:xmlbeans:5.1.1:.*:.*:.*:.*</a>	<a href="#">pkg:maven/ apache.xmlb /xmlbeans@</a>
<a href="#">parser.image.zip: parser.image.jar</a>	<a href="#">cpe:2.3:a:inetsoftware:pdfc:23.10.295:.*:.*:.*:.*</a>	
<a href="#">parser.pdf.config.zip: parser.pdf.config.jar</a>	<a href="#">cpe:2.3:a:inetsoftware:pdfc:23.10.295:.*:.*:.*:.*</a>	
<a href="#">parser.pdf.zip: PDFParser.jar</a>		
<a href="#">parser.pdf.zip: jbig2.jar</a>	<a href="#">cpe:2.3:a:homepage_project:homepage:5.5.1:.*:.*:.*:.*</a>	<a href="#">pkg:maven/ intarsys. opensource /jbig2@5.5.1</a>
<a href="#">parser.pdf.zip: parser.pdf.jar</a>	<a href="#">cpe:2.3:a:inetsoftware:pdfc:23.10.295:.*:.*:.*:.*</a>	
<a href="#">parser.text.zip: parser.text.jar</a>	<a href="#">cpe:2.3:a:inetsoftware:pdfc:23.10.295:.*:.*:.*:.*</a>	
<a href="#">pdfc.gui.zip: TableLayout.jar</a>		
<a href="#">pdfc.gui.zip: VividSwingAnimations.jar</a>		
<a href="#">pdfc.gui.zip: inetswingcore.jar</a>		
<a href="#">pdfc.gui.zip: pdfc.gui.jar</a>	<a href="#">cpe:2.3:a:inetsoftware:pdfc:23.10.295:.*:.*:.*:.*</a>	
<a href="#">pdfc.standalone.zip: pdfc.standalone.jar</a>	<a href="#">cpe:2.3:a:inetsoftware:pdfc:23.10.295:.*:.*:.*:.*</a>	
<a href="#">pdfc.standalone.zip: pdfc.standalone.jar: bridge.js</a>		
<a href="#">pdfc.standalone.zip: pdfc.standalone.jar: bridgeConfig.js</a>		



<a href="#">pdfc.standalone.zip: pdfc.standalone.jar: bridgePDFC.js</a>		
<a href="#">pdfc.standalone.zip: pdfc.standalone.jar: extraMenu.js</a>		
<a href="#">pdfc.standalone.zip: pdfc.standalone.jar: removeHeader.js</a>		
<a href="#">pdfc.standalone.zip: pdfc.standalone.jar: removePDFCElements.js</a>		
<a href="#">pdfc.standalone.zip: pdfc.standalone.jar: theme.js</a>		
<a href="#">pdfc.standalone.zip: pdfc.standalone.jar: translation.js</a>		
<a href="#">pdfc.zip: icu4j.jar</a>	cpe:2.3:a:icu-project: international_components_for_unicode:73.2: *.*.*.*.*.*.*.* cpe:2.3:a:unicode: international_components_for_unicode:73.2: *.*.*.*.*.*.*.*	<a href="#">pkg:maven/ibm.icu/icu4j/2</a>
<a href="#">pdfc.zip: pdfc-javadoc.jar</a>		
<a href="#">pdfc.zip: pdfc-javadoc.jar: member-search-index.js</a>		
<a href="#">pdfc.zip: pdfc-javadoc.jar: package-search-index.js</a>		
<a href="#">pdfc.zip: pdfc-javadoc.jar: type-search-index.js</a>		
<a href="#">pdfc.zip: pdfc.jar</a>	cpe:2.3:a:inetsoftware:pdfc:23.10.295:*.~*.*	
<a href="#">pdfcjunit.jar</a>	<a href="#">cpe:2.3:a:inetsoftware:pdfc:23.10.295:*.~*.*.*.*.*.*.*</a>	
<a href="#">pdfcserver.zip: pdfcserver.jar</a>	cpe:2.3:a:inetsoftware:pdfc:23.10.295:*.~*.*.*	
<a href="#">pdfcserver.zip: pdfcserver.jar: compareconfigrenderers.js</a>		
<a href="#">pdfcsetupwizard.zip: pdfcsetupwizard.jar</a>	cpe:2.3:a:inetsoftware:pdfc:23.10.295:*.~*.*.*	
<a href="#">pdfcsetupwizard.zip: pdfcsetupwizard.jar: controller.js</a>		
<a href="#">persistence.jar</a>		
<a href="#">pluginstore.client.zip: pluginstore.client.jar</a>		
<a href="#">pluginstore.client.zip: pluginstore.client.jar: controller.js</a>		
<a href="#">pluginstore.client.zip: pluginstore.client.jar: pluginstorehelpcontroller.js</a>		
<a href="#">pluginstore.client.zip: pluginstore.client.jar: publicstoreconfig.js</a>		
<a href="#">pluginstore.client.zip: pluginstore.client.jar: storecontroller.js</a>		
<a href="#">pluginstore.client.zip: pluginstore.client.jar: storedirectives.js</a>		
<a href="#">pluginstore.client.zip: pluginstore.client.jar: storemodel.js</a>		
<a href="#">processbridge.pdfc.zip: processbridge.pdfc.jar</a>	cpe:2.3:a:inetsoftware:pdfc:23.10.295:*.~*.*.*	



	*.*	
<a href="#">processbridge.zip: processbridge.jar</a>		
<a href="#">remotegui.zip: Echo2-FileTransfer_App.jar</a>	<a href="#">cpe:2.3:a:file-transfer:file_transfer:2:*:*:*:*:*:</a> <a href="#">*</a> <a href="#">-</a>	
<a href="#">remotegui.zip: Echo2-FileTransfer_WebContainer.jar</a>	<a href="#">cpe:2.3:a:file-transfer:file_transfer:2:*:*:*:*:*:</a> <a href="#">*</a> <a href="#">-</a> <a href="#">cpe:2.3:a:web_project:web:2:*:*:*:*:*:</a>	
<a href="#">remotegui.zip: Echo2-FileTransfer_WebContainer.jar: Download.js</a>		
<a href="#">remotegui.zip: Echo2-FileTransfer_WebContainer.jar: Upload.js</a>		
<a href="#">remotegui.zip: angularjs.jar</a>	<a href="#">cpe:2.3:a:angularjs:angularjs:1.8.2:*:*:*:*:*:</a>	<a href="#">pkg:javascript/angularjs@</a> <a href="#">pkg:maven/webjars</a> <a href="#">/angularjs@</a>
<a href="#">remotegui.zip: angularjs.jar: angular-locale_af-na.js</a>		
<a href="#">remotegui.zip: angularjs.jar: angular-locale_af-za.js</a>		
<a href="#">remotegui.zip: angularjs.jar: angular-locale_af.js</a>		
<a href="#">remotegui.zip: angularjs.jar: angular-locale_agq-cm.js</a>		
<a href="#">remotegui.zip: angularjs.jar: angular-locale_agq.js</a>		
<a href="#">remotegui.zip: angularjs.jar: angular-locale_ak-gh.js</a>		
<a href="#">remotegui.zip: angularjs.jar: angular-locale_ak.js</a>		
<a href="#">remotegui.zip: angularjs.jar: angular-locale_am-et.js</a>		
<a href="#">remotegui.zip: angularjs.jar: angular-locale_am.js</a>		
<a href="#">remotegui.zip: angularjs.jar: angular-locale_ar-001.js</a>		
<a href="#">remotegui.zip: angularjs.jar: angular-locale_ar-ae.js</a>		
<a href="#">remotegui.zip: angularjs.jar: angular-locale_ar-bh.js</a>		
<a href="#">remotegui.zip: angularjs.jar: angular-locale_ar-dj.js</a>		
<a href="#">remotegui.zip: angularjs.jar: angular-locale_ar-dz.js</a>		
<a href="#">remotegui.zip: angularjs.jar: angular-locale_ar-eg.js</a>		
<a href="#">remotegui.zip: angularjs.jar: angular-locale_ar-eh.js</a>		
<a href="#">remotegui.zip: angularjs.jar: angular-locale_ar-er.js</a>		
<a href="#">remotegui.zip: angularjs.jar: angular-locale_ar-il.js</a>		
<a href="#">remotegui.zip: angularjs.jar: angular-locale_ar-iq.js</a>		
<a href="#">remotegui.zip: angularjs.jar: angular-locale_ar-jo.js</a>		
<a href="#">remotegui.zip: angularjs.jar: angular-locale_ar-km.js</a>		
<a href="#">remotegui.zip: angularjs.jar: angular-locale_ar-kw.js</a>		
<a href="#">remotegui.zip: angularjs.jar: angular-locale_ar-lb.js</a>		
<a href="#">remotegui.zip: angularjs.jar: angular-locale_ar-ly.js</a>		



<a href="#">remotegui.zip: angularjs.jar: angular-locale_ar-ma.js</a>		
<a href="#">remotegui.zip: angularjs.jar: angular-locale_ar-mr.js</a>		
<a href="#">remotegui.zip: angularjs.jar: angular-locale_ar-om.js</a>		
<a href="#">remotegui.zip: angularjs.jar: angular-locale_ar-ps.js</a>		
<a href="#">remotegui.zip: angularjs.jar: angular-locale_ar-qa.js</a>		
<a href="#">remotegui.zip: angularjs.jar: angular-locale_ar-sa.js</a>		
<a href="#">remotegui.zip: angularjs.jar: angular-locale_ar-sd.js</a>		
<a href="#">remotegui.zip: angularjs.jar: angular-locale_ar-so.js</a>		
<a href="#">remotegui.zip: angularjs.jar: angular-locale_ar-ss.js</a>		
<a href="#">remotegui.zip: angularjs.jar: angular-locale_ar-sy.js</a>		
<a href="#">remotegui.zip: angularjs.jar: angular-locale_ar-td.js</a>		
<a href="#">remotegui.zip: angularjs.jar: angular-locale_ar-tn.js</a>		
<a href="#">remotegui.zip: angularjs.jar: angular-locale_ar-xb.js</a>		
<a href="#">remotegui.zip: angularjs.jar: angular-locale_ar-ye.js</a>		
<a href="#">remotegui.zip: angularjs.jar: angular-locale_ar.js</a>		
<a href="#">remotegui.zip: angularjs.jar: angular-locale_as-in.js</a>		
<a href="#">remotegui.zip: angularjs.jar: angular-locale_as.js</a>		
<a href="#">remotegui.zip: angularjs.jar: angular-locale_asa-tz.js</a>		
<a href="#">remotegui.zip: angularjs.jar: angular-locale_asa.js</a>		
<a href="#">remotegui.zip: angularjs.jar: angular-locale_ast-es.js</a>		
<a href="#">remotegui.zip: angularjs.jar: angular-locale_ast.js</a>		
<a href="#">remotegui.zip: angularjs.jar: angular-locale_az-cyrl-az.js</a>		
<a href="#">remotegui.zip: angularjs.jar: angular-locale_az-cyrl.js</a>		
<a href="#">remotegui.zip: angularjs.jar: angular-locale_az-latn-az.js</a>		
<a href="#">remotegui.zip: angularjs.jar: angular-locale_az-latn.js</a>		
<a href="#">remotegui.zip: angularjs.jar: angular-locale_az.js</a>		
<a href="#">remotegui.zip: angularjs.jar: angular-locale_bas-cm.js</a>		
<a href="#">remotegui.zip: angularjs.jar: angular-locale_bas.js</a>		
<a href="#">remotegui.zip: angularjs.jar: angular-locale_be-by.js</a>		
<a href="#">remotegui.zip: angularjs.jar: angular-locale_be.js</a>		
<a href="#">remotegui.zip: angularjs.jar: angular-locale_bem-zm.js</a>		
<a href="#">remotegui.zip: angularjs.jar: angular-locale_bem.js</a>		
<a href="#">remotegui.zip: angularjs.jar: angular-locale_bez-tz.js</a>		
<a href="#">remotegui.zip: angularjs.jar: angular-locale_bez.js</a>		



[remotegui.zip: angularjs.jar: angular-locale\\_bg-bg.js](#)

[remotegui.zip: angularjs.jar: angular-locale\\_bg.js](#)

[remotegui.zip: angularjs.jar: angular-locale\\_bm-ml.js](#)

[remotegui.zip: angularjs.jar: angular-locale\\_bm.js](#)

[remotegui.zip: angularjs.jar: angular-locale\\_bn-bd.js](#)

[remotegui.zip: angularjs.jar: angular-locale\\_bn-in.js](#)

[remotegui.zip: angularjs.jar: angular-locale\\_bn.js](#)

[remotegui.zip: angularjs.jar: angular-locale\\_bo-cn.js](#)

[remotegui.zip: angularjs.jar: angular-locale\\_bo-in.js](#)

[remotegui.zip: angularjs.jar: angular-locale\\_bo.js](#)

[remotegui.zip: angularjs.jar: angular-locale\\_br-fr.js](#)

[remotegui.zip: angularjs.jar: angular-locale\\_br.js](#)

[remotegui.zip: angularjs.jar: angular-locale\\_brx-in.js](#)

[remotegui.zip: angularjs.jar: angular-locale\\_brx.js](#)

[remotegui.zip: angularjs.jar: angular-locale\\_bs-cyrl-ba.js](#)

[remotegui.zip: angularjs.jar: angular-locale\\_bs-cyrl.js](#)

[remotegui.zip: angularjs.jar: angular-locale\\_bs-latn-ba.js](#)

[remotegui.zip: angularjs.jar: angular-locale\\_bs-latn.js](#)

[remotegui.zip: angularjs.jar: angular-locale\\_bs.js](#)

[remotegui.zip: angularjs.jar: angular-locale\\_ca-ad.js](#)

[remotegui.zip: angularjs.jar: angular-locale\\_ca-es-valencia.js](#)

[remotegui.zip: angularjs.jar: angular-locale\\_ca-es.js](#)

[remotegui.zip: angularjs.jar: angular-locale\\_ca-fr.js](#)

[remotegui.zip: angularjs.jar: angular-locale\\_ca-it.js](#)

[remotegui.zip: angularjs.jar: angular-locale\\_ca.js](#)

[remotegui.zip: angularjs.jar: angular-locale\\_ce-ru.js](#)

[remotegui.zip: angularjs.jar: angular-locale\\_ce.js](#)

[remotegui.zip: angularjs.jar: angular-locale\\_cgg-ug.js](#)

[remotegui.zip: angularjs.jar: angular-locale\\_cgg.js](#)

[remotegui.zip: angularjs.jar: angular-locale\\_chr-us.js](#)

[remotegui.zip: angularjs.jar: angular-locale\\_chr.js](#)

[remotegui.zip: angularjs.jar: angular-locale\\_ckb-arab-iq.js](#)

[remotegui.zip: angularjs.jar: angular-locale\\_ckb-arab-ir.js](#)



<a href="#">remotegui.zip: angularjs.jar: angular-locale_ckb-arab.js</a>		
<a href="#">remotegui.zip: angularjs.jar: angular-locale_ckb-iq.js</a>		
<a href="#">remotegui.zip: angularjs.jar: angular-locale_ckb-ir.js</a>		
<a href="#">remotegui.zip: angularjs.jar: angular-locale_ckb-latn-iq.js</a>		
<a href="#">remotegui.zip: angularjs.jar: angular-locale_ckb-latn.js</a>		
<a href="#">remotegui.zip: angularjs.jar: angular-locale_ckb.js</a>		
<a href="#">remotegui.zip: angularjs.jar: angular-locale_cs-cz.js</a>		
<a href="#">remotegui.zip: angularjs.jar: angular-locale_cs.js</a>		
<a href="#">remotegui.zip: angularjs.jar: angular-locale_cu-ru.js</a>		
<a href="#">remotegui.zip: angularjs.jar: angular-locale_cu.js</a>		
<a href="#">remotegui.zip: angularjs.jar: angular-locale_cy-gb.js</a>		
<a href="#">remotegui.zip: angularjs.jar: angular-locale_cy.js</a>		
<a href="#">remotegui.zip: angularjs.jar: angular-locale_da-dk.js</a>		
<a href="#">remotegui.zip: angularjs.jar: angular-locale_da-gl.js</a>		
<a href="#">remotegui.zip: angularjs.jar: angular-locale_da.js</a>		
<a href="#">remotegui.zip: angularjs.jar: angular-locale_dav-ke.js</a>		
<a href="#">remotegui.zip: angularjs.jar: angular-locale_dav.js</a>		
<a href="#">remotegui.zip: angularjs.jar: angular-locale_de-at.js</a>		
<a href="#">remotegui.zip: angularjs.jar: angular-locale_de-be.js</a>		
<a href="#">remotegui.zip: angularjs.jar: angular-locale_de-ch.js</a>		
<a href="#">remotegui.zip: angularjs.jar: angular-locale_de-de.js</a>		
<a href="#">remotegui.zip: angularjs.jar: angular-locale_de-it.js</a>		
<a href="#">remotegui.zip: angularjs.jar: angular-locale_de-li.js</a>		
<a href="#">remotegui.zip: angularjs.jar: angular-locale_de-lu.js</a>		
<a href="#">remotegui.zip: angularjs.jar: angular-locale_de.js</a>		
<a href="#">remotegui.zip: angularjs.jar: angular-locale_dje-ne.js</a>		
<a href="#">remotegui.zip: angularjs.jar: angular-locale_dje.js</a>		
<a href="#">remotegui.zip: angularjs.jar: angular-locale_dsb-de.js</a>		
<a href="#">remotegui.zip: angularjs.jar: angular-locale_dsb.js</a>		
<a href="#">remotegui.zip: angularjs.jar: angular-locale_dua-cm.js</a>		
<a href="#">remotegui.zip: angularjs.jar: angular-locale_dua.js</a>		
<a href="#">remotegui.zip: angularjs.jar: angular-locale_dyo-sn.js</a>		
<a href="#">remotegui.zip: angularjs.jar: angular-locale_dyo.js</a>		
<a href="#">remotegui.zip: angularjs.jar: angular-locale_dz-bt.js</a>		
<a href="#">remotegui.zip: angularjs.jar: angular-locale_dz.js</a>		



<a href="#">remotegui.zip: angularjs.jar: angular-locale_ebu-ke.js</a>		
<a href="#">remotegui.zip: angularjs.jar: angular-locale_ebu.js</a>		
<a href="#">remotegui.zip: angularjs.jar: angular-locale_ee-gh.js</a>		
<a href="#">remotegui.zip: angularjs.jar: angular-locale_ee-tg.js</a>		
<a href="#">remotegui.zip: angularjs.jar: angular-locale_ee.js</a>		
<a href="#">remotegui.zip: angularjs.jar: angular-locale_el-cy.js</a>		
<a href="#">remotegui.zip: angularjs.jar: angular-locale_el-gr.js</a>		
<a href="#">remotegui.zip: angularjs.jar: angular-locale_el.js</a>		
<a href="#">remotegui.zip: angularjs.jar: angular-locale_en-001.js</a>		
<a href="#">remotegui.zip: angularjs.jar: angular-locale_en-150.js</a>		
<a href="#">remotegui.zip: angularjs.jar: angular-locale_en-ag.js</a>		
<a href="#">remotegui.zip: angularjs.jar: angular-locale_en-ai.js</a>		
<a href="#">remotegui.zip: angularjs.jar: angular-locale_en-as.js</a>		
<a href="#">remotegui.zip: angularjs.jar: angular-locale_en-at.js</a>		
<a href="#">remotegui.zip: angularjs.jar: angular-locale_en-au.js</a>		
<a href="#">remotegui.zip: angularjs.jar: angular-locale_en-bb.js</a>		
<a href="#">remotegui.zip: angularjs.jar: angular-locale_en-be.js</a>		
<a href="#">remotegui.zip: angularjs.jar: angular-locale_en-bi.js</a>		
<a href="#">remotegui.zip: angularjs.jar: angular-locale_en-bm.js</a>		
<a href="#">remotegui.zip: angularjs.jar: angular-locale_en-bs.js</a>		
<a href="#">remotegui.zip: angularjs.jar: angular-locale_en-bw.js</a>		
<a href="#">remotegui.zip: angularjs.jar: angular-locale_en-bz.js</a>		
<a href="#">remotegui.zip: angularjs.jar: angular-locale_en-ca.js</a>		
<a href="#">remotegui.zip: angularjs.jar: angular-locale_en-cc.js</a>		
<a href="#">remotegui.zip: angularjs.jar: angular-locale_en-ch.js</a>		
<a href="#">remotegui.zip: angularjs.jar: angular-locale_en-ck.js</a>		
<a href="#">remotegui.zip: angularjs.jar: angular-locale_en-cm.js</a>		
<a href="#">remotegui.zip: angularjs.jar: angular-locale_en-cx.js</a>		
<a href="#">remotegui.zip: angularjs.jar: angular-locale_en-cy.js</a>		
<a href="#">remotegui.zip: angularjs.jar: angular-locale_en-de.js</a>		
<a href="#">remotegui.zip: angularjs.jar: angular-locale_en-dg.js</a>		
<a href="#">remotegui.zip: angularjs.jar: angular-locale_en-dk.js</a>		
<a href="#">remotegui.zip: angularjs.jar: angular-locale_en-dm.js</a>		
<a href="#">remotegui.zip: angularjs.jar: angular-locale_en-er.js</a>		
<a href="#">remotegui.zip: angularjs.jar: angular-locale_en-fi.js</a>		



<a href="#">remotegui.zip: angularjs.jar: angular-locale_en-fj.js</a>		
<a href="#">remotegui.zip: angularjs.jar: angular-locale_en-fk.js</a>		
<a href="#">remotegui.zip: angularjs.jar: angular-locale_en-fm.js</a>		
<a href="#">remotegui.zip: angularjs.jar: angular-locale_en-gb.js</a>		
<a href="#">remotegui.zip: angularjs.jar: angular-locale_en-gd.js</a>		
<a href="#">remotegui.zip: angularjs.jar: angular-locale_en-gg.js</a>		
<a href="#">remotegui.zip: angularjs.jar: angular-locale_en-gh.js</a>		
<a href="#">remotegui.zip: angularjs.jar: angular-locale_en-gi.js</a>		
<a href="#">remotegui.zip: angularjs.jar: angular-locale_en-gm.js</a>		
<a href="#">remotegui.zip: angularjs.jar: angular-locale_en-gu.js</a>		
<a href="#">remotegui.zip: angularjs.jar: angular-locale_en-gy.js</a>		
<a href="#">remotegui.zip: angularjs.jar: angular-locale_en-hk.js</a>		
<a href="#">remotegui.zip: angularjs.jar: angular-locale_en-ie.js</a>		
<a href="#">remotegui.zip: angularjs.jar: angular-locale_en-il.js</a>		
<a href="#">remotegui.zip: angularjs.jar: angular-locale_en-im.js</a>		
<a href="#">remotegui.zip: angularjs.jar: angular-locale_en-in.js</a>		
<a href="#">remotegui.zip: angularjs.jar: angular-locale_en-io.js</a>		
<a href="#">remotegui.zip: angularjs.jar: angular-locale_en-iso.js</a>		
<a href="#">remotegui.zip: angularjs.jar: angular-locale_en-je.js</a>		
<a href="#">remotegui.zip: angularjs.jar: angular-locale_en-jm.js</a>		
<a href="#">remotegui.zip: angularjs.jar: angular-locale_en-ke.js</a>		
<a href="#">remotegui.zip: angularjs.jar: angular-locale_en-ki.js</a>		
<a href="#">remotegui.zip: angularjs.jar: angular-locale_en-kn.js</a>		
<a href="#">remotegui.zip: angularjs.jar: angular-locale_en-ky.js</a>		
<a href="#">remotegui.zip: angularjs.jar: angular-locale_en-lc.js</a>		
<a href="#">remotegui.zip: angularjs.jar: angular-locale_en-lr.js</a>		
<a href="#">remotegui.zip: angularjs.jar: angular-locale_en-ls.js</a>		
<a href="#">remotegui.zip: angularjs.jar: angular-locale_en-mg.js</a>		
<a href="#">remotegui.zip: angularjs.jar: angular-locale_en-mh.js</a>		
<a href="#">remotegui.zip: angularjs.jar: angular-locale_en-mo.js</a>		
<a href="#">remotegui.zip: angularjs.jar: angular-locale_en-mp.js</a>		
<a href="#">remotegui.zip: angularjs.jar: angular-locale_en-ms.js</a>		
<a href="#">remotegui.zip: angularjs.jar: angular-locale_en-mt.js</a>		
<a href="#">remotegui.zip: angularjs.jar: angular-locale_en-mu.js</a>		
<a href="#">remotegui.zip: angularjs.jar: angular-locale_en-mw.js</a>		



<a href="#">remotegui.zip: angularjs.jar: angular-locale_en-my.js</a>		
<a href="#">remotegui.zip: angularjs.jar: angular-locale_en-na.js</a>		
<a href="#">remotegui.zip: angularjs.jar: angular-locale_en-nf.js</a>		
<a href="#">remotegui.zip: angularjs.jar: angular-locale_en-ng.js</a>		
<a href="#">remotegui.zip: angularjs.jar: angular-locale_en-nl.js</a>		
<a href="#">remotegui.zip: angularjs.jar: angular-locale_en-nr.js</a>		
<a href="#">remotegui.zip: angularjs.jar: angular-locale_en-nu.js</a>		
<a href="#">remotegui.zip: angularjs.jar: angular-locale_en-nz.js</a>		
<a href="#">remotegui.zip: angularjs.jar: angular-locale_en-pg.js</a>		
<a href="#">remotegui.zip: angularjs.jar: angular-locale_en-ph.js</a>		
<a href="#">remotegui.zip: angularjs.jar: angular-locale_en-pk.js</a>		
<a href="#">remotegui.zip: angularjs.jar: angular-locale_en-pn.js</a>		
<a href="#">remotegui.zip: angularjs.jar: angular-locale_en-pr.js</a>		
<a href="#">remotegui.zip: angularjs.jar: angular-locale_en-pw.js</a>		
<a href="#">remotegui.zip: angularjs.jar: angular-locale_en-rw.js</a>		
<a href="#">remotegui.zip: angularjs.jar: angular-locale_en-sb.js</a>		
<a href="#">remotegui.zip: angularjs.jar: angular-locale_en-sc.js</a>		
<a href="#">remotegui.zip: angularjs.jar: angular-locale_en-sd.js</a>		
<a href="#">remotegui.zip: angularjs.jar: angular-locale_en-se.js</a>		
<a href="#">remotegui.zip: angularjs.jar: angular-locale_en-sg.js</a>		
<a href="#">remotegui.zip: angularjs.jar: angular-locale_en-sh.js</a>		
<a href="#">remotegui.zip: angularjs.jar: angular-locale_en-si.js</a>		
<a href="#">remotegui.zip: angularjs.jar: angular-locale_en-sl.js</a>		
<a href="#">remotegui.zip: angularjs.jar: angular-locale_en-ss.js</a>		
<a href="#">remotegui.zip: angularjs.jar: angular-locale_en-sx.js</a>		
<a href="#">remotegui.zip: angularjs.jar: angular-locale_en-sz.js</a>		
<a href="#">remotegui.zip: angularjs.jar: angular-locale_en-tc.js</a>		
<a href="#">remotegui.zip: angularjs.jar: angular-locale_en-tk.js</a>		
<a href="#">remotegui.zip: angularjs.jar: angular-locale_en-to.js</a>		
<a href="#">remotegui.zip: angularjs.jar: angular-locale_en-tt.js</a>		
<a href="#">remotegui.zip: angularjs.jar: angular-locale_en-tv.js</a>		
<a href="#">remotegui.zip: angularjs.jar: angular-locale_en-tz.js</a>		
<a href="#">remotegui.zip: angularjs.jar: angular-locale_en-ug.js</a>		
<a href="#">remotegui.zip: angularjs.jar: angular-locale_en-um.js</a>		
<a href="#">remotegui.zip: angularjs.jar: angular-locale_en-us-posix.js</a>		



<a href="#">remotegui.zip: angularjs.jar: angular-locale_en-us.js</a>		
<a href="#">remotegui.zip: angularjs.jar: angular-locale_en-vc.js</a>		
<a href="#">remotegui.zip: angularjs.jar: angular-locale_en-vg.js</a>		
<a href="#">remotegui.zip: angularjs.jar: angular-locale_en-vi.js</a>		
<a href="#">remotegui.zip: angularjs.jar: angular-locale_en-vu.js</a>		
<a href="#">remotegui.zip: angularjs.jar: angular-locale_en-ws.js</a>		
<a href="#">remotegui.zip: angularjs.jar: angular-locale_en-xa.js</a>		
<a href="#">remotegui.zip: angularjs.jar: angular-locale_en-za.js</a>		
<a href="#">remotegui.zip: angularjs.jar: angular-locale_en-zm.js</a>		
<a href="#">remotegui.zip: angularjs.jar: angular-locale_en-zw.js</a>		
<a href="#">remotegui.zip: angularjs.jar: angular-locale_en.js</a>		
<a href="#">remotegui.zip: angularjs.jar: angular-locale_eo-001.js</a>		
<a href="#">remotegui.zip: angularjs.jar: angular-locale_eo.js</a>		
<a href="#">remotegui.zip: angularjs.jar: angular-locale_es-419.js</a>		
<a href="#">remotegui.zip: angularjs.jar: angular-locale_es-ar.js</a>		
<a href="#">remotegui.zip: angularjs.jar: angular-locale_es-bo.js</a>		
<a href="#">remotegui.zip: angularjs.jar: angular-locale_es-br.js</a>		
<a href="#">remotegui.zip: angularjs.jar: angular-locale_es-bz.js</a>		
<a href="#">remotegui.zip: angularjs.jar: angular-locale_es-cl.js</a>		
<a href="#">remotegui.zip: angularjs.jar: angular-locale_es-co.js</a>		
<a href="#">remotegui.zip: angularjs.jar: angular-locale_es-cr.js</a>		
<a href="#">remotegui.zip: angularjs.jar: angular-locale_es-cu.js</a>		
<a href="#">remotegui.zip: angularjs.jar: angular-locale_es-do.js</a>		
<a href="#">remotegui.zip: angularjs.jar: angular-locale_es-ea.js</a>		
<a href="#">remotegui.zip: angularjs.jar: angular-locale_es-ec.js</a>		
<a href="#">remotegui.zip: angularjs.jar: angular-locale_es-es.js</a>		
<a href="#">remotegui.zip: angularjs.jar: angular-locale_es-gq.js</a>		
<a href="#">remotegui.zip: angularjs.jar: angular-locale_es-gt.js</a>		
<a href="#">remotegui.zip: angularjs.jar: angular-locale_es-hn.js</a>		
<a href="#">remotegui.zip: angularjs.jar: angular-locale_es-ic.js</a>		
<a href="#">remotegui.zip: angularjs.jar: angular-locale_es-mx.js</a>		
<a href="#">remotegui.zip: angularjs.jar: angular-locale_es-ni.js</a>		
<a href="#">remotegui.zip: angularjs.jar: angular-locale_es-pa.js</a>		
<a href="#">remotegui.zip: angularjs.jar: angular-locale_es-pe.js</a>		
<a href="#">remotegui.zip: angularjs.jar: angular-locale_es-ph.js</a>		



<a href="#">remotegui.zip: angularjs.jar: angular-locale_es-pr.js</a>		
<a href="#">remotegui.zip: angularjs.jar: angular-locale_es-py.js</a>		
<a href="#">remotegui.zip: angularjs.jar: angular-locale_es-sv.js</a>		
<a href="#">remotegui.zip: angularjs.jar: angular-locale_es-us.js</a>		
<a href="#">remotegui.zip: angularjs.jar: angular-locale_es-uy.js</a>		
<a href="#">remotegui.zip: angularjs.jar: angular-locale_es-ve.js</a>		
<a href="#">remotegui.zip: angularjs.jar: angular-locale_es.js</a>		
<a href="#">remotegui.zip: angularjs.jar: angular-locale_et-ee.js</a>		
<a href="#">remotegui.zip: angularjs.jar: angular-locale_et.js</a>		
<a href="#">remotegui.zip: angularjs.jar: angular-locale_eu-es.js</a>		
<a href="#">remotegui.zip: angularjs.jar: angular-locale_eu.js</a>		
<a href="#">remotegui.zip: angularjs.jar: angular-locale_ewo-cm.js</a>		
<a href="#">remotegui.zip: angularjs.jar: angular-locale_ewo.js</a>		
<a href="#">remotegui.zip: angularjs.jar: angular-locale_fa-af.js</a>		
<a href="#">remotegui.zip: angularjs.jar: angular-locale_fa-ir.js</a>		
<a href="#">remotegui.zip: angularjs.jar: angular-locale_fa.js</a>		
<a href="#">remotegui.zip: angularjs.jar: angular-locale_ff-cm.js</a>		
<a href="#">remotegui.zip: angularjs.jar: angular-locale_ff-gn.js</a>		
<a href="#">remotegui.zip: angularjs.jar: angular-locale_ff-mr.js</a>		
<a href="#">remotegui.zip: angularjs.jar: angular-locale_ff-sn.js</a>		
<a href="#">remotegui.zip: angularjs.jar: angular-locale_ff.js</a>		
<a href="#">remotegui.zip: angularjs.jar: angular-locale_fi-fi.js</a>		
<a href="#">remotegui.zip: angularjs.jar: angular-locale_fi.js</a>		
<a href="#">remotegui.zip: angularjs.jar: angular-locale_fil-ph.js</a>		
<a href="#">remotegui.zip: angularjs.jar: angular-locale_fil.js</a>		
<a href="#">remotegui.zip: angularjs.jar: angular-locale_fo-dk.js</a>		
<a href="#">remotegui.zip: angularjs.jar: angular-locale_fo-fo.js</a>		
<a href="#">remotegui.zip: angularjs.jar: angular-locale_fo.js</a>		
<a href="#">remotegui.zip: angularjs.jar: angular-locale_fr-be.js</a>		
<a href="#">remotegui.zip: angularjs.jar: angular-locale_fr-bf.js</a>		
<a href="#">remotegui.zip: angularjs.jar: angular-locale_fr-bi.js</a>		
<a href="#">remotegui.zip: angularjs.jar: angular-locale_fr-bj.js</a>		
<a href="#">remotegui.zip: angularjs.jar: angular-locale_fr-bl.js</a>		
<a href="#">remotegui.zip: angularjs.jar: angular-locale_fr-ca.js</a>		
<a href="#">remotegui.zip: angularjs.jar: angular-locale_fr-cd.js</a>		



<a href="#">remotegui.zip: angularjs.jar: angular-locale_fr-cf.js</a>		
<a href="#">remotegui.zip: angularjs.jar: angular-locale_fr-cg.js</a>		
<a href="#">remotegui.zip: angularjs.jar: angular-locale_fr-ch.js</a>		
<a href="#">remotegui.zip: angularjs.jar: angular-locale_fr-ci.js</a>		
<a href="#">remotegui.zip: angularjs.jar: angular-locale_fr-cm.js</a>		
<a href="#">remotegui.zip: angularjs.jar: angular-locale_fr-dj.js</a>		
<a href="#">remotegui.zip: angularjs.jar: angular-locale_fr-dz.js</a>		
<a href="#">remotegui.zip: angularjs.jar: angular-locale_fr-fr.js</a>		
<a href="#">remotegui.zip: angularjs.jar: angular-locale_fr-ga.js</a>		
<a href="#">remotegui.zip: angularjs.jar: angular-locale_fr-gf.js</a>		
<a href="#">remotegui.zip: angularjs.jar: angular-locale_fr-gn.js</a>		
<a href="#">remotegui.zip: angularjs.jar: angular-locale_fr-gp.js</a>		
<a href="#">remotegui.zip: angularjs.jar: angular-locale_fr-gq.js</a>		
<a href="#">remotegui.zip: angularjs.jar: angular-locale_fr-ht.js</a>		
<a href="#">remotegui.zip: angularjs.jar: angular-locale_fr-km.js</a>		
<a href="#">remotegui.zip: angularjs.jar: angular-locale_fr-lu.js</a>		
<a href="#">remotegui.zip: angularjs.jar: angular-locale_fr-ma.js</a>		
<a href="#">remotegui.zip: angularjs.jar: angular-locale_fr-mc.js</a>		
<a href="#">remotegui.zip: angularjs.jar: angular-locale_fr-mf.js</a>		
<a href="#">remotegui.zip: angularjs.jar: angular-locale_fr-mg.js</a>		
<a href="#">remotegui.zip: angularjs.jar: angular-locale_fr-ml.js</a>		
<a href="#">remotegui.zip: angularjs.jar: angular-locale_fr-mq.js</a>		
<a href="#">remotegui.zip: angularjs.jar: angular-locale_fr-mr.js</a>		
<a href="#">remotegui.zip: angularjs.jar: angular-locale_fr-mu.js</a>		
<a href="#">remotegui.zip: angularjs.jar: angular-locale_fr-nc.js</a>		
<a href="#">remotegui.zip: angularjs.jar: angular-locale_fr-ne.js</a>		
<a href="#">remotegui.zip: angularjs.jar: angular-locale_fr-pf.js</a>		
<a href="#">remotegui.zip: angularjs.jar: angular-locale_fr-pm.js</a>		
<a href="#">remotegui.zip: angularjs.jar: angular-locale_fr-re.js</a>		
<a href="#">remotegui.zip: angularjs.jar: angular-locale_fr-rw.js</a>		
<a href="#">remotegui.zip: angularjs.jar: angular-locale_fr-sc.js</a>		
<a href="#">remotegui.zip: angularjs.jar: angular-locale_fr-sn.js</a>		
<a href="#">remotegui.zip: angularjs.jar: angular-locale_fr-sy.js</a>		
<a href="#">remotegui.zip: angularjs.jar: angular-locale_fr-td.js</a>		
<a href="#">remotegui.zip: angularjs.jar: angular-locale_fr-tg.js</a>		



<a href="#">remotegui.zip: angularjs.jar: angular-locale_fr-tn.js</a>		
<a href="#">remotegui.zip: angularjs.jar: angular-locale_fr-vu.js</a>		
<a href="#">remotegui.zip: angularjs.jar: angular-locale_fr-wf.js</a>		
<a href="#">remotegui.zip: angularjs.jar: angular-locale_fr-yt.js</a>		
<a href="#">remotegui.zip: angularjs.jar: angular-locale_fr.js</a>		
<a href="#">remotegui.zip: angularjs.jar: angular-locale_fur-it.js</a>		
<a href="#">remotegui.zip: angularjs.jar: angular-locale_fur.js</a>		
<a href="#">remotegui.zip: angularjs.jar: angular-locale_fy-nl.js</a>		
<a href="#">remotegui.zip: angularjs.jar: angular-locale_fy.js</a>		
<a href="#">remotegui.zip: angularjs.jar: angular-locale_ga-ie.js</a>		
<a href="#">remotegui.zip: angularjs.jar: angular-locale_ga.js</a>		
<a href="#">remotegui.zip: angularjs.jar: angular-locale_gd-gb.js</a>		
<a href="#">remotegui.zip: angularjs.jar: angular-locale_gd.js</a>		
<a href="#">remotegui.zip: angularjs.jar: angular-locale_gl-es.js</a>		
<a href="#">remotegui.zip: angularjs.jar: angular-locale_gl.js</a>		
<a href="#">remotegui.zip: angularjs.jar: angular-locale_gsw-ch.js</a>		
<a href="#">remotegui.zip: angularjs.jar: angular-locale_gsw-fr.js</a>		
<a href="#">remotegui.zip: angularjs.jar: angular-locale_gsw-li.js</a>		
<a href="#">remotegui.zip: angularjs.jar: angular-locale_gsw.js</a>		
<a href="#">remotegui.zip: angularjs.jar: angular-locale_gu-in.js</a>		
<a href="#">remotegui.zip: angularjs.jar: angular-locale_gu.js</a>		
<a href="#">remotegui.zip: angularjs.jar: angular-locale_guz-ke.js</a>		
<a href="#">remotegui.zip: angularjs.jar: angular-locale_guz.js</a>		
<a href="#">remotegui.zip: angularjs.jar: angular-locale_gv-im.js</a>		
<a href="#">remotegui.zip: angularjs.jar: angular-locale_gv.js</a>		
<a href="#">remotegui.zip: angularjs.jar: angular-locale_ha-gh.js</a>		
<a href="#">remotegui.zip: angularjs.jar: angular-locale_ha-ne.js</a>		
<a href="#">remotegui.zip: angularjs.jar: angular-locale_ha-ng.js</a>		
<a href="#">remotegui.zip: angularjs.jar: angular-locale_ha.js</a>		
<a href="#">remotegui.zip: angularjs.jar: angular-locale_haw-us.js</a>		
<a href="#">remotegui.zip: angularjs.jar: angular-locale_haw.js</a>		
<a href="#">remotegui.zip: angularjs.jar: angular-locale_he-il.js</a>		
<a href="#">remotegui.zip: angularjs.jar: angular-locale_he.js</a>		
<a href="#">remotegui.zip: angularjs.jar: angular-locale_hi-in.js</a>		
<a href="#">remotegui.zip: angularjs.jar: angular-locale_hi.js</a>		



<a href="#">remotegui.zip: angularjs.jar: angular-locale_hr-ba.js</a>		
<a href="#">remotegui.zip: angularjs.jar: angular-locale_hr-hr.js</a>		
<a href="#">remotegui.zip: angularjs.jar: angular-locale_hr.js</a>		
<a href="#">remotegui.zip: angularjs.jar: angular-locale_hsb-de.js</a>		
<a href="#">remotegui.zip: angularjs.jar: angular-locale_hsb.js</a>		
<a href="#">remotegui.zip: angularjs.jar: angular-locale_hu-hu.js</a>		
<a href="#">remotegui.zip: angularjs.jar: angular-locale_hu.js</a>		
<a href="#">remotegui.zip: angularjs.jar: angular-locale_hy-am.js</a>		
<a href="#">remotegui.zip: angularjs.jar: angular-locale_hy.js</a>		
<a href="#">remotegui.zip: angularjs.jar: angular-locale_id-id.js</a>		
<a href="#">remotegui.zip: angularjs.jar: angular-locale_id.js</a>		
<a href="#">remotegui.zip: angularjs.jar: angular-locale_ig-ng.js</a>		
<a href="#">remotegui.zip: angularjs.jar: angular-locale_ig.js</a>		
<a href="#">remotegui.zip: angularjs.jar: angular-locale_ii-cn.js</a>		
<a href="#">remotegui.zip: angularjs.jar: angular-locale_ii.js</a>		
<a href="#">remotegui.zip: angularjs.jar: angular-locale_in.js</a>		
<a href="#">remotegui.zip: angularjs.jar: angular-locale_is-is.js</a>		
<a href="#">remotegui.zip: angularjs.jar: angular-locale_is.js</a>		
<a href="#">remotegui.zip: angularjs.jar: angular-locale_it-ch.js</a>		
<a href="#">remotegui.zip: angularjs.jar: angular-locale_it-it.js</a>		
<a href="#">remotegui.zip: angularjs.jar: angular-locale_it-sm.js</a>		
<a href="#">remotegui.zip: angularjs.jar: angular-locale_it-va.js</a>		
<a href="#">remotegui.zip: angularjs.jar: angular-locale_it.js</a>		
<a href="#">remotegui.zip: angularjs.jar: angular-locale_iw.js</a>		
<a href="#">remotegui.zip: angularjs.jar: angular-locale_ja-jp.js</a>		
<a href="#">remotegui.zip: angularjs.jar: angular-locale_ja.js</a>		
<a href="#">remotegui.zip: angularjs.jar: angular-locale_jgo-cm.js</a>		
<a href="#">remotegui.zip: angularjs.jar: angular-locale_jgo.js</a>		
<a href="#">remotegui.zip: angularjs.jar: angular-locale_jmc-tz.js</a>		
<a href="#">remotegui.zip: angularjs.jar: angular-locale_jmc.js</a>		
<a href="#">remotegui.zip: angularjs.jar: angular-locale_ka-ge.js</a>		
<a href="#">remotegui.zip: angularjs.jar: angular-locale_ka.js</a>		
<a href="#">remotegui.zip: angularjs.jar: angular-locale_kab-dz.js</a>		
<a href="#">remotegui.zip: angularjs.jar: angular-locale_kab.js</a>		
<a href="#">remotegui.zip: angularjs.jar: angular-locale_kam-ke.js</a>		



<a href="#">remotegui.zip: angularjs.jar: angular-locale_kam.js</a>		
<a href="#">remotegui.zip: angularjs.jar: angular-locale_kde-tz.js</a>		
<a href="#">remotegui.zip: angularjs.jar: angular-locale_kde.js</a>		
<a href="#">remotegui.zip: angularjs.jar: angular-locale_kea-cv.js</a>		
<a href="#">remotegui.zip: angularjs.jar: angular-locale_kea.js</a>		
<a href="#">remotegui.zip: angularjs.jar: angular-locale_khq-ml.js</a>		
<a href="#">remotegui.zip: angularjs.jar: angular-locale_khq.js</a>		
<a href="#">remotegui.zip: angularjs.jar: angular-locale_ki-ke.js</a>		
<a href="#">remotegui.zip: angularjs.jar: angular-locale_ki.js</a>		
<a href="#">remotegui.zip: angularjs.jar: angular-locale_kk-kz.js</a>		
<a href="#">remotegui.zip: angularjs.jar: angular-locale_kk.js</a>		
<a href="#">remotegui.zip: angularjs.jar: angular-locale_kkj-cm.js</a>		
<a href="#">remotegui.zip: angularjs.jar: angular-locale_kkj.js</a>		
<a href="#">remotegui.zip: angularjs.jar: angular-locale_kl-gl.js</a>		
<a href="#">remotegui.zip: angularjs.jar: angular-locale_kl.js</a>		
<a href="#">remotegui.zip: angularjs.jar: angular-locale_kln-ke.js</a>		
<a href="#">remotegui.zip: angularjs.jar: angular-locale_kln.js</a>		
<a href="#">remotegui.zip: angularjs.jar: angular-locale_km-kh.js</a>		
<a href="#">remotegui.zip: angularjs.jar: angular-locale_km.js</a>		
<a href="#">remotegui.zip: angularjs.jar: angular-locale_kn-in.js</a>		
<a href="#">remotegui.zip: angularjs.jar: angular-locale_kn.js</a>		
<a href="#">remotegui.zip: angularjs.jar: angular-locale_ko-kp.js</a>		
<a href="#">remotegui.zip: angularjs.jar: angular-locale_ko-kr.js</a>		
<a href="#">remotegui.zip: angularjs.jar: angular-locale_ko.js</a>		
<a href="#">remotegui.zip: angularjs.jar: angular-locale_kok-in.js</a>		
<a href="#">remotegui.zip: angularjs.jar: angular-locale_kok.js</a>		
<a href="#">remotegui.zip: angularjs.jar: angular-locale_ks-in.js</a>		
<a href="#">remotegui.zip: angularjs.jar: angular-locale_ks.js</a>		
<a href="#">remotegui.zip: angularjs.jar: angular-locale_ksb-tz.js</a>		
<a href="#">remotegui.zip: angularjs.jar: angular-locale_ksb.js</a>		
<a href="#">remotegui.zip: angularjs.jar: angular-locale_ksf-cm.js</a>		
<a href="#">remotegui.zip: angularjs.jar: angular-locale_ksf.js</a>		
<a href="#">remotegui.zip: angularjs.jar: angular-locale_ksh-de.js</a>		
<a href="#">remotegui.zip: angularjs.jar: angular-locale_ksh.js</a>		
<a href="#">remotegui.zip: angularjs.jar: angular-locale_kw-gb.js</a>		



<a href="#">remotegui.zip: angularjs.jar: angular-locale_kw.js</a>		
<a href="#">remotegui.zip: angularjs.jar: angular-locale_ky-kg.js</a>		
<a href="#">remotegui.zip: angularjs.jar: angular-locale_ky.js</a>		
<a href="#">remotegui.zip: angularjs.jar: angular-locale_lag-tz.js</a>		
<a href="#">remotegui.zip: angularjs.jar: angular-locale_lag.js</a>		
<a href="#">remotegui.zip: angularjs.jar: angular-locale_lb-lu.js</a>		
<a href="#">remotegui.zip: angularjs.jar: angular-locale_lb.js</a>		
<a href="#">remotegui.zip: angularjs.jar: angular-locale_lg-ug.js</a>		
<a href="#">remotegui.zip: angularjs.jar: angular-locale_lg.js</a>		
<a href="#">remotegui.zip: angularjs.jar: angular-locale_lkt-us.js</a>		
<a href="#">remotegui.zip: angularjs.jar: angular-locale_lkt.js</a>		
<a href="#">remotegui.zip: angularjs.jar: angular-locale_ln-ao.js</a>		
<a href="#">remotegui.zip: angularjs.jar: angular-locale_ln-cd.js</a>		
<a href="#">remotegui.zip: angularjs.jar: angular-locale_ln-cf.js</a>		
<a href="#">remotegui.zip: angularjs.jar: angular-locale_ln-cg.js</a>		
<a href="#">remotegui.zip: angularjs.jar: angular-locale_ln.js</a>		
<a href="#">remotegui.zip: angularjs.jar: angular-locale_lo-la.js</a>		
<a href="#">remotegui.zip: angularjs.jar: angular-locale_lo.js</a>		
<a href="#">remotegui.zip: angularjs.jar: angular-locale_lrc-iq.js</a>		
<a href="#">remotegui.zip: angularjs.jar: angular-locale_lrc-ir.js</a>		
<a href="#">remotegui.zip: angularjs.jar: angular-locale_lrc.js</a>		
<a href="#">remotegui.zip: angularjs.jar: angular-locale_lt-lt.js</a>		
<a href="#">remotegui.zip: angularjs.jar: angular-locale_lt.js</a>		
<a href="#">remotegui.zip: angularjs.jar: angular-locale_lu-cd.js</a>		
<a href="#">remotegui.zip: angularjs.jar: angular-locale_lu.js</a>		
<a href="#">remotegui.zip: angularjs.jar: angular-locale_luo-ke.js</a>		
<a href="#">remotegui.zip: angularjs.jar: angular-locale_luo.js</a>		
<a href="#">remotegui.zip: angularjs.jar: angular-locale_luy-ke.js</a>		
<a href="#">remotegui.zip: angularjs.jar: angular-locale_luy.js</a>		
<a href="#">remotegui.zip: angularjs.jar: angular-locale_lv-lv.js</a>		
<a href="#">remotegui.zip: angularjs.jar: angular-locale_lv.js</a>		
<a href="#">remotegui.zip: angularjs.jar: angular-locale_mas-ke.js</a>		
<a href="#">remotegui.zip: angularjs.jar: angular-locale_mas-tz.js</a>		
<a href="#">remotegui.zip: angularjs.jar: angular-locale_mas.js</a>		
<a href="#">remotegui.zip: angularjs.jar: angular-locale_mer-ke.js</a>		



<a href="#">remotegui.zip: angularjs.jar: angular-locale_mer.js</a>		
<a href="#">remotegui.zip: angularjs.jar: angular-locale_mfe-mu.js</a>		
<a href="#">remotegui.zip: angularjs.jar: angular-locale_mfe.js</a>		
<a href="#">remotegui.zip: angularjs.jar: angular-locale_mg-mg.js</a>		
<a href="#">remotegui.zip: angularjs.jar: angular-locale_mg.js</a>		
<a href="#">remotegui.zip: angularjs.jar: angular-locale_mgh-mz.js</a>		
<a href="#">remotegui.zip: angularjs.jar: angular-locale_mgh.js</a>		
<a href="#">remotegui.zip: angularjs.jar: angular-locale_mgo-cm.js</a>		
<a href="#">remotegui.zip: angularjs.jar: angular-locale_mgo.js</a>		
<a href="#">remotegui.zip: angularjs.jar: angular-locale_mk-mk.js</a>		
<a href="#">remotegui.zip: angularjs.jar: angular-locale_mk.js</a>		
<a href="#">remotegui.zip: angularjs.jar: angular-locale_ml-in.js</a>		
<a href="#">remotegui.zip: angularjs.jar: angular-locale_ml.js</a>		
<a href="#">remotegui.zip: angularjs.jar: angular-locale_mn-mn.js</a>		
<a href="#">remotegui.zip: angularjs.jar: angular-locale_mn.js</a>		
<a href="#">remotegui.zip: angularjs.jar: angular-locale_mo.js</a>		
<a href="#">remotegui.zip: angularjs.jar: angular-locale_mr-in.js</a>		
<a href="#">remotegui.zip: angularjs.jar: angular-locale_mr.js</a>		
<a href="#">remotegui.zip: angularjs.jar: angular-locale_ms-bn.js</a>		
<a href="#">remotegui.zip: angularjs.jar: angular-locale_ms-my.js</a>		
<a href="#">remotegui.zip: angularjs.jar: angular-locale_ms-sg.js</a>		
<a href="#">remotegui.zip: angularjs.jar: angular-locale_ms.js</a>		
<a href="#">remotegui.zip: angularjs.jar: angular-locale_mt-mt.js</a>		
<a href="#">remotegui.zip: angularjs.jar: angular-locale_mt.js</a>		
<a href="#">remotegui.zip: angularjs.jar: angular-locale_mua-cm.js</a>		
<a href="#">remotegui.zip: angularjs.jar: angular-locale_mua.js</a>		
<a href="#">remotegui.zip: angularjs.jar: angular-locale_my-mm.js</a>		
<a href="#">remotegui.zip: angularjs.jar: angular-locale_my.js</a>		
<a href="#">remotegui.zip: angularjs.jar: angular-locale_mzn-ir.js</a>		
<a href="#">remotegui.zip: angularjs.jar: angular-locale_mzn.js</a>		
<a href="#">remotegui.zip: angularjs.jar: angular-locale_naq-na.js</a>		
<a href="#">remotegui.zip: angularjs.jar: angular-locale_naq.js</a>		
<a href="#">remotegui.zip: angularjs.jar: angular-locale_nb-no.js</a>		
<a href="#">remotegui.zip: angularjs.jar: angular-locale_nb-sj.js</a>		
<a href="#">remotegui.zip: angularjs.jar: angular-locale_nb.js</a>		



<a href="#">remotegui.zip: angularjs.jar: angular-locale_nd-zw.js</a>		
<a href="#">remotegui.zip: angularjs.jar: angular-locale_nd.js</a>		
<a href="#">remotegui.zip: angularjs.jar: angular-locale_nds-de.js</a>		
<a href="#">remotegui.zip: angularjs.jar: angular-locale_nds-nl.js</a>		
<a href="#">remotegui.zip: angularjs.jar: angular-locale_nds.js</a>		
<a href="#">remotegui.zip: angularjs.jar: angular-locale_ne-in.js</a>		
<a href="#">remotegui.zip: angularjs.jar: angular-locale_ne-np.js</a>		
<a href="#">remotegui.zip: angularjs.jar: angular-locale_ne.js</a>		
<a href="#">remotegui.zip: angularjs.jar: angular-locale_nl-aw.js</a>		
<a href="#">remotegui.zip: angularjs.jar: angular-locale_nl-be.js</a>		
<a href="#">remotegui.zip: angularjs.jar: angular-locale_nl-bq.js</a>		
<a href="#">remotegui.zip: angularjs.jar: angular-locale_nl-cw.js</a>		
<a href="#">remotegui.zip: angularjs.jar: angular-locale_nl-nl.js</a>		
<a href="#">remotegui.zip: angularjs.jar: angular-locale_nl-sr.js</a>		
<a href="#">remotegui.zip: angularjs.jar: angular-locale_nl-sx.js</a>		
<a href="#">remotegui.zip: angularjs.jar: angular-locale_nl.js</a>		
<a href="#">remotegui.zip: angularjs.jar: angular-locale_nmg-cm.js</a>		
<a href="#">remotegui.zip: angularjs.jar: angular-locale_nmg.js</a>		
<a href="#">remotegui.zip: angularjs.jar: angular-locale_nn-no.js</a>		
<a href="#">remotegui.zip: angularjs.jar: angular-locale_nn.js</a>		
<a href="#">remotegui.zip: angularjs.jar: angular-locale_nnh-cm.js</a>		
<a href="#">remotegui.zip: angularjs.jar: angular-locale_nnh.js</a>		
<a href="#">remotegui.zip: angularjs.jar: angular-locale_no-no.js</a>		
<a href="#">remotegui.zip: angularjs.jar: angular-locale_no.js</a>		
<a href="#">remotegui.zip: angularjs.jar: angular-locale_nus-ss.js</a>		
<a href="#">remotegui.zip: angularjs.jar: angular-locale_nus.js</a>		
<a href="#">remotegui.zip: angularjs.jar: angular-locale_nyn-ug.js</a>		
<a href="#">remotegui.zip: angularjs.jar: angular-locale_nyn.js</a>		
<a href="#">remotegui.zip: angularjs.jar: angular-locale_om-et.js</a>		
<a href="#">remotegui.zip: angularjs.jar: angular-locale_om-ke.js</a>		
<a href="#">remotegui.zip: angularjs.jar: angular-locale_om.js</a>		
<a href="#">remotegui.zip: angularjs.jar: angular-locale_or-in.js</a>		
<a href="#">remotegui.zip: angularjs.jar: angular-locale_or.js</a>		
<a href="#">remotegui.zip: angularjs.jar: angular-locale_os-ge.js</a>		
<a href="#">remotegui.zip: angularjs.jar: angular-locale_os-ru.js</a>		



[remotegui.zip: angularjs.jar: angular-locale\\_os.js](#)

[remotegui.zip: angularjs.jar: angular-locale\\_pa-arab-pk.js](#)

[remotegui.zip: angularjs.jar: angular-locale\\_pa-arab.js](#)

[remotegui.zip: angularjs.jar: angular-locale\\_pa-guru-in.js](#)

[remotegui.zip: angularjs.jar: angular-locale\\_pa-guru.js](#)

[remotegui.zip: angularjs.jar: angular-locale\\_pa.js](#)

[remotegui.zip: angularjs.jar: angular-locale\\_pl-pl.js](#)

[remotegui.zip: angularjs.jar: angular-locale\\_pl.js](#)

[remotegui.zip: angularjs.jar: angular-locale\\_prg-001.js](#)

[remotegui.zip: angularjs.jar: angular-locale\\_prg.js](#)

[remotegui.zip: angularjs.jar: angular-locale\\_ps-af.js](#)

[remotegui.zip: angularjs.jar: angular-locale\\_ps.js](#)

[remotegui.zip: angularjs.jar: angular-locale\\_pt-ao.js](#)

[remotegui.zip: angularjs.jar: angular-locale\\_pt-br.js](#)

[remotegui.zip: angularjs.jar: angular-locale\\_pt-ch.js](#)

[remotegui.zip: angularjs.jar: angular-locale\\_pt-cv.js](#)

[remotegui.zip: angularjs.jar: angular-locale\\_pt-gq.js](#)

[remotegui.zip: angularjs.jar: angular-locale\\_pt-gw.js](#)

[remotegui.zip: angularjs.jar: angular-locale\\_pt-lu.js](#)

[remotegui.zip: angularjs.jar: angular-locale\\_pt-mo.js](#)

[remotegui.zip: angularjs.jar: angular-locale\\_pt-mz.js](#)

[remotegui.zip: angularjs.jar: angular-locale\\_pt-pt.js](#)

[remotegui.zip: angularjs.jar: angular-locale\\_pt-st.js](#)

[remotegui.zip: angularjs.jar: angular-locale\\_pt-tl.js](#)

[remotegui.zip: angularjs.jar: angular-locale\\_pt.js](#)

[remotegui.zip: angularjs.jar: angular-locale\\_qu-bo.js](#)

[remotegui.zip: angularjs.jar: angular-locale\\_qu-ec.js](#)

[remotegui.zip: angularjs.jar: angular-locale\\_qu-pe.js](#)

[remotegui.zip: angularjs.jar: angular-locale\\_qu.js](#)

[remotegui.zip: angularjs.jar: angular-locale\\_rm-ch.js](#)

[remotegui.zip: angularjs.jar: angular-locale\\_rm.js](#)

[remotegui.zip: angularjs.jar: angular-locale\\_rn-bi.js](#)

[remotegui.zip: angularjs.jar: angular-locale\\_rn.js](#)

[remotegui.zip: angularjs.jar: angular-locale\\_ro-md.js](#)



[remotegui.zip: angularjs.jar: angular-locale\\_ro-ro.js](#)

[remotegui.zip: angularjs.jar: angular-locale\\_ro.js](#)

[remotegui.zip: angularjs.jar: angular-locale\\_rof-tz.js](#)

[remotegui.zip: angularjs.jar: angular-locale\\_rof.js](#)

[remotegui.zip: angularjs.jar: angular-locale\\_ru-by.js](#)

[remotegui.zip: angularjs.jar: angular-locale\\_ru-kg.js](#)

[remotegui.zip: angularjs.jar: angular-locale\\_ru-kz.js](#)

[remotegui.zip: angularjs.jar: angular-locale\\_ru-md.js](#)

[remotegui.zip: angularjs.jar: angular-locale\\_ru-ru.js](#)

[remotegui.zip: angularjs.jar: angular-locale\\_ru-ua.js](#)

[remotegui.zip: angularjs.jar: angular-locale\\_ru.js](#)

[remotegui.zip: angularjs.jar: angular-locale\\_rw-rw.js](#)

[remotegui.zip: angularjs.jar: angular-locale\\_rw.js](#)

[remotegui.zip: angularjs.jar: angular-locale\\_rwk-tz.js](#)

[remotegui.zip: angularjs.jar: angular-locale\\_rwk.js](#)

[remotegui.zip: angularjs.jar: angular-locale\\_sah-ru.js](#)

[remotegui.zip: angularjs.jar: angular-locale\\_sah.js](#)

[remotegui.zip: angularjs.jar: angular-locale\\_saq-ke.js](#)

[remotegui.zip: angularjs.jar: angular-locale\\_saq.js](#)

[remotegui.zip: angularjs.jar: angular-locale\\_sbp-tz.js](#)

[remotegui.zip: angularjs.jar: angular-locale\\_sbp.js](#)

[remotegui.zip: angularjs.jar: angular-locale\\_se-fi.js](#)

[remotegui.zip: angularjs.jar: angular-locale\\_se-no.js](#)

[remotegui.zip: angularjs.jar: angular-locale\\_se-se.js](#)

[remotegui.zip: angularjs.jar: angular-locale\\_se.js](#)

[remotegui.zip: angularjs.jar: angular-locale\\_seh-mz.js](#)

[remotegui.zip: angularjs.jar: angular-locale\\_seh.js](#)

[remotegui.zip: angularjs.jar: angular-locale\\_ses-ml.js](#)

[remotegui.zip: angularjs.jar: angular-locale\\_ses.js](#)

[remotegui.zip: angularjs.jar: angular-locale\\_sg-cf.js](#)

[remotegui.zip: angularjs.jar: angular-locale\\_sg.js](#)

[remotegui.zip: angularjs.jar: angular-locale\\_sh.js](#)

[remotegui.zip: angularjs.jar: angular-locale\\_shi-latn-ma.js](#)

[remotegui.zip: angularjs.jar: angular-locale\\_shi-latn.js](#)

[remotegui.zip: angularjs.jar: angular-locale\\_shi-tfng-](#)



[ma.js](#)

[remotegui.zip: angularjs.jar: angular-locale\\_shi-tfng.js](#)

[remotegui.zip: angularjs.jar: angular-locale\\_shi.js](#)

[remotegui.zip: angularjs.jar: angular-locale\\_si-lk.js](#)

[remotegui.zip: angularjs.jar: angular-locale\\_si.js](#)

[remotegui.zip: angularjs.jar: angular-locale\\_sk-sk.js](#)

[remotegui.zip: angularjs.jar: angular-locale\\_sk.js](#)

[remotegui.zip: angularjs.jar: angular-locale\\_sl-si.js](#)

[remotegui.zip: angularjs.jar: angular-locale\\_sl.js](#)

[remotegui.zip: angularjs.jar: angular-locale\\_smn-fi.js](#)

[remotegui.zip: angularjs.jar: angular-locale\\_smn.js](#)

[remotegui.zip: angularjs.jar: angular-locale\\_sn-zw.js](#)

[remotegui.zip: angularjs.jar: angular-locale\\_sn.js](#)

[remotegui.zip: angularjs.jar: angular-locale\\_so-dj.js](#)

[remotegui.zip: angularjs.jar: angular-locale\\_so-et.js](#)

[remotegui.zip: angularjs.jar: angular-locale\\_so-ke.js](#)

[remotegui.zip: angularjs.jar: angular-locale\\_so-so.js](#)

[remotegui.zip: angularjs.jar: angular-locale\\_so.js](#)

[remotegui.zip: angularjs.jar: angular-locale\\_sq-al.js](#)

[remotegui.zip: angularjs.jar: angular-locale\\_sq-mk.js](#)

[remotegui.zip: angularjs.jar: angular-locale\\_sq-xk.js](#)

[remotegui.zip: angularjs.jar: angular-locale\\_sq.js](#)

[remotegui.zip: angularjs.jar: angular-locale\\_sr-cyrl-ba.js](#)

[remotegui.zip: angularjs.jar: angular-locale\\_sr-cyrl-me.js](#)

[remotegui.zip: angularjs.jar: angular-locale\\_sr-cyrl-rs.js](#)

[remotegui.zip: angularjs.jar: angular-locale\\_sr-cyrl-xk.js](#)

[remotegui.zip: angularjs.jar: angular-locale\\_sr-cyrl.js](#)

[remotegui.zip: angularjs.jar: angular-locale\\_sr-latn-ba.js](#)

[remotegui.zip: angularjs.jar: angular-locale\\_sr-latn-me.js](#)

[remotegui.zip: angularjs.jar: angular-locale\\_sr-latn-rs.js](#)

[remotegui.zip: angularjs.jar: angular-locale\\_sr-latn-xk.js](#)

[remotegui.zip: angularjs.jar: angular-locale\\_sr-latn.js](#)

[remotegui.zip: angularjs.jar: angular-locale\\_sr.js](#)



<a href="#">remotegui.zip: angularjs.jar: angular-locale_sv-ax.js</a>		
<a href="#">remotegui.zip: angularjs.jar: angular-locale_sv-fi.js</a>		
<a href="#">remotegui.zip: angularjs.jar: angular-locale_sv-se.js</a>		
<a href="#">remotegui.zip: angularjs.jar: angular-locale_sv.js</a>		
<a href="#">remotegui.zip: angularjs.jar: angular-locale_sw-cd.js</a>		
<a href="#">remotegui.zip: angularjs.jar: angular-locale_sw-ke.js</a>		
<a href="#">remotegui.zip: angularjs.jar: angular-locale_sw-tz.js</a>		
<a href="#">remotegui.zip: angularjs.jar: angular-locale_sw-ug.js</a>		
<a href="#">remotegui.zip: angularjs.jar: angular-locale_sw.js</a>		
<a href="#">remotegui.zip: angularjs.jar: angular-locale_ta-in.js</a>		
<a href="#">remotegui.zip: angularjs.jar: angular-locale_ta-lk.js</a>		
<a href="#">remotegui.zip: angularjs.jar: angular-locale_ta-my.js</a>		
<a href="#">remotegui.zip: angularjs.jar: angular-locale_ta-sg.js</a>		
<a href="#">remotegui.zip: angularjs.jar: angular-locale_ta.js</a>		
<a href="#">remotegui.zip: angularjs.jar: angular-locale_te-in.js</a>		
<a href="#">remotegui.zip: angularjs.jar: angular-locale_te.js</a>		
<a href="#">remotegui.zip: angularjs.jar: angular-locale_teo-ke.js</a>		
<a href="#">remotegui.zip: angularjs.jar: angular-locale_teo-ug.js</a>		
<a href="#">remotegui.zip: angularjs.jar: angular-locale_teo.js</a>		
<a href="#">remotegui.zip: angularjs.jar: angular-locale_th-th.js</a>		
<a href="#">remotegui.zip: angularjs.jar: angular-locale_th.js</a>		
<a href="#">remotegui.zip: angularjs.jar: angular-locale_ti-er.js</a>		
<a href="#">remotegui.zip: angularjs.jar: angular-locale_ti-et.js</a>		
<a href="#">remotegui.zip: angularjs.jar: angular-locale_ti.js</a>		
<a href="#">remotegui.zip: angularjs.jar: angular-locale_tk-tm.js</a>		
<a href="#">remotegui.zip: angularjs.jar: angular-locale_tk.js</a>		
<a href="#">remotegui.zip: angularjs.jar: angular-locale_tl.js</a>		
<a href="#">remotegui.zip: angularjs.jar: angular-locale_to-to.js</a>		
<a href="#">remotegui.zip: angularjs.jar: angular-locale_to.js</a>		
<a href="#">remotegui.zip: angularjs.jar: angular-locale_tr-cy.js</a>		
<a href="#">remotegui.zip: angularjs.jar: angular-locale_tr-tr.js</a>		
<a href="#">remotegui.zip: angularjs.jar: angular-locale_tr.js</a>		
<a href="#">remotegui.zip: angularjs.jar: angular-locale_twq-ne.js</a>		
<a href="#">remotegui.zip: angularjs.jar: angular-locale_twq.js</a>		
<a href="#">remotegui.zip: angularjs.jar: angular-locale_tzm-ma.js</a>		



<a href="#">remotegui.zip: angularjs.jar: angular-locale_tzm.js</a>		
<a href="#">remotegui.zip: angularjs.jar: angular-locale_ug-cn.js</a>		
<a href="#">remotegui.zip: angularjs.jar: angular-locale_ug.js</a>		
<a href="#">remotegui.zip: angularjs.jar: angular-locale_uk-ua.js</a>		
<a href="#">remotegui.zip: angularjs.jar: angular-locale_uk.js</a>		
<a href="#">remotegui.zip: angularjs.jar: angular-locale_ur-in.js</a>		
<a href="#">remotegui.zip: angularjs.jar: angular-locale_ur-pk.js</a>		
<a href="#">remotegui.zip: angularjs.jar: angular-locale_ur.js</a>		
<a href="#">remotegui.zip: angularjs.jar: angular-locale_uz-arab-af.js</a>		
<a href="#">remotegui.zip: angularjs.jar: angular-locale_uz-arab.js</a>		
<a href="#">remotegui.zip: angularjs.jar: angular-locale_uz-cyrl-uz.js</a>		
<a href="#">remotegui.zip: angularjs.jar: angular-locale_uz-cyrl.js</a>		
<a href="#">remotegui.zip: angularjs.jar: angular-locale_uz-latn-uz.js</a>		
<a href="#">remotegui.zip: angularjs.jar: angular-locale_uz-latn.js</a>		
<a href="#">remotegui.zip: angularjs.jar: angular-locale_uz.js</a>		
<a href="#">remotegui.zip: angularjs.jar: angular-locale_vai-latn-lr.js</a>		
<a href="#">remotegui.zip: angularjs.jar: angular-locale_vai-latn.js</a>		
<a href="#">remotegui.zip: angularjs.jar: angular-locale_vai-vaii-lr.js</a>		
<a href="#">remotegui.zip: angularjs.jar: angular-locale_vai-vaii.js</a>		
<a href="#">remotegui.zip: angularjs.jar: angular-locale_vai.js</a>		
<a href="#">remotegui.zip: angularjs.jar: angular-locale_vi-vn.js</a>		
<a href="#">remotegui.zip: angularjs.jar: angular-locale_vi.js</a>		
<a href="#">remotegui.zip: angularjs.jar: angular-locale_vo-001.js</a>		
<a href="#">remotegui.zip: angularjs.jar: angular-locale_vo.js</a>		
<a href="#">remotegui.zip: angularjs.jar: angular-locale_vun-tz.js</a>		
<a href="#">remotegui.zip: angularjs.jar: angular-locale_vun.js</a>		
<a href="#">remotegui.zip: angularjs.jar: angular-locale_wae-ch.js</a>		
<a href="#">remotegui.zip: angularjs.jar: angular-locale_wae.js</a>		
<a href="#">remotegui.zip: angularjs.jar: angular-locale_xog-ug.js</a>		
<a href="#">remotegui.zip: angularjs.jar: angular-locale_xog.js</a>		
<a href="#">remotegui.zip: angularjs.jar: angular-locale_yav-cm.js</a>		
<a href="#">remotegui.zip: angularjs.jar: angular-locale_yav.js</a>		
<a href="#">remotegui.zip: angularjs.jar: angular-locale_yi-001.js</a>		
<a href="#">remotegui.zip: angularjs.jar: angular-locale_yi.js</a>		



<a href="#">remotegui.zip: angularjs.jar: angular-locale_yo-bj.js</a>		
<a href="#">remotegui.zip: angularjs.jar: angular-locale_yo-ng.js</a>		
<a href="#">remotegui.zip: angularjs.jar: angular-locale_yo.js</a>		
<a href="#">remotegui.zip: angularjs.jar: angular-locale_yue-hk.js</a>		
<a href="#">remotegui.zip: angularjs.jar: angular-locale_yue.js</a>		
<a href="#">remotegui.zip: angularjs.jar: angular-locale_zgh-ma.js</a>		
<a href="#">remotegui.zip: angularjs.jar: angular-locale_zgh.js</a>		
<a href="#">remotegui.zip: angularjs.jar: angular-locale_zh-cn.js</a>		
<a href="#">remotegui.zip: angularjs.jar: angular-locale_zh-hans-cn.js</a>		
<a href="#">remotegui.zip: angularjs.jar: angular-locale_zh-hans-hk.js</a>		
<a href="#">remotegui.zip: angularjs.jar: angular-locale_zh-hans-mo.js</a>		
<a href="#">remotegui.zip: angularjs.jar: angular-locale_zh-hans-sg.js</a>		
<a href="#">remotegui.zip: angularjs.jar: angular-locale_zh-hans.js</a>		
<a href="#">remotegui.zip: angularjs.jar: angular-locale_zh-hant-hk.js</a>		
<a href="#">remotegui.zip: angularjs.jar: angular-locale_zh-hant-mo.js</a>		
<a href="#">remotegui.zip: angularjs.jar: angular-locale_zh-hant-tw.js</a>		
<a href="#">remotegui.zip: angularjs.jar: angular-locale_zh-hant.js</a>		
<a href="#">remotegui.zip: angularjs.jar: angular-locale_zh-hk.js</a>		
<a href="#">remotegui.zip: angularjs.jar: angular-locale_zh-tw.js</a>		
<a href="#">remotegui.zip: angularjs.jar: angular-locale_zh.js</a>		
<a href="#">remotegui.zip: angularjs.jar: angular-locale_zu-za.js</a>		
<a href="#">remotegui.zip: angularjs.jar: angular-locale_zu.js</a>		
<a href="#">remotegui.zip: angularjs.jar: webjars-requirejs.js</a>		
<a href="#">remotegui.zip: bootstrap.jar</a>		<a href="#">pkg:javascript/bootstrap@</a> <a href="#">pkg:maven/com.webjars/bootstrap@</a>
<a href="#">remotegui.zip: bootstrap.jar: affix.js</a>		
<a href="#">remotegui.zip: bootstrap.jar: alert.js</a>		
<a href="#">remotegui.zip: bootstrap.jar: button.js</a>		
<a href="#">remotegui.zip: bootstrap.jar: carousel.js</a>		
<a href="#">remotegui.zip: bootstrap.jar: collapse.js</a>		



<a href="#">remotegui.zip: bootstrap.jar: dropdown.js</a>		
<a href="#">remotegui.zip: bootstrap.jar: modal.js</a>		
<a href="#">remotegui.zip: bootstrap.jar: npm.js</a>		
<a href="#">remotegui.zip: bootstrap.jar: popover.js</a>		
<a href="#">remotegui.zip: bootstrap.jar: scrollspy.js</a>		
<a href="#">remotegui.zip: bootstrap.jar: tab.js</a>		
<a href="#">remotegui.zip: bootstrap.jar: tooltip.js</a>		
<a href="#">remotegui.zip: bootstrap.jar: transition.js</a>		
<a href="#">remotegui.zip: bootstrap.jar: webjars-requirejs.js</a>		
<a href="#">remotegui.zip: codemirror.jar</a>	<a href="#">cpe:2.3:a:codemirror:codemirror:6.65.7:*.***.*</a>	<a href="#">pkg:maven/webjars/npm/codemirror@65.7</a>
<a href="#">remotegui.zip: codemirror.jar: CodeMirror.js</a>		
<a href="#">remotegui.zip: codemirror.jar: ContentEditableInput.js</a>		
<a href="#">remotegui.zip: codemirror.jar: Display.js</a>		
<a href="#">remotegui.zip: codemirror.jar: Doc.js</a>		
<a href="#">remotegui.zip: codemirror.jar: StringStream.js</a>		
<a href="#">remotegui.zip: codemirror.jar: TextareaInput.js</a>		
<a href="#">remotegui.zip: codemirror.jar: active-line.js</a>		
<a href="#">remotegui.zip: codemirror.jar: annotatescrollbar.js</a>		
<a href="#">remotegui.zip: codemirror.jar: anyword-hint.js</a>		
<a href="#">remotegui.zip: codemirror.jar: apl.js</a>		
<a href="#">remotegui.zip: codemirror.jar: asciiarmor.js</a>		
<a href="#">remotegui.zip: codemirror.jar: asn.1.js</a>		
<a href="#">remotegui.zip: codemirror.jar: asterisk.js</a>		
<a href="#">remotegui.zip: codemirror.jar: autorefresh.js</a>		
<a href="#">remotegui.zip: codemirror.jar: bidi.js</a>		
<a href="#">remotegui.zip: codemirror.jar: brace-fold.js</a>		
<a href="#">remotegui.zip: codemirror.jar: brainfuck.js</a>		
<a href="#">remotegui.zip: codemirror.jar: browser.js</a>		
<a href="#">remotegui.zip: codemirror.jar: change_measurement.js</a>		
<a href="#">remotegui.zip: codemirror.jar: changes.js</a>		
<a href="#">remotegui.zip: codemirror.jar: chunk.js</a>		
<a href="#">remotegui.zip: codemirror.jar: clike.js</a>		
<a href="#">remotegui.zip: codemirror.jar: clojure.js</a>		
<a href="#">remotegui.zip: codemirror.jar: closebrackets.js</a>		



<a href="#">remotegui.zip: codemirror.jar: closetag.js</a>		
<a href="#">remotegui.zip: codemirror.jar: cmake.js</a>		
<a href="#">remotegui.zip: codemirror.jar: cobol.js</a>		
<a href="#">remotegui.zip: codemirror.jar: codemirror-standalone.js</a>		
<a href="#">remotegui.zip: codemirror.jar: codemirror.js</a>		
<a href="#">remotegui.zip: codemirror.jar: codemirror.js</a>		
<a href="#">remotegui.zip: codemirror.jar: codemirror.node.js</a>		
<a href="#">remotegui.zip: codemirror.jar: coffeescript-lint.js</a>		
<a href="#">remotegui.zip: codemirror.jar: coffeescript.js</a>		
<a href="#">remotegui.zip: codemirror.jar: colorize.js</a>		
<a href="#">remotegui.zip: codemirror.jar: commands.js</a>		
<a href="#">remotegui.zip: codemirror.jar: comment-fold.js</a>		
<a href="#">remotegui.zip: codemirror.jar: comment.js</a>		
<a href="#">remotegui.zip: codemirror.jar: commonlisp.js</a>		
<a href="#">remotegui.zip: codemirror.jar: continuecomment.js</a>		
<a href="#">remotegui.zip: codemirror.jar: continuelist.js</a>		
<a href="#">remotegui.zip: codemirror.jar: crystal.js</a>		
<a href="#">remotegui.zip: codemirror.jar: css-hint.js</a>		
<a href="#">remotegui.zip: codemirror.jar: css-lint.js</a>		
<a href="#">remotegui.zip: codemirror.jar: css.js</a>		
<a href="#">remotegui.zip: codemirror.jar: cypher.js</a>		
<a href="#">remotegui.zip: codemirror.jar: d.js</a>		
<a href="#">remotegui.zip: codemirror.jar: dart.js</a>		
<a href="#">remotegui.zip: codemirror.jar: deleteNearSelection.js</a>		
<a href="#">remotegui.zip: codemirror.jar: dialog.js</a>		
<a href="#">remotegui.zip: codemirror.jar: diff.js</a>		
<a href="#">remotegui.zip: codemirror.jar: django.js</a>		
<a href="#">remotegui.zip: codemirror.jar: dockerfile.js</a>		
<a href="#">remotegui.zip: codemirror.jar: document_data.js</a>		
<a href="#">remotegui.zip: codemirror.jar: dom.js</a>		
<a href="#">remotegui.zip: codemirror.jar: drop_events.js</a>		
<a href="#">remotegui.zip: codemirror.jar: dtd.js</a>		
<a href="#">remotegui.zip: codemirror.jar: dylan.js</a>		
<a href="#">remotegui.zip: codemirror.jar: ebnf.js</a>		
<a href="#">remotegui.zip: codemirror.jar: ecl.js</a>		



[remotegui.zip: codemirror.jar: eiffel.js](#)

[remotegui.zip: codemirror.jar: elm.js](#)

[remotegui.zip: codemirror.jar: emacs.js](#)

[remotegui.zip: codemirror.jar: erlang.js](#)

[remotegui.zip: codemirror.jar: event.js](#)

[remotegui.zip: codemirror.jar: factor.js](#)

[remotegui.zip: codemirror.jar: fcl.js](#)

[remotegui.zip: codemirror.jar: feature\\_detection.js](#)

[remotegui.zip: codemirror.jar: focus.js](#)

[remotegui.zip: codemirror.jar: foldcode.js](#)

[remotegui.zip: codemirror.jar: foldgutter.js](#)

[remotegui.zip: codemirror.jar: forth.js](#)

[remotegui.zip: codemirror.jar: fortran.js](#)

[remotegui.zip: codemirror.jar: fromTextArea.js](#)

[remotegui.zip: codemirror.jar: fullscreen.js](#)

[remotegui.zip: codemirror.jar: gas.js](#)

[remotegui.zip: codemirror.jar: gfm.js](#)

[remotegui.zip: codemirror.jar: gherkin.js](#)

[remotegui.zip: codemirror.jar: global\\_events.js](#)

[remotegui.zip: codemirror.jar: go.js](#)

[remotegui.zip: codemirror.jar: groovy.js](#)

[remotegui.zip: codemirror.jar: gutters.js](#)

[remotegui.zip: codemirror.jar: haml.js](#)

[remotegui.zip: codemirror.jar: handlebars.js](#)

[remotegui.zip: codemirror.jar: hardwrap.js](#)

[remotegui.zip: codemirror.jar: haskell-literate.js](#)

[remotegui.zip: codemirror.jar: haskell.js](#)

[remotegui.zip: codemirror.jar: haxe.js](#)

[remotegui.zip: codemirror.jar: highlight.js](#)

[remotegui.zip: codemirror.jar: highlight\\_worker.js](#)

[remotegui.zip: codemirror.jar: history.js](#)

[remotegui.zip: codemirror.jar: html-hint.js](#)

[remotegui.zip: codemirror.jar: html-lint.js](#)

[remotegui.zip: codemirror.jar: htmlembdedded.js](#)

[remotegui.zip: codemirror.jar: htmlmixed.js](#)



<a href="#">remotegui.zip: codemirror.jar: http.js</a>		
<a href="#">remotegui.zip: codemirror.jar: idl.js</a>		
<a href="#">remotegui.zip: codemirror.jar: indent-fold.js</a>		
<a href="#">remotegui.zip: codemirror.jar: indent.js</a>		
<a href="#">remotegui.zip: codemirror.jar: input.js</a>		
<a href="#">remotegui.zip: codemirror.jar: javascript-hint.js</a>		
<a href="#">remotegui.zip: codemirror.jar: javascript-lint.js</a>		
<a href="#">remotegui.zip: codemirror.jar: javascript.js</a>		
<a href="#">remotegui.zip: codemirror.jar: jinja2.js</a>		
<a href="#">remotegui.zip: codemirror.jar: json-lint.js</a>		
<a href="#">remotegui.zip: codemirror.jar: jsx.js</a>		
<a href="#">remotegui.zip: codemirror.jar: julia.js</a>		
<a href="#">remotegui.zip: codemirror.jar: jump-to-line.js</a>		
<a href="#">remotegui.zip: codemirror.jar: key_events.js</a>		
<a href="#">remotegui.zip: codemirror.jar: keymap.js</a>		
<a href="#">remotegui.zip: codemirror.jar: keynames.js</a>		
<a href="#">remotegui.zip: codemirror.jar: legacy.js</a>		
<a href="#">remotegui.zip: codemirror.jar: line_data.js</a>		
<a href="#">remotegui.zip: codemirror.jar: line_numbers.js</a>		
<a href="#">remotegui.zip: codemirror.jar: line_widget.js</a>		
<a href="#">remotegui.zip: codemirror.jar: lint.js</a>		
<a href="#">remotegui.zip: codemirror.jar: livescript.js</a>		
<a href="#">remotegui.zip: codemirror.jar: loadmode.js</a>		
<a href="#">remotegui.zip: codemirror.jar: lua.js</a>		
<a href="#">remotegui.zip: codemirror.jar: main.js</a>		
<a href="#">remotegui.zip: codemirror.jar: mark-selection.js</a>		
<a href="#">remotegui.zip: codemirror.jar: mark_text.js</a>		
<a href="#">remotegui.zip: codemirror.jar: markdown-fold.js</a>		
<a href="#">remotegui.zip: codemirror.jar: markdown.js</a>		
<a href="#">remotegui.zip: codemirror.jar: match-highlighter.js</a>		
<a href="#">remotegui.zip: codemirror.jar: matchbrackets.js</a>		
<a href="#">remotegui.zip: codemirror.jar: matchesonscrollbar.js</a>		
<a href="#">remotegui.zip: codemirror.jar: matchtags.js</a>		
<a href="#">remotegui.zip: codemirror.jar: mathematica.js</a>		
<a href="#">remotegui.zip: codemirror.jar: mbox.js</a>		



[remotegui.zip: codemirror.jar: merge.js](#)

[remotegui.zip: codemirror.jar: meta.js](#)

[remotegui.zip: codemirror.jar: methods.js](#)

[remotegui.zip: codemirror.jar: mirc.js](#)

[remotegui.zip: codemirror.jar: misc.js](#)

[remotegui.zip: codemirror.jar: mllike.js](#)

[remotegui.zip: codemirror.jar: mode\\_state.js](#)

[remotegui.zip: codemirror.jar: modelica.js](#)

[remotegui.zip: codemirror.jar: modes.js](#)

[remotegui.zip: codemirror.jar: mouse\\_events.js](#)

[remotegui.zip: codemirror.jar: movement.js](#)

[remotegui.zip: codemirror.jar: mscgen.js](#)

[remotegui.zip: codemirror.jar: multiplex.js](#)

[remotegui.zip: codemirror.jar: multiplex\\_test.js](#)

[remotegui.zip: codemirror.jar: mumps.js](#)

[remotegui.zip: codemirror.jar: nginx.js](#)

[remotegui.zip: codemirror.jar: nsis.js](#)

[remotegui.zip: codemirror.jar: ntriples.js](#)

[remotegui.zip: codemirror.jar: octave.js](#)

[remotegui.zip: codemirror.jar: operation\\_group.js](#)

[remotegui.zip: codemirror.jar: operations.js](#)

[remotegui.zip: codemirror.jar: options.js](#)

[remotegui.zip: codemirror.jar: overlay.js](#)

[remotegui.zip: codemirror.jar: oz.js](#)

[remotegui.zip: codemirror.jar: package.json](#)

[remotegui.zip: codemirror.jar: panel.js](#)

[remotegui.zip: codemirror.jar: pascal.js](#)

[remotegui.zip: codemirror.jar: pegjs.js](#)

[remotegui.zip: codemirror.jar: perl.js](#)

[remotegui.zip: codemirror.jar: php.js](#)

[remotegui.zip: codemirror.jar: pig.js](#)

[remotegui.zip: codemirror.jar: placeholder.js](#)

[remotegui.zip: codemirror.jar: pos.js](#)

[remotegui.zip: codemirror.jar: position\\_measurement.js](#)

[remotegui.zip: codemirror.jar: powershell.js](#)



<a href="#">remotegui.zip: codemirror.jar: properties.js</a>		
<a href="#">remotegui.zip: codemirror.jar: protobuf.js</a>		
<a href="#">remotegui.zip: codemirror.jar: pug.js</a>		
<a href="#">remotegui.zip: codemirror.jar: puppet.js</a>		
<a href="#">remotegui.zip: codemirror.jar: python.js</a>		
<a href="#">remotegui.zip: codemirror.jar: q.js</a>		
<a href="#">remotegui.zip: codemirror.jar: r.js</a>		
<a href="#">remotegui.zip: codemirror.jar: rollup.config.js</a>		
<a href="#">remotegui.zip: codemirror.jar: rpm.js</a>		
<a href="#">remotegui.zip: codemirror.jar: rst.js</a>		
<a href="#">remotegui.zip: codemirror.jar: ruby.js</a>		
<a href="#">remotegui.zip: codemirror.jar: rulers.js</a>		
<a href="#">remotegui.zip: codemirror.jar: runmode-standalone.js</a>		
<a href="#">remotegui.zip: codemirror.jar: runmode-standalone.js</a>		
<a href="#">remotegui.zip: codemirror.jar: runmode.js</a>		
<a href="#">remotegui.zip: codemirror.jar: runmode.node.js</a>		
<a href="#">remotegui.zip: codemirror.jar: runmode.node.js</a>		
<a href="#">remotegui.zip: codemirror.jar: rust.js</a>		
<a href="#">remotegui.zip: codemirror.jar: sas.js</a>		
<a href="#">remotegui.zip: codemirror.jar: sass.js</a>		
<a href="#">remotegui.zip: codemirror.jar: saw_special_spans.js</a>		
<a href="#">remotegui.zip: codemirror.jar: scheme.js</a>		
<a href="#">remotegui.zip: codemirror.jar: scroll_events.js</a>		
<a href="#">remotegui.zip: codemirror.jar: scrollbar.js</a>		
<a href="#">remotegui.zip: codemirror.jar: scrolling.js</a>		
<a href="#">remotegui.zip: codemirror.jar: scrollpastend.js</a>		
<a href="#">remotegui.zip: codemirror.jar: search.js</a>		
<a href="#">remotegui.zip: codemirror.jar: searchcursor.js</a>		
<a href="#">remotegui.zip: codemirror.jar: selection-pointer.js</a>		
<a href="#">remotegui.zip: codemirror.jar: selection.js</a>		
<a href="#">remotegui.zip: codemirror.jar: selection.js</a>		
<a href="#">remotegui.zip: codemirror.jar: selection_updates.js</a>		
<a href="#">remotegui.zip: codemirror.jar: shell.js</a>		
<a href="#">remotegui.zip: codemirror.jar: show-hint.js</a>		
<a href="#">remotegui.zip: codemirror.jar: sieve.js</a>		



[remotegui.zip: codemirror.jar: simple.js](#)

[remotegui.zip: codemirror.jar: simplescrollbars.js](#)

[remotegui.zip: codemirror.jar: slim.js](#)

[remotegui.zip: codemirror.jar: smalltalk.js](#)

[remotegui.zip: codemirror.jar: smarty.js](#)

[remotegui.zip: codemirror.jar: solr.js](#)

[remotegui.zip: codemirror.jar: soy.js](#)

[remotegui.zip: codemirror.jar: spans.js](#)

[remotegui.zip: codemirror.jar: sparql.js](#)

[remotegui.zip: codemirror.jar: spreadsheet.js](#)

[remotegui.zip: codemirror.jar: sql-hint.js](#)

[remotegui.zip: codemirror.jar: sql.js](#)

[remotegui.zip: codemirror.jar: stex.js](#)

[remotegui.zip: codemirror.jar: stylus.js](#)

[remotegui.zip: codemirror.jar: sublime.js](#)

[remotegui.zip: codemirror.jar: swift.js](#)

[remotegui.zip: codemirror.jar: tcl.js](#)

[remotegui.zip: codemirror.jar: tern.js](#)

[remotegui.zip: codemirror.jar: textile.js](#)

[remotegui.zip: codemirror.jar: tiddlywiki.js](#)

[remotegui.zip: codemirror.jar: tiki.js](#)

[remotegui.zip: codemirror.jar: toml.js](#)

[remotegui.zip: codemirror.jar: tornado.js](#)

[remotegui.zip: codemirror.jar: trailingspace.js](#)

[remotegui.zip: codemirror.jar: troff.js](#)

[remotegui.zip: codemirror.jar: ttcn-cfg.js](#)

[remotegui.zip: codemirror.jar: ttcn.js](#)

[remotegui.zip: codemirror.jar: turtle.js](#)

[remotegui.zip: codemirror.jar: twig.js](#)

[remotegui.zip: codemirror.jar: update\\_display.js](#)

[remotegui.zip: codemirror.jar: update\\_line.js](#)

[remotegui.zip: codemirror.jar: update\\_lines.js](#)

[remotegui.zip: codemirror.jar: utils.js](#)

[remotegui.zip: codemirror.jar: utils\\_line.js](#)

[remotegui.zip: codemirror.jar: vb.js](#)



<a href="#">remotegui.zip: codemirror.jar: vbscript.js</a>		
<a href="#">remotegui.zip: codemirror.jar: velocity.js</a>		
<a href="#">remotegui.zip: codemirror.jar: verilog.js</a>		
<a href="#">remotegui.zip: codemirror.jar: vhdl.js</a>		
<a href="#">remotegui.zip: codemirror.jar: view_tracking.js</a>		
<a href="#">remotegui.zip: codemirror.jar: vim.js</a>		
<a href="#">remotegui.zip: codemirror.jar: vue.js</a>		
<a href="#">remotegui.zip: codemirror.jar: wast.js</a>		
<a href="#">remotegui.zip: codemirror.jar: webidl.js</a>		
<a href="#">remotegui.zip: codemirror.jar: widgets.js</a>		
<a href="#">remotegui.zip: codemirror.jar: worker.js</a>		
<a href="#">remotegui.zip: codemirror.jar: xml-fold.js</a>		
<a href="#">remotegui.zip: codemirror.jar: xml-hint.js</a>		
<a href="#">remotegui.zip: codemirror.jar: xml.js</a>		
<a href="#">remotegui.zip: codemirror.jar: xquery.js</a>		
<a href="#">remotegui.zip: codemirror.jar: yacas.js</a>		
<a href="#">remotegui.zip: codemirror.jar: yaml-frontmatter.js</a>		
<a href="#">remotegui.zip: codemirror.jar: yaml-lint.js</a>		
<a href="#">remotegui.zip: codemirror.jar: yaml.js</a>		
<a href="#">remotegui.zip: codemirror.jar: z80.js</a>		
<a href="#">remotegui.zip: commons-fileupload.jar</a>	<a href="#">cpe:2.3:a:apache:commons_fileupload:1.5:*:*:*:*:*</a>	<a href="#">pkg:maven/commons-fileupload/commons-fileupload@</a>
<a href="#">remotegui.zip: cryptojs.jar</a>		<a href="#">pkg:maven/webjars/cryptojs@3</a>
<a href="#">remotegui.zip: cryptojs.jar: aes-min.js</a>		
<a href="#">remotegui.zip: cryptojs.jar: aes.js</a>		
<a href="#">remotegui.zip: cryptojs.jar: aes.js</a>		
<a href="#">remotegui.zip: cryptojs.jar: cipher-core-min.js</a>		
<a href="#">remotegui.zip: cryptojs.jar: cipher-core.js</a>		
<a href="#">remotegui.zip: cryptojs.jar: core-min.js</a>		
<a href="#">remotegui.zip: cryptojs.jar: core.js</a>		
<a href="#">remotegui.zip: cryptojs.jar: enc-base64-min.js</a>		
<a href="#">remotegui.zip: cryptojs.jar: enc-base64.js</a>		
<a href="#">remotegui.zip: cryptojs.jar: enc-utf16-min.js</a>		



<a href="#">remotegui.zip: cryptojs.jar: enc-utf16.js</a>		
<a href="#">remotegui.zip: cryptojs.jar: evpkdf-min.js</a>		
<a href="#">remotegui.zip: cryptojs.jar: evpkdf.js</a>		
<a href="#">remotegui.zip: cryptojs.jar: format-hex-min.js</a>		
<a href="#">remotegui.zip: cryptojs.jar: format-hex.js</a>		
<a href="#">remotegui.zip: cryptojs.jar: hmac-md5.js</a>		
<a href="#">remotegui.zip: cryptojs.jar: hmac-min.js</a>		
<a href="#">remotegui.zip: cryptojs.jar: hmac-ripemd160.js</a>		
<a href="#">remotegui.zip: cryptojs.jar: hmac-sha1.js</a>		
<a href="#">remotegui.zip: cryptojs.jar: hmac-sha224.js</a>		
<a href="#">remotegui.zip: cryptojs.jar: hmac-sha256.js</a>		
<a href="#">remotegui.zip: cryptojs.jar: hmac-sha3.js</a>		
<a href="#">remotegui.zip: cryptojs.jar: hmac-sha384.js</a>		
<a href="#">remotegui.zip: cryptojs.jar: hmac-sha512.js</a>		
<a href="#">remotegui.zip: cryptojs.jar: hmac.js</a>		
<a href="#">remotegui.zip: cryptojs.jar: lib-typedarrays-min.js</a>		
<a href="#">remotegui.zip: cryptojs.jar: lib-typedarrays.js</a>		
<a href="#">remotegui.zip: cryptojs.jar: md5-min.js</a>		
<a href="#">remotegui.zip: cryptojs.jar: md5.js</a>		
<a href="#">remotegui.zip: cryptojs.jar: md5.js</a>		
<a href="#">remotegui.zip: cryptojs.jar: mode-cfb-min.js</a>		
<a href="#">remotegui.zip: cryptojs.jar: mode-cfb.js</a>		
<a href="#">remotegui.zip: cryptojs.jar: mode-ctr-gladman-min.js</a>		
<a href="#">remotegui.zip: cryptojs.jar: mode-ctr-gladman.js</a>		
<a href="#">remotegui.zip: cryptojs.jar: mode-ctr-min.js</a>		
<a href="#">remotegui.zip: cryptojs.jar: mode-ctr.js</a>		
<a href="#">remotegui.zip: cryptojs.jar: mode-ecb-min.js</a>		
<a href="#">remotegui.zip: cryptojs.jar: mode-ecb.js</a>		
<a href="#">remotegui.zip: cryptojs.jar: mode-ofb-min.js</a>		
<a href="#">remotegui.zip: cryptojs.jar: mode-ofb.js</a>		
<a href="#">remotegui.zip: cryptojs.jar: pad-ansix923-min.js</a>		
<a href="#">remotegui.zip: cryptojs.jar: pad-ansix923.js</a>		
<a href="#">remotegui.zip: cryptojs.jar: pad-iso10126-min.js</a>		
<a href="#">remotegui.zip: cryptojs.jar: pad-iso10126.js</a>		
<a href="#">remotegui.zip: cryptojs.jar: pad-iso97971-min.js</a>		



[remotegui.zip: cryptojs.jar: pad-iso97971.js](#)

[remotegui.zip: cryptojs.jar: pad-nopadding-min.js](#)

[remotegui.zip: cryptojs.jar: pad-nopadding.js](#)

[remotegui.zip: cryptojs.jar: pad-zeropadding-min.js](#)

[remotegui.zip: cryptojs.jar: pad-zeropadding.js](#)

[remotegui.zip: cryptojs.jar: pbkdf2-min.js](#)

[remotegui.zip: cryptojs.jar: pbkdf2.js](#)

[remotegui.zip: cryptojs.jar: pbkdf2.js](#)

[remotegui.zip: cryptojs.jar: rabbit-legacy-min.js](#)

[remotegui.zip: cryptojs.jar: rabbit-legacy.js](#)

[remotegui.zip: cryptojs.jar: rabbit-legacy.js](#)

[remotegui.zip: cryptojs.jar: rabbit-min.js](#)

[remotegui.zip: cryptojs.jar: rabbit.js](#)

[remotegui.zip: cryptojs.jar: rabbit.js](#)

[remotegui.zip: cryptojs.jar: rc4-min.js](#)

[remotegui.zip: cryptojs.jar: rc4.js](#)

[remotegui.zip: cryptojs.jar: rc4.js](#)

[remotegui.zip: cryptojs.jar: ripemd160-min.js](#)

[remotegui.zip: cryptojs.jar: ripemd160.js](#)

[remotegui.zip: cryptojs.jar: ripemd160.js](#)

[remotegui.zip: cryptojs.jar: sha1-min.js](#)

[remotegui.zip: cryptojs.jar: sha1.js](#)

[remotegui.zip: cryptojs.jar: sha1.js](#)

[remotegui.zip: cryptojs.jar: sha224-min.js](#)

[remotegui.zip: cryptojs.jar: sha224.js](#)

[remotegui.zip: cryptojs.jar: sha224.js](#)

[remotegui.zip: cryptojs.jar: sha256-min.js](#)

[remotegui.zip: cryptojs.jar: sha256.js](#)

[remotegui.zip: cryptojs.jar: sha256.js](#)

[remotegui.zip: cryptojs.jar: sha3-min.js](#)

[remotegui.zip: cryptojs.jar: sha3.js](#)

[remotegui.zip: cryptojs.jar: sha3.js](#)

[remotegui.zip: cryptojs.jar: sha384-min.js](#)

[remotegui.zip: cryptojs.jar: sha384.js](#)

[remotegui.zip: cryptojs.jar: sha384.js](#)



<a href="#">remotegui.zip: cryptojs.jar: sha512-min.js</a>		
<a href="#">remotegui.zip: cryptojs.jar: sha512.js</a>		
<a href="#">remotegui.zip: cryptojs.jar: sha512.js</a>		
<a href="#">remotegui.zip: cryptojs.jar: tripledes-min.js</a>		
<a href="#">remotegui.zip: cryptojs.jar: tripledes.js</a>		
<a href="#">remotegui.zip: cryptojs.jar: tripledes.js</a>		
<a href="#">remotegui.zip: cryptojs.jar: x64-core-min.js</a>		
<a href="#">remotegui.zip: cryptojs.jar: x64-core.js</a>		
<a href="#">remotegui.zip: echo2-app.jar</a>	<a href="#">cpe:2.3:a:nextapp:echo:2.1.1:*:*:*:*:*</a>	<a href="#">pkg:maven/cnextapp/echo2-app@2.1.1</a>
<a href="#">remotegui.zip: echo2-webcontainer.jar: BrowserCommand.js</a>		
<a href="#">remotegui.zip: echo2-webcontainer.jar: Button.js</a>		
<a href="#">remotegui.zip: echo2-webcontainer.jar: ContentPane.js</a>		
<a href="#">remotegui.zip: echo2-webcontainer.jar: ListComponent.js</a>		
<a href="#">remotegui.zip: echo2-webcontainer.jar: SplitPane.js</a>		
<a href="#">remotegui.zip: echo2-webcontainer.jar: Table.js</a>		
<a href="#">remotegui.zip: echo2-webcontainer.jar: TextComponent.js</a>		
<a href="#">remotegui.zip: echo2-webcontainer.jar: WebContainer.js</a>		
<a href="#">remotegui.zip: echo2-webcontainer.jar: WindowPane.js</a>		
<a href="#">remotegui.zip: echo2-webrender.jar: ClientEngine.js</a>		
<a href="#">remotegui.zip: echo2extras-app.jar</a>	<a href="#">cpe:2.3:a:nextapp:echo:2.1.0:*:*:*:*:*</a>	<a href="#">pkg:maven/cnextapp/echo2extras-app@2.1.0</a>
<a href="#">remotegui.zip: echo2extras-webcontainer.jar: AccordionPane.js</a>		
<a href="#">remotegui.zip: echo2extras-webcontainer.jar: CalendarSelect.js</a>		
<a href="#">remotegui.zip: echo2extras-webcontainer.jar: ColorSelect.js</a>		
<a href="#">remotegui.zip: echo2extras-webcontainer.jar: DND.js</a>		
<a href="#">remotegui.zip: echo2extras-webcontainer.jar: ExtrasUtil.js</a>		
<a href="#">remotegui.zip: echo2extras-webcontainer.jar: Menu.js</a>		
<a href="#">remotegui.zip: echo2extras-webcontainer.jar: TabPane.js</a>		
<a href="#">remotegui.zip: echo2extras-webcontainer.jar: TransitionPane.js</a>		



<a href="#">remotegui.zip: echopointng.jar</a>		
<a href="#">remotegui.zip: echopointng.jar: blankcanvas.js</a>		
<a href="#">remotegui.zip: echopointng.jar: button.js</a>		
<a href="#">remotegui.zip: echopointng.jar: calculator.js</a>		
<a href="#">remotegui.zip: echopointng.jar: colorchooser.js</a>		
<a href="#">remotegui.zip: echopointng.jar: combobox.js</a>		
<a href="#">remotegui.zip: echopointng.jar: command.js</a>		
<a href="#">remotegui.zip: echopointng.jar: containerex.js</a>		
<a href="#">remotegui.zip: echopointng.jar: csscommand.js</a>		
<a href="#">remotegui.zip: echopointng.jar: datechooser.js</a>		
<a href="#">remotegui.zip: echopointng.jar: directhtml.js</a>		
<a href="#">remotegui.zip: echopointng.jar: ep.js</a>		
<a href="#">remotegui.zip: echopointng.jar: epdrag.js</a>		
<a href="#">remotegui.zip: echopointng.jar: epfx.js</a>		
<a href="#">remotegui.zip: echopointng.jar: epstretch.js</a>		
<a href="#">remotegui.zip: echopointng.jar: expandablesection.js</a>		
<a href="#">remotegui.zip: echopointng.jar: flyoutpane.js</a>		
<a href="#">remotegui.zip: echopointng.jar: historymonitor.js</a>		
<a href="#">remotegui.zip: echopointng.jar: keystroke.js</a>		
<a href="#">remotegui.zip: echopointng.jar: labelex.js</a>		
<a href="#">remotegui.zip: echopointng.jar: lightbox.js</a>		
<a href="#">remotegui.zip: echopointng.jar: livetable.js</a>		
<a href="#">remotegui.zip: echopointng.jar: lookupcache.js</a>		
<a href="#">remotegui.zip: echopointng.jar: menu.js</a>		
<a href="#">remotegui.zip: echopointng.jar: nativewindow.js</a>		
<a href="#">remotegui.zip: echopointng.jar: popup.js</a>		
<a href="#">remotegui.zip: echopointng.jar: rta.js</a>		
<a href="#">remotegui.zip: echopointng.jar: slider.js</a>		
<a href="#">remotegui.zip: echopointng.jar: stackedpaneex.js</a>		
<a href="#">remotegui.zip: echopointng.jar: tableex.js</a>		
<a href="#">remotegui.zip: echopointng.jar: templatepanel.js</a>		
<a href="#">remotegui.zip: echopointng.jar: textfieldex.js</a>		
<a href="#">remotegui.zip: echopointng.jar: titlebar.js</a>		
<a href="#">remotegui.zip: echopointng.jar: tree.js</a>		
<a href="#">remotegui.zip: jquery-ui.jar</a>		<a href="#">pkg:maven/</a>



		<a href="#">webjars/jquery@1.13.2</a>
<a href="#">remotegui.zip: jquery-ui.jar: jquery-ui.js</a>		
<a href="#">remotegui.zip: jquery-ui.jar: jquery-ui.min.js</a>		
<a href="#">remotegui.zip: jquery-ui.jar: package.json</a>		
<a href="#">remotegui.zip: jquery-ui.jar: webjars-requirejs.js</a>		
<a href="#">remotegui.zip: jquery.jar</a>		<a href="#">pkg:javascript/jquery@2.2</a> <a href="#">pkg:maven/webjars/jquery@2.2</a>
<a href="#">remotegui.zip: jquery.jar: webjars-requirejs.js</a>		
<a href="#">remotegui.zip: moment-timezone.jar</a>		<a href="#">pkg:maven/webjars.npm/moment-timezone@0</a>
<a href="#">remotegui.zip: moment-timezone.jar: index.js</a>		
<a href="#">remotegui.zip: moment-timezone.jar: moment-timezone-utils.js</a>		
<a href="#">remotegui.zip: moment-timezone.jar: moment-timezone-with-data-10-year-range.js</a>		
<a href="#">remotegui.zip: moment-timezone.jar: moment-timezone-with-data-10-year-range.min.js</a>		
<a href="#">remotegui.zip: moment-timezone.jar: moment-timezone-with-data-1970-2030.js</a>		
<a href="#">remotegui.zip: moment-timezone.jar: moment-timezone-with-data-1970-2030.min.js</a>		
<a href="#">remotegui.zip: moment-timezone.jar: moment-timezone-with-data-2012-2022.js</a>		
<a href="#">remotegui.zip: moment-timezone.jar: moment-timezone-with-data-2012-2022.min.js</a>		
<a href="#">remotegui.zip: moment-timezone.jar: moment-timezone-with-data.js</a>		
<a href="#">remotegui.zip: moment-timezone.jar: moment-timezone-with-data.min.js</a>		
<a href="#">remotegui.zip: moment-timezone.jar: moment-timezone.js</a>		
<a href="#">remotegui.zip: moment-timezone.jar: moment-timezone.min.js</a>		
<a href="#">remotegui.zip: moment-timezone.jar: package.json</a>		
<a href="#">remotegui.zip: momentjs.jar</a>		<a href="#">pkg:maven/webjars/momentjs@29.4</a>
<a href="#">remotegui.zip: momentjs.jar: af.js</a>		
<a href="#">remotegui.zip: momentjs.jar: ar-dz.js</a>		



<a href="#">remotegui.zip: momentjs.jar: ar-kw.js</a>		
<a href="#">remotegui.zip: momentjs.jar: ar-ly.js</a>		
<a href="#">remotegui.zip: momentjs.jar: ar-ma.js</a>		
<a href="#">remotegui.zip: momentjs.jar: ar-sa.js</a>		
<a href="#">remotegui.zip: momentjs.jar: ar-tn.js</a>		
<a href="#">remotegui.zip: momentjs.jar: ar.js</a>		
<a href="#">remotegui.zip: momentjs.jar: az.js</a>		
<a href="#">remotegui.zip: momentjs.jar: be.js</a>		
<a href="#">remotegui.zip: momentjs.jar: bg.js</a>		
<a href="#">remotegui.zip: momentjs.jar: bm.js</a>		
<a href="#">remotegui.zip: momentjs.jar: bn-bd.js</a>		
<a href="#">remotegui.zip: momentjs.jar: bn.js</a>		
<a href="#">remotegui.zip: momentjs.jar: bo.js</a>		
<a href="#">remotegui.zip: momentjs.jar: br.js</a>		
<a href="#">remotegui.zip: momentjs.jar: bs.js</a>		
<a href="#">remotegui.zip: momentjs.jar: ca.js</a>		
<a href="#">remotegui.zip: momentjs.jar: cs.js</a>		
<a href="#">remotegui.zip: momentjs.jar: cv.js</a>		
<a href="#">remotegui.zip: momentjs.jar: cy.js</a>		
<a href="#">remotegui.zip: momentjs.jar: da.js</a>		
<a href="#">remotegui.zip: momentjs.jar: de-at.js</a>		
<a href="#">remotegui.zip: momentjs.jar: de-ch.js</a>		
<a href="#">remotegui.zip: momentjs.jar: de.js</a>		
<a href="#">remotegui.zip: momentjs.jar: dv.js</a>		
<a href="#">remotegui.zip: momentjs.jar: el.js</a>		
<a href="#">remotegui.zip: momentjs.jar: en-au.js</a>		
<a href="#">remotegui.zip: momentjs.jar: en-ca.js</a>		
<a href="#">remotegui.zip: momentjs.jar: en-gb.js</a>		
<a href="#">remotegui.zip: momentjs.jar: en-ie.js</a>		
<a href="#">remotegui.zip: momentjs.jar: en-il.js</a>		
<a href="#">remotegui.zip: momentjs.jar: en-in.js</a>		
<a href="#">remotegui.zip: momentjs.jar: en-nz.js</a>		
<a href="#">remotegui.zip: momentjs.jar: en-sg.js</a>		
<a href="#">remotegui.zip: momentjs.jar: eo.js</a>		
<a href="#">remotegui.zip: momentjs.jar: es-do.js</a>		



[remotegui.zip: momentjs.jar: es-mx.js](#)

[remotegui.zip: momentjs.jar: es-us.js](#)

[remotegui.zip: momentjs.jar: es.js](#)

[remotegui.zip: momentjs.jar: et.js](#)

[remotegui.zip: momentjs.jar: eu.js](#)

[remotegui.zip: momentjs.jar: fa.js](#)

[remotegui.zip: momentjs.jar: fi.js](#)

[remotegui.zip: momentjs.jar: fil.js](#)

[remotegui.zip: momentjs.jar: fo.js](#)

[remotegui.zip: momentjs.jar: fr-ca.js](#)

[remotegui.zip: momentjs.jar: fr-ch.js](#)

[remotegui.zip: momentjs.jar: fr.js](#)

[remotegui.zip: momentjs.jar: fy.js](#)

[remotegui.zip: momentjs.jar: ga.js](#)

[remotegui.zip: momentjs.jar: gd.js](#)

[remotegui.zip: momentjs.jar: gl.js](#)

[remotegui.zip: momentjs.jar: gom-deva.js](#)

[remotegui.zip: momentjs.jar: gom-latn.js](#)

[remotegui.zip: momentjs.jar: gu.js](#)

[remotegui.zip: momentjs.jar: he.js](#)

[remotegui.zip: momentjs.jar: hi.js](#)

[remotegui.zip: momentjs.jar: hr.js](#)

[remotegui.zip: momentjs.jar: hu.js](#)

[remotegui.zip: momentjs.jar: hy-am.js](#)

[remotegui.zip: momentjs.jar: id.js](#)

[remotegui.zip: momentjs.jar: is.js](#)

[remotegui.zip: momentjs.jar: it-ch.js](#)

[remotegui.zip: momentjs.jar: it.js](#)

[remotegui.zip: momentjs.jar: ja.js](#)

[remotegui.zip: momentjs.jar: jv.js](#)

[remotegui.zip: momentjs.jar: ka.js](#)

[remotegui.zip: momentjs.jar: kk.js](#)

[remotegui.zip: momentjs.jar: km.js](#)

[remotegui.zip: momentjs.jar: kn.js](#)

[remotegui.zip: momentjs.jar: ko.js](#)



<a href="#">remotegui.zip: momentjs.jar: ku.js</a>		
<a href="#">remotegui.zip: momentjs.jar: ky.js</a>		
<a href="#">remotegui.zip: momentjs.jar: lb.js</a>		
<a href="#">remotegui.zip: momentjs.jar: lo.js</a>		
<a href="#">remotegui.zip: momentjs.jar: locales.js</a>		
<a href="#">remotegui.zip: momentjs.jar: locales.min.js</a>		
<a href="#">remotegui.zip: momentjs.jar: lt.js</a>		
<a href="#">remotegui.zip: momentjs.jar: lv.js</a>		
<a href="#">remotegui.zip: momentjs.jar: me.js</a>		
<a href="#">remotegui.zip: momentjs.jar: mi.js</a>		
<a href="#">remotegui.zip: momentjs.jar: mk.js</a>		
<a href="#">remotegui.zip: momentjs.jar: ml.js</a>		
<a href="#">remotegui.zip: momentjs.jar: mn.js</a>		
<a href="#">remotegui.zip: momentjs.jar: moment-with-locales.js</a>		
<a href="#">remotegui.zip: momentjs.jar: moment-with-locales.min.js</a>		
<a href="#">remotegui.zip: momentjs.jar: moment.js</a>		
<a href="#">remotegui.zip: momentjs.jar: moment.min.js</a>		
<a href="#">remotegui.zip: momentjs.jar: mr.js</a>		
<a href="#">remotegui.zip: momentjs.jar: ms-my.js</a>		
<a href="#">remotegui.zip: momentjs.jar: ms.js</a>		
<a href="#">remotegui.zip: momentjs.jar: mt.js</a>		
<a href="#">remotegui.zip: momentjs.jar: my.js</a>		
<a href="#">remotegui.zip: momentjs.jar: nb.js</a>		
<a href="#">remotegui.zip: momentjs.jar: ne.js</a>		
<a href="#">remotegui.zip: momentjs.jar: nl-be.js</a>		
<a href="#">remotegui.zip: momentjs.jar: nl.js</a>		
<a href="#">remotegui.zip: momentjs.jar: nn.js</a>		
<a href="#">remotegui.zip: momentjs.jar: oc-lnc.js</a>		
<a href="#">remotegui.zip: momentjs.jar: pa-in.js</a>		
<a href="#">remotegui.zip: momentjs.jar: package.js</a>		
<a href="#">remotegui.zip: momentjs.jar: package.json</a>		
<a href="#">remotegui.zip: momentjs.jar: pl.js</a>		
<a href="#">remotegui.zip: momentjs.jar: pt-br.js</a>		
<a href="#">remotegui.zip: momentjs.jar: pt.js</a>		
<a href="#">remotegui.zip: momentjs.jar: ro.js</a>		



[remotegui.zip: momentjs.jar: ru.js](#)

[remotegui.zip: momentjs.jar: sd.js](#)

[remotegui.zip: momentjs.jar: se.js](#)

[remotegui.zip: momentjs.jar: si.js](#)

[remotegui.zip: momentjs.jar: sk.js](#)

[remotegui.zip: momentjs.jar: sl.js](#)

[remotegui.zip: momentjs.jar: sq.js](#)

[remotegui.zip: momentjs.jar: sr-cyrl.js](#)

[remotegui.zip: momentjs.jar: sr.js](#)

[remotegui.zip: momentjs.jar: ss.js](#)

[remotegui.zip: momentjs.jar: sv.js](#)

[remotegui.zip: momentjs.jar: sw.js](#)

[remotegui.zip: momentjs.jar: ta.js](#)

[remotegui.zip: momentjs.jar: te.js](#)

[remotegui.zip: momentjs.jar: tests.js](#)

[remotegui.zip: momentjs.jar: tet.js](#)

[remotegui.zip: momentjs.jar: tg.js](#)

[remotegui.zip: momentjs.jar: th.js](#)

[remotegui.zip: momentjs.jar: tk.js](#)

[remotegui.zip: momentjs.jar: tl-ph.js](#)

[remotegui.zip: momentjs.jar: tlh.js](#)

[remotegui.zip: momentjs.jar: tr.js](#)

[remotegui.zip: momentjs.jar: tzl.js](#)

[remotegui.zip: momentjs.jar: tzm-latn.js](#)

[remotegui.zip: momentjs.jar: tzm.js](#)

[remotegui.zip: momentjs.jar: ug-cn.js](#)

[remotegui.zip: momentjs.jar: uk.js](#)

[remotegui.zip: momentjs.jar: ur.js](#)

[remotegui.zip: momentjs.jar: uz-latn.js](#)

[remotegui.zip: momentjs.jar: uz.js](#)

[remotegui.zip: momentjs.jar: vi.js](#)

[remotegui.zip: momentjs.jar: webjars-requirejs.js](#)

[remotegui.zip: momentjs.jar: x-pseudo.js](#)

[remotegui.zip: momentjs.jar: yo.js](#)

[remotegui.zip: momentjs.jar: zh-cn.js](#)



<a href="#">remotegui.zip: momentjs.jar: zh-hk.js</a>		
<a href="#">remotegui.zip: momentjs.jar: zh-mo.js</a>		
<a href="#">remotegui.zip: momentjs.jar: zh-tw.js</a>		
<a href="#">remotegui.zip: remotegui.jar</a>		
<a href="#">remotegui.zip: remotegui.jar: DbClickButton.js</a>		
<a href="#">remotegui.zip: remotegui.jar: DbClickDragSource.js</a>		
<a href="#">remotegui.zip: remotegui.jar: DbClickTable.js</a>		
<a href="#">remotegui.zip: remotegui.jar: HeightDetermineButton.js</a>		
<a href="#">remotegui.zip: remotegui.jar: InetContentPane.js</a>		
<a href="#">remotegui.zip: remotegui.jar: MouseOverTarget.js</a>		
<a href="#">remotegui.zip: remotegui.jar: PreventSelectionSplitPane.js</a>		
<a href="#">remotegui.zip: remotegui.jar: ScrollEventWindow.js</a>		
<a href="#">remotegui.zip: remotegui.jar: SortDbClickTable.js</a>		
<a href="#">remotegui.zip: remotegui.jar: angular-websocket.js</a>		
<a href="#">remotegui.zip: remotegui.jar: app.js</a>		
<a href="#">remotegui.zip: remotegui.jar: app.js</a>		
<a href="#">remotegui.zip: remotegui.jar: app.js</a>		
<a href="#">remotegui.zip: remotegui.jar: app.js</a>		
<a href="#">remotegui.zip: remotegui.jar: appbadge.service.js</a>		
<a href="#">remotegui.zip: remotegui.jar: authInterceptor.service.js</a>		
<a href="#">remotegui.zip: remotegui.jar: avatarcard.directive.js</a>		
<a href="#">remotegui.zip: remotegui.jar: avatardetails.directive.js</a>		
<a href="#">remotegui.zip: remotegui.jar: avatarimage.directive.js</a>		
<a href="#">remotegui.zip: remotegui.jar: avatarimagedetails.directive.js</a>		
<a href="#">remotegui.zip: remotegui.jar: basic.js</a>		
<a href="#">remotegui.zip: remotegui.jar: bootstrap-colorpicker.js</a>		
<a href="#">remotegui.zip: remotegui.jar: bootstrap-datetimepicker.js</a>		
<a href="#">remotegui.zip: remotegui.jar: browsercheck.js</a>		
<a href="#">remotegui.zip: remotegui.jar: changeavatar.js</a>		
<a href="#">remotegui.zip: remotegui.jar: changeavatarcontroller.controller.js</a>		
<a href="#">remotegui.zip: remotegui.jar: changeavatar.service.service.js</a>		
<a href="#">remotegui.zip: remotegui.jar: clearreports.controller.js</a>		
<a href="#">remotegui.zip: remotegui.jar: collapse.directive.js</a>		



<a href="#">remotegui.zip: remotegui.jar: colorPicker.directive.js</a>		
<a href="#">remotegui.zip: remotegui.jar: connectionstate.js</a>		
<a href="#">remotegui.zip: remotegui.jar: controller.js</a>		
<a href="#">remotegui.zip: remotegui.jar: controller.js</a>		
<a href="#">remotegui.zip: remotegui.jar: controller.js</a>		
<a href="#">remotegui.zip: remotegui.jar: controllerAbout.js</a>		
<a href="#">remotegui.zip: remotegui.jar: controllerShortcuts.controller.js</a>		
<a href="#">remotegui.zip: remotegui.jar: controllerUserTheme.controller.js</a>		
<a href="#">remotegui.zip: remotegui.jar: controllers.js</a>		
<a href="#">remotegui.zip: remotegui.jar: controllers.js</a>		
<a href="#">remotegui.zip: remotegui.jar: controllers.js</a>		
<a href="#">remotegui.zip: remotegui.jar: controllers.js</a>		
<a href="#">remotegui.zip: remotegui.jar: controllers.js</a>		
<a href="#">remotegui.zip: remotegui.jar: controllers.js</a>		
<a href="#">remotegui.zip: remotegui.jar: controllers.js</a>		
<a href="#">remotegui.zip: remotegui.jar: currencyNumber.directive.js</a>		
<a href="#">remotegui.zip: remotegui.jar: currencyValidator.directive.js</a>		
<a href="#">remotegui.zip: remotegui.jar: customEmojiUploadConfigItemRenderer.directive.js</a>		
<a href="#">remotegui.zip: remotegui.jar: customEmojiUploadConfigRenderer.directive.js</a>		
<a href="#">remotegui.zip: remotegui.jar: customemojiupload.js</a>		
<a href="#">remotegui.zip: remotegui.jar: dataservice.service.js</a>		
<a href="#">remotegui.zip: remotegui.jar: datepicker-de.js</a>		
<a href="#">remotegui.zip: remotegui.jar: debug.directive.js</a>		
<a href="#">remotegui.zip: remotegui.jar: dialogservice.service.js</a>		
<a href="#">remotegui.zip: remotegui.jar: directives.js</a>		
<a href="#">remotegui.zip: remotegui.jar: emojiModel.service.js</a>		
<a href="#">remotegui.zip: remotegui.jar: emojiselector.directive.js</a>		
<a href="#">remotegui.zip: remotegui.jar: errorservice.service.js</a>		
<a href="#">remotegui.zip: remotegui.jar: filechooser.service.js</a>		
<a href="#">remotegui.zip: remotegui.jar: fixNumber.directive.js</a>		
<a href="#">remotegui.zip: remotegui.jar: fixNumberValidator.directive.js</a>		



<a href="#">remotegui.zip: remotegui.jar: floatNumber.directive.js</a>		
<a href="#">remotegui.zip: remotegui.jar: floatNumberValidator.directive.js</a>		
<a href="#">remotegui.zip: remotegui.jar: globalactionservice.service.js</a>		
<a href="#">remotegui.zip: remotegui.jar: hdField.directive.js</a>		
<a href="#">remotegui.zip: remotegui.jar: hdMandatory.directive.js</a>		
<a href="#">remotegui.zip: remotegui.jar: hdNeedchange.directive.js</a>		
<a href="#">remotegui.zip: remotegui.jar: hdValidate.directive.js</a>		
<a href="#">remotegui.zip: remotegui.jar: hdattachment.js</a>		
<a href="#">remotegui.zip: remotegui.jar: hdfileupload.js</a>		
<a href="#">remotegui.zip: remotegui.jar: hsimp.min.js</a>		
<a href="#">remotegui.zip: remotegui.jar: hsimp.renderer.js</a>		
<a href="#">remotegui.zip: remotegui.jar: html5modeurls.js</a>		
<a href="#">remotegui.zip: remotegui.jar: htmleditor.directive.js</a>		
<a href="#">remotegui.zip: remotegui.jar: htmleditorFactory.service.js</a>		
<a href="#">remotegui.zip: remotegui.jar: htmleditorModel.service.js</a>		
<a href="#">remotegui.zip: remotegui.jar: icons.js</a>		
<a href="#">remotegui.zip: remotegui.jar: initUsernameField.directive.js</a>		
<a href="#">remotegui.zip: remotegui.jar: introduction.js</a>		
<a href="#">remotegui.zip: remotegui.jar: jquery.fileupload.js</a>		
<a href="#">remotegui.zip: remotegui.jar: keyservice.service.js</a>		
<a href="#">remotegui.zip: remotegui.jar: locationservice.service.js</a>		
<a href="#">remotegui.zip: remotegui.jar: modalservice.service.js</a>		
<a href="#">remotegui.zip: remotegui.jar: moduledragdrop.js</a>		
<a href="#">remotegui.zip: remotegui.jar: ng-tinymce.js</a>		
<a href="#">remotegui.zip: remotegui.jar: numberUtil.js</a>		
<a href="#">remotegui.zip: remotegui.jar: ocLazyLoad.min.js</a>		
<a href="#">remotegui.zip: remotegui.jar: pageablenavbaractiondropdown.directive.js</a>		
<a href="#">remotegui.zip: remotegui.jar: paged.filter.js</a>		
<a href="#">remotegui.zip: remotegui.jar: pagination.directive.js</a>		
<a href="#">remotegui.zip: remotegui.jar: piechart.directive.js</a>		
<a href="#">remotegui.zip: remotegui.jar: pwa-service-worker.js</a>		
<a href="#">remotegui.zip: remotegui.jar: pwa.js</a>		



<a href="#">remotegui.zip: remotegui.jar: qrcode.min.js</a>		
<a href="#">remotegui.zip: remotegui.jar: rangeSlider.directive.js</a>		
<a href="#">remotegui.zip: remotegui.jar: resizableDivider.js</a>		
<a href="#">remotegui.zip: remotegui.jar: scrollabledropdownmenu.directive.js</a>		
<a href="#">remotegui.zip: remotegui.jar: search-panel.js</a>		
<a href="#">remotegui.zip: remotegui.jar: selectInput.directive.js</a>		
<a href="#">remotegui.zip: remotegui.jar: shadowLogger.factory.js</a>		
<a href="#">remotegui.zip: remotegui.jar: sidenavigation.js</a>		
<a href="#">remotegui.zip: remotegui.jar: takeoutDataController.controller.js</a>		
<a href="#">remotegui.zip: remotegui.jar: takeoutDataFactory.factory.js</a>		
<a href="#">remotegui.zip: remotegui.jar: takeoutDataModel.service.js</a>		
<a href="#">remotegui.zip: remotegui.jar: timeInput.directive.js</a>		
<a href="#">remotegui.zip: remotegui.jar: timeInputContainer.directive.js</a>		
<a href="#">remotegui.zip: remotegui.jar: timeInputUtil.js</a>		
<a href="#">remotegui.zip: remotegui.jar: timeMeridiemContainer.directive.js</a>		
<a href="#">remotegui.zip: remotegui.jar: translate.js</a>		
<a href="#">remotegui.zip: remotegui.jar: unitFixNumber.directive.js</a>		
<a href="#">remotegui.zip: remotegui.jar: unitFloatNumber.directive.js</a>		
<a href="#">remotegui.zip: remotegui.jar: userservice.js</a>		
<a href="#">remotegui.zip: remotegui.jar: usersorgroupsselection.js</a>		
<a href="#">remotegui.zip: remotegui.jar: usestrict.js</a>		
<a href="#">remotegui.zip: remotegui.jar: websitedownload.renderer.js</a>		
<a href="#">remotegui.zip: remotegui.jar: websocketdataservice.js</a>		
<a href="#">remotegui.zip: remotegui.jar: websocketkeepaliveworker.js</a>		
<a href="#">remotegui.zip: remotegui.jar: windowdatastore.js</a>		
<a href="#">remotegui.zip: tinymce-languages.jar: ar.js</a>		
<a href="#">remotegui.zip: tinymce-languages.jar: bg_BG.js</a>		
<a href="#">remotegui.zip: tinymce-languages.jar: ca.js</a>		
<a href="#">remotegui.zip: tinymce-languages.jar: cs.js</a>		
<a href="#">remotegui.zip: tinymce-languages.jar: cy.js</a>		
<a href="#">remotegui.zip: tinymce-languages.jar: da.js</a>		



<a href="#">remotegui.zip: tinymce-languages.jar: de.js</a>		
<a href="#">remotegui.zip: tinymce-languages.jar: el.js</a>		
<a href="#">remotegui.zip: tinymce-languages.jar: eo.js</a>		
<a href="#">remotegui.zip: tinymce-languages.jar: es.js</a>		
<a href="#">remotegui.zip: tinymce-languages.jar: es_ES.js</a>		
<a href="#">remotegui.zip: tinymce-languages.jar: es_MX.js</a>		
<a href="#">remotegui.zip: tinymce-languages.jar: eu.js</a>		
<a href="#">remotegui.zip: tinymce-languages.jar: fa.js</a>		
<a href="#">remotegui.zip: tinymce-languages.jar: fa_IR.js</a>		
<a href="#">remotegui.zip: tinymce-languages.jar: fi.js</a>		
<a href="#">remotegui.zip: tinymce-languages.jar: fr_FR.js</a>		
<a href="#">remotegui.zip: tinymce-languages.jar: gl.js</a>		
<a href="#">remotegui.zip: tinymce-languages.jar: he_IL.js</a>		
<a href="#">remotegui.zip: tinymce-languages.jar: hr.js</a>		
<a href="#">remotegui.zip: tinymce-languages.jar: hu_HU.js</a>		
<a href="#">remotegui.zip: tinymce-languages.jar: id.js</a>		
<a href="#">remotegui.zip: tinymce-languages.jar: it.js</a>		
<a href="#">remotegui.zip: tinymce-languages.jar: it_IT.js</a>		
<a href="#">remotegui.zip: tinymce-languages.jar: ja.js</a>		
<a href="#">remotegui.zip: tinymce-languages.jar: kk.js</a>		
<a href="#">remotegui.zip: tinymce-languages.jar: ko_KR.js</a>		
<a href="#">remotegui.zip: tinymce-languages.jar: lt.js</a>		
<a href="#">remotegui.zip: tinymce-languages.jar: nb_NO.js</a>		
<a href="#">remotegui.zip: tinymce-languages.jar: nl.js</a>		
<a href="#">remotegui.zip: tinymce-languages.jar: pl.js</a>		
<a href="#">remotegui.zip: tinymce-languages.jar: pt_BR.js</a>		
<a href="#">remotegui.zip: tinymce-languages.jar: pt_PT.js</a>		
<a href="#">remotegui.zip: tinymce-languages.jar: ro.js</a>		
<a href="#">remotegui.zip: tinymce-languages.jar: ro_RO.js</a>		
<a href="#">remotegui.zip: tinymce-languages.jar: ru.js</a>		
<a href="#">remotegui.zip: tinymce-languages.jar: sk.js</a>		
<a href="#">remotegui.zip: tinymce-languages.jar: sl.js</a>		
<a href="#">remotegui.zip: tinymce-languages.jar: sl_SI.js</a>		
<a href="#">remotegui.zip: tinymce-languages.jar: sv_SE.js</a>		
<a href="#">remotegui.zip: tinymce-languages.jar: ta.js</a>		



[illegible]



[illegible]



remotegui.zip: tinymce.jar: plugin.js

remotegui.zip: tinymce.jar: plugin.js

remotegui.zip: tinymce.jar: plugin.js

remotegui.zip: tinymce.jar: plugin.js

remotegui.zip: tinymce.jar: plugin.js

remotegui.zip: tinymce.jar: plugin.js

remotegui.zip: tinymce.jar: plugin.js

remotegui.zip: tinymce.jar: plugin.js

remotegui.zip: tinymce.jar: plugin.js

remotegui.zip: tinymce.jar: plugin.js

[remotegui.zip](#): [tinymce.jar](#): [plugin.js](#)

remotegui.zip: tinymce.jar: plugin.js

remotegui.zip: tinymce.jar: plugin.js

remotegui.zip: tinymce.jar: plugin.js

[remotegui.zip](#): [tinymce.jar](#): [plugin.js](#)

remotegui.zip: tinymce.jar: plugin.js

[remotegui.zip](#): [tinymce.jar](#): [plugin.js](#)

remotegui.zip: tinymce.jar: plugin.js

[remotegui.zip](#): [tinymce.jar](#): [plugin.js](#)

remotegui.zip: tinymce.jar: plugin.js

remotegui.zip: tinymce.jar: plugin.js

[remotegui.zip](#): [tinymce.jar](#): [plugin.js](#)

[remotegui.zip](#): [tinymce.jar](#): [plugin.js](#)

remotegui.zip: tinymce.jar: plugin.js

[remotegui.zip](#): [tinymce.jar](#): [plugin.js](#)

remotegui.zip: tinymce.jar: plugin.js

remotegui.zip: tinymce.jar: plugin.js

[remotegui.zip](#): [tinymce.jar](#): [plugin.js](#)

remotegui.zip: tinymce.jar: plugin.js

remotegui.zip: tinymce.jar: plugin.js

[remotegui.zip](#): [tinymce.jar](#): [plugin.js](#)

remotegui.zip: tinymce.jar: plugin.js

remotegui.zip: tinymce.jar: plugin.js

remotegui.zip: tinymce.jar: plugin.js

remotegui.zip: tinymce.jar: plugin.js



[illegible]



<a href="#">remotegui.zip: tinymce.jar: plugin.min.js</a>		
<a href="#">remotegui.zip: tinymce.jar: plugin.min.js</a>		
<a href="#">remotegui.zip: tinymce.jar: plugin.min.js</a>		
<a href="#">remotegui.zip: tinymce.jar: plugin.min.js</a>		
<a href="#">remotegui.zip: tinymce.jar: plugin.min.js</a>		
<a href="#">remotegui.zip: tinymce.jar: plugin.min.js</a>		
<a href="#">remotegui.zip: tinymce.jar: plugin.min.js</a>		
<a href="#">remotegui.zip: tinymce.jar: plugin.min.js</a>		
<a href="#">remotegui.zip: tinymce.jar: plugin.min.js</a>		
<a href="#">remotegui.zip: tinymce.jar: plugin.min.js</a>		
<a href="#">remotegui.zip: tinymce.jar: plugin.min.js</a>		
<a href="#">remotegui.zip: tinymce.jar: plugin.min.js</a>		
<a href="#">remotegui.zip: tinymce.jar: theme.js</a>		
<a href="#">remotegui.zip: tinymce.jar: theme.js</a>		
<a href="#">remotegui.zip: tinymce.jar: theme.min.js</a>		
<a href="#">remotegui.zip: tinymce.jar: theme.min.js</a>		
<a href="#">remotegui.zip: tinymce.jar: tinymce.js</a>		
<a href="#">remotegui.zip: tinymce.jar: tinymce.min.js</a>		
<a href="#">remotegui.zip: twemoji.jar</a>		<a href="#">pkg:maven/l/twemoji-nul</a>
<a href="#">reporting.zip: ReportViewer.jar</a>	<a href="#">cpe:2.3:a:inetsoftware:clear_reports:23.10.295:*:*:*:*:*</a> <a href="#">cpe:2.3:a:inetsoftware:i-net_clear_reports:23.10.295:*:*:*:*</a>	
<a href="#">reporting.zip: jcommon.jar</a>		<a href="#">pkg:maven/c/jfree/jcommon@0.24</a>
<a href="#">reporting.zip: jfreechartCC.jar</a>		
<a href="#">reporting.zip: reporting-javadoc.jar</a>		
<a href="#">reporting.zip: reporting-javadoc.jar: member-search-index.js</a>		
<a href="#">reporting.zip: reporting-javadoc.jar: package-search-index.js</a>		
<a href="#">reporting.zip: reporting-javadoc.jar: type-search-index.js</a>		
<a href="#">reporting.zip: reporting.jar</a>		
<a href="#">reporting.zip: reporting.jar: events.js</a>		
<a href="#">reporting.zip: reporting.jar: export.js</a>		
<a href="#">reporting.zip: reporting.jar: functions.js</a>		



<a href="#">reporting.zip: reporting.jar: generator.js</a>		
<a href="#">reporting.zip: reporting.jar: grouptree.js</a>		
<a href="#">reporting.zip: reporting.jar: jstorage.js</a>		
<a href="#">reporting.zip: reporting.jar: keylistener.js</a>		
<a href="#">reporting.zip: reporting.jar: menubar.js</a>		
<a href="#">reporting.zip: reporting.jar: page.js</a>		
<a href="#">reporting.zip: reporting.jar: pagecount.js</a>		
<a href="#">reporting.zip: reporting.jar: popup.js</a>		
<a href="#">reporting.zip: reporting.jar: print.js</a>		
<a href="#">reporting.zip: reporting.jar: prompts.js</a>		
<a href="#">reporting.zip: reporting.jar: prototype.array.js</a>		
<a href="#">reporting.zip: reporting.jar: prototype.element.js</a>		
<a href="#">reporting.zip: reporting.jar: prototype.string.js</a>		
<a href="#">reporting.zip: reporting.jar: reorder.js</a>		
<a href="#">reporting.zip: reporting.jar: script.js</a>		
<a href="#">reporting.zip: reporting.jar: search.js</a>		
<a href="#">reporting.zip: reporting.jar: serverping.js</a>		
<a href="#">reporting.zip: reporting.jar: stacktrace.js</a>		
<a href="#">reporting.zip: reporting.jar: tapbar.js</a>		
<a href="#">sampleapplication.js</a>		
<a href="#">search-worker.js</a>		
<a href="#">setuplauncher.jar</a>		
<a href="#">slf4j-api-2.0.9.jar</a>		<a href="#">pkg:maven/org.slf4j/slf4j-api/2.0.9</a>
<a href="#">taskplanner.logaction.zip: taskplanner.logaction.sample.jar</a>		
<a href="#">taskplanner.openweathermap.zip: taskplanner.openweathermap.sample.jar</a>		
<a href="#">taskplanner.pdf.zip: taskplanner.pdf.jar</a>	<a href="#">cpe:2.3:a:inetsoftware:pdf:23.10.295:*:*:*:*:*:*</a>	
<a href="#">taskplanner.zip: commons-cli.jar</a>		<a href="#">pkg:maven/commons-cli/commons-cli/5.0</a>
<a href="#">taskplanner.zip: cron-utils.jar</a>	<a href="#">cpe:2.3:a:cron-utils_project:cron-utils:9.2.1:*:*:*:*:*</a> <a href="#">cpe:2.3:a:utils_project:utils:9.2.1:*:*:*:*:*</a>	<a href="#">pkg:maven/com.cronutils/cronutils-core/9.2.1</a>
<a href="#">taskplanner.zip: taskplanner-javadoc.jar</a>		
<a href="#">taskplanner.zip: taskplanner-javadoc.jar: member-search-index.js</a>		



<a href="#">taskplanner.zip: taskplanner-javadoc.jar: package-search-index.js</a>		
<a href="#">taskplanner.zip: taskplanner-javadoc.jar: type-search-index.js</a>		
<a href="#">taskplanner.zip: taskplanner.jar</a>		
<a href="#">taskplanner.zip: taskplanner.jar: app.js</a>		
<a href="#">taskplanner.zip: taskplanner.jar: boolean.directive.js</a>		
<a href="#">taskplanner.zip: taskplanner.jar: colorField.directive.js</a>		
<a href="#">taskplanner.zip: taskplanner.jar: controller.js</a>		
<a href="#">taskplanner.zip: taskplanner.jar: factory.js</a>		
<a href="#">taskplanner.zip: taskplanner.jar: filechooserAddonButton.directive.js</a>		
<a href="#">taskplanner.zip: taskplanner.jar: model.js</a>		
<a href="#">taskplanner.zip: taskplanner.jar: numberRange.directive.js</a>		
<a href="#">taskplanner.zip: taskplanner.jar: numberWrapper.directive.js</a>		
<a href="#">taskplanner.zip: taskplanner.jar: passwordTextField.directive.js</a>		
<a href="#">taskplanner.zip: taskplanner.jar: renderer.directive.js</a>		
<a href="#">taskplanner.zip: taskplanner.jar: simpleDateTimeField.directive.js</a>		
<a href="#">taskplanner.zip: taskplanner.jar: simpleFileFolderField.directive.js</a>		
<a href="#">taskplanner.zip: taskplanner.jar: simpleGroup.directive.js</a>		
<a href="#">taskplanner.zip: taskplanner.jar: simpleLabel.directive.js</a>		
<a href="#">taskplanner.zip: taskplanner.jar: simpleLink.directive.js</a>		
<a href="#">taskplanner.zip: taskplanner.jar: simpleSelect.directive.js</a>		
<a href="#">taskplanner.zip: taskplanner.jar: simpleTextField.directive.js</a>		
<a href="#">taskplanner.zip: taskplanner.jar: stringTable.directive.js</a>		
<a href="#">taskplanner.zip: taskplanner.jar: taskplanner_maintenance.js</a>		
<a href="#">taskplanner.zip: taskplanner.jar: textAreaField.directive.js</a>		
<a href="#">theme.zip: bootstrap.jar: bootstrap.js</a>		<a href="#">pkg:javascript/bootstrap@</a>
<a href="#">theme.zip: bootstrap.jar: bootstrap.min.js</a>		<a href="#">pkg:javascript/bootstrap@</a>
<a href="#">theme.zip: theme.jar</a>		



<a href="#">urlcookie.zip: urlcookie.sample.jar</a>		
<a href="#">usersandgroupsmanager.zip:</a> <a href="#">usersandgroupsmanager.jar</a>		
<a href="#">usersandgroupsmanager.zip:</a> <a href="#">usersandgroupsmanager.jar:</a> <a href="#">usersandgroupsmanagercontroller.js</a>		
<a href="#">usersandgroupsmanager.zip:</a> <a href="#">usersandgroupsmanager.jar:</a> <a href="#">usersandgroupsmanagerdetailscontroller.js</a>		
<a href="#">usersandgroupsmanager.zip:</a> <a href="#">usersandgroupsmanager.jar:</a> <a href="#">usersandgroupsmanagerdialogcontroller.js</a>		
<a href="#">usersandgroupsmanager.zip:</a> <a href="#">usersandgroupsmanager.jar:</a> <a href="#">usersandgroupsmanagerdirectives.js</a>		
<a href="#">usersandgroupsmanager.zip:</a> <a href="#">usersandgroupsmanager.jar:</a> <a href="#">usersandgroupsmanagereffectivepermissionscontroller.js</a>		
<a href="#">usersandgroupsmanager.zip:</a> <a href="#">usersandgroupsmanager.jar:</a> <a href="#">usersandgroupsmanagerfactory.js</a>		
<a href="#">usersandgroupsmanager.zip:</a> <a href="#">usersandgroupsmanager.jar:</a> <a href="#">usersandgroupsmanagermodel.js</a>		
<a href="#">usersandgroupsmanager.zip:</a> <a href="#">usersandgroupsmanager.jar:</a> <a href="#">usersandgroupsmanagerrenderer.js</a>		
<a href="#">usersandgroupsmanager.zip:</a> <a href="#">usersandgroupsmanager.jar:</a> <a href="#">usersandgroupsmanagerstatisticscontroller.js</a>		
<a href="#">usersandgroupsmanager.zip:</a> <a href="#">usersandgroupsmanager.jar:</a> <a href="#">usersandgroupsmanagertakeoutcontroller.js</a>		
<a href="#">webapi.core.zip: webapi.core.jar</a>		
<a href="#">webapi.core.zip: webapi.core.jar: shared.factory.js</a>		
<a href="#">webapi.core.zip: webapi.core.jar: webapi.codemirror.js</a>		
<a href="#">webapi.core.zip: webapi.core.jar: webapi.core.editor.js</a>		
<a href="#">webapi.core.zip: webapi.core.jar: webapi.core.js</a>		
<a href="#">webserver.defender.zip: webserver.defender.jar</a>		
<a href="#">webserver.zip: acme4j-client.jar</a>		<a href="#">pkg:maven/shredzone/acme4j/acmclient@2.16</a>
<a href="#">webserver.zip: http2-common.jar</a>	<a href="#">cpe:2.3:a:eclipse:jetty:10.0.17:****.*.*.*</a> <a href="#">cpe:2.3:a:jetty:jetty:10.0.17:****.*.*.*</a> <a href="#">cpe:2.3:a:mortbay_jetty:jetty:10.0.17:****.*.*.*</a>	<a href="#">pkg:maven/eclipse.jetty/http2-common@10.17</a>



<a href="#">webserver.zip: http2-hpack.jar</a>	<a href="#">cpe:2.3:a:mortbay_jetty:jetty:10.0.17:****.*.*.*.* *. * _</a>	<a href="#">pkg:maven/eclipse.jetty./http2-hpack-0.17</a>
<a href="#">webserver.zip: http2-server.jar</a>	<a href="#">cpe:2.3:a:eclipse:jetty:10.0.17:****.*.*.*.* cpe:2.3:a:jetty:jetty:10.0.17:****.*.*.*.* cpe:2.3:a:jetty:jetty_http_server:10.0.17:****.*.*.*.* cpe:2.3:a:mortbay_jetty:jetty:10.0.17:****.*.*.*.* *. * _</a>	<a href="#">pkg:maven/eclipse.jetty./http2-server@10.0.17</a>
<a href="#">webserver.zip: jetty-io.jar</a>	<a href="#">cpe:2.3:a:eclipse:jetty:10.0.17:****.*.*.*.* cpe:2.3:a:jetty:jetty:10.0.17:****.*.*.*.* cpe:2.3:a:mortbay_jetty:jetty:10.0.17:****.*.*.*.* *. * _</a>	<a href="#">pkg:maven/eclipse.jetty.io@10.0.17</a>
<a href="#">webserver.zip: jetty-server.jar</a>	<a href="#">cpe:2.3:a:eclipse:jetty:10.0.17:****.*.*.*.* cpe:2.3:a:jetty:jetty:10.0.17:****.*.*.*.* cpe:2.3:a:jetty:jetty_http_server:10.0.17:****.*.*.*.* cpe:2.3:a:mortbay_jetty:jetty:10.0.17:****.*.*.*.* *. * _</a>	<a href="#">pkg:maven/eclipse.jetty.server@10.0.17</a>
<a href="#">webserver.zip: jose4j.jar</a>	<a href="#">cpe:2.3:a:jose4j_project:jose4j:0.9.3:****.*.*.*.* * -</a>	<a href="#">pkg:maven/bitbucket.bombardier/jose4j@0.9.3</a>
<a href="#">webserver.zip: webserver.jar</a>		
<a href="#">webserver.zip: websocket-core-client.jar</a>	<a href="#">cpe:2.3:a:eclipse:jetty:10.0.17:****.*.*.*.* cpe:2.3:a:jetty:jetty:10.0.17:****.*.*.*.* cpe:2.3:a:mortbay_jetty:jetty:10.0.17:****.*.*.*.* *. * _</a>	<a href="#">pkg:maven/eclipse.jetty.websocket/websocket-client@10.0.17</a>
<a href="#">webserver.zip: websocket-core-server.jar</a>	<a href="#">cpe:2.3:a:eclipse:jetty:10.0.17:****.*.*.*.* cpe:2.3:a:jetty:jetty:10.0.17:****.*.*.*.* cpe:2.3:a:jetty:jetty_http_server:10.0.17:****.*.*.*.* cpe:2.3:a:mortbay_jetty:jetty:10.0.17:****.*.*.*.* *. * _</a>	<a href="#">pkg:maven/eclipse.jetty.websocket/websocket-server@10.0.17</a>

## Dependencies

## JWebEngine.jar

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/java/JWebEngine.jar

**MD5:** cac294ec4b01768968d4b7b125fdbcb2b

**SHA1:** 0b1bffa114e0f84e0f4363caa1254b1ea9b1b79d

**SHA256:**3d18995c7ec5ff10af55d803f77df0c1143455a5db68b1c4f96b523e2969df6f

**Referenced In Project/Scope:server**

## Evidence

Type	Source	Name	Value	Confidence
Vendor	file	name	JWebEngine	High
Vendor	jar	package name	html	Low
Vendor	jar	package name	inet	Low



Vendor	Manifest	application-library-allowable-codebase	*	Low
Vendor	Manifest	built-date	2024-01-16 01:23	Low
Vendor	Manifest	codebase	*	Low
Vendor	Manifest	implementation-group	lib	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	permissions	all-permissions	Low
Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	trusted-library	false	Low
Vendor	Manifest	trusted-only	false	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	JWebEngine	High
Product	jar	package name	html	Low
Product	Manifest	application-library-allowable-codebase	*	Low
Product	Manifest	built-date	2024-01-16 01:23	Low
Product	Manifest	codebase	*	Low
Product	Manifest	implementation-group	lib	Low
Product	Manifest	Implementation-Title	JWebEngine	High
Product	Manifest	permissions	all-permissions	Low
Product	Manifest	specification-title	JWebEngine	Medium
Product	Manifest	trusted-library	false	Low
Product	Manifest	trusted-only	false	Low
Version	Manifest	Implementation-Version	1.13.1163	High

## Identifiers

- None



## Merlia-0.jar

**File Path:** /home/jenkins/.gradle/caches/modules-2/files-2.1/lib/Merlia/0/fc0c94f56a1c43b76f3ae539f0cd8af2d832d9d2/Merlia-0.jar

**MD5:** 8e7f9f81ce022680498de9dfb63c1d23

**SHA1:** fc0c94f56a1c43b76f3ae539f0cd8af2d832d9d2

**SHA256:** 1dfd38a307f047b7584492c2c37197db896fc7dd24a8ab893e1bff306a4cf8b8

**Referenced In Project/Scope:**server:inetPlugin

### Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	Merlia-0	High
Vendor	gradle	artifactid	Merlia	Highest
Vendor	gradle	groupid	lib	Highest
Vendor	jar	package name	inet	Low
Vendor	jar	package name	tds	Low
Product	file	name	Merlia-0	High
Product	gradle	artifactid	Merlia	Highest
Product	jar	package name	tds	Low
Version	file	name	Merlia-0	Medium
Version	file	version	0	Medium
Version	gradle	version	0	Highest
Version	Manifest	driver-version	8.13	Medium

### Identifiers

- [pkg:maven/lib/Merlia@0](#) (*Confidence:*Highest)

## PDFCNUUnit.dll

### Description:

PDFCNUUnit

Framework for NUnit testing with the i-net PDFC server

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC NUnit/net4.5/PDFCNUUnit.dll

**MD5:** 43734605c69d0dca19b968ceb0b7a8fe

**SHA1:** 11503b4e5432c785c90665172916cff90aef999c



Evidence

Type	Source	Name	Value	Confidence
Vendor	file	name	PDFCNUUnit	High
Vendor	grokass	CompanyName	i-net software GmbH	Highest
Product	file	name	PDFCNUUnit	High
Product	grokass	FileDescription	PDFCNUUnit	High
Product	grokass	InternalName	PDFCNUUnit.dll	Medium
Product	grokass	OriginalFilename	PDFCNUUnit.dll	Medium
Product	grokass	ProductName	PDFCNUUnit	Highest
Version	Assembl	FilteredVersion	23.10.294.0	Highest
Version	grokass	FileVersion	23.10.294.0	High
Version	grokass	ProductVersion	23.10.294.0	Highest

Related Dependencies

- PDFCNUUnit.dll
  - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC NUnit/net5.0/PDFCNUUnit.dll
  - MD5: a63b23cf1c8bd4ca112444b56e963e9f
  - SHA1: 022155f9d369133a67efe1e3bd21335e0124094d
  - SHA256: 96314bd0ee4c3dbdd85ddd86b82cfd782e538d57bcbf59cf73e0425fbb13d413
  - pkg:generic/PDFCNUUnit@23.10.294.0
- PDFCNUUnit.dll
  - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC NUnit/netcore3.1/PDFCNUUnit.dll
  - MD5: 1565bbb56a6a0ed1dd2fd420bc8fbbef
  - SHA1: 53cb44e5ef8f3717ed1707d42560c441a348f8f3
  - SHA256: 178d781b4db90b67efdbddeec600ac0c825289935c895b9e48000ad8692512d1
  - pkg:generic/PDFCNUUnit@23.10.294.0

Identifiers

- [pkg:generic/PDFCNUUnit@23.10.294.0](#) (Confidence:Medium)



**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/analysis.language.zip/analysis.language.jar  
**MD5:** efaca99cdf0e0415fbea9b4a25b34ff3  
**SHA1:** ace18129ffcd1f3e0b457e5b9fecda49a726d964  
**SHA256:** 7f84c630e5ac13ea04c842887103b53c15d05f05a8a121e7e74c670ee5e0ee4c  
**Referenced In Project/Scope:**server

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	analysis.language	High
Vendor	jar	package name	analysis	Low
Vendor	jar	package name	inet	Low
Vendor	jar	package name	pdfc	Low
Vendor	Manifest	application-library-allowable-codebase	*	Low
Vendor	Manifest	built-date	2024-01-16 15:35	Low
Vendor	Manifest	codebase	*	Low
Vendor	Manifest	implementation-group	pdfc	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	permissions	all-permissions	Low
Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	trusted-library	false	Low
Vendor	Manifest	trusted-only	false	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	analysis.language	High
Product	jar	package name	analysis	Highest
Product	jar	package name	analysis	Low
Product	jar	package name	language	Highest
Product	jar	package name	language	Low
Product	jar	package name	pdfc	Highest
Product	jar	package name	pdfc	Low
Product	Manifest	application-library-allowable-codebase	*	Low



Product	Manifest	built-date	2024-01-16 15:35	Low
Product	Manifest	codebase	*	Low
Product	Manifest	implementation-group	pdfc	Low
Product	Manifest	Implementation-Title	analysis.language	High
Product	Manifest	permissions	all-permissions	Low
Product	Manifest	specification-title	analysis.language	Medium
Product	Manifest	trusted-library	false	Low
Product	Manifest	trusted-only	false	Low
Version	jar	package name	pdfc	Highest
Version	Manifest	Implementation-Version	23.10.295	High

## Identifiers

- cpe:2.3:a:inetsoftware:pdfc:23.10.295.\*.\*.\*.\*.\* (Confidence:Low) suppress

**analysis.language.zip: guava.jar**

**Description:**

Guava is a suite of core and expanded libraries that include utility classes, Google's collections, I/O classes, and much more.

**License:**

<http://www.apache.org/licenses/LICENSE-2.0.txt>

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/analysis.language.zip/guava.jar

**MD5:** 6951895e804b36322214c95917e598d4

**SHA1:** 6e5d51a72d142f2d40a57dfb897188b36a95b489

**SHA256:**bd7fa227591fb8509677d0d1122cf95158f3b8a9f45653f58281d879f6dc48c5

**Referenced In Project/Scope:**server

## Evidence

Type	Source	Name	Value	Confidence
Vendor	file	name	guava	High
Vendor	jar	package name	common	Highest
Vendor	jar	package name	google	Highest



Vendor	Manifest	automatic-module-name	com.google.common	Medium
Vendor	Manifest	build-jdk-spec	11	Low
Vendor	Manifest	bundle-docurl	https://github.com/google/guava/	Low
Vendor	Manifest	bundle-symbolicname	com.google.guava	Medium
Vendor	Manifest	require-capability	osgi.ee;filter:="(&(osgi.ee=JavaSE)(version=1.8))"	Low
Vendor	pom	artifactid	guava	Low
Vendor	pom	groupid	com.google.guava	Highest
Vendor	pom	name	Guava: Google Core Libraries for Java	High
Vendor	pom	parent-artifactid	guava-parent	Low
Vendor	pom	url	google/guava	Highest
Product	file	name	guava	High
Product	jar	package name	common	Highest
Product	jar	package name	google	Highest
Product	Manifest	automatic-module-name	com.google.common	Medium
Product	Manifest	build-jdk-spec	11	Low
Product	Manifest	bundle-docurl	https://github.com/google/guava/	Low
Product	Manifest	Bundle-Name	Guava: Google Core Libraries for Java	Medium
Product	Manifest	bundle-symbolicname	com.google.guava	Medium
Product	Manifest	require-capability	osgi.ee;filter:="(&(osgi.ee=JavaSE)(version=1.8))"	Low
Product	pom	artifactid	guava	Highest
Product	pom	groupid	com.google.guava	Highest
Product	pom	name	Guava: Google Core Libraries for Java	High
Product	pom	parent-artifactid	guava-parent	Medium
Product	pom	url	google/guava	High
Version	pom	version	32.0.1-jre	Highest

## Related Dependencies



- taskplanner.zip: guava.jar
  - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/taskplanner.zip/guava.jar
  - MD5: 6951895e804b36322214c95917e598d4
  - SHA1: 6e5d51a72d142f2d40a57dfb897188b36a95b489
  - SHA256: bd7fa227591fb8509677d0d1122cf95158f3b8a9f45653f58281d879f6dc48c5



- [pkg:maven/com.google.guava/guava@32.0.1-jre](#)

#### Identifiers

- [pkg:maven/com.google.guava/guava@32.0.1-jre](#) (*Confidence:High*)
- [cpe:2.3:a:google:guava:32.0.1:\\*:\\*:\\*:\\*:\\*](#) (*Confidence:Highest*) suppress

## analysis.language.zip: jsonic.jar

### Description:

simple json encoder/decoder for java

### License:

The Apache Software License, Version 2.0: <http://www.apache.org/licenses/LICENSE-2.0.txt>

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/analysis.language.zip/jsonic.jar

**MD5:** 504496d0069da0121c059c219147e90c

**SHA1:** 98e8a1f25aa40ed92ff2ecca4d1301d48b552452

**SHA256:** 150e3ac24b103cb0cd50595018dbe3c8ba4b3dee81a76eb4b987607f96e9602b

**Referenced In Project/Scope:**server

### Evidence



Type	Source	Name	Value	Confidence
Vendor	central	artifactid	jsonic	Highest
Vendor	central	groupid	net.arnx	Highest
Vendor	file	name	jsonic	High
Vendor	jar	package name	arnx	Low
Vendor	jar	package name	jsonic	Low
Vendor	jar	package name	net	Low
Vendor	pom	artifactid	jsonic	Low
Vendor	pom	developer email	hidekatsu.izuno@gmail.com	Low
Vendor	pom	developer id	hidekatsu.izuno	Medium
Vendor	pom	developer name	Hidekatsu Izuno	Medium
Vendor	pom	groupid	net.arnx	Highest
Vendor	pom	name	jsonic	High
Vendor	pom	url	<a href="http://jsonic.sourceforge.jp/">http://jsonic.sourceforge.jp/</a>	Highest
Product	central	artifactid	jsonic	Highest



Product	file	name	jsonic	High
Product	jar	package name	arnx	Low
Product	jar	package name	jsonic	Low
Product	pom	artifactid	jsonic	Highest
Product	pom	developer email	hidekatsu.izuno@gmail.com	Low
Product	pom	developer id	hidekatsu.izuno	Low
Product	pom	developer name	Hidekatsu Izuno	Low
Product	pom	groupid	net.arnx	Highest
Product	pom	name	jsonic	High
Product	pom	url	http://jsonic.sourceforge.jp/	Medium
Version	central	version	1.3.10	Highest
Version	pom	version	1.3.10	Highest

#### Identifiers

- [pkg:maven/net.arnx/jsonic@1.3.10](#) (Confidence:High)

## analysis.language.zip: language-detector.jar

### Description:

Language Detection Library for Java.

### License:

Apache 2: <http://www.apache.org/licenses/LICENSE-2.0>

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/analysis.language.zip/language-detector.jar

**MD5:** e5475d5cabd54e5ddf6428d63864888f

**SHA1:** 52fee1eaa101f8d3e30b7095e1b6e0054d514dde

**SHA256:** f53ecc3d71da9ebc82edd10fb35638d32e8b9d849273dd717a021eca02f2278d

**Referenced In Project/Scope:**server

### Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	language-detector	High
Vendor	jar	package name	langdetect	Low
Vendor	jar	package name	languagedetector	Highest
Vendor	jar	package name	optimaize	Highest



Vendor	jar	package name	optimaize	Low
Vendor	pom	artifactid	language-detector	Low
Vendor	pom	developer name	Fabian Kessler	Medium
Vendor	pom	developer name	François ROLAND	Medium
Vendor	pom	developer name	Nakatani Shuyo	Medium
Vendor	pom	developer name	Robert Theis	Medium
Vendor	pom	groupid	com.optimaize.languagedetector	Highest
Vendor	pom	name	language-detector	High
Vendor	pom	url	optimaize/language-detector	Highest
Product	file	name	language-detector	High
Product	jar	package name	langdetect	Low
Product	jar	package name	languagedetector	Highest
Product	jar	package name	optimaize	Highest
Product	pom	artifactid	language-detector	Highest
Product	pom	developer name	Fabian Kessler	Low
Product	pom	developer name	François ROLAND	Low
Product	pom	developer name	Nakatani Shuyo	Low
Product	pom	developer name	Robert Theis	Low
Product	pom	groupid	com.optimaize.languagedetector	Highest
Product	pom	name	language-detector	High
Product	pom	url	optimaize/language-detector	High
Version	pom	version	0.6	Highest

#### Identifiers

- [pkg:maven/com.optimaize.languagedetector/language-detector@0.6](https://maven.com.optimaize.languagedetector/language-detector@0.6) (*Confidence:High*)

#### application.currenttime.zip: application.currenttime.sample.jar

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller  
/server/build/tmp/dependencies/Documentation and Samples/Plugin - Samples/Application  
/CurrentTimePlugin/application.currenttime.zip/application.currenttime.sample.jar

**MD5:** 45de2ae3babdb1d1b1a4786f7c5e1b03

**SHA1:** 9f085f52ffe3720dbcddda7f4999782f81a913f2

**SHA256:** 633016ac97973a7e215377c26218b675b24b9862bb846fe28286518403febff2

**Referenced In Project/Scope:**server



Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	application.currenttime.sample	High
Vendor	jar	package name	application	Low
Vendor	jar	package name	currenttime	Low
Vendor	jar	package name	inet	Low
Vendor	Manifest	built-date	2024-01-16 12:20	Low
Vendor	Manifest	implementation-group	shared	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	application.currenttime.sample	High
Product	jar	package name	application	Highest
Product	jar	package name	application	Low
Product	jar	package name	currenttime	Highest
Product	jar	package name	currenttime	Low
Product	Manifest	built-date	2024-01-16 12:20	Low
Product	Manifest	implementation-group	shared	Low
Product	Manifest	Implementation-Title	application.currenttime	High
Product	Manifest	specification-title	application.currenttime	Medium
Version	Manifest	Implementation-Version	23.10.295	High

Identifiers

- None

application.currenttime.zip: application.currenttime.sample.jar: sampleapplication.js



**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/Documentation and Samples/Plugin - Samples/Application/CurrentTimePlugin/application.currenttime.zip/application.currenttime.sample.jar/com/inet/application/currenttime/sampleapplication.js  
**MD5:** 62b73d66b3a5d99c2d5f9370514ce5c7  
**SHA1:** 3edcc5ec1862d2da8872f35b2290be8babb7f94c  
**SHA256:**522c5f97270c0dff35ba66fbb4ff31b14220051c8fc948e82f4bbdf07cd86749  
**Referenced In Project/Scope:**server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

application.embedded.zip: application.embedded.sample.jar

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/Documentation and Samples/Plugin - Samples/Application/Embedded/application.embedded.zip/application.embedded.sample.jar  
**MD5:** 05c0ec43352185ff0c9759891c9aa508  
**SHA1:** aab8ac15da2f87cee89fdab35e217fa461aa1ec0  
**SHA256:**f8706d6d88b23f57b4014a302a107bace2ed3c8c90c74b7b71c882ff649b53cd  
**Referenced In Project/Scope:**server

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	application.embedded.sample	High
Vendor	jar	package name	application	Low
Vendor	jar	package name	embedded	Low
Vendor	jar	package name	inet	Low
Vendor	Manifest	built-date	2024-01-16 12:20	Low
Vendor	Manifest	implementation-group	shared	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	specification-vendor	i-net software	Low



Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	application.embedded.sample	High
Product	jar	package name	application	Highest
Product	jar	package name	application	Low
Product	jar	package name	embedded	Highest
Product	jar	package name	embedded	Low
Product	jar	package name	embeddedservletplugin	Low
Product	Manifest	built-date	2024-01-16 12:20	Low
Product	Manifest	implementation-group	shared	Low
Product	Manifest	Implementation-Title	application.embedded	High
Product	Manifest	specification-title	application.embedded	Medium
Version	Manifest	Implementation-Version	23.10.295	High

#### Identifiers

- None

### application.embedded.zip: application.embedded.sample.jar: embeddedMode.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/Documentation and Samples/Plugin - Samples/Application/Embedded/application.embedded.zip/application.embedded.sample.jar/com/inet/application/embedded/webgui/embeddedMode.js

**MD5:** 0dd2944e9ebe2d6dc36b7d76761b5710

**SHA1:** ab849acd19da6478b94d58b1b00d474c179af217

**SHA256:** 3a692f43f8c80fb469146b5bc3ab738f5676e0809052735384cc0c631ed18a30

**Referenced In Project/Scope:**server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None



application.googleanalytics.zip: application.googleanalytics.sample.jar

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/Documentation and Samples/Plugin - Samples/Application/GoogleAnalytics/application.googleanalytics.zip/application.googleanalytics.sample.jar  
**MD5:** 4b91a5fc843766689a82ad183ecf283d  
**SHA1:** 1124153c4041607b0648677e372e61b635ebc8a3  
**SHA256:**8a5358a5cc0e33dc0e61f76b480d0520e12b4a235b84a6b785685fe7faa09f2c  
**Referenced In Project/Scope:**server

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	application.googleanalytics.sample	High
Vendor	jar	package name	application	Low
Vendor	jar	package name	googleanalytics	Low
Vendor	jar	package name	inet	Low
Vendor	Manifest	built-date	2024-01-16 12:20	Low
Vendor	Manifest	implementation-group	shared	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	application.googleanalytics.sample	High
Product	jar	package name	application	Highest
Product	jar	package name	application	Low
Product	jar	package name	googleanalytics	Highest
Product	jar	package name	googleanalytics	Low
Product	Manifest	built-date	2024-01-16 12:20	Low
Product	Manifest	implementation-group	shared	Low
Product	Manifest	Implementation-Title	application.googleanalytics	High
Product	Manifest	specification-title	application.googleanalytics	Medium
Version	Manifest	Implementation-Version	23.10.295	High



Identifiers

- None

application.googleanalytics.zip: application.googleanalytics.sample.jar:  
googleanalytics.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller  
/server/build/tmp/dependencies/Documentation and Samples/Plugin - Samples/Application/GoogleAnalytics  
/application.googleanalytics.zip/application.googleanalytics.sample.jar/com/inet/application/googleanalytics  
/googleanalytics.js

**MD5:** fc58f23e72a70700bb2c6ddbc3d2bed8

**SHA1:** f591e0fb5ec00d90c01e1fae1aba795b215e2919

**SHA256:**4564a91375ad798064cd0d561bd71c62ca207007a78a2f84c08c38ce2dec4e77

**Referenced In Project/Scope:**server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

application.helloworld.zip: application.helloworld.sample.jar

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller  
/server/build/tmp/dependencies/Documentation and Samples/Plugin - Samples/Application/HelloWorld  
/application.helloworld.zip/application.helloworld.sample.jar

**MD5:** c9b2cf28e3b21ce27ace6441802b6a10

**SHA1:** ac89f00e732d7ac8c47f17fd0cb7832d125256c8

**SHA256:**c1389240dce011ab0ed609a0e203f2f0dea6149440ca743a11bfb41f9cc4ddc9

**Referenced In Project/Scope:**server

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	application.helloworld.sample	High
Vendor	jar	package name	application	Low
Vendor	jar	package name	helloworld	Low
Vendor	jar	package name	inet	Low
Vendor	Manifest	built-date	2024-01-16 12:20	Low



Vendor	Manifest	implementation-group	shared	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	application.helloworld.sample	High
Product	jar	package name	application	Highest
Product	jar	package name	application	Low
Product	jar	package name	helloworld	Highest
Product	jar	package name	helloworld	Low
Product	Manifest	built-date	2024-01-16 12:20	Low
Product	Manifest	implementation-group	shared	Low
Product	Manifest	Implementation-Title	application.helloworld	High
Product	Manifest	specification-title	application.helloworld	Medium
Version	Manifest	Implementation-Version	23.10.295	High

#### Identifiers

- None

### authentication.oauth.ex.zip: authentication.oauth.ex.sample.jar

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/Documentation and Samples/Plugin - Samples/Authentication/OAuth/authentication.oauth.ex.zip/authentication.oauth.ex.sample.jar

**MD5:** 8d06860e28dc6075672f036f13206559

**SHA1:** 544947193d9c83e9b808bbbe5578f5b8fdd25fbc

**SHA256:** e6238604f9af0c9aaa8644898436309c8b55e371b8e3ac7d577a4daf548ae548

**Referenced In Project/Scope:**server

#### Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	authentication.oauth.ex.sample	High



Vendor	jar	package name	authentication	Low
Vendor	jar	package name	inet	Low
Vendor	jar	package name	oauth	Low
Vendor	Manifest	built-date	2024-01-16 12:20	Low
Vendor	Manifest	implementation-group	shared	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	authentication.oauth.ex.sample	High
Product	jar	package name	authentication	Highest
Product	jar	package name	authentication	Low
Product	jar	package name	ex	Highest
Product	jar	package name	ex	Low
Product	jar	package name	oauth	Highest
Product	jar	package name	oauth	Low
Product	Manifest	built-date	2024-01-16 12:20	Low
Product	Manifest	implementation-group	shared	Low
Product	Manifest	Implementation-Title	authentication.oauth.ex	High
Product	Manifest	specification-title	authentication.oauth.ex	Medium
Version	Manifest	Implementation-Version	23.10.295	High

#### Identifiers

- None

### authentication.pam.zip: authentication.pam.jar

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/authentication.pam.zip/authentication.pam.jar

**MD5:** 5b7f58be5baa057aad175cc1801a081f

**SHA1:** df5db7a49f87ced9292f607bb61fccc8831a5461



Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	authentication.pam	High
Vendor	jar	package name	authentication	Low
Vendor	jar	package name	inet	Low
Vendor	jar	package name	pam	Low
Vendor	Manifest	built-date	2024-01-16 12:11	Low
Vendor	Manifest	implementation-group	shared	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	authentication.pam	High
Product	jar	package name	authentication	Highest
Product	jar	package name	authentication	Low
Product	jar	package name	libpam	Low
Product	jar	package name	pam	Highest
Product	jar	package name	pam	Low
Product	Manifest	built-date	2024-01-16 12:11	Low
Product	Manifest	implementation-group	shared	Low
Product	Manifest	Implementation-Title	authentication.pam	High
Product	Manifest	specification-title	authentication.pam	Medium
Version	Manifest	Implementation-Version	23.10.295	High

Identifiers

- None



## authentication.pam.zip: jna.jar

### Description:

Java Native Access

### License:

LGPL-2.1-or-later: <https://www.gnu.org/licenses/old-licenses/lgpl-2.1>

Apache-2.0: <https://www.apache.org/licenses/LICENSE-2.0.txt>

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/authentication.pam.zip/jna.jar

**MD5:** 237d9e29373db1962be6ddecf1dfc8f3

**SHA1:** 27770efb6329f092f895c7329662d1aa8ee8c0ac

**SHA256:** e2bce99e4aefd4dab097019a799d317cb3b5d56c3ddd7984c69a772dceed0dd3

**Referenced In Project/Scope:** server

### Evidence



Type	Source	Name	Value	Confidence
Vendor	central	artifactid	jna	Highest
Vendor	central	groupid	net.java.dev.jna	Highest
Vendor	file	name	jna	High
Vendor	jar	package name	jna	Highest
Vendor	jar	package name	jna	Low
Vendor	jar	package name	sun	Highest
Vendor	jar	package name	sun	Low
Vendor	jar (hint)	package name	oracle	Highest
Vendor	jar (hint)	package name	oracle	Low
Vendor	Manifest	automatic-module-name	com.sun.jna	Medium
Vendor	Manifest	bundle-activationpolicy	lazy	Low
Vendor	Manifest	bundle-category	jni	Low
Vendor	Manifest	bundle-nativecode	com/sun/jna/win32-x86/jnidispatch.dll; processor=x86;osname=win32, com/sun/jna/win32-x86-64/jnidispatch.dll; processor=x86-64;osname=win32, com/sun/jna/win32-x86/jnidispatch.dll; processor=x86;osname=win, com/sun/jna/win32-x86-64/jnidispatch.dll; processor=x86-64;osname=win, com/sun/jna/win32-aarch64/jnidispatch.dll; processor=aarch64;osname=win, com/sun/jna/w32ce-arm/jnidispatch.dll; processor=arm;osname=wince, com/sun/jna/sunos-x86/libjniidispach.so; processor=x86; osname=sunos, com/sun/jna/sunos-x86-64/libjniidispach.so; processor=x86-64;	Low



			osname=sunos, com/sun/jna/sunos-sparc /libjnidispatch.so; processor=sparc; osname=sunos, com/sun/jna/sunos-sparcv9 /libjnidispatch.so; processor=sparcv9; osname=sunos, com/sun/jna/aix-ppc /libjnidispatch.a; processor=ppc; osname=aix, com/sun/jna/aix-ppc64 /libjnidispatch.a; processor=ppc64; osname=aix, com/sun/jna/linux-ppc /libjnidispatch.so; processor=ppc; osname=linux, com/sun/jna/linux-ppc64 /libjnidispatch.so; processor=ppc64; osname=linux, com/sun/jna/linux-ppc64le /libjnidispatch.so; processor=ppc64le; osname=linux, com/sun/jna/linux-x86 /libjnidispatch.so; processor=x86; osname=linux, com/sun/jna/linux-x86-64 /libjnidispatch.so; processor=x86-64; osname=linux, com/sun/jna/linux-arm /libjnidispatch.so; processor=arm; osname=linux, com/sun/jna/linux-arm /libjnidispatch.so; processor=arm_le; osname=linux, com/sun/jna/linux-armel /libjnidispatch.so; processor=armel; osname=linux, com/sun/jna/linux-aarch64 /libjnidispatch.so; processor=aarch64; osname=linux, com/sun/jna/linux-ia64 /libjnidispatch.so; processor=ia64; osname=linux, com/sun/jna/linux-sparcv9 /libjnidispatch.so; processor=sparcv9; osname=linux, com/sun/jna/linux-mips64el /libjnidispatch.so; processor=mips64el; osname=linux, com/sun/jna/linux-s390x /libjnidispatch.so; processor=S390x; osname=linux, com/sun/jna/freebsd-x86 /libjnidispatch.so; processor=x86; osname=freebsd, com/sun/jna/freebsd-x86-64 /libjnidispatch.so; processor=x86-64; osname=freebsd, com/sun/jna/openbsd-x86 /libjnidispatch.so; processor=x86; osname=openbsd, com/sun/jna/openbsd-x86-64 /libjnidispatch.so; processor=x86-64; osname=openbsd, com/sun/jna/darwin-ppc /libjnidispatch.jnilib; osname=macosx; processor=ppc, com/sun/jna/darwin-ppc64 /libjnidispatch.jnilib; osname=macosx; processor=ppc64, com/sun/jna/darwin-x86 /libjnidispatch.jnilib; osname=macosx; processor=x86, com/sun/jna/darwin-x86-64 /libjnidispatch.jnilib; osname=macosx; processor=x86-64, com/sun/jna/darwin-aarch64 /libjnidispatch.jnilib; osname=macosx;processor=aarch64	
Vendor	Manifest	bundle-requiredexecution	JavaSE-1.6	Low
Vendor	Manifest	bundle-symbolicname	com.sun.jna	Medium
Vendor	Manifest	Implementation-Vendor	JNA Development Team	High
Vendor	Manifest	specification-vendor	JNA Development Team	Low
Vendor	pom	artifactid	jna	Low



Vendor	pom	developer email	mblaesing@doppel-helix.eu	Low
Vendor	pom	developer id	twall	Medium
Vendor	pom	developer name	Matthias Bläsing	Medium
Vendor	pom	developer name	Timothy Wall	Medium
Vendor	pom	groupid	net.java.dev.jna	Highest
Vendor	pom	name	Java Native Access	High
Vendor	pom	url	java-native-access/jna	Highest
Product	central	artifactid	jna	Highest
Product	file	name	jna	High
Product	jar	package name	jna	Highest
Product	jar	package name	jna	Low
Product	jar	package name	library	Highest
Product	jar	package name	native	Highest
Product	jar	package name	sun	Highest
Product	jar	package name	win32	Highest
Product	Manifest	automatic-module-name	com.sun.jna	Medium
Product	Manifest	bundle-activationpolicy	lazy	Low
Product	Manifest	bundle-category	jni	Low
Product	Manifest	Bundle-Name	jna	Medium
Product	Manifest	bundle-nativecode	com/sun/jna/win32-x86/jnidispatch.dll; processor=x86;osname=win32, com/sun/jna/win32-x86-64/jnidispatch.dll; processor=x86-64;osname=win32, com/sun/jna/win32-x86/jnidispatch.dll; processor=x86;osname=win, com/sun/jna/win32-x86-64/jnidispatch.dll; processor=x86-64;osname=win, com/sun/jna/win32-aarch64/jnidispatch.dll; processor=aarch64;osname=win, com/sun/jna/w32ce-arm/jnidispatch.dll; processor=arm;osname=wince, com/sun/jna/sunos-x86/libjniidispach.so; processor=x86;osname=sunos, com/sun/jna/sunos-x86-64/libjniidispach.so; processor=x86-64;osname=sunos, com/sun/jna/sunos-sparc/libjniidispach.so; processor=sparc;osname=sunos, com/sun/jna/sunos-sparcv9/libjniidispach.so; processor=sparcv9;osname=sunos, com/sun/jna/aix-ppc/libjniidispach.a; processor=ppc;osname=aix, com/sun/jna/aix-ppc64/libjniidispach.a; processor=ppc64;osname=aix, com/sun/jna/linux-ppc/libjniidispach.so; processor=ppc;osname=linux, com/sun/jna/linux-ppc64/libjniidispach.so; processor=ppc64;osname=linux, com/sun/jna/linux-ppc64le/libjniidispach.so; processor=ppc64le;osname=linux, com/sun/jna/linux-x86	Low



```

/libjnidispatch.so; processor=x86;
osname=linux, com/sun/jna/linux-x86-64
/libjnidispatch.so; processor=x86-64;
osname=linux, com/sun/jna/linux-arm
/libjnidispatch.so; processor=arm;
osname=linux, com/sun/jna/linux-arm
/libjnidispatch.so; processor=arm_le;
osname=linux, com/sun/jna/linux-armel
/libjnidispatch.so; processor=armel;
osname=linux, com/sun/jna/linux-aarch64
/libjnidispatch.so; processor=aarch64;
osname=linux, com/sun/jna/linux-ia64
/libjnidispatch.so; processor=ia64;
osname=linux, com/sun/jna/linux-sparcv9
/libjnidispatch.so; processor=sparcv9;
osname=linux, com/sun/jna/linux-mips64el
/libjnidispatch.so; processor=mips64el;
osname=linux, com/sun/jna/linux-s390x
/libjnidispatch.so; processor=S390x;
osname=linux, com/sun/jna/freebsd-x86
/libjnidispatch.so; processor=x86;
osname=freebsd, com/sun/jna/freebsd-x86-64/libjnidispatch.so; processor=x86-64;
osname=freebsd, com/sun/jna/openbsd-x86
/libjnidispatch.so; processor=x86;
osname=openbsd, com/sun/jna/openbsd-x86-64/libjnidispatch.so; processor=x86-64;
osname=openbsd, com/sun/jna/darwin-ppc
/libjnidispatch.jnilib; osname=macosx;
processor=ppc, com/sun/jna/darwin-ppc64
/libjnidispatch.jnilib; osname=macosx;
processor=ppc64, com/sun/jna/darwin-x86
/libjnidispatch.jnilib; osname=macosx;
processor=x86, com/sun/jna/darwin-x86-64
/libjnidispatch.jnilib; osname=macosx;
processor=x86-64, com/sun/jna/darwin-aarch64/libjnidispatch.jnilib;
osname=macosx;processor=aarch64

```

Product	Manifest	bundle-requiredexecution	JavaSE-1.6	Low
Product	Manifest	bundle-symbolicname	com.sun.jna	Medium
Product	Manifest	Implementation-Title	com.sun.jna	High
Product	Manifest	specification-title	Java Native Access (JNA)	Medium
Product	pom	artifactid	jna	Highest
Product	pom	developer email	mblaesing@doppel-helix.eu	Low
Product	pom	developer id	twall	Low
Product	pom	developer name	Matthias Bläsing	Low
Product	pom	developer name	Timothy Wall	Low
Product	pom	groupid	net.java.dev.jna	Highest
Product	pom	name	Java Native Access	High
Product	pom	url	java-native-access/jna	High
Version	central	version	5.11.0	Highest
Version	Manifest	Bundle-Version	5.11.0	High



Version	pom	version	5.11.0	Highest
---------	-----	---------	--------	---------

## Related Dependencies

- authentication.windows.zip: jna.jar
  - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/authentication.windows.zip/jna.jar
  - MD5: 237d9e29373db1962be6ddecf1dfc8f3
  - SHA1: 27770efb6329f092f895c7329662d1aa8ee8c0ac
  - SHA256: e2bce99e4aefd4dab097019a799d317cb3b5d56c3ddd7984c69a772dceed0dd3
  - [pkg:maven/net.java.dev.jna/jna@5.11.0](#)
- ocr.tesseract.zip: jna.jar
  - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/ocr.tesseract.zip/jna.jar
  - MD5: 237d9e29373db1962be6ddecf1dfc8f3
  - SHA1: 27770efb6329f092f895c7329662d1aa8ee8c0ac
  - SHA256: e2bce99e4aefd4dab097019a799d317cb3b5d56c3ddd7984c69a772dceed0dd3
  - [pkg:maven/net.java.dev.jna/jna@5.11.0](#)

## Identifiers

- [pkg:maven/net.java.dev.jna/jna@5.11.0](#) (*Confidence:High*)
- cpe:2.3:a:oracle:java\_se:5.11.0:\*:\*:\*:\*:\* (*Confidence:Low*) suppress

## authentication.pam.zip: jna.jar: jnidispatch.dll

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/authentication.pam.zip/jna.jar/com/sun/jna/win32-aarch64/jnidispatch.dll

**MD5:** 65b93b8a446bc4eded1e03db3e996164

**SHA1:** 272ad296884df043407db41c435d3114dc39538a

**SHA256:** 31904d830fadbc72f1f68436049434b4afd6719420fe59958537c276be449373

**Referenced In Project/Scope:**server

## Evidence

Type	Source	Name	Value	Confidence
Vendor	file	name	jnidispatch	High
Product	file	name	jnidispatch	High

## Related Dependencies

- authentication.windows.zip: jna.jar: jnidispatch.dll



- File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/authentication.windows.zip/jna.jar/com/sun/jna/win32-aarch64/jnidispatch.dll
- MD5: 65b93b8a446bc4eded1e03db3e996164
- SHA1: 272ad296884df043407db41c435d3114dc39538a
- SHA256: 31904d830fadbc72f1f68436049434b4afd6719420fe59958537c276be449373
- ocr.tesseract.zip: jna.jar: jnidispatch.dll
  - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/ocr.tesseract.zip/jna.jar/com/sun/jna/win32-aarch64/jnidispatch.dll
  - MD5: 65b93b8a446bc4eded1e03db3e996164
  - SHA1: 272ad296884df043407db41c435d3114dc39538a
  - SHA256: 31904d830fadbc72f1f68436049434b4afd6719420fe59958537c276be449373

#### Identifiers

- None

### authentication.pam.zip: jna.jar: jnidispatch.dll

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/authentication.pam.zip/jna.jar/com/sun/jna/win32-x86-64/jnidispatch.dll

**MD5:** 4de85f9679c3a75f6d7d3e56094aa106

**SHA1:** 052f62fb2ebec89fbe412db480865910eab693ad

**SHA256:** 3d1b2427b45ff5178bbb4db395758bedd3a1e91121ebb3e3640b5c4e20eb22cc

**Referenced In Project/Scope:**server

#### Evidence

Type	Source	Name	Value	Confidence
Vendor	file	name	jnidispatch	High
Product	file	name	jnidispatch	High

#### Related Dependencies

- authentication.windows.zip: jna.jar: jnidispatch.dll
  - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/authentication.windows.zip/jna.jar/com/sun/jna/win32-x86-64/jnidispatch.dll
  - MD5: 4de85f9679c3a75f6d7d3e56094aa106
  - SHA1: 052f62fb2ebec89fbe412db480865910eab693ad
  - SHA256: 3d1b2427b45ff5178bbb4db395758bedd3a1e91121ebb3e3640b5c4e20eb22cc
- ocr.tesseract.zip: jna.jar: jnidispatch.dll
  - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/ocr.tesseract.zip/jna.jar/com/sun/jna/win32-x86-64/jnidispatch.dll
  - MD5: 4de85f9679c3a75f6d7d3e56094aa106
  - SHA1: 052f62fb2ebec89fbe412db480865910eab693ad
  - SHA256: 3d1b2427b45ff5178bbb4db395758bedd3a1e91121ebb3e3640b5c4e20eb22cc



## Identifiers

- None

## authentication.pam.zip: jna.jar: jnidispatch.dll

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/authentication.pam.zip/jna.jar/com/sun/jna/win32-x86/jnidispatch.dll

**MD5:** 856291fc5f373c1368a70b6bf31697ce

**SHA1:** d03cb1df184c322cd8285f7cee50c5f861e24116

**SHA256:** f1225df0c346e0d4fde129771a7ce81c6a23e01950ae59f38fde86e626d8cd59

**Referenced In Project/Scope:**server

## Evidence

Type	Source	Name	Value	Confidence
Vendor	file	name	jnidispatch	High
Product	file	name	jnidispatch	High

## Related Dependencies

- authentication.windows.zip: jna.jar: jnidispatch.dll
  - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/authentication.windows.zip/jna.jar/com/sun/jna/win32-x86/jnidispatch.dll
  - MD5: 856291fc5f373c1368a70b6bf31697ce
  - SHA1: d03cb1df184c322cd8285f7cee50c5f861e24116
  - SHA256: f1225df0c346e0d4fde129771a7ce81c6a23e01950ae59f38fde86e626d8cd59
- ocr.tesseract.zip: jna.jar: jnidispatch.dll
  - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/ocr.tesseract.zip/jna.jar/com/sun/jna/win32-x86/jnidispatch.dll
  - MD5: 856291fc5f373c1368a70b6bf31697ce
  - SHA1: d03cb1df184c322cd8285f7cee50c5f861e24116
  - SHA256: f1225df0c346e0d4fde129771a7ce81c6a23e01950ae59f38fde86e626d8cd59

## Identifiers

- None



**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller  
/server/build/tmp/dependencies/Documentation and Samples/Plugin - Samples/Authentication  
/PasswordFile/authentication.passwordfile.zip/authentication.passwordfile.sample.jar  
**MD5:** 3c2850bfa6f9f72b59e2fbd842bfaad6  
**SHA1:** 25c62b232d8da70f98f696493cd98dede352d52b  
**SHA256:**b259fa815dc8f0f3eb9d9cc3d45c4cc964917c60dbf22237ef43f26c3ac59d7  
**Referenced In Project/Scope:**server

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	authentication.passwordfile.sample	High
Vendor	jar	package name	authentication	Low
Vendor	jar	package name	inet	Low
Vendor	jar	package name	passwordfile	Low
Vendor	Manifest	built-date	2024-01-16 12:20	Low
Vendor	Manifest	implementation-group	shared	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	authentication.passwordfile.sample	High
Product	jar	package name	authentication	Highest
Product	jar	package name	authentication	Low
Product	jar	package name	passwordfile	Highest
Product	jar	package name	passwordfile	Low
Product	Manifest	built-date	2024-01-16 12:20	Low
Product	Manifest	implementation-group	shared	Low
Product	Manifest	Implementation-Title	authentication.passwordfile	High
Product	Manifest	specification-title	authentication.passwordfile	Medium
Version	Manifest	Implementation-Version	23.10.295	High

Identifiers



- None

## authentication.product.zip: authentication.product.jar

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/authentication.product.zip/authentication.product.jar

**MD5:** 86be72e310ea498f080cddc5971a9234

**SHA1:** 41a00a0384b3ca0ea3e447ddb2d8620d5564e68d

**SHA256:** bade532c4312c1e375b5513c292e0ba2580dc7b990b7a0031a5fd1cea8f4ea57

**Referenced In Project/Scope:** server

### Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	authentication.product	High
Vendor	jar	package name	authentication	Low
Vendor	jar	package name	inet	Low
Vendor	jar	package name	product	Low
Vendor	Manifest	built-date	2024-01-16 12:15	Low
Vendor	Manifest	implementation-group	shared	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	authentication.product	High
Product	jar	package name	authentication	Highest
Product	jar	package name	authentication	Low
Product	jar	package name	product	Highest
Product	jar	package name	product	Low
Product	Manifest	built-date	2024-01-16 12:15	Low
Product	Manifest	implementation-group	shared	Low
Product	Manifest	Implementation-Title	authentication.product	High
Product	Manifest	specification-title	authentication.product	Medium
Version	Manifest	Implementation-	23.10.295	High



Version

#### Identifiers

- None

### authentication.windows.zip: authentication.windows.jar

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/authentication.windows.zip/authentication.windows.jar  
**MD5:** a6d4617f6df69a3bb044404cf78817bf  
**SHA1:** 259698bb0bee233a261600b00115af57334cc606  
**SHA256:** 9f524c548cfed8e82f63f6ed73ffef644e2372904c1f19f3a5a62cbc0daf1ef9  
**Referenced In Project/Scope:**server

#### Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	authentication.windows	High
Vendor	jar	package name	authentication	Low
Vendor	jar	package name	inet	Low
Vendor	jar	package name	windows	Low
Vendor	Manifest	built-date	2024-01-16 12:12	Low
Vendor	Manifest	implementation-group	shared	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	authentication.windows	High
Product	jar	package name	authentication	Highest
Product	jar	package name	authentication	Low
Product	jar	package name	windows	Highest
Product	jar	package name	windows	Low
Product	Manifest	built-date	2024-01-16 12:12	Low
Product	Manifest	implementation-group	shared	Low



Product	Manifest	Implementation-Title	authentication.windows	High
Product	Manifest	specification-title	authentication.windows	Medium
Version	Manifest	Implementation-Version	23.10.295	High

#### Identifiers

- None

## authentication.windows.zip: caffeine.jar

### Description:

A high performance caching library

### License:

Apache License, Version 2.0: <https://www.apache.org/licenses/LICENSE-2.0.txt>

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/authentication.windows.zip/caffeine.jar

**MD5:** b3db829baf2b527a737abf24aabfd27f

**SHA1:** e261a64f8f828eeadae139d8d0ff2a9b1224f4ef

**SHA256:** 0b1aabc3ba98c95d4f0a5376b006c4126a1a09e153826b9294c9c64c68ef7bcd

**Referenced In Project/Scope:**server

### Evidence



Type	Source	Name	Value	Confidence
Vendor	central	artifactid	caffeine	Highest
Vendor	central	groupid	com.github.ben-manes.caffeine	Highest
Vendor	file	name	caffeine	High
Vendor	jar	package name	benmanes	Highest
Vendor	jar	package name	benmanes	Low
Vendor	jar	package name	caffeine	Highest
Vendor	jar	package name	caffeine	Low
Vendor	jar	package name	github	Highest
Vendor	jar	package name	github	Low
Vendor	Manifest	automatic-module-name	com.github.benmanes.caffeine	Medium
Vendor	Manifest	bundle-symbolicname	com.github.ben-manes.caffeine	Medium



Vendor	Manifest	require-capability	osgi.ee;filter:="(&(osgi.ee=JavaSE)(version=11))"	Low
Vendor	pom	artifactid	caffeine	Low
Vendor	pom	developer email	ben.manes@gmail.com	Low
Vendor	pom	developer id	ben-manes	Medium
Vendor	pom	developer name	Ben Manes	Medium
Vendor	pom	groupid	com.github.ben-manes.caffeine	Highest
Vendor	pom	name	Caffeine cache	High
Vendor	pom	url	ben-manes/caffeine	Highest
Product	central	artifactid	caffeine	Highest
Product	file	name	caffeine	High
Product	jar	package name	benmanes	Highest
Product	jar	package name	benmanes	Low
Product	jar	package name	cache	Low
Product	jar	package name	caffeine	Highest
Product	jar	package name	caffeine	Low
Product	jar	package name	github	Highest
Product	Manifest	automatic-module-name	com.github.benmanes.caffeine	Medium
Product	Manifest	Bundle-Name	com.github.ben-manes.caffeine	Medium
Product	Manifest	bundle-symbolicname	com.github.ben-manes.caffeine	Medium
Product	Manifest	require-capability	osgi.ee;filter:="(&(osgi.ee=JavaSE)(version=11))"	Low
Product	pom	artifactid	caffeine	Highest
Product	pom	developer email	ben.manes@gmail.com	Low
Product	pom	developer id	ben-manes	Low
Product	pom	developer name	Ben Manes	Low
Product	pom	groupid	com.github.ben-manes.caffeine	Highest
Product	pom	name	Caffeine cache	High
Product	pom	url	ben-manes/caffeine	High
Version	central	version	3.0.6	Highest
Version	Manifest	Bundle-Version	3.0.6	High
Version	pom	version	3.0.6	Highest

## Identifiers



- [pkg:maven/com.github.ben-manes.caffeine/caffeine@3.0.6](https://mvnrepository.com/artifact/com.github.ben-manes.caffeine/caffeine/3.0.6) (Confidence:High)

## authentication.windows.zip: jna-platform.jar

### Description:

Java Native Access Platform

### License:

LGPL-2.1-or-later: <https://www.gnu.org/licenses/old-licenses/lgpl-2.1>

Apache-2.0: <https://www.apache.org/licenses/LICENSE-2.0.txt>

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/authentication.windows.zip/jna-platform.jar

**MD5:** 10d8b81ab04b75b7ccb1aa2846abde58

**SHA1:** 3982895a856ba88cd7acf75a1b3a11046eef419d

**SHA256:** 6fae75fc94cd956efee576bd75437f94f68b06faa2f9bf134a32d9c07d263a10

**Referenced In Project/Scope:**server

### Evidence



Type	Source	Name	Value	Confidence
Vendor	central	artifactid	jna-platform	Highest
Vendor	central	groupid	net.java.dev.jna	Highest
Vendor	file	name	jna-platform	High
Vendor	jar	package name	jna	Highest
Vendor	jar	package name	jna	Low
Vendor	jar	package name	platform	Highest
Vendor	jar	package name	platform	Low
Vendor	jar	package name	sun	Highest
Vendor	jar	package name	sun	Low
Vendor	jar (hint)	package name	oracle	Highest
Vendor	jar (hint)	package name	oracle	Low
Vendor	Manifest	automatic-module-name	com.sun.jna.platform	Medium
Vendor	Manifest	bundle-category	jni	Low
Vendor	Manifest	bundle-requiredexecution	J2SE-1.4	Low
Vendor	Manifest	bundle-symbolicname	com.sun.jna.platform	Medium
Vendor	Manifest	Implementation-Vendor	JNA Development Team	High



Vendor	Manifest	require-bundle	com.sun.jna;bundle-version="5.11.0"	Low
Vendor	Manifest	specification-vendor	JNA Development Team	Low
Vendor	pom	artifactid	jna-platform	Low
Vendor	pom	developer email	mblaesing@doppel-helix.eu	Low
Vendor	pom	developer id	twall	Medium
Vendor	pom	developer name	Matthias Bläsing	Medium
Vendor	pom	developer name	Timothy Wall	Medium
Vendor	pom	groupid	net.java.dev.jna	Highest
Vendor	pom	name	Java Native Access Platform	High
Vendor	pom	url	java-native-access/jna	Highest
Product	central	artifactid	jna-platform	Highest
Product	file	name	jna-platform	High
Product	jar	package name	jna	Highest
Product	jar	package name	jna	Low
Product	jar	package name	platform	Highest
Product	jar	package name	platform	Low
Product	jar	package name	sun	Highest
Product	jar	package name	win32	Low
Product	Manifest	automatic-module-name	com.sun.jna.platform	Medium
Product	Manifest	bundle-category	jni	Low
Product	Manifest	Bundle-Name	jna-platform	Medium
Product	Manifest	bundle-requiredexecution	J2SE-1.4	Low
Product	Manifest	bundle-symbolicname	com.sun.jna.platform	Medium
Product	Manifest	Implementation-Title	com.sun.jna.platform	High
Product	Manifest	require-bundle	com.sun.jna;bundle-version="5.11.0"	Low
Product	Manifest	specification-title	Java Native Access (JNA)	Medium
Product	pom	artifactid	jna-platform	Highest
Product	pom	developer email	mblaesing@doppel-helix.eu	Low
Product	pom	developer id	twall	Low
Product	pom	developer name	Matthias Bläsing	Low
Product	pom	developer name	Timothy Wall	Low
Product	pom	groupid	net.java.dev.jna	Highest



Product	pom	name	Java Native Access Platform	High
Product	pom	url	java-native-access/jna	High
Version	central	version	5.11.0	Highest
Version	Manifest	Bundle-Version	5.11.0	High
Version	pom	version	5.11.0	Highest

#### Identifiers

- [pkg:maven/net.java.dev.jna/jna-platform@5.11.0](#) (*Confidence*:High)

## authentication.windows.zip: waffle-jna.jar

### Description:

WAFFLE JNA implementation

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/authentication.windows.zip/waffle-jna.jar

**MD5:** 7d4ab9e0376129387e6565b040f2c0af

**SHA1:** 6c1a06b345702bb1dfd77006af926b091bded851

**SHA256:**301cb389402618a0a8e7fb56c4b47e20f1f9c774f99a3d7272435bae2d323580

**Referenced In Project/Scope:**server

#### Evidence

Type	Source	Name	Value	Confidence
Vendor	file	name	waffle-jna	High
Vendor	jar	package name	waffle	Highest
Vendor	jar	package name	windows	Highest
Vendor	Manifest	automatic-module-name	waffle.jna	Medium
Vendor	Manifest	build-jdk-spec	17	Low
Vendor	Manifest	build-os	Windows 11 (10.0; amd64)	Low
Vendor	Manifest	build-time	2023-03-26 04:43:22	Low
Vendor	Manifest	build-tool	Apache Maven 3.9.1 (2e178502fcd8bffc201671fb2537d0cb4b4cc58f8)	Low
Vendor	Manifest	copyright	2023	Low
Vendor	Manifest	git-revision	0394b0b93ae92e63f09711a9c67fec4e799e84	Low
Vendor	Manifest	Implementation-Vendor	com.github.waffle	High
Vendor	Manifest	os-arch	amd64	Low



Vendor	Manifest	os-name	Windows 11	Medium
Vendor	Manifest	specification-vendor	com.github.waffle	Low
Vendor	pom	artifactid	waffle-jna	Low
Vendor	pom	groupid	com.github.waffle	Highest
Vendor	pom	name	waffle-jna	High
Vendor	pom	parent-artifactid	waffle-parent	Low
Vendor	pom	url	https://waffle.github.io/waffle/	Highest
Product	file	name	waffle-jna	High
Product	jar	package name	waffle	Highest
Product	jar	package name	windows	Highest
Product	Manifest	automatic-module-name	waffle.jna	Medium
Product	Manifest	build-jdk-spec	17	Low
Product	Manifest	build-os	Windows 11 (10.0; amd64)	Low
Product	Manifest	build-time	2023-03-26 04:43:22	Low
Product	Manifest	build-tool	Apache Maven 3.9.1 (2e178502fcd0bfc201671fb2537d0cb4b4cc58f8)	Low
Product	Manifest	copyright	2023	Low
Product	Manifest	git-revision	0394b0b93ae92e63f09711a9c67fec4e799e84	Low
Product	Manifest	Implementation-Title	waffle-jna	High
Product	Manifest	os-arch	amd64	Low
Product	Manifest	os-name	Windows 11	Medium
Product	Manifest	specification-title	waffle-jna	Medium
Product	pom	artifactid	waffle-jna	Highest
Product	pom	groupid	com.github.waffle	Highest
Product	pom	name	waffle-jna	High
Product	pom	parent-artifactid	waffle-parent	Medium
Product	pom	url	https://waffle.github.io/waffle/	Medium
Version	Manifest	Implementation-Version	3.3.0	High
Version	pom	version	3.3.0	Highest

## Identifiers

- [pkg:maven/com.github.waffle/waffle-jna@3.3.0](https://maven.com.github.waffle/waffle-jna@3.3.0) (Confidence:High)



**command.jsonexport.zip: command.jsonexport.jar**

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/command.jsonexport.zip/command.jsonexport.jar

**MD5:** d0735a2633247990bd64877d2e149b75

**SHA1:** a1c046b2d60ad610f9ff809872aa1eeb8d52dd18

**SHA256:**f0335291161074857f54780bfca8294808664999dc3192afc548398449f013b6

**Referenced In Project/Scope:**server

**Evidence**



Type	Source	Name	Value	Confidence
Vendor	file	name	command.jsonexport	High
Vendor	jar	package name	command	Low
Vendor	jar	package name	inet	Low
Vendor	jar	package name	pdfc	Low
Vendor	Manifest	application-library-allowable-codebase	*	Low
Vendor	Manifest	built-date	2024-01-16 15:34	Low
Vendor	Manifest	codebase	*	Low
Vendor	Manifest	implementation-group	pdfc	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	permissions	all-permissions	Low
Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	trusted-library	false	Low
Vendor	Manifest	trusted-only	false	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	command.jsonexport	High
Product	jar	package name	command	Highest
Product	jar	package name	command	Low
Product	jar	package name	json	Low
Product	jar	package name	pdfc	Highest
Product	jar	package name	pdfc	Low



Product	Manifest	application-library-allowable-codebase	*	Low
Product	Manifest	built-date	2024-01-16 15:34	Low
Product	Manifest	codebase	*	Low
Product	Manifest	implementation-group	pdfc	Low
Product	Manifest	Implementation-Title	command.jsonexport	High
Product	Manifest	permissions	all-permissions	Low
Product	Manifest	specification-title	command.jsonexport	Medium
Product	Manifest	trusted-library	false	Low
Product	Manifest	trusted-only	false	Low
Version	jar	package name	pdfc	Highest
Version	Manifest	Implementation-Version	23.10.295	High

Identifiers

- cpe:2.3:a:inetsoftware:pdfc:23.10.295:\*\*\*\*:\*:\* ( *Confidence:Low* )
- suppress

commons-logging.jar

Description:

Apache Commons Logging is a thin adapter allowing configurable bridging to other, well known logging systems.

License:

<http://www.apache.org/licenses/LICENSE-2.0.txt>

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/java/commons-logging.jar

**MD5:** 040b4b4d8eac886f6b4a2a3bd2f31b00

**SHA1:** 4bfc12adfe4842bf07b657f0369c4cb522955686

**SHA256:**daddea1ea0be0f56978ab3006b8ac92834afeefbd9b7e4e6316fca57df0fa636

**Referenced In Project/Scope:**server

Evidence

Type	Source	Name	Value	Confidence
Vendor	file	name	commons-logging	High



Vendor	jar	package name	apache	Highest
Vendor	jar	package name	commons	Highest
Vendor	jar	package name	logging	Highest
Vendor	Manifest	bundle-docurl	<a href="http://commons.apache.org/proper/commons-logging/">http://commons.apache.org/proper/commons-logging/</a>	Low
Vendor	Manifest	bundle-symbolicname	org.apache.commons.logging	Medium
Vendor	Manifest	implementation-build	tags/LOGGING_1_2_RC2@r1608092; 2014-07-05 20:11:44+0200	Low
Vendor	Manifest	Implementation-Vendor	The Apache Software Foundation	High
Vendor	Manifest	Implementation-Vendor-Id	org.apache	Medium
Vendor	Manifest	specification-vendor	The Apache Software Foundation	Low
Vendor	pom	artifactid	commons-logging	Low
Vendor	pom	developer email	baliuka@apache.org	Low
Vendor	pom	developer email	costin@apache.org	Low
Vendor	pom	developer email	craigmcc@apache.org	Low
Vendor	pom	developer email	dennisl@apache.org	Low
Vendor	pom	developer email	donaldp@apache.org	Low
Vendor	pom	developer email	morgand@apache.org	Low
Vendor	pom	developer email	rdonkin@apache.org	Low
Vendor	pom	developer email	rsitze@apache.org	Low
Vendor	pom	developer email	rwaldhoff@apache.org	Low
Vendor	pom	developer email	sanders@apache.org	Low
Vendor	pom	developer email	skitching@apache.org	Low
Vendor	pom	developer email	tn@apache.org	Low
Vendor	pom	developer id	baliuka	Medium
Vendor	pom	developer id	bstansberry	Medium
Vendor	pom	developer id	costin	Medium
Vendor	pom	developer id	craigmcc	Medium
Vendor	pom	developer id	dennisl	Medium
Vendor	pom	developer id	donaldp	Medium
Vendor	pom	developer id	morgand	Medium
Vendor	pom	developer id	rdonkin	Medium
Vendor	pom	developer id	rsitze	Medium
Vendor	pom	developer id	rwaldhoff	Medium



Vendor	pom	developer id	sanders	Medium
Vendor	pom	developer id	skitching	Medium
Vendor	pom	developer id	tn	Medium
Vendor	pom	developer name	Brian Stansberry	Medium
Vendor	pom	developer name	Costin Manolache	Medium
Vendor	pom	developer name	Craig McClanahan	Medium
Vendor	pom	developer name	Dennis Lundberg	Medium
Vendor	pom	developer name	Juozas Baliuka	Medium
Vendor	pom	developer name	Morgan Delagrance	Medium
Vendor	pom	developer name	Peter Donald	Medium
Vendor	pom	developer name	Richard Sitze	Medium
Vendor	pom	developer name	Robert Burrell Donkin	Medium
Vendor	pom	developer name	Rodney Waldhoff	Medium
Vendor	pom	developer name	Scott Sanders	Medium
Vendor	pom	developer name	Simon Kitching	Medium
Vendor	pom	developer name	Thomas Neidhart	Medium
Vendor	pom	developer org	Apache	Medium
Vendor	pom	developer org	The Apache Software Foundation	Medium
Vendor	pom	groupid	commons-logging	Highest
Vendor	pom	name	Apache Commons Logging	High
Vendor	pom	parent-artifactid	commons-parent	Low
Vendor	pom	parent-groupid	org.apache.commons	Medium
Vendor	pom	url	http://commons.apache.org/proper/commons-logging/	Highest
Product	file	name	commons-logging	High
Product	jar	package name	apache	Highest
Product	jar	package name	commons	Highest
Product	jar	package name	logging	Highest
Product	Manifest	bundle-docurl	http://commons.apache.org/proper/commons-logging/	Low
Product	Manifest	Bundle-Name	Apache Commons Logging	Medium
Product	Manifest	bundle-symbolicname	org.apache.commons.logging	Medium
Product	Manifest	implementation-build	tags/LOGGING_1_2_RC2@r1608092; 2014-07-05 20:11:44+0200	Low
Product	Manifest	Implementation-Title	Apache Commons Logging	High
Product	Manifest	specification-title	Apache Commons Logging	Medium



Product	pom	artifactid	commons-logging	Highest
Product	pom	developer email	baliuka@apache.org	Low
Product	pom	developer email	costin@apache.org	Low
Product	pom	developer email	craigmcc@apache.org	Low
Product	pom	developer email	dennisl@apache.org	Low
Product	pom	developer email	donaldp@apache.org	Low
Product	pom	developer email	morgand@apache.org	Low
Product	pom	developer email	rdonkin@apache.org	Low
Product	pom	developer email	rsitze@apache.org	Low
Product	pom	developer email	rwaldhoff@apache.org	Low
Product	pom	developer email	sanders@apache.org	Low
Product	pom	developer email	skitching@apache.org	Low
Product	pom	developer email	tn@apache.org	Low
Product	pom	developer id	baliuka	Low
Product	pom	developer id	bstansberry	Low
Product	pom	developer id	costin	Low
Product	pom	developer id	craigmcc	Low
Product	pom	developer id	dennisl	Low
Product	pom	developer id	donaldp	Low
Product	pom	developer id	morgand	Low
Product	pom	developer id	rdonkin	Low
Product	pom	developer id	rsitze	Low
Product	pom	developer id	rwaldhoff	Low
Product	pom	developer id	sanders	Low
Product	pom	developer id	skitching	Low
Product	pom	developer id	tn	Low
Product	pom	developer name	Brian Stansberry	Low
Product	pom	developer name	Costin Manolache	Low
Product	pom	developer name	Craig McClanahan	Low
Product	pom	developer name	Dennis Lundberg	Low
Product	pom	developer name	Juozas Baliuka	Low
Product	pom	developer name	Morgan Delagrang	Low
Product	pom	developer name	Peter Donald	Low
Product	pom	developer name	Richard Sitze	Low
Product	pom	developer name	Robert Burrell Donkin	Low



Product	pom	developer name	Rodney Waldhoff	Low
Product	pom	developer name	Scott Sanders	Low
Product	pom	developer name	Simon Kitching	Low
Product	pom	developer name	Thomas Neidhart	Low
Product	pom	developer org	Apache	Low
Product	pom	developer org	The Apache Software Foundation	Low
Product	pom	groupid	commons-logging	Highest
Product	pom	name	Apache Commons Logging	High
Product	pom	parent-artifactid	commons-parent	Medium
Product	pom	parent-groupid	org.apache.commons	Medium
Product	pom	url	http://commons.apache.org/proper/commons-logging/	Medium
Version	Manifest	Implementation-Version	1.2	High
Version	pom	parent-version	1.2	Low
Version	pom	version	1.2	Highest

#### Related Dependencies



- ocr.tesseract.zip: commons-logging.jar
  - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/ocr.tesseract.zip/commons-logging.jar
  - MD5: 040b4b4d8eac886f6b4a2a3bd2f31b00
  - SHA1: 4bfc12adfe4842bf07b657f0369c4cb522955686
  - SHA256: daddea1ea0be0f56978ab3006b8ac92834afeefbd9b7e4e6316fca57df0fa636
  - [pkg:maven/commons-logging/commons-logging@1.2](#)

#### Identifiers

- [pkg:maven/commons-logging/commons-logging@1.2](#) (*Confidence:High*)

### comparison.api.zip: comparison.api.jar

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/comparison.api.zip/comparison.api.jar

**MD5:** cd47eea0d05541e3c11f7aee2f17fc81

**SHA1:** f7b3fa910a4fa9a3d64943580c77ab2f786ff9ae

**SHA256:** a616cb0c6f6fbc5700308055e0c5db5503e2e0458f91692949486e0bbada7ad3

**Referenced In Project/Scope:**server





Type	Source	Name	Value	Confidence
Vendor	file	name	comparison.api	High
Vendor	jar	package name	comparisonapi	Low
Vendor	jar	package name	inet	Low
Vendor	jar	package name	pdfc	Low
Vendor	Manifest	application-library-allowable-codebase	*	Low
Vendor	Manifest	built-date	2024-01-16 15:27	Low
Vendor	Manifest	codebase	*	Low
Vendor	Manifest	implementation-group	pdfc	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	permissions	all-permissions	Low
Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	trusted-library	false	Low
Vendor	Manifest	trusted-only	false	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	comparison.api	High
Product	jar	package name	comparisonapi	Low
Product	jar	package name	pdfc	Highest
Product	jar	package name	pdfc	Low
Product	Manifest	application-library-allowable-codebase	*	Low
Product	Manifest	built-date	2024-01-16 15:27	Low
Product	Manifest	codebase	*	Low
Product	Manifest	implementation-group	pdfc	Low
Product	Manifest	Implementation-Title	comparison.api	High
Product	Manifest	permissions	all-permissions	Low
Product	Manifest	specification-title	comparison.api	Medium
Product	Manifest	trusted-library	false	Low



Product	Manifest	trusted-only	false	Low
Version	jar	package name	pdfc	Highest
Version	Manifest	Implementation-Version	23.10.295	High

## Identifiers

- cpe:2.3:a:inetsoftware:pdfc:23.10.295.\*.\*.\*.\*.\* (Confidence:Low) suppress

**comparison.rpc.zip: comparison.rpc.jar**

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/comparison.rpc.zip/comparison.rpc.jar

**MD5:** 40dfda4e536b3129e659b46e6959bf5e

**SHA1:** 5d747fc37249a40dafdcae23acb0932ac98bfadc

**SHA256:**32f0093c4c0d065442d8e2c4e81a784054f047a6d099dc54aec94c7bfa5794fc

**Referenced In Project/Scope:**server

## Evidence

Type	Source	Name	Value	Confidence
Vendor	file	name	comparison.rpc	High
Vendor	jar	package name	inet	Low
Vendor	jar	package name	pdfc	Low
Vendor	jar	package name	rpc	Low
Vendor	Manifest	application-library-allowable-codebase	*	Low
Vendor	Manifest	built-date	2024-01-16 15:27	Low
Vendor	Manifest	codebase	*	Low
Vendor	Manifest	implementation-group	pdfc	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	permissions	all-permissions	Low
Vendor	Manifest	specification-vendor	i-net software	Low



Vendor	Manifest	trusted-library	false	Low
Vendor	Manifest	trusted-only	false	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	comparison.rpc	High
Product	jar	package name	pdfc	Highest
Product	jar	package name	pdfc	Low
Product	jar	package name	rpc	Highest
Product	jar	package name	rpc	Low
Product	jar	package name	websocket	Low
Product	Manifest	application-library-allowable-codebase	*	Low
Product	Manifest	built-date	2024-01-16 15:27	Low
Product	Manifest	codebase	*	Low
Product	Manifest	implementation-group	pdfc	Low
Product	Manifest	Implementation-Title	comparison.rpc	High
Product	Manifest	permissions	all-permissions	Low
Product	Manifest	specification-title	comparison.rpc	Medium
Product	Manifest	trusted-library	false	Low
Product	Manifest	trusted-only	false	Low
Version	jar	package name	pdfc	Highest
Version	Manifest	Implementation-Version	23.10.295	High

Identifiers

- cpe:2.3:a:inetsoftware:pdfc:23.10.295:\*:\*:\*:\*:\* (Confidence:Low) suppress

comparison.webgui.zip: comparison.webgui.jar

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/comparison.webgui.zip/comparison.webgui.jar  
**MD5:** 51271f3824396ee2d555f4adf2ab780d  
**SHA1:** 7aa166aa30b186d2e4481f3c46e200c75315358c  
**SHA256:** 3eef34eb6087800baa9027884597454f5ac9f72fe767a5144f72926f496200f2  
**Referenced In Project/Scope:**server



Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	comparison.webgui	High
Vendor	jar	package name	inet	Low
Vendor	jar	package name	pdfc	Low
Vendor	jar	package name	webgui	Low
Vendor	Manifest	built-date	2024-01-16 15:28	Low
Vendor	Manifest	implementation-group	pdfc	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	comparison.webgui	High
Product	jar	package name	pdfc	Highest
Product	jar	package name	pdfc	Low
Product	jar	package name	server	Low
Product	jar	package name	webgui	Highest
Product	jar	package name	webgui	Low
Product	Manifest	built-date	2024-01-16 15:28	Low
Product	Manifest	implementation-group	pdfc	Low
Product	Manifest	Implementation-Title	comparison.webgui	High
Product	Manifest	specification-title	comparison.webgui	Medium
Version	jar	package name	pdfc	Highest
Version	Manifest	Implementation-Version	23.10.295	High

Identifiers

- cpe:2.3:a:inetsoftware:pdfc:23.10.295:\*\*\*\*\* (Confidence:Low)

suppress



### comparison.webgui.zip: comparison.webgui.jar: app.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/comparison.webgui.zip/comparison.webgui.jar/com/inet/pdfc/webgui/client/js/app.js

**MD5:** b5337bb448dd2bfdc4393b33453a03e6

**SHA1:** 0c01af2e2032b7a61d88e120f9f6a16d1cee8bd0

**SHA256:** 0e584547e2891e2a31485a68d453938275706e0acc2b61210c906d6ae20f0330

**Referenced In Project/Scope:**server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### comparison.webgui.zip: comparison.webgui.jar: compare.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/comparison.webgui.zip/comparison.webgui.jar/com/inet/pdfc/webgui/client/js/compare.js

**MD5:** bb21c5183e03455cf46f8b15b2b4f3f7

**SHA1:** 55820654e476e75f8deb8e39fb4d62132bddbb9b

**SHA256:** a7cd0c4e618e1dbda07c00f2113bab993fcfd88fdb55e32434ecf37a6df79de

**Referenced In Project/Scope:**server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### comparison.webgui.zip: comparison.webgui.jar: contingent.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/comparison.webgui.zip/comparison.webgui.jar/com/inet/pdfc/webgui/client/js/directives/contingent.js

**MD5:** 6ac23911d240f38a83b402239f734b38



**SHA1:** 00f8c7c7dc0a845ae3853f14097f78bdbafad2ce  
**SHA256:** b0745dccf768bc039eb3890a8c7007f168f23acb2b3a0d8a1fe68e989a8508fc  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### comparison.webgui.zip: comparison.webgui.jar: controller.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/comparison.webgui.zip/comparison.webgui.jar/com/inet/pdfc/webgui/client/js/controller.js  
**MD5:** 71483af5e05f78c556cd0dbb4f221adb  
**SHA1:** 942045f3b83ea37b125a7b109b9bf313832c58ac  
**SHA256:** a584bba4703e68f80803b0d20e0f6e9c6596b3c4a239b3885cb94dcf2ef0f60f  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### comparison.webgui.zip: comparison.webgui.jar: descriptionarea.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/comparison.webgui.zip/comparison.webgui.jar/com/inet/pdfc/webgui/client/js/directives/descriptionarea.js  
**MD5:** 701a0be35d209679f118d923e4e7b21d  
**SHA1:** ab78eeb6bfe59c5275d3d959d43b8b6aa5bd6563  
**SHA256:** 7b0ac0adc1b2d4bfd4dd3d3012b38c6323fbd55672925ae09c23d82e55a5b5f3  
**Referenced In Project/Scope:** server

#### Evidence





Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### comparison.webgui.zip: comparison.webgui.jar: dropzone.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/comparison.webgui.zip/comparison.webgui.jar/com/inet/pdfc/webgui/client/js/directives/dropzone.js  
**MD5:** 2b21cb4acb1c36a85d7896145b60980b  
**SHA1:** 3e56072bca86902951997d839ea183ecadc67089  
**SHA256:**dc90bd465d95f3ceec6b883a6d2b37f74db0a698f5e8c95cfa91564bded9b4e2  
**Referenced In Project/Scope:**server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### comparison.webgui.zip: comparison.webgui.jar: export.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/comparison.webgui.zip/comparison.webgui.jar/com/inet/pdfc/webgui/client/js/export.js  
**MD5:** 00a335e0a1adb71537b6d272455c92d1  
**SHA1:** 802efb2a89887f226992e8e674b78338ecfacee4  
**SHA256:**6363581f9cc2b589350be39f2501195586a083de244528a88fe0c778ebe78702  
**Referenced In Project/Scope:**server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers



- None

#### comparison.webgui.zip: comparison.webgui.jar: factory.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/comparison.webgui.zip/comparison.webgui.jar/com/inet/pdfc/webgui/client/js/factory.js

**MD5:** a2b23d73bf938b3d4fde3bdfa6d580c1

**SHA1:** d5ecfad2162e432708aa93b0c68a76f8f0547722

**SHA256:** 969d37d49ca5858e1c619c4441bbcdc51eaf08cbf329989f45f014f7e9ea4e69

**Referenced In Project/Scope:**server

##### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

##### Identifiers

- None

#### comparison.webgui.zip: comparison.webgui.jar: model.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/comparison.webgui.zip/comparison.webgui.jar/com/inet/pdfc/webgui/client/js/model.js

**MD5:** 45f60c03a9c42a69e48be11d4253fdb

**SHA1:** ade62de16b056ad46785df5f2f376a3472f80d74

**SHA256:** 9df5d15c1768b1c0823eed5a4784da2f7dbeaa2d72c2d45a66a4d25ae4d41afb

**Referenced In Project/Scope:**server

##### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

##### Identifiers

- None

#### comparison.webgui.zip: comparison.webgui.jar: multipasswordpanel.js



**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/comparison.webgui.zip/comparison.webgui.jar/com/inet/pdfc/webgui/client/js/directives/multipasswordpanel.js  
**MD5:** 8dc57163fcdafc64e5d324a9fe39bb46  
**SHA1:** 79196a59f44ed72b0baa529857b2ad4321751eff  
**SHA256:**b0c30c119ab1d75be1b2f83480ef8bb0ca3f9dd30de6a0d09acf54806ab7beda  
**Referenced In Project/Scope:**server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### comparison.webgui.zip: comparison.webgui.jar: mycomparisons.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/comparison.webgui.zip/comparison.webgui.jar/com/inet/pdfc/webgui/client/js/mycomparisons.js  
**MD5:** cdbfc2ee5a50238442648e2ff1d098f7  
**SHA1:** 9582d0491b095c2df43791e55df6a8bcd1f0eb53  
**SHA256:**b1fba2191ae3d4713ac9431a575c581095ccfd03022a9eb771241d2cb97ca55d  
**Referenced In Project/Scope:**server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### comparison.webgui.zip: comparison.webgui.jar: passwordpanel.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/comparison.webgui.zip/comparison.webgui.jar/com/inet/pdfc/webgui/client/js/directives/passwordpanel.js  
**MD5:** 35b1c24467988a11c51aee3facc01f



**SHA1:** e3d68ef1e938a548d514971783c96a37b91afa38  
**SHA256:**2862fd50225ed1b9c2fc33421258114f0ef367bdb72bb929b0f213468b635a2  
**Referenced In Project/Scope:**server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### comparison.webgui.zip: comparison.webgui.jar: pdfconfig.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/comparison.webgui.zip/comparison.webgui.jar/com/inet/pdfc/webgui/client/js/pdfconfig.js  
**MD5:** 9ff486177a5ce262ea8e4a0c31be01f2  
**SHA1:** 37361e5e5d850a989559380c767de28e68d07098  
**SHA256:**5e2a890647ea95d78ecae6386f2cae26006a6b03df6e1a9eddee29f2f87812ca  
**Referenced In Project/Scope:**server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### comparison.webgui.zip: comparison.webgui.jar: profil.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/comparison.webgui.zip/comparison.webgui.jar/com/inet/pdfc/webgui/client/js/profil.js  
**MD5:** 2032bab900d8fad60cfda17a28694fb3  
**SHA1:** 825c875a2167539bca8be66bd2c45f0e8ec8b590  
**SHA256:**b38f0b2dbe80bd0ad889f39dc78916dcfd59345658462b4ba3af71632e4f9119  
**Referenced In Project/Scope:**server

#### Evidence





Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## comparison.webgui.zip: comparison.webgui.jar: profileentry.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/comparison.webgui.zip/comparison.webgui.jar/com/inet/pdfc/webgui/client/js/directives/profileentry.js  
**MD5:** 57391e3ca531f4ef83608f10c87ce691  
**SHA1:** b3e2cae88e689b0b877df8ef290b3f37e60157d7  
**SHA256:**3bd41ad34829aec63f02d57d8b98d473e606b2df49186575ee0feae53d164665  
**Referenced In Project/Scope:**server

### Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## comparison.webgui.zip: comparison.webgui.jar: publishdialog.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/comparison.webgui.zip/comparison.webgui.jar/com/inet/pdfc/webgui/client/js/publishdialog.js  
**MD5:** cb39f0740cca72df1160d0c4b97412ce  
**SHA1:** ea4b087dba9daa1fb8c7c71ca78bc91e884af69b  
**SHA256:**e2f58b24368d3a27a4aadaa91e4372d37bec648e23e803bd702dbdff891ca3b7  
**Referenced In Project/Scope:**server

### Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers



- None

#### comparison.webgui.zip: comparison.webgui.jar: publishprofiledialog.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/comparison.webgui.zip/comparison.webgui.jar/com/inet/pdfc/webgui/client/js/directives/publishprofiledialog.js

**MD5:** 71f9c6a407bcd70cd94fd2cfa1ca6da

**SHA1:** 0ac49131f58dcfc1651d1780b543b88dedcecb95

**SHA256:** 23c4ac9e297f97dbea24f75b1736a2e8a59c305704aafb1e55f7d389ec37687d

**Referenced In Project/Scope:**server

##### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

##### Identifiers

- None

#### comparison.webgui.zip: comparison.webgui.jar: report.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/comparison.webgui.zip/comparison.webgui.jar/com/inet/pdfc/webgui/client/js/report.js

**MD5:** fe6f78391d124b17a695fcc736f79f53

**SHA1:** b5e0d55a8c900944b3547efe1cb5cf6592aba6d5

**SHA256:** 896c1486fb2119e198dd92a6aaae101d72fd6c0adf8f38957dbf68a0f15673a6

**Referenced In Project/Scope:**server

##### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

##### Identifiers

- None

#### comparison.webgui.zip: comparison.webgui.jar: scroller.js



**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/comparison.webgui.zip/comparison.webgui.jar/com/inet/pdfc/webgui/client/js/scroller.js  
**MD5:** ad12d28b5e3618b706a9970939e2b0e0  
**SHA1:** 67a7a71c09f318990a28b0ae583410c90387b1ff  
**SHA256:** 599dcb73fb56e7d158e9b9134bf61095a248412e14de0bbe81500a001e3aa8ec  
**Referenced In Project/Scope:**server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### comparison.webgui.zip: comparison.webgui.jar: searchcomponent.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/comparison.webgui.zip/comparison.webgui.jar/com/inet/pdfc/webgui/client/js/directives/searchcomponent.js  
**MD5:** c6ef98e4c02889301cf95b6f1bbbb5e8  
**SHA1:** 915e5c61ed716f8c386a60105c5ce1dd32eadf45  
**SHA256:** 4b9e4d307dc19682de95d89434940a53f08635f4c6669c1ba6971fc72565bf5e  
**Referenced In Project/Scope:**server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### comparison.webgui.zip: comparison.webgui.jar: userlist.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/comparison.webgui.zip/comparison.webgui.jar/com/inet/pdfc/webgui/client/js/directives/userlist.js  
**MD5:** 7f02b9beea14ccaf1aa69d56774af047



**SHA1:** 13c4d28849ac5ac894035c6cbd23c2aadcd17107  
**SHA256:** e264ece3d2ee5e04afd67551a7f6f360985b1f61e9d264719ffe73d4258bdff  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### comparison.webgui.zip: comparison.webgui.jar: visibilitysettings.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/comparison.webgui.zip/comparison.webgui.jar/com/inet/pdfc/webgui/client/js/visibilitysettings.js  
**MD5:** 17292e740ec3b0b51b2529dfe5941f33  
**SHA1:** 699771072d39aad920b27c9c58ceaaece5af4a60  
**SHA256:** b10b0143b19dc62be6802ceba75ecceca42bdbc6fe177b305efe416fe91c200b  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### comparison.webgui.zip: comparison.webgui.jar: zoomer.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/comparison.webgui.zip/comparison.webgui.jar/com/inet/pdfc/webgui/client/js/directives/zoomer.js  
**MD5:** c20fdefd0af14059811238b3c10f1775  
**SHA1:** 7c7359ce516337d0eaf08c01aa2c90bdc22a230e  
**SHA256:** 6714fd8e5901ab628f84757a9826908f3528aade6bf9f1ce5c440ae638232ee0  
**Referenced In Project/Scope:** server

#### Evidence





Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

configuration.zip: configuration.jar

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/configuration.zip/configuration.jar  
**MD5:** 06c843203a949ac9ad640a6a6d56a42e  
**SHA1:** 0034c32469129f379e8f4023b350eca8e8a719d1  
**SHA256:**6667fda276232eb89b5e519cb33feee9355881bbaeff258dd4015050a597fa4f  
**Referenced In Project/Scope:**server

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	configuration	High
Vendor	jar	package name	inet	Low
Vendor	jar	package name	plugins	Low
Vendor	jar	package name	report	Low
Vendor	Manifest	built-date	2024-01-16 12:16	Low
Vendor	Manifest	implementation-group	shared	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	configuration	High
Product	jar	package name	config	Low
Product	jar	package name	plugins	Low
Product	jar	package name	report	Low
Product	Manifest	built-date	2024-01-16 12:16	Low
Product	Manifest	implementation-group	shared	Low
Product	Manifest	Implementation-	configuration	High



		Title		
Product	Manifest	specification-title	configuration	Medium
Version	Manifest	Implementation-Version	23.10.295	High

#### Identifiers

- None

### configuration.zip: configuration.jar: authentication.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/configuration.zip/configuration.jar/com/inet/report/plugins/config/client/js/renderer/authentication.js

**MD5:** 32ddfe3c441b22f84dcc1898413ea55

**SHA1:** 77d3f3ea6c58e3c215ac86777ee25b0b8004bc7b

**SHA256:** 818c4819e64813929560eee3008b485c637a80725488cbb3b9627983f8bc9e3f

**Referenced In Project/Scope:**server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### configuration.zip: configuration.jar: boolean.directive.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/configuration.zip/configuration.jar/com/inet/report/plugins/config/client/js/renderer/boolean.directive.js

**MD5:** 5bb0dc69a472d94b0bfc7d5405062183

**SHA1:** 511c35e27129d7a5b25ea7e376cd02dd3bd14bba

**SHA256:** 738dc5e15f079acfca1aabe34ea67736992079515d0ae126404e54c84717dfe4

**Referenced In Project/Scope:**server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------



### Identifiers

- None

## configuration.zip: configuration.jar: booleanButton.directive.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/configuration.zip/configuration.jar/com/inet/report/plugins/config/client/js/renderer/booleanButton.directive.js

**MD5:** 58e908e9ef96d3bcd1131d61d874217c

**SHA1:** 99397bcc5aded52857da548839a5499075ce1263

**SHA256:** f8d8afc3d949399b38a1f2393044ad00fecad4dd65ef4c077565610cd18fb768

**Referenced In Project/Scope:** server

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## configuration.zip: configuration.jar: colorInput.directive.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/configuration.zip/configuration.jar/com/inet/report/plugins/config/client/js/renderer/colorInput.directive.js

**MD5:** c241b163692b903546728aaffff56b4b

**SHA1:** bf6d026e12d320d169e1ffb3395ad3db12034c26

**SHA256:** 9cbc71701e24de928f61a38d03145a74b5a9dd28a350551401f9bda81207a1ff

**Referenced In Project/Scope:** server

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None



### configuration.zip: configuration.jar: controller.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/configuration.zip/configuration.jar/com/inet/report/plugins/config/client/js/controller.js

**MD5:** 9c157f08372aeb195184741ccff23d1e

**SHA1:** 962e6ecf24105e63aa82f7fda7a125077122beaa

**SHA256:**f524076e9126b9babe2f831d98570d33280e054fe54a5c26723e0babbc96232e

**Referenced In Project/Scope:**server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### configuration.zip: configuration.jar: datafactory.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/configuration.zip/configuration.jar/com/inet/report/plugins/config/client/js/datafactory.js

**MD5:** b743da41b7de5856023211d052a9ba77

**SHA1:** 78519a8f6223a92ae3bea08e8fc8cf388573da35

**SHA256:**d1b2de91b55bca2df7e0524830603169afb28b721161db3681990e521bd2a102

**Referenced In Project/Scope:**server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### configuration.zip: configuration.jar: file.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/configuration.zip/configuration.jar/com/inet/report



/plugins/config/client/js/renderer/file.js

**MD5:** 8508aa1534c7ae0c2cd6b07420b9c83f

**SHA1:** 7df724bff7d5ef82c1d19741260d061e7af2a295

**SHA256:** 3dd8389ab66f14fbbb64a67852e8c8ae3a825ddda62e27b7c307198783de8aa3

**Referenced In Project/Scope:**server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### configuration.zip: configuration.jar: inlinerenderer.directive.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/configuration.zip/configuration.jar/com/inet/report/plugins/config/client/js/renderer/inlinerenderer.directive.js

**MD5:** f688e91a43726306b599b1305cf3e8ef

**SHA1:** 1f1070b374c15f053320172897cb24c8da3aceb5

**SHA256:** 23a9a23e577a3819d3a06c015ab483cd48bc6f4af28ec01caac32fe5d0cb0fe8

**Referenced In Project/Scope:**server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### configuration.zip: configuration.jar: keyLabelText.directive.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/configuration.zip/configuration.jar/com/inet/report/plugins/config/client/js/renderer/keyLabelText.directive.js

**MD5:** aae3ab4eeda740d7d15ddef1c828db3b

**SHA1:** abdc48d7145e6d4dbf8b5a48a66d371539969197

**SHA256:** ef01886de025e76cb0e1701d67e6b8d869a4094d64392544a135be20010a6ea3

**Referenced In Project/Scope:**server

#### Evidence





Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### configuration.zip: configuration.jar: labelLink.directive.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/configuration.zip/configuration.jar/com/inet/report/plugins/config/client/js/renderer/labelLink.directive.js

**MD5:** 71d23ea76be9b9ec2cea163bc32ad083

**SHA1:** 503e26b0f8ca5b5b3917ebac0c98a6d34bbcb438

**SHA256:**057367f35129b73dfaecbe928def62aa8e9ec18a4264d8d878783674c277a7b7

**Referenced In Project/Scope:**server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### configuration.zip: configuration.jar: labelText.directive.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/configuration.zip/configuration.jar/com/inet/report/plugins/config/client/js/renderer/labelText.directive.js

**MD5:** 18e1f8fac9693e53597d2e3bb8694fca

**SHA1:** cfa806fe980c7ed1e542c690acd70301919d3e58

**SHA256:**c63fb2c0b52c28a949125b15795221bd4b8da8081d010f9f24632888d1664ebb

**Referenced In Project/Scope:**server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers



- None

### configuration.zip: configuration.jar: licensekey.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/configuration.zip/configuration.jar/com/inet/report/plugins/config/client/js/renderer/licensekey.js

**MD5:** 6e9886fe0ffdc7a3f09b795b08c04f7a

**SHA1:** f72bc4783d6ce165c80850580d704b7129365454

**SHA256:** d6046640dca6ae3ff00226f96ef5e004abc5668554e001e9504edf3c631aa00b

**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### configuration.zip: configuration.jar: list.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/configuration.zip/configuration.jar/com/inet/report/plugins/config/client/js/renderer/list.js

**MD5:** 0bc71678d5ecdc8f33f66f71404a4a6f

**SHA1:** 6130cd6d48475eb6fb14e54ae3dfb7dd226b1708

**SHA256:** 11d831bd933432b1c0e707f9e25d5db07b02ec742208f12c20ec61b1efcf2e89

**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None



### configuration.zip: configuration.jar: logopreview.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/configuration.zip/configuration.jar/com/inet/report/plugins/config/client/js/renderer/logopreview.js

**MD5:** 5e98edb69f4a798152a0258ce8872d59

**SHA1:** 3c92dd1951ba8b3930c9f572b2cda70afb938116

**SHA256:** f8a068487ce08aafaeab44b1db8099ddaef1ac0580de5220e404df4dd5b89063

**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### configuration.zip: configuration.jar: multiLineText.directive.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/configuration.zip/configuration.jar/com/inet/report/plugins/config/client/js/renderer/multiLineText.directive.js

**MD5:** 48640b97e578b7a0f7f7dde48bb644ba

**SHA1:** bfadc5063ee207897ece27d2a2845bbb8e88a9fa

**SHA256:** d48311d3bb4afd93126cca8a7e868e54f66a0fdb3bc893ffeb20e819f96f745d

**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### configuration.zip: configuration.jar: multiLingualTextRenderer.directive.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/configuration.jar/com/inet/report/plugins/config/client/js/renderer/multiLingualTextRenderer.directive.js

**MD5:** 3495c2a8f809eb949a3237f33b1c7f31



**SHA1:** 6c774480a0b9fdf9766de6a29fa09c945d42b592  
**SHA256:** ae2d68ba82c2ee734d84a36fd23b6041d2e287995759eb8779e04236db74fd56  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### configuration.zip: configuration.jar: passwordText.directive.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/configuration.zip/configuration.jar/com/inet/report/plugins/config/client/js/renderer/passwordText.directive.js  
**MD5:** 54fcd4f4ce63f0170cb34f1eeaf8ddcd  
**SHA1:** 6fac78e6e5880df10a6d0c98f1cdb03a233f65bf  
**SHA256:** 486cbf613d304295084a004076fd9c09a041ce36e31f85eeea8fa67ccc5fcb85  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### configuration.zip: configuration.jar: permissions.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/configuration.zip/configuration.jar/com/inet/report/plugins/config/client/js/renderer/permissions.js  
**MD5:** 7eb6427179141d4c831452a11f4a9546  
**SHA1:** 826c8bf192c133c3d7950d3fbf27e916661f5e98  
**SHA256:** 23e0715b782f8d66b4dee9b27bd4e0245627d7dce3c86b0aa598b242a3d85d18  
**Referenced In Project/Scope:** server

#### Evidence





Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## configuration.zip: configuration.jar: plugin.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/configuration.zip/configuration.jar/com/inet/report/plugins/config/client/js/renderer/plugin.js  
**MD5:** 04d39d0eec71d332e9df63e922424302  
**SHA1:** b3da17cd1f43346bac2fd7395631708af66794a1  
**SHA256:**6f98432eb04660d43412563e3101eef1ed27c3cb0741e285b32d8b26cba27a34  
**Referenced In Project/Scope:**server

### Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## configuration.zip: configuration.jar: renderer.directive.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/configuration.zip/configuration.jar/com/inet/report/plugins/config/client/js/renderer/renderer.directive.js  
**MD5:** 263d5878b3b00e3de3a6faedbd460e84  
**SHA1:** e1a40b927f1b13b0d228d06c91a2fb05917eec07  
**SHA256:**748a2d88fd4e366a306e1b62f0f6bd046ae05b5238330b48376449ddf01e874c  
**Referenced In Project/Scope:**server

### Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers



- None

### configuration.zip: configuration.jar: repository.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/configuration.zip/configuration.jar/com/inet/report/plugins/config/client/js/renderer/repository.js  
**MD5:** baedc19f91eab554dca893cb4388b2e4  
**SHA1:** e2a4899a91ce2813a147c8d9ef15a00ff973c080  
**SHA256:** 81e835deda02b4a0b9aae45e7e7a018c08761ebc710ca53fb742b62ac56bb065  
**Referenced In Project/Scope:**server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### configuration.zip: configuration.jar: selectEditText.directive.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/configuration.zip/configuration.jar/com/inet/report/plugins/config/client/js/renderer/selectEditText.directive.js  
**MD5:** 1a61bac200dea54f8eb9d9921681e5eb  
**SHA1:** 6dbd0bcd00cb2578923b81550bf53a41df913362  
**SHA256:** b8a181150c341024f59852828b84e69e756debc3bf0ea47c2ab19ffd6c712a72  
**Referenced In Project/Scope:**server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### configuration.zip: configuration.jar: selectFilteredText.directive.js



**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/configuration.zip/configuration.jar/com/inet/report/plugins/config/client/js/renderer/selectFilteredText.directive.js  
**MD5:** 7b58d68dc3a35304dc78fee8d4ccaf6c  
**SHA1:** cb18981f11083c559b202e9192f33afe65af6873  
**SHA256:**294ca27a4b15d42a525a5e5e306dd8a4bba38c8d620f39b87a75cd1f90072ee7  
**Referenced In Project/Scope:**server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### configuration.zip: configuration.jar: selectLanguageChooserRenderer.directive.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/configuration.zip/configuration.jar/com/inet/report/plugins/config/client/js/renderer/selectLanguageChooserRenderer.directive.js  
**MD5:** 45163b4fadf0346521f7f3fde756365a  
**SHA1:** 86c70143b888fee86e801238a4325d85a0c9dd74  
**SHA256:**2160f33150ad60e207d86dad3b9cd95b0728760359702e45a5d85cbc27486a1c  
**Referenced In Project/Scope:**server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### configuration.zip: configuration.jar: selectSimpleText.directive.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/configuration.zip/configuration.jar/com/inet/report/plugins/config/client/js/renderer/selectSimpleText.directive.js  
**MD5:** 1ef8bf68d17715b4032699647500d8e8



**SHA1:** bd6506d1c95b2c30fc4a6cff01c39cf3ba1c909b

**SHA256:** d0545ce8b4eeb27d437cd6bffb2c9a0694040d2b73fb176e9ea381fed83a7189

**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### configuration.zip: configuration.jar: simpleDate.directive.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/configuration.zip/configuration.jar/com/inet/report/plugins/config/client/js/renderer/simpleDate.directive.js

**MD5:** d956a5e169fc6e2c81108b87f34db130

**SHA1:** 0e0bf7cbff7b304e49e8f7c0568a4283540a5ed1

**SHA256:** 651fc228360d9b524db406deaf28f4a04aa1286aa87e8f220424d7959c6e0f76

**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### configuration.zip: configuration.jar: simpleSlider.directive.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/configuration.zip/configuration.jar/com/inet/report/plugins/config/client/js/renderer/simpleSlider.directive.js

**MD5:** 6f766323ec48173801bc7ad3a0f13d7e

**SHA1:** 9b4617f98eda717fa6b79cff0623ca45a06104ba

**SHA256:** 6cb79ab83d573f328af2cd4999b664b113d912971b156e8f7ccc844ccd972ba2

**Referenced In Project/Scope:** server

#### Evidence





Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## configuration.zip: configuration.jar: simpleText.directive.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/configuration.zip/configuration.jar/com/inet/report/plugins/config/client/js/renderer/simpleText.directive.js  
**MD5:** 33c94b7ec8d613fce3dfd5b1a43b193  
**SHA1:** cbb60f6da1447f14dc1cb5da735f99f028a666a3  
**SHA256:**f2d82ae8ac664b0b76fcee6f324b63285cd7ab38f3d976085ef9f13c9b77f5b9  
**Referenced In Project/Scope:**server

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## configuration.zip: configuration.jar: table.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/configuration.zip/configuration.jar/com/inet/report/plugins/config/client/js/renderer/table.js  
**MD5:** fb2beae459f51ea2ec8119022b0be014  
**SHA1:** afcbbbca733ef092f3d11d8a14c9274efc56029b  
**SHA256:**990e1906419adc179a033e796bbd18dc0bc4bf47888cc2ec4ca8ea7e3d730019  
**Referenced In Project/Scope:**server

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers



- None

### configuration.zip: configuration.jar: tree.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/configuration.zip/configuration.jar/com/inet/report/plugins/config/client/js/renderer/tree.js

**MD5:** bbfdc9f2ccc87dde0cfdeea5fbba0968

**SHA1:** 1d805c473e3df535849a3ffb3858da83cec0cea7

**SHA256:** 020a4a8407e975c4958d5bf33d98e0ddff0be2bcbdb906f2932e4ae50cf1f89b6

**Referenced In Project/Scope:**server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### configuration.zip: configuration.jar: userandgroupselect.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/configuration.zip/configuration.jar/com/inet/report/plugins/config/client/js/renderer/userandgroupselect.js

**MD5:** 90372a0455c150d5f4b8af8864e48956

**SHA1:** 30dc28705b0dc0adac5741ccb2799804c954f894

**SHA256:** 6fb7f2d717257855968f9e59bbb5979c2ea133fdda2bcd7c45ec01f2a5afc68c

**Referenced In Project/Scope:**server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### diagnostics.zip: diagnostics.jar



**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/diagnostics.zip/diagnostics.jar  
**MD5:** 58a29c1339d961eb2d6fa6a93cf219f3  
**SHA1:** 66fb4bbbf36bf94df7ac7ea554178a69573dee7  
**SHA256:**e589beadd52cf67cfd78425cff6c05e6a39b6f1fc0b91eb790fbafeb93c4a8d  
**Referenced In Project/Scope:**server

Evidence

Type	Source	Name	Value	Confidence
Vendor	file	name	diagnostics	High
Vendor	jar	package name	diagnostics	Low
Vendor	jar	package name	inet	Low
Vendor	jar	package name	shared	Low
Vendor	Manifest	built-date	2024-01-16 12:22	Low
Vendor	Manifest	implementation-group	shared	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	diagnostics	High
Product	jar	package name	diagnostics	Highest
Product	jar	package name	diagnostics	Low
Product	jar	package name	shared	Highest
Product	jar	package name	shared	Low
Product	jar	package name	widgets	Low
Product	Manifest	built-date	2024-01-16 12:22	Low
Product	Manifest	implementation-group	shared	Low
Product	Manifest	Implementation-Title	diagnostics	High
Product	Manifest	specification-title	diagnostics	Medium
Version	jar	package name	shared	Highest
Version	Manifest	Implementation-Version	23.10.295	High



### Identifiers

- None

## diagnostics.zip: diagnostics.jar: MemoryPieChart.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/diagnostics.zip/diagnostics.jar/com/inet/shared/diagnostics/widgets/information/resources/MemoryPieChart.js

**MD5:** 42626a4c9ca338a4fcab2f76023b3066

**SHA1:** eb0f8d225202d92c5eb85fa4280223bf13556bb3

**SHA256:** 745789d5c53cb94947ce85fd4a0db43b1551b479217aface82a44d58001f5377

**Referenced In Project/Scope:**server

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## diagnostics.zip: diagnostics.jar: MemoryUsageChart.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/diagnostics.zip/diagnostics.jar/com/inet/shared/diagnostics/widgets/information/resources/MemoryUsageChart.js

**MD5:** b79e192fd1f5ea3d4f9be1dcc001d1a

**SHA1:** 1dcbbdea47f2917610777a5220510b75e2145fe4

**SHA256:** 8ef4ff98ec97575059f8b76c80e660c9451b654faa4bc4096db04f3041f41a9b

**Referenced In Project/Scope:**server

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None



### diagnostics.zip: diagnostics.jar: WebServerErrorChart.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/diagnostics.zip/diagnostics.jar/com/inet/shared/diagnostics/widgets/webserver/resources/WebServerErrorChart.js

**MD5:** 4934e98916d9180d7713313276bd51b0

**SHA1:** a97ee17d4f0c0be6de32add6f433a0253e7baf60

**SHA256:** b493af38d4b841a79beffd85e99cdf23fda5eb7b3bc810ba2956a75905600054

**Referenced In Project/Scope:**server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### diagnostics.zip: diagnostics.jar: benchmarkCtrl.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/diagnostics.zip/diagnostics.jar/com/inet/shared/diagnostics/widgets/benchmark/resources/benchmarkCtrl.js

**MD5:** b9bdb18908cc80ce56da5cdaeee67466

**SHA1:** 90ca53aaae57cf06537d9bb37eaf7787452431ac

**SHA256:** 52ced4ea204372bec8672a726612cec4fc3973db7e5fa10438bd9416875ad1b3

**Referenced In Project/Scope:**server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### diagnostics.zip: diagnostics.jar: client-server.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/diagnostics.zip/diagnostics.jar/com/inet/shared/diagnostics/widgets/benchmark/tasks/clientserver/client-server.js



**MD5:** 9775c53615ccd0633dc879e29740d1d7  
**SHA1:** 235fb16ef3b9c8ca2d35c383fc7ea7ccd0fbe35a  
**SHA256:** b3e66a6f53af1654e7c444678e571870b4e96d48f2bb30a15a315eb8568ff8af  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### diagnostics.zip: diagnostics.jar: controller.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/diagnostics.zip/diagnostics.jar/com/inet/shared/diagnostics/resources/js/controller.js

**MD5:** 6f6ef0df9857365165283447995e8c30  
**SHA1:** 8670fdb0ccaa0e0442de49ac80a06d8076b219ee  
**SHA256:** 059b3c04bfa12346db27a7bf34dc07a88f5808169a243a0b580bef2b7aa6279  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### diagnostics.zip: diagnostics.jar: cpu.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/diagnostics.zip/diagnostics.jar/com/inet/shared/diagnostics/widgets/benchmark/tasks/cpu/cpu.js

**MD5:** efc8a1bacbf8abea4c10226fef04dde  
**SHA1:** 125b6c7b2803418a18b0991129aadcc9274b3abc  
**SHA256:** 7c6656ce270748b123397d36aebc01cedc7f19ce8000840f9eb3e1782548dadbf  
**Referenced In Project/Scope:** server

#### Evidence





Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### diagnostics.zip: diagnostics.jar: cpuspeed.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/diagnostics.zip/diagnostics.jar/com/inet/shared/diagnostics/widgets/benchmark/tasks/cpuspeed/cpuspeed.js

**MD5:** e6773bb5fcc69118e1f9fc5d97d29ed9

**SHA1:** 4b76e6970f1a54c296f68631ed4631dc8be5a9ac

**SHA256:**72f628d2b4ac181a67b1deb3fbb35f65ee9da07b998a07582433637ef90d9bcd

**Referenced In Project/Scope:**server

#### Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### diagnostics.zip: diagnostics.jar: directives.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/diagnostics.zip/diagnostics.jar/com/inet/shared/diagnostics/resources/js/directives.js

**MD5:** c0d5f943a97136f6b9269211e4d87a92

**SHA1:** fad31ec8415d7ce1f4efd062ef9a154d918be471

**SHA256:**0707a6d4421a01721812dcf1f6395495d5bbab633157755b0092a16f13baca24

**Referenced In Project/Scope:**server

#### Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers



- None

#### diagnostics.zip: diagnostics.jar: errorHistoryChart.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/diagnostics.zip/diagnostics.jar/com/inet/shared/diagnostics/widgets/logging/resources/errorHistoryChart.js

**MD5:** 7db1c5d1ff857966be61bb2f1f7ae6a8

**SHA1:** a4844b6cf9ae6ccfcb17b1796276fc6f05593946

**SHA256:** 29b643d551eb9a16c5efa6836a3e505699a5085da1228ff5d0279125f7150223

**Referenced In Project/Scope:**server

##### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

##### Identifiers

- None

#### diagnostics.zip: diagnostics.jar: flot2.min.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/diagnostics.zip/diagnostics.jar/com/inet/shared/diagnostics/resources/js/flotr2.min.js

**MD5:** 0b7015815b97473a69b1917da6dc9c7c

**SHA1:** d23aa3eb0326ea5ae26e4d98383e80f3f63a05de

**SHA256:** 8e91d325cb89a573c87ec87930a17a0dd4e16b59926d4bcc06691c26e37ab9fc

**Referenced In Project/Scope:**server

##### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

##### Identifiers

- None

#### diagnostics.zip: diagnostics.jar: global.js



**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/diagnostics.zip/diagnostics.jar/com/inet/shared/diagnostics/resources/js/global.js

**MD5:** 18534cf8124e29a00282ed71477686f7

**SHA1:** 5adadf64dae9d41f975a75cfbaba4d02b6f943eb

**SHA256:** ba0e9b50f542cff2f0ee14105970cb6551d58367e4d4af7384717dc046cf438f

**Referenced In Project/Scope:**server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### diagnostics.zip: diagnostics.jar: hddisk.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/diagnostics.zip/diagnostics.jar/com/inet/shared/diagnostics/widgets/benchmark/tasks/hddisk/hddisk.js

**MD5:** 8455e549f56617f12154038a8f83662d

**SHA1:** 5c534bed65bb8ce9e652f2a9fb7248f098b69782

**SHA256:** fcd4d80fb7abbcc8882f12e5000b5230b03788bc358b3e2fa17666833f434344

**Referenced In Project/Scope:**server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### diagnostics.zip: diagnostics.jar: heapdumpCtrl.js


**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/diagnostics.zip/diagnostics.jar/com/inet/shared/diagnostics/widgets/dump/resources/heapdumpCtrl.js

**MD5:** 210e1e95e6e689731e7d2699982fe594

**SHA1:** 0dcfb258e6458141cf7280821d6ad465f1335563



**SHA256:**eeb11a6c813f787e527db15712d25bd6c6521dd12a491038d5c7c9731ace36a2  
**Referenced In Project/Scope:**server

Evidence 


Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

**diagnostics.zip: diagnostics.jar: informationCtrl.js**

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/diagnostics.zip/diagnostics.jar/com/inet/shared/diagnostics/widgets/information/resources/informationCtrl.js  
**MD5:** 8f22e4059b61fce47c179c216822ba6d  
**SHA1:** a675d185efd6182438192e3a199332eb14aab6f5  
**SHA256:**129e0f493e94afc43f5bd5e3f3b8c254d896abf949125a756098238d103b5220  
**Referenced In Project/Scope:**server

Evidence 


Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

**diagnostics.zip: diagnostics.jar: intArrayUtils.js**

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/diagnostics.zip/diagnostics.jar/com/inet/shared/diagnostics/widgets/benchmark/tasks/intArrayUtils.js  
**MD5:** 79a290bdef5c5e77f5d3bdfd8e3c957d  
**SHA1:** f9c1a98a645712d8ee60897d29d634eca8888e1a  
**SHA256:**1fa5d253aa76306556a34f27144c0a2549fb10741c3b2dfece3a5135c85058f6  
**Referenced In Project/Scope:**server

Evidence 

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------



### Identifiers

- None

## diagnostics.zip: diagnostics.jar: iospeed.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/diagnostics.zip/diagnostics.jar/com/inet/shared/diagnostics/widgets/benchmark/tasks/iospeed/iospeed.js

**MD5:** 9513a5cc6db5b11ac8ccec13ebc66cf4

**SHA1:** 77dca27656bc1f6302f35d56f7c1d0fa08383de1

**SHA256:** 111f6477977551d4f341f5e495bb47a0cd4e34b8af74cda2b7a60006da45dce3

**Referenced In Project/Scope:**server

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## diagnostics.zip: diagnostics.jar: jobs.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/diagnostics.zip/diagnostics.jar/com/inet/shared/diagnostics/widgets/jobs/resources/jobs.js

**MD5:** f1597ad20bab3007a79aca79192e2759

**SHA1:** 1e23c0354a07a0bd69a6f51af5e2e3c3de0178b5

**SHA256:** ff5b1c17de2f110cb68adaf14a4e9bb008064fa9b4c3728f6952157656150247

**Referenced In Project/Scope:**server

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None



### diagnostics.zip: diagnostics.jar: logging.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/diagnostics.zip/diagnostics.jar/com/inet/shared/diagnostics/widgets/logging/resources/logging.js

**MD5:** 92befd9b98d51019fc6e5207d27c77ec

**SHA1:** dbb88e75f7558546e93ad32233f024b8a5ab7ce8

**SHA256:** 5cabbfd29b3fe50602f58a7d9427ad14d1a496b64254009666a1d960ea4b3bf5

**Referenced In Project/Scope:**server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### diagnostics.zip: diagnostics.jar: memory.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/diagnostics.zip/diagnostics.jar/com/inet/shared/diagnostics/widgets/benchmark/tasks/memory/memory.js

**MD5:** a8e6f6a6db1d1d5642d9660c410ef86a

**SHA1:** e77983c1ac1019e864eb9e6a80693bf5672882

**SHA256:** 97f74086b8273426e3c9b5550fc07624ab60f585a46d1a1218793b7e78da0d88

**Referenced In Project/Scope:**server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### diagnostics.zip: diagnostics.jar: overviewCtrl.js



**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/diagnostics.zip/diagnostics.jar/com/inet/shared/diagnostics/widgets/overview/resources/overviewCtrl.js  
**MD5:** e5b43d270ebf9a9ad22979995dd75aba  
**SHA1:** 7bef88b1bb39b0c83bfec6937ee39e63c5618aa  
**SHA256:** b8302f76b57f0af058b713eda0ffae316c7948c193814e2bc36f4db06828f65  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### diagnostics.zip: diagnostics.jar: pde.diagnostics.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/diagnostics.zip/diagnostics.jar/com/inet/shared/diagnostics/widgets/webserver/resources/pde.diagnostics.js  
**MD5:** e1cafa8fcb3e071eec07859c25e18992  
**SHA1:** 3ba533c28f4cb5977be5b98ecf9ca77e0e97339c  
**SHA256:** c71bb9125ac341046d989d319686118882eb5b2d661db86383e611b23c8ff7af  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### diagnostics.zip: diagnostics.jar: timeformat.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/diagnostics.zip/diagnostics.jar/com/inet/shared/diagnostics/resources/js/timeformat.js  
**MD5:** d8d84b44477ea45bab0f78152b2f4c49  
**SHA1:** 625f35b9aca48a8eafc02a4acbecf41aca1caa88  
**SHA256:** daae300534ae12d16f3d88482713f677a14074940450f80c293f917e2da47d71  
**Referenced In Project/Scope:** server



### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## docfx.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/Documentation and Samples/dotnet - ProcessBridge API Doc/styles/docfx.js

**MD5:** 9fcf47eeea4046f68db669f1bbf36be0

**SHA1:** 018a17ba8cbd646c8484f2f826eec035990ca263

**SHA256:** 3ee452ac840fedbd2d236966adba5a302f82064927fb3c0147b532bc3678a632

**Referenced In Project/Scope:**server

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Related Dependencies



- docfx.js
  - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/Documentation and Samples/nunit - API Doc/styles/docfx.js
  - MD5: 9fcf47eeea4046f68db669f1bbf36be0
  - SHA1: 018a17ba8cbd646c8484f2f826eec035990ca263
  - SHA256: 3ee452ac840fedbd2d236966adba5a302f82064927fb3c0147b532bc3678a632

### Identifiers

- None

## docfx.vendor.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/Documentation and Samples/dotnet - ProcessBridge API Doc/styles/docfx.js



vendor.js

**MD5:** c5759c31f767d3c7a66bb0e9b0f28714

**SHA1:** bc21e0c3c13f65585267f4d62e92135d8ffbba6f

**SHA256:** d8faa8568604e8ed814ea44a2e0189be763aeabd721c1c5f9042c4ece3fd7b8a

**Referenced In Project/Scope:**server

#### Evidence

Type	Source	Name	Value	Confidence
Vendor	file	name	bootstrap	High
Product	file	name	bootstrap	High
Version	file	version	3.4.1	High

#### Related Dependencies

- docfx.vendor.js
  - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/Documentation and Samples/nunit - API Doc/styles/docfx.vendor.js
  - MD5: c5759c31f767d3c7a66bb0e9b0f28714
  - SHA1: bc21e0c3c13f65585267f4d62e92135d8ffbba6f
  - SHA256: d8faa8568604e8ed814ea44a2e0189be763aeabd721c1c5f9042c4ece3fd7b8a
  - [pkg:javascript/bootstrap@3.4.1](#)

#### Identifiers

- [pkg:javascript/bootstrap@3.4.1](#) (*Confidence:*Highest)

### embeddedMode.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/Documentation and Samples/Plugin - Samples/Application/Embedded/src/com/inet/application/embedded/webgui/embeddedMode.js

**MD5:** 92314f8cc3acd209a1f91a13fc50a2fb

**SHA1:** dadaca7712877d347c6052a89d3ac5bcc796ebab

**SHA256:** 4ed3dd2cdd5ef6552ed5af7ccc9dc6bd3622dd717d63b4a75631234ecf3186ae

**Referenced In Project/Scope:**server

#### Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Related Dependencies



- application.embedded.zip: embeddedMode.js
  - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/Documentation and Samples/Plugin - Samples/Application/Embedded/application.embedded.zip/src/com/inet/application/embedded/webgui/embeddedMode.js
  - MD5: 92314f8cc3acd209a1f91a13fc50a2fb
  - SHA1: dadaca7712877d347c6052a89d3ac5bcc796ebab
  - SHA256: 4ed3dd2cdd5ef6552ed5af7ccc9dc6bd3622dd717d63b4a75631234ecf3186ae

#### Identifiers

- None

### filter.area.zip: filter.area.jar

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/filter.area.zip/filter.area.jar

**MD5:** 520c8407e887516afa631db9559c0b11

**SHA1:** 80fb9185eb7a36112b02b78f00ef639ade9552e3

**SHA256:** a3398764f531cdc1e2975ff9f686ddbaefc17d3ca131722cb6d9b19b78298db0

**Referenced In Project/Scope:**server

#### Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	filter.area	High
Vendor	jar	package name	filter	Low
Vendor	jar	package name	inet	Low
Vendor	jar	package name	pdfc	Low
Vendor	Manifest	application-library-allowable-codebase	*	Low
Vendor	Manifest	built-date	2024-01-16 15:32	Low
Vendor	Manifest	codebase	*	Low
Vendor	Manifest	implementation-group	pdfc	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	permissions	all-permissions	Low
Vendor	Manifest	specification-vendor	i-net software	Low



Vendor	Manifest	trusted-library	false	Low
Vendor	Manifest	trusted-only	false	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	filter.area	High
Product	jar	package name	area	Highest
Product	jar	package name	area	Low
Product	jar	package name	filter	Highest
Product	jar	package name	filter	Low
Product	jar	package name	pdfc	Highest
Product	jar	package name	pdfc	Low
Product	Manifest	application-library-allowable-codebase	*	Low
Product	Manifest	built-date	2024-01-16 15:32	Low
Product	Manifest	codebase	*	Low
Product	Manifest	implementation-group	pdfc	Low
Product	Manifest	Implementation-Title	filter.area	High
Product	Manifest	permissions	all-permissions	Low
Product	Manifest	specification-title	filter.area	Medium
Product	Manifest	trusted-library	false	Low
Product	Manifest	trusted-only	false	Low
Version	jar	package name	pdfc	Highest
Version	Manifest	Implementation-Version	23.10.295	High

### Identifiers

- cpe:2.3:a:inetsoftware:pdfc:23.10.295:\*:\*:\*:\*:\* (Confidence:Low) suppress

### filter.baselinetable.zip: filter.baselinetable.jar

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/filter.baselinetable.zip/filter.baselinetable.jar  
**MD5:** 90e87d977b43b9d7d26d620b92b0cbcc  
**SHA1:** 1d7f6811722c0c61930409a5ad02487c45f71921



Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	filter.baselinetable	High
Vendor	jar	package name	filter	Low
Vendor	jar	package name	inet	Low
Vendor	jar	package name	pdfc	Low
Vendor	Manifest	application-library-allowable-codebase	*	Low
Vendor	Manifest	built-date	2024-01-16 15:32	Low
Vendor	Manifest	codebase	*	Low
Vendor	Manifest	implementation-group	pdfc	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	permissions	all-permissions	Low
Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	trusted-library	false	Low
Vendor	Manifest	trusted-only	false	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	filter.baselinetable	High
Product	jar	package name	baselinetable	Highest
Product	jar	package name	baselinetable	Low
Product	jar	package name	filter	Highest
Product	jar	package name	filter	Low
Product	jar	package name	pdfc	Highest
Product	jar	package name	pdfc	Low
Product	Manifest	application-library-allowable-codebase	*	Low
Product	Manifest	built-date	2024-01-16 15:32	Low
Product	Manifest	codebase	*	Low



Product	Manifest	implementation-group	pdfc	Low
Product	Manifest	Implementation-Title	filter.baselinetable	High
Product	Manifest	permissions	all-permissions	Low
Product	Manifest	specification-title	filter.baselinetable	Medium
Product	Manifest	trusted-library	false	Low
Product	Manifest	trusted-only	false	Low
Version	jar	package name	pdfc	Highest
Version	Manifest	Implementation-Version	23.10.295	High

Identifiers

- cpe:2.3:a:inetsoftware:pdfc:23.10.295:\*:\*:\*:\*:\* (Confidence:Low) suppress

filter.cmappatch.zip: filter.cmappatch.jar

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/filter.cmappatch.zip/filter.cmappatch.jar  
**MD5:** e75106b10a0b3f3f5394d1961ca1949e  
**SHA1:** e9610b9930d65add04a50f167e416f156c4ae2b2  
**SHA256:**e50d97d1c18dc5f49c8b914c5d61c4fe9b1af7c751f4ce1e2266f86e8214142b  
**Referenced In Project/Scope:**server

Evidence

Type	Source	Name	Value	Confidence
Vendor	file	name	filter.cmappatch	High
Vendor	jar	package name	filter	Low
Vendor	jar	package name	inet	Low
Vendor	jar	package name	pdfc	Low
Vendor	Manifest	application-library-allowable-codebase	*	Low
Vendor	Manifest	built-date	2024-01-16 15:27	Low
Vendor	Manifest	codebase	*	Low
Vendor	Manifest	implementation-group	pdfc	Low







filter.headerfooter.zip: filter.headerfooter.jar

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/filter.headerfooter.zip/filter.headerfooter.jar  
**MD5:** e93b8ced27014c3628cbbfd5e8e7  
**SHA1:** 48799d0eaf22eebacde6223e10e8395f74e481fa  
**SHA256:**a39be7d422ef4c8c5616be723d3f86fa5cf102ae9dc25e6da2aa5db01b352ea3  
**Referenced In Project/Scope:**server

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	filter.headerfooter	High
Vendor	jar	package name	filter	Low
Vendor	jar	package name	inet	Low
Vendor	jar	package name	pdfc	Low
Vendor	Manifest	application-library-allowable-codebase	*	Low
Vendor	Manifest	built-date	2024-01-16 15:31	Low
Vendor	Manifest	codebase	*	Low
Vendor	Manifest	implementation-group	pdfc	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	permissions	all-permissions	Low
Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	trusted-library	false	Low
Vendor	Manifest	trusted-only	false	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	filter.headerfooter	High
Product	jar	package name	filter	Highest
Product	jar	package name	filter	Low
Product	jar	package name	headerfooter	Highest
Product	jar	package name	headerfooter	Low
Product	jar	package name	pdfc	Highest
Product	jar	package name	pdfc	Low



Product	Manifest	application-library-allowable-codebase	*	Low
Product	Manifest	built-date	2024-01-16 15:31	Low
Product	Manifest	codebase	*	Low
Product	Manifest	implementation-group	pdfc	Low
Product	Manifest	Implementation-Title	filter.headerfooter	High
Product	Manifest	permissions	all-permissions	Low
Product	Manifest	specification-title	filter.headerfooter	Medium
Product	Manifest	trusted-library	false	Low
Product	Manifest	trusted-only	false	Low
Version	jar	package name	pdfc	Highest
Version	Manifest	Implementation-Version	23.10.295	High

Identifiers

- cpe:2.3:a:inetsoftware:pdfc:23.10.295:\*:\*:\*:\*:\* (Confidence:Low) suppress

filter.hiderotation.zip: filter.hiderotation.jar

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/filter.hiderotation.zip/filter.hiderotation.jar  
**MD5:** 06dd0159cf309960c46ec7d266aa8653  
**SHA1:** 3749159a1e0e1cb63125c6ec0d6b71a18b9e7b6a  
**SHA256:** c81b0f708a48fca2412d2b7337497833cd92caf4cbe2802e26b86f574681b9ea  
**Referenced In Project/Scope:**server

Evidence +

Type	Source	Name	Value	Confidence
Vendor	file	name	filter.hiderotation	High
Vendor	jar	package name	filter	Low
Vendor	jar	package name	inet	Low
Vendor	jar	package name	pdfc	Low
Vendor	Manifest	application-library-allowable-	*	Low



		codebase		
Vendor	Manifest	built-date	2024-01-16 15:27	Low
Vendor	Manifest	codebase	*	Low
Vendor	Manifest	implementation-group	pdfc	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	permissions	all-permissions	Low
Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	trusted-library	false	Low
Vendor	Manifest	trusted-only	false	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	filter.hiderotation	High
Product	jar	package name	filter	Highest
Product	jar	package name	filter	Low
Product	jar	package name	hiderotation	Highest
Product	jar	package name	hiderotation	Low
Product	jar	package name	pdfc	Highest
Product	jar	package name	pdfc	Low
Product	Manifest	application-library-allowable-codebase	*	Low
Product	Manifest	built-date	2024-01-16 15:27	Low
Product	Manifest	codebase	*	Low
Product	Manifest	implementation-group	pdfc	Low
Product	Manifest	Implementation-Title	filter.hiderotation	High
Product	Manifest	permissions	all-permissions	Low
Product	Manifest	specification-title	filter.hiderotation	Medium
Product	Manifest	trusted-library	false	Low
Product	Manifest	trusted-only	false	Low
Version	jar	package name	pdfc	Highest
Version	Manifest	Implementation-Version	23.10.295	High



Identifiers

• cpe:2.3:a:inetsoftware:pdfc:23.10.295:\*:\*:\*:\*:\* (Confidence:Low) suppress

filter.invisibleelements.zip: filter.invisibleelements.jar

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/filter.invisibleelements.zip/filter.invisibleelements.jar  
**MD5:** 076776e97705b665cfbe7961bf5aa465  
**SHA1:** f40605d1311022c8d65cf8f040f322ac480915f6  
**SHA256:** 6fff970f19c0efd782c059630048b60de010f13c186f95b5dc0a7f49472d8f47  
**Referenced In Project/Scope:**server

Evidence

Type	Source	Name	Value	Confidence
Vendor	file	name	filter.invisibleelements	High
Vendor	jar	package name	filter	Low
Vendor	jar	package name	inet	Low
Vendor	jar	package name	pdfc	Low
Vendor	Manifest	application-library-allowable-codebase	*	Low
Vendor	Manifest	built-date	2024-01-16 15:30	Low
Vendor	Manifest	codebase	*	Low
Vendor	Manifest	implementation-group	pdfc	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	permissions	all-permissions	Low
Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	trusted-library	false	Low
Vendor	Manifest	trusted-only	false	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	filter.invisibleelements	High
Product	jar	package name	filter	Highest



Product	jar	package name	filter	Low
Product	jar	package name	invisibleelements	Highest
Product	jar	package name	invisibleelements	Low
Product	jar	package name	pdfc	Highest
Product	jar	package name	pdfc	Low
Product	Manifest	application-library-allowable-codebase	*	Low
Product	Manifest	built-date	2024-01-16 15:30	Low
Product	Manifest	codebase	*	Low
Product	Manifest	implementation-group	pdfc	Low
Product	Manifest	Implementation-Title	filter.invisibleelements	High
Product	Manifest	permissions	all-permissions	Low
Product	Manifest	specification-title	filter.invisibleelements	Medium
Product	Manifest	trusted-library	false	Low
Product	Manifest	trusted-only	false	Low
Version	jar	package name	pdfc	Highest
Version	Manifest	Implementation-Version	23.10.295	High

### Identifiers

- cpe:2.3:a:inetsoftware:pdfc:23.10.295:\*:\*:\*:\*:\* (Confidence:Low) suppress

### filter.multicolumn.zip: filter.multicolumn.jar

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/filter.multicolumn.zip/filter.multicolumn.jar  
**MD5:** cc0b42b36ac1693796f7109585313223  
**SHA1:** b4cbf6755e45fc07b10d23d7d48563782f9d3a44  
**SHA256:** 4464cee36440f1b99038cf5a54eaf8f711c533a0961834dc45157f470e744d59  
**Referenced In Project/Scope:**server

### Evidence +

Type	Source	Name	Value	Confidence
Vendor	file	name	filter.multicolumn	High



Vendor	jar	package name	filter	Low
Vendor	jar	package name	inet	Low
Vendor	jar	package name	pdfc	Low
Vendor	Manifest	application-library-allowable-codebase	*	Low
Vendor	Manifest	built-date	2024-01-16 15:30	Low
Vendor	Manifest	codebase	*	Low
Vendor	Manifest	implementation-group	pdfc	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	permissions	all-permissions	Low
Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	trusted-library	false	Low
Vendor	Manifest	trusted-only	false	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	filter.multicolumn	High
Product	jar	package name	filter	Highest
Product	jar	package name	filter	Low
Product	jar	package name	multicolumn	Highest
Product	jar	package name	multicolumn	Low
Product	jar	package name	pdfc	Highest
Product	jar	package name	pdfc	Low
Product	Manifest	application-library-allowable-codebase	*	Low
Product	Manifest	built-date	2024-01-16 15:30	Low
Product	Manifest	codebase	*	Low
Product	Manifest	implementation-group	pdfc	Low
Product	Manifest	Implementation-Title	filter.multicolumn	High
Product	Manifest	permissions	all-permissions	Low
Product	Manifest	specification-title	filter.multicolumn	Medium
Product	Manifest	trusted-library	false	Low



Product	Manifest	trusted-only	false	Low
Version	jar	package name	pdfc	Highest
Version	Manifest	Implementation-Version	23.10.295	High

#### Identifiers

- cpe:2.3:a:inetsoftware:pdfc:23.10.295:\*:\*:\*:\*:\* (Confidence:Low) suppress

### filter.ocr.zip: filter.ocr.jar

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/filter.ocr.zip/filter.ocr.jar

**MD5:** f1d2363fb6ede0a48b5c7acd1488b115

**SHA1:** 1455b5799beb597266d6893b59a6a26218f4060e

**SHA256:** e71016a1a5d1e9ce838d71cbf36b6a1bed6accf36e0318bf35d414fd57c1a5ef

**Referenced In Project/Scope:**server

#### Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	filter.ocr	High
Vendor	jar	package name	filter	Low
Vendor	jar	package name	inet	Low
Vendor	jar	package name	pdfc	Low
Vendor	Manifest	application-library-allowable-codebase	*	Low
Vendor	Manifest	built-date	2024-01-16 15:28	Low
Vendor	Manifest	codebase	*	Low
Vendor	Manifest	implementation-group	pdfc	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	permissions	all-permissions	Low
Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	trusted-library	false	Low



Vendor	Manifest	trusted-only	false	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	filter.ocr	High
Product	jar	package name	filter	Highest
Product	jar	package name	filter	Low
Product	jar	package name	ocr	Highest
Product	jar	package name	ocr	Low
Product	jar	package name	pdfc	Highest
Product	jar	package name	pdfc	Low
Product	Manifest	application-library-allowable-codebase	*	Low
Product	Manifest	built-date	2024-01-16 15:28	Low
Product	Manifest	codebase	*	Low
Product	Manifest	implementation-group	pdfc	Low
Product	Manifest	Implementation-Title	filter.ocr	High
Product	Manifest	permissions	all-permissions	Low
Product	Manifest	specification-title	filter.ocr	Medium
Product	Manifest	trusted-library	false	Low
Product	Manifest	trusted-only	false	Low
Version	jar	package name	pdfc	Highest
Version	Manifest	Implementation-Version	23.10.295	High

#### Identifiers

- cpe:2.3:a:inetsoftware:pdfc:23.10.295:\*\*\*\*:\* (Confidence:Low) suppress

### filter.pagerange.zip: filter.pagerange.jar

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/filter.pagerange.zip/filter.pagerange.jar  
**MD5:** c513efa42dcfde4506d211485357807e  
**SHA1:** 1426eb4b16406523deddd5bfc7726d160bd61cf1  
**SHA256:** 66ffe5d2976436343a02e2354c868f76ed474d744e98a93461ddab5457bbe6c2  
**Referenced In Project/Scope:**server



## Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	filter.pagerange	High
Vendor	jar	package name	filter	Low
Vendor	jar	package name	inet	Low
Vendor	jar	package name	pdfc	Low
Vendor	Manifest	application-library-allowable-codebase	*	Low
Vendor	Manifest	built-date	2024-01-16 15:32	Low
Vendor	Manifest	codebase	*	Low
Vendor	Manifest	implementation-group	pdfc	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	permissions	all-permissions	Low
Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	trusted-library	false	Low
Vendor	Manifest	trusted-only	false	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	filter.pagerange	High
Product	jar	package name	filter	Highest
Product	jar	package name	filter	Low
Product	jar	package name	page	Low
Product	jar	package name	pdfc	Highest
Product	jar	package name	pdfc	Low
Product	Manifest	application-library-allowable-codebase	*	Low
Product	Manifest	built-date	2024-01-16 15:32	Low
Product	Manifest	codebase	*	Low
Product	Manifest	implementation-group	pdfc	Low
Product	Manifest	Implementation-Title	filter.pagerange	High



Product	Manifest	permissions	all-permissions	Low
Product	Manifest	specification-title	filter.pagerange	Medium
Product	Manifest	trusted-library	false	Low
Product	Manifest	trusted-only	false	Low
Version	jar	package name	pdfc	Highest
Version	Manifest	Implementation-Version	23.10.295	High

#### Identifiers

- cpe:2.3:a:inetsoftware:pdfc:23.10.295:\*:\*:\*:\*:\* (Confidence:Low) suppress

### filter.regex.zip: filter.regex.jar

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/filter.regex.zip/filter.regex.jar

**MD5:** dc7bdca9dcd9e37078f912d7815b79d7

**SHA1:** 2bf98a0d6dbf1499e7c0d5baf1262e7640311741

**SHA256:** b5c23eccc2a7e4c7c0c6182b94181d96eb2c603bfc905862a67357d3f850d7b3

**Referenced In Project/Scope:**server

#### Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	filter.regex	High
Vendor	jar	package name	filter	Low
Vendor	jar	package name	inet	Low
Vendor	jar	package name	pdfc	Low
Vendor	Manifest	application-library-allowable-codebase	*	Low
Vendor	Manifest	built-date	2024-01-16 15:30	Low
Vendor	Manifest	codebase	*	Low
Vendor	Manifest	implementation-group	pdfc	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium







**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/filter.regex.zip/filter.regex.jar/com/inet/pdfc/filter/regex/structure/filterrender.js  
**MD5:** c42f30a7f03547aa1909e8e5c0e838ad  
**SHA1:** e49f9703fbda0ffcaf831b7e625228dff91a26cf  
**SHA256:**a08751ad11877d90715267b89484ca690a46135b36725e99eb21701e0510cf50  
**Referenced In Project/Scope:**server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

filter.texttransform.zip: filter.texttransform.jar

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/filter.texttransform.zip/filter.texttransform.jar  
**MD5:** 356c2c85dc7a158a2727e954c79ccb0f  
**SHA1:** 3513afc738591528d1b82d0e7eceed0d61ac4e7c  
**SHA256:**751682253e153f8154bbd27017337ffac729873137643b42430623545114079  
**Referenced In Project/Scope:**server

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	filter.texttransform	High
Vendor	jar	package name	filter	Low
Vendor	jar	package name	inet	Low
Vendor	jar	package name	pdfc	Low
Vendor	Manifest	application-library-allowable-codebase	*	Low
Vendor	Manifest	built-date	2024-01-16 15:31	Low
Vendor	Manifest	codebase	*	Low
Vendor	Manifest	implementation-group	pdfc	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium



Vendor	Manifest	permissions	all-permissions	Low
Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	trusted-library	false	Low
Vendor	Manifest	trusted-only	false	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	filter.texttransform	High
Product	jar	package name	filter	Highest
Product	jar	package name	filter	Low
Product	jar	package name	pdfc	Highest
Product	jar	package name	pdfc	Low
Product	jar	package name	texttransform	Highest
Product	jar	package name	texttransform	Low
Product	Manifest	application-library-allowable-codebase	*	Low
Product	Manifest	built-date	2024-01-16 15:31	Low
Product	Manifest	codebase	*	Low
Product	Manifest	implementation-group	pdfc	Low
Product	Manifest	Implementation-Title	filter.texttransform	High
Product	Manifest	permissions	all-permissions	Low
Product	Manifest	specification-title	filter.texttransform	Medium
Product	Manifest	trusted-library	false	Low
Product	Manifest	trusted-only	false	Low
Version	jar	package name	pdfc	Highest
Version	Manifest	Implementation-Version	23.10.295	High

#### Identifiers

- cpe:2.3:a:inetsoftware:pdfc:23.10.295:\*:\*:\*:\*:\* (Confidence:Low) suppress

**filter.urllookup.zip: filter.urllookup.jar**



**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/filter.urllookup.zip/filter.urllookup.jar  
**MD5:** bf295cd5f31351715e88feb78bb462f9  
**SHA1:** 28b0b0c0246415f50306944be243a0cdfb80813e  
**SHA256:** 3330f66d84243ce5301d25aef1767adb2f9b9a9502ced9776eb96e945f47f225  
**Referenced In Project/Scope:**server

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	filter.urllookup	High
Vendor	jar	package name	filter	Low
Vendor	jar	package name	inet	Low
Vendor	jar	package name	pdfc	Low
Vendor	Manifest	application-library-allowable-codebase	*	Low
Vendor	Manifest	built-date	2024-01-16 15:33	Low
Vendor	Manifest	codebase	*	Low
Vendor	Manifest	implementation-group	pdfc	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	permissions	all-permissions	Low
Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	trusted-library	false	Low
Vendor	Manifest	trusted-only	false	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	filter.urllookup	High
Product	jar	package name	filter	Highest
Product	jar	package name	filter	Low
Product	jar	package name	pdfc	Highest
Product	jar	package name	pdfc	Low
Product	jar	package name	urllookup	Highest
Product	jar	package name	urllookup	Low
Product	Manifest	application-library-allowable-codebase	*	Low



Product	Manifest	built-date	2024-01-16 15:33	Low
Product	Manifest	codebase	*	Low
Product	Manifest	implementation-group	pdfc	Low
Product	Manifest	Implementation-Title	filter.urllookup	High
Product	Manifest	permissions	all-permissions	Low
Product	Manifest	specification-title	filter.urllookup	Medium
Product	Manifest	trusted-library	false	Low
Product	Manifest	trusted-only	false	Low
Version	jar	package name	pdfc	Highest
Version	Manifest	Implementation-Version	23.10.295	High

### Identifiers

- cpe:2.3:a:inetsoftware:pdfc:23.10.295:\*:\*:\*:\*:\* (Confidence:Low)

suppress

## googleanalytics.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/Documentation and Samples/Plugin - Samples/Application/GoogleAnalytics/src/com/inet/application/googleanalytics/googleanalytics.js

**MD5:** 27e84a16f62654339f0e4253da113fc6

**SHA1:** 4661e80cf863e7f126f1aa3ffa254c6393f7157a

**SHA256:** 51f5a345e8bb36a0ccf6d36049d038c499b1b70fb84ea9f3e28aa6534e036332

**Referenced In Project/Scope:**server

### Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Related Dependencies

- application.googleanalytics.zip: googleanalytics.js
  - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/Documentation and Samples/Plugin - Samples/Application/GoogleAnalytics/application.googleanalytics.zip/src/com/inet/application/googleanalytics/googleanalytics.js
  - MD5: 27e84a16f62654339f0e4253da113fc6
  - SHA1: 4661e80cf863e7f126f1aa3ffa254c6393f7157a
  - SHA256: 51f5a345e8bb36a0ccf6d36049d038c499b1b70fb84ea9f3e28aa6534e036332



## Identifiers

- None

## hamcrest-2.2.jar

### Description:

Core API and libraries of hamcrest matcher framework.

### License:

BSD License 3: <http://opensource.org/licenses/BSD-3-Clause>

**File Path:** /home/jenkins/.gradle/caches/modules-2/files-2.1/org.hamcrest/hamcrest/2.2/1820c0968dba3a11a1b30669bb1f01978a91dedc/hamcrest-2.2.jar

**MD5:** 10b47e837f271d0662f28780e60388e8

**SHA1:** 1820c0968dba3a11a1b30669bb1f01978a91dedc

**SHA256:** 5e62846a89f05cd78cd9c1a553f340d002458380c320455dd1f8fc5497a8a1c1

**Referenced In Project/Scope:**server:inetPlugin

## Evidence



Type	Source	Name	Value	Confidence
Vendor	central	artifactid	hamcrest	Highest
Vendor	central	groupid	org.hamcrest	Highest
Vendor	file	name	hamcrest	High
Vendor	gradle	artifactid	hamcrest	Highest
Vendor	gradle	groupid	org.hamcrest	Highest
Vendor	jar	package name	hamcrest	Highest
Vendor	jar	package name	hamcrest	Low
Vendor	Manifest	automatic-module-name	org.hamcrest	Medium
Vendor	Manifest	bundle-symbolicname	org.hamcrest	Medium
Vendor	Manifest	Implementation-Vendor	hamcrest.org	High
Vendor	Manifest	require-capability	osgi.ee;filter:="(&(osgi.ee=JavaSE)(version=1.7))"	Low
Vendor	pom	artifactid	hamcrest	Low
Vendor	pom	developer id	joewalnes	Medium
Vendor	pom	developer id	npryce	Medium



Vendor	pom	developer id	sf105	Medium
Vendor	pom	developer name	Joe Walnes	Medium
Vendor	pom	developer name	Nat Pryce	Medium
Vendor	pom	developer name	Steve Freeman	Medium
Vendor	pom	groupid	org.hamcrest	Highest
Vendor	pom	name	Hamcrest	High
Vendor	pom	url	http://hamcrest.org/JavaHamcrest/	Highest
Product	central	artifactid	hamcrest	Highest
Product	file	name	hamcrest	High
Product	gradle	artifactid	hamcrest	Highest
Product	jar	package name	hamcrest	Highest
Product	Manifest	automatic-module-name	org.hamcrest	Medium
Product	Manifest	Bundle-Name	hamcrest	Medium
Product	Manifest	bundle-symbolicname	org.hamcrest	Medium
Product	Manifest	Implementation-Title	hamcrest	High
Product	Manifest	require-capability	osgi.ee;filter:="(&(osgi.ee=JavaSE)(version=1.7))"	Low
Product	pom	artifactid	hamcrest	Highest
Product	pom	developer id	joewalnes	Low
Product	pom	developer id	npryce	Low
Product	pom	developer id	sf105	Low
Product	pom	developer name	Joe Walnes	Low
Product	pom	developer name	Nat Pryce	Low
Product	pom	developer name	Steve Freeman	Low
Product	pom	groupid	org.hamcrest	Highest
Product	pom	name	Hamcrest	High
Product	pom	url	http://hamcrest.org/JavaHamcrest/	Medium
Version	central	version	2.2	Highest
Version	file	version	2.2	High
Version	gradle	version	2.2	Highest
Version	Manifest	Bundle-Version	2.2	High
Version	Manifest	Implementation-Version	2.2	High
Version	pom	version	2.2	Highest



## Identifiers

- [pkg:maven/org.hamcrest/hamcrest@2.2](https://maven.org/hamcrest/hamcrest@2.2) (Confidence:High)

## help.zip: commons-beanutils.jar

### Description:

Apache Commons BeanUtils provides an easy-to-use but flexible wrapper around reflection and introspection.

### License:

<https://www.apache.org/licenses/LICENSE-2.0.txt>

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/help.zip/commons-beanutils.jar

**MD5:** 07dc532ee316fe1f2f0323e9bd2f8df4

**SHA1:** d52b9abcd97f38c81342bb7e7ae1eee9b73cba51

**SHA256:** 7d938c81789028045c08c065e94be75fc280527620d5bd62b519d5838532368a

**Referenced In Project/Scope:**server

## Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	commons-beanutils	High
Vendor	jar	package name	apache	Highest
Vendor	jar	package name	beanutils	Highest
Vendor	jar	package name	commons	Highest
Vendor	Manifest	bundle-docurl	<a href="https://commons.apache.org/proper/commons-beanutils/">https://commons.apache.org/proper/commons-beanutils/</a>	Low
Vendor	Manifest	bundle-symbolicname	org.apache.commons.commons-beanutils	Medium
Vendor	Manifest	implementation-build	UNKNOWN_BRANCH@r??????; 2019-07-28 22:14:44+0000	Low
Vendor	Manifest	implementation-url	<a href="https://commons.apache.org/proper/commons-beanutils/">https://commons.apache.org/proper/commons-beanutils/</a>	Low
Vendor	Manifest	Implementation-Vendor	The Apache Software Foundation	High
Vendor	Manifest	Implementation-Vendor-Id	org.apache	Medium
Vendor	Manifest	require-capability	osgi.ee;filter:="(&(osgi.ee=JavaSE)(version=1.6))"	Low
Vendor	Manifest	specification-vendor	The Apache Software Foundation	Low



Vendor	pom	artifactid	commons-beanutils	Low
Vendor	pom	developer email	britter@apache.org	Low
Vendor	pom	developer email	chtompki@apache.org	Low
Vendor	pom	developer email	craigmcc@apache.org	Low
Vendor	pom	developer email	dion@apache.org	Low
Vendor	pom	developer email	epugh@apache.org	Low
Vendor	pom	developer email	geirm@apache.org	Low
Vendor	pom	developer email	ggregory@apache.org	Low
Vendor	pom	developer email	jcarman@apache.org	Low
Vendor	pom	developer email	jconlon@apache.org	Low
Vendor	pom	developer email	jstrachan@apache.org	Low
Vendor	pom	developer email	morgand@apache.org	Low
Vendor	pom	developer email	mvdb@apache.org	Low
Vendor	pom	developer email	niallp@apache.org	Low
Vendor	pom	developer email	rdonkin@apache.org	Low
Vendor	pom	developer email	rwaldhoff@apache.org	Low
Vendor	pom	developer email	sanders@apache.org	Low
Vendor	pom	developer email	scolebourne@apache.org	Low
Vendor	pom	developer email	skitching@apache.org	Low
Vendor	pom	developer email	stain@apache.org	Low
Vendor	pom	developer email	tobrien@apache.org	Low
Vendor	pom	developer email	yoavs@apache.org	Low
Vendor	pom	developer id	britter	Medium
Vendor	pom	developer id	chtompki	Medium
Vendor	pom	developer id	craigmcc	Medium
Vendor	pom	developer id	dion	Medium
Vendor	pom	developer id	epugh	Medium
Vendor	pom	developer id	geirm	Medium
Vendor	pom	developer id	ggregory	Medium
Vendor	pom	developer id	jcarman	Medium
Vendor	pom	developer id	jconlon	Medium
Vendor	pom	developer id	jstrachan	Medium
Vendor	pom	developer id	morgand	Medium
Vendor	pom	developer id	mvdb	Medium
Vendor	pom	developer id	niallp	Medium



Vendor	pom	developer id	rdonkin	Medium
Vendor	pom	developer id	rwaldhoff	Medium
Vendor	pom	developer id	sanders	Medium
Vendor	pom	developer id	scolebourne	Medium
Vendor	pom	developer id	skitching	Medium
Vendor	pom	developer id	stain	Medium
Vendor	pom	developer id	tobrien	Medium
Vendor	pom	developer id	yoavs	Medium
Vendor	pom	developer name	Benedikt Ritter	Medium
Vendor	pom	developer name	Craig McClanahan	Medium
Vendor	pom	developer name	David Eric Pugh	Medium
Vendor	pom	developer name	Dion Gillard	Medium
Vendor	pom	developer name	Gary Gregory	Medium
Vendor	pom	developer name	Geir Magnusson Jr.	Medium
Vendor	pom	developer name	James Carman	Medium
Vendor	pom	developer name	James Strachan	Medium
Vendor	pom	developer name	John E. Conlon	Medium
Vendor	pom	developer name	Martin van den Bemt	Medium
Vendor	pom	developer name	Morgan James Delagrange	Medium
Vendor	pom	developer name	Niall Pemberton	Medium
Vendor	pom	developer name	Rob Tompkins	Medium
Vendor	pom	developer name	Robert Burrell Donkin	Medium
Vendor	pom	developer name	Rodney Waldhoff	Medium
Vendor	pom	developer name	Scott Sanders	Medium
Vendor	pom	developer name	Simon Kitching	Medium
Vendor	pom	developer name	Stephen Colebourne	Medium
Vendor	pom	developer name	Stian Soiland-Reyes	Medium
Vendor	pom	developer name	Tim O'Brien	Medium
Vendor	pom	developer name	Yoav Shapira	Medium
Vendor	pom	developer org	The Apache Software Foundation	Medium
Vendor	pom	groupid	commons-beanutils	Highest
Vendor	pom	name	Apache Commons BeanUtils	High
Vendor	pom	parent-artifactid	commons-parent	Low
Vendor	pom	parent-groupid	org.apache.commons	Medium
Vendor	pom	url	<a href="https://commons.apache.org/proper/commons-beanutils/">https://commons.apache.org/proper/commons-beanutils/</a>	Highest



Product	file	name	commons-beanutils	High
Product	jar	package name	apache	Highest
Product	jar	package name	beanutils	Highest
Product	jar	package name	commons	Highest
Product	Manifest	bundle-docurl	https://commons.apache.org/proper/commons-beanutils/	Low
Product	Manifest	Bundle-Name	Apache Commons BeanUtils	Medium
Product	Manifest	bundle-symbolicname	org.apache.commons.commons-beanutils	Medium
Product	Manifest	implementation-build	UNKNOWN_BRANCH@r??????; 2019-07-28 22:14:44+0000	Low
Product	Manifest	Implementation-Title	Apache Commons BeanUtils	High
Product	Manifest	implementation-url	https://commons.apache.org/proper/commons-beanutils/	Low
Product	Manifest	require-capability	osgi.ee;filter:="(&(osgi.ee=JavaSE)(version=1.6))"	Low
Product	Manifest	specification-title	Apache Commons BeanUtils	Medium
Product	pom	artifactid	commons-beanutils	Highest
Product	pom	developer email	britter@apache.org	Low
Product	pom	developer email	chtompki@apache.org	Low
Product	pom	developer email	craigmcc@apache.org	Low
Product	pom	developer email	dion@apache.org	Low
Product	pom	developer email	epugh@apache.org	Low
Product	pom	developer email	geirm@apache.org	Low
Product	pom	developer email	ggregory@apache.org	Low
Product	pom	developer email	jcarman@apache.org	Low
Product	pom	developer email	jconlon@apache.org	Low
Product	pom	developer email	jstrachan@apache.org	Low
Product	pom	developer email	morgand@apache.org	Low
Product	pom	developer email	mvdb@apache.org	Low
Product	pom	developer email	niallp@apache.org	Low
Product	pom	developer email	rdonkin@apache.org	Low
Product	pom	developer email	rwaldhoff@apache.org	Low
Product	pom	developer email	sanders@apache.org	Low
Product	pom	developer email	scolebourne@apache.org	Low
Product	pom	developer email	skitching@apache.org	Low
Product	pom	developer email	stain@apache.org	Low



Product	pom	developer email	tobrien@apache.org	Low
Product	pom	developer email	yoavs@apache.org	Low
Product	pom	developer id	britter	Low
Product	pom	developer id	chtompki	Low
Product	pom	developer id	craigmcc	Low
Product	pom	developer id	dion	Low
Product	pom	developer id	epugh	Low
Product	pom	developer id	geirm	Low
Product	pom	developer id	ggregory	Low
Product	pom	developer id	jcarman	Low
Product	pom	developer id	jconlon	Low
Product	pom	developer id	jstrachan	Low
Product	pom	developer id	morgand	Low
Product	pom	developer id	mvdb	Low
Product	pom	developer id	niallp	Low
Product	pom	developer id	rdonkin	Low
Product	pom	developer id	rwaldhoff	Low
Product	pom	developer id	sanders	Low
Product	pom	developer id	scolebourne	Low
Product	pom	developer id	skitching	Low
Product	pom	developer id	stain	Low
Product	pom	developer id	tobrien	Low
Product	pom	developer id	yoavs	Low
Product	pom	developer name	Benedikt Ritter	Low
Product	pom	developer name	Craig McClanahan	Low
Product	pom	developer name	David Eric Pugh	Low
Product	pom	developer name	Dion Gillard	Low
Product	pom	developer name	Gary Gregory	Low
Product	pom	developer name	Geir Magnusson Jr.	Low
Product	pom	developer name	James Carman	Low
Product	pom	developer name	James Strachan	Low
Product	pom	developer name	John E. Conlon	Low
Product	pom	developer name	Martin van den Bemt	Low
Product	pom	developer name	Morgan James Delagrang	Low
Product	pom	developer name	Niall Pemberton	Low



Product	pom	developer name	Rob Tompkins	Low
Product	pom	developer name	Robert Burrell Donkin	Low
Product	pom	developer name	Rodney Waldhoff	Low
Product	pom	developer name	Scott Sanders	Low
Product	pom	developer name	Simon Kitching	Low
Product	pom	developer name	Stephen Colebourne	Low
Product	pom	developer name	Stian Soiland-Reyes	Low
Product	pom	developer name	Tim O'Brien	Low
Product	pom	developer name	Yoav Shapira	Low
Product	pom	developer org	The Apache Software Foundation	Low
Product	pom	groupid	commons-beanutils	Highest
Product	pom	name	Apache Commons BeanUtils	High
Product	pom	parent-artifactid	commons-parent	Medium
Product	pom	parent-groupid	org.apache.commons	Medium
Product	pom	url	<a href="https://commons.apache.org/proper/commons-beanutils/">https://commons.apache.org/proper/commons-beanutils/</a>	Medium
Version	Manifest	Bundle-Version	1.9.4	High
Version	Manifest	Implementation-Version	1.9.4	High
Version	pom	parent-version	1.9.4	Low
Version	pom	version	1.9.4	Highest

### Identifiers

- [pkg:maven/commons-beanutils/commons-beanutils@1.9.4](#) (*Confidence:High*)
- [cpe:2.3:a:apache:commons\\_beanutils:1.9.4:\\*:\\*:\\*:\\*:\\*](#) (*Confidence:Highest*)

suppress

## help.zip: commons-digester3.jar

### Description:

The Apache Commons Digester package lets you configure an XML to Java object mapping module which triggers certain actions called rules whenever a particular pattern of nested XML elements is recognized.

### License:

<http://www.apache.org/licenses/LICENSE-2.0.txt>



**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/help.zip/commons-digester3.jar  
**MD5:** 41d2c62c7aedafa7a3627794abc83f71  
**SHA1:** c3f68c5ff25ec5204470fd8fdf4cb8feff5e8a79  
**SHA256:** 1c150e3d2df4b4237b47e28fea2079fb0da324578d5cca6a5fed2e37a62082ec  
**Referenced In Project/Scope:**server

## Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	commons-digester3	High
Vendor	jar	package name	apache	Highest
Vendor	jar	package name	commons	Highest
Vendor	jar	package name	digester	Highest
Vendor	jar	package name	digester3	Highest
Vendor	jar	package name	rules	Highest
Vendor	Manifest	bundle-docurl	http://commons.apache.org/digester/	Low
Vendor	Manifest	bundle-symbolicname	org.apache.commons.digester	Medium
Vendor	Manifest	implementation-build	tags/DIGESTER3_3_2_RC2@r1212807; 2011-12-10 15:57:06+0100	Low
Vendor	Manifest	Implementation-Vendor	The Apache Software Foundation	High
Vendor	Manifest	Implementation-Vendor-Id	org.apache	Medium
Vendor	Manifest	specification-vendor	The Apache Software Foundation	Low
Vendor	pom	artifactid	commons-digester3	Low
Vendor	pom	developer email	craigmcc@apache.org	Low
Vendor	pom	developer email	jfarcand@apache.org	Low
Vendor	pom	developer email	jstrachan@apache.org	Low
Vendor	pom	developer email	jvanzyl@apache.org	Low
Vendor	pom	developer email	mbenson AT apache DOT org	Low
Vendor	pom	developer email	rahul AT apache DOT org	Low
Vendor	pom	developer email	rdonkin@apache.org	Low
Vendor	pom	developer email	sanders@totalsync.com	Low
Vendor	pom	developer email	simonetripodi AT apache DOT org	Low
Vendor	pom	developer email	skitching@apache.org	Low
Vendor	pom	developer email	tobrien@apache.org	Low
Vendor	pom	developer id	craigmcc	Medium
Vendor	pom	developer id	jfarcand	Medium



Vendor	pom	developer id	jstrachan	Medium
Vendor	pom	developer id	jvanzyl	Medium
Vendor	pom	developer id	mbenson	Medium
Vendor	pom	developer id	rahul	Medium
Vendor	pom	developer id	rdonkin	Medium
Vendor	pom	developer id	sanders	Medium
Vendor	pom	developer id	simonetripodi	Medium
Vendor	pom	developer id	skitching	Medium
Vendor	pom	developer id	tobrien	Medium
Vendor	pom	developer name	Craig McClanahan	Medium
Vendor	pom	developer name	James Strachan	Medium
Vendor	pom	developer name	Jason van Zyl	Medium
Vendor	pom	developer name	Jean-Francois Arcand	Medium
Vendor	pom	developer name	Matt Benson	Medium
Vendor	pom	developer name	Rahul Akolkar	Medium
Vendor	pom	developer name	Robert Burrell Donkin	Medium
Vendor	pom	developer name	Scott Sanders	Medium
Vendor	pom	developer name	Simon Kitching	Medium
Vendor	pom	developer name	Simone Tripodi	Medium
Vendor	pom	developer name	Tim OBrien	Medium
Vendor	pom	groupid	org.apache.commons	Highest
Vendor	pom	name	Apache Commons Digester	High
Vendor	pom	parent-artifactid	commons-parent	Low
Vendor	pom	url	http://commons.apache.org/digester/	Highest
Product	file	name	commons-digester3	High
Product	jar	package name	apache	Highest
Product	jar	package name	commons	Highest
Product	jar	package name	digester	Highest
Product	jar	package name	digester3	Highest
Product	jar	package name	rules	Highest
Product	Manifest	bundle-docurl	http://commons.apache.org/digester/	Low
Product	Manifest	Bundle-Name	Apache Commons Digester	Medium
Product	Manifest	bundle-symbolicname	org.apache.commons.digester	Medium
Product	Manifest	implementation-build	tags/DIGESTER3_3_2_RC2@r1212807; 2011-12-10 15:57:06+0100	Low



Product	Manifest	Implementation-Title	Apache Commons Digester	High
Product	Manifest	specification-title	Apache Commons Digester	Medium
Product	pom	artifactid	commons-digester3	Highest
Product	pom	developer email	craigmcc@apache.org	Low
Product	pom	developer email	jfarcand@apache.org	Low
Product	pom	developer email	jstrachan@apache.org	Low
Product	pom	developer email	jvanzyl@apache.org	Low
Product	pom	developer email	mbenson AT apache DOT org	Low
Product	pom	developer email	rahul AT apache DOT org	Low
Product	pom	developer email	rdonkin@apache.org	Low
Product	pom	developer email	sanders@totalsync.com	Low
Product	pom	developer email	simonetripodi AT apache DOT org	Low
Product	pom	developer email	skitching@apache.org	Low
Product	pom	developer email	tobrien@apache.org	Low
Product	pom	developer id	craigmcc	Low
Product	pom	developer id	jfarcand	Low
Product	pom	developer id	jstrachan	Low
Product	pom	developer id	jvanzyl	Low
Product	pom	developer id	mbenson	Low
Product	pom	developer id	rahul	Low
Product	pom	developer id	rdonkin	Low
Product	pom	developer id	sanders	Low
Product	pom	developer id	simonetripodi	Low
Product	pom	developer id	skitching	Low
Product	pom	developer id	tobrien	Low
Product	pom	developer name	Craig McClanahan	Low
Product	pom	developer name	James Strachan	Low
Product	pom	developer name	Jason van Zyl	Low
Product	pom	developer name	Jean-Francois Arcand	Low
Product	pom	developer name	Matt Benson	Low
Product	pom	developer name	Rahul Akolkar	Low
Product	pom	developer name	Robert Burrell Donkin	Low
Product	pom	developer name	Scott Sanders	Low
Product	pom	developer name	Simon Kitching	Low
Product	pom	developer name	Simone Tripodi	Low



Product	pom	developer name	Tim OBrien	Low
Product	pom	groupid	org.apache.commons	Highest
Product	pom	name	Apache Commons Digester	High
Product	pom	parent-artifactid	commons-parent	Medium
Product	pom	url	http://commons.apache.org/digester/	Medium
Version	Manifest	Implementation-Version	3.2	High
Version	pom	parent-version	3.2	Low
Version	pom	version	3.2	Highest

### Identifiers

- <pkg:maven/org.apache.commons/commons-digester3@3.2> (*Confidence:High*)

## help.zip: help.jar

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/help.zip/help.jar  
**MD5:** 6ffc1690d3228e2395b85474e7aa9353  
**SHA1:** c9a099e99d1dc3137e73c6425d5a112a3573bebe  
**SHA256:** 00acfe16f566b678721d7e2a96845610062b2f6b86c59655c67ef2677d672010  
**Referenced In Project/Scope:**server

### Evidence

Type	Source	Name	Value	Confidence
Vendor	file	name	help	High
Vendor	jar	package name	help	Low
Vendor	jar	package name	inet	Low
Vendor	Manifest	built-date	2024-01-16 12:16	Low
Vendor	Manifest	implementation-group	shared	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	help	High



Product	jar	package name	help	Highest
Product	jar	package name	help	Low
Product	Manifest	built-date	2024-01-16 12:16	Low
Product	Manifest	implementation-group	shared	Low
Product	Manifest	Implementation-Title	help	High
Product	Manifest	specification-title	help	Medium
Version	Manifest	Implementation-Version	23.10.295	High

Identifiers

- None

help.zip: help.jar: app.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/help.zip/help.jar/com/inet/help/resources/js/app.js  
**MD5:** 33e7e0d008199ab0d98395ed9868abc4  
**SHA1:** b062faef11230309ec707c5cdc18976822367f0d  
**SHA256:**44fdf1156cbace5a1e53a2bd9147db3858861e9fc8c51c81410f44d34a6cb022  
**Referenced In Project/Scope:**server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

help.zip: help.jar: controller.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/help.zip/help.jar/com/inet/help/resources/js/controller.js  
**MD5:** 8491354f63292e4891cb14a635bdb73a



**SHA1:** 9ba2aa2160ca52e0aba02f9218c3ffa937e6427f  
**SHA256:**3c61ec107d0945f4698486d4e83f4f4e70b9ec578abbfbe9adef4195685f014  
**Referenced In Project/Scope:**server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### help.zip: help.jar: shared.factory.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/help.zip/help.jar/com/inet/help/resources/js/shared.factory.js

**MD5:** d9560114c61a027daa602124caa8f0bd

**SHA1:** a5199190b480c68dbd769d4186ed73b24849d83e

**SHA256:**94a69c6c0d5950ecb14d3bb24e8ecc1a6bea836b79c165714257631fda39bf51

**Referenced In Project/Scope:**server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### help.zip: help.jar: shared.highlighter.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/help.zip/help.jar/com/inet/help/resources/js/shared.highlighter.js

**MD5:** 89519d94e7239a3edb9aa847dc4ad933

**SHA1:** f85c6f02a034326315b2e4a71eff5baac51e601f

**SHA256:**d962320ae6469953d5c64d0fb6527a5d45d7ac7176f36bbd9b1524dc68af1f74

**Referenced In Project/Scope:**server

#### Evidence





Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

## help.zip: jsoup.jar

### Description:

jsoup is a Java library for working with real-world HTML. It provides a very convenient API for fetching URLs and extracting and manipulating data, using the best of HTML5 DOM methods and CSS selectors. jsoup implements the WHATWG HTML5 specification, and parses HTML to the same DOM as modern browsers do.

### License:

The MIT License: <https://jsoup.org/license>

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/help.zip/jsoup.jar

**MD5:** ed35af29909c856c8ee4c4001d660e0f

**SHA1:** ae551410a16433984cd4a8603622fafa9d8299f0

**SHA256:** 1f115726540ddf71958c14bc517ebfc49cf481e91cd917b0face84f01272e901

**Referenced In Project/Scope:**server

### Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	jsoup	High
Vendor	jar	package name	jsoup	Highest
Vendor	jar	package name	parser	Highest
Vendor	Manifest	automatic-module-name	org.jsoup	Medium
Vendor	Manifest	build-jdk-spec	17	Low
Vendor	Manifest	bundle-docurl	<a href="https://jsoup.org/">https://jsoup.org/</a>	Low
Vendor	Manifest	bundle-symbolicname	org.jsoup	Medium
Vendor	Manifest	Implementation-Vendor	Jonathan Hedley	High
Vendor	Manifest	require-capability	osgi.ee;filter:="(&(osgi.ee=JavaSE)(version=1.8))"	Low
Vendor	pom	artifactid	jsoup	Low
Vendor	pom	developer email	<a href="mailto:jonathan@hedley.net">jonathan@hedley.net</a>	Low
Vendor	pom	developer id	jhy	Medium



Vendor	pom	developer name	Jonathan Hedley	Medium
Vendor	pom	groupid	org.jsoup	Highest
Vendor	pom	name	jsoup Java HTML Parser	High
Vendor	pom	organization name	Jonathan Hedley	High
Vendor	pom	organization url	https://jhy.io/	Medium
Vendor	pom	url	https://jsoup.org/	Highest
Product	file	name	jsoup	High
Product	jar	package name	jsoup	Highest
Product	jar	package name	parser	Highest
Product	Manifest	automatic-module-name	org.jsoup	Medium
Product	Manifest	build-jdk-spec	17	Low
Product	Manifest	bundle-docurl	https://jsoup.org/	Low
Product	Manifest	Bundle-Name	jsoup Java HTML Parser	Medium
Product	Manifest	bundle-symbolicname	org.jsoup	Medium
Product	Manifest	Implementation-Title	jsoup Java HTML Parser	High
Product	Manifest	require-capability	osgi.ee;filter:="(&(osgi.ee=JavaSE)(version=1.8))"	Low
Product	pom	artifactid	jsoup	Highest
Product	pom	developer email	jonathan@hedley.net	Low
Product	pom	developer id	jhy	Low
Product	pom	developer name	Jonathan Hedley	Low
Product	pom	groupid	org.jsoup	Highest
Product	pom	name	jsoup Java HTML Parser	High
Product	pom	organization name	Jonathan Hedley	Low
Product	pom	organization url	https://jhy.io/	Low
Product	pom	url	https://jsoup.org/	Medium
Version	Manifest	Bundle-Version	1.16.1	High
Version	Manifest	Implementation-Version	1.16.1	High
Version	pom	version	1.16.1	Highest

## Identifiers



- [pkg:maven/org.jsoup/jsoup@1.16.1](#) (*Confidence:High*)
- [cpe:2.3:a:jsoup:jsoup:1.16.1:\\*:\\*:\\*:\\*:\\*](#) (*Confidence:Highest*) suppress

## inetcore-23.10-tools.jar

**File Path:** /home/jenkins/.gradle/caches/modules-2/files-2.1/shared/inetcore/23.10/f3b42daed1351532e9c0d1c8abcd2942e1900fdf/inetcore-23.10-tools.jar

**MD5:** 73e63f94645ccdbc824050e22b275bd6

**SHA1:** f3b42daed1351532e9c0d1c8abcd2942e1900fdf

**SHA256:** 4ba90830087ebf59913f54e9b8c020b8b5373fa2639dfa77798e60dc2342e0a2

**Referenced In Project/Scope:**server:inetPlugin

### Evidence +

Type	Source	Name	Value	Confidence
Vendor	file	name	inetcore	High
Vendor	gradle	artifactid	inetcore	Highest
Vendor	gradle	groupid	shared	Highest
Vendor	jar	package name	test	Low
Product	file	name	inetcore	High
Product	gradle	artifactid	inetcore	Highest
Version	file	name	inetcore	Medium
Version	file	version	23.10	High
Version	gradle	version	23.10	Highest

### Identifiers

- [pkg:maven/shared/inetcore@23.10](#) (*Confidence:Highest*)

## inetcore-23.10.jar (shaded: com.inet.shared:inetcore:null)

### Description:

A blend composite defines the rule according to which a drawing primitive (known as the source) is mixed with existing graphics (known as the destination.)

ColorUtilities contains a set of tools to perform common color operations easily.

### License:



LGPL: <http://www.gnu.org/licenses/lgpl.txt>

**File Path:** /home/jenkins/.gradle/caches/modules-2/files-2.1/shared/inetcore/23.10/ae8e7b2228454b5bc46f4d990b0f2ed0a2ecec9/inetcore-23.10.jar/META-INF/com/inet/shared/utis/BlendComposite/pom.xml

**MD5:** b7bc59004e73f85cce4369bc5e034e6b

**SHA1:** 9caff88589bdd8fdc3c3f320340b76830f3818de

**SHA256:** aab973b164e2d64808cd34c47b78399c4f016ec308900f5393733d3bc5c706bc

**Referenced In Projects/Scopes:**

- server
- server:inetPlugin

**Evidence**



Type	Source	Name	Value	Confidence
Vendor	pom	artifactid	inetcore	Low
Vendor	pom	developer email	contact@inetsoftware.de	Low
Vendor	pom	developer email	morgand@apache.org	Low
Vendor	pom	developer id	inetsoftware	Medium
Vendor	pom	developer id	romainguy	Medium
Vendor	pom	developer id	sun	Medium
Vendor	pom	developer name	i-net /// software	Medium
Vendor	pom	developer name	Romain Guy	Medium
Vendor	pom	developer name	Sun	Medium
Vendor	pom	developer org	Sun	Medium
Vendor	pom	groupid	com.inet.shared	Highest
Vendor	pom	name	BlendComposite and ColorUtils	High
Vendor	pom (hint)	developer id	oracle	Medium
Vendor	pom (hint)	developer name	oracle	Medium
Vendor	pom (hint)	developer org	oracle	Medium
Product	pom	artifactid	inetcore	Highest
Product	pom	developer email	contact@inetsoftware.de	Low
Product	pom	developer email	morgand@apache.org	Low
Product	pom	developer id	inetsoftware	Low
Product	pom	developer id	romainguy	Low
Product	pom	developer id	sun	Low
Product	pom	developer name	i-net /// software	Low
Product	pom	developer name	Romain Guy	Low
Product	pom	developer name	Sun	Low



Product	pom	developer org	Sun	Low
Product	pom	groupid	com.inet.shared	Highest
Product	pom	name	BlendComposite and ColorUtils	High

#### Identifiers

- None

## inetcore-23.10.jar

**File Path:** /home/jenkins/.gradle/caches/modules-2/files-2.1/shared/inetcore/23.10/ae8e7b2228454b5bc46f4d990b0f2ed0a2eeced9/inetcore-23.10.jar

**MD5:** b84ca8a30fe3dfd2d2c81244cb8bfe25

**SHA1:** ae8e7b2228454b5bc46f4d990b0f2ed0a2eeced9

**SHA256:** aad1b596da5f7a4d8eb420fedf1f25798b33e1d344229a31cd5aef0b58fd944c

#### Referenced In Projects/Scopes:

- server
- server:inetPlugin

#### Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	inetcore	High
Vendor	gradle	artifactid	inetcore	Highest
Vendor	gradle	groupid	shared	Highest
Vendor	jar	package name	i	Highest
Vendor	jar	package name	inet	Low
Vendor	Manifest	application-library-allowable-codebase	*	Low
Vendor	Manifest	built-date	2024-01-16 11:42	Low
Vendor	Manifest	codebase	*	Low
Vendor	Manifest	implementation-group	shared	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	permissions	all-permissions	Low
Vendor	Manifest	specification-	i-net software	Low



		vendor		
Vendor	Manifest	trusted-library	false	Low
Vendor	Manifest	trusted-only	false	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	inetcore	High
Product	gradle	artifactid	inetcore	Highest
Product	jar	package name	permissions	Highest
Product	jar	package name	shared	Highest
Product	Manifest	application-library-allowable-codebase	*	Low
Product	Manifest	built-date	2024-01-16 11:42	Low
Product	Manifest	codebase	*	Low
Product	Manifest	implementation-group	shared	Low
Product	Manifest	Implementation-Title	inetcore	High
Product	Manifest	permissions	all-permissions	Low
Product	Manifest	specification-title	inetcore	Medium
Product	Manifest	trusted-library	false	Low
Product	Manifest	trusted-only	false	Low
Version	file	name	inetcore	Medium
Version	file	version	23.10	High
Version	gradle	version	23.10	Highest
Version	jar	package name	permissions	Highest
Version	jar	package name	shared	Highest
Version	Manifest	Implementation-Version	23.10.295	High

### Related Dependencies



- inetcore.jar
  - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/java/inetcore.jar
  - MD5: b84ca8a30fe3dfd2d2c81244cb8bfe25
  - SHA1: ae8e7b2228454b5bc46f4d990b0f2ed0a2eeced9
  - SHA256: aad1b596da5f7a4d8eb420fed1f25798b33e1d344229a31cd5aef0b58fd944c

### Identifiers



- [pkg:maven/shared/inetcore@23.10](#) (Confidence: Highest)

## inetloggeradapter.jar

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/java/inetloggeradapter.jar

**MD5:** 5542d969524ae03c6516c8da71abb0f8

**SHA1:** fee014cd9f9ec8e20e406ab5d8219e7981e0b0e7

**SHA256:** 33250b01c85ce30af10a019b47af4f76615af57876c87b653fda3657df2b94c3

**Referenced In Project/Scope:** server

### Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	inetloggeradapter	High
Vendor	jar	package name	inet	Low
Vendor	jar	package name	slf4j	Low
Vendor	Manifest	application-library-allowable-codebase	*	Low
Vendor	Manifest	built-date	2024-01-16 12:09	Low
Vendor	Manifest	codebase	*	Low
Vendor	Manifest	implementation-group	shared	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	permissions	all-permissions	Low
Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	trusted-library	false	Low
Vendor	Manifest	trusted-only	false	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	inetloggeradapter	High
Product	jar	package name	slf4j	Low
Product	Manifest	application-library-allowable-codebase	*	Low



Product	Manifest	built-date	2024-01-16 12:09	Low
Product	Manifest	codebase	*	Low
Product	Manifest	implementation-group	shared	Low
Product	Manifest	Implementation-Title	inetloggeradapter	High
Product	Manifest	permissions	all-permissions	Low
Product	Manifest	specification-title	inetloggeradapter	Medium
Product	Manifest	trusted-library	false	Low
Product	Manifest	trusted-only	false	Low
Version	Manifest	Implementation-Version	23.10.295	High

### Identifiers

- None

## inetsoftware.Pdfc.dll

### Description:

Pdfc

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC .NET Bridge/inetsoftware.Pdfc.dll

**MD5:** 203d37d7cf8dc16d76dfb7461e78b424

**SHA1:** a3fc88b555a0f626e8b21d06ffa2d09160fa9a49

**SHA256:** 372f53fb658f04e8e18f388c69986b2f7a4a5e69ae5ef0f0996fa7738c2cefec

**Referenced In Project/Scope:**server

### Evidence



Type	Source	Name	Value	Confidence
Vendor	dll	namespace	inetsoftware.Pdfc	Highest
Vendor	file	name	inetsoftware.Pdfc	High
Product	dll	namespace	inetsoftware.Pdfc	Highest
Product	file	name	inetsoftware.Pdfc	High
Product	grokass	FileDescription	Pdfc	High
Product	grokass	InternalName	inetsoftware.Pdfc.dll	Medium
Product	grokass	OriginalFilename	inetsoftware.Pdfc.dll	Medium
Product	grokass	ProductName	Pdfc	Highest



Version	Assembl	FilteredVersion	23.10.295.0	Highest
Version	grokass	FileVersion	23.10.295.0	High
Version	grokass	ProductVersion	23.10.295.0	Highest

#### Related Dependencies

- inetsoftware.Pdfc.dll
  - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC .NET Bridge /strongly named/inetsoftware.Pdfc.dll
  - MD5: a18ed49430583fcd2deacc612dc59b59
  - SHA1: c2ea3a5a9706784522ff8e0a9cb12644069dde1f
  - SHA256: 14ce4e850de4ad750a41f69c27ddde1c840f5fe5a9312c42f0c668a1e240c277
  - pkg:generic/inetsoftware.Pdfc@23.10.295.0

#### Identifiers

- [pkg:generic/inetsoftware.Pdfc@23.10.295.0](#) (*Confidence:Medium*)
- cpe:2.3:a:inetsoftware:pdfc:23.10.295.0:\*:\*:\*:\*:\* (*Confidence:Low*) suppress

## jakarta.servlet-api.jar

### Description:

Jakarta Servlet 4.0

### License:

EPL 2.0: <http://www.eclipse.org/legal/epl-2.0>  
 GPL2 w/ CPE: <https://www.gnu.org/software/classpath/license.html>

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/java/jakarta.servlet-api.jar

**MD5:** f5d1d7a29978e4ae0be5a456ee1c65c3

**SHA1:** b8a1142e04838fe54194049c6e7a18dae8f9b960

**SHA256:** 586e27706c21258f5882f43be06904f49b02db9ac54e345d393fe4a32494d127

**Referenced In Project/Scope:**server

#### Evidence

Type	Source	Name	Value	Confidence
Vendor	file	name	jakarta.servlet-api	High
Vendor	jar	package name	javax	Highest
Vendor	jar	package name	servlet	Highest
Vendor	Manifest	automatic-	java.servlet	Medium



module-name

Vendor	Manifest	bundle-docurl	<a href="https://www.eclipse.org">https://www.eclipse.org</a>	Low
Vendor	Manifest	bundle-symbolicname	jakarta.servlet-api	Medium
Vendor	Manifest	extension-name	javax.servlet	Medium
Vendor	Manifest	Implementation-Vendor	Eclipse Foundation	High
Vendor	Manifest	Implementation-Vendor-Id	org.eclipse	Medium
Vendor	Manifest	require-capability	osgi.ee;filter:="(&(osgi.ee=JavaSE)(version=1.8))"	Low
Vendor	Manifest	specification-vendor	Eclipse Foundation	Low
Vendor	pom	artifactid	jakarta.servlet-api	Low
Vendor	pom	developer id	yaminikb	Medium
Vendor	pom	developer name	Yamini K B	Medium
Vendor	pom	developer org	Oracle Corporation	Medium
Vendor	pom	developer org URL	<a href="http://www.oracle.com/">http://www.oracle.com/</a>	Medium
Vendor	pom	groupid	jakarta.servlet	Highest
Vendor	pom	name	Jakarta Servlet	High
Vendor	pom	parent-artifactid	project	Low
Vendor	pom	parent-groupid	org.eclipse.ee4j	Medium
Vendor	pom	url	<a href="https://projects.eclipse.org/projects/ee4j.servlet">https://projects.eclipse.org/projects/ee4j.servlet</a>	Highest
Product	file	name	jakarta.servlet-api	High
Product	jar	package name	filter	Highest
Product	jar	package name	javax	Highest
Product	jar	package name	servlet	Highest
Product	Manifest	automatic-module-name	java.servlet	Medium
Product	Manifest	bundle-docurl	<a href="https://www.eclipse.org">https://www.eclipse.org</a>	Low
Product	Manifest	Bundle-Name	Jakarta Servlet	Medium
Product	Manifest	bundle-symbolicname	jakarta.servlet-api	Medium
Product	Manifest	extension-name	javax.servlet	Medium
Product	Manifest	require-capability	osgi.ee;filter:="(&(osgi.ee=JavaSE)(version=1.8))"	Low
Product	pom	artifactid	jakarta.servlet-api	Highest
Product	pom	developer id	yaminikb	Low



Product	pom	developer name	Yamini K B	Low
Product	pom	developer org	Oracle Corporation	Low
Product	pom	developer org URL	http://www.oracle.com/	Low
Product	pom	groupid	jakarta.servlet	Highest
Product	pom	name	Jakarta Servlet	High
Product	pom	parent-artifactid	project	Medium
Product	pom	parent-groupid	org.eclipse.ee4j	Medium
Product	pom	url	https://projects.eclipse.org/projects/ee4j.servlet	Medium
Version	Manifest	Implementation-Version	4.0.4	High
Version	pom	parent-version	4.0.4	Low
Version	pom	version	4.0.4	Highest

#### Identifiers

- [pkg:maven/jakarta.servlet/jakarta.servlet-api@4.0.4](#) (*Confidence:High*)
- [cpe:2.3:a:oracle:java\\_se:4.0.4:\\*:\\*:\\*:\\*:\\*](#) (*Confidence:Low*)
- [cpe:2.3:a:oracle:projects:4.0.4:\\*:\\*:\\*:\\*:\\*](#) (*Confidence:Low*)

## jakarta.websocket-api.jar

### Description:

Jakarta WebSocket - Server API

### License:

<https://projects.eclipse.org/license/epl-2.0>, <https://projects.eclipse.org/license/secondary-gpl-2.0-cp>

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/java/jakarta.websocket-api.jar

**MD5:** 60cc2e06d3a1e5ea820f8aed5cdb1728

**SHA1:** 69c2fd7b75081cc935bc9d6c5616d12b0b73815f

**SHA256:** e2f4e99e04130a29fc8e57e334fa029e96e2ca6672ba0166585c59d19798904c

**Referenced In Project/Scope:**server

### Evidence

Type	Source	Name	Value	Confidence
Vendor	file	name	jakarta.websocket-api	High
Vendor	jar	package name	javax	Highest



Vendor	jar	package name	server	Highest
Vendor	jar	package name	websocket	Highest
Vendor	Manifest	bundle-docurl	https://www.eclipse.org	Low
Vendor	Manifest	bundle-symbolicname	javax.websocket-api	Medium
Vendor	Manifest	extension-name	javax.websocket	Medium
Vendor	pom	artifactid	jakarta.websocket-api	Low
Vendor	pom	groupid	jakarta.websocket	Highest
Vendor	pom	name	Jakarta WebSocket - Server API	High
Vendor	pom	parent-artifactid	jakarta.websocket-all	Low
Vendor	pom	url	https://projects.eclipse.org/projects/ee4j.websocket	Highest
Product	file	name	jakarta.websocket-api	High
Product	jar	package name	javax	Highest
Product	jar	package name	server	Highest
Product	jar	package name	websocket	Highest
Product	Manifest	bundle-docurl	https://www.eclipse.org	Low
Product	Manifest	Bundle-Name	Jakarta WebSocket - Server API	Medium
Product	Manifest	bundle-symbolicname	javax.websocket-api	Medium
Product	Manifest	extension-name	javax.websocket	Medium
Product	pom	artifactid	jakarta.websocket-api	Highest
Product	pom	groupid	jakarta.websocket	Highest
Product	pom	name	Jakarta WebSocket - Server API	High
Product	pom	parent-artifactid	jakarta.websocket-all	Medium
Product	pom	url	https://projects.eclipse.org/projects/ee4j.websocket	Medium
Version	Manifest	Bundle-Version	1.1.2	High
Version	Manifest	Implementation-Version	1.1.2	High
Version	pom	version	1.1.2	Highest

## Related Dependencies



- webserver.zip: jakarta.websocket-api.jar
  - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/webserver.zip/jakarta.websocket-api.jar
  - MD5: 60cc2e06d3a1e5ea820f8aed5cdb1728
  - SHA1: 69c2fd7b75081cc935bc9d6c5616d12b0b73815f



- SHA256: e2f4e99e04130a29fc8e57e334fa029e96e2ca6672ba0166585c59d19798904c
- [pkg:maven/jakarta.websocket/jakarta.websocket-api@1.1.2](#)

#### Identifiers

- [pkg:maven/jakarta.websocket/jakarta.websocket-api@1.1.2](#) (Confidence:High)

### java-17-jre-x64-linux.tar.gz: java-17-jre-x64-linux.tar: jrt-fs.jar

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/java-17-jre-x64-linux.tar.gz/java-17-jre-x64-linux.tar/jre-11/lib/jrt-fs.jar

**MD5:** ea4c2a3bc8b6563e4e5453ca022447f3

**SHA1:** 4702067e43a1ba583999aa3e72c1a12fc99f8e80

**SHA256:** f4fde8064ec1dc1494a6bf12955dcc83347e1aab2c1bf206c55fa3e0aa7e690b

**Referenced In Project/Scope:**server

#### Evidence

Type	Source	Name	Value	Confidence
Vendor	file	name	jrt-fs	High
Vendor	jar	package name	internal	Low
Vendor	jar	package name	jdk	Low
Vendor	jar	package name	jimage	Low
Vendor	Manifest	Implementation-Vendor	Eclipse Adoptium	High
Vendor	Manifest	specification-vendor	Oracle Corporation	Low
Product	file	name	jrt-fs	High
Product	jar	package name	internal	Low
Product	jar	package name	jimage	Low
Product	Manifest	Implementation-Title	Java Runtime Environment	High
Product	Manifest	specification-title	Java Platform API Specification	Medium
Version	Manifest	Implementation-Version	17.0.9	High

#### Identifiers

- [cpe:2.3:a:eclipse:platform:17.0.9:\\*\\*\\*\\*.\\*.\\*.\\*](#) (Confidence:Medium) suppress



## jlessc-1.11.jar

### Description:

A Less CSS compiler written completely in Java (pure Java).

### License:

MIT License: <http://www.opensource.org/licenses/mit-license.php>

**File Path:** /home/jenkins/.gradle/caches/modules-2/files-2.1/de.inetsoftware/jlessc/1.11/525ff2466d960d86981ab5c9549ed5f27630d240/jlessc-1.11.jar

**MD5:** 079ff98c0653477f054269bc624a5b1a

**SHA1:** 525ff2466d960d86981ab5c9549ed5f27630d240

**SHA256:** a03f0805182f417a220007940616c77abc13b6f2e5c46bb1e1205061a2ec4ef6

### Referenced In Projects/Scopes:

- server
- server:inetPlugin

### Evidence



Type	Source	Name	Value	Confidence
Vendor	central	artifactid	jlessc	Highest
Vendor	central	groupid	de.inetsoftware	Highest
Vendor	file	name	jlessc	High
Vendor	gradle	artifactid	jlessc	Highest
Vendor	gradle	groupid	de.inetsoftware	Highest
Vendor	jar	package name	inet	Low
Vendor	jar	package name	less	Low
Vendor	jar	package name	lib	Low
Vendor	Manifest	automatic-module-name	de.inetsoftware.jlessc	Medium
Vendor	Manifest	bundle-symbolicname	de.inetsoftware.jlessc	Medium
Vendor	Manifest	Implementation-Vendor	i-net software GmbH, Berlin, Germany	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	pom	artifactid	jlessc	Low
Vendor	pom	developer email	vberlin@inetsoftware.de	Low
Vendor	pom	developer id	vberlin	Medium
Vendor	pom	developer name	Volker Berlin	Medium
Vendor	pom	developer org	i-net software	Medium
Vendor	pom	developer org	<a href="https://www.inetsoftware.de/">https://www.inetsoftware.de/</a>	Medium



## URL

Vendor	pom	groupid	de.inetsoftware	Highest
Vendor	pom	name	JLessC	High
Vendor	pom	url	i-net-software/jlessc	Highest
Product	central	artifactid	jlessc	Highest
Product	file	name	jlessc	High
Product	gradle	artifactid	jlessc	Highest
Product	jar	package name	less	Low
Product	jar	package name	lib	Low
Product	Manifest	automatic-module-name	de.inetsoftware.jlessc	Medium
Product	Manifest	bundle-symbolicname	de.inetsoftware.jlessc	Medium
Product	Manifest	Implementation-Title	JLessC, a Less CSS compiler	High
Product	pom	artifactid	jlessc	Highest
Product	pom	developer email	vberlin@inetsoftware.de	Low
Product	pom	developer id	vberlin	Low
Product	pom	developer name	Volker Berlin	Low
Product	pom	developer org	i-net software	Low
Product	pom	developer org URL	https://www.inetsoftware.de/	Low
Product	pom	groupid	de.inetsoftware	Highest
Product	pom	name	JLessC	High
Product	pom	url	i-net-software/jlessc	High
Version	central	version	1.11	Highest
Version	file	version	1.11	High
Version	gradle	version	1.11	Highest
Version	Manifest	Bundle-Version	1.11	High
Version	Manifest	Implementation-Version	1.11	High
Version	pom	version	1.11	Highest

## Related Dependencies



- theme.zip: jlessc.jar
  - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/theme.zip/jlessc.jar
  - MD5: 079ff98c0653477f054269bc624a5b1a



- SHA1: 525ff2466d960d86981ab5c9549ed5f27630d240
- SHA256: a03f0805182f417a220007940616c77abc13b6f2e5c46bb1e1205061a2ec4ef6
- [pkg:maven/de.inetsoftware/jlessc@1.11](https://maven.de.inetsoftware/jlessc@1.11)

#### Identifiers

- [pkg:maven/de.inetsoftware/jlessc@1.11](https://maven.de.inetsoftware/jlessc@1.11) (*Confidence:High*)

### jpeg2000.zip: asm.jar

#### License:

BSD-3-Clause;link=https://asm.ow2.io/LICENSE.txt

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/jpeg2000.zip/asm.jar

**MD5:** 6448816c5468d0de4699a0b79edcb03b

**SHA1:** 0a03026e3123b0b3e21b6fcd618e8bd24d0cc91c

**SHA256:** 392b98882f47eee99773839421b6826dc0f727bad024a057b40945816547adab

**Referenced In Project/Scope:**server

#### Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	asm	High
Vendor	jar	package name	asm	Highest
Vendor	jar	package name	asm	Low
Vendor	jar	package name	objectweb	Highest
Vendor	jar	package name	objectweb	Low
Vendor	Manifest	bundle-docurl	http://asm.ow2.org	Low
Vendor	Manifest	bundle-requiredexecution	J2SE-1.5	Low
Vendor	Manifest	bundle-symbolicname	org.objectweb.asm	Medium
Product	file	name	asm	High
Product	jar	package name	asm	Highest
Product	jar	package name	asm	Low
Product	jar	package name	objectweb	Highest
Product	Manifest	bundle-docurl	http://asm.ow2.org	Low
Product	Manifest	Bundle-Name	org.objectweb.asm	Medium
Product	Manifest	bundle-requiredexecution	J2SE-1.5	Low



Product	Manifest	bundle-symbolicname	org.objectweb.asm	Medium
Product	Manifest	Implementation-Title	ASM, a very small and fast Java bytecode manipulation framework	High
Version	jar	package name	asm	Highest
Version	Manifest	Bundle-Version	9.5	High
Version	Manifest	Implementation-Version	9.5	High

#### Identifiers

- None

### jpeg2000.zip: concrt140.dll

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/jpeg2000.zip/openjpeg/windows/concrt140.dll

**MD5:** 1028995446d0032530461be30ca98f48

**SHA1:** 18446678152e9997eed9c02995f957d58a8e8f32

**SHA256:** d404b49c25cc76dc4c86e1d82fc23799482f6509e85a73ed8177efc320ec0195

**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	concrt140	High
Product	file	name	concrt140	High
Version	file	name	concrt140	Medium
Version	file	version	140	Medium

#### Identifiers

- None

### jpeg2000.zip: imageio-openjpeg.jar

**Description:**



ImageIO plugin for reading and writing JPEG2000 images via OpenJPEG.  
Requires the OpenJPEG shared native library to be installed on the system.

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller  
/server/build/tmp/dependencies/i-net PDFC/plugins/jpeg2000.zip/imageio-openjpeg.jar

**MD5:** 7ea15108261fa764a1ed0bb6b616bb1c

**SHA1:** a28c30aeb85c84ffa806ae0c83b314830d738f26

**SHA256:**6edaf94498a7d7e8bf6e2b806c09bf11a411ae192e7f96b901a7d2a7ec704e18

**Referenced In Project/Scope:**server

## Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	imageio-openjpeg	High
Vendor	jar	package name	de	Highest
Vendor	jar	package name	de	Low
Vendor	jar	package name	digitalcollections	Highest
Vendor	jar	package name	digitalcollections	Low
Vendor	jar	package name	imageio	Highest
Vendor	jar	package name	openjpeg	Highest
Vendor	jar	package name	openjpeg	Low
Vendor	pom	artifactid	imageio-openjpeg	Low
Vendor	pom	groupid	de.digitalcollections.imageio	Highest
Vendor	pom	name	MDZ/Bayerische Staatsbibliothek :: ImageIO :: OpenJPEG/JPEG2000 plugin	High
Vendor	pom	parent-artifactid	imageio-jnr	Low
Product	file	name	imageio-openjpeg	High
Product	jar	package name	de	Highest
Product	jar	package name	digitalcollections	Highest
Product	jar	package name	digitalcollections	Low
Product	jar	package name	imageio	Highest
Product	jar	package name	lib	Low
Product	jar	package name	openjpeg	Highest
Product	jar	package name	openjpeg	Low
Product	pom	artifactid	imageio-openjpeg	Highest
Product	pom	groupid	de.digitalcollections.imageio	Highest
Product	pom	name	MDZ/Bayerische Staatsbibliothek :: ImageIO :: OpenJPEG/JPEG2000 plugin	High
Product	pom	parent-artifactid	imageio-jnr	Medium
Version	pom	version	0.6.7	Highest



## Identifiers

- [pkg:maven/de.digitalcollections.imageio/imageio-openjpeg@0.6.7](https://pkg:maven/de.digitalcollections.imageio/imageio-openjpeg@0.6.7) (*Confidence:High*)

## jpeg2000.zip: jffi-native.jar

### Description:

Java Foreign Function Interface - Native Libraries

### License:

<http://www.apache.org/licenses/LICENSE-2.0.txt>

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/jpeg2000.zip/jffi-native.jar

**MD5:** 43ed457dd5bbf68c4fba6f92a8ce7f3e

**SHA1:** 6a713772f977140277372ce9446998839c657866

**SHA256:** 3242d9c8db64c61a11c0fe4c76d1893f69f3726be441e57a9cfe30dc85ce2291

**Referenced In Project/Scope:**server

## Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	jffi-native	High
Vendor	Manifest	automatic-module-name	org.jnrproject.jffi.nativelibs	Medium
Vendor	Manifest	bundle-symbolicname	com.github.jnr.jffi.native	Medium
Product	file	name	jffi-native	High
Product	Manifest	automatic-module-name	org.jnrproject.jffi.nativelibs	Medium
Product	Manifest	Bundle-Name	jffi	Medium
Product	Manifest	bundle-symbolicname	com.github.jnr.jffi.native	Medium
Version	Manifest	Bundle-Version	1.3.11	High

## Identifiers

- None



## jpeg2000.zip: jffi-native.jar: jffi-1.2.dll

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/jpeg2000.zip/jffi-native.jar/jni/i386-Windows/jffi-1.2.dll  
**MD5:** 841e60814ed6b2971a47b267aef1c58a  
**SHA1:** 07d30c6407fefad8df4b6afc4d85f83e547975ca  
**SHA256:**d63b0ec9a7cc75c26fa951928bf550c0e9a5e6c195a3de94a9c24995206bbfd2  
**Referenced In Project/Scope:**server

### Evidence

Type	Source	Name	Value	Confidence
Vendor	file	name	jffi	High
Product	file	name	jffi	High
Version	file	name	jffi	Medium
Version	file	version	1.2	High

### Identifiers

- None

## jpeg2000.zip: jffi-native.jar: jffi-1.2.dll

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/jpeg2000.zip/jffi-native.jar/jni/x86\_64-Windows/jffi-1.2.dll  
**MD5:** 5d80b61c1f9e31860c17b3a410948e7e  
**SHA1:** 5ca292116336ee4ceed00d10e756afea580e62cf  
**SHA256:**58398ba5cda1b7cb89ad4e03dd4a658006956f81acfef4efb4e7dd934e2733ef  
**Referenced In Project/Scope:**server

### Evidence

Type	Source	Name	Value	Confidence
Vendor	file	name	jffi	High
Product	file	name	jffi	High
Version	file	name	jffi	Medium
Version	file	version	1.2	High

### Identifiers



- None

## jpeg2000.zip: jffi.jar

### Description:

Java Foreign Function Interface

### License:

The Apache Software License, Version 2.0: <http://www.apache.org/licenses/LICENSE-2.0.txt>

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/jpeg2000.zip/jffi.jar

**MD5:** e6ccf9b957dd7ede58a1d7b389d26993

**SHA1:** 56ab22e423d387cb01bb8a36e48161ab3ebcd872

**SHA256:** a40f0a001be34e96cdd1a0304a09afee281d624c761224949364b189d8b60c56

**Referenced In Project/Scope:** server

### Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	jffi	High
Vendor	jar	package name	foreign	Highest
Vendor	jar	package name	function	Highest
Vendor	jar	package name	jffi	Highest
Vendor	Manifest	automatic-module-name	org.jnrproject.jffi	Medium
Vendor	Manifest	build-jdk-spec	11	Low
Vendor	pom	artifactid	jffi	Low
Vendor	pom	developer email	wmeissner@gmail.com	Low
Vendor	pom	developer id	wmeissner	Medium
Vendor	pom	developer name	Wayne Meissner	Medium
Vendor	pom	groupid	com.github.jnr	Highest
Vendor	pom	name	jffi	High
Vendor	pom	url	<a href="http://github.com/jnr/jffi">http://github.com/jnr/jffi</a>	Highest
Product	file	name	jffi	High
Product	jar	package name	foreign	Highest
Product	jar	package name	function	Highest
Product	jar	package name	jffi	Highest
Product	Manifest	automatic-module-name	org.jnrproject.jffi	Medium



Product	Manifest	build-jdk-spec	11	Low
Product	pom	artifactid	jffi	Highest
Product	pom	developer email	wmeissner@gmail.com	Low
Product	pom	developer id	wmeissner	Low
Product	pom	developer name	Wayne Meissner	Low
Product	pom	groupid	com.github.jnr	Highest
Product	pom	name	jffi	High
Product	pom	url	http://github.com/jnr/jffi	Medium
Version	pom	version	1.3.11	Highest

#### Identifiers

- [pkg:maven/com.github.jnr/jffi@1.3.11](https://maven.com.github.jnr/jffi@1.3.11) (Confidence:High)

## jpeg2000.zip: jnr-ffi.jar

### Description:

A library for invoking native functions from java

### License:

The Apache Software License, Version 2.0: <http://www.apache.org/licenses/LICENSE-2.0.txt>

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/jpeg2000.zip/jnr-ffi.jar

**MD5:** 29830873ee3f995df1635364a8314883

**SHA1:** 4e330a0f34db1157a4bf076c44dad57b91bdabce

**SHA256:** fd6119331b96ddb040d64ae10f774338d28ba5012951dfebd667addab58e3a0

**Referenced In Project/Scope:**server

### Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	jnr-ffi	High
Vendor	jar	package name	ffi	Highest
Vendor	jar	package name	jnr	Highest
Vendor	jar	package name	library	Highest
Vendor	Manifest	automatic-module-name	org.jnrproject.ffi	Medium
Vendor	Manifest	bundle-symbolicname	com.github.jnr.ffi	Medium



Vendor	pom	artifactid	jnr-ffi	Low
Vendor	pom	developer email	headius@headius.com	Low
Vendor	pom	developer email	wmeissner@gmail.com	Low
Vendor	pom	developer id	headius	Medium
Vendor	pom	developer id	wmeissner	Medium
Vendor	pom	developer name	Charles Oliver Nutter	Medium
Vendor	pom	developer name	Wayne Meissner	Medium
Vendor	pom	groupid	com.github.jnr	Highest
Vendor	pom	name	jnr-ffi	High
Vendor	pom	url	http://github.com/jnr/jnr-ffi	Highest
Product	file	name	jnr-ffi	High
Product	jar	package name	ffi	Highest
Product	jar	package name	jnr	Highest
Product	jar	package name	library	Highest
Product	Manifest	automatic-module-name	org.jnrproject.ffi	Medium
Product	Manifest	Bundle-Name	jnr-ffi	Medium
Product	Manifest	bundle-symbolicname	com.github.jnr.ffi	Medium
Product	pom	artifactid	jnr-ffi	Highest
Product	pom	developer email	headius@headius.com	Low
Product	pom	developer email	wmeissner@gmail.com	Low
Product	pom	developer id	headius	Low
Product	pom	developer id	wmeissner	Low
Product	pom	developer name	Charles Oliver Nutter	Low
Product	pom	developer name	Wayne Meissner	Low
Product	pom	groupid	com.github.jnr	Highest
Product	pom	name	jnr-ffi	High
Product	pom	url	http://github.com/jnr/jnr-ffi	Medium
Version	Manifest	Bundle-Version	2.2.14	High
Version	pom	version	2.2.14	Highest

## Identifiers

- [pkg:maven/com.github.jnr/jnr-ffi@2.2.14](#) (Confidence:High)



jpeg2000.zip: jpeg2000.jar

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/jpeg2000.zip/jpeg2000.jar  
**MD5:** f94f7501003a883a14dce726fa88fe40  
**SHA1:** 9e94c639949b5149a19a4d6aedd9ea2c0c70a8d7  
**SHA256:** 7a470a575218b9e7270cf34471f1d0e847b6900f80015ba8c46a4f7bec00a5d2  
**Referenced In Project/Scope:**server

Evidence <span></span>				
Type	Source	Name	Value	Confidence
Vendor	file	name	jpeg2000	High
Vendor	jar	package name	inet	Low
Vendor	jar	package name	jpeg2000	Low
Vendor	Manifest	built-date	2024-01-16 12:14	Low
Vendor	Manifest	implementation-group	shared	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	jpeg2000	High
Product	jar	package name	jpeg2000	Highest
Product	jar	package name	jpeg2000	Low
Product	jar	package name	jpeg2000serverplugin	Low
Product	Manifest	built-date	2024-01-16 12:14	Low
Product	Manifest	implementation-group	shared	Low
Product	Manifest	Implementation-Title	jpeg2000	High
Product	Manifest	specification-title	jpeg2000	Medium
Version	file	name	jpeg2000	Medium
Version	file	version	2000	Medium
Version	Manifest	Implementation-Version	23.10.295	High



## Identifiers

- None

## jpeg2000.zip: msvcp140.dll

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/jpeg2000.zip/openjpeg/windows/msvcp140.dll

**MD5:** c1b066f9e3e2f3a6785161a8c7e0346a

**SHA1:** 8b3b943e79c40bc81fdac1e038a276d034bbe812

**SHA256:** 99e3e25cda404283fbd96b25b7683a8d213e7954674adefa2279123a8d0701fd

**Referenced In Project/Scope:**server

## Evidence

Type	Source	Name	Value	Confidence
Vendor	file	name	msvcp140	High
Product	file	name	msvcp140	High
Version	file	name	msvcp140	Medium
Version	file	version	140	Medium

## Identifiers

- None

## jpeg2000.zip: openjp2.dll

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/jpeg2000.zip/openjpeg/windows/openjp2.dll

**MD5:** e149c7f084ec94cac399b118f84ae814

**SHA1:** 1724ac5f89836d0174941d91da38870ad903cd97

**SHA256:** 1d562dc6420f425da844ff898a73777b4200c02bb1fc13dee5ea3f2eea0d6e15

**Referenced In Project/Scope:**server

## Evidence

Type	Source	Name	Value	Confidence
Vendor	file	name	openjp2	High
Product	file	name	openjp2	High
Version	file	name	openjp2	Medium



Version file version 2 Medium

#### Identifiers

- None

### jpeg2000.zip: vcruntime140.dll

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/jpeg2000.zip/openjpeg/windows/vcruntime140.dll  
**MD5:** 1453290db80241683288f33e6dd5e80e  
**SHA1:** 29fb9af50458df43ef40bfc8f0f516d0c0a106fd  
**SHA256:** 2b7602cc1521101d116995e3e2ddfe0943349806378a0d40add81ba64e359b6c  
**Referenced In Project/Scope:**server

#### Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	vcruntime140	High
Product	file	name	vcruntime140	High
Version	file	name	vcruntime140	Medium
Version	file	version	140	Medium

#### Identifiers

- None

### junit-4.13.2.jar

#### Description:

JUnit is a unit testing framework for Java, created by Erich Gamma and Kent Beck.

#### License:

Eclipse Public License 1.0: <http://www.eclipse.org/legal/epl-v10.html>

**File Path:** /home/jenkins/.gradle/caches/modules-2/files-2.1/junit/junit/4.13.2/8ac9e16d933b6fb43bc7f576336b8f4d7eb5ba12/junit-4.13.2.jar  
**MD5:** d98a9a02a99a9acd22d7653cbcc1f31f



**SHA1:** 8ac9e16d933b6fb43bc7f576336b8f4d7eb5ba12

**SHA256:** 8e495b634469d64fb8acfa3495a065cbacc8a0fff55ce1e31007be4c16dc57d3

**Referenced In Project/Scope:** server:inetPlugin

## Evidence



Type	Source	Name	Value	Confidence
Vendor	central	artifactid	junit	Highest
Vendor	central	groupid	junit	Highest
Vendor	file	name	junit	High
Vendor	gradle	artifactid	junit	Highest
Vendor	gradle	groupid	junit	Highest
Vendor	jar	package name	junit	Highest
Vendor	jar	package name	junit	Low
Vendor	Manifest	automatic-module-name	junit	Medium
Vendor	Manifest	implementation-url	http://junit.org	Low
Vendor	Manifest	Implementation-Vendor	JUnit	High
Vendor	Manifest	Implementation-Vendor-Id	junit	Medium
Vendor	pom	artifactid	junit	Low
Vendor	pom	developer email	david@saff.net	Low
Vendor	pom	developer email	kcooney@google.com	Low
Vendor	pom	developer email	mail@marcphilipp.de	Low
Vendor	pom	developer email	mail@stefan-birkner.de	Low
Vendor	pom	developer id	dsaff	Medium
Vendor	pom	developer id	kcooney	Medium
Vendor	pom	developer id	marcphilipp	Medium
Vendor	pom	developer id	stefanbirkner	Medium
Vendor	pom	developer name	David Saff	Medium
Vendor	pom	developer name	Kevin Cooney	Medium
Vendor	pom	developer name	Marc Philipp	Medium
Vendor	pom	developer name	Stefan Birkner	Medium
Vendor	pom	groupid	junit	Highest
Vendor	pom	name	JUnit	High
Vendor	pom	organization name	JUnit	High
Vendor	pom	organization url	http://www.junit.org	Medium



Vendor	pom	url	http://junit.org	Highest
Product	central	artifactid	junit	Highest
Product	file	name	junit	High
Product	gradle	artifactid	junit	Highest
Product	jar	package name	junit	Highest
Product	Manifest	automatic-module-name	junit	Medium
Product	Manifest	Implementation-Title	JUnit	High
Product	Manifest	implementation-url	http://junit.org	Low
Product	pom	artifactid	junit	Highest
Product	pom	developer email	david@saff.net	Low
Product	pom	developer email	kcooney@google.com	Low
Product	pom	developer email	mail@marcphilipp.de	Low
Product	pom	developer email	mail@stefan-birkner.de	Low
Product	pom	developer id	dsaff	Low
Product	pom	developer id	kcooney	Low
Product	pom	developer id	marcphilipp	Low
Product	pom	developer id	stefanbirkner	Low
Product	pom	developer name	David Saff	Low
Product	pom	developer name	Kevin Cooney	Low
Product	pom	developer name	Marc Philipp	Low
Product	pom	developer name	Stefan Birkner	Low
Product	pom	groupid	junit	Highest
Product	pom	name	JUnit	High
Product	pom	organization name	JUnit	Low
Product	pom	organization url	http://www.junit.org	Low
Product	pom	url	http://junit.org	Medium
Version	central	version	4.13.2	Highest
Version	file	version	4.13.2	High
Version	gradle	version	4.13.2	Highest
Version	Manifest	Implementation-Version	4.13.2	High
Version	pom	version	4.13.2	Highest



## Identifiers

- [pkg:maven/junit/junit@4.13.2](#) (*Confidence:High*)
- [cpe:2.3:a:junit:junit4:4.13.2:\\*:\\*:\\*:\\*:\\*](#) (*Confidence:Low*) suppress

## junit-jupiter-5.10.0.jar

### Description:

Module "junit-jupiter" of JUnit 5.

### License:

Eclipse Public License v2.0: <https://www.eclipse.org/legal/epl-v20.html>

**File Path:** /home/jenkins/.gradle/caches/modules-2/files-2.1/org.junit.jupiter/junit-jupiter/5.10.0/8fea1d9c58b2156f1b998f2f18da04bc9e087f74/junit-jupiter-5.10.0.jar

**MD5:** ba19f309e63d0c128c381a8d68432c34

**SHA1:** 8fea1d9c58b2156f1b998f2f18da04bc9e087f74

**SHA256:** 8e4bde23ee28fc443975654a7b28c410a3b78d6be96b78c99ab73695ec344f7c

**Referenced In Project/Scope:**server:inetPlugin

### Evidence

Type	Source	Name	Value	Confidence
Vendor	central	artifactid	junit-jupiter	Highest
Vendor	central	groupid	org.junit.jupiter	Highest
Vendor	file	name	junit-jupiter	High
Vendor	gradle	artifactid	junit-jupiter	Highest
Vendor	gradle	groupid	org.junit.jupiter	Highest
Vendor	jar	package name	module-info	Low
Vendor	Manifest	build-date	2023-07-23	Low
Vendor	Manifest	build-revision	7f619ca7ac9ecd1b20cc01c44a4df98f5fb67804	Low
Vendor	Manifest	build-time	14:51:13.722+0200	Low
Vendor	Manifest	bundle-symbolicname	junit-jupiter	Medium
Vendor	Manifest	Implementation-Vendor	junit.org	High
Vendor	Manifest	specification-vendor	junit.org	Low
Vendor	pom	artifactid	junit-jupiter	Low
Vendor	pom	developer email	business@johanneslink.net	Low
Vendor	pom	developer email	derancourt.juliette@gmail.com	Low



Vendor	pom	developer email	mail@marcphilipp.de	Low
Vendor	pom	developer email	matthias.merdes@heidelpay.com	Low
Vendor	pom	developer email	sam@sambrannen.com	Low
Vendor	pom	developer email	sormuras@gmail.com	Low
Vendor	pom	developer email	stefan.bechtold@me.com	Low
Vendor	pom	developer id	bechte	Medium
Vendor	pom	developer id	jlink	Medium
Vendor	pom	developer id	juliette-derancourt	Medium
Vendor	pom	developer id	marcphilipp	Medium
Vendor	pom	developer id	mmerdes	Medium
Vendor	pom	developer id	sbrannen	Medium
Vendor	pom	developer id	sormuras	Medium
Vendor	pom	developer name	Christian Stein	Medium
Vendor	pom	developer name	Johannes Link	Medium
Vendor	pom	developer name	Juliette de Rancourt	Medium
Vendor	pom	developer name	Marc Philipp	Medium
Vendor	pom	developer name	Matthias Merdes	Medium
Vendor	pom	developer name	Sam Brannen	Medium
Vendor	pom	developer name	Stefan Bechtold	Medium
Vendor	pom	groupid	org.junit.jupiter	Highest
Vendor	pom	name	JUnit Jupiter (Aggregator)	High
Vendor	pom	url	<a href="https://junit.org/junit5/">https://junit.org/junit5/</a>	Highest
Product	central	artifactid	junit-jupiter	Highest
Product	file	name	junit-jupiter	High
Product	gradle	artifactid	junit-jupiter	Highest
Product	Manifest	build-date	2023-07-23	Low
Product	Manifest	build-revision	7f619ca7ac9ecd1b20cc01c44a4df98f5fb67804	Low
Product	Manifest	build-time	14:51:13.722+0200	Low
Product	Manifest	Bundle-Name	JUnit Jupiter (Aggregator)	Medium
Product	Manifest	bundle-symbolicname	junit-jupiter	Medium
Product	Manifest	Implementation-Title	junit-jupiter	High
Product	Manifest	specification-title	junit-jupiter	Medium
Product	pom	artifactid	junit-jupiter	Highest
Product	pom	developer email	business@johanneslink.net	Low



Product	pom	developer email	derancourt.juliette@gmail.com	Low
Product	pom	developer email	mail@marcphilipp.de	Low
Product	pom	developer email	matthias.merdes@heidelpay.com	Low
Product	pom	developer email	sam@sambrannen.com	Low
Product	pom	developer email	sormuras@gmail.com	Low
Product	pom	developer email	stefan.bechtold@me.com	Low
Product	pom	developer id	bechte	Low
Product	pom	developer id	jlink	Low
Product	pom	developer id	juliette-derancourt	Low
Product	pom	developer id	marcphilipp	Low
Product	pom	developer id	mmerdes	Low
Product	pom	developer id	sbrannen	Low
Product	pom	developer id	sormuras	Low
Product	pom	developer name	Christian Stein	Low
Product	pom	developer name	Johannes Link	Low
Product	pom	developer name	Juliette de Rancourt	Low
Product	pom	developer name	Marc Philipp	Low
Product	pom	developer name	Matthias Merdes	Low
Product	pom	developer name	Sam Brannen	Low
Product	pom	developer name	Stefan Bechtold	Low
Product	pom	groupid	org.junit.jupiter	Highest
Product	pom	name	JUnit Jupiter (Aggregator)	High
Product	pom	url	https://junit.org/junit5/	Medium
Version	central	version	5.10.0	Highest
Version	file	version	5.10.0	High
Version	gradle	version	5.10.0	Highest
Version	Manifest	Bundle-Version	5.10.0	High
Version	Manifest	Implementation-Version	5.10.0	High
Version	pom	version	5.10.0	Highest

## Identifiers

- [pkg:maven/org.junit.jupiter/junit-jupiter@5.10.0](https://maven.org/junit.jupiter/junit-jupiter@5.10.0) (*Confidence:High*)



## junit-jupiter-api-5.10.0.jar

### Description:

Module "junit-jupiter-api" of JUnit 5.

### License:

Eclipse Public License v2.0: <https://www.eclipse.org/legal/epl-v20.html>

**File Path:** /home/jenkins/.gradle/caches/modules-2/files-2.1/org.junit.jupiter/junit-jupiter-api/5.10.0/2fe4ba3d31d5067878e468c96aa039005a9134d3/junit-jupiter-api-5.10.0.jar

**MD5:** d976b1d3b22eded7c2e496ea881ed77f

**SHA1:** 2fe4ba3d31d5067878e468c96aa039005a9134d3

**SHA256:** 108088fd7ea46a8e65a0ce7f5d75ae3ff7865606770a078715f5a6e5709e17d8

**Referenced In Project/Scope:**server:inetPlugin

### Evidence



Type	Source	Name	Value	Confidence
Vendor	central	artifactid	junit-jupiter-api	Highest
Vendor	central	groupid	org.junit.jupiter	Highest
Vendor	file	name	junit-jupiter-api	High
Vendor	gradle	artifactid	junit-jupiter-api	Highest
Vendor	gradle	groupid	org.junit.jupiter	Highest
Vendor	jar	package name	api	Highest
Vendor	jar	package name	api	Low
Vendor	jar	package name	junit	Highest
Vendor	jar	package name	junit	Low
Vendor	jar	package name	jupiter	Highest
Vendor	jar	package name	jupiter	Low
Vendor	Manifest	build-date	2023-07-23	Low
Vendor	Manifest	build-revision	7f619ca7ac9ecd1b20cc01c44a4df98f5fb67804	Low
Vendor	Manifest	build-time	14:51:13.722+0200	Low
Vendor	Manifest	bundle-symbolicname	junit-jupiter-api	Medium
Vendor	Manifest	Implementation-Vendor	junit.org	High
Vendor	Manifest	require-capability	org.junit.platform.engine;filter:="(&(org.junit.platform.engine=junit-jupiter)(version>=5.10.0)(!(version>=6)))";effective:=active,osgi.ee;filter:="(&(osgi.ee=JavaSE)(version=1.8))"	Low
Vendor	Manifest	specification-vendor	junit.org	Low
Vendor	pom	artifactid	junit-jupiter-api	Low



Vendor	pom	developer email	business@johanneslink.net	Low
Vendor	pom	developer email	derancourt.juliette@gmail.com	Low
Vendor	pom	developer email	mail@marcphilipp.de	Low
Vendor	pom	developer email	matthias.merdes@heidelpay.com	Low
Vendor	pom	developer email	sam@sambrannen.com	Low
Vendor	pom	developer email	sormuras@gmail.com	Low
Vendor	pom	developer email	stefan.bechtold@me.com	Low
Vendor	pom	developer id	bechte	Medium
Vendor	pom	developer id	jlink	Medium
Vendor	pom	developer id	juliette-derancourt	Medium
Vendor	pom	developer id	marcphilipp	Medium
Vendor	pom	developer id	mmerdes	Medium
Vendor	pom	developer id	sbrannen	Medium
Vendor	pom	developer id	sormuras	Medium
Vendor	pom	developer name	Christian Stein	Medium
Vendor	pom	developer name	Johannes Link	Medium
Vendor	pom	developer name	Juliette de Rancourt	Medium
Vendor	pom	developer name	Marc Philipp	Medium
Vendor	pom	developer name	Matthias Merdes	Medium
Vendor	pom	developer name	Sam Brannen	Medium
Vendor	pom	developer name	Stefan Bechtold	Medium
Vendor	pom	groupid	org.junit.jupiter	Highest
Vendor	pom	name	JUnit Jupiter API	High
Vendor	pom	url	https://junit.org/junit5/	Highest
Product	central	artifactid	junit-jupiter-api	Highest
Product	file	name	junit-jupiter-api	High
Product	gradle	artifactid	junit-jupiter-api	Highest
Product	jar	package name	api	Highest
Product	jar	package name	api	Low
Product	jar	package name	junit	Highest
Product	jar	package name	jupiter	Highest
Product	jar	package name	jupiter	Low
Product	Manifest	build-date	2023-07-23	Low
Product	Manifest	build-revision	7f619ca7ac9ecd1b20cc01c44a4df98f5fb67804	Low
Product	Manifest	build-time	14:51:13.722+0200	Low



Product	Manifest	Bundle-Name	JUnit Jupiter API	Medium
Product	Manifest	bundle-symbolicname	junit-jupiter-api	Medium
Product	Manifest	Implementation-Title	junit-jupiter-api	High
Product	Manifest	require-capability	org.junit.platform.engine;filter:="(&(org.junit.platform.engine=junit-jupiter)(version>=5.10.0)(!(version>=6)))";effective:=active,osgi. ee;filter:="(&(osgi.ee=JavaSE)(version=1.8))"	Low
Product	Manifest	specification-title	junit-jupiter-api	Medium
Product	pom	artifactid	junit-jupiter-api	Highest
Product	pom	developer email	business@johanneslink.net	Low
Product	pom	developer email	derancourt.juliette@gmail.com	Low
Product	pom	developer email	mail@marcphilipp.de	Low
Product	pom	developer email	matthias.merdes@heidelpay.com	Low
Product	pom	developer email	sam@sambrannen.com	Low
Product	pom	developer email	sormuras@gmail.com	Low
Product	pom	developer email	stefan.bechtold@me.com	Low
Product	pom	developer id	bechte	Low
Product	pom	developer id	jlink	Low
Product	pom	developer id	juliette-derancourt	Low
Product	pom	developer id	marcphilipp	Low
Product	pom	developer id	mmerdes	Low
Product	pom	developer id	sbrannen	Low
Product	pom	developer id	sormuras	Low
Product	pom	developer name	Christian Stein	Low
Product	pom	developer name	Johannes Link	Low
Product	pom	developer name	Juliette de Rancourt	Low
Product	pom	developer name	Marc Philipp	Low
Product	pom	developer name	Matthias Merdes	Low
Product	pom	developer name	Sam Brannen	Low
Product	pom	developer name	Stefan Bechtold	Low
Product	pom	groupid	org.junit.jupiter	Highest
Product	pom	name	JUnit Jupiter API	High
Product	pom	url	https://junit.org/junit5/	Medium
Version	central	version	5.10.0	Highest
Version	file	version	5.10.0	High
Version	gradle	version	5.10.0	Highest



Version	Manifest	Bundle-Version	5.10.0	High
Version	Manifest	Implementation-Version	5.10.0	High
Version	pom	version	5.10.0	Highest

#### Identifiers

- <pkg:maven/org.junit.jupiter/junit-jupiter-api@5.10.0> (*Confidence:High*)

## junit-jupiter-engine-5.10.0.jar

### Description:

Module "junit-jupiter-engine" of JUnit 5.

### License:

Eclipse Public License v2.0: <https://www.eclipse.org/legal/epl-v20.html>

**File Path:** /home/jenkins/.gradle/caches/modules-2/files-2.1/org.junit.jupiter/junit-jupiter-engine/5.10.0/90587932d718fc51a48112d33045a18476c542ad/junit-jupiter-engine-5.10.0.jar

**MD5:** 9b559627f23413bf20f450211f6edcba

**SHA1:** 90587932d718fc51a48112d33045a18476c542ad

**SHA256:** 57ea48e6f795200791065bbc86b70b84cd05367c5c9f2ac8f9268e27154c88a8

**Referenced In Project/Scope:**server:inetPlugin

### Evidence

Type	Source	Name	Value	Confidence
Vendor	central	artifactid	junit-jupiter-engine	Highest
Vendor	central	groupid	org.junit.jupiter	Highest
Vendor	file	name	junit-jupiter-engine	High
Vendor	gradle	artifactid	junit-jupiter-engine	Highest
Vendor	gradle	groupid	org.junit.jupiter	Highest
Vendor	jar	package name	engine	Highest
Vendor	jar	package name	engine	Low
Vendor	jar	package name	junit	Highest
Vendor	jar	package name	junit	Low
Vendor	jar	package name	jupiter	Highest
Vendor	jar	package name	jupiter	Low
Vendor	Manifest	build-date	2023-07-23	Low



Vendor	Manifest	build-revision	7f619ca7ac9ecd1b20cc01c44a4df98f5fb67804	Low
Vendor	Manifest	build-time	14:51:13.722+0200	Low
Vendor	Manifest	bundle-symbolicname	junit-jupiter-engine	Medium
Vendor	Manifest	Implementation-Vendor	junit.org	High
Vendor	Manifest	provide-capability	org.junit.platform.engine;org.junit.platform.engine=junit-jupiter;version:Version="5.10.0"	Low
Vendor	Manifest	require-capability	org.junit.platform.launcher;filter:="(&(org.junit.platform.launcher=junit-platform-launcher)(version>=1.10.0)(!(version>=2)))";effective:=active,osgi.ee;filter:="(&(osgi.ee=JavaSE)(version=1.8))"	Low
Vendor	Manifest	specification-vendor	junit.org	Low
Vendor	pom	artifactid	junit-jupiter-engine	Low
Vendor	pom	developer email	business@johanneslink.net	Low
Vendor	pom	developer email	derancourt.juliette@gmail.com	Low
Vendor	pom	developer email	mail@marcphilipp.de	Low
Vendor	pom	developer email	matthias.merdes@heidelpay.com	Low
Vendor	pom	developer email	sam@sambrannen.com	Low
Vendor	pom	developer email	sormuras@gmail.com	Low
Vendor	pom	developer email	stefan.bechtold@me.com	Low
Vendor	pom	developer id	bechte	Medium
Vendor	pom	developer id	jlink	Medium
Vendor	pom	developer id	juliette-derancourt	Medium
Vendor	pom	developer id	marcphilipp	Medium
Vendor	pom	developer id	mmerdes	Medium
Vendor	pom	developer id	sbrannen	Medium
Vendor	pom	developer id	sormuras	Medium
Vendor	pom	developer name	Christian Stein	Medium
Vendor	pom	developer name	Johannes Link	Medium
Vendor	pom	developer name	Juliette de Rancourt	Medium
Vendor	pom	developer name	Marc Philipp	Medium
Vendor	pom	developer name	Matthias Merdes	Medium
Vendor	pom	developer name	Sam Brannen	Medium
Vendor	pom	developer name	Stefan Bechtold	Medium
Vendor	pom	groupid	org.junit.jupiter	Highest
Vendor	pom	name	JUnit Jupiter Engine	High



Vendor	pom	url	<a href="https://junit.org/junit5/">https://junit.org/junit5/</a>	Highest
Product	central	artifactid	junit-jupiter-engine	Highest
Product	file	name	junit-jupiter-engine	High
Product	gradle	artifactid	junit-jupiter-engine	Highest
Product	jar	package name	engine	Highest
Product	jar	package name	engine	Low
Product	jar	package name	junit	Highest
Product	jar	package name	jupiter	Highest
Product	jar	package name	jupiter	Low
Product	Manifest	build-date	2023-07-23	Low
Product	Manifest	build-revision	7f619ca7ac9ecd1b20cc01c44a4df98f5fb67804	Low
Product	Manifest	build-time	14:51:13.722+0200	Low
Product	Manifest	Bundle-Name	JUnit Jupiter Engine	Medium
Product	Manifest	bundle-symbolicname	junit-jupiter-engine	Medium
Product	Manifest	Implementation-Title	junit-jupiter-engine	High
Product	Manifest	provide-capability	org.junit.platform.engine;org.junit.platform.engine=junit-jupiter;version:Version="5.10.0"	Low
Product	Manifest	require-capability	org.junit.platform.launcher;filter:="(&(org.junit.platform.launcher=junit-platform-launcher)(version>=1.10.0)(!(version>=2)))";effective:=active,osgi.ee;filter:="(&(osgi.ee=JavaSE)(version=1.8))"	Low
Product	Manifest	specification-title	junit-jupiter-engine	Medium
Product	pom	artifactid	junit-jupiter-engine	Highest
Product	pom	developer email	business@johanneslink.net	Low
Product	pom	developer email	derancourt.juliette@gmail.com	Low
Product	pom	developer email	mail@marcphilipp.de	Low
Product	pom	developer email	matthias.merdes@heidelpay.com	Low
Product	pom	developer email	sam@sambrannen.com	Low
Product	pom	developer email	sormuras@gmail.com	Low
Product	pom	developer email	stefan.bechtold@me.com	Low
Product	pom	developer id	bechte	Low
Product	pom	developer id	jlink	Low
Product	pom	developer id	juliette-derancourt	Low
Product	pom	developer id	marcphilipp	Low
Product	pom	developer id	mmerdes	Low
Product	pom	developer id	sbrannen	Low



Product	pom	developer id	sormuras	Low
Product	pom	developer name	Christian Stein	Low
Product	pom	developer name	Johannes Link	Low
Product	pom	developer name	Juliette de Rancourt	Low
Product	pom	developer name	Marc Philipp	Low
Product	pom	developer name	Matthias Merdes	Low
Product	pom	developer name	Sam Brannen	Low
Product	pom	developer name	Stefan Bechtold	Low
Product	pom	groupid	org.junit.jupiter	Highest
Product	pom	name	JUnit Jupiter Engine	High
Product	pom	url	https://junit.org/junit5/	Medium
Version	central	version	5.10.0	Highest
Version	file	version	5.10.0	High
Version	gradle	version	5.10.0	Highest
Version	Manifest	Bundle-Version	5.10.0	High
Version	Manifest	Implementation-Version	5.10.0	High
Version	pom	version	5.10.0	Highest

#### Identifiers

- [pkg:maven/org.junit.jupiter/junit-jupiter-engine@5.10.0](https://maven.org.junit.jupiter/junit-jupiter-engine@5.10.0) (*Confidence:High*)

## junit-jupiter-params-5.10.0.jar

### Description:

Module "junit-jupiter-params" of JUnit 5.

### License:

Eclipse Public License v2.0: <https://www.eclipse.org/legal/epl-v20.html>

**File Path:** /home/jenkins/.gradle/caches/modules-2/files-2.1/org.junit.jupiter/junit-jupiter-params/5.10.0/9041c7365495a897a64782ea5a6fdb99dab1814e/junit-jupiter-params-5.10.0.jar

**MD5:** f005062186389c756ce58cb380190cc4

**SHA1:** 9041c7365495a897a64782ea5a6fdb99dab1814e

**SHA256:** f259a7322cce375430c2236a2dcb24d4a49d22045b723ad85af88e11704391c2

**Referenced In Project/Scope:** server:inetPlugin

### Evidence





Type	Source	Name	Value	Confidence
Vendor	central	artifactid	junit-jupiter-params	Highest
Vendor	central	groupid	org.junit.jupiter	Highest
Vendor	file	name	junit-jupiter-params	High
Vendor	gradle	artifactid	junit-jupiter-params	Highest
Vendor	gradle	groupid	org.junit.jupiter	Highest
Vendor	jar	package name	junit	Highest
Vendor	jar	package name	junit	Low
Vendor	jar	package name	jupiter	Highest
Vendor	jar	package name	jupiter	Low
Vendor	jar	package name	params	Highest
Vendor	jar	package name	params	Low
Vendor	Manifest	build-date	2023-07-23	Low
Vendor	Manifest	build-revision	7f619ca7ac9ecd1b20cc01c44a4df98f5fb67804	Low
Vendor	Manifest	build-time	14:51:13.722+0200	Low
Vendor	Manifest	bundle-symbolicname	junit-jupiter-params	Medium
Vendor	Manifest	Implementation-Vendor	junit.org	High
Vendor	Manifest	require-capability	osgi.ee;filter="(&(osgi.ee=JavaSE)(version=1.8))"	Low
Vendor	Manifest	specification-vendor	junit.org	Low
Vendor	pom	artifactid	junit-jupiter-params	Low
Vendor	pom	developer email	business@johanneslink.net	Low
Vendor	pom	developer email	derancourt.juliette@gmail.com	Low
Vendor	pom	developer email	mail@marcphilipp.de	Low
Vendor	pom	developer email	matthias.merdes@heidelpay.com	Low
Vendor	pom	developer email	sam@sambrannen.com	Low
Vendor	pom	developer email	sormuras@gmail.com	Low
Vendor	pom	developer email	stefan.bechtold@me.com	Low
Vendor	pom	developer id	bechte	Medium
Vendor	pom	developer id	jlink	Medium
Vendor	pom	developer id	juliette-derancourt	Medium
Vendor	pom	developer id	marcphilipp	Medium
Vendor	pom	developer id	mmerdes	Medium
Vendor	pom	developer id	sbrannen	Medium



Vendor	pom	developer id	sormuras	Medium
Vendor	pom	developer name	Christian Stein	Medium
Vendor	pom	developer name	Johannes Link	Medium
Vendor	pom	developer name	Juliette de Rancourt	Medium
Vendor	pom	developer name	Marc Philipp	Medium
Vendor	pom	developer name	Matthias Merdes	Medium
Vendor	pom	developer name	Sam Brannen	Medium
Vendor	pom	developer name	Stefan Bechtold	Medium
Vendor	pom	groupid	org.junit.jupiter	Highest
Vendor	pom	name	JUnit Jupiter Params	High
Vendor	pom	url	<a href="https://junit.org/junit5/">https://junit.org/junit5/</a>	Highest
Product	central	artifactid	junit-jupiter-params	Highest
Product	file	name	junit-jupiter-params	High
Product	gradle	artifactid	junit-jupiter-params	Highest
Product	jar	package name	junit	Highest
Product	jar	package name	jupiter	Highest
Product	jar	package name	jupiter	Low
Product	jar	package name	params	Highest
Product	jar	package name	params	Low
Product	jar	package name	shadow	Low
Product	Manifest	build-date	2023-07-23	Low
Product	Manifest	build-revision	7f619ca7ac9ecd1b20cc01c44a4df98f5fb67804	Low
Product	Manifest	build-time	14:51:13.722+0200	Low
Product	Manifest	Bundle-Name	JUnit Jupiter Params	Medium
Product	Manifest	bundle-symbolicname	junit-jupiter-params	Medium
Product	Manifest	Implementation-Title	junit-jupiter-params	High
Product	Manifest	require-capability	osgi.ee;filter:="(&(osgi.ee=JavaSE)(version=1.8))"	Low
Product	Manifest	specification-title	junit-jupiter-params	Medium
Product	pom	artifactid	junit-jupiter-params	Highest
Product	pom	developer email	business@johanneslink.net	Low
Product	pom	developer email	derancourt.juliette@gmail.com	Low
Product	pom	developer email	mail@marcphilipp.de	Low
Product	pom	developer email	matthias.merdes@heidelpay.com	Low



Product	pom	developer email	sam@sambrannen.com	Low
Product	pom	developer email	sormuras@gmail.com	Low
Product	pom	developer email	stefan.bechtold@me.com	Low
Product	pom	developer id	bechte	Low
Product	pom	developer id	jlink	Low
Product	pom	developer id	juliette-derancourt	Low
Product	pom	developer id	marcphilipp	Low
Product	pom	developer id	mmerdes	Low
Product	pom	developer id	sbrannen	Low
Product	pom	developer id	sormuras	Low
Product	pom	developer name	Christian Stein	Low
Product	pom	developer name	Johannes Link	Low
Product	pom	developer name	Juliette de Rancourt	Low
Product	pom	developer name	Marc Philipp	Low
Product	pom	developer name	Matthias Merdes	Low
Product	pom	developer name	Sam Brannen	Low
Product	pom	developer name	Stefan Bechtold	Low
Product	pom	groupid	org.junit.jupiter	Highest
Product	pom	name	JUnit Jupiter Params	High
Product	pom	url	https://junit.org/junit5/	Medium
Version	central	version	5.10.0	Highest
Version	file	version	5.10.0	High
Version	gradle	version	5.10.0	Highest
Version	Manifest	Bundle-Version	5.10.0	High
Version	Manifest	Implementation-Version	5.10.0	High
Version	pom	version	5.10.0	Highest

#### Identifiers

- [pkg:maven/org.junit.jupiter/junit-jupiter-params@5.10.0](https://maven.org/junit.jupiter/junit-jupiter-params@5.10.0) (*Confidence:High*)

## junit-platform-commons-1.10.0.jar

### Description:



Module "junit-platform-commons" of JUnit 5.

**License:**

Eclipse Public License v2.0: <https://www.eclipse.org/legal/epl-v20.html>

**File Path:** /home/jenkins/.gradle/caches/modules-2/files-2.1/org.junit.platform/junit-platform-commons/1.10.0/d533ff2c286eaf963566f92baf5f8a06628d2609/junit-platform-commons-1.10.0.jar

**MD5:** 0cef49daddba2084397f34eca55502f9

**SHA1:** d533ff2c286eaf963566f92baf5f8a06628d2609

**SHA256:** 6083db08ca11fca1e16099d0dcfede0193d80b3762b276349d80d3da536791b2

**Referenced In Project/Scope:**server:inetPlugin

**Evidence**



Type	Source	Name	Value	Confidence
Vendor	central	artifactid	junit-platform-commons	Highest
Vendor	central	groupid	org.junit.platform	Highest
Vendor	file	name	junit-platform-commons	High
Vendor	gradle	artifactid	junit-platform-commons	Highest
Vendor	gradle	groupid	org.junit.platform	Highest
Vendor	jar	package name	commons	Highest
Vendor	jar	package name	commons	Low
Vendor	jar	package name	junit	Highest
Vendor	jar	package name	junit	Low
Vendor	jar	package name	org	Highest
Vendor	jar	package name	platform	Highest
Vendor	jar	package name	platform	Low
Vendor	Manifest	build-date	2023-07-23	Low
Vendor	Manifest	build-revision	7f619ca7ac9ecd1b20cc01c44a4df98f5fb67804	Low
Vendor	Manifest	build-time	14:51:13.722+0200	Low
Vendor	Manifest	bundle-symbolicname	junit-platform-commons	Medium
Vendor	Manifest	Implementation-Vendor	junit.org	High
Vendor	Manifest	multi-release	true	Low
Vendor	Manifest	require-capability	osgi.ee;filter:="(&(osgi.ee=JavaSE)(version=1.8))"	Low
Vendor	Manifest	specification-vendor	junit.org	Low
Vendor	pom	artifactid	junit-platform-commons	Low
Vendor	pom	developer email	business@johanneslink.net	Low
Vendor	pom	developer email	derancourt.juliette@gmail.com	Low



Vendor	pom	developer email	mail@marcphilipp.de	Low
Vendor	pom	developer email	matthias.merdes@heidelpay.com	Low
Vendor	pom	developer email	sam@sambrannen.com	Low
Vendor	pom	developer email	sormuras@gmail.com	Low
Vendor	pom	developer email	stefan.bechtold@me.com	Low
Vendor	pom	developer id	bechte	Medium
Vendor	pom	developer id	jlink	Medium
Vendor	pom	developer id	juliette-derancourt	Medium
Vendor	pom	developer id	marcphilipp	Medium
Vendor	pom	developer id	mmerdes	Medium
Vendor	pom	developer id	sbrannen	Medium
Vendor	pom	developer id	sormuras	Medium
Vendor	pom	developer name	Christian Stein	Medium
Vendor	pom	developer name	Johannes Link	Medium
Vendor	pom	developer name	Juliette de Rancourt	Medium
Vendor	pom	developer name	Marc Philipp	Medium
Vendor	pom	developer name	Matthias Merdes	Medium
Vendor	pom	developer name	Sam Brannen	Medium
Vendor	pom	developer name	Stefan Bechtold	Medium
Vendor	pom	groupid	org.junit.platform	Highest
Vendor	pom	name	JUnit Platform Commons	High
Vendor	pom	url	<a href="https://junit.org/junit5/">https://junit.org/junit5/</a>	Highest
Product	central	artifactid	junit-platform-commons	Highest
Product	file	name	junit-platform-commons	High
Product	gradle	artifactid	junit-platform-commons	Highest
Product	jar	package name	commons	Highest
Product	jar	package name	commons	Low
Product	jar	package name	junit	Highest
Product	jar	package name	platform	Highest
Product	jar	package name	platform	Low
Product	jar	package name	util	Low
Product	Manifest	build-date	2023-07-23	Low
Product	Manifest	build-revision	7f619ca7ac9ecd1b20cc01c44a4df98f5fb67804	Low
Product	Manifest	build-time	14:51:13.722+0200	Low
Product	Manifest	Bundle-Name	JUnit Platform Commons	Medium



Product	Manifest	bundle-symbolicname	junit-platform-commons	Medium
Product	Manifest	Implementation-Title	junit-platform-commons	High
Product	Manifest	multi-release	true	Low
Product	Manifest	require-capability	osgi.ee;filter:="(&(osgi.ee=JavaSE)(version=1.8))"	Low
Product	Manifest	specification-title	junit-platform-commons	Medium
Product	pom	artifactid	junit-platform-commons	Highest
Product	pom	developer email	business@johanneslink.net	Low
Product	pom	developer email	derancourt.juliette@gmail.com	Low
Product	pom	developer email	mail@marcphilipp.de	Low
Product	pom	developer email	matthias.merdes@heidelpay.com	Low
Product	pom	developer email	sam@sambrannen.com	Low
Product	pom	developer email	sormuras@gmail.com	Low
Product	pom	developer email	stefan.bechtold@me.com	Low
Product	pom	developer id	bechte	Low
Product	pom	developer id	jlink	Low
Product	pom	developer id	juliette-derancourt	Low
Product	pom	developer id	marcphilipp	Low
Product	pom	developer id	mmerdes	Low
Product	pom	developer id	sbrannen	Low
Product	pom	developer id	sormuras	Low
Product	pom	developer name	Christian Stein	Low
Product	pom	developer name	Johannes Link	Low
Product	pom	developer name	Juliette de Rancourt	Low
Product	pom	developer name	Marc Philipp	Low
Product	pom	developer name	Matthias Merdes	Low
Product	pom	developer name	Sam Brannen	Low
Product	pom	developer name	Stefan Bechtold	Low
Product	pom	groupid	org.junit.platform	Highest
Product	pom	name	JUnit Platform Commons	High
Product	pom	url	https://junit.org/junit5/	Medium
Version	central	version	1.10.0	Highest
Version	file	version	1.10.0	High
Version	gradle	version	1.10.0	Highest
Version	Manifest	Bundle-Version	1.10.0	High



Version	Manifest	Implementation-Version	1.10.0	High
Version	pom	version	1.10.0	Highest

#### Identifiers

- [pkg:maven/org.junit.platform/junit-platform-commons@1.10.0](#) (*Confidence:High*)
- [cpe:2.3:a:fan\\_platform\\_project:fan\\_platform:1.10.0:\\*:\\*:\\*:\\*:\\*](#) (*Confidence:Low*)

suppress

## junit-platform-engine-1.10.0.jar

### Description:

Module "junit-platform-engine" of JUnit 5.

### License:

Eclipse Public License v2.0: <https://www.eclipse.org/legal/epl-v20.html>

**File Path:** /home/jenkins/.gradle/caches/modules-2/files-2.1/org.junit.platform/junit-platform-engine/1.10.0/276c4edcf64fabb5a139fa7b4f99330d7a93b804/junit-platform-engine-1.10.0.jar

**MD5:** a383ac183081fe771888842534e77e62

**SHA1:** 276c4edcf64fabb5a139fa7b4f99330d7a93b804

**SHA256:** cd338efd02ee73966ea754e0c0c71e1a11f4af5db9c2003e4b6137e119155abe

**Referenced In Project/Scope:**server:inetPlugin

### Evidence



Type	Source	Name	Value	Confidence
Vendor	central	artifactid	junit-platform-engine	Highest
Vendor	central	groupid	org.junit.platform	Highest
Vendor	file	name	junit-platform-engine	High
Vendor	gradle	artifactid	junit-platform-engine	Highest
Vendor	gradle	groupid	org.junit.platform	Highest
Vendor	jar	package name	engine	Highest
Vendor	jar	package name	engine	Low
Vendor	jar	package name	junit	Highest
Vendor	jar	package name	junit	Low
Vendor	jar	package name	platform	Highest
Vendor	jar	package name	platform	Low
Vendor	Manifest	build-date	2023-07-23	Low



Vendor	Manifest	build-revision	7f619ca7ac9ecd1b20cc01c44a4df98f5fb67804	Low
Vendor	Manifest	build-time	14:51:13.722+0200	Low
Vendor	Manifest	bundle-symbolicname	junit-platform-engine	Medium
Vendor	Manifest	Implementation-Vendor	junit.org	High
Vendor	Manifest	require-capability	osgi.ee;filter:="(&(osgi.ee=JavaSE)(version=1.8))"	Low
Vendor	Manifest	specification-vendor	junit.org	Low
Vendor	pom	artifactid	junit-platform-engine	Low
Vendor	pom	developer email	business@johanneslink.net	Low
Vendor	pom	developer email	derancourt.juliette@gmail.com	Low
Vendor	pom	developer email	mail@marcphilipp.de	Low
Vendor	pom	developer email	matthias.merdes@heidelpay.com	Low
Vendor	pom	developer email	sam@sambrannen.com	Low
Vendor	pom	developer email	sormuras@gmail.com	Low
Vendor	pom	developer email	stefan.bechtold@me.com	Low
Vendor	pom	developer id	bechte	Medium
Vendor	pom	developer id	jlink	Medium
Vendor	pom	developer id	juliette-derancourt	Medium
Vendor	pom	developer id	marcphilipp	Medium
Vendor	pom	developer id	mmerdes	Medium
Vendor	pom	developer id	sbrannen	Medium
Vendor	pom	developer id	sormuras	Medium
Vendor	pom	developer name	Christian Stein	Medium
Vendor	pom	developer name	Johannes Link	Medium
Vendor	pom	developer name	Juliette de Rancourt	Medium
Vendor	pom	developer name	Marc Philipp	Medium
Vendor	pom	developer name	Matthias Merdes	Medium
Vendor	pom	developer name	Sam Brannen	Medium
Vendor	pom	developer name	Stefan Bechtold	Medium
Vendor	pom	groupid	org.junit.platform	Highest
Vendor	pom	name	JUnit Platform Engine API	High
Vendor	pom	url	https://junit.org/junit5/	Highest
Product	central	artifactid	junit-platform-engine	Highest
Product	file	name	junit-platform-engine	High



Product	gradle	artifactid	junit-platform-engine	Highest
Product	jar	package name	engine	Highest
Product	jar	package name	engine	Low
Product	jar	package name	filter	Highest
Product	jar	package name	junit	Highest
Product	jar	package name	platform	Highest
Product	jar	package name	platform	Low
Product	jar	package name	support	Low
Product	Manifest	build-date	2023-07-23	Low
Product	Manifest	build-revision	7f619ca7ac9ecd1b20cc01c44a4df98f5fb67804	Low
Product	Manifest	build-time	14:51:13.722+0200	Low
Product	Manifest	Bundle-Name	JUnit Platform Engine API	Medium
Product	Manifest	bundle-symbolicname	junit-platform-engine	Medium
Product	Manifest	Implementation-Title	junit-platform-engine	High
Product	Manifest	require-capability	osgi.ee;filter:="(&(osgi.ee=JavaSE)(version=1.8))"	Low
Product	Manifest	specification-title	junit-platform-engine	Medium
Product	pom	artifactid	junit-platform-engine	Highest
Product	pom	developer email	business@johanneslink.net	Low
Product	pom	developer email	derancourt.juliette@gmail.com	Low
Product	pom	developer email	mail@marcphilipp.de	Low
Product	pom	developer email	matthias.merdes@heidelpay.com	Low
Product	pom	developer email	sam@sambrannen.com	Low
Product	pom	developer email	sormuras@gmail.com	Low
Product	pom	developer email	stefan.bechtold@me.com	Low
Product	pom	developer id	bechte	Low
Product	pom	developer id	jlink	Low
Product	pom	developer id	juliette-derancourt	Low
Product	pom	developer id	marcphilipp	Low
Product	pom	developer id	mmerdes	Low
Product	pom	developer id	sbrannen	Low
Product	pom	developer id	sormuras	Low
Product	pom	developer name	Christian Stein	Low
Product	pom	developer name	Johannes Link	Low
Product	pom	developer name	Juliette de Rancourt	Low



Product	pom	developer name	Marc Philipp	Low
Product	pom	developer name	Matthias Merdes	Low
Product	pom	developer name	Sam Brannen	Low
Product	pom	developer name	Stefan Bechtold	Low
Product	pom	groupid	org.junit.platform	Highest
Product	pom	name	JUnit Platform Engine API	High
Product	pom	url	https://junit.org/junit5/	Medium
Version	central	version	1.10.0	Highest
Version	file	version	1.10.0	High
Version	gradle	version	1.10.0	Highest
Version	Manifest	Bundle-Version	1.10.0	High
Version	Manifest	Implementation-Version	1.10.0	High
Version	pom	version	1.10.0	Highest

### Identifiers

- [pkg:maven/org.junit.platform/junit-platform-engine@1.10.0](#) (*Confidence:High*)
- [cpe:2.3:a:fan\\_platform\\_project:fan\\_platform:1.10.0:\\*:\\*:\\*:\\*:\\*](#) (*Confidence:Low*)

suppress

## junit-platform-launcher-1.10.0.jar

### Description:

Module "junit-platform-launcher" of JUnit 5.

### License:

Eclipse Public License v2.0: <https://www.eclipse.org/legal/epl-v20.html>

**File Path:** /home/jenkins/.gradle/caches/modules-2/files-2.1/org.junit.platform/junit-platform-launcher/1.10.0/89a1922534ed102be1fb2a8c0b2c6151297a12bf/junit-platform-launcher-1.10.0.jar

**MD5:** ec357e6d7d3c5aafdca114aec83f1790

**SHA1:** 89a1922534ed102be1fb2a8c0b2c6151297a12bf

**SHA256:** 8c60b661ac170701a635dfc67565efbb8c85b5c5cdd5a4a9576e3a015c7111a4

**Referenced In Project/Scope:** server:inetPlugin

### Evidence



Type	Source	Name	Value	Confidence
Vendor	central	artifactid	junit-platform-launcher	Highest



Vendor	central	groupid	org.junit.platform	Highest
Vendor	file	name	junit-platform-launcher	High
Vendor	gradle	artifactid	junit-platform-launcher	Highest
Vendor	gradle	groupid	org.junit.platform	Highest
Vendor	jar	package name	junit	Highest
Vendor	jar	package name	junit	Low
Vendor	jar	package name	launcher	Highest
Vendor	jar	package name	launcher	Low
Vendor	jar	package name	platform	Highest
Vendor	jar	package name	platform	Low
Vendor	Manifest	build-date	2023-07-23	Low
Vendor	Manifest	build-revision	7f619ca7ac9ecd1b20cc01c44a4df98f5fb67804	Low
Vendor	Manifest	build-time	14:51:13.722+0200	Low
Vendor	Manifest	bundle-symbolicname	junit-platform-launcher	Medium
Vendor	Manifest	Implementation-Vendor	junit.org	High
Vendor	Manifest	provide-capability	org.junit.platform.launcher;org.junit.platform.launcher=junit-platform-launcher;version:Version="1.10.0"	Low
Vendor	Manifest	require-capability	osgi.ee;filter:="(&(osgi.ee=JavaSE)(version=1.8))"	Low
Vendor	Manifest	specification-vendor	junit.org	Low
Vendor	pom	artifactid	junit-platform-launcher	Low
Vendor	pom	developer email	business@johanneslink.net	Low
Vendor	pom	developer email	derancourt.juliette@gmail.com	Low
Vendor	pom	developer email	mail@marcphilipp.de	Low
Vendor	pom	developer email	matthias.merdes@heidelpay.com	Low
Vendor	pom	developer email	sam@sambrannen.com	Low
Vendor	pom	developer email	sormuras@gmail.com	Low
Vendor	pom	developer email	stefan.bechtold@me.com	Low
Vendor	pom	developer id	bechte	Medium
Vendor	pom	developer id	jlink	Medium
Vendor	pom	developer id	juliette-derancourt	Medium
Vendor	pom	developer id	marcphilipp	Medium
Vendor	pom	developer id	mmerdes	Medium
Vendor	pom	developer id	sbrannen	Medium



Vendor	pom	developer id	sormuras	Medium
Vendor	pom	developer name	Christian Stein	Medium
Vendor	pom	developer name	Johannes Link	Medium
Vendor	pom	developer name	Juliette de Rancourt	Medium
Vendor	pom	developer name	Marc Philipp	Medium
Vendor	pom	developer name	Matthias Merdes	Medium
Vendor	pom	developer name	Sam Brannen	Medium
Vendor	pom	developer name	Stefan Bechtold	Medium
Vendor	pom	groupid	org.junit.platform	Highest
Vendor	pom	name	JUnit Platform Launcher	High
Vendor	pom	url	https://junit.org/junit5/	Highest
Product	central	artifactid	junit-platform-launcher	Highest
Product	file	name	junit-platform-launcher	High
Product	gradle	artifactid	junit-platform-launcher	Highest
Product	jar	package name	junit	Highest
Product	jar	package name	launcher	Highest
Product	jar	package name	launcher	Low
Product	jar	package name	platform	Highest
Product	jar	package name	platform	Low
Product	Manifest	build-date	2023-07-23	Low
Product	Manifest	build-revision	7f619ca7ac9ecd1b20cc01c44a4df98f5fb67804	Low
Product	Manifest	build-time	14:51:13.722+0200	Low
Product	Manifest	Bundle-Name	JUnit Platform Launcher	Medium
Product	Manifest	bundle-symbolicname	junit-platform-launcher	Medium
Product	Manifest	Implementation-Title	junit-platform-launcher	High
Product	Manifest	provide-capability	org.junit.platform.launcher;org.junit.platform.launcher=junit-platform-launcher;version:Version="1.10.0"	Low
Product	Manifest	require-capability	osgi.ee;filter:="(&(osgi.ee=JavaSE)(version=1.8))"	Low
Product	Manifest	specification-title	junit-platform-launcher	Medium
Product	pom	artifactid	junit-platform-launcher	Highest
Product	pom	developer email	business@johanneslink.net	Low
Product	pom	developer email	derancourt.juliette@gmail.com	Low
Product	pom	developer email	mail@marcphilipp.de	Low
Product	pom	developer email	matthias.merdes@heidelpay.com	Low



Product	pom	developer email	sam@sambrannen.com	Low
Product	pom	developer email	sormuras@gmail.com	Low
Product	pom	developer email	stefan.bechtold@me.com	Low
Product	pom	developer id	bechte	Low
Product	pom	developer id	jlink	Low
Product	pom	developer id	juliette-derancourt	Low
Product	pom	developer id	marcphilipp	Low
Product	pom	developer id	mmerdes	Low
Product	pom	developer id	sbrannen	Low
Product	pom	developer id	sormuras	Low
Product	pom	developer name	Christian Stein	Low
Product	pom	developer name	Johannes Link	Low
Product	pom	developer name	Juliette de Rancourt	Low
Product	pom	developer name	Marc Philipp	Low
Product	pom	developer name	Matthias Merdes	Low
Product	pom	developer name	Sam Brannen	Low
Product	pom	developer name	Stefan Bechtold	Low
Product	pom	groupid	org.junit.platform	Highest
Product	pom	name	JUnit Platform Launcher	High
Product	pom	url	https://junit.org/junit5/	Medium
Version	central	version	1.10.0	Highest
Version	file	version	1.10.0	High
Version	gradle	version	1.10.0	Highest
Version	Manifest	Bundle-Version	1.10.0	High
Version	Manifest	Implementation-Version	1.10.0	High
Version	pom	version	1.10.0	Highest

### Identifiers

- [pkg:maven/org.junit.platform/junit-platform-launcher@1.10.0](#) (*Confidence:High*)
- [cpe:2.3:a:fan\\_platform\\_project:fan\\_platform:1.10.0:\\*:\\*:\\*:\\*:\\*](#) (*Confidence:Low*)

suppress



**Description:**

Module "junit-platform-suite" of JUnit 5.

**License:**

Eclipse Public License v2.0: <https://www.eclipse.org/legal/epl-v20.html>

**File Path:** /home/jenkins/.gradle/caches/modules-2/files-2.1/org.junit.platform/junit-platform-suite/1.10.0/65cf50c8940b9dfdf8b53b3e612e7d4664a4f631/junit-platform-suite-1.10.0.jar

**MD5:** 73d33febb587db050803e6b93e55eb1d

**SHA1:** 65cf50c8940b9dfdf8b53b3e612e7d4664a4f631

**SHA256:** 5982b7b258e031e5cee3f3fb7357e7c1175237559bd812cebcbdcaec74c38d8d

**Referenced In Project/Scope:**server:inetPlugin

**Evidence**

Type	Source	Name	Value	Confidence
Vendor	central	artifactid	junit-platform-suite	Highest
Vendor	central	groupid	org.junit.platform	Highest
Vendor	file	name	junit-platform-suite	High
Vendor	gradle	artifactid	junit-platform-suite	Highest
Vendor	gradle	groupid	org.junit.platform	Highest
Vendor	jar	package name	module-info	Low
Vendor	Manifest	build-date	2023-07-23	Low
Vendor	Manifest	build-revision	7f619ca7ac9ecd1b20cc01c44a4df98f5fb67804	Low
Vendor	Manifest	build-time	14:51:13.722+0200	Low
Vendor	Manifest	bundle-symbolicname	junit-platform-suite	Medium
Vendor	Manifest	Implementation-Vendor	junit.org	High
Vendor	Manifest	specification-vendor	junit.org	Low
Vendor	pom	artifactid	junit-platform-suite	Low
Vendor	pom	developer email	business@johanneslink.net	Low
Vendor	pom	developer email	derancourt.juliette@gmail.com	Low
Vendor	pom	developer email	mail@marcphilipp.de	Low
Vendor	pom	developer email	matthias.merdes@heidelpay.com	Low
Vendor	pom	developer email	sam@sambrannen.com	Low
Vendor	pom	developer email	sormuras@gmail.com	Low
Vendor	pom	developer email	stefan.bechtold@me.com	Low
Vendor	pom	developer id	bechte	Medium
Vendor	pom	developer id	jlink	Medium



Vendor	pom	developer id	juliette-derancourt	Medium
Vendor	pom	developer id	marcphilipp	Medium
Vendor	pom	developer id	mmerdes	Medium
Vendor	pom	developer id	sbrannen	Medium
Vendor	pom	developer id	sormuras	Medium
Vendor	pom	developer name	Christian Stein	Medium
Vendor	pom	developer name	Johannes Link	Medium
Vendor	pom	developer name	Juliette de Rancourt	Medium
Vendor	pom	developer name	Marc Philipp	Medium
Vendor	pom	developer name	Matthias Merdes	Medium
Vendor	pom	developer name	Sam Brannen	Medium
Vendor	pom	developer name	Stefan Bechtold	Medium
Vendor	pom	groupid	org.junit.platform	Highest
Vendor	pom	name	JUnit Platform Suite (Aggregator)	High
Vendor	pom	url	<a href="https://junit.org/junit5/">https://junit.org/junit5/</a>	Highest
Product	central	artifactid	junit-platform-suite	Highest
Product	file	name	junit-platform-suite	High
Product	gradle	artifactid	junit-platform-suite	Highest
Product	Manifest	build-date	2023-07-23	Low
Product	Manifest	build-revision	7f619ca7ac9ecd1b20cc01c44a4df98f5fb67804	Low
Product	Manifest	build-time	14:51:13.722+0200	Low
Product	Manifest	Bundle-Name	JUnit Platform Suite (Aggregator)	Medium
Product	Manifest	bundle-symbolicname	junit-platform-suite	Medium
Product	Manifest	Implementation-Title	junit-platform-suite	High
Product	Manifest	specification-title	junit-platform-suite	Medium
Product	pom	artifactid	junit-platform-suite	Highest
Product	pom	developer email	business@johanneslink.net	Low
Product	pom	developer email	derancourt.juliette@gmail.com	Low
Product	pom	developer email	mail@marcphilipp.de	Low
Product	pom	developer email	matthias.merdes@heidelpay.com	Low
Product	pom	developer email	sam@sambrannen.com	Low
Product	pom	developer email	sormuras@gmail.com	Low
Product	pom	developer email	stefan.bechtold@me.com	Low
Product	pom	developer id	bechte	Low



Product	pom	developer id	jlink	Low
Product	pom	developer id	juliette-derancourt	Low
Product	pom	developer id	marcphilipp	Low
Product	pom	developer id	mmerdes	Low
Product	pom	developer id	sbrannen	Low
Product	pom	developer id	sormuras	Low
Product	pom	developer name	Christian Stein	Low
Product	pom	developer name	Johannes Link	Low
Product	pom	developer name	Juliette de Rancourt	Low
Product	pom	developer name	Marc Philipp	Low
Product	pom	developer name	Matthias Merdes	Low
Product	pom	developer name	Sam Brannen	Low
Product	pom	developer name	Stefan Bechtold	Low
Product	pom	groupid	org.junit.platform	Highest
Product	pom	name	JUnit Platform Suite (Aggregator)	High
Product	pom	url	https://junit.org/junit5/	Medium
Version	central	version	1.10.0	Highest
Version	file	version	1.10.0	High
Version	gradle	version	1.10.0	Highest
Version	Manifest	Bundle-Version	1.10.0	High
Version	Manifest	Implementation-Version	1.10.0	High
Version	pom	version	1.10.0	Highest

#### Identifiers

- [pkg:maven/org.junit.platform/junit-platform-suite@1.10.0](#) (*Confidence:High*)
- [cpe:2.3:a:fan\\_platform\\_project:fan\\_platform:1.10.0:\\*:\\*:\\*:\\*:\\*](#) (*Confidence:Low*)

suppress

## junit-platform-suite-api-1.10.0.jar

#### Description:

Module "junit-platform-suite-api" of JUnit 5.

#### License:



**File Path:** /home/jenkins/.gradle/caches/modules-2/files-2.1/org.junit.platform/junit-platform-suite-api/1.10.0/baa35277c5e4913167fc8c5b2ceb0e5b2aa6b700/junit-platform-suite-api-1.10.0.jar

**MD5:** 7fc1c589754da082f208f8f240000792

**SHA1:** baa35277c5e4913167fc8c5b2ceb0e5b2aa6b700

**SHA256:** 29375380c304d96c93466dd2d21e7a0692381689a0a2205e3c0d1961638beaf3

**Referenced In Project/Scope:** server:inetPlugin

**Evidence**

Type	Source	Name	Value	Confidence
Vendor	central	artifactid	junit-platform-suite-api	Highest
Vendor	central	groupid	org.junit.platform	Highest
Vendor	file	name	junit-platform-suite-api	High
Vendor	gradle	artifactid	junit-platform-suite-api	Highest
Vendor	gradle	groupid	org.junit.platform	Highest
Vendor	jar	package name	api	Highest
Vendor	jar	package name	junit	Highest
Vendor	jar	package name	junit	Low
Vendor	jar	package name	platform	Highest
Vendor	jar	package name	platform	Low
Vendor	jar	package name	suite	Highest
Vendor	jar	package name	suite	Low
Vendor	Manifest	build-date	2023-07-23	Low
Vendor	Manifest	build-revision	7f619ca7ac9ecd1b20cc01c44a4df98f5fb67804	Low
Vendor	Manifest	build-time	14:51:13.722+0200	Low
Vendor	Manifest	bundle-symbolicname	junit-platform-suite-api	Medium
Vendor	Manifest	Implementation-Vendor	junit.org	High
Vendor	Manifest	require-capability	osgi.ee;filter:="(&(osgi.ee=JavaSE)(version=1.8))"	Low
Vendor	Manifest	specification-vendor	junit.org	Low
Vendor	pom	artifactid	junit-platform-suite-api	Low
Vendor	pom	developer email	business@johanneslink.net	Low
Vendor	pom	developer email	derancourt.juliette@gmail.com	Low
Vendor	pom	developer email	mail@marcphilipp.de	Low
Vendor	pom	developer email	matthias.merdes@heidelpay.com	Low
Vendor	pom	developer email	sam@sambrannen.com	Low



Vendor	pom	developer email	sormuras@gmail.com	Low
Vendor	pom	developer email	stefan.bechtold@me.com	Low
Vendor	pom	developer id	bechte	Medium
Vendor	pom	developer id	jlink	Medium
Vendor	pom	developer id	juliette-derancourt	Medium
Vendor	pom	developer id	marcphilipp	Medium
Vendor	pom	developer id	mmerdes	Medium
Vendor	pom	developer id	sbrannen	Medium
Vendor	pom	developer id	sormuras	Medium
Vendor	pom	developer name	Christian Stein	Medium
Vendor	pom	developer name	Johannes Link	Medium
Vendor	pom	developer name	Juliette de Rancourt	Medium
Vendor	pom	developer name	Marc Philipp	Medium
Vendor	pom	developer name	Matthias Merdes	Medium
Vendor	pom	developer name	Sam Brannen	Medium
Vendor	pom	developer name	Stefan Bechtold	Medium
Vendor	pom	groupid	org.junit.platform	Highest
Vendor	pom	name	JUnit Platform Suite API	High
Vendor	pom	url	https://junit.org/junit5/	Highest
Product	central	artifactid	junit-platform-suite-api	Highest
Product	file	name	junit-platform-suite-api	High
Product	gradle	artifactid	junit-platform-suite-api	Highest
Product	jar	package name	api	Highest
Product	jar	package name	api	Low
Product	jar	package name	junit	Highest
Product	jar	package name	platform	Highest
Product	jar	package name	platform	Low
Product	jar	package name	suite	Highest
Product	jar	package name	suite	Low
Product	Manifest	build-date	2023-07-23	Low
Product	Manifest	build-revision	7f619ca7ac9ecd1b20cc01c44a4df98f5fb67804	Low
Product	Manifest	build-time	14:51:13.722+0200	Low
Product	Manifest	Bundle-Name	JUnit Platform Suite API	Medium
Product	Manifest	bundle-symbolicname	junit-platform-suite-api	Medium
Product	Manifest	Implementation-	junit-platform-suite-api	High



Title				
Product	Manifest	require-capability	osgi.ee;filter:="(&(osgi.ee=JavaSE) (version=1.8))"	Low
Product	Manifest	specification-title	junit-platform-suite-api	Medium
Product	pom	artifactid	junit-platform-suite-api	Highest
Product	pom	developer email	business@johanneslink.net	Low
Product	pom	developer email	derancourt.juliette@gmail.com	Low
Product	pom	developer email	mail@marcphilipp.de	Low
Product	pom	developer email	matthias.merdes@heidelpay.com	Low
Product	pom	developer email	sam@sambrannen.com	Low
Product	pom	developer email	sormuras@gmail.com	Low
Product	pom	developer email	stefan.bechtold@me.com	Low
Product	pom	developer id	bechte	Low
Product	pom	developer id	jlink	Low
Product	pom	developer id	juliette-derancourt	Low
Product	pom	developer id	marcphilipp	Low
Product	pom	developer id	mmerdes	Low
Product	pom	developer id	sbrannen	Low
Product	pom	developer id	sormuras	Low
Product	pom	developer name	Christian Stein	Low
Product	pom	developer name	Johannes Link	Low
Product	pom	developer name	Juliette de Rancourt	Low
Product	pom	developer name	Marc Philipp	Low
Product	pom	developer name	Matthias Merdes	Low
Product	pom	developer name	Sam Brannen	Low
Product	pom	developer name	Stefan Bechtold	Low
Product	pom	groupid	org.junit.platform	Highest
Product	pom	name	JUnit Platform Suite API	High
Product	pom	url	<a href="https://junit.org/junit5/">https://junit.org/junit5/</a>	Medium
Version	central	version	1.10.0	Highest
Version	file	version	1.10.0	High
Version	gradle	version	1.10.0	Highest
Version	Manifest	Bundle-Version	1.10.0	High
Version	Manifest	Implementation-Version	1.10.0	High
Version	pom	version	1.10.0	Highest



Identifiers

- [pkg:maven/org.junit.platform/junit-platform-suite-api@1.10.0](#) (Confidence:High)
  - [cpe:2.3:a:fan\\_platform\\_project:fan\\_platform:1.10.0:\\*:\\*:\\*:\\*:\\*](#) (Confidence:Low)
- suppress

junit-platform-suite-commons-1.10.0.jar

Description:

Module "junit-platform-suite-commons" of JUnit 5.

License:

Eclipse Public License v2.0: <https://www.eclipse.org/legal/epl-v20.html>

**File Path:** /home/jenkins/.gradle/caches/modules-2/files-2.1/org.junit.platform/junit-platform-suite-commons/1.10.0/cee3d71ae0b90f7c96a1fb46cd788b77ab59ce52/junit-platform-suite-commons-1.10.0.jar

**MD5:** 7e1b4ab2643a4003eb8378581312ffc3

**SHA1:** cee3d71ae0b90f7c96a1fb46cd788b77ab59ce52

**SHA256:**01eb735855dc0d9d24d7219c84c4d4bf8751a126101e56948f792b27289f676b

**Referenced In Project/Scope:**server:inetPlugin

Evidence



Type	Source	Name	Value	Confidence
Vendor	central	artifactid	junit-platform-suite-commons	Highest
Vendor	central	groupid	org.junit.platform	Highest
Vendor	file	name	junit-platform-suite-commons	High
Vendor	gradle	artifactid	junit-platform-suite-commons	Highest
Vendor	gradle	groupid	org.junit.platform	Highest
Vendor	jar	package name	commons	Highest
Vendor	jar	package name	junit	Highest
Vendor	jar	package name	junit	Low
Vendor	jar	package name	platform	Highest
Vendor	jar	package name	platform	Low
Vendor	jar	package name	suite	Highest
Vendor	jar	package name	suite	Low
Vendor	Manifest	build-date	2023-07-23	Low
Vendor	Manifest	build-revision	7f619ca7ac9ecd1b20cc01c44a4df98f5fb67804	Low
Vendor	Manifest	build-time	14:51:13.722+0200	Low



Vendor	Manifest	bundle-symbolicname	junit-platform-suite-commons	Medium
Vendor	Manifest	Implementation-Vendor	junit.org	High
Vendor	Manifest	require-capability	osgi.ee;filter:="(&(osgi.ee=JavaSE)(version=1.8))"	Low
Vendor	Manifest	specification-vendor	junit.org	Low
Vendor	pom	artifactid	junit-platform-suite-commons	Low
Vendor	pom	developer email	business@johanneslink.net	Low
Vendor	pom	developer email	derancourt.juliette@gmail.com	Low
Vendor	pom	developer email	mail@marcphilipp.de	Low
Vendor	pom	developer email	matthias.merdes@heidelpay.com	Low
Vendor	pom	developer email	sam@sambrannen.com	Low
Vendor	pom	developer email	sormuras@gmail.com	Low
Vendor	pom	developer email	stefan.bechtold@me.com	Low
Vendor	pom	developer id	bechte	Medium
Vendor	pom	developer id	jlink	Medium
Vendor	pom	developer id	juliette-derancourt	Medium
Vendor	pom	developer id	marcphilipp	Medium
Vendor	pom	developer id	mmerdes	Medium
Vendor	pom	developer id	sbrannen	Medium
Vendor	pom	developer id	sormuras	Medium
Vendor	pom	developer name	Christian Stein	Medium
Vendor	pom	developer name	Johannes Link	Medium
Vendor	pom	developer name	Juliette de Rancourt	Medium
Vendor	pom	developer name	Marc Philipp	Medium
Vendor	pom	developer name	Matthias Merdes	Medium
Vendor	pom	developer name	Sam Brannen	Medium
Vendor	pom	developer name	Stefan Bechtold	Medium
Vendor	pom	groupid	org.junit.platform	Highest
Vendor	pom	name	JUnit Platform Suite Commons	High
Vendor	pom	url	https://junit.org/junit5/	Highest
Product	central	artifactid	junit-platform-suite-commons	Highest
Product	file	name	junit-platform-suite-commons	High
Product	gradle	artifactid	junit-platform-suite-commons	Highest
Product	jar	package name	commons	Highest



Product	jar	package name	commons	Low
Product	jar	package name	junit	Highest
Product	jar	package name	platform	Highest
Product	jar	package name	platform	Low
Product	jar	package name	suite	Highest
Product	jar	package name	suite	Low
Product	Manifest	build-date	2023-07-23	Low
Product	Manifest	build-revision	7f619ca7ac9ecd1b20cc01c44a4df98f5fb67804	Low
Product	Manifest	build-time	14:51:13.722+0200	Low
Product	Manifest	Bundle-Name	JUnit Platform Suite Commons	Medium
Product	Manifest	bundle-symbolicname	junit-platform-suite-commons	Medium
Product	Manifest	Implementation-Title	junit-platform-suite-commons	High
Product	Manifest	require-capability	osgi.ee;filter:="(&(osgi.ee=JavaSE)(version=1.8))"	Low
Product	Manifest	specification-title	junit-platform-suite-commons	Medium
Product	pom	artifactid	junit-platform-suite-commons	Highest
Product	pom	developer email	business@johanneslink.net	Low
Product	pom	developer email	derancourt.juliette@gmail.com	Low
Product	pom	developer email	mail@marcphilipp.de	Low
Product	pom	developer email	matthias.merdes@heidelpay.com	Low
Product	pom	developer email	sam@sambrannen.com	Low
Product	pom	developer email	sormuras@gmail.com	Low
Product	pom	developer email	stefan.bechtold@me.com	Low
Product	pom	developer id	bechte	Low
Product	pom	developer id	jlink	Low
Product	pom	developer id	juliette-derancourt	Low
Product	pom	developer id	marcphilipp	Low
Product	pom	developer id	mmerdes	Low
Product	pom	developer id	sbrannen	Low
Product	pom	developer id	sormuras	Low
Product	pom	developer name	Christian Stein	Low
Product	pom	developer name	Johannes Link	Low
Product	pom	developer name	Juliette de Rancourt	Low
Product	pom	developer name	Marc Philipp	Low
Product	pom	developer name	Matthias Merdes	Low



Product	pom	developer name	Sam Brannen	Low
Product	pom	developer name	Stefan Bechtold	Low
Product	pom	groupid	org.junit.platform	Highest
Product	pom	name	JUnit Platform Suite Commons	High
Product	pom	url	https://junit.org/junit5/	Medium
Version	central	version	1.10.0	Highest
Version	file	version	1.10.0	High
Version	gradle	version	1.10.0	Highest
Version	Manifest	Bundle-Version	1.10.0	High
Version	Manifest	Implementation-Version	1.10.0	High
Version	pom	version	1.10.0	Highest

#### Identifiers

- [pkg:maven/org.junit.platform/junit-platform-suite-commons@1.10.0](#) (*Confidence:High*)
- [cpe:2.3:a:fan\\_platform\\_project:fan\\_platform:1.10.0:\\*:\\*:\\*:\\*:\\*](#) (*Confidence:Low*)

suppress

## junit-platform-suite-engine-1.10.0.jar

### Description:

Module "junit-platform-suite-engine" of JUnit 5.

### License:

Eclipse Public License v2.0: <https://www.eclipse.org/legal/epl-v20.html>

**File Path:** /home/jenkins/.gradle/caches/modules-2/files-2.1/org.junit.platform/junit-platform-suite-engine/1.10.0/911f55d5abdfa09306d09332fbf33bb024dbbb64/junit-platform-suite-engine-1.10.0.jar

**MD5:** cc571c912931dafb3da248845db9e98e

**SHA1:** 911f55d5abdfa09306d09332fbf33bb024dbbb64

**SHA256:** a70e59f996a222ca36c04989e766266cc2b446a63ce379bf02bac241fceb7f3

**Referenced In Project/Scope:** server:inetPlugin

### Evidence



Type	Source	Name	Value	Confidence
Vendor	central	artifactid	junit-platform-suite-engine	Highest
Vendor	central	groupid	org.junit.platform	Highest
Vendor	file	name	junit-platform-suite-engine	High



Vendor	gradle	artifactid	junit-platform-suite-engine	Highest
Vendor	gradle	groupid	org.junit.platform	Highest
Vendor	jar	package name	engine	Highest
Vendor	jar	package name	junit	Highest
Vendor	jar	package name	junit	Low
Vendor	jar	package name	platform	Highest
Vendor	jar	package name	platform	Low
Vendor	jar	package name	suite	Highest
Vendor	jar	package name	suite	Low
Vendor	Manifest	build-date	2023-07-23	Low
Vendor	Manifest	build-revision	7f619ca7ac9ecd1b20cc01c44a4df98f5fb67804	Low
Vendor	Manifest	build-time	14:51:13.722+0200	Low
Vendor	Manifest	bundle-symbolicname	junit-platform-suite-engine	Medium
Vendor	Manifest	Implementation-Vendor	junit.org	High
Vendor	Manifest	require-capability	osgi.ee;filter:="(&(osgi.ee=JavaSE)(version=1.8))"	Low
Vendor	Manifest	specification-vendor	junit.org	Low
Vendor	pom	artifactid	junit-platform-suite-engine	Low
Vendor	pom	developer email	business@johanneslink.net	Low
Vendor	pom	developer email	derancourt.juliette@gmail.com	Low
Vendor	pom	developer email	mail@marcphilipp.de	Low
Vendor	pom	developer email	matthias.merdes@heidelpay.com	Low
Vendor	pom	developer email	sam@sambrannen.com	Low
Vendor	pom	developer email	sormuras@gmail.com	Low
Vendor	pom	developer email	stefan.bechtold@me.com	Low
Vendor	pom	developer id	bechte	Medium
Vendor	pom	developer id	jlink	Medium
Vendor	pom	developer id	juliette-derancourt	Medium
Vendor	pom	developer id	marcphilipp	Medium
Vendor	pom	developer id	mmerdes	Medium
Vendor	pom	developer id	sbrannen	Medium
Vendor	pom	developer id	sormuras	Medium
Vendor	pom	developer name	Christian Stein	Medium
Vendor	pom	developer name	Johannes Link	Medium



Vendor	pom	developer name	Juliette de Rancourt	Medium
Vendor	pom	developer name	Marc Philipp	Medium
Vendor	pom	developer name	Matthias Merdes	Medium
Vendor	pom	developer name	Sam Brannen	Medium
Vendor	pom	developer name	Stefan Bechtold	Medium
Vendor	pom	groupid	org.junit.platform	Highest
Vendor	pom	name	JUnit Platform Suite Engine	High
Vendor	pom	url	https://junit.org/junit5/	Highest
Product	central	artifactid	junit-platform-suite-engine	Highest
Product	file	name	junit-platform-suite-engine	High
Product	gradle	artifactid	junit-platform-suite-engine	Highest
Product	jar	package name	engine	Highest
Product	jar	package name	engine	Low
Product	jar	package name	junit	Highest
Product	jar	package name	platform	Highest
Product	jar	package name	platform	Low
Product	jar	package name	suite	Highest
Product	jar	package name	suite	Low
Product	Manifest	build-date	2023-07-23	Low
Product	Manifest	build-revision	7f619ca7ac9ecd1b20cc01c44a4df98f5fb67804	Low
Product	Manifest	build-time	14:51:13.722+0200	Low
Product	Manifest	Bundle-Name	JUnit Platform Suite Engine	Medium
Product	Manifest	bundle-symbolicname	junit-platform-suite-engine	Medium
Product	Manifest	Implementation-Title	junit-platform-suite-engine	High
Product	Manifest	require-capability	osgi.ee;filter:="(&(osgi.ee=JavaSE)(version=1.8))"	Low
Product	Manifest	specification-title	junit-platform-suite-engine	Medium
Product	pom	artifactid	junit-platform-suite-engine	Highest
Product	pom	developer email	business@johanneslink.net	Low
Product	pom	developer email	derancourt.juliette@gmail.com	Low
Product	pom	developer email	mail@marcphilipp.de	Low
Product	pom	developer email	matthias.merdes@heidelpay.com	Low
Product	pom	developer email	sam@sambrannen.com	Low
Product	pom	developer email	sormuras@gmail.com	Low
Product	pom	developer email	stefan.bechtold@me.com	Low



Product	pom	developer id	bechte	Low
Product	pom	developer id	jlink	Low
Product	pom	developer id	juliette-derancourt	Low
Product	pom	developer id	marcphilipp	Low
Product	pom	developer id	mmerdes	Low
Product	pom	developer id	sbrannen	Low
Product	pom	developer id	sormuras	Low
Product	pom	developer name	Christian Stein	Low
Product	pom	developer name	Johannes Link	Low
Product	pom	developer name	Juliette de Rancourt	Low
Product	pom	developer name	Marc Philipp	Low
Product	pom	developer name	Matthias Merdes	Low
Product	pom	developer name	Sam Brannen	Low
Product	pom	developer name	Stefan Bechtold	Low
Product	pom	groupid	org.junit.platform	Highest
Product	pom	name	JUnit Platform Suite Engine	High
Product	pom	url	https://junit.org/junit5/	Medium
Version	central	version	1.10.0	Highest
Version	file	version	1.10.0	High
Version	gradle	version	1.10.0	Highest
Version	Manifest	Bundle-Version	1.10.0	High
Version	Manifest	Implementation-Version	1.10.0	High
Version	pom	version	1.10.0	Highest

#### Identifiers

- [pkg:maven/org.junit.platform/junit-platform-suite-engine@1.10.0](https://maven.org/junit.platform/junit-platform-suite-engine@1.10.0) (*Confidence:High*)
- [cpe:2.3:a:fan\\_platform\\_project:fan\\_platform:1.10.0:\\*:\\*:\\*:\\*](https://cpe:2.3:a:fan_platform_project:fan_platform:1.10.0:*:*:*:*:*) (*Confidence:Low*)

## junit-vintage-engine-5.10.0.jar

#### Description:

Module "junit-vintage-engine" of JUnit 5.



**License:**

Eclipse Public License v2.0: <https://www.eclipse.org/legal/epl-v20.html>

**File Path:** /home/jenkins/.gradle/caches/modules-2/files-2.1/org.junit.vintage/junit-vintage-engine/5.10.0/af4e0a3cb6901aa53d6401003fc10638014b39b1/junit-vintage-engine-5.10.0.jar

**MD5:** ff0ab1be3b14c837ca3d5d71defce409

**SHA1:** af4e0a3cb6901aa53d6401003fc10638014b39b1

**SHA256:** 6cb4d98b2f37ad78d28bbe4864869a110d278d9684445bde243de01148d8e8a

**Referenced In Project/Scope:**server:inetPlugin

**Evidence**

Type	Source	Name	Value	Confidence
Vendor	central	artifactid	junit-vintage-engine	Highest
Vendor	central	groupid	org.junit.vintage	Highest
Vendor	file	name	junit-vintage-engine	High
Vendor	gradle	artifactid	junit-vintage-engine	Highest
Vendor	gradle	groupid	org.junit.vintage	Highest
Vendor	jar	package name	engine	Highest
Vendor	jar	package name	engine	Low
Vendor	jar	package name	junit	Highest
Vendor	jar	package name	junit	Low
Vendor	jar	package name	vintage	Highest
Vendor	jar	package name	vintage	Low
Vendor	Manifest	build-date	2023-07-23	Low
Vendor	Manifest	build-revision	7f619ca7ac9ecd1b20cc01c44a4df98f5fb67804	Low
Vendor	Manifest	build-time	14:51:13.722+0200	Low
Vendor	Manifest	bundle-symbolicname	junit-vintage-engine	Medium
Vendor	Manifest	Implementation-Vendor	junit.org	High
Vendor	Manifest	provide-capability	org.junit.platform.engine;org.junit.platform.engine=junit-vintage;version:Version="5.10.0"	Low
Vendor	Manifest	require-capability	org.junit.platform.launcher;filter:="(&(org.junit.platform.launcher=junit-platform-launcher)(version>=1.10.0)(!(version>=2)))";effective:=active,osgi.ee;filter:="(&(osgi.ee=JavaSE)(version=1.8))"	Low
Vendor	Manifest	specification-vendor	junit.org	Low
Vendor	pom	artifactid	junit-vintage-engine	Low
Vendor	pom	developer email	business@johanneslink.net	Low
Vendor	pom	developer email	derancourt.juliette@gmail.com	Low



Vendor	pom	developer email	mail@marcphilipp.de	Low
Vendor	pom	developer email	matthias.merdes@heidelpay.com	Low
Vendor	pom	developer email	sam@sambrannen.com	Low
Vendor	pom	developer email	sormuras@gmail.com	Low
Vendor	pom	developer email	stefan.bechtold@me.com	Low
Vendor	pom	developer id	bechte	Medium
Vendor	pom	developer id	jlink	Medium
Vendor	pom	developer id	juliette-derancourt	Medium
Vendor	pom	developer id	marcphilipp	Medium
Vendor	pom	developer id	mmerdes	Medium
Vendor	pom	developer id	sbrannen	Medium
Vendor	pom	developer id	sormuras	Medium
Vendor	pom	developer name	Christian Stein	Medium
Vendor	pom	developer name	Johannes Link	Medium
Vendor	pom	developer name	Juliette de Rancourt	Medium
Vendor	pom	developer name	Marc Philipp	Medium
Vendor	pom	developer name	Matthias Merdes	Medium
Vendor	pom	developer name	Sam Brannen	Medium
Vendor	pom	developer name	Stefan Bechtold	Medium
Vendor	pom	groupid	org.junit.vintage	Highest
Vendor	pom	name	JUnit Vintage Engine	High
Vendor	pom	url	<a href="https://junit.org/junit5/">https://junit.org/junit5/</a>	Highest
Product	central	artifactid	junit-vintage-engine	Highest
Product	file	name	junit-vintage-engine	High
Product	gradle	artifactid	junit-vintage-engine	Highest
Product	jar	package name	engine	Highest
Product	jar	package name	engine	Low
Product	jar	package name	junit	Highest
Product	jar	package name	vintage	Highest
Product	jar	package name	vintage	Low
Product	Manifest	build-date	2023-07-23	Low
Product	Manifest	build-revision	7f619ca7ac9ecd1b20cc01c44a4df98f5fb67804	Low
Product	Manifest	build-time	14:51:13.722+0200	Low
Product	Manifest	Bundle-Name	JUnit Vintage Engine	Medium
Product	Manifest	bundle-symbolicname	junit-vintage-engine	Medium



Product	Manifest	Implementation-Title	junit-vintage-engine	High
Product	Manifest	provide-capability	org.junit.platform.engine;org.junit.platform.engine=junit-vintage;version:Version="5.10.0"	Low
Product	Manifest	require-capability	org.junit.platform.launcher;filter:="(&(org.junit.platform.launcher=junit-platform-launcher)(version>=1.10.0)(!(version>=2)))";effective:=active,osgi.ee;filter:="(&(osgi.ee=JavaSE)(version=1.8))"	Low
Product	Manifest	specification-title	junit-vintage-engine	Medium
Product	pom	artifactid	junit-vintage-engine	Highest
Product	pom	developer email	business@johanneslink.net	Low
Product	pom	developer email	derancourt.juliette@gmail.com	Low
Product	pom	developer email	mail@marcphilipp.de	Low
Product	pom	developer email	matthias.merdes@heidelpay.com	Low
Product	pom	developer email	sam@sambrannen.com	Low
Product	pom	developer email	sormuras@gmail.com	Low
Product	pom	developer email	stefan.bechtold@me.com	Low
Product	pom	developer id	bechte	Low
Product	pom	developer id	jlink	Low
Product	pom	developer id	juliette-derancourt	Low
Product	pom	developer id	marcphilipp	Low
Product	pom	developer id	mmerdes	Low
Product	pom	developer id	sbrannen	Low
Product	pom	developer id	sormuras	Low
Product	pom	developer name	Christian Stein	Low
Product	pom	developer name	Johannes Link	Low
Product	pom	developer name	Juliette de Rancourt	Low
Product	pom	developer name	Marc Philipp	Low
Product	pom	developer name	Matthias Merdes	Low
Product	pom	developer name	Sam Brannen	Low
Product	pom	developer name	Stefan Bechtold	Low
Product	pom	groupid	org.junit.vintage	Highest
Product	pom	name	JUnit Vintage Engine	High
Product	pom	url	https://junit.org/junit5/	Medium
Version	central	version	5.10.0	Highest
Version	file	version	5.10.0	High



Version	gradle	version	5.10.0	Highest
Version	Manifest	Bundle-Version	5.10.0	High
Version	Manifest	Implementation-Version	5.10.0	High
Version	pom	version	5.10.0	Highest

#### Identifiers

- [pkg:maven/org.junit.vintage/junit-vintage-engine@5.10.0](#) (*Confidence:High*)
- [cpe:2.3:a:fan\\_platform\\_project:fan\\_platform:5.10.0:\\*:\\*:\\*:\\*:\\*](#) (*Confidence:Low*)

suppress

## lunr.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/Documentation and Samples/dotnet - ProcessBridge API Doc/styles/lunr.js

**MD5:** da4f3703ce0083f8050d00e900aac7b0

**SHA1:** ae614550091dd5ea4b432d94fa4e286b2c91278d

**SHA256:** f9671350512fd9359469b1a2113ed3134e7b007fa0041e8e1cfe006de3d7f6f6

**Referenced In Project/Scope:**server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Related Dependencies



- lunr.js
  - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/Documentation and Samples/nunit - API Doc/styles/lunr.js
  - MD5: da4f3703ce0083f8050d00e900aac7b0
  - SHA1: ae614550091dd5ea4b432d94fa4e286b2c91278d
  - SHA256: f9671350512fd9359469b1a2113ed3134e7b007fa0041e8e1cfe006de3d7f6f6

#### Identifiers

- None

## lunr.min.js



**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/Documentation and Samples/dotnet - ProcessBridge API Doc/styles/lunr.min.js  
**MD5:** 774cb91b6aaa5b48b7c1752283a92088  
**SHA1:** 26bfa04058f330e6221d7591d20f34b0755bf6d6  
**SHA256:** 735f50ae7a6f8318c182d0bf0049952ece4ad7f07f93bd784c234e91b0fba8b4  
**Referenced In Project/Scope:**server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Related Dependencies



- lunr.min.js
  - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/Documentation and Samples/nunit - API Doc/styles/lunr.min.js
  - MD5: 774cb91b6aaa5b48b7c1752283a92088
  - SHA1: 26bfa04058f330e6221d7591d20f34b0755bf6d6
  - SHA256: 735f50ae7a6f8318c182d0bf0049952ece4ad7f07f93bd784c234e91b0fba8b4

#### Identifiers

- None

### mail.zip: bcmail-jdk18on.jar

#### Description:

The Bouncy Castle Java S/MIME APIs for handling S/MIME protocols. This jar contains S/MIME APIs for JDK 1.8 and up. The APIs can be used in conjunction with a JCE/JCA provider such as the one provided with the Bouncy Castle Cryptography APIs. The JavaMail API and the Java activation framework will also be needed.

#### License:

Bouncy Castle Licence: <https://www.bouncycastle.org/licence.html>

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/mail.zip/bcmail-jdk18on.jar  
**MD5:** ec1136764ac619bcf6fc2c00a5b2dc9b  
**SHA1:** 33e17d91d00544c4d7e28826abf8ef38600f7d6b  
**SHA256:** 0a5a8e7de098c2b707cbe7dd00a9f9fc37dec1ef229ef6221d743002a86de095  
**Referenced In Project/Scope:**server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------



Vendor	central	artifactid	bcmail-jdk18on	Highest
Vendor	central	groupid	org.bouncycastle	Highest
Vendor	file	name	bcmail-jdk18on	High
Vendor	jar	package name	bouncycastle	Highest
Vendor	jar	package name	bouncycastle	Low
Vendor	jar	package name	mail	Highest
Vendor	jar	package name	mail	Low
Vendor	jar	package name	smime	Low
Vendor	Manifest	application-library-allowable-codebase	*	Low
Vendor	Manifest	application-name	Bouncy Castle S/MIME API	Medium
Vendor	Manifest	automatic-module-name	org.bouncycastle.mail	Medium
Vendor	Manifest	bundle-requiredexecution	J2SE-1.5	Low
Vendor	Manifest	bundle-symbolicname	bcmail	Medium
Vendor	Manifest	caller-allowable-codebase	*	Low
Vendor	Manifest	codebase	*	Low
Vendor	Manifest	extension-name	org.bouncycastle.bcmail	Medium
Vendor	Manifest	Implementation-Vendor	BouncyCastle.org	High
Vendor	Manifest	Implementation-Vendor-Id	org.bouncycastle	Medium
Vendor	Manifest	multi-release	true	Low
Vendor	Manifest	originally-created-by	25.362-b09 (Private Build)	Low
Vendor	Manifest	permissions	all-permissions	Low
Vendor	Manifest	specification-vendor	BouncyCastle.org	Low
Vendor	Manifest	trusted-library	true	Low
Vendor	pom	artifactid	bcmail-jdk18on	Low
Vendor	pom	developer email	feedback-crypto@bouncycastle.org	Low
Vendor	pom	developer id	feedback-crypto	Medium
Vendor	pom	developer name	The Legion of the Bouncy Castle Inc.	Medium
Vendor	pom	groupid	org.bouncycastle	Highest
Vendor	pom	name	Bouncy Castle S/MIME API	High



Vendor	pom	url	<a href="https://www.bouncycastle.org/java.html">https://www.bouncycastle.org/java.html</a>	Highest
Product	central	artifactid	bcmail-jdk18on	Highest
Product	file	name	bcmail-jdk18on	High
Product	jar	package name	bouncycastle	Highest
Product	jar	package name	mail	Highest
Product	jar	package name	mail	Low
Product	jar	package name	smime	Low
Product	Manifest	application-library-allowable-codebase	*	Low
Product	Manifest	application-name	Bouncy Castle S/MIME API	Medium
Product	Manifest	automatic-module-name	org.bouncycastle.mail	Medium
Product	Manifest	Bundle-Name	bcmail	Medium
Product	Manifest	bundle-requiredexecution	J2SE-1.5	Low
Product	Manifest	bundle-symbolicname	bcmail	Medium
Product	Manifest	caller-allowable-codebase	*	Low
Product	Manifest	codebase	*	Low
Product	Manifest	extension-name	org.bouncycastle.bcmail	Medium
Product	Manifest	multi-release	true	Low
Product	Manifest	originally-created-by	25.362-b09 (Private Build)	Low
Product	Manifest	permissions	all-permissions	Low
Product	Manifest	trusted-library	true	Low
Product	pom	artifactid	bcmail-jdk18on	Highest
Product	pom	developer email	feedback-crypto@bouncycastle.org	Low
Product	pom	developer id	feedback-crypto	Low
Product	pom	developer name	The Legion of the Bouncy Castle Inc.	Low
Product	pom	groupid	org.bouncycastle	Highest
Product	pom	name	Bouncy Castle S/MIME API	High
Product	pom	url	<a href="https://www.bouncycastle.org/java.html">https://www.bouncycastle.org/java.html</a>	Medium
Version	central	version	1.76	Highest
Version	Manifest	Bundle-Version	1.76	High
Version	pom	version	1.76	Highest



## Identifiers

- [pkg:maven/org.bouncycastle/bcmail-jdk18on@1.76](#) (*Confidence:High*)
- [cpe:2.3:a:bouncycastle:bouncy\\_castle\\_for\\_java:1.76:\\*:\\*:\\*:\\*:\\*](#) (*Confidence:Low*)
- [cpe:2.3:a:bouncycastle:legion-of-the-bouncy-castle:1.76:\\*:\\*:\\*:\\*:\\*](#) (*Confidence:Low*)

## mail.zip: bcpkix-jdk18on.jar

### Description:

The Bouncy Castle Java APIs for CMS, PKCS, EAC, TSP, CMP, CRMF, OCSP, and certificate generation. This jar contains APIs for JDK 1.8 and up. The APIs can be used in conjunction with a JCE/JCA provider such as the one provided with the Bouncy Castle Cryptography APIs.

### License:

Bouncy Castle Licence: <https://www.bouncycastle.org/licence.html>

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/mail.zip/bcpkix-jdk18on.jar

**MD5:** 661d57d384f768f2bf92c0392f88379e

**SHA1:** 10c9cf5c1b4d64abeda28ee32fbade3b74373622

**SHA256:** 935a388854c329f9a6f32708f30c90045d2f91294fa687281273145d4cf9834a

**Referenced In Project/Scope:**server

### Evidence



Type	Source	Name	Value	Confidence
Vendor	central	artifactid	bcpkix-jdk18on	Highest
Vendor	central	groupid	org.bouncycastle	Highest
Vendor	file	name	bcpkix-jdk18on	High
Vendor	jar	package name	bouncycastle	Highest
Vendor	jar	package name	bouncycastle	Low
Vendor	jar	package name	pkix	Highest
Vendor	Manifest	application-library-allowable-codebase	*	Low
Vendor	Manifest	application-name	Bouncy Castle PKIX API	Medium
Vendor	Manifest	automatic-module-name	org.bouncycastle.pkix	Medium
Vendor	Manifest	bundle-	J2SE-1.5	Low



## requiredexecution

Vendor	Manifest	bundle-symbolicname	bcpkix	Medium
Vendor	Manifest	caller-allowable-codebase	*	Low
Vendor	Manifest	codebase	*	Low
Vendor	Manifest	extension-name	org.bouncycastle.bcpkix	Medium
Vendor	Manifest	Implementation-Vendor	BouncyCastle.org	High
Vendor	Manifest	Implementation-Vendor-Id	org.bouncycastle	Medium
Vendor	Manifest	multi-release	true	Low
Vendor	Manifest	originally-created-by	25.362-b09 (Private Build)	Low
Vendor	Manifest	permissions	all-permissions	Low
Vendor	Manifest	specification-vendor	BouncyCastle.org	Low
Vendor	Manifest	trusted-library	true	Low
Vendor	pom	artifactid	bcpkix-jdk18on	Low
Vendor	pom	developer email	feedback-crypto@bouncycastle.org	Low
Vendor	pom	developer id	feedback-crypto	Medium
Vendor	pom	developer name	The Legion of the Bouncy Castle Inc.	Medium
Vendor	pom	groupid	org.bouncycastle	Highest
Vendor	pom	name	Bouncy Castle PKIX, CMS, EAC, TSP, PKCS, OCSP, CMP, and CRMF APIs	High
Vendor	pom	url	<a href="https://www.bouncycastle.org/java.html">https://www.bouncycastle.org/java.html</a>	Highest
Product	central	artifactid	bcpkix-jdk18on	Highest
Product	file	name	bcpkix-jdk18on	High
Product	jar	package name	bouncycastle	Highest
Product	jar	package name	pkix	Highest
Product	Manifest	application-library-allowable-codebase	*	Low
Product	Manifest	application-name	Bouncy Castle PKIX API	Medium
Product	Manifest	automatic-module-name	org.bouncycastle.pkix	Medium
Product	Manifest	Bundle-Name	bcpkix	Medium
Product	Manifest	bundle-requiredexecution	J2SE-1.5	Low
Product	Manifest	bundle-	bcpkix	Medium



## symbolicname

Product	Manifest	caller-allowable-codebase	*	Low
Product	Manifest	codebase	*	Low
Product	Manifest	extension-name	org.bouncycastle.bcpkix	Medium
Product	Manifest	multi-release	true	Low
Product	Manifest	originally-created-by	25.362-b09 (Private Build)	Low
Product	Manifest	permissions	all-permissions	Low
Product	Manifest	trusted-library	true	Low
Product	pom	artifactid	bcpkix-jdk18on	Highest
Product	pom	developer email	feedback-crypto@bouncycastle.org	Low
Product	pom	developer id	feedback-crypto	Low
Product	pom	developer name	The Legion of the Bouncy Castle Inc.	Low
Product	pom	groupid	org.bouncycastle	Highest
Product	pom	name	Bouncy Castle PKIX, CMS, EAC, TSP, PKCS, OCSP, CMP, and CRMF APIs	High
Product	pom	url	https://www.bouncycastle.org/java.html	Medium
Version	central	version	1.76	Highest
Version	Manifest	Bundle-Version	1.76	High
Version	pom	version	1.76	Highest

## Related Dependencies



- webserver.zip: bcpkix-jdk18on.jar
  - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/webserver.zip/bcpkix-jdk18on.jar
  - MD5: 661d57d384f768f2bf92c0392f88379e
  - SHA1: 10c9cf5c1b4d64abeda28ee32fbade3b74373622
  - SHA256: 935a388854c329f9a6f32708f30c90045d2f91294fa687281273145d4cf9834a
  - [pkg:maven/org.bouncycastle/bcpkix-jdk18on@1.76](https://mvnrepository.com/artifact/org.bouncycastle/bcpkix-jdk18on/1.76)

## Identifiers

- [pkg:maven/org.bouncycastle/bcpkix-jdk18on@1.76](https://mvnrepository.com/artifact/org.bouncycastle/bcpkix-jdk18on/1.76) (*Confidence:High*)
- cpe:2.3:a:bouncycastle:bouncy\_castle\_for\_java:1.76:\*:\*:\*:\*:\* (*Confidence:Low*)
- cpe:2.3:a:bouncycastle:legion-of-the-bouncy-castle:1.76:\*:\*:\*:\*:\* (*Confidence:Low*)



## mail.zip: bcprov-jdk18on.jar

### Description:

The Bouncy Castle Crypto package is a Java implementation of cryptographic algorithms. This jar contains JCE provider and lightweight API for the Bouncy Castle Cryptography APIs for JDK 1.8 and up.

### License:

Bouncy Castle Licence: <https://www.bouncycastle.org/licence.html>

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/mail.zip/bcprov-jdk18on.jar

**MD5:** 7020b9a9e1b951f5754a2168a26367f1

**SHA1:** 3a785d0b41806865ad7e311162bfa3fa60b3965b

**SHA256:** fda85d777aaae168015860b23a77cad9b8d3a1d5c904fda875313427bd560179

**Referenced In Project/Scope:**server

### Evidence



Type	Source	Name	Value	Confidence
Vendor	central	artifactid	bcprov-jdk18on	Highest
Vendor	central	groupid	org.bouncycastle	Highest
Vendor	file	name	bcprov-jdk18on	High
Vendor	jar	package name	bouncycastle	Highest
Vendor	jar	package name	bouncycastle	Low
Vendor	jar	package name	org	Highest
Vendor	jar	package name	provider	Highest
Vendor	Manifest	application-library-allowable-codebase	*	Low
Vendor	Manifest	application-name	Bouncy Castle Provider	Medium
Vendor	Manifest	automatic-module-name	org.bouncycastle.provider	Medium
Vendor	Manifest	bundle-requiredexecution	J2SE-1.5	Low
Vendor	Manifest	bundle-symbolicname	bcprov	Medium
Vendor	Manifest	caller-allowable-codebase	*	Low
Vendor	Manifest	codebase	*	Low
Vendor	Manifest	extension-name	org.bouncycastle.bcprovider	Medium
Vendor	Manifest	Implementation-Vendor	BouncyCastle.org	High



Vendor	Manifest	Implementation-Vendor-Id	org.bouncycastle	Medium
Vendor	Manifest	multi-release	true	Low
Vendor	Manifest	originally-created-by	25.362-b09 (Private Build)	Low
Vendor	Manifest	permissions	all-permissions	Low
Vendor	Manifest	specification-vendor	BouncyCastle.org	Low
Vendor	Manifest	trusted-library	true	Low
Vendor	pom	artifactid	bcprov-jdk18on	Low
Vendor	pom	developer email	feedback-crypto@bouncycastle.org	Low
Vendor	pom	developer id	feedback-crypto	Medium
Vendor	pom	developer name	The Legion of the Bouncy Castle Inc.	Medium
Vendor	pom	groupid	org.bouncycastle	Highest
Vendor	pom	name	Bouncy Castle Provider	High
Vendor	pom	url	<a href="https://www.bouncycastle.org/java.html">https://www.bouncycastle.org/java.html</a>	Highest
Product	central	artifactid	bcprov-jdk18on	Highest
Product	file	name	bcprov-jdk18on	High
Product	hint analyzer	product	legion-of-the-bouncy-castle-java-cryptography-api	High
Product	hint analyzer	product	the_bouncy_castle_crypto_package_for_java	High
Product	jar	package name	bouncycastle	Highest
Product	jar	package name	org	Highest
Product	jar	package name	provider	Highest
Product	Manifest	application-library-allowable-codebase	*	Low
Product	Manifest	application-name	Bouncy Castle Provider	Medium
Product	Manifest	automatic-module-name	org.bouncycastle.provider	Medium
Product	Manifest	Bundle-Name	bcprov	Medium
Product	Manifest	bundle-requiredexecution	J2SE-1.5	Low
Product	Manifest	bundle-symbolicname	bcprov	Medium
Product	Manifest	caller-allowable-codebase	*	Low
Product	Manifest	codebase	*	Low
Product	Manifest	extension-name	org.bouncycastle.bcprovider	Medium



Product	Manifest	multi-release	true	Low
Product	Manifest	originally-created-by	25.362-b09 (Private Build)	Low
Product	Manifest	permissions	all-permissions	Low
Product	Manifest	trusted-library	true	Low
Product	pom	artifactid	bcprov-jdk18on	Highest
Product	pom	developer email	feedback-crypto@bouncycastle.org	Low
Product	pom	developer id	feedback-crypto	Low
Product	pom	developer name	The Legion of the Bouncy Castle Inc.	Low
Product	pom	groupid	org.bouncycastle	Highest
Product	pom	name	Bouncy Castle Provider	High
Product	pom	url	https://www.bouncycastle.org/java.html	Medium
Version	central	version	1.76	Highest
Version	Manifest	Bundle-Version	1.76	High
Version	pom	version	1.76	Highest

## Related Dependencies



- webserver.zip: bcprov-jdk18on.jar
  - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/webserver.zip/bcprov-jdk18on.jar
  - MD5: 7020b9a9e1b951f5754a2168a26367f1
  - SHA1: 3a785d0b41806865ad7e311162bfa3fa60b3965b
  - SHA256: fda85d777aaae168015860b23a77cad9b8d3a1d5c904fda875313427bd560179
  - [pkg:maven/org.bouncycastle/bcprov-jdk18on@1.76](https://mvnrepository.com/artifact/org.bouncycastle/bcprov-jdk18on/1.76)

## Identifiers

- [pkg:maven/org.bouncycastle/bcprov-jdk18on@1.76](https://mvnrepository.com/artifact/org.bouncycastle/bcprov-jdk18on/1.76) (*Confidence:High*)
- cpe:2.3:a:bouncycastle:bouncy-castle-crypto-package:1.76:\*:\*:\*:\*:\* (*Confidence:Low*)
- cpe:2.3:a:bouncycastle:bouncy\_castle\_crypto\_package:1.76:\*:\*:\*:\*:\* (*Confidence:Low*)
- cpe:2.3:a:bouncycastle:bouncy\_castle\_for\_java:1.76:\*:\*:\*:\*:\* (*Confidence:Low*)
- cpe:2.3:a:bouncycastle:legion-of-the-bouncy-castle:1.76:\*:\*:\*:\*:\* (*Confidence:Low*)
- cpe:2.3:a:bouncycastle:legion-of-the-bouncy-castle-java-cryptography-api:1.76:\*:\*:\*:\*:\* (*Confidence:Low*)
- cpe:2.3:a:bouncycastle:the\_bouncy\_castle\_crypto\_package\_for\_java:1.76:\*:\*:\*:\*:\* (*Confidence:Low*)



## mail.zip: bcutil-jdk18on.jar

### Description:

The Bouncy Castle Java APIs for ASN.1 extension and utility APIs used to support bcpkix and bctls. This jar contains APIs for JDK 1.8 and up.

### License:

Bouncy Castle Licence: <https://www.bouncycastle.org/licence.html>

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/mail.zip/bcutil-jdk18on.jar

**MD5:** 4df5b021c310b4c7c07d4490318d75cb

**SHA1:** 8c7594e651a278bcde18e038d8ab55b1f97f4d31

**SHA256:** 1a65ad02958223a3f31373bd72eea942cafd1b1877a3ed0b492c2487e77c3c27

**Referenced In Project/Scope:**server

### Evidence



Type	Source	Name	Value	Confidence
Vendor	central	artifactid	bcutil-jdk18on	Highest
Vendor	central	groupid	org.bouncycastle	Highest
Vendor	file	name	bcutil-jdk18on	High
Vendor	jar	package name	bouncycastle	Highest
Vendor	jar	package name	bouncycastle	Low
Vendor	jar	package name	oer	Low
Vendor	Manifest	application-library-allowable-codebase	*	Low
Vendor	Manifest	application-name	Bouncy Castle Utility APIs	Medium
Vendor	Manifest	automatic-module-name	org.bouncycastle.util	Medium
Vendor	Manifest	bundle-requiredexecution	J2SE-1.5	Low
Vendor	Manifest	bundle-symbolicname	bcutil	Medium
Vendor	Manifest	caller-allowable-codebase	*	Low
Vendor	Manifest	codebase	*	Low
Vendor	Manifest	extension-name	org.bouncycastle.bcutil	Medium
Vendor	Manifest	Implementation-Vendor	BouncyCastle.org	High



Vendor	Manifest	Implementation-Vendor-Id	org.bouncycastle	Medium
Vendor	Manifest	multi-release	true	Low
Vendor	Manifest	originally-created-by	25.362-b09 (Private Build)	Low
Vendor	Manifest	permissions	all-permissions	Low
Vendor	Manifest	specification-vendor	BouncyCastle.org	Low
Vendor	Manifest	trusted-library	true	Low
Vendor	pom	artifactid	bcutil-jdk18on	Low
Vendor	pom	developer email	feedback-crypto@bouncycastle.org	Low
Vendor	pom	developer id	feedback-crypto	Medium
Vendor	pom	developer name	The Legion of the Bouncy Castle Inc.	Medium
Vendor	pom	groupid	org.bouncycastle	Highest
Vendor	pom	name	Bouncy Castle ASN.1 Extension and Utility APIs	High
Vendor	pom	url	<a href="https://www.bouncycastle.org/java.html">https://www.bouncycastle.org/java.html</a>	Highest
Product	central	artifactid	bcutil-jdk18on	Highest
Product	file	name	bcutil-jdk18on	High
Product	jar	package name	bouncycastle	Highest
Product	jar	package name	oer	Low
Product	Manifest	application-library-allowable-codebase	*	Low
Product	Manifest	application-name	Bouncy Castle Utility APIs	Medium
Product	Manifest	automatic-module-name	org.bouncycastle.util	Medium
Product	Manifest	Bundle-Name	bcutil	Medium
Product	Manifest	bundle-requiredexecution	J2SE-1.5	Low
Product	Manifest	bundle-symbolicname	bcutil	Medium
Product	Manifest	caller-allowable-codebase	*	Low
Product	Manifest	codebase	*	Low
Product	Manifest	extension-name	org.bouncycastle.bcutil	Medium
Product	Manifest	multi-release	true	Low
Product	Manifest	originally-created-by	25.362-b09 (Private Build)	Low
Product	Manifest	permissions	all-permissions	Low



Product	Manifest	trusted-library	true	Low
Product	pom	artifactid	bcutil-jdk18on	Highest
Product	pom	developer email	feedback-crypto@bouncycastle.org	Low
Product	pom	developer id	feedback-crypto	Low
Product	pom	developer name	The Legion of the Bouncy Castle Inc.	Low
Product	pom	groupid	org.bouncycastle	Highest
Product	pom	name	Bouncy Castle ASN.1 Extension and Utility APIs	High
Product	pom	url	https://www.bouncycastle.org/java.html	Medium
Version	central	version	1.76	Highest
Version	Manifest	Bundle-Version	1.76	High
Version	pom	version	1.76	Highest

#### Related Dependencies



- webserver.zip: bcutil-jdk18on.jar
  - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/webserver.zip/bcutil-jdk18on.jar
  - MD5: 4df5b021c310b4c7c07d4490318d75cb
  - SHA1: 8c7594e651a278bcde18e038d8ab55b1f97f4d31
  - SHA256: 1a65ad02958223a3f31373bd72eea942cafd1b1877a3ed0b492c2487e77c3c27
  - [pkg:maven/org.bouncycastle/bcutil-jdk18on@1.76](https://mvnrepository.com/artifact/org.bouncycastle/bcutil-jdk18on/1.76)

#### Identifiers

- [pkg:maven/org.bouncycastle/bcutil-jdk18on@1.76](https://mvnrepository.com/artifact/org.bouncycastle/bcutil-jdk18on/1.76) (*Confidence:High*)
- cpe:2.3:a:bouncycastle:bouncy\_castle\_for\_java:1.76:\*:\*:\*:\*:\* (*Confidence:Low*)
- cpe:2.3:a:bouncycastle:legion-of-the-bouncy-castle:1.76:\*:\*:\*:\*:\* (*Confidence:Low*)

suppress

suppress

## mail.zip: jakarta.activation.jar

### Description:

Jakarta Activation

### License:

<http://www.eclipse.org/org/documents/edl-v10.php>



**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/mail.zip/jakarta.activation.jar  
**MD5:** 0b8bee3bf29b9a015f8b992035581a7c  
**SHA1:** 74548703f9851017ce2f556066659438019e7eb5  
**SHA256:** 02156773e4ae9d048d14a56ad35d644bee9f1052a791d072df3ded3c656e6e1a  
**Referenced In Project/Scope:**server

## Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	jakarta.activation	High
Vendor	jar	package name	activation	Highest
Vendor	jar	package name	sun	Highest
Vendor	jar (hint)	package name	oracle	Highest
Vendor	Manifest	bundle-docurl	https://www.eclipse.org	Low
Vendor	Manifest	bundle-symbolicname	com.sun.activation.jakarta.activation	Medium
Vendor	Manifest	extension-name	jakarta.activation	Medium
Vendor	Manifest	Implementation-Vendor	Eclipse Foundation	High
Vendor	Manifest	Implementation-Vendor-Id	com.sun	Medium
Vendor	Manifest	require-capability	osgi.ee;filter:="(&(osgi.ee=JavaSE)(version=9.0))"	Low
Vendor	Manifest	specification-vendor	Eclipse Foundation	Low
Vendor	pom	artifactid	jakarta.activation	Low
Vendor	pom	groupid	com.sun.activation	Highest
Vendor	pom	name	Jakarta Activation	High
Vendor	pom	parent-artifactid	all	Low
Product	file	name	jakarta.activation	High
Product	jar	package name	activation	Highest
Product	jar	package name	javax	Highest
Product	jar	package name	sun	Highest
Product	Manifest	bundle-docurl	https://www.eclipse.org	Low
Product	Manifest	Bundle-Name	Jakarta Activation	Medium
Product	Manifest	bundle-symbolicname	com.sun.activation.jakarta.activation	Medium
Product	Manifest	extension-name	jakarta.activation	Medium
Product	Manifest	Implementation-Title	javax.activation	High



Product	Manifest	require-capability	osgi.ee;filter:="(&(osgi.ee=JavaSE)(version=9.0))"	Low
Product	Manifest	specification-title	Jakarta Activation Specification	Medium
Product	pom	artifactid	jakarta.activation	Highest
Product	pom	groupid	com.sun.activation	Highest
Product	pom	name	Jakarta Activation	High
Product	pom	parent-artifactid	all	Medium
Version	Manifest	Bundle-Version	1.2.2	High
Version	Manifest	Implementation-Version	1.2.2	High
Version	pom	version	1.2.2	Highest

### Identifiers

- [pkg:maven/com.sun.activation/jakarta.activation@1.2.2](#) (*Confidence:High*)
- [cpe:2.3:a:oracle:java\\_se:1.2.2:\\*:\\*:\\*:\\*:\\*](#) (*Confidence:Low*) suppress

## mail.zip: jakarta.mail.jar

### Description:

Jakarta Mail API

### License:

<http://www.eclipse.org/legal/epl-2.0>, <https://www.gnu.org/software/classpath/license.html>, <http://www.eclipse.org/org/documents/edl-v10.php>

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/mail.zip/jakarta.mail.jar

**MD5:** 17eb378c9dd574be23e71014ce9d5d30

**SHA1:** 319df0e9d536c1a01acdfc49b6e82b97d2393073

**SHA256:** 1b258ef45fae93059b65d0a0dd109e59ab93e8cd8a735ff66b2ba85f870d5150

**Referenced In Project/Scope:**server

### Evidence

Type	Source	Name	Value	Confidence
Vendor	file	name	jakarta.mail	High
Vendor	jar	package name	javax	Highest
Vendor	jar	package name	mail	Highest
Vendor	jar	package name	provider	Highest
Vendor	jar	package name	sun	Highest



Vendor	jar (hint)	package name	oracle	Highest
Vendor	Manifest	build-jdk-spec	11	Low
Vendor	Manifest	bundle-docurl	http://www.oracle.com	Low
Vendor	Manifest	bundle-symbolicname	com.sun.mail.jakarta.mail	Medium
Vendor	Manifest	extension-name	javax.mail	Medium
Vendor	Manifest	Implementation-Vendor	Oracle	High
Vendor	Manifest	Implementation-Vendor-Id	com.sun	Medium
Vendor	Manifest	probe-provider-xml-file-names	META-INF/gfprobe-provider.xml	Medium
Vendor	Manifest	require-capability	osgi.ee;filter:="(&(osgi.ee=JavaSE)(version=1.8))"	Low
Vendor	Manifest	specification-vendor	Oracle	Low
Vendor	Manifest (hint)	Implementation-Vendor	sun	High
Vendor	Manifest (hint)	specification-vendor	sun	Low
Vendor	pom	artifactid	jakarta.mail	Low
Vendor	pom	groupid	com.sun.mail	Highest
Vendor	pom	name	Jakarta Mail API	High
Vendor	pom	parent-artifactid	all	Low
Product	file	name	jakarta.mail	High
Product	jar	package name	javax	Highest
Product	jar	package name	mail	Highest
Product	jar	package name	provider	Highest
Product	jar	package name	sun	Highest
Product	jar	package name	version	Highest
Product	Manifest	build-jdk-spec	11	Low
Product	Manifest	bundle-docurl	http://www.oracle.com	Low
Product	Manifest	Bundle-Name	Jakarta Mail API	Medium
Product	Manifest	bundle-symbolicname	com.sun.mail.jakarta.mail	Medium
Product	Manifest	extension-name	javax.mail	Medium
Product	Manifest	Implementation-Title	javax.mail	High
Product	Manifest	probe-provider-xml-file-names	META-INF/gfprobe-provider.xml	Medium



Product	Manifest	require-capability	osgi.ee;filter:="(&(osgi.ee=JavaSE)(version=1.8))"	Low
Product	Manifest	specification-title	Jakarta Mail API Design Specification	Medium
Product	pom	artifactid	jakarta.mail	Highest
Product	pom	groupid	com.sun.mail	Highest
Product	pom	name	Jakarta Mail API	High
Product	pom	parent-artifactid	all	Medium
Version	Manifest	Bundle-Version	1.6.7	High
Version	Manifest	Implementation-Version	1.6.7	High
Version	pom	version	1.6.7	Highest

### Identifiers

- [pkg:maven/com.sun.mail/jakarta.mail@1.6.7](#) (Confidence:High)
- cpe:2.3:a:oracle:java\_se:1.6.7:\*:\*:\*:\*:\* (Confidence:Low) suppress

## mail.zip: mail.jar

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/mail.zip/mail.jar

**MD5:** 1e8de872a10a6944ce4f53becf3ac00e

**SHA1:** 883267501635819af10e726cceac5f7164c22c0d

**SHA256:** 3d055343e47959e2d9ac480309d8642f443740b52063c99dabefe1b2fe6ca887

**Referenced In Project/Scope:**server

### Evidence

Type	Source	Name	Value	Confidence
Vendor	file	name	mail	High
Vendor	jar	package name	api	Low
Vendor	jar	package name	i	Highest
Vendor	jar	package name	inet	Low
Vendor	jar	package name	mail	Low
Vendor	Manifest	built-date	2024-01-16 12:23	Low
Vendor	Manifest	implementation-group	shared	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High



Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	mail	High
Product	jar	package name	api	Low
Product	jar	package name	mail	Highest
Product	jar	package name	mail	Low
Product	Manifest	built-date	2024-01-16 12:23	Low
Product	Manifest	implementation-group	shared	Low
Product	Manifest	Implementation-Title	mail	High
Product	Manifest	specification-title	mail	Medium
Version	Manifest	Implementation-Version	23.10.295	High

Identifiers

- None

mail.zip: mail.jar: smimeconfig.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/mail.zip/mail.jar/com/inet/mail/structure/smimeconfig.js  
**MD5:** 8f813fb422994be74d9179f2cbf12b35  
**SHA1:** f28664c17585233f31c47030d853d5dd9756d0c4  
**SHA256:**33ddf4e09a83a52a627af09c27c086bd3ac0b0a519e49e0f3c31cccf80f100f8  
**Referenced In Project/Scope:**server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None



## main.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/Documentation and Samples/dotnet - ProcessBridge API Doc/styles/main.js

**MD5:** d79b7693c3fedef6d2701f98bd63395e

**SHA1:** dcb11c632f69f2a29632327c71ce2b36f0ed2da0

**SHA256:** 8c8530e356505da9f829ef1cf582c79f20fdd14cf1bb8491abc354d5e6882334

**Referenced In Project/Scope:**server

### Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Related Dependencies

- main.js
  - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/Documentation and Samples/nunit - API Doc/styles/main.js
  - MD5: d79b7693c3fedef6d2701f98bd63395e
  - SHA1: dcb11c632f69f2a29632327c71ce2b36f0ed2da0
  - SHA256: 8c8530e356505da9f829ef1cf582c79f20fdd14cf1bb8491abc354d5e6882334

### Identifiers

- None

## maintenance.pdf.zip: maintenance.pdf.jar

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/maintenance.pdf.zip/maintenance.pdf.jar

**MD5:** 99d960030706ea27a6b6b64d6c417444

**SHA1:** 83f5a02d6c60bdb236a849a118f3a0f5fdd8ea81

**SHA256:** 6c95e3a0be738625bb5b5d5d53d2880d2fd5f497896d9c2544cfe87e622fe175

**Referenced In Project/Scope:**server

### Evidence

Type	Source	Name	Value	Confidence
Vendor	file	name	maintenance.pdf	High
Vendor	jar	package name	inet	Low
Vendor	jar	package name	pdfc	Low
Vendor	jar	package name	plugins	Low



Vendor	Manifest	built-date	2024-01-16 15:27	Low
Vendor	Manifest	implementation-group	pdfc	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	maintenance.pdfc	High
Product	jar	package name	maintenance	Highest
Product	jar	package name	maintenance	Low
Product	jar	package name	pdfc	Highest
Product	jar	package name	pdfc	Low
Product	jar	package name	plugins	Low
Product	Manifest	built-date	2024-01-16 15:27	Low
Product	Manifest	implementation-group	pdfc	Low
Product	Manifest	Implementation-Title	maintenance.pdfc	High
Product	Manifest	specification-title	maintenance.pdfc	Medium
Version	jar	package name	pdfc	Highest
Version	Manifest	Implementation-Version	23.10.295	High

### Identifiers

- cpe:2.3:a:inetsoftware:pdfc:23.10.295:\*\*\*\*:\* (Confidence:Low)

suppress

### maintenance.pdfc.zip: maintenance.pdfc.jar: app.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/maintenance.pdfc.zip/maintenance.pdfc.jar/com/inet/pdfc/plugins/maintenance/server/comparisons/js/app.js

**MD5:** c5b81bbd2ccc5c70732cb9b5140031e8

**SHA1:** 3600bcef3b8e5e8673753dba6e44219e1ee6084e

**SHA256:** 29f813005b914380fb3d2431e48cc5256085b01352b29cd52a030c039f4c5048

**Referenced In Project/Scope:**server



#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### maintenance.pdf.zip: maintenance.pdf.jar: comparisons.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/maintenance.pdf.zip/maintenance.pdf.jar/com/inet/pdfc/plugins/maintenance/server/comparisons/js/comparisons.js

**MD5:** 4a358909e70f5e92382c4ffa1ad9b09f

**SHA1:** bbfe46ecb44e78fddfc7d2b46e8eac1f2e064425

**SHA256:** 744b2fd3fca72ee7c3e807ad435821ce5d5591dbdfd7222b8772637807543e16

**Referenced In Project/Scope:**server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### maintenance.zip: maintenance-javadoc.jar

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/maintenance.zip/maintenance-javadoc.jar

**MD5:** 2524ca978d4c7f6a4c7ac134f28b86dd

**SHA1:** 4d81f40497dec3965371e9771ce15197891b6099

**SHA256:** 16c285dc6bd9f09895ec60b2d5b324f201a036485a4352109b80df5384074fda

**Referenced In Project/Scope:**server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Vendor	file	name	maintenance-javadoc	High
--------	------	------	---------------------	------

Product	file	name	maintenance-javadoc	High
---------	------	------	---------------------	------



## Identifiers

- None

## maintenance.zip: maintenance-javadoc.jar: jquery-3.5.1.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/maintenance.zip/maintenance-javadoc.jar/jquery/jquery-3.5.1.js

**MD5:** 23c7c5d2d1317508e807a6c7f777d6ed

**SHA1:** ad16c4a132ad2a03b4951185fed46d55397b5e88

**SHA256:** 416a3b2c3bf16d64f6b5b6d0f7b079df2267614dd6847fc2f3271b4409233c37

**Referenced In Project/Scope:**server

## Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

## Related Dependencies

- maintenance.zip: maintenance-javadoc.jar: jquery.js
  - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/maintenance.zip/maintenance-javadoc.jar/jquery/external/jquery/jquery.js
  - MD5: 23c7c5d2d1317508e807a6c7f777d6ed
  - SHA1: ad16c4a132ad2a03b4951185fed46d55397b5e88
  - SHA256: 416a3b2c3bf16d64f6b5b6d0f7b079df2267614dd6847fc2f3271b4409233c37
- pdfc.zip: pdfc-javadoc.jar: jquery-3.5.1.js
  - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/pdfc.zip/pdfc-javadoc.jar/jquery/jquery-3.5.1.js
  - MD5: 23c7c5d2d1317508e807a6c7f777d6ed
  - SHA1: ad16c4a132ad2a03b4951185fed46d55397b5e88
  - SHA256: 416a3b2c3bf16d64f6b5b6d0f7b079df2267614dd6847fc2f3271b4409233c37
- pdfc.zip: pdfc-javadoc.jar: jquery.js
  - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/pdfc.zip/pdfc-javadoc.jar/jquery/external/jquery/jquery.js
  - MD5: 23c7c5d2d1317508e807a6c7f777d6ed
  - SHA1: ad16c4a132ad2a03b4951185fed46d55397b5e88
  - SHA256: 416a3b2c3bf16d64f6b5b6d0f7b079df2267614dd6847fc2f3271b4409233c37
- reporting.zip: reporting-javadoc.jar: jquery-3.5.1.js
  - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/reporting.zip/reporting-javadoc.jar/jquery/jquery-3.5.1.js
  - MD5: 23c7c5d2d1317508e807a6c7f777d6ed
  - SHA1: ad16c4a132ad2a03b4951185fed46d55397b5e88
  - SHA256: 416a3b2c3bf16d64f6b5b6d0f7b079df2267614dd6847fc2f3271b4409233c37
- reporting.zip: reporting-javadoc.jar: jquery.js



- File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/reporting.zip/reporting-javadoc.jar/jquery/external/jquery/jquery.js
- MD5: 23c7c5d2d1317508e807a6c7f777d6ed
- SHA1: ad16c4a132ad2a03b4951185fed46d55397b5e88
- SHA256: 416a3b2c3bf16d64f6b5b6d0f7b079df2267614dd6847fc2f3271b4409233c37
- taskplanner.zip: taskplanner-javadoc.jar: jquery-3.5.1.js
  - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/taskplanner.zip/taskplanner-javadoc.jar/jquery/jquery-3.5.1.js
  - MD5: 23c7c5d2d1317508e807a6c7f777d6ed
  - SHA1: ad16c4a132ad2a03b4951185fed46d55397b5e88
  - SHA256: 416a3b2c3bf16d64f6b5b6d0f7b079df2267614dd6847fc2f3271b4409233c37
- taskplanner.zip: taskplanner-javadoc.jar: jquery.js
  - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/taskplanner.zip/taskplanner-javadoc.jar/jquery/external/jquery/jquery.js
  - MD5: 23c7c5d2d1317508e807a6c7f777d6ed
  - SHA1: ad16c4a132ad2a03b4951185fed46d55397b5e88
  - SHA256: 416a3b2c3bf16d64f6b5b6d0f7b079df2267614dd6847fc2f3271b4409233c37

#### Identifiers

- None

### maintenance.zip: maintenance-javadoc.jar: jquery-ui.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/maintenance.zip/maintenance-javadoc.jar/jquery/jquery-ui.js

**MD5:** 3e34f50eab2e13d720c93e44ac5cb7ca

**SHA1:** c432ac324c727a86a9a54eff1b90d79e115e3f16

**SHA256:** 712e2e2efe1717a1e10aee0e02163e1deadf88760ade58b5cdf333ea6de5247

**Referenced In Project/Scope:**server

#### Evidence

Type	Source	Name	Value	Confidence
Vendor	file	name	jquery-ui	High
Product	file	name	jquery-ui	High
Version	file	version	1.12.1	High

#### Related Dependencies

- pdfc.zip: pdfc-javadoc.jar: jquery-ui.js
  - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/pdfc.zip/pdfc-javadoc.jar/jquery/jquery-ui.js
  - MD5: 3e34f50eab2e13d720c93e44ac5cb7ca



- SHA1: c432ac324c727a86a9a54eff1b90d79e115e3f16
- SHA256: 712e2e2efe1717a1e10aee0e02163e1deadf88760ade58b5cdfe333ea6de5247
- [pkg:javascript/jquery-ui@1.12.1](#)
- reporting.zip: reporting-javadoc.jar: jquery-ui.js
  - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/reporting.zip/reporting-javadoc.jar/jquery/jquery-ui.js
  - MD5: 3e34f50eab2e13d720c93e44ac5cb7ca
  - SHA1: c432ac324c727a86a9a54eff1b90d79e115e3f16
  - SHA256: 712e2e2efe1717a1e10aee0e02163e1deadf88760ade58b5cdfe333ea6de5247
  - [pkg:javascript/jquery-ui@1.12.1](#)
- taskplanner.zip: taskplanner-javadoc.jar: jquery-ui.js
  - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/taskplanner.zip/taskplanner-javadoc.jar/jquery/jquery-ui.js
  - MD5: 3e34f50eab2e13d720c93e44ac5cb7ca
  - SHA1: c432ac324c727a86a9a54eff1b90d79e115e3f16
  - SHA256: 712e2e2efe1717a1e10aee0e02163e1deadf88760ade58b5cdfe333ea6de5247
  - [pkg:javascript/jquery-ui@1.12.1](#)

#### Identifiers

- [pkg:javascript/jquery-ui@1.12.1](#) (*Confidence: Highest*)

### maintenance.zip: maintenance-javadoc.jar: jquery-ui.min.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/maintenance.zip/maintenance-javadoc.jar/jquery/jquery-ui.min.js

**MD5:** 28d157e58272e91b054c254eab737df0

**SHA1:** 4165e40107b31b0ce5f022f579635fccb887bef9

**SHA256:** 76e849220d7fe7778affeaaf0806e48bbb69a5ec5b8c8b8f5f3cd89439a6dedc

**Referenced In Project/Scope:** server

#### Evidence

Type	Source	Name	Value	Confidence
Vendor	file	name	jquery-ui	High
Product	file	name	jquery-ui	High
Version	file	version	1.12.1	High

#### Related Dependencies

- pdfc.zip: pdfc-javadoc.jar: jquery-ui.min.js
  - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/pdfc.zip/pdfc-javadoc.jar/jquery/jquery-ui.min.js
  - MD5: 28d157e58272e91b054c254eab737df0
  - SHA1: 4165e40107b31b0ce5f022f579635fccb887bef9



- SHA256: 76e849220d7fe7778affeaaf0806e48bbb69a5ec5b8c8b8f5f3cd89439a6dedc
- [pkg:javascript/jquery-ui@1.12.1](#)
- reporting.zip: reporting-javadoc.jar: jquery-ui.min.js
  - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/reporting.zip/reporting-javadoc.jar/jquery/jquery-ui.min.js
  - MD5: 28d157e58272e91b054c254eab737df0
  - SHA1: 4165e40107b31b0ce5f022f579635fccb887bef9
  - SHA256: 76e849220d7fe7778affeaaf0806e48bbb69a5ec5b8c8b8f5f3cd89439a6dedc
  - [pkg:javascript/jquery-ui@1.12.1](#)
- taskplanner.zip: taskplanner-javadoc.jar: jquery-ui.min.js
  - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/taskplanner.zip/taskplanner-javadoc.jar/jquery/jquery-ui.min.js
  - MD5: 28d157e58272e91b054c254eab737df0
  - SHA1: 4165e40107b31b0ce5f022f579635fccb887bef9
  - SHA256: 76e849220d7fe7778affeaaf0806e48bbb69a5ec5b8c8b8f5f3cd89439a6dedc
  - [pkg:javascript/jquery-ui@1.12.1](#)

## Identifiers

- [pkg:javascript/jquery-ui@1.12.1](#) (*Confidence: Highest*)

## maintenance.zip: maintenance-javadoc.jar: jszip-utils-ie.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/maintenance.zip/maintenance-javadoc.jar/jquery/jszip-utils/dist/jszip-utils-ie.js

**MD5:** 9ec16c4857f56351e91cae003483bc8f

**SHA1:** 98fe94534d85ac506afac72bcd109eadb0024c32

**SHA256:** 0ce844c4c202c352e3210a61fc0910039a70708453b0db6f29d4da9496f2711e

**Referenced In Project/Scope:** server

## Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

## Related Dependencies

- pdfc.zip: pdfc-javadoc.jar: jszip-utils-ie.js
  - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/pdfc.zip/pdfc-javadoc.jar/jquery/jszip-utils/dist/jszip-utils-ie.js
  - MD5: 9ec16c4857f56351e91cae003483bc8f
  - SHA1: 98fe94534d85ac506afac72bcd109eadb0024c32
  - SHA256: 0ce844c4c202c352e3210a61fc0910039a70708453b0db6f29d4da9496f2711e
- reporting.zip: reporting-javadoc.jar: jszip-utils-ie.js
  - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/reporting.zip/reporting-javadoc.jar/jquery/jszip-utils/dist/jszip-utils-ie.js
  - MD5: 9ec16c4857f56351e91cae003483bc8f



- SHA1: 98fe94534d85ac506afac72bcd109eadb0024c32
- SHA256: 0ce844c4c202c352e3210a61fc0910039a70708453b0db6f29d4da9496f2711e
- taskplanner.zip: taskplanner-javadoc.jar: jszip-utils-ie.js
  - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/taskplanner.zip/taskplanner-javadoc.jar/jquery/jszip-utils/dist/jszip-utils-ie.js
  - MD5: 9ec16c4857f56351e91cae003483bc8f
  - SHA1: 98fe94534d85ac506afac72bcd109eadb0024c32
  - SHA256: 0ce844c4c202c352e3210a61fc0910039a70708453b0db6f29d4da9496f2711e

## Identifiers

- None

## maintenance.zip: maintenance-javadoc.jar: jszip-utils-ie.min.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/maintenance.zip/maintenance-javadoc.jar/jquery/jszip-utils/dist/jszip-utils-ie.min.js

**MD5:** 5d44e2ad643c15a737b056b08def582a

**SHA1:** aad1e840064b0d5d046d2087d17ceb24f7ec165d

**SHA256:** 794491b22860b2a9267b6327e19cb45cb999d290f167f7c87204ffc2ff87e457

**Referenced In Project/Scope:**server

## Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

## Related Dependencies

- pdfc.zip: pdfc-javadoc.jar: jszip-utils-ie.min.js
  - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/pdfc.zip/pdfc-javadoc.jar/jquery/jszip-utils/dist/jszip-utils-ie.min.js
  - MD5: 5d44e2ad643c15a737b056b08def582a
  - SHA1: aad1e840064b0d5d046d2087d17ceb24f7ec165d
  - SHA256: 794491b22860b2a9267b6327e19cb45cb999d290f167f7c87204ffc2ff87e457
- reporting.zip: reporting-javadoc.jar: jszip-utils-ie.min.js
  - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/reporting.zip/reporting-javadoc.jar/jquery/jszip-utils/dist/jszip-utils-ie.min.js
  - MD5: 5d44e2ad643c15a737b056b08def582a
  - SHA1: aad1e840064b0d5d046d2087d17ceb24f7ec165d
  - SHA256: 794491b22860b2a9267b6327e19cb45cb999d290f167f7c87204ffc2ff87e457
- taskplanner.zip: taskplanner-javadoc.jar: jszip-utils-ie.min.js
  - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/taskplanner.zip/taskplanner-javadoc.jar/jquery/jszip-utils/dist/jszip-utils-ie.min.js
  - MD5: 5d44e2ad643c15a737b056b08def582a
  - SHA1: aad1e840064b0d5d046d2087d17ceb24f7ec165d
  - SHA256: 794491b22860b2a9267b6327e19cb45cb999d290f167f7c87204ffc2ff87e457



## Identifiers

- None

## maintenance.zip: maintenance-javadoc.jar: jszip-utils.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/maintenance.zip/maintenance-javadoc.jar/jquery/jszip-utils/dist/jszip-utils.js

**MD5:** d3b9e4ee8dff5107ce1285f0d51d86f3

**SHA1:** 57aca6d613287c93f41f32efd124dd2a72994eed

**SHA256:** c06f765f3bed456436a8819b4d41fba66e537d88c90c4f46eb95d604c94086e3

**Referenced In Project/Scope:**server

## Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

## Related Dependencies



- pdfc.zip: pdfc-javadoc.jar: jszip-utils.js
  - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/pdfc.zip/pdfc-javadoc.jar/jquery/jszip-utils/dist/jszip-utils.js
  - MD5: d3b9e4ee8dff5107ce1285f0d51d86f3
  - SHA1: 57aca6d613287c93f41f32efd124dd2a72994eed
  - SHA256: c06f765f3bed456436a8819b4d41fba66e537d88c90c4f46eb95d604c94086e3
- reporting.zip: reporting-javadoc.jar: jszip-utils.js
  - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/reporting.zip/reporting-javadoc.jar/jquery/jszip-utils/dist/jszip-utils.js
  - MD5: d3b9e4ee8dff5107ce1285f0d51d86f3
  - SHA1: 57aca6d613287c93f41f32efd124dd2a72994eed
  - SHA256: c06f765f3bed456436a8819b4d41fba66e537d88c90c4f46eb95d604c94086e3
- taskplanner.zip: taskplanner-javadoc.jar: jszip-utils.js
  - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/taskplanner.zip/taskplanner-javadoc.jar/jquery/jszip-utils/dist/jszip-utils.js
  - MD5: d3b9e4ee8dff5107ce1285f0d51d86f3
  - SHA1: 57aca6d613287c93f41f32efd124dd2a72994eed
  - SHA256: c06f765f3bed456436a8819b4d41fba66e537d88c90c4f46eb95d604c94086e3

## Identifiers

- None



## maintenance.zip: maintenance-javadoc.jar: jszip-utils.min.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/maintenance.zip/maintenance-javadoc.jar/jquery/jszip-utils/dist/jszip-utils.min.js

**MD5:** 0608ff0ca6b939ae7263f0b219b0e4f2

**SHA1:** a0885000845dedb7f5bf0db35e1f92cc79a0d40c

**SHA256:** c38706b6ead21f5636ea9b79297a7976c59f8c1ff9242bf675aee5dce392ce98

**Referenced In Project/Scope:**server

### Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Related Dependencies

- pdfc.zip: pdfc-javadoc.jar: jszip-utils.min.js
  - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/pdfc.zip/pdfc-javadoc.jar/jquery/jszip-utils/dist/jszip-utils.min.js
  - MD5: 0608ff0ca6b939ae7263f0b219b0e4f2
  - SHA1: a0885000845dedb7f5bf0db35e1f92cc79a0d40c
  - SHA256: c38706b6ead21f5636ea9b79297a7976c59f8c1ff9242bf675aee5dce392ce98
- reporting.zip: reporting-javadoc.jar: jszip-utils.min.js
  - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/reporting.zip/reporting-javadoc.jar/jquery/jszip-utils/dist/jszip-utils.min.js
  - MD5: 0608ff0ca6b939ae7263f0b219b0e4f2
  - SHA1: a0885000845dedb7f5bf0db35e1f92cc79a0d40c
  - SHA256: c38706b6ead21f5636ea9b79297a7976c59f8c1ff9242bf675aee5dce392ce98
- taskplanner.zip: taskplanner-javadoc.jar: jszip-utils.min.js
  - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/taskplanner.zip/taskplanner-javadoc.jar/jquery/jszip-utils/dist/jszip-utils.min.js
  - MD5: 0608ff0ca6b939ae7263f0b219b0e4f2
  - SHA1: a0885000845dedb7f5bf0db35e1f92cc79a0d40c
  - SHA256: c38706b6ead21f5636ea9b79297a7976c59f8c1ff9242bf675aee5dce392ce98

### Identifiers

- None

## maintenance.zip: maintenance-javadoc.jar: jszip.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/maintenance.zip/maintenance-javadoc.jar/jquery/jszip/dist/jszip.js



**MD5:** 445655f2b60614c242f0c073c319ebd3  
**SHA1:** 2f46d4b06054852cdde51cee3764f71b8658da87  
**SHA256:** 6c18a4b2cee69dd705e8a9ac911e2284f4a5c68c86031b86e067ffaf3a253938  
**Referenced In Project/Scope:**server

Evidence

Type	Source	Name	Value	Confidence
Vendor	file	name	jszip	High
Product	file	name	jszip	High
Version	file	version	3.2.1	High

Related Dependencies

- pdfc.zip: pdfc-javadoc.jar: jszip.js
  - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/pdfc.zip/pdfc-javadoc.jar/jquery/jszip/dist/jszip.js
  - MD5: 445655f2b60614c242f0c073c319ebd3
  - SHA1: 2f46d4b06054852cdde51cee3764f71b8658da87
  - SHA256: 6c18a4b2cee69dd705e8a9ac911e2284f4a5c68c86031b86e067ffaf3a253938
  - [pkg:javascript/jszip@3.2.1](#)
- reporting.zip: reporting-javadoc.jar: jszip.js
  - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/reporting.zip/reporting-javadoc.jar/jquery/jszip/dist/jszip.js
  - MD5: 445655f2b60614c242f0c073c319ebd3
  - SHA1: 2f46d4b06054852cdde51cee3764f71b8658da87
  - SHA256: 6c18a4b2cee69dd705e8a9ac911e2284f4a5c68c86031b86e067ffaf3a253938
  - [pkg:javascript/jszip@3.2.1](#)
- taskplanner.zip: taskplanner-javadoc.jar: jszip.js
  - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/taskplanner.zip/taskplanner-javadoc.jar/jquery/jszip/dist/jszip.js
  - MD5: 445655f2b60614c242f0c073c319ebd3
  - SHA1: 2f46d4b06054852cdde51cee3764f71b8658da87
  - SHA256: 6c18a4b2cee69dd705e8a9ac911e2284f4a5c68c86031b86e067ffaf3a253938
  - [pkg:javascript/jszip@3.2.1](#)

Identifiers

- [pkg:javascript/jszip@3.2.1](#) (Confidence: Highest)

**maintenance.zip: maintenance-javadoc.jar: jszip.min.js**

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/maintenance.zip/maintenance-javadoc.jar/jquery/jszip/dist/jszip.min.js  
**MD5:** dc5d2aac976b1ad09faa452b4ce37519



SHA1: 3437dfa4dce6aa98c78ff6768de5694a70768892  
SHA256:832e56e7fad75a5b965c546f31614531586871fa417bb4dfe125b658c7e3b381  
Referenced In Project/Scope:server

Evidence

Type	Source	Name	Value	Confidence
Vendor	file	name	jszip	High
Product	file	name	jszip	High
Version	file	version	3.2.1	High

Related Dependencies

- pdfc.zip: pdfc-javadoc.jar: jszip.min.js
  - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/pdfc.zip/pdfc-javadoc.jar/jquery/jszip/dist/jszip.min.js
  - MD5: dc5d2aac976b1ad09faa452b4ce37519
  - SHA1: 3437dfa4dce6aa98c78ff6768de5694a70768892
  - SHA256: 832e56e7fad75a5b965c546f31614531586871fa417bb4dfe125b658c7e3b381
  - [pkg:javascript/jszip@3.2.1](#)
- reporting.zip: reporting-javadoc.jar: jszip.min.js
  - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/reporting.zip/reporting-javadoc.jar/jquery/jszip/dist/jszip.min.js
  - MD5: dc5d2aac976b1ad09faa452b4ce37519
  - SHA1: 3437dfa4dce6aa98c78ff6768de5694a70768892
  - SHA256: 832e56e7fad75a5b965c546f31614531586871fa417bb4dfe125b658c7e3b381
  - [pkg:javascript/jszip@3.2.1](#)
- taskplanner.zip: taskplanner-javadoc.jar: jszip.min.js
  - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/taskplanner.zip/taskplanner-javadoc.jar/jquery/jszip/dist/jszip.min.js
  - MD5: dc5d2aac976b1ad09faa452b4ce37519
  - SHA1: 3437dfa4dce6aa98c78ff6768de5694a70768892
  - SHA256: 832e56e7fad75a5b965c546f31614531586871fa417bb4dfe125b658c7e3b381
  - [pkg:javascript/jszip@3.2.1](#)

Identifiers

- [pkg:javascript/jszip@3.2.1](#) (Confidence:Highest)

maintenance.zip: maintenance-javadoc.jar: member-search-index.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/maintenance.zip/maintenance-javadoc.jar/member-search-index.js  
MD5: 5fa34241ecd0c996afaf14c662ae9901  
SHA1: c52d0b3c5f0c21d3d48781cd8deeee63b7db1370



**SHA256:**a5f769e96f722fc7fbc017f95cbf902ec14aae4dfba8177521f58c62143f1c5c  
**Referenced In Project/Scope:**server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

**maintenance.zip: maintenance-javadoc.jar: package-search-index.js**

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/maintenance.zip/maintenance-javadoc.jar/package-search-index.js

**MD5:** 760d0d54bf7b07b22789ea76c4360520

**SHA1:** 6c7325ca5f25beda4965d76c573334c6ecb25b30

**SHA256:**3628d6f5f3503981544bd8df4857536e29ed10e61bb4c43344c2275b40bf41a7

**Referenced In Project/Scope:**server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

**maintenance.zip: maintenance-javadoc.jar: script.js**

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/maintenance.zip/maintenance-javadoc.jar/script.js

**MD5:** 09faf3df2baf98a85204181a24f8474a

**SHA1:** b12f5b1b9ec286814b1874bf7647b26755be106f

**SHA256:**2074e4b64cfac3a17618a69de47892e81023b97caf77e33c4db9048dfac1a09b

**Referenced In Project/Scope:**server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------



## Related Dependencies



- pdfc.zip: pdfc-javadoc.jar: script.js
  - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/pdfc.zip/pdfc-javadoc.jar/script.js
  - MD5: 09faf3df2baf98a85204181a24f8474a
  - SHA1: b12f5b1b9ec286814b1874bf7647b26755be106f
  - SHA256: 2074e4b64cfac3a17618a69de47892e81023b97caf77e33c4db9048dfac1a09b
- reporting.zip: reporting-javadoc.jar: script.js
  - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/reporting.zip/reporting-javadoc.jar/script.js
  - MD5: 09faf3df2baf98a85204181a24f8474a
  - SHA1: b12f5b1b9ec286814b1874bf7647b26755be106f
  - SHA256: 2074e4b64cfac3a17618a69de47892e81023b97caf77e33c4db9048dfac1a09b
- taskplanner.zip: taskplanner-javadoc.jar: script.js
  - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/taskplanner.zip/taskplanner-javadoc.jar/script.js
  - MD5: 09faf3df2baf98a85204181a24f8474a
  - SHA1: b12f5b1b9ec286814b1874bf7647b26755be106f
  - SHA256: 2074e4b64cfac3a17618a69de47892e81023b97caf77e33c4db9048dfac1a09b

## Identifiers

- None

## maintenance.zip: maintenance-javadoc.jar: search.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/maintenance.zip/maintenance-javadoc.jar/search.js

**MD5:** a2cf11ffe638bf82e355d8d832869e24

**SHA1:** 34a05458bceae78a6f624db3e3a754fecc015358

**SHA256:** b2f9760a7aa9b092c3c79efa7f058afb851cc447d1283d57421df909b54f2fb9

**Referenced In Project/Scope:** server

## Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

## Related Dependencies



- pdfc.zip: pdfc-javadoc.jar: search.js
  - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/pdfc.zip/pdfc-javadoc.jar/search.js
  - MD5: a2cf11ffe638bf82e355d8d832869e24



- SHA1: 34a05458bceae78a6f624db3e3a754fecc015358
- SHA256: b2f9760a7aa9b092c3c79efa7f058afb851cc447d1283d57421df909b54f2fb9
- reporting.zip: reporting-javadoc.jar: search.js
  - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/reporting.zip/reporting-javadoc.jar/search.js
  - MD5: a2cf11ffe638bf82e355d8d832869e24
  - SHA1: 34a05458bceae78a6f624db3e3a754fecc015358
  - SHA256: b2f9760a7aa9b092c3c79efa7f058afb851cc447d1283d57421df909b54f2fb9
- taskplanner.zip: taskplanner-javadoc.jar: search.js
  - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/taskplanner.zip/taskplanner-javadoc.jar/search.js
  - MD5: a2cf11ffe638bf82e355d8d832869e24
  - SHA1: 34a05458bceae78a6f624db3e3a754fecc015358
  - SHA256: b2f9760a7aa9b092c3c79efa7f058afb851cc447d1283d57421df909b54f2fb9

#### Identifiers

- None

### maintenance.zip: maintenance-javadoc.jar: type-search-index.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/maintenance.zip/maintenance-javadoc.jar/type-search-index.js

**MD5:** c4c0f96fb7ad5a948fb59148c4517645

**SHA1:** 29e4337eb88cf1fa563d865a41ccb2ebda887160

**SHA256:** 376d53550ee05b991e9f0e41b7b81ddd652bedf5f00e4c526924562a5bb6b9c1

**Referenced In Project/Scope:**server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### maintenance.zip: maintenance.jar

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/maintenance.zip/maintenance.jar

**MD5:** e33ea616b21d09c12e99e6ed537eca23

**SHA1:** f253bb6c2afc89c1f5dd83560f5c5d570f17de00



Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	maintenance	High
Vendor	jar	package name	inet	Low
Vendor	jar	package name	maintenance	Low
Vendor	jar	package name	server	Low
Vendor	Manifest	built-date	2024-01-16 12:10	Low
Vendor	Manifest	implementation-group	shared	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	maintenance	High
Product	jar	package name	maintenance	Highest
Product	jar	package name	maintenance	Low
Product	jar	package name	server	Low
Product	Manifest	built-date	2024-01-16 12:10	Low
Product	Manifest	implementation-group	shared	Low
Product	Manifest	Implementation-Title	maintenance	High
Product	Manifest	specification-title	maintenance	Medium
Version	Manifest	Implementation-Version	23.10.295	High

Identifiers

- None



**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/maintenance.zip/maintenance.jar/com/inet/maintenance/resources/backup/js/controller.js  
**MD5:** f6af6877bfef1fcb24b83fa1ec0a1092  
**SHA1:** 08adadcfad002ade7e42e7c12b697c1e30c936ca  
**SHA256:** c508db9d3c6f49d6b04945eb481d01b97ff56d88390856d9f9771e7b15acffe4  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### maintenance.zip: maintenance.jar: controller.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/maintenance.zip/maintenance.jar/com/inet/maintenance/resources/cache/js/controller.js  
**MD5:** 75a2a467d59514437fe8d40d7c759ab3  
**SHA1:** 5c1142a7bb98e8e80e42c0f969b4efb54db8b0b7  
**SHA256:** c404cedb100ab444adacbf48eb3ddafb2ee13793af5f4f1b7e5eb8e441515f  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### maintenance.zip: maintenance.jar: controller.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/maintenance.zip/maintenance.jar/com/inet/maintenance/resources/main/js/controller.js  
**MD5:** 55014fba3d1f72a4197c2d3079557108  
**SHA1:** 69c7a58b818cdfcb5149482b60463a8971a79a5c  
**SHA256:** a109462f5780c90bba9589fdc18018c8a47ae5045ba5b94ddd4de9b8177557f0  
**Referenced In Project/Scope:** server



### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## maintenance.zip: maintenance.jar: controller.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/maintenance.zip/maintenance.jar/com/inet/maintenance/resources/programdata/js/controller.js

**MD5:** e9102b50be7a4c99936f78f337122fcc

**SHA1:** ceffe7a5a653bc9c1ed03fc866b7eef1de8a07be

**SHA256:** d1be524371b0378c644e2ac040712dcb9356a4956f5ad2c9d425c53b43e26b48

**Referenced In Project/Scope:** server

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## maintenance.zip: maintenance.jar: controller.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/maintenance.zip/maintenance.jar/com/inet/maintenance/resources/usercleanup/js/controller.js

**MD5:** 33e019c927cbf722763c68a644d60736

**SHA1:** de671966f649195e128d75e9ccb6128ad048a646

**SHA256:** 3dead73142a30b0b0769889226167527b4e0289caa202b36436c22df65f1c50c

**Referenced In Project/Scope:** server

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------



### Identifiers

- None

## maintenance.zip: maintenance.jar: filechooser.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/maintenance.zip/maintenance.jar/com/inet/maintenance/resources/main/js/filechooser.js

**MD5:** 7e349031ffa62855e2e88bbbc31e7562

**SHA1:** 77cb9ee8db2a2378ea01c996aa3e5f3645f7d8e7

**SHA256:** c6e6ea0e831892e42efcd9f3c45a92731d23e2ef4e14455a9024df237d3cdc89

**Referenced In Project/Scope:** server

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## maintenance.zip: maintenance.jar: multieditusers.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/maintenance.zip/maintenance.jar/com/inet/maintenance/resources/usercleanup/js/multieditusers.js

**MD5:** 4fb706fcdf12a1ea85ca0be863b60859

**SHA1:** a2e696a0927f0027f95bf3c8ce08f3f64e117e23

**SHA256:** 834e075ae9681f5e5332f1575cf178b5994ed4698849010b618552eaa4c90c8e

**Referenced In Project/Scope:** server

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None



## mongo-java-driver.jar

### Description:

This artifact is no longer maintained / updated by MongoDB.  
For the most up-to-date version of the Java Driver, please refer to the mongodb-driver-sync artifact.  
To use the legacy API, please refer to the mongodb-driver-legacy artifact.

### License:

The Apache License, Version 2.0: <http://www.apache.org/licenses/LICENSE-2.0.txt>

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/persistence/mongo-java-driver.jar

**MD5:** b507109fd6a0b6ead4972e9554f09fc4

**SHA1:** 850383a126cdc5b363fa9ffc780037f6ebee704

**SHA256:** 7e6b2b9bbf24859db4bc00dd647090e21fe02e1fee9e8566918649d8356dfa3f

**Referenced In Project/Scope:**server

### Evidence

Type	Source	Name	Value	Confidence
Vendor	central	artifactid	mongo-java-driver	Highest
Vendor	central	groupid	org.mongodb	Highest
Vendor	file	name	mongo-java-driver	High
Vendor	jar	package name	mongodb	Highest
Vendor	jar	package name	mongodb	Low
Vendor	Manifest	bundle-symbolicname	org.mongodb.mongo-java-driver	Medium
Vendor	Manifest	require-capability	osgi.ee;filter:="(&(osgi.ee=JavaSE)(version=1.6))"	Low
Vendor	pom	artifactid	mongo-java-driver	Low
Vendor	pom	developer name	Various	Medium
Vendor	pom	developer org	MongoDB	Medium
Vendor	pom	groupid	org.mongodb	Highest
Vendor	pom	name	MongoDB Java Driver (unmaintained)	High
Vendor	pom	url	<a href="http://www.mongodb.org">http://www.mongodb.org</a>	Highest
Product	central	artifactid	mongo-java-driver	Highest
Product	file	name	mongo-java-driver	High
Product	jar	package name	mongo	Highest
Product	jar	package name	mongodb	Highest
Product	Manifest	Bundle-Name	mongo-java-driver	Medium
Product	Manifest	bundle-symbolicname	org.mongodb.mongo-java-driver	Medium



Product	Manifest	require-capability	osgi.ee;filter:="(&(osgi.ee=JavaSE)(version=1.6))"	Low
Product	pom	artifactid	mongo-java-driver	Highest
Product	pom	developer name	Various	Low
Product	pom	developer org	MongoDB	Low
Product	pom	groupid	org.mongodb	Highest
Product	pom	name	MongoDB Java Driver (unmaintained)	High
Product	pom	url	http://www.mongodb.org	Medium
Version	central	version	3.12.14	Highest
Version	Manifest	build-version	3.12.14	Medium
Version	Manifest	Bundle-Version	3.12.14	High
Version	pom	version	3.12.14	Highest

### Identifiers

- [pkg:maven/org.mongodb/mongo-java-driver@3.12.14](#) (*Confidence:High*)
- [cpe:2.3:a:mongodb:java\\_driver:3.12.14:\\*:\\*:\\*:\\*:\\*](#) (*Confidence:Highest*)

suppress

## notification.zip: notification.jar

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/notification.zip/notification.jar

**MD5:** 9a1133acfa1862f330313f90220fc25e

**SHA1:** ec2e58dae9bd9afcb864f2d87e70b3ac50de160d

**SHA256:**d2348577b473b1b0624ac79ed0a0b485d448f14cff1cc973a34944ce6a3727c2

**Referenced In Project/Scope:**server

### Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	notification	High
Vendor	jar	package name	inet	Low
Vendor	jar	package name	notificationui	Low
Vendor	jar	package name	server	Low
Vendor	Manifest	built-date	2024-01-16 12:21	Low
Vendor	Manifest	implementation-group	shared	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High



Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	notification	High
Product	jar	package name	notificationui	Low
Product	jar	package name	server	Low
Product	Manifest	built-date	2024-01-16 12:21	Low
Product	Manifest	implementation-group	shared	Low
Product	Manifest	Implementation-Title	notification	High
Product	Manifest	specification-title	notification	Medium
Version	Manifest	Implementation-Version	23.10.295	High

#### Identifiers

- None

### notification.zip: notification.jar: notification.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/notification.zip/notification.jar/com/inet/notificationui/client/js/notification.js

**MD5:** 5e3788899a22f3fe6d6f7fa94a5cbf1c

**SHA1:** e79358c9a561525170e114f4bbfe43018e234e86

**SHA256:**a1135f6beecfeedb7c7019241bd555292104aec385d85ab9967c3c0c78d89519

**Referenced In Project/Scope:**server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None



## notification.zip: notification.jar: notification\_config.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/notification.zip/notification.jar/com/inet/notificationui/client/js/notification\_config.js

**MD5:** e53c9eb27e83a09e35fa18802ca93f96

**SHA1:** f7f43fadf1fb424c471cca69794aedb1c7bca812

**SHA256:** ae19e52bbb0c74fb9fc09bc9bc5839688d70ae17151322eaa178d8b058fb46da

**Referenced In Project/Scope:**server

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## notification.zip: notification.jar: notification\_taskplanner.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/notification.zip/notification.jar/com/inet/notificationui/client/js/notification\_taskplanner.js

**MD5:** 1fd307d62ba19fbdc038c44cd72b62d2

**SHA1:** 1952936593bdbea48df6a9a9e3fb0915be76f188

**SHA256:** 6c0ced9e67d00af753087cf43514b7dbf029727aa5177bbfd69b5b3c17bc0d51

**Referenced In Project/Scope:**server

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## notification.zip: notification.jar: targetrenderer.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/notification.zip/notification.jar/com/inet/notificationui/client/js/targetrenderer.js



**MD5:** 94d7d514f946077f0c8acc5797a372ef  
**SHA1:** d7fbcfb1863ebea41303cce8c7ba15488e7678c  
**SHA256:** 0e7851f6b57913d9a8042927978c4f8d501a5285e0574f13ebd5a29360b42a7e  
**Referenced In Project/Scope:**server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### ocr.tesseract.zip: commons-io.jar

#### Description:

The Apache Commons IO library contains utility classes, stream implementations, file filters, file comparators, endian transformation classes, and much more.

#### License:

<https://www.apache.org/licenses/LICENSE-2.0.txt>

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/ocr.tesseract.zip/commons-io.jar

**MD5:** 8d000fa8939b71b8894637f0ef6ea28c

**SHA1:** 8bb2bc9b4df17e2411533a0708a69f983bf5e83b

**SHA256:** 671eaa39688dac2ffaa4645b3c9980ae2d0ea2471e4ae6a5da199cd15ae23666

**Referenced In Project/Scope:**server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Vendor	file	name	commons-io	High
--------	------	------	------------	------

Vendor	jar	package name	apache	Highest
--------	-----	--------------	--------	---------

Vendor	jar	package name	commons	Highest
--------	-----	--------------	---------	---------

Vendor	jar	package name	file	Highest
--------	-----	--------------	------	---------

Vendor	jar	package name	io	Highest
--------	-----	--------------	----	---------

Vendor	Manifest	automatic-module-name	org.apache.commons.io	Medium
--------	----------	-----------------------	-----------------------	--------

Vendor	Manifest	build-jdk-spec	1.8	Low
--------	----------	----------------	-----	-----

Vendor	Manifest	bundle-docurl	<a href="https://commons.apache.org/proper/commons-io/">https://commons.apache.org/proper/commons-io/</a>	Low
--------	----------	---------------	---	-----



Vendor	Manifest	bundle-symbolicname	org.apache.commons.commons-io	Medium
Vendor	Manifest	Implementation-Vendor	The Apache Software Foundation	High
Vendor	Manifest	require-capability	osgi.ee;filter:="(&(osgi.ee=JavaSE)(version=1.8))"	Low
Vendor	Manifest	specification-vendor	The Apache Software Foundation	Low
Vendor	pom	artifactid	commons-io	Low
Vendor	pom	developer email	bayard@apache.org	Low
Vendor	pom	developer email	dion@apache.org	Low
Vendor	pom	developer email	ggregory at apache.org	Low
Vendor	pom	developer email	jeremias@apache.org	Low
Vendor	pom	developer email	jochen.wiedmann@gmail.com	Low
Vendor	pom	developer email	krosenvold@apache.org	Low
Vendor	pom	developer email	martinc@apache.org	Low
Vendor	pom	developer email	matth@apache.org	Low
Vendor	pom	developer email	nicolaken@apache.org	Low
Vendor	pom	developer email	roxspring@apache.org	Low
Vendor	pom	developer email	sanders@apache.org	Low
Vendor	pom	developer id	bayard	Medium
Vendor	pom	developer id	dion	Medium
Vendor	pom	developer id	ggregory	Medium
Vendor	pom	developer id	jeremias	Medium
Vendor	pom	developer id	jochen	Medium
Vendor	pom	developer id	jukka	Medium
Vendor	pom	developer id	krosenvold	Medium
Vendor	pom	developer id	martinc	Medium
Vendor	pom	developer id	matth	Medium
Vendor	pom	developer id	niallp	Medium
Vendor	pom	developer id	nicolaken	Medium
Vendor	pom	developer id	roxspring	Medium
Vendor	pom	developer id	sanders	Medium
Vendor	pom	developer id	scolebourne	Medium
Vendor	pom	developer name	dlon Gillard	Medium
Vendor	pom	developer name	Gary Gregory	Medium
Vendor	pom	developer name	Henri Yandell	Medium



Vendor	pom	developer name	Jeremias Maerki	Medium
Vendor	pom	developer name	Jochen Wiedmann	Medium
Vendor	pom	developer name	Jukka Zitting	Medium
Vendor	pom	developer name	Kristian Rosenvold	Medium
Vendor	pom	developer name	Martin Cooper	Medium
Vendor	pom	developer name	Matthew Hawthorne	Medium
Vendor	pom	developer name	Niall Pemberton	Medium
Vendor	pom	developer name	Nicola Ken Barozzi	Medium
Vendor	pom	developer name	Rob Oxspring	Medium
Vendor	pom	developer name	Scott Sanders	Medium
Vendor	pom	developer name	Stephen Colebourne	Medium
Vendor	pom	developer org	The Apache Software Foundation	Medium
Vendor	pom	developer org URL	<a href="https://www.apache.org/">https://www.apache.org/</a>	Medium
Vendor	pom	groupid	commons-io	Highest
Vendor	pom	name	Apache Commons IO	High
Vendor	pom	parent-artifactid	commons-parent	Low
Vendor	pom	parent-groupid	org.apache.commons	Medium
Vendor	pom	url	<a href="https://commons.apache.org/proper/commons-io/">https://commons.apache.org/proper/commons-io/</a>	Highest
Product	file	name	commons-io	High
Product	jar	package name	apache	Highest
Product	jar	package name	commons	Highest
Product	jar	package name	file	Highest
Product	jar	package name	io	Highest
Product	Manifest	automatic-module-name	org.apache.commons.io	Medium
Product	Manifest	build-jdk-spec	1.8	Low
Product	Manifest	bundle-docurl	<a href="https://commons.apache.org/proper/commons-io/">https://commons.apache.org/proper/commons-io/</a>	Low
Product	Manifest	Bundle-Name	Apache Commons IO	Medium
Product	Manifest	bundle-symbolicname	org.apache.commons.commons-io	Medium
Product	Manifest	Implementation-Title	Apache Commons IO	High
Product	Manifest	require-capability	osgi.ee;filter:="(&(osgi.ee=JavaSE)(version=1.8))"	Low
Product	Manifest	specification-title	Apache Commons IO	Medium
Product	pom	artifactid	commons-io	Highest



Product	pom	developer email	bayard@apache.org	Low
Product	pom	developer email	dion@apache.org	Low
Product	pom	developer email	ggregory at apache.org	Low
Product	pom	developer email	jeremias@apache.org	Low
Product	pom	developer email	jochen.wiedmann@gmail.com	Low
Product	pom	developer email	krosenvold@apache.org	Low
Product	pom	developer email	martinc@apache.org	Low
Product	pom	developer email	matth@apache.org	Low
Product	pom	developer email	nicolaken@apache.org	Low
Product	pom	developer email	roxspring@apache.org	Low
Product	pom	developer email	sanders@apache.org	Low
Product	pom	developer id	bayard	Low
Product	pom	developer id	dion	Low
Product	pom	developer id	ggregory	Low
Product	pom	developer id	jeremias	Low
Product	pom	developer id	jochen	Low
Product	pom	developer id	jukka	Low
Product	pom	developer id	krosenvold	Low
Product	pom	developer id	martinc	Low
Product	pom	developer id	matth	Low
Product	pom	developer id	niallp	Low
Product	pom	developer id	nicolaken	Low
Product	pom	developer id	roxspring	Low
Product	pom	developer id	sanders	Low
Product	pom	developer id	scolebourne	Low
Product	pom	developer name	dlon Gillard	Low
Product	pom	developer name	Gary Gregory	Low
Product	pom	developer name	Henri Yandell	Low
Product	pom	developer name	Jeremias Maerki	Low
Product	pom	developer name	Jochen Wiedmann	Low
Product	pom	developer name	Jukka Zitting	Low
Product	pom	developer name	Kristian Rosenvold	Low
Product	pom	developer name	Martin Cooper	Low
Product	pom	developer name	Matthew Hawthorne	Low
Product	pom	developer name	Niall Pemberton	Low



Product	pom	developer name	Nicola Ken Barozzi	Low
Product	pom	developer name	Rob Oxspring	Low
Product	pom	developer name	Scott Sanders	Low
Product	pom	developer name	Stephen Colebourne	Low
Product	pom	developer org	The Apache Software Foundation	Low
Product	pom	developer org URL	https://www.apache.org/	Low
Product	pom	groupid	commons-io	Highest
Product	pom	name	Apache Commons IO	High
Product	pom	parent-artifactid	commons-parent	Medium
Product	pom	parent-groupid	org.apache.commons	Medium
Product	pom	url	https://commons.apache.org/proper/commons-io/	Medium
Version	Manifest	Bundle-Version	2.13.0	High
Version	Manifest	Implementation-Version	2.13.0	High
Version	pom	parent-version	2.13.0	Low
Version	pom	version	2.13.0	Highest

#### Related Dependencies



- remotegui.zip: commons-io.jar
  - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/commons-io.jar
  - MD5: 8d000fa8939b71b8894637f0ef6ea28c
  - SHA1: 8bb2bc9b4df17e2411533a0708a69f983bf5e83b
  - SHA256: 671eaa39688dac2ffaa4645b3c9980ae2d0ea2471e4ae6a5da199cd15ae23666
  - [pkg:maven/commons-io/commons-io@2.13.0](#)

#### Identifiers

- [pkg:maven/commons-io/commons-io@2.13.0](#) (*Confidence:High*)
- [cpe:2.3:a:apache:commons\\_io:2.13.0:\\*\\*\\*\\*:\\*](#) (*Confidence:Highest*)

suppress

**ocr.tesseract.zip: fontbox.jar**

**Description:**



The Apache FontBox library is an open source Java tool to obtain low level information from font files. FontBox is a subproject of Apache PDFBox.

#### License:

<https://www.apache.org/licenses/LICENSE-2.0.txt>

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/ocr.tesseract.zip/fontbox.jar

**MD5:** a72b60d8c93807ba29c4d24cc09d58a3

**SHA1:** 6e0cd64e30d019d8b98cba9201b979934e4cdae6

**SHA256:** a4efc56064dd34caf8f38a192c04b32422c72ef3c964c0fbbbe8a6b4564d2830

**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	fontbox	High
Vendor	jar	package name	apache	Highest
Vendor	jar	package name	fontbox	Highest
Vendor	Manifest	automatic-module-name	org.apache.fontbox	Medium
Vendor	Manifest	bundle-docurl	<a href="http://pdfbox.apache.org">http://pdfbox.apache.org</a>	Low
Vendor	Manifest	bundle-symbolicname	org.apache.pdfbox.fontbox	Medium
Vendor	Manifest	implementation-url	<a href="http://pdfbox.apache.org/">http://pdfbox.apache.org/</a>	Low
Vendor	Manifest	Implementation-Vendor	The Apache Software Foundation	High
Vendor	Manifest	Implementation-Vendor-Id	org.apache.pdfbox	Medium
Vendor	Manifest	require-capability	osgi.ee;filter:="(&(osgi.ee=JavaSE)(version=1.6))"	Low
Vendor	Manifest	specification-vendor	The Apache Software Foundation	Low
Vendor	pom	artifactid	fontbox	Low
Vendor	pom	groupid	org.apache.pdfbox	Highest
Vendor	pom	name	Apache FontBox	High
Vendor	pom	parent-artifactid	pdfbox-parent	Low
Vendor	pom	url	<a href="http://pdfbox.apache.org/">http://pdfbox.apache.org/</a>	Highest
Product	file	name	fontbox	High
Product	jar	package name	apache	Highest
Product	jar	package name	fontbox	Highest
Product	Manifest	automatic-module-name	org.apache.fontbox	Medium



Product	Manifest	bundle-docurl	http://pdfbox.apache.org	Low
Product	Manifest	Bundle-Name	Apache FontBox	Medium
Product	Manifest	bundle-symbolicname	org.apache.pdfbox.fontbox	Medium
Product	Manifest	Implementation-Title	Apache FontBox	High
Product	Manifest	implementation-url	http://pdfbox.apache.org/	Low
Product	Manifest	require-capability	osgi.ee;filter:="(&(osgi.ee=JavaSE)(version=1.6))"	Low
Product	Manifest	specification-title	Apache FontBox	Medium
Product	pom	artifactid	fontbox	Highest
Product	pom	groupid	org.apache.pdfbox	Highest
Product	pom	name	Apache FontBox	High
Product	pom	parent-artifactid	pdfbox-parent	Medium
Product	pom	url	http://pdfbox.apache.org/	Medium
Version	Manifest	Bundle-Version	2.0.29	High
Version	Manifest	Implementation-Version	2.0.29	High
Version	pom	version	2.0.29	Highest

#### Identifiers

- <pkg:maven/org.apache.pdfbox/fontbox@2.0.29> (*Confidence:High*)

## ocr.tesseract.zip: jai-imageio-core.jar

### Description:

Java Advanced Imaging Image I/O Tools API core, but without the classes involved with javax.media.jai dependencies, JPEG2000 or codecLibJIO, meaning that this library can be distributed under the modified BSD license and should be GPL compatible.

### License:

BSD 3-clause License w/nuclear disclaimer: LICENSE.txt

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/ocr.tesseract.zip/jai-imageio-core.jar

**MD5:** 6978d733bfb55c0a82639f724fe5f3bb

**SHA1:** fb6d79b929556362a241b2f65a04e538062f0077

**SHA256:** 8ad3c68e9effb10ac87ff8bc589adf64b04a729c5194c079efd0643607fd72a

**Referenced In Project/Scope:**server



## Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	jai-imageio-core	High
Vendor	jar	package name	github	Highest
Vendor	Manifest	bundle-docurl	https://github.com/jai-imageio/	Low
Vendor	Manifest	bundle-symbolicname	jai-imageio-core	Medium
Vendor	Manifest	extension-name	com.github.jai-imageio-jai-imageio-core	Medium
Vendor	Manifest	Implementation-Vendor	https://github.com/jai-imageio/ jai-imageio GitHub group	High
Vendor	Manifest	require-capability	osgi.ee;filter:="(&(osgi.ee=JavaSE) (version=1.6))"	Low
Vendor	Manifest	specification-vendor	Sun Microsystems, Inc.	Low
Vendor	Manifest	url	https://github.com/jai-imageio/jai-imageio-core	Low
Vendor	pom	artifactid	jai-imageio-core	Low
Vendor	pom	developer email	stian@s11.no	Low
Vendor	pom	developer name	Stian Soiland-Reyes	Medium
Vendor	pom	developer org	s11	Medium
Vendor	pom	developer org URL	http://s11.no/	Medium
Vendor	pom	groupid	com.github.jai-imageio	Highest
Vendor	pom	name	Java Advanced Imaging Image I/O Tools API core (standalone)	High
Vendor	pom	organization name	jai-imageio GitHub group	High
Vendor	pom	organization url	jai-imageio/	Medium
Vendor	pom	url	jai-imageio/jai-imageio-core	Highest
Product	file	name	jai-imageio-core	High
Product	jar	package name	github	Highest
Product	Manifest	bundle-docurl	https://github.com/jai-imageio/	Low
Product	Manifest	Bundle-Name	Java Advanced Imaging Image I/O Tools API core (standalone)	Medium
Product	Manifest	bundle-symbolicname	jai-imageio-core	Medium
Product	Manifest	extension-name	com.github.jai-imageio-jai-imageio-core	Medium
Product	Manifest	Implementation-Title	Java Advanced Imaging Image I/O Tools API core (standalone)	High



Product	Manifest	require-capability	osgi.ee;filter:="(&(osgi.ee=JavaSE)(version=1.6))"	Low
Product	Manifest	specification-title	Java Advanced Imaging	Medium
Product	Manifest	url	https://github.com/jai-imageio/jai-imageio-core	Low
Product	pom	artifactid	jai-imageio-core	Highest
Product	pom	developer email	stian@s11.no	Low
Product	pom	developer name	Stian Soiland-Reyes	Low
Product	pom	developer org	s11	Low
Product	pom	developer org URL	http://s11.no/	Low
Product	pom	groupid	com.github.jai-imageio	Highest
Product	pom	name	Java Advanced Imaging Image I/O Tools API core (standalone)	High
Product	pom	organization name	jai-imageio GitHub group	Low
Product	pom	url	jai-imageio/	High
Product	pom	url	jai-imageio/jai-imageio-core	High
Version	Manifest	Bundle-Version	1.4.0	High
Version	Manifest	Implementation-Version	1.4.0	High
Version	pom	version	1.4.0	Highest

#### Identifiers

- [pkg:maven/com.github.jai-imageio/jai-imageio-core@1.4.0](#) (*Confidence:High*)

## ocr.tesseract.zip: jbig2-imageio.jar

### Description:

Java Image I/O plugin for reading JBIG2-compressed image data.  
Formerly known as the levigo JBIG2 ImageIO plugin (com.levigo.jbig2:levigo-jbig2-imageio).

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/ocr.tesseract.zip/jbig2-imageio.jar

**MD5:** c51f45dc3d29bbf716774f9ff9e95ad6

**SHA1:** ad09a9bb94ea791ea81fb6c5bc2b13dd77872598

**SHA256:** 29cb2951622f10acf61fd0656c4e6fa5562194a9095f7a1d26aa426e2f6b17eb

**Referenced In Project/Scope:**server

### Evidence





Type	Source	Name	Value	Confidence
Vendor	file	name	jbig2-imageio	High
Vendor	jar	package name	apache	Highest
Vendor	jar	package name	image	Highest
Vendor	jar	package name	jbig2	Highest
Vendor	jar	package name	pdfbox	Highest
Vendor	Manifest	automatic-module-name	org.apache.pdfbox.jbig2	Medium
Vendor	Manifest	implementation-url	<a href="https://www.apache.org/jbig2-imageio/">https://www.apache.org/jbig2-imageio/</a>	Low
Vendor	Manifest	Implementation-Vendor	The Apache Software Foundation	High
Vendor	Manifest	Implementation-Vendor-Id	org.apache.pdfbox	Medium
Vendor	Manifest	specification-vendor	The Apache Software Foundation	Low
Vendor	pom	artifactid	jbig2-imageio	Low
Vendor	pom	developer id	adam	Medium
Vendor	pom	developer id	blitchfield	Medium
Vendor	pom	developer id	carrier	Medium
Vendor	pom	developer id	danielwilson	Medium
Vendor	pom	developer id	gbailleul	Medium
Vendor	pom	developer id	hennejg	Medium
Vendor	pom	developer id	holdersn	Medium
Vendor	pom	developer id	jahewson	Medium
Vendor	pom	developer id	jeremias	Medium
Vendor	pom	developer id	jukka	Medium
Vendor	pom	developer id	kjackson	Medium
Vendor	pom	developer id	koch	Medium
Vendor	pom	developer id	koehlecn	Medium
Vendor	pom	developer id	lehmi	Medium
Vendor	pom	developer id	leleueri	Medium
Vendor	pom	developer id	mmayer	Medium
Vendor	pom	developer id	msayhoun	Medium
Vendor	pom	developer id	pkoch	Medium
Vendor	pom	developer id	tallison	Medium
Vendor	pom	developer id	tboehme	Medium



Vendor	pom	developer id	tchojecki	Medium
Vendor	pom	developer id	tilman	Medium
Vendor	pom	developer id	vfed	Medium
Vendor	pom	developer name	Adam Nichols	Medium
Vendor	pom	developer name	Andreas Lehmkuhler	Medium
Vendor	pom	developer name	Ben Litchfield	Medium
Vendor	pom	developer name	Brian Carrier	Medium
Vendor	pom	developer name	Carolyn Köhler	Medium
Vendor	pom	developer name	Daniel Wilson	Medium
Vendor	pom	developer name	Eric Leleu	Medium
Vendor	pom	developer name	Guillaume Bailleul	Medium
Vendor	pom	developer name	Jeremias Maerki	Medium
Vendor	pom	developer name	Johannes Koch	Medium
Vendor	pom	developer name	John Hewson	Medium
Vendor	pom	developer name	Jukka Zitting	Medium
Vendor	pom	developer name	Jörg Henne	Medium
Vendor	pom	developer name	Kevin Jackson	Medium
Vendor	pom	developer name	Maruan Sayhoun	Medium
Vendor	pom	developer name	Matthäus Mayer	Medium
Vendor	pom	developer name	Phillipp Koch	Medium
Vendor	pom	developer name	Sebastian Holder	Medium
Vendor	pom	developer name	Thomas Chojecki	Medium
Vendor	pom	developer name	Tilman Hausherr	Medium
Vendor	pom	developer name	Tim Allison	Medium
Vendor	pom	developer name	Timo Boehme	Medium
Vendor	pom	developer name	Villu Ruusmann	Medium
Vendor	pom	groupid	org.apache.pdfbox	Highest
Vendor	pom	name	PDFBox JBIG2 ImageIO plugin	High
Vendor	pom	organization name	The Apache Software Foundation	High
Vendor	pom	organization url	http://pdfbox.apache.org	Medium
Vendor	pom	parent-artifactid	apache	Low
Vendor	pom	parent-groupid	org.apache	Medium
Product	file	name	jbig2-imageio	High
Product	jar	package name	apache	Highest
Product	jar	package name	image	Highest



Product	jar	package name	jbig2	Highest
Product	jar	package name	pdfbox	Highest
Product	Manifest	automatic-module-name	org.apache.pdfbox.jbig2	Medium
Product	Manifest	Implementation-Title	PDFBox JBIG2 ImageIO plugin	High
Product	Manifest	implementation-url	<a href="https://www.apache.org/jbig2-imageio/">https://www.apache.org/jbig2-imageio/</a>	Low
Product	Manifest	specification-title	PDFBox JBIG2 ImageIO plugin	Medium
Product	pom	artifactid	jbig2-imageio	Highest
Product	pom	developer id	adam	Low
Product	pom	developer id	blitchfield	Low
Product	pom	developer id	carrier	Low
Product	pom	developer id	danielwilson	Low
Product	pom	developer id	gbailleul	Low
Product	pom	developer id	hennejg	Low
Product	pom	developer id	holdersn	Low
Product	pom	developer id	jahewson	Low
Product	pom	developer id	jeremias	Low
Product	pom	developer id	jukka	Low
Product	pom	developer id	kjackson	Low
Product	pom	developer id	koch	Low
Product	pom	developer id	koehlecn	Low
Product	pom	developer id	lehmi	Low
Product	pom	developer id	leleuri	Low
Product	pom	developer id	mmayer	Low
Product	pom	developer id	msayhoun	Low
Product	pom	developer id	pkoch	Low
Product	pom	developer id	tallison	Low
Product	pom	developer id	tboehme	Low
Product	pom	developer id	tchojecki	Low
Product	pom	developer id	tilman	Low
Product	pom	developer id	vfed	Low
Product	pom	developer name	Adam Nichols	Low
Product	pom	developer name	Andreas Lehmkuhler	Low
Product	pom	developer name	Ben Litchfield	Low



Product	pom	developer name	Brian Carrier	Low
Product	pom	developer name	Carolín Köhler	Low
Product	pom	developer name	Daniel Wilson	Low
Product	pom	developer name	Eric Leleu	Low
Product	pom	developer name	Guillaume Bailleul	Low
Product	pom	developer name	Jeremias Maerki	Low
Product	pom	developer name	Johannes Koch	Low
Product	pom	developer name	John Hewson	Low
Product	pom	developer name	Jukka Zitting	Low
Product	pom	developer name	Jörg Henne	Low
Product	pom	developer name	Kevin Jackson	Low
Product	pom	developer name	Maruan Sayhoun	Low
Product	pom	developer name	Matthäus Mayer	Low
Product	pom	developer name	Phillipp Koch	Low
Product	pom	developer name	Sebastian Holder	Low
Product	pom	developer name	Thomas Chojecki	Low
Product	pom	developer name	Tilman Hausherr	Low
Product	pom	developer name	Tim Allison	Low
Product	pom	developer name	Timo Boehme	Low
Product	pom	developer name	Villu Ruusmann	Low
Product	pom	groupid	org.apache.pdfbox	Highest
Product	pom	name	PDFBox JBIG2 ImageIO plugin	High
Product	pom	organization name	The Apache Software Foundation	Low
Product	pom	organization url	http://pdfbox.apache.org	Low
Product	pom	parent-artifactid	apache	Medium
Product	pom	parent-groupid	org.apache	Medium
Version	Manifest	Implementation-Version	3.0.4	High
Version	pom	parent-version	3.0.4	Low
Version	pom	version	3.0.4	Highest

## Identifiers

- [pkg:maven/org.apache.pdfbox/jbig2-imageio@3.0.4](#) (*Confidence:High*)
- [cpe:2.3:a:apache:pdfbox:3.0.4:\\*:\\*:\\*:\\*:\\*](#) (*Confidence:Highest*) suppress



## ocr.tesseract.zip: jboss-vfs.jar

### Description:

A VFS library

### License:

asl: <http://repository.jboss.org/licenses/apache-2.0.txt>

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/ocr.tesseract.zip/jboss-vfs.jar

**MD5:** 9e4be1fd11218a5bfd48129dd2e44025

**SHA1:** 677ec117cb3edae129eb0d3856ff3a0b09e7de84

**SHA256:** c5252e73e2bb48d6bc9431747ce18e401fa65f3979d8b457927144305fd46f36

**Referenced In Project/Scope:** server

### Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	jboss-vfs	High
Vendor	jar	package name	jboss	Highest
Vendor	jar	package name	vfs	Highest
Vendor	Manifest	build-jdk-spec	11	Low
Vendor	Manifest	implementation-url	<a href="http://www.jboss.org">http://www.jboss.org</a>	Low
Vendor	Manifest	Implementation-Vendor	JBoss, A division of Red Hat, Inc	High
Vendor	Manifest	os-arch	amd64	Low
Vendor	Manifest	os-name	Linux	Medium
Vendor	Manifest	specification-vendor	JBoss, A division of Red Hat, Inc	Low
Vendor	pom	artifactid	jboss-vfs	Low
Vendor	pom	groupid	org.jboss	Highest
Vendor	pom	name	JBoss VFS	High
Vendor	pom	organization name	JBoss, A division of Red Hat, Inc	High
Vendor	pom	organization url	<a href="http://www.jboss.org">http://www.jboss.org</a>	Medium
Vendor	pom	parent-artifactid	jboss-parent	Low
Vendor	pom	url	<a href="http://www.jboss.org">http://www.jboss.org</a>	Highest
Product	file	name	jboss-vfs	High
Product	jar	package name	jboss	Highest
Product	jar	package name	vfs	Highest



Product	Manifest	build-jdk-spec	11	Low
Product	Manifest	Implementation-Title	JBoss VFS	High
Product	Manifest	implementation-url	http://www.jboss.org	Low
Product	Manifest	os-arch	amd64	Low
Product	Manifest	os-name	Linux	Medium
Product	Manifest	specification-title	JBoss VFS	Medium
Product	pom	artifactid	jboss-vfs	Highest
Product	pom	groupid	org.jboss	Highest
Product	pom	name	JBoss VFS	High
Product	pom	organization name	JBoss, A division of Red Hat, Inc	Low
Product	pom	organization url	http://www.jboss.org	Low
Product	pom	parent-artifactid	jboss-parent	Medium
Product	pom	url	http://www.jboss.org	Medium
Version	Manifest	Implementation-Version	3.3.0.Final	High
Version	pom	parent-version	3.3.0.Final	Low
Version	pom	version	3.3.0.Final	Highest

#### Identifiers

- [pkg:maven/org.jboss/jboss-vfs@3.3.0.Final](http://pkg:maven/org.jboss/jboss-vfs@3.3.0.Final) (*Confidence:High*)

## ocr.tesseract.zip: lept4j.jar

### Description:

# Lept4J

## Description:

A Java JNA wrapper for Leptonica Image Processing library.

Lept4J is released and distributed under the Apache License, v2.0.

### License:

Apache License 2.0: <http://www.apache.org/licenses/LICENSE-2.0.txt>



**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/ocr.tesseract.zip/lept4j.jar  
**MD5:** cf4d81e4637416b32909a72dda7a6131  
**SHA1:** f98a8c60db74964c16d5e28d0cd8804c41da1dc7  
**SHA256:** a69ebcd0ed984c406b6001f02a7c1567c3abd5eef514bf1fe6e7e31985a2fbf1  
**Referenced In Project/Scope:**server

## Evidence

Type	Source	Name	Value	Confidence
Vendor	file	name	lept4j	High
Vendor	jar	package name	lept4j	Highest
Vendor	jar	package name	leptonica	Highest
Vendor	jar	package name	net	Highest
Vendor	jar	package name	sourceforge	Highest
Vendor	Manifest	build-jdk-spec	1.8	Low
Vendor	pom	artifactid	lept4j	Low
Vendor	pom	developer email	nguyenq@users.sf.net	Low
Vendor	pom	developer name	Quan Nguyen	Medium
Vendor	pom	groupid	net.sourceforge.lept4j	Highest
Vendor	pom	name	Lept4J - Leptonica for Java	High
Vendor	pom	url	nguyenq/lept4j	Highest
Product	file	name	lept4j	High
Product	jar	package name	lept4j	Highest
Product	jar	package name	leptonica	Highest
Product	jar	package name	net	Highest
Product	jar	package name	sourceforge	Highest
Product	Manifest	build-jdk-spec	1.8	Low
Product	pom	artifactid	lept4j	Highest
Product	pom	developer email	nguyenq@users.sf.net	Low
Product	pom	developer name	Quan Nguyen	Low
Product	pom	groupid	net.sourceforge.lept4j	Highest
Product	pom	name	Lept4J - Leptonica for Java	High
Product	pom	url	nguyenq/lept4j	High
Version	pom	version	1.18.1	Highest

## Identifiers

- [pkg:maven/net.sourceforge.lept4j/lept4j@1.18.1](#) (*Confidence:High*)



## ocr.tesseract.zip: lept4j.jar: libleptonica1831.dll

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/ocr.tesseract.zip/lept4j.jar/win32-x86-64/libleptonica1831.dll

**MD5:** 45ceb4717c485444b84eaff204608254

**SHA1:** cd19a5081122f5653df80e5c0b8039e1ae5e7b29

**SHA256:** 95e47e6c3c4a9654a663ae91f0f9d74ee9907bd279354e3c427fec644602f545

**Referenced In Project/Scope:**server

### Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	libleptonica1831	High
Product	file	name	libleptonica1831	High
Version	file	name	libleptonica1831	Medium
Version	file	version	1831	Medium

### Identifiers

- None

## ocr.tesseract.zip: lept4j.jar: libleptonica1831.dll

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/ocr.tesseract.zip/lept4j.jar/win32-x86/libleptonica1831.dll

**MD5:** d07978f8df68e7297c51d5454344b829

**SHA1:** 9f9c497c67f61b267ffad002d7f4cbae00eeee38

**SHA256:** 975023c6acf7fb4d056740b762fd3f4ab33b5d117d3ddd19ae9788f5d156e718

**Referenced In Project/Scope:**server

### Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	libleptonica1831	High
Product	file	name	libleptonica1831	High
Version	file	name	libleptonica1831	Medium
Version	file	version	1831	Medium



Identifiers

- None

ocr.tesseract.zip: ocr.tesseract.jar

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/ocr.tesseract.zip/ocr.tesseract.jar  
**MD5:** efd1bc65749b29f7f494686c8132109a  
**SHA1:** 4a0131398b761a8f1f2aebbf31daf6ca72e9ce0a  
**SHA256:** b3825845988de7d39f5f7e5fb4bfcf52e147347a79c6a5ce8cafd07f6ebad168  
**Referenced In Project/Scope:** server

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	ocr.tesseract	High
Vendor	jar	package name	inet	Low
Vendor	jar	package name	ocr	Low
Vendor	jar	package name	pdfc	Low
Vendor	Manifest	application-library-allowable-codebase	*	Low
Vendor	Manifest	built-date	2024-01-16 15:27	Low
Vendor	Manifest	codebase	*	Low
Vendor	Manifest	implementation-group	pdfc	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	permissions	all-permissions	Low
Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	trusted-library	false	Low
Vendor	Manifest	trusted-only	false	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	ocr.tesseract	High



Product	jar	package name	ocr	Highest
Product	jar	package name	ocr	Low
Product	jar	package name	pdfc	Highest
Product	jar	package name	pdfc	Low
Product	jar	package name	tesseract	Highest
Product	jar	package name	tesseract	Low
Product	Manifest	application-library-allowable-codebase	*	Low
Product	Manifest	built-date	2024-01-16 15:27	Low
Product	Manifest	codebase	*	Low
Product	Manifest	implementation-group	pdfc	Low
Product	Manifest	Implementation-Title	ocr.tesseract	High
Product	Manifest	permissions	all-permissions	Low
Product	Manifest	specification-title	ocr.tesseract	Medium
Product	Manifest	trusted-library	false	Low
Product	Manifest	trusted-only	false	Low
Version	jar	package name	pdfc	Highest
Version	Manifest	Implementation-Version	23.10.295	High

#### Identifiers

- cpe:2.3:a:tesseract\_ocr\_project:tesseract\_ocr:23.10.295:\*:\*:\*:\*:\* (Confidence:Low) suppress
- cpe:2.3:a:tesseract\_project:tesseract:23.10.295:\*:\*:\*:\*:\* (Confidence:Low) suppress

## ocr.tesseract.zip: pdfbox.jar

#### Description:

The Apache PDFBox library is an open source Java tool for working with PDF documents.

#### License:

<https://www.apache.org/licenses/LICENSE-2.0.txt>



**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/ocr.tesseract.zip/pdfbox.jar  
**MD5:** abbc429999c3b2522f1055ddde2b5111  
**SHA1:** 875ee3970cc5000bc33e2daa427a07174482ca5a  
**SHA256:** 69728a41a6e9feb98399560a31c1fe1b6467a66d1a8e33e677da24fda9263937  
**Referenced In Project/Scope:** server

## Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	pdfbox	High
Vendor	jar	package name	apache	Highest
Vendor	jar	package name	pdfbox	Highest
Vendor	Manifest	automatic-module-name	org.apache.pdfbox	Medium
Vendor	Manifest	bundle-docurl	http://pdfbox.apache.org	Low
Vendor	Manifest	bundle-symbolicname	org.apache.pdfbox	Medium
Vendor	Manifest	implementation-url	https://www.apache.org/pdfbox-parent/pdfbox/	Low
Vendor	Manifest	Implementation-Vendor	The Apache Software Foundation	High
Vendor	Manifest	Implementation-Vendor-Id	org.apache.pdfbox	Medium
Vendor	Manifest	require-capability	osgi.ee;filter:="(&(osgi.ee=JavaSE)(version=1.6))"	Low
Vendor	Manifest	specification-vendor	The Apache Software Foundation	Low
Vendor	pom	artifactid	pdfbox	Low
Vendor	pom	groupid	org.apache.pdfbox	Highest
Vendor	pom	name	Apache PDFBox	High
Vendor	pom	parent-artifactid	pdfbox-parent	Low
Product	file	name	pdfbox	High
Product	jar	package name	apache	Highest
Product	jar	package name	filter	Highest
Product	jar	package name	pdfbox	Highest
Product	jar	package name	version	Highest
Product	Manifest	automatic-module-name	org.apache.pdfbox	Medium
Product	Manifest	bundle-docurl	http://pdfbox.apache.org	Low
Product	Manifest	Bundle-Name	Apache PDFBox	Medium
Product	Manifest	bundle-symbolicname	org.apache.pdfbox	Medium



Product	Manifest	Implementation-Title	Apache PDFBox	High
Product	Manifest	implementation-url	https://www.apache.org/pdfbox-parent/pdfbox/	Low
Product	Manifest	require-capability	osgi.ee;filter="(&(osgi.ee=JavaSE)(version=1.6))"	Low
Product	Manifest	specification-title	Apache PDFBox	Medium
Product	pom	artifactid	pdfbox	Highest
Product	pom	groupid	org.apache.pdfbox	Highest
Product	pom	name	Apache PDFBox	High
Product	pom	parent-artifactid	pdfbox-parent	Medium
Version	Manifest	Bundle-Version	2.0.29	High
Version	Manifest	Implementation-Version	2.0.29	High
Version	pom	version	2.0.29	Highest

#### Related Dependencies



- ocr.tesseract.zip: pdfbox-debugger.jar
  - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/ocr.tesseract.zip/pdfbox-debugger.jar
  - MD5: a140e1caa81f748ae6ad567a44e282f7
  - SHA1: 6a37d018c1b5d6bfb1cd4ebb1e95ab5a054a276
  - SHA256: c22e8e5e14ad023758e4e03474b6a7d570e1949f31e1ec05495e0c8ec5f88b22
  - [pkg:maven/org.apache.pdfbox/pdfbox-debugger@2.0.29](https://maven.apache.org/pdfbox/pdfbox-debugger@2.0.29)

#### Identifiers

- [pkg:maven/org.apache.pdfbox/pdfbox@2.0.29](https://maven.apache.org/pdfbox/pdfbox@2.0.29) (*Confidence:High*)
- [cpe:2.3:a:apache:pdfbox:2.0.29:\\*:\\*:\\*:\\*](https://cpe.apache.org/pdfbox:2.0.29:*:*:*:*:*) (*Confidence:Highest*)

suppress

## ocr.tesseract.zip: tess4j.jar

### Description:

# Tess4J

## Description:

A Java JNA wrapper for Tesseract OCR API.

Tess4J is released and distributed under the Apache License, v2.0.



## ## Features:

The library provides optical character recognition (OCR) support for:

TIFF, JPEG, GIF, PNG, and BMP image formats  
Multi-page TIFF images  
PDF document format

## License:

Apache License 2.0: <http://www.apache.org/licenses/LICENSE-2.0.txt>

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller  
/server/build/tmp/dependencies/i-net PDFC/plugins/ocr.tesseract.zip/tess4j.jar

**MD5:** 7e7f2bc2a23faa5f78d241cb60d66ec2

**SHA1:** 941ec99af519e70182854eef2f109b2efad88d6

**SHA256:** 561c378e814a21ec7f452c761505d2a515b4a4b710ac2bd09353f7d848597603

**Referenced In Project/Scope:**server

## Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	tess4j	High
Vendor	jar	package name	net	Highest
Vendor	jar	package name	recognition	Highest
Vendor	jar	package name	sourceforge	Highest
Vendor	jar	package name	tess4j	Highest
Vendor	jar	package name	tesseract	Highest
Vendor	Manifest	build-jdk-spec	20	Low
Vendor	Manifest	implementation-url	<a href="http://tess4j.sourceforge.net">http://tess4j.sourceforge.net</a>	Low
Vendor	Manifest	Implementation-Vendor	Tess4J	High
Vendor	Manifest	specification-vendor	Tess4J	Low
Vendor	pom	artifactid	tess4j	Low
Vendor	pom	developer email	nguyenq@users.sf.net	Low
Vendor	pom	developer email	osoriojaques@gmail.com	Low
Vendor	pom	developer name	O.J. Sousa Rodrigues	Medium
Vendor	pom	developer name	Quan Nguyen	Medium
Vendor	pom	groupid	net.sourceforge.tess4j	Highest
Vendor	pom	name	Tess4J - Tesseract for Java	High
Vendor	pom	organization name	Tess4J	High
Vendor	pom	organization url	<a href="http://tess4j.sourceforge.net">http://tess4j.sourceforge.net</a>	Medium
Vendor	pom	url	<a href="http://tess4j.sourceforge.net">http://tess4j.sourceforge.net</a>	Highest



Product	file	name	tess4j	High
Product	jar	package name	net	Highest
Product	jar	package name	recognition	Highest
Product	jar	package name	sourceforge	Highest
Product	jar	package name	tess4j	Highest
Product	jar	package name	tesseract	Highest
Product	Manifest	build-jdk-spec	20	Low
Product	Manifest	Implementation-Title	Tess4J - Tesseract for Java	High
Product	Manifest	implementation-url	http://tess4j.sourceforge.net	Low
Product	Manifest	specification-title	Tess4J - Tesseract for Java	Medium
Product	pom	artifactid	tess4j	Highest
Product	pom	developer email	nguyenq@users.sf.net	Low
Product	pom	developer email	osoriojaques@gmail.com	Low
Product	pom	developer name	O.J. Sousa Rodrigues	Low
Product	pom	developer name	Quan Nguyen	Low
Product	pom	groupid	net.sourceforge.tess4j	Highest
Product	pom	name	Tess4J - Tesseract for Java	High
Product	pom	organization name	Tess4J	Low
Product	pom	organization url	http://tess4j.sourceforge.net	Low
Product	pom	url	http://tess4j.sourceforge.net	Medium
Version	Manifest	Implementation-Version	5.7.0	High
Version	pom	version	5.7.0	Highest

#### Identifiers

- [pkg:maven/net.sourceforge.tess4j/tess4j@5.7.0](#) (*Confidence:High*)
- [cpe:2.3:a:tesseract\\_project:tesseract:5.7.0:\\*:\\*:\\*:\\*:\\*](#) (*Confidence:Low*) suppress

**ocr.tesseract.zip: tess4j.jar: libtesseract531.dll**

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/ocr.tesseract.zip/tess4j.jar/win32-x86-64/libtesseract531.dll



**MD5:** 378b1899171ee6093b697638cc8d8884

**SHA1:** 6ee365640e95ea6fba24826e418a8a7b339afeba

**SHA256:** 67669def8be8c3111ce273c1c03e9c83a2cadd6c3c84f4b3c76ed57e4fc94f2

**Referenced In Project/Scope:**server

#### Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	libtesseract531	High
Product	file	name	libtesseract531	High
Version	file	name	libtesseract531	Medium
Version	file	version	531	Medium

#### Identifiers

- None

### ocr.tesseract.zip: tess4j.jar: libtesseract531.dll

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/ocr.tesseract.zip/tess4j.jar/win32-x86/libtesseract531.dll

**MD5:** 440288f9814dd92787091160fa1604de

**SHA1:** a9dc6c68073b2c223c99aefefd23685b3b20ed19

**SHA256:** 9abb51ab17a22d6243199146b3feb57a4909762abd72797cc208e5bf7631907a

**Referenced In Project/Scope:**server

#### Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	libtesseract531	High
Product	file	name	libtesseract531	High
Version	file	name	libtesseract531	Medium
Version	file	version	531	Medium

#### Identifiers

- None



## opentest4j-1.3.0.jar

### Description:

Open Test Alliance for the JVM

### License:

The Apache License, Version 2.0: <https://www.apache.org/licenses/LICENSE-2.0.txt>

**File Path:** /home/jenkins/.gradle/caches/modules-2/files-2.1/org.opentest4j/opentest4j/1.3.0/152ea56b3a72f655d4fd677fc0ef2596c3dd5e6e/opentest4j-1.3.0.jar

**MD5:** 03c404f727531f3fd3b4c73997899327

**SHA1:** 152ea56b3a72f655d4fd677fc0ef2596c3dd5e6e

**SHA256:** 48e2df636cab6563ced64dcdf8abb2355627cb236ef0bf37598682ddf742f1b

**Referenced In Project/Scope:** server:inetPlugin

### Evidence



Type	Source	Name	Value	Confidence
Vendor	central	artifactid	opentest4j	Highest
Vendor	central	groupid	org.opentest4j	Highest
Vendor	file	name	opentest4j	High
Vendor	gradle	artifactid	opentest4j	Highest
Vendor	gradle	groupid	org.opentest4j	Highest
Vendor	jar	package name	opentest4j	Highest
Vendor	jar	package name	opentest4j	Low
Vendor	Manifest	build-date	2023-07-06	Low
Vendor	Manifest	build-revision	214973bfa4e7e9be7d04e623202cc4147c7036	Low
Vendor	Manifest	build-time	14:25:06.116+0200	Low
Vendor	Manifest	bundle-symbolicname	org.opentest4j	Medium
Vendor	Manifest	Implementation-Vendor	opentest4j.org	High
Vendor	Manifest	require-capability	osgi.ee;filter:="(&(osgi.ee=JavaSE)(version=1.6))"	Low
Vendor	Manifest	specification-vendor	opentest4j.org	Low
Vendor	pom	artifactid	opentest4j	Low
Vendor	pom	developer email	business@johanneslink.net	Low
Vendor	pom	developer email	mail@marcphilipp.de	Low
Vendor	pom	developer email	matthias.merdes@heidelpay.com	Low
Vendor	pom	developer email	sam@sambrannen.com	Low
Vendor	pom	developer email	stefan.bechtold@me.com	Low
Vendor	pom	developer id	bechte	Medium



Vendor	pom	developer id	jlink	Medium
Vendor	pom	developer id	marcphilipp	Medium
Vendor	pom	developer id	mmerdes	Medium
Vendor	pom	developer id	sbrannen	Medium
Vendor	pom	developer name	Johannes Link	Medium
Vendor	pom	developer name	Marc Philipp	Medium
Vendor	pom	developer name	Matthias Merdes	Medium
Vendor	pom	developer name	Sam Brannen	Medium
Vendor	pom	developer name	Stefan Bechtold	Medium
Vendor	pom	groupid	org.opentest4j	Highest
Vendor	pom	name	org.opentest4j:opentest4j	High
Vendor	pom	url	ota4j-team/opentest4j	Highest
Product	central	artifactid	opentest4j	Highest
Product	file	name	opentest4j	High
Product	gradle	artifactid	opentest4j	Highest
Product	jar	package name	opentest4j	Highest
Product	Manifest	build-date	2023-07-06	Low
Product	Manifest	build-revision	214973bfa4e7e9be7d04e623202cc4147c7036	Low
Product	Manifest	build-time	14:25:06.116+0200	Low
Product	Manifest	Bundle-Name	opentest4j	Medium
Product	Manifest	bundle-symbolicname	org.opentest4j	Medium
Product	Manifest	Implementation-Title	opentest4j	High
Product	Manifest	require-capability	osgi.ee;filter:="(&(osgi.ee=JavaSE)(version=1.6))"	Low
Product	Manifest	specification-title	opentest4j	Medium
Product	pom	artifactid	opentest4j	Highest
Product	pom	developer email	business@johanneslink.net	Low
Product	pom	developer email	mail@marcphilipp.de	Low
Product	pom	developer email	matthias.merdes@heidelpay.com	Low
Product	pom	developer email	sam@sambrannen.com	Low
Product	pom	developer email	stefan.bechtold@me.com	Low
Product	pom	developer id	bechte	Low
Product	pom	developer id	jlink	Low
Product	pom	developer id	marcphilipp	Low



Product	pom	developer id	mmerdes	Low
Product	pom	developer id	sbrannen	Low
Product	pom	developer name	Johannes Link	Low
Product	pom	developer name	Marc Philipp	Low
Product	pom	developer name	Matthias Merdes	Low
Product	pom	developer name	Sam Brannen	Low
Product	pom	developer name	Stefan Bechtold	Low
Product	pom	groupid	org.opentest4j	Highest
Product	pom	name	org.opentest4j:opentest4j	High
Product	pom	url	ota4j-team/opentest4j	High
Version	central	version	1.3.0	Highest
Version	file	version	1.3.0	High
Version	gradle	version	1.3.0	Highest
Version	Manifest	Bundle-Version	1.3.0	High
Version	Manifest	Implementation-Version	1.3.0	High
Version	pom	version	1.3.0	Highest

#### Identifiers

- [pkg:maven/org.opentest4j/opentest4j@1.3.0](https://maven.org.opentest4j/opentest4j@1.3.0) ( *Confidence:High* )

## parser.docx.zip: DocxParser.jar

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/parser.docx.zip/DocxParser.jar

**MD5:** 65eb29a1bc96c5d605a271d84433bc89

**SHA1:** dbdf39be34f3463d6c968af5bc30f13313806edc

**SHA256:** f7e039d76aa485f7ebcbe778d7bcb0191a2a00b646421dd69723715469d5a011

**Referenced In Project/Scope:**server

#### Evidence +

Type	Source	Name	Value	Confidence
Vendor	file	name	DocxParser	High
Vendor	jar	package name	docx	Low
Vendor	jar	package name	inet	Low
Vendor	Manifest	application-	*	Low



		library-allowable-codebase		
Vendor	Manifest	built-date	2024-01-16 12:10	Low
Vendor	Manifest	codebase	*	Low
Vendor	Manifest	implementation-group	shared	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	permissions	all-permissions	Low
Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	trusted-library	false	Low
Vendor	Manifest	trusted-only	false	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	DocxParser	High
Product	jar	package name	docx	Low
Product	Manifest	application-library-allowable-codebase	*	Low
Product	Manifest	built-date	2024-01-16 12:10	Low
Product	Manifest	codebase	*	Low
Product	Manifest	implementation-group	shared	Low
Product	Manifest	Implementation-Title	DocxParser	High
Product	Manifest	permissions	all-permissions	Low
Product	Manifest	specification-title	DocxParser	Medium
Product	Manifest	trusted-library	false	Low
Product	Manifest	trusted-only	false	Low
Version	Manifest	Implementation-Version	23.10.295	High

Identifiers

- None



parser.docx.zip: EmfParser.jar

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/parser.docx.zip/EmfParser.jar  
**MD5:** 7b6e755bed7e908711a20d297ed9ea37  
**SHA1:** 5d46329d2069e1b309d9c1c08e2ae9760f81185c  
**SHA256:**5fc6431eb54bd5b6edd4ec5484edb749cc00f206f36c9f05e9809b308ce629e  
**Referenced In Project/Scope:**server

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	EmfParser	High
Vendor	jar	package name	emf	Low
Vendor	jar	package name	inet	Low
Vendor	jar	package name	records	Low
Vendor	Manifest	application-library-allowable-codebase	*	Low
Vendor	Manifest	built-date	2024-01-16 12:10	Low
Vendor	Manifest	codebase	*	Low
Vendor	Manifest	implementation-group	shared	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	permissions	all-permissions	Low
Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	trusted-library	false	Low
Vendor	Manifest	trusted-only	false	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	EmfParser	High
Product	jar	package name	emf	Low
Product	jar	package name	records	Low
Product	Manifest	application-library-allowable-codebase	*	Low
Product	Manifest	built-date	2024-01-16 12:10	Low
Product	Manifest	codebase	*	Low



Product	Manifest	implementation-group	shared	Low
Product	Manifest	Implementation-Title	EmfParser	High
Product	Manifest	permissions	all-permissions	Low
Product	Manifest	specification-title	EmfParser	Medium
Product	Manifest	trusted-library	false	Low
Product	Manifest	trusted-only	false	Low
Version	Manifest	Implementation-Version	23.10.295	High

#### Identifiers

- None

## parser.docx.zip: SparseBitSet.jar

### Description:

An efficient sparse bitset implementation for Java

### License:

The Apache Software License, Version 2.0: <http://www.apache.org/licenses/LICENSE-2.0.txt>

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/parser.docx.zip/SparseBitSet.jar

**MD5:** fbe27bb4c05e8719b7fff5aa71a57364

**SHA1:** 533eac055afe3d5f614ea95e333afd6c2bde8f26

**SHA256:** f76b85adb0c00721ae267b7cfde4da7f71d3121cc2160c9fc00c0c89f8c53c8a

**Referenced In Project/Scope:**server

### Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	SparseBitSet	High
Vendor	jar	package name	sparsebitset	Highest
Vendor	jar	package name	zaxxer	Highest
Vendor	Manifest	automatic-module-name	com.zaxxer.sparsebitset	Medium
Vendor	Manifest	build-jdk-spec	11	Low
Vendor	pom	artifactid	SparseBitSet	Low
Vendor	pom	developer email	brett.wooldridge@gmail.com	Low



Vendor	pom	developer name	Brett Wooldridge	Medium
Vendor	pom	groupid	com.zaxxer	Highest
Vendor	pom	name	SparseBitSet	High
Vendor	pom	organization name	Zaxxer.com	High
Vendor	pom	organization url	brettwooldridge/SparseBitSet	Medium
Vendor	pom	url	brettwooldridge/SparseBitSet	Highest
Product	file	name	SparseBitSet	High
Product	jar	package name	sparsebitset	Highest
Product	jar	package name	zaxxer	Highest
Product	Manifest	automatic-module-name	com.zaxxer.sparsebitset	Medium
Product	Manifest	build-jdk-spec	11	Low
Product	pom	artifactid	SparseBitSet	Highest
Product	pom	developer email	brett.wooldridge@gmail.com	Low
Product	pom	developer name	Brett Wooldridge	Low
Product	pom	groupid	com.zaxxer	Highest
Product	pom	name	SparseBitSet	High
Product	pom	organization name	Zaxxer.com	Low
Product	pom	url	brettwooldridge/SparseBitSet	High
Version	pom	version	1.3	Highest

### Identifiers

- [pkg:maven/com.zaxxer/SparseBitSet@1.3](#) (*Confidence:High*)
- [cpe:2.3:a:bit\\_project:bit:1.3:\\*:\\*:\\*:\\*:\\*](#) (*Confidence:Low*) suppress

## parser.docx.zip: commons-codec.jar

### Description:

The Apache Commons Codec package contains simple encoder and decoders for various formats such as Base64 and Hexadecimal. In addition to these widely used encoders and decoders, the codec package also maintains a collection of phonetic encoding utilities.

### License:



<https://www.apache.org/licenses/LICENSE-2.0.txt>

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/parser.docx.zip/commons-codec.jar

**MD5:** 6e26920fa7228891980890cce06b718c

**SHA1:** 4e3eb3d79888d76b54e28b350915b5dc3919c9de

**SHA256:**56595fb20b0b85bc91d0d503dad50bb7f1b9afc0eed5dffa6cbb25929000484d

**Referenced In Project/Scope:**server

## Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	commons-codec	High
Vendor	jar	package name	apache	Highest
Vendor	jar	package name	codec	Highest
Vendor	jar	package name	commons	Highest
Vendor	jar	package name	encoder	Highest
Vendor	Manifest	automatic-module-name	org.apache.commons.codec	Medium
Vendor	Manifest	build-jdk-spec	1.8	Low
Vendor	Manifest	bundle-docurl	<a href="https://commons.apache.org/proper/commons-codec/">https://commons.apache.org/proper/commons-codec/</a>	Low
Vendor	Manifest	bundle-symbolicname	org.apache.commons.commons-codec	Medium
Vendor	Manifest	Implementation-Vendor	The Apache Software Foundation	High
Vendor	Manifest	require-capability	osgi.ee;filter:="(&(osgi.ee=JavaSE)(version=1.8))"	Low
Vendor	Manifest	specification-vendor	The Apache Software Foundation	Low
Vendor	pom	artifactid	commons-codec	Low
Vendor	pom	developer email	bayard@apache.org	Low
Vendor	pom	developer email	chtompki@apache.org	Low
Vendor	pom	developer email	dgraham@apache.org	Low
Vendor	pom	developer email	dlr@finemaltcoding.com	Low
Vendor	pom	developer email	ggregory at apache.org	Low
Vendor	pom	developer email	jon@collab.net	Low
Vendor	pom	developer email	julius@apache.org	Low
Vendor	pom	developer email	mattsicker@apache.org	Low
Vendor	pom	developer email	rwaldhoff@apache.org	Low
Vendor	pom	developer email	sanders@totalsync.com	Low
Vendor	pom	developer email	tn@apache.org	Low



Vendor	pom	developer email	tobrien@apache.org	Low
Vendor	pom	developer id	bayard	Medium
Vendor	pom	developer id	chtompki	Medium
Vendor	pom	developer id	dgraham	Medium
Vendor	pom	developer id	dlr	Medium
Vendor	pom	developer id	ggregory	Medium
Vendor	pom	developer id	jon	Medium
Vendor	pom	developer id	julius	Medium
Vendor	pom	developer id	mattsicker	Medium
Vendor	pom	developer id	rwaldhoff	Medium
Vendor	pom	developer id	sanders	Medium
Vendor	pom	developer id	tn	Medium
Vendor	pom	developer id	tobrien	Medium
Vendor	pom	developer name	Daniel Rall	Medium
Vendor	pom	developer name	David Graham	Medium
Vendor	pom	developer name	Gary Gregory	Medium
Vendor	pom	developer name	Henri Yandell	Medium
Vendor	pom	developer name	Jon S. Stevens	Medium
Vendor	pom	developer name	Julius Davies	Medium
Vendor	pom	developer name	Matt Sicker	Medium
Vendor	pom	developer name	Rob Tompkins	Medium
Vendor	pom	developer name	Rodney Waldhoff	Medium
Vendor	pom	developer name	Scott Sanders	Medium
Vendor	pom	developer name	Thomas Neidhart	Medium
Vendor	pom	developer name	Tim OBrien	Medium
Vendor	pom	developer org	The Apache Software Foundation	Medium
Vendor	pom	developer org URL	http://julusdavies.ca/	Medium
Vendor	pom	developer org URL	https://www.apache.org/	Medium
Vendor	pom	groupid	commons-codec	Highest
Vendor	pom	name	Apache Commons Codec	High
Vendor	pom	parent-artifactid	commons-parent	Low
Vendor	pom	parent-groupid	org.apache.commons	Medium
Vendor	pom	url	https://commons.apache.org/proper/commons-codec/	Highest
Product	file	name	commons-codec	High



Product	jar	package name	apache	Highest
Product	jar	package name	codec	Highest
Product	jar	package name	commons	Highest
Product	jar	package name	encoder	Highest
Product	Manifest	automatic-module-name	org.apache.commons.codec	Medium
Product	Manifest	build-jdk-spec	1.8	Low
Product	Manifest	bundle-docurl	<a href="https://commons.apache.org/proper/commons-codec/">https://commons.apache.org/proper/commons-codec/</a>	Low
Product	Manifest	Bundle-Name	Apache Commons Codec	Medium
Product	Manifest	bundle-symbolicname	org.apache.commons.commons-codec	Medium
Product	Manifest	Implementation-Title	Apache Commons Codec	High
Product	Manifest	require-capability	osgi.ee;filter:="(&(osgi.ee=JavaSE)(version=1.8))"	Low
Product	Manifest	specification-title	Apache Commons Codec	Medium
Product	pom	artifactid	commons-codec	Highest
Product	pom	developer email	bayard@apache.org	Low
Product	pom	developer email	chtompki@apache.org	Low
Product	pom	developer email	dgraham@apache.org	Low
Product	pom	developer email	dlr@finemaltcoding.com	Low
Product	pom	developer email	ggregory at apache.org	Low
Product	pom	developer email	jon@collab.net	Low
Product	pom	developer email	julius@apache.org	Low
Product	pom	developer email	mattsicker@apache.org	Low
Product	pom	developer email	rwaldhoff@apache.org	Low
Product	pom	developer email	sanders@totalsync.com	Low
Product	pom	developer email	tn@apache.org	Low
Product	pom	developer email	tobrien@apache.org	Low
Product	pom	developer id	bayard	Low
Product	pom	developer id	chtompki	Low
Product	pom	developer id	dgraham	Low
Product	pom	developer id	dlr	Low
Product	pom	developer id	ggregory	Low
Product	pom	developer id	jon	Low
Product	pom	developer id	julius	Low
Product	pom	developer id	mattsicker	Low



Product	pom	developer id	rwaldhoff	Low
Product	pom	developer id	sanders	Low
Product	pom	developer id	tn	Low
Product	pom	developer id	tobrien	Low
Product	pom	developer name	Daniel Rall	Low
Product	pom	developer name	David Graham	Low
Product	pom	developer name	Gary Gregory	Low
Product	pom	developer name	Henri Yandell	Low
Product	pom	developer name	Jon S. Stevens	Low
Product	pom	developer name	Julius Davies	Low
Product	pom	developer name	Matt Sicker	Low
Product	pom	developer name	Rob Tompkins	Low
Product	pom	developer name	Rodney Waldhoff	Low
Product	pom	developer name	Scott Sanders	Low
Product	pom	developer name	Thomas Neidhart	Low
Product	pom	developer name	Tim OBrien	Low
Product	pom	developer org	The Apache Software Foundation	Low
Product	pom	developer org URL	<a href="http://juliusdavies.ca/">http://juliusdavies.ca/</a>	Low
Product	pom	developer org URL	<a href="https://www.apache.org/">https://www.apache.org/</a>	Low
Product	pom	groupid	commons-codec	Highest
Product	pom	name	Apache Commons Codec	High
Product	pom	parent-artifactid	commons-parent	Medium
Product	pom	parent-groupid	org.apache.commons	Medium
Product	pom	url	<a href="https://commons.apache.org/proper/commons-codec/">https://commons.apache.org/proper/commons-codec/</a>	Medium
Version	Manifest	Bundle-Version	1.16.0	High
Version	Manifest	Implementation-Version	1.16.0	High
Version	pom	parent-version	1.16.0	Low
Version	pom	version	1.16.0	Highest

## Identifiers

- <pkg:maven/commons-codec/commons-codec@1.16.0> (*Confidence:High*)



## parser.docx.zip: commons-collections4.jar

### Description:

The Apache Commons Collections package contains types that extend and augment the Java Collections Framework.

### License:

<https://www.apache.org/licenses/LICENSE-2.0.txt>

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/parser.docx.zip/commons-collections4.jar

**MD5:** 4a37023740719b391f10030362c86be6

**SHA1:** 62ebe7544cb7164d87e0637a2a6a2bdc981395e8

**SHA256:** 1df8b9430b5c8ed143d7815e403e33ef5371b2400aadbe9bda0883762e0846d1

**Referenced In Project/Scope:**server

### Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	commons-collections4	High
Vendor	jar	package name	apache	Highest
Vendor	jar	package name	collections4	Highest
Vendor	jar	package name	commons	Highest
Vendor	Manifest	automatic-module-name	org.apache.commons.collections4	Medium
Vendor	Manifest	bundle-docurl	<a href="https://commons.apache.org/proper/commons-collections/">https://commons.apache.org/proper/commons-collections/</a>	Low
Vendor	Manifest	bundle-symbolicname	org.apache.commons.commons-collections4	Medium
Vendor	Manifest	implementation-url	<a href="https://commons.apache.org/proper/commons-collections/">https://commons.apache.org/proper/commons-collections/</a>	Low
Vendor	Manifest	Implementation-Vendor	The Apache Software Foundation	High
Vendor	Manifest	Implementation-Vendor-Id	org.apache.commons	Medium
Vendor	Manifest	require-capability	osgi.ee;filter:="(&(osgi.ee=JavaSE)(version=1.8))"	Low
Vendor	Manifest	specification-vendor	The Apache Software Foundation	Low
Vendor	pom	artifactid	commons-collections4	Low
Vendor	pom	developer id	adriannistor	Medium
Vendor	pom	developer id	amamment	Medium
Vendor	pom	developer id	bayard	Medium



Vendor	pom	developer id	chtompki	Medium
Vendor	pom	developer id	craigmcc	Medium
Vendor	pom	developer id	dlaha	Medium
Vendor	pom	developer id	geirm	Medium
Vendor	pom	developer id	ggregory	Medium
Vendor	pom	developer id	jcarman	Medium
Vendor	pom	developer id	luc	Medium
Vendor	pom	developer id	matth	Medium
Vendor	pom	developer id	mbenson	Medium
Vendor	pom	developer id	morgand	Medium
Vendor	pom	developer id	rdonkin	Medium
Vendor	pom	developer id	rwaldhoff	Medium
Vendor	pom	developer id	scolebourne	Medium
Vendor	pom	developer id	tn	Medium
Vendor	pom	developer name	Adrian Nistor	Medium
Vendor	pom	developer name	Arun M. Thomas	Medium
Vendor	pom	developer name	Craig McClanahan	Medium
Vendor	pom	developer name	Dipanjan Laha	Medium
Vendor	pom	developer name	Gary Gregory	Medium
Vendor	pom	developer name	Geir Magnusson	Medium
Vendor	pom	developer name	Henri Yandell	Medium
Vendor	pom	developer name	James Carman	Medium
Vendor	pom	developer name	Luc Maisonobe	Medium
Vendor	pom	developer name	Matt Benson	Medium
Vendor	pom	developer name	Matthew Hawthorne	Medium
Vendor	pom	developer name	Morgan Delagrange	Medium
Vendor	pom	developer name	Rob Tompkins	Medium
Vendor	pom	developer name	Robert Burrell Donkin	Medium
Vendor	pom	developer name	Rodney Waldhoff	Medium
Vendor	pom	developer name	Stephen Colebourne	Medium
Vendor	pom	developer name	Thomas Neidhart	Medium
Vendor	pom	groupid	org.apache.commons	Highest
Vendor	pom	name	Apache Commons Collections	High
Vendor	pom	parent-artifactid	commons-parent	Low
Vendor	pom	url	<a href="https://commons.apache.org/proper/commons-collections/">https://commons.apache.org/proper/commons-collections/</a>	Highest



Product	file	name	commons-collections4	High
Product	jar	package name	apache	Highest
Product	jar	package name	collections4	Highest
Product	jar	package name	commons	Highest
Product	Manifest	automatic-module-name	org.apache.commons.collections4	Medium
Product	Manifest	bundle-docurl	<a href="https://commons.apache.org/proper/commons-collections/">https://commons.apache.org/proper/commons-collections/</a>	Low
Product	Manifest	Bundle-Name	Apache Commons Collections	Medium
Product	Manifest	bundle-symbolicname	org.apache.commons.commons-collections4	Medium
Product	Manifest	Implementation-Title	Apache Commons Collections	High
Product	Manifest	implementation-url	<a href="https://commons.apache.org/proper/commons-collections/">https://commons.apache.org/proper/commons-collections/</a>	Low
Product	Manifest	require-capability	osgi.ee;filter:="(&(osgi.ee=JavaSE)(version=1.8))"	Low
Product	Manifest	specification-title	Apache Commons Collections	Medium
Product	pom	artifactid	commons-collections4	Highest
Product	pom	developer id	adriannistor	Low
Product	pom	developer id	amamment	Low
Product	pom	developer id	bayard	Low
Product	pom	developer id	chtompki	Low
Product	pom	developer id	craigmcc	Low
Product	pom	developer id	dlaha	Low
Product	pom	developer id	geirm	Low
Product	pom	developer id	ggregory	Low
Product	pom	developer id	jcarman	Low
Product	pom	developer id	luc	Low
Product	pom	developer id	matth	Low
Product	pom	developer id	mbenson	Low
Product	pom	developer id	morgand	Low
Product	pom	developer id	rdonkin	Low
Product	pom	developer id	rwaldhoff	Low
Product	pom	developer id	scolebourne	Low
Product	pom	developer id	tn	Low
Product	pom	developer name	Adrian Nistor	Low
Product	pom	developer name	Arun M. Thomas	Low



Product	pom	developer name	Craig McClanahan	Low
Product	pom	developer name	Dipanjan Laha	Low
Product	pom	developer name	Gary Gregory	Low
Product	pom	developer name	Geir Magnusson	Low
Product	pom	developer name	Henri Yandell	Low
Product	pom	developer name	James Carman	Low
Product	pom	developer name	Luc Maisonobe	Low
Product	pom	developer name	Matt Benson	Low
Product	pom	developer name	Matthew Hawthorne	Low
Product	pom	developer name	Morgan Delagrange	Low
Product	pom	developer name	Rob Tompkins	Low
Product	pom	developer name	Robert Burrell Donkin	Low
Product	pom	developer name	Rodney Waldhoff	Low
Product	pom	developer name	Stephen Colebourne	Low
Product	pom	developer name	Thomas Neidhart	Low
Product	pom	groupid	org.apache.commons	Highest
Product	pom	name	Apache Commons Collections	High
Product	pom	parent-artifactid	commons-parent	Medium
Product	pom	url	<a href="https://commons.apache.org/proper/commons-collections/">https://commons.apache.org/proper/commons-collections/</a>	Medium
Version	Manifest	Implementation-Version	4.4	High
Version	pom	parent-version	4.4	Low
Version	pom	version	4.4	Highest

### Identifiers

- [pkg:maven/org.apache.commons/commons-collections4@4.4](#) (*Confidence:High*)
- [cpe:2.3:a:apache:commons\\_collections:4.4:\\*:\\*:\\*:\\*:\\*](#) (*Confidence:Highest*) suppress

## parser.docx.zip: commons-compress.jar

### Description:

Apache Commons Compress defines an API for working with compression and archive formats. These include: bzip2, gzip, pack200,



Izma, xz, Snappy, traditional Unix Compress, DEFLATE, DEFLATE64, LZ4, Brotli, Zstandard and ar, cpio, jar, tar, zip, dump, 7z, arj.

**License:**

<https://www.apache.org/licenses/LICENSE-2.0.txt>

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/parser.docx.zip/commons-compress.jar

**MD5:** a99bcb4c7967d685eeecaa814b9a902d

**SHA1:** b4b1b5a3d9573b2970fddab236102c0a4d27d35e

**SHA256:**fbf2c5d275e513c08f4e4fb539726dbf3ac2142af956ba93efb983244f0c36bd

**Referenced In Project/Scope:**server

**Evidence**



Type	Source	Name	Value	Confidence
Vendor	file	name	commons-compress	High
Vendor	jar	package name	apache	Highest
Vendor	jar	package name	commons	Highest
Vendor	jar	package name	compress	Highest
Vendor	Manifest	automatic-module-name	org.apache.commons.compress	Medium
Vendor	Manifest	build-jdk-spec	17	Low
Vendor	Manifest	bundle-docurl	<a href="https://commons.apache.org/proper/commons-compress/">https://commons.apache.org/proper/commons-compress/</a>	Low
Vendor	Manifest	bundle-symbolicname	org.apache.commons.commons-compress	Medium
Vendor	Manifest	extension-name	org.apache.commons.compress	Medium
Vendor	Manifest	Implementation-Vendor	The Apache Software Foundation	High
Vendor	Manifest	Implementation-Vendor-Id	org.apache	Medium
Vendor	Manifest	multi-release	true	Low
Vendor	Manifest	originally-created-by	Apache Maven Bundle Plugin 5.1.9	Low
Vendor	Manifest	require-capability	osgi.ee;filter:="(&(osgi.ee=JavaSE)(version=1.8))"	Low
Vendor	Manifest	specification-vendor	The Apache Software Foundation	Low
Vendor	pom	artifactid	commons-compress	Low
Vendor	pom	developer email	bodewig at apache.org	Low
Vendor	pom	developer email	chtompki at apache.org	Low
Vendor	pom	developer email	damjan at apache.org	Low
Vendor	pom	developer email	ebourg at apache.org	Low



Vendor	pom	developer email	ggregory at apache.org	Low
Vendor	pom	developer email	grobmeier at apache.org	Low
Vendor	pom	developer email	julius at apache.org	Low
Vendor	pom	developer email	peterlee at apache.org	Low
Vendor	pom	developer email	sebb at apache.org	Low
Vendor	pom	developer email	tcurdtt at apache.org	Low
Vendor	pom	developer id	bodewig	Medium
Vendor	pom	developer id	chtompki	Medium
Vendor	pom	developer id	damjan	Medium
Vendor	pom	developer id	ebourg	Medium
Vendor	pom	developer id	ggregory	Medium
Vendor	pom	developer id	grobmeier	Medium
Vendor	pom	developer id	julius	Medium
Vendor	pom	developer id	peterlee	Medium
Vendor	pom	developer id	sebb	Medium
Vendor	pom	developer id	tcurdtt	Medium
Vendor	pom	developer name	Christian Grobmeier	Medium
Vendor	pom	developer name	Damjan Jovanovic	Medium
Vendor	pom	developer name	Emmanuel Bourg	Medium
Vendor	pom	developer name	Gary Gregory	Medium
Vendor	pom	developer name	Julius Davies	Medium
Vendor	pom	developer name	Peter Alfred Lee	Medium
Vendor	pom	developer name	Rob Tompkins	Medium
Vendor	pom	developer name	Sebastian Bazley	Medium
Vendor	pom	developer name	Stefan Bodewig	Medium
Vendor	pom	developer name	Torsten Curdt	Medium
Vendor	pom	developer org	The Apache Software Foundation	Medium
Vendor	pom	developer org URL	https://www.apache.org/	Medium
Vendor	pom	groupid	org.apache.commons	Highest
Vendor	pom	name	Apache Commons Compress	High
Vendor	pom	parent-artifactid	commons-parent	Low
Vendor	pom	url	https://commons.apache.org/proper/commons-compress/	Highest
Product	file	name	commons-compress	High
Product	jar	package name	9	Highest



Product	jar	package name	apache	Highest
Product	jar	package name	commons	Highest
Product	jar	package name	compress	Highest
Product	Manifest	automatic-module-name	org.apache.commons.compress	Medium
Product	Manifest	build-jdk-spec	17	Low
Product	Manifest	bundle-docurl	<a href="https://commons.apache.org/proper/commons-compress/">https://commons.apache.org/proper/commons-compress/</a>	Low
Product	Manifest	Bundle-Name	Apache Commons Compress	Medium
Product	Manifest	bundle-symbolicname	org.apache.commons.commons-compress	Medium
Product	Manifest	extension-name	org.apache.commons.compress	Medium
Product	Manifest	Implementation-Title	Apache Commons Compress	High
Product	Manifest	multi-release	true	Low
Product	Manifest	originally-created-by	Apache Maven Bundle Plugin 5.1.9	Low
Product	Manifest	require-capability	osgi.ee;filter:="(&(osgi.ee=JavaSE)(version=1.8))"	Low
Product	Manifest	specification-title	Apache Commons Compress	Medium
Product	pom	artifactid	commons-compress	Highest
Product	pom	developer email	bodewig at apache.org	Low
Product	pom	developer email	chtompki at apache.org	Low
Product	pom	developer email	damjan at apache.org	Low
Product	pom	developer email	ebourg at apache.org	Low
Product	pom	developer email	ggregory at apache.org	Low
Product	pom	developer email	grobmeier at apache.org	Low
Product	pom	developer email	julius at apache.org	Low
Product	pom	developer email	peterlee at apache.org	Low
Product	pom	developer email	sebb at apache.org	Low
Product	pom	developer email	tcurdt at apache.org	Low
Product	pom	developer id	bodewig	Low
Product	pom	developer id	chtompki	Low
Product	pom	developer id	damjan	Low
Product	pom	developer id	ebourg	Low
Product	pom	developer id	ggregory	Low
Product	pom	developer id	grobmeier	Low
Product	pom	developer id	julius	Low



Product	pom	developer id	peterlee	Low
Product	pom	developer id	sebb	Low
Product	pom	developer id	tcurdt	Low
Product	pom	developer name	Christian Grobmeier	Low
Product	pom	developer name	Damjan Jovanovic	Low
Product	pom	developer name	Emmanuel Bourg	Low
Product	pom	developer name	Gary Gregory	Low
Product	pom	developer name	Julius Davies	Low
Product	pom	developer name	Peter Alfred Lee	Low
Product	pom	developer name	Rob Tompkins	Low
Product	pom	developer name	Sebastian Bazley	Low
Product	pom	developer name	Stefan Bodewig	Low
Product	pom	developer name	Torsten Curdt	Low
Product	pom	developer org	The Apache Software Foundation	Low
Product	pom	developer org URL	https://www.apache.org/	Low
Product	pom	groupid	org.apache.commons	Highest
Product	pom	name	Apache Commons Compress	High
Product	pom	parent-artifactid	commons-parent	Medium
Product	pom	url	https://commons.apache.org/proper/commons-compress/	Medium
Version	Manifest	Bundle-Version	1.24.0	High
Version	Manifest	Implementation-Version	1.24.0	High
Version	pom	parent-version	1.24.0	Low
Version	pom	version	1.24.0	Highest

#### Identifiers

- [pkg:maven/org.apache.commons/commons-compress@1.24.0](#) (*Confidence:High*)
- [cpe:2.3:a:apache:commons\\_compress:1.24.0:\\*:\\*:\\*:\\*:\\*](#) (*Confidence:Highest*)

suppress

**parser.docx.zip: commons-io.jar**

**Description:**



The Apache Commons IO library contains utility classes, stream implementations, file filters, file comparators, endian transformation classes, and much more.

**License:**

<https://www.apache.org/licenses/LICENSE-2.0.txt>

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/parser.docx.zip/commons-io.jar

**MD5:** 3b4b7ccfaeceeac240b804839ee1a1ca

**SHA1:** a2503f302b11ebde7ebc3df41daebe0e4eea3689

**SHA256:** 961b2f6d87dbacc5d54abf45ab7a6e2495f89b75598962d8c723cea9bc210908

**Referenced In Project/Scope:**server

**Evidence**



Type	Source	Name	Value	Confidence
Vendor	file	name	commons-io	High
Vendor	jar	package name	apache	Highest
Vendor	jar	package name	commons	Highest
Vendor	jar	package name	file	Highest
Vendor	jar	package name	io	Highest
Vendor	Manifest	automatic-module-name	org.apache.commons.io	Medium
Vendor	Manifest	build-jdk-spec	1.8	Low
Vendor	Manifest	bundle-docurl	<a href="https://commons.apache.org/proper/commons-io/">https://commons.apache.org/proper/commons-io/</a>	Low
Vendor	Manifest	bundle-symbolicname	org.apache.commons.commons-io	Medium
Vendor	Manifest	Implementation-Vendor	The Apache Software Foundation	High
Vendor	Manifest	require-capability	osgi.ee;filter:="(&(osgi.ee=JavaSE)(version=1.8))"	Low
Vendor	Manifest	specification-vendor	The Apache Software Foundation	Low
Vendor	pom	artifactid	commons-io	Low
Vendor	pom	developer email	bayard@apache.org	Low
Vendor	pom	developer email	dion@apache.org	Low
Vendor	pom	developer email	ggregory at apache.org	Low
Vendor	pom	developer email	jeremias@apache.org	Low
Vendor	pom	developer email	jochen.wiedmann@gmail.com	Low
Vendor	pom	developer email	krosenvold@apache.org	Low
Vendor	pom	developer email	martinc@apache.org	Low
Vendor	pom	developer email	matth@apache.org	Low



Vendor	pom	developer email	nicolaken@apache.org	Low
Vendor	pom	developer email	roxspring@apache.org	Low
Vendor	pom	developer email	sanders@apache.org	Low
Vendor	pom	developer id	bayard	Medium
Vendor	pom	developer id	dion	Medium
Vendor	pom	developer id	ggregory	Medium
Vendor	pom	developer id	jeremias	Medium
Vendor	pom	developer id	jochen	Medium
Vendor	pom	developer id	jukka	Medium
Vendor	pom	developer id	krosenvold	Medium
Vendor	pom	developer id	martinc	Medium
Vendor	pom	developer id	matth	Medium
Vendor	pom	developer id	niallp	Medium
Vendor	pom	developer id	nicolaken	Medium
Vendor	pom	developer id	roxspring	Medium
Vendor	pom	developer id	sanders	Medium
Vendor	pom	developer id	scolebourne	Medium
Vendor	pom	developer name	dlon Gillard	Medium
Vendor	pom	developer name	Gary Gregory	Medium
Vendor	pom	developer name	Henri Yandell	Medium
Vendor	pom	developer name	Jeremias Maerki	Medium
Vendor	pom	developer name	Jochen Wiedmann	Medium
Vendor	pom	developer name	Jukka Zitting	Medium
Vendor	pom	developer name	Kristian Rosenvold	Medium
Vendor	pom	developer name	Martin Cooper	Medium
Vendor	pom	developer name	Matthew Hawthorne	Medium
Vendor	pom	developer name	Niall Pemberton	Medium
Vendor	pom	developer name	Nicola Ken Barozzi	Medium
Vendor	pom	developer name	Rob Oxspring	Medium
Vendor	pom	developer name	Scott Sanders	Medium
Vendor	pom	developer name	Stephen Colebourne	Medium
Vendor	pom	developer org	The Apache Software Foundation	Medium
Vendor	pom	developer org URL	<a href="https://www.apache.org/">https://www.apache.org/</a>	Medium
Vendor	pom	groupid	commons-io	Highest
Vendor	pom	name	Apache Commons IO	High



Vendor	pom	parent-artifactid	commons-parent	Low
Vendor	pom	parent-groupid	org.apache.commons	Medium
Vendor	pom	url	<a href="https://commons.apache.org/proper/commons-io/">https://commons.apache.org/proper/commons-io/</a>	Highest
Product	file	name	commons-io	High
Product	jar	package name	apache	Highest
Product	jar	package name	commons	Highest
Product	jar	package name	file	Highest
Product	jar	package name	io	Highest
Product	Manifest	automatic-module-name	org.apache.commons.io	Medium
Product	Manifest	build-jdk-spec	1.8	Low
Product	Manifest	bundle-docurl	<a href="https://commons.apache.org/proper/commons-io/">https://commons.apache.org/proper/commons-io/</a>	Low
Product	Manifest	Bundle-Name	Apache Commons IO	Medium
Product	Manifest	bundle-symbolicname	org.apache.commons.commons-io	Medium
Product	Manifest	Implementation-Title	Apache Commons IO	High
Product	Manifest	require-capability	osgi.ee;filter:="(&(osgi.ee=JavaSE)(version=1.8))"	Low
Product	Manifest	specification-title	Apache Commons IO	Medium
Product	pom	artifactid	commons-io	Highest
Product	pom	developer email	bayard@apache.org	Low
Product	pom	developer email	dion@apache.org	Low
Product	pom	developer email	ggregory at apache.org	Low
Product	pom	developer email	jeremias@apache.org	Low
Product	pom	developer email	jochen.wiedmann@gmail.com	Low
Product	pom	developer email	krosenvold@apache.org	Low
Product	pom	developer email	martinc@apache.org	Low
Product	pom	developer email	matth@apache.org	Low
Product	pom	developer email	nicolaken@apache.org	Low
Product	pom	developer email	roxspring@apache.org	Low
Product	pom	developer email	sanders@apache.org	Low
Product	pom	developer id	bayard	Low
Product	pom	developer id	dion	Low
Product	pom	developer id	ggregory	Low
Product	pom	developer id	jeremias	Low



Product	pom	developer id	jochen	Low
Product	pom	developer id	jukka	Low
Product	pom	developer id	krosenvold	Low
Product	pom	developer id	martinc	Low
Product	pom	developer id	matth	Low
Product	pom	developer id	niallp	Low
Product	pom	developer id	nicolaken	Low
Product	pom	developer id	roxspring	Low
Product	pom	developer id	sanders	Low
Product	pom	developer id	scolebourne	Low
Product	pom	developer name	dlon Gillard	Low
Product	pom	developer name	Gary Gregory	Low
Product	pom	developer name	Henri Yandell	Low
Product	pom	developer name	Jeremias Maerki	Low
Product	pom	developer name	Jochen Wiedmann	Low
Product	pom	developer name	Jukka Zitting	Low
Product	pom	developer name	Kristian Rosenvold	Low
Product	pom	developer name	Martin Cooper	Low
Product	pom	developer name	Matthew Hawthorne	Low
Product	pom	developer name	Niall Pemberton	Low
Product	pom	developer name	Nicola Ken Barozzi	Low
Product	pom	developer name	Rob Oxspring	Low
Product	pom	developer name	Scott Sanders	Low
Product	pom	developer name	Stephen Colebourne	Low
Product	pom	developer org	The Apache Software Foundation	Low
Product	pom	developer org URL	<a href="https://www.apache.org/">https://www.apache.org/</a>	Low
Product	pom	groupid	commons-io	Highest
Product	pom	name	Apache Commons IO	High
Product	pom	parent-artifactid	commons-parent	Medium
Product	pom	parent-groupid	org.apache.commons	Medium
Product	pom	url	<a href="https://commons.apache.org/proper/commons-io/">https://commons.apache.org/proper/commons-io/</a>	Medium
Version	Manifest	Bundle-Version	2.11.0	High
Version	Manifest	Implementation-Version	2.11.0	High
Version	pom	parent-version	2.11.0	Low



Version	pom	version	2.11.0	Highest
---------	-----	---------	--------	---------

## Identifiers

- [pkg:maven/commons-io/commons-io@2.11.0](#) (*Confidence:High*)
- [cpe:2.3:a:apache:commons\\_io:2.11.0:\\*:\\*:\\*:\\*:\\*](#) (*Confidence:Highest*) suppress

## parser.docx.zip: commons-math3.jar

### Description:

The Apache Commons Math project is a library of lightweight, self-contained mathematics and statistics components addressing the most common practical problems not immediately available in the Java programming language or commons-lang.

### License:

<http://www.apache.org/licenses/LICENSE-2.0.txt>

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/parser.docx.zip/commons-math3.jar

**MD5:** 5b730d97e4e6368069de1983937c508e

**SHA1:** e4ba98f1d4b3c80ec46392f25e094a6a2e58fcfb

**SHA256:** 1e56d7b058d28b65abd256b8458e3885b674c1d588fa43cd7d1cbb9c7ef2b308

**Referenced In Project/Scope:**server

## Evidence

Type	Source	Name	Value	Confidence
Vendor	file	name	commons-math3	High
Vendor	jar	package name	apache	Highest
Vendor	jar	package name	commons	Highest
Vendor	jar	package name	math3	Highest
Vendor	Manifest	bundle-docurl	<a href="http://commons.apache.org/proper/commons-math/">http://commons.apache.org/proper/commons-math/</a>	Low
Vendor	Manifest	bundle-symbolicname	org.apache.commons.math3	Medium
Vendor	Manifest	implementation-build	16abfe5de688cc52fb0396e0609cb33044b156! 2016-03-17 13:30:43-0400	Low
Vendor	Manifest	implementation-url	<a href="http://commons.apache.org/proper/commons-math/">http://commons.apache.org/proper/commons-math/</a>	Low
Vendor	Manifest	Implementation-Vendor	The Apache Software Foundation	High
Vendor	Manifest	Implementation-Vendor-Id	org.apache	Medium



Vendor	Manifest	require-capability	osgi.ee;filter:="(&(osgi.ee=JavaSE)(version=1.5))"	Low
Vendor	Manifest	specification-vendor	The Apache Software Foundation	Low
Vendor	pom	artifactid	commons-math3	Low
Vendor	pom	developer email	achou at apache dot org	Low
Vendor	pom	developer email	billbarker at apache dot org	Low
Vendor	pom	developer email	brentworden at apache dot org	Low
Vendor	pom	developer email	celestine at apache dot org	Low
Vendor	pom	developer email	dimpbx at apache dot org	Low
Vendor	pom	developer email	erans at apache dot org	Low
Vendor	pom	developer email	evanward at apache dot org	Low
Vendor	pom	developer email	gregs at apache dot org	Low
Vendor	pom	developer email	j3322ptm at yahoo dot de	Low
Vendor	pom	developer email	luc at apache dot org	Low
Vendor	pom	developer email	mdiggory at apache dot org	Low
Vendor	pom	developer email	mikl at apache dot org	Low
Vendor	pom	developer email	oertl at apache dot org	Low
Vendor	pom	developer email	rdonkin at apache dot org	Low
Vendor	pom	developer email	tn at apache dot org	Low
Vendor	pom	developer email	tobrien at apache dot org	Low
Vendor	pom	developer id	achou	Medium
Vendor	pom	developer id	billbarker	Medium
Vendor	pom	developer id	brentworden	Medium
Vendor	pom	developer id	celestine	Medium
Vendor	pom	developer id	dimpbx	Medium
Vendor	pom	developer id	erans	Medium
Vendor	pom	developer id	evanward	Medium
Vendor	pom	developer id	gregs	Medium
Vendor	pom	developer id	luc	Medium
Vendor	pom	developer id	mdiggory	Medium
Vendor	pom	developer id	mikl	Medium
Vendor	pom	developer id	oertl	Medium
Vendor	pom	developer id	pietsch	Medium
Vendor	pom	developer id	rdonkin	Medium
Vendor	pom	developer id	tn	Medium



Vendor	pom	developer id	tobrien	Medium
Vendor	pom	developer name	Albert Davidson Chou	Medium
Vendor	pom	developer name	Bill Barker	Medium
Vendor	pom	developer name	Brent Worden	Medium
Vendor	pom	developer name	Dimitri Pourbaix	Medium
Vendor	pom	developer name	Evan Ward	Medium
Vendor	pom	developer name	Gilles Sadowski	Medium
Vendor	pom	developer name	Greg Sterijevski	Medium
Vendor	pom	developer name	J. Pietschmann	Medium
Vendor	pom	developer name	Luc Maisonobe	Medium
Vendor	pom	developer name	Mark Diggory	Medium
Vendor	pom	developer name	Mikkel Meyer Andersen	Medium
Vendor	pom	developer name	Otmar Ertl	Medium
Vendor	pom	developer name	Robert Burrell Donkin	Medium
Vendor	pom	developer name	S&#233;bastien Brisard	Medium
Vendor	pom	developer name	Thomas Neidhart	Medium
Vendor	pom	developer name	Tim O'Brien	Medium
Vendor	pom	groupid	org.apache.commons	Highest
Vendor	pom	name	Apache Commons Math	High
Vendor	pom	parent-artifactid	commons-parent	Low
Vendor	pom	url	http://commons.apache.org/proper/commons-math/	Highest
Product	file	name	commons-math3	High
Product	jar	package name	apache	Highest
Product	jar	package name	commons	Highest
Product	jar	package name	filter	Highest
Product	jar	package name	math3	Highest
Product	Manifest	bundle-docurl	http://commons.apache.org/proper/commons-math/	Low
Product	Manifest	Bundle-Name	Apache Commons Math	Medium
Product	Manifest	bundle-symbolicname	org.apache.commons.math3	Medium
Product	Manifest	implementation-build	16abfe5de688cc52fb0396e0609cb33044b156f2016-03-17 13:30:43-0400	Low
Product	Manifest	Implementation-Title	Apache Commons Math	High
Product	Manifest	implementation-url	http://commons.apache.org/proper/commons-math/	Low



Product	Manifest	require-capability	osgi.ee;filter:="(&(osgi.ee=JavaSE)(version=1.5))"	Low
Product	Manifest	specification-title	Apache Commons Math	Medium
Product	pom	artifactid	commons-math3	Highest
Product	pom	developer email	achou at apache dot org	Low
Product	pom	developer email	billbarker at apache dot org	Low
Product	pom	developer email	brentworden at apache dot org	Low
Product	pom	developer email	celestin at apache dot org	Low
Product	pom	developer email	dimpbx at apache dot org	Low
Product	pom	developer email	erans at apache dot org	Low
Product	pom	developer email	evanward at apache dot org	Low
Product	pom	developer email	gregs at apache dot org	Low
Product	pom	developer email	j3322ptm at yahoo dot de	Low
Product	pom	developer email	luc at apache dot org	Low
Product	pom	developer email	mdiggory at apache dot org	Low
Product	pom	developer email	mikl at apache dot org	Low
Product	pom	developer email	oertl at apache dot org	Low
Product	pom	developer email	rdonkin at apache dot org	Low
Product	pom	developer email	tn at apache dot org	Low
Product	pom	developer email	tobrien at apache dot org	Low
Product	pom	developer id	achou	Low
Product	pom	developer id	billbarker	Low
Product	pom	developer id	brentworden	Low
Product	pom	developer id	celestin	Low
Product	pom	developer id	dimpbx	Low
Product	pom	developer id	erans	Low
Product	pom	developer id	evanward	Low
Product	pom	developer id	gregs	Low
Product	pom	developer id	luc	Low
Product	pom	developer id	mdiggory	Low
Product	pom	developer id	mikl	Low
Product	pom	developer id	oertl	Low
Product	pom	developer id	pietsch	Low
Product	pom	developer id	rdonkin	Low
Product	pom	developer id	tn	Low
Product	pom	developer id	tobrien	Low



Product	pom	developer name	Albert Davidson Chou	Low
Product	pom	developer name	Bill Barker	Low
Product	pom	developer name	Brent Worden	Low
Product	pom	developer name	Dimitri Pourbaix	Low
Product	pom	developer name	Evan Ward	Low
Product	pom	developer name	Gilles Sadowski	Low
Product	pom	developer name	Greg Sterijevski	Low
Product	pom	developer name	J. Pietschmann	Low
Product	pom	developer name	Luc Maisonobe	Low
Product	pom	developer name	Mark Diggory	Low
Product	pom	developer name	Mikkel Meyer Andersen	Low
Product	pom	developer name	Otmar Ertl	Low
Product	pom	developer name	Robert Burrell Donkin	Low
Product	pom	developer name	S&#233;bastien Brisard	Low
Product	pom	developer name	Thomas Neidhart	Low
Product	pom	developer name	Tim O'Brien	Low
Product	pom	groupid	org.apache.commons	Highest
Product	pom	name	Apache Commons Math	High
Product	pom	parent-artifactid	commons-parent	Medium
Product	pom	url	http://commons.apache.org/proper/commons-math/	Medium
Version	Manifest	Bundle-Version	3.6.1	High
Version	Manifest	Implementation-Version	3.6.1	High
Version	pom	parent-version	3.6.1	Low
Version	pom	version	3.6.1	Highest

#### Identifiers

- <pkg:maven/org.apache.commons/commons-math3@3.6.1> (*Confidence:High*)

**parser.docx.zip: curvesapi.jar**

**Description:**



Implementation of various mathematical curves that define themselves over a set of control points. The API is written in Java. The curves supported are: Bezier, B-Spline, Cardinal Spline, Catmull-Rom Spline, Lagrange, Natural Cubic Spline, and NURBS.

**License:**

BSD License: <http://opensource.org/licenses/BSD-3-Clause>

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/parser.docx.zip/curvesapi.jar

**MD5:** fc3aed90346691e7c79da06bb6606beb

**SHA1:** 3d3d36568154059825089b289dcfca481fe44e2c

**SHA256:** ad95b08b8bbf9d7d17e5e00814898fa23324f32bc5b62f1a37801e6a56ce0079

**Referenced In Project/Scope:**server

**Evidence**



Type	Source	Name	Value	Confidence
Vendor	file	name	curvesapi	High
Vendor	Manifest	automatic-module-name	com.github.virtuald.curvesapi	Medium
Vendor	pom	artifactid	curvesapi	Low
Vendor	pom	developer id	stormdollar	Medium
Vendor	pom	developer id	virtuald	Medium
Vendor	pom	developer name	Dustin Spicuzza	Medium
Vendor	pom	developer name	stormdollar	Medium
Vendor	pom	groupid	com.github.virtuald	Highest
Vendor	pom	name	curvesapi	High
Vendor	pom	url	virtuald/curvesapi	Highest
Product	file	name	curvesapi	High
Product	Manifest	automatic-module-name	com.github.virtuald.curvesapi	Medium
Product	pom	artifactid	curvesapi	Highest
Product	pom	developer id	stormdollar	Low
Product	pom	developer id	virtuald	Low
Product	pom	developer name	Dustin Spicuzza	Low
Product	pom	developer name	stormdollar	Low
Product	pom	groupid	com.github.virtuald	Highest
Product	pom	name	curvesapi	High
Product	pom	url	virtuald/curvesapi	High
Version	pom	version	1.08	Highest



## Identifiers

- [pkg:maven/com.github.virtuald/curvesapi@1.08](https://pkg:maven/com.github.virtuald/curvesapi@1.08) (*Confidence:High*)

## parser.docx.zip: log4j-api.jar

### Description:

The Apache Log4j API

### License:

<https://www.apache.org/licenses/LICENSE-2.0.txt>

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/parser.docx.zip/log4j-api.jar

**MD5:** f9446464667f0139b839b5e9da37f5b9

**SHA1:** 1fe6082e660daf07c689a89c94dc0f49c26b44bb

**SHA256:** 2f43eea679ea66f14ca0f13fec2a8600ac124f5a5231dcb4df8393eddc97550

**Referenced In Project/Scope:**server

### Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	log4j-api	High
Vendor	jar	package name	apache	Highest
Vendor	jar	package name	log4j	Highest
Vendor	jar	package name	logging	Highest
Vendor	jar	package name	org	Highest
Vendor	Manifest	build-jdk-spec	1.8	Low
Vendor	Manifest	bundle-docurl	<a href="https://www.apache.org/">https://www.apache.org/</a>	Low
Vendor	Manifest	bundle-symbolicname	org.apache.logging.log4j.api	Medium
Vendor	Manifest	Implementation-Vendor	The Apache Software Foundation	High
Vendor	Manifest	Implementation-Vendor-Id	org.apache	Medium
Vendor	Manifest	multi-release	true	Low
Vendor	Manifest	require-capability	osgi.ee;filter="(&(osgi.ee=JavaSE)(version=1.8))"	Low
Vendor	Manifest	specification-vendor	The Apache Software Foundation	Low
Vendor	pom	artifactid	log4j-api	Low
Vendor	pom	groupid	org.apache.logging.log4j	Highest



Vendor	pom	name	Apache Log4j API	High
Vendor	pom	parent-artifactid	log4j	Low
Product	file	name	log4j-api	High
Product	jar	package name	apache	Highest
Product	jar	package name	log4j	Highest
Product	jar	package name	logging	Highest
Product	jar	package name	org	Highest
Product	Manifest	build-jdk-spec	1.8	Low
Product	Manifest	bundle-docurl	https://www.apache.org/	Low
Product	Manifest	Bundle-Name	Apache Log4j API	Medium
Product	Manifest	bundle-symbolicname	org.apache.logging.log4j.api	Medium
Product	Manifest	Implementation-Title	Apache Log4j API	High
Product	Manifest	multi-release	true	Low
Product	Manifest	require-capability	osgi.ee;filter:="(&(osgi.ee=JavaSE)(version=1.8))"	Low
Product	Manifest	specification-title	Apache Log4j API	Medium
Product	pom	artifactid	log4j-api	Highest
Product	pom	groupid	org.apache.logging.log4j	Highest
Product	pom	name	Apache Log4j API	High
Product	pom	parent-artifactid	log4j	Medium
Version	Manifest	Bundle-Version	2.20.0	High
Version	Manifest	Implementation-Version	2.20.0	High
Version	pom	version	2.20.0	Highest

#### Identifiers

- [pkg:maven/org.apache.logging.log4j/log4j-api@2.20.0](#) (*Confidence:High*)
- [cpe:2.3:a:apache:log4j:2.20.0:\\*\\*\\*\\*:\\*](#) (*Confidence:Highest*)

suppress

parser.docx.zip: ooxml-schemas.jar

Description:



XmlBeans generated from the Ecma supplied xsds:

[http://www.ecma-international.org/publications/files/ECMA-ST/Office%20Open%20XML%20Part%204%20\(DOCX\).zip](http://www.ecma-international.org/publications/files/ECMA-ST/Office%20Open%20XML%20Part%204%20(DOCX).zip)

**License:**

The Apache Software License, Version 2.0: <http://www.apache.org/licenses/LICENSE-2.0.txt>

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/parser.docx.zip/ooxml-schemas.jar

**MD5:** e8f3b2f9a80ab82d94fac5bef904d62d

**SHA1:** 147993bd2ef26de9e54728f6762011c8c6b8cda7

**SHA256:** f8256738040d66ccb677814873674c1212464e00af491e9df490fc45decdbd932

**Referenced In Project/Scope:** server

**Evidence**



Type	Source	Name	Value	Confidence
Vendor	central	artifactid	ooxml-schemas	Highest
Vendor	central	groupid	org.apache.poi	Highest
Vendor	file	name	ooxml-schemas	High
Vendor	jar	package name	openxmlformats	Low
Vendor	jar	package name	schemas	Low
Vendor	pom	artifactid	ooxml-schemas	Low
Vendor	pom	groupid	org.apache.poi	Highest
Vendor	pom	name	OOXML schemas	High
Vendor	pom	organization name	Apache Software Foundation	High
Vendor	pom	organization url	<a href="http://www.apache.org/">http://www.apache.org/</a>	Medium
Vendor	pom	url	<a href="http://poi.apache.org/">http://poi.apache.org/</a>	Highest
Product	central	artifactid	ooxml-schemas	Highest
Product	file	name	ooxml-schemas	High
Product	jar	package name	schemas	Low
Product	jar	package name	x2006	Low
Product	pom	artifactid	ooxml-schemas	Highest
Product	pom	groupid	org.apache.poi	Highest
Product	pom	name	OOXML schemas	High
Product	pom	organization name	Apache Software Foundation	Low
Product	pom	organization url	<a href="http://www.apache.org/">http://www.apache.org/</a>	Low
Product	pom	url	<a href="http://poi.apache.org/">http://poi.apache.org/</a>	Medium
Version	central	version	1.4	Highest
Version	pom	version	1.4	Highest



Identifiers

- pkg:maven/org.apache.poi/ooxml-schemas@1.4 (Confidence:High)

parser.docx.zip: parser.docx.jar

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/parser.docx.zip/parser.docx.jar  
**MD5:** f8d3775e089c278a0bb4bf1b9750d0f5  
**SHA1:** 329745975f51caed05b78f965d48aa86fb231e0a  
**SHA256:** 6eb73609b1cbd51d7e922757364e3cec22b174425a1b46577c2778656d98abf9  
**Referenced In Project/Scope:**server

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	parser.docx	High
Vendor	jar	package name	inet	Low
Vendor	jar	package name	pdfc	Low
Vendor	jar	package name	plugin	Low
Vendor	Manifest	application-library-allowable-codebase	*	Low
Vendor	Manifest	built-date	2024-01-16 15:28	Low
Vendor	Manifest	codebase	*	Low
Vendor	Manifest	implementation-group	pdfc	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	permissions	all-permissions	Low
Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	trusted-library	false	Low
Vendor	Manifest	trusted-only	false	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	parser.docx	High
Product	jar	package name	docxparser	Low



Product	jar	package name	pdfc	Highest
Product	jar	package name	pdfc	Low
Product	jar	package name	plugin	Low
Product	Manifest	application-library-allowable-codebase	*	Low
Product	Manifest	built-date	2024-01-16 15:28	Low
Product	Manifest	codebase	*	Low
Product	Manifest	implementation-group	pdfc	Low
Product	Manifest	Implementation-Title	parser.docx	High
Product	Manifest	permissions	all-permissions	Low
Product	Manifest	specification-title	parser.docx	Medium
Product	Manifest	trusted-library	false	Low
Product	Manifest	trusted-only	false	Low
Version	jar	package name	pdfc	Highest
Version	Manifest	Implementation-Version	23.10.295	High

## Identifiers

- cpe:2.3:a:inetsoftware:pdfc:23.10.295.\*:\*:\*:\*:\* (Confidence:Low) suppress

**parser.docx.zip: poi.jar**

**Description:**

## Apache POI - Java API To Access Microsoft Format Files

**License:**

Apache License, Version 2.0: <http://www.apache.org/licenses/LICENSE-2.0.txt>

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller  
/server/build/tmp/dependencies/i-net PDFC/plugins/parser.docx.zip/poi.jar

**MD5:** d4b21c2109d83abb8e93ba4bcfbdeb3a

**SHA1:** 2fb22ae74ad5aea6af1a9c64b9542f2ccf348604

**SHA256:**1d4c81a283e127693db89e85df45119d9d312d5686d2439b5be9445c2c649155

Referenced In Project/Scope:server

## Evidence





Type	Source	Name	Value	Confidence
Vendor	central	artifactid	poi	Highest
Vendor	central	groupid	org.apache.poi	Highest
Vendor	file	name	poi	High
Vendor	jar	package name	apache	Highest
Vendor	jar	package name	apache	Low
Vendor	jar	package name	poi	Highest
Vendor	jar	package name	poi	Low
Vendor	Manifest	automatic-module-name	org.apache.poi.poi	Medium
Vendor	Manifest	Implementation-Vendor	org.apache.poi	High
Vendor	Manifest	Implementation-Vendor-Id	The Apache Software Foundation	Medium
Vendor	Manifest	multi-release	true	Low
Vendor	Manifest	specification-vendor	The Apache Software Foundation	Low
Vendor	pom	artifactid	poi	Low
Vendor	pom	groupid	org.apache.poi	Highest
Vendor	pom	name	Apache POI - Common	High
Vendor	pom	organization name	Apache Software Foundation	High
Vendor	pom	organization url	http://www.apache.org/	Medium
Vendor	pom	url	https://poi.apache.org/	Highest
Product	central	artifactid	poi	Highest
Product	file	name	poi	High
Product	jar	package name	apache	Highest
Product	jar	package name	poi	Highest
Product	jar	package name	poi	Low
Product	Manifest	automatic-module-name	org.apache.poi.poi	Medium
Product	Manifest	Implementation-Title	Apache POI	High
Product	Manifest	multi-release	true	Low
Product	Manifest	specification-title	Apache POI	Medium
Product	pom	artifactid	poi	Highest
Product	pom	groupid	org.apache.poi	Highest
Product	pom	name	Apache POI - Common	High



Product	pom	organization name	Apache Software Foundation	Low
Product	pom	organization url	http://www.apache.org/	Low
Product	pom	url	https://poi.apache.org/	Medium
Version	central	version	5.2.3	Highest
Version	Manifest	Implementation-Version	5.2.3	High
Version	pom	version	5.2.3	Highest

## Related Dependencies



- parser.docx.zip: poi-ooxml-full.jar
  - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/parser.docx.zip/poi-ooxml-full.jar
  - MD5: 12cee970c8c7143c8d5ff643e1599bd8
  - SHA1: 339a05530a7076e8a86b88253a48a44e0144ce25
  - SHA256: 0484b712eb63a8872723cafb88004be60f47187baccacddaee12712a1ad2e7b5
  - [pkg:maven/org.apache.poi/poi-ooxml-full@5.2.3](https://maven.apache.org/poi/poi-ooxml-full@5.2.3)
- parser.docx.zip: poi-ooxml.jar
  - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/parser.docx.zip/poi-ooxml.jar
  - MD5: 4874ead60c5e3aa7fcf29d3ad351eefa
  - SHA1: 02efd11c940adb18c03eb9ce7ad88fc40ee6a196
  - SHA256: 9b8ff6ecf562836299ce15997796e3d47fe063a5956c1c7d3f6e2a4bf6e60b79
  - [pkg:maven/org.apache.poi/poi-ooxml@5.2.3](https://maven.apache.org/poi/poi-ooxml@5.2.3)
- parser.docx.zip: poi-scratchpad.jar
  - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/parser.docx.zip/poi-scratchpad.jar
  - MD5: 760ac0bcd0f4877fb57b134fc7e79fb4
  - SHA1: 2a7fce47e22b7fedb1b277347ff4fe36d6eda50d
  - SHA256: f0a98ad2a2a8c2863135357224fe8ffb2b4e7bb121d75aff59750eb671451aed
  - [pkg:maven/org.apache.poi/poi-scratchpad@5.2.3](https://maven.apache.org/poi/poi-scratchpad@5.2.3)

## Identifiers

- [pkg:maven/org.apache.poi/poi@5.2.3](https://maven.apache.org/poi/poi@5.2.3) (Confidence:High)
- [cpe:2.3:a:apache:poi:5.2.3:\\*\\*\\*\\*:\\*:\\*](https://maven.apache.org/poi/poi@5.2.3) (Confidence:Highest) suppress

## parser.docx.zip: xmlbeans.jar

### Description:

XmlBeans main jar

### License:



**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/parser.docx.zip/xmlbeans.jar

**MD5:** 6f137af5334fbd77a2d64f5de8bf6ff6

**SHA1:** 48a369df0eccb509d46203104e4df9cb00f0f68b

**SHA256:** 5f484a78bed71cbffe3709678b6bdd3463781a7c61c6d9872330aecbf150762a

**Referenced In Project/Scope:**server

## Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	xmlbeans	High
Vendor	jar	package name	apache	Highest
Vendor	jar	package name	org	Highest
Vendor	jar	package name	xmlbeans	Highest
Vendor	Manifest	multi-release	true	Low
Vendor	manifest org /apache /xmlbear	Implementation- Vendor	org.apache.xmlbeans	Medium
Vendor	pom	artifactid	xmlbeans	Low
Vendor	pom	developer email	user@poi.apache.org	Low
Vendor	pom	developer id	poi	Medium
Vendor	pom	developer name	POI Team	Medium
Vendor	pom	developer org	Apache POI	Medium
Vendor	pom	groupid	org.apache.xmlbeans	Highest
Vendor	pom	name	XmlBeans	High
Vendor	pom	organization name	XmlBeans	High
Vendor	pom	organization url	<a href="https://xmlbeans.apache.org/">https://xmlbeans.apache.org/</a>	Medium
Vendor	pom	url	<a href="https://xmlbeans.apache.org/">https://xmlbeans.apache.org/</a>	Highest
Product	file	name	xmlbeans	High
Product	jar	package name	apache	Highest
Product	jar	package name	org	Highest
Product	jar	package name	xmlbeans	Highest
Product	Manifest	multi-release	true	Low
Product	manifest org /apache /xmlbear	Implementation- Title	Apache XmlBeans	Medium
Product	manifest org	Specification- Title	Apache XmlBeans	Medium



	/apache /xmlbear			
Product	pom	artifactid	xmlbeans	Highest
Product	pom	developer email	user@poi.apache.org	Low
Product	pom	developer id	poi	Low
Product	pom	developer name	POI Team	Low
Product	pom	developer org	Apache POI	Low
Product	pom	groupid	org.apache.xmlbeans	Highest
Product	pom	name	XmlBeans	High
Product	pom	organization name	XmlBeans	Low
Product	pom	organization url	https://xmlbeans.apache.org/	Low
Product	pom	url	https://xmlbeans.apache.org/	Medium
Version	manifest org /apache /xmlbear	Implementation- Version	5.1.1	Medium
Version	pom	version	5.1.1	Highest

#### Identifiers

- [pkg:maven/org.apache.xmlbeans/xmlbeans@5.1.1](#) (Confidence:High)
- [cpe:2.3:a:apache:xmlbeans:5.1.1:\\*:\\*:\\*:\\*:\\*](#) (Confidence:Highest) suppress

### parser.image.zip: parser.image.jar

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/parser.image.zip/parser.image.jar  
**MD5:** 02eeaaabe3abf49558bb33983738e1f29  
**SHA1:** 8bdbf93318a64586d20c74377bf20df51e7d9bc6  
**SHA256:** 0a515c98d8203c83e0e51d1ba2caa1f0f2eaf3caecab1541c6c58700bce127f3  
**Referenced In Project/Scope:**server

#### Evidence +

Type	Source	Name	Value	Confidence
Vendor	file	name	parser.image	High
Vendor	jar	package name	inet	Low
Vendor	jar	package name	pdfc	Low
Vendor	jar	package name	plugin	Low



Vendor	Manifest	application-library-allowable-codebase	*	Low
Vendor	Manifest	built-date	2024-01-16 15:27	Low
Vendor	Manifest	codebase	*	Low
Vendor	Manifest	implementation-group	pdfc	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	permissions	all-permissions	Low
Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	trusted-library	false	Low
Vendor	Manifest	trusted-only	false	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	parser.image	High
Product	jar	package name	imageparser	Low
Product	jar	package name	pdfc	Highest
Product	jar	package name	pdfc	Low
Product	jar	package name	plugin	Low
Product	Manifest	application-library-allowable-codebase	*	Low
Product	Manifest	built-date	2024-01-16 15:27	Low
Product	Manifest	codebase	*	Low
Product	Manifest	implementation-group	pdfc	Low
Product	Manifest	Implementation-Title	parser.image	High
Product	Manifest	permissions	all-permissions	Low
Product	Manifest	specification-title	parser.image	Medium
Product	Manifest	trusted-library	false	Low
Product	Manifest	trusted-only	false	Low
Version	jar	package name	pdfc	Highest
Version	Manifest	Implementation-Version	23.10.295	High



## Identifiers

- cpe:2.3:a:inetsoftware:pdfc:23.10.295.\*.\*.\*.\*.\* (Confidence:Low) suppress

```
suppress
```

**parser.pdf.config.zip: parser.pdf.config.jar**

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/parser.pdf.config.zip/parser.pdf.config.jar

**MD5:** 6f3e7e29c76a7568f155e586d846e2a1

**SHA1:** ccf8c1e358894fea5212f0f646f3b57d4e39ec09

**SHA256:**d1254fec6122917032c6770a73de4b9bf474a75f124ec5551b419b02b9199dd6

**Referenced In Project/Scope:**server

## Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	parser.pdf.config	High
Vendor	jar	package name	inet	Low
Vendor	jar	package name	pdfc	Low
Vendor	jar	package name	plugin	Low
Vendor	Manifest	application-library-allowable-codebase	*	Low
Vendor	Manifest	built-date	2024-01-16 15:27	Low
Vendor	Manifest	codebase	*	Low
Vendor	Manifest	implementation-group	pdfc	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	permissions	all-permissions	Low
Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	trusted-library	false	Low
Vendor	Manifest	trusted-only	false	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	parser.pdf.config	High
Product	jar	package name	pdfc	Highest
Product	jar	package name	pdfc	Low



Product	jar	package name	pdfparserconfig	Low
Product	jar	package name	plugin	Low
Product	Manifest	application-library-allowable-codebase	*	Low
Product	Manifest	built-date	2024-01-16 15:27	Low
Product	Manifest	codebase	*	Low
Product	Manifest	implementation-group	pdfc	Low
Product	Manifest	Implementation-Title	parser.pdf.config	High
Product	Manifest	permissions	all-permissions	Low
Product	Manifest	specification-title	parser.pdf.config	Medium
Product	Manifest	trusted-library	false	Low
Product	Manifest	trusted-only	false	Low
Version	jar	package name	pdfc	Highest
Version	Manifest	Implementation-Version	23.10.295	High

Identifiers

- cpe:2.3:a:inetsoftware:pdfc:23.10.295:\*:\*:\*:\*:\* ( *Confidence:Low* ) suppress

parser.pdf.zip: PDFParser.jar

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/parser.pdf.zip/PDFParser.jar  
**MD5:** 105bf99d97c685d1c827f2ecdbe1e98d  
**SHA1:** 69c54240a6943906ba8b5a853e1a821ba18146c3  
**SHA256:** cb620df8ed0449341b95d0d19ce2720aab7a7dde5d79b6c5d22e5a970f74ecd3  
**Referenced In Project/Scope:**server

Evidence +

Type	Source	Name	Value	Confidence
Vendor	file	name	PDFParser	High
Vendor	jar	package name	inet	Low
Vendor	jar	package name	pdfview	Low



Vendor	Manifest	application-library-allowable-codebase	*	Low
Vendor	Manifest	built-date	2024-01-16 12:10	Low
Vendor	Manifest	codebase	*	Low
Vendor	Manifest	implementation-group	shared	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	permissions	all-permissions	Low
Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	trusted-library	false	Low
Vendor	Manifest	trusted-only	false	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	PDFParser	High
Product	jar	package name	pdfparser	Highest
Product	jar	package name	pdfview	Low
Product	Manifest	application-library-allowable-codebase	*	Low
Product	Manifest	built-date	2024-01-16 12:10	Low
Product	Manifest	codebase	*	Low
Product	Manifest	implementation-group	shared	Low
Product	Manifest	Implementation-Title	PDFParser	High
Product	Manifest	permissions	all-permissions	Low
Product	Manifest	specification-title	PDFParser	Medium
Product	Manifest	trusted-library	false	Low
Product	Manifest	trusted-only	false	Low
Version	Manifest	Implementation-Version	23.10.295	High

## Identifiers

- None



## parser.pdf.zip: jbig2.jar

### Description:

This implementation uses the JBIG2 decoder provider by IDR solutions (jPedal).

### License:

BSD: <http://www.opensource.org/licenses/BSD-3-Clause>

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/parser.pdf.zip/jbig2.jar

**MD5:** ab5dd1acc5e6c85903e342dac7998ce7

**SHA1:** a3f4214b62615d4456de761ccef1136cba65a663

**SHA256:** 93e79e795182b4b6e12991046e489c2c0780e867d3e18e4e7ee20973316930d4

**Referenced In Project/Scope:** server

### Evidence



Type	Source	Name	Value	Confidence
Vendor	central	artifactid	jbig2	Highest
Vendor	central	groupid	de.intarsys.opensource	Highest
Vendor	file	name	jbig2	High
Vendor	jar	package name	jbig2	Low
Vendor	jar	package name	jpegal	Low
Vendor	pom	artifactid	jbig2	Low
Vendor	pom	developer email	support@intarsys.de	Low
Vendor	pom	developer id	intarsys	Medium
Vendor	pom	developer name	intarsys support	Medium
Vendor	pom	groupid	de.intarsys.opensource	Highest
Vendor	pom	name	jbig2	High
Vendor	pom	organization name	intarsys consulting GmbH	High
Vendor	pom	organization url	<a href="http://www.intarsys.de">http://www.intarsys.de</a>	Medium
Vendor	pom	url	<a href="http://opensource.intarsys.de/home/en/index.php?n=JPodRenderer.HomePage">http://opensource.intarsys.de/home/en/index.php?n=JPodRenderer.HomePage</a>	Highest
Product	central	artifactid	jbig2	Highest
Product	file	name	jbig2	High
Product	jar	package name	jbig2	Low
Product	pom	artifactid	jbig2	Highest
Product	pom	developer email	support@intarsys.de	Low
Product	pom	developer id	intarsys	Low



Product	pom	developer name	intarsys support	Low
Product	pom	groupid	de.intarsys.opensource	Highest
Product	pom	name	jbig2	High
Product	pom	organization name	intarsys consulting GmbH	Low
Product	pom	organization url	http://www.intarsys.de	Low
Product	pom	url	http://opensource.intarsys.de/home/en/index.php?n=JPodRenderer.HomePage	Medium
Version	central	version	5.5.1	Highest
Version	pom	version	5.5.1	Highest

### Related Dependencies

- pdfc.zip: jbig2.jar
  - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/pdfc.zip/jbig2.jar
  - MD5: ab5dd1acc5e6c85903e342dac7998ce7
  - SHA1: a3f4214b62615d4456de761ccef1136cba65a663
  - SHA256: 93e79e795182b4b6e12991046e489c2c0780e867d3e18e4e7ee20973316930d4
  - [pkg:maven/de.intarsys.opensource/jbig2@5.5.1](http://pkg:maven/de.intarsys.opensource/jbig2@5.5.1)

### Identifiers

- [pkg:maven/de.intarsys.opensource/jbig2@5.5.1](http://pkg:maven/de.intarsys.opensource/jbig2@5.5.1) (*Confidence:High*)
- cpe:2.3:a:homepage\_project:homepage:5.5.1:\*:\*:\*:\*:\* (*Confidence:Low*) suppress

## parser.pdf.zip: parser.pdf.jar

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/parser.pdf.zip/parser.pdf.jar

**MD5:** c3e18515346f172fe4e47da3cbb34a3c

**SHA1:** b7e692f1f479cefa19f443cd4c08648f83f00e21

**SHA256:** 843c3e6a2a5caec0085b94ad44bfad4e8482042218830118ffccc2432ce7d23b

**Referenced In Project/Scope:**server

### Evidence

Type	Source	Name	Value	Confidence
Vendor	file	name	parser.pdf	High
Vendor	jar	package name	inet	Low
Vendor	jar	package name	pdfc	Low



Vendor	jar	package name	plugin	Low
Vendor	Manifest	application-library-allowable-codebase	*	Low
Vendor	Manifest	built-date	2024-01-16 15:27	Low
Vendor	Manifest	codebase	*	Low
Vendor	Manifest	implementation-group	pdfc	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	permissions	all-permissions	Low
Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	trusted-library	false	Low
Vendor	Manifest	trusted-only	false	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	parser.pdf	High
Product	jar	package name	pdfc	Highest
Product	jar	package name	pdfc	Low
Product	jar	package name	pdfparser	Low
Product	jar	package name	plugin	Low
Product	Manifest	application-library-allowable-codebase	*	Low
Product	Manifest	built-date	2024-01-16 15:27	Low
Product	Manifest	codebase	*	Low
Product	Manifest	implementation-group	pdfc	Low
Product	Manifest	Implementation-Title	parser.pdf	High
Product	Manifest	permissions	all-permissions	Low
Product	Manifest	specification-title	parser.pdf	Medium
Product	Manifest	trusted-library	false	Low
Product	Manifest	trusted-only	false	Low
Version	jar	package name	pdfc	Highest
Version	Manifest	Implementation-Version	23.10.295	High



Identifiers

- cpe:2.3:a:inetsoftware:pdfc:23.10.295:\*.~.\*.\*.\*.\* ( Confidence:Low) suppress

parser.text.zip: parser.text.jar

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/parser.text.zip/parser.text.jar  
**MD5:** 9cd4014f7b73add307efbeee2cd2f8cc  
**SHA1:** 99312212e9e73be3400550fe6de1ac953e0d2c33  
**SHA256:**eaeba27af51bef7ad4e8cff019895f52729f93c54cb2de7377a9f963ec890d31  
**Referenced In Project/Scope:**server

Evidence

Type	Source	Name	Value	Confidence
Vendor	file	name	parser.text	High
Vendor	jar	package name	inet	Low
Vendor	jar	package name	pdfc	Low
Vendor	jar	package name	plugin	Low
Vendor	Manifest	application-library-allowable-codebase	*	Low
Vendor	Manifest	built-date	2024-01-16 15:27	Low
Vendor	Manifest	codebase	*	Low
Vendor	Manifest	implementation-group	pdfc	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	permissions	all-permissions	Low
Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	trusted-library	false	Low
Vendor	Manifest	trusted-only	false	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	parser.text	High
Product	jar	package name	pdfc	Highest



Product	jar	package name	pdfc	Low
Product	jar	package name	plugin	Low
Product	jar	package name	textparser	Low
Product	Manifest	application-library-allowable-codebase	*	Low
Product	Manifest	built-date	2024-01-16 15:27	Low
Product	Manifest	codebase	*	Low
Product	Manifest	implementation-group	pdfc	Low
Product	Manifest	Implementation-Title	parser.text	High
Product	Manifest	permissions	all-permissions	Low
Product	Manifest	specification-title	parser.text	Medium
Product	Manifest	trusted-library	false	Low
Product	Manifest	trusted-only	false	Low
Version	jar	package name	pdfc	Highest
Version	Manifest	Implementation-Version	23.10.295	High

Identifiers

- cpe:2.3:a:inetsoftware:pdfc:23.10.295:\*:\*:\*:\*:\* (Confidence:Low) suppress

pdfc.gui.zip: TableLayout.jar

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/pdfc.gui.zip/TableLayout.jar  
**MD5:** 1e432e776e18d71f12dd72b7d235a965  
**SHA1:** 62ffa1cca3e71f94d0bdce85ea97ea7083fdb1b  
**SHA256:** 13e73cf77a93f0c52184e5a5557d7dbba081bf54904edfdb84645b5daf7dd18  
**Referenced In Project/Scope:**server

Evidence +

Type	Source	Name	Value	Confidence
Vendor	file	name	TableLayout	High
Vendor	jar	package name	clearthought	Low



Vendor	jar	package name	info	Low
Vendor	jar	package name	layout	Low
Product	file	name	TableLayout	High
Product	jar	package name	clearthought	Low
Product	jar	package name	layout	Low

#### Identifiers

- None

### pdfc.gui.zip: VividSwingAnimations.jar

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/pdfc.gui.zip/VividSwingAnimations.jar

**MD5:** 3f8bfce43cee6f5bf712881bde6d3379

**SHA1:** 539fa7c887865bc82e12f359bbf259fd330bfe5e

**SHA256:**0cdae11fed0c91c56935eec42b3b626891a80c0fcfdb25e67b6abd6460db35cd

**Referenced In Project/Scope:**server

#### Evidence +

Type	Source	Name	Value	Confidence
Vendor	file	name	VividSwingAnimations	High
Vendor	jar	package name	anormalmedia	Low
Vendor	jar	package name	de	Low
Vendor	jar	package name	vividswinganimations	Low
Product	file	name	VividSwingAnimations	High
Product	jar	package name	anormalmedia	Low
Product	jar	package name	vividswinganimations	Low

#### Identifiers

- None

### pdfc.gui.zip: inetswingcore.jar



**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/pdfc.gui.zip/inetswingcore.jar  
**MD5:** 3715ce6a58926f82fff27718428c4aac  
**SHA1:** 5b2bcd1950f03ae2516c0dfccbb6ec5e98cdba7a  
**SHA256:** ce1a5c1c85f412329cc8a89ccedcf70bae0d4432b8d20c755121a985a675cc01  
**Referenced In Project/Scope:** server

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	inetswingcore	High
Vendor	jar	package name	i	Highest
Vendor	jar	package name	inet	Low
Vendor	jar	package name	swing	Low
Vendor	Manifest	built-date	2024-01-16 12:10	Low
Vendor	Manifest	implementation-group	shared	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	inetswingcore	High
Product	jar	package name	swing	Low
Product	Manifest	built-date	2024-01-16 12:10	Low
Product	Manifest	implementation-group	shared	Low
Product	Manifest	Implementation-Title	inetswingcore	High
Product	Manifest	specification-title	inetswingcore	Medium
Version	Manifest	Implementation-Version	23.10.295	High

Identifiers

- None



**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/pdfc.gui.zip/pdfc.gui.jar  
**MD5:** 5e51fe9972fe6095d19f161293652ac2  
**SHA1:** 8d0876e9eccd0019058519cec1088d16f2edf457  
**SHA256:**2d19cb875d78def1f6566f39050ebdf9532491f17a3b7f1bd01fef13ca324e2a  
**Referenced In Project/Scope:**server

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	pdfc.gui	High
Vendor	jar	package name	gui	Low
Vendor	jar	package name	i	Highest
Vendor	jar	package name	inet	Low
Vendor	jar	package name	pdfc	Low
Vendor	Manifest	application-library-allowable-codebase	*	Low
Vendor	Manifest	built-date	2024-01-16 15:18	Low
Vendor	Manifest	codebase	*	Low
Vendor	Manifest	implementation-group	pdfc	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	permissions	all-permissions	Low
Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	trusted-library	false	Low
Vendor	Manifest	trusted-only	false	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	pdfc.gui	High
Product	jar	package name	gui	Highest
Product	jar	package name	gui	Low
Product	jar	package name	pdfc	Highest
Product	jar	package name	pdfc	Low
Product	Manifest	application-library-allowable-codebase	*	Low
Product	Manifest	built-date	2024-01-16 15:18	Low



Product	Manifest	codebase	*	Low
Product	Manifest	implementation-group	pdfc	Low
Product	Manifest	Implementation-Title	pdfc.gui	High
Product	Manifest	permissions	all-permissions	Low
Product	Manifest	specification-title	pdfc.gui	Medium
Product	Manifest	trusted-library	false	Low
Product	Manifest	trusted-only	false	Low
Version	jar	package name	pdfc	Highest
Version	Manifest	Implementation-Version	23.10.295	High

### Identifiers

- cpe:2.3:a:inetsoftware:pdfc:23.10.295:\*:\*:\*:\*:\* (Confidence:Low) suppress

## pdfc.standalone.zip: pdfc.standalone.jar

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/pdfc.standalone.zip/pdfc.standalone.jar

**MD5:** a07a2e5891506a278b70857452d1da24

**SHA1:** 366c780316be969095a7fed96df97a24aa5c9b40

**SHA256:** 0829a9aa2626d925b5e7fabb1b1e7c2d592f39a6aa894e1062b867b747788dd1

**Referenced In Project/Scope:**server

### Evidence +

Type	Source	Name	Value	Confidence
Vendor	file	name	pdfc.standalone	High
Vendor	jar	package name	inet	Low
Vendor	jar	package name	pdfc	Low
Vendor	jar	package name	standalone	Low
Vendor	Manifest	application-library-allowable-codebase	*	Low
Vendor	Manifest	built-date	2024-01-16 15:35	Low
Vendor	Manifest	codebase	*	Low
Vendor	Manifest	implementation-	pdfc	Low



## group

Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	permissions	all-permissions	Low
Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	trusted-library	false	Low
Vendor	Manifest	trusted-only	false	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	pdfc.standalone	High
Product	jar	package name	pdfc	Highest
Product	jar	package name	pdfc	Low
Product	jar	package name	standalone	Highest
Product	jar	package name	standalone	Low
Product	Manifest	application-library-allowable-codebase	*	Low
Product	Manifest	built-date	2024-01-16 15:35	Low
Product	Manifest	codebase	*	Low
Product	Manifest	implementation-group	pdfc	Low
Product	Manifest	Implementation-Title	pdfc.standalone	High
Product	Manifest	permissions	all-permissions	Low
Product	Manifest	specification-title	pdfc.standalone	Medium
Product	Manifest	trusted-library	false	Low
Product	Manifest	trusted-only	false	Low
Version	jar	package name	pdfc	Highest
Version	Manifest	Implementation-Version	23.10.295	High

## Identifiers

- cpe:2.3:a:inetsoftware:pdfc:23.10.295:\*:\*:\*:\*:\* (Confidence:Low)

suppress



### pdfc.standalone.zip: pdfc.standalone.jar: bridge.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/pdfc.standalone.zip/pdfc.standalone.jar/com/inet/pdfc/standalone/webgui/bridge.js

**MD5:** 2c10337140d468803edc96666f87fc6d

**SHA1:** 3d0dfd1690bba14194c515a4b9bff2b59bdcc146

**SHA256:** fedd760101b89ee10cc7875b98f0371aa2bd3b269531a50859c3799eba1434c7

**Referenced In Project/Scope:**server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### pdfc.standalone.zip: pdfc.standalone.jar: bridgeConfig.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/pdfc.standalone.zip/pdfc.standalone.jar/com/inet/pdfc/standalone/webgui/bridgeConfig.js

**MD5:** 227429ab8efc3610564a70ad81df045c

**SHA1:** 47dd8c95e56254385c1f2e5651272bf16b5c408e

**SHA256:** be928d3640892fd788f70bf6ac4312d7dbee093e21c7af985d4401d089d53750

**Referenced In Project/Scope:**server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### pdfc.standalone.zip: pdfc.standalone.jar: bridgePDFC.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/pdfc.standalone.zip/pdfc.standalone.jar/com/inet/pdfc/standalone/webgui/bridgePDFC.js

**MD5:** 6f1b068a819554bea01447fc952456fd



**SHA1:** 4328a162a0bc9f6e1f5f94e38c5bae13634117dc  
**SHA256:** 83cf2d17d83fc39e68c59bba7607214e1ff1cd9689e638c108786a05b33f8cbf  
**Referenced In Project/Scope:**server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### pdfc.standalone.zip: pdfc.standalone.jar: extraMenu.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/pdfc.standalone.zip/pdfc.standalone.jar/com/inet/pdfc/standalone/webgui/extraMenu.js  
**MD5:** ba5b8c1cc5d28f6c4b86fdd9083e003f  
**SHA1:** 7b2e74b6fca72890b710369fb06b53e54ca9e3be  
**SHA256:** 9e2dcc31335f078f5c6319b8170dfebca535f9e9db85984da9553c057942f2c  
**Referenced In Project/Scope:**server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### pdfc.standalone.zip: pdfc.standalone.jar: removeHeader.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/pdfc.standalone.zip/pdfc.standalone.jar/com/inet/pdfc/standalone/webgui/removeHeader.js  
**MD5:** a8b4230454da739eab400d2e9f2ff298  
**SHA1:** 481935ac331cfa918a6ac03dc7790e12e5dbf395  
**SHA256:** f009dd87443ae4d9f07430d9cf97da5a98822df85ac48b1f66a5f0c3c57bb8fd  
**Referenced In Project/Scope:**server

#### Evidence





Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

pdfc.standalone.zip: pdfc.standalone.jar: removePDFCElements.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/pdfc.standalone.zip/pdfc.standalone.jar/com/inet/pdfc/standalone/webgui/removePDFCElements.js  
**MD5:** fcc7442097338c14ba2cd8cdfe00a1da  
**SHA1:** 506821ea8b11fda1b7ad16967edf8dce0cd05c59  
**SHA256:**535372463777922ce25ad14febe7954c85ed3cc8e6d8f054c69fb3295997aa87  
**Referenced In Project/Scope:**server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

pdfc.standalone.zip: pdfc.standalone.jar: theme.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/pdfc.standalone.zip/pdfc.standalone.jar/com/inet/pdfc/standalone/webgui/theme.js  
**MD5:** 2b3991a80a6412fd41dfcec1a5117846  
**SHA1:** b26bd23f00d37cf02446b3a154eaaa250c334ec8  
**SHA256:**e2007b5127a88c2b54896711eb30d3a7e9ee60dabb5c13f5ebcaab233de8ae2c  
**Referenced In Project/Scope:**server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers



- None

### pdfc.standalone.zip: pdfc.standalone.jar: translation.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/pdfc.standalone.zip/pdfc.standalone.jar/com/inet/pdfc/standalone/webgui/translation.js

**MD5:** 9d8e3dc7dedcfe1efc6e6d206b17d32b

**SHA1:** 973f851a166f625cabf697c7333a501810e22362

**SHA256:** 9ccb685fb42b5b980c79d4066496dd0737f34da4716146d2ef07256fa1e16ad5

**Referenced In Project/Scope:**server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### pdfc.zip: icu4j.jar

#### Description:

International Component for Unicode for Java (ICU4J) is a mature, widely used Java library providing Unicode and Globalization support

#### License:

Unicode/ICU License: <https://raw.githubusercontent.com/unicode-org/icu/main/icu4c/LICENSE>

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/pdfc.zip/icu4j.jar

**MD5:** 23a23de561dd4f83e13d46e7273a35de

**SHA1:** 61ad4ef7f9131fcf6d25c34b817f90d6da06c9e9

**SHA256:** 29280822f4b0796acef1f79b90b1d0c1edd86c10e876a848e04b8a6298a16bf9

**Referenced In Project/Scope:**server

#### Evidence



Type	Source	Name	Value	Confidence
Vendor	central	artifactid	icu4j	Highest
Vendor	central	groupid	com.ibm.icu	Highest
Vendor	central	artifactid	icu-project	Highest



	(hint)			
Vendor	central (hint)	artifactid	unicode	Highest
Vendor	file	name	icu4j	High
Vendor	file (hint)	name	icu-project	High
Vendor	file (hint)	name	unicode	High
Vendor	jar	package name	ibm	Highest
Vendor	jar	package name	ibm	Low
Vendor	jar	package name	icu	Highest
Vendor	jar	package name	icu	Low
Vendor	Manifest	automatic- module-name	com.ibm.icu	Medium
Vendor	Manifest	bundle-copyright	© 2016 and later: Unicode, Inc. and others. License & terms of use: <a href="http://www.unicode.org/copyright.html">http://www.unicode.org/copyright.html</a>	Low
Vendor	Manifest	bundle- requiredexecution	JavaSE-1.7	Low
Vendor	Manifest	bundle- symbolicname	com.ibm.icu	Medium
Vendor	Manifest	Implementation- Vendor	Unicode, Inc.	High
Vendor	Manifest	Implementation- Vendor-Id	org.unicode	Medium
Vendor	pom	artifactid	icu4j	Low
Vendor	pom	developer id	deborah	Medium
Vendor	pom	developer id	dougfelt	Medium
Vendor	pom	developer id	JCEmmons	Medium
Vendor	pom	developer id	macchiati	Medium
Vendor	pom	developer id	markusicu	Medium
Vendor	pom	developer id	pedberg	Medium
Vendor	pom	developer id	srl295	Medium
Vendor	pom	developer id	yumaoka	Medium
Vendor	pom	developer name	Deborah Goldsmith	Medium
Vendor	pom	developer name	Doug Felt	Medium
Vendor	pom	developer name	John Emmons	Medium
Vendor	pom	developer name	Mark Davis	Medium
Vendor	pom	developer name	Markus Scherer	Medium
Vendor	pom	developer name	Peter Edberg	Medium



Vendor	pom	developer name	Steven Loomis	Medium
Vendor	pom	developer name	Yoshito Umaoka	Medium
Vendor	pom	developer org	Apple	Medium
Vendor	pom	developer org	Google	Medium
Vendor	pom	developer org	IBM Corporation	Medium
Vendor	pom	groupid	com.ibm.icu	Highest
Vendor	pom	name	ICU4J	High
Vendor	pom	url	https://icu.unicode.org/	Highest
Vendor	pom (hint)	artifactid	icu-project	Low
Vendor	pom (hint)	artifactid	unicode	Low
Vendor	pom (hint)	name	icu-project	High
Vendor	pom (hint)	name	unicode	High
Product	central	artifactid	icu4j	Highest
Product	file	name	icu4j	High
Product	hint analyzer	product	international_components_for_unicode	Highest
Product	jar	package name	ibm	Highest
Product	jar	package name	icu	Highest
Product	jar	package name	icu	Low
Product	Manifest	automatic- module-name	com.ibm.icu	Medium
Product	Manifest	bundle-copyright	© 2016 and later: Unicode, Inc. and others. License & terms of use: <a href="http://www.unicode.org/copyright.html">http://www.unicode.org/copyright.html</a>	Low
Product	Manifest	Bundle-Name	ICU4J	Medium
Product	Manifest	bundle- requiredexecution	JavaSE-1.7	Low
Product	Manifest	bundle- symbolicname	com.ibm.icu	Medium
Product	Manifest	Implementation- Title	International Components for Unicode for Java	High
Product	Manifest	specification-title	International Components for Unicode for Java	Medium
Product	pom	artifactid	icu4j	Highest
Product	pom	developer id	deborah	Low
Product	pom	developer id	dougfelt	Low
Product	pom	developer id	JCEmmons	Low



Product	pom	developer id	macchiati	Low
Product	pom	developer id	markusicu	Low
Product	pom	developer id	pedberg	Low
Product	pom	developer id	srl295	Low
Product	pom	developer id	yumaoka	Low
Product	pom	developer name	Deborah Goldsmith	Low
Product	pom	developer name	Doug Felt	Low
Product	pom	developer name	John Emmons	Low
Product	pom	developer name	Mark Davis	Low
Product	pom	developer name	Markus Scherer	Low
Product	pom	developer name	Peter Edberg	Low
Product	pom	developer name	Steven Loomis	Low
Product	pom	developer name	Yoshito Umaoka	Low
Product	pom	developer org	Apple	Low
Product	pom	developer org	Google	Low
Product	pom	developer org	IBM Corporation	Low
Product	pom	groupid	com.ibm.icu	Highest
Product	pom	name	ICU4J	High
Product	pom	url	https://icu.unicode.org/	Medium
Version	central	version	73.2	Highest
Version	Manifest	Bundle-Version	73.2	High
Version	Manifest	Implementation-Version	73.2	High
Version	pom	version	73.2	Highest

## Identifiers

- [pkg:maven/com.ibm.icu/icu4j@73.2](#) (*Confidence:High*)
- [cpe:2.3:a:icu-project:international\\_components\\_for\\_unicode:73.2:\\*:\\*:\\*:\\*:\\*](#) (*Confidence:Low*)
- [cpe:2.3:a:unicode:international\\_components\\_for\\_unicode:73.2:\\*:\\*:\\*:\\*:\\*](#) (*Confidence:Low*)



**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/pdfc.zip/pdfc-javadoc.jar  
**MD5:** 51ebfa1f8fec953aef147cf65921ff9f  
**SHA1:** f14d33d5b0da68b46b674f2e84ded225be54d3e2  
**SHA256:**043c13d0dff311ddc0e8c64b9fe3d49970ac2d2db764f996762c2cd57fe25d45  
**Referenced In Project/Scope:**server

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	pdfc-javadoc	High
Product	file	name	pdfc-javadoc	High

Identifiers

- None

pdfc.zip: pdfc-javadoc.jar: member-search-index.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/pdfc.zip/pdfc-javadoc.jar/member-search-index.js  
**MD5:** 451ab4a3010cd5f0964db101f56c3a05  
**SHA1:** 6ca105e2ce47723b817093dd851a1c036ff41c8d  
**SHA256:**e85c6fbc776e7efca477a127021853400c21e22d6b57d73527969ecab0fea629  
**Referenced In Project/Scope:**server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

pdfc.zip: pdfc-javadoc.jar: package-search-index.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/pdfc.zip/pdfc-javadoc.jar/package-search-index.js  
**MD5:** 8aa809d9ad54e216f6de39437dc0611c



**SHA1:** 01090aa7a548d18c41cf5379b811b9fc303a0b6f  
**SHA256:** cea5ebfaed9cbae3addfddab1ddc9ee3832800bc4ca149c5a41afc0fad03b02f  
**Referenced In Project/Scope:** server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

pdfc.zip: pdfc-javadoc.jar: type-search-index.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/pdfc.zip/pdfc-javadoc.jar/type-search-index.js  
**MD5:** 47312a78e4c44dbb780476ee146c7e68  
**SHA1:** 67e8c937a3a115f13206a7e1e31f01c28cc41773  
**SHA256:** 0116423c600a05fbf2935d2a49cf3943b64b077c6b8f265380cac74c5f8f5b8b  
**Referenced In Project/Scope:** server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

pdfc.zip: pdfc.jar

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/pdfc.zip/pdfc.jar  
**MD5:** e1d7fa9aa1bddbce5bfa42a2ba96d988  
**SHA1:** 8a363f01bacd7d9dc15a81d9675952773ba431e7  
**SHA256:** b4943513d12ff5e66dc5bd7dd05d8413aa8cb78c010d6ddccee3fb56827aacfd  
**Referenced In Project/Scope:** server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------



Vendor	file	name	pdfc	High
Vendor	jar	package name	inet	Low
Vendor	jar	package name	pdfc	Low
Vendor	Manifest	application-library-allowable-codebase	*	Low
Vendor	Manifest	built-date	2024-01-16 15:18	Low
Vendor	Manifest	codebase	*	Low
Vendor	Manifest	implementation-group	pdfc	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	permissions	all-permissions	Low
Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	trusted-library	false	Low
Vendor	Manifest	trusted-only	false	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	pdfc	High
Product	jar	package name	pdfc	Highest
Product	jar	package name	pdfc	Low
Product	jar	package name	permissions	Highest
Product	Manifest	application-library-allowable-codebase	*	Low
Product	Manifest	built-date	2024-01-16 15:18	Low
Product	Manifest	codebase	*	Low
Product	Manifest	implementation-group	pdfc	Low
Product	Manifest	Implementation-Title	pdfc	High
Product	Manifest	permissions	all-permissions	Low
Product	Manifest	specification-title	pdfc	Medium
Product	Manifest	trusted-library	false	Low
Product	Manifest	trusted-only	false	Low
Version	jar	package name	pdfc	Highest
Version	jar	package name	permissions	Highest



VersionManifestImplementation-Version23.10.295High

Identifiers

- cpe:2.3:a:inetsoftware:pdfc:23.10.295:\*:\*:\*:\*:\* (Confidence:Low) 

suppress

pdfcjunit.jar

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/junit/pdfcjunit.jar  
**MD5:** 589dd42c04cf0a19e6c0fc3dff5a59f  
**SHA1:** ab8698f6de8a9a7b0a7e13199b04d1d5467ca91a  
**SHA256:** fff96e8b282e7736207ba810144d567b4c80cc329a8e4abfc26a43ee642dbeef  
**Referenced In Project/Scope:**server

Evidence

Type	Source	Name	Value	Confidence
Vendor	file	name	pdfcjunit	High
Vendor	jar	package name	client	Highest
Vendor	jar	package name	inet	Low
Vendor	jar	package name	junit	Highest
Vendor	jar	package name	pdfc	Highest
Vendor	jar	package name	pdfc	Low
Vendor	Manifest	application-library-allowable-codebase	*	Low
Vendor	Manifest	application-name	i-net PDFC JUnit Client	Medium
Vendor	Manifest	built-date	2024-01-16 15:28	Low
Vendor	Manifest	codebase	*	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	permissions	all-permissions	Low
Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	trusted-library	false	Low



Vendor	Manifest	trusted-only	false	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	pdfcjunit	High
Product	jar	package name	client	Highest
Product	jar	package name	junit	Highest
Product	jar	package name	pdfc	Highest
Product	jar	package name	pdfc	Low
Product	Manifest	application-library-allowable-codebase	*	Low
Product	Manifest	application-name	i-net PDFC JUnit Client	Medium
Product	Manifest	built-date	2024-01-16 15:28	Low
Product	Manifest	codebase	*	Low
Product	Manifest	Implementation-Title	pdfcjunit	High
Product	Manifest	permissions	all-permissions	Low
Product	Manifest	specification-title	pdfcjunit	Medium
Product	Manifest	trusted-library	false	Low
Product	Manifest	trusted-only	false	Low
Version	Manifest	Implementation-Version	23.10.295	High

Identifiers

- [cpe:2.3:a:inetsoftware:pdfc:23.10.295:\\*:\\*:\\*:\\*:\\*](#) (Confidence:Medium) suppress

pdfcserver.zip: pdfcserver.jar

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/pdfcserver.zip/pdfcserver.jar  
**MD5:** 45fe8dad647ec844995f060bc5a41aab  
**SHA1:** ce29fc3d2ec91ca4abf61a539cf49ea9e908ab2d  
**SHA256:** 505bbefd0b8a710e7b877830a0be7ed21ee2cad6fb9806962aba964eb948d6a3  
**Referenced In Project/Scope:**server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------



Vendor	file	name	pdfcserver	High
Vendor	jar	package name	inet	Low
Vendor	jar	package name	pdfc	Low
Vendor	jar	package name	server	Low
Vendor	Manifest	application-library-allowable-codebase	*	Low
Vendor	Manifest	built-date	2024-01-16 15:18	Low
Vendor	Manifest	codebase	*	Low
Vendor	Manifest	implementation-group	pdfc	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	permissions	all-permissions	Low
Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	trusted-library	false	Low
Vendor	Manifest	trusted-only	false	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	pdfcserver	High
Product	jar	package name	pdfc	Highest
Product	jar	package name	pdfc	Low
Product	jar	package name	persistence	Low
Product	jar	package name	server	Low
Product	Manifest	application-library-allowable-codebase	*	Low
Product	Manifest	built-date	2024-01-16 15:18	Low
Product	Manifest	codebase	*	Low
Product	Manifest	implementation-group	pdfc	Low
Product	Manifest	Implementation-Title	pdfcserver	High
Product	Manifest	permissions	all-permissions	Low
Product	Manifest	specification-title	pdfcserver	Medium
Product	Manifest	trusted-library	false	Low
Product	Manifest	trusted-only	false	Low



Version	jar	package name	pdfc	Highest
Version	Manifest	Implementation-Version	23.10.295	High

#### Identifiers

- cpe:2.3:a:inetsoftware:pdfc:23.10.295:\*:\*:\*:\*:\* (Confidence:Low) suppress

### pdfcserver.zip: pdfcserver.jar: compareconfigrenderer.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/pdfcserver.zip/pdfcserver.jar/com/inet/pdfc/server/structure/compareconfigrenderer.js

**MD5:** 433763c0501141554e5d9cdd2c98f338

**SHA1:** cb28b1fb22141841a461a33be936b6a4fe452805

**SHA256:** ddd7dabcd7fec65fcb080a48ed89c5e358d4162481c91016de23ebe761ccfcb

**Referenced In Project/Scope:**server

#### Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### pdfcsetupwizard.zip: pdfcsetupwizard.jar

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/pdfcsetupwizard.zip/pdfcsetupwizard.jar

**MD5:** e3699fb1b5e743053b350c07697fd297

**SHA1:** 1e33ef06a924bf6643abdec076ab5d73c0189d9a

**SHA256:** 1f95f4281837e37c60ed6bbae5542482f70fe091e9a9d327ca6e96bf48419a88

**Referenced In Project/Scope:**server

#### Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Vendor	file	name	pdfcsetupwizard	High
--------	------	------	-----------------	------



Vendor	jar	package name	inet	Low
Vendor	jar	package name	pdfc	Low
Vendor	jar	package name	setupwizard	Low
Vendor	Manifest	built-date	2024-01-16 15:27	Low
Vendor	Manifest	implementation-group	pdfc	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	pdfcsetupwizard	High
Product	jar	package name	pdfc	Highest
Product	jar	package name	pdfc	Low
Product	jar	package name	setupwizard	Low
Product	jar	package name	steps	Low
Product	Manifest	built-date	2024-01-16 15:27	Low
Product	Manifest	implementation-group	pdfc	Low
Product	Manifest	Implementation-Title	pdfcsetupwizard	High
Product	Manifest	specification-title	pdfcsetupwizard	Medium
Version	jar	package name	pdfc	Highest
Version	Manifest	Implementation-Version	23.10.295	High

#### Identifiers

- cpe:2.3:a:inetsoftware:pdfc:23.10.295:\*:\*:\*:\*:\* (Confidence:Low) suppress

### pdfcsetupwizard.zip: pdfcsetupwizard.jar: controller.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/pdfcsetupwizard.zip/pdfcsetupwizard.jar/com/inet/pdfc/setupwizard/steps/license/controller.js  
**MD5:** 28064d813b7b4f519286b6f9b91b353e  
**SHA1:** d0aea8640d5be736f694756b93918aee566ba695



SHA256:7ea701b81499fa8a5967783b2b2a8b6eb1e5ad976a2805b5320d954f34f5750a  
Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

persistence.jar

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/persistence/persistence.jar  
MD5: 4db040c98c75152b8c4510c434ce448a  
SHA1: b8a74c58b47d79b1b1b264a18297bb0cab3a7e14  
SHA256:eed35485b1593b7c0fd492347165bb5286e2a8d7742ca90b1efd7572395c6620  
Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
Vendor	file	name	persistence	High
Vendor	jar	package name	inet	Low
Vendor	jar	package name	persistence	Low
Vendor	Manifest	built-date	2024-01-16 12:15	Low
Vendor	Manifest	implementation-group	shared	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	persistence	High
Product	jar	package name	persistence	Highest
Product	jar	package name	persistence	Low
Product	Manifest	built-date	2024-01-16 12:15	Low
Product	Manifest	implementation-	shared	Low



## group

Product	Manifest	Implementation-Title	persistence	High
Product	Manifest	specification-title	persistence	Medium
Version	Manifest	Implementation-Version	23.10.295	High

## Identifiers

- None

## pluginstore.client.zip: pluginstore.client.jar

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/pluginstore.client.zip/pluginstore.client.jar

**MD5:** 3cb4fe3dc2266df98c051812133f3211

**SHA1:** 662b40f323422add009e6f753e9634a3f84186e5

**SHA256:**bca918eae43a7cae2f341bea649c221c600ad6bc448c8652c34ae21a9a8b8bdc

**Referenced In Project/Scope:**server

## Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	pluginstore.client	High
Vendor	jar	package name	client	Low
Vendor	jar	package name	inet	Low
Vendor	jar	package name	store	Low
Vendor	Manifest	built-date	2024-01-16 12:23	Low
Vendor	Manifest	implementation-group	shared	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	pluginstore.client	High
Product	jar	package name	client	Highest
Product	jar	package name	client	Low



Product	jar	package name	shared	Highest
Product	jar	package name	store	Low
Product	jar	package name	ui	Low
Product	Manifest	built-date	2024-01-16 12:23	Low
Product	Manifest	implementation-group	shared	Low
Product	Manifest	Implementation-Title	pluginstore.client	High
Product	Manifest	specification-title	pluginstore.client	Medium
Version	jar	package name	shared	Highest
Version	Manifest	Implementation-Version	23.10.295	High

#### Identifiers

- None

### pluginstore.client.zip: pluginstore.client.jar: controller.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/pluginstore.client.zip/pluginstore.client.jar/com/inet/store/client/setup/controller.js

**MD5:** bae377e07f3c94980792a3cb0a3777e6

**SHA1:** c7766396cbe87781ad46c96d70b7195c0a92dc68

**SHA256:** 94beaf8244f013ef5d078cc7e91b1220066099c5cdbc4e0cc5071e8dae13e038

**Referenced In Project/Scope:**server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### pluginstore.client.zip: pluginstore.client.jar: pluginstorehelpcontroller.js



**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/pluginstore.client.zip/pluginstore.client.jar/com/inet/store/client/plugin/help/js/pluginstorehelpcontroller.js  
**MD5:** 3d4696013fd0e4b45fde1582f03667c8  
**SHA1:** c3e6cb5a70cf72af8dc63fdc993ae7b124f026c5  
**SHA256:**57372793d88fd06a67a9c9fdf1b95623c25b7638dfdb08bcfaabe9392f706414  
**Referenced In Project/Scope:**server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### pluginstore.client.zip: pluginstore.client.jar: publicstoreconfig.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/pluginstore.client.zip/pluginstore.client.jar/com/inet/store/client/ui/js/publicstoreconfig.js  
**MD5:** 3a2e6acd20c105a43ac4619718c827d0  
**SHA1:** 1bf76948f8a34e8dfd05727bcb0c9ca296fba5d1  
**SHA256:**dea50e7705e039c90045df2de735fa73dafaf495f15d8340b6ba20a73b7ba8c3  
**Referenced In Project/Scope:**server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### pluginstore.client.zip: pluginstore.client.jar: storecontroller.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/pluginstore.client.zip/pluginstore.client.jar/com/inet/store/client/ui/js/storecontroller.js  
**MD5:** d27b7841b1a9f5e08c641ab03581bb8e  
**SHA1:** ee6981a6676d23579c087c33aad99e19c79d4cb1  
**SHA256:**1e9ecc1344fb76410ebe1e97beebd18ef31664019ebd9ef9f62e24c2939acef6  
**Referenced In Project/Scope:**server



### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## pluginstore.client.zip: pluginstore.client.jar: storedirectives.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/pluginstore.client.zip/pluginstore.client.jar/com/inet/store/client/ui/js/storedirectives.js

**MD5:** 3d319b49b850af4acd616cd29f4a73a6

**SHA1:** bbafe34a81cb476e45484d4249ba55e868a154ba

**SHA256:** b38301d399eb686854f1e87057f16ff2165bcd2f2bc6517e52c986987643ae36

**Referenced In Project/Scope:** server

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## pluginstore.client.zip: pluginstore.client.jar: storemodel.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/pluginstore.client.zip/pluginstore.client.jar/com/inet/store/client/ui/js/storemodel.js

**MD5:** b65d60b435eb17adc51f52a6cb3818f5

**SHA1:** 66a66f49545eea88837edf1664a271a2e87f57a4

**SHA256:** 8166194f544d37295e0aa43aab68e38857dfea64bc4e2e8b8f99ebc0c3418447

**Referenced In Project/Scope:** server

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------



Identifiers

- None

processbridge.pdf.zip: processbridge.pdf.jar

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/processbridge.pdf.zip/processbridge.pdf.jar  
**MD5:** d7d85e6a55036dfa85026ffaf2458d36  
**SHA1:** 5c0e838c9b40cdcce45cd704b5e13eda8f8ff0e4  
**SHA256:**a7e9cd5eb819e14120ded7b9700713ee049be0c62e8c2c06e325e80dbb81665f  
**Referenced In Project/Scope:**server

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	processbridge.pdfc	High
Vendor	jar	package name	inet	Low
Vendor	jar	package name	pdfc	Low
Vendor	jar	package name	processbridge	Low
Vendor	Manifest	built-date	2024-01-16 15:32	Low
Vendor	Manifest	implementation-group	pdfc	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	processbridge.pdfc	High
Product	jar	package name	api	Low
Product	jar	package name	pdfc	Highest
Product	jar	package name	pdfc	Low
Product	jar	package name	processbridge	Highest
Product	jar	package name	processbridge	Low
Product	Manifest	built-date	2024-01-16 15:32	Low
Product	Manifest	implementation-group	pdfc	Low



Product	Manifest	Implementation-Title	processbridge.pdfvc	High
Product	Manifest	specification-title	processbridge.pdfvc	Medium
Version	jar	package name	pdfvc	Highest
Version	Manifest	Implementation-Version	23.10.295	High

### Identifiers

- cpe:2.3:a:inetsoftware:pdfvc:23.10.295:\*:\*:\*:\*:\* (Confidence:Low) suppress

## processbridge.zip: processbridge.jar

**File Path:** /home/jenkins/workspace/pdfvc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/processbridge.zip/processbridge.jar

**MD5:** 7c1a95831a554fef2a56b6ae9a795160

**SHA1:** 6ecd28aef08d9fed7acf7d4025d04d7463dbe32b

**SHA256:**e2469bebbdd16b25bcaa1864b80268596ce3b10aeef63faa2a6ba99a537901f5

**Referenced In Project/Scope:**server

### Evidence

Type	Source	Name	Value	Confidence
Vendor	file	name	processbridge	High
Vendor	jar	package name	inet	Low
Vendor	jar	package name	processbridge	Low
Vendor	Manifest	built-date	2024-01-16 12:20	Low
Vendor	Manifest	implementation-group	shared	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	processbridge	High
Product	jar	package name	processbridge	Highest
Product	jar	package name	processbridge	Low
Product	Manifest	built-date	2024-01-16 12:20	Low



Product	Manifest	implementation-group	shared	Low
Product	Manifest	Implementation-Title	processbridge	High
Product	Manifest	specification-title	processbridge	Medium
Version	Manifest	Implementation-Version	23.10.295	High

#### Identifiers

- None

### remotegui.zip: Echo2-FileTransfer\_App.jar

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/Echo2-FileTransfer\_App.jar

**MD5:** 6fd2b10e224c844ed153e2b22c15e55c

**SHA1:** cdcf0ec282bca45eacbf90358ddfb78fcbd87b06

**SHA256:** cd6ef6577f47dad417e9cdea6c5a7bd07b01ae02fffc189c1096c8297a7aee0f

**Referenced In Project/Scope:**server

#### Evidence

Type	Source	Name	Value	Confidence
Vendor	file	name	Echo2-FileTransfer_App	High
Vendor	jar	package name	app	Low
Vendor	jar	package name	echo2	Low
Vendor	jar	package name	nextapp	Low
Product	file	name	Echo2-FileTransfer_App	High
Product	jar	package name	app	Low
Product	jar	package name	echo2	Low
Product	jar	package name	filetransfer	Low
Version	file	name	Echo2-FileTransfer_App	Medium
Version	file	version	2	Medium

#### Identifiers

- [cpe:2.3:a:file-transfer:file\\_transfer:2.\\*.\\*.\\*.\\*.\\*](#) (Confidence:High) suppress



## remotegui.zip: Echo2-FileTransfer\_WebContainer.jar

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/Echo2-FileTransfer\_WebContainer.jar

**MD5:** 92dbd034fab7348d296ac68e4db7a08

**SHA1:** cbf567ae2536ccfb7d131381e39418db16a202db

**SHA256:** 6e4917ed3243e589d12be95a22679b53293477a86ead9341c7bf6fe6baf8e9a3

**Referenced In Project/Scope:**server

### Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	Echo2-FileTransfer_WebContainer	High
Vendor	jar	package name	echo2	Low
Vendor	jar	package name	nextapp	Low
Vendor	jar	package name	webcontainer	Low
Product	file	name	Echo2-FileTransfer_WebContainer	High
Product	jar	package name	echo2	Low
Product	jar	package name	filetransfer	Low
Product	jar	package name	webcontainer	Low
Version	file	name	Echo2-FileTransfer_WebContainer	Medium
Version	file	version	2	Medium

### Identifiers

- [cpe:2.3:a:file-transfer:file\\_transfer:2.\\*.\\*.\\*.\\*.\\*](#) (Confidence:High)
- [cpe:2.3:a:web\\_project:web:2.\\*.\\*.\\*.\\*.\\*](#) (Confidence:High)

## remotegui.zip: Echo2-FileTransfer\_WebContainer.jar: Download.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/Echo2-FileTransfer\_WebContainer.jar/nextapp/echo2/webcontainer/filetransfer/resource/js/Download.js

**MD5:** 69ff0dd778973ed673d040ea99553c6d

**SHA1:** 2f6f79a0fac16ba28942b9bf70c460ca317c81be

**SHA256:** eae8dd34aee905956fb2bfdd023015eec242b1f0969f8340e1ce445bad5863

**Referenced In Project/Scope:**server



#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: Echo2-FileTransfer\_WebContainer.jar: Upload.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/Echo2-FileTransfer\_WebContainer.jar/nextapp/echo2/webcontainer/filetransfer/resource/js/Upload.js

**MD5:** a7717a7b4972a81a08cf43f074c34dc8

**SHA1:** 7504304ad8e1d53035726c91f2630d21f38ddb88

**SHA256:** c69ec375cc81b5fba88b087c20377fd71b4b226780a2496adf145fb5177ddfb2

**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: angularjs.jar

#### Description:

WebJar for AngularJS

#### License:

MIT License: <https://github.com/angular/angular.js/blob/master/LICENSE>

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar

**MD5:** 370627d359050ff6a4e657cc1ec1892e

**SHA1:** 7a971be489a3f321b2db104e2a45afaa633e040d

**SHA256:** 65451ec03c0817d8c79594eda3ebd81c1d8f04dbaa082158115bc92660cbb3ee

**Referenced In Project/Scope:** server

#### Evidence





Type	Source	Name	Value	Confidence
Vendor	file	name	angularjs	High
Vendor	pom	artifactid	angularjs	Low
Vendor	pom	developer email	james@jamesward.org	Low
Vendor	pom	developer id	jamesward	Medium
Vendor	pom	developer name	James Ward	Medium
Vendor	pom	groupid	org.webjars	Highest
Vendor	pom	name	AngularJS	High
Vendor	pom	url	http://webjars.org	Highest
Product	file	name	angularjs	High
Product	pom	artifactid	angularjs	Highest
Product	pom	developer email	james@jamesward.org	Low
Product	pom	developer id	jamesward	Low
Product	pom	developer name	James Ward	Low
Product	pom	groupid	org.webjars	Highest
Product	pom	name	AngularJS	High
Product	pom	url	http://webjars.org	Medium
Version	pom	version	1.8.2	Highest

#### Identifiers

- [pkg:javascript/angularjs@1.8.2](#) (*Confidence: Highest*)
- [pkg:maven/org.webjars/angularjs@1.8.2](#) (*Confidence: High*)
- [cpe:2.3:a:angularjs:angularjs:1.8.2:\\*:\\*:\\*:\\*:\\*](#) (*Confidence: High*)

suppress

#### remotegui.zip: angularjs.jar: angular-locale\_af-na.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_af-na.js  
**MD5:** 7872bb91b9fdb959f4bee2aceeb3faf0  
**SHA1:** 8a61bac8abc104ebefef38f49a4e15bf12d0b305  
**SHA256:** 339883200f0e8b13cebed1549553b6947095740591a322262eb1502c06f042d0  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------



Related Dependencies

- remotegui.zip: angularjs.jar: angular-locale\_af-na.js.gz: angular-locale\_af-na.js
  - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_af-na.js.gz/angular-locale\_af-na.js
  - MD5: 7872bb91b9fdb959f4bee2aceeb3faf0
  - SHA1: 8a61bac8abc104ebefef38f49a4e15bf12d0b305
  - SHA256: 339883200f0e8b13cebed1549553b6947095740591a322262eb1502c06f042d0

Identifiers

- None

remotegui.zip: angularjs.jar: angular-locale\_af-za.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_af-za.js  
**MD5:** a05fa0e7812a0d5369ea1bf3084bfe91  
**SHA1:** 8cef7dd74b22ca817e40191c49f40a07a5df1c91  
**SHA256:**d841e2b61eb5346170ea748f76b633b566a66abeee1bd4e9c12a5212fe37dedf  
**Referenced In Project/Scope:**server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies

- remotegui.zip: angularjs.jar: angular-locale\_af-za.js.gz: angular-locale\_af-za.js
  - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_af-za.js.gz/angular-locale\_af-za.js
  - MD5: a05fa0e7812a0d5369ea1bf3084bfe91
  - SHA1: 8cef7dd74b22ca817e40191c49f40a07a5df1c91
  - SHA256: d841e2b61eb5346170ea748f76b633b566a66abeee1bd4e9c12a5212fe37dedf

Identifiers

- None



remotegui.zip: angularjs.jar: angular-locale\_af.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_af.js  
**MD5:** 95078db82561b66e0b555ef8bb8b9a0d  
**SHA1:** 377d7380f09970b90b722bf28e82bc2f5025592b  
**SHA256:** 5324dc4e3c978bb154c28840fb8b75c1adf506598327901244c3d32694cfb5f0  
**Referenced In Project/Scope:**server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies

- remotegui.zip: angularjs.jar: angular-locale\_af.js.gz: angular-locale\_af.js
  - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_af.js.gz/angular-locale\_af.js
  - MD5: 95078db82561b66e0b555ef8bb8b9a0d
  - SHA1: 377d7380f09970b90b722bf28e82bc2f5025592b
  - SHA256: 5324dc4e3c978bb154c28840fb8b75c1adf506598327901244c3d32694cfb5f0

Identifiers

- None

remotegui.zip: angularjs.jar: angular-locale\_agq-cm.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_agq-cm.js  
**MD5:** e7b6bcfa213b234e2d3848954c12068b  
**SHA1:** 16426351b1863f1dde56e0dee1fc1127a455edcf  
**SHA256:** 6ab5405a96194d27b4aa411e87e9a38a8321aa782ef4b2ffcd0ffbbf0ccfafa4  
**Referenced In Project/Scope:**server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------



### Related Dependencies



- remotegui.zip: angularjs.jar: angular-locale\_agq-cm.js.gz: angular-locale\_agq-cm.js
  - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_agq-cm.js.gz/angular-locale\_agq-cm.js
  - MD5: e7b6bcfa213b234e2d3848954c12068b
  - SHA1: 16426351b1863f1dde56e0dee1fc1127a455edcf
  - SHA256: 6ab5405a96194d27b4aa411e87e9a38a8321aa782ef4b2ffcd0ffbbf0ccfafa4

### Identifiers

- None

## remotegui.zip: angularjs.jar: angular-locale\_agq.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_agq.js

**MD5:** 64881697cec8092636d997d5f82d9b3e

**SHA1:** bf53d124e3cf3ce057b4bbd6193d38a67522cd17

**SHA256:** 8e1c06a04fa95ca42a86eba7b0b1b1db42954f352a56f2970ea40b064ee1fb79

**Referenced In Project/Scope:**server

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Related Dependencies



- remotegui.zip: angularjs.jar: angular-locale\_agq.js.gz: angular-locale\_agq.js
  - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_agq.js.gz/angular-locale\_agq.js
  - MD5: 64881697cec8092636d997d5f82d9b3e
  - SHA1: bf53d124e3cf3ce057b4bbd6193d38a67522cd17
  - SHA256: 8e1c06a04fa95ca42a86eba7b0b1b1db42954f352a56f2970ea40b064ee1fb79

### Identifiers

- None



## remotegui.zip: angularjs.jar: angular-locale\_ak-gh.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_ak-gh.js

**MD5:** 896f221d139e60a57d2971334a88bc39

**SHA1:** 822a94db96207c175dbfa7bbc0152e24b64a5da5

**SHA256:** 6a6c341681477ad0a5b14e25fa8da2fac7180742b10c467d1d282ee7aefafb0b

**Referenced In Project/Scope:**server

### Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Related Dependencies

- remotegui.zip: angularjs.jar: angular-locale\_ak-gh.js.gz: angular-locale\_ak-gh.js
  - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_ak-gh.js.gz/angular-locale\_ak-gh.js
  - MD5: 896f221d139e60a57d2971334a88bc39
  - SHA1: 822a94db96207c175dbfa7bbc0152e24b64a5da5
  - SHA256: 6a6c341681477ad0a5b14e25fa8da2fac7180742b10c467d1d282ee7aefafb0b

### Identifiers

- None

## remotegui.zip: angularjs.jar: angular-locale\_ak.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_ak.js

**MD5:** afd7fd491261b7301c861f01e62141a6

**SHA1:** 53e3cc85d95627334ca8801ba9f80795757dc080

**SHA256:** 0470d3695eb75c66877296704989a87897084a93cb170de269220d11be0710d3

**Referenced In Project/Scope:**server

### Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Related Dependencies



- remotegui.zip: angularjs.jar: angular-locale\_ak.js.gz: angular-locale\_ak.js
  - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_ak.js.gz/angular-locale\_ak.js
  - MD5: afd7fd491261b7301c861f01e62141a6
  - SHA1: 53e3cc85d95627334ca8801ba9f80795757dc080
  - SHA256: 0470d3695eb75c66877296704989a87897084a93cb170de269220d11be0710d3

#### Identifiers

- None

### remotegui.zip: angularjs.jar: angular-locale\_am-et.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_am-et.js  
**MD5:** 3180ecc1629bcb94da0be63e68f00489  
**SHA1:** 80d774171c184ba1cefad82ab1ba90d833a6e453  
**SHA256:** 192a99240ad4298551d97068a6708ec2902a12cd02dce02388c6e16ff607be8a  
**Referenced In Project/Scope:**server

#### Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Related Dependencies

- remotegui.zip: angularjs.jar: angular-locale\_am-et.js.gz: angular-locale\_am-et.js
  - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_am-et.js.gz/angular-locale\_am-et.js
  - MD5: 3180ecc1629bcb94da0be63e68f00489
  - SHA1: 80d774171c184ba1cefad82ab1ba90d833a6e453
  - SHA256: 192a99240ad4298551d97068a6708ec2902a12cd02dce02388c6e16ff607be8a

#### Identifiers

- None

### remotegui.zip: angularjs.jar: angular-locale\_am.js



**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_am.js

**MD5:** 9f1c037bea1728126989d25c1b67c08a

**SHA1:** f551f08ba49a13417078d643c58f92fdef0f41bb

**SHA256:** 1e0e268a60ad218419e0f4d3aca58ca4074c23e9766d1d16e7730d161646cd72

**Referenced In Project/Scope:**server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Related Dependencies



- remotegui.zip: angularjs.jar: angular-locale\_am.js.gz: angular-locale\_am.js
  - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_am.js.gz/angular-locale\_am.js
  - MD5: 9f1c037bea1728126989d25c1b67c08a
  - SHA1: f551f08ba49a13417078d643c58f92fdef0f41bb
  - SHA256: 1e0e268a60ad218419e0f4d3aca58ca4074c23e9766d1d16e7730d161646cd72

#### Identifiers

- None

### remotegui.zip: angularjs.jar: angular-locale\_ar-001.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_ar-001.js

**MD5:** 9801cf34d88e2016d7a1d2aac80acbbd

**SHA1:** 60c2fe7b66e401ee23d7e9d53bbd4e7eeede9ba7

**SHA256:** c92815b8e586ad942957fa4d202ff3ed826be1bb689d74475ab6bc6b66935456

**Referenced In Project/Scope:**server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Related Dependencies



- remotegui.zip: angularjs.jar: angular-locale\_ar-001.js.gz: angular-locale\_ar-001.js



- File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_ar-001.js.gz/angular-locale\_ar-001.js
- MD5: 9801cf34d88e2016d7a1d2aac80acbbd
- SHA1: 60c2fe7b66e401ee23d7e9d53bbd4e7eeede9ba7
- SHA256: c92815b8e586ad942957fa4d202ff3ed826be1bb689d74475ab6bc6b66935456

#### Identifiers

- None

### remotegui.zip: angularjs.jar: angular-locale\_ar-ae.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_ar-ae.js

**MD5:** ad90d1eff47be9bc7e776e9b94f02afa

**SHA1:** 7ac151ae86d70cbd61535f81476adc8a22f66d45

**SHA256:** 9cb7acb49e1a810925c968e0049eb02437c1e76f3c74e0481ef08f06ad7b21d1

**Referenced In Project/Scope:**server

#### Evidence



Type	Source	Name	Value	Confidence

#### Related Dependencies



- remotegui.zip: angularjs.jar: angular-locale\_ar-ae.js.gz: angular-locale\_ar-ae.js
  - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_ar-ae.js.gz/angular-locale\_ar-ae.js
  - MD5: ad90d1eff47be9bc7e776e9b94f02afa
  - SHA1: 7ac151ae86d70cbd61535f81476adc8a22f66d45
  - SHA256: 9cb7acb49e1a810925c968e0049eb02437c1e76f3c74e0481ef08f06ad7b21d1

#### Identifiers

- None

### remotegui.zip: angularjs.jar: angular-locale\_ar-bh.js



**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_ar-bh.js  
**MD5:** 7fb2e9c5fcb4bf3c16859fe06a07279  
**SHA1:** 9a393493518a3e20b7c5f7885861f5c353458fb2  
**SHA256:**8b003126d11760e3db6c705150b6ad7ca782ea80df21008fb0dc4c3a98b23c73  
**Referenced In Project/Scope:**server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies



- remotegui.zip: angularjs.jar: angular-locale\_ar-bh.js.gz: angular-locale\_ar-bh.js
  - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_ar-bh.js.gz/angular-locale\_ar-bh.js
  - MD5: 7fb2e9c5fcb4bf3c16859fe06a07279
  - SHA1: 9a393493518a3e20b7c5f7885861f5c353458fb2
  - SHA256: 8b003126d11760e3db6c705150b6ad7ca782ea80df21008fb0dc4c3a98b23c73

Identifiers

- None

remotegui.zip: angularjs.jar: angular-locale\_ar-dj.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_ar-dj.js  
**MD5:** 0fc9f3adb3302b4c918725a47414cc72  
**SHA1:** 7fa0a5925e912761965c246a7567b6cefca1225a  
**SHA256:**fe28727ae49bfdec5aa0aa776961c5ac8a33c324e3f871eb16925430b6e83aa6  
**Referenced In Project/Scope:**server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies



- remotegui.zip: angularjs.jar: angular-locale\_ar-dj.js.gz: angular-locale\_ar-dj.js
  - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins



- /remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_ar-dj.js.gz/angular-locale\_ar-dj.js
- MD5: 0fc9f3adb3302b4c918725a47414cc72
- SHA1: 7fa0a5925e912761965c246a7567b6cefca1225a
- SHA256: fe28727ae49bfdec5aa0aa776961c5ac8a33c324e3f871eb16925430b6e83aa6

#### Identifiers

- None

### remotegui.zip: angularjs.jar: angular-locale\_ar-dz.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_ar-dz.js

**MD5:** a1ed460c0ba661f68bde739fa227e361

**SHA1:** a7fdc70cbb970fa1a91ca1487c4dfe5c9c668e2b

**SHA256:** 9ea8439fc0bef93fbe701316724cf04372aa0ad194e174e97494dfc6c5b1f6e

**Referenced In Project/Scope:**server

#### Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Related Dependencies

- remotegui.zip: angularjs.jar: angular-locale\_ar-dz.js.gz: angular-locale\_ar-dz.js
  - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_ar-dz.js.gz/angular-locale\_ar-dz.js
  - MD5: a1ed460c0ba661f68bde739fa227e361
  - SHA1: a7fdc70cbb970fa1a91ca1487c4dfe5c9c668e2b
  - SHA256: 9ea8439fc0bef93fbe701316724cf04372aa0ad194e174e97494dfc6c5b1f6e

#### Identifiers

- None

### remotegui.zip: angularjs.jar: angular-locale\_ar-eg.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources



/webjars/angularjs/1.8.2/i18n/angular-locale\_ar-eg.js

**MD5:** 6433e9955ca934c59944856637b31af9

**SHA1:** 5afbb33da36c1f7e0c2f0661d5bae2ceb40ea7a2

**SHA256:** bf35a092f5230e66ceeab87e749cd8dcc9cfc7f3fc0de875831fd79552abed38

**Referenced In Project/Scope:**server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Related Dependencies



- remotegui.zip: angularjs.jar: angular-locale\_ar-eg.js.gz: angular-locale\_ar-eg.js
  - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_ar-eg.js.gz/angular-locale\_ar-eg.js
  - MD5: 6433e9955ca934c59944856637b31af9
  - SHA1: 5afbb33da36c1f7e0c2f0661d5bae2ceb40ea7a2
  - SHA256: bf35a092f5230e66ceeab87e749cd8dcc9cfc7f3fc0de875831fd79552abed38

#### Identifiers

- None

### remotegui.zip: angularjs.jar: angular-locale\_ar-eh.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_ar-eh.js

**MD5:** 2f90e268df390dcce5a41f3b16ad0701

**SHA1:** eecde1d1abf6079bffb88022c03d73d3474ff0e

**SHA256:** 0673a24fcf070d5c67e96acf0a7ba68439386f569877afe6257803eb6cc042ed

**Referenced In Project/Scope:**server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Related Dependencies



- remotegui.zip: angularjs.jar: angular-locale\_ar-eh.js.gz: angular-locale\_ar-eh.js
  - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_ar-eh.js.gz/angular-locale\_ar-eh.js



- MD5: 2f90e268df390dcce5a41f3b16ad0701
- SHA1: eecde1d1abf6079bffd88022c03d73d3474ff0e
- SHA256: 0673a24fcf070d5c67e96acf0a7ba68439386f569877afe6257803eb6cc042ed

#### Identifiers

- None

### remotegui.zip: angularjs.jar: angular-locale\_ar-er.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_ar-er.js

**MD5:** cbff772d7fe9498f67fe137b235e8c74

**SHA1:** 15ca0cd819daf693075f6ab2e296f2481a7197cc

**SHA256:** fcbdbe1077ceb85e2407b96059068ddca8423b45f0e935ad7453332373fe7375

**Referenced In Project/Scope:**server

#### Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Related Dependencies

- remotegui.zip: angularjs.jar: angular-locale\_ar-er.js.gz: angular-locale\_ar-er.js
  - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_ar-er.js.gz/angular-locale\_ar-er.js
  - MD5: cbff772d7fe9498f67fe137b235e8c74
  - SHA1: 15ca0cd819daf693075f6ab2e296f2481a7197cc
  - SHA256: fcbdbe1077ceb85e2407b96059068ddca8423b45f0e935ad7453332373fe7375

#### Identifiers

- None

### remotegui.zip: angularjs.jar: angular-locale\_ar-il.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_ar-il.js

**MD5:** 3eb692ab09bd5526692e9714718a5547



**SHA1:** f4c81d41485d76d138c61c1e1573572ec71eadc6  
**SHA256:**1549fae295e1b8396175b9f7753667781d6f610de2e05389fa97b5d7febfbdc6  
**Referenced In Project/Scope:**server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies

- remotegui.zip: angularjs.jar: angular-locale\_ar-il.js.gz: angular-locale\_ar-il.js
  - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_ar-il.js.gz/angular-locale\_ar-il.js
  - MD5: 3eb692ab09bd5526692e9714718a5547
  - SHA1: f4c81d41485d76d138c61c1e1573572ec71eadc6
  - SHA256: 1549fae295e1b8396175b9f7753667781d6f610de2e05389fa97b5d7febfbdc6

Identifiers

- None

remotegui.zip: angularjs.jar: angular-locale\_ar-iq.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_ar-iq.js  
**MD5:** e058741d2f99d25d13405abca1dbc57f  
**SHA1:** 7761bcf03e01400af3eca8d070c44b21ff928433  
**SHA256:**989a3c43f3c6620283def1e4c124ae7975d7ce696f5b7b5b580d256be4bc622f  
**Referenced In Project/Scope:**server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies

- remotegui.zip: angularjs.jar: angular-locale\_ar-iq.js.gz: angular-locale\_ar-iq.js
  - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_ar-iq.js.gz/angular-locale\_ar-iq.js
  - MD5: e058741d2f99d25d13405abca1dbc57f
  - SHA1: 7761bcf03e01400af3eca8d070c44b21ff928433



- SHA256: 989a3c43f3c6620283def1e4c124ae7975d7ce696f5b7b5b580d256be4bc622f

#### Identifiers

- None

### remotegui.zip: angularjs.jar: angular-locale\_ar-jo.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_ar-jo.js

**MD5:** bfc03b729f665790b67476e7da137d5e

**SHA1:** 357675fba07819b5b634bb548e19fba27ec7af79

**SHA256:** eb6ae99dbdbec23c9aa3d3ef09f03dab0902dd0c40215511cd09fc8e96fb41af

**Referenced In Project/Scope:**server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Related Dependencies



- remotegui.zip: angularjs.jar: angular-locale\_ar-jo.js.gz: angular-locale\_ar-jo.js
  - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_ar-jo.js.gz/angular-locale\_ar-jo.js
  - MD5: bfc03b729f665790b67476e7da137d5e
  - SHA1: 357675fba07819b5b634bb548e19fba27ec7af79
  - SHA256: eb6ae99dbdbec23c9aa3d3ef09f03dab0902dd0c40215511cd09fc8e96fb41af

#### Identifiers

- None

### remotegui.zip: angularjs.jar: angular-locale\_ar-km.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_ar-km.js

**MD5:** faba8d8309e9a8f028492ecfc560c4c4



**SHA1:** b51600c6498cb5bb5e2d94a72f79c762736e8790  
**SHA256:**18b3196a3d6e43907130cdcf9e265f08c00914a86b53020453d219c669e8a9b1  
**Referenced In Project/Scope:**server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies

- remotegui.zip: angularjs.jar: angular-locale\_ar-km.js.gz: angular-locale\_ar-km.js
  - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_ar-km.js.gz/angular-locale\_ar-km.js
  - MD5: faba8d8309e9a8f028492ecfc560c4c4
  - SHA1: b51600c6498cb5bb5e2d94a72f79c762736e8790
  - SHA256: 18b3196a3d6e43907130cdcf9e265f08c00914a86b53020453d219c669e8a9b1

Identifiers

- None

remotegui.zip: angularjs.jar: angular-locale\_ar-kw.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_ar-kw.js  
**MD5:** 73d1a8135ab8c4ee851d7636f28fe182  
**SHA1:** 2a9856099c43a0f4e3829c354fa721c5929a5011  
**SHA256:**885bc4eda91994df0a5e1ed1d4d6a3a5b4567924e47639ca006b4efaeab8f17  
**Referenced In Project/Scope:**server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies

- remotegui.zip: angularjs.jar: angular-locale\_ar-kw.js.gz: angular-locale\_ar-kw.js
  - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_ar-kw.js.gz/angular-locale\_ar-kw.js
  - MD5: 73d1a8135ab8c4ee851d7636f28fe182
  - SHA1: 2a9856099c43a0f4e3829c354fa721c5929a5011



- SHA256: 885bc4eda91994df0a5e1ed1d4d6a3a5b4567924e47639ca006b4efeaeab8f17

#### Identifiers

- None

### remotegui.zip: angularjs.jar: angular-locale\_ar-lb.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_ar-lb.js

**MD5:** 2b1234929eb125afb0b1ec0a9cefa2b2

**SHA1:** 94bc6861f15e9f8932999c3583cd5c1afd7e7d50

**SHA256:** 594ced3fb5205b9db5d11b015ba8d7c4cf362feb6bcd80e5ee4f6ff32cc81a73

**Referenced In Project/Scope:**server

#### Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Related Dependencies

- remotegui.zip: angularjs.jar: angular-locale\_ar-lb.js.gz: angular-locale\_ar-lb.js
  - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_ar-lb.js.gz/angular-locale\_ar-lb.js
  - MD5: 2b1234929eb125afb0b1ec0a9cefa2b2
  - SHA1: 94bc6861f15e9f8932999c3583cd5c1afd7e7d50
  - SHA256: 594ced3fb5205b9db5d11b015ba8d7c4cf362feb6bcd80e5ee4f6ff32cc81a73

#### Identifiers

- None

### remotegui.zip: angularjs.jar: angular-locale\_ar-ly.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_ar-ly.js

**MD5:** 0931c4ca3ab1118ab28c14ffeb3b5008



**SHA1:** 09a7404540656d420ee392b29b93590582510052  
**SHA256:** 3d643d07b64818679765287bae159098c6a789e7e8fe74c76f72807c692e97ac  
**Referenced In Project/Scope:**server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Related Dependencies



- remotegui.zip: angularjs.jar: angular-locale\_ar-ly.js.gz: angular-locale\_ar-ly.js
  - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_ar-ly.js.gz/angular-locale\_ar-ly.js
  - MD5: 0931c4ca3ab1118ab28c14ffeb3b5008
  - SHA1: 09a7404540656d420ee392b29b93590582510052
  - SHA256: 3d643d07b64818679765287bae159098c6a789e7e8fe74c76f72807c692e97ac

#### Identifiers

- None

### remotegui.zip: angularjs.jar: angular-locale\_ar-ma.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_ar-ma.js  
**MD5:** 6de8d2bc9e8cb2c03cf709979ff361f1  
**SHA1:** 6243975b444e5e111d5c79de8e4e54d4c0e80e82  
**SHA256:** 4e66785c710d29deef082b2e69ec61d2005f92757cf88c56e17dbdc74ea41cb4  
**Referenced In Project/Scope:**server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Related Dependencies



- remotegui.zip: angularjs.jar: angular-locale\_ar-ma.js.gz: angular-locale\_ar-ma.js
  - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_ar-ma.js.gz/angular-locale\_ar-ma.js
  - MD5: 6de8d2bc9e8cb2c03cf709979ff361f1
  - SHA1: 6243975b444e5e111d5c79de8e4e54d4c0e80e82



- SHA256: 4e66785c710d29deef082b2e69ec61d2005f92757cf88c56e17dbdc74ea41cb4

#### Identifiers

- None

### remotegui.zip: angularjs.jar: angular-locale\_ar-mr.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_ar-mr.js

**MD5:** 5ae49578edaee62af9402fcaed8d3c2a

**SHA1:** 11ba09b7d210c7e937892ce45e934b554466d85f

**SHA256:** fdc7966e51eb27c787422626c4be07082fbc4def8fa60a0b671c2d78a52d5b4b

**Referenced In Project/Scope:**server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Related Dependencies



- remotegui.zip: angularjs.jar: angular-locale\_ar-mr.js.gz: angular-locale\_ar-mr.js
  - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_ar-mr.js.gz/angular-locale\_ar-mr.js
  - MD5: 5ae49578edaee62af9402fcaed8d3c2a
  - SHA1: 11ba09b7d210c7e937892ce45e934b554466d85f
  - SHA256: fdc7966e51eb27c787422626c4be07082fbc4def8fa60a0b671c2d78a52d5b4b

#### Identifiers

- None

### remotegui.zip: angularjs.jar: angular-locale\_ar-om.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_ar-om.js

**MD5:** af5a8d90a382ad497ce6b848a4373c72



**SHA1:** 811461bc44009e65df9628d69d970333b00af50e  
**SHA256:** 88c21c507f6f4b5e7e353e7af90753d029c5785d5cb8f9602c4304fd32e81063  
**Referenced In Project/Scope:**server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Related Dependencies



- remotegui.zip: angularjs.jar: angular-locale\_ar-om.js.gz: angular-locale\_ar-om.js
  - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_ar-om.js.gz/angular-locale\_ar-om.js
  - MD5: af5a8d90a382ad497ce6b848a4373c72
  - SHA1: 811461bc44009e65df9628d69d970333b00af50e
  - SHA256: 88c21c507f6f4b5e7e353e7af90753d029c5785d5cb8f9602c4304fd32e81063

#### Identifiers

- None

### remotegui.zip: angularjs.jar: angular-locale\_ar-ps.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_ar-ps.js  
**MD5:** 13a3e4f9b3ecfa4a24be63c4d59b92d5  
**SHA1:** 5d206b45d66453e5bd9de197bde3f871129ac6b5  
**SHA256:** b5c26ff20e472410d6ba5f80ff294cb29a08325ac98dfcd4bf289e4963a00f85  
**Referenced In Project/Scope:**server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Related Dependencies



- remotegui.zip: angularjs.jar: angular-locale\_ar-ps.js.gz: angular-locale\_ar-ps.js
  - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_ar-ps.js.gz/angular-locale\_ar-ps.js
  - MD5: 13a3e4f9b3ecfa4a24be63c4d59b92d5
  - SHA1: 5d206b45d66453e5bd9de197bde3f871129ac6b5



- SHA256: b5c26ff20e472410d6ba5f80ff294cb29a08325ac98dfcd4bf289e4963a00f85

#### Identifiers

- None

### remotegui.zip: angularjs.jar: angular-locale\_ar-qa.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_ar-qa.js

**MD5:** 3e9b1d3f0f01180ae002f519f97514dc

**SHA1:** ec31bdad99a6edb72766ae84536ccf8e82f7d979

**SHA256:** 51313aa5bb59901d5790177305cba11cdab89a090a126f9a4499d3ad4be7a268

**Referenced In Project/Scope:**server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Related Dependencies



- remotegui.zip: angularjs.jar: angular-locale\_ar-qa.js.gz: angular-locale\_ar-qa.js
  - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_ar-qa.js.gz/angular-locale\_ar-qa.js
  - MD5: 3e9b1d3f0f01180ae002f519f97514dc
  - SHA1: ec31bdad99a6edb72766ae84536ccf8e82f7d979
  - SHA256: 51313aa5bb59901d5790177305cba11cdab89a090a126f9a4499d3ad4be7a268

#### Identifiers

- None

### remotegui.zip: angularjs.jar: angular-locale\_ar-sa.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_ar-sa.js

**MD5:** 8e7dd550a048343c258e5c8712d15196



**SHA1:** e3d5949147b79b6c7bb94d16a3340ded7dd4a171  
**SHA256:**89b263aa40db7c27331e96e8da856f6b05661def337d4b5c600fdd9f9e6dc77c  
**Referenced In Project/Scope:**server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies

- remotegui.zip: angularjs.jar: angular-locale\_ar-sa.js.gz: angular-locale\_ar-sa.js
  - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_ar-sa.js.gz/angular-locale\_ar-sa.js
  - MD5: 8e7dd550a048343c258e5c8712d15196
  - SHA1: e3d5949147b79b6c7bb94d16a3340ded7dd4a171
  - SHA256: 89b263aa40db7c27331e96e8da856f6b05661def337d4b5c600fdd9f9e6dc77c

Identifiers

- None

remotegui.zip: angularjs.jar: angular-locale\_ar-sd.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_ar-sd.js  
**MD5:** 2fefbd969a63f3f870c6dc6192c64d0f  
**SHA1:** 5db4a5a0a32f8d1f86bfafbf9053d3d06e02f763  
**SHA256:**0cd480006319bb680a6ad0d9f74c0e6320110453883150606791e2e989b8c56d  
**Referenced In Project/Scope:**server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies

- remotegui.zip: angularjs.jar: angular-locale\_ar-sd.js.gz: angular-locale\_ar-sd.js
  - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_ar-sd.js.gz/angular-locale\_ar-sd.js
  - MD5: 2fefbd969a63f3f870c6dc6192c64d0f
  - SHA1: 5db4a5a0a32f8d1f86bfafbf9053d3d06e02f763



- SHA256: 0cd480006319bb680a6ad0d9f74c0e6320110453883150606791e2e989b8c56d

#### Identifiers

- None

### remotegui.zip: angularjs.jar: angular-locale\_ar-so.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_ar-so.js

**MD5:** c81ca618e37b69b236589df4cf9ef096

**SHA1:** a81d6cefde5129bec6900cff8e959d81245256f4

**SHA256:** 930d5e77ebf018dc087db8232679ccf34dc89e7b92a198eab663dae7e21992bf

**Referenced In Project/Scope:**server

#### Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Related Dependencies

- remotegui.zip: angularjs.jar: angular-locale\_ar-so.js.gz: angular-locale\_ar-so.js
  - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_ar-so.js.gz/angular-locale\_ar-so.js
  - MD5: c81ca618e37b69b236589df4cf9ef096
  - SHA1: a81d6cefde5129bec6900cff8e959d81245256f4
  - SHA256: 930d5e77ebf018dc087db8232679ccf34dc89e7b92a198eab663dae7e21992bf

#### Identifiers

- None

### remotegui.zip: angularjs.jar: angular-locale\_ar-ss.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_ar-ss.js

**MD5:** 0c0dc493218797aee0a72434e354fd6d



**SHA1:** 57b673bb7922f01cb133dec068a3c54972d3cf4b  
**SHA256:**88ecddfcfe0e0a0b59c19256d6882d5254987feec2f0e62ad9a3ec79c2fc0ed1  
**Referenced In Project/Scope:**server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies

- remotegui.zip: angularjs.jar: angular-locale\_ar-ss.js.gz: angular-locale\_ar-ss.js
  - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_ar-ss.js.gz/angular-locale\_ar-ss.js
  - MD5: 0c0dc493218797aae0a72434e354fd6d
  - SHA1: 57b673bb7922f01cb133dec068a3c54972d3cf4b
  - SHA256: 88ecddfcfe0e0a0b59c19256d6882d5254987feec2f0e62ad9a3ec79c2fc0ed1

Identifiers

- None

remotegui.zip: angularjs.jar: angular-locale\_ar-sy.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_ar-sy.js  
**MD5:** 0a1fae6dace19b1e5cb3f7dc58cbb7a4  
**SHA1:** 8d99b8114a204a425a6d7a396083ddf905478d7f  
**SHA256:**43285ccaa61b7a1c0747a8de45f1f9da284646ea6a443afb8aeea672c0a9007f  
**Referenced In Project/Scope:**server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies

- remotegui.zip: angularjs.jar: angular-locale\_ar-sy.js.gz: angular-locale\_ar-sy.js
  - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_ar-sy.js.gz/angular-locale\_ar-sy.js
  - MD5: 0a1fae6dace19b1e5cb3f7dc58cbb7a4
  - SHA1: 8d99b8114a204a425a6d7a396083ddf905478d7f



- SHA256: 43285ccaa61b7a1c0747a8de45f1f9da284646ea6a443afb8aeea672c0a9007f

#### Identifiers

- None

### remotegui.zip: angularjs.jar: angular-locale\_ar-td.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_ar-td.js

**MD5:** 854a3eb46349b557a2df1f79c518c108

**SHA1:** c984b1bef2cf12e20c82cd450e8b6032587e327f

**SHA256:** fa44b4d6ffd7a154622aa7a1633d671830f4635cb71c8b58ac3d83e6ed1c2575

**Referenced In Project/Scope:**server

#### Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Related Dependencies

- remotegui.zip: angularjs.jar: angular-locale\_ar-td.js.gz: angular-locale\_ar-td.js
  - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_ar-td.js.gz/angular-locale\_ar-td.js
  - MD5: 854a3eb46349b557a2df1f79c518c108
  - SHA1: c984b1bef2cf12e20c82cd450e8b6032587e327f
  - SHA256: fa44b4d6ffd7a154622aa7a1633d671830f4635cb71c8b58ac3d83e6ed1c2575

#### Identifiers

- None

### remotegui.zip: angularjs.jar: angular-locale\_ar-tn.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_ar-tn.js

**MD5:** 59dcdefe240103b4d25544844f02dbf0



**SHA1:** a01d539cc3b21e0fca2f017ea3e7baa820e1c527  
**SHA256:**3d8f713b5b1d9e5b8675ba08e9d4914591bfd4280bd02621fc2c623721492bf9  
**Referenced In Project/Scope:**server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies

- remotegui.zip: angularjs.jar: angular-locale\_ar-tn.js.gz: angular-locale\_ar-tn.js
  - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_ar-tn.js.gz/angular-locale\_ar-tn.js
  - MD5: 59dcdefe240103b4d25544844f02dbf0
  - SHA1: a01d539cc3b21e0fca2f017ea3e7baa820e1c527
  - SHA256: 3d8f713b5b1d9e5b8675ba08e9d4914591bfd4280bd02621fc2c623721492bf9

Identifiers

- None

remotegui.zip: angularjs.jar: angular-locale\_ar-xb.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_ar-xb.js  
**MD5:** 86739d6bdfada1499ca836e288f3ddba  
**SHA1:** ad6ca156da627ce06108e0b25f4084dacfd54bcb  
**SHA256:**70adacb43bd2bfe1fb8e2f362b9dac1a4cfa06044cd04a5c67c686628fa34acf  
**Referenced In Project/Scope:**server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies

- remotegui.zip: angularjs.jar: angular-locale\_ar-xb.js.gz: angular-locale\_ar-xb.js
  - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_ar-xb.js.gz/angular-locale\_ar-xb.js
  - MD5: 86739d6bdfada1499ca836e288f3ddba
  - SHA1: ad6ca156da627ce06108e0b25f4084dacfd54bcb



- SHA256: 70adacb43bd2bfe1fb8e2f362b9dac1a4cfa06044cd04a5c67c686628fa34acf

#### Identifiers

- None

### remotegui.zip: angularjs.jar: angular-locale\_ar-ye.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_ar-ye.js

**MD5:** 8b8fa9f682ef867c46e47454fb6d90bd

**SHA1:** ba488a10d5169d023a7c07ed09426e179afa4d3b

**SHA256:** 54c61e6aba53b023bc4ea687ecee40eeafe3dadbed330ae2d5ba9cacd4c4190d

**Referenced In Project/Scope:**server

#### Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Related Dependencies

- remotegui.zip: angularjs.jar: angular-locale\_ar-ye.js.gz: angular-locale\_ar-ye.js
  - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_ar-ye.js.gz/angular-locale\_ar-ye.js
  - MD5: 8b8fa9f682ef867c46e47454fb6d90bd
  - SHA1: ba488a10d5169d023a7c07ed09426e179afa4d3b
  - SHA256: 54c61e6aba53b023bc4ea687ecee40eeafe3dadbed330ae2d5ba9cacd4c4190d

#### Identifiers

- None

### remotegui.zip: angularjs.jar: angular-locale\_ar.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_ar.js

**MD5:** f2993ed7186539d478ff834622aa6cff



**SHA1:** 8f9ebf565fa09cec566515e2ffeb5ebc87d19432  
**SHA256:**5a30463756c3d93ab92209d0f7a0591f6fbb68a471515f41312f6ad0302178fb  
**Referenced In Project/Scope:**server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies

- remotegui.zip: angularjs.jar: angular-locale\_ar.js.gz: angular-locale\_ar.js
  - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_ar.js.gz/angular-locale\_ar.js
  - MD5: f2993ed7186539d478ff834622aa6cff
  - SHA1: 8f9ebf565fa09cec566515e2ffeb5ebc87d19432
  - SHA256: 5a30463756c3d93ab92209d0f7a0591f6fbb68a471515f41312f6ad0302178fb

Identifiers

- None

remotegui.zip: angularjs.jar: angular-locale\_as-in.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_as-in.js  
**MD5:** fc45fded7c651b7692c5dad396313bc3  
**SHA1:** c62b58f33a276520995df8c6977514a7593cc730  
**SHA256:**a83b62e065d763c8c01df715b28b63f60342675dbb20c8be49632848dd1475cf  
**Referenced In Project/Scope:**server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies

- remotegui.zip: angularjs.jar: angular-locale\_as-in.js.gz: angular-locale\_as-in.js
  - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_as-in.js.gz/angular-locale\_as-in.js
  - MD5: fc45fded7c651b7692c5dad396313bc3
  - SHA1: c62b58f33a276520995df8c6977514a7593cc730



- SHA256: a83b62e065d763c8c01df715b28b63f60342675dbb20c8be49632848dd1475cf

#### Identifiers

- None

### remotegui.zip: angularjs.jar: angular-locale\_as.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_as.js

**MD5:** f70fbff3c64cd273b1d1534503ac1631

**SHA1:** 4891bdd6ab3ae9fe1bfd97ef0e1193ed50654350

**SHA256:** 2aef8d2b35ae040f000516372d1714131942ab320fe33f61534ca7c71919f2e3

**Referenced In Project/Scope:**server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Related Dependencies



- remotegui.zip: angularjs.jar: angular-locale\_as.js.gz: angular-locale\_as.js
  - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_as.js.gz/angular-locale\_as.js
  - MD5: f70fbff3c64cd273b1d1534503ac1631
  - SHA1: 4891bdd6ab3ae9fe1bfd97ef0e1193ed50654350
  - SHA256: 2aef8d2b35ae040f000516372d1714131942ab320fe33f61534ca7c71919f2e3

#### Identifiers

- None

### remotegui.zip: angularjs.jar: angular-locale\_asa-tz.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_asa-tz.js

**MD5:** e6c49deb68b149efa9889e7f99dd26c1



**SHA1:** 621406db25fbd7bd4dc01832fe3684d3bc471e44  
**SHA256:** 6e41afdb68259152613fb7801451f24df86496520d9a8675265bb39e678221fe  
**Referenced In Project/Scope:**server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies

- remotegui.zip: angularjs.jar: angular-locale\_asa-tz.js.gz: angular-locale\_asa-tz.js
  - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_asa-tz.js.gz/angular-locale\_asa-tz.js
  - MD5: e6c49deb68b149efa9889e7f99dd26c1
  - SHA1: 621406db25fbd7bd4dc01832fe3684d3bc471e44
  - SHA256: 6e41afdb68259152613fb7801451f24df86496520d9a8675265bb39e678221fe

Identifiers

- None

remotegui.zip: angularjs.jar: angular-locale\_asa.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_asa.js  
**MD5:** c6fae667fa0d0eaf3a0da323f16e1bc7  
**SHA1:** f786a6eafe2aa42646a7104931bfe395840b595a  
**SHA256:** 5dc7f53492374489d99c6d55c058498464d4a61ed572daf2db2f2ec801aeb304  
**Referenced In Project/Scope:**server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies

- remotegui.zip: angularjs.jar: angular-locale\_asa.js.gz: angular-locale\_asa.js
  - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_asa.js.gz/angular-locale\_asa.js
  - MD5: c6fae667fa0d0eaf3a0da323f16e1bc7
  - SHA1: f786a6eafe2aa42646a7104931bfe395840b595a



- SHA256: 5dc7f53492374489d99c6d55c058498464d4a61ed572daf2db2f2ec801aeb304

#### Identifiers

- None

### remotegui.zip: angularjs.jar: angular-locale\_ast-es.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_ast-es.js

**MD5:** 59895bd2088e503a8af5eb0a762bdc4f

**SHA1:** 1e09ed3d769f2f124895ee874c2ddf309a8cebaa

**SHA256:** 13a042d4c5af207c49aaf5d00979fb3420b1fea5fcfedd8b9de2aab78ca7da0d

**Referenced In Project/Scope:**server

#### Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Related Dependencies

- remotegui.zip: angularjs.jar: angular-locale\_ast-es.js.gz: angular-locale\_ast-es.js
  - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_ast-es.js.gz/angular-locale\_ast-es.js
  - MD5: 59895bd2088e503a8af5eb0a762bdc4f
  - SHA1: 1e09ed3d769f2f124895ee874c2ddf309a8cebaa
  - SHA256: 13a042d4c5af207c49aaf5d00979fb3420b1fea5fcfedd8b9de2aab78ca7da0d

#### Identifiers

- None

### remotegui.zip: angularjs.jar: angular-locale\_ast.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_ast.js

**MD5:** 3a04f057b80259ecf79d1bd6b61f04a7



**SHA1:** 69c7de4806986b9f5d79c7af2c77c903ed004d06  
**SHA256:**3945960919ad5e68c146bed3356ad4cd5a942c3dda6085bcd4cb89d3c509cdb0  
**Referenced In Project/Scope:**server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies

- remotegui.zip: angularjs.jar: angular-locale\_ast.js.gz: angular-locale\_ast.js
  - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_ast.js.gz/angular-locale\_ast.js
  - MD5: 3a04f057b80259ecf79d1bd6b61f04a7
  - SHA1: 69c7de4806986b9f5d79c7af2c77c903ed004d06
  - SHA256: 3945960919ad5e68c146bed3356ad4cd5a942c3dda6085bcd4cb89d3c509cdb0

Identifiers

- None

remotegui.zip: angularjs.jar: angular-locale\_az-cyrl-az.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_az-cyrl-az.js  
**MD5:** 02d3f1f1ef4080dfcc9ee5074dac8bd6  
**SHA1:** 17c9d4076006a1c60915196774619aa81c1963f8  
**SHA256:**45e4227e31f3adc2aabc940957b3cdcd7ea2a4078f0b780590b23de5866e3e7  
**Referenced In Project/Scope:**server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies

- remotegui.zip: angularjs.jar: angular-locale\_az-cyrl-az.js.gz: angular-locale\_az-cyrl-az.js
  - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_az-cyrl-az.js.gz/angular-locale\_az-cyrl-az.js
  - MD5: 02d3f1f1ef4080dfcc9ee5074dac8bd6
  - SHA1: 17c9d4076006a1c60915196774619aa81c1963f8



- SHA256: 45e4227e31f3adc2aabcb940957b3cdcd7ea2a4078f0b780590b23de5866e3e7

#### Identifiers

- None

### remotegui.zip: angularjs.jar: angular-locale\_az-cyrl.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_az-cyrl.js

**MD5:** 91bb398407cc7a5db7fd7368488679e4

**SHA1:** bed7b4f91ec8c20af8ecd3209e7b4ab5b743285c

**SHA256:** 004cf604627698d42b914cefe7d6f7f9df3f670b79431d185242d360a245a21f

**Referenced In Project/Scope:**server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Related Dependencies



- remotegui.zip: angularjs.jar: angular-locale\_az-cyrl.js.gz: angular-locale\_az-cyrl.js
  - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_az-cyrl.js.gz/angular-locale\_az-cyrl.js
  - MD5: 91bb398407cc7a5db7fd7368488679e4
  - SHA1: bed7b4f91ec8c20af8ecd3209e7b4ab5b743285c
  - SHA256: 004cf604627698d42b914cefe7d6f7f9df3f670b79431d185242d360a245a21f

#### Identifiers

- None

### remotegui.zip: angularjs.jar: angular-locale\_az-latn-az.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_az-latn-az.js

**MD5:** 381466c2c072d26f17c42dc31114ffea



**SHA1:** fa8dfb03fe4946a6385ad69d87d3c97b6dc4e8fe  
**SHA256:**46b9565122b2908ae3558edd11f9a9a0d53438f6f577891c59a262b185dda396  
**Referenced In Project/Scope:**server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies

- remotegui.zip: angularjs.jar: angular-locale\_az-latn-az.js.gz: angular-locale\_az-latn-az.js
  - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_az-latn-az.js.gz/angular-locale\_az-latn-az.js
  - MD5: 381466c2c072d26f17c42dc31114ffea
  - SHA1: fa8dfb03fe4946a6385ad69d87d3c97b6dc4e8fe
  - SHA256: 46b9565122b2908ae3558edd11f9a9a0d53438f6f577891c59a262b185dda396

Identifiers

- None

remotegui.zip: angularjs.jar: angular-locale\_az-latn.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_az-latn.js  
**MD5:** 20914d014acf6d0418ddee2f6f0a6358  
**SHA1:** 84dc48cd9eca5e7ac77f994cb283b23471f23fcd  
**SHA256:**575d67d6eae9d0ba2ed119b9007a6750f5350c054e4807d194875adef6ebe114  
**Referenced In Project/Scope:**server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies

- remotegui.zip: angularjs.jar: angular-locale\_az-latn.js.gz: angular-locale\_az-latn.js
  - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_az-latn.js.gz/angular-locale\_az-latn.js
  - MD5: 20914d014acf6d0418ddee2f6f0a6358
  - SHA1: 84dc48cd9eca5e7ac77f994cb283b23471f23fcd



- SHA256: 575d67d6eae9d0ba2ed119b9007a6750f5350c054e4807d194875adef6ebe114

#### Identifiers

- None

### remotegui.zip: angularjs.jar: angular-locale\_az.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_az.js

**MD5:** 343a8749fe92e25dc9afae581ff906f4

**SHA1:** 83972c4330c6d26bacf0c21994967abfc2b6dbf6

**SHA256:** 3a86b8309ac6f49dd7070385a846e860e73fc113652b9a79d5a32e25afabf09d

**Referenced In Project/Scope:**server

#### Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Related Dependencies

- remotegui.zip: angularjs.jar: angular-locale\_az.js.gz: angular-locale\_az.js
  - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_az.js.gz/angular-locale\_az.js
  - MD5: 343a8749fe92e25dc9afae581ff906f4
  - SHA1: 83972c4330c6d26bacf0c21994967abfc2b6dbf6
  - SHA256: 3a86b8309ac6f49dd7070385a846e860e73fc113652b9a79d5a32e25afabf09d

#### Identifiers

- None

### remotegui.zip: angularjs.jar: angular-locale\_bas-cm.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_bas-cm.js

**MD5:** 3b245ce7fb197e62c3b781a0cfab7dfd



**SHA1:** 1f474d244f1e10148c7030c2fa2143f0e3b4a8f7  
**SHA256:**84f8f2c21118bf97655137cf10f40924ca2a4af79e081b59329ce44710c93395  
**Referenced In Project/Scope:**server

Evidence <span></span>				
Type	Source	Name	Value	Confidence

Related Dependencies <span></span>				
<ul style="list-style-type: none"><li>remotegui.zip: angularjs.jar: angular-locale_bas-cm.js.gz: angular-locale_bas-cm.js<ul style="list-style-type: none"><li>File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_bas-cm.js.gz/angular-locale_bas-cm.js</li><li>MD5: 3b245ce7fb197e62c3b781a0cfab7dfd</li><li>SHA1: 1f474d244f1e10148c7030c2fa2143f0e3b4a8f7</li><li>SHA256: 84f8f2c21118bf97655137cf10f40924ca2a4af79e081b59329ce44710c93395</li></ul></li></ul>				

Identifiers				
<ul style="list-style-type: none"><li>None</li></ul>				

**remotegui.zip: angularjs.jar: angular-locale\_bas.js**

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_bas.js  
**MD5:** e58176a37160826fae18fed0227e93c1  
**SHA1:** 31d9f0fa83bf4d08eea5cd9e797f9e8c47162f8c  
**SHA256:**78a0f5a1b9d2391806e5484d682d19d1ceaa8c6c00ab97cdd96343057cc0be08  
**Referenced In Project/Scope:**server

Evidence <span></span>				
Type	Source	Name	Value	Confidence

Related Dependencies <span></span>				
<ul style="list-style-type: none"><li>remotegui.zip: angularjs.jar: angular-locale_bas.js.gz: angular-locale_bas.js<ul style="list-style-type: none"><li>File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_bas.js.gz/angular-locale_bas.js</li><li>MD5: e58176a37160826fae18fed0227e93c1</li><li>SHA1: 31d9f0fa83bf4d08eea5cd9e797f9e8c47162f8c</li></ul></li></ul>				



- SHA256: 78a0f5a1b9d2391806e5484d682d19d1ceaa8c6c00ab97cdd96343057cc0be08

#### Identifiers

- None

### remotegui.zip: angularjs.jar: angular-locale\_be-by.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_be-by.js

**MD5:** d381bf048418c9c1466ff669c1cafa48

**SHA1:** 45e81ac2d3bf8b4b65b817b2ef0066f4e28c6bb1

**SHA256:** 7993b8e30b08e7a52b3ec32756ea65e59602ae7ee5e65e1e3fbb8158a2f7bcc2

**Referenced In Project/Scope:**server

#### Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Related Dependencies

- remotegui.zip: angularjs.jar: angular-locale\_be-by.js.gz: angular-locale\_be-by.js
  - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_be-by.js.gz/angular-locale\_be-by.js
  - MD5: d381bf048418c9c1466ff669c1cafa48
  - SHA1: 45e81ac2d3bf8b4b65b817b2ef0066f4e28c6bb1
  - SHA256: 7993b8e30b08e7a52b3ec32756ea65e59602ae7ee5e65e1e3fbb8158a2f7bcc2

#### Identifiers

- None

### remotegui.zip: angularjs.jar: angular-locale\_be.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_be.js

**MD5:** 04263f428ca27f72043ef6c014f5c106



**SHA1:** a05ec6d9e001e2c3e8282e50d6f37fa7b2b41db4  
**SHA256:**bb3f7d411cc133f5e6e70b7062ef24c4772bf48a2f341921608bd1b4da7d7a01  
**Referenced In Project/Scope:**server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies

- remotegui.zip: angularjs.jar: angular-locale\_be.js.gz: angular-locale\_be.js
  - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_be.js.gz/angular-locale\_be.js
  - MD5: 04263f428ca27f72043ef6c014f5c106
  - SHA1: a05ec6d9e001e2c3e8282e50d6f37fa7b2b41db4
  - SHA256: bb3f7d411cc133f5e6e70b7062ef24c4772bf48a2f341921608bd1b4da7d7a01

Identifiers

- None

remotegui.zip: angularjs.jar: angular-locale\_bem-zm.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_bem-zm.js  
**MD5:** 2a1a87cbac1a5bffc8c4f23b1087dbe  
**SHA1:** 1529bc099efb207e24e93f836d8fa485dbb38464  
**SHA256:**d55c7255c450083ff2b73309fbfb1ad39228539137306196cb4a31c8c956f8c  
**Referenced In Project/Scope:**server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies

- remotegui.zip: angularjs.jar: angular-locale\_bem-zm.js.gz: angular-locale\_bem-zm.js
  - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_bem-zm.js.gz/angular-locale\_bem-zm.js
  - MD5: 2a1a87cbac1a5bffc8c4f23b1087dbe
  - SHA1: 1529bc099efb207e24e93f836d8fa485dbb38464



- SHA256: d55c7255c450083ff2b73309fbfb1ad39228539137306196cb4a31c8c956f8c

#### Identifiers

- None

### remotegui.zip: angularjs.jar: angular-locale\_bem.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_bem.js

**MD5:** 1e8ee8c1d9417edbfc84bd0e3169d271

**SHA1:** 5efbe349de5ecd32a27380b3705a1e1ba6ecfe2c

**SHA256:** ab1d8c7d44f429862dc9d112a79249bf60ec4da32fa2aad512ad522971492cca

**Referenced In Project/Scope:**server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Related Dependencies



- remotegui.zip: angularjs.jar: angular-locale\_bem.js.gz: angular-locale\_bem.js
  - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_bem.js.gz/angular-locale\_bem.js
  - MD5: 1e8ee8c1d9417edbfc84bd0e3169d271
  - SHA1: 5efbe349de5ecd32a27380b3705a1e1ba6ecfe2c
  - SHA256: ab1d8c7d44f429862dc9d112a79249bf60ec4da32fa2aad512ad522971492cca

#### Identifiers

- None

### remotegui.zip: angularjs.jar: angular-locale\_bez-tz.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_bez-tz.js

**MD5:** ec4b08644de04ca8b844b0b697ca1e31



**SHA1:** 7b8a812d4b6f036490b56a49e69f5eed4ea11d4a  
**SHA256:**697c2f9518027d81af3f4354238061b2b004eb7a493fdc35432a875a1109c4e1  
**Referenced In Project/Scope:**server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies

- remotegui.zip: angularjs.jar: angular-locale\_bez-tz.js.gz: angular-locale\_bez-tz.js
  - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_bez-tz.js.gz/angular-locale\_bez-tz.js
  - MD5: ec4b08644de04ca8b844b0b697ca1e31
  - SHA1: 7b8a812d4b6f036490b56a49e69f5eed4ea11d4a
  - SHA256: 697c2f9518027d81af3f4354238061b2b004eb7a493fdc35432a875a1109c4e1

Identifiers

- None

remotegui.zip: angularjs.jar: angular-locale\_bez.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_bez.js  
**MD5:** 3f23df842a4ebc349057e9e1baf6680b  
**SHA1:** 00b21bb49a5d13aec30563a2525724b9429ec54c  
**SHA256:**9efb1d294aab87b701f4d436bafd153b65ce7f6a05a47023139fb84afd50249a  
**Referenced In Project/Scope:**server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies

- remotegui.zip: angularjs.jar: angular-locale\_bez.js.gz: angular-locale\_bez.js
  - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_bez.js.gz/angular-locale\_bez.js
  - MD5: 3f23df842a4ebc349057e9e1baf6680b
  - SHA1: 00b21bb49a5d13aec30563a2525724b9429ec54c



- SHA256: 9efb1d294aab87b701f4d436bafd153b65ce7f6a05a47023139fb84afd50249a

#### Identifiers

- None

### remotegui.zip: angularjs.jar: angular-locale\_bg-bg.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_bg-bg.js

**MD5:** af6313711feaa559c107ad09dc87199b

**SHA1:** 2358cc98e36fb08991767830f80369a0ad252f95

**SHA256:** 9c9c072a13c529b2a03f3b9b5ff730acefb4445e98cc8dcb7a7d45fbf9bae273

**Referenced In Project/Scope:**server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Related Dependencies



- remotegui.zip: angularjs.jar: angular-locale\_bg-bg.js.gz: angular-locale\_bg-bg.js
  - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_bg-bg.js.gz/angular-locale\_bg-bg.js
  - MD5: af6313711feaa559c107ad09dc87199b
  - SHA1: 2358cc98e36fb08991767830f80369a0ad252f95
  - SHA256: 9c9c072a13c529b2a03f3b9b5ff730acefb4445e98cc8dcb7a7d45fbf9bae273

#### Identifiers

- None

### remotegui.zip: angularjs.jar: angular-locale\_bg.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_bg.js

**MD5:** 959af4a8a722823dac20a9bd2c3789dc



**SHA1:** 13d906bc69b8f4cbc6cb616a3a747ebfc4f48d3f  
**SHA256:**6706f3762596862e5afc1111a11c8bae48f071e6879e4e6790857e75ea54c392  
**Referenced In Project/Scope:**server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies

- remotegui.zip: angularjs.jar: angular-locale\_bg.js.gz: angular-locale\_bg.js
  - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_bg.js.gz/angular-locale\_bg.js
  - MD5: 959af4a8a722823dac20a9bd2c3789dc
  - SHA1: 13d906bc69b8f4cbc6cb616a3a747ebfc4f48d3f
  - SHA256: 6706f3762596862e5afc1111a11c8bae48f071e6879e4e6790857e75ea54c392

Identifiers

- None

remotegui.zip: angularjs.jar: angular-locale\_bm-ml.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_bm-ml.js  
**MD5:** c64b5424c66d2e73d56c53719b9328e9  
**SHA1:** 76d4221335b17c6f74c501afaca72758517c83f9  
**SHA256:**3588852ac7a552de9dba236370174ff8eea54f7bb7d593ecdc9bd2165907b3ce  
**Referenced In Project/Scope:**server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies

- remotegui.zip: angularjs.jar: angular-locale\_bm-ml.js.gz: angular-locale\_bm-ml.js
  - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_bm-ml.js.gz/angular-locale\_bm-ml.js
  - MD5: c64b5424c66d2e73d56c53719b9328e9
  - SHA1: 76d4221335b17c6f74c501afaca72758517c83f9



- SHA256: 3588852ac7a552de9dba236370174ff8eea54f7bb7d593ecdc9bd2165907b3ce

#### Identifiers

- None

### remotegui.zip: angularjs.jar: angular-locale\_bm.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_bm.js

**MD5:** 60018f7d94615eab24b4e956db921a61

**SHA1:** a9c3915d0d9106604577bed79ec06ac10c0b32d8

**SHA256:** 40c30ceb89ed49da05ce247e1f9aed6b316da06ee2642b041af6a70a1faf6786

**Referenced In Project/Scope:**server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Related Dependencies



- remotegui.zip: angularjs.jar: angular-locale\_bm.js.gz: angular-locale\_bm.js
  - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_bm.js.gz/angular-locale\_bm.js
  - MD5: 60018f7d94615eab24b4e956db921a61
  - SHA1: a9c3915d0d9106604577bed79ec06ac10c0b32d8
  - SHA256: 40c30ceb89ed49da05ce247e1f9aed6b316da06ee2642b041af6a70a1faf6786

#### Identifiers

- None

### remotegui.zip: angularjs.jar: angular-locale\_bn-bd.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_bn-bd.js

**MD5:** b2bae464f798cf977dc94b923cfb1a21



**SHA1:** 3aeb8c043403832f656f94d5485334119af9c741  
**SHA256:**1b039bc9c8e67e129adcf5397ec74dd0b8a05f0701fb1beec70d517183ab8bff  
**Referenced In Project/Scope:**server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies

- remotegui.zip: angularjs.jar: angular-locale\_bn-bd.js.gz: angular-locale\_bn-bd.js
  - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_bn-bd.js.gz/angular-locale\_bn-bd.js
  - MD5: b2bae464f798cf977dc94b923cfb1a21
  - SHA1: 3aeb8c043403832f656f94d5485334119af9c741
  - SHA256: 1b039bc9c8e67e129adcf5397ec74dd0b8a05f0701fb1beec70d517183ab8bff

Identifiers

- None

remotegui.zip: angularjs.jar: angular-locale\_bn-in.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_bn-in.js  
**MD5:** 02843a8118550a1a4168981a805e169f  
**SHA1:** 31039478337ad4f94f487044a07f7f4c6ac09837  
**SHA256:**7fd82818c050ea78e7acda25b72fbc6d2831aeca7de7d7589c59f0319a8449cd  
**Referenced In Project/Scope:**server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies

- remotegui.zip: angularjs.jar: angular-locale\_bn-in.js.gz: angular-locale\_bn-in.js
  - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_bn-in.js.gz/angular-locale\_bn-in.js
  - MD5: 02843a8118550a1a4168981a805e169f
  - SHA1: 31039478337ad4f94f487044a07f7f4c6ac09837



- SHA256: 7fd82818c050ea78e7acda25b72fbcd62831aeca7de7d7589c59f0319a8449cd

#### Identifiers

- None

### remotegui.zip: angularjs.jar: angular-locale\_bn.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_bn.js

**MD5:** 644184e0ceb79f64227603d6c493010f

**SHA1:** e926423c95065658b4cf662fdedf716497701f1e

**SHA256:** d76177c913d194bb5a798bbc1812dfb2a5118dc27708c66fa9601eb139abcda3

**Referenced In Project/Scope:**server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Related Dependencies



- remotegui.zip: angularjs.jar: angular-locale\_bn.js.gz: angular-locale\_bn.js
  - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_bn.js.gz/angular-locale\_bn.js
  - MD5: 644184e0ceb79f64227603d6c493010f
  - SHA1: e926423c95065658b4cf662fdedf716497701f1e
  - SHA256: d76177c913d194bb5a798bbc1812dfb2a5118dc27708c66fa9601eb139abcda3

#### Identifiers

- None

### remotegui.zip: angularjs.jar: angular-locale\_bo-cn.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_bo-cn.js

**MD5:** 426d1bbb6c3ce9078408de377aa9e69d



**SHA1:** abd19d91cb681c762ef26bb9360a1a2c36be8905  
**SHA256:**708a47aeda40485cca5e44d9ac80a0e531115df3fcbb2afddc11845047cf1dac  
**Referenced In Project/Scope:**server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies

- remotegui.zip: angularjs.jar: angular-locale\_bo-cn.js.gz: angular-locale\_bo-cn.js
  - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_bo-cn.js.gz/angular-locale\_bo-cn.js
  - MD5: 426d1bbb6c3ce9078408de377aa9e69d
  - SHA1: abd19d91cb681c762ef26bb9360a1a2c36be8905
  - SHA256: 708a47aeda40485cca5e44d9ac80a0e531115df3fcbb2afddc11845047cf1dac

Identifiers

- None

remotegui.zip: angularjs.jar: angular-locale\_bo-in.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_bo-in.js  
**MD5:** e875b94baac4348ca0fb14c595a9fa0d  
**SHA1:** c58266c38650b5e58d94d660d1ebd6695f032054  
**SHA256:**01d30316434cd7167dabb510c20e456f5c6cce72e70e37fbc7cc442521ecad52  
**Referenced In Project/Scope:**server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies

- remotegui.zip: angularjs.jar: angular-locale\_bo-in.js.gz: angular-locale\_bo-in.js
  - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_bo-in.js.gz/angular-locale\_bo-in.js
  - MD5: e875b94baac4348ca0fb14c595a9fa0d
  - SHA1: c58266c38650b5e58d94d660d1ebd6695f032054



- SHA256: 01d30316434cd7167dabb510c20e456f5c6cce72e70e37fbc7cc442521ecad52

#### Identifiers

- None

### remotegui.zip: angularjs.jar: angular-locale\_bo.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_bo.js

**MD5:** 69cbda6e3acdb721f79215ca561f8870

**SHA1:** c86f96a632c7646592f5f74b46e417bfec9bcbfe

**SHA256:** 3e2d3d4384d4756084465eef825d5fb3a1ea893ddf8820e6d3a220e6a89048f9

**Referenced In Project/Scope:**server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Related Dependencies



- remotegui.zip: angularjs.jar: angular-locale\_bo.js.gz: angular-locale\_bo.js
  - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_bo.js.gz/angular-locale\_bo.js
  - MD5: 69cbda6e3acdb721f79215ca561f8870
  - SHA1: c86f96a632c7646592f5f74b46e417bfec9bcbfe
  - SHA256: 3e2d3d4384d4756084465eef825d5fb3a1ea893ddf8820e6d3a220e6a89048f9

#### Identifiers

- None

### remotegui.zip: angularjs.jar: angular-locale\_br-fr.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_br-fr.js

**MD5:** a6ca31e2cc4ff3c72da321e90294171b



**SHA1:** f0f6b2906e194c0aa5c98cd2dd59bde75976eb4d  
**SHA256:**db400c6231f18147e430887cbfaba3ce0ee2b9aea11cdbde5fa7cae41f67750f  
**Referenced In Project/Scope:**server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies +

- remotegui.zip: angularjs.jar: angular-locale\_br-fr.js.gz: angular-locale\_br-fr.js
  - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_br-fr.js.gz/angular-locale\_br-fr.js
  - MD5: a6ca31e2cc4ff3c72da321e90294171b
  - SHA1: f0f6b2906e194c0aa5c98cd2dd59bde75976eb4d
  - SHA256: db400c6231f18147e430887cbfaba3ce0ee2b9aea11cdbde5fa7cae41f67750f

Identifiers

- None

remotegui.zip: angularjs.jar: angular-locale\_br.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_br.js  
**MD5:** 860f33c2f49e76b7ca212ac427151a06  
**SHA1:** 8411a50a3b9c6d7a1a67de7305d530d81aa365ae  
**SHA256:**7be026073c751d9046f769d0a2afc12e9de18c1a77de45a738d20f0a84d5c3a4  
**Referenced In Project/Scope:**server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies +

- remotegui.zip: angularjs.jar: angular-locale\_br.js.gz: angular-locale\_br.js
  - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_br.js.gz/angular-locale\_br.js
  - MD5: 860f33c2f49e76b7ca212ac427151a06
  - SHA1: 8411a50a3b9c6d7a1a67de7305d530d81aa365ae



- SHA256: 7be026073c751d9046f769d0a2afc12e9de18c1a77de45a738d20f0a84d5c3a4

#### Identifiers

- None

### remotegui.zip: angularjs.jar: angular-locale\_brx-in.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_brx-in.js

**MD5:** a91a65d5171e90fa0c5a73b8fdbbc06d

**SHA1:** 9d7675e4a71cfaf9aa9861b5f4b99af9a3202675

**SHA256:** e088ed646497f87adf7ce787e0903ff9a5dd75b1da90c0d09fbc6e7d8a771bdb

**Referenced In Project/Scope:**server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Related Dependencies



- remotegui.zip: angularjs.jar: angular-locale\_brx-in.js.gz: angular-locale\_brx-in.js
  - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_brx-in.js.gz/angular-locale\_brx-in.js
  - MD5: a91a65d5171e90fa0c5a73b8fdbbc06d
  - SHA1: 9d7675e4a71cfaf9aa9861b5f4b99af9a3202675
  - SHA256: e088ed646497f87adf7ce787e0903ff9a5dd75b1da90c0d09fbc6e7d8a771bdb

#### Identifiers

- None

### remotegui.zip: angularjs.jar: angular-locale\_brx.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_brx.js

**MD5:** ae5cb84cd66872fa34b0da582ba5f80d



**SHA1:** 08fa759789f71d2561ab7d53d0d23adae62d73cd  
**SHA256:**9b2ed3ad4acc9afceba842b6768ab032bfd051eec75a3d4fde5a34532f43eeb8  
**Referenced In Project/Scope:**server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies

- remotegui.zip: angularjs.jar: angular-locale\_brx.js.gz: angular-locale\_brx.js
  - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_brx.js.gz/angular-locale\_brx.js
  - MD5: ae5cb84cd66872fa34b0da582ba5f80d
  - SHA1: 08fa759789f71d2561ab7d53d0d23adae62d73cd
  - SHA256: 9b2ed3ad4acc9afceba842b6768ab032bfd051eec75a3d4fde5a34532f43eeb8

Identifiers

- None

remotegui.zip: angularjs.jar: angular-locale\_bs-cyrl-ba.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_bs-cyrl-ba.js  
**MD5:** 805be14a26a31e7b68f4d8323fdd72bc  
**SHA1:** 5bfc382df6c84492266ff54d1b183d26b2e98394  
**SHA256:**fc5064dd7b57689ae0011068be4625e927c3049cd3ebe89073d0a210682839bb  
**Referenced In Project/Scope:**server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies

- remotegui.zip: angularjs.jar: angular-locale\_bs-cyrl-ba.js.gz: angular-locale\_bs-cyrl-ba.js
  - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_bs-cyrl-ba.js.gz/angular-locale\_bs-cyrl-ba.js
  - MD5: 805be14a26a31e7b68f4d8323fdd72bc
  - SHA1: 5bfc382df6c84492266ff54d1b183d26b2e98394



- SHA256: fc5064dd7b57689ae0011068be4625e927c3049cd3ebe89073d0a210682839bb

#### Identifiers

- None

### remotegui.zip: angularjs.jar: angular-locale\_bs-cyrl.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_bs-cyrl.js

**MD5:** b36f0a9ca906ce59488e45de1961fe24

**SHA1:** f6ab44574917f4a711133233a1d2faaced30cbfd

**SHA256:** 672a43c631aa4df9b849b20b174a8579aa5aa7d484013b5907ab2c70ca974bb6

**Referenced In Project/Scope:**server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Related Dependencies



- remotegui.zip: angularjs.jar: angular-locale\_bs-cyrl.js.gz: angular-locale\_bs-cyrl.js
  - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_bs-cyrl.js.gz/angular-locale\_bs-cyrl.js
  - MD5: b36f0a9ca906ce59488e45de1961fe24
  - SHA1: f6ab44574917f4a711133233a1d2faaced30cbfd
  - SHA256: 672a43c631aa4df9b849b20b174a8579aa5aa7d484013b5907ab2c70ca974bb6

#### Identifiers

- None

### remotegui.zip: angularjs.jar: angular-locale\_bs-latn-ba.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_bs-latn-ba.js

**MD5:** 945639549e0d8163842204d42af7432b



**SHA1:** 17ff8ba35e149f1ce57ccfac4e6dd4ec8c67bba2  
**SHA256:**98014a48d23972f448788f16c60ba44db6723497915b1e40013c883e88b2359f  
**Referenced In Project/Scope:**server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies

- remotegui.zip: angularjs.jar: angular-locale\_bs-latn-ba.js.gz: angular-locale\_bs-latn-ba.js
  - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_bs-latn-ba.js.gz/angular-locale\_bs-latn-ba.js
  - MD5: 945639549e0d8163842204d42af7432b
  - SHA1: 17ff8ba35e149f1ce57ccfac4e6dd4ec8c67bba2
  - SHA256: 98014a48d23972f448788f16c60ba44db6723497915b1e40013c883e88b2359f

Identifiers

- None

remotegui.zip: angularjs.jar: angular-locale\_bs-latn.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_bs-latn.js  
**MD5:** 605e7f86c5059a631663a33c9b968ad0  
**SHA1:** 0481c79ec71c3db6981e793ca7e23b9d29d0d416  
**SHA256:**8dbb7624cedb6909ff39af1eb20aff6e171e211ff0745678111068af8af676f3  
**Referenced In Project/Scope:**server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies

- remotegui.zip: angularjs.jar: angular-locale\_bs-latn.js.gz: angular-locale\_bs-latn.js
  - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_bs-latn.js.gz/angular-locale\_bs-latn.js
  - MD5: 605e7f86c5059a631663a33c9b968ad0
  - SHA1: 0481c79ec71c3db6981e793ca7e23b9d29d0d416



- SHA256: 8dbb7624cedb6909ff39af1eb20aff6e171e211ff0745678111068af8af676f3

#### Identifiers

- None

### remotegui.zip: angularjs.jar: angular-locale\_bs.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_bs.js

**MD5:** 87bde60469acc6a5c4569f734a2ad5c7

**SHA1:** 72fc53d218addcf9fd5dd8fea5aafe16ffd40f4f

**SHA256:** 2bf164b91b3dd888e08a5cef614c8cd8f0941d656dfe2155573d4fee9e9d0bd0

**Referenced In Project/Scope:**server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Related Dependencies



- remotegui.zip: angularjs.jar: angular-locale\_bs.js.gz: angular-locale\_bs.js
  - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_bs.js.gz/angular-locale\_bs.js
  - MD5: 87bde60469acc6a5c4569f734a2ad5c7
  - SHA1: 72fc53d218addcf9fd5dd8fea5aafe16ffd40f4f
  - SHA256: 2bf164b91b3dd888e08a5cef614c8cd8f0941d656dfe2155573d4fee9e9d0bd0

#### Identifiers

- None

### remotegui.zip: angularjs.jar: angular-locale\_ca-ad.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_ca-ad.js

**MD5:** 68fbed378058419d19c9c9642c28b51a



**SHA1:** ff5bfa7a02e3979f1514534e2d2f067da1c1e3a8  
**SHA256:**ecaa4ffba5f69a2fa8a85afbe71d077cdde42a00718e8c024a231bc1670dcc7c  
**Referenced In Project/Scope:**server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies

- remotegui.zip: angularjs.jar: angular-locale\_ca-ad.js.gz: angular-locale\_ca-ad.js
  - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_ca-ad.js.gz/angular-locale\_ca-ad.js
  - MD5: 68fbed378058419d19c9c9642c28b51a
  - SHA1: ff5bfa7a02e3979f1514534e2d2f067da1c1e3a8
  - SHA256: ecaa4ffba5f69a2fa8a85afbe71d077cdde42a00718e8c024a231bc1670dcc7c

Identifiers

- None

remotegui.zip: angularjs.jar: angular-locale\_ca-es-valencia.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_ca-es-valencia.js  
**MD5:** deb6b6adcc985730578b4b6250b3c597  
**SHA1:** eac73d94d5c5c595914e8cbd13ae2322337e6c2e  
**SHA256:**2e17274b0aaa7b0792489735720f0911659eb112e2f9bc477dac75d78854b846  
**Referenced In Project/Scope:**server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies

- remotegui.zip: angularjs.jar: angular-locale\_ca-es-valencia.js.gz: angular-locale\_ca-es-valencia.js
  - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_ca-es-valencia.js.gz/angular-locale\_ca-es-valencia.js
  - MD5: deb6b6adcc985730578b4b6250b3c597



- SHA1: eac73d94d5c5c595914e8cbd13ae2322337e6c2e
- SHA256: 2e17274b0aaa7b0792489735720f0911659eb112e2f9bc477dac75d78854b846

#### Identifiers

- None

### remotegui.zip: angularjs.jar: angular-locale\_ca-es.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_ca-es.js

**MD5:** ff50b45c822024c6aa137fd686f69ebc

**SHA1:** 157f8db79cf50de5bf0d8dad531733dd5fa554f8

**SHA256:** 0f7b29361a56b2cf762c453e6e6552b3bb679c0a6722f06e0ae3fcfd5514dc79

**Referenced In Project/Scope:**server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Related Dependencies



- remotegui.zip: angularjs.jar: angular-locale\_ca-es.js.gz: angular-locale\_ca-es.js
  - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_ca-es.js.gz/angular-locale\_ca-es.js
  - MD5: ff50b45c822024c6aa137fd686f69ebc
  - SHA1: 157f8db79cf50de5bf0d8dad531733dd5fa554f8
  - SHA256: 0f7b29361a56b2cf762c453e6e6552b3bb679c0a6722f06e0ae3fcfd5514dc79

#### Identifiers

- None

### remotegui.zip: angularjs.jar: angular-locale\_ca-fr.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_ca-fr.js

**MD5:** 9e67ccf1319f71a294256445860fa4b1

**SHA1:** 4ea792a167bd02588b16e42ddae57738286a43c9



**SHA256:**f9ffce2ebbe0fa2b979cc2b5516c83536b50f3e8fa651b47ae8f92387e717b57  
**Referenced In Project/Scope:**server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies



- remotegui.zip: angularjs.jar: angular-locale\_ca-fr.js.gz: angular-locale\_ca-fr.js
  - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_ca-fr.js.gz/angular-locale\_ca-fr.js
  - MD5: 9e67ccf1319f71a294256445860fa4b1
  - SHA1: 4ea792a167bd02588b16e42ddae57738286a43c9
  - SHA256: f9ffce2ebbe0fa2b979cc2b5516c83536b50f3e8fa651b47ae8f92387e717b57

Identifiers

- None

remotegui.zip: angularjs.jar: angular-locale\_ca-it.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_ca-it.js  
**MD5:** 5393365ce75d0ec5abbe512247c5e774  
**SHA1:** e88a62766b8ce1e3ac7901286bf4d2c1852babf5  
**SHA256:** eb62f6dab560704b49a1350240cbc14c3c61ec3d48afb7efa8d4deb2b4edb689  
**Referenced In Project/Scope:**server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies



- remotegui.zip: angularjs.jar: angular-locale\_ca-it.js.gz: angular-locale\_ca-it.js
  - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_ca-it.js.gz/angular-locale\_ca-it.js
  - MD5: 5393365ce75d0ec5abbe512247c5e774
  - SHA1: e88a62766b8ce1e3ac7901286bf4d2c1852babf5
  - SHA256: eb62f6dab560704b49a1350240cbc14c3c61ec3d48afb7efa8d4deb2b4edb689



### Identifiers

- None

## remotegui.zip: angularjs.jar: angular-locale\_ca.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_ca.js

**MD5:** cc4691156c0a5207ded0d6a425cbc503

**SHA1:** 1ec1f82c33c5576b92842ee06d30712bc36c26dc

**SHA256:** b10370370b37c34e73cfc283deacba2fd28420bf9940412db691c6d5b3b2a234

**Referenced In Project/Scope:**server

### Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Related Dependencies

- remotegui.zip: angularjs.jar: angular-locale\_ca.js.gz: angular-locale\_ca.js
  - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_ca.js.gz/angular-locale\_ca.js
  - MD5: cc4691156c0a5207ded0d6a425cbc503
  - SHA1: 1ec1f82c33c5576b92842ee06d30712bc36c26dc
  - SHA256: b10370370b37c34e73cfc283deacba2fd28420bf9940412db691c6d5b3b2a234

### Identifiers

- None

## remotegui.zip: angularjs.jar: angular-locale\_ce-ru.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_ce-ru.js

**MD5:** 321448715b03590757fe90e333849d23

**SHA1:** 867666b86a57cd5731ed20e6c4b1e4d447a98d35

**SHA256:** a6c48a0cb0cd86aec061c2231f6dd01d10d830aa20079e217a36414b1f7b592e

**Referenced In Project/Scope:**server



### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Related Dependencies



- remotegui.zip: angularjs.jar: angular-locale\_ce-ru.js.gz: angular-locale\_ce-ru.js
  - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_ce-ru.js.gz/angular-locale\_ce-ru.js
  - MD5: 321448715b03590757fe90e333849d23
  - SHA1: 867666b86a57cd5731ed20e6c4b1e4d447a98d35
  - SHA256: a6c48a0cb0cd86aec061c2231f6dd01d10d830aa20079e217a36414b1f7b592e

### Identifiers

- None

## remotegui.zip: angularjs.jar: angular-locale\_ce.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_ce.js

**MD5:** 8f1757de619605c528ab89e70732232d

**SHA1:** ecc6dab05e07f25e0d5ad0ad1ecf81b29adaf624

**SHA256:** a1a3a056dda89c97bf0ad617d022515b5a7c92cd6950b63255aa9c0d6502a50e

**Referenced In Project/Scope:**server

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Related Dependencies



- remotegui.zip: angularjs.jar: angular-locale\_ce.js.gz: angular-locale\_ce.js
  - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_ce.js.gz/angular-locale\_ce.js
  - MD5: 8f1757de619605c528ab89e70732232d
  - SHA1: ecc6dab05e07f25e0d5ad0ad1ecf81b29adaf624
  - SHA256: a1a3a056dda89c97bf0ad617d022515b5a7c92cd6950b63255aa9c0d6502a50e



## Identifiers

- None

## remotegui.zip: angularjs.jar: angular-locale\_cg-g-ug.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_cg-g-ug.js

**MD5:** d1e1192f513a4ef26dff82671c0ba960

**SHA1:** 41a3a7fa94896c06782f1e84e42b222d9783e1f3

**SHA256:** 137f8524ed92981a6627cc279257a2e7cf63cac95d1cbc10b6b95eac134c58b2

**Referenced In Project/Scope:**server

## Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

## Related Dependencies

- remotegui.zip: angularjs.jar: angular-locale\_cg-g-ug.js.gz: angular-locale\_cg-g-ug.js
  - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_cg-g-ug.js.gz/angular-locale\_cg-g-ug.js
  - MD5: d1e1192f513a4ef26dff82671c0ba960
  - SHA1: 41a3a7fa94896c06782f1e84e42b222d9783e1f3
  - SHA256: 137f8524ed92981a6627cc279257a2e7cf63cac95d1cbc10b6b95eac134c58b2

## Identifiers

- None

## remotegui.zip: angularjs.jar: angular-locale\_cg-g-ug.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_cg-g-ug.js

**MD5:** aae2b2dff4e6ba324f30c16393b9849f

**SHA1:** 6d58b8e491e8e0f8ce16a77ed20b077a2c88e729

**SHA256:** e063d6d4cf527d849c008d88009c130d54f64af73c2ab1c0e322453cc415d198

**Referenced In Project/Scope:**server

## Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Related Dependencies

- remotegui.zip: angularjs.jar: angular-locale\_cggs.js.gz: angular-locale\_cggs.js
  - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_cggs.js/angular-locale\_cggs.js
  - MD5: aae2b2dff4e6ba324f30c16393b9849f
  - SHA1: 6d58b8e491e8e0f8ce16a77ed20b077a2c88e729
  - SHA256: e063d6d4cf527d849c008d88009c130d54f64af73c2ab1c0e322453cc415d198

#### Identifiers

- None

### remotegui.zip: angularjs.jar: angular-locale\_chr-us.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_chr-us.js

**MD5:** ca68c74ca811c07216e9c34993b83a93

**SHA1:** a914670c234fc011811aa25c95d4ae19130251a0

**SHA256:** a876084e5b496d63e8ea04389646bc0e76f5244654c78786fa1386d89e8aa8da

**Referenced In Project/Scope:**server

#### Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Related Dependencies

- remotegui.zip: angularjs.jar: angular-locale\_chr-us.js.gz: angular-locale\_chr-us.js
  - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_chr-us.js.gz/angular-locale\_chr-us.js
  - MD5: ca68c74ca811c07216e9c34993b83a93
  - SHA1: a914670c234fc011811aa25c95d4ae19130251a0
  - SHA256: a876084e5b496d63e8ea04389646bc0e76f5244654c78786fa1386d89e8aa8da

#### Identifiers



- None

### remotegui.zip: angularjs.jar: angular-locale\_chr.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_chr.js

**MD5:** 0c6a86ad365ad177b12eff12a48eed18

**SHA1:** 6a18a8cedbec66b988fa3d40628885501b95d2c5

**SHA256:** ce29e4359a1916c977a3d8ec1d1843f0f005c916c7705eaf0da91564e7e23646

**Referenced In Project/Scope:**server

#### Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Related Dependencies

- remotegui.zip: angularjs.jar: angular-locale\_chr.js.gz: angular-locale\_chr.js
  - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_chr.js.gz/angular-locale\_chr.js
  - MD5: 0c6a86ad365ad177b12eff12a48eed18
  - SHA1: 6a18a8cedbec66b988fa3d40628885501b95d2c5
  - SHA256: ce29e4359a1916c977a3d8ec1d1843f0f005c916c7705eaf0da91564e7e23646

#### Identifiers

- None

### remotegui.zip: angularjs.jar: angular-locale\_ckb-arab-iq.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_ckb-arab-iq.js

**MD5:** 9fd99b4adbad712e7d912c5b92a6f038

**SHA1:** f662c4192d3d9628e6211b5fc303b59f0a54446d

**SHA256:** 80536c675582719cd80023bb468314d37162920b45ac4f4621c3fd30c861d445

**Referenced In Project/Scope:**server

#### Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------



Related Dependencies



- remotegui.zip: angularjs.jar: angular-locale\_ckb-arab-iq.js.gz: angular-locale\_ckb-arab-iq.js
  - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_ckb-arab-iq.js.gz/angular-locale\_ckb-arab-iq.js
  - MD5: 9fd99b4adb712e7d912c5b92a6f038
  - SHA1: f662c4192d3d9628e6211b5fc303b59f0a54446d
  - SHA256: 80536c675582719cd80023bb468314d37162920b45ac4f4621c3fd30c861d445

Identifiers

- None

remotegui.zip: angularjs.jar: angular-locale\_ckb-arab-ir.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_ckb-arab-ir.js  
**MD5:** e6d48785afbe19006fab6804bf7514bf  
**SHA1:** 4df62e981535e31b01c6f78831d168a664cb9345  
**SHA256:** 405df35b03f9b0365dc4bef6e9c0f1097a6687da5ab72a899b196af8499335fe  
**Referenced In Project/Scope:**server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies



- remotegui.zip: angularjs.jar: angular-locale\_ckb-arab-ir.js.gz: angular-locale\_ckb-arab-ir.js
  - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_ckb-arab-ir.js.gz/angular-locale\_ckb-arab-ir.js
  - MD5: e6d48785afbe19006fab6804bf7514bf
  - SHA1: 4df62e981535e31b01c6f78831d168a664cb9345
  - SHA256: 405df35b03f9b0365dc4bef6e9c0f1097a6687da5ab72a899b196af8499335fe

Identifiers

- None



remotegui.zip: angularjs.jar: angular-locale\_ckb-arab.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_ckb-arab.js  
**MD5:** 3e0332e9e84ea7fb3a9c453b841b8d9e  
**SHA1:** a016bd26ec2f63fb0bd9b82ad6afd4dc7ccbc4a8  
**SHA256:**4cd48af4e552dfb414d6a2513a2e722cd69b1a78a9539b43ada32c3e7a687839  
**Referenced In Project/Scope:**server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies

- remotegui.zip: angularjs.jar: angular-locale\_ckb-arab.js.gz: angular-locale\_ckb-arab.js
  - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_ckb-arab.js.gz/angular-locale\_ckb-arab.js
  - MD5: 3e0332e9e84ea7fb3a9c453b841b8d9e
  - SHA1: a016bd26ec2f63fb0bd9b82ad6afd4dc7ccbc4a8
  - SHA256: 4cd48af4e552dfb414d6a2513a2e722cd69b1a78a9539b43ada32c3e7a687839

Identifiers

- None

remotegui.zip: angularjs.jar: angular-locale\_ckb-iq.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_ckb-iq.js  
**MD5:** d7be1fc07d5ef77824e5a39e25ba896d  
**SHA1:** 9bdb5ba84cf74396b7cc3186d71d39106f5a9532  
**SHA256:**7c5100bc7094ca484da8f47eeb9b7a9c6e50fc2d058fc0736bb42eb06db018fe  
**Referenced In Project/Scope:**server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------



## Related Dependencies



- remotegui.zip: angularjs.jar: angular-locale\_ckb-iq.js.gz: angular-locale\_ckb-iq.js
  - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_ckb-iq.js.gz/angular-locale\_ckb-iq.js
  - MD5: d7be1fc07d5ef77824e5a39e25ba896d
  - SHA1: 9bdb5ba84cf74396b7cc3186d71d39106f5a9532
  - SHA256: 7c5100bc7094ca484da8f47eeb9b7a9c6e50fc2d058fc0736bb42eb06db018fe

## Identifiers

- None

## remotegui.zip: angularjs.jar: angular-locale\_ckb-ir.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_ckb-ir.js

**MD5:** ec8c6b5f2209d8f27a16e96b6aa8cec4

**SHA1:** 99d21d16323446d66e5e05b8dbcb82c38b51afb0

**SHA256:** f620d4a0305a8c1b18ebe679c968bec38dc3d3fb98e23af596dd7ee410d10052

**Referenced In Project/Scope:** server

## Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

## Related Dependencies



- remotegui.zip: angularjs.jar: angular-locale\_ckb-ir.js.gz: angular-locale\_ckb-ir.js
  - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_ckb-ir.js.gz/angular-locale\_ckb-ir.js
  - MD5: ec8c6b5f2209d8f27a16e96b6aa8cec4
  - SHA1: 99d21d16323446d66e5e05b8dbcb82c38b51afb0
  - SHA256: f620d4a0305a8c1b18ebe679c968bec38dc3d3fb98e23af596dd7ee410d10052

## Identifiers

- None



## remotegui.zip: angularjs.jar: angular-locale\_ckb-latn-iq.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_ckb-latn-iq.js

**MD5:** a2c37054786f6f00c22933410332613a

**SHA1:** f239d3f491a1a458c14ff7594f939743e397d140

**SHA256:** 22c43b6a47986586507e7d319ae988d8eff88586e1045ed58797b15633368a7e

**Referenced In Project/Scope:**server

### Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Related Dependencies

- remotegui.zip: angularjs.jar: angular-locale\_ckb-latn-iq.js.gz: angular-locale\_ckb-latn-iq.js
  - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_ckb-latn-iq.js.gz/angular-locale\_ckb-latn-iq.js
  - MD5: a2c37054786f6f00c22933410332613a
  - SHA1: f239d3f491a1a458c14ff7594f939743e397d140
  - SHA256: 22c43b6a47986586507e7d319ae988d8eff88586e1045ed58797b15633368a7e

### Identifiers

- None

## remotegui.zip: angularjs.jar: angular-locale\_ckb-latn.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_ckb-latn.js

**MD5:** 3cb63050b7c363bbaad54cc5e00111b7

**SHA1:** 82d73701f3748272448c08084212630bea59889e

**SHA256:** 2d880e3baf6fc887fc2576935ca3dedf580cf269b327422194b7c11cca8363df

**Referenced In Project/Scope:**server

### Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Related Dependencies



- remotegui.zip: angularjs.jar: angular-locale\_ckb-latn.js.gz: angular-locale\_ckb-latn.js
  - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_ckb-latn.js.gz/angular-locale\_ckb-latn.js
  - MD5: 3cb63050b7c363bbaad54cc5e00111b7
  - SHA1: 82d73701f3748272448c08084212630bea59889e
  - SHA256: 2d880e3baf6fc887fc2576935ca3dedf580cf269b327422194b7c11cca8363df

#### Identifiers

- None

### remotegui.zip: angularjs.jar: angular-locale\_ckb.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_ckb.js

**MD5:** 466ff9211cbe52949ff43c3994a10815

**SHA1:** 259e983e75f0857e0eaf66f0719c6571f771ebec

**SHA256:** d5b076b1f04e5ff7b4b2a411d1ba904eb5756c5e27f5b2a4415ef31119c5a6b7

**Referenced In Project/Scope:**server

#### Evidence



Type	Source	Name	Value	Confidence

#### Related Dependencies



- remotegui.zip: angularjs.jar: angular-locale\_ckb.js.gz: angular-locale\_ckb.js
  - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_ckb.js.gz/angular-locale\_ckb.js
  - MD5: 466ff9211cbe52949ff43c3994a10815
  - SHA1: 259e983e75f0857e0eaf66f0719c6571f771ebec
  - SHA256: d5b076b1f04e5ff7b4b2a411d1ba904eb5756c5e27f5b2a4415ef31119c5a6b7

#### Identifiers

- None

### remotegui.zip: angularjs.jar: angular-locale\_cs-cz.js



**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_cs-cz.js  
**MD5:** 4c29a4a9f4305e7dd8e0e5df837fdb83  
**SHA1:** 726f7ac9df100beeba0c0e81b9d108b331afbee9  
**SHA256:** 7d3abf71eacb55494012ceb60f2113d8c2fdb32ce9b66aec279728ca575cffcd  
**Referenced In Project/Scope:**server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies



- remotegui.zip: angularjs.jar: angular-locale\_cs-cz.js.gz: angular-locale\_cs-cz.js
  - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_cs-cz.js.gz/angular-locale\_cs-cz.js
  - MD5: 4c29a4a9f4305e7dd8e0e5df837fdb83
  - SHA1: 726f7ac9df100beeba0c0e81b9d108b331afbee9
  - SHA256: 7d3abf71eacb55494012ceb60f2113d8c2fdb32ce9b66aec279728ca575cffcd

Identifiers

- None

remotegui.zip: angularjs.jar: angular-locale\_cs.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_cs.js  
**MD5:** 15b917db583301f446560459acf6421c  
**SHA1:** db1212284e01b66a639242fc3c651d7e1c54d154  
**SHA256:** 4ad9a640dcb36c4eb1acf6688183aed1665c53b56df2e3cf3846741956afc8  
**Referenced In Project/Scope:**server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies



- remotegui.zip: angularjs.jar: angular-locale\_cs.js.gz: angular-locale\_cs.js



- File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_cs.js.gz/angular-locale\_cs.js
- MD5: 15b917db583301f446560459acf6421c
- SHA1: db1212284e01b66a639242fc3c651d7e1c54d154
- SHA256: 4ad9a640dcb36c4eb1acf6c6688183aed1665c53b56df2e3cf3846741956afc8

#### Identifiers

- None

### remotegui.zip: angularjs.jar: angular-locale\_cu-ru.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_cu-ru.js

**MD5:** a21ab1f792a4962eba334930adec6e17

**SHA1:** 8d1496d9065bc28d0ef2dd31e24cf62e700a6af0

**SHA256:** 5948880213a874ce0511f4eabd94a4fe9955e634b8c5fadfde6bb36368c400db

**Referenced In Project/Scope:**server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Related Dependencies



- remotegui.zip: angularjs.jar: angular-locale\_cu-ru.js.gz: angular-locale\_cu-ru.js
  - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_cu-ru.js.gz/angular-locale\_cu-ru.js
  - MD5: a21ab1f792a4962eba334930adec6e17
  - SHA1: 8d1496d9065bc28d0ef2dd31e24cf62e700a6af0
  - SHA256: 5948880213a874ce0511f4eabd94a4fe9955e634b8c5fadfde6bb36368c400db

#### Identifiers

- None

### remotegui.zip: angularjs.jar: angular-locale\_cu.js



**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_cu.js  
**MD5:** bb275cfb058ee2dd51ce7a79302175a8  
**SHA1:** a65f621f04e7f8affcd9c8479329641792fa3bf0  
**SHA256:** 2180231c92df16469cb5ed26f157403ebc9478ca4cd71fa61b02dbba4c162b3a  
**Referenced In Project/Scope:**server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies



- remotegui.zip: angularjs.jar: angular-locale\_cu.js.gz: angular-locale\_cu.js
  - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_cu.js.gz/angular-locale\_cu.js
  - MD5: bb275cfb058ee2dd51ce7a79302175a8
  - SHA1: a65f621f04e7f8affcd9c8479329641792fa3bf0
  - SHA256: 2180231c92df16469cb5ed26f157403ebc9478ca4cd71fa61b02dbba4c162b3a

Identifiers

- None

remotegui.zip: angularjs.jar: angular-locale\_cy-gb.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_cy-gb.js  
**MD5:** 76c022741f4cad3f2edf139e7ee72b89  
**SHA1:** cc039b462e79d1e6413c99635eb701cca4d09673  
**SHA256:** 67de291828fcef737ff61af5eac2d3a57e2df80ef2fd7916eefb551a0936ce2  
**Referenced In Project/Scope:**server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies



- remotegui.zip: angularjs.jar: angular-locale\_cy-gb.js.gz: angular-locale\_cy-gb.js
  - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins



- /remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_cy-gb.js.gz/angular-locale\_cy-gb.js
- MD5: 76c022741f4cad3f2edf139e7ee72b89
- SHA1: cc039b462e79d1e6413c99635eb701cca4d09673
- SHA256: 67de291828fcef737ff61af5eac2d3a57e2df80ef2fd7916ee7b551a0936ce2

#### Identifiers

- None

### remotegui.zip: angularjs.jar: angular-locale\_cy.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_cy.js

**MD5:** 7a092aa53df08802e91e4e69e29d3c06

**SHA1:** 17d04f9e2d8ac27e4dce09707cef6d2b90963f9c

**SHA256:** 8cd49d49fea6fd6f922ea96af82a973c7b367b346a9d8f562252add686a241c0

**Referenced In Project/Scope:**server

#### Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Related Dependencies

- remotegui.zip: angularjs.jar: angular-locale\_cy.js.gz: angular-locale\_cy.js
  - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_cy.js.gz/angular-locale\_cy.js
  - MD5: 7a092aa53df08802e91e4e69e29d3c06
  - SHA1: 17d04f9e2d8ac27e4dce09707cef6d2b90963f9c
  - SHA256: 8cd49d49fea6fd6f922ea96af82a973c7b367b346a9d8f562252add686a241c0

#### Identifiers

- None

### remotegui.zip: angularjs.jar: angular-locale\_da-dk.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources



/webjars/angularjs/1.8.2/i18n/angular-locale\_da-dk.js

**MD5:** 35702951482a69a00af56e8330eca781

**SHA1:** a8c79369162683b8769c178a8579d878611a6472

**SHA256:** b6a4e6f80aa5bf977de191da4e79ed7a8e184a6a4dcb8c48934f22158c786b1c

**Referenced In Project/Scope:**server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Related Dependencies



- remotegui.zip: angularjs.jar: angular-locale\_da-dk.js.gz: angular-locale\_da-dk.js
  - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_da-dk.js.gz/angular-locale\_da-dk.js
  - MD5: 35702951482a69a00af56e8330eca781
  - SHA1: a8c79369162683b8769c178a8579d878611a6472
  - SHA256: b6a4e6f80aa5bf977de191da4e79ed7a8e184a6a4dcb8c48934f22158c786b1c

#### Identifiers

- None

### remotegui.zip: angularjs.jar: angular-locale\_da-gl.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_da-gl.js

**MD5:** f29a50cc6d6ea29f01343ea516c121be

**SHA1:** 877eb072d5686d4f1c3b341032129ca204a9cdf8

**SHA256:** 9f2f86fd898ab9d698cea71b51e7845cbfec16347db12bc01ab959ce95007d22

**Referenced In Project/Scope:**server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Related Dependencies



- remotegui.zip: angularjs.jar: angular-locale\_da-gl.js.gz: angular-locale\_da-gl.js
  - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_da-gl.js.gz/angular-locale\_da-gl.js



- MD5: f29a50cc6d6ea29f01343ea516c121be
- SHA1: 877eb072d5686d4f1c3b341032129ca204a9cdf8
- SHA256: 9f2f86fd898ab9d698cea71b51e7845cbfec16347db12bc01ab959ce95007d22

#### Identifiers

- None

### remotegui.zip: angularjs.jar: angular-locale\_da.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_da.js

**MD5:** a93515f54a24fd380f36896e1195b3f5

**SHA1:** 6825402d322f0c4fe54f320da9d6e7cd11fa2dfa

**SHA256:** c9e9acc8baf4fbbf4fe1c8dcaae0b3b54badce290420bb3491d03432cd703166

**Referenced In Project/Scope:**server

#### Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Related Dependencies

- remotegui.zip: angularjs.jar: angular-locale\_da.js.gz: angular-locale\_da.js
  - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_da.js.gz/angular-locale\_da.js
  - MD5: a93515f54a24fd380f36896e1195b3f5
  - SHA1: 6825402d322f0c4fe54f320da9d6e7cd11fa2dfa
  - SHA256: c9e9acc8baf4fbbf4fe1c8dcaae0b3b54badce290420bb3491d03432cd703166

#### Identifiers

- None

### remotegui.zip: angularjs.jar: angular-locale\_dav-ke.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_dav-ke.js

**MD5:** 38c4aae1da581158779dd345769f22b7



**SHA1:** ee2f2d5b69cea3608a8544cd4390eee40e8f658d  
**SHA256:**2c06fe51cd541655d1609bd702b9ea623dc188b879a8d0432d50374b25d30fe7  
**Referenced In Project/Scope:**server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies

- remotegui.zip: angularjs.jar: angular-locale\_dav-ke.js.gz: angular-locale\_dav-ke.js
  - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_dav-ke.js.gz/angular-locale\_dav-ke.js
  - MD5: 38c4aae1da581158779dd345769f22b7
  - SHA1: ee2f2d5b69cea3608a8544cd4390eee40e8f658d
  - SHA256: 2c06fe51cd541655d1609bd702b9ea623dc188b879a8d0432d50374b25d30fe7

Identifiers

- None

remotegui.zip: angularjs.jar: angular-locale\_dav.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_dav.js  
**MD5:** 7f9890dce29e0882dbb0e3b041105532  
**SHA1:** 69bfc6d658cc8295629786d096ee41746fddeb71  
**SHA256:**19ba12c3e4af3f48c8ef0d3e4042d4b0d5871dfee604c7ff048f1ab1eb8dd4a1  
**Referenced In Project/Scope:**server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies

- remotegui.zip: angularjs.jar: angular-locale\_dav.js.gz: angular-locale\_dav.js
  - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_dav.js.gz/angular-locale\_dav.js
  - MD5: 7f9890dce29e0882dbb0e3b041105532
  - SHA1: 69bfc6d658cc8295629786d096ee41746fddeb71



- SHA256: 19ba12c3e4af3f48c8ef0d3e4042d4b0d5871dfee604c7ff048f1ab1eb8dd4a1

#### Identifiers

- None

### remotegui.zip: angularjs.jar: angular-locale\_de-at.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_de-at.js

**MD5:** 62ef83187ede8c6cc1b8666938701f70

**SHA1:** bb92987d9a0e5d413116c228429dba6503c52b18

**SHA256:** a49ad28a60a39d5c0c1598c63014fe7a55570a449da88a9d1b36915399b11273

**Referenced In Project/Scope:** server

#### Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Related Dependencies

- remotegui.zip: angularjs.jar: angular-locale\_de-at.js.gz: angular-locale\_de-at.js
  - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_de-at.js.gz/angular-locale\_de-at.js
  - MD5: 62ef83187ede8c6cc1b8666938701f70
  - SHA1: bb92987d9a0e5d413116c228429dba6503c52b18
  - SHA256: a49ad28a60a39d5c0c1598c63014fe7a55570a449da88a9d1b36915399b11273

#### Identifiers

- None

### remotegui.zip: angularjs.jar: angular-locale\_de-be.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_de-be.js

**MD5:** 5d4fa1f72459dfa3e5cf04f77f55e8f2



**SHA1:** cb6b0f376f011485de3f7682d08c3642185dc7e9  
**SHA256:**b9800f38b79e84070f05925d0918d927e43f4257e7cab43f31ad96f74b5198ba  
**Referenced In Project/Scope:**server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies +

- remotegui.zip: angularjs.jar: angular-locale\_de-be.js.gz: angular-locale\_de-be.js
  - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_de-be.js.gz/angular-locale\_de-be.js
  - MD5: 5d4fa1f72459dfa3e5cf04f77f55e8f2
  - SHA1: cb6b0f376f011485de3f7682d08c3642185dc7e9
  - SHA256: b9800f38b79e84070f05925d0918d927e43f4257e7cab43f31ad96f74b5198ba

Identifiers

- None

remotegui.zip: angularjs.jar: angular-locale\_de-ch.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_de-ch.js  
**MD5:** a8462d8ee27352294f82dbadca3821cc  
**SHA1:** 93eb3af568ba8f75bc108d1724563fb18c0413ec  
**SHA256:**fb4e6ad3c44815c641c9cfbe1b3e38330b35a158bf3d0fea0c25c3797bf75717  
**Referenced In Project/Scope:**server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies +

- remotegui.zip: angularjs.jar: angular-locale\_de-ch.js.gz: angular-locale\_de-ch.js
  - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_de-ch.js.gz/angular-locale\_de-ch.js
  - MD5: a8462d8ee27352294f82dbadca3821cc
  - SHA1: 93eb3af568ba8f75bc108d1724563fb18c0413ec



- SHA256: fb4e6ad3c44815c641c9cfbe1b3e38330b35a158bf3d0fea0c25c3797bf75717

#### Identifiers

- None

### remotegui.zip: angularjs.jar: angular-locale\_de-de.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_de-de.js

**MD5:** bef8329c258f22d04189439c38321ad6

**SHA1:** 472b624622cc7cc4c48ac5ca6eb01f696658c7d5

**SHA256:** 7c448a0316f41a86a9ca78672bf0848ceb24769e18cb3afe49505cd157874292

**Referenced In Project/Scope:**server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Related Dependencies



- remotegui.zip: angularjs.jar: angular-locale\_de-de.js.gz: angular-locale\_de-de.js
  - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_de-de.js.gz/angular-locale\_de-de.js
  - MD5: bef8329c258f22d04189439c38321ad6
  - SHA1: 472b624622cc7cc4c48ac5ca6eb01f696658c7d5
  - SHA256: 7c448a0316f41a86a9ca78672bf0848ceb24769e18cb3afe49505cd157874292

#### Identifiers

- None

### remotegui.zip: angularjs.jar: angular-locale\_de-it.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_de-it.js

**MD5:** 131f79040c9bcfd2efbf84d05be0c895



**SHA1:** 9a78331dda6178507a86c6bf7fb05192e8cb2cb9  
**SHA256:**db33e6f2fd43689ad5db9083410e28938336e12d7e61cf13abbcaadbe72a6325  
**Referenced In Project/Scope:**server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies



- remotegui.zip: angularjs.jar: angular-locale\_de-it.js.gz: angular-locale\_de-it.js
  - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_de-it.js.gz/angular-locale\_de-it.js
  - MD5: 131f79040c9bcfd2efbf84d05be0c895
  - SHA1: 9a78331dda6178507a86c6bf7fb05192e8cb2cb9
  - SHA256: db33e6f2fd43689ad5db9083410e28938336e12d7e61cf13abbcaadbe72a6325

Identifiers

- None

remotegui.zip: angularjs.jar: angular-locale\_de-li.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_de-li.js  
**MD5:** a33506517d8885ffccb6f59d1471b237  
**SHA1:** cb0f711d1923d79ee3cac1049b5e8a6e780a5e7c  
**SHA256:**5383674e18c294d52d190e82572e49404716e2086c2113b6522d0011f4e07747  
**Referenced In Project/Scope:**server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies



- remotegui.zip: angularjs.jar: angular-locale\_de-li.js.gz: angular-locale\_de-li.js
  - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_de-li.js.gz/angular-locale\_de-li.js
  - MD5: a33506517d8885ffccb6f59d1471b237
  - SHA1: cb0f711d1923d79ee3cac1049b5e8a6e780a5e7c



- SHA256: 5383674e18c294d52d190e82572e49404716e2086c2113b6522d0011f4e07747

#### Identifiers

- None

### remotegui.zip: angularjs.jar: angular-locale\_de-lu.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_de-lu.js

**MD5:** 9f4662ef1ceaf457ae05b7deffee2038

**SHA1:** 839b6f5eeee95381788727256c5ee00d0719255a

**SHA256:** 5d023a7a987bd47130f08c2fb69728b27e89ba75145a9526ad11fe0abd9dc215

**Referenced In Project/Scope:**server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Related Dependencies



- remotegui.zip: angularjs.jar: angular-locale\_de-lu.js.gz: angular-locale\_de-lu.js
  - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_de-lu.js.gz/angular-locale\_de-lu.js
  - MD5: 9f4662ef1ceaf457ae05b7deffee2038
  - SHA1: 839b6f5eeee95381788727256c5ee00d0719255a
  - SHA256: 5d023a7a987bd47130f08c2fb69728b27e89ba75145a9526ad11fe0abd9dc215

#### Identifiers

- None

### remotegui.zip: angularjs.jar: angular-locale\_de.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_de.js

**MD5:** 6bddb7cb10dedfed38924d5e14d89a5f



**SHA1:** 1d16ba2f91b60c3f40f772132060489e29040de7  
**SHA256:**e39e81439596e8adbd6a44ab4aa2ef80cdf7103de52a914c627743c1616b9834  
**Referenced In Project/Scope:**server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies

- remotegui.zip: angularjs.jar: angular-locale\_de.js.gz: angular-locale\_de.js
  - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_de.js.gz/angular-locale\_de.js
  - MD5: 6bdbb7cb10dedfed38924d5e14d89a5f
  - SHA1: 1d16ba2f91b60c3f40f772132060489e29040de7
  - SHA256: e39e81439596e8adbd6a44ab4aa2ef80cdf7103de52a914c627743c1616b9834

Identifiers

- None

remotegui.zip: angularjs.jar: angular-locale\_dje-ne.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_dje-ne.js  
**MD5:** 29ec9e60fb367d726fd9b5e2e602cbcc  
**SHA1:** 0db6034d9a4968ca9e2fbb565a1c60446de2cd53  
**SHA256:**70738987f2920860c326c640c0549af61f7069b5789b0664a93a827bd12fe9ff  
**Referenced In Project/Scope:**server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies

- remotegui.zip: angularjs.jar: angular-locale\_dje-ne.js.gz: angular-locale\_dje-ne.js
  - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_dje-ne.js.gz/angular-locale\_dje-ne.js
  - MD5: 29ec9e60fb367d726fd9b5e2e602cbcc
  - SHA1: 0db6034d9a4968ca9e2fbb565a1c60446de2cd53



- SHA256: 70738987f2920860c326c640c0549af61f7069b5789b0664a93a827bd12fe9ff

#### Identifiers

- None

### remotegui.zip: angularjs.jar: angular-locale\_dje.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_dje.js

**MD5:** c9fc0e19dd1aca79b6b9dceb61cd6491

**SHA1:** 202822ae91ed296c950026a158fc57b913e59a57

**SHA256:** 82aa1f4c61dbfba1ebf565848be7a4a7a774a57f60ec292a8ef618281b9c8878

**Referenced In Project/Scope:**server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Related Dependencies



- remotegui.zip: angularjs.jar: angular-locale\_dje.js.gz: angular-locale\_dje.js
  - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_dje.js.gz/angular-locale\_dje.js
  - MD5: c9fc0e19dd1aca79b6b9dceb61cd6491
  - SHA1: 202822ae91ed296c950026a158fc57b913e59a57
  - SHA256: 82aa1f4c61dbfba1ebf565848be7a4a7a774a57f60ec292a8ef618281b9c8878

#### Identifiers

- None

### remotegui.zip: angularjs.jar: angular-locale\_dsb-de.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_dsb-de.js

**MD5:** 4624f1b2600c23de72e45153cfc7dc49



**SHA1:** 50aa9958a810833efdfca92229f7a895557f3312  
**SHA256:**d8dc828c9f17b0189832ff54fc9457e49ff5b7962aa9082d9f96d83ec9c0bea2  
**Referenced In Project/Scope:**server

Evidence <span>+</span>				
Type	Source	Name	Value	Confidence

Related Dependencies <span>+</span>				
<ul style="list-style-type: none"><li>remotegui.zip: angularjs.jar: angular-locale_dsb-de.js.gz: angular-locale_dsb-de.js<ul style="list-style-type: none"><li>File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_dsb-de.js.gz/angular-locale_dsb-de.js</li><li>MD5: 4624f1b2600c23de72e45153cfc7dc49</li><li>SHA1: 50aa9958a810833efdfca92229f7a895557f3312</li><li>SHA256: d8dc828c9f17b0189832ff54fc9457e49ff5b7962aa9082d9f96d83ec9c0bea2</li></ul></li></ul>				

Identifiers				
<ul style="list-style-type: none"><li>None</li></ul>				

**remotegui.zip: angularjs.jar: angular-locale\_dsb.js**

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_dsb.js  
**MD5:** 90d126d8091c543926dad8c6c96d4c7  
**SHA1:** f9d6a60cbf6b71efd27b7db434d8261c30ded057  
**SHA256:**9fece813b4e2ca3e6b5df5041e2db20b8574309b6da9cb9d6abbae9d2c3be210  
**Referenced In Project/Scope:**server

Evidence <span>+</span>				
Type	Source	Name	Value	Confidence

Related Dependencies <span>+</span>				
<ul style="list-style-type: none"><li>remotegui.zip: angularjs.jar: angular-locale_dsb.js.gz: angular-locale_dsb.js<ul style="list-style-type: none"><li>File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_dsb.js.gz/angular-locale_dsb.js</li><li>MD5: 90d126d8091c543926dad8c6c96d4c7</li><li>SHA1: f9d6a60cbf6b71efd27b7db434d8261c30ded057</li></ul></li></ul>				



- SHA256: 9fece813b4e2ca3e6b5df5041e2db20b8574309b6da9cb9d6abbabae9d2c3be210

#### Identifiers

- None

### remotegui.zip: angularjs.jar: angular-locale\_dua-cm.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_dua-cm.js

**MD5:** 507157ae47c77aff33355bc8c696e3d0

**SHA1:** 46063446647faf9ef263ccbdde46fba3a01a7982

**SHA256:** d875a24d8164c12562d6fbf6110fb6eea9ded5fcd28ab80053c40fab605c6ef1

**Referenced In Project/Scope:**server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Related Dependencies



- remotegui.zip: angularjs.jar: angular-locale\_dua-cm.js.gz: angular-locale\_dua-cm.js
  - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_dua-cm.js.gz/angular-locale\_dua-cm.js
  - MD5: 507157ae47c77aff33355bc8c696e3d0
  - SHA1: 46063446647faf9ef263ccbdde46fba3a01a7982
  - SHA256: d875a24d8164c12562d6fbf6110fb6eea9ded5fcd28ab80053c40fab605c6ef1

#### Identifiers

- None

### remotegui.zip: angularjs.jar: angular-locale\_dua.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_dua.js

**MD5:** 995eb85135cab4d93f28966cec893d85



**SHA1:** 54eaaad3762bb9df52020bb9cbc95a6b086ca85e  
**SHA256:**f126d85b32b71ac56201db0c9a6fa6c94dab3fc66fd45c55036e4cf709a7e5da  
**Referenced In Project/Scope:**server

#### Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Related Dependencies

- remotegui.zip: angularjs.jar: angular-locale\_dua.js.gz: angular-locale\_dua.js
  - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_dua.js.gz/angular-locale\_dua.js
  - MD5: 995eb85135cab4d93f28966cec893d85
  - SHA1: 54eaaad3762bb9df52020bb9cbc95a6b086ca85e
  - SHA256: f126d85b32b71ac56201db0c9a6fa6c94dab3fc66fd45c55036e4cf709a7e5da

#### Identifiers

- None

### remotegui.zip: angularjs.jar: angular-locale\_dyo-sn.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_dyo-sn.js  
**MD5:** 65545ebe5028522e72919be66389685a  
**SHA1:** c13d38b608ef2031bd58b3093d4f61a35fd49b7e  
**SHA256:**34a7b0e89d5f0d0313466bde772a55a60d025e77774669adcc3235dca1730eaf  
**Referenced In Project/Scope:**server

#### Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Related Dependencies

- remotegui.zip: angularjs.jar: angular-locale\_dyo-sn.js.gz: angular-locale\_dyo-sn.js
  - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_dyo-sn.js.gz/angular-locale\_dyo-sn.js
  - MD5: 65545ebe5028522e72919be66389685a
  - SHA1: c13d38b608ef2031bd58b3093d4f61a35fd49b7e



- SHA256: 34a7b0e89d5f0d0313466bde772a55a60d025e77774669adcc3235dca1730eaf

#### Identifiers

- None

### remotegui.zip: angularjs.jar: angular-locale\_dyo.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_dyo.js

**MD5:** 9537ea2c7196c3147fb77424da6d715d

**SHA1:** 3b57c992dbcb51ebeca8b0e160bacc8ccc2f63bf

**SHA256:** b3c7c21bf2156626531ef10c74bf1fdc3c9dccc9a1e5111c75ec310f839b81b9

**Referenced In Project/Scope:** server

#### Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Related Dependencies

- remotegui.zip: angularjs.jar: angular-locale\_dyo.js.gz: angular-locale\_dyo.js
  - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_dyo.js.gz/angular-locale\_dyo.js
  - MD5: 9537ea2c7196c3147fb77424da6d715d
  - SHA1: 3b57c992dbcb51ebeca8b0e160bacc8ccc2f63bf
  - SHA256: b3c7c21bf2156626531ef10c74bf1fdc3c9dccc9a1e5111c75ec310f839b81b9

#### Identifiers

- None

### remotegui.zip: angularjs.jar: angular-locale\_dz-bt.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_dz-bt.js

**MD5:** ccda86a55d4ecf55959f2b1f36231989



**SHA1:** f5cbf139491b15eb14ba75595054384001924e01  
**SHA256:**dc0266fa04d5b03822114c5a51a28439777ce2fea8151dd5afed81dce4d4022e  
**Referenced In Project/Scope:**server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies



- remotegui.zip: angularjs.jar: angular-locale\_dz-bt.js.gz: angular-locale\_dz-bt.js
  - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_dz-bt.js.gz/angular-locale\_dz-bt.js
  - MD5: ccda86a55d4ecf55959f2b1f36231989
  - SHA1: f5cbf139491b15eb14ba75595054384001924e01
  - SHA256: dc0266fa04d5b03822114c5a51a28439777ce2fea8151dd5afed81dce4d4022e

Identifiers

- None

remotegui.zip: angularjs.jar: angular-locale\_dz.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_dz.js  
**MD5:** dde5382531f79a8e5187d39327e108ae  
**SHA1:** 30becce12b41cdc2d1495031c5d1005af56a05e3  
**SHA256:**226ab7385fc0a159cb4211f440e7c85fd5233bed4a220eb28ad30540ff2563d9  
**Referenced In Project/Scope:**server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies



- remotegui.zip: angularjs.jar: angular-locale\_dz.js.gz: angular-locale\_dz.js
  - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_dz.js.gz/angular-locale\_dz.js
  - MD5: dde5382531f79a8e5187d39327e108ae
  - SHA1: 30becce12b41cdc2d1495031c5d1005af56a05e3



- SHA256: 226ab7385fc0a159cb4211f440e7c85fd5233bed4a220eb28ad30540ff2563d9

#### Identifiers

- None

### remotegui.zip: angularjs.jar: angular-locale\_ebu-ke.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_ebu-ke.js

**MD5:** b61ea19df7d6ab4ff2bb573e5aa6ae25

**SHA1:** 257ec65832b4f6dba0bab2589e11743464f9d4a4

**SHA256:** c20cc461d42e43ad45756b9588d3881fa81bd30e81da71f67643e7a06afc2776

**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Related Dependencies



- remotegui.zip: angularjs.jar: angular-locale\_ebu-ke.js.gz: angular-locale\_ebu-ke.js
  - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_ebu-ke.js.gz/angular-locale\_ebu-ke.js
  - MD5: b61ea19df7d6ab4ff2bb573e5aa6ae25
  - SHA1: 257ec65832b4f6dba0bab2589e11743464f9d4a4
  - SHA256: c20cc461d42e43ad45756b9588d3881fa81bd30e81da71f67643e7a06afc2776

#### Identifiers

- None

### remotegui.zip: angularjs.jar: angular-locale\_ebu.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_ebu.js

**MD5:** 16b27b718f3918e1ee418b5bc742624c



**SHA1:** cbc73accce74694318fe3e8e0bc111d86f86d631  
**SHA256:**3fc693fd5cf8b4fcc39a2d5945b8f363b205e16a2da6be465bf959d882a4cd31  
**Referenced In Project/Scope:**server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies



- remotegui.zip: angularjs.jar: angular-locale\_ebu.js.gz: angular-locale\_ebu.js
  - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_ebu.js.gz/angular-locale\_ebu.js
  - MD5: 16b27b718f3918e1ee418b5bc742624c
  - SHA1: cbc73accce74694318fe3e8e0bc111d86f86d631
  - SHA256: 3fc693fd5cf8b4fcc39a2d5945b8f363b205e16a2da6be465bf959d882a4cd31

Identifiers

- None

remotegui.zip: angularjs.jar: angular-locale\_ee-gh.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_ee-gh.js  
**MD5:** 609517f9a4b41810c634adef43c84252  
**SHA1:** aa0aab5f83ad5eae983d8a1c47cc655d68aa773  
**SHA256:**168937848e5d2dfd6c4b09f7214c34bb49404fb54360244060e7f204a406f0a8  
**Referenced In Project/Scope:**server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies



- remotegui.zip: angularjs.jar: angular-locale\_ee-gh.js.gz: angular-locale\_ee-gh.js
  - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_ee-gh.js.gz/angular-locale\_ee-gh.js
  - MD5: 609517f9a4b41810c634adef43c84252
  - SHA1: aa0aab5f83ad5eae983d8a1c47cc655d68aa773



- SHA256: 168937848e5d2dfd6c4b09f7214c34bb49404fb54360244060e7f204a406f0a8

#### Identifiers

- None

### remotegui.zip: angularjs.jar: angular-locale\_ee-tg.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_ee-tg.js

**MD5:** ad05ad8415989c6c4dab9140f39c40e0

**SHA1:** a14158391913309fd692afe57d6979dc49e8fa3e

**SHA256:** 2b89ed983feb7cbd5e0f4071cd70f646788d8ed97c4bd64cbe5c6f16e40062ac

**Referenced In Project/Scope:**server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Related Dependencies



- remotegui.zip: angularjs.jar: angular-locale\_ee-tg.js.gz: angular-locale\_ee-tg.js
  - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_ee-tg.js.gz/angular-locale\_ee-tg.js
  - MD5: ad05ad8415989c6c4dab9140f39c40e0
  - SHA1: a14158391913309fd692afe57d6979dc49e8fa3e
  - SHA256: 2b89ed983feb7cbd5e0f4071cd70f646788d8ed97c4bd64cbe5c6f16e40062ac

#### Identifiers

- None

### remotegui.zip: angularjs.jar: angular-locale\_ee.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_ee.js

**MD5:** 1c64ef13ac28a4055cfb74eab043b6e7



**SHA1:** 44da0e028ef3063d3f310404f82443dbf7b54d2f  
**SHA256:** e4921a4d89843290fa7316fd54ef56445b6088f388723b5a4fc528353ea34420  
**Referenced In Project/Scope:** server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies



- remotegui.zip: angularjs.jar: angular-locale\_ee.js.gz: angular-locale\_ee.js
  - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_ee.js.gz/angular-locale\_ee.js
  - MD5: 1c64ef13ac28a4055cfb74eab043b6e7
  - SHA1: 44da0e028ef3063d3f310404f82443dbf7b54d2f
  - SHA256: e4921a4d89843290fa7316fd54ef56445b6088f388723b5a4fc528353ea34420

Identifiers

- None

remotegui.zip: angularjs.jar: angular-locale\_el-cy.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_el-cy.js  
**MD5:** c23b5fff2b8056c9ea59f2ed6755c20e  
**SHA1:** cf692617e14bf0c1a5df9d35e8fd7f2756f18db2  
**SHA256:** f6de58e8e10b7869692eb1a5a07506bba5529641838cde737077243414c4b24b  
**Referenced In Project/Scope:** server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies



- remotegui.zip: angularjs.jar: angular-locale\_el-cy.js.gz: angular-locale\_el-cy.js
  - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_el-cy.js.gz/angular-locale\_el-cy.js
  - MD5: c23b5fff2b8056c9ea59f2ed6755c20e
  - SHA1: cf692617e14bf0c1a5df9d35e8fd7f2756f18db2



- SHA256: f6de58e8e10b7869692eb1a5a07506bba5529641838cde737077243414c4b24b

#### Identifiers

- None

### remotegui.zip: angularjs.jar: angular-locale\_el-gr.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_el-gr.js

**MD5:** 1a5e97fe2e5942322de045777a751f4f

**SHA1:** 81701bb4ec41d785f6064959b29a9fe4dee3368f

**SHA256:** 311c32759cce0ceb81d277b86a435c481472ec22bd95650b91945471f9b01859

**Referenced In Project/Scope:**server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Related Dependencies



- remotegui.zip: angularjs.jar: angular-locale\_el-gr.js.gz: angular-locale\_el-gr.js
  - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_el-gr.js.gz/angular-locale\_el-gr.js
  - MD5: 1a5e97fe2e5942322de045777a751f4f
  - SHA1: 81701bb4ec41d785f6064959b29a9fe4dee3368f
  - SHA256: 311c32759cce0ceb81d277b86a435c481472ec22bd95650b91945471f9b01859

#### Identifiers

- None

### remotegui.zip: angularjs.jar: angular-locale\_el.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_el.js

**MD5:** 4bb65528a3d9f30d63112f6292d13a6f



**SHA1:** 90ba65fdca15e8da2fe6a5d9b91098245769004f  
**SHA256:**3ac70a33b1f133dcbd0475354a4c70a2f79fa2c61371d66a36391f64e4f75688  
**Referenced In Project/Scope:**server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies

- remotegui.zip: angularjs.jar: angular-locale\_el.js.gz: angular-locale\_el.js
  - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_el.js.gz/angular-locale\_el.js
  - MD5: 4bb65528a3d9f30d63112f6292d13a6f
  - SHA1: 90ba65fdca15e8da2fe6a5d9b91098245769004f
  - SHA256: 3ac70a33b1f133dcbd0475354a4c70a2f79fa2c61371d66a36391f64e4f75688

Identifiers

- None

remotegui.zip: angularjs.jar: angular-locale\_en-001.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_en-001.js  
**MD5:** 634856747bfd16904263b8bd1001cbdb  
**SHA1:** 1848758e0cf2c30beb7b83f1dc8e3d8af6efff7d  
**SHA256:**dadc01a45ff85fd435e4d48c3f409a4c8c5ca68807cb8853da2f99cd3a42ad62  
**Referenced In Project/Scope:**server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies

- remotegui.zip: angularjs.jar: angular-locale\_en-001.js.gz: angular-locale\_en-001.js
  - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_en-001.js.gz/angular-locale\_en-001.js
  - MD5: 634856747bfd16904263b8bd1001cbdb
  - SHA1: 1848758e0cf2c30beb7b83f1dc8e3d8af6efff7d



- SHA256: dadc01a45ff85fd435e4d48c3f409a4c8c5ca68807cb8853da2f99cd3a42ad62

#### Identifiers

- None

### remotegui.zip: angularjs.jar: angular-locale\_en-150.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_en-150.js

**MD5:** 0fdd5541ee67b25467907795e513088e

**SHA1:** 500f8b4b83babd8ff6b69051e385854be70897ff

**SHA256:** 3b41f8c82ceea10e99960a4dd00c9d742991714ffbae1a01a188ed25fc65b168

**Referenced In Project/Scope:**server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Related Dependencies



- remotegui.zip: angularjs.jar: angular-locale\_en-150.js.gz: angular-locale\_en-150.js
  - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_en-150.js.gz/angular-locale\_en-150.js
  - MD5: 0fdd5541ee67b25467907795e513088e
  - SHA1: 500f8b4b83babd8ff6b69051e385854be70897ff
  - SHA256: 3b41f8c82ceea10e99960a4dd00c9d742991714ffbae1a01a188ed25fc65b168

#### Identifiers

- None

### remotegui.zip: angularjs.jar: angular-locale\_en-ag.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_en-ag.js

**MD5:** e1ef6fbf0ac890e79a4c4e0cb8988216



**SHA1:** b35841a8d7e373c3f2d0c648a245f84688fc0c08  
**SHA256:**f4a0488a6790fb1acd39e72118036840b96a2bad1dfc7d07b60891fa4d81bcda  
**Referenced In Project/Scope:**server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies

- remotegui.zip: angularjs.jar: angular-locale\_en-ag.js.gz: angular-locale\_en-ag.js
  - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_en-ag.js.gz/angular-locale\_en-ag.js
  - MD5: e1ef6bf0ac890e79a4c4e0cb8988216
  - SHA1: b35841a8d7e373c3f2d0c648a245f84688fc0c08
  - SHA256: f4a0488a6790fb1acd39e72118036840b96a2bad1dfc7d07b60891fa4d81bcda

Identifiers

- None

remotegui.zip: angularjs.jar: angular-locale\_en-ai.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_en-ai.js  
**MD5:** 29288a6c0c508eb745df15e092cf98be  
**SHA1:** 425b4563dd6bfc7b2284ad1133662260f89c125b  
**SHA256:**04f9ecf0c9f172c22c44b71836a58d8fb714a667af9c113eb830a51034d13ae0  
**Referenced In Project/Scope:**server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies

- remotegui.zip: angularjs.jar: angular-locale\_en-ai.js.gz: angular-locale\_en-ai.js
  - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_en-ai.js.gz/angular-locale\_en-ai.js
  - MD5: 29288a6c0c508eb745df15e092cf98be
  - SHA1: 425b4563dd6bfc7b2284ad1133662260f89c125b



- SHA256: 04f9ecf0c9f172c22c44b71836a58d8fb714a667af9c113eb830a51034d13ae0

#### Identifiers

- None

### remotegui.zip: angularjs.jar: angular-locale\_en-as.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_en-as.js

**MD5:** 344260d07b5f2f911470a3d90f1b62c6

**SHA1:** f1ac1ff1b7d71e1821e008e205eea1a87fd076e8

**SHA256:** 22786f948af6fd96e0273c45153c4c9f791f811066552aa789b8bcf6c17a631b

**Referenced In Project/Scope:**server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Related Dependencies



- remotegui.zip: angularjs.jar: angular-locale\_en-as.js.gz: angular-locale\_en-as.js
  - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_en-as.js.gz/angular-locale\_en-as.js
  - MD5: 344260d07b5f2f911470a3d90f1b62c6
  - SHA1: f1ac1ff1b7d71e1821e008e205eea1a87fd076e8
  - SHA256: 22786f948af6fd96e0273c45153c4c9f791f811066552aa789b8bcf6c17a631b

#### Identifiers

- None

### remotegui.zip: angularjs.jar: angular-locale\_en-at.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_en-at.js

**MD5:** addca54db2746843fb286823dde2343a



**SHA1:** e86daccef8dbccbca33ccdf69b0bb7312b61f26a  
**SHA256:**491cc0c74c18f10dd82588986e57e69c70f52a6ee51ce372b1a999b57a48e041  
**Referenced In Project/Scope:**server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies

- remotegui.zip: angularjs.jar: angular-locale\_en-at.js.gz: angular-locale\_en-at.js
  - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_en-at.js.gz/angular-locale\_en-at.js
  - MD5: addca54db2746843fb286823dde2343a
  - SHA1: e86daccef8dbccbca33ccdf69b0bb7312b61f26a
  - SHA256: 491cc0c74c18f10dd82588986e57e69c70f52a6ee51ce372b1a999b57a48e041

Identifiers

- None

remotegui.zip: angularjs.jar: angular-locale\_en-au.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_en-au.js  
**MD5:** a75ed3b062a0f540580d915ec06bb3cd  
**SHA1:** 2860316dd74b4a8cb63b36f6e76c847d86488bbc  
**SHA256:**44b78071c934a6edf00ba51dd7b269741a9014ea9e8a62302ee690418616a068  
**Referenced In Project/Scope:**server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies

- remotegui.zip: angularjs.jar: angular-locale\_en-au.js.gz: angular-locale\_en-au.js
  - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_en-au.js.gz/angular-locale\_en-au.js
  - MD5: a75ed3b062a0f540580d915ec06bb3cd
  - SHA1: 2860316dd74b4a8cb63b36f6e76c847d86488bbc



- SHA256: 44b78071c934a6edf00ba51dd7b269741a9014ea9e8a62302ee690418616a068

#### Identifiers

- None

### remotegui.zip: angularjs.jar: angular-locale\_en-bb.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_en-bb.js

**MD5:** 169f093c966d6c85f22ee4de58ecf804

**SHA1:** 668aee74e61bc4d695e6e87228978626b51a6c12

**SHA256:** ca6548a9813c1eed440e1d181654429883485b7961dfe81e3cb34f374ed27aa2

**Referenced In Project/Scope:**server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Related Dependencies



- remotegui.zip: angularjs.jar: angular-locale\_en-bb.js.gz: angular-locale\_en-bb.js
  - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_en-bb.js.gz/angular-locale\_en-bb.js
  - MD5: 169f093c966d6c85f22ee4de58ecf804
  - SHA1: 668aee74e61bc4d695e6e87228978626b51a6c12
  - SHA256: ca6548a9813c1eed440e1d181654429883485b7961dfe81e3cb34f374ed27aa2

#### Identifiers

- None

### remotegui.zip: angularjs.jar: angular-locale\_en-be.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_en-be.js

**MD5:** db91d0d7e8ea7677ab85283a1e26a586



**SHA1:** 64d3f564926a80e7c8fe2ffdb12581bbfae3f4cd  
**SHA256:**380bac6ff9db307a03f1a52400bf374fbee5d10e33d1203831a310e082a9ca3c  
**Referenced In Project/Scope:**server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies

- remotegui.zip: angularjs.jar: angular-locale\_en-be.js.gz: angular-locale\_en-be.js
  - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_en-be.js.gz/angular-locale\_en-be.js
  - MD5: db91d0d7ebea7677ab85283a1e26a586
  - SHA1: 64d3f564926a80e7c8fe2ffdb12581bbfae3f4cd
  - SHA256: 380bac6ff9db307a03f1a52400bf374fbee5d10e33d1203831a310e082a9ca3c

Identifiers

- None

remotegui.zip: angularjs.jar: angular-locale\_en-bi.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_en-bi.js  
**MD5:** 03bbe79ff159e5c9a4456dd61e2e75fa  
**SHA1:** 94adb3de8a56e65b05b41224b6b69beae02f86c6  
**SHA256:**d577bd46ccd9723beb48a35f21ead44d504eba9d691b80da0a1d9e198f35444b  
**Referenced In Project/Scope:**server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies

- remotegui.zip: angularjs.jar: angular-locale\_en-bi.js.gz: angular-locale\_en-bi.js
  - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_en-bi.js.gz/angular-locale\_en-bi.js
  - MD5: 03bbe79ff159e5c9a4456dd61e2e75fa
  - SHA1: 94adb3de8a56e65b05b41224b6b69beae02f86c6



- SHA256: d577bd46ccd9723beb48a35f21ead44d504eba9d691b80da0a1d9e198f35444b

#### Identifiers

- None

### remotegui.zip: angularjs.jar: angular-locale\_en-bm.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_en-bm.js

**MD5:** df9c0e2368def551da46bac952046583

**SHA1:** 9e83646a9ccc3bd063fd7624b8216f534a7864eb

**SHA256:** 901b7681dd81b559be0d389d4f6d0e3e90771c8d0d096ee8d2c708d620f358d8

**Referenced In Project/Scope:**server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Related Dependencies



- remotegui.zip: angularjs.jar: angular-locale\_en-bm.js.gz: angular-locale\_en-bm.js
  - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_en-bm.js.gz/angular-locale\_en-bm.js
  - MD5: df9c0e2368def551da46bac952046583
  - SHA1: 9e83646a9ccc3bd063fd7624b8216f534a7864eb
  - SHA256: 901b7681dd81b559be0d389d4f6d0e3e90771c8d0d096ee8d2c708d620f358d8

#### Identifiers

- None

### remotegui.zip: angularjs.jar: angular-locale\_en-bs.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_en-bs.js

**MD5:** 38abcb908a67645f0a094bc625497fbb



**SHA1:** c5db37c082bd0ba3bd3fc82151557ea59fbaa3a5  
**SHA256:** e7a149e58720d8967c28bdf484fdc43c674fbfb307f53c738f1097cbd918657a  
**Referenced In Project/Scope:** server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies

- remotegui.zip: angularjs.jar: angular-locale\_en-bs.js.gz: angular-locale\_en-bs.js
  - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_en-bs.js.gz/angular-locale\_en-bs.js
  - MD5: 38abcb908a67645f0a094bc625497fbb
  - SHA1: c5db37c082bd0ba3bd3fc82151557ea59fbaa3a5
  - SHA256: e7a149e58720d8967c28bdf484fdc43c674fbfb307f53c738f1097cbd918657a

Identifiers

- None

remotegui.zip: angularjs.jar: angular-locale\_en-bw.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_en-bw.js  
**MD5:** d7ff799ab38357b9d4cc5b5194c2b96b  
**SHA1:** 99a2502d4b64cbee0dd452453246a6031a5a76af  
**SHA256:** 070bdd4c6ecb3b69ca3e1f8d85e4728c94530e44bec96b27cceddc67e8efff54  
**Referenced In Project/Scope:** server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies

- remotegui.zip: angularjs.jar: angular-locale\_en-bw.js.gz: angular-locale\_en-bw.js
  - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_en-bw.js.gz/angular-locale\_en-bw.js
  - MD5: d7ff799ab38357b9d4cc5b5194c2b96b
  - SHA1: 99a2502d4b64cbee0dd452453246a6031a5a76af



- SHA256: 070bdd4c6ecb3b69ca3e1f8d85e4728c94530e44bec96b27cceddc67e8efff54

#### Identifiers

- None

### remotegui.zip: angularjs.jar: angular-locale\_en-bz.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_en-bz.js

**MD5:** 20c2008f54f36f1d7b233b5796810400

**SHA1:** 9602240036050b08a7524128a4c30b2f6b446462

**SHA256:** 1a2a624a9def4650f55c6d9deb50e827a482670090e830d5f40a0f33941de4c5

**Referenced In Project/Scope:**server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Related Dependencies



- remotegui.zip: angularjs.jar: angular-locale\_en-bz.js.gz: angular-locale\_en-bz.js
  - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_en-bz.js.gz/angular-locale\_en-bz.js
  - MD5: 20c2008f54f36f1d7b233b5796810400
  - SHA1: 9602240036050b08a7524128a4c30b2f6b446462
  - SHA256: 1a2a624a9def4650f55c6d9deb50e827a482670090e830d5f40a0f33941de4c5

#### Identifiers

- None

### remotegui.zip: angularjs.jar: angular-locale\_en-ca.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_en-ca.js

**MD5:** 6765d196027279dab39932f7902ba11



**SHA1:** 4c50e12fc586dc210c20c3769a24fe3b53064865  
**SHA256:**67563318f781475915e443fef24576ea64e5de5a80e7ab3fd6b967de15538dcc  
**Referenced In Project/Scope:**server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies

- remotegui.zip: angularjs.jar: angular-locale\_en-ca.js.gz: angular-locale\_en-ca.js
  - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_en-ca.js.gz/angular-locale\_en-ca.js
  - MD5: 6765d196027279dacb39932f7902ba11
  - SHA1: 4c50e12fc586dc210c20c3769a24fe3b53064865
  - SHA256: 67563318f781475915e443fef24576ea64e5de5a80e7ab3fd6b967de15538dcc

Identifiers

- None

remotegui.zip: angularjs.jar: angular-locale\_en-cc.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_en-cc.js  
**MD5:** 2d14d13e1e2114b461c6ac83907ce01f  
**SHA1:** 3ed4355e9f431301aa1a077d28d2cec8394c2aa4  
**SHA256:**9c2ad942535430769268a714c7f705c5dc8208b6f95dd9c5ccfb224110e3793c  
**Referenced In Project/Scope:**server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies

- remotegui.zip: angularjs.jar: angular-locale\_en-cc.js.gz: angular-locale\_en-cc.js
  - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_en-cc.js.gz/angular-locale\_en-cc.js
  - MD5: 2d14d13e1e2114b461c6ac83907ce01f
  - SHA1: 3ed4355e9f431301aa1a077d28d2cec8394c2aa4



- SHA256: 9c2ad942535430769268a714c7f705c5dc8208b6f95dd9c5ccfb224110e3793c

#### Identifiers

- None

### remotegui.zip: angularjs.jar: angular-locale\_en-ch.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_en-ch.js

**MD5:** cb291abcc7fbc373fca6e66090a0cebc

**SHA1:** 073559dd69b0ee10212156b3d073fa6ed1230217

**SHA256:** be4f5e6b803f2c470fad8b51b1a44fd5a5d4de528ae0784bf5809dfcb9cb555b

**Referenced In Project/Scope:**server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Related Dependencies



- remotegui.zip: angularjs.jar: angular-locale\_en-ch.js.gz: angular-locale\_en-ch.js
  - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_en-ch.js.gz/angular-locale\_en-ch.js
  - MD5: cb291abcc7fbc373fca6e66090a0cebc
  - SHA1: 073559dd69b0ee10212156b3d073fa6ed1230217
  - SHA256: be4f5e6b803f2c470fad8b51b1a44fd5a5d4de528ae0784bf5809dfcb9cb555b

#### Identifiers

- None

### remotegui.zip: angularjs.jar: angular-locale\_en-ck.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_en-ck.js

**MD5:** a294e4cd48cf2e355817e06a312c563f



**SHA1:** 326b2a264a2fa8a7e9e352d128abb9b4efdebc2c  
**SHA256:**a68abb9f3cc17da9a3093efca9f867c13f9ed8dd600150c9d23b01477f245c12  
**Referenced In Project/Scope:**server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies

- remotegui.zip: angularjs.jar: angular-locale\_en-ck.js.gz: angular-locale\_en-ck.js
  - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_en-ck.js.gz/angular-locale\_en-ck.js
  - MD5: a294e4cd48cf2e355817e06a312c563f
  - SHA1: 326b2a264a2fa8a7e9e352d128abb9b4efdebc2c
  - SHA256: a68abb9f3cc17da9a3093efca9f867c13f9ed8dd600150c9d23b01477f245c12

Identifiers

- None

remotegui.zip: angularjs.jar: angular-locale\_en-cm.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_en-cm.js  
**MD5:** c073f7178174ac1fcbea3c8a32a2e752  
**SHA1:** 349804f1887d81b46ed34dc2ed2787b836a4edb9  
**SHA256:**1aba172fc1399f15ba094733f3bb24d13ff557b0eaf913c71349617d34cc124e  
**Referenced In Project/Scope:**server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies

- remotegui.zip: angularjs.jar: angular-locale\_en-cm.js.gz: angular-locale\_en-cm.js
  - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_en-cm.js.gz/angular-locale\_en-cm.js
  - MD5: c073f7178174ac1fcbea3c8a32a2e752
  - SHA1: 349804f1887d81b46ed34dc2ed2787b836a4edb9



- SHA256: 1aba172fc1399f15ba094733f3bb24d13ff557b0eaf913c71349617d34cc124e

#### Identifiers

- None

### remotegui.zip: angularjs.jar: angular-locale\_en-cx.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_en-cx.js

**MD5:** 4ddda0aba8ae6bdf7a62dbe369f088ae

**SHA1:** b2e3e775953e8b45ead15823d147e2fbd892b273

**SHA256:** c83b4ed03793b992d1eb3b863d2348ad8b3103945abab0a0bfc99c4de636108b

**Referenced In Project/Scope:**server

#### Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Related Dependencies

- remotegui.zip: angularjs.jar: angular-locale\_en-cx.js.gz: angular-locale\_en-cx.js
  - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_en-cx.js.gz/angular-locale\_en-cx.js
  - MD5: 4ddda0aba8ae6bdf7a62dbe369f088ae
  - SHA1: b2e3e775953e8b45ead15823d147e2fbd892b273
  - SHA256: c83b4ed03793b992d1eb3b863d2348ad8b3103945abab0a0bfc99c4de636108b

#### Identifiers

- None

### remotegui.zip: angularjs.jar: angular-locale\_en-cy.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_en-cy.js

**MD5:** 310c4475469b7ee78cb945f085c13580



**SHA1:** 03d9ef989966e775ed2dd0f4c53e2f571d99ffac  
**SHA256:** 1a5b98f033f9dea510ec9e30b18884240820a32806d75e49c9e55587d8cad260  
**Referenced In Project/Scope:**server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Related Dependencies



- remotegui.zip: angularjs.jar: angular-locale\_en-cy.js.gz: angular-locale\_en-cy.js
  - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_en-cy.js.gz/angular-locale\_en-cy.js
  - MD5: 310c4475469b7ee78cb945f085c13580
  - SHA1: 03d9ef989966e775ed2dd0f4c53e2f571d99ffac
  - SHA256: 1a5b98f033f9dea510ec9e30b18884240820a32806d75e49c9e55587d8cad260

#### Identifiers

- None

### remotegui.zip: angularjs.jar: angular-locale\_en-de.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_en-de.js  
**MD5:** aac1cb87ca4382b3aa2bf511962c9eaa  
**SHA1:** 66d1d906991028381c984c605cdf6e92654fc5a7  
**SHA256:** 5d38de0c023e316d2f9aa7206face457432ac7264000840d16c0416663370605  
**Referenced In Project/Scope:**server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Related Dependencies



- remotegui.zip: angularjs.jar: angular-locale\_en-de.js.gz: angular-locale\_en-de.js
  - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_en-de.js.gz/angular-locale\_en-de.js
  - MD5: aac1cb87ca4382b3aa2bf511962c9eaa
  - SHA1: 66d1d906991028381c984c605cdf6e92654fc5a7



- SHA256: 5d38de0c023e316d2f9aa7206face457432ac7264000840d16c0416663370605

#### Identifiers

- None

### remotegui.zip: angularjs.jar: angular-locale\_en-dg.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_en-dg.js

**MD5:** 3da6f61f9101fc106f3aa177fc496646

**SHA1:** 4c81e6f0b1a54703967fb1a069c8e2ef3cb75818

**SHA256:** 6bb7177fdb365ace92bac80611fbdf57aea12bf50fc00150f836e4285b15cf84

**Referenced In Project/Scope:**server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Related Dependencies



- remotegui.zip: angularjs.jar: angular-locale\_en-dg.js.gz: angular-locale\_en-dg.js
  - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_en-dg.js.gz/angular-locale\_en-dg.js
  - MD5: 3da6f61f9101fc106f3aa177fc496646
  - SHA1: 4c81e6f0b1a54703967fb1a069c8e2ef3cb75818
  - SHA256: 6bb7177fdb365ace92bac80611fbdf57aea12bf50fc00150f836e4285b15cf84

#### Identifiers

- None

### remotegui.zip: angularjs.jar: angular-locale\_en-dk.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_en-dk.js

**MD5:** bfc8ec431d1e07d73e5e50ef96006789



**SHA1:** 65873daa44b9fa19c2699d048e8093bf30b01321  
**SHA256:**654141332cff792553dd6958e64a1da3d6a2c7641113dfaf8fe265ef1ba94acd  
**Referenced In Project/Scope:**server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies

- remotegui.zip: angularjs.jar: angular-locale\_en-dk.js.gz: angular-locale\_en-dk.js
  - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_en-dk.js.gz/angular-locale\_en-dk.js
  - MD5: bfc8ec431d1e07d73e5e50ef96006789
  - SHA1: 65873daa44b9fa19c2699d048e8093bf30b01321
  - SHA256: 654141332cff792553dd6958e64a1da3d6a2c7641113dfaf8fe265ef1ba94acd

Identifiers

- None

remotegui.zip: angularjs.jar: angular-locale\_en-dm.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_en-dm.js  
**MD5:** 0f7d4ac400f3474287e973006123148f  
**SHA1:** 53493435f78eba7cc66fb77417d11fe6210b8aa2  
**SHA256:**94787c88b1a5b02d55456186929ff356d3e6b3a2cf671f934797b8c23c8b21ac  
**Referenced In Project/Scope:**server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies

- remotegui.zip: angularjs.jar: angular-locale\_en-dm.js.gz: angular-locale\_en-dm.js
  - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_en-dm.js.gz/angular-locale\_en-dm.js
  - MD5: 0f7d4ac400f3474287e973006123148f
  - SHA1: 53493435f78eba7cc66fb77417d11fe6210b8aa2



- SHA256: 94787c88b1a5b02d55456186929ff356d3e6b3a2cf671f934797b8c23c8b21ac

#### Identifiers

- None

### remotegui.zip: angularjs.jar: angular-locale\_en-er.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_en-er.js

**MD5:** 5a72ddf6af64424e5607a41217df9450

**SHA1:** 8e9f024b0a7a57fcb7cdf390eb73272ce5529c52

**SHA256:** 94489e79d4deeea5c20b96bb23b7872022dbd30f333bce6cb2de4722e2c6f3e3

**Referenced In Project/Scope:**server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Related Dependencies



- remotegui.zip: angularjs.jar: angular-locale\_en-er.js.gz: angular-locale\_en-er.js
  - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_en-er.js.gz/angular-locale\_en-er.js
  - MD5: 5a72ddf6af64424e5607a41217df9450
  - SHA1: 8e9f024b0a7a57fcb7cdf390eb73272ce5529c52
  - SHA256: 94489e79d4deeea5c20b96bb23b7872022dbd30f333bce6cb2de4722e2c6f3e3

#### Identifiers

- None

### remotegui.zip: angularjs.jar: angular-locale\_en-fi.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_en-fi.js

**MD5:** 3dda6f0b535e763dc8d7a6bf8cc9477f



**SHA1:** 84bc69b3320d7a2583706650d07ada1da9ca5184  
**SHA256:**51256645fb699ef04fba604a24083d56ce79b62ac0c2f74af8548d168a5276a3  
**Referenced In Project/Scope:**server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies +

- remotegui.zip: angularjs.jar: angular-locale\_en-fi.js.gz: angular-locale\_en-fi.js
  - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_en-fi.js.gz/angular-locale\_en-fi.js
  - MD5: 3dda6f0b535e763dc8d7a6bf8cc9477f
  - SHA1: 84bc69b3320d7a2583706650d07ada1da9ca5184
  - SHA256: 51256645fb699ef04fba604a24083d56ce79b62ac0c2f74af8548d168a5276a3

Identifiers

- None

remotegui.zip: angularjs.jar: angular-locale\_en-fj.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_en-fj.js  
**MD5:** a89f2405070252fafac3a8e452bfeec1  
**SHA1:** 718ce268f8a659f151207cd0357b2a490505a8f8  
**SHA256:**73a2de29ad39f681d54a827e208b65a54ae9bfe4b03b372f50555d998f57d8e0  
**Referenced In Project/Scope:**server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies +

- remotegui.zip: angularjs.jar: angular-locale\_en-fj.js.gz: angular-locale\_en-fj.js
  - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_en-fj.js.gz/angular-locale\_en-fj.js
  - MD5: a89f2405070252fafac3a8e452bfeec1
  - SHA1: 718ce268f8a659f151207cd0357b2a490505a8f8



- SHA256: 73a2de29ad39f681d54a827e208b65a54ae9bfe4b03b372f50555d998f57d8e0

#### Identifiers

- None

### remotegui.zip: angularjs.jar: angular-locale\_en-fk.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_en-fk.js

**MD5:** 47d0a7e07556e7fbbd340a68707195bb

**SHA1:** 0fec08c4b54bdcdd3a8fea0d0c31440a0a5f5197

**SHA256:** 5f561e3b163c51490c1606532bf05f3a37ed7e8f91ee71a8def918705589045d

**Referenced In Project/Scope:**server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Related Dependencies



- remotegui.zip: angularjs.jar: angular-locale\_en-fk.js.gz: angular-locale\_en-fk.js
  - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_en-fk.js.gz/angular-locale\_en-fk.js
  - MD5: 47d0a7e07556e7fbbd340a68707195bb
  - SHA1: 0fec08c4b54bdcdd3a8fea0d0c31440a0a5f5197
  - SHA256: 5f561e3b163c51490c1606532bf05f3a37ed7e8f91ee71a8def918705589045d

#### Identifiers

- None

### remotegui.zip: angularjs.jar: angular-locale\_en-fm.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_en-fm.js

**MD5:** 181249aeca65203f2800c1d3ea4baeab



**SHA1:** b4857f779336d4d9ce1efa8463592494c78dd85b  
**SHA256:** a071269cf3e6fe85f9801484c29f316f2c64d6523b0bfbff3d7c1d21a8ae31e9  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Related Dependencies



- remotegui.zip: angularjs.jar: angular-locale\_en-fm.js.gz: angular-locale\_en-fm.js
  - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_en-fm.js.gz/angular-locale\_en-fm.js
  - MD5: 181249aeca65203f2800c1d3ea4baeab
  - SHA1: b4857f779336d4d9ce1efa8463592494c78dd85b
  - SHA256: a071269cf3e6fe85f9801484c29f316f2c64d6523b0bfbff3d7c1d21a8ae31e9

#### Identifiers

- None

### remotegui.zip: angularjs.jar: angular-locale\_en-gb.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_en-gb.js  
**MD5:** 6ea8b85f204a0adfb986b2210bbbff77  
**SHA1:** cad08a66f072eeec2936dea7e43736eaa748d8de  
**SHA256:** 5efeb6deaa4cb21cf8a961caa44a2f061a854fa332477fa1f11f5380dabc89a0  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Related Dependencies



- remotegui.zip: angularjs.jar: angular-locale\_en-gb.js.gz: angular-locale\_en-gb.js
  - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_en-gb.js.gz/angular-locale\_en-gb.js
  - MD5: 6ea8b85f204a0adfb986b2210bbbff77
  - SHA1: cad08a66f072eeec2936dea7e43736eaa748d8de



- SHA256: 5efeb6deaa4cb21cf8a961caa44a2f061a854fa332477fa1f11f5380dabc89a0

#### Identifiers

- None

### remotegui.zip: angularjs.jar: angular-locale\_en-gd.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_en-gd.js

**MD5:** ffbe7afd1baacc2583aae68419257909

**SHA1:** 8392bbc283b997738055555bfa74336cbfa64cd2

**SHA256:** e6ce1f479e8ce01885b35df7f76abbbee812a977328dbc30a58daa6347c95e585

**Referenced In Project/Scope:**server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Related Dependencies



- remotegui.zip: angularjs.jar: angular-locale\_en-gd.js.gz: angular-locale\_en-gd.js
  - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_en-gd.js.gz/angular-locale\_en-gd.js
  - MD5: ffbe7afd1baacc2583aae68419257909
  - SHA1: 8392bbc283b997738055555bfa74336cbfa64cd2
  - SHA256: e6ce1f479e8ce01885b35df7f76abbbee812a977328dbc30a58daa6347c95e585

#### Identifiers

- None

### remotegui.zip: angularjs.jar: angular-locale\_en-gg.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_en-gg.js

**MD5:** 1d07d813675c924002fe3bdab00e2933



**SHA1:** 7efcb58e0452d441e05808c6c28aff70184fae80  
**SHA256:**c1ba0f0e540792c689060123602b53fa81b0d3966d6ee2ba0da1c3e5b5135044  
**Referenced In Project/Scope:**server

Evidence <span>+</span>				
Type	Source	Name	Value	Confidence

Related Dependencies +

- remotegui.zip: angularjs.jar: angular-locale\_en-gg.js.gz: angular-locale\_en-gg.js
  - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_en-gg.js.gz/angular-locale\_en-gg.js
  - MD5: 1d07d813675c924002fe3bdab00e2933
  - SHA1: 7efcb58e0452d441e05808c6c28aff70184fae80
  - SHA256: c1ba0f0e540792c689060123602b53fa81b0d3966d6ee2ba0da1c3e5b5135044

Identifiers

- None

remotegui.zip: angularjs.jar: angular-locale\_en-gh.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_en-gh.js  
**MD5:** 5a45b2c907cd2c26cbebb520c4336246  
**SHA1:** 7ee779d08b6c17c2dbf106f0b8e0d3f9aefcbcfce  
**SHA256:**cea1a6fe9b67108943d914536883ef94f43ecbf86801a8effd3c9f1200e9e51d  
**Referenced In Project/Scope:**server

Evidence <span>+</span>				
Type	Source	Name	Value	Confidence

Related Dependencies +

- remotegui.zip: angularjs.jar: angular-locale\_en-gh.js.gz: angular-locale\_en-gh.js
  - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_en-gh.js.gz/angular-locale\_en-gh.js
  - MD5: 5a45b2c907cd2c26cbebb520c4336246
  - SHA1: 7ee779d08b6c17c2dbf106f0b8e0d3f9aefcbcfce



- SHA256: cea1a6fe9b67108943d914536883ef94f43ecbf86801a8effd3c9f1200e9e51d

#### Identifiers

- None

### remotegui.zip: angularjs.jar: angular-locale\_en-gi.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_en-gi.js

**MD5:** b84d9e1180a114239ae28aa2c6f3a5cf

**SHA1:** b8d0281cd1e42ccc8697c955ddd12f30b21a6c06

**SHA256:** 5358c7d26faa7338d5d757aece824385450f81a919aaf00d9dfb0a38c912ba69

**Referenced In Project/Scope:**server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Related Dependencies



- remotegui.zip: angularjs.jar: angular-locale\_en-gi.js.gz: angular-locale\_en-gi.js
  - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_en-gi.js.gz/angular-locale\_en-gi.js
  - MD5: b84d9e1180a114239ae28aa2c6f3a5cf
  - SHA1: b8d0281cd1e42ccc8697c955ddd12f30b21a6c06
  - SHA256: 5358c7d26faa7338d5d757aece824385450f81a919aaf00d9dfb0a38c912ba69

#### Identifiers

- None

### remotegui.zip: angularjs.jar: angular-locale\_en-gm.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_en-gm.js

**MD5:** 546d6c176b18ad6164773e359eb95bdd



**SHA1:** fdd488a87c6d4ed0f9d17503bc0ec2e6ed2dae5b  
**SHA256:** d631f1972d26fad466b7fbf870d5b740f9590fd4f870838c748e87948144fcf0  
**Referenced In Project/Scope:** server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies



- remotegui.zip: angularjs.jar: angular-locale\_en-gm.js.gz: angular-locale\_en-gm.js
  - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_en-gm.js.gz/angular-locale\_en-gm.js
  - MD5: 546d6c176b18ad6164773e359eb95bdd
  - SHA1: fdd488a87c6d4ed0f9d17503bc0ec2e6ed2dae5b
  - SHA256: d631f1972d26fad466b7fbf870d5b740f9590fd4f870838c748e87948144fcf0

Identifiers

- None

remotegui.zip: angularjs.jar: angular-locale\_en-gu.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_en-gu.js  
**MD5:** 23a206d5894387df030638f5f325bcc9  
**SHA1:** 193fb1286c2e16667ad3c0af676e15925107b3d0  
**SHA256:** 781c3673eb6bc9cbc92261098ae74b5f9c52c2c90b85dc029d6ac6819646ea67  
**Referenced In Project/Scope:** server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies



- remotegui.zip: angularjs.jar: angular-locale\_en-gu.js.gz: angular-locale\_en-gu.js
  - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_en-gu.js.gz/angular-locale\_en-gu.js
  - MD5: 23a206d5894387df030638f5f325bcc9
  - SHA1: 193fb1286c2e16667ad3c0af676e15925107b3d0



- SHA256: 781c3673eb6bc9cbc92261098ae74b5f9c52c2c90b85dc029d6ac6819646ea67

#### Identifiers

- None

### remotegui.zip: angularjs.jar: angular-locale\_en-gy.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_en-gy.js

**MD5:** 2d97a59e79fff71b8573d3d6e7bb1504

**SHA1:** be3d065df76038b14269fea6b32686475d514e92

**SHA256:** d5388e789453c448502a01ad268263b4bf1e4e3831bfa25a460836fd2a2bdb95

**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Related Dependencies



- remotegui.zip: angularjs.jar: angular-locale\_en-gy.js.gz: angular-locale\_en-gy.js
  - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_en-gy.js.gz/angular-locale\_en-gy.js
  - MD5: 2d97a59e79fff71b8573d3d6e7bb1504
  - SHA1: be3d065df76038b14269fea6b32686475d514e92
  - SHA256: d5388e789453c448502a01ad268263b4bf1e4e3831bfa25a460836fd2a2bdb95

#### Identifiers

- None

### remotegui.zip: angularjs.jar: angular-locale\_en-hk.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_en-hk.js

**MD5:** 295fc16a9661bea218db8c1bc9fb45d1



**SHA1:** d06b40fc4b572761b811d4fb0bdef710bbb57360  
**SHA256:**29f933016356f03292fe81d371dc232273770d7bbc4d507e177e255fa0f9b7ac  
**Referenced In Project/Scope:**server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies +

- remotegui.zip: angularjs.jar: angular-locale\_en-hk.js.gz: angular-locale\_en-hk.js
  - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_en-hk.js.gz/angular-locale\_en-hk.js
  - MD5: 295fc16a9661bea218db8c1bc9fb45d1
  - SHA1: d06b40fc4b572761b811d4fb0bdef710bbb57360
  - SHA256: 29f933016356f03292fe81d371dc232273770d7bbc4d507e177e255fa0f9b7ac

Identifiers

- None

remotegui.zip: angularjs.jar: angular-locale\_en-ie.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_en-ie.js  
**MD5:** 374fd92d8aa3ff057b33dfd0568cb25d  
**SHA1:** 258bd43437e8f4be1a3f9b638ad78ebb65683667  
**SHA256:**2ca147c2c6adff3d7ffa880516e0e2e564b85bb2a25d5349d5344becb2421858  
**Referenced In Project/Scope:**server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies +

- remotegui.zip: angularjs.jar: angular-locale\_en-ie.js.gz: angular-locale\_en-ie.js
  - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_en-ie.js.gz/angular-locale\_en-ie.js
  - MD5: 374fd92d8aa3ff057b33dfd0568cb25d
  - SHA1: 258bd43437e8f4be1a3f9b638ad78ebb65683667



- SHA256: 2ca147c2c6adff3d7ffa880516e0e2e564b85bb2a25d5349d5344becb2421858

#### Identifiers

- None

### remotegui.zip: angularjs.jar: angular-locale\_en-il.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_en-il.js

**MD5:** 404fddd2c53e27ae8581f17fe37bc8c8

**SHA1:** 80aeb426326101ad8442346708893971d3517727

**SHA256:** de19c1adab2c50ff23038fa4a700c69a6ab016579dc17af95773a222353d4a7f

**Referenced In Project/Scope:**server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Related Dependencies



- remotegui.zip: angularjs.jar: angular-locale\_en-il.js.gz: angular-locale\_en-il.js
  - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_en-il.js.gz/angular-locale\_en-il.js
  - MD5: 404fddd2c53e27ae8581f17fe37bc8c8
  - SHA1: 80aeb426326101ad8442346708893971d3517727
  - SHA256: de19c1adab2c50ff23038fa4a700c69a6ab016579dc17af95773a222353d4a7f

#### Identifiers

- None

### remotegui.zip: angularjs.jar: angular-locale\_en-im.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_en-im.js

**MD5:** 9518c8daa28df0f6daeba1d0ad8954c3



**SHA1:** 5884de9476e3214b9fef45e8b7a7e3d5aaa831cc  
**SHA256:**afdb0dd6fbed0efacca70cc77ab44a88a98c77952af362bcfa5fae65fd3f43f7  
**Referenced In Project/Scope:**server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies



- remotegui.zip: angularjs.jar: angular-locale\_en-im.js.gz: angular-locale\_en-im.js
  - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_en-im.js.gz/angular-locale\_en-im.js
  - MD5: 9518c8daa28df0f6daeba1d0ad8954c3
  - SHA1: 5884de9476e3214b9fef45e8b7a7e3d5aaa831cc
  - SHA256: afdb0dd6fbed0efacca70cc77ab44a88a98c77952af362bcfa5fae65fd3f43f7

Identifiers

- None

remotegui.zip: angularjs.jar: angular-locale\_en-in.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_en-in.js  
**MD5:** 6fb84ac0389213ee0bd3e793fa299b6f  
**SHA1:** b9baf1b6e72e70c5f051c21e18535d6f14cde906  
**SHA256:**4864c14965a133c27eaf3f4bc6f120d5e6b27eaeaf2d10939316ece304ab9  
**Referenced In Project/Scope:**server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies



- remotegui.zip: angularjs.jar: angular-locale\_en-in.js.gz: angular-locale\_en-in.js
  - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_en-in.js.gz/angular-locale\_en-in.js
  - MD5: 6fb84ac0389213ee0bd3e793fa299b6f
  - SHA1: b9baf1b6e72e70c5f051c21e18535d6f14cde906



- SHA256: 4864c14965a133c27eaf3f4bcaf6f120d5e6b27eaeaef2d10939316ece304ab9

#### Identifiers

- None

### remotegui.zip: angularjs.jar: angular-locale\_en-io.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_en-io.js

**MD5:** 133f58047b5f8b21f79dcf2c26e38560

**SHA1:** b33cc5849ac18ddd56fb6f07b00ff791ba4c96a3

**SHA256:** ec5b2f5742cc7b2edf8fd76a6740692ddee630aca9db619e7edce75a1849213d

**Referenced In Project/Scope:**server

#### Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Related Dependencies

- remotegui.zip: angularjs.jar: angular-locale\_en-io.js.gz: angular-locale\_en-io.js
  - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_en-io.js.gz/angular-locale\_en-io.js
  - MD5: 133f58047b5f8b21f79dcf2c26e38560
  - SHA1: b33cc5849ac18ddd56fb6f07b00ff791ba4c96a3
  - SHA256: ec5b2f5742cc7b2edf8fd76a6740692ddee630aca9db619e7edce75a1849213d

#### Identifiers

- None

### remotegui.zip: angularjs.jar: angular-locale\_en-iso.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_en-iso.js

**MD5:** 493837144c4d42b965f47836dcbc8a8e



**SHA1:** d28f88a7449000cbc3e1200ca64c4769bcdd4231  
**SHA256:**d391618ea87a02e9ac79dc8524aac23aaa7a805085de0345c502766e74375790  
**Referenced In Project/Scope:**server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies +

- remotegui.zip: angularjs.jar: angular-locale\_en-iso.js.gz: angular-locale\_en-iso.js
  - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_en-iso.js.gz/angular-locale\_en-iso.js
  - MD5: 493837144c4d42b965f47836dcbc8a8e
  - SHA1: d28f88a7449000cbc3e1200ca64c4769bcdd4231
  - SHA256: d391618ea87a02e9ac79dc8524aac23aaa7a805085de0345c502766e74375790

Identifiers

- None

remotegui.zip: angularjs.jar: angular-locale\_en-je.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_en-je.js  
**MD5:** d02faa4eff3949f63b7d2922971a75e9  
**SHA1:** cb1ddd82064272abc4255ccdfbe9aa088a5380d6  
**SHA256:**33e88ecbd1c57d5bfd19508dba60b4df5f3be30b9fd8c0b05099580fea4dc258  
**Referenced In Project/Scope:**server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies +

- remotegui.zip: angularjs.jar: angular-locale\_en-je.js.gz: angular-locale\_en-je.js
  - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_en-je.js.gz/angular-locale\_en-je.js
  - MD5: d02faa4eff3949f63b7d2922971a75e9
  - SHA1: cb1ddd82064272abc4255ccdfbe9aa088a5380d6



- SHA256: 33e88ecbd1c57d5bfd19508dba60b4df5f3be30b9fd8c0b05099580fea4dc258

#### Identifiers

- None

### remotegui.zip: angularjs.jar: angular-locale\_en-jm.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_en-jm.js

**MD5:** f6186b891b3bcca01627dc9c47b7e6d5

**SHA1:** 30c39f75ae71b3853b3729b0525ef34f8b9c01d5

**SHA256:** b56e3b6d5252976a079f271ead9847037ec53d98fe9b8806697458033eb1c97d

**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Related Dependencies



- remotegui.zip: angularjs.jar: angular-locale\_en-jm.js.gz: angular-locale\_en-jm.js
  - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_en-jm.js.gz/angular-locale\_en-jm.js
  - MD5: f6186b891b3bcca01627dc9c47b7e6d5
  - SHA1: 30c39f75ae71b3853b3729b0525ef34f8b9c01d5
  - SHA256: b56e3b6d5252976a079f271ead9847037ec53d98fe9b8806697458033eb1c97d

#### Identifiers

- None

### remotegui.zip: angularjs.jar: angular-locale\_en-ke.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_en-ke.js

**MD5:** 26b539d024c2df55297fcf3e44db5d4d



**SHA1:** 41b7c6f70287368353ff0ac953a8daa5d544d3da  
**SHA256:**c82e5985b7645dbb2cb3f48288a2c525b4cae1010ffb4402b166f74c94da3d2f  
**Referenced In Project/Scope:**server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies

- remotegui.zip: angularjs.jar: angular-locale\_en-ke.js.gz: angular-locale\_en-ke.js
  - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_en-ke.js.gz/angular-locale\_en-ke.js
  - MD5: 26b539d024c2df55297fcf3e44db5d4d
  - SHA1: 41b7c6f70287368353ff0ac953a8daa5d544d3da
  - SHA256: c82e5985b7645dbb2cb3f48288a2c525b4cae1010ffb4402b166f74c94da3d2f

Identifiers

- None

remotegui.zip: angularjs.jar: angular-locale\_en-ki.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_en-ki.js  
**MD5:** 88cda491801f8b690a353c52c2d2a71c  
**SHA1:** 3b612efce943d15f373acc2e7f6360364110dbb7  
**SHA256:**d173dd1067e2f9dd6bc3f39561cf6ed32e44cc8ea78c369d6a48d4db395c02bc  
**Referenced In Project/Scope:**server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies

- remotegui.zip: angularjs.jar: angular-locale\_en-ki.js.gz: angular-locale\_en-ki.js
  - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_en-ki.js.gz/angular-locale\_en-ki.js
  - MD5: 88cda491801f8b690a353c52c2d2a71c
  - SHA1: 3b612efce943d15f373acc2e7f6360364110dbb7



- SHA256: d173dd1067e2f9dd6bc3f39561cf6ed32e44cc8ea78c369d6a48d4db395c02bc

#### Identifiers

- None

### remotegui.zip: angularjs.jar: angular-locale\_en-kn.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_en-kn.js

**MD5:** 8d35634a7791b5df84f0eed46913c60d

**SHA1:** 47620f48aad7f70c46833ed02ec36c8012690bf6

**SHA256:** 6b3318cc27bae55a11b56bd6ba3283840227c1149d6c858c0e02a0fad3ba8e35

**Referenced In Project/Scope:**server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Related Dependencies



- remotegui.zip: angularjs.jar: angular-locale\_en-kn.js.gz: angular-locale\_en-kn.js
  - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_en-kn.js.gz/angular-locale\_en-kn.js
  - MD5: 8d35634a7791b5df84f0eed46913c60d
  - SHA1: 47620f48aad7f70c46833ed02ec36c8012690bf6
  - SHA256: 6b3318cc27bae55a11b56bd6ba3283840227c1149d6c858c0e02a0fad3ba8e35

#### Identifiers

- None

### remotegui.zip: angularjs.jar: angular-locale\_en-ky.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_en-ky.js

**MD5:** 34f0a74c84652c8293dd090def84cd82



**SHA1:** e778acf22160c2544bde2fb7365da9767ef6e89d  
**SHA256:** 358c1aa4afc80f8f22f7cfadaec04e69eaba8b817e27f165ee22d7ea18c38dd4  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Related Dependencies



- remotegui.zip: angularjs.jar: angular-locale\_en-ky.js.gz: angular-locale\_en-ky.js
  - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_en-ky.js.gz/angular-locale\_en-ky.js
  - MD5: 34f0a74c84652c8293dd090def84cd82
  - SHA1: e778acf22160c2544bde2fb7365da9767ef6e89d
  - SHA256: 358c1aa4afc80f8f22f7cfadaec04e69eaba8b817e27f165ee22d7ea18c38dd4

#### Identifiers

- None

### remotegui.zip: angularjs.jar: angular-locale\_en-lc.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_en-lc.js  
**MD5:** 2190487917edcd207dd73db2ecf69523  
**SHA1:** bd1524a1f58d35e9629dae1a40bf889cc217cf47  
**SHA256:** dd00144e710d1cd8464477420e6db368d82e5d6b32531436fd92b24fd334635b  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Related Dependencies



- remotegui.zip: angularjs.jar: angular-locale\_en-lc.js.gz: angular-locale\_en-lc.js
  - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_en-lc.js.gz/angular-locale\_en-lc.js
  - MD5: 2190487917edcd207dd73db2ecf69523
  - SHA1: bd1524a1f58d35e9629dae1a40bf889cc217cf47



- SHA256: dd00144e710d1cd8464477420e6db368d82e5d6b32531436fd92b24fd334635b

#### Identifiers

- None

### remotegui.zip: angularjs.jar: angular-locale\_en-lr.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_en-lr.js

**MD5:** 5a79c02ec048b64f7b33ea118650ea53

**SHA1:** b008e61fcc080dd1caa3e0eb9c09b2bc9d6c094e

**SHA256:** 8593baa55b0fedf3c66123423be3e3813fd5545074f96997fb8d4dd9e6e82760

**Referenced In Project/Scope:**server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Related Dependencies



- remotegui.zip: angularjs.jar: angular-locale\_en-lr.js.gz: angular-locale\_en-lr.js
  - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_en-lr.js.gz/angular-locale\_en-lr.js
  - MD5: 5a79c02ec048b64f7b33ea118650ea53
  - SHA1: b008e61fcc080dd1caa3e0eb9c09b2bc9d6c094e
  - SHA256: 8593baa55b0fedf3c66123423be3e3813fd5545074f96997fb8d4dd9e6e82760

#### Identifiers

- None

### remotegui.zip: angularjs.jar: angular-locale\_en-ls.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_en-ls.js

**MD5:** f364e31d6cacf740d6042b96fa07bb23



**SHA1:** 6e302af7433406b5891e48dc965aea2a76db2f7a  
**SHA256:**5bcffca28781ad38a2c8a6853f1f9933386882f52f812540f86b1f2aa5af938b  
**Referenced In Project/Scope:**server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies

- remotegui.zip: angularjs.jar: angular-locale\_en-ls.js.gz: angular-locale\_en-ls.js
  - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_en-ls.js.gz/angular-locale\_en-ls.js
  - MD5: f364e31d6cacf740d6042b96fa07bb23
  - SHA1: 6e302af7433406b5891e48dc965aea2a76db2f7a
  - SHA256: 5bcffca28781ad38a2c8a6853f1f9933386882f52f812540f86b1f2aa5af938b

Identifiers

- None

remotegui.zip: angularjs.jar: angular-locale\_en-mg.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_en-mg.js  
**MD5:** a50a29b05946eff96d11a4e49c973697  
**SHA1:** a155f92673ab6d4270b7bd1e3613f772bf1234d6  
**SHA256:**43050dbee3417cf4eff12dd3e3462d20b32560a791bfdb788f7fbb27ef3d67f6  
**Referenced In Project/Scope:**server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies

- remotegui.zip: angularjs.jar: angular-locale\_en-mg.js.gz: angular-locale\_en-mg.js
  - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_en-mg.js.gz/angular-locale\_en-mg.js
  - MD5: a50a29b05946eff96d11a4e49c973697
  - SHA1: a155f92673ab6d4270b7bd1e3613f772bf1234d6



- SHA256: 43050dbee3417cf4eff12dd3e3462d20b32560a791bfdb788f7fbb27ef3d67f6

#### Identifiers

- None

### remotegui.zip: angularjs.jar: angular-locale\_en-mh.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_en-mh.js

**MD5:** fee4b0b12d7b2c6b5dfb616e79b2a3b2

**SHA1:** 59327c9cdb3b3230eb14cc531181e839419c92b1

**SHA256:** 4790a65b8b68a2abaf572661f4e7c36c6ce71f5144ad356c9764a5afa3e00c6b

**Referenced In Project/Scope:**server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Related Dependencies



- remotegui.zip: angularjs.jar: angular-locale\_en-mh.js.gz: angular-locale\_en-mh.js
  - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_en-mh.js.gz/angular-locale\_en-mh.js
  - MD5: fee4b0b12d7b2c6b5dfb616e79b2a3b2
  - SHA1: 59327c9cdb3b3230eb14cc531181e839419c92b1
  - SHA256: 4790a65b8b68a2abaf572661f4e7c36c6ce71f5144ad356c9764a5afa3e00c6b

#### Identifiers

- None

### remotegui.zip: angularjs.jar: angular-locale\_en-mo.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_en-mo.js

**MD5:** e27d506a2f59f4a8a6a3a80447a0e2ef



**SHA1:** f30a84d9ff9b6ff7d9993c7f1145c2355722865f  
**SHA256:** a87d7fa7a930ceb95b3294fb1fbe372badd093475c75742f3feac6b19fa0398f  
**Referenced In Project/Scope:** server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies

- remotegui.zip: angularjs.jar: angular-locale\_en-mo.js.gz: angular-locale\_en-mo.js
  - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_en-mo.js.gz/angular-locale\_en-mo.js
  - MD5: e27d506a2f59f4a8a6a3a80447a0e2ef
  - SHA1: f30a84d9ff9b6ff7d9993c7f1145c2355722865f
  - SHA256: a87d7fa7a930ceb95b3294fb1fbe372badd093475c75742f3feac6b19fa0398f

Identifiers

- None

remotegui.zip: angularjs.jar: angular-locale\_en-mp.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_en-mp.js  
**MD5:** e078ddc2d70d3e319c88cbdee803bb60  
**SHA1:** 6592feb877a971b6f9ca95f709ec976d192cfb1b  
**SHA256:** 4a741829f7999537a7a225e326df129ad071dc39928754689a9e1379e6b317cf  
**Referenced In Project/Scope:** server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies

- remotegui.zip: angularjs.jar: angular-locale\_en-mp.js.gz: angular-locale\_en-mp.js
  - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_en-mp.js.gz/angular-locale\_en-mp.js
  - MD5: e078ddc2d70d3e319c88cbdee803bb60
  - SHA1: 6592feb877a971b6f9ca95f709ec976d192cfb1b



- SHA256: 4a741829f7999537a7a225e326df129ad071dc39928754689a9e1379e6b317cf

#### Identifiers

- None

### remotegui.zip: angularjs.jar: angular-locale\_en-ms.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_en-ms.js

**MD5:** 93cce60bf4e7c674c117f51c6dcf2d60

**SHA1:** 086f5480ac3860cb25882fb84cf82574b687d3c6

**SHA256:** dfffa04fa380028042edd9f87d5c56695503f8e0996c70eae07280692d18805f

**Referenced In Project/Scope:**server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Related Dependencies



- remotegui.zip: angularjs.jar: angular-locale\_en-ms.js.gz: angular-locale\_en-ms.js
  - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_en-ms.js.gz/angular-locale\_en-ms.js
  - MD5: 93cce60bf4e7c674c117f51c6dcf2d60
  - SHA1: 086f5480ac3860cb25882fb84cf82574b687d3c6
  - SHA256: dfffa04fa380028042edd9f87d5c56695503f8e0996c70eae07280692d18805f

#### Identifiers

- None

### remotegui.zip: angularjs.jar: angular-locale\_en-mt.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_en-mt.js

**MD5:** 2912097fde3642706ec49e8c3480cfa6



**SHA1:** f57135318c1739fe77dc150d2af7f030311e725e  
**SHA256:** 7b3658e39c90448f74155355310f62bf930fe0643c5415879ec83901dcbd539f  
**Referenced In Project/Scope:**server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies

- remotegui.zip: angularjs.jar: angular-locale\_en-mt.js.gz: angular-locale\_en-mt.js
  - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_en-mt.js.gz/angular-locale\_en-mt.js
  - MD5: 2912097fde3642706ec49e8c3480cfa6
  - SHA1: f57135318c1739fe77dc150d2af7f030311e725e
  - SHA256: 7b3658e39c90448f74155355310f62bf930fe0643c5415879ec83901dcbd539f

Identifiers

- None

remotegui.zip: angularjs.jar: angular-locale\_en-mu.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_en-mu.js  
**MD5:** 2f68ff88cd21e1e04395e55dfb38156f  
**SHA1:** 472f80daeb0c5072f827bf6d806d330ea7d31240  
**SHA256:** 3abb9c2329ffa147d87b2715ca76f0885779e7305addfb7f61a49ff0a9328302  
**Referenced In Project/Scope:**server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies

- remotegui.zip: angularjs.jar: angular-locale\_en-mu.js.gz: angular-locale\_en-mu.js
  - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_en-mu.js.gz/angular-locale\_en-mu.js
  - MD5: 2f68ff88cd21e1e04395e55dfb38156f
  - SHA1: 472f80daeb0c5072f827bf6d806d330ea7d31240



- SHA256: 3abb9c2329ffa147d87b2715ca76f0885779e7305addfb7f61a49ff0a9328302

#### Identifiers

- None

### remotegui.zip: angularjs.jar: angular-locale\_en-mw.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_en-mw.js

**MD5:** 8f53e0175ac246203678154f71f2f970

**SHA1:** 6d46769925ec420bfb46f9c4bde90045b6156edc

**SHA256:** f1636e5dc67ff76cb32363169230f1024b78025df0d204c0a91ffe9d87fcec58

**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Related Dependencies



- remotegui.zip: angularjs.jar: angular-locale\_en-mw.js.gz: angular-locale\_en-mw.js
  - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_en-mw.js.gz/angular-locale\_en-mw.js
  - MD5: 8f53e0175ac246203678154f71f2f970
  - SHA1: 6d46769925ec420bfb46f9c4bde90045b6156edc
  - SHA256: f1636e5dc67ff76cb32363169230f1024b78025df0d204c0a91ffe9d87fcec58

#### Identifiers

- None

### remotegui.zip: angularjs.jar: angular-locale\_en-my.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_en-my.js

**MD5:** 8bb947dc639d4bf27122caed7633bff7



**SHA1:** 128ca0f9079a5cad961050a2a6b997065ceb37e7  
**SHA256:**d72d2a0e7acf154643777aa086bafb5fe93fcc320a4dd391ba11a314819f930a  
**Referenced In Project/Scope:**server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies

- remotegui.zip: angularjs.jar: angular-locale\_en-my.js.gz: angular-locale\_en-my.js
  - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_en-my.js.gz/angular-locale\_en-my.js
  - MD5: 8bb947dc639d4bf27122caed7633bff7
  - SHA1: 128ca0f9079a5cad961050a2a6b997065ceb37e7
  - SHA256: d72d2a0e7acf154643777aa086bafb5fe93fcc320a4dd391ba11a314819f930a

Identifiers

- None

remotegui.zip: angularjs.jar: angular-locale\_en-na.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_en-na.js  
**MD5:** d1827ea59b50d84b94a5784c4421678c  
**SHA1:** b554030c255a90415e04d148fe4729cf168a6987  
**SHA256:**e3ee7fd6c9f9fa7e63f45fbde03d4381000dcd2f5adcaf2ff04430a434e2b82  
**Referenced In Project/Scope:**server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies

- remotegui.zip: angularjs.jar: angular-locale\_en-na.js.gz: angular-locale\_en-na.js
  - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_en-na.js.gz/angular-locale\_en-na.js
  - MD5: d1827ea59b50d84b94a5784c4421678c
  - SHA1: b554030c255a90415e04d148fe4729cf168a6987



- SHA256: e3ee7fdf6c9f9fa7e63f45fbde03d4381000dcd2f5adcaf2ff04430a434e2b82

#### Identifiers

- None

### remotegui.zip: angularjs.jar: angular-locale\_en-nf.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_en-nf.js

**MD5:** eb62ca815c7aa97dffe2424a58c4debe

**SHA1:** 65545c686a96fd41c37203b155e8c77f3c77576e

**SHA256:** 180e70e26b2d5db3a9ced7c2860745752132101ef98b46b2cc3567879aadd541

**Referenced In Project/Scope:**server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Related Dependencies



- remotegui.zip: angularjs.jar: angular-locale\_en-nf.js.gz: angular-locale\_en-nf.js
  - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_en-nf.js.gz/angular-locale\_en-nf.js
  - MD5: eb62ca815c7aa97dffe2424a58c4debe
  - SHA1: 65545c686a96fd41c37203b155e8c77f3c77576e
  - SHA256: 180e70e26b2d5db3a9ced7c2860745752132101ef98b46b2cc3567879aadd541

#### Identifiers

- None

### remotegui.zip: angularjs.jar: angular-locale\_en-ng.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_en-ng.js

**MD5:** 720df526ec204f991bc3fb0e2a7f03f1



**SHA1:** 9a761f34a79a90bda84cdeb50d90ec97369f4fb5  
**SHA256:**20cdfe44ed2e0a28dffa53c4d548165677e863616a77f0e1b1a3029b53c92692  
**Referenced In Project/Scope:**server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies

- remotegui.zip: angularjs.jar: angular-locale\_en-ng.js.gz: angular-locale\_en-ng.js
  - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_en-ng.js.gz/angular-locale\_en-ng.js
  - MD5: 720df526ec204f991bc3fb0e2a7f03f1
  - SHA1: 9a761f34a79a90bda84cdeb50d90ec97369f4fb5
  - SHA256: 20cdfe44ed2e0a28dffa53c4d548165677e863616a77f0e1b1a3029b53c92692

Identifiers

- None

remotegui.zip: angularjs.jar: angular-locale\_en-nl.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_en-nl.js  
**MD5:** 0f3e13ff33f269686e0f875bc2d17039  
**SHA1:** 10c278ef128d935ee811807dae064215dee486a5  
**SHA256:**825586031930a51451b5a7f3ebe13d983bfdb8488d0faa947b9333ecb6a9f348  
**Referenced In Project/Scope:**server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies

- remotegui.zip: angularjs.jar: angular-locale\_en-nl.js.gz: angular-locale\_en-nl.js
  - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_en-nl.js.gz/angular-locale\_en-nl.js
  - MD5: 0f3e13ff33f269686e0f875bc2d17039
  - SHA1: 10c278ef128d935ee811807dae064215dee486a5



- SHA256: 825586031930a51451b5a7f3ebe13d983bfdb8488d0faa947b9333ecb6a9f348

#### Identifiers

- None

### remotegui.zip: angularjs.jar: angular-locale\_en-nr.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_en-nr.js

**MD5:** 5777cd64c597bb6abe3ac288461a8096

**SHA1:** 13b2f1a27e327ecf1ebe21ecce3db5cb0da319b8

**SHA256:** 1a2a20c4dcc3bfd40baf3d68ae456564ee9e9de2ebbdd997c84c4f111db7651

**Referenced In Project/Scope:**server

#### Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Related Dependencies

- remotegui.zip: angularjs.jar: angular-locale\_en-nr.js.gz: angular-locale\_en-nr.js
  - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_en-nr.js.gz/angular-locale\_en-nr.js
  - MD5: 5777cd64c597bb6abe3ac288461a8096
  - SHA1: 13b2f1a27e327ecf1ebe21ecce3db5cb0da319b8
  - SHA256: 1a2a20c4dcc3bfd40baf3d68ae456564ee9e9de2ebbdd997c84c4f111db7651

#### Identifiers

- None

### remotegui.zip: angularjs.jar: angular-locale\_en-nu.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_en-nu.js

**MD5:** 63a7269b66d1747a22e0b68f69203b6e



**SHA1:** efd9455998db8bcb8e04ff13bfdc9092c7c03bfc  
**SHA256:**32bb2fbb3841847682c63c0732dfb1464d755dc17eb3f5d568bae4e33fabaea0  
**Referenced In Project/Scope:**server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies

- remotegui.zip: angularjs.jar: angular-locale\_en-nu.js.gz: angular-locale\_en-nu.js
  - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_en-nu.js.gz/angular-locale\_en-nu.js
  - MD5: 63a7269b66d1747a22e0b68f69203b6e
  - SHA1: efd9455998db8bcb8e04ff13bfdc9092c7c03bfc
  - SHA256: 32bb2fbb3841847682c63c0732dfb1464d755dc17eb3f5d568bae4e33fabaea0

Identifiers

- None

remotegui.zip: angularjs.jar: angular-locale\_en-nz.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_en-nz.js  
**MD5:** c9a0b6747eb8ee32332afed0fd84adfa  
**SHA1:** 7abf4741349d3ebd37fcd7aab49ee1d1999dc17c  
**SHA256:**f37147e61460d1b5d50c4a00e00af63d233f361170d94863be4769d4c3c56abc  
**Referenced In Project/Scope:**server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies

- remotegui.zip: angularjs.jar: angular-locale\_en-nz.js.gz: angular-locale\_en-nz.js
  - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_en-nz.js.gz/angular-locale\_en-nz.js
  - MD5: c9a0b6747eb8ee32332afed0fd84adfa
  - SHA1: 7abf4741349d3ebd37fcd7aab49ee1d1999dc17c



- SHA256: f37147e61460d1b5d50c4a00e00af63d233f361170d94863be4769d4c3c56abc

#### Identifiers

- None

### remotegui.zip: angularjs.jar: angular-locale\_en-pg.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_en-pg.js

**MD5:** 3d8ae928f8cb726bc3e734c03923133d

**SHA1:** 6b9a369158d00245b41f42068d1e11d8bf9fb4a3

**SHA256:** 01d65192b8c7f72cd791f4fd35b1669d4dff03e6e194bf7fd0cfbcafd2bafcd4

**Referenced In Project/Scope:**server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Related Dependencies



- remotegui.zip: angularjs.jar: angular-locale\_en-pg.js.gz: angular-locale\_en-pg.js
  - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_en-pg.js.gz/angular-locale\_en-pg.js
  - MD5: 3d8ae928f8cb726bc3e734c03923133d
  - SHA1: 6b9a369158d00245b41f42068d1e11d8bf9fb4a3
  - SHA256: 01d65192b8c7f72cd791f4fd35b1669d4dff03e6e194bf7fd0cfbcafd2bafcd4

#### Identifiers

- None

### remotegui.zip: angularjs.jar: angular-locale\_en-ph.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_en-ph.js

**MD5:** 98562e045843fa5f9cc9b4f774800be9



**SHA1:** 01d1a98f559966a05923a74ee239c6bbeeb0fdac  
**SHA256:**abd840d5464317d062531ca754ff84c2c8162e98ac14e469bef48f2376efd562  
**Referenced In Project/Scope:**server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies

- remotegui.zip: angularjs.jar: angular-locale\_en-ph.js.gz: angular-locale\_en-ph.js
  - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_en-ph.js.gz/angular-locale\_en-ph.js
  - MD5: 98562e045843fa5f9cc9b4f774800be9
  - SHA1: 01d1a98f559966a05923a74ee239c6bbeeb0fdac
  - SHA256: abd840d5464317d062531ca754ff84c2c8162e98ac14e469bef48f2376efd562

Identifiers

- None

remotegui.zip: angularjs.jar: angular-locale\_en-pk.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_en-pk.js  
**MD5:** e7805cfd5cd4ef52205749516ff7fdb  
**SHA1:** f31277cce427fda09a585dd3d466ac26247159bb  
**SHA256:**50bd3243970237d706b146b2d594452a7a1f7e413b230627fdda98de6fbd9f83  
**Referenced In Project/Scope:**server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies

- remotegui.zip: angularjs.jar: angular-locale\_en-pk.js.gz: angular-locale\_en-pk.js
  - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_en-pk.js.gz/angular-locale\_en-pk.js
  - MD5: e7805cfd5cd4ef52205749516ff7fdb
  - SHA1: f31277cce427fda09a585dd3d466ac26247159bb



- SHA256: 50bd3243970237d706b146b2d594452a7a1f7e413b230627fdda98de6fbd9f83

#### Identifiers

- None

### remotegui.zip: angularjs.jar: angular-locale\_en-pn.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_en-pn.js

**MD5:** 4041b8020e379857ba372214b998fdac

**SHA1:** 60bc7b643de6278fab8b052d5785235eae7618d0

**SHA256:** b5529afcb826c8f19cf926b7184816174a1c34d7fbd714b48e33d3cc16440aa2

**Referenced In Project/Scope:**server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Related Dependencies



- remotegui.zip: angularjs.jar: angular-locale\_en-pn.js.gz: angular-locale\_en-pn.js
  - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_en-pn.js.gz/angular-locale\_en-pn.js
  - MD5: 4041b8020e379857ba372214b998fdac
  - SHA1: 60bc7b643de6278fab8b052d5785235eae7618d0
  - SHA256: b5529afcb826c8f19cf926b7184816174a1c34d7fbd714b48e33d3cc16440aa2

#### Identifiers

- None

### remotegui.zip: angularjs.jar: angular-locale\_en-pr.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_en-pr.js

**MD5:** ab52632060afba6abc3c9e81377895e2



**SHA1:** 0a8e45a54d5b774154dbf07ff392f2e544406e9a  
**SHA256:**27d706b59a6cd7f3442b594dfa1a31017011b58e0f70a6b4cea18d0faf043aae  
**Referenced In Project/Scope:**server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies

- remotegui.zip: angularjs.jar: angular-locale\_en-pr.js.gz: angular-locale\_en-pr.js
  - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_en-pr.js.gz/angular-locale\_en-pr.js
  - MD5: ab52632060afba6abc3c9e81377895e2
  - SHA1: 0a8e45a54d5b774154dbf07ff392f2e544406e9a
  - SHA256: 27d706b59a6cd7f3442b594dfa1a31017011b58e0f70a6b4cea18d0faf043aae

Identifiers

- None

remotegui.zip: angularjs.jar: angular-locale\_en-pw.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_en-pw.js  
**MD5:** 8bfd337d36c43c406c8d0eebca84035c  
**SHA1:** 854efab782bdfd822df55428828fbecb713c5b21  
**SHA256:**ae0730226c5c83b42af8486229b54f52d43c1b319a3fb24bf3616f57028ab249  
**Referenced In Project/Scope:**server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies

- remotegui.zip: angularjs.jar: angular-locale\_en-pw.js.gz: angular-locale\_en-pw.js
  - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_en-pw.js.gz/angular-locale\_en-pw.js
  - MD5: 8bfd337d36c43c406c8d0eebca84035c
  - SHA1: 854efab782bdfd822df55428828fbecb713c5b21



- SHA256: ae0730226c5c83b42af8486229b54f52d43c1b319a3fb24bf3616f57028ab249

#### Identifiers

- None

### remotegui.zip: angularjs.jar: angular-locale\_en-rw.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_en-rw.js

**MD5:** f02050cbefb8599d9f1d8133e1c2881c

**SHA1:** 504b5fbec7e4272fc012a130a4811e4968ae92e6

**SHA256:** 7a7bcb76e15724af6e326db97605451fa2313eeaf4fab496d6deda0ed66ac73

**Referenced In Project/Scope:**server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Related Dependencies



- remotegui.zip: angularjs.jar: angular-locale\_en-rw.js.gz: angular-locale\_en-rw.js
  - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_en-rw.js.gz/angular-locale\_en-rw.js
  - MD5: f02050cbefb8599d9f1d8133e1c2881c
  - SHA1: 504b5fbec7e4272fc012a130a4811e4968ae92e6
  - SHA256: 7a7bcb76e15724af6e326db97605451fa2313eeaf4fab496d6deda0ed66ac73

#### Identifiers

- None

### remotegui.zip: angularjs.jar: angular-locale\_en-sb.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_en-sb.js

**MD5:** 71cef8bbf635e294c54f1d7bc87e33ce



**SHA1:** dcbb8df528ddefa61a2004fd1c67637d119472ee  
**SHA256:**d5e8cc3d8d2bdb40016a59d49a84f5a7fdcdcde3fed0093c94059731b81cf154  
**Referenced In Project/Scope:**server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies

- remotegui.zip: angularjs.jar: angular-locale\_en-sb.js.gz: angular-locale\_en-sb.js
  - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_en-sb.js.gz/angular-locale\_en-sb.js
  - MD5: 71cef8bbf635e294c54f1d7bc87e33ce
  - SHA1: dcbb8df528ddefa61a2004fd1c67637d119472ee
  - SHA256: d5e8cc3d8d2bdb40016a59d49a84f5a7fdcdcde3fed0093c94059731b81cf154

Identifiers

- None

remotegui.zip: angularjs.jar: angular-locale\_en-sc.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_en-sc.js  
**MD5:** c100b99bcc47d6798e4996c468426557  
**SHA1:** d09b6f397d0d56519f34fcf6e1c30e68bc8bfcfc  
**SHA256:**933adb412e9375f2606d985b7fc6e1d66cbb6655c0db7bf23635f66d04eae086  
**Referenced In Project/Scope:**server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies

- remotegui.zip: angularjs.jar: angular-locale\_en-sc.js.gz: angular-locale\_en-sc.js
  - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_en-sc.js.gz/angular-locale\_en-sc.js
  - MD5: c100b99bcc47d6798e4996c468426557
  - SHA1: d09b6f397d0d56519f34fcf6e1c30e68bc8bfcfc



- SHA256: 933adb412e9375f2606d985b7fc6e1d66cbb6655c0db7bf23635f66d04eae086

#### Identifiers

- None

### remotegui.zip: angularjs.jar: angular-locale\_en-sd.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_en-sd.js

**MD5:** 363a5fd97529dd6fd5bf48299cb0ca2d

**SHA1:** 05c9a276a0e03f7a5f99de5cc8911583fd8fd60e

**SHA256:** 19c9e80d5aa7f4430507c41dd3c3dac2760c9696cdf3c1ddc215936f6871f17

**Referenced In Project/Scope:**server

#### Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Related Dependencies

- remotegui.zip: angularjs.jar: angular-locale\_en-sd.js.gz: angular-locale\_en-sd.js
  - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_en-sd.js.gz/angular-locale\_en-sd.js
  - MD5: 363a5fd97529dd6fd5bf48299cb0ca2d
  - SHA1: 05c9a276a0e03f7a5f99de5cc8911583fd8fd60e
  - SHA256: 19c9e80d5aa7f4430507c41dd3c3dac2760c9696cdf3c1ddc215936f6871f17

#### Identifiers

- None

### remotegui.zip: angularjs.jar: angular-locale\_en-se.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_en-se.js

**MD5:** 6ccfebb3556b960c7c558814e6a608df



**SHA1:** af54d58d5a0e35c71b895e5abbd1455dbbdc29e4  
**SHA256:**0000c616f2ead25aac4176e9884e50ec76c83ea5781ce0e01cb01bdf652527b2  
**Referenced In Project/Scope:**server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies

- remotegui.zip: angularjs.jar: angular-locale\_en-se.js.gz: angular-locale\_en-se.js
  - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_en-se.js.gz/angular-locale\_en-se.js
  - MD5: 6ccfebb3556b960c7c558814e6a608df
  - SHA1: af54d58d5a0e35c71b895e5abbd1455dbbdc29e4
  - SHA256: 0000c616f2ead25aac4176e9884e50ec76c83ea5781ce0e01cb01bdf652527b2

Identifiers

- None

remotegui.zip: angularjs.jar: angular-locale\_en-sg.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_en-sg.js  
**MD5:** ae22ea15f8bb24e0d0c9e6dddec0b672  
**SHA1:** 6f0cdd751764f05643c4679279edbd37dae264dd  
**SHA256:**a0eebd5d6d09bd574c14ed63f55652c82a1752f3131f8bbb670b47e860d3e596  
**Referenced In Project/Scope:**server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies

- remotegui.zip: angularjs.jar: angular-locale\_en-sg.js.gz: angular-locale\_en-sg.js
  - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_en-sg.js.gz/angular-locale\_en-sg.js
  - MD5: ae22ea15f8bb24e0d0c9e6dddec0b672
  - SHA1: 6f0cdd751764f05643c4679279edbd37dae264dd



- SHA256: a0eebd5d6d09bd574c14ed63f55652c82a1752f3131f8bbb670b47e860d3e596

#### Identifiers

- None

### remotegui.zip: angularjs.jar: angular-locale\_en-sh.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_en-sh.js

**MD5:** b4cb0d02f42d920661bb113c808b115a

**SHA1:** e0d29b7e52b6b708e2d30261a087d60b911326f8

**SHA256:** 3a64451482904f164f888aa920c9838901f3fbecaed5a01c871385b6557e0949

**Referenced In Project/Scope:**server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Related Dependencies



- remotegui.zip: angularjs.jar: angular-locale\_en-sh.js.gz: angular-locale\_en-sh.js
  - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_en-sh.js.gz/angular-locale\_en-sh.js
  - MD5: b4cb0d02f42d920661bb113c808b115a
  - SHA1: e0d29b7e52b6b708e2d30261a087d60b911326f8
  - SHA256: 3a64451482904f164f888aa920c9838901f3fbecaed5a01c871385b6557e0949

#### Identifiers

- None

### remotegui.zip: angularjs.jar: angular-locale\_en-si.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_en-si.js

**MD5:** e9d402b784a1688ddb92936f9c37ca3e



**SHA1:** 611fd49bdbc34adad7ad3b554c13bea217b8fd4e  
**SHA256:**b744e2cbd9e863448732596f0e9fa36fcf9f1027565be37278955b84982db35a  
**Referenced In Project/Scope:**server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies

- remotegui.zip: angularjs.jar: angular-locale\_en-si.js.gz: angular-locale\_en-si.js
  - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_en-si.js.gz/angular-locale\_en-si.js
  - MD5: e9d402b784a1688ddb92936f9c37ca3e
  - SHA1: 611fd49bdbc34adad7ad3b554c13bea217b8fd4e
  - SHA256: b744e2cbd9e863448732596f0e9fa36fcf9f1027565be37278955b84982db35a

Identifiers

- None

remotegui.zip: angularjs.jar: angular-locale\_en-sl.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_en-sl.js  
**MD5:** 0b84ae430b614c1efc3d280eb354b435  
**SHA1:** 03976fddc6cde0095067b7f620ac71369b75e8dc  
**SHA256:**fa4b45d2cc429f7066d38c591d91c3e40310fc8d18e78729755a1f3561875502  
**Referenced In Project/Scope:**server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies

- remotegui.zip: angularjs.jar: angular-locale\_en-sl.js.gz: angular-locale\_en-sl.js
  - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_en-sl.js.gz/angular-locale\_en-sl.js
  - MD5: 0b84ae430b614c1efc3d280eb354b435
  - SHA1: 03976fddc6cde0095067b7f620ac71369b75e8dc



- SHA256: fa4b45d2cc429f7066d38c591d91c3e40310fc8d18e78729755a1f3561875502

#### Identifiers

- None

### remotegui.zip: angularjs.jar: angular-locale\_en-ss.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_en-ss.js

**MD5:** 5954ec155af1aeaa0c07cf7cac5fb731

**SHA1:** 831684f4ba7b912a221ba09dd0779317c9ca5764

**SHA256:** 4109f251bf17950ab0fddca8130a8562bd3238c2e12eb67defcdda876b858ab4

**Referenced In Project/Scope:**server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Related Dependencies



- remotegui.zip: angularjs.jar: angular-locale\_en-ss.js.gz: angular-locale\_en-ss.js
  - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_en-ss.js.gz/angular-locale\_en-ss.js
  - MD5: 5954ec155af1aeaa0c07cf7cac5fb731
  - SHA1: 831684f4ba7b912a221ba09dd0779317c9ca5764
  - SHA256: 4109f251bf17950ab0fddca8130a8562bd3238c2e12eb67defcdda876b858ab4

#### Identifiers

- None

### remotegui.zip: angularjs.jar: angular-locale\_en-sx.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_en-sx.js

**MD5:** f43748527337e4980b291ad662c4ba84



**SHA1:** 765ec5768decb15185cd643156050d7044686cbc  
**SHA256:**6b5654a130e39a2db40dbd5e2803e69145c9456dc1982ff10eb654e12c5e059a  
**Referenced In Project/Scope:**server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies

- remotegui.zip: angularjs.jar: angular-locale\_en-sx.js.gz: angular-locale\_en-sx.js
  - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_en-sx.js.gz/angular-locale\_en-sx.js
  - MD5: f43748527337e4980b291ad662c4ba84
  - SHA1: 765ec5768decb15185cd643156050d7044686cbc
  - SHA256: 6b5654a130e39a2db40dbd5e2803e69145c9456dc1982ff10eb654e12c5e059a

Identifiers

- None

remotegui.zip: angularjs.jar: angular-locale\_en-sz.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_en-sz.js  
**MD5:** a581edc90a0da38b4f83b4a80735b531  
**SHA1:** 94d4a52de1b48c27069b34ebb5fa4495f47f150a  
**SHA256:**f49f800ce8a77dd8d7277335bb51aa9712546f0fe2399170d98555993bb07b27  
**Referenced In Project/Scope:**server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies

- remotegui.zip: angularjs.jar: angular-locale\_en-sz.js.gz: angular-locale\_en-sz.js
  - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_en-sz.js.gz/angular-locale\_en-sz.js
  - MD5: a581edc90a0da38b4f83b4a80735b531
  - SHA1: 94d4a52de1b48c27069b34ebb5fa4495f47f150a



- SHA256: f49f800ce8a77dd8d7277335bb51aa9712546f0fe2399170d98555993bb07b27

#### Identifiers

- None

### remotegui.zip: angularjs.jar: angular-locale\_en-tc.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_en-tc.js

**MD5:** 3db75244c29ae9d5491815af882b04a7

**SHA1:** 39550fad526a2d3140c48c68cbdfca51273a3c5e

**SHA256:** bd45d8d3d13b3792591fe92c7f81ed1ab64389a190b2d9cf4a69c295ff68b16f

**Referenced In Project/Scope:**server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Related Dependencies



- remotegui.zip: angularjs.jar: angular-locale\_en-tc.js.gz: angular-locale\_en-tc.js
  - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_en-tc.js.gz/angular-locale\_en-tc.js
  - MD5: 3db75244c29ae9d5491815af882b04a7
  - SHA1: 39550fad526a2d3140c48c68cbdfca51273a3c5e
  - SHA256: bd45d8d3d13b3792591fe92c7f81ed1ab64389a190b2d9cf4a69c295ff68b16f

#### Identifiers

- None

### remotegui.zip: angularjs.jar: angular-locale\_en-tk.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_en-tk.js

**MD5:** e24680520ced4e13c2237db0a5c15ebc



**SHA1:** 96afa8b22615d697fcb6dd8fb984874e6ea5e3cb  
**SHA256:**f411926fcbc0f7c20f0ec1cbf318c180c908baa4e3216a0d6f327c7f886bac5a  
**Referenced In Project/Scope:**server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies

- remotegui.zip: angularjs.jar: angular-locale\_en-tk.js.gz: angular-locale\_en-tk.js
  - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_en-tk.js.gz/angular-locale\_en-tk.js
  - MD5: e24680520ced4e13c2237db0a5c15ebc
  - SHA1: 96afa8b22615d697fcb6dd8fb984874e6ea5e3cb
  - SHA256: f411926fcbc0f7c20f0ec1cbf318c180c908baa4e3216a0d6f327c7f886bac5a

Identifiers

- None

remotegui.zip: angularjs.jar: angular-locale\_en-to.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_en-to.js  
**MD5:** 0fecd445541d6635425dbcdc0b938cf7  
**SHA1:** 9c640f62723ce0db252108b7f3ea4267ce727e13  
**SHA256:**db50789c9531993f126c70ebbe115958dad41ee451c0221b99d42a3540917940  
**Referenced In Project/Scope:**server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies

- remotegui.zip: angularjs.jar: angular-locale\_en-to.js.gz: angular-locale\_en-to.js
  - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_en-to.js.gz/angular-locale\_en-to.js
  - MD5: 0fecd445541d6635425dbcdc0b938cf7
  - SHA1: 9c640f62723ce0db252108b7f3ea4267ce727e13



- SHA256: db50789c9531993f126c70ebbe115958dad41ee451c0221b99d42a3540917940

#### Identifiers

- None

### remotegui.zip: angularjs.jar: angular-locale\_en-tt.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_en-tt.js

**MD5:** f65148b2289aff243fec056ff72aa815

**SHA1:** 538954fe91d1edabfa39748ad02d6f3992be4bd4

**SHA256:** d8dce31f5dbce53bb8ebf0b5ded21e399d784c05bdb5b08637aff91b029bdd05

**Referenced In Project/Scope:**server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Related Dependencies



- remotegui.zip: angularjs.jar: angular-locale\_en-tt.js.gz: angular-locale\_en-tt.js
  - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_en-tt.js.gz/angular-locale\_en-tt.js
  - MD5: f65148b2289aff243fec056ff72aa815
  - SHA1: 538954fe91d1edabfa39748ad02d6f3992be4bd4
  - SHA256: d8dce31f5dbce53bb8ebf0b5ded21e399d784c05bdb5b08637aff91b029bdd05

#### Identifiers

- None

### remotegui.zip: angularjs.jar: angular-locale\_en-tv.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_en-tv.js

**MD5:** eced905f5deb3c0cff2b1b7910f66033



**SHA1:** 1c37b4674c2050ca9222cd249bc3928389868851  
**SHA256:** ae1066b8781dbdb646fe0ad8faa23f9f56641f6f4a9a87ea14778e2936e4088e  
**Referenced In Project/Scope:** server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies

- remotegui.zip: angularjs.jar: angular-locale\_en-tv.js.gz: angular-locale\_en-tv.js
  - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_en-tv.js.gz/angular-locale\_en-tv.js
  - MD5: eced905f5deb3c0cff2b1b7910f66033
  - SHA1: 1c37b4674c2050ca9222cd249bc3928389868851
  - SHA256: ae1066b8781dbdb646fe0ad8faa23f9f56641f6f4a9a87ea14778e2936e4088e

Identifiers

- None

remotegui.zip: angularjs.jar: angular-locale\_en-tz.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_en-tz.js  
**MD5:** 2e7ea0070e4e20eb18b04aa49274488c  
**SHA1:** 256085b7176cec1f99d7681581c19712c9ec8f6d  
**SHA256:** 3bc3d40e9d7e18a4d744e879e25cbfff0ba35b1ebbc0f4f96102db75772e35b1  
**Referenced In Project/Scope:** server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies

- remotegui.zip: angularjs.jar: angular-locale\_en-tz.js.gz: angular-locale\_en-tz.js
  - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_en-tz.js.gz/angular-locale\_en-tz.js
  - MD5: 2e7ea0070e4e20eb18b04aa49274488c
  - SHA1: 256085b7176cec1f99d7681581c19712c9ec8f6d



- SHA256: 3bc3d40e9d7e18a4d744e879e25cbfff0ba35b1ebbc0f4f96102db75772e35b1

#### Identifiers

- None

### remotegui.zip: angularjs.jar: angular-locale\_en-ug.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_en-ug.js

**MD5:** 63febb5adc8854d819251d472bec88eb

**SHA1:** 7724a606b37976459df431b5309da0409346f200

**SHA256:** 87925888137f44ba81bfb80865e805017bc73cd381311e5f12715bc144b8f9b9

**Referenced In Project/Scope:**server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Related Dependencies



- remotegui.zip: angularjs.jar: angular-locale\_en-ug.js.gz: angular-locale\_en-ug.js
  - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_en-ug.js.gz/angular-locale\_en-ug.js
  - MD5: 63febb5adc8854d819251d472bec88eb
  - SHA1: 7724a606b37976459df431b5309da0409346f200
  - SHA256: 87925888137f44ba81bfb80865e805017bc73cd381311e5f12715bc144b8f9b9

#### Identifiers

- None

### remotegui.zip: angularjs.jar: angular-locale\_en-um.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_en-um.js

**MD5:** 1c93915c43a8d216431f123563cf29af



**SHA1:** e66f2f715ce20ef8c7575ea115f07d2bdfe9f287  
**SHA256:**13d9fad774d53faa8dfe914afbf57b3083d82a9c22649b776bce1f5a1d0a172f  
**Referenced In Project/Scope:**server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies

- remotegui.zip: angularjs.jar: angular-locale\_en-um.js.gz: angular-locale\_en-um.js
  - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_en-um.js.gz/angular-locale\_en-um.js
  - MD5: 1c93915c43a8d216431f123563cf29af
  - SHA1: e66f2f715ce20ef8c7575ea115f07d2bdfe9f287
  - SHA256: 13d9fad774d53faa8dfe914afbf57b3083d82a9c22649b776bce1f5a1d0a172f

Identifiers

- None

remotegui.zip: angularjs.jar: angular-locale\_en-us-posix.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_en-us-posix.js  
**MD5:** f70d3965a378ac831d75ecc97611ed80  
**SHA1:** f678976abb3553312c07ee4d475faf0d90b18d9c  
**SHA256:**2924c6b446ad09b73bed6a3f92110ef419130e529e4c49ddf07afa8580157b02  
**Referenced In Project/Scope:**server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies

- remotegui.zip: angularjs.jar: angular-locale\_en-us-posix.js.gz: angular-locale\_en-us-posix.js
  - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_en-us-posix.js.gz/angular-locale\_en-us-posix.js
  - MD5: f70d3965a378ac831d75ecc97611ed80



- SHA1: f678976abb3553312c07ee4d475faf0d90b18d9c
- SHA256: 2924c6b446ad09b73bed6a3f92110ef419130e529e4c49ddf07afa8580157b02

#### Identifiers

- None

### remotegui.zip: angularjs.jar: angular-locale\_en-us.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_en-us.js

**MD5:** 4e84db290d2e1743fa3b8a199683c146

**SHA1:** 78af36433234f9899fce2c12595b3864ae7ed98f

**SHA256:** be1a99b11acde26fa93149b45583b86994c7d7e388ffd24b0b4da17eb7d33f4b

**Referenced In Project/Scope:**server

#### Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Related Dependencies

- remotegui.zip: angularjs.jar: angular-locale\_en-us.js.gz: angular-locale\_en-us.js
  - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_en-us.js.gz/angular-locale\_en-us.js
  - MD5: 4e84db290d2e1743fa3b8a199683c146
  - SHA1: 78af36433234f9899fce2c12595b3864ae7ed98f
  - SHA256: be1a99b11acde26fa93149b45583b86994c7d7e388ffd24b0b4da17eb7d33f4b

#### Identifiers

- None

### remotegui.zip: angularjs.jar: angular-locale\_en-vc.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_en-vc.js

**MD5:** 413a77051bde6c6e8bb29a3300fb1795

**SHA1:** d1c2a433040792b312ce515bb2650a2bad60c8e0



**SHA256:**dad40b3f0c5166a6d5f874476938194417aea941a12ffdda63593ce135bea34  
**Referenced In Project/Scope:**server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies



- remotegui.zip: angularjs.jar: angular-locale\_en-vc.js.gz: angular-locale\_en-vc.js
  - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_en-vc.js.gz/angular-locale\_en-vc.js
  - MD5: 413a77051bde6c6e8bb29a3300fb1795
  - SHA1: d1c2a433040792b312ce515bb2650a2bad60c8e0
  - SHA256: dad40b3f0c5166a6d5f874476938194417aea941a12ffdda63593ce135bea34

Identifiers

- None

remotegui.zip: angularjs.jar: angular-locale\_en-vg.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_en-vg.js  
**MD5:** 2844380042ff8b66391b8fb0fb06c9d0  
**SHA1:** bc974c11f577d4a79333a1bc7d5556aa65df5a5e  
**SHA256:** ef361d206867753f01bd0e2ca7ecf532bdec33bd85648fe58f2921b69d369f96  
**Referenced In Project/Scope:**server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies



- remotegui.zip: angularjs.jar: angular-locale\_en-vg.js.gz: angular-locale\_en-vg.js
  - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_en-vg.js.gz/angular-locale\_en-vg.js
  - MD5: 2844380042ff8b66391b8fb0fb06c9d0
  - SHA1: bc974c11f577d4a79333a1bc7d5556aa65df5a5e
  - SHA256: ef361d206867753f01bd0e2ca7ecf532bdec33bd85648fe58f2921b69d369f96



### Identifiers

- None

## remotegui.zip: angularjs.jar: angular-locale\_en-vi.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_en-vi.js

**MD5:** 571234bd261af3d85c6e4ca83310246c

**SHA1:** 9e8e7d5378a882ad44545e41e48c6686a7ac8224

**SHA256:** da7c7cab190ef7d06b26ad4c7ae7bebd8cc8822cf8b8ab3dc1133c4e0857cf3

**Referenced In Project/Scope:**server

### Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Related Dependencies

- remotegui.zip: angularjs.jar: angular-locale\_en-vi.js.gz: angular-locale\_en-vi.js
  - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_en-vi.js.gz/angular-locale\_en-vi.js
  - MD5: 571234bd261af3d85c6e4ca83310246c
  - SHA1: 9e8e7d5378a882ad44545e41e48c6686a7ac8224
  - SHA256: da7c7cab190ef7d06b26ad4c7ae7bebd8cc8822cf8b8ab3dc1133c4e0857cf3

### Identifiers

- None

## remotegui.zip: angularjs.jar: angular-locale\_en-vu.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_en-vu.js

**MD5:** 5df230a27f3c3110e6b76a33f058eac

**SHA1:** 88c0c95379ed93a2fa35eb628c7d67f9a78137b3

**SHA256:** 807bb9fad0bd37fa626421deaefecfd020aed345257566f9c07f8e04a3efb1c4

**Referenced In Project/Scope:**server



## Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

## Related Dependencies



- remotegui.zip: angularjs.jar: angular-locale\_en-vu.js.gz: angular-locale\_en-vu.js
  - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_en-vu.js.gz/angular-locale\_en-vu.js
  - MD5: 5df230a27f3c110e6b76a33f058eac
  - SHA1: 88c0c95379ed93a2fa35eb628c7d67f9a78137b3
  - SHA256: 807bb9fad0bd37fa626421deaefecfd020aed345257566f9c07f8e04a3efb1c4

## Identifiers

- None

## remotegui.zip: angularjs.jar: angular-locale\_en-ws.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_en-ws.js

**MD5:** bf9d50895a527692c777100ce8f84ce5

**SHA1:** fbcf0a58e1f81c3bce1b2519e8ed131c5825eed9

**SHA256:** 02746bf5dceeff4f17a8f1b48ca9e01a733a70336b2b216acb124b179efba5d0

**Referenced In Project/Scope:**server

## Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

## Related Dependencies



- remotegui.zip: angularjs.jar: angular-locale\_en-ws.js.gz: angular-locale\_en-ws.js
  - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_en-ws.js.gz/angular-locale\_en-ws.js
  - MD5: bf9d50895a527692c777100ce8f84ce5
  - SHA1: fbcf0a58e1f81c3bce1b2519e8ed131c5825eed9
  - SHA256: 02746bf5dceeff4f17a8f1b48ca9e01a733a70336b2b216acb124b179efba5d0



### Identifiers

- None

## remotegui.zip: angularjs.jar: angular-locale\_en-xa.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_en-xa.js

**MD5:** b4889fa7f7ce616dd60e947f7ef5565c

**SHA1:** 1b2bc43ce9df3a7663dbd43898ae19a5b7317912

**SHA256:** 81a57d4a2ae61509f17a8f38c2aee3d8edce741b7c40f347ad2a14df21e20280

**Referenced In Project/Scope:**server

### Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Related Dependencies

- remotegui.zip: angularjs.jar: angular-locale\_en-xa.js.gz: angular-locale\_en-xa.js
  - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_en-xa.js.gz/angular-locale\_en-xa.js
  - MD5: b4889fa7f7ce616dd60e947f7ef5565c
  - SHA1: 1b2bc43ce9df3a7663dbd43898ae19a5b7317912
  - SHA256: 81a57d4a2ae61509f17a8f38c2aee3d8edce741b7c40f347ad2a14df21e20280

### Identifiers

- None

## remotegui.zip: angularjs.jar: angular-locale\_en-za.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_en-za.js

**MD5:** 2a03d180859d276c984f7b7765628a08

**SHA1:** a7a4ebcefde4c6414b56d3663668b094c40bb175

**SHA256:** ba4ab5cdca5a24be9222ad3a3849db6e0844fc9c8e466bdf744a3085cae1a

**Referenced In Project/Scope:**server

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Related Dependencies

- remotegui.zip: angularjs.jar: angular-locale\_en-za.js.gz: angular-locale\_en-za.js
  - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_en-za.js.gz/angular-locale\_en-za.js
  - MD5: 2a03d180859d276c984f7b7765628a08
  - SHA1: a7a4ebcefde4c6414b56d3663668b094c40bb175
  - SHA256: ba4ab5cdca5a24be9222ad3a3849db6e0844fc9c8e466bdf744a3085cae1a

#### Identifiers

- None

### remotegui.zip: angularjs.jar: angular-locale\_en-zm.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_en-zm.js

**MD5:** 659e4481f60496e45d7aef35e85d8e40

**SHA1:** b39da80e58e5ede1cf90cac524962664e6f9b5fc

**SHA256:** 1da16dc72fccd7df58b4bd60c97d790d09b6559a99074123e8a0c67f5b053c9f

**Referenced In Project/Scope:**server

#### Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Related Dependencies

- remotegui.zip: angularjs.jar: angular-locale\_en-zm.js.gz: angular-locale\_en-zm.js
  - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_en-zm.js.gz/angular-locale\_en-zm.js
  - MD5: 659e4481f60496e45d7aef35e85d8e40
  - SHA1: b39da80e58e5ede1cf90cac524962664e6f9b5fc
  - SHA256: 1da16dc72fccd7df58b4bd60c97d790d09b6559a99074123e8a0c67f5b053c9f

#### Identifiers



- None

### remotegui.zip: angularjs.jar: angular-locale\_en-zw.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_en-zw.js  
**MD5:** 5d99803e4399dd29fe204ca64ab917e3  
**SHA1:** 6afbfb63d613188e424a06182177b89c8f978f93  
**SHA256:** 096ba1c85db6918b9c6f99b5156893b7928528cc2bbea535425acbf324f275d5  
**Referenced In Project/Scope:**server

#### Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Related Dependencies

- remotegui.zip: angularjs.jar: angular-locale\_en-zw.js.gz: angular-locale\_en-zw.js
  - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_en-zw.js.gz/angular-locale\_en-zw.js
  - MD5: 5d99803e4399dd29fe204ca64ab917e3
  - SHA1: 6afbfb63d613188e424a06182177b89c8f978f93
  - SHA256: 096ba1c85db6918b9c6f99b5156893b7928528cc2bbea535425acbf324f275d5

#### Identifiers

- None

### remotegui.zip: angularjs.jar: angular-locale\_en.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_en.js  
**MD5:** 151556949d3a84a9b745591f620fcea  
**SHA1:** faca351fd8ccad8b748a0cfd5a6ba6bd5a080c44  
**SHA256:** 376d9c85a9e3694fe46f62fcfe11e7dc6c18535170c3375778eaa5c558b8bd4b  
**Referenced In Project/Scope:**server

#### Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------



## Related Dependencies



- remotegui.zip: angularjs.jar: angular-locale\_en.js.gz: angular-locale\_en.js
  - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_en.js.gz/angular-locale\_en.js
  - MD5: 151556949d3a84a9b745591f620cfea
  - SHA1: faca351fd8ccad8b748a0cfd5a6ba6bd5a080c44
  - SHA256: 376d9c85a9e3694fe46f62cfe11e7dc6c18535170c3375778eaa5c558b8bd4b

## Identifiers

- None

## remotegui.zip: angularjs.jar: angular-locale\_eo-001.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_eo-001.js

**MD5:** 669b5d73ed925694f69dbd5c051f45f7

**SHA1:** e6067d8702ff137b3b0baf00a6044082f2850b59

**SHA256:** 71726e1c520066cdc5563e16e07dc3058d17341cacbdf3e40c132121e6069eba

**Referenced In Project/Scope:**server

## Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

## Related Dependencies



- remotegui.zip: angularjs.jar: angular-locale\_eo-001.js.gz: angular-locale\_eo-001.js
  - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_eo-001.js.gz/angular-locale\_eo-001.js
  - MD5: 669b5d73ed925694f69dbd5c051f45f7
  - SHA1: e6067d8702ff137b3b0baf00a6044082f2850b59
  - SHA256: 71726e1c520066cdc5563e16e07dc3058d17341cacbdf3e40c132121e6069eba

## Identifiers

- None



remotegui.zip: angularjs.jar: angular-locale\_eo.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_eo.js  
**MD5:** 5753e47a8ed39becc2c9912ad824b6c2  
**SHA1:** 54d2ccdb6c8f9f4859b11ef941c93997874314f7  
**SHA256:**a49352cb0af29007acce8adf7132e3b31dc90dd33e1cf9e9ab326ca815862aa  
**Referenced In Project/Scope:**server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies

- remotegui.zip: angularjs.jar: angular-locale\_eo.js.gz: angular-locale\_eo.js
  - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_eo.js.gz/angular-locale\_eo.js
  - MD5: 5753e47a8ed39becc2c9912ad824b6c2
  - SHA1: 54d2ccdb6c8f9f4859b11ef941c93997874314f7
  - SHA256: a49352cb0af29007acce8adf7132e3b31dc90dd33e1cf9e9ab326ca815862aa

Identifiers

- None

remotegui.zip: angularjs.jar: angular-locale\_es-419.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_es-419.js  
**MD5:** 982e7fcfb2748116d325278300123053  
**SHA1:** 3108de41f0894617d12ced74ccaf3b510a82106c  
**SHA256:**63ea0112a2da4cb29d098ff7b920045af7e914b96d7433d79d206b8376c3e4a4  
**Referenced In Project/Scope:**server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------



## Related Dependencies



- remotegui.zip: angularjs.jar: angular-locale\_es-419.js.gz: angular-locale\_es-419.js
  - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_es-419.js.gz/angular-locale\_es-419.js
  - MD5: 982e7fcfbf2748116d325278300123053
  - SHA1: 3108de41f0894617d12ced74ccaf3b510a82106c
  - SHA256: 63ea0112a2da4cb29d098ff7b920045af7e914b96d7433d79d206b8376c3e4a4

## Identifiers

- None

## remotegui.zip: angularjs.jar: angular-locale\_es-ar.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_es-ar.js

**MD5:** e29eb4b73937cde70d3bf493269d4f02

**SHA1:** 252f6283491048c55213b73bd4dbb616df2b943f

**SHA256:** c638c0f71bc85c32c09294a68b7458eb0b13d16217d77f48981958d37ab9cac8

**Referenced In Project/Scope:**server

## Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

## Related Dependencies



- remotegui.zip: angularjs.jar: angular-locale\_es-ar.js.gz: angular-locale\_es-ar.js
  - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_es-ar.js.gz/angular-locale\_es-ar.js
  - MD5: e29eb4b73937cde70d3bf493269d4f02
  - SHA1: 252f6283491048c55213b73bd4dbb616df2b943f
  - SHA256: c638c0f71bc85c32c09294a68b7458eb0b13d16217d77f48981958d37ab9cac8

## Identifiers

- None



remotegui.zip: angularjs.jar: angular-locale\_es-bo.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_es-bo.js  
**MD5:** 6760e272b8f6424b2c27a7066366dc54  
**SHA1:** f6a6d1a9394418f7b390ebb6a5eec9e50e821463  
**SHA256:**ed6b244c66ebef8c34101a97415790b98e4ea57ef716a21ceb56e94ecf89b92a  
**Referenced In Project/Scope:**server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies

- remotegui.zip: angularjs.jar: angular-locale\_es-bo.js.gz: angular-locale\_es-bo.js
  - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_es-bo.js.gz/angular-locale\_es-bo.js
  - MD5: 6760e272b8f6424b2c27a7066366dc54
  - SHA1: f6a6d1a9394418f7b390ebb6a5eec9e50e821463
  - SHA256: ed6b244c66ebef8c34101a97415790b98e4ea57ef716a21ceb56e94ecf89b92a

Identifiers

- None

remotegui.zip: angularjs.jar: angular-locale\_es-br.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_es-br.js  
**MD5:** bd07c81b5143e0fc7628ded30a34c1ef  
**SHA1:** e21f5b50bd3c56f37906ba1269ed2b99a2b838d7  
**SHA256:**ca0afc9e45cb684371d4e19589251824dea4deefeeee94d3e9025ba3f3b5b6c3  
**Referenced In Project/Scope:**server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies



- remotegui.zip: angularjs.jar: angular-locale\_es-br.js.gz: angular-locale\_es-br.js
  - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_es-br.js.gz/angular-locale\_es-br.js
  - MD5: bd07c81b5143e0fc7628ded30a34c1ef
  - SHA1: e21f5b50bd3c56f37906ba1269ed2b99a2b838d7
  - SHA256: ca0afc9e45cb684371d4e19589251824dea4deefeeee94d3e9025ba3f3b5b6c3

#### Identifiers

- None

### remotegui.zip: angularjs.jar: angular-locale\_es-bz.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_es-bz.js

**MD5:** 845aab695fd15a69705d15f2529c0359

**SHA1:** 4fbfddd77185a204012dd2acceaa37a31b2bf69e0

**SHA256:** b9fbb8250b403aa83b45db22bd4994e032477ebfccaa7cab6da66ff52686b402

**Referenced In Project/Scope:**server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Related Dependencies



- remotegui.zip: angularjs.jar: angular-locale\_es-bz.js.gz: angular-locale\_es-bz.js
  - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_es-bz.js.gz/angular-locale\_es-bz.js
  - MD5: 845aab695fd15a69705d15f2529c0359
  - SHA1: 4fbfddd77185a204012dd2acceaa37a31b2bf69e0
  - SHA256: b9fbb8250b403aa83b45db22bd4994e032477ebfccaa7cab6da66ff52686b402

#### Identifiers

- None

### remotegui.zip: angularjs.jar: angular-locale\_es-cl.js



**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_es-cl.js  
**MD5:** 57fe761e8d51ab6f69602b95417bcda  
**SHA1:** e0459e0213732548c145b1e2a589f0ebd6991e7c  
**SHA256:** 60b8d08a90a1705184c80cfb5efe718ccd75d0aaca55f2e16a268756d85c9218  
**Referenced In Project/Scope:**server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies

- remotegui.zip: angularjs.jar: angular-locale\_es-cl.js.gz: angular-locale\_es-cl.js
  - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_es-cl.js.gz/angular-locale\_es-cl.js
  - MD5: 57fe761e8d51ab6f69602b95417bcda
  - SHA1: e0459e0213732548c145b1e2a589f0ebd6991e7c
  - SHA256: 60b8d08a90a1705184c80cfb5efe718ccd75d0aaca55f2e16a268756d85c9218

Identifiers

- None

remotegui.zip: angularjs.jar: angular-locale\_es-co.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_es-co.js  
**MD5:** fbb1e3ead87c1b233c0a3f74c108946c  
**SHA1:** b4709bd68847f8787ca6fbab835f18cacc868714  
**SHA256:** 743c0dabdf21eb43e728f65d780f3cb20c63dfd9860ce2e6b96efabe91a93f29  
**Referenced In Project/Scope:**server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies

- remotegui.zip: angularjs.jar: angular-locale\_es-co.js.gz: angular-locale\_es-co.js



- File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_es-co.js.gz/angular-locale\_es-co.js
- MD5: fbb1e3ead87c1b233c0a3f74c108946c
- SHA1: b4709bd68847f8787ca6fbab835f18cacc868714
- SHA256: 743c0dabdf21eb43e728f65d780f3cb20c63dfd9860ce2e6b96efabe91a93f29

#### Identifiers

- None

### remotegui.zip: angularjs.jar: angular-locale\_es-cr.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_es-cr.js

**MD5:** d76b7e449986f3658a0be24d58e0a992

**SHA1:** c610e9a8167cfc603bc21751517134aa864ffccf

**SHA256:** 1ee56ae5c732eb7bfa0661a6f99b2c99f8ac011b7eab85e0050ca5ed6005ff9c

**Referenced In Project/Scope:**server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Related Dependencies



- remotegui.zip: angularjs.jar: angular-locale\_es-cr.js.gz: angular-locale\_es-cr.js
  - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_es-cr.js.gz/angular-locale\_es-cr.js
  - MD5: d76b7e449986f3658a0be24d58e0a992
  - SHA1: c610e9a8167cfc603bc21751517134aa864ffccf
  - SHA256: 1ee56ae5c732eb7bfa0661a6f99b2c99f8ac011b7eab85e0050ca5ed6005ff9c

#### Identifiers

- None

### remotegui.zip: angularjs.jar: angular-locale\_es-cu.js



**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_es-cu.js  
**MD5:** 34eebafbc262773241968c773f2874c2  
**SHA1:** 4e348186826772480516404c3dc0aacda70e5dd7  
**SHA256:**dc2a8d54b751fc2c640806c2db683120617a8c9952270972841cf9e56b19c319  
**Referenced In Project/Scope:**server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies



- remotegui.zip: angularjs.jar: angular-locale\_es-cu.js.gz: angular-locale\_es-cu.js
  - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_es-cu.js.gz/angular-locale\_es-cu.js
  - MD5: 34eebafbc262773241968c773f2874c2
  - SHA1: 4e348186826772480516404c3dc0aacda70e5dd7
  - SHA256: dc2a8d54b751fc2c640806c2db683120617a8c9952270972841cf9e56b19c319

Identifiers

- None

remotegui.zip: angularjs.jar: angular-locale\_es-do.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_es-do.js  
**MD5:** 8865ba0019a1601b89856818d766c950  
**SHA1:** ae5e570ea74c71bd427e064d3b862709152cfa17  
**SHA256:**bb43c047d5ee813dd8df769f777df72bb3f13ffa4b5afb5b2194754c2af8a8e8  
**Referenced In Project/Scope:**server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies



- remotegui.zip: angularjs.jar: angular-locale\_es-do.js.gz: angular-locale\_es-do.js
  - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins



- /remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_es-do.js.gz/angular-locale\_es-do.js
- MD5: 8865ba0019a1601b89856818d766c950
- SHA1: ae5e570ea74c71bd427e064d3b862709152cfa17
- SHA256: bb43c047d5ee813dd8df769f777df72bb3f13ffa4b5afb5b2194754c2af8a8e8

#### Identifiers

- None

### remotegui.zip: angularjs.jar: angular-locale\_es-ea.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_es-ea.js

**MD5:** bafc78c9d1b56ce32080983b3e1071f6

**SHA1:** d4abcef5d8349e6e40ca0d9f3b28429b3fb5580c

**SHA256:** b4615d5309e457feb0b3d8ba4ac7744e3d4723e659985fce39469f333fabf4e3

**Referenced In Project/Scope:** server

#### Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Related Dependencies

- remotegui.zip: angularjs.jar: angular-locale\_es-ea.js.gz: angular-locale\_es-ea.js
  - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_es-ea.js.gz/angular-locale\_es-ea.js
  - MD5: bafc78c9d1b56ce32080983b3e1071f6
  - SHA1: d4abcef5d8349e6e40ca0d9f3b28429b3fb5580c
  - SHA256: b4615d5309e457feb0b3d8ba4ac7744e3d4723e659985fce39469f333fabf4e3

#### Identifiers

- None

### remotegui.zip: angularjs.jar: angular-locale\_es-ec.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources



/webjars/angularjs/1.8.2/i18n/angular-locale\_es-ec.js

**MD5:** 7b887152bfdbef61900d8928aba93ff3

**SHA1:** ac06097306b99e10fb23035fbb8bda2251d671d2

**SHA256:** 01490290ffefdb7d0f19842426e99bfce6d122084bf0f6f4f040b30f6dbae63d

**Referenced In Project/Scope:**server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Related Dependencies



- remotegui.zip: angularjs.jar: angular-locale\_es-ec.js.gz: angular-locale\_es-ec.js
  - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_es-ec.js.gz/angular-locale\_es-ec.js
  - MD5: 7b887152bfdbef61900d8928aba93ff3
  - SHA1: ac06097306b99e10fb23035fbb8bda2251d671d2
  - SHA256: 01490290ffefdb7d0f19842426e99bfce6d122084bf0f6f4f040b30f6dbae63d

#### Identifiers

- None

### remotegui.zip: angularjs.jar: angular-locale\_es-es.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_es-es.js

**MD5:** 41df311f4b8636ddfdb00c208fe45807

**SHA1:** 7a16b9707ada0f4313f4eb197f4d23fabd3fa175

**SHA256:** 01e9e5bdac5396f0ef7d3cb7b68615702fcc784dff5f5421f893697a4a875ef8

**Referenced In Project/Scope:**server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Related Dependencies



- remotegui.zip: angularjs.jar: angular-locale\_es-es.js.gz: angular-locale\_es-es.js
  - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_es-es.js.gz/angular-locale\_es-es.js



- MD5: 41df311f4b8636ddfdb00c208fe45807
- SHA1: 7a16b9707ada0f4313f4eb197f4d23fabd3fa175
- SHA256: 01e9e5bdac5396f0ef7d3cb7b68615702fcc784dff5f5421f893697a4a875ef8

#### Identifiers

- None

### remotegui.zip: angularjs.jar: angular-locale\_es-gq.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_es-gq.js

**MD5:** 9809e7bba6f765cc21135e1e98b960b4

**SHA1:** dc329d98bd5a397a0373986f54bf39ba31f1d990

**SHA256:** 4ee627c3bf36c4df8d22d7f5ade3707e348276c8308b82eac55e766464e6bf96

**Referenced In Project/Scope:**server

#### Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Related Dependencies

- remotegui.zip: angularjs.jar: angular-locale\_es-gq.js.gz: angular-locale\_es-gq.js
  - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_es-gq.js.gz/angular-locale\_es-gq.js
  - MD5: 9809e7bba6f765cc21135e1e98b960b4
  - SHA1: dc329d98bd5a397a0373986f54bf39ba31f1d990
  - SHA256: 4ee627c3bf36c4df8d22d7f5ade3707e348276c8308b82eac55e766464e6bf96

#### Identifiers

- None

### remotegui.zip: angularjs.jar: angular-locale\_es-gt.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_es-gt.js

**MD5:** a3880b822195e87a26b3781f85639ccc



**SHA1:** e10484fd1399b7317911d9bae7996c0877728f0a  
**SHA256:**1f04ada52ebcb66eef0133b7ab5196cc9cec7706b4df4340993cb1108a10440f  
**Referenced In Project/Scope:**server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies

- remotegui.zip: angularjs.jar: angular-locale\_es-gt.js.gz: angular-locale\_es-gt.js
  - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_es-gt.js.gz/angular-locale\_es-gt.js
  - MD5: a3880b822195e87a26b3781f85639ccc
  - SHA1: e10484fd1399b7317911d9bae7996c0877728f0a
  - SHA256: 1f04ada52ebcb66eef0133b7ab5196cc9cec7706b4df4340993cb1108a10440f

Identifiers

- None

remotegui.zip: angularjs.jar: angular-locale\_es-hn.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_es-hn.js  
**MD5:** 7665d7c6faf033f02b566a8032cf2a8c  
**SHA1:** 4aa173af1ddc3eb320527199b1d975aa0e625b46  
**SHA256:**d59a3541ba391652f4f3caafb8b4e2bc7aebdde18bc16aedc6de846ecd6bdb91  
**Referenced In Project/Scope:**server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies

- remotegui.zip: angularjs.jar: angular-locale\_es-hn.js.gz: angular-locale\_es-hn.js
  - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_es-hn.js.gz/angular-locale\_es-hn.js
  - MD5: 7665d7c6faf033f02b566a8032cf2a8c
  - SHA1: 4aa173af1ddc3eb320527199b1d975aa0e625b46



- SHA256: d59a3541ba391652f4f3caafb8b4e2bc7aebdde18bc16aedc6de846ecd6bdb91

#### Identifiers

- None

### remotegui.zip: angularjs.jar: angular-locale\_es-ic.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_es-ic.js

**MD5:** f74dc22734b5a39409e5df50477eafdd

**SHA1:** 8fdb7105fa6b0352a5ab312a93195155a3ded7b

**SHA256:** 50cfcb0775f888664576517eb2e46fa0cc117e29dfde8c325e78caf71bad7f2

**Referenced In Project/Scope:**server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Related Dependencies



- remotegui.zip: angularjs.jar: angular-locale\_es-ic.js.gz: angular-locale\_es-ic.js
  - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_es-ic.js.gz/angular-locale\_es-ic.js
  - MD5: f74dc22734b5a39409e5df50477eafdd
  - SHA1: 8fdb7105fa6b0352a5ab312a93195155a3ded7b
  - SHA256: 50cfcb0775f888664576517eb2e46fa0cc117e29dfde8c325e78caf71bad7f2

#### Identifiers

- None

### remotegui.zip: angularjs.jar: angular-locale\_es-mx.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_es-mx.js

**MD5:** 969ef360e681aef65e77db0d1b992f9d



**SHA1:** 0039621e7ff56ca4c71aa7dcd37e7c1652231253  
**SHA256:**3b0145b517fddc0c67176ba3747c660add6b6233f090080d31c012e72f14e55b  
**Referenced In Project/Scope:**server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies

- remotegui.zip: angularjs.jar: angular-locale\_es-mx.js.gz: angular-locale\_es-mx.js
  - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_es-mx.js.gz/angular-locale\_es-mx.js
  - MD5: 969ef360e681aef65e77db0d1b992f9d
  - SHA1: 0039621e7ff56ca4c71aa7dcd37e7c1652231253
  - SHA256: 3b0145b517fddc0c67176ba3747c660add6b6233f090080d31c012e72f14e55b

Identifiers

- None

remotegui.zip: angularjs.jar: angular-locale\_es-ni.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_es-ni.js  
**MD5:** 069983180a5e3a855c10227d1e2eaea3  
**SHA1:** df73dc810ef20e5269d1488481522ac956b347e9  
**SHA256:**0be499e3bb23abfb7e2660edfee17515f4b7ec795df6c6a8a3db7f6b69530534  
**Referenced In Project/Scope:**server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies

- remotegui.zip: angularjs.jar: angular-locale\_es-ni.js.gz: angular-locale\_es-ni.js
  - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_es-ni.js.gz/angular-locale\_es-ni.js
  - MD5: 069983180a5e3a855c10227d1e2eaea3
  - SHA1: df73dc810ef20e5269d1488481522ac956b347e9



- SHA256: 0be499e3bb23abfb7e2660edfee17515f4b7ec795df6c6a8a3db7f6b69530534

#### Identifiers

- None

### remotegui.zip: angularjs.jar: angular-locale\_es-pa.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_es-pa.js

**MD5:** af641be76ccc96aa7f35127cad51f5d4

**SHA1:** 2687d1485966284f03671c1b10a2401df3c2187b

**SHA256:** 3613ac592af15e3010fd099f138edcc60fa101cca45d37d6c91de34b7b6232cd

**Referenced In Project/Scope:**server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Related Dependencies



- remotegui.zip: angularjs.jar: angular-locale\_es-pa.js.gz: angular-locale\_es-pa.js
  - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_es-pa.js.gz/angular-locale\_es-pa.js
  - MD5: af641be76ccc96aa7f35127cad51f5d4
  - SHA1: 2687d1485966284f03671c1b10a2401df3c2187b
  - SHA256: 3613ac592af15e3010fd099f138edcc60fa101cca45d37d6c91de34b7b6232cd

#### Identifiers

- None

### remotegui.zip: angularjs.jar: angular-locale\_es-pe.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_es-pe.js

**MD5:** 80f36b981a50727c2afac1d3885ea59b



**SHA1:** 512c58de1196f9a1e67b70e558fdeb164c6c676f  
**SHA256:**54c1d95f15ee81ec75909554dac222abf566215b94c64590bf77a520a69171f8  
**Referenced In Project/Scope:**server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies

- remotegui.zip: angularjs.jar: angular-locale\_es-pe.js.gz: angular-locale\_es-pe.js
  - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_es-pe.js.gz/angular-locale\_es-pe.js
  - MD5: 80f36b981a50727c2afac1d3885ea59b
  - SHA1: 512c58de1196f9a1e67b70e558fdeb164c6c676f
  - SHA256: 54c1d95f15ee81ec75909554dac222abf566215b94c64590bf77a520a69171f8

Identifiers

- None

remotegui.zip: angularjs.jar: angular-locale\_es-ph.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_es-ph.js  
**MD5:** f2fd250cf9ed232868a9a19148249dbc  
**SHA1:** 12a429802705fd4c8727f5eb82d279dd7e587ba1  
**SHA256:**649bd0218914e0b38d97cc915056661d5c5116b5c4047da0422907eac399f23b  
**Referenced In Project/Scope:**server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies

- remotegui.zip: angularjs.jar: angular-locale\_es-ph.js.gz: angular-locale\_es-ph.js
  - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_es-ph.js.gz/angular-locale\_es-ph.js
  - MD5: f2fd250cf9ed232868a9a19148249dbc
  - SHA1: 12a429802705fd4c8727f5eb82d279dd7e587ba1



- SHA256: 649bd0218914e0b38d97cc915056661d5c5116b5c4047da0422907eac399f23b

#### Identifiers

- None

### remotegui.zip: angularjs.jar: angular-locale\_es-pr.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_es-pr.js

**MD5:** 0fed433b00676377a8e70e3a3aff959d

**SHA1:** 7d412d334b49fe8f8401a98aa1a41069fd0f84de

**SHA256:** 6323e287f8f45ded05aaa22c8581baa32892e02c342e016f1e7f2336a9f469ac

**Referenced In Project/Scope:**server

#### Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Related Dependencies

- remotegui.zip: angularjs.jar: angular-locale\_es-pr.js.gz: angular-locale\_es-pr.js
  - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_es-pr.js.gz/angular-locale\_es-pr.js
  - MD5: 0fed433b00676377a8e70e3a3aff959d
  - SHA1: 7d412d334b49fe8f8401a98aa1a41069fd0f84de
  - SHA256: 6323e287f8f45ded05aaa22c8581baa32892e02c342e016f1e7f2336a9f469ac

#### Identifiers

- None

### remotegui.zip: angularjs.jar: angular-locale\_es-py.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_es-py.js

**MD5:** c4083f0ad06da8f0f63c385344affc3f



**SHA1:** cc918c70d2f67d696d878c8967aa688ccfe85ccb  
**SHA256:**f16e5b73da0c0f3a2886165c3fc0140a9deb5d31d57ac84e04997188a73f122b  
**Referenced In Project/Scope:**server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies

- remotegui.zip: angularjs.jar: angular-locale\_es-py.js.gz: angular-locale\_es-py.js
  - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_es-py.js.gz/angular-locale\_es-py.js
  - MD5: c4083f0ad06da8f0f63c385344affc3f
  - SHA1: cc918c70d2f67d696d878c8967aa688ccfe85ccb
  - SHA256: f16e5b73da0c0f3a2886165c3fc0140a9deb5d31d57ac84e04997188a73f122b

Identifiers

- None

remotegui.zip: angularjs.jar: angular-locale\_es-sv.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_es-sv.js  
**MD5:** b143a3f9183737bd55b98aea44b4f49d  
**SHA1:** 9d4607000098096949506aebb9feafc3118d9a1f  
**SHA256:**c5d7e1b31d0ab338e66f4bda05b7231ea873791cf6f978a0b9bfb1a0628b071a  
**Referenced In Project/Scope:**server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies

- remotegui.zip: angularjs.jar: angular-locale\_es-sv.js.gz: angular-locale\_es-sv.js
  - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_es-sv.js.gz/angular-locale\_es-sv.js
  - MD5: b143a3f9183737bd55b98aea44b4f49d
  - SHA1: 9d4607000098096949506aebb9feafc3118d9a1f



- SHA256: c5d7e1b31d0ab338e66f4bda05b7231ea873791cf6f978a0b9bfb1a0628b071a

#### Identifiers

- None

### remotegui.zip: angularjs.jar: angular-locale\_es-us.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_es-us.js

**MD5:** 9f06353515b2f88733d813c3295b8822

**SHA1:** b7e7543ca2c75e69e0728c377d7c0a6d43e3b970

**SHA256:** 899b198be7959024431843b1ae4f21dca722de030c7a716194ee8412250d4d63

**Referenced In Project/Scope:**server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Related Dependencies



- remotegui.zip: angularjs.jar: angular-locale\_es-us.js.gz: angular-locale\_es-us.js
  - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_es-us.js.gz/angular-locale\_es-us.js
  - MD5: 9f06353515b2f88733d813c3295b8822
  - SHA1: b7e7543ca2c75e69e0728c377d7c0a6d43e3b970
  - SHA256: 899b198be7959024431843b1ae4f21dca722de030c7a716194ee8412250d4d63

#### Identifiers

- None

### remotegui.zip: angularjs.jar: angular-locale\_es-uy.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_es-uy.js

**MD5:** 32e34654b20c44f92854fd238da991ef



**SHA1:** d3b7fe54744ce61d4560e9c41b91a2585f04568e  
**SHA256:** d0d52db60aee4ccb9664c34d9f9cf345db5c5cf54bc77ba309043428e8e313c8  
**Referenced In Project/Scope:** server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies



- remotegui.zip: angularjs.jar: angular-locale\_es-uy.js.gz: angular-locale\_es-uy.js
  - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_es-uy.js.gz/angular-locale\_es-uy.js
  - MD5: 32e34654b20c44f92854fd238da991ef
  - SHA1: d3b7fe54744ce61d4560e9c41b91a2585f04568e
  - SHA256: d0d52db60aee4ccb9664c34d9f9cf345db5c5cf54bc77ba309043428e8e313c8

Identifiers

- None

remotegui.zip: angularjs.jar: angular-locale\_es-ve.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_es-ve.js  
**MD5:** 6cc8e884d5b60d4118b1e9285c8ca2fa  
**SHA1:** d5203f78f5e05e5fee46542ce85cc036e10c9860  
**SHA256:** e13c09e26fcee189664df77d586d2816c924e416966276005156437eb0dc6a9c  
**Referenced In Project/Scope:** server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies



- remotegui.zip: angularjs.jar: angular-locale\_es-ve.js.gz: angular-locale\_es-ve.js
  - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_es-ve.js.gz/angular-locale\_es-ve.js
  - MD5: 6cc8e884d5b60d4118b1e9285c8ca2fa
  - SHA1: d5203f78f5e05e5fee46542ce85cc036e10c9860



- SHA256: e13c09e26fcee189664df77d586d2816c924e416966276005156437eb0dc6a9c

#### Identifiers

- None

### remotegui.zip: angularjs.jar: angular-locale\_es.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_es.js

**MD5:** 81bbf699bac971ab7ab7627465ebe8fa

**SHA1:** ab607cd29ecb7889a13feda2c1fd33a94dd065ce

**SHA256:** 6159978c4bcc22de38be74c46cb06f31d5e56d87e7faa25cc48f63b4f22b2e33

**Referenced In Project/Scope:**server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Related Dependencies



- remotegui.zip: angularjs.jar: angular-locale\_es.js.gz: angular-locale\_es.js
  - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_es.js.gz/angular-locale\_es.js
  - MD5: 81bbf699bac971ab7ab7627465ebe8fa
  - SHA1: ab607cd29ecb7889a13feda2c1fd33a94dd065ce
  - SHA256: 6159978c4bcc22de38be74c46cb06f31d5e56d87e7faa25cc48f63b4f22b2e33

#### Identifiers

- None

### remotegui.zip: angularjs.jar: angular-locale\_et-ee.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_et-ee.js

**MD5:** 62a828d7caa08b30d47dbf765a5727a2



**SHA1:** 30a8d82d7ac4d51dba5604b2b649312dac4febe6  
**SHA256:**b051a9ee29acc6b7a9c58961669562da7fe593109568a189594d97243a799ef5  
**Referenced In Project/Scope:**server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies

- remotegui.zip: angularjs.jar: angular-locale\_et-ee.js.gz: angular-locale\_et-ee.js
  - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_et-ee.js.gz/angular-locale\_et-ee.js
  - MD5: 62a828d7caa08b30d47dbf765a5727a2
  - SHA1: 30a8d82d7ac4d51dba5604b2b649312dac4febe6
  - SHA256: b051a9ee29acc6b7a9c58961669562da7fe593109568a189594d97243a799ef5

Identifiers

- None

remotegui.zip: angularjs.jar: angular-locale\_et.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_et.js  
**MD5:** 744575fbaed3a87f3328d28c36f03765  
**SHA1:** 1715ed97cddb60d2f3794fb0ed120bd7eaad6896  
**SHA256:**50cbf7e3099213574745978e3303bfe486f0428cac13f2c2377facafe36fe446  
**Referenced In Project/Scope:**server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies

- remotegui.zip: angularjs.jar: angular-locale\_et.js.gz: angular-locale\_et.js
  - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_et.js.gz/angular-locale\_et.js
  - MD5: 744575fbaed3a87f3328d28c36f03765
  - SHA1: 1715ed97cddb60d2f3794fb0ed120bd7eaad6896



- SHA256: 50cbf7e3099213574745978e3303bfe486f0428cac13f2c2377facafe36fe446

#### Identifiers

- None

### remotegui.zip: angularjs.jar: angular-locale\_eu-es.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_eu-es.js

**MD5:** 95da600ced83d4a826b2d682fbb0680b

**SHA1:** cfb584c551c4f045d8e9fa08aa0e66285666346f

**SHA256:** dfd7cfb81f06297fcdc846b8125882dd15e6d8d06f9bb19c2b70fa45a9468fb7

**Referenced In Project/Scope:**server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Related Dependencies



- remotegui.zip: angularjs.jar: angular-locale\_eu-es.js.gz: angular-locale\_eu-es.js
  - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_eu-es.js.gz/angular-locale\_eu-es.js
  - MD5: 95da600ced83d4a826b2d682fbb0680b
  - SHA1: cfb584c551c4f045d8e9fa08aa0e66285666346f
  - SHA256: dfd7cfb81f06297fcdc846b8125882dd15e6d8d06f9bb19c2b70fa45a9468fb7

#### Identifiers

- None

### remotegui.zip: angularjs.jar: angular-locale\_eu.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_eu.js

**MD5:** 7d59e9925d1693348e4802800401e8d1



**SHA1:** e1bd97058366a94db19441161733b6b107795103  
**SHA256:**0d3f51eed327c16b0fde7e07a59c6287a06fb76e7f63dff63675ea82e97be91f  
**Referenced In Project/Scope:**server

#### Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Related Dependencies

- remotegui.zip: angularjs.jar: angular-locale\_eu.js.gz: angular-locale\_eu.js
  - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_eu.js.gz/angular-locale\_eu.js
  - MD5: 7d59e9925d1693348e4802800401e8d1
  - SHA1: e1bd97058366a94db19441161733b6b107795103
  - SHA256: 0d3f51eed327c16b0fde7e07a59c6287a06fb76e7f63dff63675ea82e97be91f

#### Identifiers

- None

### remotegui.zip: angularjs.jar: angular-locale\_ewo-cm.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_ewo-cm.js  
**MD5:** d7547dcecef91068a8d1f2d639abdc87  
**SHA1:** 9a7a13bb4fea109ca64ecb4be52bfc4216c35414  
**SHA256:**a7b0d6d5c1ee5fc6e358c032f40b1fba103dfc74731abd576fd179fb352abd03  
**Referenced In Project/Scope:**server

#### Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Related Dependencies

- remotegui.zip: angularjs.jar: angular-locale\_ewo-cm.js.gz: angular-locale\_ewo-cm.js
  - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_ewo-cm.js.gz/angular-locale\_ewo-cm.js
  - MD5: d7547dcecef91068a8d1f2d639abdc87
  - SHA1: 9a7a13bb4fea109ca64ecb4be52bfc4216c35414



- SHA256: a7b0d6d5c1ee5fc6e358c032f40b1fba103dfc74731abd576fd179fb352abd03

#### Identifiers

- None

### remotegui.zip: angularjs.jar: angular-locale\_ewo.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_ewo.js

**MD5:** 82d009c882e111467e70f713b633159b

**SHA1:** 01d381f2fcdd1bdf642af83c9e96083f2c8d1c03

**SHA256:** 5d4524d762b9fd654a5e1ce53a9f6275de869f006e66eec65d8c40d052192e72

**Referenced In Project/Scope:**server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Related Dependencies



- remotegui.zip: angularjs.jar: angular-locale\_ewo.js.gz: angular-locale\_ewo.js
  - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_ewo.js.gz/angular-locale\_ewo.js
  - MD5: 82d009c882e111467e70f713b633159b
  - SHA1: 01d381f2fcdd1bdf642af83c9e96083f2c8d1c03
  - SHA256: 5d4524d762b9fd654a5e1ce53a9f6275de869f006e66eec65d8c40d052192e72

#### Identifiers

- None

### remotegui.zip: angularjs.jar: angular-locale\_fa-af.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_fa-af.js

**MD5:** 1f18135e669bd1fd4c5ea12019ed125d



**SHA1:** d27d3492ab77d78eb1c3de37478be433aafd6d5b  
**SHA256:**979ebecaf884091b8dc1f3e5a629af0d391a2167fff398c099aa61484bcfbb7b  
**Referenced In Project/Scope:**server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies

- remotegui.zip: angularjs.jar: angular-locale\_fa-af.js.gz: angular-locale\_fa-af.js
  - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_fa-af.js.gz/angular-locale\_fa-af.js
  - MD5: 1f18135e669bd1fd4c5ea12019ed125d
  - SHA1: d27d3492ab77d78eb1c3de37478be433aafd6d5b
  - SHA256: 979ebecaf884091b8dc1f3e5a629af0d391a2167fff398c099aa61484bcfbb7b

Identifiers

- None

remotegui.zip: angularjs.jar: angular-locale\_fa-ir.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_fa-ir.js  
**MD5:** 02af49d27b31ab183cfbd3b8995affe2  
**SHA1:** 31032d869249821acc9a1fa5e8eff84e81688df8  
**SHA256:**006ff17f49cdbafb0734449d94aa3738f75330874d5c9f15d2549dfdde2ecb4a  
**Referenced In Project/Scope:**server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies

- remotegui.zip: angularjs.jar: angular-locale\_fa-ir.js.gz: angular-locale\_fa-ir.js
  - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_fa-ir.js.gz/angular-locale\_fa-ir.js
  - MD5: 02af49d27b31ab183cfbd3b8995affe2
  - SHA1: 31032d869249821acc9a1fa5e8eff84e81688df8



- SHA256: 006ff17f49cdbafb0734449d94aa3738f75330874d5c9f15d2549dfdde2ecb4a

#### Identifiers

- None

### remotegui.zip: angularjs.jar: angular-locale\_fa.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_fa.js

**MD5:** bed62d7b87fae5badcdafad78c438676

**SHA1:** 3f82630137374b547fc44297a951c8046e097a09

**SHA256:** a55d60af9286836eaaa1ac014f79e2e692ed465fc79b71105f3996350387d7f7

**Referenced In Project/Scope:**server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Related Dependencies



- remotegui.zip: angularjs.jar: angular-locale\_fa.js.gz: angular-locale\_fa.js
  - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_fa.js.gz/angular-locale\_fa.js
  - MD5: bed62d7b87fae5badcdafad78c438676
  - SHA1: 3f82630137374b547fc44297a951c8046e097a09
  - SHA256: a55d60af9286836eaaa1ac014f79e2e692ed465fc79b71105f3996350387d7f7

#### Identifiers

- None

### remotegui.zip: angularjs.jar: angular-locale\_ff-cm.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_ff-cm.js

**MD5:** 39f82ca2aefe92ce31267786ca6d0526



**SHA1:** 85f3c3c8abb7da30cbef0142ec864c92ab6168e8  
**SHA256:**ab8f0bd57c2c55b6991af0825e2b8a37e3088b0ba23be44f705892202fced2e2  
**Referenced In Project/Scope:**server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies

- remotegui.zip: angularjs.jar: angular-locale\_ff-cm.js.gz: angular-locale\_ff-cm.js
  - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_ff-cm.js.gz/angular-locale\_ff-cm.js
  - MD5: 39f82ca2aefe92ce31267786ca6d0526
  - SHA1: 85f3c3c8abb7da30cbef0142ec864c92ab6168e8
  - SHA256: ab8f0bd57c2c55b6991af0825e2b8a37e3088b0ba23be44f705892202fced2e2

Identifiers

- None

remotegui.zip: angularjs.jar: angular-locale\_ff-gn.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_ff-gn.js  
**MD5:** 6e4626cef3d5e9e4e7be3151eb297f8  
**SHA1:** 597480266ae1b9097a3e509146f0a35bb9a5a203  
**SHA256:**a7edb26f4c4c12eaa762eaa0348fe65663a989f3e48b8d21a6d1c699bd54ce52  
**Referenced In Project/Scope:**server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies

- remotegui.zip: angularjs.jar: angular-locale\_ff-gn.js.gz: angular-locale\_ff-gn.js
  - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_ff-gn.js.gz/angular-locale\_ff-gn.js
  - MD5: 6e4626cef3d5e9e4e7be3151eb297f8
  - SHA1: 597480266ae1b9097a3e509146f0a35bb9a5a203



- SHA256: a7edb26f4c4c12eaa762eaa0348fe65663a989f3e48b8d21a6d1c699bd54ce52

#### Identifiers

- None

### remotegui.zip: angularjs.jar: angular-locale\_ff-mr.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_ff-mr.js

**MD5:** 771999e7dbc96f491acabbc271fcc5e5

**SHA1:** 49b1d35f4f9c9550161197782f7ff6c9fbd79cd5

**SHA256:** d82c153d93179dd0d344438aa6ef9031a64bad999828e1a8e2b8ff2aff8d2350

**Referenced In Project/Scope:**server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Related Dependencies



- remotegui.zip: angularjs.jar: angular-locale\_ff-mr.js.gz: angular-locale\_ff-mr.js
  - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_ff-mr.js.gz/angular-locale\_ff-mr.js
  - MD5: 771999e7dbc96f491acabbc271fcc5e5
  - SHA1: 49b1d35f4f9c9550161197782f7ff6c9fbd79cd5
  - SHA256: d82c153d93179dd0d344438aa6ef9031a64bad999828e1a8e2b8ff2aff8d2350

#### Identifiers

- None

### remotegui.zip: angularjs.jar: angular-locale\_ff-sn.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_ff-sn.js

**MD5:** b261c41b440cf797496851dd3fc7bc0e



**SHA1:** 7bd3bf71033d76b8c58f79eff866d20c517ee35b  
**SHA256:**cdd43dedec247b080a0313764022354c36ad818a937e845e2e06784566e8bdda  
**Referenced In Project/Scope:**server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies

- remotegui.zip: angularjs.jar: angular-locale\_ff-sn.js.gz: angular-locale\_ff-sn.js
  - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_ff-sn.js.gz/angular-locale\_ff-sn.js
  - MD5: b261c41b440cf797496851dd3fc7bc0e
  - SHA1: 7bd3bf71033d76b8c58f79eff866d20c517ee35b
  - SHA256: cdd43dedec247b080a0313764022354c36ad818a937e845e2e06784566e8bdda

Identifiers

- None

remotegui.zip: angularjs.jar: angular-locale\_ff.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_ff.js  
**MD5:** a8b30c4a7c2fd355abb786bd93b5b1c4  
**SHA1:** 3af1933bcb8c1a618d759dcc907e54f1d2e698f8  
**SHA256:**cc65ab37f5a4c7c5ad75b8d4788048a4a52844dae437d99f0b1e30180162723e  
**Referenced In Project/Scope:**server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies

- remotegui.zip: angularjs.jar: angular-locale\_ff.js.gz: angular-locale\_ff.js
  - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_ff.js.gz/angular-locale\_ff.js
  - MD5: a8b30c4a7c2fd355abb786bd93b5b1c4
  - SHA1: 3af1933bcb8c1a618d759dcc907e54f1d2e698f8



- SHA256: cc65ab37f5a4c7c5ad75b8d4788048a4a52844dae437d99f0b1e30180162723e

#### Identifiers

- None

### remotegui.zip: angularjs.jar: angular-locale\_fi-fi.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_fi-fi.js

**MD5:** 411c146e7088a9508fa9b9ac2610f34a

**SHA1:** f77f7037a89b308a3a0a03517f8ca34ac1a186cd

**SHA256:** a5edd0dd30c3921161217bbf6aef3be7a3b1404400b30c8d5098043e676fa5a1

**Referenced In Project/Scope:**server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Related Dependencies



- remotegui.zip: angularjs.jar: angular-locale\_fi-fi.js.gz: angular-locale\_fi-fi.js
  - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_fi-fi.js.gz/angular-locale\_fi-fi.js
  - MD5: 411c146e7088a9508fa9b9ac2610f34a
  - SHA1: f77f7037a89b308a3a0a03517f8ca34ac1a186cd
  - SHA256: a5edd0dd30c3921161217bbf6aef3be7a3b1404400b30c8d5098043e676fa5a1

#### Identifiers

- None

### remotegui.zip: angularjs.jar: angular-locale\_fi.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_fi.js

**MD5:** 3ce297d3b4a1567d42bb708bef2099e0



**SHA1:** 04e9068130f5ae5e4f34343f8fb9003c83d0ccf9  
**SHA256:** 7e52c7aa912c8fa45430bc017dc81f4f61d47a0d87c31d75199124ac5602a190  
**Referenced In Project/Scope:**server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies

- remotegui.zip: angularjs.jar: angular-locale\_fi.js.gz: angular-locale\_fi.js
  - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_fi.js.gz/angular-locale\_fi.js
  - MD5: 3ce297d3b4a1567d42bb708bef2099e0
  - SHA1: 04e9068130f5ae5e4f34343f8fb9003c83d0ccf9
  - SHA256: 7e52c7aa912c8fa45430bc017dc81f4f61d47a0d87c31d75199124ac5602a190

Identifiers

- None

remotegui.zip: angularjs.jar: angular-locale\_fil-ph.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_fil-ph.js  
**MD5:** 57b5374ad5dccefadd6e67e0ea1f74e3  
**SHA1:** d0c6e4660c2591b85a24b8d71dfe0c4756d2df08  
**SHA256:** 477a061f413f0bf0f590b4aaefb4644a477eff88e376a47998ca88e96636afa  
**Referenced In Project/Scope:**server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies

- remotegui.zip: angularjs.jar: angular-locale\_fil-ph.js.gz: angular-locale\_fil-ph.js
  - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_fil-ph.js.gz/angular-locale\_fil-ph.js
  - MD5: 57b5374ad5dccefadd6e67e0ea1f74e3
  - SHA1: d0c6e4660c2591b85a24b8d71dfe0c4756d2df08



- SHA256: 477a061f413f0bf0f590b4aaae4644a477eff88e376a47998ca88e96636afa

#### Identifiers

- None

### remotegui.zip: angularjs.jar: angular-locale\_fil.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_fil.js

**MD5:** 51e7af140e6a286df175de817a919fd4

**SHA1:** d4b66896d89068469c31576d31978486c5196045

**SHA256:** 42899187aa6e9be9e5b4954a585717d7405eb735a82b2c5f24e43238d2ba7680

**Referenced In Project/Scope:**server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Related Dependencies



- remotegui.zip: angularjs.jar: angular-locale\_fil.js.gz: angular-locale\_fil.js
  - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_fil.js.gz/angular-locale\_fil.js
  - MD5: 51e7af140e6a286df175de817a919fd4
  - SHA1: d4b66896d89068469c31576d31978486c5196045
  - SHA256: 42899187aa6e9be9e5b4954a585717d7405eb735a82b2c5f24e43238d2ba7680

#### Identifiers

- None

### remotegui.zip: angularjs.jar: angular-locale\_fo-dk.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_fo-dk.js

**MD5:** 42fff021890617bdb05966cf6dcbc742



**SHA1:** 73afbaa9efb454083bc4de5135acdfd49618e38d  
**SHA256:** b49a51462ff31361632242cd9a44b6be4119205e6ccb22c885a473d981ecd4c7  
**Referenced In Project/Scope:** server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies

- remotegui.zip: angularjs.jar: angular-locale\_fo-dk.js.gz: angular-locale\_fo-dk.js
  - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_fo-dk.js.gz/angular-locale\_fo-dk.js
  - MD5: 42fff021890617bdb05966cf6dcbc742
  - SHA1: 73afbaa9efb454083bc4de5135acdfd49618e38d
  - SHA256: b49a51462ff31361632242cd9a44b6be4119205e6ccb22c885a473d981ecd4c7

Identifiers

- None

remotegui.zip: angularjs.jar: angular-locale\_fo-fo.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_fo-fo.js  
**MD5:** 171389cf5c1305f5525baeab9367e571  
**SHA1:** 05a77fc5ad411c8b0c41cd93d541f4cd505914ba  
**SHA256:** fef631f2c46f4964d2b5559ec32006b73fea02052fd6e3bdfe995e5c449af25e  
**Referenced In Project/Scope:** server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies

- remotegui.zip: angularjs.jar: angular-locale\_fo-fo.js.gz: angular-locale\_fo-fo.js
  - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_fo-fo.js.gz/angular-locale\_fo-fo.js
  - MD5: 171389cf5c1305f5525baeab9367e571
  - SHA1: 05a77fc5ad411c8b0c41cd93d541f4cd505914ba



- SHA256: fef631f2c46f4964d2b5559ec32006b73fea02052fd6e3bdfe995e5c449af25e

#### Identifiers

- None

### remotegui.zip: angularjs.jar: angular-locale\_fo.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_fo.js

**MD5:** 9357f40bcb6c093694593ade9146802f

**SHA1:** 20b510b959a89aefca9d33463b5a4e85a9d94068

**SHA256:** 5c4e140c5df4224a2daf86a205525b4af2d3728b4652e5a55c043cb5f72de47d

**Referenced In Project/Scope:**server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Related Dependencies



- remotegui.zip: angularjs.jar: angular-locale\_fo.js.gz: angular-locale\_fo.js
  - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_fo.js.gz/angular-locale\_fo.js
  - MD5: 9357f40bcb6c093694593ade9146802f
  - SHA1: 20b510b959a89aefca9d33463b5a4e85a9d94068
  - SHA256: 5c4e140c5df4224a2daf86a205525b4af2d3728b4652e5a55c043cb5f72de47d

#### Identifiers

- None

### remotegui.zip: angularjs.jar: angular-locale\_fr-be.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_fr-be.js

**MD5:** 1bfec47fcb2eeb2700549865edf0ab54



**SHA1:** 3b32e6ae04f1770dc37049e69f2502cfcef32d4c  
**SHA256:** e9537bf825c544fa8963ca88df22074ae11dd5d173d07d8be70659dafb72483e  
**Referenced In Project/Scope:** server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies

- remotegui.zip: angularjs.jar: angular-locale\_fr-be.js.gz: angular-locale\_fr-be.js
  - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_fr-be.js.gz/angular-locale\_fr-be.js
  - MD5: 1bfec47fcb2eeb2700549865edf0ab54
  - SHA1: 3b32e6ae04f1770dc37049e69f2502cfcef32d4c
  - SHA256: e9537bf825c544fa8963ca88df22074ae11dd5d173d07d8be70659dafb72483e

Identifiers

- None

remotegui.zip: angularjs.jar: angular-locale\_fr-bf.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_fr-bf.js  
**MD5:** 95084231a155f3b3465cb3b83dac2782  
**SHA1:** b5a424e80939aa5a379389609937a1116549b801  
**SHA256:** b2593bdd252adf61c869075861d2e557bc280ef6e95c5ba23991f7c23e6143eb  
**Referenced In Project/Scope:** server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies

- remotegui.zip: angularjs.jar: angular-locale\_fr-bf.js.gz: angular-locale\_fr-bf.js
  - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_fr-bf.js.gz/angular-locale\_fr-bf.js
  - MD5: 95084231a155f3b3465cb3b83dac2782
  - SHA1: b5a424e80939aa5a379389609937a1116549b801



- SHA256: b2593bdd252adf61c869075861d2e557bc280ef6e95c5ba23991f7c23e6143eb

#### Identifiers

- None

### remotegui.zip: angularjs.jar: angular-locale\_fr-bi.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_fr-bi.js

**MD5:** fe6f9d43a92db9cf894da0d2f1a34b58

**SHA1:** ea9bf3ae4b7a2a92fb230d90dde7362f68100223

**SHA256:** 4f41a0aab3a8aafdb6409c8089f9a734025615b4685a62281d11caf895211780

**Referenced In Project/Scope:**server

#### Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Related Dependencies

- remotegui.zip: angularjs.jar: angular-locale\_fr-bi.js.gz: angular-locale\_fr-bi.js
  - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_fr-bi.js.gz/angular-locale\_fr-bi.js
  - MD5: fe6f9d43a92db9cf894da0d2f1a34b58
  - SHA1: ea9bf3ae4b7a2a92fb230d90dde7362f68100223
  - SHA256: 4f41a0aab3a8aafdb6409c8089f9a734025615b4685a62281d11caf895211780

#### Identifiers

- None

### remotegui.zip: angularjs.jar: angular-locale\_fr-bj.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_fr-bj.js

**MD5:** b0693e88a23abbaa645a6f3c3e3f9d80



**SHA1:** f290a51285ff4346d688e7f143c481537556fc1b  
**SHA256:**6c06c5826fd2a3891fa185986e1e9755883024fed7e54675bcdb19044da96b34  
**Referenced In Project/Scope:**server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies

- remotegui.zip: angularjs.jar: angular-locale\_fr-bj.js.gz: angular-locale\_fr-bj.js
  - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_fr-bj.js.gz/angular-locale\_fr-bj.js
  - MD5: b0693e88a23abbaa645a6f3c3e3f9d80
  - SHA1: f290a51285ff4346d688e7f143c481537556fc1b
  - SHA256: 6c06c5826fd2a3891fa185986e1e9755883024fed7e54675bcdb19044da96b34

Identifiers

- None

remotegui.zip: angularjs.jar: angular-locale\_fr-bl.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_fr-bl.js  
**MD5:** 17477972a0282e775023fc84e12b865d  
**SHA1:** a199b3257837a92459d476dec40e070df07962e4  
**SHA256:**4bca154a2570470b6fe8eb2d993b84feb8ca4f013ddaabe96611ce1e3ba16019  
**Referenced In Project/Scope:**server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies

- remotegui.zip: angularjs.jar: angular-locale\_fr-bl.js.gz: angular-locale\_fr-bl.js
  - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_fr-bl.js.gz/angular-locale\_fr-bl.js
  - MD5: 17477972a0282e775023fc84e12b865d
  - SHA1: a199b3257837a92459d476dec40e070df07962e4



- SHA256: 4bca154a2570470b6fe8eb2d993b84feb8ca4f013ddaabe96611ce1e3ba16019

#### Identifiers

- None

### remotegui.zip: angularjs.jar: angular-locale\_fr-ca.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_fr-ca.js

**MD5:** 93539e188087c6ac541eac6c8e28c92e

**SHA1:** c94d8433b41c8e73cd5b9be2f82645b0780bbfaf

**SHA256:** fb129568a22dfc5ec238e6848521ad6f64feec5c2a92a1ba11c954a20e7666

**Referenced In Project/Scope:**server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Related Dependencies



- remotegui.zip: angularjs.jar: angular-locale\_fr-ca.js.gz: angular-locale\_fr-ca.js
  - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_fr-ca.js.gz/angular-locale\_fr-ca.js
  - MD5: 93539e188087c6ac541eac6c8e28c92e
  - SHA1: c94d8433b41c8e73cd5b9be2f82645b0780bbfaf
  - SHA256: fb129568a22dfc5ec238e6848521ad6f64feec5c2a92a1ba11c954a20e7666

#### Identifiers

- None

### remotegui.zip: angularjs.jar: angular-locale\_fr-cd.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_fr-cd.js

**MD5:** 0819d5894f69c34b361cd14a87e922eb



**SHA1:** f05441d5d436ca1f9c94fd0a64f0b00e01a37c8a  
**SHA256:**dfcba55775cfcaface062714a7a47acdc7f79f88e235b38623551686fbfb61a9  
**Referenced In Project/Scope:**server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies

- remotegui.zip: angularjs.jar: angular-locale\_fr-cd.js.gz: angular-locale\_fr-cd.js
  - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_fr-cd.js.gz/angular-locale\_fr-cd.js
  - MD5: 0819d5894f69c34b361cd14a87e922eb
  - SHA1: f05441d5d436ca1f9c94fd0a64f0b00e01a37c8a
  - SHA256: dfcba55775cfcaface062714a7a47acdc7f79f88e235b38623551686fbfb61a9

Identifiers

- None

remotegui.zip: angularjs.jar: angular-locale\_fr-cf.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_fr-cf.js  
**MD5:** 5fc479744fb59b705588fa3709b8ecc8  
**SHA1:** c06c2eb9878bf4ee8e755693184df4e9c3fbda0e  
**SHA256:**7ef7a0c5ea6abbad1fc08b097ac0b11083392ce400a5d5f883e858d494f2cac7  
**Referenced In Project/Scope:**server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies

- remotegui.zip: angularjs.jar: angular-locale\_fr-cf.js.gz: angular-locale\_fr-cf.js
  - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_fr-cf.js.gz/angular-locale\_fr-cf.js
  - MD5: 5fc479744fb59b705588fa3709b8ecc8
  - SHA1: c06c2eb9878bf4ee8e755693184df4e9c3fbda0e



- SHA256: 7ef7a0c5ea6abbadf1c08b097ac0b11083392ce400a5d5f883e858d494f2cac7

#### Identifiers

- None

### remotegui.zip: angularjs.jar: angular-locale\_fr-cg.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_fr-cg.js

**MD5:** cf698c930f768f6e1c2250623f76a2e4

**SHA1:** c1abaa391b22d9ca3da0cec14ba7947049545046

**SHA256:** 905c1434a6e1a22a3eb0bb0c4e476913106dc226d5d7292f6933311af2843bff

**Referenced In Project/Scope:**server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Related Dependencies



- remotegui.zip: angularjs.jar: angular-locale\_fr-cg.js.gz: angular-locale\_fr-cg.js
  - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_fr-cg.js.gz/angular-locale\_fr-cg.js
  - MD5: cf698c930f768f6e1c2250623f76a2e4
  - SHA1: c1abaa391b22d9ca3da0cec14ba7947049545046
  - SHA256: 905c1434a6e1a22a3eb0bb0c4e476913106dc226d5d7292f6933311af2843bff

#### Identifiers

- None

### remotegui.zip: angularjs.jar: angular-locale\_fr-ch.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_fr-ch.js

**MD5:** bf229322f2a8f9dbdd053ba9fcce55c8



**SHA1:** c9388bdd995d4c0105588a8909adffec09d593a  
**SHA256:**dfc9bb0f3f68a61926ea5206c16cc738e54095dd1b965cabe3c08b03f0482e1b  
**Referenced In Project/Scope:**server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies



- remotegui.zip: angularjs.jar: angular-locale\_fr-ch.js.gz: angular-locale\_fr-ch.js
  - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_fr-ch.js.gz/angular-locale\_fr-ch.js
  - MD5: bf229322f2a8f9dbdd053ba9fcce55c8
  - SHA1: c9388bdd995d4c0105588a8909adffec09d593a
  - SHA256: dfc9bb0f3f68a61926ea5206c16cc738e54095dd1b965cabe3c08b03f0482e1b

Identifiers

- None

remotegui.zip: angularjs.jar: angular-locale\_fr-ci.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_fr-ci.js  
**MD5:** 69c840a03877350cd4482a747f13fbd1  
**SHA1:** e1a0a054da467dd099b20d0957b09a0936c7b636  
**SHA256:**521641dc981961e2adb908a86bb9fb94fc5261859f6f6c1b5ac12d6a2aa94c9e  
**Referenced In Project/Scope:**server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies



- remotegui.zip: angularjs.jar: angular-locale\_fr-ci.js.gz: angular-locale\_fr-ci.js
  - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_fr-ci.js.gz/angular-locale\_fr-ci.js
  - MD5: 69c840a03877350cd4482a747f13fbd1
  - SHA1: e1a0a054da467dd099b20d0957b09a0936c7b636



- SHA256: 521641dc981961e2adb908a86bb9fb94fc5261859f6f6c1b5ac12d6a2aa94c9e

#### Identifiers

- None

### remotegui.zip: angularjs.jar: angular-locale\_fr-cm.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_fr-cm.js

**MD5:** 536a83383d1ecff5add729db6a383eba

**SHA1:** 51f64f7a2d129277f1f120a3addb04ecfb2527b8

**SHA256:** af40c9d75457d52fa5aaf493b521c1667b7eb8394b0066829764da0b16afc9d7

**Referenced In Project/Scope:**server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Related Dependencies



- remotegui.zip: angularjs.jar: angular-locale\_fr-cm.js.gz: angular-locale\_fr-cm.js
  - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_fr-cm.js.gz/angular-locale\_fr-cm.js
  - MD5: 536a83383d1ecff5add729db6a383eba
  - SHA1: 51f64f7a2d129277f1f120a3addb04ecfb2527b8
  - SHA256: af40c9d75457d52fa5aaf493b521c1667b7eb8394b0066829764da0b16afc9d7

#### Identifiers

- None

### remotegui.zip: angularjs.jar: angular-locale\_fr-dj.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_fr-dj.js

**MD5:** b70aedb00275013b4decc5e7f2e33feb



**SHA1:** e60da19cc5681279738fe9daa4eae734aa5264a2  
**SHA256:**c60538f8220c5c0e96c7ff7b13037077d510e3e4ee934fc21da742a804d86007  
**Referenced In Project/Scope:**server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies

- remotegui.zip: angularjs.jar: angular-locale\_fr-dj.js.gz: angular-locale\_fr-dj.js
  - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_fr-dj.js.gz/angular-locale\_fr-dj.js
  - MD5: b70aedb00275013b4decc5e7f2e33feb
  - SHA1: e60da19cc5681279738fe9daa4eae734aa5264a2
  - SHA256: c60538f8220c5c0e96c7ff7b13037077d510e3e4ee934fc21da742a804d86007

Identifiers

- None

remotegui.zip: angularjs.jar: angular-locale\_fr-dz.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_fr-dz.js  
**MD5:** 2c2c891831b2917f86e62f6dedf5505c  
**SHA1:** e55741315a102fd80c291dc52901956f20cb2512  
**SHA256:**ebd074551f4ed635501338a1c57029e76f23c157abe2b7021b6df6c70eecdf62  
**Referenced In Project/Scope:**server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies

- remotegui.zip: angularjs.jar: angular-locale\_fr-dz.js.gz: angular-locale\_fr-dz.js
  - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_fr-dz.js.gz/angular-locale\_fr-dz.js
  - MD5: 2c2c891831b2917f86e62f6dedf5505c
  - SHA1: e55741315a102fd80c291dc52901956f20cb2512



- SHA256: ebd074551f4ed635501338a1c57029e76f23c157abe2b7021b6df6c70eecdf62

#### Identifiers

- None

### remotegui.zip: angularjs.jar: angular-locale\_fr-fr.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_fr-fr.js

**MD5:** 236d06f877f73596ad59c11ed24c2845

**SHA1:** 82aca43f0cfc95282775c3a5045b581620a266f6

**SHA256:** daf27a1d00ed2af1a86142eccb9cd8076a486ba8c8fd174bcdaa9e83eff7a3ba

**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Related Dependencies



- remotegui.zip: angularjs.jar: angular-locale\_fr-fr.js.gz: angular-locale\_fr-fr.js
  - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_fr-fr.js.gz/angular-locale\_fr-fr.js
  - MD5: 236d06f877f73596ad59c11ed24c2845
  - SHA1: 82aca43f0cfc95282775c3a5045b581620a266f6
  - SHA256: daf27a1d00ed2af1a86142eccb9cd8076a486ba8c8fd174bcdaa9e83eff7a3ba

#### Identifiers

- None

### remotegui.zip: angularjs.jar: angular-locale\_fr-ga.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_fr-ga.js

**MD5:** 173daa39965fbfcfd47882e1ca2b164



**SHA1:** 06b954f22a24431bbfdd221b6ef22ab44987b23c  
**SHA256:**35383045b3d17bee3ba8fb144d6968a08b77eb2f9c1884b895c54921c65e1251  
**Referenced In Project/Scope:**server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies

- remotegui.zip: angularjs.jar: angular-locale\_fr-ga.js.gz: angular-locale\_fr-ga.js
  - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_fr-ga.js.gz/angular-locale\_fr-ga.js
  - MD5: 173daa39965fbfcfd47882e1ca2b164
  - SHA1: 06b954f22a24431bbfdd221b6ef22ab44987b23c
  - SHA256: 35383045b3d17bee3ba8fb144d6968a08b77eb2f9c1884b895c54921c65e1251

Identifiers

- None

remotegui.zip: angularjs.jar: angular-locale\_fr-gf.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_fr-gf.js  
**MD5:** 13e2b8076c6d6160a12dd3174afa4468  
**SHA1:** 1da193d61aa4a0b05f6eeda05e6792223967334a  
**SHA256:**b0c24e870e2ff03f4f5d061c24ccb8e60cd45e5e37cbcaf84b1260daa8392962  
**Referenced In Project/Scope:**server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies

- remotegui.zip: angularjs.jar: angular-locale\_fr-gf.js.gz: angular-locale\_fr-gf.js
  - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_fr-gf.js.gz/angular-locale\_fr-gf.js
  - MD5: 13e2b8076c6d6160a12dd3174afa4468
  - SHA1: 1da193d61aa4a0b05f6eeda05e6792223967334a



- SHA256: b0c24e870e2ff03f4f5d061c24ccb8e60cd45e5e37cbcaf84b1260daa8392962

#### Identifiers

- None

### remotegui.zip: angularjs.jar: angular-locale\_fr-gn.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_fr-gn.js

**MD5:** 4b6719503ffc351305ad514f7a08bd1a

**SHA1:** 9fb041d2ec4a0ff694ffefb1783fe0b3247ba996

**SHA256:** 0a1f347f981c0a984e94b0212410ccfa9c37831843bc19542514fcd71dd383da

**Referenced In Project/Scope:**server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Related Dependencies



- remotegui.zip: angularjs.jar: angular-locale\_fr-gn.js.gz: angular-locale\_fr-gn.js
  - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_fr-gn.js.gz/angular-locale\_fr-gn.js
  - MD5: 4b6719503ffc351305ad514f7a08bd1a
  - SHA1: 9fb041d2ec4a0ff694ffefb1783fe0b3247ba996
  - SHA256: 0a1f347f981c0a984e94b0212410ccfa9c37831843bc19542514fcd71dd383da

#### Identifiers

- None

### remotegui.zip: angularjs.jar: angular-locale\_fr-gp.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_fr-gp.js

**MD5:** c1b5e13dd00a68e0beef07b87e134a7f



**SHA1:** 381b4e6869f64d6a1ff795cd67244c6d207b2ff2  
**SHA256:**4a03d4223a6cb32e2d97afbfc28bcbdde2152d80e13e4d5f998afe281e2eefed  
**Referenced In Project/Scope:**server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies

- remotegui.zip: angularjs.jar: angular-locale\_fr-gp.js.gz: angular-locale\_fr-gp.js
  - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_fr-gp.js.gz/angular-locale\_fr-gp.js
  - MD5: c1b5e13dd00a68e0beef07b87e134a7f
  - SHA1: 381b4e6869f64d6a1ff795cd67244c6d207b2ff2
  - SHA256: 4a03d4223a6cb32e2d97afbfc28bcbdde2152d80e13e4d5f998afe281e2eefed

Identifiers

- None

remotegui.zip: angularjs.jar: angular-locale\_fr-gq.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_fr-gq.js  
**MD5:** 10cdac8653fcb14b88c95461d32b4926  
**SHA1:** 563461a319236444894a9917707a670d0847e695  
**SHA256:**0f25b754ee1d6e40a243cb17b665b5a0b0da3901c37b5c5a6aabc7b509ab2e6b  
**Referenced In Project/Scope:**server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies

- remotegui.zip: angularjs.jar: angular-locale\_fr-gq.js.gz: angular-locale\_fr-gq.js
  - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_fr-gq.js.gz/angular-locale\_fr-gq.js
  - MD5: 10cdac8653fcb14b88c95461d32b4926
  - SHA1: 563461a319236444894a9917707a670d0847e695



- SHA256: 0f25b754ee1d6e40a243cb17b665b5a0b0da3901c37b5c5a6aabc7b509ab2e6b

#### Identifiers

- None

### remotegui.zip: angularjs.jar: angular-locale\_fr-ht.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_fr-ht.js

**MD5:** aeab8b9bde530ec577cff12b90f3ce34

**SHA1:** 28cd43019e2a273a9ffde6e232283e86589034d7

**SHA256:** b5bb88aa512d2b6c49b2456957e01bfe254a75a3b26e591ae95f609a7e0af474

**Referenced In Project/Scope:**server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Related Dependencies



- remotegui.zip: angularjs.jar: angular-locale\_fr-ht.js.gz: angular-locale\_fr-ht.js
  - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_fr-ht.js.gz/angular-locale\_fr-ht.js
  - MD5: aeab8b9bde530ec577cff12b90f3ce34
  - SHA1: 28cd43019e2a273a9ffde6e232283e86589034d7
  - SHA256: b5bb88aa512d2b6c49b2456957e01bfe254a75a3b26e591ae95f609a7e0af474

#### Identifiers

- None

### remotegui.zip: angularjs.jar: angular-locale\_fr-km.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_fr-km.js

**MD5:** 511e654c86f25e156db49c66cd0c1c4e



**SHA1:** 6dcfd1944d0766646e2944a86ecd48ecf1287c00  
**SHA256:**2b2376aeb8d0a9cc2e20ea4f289e8e7957dd6a6ced1a5c885a2ad4be2dfc4426  
**Referenced In Project/Scope:**server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies

- remotegui.zip: angularjs.jar: angular-locale\_fr-km.js.gz: angular-locale\_fr-km.js
  - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_fr-km.js.gz/angular-locale\_fr-km.js
  - MD5: 511e654c86f25e156db49c66cd0c1c4e
  - SHA1: 6dcfd1944d0766646e2944a86ecd48ecf1287c00
  - SHA256: 2b2376aeb8d0a9cc2e20ea4f289e8e7957dd6a6ced1a5c885a2ad4be2dfc4426

Identifiers

- None

remotegui.zip: angularjs.jar: angular-locale\_fr-lu.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_fr-lu.js  
**MD5:** 66666a5cb2190927cc3cd8b75e17e586  
**SHA1:** 8caf60c302e99a57fae7de251aeefdb3716315fe  
**SHA256:**d42049bee4c7e07053f835cd30e78d5eb12beb439fb75def942526751f7a4f8a  
**Referenced In Project/Scope:**server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies

- remotegui.zip: angularjs.jar: angular-locale\_fr-lu.js.gz: angular-locale\_fr-lu.js
  - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_fr-lu.js.gz/angular-locale\_fr-lu.js
  - MD5: 66666a5cb2190927cc3cd8b75e17e586
  - SHA1: 8caf60c302e99a57fae7de251aeefdb3716315fe



- SHA256: d42049bee4c7e07053f835cd30e78d5eb12beb439fb75def942526751f7a4f8a

#### Identifiers

- None

### remotegui.zip: angularjs.jar: angular-locale\_fr-ma.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_fr-ma.js

**MD5:** a004dfc8f326b532c37f771f8a9e27a9

**SHA1:** 8b4b8c2568da03ab5ae0d5fc17eccd9c6423c15f

**SHA256:** b9d404480c33eb3ef867dd7f6c7ad779acea89f27c057f7b125a38a658b24af3

**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Related Dependencies



- remotegui.zip: angularjs.jar: angular-locale\_fr-ma.js.gz: angular-locale\_fr-ma.js
  - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_fr-ma.js.gz/angular-locale\_fr-ma.js
  - MD5: a004dfc8f326b532c37f771f8a9e27a9
  - SHA1: 8b4b8c2568da03ab5ae0d5fc17eccd9c6423c15f
  - SHA256: b9d404480c33eb3ef867dd7f6c7ad779acea89f27c057f7b125a38a658b24af3

#### Identifiers

- None

### remotegui.zip: angularjs.jar: angular-locale\_fr-mc.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_fr-mc.js

**MD5:** 1fe097872c4d2c086d8b236d9dbf9979



**SHA1:** 750caf443149639fee8f7b37b8641290591563fa  
**SHA256:**6a2b802d19be10560d44feae9e05879521003e71e6f355e510f1f7427688d890  
**Referenced In Project/Scope:**server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies

- remotegui.zip: angularjs.jar: angular-locale\_fr-mc.js.gz: angular-locale\_fr-mc.js
  - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_fr-mc.js.gz/angular-locale\_fr-mc.js
  - MD5: 1fe097872c4d2c086d8b236d9dbf9979
  - SHA1: 750caf443149639fee8f7b37b8641290591563fa
  - SHA256: 6a2b802d19be10560d44feae9e05879521003e71e6f355e510f1f7427688d890

Identifiers

- None

remotegui.zip: angularjs.jar: angular-locale\_fr-mf.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_fr-mf.js  
**MD5:** 6b6c57073345ef128c8362b3d3942027  
**SHA1:** acb4e84bab5acb000cc33eddbd4d1f92db75ebfb  
**SHA256:**905eeb2ac0f96f92fe2e071beaf4e325a6de7cc5a49c35f1dc038d981692793b  
**Referenced In Project/Scope:**server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies

- remotegui.zip: angularjs.jar: angular-locale\_fr-mf.js.gz: angular-locale\_fr-mf.js
  - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_fr-mf.js.gz/angular-locale\_fr-mf.js
  - MD5: 6b6c57073345ef128c8362b3d3942027
  - SHA1: acb4e84bab5acb000cc33eddbd4d1f92db75ebfb



- SHA256: 905eeb2ac0f96f92fe2e071beaf4e325a6de7cc5a49c35f1dc038d981692793b

#### Identifiers

- None

### remotegui.zip: angularjs.jar: angular-locale\_fr-mg.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_fr-mg.js

**MD5:** 879708b39e8a297d563336fdce60cdc4

**SHA1:** 38af4690443b14e4143135e3748435edd147aee4

**SHA256:** 6412902b29d7eedf89bd7efde939be37686d9c7d23f396fb38a0970e88b56a43

**Referenced In Project/Scope:**server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Related Dependencies



- remotegui.zip: angularjs.jar: angular-locale\_fr-mg.js.gz: angular-locale\_fr-mg.js
  - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_fr-mg.js.gz/angular-locale\_fr-mg.js
  - MD5: 879708b39e8a297d563336fdce60cdc4
  - SHA1: 38af4690443b14e4143135e3748435edd147aee4
  - SHA256: 6412902b29d7eedf89bd7efde939be37686d9c7d23f396fb38a0970e88b56a43

#### Identifiers

- None

### remotegui.zip: angularjs.jar: angular-locale\_fr-ml.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_fr-ml.js

**MD5:** 9cef182e4262353a49400eb615eef49a



**SHA1:** 2f8e9bfb01c4e932532cae758d209b294d90de0d  
**SHA256:**048f917540490f18d02b8cc0f0e8e87dedc602e0f98bae8b1057d07e58085dbd  
**Referenced In Project/Scope:**server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies

- remotegui.zip: angularjs.jar: angular-locale\_fr-ml.js.gz: angular-locale\_fr-ml.js
  - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_fr-ml.js.gz/angular-locale\_fr-ml.js
  - MD5: 9cef182e4262353a49400eb615eef49a
  - SHA1: 2f8e9bfb01c4e932532cae758d209b294d90de0d
  - SHA256: 048f917540490f18d02b8cc0f0e8e87dedc602e0f98bae8b1057d07e58085dbd

Identifiers

- None

remotegui.zip: angularjs.jar: angular-locale\_fr-mq.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_fr-mq.js  
**MD5:** 46bd56a3981481857b8348b644f6dbec  
**SHA1:** 8204fd0dba857db29f8b03fb0ddaf45ff4f9480b  
**SHA256:**b0cfde34468691f890cdd3601ffed106a2f24cceb0d3ce1c8882cf17c131869  
**Referenced In Project/Scope:**server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies

- remotegui.zip: angularjs.jar: angular-locale\_fr-mq.js.gz: angular-locale\_fr-mq.js
  - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_fr-mq.js.gz/angular-locale\_fr-mq.js
  - MD5: 46bd56a3981481857b8348b644f6dbec
  - SHA1: 8204fd0dba857db29f8b03fb0ddaf45ff4f9480b



- SHA256: b0cfde34468691f890cdd3601ffed106a2f24ccebc0d3ce1c8882cf17c131869

#### Identifiers

- None

### remotegui.zip: angularjs.jar: angular-locale\_fr-mr.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_fr-mr.js

**MD5:** 7e409d6c036462ae209b7328046bf8cc

**SHA1:** 820e527754b4ee2213dd2f7bf6203792d96dca52

**SHA256:** d74b5ac47a06fc98f4284063b01e48669f8b56361ca16e96505e79fe08b2cfe7

**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Related Dependencies



- remotegui.zip: angularjs.jar: angular-locale\_fr-mr.js.gz: angular-locale\_fr-mr.js
  - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_fr-mr.js.gz/angular-locale\_fr-mr.js
  - MD5: 7e409d6c036462ae209b7328046bf8cc
  - SHA1: 820e527754b4ee2213dd2f7bf6203792d96dca52
  - SHA256: d74b5ac47a06fc98f4284063b01e48669f8b56361ca16e96505e79fe08b2cfe7

#### Identifiers

- None

### remotegui.zip: angularjs.jar: angular-locale\_fr-mu.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_fr-mu.js

**MD5:** d522f6ea0c87f9c8303bce4fa0bff95c



**SHA1:** dd74f443377d463e6b279b165e8bdb5d99883b29  
**SHA256:**48815dc5666049e99d43804b7c2e52d642f6d28891b4fa71b061335aca317994  
**Referenced In Project/Scope:**server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies

- remotegui.zip: angularjs.jar: angular-locale\_fr-mu.js.gz: angular-locale\_fr-mu.js
  - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_fr-mu.js.gz/angular-locale\_fr-mu.js
  - MD5: d522f6ea0c87f9c8303bce4fa0bff95c
  - SHA1: dd74f443377d463e6b279b165e8bdb5d99883b29
  - SHA256: 48815dc5666049e99d43804b7c2e52d642f6d28891b4fa71b061335aca317994

Identifiers

- None

remotegui.zip: angularjs.jar: angular-locale\_fr-nc.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_fr-nc.js  
**MD5:** 9182087eb80332b4dde88a48b28cc107  
**SHA1:** 0d545334f449a28b7ffdf7802d1871cb3e85e27e  
**SHA256:**46ea023be11585429f53077f65fb49c47d03681fc13628a20ee6976c5a39f599  
**Referenced In Project/Scope:**server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies

- remotegui.zip: angularjs.jar: angular-locale\_fr-nc.js.gz: angular-locale\_fr-nc.js
  - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_fr-nc.js.gz/angular-locale\_fr-nc.js
  - MD5: 9182087eb80332b4dde88a48b28cc107
  - SHA1: 0d545334f449a28b7ffdf7802d1871cb3e85e27e



- SHA256: 46ea023be11585429f53077f65fb49c47d03681fc13628a20ee6976c5a39f599

#### Identifiers

- None

### remotegui.zip: angularjs.jar: angular-locale\_fr-ne.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_fr-ne.js

**MD5:** 4dcf96b3d18d70c7e8245b915b944bcf

**SHA1:** 5c49154a1a88fe5dfd089b372c4edd14fd1a1d8c

**SHA256:** 798b230d8d21901848d115a8edd89bfad74e356ff2540e6a66520a33a51e859f

**Referenced In Project/Scope:**server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Related Dependencies



- remotegui.zip: angularjs.jar: angular-locale\_fr-ne.js.gz: angular-locale\_fr-ne.js
  - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_fr-ne.js.gz/angular-locale\_fr-ne.js
  - MD5: 4dcf96b3d18d70c7e8245b915b944bcf
  - SHA1: 5c49154a1a88fe5dfd089b372c4edd14fd1a1d8c
  - SHA256: 798b230d8d21901848d115a8edd89bfad74e356ff2540e6a66520a33a51e859f

#### Identifiers

- None

### remotegui.zip: angularjs.jar: angular-locale\_fr-pf.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_fr-pf.js

**MD5:** 215c2de9fc6f28a584759afe04c62359



**SHA1:** 352d19d93f8d6a891a348636a7a726c8b2a9f8cb  
**SHA256:**ed9b925ebf2c4eec965c9cea4ad3eb9b7f329605d48f0cc1dddf591595a4e1ce  
**Referenced In Project/Scope:**server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies

- remotegui.zip: angularjs.jar: angular-locale\_fr-pf.js.gz: angular-locale\_fr-pf.js
  - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_fr-pf.js.gz/angular-locale\_fr-pf.js
  - MD5: 215c2de9fc6f28a584759afe04c62359
  - SHA1: 352d19d93f8d6a891a348636a7a726c8b2a9f8cb
  - SHA256: ed9b925ebf2c4eec965c9cea4ad3eb9b7f329605d48f0cc1dddf591595a4e1ce

Identifiers

- None

remotegui.zip: angularjs.jar: angular-locale\_fr-pm.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_fr-pm.js  
**MD5:** 859fdad475a5e55e5c5a3c38771333ce  
**SHA1:** db0a863f8357d6679d64d28dc3a335b00e544f50  
**SHA256:**1e66e1d30c268f9c032d06b1071faa5881ca62506ab9aa7fce3af415e2b13147  
**Referenced In Project/Scope:**server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies

- remotegui.zip: angularjs.jar: angular-locale\_fr-pm.js.gz: angular-locale\_fr-pm.js
  - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_fr-pm.js.gz/angular-locale\_fr-pm.js
  - MD5: 859fdad475a5e55e5c5a3c38771333ce
  - SHA1: db0a863f8357d6679d64d28dc3a335b00e544f50



- SHA256: 1e66e1d30c268f9c032d06b1071faa5881ca62506ab9aa7fce3af415e2b13147

#### Identifiers

- None

### remotegui.zip: angularjs.jar: angular-locale\_fr-re.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_fr-re.js

**MD5:** 0866cfcd0913d87c34a4b7d607718a5c

**SHA1:** adf73fffd1288d0d1af344725e192747f50117ea

**SHA256:** e425471b0da57b6dde79f69e5947a152e02f711b2ddbd991a161df76d5bc8260

**Referenced In Project/Scope:**server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Related Dependencies



- remotegui.zip: angularjs.jar: angular-locale\_fr-re.js.gz: angular-locale\_fr-re.js
  - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_fr-re.js.gz/angular-locale\_fr-re.js
  - MD5: 0866cfcd0913d87c34a4b7d607718a5c
  - SHA1: adf73fffd1288d0d1af344725e192747f50117ea
  - SHA256: e425471b0da57b6dde79f69e5947a152e02f711b2ddbd991a161df76d5bc8260

#### Identifiers

- None

### remotegui.zip: angularjs.jar: angular-locale\_fr-rw.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_fr-rw.js

**MD5:** 5c824a6e28e973a080b70c4888d28e5d



**SHA1:** 6445cccac0452f945c010e6895e225ffe27bb3b0  
**SHA256:**0fa68671270247d0cff483109fc5d625db02e22b810b02d990450a12aba80613  
**Referenced In Project/Scope:**server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies

- remotegui.zip: angularjs.jar: angular-locale\_fr-rw.js.gz: angular-locale\_fr-rw.js
  - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_fr-rw.js.gz/angular-locale\_fr-rw.js
  - MD5: 5c824a6e28e973a080b70c4888d28e5d
  - SHA1: 6445cccac0452f945c010e6895e225ffe27bb3b0
  - SHA256: 0fa68671270247d0cff483109fc5d625db02e22b810b02d990450a12aba80613

Identifiers

- None

remotegui.zip: angularjs.jar: angular-locale\_fr-sc.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_fr-sc.js  
**MD5:** e734eab4a9af87b1f460c15c02e9597a  
**SHA1:** f030536fbffecb561a54ea41dc0d1ef5d3f76b27  
**SHA256:**a1c84fa9af4ccda5f1a71d1b6a0840748a9e8da71a10016dc2a15caf748620b3  
**Referenced In Project/Scope:**server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies

- remotegui.zip: angularjs.jar: angular-locale\_fr-sc.js.gz: angular-locale\_fr-sc.js
  - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_fr-sc.js.gz/angular-locale\_fr-sc.js
  - MD5: e734eab4a9af87b1f460c15c02e9597a
  - SHA1: f030536fbffecb561a54ea41dc0d1ef5d3f76b27



- SHA256: a1c84fa9af4ccda5f1a71d1b6a0840748a9e8da71a10016dc2a15caf748620b3

#### Identifiers

- None

### remotegui.zip: angularjs.jar: angular-locale\_fr-sn.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_fr-sn.js

**MD5:** 266c54febce29e08792a80f149822a41

**SHA1:** f28aba11293d2e03f7209fd9b6b0009fd82f40a6

**SHA256:** 800a4c4de3020bf6fe4c1b5ba6e4d5735ddf4409b3edd0c69367ddf24750e414

**Referenced In Project/Scope:**server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Related Dependencies



- remotegui.zip: angularjs.jar: angular-locale\_fr-sn.js.gz: angular-locale\_fr-sn.js
  - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_fr-sn.js.gz/angular-locale\_fr-sn.js
  - MD5: 266c54febce29e08792a80f149822a41
  - SHA1: f28aba11293d2e03f7209fd9b6b0009fd82f40a6
  - SHA256: 800a4c4de3020bf6fe4c1b5ba6e4d5735ddf4409b3edd0c69367ddf24750e414

#### Identifiers

- None

### remotegui.zip: angularjs.jar: angular-locale\_fr-sy.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_fr-sy.js

**MD5:** 75d457912277a87b0a9a8aa2a366d66e



**SHA1:** 00a223f080dee3d92a856805c3bb0c2e9b48705d  
**SHA256:**16f8f43ad7776e687b06ee9fe498bbf3cb745fda463aa6e758ef175fd2ee9d0c  
**Referenced In Project/Scope:**server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies

- remotegui.zip: angularjs.jar: angular-locale\_fr-sy.js.gz: angular-locale\_fr-sy.js
  - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_fr-sy.js.gz/angular-locale\_fr-sy.js
  - MD5: 75d457912277a87b0a9a8aa2a366d66e
  - SHA1: 00a223f080dee3d92a856805c3bb0c2e9b48705d
  - SHA256: 16f8f43ad7776e687b06ee9fe498bbf3cb745fda463aa6e758ef175fd2ee9d0c

Identifiers

- None

remotegui.zip: angularjs.jar: angular-locale\_fr-td.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_fr-td.js  
**MD5:** 95e5e076f30717d323f0e83d19ab8fc9  
**SHA1:** ba9a8e9dd91ada215934f9bad3796abdb0bdfed7  
**SHA256:**fc73cb21ec7ba6b42adb3125afb55e340218e10fc1f43a648c9d50ad21afcf1  
**Referenced In Project/Scope:**server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies

- remotegui.zip: angularjs.jar: angular-locale\_fr-td.js.gz: angular-locale\_fr-td.js
  - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_fr-td.js.gz/angular-locale\_fr-td.js
  - MD5: 95e5e076f30717d323f0e83d19ab8fc9
  - SHA1: ba9a8e9dd91ada215934f9bad3796abdb0bdfed7



- SHA256: fc73cb21ec7ba6b42adbd3125afb55e340218e10fc1f43a648c9d50ad21afcf1

#### Identifiers

- None

### remotegui.zip: angularjs.jar: angular-locale\_fr-tg.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_fr-tg.js

**MD5:** e4c68a637aa44d205a896f8f03e9b19e

**SHA1:** 8585a16ae66cfe2d51ae7ed8e8636c0f83a0ea17

**SHA256:** 106ce3b23c536946571522d73082bfaf33bf6337ec0af52e97597b171d537907

**Referenced In Project/Scope:**server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Related Dependencies



- remotegui.zip: angularjs.jar: angular-locale\_fr-tg.js.gz: angular-locale\_fr-tg.js
  - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_fr-tg.js.gz/angular-locale\_fr-tg.js
  - MD5: e4c68a637aa44d205a896f8f03e9b19e
  - SHA1: 8585a16ae66cfe2d51ae7ed8e8636c0f83a0ea17
  - SHA256: 106ce3b23c536946571522d73082bfaf33bf6337ec0af52e97597b171d537907

#### Identifiers

- None

### remotegui.zip: angularjs.jar: angular-locale\_fr-tn.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_fr-tn.js

**MD5:** 95c748e78f432abfbe3e667b5651abee



**SHA1:** 1c0988352f590a2dbf70ca43ddd7fc85265f8d49  
**SHA256:**52d7aaf002bf25d8c348f1ede31ab169049126a1e5cc9fa2b3e2bcb56c9a540f  
**Referenced In Project/Scope:**server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies

- remotegui.zip: angularjs.jar: angular-locale\_fr-tn.js.gz: angular-locale\_fr-tn.js
  - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_fr-tn.js.gz/angular-locale\_fr-tn.js
  - MD5: 95c748e78f432abfbe3e667b5651abee
  - SHA1: 1c0988352f590a2dbf70ca43ddd7fc85265f8d49
  - SHA256: 52d7aaf002bf25d8c348f1ede31ab169049126a1e5cc9fa2b3e2bcb56c9a540f

Identifiers

- None

remotegui.zip: angularjs.jar: angular-locale\_fr-vu.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_fr-vu.js  
**MD5:** ef5ff1d94683822b4aed596fe90a30be  
**SHA1:** 06133d1486c6c0a360a8488247331fc2dab66513  
**SHA256:**6b48fbc82a58909d8a0a8847a0e30cc2e3c30b140af63c57d51cdd461e1d24cf  
**Referenced In Project/Scope:**server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies

- remotegui.zip: angularjs.jar: angular-locale\_fr-vu.js.gz: angular-locale\_fr-vu.js
  - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_fr-vu.js.gz/angular-locale\_fr-vu.js
  - MD5: ef5ff1d94683822b4aed596fe90a30be
  - SHA1: 06133d1486c6c0a360a8488247331fc2dab66513



- SHA256: 6b48fbc82a58909d8a0a8847a0e30cc2e3c30b140af63c57d51cdd461e1d24cf

#### Identifiers

- None

### remotegui.zip: angularjs.jar: angular-locale\_fr-wf.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_fr-wf.js

**MD5:** e5739aad1d00d324035dc020c2e75b1c

**SHA1:** 6a8fd093bf916f3de4d2db4b5197bbdc1304c921

**SHA256:** e54f4161c4e272439be2c8c677ab63775096ca954a6fe39788c361d7b3692df6

**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Related Dependencies



- remotegui.zip: angularjs.jar: angular-locale\_fr-wf.js.gz: angular-locale\_fr-wf.js
  - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_fr-wf.js.gz/angular-locale\_fr-wf.js
  - MD5: e5739aad1d00d324035dc020c2e75b1c
  - SHA1: 6a8fd093bf916f3de4d2db4b5197bbdc1304c921
  - SHA256: e54f4161c4e272439be2c8c677ab63775096ca954a6fe39788c361d7b3692df6

#### Identifiers

- None

### remotegui.zip: angularjs.jar: angular-locale\_fr-yt.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_fr-yt.js

**MD5:** cffef1d9fb8507493f68bb4320a8527f



**SHA1:** 63d4419b96c82610510eb349a7cc0c6a03674ae2  
**SHA256:** f2a645be6700211af68993dcfd83bd14fa27bfb52c98b7f08155402950ce5404  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Related Dependencies



- remotegui.zip: angularjs.jar: angular-locale\_fr-yt.js.gz: angular-locale\_fr-yt.js
  - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_fr-yt.js.gz/angular-locale\_fr-yt.js
  - MD5: cffef1d9fb8507493f68bb4320a8527f
  - SHA1: 63d4419b96c82610510eb349a7cc0c6a03674ae2
  - SHA256: f2a645be6700211af68993dcfd83bd14fa27bfb52c98b7f08155402950ce5404

#### Identifiers

- None

### remotegui.zip: angularjs.jar: angular-locale\_fr.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_fr.js  
**MD5:** 80daaf6c0b1b3f453e398985033e5fff  
**SHA1:** 131bdda0a5dbf8ee6cfe0d12947da3e827642594  
**SHA256:** b1aabf16c6acfb732dc8c966115b84dbde2e148891f3d55666bfb2cceebe4042  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Related Dependencies



- remotegui.zip: angularjs.jar: angular-locale\_fr.js.gz: angular-locale\_fr.js
  - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_fr.js.gz/angular-locale\_fr.js
  - MD5: 80daaf6c0b1b3f453e398985033e5fff
  - SHA1: 131bdda0a5dbf8ee6cfe0d12947da3e827642594



- SHA256: b1aabf16c6acfb732dc8c966115b84dbde2e148891f3d55666bfb2cceebe4042

#### Identifiers

- None

### remotegui.zip: angularjs.jar: angular-locale\_fur-it.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_fur-it.js

**MD5:** e369a4fd061b3105c6d6853e5272640d

**SHA1:** 1d2cb7da53c4b6ae273087e8d040c166465f6dd9

**SHA256:** abd33cb56bcf219e6df1e67b404d0c34d475424b9a465f1e9ac255d13921b4eb

**Referenced In Project/Scope:**server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Related Dependencies



- remotegui.zip: angularjs.jar: angular-locale\_fur-it.js.gz: angular-locale\_fur-it.js
  - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_fur-it.js.gz/angular-locale\_fur-it.js
  - MD5: e369a4fd061b3105c6d6853e5272640d
  - SHA1: 1d2cb7da53c4b6ae273087e8d040c166465f6dd9
  - SHA256: abd33cb56bcf219e6df1e67b404d0c34d475424b9a465f1e9ac255d13921b4eb

#### Identifiers

- None

### remotegui.zip: angularjs.jar: angular-locale\_fur.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_fur.js

**MD5:** 428868f774f2bbfe03b987612fffb3f3



**SHA1:** 6932cd18507b9a5f863eb99ee8f170bdbfb561eb  
**SHA256:**96422cb21f5716b25cb2fa0363ee5e02ecb1ba384a6f6d686a3758393d303257  
**Referenced In Project/Scope:**server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies

- remotegui.zip: angularjs.jar: angular-locale\_fur.js.gz: angular-locale\_fur.js
  - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_fur.js.gz/angular-locale\_fur.js
  - MD5: 428868f774f2bbfe03b987612fffb3f3
  - SHA1: 6932cd18507b9a5f863eb99ee8f170bdbfb561eb
  - SHA256: 96422cb21f5716b25cb2fa0363ee5e02ecb1ba384a6f6d686a3758393d303257

Identifiers

- None

remotegui.zip: angularjs.jar: angular-locale\_fy-nl.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_fy-nl.js  
**MD5:** 9b05e3469882396c8cd7736e5561ca39  
**SHA1:** 43f6097d44a2b09d37bfd2a3101292e69c8ca290  
**SHA256:**d74c0c0198394abd94d8672ddd5a0347229951230c2d0bd4a22406480d8cc20f  
**Referenced In Project/Scope:**server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies

- remotegui.zip: angularjs.jar: angular-locale\_fy-nl.js.gz: angular-locale\_fy-nl.js
  - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_fy-nl.js.gz/angular-locale\_fy-nl.js
  - MD5: 9b05e3469882396c8cd7736e5561ca39
  - SHA1: 43f6097d44a2b09d37bfd2a3101292e69c8ca290



- SHA256: d74c0c0198394abd94d8672ddd5a0347229951230c2d0bd4a22406480d8cc20f

#### Identifiers

- None

### remotegui.zip: angularjs.jar: angular-locale\_fy.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_fy.js

**MD5:** f8dc88fd011f3eccf31376aa38a68b90

**SHA1:** 75869df07b6d5f89e0fba39d190c2f0335fb3f1d

**SHA256:** 6f1421cda0e5d8077061e086ee154513489ddd30ad2d10a719aad8623aa35c91

**Referenced In Project/Scope:**server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Related Dependencies



- remotegui.zip: angularjs.jar: angular-locale\_fy.js.gz: angular-locale\_fy.js
  - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_fy.js.gz/angular-locale\_fy.js
  - MD5: f8dc88fd011f3eccf31376aa38a68b90
  - SHA1: 75869df07b6d5f89e0fba39d190c2f0335fb3f1d
  - SHA256: 6f1421cda0e5d8077061e086ee154513489ddd30ad2d10a719aad8623aa35c91

#### Identifiers

- None

### remotegui.zip: angularjs.jar: angular-locale\_ga-ie.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_ga-ie.js

**MD5:** 1cfaf06a28f4dbee9fae41cb258a910a



**SHA1:** 257362d7cf788bfdc45b3651f3ed2bc359e75795  
**SHA256:**f7c065775683321395b626cec9f826f579bb4c93d78189033f563a5abdd71559  
**Referenced In Project/Scope:**server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies

- remotegui.zip: angularjs.jar: angular-locale\_ga-ie.js.gz: angular-locale\_ga-ie.js
  - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_ga-ie.js.gz/angular-locale\_ga-ie.js
  - MD5: 1cfaf06a28f4dbee9fae41cb258a910a
  - SHA1: 257362d7cf788bfdc45b3651f3ed2bc359e75795
  - SHA256: f7c065775683321395b626cec9f826f579bb4c93d78189033f563a5abdd71559

Identifiers

- None

remotegui.zip: angularjs.jar: angular-locale\_ga.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_ga.js  
**MD5:** 3c397c2c9df420f85edfd0352dd958a6  
**SHA1:** 52e828272bfc4f5d61e25f25d3d0316f980a8584  
**SHA256:**1f1c49d616aaf43705e351ee56a4349a466b88c3bcd5adfd2e6c9cb333c2f77d  
**Referenced In Project/Scope:**server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies

- remotegui.zip: angularjs.jar: angular-locale\_ga.js.gz: angular-locale\_ga.js
  - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_ga.js.gz/angular-locale\_ga.js
  - MD5: 3c397c2c9df420f85edfd0352dd958a6
  - SHA1: 52e828272bfc4f5d61e25f25d3d0316f980a8584



- SHA256: 1f1c49d616aaf43705e351ee56a4349a466b88c3bcd5adfd2e6c9cb333c2f77d

#### Identifiers

- None

### remotegui.zip: angularjs.jar: angular-locale\_gd-gb.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_gd-gb.js

**MD5:** 1d499ba385c63d3cdb512b9af992d40e

**SHA1:** 27761f2d63b9c306e4efe476e8671692dad37a7

**SHA256:** ba3a384d55f071c337bb04e252179ca1ce42e7ff30666ae585a50190d123ee70

**Referenced In Project/Scope:**server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Related Dependencies



- remotegui.zip: angularjs.jar: angular-locale\_gd-gb.js.gz: angular-locale\_gd-gb.js
  - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_gd-gb.js.gz/angular-locale\_gd-gb.js
  - MD5: 1d499ba385c63d3cdb512b9af992d40e
  - SHA1: 27761f2d63b9c306e4efe476e8671692dad37a7
  - SHA256: ba3a384d55f071c337bb04e252179ca1ce42e7ff30666ae585a50190d123ee70

#### Identifiers

- None

### remotegui.zip: angularjs.jar: angular-locale\_gd.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_gd.js

**MD5:** 611a999349bd5b3f1db932df0b06edba



**SHA1:** a7d82484748664b54e75b8cfa4aa29ba854aa4aa  
**SHA256:**9692d0fa639f03ea24e6e7a24d570ea9f103efa6a384baa8ce7d543b918637c2  
**Referenced In Project/Scope:**server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies

- remotegui.zip: angularjs.jar: angular-locale\_gd.js.gz: angular-locale\_gd.js
  - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_gd.js.gz/angular-locale\_gd.js
  - MD5: 611a999349bd5b3f1db932df0b06edba
  - SHA1: a7d82484748664b54e75b8cfa4aa29ba854aa4aa
  - SHA256: 9692d0fa639f03ea24e6e7a24d570ea9f103efa6a384baa8ce7d543b918637c2

Identifiers

- None

remotegui.zip: angularjs.jar: angular-locale\_gl-es.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_gl-es.js  
**MD5:** 29aede115059ce4745a4b5bcf78c7892  
**SHA1:** 4632a48cea4d27117ae311f0ab8ac32845184007  
**SHA256:**196f8c5bddd029b32ed34476c07d3e070f7b7d47020f4b60e03c60301c8a9ed4  
**Referenced In Project/Scope:**server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies

- remotegui.zip: angularjs.jar: angular-locale\_gl-es.js.gz: angular-locale\_gl-es.js
  - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_gl-es.js.gz/angular-locale\_gl-es.js
  - MD5: 29aede115059ce4745a4b5bcf78c7892
  - SHA1: 4632a48cea4d27117ae311f0ab8ac32845184007



- SHA256: 196f8c5bddd029b32ed34476c07d3e070f7b7d47020f4b60e03c60301c8a9ed4

#### Identifiers

- None

### remotegui.zip: angularjs.jar: angular-locale\_gl.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_gl.js

**MD5:** 4d7be5685c3f5fff76fcd830e6084bcd

**SHA1:** 38f2d0cc2fdb4d15e2899732fff5f3faccfd730

**SHA256:** 0ff656897813d7095bbada7145fa755e5f752aec595495471ce1224a07b427ed

**Referenced In Project/Scope:**server

#### Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Related Dependencies

- remotegui.zip: angularjs.jar: angular-locale\_gl.js.gz: angular-locale\_gl.js
  - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_gl.js.gz/angular-locale\_gl.js
  - MD5: 4d7be5685c3f5fff76fcd830e6084bcd
  - SHA1: 38f2d0cc2fdb4d15e2899732fff5f3faccfd730
  - SHA256: 0ff656897813d7095bbada7145fa755e5f752aec595495471ce1224a07b427ed

#### Identifiers

- None

### remotegui.zip: angularjs.jar: angular-locale\_gsw-ch.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_gsw-ch.js

**MD5:** e145346ec4c14666c4b1243f017b841b



**SHA1:** 401840b9bb4a757caa7dfa631c55fd325942a26c  
**SHA256:**03442b52373e2ec43c094713a04d78b8f65c711c8c54d5af562652604f65050e  
**Referenced In Project/Scope:**server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies

- remotegui.zip: angularjs.jar: angular-locale\_gsw-ch.js.gz: angular-locale\_gsw-ch.js
  - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_gsw-ch.js.gz/angular-locale\_gsw-ch.js
  - MD5: e145346ec4c14666c4b1243f017b841b
  - SHA1: 401840b9bb4a757caa7dfa631c55fd325942a26c
  - SHA256: 03442b52373e2ec43c094713a04d78b8f65c711c8c54d5af562652604f65050e

Identifiers

- None

remotegui.zip: angularjs.jar: angular-locale\_gsw-fr.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_gsw-fr.js  
**MD5:** 3750e29d71b8e47573f9000cc2238cfd  
**SHA1:** e589ef8d0dd4ac468922e38ce90c2988dd06d613  
**SHA256:**8b505bd15f80a00ceb15150fe51122fb03fcfc2b45f22dc933d00e3e8e1197c4  
**Referenced In Project/Scope:**server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies

- remotegui.zip: angularjs.jar: angular-locale\_gsw-fr.js.gz: angular-locale\_gsw-fr.js
  - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_gsw-fr.js.gz/angular-locale\_gsw-fr.js
  - MD5: 3750e29d71b8e47573f9000cc2238cfd
  - SHA1: e589ef8d0dd4ac468922e38ce90c2988dd06d613



- SHA256: 8b505bd15f80a00ceb15150fe51122fb03fcfc2b45f22dc933d00e3e8e1197c4

#### Identifiers

- None

### remotegui.zip: angularjs.jar: angular-locale\_gsw-li.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_gsw-li.js

**MD5:** 04a0e8830eea2b54d93168633c6a6835

**SHA1:** 48a612944b72f1bc4935ca23ca8a473c4122a7a7

**SHA256:** eaadde6072104c0510309d7f7f82a2adad3fbd33ca5541628dafa6093ae63db2

**Referenced In Project/Scope:**server

#### Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Related Dependencies

- remotegui.zip: angularjs.jar: angular-locale\_gsw-li.js.gz: angular-locale\_gsw-li.js
  - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_gsw-li.js.gz/angular-locale\_gsw-li.js
  - MD5: 04a0e8830eea2b54d93168633c6a6835
  - SHA1: 48a612944b72f1bc4935ca23ca8a473c4122a7a7
  - SHA256: eaadde6072104c0510309d7f7f82a2adad3fbd33ca5541628dafa6093ae63db2

#### Identifiers

- None

### remotegui.zip: angularjs.jar: angular-locale\_gsw.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_gsw.js

**MD5:** e47ab57e706461966c7bfe6e18d52691



**SHA1:** f4700a8bfb8ae88b06b5e80434a538d1b148f3a5  
**SHA256:** a3ee52a6911d7abb40d3d54101262f92055630afc65a7fb6924fb8c12d4802a3  
**Referenced In Project/Scope:** server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies

- remotegui.zip: angularjs.jar: angular-locale\_gsw.js.gz: angular-locale\_gsw.js
  - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_gsw.js.gz/angular-locale\_gsw.js
  - MD5: e47ab57e706461966c7bfe6e18d52691
  - SHA1: f4700a8bfb8ae88b06b5e80434a538d1b148f3a5
  - SHA256: a3ee52a6911d7abb40d3d54101262f92055630afc65a7fb6924fb8c12d4802a3

Identifiers

- None

remotegui.zip: angularjs.jar: angular-locale\_gu-in.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_gu-in.js  
**MD5:** 82c14e416d02e8ad18f6e09a7aff095f  
**SHA1:** 69bf688dcb914e52506a58a2cfb5715b9575542d  
**SHA256:** 1e57d9d5f02979e88f2523c1f23b1c5177ed1b51cedfa163954de0b40fe63bf5  
**Referenced In Project/Scope:** server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies

- remotegui.zip: angularjs.jar: angular-locale\_gu-in.js.gz: angular-locale\_gu-in.js
  - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_gu-in.js.gz/angular-locale\_gu-in.js
  - MD5: 82c14e416d02e8ad18f6e09a7aff095f
  - SHA1: 69bf688dcb914e52506a58a2cfb5715b9575542d



- SHA256: 1e57d9d5f02979e88f2523c1f23b1c5177ed1b51cedfa163954de0b40fe63bf5

#### Identifiers

- None

### remotegui.zip: angularjs.jar: angular-locale\_gu.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_gu.js

**MD5:** bda0e21031a5e42182d256b2084d8d4f

**SHA1:** b5da60207359fe5b1af1d233a42f9f1b33b33cd2

**SHA256:** 4e28cf229746b66ae4b020c00798cf4f4b7c538dea3edad16d397eb942c24bbe

**Referenced In Project/Scope:**server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Related Dependencies



- remotegui.zip: angularjs.jar: angular-locale\_gu.js.gz: angular-locale\_gu.js
  - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_gu.js.gz/angular-locale\_gu.js
  - MD5: bda0e21031a5e42182d256b2084d8d4f
  - SHA1: b5da60207359fe5b1af1d233a42f9f1b33b33cd2
  - SHA256: 4e28cf229746b66ae4b020c00798cf4f4b7c538dea3edad16d397eb942c24bbe

#### Identifiers

- None

### remotegui.zip: angularjs.jar: angular-locale\_guz-ke.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_guz-ke.js

**MD5:** 3d8e2cb7cc51d1a77912a54cc8f43202



**SHA1:** c4e24b27a72f6bb8a48723be01831ff840804462  
**SHA256:**bb0187c02428eb999c84c19688b0efe6a1a7c90b838b1462cf6a44cd3d62a391  
**Referenced In Project/Scope:**server

Evidence <span>+</span>				
Type	Source	Name	Value	Confidence

Related Dependencies +

- remotegui.zip: angularjs.jar: angular-locale\_guz-ke.js.gz: angular-locale\_guz-ke.js
  - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_guz-ke.js.gz/angular-locale\_guz-ke.js
  - MD5: 3d8e2cb7cc51d1a77912a54cc8f43202
  - SHA1: c4e24b27a72f6bb8a48723be01831ff840804462
  - SHA256: bb0187c02428eb999c84c19688b0efe6a1a7c90b838b1462cf6a44cd3d62a391

- Identifiers
- None

remotegui.zip: angularjs.jar: angular-locale\_guz.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_guz.js  
**MD5:** 41e28c15dd48f74de7e53594f3fe5b6d  
**SHA1:** 4b0ef6b95f8b32ab4d038adad4e073b9eed2666e  
**SHA256:**a8b2057bcc7c054c9c3d46bcad5337717be56b8c0f0bdb8674803a484c593d49  
**Referenced In Project/Scope:**server

Evidence <span>+</span>				
Type	Source	Name	Value	Confidence

Related Dependencies +

- remotegui.zip: angularjs.jar: angular-locale\_guz.js.gz: angular-locale\_guz.js
  - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_guz.js.gz/angular-locale\_guz.js
  - MD5: 41e28c15dd48f74de7e53594f3fe5b6d
  - SHA1: 4b0ef6b95f8b32ab4d038adad4e073b9eed2666e



- SHA256: a8b2057bcc7c054c9c3d46bcad5337717be56b8c0f0bdb8674803a484c593d49

#### Identifiers

- None

### remotegui.zip: angularjs.jar: angular-locale\_gv-im.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_gv-im.js

**MD5:** fbadc379b818d1585210b12cb12258da

**SHA1:** 875b90402bf8abaa0713782a8f94f736caada374

**SHA256:** ca73a41287e12590878e0cd7ea3e224f0e8df4435d8f70c3bab0e59a29388d3

**Referenced In Project/Scope:**server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Related Dependencies



- remotegui.zip: angularjs.jar: angular-locale\_gv-im.js.gz: angular-locale\_gv-im.js
  - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_gv-im.js.gz/angular-locale\_gv-im.js
  - MD5: fbadc379b818d1585210b12cb12258da
  - SHA1: 875b90402bf8abaa0713782a8f94f736caada374
  - SHA256: ca73a41287e12590878e0cd7ea3e224f0e8df4435d8f70c3bab0e59a29388d3

#### Identifiers

- None

### remotegui.zip: angularjs.jar: angular-locale\_gv.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_gv.js

**MD5:** bbd26dbfbdfd612ead20154ffedeccb



**SHA1:** a2c1880c52dd2fd28bbd8bb337a654643f4defce  
**SHA256:** c4f44fe8a6b66e9d2a2970c0d743c5ba6131d7f9485bcd3d94a800ca8d2ebb8f  
**Referenced In Project/Scope:** server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies

- remotegui.zip: angularjs.jar: angular-locale\_gv.js.gz: angular-locale\_gv.js
  - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_gv.js.gz/angular-locale\_gv.js
  - MD5: bbd26dbfbdfd612ead20154fffedeccb
  - SHA1: a2c1880c52dd2fd28bbd8bb337a654643f4defce
  - SHA256: c4f44fe8a6b66e9d2a2970c0d743c5ba6131d7f9485bcd3d94a800ca8d2ebb8f

Identifiers

- None

remotegui.zip: angularjs.jar: angular-locale\_ha-gh.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_ha-gh.js  
**MD5:** 5bc9040d7cff7c756378f1c417953c55  
**SHA1:** 1067d46b2aa810e2336951666a22a7cde78d451c  
**SHA256:** 90d76e37894c67ce3793c18d2a162dfc37fb1d7e5e2dd74f8b77507234bb9465  
**Referenced In Project/Scope:** server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies

- remotegui.zip: angularjs.jar: angular-locale\_ha-gh.js.gz: angular-locale\_ha-gh.js
  - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_ha-gh.js.gz/angular-locale\_ha-gh.js
  - MD5: 5bc9040d7cff7c756378f1c417953c55
  - SHA1: 1067d46b2aa810e2336951666a22a7cde78d451c



- SHA256: 90d76e37894c67ce3793c18d2a162dfc37fb1d7e5e2dd74f8b77507234bb9465

#### Identifiers

- None

### remotegui.zip: angularjs.jar: angular-locale\_ha-ne.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_ha-ne.js

**MD5:** 8db8f7fab0bec1a0bd2fa81ecc52b76

**SHA1:** f27171772b2a49b49e08c449187cc28e41d34f35

**SHA256:** dee974f97c1b39c95a292dbdfae8a8de7bb4f39eebd2f34da77e42ebcd0695b2

**Referenced In Project/Scope:**server

#### Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Related Dependencies

- remotegui.zip: angularjs.jar: angular-locale\_ha-ne.js.gz: angular-locale\_ha-ne.js
  - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_ha-ne.js.gz/angular-locale\_ha-ne.js
  - MD5: 8db8f7fab0bec1a0bd2fa81ecc52b76
  - SHA1: f27171772b2a49b49e08c449187cc28e41d34f35
  - SHA256: dee974f97c1b39c95a292dbdfae8a8de7bb4f39eebd2f34da77e42ebcd0695b2

#### Identifiers

- None

### remotegui.zip: angularjs.jar: angular-locale\_ha-ng.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_ha-ng.js

**MD5:** 0e4edebddc87f834b5a3dc9170796766



**SHA1:** b22e4a5064cb64605d19f52751a5fba678e52fef  
**SHA256:**8fcd3ac472f4b115843d07114314192c1b7faf17b6d233d8450e213d2d9a7e2d  
**Referenced In Project/Scope:**server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies +

- remotegui.zip: angularjs.jar: angular-locale\_ha-ng.js.gz: angular-locale\_ha-ng.js
  - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_ha-ng.js.gz/angular-locale\_ha-ng.js
  - MD5: 0e4edebddc87f834b5a3dc9170796766
  - SHA1: b22e4a5064cb64605d19f52751a5fba678e52fef
  - SHA256: 8fcd3ac472f4b115843d07114314192c1b7faf17b6d233d8450e213d2d9a7e2d

Identifiers

- None

remotegui.zip: angularjs.jar: angular-locale\_ha.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_ha.js  
**MD5:** 46268565fbc351ba676f72a54fd14345  
**SHA1:** 8595c7a671f604fb5bfab55c02df2b0ba1810aa0  
**SHA256:**c53435a7dffcf3709caae6aaf3d7dcfdc9ec54c5d5398d5c2c24b2a072fc6fed  
**Referenced In Project/Scope:**server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies +

- remotegui.zip: angularjs.jar: angular-locale\_ha.js.gz: angular-locale\_ha.js
  - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_ha.js.gz/angular-locale\_ha.js
  - MD5: 46268565fbc351ba676f72a54fd14345
  - SHA1: 8595c7a671f604fb5bfab55c02df2b0ba1810aa0



- SHA256: c53435a7dffc3709caae6aaf3d7dcfdc9ec54c5d5398d5c2c24b2a072fc6fed

#### Identifiers

- None

### remotegui.zip: angularjs.jar: angular-locale\_haw-us.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_haw-us.js

**MD5:** 1974ceea1c62bb813dc4eff582e2fbeb

**SHA1:** 7a35b49405a862f992fdfac1ee6b031ace012dea

**SHA256:** 40ae0d958eb3d5b85129ee2b9760d2850a3ee9f6fb1a9d32707ea1dbf14d9786

**Referenced In Project/Scope:**server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Related Dependencies



- remotegui.zip: angularjs.jar: angular-locale\_haw-us.js.gz: angular-locale\_haw-us.js
  - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_haw-us.js.gz/angular-locale\_haw-us.js
  - MD5: 1974ceea1c62bb813dc4eff582e2fbeb
  - SHA1: 7a35b49405a862f992fdfac1ee6b031ace012dea
  - SHA256: 40ae0d958eb3d5b85129ee2b9760d2850a3ee9f6fb1a9d32707ea1dbf14d9786

#### Identifiers

- None

### remotegui.zip: angularjs.jar: angular-locale\_haw.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_haw.js

**MD5:** 0cb381a986d2a4e40b63ebb55ef3308c



**SHA1:** dc7dfa63047274962f78db6929cdebdbc11e77fa  
**SHA256:** cbba57731ade83ede843988aa4d9f46f6d8397a42363078402320352f7e14b19  
**Referenced In Project/Scope:**server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies

- remotegui.zip: angularjs.jar: angular-locale\_haw.js.gz: angular-locale\_haw.js
  - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_haw.js.gz/angular-locale\_haw.js
  - MD5: 0cb381a986d2a4e40b63ebb55ef3308c
  - SHA1: dc7dfa63047274962f78db6929cdebdbc11e77fa
  - SHA256: cbba57731ade83ede843988aa4d9f46f6d8397a42363078402320352f7e14b19

Identifiers

- None

remotegui.zip: angularjs.jar: angular-locale\_he-il.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_he-il.js  
**MD5:** 9cd773f80924edf52837b1bd3eead8f4  
**SHA1:** d2196b8a8dc0cfa021eb054e60bea6346e5a657f  
**SHA256:** a4e5931dc750b02abbd35334da02d3b77a4a521602eaf527a114265dfefa2257  
**Referenced In Project/Scope:**server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies

- remotegui.zip: angularjs.jar: angular-locale\_he-il.js.gz: angular-locale\_he-il.js
  - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_he-il.js.gz/angular-locale\_he-il.js
  - MD5: 9cd773f80924edf52837b1bd3eead8f4
  - SHA1: d2196b8a8dc0cfa021eb054e60bea6346e5a657f



- SHA256: a4e5931dc750b02abbd35334da02d3b77a4a521602eaf527a114265dfefa2257

#### Identifiers

- None

### remotegui.zip: angularjs.jar: angular-locale\_he.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_he.js

**MD5:** 9f9f200af8510a35c342afef79c9ab75

**SHA1:** d0ad925b8532ed1a06b5254a3dae303e505de137

**SHA256:** 1912072ce2d53ba6fa9736c197c1ded2044d37c2b37246310270f51aa856e733

**Referenced In Project/Scope:**server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Related Dependencies



- remotegui.zip: angularjs.jar: angular-locale\_he.js.gz: angular-locale\_he.js
  - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_he.js.gz/angular-locale\_he.js
  - MD5: 9f9f200af8510a35c342afef79c9ab75
  - SHA1: d0ad925b8532ed1a06b5254a3dae303e505de137
  - SHA256: 1912072ce2d53ba6fa9736c197c1ded2044d37c2b37246310270f51aa856e733

#### Identifiers

- None

### remotegui.zip: angularjs.jar: angular-locale\_hi-in.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_hi-in.js

**MD5:** 313940f98a292e4ad53a933821acd63f



**SHA1:** c942689d597d8c8c3837bc4e56d39eea35a471f9  
**SHA256:**3fddf26ed32467a95bb544f8349843110df17ffb7403a4a1d70b74768e496c1d  
**Referenced In Project/Scope:**server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies

- remotegui.zip: angularjs.jar: angular-locale\_hi-in.js.gz: angular-locale\_hi-in.js
  - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_hi-in.js.gz/angular-locale\_hi-in.js
  - MD5: 313940f98a292e4ad53a933821acd63f
  - SHA1: c942689d597d8c8c3837bc4e56d39eea35a471f9
  - SHA256: 3fddf26ed32467a95bb544f8349843110df17ffb7403a4a1d70b74768e496c1d

Identifiers

- None

remotegui.zip: angularjs.jar: angular-locale\_hi.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_hi.js  
**MD5:** 0ea800d52f1d2259e349693087b8c57c  
**SHA1:** c05aafe5253cbbb56736d70904acc51292a52dba  
**SHA256:**e6afa0788eb642984a949e67893258ae8ccb8d42917f46ed6a0b2ab7bceb0587  
**Referenced In Project/Scope:**server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies

- remotegui.zip: angularjs.jar: angular-locale\_hi.js.gz: angular-locale\_hi.js
  - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_hi.js.gz/angular-locale\_hi.js
  - MD5: 0ea800d52f1d2259e349693087b8c57c
  - SHA1: c05aafe5253cbbb56736d70904acc51292a52dba



- SHA256: e6afa0788eb642984a949e67893258ae8ccb8d42917f46ed6a0b2ab7bceb0587

#### Identifiers

- None

### remotegui.zip: angularjs.jar: angular-locale\_hr-ba.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_hr-ba.js

**MD5:** 1bfcab04a47f35e055e3902abe7960c1

**SHA1:** e9aefaf810c6f473b5eb7659e800f8815a3fae25

**SHA256:** dcd0de8519680fbb4556074829bf56169b120de10a894fb0540e9d1e2d1c25c4

**Referenced In Project/Scope:**server

#### Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Related Dependencies

- remotegui.zip: angularjs.jar: angular-locale\_hr-ba.js.gz: angular-locale\_hr-ba.js
  - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_hr-ba.js.gz/angular-locale\_hr-ba.js
  - MD5: 1bfcab04a47f35e055e3902abe7960c1
  - SHA1: e9aefaf810c6f473b5eb7659e800f8815a3fae25
  - SHA256: dcd0de8519680fbb4556074829bf56169b120de10a894fb0540e9d1e2d1c25c4

#### Identifiers

- None

### remotegui.zip: angularjs.jar: angular-locale\_hr-hr.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_hr-hr.js

**MD5:** 252427e7989b3083ec3da79ac2af21b0



**SHA1:** 732b8d29aeaf537917ead8b40c800f7a8e1c5794  
**SHA256:** c6e6b252bd9435f06a5c4909c975b47e484ce4ef5f4c0e89d71111f07aadb89  
**Referenced In Project/Scope:** server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies

- remotegui.zip: angularjs.jar: angular-locale\_hr-hr.js.gz: angular-locale\_hr-hr.js
  - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_hr-hr.js.gz/angular-locale\_hr-hr.js
  - MD5: 252427e7989b3083ec3da79ac2af21b0
  - SHA1: 732b8d29aeaf537917ead8b40c800f7a8e1c5794
  - SHA256: c6e6b252bd9435f06a5c4909c975b47e484ce4ef5f4c0e89d71111f07aadb89

Identifiers

- None

remotegui.zip: angularjs.jar: angular-locale\_hr.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_hr.js  
**MD5:** 9bd96810243863bebbd696829da73277  
**SHA1:** e2ed0aff328bc0bb750150e83de785a40e108082  
**SHA256:** 16377e1b3e6d5c1af43b0a7426a88cd52db84737619fc166a1d4f1f2be6ff965  
**Referenced In Project/Scope:** server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies

- remotegui.zip: angularjs.jar: angular-locale\_hr.js.gz: angular-locale\_hr.js
  - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_hr.js.gz/angular-locale\_hr.js
  - MD5: 9bd96810243863bebbd696829da73277
  - SHA1: e2ed0aff328bc0bb750150e83de785a40e108082



- SHA256: 16377e1b3e6d5c1af43b0a7426a88cd52db84737619fc166a1d4f1f2be6ff965

#### Identifiers

- None

### remotegui.zip: angularjs.jar: angular-locale\_hsb-de.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_hsb-de.js

**MD5:** 66d27ef0e452ef63dd95831fcdd1a2d0

**SHA1:** 606ad7473dccc90ef344970a343c09a89bd48c5c

**SHA256:** b19e3c66f2797a693849e89baea1f84bc9c40ce0ae3b26a0abc877f4d778dac5

**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Related Dependencies



- remotegui.zip: angularjs.jar: angular-locale\_hsb-de.js.gz: angular-locale\_hsb-de.js
  - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_hsb-de.js.gz/angular-locale\_hsb-de.js
  - MD5: 66d27ef0e452ef63dd95831fcdd1a2d0
  - SHA1: 606ad7473dccc90ef344970a343c09a89bd48c5c
  - SHA256: b19e3c66f2797a693849e89baea1f84bc9c40ce0ae3b26a0abc877f4d778dac5

#### Identifiers

- None

### remotegui.zip: angularjs.jar: angular-locale\_hsb.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_hsb.js

**MD5:** a7967ff82c330736b7f69eb375ac522a



**SHA1:** 3aa3689c94f56c1001d1b1b20296d9ee0347051f  
**SHA256:** 168fc65458cf49fa73e8dff1af598471d06a8eb6e69862a027a5fcf26f055a5a  
**Referenced In Project/Scope:**server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies



- remotegui.zip: angularjs.jar: angular-locale\_hsb.js.gz: angular-locale\_hsb.js
  - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_hsb.js.gz/angular-locale\_hsb.js
  - MD5: a7967ff82c330736b7f69eb375ac522a
  - SHA1: 3aa3689c94f56c1001d1b1b20296d9ee0347051f
  - SHA256: 168fc65458cf49fa73e8dff1af598471d06a8eb6e69862a027a5fcf26f055a5a

Identifiers

- None

remotegui.zip: angularjs.jar: angular-locale\_hu-hu.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_hu-hu.js  
**MD5:** d383cffd8b7a151b88b72172339aecf8  
**SHA1:** 963c56606f133b8d2ee185b4f7794165d693bb8b  
**SHA256:** 4ddc908ca24af2efca1b6ec3a7022f55604c151e4ea3d18de8ddfeb22f576e8a  
**Referenced In Project/Scope:**server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies



- remotegui.zip: angularjs.jar: angular-locale\_hu-hu.js.gz: angular-locale\_hu-hu.js
  - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_hu-hu.js.gz/angular-locale\_hu-hu.js
  - MD5: d383cffd8b7a151b88b72172339aecf8
  - SHA1: 963c56606f133b8d2ee185b4f7794165d693bb8b



- SHA256: 4ddc908ca24af2efca1b6ec3a7022f55604c151e4ea3d18de8ddfeb22f576e8a

#### Identifiers

- None

### remotegui.zip: angularjs.jar: angular-locale\_hu.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_hu.js

**MD5:** 823b5f813693c8257baeb537b6afed1b

**SHA1:** bb47193b8343cd0f719708fde3fc7357a0bac1d4

**SHA256:** 5aedcbef16624a8034b678110773bef389dfbaf5317f4a7c1511f079f5e5c192

**Referenced In Project/Scope:**server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Related Dependencies



- remotegui.zip: angularjs.jar: angular-locale\_hu.js.gz: angular-locale\_hu.js
  - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_hu.js.gz/angular-locale\_hu.js
  - MD5: 823b5f813693c8257baeb537b6afed1b
  - SHA1: bb47193b8343cd0f719708fde3fc7357a0bac1d4
  - SHA256: 5aedcbef16624a8034b678110773bef389dfbaf5317f4a7c1511f079f5e5c192

#### Identifiers

- None

### remotegui.zip: angularjs.jar: angular-locale\_hy-am.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_hy-am.js

**MD5:** b0be21992e14344e9de6043a860238b7



**SHA1:** 8e3eb6675571ab9e615acfded2faa0f1bc97cb35  
**SHA256:**79293c83247cf958731507b63b2c50d93fd637a7e346e308438fb685abc48e2a  
**Referenced In Project/Scope:**server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies

- remotegui.zip: angularjs.jar: angular-locale\_hy-am.js.gz: angular-locale\_hy-am.js
  - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_hy-am.js.gz/angular-locale\_hy-am.js
  - MD5: b0be21992e14344e9de6043a860238b7
  - SHA1: 8e3eb6675571ab9e615acfded2faa0f1bc97cb35
  - SHA256: 79293c83247cf958731507b63b2c50d93fd637a7e346e308438fb685abc48e2a

Identifiers

- None

remotegui.zip: angularjs.jar: angular-locale\_hy.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_hy.js  
**MD5:** c854bcb3594334672830c0edd1c4f3ea  
**SHA1:** baf22df9c74e5d5e4fcba49ad7a071f93003806c  
**SHA256:**3a82372b02cebdb8fc7c6bd8a1df2911378f18bf2bf710f1fa666f43c3fcd54  
**Referenced In Project/Scope:**server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies

- remotegui.zip: angularjs.jar: angular-locale\_hy.js.gz: angular-locale\_hy.js
  - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_hy.js.gz/angular-locale\_hy.js
  - MD5: c854bcb3594334672830c0edd1c4f3ea
  - SHA1: baf22df9c74e5d5e4fcba49ad7a071f93003806c



- SHA256: 3a82372b02cebdb8fc7c6bd8a1df2911378f18bf2bf710f1fa666f43c3fcd54

#### Identifiers

- None

### remotegui.zip: angularjs.jar: angular-locale\_id-id.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_id-id.js

**MD5:** e6dd1e59c1fcce294660a1b5afc7267a

**SHA1:** 61abf7b7ab73a32daae8e90e8058e47f4200c765

**SHA256:** b0560eddc698b73316c937f0378de55b29d618bc7e537aff897f1f3b22bf1718

**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Related Dependencies



- remotegui.zip: angularjs.jar: angular-locale\_id-id.js.gz: angular-locale\_id-id.js
  - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_id-id.js.gz/angular-locale\_id-id.js
  - MD5: e6dd1e59c1fcce294660a1b5afc7267a
  - SHA1: 61abf7b7ab73a32daae8e90e8058e47f4200c765
  - SHA256: b0560eddc698b73316c937f0378de55b29d618bc7e537aff897f1f3b22bf1718

#### Identifiers

- None

### remotegui.zip: angularjs.jar: angular-locale\_id.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_id.js

**MD5:** 60bb86e8ff8bb045298cbab32641516f



**SHA1:** 58c7a1afebc00145662a51c12622a12cf992a88f  
**SHA256:** dad3293b5cb0dd2ad5852f74cbe62ca0c14ed7aebe0156ee47a0d902d2478a53  
**Referenced In Project/Scope:** server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies

- remotegui.zip: angularjs.jar: angular-locale\_id.js.gz: angular-locale\_id.js
  - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_id.js.gz/angular-locale\_id.js
  - MD5: 60bb86e8ff8bb045298cbab32641516f
  - SHA1: 58c7a1afebc00145662a51c12622a12cf992a88f
  - SHA256: dad3293b5cb0dd2ad5852f74cbe62ca0c14ed7aebe0156ee47a0d902d2478a53

Identifiers

- None

remotegui.zip: angularjs.jar: angular-locale\_ig-ng.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_ig-ng.js  
**MD5:** 05ef888b727d2602c7303566c4e28428  
**SHA1:** 7ca66f381ec025a51e1256e63bdb44a99104e3a1  
**SHA256:** 6e9abbd8fc0a9f9c85423566851408e4343c0503ad72276c78691c6e0cc907f1  
**Referenced In Project/Scope:** server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies

- remotegui.zip: angularjs.jar: angular-locale\_ig-ng.js.gz: angular-locale\_ig-ng.js
  - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_ig-ng.js.gz/angular-locale\_ig-ng.js
  - MD5: 05ef888b727d2602c7303566c4e28428
  - SHA1: 7ca66f381ec025a51e1256e63bdb44a99104e3a1



- SHA256: 6e9abbd8fc0a9f9c85423566851408e4343c0503ad72276c78691c6e0cc907f1

#### Identifiers

- None

### remotegui.zip: angularjs.jar: angular-locale\_ig.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_ig.js

**MD5:** 9d7bb561675d3018d074b6b38f2256cc

**SHA1:** cfaf1aac3230036f8c6251bb6f2c6955af017b78

**SHA256:** f74d1ff6b74568580d8deed24af1225a587fd490e666144c8de50ebfa2a5d664

**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Related Dependencies



- remotegui.zip: angularjs.jar: angular-locale\_ig.js.gz: angular-locale\_ig.js
  - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_ig.js.gz/angular-locale\_ig.js
  - MD5: 9d7bb561675d3018d074b6b38f2256cc
  - SHA1: cfaf1aac3230036f8c6251bb6f2c6955af017b78
  - SHA256: f74d1ff6b74568580d8deed24af1225a587fd490e666144c8de50ebfa2a5d664

#### Identifiers

- None

### remotegui.zip: angularjs.jar: angular-locale\_ii-cn.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_ii-cn.js

**MD5:** 9fdddbaaa102ae0a445656f8af935492



**SHA1:** a79d88ca1f0269ee0e4e94bb0160a151f6934af6  
**SHA256:** eb7962abb878f3a0eeded3dde3adc19709d4bd143cd9dc65d40bfd9645fd3cf0  
**Referenced In Project/Scope:** server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies

- remotegui.zip: angularjs.jar: angular-locale\_ii-cn.js.gz: angular-locale\_ii-cn.js
  - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_ii-cn.js.gz/angular-locale\_ii-cn.js
  - MD5: 9fdddbaaa102ae0a445656f8af935492
  - SHA1: a79d88ca1f0269ee0e4e94bb0160a151f6934af6
  - SHA256: eb7962abb878f3a0eeded3dde3adc19709d4bd143cd9dc65d40bfd9645fd3cf0

Identifiers

- None

remotegui.zip: angularjs.jar: angular-locale\_ii.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_ii.js  
**MD5:** 5db726fb67f7628802eea5af73501c68  
**SHA1:** dc45054fd36c590f6865dc79dc08b176567e7773  
**SHA256:** e88e88cc6bab7414681e033aa1fc8ed354dc219585d60ae4a613e18b5fb6ee34  
**Referenced In Project/Scope:** server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies

- remotegui.zip: angularjs.jar: angular-locale\_ii.js.gz: angular-locale\_ii.js
  - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_ii.js.gz/angular-locale\_ii.js
  - MD5: 5db726fb67f7628802eea5af73501c68
  - SHA1: dc45054fd36c590f6865dc79dc08b176567e7773



- SHA256: e88e88cc6bab7414681e033aa1fc8ed354dc219585d60ae4a613e18b5fb6ee34

#### Identifiers

- None

### remotegui.zip: angularjs.jar: angular-locale\_in.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_in.js

**MD5:** 918ed6c34efd346853956b72e5296a55

**SHA1:** 22dbafe0b604514b9a47479ec880ea505f779057

**SHA256:** abb65b311b4f06f93949d440dcc35b659bc718d61c6431a8340aaad17528a191

**Referenced In Project/Scope:**server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Related Dependencies



- remotegui.zip: angularjs.jar: angular-locale\_in.js.gz: angular-locale\_in.js
  - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_in.js.gz/angular-locale\_in.js
  - MD5: 918ed6c34efd346853956b72e5296a55
  - SHA1: 22dbafe0b604514b9a47479ec880ea505f779057
  - SHA256: abb65b311b4f06f93949d440dcc35b659bc718d61c6431a8340aaad17528a191

#### Identifiers

- None

### remotegui.zip: angularjs.jar: angular-locale\_is-is.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_is-is.js

**MD5:** 5498eea2f8e9cf7903e352d21dce15d3



**SHA1:** 054ce9a8b464fa46a6b97c93238b776fcb64b9d7  
**SHA256:**edd9bbd0c28dc35941c8464f4877124613db261a654f948534afb1a6bd69f4ed  
**Referenced In Project/Scope:**server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies

- remotegui.zip: angularjs.jar: angular-locale\_is-is.js.gz: angular-locale\_is-is.js
  - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_is-is.js.gz/angular-locale\_is-is.js
  - MD5: 5498eea2f8e9cf7903e352d21dce15d3
  - SHA1: 054ce9a8b464fa46a6b97c93238b776fcb64b9d7
  - SHA256: edd9bbd0c28dc35941c8464f4877124613db261a654f948534afb1a6bd69f4ed

Identifiers

- None

remotegui.zip: angularjs.jar: angular-locale\_is.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_is.js  
**MD5:** dd5bb568bc7f39c29f2738ae69211258  
**SHA1:** 2d0dcdd73d568e2b523437a7a96ce057dcefc4b0  
**SHA256:**947a2fe5aaa286fffeafb69ebbc3bd52ae320c96a11ef3854c89a14fa7652e2a  
**Referenced In Project/Scope:**server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies

- remotegui.zip: angularjs.jar: angular-locale\_is.js.gz: angular-locale\_is.js
  - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_is.js.gz/angular-locale\_is.js
  - MD5: dd5bb568bc7f39c29f2738ae69211258
  - SHA1: 2d0dcdd73d568e2b523437a7a96ce057dcefc4b0



- SHA256: 947a2fe5eaa286fffeafb69ebbc3bd52ae320c96a11ef3854c89a14fa7652e2a

#### Identifiers

- None

### remotegui.zip: angularjs.jar: angular-locale\_it-ch.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_it-ch.js

**MD5:** 7f4f8d68228b06d9a4ceb902b75cf2f0

**SHA1:** c4f8d04fe0af1ecfe9bfb1548c02b83bdd12fdac

**SHA256:** ba37c5ab970b5af331896cd944a0098c9a056342f1b3ce710af943b1af80d64c

**Referenced In Project/Scope:**server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Related Dependencies



- remotegui.zip: angularjs.jar: angular-locale\_it-ch.js.gz: angular-locale\_it-ch.js
  - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_it-ch.js.gz/angular-locale\_it-ch.js
  - MD5: 7f4f8d68228b06d9a4ceb902b75cf2f0
  - SHA1: c4f8d04fe0af1ecfe9bfb1548c02b83bdd12fdac
  - SHA256: ba37c5ab970b5af331896cd944a0098c9a056342f1b3ce710af943b1af80d64c

#### Identifiers

- None

### remotegui.zip: angularjs.jar: angular-locale\_it-it.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_it-it.js

**MD5:** d815dcace0dd229b80696667b5d3d726



**SHA1:** 459253d68b330e65c167f7d34126ab8989676472  
**SHA256:**3568c69d13695aef65905888df76aa43d4b3ec7963fde26ddf417dead76ea591  
**Referenced In Project/Scope:**server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies

- remotegui.zip: angularjs.jar: angular-locale\_it-it.js.gz: angular-locale\_it-it.js
  - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_it-it.js.gz/angular-locale\_it-it.js
  - MD5: d815dcace0dd229b80696667b5d3d726
  - SHA1: 459253d68b330e65c167f7d34126ab8989676472
  - SHA256: 3568c69d13695aef65905888df76aa43d4b3ec7963fde26ddf417dead76ea591

Identifiers

- None

remotegui.zip: angularjs.jar: angular-locale\_it-sm.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_it-sm.js  
**MD5:** 3b9d29b8fc15ff85be69f4c0df7bdfda  
**SHA1:** 0b3fc6044b70fbe433f929ddb59abbbbbe187f44  
**SHA256:**aa640457ee08ca3b116f0c12a795747af1a072122d72821662f91c924fac5b1d  
**Referenced In Project/Scope:**server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies

- remotegui.zip: angularjs.jar: angular-locale\_it-sm.js.gz: angular-locale\_it-sm.js
  - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_it-sm.js.gz/angular-locale\_it-sm.js
  - MD5: 3b9d29b8fc15ff85be69f4c0df7bdfda
  - SHA1: 0b3fc6044b70fbe433f929ddb59abbbbbe187f44



- SHA256: aa640457ee08ca3b116f0c12a795747af1a072122d72821662f91c924fac5b1d

#### Identifiers

- None

### remotegui.zip: angularjs.jar: angular-locale\_it-va.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_it-va.js

**MD5:** cfd4d822ae63526893e0112df932462d

**SHA1:** e84ea556509866b6671e0c8da5d5e36290de423b

**SHA256:** 89c6079597f3696f2f5022b21d37429fe1a593b3585ab2f17e299d4129939e58

**Referenced In Project/Scope:**server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Related Dependencies



- remotegui.zip: angularjs.jar: angular-locale\_it-va.js.gz: angular-locale\_it-va.js
  - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_it-va.js.gz/angular-locale\_it-va.js
  - MD5: cfd4d822ae63526893e0112df932462d
  - SHA1: e84ea556509866b6671e0c8da5d5e36290de423b
  - SHA256: 89c6079597f3696f2f5022b21d37429fe1a593b3585ab2f17e299d4129939e58

#### Identifiers

- None

### remotegui.zip: angularjs.jar: angular-locale\_it.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_it.js

**MD5:** f158b8d434c69acc1a7daf9fdc7f5dc1



**SHA1:** 37619adc3be82432658767a4613e451a381828f3  
**SHA256:**ec776afecf6e16339c99f1dcae660bb472a8f25aa43b11ac496b3227ea97a95c  
**Referenced In Project/Scope:**server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies

- remotegui.zip: angularjs.jar: angular-locale\_it.js.gz: angular-locale\_it.js
  - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_it.js.gz/angular-locale\_it.js
  - MD5: f158b8d434c69acc1a7daf9fdc7f5dc1
  - SHA1: 37619adc3be82432658767a4613e451a381828f3
  - SHA256: ec776afecf6e16339c99f1dcae660bb472a8f25aa43b11ac496b3227ea97a95c

Identifiers

- None

remotegui.zip: angularjs.jar: angular-locale\_iw.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_iw.js  
**MD5:** 6704cb21de8c9d1f05b142a24f4bd9f2  
**SHA1:** ddb7551d9d362c9cc3d95f66806ef6cb49325b89  
**SHA256:**2345fb81251715735745e11d9a142c8b06272394c79392d50b663845f871f3bb  
**Referenced In Project/Scope:**server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies

- remotegui.zip: angularjs.jar: angular-locale\_iw.js.gz: angular-locale\_iw.js
  - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_iw.js.gz/angular-locale\_iw.js
  - MD5: 6704cb21de8c9d1f05b142a24f4bd9f2
  - SHA1: ddb7551d9d362c9cc3d95f66806ef6cb49325b89



- SHA256: 2345fb81251715735745e11d9a142c8b06272394c79392d50b663845f871f3bb

#### Identifiers

- None

### remotegui.zip: angularjs.jar: angular-locale\_ja-jp.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_ja-jp.js

**MD5:** a97deca6c1897a5e054592cd4336076d

**SHA1:** 8962e07cf9377aff71d095fe67fe467d23760c18

**SHA256:** 0397208eb0b8677aff682fe3712514cca50fc8ce2d84026fb6afc20aaffc54c8

**Referenced In Project/Scope:**server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Related Dependencies



- remotegui.zip: angularjs.jar: angular-locale\_ja-jp.js.gz: angular-locale\_ja-jp.js
  - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_ja-jp.js.gz/angular-locale\_ja-jp.js
  - MD5: a97deca6c1897a5e054592cd4336076d
  - SHA1: 8962e07cf9377aff71d095fe67fe467d23760c18
  - SHA256: 0397208eb0b8677aff682fe3712514cca50fc8ce2d84026fb6afc20aaffc54c8

#### Identifiers

- None

### remotegui.zip: angularjs.jar: angular-locale\_ja.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_ja.js

**MD5:** 066d0781b26eafe3ad89530043bd015f



**SHA1:** 525aae8590aae8089f1901f5057eec6fe833a570  
**SHA256:**7a56b180c9e40d2c847d9892bc24f2554672222cf5750e88e46b31a944098bf1  
**Referenced In Project/Scope:**server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies

- remotegui.zip: angularjs.jar: angular-locale\_ja.js.gz: angular-locale\_ja.js
  - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_ja.js.gz/angular-locale\_ja.js
  - MD5: 066d0781b26eafe3ad89530043bd015f
  - SHA1: 525aae8590aae8089f1901f5057eec6fe833a570
  - SHA256: 7a56b180c9e40d2c847d9892bc24f2554672222cf5750e88e46b31a944098bf1

Identifiers

- None

remotegui.zip: angularjs.jar: angular-locale\_jgo-cm.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_jgo-cm.js  
**MD5:** bfd6d2ecf7ef08c1d023181fabb6a46b  
**SHA1:** e9502be5f5e9b6f16c3ca0042ee475a13386826a  
**SHA256:**ec9d4cc143cc1499685ec797358543c1fa213f00be1a85f626f6ee03f6cae5f3  
**Referenced In Project/Scope:**server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies

- remotegui.zip: angularjs.jar: angular-locale\_jgo-cm.js.gz: angular-locale\_jgo-cm.js
  - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_jgo-cm.js.gz/angular-locale\_jgo-cm.js
  - MD5: bfd6d2ecf7ef08c1d023181fabb6a46b
  - SHA1: e9502be5f5e9b6f16c3ca0042ee475a13386826a



- SHA256: ec9d4cc143cc1499685ec797358543c1fa213f00be1a85f626f6ee03f6cae5f3

#### Identifiers

- None

### remotegui.zip: angularjs.jar: angular-locale\_jgo.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_jgo.js

**MD5:** e7c0ecd2c1b3792714f81a5f29c1af26

**SHA1:** 64d3986b909d705ed64fdb025a4901cc709f90ac

**SHA256:** 14c9d35e3ca3648cf3e6de4221f8b8c9160ff336efa21c23a1d6035d296202e1

**Referenced In Project/Scope:**server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Related Dependencies



- remotegui.zip: angularjs.jar: angular-locale\_jgo.js.gz: angular-locale\_jgo.js
  - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_jgo.js.gz/angular-locale\_jgo.js
  - MD5: e7c0ecd2c1b3792714f81a5f29c1af26
  - SHA1: 64d3986b909d705ed64fdb025a4901cc709f90ac
  - SHA256: 14c9d35e3ca3648cf3e6de4221f8b8c9160ff336efa21c23a1d6035d296202e1

#### Identifiers

- None

### remotegui.zip: angularjs.jar: angular-locale\_jmc-tz.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_jmc-tz.js

**MD5:** 76f663dd08373b8395565fb3b30a8530



**SHA1:** 3924586ae9212af39700e53a27eea776cbcee9fa  
**SHA256:**53d8a958a325872f1df485ba224c613feecbafc971b68fd60a3ca8a4709dd434  
**Referenced In Project/Scope:**server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies

- remotegui.zip: angularjs.jar: angular-locale\_jmc-tz.js.gz: angular-locale\_jmc-tz.js
  - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_jmc-tz.js.gz/angular-locale\_jmc-tz.js
  - MD5: 76f663dd08373b8395565fb3b30a8530
  - SHA1: 3924586ae9212af39700e53a27eea776cbcee9fa
  - SHA256: 53d8a958a325872f1df485ba224c613feecbafc971b68fd60a3ca8a4709dd434

Identifiers

- None

remotegui.zip: angularjs.jar: angular-locale\_jmc.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_jmc.js  
**MD5:** 27143548e44eed0ea3dba26e2bf7ca91  
**SHA1:** 844522dfc87e732bbdb1502cf540f666c3ee3a09  
**SHA256:**05017fa5c1c86f8a98eaa49d4410a9b5e475f767f84576ea59996077bc19a524  
**Referenced In Project/Scope:**server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies

- remotegui.zip: angularjs.jar: angular-locale\_jmc.js.gz: angular-locale\_jmc.js
  - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_jmc.js.gz/angular-locale\_jmc.js
  - MD5: 27143548e44eed0ea3dba26e2bf7ca91
  - SHA1: 844522dfc87e732bbdb1502cf540f666c3ee3a09



- SHA256: 05017fa5c1c86f8a98eaa49d4410a9b5e475f767f84576ea59996077bc19a524

#### Identifiers

- None

### remotegui.zip: angularjs.jar: angular-locale\_ka-ge.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_ka-ge.js

**MD5:** 8db8ca3bb7a56f412bb4ea7824b7ce04

**SHA1:** 8051c87b15046e2fce247819645c49be80f61307

**SHA256:** 1755ee65c1e40a9c24cd524a62f654832120da1448a48ae5d882797316a7b564

**Referenced In Project/Scope:**server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Related Dependencies



- remotegui.zip: angularjs.jar: angular-locale\_ka-ge.js.gz: angular-locale\_ka-ge.js
  - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_ka-ge.js.gz/angular-locale\_ka-ge.js
  - MD5: 8db8ca3bb7a56f412bb4ea7824b7ce04
  - SHA1: 8051c87b15046e2fce247819645c49be80f61307
  - SHA256: 1755ee65c1e40a9c24cd524a62f654832120da1448a48ae5d882797316a7b564

#### Identifiers

- None

### remotegui.zip: angularjs.jar: angular-locale\_ka.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_ka.js

**MD5:** a37f5ba2f5d58204c04e059c78746027



**SHA1:** 492c5e5a3a9c7c1a4ce561fb4ecbc69bab8e7c7  
**SHA256:**99a7af9caf7f77cbbfe050473e2ba2fe365278fd648ab4efbf7d0d75b9008ee4  
**Referenced In Project/Scope:**server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies

- remotegui.zip: angularjs.jar: angular-locale\_ka.js.gz: angular-locale\_ka.js
  - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_ka.js.gz/angular-locale\_ka.js
  - MD5: a37f5ba2f5d58204c04e059c78746027
  - SHA1: 492c5e5a3a9c7c1a4ce561fb4ecbc69bab8e7c7
  - SHA256: 99a7af9caf7f77cbbfe050473e2ba2fe365278fd648ab4efbf7d0d75b9008ee4

Identifiers

- None

remotegui.zip: angularjs.jar: angular-locale\_kab-dz.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_kab-dz.js  
**MD5:** a7a38f906a2cefd3ff561544f633049f  
**SHA1:** 3b346e39170c9473ed8655d30ffedaec80c5568f  
**SHA256:**fae8443d861187ed80a92468946c7904b93cf39b304fb68d2f728d6060942f0f  
**Referenced In Project/Scope:**server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies

- remotegui.zip: angularjs.jar: angular-locale\_kab-dz.js.gz: angular-locale\_kab-dz.js
  - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_kab-dz.js.gz/angular-locale\_kab-dz.js
  - MD5: a7a38f906a2cefd3ff561544f633049f
  - SHA1: 3b346e39170c9473ed8655d30ffedaec80c5568f



- SHA256: fae8443d861187ed80a92468946c7904b93cf39b304fb68d2f728d6060942f0f

#### Identifiers

- None

### remotegui.zip: angularjs.jar: angular-locale\_kab.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_kab.js

**MD5:** c96b43612bb2f8fa063022e5dc34da99

**SHA1:** e49247ec740811c9e65b3f573fb16fde67e3b89b

**SHA256:** 232a1ae35ea1baeeda525cc69d835013afd2f8b5fb076c24bc9767c7c1b231f7

**Referenced In Project/Scope:**server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Related Dependencies



- remotegui.zip: angularjs.jar: angular-locale\_kab.js.gz: angular-locale\_kab.js
  - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_kab.js.gz/angular-locale\_kab.js
  - MD5: c96b43612bb2f8fa063022e5dc34da99
  - SHA1: e49247ec740811c9e65b3f573fb16fde67e3b89b
  - SHA256: 232a1ae35ea1baeeda525cc69d835013afd2f8b5fb076c24bc9767c7c1b231f7

#### Identifiers

- None

### remotegui.zip: angularjs.jar: angular-locale\_kam-ke.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_kam-ke.js

**MD5:** 85710f718b6b7a283176f0a7703fac10



**SHA1:** 409ab4a221575e8d12f21f86949b4bb0eda9060f  
**SHA256:**d7a6965c1a58d79f8809a3ac4a8776fb36d817d455d92e0d9fdc4a134dfd7906  
**Referenced In Project/Scope:**server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies

- remotegui.zip: angularjs.jar: angular-locale\_kam-ke.js.gz: angular-locale\_kam-ke.js
  - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_kam-ke.js.gz/angular-locale\_kam-ke.js
  - MD5: 85710f718b6b7a283176f0a7703fac10
  - SHA1: 409ab4a221575e8d12f21f86949b4bb0eda9060f
  - SHA256: d7a6965c1a58d79f8809a3ac4a8776fb36d817d455d92e0d9fdc4a134dfd7906

Identifiers

- None

remotegui.zip: angularjs.jar: angular-locale\_kam.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_kam.js  
**MD5:** 0827f781c2d4f35b597f774915b66902  
**SHA1:** c3709016491acea07c09c7ed57c11b4d5707bf39  
**SHA256:**46a0eae657404f6fbb19b2d48c45874d888e615c49e25c72f4e159011a15398e  
**Referenced In Project/Scope:**server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies

- remotegui.zip: angularjs.jar: angular-locale\_kam.js.gz: angular-locale\_kam.js
  - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_kam.js.gz/angular-locale\_kam.js
  - MD5: 0827f781c2d4f35b597f774915b66902
  - SHA1: c3709016491acea07c09c7ed57c11b4d5707bf39



- SHA256: 46a0eae657404f6fbb19b2d48c45874d888e615c49e25c72f4e159011a15398e

#### Identifiers

- None

### remotegui.zip: angularjs.jar: angular-locale\_kde-tz.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_kde-tz.js

**MD5:** e369cabf83a93becbe88333a42eb78fa

**SHA1:** 4ec66cc03b2d6212100c178fb0b6da6e7bb6f169

**SHA256:** 8f8dba6cb661e8f2f9362bafa8f4df557ccf5b99385eb4404c5043ef62c8c946

**Referenced In Project/Scope:**server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Related Dependencies



- remotegui.zip: angularjs.jar: angular-locale\_kde-tz.js.gz: angular-locale\_kde-tz.js
  - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_kde-tz.js.gz/angular-locale\_kde-tz.js
  - MD5: e369cabf83a93becbe88333a42eb78fa
  - SHA1: 4ec66cc03b2d6212100c178fb0b6da6e7bb6f169
  - SHA256: 8f8dba6cb661e8f2f9362bafa8f4df557ccf5b99385eb4404c5043ef62c8c946

#### Identifiers

- None

### remotegui.zip: angularjs.jar: angular-locale\_kde.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_kde.js

**MD5:** 61b6496ada3defa04c5656366aade661



**SHA1:** cbe73ea20eac06b2477c453f976930f630eee3dd  
**SHA256:** 6f227699b12884b05fe578e959c70eff176c641fe2dd31230816452b47938e95  
**Referenced In Project/Scope:**server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies

- remotegui.zip: angularjs.jar: angular-locale\_kde.js.gz: angular-locale\_kde.js
  - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_kde.js.gz/angular-locale\_kde.js
  - MD5: 61b6496ada3defa04c5656366aade661
  - SHA1: cbe73ea20eac06b2477c453f976930f630eee3dd
  - SHA256: 6f227699b12884b05fe578e959c70eff176c641fe2dd31230816452b47938e95

Identifiers

- None

remotegui.zip: angularjs.jar: angular-locale\_kea-cv.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_kea-cv.js  
**MD5:** bd0d25c7e846d04716827471dd840716  
**SHA1:** a957a0ddc0771fcd868eddabd374ae85c211de99  
**SHA256:** 2af528ef18ad2561803bedad2c909f493fec33fbb74c680f2ab002970b1b4dd2  
**Referenced In Project/Scope:**server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies

- remotegui.zip: angularjs.jar: angular-locale\_kea-cv.js.gz: angular-locale\_kea-cv.js
  - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_kea-cv.js.gz/angular-locale\_kea-cv.js
  - MD5: bd0d25c7e846d04716827471dd840716
  - SHA1: a957a0ddc0771fcd868eddabd374ae85c211de99



- SHA256: 2af528ef18ad2561803bedad2c909f493fec33fbb74c680f2ab002970b1b4dd2

#### Identifiers

- None

### remotegui.zip: angularjs.jar: angular-locale\_kea.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_kea.js

**MD5:** 828489a0e831d6f72a2dfdd94c980811

**SHA1:** 9914e1ad2b5d6e558694dadf2e54af70db24f298

**SHA256:** 36774258cd18baea0f19d3a86d6eef995c985e6237cb20f5fd9099f7c8365a95

**Referenced In Project/Scope:**server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Related Dependencies



- remotegui.zip: angularjs.jar: angular-locale\_kea.js.gz: angular-locale\_kea.js
  - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_kea.js.gz/angular-locale\_kea.js
  - MD5: 828489a0e831d6f72a2dfdd94c980811
  - SHA1: 9914e1ad2b5d6e558694dadf2e54af70db24f298
  - SHA256: 36774258cd18baea0f19d3a86d6eef995c985e6237cb20f5fd9099f7c8365a95

#### Identifiers

- None

### remotegui.zip: angularjs.jar: angular-locale\_khq-ml.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_khq-ml.js

**MD5:** 949df9fd0b9c89107039802668e63aa6



**SHA1:** 86be236501cc6e55d59686b0c88382f18b6ba10e  
**SHA256:**74d284e34d2e7c60c52c37fefa5012bf62e8f54225f72420d7afae16310666f3  
**Referenced In Project/Scope:**server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies

- remotegui.zip: angularjs.jar: angular-locale\_khq-ml.js.gz: angular-locale\_khq-ml.js
  - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_khq-ml.js.gz/angular-locale\_khq-ml.js
  - MD5: 949df9fd0b9c89107039802668e63aa6
  - SHA1: 86be236501cc6e55d59686b0c88382f18b6ba10e
  - SHA256: 74d284e34d2e7c60c52c37fefa5012bf62e8f54225f72420d7afae16310666f3

Identifiers

- None

remotegui.zip: angularjs.jar: angular-locale\_khq.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_khq.js  
**MD5:** 7bba7af67cfad35ec85b022fb93a498a  
**SHA1:** 804e6706bfbf5cc8b1eecb80229f07c97492eb16  
**SHA256:**e07c1bcb2f1648c82e38aecbb50fe370c621c5e347e15a0f12a68f14164ac4e4  
**Referenced In Project/Scope:**server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies

- remotegui.zip: angularjs.jar: angular-locale\_khq.js.gz: angular-locale\_khq.js
  - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_khq.js.gz/angular-locale\_khq.js
  - MD5: 7bba7af67cfad35ec85b022fb93a498a
  - SHA1: 804e6706bfbf5cc8b1eecb80229f07c97492eb16



- SHA256: e07c1bcb2f1648c82e38aecbb50fe370c621c5e347e15a0f12a68f14164ac4e4

#### Identifiers

- None

### remotegui.zip: angularjs.jar: angular-locale\_ki-ke.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_ki-ke.js

**MD5:** 8d3da404355558b28e8c95d0cf88275

**SHA1:** 296d093c84ecfdb116ec2a8de443b60f106eed9f

**SHA256:** aab0992d095cae321b1f4dedc8d2be6afef275a1e43db68df55ded185e676573

**Referenced In Project/Scope:**server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Related Dependencies



- remotegui.zip: angularjs.jar: angular-locale\_ki-ke.js.gz: angular-locale\_ki-ke.js
  - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_ki-ke.js.gz/angular-locale\_ki-ke.js
  - MD5: 8d3da404355558b28e8c95d0cf88275
  - SHA1: 296d093c84ecfdb116ec2a8de443b60f106eed9f
  - SHA256: aab0992d095cae321b1f4dedc8d2be6afef275a1e43db68df55ded185e676573

#### Identifiers

- None

### remotegui.zip: angularjs.jar: angular-locale\_ki.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_ki.js

**MD5:** 89c818d0dda5012da082e69bf11127ad



**SHA1:** bf7e5a4691a8d6f946898a640c5e14bb03b420ad  
**SHA256:**23a9b43fee6ebc17170b5b426b7600db317501b4346c01b48ec8c906dc7b5a21  
**Referenced In Project/Scope:**server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies

- remotegui.zip: angularjs.jar: angular-locale\_ki.js.gz: angular-locale\_ki.js
  - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_ki.js.gz/angular-locale\_ki.js
  - MD5: 89c818d0dda5012da082e69bf11127ad
  - SHA1: bf7e5a4691a8d6f946898a640c5e14bb03b420ad
  - SHA256: 23a9b43fee6ebc17170b5b426b7600db317501b4346c01b48ec8c906dc7b5a21

Identifiers

- None

remotegui.zip: angularjs.jar: angular-locale\_kk-kz.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_kk-kz.js  
**MD5:** f406b3c46d30e7fc2800b3c4bfaf72dc  
**SHA1:** e578bea4df7b7b04f09773de391df8478d5cc3c7  
**SHA256:**e848878fe541bcf59867ca2dd280a6056e95623df8f2379a240dd95b1f8dbaab  
**Referenced In Project/Scope:**server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies

- remotegui.zip: angularjs.jar: angular-locale\_kk-kz.js.gz: angular-locale\_kk-kz.js
  - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_kk-kz.js.gz/angular-locale\_kk-kz.js
  - MD5: f406b3c46d30e7fc2800b3c4bfaf72dc
  - SHA1: e578bea4df7b7b04f09773de391df8478d5cc3c7



- SHA256: e848878fe541bcf59867ca2dd280a6056e95623df8f2379a240dd95b1f8dbaab

#### Identifiers

- None

### remotegui.zip: angularjs.jar: angular-locale\_kk.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_kk.js

**MD5:** 43a2f546e4bf20ccf82f8c7e590e1162

**SHA1:** b5abeabc35e98b9b0b2f8f98d9fbd7d16828f82c

**SHA256:** 9c134a2ebbc9a77ff92cad7e8553589e5e2e5f0c66600725410c3283da6b4643

**Referenced In Project/Scope:**server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Related Dependencies



- remotegui.zip: angularjs.jar: angular-locale\_kk.js.gz: angular-locale\_kk.js
  - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_kk.js.gz/angular-locale\_kk.js
  - MD5: 43a2f546e4bf20ccf82f8c7e590e1162
  - SHA1: b5abeabc35e98b9b0b2f8f98d9fbd7d16828f82c
  - SHA256: 9c134a2ebbc9a77ff92cad7e8553589e5e2e5f0c66600725410c3283da6b4643

#### Identifiers

- None

### remotegui.zip: angularjs.jar: angular-locale\_kkj-cm.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_kkj-cm.js

**MD5:** 9a4406bf5902a85ae452af2872ea48f7



**SHA1:** cbd3fa0ed359920f861263554092367a6cc8d27e  
**SHA256:**258233decfeb8808a38f556a11a7e3c2f6cfe36582dc9ca7442a9a137ecb6a00  
**Referenced In Project/Scope:**server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies

- remotegui.zip: angularjs.jar: angular-locale\_kkj-cm.js.gz: angular-locale\_kkj-cm.js
  - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_kkj-cm.js.gz/angular-locale\_kkj-cm.js
  - MD5: 9a4406bf5902a85ae452af2872ea48f7
  - SHA1: cbd3fa0ed359920f861263554092367a6cc8d27e
  - SHA256: 258233decfeb8808a38f556a11a7e3c2f6cfe36582dc9ca7442a9a137ecb6a00

Identifiers

- None

remotegui.zip: angularjs.jar: angular-locale\_kkj.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_kkj.js  
**MD5:** bb6b2968a8ab8b984ffafcd0e4967281  
**SHA1:** 6e203c6fdad5f45634dfd5a6f066a6b77d1d91d3  
**SHA256:**806a641b339594b8471018467e8b9d3adf7cefa053dfc4c071e09bf6e841389f  
**Referenced In Project/Scope:**server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies

- remotegui.zip: angularjs.jar: angular-locale\_kkj.js.gz: angular-locale\_kkj.js
  - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_kkj.js.gz/angular-locale\_kkj.js
  - MD5: bb6b2968a8ab8b984ffafcd0e4967281
  - SHA1: 6e203c6fdad5f45634dfd5a6f066a6b77d1d91d3



- SHA256: 806a641b339594b8471018467e8b9d3adf7cefa053dfc4c071e09bf6e841389f

#### Identifiers

- None

### remotegui.zip: angularjs.jar: angular-locale\_kl-gl.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_kl-gl.js

**MD5:** 0811286109dcd16befd7e28d84d353ca

**SHA1:** 0bd105fbdd7e3025aec4b91875143b522e0f2b56

**SHA256:** db17358161a60ff4628b3dcb08704da71c70412391b1f1a40706271a2029f95b

**Referenced In Project/Scope:**server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Related Dependencies



- remotegui.zip: angularjs.jar: angular-locale\_kl-gl.js.gz: angular-locale\_kl-gl.js
  - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_kl-gl.js.gz/angular-locale\_kl-gl.js
  - MD5: 0811286109dcd16befd7e28d84d353ca
  - SHA1: 0bd105fbdd7e3025aec4b91875143b522e0f2b56
  - SHA256: db17358161a60ff4628b3dcb08704da71c70412391b1f1a40706271a2029f95b

#### Identifiers

- None

### remotegui.zip: angularjs.jar: angular-locale\_kl.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_kl.js

**MD5:** 72b939d3aeb9ccb093152da1910dec62



**SHA1:** 015ba5230a4e3e6fbc4aa52c067120131cd05abc  
**SHA256:** e884754606caa584e418c6b5bed38f12278679f66aea3f63673d1edb7afa4b65  
**Referenced In Project/Scope:** server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies

- remotegui.zip: angularjs.jar: angular-locale\_kl.js.gz: angular-locale\_kl.js
  - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_kl.js.gz/angular-locale\_kl.js
  - MD5: 72b939d3aeb9ccb093152da1910dec62
  - SHA1: 015ba5230a4e3e6fbc4aa52c067120131cd05abc
  - SHA256: e884754606caa584e418c6b5bed38f12278679f66aea3f63673d1edb7afa4b65

Identifiers

- None

remotegui.zip: angularjs.jar: angular-locale\_kln-ke.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_kln-ke.js  
**MD5:** 2f1e073208b79500114a25e5c198a503  
**SHA1:** 58b338544a61a59a40737b7b509b5524364c9612  
**SHA256:** 8c18cdcdb14ebfe2850172ff9fb1a76073fa6330df28113f25d3846e4633e6f7  
**Referenced In Project/Scope:** server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies

- remotegui.zip: angularjs.jar: angular-locale\_kln-ke.js.gz: angular-locale\_kln-ke.js
  - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_kln-ke.js.gz/angular-locale\_kln-ke.js
  - MD5: 2f1e073208b79500114a25e5c198a503
  - SHA1: 58b338544a61a59a40737b7b509b5524364c9612



- SHA256: 8c18cdcdb14ebfe2850172ff9fb1a76073fa6330df28113f25d3846e4633e6f7

#### Identifiers

- None

### remotegui.zip: angularjs.jar: angular-locale\_kln.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_kln.js

**MD5:** bf5b2b8b8ff5461688a145fd392c7290

**SHA1:** 4c8cf21b44414497973ae577b9872792ff35fda0

**SHA256:** ac0909560cd9bf5288211c6bd3fcf8cc67ae0381c41b81a8bf7ecd5efa73682

**Referenced In Project/Scope:**server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Related Dependencies



- remotegui.zip: angularjs.jar: angular-locale\_kln.js.gz: angular-locale\_kln.js
  - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_kln.js.gz/angular-locale\_kln.js
  - MD5: bf5b2b8b8ff5461688a145fd392c7290
  - SHA1: 4c8cf21b44414497973ae577b9872792ff35fda0
  - SHA256: ac0909560cd9bf5288211c6bd3fcf8cc67ae0381c41b81a8bf7ecd5efa73682

#### Identifiers

- None

### remotegui.zip: angularjs.jar: angular-locale\_km-kh.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_km-kh.js

**MD5:** 2e3fa40f95126067ac5d3ba70d2a7857



**SHA1:** d33504a34d2e641ef3f8840f371875f85031356f  
**SHA256:**775c679b96e363b7839aea80e6c77695f3cad8ca30c099e9cb55fa8fa052d7ca  
**Referenced In Project/Scope:**server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies +

- remotegui.zip: angularjs.jar: angular-locale\_km-kh.js.gz: angular-locale\_km-kh.js
  - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_km-kh.js.gz/angular-locale\_km-kh.js
  - MD5: 2e3fa40f95126067ac5d3ba70d2a7857
  - SHA1: d33504a34d2e641ef3f8840f371875f85031356f
  - SHA256: 775c679b96e363b7839aea80e6c77695f3cad8ca30c099e9cb55fa8fa052d7ca

Identifiers

- None

remotegui.zip: angularjs.jar: angular-locale\_km.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_km.js  
**MD5:** a5346d2206b19ac8899b7067468f0f88  
**SHA1:** 37f451b14c0b8e24add72ec3934d0b3f8d5ee3c  
**SHA256:**62192274a9dbaac5471bdfcbf29a019cf6c8e66d41d013775665f71bf0b820b2  
**Referenced In Project/Scope:**server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies +

- remotegui.zip: angularjs.jar: angular-locale\_km.js.gz: angular-locale\_km.js
  - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_km.js.gz/angular-locale\_km.js
  - MD5: a5346d2206b19ac8899b7067468f0f88
  - SHA1: 37f451b14c0b8e24add72ec3934d0b3f8d5ee3c



- SHA256: 62192274a9dbaac5471bdfcbf29a019cf6c8e66d41d013775665f71bf0b820b2

#### Identifiers

- None

### remotegui.zip: angularjs.jar: angular-locale\_kn-in.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_kn-in.js

**MD5:** 768e1989a100cf7a2e449fa77c0c17e4

**SHA1:** 61a46da8e2ef27e133c1a2abfcaa1f8b3a07943d

**SHA256:** 4eba2bdac68d45bb13b80533cb8a6ecab3f154b48ded5c054a502e617521f1b5

**Referenced In Project/Scope:**server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Related Dependencies



- remotegui.zip: angularjs.jar: angular-locale\_kn-in.js.gz: angular-locale\_kn-in.js
  - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_kn-in.js.gz/angular-locale\_kn-in.js
  - MD5: 768e1989a100cf7a2e449fa77c0c17e4
  - SHA1: 61a46da8e2ef27e133c1a2abfcaa1f8b3a07943d
  - SHA256: 4eba2bdac68d45bb13b80533cb8a6ecab3f154b48ded5c054a502e617521f1b5

#### Identifiers

- None

### remotegui.zip: angularjs.jar: angular-locale\_kn.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_kn.js

**MD5:** 6d02f81654c2cc65253fff5b86e6007c



**SHA1:** 27d7a49436861910d236b34ac29a77fcfb66b2ce  
**SHA256:** 68fff953ce7bddcce218f685e5000e8127eb87703f70f22e7230cfe48830c15d  
**Referenced In Project/Scope:**server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Related Dependencies



- remotegui.zip: angularjs.jar: angular-locale\_kn.js.gz: angular-locale\_kn.js
  - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_kn.js.gz/angular-locale\_kn.js
  - MD5: 6d02f81654c2cc65253fff5b86e6007c
  - SHA1: 27d7a49436861910d236b34ac29a77fcfb66b2ce
  - SHA256: 68fff953ce7bddcce218f685e5000e8127eb87703f70f22e7230cfe48830c15d

#### Identifiers

- None

### remotegui.zip: angularjs.jar: angular-locale\_ko-kp.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_ko-kp.js  
**MD5:** c47e441666b56d0f526ca89d83de6cda  
**SHA1:** 43c72378376429d450c336172157cfc178e3ab7b  
**SHA256:** 99dda173e82ec3ecffedf0eea3f7e010ec1ba0d3a711adec05a2a4479c03b93f  
**Referenced In Project/Scope:**server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Related Dependencies



- remotegui.zip: angularjs.jar: angular-locale\_ko-kp.js.gz: angular-locale\_ko-kp.js
  - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_ko-kp.js.gz/angular-locale\_ko-kp.js
  - MD5: c47e441666b56d0f526ca89d83de6cda
  - SHA1: 43c72378376429d450c336172157cfc178e3ab7b



- SHA256: 99dda173e82ec3ecffedf0eea3f7e010ec1ba0d3a711adec05a2a4479c03b93f

#### Identifiers

- None

### remotegui.zip: angularjs.jar: angular-locale\_ko-kr.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_ko-kr.js

**MD5:** 09d9c2b2bd054c5d05fadd625b80fcad

**SHA1:** de0d350b76c8fc3db7b1ac13711e2bb6ad1e93d5

**SHA256:** f41519c74b336214f294adf89a5415cf357331c9fefcc302b4b79a7748b3a753

**Referenced In Project/Scope:**server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Related Dependencies



- remotegui.zip: angularjs.jar: angular-locale\_ko-kr.js.gz: angular-locale\_ko-kr.js
  - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_ko-kr.js.gz/angular-locale\_ko-kr.js
  - MD5: 09d9c2b2bd054c5d05fadd625b80fcad
  - SHA1: de0d350b76c8fc3db7b1ac13711e2bb6ad1e93d5
  - SHA256: f41519c74b336214f294adf89a5415cf357331c9fefcc302b4b79a7748b3a753

#### Identifiers

- None

### remotegui.zip: angularjs.jar: angular-locale\_ko.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_ko.js

**MD5:** a84b7871452fb8330fb14c9e5ed101dc



**SHA1:** 19e5fccd9f3b89e8044d62f760a556affddc15cd  
**SHA256:**3d083c58765c6084e07595be18e56c98044e0c4e4da601353f694023e7baeb87  
**Referenced In Project/Scope:**server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies

- remotegui.zip: angularjs.jar: angular-locale\_ko.js.gz: angular-locale\_ko.js
  - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_ko.js.gz/angular-locale\_ko.js
  - MD5: a84b7871452fb8330fb14c9e5ed101dc
  - SHA1: 19e5fccd9f3b89e8044d62f760a556affddc15cd
  - SHA256: 3d083c58765c6084e07595be18e56c98044e0c4e4da601353f694023e7baeb87

Identifiers

- None

remotegui.zip: angularjs.jar: angular-locale\_kok-in.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_kok-in.js  
**MD5:** c2f3171e0c7adbad695a9ed9a6687c6f  
**SHA1:** de6e8dad24665ef0972e150334922e0bcea0d7de  
**SHA256:**568efdaa25ac3818b2a2496fe661687dca3472b518df4d76da28b17e82d2361a  
**Referenced In Project/Scope:**server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies

- remotegui.zip: angularjs.jar: angular-locale\_kok-in.js.gz: angular-locale\_kok-in.js
  - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_kok-in.js.gz/angular-locale\_kok-in.js
  - MD5: c2f3171e0c7adbad695a9ed9a6687c6f
  - SHA1: de6e8dad24665ef0972e150334922e0bcea0d7de



- SHA256: 568efdaa25ac3818b2a2496fe661687dca3472b518df4d76da28b17e82d2361a

#### Identifiers

- None

### remotegui.zip: angularjs.jar: angular-locale\_kok.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_kok.js

**MD5:** 7bcc55cf81388ca7c5854951eeba9f53

**SHA1:** 457aa830402b369422d95bba0a86cad9fab598ff

**SHA256:** 832b11451a0e2e6d481d4aaeb9f6781e89040ba8e2cfc8d35238d5c314f84e3d

**Referenced In Project/Scope:**server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Related Dependencies



- remotegui.zip: angularjs.jar: angular-locale\_kok.js.gz: angular-locale\_kok.js
  - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_kok.js.gz/angular-locale\_kok.js
  - MD5: 7bcc55cf81388ca7c5854951eeba9f53
  - SHA1: 457aa830402b369422d95bba0a86cad9fab598ff
  - SHA256: 832b11451a0e2e6d481d4aaeb9f6781e89040ba8e2cfc8d35238d5c314f84e3d

#### Identifiers

- None

### remotegui.zip: angularjs.jar: angular-locale\_ks-in.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_ks-in.js

**MD5:** ba02355b97ad450a6aa662927a84e851



**SHA1:** 2fc7caa2c159503905a4d7f7779f66f8dcfcb3c5  
**SHA256:**1c00c93fc6616ba5c58121f0c5d85f3b3680da36f775c3c9f955626885cd8f82  
**Referenced In Project/Scope:**server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies

- remotegui.zip: angularjs.jar: angular-locale\_ks-in.js.gz: angular-locale\_ks-in.js
  - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_ks-in.js.gz/angular-locale\_ks-in.js
  - MD5: ba02355b97ad450a6aa662927a84e851
  - SHA1: 2fc7caa2c159503905a4d7f7779f66f8dcfcb3c5
  - SHA256: 1c00c93fc6616ba5c58121f0c5d85f3b3680da36f775c3c9f955626885cd8f82

Identifiers

- None

remotegui.zip: angularjs.jar: angular-locale\_ks.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_ks.js  
**MD5:** 869b06f2faf3999bc43f61620eac2551  
**SHA1:** b11fad64dd53b83abcfb3e917068690153364ce6  
**SHA256:**eab78952c0578ec49160b6774fe2766a45aa0af72279098bdf04f0adcff08920  
**Referenced In Project/Scope:**server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies

- remotegui.zip: angularjs.jar: angular-locale\_ks.js.gz: angular-locale\_ks.js
  - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_ks.js.gz/angular-locale\_ks.js
  - MD5: 869b06f2faf3999bc43f61620eac2551
  - SHA1: b11fad64dd53b83abcfb3e917068690153364ce6



- SHA256: eab78952c0578ec49160b6774fe2766a45aa0af72279098bdf04f0adcff08920

#### Identifiers

- None

### remotegui.zip: angularjs.jar: angular-locale\_ksb-tz.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_ksb-tz.js

**MD5:** 334550427387d88627a6a36388c16d76

**SHA1:** b25ee66e535ce73f9746502a210e041127eaf26b

**SHA256:** 7af8bb12130963893847c6d20cada1953b1efa6ef92479b09c0cbcdf30e0792d

**Referenced In Project/Scope:**server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Related Dependencies



- remotegui.zip: angularjs.jar: angular-locale\_ksb-tz.js.gz: angular-locale\_ksb-tz.js
  - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_ksb-tz.js.gz/angular-locale\_ksb-tz.js
  - MD5: 334550427387d88627a6a36388c16d76
  - SHA1: b25ee66e535ce73f9746502a210e041127eaf26b
  - SHA256: 7af8bb12130963893847c6d20cada1953b1efa6ef92479b09c0cbcdf30e0792d

#### Identifiers

- None

### remotegui.zip: angularjs.jar: angular-locale\_ksb.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_ksb.js

**MD5:** 63cd70c7dfac9c98d505ded517188b7f



**SHA1:** afb136c1d61c24b871d6099d718739b379a7a6ef  
**SHA256:** d2b8992688f9744d529245f8ef6e02ddb420bc270c5134993cf45b39ee33afcf  
**Referenced In Project/Scope:** server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies



- remotegui.zip: angularjs.jar: angular-locale\_ksb.js.gz: angular-locale\_ksb.js
  - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_ksb.js.gz/angular-locale\_ksb.js
  - MD5: 63cd70c7dfac9c98d505ded517188b7f
  - SHA1: afb136c1d61c24b871d6099d718739b379a7a6ef
  - SHA256: d2b8992688f9744d529245f8ef6e02ddb420bc270c5134993cf45b39ee33afcf

Identifiers

- None

remotegui.zip: angularjs.jar: angular-locale\_ksf-cm.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_ksf-cm.js  
**MD5:** c3270a8fdb87d011ed06efb38e347699  
**SHA1:** e8314168fad05de32cbb5d67e9a3d0c314578dd5  
**SHA256:** 68750f051d394792c2ce5a78784d416306d8abc11c2b81e163e7ece4efa4cfb4  
**Referenced In Project/Scope:** server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies



- remotegui.zip: angularjs.jar: angular-locale\_ksf-cm.js.gz: angular-locale\_ksf-cm.js
  - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_ksf-cm.js.gz/angular-locale\_ksf-cm.js
  - MD5: c3270a8fdb87d011ed06efb38e347699
  - SHA1: e8314168fad05de32cbb5d67e9a3d0c314578dd5



- SHA256: 68750f051d394792c2ce5a78784d416306d8abc11c2b81e163e7ece4efa4cfb4

#### Identifiers

- None

### remotegui.zip: angularjs.jar: angular-locale\_ksf.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_ksf.js

**MD5:** 09e9a54aaa5a825e84629df346e61a3e

**SHA1:** ac195ad0f8d068bb331540c420fc4e157c4141dc

**SHA256:** eacd8abe296752383464b2d5c81c5f47d0245afb0794d6aa1bc5bd734d32da72

**Referenced In Project/Scope:**server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Related Dependencies



- remotegui.zip: angularjs.jar: angular-locale\_ksf.js.gz: angular-locale\_ksf.js
  - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_ksf.js.gz/angular-locale\_ksf.js
  - MD5: 09e9a54aaa5a825e84629df346e61a3e
  - SHA1: ac195ad0f8d068bb331540c420fc4e157c4141dc
  - SHA256: eacd8abe296752383464b2d5c81c5f47d0245afb0794d6aa1bc5bd734d32da72

#### Identifiers

- None

### remotegui.zip: angularjs.jar: angular-locale\_ksh-de.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_ksh-de.js

**MD5:** 714e0fff97d3ff8091e1f35e68945132



**SHA1:** ad6aea0398196fa32732424749861c026302c4a8  
**SHA256:**85d2df4f645a349d20a995cab1ffa0401b5695d67d960e5383b6c9d461bf8e2d  
**Referenced In Project/Scope:**server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies

- remotegui.zip: angularjs.jar: angular-locale\_ksh-de.js.gz: angular-locale\_ksh-de.js
  - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_ksh-de.js.gz/angular-locale\_ksh-de.js
  - MD5: 714e0fff97d3ff8091e1f35e68945132
  - SHA1: ad6aea0398196fa32732424749861c026302c4a8
  - SHA256: 85d2df4f645a349d20a995cab1ffa0401b5695d67d960e5383b6c9d461bf8e2d

Identifiers

- None

remotegui.zip: angularjs.jar: angular-locale\_ksh.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_ksh.js  
**MD5:** 544485af788c91008484548e7198e18a  
**SHA1:** 3f579909c01027f6612dc5702cc9174691894127  
**SHA256:**015c5f1f5790b3d2eab57033346cd8228391d3436c53841fd6528fcab6d59e89  
**Referenced In Project/Scope:**server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies

- remotegui.zip: angularjs.jar: angular-locale\_ksh.js.gz: angular-locale\_ksh.js
  - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_ksh.js.gz/angular-locale\_ksh.js
  - MD5: 544485af788c91008484548e7198e18a
  - SHA1: 3f579909c01027f6612dc5702cc9174691894127



- SHA256: 015c5f1f5790b3d2eab57033346cd8228391d3436c53841fd6528fcab6d59e89

#### Identifiers

- None

### remotegui.zip: angularjs.jar: angular-locale\_kw-gb.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_kw-gb.js

**MD5:** 2d8c4bc36db0d978bd248947613b3d0f

**SHA1:** 1bc47451a9739a9e4bd8d590d4a54e934ac9a5a3

**SHA256:** f92b16ba1a3bab32fab9fcd1434573729a151b7fb6f56f4dc1348215d4478966

**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Related Dependencies



- remotegui.zip: angularjs.jar: angular-locale\_kw-gb.js.gz: angular-locale\_kw-gb.js
  - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_kw-gb.js.gz/angular-locale\_kw-gb.js
  - MD5: 2d8c4bc36db0d978bd248947613b3d0f
  - SHA1: 1bc47451a9739a9e4bd8d590d4a54e934ac9a5a3
  - SHA256: f92b16ba1a3bab32fab9fcd1434573729a151b7fb6f56f4dc1348215d4478966

#### Identifiers

- None

### remotegui.zip: angularjs.jar: angular-locale\_kw.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_kw.js

**MD5:** c0902ff8e4ab77e7eccf5446967a2e3a



**SHA1:** 03836b6af79cd3ab57b839a3f4e433604f8822c7  
**SHA256:**4a1abd8bd3b7ea4e00e82d9e7feb1b8d17a23c280ba5bb4753b9c96448fbd338  
**Referenced In Project/Scope:**server

#### Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Related Dependencies

- remotegui.zip: angularjs.jar: angular-locale\_kw.js.gz: angular-locale\_kw.js
  - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_kw.js.gz/angular-locale\_kw.js
  - MD5: c0902ff8e4ab77e7eccf5446967a2e3a
  - SHA1: 03836b6af79cd3ab57b839a3f4e433604f8822c7
  - SHA256: 4a1abd8bd3b7ea4e00e82d9e7feb1b8d17a23c280ba5bb4753b9c96448fbd338

#### Identifiers

- None

### remotegui.zip: angularjs.jar: angular-locale\_ky-kg.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_ky-kg.js  
**MD5:** 39f586d039b12e99da8f79678777a621  
**SHA1:** 794fc89867ea68446d98d87dd300a22d32ba07d7  
**SHA256:**af4cba42d8cd8ea1a095d2fc969535759ebf4929d9b85d0e34dfa6802412d552  
**Referenced In Project/Scope:**server

#### Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Related Dependencies

- remotegui.zip: angularjs.jar: angular-locale\_ky-kg.js.gz: angular-locale\_ky-kg.js
  - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_ky-kg.js.gz/angular-locale\_ky-kg.js
  - MD5: 39f586d039b12e99da8f79678777a621
  - SHA1: 794fc89867ea68446d98d87dd300a22d32ba07d7



- SHA256: af4cba42d8cd8ea1a095d2fc969535759ebf4929d9b85d0e34dfa6802412d552

#### Identifiers

- None

### remotegui.zip: angularjs.jar: angular-locale\_ky.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_ky.js

**MD5:** 544b24fcd40c84672157fa736391cdb6

**SHA1:** ac3fa36920e1081d32cd8b6505f7eb15695468ac

**SHA256:** f81514a6082cd1267ee477611259df7801fd5716953d5fbda17c0e09978e0653

**Referenced In Project/Scope:**server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Related Dependencies



- remotegui.zip: angularjs.jar: angular-locale\_ky.js.gz: angular-locale\_ky.js
  - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_ky.js.gz/angular-locale\_ky.js
  - MD5: 544b24fcd40c84672157fa736391cdb6
  - SHA1: ac3fa36920e1081d32cd8b6505f7eb15695468ac
  - SHA256: f81514a6082cd1267ee477611259df7801fd5716953d5fbda17c0e09978e0653

#### Identifiers

- None

### remotegui.zip: angularjs.jar: angular-locale\_lag-tz.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_lag-tz.js

**MD5:** 12dcd248455663a0f573be5d3298ed63



**SHA1:** 8ebfb4611d8fa52a84bf5666b1387a9b39299251  
**SHA256:**3c7f1d29fca6f8851dcfe3f5f4f5fc024b818ca71b5e3705ef2bc59110ad02fa  
**Referenced In Project/Scope:**server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies

- remotegui.zip: angularjs.jar: angular-locale\_lag-tz.js.gz: angular-locale\_lag-tz.js
  - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_lag-tz.js.gz/angular-locale\_lag-tz.js
  - MD5: 12dcd248455663a0f573be5d3298ed63
  - SHA1: 8ebfb4611d8fa52a84bf5666b1387a9b39299251
  - SHA256: 3c7f1d29fca6f8851dcfe3f5f4f5fc024b818ca71b5e3705ef2bc59110ad02fa

Identifiers

- None

remotegui.zip: angularjs.jar: angular-locale\_lag.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_lag.js  
**MD5:** b6cdb1c47ecb75d35f00b160381f4658  
**SHA1:** ff9e6e5c7ce0ddd7e0a5582f1e697786f73481b1  
**SHA256:**ad77a675d8771760cf978669722c97855de5c8f62d4b34dfc0f9fe1f9babb733  
**Referenced In Project/Scope:**server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies

- remotegui.zip: angularjs.jar: angular-locale\_lag.js.gz: angular-locale\_lag.js
  - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_lag.js.gz/angular-locale\_lag.js
  - MD5: b6cdb1c47ecb75d35f00b160381f4658
  - SHA1: ff9e6e5c7ce0ddd7e0a5582f1e697786f73481b1



- SHA256: ad77a675d8771760cf978669722c97855de5c8f62d4b34dfc0f9fe1f9babb733

#### Identifiers

- None

### remotegui.zip: angularjs.jar: angular-locale\_lb-lu.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_lb-lu.js

**MD5:** a7b8848c91f74e9d93c228b0b6bca203

**SHA1:** 126b2281b2ec22ff55183316991e10c57e0b8df6

**SHA256:** 7d018695e90497dae2ebb83b999b8bda67fdb0df5bbbed661f35d632fe33c9981

**Referenced In Project/Scope:**server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Related Dependencies



- remotegui.zip: angularjs.jar: angular-locale\_lb-lu.js.gz: angular-locale\_lb-lu.js
  - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_lb-lu.js.gz/angular-locale\_lb-lu.js
  - MD5: a7b8848c91f74e9d93c228b0b6bca203
  - SHA1: 126b2281b2ec22ff55183316991e10c57e0b8df6
  - SHA256: 7d018695e90497dae2ebb83b999b8bda67fdb0df5bbbed661f35d632fe33c9981

#### Identifiers

- None

### remotegui.zip: angularjs.jar: angular-locale\_lb.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_lb.js

**MD5:** abac65852afd8440cb48ea4ce519ef59



**SHA1:** 074a0ca7131ae8fd9665cfe68a0c124eb6ad0170  
**SHA256:**6390042c5705ae34e3dbb7c6026bfe02d5e18958540ab4e646335a7a906bb8  
**Referenced In Project/Scope:**server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies

- remotegui.zip: angularjs.jar: angular-locale\_lb.js.gz: angular-locale\_lb.js
  - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_lb.js.gz/angular-locale\_lb.js
  - MD5: abac65852afd8440cb48ea4ce519ef59
  - SHA1: 074a0ca7131ae8fd9665cfe68a0c124eb6ad0170
  - SHA256: 6390042c5705ae34e3dbb7c6026bfe02d5e18958540ab4e646335a7a906bb8

Identifiers

- None

remotegui.zip: angularjs.jar: angular-locale\_lg-ug.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_lg-ug.js  
**MD5:** ed14755d3a8888031dc47994ecb7aae5  
**SHA1:** dc7450667144a2f32190d499156583ad1dcab341  
**SHA256:**e1c5fcc63a696fdb7ac082765f6bdd974bf5986d5c67661ea471d58deda6a315  
**Referenced In Project/Scope:**server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies

- remotegui.zip: angularjs.jar: angular-locale\_lg-ug.js.gz: angular-locale\_lg-ug.js
  - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_lg-ug.js.gz/angular-locale\_lg-ug.js
  - MD5: ed14755d3a8888031dc47994ecb7aae5
  - SHA1: dc7450667144a2f32190d499156583ad1dcab341



- SHA256: e1c5fcc63a696fdb7ac082765f6bdd974bf5986d5c67661ea471d58deda6a315

#### Identifiers

- None

### remotegui.zip: angularjs.jar: angular-locale\_lg.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_lg.js

**MD5:** 3c45a96a5bcd0b538476d74543b3d9f

**SHA1:** 4ef495ed5839cdbcd0f2db3cea73dfd6e1a87a

**SHA256:** b9c3da351f0491da44f647204e861d0f9758929d7b7aa617d15d4c3bb24fb967

**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Related Dependencies



- remotegui.zip: angularjs.jar: angular-locale\_lg.js.gz: angular-locale\_lg.js
  - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_lg.js.gz/angular-locale\_lg.js
  - MD5: 3c45a96a5bcd0b538476d74543b3d9f
  - SHA1: 4ef495ed5839cdbcd0f2db3cea73dfd6e1a87a
  - SHA256: b9c3da351f0491da44f647204e861d0f9758929d7b7aa617d15d4c3bb24fb967

#### Identifiers

- None

### remotegui.zip: angularjs.jar: angular-locale\_lkt-us.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_lkt-us.js

**MD5:** 799a46cc3575857bab0d89883c48620a



**SHA1:** f610412086d13cb6c39733e9dcdbf3feafa57112  
**SHA256:** e457db05c88cddcae6f865bfbcb063ca3c0096eb77ee639b499227009aa86383b  
**Referenced In Project/Scope:** server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies

- remotegui.zip: angularjs.jar: angular-locale\_lkt-us.js.gz: angular-locale\_lkt-us.js
  - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_lkt-us.js.gz/angular-locale\_lkt-us.js
  - MD5: 799a46cc3575857bab0d89883c48620a
  - SHA1: f610412086d13cb6c39733e9dcdbf3feafa57112
  - SHA256: e457db05c88cddcae6f865bfbcb063ca3c0096eb77ee639b499227009aa86383b

Identifiers

- None

remotegui.zip: angularjs.jar: angular-locale\_lkt.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_lkt.js  
**MD5:** 52024d80a54ee76528d38dcc74c15f68  
**SHA1:** 65f07dbfeb59a110b8afce86899def3a74b57376  
**SHA256:** 10bd7d193c0b1eecf0027b7c08f4b783f9c102aa26d2052501eb006732211ce0  
**Referenced In Project/Scope:** server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies

- remotegui.zip: angularjs.jar: angular-locale\_lkt.js.gz: angular-locale\_lkt.js
  - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_lkt.js.gz/angular-locale\_lkt.js
  - MD5: 52024d80a54ee76528d38dcc74c15f68
  - SHA1: 65f07dbfeb59a110b8afce86899def3a74b57376



- SHA256: 10bd7d193c0b1eecf0027b7c08f4b783f9c102aa26d2052501eb006732211ce0

#### Identifiers

- None

### remotegui.zip: angularjs.jar: angular-locale\_In-ao.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_In-ao.js

**MD5:** abb89e9487cafc0324bbc5172cd6c4cb

**SHA1:** 837f73ce72a824e22dc36b6179b81648362c474e

**SHA256:** 4189f2d42b3920ecee9e61d8e51729df544436ac197c31ab3b7764f61c2fe3bf

**Referenced In Project/Scope:**server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Related Dependencies



- remotegui.zip: angularjs.jar: angular-locale\_In-ao.js.gz: angular-locale\_In-ao.js
  - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_In-ao.js.gz/angular-locale\_In-ao.js
  - MD5: abb89e9487cafc0324bbc5172cd6c4cb
  - SHA1: 837f73ce72a824e22dc36b6179b81648362c474e
  - SHA256: 4189f2d42b3920ecee9e61d8e51729df544436ac197c31ab3b7764f61c2fe3bf

#### Identifiers

- None

### remotegui.zip: angularjs.jar: angular-locale\_In-cd.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_In-cd.js

**MD5:** 4503e9171c5fa9c65ef29300a543d110



**SHA1:** fa38e6ca65bbbdcae86d9128c15fc21132a06e7  
**SHA256:**acc7b4271b014e87b08dabd4c109a9383a8d3429c5ff4c40a9d565a1e16fde18  
**Referenced In Project/Scope:**server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies

- remotegui.zip: angularjs.jar: angular-locale\_In-cd.js.gz: angular-locale\_In-cd.js
  - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_In-cd.js.gz/angular-locale\_In-cd.js
  - MD5: 4503e9171c5fa9c65ef29300a543d110
  - SHA1: fa38e6ca65bbbdcae86d9128c15fc21132a06e7
  - SHA256: acc7b4271b014e87b08dabd4c109a9383a8d3429c5ff4c40a9d565a1e16fde18

Identifiers

- None

remotegui.zip: angularjs.jar: angular-locale\_In-cf.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_In-cf.js  
**MD5:** 9d08186b51fb18bc9f963da9fc32831f  
**SHA1:** 5b14967991beef31f94c2559d681c492c0bd21a2  
**SHA256:**6bb3a3db97f06255467eac86bc017af45e8344c9a95103a9f35c3b147f2ff814  
**Referenced In Project/Scope:**server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies

- remotegui.zip: angularjs.jar: angular-locale\_In-cf.js.gz: angular-locale\_In-cf.js
  - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_In-cf.js.gz/angular-locale\_In-cf.js
  - MD5: 9d08186b51fb18bc9f963da9fc32831f
  - SHA1: 5b14967991beef31f94c2559d681c492c0bd21a2



- SHA256: 6bb3a3db97f06255467eac86bc017af45e8344c9a95103a9f35c3b147f2ff814

#### Identifiers

- None

### remotegui.zip: angularjs.jar: angular-locale\_In-cg.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_In-cg.js

**MD5:** 45f0dfe16eebaa21c1b3b39ebd52b91e

**SHA1:** e13777a5bd81c70d4a130a7ce77244885ead940b

**SHA256:** 975602d3af1e27f33414c298ca64a6aaf021b9222e46813479945da4f7b127fa

**Referenced In Project/Scope:**server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Related Dependencies



- remotegui.zip: angularjs.jar: angular-locale\_In-cg.js.gz: angular-locale\_In-cg.js
  - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_In-cg.js.gz/angular-locale\_In-cg.js
  - MD5: 45f0dfe16eebaa21c1b3b39ebd52b91e
  - SHA1: e13777a5bd81c70d4a130a7ce77244885ead940b
  - SHA256: 975602d3af1e27f33414c298ca64a6aaf021b9222e46813479945da4f7b127fa

#### Identifiers

- None

### remotegui.zip: angularjs.jar: angular-locale\_In.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_In.js

**MD5:** 7009caf48e815559169efc02abaf2535



**SHA1:** fda183086fdecd9eb0bf30350b08715576f26e9e  
**SHA256:** cd0638f3303c9b1115ab778f2eb06d47113e7740060b3164b3265a193f35b63b  
**Referenced In Project/Scope:** server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies

- remotegui.zip: angularjs.jar: angular-locale\_In.js.gz: angular-locale\_In.js
  - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_In.js.gz/angular-locale\_In.js
  - MD5: 7009caf48e815559169efc02abaf2535
  - SHA1: fda183086fdecd9eb0bf30350b08715576f26e9e
  - SHA256: cd0638f3303c9b1115ab778f2eb06d47113e7740060b3164b3265a193f35b63b

Identifiers

- None

remotegui.zip: angularjs.jar: angular-locale\_lo-la.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_lo-la.js  
**MD5:** 0fca4bfb2e6cab13a4487799087ccc7c  
**SHA1:** 8388786e1d5f5f3d4e2bc7df609d709f4297a67f  
**SHA256:** 661b66b77bab13e030379279ad58e0bb17f9435b909dbf4e932f7c40c67c051b  
**Referenced In Project/Scope:** server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies

- remotegui.zip: angularjs.jar: angular-locale\_lo-la.js.gz: angular-locale\_lo-la.js
  - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_lo-la.js.gz/angular-locale\_lo-la.js
  - MD5: 0fca4bfb2e6cab13a4487799087ccc7c
  - SHA1: 8388786e1d5f5f3d4e2bc7df609d709f4297a67f



- SHA256: 661b66b77bab13e030379279ad58e0bb17f9435b909dbf4e932f7c40c67c051b

#### Identifiers

- None

### remotegui.zip: angularjs.jar: angular-locale\_lo.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_lo.js

**MD5:** 4d64b6537a23c4b7a4867a4c9dca5acb

**SHA1:** 1587fe8ec648f0725894b043b027a6fe5e8da75c

**SHA256:** 762dd9d76261ce5b6b4bf07fc1c6ce18540742751129f68fb2a8156e0f44e558

**Referenced In Project/Scope:**server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Related Dependencies



- remotegui.zip: angularjs.jar: angular-locale\_lo.js.gz: angular-locale\_lo.js
  - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_lo.js.gz/angular-locale\_lo.js
  - MD5: 4d64b6537a23c4b7a4867a4c9dca5acb
  - SHA1: 1587fe8ec648f0725894b043b027a6fe5e8da75c
  - SHA256: 762dd9d76261ce5b6b4bf07fc1c6ce18540742751129f68fb2a8156e0f44e558

#### Identifiers

- None

### remotegui.zip: angularjs.jar: angular-locale\_lrc-iq.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_lrc-iq.js

**MD5:** 99f8c37ee612929d2c629f5199eeb3ae



**SHA1:** 6fc955c427fac5327f02ac33221a91236be9bb47  
**SHA256:** ae44df35822101b7646a52839de478a3f7dcf75befe56459d50998124487e582  
**Referenced In Project/Scope:** server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies

- remotegui.zip: angularjs.jar: angular-locale\_lrc-iq.js.gz: angular-locale\_lrc-iq.js
  - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_lrc-iq.js.gz/angular-locale\_lrc-iq.js
  - MD5: 99f8c37ee612929d2c629f5199eeb3ae
  - SHA1: 6fc955c427fac5327f02ac33221a91236be9bb47
  - SHA256: ae44df35822101b7646a52839de478a3f7dcf75befe56459d50998124487e582

Identifiers

- None

remotegui.zip: angularjs.jar: angular-locale\_lrc-ir.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_lrc-ir.js  
**MD5:** 4a409b63e2cf630ec055aff234ea9dbb  
**SHA1:** 3a65a79bdef98968bac318917c4345bcb8f40c1a  
**SHA256:** 67b57a9368931a7a4ba133cd6fa934ee855847676a63ec6e75dafb7052af68c4  
**Referenced In Project/Scope:** server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies

- remotegui.zip: angularjs.jar: angular-locale\_lrc-ir.js.gz: angular-locale\_lrc-ir.js
  - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_lrc-ir.js.gz/angular-locale\_lrc-ir.js
  - MD5: 4a409b63e2cf630ec055aff234ea9dbb
  - SHA1: 3a65a79bdef98968bac318917c4345bcb8f40c1a



- SHA256: 67b57a9368931a7a4ba133cd6fa934ee855847676a63ec6e75dafb7052af68c4

#### Identifiers

- None

### remotegui.zip: angularjs.jar: angular-locale\_lrc.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_lrc.js

**MD5:** 41971dcf64fa771ef9ba94df32495449

**SHA1:** c60b5ae45eb58eb22897f9b96428825934d584a0

**SHA256:** adb99fd7ea9ffddd8cf96de55622f098976ca096a46b5e6ea9ce3d2da4d815fc

**Referenced In Project/Scope:**server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Related Dependencies



- remotegui.zip: angularjs.jar: angular-locale\_lrc.js.gz: angular-locale\_lrc.js
  - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_lrc.js.gz/angular-locale\_lrc.js
  - MD5: 41971dcf64fa771ef9ba94df32495449
  - SHA1: c60b5ae45eb58eb22897f9b96428825934d584a0
  - SHA256: adb99fd7ea9ffddd8cf96de55622f098976ca096a46b5e6ea9ce3d2da4d815fc

#### Identifiers

- None

### remotegui.zip: angularjs.jar: angular-locale\_lt-lt.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_lt-lt.js

**MD5:** 775efce5804c4d6f392419969d7a5cb8



**SHA1:** f1d02d1ec54c7048b4f36ce15f077c8fadba3715  
**SHA256:**13b39be00cca1bb5714cbd6ca1f697e288eaff7c256a10f0c41a8d3530b332cc  
**Referenced In Project/Scope:**server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies

- remotegui.zip: angularjs.jar: angular-locale\_It-It.js.gz: angular-locale\_It-It.js
  - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_It-It.js.gz/angular-locale\_It-It.js
  - MD5: 775efce5804c4d6f392419969d7a5cb8
  - SHA1: f1d02d1ec54c7048b4f36ce15f077c8fadba3715
  - SHA256: 13b39be00cca1bb5714cbd6ca1f697e288eaff7c256a10f0c41a8d3530b332cc

Identifiers

- None

remotegui.zip: angularjs.jar: angular-locale\_It.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_It.js  
**MD5:** 716222a260a54ad7de6d954e55fc25b8  
**SHA1:** 075b11ae383071bda9be66e336c916f6e6e1f49c  
**SHA256:**1a90847e79ae67234bf860d2604a324fa1c7bb68ce557a035007a333901eb9f2  
**Referenced In Project/Scope:**server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies

- remotegui.zip: angularjs.jar: angular-locale\_It.js.gz: angular-locale\_It.js
  - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_It.js.gz/angular-locale\_It.js
  - MD5: 716222a260a54ad7de6d954e55fc25b8
  - SHA1: 075b11ae383071bda9be66e336c916f6e6e1f49c



- SHA256: 1a90847e79ae67234bf860d2604a324fa1c7bb68ce557a035007a333901eb9f2

#### Identifiers

- None

### remotegui.zip: angularjs.jar: angular-locale\_lu-cd.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_lu-cd.js

**MD5:** b4cecdfef89917c1b1424088cf8ce377

**SHA1:** ffd28972d5ec9c3cd630881a0906f9087390fd4e

**SHA256:** 1ea01e59b8fa47cdd89927c802128de7a459b052d3a1d6d621c7215e04910995

**Referenced In Project/Scope:**server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Related Dependencies



- remotegui.zip: angularjs.jar: angular-locale\_lu-cd.js.gz: angular-locale\_lu-cd.js
  - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_lu-cd.js.gz/angular-locale\_lu-cd.js
  - MD5: b4cecdfef89917c1b1424088cf8ce377
  - SHA1: ffd28972d5ec9c3cd630881a0906f9087390fd4e
  - SHA256: 1ea01e59b8fa47cdd89927c802128de7a459b052d3a1d6d621c7215e04910995

#### Identifiers

- None

### remotegui.zip: angularjs.jar: angular-locale\_lu.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_lu.js

**MD5:** 0f94696a8651106a2554fed2f15251a5



**SHA1:** 94109cbd634daaf35c8154cae22f901789f06718  
**SHA256:**7b7beae57ba47d17e36741ca45628fd3634e02ae938eb30cda15daf52209d4d7  
**Referenced In Project/Scope:**server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies

- remotegui.zip: angularjs.jar: angular-locale\_lu.js.gz: angular-locale\_lu.js
  - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_lu.js.gz/angular-locale\_lu.js
  - MD5: 0f94696a8651106a2554fed2f15251a5
  - SHA1: 94109cbd634daaf35c8154cae22f901789f06718
  - SHA256: 7b7beae57ba47d17e36741ca45628fd3634e02ae938eb30cda15daf52209d4d7

Identifiers

- None

remotegui.zip: angularjs.jar: angular-locale\_luo-ke.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_luo-ke.js  
**MD5:** df2b4c8556090b082d3c1ac00005ac50  
**SHA1:** 58ac8bb94e9ee5bd78f765ed5f5d4af11496c76c  
**SHA256:**26bca908412bfbe38ded258e427e73b308efa2a06ef62a98d527b92980e5f9ff  
**Referenced In Project/Scope:**server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies

- remotegui.zip: angularjs.jar: angular-locale\_luo-ke.js.gz: angular-locale\_luo-ke.js
  - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_luo-ke.js.gz/angular-locale\_luo-ke.js
  - MD5: df2b4c8556090b082d3c1ac00005ac50
  - SHA1: 58ac8bb94e9ee5bd78f765ed5f5d4af11496c76c



- SHA256: 26bca908412bfbe38ded258e427e73b308efa2a06ef62a98d527b92980e5f9ff

#### Identifiers

- None

### remotegui.zip: angularjs.jar: angular-locale\_luo.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_luo.js

**MD5:** 1e251fd824589a790e3437bc47b2c96c

**SHA1:** 58bebc12f45a8ce837c389de73ede194128fe78b

**SHA256:** cb5efd1f03e4ecb61cc8ee78f2c1a842236d8b8429e9edbf569bd35afcdb9d4e

**Referenced In Project/Scope:**server

#### Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Related Dependencies

- remotegui.zip: angularjs.jar: angular-locale\_luo.js.gz: angular-locale\_luo.js
  - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_luo.js.gz/angular-locale\_luo.js
  - MD5: 1e251fd824589a790e3437bc47b2c96c
  - SHA1: 58bebc12f45a8ce837c389de73ede194128fe78b
  - SHA256: cb5efd1f03e4ecb61cc8ee78f2c1a842236d8b8429e9edbf569bd35afcdb9d4e

#### Identifiers

- None

### remotegui.zip: angularjs.jar: angular-locale\_luy-ke.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_luy-ke.js

**MD5:** 44e11853924b8505afdd3afa6cf0ce23



**SHA1:** f3b79f2fb9c7a745d78e2dd16e9bdb99765f28cb  
**SHA256:** d6d495dcbc3af49b2d6e1a9a5b747e17224378f960c92a7931dcd22aee23e8df  
**Referenced In Project/Scope:** server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies

- remotegui.zip: angularjs.jar: angular-locale\_luy-ke.js.gz: angular-locale\_luy-ke.js
  - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_luy-ke.js.gz/angular-locale\_luy-ke.js
  - MD5: 44e11853924b8505afdd3afa6cf0ce23
  - SHA1: f3b79f2fb9c7a745d78e2dd16e9bdb99765f28cb
  - SHA256: d6d495dcbc3af49b2d6e1a9a5b747e17224378f960c92a7931dcd22aee23e8df

Identifiers

- None

remotegui.zip: angularjs.jar: angular-locale\_luy.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_luy.js  
**MD5:** a3f2090d461cffdc29c4f7049055f7be  
**SHA1:** d65d4aad5fefa619f26bcabab3796cc2eaa87041  
**SHA256:** 696a0dee1304da223d354d338bc72c5ea8f7f93eef527c083de7f72f9994d5c4  
**Referenced In Project/Scope:** server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies

- remotegui.zip: angularjs.jar: angular-locale\_luy.js.gz: angular-locale\_luy.js
  - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_luy.js.gz/angular-locale\_luy.js
  - MD5: a3f2090d461cffdc29c4f7049055f7be
  - SHA1: d65d4aad5fefa619f26bcabab3796cc2eaa87041



- SHA256: 696a0dee1304da223d354d338bc72c5ea8f7f93eef527c083de7f72f9994d5c4

#### Identifiers

- None

### remotegui.zip: angularjs.jar: angular-locale\_lv-lv.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_lv-lv.js

**MD5:** fbb2016e747be0487d75cc1bf4fd3e81

**SHA1:** 14ddb5259a68d62cf5c03c0d76147d0e593a4f86

**SHA256:** 03702ea18e3bc94e49cb2489788f389f16957a647a3ce57ed956dcf5ce470830

**Referenced In Project/Scope:**server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Related Dependencies



- remotegui.zip: angularjs.jar: angular-locale\_lv-lv.js.gz: angular-locale\_lv-lv.js
  - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_lv-lv.js.gz/angular-locale\_lv-lv.js
  - MD5: fbb2016e747be0487d75cc1bf4fd3e81
  - SHA1: 14ddb5259a68d62cf5c03c0d76147d0e593a4f86
  - SHA256: 03702ea18e3bc94e49cb2489788f389f16957a647a3ce57ed956dcf5ce470830

#### Identifiers

- None

### remotegui.zip: angularjs.jar: angular-locale\_lv.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_lv.js

**MD5:** f4daed31543e05261e1a8b69b159f629



**SHA1:** 05625786f7e4ad0f12d929daa2c978f1d71643b5  
**SHA256:**f395350248c5f3ec8b18a82d67c35b74b5451d7a4ca2a607bd6ffbb66dd65e44  
**Referenced In Project/Scope:**server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies

- remotegui.zip: angularjs.jar: angular-locale\_lv.js.gz: angular-locale\_lv.js
  - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_lv.js.gz/angular-locale\_lv.js
  - MD5: f4daed31543e05261e1a8b69b159f629
  - SHA1: 05625786f7e4ad0f12d929daa2c978f1d71643b5
  - SHA256: f395350248c5f3ec8b18a82d67c35b74b5451d7a4ca2a607bd6ffbb66dd65e44

Identifiers

- None

remotegui.zip: angularjs.jar: angular-locale\_mas-ke.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_mas-ke.js  
**MD5:** 12678e6b73a76bf8989f2781080a9db4  
**SHA1:** 53586f97c8691515e4bee75121eb5eba973872a4  
**SHA256:**e1379996915609e56391a96cb290e12f5a3acb8ad842bfdbd205c11990182db4  
**Referenced In Project/Scope:**server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies

- remotegui.zip: angularjs.jar: angular-locale\_mas-ke.js.gz: angular-locale\_mas-ke.js
  - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_mas-ke.js.gz/angular-locale\_mas-ke.js
  - MD5: 12678e6b73a76bf8989f2781080a9db4
  - SHA1: 53586f97c8691515e4bee75121eb5eba973872a4



- SHA256: e1379996915609e56391a96cb290e12f5a3acb8ad842bfdbd205c11990182db4

#### Identifiers

- None

### remotegui.zip: angularjs.jar: angular-locale\_mas-tz.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_mas-tz.js

**MD5:** 4604e098c9ee4b8fe23c93d4d23e1cb5

**SHA1:** c075d948be6bc51e724a0c95298c4b1aa25d33a0

**SHA256:** fbf5330825962b0d5631383f7a69d49bb6efecd7277afcd7e963f8615463baae

**Referenced In Project/Scope:**server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Related Dependencies



- remotegui.zip: angularjs.jar: angular-locale\_mas-tz.js.gz: angular-locale\_mas-tz.js
  - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_mas-tz.js.gz/angular-locale\_mas-tz.js
  - MD5: 4604e098c9ee4b8fe23c93d4d23e1cb5
  - SHA1: c075d948be6bc51e724a0c95298c4b1aa25d33a0
  - SHA256: fbf5330825962b0d5631383f7a69d49bb6efecd7277afcd7e963f8615463baae

#### Identifiers

- None

### remotegui.zip: angularjs.jar: angular-locale\_mas.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_mas.js

**MD5:** d70bb1870d0205e5b397d3cb44384fa2



**SHA1:** 154717715670d2b59db9e70a363ba00aab0a763b  
**SHA256:**6b7862912891ab3fbd23cea18de0ca428b801e0547d842180cb8071439178040  
**Referenced In Project/Scope:**server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies

- remotegui.zip: angularjs.jar: angular-locale\_mas.js.gz: angular-locale\_mas.js
  - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_mas.js.gz/angular-locale\_mas.js
  - MD5: d70bb1870d0205e5b397d3cb44384fa2
  - SHA1: 154717715670d2b59db9e70a363ba00aab0a763b
  - SHA256: 6b7862912891ab3fbd23cea18de0ca428b801e0547d842180cb8071439178040

Identifiers

- None

remotegui.zip: angularjs.jar: angular-locale\_mer-ke.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_mer-ke.js  
**MD5:** 6b88c342f76cc2aa7f456a50d6f00320  
**SHA1:** f105312ad0b82c2e0c4a661b8998e184312272f0  
**SHA256:**099361cd90be49fa9b9ce22b011bb9dc23d45fba38547e8e6d7462200780c158  
**Referenced In Project/Scope:**server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies

- remotegui.zip: angularjs.jar: angular-locale\_mer-ke.js.gz: angular-locale\_mer-ke.js
  - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_mer-ke.js.gz/angular-locale\_mer-ke.js
  - MD5: 6b88c342f76cc2aa7f456a50d6f00320
  - SHA1: f105312ad0b82c2e0c4a661b8998e184312272f0



- SHA256: 099361cd90be49fa9b9ce22b011bb9dc23d45fba38547e8e6d7462200780c158

#### Identifiers

- None

### remotegui.zip: angularjs.jar: angular-locale\_mer.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_mer.js

**MD5:** 6b362c2d2ee8f96f3034a023c838f7a3

**SHA1:** 77699dc252442fe70a866dd40b59a789e0c623a6

**SHA256:** dabcb7c35bf289fe84cd6da117d97a669dc47667279d09832019bd728d14bfbf

**Referenced In Project/Scope:**server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Related Dependencies



- remotegui.zip: angularjs.jar: angular-locale\_mer.js.gz: angular-locale\_mer.js
  - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_mer.js.gz/angular-locale\_mer.js
  - MD5: 6b362c2d2ee8f96f3034a023c838f7a3
  - SHA1: 77699dc252442fe70a866dd40b59a789e0c623a6
  - SHA256: dabcb7c35bf289fe84cd6da117d97a669dc47667279d09832019bd728d14bfbf

#### Identifiers

- None

### remotegui.zip: angularjs.jar: angular-locale\_mfe-mu.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_mfe-mu.js

**MD5:** b23b8c6a5700057b3d6ef71facde8433



**SHA1:** 6ddeb3b6be7a9e441b9f062ffc1c04088e429c9d  
**SHA256:**d9d7cfed7b3404e0dd2f72104ea150515249088daaac59ed002d13f0924c3d77  
**Referenced In Project/Scope:**server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies

- remotegui.zip: angularjs.jar: angular-locale\_mfe-mu.js.gz: angular-locale\_mfe-mu.js
  - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_mfe-mu.js.gz/angular-locale\_mfe-mu.js
  - MD5: b23b8c6a5700057b3d6ef71facde8433
  - SHA1: 6ddeb3b6be7a9e441b9f062ffc1c04088e429c9d
  - SHA256: d9d7cfed7b3404e0dd2f72104ea150515249088daaac59ed002d13f0924c3d77

Identifiers

- None

remotegui.zip: angularjs.jar: angular-locale\_mfe.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_mfe.js  
**MD5:** d8e9634190860c6b1d5dc2dc607b0937  
**SHA1:** 7de3dd5450fd507b0a43473e3e7289a52fcbfd01  
**SHA256:**c143afecffc73d19d3077c405d607edf82f9088c6b9bc94779aedad9ae9eac0b  
**Referenced In Project/Scope:**server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies

- remotegui.zip: angularjs.jar: angular-locale\_mfe.js.gz: angular-locale\_mfe.js
  - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_mfe.js.gz/angular-locale\_mfe.js
  - MD5: d8e9634190860c6b1d5dc2dc607b0937
  - SHA1: 7de3dd5450fd507b0a43473e3e7289a52fcbfd01



- SHA256: c143afecffc73d19d3077c405d607edf82f9088c6b9bc94779aedad9ae9eac0b

#### Identifiers

- None

### remotegui.zip: angularjs.jar: angular-locale\_mg-mg.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_mg-mg.js

**MD5:** 5455672e1773b8caa7624a167082c879

**SHA1:** 51ae148a310c544c0ee5cc6714df5c98aab33ba8

**SHA256:** fbfcc07eb60396f07a44b7cae3d9260885dbca0be62abedfd78082b852272ad5

**Referenced In Project/Scope:**server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Related Dependencies



- remotegui.zip: angularjs.jar: angular-locale\_mg-mg.js.gz: angular-locale\_mg-mg.js
  - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_mg-mg.js.gz/angular-locale\_mg-mg.js
  - MD5: 5455672e1773b8caa7624a167082c879
  - SHA1: 51ae148a310c544c0ee5cc6714df5c98aab33ba8
  - SHA256: fbfcc07eb60396f07a44b7cae3d9260885dbca0be62abedfd78082b852272ad5

#### Identifiers

- None

### remotegui.zip: angularjs.jar: angular-locale\_mg.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_mg.js

**MD5:** e045b2201dc360b6d6618207a8efc369



**SHA1:** b6e12137bc9553a090d177bf7c7e2e824b354972  
**SHA256:**ad535d65c6614d5e53282e89e48ed860efb76b64b5e173bccccd5079276a65c9  
**Referenced In Project/Scope:**server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies +

- remotegui.zip: angularjs.jar: angular-locale\_mg.js.gz: angular-locale\_mg.js
  - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_mg.js.gz/angular-locale\_mg.js
  - MD5: e045b2201dc360b6d6618207a8efc369
  - SHA1: b6e12137bc9553a090d177bf7c7e2e824b354972
  - SHA256: ad535d65c6614d5e53282e89e48ed860efb76b64b5e173bccccd5079276a65c9

Identifiers

- None

remotegui.zip: angularjs.jar: angular-locale\_mgh-mz.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_mgh-mz.js  
**MD5:** c5f3592c243ed8ea9d1ff857f78b77a1  
**SHA1:** 9ce30e3bbbea546e54938912488343f83465e191  
**SHA256:**79dd59e0ec141e1b605d67178a72bae684c59d2d4a34493dab676ffc0d585d33  
**Referenced In Project/Scope:**server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies +

- remotegui.zip: angularjs.jar: angular-locale\_mgh-mz.js.gz: angular-locale\_mgh-mz.js
  - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_mgh-mz.js.gz/angular-locale\_mgh-mz.js
  - MD5: c5f3592c243ed8ea9d1ff857f78b77a1
  - SHA1: 9ce30e3bbbea546e54938912488343f83465e191



- SHA256: 79dd59e0ec141e1b605d67178a72bae684c59d2d4a34493dab676ffc0d585d33

#### Identifiers

- None

### remotegui.zip: angularjs.jar: angular-locale\_mgh.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_mgh.js

**MD5:** 3969200bb64e8d7164977957b6fb30dd

**SHA1:** 107df9631619ec321c352393da099503543485b4

**SHA256:** 77c85e4febbdf3a9ac4906363a9a7100f2ee80dcb26381ac9af1fbe7f3bff19a

**Referenced In Project/Scope:**server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Related Dependencies



- remotegui.zip: angularjs.jar: angular-locale\_mgh.js.gz: angular-locale\_mgh.js
  - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_mgh.js.gz/angular-locale\_mgh.js
  - MD5: 3969200bb64e8d7164977957b6fb30dd
  - SHA1: 107df9631619ec321c352393da099503543485b4
  - SHA256: 77c85e4febbdf3a9ac4906363a9a7100f2ee80dcb26381ac9af1fbe7f3bff19a

#### Identifiers

- None

### remotegui.zip: angularjs.jar: angular-locale\_mgo-cm.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_mgo-cm.js

**MD5:** ab7a25f695e127354f1618a85ab6ecac



**SHA1:** 479d2f9b1c54a65b0aea9c7596d8f4729b2564d0  
**SHA256:** 86ea961a5c22bec3681883611235887fa85d56e688f8352bf0cb2ea6ec6711e5  
**Referenced In Project/Scope:** server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies

- remotegui.zip: angularjs.jar: angular-locale\_mgo-cm.js.gz: angular-locale\_mgo-cm.js
  - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_mgo-cm.js.gz/angular-locale\_mgo-cm.js
  - MD5: ab7a25f695e127354f1618a85ab6ecac
  - SHA1: 479d2f9b1c54a65b0aea9c7596d8f4729b2564d0
  - SHA256: 86ea961a5c22bec3681883611235887fa85d56e688f8352bf0cb2ea6ec6711e5

Identifiers

- None

remotegui.zip: angularjs.jar: angular-locale\_mgo.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_mgo.js  
**MD5:** 792706eea3760f706e34969b6c7b8efc  
**SHA1:** 547062b664e75a78c66b8d0cfbd6f1cd781918a4  
**SHA256:** 0b7f8cc82e8d64a2a51d2817de46e840c2832cb0b6e58c91356514dcb3f421ee  
**Referenced In Project/Scope:** server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies

- remotegui.zip: angularjs.jar: angular-locale\_mgo.js.gz: angular-locale\_mgo.js
  - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_mgo.js.gz/angular-locale\_mgo.js
  - MD5: 792706eea3760f706e34969b6c7b8efc
  - SHA1: 547062b664e75a78c66b8d0cfbd6f1cd781918a4



- SHA256: 0b7f8cc82e8d64a2a51d2817de46e840c2832cb0b6e58c91356514dcb3f421ee

#### Identifiers

- None

### remotegui.zip: angularjs.jar: angular-locale\_mk-mk.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_mk-mk.js

**MD5:** da9f3f1e538167a3ba2294c2fff83d2b

**SHA1:** 7230c449b617496a9cf0771b236445465fcfe69b

**SHA256:** f10baab240cfb9e40523414999c947b147b76bf4c601d75653e080159ebaad34

**Referenced In Project/Scope:**server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Related Dependencies



- remotegui.zip: angularjs.jar: angular-locale\_mk-mk.js.gz: angular-locale\_mk-mk.js
  - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_mk-mk.js.gz/angular-locale\_mk-mk.js
  - MD5: da9f3f1e538167a3ba2294c2fff83d2b
  - SHA1: 7230c449b617496a9cf0771b236445465fcfe69b
  - SHA256: f10baab240cfb9e40523414999c947b147b76bf4c601d75653e080159ebaad34

#### Identifiers

- None

### remotegui.zip: angularjs.jar: angular-locale\_mk.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_mk.js

**MD5:** 6a5fe02b3dba57dc16f05996a23c3576



**SHA1:** ff7161c1b31322eaa2a8335fb5394299207caf03  
**SHA256:**3aa972634128631e94f44a08d39d56b10529529778d709afc2c165dd367fbf89  
**Referenced In Project/Scope:**server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies

- remotegui.zip: angularjs.jar: angular-locale\_mk.js.gz: angular-locale\_mk.js
  - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_mk.js.gz/angular-locale\_mk.js
  - MD5: 6a5fe02b3dba57dc16f05996a23c3576
  - SHA1: ff7161c1b31322eaa2a8335fb5394299207caf03
  - SHA256: 3aa972634128631e94f44a08d39d56b10529529778d709afc2c165dd367fbf89

Identifiers

- None

remotegui.zip: angularjs.jar: angular-locale\_ml-in.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_ml-in.js  
**MD5:** 4a4d3f2e41adf9bb9ccde12452bfe86e  
**SHA1:** 4cd64e37644372f746cb536d8d1e105e20a5b5ec  
**SHA256:**568ae8db4c264168c8dcc0b3f9c1b14990699344a4125b88d344beef6e73ac1c  
**Referenced In Project/Scope:**server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies

- remotegui.zip: angularjs.jar: angular-locale\_ml-in.js.gz: angular-locale\_ml-in.js
  - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_ml-in.js.gz/angular-locale\_ml-in.js
  - MD5: 4a4d3f2e41adf9bb9ccde12452bfe86e
  - SHA1: 4cd64e37644372f746cb536d8d1e105e20a5b5ec



- SHA256: 568ae8db4c264168c8dcc0b3f9c1b14990699344a4125b88d344beef6e73ac1c

#### Identifiers

- None

### remotegui.zip: angularjs.jar: angular-locale\_ml.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_ml.js

**MD5:** 665bbb5fb5a2a368d3ecb5205e82fc36

**SHA1:** 272d9210b1e5150b97feb7a0c44767efac387cd4

**SHA256:** e7ab8b2cbcd4baebae12e59aa21be989cf6c147d7423a85200a3c3bd2f30274f

**Referenced In Project/Scope:**server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Related Dependencies



- remotegui.zip: angularjs.jar: angular-locale\_ml.js.gz: angular-locale\_ml.js
  - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_ml.js.gz/angular-locale\_ml.js
  - MD5: 665bbb5fb5a2a368d3ecb5205e82fc36
  - SHA1: 272d9210b1e5150b97feb7a0c44767efac387cd4
  - SHA256: e7ab8b2cbcd4baebae12e59aa21be989cf6c147d7423a85200a3c3bd2f30274f

#### Identifiers

- None

### remotegui.zip: angularjs.jar: angular-locale\_mn-mn.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_mn-mn.js

**MD5:** 1127e87fe75cc10188791958ae7c794b



**SHA1:** 5e78e0b6ab41091f02605cca088257c6c1d35360  
**SHA256:**daaa78ed9de5eaf9a2846322bf5b748876fbbf2b984e65c89d4fe2574fd29b4f  
**Referenced In Project/Scope:**server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies +

- remotegui.zip: angularjs.jar: angular-locale\_mn-mn.js.gz: angular-locale\_mn-mn.js
  - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_mn-mn.js.gz/angular-locale\_mn-mn.js
  - MD5: 1127e87fe75cc10188791958ae7c794b
  - SHA1: 5e78e0b6ab41091f02605cca088257c6c1d35360
  - SHA256: daaa78ed9de5eaf9a2846322bf5b748876fbbf2b984e65c89d4fe2574fd29b4f

Identifiers

- None

remotegui.zip: angularjs.jar: angular-locale\_mn.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_mn.js  
**MD5:** 9838114d2844e1a3ca94d9e1eaaca26b  
**SHA1:** a744dd4263232ec254090cdefd41bfdb0e39afdc  
**SHA256:**c15e504c53deff693eb670c52a09544e31d551b725d1f7a275f90cfd49a5890e  
**Referenced In Project/Scope:**server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies +

- remotegui.zip: angularjs.jar: angular-locale\_mn.js.gz: angular-locale\_mn.js
  - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_mn.js.gz/angular-locale\_mn.js
  - MD5: 9838114d2844e1a3ca94d9e1eaaca26b
  - SHA1: a744dd4263232ec254090cdefd41bfdb0e39afdc



- SHA256: c15e504c53deff693eb670c52a09544e31d551b725d1f7a275f90cfd49a5890e

#### Identifiers

- None

### remotegui.zip: angularjs.jar: angular-locale\_mo.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_mo.js

**MD5:** 5b57e0805289006058a832ebfda79566

**SHA1:** 75860907ccdb8a58ad828265aa1cfecbc5e17730

**SHA256:** b174b1cc28a4105a6fb391bac348516cd4648e3714bc5b0570f21ca3297122c3

**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Related Dependencies



- remotegui.zip: angularjs.jar: angular-locale\_mo.js.gz: angular-locale\_mo.js
  - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_mo.js.gz/angular-locale\_mo.js
  - MD5: 5b57e0805289006058a832ebfda79566
  - SHA1: 75860907ccdb8a58ad828265aa1cfecbc5e17730
  - SHA256: b174b1cc28a4105a6fb391bac348516cd4648e3714bc5b0570f21ca3297122c3

#### Identifiers

- None

### remotegui.zip: angularjs.jar: angular-locale\_mr-in.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_mr-in.js

**MD5:** a815f5c0517189ba4265b2c5d1b03fbb



**SHA1:** 93d6028696fbe9ccf10028358cf7a6cebd0e735e  
**SHA256:**d086f536e67fd00fb78d6989eb5a4c4d89b44451ff149288ecb40a83801cbc7c  
**Referenced In Project/Scope:**server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies

- remotegui.zip: angularjs.jar: angular-locale\_mr-in.js.gz: angular-locale\_mr-in.js
  - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_mr-in.js.gz/angular-locale\_mr-in.js
  - MD5: a815f5c0517189ba4265b2c5d1b03fbb
  - SHA1: 93d6028696fbe9ccf10028358cf7a6cebd0e735e
  - SHA256: d086f536e67fd00fb78d6989eb5a4c4d89b44451ff149288ecb40a83801cbc7c

Identifiers

- None

remotegui.zip: angularjs.jar: angular-locale\_mr.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_mr.js  
**MD5:** a2f7bb0e9d5ec973a274db69b421faa7  
**SHA1:** 5b6ca5aa2dda21ae01621da517ed23e656fbc804  
**SHA256:**f06dbc1eb6f4c27e0cf668355f8513b269b7a1e55742e8f7acb536bb4a8abc58  
**Referenced In Project/Scope:**server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies

- remotegui.zip: angularjs.jar: angular-locale\_mr.js.gz: angular-locale\_mr.js
  - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_mr.js.gz/angular-locale\_mr.js
  - MD5: a2f7bb0e9d5ec973a274db69b421faa7
  - SHA1: 5b6ca5aa2dda21ae01621da517ed23e656fbc804



- SHA256: f06dbc1eb6f4c27e0cf668355f8513b269b7a1e55742e8f7acb536bb4a8abc58

#### Identifiers

- None

### remotegui.zip: angularjs.jar: angular-locale\_ms-bn.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_ms-bn.js

**MD5:** b3e6b1531d4bee7a9bc506e3883c6a4e

**SHA1:** 593ca5de1130d39b9e07fc0d86702b283d1ee9ac

**SHA256:** 0db23e0cc09f66641b8d765e440d126489c9dab5ea5ad39d983b0d66a3aa42c4

**Referenced In Project/Scope:**server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Related Dependencies



- remotegui.zip: angularjs.jar: angular-locale\_ms-bn.js.gz: angular-locale\_ms-bn.js
  - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_ms-bn.js.gz/angular-locale\_ms-bn.js
  - MD5: b3e6b1531d4bee7a9bc506e3883c6a4e
  - SHA1: 593ca5de1130d39b9e07fc0d86702b283d1ee9ac
  - SHA256: 0db23e0cc09f66641b8d765e440d126489c9dab5ea5ad39d983b0d66a3aa42c4

#### Identifiers

- None

### remotegui.zip: angularjs.jar: angular-locale\_ms-my.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_ms-my.js

**MD5:** 957369dce67663bc16352d83464d2a6c



**SHA1:** fd0a933b3be0d7690636822737068dc4ac080f87  
**SHA256:**3d53e1d4010e417294cdd9c0d4dc2fde529efe9f74e82719ffb070d4ca85639f  
**Referenced In Project/Scope:**server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies

- remotegui.zip: angularjs.jar: angular-locale\_ms-my.js.gz: angular-locale\_ms-my.js
  - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_ms-my.js.gz/angular-locale\_ms-my.js
  - MD5: 957369dce67663bc16352d83464d2a6c
  - SHA1: fd0a933b3be0d7690636822737068dc4ac080f87
  - SHA256: 3d53e1d4010e417294cdd9c0d4dc2fde529efe9f74e82719ffb070d4ca85639f

Identifiers

- None

remotegui.zip: angularjs.jar: angular-locale\_ms-sg.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_ms-sg.js  
**MD5:** b66563828d17fec868026076ce04886b  
**SHA1:** 1c65c480589aac132bb2d4462e72747186b75c0c  
**SHA256:**4a2f0b68d45222347db0c8c31c06fa90d6db720f15ba75a58bd9b958c6cf9b2b  
**Referenced In Project/Scope:**server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies

- remotegui.zip: angularjs.jar: angular-locale\_ms-sg.js.gz: angular-locale\_ms-sg.js
  - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_ms-sg.js.gz/angular-locale\_ms-sg.js
  - MD5: b66563828d17fec868026076ce04886b
  - SHA1: 1c65c480589aac132bb2d4462e72747186b75c0c



- SHA256: 4a2f0b68d45222347db0c8c31c06fa90d6db720f15ba75a58bd9b958c6cf9b2b

#### Identifiers

- None

### remotegui.zip: angularjs.jar: angular-locale\_ms.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_ms.js

**MD5:** df8453663c4741835c723a11f91505a2

**SHA1:** cb84ca6b7994846f4fa02c8b07cb40ec67f0882d

**SHA256:** 93eb7b9d36788e9c7771bb04c2a2b1d0675dd31702ca45916f4d52ba69c7f959

**Referenced In Project/Scope:**server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Related Dependencies



- remotegui.zip: angularjs.jar: angular-locale\_ms.js.gz: angular-locale\_ms.js
  - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_ms.js.gz/angular-locale\_ms.js
  - MD5: df8453663c4741835c723a11f91505a2
  - SHA1: cb84ca6b7994846f4fa02c8b07cb40ec67f0882d
  - SHA256: 93eb7b9d36788e9c7771bb04c2a2b1d0675dd31702ca45916f4d52ba69c7f959

#### Identifiers

- None

### remotegui.zip: angularjs.jar: angular-locale\_mt-mt.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_mt-mt.js

**MD5:** df12edcde33f12c66f85873928d69f55



**SHA1:** 4ec1853031b52bdb30cbe6b1e2a83fba23dcba7b  
**SHA256:**7653dce719eb96dbb1dedcd73054fee04bf51414c3fbe7f173796ff64c6b9e59  
**Referenced In Project/Scope:**server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies

- remotegui.zip: angularjs.jar: angular-locale\_mt-mt.js.gz: angular-locale\_mt-mt.js
  - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_mt-mt.js.gz/angular-locale\_mt-mt.js
  - MD5: df12edcde33f12c66f85873928d69f55
  - SHA1: 4ec1853031b52bdb30cbe6b1e2a83fba23dcba7b
  - SHA256: 7653dce719eb96dbb1dedcd73054fee04bf51414c3fbe7f173796ff64c6b9e59

Identifiers

- None

remotegui.zip: angularjs.jar: angular-locale\_mt.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_mt.js  
**MD5:** f04fcbcf0beaa65614dad57c89677cf7  
**SHA1:** 9eafbdea8606bd6a141b66a4063fe460c4f27324  
**SHA256:**ff4b215adfd5ad6e6866d5a873ef46b870f63130edae1d4fa623219b8293920c  
**Referenced In Project/Scope:**server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies

- remotegui.zip: angularjs.jar: angular-locale\_mt.js.gz: angular-locale\_mt.js
  - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_mt.js.gz/angular-locale\_mt.js
  - MD5: f04fcbcf0beaa65614dad57c89677cf7
  - SHA1: 9eafbdea8606bd6a141b66a4063fe460c4f27324



- SHA256: ff4b215adfd5ad6e6866d5a873ef46b870f63130edae1d4fa623219b8293920c

#### Identifiers

- None

### remotegui.zip: angularjs.jar: angular-locale\_mua-cm.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_mua-cm.js

**MD5:** a22735f043246e311f14efad0231755b

**SHA1:** 33e5f28197477151c38523ba1010bc95e0af4860

**SHA256:** 76f09e264f2c89a5f8b5eb69bdaa19185bcbcf7d62a3ac6b530dfe6e7085962d

**Referenced In Project/Scope:**server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Related Dependencies



- remotegui.zip: angularjs.jar: angular-locale\_mua-cm.js.gz: angular-locale\_mua-cm.js
  - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_mua-cm.js.gz/angular-locale\_mua-cm.js
  - MD5: a22735f043246e311f14efad0231755b
  - SHA1: 33e5f28197477151c38523ba1010bc95e0af4860
  - SHA256: 76f09e264f2c89a5f8b5eb69bdaa19185bcbcf7d62a3ac6b530dfe6e7085962d

#### Identifiers

- None

### remotegui.zip: angularjs.jar: angular-locale\_mua.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_mua.js

**MD5:** 177ad350c0f0086d1818513ad8010c62



**SHA1:** 3a8c85fb9fc8b43b3a889086346f19f79eb50eb5  
**SHA256:**b0c4239df15eb84373557ea829e3efc98dc7e071f3987ce5340db5436e7e3da3  
**Referenced In Project/Scope:**server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies +

- remotegui.zip: angularjs.jar: angular-locale\_mua.js.gz: angular-locale\_mua.js
  - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_mua.js.gz/angular-locale\_mua.js
  - MD5: 177ad350c0f0086d1818513ad8010c62
  - SHA1: 3a8c85fb9fc8b43b3a889086346f19f79eb50eb5
  - SHA256: b0c4239df15eb84373557ea829e3efc98dc7e071f3987ce5340db5436e7e3da3

Identifiers

- None

remotegui.zip: angularjs.jar: angular-locale\_my-mm.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_my-mm.js  
**MD5:** d0b39002c6ed099585768a8c4617ff26  
**SHA1:** 7b16f949c5abdc1577fd47ad7cd5c8bb73bec63a  
**SHA256:**2490a28c89903d95015b3594f745ed3bebd9134fc3b5461ede83b8749824c076  
**Referenced In Project/Scope:**server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies +

- remotegui.zip: angularjs.jar: angular-locale\_my-mm.js.gz: angular-locale\_my-mm.js
  - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_my-mm.js.gz/angular-locale\_my-mm.js
  - MD5: d0b39002c6ed099585768a8c4617ff26
  - SHA1: 7b16f949c5abdc1577fd47ad7cd5c8bb73bec63a



- SHA256: 2490a28c89903d95015b3594f745ed3bebd9134fc3b5461ede83b8749824c076

#### Identifiers

- None

### remotegui.zip: angularjs.jar: angular-locale\_my.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_my.js

**MD5:** b19dc2995a98750350497daafa55dd99

**SHA1:** 7641bbdf9a4480ce810a44eff42ec5ce55cc233e

**SHA256:** 2387991b25667646b40c6fa2ed9acdf8aea55fd11729779efb62d734c5c554e4

**Referenced In Project/Scope:**server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Related Dependencies



- remotegui.zip: angularjs.jar: angular-locale\_my.js.gz: angular-locale\_my.js
  - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_my.js.gz/angular-locale\_my.js
  - MD5: b19dc2995a98750350497daafa55dd99
  - SHA1: 7641bbdf9a4480ce810a44eff42ec5ce55cc233e
  - SHA256: 2387991b25667646b40c6fa2ed9acdf8aea55fd11729779efb62d734c5c554e4

#### Identifiers

- None

### remotegui.zip: angularjs.jar: angular-locale\_mzn-ir.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_mzn-ir.js

**MD5:** b973eb191f1b4274626e0d4b670d745f



**SHA1:** d2412c8152046f6b60114edb2271291a57f6f20a  
**SHA256:**645273698925115c8c254cd890593338f7b35b6aa0477d9144486cfb22872a35  
**Referenced In Project/Scope:**server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies

- remotegui.zip: angularjs.jar: angular-locale\_mzn-ir.js.gz: angular-locale\_mzn-ir.js
  - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_mzn-ir.js.gz/angular-locale\_mzn-ir.js
  - MD5: b973eb191f1b4274626e0d4b670d745f
  - SHA1: d2412c8152046f6b60114edb2271291a57f6f20a
  - SHA256: 645273698925115c8c254cd890593338f7b35b6aa0477d9144486cfb22872a35

Identifiers

- None

remotegui.zip: angularjs.jar: angular-locale\_mzn.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_mzn.js  
**MD5:** 285e61882275640c15cf241bbdb1cf8e  
**SHA1:** 24632243c520407457399a8aea65920c9e2b9b3b  
**SHA256:**97febe3f6d5a0723fc99c4f8f4ea15bc07cbff93a5c656ae81a809fb9c053c8b  
**Referenced In Project/Scope:**server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies

- remotegui.zip: angularjs.jar: angular-locale\_mzn.js.gz: angular-locale\_mzn.js
  - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_mzn.js.gz/angular-locale\_mzn.js
  - MD5: 285e61882275640c15cf241bbdb1cf8e
  - SHA1: 24632243c520407457399a8aea65920c9e2b9b3b



- SHA256: 97febe3f6d5a0723fc99c4f8f4ea15bc07cbff93a5c656ae81a809fb9c053c8b

#### Identifiers

- None

### remotegui.zip: angularjs.jar: angular-locale\_naq-na.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_naq-na.js

**MD5:** 40e3f7aa5cfd889d4158dc87c0ccc603

**SHA1:** f96ce1aa46e0469d3c70c8658b76e9cd62c5aba5

**SHA256:** 16716ff21241e20857468d83c48e8b7984cdebe5bc2278611cffe2b38752b9fb

**Referenced In Project/Scope:**server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Related Dependencies



- remotegui.zip: angularjs.jar: angular-locale\_naq-na.js.gz: angular-locale\_naq-na.js
  - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_naq-na.js.gz/angular-locale\_naq-na.js
  - MD5: 40e3f7aa5cfd889d4158dc87c0ccc603
  - SHA1: f96ce1aa46e0469d3c70c8658b76e9cd62c5aba5
  - SHA256: 16716ff21241e20857468d83c48e8b7984cdebe5bc2278611cffe2b38752b9fb

#### Identifiers

- None

### remotegui.zip: angularjs.jar: angular-locale\_naq.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_naq.js

**MD5:** fc892f5f023a15e8e371c79c9fe78d47



**SHA1:** a4682c8078e210816db2a1f3b9d3bf1300c92cd2  
**SHA256:** bc369b171e968f8775d0b467cbf5b2e263aeed96642093ee76a4b48188b94b39  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Related Dependencies



- remotegui.zip: angularjs.jar: angular-locale\_naq.js.gz: angular-locale\_naq.js
  - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_naq.js.gz/angular-locale\_naq.js
  - MD5: fc892f5f023a15e8e371c79c9fe78d47
  - SHA1: a4682c8078e210816db2a1f3b9d3bf1300c92cd2
  - SHA256: bc369b171e968f8775d0b467cbf5b2e263aeed96642093ee76a4b48188b94b39

#### Identifiers

- None

### remotegui.zip: angularjs.jar: angular-locale\_nb-no.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_nb-no.js  
**MD5:** 07b450450c2eea35edff1dd940ab08cf  
**SHA1:** de3a87fea40a170649968c6dfb0c9b522680bbb9  
**SHA256:** 54bf722c795f99ebef233d691a6e665f60cf4074c20e7c36a87402614350a11c  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Related Dependencies



- remotegui.zip: angularjs.jar: angular-locale\_nb-no.js.gz: angular-locale\_nb-no.js
  - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_nb-no.js.gz/angular-locale\_nb-no.js
  - MD5: 07b450450c2eea35edff1dd940ab08cf
  - SHA1: de3a87fea40a170649968c6dfb0c9b522680bbb9



- SHA256: 54bf722c795f99eb233d691a6e665f60cf4074c20e7c36a87402614350a11c

#### Identifiers

- None

### remotegui.zip: angularjs.jar: angular-locale\_nb-sj.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_nb-sj.js

**MD5:** 64b1386b40704ef55f6219ffcc02c93a

**SHA1:** cff1e255038b9ce58c27759c81b922cd0d8cac98

**SHA256:** eea21279693b5738825cd455c08836d8209682292e4632b66557859af9c57e1f

**Referenced In Project/Scope:**server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Related Dependencies



- remotegui.zip: angularjs.jar: angular-locale\_nb-sj.js.gz: angular-locale\_nb-sj.js
  - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_nb-sj.js.gz/angular-locale\_nb-sj.js
  - MD5: 64b1386b40704ef55f6219ffcc02c93a
  - SHA1: cff1e255038b9ce58c27759c81b922cd0d8cac98
  - SHA256: eea21279693b5738825cd455c08836d8209682292e4632b66557859af9c57e1f

#### Identifiers

- None

### remotegui.zip: angularjs.jar: angular-locale\_nb.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_nb.js

**MD5:** 3bccd8b8058c8c3a6741defa0cf5dbf9



**SHA1:** 42625e9d8f3b01fa7e6973c4287cee96f7954c35  
**SHA256:**06986875dfb59d41ef5363ae6b16c89412c571263beff0b2904cfb9c24f60bca  
**Referenced In Project/Scope:**server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies

- remotegui.zip: angularjs.jar: angular-locale\_nb.js.gz: angular-locale\_nb.js
  - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_nb.js.gz/angular-locale\_nb.js
  - MD5: 3bccd8b8058c8c3a6741defa0cf5dbf9
  - SHA1: 42625e9d8f3b01fa7e6973c4287cee96f7954c35
  - SHA256: 06986875dfb59d41ef5363ae6b16c89412c571263beff0b2904cfb9c24f60bca

Identifiers

- None

remotegui.zip: angularjs.jar: angular-locale\_nd-zw.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_nd-zw.js  
**MD5:** 774b21ae46acf554699d76c46ed0cdf8  
**SHA1:** 7c389d97653cfa4acb45bc11ad45363ef35203c7  
**SHA256:**75d2e385a3f57e7ba1289a28d1b651fbfbb8cfbe75248fd08473929bc5e0cf8f  
**Referenced In Project/Scope:**server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies

- remotegui.zip: angularjs.jar: angular-locale\_nd-zw.js.gz: angular-locale\_nd-zw.js
  - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_nd-zw.js.gz/angular-locale\_nd-zw.js
  - MD5: 774b21ae46acf554699d76c46ed0cdf8
  - SHA1: 7c389d97653cfa4acb45bc11ad45363ef35203c7



- SHA256: 75d2e385a3f57e7ba1289a28d1b651fbfbb8cfbe75248fd08473929bc5e0cf8f

#### Identifiers

- None

### remotegui.zip: angularjs.jar: angular-locale\_nd.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_nd.js

**MD5:** c2c193eddeb512a3bd133965ab09c669

**SHA1:** 64f6c184a6a8011d4eaf05441d564ff822d77672

**SHA256:** 6aa2f45e312e3f8b452fd8c46c1cb6f1ded0a436d43a748c57b8632d51209787

**Referenced In Project/Scope:**server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Related Dependencies



- remotegui.zip: angularjs.jar: angular-locale\_nd.js.gz: angular-locale\_nd.js
  - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_nd.js.gz/angular-locale\_nd.js
  - MD5: c2c193eddeb512a3bd133965ab09c669
  - SHA1: 64f6c184a6a8011d4eaf05441d564ff822d77672
  - SHA256: 6aa2f45e312e3f8b452fd8c46c1cb6f1ded0a436d43a748c57b8632d51209787

#### Identifiers

- None

### remotegui.zip: angularjs.jar: angular-locale\_nds-de.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_nds-de.js

**MD5:** 8db6074ee70a0d14d311b5c9a2e187ab



**SHA1:** 319deb3b8100f32c163ad3f5c92a59f17363f834  
**SHA256:**3e4eacf178bc7c6f7680f0fdb8a8345711f06d1d47c8c586b64bff85aa9ec34d  
**Referenced In Project/Scope:**server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies

- remotegui.zip: angularjs.jar: angular-locale\_nds-de.js.gz: angular-locale\_nds-de.js
  - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_nds-de.js.gz/angular-locale\_nds-de.js
  - MD5: 8db6074ee70a0d14d311b5c9a2e187ab
  - SHA1: 319deb3b8100f32c163ad3f5c92a59f17363f834
  - SHA256: 3e4eacf178bc7c6f7680f0fdb8a8345711f06d1d47c8c586b64bff85aa9ec34d

Identifiers

- None

remotegui.zip: angularjs.jar: angular-locale\_nds-nl.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_nds-nl.js  
**MD5:** b2e8716f44c5659ef4c0d2ad5fe9d3eb  
**SHA1:** 403747db8aafc71c4764ef0058ab3f7ae2a12898  
**SHA256:**408865023ca037558bf6e2b695cdc94e5b147ca3b6c687bcc2af05fec4399f90  
**Referenced In Project/Scope:**server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies

- remotegui.zip: angularjs.jar: angular-locale\_nds-nl.js.gz: angular-locale\_nds-nl.js
  - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_nds-nl.js.gz/angular-locale\_nds-nl.js
  - MD5: b2e8716f44c5659ef4c0d2ad5fe9d3eb
  - SHA1: 403747db8aafc71c4764ef0058ab3f7ae2a12898



- SHA256: 408865023ca037558bf6e2b695cdc94e5b147ca3b6c687bcc2af05fec4399f90

#### Identifiers

- None

### remotegui.zip: angularjs.jar: angular-locale\_nds.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_nds.js

**MD5:** 9a66a4b395f794ac4d7499d4452911f8

**SHA1:** a2f690205bde97444cc1a188ff3c1852ff6d33c5

**SHA256:** 24a5a119224d2f8aee8fff9ecb123e904b284c16ca28950cedf448266f6174ba

**Referenced In Project/Scope:**server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Related Dependencies



- remotegui.zip: angularjs.jar: angular-locale\_nds.js.gz: angular-locale\_nds.js
  - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_nds.js.gz/angular-locale\_nds.js
  - MD5: 9a66a4b395f794ac4d7499d4452911f8
  - SHA1: a2f690205bde97444cc1a188ff3c1852ff6d33c5
  - SHA256: 24a5a119224d2f8aee8fff9ecb123e904b284c16ca28950cedf448266f6174ba

#### Identifiers

- None

### remotegui.zip: angularjs.jar: angular-locale\_ne-in.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_ne-in.js

**MD5:** 4f6e750ed4c4e3516eb653dbe9bb85b6



**SHA1:** 9436c7e1087eb9c6599529e061cb7aeda3eb943a  
**SHA256:** cbc9492b3480e5b0140d2bddd0500aab7bf23639d85238845a246dc8d14de913  
**Referenced In Project/Scope:** server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies



- remotegui.zip: angularjs.jar: angular-locale\_ne-in.js.gz: angular-locale\_ne-in.js
  - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_ne-in.js.gz/angular-locale\_ne-in.js
  - MD5: 4f6e750ed4c4e3516eb653dbe9bb85b6
  - SHA1: 9436c7e1087eb9c6599529e061cb7aeda3eb943a
  - SHA256: cbc9492b3480e5b0140d2bddd0500aab7bf23639d85238845a246dc8d14de913

Identifiers

- None

remotegui.zip: angularjs.jar: angular-locale\_ne-np.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_ne-np.js  
**MD5:** 0c3e822842fce5612ccf32dd2c995c55  
**SHA1:** 8a28945e7f573cf1b45677334424d5b631e87525  
**SHA256:** 18aec0d1ad72148765abdee0611d9d965b2c7d0ec74da76c344c845da3cd914b  
**Referenced In Project/Scope:** server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies



- remotegui.zip: angularjs.jar: angular-locale\_ne-np.js.gz: angular-locale\_ne-np.js
  - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_ne-np.js.gz/angular-locale\_ne-np.js
  - MD5: 0c3e822842fce5612ccf32dd2c995c55
  - SHA1: 8a28945e7f573cf1b45677334424d5b631e87525



- SHA256: 18aec0d1ad72148765abdee0611d9d965b2c7d0ec74da76c344c845da3cd914b

#### Identifiers

- None

### remotegui.zip: angularjs.jar: angular-locale\_ne.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_ne.js

**MD5:** 1e89a5c40808c4c163b38fcb6b2467f5

**SHA1:** 76a14ae11de23880d24ab1ecc27a2ad7d832c8fc

**SHA256:** 773becb0a56f409161a9f7655e3e9f717ea1311ba1a647eb8151a474b426bf78

**Referenced In Project/Scope:**server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Related Dependencies



- remotegui.zip: angularjs.jar: angular-locale\_ne.js.gz: angular-locale\_ne.js
  - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_ne.js.gz/angular-locale\_ne.js
  - MD5: 1e89a5c40808c4c163b38fcb6b2467f5
  - SHA1: 76a14ae11de23880d24ab1ecc27a2ad7d832c8fc
  - SHA256: 773becb0a56f409161a9f7655e3e9f717ea1311ba1a647eb8151a474b426bf78

#### Identifiers

- None

### remotegui.zip: angularjs.jar: angular-locale\_nl-aw.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_nl-aw.js

**MD5:** b725bad86e7ee483b85879d11c408594



**SHA1:** fe613b7349bc49feb6f73314f1c9a9b589c95842  
**SHA256:**037f89dd9ad07d27e6ee55e639e3e82fbb5902fc5b2ee2f6445d852aee071578  
**Referenced In Project/Scope:**server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies

- remotegui.zip: angularjs.jar: angular-locale\_nl-aw.js.gz: angular-locale\_nl-aw.js
  - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_nl-aw.js.gz/angular-locale\_nl-aw.js
  - MD5: b725bad86e7ee483b85879d11c408594
  - SHA1: fe613b7349bc49feb6f73314f1c9a9b589c95842
  - SHA256: 037f89dd9ad07d27e6ee55e639e3e82fbb5902fc5b2ee2f6445d852aee071578

Identifiers

- None

remotegui.zip: angularjs.jar: angular-locale\_nl-be.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_nl-be.js  
**MD5:** 029c21cbc7369ba75459d499a90cdbff  
**SHA1:** f3802d807ee2aac720310f34f0e51a8fbbedd8eb  
**SHA256:**1993bccfa3aa89b4516c35951843a3b0eff95c3894630c937fce677d399a6f9b  
**Referenced In Project/Scope:**server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies

- remotegui.zip: angularjs.jar: angular-locale\_nl-be.js.gz: angular-locale\_nl-be.js
  - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_nl-be.js.gz/angular-locale\_nl-be.js
  - MD5: 029c21cbc7369ba75459d499a90cdbff
  - SHA1: f3802d807ee2aac720310f34f0e51a8fbbedd8eb



- SHA256: 1993bccfa3aa89b4516c35951843a3b0eff95c3894630c937fce677d399a6f9b

#### Identifiers

- None

### remotegui.zip: angularjs.jar: angular-locale\_nl-bq.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_nl-bq.js

**MD5:** 06dbfd00fb144e43d6e57e7882f38f5a

**SHA1:** 98ad2f8c6aa7bc869d1ddf70c4f4d1d77fced07

**SHA256:** 5b358d4bf2d51bde2eec9aa015e91f32731855fe796d881a547e48082cf85524

**Referenced In Project/Scope:**server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Related Dependencies



- remotegui.zip: angularjs.jar: angular-locale\_nl-bq.js.gz: angular-locale\_nl-bq.js
  - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_nl-bq.js.gz/angular-locale\_nl-bq.js
  - MD5: 06dbfd00fb144e43d6e57e7882f38f5a
  - SHA1: 98ad2f8c6aa7bc869d1ddf70c4f4d1d77fced07
  - SHA256: 5b358d4bf2d51bde2eec9aa015e91f32731855fe796d881a547e48082cf85524

#### Identifiers

- None

### remotegui.zip: angularjs.jar: angular-locale\_nl-cw.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_nl-cw.js

**MD5:** d432c8609c8ea19f590777670c7e403e



**SHA1:** 559ccd300e91a114887bc77fd1b4efe729ad6cf7  
**SHA256:**0985928f3d45d22dbaf47e6a4dcabd2ad2dd3eb0ba2ec0f7494fd35b7905745d  
**Referenced In Project/Scope:**server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies

- remotegui.zip: angularjs.jar: angular-locale\_nl-cw.js.gz: angular-locale\_nl-cw.js
  - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_nl-cw.js.gz/angular-locale\_nl-cw.js
  - MD5: d432c8609c8ea19f590777670c7e403e
  - SHA1: 559ccd300e91a114887bc77fd1b4efe729ad6cf7
  - SHA256: 0985928f3d45d22dbaf47e6a4dcabd2ad2dd3eb0ba2ec0f7494fd35b7905745d

Identifiers

- None

remotegui.zip: angularjs.jar: angular-locale\_nl-nl.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_nl-nl.js  
**MD5:** 98dc8669ccade4770fa2cab8f1a268f6  
**SHA1:** 858b876f3cf3e1713c65067d00dbd76076bfebbd  
**SHA256:**cb3f8ae278fd770e68155ec9074b4a290ecb31709be1312dfeabb66b966702da  
**Referenced In Project/Scope:**server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies

- remotegui.zip: angularjs.jar: angular-locale\_nl-nl.js.gz: angular-locale\_nl-nl.js
  - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_nl-nl.js.gz/angular-locale\_nl-nl.js
  - MD5: 98dc8669ccade4770fa2cab8f1a268f6
  - SHA1: 858b876f3cf3e1713c65067d00dbd76076bfebbd



- SHA256: cb3f8ae278fd770e68155ec9074b4a290ecb31709be1312dfeabb66b966702da

#### Identifiers

- None

### remotegui.zip: angularjs.jar: angular-locale\_nl-sr.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_nl-sr.js

**MD5:** 9ee61e849cb64e31d24b77444a49e91f

**SHA1:** 346a9415b8e8708b0b571daad206e3e62a14812d

**SHA256:** 5f217bcf42ec6e3749b2b27596b6c476740a73d9ded1c06f5dd24c3db8a9a605

**Referenced In Project/Scope:**server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Related Dependencies



- remotegui.zip: angularjs.jar: angular-locale\_nl-sr.js.gz: angular-locale\_nl-sr.js
  - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_nl-sr.js.gz/angular-locale\_nl-sr.js
  - MD5: 9ee61e849cb64e31d24b77444a49e91f
  - SHA1: 346a9415b8e8708b0b571daad206e3e62a14812d
  - SHA256: 5f217bcf42ec6e3749b2b27596b6c476740a73d9ded1c06f5dd24c3db8a9a605

#### Identifiers

- None

### remotegui.zip: angularjs.jar: angular-locale\_nl-sx.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_nl-sx.js

**MD5:** ec0614f7634a51e606475d573b9d8931



**SHA1:** e71121dce8b82d31e1d28b05a10a1777fd8efb89  
**SHA256:**5f589a0b9d2a8c25e043ccdb1c24dc305b68138783b307fa31b462ad41fa72b7  
**Referenced In Project/Scope:**server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies

- remotegui.zip: angularjs.jar: angular-locale\_nl-sx.js.gz: angular-locale\_nl-sx.js
  - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_nl-sx.js.gz/angular-locale\_nl-sx.js
  - MD5: ec0614f7634a51e606475d573b9d8931
  - SHA1: e71121dce8b82d31e1d28b05a10a1777fd8efb89
  - SHA256: 5f589a0b9d2a8c25e043ccdb1c24dc305b68138783b307fa31b462ad41fa72b7

Identifiers

- None

remotegui.zip: angularjs.jar: angular-locale\_nl.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_nl.js  
**MD5:** 4a60310c006601a6be13d8ef36b89563  
**SHA1:** 4ca92253171297adf6af657b9854d62e5598b0d8  
**SHA256:**48c5781ab64a0e938c97dec01089992b3dffba5b6f8ddb49fc115a65377aefa3  
**Referenced In Project/Scope:**server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies

- remotegui.zip: angularjs.jar: angular-locale\_nl.js.gz: angular-locale\_nl.js
  - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_nl.js.gz/angular-locale\_nl.js
  - MD5: 4a60310c006601a6be13d8ef36b89563
  - SHA1: 4ca92253171297adf6af657b9854d62e5598b0d8



- SHA256: 48c5781ab64a0e938c97dec01089992b3dffba5b6f8ddb49fc115a65377aefa3

#### Identifiers

- None

### remotegui.zip: angularjs.jar: angular-locale\_nmg-cm.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_nmg-cm.js

**MD5:** bf160fab0e0080c9fe90f746c595daa7

**SHA1:** 241b52fab04d00678406ac4bf92814a825d1ee23

**SHA256:** 85670655ef53f13ad0b80d5e2ba5d671dd6e629780862aecff336bea91beb0db

**Referenced In Project/Scope:**server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Related Dependencies



- remotegui.zip: angularjs.jar: angular-locale\_nmg-cm.js.gz: angular-locale\_nmg-cm.js
  - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_nmg-cm.js.gz/angular-locale\_nmg-cm.js
  - MD5: bf160fab0e0080c9fe90f746c595daa7
  - SHA1: 241b52fab04d00678406ac4bf92814a825d1ee23
  - SHA256: 85670655ef53f13ad0b80d5e2ba5d671dd6e629780862aecff336bea91beb0db

#### Identifiers

- None

### remotegui.zip: angularjs.jar: angular-locale\_nmg.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_nmg.js

**MD5:** 57caa496541ca7eb6efa3490585472c0



**SHA1:** 9a29fc66c54eade4cf374fbb2b4c2c856ae991da  
**SHA256:**d2d233f2761bf36d51e834377a0c26c51ccaa5c8c24eea24392538a49d390954  
**Referenced In Project/Scope:**server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies

- remotegui.zip: angularjs.jar: angular-locale\_nmg.js.gz: angular-locale\_nmg.js
  - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_nmg.js.gz/angular-locale\_nmg.js
  - MD5: 57caa496541ca7eb6efa3490585472c0
  - SHA1: 9a29fc66c54eade4cf374fbb2b4c2c856ae991da
  - SHA256: d2d233f2761bf36d51e834377a0c26c51ccaa5c8c24eea24392538a49d390954

Identifiers

- None

remotegui.zip: angularjs.jar: angular-locale\_nn-no.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_nn-no.js  
**MD5:** 13143af4c28decb6686d37de6958ad1a  
**SHA1:** 12dee510ea922d3700d529ca525aa18e4cab97f1  
**SHA256:**1b436f04ef5eac2f3d98dd828244552635891662c8d90ae9b50b14159e0a58c6  
**Referenced In Project/Scope:**server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies

- remotegui.zip: angularjs.jar: angular-locale\_nn-no.js.gz: angular-locale\_nn-no.js
  - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_nn-no.js.gz/angular-locale\_nn-no.js
  - MD5: 13143af4c28decb6686d37de6958ad1a
  - SHA1: 12dee510ea922d3700d529ca525aa18e4cab97f1



- SHA256: 1b436f04ef5eac2f3d98dd828244552635891662c8d90ae9b50b14159e0a58c6

#### Identifiers

- None

### remotegui.zip: angularjs.jar: angular-locale\_nn.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_nn.js

**MD5:** 85a5a29626e6c435fd70d635e8bf9537

**SHA1:** e603cfdb5af1da0c89b726a17debf42538d749a3

**SHA256:** 53ac12a65db0fe14924b9b33db270053722cd33dcf5496ce37d09e4c8a658715

**Referenced In Project/Scope:**server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Related Dependencies



- remotegui.zip: angularjs.jar: angular-locale\_nn.js.gz: angular-locale\_nn.js
  - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_nn.js.gz/angular-locale\_nn.js
  - MD5: 85a5a29626e6c435fd70d635e8bf9537
  - SHA1: e603cfdb5af1da0c89b726a17debf42538d749a3
  - SHA256: 53ac12a65db0fe14924b9b33db270053722cd33dcf5496ce37d09e4c8a658715

#### Identifiers

- None

### remotegui.zip: angularjs.jar: angular-locale\_nnh-cm.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_nnh-cm.js

**MD5:** 9cdc9b550e53cfaee61c511457941cbd



**SHA1:** 12b319fafa123cd48b3c55bc4a2e5255e88b88b9  
**SHA256:**5ab320a3c5e2adc8044b4327f0e6d54eb2a362f851bc1b754080e70552f9b888  
**Referenced In Project/Scope:**server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies

- remotegui.zip: angularjs.jar: angular-locale\_nnh-cm.js.gz: angular-locale\_nnh-cm.js
  - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_nnh-cm.js.gz/angular-locale\_nnh-cm.js
  - MD5: 9cdc9b550e53cfaee61c511457941cbd
  - SHA1: 12b319fafa123cd48b3c55bc4a2e5255e88b88b9
  - SHA256: 5ab320a3c5e2adc8044b4327f0e6d54eb2a362f851bc1b754080e70552f9b888

Identifiers

- None

remotegui.zip: angularjs.jar: angular-locale\_nnh.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_nnh.js  
**MD5:** 1dea16d69cfcf213d036868b25fe78a5  
**SHA1:** 0229ae8336e4436f3361228324607022ef7c32cb  
**SHA256:**7bf46df61e25a0e83a4cc4ba7c14c466baf7da0856561f7a2847dd5016a3fe2b  
**Referenced In Project/Scope:**server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies

- remotegui.zip: angularjs.jar: angular-locale\_nnh.js.gz: angular-locale\_nnh.js
  - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_nnh.js.gz/angular-locale\_nnh.js
  - MD5: 1dea16d69cfcf213d036868b25fe78a5
  - SHA1: 0229ae8336e4436f3361228324607022ef7c32cb



- SHA256: 7bf46df61e25a0e83a4cc4ba7c14c466baf7da0856561f7a2847dd5016a3fe2b

#### Identifiers

- None

### remotegui.zip: angularjs.jar: angular-locale\_no-no.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_no-no.js

**MD5:** 0be00cacbd6eaf0b9e6e60eeb0cc9bf8

**SHA1:** ca20ecc16cbbba0bdb4953bdc3687a0417b95bea5

**SHA256:** 70fc65d1e51967f16665db45ac08a91c9a0039d5306fd1e0ea4d996419922c2d

**Referenced In Project/Scope:**server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Related Dependencies



- remotegui.zip: angularjs.jar: angular-locale\_no-no.js.gz: angular-locale\_no-no.js
  - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_no-no.js.gz/angular-locale\_no-no.js
  - MD5: 0be00cacbd6eaf0b9e6e60eeb0cc9bf8
  - SHA1: ca20ecc16cbbba0bdb4953bdc3687a0417b95bea5
  - SHA256: 70fc65d1e51967f16665db45ac08a91c9a0039d5306fd1e0ea4d996419922c2d

#### Identifiers

- None

### remotegui.zip: angularjs.jar: angular-locale\_no.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_no.js

**MD5:** 40e07e9a0491bc5c29ff302b1c12197c



**SHA1:** 95f2725f77ada7813f3762bccebf4115ee24bfcf  
**SHA256:**50d46018e68031c1b264034359648703467728412ad70f0526593b6a7984ca76  
**Referenced In Project/Scope:**server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies

- remotegui.zip: angularjs.jar: angular-locale\_no.js.gz: angular-locale\_no.js
  - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_no.js.gz/angular-locale\_no.js
  - MD5: 40e07e9a0491bc5c29ff302b1c12197c
  - SHA1: 95f2725f77ada7813f3762bccebf4115ee24bfcf
  - SHA256: 50d46018e68031c1b264034359648703467728412ad70f0526593b6a7984ca76

Identifiers

- None

remotegui.zip: angularjs.jar: angular-locale\_nus-ss.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_nus-ss.js  
**MD5:** 42677c32fbd1c451512f5faeb3e2b18  
**SHA1:** 5ea0e710c231fdeb422763e4a8a4cd0426b0c3f8  
**SHA256:**31703f6af66622ae216260a2f0da67a8d8769fa98792ba0fc76fbedb1ee1382f  
**Referenced In Project/Scope:**server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies

- remotegui.zip: angularjs.jar: angular-locale\_nus-ss.js.gz: angular-locale\_nus-ss.js
  - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_nus-ss.js.gz/angular-locale\_nus-ss.js
  - MD5: 42677c32fbd1c451512f5faeb3e2b18
  - SHA1: 5ea0e710c231fdeb422763e4a8a4cd0426b0c3f8



- SHA256: 31703f6af66622ae216260a2f0da67a8d8769fa98792ba0fc76fbedb1ee1382f

#### Identifiers

- None

### remotegui.zip: angularjs.jar: angular-locale\_nus.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_nus.js

**MD5:** d59318e2013569c6cd34ebd48a590a6c

**SHA1:** 910396bc45238ba17067f052259cfa71a0b66b4f

**SHA256:** 968501c755561759b75f57bf871639b2a9e818ed4d80d2b1ecd2faeeaa6e33a8

**Referenced In Project/Scope:**server

#### Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Related Dependencies

- remotegui.zip: angularjs.jar: angular-locale\_nus.js.gz: angular-locale\_nus.js
  - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_nus.js.gz/angular-locale\_nus.js
  - MD5: d59318e2013569c6cd34ebd48a590a6c
  - SHA1: 910396bc45238ba17067f052259cfa71a0b66b4f
  - SHA256: 968501c755561759b75f57bf871639b2a9e818ed4d80d2b1ecd2faeeaa6e33a8

#### Identifiers

- None

### remotegui.zip: angularjs.jar: angular-locale\_nyn-ug.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_nyn-ug.js

**MD5:** 4a914d38863c0f8846288ccea55af728



**SHA1:** 65ffb6f274d4d0beff1a213012ec8fa26ba2fd04  
**SHA256:**c0c521e32b2ee277543463e0359ab2754a8ec6d7b0299c7879e576f14af1730b  
**Referenced In Project/Scope:**server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies

- remotegui.zip: angularjs.jar: angular-locale\_nyn-ug.js.gz: angular-locale\_nyn-ug.js
  - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_nyn-ug.js.gz/angular-locale\_nyn-ug.js
  - MD5: 4a914d38863c0f8846288ccea55af728
  - SHA1: 65ffb6f274d4d0beff1a213012ec8fa26ba2fd04
  - SHA256: c0c521e32b2ee277543463e0359ab2754a8ec6d7b0299c7879e576f14af1730b

Identifiers

- None

remotegui.zip: angularjs.jar: angular-locale\_nyn.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_nyn.js  
**MD5:** 7928878bc5d4e887610d24da23f57b8b  
**SHA1:** 7949853ffa6093dd59e99fba002bc4caf58b0a8f  
**SHA256:**186cef17594cb781295512594f2ae44553d8eb470b230a16384953bc5b8fdf61  
**Referenced In Project/Scope:**server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies

- remotegui.zip: angularjs.jar: angular-locale\_nyn.js.gz: angular-locale\_nyn.js
  - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_nyn.js.gz/angular-locale\_nyn.js
  - MD5: 7928878bc5d4e887610d24da23f57b8b
  - SHA1: 7949853ffa6093dd59e99fba002bc4caf58b0a8f



- SHA256: 186cef17594cb781295512594f2ae44553d8eb470b230a16384953bc5b8fdf61

#### Identifiers

- None

### remotegui.zip: angularjs.jar: angular-locale\_om-et.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_om-et.js

**MD5:** fe1d612b6c708bd50a7d69a6469cccf3

**SHA1:** c00d74a70e6bf97ce77b6cb0ce90796851dbe9ad

**SHA256:** 826306f524c12773aa95ed65de539f950033aefb6a6fca5d8abc3c19ad2f7a94

**Referenced In Project/Scope:**server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Related Dependencies



- remotegui.zip: angularjs.jar: angular-locale\_om-et.js.gz: angular-locale\_om-et.js
  - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_om-et.js.gz/angular-locale\_om-et.js
  - MD5: fe1d612b6c708bd50a7d69a6469cccf3
  - SHA1: c00d74a70e6bf97ce77b6cb0ce90796851dbe9ad
  - SHA256: 826306f524c12773aa95ed65de539f950033aefb6a6fca5d8abc3c19ad2f7a94

#### Identifiers

- None

### remotegui.zip: angularjs.jar: angular-locale\_om-ke.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_om-ke.js

**MD5:** 3d94452833fcf3ea8384c5e93a506ae7



**SHA1:** 9af7525c718179b96e49b126bebc6ca46749e58a  
**SHA256:**ff4973fd8ea7a4fce4f656573cb7a1ab970b9bc23578f261af9ec31a58da28c1  
**Referenced In Project/Scope:**server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies

- remotegui.zip: angularjs.jar: angular-locale\_om-ke.js.gz: angular-locale\_om-ke.js
  - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_om-ke.js.gz/angular-locale\_om-ke.js
  - MD5: 3d94452833fcf3ea8384c5e93a506ae7
  - SHA1: 9af7525c718179b96e49b126bebc6ca46749e58a
  - SHA256: ff4973fd8ea7a4fce4f656573cb7a1ab970b9bc23578f261af9ec31a58da28c1

Identifiers

- None

remotegui.zip: angularjs.jar: angular-locale\_om.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_om.js  
**MD5:** 837d3182503f428d91bf31c1efd6d941  
**SHA1:** b96da863e3b0bec3349fcdf7322a218f6775dad5  
**SHA256:**8ce3beaab6957d07a22c0319df9b1be38560a563279e73cb6d5d97221b96d08d  
**Referenced In Project/Scope:**server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies

- remotegui.zip: angularjs.jar: angular-locale\_om.js.gz: angular-locale\_om.js
  - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_om.js.gz/angular-locale\_om.js
  - MD5: 837d3182503f428d91bf31c1efd6d941
  - SHA1: b96da863e3b0bec3349fcdf7322a218f6775dad5



- SHA256: 8ce3beaab6957d07a22c0319df9b1be38560a563279e73cb6d5d97221b96d08d

#### Identifiers

- None

### remotegui.zip: angularjs.jar: angular-locale\_or-in.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_or-in.js

**MD5:** 59259d06923365b8ccf7161498f3085d

**SHA1:** 6b66b25658e3067115ef4f2cac6ea7ee48362af4

**SHA256:** a77c1245ddaf128ae2c4a6a781f17ef0e3631a29472f980c27ca78b02cdd4783

**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Related Dependencies



- remotegui.zip: angularjs.jar: angular-locale\_or-in.js.gz: angular-locale\_or-in.js
  - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_or-in.js.gz/angular-locale\_or-in.js
  - MD5: 59259d06923365b8ccf7161498f3085d
  - SHA1: 6b66b25658e3067115ef4f2cac6ea7ee48362af4
  - SHA256: a77c1245ddaf128ae2c4a6a781f17ef0e3631a29472f980c27ca78b02cdd4783

#### Identifiers

- None

### remotegui.zip: angularjs.jar: angular-locale\_or.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_or.js

**MD5:** a139949f2a9d627828dce56b2e242fbd



**SHA1:** 32ab7ebdd735fe96deed33fb0659ed34614e8b55  
**SHA256:** 5e3fe5a8775fb2ffd588b730d77d9c7e07fc0f76bce07d32f3df3f614858e95a  
**Referenced In Project/Scope:**server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies

- remotegui.zip: angularjs.jar: angular-locale\_or.js.gz: angular-locale\_or.js
  - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_or.js.gz/angular-locale\_or.js
  - MD5: a139949f2a9d627828dce56b2e242fbd
  - SHA1: 32ab7ebdd735fe96deed33fb0659ed34614e8b55
  - SHA256: 5e3fe5a8775fb2ffd588b730d77d9c7e07fc0f76bce07d32f3df3f614858e95a

Identifiers

- None

remotegui.zip: angularjs.jar: angular-locale\_os-ge.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_os-ge.js  
**MD5:** 79784226d1f71a20b1b81cd4e9f85389  
**SHA1:** adfee08e9050176f6bfc3ab10aefe9bae5b2ddb6  
**SHA256:** 3c2ba1c3830ce07037bdafcdff041b1332142392c7e0d8390a5515277cfe7513  
**Referenced In Project/Scope:**server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies

- remotegui.zip: angularjs.jar: angular-locale\_os-ge.js.gz: angular-locale\_os-ge.js
  - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_os-ge.js.gz/angular-locale\_os-ge.js
  - MD5: 79784226d1f71a20b1b81cd4e9f85389
  - SHA1: adfee08e9050176f6bfc3ab10aefe9bae5b2ddb6



- SHA256: 3c2ba1c3830ce07037bdafcdff041b1332142392c7e0d8390a5515277cfe7513

#### Identifiers

- None

### remotegui.zip: angularjs.jar: angular-locale\_os-ru.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_os-ru.js

**MD5:** 8f020ec86977c9c6dd1a3d98518b09b8

**SHA1:** a20808d40f6a711835be5c017b1d6abd10d031b2

**SHA256:** e3a8d571e53b2d554310f11a16606f6dd5bde9e7b0ed9622c22cabaa59f1a2bd

**Referenced In Project/Scope:**server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Related Dependencies



- remotegui.zip: angularjs.jar: angular-locale\_os-ru.js.gz: angular-locale\_os-ru.js
  - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_os-ru.js.gz/angular-locale\_os-ru.js
  - MD5: 8f020ec86977c9c6dd1a3d98518b09b8
  - SHA1: a20808d40f6a711835be5c017b1d6abd10d031b2
  - SHA256: e3a8d571e53b2d554310f11a16606f6dd5bde9e7b0ed9622c22cabaa59f1a2bd

#### Identifiers

- None

### remotegui.zip: angularjs.jar: angular-locale\_os.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_os.js

**MD5:** c7ef43964478a18593afd74aa9ad2baf



**SHA1:** a6bea4cc0a540aa743c164bb8a860eb1c4094eb2  
**SHA256:** 81cc283a4b7fea449d172676f9825237d270f30bf92970a160b767a946d6ebae  
**Referenced In Project/Scope:**server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies

- remotegui.zip: angularjs.jar: angular-locale\_os.js.gz: angular-locale\_os.js
  - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_os.js.gz/angular-locale\_os.js
  - MD5: c7ef43964478a18593afd74aa9ad2baf
  - SHA1: a6bea4cc0a540aa743c164bb8a860eb1c4094eb2
  - SHA256: 81cc283a4b7fea449d172676f9825237d270f30bf92970a160b767a946d6ebae

Identifiers

- None

remotegui.zip: angularjs.jar: angular-locale\_pa-arab-pk.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_pa-arab-pk.js  
**MD5:** a4d9e702e630c5f42e5c1636de2915e8  
**SHA1:** aa50ad7dc220ce85dacf8782c7f651b72e6e2f38  
**SHA256:** 18cba324b9071a83f81e93b18f72f4ecc3b239090d71711d41f06b66db3dbcb1  
**Referenced In Project/Scope:**server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies

- remotegui.zip: angularjs.jar: angular-locale\_pa-arab-pk.js.gz: angular-locale\_pa-arab-pk.js
  - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_pa-arab-pk.js.gz/angular-locale\_pa-arab-pk.js
  - MD5: a4d9e702e630c5f42e5c1636de2915e8
  - SHA1: aa50ad7dc220ce85dacf8782c7f651b72e6e2f38



- SHA256: 18cba324b9071a83f81e93b18f72f4ecc3b239090d71711d41f06b66db3dbcb1

#### Identifiers

- None

### remotegui.zip: angularjs.jar: angular-locale\_pa-arab.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_pa-arab.js

**MD5:** 543084fe15bd9badefb2c2095748a9ce

**SHA1:** 9fd8b3cb8f97c16e43193dd096f3815f823eb9bb

**SHA256:** 460d6fa1f9b26746767dcee863cc2b07fe549f1cfb598803f4fc236c5809e2ac

**Referenced In Project/Scope:**server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Related Dependencies



- remotegui.zip: angularjs.jar: angular-locale\_pa-arab.js.gz: angular-locale\_pa-arab.js
  - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_pa-arab.js.gz/angular-locale\_pa-arab.js
  - MD5: 543084fe15bd9badefb2c2095748a9ce
  - SHA1: 9fd8b3cb8f97c16e43193dd096f3815f823eb9bb
  - SHA256: 460d6fa1f9b26746767dcee863cc2b07fe549f1cfb598803f4fc236c5809e2ac

#### Identifiers

- None

### remotegui.zip: angularjs.jar: angular-locale\_pa-guru-in.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_pa-guru-in.js

**MD5:** 3d2fb0c47a711073496a1c29c5d27392



**SHA1:** f2f31397b684f71de5546eb3b117eaafcae9c824  
**SHA256:**74dd9532ba82649bba967e8dded1d63b8640d21937f9544f8163c089efce8227  
**Referenced In Project/Scope:**server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies

- remotegui.zip: angularjs.jar: angular-locale\_pa-guru-in.js.gz: angular-locale\_pa-guru-in.js
  - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_pa-guru-in.js.gz/angular-locale\_pa-guru-in.js
  - MD5: 3d2fb0c47a711073496a1c29c5d27392
  - SHA1: f2f31397b684f71de5546eb3b117eaafcae9c824
  - SHA256: 74dd9532ba82649bba967e8dded1d63b8640d21937f9544f8163c089efce8227

Identifiers

- None

remotegui.zip: angularjs.jar: angular-locale\_pa-guru.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_pa-guru.js  
**MD5:** 5f3795e4b2f4eb45708d3fce890d4f64  
**SHA1:** 19533ad08ab746c9384d87c6c49922aa820111df  
**SHA256:**307e0c3d6342ab7baa27b79f49b7790186ba1bd149719960c7d620d3c1d94e92  
**Referenced In Project/Scope:**server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies

- remotegui.zip: angularjs.jar: angular-locale\_pa-guru.js.gz: angular-locale\_pa-guru.js
  - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_pa-guru.js.gz/angular-locale\_pa-guru.js
  - MD5: 5f3795e4b2f4eb45708d3fce890d4f64
  - SHA1: 19533ad08ab746c9384d87c6c49922aa820111df



- SHA256: 307e0c3d6342ab7baa27b79f49b7790186ba1bd149719960c7d620d3c1d94e92

#### Identifiers

- None

### remotegui.zip: angularjs.jar: angular-locale\_pa.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_pa.js

**MD5:** 64625516e891b4d05c5b9b466f6dfa3

**SHA1:** 31d89c4fab1980a1fd7447169a47a41555092b4f

**SHA256:** 112055f7a07b69a83a28c776c5fed3907fc954910022b95c83eda65f7b4b9b69

**Referenced In Project/Scope:**server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Related Dependencies



- remotegui.zip: angularjs.jar: angular-locale\_pa.js.gz: angular-locale\_pa.js
  - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_pa.js.gz/angular-locale\_pa.js
  - MD5: 64625516e891b4d05c5b9b466f6dfa3
  - SHA1: 31d89c4fab1980a1fd7447169a47a41555092b4f
  - SHA256: 112055f7a07b69a83a28c776c5fed3907fc954910022b95c83eda65f7b4b9b69

#### Identifiers

- None

### remotegui.zip: angularjs.jar: angular-locale\_pl-pl.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_pl-pl.js

**MD5:** 0683c9ad6ce0f8ecacf859dc2e63cbcd



**SHA1:** d2a9553d12aa00f289a801dc80cd13dd7d28b6cc  
**SHA256:** aefe9ec502cf3ef053af09f07a78313bc06800af561a09ac5bf8ace4342756d1  
**Referenced In Project/Scope:** server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies

- remotegui.zip: angularjs.jar: angular-locale\_pl-pl.js.gz: angular-locale\_pl-pl.js
  - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_pl-pl.js.gz/angular-locale\_pl-pl.js
  - MD5: 0683c9ad6ce0f8ecacf859dc2e63cbcd
  - SHA1: d2a9553d12aa00f289a801dc80cd13dd7d28b6cc
  - SHA256: aefe9ec502cf3ef053af09f07a78313bc06800af561a09ac5bf8ace4342756d1

Identifiers

- None

remotegui.zip: angularjs.jar: angular-locale\_pl.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_pl.js  
**MD5:** 98644dbf4aa9c7e09989df1f495d83aa  
**SHA1:** b0fc172c63649566eb0b0ef4c3ce6fbc9c70533c  
**SHA256:** 7c88beb8166c9e2ed186848d48449bb749c20a0bcb4de280aeeb9029a56fdd2e  
**Referenced In Project/Scope:** server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies

- remotegui.zip: angularjs.jar: angular-locale\_pl.js.gz: angular-locale\_pl.js
  - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_pl.js.gz/angular-locale\_pl.js
  - MD5: 98644dbf4aa9c7e09989df1f495d83aa
  - SHA1: b0fc172c63649566eb0b0ef4c3ce6fbc9c70533c



- SHA256: 7c88beb8166c9e2ed186848d48449bb749c20a0bcb4de280aeeb9029a56fdd2e

#### Identifiers

- None

### remotegui.zip: angularjs.jar: angular-locale\_prg-001.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_prg-001.js

**MD5:** 47a96a0eee14d1bd5c40045c09069538

**SHA1:** b48de17fa55dfe6c1ebbb838e88e5569ce103975

**SHA256:** 831542b5354bcc983b0e5daf3e0595c2c9603f7d6207c33d1cc951e9109ad704

**Referenced In Project/Scope:**server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Related Dependencies



- remotegui.zip: angularjs.jar: angular-locale\_prg-001.js.gz: angular-locale\_prg-001.js
  - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_prg-001.js.gz/angular-locale\_prg-001.js
  - MD5: 47a96a0eee14d1bd5c40045c09069538
  - SHA1: b48de17fa55dfe6c1ebbb838e88e5569ce103975
  - SHA256: 831542b5354bcc983b0e5daf3e0595c2c9603f7d6207c33d1cc951e9109ad704

#### Identifiers

- None

### remotegui.zip: angularjs.jar: angular-locale\_prg.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_prg.js

**MD5:** 97ba872b52029bde66c366148c7e2eb1



**SHA1:** e7b616bdf63c6e81b1258786e95d5e0638e9ac22  
**SHA256:**ba8f27bb26fd709e31c09ba6eb2f9eb5bffbbe38a53c1b238c7d719f905760c3  
**Referenced In Project/Scope:**server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies

- remotegui.zip: angularjs.jar: angular-locale\_prg.js.gz: angular-locale\_prg.js
  - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_prg.js.gz/angular-locale\_prg.js
  - MD5: 97ba872b52029bde66c366148c7e2eb1
  - SHA1: e7b616bdf63c6e81b1258786e95d5e0638e9ac22
  - SHA256: ba8f27bb26fd709e31c09ba6eb2f9eb5bffbbe38a53c1b238c7d719f905760c3

Identifiers

- None

remotegui.zip: angularjs.jar: angular-locale\_ps-af.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_ps-af.js  
**MD5:** 5eedeb25a4a25b439cf185210fbd4663  
**SHA1:** 7e1e9170c44d93e41e24594de01938d02921bf17  
**SHA256:**936957a3b6bb4b69fbdef25ca85bcffb20f8a7fbb4bdf5006128b7088e082da1  
**Referenced In Project/Scope:**server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies

- remotegui.zip: angularjs.jar: angular-locale\_ps-af.js.gz: angular-locale\_ps-af.js
  - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_ps-af.js.gz/angular-locale\_ps-af.js
  - MD5: 5eedeb25a4a25b439cf185210fbd4663
  - SHA1: 7e1e9170c44d93e41e24594de01938d02921bf17



- SHA256: 936957a3b6bb4b69fbdef25ca85bcffb20f8a7fbb4bdf5006128b7088e082da1

#### Identifiers

- None

### remotegui.zip: angularjs.jar: angular-locale\_ps.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_ps.js

**MD5:** b8f2d4b491aee3f70f5ff2cf8fdb5033

**SHA1:** 0441aae2150ab4aaffcd02840ff14159e12b8b24

**SHA256:** ef62d47987d907deeeac5de1a2d387f4c1af5dbd02531127d4da6db8649ee005

**Referenced In Project/Scope:**server

#### Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Related Dependencies

- remotegui.zip: angularjs.jar: angular-locale\_ps.js.gz: angular-locale\_ps.js
  - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_ps.js.gz/angular-locale\_ps.js
  - MD5: b8f2d4b491aee3f70f5ff2cf8fdb5033
  - SHA1: 0441aae2150ab4aaffcd02840ff14159e12b8b24
  - SHA256: ef62d47987d907deeeac5de1a2d387f4c1af5dbd02531127d4da6db8649ee005

#### Identifiers

- None

### remotegui.zip: angularjs.jar: angular-locale\_pt-ao.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_pt-ao.js

**MD5:** 0621ab1f1b825f97f662a94e407a50e6



**SHA1:** a4a60c030b3180d4caf62d2e0b6f599c012a70a7  
**SHA256:**1daed968687c0947d02b147bf889d5434711ada3da0e7fc6b052571cb8ef534e  
**Referenced In Project/Scope:**server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies

- remotegui.zip: angularjs.jar: angular-locale\_pt-ao.js.gz: angular-locale\_pt-ao.js
  - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_pt-ao.js.gz/angular-locale\_pt-ao.js
  - MD5: 0621ab1f1b825f97f662a94e407a50e6
  - SHA1: a4a60c030b3180d4caf62d2e0b6f599c012a70a7
  - SHA256: 1daed968687c0947d02b147bf889d5434711ada3da0e7fc6b052571cb8ef534e

Identifiers

- None

remotegui.zip: angularjs.jar: angular-locale\_pt-br.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_pt-br.js  
**MD5:** dbed1f6590bd8bf66091a70735e65071  
**SHA1:** 5e3bc4077d4bc06cc39ff84ed0edfecebcbb9ead  
**SHA256:**809bda148cc1ee85bbe18c90e8a7fb6ea4956b5362e8764c4b44a68f36cba30  
**Referenced In Project/Scope:**server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies

- remotegui.zip: angularjs.jar: angular-locale\_pt-br.js.gz: angular-locale\_pt-br.js
  - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_pt-br.js.gz/angular-locale\_pt-br.js
  - MD5: dbed1f6590bd8bf66091a70735e65071
  - SHA1: 5e3bc4077d4bc06cc39ff84ed0edfecebcbb9ead



- SHA256: 809bda148cc1ee85bbee18c90e8a7fb6ea4956b5362e8764c4b44a68f36cba30

#### Identifiers

- None

### remotegui.zip: angularjs.jar: angular-locale\_pt-ch.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_pt-ch.js

**MD5:** fdc473875a794155df5879e643de9206

**SHA1:** 3e11459e83c2591142a5c6c13920afd0bace8400

**SHA256:** 4ea6d42e6fe43d4b4ebb278a534bdc7360c63505e0ffbfed8da23d9f9988615f

**Referenced In Project/Scope:**server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Related Dependencies



- remotegui.zip: angularjs.jar: angular-locale\_pt-ch.js.gz: angular-locale\_pt-ch.js
  - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_pt-ch.js.gz/angular-locale\_pt-ch.js
  - MD5: fdc473875a794155df5879e643de9206
  - SHA1: 3e11459e83c2591142a5c6c13920afd0bace8400
  - SHA256: 4ea6d42e6fe43d4b4ebb278a534bdc7360c63505e0ffbfed8da23d9f9988615f

#### Identifiers

- None

### remotegui.zip: angularjs.jar: angular-locale\_pt-cv.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_pt-cv.js

**MD5:** 7d3ebdadbc6b39e215bd59ce999414d



**SHA1:** 69f107d01191624f6c6334988298fa74456e2c18  
**SHA256:**7f9b8eed97e23a8f0749c8c36dac530e1d50675e796b0324faeec45977c06ece  
**Referenced In Project/Scope:**server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies

- remotegui.zip: angularjs.jar: angular-locale\_pt-cv.js.gz: angular-locale\_pt-cv.js
  - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_pt-cv.js.gz/angular-locale\_pt-cv.js
  - MD5: 7d3ebdadbc6b6b39e215bd59ce999414d
  - SHA1: 69f107d01191624f6c6334988298fa74456e2c18
  - SHA256: 7f9b8eed97e23a8f0749c8c36dac530e1d50675e796b0324faeec45977c06ece

Identifiers

- None

remotegui.zip: angularjs.jar: angular-locale\_pt-gq.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_pt-gq.js  
**MD5:** 685f0915725f506a7010d0705fe7702f  
**SHA1:** ac4bcd5d510d6963572f1058e0af63f840621c12  
**SHA256:**04c573d6cf1c232f320d407dfc32cc5c609a585f1a50853c458f1fae259affcd  
**Referenced In Project/Scope:**server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies

- remotegui.zip: angularjs.jar: angular-locale\_pt-gq.js.gz: angular-locale\_pt-gq.js
  - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_pt-gq.js.gz/angular-locale\_pt-gq.js
  - MD5: 685f0915725f506a7010d0705fe7702f
  - SHA1: ac4bcd5d510d6963572f1058e0af63f840621c12



- SHA256: 04c573d6cf1c232f320d407dfc32cc5c609a585f1a50853c458f1fae259affcd

#### Identifiers

- None

### remotegui.zip: angularjs.jar: angular-locale\_pt-gw.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_pt-gw.js

**MD5:** 372312928dbdd210e51a0925469d1f33

**SHA1:** d8d461ee09df5340a18b228ef8b18b82dae5e662

**SHA256:** ad2aef7755f4411f11da71126c6660d4f49d65ecf6dc2334ffd2a2d1d140d96c

**Referenced In Project/Scope:**server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Related Dependencies



- remotegui.zip: angularjs.jar: angular-locale\_pt-gw.js.gz: angular-locale\_pt-gw.js
  - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_pt-gw.js.gz/angular-locale\_pt-gw.js
  - MD5: 372312928dbdd210e51a0925469d1f33
  - SHA1: d8d461ee09df5340a18b228ef8b18b82dae5e662
  - SHA256: ad2aef7755f4411f11da71126c6660d4f49d65ecf6dc2334ffd2a2d1d140d96c

#### Identifiers

- None

### remotegui.zip: angularjs.jar: angular-locale\_pt-lu.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_pt-lu.js

**MD5:** c60bbcedd4c92577f0250177bcc33f3d



**SHA1:** b906be4262c3537e0cf0fd5f6e71330d239909b7  
**SHA256:**4025ad55d180a4ac1c9a1352c510312ad9ae59970d2e8cf7a2798f37b61134b5  
**Referenced In Project/Scope:**server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies

- remotegui.zip: angularjs.jar: angular-locale\_pt-lu.js.gz: angular-locale\_pt-lu.js
  - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_pt-lu.js.gz/angular-locale\_pt-lu.js
  - MD5: c60bbcedd4c92577f0250177bcc33f3d
  - SHA1: b906be4262c3537e0cf0fd5f6e71330d239909b7
  - SHA256: 4025ad55d180a4ac1c9a1352c510312ad9ae59970d2e8cf7a2798f37b61134b5

Identifiers

- None

remotegui.zip: angularjs.jar: angular-locale\_pt-mo.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_pt-mo.js  
**MD5:** d3a46b55bea60b6496e75f6c82eae50a  
**SHA1:** c609e6cd81085b74191cc03410785b11fb8391a3  
**SHA256:**468d73f3ed113260594f8df19c79e97398cda3b22955c1f7a1dd42de060818d9  
**Referenced In Project/Scope:**server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies

- remotegui.zip: angularjs.jar: angular-locale\_pt-mo.js.gz: angular-locale\_pt-mo.js
  - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_pt-mo.js.gz/angular-locale\_pt-mo.js
  - MD5: d3a46b55bea60b6496e75f6c82eae50a
  - SHA1: c609e6cd81085b74191cc03410785b11fb8391a3



- SHA256: 468d73f3ed113260594f8df19c79e97398cda3b22955c1f7a1dd42de060818d9

#### Identifiers

- None

### remotegui.zip: angularjs.jar: angular-locale\_pt-mz.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_pt-mz.js

**MD5:** 2bb9b447ef6d3cbe6d2004b4c59b389c

**SHA1:** 391080b96dd8a382c15ff7b8673bd0d908f332cc

**SHA256:** 2d213e09beeb8f16d7ae19a1cabaf78d4d80f6d223e8d26d74f6bbdf3b1bc7c2

**Referenced In Project/Scope:**server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Related Dependencies



- remotegui.zip: angularjs.jar: angular-locale\_pt-mz.js.gz: angular-locale\_pt-mz.js
  - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_pt-mz.js.gz/angular-locale\_pt-mz.js
  - MD5: 2bb9b447ef6d3cbe6d2004b4c59b389c
  - SHA1: 391080b96dd8a382c15ff7b8673bd0d908f332cc
  - SHA256: 2d213e09beeb8f16d7ae19a1cabaf78d4d80f6d223e8d26d74f6bbdf3b1bc7c2

#### Identifiers

- None

### remotegui.zip: angularjs.jar: angular-locale\_pt-pt.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_pt-pt.js

**MD5:** 5e816258070d963e3cc45c659dd321d0



**SHA1:** 59767fc68b5874184b20a9febad15c172b7d1fb2  
**SHA256:** 1e923136ccfaf5e625d17b5cfca639be65f10c97f9c7d498ea8175881454c02f  
**Referenced In Project/Scope:**server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies



- remotegui.zip: angularjs.jar: angular-locale\_pt-pt.js.gz: angular-locale\_pt-pt.js
  - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_pt-pt.js.gz/angular-locale\_pt-pt.js
  - MD5: 5e816258070d963e3cc45c659dd321d0
  - SHA1: 59767fc68b5874184b20a9febad15c172b7d1fb2
  - SHA256: 1e923136ccfaf5e625d17b5cfca639be65f10c97f9c7d498ea8175881454c02f

Identifiers

- None

remotegui.zip: angularjs.jar: angular-locale\_pt-st.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_pt-st.js  
**MD5:** a034b808c44cded66b6c28110b646264  
**SHA1:** 762bfb20176d0bd0eedaa9d309437cc892d9e6f3  
**SHA256:** b1ab889e8c71992577c4d113bf2cf8516eb324af5eb9656bef2308a9b278a672  
**Referenced In Project/Scope:**server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies



- remotegui.zip: angularjs.jar: angular-locale\_pt-st.js.gz: angular-locale\_pt-st.js
  - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_pt-st.js.gz/angular-locale\_pt-st.js
  - MD5: a034b808c44cded66b6c28110b646264
  - SHA1: 762bfb20176d0bd0eedaa9d309437cc892d9e6f3



- SHA256: b1ab889e8c71992577c4d113bf2cf8516eb324af5eb9656bef2308a9b278a672

#### Identifiers

- None

### remotegui.zip: angularjs.jar: angular-locale\_pt-tl.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_pt-tl.js

**MD5:** 930a7defb7b806c0076d90d8feb0e37f

**SHA1:** a7d5dc777e17bebf69d660c80c795be702d74c44

**SHA256:** 73706aa50b1a9b8bcbbacbf1c42f853799df032d125ca9599886419b3b803d5f

**Referenced In Project/Scope:**server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Related Dependencies



- remotegui.zip: angularjs.jar: angular-locale\_pt-tl.js.gz: angular-locale\_pt-tl.js
  - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_pt-tl.js.gz/angular-locale\_pt-tl.js
  - MD5: 930a7defb7b806c0076d90d8feb0e37f
  - SHA1: a7d5dc777e17bebf69d660c80c795be702d74c44
  - SHA256: 73706aa50b1a9b8bcbbacbf1c42f853799df032d125ca9599886419b3b803d5f

#### Identifiers

- None

### remotegui.zip: angularjs.jar: angular-locale\_pt.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_pt.js

**MD5:** e8f554e2a8da7308c330226275a5e51c



**SHA1:** 1af2d70cf298709b7e27e4c2820fa97740404fac  
**SHA256:**777c31dc85360b3cd609991490f926a9067f5305554cdb2c69a86d71fedf34c7  
**Referenced In Project/Scope:**server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies

- remotegui.zip: angularjs.jar: angular-locale\_pt.js.gz: angular-locale\_pt.js
  - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_pt.js.gz/angular-locale\_pt.js
  - MD5: e8f554e2a8da7308c330226275a5e51c
  - SHA1: 1af2d70cf298709b7e27e4c2820fa97740404fac
  - SHA256: 777c31dc85360b3cd609991490f926a9067f5305554cdb2c69a86d71fedf34c7

Identifiers

- None

remotegui.zip: angularjs.jar: angular-locale\_qu-bo.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_qu-bo.js  
**MD5:** 8d6264145887f281524bd7ecc640e75f  
**SHA1:** a8c2c2e733cd1e339b0e13cd8d730ecd982af297  
**SHA256:**12556317a6e51bf9c215e5b0f381ede0f3995dbd4538539129e59f4e3a5154b8  
**Referenced In Project/Scope:**server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies

- remotegui.zip: angularjs.jar: angular-locale\_qu-bo.js.gz: angular-locale\_qu-bo.js
  - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_qu-bo.js.gz/angular-locale\_qu-bo.js
  - MD5: 8d6264145887f281524bd7ecc640e75f
  - SHA1: a8c2c2e733cd1e339b0e13cd8d730ecd982af297



- SHA256: 12556317a6e51bf9c215e5b0f381ede0f3995dbd4538539129e59f4e3a5154b8

#### Identifiers

- None

### remotegui.zip: angularjs.jar: angular-locale\_qu-ec.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_qu-ec.js

**MD5:** 2731eabc953c6fc1af91f3ee97ec072b

**SHA1:** f104c6e87f5ef72719ba7034557a623105387020

**SHA256:** c8446a36f34ce54e030cfccee48ea6b7a2a7dc50e9f713a442501ff3c78bc15c

**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Related Dependencies



- remotegui.zip: angularjs.jar: angular-locale\_qu-ec.js.gz: angular-locale\_qu-ec.js
  - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_qu-ec.js.gz/angular-locale\_qu-ec.js
  - MD5: 2731eabc953c6fc1af91f3ee97ec072b
  - SHA1: f104c6e87f5ef72719ba7034557a623105387020
  - SHA256: c8446a36f34ce54e030cfccee48ea6b7a2a7dc50e9f713a442501ff3c78bc15c

#### Identifiers

- None

### remotegui.zip: angularjs.jar: angular-locale\_qu-pe.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_qu-pe.js

**MD5:** 338af6c5550cb5e744d0fd69236abf6b



**SHA1:** 787bb184061115a2f8a9f3826f5c979d2fb011dc  
**SHA256:**61992d22f3c9ca543b4b79ab3f733f16c7ab80c0dff6490bca710e3d9cdc2918  
**Referenced In Project/Scope:**server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies

- remotegui.zip: angularjs.jar: angular-locale\_qu-pe.js.gz: angular-locale\_qu-pe.js
  - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_qu-pe.js.gz/angular-locale\_qu-pe.js
  - MD5: 338af6c5550cb5e744d0fd69236abf6b
  - SHA1: 787bb184061115a2f8a9f3826f5c979d2fb011dc
  - SHA256: 61992d22f3c9ca543b4b79ab3f733f16c7ab80c0dff6490bca710e3d9cdc2918

Identifiers

- None

remotegui.zip: angularjs.jar: angular-locale\_qu.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_qu.js  
**MD5:** 22abf9cc8a6f84336358bc3c9a26dbfe  
**SHA1:** d6944cf83e8011969b9c0daa9ca1da992642a3b4  
**SHA256:**0c946f8e3574593e7f7d405676f6d6d0501f4cf3e3667648f235a52ce227444d  
**Referenced In Project/Scope:**server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies

- remotegui.zip: angularjs.jar: angular-locale\_qu.js.gz: angular-locale\_qu.js
  - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_qu.js.gz/angular-locale\_qu.js
  - MD5: 22abf9cc8a6f84336358bc3c9a26dbfe
  - SHA1: d6944cf83e8011969b9c0daa9ca1da992642a3b4



- SHA256: 0c946f8e3574593e7f7d405676f6d6d0501f4cf3e3667648f235a52ce227444d

#### Identifiers

- None

### remotegui.zip: angularjs.jar: angular-locale\_rm-ch.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_rm-ch.js

**MD5:** 975b3d89ae0e49a8d280b93ea54036ee

**SHA1:** 6dc670570834a6beac0ea72ee6f26d85daa207aa

**SHA256:** 775c721dbf20179a07d45300e472093e774a56e035c32aa7e8eb2aa90b38e212

**Referenced In Project/Scope:**server

#### Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Related Dependencies

- remotegui.zip: angularjs.jar: angular-locale\_rm-ch.js.gz: angular-locale\_rm-ch.js
  - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_rm-ch.js.gz/angular-locale\_rm-ch.js
  - MD5: 975b3d89ae0e49a8d280b93ea54036ee
  - SHA1: 6dc670570834a6beac0ea72ee6f26d85daa207aa
  - SHA256: 775c721dbf20179a07d45300e472093e774a56e035c32aa7e8eb2aa90b38e212

#### Identifiers

- None

### remotegui.zip: angularjs.jar: angular-locale\_rm.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_rm.js

**MD5:** 3dde7e41ced7f590f599a7e3fdb5de00



**SHA1:** 6845714e8db452dfcc315bc67d9b7e9373ff09ba  
**SHA256:**21f47cc6a1dabc5cdf4a3e9f4852289680c39589b04533a50c23b94a3eead014  
**Referenced In Project/Scope:**server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies



- remotegui.zip: angularjs.jar: angular-locale\_rm.js.gz: angular-locale\_rm.js
  - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_rm.js.gz/angular-locale\_rm.js
  - MD5: 3dde7e41ced7f590f599a7e3fdb5de00
  - SHA1: 6845714e8db452dfcc315bc67d9b7e9373ff09ba
  - SHA256: 21f47cc6a1dabc5cdf4a3e9f4852289680c39589b04533a50c23b94a3eead014

Identifiers

- None

remotegui.zip: angularjs.jar: angular-locale\_rn-bi.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_rn-bi.js  
**MD5:** 6a7af8ab66978ef8c2441105d120eaf1  
**SHA1:** 0a817f1054385c9020d3e2e1cca7438438edeb5b  
**SHA256:**aa3dbbbad812017da22eb52b93d7fab8499b8f671934febca02ace48f48eaa83  
**Referenced In Project/Scope:**server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies



- remotegui.zip: angularjs.jar: angular-locale\_rn-bi.js.gz: angular-locale\_rn-bi.js
  - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_rn-bi.js.gz/angular-locale\_rn-bi.js
  - MD5: 6a7af8ab66978ef8c2441105d120eaf1
  - SHA1: 0a817f1054385c9020d3e2e1cca7438438edeb5b



- SHA256: aa3dbbbbad812017da22eb52b93d7fab8499b8f671934febca02ace48f48eaa83

#### Identifiers

- None

### remotegui.zip: angularjs.jar: angular-locale\_rn.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_rn.js

**MD5:** 8f944060faabf4121596cb2db5e94948

**SHA1:** 40f0d24d73823d9408e4bd807f40252de5976f91

**SHA256:** 5f51518031548ea768b75f42cef22d24393ab4dcedb45be4d4e83ddc8f334473

**Referenced In Project/Scope:**server

#### Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Related Dependencies

- remotegui.zip: angularjs.jar: angular-locale\_rn.js.gz: angular-locale\_rn.js
  - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_rn.js.gz/angular-locale\_rn.js
  - MD5: 8f944060faabf4121596cb2db5e94948
  - SHA1: 40f0d24d73823d9408e4bd807f40252de5976f91
  - SHA256: 5f51518031548ea768b75f42cef22d24393ab4dcedb45be4d4e83ddc8f334473

#### Identifiers

- None

### remotegui.zip: angularjs.jar: angular-locale\_ro-md.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_ro-md.js

**MD5:** aea4f48ebe861b6304457537cf16014b



**SHA1:** c3a988b453e7c9a03019d59224e238be1c44d89f  
**SHA256:**47c836c57ab7891bd5a9ab3842e1ecb0a76fce5e95c72117ad7788e05a3d57b5  
**Referenced In Project/Scope:**server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies

- remotegui.zip: angularjs.jar: angular-locale\_ro-md.js.gz: angular-locale\_ro-md.js
  - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_ro-md.js.gz/angular-locale\_ro-md.js
  - MD5: aea4f48ebe861b6304457537cf16014b
  - SHA1: c3a988b453e7c9a03019d59224e238be1c44d89f
  - SHA256: 47c836c57ab7891bd5a9ab3842e1ecb0a76fce5e95c72117ad7788e05a3d57b5

Identifiers

- None

remotegui.zip: angularjs.jar: angular-locale\_ro-ro.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_ro-ro.js  
**MD5:** 5022edd8a47ab93a4b8d0d2aae7b9d87  
**SHA1:** d23e18d02311d4cb714e1f6b35a4ce90fb23764c  
**SHA256:**e9da0d8a7216082be2ebd320f055e64ecc9a81855e77ac2016f757f986ebbf50  
**Referenced In Project/Scope:**server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies

- remotegui.zip: angularjs.jar: angular-locale\_ro-ro.js.gz: angular-locale\_ro-ro.js
  - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_ro-ro.js.gz/angular-locale\_ro-ro.js
  - MD5: 5022edd8a47ab93a4b8d0d2aae7b9d87
  - SHA1: d23e18d02311d4cb714e1f6b35a4ce90fb23764c



- SHA256: e9da0d8a7216082be2ebd320f055e64ecc9a81855e77ac2016f757f986ebbf50

#### Identifiers

- None

### remotegui.zip: angularjs.jar: angular-locale\_ro.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_ro.js

**MD5:** 439b6715b1e2632841755a6f4fb0d81a

**SHA1:** 2f3d37fd0f5d02b9fe281320f16b9be3284a9dfe

**SHA256:** 538a630572b7bc28df7d05e847821506175ac86c0e179b898c0abc65023d8466

**Referenced In Project/Scope:**server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Related Dependencies



- remotegui.zip: angularjs.jar: angular-locale\_ro.js.gz: angular-locale\_ro.js
  - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_ro.js.gz/angular-locale\_ro.js
  - MD5: 439b6715b1e2632841755a6f4fb0d81a
  - SHA1: 2f3d37fd0f5d02b9fe281320f16b9be3284a9dfe
  - SHA256: 538a630572b7bc28df7d05e847821506175ac86c0e179b898c0abc65023d8466

#### Identifiers

- None

### remotegui.zip: angularjs.jar: angular-locale\_rof-tz.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_rof-tz.js

**MD5:** 0cb74c32e6cfedd9d3febfcaeacf6767



**SHA1:** eca1df7b2c2c3b68d6b415ab1d0aacc9dfeebb72  
**SHA256:**37b10d2898c2a1681e80278697162990d03e020ef2ff093f2ab3552524a919c7  
**Referenced In Project/Scope:**server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies

- remotegui.zip: angularjs.jar: angular-locale\_rof-tz.js.gz: angular-locale\_rof-tz.js
  - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_rof-tz.js.gz/angular-locale\_rof-tz.js
  - MD5: 0cb74c32e6cfedd9d3febfcaeacf6767
  - SHA1: eca1df7b2c2c3b68d6b415ab1d0aacc9dfeebb72
  - SHA256: 37b10d2898c2a1681e80278697162990d03e020ef2ff093f2ab3552524a919c7

Identifiers

- None

remotegui.zip: angularjs.jar: angular-locale\_rof.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_rof.js  
**MD5:** 5542c185b4f24f2d7bf3edb4a20ca95b  
**SHA1:** d73d4cb54f164162d74e6748b26d095e5235e99f  
**SHA256:**cbd13b5f17b47a3a3007158b50ecf6425b68b25632b2c957465c95bd6a999d73  
**Referenced In Project/Scope:**server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies

- remotegui.zip: angularjs.jar: angular-locale\_rof.js.gz: angular-locale\_rof.js
  - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_rof.js.gz/angular-locale\_rof.js
  - MD5: 5542c185b4f24f2d7bf3edb4a20ca95b
  - SHA1: d73d4cb54f164162d74e6748b26d095e5235e99f



- SHA256: cbd13b5f17b47a3a3007158b50ecf6425b68b25632b2c957465c95bd6a999d73

#### Identifiers

- None

### remotegui.zip: angularjs.jar: angular-locale\_ru-by.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_ru-by.js

**MD5:** 0484bf1b73c9ed9fd6e5c13689ebe4a3

**SHA1:** c60d38da000c58e495f724eb03c770d20e42302e

**SHA256:** 8f45b057e1390f8f4f72472c578fef26b7a1c5aa4a7a0a25470ceb4c765abd10

**Referenced In Project/Scope:**server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Related Dependencies



- remotegui.zip: angularjs.jar: angular-locale\_ru-by.js.gz: angular-locale\_ru-by.js
  - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_ru-by.js.gz/angular-locale\_ru-by.js
  - MD5: 0484bf1b73c9ed9fd6e5c13689ebe4a3
  - SHA1: c60d38da000c58e495f724eb03c770d20e42302e
  - SHA256: 8f45b057e1390f8f4f72472c578fef26b7a1c5aa4a7a0a25470ceb4c765abd10

#### Identifiers

- None

### remotegui.zip: angularjs.jar: angular-locale\_ru-kg.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_ru-kg.js

**MD5:** 121a6b016935c26674198859d217ed3b



**SHA1:** d01958a3f0f09f42495af5a1c0551df45c5142  
**SHA256:**782791c65b322b7be373fc5e68112d668c5707c79b3045f97c0f34ee76756300  
**Referenced In Project/Scope:**server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies

- remotegui.zip: angularjs.jar: angular-locale\_ru-kz.js.gz: angular-locale\_ru-kz.js
  - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_ru-kz.js.gz/angular-locale\_ru-kz.js
  - MD5: 121a6b016935c26674198859d217ed3b
  - SHA1: d01958a3f0f09f42495af5a1c0551df45c5142
  - SHA256: 782791c65b322b7be373fc5e68112d668c5707c79b3045f97c0f34ee76756300

Identifiers

- None

remotegui.zip: angularjs.jar: angular-locale\_ru-kz.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_ru-kz.js  
**MD5:** 1e6e996cb6a1cf3ea3b063fb192a91dc  
**SHA1:** 87747153198ca44fb45fec7a2125102203018d2d  
**SHA256:**842af5c8e6bf7f775f58c2c89073db49468eaef70ae7ce29bd99c9254bc76fd2  
**Referenced In Project/Scope:**server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies

- remotegui.zip: angularjs.jar: angular-locale\_ru-kz.js.gz: angular-locale\_ru-kz.js
  - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_ru-kz.js.gz/angular-locale\_ru-kz.js
  - MD5: 1e6e996cb6a1cf3ea3b063fb192a91dc
  - SHA1: 87747153198ca44fb45fec7a2125102203018d2d



- SHA256: 842af5c8e6bf7f775f58c2c89073db49468eaef70ae7ce29bd99c9254bc76fd2

#### Identifiers

- None

### remotegui.zip: angularjs.jar: angular-locale\_ru-md.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_ru-md.js

**MD5:** 3ddd58dbe3af90079a1e9af773b57e97

**SHA1:** a0235c7bd388c159ed50fb4c0524293284f431cd

**SHA256:** 86db847362456f26dcbde6d5365d59c12574354685081d5d994afb9fe6353dd8

**Referenced In Project/Scope:**server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Related Dependencies



- remotegui.zip: angularjs.jar: angular-locale\_ru-md.js.gz: angular-locale\_ru-md.js
  - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_ru-md.js.gz/angular-locale\_ru-md.js
  - MD5: 3ddd58dbe3af90079a1e9af773b57e97
  - SHA1: a0235c7bd388c159ed50fb4c0524293284f431cd
  - SHA256: 86db847362456f26dcbde6d5365d59c12574354685081d5d994afb9fe6353dd8

#### Identifiers

- None

### remotegui.zip: angularjs.jar: angular-locale\_ru-ru.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_ru-ru.js

**MD5:** cdc2df0db5f61476579d189b59d4dc3c



**SHA1:** 424f3618987e60586fa1c57a2813f0c6ab315db6  
**SHA256:**32d179e2dbf5cd3e8bea968e501318ac3aae383557960a38bcfe872c2803c5fc  
**Referenced In Project/Scope:**server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies

- remotegui.zip: angularjs.jar: angular-locale\_ru-ru.js.gz: angular-locale\_ru-ru.js
  - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_ru-ru.js.gz/angular-locale\_ru-ru.js
  - MD5: cdc2df0db5f61476579d189b59d4dc3c
  - SHA1: 424f3618987e60586fa1c57a2813f0c6ab315db6
  - SHA256: 32d179e2dbf5cd3e8bea968e501318ac3aae383557960a38bcfe872c2803c5fc

Identifiers

- None

remotegui.zip: angularjs.jar: angular-locale\_ru-ua.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_ru-ua.js  
**MD5:** 9b43b627cd275b32178d764d08393715  
**SHA1:** ad051ba65aa838d8746b5b3f5f8ee4b388a796a2  
**SHA256:**87dde6df3492b0a0800ea0740975f919c0295d4e0e6bdf2e60fa66df5fe18f85  
**Referenced In Project/Scope:**server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies

- remotegui.zip: angularjs.jar: angular-locale\_ru-ua.js.gz: angular-locale\_ru-ua.js
  - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_ru-ua.js.gz/angular-locale\_ru-ua.js
  - MD5: 9b43b627cd275b32178d764d08393715
  - SHA1: ad051ba65aa838d8746b5b3f5f8ee4b388a796a2



- SHA256: 87dde6df3492b0a0800ea0740975f919c0295d4e0e6bdf2e60fa66df5fe18f85

#### Identifiers

- None

### remotegui.zip: angularjs.jar: angular-locale\_ru.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_ru.js

**MD5:** 6603a6b1e41bd073daece35680fc253c

**SHA1:** e2e4e9b27b90d9e64c13b8601905be7e47df78fc

**SHA256:** 9617a126db1859e510ad5c3ffe2bd3f66f286b2706ab4f9f95798fd8f761e06d

**Referenced In Project/Scope:**server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Related Dependencies



- remotegui.zip: angularjs.jar: angular-locale\_ru.js.gz: angular-locale\_ru.js
  - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_ru.js.gz/angular-locale\_ru.js
  - MD5: 6603a6b1e41bd073daece35680fc253c
  - SHA1: e2e4e9b27b90d9e64c13b8601905be7e47df78fc
  - SHA256: 9617a126db1859e510ad5c3ffe2bd3f66f286b2706ab4f9f95798fd8f761e06d

#### Identifiers

- None

### remotegui.zip: angularjs.jar: angular-locale\_rw-rw.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_rw-rw.js

**MD5:** d3f3b8a24c176eb4991ae52f7590b691



**SHA1:** 56fd43c39e9dc146709f0889ca61275329337069  
**SHA256:**cc77168d72e65cd7d3179b1780cc39c823793b3a02c898f5f1def05105fa8d81  
**Referenced In Project/Scope:**server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies

- remotegui.zip: angularjs.jar: angular-locale\_rw-rw.js.gz: angular-locale\_rw-rw.js
  - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_rw-rw.js.gz/angular-locale\_rw-rw.js
  - MD5: d3f3b8a24c176eb4991ae52f7590b691
  - SHA1: 56fd43c39e9dc146709f0889ca61275329337069
  - SHA256: cc77168d72e65cd7d3179b1780cc39c823793b3a02c898f5f1def05105fa8d81

Identifiers

- None

remotegui.zip: angularjs.jar: angular-locale\_rw.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_rw.js  
**MD5:** 95b4fadd514606fea84869813c336eb  
**SHA1:** 188b659f77535f6177eec7c7e43b0cefd5dc2680  
**SHA256:**2956c209cd94be7f7d1007adb44ab96f95f4097319fc0281e377348e01348431  
**Referenced In Project/Scope:**server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies

- remotegui.zip: angularjs.jar: angular-locale\_rw.js.gz: angular-locale\_rw.js
  - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_rw.js.gz/angular-locale\_rw.js
  - MD5: 95b4fadd514606fea84869813c336eb
  - SHA1: 188b659f77535f6177eec7c7e43b0cefd5dc2680



- SHA256: 2956c209cd94be7f7d1007adb44ab96f95f4097319fc0281e377348e01348431

#### Identifiers

- None

### remotegui.zip: angularjs.jar: angular-locale\_rwk-tz.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_rwk-tz.js

**MD5:** a3199c76e02c15f0ca4e715e7f5caf8e

**SHA1:** 460e1eef2c9c3cb307d178b068cbdc7fd9a9d3f1

**SHA256:** c59b63f40cb3c725ee129917bf41e3ac053a8217e174e4686ccfe7c5664d6a57

**Referenced In Project/Scope:**server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Related Dependencies



- remotegui.zip: angularjs.jar: angular-locale\_rwk-tz.js.gz: angular-locale\_rwk-tz.js
  - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_rwk-tz.js.gz/angular-locale\_rwk-tz.js
  - MD5: a3199c76e02c15f0ca4e715e7f5caf8e
  - SHA1: 460e1eef2c9c3cb307d178b068cbdc7fd9a9d3f1
  - SHA256: c59b63f40cb3c725ee129917bf41e3ac053a8217e174e4686ccfe7c5664d6a57

#### Identifiers

- None

### remotegui.zip: angularjs.jar: angular-locale\_rwk.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_rwk.js

**MD5:** d594ded803b684539148dd4be577d1e5



**SHA1:** 8c0d42cba43c4c4b5f1896b253b360b9ad12f588  
**SHA256:**e7927b610b375b9e12c1ae48a6ced141e42d11c89673293d39311e8ae6c0064b  
**Referenced In Project/Scope:**server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies

- remotegui.zip: angularjs.jar: angular-locale\_rwk.js.gz: angular-locale\_rwk.js
  - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_rwk.js.gz/angular-locale\_rwk.js
  - MD5: d594ded803b684539148dd4be577d1e5
  - SHA1: 8c0d42cba43c4c4b5f1896b253b360b9ad12f588
  - SHA256: e7927b610b375b9e12c1ae48a6ced141e42d11c89673293d39311e8ae6c0064b

Identifiers

- None

remotegui.zip: angularjs.jar: angular-locale\_sah-ru.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_sah-ru.js  
**MD5:** b06b443f8b9ceeb51b225629fcf4d43e  
**SHA1:** 7344f69ac762ba74e62b55d3e529ab1672db8922  
**SHA256:**8563d1e61fb05d19a733f48e2d3c3932ecd1f66fd26c57a1846d5caacf40f4b8  
**Referenced In Project/Scope:**server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies

- remotegui.zip: angularjs.jar: angular-locale\_sah-ru.js.gz: angular-locale\_sah-ru.js
  - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_sah-ru.js.gz/angular-locale\_sah-ru.js
  - MD5: b06b443f8b9ceeb51b225629fcf4d43e
  - SHA1: 7344f69ac762ba74e62b55d3e529ab1672db8922



- SHA256: 8563d1e61fb05d19a733f48e2d3c3932ecd1f66fd26c57a1846d5caacf40f4b8

#### Identifiers

- None

### remotegui.zip: angularjs.jar: angular-locale\_sah.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_sah.js

**MD5:** 81c3b2d04791027804b93c89ad05d05b

**SHA1:** 6474383c51a4295477d59d7b2f6af397289cf41f

**SHA256:** 2aedef292920287859fae12598c79e071287d6b2976fb246aad927706dda5d6b4

**Referenced In Project/Scope:**server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Related Dependencies



- remotegui.zip: angularjs.jar: angular-locale\_sah.js.gz: angular-locale\_sah.js
  - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_sah.js.gz/angular-locale\_sah.js
  - MD5: 81c3b2d04791027804b93c89ad05d05b
  - SHA1: 6474383c51a4295477d59d7b2f6af397289cf41f
  - SHA256: 2aedef292920287859fae12598c79e071287d6b2976fb246aad927706dda5d6b4

#### Identifiers

- None

### remotegui.zip: angularjs.jar: angular-locale\_saq-ke.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_saq-ke.js

**MD5:** 6675a2b4d185e4f3359d0bdb1fcdafc8



**SHA1:** 7161e37b09815565336537408ffab976def817bc  
**SHA256:**b599817af248d98045030d30363ffaca95e638fdaffa8b025e09c53bab21e04d  
**Referenced In Project/Scope:**server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies



- remotegui.zip: angularjs.jar: angular-locale\_saq-ke.js.gz: angular-locale\_saq-ke.js
  - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_saq-ke.js.gz/angular-locale\_saq-ke.js
  - MD5: 6675a2b4d185e4f3359d0bdb1fcdafc8
  - SHA1: 7161e37b09815565336537408ffab976def817bc
  - SHA256: b599817af248d98045030d30363ffaca95e638fdaffa8b025e09c53bab21e04d

Identifiers

- None

remotegui.zip: angularjs.jar: angular-locale\_saq.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_saq.js  
**MD5:** 3d78b2f8e0b2815965d217f75a68b1ce  
**SHA1:** 9145e90649e3fc77092f6889d36ce25c16721b1f  
**SHA256:**c199e95ed2ee08e0afe75933fa8bdf256ccc538cc5c6839807ecaab5b0264bb2  
**Referenced In Project/Scope:**server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies



- remotegui.zip: angularjs.jar: angular-locale\_saq.js.gz: angular-locale\_saq.js
  - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_saq.js.gz/angular-locale\_saq.js
  - MD5: 3d78b2f8e0b2815965d217f75a68b1ce
  - SHA1: 9145e90649e3fc77092f6889d36ce25c16721b1f



- SHA256: c199e95ed2ee08e0afe75933fa8bdf256ccc538cc5c6839807ecaab5b0264bb2

#### Identifiers

- None

### remotegui.zip: angularjs.jar: angular-locale\_sbp-tz.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_sbp-tz.js

**MD5:** 07cb9c28a8017f5558d6095a038b913c

**SHA1:** 23f0d60dcaf143e628178cccc0d42fa1b869b293

**SHA256:** 1b80cbc803f5e6a949aac3377b9fd3ffe08defa3e93cfd38794744d5ec38cf29

**Referenced In Project/Scope:**server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Related Dependencies



- remotegui.zip: angularjs.jar: angular-locale\_sbp-tz.js.gz: angular-locale\_sbp-tz.js
  - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_sbp-tz.js.gz/angular-locale\_sbp-tz.js
  - MD5: 07cb9c28a8017f5558d6095a038b913c
  - SHA1: 23f0d60dcaf143e628178cccc0d42fa1b869b293
  - SHA256: 1b80cbc803f5e6a949aac3377b9fd3ffe08defa3e93cfd38794744d5ec38cf29

#### Identifiers

- None

### remotegui.zip: angularjs.jar: angular-locale\_sbp.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_sbp.js

**MD5:** ce5c70482ade5891711843385023363f



**SHA1:** 5f79e3fe17f8fda3f44d37262cf5e1da1ee268c4  
**SHA256:**f22c984654550f5a8e3ebd6df828693d96489b3f7914960162f5d542f2376494  
**Referenced In Project/Scope:**server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies



- remotegui.zip: angularjs.jar: angular-locale\_sbp.js.gz: angular-locale\_sbp.js
  - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_sbp.js.gz/angular-locale\_sbp.js
  - MD5: ce5c70482ade5891711843385023363f
  - SHA1: 5f79e3fe17f8fda3f44d37262cf5e1da1ee268c4
  - SHA256: f22c984654550f5a8e3ebd6df828693d96489b3f7914960162f5d542f2376494

Identifiers

- None

remotegui.zip: angularjs.jar: angular-locale\_se-fi.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_se-fi.js  
**MD5:** 8ba19c43e3d7f972e8e9463785ae7a83  
**SHA1:** 01d2ed5cf67b228a997bea822112e1ff3a3cd98c  
**SHA256:**cea81c15625e54bef02957445ad072732d0c76ddf9d69c83f5ab9875bf08c47a  
**Referenced In Project/Scope:**server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies



- remotegui.zip: angularjs.jar: angular-locale\_se-fi.js.gz: angular-locale\_se-fi.js
  - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_se-fi.js.gz/angular-locale\_se-fi.js
  - MD5: 8ba19c43e3d7f972e8e9463785ae7a83
  - SHA1: 01d2ed5cf67b228a997bea822112e1ff3a3cd98c



- SHA256: cea81c15625e54bef02957445ad072732d0c76ddf9d69c83f5ab9875bf08c47a

#### Identifiers

- None

### remotegui.zip: angularjs.jar: angular-locale\_se-no.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_se-no.js

**MD5:** b80800251598bcd5c7ef5109133262d

**SHA1:** 715ef5cb3c5a0ae72031a4e2e2abf559387d9fba

**SHA256:** 34ec2699317d321e0c9b0a1d8cbf3a5ba4798d71b0c003acce9300194425119e

**Referenced In Project/Scope:**server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Related Dependencies



- remotegui.zip: angularjs.jar: angular-locale\_se-no.js.gz: angular-locale\_se-no.js
  - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_se-no.js.gz/angular-locale\_se-no.js
  - MD5: b80800251598bcd5c7ef5109133262d
  - SHA1: 715ef5cb3c5a0ae72031a4e2e2abf559387d9fba
  - SHA256: 34ec2699317d321e0c9b0a1d8cbf3a5ba4798d71b0c003acce9300194425119e

#### Identifiers

- None

### remotegui.zip: angularjs.jar: angular-locale\_se-se.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_se-se.js

**MD5:** 34ee8d6670bc0ff6764e9f2da70762e9



**SHA1:** 5effb095657df1ba9cd5d6aba17b068e0e5501be  
**SHA256:**f5abcfdf0f1d61e29e3491d58bdbd143e9d33d5981483fed692333ef1a4292dcc  
**Referenced In Project/Scope:**server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies

- remotegui.zip: angularjs.jar: angular-locale\_se-se.js.gz: angular-locale\_se-se.js
  - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_se-se.js.gz/angular-locale\_se-se.js
  - MD5: 34ee8d6670bc0ff6764e9f2da70762e9
  - SHA1: 5effb095657df1ba9cd5d6aba17b068e0e5501be
  - SHA256: f5abcfdf0f1d61e29e3491d58bdbd143e9d33d5981483fed692333ef1a4292dcc

Identifiers

- None

remotegui.zip: angularjs.jar: angular-locale\_se.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_se.js  
**MD5:** fb72302c205123418199d36d2605a184  
**SHA1:** df1dbc977383528e5af76bdf48075b8dd08a0227  
**SHA256:**0809dfedde8c205e0fc74455ddfc34ea3bead53759365f8b0581bcfa426eb42a  
**Referenced In Project/Scope:**server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies

- remotegui.zip: angularjs.jar: angular-locale\_se.js.gz: angular-locale\_se.js
  - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_se.js.gz/angular-locale\_se.js
  - MD5: fb72302c205123418199d36d2605a184
  - SHA1: df1dbc977383528e5af76bdf48075b8dd08a0227



- SHA256: 0809dfedde8c205e0fc74455ddfc34ea3bead53759365f8b0581bcfa426eb42a

#### Identifiers

- None

### remotegui.zip: angularjs.jar: angular-locale\_seh-mz.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_seh-mz.js

**MD5:** e1aced0ae776f11bc239468e48f73212

**SHA1:** 3bcb6077fb2e787f6d7b710f07758aabe4e97037

**SHA256:** 36eaeda0ede52c1015b1c6c620fbc6591d2dee1f0077bcf31825d67ef11c2738

**Referenced In Project/Scope:**server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Related Dependencies



- remotegui.zip: angularjs.jar: angular-locale\_seh-mz.js.gz: angular-locale\_seh-mz.js
  - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_seh-mz.js.gz/angular-locale\_seh-mz.js
  - MD5: e1aced0ae776f11bc239468e48f73212
  - SHA1: 3bcb6077fb2e787f6d7b710f07758aabe4e97037
  - SHA256: 36eaeda0ede52c1015b1c6c620fbc6591d2dee1f0077bcf31825d67ef11c2738

#### Identifiers

- None

### remotegui.zip: angularjs.jar: angular-locale\_seh.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_seh.js

**MD5:** d7d4447b73aa6fda286d8f2084177687



**SHA1:** cec925876634c86ca4386529966a4e9a882c97b7  
**SHA256:** ce78ca1790b0ae99068ad67f7b39b5f06165ceee7b6c618751b5d90345f516c3  
**Referenced In Project/Scope:** server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies

- remotegui.zip: angularjs.jar: angular-locale\_seh.js.gz: angular-locale\_seh.js
  - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_seh.js.gz/angular-locale\_seh.js
  - MD5: d7d4447b73aa6fda286d8f2084177687
  - SHA1: cec925876634c86ca4386529966a4e9a882c97b7
  - SHA256: ce78ca1790b0ae99068ad67f7b39b5f06165ceee7b6c618751b5d90345f516c3

Identifiers

- None

remotegui.zip: angularjs.jar: angular-locale\_ses-ml.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_ses-ml.js  
**MD5:** 8affb38516e47e501b9e1ec2c8f3db38  
**SHA1:** 7ffdc5499b1f9f91b1c219d5ccc3a71a6af23c3  
**SHA256:** 08a0a6381696d2a08e80aebc908f410a846932e480f67b7ec71a169ebfba891d  
**Referenced In Project/Scope:** server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies

- remotegui.zip: angularjs.jar: angular-locale\_ses-ml.js.gz: angular-locale\_ses-ml.js
  - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_ses-ml.js.gz/angular-locale\_ses-ml.js
  - MD5: 8affb38516e47e501b9e1ec2c8f3db38
  - SHA1: 7ffdc5499b1f9f91b1c219d5ccc3a71a6af23c3



- SHA256: 08a0a6381696d2a08e80aebc908f410a846932e480f67b7ec71a169ebfba891d

#### Identifiers

- None

### remotegui.zip: angularjs.jar: angular-locale\_ses.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_ses.js

**MD5:** 0aca3b586dd063bb4cdc15b63b10e4aa

**SHA1:** e9728e20b6d7cc790a50d9b63c487e3c227b0ae4

**SHA256:** b01b1719bda85c3cb5e2301e94b52ea1925b112cb5d783f85108d63ac82aa00c

**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Related Dependencies



- remotegui.zip: angularjs.jar: angular-locale\_ses.js.gz: angular-locale\_ses.js
  - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_ses.js.gz/angular-locale\_ses.js
  - MD5: 0aca3b586dd063bb4cdc15b63b10e4aa
  - SHA1: e9728e20b6d7cc790a50d9b63c487e3c227b0ae4
  - SHA256: b01b1719bda85c3cb5e2301e94b52ea1925b112cb5d783f85108d63ac82aa00c

#### Identifiers

- None

### remotegui.zip: angularjs.jar: angular-locale\_sg-cf.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_sg-cf.js

**MD5:** 41ac06bfc37bd85b64dcac0f571d77ca



**SHA1:** 9fdd8690e4bf9321bd27ca076332d546da1c0c0d  
**SHA256:**88e69491a6b009c3a92725f9dd2761ebe19227270e376472d1586640b6a5628d  
**Referenced In Project/Scope:**server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies

- remotegui.zip: angularjs.jar: angular-locale\_sg-cf.js.gz: angular-locale\_sg-cf.js
  - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_sg-cf.js.gz/angular-locale\_sg-cf.js
  - MD5: 41ac06bfc37bd85b64dcac0f571d77ca
  - SHA1: 9fdd8690e4bf9321bd27ca076332d546da1c0c0d
  - SHA256: 88e69491a6b009c3a92725f9dd2761ebe19227270e376472d1586640b6a5628d

Identifiers

- None

remotegui.zip: angularjs.jar: angular-locale\_sg.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_sg.js  
**MD5:** 204ce58206e93c91c0def07a50ddb1f7  
**SHA1:** 5816d63625e6cba921153db053882f5bb3583387  
**SHA256:**4155647a43ba86ea124ddf18a545188246189640fae06c035fb1f28add6c58a8  
**Referenced In Project/Scope:**server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies

- remotegui.zip: angularjs.jar: angular-locale\_sg.js.gz: angular-locale\_sg.js
  - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_sg.js.gz/angular-locale\_sg.js
  - MD5: 204ce58206e93c91c0def07a50ddb1f7
  - SHA1: 5816d63625e6cba921153db053882f5bb3583387



- SHA256: 4155647a43ba86ea124ddf18a545188246189640fae06c035fb1f28add6c58a8

#### Identifiers

- None

### remotegui.zip: angularjs.jar: angular-locale\_sh.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_sh.js

**MD5:** 5511c24d8bb8a305feba5aca77afd1de

**SHA1:** cb4632131be1432a469388ef476bb11f7be702a2

**SHA256:** 494ba75a516f7a892dc43d475225539ceb4935a65255abff715861dc5d64c413

**Referenced In Project/Scope:**server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Related Dependencies



- remotegui.zip: angularjs.jar: angular-locale\_sh.js.gz: angular-locale\_sh.js
  - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_sh.js.gz/angular-locale\_sh.js
  - MD5: 5511c24d8bb8a305feba5aca77afd1de
  - SHA1: cb4632131be1432a469388ef476bb11f7be702a2
  - SHA256: 494ba75a516f7a892dc43d475225539ceb4935a65255abff715861dc5d64c413

#### Identifiers

- None

### remotegui.zip: angularjs.jar: angular-locale\_shi-latn-ma.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_shi-latn-ma.js

**MD5:** d90d1e86486bf16887ccc921012e0f67



**SHA1:** c34f2348260abbe7022c1977129aa5d7ad82303b  
**SHA256:**3c441bcd24bfd981aaad685f1099e90a7958175261946d371140782d35612f10  
**Referenced In Project/Scope:**server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies

- remotegui.zip: angularjs.jar: angular-locale\_shi-latn-ma.js.gz: angular-locale\_shi-latn-ma.js
  - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_shi-latn-ma.js.gz/angular-locale\_shi-latn-ma.js
  - MD5: d90d1e86486bf16887ccc921012e0f67
  - SHA1: c34f2348260abbe7022c1977129aa5d7ad82303b
  - SHA256: 3c441bcd24bfd981aaad685f1099e90a7958175261946d371140782d35612f10

Identifiers

- None

remotegui.zip: angularjs.jar: angular-locale\_shi-latn.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_shi-latn.js  
**MD5:** 69804bac1d8a4bb2b72f6a16233c978d  
**SHA1:** 8dac500f760eae9023db8a8c2213842f42c88c7a  
**SHA256:**acfb72052490826a5e7baa0d8492075bbc4408e781b9aa71b5aeb8a9eb39554  
**Referenced In Project/Scope:**server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies

- remotegui.zip: angularjs.jar: angular-locale\_shi-latn.js.gz: angular-locale\_shi-latn.js
  - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_shi-latn.js.gz/angular-locale\_shi-latn.js
  - MD5: 69804bac1d8a4bb2b72f6a16233c978d



- SHA1: 8dac500f760eae9023db8a8c2213842f42c88c7a
- SHA256: acfbb72052490826a5e7baa0d8492075bbc4408e781b9aa71b5aeb8a9eb39554

#### Identifiers

- None

### remotegui.zip: angularjs.jar: angular-locale\_shi-tfng-ma.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_shi-tfng-ma.js

**MD5:** 739ff71005992976b67f8d100ed7d179

**SHA1:** c564561d9f1a3a123d4c8da0ce88dbd8f5b67408

**SHA256:** badda3ff54b97d29146bbcfa654c1aaebe539b2731f208bde02c2a5a04d10dbe

**Referenced In Project/Scope:**server

#### Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Related Dependencies

- remotegui.zip: angularjs.jar: angular-locale\_shi-tfng-ma.js.gz: angular-locale\_shi-tfng-ma.js
  - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_shi-tfng-ma.js.gz/angular-locale\_shi-tfng-ma.js
  - MD5: 739ff71005992976b67f8d100ed7d179
  - SHA1: c564561d9f1a3a123d4c8da0ce88dbd8f5b67408
  - SHA256: badda3ff54b97d29146bbcfa654c1aaebe539b2731f208bde02c2a5a04d10dbe

#### Identifiers

- None

### remotegui.zip: angularjs.jar: angular-locale\_shi-tfng.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_shi-tfng.js

**MD5:** 021ec91e3c54a091472567da0877749c



**SHA1:** aedb7d96e60b68a8d6ac8fd72042732132a58b36  
**SHA256:**24ee3307727831c82934b9aa4751ab8d816f68d0bfe6ae478f439344d9763d66  
**Referenced In Project/Scope:**server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies

- remotegui.zip: angularjs.jar: angular-locale\_shi-tfng.js.gz: angular-locale\_shi-tfng.js
  - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_shi-tfng.js.gz/angular-locale\_shi-tfng.js
  - MD5: 021ec91e3c54a091472567da0877749c
  - SHA1: aedb7d96e60b68a8d6ac8fd72042732132a58b36
  - SHA256: 24ee3307727831c82934b9aa4751ab8d816f68d0bfe6ae478f439344d9763d66

Identifiers

- None

remotegui.zip: angularjs.jar: angular-locale\_shi.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_shi.js  
**MD5:** aa8647a6ee13572b452d786b7be18402  
**SHA1:** 9ded8761e8785c1744eb0fd0444d1e7faf9674dc  
**SHA256:**8f4b80407f50f483e6fe4e9efdba7b64d650e50502827d56ffd7834028b43729  
**Referenced In Project/Scope:**server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies

- remotegui.zip: angularjs.jar: angular-locale\_shi.js.gz: angular-locale\_shi.js
  - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_shi.js.gz/angular-locale\_shi.js
  - MD5: aa8647a6ee13572b452d786b7be18402
  - SHA1: 9ded8761e8785c1744eb0fd0444d1e7faf9674dc



- SHA256: 8f4b80407f50f483e6fe4e9efdba7b64d650e50502827d56ffd7834028b43729

#### Identifiers

- None

### remotegui.zip: angularjs.jar: angular-locale\_si-lk.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_si-lk.js

**MD5:** fd2a397a7068c57ba1078a2fe51b8b33

**SHA1:** f6f0f4a7c627371909a96ab6deea4d9f46ecc465

**SHA256:** 1d89c3bbf970a1773e944162d804dbc22316aaaa8f9b00373126e14f2a89874e

**Referenced In Project/Scope:**server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Related Dependencies



- remotegui.zip: angularjs.jar: angular-locale\_si-lk.js.gz: angular-locale\_si-lk.js
  - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_si-lk.js.gz/angular-locale\_si-lk.js
  - MD5: fd2a397a7068c57ba1078a2fe51b8b33
  - SHA1: f6f0f4a7c627371909a96ab6deea4d9f46ecc465
  - SHA256: 1d89c3bbf970a1773e944162d804dbc22316aaaa8f9b00373126e14f2a89874e

#### Identifiers

- None

### remotegui.zip: angularjs.jar: angular-locale\_si.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_si.js

**MD5:** d75a3039db8f859f16dbbb1125d0269e



**SHA1:** 466e18fa280369bce925b246da06fc9fd9dcc92c  
**SHA256:**640fb0d1598608ed555d9ce24359c749af7840467ce8a556cdeb7ebcc3e0c562  
**Referenced In Project/Scope:**server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies

- remotegui.zip: angularjs.jar: angular-locale\_si.js.gz: angular-locale\_si.js
  - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_si.js.gz/angular-locale\_si.js
  - MD5: d75a3039db8f859f16dbbb1125d0269e
  - SHA1: 466e18fa280369bce925b246da06fc9fd9dcc92c
  - SHA256: 640fb0d1598608ed555d9ce24359c749af7840467ce8a556cdeb7ebcc3e0c562

Identifiers

- None

remotegui.zip: angularjs.jar: angular-locale\_sk-sk.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_sk-sk.js  
**MD5:** b62d7756d1c059c5cc049f7a4438975f  
**SHA1:** ea499539605b54b5c931f7e992633344470ff448  
**SHA256:**523ee717235b8f244f277eb47aa57144e638f04bc7f265c9db6cd59a47416014  
**Referenced In Project/Scope:**server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies

- remotegui.zip: angularjs.jar: angular-locale\_sk-sk.js.gz: angular-locale\_sk-sk.js
  - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_sk-sk.js.gz/angular-locale\_sk-sk.js
  - MD5: b62d7756d1c059c5cc049f7a4438975f
  - SHA1: ea499539605b54b5c931f7e992633344470ff448



- SHA256: 523ee717235b8f244f277eb47aa57144e638f04bc7f265c9db6cd59a47416014

#### Identifiers

- None

### remotegui.zip: angularjs.jar: angular-locale\_sk.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_sk.js

**MD5:** 415cbf8b82d72335f2a481b6c501ea5f

**SHA1:** 5f368c8a7a9c37ca6b7bb39a9fec157084c65eae

**SHA256:** 3fdcc6dfd91ecee8c575d50cc73d262ea418d6c309624fa481ef63b01ba3ca64

**Referenced In Project/Scope:**server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Related Dependencies



- remotegui.zip: angularjs.jar: angular-locale\_sk.js.gz: angular-locale\_sk.js
  - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_sk.js.gz/angular-locale\_sk.js
  - MD5: 415cbf8b82d72335f2a481b6c501ea5f
  - SHA1: 5f368c8a7a9c37ca6b7bb39a9fec157084c65eae
  - SHA256: 3fdcc6dfd91ecee8c575d50cc73d262ea418d6c309624fa481ef63b01ba3ca64

#### Identifiers

- None

### remotegui.zip: angularjs.jar: angular-locale\_sl-si.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_sl-si.js

**MD5:** 4845bb60a0048ef32f0030b08f1f3321



**SHA1:** 6631220c5ecec0dcfa4b29402adc9fbc38902519  
**SHA256:**3ec442247d1d75f2432612d7c0b2b7f8d1708327ffe7f0773886ea0dd9864e0  
**Referenced In Project/Scope:**server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies +

- remotegui.zip: angularjs.jar: angular-locale\_sl-si.js.gz: angular-locale\_sl-si.js
  - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_sl-si.js.gz/angular-locale\_sl-si.js
  - MD5: 4845bb60a0048ef32f0030b08f1f3321
  - SHA1: 6631220c5ecec0dcfa4b29402adc9fbc38902519
  - SHA256: 3ec442247d1d75f2432612d7c0b2b7f8d1708327ffe7f0773886ea0dd9864e0

Identifiers

- None

remotegui.zip: angularjs.jar: angular-locale\_sl.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_sl.js  
**MD5:** be9b64d39ab37ed1e06e4afbd56539ef  
**SHA1:** c4bfd5fcf9cec9c6f2ca09ca606c5d721c816241  
**SHA256:**5196be8d20542b8583a0501e15e47e74094785dc5b8e83b3058edeeb65112aa3  
**Referenced In Project/Scope:**server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies +

- remotegui.zip: angularjs.jar: angular-locale\_sl.js.gz: angular-locale\_sl.js
  - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_sl.js.gz/angular-locale\_sl.js
  - MD5: be9b64d39ab37ed1e06e4afbd56539ef
  - SHA1: c4bfd5fcf9cec9c6f2ca09ca606c5d721c816241



- SHA256: 5196be8d20542b8583a0501e15e47e74094785dc5b8e83b3058edeeb65112aa3

#### Identifiers

- None

### remotegui.zip: angularjs.jar: angular-locale\_smn-fi.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_smn-fi.js

**MD5:** 2a371bb44be30ae1148f965f14595824

**SHA1:** 7e77ec9fc1fe37a767ea326abbbc4e55b399f70b

**SHA256:** 441b90c7c7244c027eee0ea75a9e0cc62a3b25677900bd2921032551838554f0

**Referenced In Project/Scope:**server

#### Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Related Dependencies

- remotegui.zip: angularjs.jar: angular-locale\_smn-fi.js.gz: angular-locale\_smn-fi.js
  - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_smn-fi.js.gz/angular-locale\_smn-fi.js
  - MD5: 2a371bb44be30ae1148f965f14595824
  - SHA1: 7e77ec9fc1fe37a767ea326abbbc4e55b399f70b
  - SHA256: 441b90c7c7244c027eee0ea75a9e0cc62a3b25677900bd2921032551838554f0

#### Identifiers

- None

### remotegui.zip: angularjs.jar: angular-locale\_smn.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_smn.js

**MD5:** 72f96f705dedea348e52d6ff9653ed1b



**SHA1:** 123c2d16a695a0d0580e460e1b889e3c3c00e770  
**SHA256:**3a888331c3332584990b125264979c3cf640dab94aaf797b1d58d14f0563c656  
**Referenced In Project/Scope:**server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies

- remotegui.zip: angularjs.jar: angular-locale\_smn.js.gz: angular-locale\_smn.js
  - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_smn.js.gz/angular-locale\_smn.js
  - MD5: 72f96f705dedea348e52d6ff9653ed1b
  - SHA1: 123c2d16a695a0d0580e460e1b889e3c3c00e770
  - SHA256: 3a888331c3332584990b125264979c3cf640dab94aaf797b1d58d14f0563c656

Identifiers

- None

remotegui.zip: angularjs.jar: angular-locale\_sn-zw.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_sn-zw.js  
**MD5:** 22fb4ab50a53fa3cd36b185eb16087ad  
**SHA1:** 3888b78abbcdb9c0615e00b9af5210abbbe48388  
**SHA256:**52f8cbe98e964773080971d7bee71756bf81f740f448163aea44051aadaef444  
**Referenced In Project/Scope:**server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies

- remotegui.zip: angularjs.jar: angular-locale\_sn-zw.js.gz: angular-locale\_sn-zw.js
  - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_sn-zw.js.gz/angular-locale\_sn-zw.js
  - MD5: 22fb4ab50a53fa3cd36b185eb16087ad
  - SHA1: 3888b78abbcdb9c0615e00b9af5210abbbe48388



- SHA256: 52f8cbe98e964773080971d7bee71756bf81f740f448163aea44051aadaef444

#### Identifiers

- None

### remotegui.zip: angularjs.jar: angular-locale\_sn.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_sn.js

**MD5:** f46a7e0027bfd619474624cbefb5db64

**SHA1:** e9ddb17b5c80dd02d99642f33663b5457a24470a

**SHA256:** 483f38c8a1d6487636cfb4b05dc6f4b6e50d8207632bc4be1900cf10f06a5d20

**Referenced In Project/Scope:**server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Related Dependencies



- remotegui.zip: angularjs.jar: angular-locale\_sn.js.gz: angular-locale\_sn.js
  - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_sn.js.gz/angular-locale\_sn.js
  - MD5: f46a7e0027bfd619474624cbefb5db64
  - SHA1: e9ddb17b5c80dd02d99642f33663b5457a24470a
  - SHA256: 483f38c8a1d6487636cfb4b05dc6f4b6e50d8207632bc4be1900cf10f06a5d20

#### Identifiers

- None

### remotegui.zip: angularjs.jar: angular-locale\_so-dj.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_so-dj.js

**MD5:** da7c0af9b8d0dbbb271f9f852655202e



**SHA1:** 939ddeea71995f36f1898030b985c8cbbbb88d33  
**SHA256:**2b1be0335d8ab40377c5b23a234aeae62f6dda1e6d6760990dc8013b35cb0b57  
**Referenced In Project/Scope:**server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies

- remotegui.zip: angularjs.jar: angular-locale\_so-dj.js.gz: angular-locale\_so-dj.js
  - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_so-dj.js.gz/angular-locale\_so-dj.js
  - MD5: da7c0af9b8d0dbbb271f9f852655202e
  - SHA1: 939ddeea71995f36f1898030b985c8cbbbb88d33
  - SHA256: 2b1be0335d8ab40377c5b23a234aeae62f6dda1e6d6760990dc8013b35cb0b57

Identifiers

- None

remotegui.zip: angularjs.jar: angular-locale\_so-et.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_so-et.js  
**MD5:** 9a5b7b1417e55bf931cab51b9ca9910c  
**SHA1:** d6eeda000f03a3609435a96ac898c5ef0728d0c1  
**SHA256:**a89447cc7bbe1c8f38b37c23539cdf7c905d9f49e2de26880d9a98edc8e466d4  
**Referenced In Project/Scope:**server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies

- remotegui.zip: angularjs.jar: angular-locale\_so-et.js.gz: angular-locale\_so-et.js
  - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_so-et.js.gz/angular-locale\_so-et.js
  - MD5: 9a5b7b1417e55bf931cab51b9ca9910c
  - SHA1: d6eeda000f03a3609435a96ac898c5ef0728d0c1



- SHA256: a89447cc7bbe1c8f38b37c23539cdf7c905d9f49e2de26880d9a98edc8e466d4

#### Identifiers

- None

### remotegui.zip: angularjs.jar: angular-locale\_so-ke.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_so-ke.js

**MD5:** fcda366a7084bb7bf9f1d39f45aa6980

**SHA1:** db55ee3e64089afa9c2d646a70487343ab6fe27e

**SHA256:** 14ddc9d2338941ac4c71646382b20a22fc7eae78e3de782cf04c49446289af8d

**Referenced In Project/Scope:**server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Related Dependencies



- remotegui.zip: angularjs.jar: angular-locale\_so-ke.js.gz: angular-locale\_so-ke.js
  - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_so-ke.js.gz/angular-locale\_so-ke.js
  - MD5: fcda366a7084bb7bf9f1d39f45aa6980
  - SHA1: db55ee3e64089afa9c2d646a70487343ab6fe27e
  - SHA256: 14ddc9d2338941ac4c71646382b20a22fc7eae78e3de782cf04c49446289af8d

#### Identifiers

- None

### remotegui.zip: angularjs.jar: angular-locale\_so-so.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_so-so.js

**MD5:** e3c648977f07f86c8555603bb10e46f8



**SHA1:** 03e54cdc506bb201ed5fb7671f9e8a44da2d8b94  
**SHA256:** e1c802ce1b53a7e5b1e999628362ce2d80398be1d645697f34e20d9ac0f89838  
**Referenced In Project/Scope:** server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies

- remotegui.zip: angularjs.jar: angular-locale\_so-so.js.gz: angular-locale\_so-so.js
  - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_so-so.js.gz/angular-locale\_so-so.js
  - MD5: e3c648977f07f86c8555603bb10e46f8
  - SHA1: 03e54cdc506bb201ed5fb7671f9e8a44da2d8b94
  - SHA256: e1c802ce1b53a7e5b1e999628362ce2d80398be1d645697f34e20d9ac0f89838

Identifiers

- None

remotegui.zip: angularjs.jar: angular-locale\_so.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_so.js  
**MD5:** 46925eecd7e7098f85cd20c1313c604e  
**SHA1:** dc6d7546f8708be819b1d5413a0f928735dda8fe  
**SHA256:** ec1767d40da53486f0942e4e3aea622691b20800fa98683a747f88db41a8cd3a  
**Referenced In Project/Scope:** server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies

- remotegui.zip: angularjs.jar: angular-locale\_so.js.gz: angular-locale\_so.js
  - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_so.js.gz/angular-locale\_so.js
  - MD5: 46925eecd7e7098f85cd20c1313c604e
  - SHA1: dc6d7546f8708be819b1d5413a0f928735dda8fe



- SHA256: ec1767d40da53486f0942e4e3aea622691b20800fa98683a747f88db41a8cd3a

#### Identifiers

- None

### remotegui.zip: angularjs.jar: angular-locale\_sq-al.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_sq-al.js

**MD5:** ba57058133d3e061b589d298a9f49ac7

**SHA1:** 1723265b8c4737ea0643167b75a4a8351cffe93

**SHA256:** 9a34908a3ced4e5f6cb785a578acbc5762d6880086f38eb9b105ecd8aa64864d

**Referenced In Project/Scope:**server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Related Dependencies



- remotegui.zip: angularjs.jar: angular-locale\_sq-al.js.gz: angular-locale\_sq-al.js
  - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_sq-al.js.gz/angular-locale\_sq-al.js
  - MD5: ba57058133d3e061b589d298a9f49ac7
  - SHA1: 1723265b8c4737ea0643167b75a4a8351cffe93
  - SHA256: 9a34908a3ced4e5f6cb785a578acbc5762d6880086f38eb9b105ecd8aa64864d

#### Identifiers

- None

### remotegui.zip: angularjs.jar: angular-locale\_sq-mk.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_sq-mk.js

**MD5:** baf420acdf9ab478c14afa8de6972927



**SHA1:** 6367a5faafa8b590a06ecceb94760c136593129b  
**SHA256:**4477a8b5d9948776752d872a7804caa014db86a27de4b9466800fff2969e7865  
**Referenced In Project/Scope:**server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies

- remotegui.zip: angularjs.jar: angular-locale\_sq-mk.js.gz: angular-locale\_sq-mk.js
  - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_sq-mk.js.gz/angular-locale\_sq-mk.js
  - MD5: baf420acdf9ab478c14afa8de6972927
  - SHA1: 6367a5faafa8b590a06ecceb94760c136593129b
  - SHA256: 4477a8b5d9948776752d872a7804caa014db86a27de4b9466800fff2969e7865

Identifiers

- None

remotegui.zip: angularjs.jar: angular-locale\_sq-xk.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_sq-xk.js  
**MD5:** 813e6dee6db3cf657f0e09a2d885c45b  
**SHA1:** ecb8a22eb0c7061ee9683484347e0b3f8b0965a7  
**SHA256:**e7d2a642c16cdd07bef204cbb4dd99f6992afdaa60831f01983840f131975de1  
**Referenced In Project/Scope:**server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies

- remotegui.zip: angularjs.jar: angular-locale\_sq-xk.js.gz: angular-locale\_sq-xk.js
  - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_sq-xk.js.gz/angular-locale\_sq-xk.js
  - MD5: 813e6dee6db3cf657f0e09a2d885c45b
  - SHA1: ecb8a22eb0c7061ee9683484347e0b3f8b0965a7



- SHA256: e7d2a642c16cdd07bef204cbb4dd99f6992afdaa60831f01983840f131975de1

#### Identifiers

- None

### remotegui.zip: angularjs.jar: angular-locale\_sq.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_sq.js

**MD5:** dadb798f57b3a1dd857a4b03ca9af895

**SHA1:** da36d132ac338eb4ca31836070dbf981e9cc610d

**SHA256:** 2727a6b124e0f4ebe47343eb563d228f8aa3f2832346cea56cc9d860eae955fa

**Referenced In Project/Scope:**server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Related Dependencies



- remotegui.zip: angularjs.jar: angular-locale\_sq.js.gz: angular-locale\_sq.js
  - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_sq.js.gz/angular-locale\_sq.js
  - MD5: dadb798f57b3a1dd857a4b03ca9af895
  - SHA1: da36d132ac338eb4ca31836070dbf981e9cc610d
  - SHA256: 2727a6b124e0f4ebe47343eb563d228f8aa3f2832346cea56cc9d860eae955fa

#### Identifiers

- None

### remotegui.zip: angularjs.jar: angular-locale\_sr-cyrl-ba.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_sr-cyrl-ba.js

**MD5:** 95824703b8b395c7a7d3ef99d9d72e89



**SHA1:** 6d086fcc8c0d5eeb327fa2ccee1db42fb5c8b23e  
**SHA256:**b436dea3d0baa399e337f66bec8b7aa67b335b85895c0c133b66ab82a6f5674f  
**Referenced In Project/Scope:**server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies

- remotegui.zip: angularjs.jar: angular-locale\_sr-cyrl-ba.js.gz: angular-locale\_sr-cyrl-ba.js
  - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_sr-cyrl-ba.js.gz/angular-locale\_sr-cyrl-ba.js
  - MD5: 95824703b8b395c7a7d3ef99d9d72e89
  - SHA1: 6d086fcc8c0d5eeb327fa2ccee1db42fb5c8b23e
  - SHA256: b436dea3d0baa399e337f66bec8b7aa67b335b85895c0c133b66ab82a6f5674f

Identifiers

- None

remotegui.zip: angularjs.jar: angular-locale\_sr-cyrl-me.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_sr-cyrl-me.js  
**MD5:** ca0f7e0064b8e543e5e29b08fe78c2f4  
**SHA1:** b430e6280512dbf32f85358e455bacd24c1fb72d  
**SHA256:**69a8f83d7792cd85a2a9669d75ca4e537e86aedc5b154d5f596021b4a5703a5b  
**Referenced In Project/Scope:**server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies

- remotegui.zip: angularjs.jar: angular-locale\_sr-cyrl-me.js.gz: angular-locale\_sr-cyrl-me.js
  - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_sr-cyrl-me.js.gz/angular-locale\_sr-cyrl-me.js
  - MD5: ca0f7e0064b8e543e5e29b08fe78c2f4
  - SHA1: b430e6280512dbf32f85358e455bacd24c1fb72d



- SHA256: 69a8f83d7792cd85a2a9669d75ca4e537e86aedc5b154d5f596021b4a5703a5b

#### Identifiers

- None

### remotegui.zip: angularjs.jar: angular-locale\_sr-cyrl-rs.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_sr-cyrl-rs.js

**MD5:** 662130e72d82c63c564c7d9bd997901e

**SHA1:** 7ac79b5d022c7de9b2c51756e1e1e8f51db022f7

**SHA256:** 5be070857b145e50d14b41cc9222bf4ee1efcffe4fa87fe401bb77097c60813

**Referenced In Project/Scope:**server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Related Dependencies



- remotegui.zip: angularjs.jar: angular-locale\_sr-cyrl-rs.js.gz: angular-locale\_sr-cyrl-rs.js
  - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_sr-cyrl-rs.js.gz/angular-locale\_sr-cyrl-rs.js
  - MD5: 662130e72d82c63c564c7d9bd997901e
  - SHA1: 7ac79b5d022c7de9b2c51756e1e1e8f51db022f7
  - SHA256: 5be070857b145e50d14b41cc9222bf4ee1efcffe4fa87fe401bb77097c60813

#### Identifiers

- None

### remotegui.zip: angularjs.jar: angular-locale\_sr-cyrl-xk.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_sr-cyrl-xk.js

**MD5:** 8f106b253afa2773d29ed4eb4aaac6ee



**SHA1:** 81ead253caaaf45ee4ba8b5adc7609b859c3bc17  
**SHA256:**a7e07e1c77b2f6f57bf86003dd90fd2029ba047d2f9fa476d16a91506087b3a2  
**Referenced In Project/Scope:**server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies

- remotegui.zip: angularjs.jar: angular-locale\_sr-cyrl-xk.js.gz: angular-locale\_sr-cyrl-xk.js
  - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_sr-cyrl-xk.js.gz/angular-locale\_sr-cyrl-xk.js
  - MD5: 8f106b253afa2773d29ed4eb4aaac6ee
  - SHA1: 81ead253caaaf45ee4ba8b5adc7609b859c3bc17
  - SHA256: a7e07e1c77b2f6f57bf86003dd90fd2029ba047d2f9fa476d16a91506087b3a2

Identifiers

- None

remotegui.zip: angularjs.jar: angular-locale\_sr-cyrl.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_sr-cyrl.js  
**MD5:** bbaa057c9194746571fccba39477e3de  
**SHA1:** 1af595265c17d8c4f3bd8352a75817e72812750d  
**SHA256:**f4758c5a48121348ee53557009b280759010721251f8950b89f2e07b7d219d13  
**Referenced In Project/Scope:**server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies

- remotegui.zip: angularjs.jar: angular-locale\_sr-cyrl.js.gz: angular-locale\_sr-cyrl.js
  - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_sr-cyrl.js.gz/angular-locale\_sr-cyrl.js
  - MD5: bbaa057c9194746571fccba39477e3de
  - SHA1: 1af595265c17d8c4f3bd8352a75817e72812750d



- SHA256: f4758c5a48121348ee53557009b280759010721251f8950b89f2e07b7d219d13

#### Identifiers

- None

### remotegui.zip: angularjs.jar: angular-locale\_sr-latn-ba.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_sr-latn-ba.js

**MD5:** 3f3ac1ede4229cb83dc2f0b363edf7d1

**SHA1:** 95cc852568bc214025acf8361b26c9cfa9c57700

**SHA256:** d63a59a820e3b5b905a601824174f210858276083bc9beb66c5b9175de85bd41

**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Related Dependencies



- remotegui.zip: angularjs.jar: angular-locale\_sr-latn-ba.js.gz: angular-locale\_sr-latn-ba.js
  - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_sr-latn-ba.js.gz/angular-locale\_sr-latn-ba.js
  - MD5: 3f3ac1ede4229cb83dc2f0b363edf7d1
  - SHA1: 95cc852568bc214025acf8361b26c9cfa9c57700
  - SHA256: d63a59a820e3b5b905a601824174f210858276083bc9beb66c5b9175de85bd41

#### Identifiers

- None

### remotegui.zip: angularjs.jar: angular-locale\_sr-latn-me.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_sr-latn-me.js

**MD5:** 36f685c71712ad81eb949928443b8c67



**SHA1:** a3c55242c0bd43ec70e2ae5ed82a286707d3d5  
**SHA256:** eb35befc865ff050ed93c6430fb4f43d736b8e693a46cd4b524ade0eb091ee07  
**Referenced In Project/Scope:** server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies

- remotegui.zip: angularjs.jar: angular-locale\_sr-latn-me.js.gz: angular-locale\_sr-latn-me.js
  - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_sr-latn-me.js.gz/angular-locale\_sr-latn-me.js
  - MD5: 36f685c71712ad81eb949928443b8c67
  - SHA1: a3c55242c0bd43ec70e2ae5ed82a286707d3d5
  - SHA256: eb35befc865ff050ed93c6430fb4f43d736b8e693a46cd4b524ade0eb091ee07

Identifiers

- None

remotegui.zip: angularjs.jar: angular-locale\_sr-latn-rs.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_sr-latn-rs.js  
**MD5:** c9fe759b0db15598d82544294712410b  
**SHA1:** d2b193471b464d7558832d4a31fca604ed4f4a0c  
**SHA256:** 3973e276953cdcd8028cedfc3973dd85cdb18cad46f6d12effaba61684df241d  
**Referenced In Project/Scope:** server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies

- remotegui.zip: angularjs.jar: angular-locale\_sr-latn-rs.js.gz: angular-locale\_sr-latn-rs.js
  - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_sr-latn-rs.js.gz/angular-locale\_sr-latn-rs.js
  - MD5: c9fe759b0db15598d82544294712410b
  - SHA1: d2b193471b464d7558832d4a31fca604ed4f4a0c



- SHA256: 3973e276953cdcd8028cedfc3973dd85cdb18cad46f6d12effaba61684df241d

#### Identifiers

- None

### remotegui.zip: angularjs.jar: angular-locale\_sr-latn-xk.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_sr-latn-xk.js

**MD5:** eea4f41a5fbd305cdc80434c2f2c5323

**SHA1:** 80ce6b8da7e2c831bece01096d59dd4833a4dd35

**SHA256:** 99e30f9a6ef0ee51b9be08a604f6189c0e7e8402206abcd1821bc52ac4f80d64

**Referenced In Project/Scope:**server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Related Dependencies



- remotegui.zip: angularjs.jar: angular-locale\_sr-latn-xk.js.gz: angular-locale\_sr-latn-xk.js
  - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_sr-latn-xk.js.gz/angular-locale\_sr-latn-xk.js
  - MD5: eea4f41a5fbd305cdc80434c2f2c5323
  - SHA1: 80ce6b8da7e2c831bece01096d59dd4833a4dd35
  - SHA256: 99e30f9a6ef0ee51b9be08a604f6189c0e7e8402206abcd1821bc52ac4f80d64

#### Identifiers

- None

### remotegui.zip: angularjs.jar: angular-locale\_sr-latn.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_sr-latn.js

**MD5:** 67cb1dae0d2aa0d75ae1b3cd89160c9a



**SHA1:** 264a970f6e01b37e360f31de5938e988550e925c  
**SHA256:** 93b15636874411f71880a0165abae4e367f6a14e7eec3f7af3aba0264b18a0de  
**Referenced In Project/Scope:**server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies

- remotegui.zip: angularjs.jar: angular-locale\_sr-latn.js.gz: angular-locale\_sr-latn.js
  - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_sr-latn.js.gz/angular-locale\_sr-latn.js
  - MD5: 67cb1dae0d2aa0d75ae1b3cd89160c9a
  - SHA1: 264a970f6e01b37e360f31de5938e988550e925c
  - SHA256: 93b15636874411f71880a0165abae4e367f6a14e7eec3f7af3aba0264b18a0de

Identifiers

- None

remotegui.zip: angularjs.jar: angular-locale\_sr.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_sr.js  
**MD5:** 50618901439fd2aaac4631c077bc5bfe  
**SHA1:** 66e2718e57814c191656579d6f61760dba86eb81  
**SHA256:** ebb721f6a4dc1da5ccfd50cd2533a383fe95ee94b0436ef0c990cc4a99e1a4db  
**Referenced In Project/Scope:**server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies

- remotegui.zip: angularjs.jar: angular-locale\_sr.js.gz: angular-locale\_sr.js
  - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_sr.js.gz/angular-locale\_sr.js
  - MD5: 50618901439fd2aaac4631c077bc5bfe
  - SHA1: 66e2718e57814c191656579d6f61760dba86eb81



- SHA256: ebb721f6a4dc1da5ccfd50cd2533a383fe95ee94b0436ef0c990cc4a99e1a4db

#### Identifiers

- None

### remotegui.zip: angularjs.jar: angular-locale\_sv-ax.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_sv-ax.js

**MD5:** 0f0981425507de138f76b2f7db853816

**SHA1:** bf0f5c204c84cd325f220ca35919c5bab96a2675

**SHA256:** 6f59ba22a906e13ec7d50d3ac1ce8d48fcf4b44ba84cbd43046e84db56547518

**Referenced In Project/Scope:**server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Related Dependencies



- remotegui.zip: angularjs.jar: angular-locale\_sv-ax.js.gz: angular-locale\_sv-ax.js
  - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_sv-ax.js.gz/angular-locale\_sv-ax.js
  - MD5: 0f0981425507de138f76b2f7db853816
  - SHA1: bf0f5c204c84cd325f220ca35919c5bab96a2675
  - SHA256: 6f59ba22a906e13ec7d50d3ac1ce8d48fcf4b44ba84cbd43046e84db56547518

#### Identifiers

- None

### remotegui.zip: angularjs.jar: angular-locale\_sv-fi.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_sv-fi.js

**MD5:** 3f8a4698a2cc85e7df9cc931c8e0300c



**SHA1:** e66c349910ed08e12863f12376e85bfddca6671b  
**SHA256:**be0849298bf5d2e807a66e00261b2fae09a9254cbae622cb4b51db24ed8a9d40  
**Referenced In Project/Scope:**server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies

- remotegui.zip: angularjs.jar: angular-locale\_sv-fi.js.gz: angular-locale\_sv-fi.js
  - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_sv-fi.js.gz/angular-locale\_sv-fi.js
  - MD5: 3f8a4698a2cc85e7df9cc931c8e0300c
  - SHA1: e66c349910ed08e12863f12376e85bfddca6671b
  - SHA256: be0849298bf5d2e807a66e00261b2fae09a9254cbae622cb4b51db24ed8a9d40

Identifiers

- None

remotegui.zip: angularjs.jar: angular-locale\_sv-se.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_sv-se.js  
**MD5:** dada87060ae1b7418f1fffd2b902567a  
**SHA1:** 418a5183a1950c32a802c3e1fa8c516163270f39  
**SHA256:**4ecbf86cf6a9ef4b35dd51e797541f9aa14ce6b1b81822429fa79d46994d3c8e  
**Referenced In Project/Scope:**server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies

- remotegui.zip: angularjs.jar: angular-locale\_sv-se.js.gz: angular-locale\_sv-se.js
  - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_sv-se.js.gz/angular-locale\_sv-se.js
  - MD5: dada87060ae1b7418f1fffd2b902567a
  - SHA1: 418a5183a1950c32a802c3e1fa8c516163270f39



- SHA256: 4ecbf86cf6a9ef4b35dd51e797541f9aa14ce6b1b81822429fa79d46994d3c8e

#### Identifiers

- None

### remotegui.zip: angularjs.jar: angular-locale\_sv.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_sv.js

**MD5:** 7b368cb5b12ea3a9fd181b81972abfc1

**SHA1:** 7880befd819cb21fc52b3437c803082176e15124

**SHA256:** 5bf817940168a3064ed6cb107fe4446e697a745910d7d889872a68ef806875d6

**Referenced In Project/Scope:**server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Related Dependencies



- remotegui.zip: angularjs.jar: angular-locale\_sv.js.gz: angular-locale\_sv.js
  - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_sv.js.gz/angular-locale\_sv.js
  - MD5: 7b368cb5b12ea3a9fd181b81972abfc1
  - SHA1: 7880befd819cb21fc52b3437c803082176e15124
  - SHA256: 5bf817940168a3064ed6cb107fe4446e697a745910d7d889872a68ef806875d6

#### Identifiers

- None

### remotegui.zip: angularjs.jar: angular-locale\_sw-cd.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_sw-cd.js

**MD5:** d6539d1497bb43b7350898106e09cea1



**SHA1:** 47217ad2e59430b8cbf197d4b2c99c5f3cc51dea  
**SHA256:**64cdc25f0f53793a50d937f60548988d2780f04af694e8272b742ad0aa4857c4  
**Referenced In Project/Scope:**server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies

- remotegui.zip: angularjs.jar: angular-locale\_sw-cd.js.gz: angular-locale\_sw-cd.js
  - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_sw-cd.js.gz/angular-locale\_sw-cd.js
  - MD5: d6539d1497bb43b7350898106e09cea1
  - SHA1: 47217ad2e59430b8cbf197d4b2c99c5f3cc51dea
  - SHA256: 64cdc25f0f53793a50d937f60548988d2780f04af694e8272b742ad0aa4857c4

Identifiers

- None

remotegui.zip: angularjs.jar: angular-locale\_sw-ke.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_sw-ke.js  
**MD5:** 855dbdf8be25c7a82b1051201886ebd4  
**SHA1:** ec7fc64da82228c8d6d993277a45de5dd8866ad8  
**SHA256:**d7a697c9dad769a4fb9a4399e706064220b4ecb32df9707977b5313633b87079  
**Referenced In Project/Scope:**server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies

- remotegui.zip: angularjs.jar: angular-locale\_sw-ke.js.gz: angular-locale\_sw-ke.js
  - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_sw-ke.js.gz/angular-locale\_sw-ke.js
  - MD5: 855dbdf8be25c7a82b1051201886ebd4
  - SHA1: ec7fc64da82228c8d6d993277a45de5dd8866ad8



- SHA256: d7a697c9dad769a4fb9a4399e706064220b4ecb32df9707977b5313633b87079

#### Identifiers

- None

### remotegui.zip: angularjs.jar: angular-locale\_sw-tz.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_sw-tz.js

**MD5:** cf50e2dec61be76fb12f98bcf3287745

**SHA1:** 4f7861b2cdc4473f10bd5cc6622fec58ae614776

**SHA256:** b20f78d59fd7d41678a167e8f1e87a87c01b169e40d254ee34f637a2f55b7e4d

**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Related Dependencies



- remotegui.zip: angularjs.jar: angular-locale\_sw-tz.js.gz: angular-locale\_sw-tz.js
  - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_sw-tz.js.gz/angular-locale\_sw-tz.js
  - MD5: cf50e2dec61be76fb12f98bcf3287745
  - SHA1: 4f7861b2cdc4473f10bd5cc6622fec58ae614776
  - SHA256: b20f78d59fd7d41678a167e8f1e87a87c01b169e40d254ee34f637a2f55b7e4d

#### Identifiers

- None

### remotegui.zip: angularjs.jar: angular-locale\_sw-ug.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_sw-ug.js

**MD5:** 9c5a6615d481310dc2f68253a205ea10



**SHA1:** 14bc4117b08f54947dde98ecd5e1e8ab2b65c28e  
**SHA256:**f043c619b8d87567c6db1cdd506c4fa8945f9ef77e9bd4e9399feee2284d4f9e  
**Referenced In Project/Scope:**server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies

- remotegui.zip: angularjs.jar: angular-locale\_sw-ug.js.gz: angular-locale\_sw-ug.js
  - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_sw-ug.js.gz/angular-locale\_sw-ug.js
  - MD5: 9c5a6615d481310dc2f68253a205ea10
  - SHA1: 14bc4117b08f54947dde98ecd5e1e8ab2b65c28e
  - SHA256: f043c619b8d87567c6db1cdd506c4fa8945f9ef77e9bd4e9399feee2284d4f9e

Identifiers

- None

remotegui.zip: angularjs.jar: angular-locale\_sw.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_sw.js  
**MD5:** 0422a3fdbd6efcf65aa3df92eb8835c5  
**SHA1:** 7bd1e1908f0516cd04d7421adfb6013e41c762af  
**SHA256:**ea31ae543d5edd7e8b3476b463651aed8793928902bc89e6c371320eff625068  
**Referenced In Project/Scope:**server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies

- remotegui.zip: angularjs.jar: angular-locale\_sw.js.gz: angular-locale\_sw.js
  - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_sw.js.gz/angular-locale\_sw.js
  - MD5: 0422a3fdbd6efcf65aa3df92eb8835c5
  - SHA1: 7bd1e1908f0516cd04d7421adfb6013e41c762af



- SHA256: ea31ae543d5edd7e8b3476b463651aed8793928902bc89e6c371320eff625068

#### Identifiers

- None

### remotegui.zip: angularjs.jar: angular-locale\_ta-in.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_ta-in.js

**MD5:** 44838fd91b69a6d4931b61c06381b332

**SHA1:** bf2ea13e9eefa2b4fe09bab43c9808b13313de6b

**SHA256:** 3c34db618eaca2ea8c6fda33895a1aa0bbb5e96790721bc12aa9e816b9aeab02

**Referenced In Project/Scope:**server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Related Dependencies



- remotegui.zip: angularjs.jar: angular-locale\_ta-in.js.gz: angular-locale\_ta-in.js
  - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_ta-in.js.gz/angular-locale\_ta-in.js
  - MD5: 44838fd91b69a6d4931b61c06381b332
  - SHA1: bf2ea13e9eefa2b4fe09bab43c9808b13313de6b
  - SHA256: 3c34db618eaca2ea8c6fda33895a1aa0bbb5e96790721bc12aa9e816b9aeab02

#### Identifiers

- None

### remotegui.zip: angularjs.jar: angular-locale\_ta-lk.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_ta-lk.js

**MD5:** b5859fce3c6f6a15f6bb824544a925f3



**SHA1:** e45ab1ccb00a81bcea14ee7373532c3ba38a0998  
**SHA256:**0a7c0d63a4f4517b1fd7f5edade4bc2999070eaa84460eb5f41b18ea12228411  
**Referenced In Project/Scope:**server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies

- remotegui.zip: angularjs.jar: angular-locale\_ta-lk.js.gz: angular-locale\_ta-lk.js
  - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_ta-lk.js.gz/angular-locale\_ta-lk.js
  - MD5: b5859fce3c6f6a15f6bb824544a925f3
  - SHA1: e45ab1ccb00a81bcea14ee7373532c3ba38a0998
  - SHA256: 0a7c0d63a4f4517b1fd7f5edade4bc2999070eaa84460eb5f41b18ea12228411

Identifiers

- None

remotegui.zip: angularjs.jar: angular-locale\_ta-my.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_ta-my.js  
**MD5:** d3fa3bcf346bd1e5170959ea1ea43231  
**SHA1:** ae9559c5002501c92cd780fb5777e6d6f7c7a638  
**SHA256:**eda85967c9a0e3ff18c4890f2dadd62f0f2a0ea8a24c8fcbdfa632a8050674ae  
**Referenced In Project/Scope:**server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies

- remotegui.zip: angularjs.jar: angular-locale\_ta-my.js.gz: angular-locale\_ta-my.js
  - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_ta-my.js.gz/angular-locale\_ta-my.js
  - MD5: d3fa3bcf346bd1e5170959ea1ea43231
  - SHA1: ae9559c5002501c92cd780fb5777e6d6f7c7a638



- SHA256: eda85967c9a0e3ff18c4890f2dadd62f0f2a0ea8a24c8fcbdfa632a8050674ae

#### Identifiers

- None

### remotegui.zip: angularjs.jar: angular-locale\_ta-sg.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_ta-sg.js

**MD5:** ba47157a80e4aca19615ad1c9a00dfc7

**SHA1:** 5f2807cf5caf248800aeffd830fb494e81cf6008

**SHA256:** d96f73c3eefab5b6ec40074b49f02134a39759fe68fbcf9f08b1e7b9fc4c61f9

**Referenced In Project/Scope:**server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Related Dependencies



- remotegui.zip: angularjs.jar: angular-locale\_ta-sg.js.gz: angular-locale\_ta-sg.js
  - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_ta-sg.js.gz/angular-locale\_ta-sg.js
  - MD5: ba47157a80e4aca19615ad1c9a00dfc7
  - SHA1: 5f2807cf5caf248800aeffd830fb494e81cf6008
  - SHA256: d96f73c3eefab5b6ec40074b49f02134a39759fe68fbcf9f08b1e7b9fc4c61f9

#### Identifiers

- None

### remotegui.zip: angularjs.jar: angular-locale\_ta.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_ta.js

**MD5:** 3c82caaf11bcddd8339747d5548e2e06



**SHA1:** 48227aa2579b4515052e110dedc881b38fe03a4c  
**SHA256:**f5a93cd4f06f88190cfb910de911f8e476d43ee9f65b63b7e5c0769dc933bd85  
**Referenced In Project/Scope:**server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies

- remotegui.zip: angularjs.jar: angular-locale\_ta.js.gz: angular-locale\_ta.js
  - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_ta.js.gz/angular-locale\_ta.js
  - MD5: 3c82caaf11bcd8339747d5548e2e06
  - SHA1: 48227aa2579b4515052e110dedc881b38fe03a4c
  - SHA256: f5a93cd4f06f88190cfb910de911f8e476d43ee9f65b63b7e5c0769dc933bd85

Identifiers

- None

remotegui.zip: angularjs.jar: angular-locale\_te-in.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_te-in.js  
**MD5:** 62d36e04ba32408a812a06ee20f59ca9  
**SHA1:** efaecdcd751b7ec7219339c59cf8be2d83727d98  
**SHA256:**6f903d166614cb1e20542979b1e640421d8c967adc9312d3ee431acd09263cf9  
**Referenced In Project/Scope:**server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies

- remotegui.zip: angularjs.jar: angular-locale\_te-in.js.gz: angular-locale\_te-in.js
  - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_te-in.js.gz/angular-locale\_te-in.js
  - MD5: 62d36e04ba32408a812a06ee20f59ca9
  - SHA1: efaecdcd751b7ec7219339c59cf8be2d83727d98



- SHA256: 6f903d166614cb1e20542979b1e640421d8c967adc9312d3ee431acd09263cf9

#### Identifiers

- None

### remotegui.zip: angularjs.jar: angular-locale\_te.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_te.js

**MD5:** 9491e3c69ae94fda27c53a94e4638d44

**SHA1:** 38ff45fb3de433a184fc13ef7ef4ddc9acf29701

**SHA256:** e68c3e8dcb5ca96aa10ea2fb88b7e9ffec0b16e3eeefd431d41fab1a1b54cc17

**Referenced In Project/Scope:**server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Related Dependencies



- remotegui.zip: angularjs.jar: angular-locale\_te.js.gz: angular-locale\_te.js
  - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_te.js.gz/angular-locale\_te.js
  - MD5: 9491e3c69ae94fda27c53a94e4638d44
  - SHA1: 38ff45fb3de433a184fc13ef7ef4ddc9acf29701
  - SHA256: e68c3e8dcb5ca96aa10ea2fb88b7e9ffec0b16e3eeefd431d41fab1a1b54cc17

#### Identifiers

- None

### remotegui.zip: angularjs.jar: angular-locale\_teo-ke.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_teo-ke.js

**MD5:** cf33e08af3385a21fe67403781f5ccd9



**SHA1:** 9a72932e7d52aaa054295aa4a83944101a59cab2  
**SHA256:**90d3d1afaaf8d9ab19e6a733383ac7af1b42717172651647186547e030e20460  
**Referenced In Project/Scope:**server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies

- remotegui.zip: angularjs.jar: angular-locale\_teo-ke.js.gz: angular-locale\_teo-ke.js
  - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_teo-ke.js.gz/angular-locale\_teo-ke.js
  - MD5: cf33e08af3385a21fe67403781f5ccd9
  - SHA1: 9a72932e7d52aaa054295aa4a83944101a59cab2
  - SHA256: 90d3d1afaaf8d9ab19e6a733383ac7af1b42717172651647186547e030e20460

Identifiers

- None

remotegui.zip: angularjs.jar: angular-locale\_teo-ug.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_teo-ug.js  
**MD5:** 835d0f42f4d0fe018bae551c07dd7709  
**SHA1:** 6ec9ee70c6c9021a2fa67d5eb91cf0229f21619f  
**SHA256:**6e16749c06e84363d2ebe28a19d95bf4d1bdf8e126186641ae706904831d4797  
**Referenced In Project/Scope:**server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies

- remotegui.zip: angularjs.jar: angular-locale\_teo-ug.js.gz: angular-locale\_teo-ug.js
  - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_teo-ug.js.gz/angular-locale\_teo-ug.js
  - MD5: 835d0f42f4d0fe018bae551c07dd7709
  - SHA1: 6ec9ee70c6c9021a2fa67d5eb91cf0229f21619f



- SHA256: 6e16749c06e84363d2ebe28a19d95bf4d1bdf8e126186641ae706904831d4797

#### Identifiers

- None

### remotegui.zip: angularjs.jar: angular-locale\_teo.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_teo.js

**MD5:** 92c667eb4bf4ddc75222a6628e4000f3

**SHA1:** d556cc97d346f43b79fdcce823b066efbad9da51

**SHA256:** c33610e326fdad532e365885f6855e428273aadb9fe91613803926b926ddeedb

**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Related Dependencies



- remotegui.zip: angularjs.jar: angular-locale\_teo.js.gz: angular-locale\_teo.js
  - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_teo.js.gz/angular-locale\_teo.js
  - MD5: 92c667eb4bf4ddc75222a6628e4000f3
  - SHA1: d556cc97d346f43b79fdcce823b066efbad9da51
  - SHA256: c33610e326fdad532e365885f6855e428273aadb9fe91613803926b926ddeedb

#### Identifiers

- None

### remotegui.zip: angularjs.jar: angular-locale\_th-th.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_th-th.js

**MD5:** 7cacd63e277cdd903b2505086b47eef8



**SHA1:** 18033342d9b6b9dc0b7cb00632e4adcc361a4d30  
**SHA256:**f242b68cfb6a39a893b5c81d1b4c7cdad262f51ab4541206bfeaac764fb381b0  
**Referenced In Project/Scope:**server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies

- remotegui.zip: angularjs.jar: angular-locale\_th-th.js.gz: angular-locale\_th-th.js
  - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_th-th.js.gz/angular-locale\_th-th.js
  - MD5: 7cacd63e277cdd903b2505086b47eef8
  - SHA1: 18033342d9b6b9dc0b7cb00632e4adcc361a4d30
  - SHA256: f242b68cfb6a39a893b5c81d1b4c7cdad262f51ab4541206bfeaac764fb381b0

Identifiers

- None

remotegui.zip: angularjs.jar: angular-locale\_th.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_th.js  
**MD5:** 4de69e74584b30eb3ddd9942c6bfb088  
**SHA1:** b2772e11b87fed281a2bff60fcc871ce7ff38a6e  
**SHA256:**176aa03e3e7ee6ca46ce0565b30cee8e9b9610302603c26d233f19344237e411  
**Referenced In Project/Scope:**server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies

- remotegui.zip: angularjs.jar: angular-locale\_th.js.gz: angular-locale\_th.js
  - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_th.js.gz/angular-locale\_th.js
  - MD5: 4de69e74584b30eb3ddd9942c6bfb088
  - SHA1: b2772e11b87fed281a2bff60fcc871ce7ff38a6e



- SHA256: 176aa03e3e7ee6ca46ce0565b30cee8e9b9610302603c26d233f19344237e411

#### Identifiers

- None

### remotegui.zip: angularjs.jar: angular-locale\_ti-er.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_ti-er.js

**MD5:** abb575f222f27172d67ef11ed46b13de

**SHA1:** c4542402133f21b9ed56165c8e10cef60110c895

**SHA256:** ae8eb417513f8cf3d30734c70c03200fcb0e61ec3bd2bf8c90d5373db5a554ef

**Referenced In Project/Scope:**server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Related Dependencies



- remotegui.zip: angularjs.jar: angular-locale\_ti-er.js.gz: angular-locale\_ti-er.js
  - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_ti-er.js.gz/angular-locale\_ti-er.js
  - MD5: abb575f222f27172d67ef11ed46b13de
  - SHA1: c4542402133f21b9ed56165c8e10cef60110c895
  - SHA256: ae8eb417513f8cf3d30734c70c03200fcb0e61ec3bd2bf8c90d5373db5a554ef

#### Identifiers

- None

### remotegui.zip: angularjs.jar: angular-locale\_ti-et.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_ti-et.js

**MD5:** 74bd12746a9569ec270bc58eec85ef98



**SHA1:** cfd98deed05b466bb33ada53877124aebbbb979  
**SHA256:**8ffcf312204766f33bdf67ba3bf72612c6456dc90da3763515721601aa76ee84  
**Referenced In Project/Scope:**server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies

- remotegui.zip: angularjs.jar: angular-locale\_ti-et.js.gz: angular-locale\_ti-et.js
  - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_ti-et.js.gz/angular-locale\_ti-et.js
  - MD5: 74bd12746a9569ec270bc58eec85ef98
  - SHA1: cfd98deed05b466bb33ada53877124aebbbb979
  - SHA256: 8ffcf312204766f33bdf67ba3bf72612c6456dc90da3763515721601aa76ee84

Identifiers

- None

remotegui.zip: angularjs.jar: angular-locale\_ti.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_ti.js  
**MD5:** 1b86fd8b5233496c4cce43f176b70667  
**SHA1:** a2593470ee2faa6ea23a430174633e98b88c43fb  
**SHA256:**ee3c69d276aede56f56295a3eb30981f7fa627ed5732c3779bceed148696410d  
**Referenced In Project/Scope:**server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies

- remotegui.zip: angularjs.jar: angular-locale\_ti.js.gz: angular-locale\_ti.js
  - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_ti.js.gz/angular-locale\_ti.js
  - MD5: 1b86fd8b5233496c4cce43f176b70667
  - SHA1: a2593470ee2faa6ea23a430174633e98b88c43fb



- SHA256: ee3c69d276aede56f56295a3eb30981f7fa627ed5732c3779bceed148696410d

#### Identifiers

- None

### remotegui.zip: angularjs.jar: angular-locale\_tk-tm.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_tk-tm.js

**MD5:** 92df6dea6431c4ff785bce5989345373

**SHA1:** b70740389adf0a6d5d69c078ed44062a004a3896

**SHA256:** fed15d448ea319aa129d17d410b13298b18cf82248dd47b724105a9f7c1471e9

**Referenced In Project/Scope:**server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Related Dependencies



- remotegui.zip: angularjs.jar: angular-locale\_tk-tm.js.gz: angular-locale\_tk-tm.js
  - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_tk-tm.js.gz/angular-locale\_tk-tm.js
  - MD5: 92df6dea6431c4ff785bce5989345373
  - SHA1: b70740389adf0a6d5d69c078ed44062a004a3896
  - SHA256: fed15d448ea319aa129d17d410b13298b18cf82248dd47b724105a9f7c1471e9

#### Identifiers

- None

### remotegui.zip: angularjs.jar: angular-locale\_tk.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_tk.js

**MD5:** c03e82073b1538d7dc3bb016ca83bb3b



**SHA1:** d9419ae58a65b2c8c13a732f359b77251e4753e3  
**SHA256:**907df151f2bb90a6e38fe061d5885535a14105a1d644e40171b82d9b5a5c02ff  
**Referenced In Project/Scope:**server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies

- remotegui.zip: angularjs.jar: angular-locale\_tk.js.gz: angular-locale\_tk.js
  - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_tk.js.gz/angular-locale\_tk.js
  - MD5: c03e82073b1538d7dc3bb016ca83bb3b
  - SHA1: d9419ae58a65b2c8c13a732f359b77251e4753e3
  - SHA256: 907df151f2bb90a6e38fe061d5885535a14105a1d644e40171b82d9b5a5c02ff

Identifiers

- None

remotegui.zip: angularjs.jar: angular-locale\_tl.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_tl.js  
**MD5:** ada97faeeb791d7dccfe32d673dd8788  
**SHA1:** 220a9b2efaeb8b9e19f9d11e14366c139490f022  
**SHA256:**a4f43691faf8bfb6952606561cec145cf118a4167e07f982d088632735f13fdd  
**Referenced In Project/Scope:**server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies

- remotegui.zip: angularjs.jar: angular-locale\_tl.js.gz: angular-locale\_tl.js
  - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_tl.js.gz/angular-locale\_tl.js
  - MD5: ada97faeeb791d7dccfe32d673dd8788
  - SHA1: 220a9b2efaeb8b9e19f9d11e14366c139490f022



- SHA256: a4f43691faf8bfb6952606561cec145cf118a4167e07f982d088632735f13fdd

#### Identifiers

- None

### remotegui.zip: angularjs.jar: angular-locale\_to-to.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_to-to.js

**MD5:** b939d2286bb5471505e32a4b6d749624

**SHA1:** c4d0a631a9ff8be82d239101939ef0e229f7d273

**SHA256:** 23c40e7f98c73b1ed0a3abde9905320ecc10775b6d8b5ff004050d4e2594179c

**Referenced In Project/Scope:**server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Related Dependencies



- remotegui.zip: angularjs.jar: angular-locale\_to-to.js.gz: angular-locale\_to-to.js
  - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_to-to.js.gz/angular-locale\_to-to.js
  - MD5: b939d2286bb5471505e32a4b6d749624
  - SHA1: c4d0a631a9ff8be82d239101939ef0e229f7d273
  - SHA256: 23c40e7f98c73b1ed0a3abde9905320ecc10775b6d8b5ff004050d4e2594179c

#### Identifiers

- None

### remotegui.zip: angularjs.jar: angular-locale\_to.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_to.js

**MD5:** 13e2b9769610a75edbaa43be2dc5054d



**SHA1:** 777cd23c89584da21fc59f1a3df726a83da1792d  
**SHA256:**950a4bdfc654ea8bdc62a964b6f5cb2548f9e0429332715c8d4594fd545132a7  
**Referenced In Project/Scope:**server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies



- remotegui.zip: angularjs.jar: angular-locale\_to.js.gz: angular-locale\_to.js
  - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_to.js.gz/angular-locale\_to.js
  - MD5: 13e2b9769610a75edbaa43be2dc5054d
  - SHA1: 777cd23c89584da21fc59f1a3df726a83da1792d
  - SHA256: 950a4bdfc654ea8bdc62a964b6f5cb2548f9e0429332715c8d4594fd545132a7

Identifiers

- None

remotegui.zip: angularjs.jar: angular-locale\_tr-cy.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_tr-cy.js  
**MD5:** 7d93081ad1361469ab627bbd24c26b0f  
**SHA1:** f8147da7407791a172cb79bcad41be1082f77630  
**SHA256:**b0ea9428279f4d393d34e0a2b6e345703a2f11246a5ac6782503b5e022b6d935  
**Referenced In Project/Scope:**server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies



- remotegui.zip: angularjs.jar: angular-locale\_tr-cy.js.gz: angular-locale\_tr-cy.js
  - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_tr-cy.js.gz/angular-locale\_tr-cy.js
  - MD5: 7d93081ad1361469ab627bbd24c26b0f
  - SHA1: f8147da7407791a172cb79bcad41be1082f77630



- SHA256: b0ea9428279f4d393d34e0a2b6e345703a2f11246a5ac6782503b5e022b6d935

#### Identifiers

- None

### remotegui.zip: angularjs.jar: angular-locale\_tr-tr.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_tr-tr.js

**MD5:** 132be6a6e067aeb51bf80ad19e90d161

**SHA1:** fbd8c5d5e4b66a5cc2c704753d292ee32de3cf57

**SHA256:** ad7dcefe4e028770f8c78b06c993af936c4bd543a93bdf9945047ecea22d09ed

**Referenced In Project/Scope:**server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Related Dependencies



- remotegui.zip: angularjs.jar: angular-locale\_tr-tr.js.gz: angular-locale\_tr-tr.js
  - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_tr-tr.js.gz/angular-locale\_tr-tr.js
  - MD5: 132be6a6e067aeb51bf80ad19e90d161
  - SHA1: fbd8c5d5e4b66a5cc2c704753d292ee32de3cf57
  - SHA256: ad7dcefe4e028770f8c78b06c993af936c4bd543a93bdf9945047ecea22d09ed

#### Identifiers

- None

### remotegui.zip: angularjs.jar: angular-locale\_tr.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_tr.js

**MD5:** 9afcb5c50ca4d36717d8159b548869a8



**SHA1:** 1ab73f7a4c3eafbb03596c5bbace7512ff657f08  
**SHA256:**0c745dc81bcddd96eb2290e7cd8a4b4668bbe0e1b8cdaff2972f04a5c6d490e9  
**Referenced In Project/Scope:**server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies

- remotegui.zip: angularjs.jar: angular-locale\_tr.js.gz: angular-locale\_tr.js
  - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_tr.js.gz/angular-locale\_tr.js
  - MD5: 9afcb5c50ca4d36717d8159b548869a8
  - SHA1: 1ab73f7a4c3eafbb03596c5bbace7512ff657f08
  - SHA256: 0c745dc81bcddd96eb2290e7cd8a4b4668bbe0e1b8cdaff2972f04a5c6d490e9

Identifiers

- None

remotegui.zip: angularjs.jar: angular-locale\_twq-ne.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_twq-ne.js  
**MD5:** 126b93ac981b51394a4a12781b97744d  
**SHA1:** 08561208b52c533ded00dac219dc447a8f48e4d1  
**SHA256:**bb28113802f7af78574046e2ec2eebd3fbf292bc019c937a74bba8f18307a185  
**Referenced In Project/Scope:**server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies

- remotegui.zip: angularjs.jar: angular-locale\_twq-ne.js.gz: angular-locale\_twq-ne.js
  - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_twq-ne.js.gz/angular-locale\_twq-ne.js
  - MD5: 126b93ac981b51394a4a12781b97744d
  - SHA1: 08561208b52c533ded00dac219dc447a8f48e4d1



- SHA256: bb28113802f7af78574046e2ec2eebd3fbf292bc019c937a74bba8f18307a185

#### Identifiers

- None

### remotegui.zip: angularjs.jar: angular-locale\_twq.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_twq.js

**MD5:** e78d743ef88ce8cd2b3c60d1fa377591

**SHA1:** 178acc57a0be63d13cb461e83f41e6cbec9eb526

**SHA256:** 4a9bf1c2e6e3dacb0f6c5facde4f35009a174366a7e704da84c044c49ce94cd9

**Referenced In Project/Scope:**server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Related Dependencies



- remotegui.zip: angularjs.jar: angular-locale\_twq.js.gz: angular-locale\_twq.js
  - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_twq.js.gz/angular-locale\_twq.js
  - MD5: e78d743ef88ce8cd2b3c60d1fa377591
  - SHA1: 178acc57a0be63d13cb461e83f41e6cbec9eb526
  - SHA256: 4a9bf1c2e6e3dacb0f6c5facde4f35009a174366a7e704da84c044c49ce94cd9

#### Identifiers

- None

### remotegui.zip: angularjs.jar: angular-locale\_tzm-ma.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_tzm-ma.js

**MD5:** e5c69d3d829ce3718c9d3b7ea2c44160



**SHA1:** 80fb640fac9ed45a98b17e462a26c529c377cd2b  
**SHA256:** ae283e84839349ff9a2219ee8377dcb247997da79d6b0066a330ec48aa83b7df  
**Referenced In Project/Scope:** server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies

- remotegui.zip: angularjs.jar: angular-locale\_tzm-ma.js.gz: angular-locale\_tzm-ma.js
  - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_tzm-ma.js.gz/angular-locale\_tzm-ma.js
  - MD5: e5c69d3d829ce3718c9d3b7ea2c44160
  - SHA1: 80fb640fac9ed45a98b17e462a26c529c377cd2b
  - SHA256: ae283e84839349ff9a2219ee8377dcb247997da79d6b0066a330ec48aa83b7df

Identifiers

- None

remotegui.zip: angularjs.jar: angular-locale\_tzm.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_tzm.js  
**MD5:** a21d0601576f6a719c98a01aff29bd8f  
**SHA1:** 78e17f2e78dbc7bad68e63353b80da14dec7f25e  
**SHA256:** d72f2f6f439148b84e472e0eaac26eff7eab38781f606b30bc0b012431d32080  
**Referenced In Project/Scope:** server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies

- remotegui.zip: angularjs.jar: angular-locale\_tzm.js.gz: angular-locale\_tzm.js
  - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_tzm.js.gz/angular-locale\_tzm.js
  - MD5: a21d0601576f6a719c98a01aff29bd8f
  - SHA1: 78e17f2e78dbc7bad68e63353b80da14dec7f25e



- SHA256: d72f2f6f439148b84e472e0eaac26eff7eab38781f606b30bc0b012431d32080

#### Identifiers

- None

### remotegui.zip: angularjs.jar: angular-locale\_ug-cn.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_ug-cn.js

**MD5:** dbe2528dd7738dad808f81d617d584de

**SHA1:** cf5039df4a1a4309297058438dfb2071fa60fca6

**SHA256:** 39aa77205c0a2c984c02b1dc021f0fecb333e2ca16287855deb8b6e592d07b7e

**Referenced In Project/Scope:**server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Related Dependencies



- remotegui.zip: angularjs.jar: angular-locale\_ug-cn.js.gz: angular-locale\_ug-cn.js
  - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_ug-cn.js.gz/angular-locale\_ug-cn.js
  - MD5: dbe2528dd7738dad808f81d617d584de
  - SHA1: cf5039df4a1a4309297058438dfb2071fa60fca6
  - SHA256: 39aa77205c0a2c984c02b1dc021f0fecb333e2ca16287855deb8b6e592d07b7e

#### Identifiers

- None

### remotegui.zip: angularjs.jar: angular-locale\_ug.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_ug.js

**MD5:** 13f7a35e059cec39b597f5b2511e3ddd



**SHA1:** c2c3da2d1d8a988338333e1272319057f10e89bc  
**SHA256:**8b287ca3a6768ea2d5e65655ce2f063a035c918ce7c8c89a95dc69721abae2e7  
**Referenced In Project/Scope:**server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies

- remotegui.zip: angularjs.jar: angular-locale\_ug.js.gz: angular-locale\_ug.js
  - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_ug.js.gz/angular-locale\_ug.js
  - MD5: 13f7a35e059cec39b597f5b2511e3ddd
  - SHA1: c2c3da2d1d8a988338333e1272319057f10e89bc
  - SHA256: 8b287ca3a6768ea2d5e65655ce2f063a035c918ce7c8c89a95dc69721abae2e7

Identifiers

- None

remotegui.zip: angularjs.jar: angular-locale\_uk-ua.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_uk-ua.js  
**MD5:** 42f43274a4d25cf078d474ced1f1b981  
**SHA1:** 0a3c664ef78875b44b0b079fc1be87363a2925b3  
**SHA256:**1e27531e17fe6d3a3110acc9f2e372384611fb7344e305e5c4813eaaf9f89490  
**Referenced In Project/Scope:**server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies

- remotegui.zip: angularjs.jar: angular-locale\_uk-ua.js.gz: angular-locale\_uk-ua.js
  - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_uk-ua.js.gz/angular-locale\_uk-ua.js
  - MD5: 42f43274a4d25cf078d474ced1f1b981
  - SHA1: 0a3c664ef78875b44b0b079fc1be87363a2925b3



- SHA256: 1e27531e17fe6d3a3110acc9f2e372384611fb7344e305e5c4813eaaf9f89490

#### Identifiers

- None

### remotegui.zip: angularjs.jar: angular-locale\_uk.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_uk.js

**MD5:** 8a6025e7a824a108e9aa108c2ef97a80

**SHA1:** 1e9c33027aae2f1aaef3b8fe89758826c0c9de4

**SHA256:** 0ccdce0bbd6e9ad14ce8a64b6df00842063298b0d35a5a0cfa3d6c38e70683f3

**Referenced In Project/Scope:**server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Related Dependencies



- remotegui.zip: angularjs.jar: angular-locale\_uk.js.gz: angular-locale\_uk.js
  - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_uk.js.gz/angular-locale\_uk.js
  - MD5: 8a6025e7a824a108e9aa108c2ef97a80
  - SHA1: 1e9c33027aae2f1aaef3b8fe89758826c0c9de4
  - SHA256: 0ccdce0bbd6e9ad14ce8a64b6df00842063298b0d35a5a0cfa3d6c38e70683f3

#### Identifiers

- None

### remotegui.zip: angularjs.jar: angular-locale\_ur-in.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_ur-in.js

**MD5:** 6644d6550e3c9fce5d6e8f0bea8dc708



**SHA1:** e41d687a10f495e4d875c7f0700e5fc4ace4e10b  
**SHA256:** a7402a3ba21087432db57ea49fcf739af4acffb18640bb4d4e76b1efa548e5d8  
**Referenced In Project/Scope:** server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies

- remotegui.zip: angularjs.jar: angular-locale\_ur-in.js.gz: angular-locale\_ur-in.js
  - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_ur-in.js.gz/angular-locale\_ur-in.js
  - MD5: 6644d6550e3c9fce5d6e8f0bea8dc708
  - SHA1: e41d687a10f495e4d875c7f0700e5fc4ace4e10b
  - SHA256: a7402a3ba21087432db57ea49fcf739af4acffb18640bb4d4e76b1efa548e5d8

Identifiers

- None

remotegui.zip: angularjs.jar: angular-locale\_ur-pk.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_ur-pk.js  
**MD5:** a5423321320df7c2c04b7832c490ff0c  
**SHA1:** e202507fa81573966aa2151d5a52cdc6b9967c74  
**SHA256:** 0a042243e94d85b62203c44c08c2f5770371c30f50d287ab97615c85d0703a6e  
**Referenced In Project/Scope:** server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies

- remotegui.zip: angularjs.jar: angular-locale\_ur-pk.js.gz: angular-locale\_ur-pk.js
  - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_ur-pk.js.gz/angular-locale\_ur-pk.js
  - MD5: a5423321320df7c2c04b7832c490ff0c
  - SHA1: e202507fa81573966aa2151d5a52cdc6b9967c74



- SHA256: 0a042243e94d85b62203c44c08c2f5770371c30f50d287ab97615c85d0703a6e

#### Identifiers

- None

### remotegui.zip: angularjs.jar: angular-locale\_ur.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_ur.js

**MD5:** d62772fbc7b9588b35b9be4b1befa87d

**SHA1:** 9f8afa11a9f6408121c8d45cffb0f07959cbc7b7

**SHA256:** 92073409b444875a5a369a6947ac769b82a5b1bcaa2a5a17457d095bdada7571

**Referenced In Project/Scope:**server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Related Dependencies



- remotegui.zip: angularjs.jar: angular-locale\_ur.js.gz: angular-locale\_ur.js
  - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_ur.js.gz/angular-locale\_ur.js
  - MD5: d62772fbc7b9588b35b9be4b1befa87d
  - SHA1: 9f8afa11a9f6408121c8d45cffb0f07959cbc7b7
  - SHA256: 92073409b444875a5a369a6947ac769b82a5b1bcaa2a5a17457d095bdada7571

#### Identifiers

- None

### remotegui.zip: angularjs.jar: angular-locale\_uz-arab-af.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_uz-arab-af.js

**MD5:** b13835b2f5fe9d4e23d41664098896b4



**SHA1:** b2ec9d1cb0f9a5ae4ac773b574fb1fc449a9d974  
**SHA256:** b8f314634ade3f2ec94a22ac621dd9a64f4f8f127cc032389490f55591b4af78  
**Referenced In Project/Scope:** server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies

- remotegui.zip: angularjs.jar: angular-locale\_uz-arab-af.js.gz: angular-locale\_uz-arab-af.js
  - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_uz-arab-af.js.gz/angular-locale\_uz-arab-af.js
  - MD5: b13835b2f5fe9d4e23d41664098896b4
  - SHA1: b2ec9d1cb0f9a5ae4ac773b574fb1fc449a9d974
  - SHA256: b8f314634ade3f2ec94a22ac621dd9a64f4f8f127cc032389490f55591b4af78

Identifiers

- None

remotegui.zip: angularjs.jar: angular-locale\_uz-arab.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_uz-arab.js  
**MD5:** 59f3def88b3ef4b60957f967f68acf81  
**SHA1:** 4fef768ee78390c9600047fa88c0037b333258a2  
**SHA256:** 7c7fe0479e0d204f1af7c40531573708df2ce58f64fe3ebb8105454198d4d1b0  
**Referenced In Project/Scope:** server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies

- remotegui.zip: angularjs.jar: angular-locale\_uz-arab.js.gz: angular-locale\_uz-arab.js
  - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_uz-arab.js.gz/angular-locale\_uz-arab.js
  - MD5: 59f3def88b3ef4b60957f967f68acf81
  - SHA1: 4fef768ee78390c9600047fa88c0037b333258a2



- SHA256: 7c7fe0479e0d204f1af7c40531573708df2ce58f64fe3ebb8105454198d4d1b0

#### Identifiers

- None

### remotegui.zip: angularjs.jar: angular-locale\_uz-cyrl-uz.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_uz-cyrl-uz.js

**MD5:** 4760e324aeebf0e8b7b58f8b1732705c

**SHA1:** 65b5956da79f75da1974b2b3df50cb928f6e4793

**SHA256:** 441b0adb410e7badd10a900b24bba8e33e2011cd8c92b329ce7cbaf7a75ce206

**Referenced In Project/Scope:**server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Related Dependencies



- remotegui.zip: angularjs.jar: angular-locale\_uz-cyrl-uz.js.gz: angular-locale\_uz-cyrl-uz.js
  - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_uz-cyrl-uz.js.gz/angular-locale\_uz-cyrl-uz.js
  - MD5: 4760e324aeebf0e8b7b58f8b1732705c
  - SHA1: 65b5956da79f75da1974b2b3df50cb928f6e4793
  - SHA256: 441b0adb410e7badd10a900b24bba8e33e2011cd8c92b329ce7cbaf7a75ce206

#### Identifiers

- None

### remotegui.zip: angularjs.jar: angular-locale\_uz-cyrl.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_uz-cyrl.js

**MD5:** 3a1e1f0d3a7b039dc42d5101bbecc1a8



**SHA1:** c8e95201868051bfe3d4de65f5b8707bd3f9ea53  
**SHA256:**4700aa0813efbf87eea22d6ac27d9c9e887785317b5beac5ada6296cce925820  
**Referenced In Project/Scope:**server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies

- remotegui.zip: angularjs.jar: angular-locale\_uz-cyrl.js.gz: angular-locale\_uz-cyrl.js
  - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_uz-cyrl.js.gz/angular-locale\_uz-cyrl.js
  - MD5: 3a1e1f0d3a7b039dc42d5101bbecc1a8
  - SHA1: c8e95201868051bfe3d4de65f5b8707bd3f9ea53
  - SHA256: 4700aa0813efbf87eea22d6ac27d9c9e887785317b5beac5ada6296cce925820

Identifiers

- None

remotegui.zip: angularjs.jar: angular-locale\_uz-latn-uz.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_uz-latn-uz.js  
**MD5:** abe715161ea8c4df56ca12e957f94932  
**SHA1:** f97d58ee293b559eb75351f8efbf512d0e12a324  
**SHA256:**8ad5f372d3c5d7eabd3eaf12cc0affc24a719b649dae452f0c662dc298a7058f  
**Referenced In Project/Scope:**server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies

- remotegui.zip: angularjs.jar: angular-locale\_uz-latn-uz.js.gz: angular-locale\_uz-latn-uz.js
  - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_uz-latn-uz.js.gz/angular-locale\_uz-latn-uz.js
  - MD5: abe715161ea8c4df56ca12e957f94932
  - SHA1: f97d58ee293b559eb75351f8efbf512d0e12a324



- SHA256: 8ad5f372d3c5d7eabd3eaf12cc0affc24a719b649dae452f0c662dc298a7058f

#### Identifiers

- None

### remotegui.zip: angularjs.jar: angular-locale\_uz-latn.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_uz-latn.js

**MD5:** 4d8d0f8152e29b01d89e0fafd8e17590

**SHA1:** f8529d3fccc80fbb6eed649ada48e0eecfca3661

**SHA256:** 0361659d9151aba74f87191558f7fa4627d79bc136e3d533ef65c621fc4848a5

**Referenced In Project/Scope:**server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Related Dependencies



- remotegui.zip: angularjs.jar: angular-locale\_uz-latn.js.gz: angular-locale\_uz-latn.js
  - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_uz-latn.js.gz: angular-locale\_uz-latn.js
  - MD5: 4d8d0f8152e29b01d89e0fafd8e17590
  - SHA1: f8529d3fccc80fbb6eed649ada48e0eecfca3661
  - SHA256: 0361659d9151aba74f87191558f7fa4627d79bc136e3d533ef65c621fc4848a5

#### Identifiers

- None

### remotegui.zip: angularjs.jar: angular-locale\_uz.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_uz.js

**MD5:** e72da13413075284bc16d5e9b1d09f73



**SHA1:** 757664370fa5ff9721818883364091ceba291ed6  
**SHA256:**986f011e43107d70edac8e812d48dd9d1f34ca18aaf2770fc1041f579ce234ab  
**Referenced In Project/Scope:**server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies

- remotegui.zip: angularjs.jar: angular-locale\_uz.js.gz: angular-locale\_uz.js
  - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_uz.js.gz/angular-locale\_uz.js
  - MD5: e72da13413075284bc16d5e9b1d09f73
  - SHA1: 757664370fa5ff9721818883364091ceba291ed6
  - SHA256: 986f011e43107d70edac8e812d48dd9d1f34ca18aaf2770fc1041f579ce234ab

Identifiers

- None

remotegui.zip: angularjs.jar: angular-locale\_vai-latn-lr.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_vai-latn-lr.js  
**MD5:** 2428a426a27e96aac986b7141d171ab0  
**SHA1:** c8bee0cc7f48c51dd86ca7e86d66341f8d3a1318  
**SHA256:**82e6a71f1805719a21b88932fcf48deb33498714953f31996e34c0d2b5c20c6a  
**Referenced In Project/Scope:**server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies

- remotegui.zip: angularjs.jar: angular-locale\_vai-latn-lr.js.gz: angular-locale\_vai-latn-lr.js
  - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_vai-latn-lr.js.gz/angular-locale\_vai-latn-lr.js
  - MD5: 2428a426a27e96aac986b7141d171ab0
  - SHA1: c8bee0cc7f48c51dd86ca7e86d66341f8d3a1318



- SHA256: 82e6a71f1805719a21b88932fcf48deb33498714953f31996e34c0d2b5c20c6a

#### Identifiers

- None

### remotegui.zip: angularjs.jar: angular-locale\_vai-latn.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_vai-latn.js

**MD5:** 2484038c4b163f341b61385055f580f1

**SHA1:** 7a2e2e0d9b7e1dd419482548660296dba2a1eddf

**SHA256:** 90d9140a56e66a61b6e813b8d8d687393f771259e8bc2ab9cf2caacda9b0791d

**Referenced In Project/Scope:**server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Related Dependencies



- remotegui.zip: angularjs.jar: angular-locale\_vai-latn.js.gz: angular-locale\_vai-latn.js
  - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_vai-latn.js.gz/angular-locale\_vai-latn.js
  - MD5: 2484038c4b163f341b61385055f580f1
  - SHA1: 7a2e2e0d9b7e1dd419482548660296dba2a1eddf
  - SHA256: 90d9140a56e66a61b6e813b8d8d687393f771259e8bc2ab9cf2caacda9b0791d

#### Identifiers

- None

### remotegui.zip: angularjs.jar: angular-locale\_vai-vaii-lr.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_vai-vaii-lr.js

**MD5:** 85aadd6bf77db9fdb52899e4c581d419



**SHA1:** c3e785f92a03042fb7fa83b2f0e02c9285b43f2c  
**SHA256:**c3bb3e1dcd25e7b2810e0922019689f368b3d448329b6d258a84239b9971c80b  
**Referenced In Project/Scope:**server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies +

- remotegui.zip: angularjs.jar: angular-locale\_vai-vaii-lr.js.gz: angular-locale\_vai-vaii-lr.js
  - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_vai-vaii-lr.js.gz/angular-locale\_vai-vaii-lr.js
  - MD5: 85aadd6bf77db9fdb52899e4c581d419
  - SHA1: c3e785f92a03042fb7fa83b2f0e02c9285b43f2c
  - SHA256: c3bb3e1dcd25e7b2810e0922019689f368b3d448329b6d258a84239b9971c80b

Identifiers

- None

remotegui.zip: angularjs.jar: angular-locale\_vai-vaii.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_vai-vaii.js  
**MD5:** 7bacdde3586301ce7a61f055e42fe9fd  
**SHA1:** 469b74433e9b338bf944a7005a2fa0435bf42cae  
**SHA256:**4088df602a913041eb842d3bfa0932b9b07e879de50299660f3003883bdec00  
**Referenced In Project/Scope:**server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies +

- remotegui.zip: angularjs.jar: angular-locale\_vai-vaii.js.gz: angular-locale\_vai-vaii.js
  - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_vai-vaii.js.gz/angular-locale\_vai-vaii.js
  - MD5: 7bacdde3586301ce7a61f055e42fe9fd
  - SHA1: 469b74433e9b338bf944a7005a2fa0435bf42cae



- SHA256: 4088df602a913041eb842d3bfa0932b9b07e879de50299660f3003883bdec00

#### Identifiers

- None

### remotegui.zip: angularjs.jar: angular-locale\_vai.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_vai.js

**MD5:** b7759d4441a7bc3f043e4e07646643

**SHA1:** 2d07a7152b9dc707025b925f020a7b834e7b2192

**SHA256:** 6bf6edd7c4d67d111ced5b12600fdffd22c109ee93d4cf8e7785e345156d5f41

**Referenced In Project/Scope:**server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Related Dependencies



- remotegui.zip: angularjs.jar: angular-locale\_vai.js.gz: angular-locale\_vai.js
  - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_vai.js.gz/angular-locale\_vai.js
  - MD5: b7759d4441a7bc3f043e4e07646643
  - SHA1: 2d07a7152b9dc707025b925f020a7b834e7b2192
  - SHA256: 6bf6edd7c4d67d111ced5b12600fdffd22c109ee93d4cf8e7785e345156d5f41

#### Identifiers

- None

### remotegui.zip: angularjs.jar: angular-locale\_vi-vn.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_vi-vn.js

**MD5:** 6ded38defdd73666e174a3c3757ee960



**SHA1:** c64a580938faa902cf9f6e02dbe37a0554795d4f  
**SHA256:** a0015b718d4711fdaa12ee4be8ee23c272b9e07f3ea162475977542b6b4721b8  
**Referenced In Project/Scope:** server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies

- remotegui.zip: angularjs.jar: angular-locale\_vi-vn.js.gz: angular-locale\_vi-vn.js
  - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_vi-vn.js.gz/angular-locale\_vi-vn.js
  - MD5: 6ded38defdd73666e174a3c3757ee960
  - SHA1: c64a580938faa902cf9f6e02dbe37a0554795d4f
  - SHA256: a0015b718d4711fdaa12ee4be8ee23c272b9e07f3ea162475977542b6b4721b8

Identifiers

- None

remotegui.zip: angularjs.jar: angular-locale\_vi.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_vi.js  
**MD5:** 16e4db55adb5c2bbc4e58202fd77484e  
**SHA1:** 5ca84604dbde29a8f311cc2b9fcc637371030144  
**SHA256:** 710befca9d57aeb4298a2cffbf994ed54043228fcbef1f61e30ecabcfce640f6  
**Referenced In Project/Scope:** server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies

- remotegui.zip: angularjs.jar: angular-locale\_vi.js.gz: angular-locale\_vi.js
  - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_vi.js.gz/angular-locale\_vi.js
  - MD5: 16e4db55adb5c2bbc4e58202fd77484e
  - SHA1: 5ca84604dbde29a8f311cc2b9fcc637371030144



- SHA256: 710befca9d57aeb4298a2cffbf994ed54043228fcbef1f61e30ecabcfce640f6

#### Identifiers

- None

### remotegui.zip: angularjs.jar: angular-locale\_vo-001.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_vo-001.js

**MD5:** 9812799f93776363cd3f1d441cc38ba8

**SHA1:** 8986829cefb997a69713b4db9daedb0c6a83c9e0

**SHA256:** b7d167d4fbc8b0d68f396bdbcb8761091935a91d74489f48c2a90d9b6d5852001

**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Related Dependencies



- remotegui.zip: angularjs.jar: angular-locale\_vo-001.js.gz: angular-locale\_vo-001.js
  - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_vo-001.js.gz/angular-locale\_vo-001.js
  - MD5: 9812799f93776363cd3f1d441cc38ba8
  - SHA1: 8986829cefb997a69713b4db9daedb0c6a83c9e0
  - SHA256: b7d167d4fbc8b0d68f396bdbcb8761091935a91d74489f48c2a90d9b6d5852001

#### Identifiers

- None

### remotegui.zip: angularjs.jar: angular-locale\_vo.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_vo.js

**MD5:** 9d3ef8d1617e3fe607f6189d063dd989



**SHA1:** 577863af1660f7917a0dec8b1de7c2db39b17e92  
**SHA256:**b5ae2ee7060fd5e584b18acb3bb1d1c2ced5cac4640de7a3c766ee4802b5b07c  
**Referenced In Project/Scope:**server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies

- remotegui.zip: angularjs.jar: angular-locale\_vo.js.gz: angular-locale\_vo.js
  - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_vo.js.gz/angular-locale\_vo.js
  - MD5: 9d3ef8d1617e3fe607f6189d063dd989
  - SHA1: 577863af1660f7917a0dec8b1de7c2db39b17e92
  - SHA256: b5ae2ee7060fd5e584b18acb3bb1d1c2ced5cac4640de7a3c766ee4802b5b07c

Identifiers

- None

remotegui.zip: angularjs.jar: angular-locale\_vun-tz.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_vun-tz.js  
**MD5:** d9dc4ee8fcb1f488f6e81a975823cd39  
**SHA1:** 5edd2b562ab71c823caaf650233e25c9c3fd54d0  
**SHA256:**9269be883a6241ed3b62a5c0ff19e4ce99c69dc176b65bef84994c8bb673d50b  
**Referenced In Project/Scope:**server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies

- remotegui.zip: angularjs.jar: angular-locale\_vun-tz.js.gz: angular-locale\_vun-tz.js
  - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_vun-tz.js.gz/angular-locale\_vun-tz.js
  - MD5: d9dc4ee8fcb1f488f6e81a975823cd39
  - SHA1: 5edd2b562ab71c823caaf650233e25c9c3fd54d0



- SHA256: 9269be883a6241ed3b62a5c0ff19e4ce99c69dc176b65bef84994c8bb673d50b

#### Identifiers

- None

### remotegui.zip: angularjs.jar: angular-locale\_vun.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_vun.js

**MD5:** e5d80efa80ecc1626536ab35987c77e8

**SHA1:** 55b431667547c0de87c6ad0f84e8a502c127aeb8

**SHA256:** 4a03a02b40048a098bdfc3becb2e96bc5d820a3af25751e69d7dccf3e528f145

**Referenced In Project/Scope:**server

#### Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Related Dependencies

- remotegui.zip: angularjs.jar: angular-locale\_vun.js.gz: angular-locale\_vun.js
  - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_vun.js.gz/angular-locale\_vun.js
  - MD5: e5d80efa80ecc1626536ab35987c77e8
  - SHA1: 55b431667547c0de87c6ad0f84e8a502c127aeb8
  - SHA256: 4a03a02b40048a098bdfc3becb2e96bc5d820a3af25751e69d7dccf3e528f145

#### Identifiers

- None

### remotegui.zip: angularjs.jar: angular-locale\_wae-ch.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_wae-ch.js

**MD5:** 7479ff4f44c7f23ae3a6c448c2def2a0



**SHA1:** 2b30cef3a5c142017b5f18a314aa897834d64028  
**SHA256:**664dee323890281bb49cf33571db75dd375fd368effb90cb759a0d40dad27ada  
**Referenced In Project/Scope:**server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies

- remotegui.zip: angularjs.jar: angular-locale\_wae-ch.js.gz: angular-locale\_wae-ch.js
  - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_wae-ch.js.gz/angular-locale\_wae-ch.js
  - MD5: 7479ff4f44c7f23ae3a6c448c2def2a0
  - SHA1: 2b30cef3a5c142017b5f18a314aa897834d64028
  - SHA256: 664dee323890281bb49cf33571db75dd375fd368effb90cb759a0d40dad27ada

Identifiers

- None

remotegui.zip: angularjs.jar: angular-locale\_wae.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_wae.js  
**MD5:** 8fbc01a06db1447965663c69536545c4  
**SHA1:** 08df546ee44d4b7546fce5a7b7e284ca35f1b059  
**SHA256:**1eefe955be5dbeb7a5862c278429163785c957d49463fba45bdea9f1d4bbabbd  
**Referenced In Project/Scope:**server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies

- remotegui.zip: angularjs.jar: angular-locale\_wae.js.gz: angular-locale\_wae.js
  - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_wae.js.gz/angular-locale\_wae.js
  - MD5: 8fbc01a06db1447965663c69536545c4
  - SHA1: 08df546ee44d4b7546fce5a7b7e284ca35f1b059



- SHA256: 1eefe955be5dbeb7a5862c278429163785c957d49463fba45bdea9f1d4bbabbd

#### Identifiers

- None

### remotegui.zip: angularjs.jar: angular-locale\_xog-ug.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_xog-ug.js

**MD5:** c8116e0988682c6537d0cb71708df00d

**SHA1:** 51144ef5b27f6786a7a0248c65466f58a43cb378

**SHA256:** 4b29604ee037f12466626e1e6a26fc59cbd752a807f24e20621cf272bbe57418

**Referenced In Project/Scope:**server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Related Dependencies



- remotegui.zip: angularjs.jar: angular-locale\_xog-ug.js.gz: angular-locale\_xog-ug.js
  - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_xog-ug.js.gz/angular-locale\_xog-ug.js
  - MD5: c8116e0988682c6537d0cb71708df00d
  - SHA1: 51144ef5b27f6786a7a0248c65466f58a43cb378
  - SHA256: 4b29604ee037f12466626e1e6a26fc59cbd752a807f24e20621cf272bbe57418

#### Identifiers

- None

### remotegui.zip: angularjs.jar: angular-locale\_xog.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_xog.js

**MD5:** bc6abb01afdf8dbd6d322e256a0bcdaa



**SHA1:** 7e18241afc636f6d29b05d6d4a8ef783adc596f6  
**SHA256:**1e2a7eb2819af56ce36b7996994b338057a8b8a490732d8084be8000ce73d887  
**Referenced In Project/Scope:**server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies

- remotegui.zip: angularjs.jar: angular-locale\_xog.js.gz: angular-locale\_xog.js
  - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_xog.js.gz/angular-locale\_xog.js
  - MD5: bc6abb01afdf8dbd6d322e256a0bcdaa
  - SHA1: 7e18241afc636f6d29b05d6d4a8ef783adc596f6
  - SHA256: 1e2a7eb2819af56ce36b7996994b338057a8b8a490732d8084be8000ce73d887

Identifiers

- None

remotegui.zip: angularjs.jar: angular-locale\_yav-cm.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_yav-cm.js  
**MD5:** d978de047f0c34d6bf7f45681620436d  
**SHA1:** 9b756f42ab8f9677810e07a3413412e412e8b469  
**SHA256:**b1db53b28c0537a7cd118e851e2d112ed1f6b7e4cd4d67534353f5e230e4e740  
**Referenced In Project/Scope:**server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies

- remotegui.zip: angularjs.jar: angular-locale\_yav-cm.js.gz: angular-locale\_yav-cm.js
  - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_yav-cm.js.gz/angular-locale\_yav-cm.js
  - MD5: d978de047f0c34d6bf7f45681620436d
  - SHA1: 9b756f42ab8f9677810e07a3413412e412e8b469



- SHA256: b1db53b28c0537a7cd118e851e2d112ed1f6b7e4cd4d67534353f5e230e4e740

#### Identifiers

- None

### remotegui.zip: angularjs.jar: angular-locale\_yav.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_yav.js

**MD5:** a3b1a9490a7b9368543e4b57aa0189c6

**SHA1:** 6854a6fe22acd48070864bded8951cd485366952

**SHA256:** 38ff9996f1944ddece694225ae02e3b9c965612111a6360f329ecea84d45659

**Referenced In Project/Scope:**server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Related Dependencies



- remotegui.zip: angularjs.jar: angular-locale\_yav.js.gz: angular-locale\_yav.js
  - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_yav.js.gz/angular-locale\_yav.js
  - MD5: a3b1a9490a7b9368543e4b57aa0189c6
  - SHA1: 6854a6fe22acd48070864bded8951cd485366952
  - SHA256: 38ff9996f1944ddece694225ae02e3b9c965612111a6360f329ecea84d45659

#### Identifiers

- None

### remotegui.zip: angularjs.jar: angular-locale\_yi-001.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_yi-001.js

**MD5:** 0bfa1d857ef94cec4fe36c4ffc7b7d10



**SHA1:** 6fa765c3b1dee95f0956dc67688ffa311c1da846  
**SHA256:**114ec26ffb27f9b705ec77a49d9f81d3def175fe2b3fbb0dea905afd1716575e  
**Referenced In Project/Scope:**server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies +

- remotegui.zip: angularjs.jar: angular-locale\_yi-001.js.gz: angular-locale\_yi-001.js
  - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_yi-001.js.gz/angular-locale\_yi-001.js
  - MD5: 0bfa1d857ef94cec4fe36c4ffc7b7d10
  - SHA1: 6fa765c3b1dee95f0956dc67688ffa311c1da846
  - SHA256: 114ec26ffb27f9b705ec77a49d9f81d3def175fe2b3fbb0dea905afd1716575e

Identifiers

- None

remotegui.zip: angularjs.jar: angular-locale\_yi.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_yi.js  
**MD5:** a774c2ae768f0b369bdaa06e29667f9e  
**SHA1:** 92e30a13f6c22e63baf49bab4478fdc095131586  
**SHA256:**2f7f405de75ba7f67b0ab84dea2224ebb3ad52f7b45b811488d820b99eff2d3e  
**Referenced In Project/Scope:**server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies +

- remotegui.zip: angularjs.jar: angular-locale\_yi.js.gz: angular-locale\_yi.js
  - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_yi.js.gz/angular-locale\_yi.js
  - MD5: a774c2ae768f0b369bdaa06e29667f9e
  - SHA1: 92e30a13f6c22e63baf49bab4478fdc095131586



- SHA256: 2f7f405de75ba7f67b0ab84dea2224ebb3ad52f7b45b811488d820b99eff2d3e

#### Identifiers

- None

### remotegui.zip: angularjs.jar: angular-locale\_yo-bj.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_yo-bj.js

**MD5:** 230085802216dfeababb06872bfe7da1

**SHA1:** adeb34f9de05a39290bfd0658305a0381f4814db

**SHA256:** 555b157e3aec940868958f4854739e2b760c3017543820a452eb342db3af9af5

**Referenced In Project/Scope:**server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Related Dependencies



- remotegui.zip: angularjs.jar: angular-locale\_yo-bj.js.gz: angular-locale\_yo-bj.js
  - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_yo-bj.js.gz/angular-locale\_yo-bj.js
  - MD5: 230085802216dfeababb06872bfe7da1
  - SHA1: adeb34f9de05a39290bfd0658305a0381f4814db
  - SHA256: 555b157e3aec940868958f4854739e2b760c3017543820a452eb342db3af9af5

#### Identifiers

- None

### remotegui.zip: angularjs.jar: angular-locale\_yo-ng.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_yo-ng.js

**MD5:** 1a89dff218a9567e2bc0571f9348bd1c



**SHA1:** a77d0becd0aceb2fe88533ca10bf2789e89b3bb0  
**SHA256:**65f6b2649a663b1baa1b9c334de6e8a8c7645c426a0ee977d4acccecb6baef12  
**Referenced In Project/Scope:**server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies

- remotegui.zip: angularjs.jar: angular-locale\_yo-ng.js.gz: angular-locale\_yo-ng.js
  - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_yo-ng.js.gz/angular-locale\_yo-ng.js
  - MD5: 1a89dff218a9567e2bc0571f9348bd1c
  - SHA1: a77d0becd0aceb2fe88533ca10bf2789e89b3bb0
  - SHA256: 65f6b2649a663b1baa1b9c334de6e8a8c7645c426a0ee977d4acccecb6baef12

Identifiers

- None

remotegui.zip: angularjs.jar: angular-locale\_yo.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_yo.js  
**MD5:** 07b04bd25aa83d85c8a052a011c980d5  
**SHA1:** e7c06f100d9624c6f2bdeac6d830edaa30068b1d  
**SHA256:**40147b44fd030f03b40b0c0e99fa0d2c806752891c78e4e0996186ffbd2251fb  
**Referenced In Project/Scope:**server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies

- remotegui.zip: angularjs.jar: angular-locale\_yo.js.gz: angular-locale\_yo.js
  - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_yo.js.gz/angular-locale\_yo.js
  - MD5: 07b04bd25aa83d85c8a052a011c980d5
  - SHA1: e7c06f100d9624c6f2bdeac6d830edaa30068b1d



- SHA256: 40147b44fd030f03b40b0c0e99fa0d2c806752891c78e4e0996186ffbd2251fb

#### Identifiers

- None

### remotegui.zip: angularjs.jar: angular-locale\_yue-hk.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_yue-hk.js

**MD5:** 441c761f2771ecaeb8137d35744c33e1

**SHA1:** eb541e2f1979099d75ef13e94464b6e4a3de7b3f

**SHA256:** c1f144e73bdd6e1fc67030bc992c22e6f35b6da0da09f125ff757235c955804e

**Referenced In Project/Scope:**server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Related Dependencies



- remotegui.zip: angularjs.jar: angular-locale\_yue-hk.js.gz: angular-locale\_yue-hk.js
  - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_yue-hk.js.gz/angular-locale\_yue-hk.js
  - MD5: 441c761f2771ecaeb8137d35744c33e1
  - SHA1: eb541e2f1979099d75ef13e94464b6e4a3de7b3f
  - SHA256: c1f144e73bdd6e1fc67030bc992c22e6f35b6da0da09f125ff757235c955804e

#### Identifiers

- None

### remotegui.zip: angularjs.jar: angular-locale\_yue.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_yue.js

**MD5:** 674720441f4fa2d8fdb5b5f40461ff6



**SHA1:** efdccf7ac9e81809259a967dc9734ec064faf53a  
**SHA256:**0cea9e5ef7f90f1ab5fccb4cacc83698c08272df8f1517556114cb24e973aa5f  
**Referenced In Project/Scope:**server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies

- remotegui.zip: angularjs.jar: angular-locale\_yue.js.gz: angular-locale\_yue.js
  - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_yue.js.gz/angular-locale\_yue.js
  - MD5: 674720441f4fa2d8dfdb5b5f40461ff6
  - SHA1: efdccf7ac9e81809259a967dc9734ec064faf53a
  - SHA256: 0cea9e5ef7f90f1ab5fccb4cacc83698c08272df8f1517556114cb24e973aa5f

Identifiers

- None

remotegui.zip: angularjs.jar: angular-locale\_zgh-ma.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_zgh-ma.js  
**MD5:** 285569740f2af6009f258685501dcc9f  
**SHA1:** 37b802b5ec25fc0aaaadbe54db1ac082eeac6d73  
**SHA256:**af2619959e95cfdcf321b86b7372c754143b0cd0c91192390983399d35ec975e  
**Referenced In Project/Scope:**server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies

- remotegui.zip: angularjs.jar: angular-locale\_zgh-ma.js.gz: angular-locale\_zgh-ma.js
  - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_zgh-ma.js.gz/angular-locale\_zgh-ma.js
  - MD5: 285569740f2af6009f258685501dcc9f
  - SHA1: 37b802b5ec25fc0aaaadbe54db1ac082eeac6d73



- SHA256: af2619959e95cfdcf321b86b7372c754143b0cd0c91192390983399d35ec975e

#### Identifiers

- None

### remotegui.zip: angularjs.jar: angular-locale\_zgh.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_zgh.js

**MD5:** 2dca2aa16bb17a83bcf8a983f1ab5e2e

**SHA1:** 5f49574c4a1a14c9f89fd17a115628750d9c198e

**SHA256:** a2345be917fefe35ee87f4ece8adb40474c85024937063d5b35a6e14e16d0fce

**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Related Dependencies



- remotegui.zip: angularjs.jar: angular-locale\_zgh.js.gz: angular-locale\_zgh.js
  - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_zgh.js.gz/angular-locale\_zgh.js
  - MD5: 2dca2aa16bb17a83bcf8a983f1ab5e2e
  - SHA1: 5f49574c4a1a14c9f89fd17a115628750d9c198e
  - SHA256: a2345be917fefe35ee87f4ece8adb40474c85024937063d5b35a6e14e16d0fce

#### Identifiers

- None

### remotegui.zip: angularjs.jar: angular-locale\_zh-cn.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_zh-cn.js

**MD5:** c11ec8efc698f6de0eb77047c315925b



**SHA1:** 5900397a2f050297b1ba40a8effeee8402d40fe2  
**SHA256:**469b0498d395d1571ad7011e4cf55e3ff90fcb60204f54a5b550563509273d  
**Referenced In Project/Scope:**server

Evidence <span>+</span>				
Type	Source	Name	Value	Confidence

Related Dependencies <span>+</span>				
<ul style="list-style-type: none"><li>remotegui.zip: angularjs.jar: angular-locale_zh-cn.js.gz: angular-locale_zh-cn.js<ul style="list-style-type: none"><li>File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_zh-cn.js.gz/angular-locale_zh-cn.js</li><li>MD5: c11ec8efc698f6de0eb77047c315925b</li><li>SHA1: 5900397a2f050297b1ba40a8effeee8402d40fe2</li><li>SHA256: 469b0498d395d1571ad7011e4cf55e3ff90fcb60204f54a5b550563509273d</li></ul></li></ul>				

Identifiers				
<ul style="list-style-type: none"><li>None</li></ul>				

**remotegui.zip: angularjs.jar: angular-locale\_zh-hans-cn.js**

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_zh-hans-cn.js  
**MD5:** b571a00f57b76e6a394070c1a3f3aefb  
**SHA1:** 04e9c13f473a8c2ae0dc748fcf678096102103b4  
**SHA256:**fd8e802be63f77becf8082385a84581e75d719d0508314bec80c174f24c51ca1  
**Referenced In Project/Scope:**server

Evidence <span>+</span>				
Type	Source	Name	Value	Confidence

Related Dependencies <span>+</span>				
<ul style="list-style-type: none"><li>remotegui.zip: angularjs.jar: angular-locale_zh-hans-cn.js.gz: angular-locale_zh-hans-cn.js<ul style="list-style-type: none"><li>File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_zh-hans-cn.js.gz/angular-locale_zh-hans-cn.js</li><li>MD5: b571a00f57b76e6a394070c1a3f3aefb</li></ul></li></ul>				



- SHA1: 04e9c13f473a8c2ae0dc748fcf678096102103b4
- SHA256: fd8e802be63f77becf8082385a84581e75d719d0508314bec80c174f24c51ca1

#### Identifiers

- None

### remotegui.zip: angularjs.jar: angular-locale\_zh-hans-hk.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_zh-hans-hk.js

**MD5:** c94a6ac573136a1738974b91315487b7

**SHA1:** a73da5a61aa2f8b3eb4b789317233075fb03ecc8

**SHA256:** 3316b26e9c7324c8a490cea2227640f3b36b1d020fdbd9e943529f283426977a

**Referenced In Project/Scope:**server

#### Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Related Dependencies

- remotegui.zip: angularjs.jar: angular-locale\_zh-hans-hk.js.gz: angular-locale\_zh-hans-hk.js
  - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_zh-hans-hk.js.gz/angular-locale\_zh-hans-hk.js
  - MD5: c94a6ac573136a1738974b91315487b7
  - SHA1: a73da5a61aa2f8b3eb4b789317233075fb03ecc8
  - SHA256: 3316b26e9c7324c8a490cea2227640f3b36b1d020fdbd9e943529f283426977a

#### Identifiers

- None

### remotegui.zip: angularjs.jar: angular-locale\_zh-hans-mo.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_zh-hans-mo.js

**MD5:** cb1eb7aaed750bc802b4d3bbc1bfa819



**SHA1:** 23c9f90ec86801752e71417e0cd7668ef522d0f0  
**SHA256:**455bcdeea25ecf5dc1eaba55d473a37a7d7adf00e5b217571b2de96f313ad7a8  
**Referenced In Project/Scope:**server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies

- remotegui.zip: angularjs.jar: angular-locale\_zh-hans-mo.js.gz: angular-locale\_zh-hans-mo.js
  - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_zh-hans-mo.js.gz/angular-locale\_zh-hans-mo.js
  - MD5: cb1eb7aaed750bc802b4d3bbc1bfa819
  - SHA1: 23c9f90ec86801752e71417e0cd7668ef522d0f0
  - SHA256: 455bcdeea25ecf5dc1eaba55d473a37a7d7adf00e5b217571b2de96f313ad7a8

Identifiers

- None

remotegui.zip: angularjs.jar: angular-locale\_zh-hans-sg.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_zh-hans-sg.js  
**MD5:** ad080225bcfebb0077813f8f02eb1220  
**SHA1:** ebe73ddaad9282db7bc294e6b3c918d1eefbaebf  
**SHA256:**42984259d66a4277fab5e305a2970ec6e27ab7c117931541a56897624c48f1f9  
**Referenced In Project/Scope:**server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies

- remotegui.zip: angularjs.jar: angular-locale\_zh-hans-sg.js.gz: angular-locale\_zh-hans-sg.js
  - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_zh-hans-sg.js.gz/angular-locale\_zh-hans-sg.js



- MD5: ad080225bcfebb0077813f8f02eb1220
- SHA1: ebe73ddaad9282db7bc294e6b3c918d1eefbaebf
- SHA256: 42984259d66a4277fab5e305a2970ec6e27ab7c117931541a56897624c48f1f9

#### Identifiers

- None

### remotegui.zip: angularjs.jar: angular-locale\_zh-hans.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_zh-hans.js

**MD5:** 8d9629469bc810c328d162b52973524e

**SHA1:** 53f311d5b35ccd15b48519565fc70673b6aeb54a

**SHA256:** 4e6b3b53a11883066f987acabdf116267403d814b269d62064be691144ca4281

**Referenced In Project/Scope:**server

#### Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Related Dependencies

- remotegui.zip: angularjs.jar: angular-locale\_zh-hans.js.gz: angular-locale\_zh-hans.js
  - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_zh-hans.js.gz/angular-locale\_zh-hans.js
  - MD5: 8d9629469bc810c328d162b52973524e
  - SHA1: 53f311d5b35ccd15b48519565fc70673b6aeb54a
  - SHA256: 4e6b3b53a11883066f987acabdf116267403d814b269d62064be691144ca4281

#### Identifiers

- None

### remotegui.zip: angularjs.jar: angular-locale\_zh-hant-hk.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_zh-hant-hk.js

**MD5:** 930d550880c3c6ed7631b1e0bfa95b7b



**SHA1:** 442c78f8addb515efc9fa4d27e71f1f2a3a245fa  
**SHA256:** bd3ad465e633e3ab12ac61b864d82e239d986d7f7e4e59395345a1ee804b46dc  
**Referenced In Project/Scope:**server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies

- remotegui.zip: angularjs.jar: angular-locale\_zh-hant-hk.js.gz: angular-locale\_zh-hant-hk.js
  - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_zh-hant-hk.js.gz/angular-locale\_zh-hant-hk.js
  - MD5: 930d550880c3c6ed7631b1e0bfa95b7b
  - SHA1: 442c78f8addb515efc9fa4d27e71f1f2a3a245fa
  - SHA256: bd3ad465e633e3ab12ac61b864d82e239d986d7f7e4e59395345a1ee804b46dc

Identifiers

- None

remotegui.zip: angularjs.jar: angular-locale\_zh-hant-mo.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_zh-hant-mo.js  
**MD5:** ab921b3e5e0bf90af50ff0858e41bdb  
**SHA1:** 7970a5caea923757d8f19ca156bba75b8206ba2a  
**SHA256:** 61d0c849b9d8f3ddccda4775cc3b032419da942b96afdab9fd54689bd419ef8e  
**Referenced In Project/Scope:**server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies

- remotegui.zip: angularjs.jar: angular-locale\_zh-hant-mo.js.gz: angular-locale\_zh-hant-mo.js
  - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_zh-hant-mo.js.gz/angular-locale\_zh-hant-mo.js
  - MD5: ab921b3e5e0bf90af50ff0858e41bdb



- SHA1: 7970a5caea923757d8f19ca156bba75b8206ba2a
- SHA256: 61d0c849b9d8f3ddccda4775cc3b032419da942b96afdab9fd54689bd419ef8e

#### Identifiers

- None

### remotegui.zip: angularjs.jar: angular-locale\_zh-hant-tw.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_zh-hant-tw.js

**MD5:** 49a3194339d368da02edad168a1f99a9

**SHA1:** eaa25e0eb645f2d270dc5cb3ad42fd9ec72030b7

**SHA256:** 1533ba4732af9ab177cbcf0caf2810ec61dbea1e124637d82fdd8e3ecb21fae7

**Referenced In Project/Scope:**server

#### Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Related Dependencies

- remotegui.zip: angularjs.jar: angular-locale\_zh-hant-tw.js.gz: angular-locale\_zh-hant-tw.js
  - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_zh-hant-tw.js.gz/angular-locale\_zh-hant-tw.js
  - MD5: 49a3194339d368da02edad168a1f99a9
  - SHA1: eaa25e0eb645f2d270dc5cb3ad42fd9ec72030b7
  - SHA256: 1533ba4732af9ab177cbcf0caf2810ec61dbea1e124637d82fdd8e3ecb21fae7

#### Identifiers

- None

### remotegui.zip: angularjs.jar: angular-locale\_zh-hant.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_zh-hant.js

**MD5:** 3e5f6f733d35b387ccea43b0830dfb0b

**SHA1:** 5591c07e4adccaf11ae8785af25a6ec889ede72



**SHA256:**d8361676e78534137bf91a153557a1766982ebbcad3fa090e8ea1b3e78ddc4ef  
**Referenced In Project/Scope:**server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies



- remotegui.zip: angularjs.jar: angular-locale\_zh-hant.js.gz: angular-locale\_zh-hant.js
  - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_zh-hant.js.gz/angular-locale\_zh-hant.js
  - MD5: 3e5f6f733d35b387ccea43b0830dfb0b
  - SHA1: 5591c07e4adccaf11ae8785af25a6ec889ede72
  - SHA256: d8361676e78534137bf91a153557a1766982ebbcad3fa090e8ea1b3e78ddc4ef

Identifiers

- None

remotegui.zip: angularjs.jar: angular-locale\_zh-hk.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_zh-hk.js  
**MD5:** a17e49c68b2b2b21e260a281b70594fc  
**SHA1:** 78ff9f472cf2be8143d45dbcd4b089e3ddf2e8aa  
**SHA256:**c92a20f45987333ccd484870fcc2c3fc8450be67293f7f8c29775f45410bc6d7  
**Referenced In Project/Scope:**server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies



- remotegui.zip: angularjs.jar: angular-locale\_zh-hk.js.gz: angular-locale\_zh-hk.js
  - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_zh-hk.js.gz/angular-locale\_zh-hk.js
  - MD5: a17e49c68b2b2b21e260a281b70594fc
  - SHA1: 78ff9f472cf2be8143d45dbcd4b089e3ddf2e8aa
  - SHA256: c92a20f45987333ccd484870fcc2c3fc8450be67293f7f8c29775f45410bc6d7



### Identifiers

- None

## remotegui.zip: angularjs.jar: angular-locale\_zh-tw.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_zh-tw.js

**MD5:** 73fbd0339e00131dfaf539d6842b2eb1

**SHA1:** f77a883a46e84283627eab02830878db9b73f556

**SHA256:** 09dd03c06c2fb9d426c6d8878cd72442b2a1c4205b18f0a03d1daa578423c437

**Referenced In Project/Scope:**server

### Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Related Dependencies

- remotegui.zip: angularjs.jar: angular-locale\_zh-tw.js.gz: angular-locale\_zh-tw.js
  - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_zh-tw.js.gz/angular-locale\_zh-tw.js
  - MD5: 73fbd0339e00131dfaf539d6842b2eb1
  - SHA1: f77a883a46e84283627eab02830878db9b73f556
  - SHA256: 09dd03c06c2fb9d426c6d8878cd72442b2a1c4205b18f0a03d1daa578423c437

### Identifiers

- None

## remotegui.zip: angularjs.jar: angular-locale\_zh.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_zh.js

**MD5:** 80b666c2abca2f9f1710ed53310f0390

**SHA1:** 3e2b938b2e495ee2819ec9498866dcd15c2cfcf0

**SHA256:** a9df41ca31a72dbe7d113c618367feabd1a8228b4a4280ad9b3a2e9003819eea

**Referenced In Project/Scope:**server



### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Related Dependencies



- remotegui.zip: angularjs.jar: angular-locale\_zh.js.gz: angular-locale\_zh.js
  - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_zh.js.gz/angular-locale\_zh.js
  - MD5: 80b666c2abca2f9f1710ed53310f0390
  - SHA1: 3e2b938b2e495ee2819ec9498866dcd15c2cfcf0
  - SHA256: a9df41ca31a72dbe7d113c618367feabd1a8228b4a4280ad9b3a2e9003819eea

### Identifiers

- None

## remotegui.zip: angularjs.jar: angular-locale\_zu-za.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_zu-za.js

**MD5:** a1d42008bc796da5c9f5cd2991c779aa

**SHA1:** c6db7e78a666bbe143678730342f5d473aa17687

**SHA256:** 3f2f1e4145c4861e7fd4f23d5b85c3a6842c6fc21453f2e4202e5ff3980d55db

**Referenced In Project/Scope:**server

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Related Dependencies



- remotegui.zip: angularjs.jar: angular-locale\_zu-za.js.gz: angular-locale\_zu-za.js
  - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_zu-za.js.gz/angular-locale\_zu-za.js
  - MD5: a1d42008bc796da5c9f5cd2991c779aa
  - SHA1: c6db7e78a666bbe143678730342f5d473aa17687
  - SHA256: 3f2f1e4145c4861e7fd4f23d5b85c3a6842c6fc21453f2e4202e5ff3980d55db



## Identifiers

- None

## remotegui.zip: angularjs.jar: angular-locale\_zu.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_zu.js

**MD5:** e229f2b7094b9acf225bf937956135a0

**SHA1:** f02065a94ab0670860b03063d7ea7ad955c9f17e

**SHA256:** df426da78402810bd1d382cb8713b4e4ff4b4ea975cf55e4d269f51efc7d3142

**Referenced In Project/Scope:**server

## Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

## Related Dependencies

- remotegui.zip: angularjs.jar: angular-locale\_zu.js.gz: angular-locale\_zu.js
  - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale\_zu.js.gz/angular-locale\_zu.js
  - MD5: e229f2b7094b9acf225bf937956135a0
  - SHA1: f02065a94ab0670860b03063d7ea7ad955c9f17e
  - SHA256: df426da78402810bd1d382cb8713b4e4ff4b4ea975cf55e4d269f51efc7d3142

## Identifiers

- None

## remotegui.zip: angularjs.jar: webjars-requirejs.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/webjars-requirejs.js

**MD5:** 034e87ccc7629ce5cbcce8d61f101912

**SHA1:** c4976460a80468186d41a1e2436123b888a18424

**SHA256:** 0332178ddd1347cffb749c53cfa5530a84cd25602e1ce537d70c10d7e09d1781

**Referenced In Project/Scope:**server

## Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Related Dependencies

- remotegui.zip: angularjs.jar: webjars-requirejs.js.gz: webjars-requirejs.js
  - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/webjars-requirejs.js.gz/webjars-requirejs.js
  - MD5: 034e87ccc7629ce5cbcce8d61f101912
  - SHA1: c4976460a80468186d41a1e2436123b888a18424
  - SHA256: 0332178ddd1347cffb749c53cfa5530a84cd25602e1ce537d70c10d7e09d1781

#### Identifiers

- None

### remotegui.zip: bootstrap.jar

#### Description:

WebJar for Bootstrap

#### License:

Apache License, Version 2.0: <http://www.apache.org/licenses/LICENSE-2.0>

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/bootstrap.jar

**MD5:** ba2f9fda2c1fece5ff121e8abc385475

**SHA1:** 2c6a8508a4f1484abcaf334cf2fe3df97cf93eac

**SHA256:** 90fdaa23fb3a9cbce04f4c51699312ab1f1fae2d70c0d1a84541b7e9a76e6e54

**Referenced In Project/Scope:**server

#### Evidence

Type	Source	Name	Value	Confidence
Vendor	file	name	bootstrap	High
Vendor	pom	artifactid	bootstrap	Low
Vendor	pom	developer email	james@jamesward.org	Low
Vendor	pom	developer id	jamesward	Medium
Vendor	pom	developer name	James Ward	Medium
Vendor	pom	groupid	org.webjars	Highest
Vendor	pom	name	Bootstrap	High



Vendor	pom	url	http://webjars.org	Highest
Product	file	name	bootstrap	High
Product	pom	artifactid	bootstrap	Highest
Product	pom	developer email	james@jamesward.org	Low
Product	pom	developer id	jamesward	Low
Product	pom	developer name	James Ward	Low
Product	pom	groupid	org.webjars	Highest
Product	pom	name	Bootstrap	High
Product	pom	url	http://webjars.org	Medium
Version	pom	version	3.4.1	Highest

#### Related Dependencies



- theme.zip: bootstrap.jar
  - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/theme.zip/bootstrap.jar
  - MD5: ba2f9fda2c1fece5ff121e8abc385475
  - SHA1: 2c6a8508a4f1484abcaf334cf2fe3df97cf93eac
  - SHA256: 90fdaa23fb3a9cbce04f4c51699312ab1f1fae2d70c0d1a84541b7e9a76e6e54
  - [pkg:maven/org.webjars/bootstrap@3.4.1](https://mvnrepository.com/artifact/org.webjars/bootstrap/3.4.1)

#### Identifiers

- [pkg:javascript/bootstrap@3.4.1](https://mvnrepository.com/artifact/org.webjars/bootstrap/3.4.1) (*Confidence: Highest*)
- [pkg:maven/org.webjars/bootstrap@3.4.1](https://mvnrepository.com/artifact/org.webjars/bootstrap/3.4.1) (*Confidence: High*)

### remotegui.zip: bootstrap.jar: affix.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/bootstrap.jar/META-INF/resources/webjars/bootstrap/3.4.1/js/affix.js

**MD5:** 235b2a9f9be29d377cadbe6d09823d9f

**SHA1:** 69a480bef250eabc4226f378b70792fd47560e2e

**SHA256:** 9a9859329afe1518320c8d730c0585199c3792009cb4307bd8a33b1040a67331

**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------



## Related Dependencies



- remotegui.zip: bootstrap.jar: affix.js.gz: affix.js
  - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/bootstrap.jar/META-INF/resources/webjars/bootstrap/3.4.1/js/affix.js.gz/affix.js
  - MD5: 235b2a9f9be29d377cadbe6d09823d9f
  - SHA1: 69a480bef250eabc4226f378b70792fd47560e2e
  - SHA256: 9a9859329afe1518320c8d730c0585199c3792009cb4307bd8a33b1040a67331
- theme.zip: bootstrap.jar: affix.js.gz: affix.js
  - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/theme.zip/bootstrap.jar/META-INF/resources/webjars/bootstrap/3.4.1/js/affix.js.gz/affix.js
  - MD5: 235b2a9f9be29d377cadbe6d09823d9f
  - SHA1: 69a480bef250eabc4226f378b70792fd47560e2e
  - SHA256: 9a9859329afe1518320c8d730c0585199c3792009cb4307bd8a33b1040a67331
- theme.zip: bootstrap.jar: affix.js
  - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/theme.zip/bootstrap.jar/META-INF/resources/webjars/bootstrap/3.4.1/js/affix.js
  - MD5: 235b2a9f9be29d377cadbe6d09823d9f
  - SHA1: 69a480bef250eabc4226f378b70792fd47560e2e
  - SHA256: 9a9859329afe1518320c8d730c0585199c3792009cb4307bd8a33b1040a67331

## Identifiers

- None

## remotegui.zip: bootstrap.jar: alert.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/bootstrap.jar/META-INF/resources/webjars/bootstrap/3.4.1/js/alert.js

**MD5:** 2be558ae78dedb0556f8c7bd632c1204

**SHA1:** 1e3fa67e881909a71bf98ef37a4d3c013888d33b

**SHA256:** 1ec1bacee3ed0bb73aa9a799d4e07376b0f9356d093f2f343f7fad07fd7844b4

**Referenced In Project/Scope:**server

## Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

## Related Dependencies



- remotegui.zip: bootstrap.jar: alert.js.gz: alert.js
  - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/bootstrap.jar/META-INF/resources/webjars/bootstrap/3.4.1/js/alert.js.gz/alert.js
  - MD5: 2be558ae78dedb0556f8c7bd632c1204



- SHA1: 1e3fa67e881909a71bf98ef37a4d3c013888d33b
- SHA256: 1ec1bacee3ed0bb73aa9a799d4e07376b0f9356d093f2f343f7fad07fd7844b4
- theme.zip: bootstrap.jar: alert.js.gz: alert.js
  - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/theme.zip/bootstrap.jar/META-INF/resources/webjars/bootstrap/3.4.1/js/alert.js.gz/alert.js
  - MD5: 2be558ae78dedb0556f8c7bd632c1204
  - SHA1: 1e3fa67e881909a71bf98ef37a4d3c013888d33b
  - SHA256: 1ec1bacee3ed0bb73aa9a799d4e07376b0f9356d093f2f343f7fad07fd7844b4
- theme.zip: bootstrap.jar: alert.js
  - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/theme.zip/bootstrap.jar/META-INF/resources/webjars/bootstrap/3.4.1/js/alert.js
  - MD5: 2be558ae78dedb0556f8c7bd632c1204
  - SHA1: 1e3fa67e881909a71bf98ef37a4d3c013888d33b
  - SHA256: 1ec1bacee3ed0bb73aa9a799d4e07376b0f9356d093f2f343f7fad07fd7844b4

#### Identifiers

- None

### remotegui.zip: bootstrap.jar: button.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/bootstrap.jar/META-INF/resources/webjars/bootstrap/3.4.1/js/button.js

**MD5:** 28900c815e911dbbae28594126e66fb4

**SHA1:** 2cc97dd04216865ef67fbec9b54040eaf83dd9f2

**SHA256:** fa31bcbae72f8f82c2b25ec0421917b1c3a9cd60e7c03baca7429f44ec693f04

**Referenced In Project/Scope:**server

#### Evidence

Type	Source	Name	Value	Confidence

#### Related Dependencies

- remotegui.zip: bootstrap.jar: button.js.gz: button.js
  - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/bootstrap.jar/META-INF/resources/webjars/bootstrap/3.4.1/js/button.js.gz/button.js
  - MD5: 28900c815e911dbbae28594126e66fb4
  - SHA1: 2cc97dd04216865ef67fbec9b54040eaf83dd9f2
  - SHA256: fa31bcbae72f8f82c2b25ec0421917b1c3a9cd60e7c03baca7429f44ec693f04
- theme.zip: bootstrap.jar: button.js.gz: button.js
  - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/theme.zip/bootstrap.jar/META-INF/resources/webjars/bootstrap/3.4.1/js/button.js.gz/button.js
  - MD5: 28900c815e911dbbae28594126e66fb4



- SHA1: 2cc97dd04216865ef67fbec9b54040eaf83dd9f2
- SHA256: fa31bcbae72f8f82c2b25ec0421917b1c3a9cd60e7c03baca7429f44ec693f04
- theme.zip: bootstrap.jar: button.js
  - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/theme.zip/bootstrap.jar/META-INF/resources/webjars/bootstrap/3.4.1/js/button.js
  - MD5: 28900c815e911dbbae28594126e66fb4
  - SHA1: 2cc97dd04216865ef67fbec9b54040eaf83dd9f2
  - SHA256: fa31bcbae72f8f82c2b25ec0421917b1c3a9cd60e7c03baca7429f44ec693f04

#### Identifiers

- None

### remotegui.zip: bootstrap.jar: carousel.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/bootstrap.jar/META-INF/resources/webjars/bootstrap/3.4.1/js/carousel.js

**MD5:** a8188dce14f888a29886bff2559dce10

**SHA1:** 146b160152d3f0740590fc575f82f2653ca54626

**SHA256:** 20dc2395e0d21da3776db73634934a69b9a7dd4770c24757ef26bd60a287d857

**Referenced In Project/Scope:**server

#### Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Related Dependencies

- remotegui.zip: bootstrap.jar: carousel.js.gz: carousel.js
  - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/bootstrap.jar/META-INF/resources/webjars/bootstrap/3.4.1/js/carousel.js.gz/carousel.js
  - MD5: a8188dce14f888a29886bff2559dce10
  - SHA1: 146b160152d3f0740590fc575f82f2653ca54626
  - SHA256: 20dc2395e0d21da3776db73634934a69b9a7dd4770c24757ef26bd60a287d857
- theme.zip: bootstrap.jar: carousel.js.gz: carousel.js
  - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/theme.zip/bootstrap.jar/META-INF/resources/webjars/bootstrap/3.4.1/js/carousel.js.gz/carousel.js
  - MD5: a8188dce14f888a29886bff2559dce10
  - SHA1: 146b160152d3f0740590fc575f82f2653ca54626
  - SHA256: 20dc2395e0d21da3776db73634934a69b9a7dd4770c24757ef26bd60a287d857
- theme.zip: bootstrap.jar: carousel.js
  - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/theme.zip/bootstrap.jar/META-INF/resources/webjars/bootstrap/3.4.1/js/carousel.js
  - MD5: a8188dce14f888a29886bff2559dce10



- SHA1: 146b160152d3f0740590fc575f82f2653ca54626
- SHA256: 20dc2395e0d21da3776db73634934a69b9a7dd4770c24757ef26bd60a287d857

#### Identifiers

- None

### remotegui.zip: bootstrap.jar: collapse.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/bootstrap.jar/META-INF/resources/webjars/bootstrap/3.4.1/js/collapse.js

**MD5:** 5f3ce339f7a59b240fa9ede502c2bcaa

**SHA1:** 5b0dd11d3cd7a230f41c521a6c04256fbd34e984

**SHA256:** 407419f6c4ea29e13ada7134380a0fcb10d38e9e8611db54f60cb6278a424a70

**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Related Dependencies



- remotegui.zip: bootstrap.jar: collapse.js.gz: collapse.js
  - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/bootstrap.jar/META-INF/resources/webjars/bootstrap/3.4.1/js/collapse.js.gz/collapse.js
  - MD5: 5f3ce339f7a59b240fa9ede502c2bcaa
  - SHA1: 5b0dd11d3cd7a230f41c521a6c04256fbd34e984
  - SHA256: 407419f6c4ea29e13ada7134380a0fcb10d38e9e8611db54f60cb6278a424a70
- theme.zip: bootstrap.jar: collapse.js.gz: collapse.js
  - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/theme.zip/bootstrap.jar/META-INF/resources/webjars/bootstrap/3.4.1/js/collapse.js.gz/collapse.js
  - MD5: 5f3ce339f7a59b240fa9ede502c2bcaa
  - SHA1: 5b0dd11d3cd7a230f41c521a6c04256fbd34e984
  - SHA256: 407419f6c4ea29e13ada7134380a0fcb10d38e9e8611db54f60cb6278a424a70
- theme.zip: bootstrap.jar: collapse.js
  - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/theme.zip/bootstrap.jar/META-INF/resources/webjars/bootstrap/3.4.1/js/collapse.js
  - MD5: 5f3ce339f7a59b240fa9ede502c2bcaa
  - SHA1: 5b0dd11d3cd7a230f41c521a6c04256fbd34e984
  - SHA256: 407419f6c4ea29e13ada7134380a0fcb10d38e9e8611db54f60cb6278a424a70

#### Identifiers



- None

## remotegui.zip: bootstrap.jar: dropdown.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/bootstrap.jar/META-INF/resources/webjars/bootstrap/3.4.1/js/dropdown.js

**MD5:** 953819e6d09848299341fcd7ff93d1d4

**SHA1:** 72fe5a40eef90daa254dbb15d46e033cda2f6e9e

**SHA256:** 0261c06fcfe41df6cca79148c3b4f2cd7e6966ce61c93ea325b6c8f2295e8904

**Referenced In Project/Scope:**server

### Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Related Dependencies

- remotegui.zip: bootstrap.jar: dropdown.js.gz: dropdown.js
  - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/bootstrap.jar/META-INF/resources/webjars/bootstrap/3.4.1/js/dropdown.js.gz/dropdown.js
  - MD5: 953819e6d09848299341fcd7ff93d1d4
  - SHA1: 72fe5a40eef90daa254dbb15d46e033cda2f6e9e
  - SHA256: 0261c06fcfe41df6cca79148c3b4f2cd7e6966ce61c93ea325b6c8f2295e8904
- theme.zip: bootstrap.jar: dropdown.js.gz: dropdown.js
  - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/theme.zip/bootstrap.jar/META-INF/resources/webjars/bootstrap/3.4.1/js/dropdown.js.gz/dropdown.js
  - MD5: 953819e6d09848299341fcd7ff93d1d4
  - SHA1: 72fe5a40eef90daa254dbb15d46e033cda2f6e9e
  - SHA256: 0261c06fcfe41df6cca79148c3b4f2cd7e6966ce61c93ea325b6c8f2295e8904
- theme.zip: bootstrap.jar: dropdown.js
  - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/theme.zip/bootstrap.jar/META-INF/resources/webjars/bootstrap/3.4.1/js/dropdown.js
  - MD5: 953819e6d09848299341fcd7ff93d1d4
  - SHA1: 72fe5a40eef90daa254dbb15d46e033cda2f6e9e
  - SHA256: 0261c06fcfe41df6cca79148c3b4f2cd7e6966ce61c93ea325b6c8f2295e8904

### Identifiers

- None



## remotegui.zip: bootstrap.jar: modal.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/bootstrap.jar/META-INF/resources/webjars/bootstrap/3.4.1/js/modal.js

**MD5:** d73745175d40f05b339406f168bfd100

**SHA1:** 16ff1ea73c055e81d65a44a509e67669dd351862

**SHA256:** 102481f4363d9070b4bf992b3c1d6c4d3e59f41e1a5384eb7cc56b2fa0a03da2

**Referenced In Project/Scope:**server

### Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Related Dependencies

- remotegui.zip: bootstrap.jar: modal.js.gz: modal.js
  - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/bootstrap.jar/META-INF/resources/webjars/bootstrap/3.4.1/js/modal.js.gz/modal.js
  - MD5: d73745175d40f05b339406f168bfd100
  - SHA1: 16ff1ea73c055e81d65a44a509e67669dd351862
  - SHA256: 102481f4363d9070b4bf992b3c1d6c4d3e59f41e1a5384eb7cc56b2fa0a03da2
- theme.zip: bootstrap.jar: modal.js.gz: modal.js
  - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/theme.zip/bootstrap.jar/META-INF/resources/webjars/bootstrap/3.4.1/js/modal.js.gz/modal.js
  - MD5: d73745175d40f05b339406f168bfd100
  - SHA1: 16ff1ea73c055e81d65a44a509e67669dd351862
  - SHA256: 102481f4363d9070b4bf992b3c1d6c4d3e59f41e1a5384eb7cc56b2fa0a03da2
- theme.zip: bootstrap.jar: modal.js
  - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/theme.zip/bootstrap.jar/META-INF/resources/webjars/bootstrap/3.4.1/js/modal.js
  - MD5: d73745175d40f05b339406f168bfd100
  - SHA1: 16ff1ea73c055e81d65a44a509e67669dd351862
  - SHA256: 102481f4363d9070b4bf992b3c1d6c4d3e59f41e1a5384eb7cc56b2fa0a03da2

### Identifiers

- None

## remotegui.zip: bootstrap.jar: npm.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/bootstrap.jar/META-INF/resources/webjars/bootstrap/3.4.1/js/npm.js

**MD5:** ccb7f3909e30b1eb8f65a24393c6e12b



**SHA1:** e2b7590d6ec1fdac66b01fdf66ae0879f53b1262  
**SHA256:** c7aa82a1aa7d45224a38d926d2adaff7fe4aef5bcdafa2a47bdac057f4422c2d  
**Referenced In Project/Scope:** server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies



- remotegui.zip: bootstrap.jar: npm.js.gz: npm.js
  - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/bootstrap.jar/META-INF/resources/webjars/bootstrap/3.4.1/js/npm.js.gz/npm.js
  - MD5: ccb7f3909e30b1eb8f65a24393c6e12b
  - SHA1: e2b7590d6ec1fdac66b01fdf66ae0879f53b1262
  - SHA256: c7aa82a1aa7d45224a38d926d2adaff7fe4aef5bcdafa2a47bdac057f4422c2d
- theme.zip: bootstrap.jar: npm.js.gz: npm.js
  - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/theme.zip/bootstrap.jar/META-INF/resources/webjars/bootstrap/3.4.1/js/npm.js.gz/npm.js
  - MD5: ccb7f3909e30b1eb8f65a24393c6e12b
  - SHA1: e2b7590d6ec1fdac66b01fdf66ae0879f53b1262
  - SHA256: c7aa82a1aa7d45224a38d926d2adaff7fe4aef5bcdafa2a47bdac057f4422c2d
- theme.zip: bootstrap.jar: npm.js
  - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/theme.zip/bootstrap.jar/META-INF/resources/webjars/bootstrap/3.4.1/js/npm.js
  - MD5: ccb7f3909e30b1eb8f65a24393c6e12b
  - SHA1: e2b7590d6ec1fdac66b01fdf66ae0879f53b1262
  - SHA256: c7aa82a1aa7d45224a38d926d2adaff7fe4aef5bcdafa2a47bdac057f4422c2d

Identifiers

- None

remotegui.zip: bootstrap.jar: popover.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/bootstrap.jar/META-INF/resources/webjars/bootstrap/3.4.1/js/popover.js  
**MD5:** 3782df41a2ebe1257eded4e19f39ca02  
**SHA1:** 38b589512e09181dba3ad56caca00199c9cd20c3  
**SHA256:** 415e3c557d74388c551d77497112a216601c88025d95e3c28b3fad4082d8863e  
**Referenced In Project/Scope:** server

Evidence





Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies

- remotegui.zip: bootstrap.jar: popover.js.gz: popover.js
  - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/bootstrap.jar/META-INF/resources/webjars/bootstrap/3.4.1/js/popover.js.gz/popover.js
  - MD5: 3782df41a2ebe1257eded4e19f39ca02
  - SHA1: 38b589512e09181dba3ad56caca00199c9cd20c3
  - SHA256: 415e3c557d74388c551d77497112a216601c88025d95e3c28b3fad4082d8863e
- theme.zip: bootstrap.jar: popover.js.gz: popover.js
  - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/theme.zip/bootstrap.jar/META-INF/resources/webjars/bootstrap/3.4.1/js/popover.js.gz/popover.js
  - MD5: 3782df41a2ebe1257eded4e19f39ca02
  - SHA1: 38b589512e09181dba3ad56caca00199c9cd20c3
  - SHA256: 415e3c557d74388c551d77497112a216601c88025d95e3c28b3fad4082d8863e
- theme.zip: bootstrap.jar: popover.js
  - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/theme.zip/bootstrap.jar/META-INF/resources/webjars/bootstrap/3.4.1/js/popover.js
  - MD5: 3782df41a2ebe1257eded4e19f39ca02
  - SHA1: 38b589512e09181dba3ad56caca00199c9cd20c3
  - SHA256: 415e3c557d74388c551d77497112a216601c88025d95e3c28b3fad4082d8863e

Identifiers

- None

remotegui.zip: bootstrap.jar: scrollspy.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/bootstrap.jar/META-INF/resources/webjars/bootstrap/3.4.1/js/scrollspy.js  
**MD5:** 86ed481e7ffa3549beb6108a5ad1e4d5  
**SHA1:** 73f97f2354272103cc030712a317260e7126a445  
**SHA256:** 7d2c33a3ec324089813056cf4a8120db1db77f9ff620fa55c38de06ac417fed7  
**Referenced In Project/Scope:**server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies



- remotegui.zip: bootstrap.jar: scrollspy.js.gz: scrollspy.js
  - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/bootstrap.jar/META-INF/resources/webjars/bootstrap/3.4.1/js/scrollspy.js.gz/scrollspy.js
  - MD5: 86ed481e7ffa3549beb6108a5ad1e4d5
  - SHA1: 73f97f2354272103cc030712a317260e7126a445
  - SHA256: 7d2c33a3ec324089813056cf4a8120db1db77f9ff620fa55c38de06ac417fed7
- theme.zip: bootstrap.jar: scrollspy.js.gz: scrollspy.js
  - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/theme.zip/bootstrap.jar/META-INF/resources/webjars/bootstrap/3.4.1/js/scrollspy.js.gz/scrollspy.js
  - MD5: 86ed481e7ffa3549beb6108a5ad1e4d5
  - SHA1: 73f97f2354272103cc030712a317260e7126a445
  - SHA256: 7d2c33a3ec324089813056cf4a8120db1db77f9ff620fa55c38de06ac417fed7
- theme.zip: bootstrap.jar: scrollspy.js
  - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/theme.zip/bootstrap.jar/META-INF/resources/webjars/bootstrap/3.4.1/js/scrollspy.js
  - MD5: 86ed481e7ffa3549beb6108a5ad1e4d5
  - SHA1: 73f97f2354272103cc030712a317260e7126a445
  - SHA256: 7d2c33a3ec324089813056cf4a8120db1db77f9ff620fa55c38de06ac417fed7

#### Identifiers

- None

### remotegui.zip: bootstrap.jar: tab.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/bootstrap.jar/META-INF/resources/webjars/bootstrap/3.4.1/js/tab.js

**MD5:** a19cc7ef41a2f9683a10c8d29f1e1241

**SHA1:** b8bd432a8ada22a323df822fe1e77028130f100d

**SHA256:** d41c1f213273a374add7c9a4fb57798812d5d3472cd961237a1782998e7be82e

**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Related Dependencies



- remotegui.zip: bootstrap.jar: tab.js.gz: tab.js
  - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/bootstrap.jar/META-INF/resources/webjars/bootstrap/3.4.1/js/tab.js.gz/tab.js
  - MD5: a19cc7ef41a2f9683a10c8d29f1e1241
  - SHA1: b8bd432a8ada22a323df822fe1e77028130f100d



- SHA256: d41c1f213273a374add7c9a4fb57798812d5d3472cd961237a1782998e7be82e
- theme.zip: bootstrap.jar: tab.js.gz: tab.js
  - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/theme.zip/bootstrap.jar/META-INF/resources/webjars/bootstrap/3.4.1/js/tab.js.gz/tab.js
  - MD5: a19cc7ef41a2f9683a10c8d29f1e1241
  - SHA1: b8bd432a8ada22a323df822fe1e77028130f100d
  - SHA256: d41c1f213273a374add7c9a4fb57798812d5d3472cd961237a1782998e7be82e
- theme.zip: bootstrap.jar: tab.js
  - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/theme.zip/bootstrap.jar/META-INF/resources/webjars/bootstrap/3.4.1/js/tab.js
  - MD5: a19cc7ef41a2f9683a10c8d29f1e1241
  - SHA1: b8bd432a8ada22a323df822fe1e77028130f100d
  - SHA256: d41c1f213273a374add7c9a4fb57798812d5d3472cd961237a1782998e7be82e

#### Identifiers

- None

### remotegui.zip: bootstrap.jar: tooltip.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/bootstrap.jar/META-INF/resources/webjars/bootstrap/3.4.1/js/tooltip.js

**MD5:** 6ae9dc400f463921e1ded65db0556dfc

**SHA1:** 0001130406c5f241ba069035dc380f3579ba24eb

**SHA256:** efef210198a75adacd0d3e726500fde192fc94320e4acbf90eb3a4d877215a2d

**Referenced In Project/Scope:**server

#### Evidence

Type	Source	Name	Value	Confidence

#### Related Dependencies

- remotegui.zip: bootstrap.jar: tooltip.js.gz: tooltip.js
  - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/bootstrap.jar/META-INF/resources/webjars/bootstrap/3.4.1/js/tooltip.js.gz/tooltip.js
  - MD5: 6ae9dc400f463921e1ded65db0556dfc
  - SHA1: 0001130406c5f241ba069035dc380f3579ba24eb
  - SHA256: efef210198a75adacd0d3e726500fde192fc94320e4acbf90eb3a4d877215a2d
- theme.zip: bootstrap.jar: tooltip.js.gz: tooltip.js
  - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/theme.zip/bootstrap.jar/META-INF/resources/webjars/bootstrap/3.4.1/js/tooltip.js.gz/tooltip.js
  - MD5: 6ae9dc400f463921e1ded65db0556dfc
  - SHA1: 0001130406c5f241ba069035dc380f3579ba24eb



- SHA256: efef210198a75adacd0d3e726500fde192fc94320e4acbf90eb3a4d877215a2d
- theme.zip: bootstrap.jar: tooltip.js
  - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/theme.zip/bootstrap.jar/META-INF/resources/webjars/bootstrap/3.4.1/js/tooltip.js
  - MD5: 6ae9dc400f463921e1ded65db0556dfc
  - SHA1: 0001130406c5f241ba069035dc380f3579ba24eb
  - SHA256: efef210198a75adacd0d3e726500fde192fc94320e4acbf90eb3a4d877215a2d

#### Identifiers

- None

### remotegui.zip: bootstrap.jar: transition.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/bootstrap.jar/META-INF/resources/webjars/bootstrap/3.4.1/js/transition.js

**MD5:** 0a47aaff7afca3b3485a6a845782947f

**SHA1:** 91c2a7be5c53a856679830e0681a31d57395bf28

**SHA256:** dfd38a036a1ed2f6362413696c71555c108aa06b2ffef68577705df1b1983bc2

**Referenced In Project/Scope:**server

#### Evidence

Type	Source	Name	Value	Confidence

#### Related Dependencies

- remotegui.zip: bootstrap.jar: transition.js.gz: transition.js
  - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/bootstrap.jar/META-INF/resources/webjars/bootstrap/3.4.1/js/transition.js.gz/transition.js
  - MD5: 0a47aaff7afca3b3485a6a845782947f
  - SHA1: 91c2a7be5c53a856679830e0681a31d57395bf28
  - SHA256: dfd38a036a1ed2f6362413696c71555c108aa06b2ffef68577705df1b1983bc2
- theme.zip: bootstrap.jar: transition.js.gz: transition.js
  - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/theme.zip/bootstrap.jar/META-INF/resources/webjars/bootstrap/3.4.1/js/transition.js.gz/transition.js
  - MD5: 0a47aaff7afca3b3485a6a845782947f
  - SHA1: 91c2a7be5c53a856679830e0681a31d57395bf28
  - SHA256: dfd38a036a1ed2f6362413696c71555c108aa06b2ffef68577705df1b1983bc2
- theme.zip: bootstrap.jar: transition.js
  - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/theme.zip/bootstrap.jar/META-INF/resources/webjars/bootstrap/3.4.1/js/transition.js
  - MD5: 0a47aaff7afca3b3485a6a845782947f
  - SHA1: 91c2a7be5c53a856679830e0681a31d57395bf28



- SHA256: dfd38a036a1ed2f6362413696c71555c108aa06b2ffef68577705df1b1983bc2

#### Identifiers

- None

### remotegui.zip: bootstrap.jar: webjars-requirejs.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/bootstrap.jar/META-INF/resources/webjars/bootstrap/3.4.1/webjars-requirejs.js

**MD5:** 66507db20354e58b4c9ba7ab8f9ce714

**SHA1:** 80f18f9b3ec47cf5854cb30dcd6b9548c32b9567

**SHA256:** b9a900c1c14f8b4980d34de9f2787b0bac576efc4f176aa70433a71950a14b26

**Referenced In Project/Scope:**server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Related Dependencies



- remotegui.zip: bootstrap.jar: webjars-requirejs.js.gz: webjars-requirejs.js
  - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/bootstrap.jar/META-INF/resources/webjars/bootstrap/3.4.1/webjars-requirejs.js.gz/webjars-requirejs.js
  - MD5: 66507db20354e58b4c9ba7ab8f9ce714
  - SHA1: 80f18f9b3ec47cf5854cb30dcd6b9548c32b9567
  - SHA256: b9a900c1c14f8b4980d34de9f2787b0bac576efc4f176aa70433a71950a14b26
- theme.zip: bootstrap.jar: webjars-requirejs.js.gz: webjars-requirejs.js
  - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/theme.zip/bootstrap.jar/META-INF/resources/webjars/bootstrap/3.4.1/webjars-requirejs.js.gz/webjars-requirejs.js
  - MD5: 66507db20354e58b4c9ba7ab8f9ce714
  - SHA1: 80f18f9b3ec47cf5854cb30dcd6b9548c32b9567
  - SHA256: b9a900c1c14f8b4980d34de9f2787b0bac576efc4f176aa70433a71950a14b26
- theme.zip: bootstrap.jar: webjars-requirejs.js
  - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/theme.zip/bootstrap.jar/META-INF/resources/webjars/bootstrap/3.4.1/webjars-requirejs.js
  - MD5: 66507db20354e58b4c9ba7ab8f9ce714
  - SHA1: 80f18f9b3ec47cf5854cb30dcd6b9548c32b9567
  - SHA256: b9a900c1c14f8b4980d34de9f2787b0bac576efc4f176aa70433a71950a14b26

#### Identifiers



- None

## remotegui.zip: codemirror.jar

### Description:

WebJar for codemirror

### License:

MIT

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar

**MD5:** 669061572ba6292cc848f48535366409

**SHA1:** c1c5b1fda926e89ab3204a2b4d2871078ce6d448

**SHA256:** b5f4ff56ec0eb788f4c150fc67b7a127e189e555e2438318742003e01c78282c

**Referenced In Project/Scope:**server

### Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	codemirror	High
Vendor	pom	artifactid	codemirror	Low
Vendor	pom	developer id	webjars	Medium
Vendor	pom	groupid	org.webjars.npm	Highest
Vendor	pom	name	codemirror	High
Vendor	pom	url	https://www.webjars.org	Highest
Product	file	name	codemirror	High
Product	pom	artifactid	codemirror	Highest
Product	pom	developer id	webjars	Low
Product	pom	groupid	org.webjars.npm	Highest
Product	pom	name	codemirror	High
Product	pom	url	https://www.webjars.org	Medium
Version	pom	version	6.65.7	Highest

### Identifiers

- [pkg:maven/org.webjars.npm/codemirror@6.65.7](#) (Confidence:High)
- [cpe:2.3:a:codemirror:codemirror:6.65.7:\\*\\*\\*\\*\\*](#) (Confidence:High)

suppress



### remotegui.zip: codemirror.jar: CodeMirror.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/src/edit/CodeMirror.js

**MD5:** d154477df9eebe156a1a493731acb01d

**SHA1:** 69efd74f28f36317a2bb9101dbbaec73f5ca3735

**SHA256:** 258db73a89eb6d88475013d38f4e0e01cc1476788f931058bf470db1ee26ca53

**Referenced In Project/Scope:**server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: codemirror.jar: ContentEditableInput.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/src/input/ContentEditableInput.js

**MD5:** 40e61dbb4388425c66403ecd7e9a5a10

**SHA1:** 70cfc8bedef61e8d2f6cbb85ee41d65088d44c53

**SHA256:** 5c07c3caef1fc6122ef3ce8d681afb87d65f86aaead8db5d1ca3466803b57da8

**Referenced In Project/Scope:**server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: codemirror.jar: Display.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources



/webjars/codemirror/6.65.7/src/display/Display.js

**MD5:** bbf05006cf414f786e21cdb02b443aac

**SHA1:** 6bcab3100f9fd46d39f5c47d78b6ad9ad863b464

**SHA256:** 6e26756a9ae829558cf81a83fd9d48dd0f605241c7c7e8028a8bcf94bfa7a9d4

**Referenced In Project/Scope:**server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: codemirror.jar: Doc.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/src/model/Doc.js

**MD5:** 66f02c635454d1ae55f7472709417566

**SHA1:** 8799d7becd0b3ee9bfd397c157c43ca6ebb264d0

**SHA256:** 32bf377fa99365b49732f69c5e565c61995fefdf8d0bc6f3404d4fc00ed8ac7f

**Referenced In Project/Scope:**server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: codemirror.jar: StringStream.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/src/util/StringStream.js

**MD5:** d187f08909bf9bb188d04c79f089c26a

**SHA1:** f5c4fc956b8b4de762087204024eb625cb00a790

**SHA256:** 9f1ab50bba4ae102fa5c611d4ef5b056d063a63a7f20cfef59eea64e93c3e04e

**Referenced In Project/Scope:**server

#### Evidence





Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: codemirror.jar: TextareaInput.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/src/input/TextareaInput.js

**MD5:** 87e959dd1978b0e022083d3e5ad65158

**SHA1:** d08b9e7e675368968faf8e93bb1dbaddf9996410

**SHA256:**48684a26a28a3fd1793a80aa67509c4281b56d6924d25511540a1d19aed72eb9

**Referenced In Project/Scope:**server

#### Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: codemirror.jar: active-line.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/addon/selection/active-line.js

**MD5:** 774e515fe054cbcd6cc869bfd550b17d

**SHA1:** 3d950f5055286088e93e0ee4c8a1d62eaf8aedac

**SHA256:**3afbcbf78835c9bdc342e3992c53d9b74286722613bb1a8adc9d140edc8737ee8

**Referenced In Project/Scope:**server

#### Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers



- None

### remotegui.zip: codemirror.jar: annotatescrollbar.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/addon/scroll/annotatescrollbar.js

**MD5:** a9dfd7f9d78bd36c617429ed88cb67e5

**SHA1:** ad1133e5432a7c65881747c87c84529fed297ecb

**SHA256:** 9041e8d81e3cebc481cabfae90d3b80596f3194de75d98e5526d3bfa44ae3bbc

**Referenced In Project/Scope:**server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: codemirror.jar: anyword-hint.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/addon/hint/anyword-hint.js

**MD5:** ba7fa17b24f0937d9431f93b9de2da37

**SHA1:** a87db7c6de5231a1bfd702e26ecf4aa76d822a0a

**SHA256:** e834ad178bd23449476e29179e8cb9f0c1ebaed35dab9059ed9a46b388271f3e

**Referenced In Project/Scope:**server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None



## remotegui.zip: codemirror.jar: apl.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/apl/apl.js

**MD5:** c0d55e310ae0a4290d3fcca84bff448

**SHA1:** 006c98d2b17e85168065eebf44c3fdd91b9ff874

**SHA256:** 47e0fdac0a39e0186019064e13b674dda4223b03b2748d34cccc09489fde2674

**Referenced In Project/Scope:**server

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## remotegui.zip: codemirror.jar: asciiarmor.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/asciiarmor/asciiarmor.js

**MD5:** 42e5c7f3f48fa085f63bd7708bb204fd

**SHA1:** b15cdadb5a869d06a79e6a9e187d0509dca1239

**SHA256:** bdc6b68c4b0c9dc53b2af587673461a495f123a5b9da8f6be79d97fee2790f9ae

**Referenced In Project/Scope:**server

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## remotegui.zip: codemirror.jar: asn.1.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/asn.1/asn.1.js

**MD5:** a928fdb102ef88113a9d1c0d9e520114



**SHA1:** f293930644bd6093dbb02475e8b409fe9794f437  
**SHA256:** 5b50cca4b34820cb3d57c218945ff2d870d57eba83e13c2c66590063e2a23acc  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: codemirror.jar: asterisk.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/asterisk/asterisk.js  
**MD5:** 2f4e25e805d878f43b8568609c48dba8  
**SHA1:** 109a76d631e43dd32c13cbb0c23ad83e1851ad0a  
**SHA256:** 0849e3a141e967559d752de2205956cb690f1d4ba0a5ace5481c6c565db9b674  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: codemirror.jar: autorefresh.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/addon/display/autorefresh.js  
**MD5:** 16b07faa9ef79a1fb79432fb4f4a9e3a  
**SHA1:** 091a2b17758e7c3182542314256139a2247b508c  
**SHA256:** 2ec9d5585bd24d7611f30ebbb1cd8fedf79747cf89c1f83852dd1dd9981f10bd  
**Referenced In Project/Scope:** server

#### Evidence





Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: bidi.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/src/util/bidi.js  
**MD5:** 22a12be2f1e24a9bfddc5c3b0d187ede  
**SHA1:** ab735d3376e0040172b6dc972f97df663f231dc4  
**SHA256:**0a4646d7a1214acfc71ad351d021f31795b056ce7a08f80d29857aeca1a5163b  
**Referenced In Project/Scope:**server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: brace-fold.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/addon/fold/brace-fold.js  
**MD5:** d56849bd7cce8a10ccb842d50f0de179  
**SHA1:** 4103103f28436925442d5397c24425fbaf660fce  
**SHA256:**2907087538a295e5b4f084f8c5ee7eba35cc973db194cbf596ab13a6c97a6834  
**Referenced In Project/Scope:**server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers



- None

### remotegui.zip: codemirror.jar: brainfuck.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/brainfuck/brainfuck.js  
**MD5:** f3ff733b3609dfb34a49652f6a4a2d09  
**SHA1:** 41a8164ddba5e25fe2401265eb9fd4222e415549  
**SHA256:** 67496a83fe1ea3304a3f65a8f8196f3a4a40060ea4febcb60a82c7657205abd  
**Referenced In Project/Scope:**server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: codemirror.jar: browser.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/src/util/browser.js  
**MD5:** 564eafde7c1566f1b9b0d976cc3ace2f  
**SHA1:** 2c592606b3242ac9cf080d138aae3516cc2ef05d  
**SHA256:** de647094595511fabe9d548d9e45dac746d7b83a198cb69b5b8859fa3eccb30  
**Referenced In Project/Scope:**server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: codemirror.jar: change\_measurement.js



**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/src/model/change\_measurement.js  
**MD5:** 39707c0eb637648efc07d95bb60253d3  
**SHA1:** 025a52f620cc5b6edee8fb9c63a3f6ecf4c2284c  
**SHA256:** 1d1648706bf317acc33a64673cb4fbc2d2a7db8205bcc1cd9fe52819c13b87f0  
**Referenced In Project/Scope:**server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: codemirror.jar: changes.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/src/model/changes.js  
**MD5:** 822465b81d600e9a703579605e2147bc  
**SHA1:** 1b77f1034de1cac51a8ff50e48f9604bc62556e5  
**SHA256:** 13b0b2c417e0181ec9cb012932c1fa167c50171133391c00582e2939206362a0  
**Referenced In Project/Scope:**server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: codemirror.jar: chunk.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/src/model/chunk.js  
**MD5:** 7dd1b45f75341b5a03a01f6607da69a4



**SHA1:** 89dfb21758e8a384033d09678a8d5b1ce8983e6f  
**SHA256:** 18f55da6b39c1b12fb5406c7962a88884e00d2122566622784720cbe612fc676  
**Referenced In Project/Scope:**server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: codemirror.jar: clike.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/clike/clike.js  
**MD5:** 145b41ea6cde47e8889ef8b2214eecde  
**SHA1:** d0ae7cc4040a57a76b86265f492f87e251d1cc9d  
**SHA256:** a1ff458a030f8b1db2d901811344f3e178eaceb19b598277d054bf83dacfcd2  
**Referenced In Project/Scope:**server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: codemirror.jar: clojure.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/clojure/clojure.js  
**MD5:** 7f3277e322bd000aefbfb172d3edf7e6  
**SHA1:** e701f8e843e3390a0a411700d3c8989dc147780c  
**SHA256:** 86b7b779ab84fa77bc6e461a05fd0887d85a3c8cd42a96576cad973b355bb1b8  
**Referenced In Project/Scope:**server

#### Evidence





Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: closebrackets.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/addon/edit/closebrackets.js  
**MD5:** 667059f346609f6ad778936b17c43824  
**SHA1:** 248b45be826a8856a0ed0733c8511d9d0c595507  
**SHA256:**143c3014c29254f3531cc30be6d90205084bcfc36cfa6f9b2a46fd42a40be20  
**Referenced In Project/Scope:**server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: closetag.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/addon/edit/closetag.js  
**MD5:** 744876ab906996c429eef7654278f514  
**SHA1:** 0e0e10e59f93f87c9bc35247b14831091113adb4  
**SHA256:**6fbe2b93cc1744d9e14ad1d613449f7e16df4c2aa2842f658efc17abf662f850  
**Referenced In Project/Scope:**server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers



- None

#### remotegui.zip: codemirror.jar: cmake.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/cmake/cmake.js

**MD5:** fc204bb5f2393f59bcd34a860f1e1a57

**SHA1:** 73985b80cdb80d12831a7476b740733e3fdd065d

**SHA256:** 6379ded0f75af38659031d1eaa803d2bd5be0fa7cebc216e55ca65d01a35bf1a

**Referenced In Project/Scope:**server

##### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

##### Identifiers

- None

#### remotegui.zip: codemirror.jar: cobol.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/cobol/cobol.js

**MD5:** d8a271c0bf27ef5cc2dd8ea19886aa75

**SHA1:** 93072b3c895318fc58f8ed16d68cc213ac7910de

**SHA256:** 0cecf82da2915c20187ab4e29cfc4abbb0078536874b27978726d48371487e4c

**Referenced In Project/Scope:**server

##### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

##### Identifiers

- None

#### remotegui.zip: codemirror.jar: codemirror-standalone.js



**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/src/addon/runmode/codemirror-standalone.js  
**MD5:** f1f47322e6af5937de4a14fb10863e3e  
**SHA1:** 843d01e1379550e5fed3e64aba1af1a359441e7a  
**SHA256:**a18754c4ae17e27b7bba46b338c404d28804e237f41425aed96904c0aa1f49f2  
**Referenced In Project/Scope:**server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: codemirror.jar: codemirror.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/lib/codemirror.js  
**MD5:** 15fc3cdfe569fa38b1f91d86ebbea13d  
**SHA1:** c5f9252d9467c2af70c5e6fc579e696648ee242b  
**SHA256:**a4f1c30365d5f85951a22160b07a7ce34048cb640c283545c8192132b46efba8  
**Referenced In Project/Scope:**server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: codemirror.jar: codemirror.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/src/codemirror.js  
**MD5:** 0d4d22de0bcdf7f7afd8131d4e59f130



**SHA1:** 819f8c37a4df0c61ef735d5b884c6c598bc0983e  
**SHA256:**b2a1b676605c6428b6dd7ce21a8a0d2509d4652ceb2297be93078ca6d66926dd  
**Referenced In Project/Scope:**server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: codemirror.node.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/src/addon/runmode/codemirror.node.js  
**MD5:** a524724c274d1c038c7984e164428b3d  
**SHA1:** 18fd7183236cbf1437175c8d31509ffa6cd4ba64  
**SHA256:**fdc02024dc3845f85b38046ae842b0f572f91adc5f34a6979cd92ead0fe4a0a1  
**Referenced In Project/Scope:**server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: coffeescript-lint.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/addon/lint/coffeescript-lint.js  
**MD5:** e852ea5b9ebb97947ffd169523eca098  
**SHA1:** 58ec1f05cb6893a519fe2d7ad1b9716f15219b89  
**SHA256:**824caa68710a7f931ebd30491fec19dcd2c6fa166c21158f5ccd61321069da2d  
**Referenced In Project/Scope:**server

Evidence






Type	Source	Name	Value	Confidence
Identifiers				
• None				

remotegui.zip: codemirror.jar: coffeescript.js


**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/coffeescript/coffeescript.js  
**MD5:** 438a52e20ca46a26383d4eb6d33a5c6f  
**SHA1:** 8dd398cbd2955bcffcd70180f9fb560f56acf567  
**SHA256:**67792b36933d29b482307761ee03da520a19b3b30ca60f54df9cdef4051db628  
**Referenced In Project/Scope:**server

Evidence 				
Type	Source	Name	Value	Confidence

Identifiers				
• None				

remotegui.zip: codemirror.jar: colorize.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/addon/runmode/colorize.js  
**MD5:** 626a64f8687ca9576bb017843ab2c30b  
**SHA1:** 4899e8d499849fb02f134afb39711d3ab2c28903  
**SHA256:**9d39f5267c05d930f079fc4f223b453e8f9fd54cae6cf52db9b5dc3a0b9dd694  
**Referenced In Project/Scope:**server

Evidence 				
Type	Source	Name	Value	Confidence

Identifiers				
-------------	--	--	--	--



- None

### remotegui.zip: codemirror.jar: commands.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/src/edit/commands.js

**MD5:** 9f984e904c9556f8e270502eaf1d5a5b

**SHA1:** d16928b2cc389c46f7b77121beb7376a50f11c35

**SHA256:** 5f23178d2f8f62f97af955560fb192e5aa898f81153b9c24cee8ed6ac567f658

**Referenced In Project/Scope:**server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: codemirror.jar: comment-fold.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/addon/fold/comment-fold.js

**MD5:** 3bf750756a24d5a0ba9cf16819bf5cfe

**SHA1:** ad4d1534287f90692567139c0b007be29aac4a9d

**SHA256:** a79d02eb1b425d8a4823f2d962b7b9f49af578fc9042b928b892417c00e7d13a

**Referenced In Project/Scope:**server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: codemirror.jar: comment.js



**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/addon/comment/comment.js  
**MD5:** 18fc449bec0798e43182173ba47455b9  
**SHA1:** 29442cfbafce86a08679824a999b87ec1acdf567  
**SHA256:**a65c038258c6541658a0e9f24c56c78255e0e20d4cf06aa9ad83342069a589be  
**Referenced In Project/Scope:**server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: codemirror.jar: commonlisp.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/commonlisp/commonlisp.js  
**MD5:** 9449ffe942392a1ad14eaa723578b606  
**SHA1:** c734ecc91ff4949d4cac179a55bec5cee55da153  
**SHA256:**0efe46913f843f5c335c79e05ae758e60212dde9cd3c45d99fae8066bd13c128  
**Referenced In Project/Scope:**server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: codemirror.jar: continuecomment.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/addon/comment/continuecomment.js  
**MD5:** 174c186ec1902fdb1aa708a9dea1aa4



**SHA1:** 7c3bb959b0c3befa4395c61ee8fbbba3f7f6c6033

**SHA256:** eb64c50f80cb3080052971bc075bbbf421ab50287804af8ce47b0536da5365e9

**Referenced In Project/Scope:**server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: codemirror.jar: continuelist.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/addon/edit/continuelist.js

**MD5:** 630509c4379923d8c811b3f1acc931fc

**SHA1:** 09118fd53589fe18289006df5cc57b4818321197

**SHA256:** 6ba9cd9528b74e7f76f4b9ce9ed0677bfed7057d1aade0050185368cfd0ea2e3

**Referenced In Project/Scope:**server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: codemirror.jar: crystal.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/crystal/crystal.js

**MD5:** ae980ca83523592958a2c7f8144bd365

**SHA1:** b52f1f9ec7c854891491f792ae93aae419efd2ac

**SHA256:** 5e6e8458e3fa4079ff438060ac7f93b8b7a160212b1cce92516f1ea9680b57da

**Referenced In Project/Scope:**server

#### Evidence





Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## remotegui.zip: codemirror.jar: css-hint.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/addon/hint/css-hint.js  
**MD5:** 55823389add79e8c52ffa7df6ba94515  
**SHA1:** 59e0f4c17ecd9595fe88a84bc47fbb994803fab6  
**SHA256:**0e22d6efa1ea084e8316ec6d5e4c809534f0e36f363bbc4156609201d95c6601  
**Referenced In Project/Scope:**server

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## remotegui.zip: codemirror.jar: css-lint.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/addon/lint/css-lint.js  
**MD5:** e392cd5f86989535e38b3cbfb5134985  
**SHA1:** 0986b3dc26b02d98a91b91bb38d46065b5c0214d  
**SHA256:**f3fc7474cbefded7f1b06d63efe980d58970785831cb35f29874ec371cb4ece8  
**Referenced In Project/Scope:**server

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers



- None

### remotegui.zip: codemirror.jar: css.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/css/css.js  
**MD5:** 3675078ada8a185a353a6560bda2d5ac  
**SHA1:** 1045cdc88a58fb002511eb21db184ed242730f05  
**SHA256:** 60f0689e5c6af7f36c341e8e1341a4f10b4f0a04cebfb7341bcbdba9b572b32  
**Referenced In Project/Scope:**server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: codemirror.jar: cypher.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/cypher/cypher.js  
**MD5:** 0439f14eea37e69f9bd0af1b9c57e014  
**SHA1:** c65b82f89865edb564d52f00afddafc3d18a8d6b  
**SHA256:** 6d8c9c8993fdeb724f1f68e9574fdab0001da1d31196e33ac6112303005d3f63  
**Referenced In Project/Scope:**server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: codemirror.jar: d.js



**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/d/d.js  
**MD5:** 0632861907c7e77ea48e0952d2081136  
**SHA1:** f000ac2fe16c377837034c69cdace651a45f4e7a  
**SHA256:** 8e3994ce4f507e692b65aa73ffbfd58112c4a22771b84b8ad86152578d4e8130  
**Referenced In Project/Scope:**server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: codemirror.jar: dart.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/dart/dart.js  
**MD5:** 0bfa12b4210e1faba31c98d2fcdbd226f  
**SHA1:** 4caa7d422c3c931f7df5b46e09c9596a9ca19ed0  
**SHA256:** b09be809dc1f9e3ad59374b198b0e5c4992788b9ff524765fccd0b84fde52212  
**Referenced In Project/Scope:**server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: codemirror.jar: deleteNearSelection.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/src/edit/deleteNearSelection.js  
**MD5:** 813d638d2d4693bd14f7b6490445a417



**SHA1:** eec62305710c8c0a032933bbbee41c3fd45142669  
**SHA256:** dac971ad5b761896b830e95f5e2240e2748fb83c909ef4c5ea4fd1f60ae031fd  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: codemirror.jar: dialog.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/addon/dialog/dialog.js  
**MD5:** 1b33c63e7d89d740d4738ce9766b19b0  
**SHA1:** 14cccbefbfb2f33d928c4a41d854237cda5dd97  
**SHA256:** fd8c925fcc25357617faff21220c026bb91a617b995268d96c5d39232fd42833  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: codemirror.jar: diff.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/diff/diff.js  
**MD5:** f80746d74770ee6dcf444e99f75d5537  
**SHA1:** 45f65817bf0cfe00f52a620c44e48031e926e5bc  
**SHA256:** 3fd0e844e22f475503415744b7e7af24df4cd0670709c77e5e43e92185ba32fd  
**Referenced In Project/Scope:** server

#### Evidence





Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: django.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/django/django.js  
**MD5:** 3c02fcac64b6100a0f369edc8d145f97  
**SHA1:** 9ab00e90ea9a3788178187e9451bdaf61bd311fe  
**SHA256:**71a3fa0ac63fe080a12097209e509c36abe0fde9c9709610be1656163d25a8bc  
**Referenced In Project/Scope:**server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: dockerfile.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/dockerfile/dockerfile.js  
**MD5:** 35fd7d7d73ad6c400c0afed686a383da  
**SHA1:** b6574f6951c483c563456c9094178769ea733631  
**SHA256:**fca390cea85e1b711389d1a91b99faeccf7b4df0f48e3ceaecf2e517982cb2b7  
**Referenced In Project/Scope:**server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers



- None

#### remotegui.zip: codemirror.jar: document\_data.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/src/model/document\_data.js

**MD5:** 86420f7d4afaa1aa00313618bff8292f

**SHA1:** c26428a7245c7ccbc2da6e15ea8071a308efe21e

**SHA256:** bded28025266e28229d4328e2a4ff6c829e26757b12861ec0c561c495d4b87e5

**Referenced In Project/Scope:**server

##### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

##### Identifiers

- None

#### remotegui.zip: codemirror.jar: dom.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/src/util/dom.js

**MD5:** b56830faf8f75c5daea99bdc94508b38

**SHA1:** 6425ef8de5f6d50a057a5cdaced4da9ed166ddfe

**SHA256:** 20275e6018fa90811c51e20246d4803c01d7e744f64434bb9194c7b1df41d1b1

**Referenced In Project/Scope:**server

##### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

##### Identifiers

- None

#### remotegui.zip: codemirror.jar: drop\_events.js



**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/src/edit/drop\_events.js  
**MD5:** 940690e5c792ff535ef797090cb7ed5d  
**SHA1:** 05108fb9bb15e761e86ef290e006cb7c620de955  
**SHA256:**60fa1577514a516587de192c7c779b4447aff1b6d26de0498030340e12945390  
**Referenced In Project/Scope:**server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: codemirror.jar: dtd.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/dtd/dtd.js  
**MD5:** eb3e9b71c4e33120225df386c29a0b30  
**SHA1:** c91a19fca8b5bb610ff35e8ea7c9190c9ef996f0  
**SHA256:**3f04995b147addeee1637bbfd0054676e78d13f7accaf2f589c55837d70148c1  
**Referenced In Project/Scope:**server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: codemirror.jar: dylan.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/dylan/dylan.js  
**MD5:** 99e3fa83adb7b3af2e363942a5b720ac



**SHA1:** 795b6199d3643d0a9eb0b018a02357da66be8f3d  
**SHA256:**999b862ebc559366e71a731e2a28b2762ae4fe7c7882ba5f6bf20c33a2d737b7  
**Referenced In Project/Scope:**server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: codemirror.jar: ebnf.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/ebnf/ebnf.js  
**MD5:** 8d8a62f6874e4e8378d16d02b09ada60  
**SHA1:** 84295b3d4f48cd3080508f3c5c12ecca2842dca4  
**SHA256:**1175e07f831fd02ccf09d4582351c5932a48fa03be5c0eb1028c8f96c051935f  
**Referenced In Project/Scope:**server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: codemirror.jar: ecl.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/ecl/ecl.js  
**MD5:** 04722d23df4c17765bb397d871875452  
**SHA1:** 63a19016bf2e53ba5c73fde154b9bbc19d96130d  
**SHA256:**c78998872dd14cdb356d5a9bd196f7d3525e3cb03a591133e0e904afaaec11b7  
**Referenced In Project/Scope:**server

#### Evidence





Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## remotegui.zip: codemirror.jar: eiffel.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/eiffel/eiffel.js  
**MD5:** d202831cfe3aa85bdedffd44534dc98e  
**SHA1:** e5767dbfb329d8e3786acf893d038e1e4dd35c39  
**SHA256:**183e855f6474cc2c4cf0b6c5e5c40ea7821707d37ac414277dcda294ffae1721  
**Referenced In Project/Scope:**server

### Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## remotegui.zip: codemirror.jar: elm.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/elm/elm.js  
**MD5:** c37089c171d4384ec97f9af66d5ac972  
**SHA1:** e28a667656ac12ff06766d2ee857962dcd9146e2  
**SHA256:**e343ffaaff2dc6fd9c5923228b46c23723c396993459eca6217871f1c087ebc  
**Referenced In Project/Scope:**server

### Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers



- None

#### remotegui.zip: codemirror.jar: emacs.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/keymap/emacs.js  
**MD5:** 258e09f1d4cdb812940d869afce12a11  
**SHA1:** fa3b963c38f809ab13c37fd7aa654ac46a39e740  
**SHA256:** af2f42c9f461951f13e9785f634cc9f8e5d63b0c5c2375b331105dea19a71fef  
**Referenced In Project/Scope:**server

##### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

##### Identifiers

- None

#### remotegui.zip: codemirror.jar: erlang.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/erlang/erlang.js  
**MD5:** 29f92a4be923242d30cf1f4288c89adc  
**SHA1:** 45f94b33af2bc74d8c5eed73de27eb8a4047c20  
**SHA256:** 2ae29808247e9d6a58a83893b0e8b627c0ca337cfa541ef16fb506edfdb77e  
**Referenced In Project/Scope:**server

##### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

##### Identifiers

- None

#### remotegui.zip: codemirror.jar: event.js



**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/src/util/event.js  
**MD5:** b700f1676589e7f88e59c943cc209156  
**SHA1:** 516c718a9b2f86f68127680267b92d10fbf5a579  
**SHA256:** 1b13113fab8763c3c9e2284d1b6bdf1f84ab3424999a2eacffbf771ea8b75513  
**Referenced In Project/Scope:**server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: codemirror.jar: factor.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/factor/factor.js  
**MD5:** d497dd1c4f0f85b83245bfb80943e5cc  
**SHA1:** ec2430a02377f3b14692370e329b8f83b017d1b9  
**SHA256:** baf7c16c387e7abfc308dfcb7fcc1ea9ae0a898d13455349083ea72c7bfa4c4a  
**Referenced In Project/Scope:**server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: codemirror.jar: fcl.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/fcl/fcl.js  
**MD5:** bfa4a30d52fa501346b203c8ab6aa0cc



**SHA1:** 9befb1efc7f051c189e1c2c7cccd976576bcefca  
**SHA256:** 7c9d372be44c1c418a101885662d80d4bf6104e1b717d36cbdbd05a5956abc70  
**Referenced In Project/Scope:**server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: codemirror.jar: feature\_detection.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/src/util/feature\_detection.js  
**MD5:** 3b63813f217d9351f7a1d90edf345310  
**SHA1:** f236ad77f54768dfaf4b78905be71b6873691698  
**SHA256:** 4aeaf197f379b3450c8c297f23e449df3795a9954bec48cfcddf4b3615d5f371  
**Referenced In Project/Scope:**server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: codemirror.jar: focus.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/src/display/focus.js  
**MD5:** 307daeb9d6322c3905fc5b2ba846fa16  
**SHA1:** d1e1cceb41ec90a9b18fd25ae6cad9805e86811d  
**SHA256:** 2f6ad1d093d5d933ad58ded481d34002320d2887b5d06badb35918289338757e  
**Referenced In Project/Scope:**server

#### Evidence





Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## remotegui.zip: codemirror.jar: foldcode.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/addon/fold/foldcode.js  
**MD5:** f520bc635201c451609403065b8bacfa  
**SHA1:** 78958ff57ef86b84ac8a8085a4f0923433eea9d3  
**SHA256:**07f353e02abcc300739b09f31a9d32a958ebe5d2f76959291e5643c6e40a26a5  
**Referenced In Project/Scope:**server

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## remotegui.zip: codemirror.jar: foldgutter.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/addon/fold/foldgutter.js  
**MD5:** 9606e4f3ca8c5ac259c2cf703753017b  
**SHA1:** 2f4f7e099042dcbde74bfd3a8f5856f595326ecd  
**SHA256:**fc85fcd61894dc551a4c7c221ec41b7fa4007d1e33239b1cf8faf56ef1811727  
**Referenced In Project/Scope:**server

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers



- None

#### remotegui.zip: codemirror.jar: forth.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/forth/forth.js  
**MD5:** 3e09048506ea36823a8a5e6ad244c7d5  
**SHA1:** ef3e2632de5a4c57f8b14225026940309167d270  
**SHA256:** 1c6c0a8fb3572fba544083795b3259f8a35cae81ec2ddb19b4fd7af2a91ab34a  
**Referenced In Project/Scope:**server

##### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

##### Identifiers

- None

#### remotegui.zip: codemirror.jar: fortran.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/fortran/fortran.js  
**MD5:** acf9c5ff78882f6ee77416eb957e881e  
**SHA1:** 30130e625c08eedd8d62021c0dc77a71d066fd1d  
**SHA256:** b3351c6cd6e696c2ebf0e6ae1ff7925ed65add92947007402e0b3112634f6392  
**Referenced In Project/Scope:**server

##### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

##### Identifiers

- None

#### remotegui.zip: codemirror.jar: fromTextArea.js



**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/src/edit/fromTextArea.js  
**MD5:** a910ea4413c5f8fabb9be57bc80a7cc7  
**SHA1:** c2bb053e04c5cc11df632ae7332863f5f0d30c70  
**SHA256:** 796a25d1e7f2a7c35ac9289bdb21e9c56c1253779a71c1b9e8a8c04160829e2d  
**Referenced In Project/Scope:**server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: codemirror.jar: fullscreen.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/addon/display/fullscreen.js  
**MD5:** dffe3df188ef201ff7f04977d0ead894  
**SHA1:** 29d2bbd2368fb2dfc02a06aac6db6aa9691ab330  
**SHA256:** 8e4a21aa77765df8893fc854c4b6be56279e12d9a70cbede913083c307ac769e  
**Referenced In Project/Scope:**server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: codemirror.jar: gas.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/gas/gas.js  
**MD5:** 9403b8d57b58f52a0d02efd3d6d99571



**SHA1:** afdd8ef0502d68ba8020134c780ebce498f65ac9  
**SHA256:**414899aed81f9bdb726a6729047f1afb538679ee58623beb8fa51dc7412db6e9  
**Referenced In Project/Scope:**server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: codemirror.jar: gfm.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/gfm/gfm.js  
**MD5:** da48b005ec4e651d019aa09b3d6d4aac  
**SHA1:** ea5f855ce519bf55f09cb2c968dce9660615c698  
**SHA256:**1fcd9a611c238acf53f906126fba93ae0550d74858efad61d72b8b3ed6e0bc  
**Referenced In Project/Scope:**server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: codemirror.jar: gherkin.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/gherkin/gherkin.js  
**MD5:** 3d87a67e559ce2d1851c4f1fcca83fe2  
**SHA1:** 289ab840bb7ad7d5cf292406eff4fb8e55ece301  
**SHA256:**732eb81eccbef7db49729af3f23d477dc8f27a4d9bf2fb2c6bb520d8ec19bddb  
**Referenced In Project/Scope:**server

#### Evidence





Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## remotegui.zip: codemirror.jar: global\_events.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/src/edit/global\_events.js  
**MD5:** 288615615004321c6abe2bf66842b8bc  
**SHA1:** 858b4b90c061cf34960b0bd4231a2b7dd7ec5f3b  
**SHA256:**fa803fc7e109d232afd12dfdf4d99adea71081cc4b71e547d4b1c2bf46cc9ca2  
**Referenced In Project/Scope:**server

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## remotegui.zip: codemirror.jar: go.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/go/go.js  
**MD5:** 51890857b15156f02106103dd73d2b0e  
**SHA1:** ef0de14a73f6656facd0d7355a11b1d17df86b16  
**SHA256:**4e3b08bda2f85c9ef68c03f24c0c5ca3b8ba479127b6cbc50f33cb9593dbaf00  
**Referenced In Project/Scope:**server

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers



- None

### remotegui.zip: codemirror.jar: groovy.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/groovy/groovy.js  
**MD5:** d6ca518a6aa5ab5b420bbf21d65b2d05  
**SHA1:** 48fb64db46a7408334eeda329d755dd09aec41ec  
**SHA256:** 6641a0b1555ee0f1bca36975a4fcadd43d512de7ca814328cc6402e1ce836b4c  
**Referenced In Project/Scope:**server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: codemirror.jar: gutters.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/src/display/gutters.js  
**MD5:** af3de2621d2ef402646889be16bcde7b  
**SHA1:** 130d94f44dea7f614a15009677e496ad2b853025  
**SHA256:** 2143db3d42d9a3408b556eb50068870d138041a9b98ab256d070d982e09346df  
**Referenced In Project/Scope:**server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: codemirror.jar: haml.js



**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/haml/haml.js  
**MD5:** 7d65bfd39de90f56597eb8e278a39af7  
**SHA1:** 7bafda0fd81e500fb2f364d2e657fd9dec939505  
**SHA256:** 9e9606fecf19869e51c32a84e18c4447c0d4ad2031730e5690b571f318409022  
**Referenced In Project/Scope:**server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: codemirror.jar: handlebars.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/handlebars/handlebars.js  
**MD5:** efacd8d006bf9f83baec2fc5a8c71feb  
**SHA1:** 7fefb944ec70e00d262252956fdc71f04c1046b2  
**SHA256:** 60bac3d6993264e155b5a06f52cda56b7bab2fb5923f3d1cc7e8caf704fca724  
**Referenced In Project/Scope:**server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: codemirror.jar: hardwrap.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/addon/wrap/hardwrap.js  
**MD5:** 049ed63630662fcb8a977fa43f86e058



**SHA1:** 535a020f7839e52da6fc7b8af3d249f641c5e055  
**SHA256:**bee81aee6222a46b1aeb14d6fc738d3cc09a4e421f808e29b3c6989710ccbfc8  
**Referenced In Project/Scope:**server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: haskell-literate.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller  
/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources  
/webjars/codemirror/6.65.7/mode/haskell-literate/haskell-literate.js  
**MD5:** f0bd7313413cdc35018db90a6522d1ef  
**SHA1:** 670b7735a8c85e5251aeadf51f5005d5cf45df44  
**SHA256:**7519d0b515603244f029c3031a4625fdccac88cb640fcb6e117718ec2c0b3c50  
**Referenced In Project/Scope:**server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: haskell.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller  
/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources  
/webjars/codemirror/6.65.7/mode/haskell/haskell.js  
**MD5:** e4f82d95d10c028eebae3338e678be22  
**SHA1:** 30c46651b2b0b5a7fc70910b22e52e2d1d8687ff  
**SHA256:**4745a90832e950c9536f0bf498e5bf6fb3753a4a98bea09ec152b92354c0fdaa  
**Referenced In Project/Scope:**server

Evidence





Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## remotegui.zip: codemirror.jar: haxe.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/haxe/haxe.js  
**MD5:** 13c21da31a992b536d4f37ee53e09605  
**SHA1:** 6a694b4a0a68b148e0b2e0b761a521a5fa4a0296  
**SHA256:**f3596c7efe948a3331bb1bea299f6fcb8e7733777dc2114a9f2147dfc1c69257  
**Referenced In Project/Scope:**server

### Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## remotegui.zip: codemirror.jar: highlight.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/src/line/highlight.js  
**MD5:** d7710bcd63c26c5fdc37c19b15e02d4e  
**SHA1:** cc5bac275e64696339642c6f5a52c254f139fbfd  
**SHA256:**ccf8b3a879acfa0013ee5b11e036b822b68ec5a136c218400775fe2e35a3fd9b  
**Referenced In Project/Scope:**server

### Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers



- None

### remotegui.zip: codemirror.jar: highlight\_worker.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/src/display/highlight\_worker.js  
**MD5:** fc6f314859dad397c1f867ed5d73205f  
**SHA1:** 80e56feeeffb3ad7b76e40dc4577962a60becc11  
**SHA256:** fc9d8bf90534b9a6c7d5a45e8f8f79a4f8827a661c4271f812776e7c3d2bdc09  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: codemirror.jar: history.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/src/model/history.js  
**MD5:** 34cb233d1bf8cc676a0c5fc9e9c24b04  
**SHA1:** 4c42d70f020d1fd9397fa16ea34f5cf54487e93d  
**SHA256:** 961d52432f8f463614f83e660c2945f9bfbbc9c8fb7767575b9221c3e88821a2  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: codemirror.jar: html-hint.js



**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/addon/hint/html-hint.js  
**MD5:** 609fea85a7894f8098719813c58219c5  
**SHA1:** f593de64cb802e0e456482b88959a68260e06bff  
**SHA256:**64d3ef9293ed8917e40ed4e8196da6919379a3b4970c007785c7ed27ab9a0478  
**Referenced In Project/Scope:**server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: codemirror.jar: html-lint.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/addon/lint/html-lint.js  
**MD5:** 0844a30ecec022fb60101fc0cc6a5cfe  
**SHA1:** 3ed8b2f11d4c7462cf29fc93b58e579680bcc32f  
**SHA256:**ab7827913934f06a8b4d00e41d5954974c90d5085d1295fe02c484c782c75843  
**Referenced In Project/Scope:**server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: codemirror.jar: htmlembedded.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/htmlembedded/htmlembedded.js  
**MD5:** e7a464409318dee8c3c6e0b68225d461



**SHA1:** 548ebed43650c26970abca5933aa237b4a1950c5  
**SHA256:** 8afc8da4e446322cf92d78bef9940f9444aee339f56c8b9af5452fadb867601  
**Referenced In Project/Scope:**server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: codemirror.jar: htmlmixed.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/htmlmixed/htmlmixed.js  
**MD5:** 4c5a6f44d738b718d1f6164c1c8d6904  
**SHA1:** a4f9c3552740fb908e14fb0f47832d10a3f535d6  
**SHA256:** fe5912e1d10f8fecb98bd31e2f957c0bbc9abf6b505d11b6dbcd27542d0fdcad  
**Referenced In Project/Scope:**server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: codemirror.jar: http.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/http/http.js  
**MD5:** 42dcfb1c4b83e85eea0303f75a3f08e1  
**SHA1:** 7fa224e2e3ab674ca61cedd48fd430c5e62e1218  
**SHA256:** 89842864a707564a989a841ce934b61659f34b012f2349e5c4fd9a09c5982f6c  
**Referenced In Project/Scope:**server

#### Evidence





Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## remotegui.zip: codemirror.jar: idl.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/idl/idl.js  
**MD5:** 1ae58242a3b61aae5bdc5665bd5fc2ed  
**SHA1:** c25b0c5644c33ee3993ee3152df8f4c27235e172  
**SHA256:**7d45bc0899e019f558e68eca684ed84660bf4687cd64fb4ed2c959ad249b763d  
**Referenced In Project/Scope:**server

### Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## remotegui.zip: codemirror.jar: indent-fold.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/addon/fold/indent-fold.js  
**MD5:** 623d14360009d84560611f43b83e6759  
**SHA1:** 731e1d84971dcafb20d1417761c18c55883c3d98  
**SHA256:**a835ed1af176b96a1bf00379622e76573a1f6327bd76b583d9c4757a2c4a4194  
**Referenced In Project/Scope:**server

### Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers



- None

### remotegui.zip: codemirror.jar: indent.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/src/input/indent.js  
**MD5:** 835649b199c40a992e89a61de3514147  
**SHA1:** e3d98527805fcef17ac4f710d7600fe0da52db33  
**SHA256:** f28260cac8eba83de19891709eb8545ecaa6cfa3ec716e617992e14cd0112404  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: codemirror.jar: input.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/src/input/input.js  
**MD5:** 8347e0beb43b7f458587e94f323c58bd  
**SHA1:** 62cfb278476d7f293b853e92e35bd9221c6d1a1c  
**SHA256:** bbfc32c56077171637375314abe257f54f925e8142b3f3a9eb669296ec3f12ff  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: codemirror.jar: javascript-hint.js



**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/addon/hint/javascript-hint.js  
**MD5:** de72c8e29800ee9ae93e5c8a43c6c6a4  
**SHA1:** e348c54c78f75047c06629a13422c0aee0ee3253  
**SHA256:** e4dfa3414b3b9535514737074cec2fb0cbf0bfea7e765307122295c98c5137fb  
**Referenced In Project/Scope:**server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: codemirror.jar: javascript-lint.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/addon/lint/javascript-lint.js  
**MD5:** 55eb8a1558ef8c9da7d355a32334d62e  
**SHA1:** d452acc1222c992a222c6c4bc55c0546eb2a465f  
**SHA256:** 69906dbb83d60e0d104ddf395e29dcaf4a05063f24c085975b9c09693dc860c1  
**Referenced In Project/Scope:**server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: codemirror.jar: javascript.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/javascript/javascript.js  
**MD5:** 178dfcd5f64c97da22a3d3a62713b7a9



**SHA1:** 969b4a80be53b334612b44a0cc6ef57cfe171a26  
**SHA256:** 21fa74c1638c7a4eb3e8cd04b5c8c997181394568330b341c83716da18ffad8e  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: codemirror.jar: jinja2.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/jinja2/jinja2.js  
**MD5:** 82ad8f3f5eac62b4012d21c9deabfc69  
**SHA1:** f1b92b1cce15292571979194dc1331accc5fb2d9  
**SHA256:** b408eeadec21747f7c4ed41dcb9ec4e540aa1493d0a7971e74aa1eed05049b93  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: codemirror.jar: json-lint.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/addon/lint/json-lint.js  
**MD5:** b01056a065c6df2ed0f61038c88e5ecc  
**SHA1:** 8fcdcb87fd1c9f8fc04f3fc325fa590b27441183  
**SHA256:** cb3522e1bdfb075461c848ba2091cc781b52ef0e69cb39d9a33e1b74dc35ae2  
**Referenced In Project/Scope:** server

#### Evidence





Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## remotegui.zip: codemirror.jar: jsx.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/jsx/jsx.js  
**MD5:** 5dcc6cfebb32872e929bee63d517295e  
**SHA1:** f22b5965deb7b3f6e434d6012b22af7a7ba4c9c6  
**SHA256:**c6babd67df23bb0278d432fba3d2dbd03bb1fb3862d4d70549cda1b0d9953abf  
**Referenced In Project/Scope:**server

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## remotegui.zip: codemirror.jar: julia.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/julia/julia.js  
**MD5:** 544d9103cd9877e0a7dbb26dd5a34eea  
**SHA1:** 4d6fef3f38c3c9717b6ac72fa4fa3c6d48ca189f  
**SHA256:**54d93c9a83269af3bd8bc6593be2368f07b4efa4223074b54f3aad44097a4d32  
**Referenced In Project/Scope:**server

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers



- None

### remotegui.zip: codemirror.jar: jump-to-line.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/addon/search/jump-to-line.js  
**MD5:** ae33156dd047f75a6d2539b21ac92df9  
**SHA1:** 4b8098d4df0e0bdbda6b27961ffc7bdaac14e85a  
**SHA256:** 39b7d80ee80cabe2f5936673b3cadbfd4d260dfe6dc6f936523a334044962ffa  
**Referenced In Project/Scope:**server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: codemirror.jar: key\_events.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/src/edit/key\_events.js  
**MD5:** c299e1b06d3f6ec725718c1dc60141c7  
**SHA1:** 09df110e22b2eccc9f3deb5a2dbe0a6fa884d23  
**SHA256:** f24d2b392714dc1fe63b23f79d45d01503a1a8860cb7b92dff6e5eb05e35cc69  
**Referenced In Project/Scope:**server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: codemirror.jar: keymap.js



**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/src/input/keymap.js  
**MD5:** 1c8d554d0dfbb08ac3b4ff11303f313a  
**SHA1:** bcbddfc0d1411afa8455d75564758dacde1e15d5  
**SHA256:**9be4f88cba00a971a1a007ca4fcc56f244ac84fb8b24f165f6ce2793c2f83a95  
**Referenced In Project/Scope:**server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: codemirror.jar: keynames.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/src/input/keynames.js  
**MD5:** e4ae7351260c5e7b9f2253e21b5ca9dd  
**SHA1:** 9b6381177e6d4afdd03388c548a00bef7e101b0b  
**SHA256:**7054358c3e0ad3945e0c3c31fde7b77d1af78874a5fd436a908aa0e8eeab7b03  
**Referenced In Project/Scope:**server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: codemirror.jar: legacy.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/src/edit/legacy.js  
**MD5:** dfa5acb74b48161d442a6d83e1abbc03



**SHA1:** 70f5248919c6a806ec8da7a53b9167ea0d28f28e  
**SHA256:** 663e30df9fb1f4994092c95d5a4a2a127d67d59896b4795807ac912773a759a4  
**Referenced In Project/Scope:**server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: codemirror.jar: line\_data.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/src/line/line\_data.js  
**MD5:** 0239405c8ea2b45a5a3a2de75bc481b7  
**SHA1:** 936ff2393f4614f8fb907274c896d2435d34250d  
**SHA256:** 11203cf446205f30a8eb2f5633369c7a6c00cc778b3cdbf1da16570571937d92  
**Referenced In Project/Scope:**server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: codemirror.jar: line\_numbers.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/src/display/line\_numbers.js  
**MD5:** 22976744e5315917483bef53cab4d368  
**SHA1:** 32c75bf2e39c2315fd1a1d04cbcbddb666c998e0  
**SHA256:** 2474c6d14659ccbd6664aa88eaac7f1bb5589cc44f5acff4c5d8a22ed5da5d4c  
**Referenced In Project/Scope:**server

#### Evidence





Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## remotegui.zip: codemirror.jar: line\_widget.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/src/model/line\_widget.js  
**MD5:** 2a58b1a6d7eadb596d3968096f1493e4  
**SHA1:** e06ec6ee060c9b180dd6269107c1643618024acf  
**SHA256:**4557109a8ced89105c13e911cd0d4036a043ce83abcfaefe9b6889ea8d058b16  
**Referenced In Project/Scope:**server

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## remotegui.zip: codemirror.jar: lint.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/addon/lint/lint.js  
**MD5:** 7930c46b5411e82099bf4d021be44897  
**SHA1:** 9d4fcf298565cd2e6b6234c331113e5ee80a996f  
**SHA256:**7c2e8241383104a6188c43b657b17ff7633e0de89d9b98f7d09df29570341e76  
**Referenced In Project/Scope:**server

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers



- None

#### remotegui.zip: codemirror.jar: livescript.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/livescript/livescript.js  
**MD5:** 303cf9371fc666702d07b7892d4d69b8  
**SHA1:** cc1a29423cc292dab8ceccbe8d1d4995426ce11d  
**SHA256:** b9b5f3fca094c735f94174d463746bc39d0930dc42b70bf5004efaed96b080ea  
**Referenced In Project/Scope:**server

##### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

##### Identifiers

- None

#### remotegui.zip: codemirror.jar: loadmode.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/addon/mode/loadmode.js  
**MD5:** 43a51215f06278be12990128bf16cffa  
**SHA1:** 62a2787a4f3b623af185185edaedc7eaed7ffc08  
**SHA256:** be81c0312e7041f56c217430a177fea61e572bcb9579a39ca1922a2e4d51abec  
**Referenced In Project/Scope:**server

##### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

##### Identifiers

- None

#### remotegui.zip: codemirror.jar: lua.js



**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/lua/luajs  
**MD5:** ccf279dcbc882c0e99fc9dfa9dd734d  
**SHA1:** 13ec1f41c7c723c70f185f6c22e116cdf532d8dd  
**SHA256:** 5c702747f50d5d4158ab8c096b33a7e0092529d5682a728a20624b01dfd86e2a  
**Referenced In Project/Scope:**server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: codemirror.jar: main.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/src/edit/main.js  
**MD5:** cc33d6b2c4f87f24fe91b103cfee3da7  
**SHA1:** 7a267e163871e4d9c505a7dbda69289619573e76  
**SHA256:** 2644139a384fcd2ff3bcb59fad7a45a3faa166c443fcd2d05315558dc7d1f99  
**Referenced In Project/Scope:**server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: codemirror.jar: mark-selection.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/addon/selection/mark-selection.js  
**MD5:** f2b8639c24afc6cc370f4097eb6bb217



**SHA1:** 62883a7928526106b19fa78a1195fadf463550b4  
**SHA256:**5b9c6a0031fe895641f2eb2198df2592ec769a6685d6bb10f3f9b92a7822e286  
**Referenced In Project/Scope:**server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: mark\_text.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller  
/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources  
/webjars/codemirror/6.65.7/src/model/mark\_text.js  
**MD5:** 7611054f886606aed04a7a3f3c4d5a78  
**SHA1:** 3e6ac9ae6a89f720e9c148d25746ff37f9207d07  
**SHA256:**b17ada4f3979fa8170a4abc071035badcddd87870a212cd92dc5b0a70fac19e0  
**Referenced In Project/Scope:**server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: markdown-fold.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller  
/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources  
/webjars/codemirror/6.65.7/addon/fold/markdown-fold.js  
**MD5:** e9844099dad7cf95607a804988677f22  
**SHA1:** 400fdaaf493a4d15e10b397553549b6b4e09dc92  
**SHA256:**6a81721447c7260578e8e306c89b33a49e98edc1c2cb0c52a18ca0e913684d96  
**Referenced In Project/Scope:**server

Evidence





Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## remotegui.zip: codemirror.jar: markdown.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/markdown/markdown.js  
**MD5:** a7326be775e85028373f9236c26a572e  
**SHA1:** c7dda08f12cf129cba6b317f70ee7ce0abf775b9  
**SHA256:**8fe7b11848f79cc9119b2a239f38a00944f6f2bb764a00bc837ecf8d34cf7690  
**Referenced In Project/Scope:**server

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## remotegui.zip: codemirror.jar: match-highlighter.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/addon/search/match-highlighter.js  
**MD5:** d7d3dd2592e2df81c743b86a46ccc555  
**SHA1:** 21bd58338eb506c53cd367b4e30c6aefa2e7edee  
**SHA256:**8c3e196f9a5f9e5cf9d7e71751132a05293e7cdb180defacf28be9fe919682cb  
**Referenced In Project/Scope:**server

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers



- None

#### remotegui.zip: codemirror.jar: matchbrackets.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/addon/edit/matchbrackets.js

**MD5:** 2d2902edcfd32a8f481124c0957889ff

**SHA1:** 1555a87118f8082edd03c7b7c1363ebd1daaea45

**SHA256:** 9d0e5ee4c199fcbe487a901860c2cf7d007263852677dd5858098fcaa8580f1e

**Referenced In Project/Scope:**server

##### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

##### Identifiers

- None

#### remotegui.zip: codemirror.jar: matchesonscrollbar.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/addon/search/matchesonscrollbar.js

**MD5:** e005f8b0c7cedc509a29ea1a517cc829

**SHA1:** 73a8bbcf26072f44bc7003faea790d1f3d59096f

**SHA256:** a2deca7f8ca380dc7772929cc7c23b6737109f3cf0a55e7e18832808d98530c8

**Referenced In Project/Scope:**server

##### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

##### Identifiers

- None

#### remotegui.zip: codemirror.jar: matchtags.js



**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/addon/edit/matchtags.js  
**MD5:** 6e8c7c68653d8d6b912138fe6f155e1f  
**SHA1:** 99f7135d209eb1da2c326486eb53ecdd330f0f2c  
**SHA256:**263d752f850b20890f0506fcb277b094b474138692a58b45d7b9bb03e20aa00c  
**Referenced In Project/Scope:**server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: codemirror.jar: mathematica.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/mathematica/mathematica.js  
**MD5:** a8c37dcebeb98162e29e9d1483edf7c4  
**SHA1:** 82d9653bf7ca5b228759c5ad53845a8237625792  
**SHA256:**a301011fbb5d9ea4f39fc574718c2d27afd9425e31a1a5bf9005617603b45c0a  
**Referenced In Project/Scope:**server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: codemirror.jar: mbox.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/mbox/mbox.js  
**MD5:** 9ce449eaef8f2c3e6253bb202a3da0d0



**SHA1:** 6848c5a33d4ea2c76fc6abb4fdc3c9253eedbc9b  
**SHA256:**9affa80931d9bb09746d08b9b0f90286d2b47f5b16a0bd8a1a06227b496c4b07  
**Referenced In Project/Scope:**server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: merge.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/addon/merge/merge.js  
**MD5:** d2a6bc0c40e52723665afdc3b17ab226  
**SHA1:** c2c82dc8159b4d4b38ac4e74d88b513cae40be01  
**SHA256:**916279b765e93236826a1aa71f96924084707d50486739e9b4524a3f773d41ae  
**Referenced In Project/Scope:**server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: meta.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/meta.js  
**MD5:** 11f14aa114ed56768aa48301be3b9f03  
**SHA1:** 516781b99334a9aeaed0d9f1b9463d8330d00ab2  
**SHA256:**f95786f9c83e631225fe7866f39892f808aeb015e80ce9d8a58d5a1d4e9c4bb6  
**Referenced In Project/Scope:**server

Evidence





Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## remotegui.zip: codemirror.jar: methods.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/src/edit/methods.js  
**MD5:** e0aee4bf62e8df22b1edf8c98171c1ff  
**SHA1:** ec9e2b700a1252d5787249b1c8046b5fb0df6073  
**SHA256:**80aa117e54c13edec48656384e623b81f8ae5ecece3f426ba9b4638872fd88e6  
**Referenced In Project/Scope:**server

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## remotegui.zip: codemirror.jar: mirc.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/mirc/mirc.js  
**MD5:** 23555fdd21b7305d57c24d1378a03754  
**SHA1:** 373c327846304793f8016feaa0164226d6fd5020  
**SHA256:**ac173799c5f81a8c8813a5b0c20b700b27a1f571d1e70132e67d8451c3efaa5e  
**Referenced In Project/Scope:**server

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers



- None

### remotegui.zip: codemirror.jar: misc.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/src/util/misc.js

**MD5:** e94bdb7dadf69d57a0baf64df69e7780

**SHA1:** 7d04fd04c64f91033740df1756ceb180fe1ec38b

**SHA256:** dec9a3df5d525da109210c8f63bc47ef6270de5d0336e446c54d6c490f45bbfd

**Referenced In Project/Scope:**server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: codemirror.jar: mllike.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/mllike/mllike.js

**MD5:** b30e7da7837eee7a5966685fa03522f0

**SHA1:** 648a539e28df2714182163665b797d783cd47d80

**SHA256:** a887947e50c37db0215fa4076c3b211093dd9abf643518a2f304677bef848211

**Referenced In Project/Scope:**server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: codemirror.jar: mode\_state.js



**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/src/display/mode\_state.js  
**MD5:** ffc05060eaa3b3d89beaaaae86b0483a  
**SHA1:** ad4db1fa999cdec7dca274bc0d440b9817706fcb  
**SHA256:** 7d986b2f9cea39f7829ffd57fe70a6d891afb68bda46557f3d361fce6abddedb  
**Referenced In Project/Scope:**server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: codemirror.jar: modelica.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/modelica/modelica.js  
**MD5:** 9d173268d73ae885e07741f6a60913ef  
**SHA1:** 2cebfe05d43ff1b9a4608bde365d0e340b9e2b08  
**SHA256:** 96befada89421de8d32f6355c326510128e429167390c60ba81d93dfce4b360a  
**Referenced In Project/Scope:**server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: codemirror.jar: modes.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/src/modes.js  
**MD5:** bcf367e11e7fac26e7f1668e8f1d1968



**SHA1:** 26c51a0d675e8420deabe41af39537b98b494f6a  
**SHA256:**faf6b57425b7b95a14650da5da6a488cde013e23c1ca57e4223146ccd369230b  
**Referenced In Project/Scope:**server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: codemirror.jar: mouse\_events.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/src/edit/mouse\_events.js  
**MD5:** 9a8c2a4f4b71ceb0d641c905ea325dfa  
**SHA1:** 88d8b3f37ba37358b2f270ac184852f0f53c4e8d  
**SHA256:**17a6d6d77b3607cfd0ba1d551fef84d161747a62b42ecd9454d7427a1c3da610  
**Referenced In Project/Scope:**server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: codemirror.jar: movement.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/src/input/movement.js  
**MD5:** 386a27ecd12315f9eff836ce5ab2091f  
**SHA1:** 3170cd5a925774250a79d9e1c9130040e89a6be8  
**SHA256:**45f4ab6d34f817b4d945449664a35848a252a87f7aa7e917cbefd5710cc06334  
**Referenced In Project/Scope:**server

#### Evidence





Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## remotegui.zip: codemirror.jar: mscgen.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/mscgen/mscgen.js  
**MD5:** 8e06dd81adc9a26c6c708d253868c290  
**SHA1:** d44dd69d6fe4e456417da210928371090d426921  
**SHA256:**91eff4cccc80f0048d1f7efce0197be483a013dd299e2718b49315639a3d4885  
**Referenced In Project/Scope:**server

### Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## remotegui.zip: codemirror.jar: multiplex.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/addon/mode/multiplex.js  
**MD5:** 0bdb637f0ca08689fe55e572cc10ab16  
**SHA1:** c1eb99a3fdd03722c84c78cb9351791428ff0bbe  
**SHA256:**09ec21386de4e951c1eefe0f1db478a9f57701b202ce18424f2b89d4f74aeff5  
**Referenced In Project/Scope:**server

### Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers



- None

#### remotegui.zip: codemirror.jar: multiplex\_test.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/addon/mode/multiplex\_test.js

**MD5:** 8a377bbbcf33896551524b1ccebcb823f

**SHA1:** bf15c3dc16b8de593577266b9ef1f5625d67a0ea

**SHA256:** 73e22c6765036bce1db37e31f8c46d62a56ca232840fb4fb968d17c24c3e8f74

**Referenced In Project/Scope:**server

##### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

##### Identifiers

- None

#### remotegui.zip: codemirror.jar: mumps.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/mumps/mumps.js

**MD5:** 8e0c6375b6bbe74f633feed856f4283c

**SHA1:** 6944b10c9a28d7097d90291dcae08e9924461140

**SHA256:** 1455108cba483e767bc5072ebda6c4c219395adb574aa70f7d7ec856225c3d42

**Referenced In Project/Scope:**server

##### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

##### Identifiers

- None

#### remotegui.zip: codemirror.jar: nginx.js



**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/nginx/nginx.js  
**MD5:** 63e717882de52ba3a4bb62c9e7bef83d  
**SHA1:** f008d01cd0b803de9bd5bf1088feec56c6eac9c5  
**SHA256:** e35111d1834678cd34bfec04abe169cb11739f39750d1c41ab57c8f2524748fe  
**Referenced In Project/Scope:**server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: codemirror.jar: nsis.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/nsis/nsis.js  
**MD5:** 4851ad88c595ddafbe3979f2e47b4d0a  
**SHA1:** c27aea13ecb53b8797926e831d8730099a585d42  
**SHA256:** 5f9aab831632e1de8d8a4f6fcf52dcd75eb704ab8fe47e2c76aac24c8c30fbd7  
**Referenced In Project/Scope:**server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: codemirror.jar: ntriples.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/ntriples/ntriples.js  
**MD5:** a21f011183564e5725ea16a6ca11b089



**SHA1:** 62d7d39e91ecca5bad75c91241aa31421a303ba4  
**SHA256:**d7a1fd7fba26679ecb0a6ac0b67164ed12a37db25d32ece3472920c6f25a74cd  
**Referenced In Project/Scope:**server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: codemirror.jar: octave.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/octave/octave.js  
**MD5:** d830f31f1647efb252a53d0cb1f18aa1  
**SHA1:** 1abba38966f306c238e8f9cf168f95db0e16d5a5  
**SHA256:**b6c6966b9a564ceafa2b2c5ddde2f2efb0349cacdab3f61d90fce2544ece8615  
**Referenced In Project/Scope:**server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: codemirror.jar: operation\_group.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/src/util/operation\_group.js  
**MD5:** 72f0c675f45f87c9a45b5f5784212fa9  
**SHA1:** 8ca609f3cf238954efccc55c720e733a56f5029d  
**SHA256:**aaa9c34bd1240b164897a412a257d2e693d2ad35bec219cf8959561de6559edb  
**Referenced In Project/Scope:**server

#### Evidence





Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## remotegui.zip: codemirror.jar: operations.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/src/display/operations.js  
**MD5:** f2e13ff94b86a05aa5daff82022da8d2  
**SHA1:** dbbbc8bf0cd26ed344d48e6be8ba83d3a3ad983a  
**SHA256:**6570698684e4da9507306248649b72c362cb918b63180b3b3571d91ffed78f83  
**Referenced In Project/Scope:**server

### Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## remotegui.zip: codemirror.jar: options.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/src/edit/options.js  
**MD5:** feecb2723f03f979c8b8c9a85c553a1d  
**SHA1:** 99d3d0aa7ab678573f2970b2273404ed4c7cc73b  
**SHA256:**feb45909b7d01751e0edd20b7156ad016ec045cb2eea8e92b96b1505bf6e2159  
**Referenced In Project/Scope:**server

### Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers



- None

### remotegui.zip: codemirror.jar: overlay.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/addon/mode/overlay.js

**MD5:** 3cb76447dd1f64cc2bb037f3ec8c88a9

**SHA1:** 1ad72da6c675d9b6074f69404c66118ff24389c7

**SHA256:** 1b44334e2a04d90f2b473c26847798859039190142e53f72f3b7de0f82696d0e

**Referenced In Project/Scope:**server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: codemirror.jar: oz.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/oz/oz.js

**MD5:** a097901a9fe996b190b9103a64ace0c6

**SHA1:** d49b86c59bab331924fc03e3f680af92a6bd79d5

**SHA256:** 641554f9736e5260ff1aea064749a590cba2a854bad6fc334db8ffa2bc1a6892

**Referenced In Project/Scope:**server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: codemirror.jar: package.json



**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/package.json  
**MD5:** e2faa7704d8de49e9d70e7a834d83ae8  
**SHA1:** cab269db696fc76be4a9c83dc82f287546253792  
**SHA256:** 352f4e90706a839430cb2cee1a2080b0c1a0660243d4d2a544e81a57cf8c006a  
**Referenced In Project/Scope:**server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: codemirror.jar: panel.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/addon/display/panel.js  
**MD5:** f647c5e58b5c032c1691693333104941  
**SHA1:** 5c8285f946d9888b499ae0266e8e165696947074  
**SHA256:** 2b137f8e8631c717d2af81edc341d436cd3a6debb8e9fdfdc20630296685d3cb  
**Referenced In Project/Scope:**server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: codemirror.jar: pascal.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/pascal/pascal.js  
**MD5:** bdc6c5432f1408c29254a933f45ca2e7



**SHA1:** 541ec18ed0863a528118a8026b6a5aa11a9c5918  
**SHA256:**5eaac022259857d3b9b127ac0deb76c84d2523dee102d203738293f95ce5086c  
**Referenced In Project/Scope:**server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: pegjs.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/pegjs/pegjs.js  
**MD5:** ad4350eff079b204cd634114959c0904  
**SHA1:** 978baa600d3539e1eb05834fd0b7d659f0fed792  
**SHA256:**8cc7fe980c79a1ded9265d338062c8ecdfe6e0d044fb795bf11eb8d9813dc492  
**Referenced In Project/Scope:**server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: perl.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/perl/perl.js  
**MD5:** c6a3b40a8b2971690ff06860516bd140  
**SHA1:** 08bb3e219af9990114dda08e2ad935c5992dd39f  
**SHA256:**a614830dc6e71770cb4feabc487dfa1b72e29444789b94d1bcad62490827ca1e  
**Referenced In Project/Scope:**server

Evidence





Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## remotegui.zip: codemirror.jar: php.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/php/php.js  
**MD5:** f2f1668dbc8a4b0fd9f031dceda0e4ab  
**SHA1:** 31d6961d6d4cbe7bf5deb2f0b5ba099c49e5c962  
**SHA256:**07819ae34d5830a3cf040e1904d4b641cb70142845394211f7fb63c891d80945  
**Referenced In Project/Scope:**server

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## remotegui.zip: codemirror.jar: pig.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/pig/pig.js  
**MD5:** 40f967482626259f7cdfb972548743cd  
**SHA1:** bd2d7d6522d69e9849f8a6cf3b631ddaf50a091e  
**SHA256:**e9a9ec475aeec8b2f75fd1c8a58ea0a2d0cffd383b1a3fb8bdc460881d612352  
**Referenced In Project/Scope:**server

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers



- None

### remotegui.zip: codemirror.jar: placeholder.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/addon/display/placeholder.js

**MD5:** b5b4d8391f1b94044cda61cc979cc772

**SHA1:** af7eaa5519c4e0fa823224593b0ae0b7fda73a23

**SHA256:** 44619626e2301fc16ebade252564e2c064113483e02f2fc8d8d262aed2485b9c

**Referenced In Project/Scope:**server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: codemirror.jar: pos.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/src/line/pos.js

**MD5:** d1fc4bdcc5a93ac92f4c3c9cb34bd220

**SHA1:** 810afb684197135ac8ac6626a4a7eebef9ad5cc3

**SHA256:** b708bfbb9ce809d5ce2d1490d806933fad9b471ac63e0f4c72a31ada57e05f9b

**Referenced In Project/Scope:**server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: codemirror.jar: position\_measurement.js



**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/src/measurement/position\_measurement.js  
**MD5:** 6c17908c000f5a7beb67e75b1340c3ef  
**SHA1:** c5dd40151e773a61694906cf92f941fe27ce51de  
**SHA256:**c5c488b91320e33d6e25fbb8ce4fbd3c28621511328b48e9690f797b81d51c32  
**Referenced In Project/Scope:**server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: codemirror.jar: powershell.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/powershell/powershell.js  
**MD5:** cf3b0559e54ae537a420d86a07b441a5  
**SHA1:** 992cbac5ee6c618eab5f646438ba5fb54f66cfe1  
**SHA256:**9530fdf52d164be6d021a87de567acb8738f86f6fd98577533a9db3545e873c8  
**Referenced In Project/Scope:**server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: codemirror.jar: properties.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/properties/properties.js  
**MD5:** fdca15c3c811413459ed12fce119db54



**SHA1:** 715881cc0ccd13302e302dade67f675d37cfdbd4  
**SHA256:** 3f85f36e32edf82eba526ad56edadf04c33864d72bf0cfae2592a490530a4966  
**Referenced In Project/Scope:**server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: codemirror.jar: protobuf.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/protobuf/protobuf.js  
**MD5:** 3e57a349742d01647347b7339572d9fe  
**SHA1:** 909346135655b3aacdb909a19acb59876e2810dd  
**SHA256:** 93d1459ed6cc4e2a4701fc17959fe7f56b797d1d35b47f44b8030c0d19adf5b3  
**Referenced In Project/Scope:**server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: codemirror.jar: pug.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/pug/pug.js  
**MD5:** 63473aabe4ad7435cc804132bf743ec3  
**SHA1:** 4e624a3174fd238241f692c1f935ae75d41269f4  
**SHA256:** 1f9e975ab889f6dd9183758bc7b454224dd11859b8e045ce5b98e2c4a05bcf9b  
**Referenced In Project/Scope:**server

#### Evidence





Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: puppet.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/puppet/puppet.js  
**MD5:** be03e9aad763ae4b5ee3d6a226aa8c78  
**SHA1:** 7dae96b96e285c5e747624c864be8f1b0cb61e5e  
**SHA256:**237b966a50a514c6beabddfb83649797f764a29f7f2c7100dac1f411709040af  
**Referenced In Project/Scope:**server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: python.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/python/python.js  
**MD5:** 9b50648e6f546e4f63f1a8eb25adb039  
**SHA1:** b178c4d31cc4eeefe58e97a60723d47af96b79ed  
**SHA256:**ec56443dfebe73f332cc639289ad2de6921560c8952a3e2127397a0849882657  
**Referenced In Project/Scope:**server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers



- None

### remotegui.zip: codemirror.jar: q.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/q/q.js

**MD5:** ec0a69917f7ff85ef3c89ab34cbd0ee9

**SHA1:** c52261047f62fbf5a52a2fb36e0e926859505ac3

**SHA256:** 1fecda8902c9c63fa36833c073370e479c7b8def1b883147c364f81cc6ac9171

**Referenced In Project/Scope:**server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: codemirror.jar: r.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/r/r.js

**MD5:** 32999ceba0af47e9e6b4042314e2cdc0

**SHA1:** f044c32fe6998d6c6fbf774910766fca456273d5

**SHA256:** d4b1d1ad4275187d4f371fb61ca77ec10f63deba233644c484667750f934b23c

**Referenced In Project/Scope:**server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: codemirror.jar: rollup.config.js



**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/rollup.config.js  
**MD5:** 73a1da56a828ad2854d28749fc155632  
**SHA1:** 48bed29223b72a22a9939b57333c2d6e58bdfd39  
**SHA256:** 8c887c6ebd69fc77f4d1690cc0eb5afaaad25f0e18baaa5c7fdb16a6618ee08  
**Referenced In Project/Scope:**server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: codemirror.jar: rpm.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/rpm/rpm.js  
**MD5:** 5fbb2d4919f2d396e78074f4c98812c0  
**SHA1:** 719d22639e2bbb16d80df811da20013f3998c42b  
**SHA256:** 5e8a8253eb986b58fb170e2d58bdd134b05fc7dc02a456374a034d7564f77fcb  
**Referenced In Project/Scope:**server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: codemirror.jar: rst.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/rst/rst.js  
**MD5:** bd89a589282ae08505026ef31cd4c6ad



**SHA1:** bfc1dea7ab7b49ed20e4127add87019c8dc56850  
**SHA256:** b50d542cf38074c392f7fde44ef2cbab24b45bbfd178c426cfef6848d6d3e90d  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: codemirror.jar: ruby.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/ruby/ruby.js  
**MD5:** b0b2ef072186390edb0444a0eb2e315f  
**SHA1:** d63568f7de026f9c17e0a4124161ad5007c0c709  
**SHA256:** 953daad8a24225d56733f77c0c4451cf05436f70ad00e5dd1618486a1d5e01b9  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: codemirror.jar: rulers.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/addon/display/rulers.js  
**MD5:** 267bb54847534c8bfb41dcf227f7aeb0  
**SHA1:** ef8505818354f0e8e79d6ef7a902ec0feaaa0ed7  
**SHA256:** 175d32d6794e2d917f446c4bcc8053c9a9e69eb9fcb3b805daaf015189b6ec03  
**Referenced In Project/Scope:** server

#### Evidence






Type	Source	Name	Value	Confidence
Identifiers				
• None				

remotegui.zip: codemirror.jar: runmode-standalone.js


**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/addon/runmode/runmode-standalone.js  
**MD5:** 51867497bb73c2eba5e2e6cd1352f29d  
**SHA1:** 591c22764dd7599a2d443c593bd5d4fd77928e65  
**SHA256:**c1c9bc16a627699da49d9733f93d75963603175081a540b276f11c604739abc9  
**Referenced In Project/Scope:**server

Evidence 				
Type	Source	Name	Value	Confidence

Identifiers				
• None				

remotegui.zip: codemirror.jar: runmode-standalone.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/src/addon/runmode/runmode-standalone.js  
**MD5:** 8bb22c65e3d5cb3b6466654c7c6ec4c8  
**SHA1:** 942779dcd636d8372e9d8c9949858ea5b68bfdcf  
**SHA256:**8a06491ff4969718a7bbe2f8ae9d380e9f05f0947d7f5e0d940930e5a929e469  
**Referenced In Project/Scope:**server

Evidence 				
Type	Source	Name	Value	Confidence

Identifiers				
-------------	--	--	--	--



- None

### remotegui.zip: codemirror.jar: runmode.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/addon/runmode/runmode.js

**MD5:** 6b9c51f3ec2f5a79c75836a0f75569c0

**SHA1:** 88d7a8053ef7fe9996f63800076992a5f65c4dba

**SHA256:** 920d8eee55e987468236ba7ed2886de0bb8b2fed9d7060383a39ea29924ae885

**Referenced In Project/Scope:**server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: codemirror.jar: runmode.node.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/addon/runmode/runmode.node.js

**MD5:** 3847af673a6ae44d53fa8d697df2b8e0

**SHA1:** 91e688f6fc356c47f9bea928ea3768b7c7a57693

**SHA256:** 0d796745f8db549e4ade4132025a45994f45dd6f4765402ee75e4113019edea6

**Referenced In Project/Scope:**server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: codemirror.jar: runmode.node.js



**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/src/addon/runmode/runmode.node.js  
**MD5:** fe41270e99f973a568d5a823cd6e2bfe  
**SHA1:** c78b8d45e3db1891ad28f93b64ebd5ec6d0b9c98  
**SHA256:** 016bd87dc725d65c80cfa58d2e58033e013e703878cc05f322f938d58ddbcf9e  
**Referenced In Project/Scope:**server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: codemirror.jar: rust.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/rust/rust.js  
**MD5:** bfb43032004a8d5d115c6b817cbb2ba  
**SHA1:** af76d8276b553e168b5fab49108e715452cff07e  
**SHA256:** 797a9abcf8581f192bc49b11434346d3f8014763f4967ae260fbe31f25b2bdfb  
**Referenced In Project/Scope:**server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: codemirror.jar: sas.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/sas/sas.js  
**MD5:** 46f6d321e806768f9ebbc0155a5f9807



**SHA1:** 441d94bf2da7c5299662ba76dba352aac7df705a  
**SHA256:**b69f2877e395b89682a4066f62f686c12cb66eac441b6c1d3ee15d5004859f43  
**Referenced In Project/Scope:**server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: sass.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/sass/sass.js  
**MD5:** 0067718b0d6fa922bcf032b58966c3fa  
**SHA1:** 1dbee553e6dfa3d57a3aa6548b43a753ccdb7380  
**SHA256:**01ba99f4a91e70d2a5d3ef881c542f14a1f59f3ded58672484bcd56b41921866  
**Referenced In Project/Scope:**server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: saw\_special\_spans.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/src/line/saw\_special\_spans.js  
**MD5:** 72b6184ab657ca37a0d984dc73e7088c  
**SHA1:** d84fccefe8c3cd0f1a0b5b2f388de87e57503df3  
**SHA256:**fb122060ec500dd99a179c002fbb6a8709eba030bf8f7695d868109b470b31ff  
**Referenced In Project/Scope:**server

Evidence





Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## remotegui.zip: codemirror.jar: scheme.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/scheme/scheme.js  
**MD5:** a64f664dcef608b26dea48b1ea52b622  
**SHA1:** 1e90715a9ecc9c8cc9500e9b064ffe0defc60b9c  
**SHA256:**0bc81b318e12c7c5bbd94943d9d64cf1a64674c3bcc7057788ed1ade8701ab80  
**Referenced In Project/Scope:**server

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## remotegui.zip: codemirror.jar: scroll\_events.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/src/display/scroll\_events.js  
**MD5:** 8c96ad450d94581a7a461c44fa1e7cfd  
**SHA1:** c92034958533fbaa6512c99d715a6032d43355b0  
**SHA256:**b0472dfdc7a904f6a082f064c9384dde3ce1ec95953d9c276216424da03ffa01  
**Referenced In Project/Scope:**server

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers



- None

### remotegui.zip: codemirror.jar: scrollbars.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/src/display/scrollbars.js  
**MD5:** f06876b47feef8deb64e7cd59d76ab1f  
**SHA1:** 73c1a417818efb800852fec0742136fb1c891c1f  
**SHA256:** 11cdff1fc628da528adf11b23bf19cc06072bb573cde470669343d27be9b0ab4  
**Referenced In Project/Scope:**server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: codemirror.jar: scrolling.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/src/display/scrolling.js  
**MD5:** 104c04ec259e68a53516216e4947e9b1  
**SHA1:** 54446fd791e3331041e6e9a0874fa66d4794bcb4  
**SHA256:** 07f6964d12cb85a698967bcfecaf73824a7b602475d488ed6f57e2981879e7487  
**Referenced In Project/Scope:**server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: codemirror.jar: scrollpastend.js



**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/addon/scroll/scrollpastend.js  
**MD5:** 74be53ff23fb5eda7725c96f1ff683b2  
**SHA1:** 1aec49fd4f7f5571fac13fddaad9eb1705cd522d  
**SHA256:** 6cd389df1da1ff9ba25728e03afb7f47df3162c3d9bdb5cedd06fc91c6199479  
**Referenced In Project/Scope:**server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: codemirror.jar: search.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/addon/search/search.js  
**MD5:** aee5a4efc34387df3d1974e09cd2965e  
**SHA1:** aa36dc4a27460ccc0b4b40ee643907303b64a880  
**SHA256:** 4949580371fcd81c0ad70164b169dd8bcab2bd9869eddaa0d7e295508bec7a04  
**Referenced In Project/Scope:**server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: codemirror.jar: searchcursor.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/addon/search/searchcursor.js  
**MD5:** ca8612c41c44b87a10703ffe71d4f750



**SHA1:** 6bc4c36ea23ce7bf583f95ba4ad49e599bc646a1  
**SHA256:** 2c0b8cd8fe7ca5ca2253f4aacc914b390bff5b3cac3475df66c43a9ea8c8ccbe  
**Referenced In Project/Scope:**server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: codemirror.jar: selection-pointer.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/addon/selection/selection-pointer.js  
**MD5:** 3ea743f9f1b458692e5258bcd8afbd8  
**SHA1:** 4306383d109eb987ee62a6e2defa8926dec870ba  
**SHA256:** fdd7ff53d0ca796c5e3792ceb5063c84d0735bcacf198a1c06c78880f1c664a22  
**Referenced In Project/Scope:**server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: codemirror.jar: selection.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/src/display/selection.js  
**MD5:** 34d76a4a0d6602f8d4ff937e499f7906  
**SHA1:** c759ce0c87a62abdd8916125e3bad601e4ce4efe  
**SHA256:** ca2d26085ea9380b686c57d5ef8789e3c3032ed8c5d90ae0e1c9dba69635a89f  
**Referenced In Project/Scope:**server

#### Evidence





Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: codemirror.jar: selection.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/src/model/selection.js  
**MD5:** 8f89f30a603010383e7c118550697100  
**SHA1:** da2d4548c10827c45fd625bdfd1ffdf0e28e0c30  
**SHA256:** 03cb03c86030e258ed013dc958cab854e2978893145cb096468ff8149417502f  
**Referenced In Project/Scope:**server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: codemirror.jar: selection\_updates.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/src/model/selection\_updates.js  
**MD5:** 252e2ea7a38323b8d82902e6595d23ae  
**SHA1:** 27719d66e1ff98e650abbc5b48f2f4635f65df13  
**SHA256:** a285a62ec8522c5d8271505b1438ddddaf39c3dbfd4dec5ac01971728e21a765  
**Referenced In Project/Scope:**server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers



- None

### remotegui.zip: codemirror.jar: shell.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/shell/shell.js  
**MD5:** ab0fc779b5fb9bdc1310a28d7dccc379  
**SHA1:** ece7e7661886871cc46ef71248c67ea53a61ac7d  
**SHA256:** 24f77cb162ea9d9e9fc79b95ba547a7cc10a0767e3a5a52c786d4c24253736fe  
**Referenced In Project/Scope:**server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: codemirror.jar: show-hint.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/addon/hint/show-hint.js  
**MD5:** c9e3db9bd2540c05ac67b249f8122387  
**SHA1:** e8092d9477bb1ad4d17d44522d99cc67ead53b16  
**SHA256:** 28d2123fd1c9cf197651c2a0b3cb65762ba06dc073e023c75ec05b1f139b0af5  
**Referenced In Project/Scope:**server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: codemirror.jar: sieve.js



**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/sieve/sieve.js  
**MD5:** 88c6148d955c6542b3f10482b736e553  
**SHA1:** 72627a945e27e3044717e5b8db378f3d776ad0fc  
**SHA256:**c233866cf4990e2f28f11c96ecedc7e7dc465c19c5b445b30bdc037118f7b65d  
**Referenced In Project/Scope:**server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: codemirror.jar: simple.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/addon/mode/simple.js  
**MD5:** 282f2d54ca2c7b60ab4bc0cd762b943d  
**SHA1:** f08a5e5394568164edb85911dfc452f433bb2483  
**SHA256:**400f49309b31197c0c4ec76519c93647b494ab80f59f96d7f051463e0aa37eb0  
**Referenced In Project/Scope:**server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: codemirror.jar: simplescrollbars.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/addon/scroll/simplescrollbars.js  
**MD5:** 34d6903cded2822fb2261678e1a479cc



**SHA1:** 0707d27834fdde0fe2c32935af79d4575cf9f1ad  
**SHA256:**62b48bff43436bfb8ecc5e3273e6047f0b934c1d873c81e863e13bb462d1e1ab  
**Referenced In Project/Scope:**server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: codemirror.jar: slim.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/slim/slim.js  
**MD5:** 447874e5c5dd225949004c357d17ffe2  
**SHA1:** 2cdc3263aa6d9766131d73157afb05fc6767b50  
**SHA256:**a8d555221c610512119f2107d58bb1c57d294cebc91f82638ea6e235286b5c15  
**Referenced In Project/Scope:**server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: codemirror.jar: smalltalk.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/smalltalk/smalltalk.js  
**MD5:** f6e7ef04f9f907a13604ea5b1938d3d7  
**SHA1:** 57f009cf2b2147f14c530f697dfbd3ac493e053  
**SHA256:**9f649668162a61cfa6a3528dbe513d012162932c742c7b0696078bd2a6d3b190  
**Referenced In Project/Scope:**server

#### Evidence






Type	Source	Name	Value	Confidence
Identifiers				
• None				

remotegui.zip: codemirror.jar: smarty.js


**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/smarty/smarty.js  
**MD5:** 3ccd6f2129ee79c85ef96a8237f1de7a  
**SHA1:** 5fc274f49b704c0a99e0f0b9030c90f56fc7c1f7  
**SHA256:** 9e95bcd71635efe200c3871c57cbb1c07edc1f8206d173f4552fd2dfbcf9e9af  
**Referenced In Project/Scope:**server

Evidence 				
Type	Source	Name	Value	Confidence

Identifiers				
• None				

remotegui.zip: codemirror.jar: solr.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/solr/solr.js  
**MD5:** df4ba46ed00e24c144deaef9a817d024  
**SHA1:** c880da8431afd54034ae7fbfedb45d94966638b7  
**SHA256:** 17f16060f00cd932914722bf2cd1a01318c402503b62f3bd2bda09bab6b42b85  
**Referenced In Project/Scope:**server

Evidence 				
Type	Source	Name	Value	Confidence

Identifiers				
-------------	--	--	--	--



- None

### remotegui.zip: codemirror.jar: soy.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/soy/soy.js  
**MD5:** 1db8a99a573b2ab07cf30cc58da1bb2a  
**SHA1:** 7c0a178caed0b849f140d0b21de6548a0355f9c1  
**SHA256:** 358a1861e92366d238eb240fd5d5cf8ea6f5fe219f389667d277031c0a1a47c5  
**Referenced In Project/Scope:**server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: codemirror.jar: spans.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/src/line/spans.js  
**MD5:** 52150a5a01dd7c56de003aa132f71e25  
**SHA1:** 92cc8b4ab38a103a106f574c40d25d16e97d48eb  
**SHA256:** 719ad01e720518e7594a76ed4dc4904fec7c495b12d87fc4599b40032975789  
**Referenced In Project/Scope:**server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: codemirror.jar: sparql.js



**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/sparql/sparql.js  
**MD5:** 856d73e41310b4dd6a18f13d64fec0be  
**SHA1:** 1669e717cbfb9fa9b30e99415a6e5f7a66feb286  
**SHA256:**e646ae1e2796c936a8760af321089f5814d0158ef72aa3f3efb60765430a2e6b  
**Referenced In Project/Scope:**server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: codemirror.jar: spreadsheet.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/spreadsheet/spreadsheet.js  
**MD5:** 370c01bed3c433131f942ef7e6f69187  
**SHA1:** 94b3e4c80f954a378ab94f13068d879e9ab3394b  
**SHA256:**0807dd557c55f5b6d8579c5c9019c5eddcda9c56ce559190e5f2985b156a00da  
**Referenced In Project/Scope:**server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: codemirror.jar: sql-hint.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/addon/hint/sql-hint.js  
**MD5:** 8d41549d89ca9bfa3ef068190df379ca



**SHA1:** 6a2cbde78c9311f75509d3350877a8018499e8c7  
**SHA256:**60703945eb6cc93d4f47d70b65f955e66ae8a22c0cb1ceefa69cf0890564544d  
**Referenced In Project/Scope:**server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: codemirror.jar: sql.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/sql/sql.js  
**MD5:** b48a3934b20b392ae812b17df05355f4  
**SHA1:** 40d1a558afba1f5043b23131e496de37d8e2dfb4  
**SHA256:**ac23d3f196deb9be25cfcecb966bdc1789b9e177aac683ddccde1420670c4d8a  
**Referenced In Project/Scope:**server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: codemirror.jar: stex.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/stex/stex.js  
**MD5:** c7ef8ac785ee813860cc414ea17dbf6d  
**SHA1:** 3e46d97b4e694c7389cd0df4d13b914697d28c8f  
**SHA256:**edc1f57c69920967a31defb66954aa29f5751fdb2f7ed8e52fa08978ff890e3b  
**Referenced In Project/Scope:**server

#### Evidence






Type	Source	Name	Value	Confidence
Identifiers				
• None				

remotegui.zip: codemirror.jar: stylus.js


**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/stylus/stylus.js  
**MD5:** 7e6d36c0cc269b4e518bd48b9b6342d6  
**SHA1:** ea339b15b178a1082a2acdadae82ef1f4a599f32  
**SHA256:**85683adfef4f0129670fc2e5ee9148ad956213f5fa0c8dd05ac7970ad7f0b337  
**Referenced In Project/Scope:**server

Evidence 				
Type	Source	Name	Value	Confidence

Identifiers				
• None				

remotegui.zip: codemirror.jar: sublime.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/keymap/sublime.js  
**MD5:** 1d7ea7f929183e76740bd9d98e9cac41  
**SHA1:** 84a64b60b5802e86b0689ccfa95665339347f0c7  
**SHA256:**1d532a67594845cb7163b090a06da9287b896944ab5f22df67f14e176bd434e5  
**Referenced In Project/Scope:**server

Evidence 				
Type	Source	Name	Value	Confidence

Identifiers				
-------------	--	--	--	--



- None

### remotegui.zip: codemirror.jar: swift.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/swift/swift.js

**MD5:** bf859160b6f348fc2d72673fc40b9da9

**SHA1:** c6b46b402c9b1fc3166712d68eb10ad29c5d01f9

**SHA256:** 939dc67bbef9f0f6847f5bc2a89b0c8f4b411d57fbed4f9d5cc21fabd7e191c

**Referenced In Project/Scope:**server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: codemirror.jar: tcl.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/tcl/tcl.js

**MD5:** 28a739b5550bd5ad13b47dbec84a9716

**SHA1:** 2ce8afb99f36fece39e1b3df7be02509f77b19ee

**SHA256:** 98552bab94ce9adc9fcef5658da2965994a84e852c83098e94564884815b3026

**Referenced In Project/Scope:**server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: codemirror.jar: tern.js



**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/addon/tern/tern.js  
**MD5:** b9418efb9c0d90a3432dff86169fd293  
**SHA1:** e4d1225e756d51fcb69c2f14ddce1b09fa2a23b7  
**SHA256:** 1ebb5ad38f72115c49865b5537fd9c77da506b7ed2be38bd310306af3c698e44  
**Referenced In Project/Scope:**server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: codemirror.jar: textile.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/textile/textile.js  
**MD5:** d3923b19d37114a9e2a346c191c318e1  
**SHA1:** 979b17e6363d63ac2d1b3a6854ba6196564fc5d4  
**SHA256:** c121fcf3e641a7433b9e328c76aa0b1755aa4c0412e4f59a1d8d6ac24b36df06  
**Referenced In Project/Scope:**server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: codemirror.jar: tiddlywiki.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/tiddlywiki/tiddlywiki.js  
**MD5:** 3e4fb7a08d9df5cbe9822cb1756bec86



**SHA1:** 84885a1cb7be096c19a3dfddd70252efcc83960e  
**SHA256:**4b62acf34df4acb1a4bc1a2729edaf221583679761d35e0e9077883810fccbfe  
**Referenced In Project/Scope:**server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: codemirror.jar: tiki.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/tiki/tiki.js  
**MD5:** 6e4bd43879571d0fdfa79714f550a3bf  
**SHA1:** 6fd2ece4b20160c1859f34cb245b173459c21163  
**SHA256:**af92cd0858a99f3c5cacf240874db7eac2704a7b193a3cdfddfc5ba70382a293  
**Referenced In Project/Scope:**server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: codemirror.jar: toml.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/toml/toml.js  
**MD5:** dc2ba16cf830b53759b71306e9473ed5  
**SHA1:** 1a394f9f45c508febc270b7c0a1f72460fc897d9  
**SHA256:**67bbbc2696788633071f2a2b8a1cf6ca4f4ac82213e3d85b7cd183d60b117679  
**Referenced In Project/Scope:**server

#### Evidence





Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## remotegui.zip: codemirror.jar: tornado.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/tornado/tornado.js  
**MD5:** f45c2ec37cc008dc5dbd5f9c077ba666  
**SHA1:** 8b55c6a85279c8f7d6b3f539fa097fed877c16b9  
**SHA256:**d006020d7d093cb4f5ed5088ed151d4c45417fe5ccde69d960eb82cfcb9e0ecc  
**Referenced In Project/Scope:**server

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## remotegui.zip: codemirror.jar: trailingspace.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/addon/edit/trailingspace.js  
**MD5:** 43599469275c2b662b7907971147c978  
**SHA1:** de4d3ee3d32f01f94921b8b3944c7383da7ba970  
**SHA256:**a0d2c0196d8f4991cd58f320498f7aece971e502e4811ecf58cb5af8e83007c6  
**Referenced In Project/Scope:**server

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers



- None

#### remotegui.zip: codemirror.jar: troff.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/troff/troff.js

**MD5:** e7f5f0a2bf68a81f0f3e547ab5640627

**SHA1:** f59246b4ff5ce93afc87a4ed30a0cba0e6ba4775

**SHA256:** f7714fdc46774467c168e75fc36eca90e6df16e27afd0b608b882b2df769b8c3

**Referenced In Project/Scope:** server

##### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

##### Identifiers

- None

#### remotegui.zip: codemirror.jar: ttcn-cfg.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/ttcn-cfg/ttcn-cfg.js

**MD5:** d847dacea4534ee2841f01f5ac419060

**SHA1:** 0df7a9b8f5e91e2ae8d5a8a02c99bf779e221743

**SHA256:** 22983894e4a3794c9bcf396e7a4119efa5ea07a4f97e060e15f3c13ec2c1a01b

**Referenced In Project/Scope:** server

##### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

##### Identifiers

- None

#### remotegui.zip: codemirror.jar: ttcn.js



**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/ttcn/ttcn.js  
**MD5:** f94e618b386e8bfd0ffa2252482e9c84  
**SHA1:** a463a8817c26dcec47a7d006aa097daf74b28d1  
**SHA256:** 10be6704eac48032ce00890bdfffa03d445aae18e3ef7bd74eb14a26e5867a28  
**Referenced In Project/Scope:**server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: codemirror.jar: turtle.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/turtle/turtle.js  
**MD5:** f36ec21c639822b370b87c63415533f1  
**SHA1:** 9b6341bdf7330b71a5959cde815241b6e7deaf05  
**SHA256:** 0f82b51ecc43b95e55a752f80f719f8a39b607697b86d3fa4523a5e8280d3520  
**Referenced In Project/Scope:**server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: codemirror.jar: twig.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/twig/twig.js  
**MD5:** 09ab2491f1056e9d142e233dbc9dc1de



**SHA1:** 4cb5eb7c9bf77dce80f92f2498d83af92f3398b8

**SHA256:** 72b6e091bbd6a7c6eb786db2591c1f6f59c7880ef224ce5365ed39ec786d583b

**Referenced In Project/Scope:**server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: codemirror.jar: update\_display.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/src/display/update\_display.js

**MD5:** 8a51230ca1be6a91aeb25d4d0f7b55a

**SHA1:** 79b7a1faa3bfaa65f28ab4e324fa88b485ed21e2

**SHA256:** cf96f09d7f210f2cbf0c1912058eca1f96b51e63b1bf7b39016c0156c2b9ffc6

**Referenced In Project/Scope:**server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: codemirror.jar: update\_line.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/src/display/update\_line.js

**MD5:** b9b8f3c5e697e33d73d1044eaaa86dc9

**SHA1:** 4f7c764ac36b54c918f06b68129b8835b22b55f4

**SHA256:** 5fafd013fc16591f0c978c6a4bacb3cf054d52f5051becd4325de8c21ba07f7d

**Referenced In Project/Scope:**server

#### Evidence





Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## remotegui.zip: codemirror.jar: update\_lines.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/src/display/update\_lines.js  
**MD5:** c864b2f05d2101a47c52b9c01aad5b47  
**SHA1:** c63e8555c30976387f5904fda11fb55174743a88  
**SHA256:**80e80a6c8ad664587c2f01128e85c5c931f29cd021381584e2195073a53df45b  
**Referenced In Project/Scope:**server

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## remotegui.zip: codemirror.jar: utils.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/src/edit/utils.js  
**MD5:** 4e9e033cb9daa0702d84b88dfcebae20  
**SHA1:** 8e5257ed7b93a00cb5eccbf544d6a1043f2edac7  
**SHA256:**06220f9e424434492b73e0aea65bebbba1fe74fc3002f8b3672d1d0d3a445f20d  
**Referenced In Project/Scope:**server

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers



- None

#### remotegui.zip: codemirror.jar: utils\_line.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/src/line/utils\_line.js

**MD5:** 0f6f365b60c1688d8f0fcb8d57a9d9d4

**SHA1:** 574435cdc400815c829db19a67652b7077b00433

**SHA256:**a8b39ff57b6d43dfceda786380d6dacef7b1738a81fb6033e7573502501d4b6e

**Referenced In Project/Scope:**server

##### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

##### Identifiers

- None

#### remotegui.zip: codemirror.jar: vb.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/vb/vb.js

**MD5:** fa430588a34292ebd66e33fa60217b4a

**SHA1:** a89cb1b315fbed1886d709d921ae95b216d89fc9

**SHA256:**e8f8e4496baed70b1e6ff44979382bad81b921b9570b7da1a377835e973f28f6

**Referenced In Project/Scope:**server

##### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

##### Identifiers

- None

#### remotegui.zip: codemirror.jar: vbscript.js



**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/vbscript/vbscript.js  
**MD5:** 2da61e304ec310d9291e372c53c6b06a  
**SHA1:** 9c582c79ac9ef6d1c08850c180f988bf974aedb5  
**SHA256:** 77109e0c2218502dac03b5bc3b290cfe0b46ea00f4d267f3dc4378d9abe1bdc9  
**Referenced In Project/Scope:**server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: codemirror.jar: velocity.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/velocity/velocity.js  
**MD5:** be30a2a88271b692c85d7de9744f7c16  
**SHA1:** d45880a6f5d3d4840ed1297d7b3f14ba4c9a4be7  
**SHA256:** 3c076c7bdb1e2d3d25bffa1a682556ae449f1545c3731935306333b5831aa951  
**Referenced In Project/Scope:**server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: codemirror.jar: verilog.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/verilog/verilog.js  
**MD5:** a79b1a94e41866ba625c37e77a76ba16



**SHA1:** 4818788973bd3f66d3b9e14992710d96a7ec18d4  
**SHA256:** ae7c58b13650019ca08760e04f3ece3315e889eb5aa849a34400f16542610eb1  
**Referenced In Project/Scope:** server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: vhd1.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/vhdl/vhdl.js  
**MD5:** 4f804b6884d0d7c233a0acc15fdab384  
**SHA1:** d30d775adce22818b6e3955fae1d653028abb5dc  
**SHA256:** da078efdda01a1245fb8ed5a16cfeeb0a51823e5917e3802457041dc48243539  
**Referenced In Project/Scope:** server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: view\_tracking.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/src/display/view\_tracking.js  
**MD5:** a26525bd629440e84b02128d6eb323b4  
**SHA1:** 2cb6103f9dad13f5ee416f272cc9f8f14084ffc6  
**SHA256:** 077f385b690f0c7af9976cb7b6d2b60a175f762753a77b3060a6db2686a5ee81  
**Referenced In Project/Scope:** server

Evidence






Type	Source	Name	Value	Confidence
Identifiers				
• None				

remotegui.zip: codemirror.jar: vim.js


**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/keymap/vim.js  
**MD5:** 3a5542b6dabf86e3983f29c5c5a184b6  
**SHA1:** b8afaac94045745d4517c9635a5d0c1c266db7ca  
**SHA256:**c8124370e0ba7e76d5cde3c18d257c5c99e5578d6505f0eeaab5c791673c40e8  
**Referenced In Project/Scope:**server

Evidence 				
Type	Source	Name	Value	Confidence

Identifiers				
• None				

remotegui.zip: codemirror.jar: vue.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/vue/vue.js  
**MD5:** 9e7dbdd0bcaee6279ed4e77f5ebc36ad  
**SHA1:** dc5c50230fdd556f9c3530f781b7a2b16ad30a20  
**SHA256:**8b9c4f59c1230c537f44f593f5d608a81604e4b3dfd345ea938939d0d62f668e  
**Referenced In Project/Scope:**server

Evidence 				
Type	Source	Name	Value	Confidence

Identifiers				
-------------	--	--	--	--



- None

### remotegui.zip: codemirror.jar: wast.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/wast/wast.js  
**MD5:** fb1f6ce81911f07db605e2e5ccf41cf2  
**SHA1:** be86e08e18cc74130b483022c355846d72116c20  
**SHA256:** 8e8ae8ab4475c66d2f05960ffda597af6279c8c93f62cdab443407bea74c0091  
**Referenced In Project/Scope:**server

#### Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: codemirror.jar: webidl.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/webidl/webidl.js  
**MD5:** f31e84cde3fcc1fa2efec9889038d7e5  
**SHA1:** 0757847217a95faf4defc9685f6821accb9d8988  
**SHA256:** a12293542727a69514ae5477a65e33eed4f871fc207c6b275c9d8be1f2177062  
**Referenced In Project/Scope:**server

#### Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: codemirror.jar: widgets.js



**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/src/measurement/widgets.js  
**MD5:** 675098b5f0aea0bf351a1b5762febfa6  
**SHA1:** c922dccdf98c79f92fa086bc2a36d970c76b56df  
**SHA256:** 09874ad13a856fad11b3afd084e58411741ee2735e61b4d95fetc060b60bfd65  
**Referenced In Project/Scope:**server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: codemirror.jar: worker.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/addon/tern/worker.js  
**MD5:** c6d16e68bc203e9489fbbd11b5b100ef  
**SHA1:** f8adb9ac9944f88bf6e69048c001f89537f32198  
**SHA256:** 80c0e9bc4e2ef9ca9c97199818318429d26fae0d2452a20547b1e458eccf794d  
**Referenced In Project/Scope:**server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: codemirror.jar: xml-fold.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/addon/fold/xml-fold.js  
**MD5:** bcfaae27958026e83cd442b5df731da4



**SHA1:** 7ad4740f2ecbaa3869b066156b19401075a0315f  
**SHA256:** 4ad0fdc2f93882174c9071e9a3c2324d15d4deb0c43fe607f9efe01dda1af9b4  
**Referenced In Project/Scope:**server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: xml-hint.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/addon/hint/xml-hint.js  
**MD5:** f2651770cad286ae58d12e9f5c4e9e6f  
**SHA1:** 17bce6be75e45d7a291a32d0c1e346e4818296db  
**SHA256:** 6b78f04d2137358d5a01e9fa2b3a8f069acc70f925cc7efc39448ebe9599a805  
**Referenced In Project/Scope:**server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: xml.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/xml/xml.js  
**MD5:** c93fe254ef100aeb5c9dfcda4c91d27f  
**SHA1:** 510c71566cf81560cb5bd1bb25287ed6502dde75  
**SHA256:** dc7e44d410399326f802e2924573cbf6f942a79f647fd0b97f0b607973bc9a09  
**Referenced In Project/Scope:**server

Evidence





Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: xquery.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/xquery/xquery.js  
**MD5:** 56cd9562591919c15b7610f13cd112be  
**SHA1:** b294546669da04806196e6aca774914a30a0b3f8  
**SHA256:**618685277efde78e0e48fd5cf95948ae32a4d57de942038ed0579415f3f2f9dc  
**Referenced In Project/Scope:**server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: yacas.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/yacas/yacas.js  
**MD5:** a70c01cdbc7d4311d4dda287ace27a79  
**SHA1:** e853bda930d5fed1db0bd56ab9426612e759f9b3  
**SHA256:**edab39fac054aaee5ea8ad3d09e0d38f57d5b24f826df7561526b5efb229fc72  
**Referenced In Project/Scope:**server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers



- None

### remotegui.zip: codemirror.jar: yaml-frontmatter.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/yaml-frontmatter/yaml-frontmatter.js

**MD5:** c2dc6071833d8d9bf02d81244403cbd6

**SHA1:** 212780f18d78644233eb826c8c660eee51b6ac70

**SHA256:** 98baa91eee7ba77aaf150a59d7e5146d4964ddb271076cd963cce43f9928b3f8

**Referenced In Project/Scope:**server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: codemirror.jar: yaml-lint.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/addon/lint/yaml-lint.js

**MD5:** 925332d44aefcb89b106d4fe9b32e93d

**SHA1:** 19221be874d11d57582a77dd08fd2f244e9b5500

**SHA256:** ee7249600f6b395c302b24054060f8abe87cbaa68a9f426593ca5e5f3748bbf9

**Referenced In Project/Scope:**server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: codemirror.jar: yaml.js



**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/yaml/yaml.js  
**MD5:** 77fd959da1bbaeff5cdd97689da94570  
**SHA1:** 9b206b33cc7b2b5e1e21d39bd177b1c6500e9722  
**SHA256:** 3256b4e40302d4488834925a990edb32cef7d431f70a40917c1c5398468d861b  
**Referenced In Project/Scope:**server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: codemirror.jar: z80.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/z80/z80.js  
**MD5:** 85b28ee5eafe8552bf842eeba91325f7  
**SHA1:** 34971fc9b5ed5aa2f8714030186cd3e0056cb2ac  
**SHA256:** 0f501d7b8c9c48942900b4d7131f5bb18130395024e66ea5d98aea480f845e2e  
**Referenced In Project/Scope:**server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: commons-fileupload.jar

#### Description:

The Apache Commons FileUpload component provides a simple yet flexible means of adding support for multipart file upload functionality to servlets and web applications.



**License:**

<https://www.apache.org/licenses/LICENSE-2.0.txt>

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/commons-fileupload.jar

**MD5:** e57ac8a1a6412886a133a2fa08b89735

**SHA1:** ad4ad2ab2961b4e1891472bd1a33fabefb0385f3

**SHA256:** 51f7b3dcb4e50c7662994da2f47231519ff99707a5c7fb7b05f4c4d3a1728c14

**Referenced In Project/Scope:**server

**Evidence**

Type	Source	Name	Value	Confidence
Vendor	file	name	commons-fileupload	High
Vendor	jar	package name	apache	Highest
Vendor	jar	package name	commons	Highest
Vendor	jar	package name	fileupload	Highest
Vendor	Manifest	build-jdk-spec	1.8	Low
Vendor	Manifest	bundle-docurl	<a href="https://commons.apache.org/proper/commons-fileupload/">https://commons.apache.org/proper/commons-fileupload/</a>	Low
Vendor	Manifest	bundle-symbolicname	org.apache.commons.commons-fileupload	Medium
Vendor	Manifest	implementation-build	UNKNOWN@r\${buildNumber}; 2023-02-01 12:39:33+0000	Low
Vendor	Manifest	Implementation-Vendor	The Apache Software Foundation	High
Vendor	Manifest	Implementation-Vendor-Id	org.apache	Medium
Vendor	Manifest	require-capability	osgi.ee;filter:="(&(osgi.ee=JavaSE)(version=1.6))"	Low
Vendor	Manifest	specification-vendor	The Apache Software Foundation	Low
Vendor	pom	artifactid	commons-fileupload	Low
Vendor	pom	developer email	chtompki@apache.org	Low
Vendor	pom	developer email	dion@apache.org	Low
Vendor	pom	developer email	dlr@finemaltcoding.com	Low
Vendor	pom	developer email	ggregory@apache.org	Low
Vendor	pom	developer email	jason@zenplex.com	Low
Vendor	pom	developer email	jmcnally@collab.net	Low
Vendor	pom	developer email	jochen.wiedmann@gmail.com	Low
Vendor	pom	developer email	martinc@apache.org	Low
Vendor	pom	developer email	rdonkin@apache.org	Low
Vendor	pom	developer email	sean [at] seansullivan [dot] com	Low



Vendor	pom	developer email	simonetripodi@apache.org	Low
Vendor	pom	developer id	chtompki	Medium
Vendor	pom	developer id	dion	Medium
Vendor	pom	developer id	dlr	Medium
Vendor	pom	developer id	ggregory	Medium
Vendor	pom	developer id	jmcnally	Medium
Vendor	pom	developer id	jochen	Medium
Vendor	pom	developer id	jvanzyl	Medium
Vendor	pom	developer id	martinc	Medium
Vendor	pom	developer id	rdonkin	Medium
Vendor	pom	developer id	simonetripodi	Medium
Vendor	pom	developer id	sullis	Medium
Vendor	pom	developer name	Daniel Rall	Medium
Vendor	pom	developer name	dlon Gillard	Medium
Vendor	pom	developer name	Gary Gregory	Medium
Vendor	pom	developer name	Jason van Zyl	Medium
Vendor	pom	developer name	Jochen Wiedmann	Medium
Vendor	pom	developer name	John McNally	Medium
Vendor	pom	developer name	Martin Cooper	Medium
Vendor	pom	developer name	Rob Tompkins	Medium
Vendor	pom	developer name	Robert Burrell Donkin	Medium
Vendor	pom	developer name	Sean C. Sullivan	Medium
Vendor	pom	developer name	Simone Tripodi	Medium
Vendor	pom	developer org	Adobe	Medium
Vendor	pom	developer org	CollabNet	Medium
Vendor	pom	developer org	Multitask Consulting	Medium
Vendor	pom	developer org	Yahoo!	Medium
Vendor	pom	developer org	Zenplex	Medium
Vendor	pom	groupid	commons-fileupload	Highest
Vendor	pom	name	Apache Commons FileUpload	High
Vendor	pom	parent-artifactid	commons-parent	Low
Vendor	pom	parent-groupid	org.apache.commons	Medium
Vendor	pom	url	https://commons.apache.org/proper/commons-fileupload/	Highest
Product	file	name	commons-fileupload	High



Product	jar	package name	apache	Highest
Product	jar	package name	commons	Highest
Product	jar	package name	fileupload	Highest
Product	Manifest	build-jdk-spec	1.8	Low
Product	Manifest	bundle-docurl	<a href="https://commons.apache.org/proper/commons-fileupload/">https://commons.apache.org/proper/commons-fileupload/</a>	Low
Product	Manifest	Bundle-Name	Apache Commons FileUpload	Medium
Product	Manifest	bundle-symbolicname	org.apache.commons.commons-fileupload	Medium
Product	Manifest	implementation-build	UNKNOWN@r\${buildNumber}; 2023-02-01 12:39:33+0000	Low
Product	Manifest	Implementation-Title	Apache Commons FileUpload	High
Product	Manifest	require-capability	osgi.ee;filter:="(&(osgi.ee=JavaSE)(version=1.6))"	Low
Product	Manifest	specification-title	Apache Commons FileUpload	Medium
Product	pom	artifactid	commons-fileupload	Highest
Product	pom	developer email	chtompki@apache.org	Low
Product	pom	developer email	dion@apache.org	Low
Product	pom	developer email	dlr@finemaltcoding.com	Low
Product	pom	developer email	ggregory@apache.org	Low
Product	pom	developer email	jason@zenplex.com	Low
Product	pom	developer email	jmcnally@collab.net	Low
Product	pom	developer email	jochen.wiedmann@gmail.com	Low
Product	pom	developer email	martinc@apache.org	Low
Product	pom	developer email	rdonkin@apache.org	Low
Product	pom	developer email	sean [at] seansullivan [dot] com	Low
Product	pom	developer email	simonetripodi@apache.org	Low
Product	pom	developer id	chtompki	Low
Product	pom	developer id	dion	Low
Product	pom	developer id	dlr	Low
Product	pom	developer id	ggregory	Low
Product	pom	developer id	jmcnally	Low
Product	pom	developer id	jochen	Low
Product	pom	developer id	jvanzyl	Low
Product	pom	developer id	martinc	Low
Product	pom	developer id	rdonkin	Low
Product	pom	developer id	simonetripodi	Low



Product	pom	developer id	sullis	Low
Product	pom	developer name	Daniel Rall	Low
Product	pom	developer name	dlon Gillard	Low
Product	pom	developer name	Gary Gregory	Low
Product	pom	developer name	Jason van Zyl	Low
Product	pom	developer name	Jochen Wiedmann	Low
Product	pom	developer name	John McNally	Low
Product	pom	developer name	Martin Cooper	Low
Product	pom	developer name	Rob Tompkins	Low
Product	pom	developer name	Robert Burrell Donkin	Low
Product	pom	developer name	Sean C. Sullivan	Low
Product	pom	developer name	Simone Tripodi	Low
Product	pom	developer org	Adobe	Low
Product	pom	developer org	CollabNet	Low
Product	pom	developer org	Multitask Consulting	Low
Product	pom	developer org	Yahoo!	Low
Product	pom	developer org	Zenplex	Low
Product	pom	groupid	commons-fileupload	Highest
Product	pom	name	Apache Commons FileUpload	High
Product	pom	parent-artifactid	commons-parent	Medium
Product	pom	parent-groupid	org.apache.commons	Medium
Product	pom	url	https://commons.apache.org/proper/commons-fileupload/	Medium
Version	Manifest	Implementation-Version	1.5	High
Version	pom	parent-version	1.5	Low
Version	pom	version	1.5	Highest

#### Identifiers

- [pkg:maven/commons-fileupload/commons-fileupload@1.5](#) (Confidence:High)
- [cpe:2.3:a:apache:commons\\_fileupload:1.5:\\*:\\*:\\*:\\*:\\*](#) (Confidence:Highest)

suppress



**Description:**

WebJar for CryptoJS

**License:**

New BSD: <http://opensource.org/licenses/BSD-3-Clause>

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/cryptojs.jar

**MD5:** ca2422ebd0ff28d09593a3a8c76e5990

**SHA1:** da6ef33053fbfb29a62a6911a7387f965af1e210

**SHA256:** 9b39bcd89452811cd761094d73f325f22277d33719822e1736192e8e8ab7c3a

**Referenced In Project/Scope:**server

**Evidence**

Type	Source	Name	Value	Confidence
Vendor	file	name	cryptojs	High
Vendor	pom	artifactid	cryptojs	Low
Vendor	pom	developer email	james@jamesward.com	Low
Vendor	pom	developer id	jamesward	Medium
Vendor	pom	developer name	James Ward	Medium
Vendor	pom	groupid	org.webjars	Highest
Vendor	pom	name	CryptoJS	High
Vendor	pom	url	<a href="http://webjars.org">http://webjars.org</a>	Highest
Product	file	name	cryptojs	High
Product	pom	artifactid	cryptojs	Highest
Product	pom	developer email	james@jamesward.com	Low
Product	pom	developer id	jamesward	Low
Product	pom	developer name	James Ward	Low
Product	pom	groupid	org.webjars	Highest
Product	pom	name	CryptoJS	High
Product	pom	url	<a href="http://webjars.org">http://webjars.org</a>	Medium
Version	pom	version	3.1.2	Highest

**Identifiers**

- [pkg:maven/org.webjars/cryptojs@3.1.2](https://mvnrepository.com/artifact/org.webjars/cryptojs/3.1.2) (Confidence:High)



**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/cryptojs.jar/META-INF/resources/webjars/cryptojs/3.1.2/components/aes-min.js  
**MD5:** a5f764bf00c2703f46d7d6e0d8668366  
**SHA1:** 819d85f3faf2620aacb392e3cbb1c860f37ed232  
**SHA256:**637745b0d1b630b4c766083aa8af42d749ae9bfaa75906f2b3a362584edf8392  
**Referenced In Project/Scope:**server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: cryptojs.jar: aes.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/cryptojs.jar/META-INF/resources/webjars/cryptojs/3.1.2/components/aes.js  
**MD5:** 9dd8fa7913289a929c164f3ea8a304a3  
**SHA1:** 1ef8d4e93b97c3f06931497971ddcab6da8a4b88  
**SHA256:**89b549c40352d73c547beb9adfd439898a120ce5a9b6000e15aae2228ae4a651  
**Referenced In Project/Scope:**server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: cryptojs.jar: aes.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/cryptojs.jar/META-INF/resources/webjars/cryptojs/3.1.2/rollups/aes.js  
**MD5:** 4ff108e4584780dce15d610c142c3e62



**SHA1:** 77e4519962e2f6a9fc93342137dbb31c33b76b04  
**SHA256:** fc7e184beeda61bf6427938a84560f52348976bb55e807b224eb53930e97ef6a  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: cryptojs.jar: cipher-core-min.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller  
/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/cryptojs.jar/META-INF/resources/webjars  
/cryptojs/3.1.2/components/cipher-core-min.js  
**MD5:** 5b267df5912609f3f8846a797f35a8bb  
**SHA1:** ebefff569a3dec7035f72a049e32fa15f2163817  
**SHA256:** a304d25d72fce665807689aa3937bed9a63efd26adaee8c6265259ae427f8198  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: cryptojs.jar: cipher-core.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller  
/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/cryptojs.jar/META-INF/resources/webjars  
/cryptojs/3.1.2/components/cipher-core.js  
**MD5:** d64688a739990c909601eb87472db8b2  
**SHA1:** 11e627d0b293cffcda348351370216a8d3ac09ba  
**SHA256:** 9201c70df387a263d45f525fdac02d1a6955592e80fbd85d044f8b6389126041  
**Referenced In Project/Scope:** server

#### Evidence





Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## remotegui.zip: cryptojs.jar: core-min.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/cryptojs.jar/META-INF/resources/webjars/cryptojs/3.1.2/components/core-min.js  
**MD5:** 876597c9769e47d24de8ffde88c73366  
**SHA1:** 3cf95fb106f87bdec25216c1aa92467fdb698806  
**SHA256:**a8e02f6b74d94bccc41ceb58e405ef84e9b0d597d7e3a9ec9a7c45e458c9d422  
**Referenced In Project/Scope:**server

### Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## remotegui.zip: cryptojs.jar: core.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/cryptojs.jar/META-INF/resources/webjars/cryptojs/3.1.2/components/core.js  
**MD5:** 84596371c320e86f42f614acaa158a31  
**SHA1:** 85a000e9d8f5c1bb8f3634fb5bc4631701e2d55d  
**SHA256:**968d6ede7130302736d8671a2be2cf9c1f11bf824545a549e30d5edaba76faca  
**Referenced In Project/Scope:**server

### Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers



- None

#### remotegui.zip: cryptojs.jar: enc-base64-min.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/cryptojs.jar/META-INF/resources/webjars/cryptojs/3.1.2/components/enc-base64-min.js  
**MD5:** 0492f6d0c9073c63b0e45d6b7a3cd2f4  
**SHA1:** eceda6841c0d271fb6c300fe12c53e8f255841ed  
**SHA256:** 12d75addf14c5b37f4ddc288860b07b22451117b584176a44cc5204ed77dc5e8  
**Referenced In Project/Scope:**server

##### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

##### Identifiers

- None

#### remotegui.zip: cryptojs.jar: enc-base64.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/cryptojs.jar/META-INF/resources/webjars/cryptojs/3.1.2/components/enc-base64.js  
**MD5:** a5fb8f1f2d8134e0ed8d0ddd6e2ed216  
**SHA1:** b0656c8f34803eb88693656d36a9876b58d93ca8  
**SHA256:** e337112ff57db84347ffaaf07622bb6b2b8a74fef331897bc80bb10e8fb8eec2  
**Referenced In Project/Scope:**server

##### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

##### Identifiers

- None

#### remotegui.zip: cryptojs.jar: enc-utf16-min.js



**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/cryptojs.jar/META-INF/resources/webjars/cryptojs/3.1.2/components/enc-utf16-min.js  
**MD5:** 0385220c12b19a71e01a471b32b93cf4  
**SHA1:** 7f5d71da993361994a7f08fead73db791b61344f  
**SHA256:** 65b1d707e070d00355c7c81965a1f6a6dc1f6547db1c1986e096fcbdfef7a17e  
**Referenced In Project/Scope:**server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: cryptojs.jar: enc-utf16.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/cryptojs.jar/META-INF/resources/webjars/cryptojs/3.1.2/components/enc-utf16.js  
**MD5:** 90771760929ca5b6365c861a2e054962  
**SHA1:** 8957d801132eb21f93eab6ea0269109e628fed07  
**SHA256:** 13f78e44e39b3382030154b687e7fe2f93bfc8bd89f5d0f7f50db4bcd5f7b0c7  
**Referenced In Project/Scope:**server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: cryptojs.jar: evpkdf-min.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/cryptojs.jar/META-INF/resources/webjars/cryptojs/3.1.2/components/evpkdf-min.js  
**MD5:** 5ca1478046d88f4571d5c7ee32cf86fc



**SHA1:** 90029d5095bceb159b26e15248db4f6bb51ddda3  
**SHA256:** 1c8da0de35dffe3c3a7f027e49ed67512e390973034497b72244301ceeb317a7  
**Referenced In Project/Scope:**server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: cryptojs.jar: evpkdf.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/cryptojs.jar/META-INF/resources/webjars/cryptojs/3.1.2/components/evpkdf.js  
**MD5:** 1e0c2c573175ec1d8947b393ef1bab21  
**SHA1:** fd7c579253c50b63b4950da556c1f967ab1c817f  
**SHA256:** 9f558f621956b72025a6d3edb1b98af186701c1aaa268db7bcf1ba7a0cb0d30a  
**Referenced In Project/Scope:**server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: cryptojs.jar: format-hex-min.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/cryptojs.jar/META-INF/resources/webjars/cryptojs/3.1.2/components/format-hex-min.js  
**MD5:** d86b647ca8b0746e866c3ec1cabac383  
**SHA1:** fe452a95159e40e57d4f865c5fed53f62139e5ed  
**SHA256:** f2b6a66f4432ee2471c9d2d70e7f3dba42dcb2ec833f2aa2690bf4f8b6fd2780  
**Referenced In Project/Scope:**server

#### Evidence






Type	Source	Name	Value	Confidence
Identifiers				
• None				

remotegui.zip: cryptojs.jar: format-hex.js


**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/cryptojs.jar/META-INF/resources/webjars/cryptojs/3.1.2/components/format-hex.js  
**MD5:** eb69c9396890fd1ad46db3544045a01e  
**SHA1:** f766948651242183b7bd584e8ffc10f79ccbf012  
**SHA256:** 3ca4dabfb2a403b312ce4b00edf0b450ae4a55c01da7227cca03464de6c0743d  
**Referenced In Project/Scope:**server

Evidence 				
Type	Source	Name	Value	Confidence

Identifiers				
• None				

remotegui.zip: cryptojs.jar: hmac-md5.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/cryptojs.jar/META-INF/resources/webjars/cryptojs/3.1.2/rollups/hmac-md5.js  
**MD5:** ac1d818cf114d33ded1ffa5b9cba2912  
**SHA1:** cc5f45e637ff80f1bb5d980c9931ac5bc8dd0c07  
**SHA256:** 8b982efeb0214d60d3233658c488efa49d9f762843ede7e9c77c366ef99fd61b  
**Referenced In Project/Scope:**server

Evidence 				
Type	Source	Name	Value	Confidence

Identifiers				
-------------	--	--	--	--



- None

### remotegui.zip: cryptojs.jar: hmac-min.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/cryptojs.jar/META-INF/resources/webjars/cryptojs/3.1.2/components/hmac-min.js

**MD5:** 4f0f6cd6b64b87afbde397a0ac3885f6

**SHA1:** 67c5c898598fbb3957691346d28282c8da4ed0e0

**SHA256:** ff79731fa59d1b2ad593405d8395d76888f4491f4a89f4085ea7a2865843eb1f

**Referenced In Project/Scope:**server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: cryptojs.jar: hmac-ripemd160.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/cryptojs.jar/META-INF/resources/webjars/cryptojs/3.1.2/rollups/hmac-ripemd160.js

**MD5:** d10439beccdce1e9246378559e80d019

**SHA1:** 0ed124a4ca5a13517830851c7c163f8d21067997

**SHA256:** f0510b0690a9d53c5f0678e677f86e0b043002a12438d44781268aa33dc2348f

**Referenced In Project/Scope:**server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: cryptojs.jar: hmac-sha1.js



**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/cryptojs.jar/META-INF/resources/webjars/cryptojs/3.1.2/rollups/hmac-sha1.js  
**MD5:** 89dfa17b6bb06a00f7a0f03196b71565  
**SHA1:** 818800b462ee6b2e7c4e58e1209e0b63bad64d6b  
**SHA256:**373015d4e34dbf73ecb406228a102a191bf689ab1531ad0afa629e97b6a4a7bd  
**Referenced In Project/Scope:**server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: cryptojs.jar: hmac-sha224.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/cryptojs.jar/META-INF/resources/webjars/cryptojs/3.1.2/rollups/hmac-sha224.js  
**MD5:** d354f5a93c5e1eb818a17e20e6dc528c  
**SHA1:** 993104d4929c5c02f3ff3f3786a984a3539fd502  
**SHA256:**19c288f447bf8163c6f7a814c2970aeeb06752b7f0811ac6f975c18a740227df  
**Referenced In Project/Scope:**server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: cryptojs.jar: hmac-sha256.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/cryptojs.jar/META-INF/resources/webjars/cryptojs/3.1.2/rollups/hmac-sha256.js  
**MD5:** e355334677dcf7e7b062c1e1aff8e36d



**SHA1:** fbd9ada101e46cbc914491333fe5c2f43022d2f5  
**SHA256:** d6f2b21914a528e96d06a38fea4aa7a0e54f440349d651652ad276afc1ee464a  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: cryptojs.jar: hmac-sha3.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/cryptojs.jar/META-INF/resources/webjars/cryptojs/3.1.2/rollups/hmac-sha3.js  
**MD5:** 0416bb3db091ee460d471592623b9a42  
**SHA1:** f5c555b3752d4768cab3fb1cb3420ed081e536a  
**SHA256:** b5bd09194f6f872ddc3efaa2b544f91b66f51566dd9cb107c95fe2d98854a2cf  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: cryptojs.jar: hmac-sha384.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/cryptojs.jar/META-INF/resources/webjars/cryptojs/3.1.2/rollups/hmac-sha384.js  
**MD5:** ca9b8d2cf335f4924d9a8584d207d718  
**SHA1:** ffeaeb7f82d7406de4db66acefd3385e7014e00b  
**SHA256:** 024d8fbd0958c339db7d2335a5ba6e1eb3e21166942c758a88a05962a829f14a  
**Referenced In Project/Scope:** server

#### Evidence





Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## remotegui.zip: cryptojs.jar: hmac-sha512.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/cryptojs.jar/META-INF/resources/webjars/cryptojs/3.1.2/rollups/hmac-sha512.js  
**MD5:** a28758bc2df0fbc3189d46ce9dec856f  
**SHA1:** 3a102d8bdbcd8b53fa0b0e1200568cdbea89896c  
**SHA256:**55efb41a6fe88299c3c00a4ea75f172f03ddc28df57c94495eed5520ca9ec4e8  
**Referenced In Project/Scope:**server

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## remotegui.zip: cryptojs.jar: hmac.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/cryptojs.jar/META-INF/resources/webjars/cryptojs/3.1.2/components/hmac.js  
**MD5:** 8a816a10bd506d3fa9b9e2cd92d09b17  
**SHA1:** 2949aa76446661c2c09cc8f97b85b81b6227b525  
**SHA256:**c76d2b9a9ef3522e33ab5721f2bf66c95ee792c2e8c390c6fa5dae1f28fd0b70  
**Referenced In Project/Scope:**server

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers



- None

### remotegui.zip: cryptojs.jar: lib-typedarrays-min.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/cryptojs.jar/META-INF/resources/webjars/cryptojs/3.1.2/components/lib-typedarrays-min.js  
**MD5:** 7aebd6e5146a607d15620176b0120089  
**SHA1:** d44636a548994e2220dce4f0242419b1cc93dcfd  
**SHA256:** fcf47b79b1d5f413e9359de56b9dfd7b415ddb2be3eb54342230c87f1d82df1c  
**Referenced In Project/Scope:**server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: cryptojs.jar: lib-typedarrays.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/cryptojs.jar/META-INF/resources/webjars/cryptojs/3.1.2/components/lib-typedarrays.js  
**MD5:** ea206d2e3661ff79e9faa3d6f49423cf  
**SHA1:** 8ab6415bb7974590138a0bcc936daac90a8c964d  
**SHA256:** c314ae2eb6d9c745db4d9a02dd14484e991c2e51da4f81c628f64a106a136892  
**Referenced In Project/Scope:**server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: cryptojs.jar: md5-min.js



**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/cryptojs.jar/META-INF/resources/webjars/cryptojs/3.1.2/components/md5-min.js  
**MD5:** 8912fce611b282fe33e65deec22e1c0d  
**SHA1:** ee72a1560aa25cae36d3dc64949a823a6c4d4355  
**SHA256:**b08ef7fa1f2687fc118629900891bc36c5175b0bd5c17c49e0de8a9f77702bf2  
**Referenced In Project/Scope:**server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: cryptojs.jar: md5.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/cryptojs.jar/META-INF/resources/webjars/cryptojs/3.1.2/components/md5.js  
**MD5:** 0771d402f4b468ac83d8019eae54341b  
**SHA1:** c905305f2cf7b69b518bde00438b5d01cb608179  
**SHA256:**d07472f1d0decfe4f9e347a411e7c40b528e4ece66c2583f22f3d131d7ec64e8  
**Referenced In Project/Scope:**server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: cryptojs.jar: md5.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/cryptojs.jar/META-INF/resources/webjars/cryptojs/3.1.2/rollups/md5.js  
**MD5:** a6b81a1b266ec15dee03287742c3fd2b



**SHA1:** 292130bce7267964021f6aed61e114bbbe9cc54e  
**SHA256:** df61117d7806f863533acc213c4fdf87a667c109fc708eb4bedb9d35e30adb1a  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: cryptojs.jar: mode-cfb-min.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/cryptojs.jar/META-INF/resources/webjars/cryptojs/3.1.2/components/mode-cfb-min.js  
**MD5:** e0e54c449fcd4f263bd756c07ff1f9f3  
**SHA1:** bf24bffb805eb7446c205bdc0b174431af30b59f  
**SHA256:** d4eb512535e033d3468c67da230663be9abfc05ff2c9ac8bc8f218c8e8dfa628  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: cryptojs.jar: mode-cfb.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/cryptojs.jar/META-INF/resources/webjars/cryptojs/3.1.2/components/mode-cfb.js  
**MD5:** 4296a872e15497cb9996c3fcac8c6ec4  
**SHA1:** 798c1ec01a7267468516d145c9d6bdfb820860b0  
**SHA256:** cbe118fe129f39c7900c94de2979421f62375117fe8ad3d747cc773811b48901  
**Referenced In Project/Scope:** server

#### Evidence





Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: cryptojs.jar: mode-ctr-gladman-min.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/cryptojs.jar/META-INF/resources/webjars/cryptojs/3.1.2/components/mode-ctr-gladman-min.js  
**MD5:** 9bc6fbfcf8e1be5eaea3f8fc8d73103d  
**SHA1:** 74845a3e605d280b75d6935502fd0a768719ca54  
**SHA256:**50c173dbc47de42cb5015d984314350db85b8dbbb2ae2553c27ee63395196fe4  
**Referenced In Project/Scope:**server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: cryptojs.jar: mode-ctr-gladman.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/cryptojs.jar/META-INF/resources/webjars/cryptojs/3.1.2/components/mode-ctr-gladman.js  
**MD5:** c97817cb36f659d1c0497810e7ba9af6  
**SHA1:** 290069adffba53d254043bd66acbe3b57927f26d  
**SHA256:**0287b28dda7499e7836590c79f6b0df782c2d6b85206a98f364b337e3fb5b25d  
**Referenced In Project/Scope:**server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers



- None

### remotegui.zip: cryptojs.jar: mode-ctr-min.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/cryptojs.jar/META-INF/resources/webjars/cryptojs/3.1.2/components/mode-ctr-min.js  
**MD5:** 85bbbf3af1903c719b9034515091f245  
**SHA1:** 9e30de4f213b374c26acf11bad0b412c13e59c23  
**SHA256:** 30ae41e6d993bd36781b2b316b17da9cd909471c53fcb89071c86785b18d7c38  
**Referenced In Project/Scope:**server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: cryptojs.jar: mode-ctr.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/cryptojs.jar/META-INF/resources/webjars/cryptojs/3.1.2/components/mode-ctr.js  
**MD5:** 7c8c48da72c3ddb8741ecffc4851e1a4  
**SHA1:** d0b53355bbb417c9eb05968840bf5b4d2094f18b  
**SHA256:** 268226f92e8267996f74dad48398b47d92914b85d4fc2407815728c4b3eb1402  
**Referenced In Project/Scope:**server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: cryptojs.jar: mode-ecb-min.js



**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/cryptojs.jar/META-INF/resources/webjars/cryptojs/3.1.2/components/mode-ecb-min.js  
**MD5:** e68433d8b4e304cb5be10e721011b08c  
**SHA1:** e92482e4399ea0e9b3122e74cbbb1537e5cec230  
**SHA256:** 9d2b815fa5b9255f38be8c13653e7d82f3c1ef90e6932efb490aa641771587fc  
**Referenced In Project/Scope:**server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: cryptojs.jar: mode-ecb.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/cryptojs.jar/META-INF/resources/webjars/cryptojs/3.1.2/components/mode-ecb.js  
**MD5:** 851d991ec9be858820c7e23c40d9c552  
**SHA1:** ac634eb825fb6ba5152d9e78a78d98f337c9f126  
**SHA256:** 0de7a06acb29b065c94b95e01a3ab721a1ee42910ce8172efc31c03b45116074  
**Referenced In Project/Scope:**server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: cryptojs.jar: mode-ofb-min.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/cryptojs.jar/META-INF/resources/webjars/cryptojs/3.1.2/components/mode-ofb-min.js  
**MD5:** 3364fb2c66ef404de1c4e42c1540f046



**SHA1:** 06e56954464bdf1c712a8e4b65bf567fddbcbef2  
**SHA256:** 444b470b2908561e36c0626ba7306ceffd77c27a78e8f2673424d315994e5022  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: cryptojs.jar: mode-ofb.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/cryptojs.jar/META-INF/resources/webjars/cryptojs/3.1.2/components/mode-ofb.js  
**MD5:** 0d00951948325cb7ef255c32bf7c9840  
**SHA1:** f2a5c4aa40be9143d970f9274436af661e8b1629  
**SHA256:** 4f7fa13cb1dc05c7a69b9cc61fa2a00995110d21c37f1ff14e45408fdb4a2d9c  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: cryptojs.jar: pad-ansix923-min.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/cryptojs.jar/META-INF/resources/webjars/cryptojs/3.1.2/components/pad-ansix923-min.js  
**MD5:** c6a52631fba1728058587739dca8f6c6  
**SHA1:** f740a0d86248c8f6f502ef5848b18c7bad809f91  
**SHA256:** 8dfd3955cb61e842edab87550d7d6301ac98bab3f079fef400370cf9ac9b46cd  
**Referenced In Project/Scope:** server

#### Evidence





Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## remotegui.zip: cryptojs.jar: pad-ansix923.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/cryptojs.jar/META-INF/resources/webjars/cryptojs/3.1.2/components/pad-ansix923.js  
**MD5:** 4ff5dea76f49dcee8466a11a1490c23e  
**SHA1:** c2f197bd7aa3827cae7aa42a29af6413de60ce0e  
**SHA256:**d6fd5250f58a0df8341181c52c7fc5d4e064f62074608d02e18b3ec3f378bae4  
**Referenced In Project/Scope:**server

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## remotegui.zip: cryptojs.jar: pad-iso10126-min.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/cryptojs.jar/META-INF/resources/webjars/cryptojs/3.1.2/components/pad-iso10126-min.js  
**MD5:** 993d04c0bca8cb88001bcfe10db9b797  
**SHA1:** ef509b2a2b944b008e930582873d24f80dff8feb  
**SHA256:**2e97273021e0fceba80c8b94853c9655e18c1db9e60006d804795849adc8362f  
**Referenced In Project/Scope:**server

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers



- None

#### remotegui.zip: cryptojs.jar: pad-iso10126.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/cryptojs.jar/META-INF/resources/webjars/cryptojs/3.1.2/components/pad-iso10126.js  
**MD5:** 108913776bc82d0ad6c49f69451718f5  
**SHA1:** a54761a99d7a9654a152083e232e2ecf234b6137  
**SHA256:** 4bd1e8e8f4444fdc27fd1a2c92ef1736bd4176b1eabe5657ebbbb7f8fd67980  
**Referenced In Project/Scope:**server

##### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

##### Identifiers

- None

#### remotegui.zip: cryptojs.jar: pad-iso97971-min.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/cryptojs.jar/META-INF/resources/webjars/cryptojs/3.1.2/components/pad-iso97971-min.js  
**MD5:** bc42fad06d6a9c1c50e22dd4869c666d  
**SHA1:** 540a840f17150d596e14003cfc3734aa803d1792  
**SHA256:** b5b2654096e98f0840664fd1fa252e3c4a4834ea20af49f2da76032d4f8c5fe7  
**Referenced In Project/Scope:**server

##### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

##### Identifiers

- None

#### remotegui.zip: cryptojs.jar: pad-iso97971.js



**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/cryptojs.jar/META-INF/resources/webjars/cryptojs/3.1.2/components/pad-iso97971.js  
**MD5:** b6b30298d59d21c7921002618c399530  
**SHA1:** bc727a7eb1f7549acfdbebacf4baa326c85819f2  
**SHA256:** a61dd49cb98f2de697fbd7d22402852049b7fcbb5512a927aec3c002773685bd  
**Referenced In Project/Scope:**server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: cryptojs.jar: pad-nopadding-min.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/cryptojs.jar/META-INF/resources/webjars/cryptojs/3.1.2/components/pad-nopadding-min.js  
**MD5:** c062c9dc9db63fa4f2fa42aeeaf4ecc7  
**SHA1:** 47f212817c8f8ae321477f32559c3e6cf984f6d7  
**SHA256:** a031e54195ba40a6db424fc7308071dc82278d755072d708e73fb2649f7857a5  
**Referenced In Project/Scope:**server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: cryptojs.jar: pad-nopadding.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/cryptojs.jar/META-INF/resources/webjars/cryptojs/3.1.2/components/pad-nopadding.js  
**MD5:** 2a962c9d479e0cc74f51d80098d5c0f0



**SHA1:** 7940341f8c4ea70188a9ff6ef3b21faeea18e1ef  
**SHA256:** c00ec3b9e414448326b222f99aa50810d69b0ec56e3b8c70db74ff7d8f1e613b  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: cryptojs.jar: pad-zeropadding-min.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/cryptojs.jar/META-INF/resources/webjars/cryptojs/3.1.2/components/pad-zeropadding-min.js  
**MD5:** 5634f040d5e17a620dd4ec3bf41dd832  
**SHA1:** f5dcb84835aa9dbd0b06bec3f33745c6d8d094c1  
**SHA256:** bad34ae2d10693a14ce812646801c710f5b2a91dd6ae5acc57482e17640e9be1  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: cryptojs.jar: pad-zeropadding.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/cryptojs.jar/META-INF/resources/webjars/cryptojs/3.1.2/components/pad-zeropadding.js  
**MD5:** 1ac38923f40cea0cc97d906cd0bb9c5b  
**SHA1:** 45a6f2b586daf4409eba6a2280c2fa2063199e6c  
**SHA256:** d84ebdb22b9bcba745ff7b9571399e97cef3b4c3585e7b62992bc03d19ecd348  
**Referenced In Project/Scope:** server

#### Evidence






Type	Source	Name	Value	Confidence
Identifiers				
• None				

remotegui.zip: cryptojs.jar: pbkdf2-min.js


**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/cryptojs.jar/META-INF/resources/webjars/cryptojs/3.1.2/components/pbkdf2-min.js  
**MD5:** b10f2f19a079a87918487d6771254709  
**SHA1:** 8c93fa08d10d428060b59f53820b06d6890e10f7  
**SHA256:**37a5f1c4ba90e650692769bf935073baf006a438791857fe4f12feeae25f3090  
**Referenced In Project/Scope:**server

Evidence 				
Type	Source	Name	Value	Confidence

Identifiers				
• None				

remotegui.zip: cryptojs.jar: pbkdf2.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/cryptojs.jar/META-INF/resources/webjars/cryptojs/3.1.2/components/pbkdf2.js  
**MD5:** 8b097984c6da1adcdb255ba0bd68e3db  
**SHA1:** b77439e0865bae93baf605a1be3b9a230adc98df  
**SHA256:**66a9cff4a31cb862211977e011b51c37d20e18fa253cf2dd3b279949445faf2e  
**Referenced In Project/Scope:**server

Evidence 				
Type	Source	Name	Value	Confidence

Identifiers				
-------------	--	--	--	--



- None

### remotegui.zip: cryptojs.jar: pbkdf2.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/cryptojs.jar/META-INF/resources/webjars/cryptojs/3.1.2/rollups/pbkdf2.js

**MD5:** a50897fea252b972449a9e246aa69fd7

**SHA1:** e6d089c4b43227db5062742edb336dfabfb5cd6b

**SHA256:** 5f8034781ba252e676db2ada75cb3d98df874aa3747830223141fefbed71c906

**Referenced In Project/Scope:**server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: cryptojs.jar: rabbit-legacy-min.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/cryptojs.jar/META-INF/resources/webjars/cryptojs/3.1.2/components/rabbit-legacy-min.js

**MD5:** 40317e69b3243f753a88a210318abb11

**SHA1:** 9ade15505f9a72af697f266611e55a629fab940a

**SHA256:** 18221326a9569e9dd4ec595cdd5406a2a5bccd245eb2e21bc783f5ef7c0b0754

**Referenced In Project/Scope:**server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: cryptojs.jar: rabbit-legacy.js



**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/cryptojs.jar/META-INF/resources/webjars/cryptojs/3.1.2/components/rabbit-legacy.js  
**MD5:** bd7de7560e8f5bd4a40c6759ad462176  
**SHA1:** 8505a210e4c63bb8637a912623ec8b79261a3db7  
**SHA256:** 9c203c51ef1035f470483e485ea7f97ae11fce26155614c194e6929ea01ac385  
**Referenced In Project/Scope:**server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: cryptojs.jar: rabbit-legacy.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/cryptojs.jar/META-INF/resources/webjars/cryptojs/3.1.2/rollups/rabbit-legacy.js  
**MD5:** f799eaec552e61c61ac2cc4c15349efb  
**SHA1:** c3908967e92d6e73abb1d7b03e8f71e34b4183f8  
**SHA256:** 41d0e6bc19983b6eb128e87aff1633006b6f16b1f14f1a609eb286e64b3846e5  
**Referenced In Project/Scope:**server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: cryptojs.jar: rabbit-min.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/cryptojs.jar/META-INF/resources/webjars/cryptojs/3.1.2/components/rabbit-min.js  
**MD5:** 503e6e3ed74709ffe909d661c14f2242



**SHA1:** c163a170317b35edd5b438917f48c037e5d288e4  
**SHA256:**40125b5c07482dc3bbfcdc50b05ec2cd4431b69eab99185b9979435ecd8d5375  
**Referenced In Project/Scope:**server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: cryptojs.jar: rabbit.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/cryptojs.jar/META-INF/resources/webjars/cryptojs/3.1.2/components/rabbit.js  
**MD5:** fd8e30dfd55a276b068d3a1ef5c43271  
**SHA1:** e86c14a4cce9b01673ad9fb1dc7077d1aa09709a  
**SHA256:**41472214b2738fe020950522d60b99592ed5650d830b9e70daf1b1c5ec295060  
**Referenced In Project/Scope:**server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: cryptojs.jar: rabbit.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/cryptojs.jar/META-INF/resources/webjars/cryptojs/3.1.2/rollups/rabbit.js  
**MD5:** 80c4218c9a75eeb6007cbfd671d602aa  
**SHA1:** ad2d6efeeaada82dfdc367056dd41c60f6a1511a  
**SHA256:**1930970d3855cee4f19a970092ebb7fb372b4402ee909db8fe8862cf5e977578  
**Referenced In Project/Scope:**server

#### Evidence





Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## remotegui.zip: cryptojs.jar: rc4-min.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/cryptojs.jar/META-INF/resources/webjars/cryptojs/3.1.2/components/rc4-min.js  
**MD5:** 22038f0df3d52163b8e18795db4451a0  
**SHA1:** 7f9217ff8ab5f1028205db69e081d1183a6a2edf  
**SHA256:**edddb4c403187a31b1ead7322f6c0bbc07adb76e2131ff351499a49cafdafac  
**Referenced In Project/Scope:**server

### Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## remotegui.zip: cryptojs.jar: rc4.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/cryptojs.jar/META-INF/resources/webjars/cryptojs/3.1.2/components/rc4.js  
**MD5:** 371ad0bf7c59a69cb1ba83aff37b5351  
**SHA1:** 0d41062a2abb35e726c5d67b3e072c55aa186940  
**SHA256:**0159c88b0ff6e6871d845c60a10007ef0a1541dde8bb9e9745949ab8988a6247  
**Referenced In Project/Scope:**server

### Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers



- None

### remotegui.zip: cryptojs.jar: rc4.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/cryptojs.jar/META-INF/resources/webjars/cryptojs/3.1.2/rollups/rc4.js

**MD5:** e0b9bc98543aca9c455034a07d9b7870

**SHA1:** 393dfe11ba8548ecc867d24e9fcdbf3869a142b3

**SHA256:** f691c0f0b36f04f2f1e44e42e59e8f39aaf743467feff6655512d5aea2dd3050

**Referenced In Project/Scope:** server

#### Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: cryptojs.jar: ripemd160-min.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/cryptojs.jar/META-INF/resources/webjars/cryptojs/3.1.2/components/ripemd160-min.js

**MD5:** 1a6b98aedd90b906e1672cbf8af9cb54

**SHA1:** 1dcd16cc050281963f22a70b1814de13b3392958

**SHA256:** 86604b55eba2fd7df85f879521b034a775c00716930f59cbd142febb70f16a

**Referenced In Project/Scope:** server

#### Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: cryptojs.jar: ripemd160.js



**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/cryptojs.jar/META-INF/resources/webjars/cryptojs/3.1.2/components/ripemd160.js  
**MD5:** 28d8290ef7034640862371f8dcb06f2b  
**SHA1:** e7ac99d32ffc745a907041a3e69e227ebdbdf47c  
**SHA256:** fa10120d589f0fc096d07b21ccd8e31d982ee65f07d0b3a8dd1f599958393380  
**Referenced In Project/Scope:**server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: cryptojs.jar: ripemd160.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/cryptojs.jar/META-INF/resources/webjars/cryptojs/3.1.2/rollups/ripemd160.js  
**MD5:** 297584420f9a8cdfc7cc5f3083f47273  
**SHA1:** 3c7f64b6c55fd5b9ba1167b95fc8d7e9f701d1bf  
**SHA256:** 29c12bc9b7cc7488cfe5d0512f72ac426858113f2e1d500c3cb05a2fb11df377  
**Referenced In Project/Scope:**server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: cryptojs.jar: sha1-min.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/cryptojs.jar/META-INF/resources/webjars/cryptojs/3.1.2/components/sha1-min.js  
**MD5:** 56ffb0773df8e75d981014b4236cea35



**SHA1:** f3a0dadf84815645f1467769fc9d5bd547a2f152  
**SHA256:** 68e55843225fba9243cc1b9bbecebadb3c9d0e69a2a844db822f5bdb387b23bda  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: cryptojs.jar: sha1.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/cryptojs.jar/META-INF/resources/webjars/cryptojs/3.1.2/components/sha1.js  
**MD5:** 539689be018423b320715e7caf9376ff  
**SHA1:** e8f4016d930618d9e9a103c2c84324fe609611fa  
**SHA256:** 529a139a65c3fb986954f1a5689c428f88703a9cc1874180d8bb572c479b3fbe  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: cryptojs.jar: sha1.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/cryptojs.jar/META-INF/resources/webjars/cryptojs/3.1.2/rollups/sha1.js  
**MD5:** c34df6c14ab5da6f6cc25fa796ee97de  
**SHA1:** 55475790e5fd20e81d008dd53fetc1a45f30f544  
**SHA256:** 26ddfeba7a963dd4607fd593782de6b8e9e623145b86fb9f0e4214235d98e0a4  
**Referenced In Project/Scope:** server

#### Evidence





Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## remotegui.zip: cryptojs.jar: sha224-min.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/cryptojs.jar/META-INF/resources/webjars/cryptojs/3.1.2/components/sha224-min.js  
**MD5:** bbc341af09ce252ca7cc058e49bb2a0c  
**SHA1:** 11ceabfea3b56f4f62f76ba179fc05d62b7e5b79  
**SHA256:**c027382f5767eaeccb2416abe4bc0964b7049b978c39ddf9be4ecb71443bf6ac  
**Referenced In Project/Scope:**server

### Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## remotegui.zip: cryptojs.jar: sha224.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/cryptojs.jar/META-INF/resources/webjars/cryptojs/3.1.2/components/sha224.js  
**MD5:** 94083f6093b61e2fc55adfc2bd92609a  
**SHA1:** c1c4629af01b85d68519ea83a1a38e1e62892099  
**SHA256:**500cc0ce64dcdf8a3b7bc15e2ac198616df7c88b51449751198e8e9744586a35  
**Referenced In Project/Scope:**server

### Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers



- None

### remotegui.zip: cryptojs.jar: sha224.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/cryptojs.jar/META-INF/resources/webjars/cryptojs/3.1.2/rollups/sha224.js

**MD5:** 1f2721bd362cb52d5879bf13f11db39f

**SHA1:** 9275ce71a44a1dc9eaea27fc63be04c385fb4e6

**SHA256:** 68f2b27bf927140004b76ed5dccb732aec62b81f672b9c83b26590a190a965f

**Referenced In Project/Scope:**server

#### Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: cryptojs.jar: sha256-min.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/cryptojs.jar/META-INF/resources/webjars/cryptojs/3.1.2/components/sha256-min.js

**MD5:** c7b3117b5b40ccba7ff56f13dfa078ec

**SHA1:** 6fb89f2ce7bc06d8ff3098350c2281e3ddf0cc91

**SHA256:** cc4cad9cefc9264c71ed0990cd216b68bab8c2c85a98ef697749d18728e98ae6

**Referenced In Project/Scope:**server

#### Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: cryptojs.jar: sha256.js



**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/cryptojs.jar/META-INF/resources/webjars/cryptojs/3.1.2/components/sha256.js  
**MD5:** f4df2bf3fdd02b6fa430961b8bc5352e  
**SHA1:** 0a1425b2382aa29cafc540b16b4ef439ded17ae0  
**SHA256:** d3a42cf62e4e3fc02f26cfbdefb61e8214845ae38121f345c039456dfe9d5d5  
**Referenced In Project/Scope:**server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: cryptojs.jar: sha256.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/cryptojs.jar/META-INF/resources/webjars/cryptojs/3.1.2/rollups/sha256.js  
**MD5:** e865bd9952e46357b2572dc64c6e7b78  
**SHA1:** eccc807fdb530896a424138f2f793d440fc66fe8  
**SHA256:** f7bfb9a64082e0371de86c3b3ed83e05f22be1eac3190d73736298f2f0ec8425  
**Referenced In Project/Scope:**server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: cryptojs.jar: sha3-min.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/cryptojs.jar/META-INF/resources/webjars/cryptojs/3.1.2/components/sha3-min.js  
**MD5:** 05558da4af5db6434672b2273ce67c97



**SHA1:** e07cf6f99f83bf86301ed875ae48ba69f0e98aac  
**SHA256:**ed1fb105c77b2aa75972f8e45d54f3d2e73ea4bc9df31c225ea2e35a01d0055d  
**Referenced In Project/Scope:**server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: cryptojs.jar: sha3.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/cryptojs.jar/META-INF/resources/webjars/cryptojs/3.1.2/components/sha3.js  
**MD5:** 3cd4eec1e85d5c94e82f1008b08be5ee  
**SHA1:** 3fdc2f7765d907f5fbdccb7a7ccde7b5ad40957f  
**SHA256:**b2ffd5cb9a9a1a2da2e0850201fee80f077574c8f6603831ff48c39527ce3e75  
**Referenced In Project/Scope:**server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: cryptojs.jar: sha3.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/cryptojs.jar/META-INF/resources/webjars/cryptojs/3.1.2/rollups/sha3.js  
**MD5:** 010a7490abfb48b66e814fe047f07e00  
**SHA1:** 946a39aeda88aa1d2091dbe42a1eb09bc4a14d41  
**SHA256:**b731d92e4bcc8941d77cf52bf7d532741a95b4bfb5bf4005d34899073999cc96  
**Referenced In Project/Scope:**server

#### Evidence





Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## remotegui.zip: cryptojs.jar: sha384-min.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/cryptojs.jar/META-INF/resources/webjars/cryptojs/3.1.2/components/sha384-min.js  
**MD5:** 8c71f79e82b9fe75e0d7f3579e51b840  
**SHA1:** 26156685c7400cca089dee06995398d40e40134f  
**SHA256:**dbb21a27b4e989f7b14e2012f0347336e2d3ff2542d2377b83132772f9a4048d  
**Referenced In Project/Scope:**server

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## remotegui.zip: cryptojs.jar: sha384.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/cryptojs.jar/META-INF/resources/webjars/cryptojs/3.1.2/components/sha384.js  
**MD5:** 5c126da0646459ed3e339e267887bb3e  
**SHA1:** 3e1e9ca14fa05e988a2ee211d99026ab1c8fa7e9  
**SHA256:**5f473eb1164f22290806e0b1c5e8e33923b368815a9d0274bb6e8dc2a10345ec  
**Referenced In Project/Scope:**server

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers



- None

### remotegui.zip: cryptojs.jar: sha384.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/cryptojs.jar/META-INF/resources/webjars/cryptojs/3.1.2/rollups/sha384.js

**MD5:** 82dd1954a04d70ee8fcda54a067da807

**SHA1:** 4f8941d1da8bcf2a1983696dd8216e85ac901243

**SHA256:** 911134639a95e88083027fdc1d9ba0ba18602f8f8802d585d938cf21a954257e

**Referenced In Project/Scope:**server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: cryptojs.jar: sha512-min.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/cryptojs.jar/META-INF/resources/webjars/cryptojs/3.1.2/components/sha512-min.js

**MD5:** a009eea976443977b87049a0cb4e4339

**SHA1:** f265773a79c1fccfcc044000774318b795d2d4cf

**SHA256:** 6b310f257a869458601ca0ff978e0beaf7eaff972533a9d56f7c49bb5cf70446

**Referenced In Project/Scope:**server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: cryptojs.jar: sha512.js



**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/cryptojs.jar/META-INF/resources/webjars/cryptojs/3.1.2/components/sha512.js  
**MD5:** 9950befc43bc7926047f1de1cec70b3b  
**SHA1:** 640c9a7bba2ebe25baf38a7dd6a2d50806b6f1de  
**SHA256:**c095f575e9a83158d42b982ca2d7232910ffe4e61403470f8a9294b39327fb7a  
**Referenced In Project/Scope:**server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: cryptojs.jar: sha512.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/cryptojs.jar/META-INF/resources/webjars/cryptojs/3.1.2/rollups/sha512.js  
**MD5:** 9b3b61cf2820503a031383477ad2de7b  
**SHA1:** 2fab92ab35e2d2e3de9d5dfbe847649001525b75  
**SHA256:**46ad59f13d30ad897d8f2b6e6f65fbbfd9ff52b9f7a89c60db9b19d92f42a597  
**Referenced In Project/Scope:**server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: cryptojs.jar: tripledes-min.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/cryptojs.jar/META-INF/resources/webjars/cryptojs/3.1.2/components/tripledes-min.js  
**MD5:** e161009dd0f2d9ea6a956c2f741e518c



**SHA1:** a27c3b6b5052dd668ac55964c9c7d217634717eb  
**SHA256:** 69ee1b33c64b456dab8bc62e514747d10a8b3a074fc25b22cfeabfa8e0355385  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: cryptojs.jar: tripledes.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/cryptojs.jar/META-INF/resources/webjars/cryptojs/3.1.2/components/tripledes.js  
**MD5:** 5c8600198508347af06ba80a96c5f5c8  
**SHA1:** 1593ac84f65bb1cbded0906bae9cebb5ccc2a441  
**SHA256:** 014cfefd073fc4da11a3b4de1c6dcfca9aabd437ad321313d2de0c7e9b41997e  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: cryptojs.jar: tripledes.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/cryptojs.jar/META-INF/resources/webjars/cryptojs/3.1.2/rollups/tripledes.js  
**MD5:** c4dce8be669b8010fb60bcfc4a6d2005  
**SHA1:** 17d9e82d5874b248ab404dff026089ec05419e6f  
**SHA256:** dd1305f87b02ff891e4361fd582b7986a0b8af584430e5a680b6bbad95d1f518  
**Referenced In Project/Scope:** server

#### Evidence





Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: cryptojs.jar: x64-core-min.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/cryptojs.jar/META-INF/resources/webjars/cryptojs/3.1.2/components/x64-core-min.js  
**MD5:** 613cc1be9d02096a538752e59c94e604  
**SHA1:** 891d612a50ee8e7041f51b4e5a229fe5b4cd3b3a  
**SHA256:**f9bf58dda72f89d33a1af997da77556f0a7f2158e734cc898e84f09aef547ab5  
**Referenced In Project/Scope:**server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: cryptojs.jar: x64-core.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/cryptojs.jar/META-INF/resources/webjars/cryptojs/3.1.2/components/x64-core.js  
**MD5:** 369b1a188ee11a7f733ec7621ed7e7df  
**SHA1:** d163e82d46a66fa186ccad143007916c1e13472b  
**SHA256:**cc5cc408ac2ad97cd933ffeb4ef723b0d3c043c1b1f9ec08e047089f38aa9438  
**Referenced In Project/Scope:**server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers



- None

## remotegui.zip: echo2-app.jar

### Description:

Echo2 AJAX Framework

### License:

MPL 1.1: <http://www.mozilla.org/MPL/MPL-1.1.html>

LGPL 2.1: <http://www.gnu.org/licenses/lgpl-2.1.html>

GPL 2.0: <http://www.gnu.org/licenses/gpl-2.0.html>

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/echo2-app.jar

**MD5:** 6524d488cd7402977af43d02a32e52ce

**SHA1:** b4445286d07023c764ed9d02092fd76733f19fe4

**SHA256:** 8cebf7a13bdc5a671d1b659ff05faed1e1d68e95813ad52597718fef38746556

**Referenced In Project/Scope:**server

### Evidence



Type	Source	Name	Value	Confidence
Vendor	central	artifactid	echo2-app	Highest
Vendor	central	groupid	com.nextapp	Highest
Vendor	file	name	echo2-app	High
Vendor	jar	package name	app	Low
Vendor	jar	package name	echo2	Low
Vendor	jar	package name	nextapp	Low
Vendor	pom	artifactid	echo2-app	Low
Vendor	pom	developer id	tleibeck	Medium
Vendor	pom	developer name	Tod Liebeck	Medium
Vendor	pom	developer org	NextApp	Medium
Vendor	pom	groupid	com.nextapp	Highest
Vendor	pom	name	Echo2	High
Vendor	pom	url	<a href="http://echo.nextapp.com/site/echo2">http://echo.nextapp.com/site/echo2</a>	Highest
Product	central	artifactid	echo2-app	Highest
Product	file	name	echo2-app	High
Product	jar	package name	app	Low
Product	jar	package name	echo2	Low
Product	pom	artifactid	echo2-app	Highest



Product	pom	developer id	tleibeck	Low
Product	pom	developer name	Tod Liebeck	Low
Product	pom	developer org	NextApp	Low
Product	pom	groupid	com.nextapp	Highest
Product	pom	name	Echo2	High
Product	pom	url	http://echo.nextapp.com/site/echo2	Medium
Version	central	version	2.1.1	Highest
Version	pom	version	2.1.1	Highest

### Related Dependencies

- remotegui.zip: echo2-webcontainer.jar
  - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/echo2-webcontainer.jar
  - MD5: 783b5f05163587c4d19ce43977f564ec
  - SHA1: e401d4249ef1bdd399f6fee652bf1120a48b5882
  - SHA256: 4b4e1d96c4b304d6bbbfefbd4ccdb85bc7c05070a93388e652d7331bc72d9119
  - [pkg:maven/com.nextapp/echo2-webcontainer@2.1.1](http://pkg:maven/com.nextapp/echo2-webcontainer@2.1.1)
- remotegui.zip: echo2-webrender.jar
  - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/echo2-webrender.jar
  - MD5: cf2fcfc745ac1f7374007788b8fb30e3
  - SHA1: 8c912e8ce2e23407058bf8f55a6d68e2d4737f7d
  - SHA256: 72851edfb13406ec61dee6eeb347c5c8640244b80a89f3ed75a15d925caaad2c
  - [pkg:maven/com.nextapp/echo2-webrender@2.1.1](http://pkg:maven/com.nextapp/echo2-webrender@2.1.1)

### Identifiers

- [pkg:maven/com.nextapp/echo2-app@2.1.1](http://pkg:maven/com.nextapp/echo2-app@2.1.1) (*Confidence:High*)
- [cpe:2.3:a:nextapp:echo:2.1.1:\\*:\\*:\\*:\\*](http://cpe:2.3:a:nextapp:echo:2.1.1:*:*:*:*:*) (*Confidence:Highest*) suppress

## remotegui.zip: echo2-webcontainer.jar: BrowserCommand.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/echo2-webcontainer.jar/nextapp/echo2/webcontainer/resource/js/BrowserCommand.js  
**MD5:** cec5ed45ed5d929439b2ae615b645097  
**SHA1:** aeea282f11788e5be7dafd78adb833e539ab75f4  
**SHA256:** dcdc9a977d80f20f45d9f487692b7d5ba9dcc538da5b4a750b7ba03ee852f5af  
**Referenced In Project/Scope:**server

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## remotegui.zip: echo2-webcontainer.jar: Button.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/echo2-webcontainer.jar/nextapp/echo2/webcontainer/resource/js/Button.js  
**MD5:** 81215c8587cea98fc2c9f41d81e99386  
**SHA1:** 4cc203b7f5b48a3672447f13dc333af29a02cb1c  
**SHA256:**e6639e7a2eee92dd4c86c1a548ce8106d7358d8c7dea7c747e6fc2377050d138  
**Referenced In Project/Scope:**server

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## remotegui.zip: echo2-webcontainer.jar: ContentPane.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/echo2-webcontainer.jar/nextapp/echo2/webcontainer/resource/js/ContentPane.js  
**MD5:** 6da93a27f5fafa89ad3dc8161cc60450  
**SHA1:** 2a715f6111f70e16c1baab3b9960b9af31ff9409  
**SHA256:**830454078b8dca968b15c1b002066c6c7c21da19b3e2e0b87afeea17e07b562b  
**Referenced In Project/Scope:**server

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers



- None

#### remotegui.zip: echo2-webcontainer.jar: ListComponent.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/echo2-webcontainer.jar/nextapp/echo2/webcontainer/resource/js/ListComponent.js  
**MD5:** 3baac4b4c7d7570210bc70337f079511  
**SHA1:** 2b40df2cc63611728d0154fb9a1f0ff5590e268e  
**SHA256:** 64a4f73273b6e27fa3641d23fc15a230f07e059aa3e37e2fa11466359dfed721  
**Referenced In Project/Scope:**server

##### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

##### Identifiers

- None

#### remotegui.zip: echo2-webcontainer.jar: SplitPane.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/echo2-webcontainer.jar/nextapp/echo2/webcontainer/resource/js/SplitPane.js  
**MD5:** 73030d7f65e69b1963de89475dfca752  
**SHA1:** e6f525f36c46d3e9581c786d16ce4e59dac0260c  
**SHA256:** 8f2ae429c270a4ae095f2aaa3cdddb5adb6249a61d35defbe6079d01f37872b4  
**Referenced In Project/Scope:**server

##### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

##### Identifiers

- None

#### remotegui.zip: echo2-webcontainer.jar: Table.js



**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/echo2-webcontainer.jar/nextapp/echo2/webcontainer/resource/js/Table.js  
**MD5:** 83c78e8bfb81930f1c4646b765ef01c9  
**SHA1:** 8a900c967b2ee0bb2abb2244075734f4907da416  
**SHA256:** 1fb14e2d9998d1cc09ef9bbb94c7492f27418e6cd23c82606041554bcd48be1a  
**Referenced In Project/Scope:**server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: echo2-webcontainer.jar: TextComponent.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/echo2-webcontainer.jar/nextapp/echo2/webcontainer/resource/js/TextComponent.js  
**MD5:** 44c40be87a258f223636a3b1e81223be  
**SHA1:** a46b2983414fd8bf6873bcd7155c1b226f46df37  
**SHA256:** 78d3b72d552e28209db2b832cff0fd0e4ec0848ba43d5b4ecd8d4c3f76b3d2f9  
**Referenced In Project/Scope:**server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: echo2-webcontainer.jar: WebContainer.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/echo2-webcontainer.jar/nextapp/echo2/webcontainer/resource/js/WebContainer.js  
**MD5:** 3187e8b29a8357e96be24bde33f479dc



**SHA1:** 4208f56c5424a86cbf114d4638c068446baa31f8  
**SHA256:** a303d0bd198f7590a251d6485cce0d34855ac9485d97d7d5880aab1ec72aa088  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: echo2-webcontainer.jar: WindowPane.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/echo2-webcontainer.jar/nextapp/echo2/webcontainer/resource/js/WindowPane.js  
**MD5:** c9446071fff586f20e7f677e5dbb8597  
**SHA1:** 58915a592236e816dd9f83eefc0977b542262d32  
**SHA256:** da1fc1c3e27e3ce28847e410e51e66dc33f1f744650d9051afbaebe92f032977  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: echo2-webrenderer.jar: ClientEngine.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/echo2-webrenderer.jar/nextapp/echo2/webrenderer/resource/ClientEngine.js  
**MD5:** b97d4b63d35a8f8a9cb5a99b720215de  
**SHA1:** 4a2124b33e4d7e9db720d92924905aa1e7297378  
**SHA256:** 57e9f7be3af39ba8f736cc97efa958335463959271b0885c74ee668f41b5f4a5  
**Referenced In Project/Scope:** server

#### Evidence





Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

## remotegui.zip: echo2extras-app.jar

### Description:

Echo2 Extras

### License:

MPL 1.1: <http://www.mozilla.org/MPL/MPL-1.1.html>

LGPL 2.1: <http://www.gnu.org/licenses/lgpl-2.1.html>

GPL 2.0: <http://www.gnu.org/licenses/gpl-2.0.html>

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/echo2extras-app.jar

**MD5:** e1ba37ba20c3021c38e362cac081d986

**SHA1:** 64e7748149ca2af54ee693c8e232343d64c1b966

**SHA256:** ad4489475b3c77aeeb62ec1c1bc211c8659b84649fdb1e72f4ee6e005b21e37b

**Referenced In Project/Scope:**server

#### Evidence



Type	Source	Name	Value	Confidence
Vendor	central	artifactid	echo2extras-app	Highest
Vendor	central	groupid	com.nextapp	Highest
Vendor	file	name	echo2extras-app	High
Vendor	jar	package name	echo2	Low
Vendor	jar	package name	extras	Low
Vendor	jar	package name	nextapp	Low
Vendor	pom	artifactid	echo2extras-app	Low
Vendor	pom	developer id	tliebeck	Medium
Vendor	pom	developer name	Tod Liebeck	Medium
Vendor	pom	developer org	NextApp	Medium
Vendor	pom	groupid	com.nextapp	Highest
Vendor	pom	name	Echo2 Extras	High
Vendor	pom	url	<a href="http://echo.nextapp.com/site/echo2/addons/extras">http://echo.nextapp.com/site/echo2/addons/extras</a>	Highest
Product	central	artifactid	echo2extras-app	Highest



Product	file	name	echo2extras-app	High
Product	jar	package name	app	Low
Product	jar	package name	echo2	Low
Product	jar	package name	extras	Low
Product	pom	artifactid	echo2extras-app	Highest
Product	pom	developer id	tliebeck	Low
Product	pom	developer name	Tod Liebeck	Low
Product	pom	developer org	NextApp	Low
Product	pom	groupid	com.nextapp	Highest
Product	pom	name	Echo2 Extras	High
Product	pom	url	http://echo.nextapp.com/site/echo2/addons/extras	Medium
Version	central	version	2.1.0	Highest
Version	pom	version	2.1.0	Highest

#### Related Dependencies



- remotegui.zip: echo2extras-webcontainer.jar
  - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/echo2extras-webcontainer.jar
  - MD5: df488c27f775875afc2efa1ba1a14778
  - SHA1: 8b9c1d082e3baac3daea4821cd6fb56116c44c7a
  - SHA256: 50dabd57f50caf8df7d1fced59f7285d7b6179c47bf9b22aae7e7ee1d62e62c0
  - [pkg:maven/com.nextapp/echo2extras-webcontainer@2.1.0](#)

#### Identifiers

- [pkg:maven/com.nextapp/echo2extras-app@2.1.0](#) (*Confidence:High*)
- [cpe:2.3:a:nextapp:echo:2.1.0:\\*.~\\*~\\*~\\*~\\*](#) (*Confidence:Highest*) suppress

### remotegui.zip: echo2extras-webcontainer.jar: AccordionPane.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/echo2extras-webcontainer.jar/nextapp/echo2/extras/webcontainer/resource/js/AccordionPane.js

**MD5:** 5e2309292be34670965e17a63f3d67e2

**SHA1:** 136a82463b674894191f92a08a7fb2c127728e68

**SHA256:** 2b02ad757a502013be2834c414c90832cce07e657f9c8fe4823f94351429aa4a

**Referenced In Project/Scope:**server



### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## remotegui.zip: echo2extras-webcontainer.jar: CalendarSelect.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/echo2extras-webcontainer.jar/nextapp/echo2/extras/webcontainer/resource/js/CalendarSelect.js

**MD5:** ee105b17e6a49ca6894f6a89b93038ca

**SHA1:** deb92e218480368f3d1e1b4471fa716e615d2694

**SHA256:**333078b2953145f5c2798ec878ff5f7859cb7c73e5383b5f04e0641377dd882a

**Referenced In Project/Scope:**server

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## remotegui.zip: echo2extras-webcontainer.jar: ColorSelect.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/echo2extras-webcontainer.jar/nextapp/echo2/extras/webcontainer/resource/js/ColorSelect.js

**MD5:** bb2817813b145fb047035165f4609e11

**SHA1:** 60ed59f4adf34e81089e8a6ed835a52952186b1f

**SHA256:**154ab0e5af207065ae91524a90a06acecd3c88d914c541ed19f6f0e15e10170a

**Referenced In Project/Scope:**server

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------



### Identifiers

- None

## remotegui.zip: echo2extras-webcontainer.jar: DND.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/echo2extras-webcontainer.jar/nextapp/echo2/extras/webcontainer/resource/js/DND.js

**MD5:** c3190a4d76a03ff134dbe71d572d6093

**SHA1:** 29d971a57365ecd29d6233f6be54cd5e638cad5f

**SHA256:** 052a40f554e33a722e4e157a1f9c1dfb8bd26160ac98f5036ddf5cb594cb44bd

**Referenced In Project/Scope:**server

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## remotegui.zip: echo2extras-webcontainer.jar: ExtrasUtil.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/echo2extras-webcontainer.jar/nextapp/echo2/extras/webcontainer/resource/js/ExtrasUtil.js

**MD5:** bb41e331c7cda7542545723669087b7d

**SHA1:** 94b6f7023b77af6bab7942d71edaa0a317a18741

**SHA256:** 27f7d1bc497b52e3c81cad90d7f8857d86534389649c01f58455d6e506e065d9

**Referenced In Project/Scope:**server

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None



## remotegui.zip: echo2extras-webcontainer.jar: Menu.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/echo2extras-webcontainer.jar/nextapp/echo2/extras/webcontainer/resource/js/Menu.js

**MD5:** dff4844bd2e7e0ace646cfc026a22e2b

**SHA1:** 14a08892f49057de2266a978d3df2ba62ca6f0af

**SHA256:** 9955938b46227d85dc73b917640bc28c5c02ffddeb4b2d0b727a2527293d14b1

**Referenced In Project/Scope:**server

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## remotegui.zip: echo2extras-webcontainer.jar: TabPane.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/echo2extras-webcontainer.jar/nextapp/echo2/extras/webcontainer/resource/js/TabPane.js

**MD5:** 7203f99e669e30e5bf1278610d799c25

**SHA1:** 6e706337109b8bc1931bfd90cd02051168617261

**SHA256:** 1b484543b2a8a9a473d7cdb39d8c939a8320f21b73cfd70f3fae4d43688435db

**Referenced In Project/Scope:**server

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## remotegui.zip: echo2extras-webcontainer.jar: TransitionPane.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/echo2extras-webcontainer.jar/nextapp/echo2/extras/webcontainer/resource/js/TransitionPane.js



**MD5:** 52cfea31f2f87e072ff5b0a826655658  
**SHA1:** 798043e69001103030dcb146240e387e77d2e587  
**SHA256:** 18fd61e5fbf3dd6b5d63b1916714fb4a0239f7d9a9f4ec1411bfe41d70e954f3  
**Referenced In Project/Scope:**server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: echopointng.jar

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller  
/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/echopointng.jar  
**MD5:** b97311541ad7a3a8d9bce707c0b5ae81  
**SHA1:** 9da2843de342b6195589687135c44a1327ff494a  
**SHA256:** fb4297263e65a013f39d2b2982343736476f22cd9b4bd2bafd1ac195a39efe8c  
**Referenced In Project/Scope:**server

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	echopointng	High
Vendor	jar	package name	echopointng	Low
Product	file	name	echopointng	High

Identifiers

- None

remotegui.zip: echopointng.jar: blankcanvas.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller  
/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/echopointng.jar/echopointng/ui/resource  
/js/blankcanvas.js  
**MD5:** af461ae7fcc7c2982dc7a2c9d66db238



**SHA1:** bbb3c48fedb35f63655e6604a7e2303077e0457a  
**SHA256:** d402afcceaa4f1e5efaf55009c56886cd53c86d880a6b03e608d79ded024ee45  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: echopointng.jar: button.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/echopointng.jar/echopointng/ui/resource/js/button.js  
**MD5:** 8531b2c1536e2d30e3df983e2c7a2217  
**SHA1:** c7ed360795011104ccf8c63338ed8e06e923797f  
**SHA256:** 77646e360a21f4294cf45d839366dbc1a91b69573c87ba7234f2d09f7f0c7724  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: echopointng.jar: calculator.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/echopointng.jar/echopointng/ui/resource/js/calculator.js  
**MD5:** c1585b51055b1631271c922d5555daad  
**SHA1:** 3f285a1af63b444cbbb9361792b71a0ff16345f6  
**SHA256:** 1475ac04db0d45f0b1b6e5de7355c73b61934207eea96dc1239ae8e1261f3f4f  
**Referenced In Project/Scope:** server

#### Evidence





Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## remotegui.zip: echopointng.jar: colorchooser.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/echopointng.jar/echopointng/ui/resource/js/colorchooser.js  
**MD5:** 76363342cd06ffe0e205fca9110d902c  
**SHA1:** 77f2ba109f495b87b6224ef890ae08ab577561e4  
**SHA256:**a1fecd15a23c349ded1cbe91f0ad252d07086b75a9a0a6cf411a39208fb56418  
**Referenced In Project/Scope:**server

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## remotegui.zip: echopointng.jar: combobox.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/echopointng.jar/echopointng/ui/resource/js/combobox.js  
**MD5:** bc172893359138d97f3ccdda6b51c32b  
**SHA1:** 4ebac02f8d296eebbbe9f1bb44a1c0d0a5f2acf0  
**SHA256:**f6d39c6d806bfff5b67a76f89b5fef3ffa4f542a38282e9b23c9838bbbfafa770  
**Referenced In Project/Scope:**server

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers



- None

#### remotegui.zip: echopointng.jar: command.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/echopointng.jar/echopointng/ui/resource/js/command.js

**MD5:** 22524ba396f3b6193c57855db5041085

**SHA1:** 62dc2c5692866d1222946c225c00d1aedef154b8

**SHA256:** 3c55d005e1dd2f2723e2ce7c9cb906ccc99753230882f671e08e3f4196a9a842

**Referenced In Project/Scope:**server

##### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

##### Identifiers

- None

#### remotegui.zip: echopointng.jar: containerex.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/echopointng.jar/echopointng/ui/resource/js/containerex.js

**MD5:** b080ee991e18c93e892ed63a43299893

**SHA1:** fe5ed5851f627cee32c72bad88351e25689a18f1

**SHA256:** b1b2a5b2daf9d4d22c646d4caeb0d9cfe33eecd3a89910e0b6c511b9164583d

**Referenced In Project/Scope:**server

##### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

##### Identifiers

- None

#### remotegui.zip: echopointng.jar: csscommand.js



**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/echopointng.jar/echopointng/ui/resource/js/csscommand.js

**MD5:** dc731de6fea7b372aad1676f4f188c11

**SHA1:** 292d006070a00a557aca505771fccf3b15d819c4

**SHA256:**3720eb758aa628f0817484a4c8dea8c26da92a6bd44612e2794ad1b8f9d18b04

**Referenced In Project/Scope:**server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: echopointng.jar: datechooser.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/echopointng.jar/echopointng/ui/resource/js/datechooser.js

**MD5:** 03360772d464936c4db0853af7f293ac

**SHA1:** 9ca7aa251deb9d6bfa224de421b405a77ceaab76

**SHA256:**beb9c8189e4a2ecb449b025fdce8a5af22e6fbd705f908ebe38970be44e2cae5

**Referenced In Project/Scope:**server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: echopointng.jar: directhtml.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/echopointng.jar/echopointng/ui/resource/js/directhtml.js

**MD5:** 67fe6a6d53c7f7a31ec424cca0cb113c



**SHA1:** 176ab2c18503d4f6f09e7939987ef9bbda793f50  
**SHA256:** e98b3372e5a1dcbd3df5c922e05d738344f4078f09236f335bf5cc1097429af4  
**Referenced In Project/Scope:** server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: echopointng.jar: ep.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/echopointng.jar/echopointng/ui/resource/js/ep.js  
**MD5:** 909939bf59b597cb43bab18b58915d45  
**SHA1:** 1eb058d7ec9e90df36cee746342423df26cfdeb1  
**SHA256:** 2310adacdc07bdc68bc04f67b438385735ddd2f7b8c094363061743e550eb3bd  
**Referenced In Project/Scope:** server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: echopointng.jar: epdrag.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/echopointng.jar/echopointng/ui/resource/js/epdrag.js  
**MD5:** 9b2e790d15782ac504510920b8047dcd  
**SHA1:** 7165f0c117bff0d7d58de91811f865fef0115b32  
**SHA256:** 738d39774c0bc2b962b78d3aae1b64beb832d0197b9c6daa9b68750757041518  
**Referenced In Project/Scope:** server

Evidence





Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## remotegui.zip: echopointng.jar: epfx.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/echopointng.jar/echopointng/ui/resource/js/epfx.js  
**MD5:** 4e3b34df6d6fd962bee24cc944307e6d  
**SHA1:** d8e0b8b1ed022c29c93d8aba4f00f79243f62d3d  
**SHA256:**2e0466c152814468619f3008887429aaef26139f41adbd74dd18ee83f17fb6b5  
**Referenced In Project/Scope:**server

### Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## remotegui.zip: echopointng.jar: epstretch.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/echopointng.jar/echopointng/ui/resource/js/epstretch.js  
**MD5:** c06366200854d236a636ca39933736a6  
**SHA1:** 39cbb54acbcc28878997d30c13e80ff868267b64  
**SHA256:**56e934dbaca23f709e52c48d3894207f4d89b7275aa33d44a1a7464d85e20e98  
**Referenced In Project/Scope:**server

### Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers



- None

#### remotegui.zip: echopointng.jar: expandablesection.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/echopointng.jar/echopointng/ui/resource/js/expandablesection.js

**MD5:** 9ddcbeef2af11dd42386e18db317d250

**SHA1:** 86dd0803c2361c4e70d99c4f6f1836320dabc9b7

**SHA256:** 9e107c496ba94ece3ca6e4d8b4849bcdce46c05ce481b5c28ca40840354cb1e8

**Referenced In Project/Scope:**server

##### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

##### Identifiers

- None

#### remotegui.zip: echopointng.jar: flyoutpane.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/echopointng.jar/echopointng/ui/resource/js/flyoutpane.js

**MD5:** d56994dc24bf63ff67511e059ac153b8

**SHA1:** 3f36629e0fd1e7aa2806c177a593e74fa0840ab1

**SHA256:** a12d2eb0d62b961ae4866d040e86c3a991b9c75bbd052cb8ab980f8db4232a69

**Referenced In Project/Scope:**server

##### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

##### Identifiers

- None

#### remotegui.zip: echopointng.jar: historymonitor.js



**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/echopointng.jar/echopointng/ui/resource/js/historymonitor.js  
**MD5:** a021bbe0a65436f4d5b0fada7f7a2e95  
**SHA1:** bcc78b12603aaf90eef91e06041bfb00950ed5b1  
**SHA256:** 6e2ffa35896b2c08cedf06ead4d6c2b39f9ce848ae138d68cf211f17f94188cc  
**Referenced In Project/Scope:**server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: echopointng.jar: keystroke.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/echopointng.jar/echopointng/ui/resource/js/keystroke.js  
**MD5:** 2abc4444f27c24f3250735d0e24dd929  
**SHA1:** 0165ba94e6678efe34006b14257abd8ab5f59b70  
**SHA256:** 75cb2b3ec2ef321babcb2c9d048a26090138205cf8aa8b072bc432e496e1959f  
**Referenced In Project/Scope:**server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: echopointng.jar: labelex.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/echopointng.jar/echopointng/ui/resource/js/labelex.js  
**MD5:** 5e68e9198394e79d5344002a5c0ca388



**SHA1:** a46e072aa92701659c8961718c64de8cabb05672  
**SHA256:** 2e8ebe8b669daefe4675d3fe025cef8bccefebae3360f36bd443a3a9e09b00bf  
**Referenced In Project/Scope:**server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: echopointng.jar: lightbox.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/echopointng.jar/echopointng/ui/resource/js/lightbox.js  
**MD5:** 1da8a9321b1a9537e9db1633be4e93ff  
**SHA1:** 4acc96a88fd3711611a5479883fec0c577e61278  
**SHA256:** 68cb57c9cbfa41837b0b8e0a297ff5f63ed2e3dbcdcc99ddb327e6eb2c344fa7  
**Referenced In Project/Scope:**server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: echopointng.jar: livetable.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/echopointng.jar/echopointng/ui/resource/js/livetable.js  
**MD5:** e3d9068b389a26b6dc20cf8f649d6728  
**SHA1:** dd4d66ee287098de8c3e310633cef522bb6b38a  
**SHA256:** 9940cbf5b950edb0d00334bdb02edd45a9656a619bed29a6e14bfacc941db9f6  
**Referenced In Project/Scope:**server

#### Evidence





Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## remotegui.zip: echopointng.jar: lookupcache.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/echopointng.jar/echopointng/ui/resource/js/lookupcache.js  
**MD5:** d396ded32ccfc4c0eb7ea8d620f95c6b  
**SHA1:** 5b0f6d8dc50f2e66bba7b6dfa816243a9564c13f  
**SHA256:**2b8fbdcc66a72a3ab518039278db8b86ad0f3cd43545c3e2fb2dcc88c076e075  
**Referenced In Project/Scope:**server

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## remotegui.zip: echopointng.jar: menu.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/echopointng.jar/echopointng/ui/resource/js/menu.js  
**MD5:** ceb33b1b06161e20409918ac849ecc3a  
**SHA1:** 2da105247ee62c35765d686a545486b0fc0c7e17  
**SHA256:**aefb0d8e30e6c56e52ce37a9f2cf6a1561477e23c4f2a0c8137b8452f445418d  
**Referenced In Project/Scope:**server

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers



- None

#### remotegui.zip: echopointng.jar: nativewindow.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/echopointng.jar/echopointng/ui/resource/js/nativewindow.js

**MD5:** 21205429823868aed449bbef8866781e

**SHA1:** d4e0c7cfce3fa5a642b2cf4e19330f8f7dd60923

**SHA256:** 11e864c5e9349791fc04530b21860d5a5189cfbebf8c61749723bfe40d152a3

**Referenced In Project/Scope:**server

##### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

##### Identifiers

- None

#### remotegui.zip: echopointng.jar: popup.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/echopointng.jar/echopointng/ui/resource/js/popup.js

**MD5:** 526c00e6fd13059fe0e1d0e27e00ee6b

**SHA1:** 44d553436551d74f1e0b4d5b4beba24ad8619970

**SHA256:** 48e5e3afa1f17d32392c4d87336f0aa593fdd6a434d347cbcb74a7383256d8e6

**Referenced In Project/Scope:**server

##### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

##### Identifiers

- None

#### remotegui.zip: echopointng.jar: rta.js



**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/echopointng.jar/echopointng/ui/resource/js/rta.js  
**MD5:** a3b886886418bad087f21cb3e41246f3  
**SHA1:** 3d5230d844995ea50b3e79875f051de5c2b585d6  
**SHA256:** 58ce95bc3f07abfd9c8e13a1837ff7eabd766f57fc220396d5c4755da3a22706  
**Referenced In Project/Scope:**server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: echopointng.jar: slider.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/echopointng.jar/echopointng/ui/resource/js/slider.js  
**MD5:** 09c92eedaa0aa605eafc7c933ca451c1  
**SHA1:** 339e0448113b76695bfeb102d2e5194766676763  
**SHA256:** d36f46f7fc6e97a81417c6c67490bab3755092070689d390b211e7112c834182  
**Referenced In Project/Scope:**server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: echopointng.jar: stackedpaneex.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/echopointng.jar/echopointng/ui/resource/js/stackedpaneex.js  
**MD5:** a9be9e800bb757b5173b2b33d26b36d9



**SHA1:** 8191a7c71fc4deea30a836cfde3e425e4cc41984  
**SHA256:**61793aba49962d4477232f8577c3208d1ec89cd76f02a61b0164df69adad71d8  
**Referenced In Project/Scope:**server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: echopointng.jar: tableex.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/echopointng.jar/echopointng/ui/resource/js/tableex.js  
**MD5:** ed81c9b7a76bc66c2865d09c5603fe95  
**SHA1:** c896c1b21be028b1a27af5ab129e74279b22d718  
**SHA256:**069ffd460c63e5b3bb788f723cd9bcd16c3e97e083a2068f0300da8038af5d97  
**Referenced In Project/Scope:**server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: echopointng.jar: templatepanel.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/echopointng.jar/echopointng/ui/resource/js/templatepanel.js  
**MD5:** 5323649865617422da0db27f9314834f  
**SHA1:** 0510c58e3e49d4ed459b9154d508f67bb7dc458a  
**SHA256:**ef8da75ec048040e466e45d48a774b2a0eabd54b50eeb3aae6195742fa8eeac5  
**Referenced In Project/Scope:**server

#### Evidence





Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## remotegui.zip: echopointng.jar: textfieldex.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/echopointng.jar/echopointng/ui/resource/js/textfieldex.js  
**MD5:** 72dbe933a2629cbced5859f30899435c  
**SHA1:** 16f3d36326cf6c168d85cf9327258b2cab5ba42f  
**SHA256:**ab7a0b4d02015202f5abe9b33fb286deab007a42ee9adff2dd025482b6df802a  
**Referenced In Project/Scope:**server

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## remotegui.zip: echopointng.jar: titlebar.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/echopointng.jar/echopointng/ui/resource/js/titlebar.js  
**MD5:** e44b0a7d883fa295f513ae66e8baf3b6  
**SHA1:** a73818b6bee622a8c949bc6f0ada96ac29527075  
**SHA256:**08457a169a8298c85215704f8e3acadd29ef4f01f7a07decdefcc520540d5f4c  
**Referenced In Project/Scope:**server

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers



- None

### remotegui.zip: echopointng.jar: tree.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/echopointng.jar/echopointng/ui/resource/js/tree.js

**MD5:** 9657b74610592c6e68183de9a17a8014

**SHA1:** 663ca96d35d89bdf25b2eff628d7a1d854a68ff3

**SHA256:**dde9bc5bda4b2e85e21e69367624fb98b30de5af452a7ede67c4cc6a3afdc597

**Referenced In Project/Scope:**server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: jquery-ui.jar

#### Description:

WebJar for jQuery UI

#### License:

MIT License: <https://github.com/jquery/jquery-ui/blob/master/MIT-LICENSE.txt>

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/jquery-ui.jar

**MD5:** b212bd218d190b381c4a924a50d846f6

**SHA1:** f847fc05575b7121960f728c20306e3f50f1d438

**SHA256:**c4878a9fe82d5a98242b4ef21fed7a26257f6243cd797fddacb188b0dc6bdbc7

**Referenced In Project/Scope:**server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Vendor	file	name	jquery-ui	High
--------	------	------	-----------	------

Vendor	pom	artifactid	jquery-ui	Low
--------	-----	------------	-----------	-----

Vendor	pom	developer email	james@jamesward.org	Low
--------	-----	-----------------	---------------------	-----

Vendor	pom	developer id	jamesward	Medium
--------	-----	--------------	-----------	--------



Vendor	pom	developer name	James Ward	Medium
Vendor	pom	groupid	org.webjars	Highest
Vendor	pom	name	jQuery UI	High
Vendor	pom	url	http://webjars.org	Highest
Product	file	name	jquery-ui	High
Product	pom	artifactid	jquery-ui	Highest
Product	pom	developer email	james@jamesward.org	Low
Product	pom	developer id	jamesward	Low
Product	pom	developer name	James Ward	Low
Product	pom	groupid	org.webjars	Highest
Product	pom	name	jQuery UI	High
Product	pom	url	http://webjars.org	Medium
Version	pom	version	1.13.2	Highest

#### Identifiers

- [pkg:maven/org.webjars/jquery-ui@1.13.2](https://pkg.maven.org.webjars/jquery-ui@1.13.2) (*Confidence:High*)

### remotegui.zip: jquery-ui.jar: jquery-ui.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/jquery-ui.jar/META-INF/resources/webjars/jquery-ui/1.13.2/jquery-ui.js

**MD5:** cbc65ff85e08b21d7e0c0394bf3a371

**SHA1:** 0ebabcd2c6da47bde11fadf331a02c98845b0a8d

**SHA256:** c4b0fb9e123ad9f72c1192b6feff0bb0171be251bb76050b92e5e85c1fe3f757

**Referenced In Project/Scope:**server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None



## remotegui.zip: jquery-ui.jar: jquery-ui.min.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/jquery-ui.jar/META-INF/resources/webjars/jquery-ui/1.13.2/jquery-ui.min.js

**MD5:** 1e2047978946a1d271356d0b557a84a3

**SHA1:** 5f29a324c8affb1fdb26ad4564b1e044372beed2

**SHA256:** 9528ca634fecad433d044ddd3e6f9ce1f068d5d932dafdbb19d8e6daea1968bd

**Referenced In Project/Scope:**server

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## remotegui.zip: jquery-ui.jar: package.json

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/jquery-ui.jar/META-INF/resources/webjars/jquery-ui/1.13.2/package.json

**MD5:** f9a98ca55ce790fc5ffc1387f6ffa591

**SHA1:** 50b4033bd3d71bf6b6298584ac7577b02e065f94

**SHA256:** 438c7f1455a7dd61e030d921d84ebca77358ba4771efcb9a013637f379aacf55

**Referenced In Project/Scope:**server

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## remotegui.zip: jquery-ui.jar: webjars-requirejs.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/jquery-ui.jar/META-INF/resources/webjars/jquery-ui/1.13.2/webjars-requirejs.js

**MD5:** 2b45f24ce91f8c0d5c764e705b1eed88



**SHA1:** 03056311ea772e4b7b09a70f108cb2733ae13766

**SHA256:** a0f18ed7e4b55b53dcf2752e99573c9f7363fd4ba7d98f14a65c36cf34fe1ec3

**Referenced In Project/Scope:**server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: jquery.jar

#### Description:

WebJar for jQuery

#### License:

MIT License: <https://github.com/jquery/jquery/blob/master/MIT-LICENSE.txt>

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/jquery.jar

**MD5:** 4af65e569248d8a2411f66498d720280

**SHA1:** c3dc40b1b5f24c56afa36fd9a463bb9f378ac4ab

**SHA256:** de28c4da0ea9f16101352dd3582ec8021ee5e2de5f45104ca171876003d54db6

**Referenced In Project/Scope:**server

#### Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	jquery	High
Vendor	pom	artifactid	jquery	Low
Vendor	pom	developer email	james@jamesward.org	Low
Vendor	pom	developer id	jamesward	Medium
Vendor	pom	developer name	James Ward	Medium
Vendor	pom	groupid	org.webjars	Highest
Vendor	pom	name	jquery	High
Vendor	pom	url	<a href="http://webjars.org">http://webjars.org</a>	Highest
Product	file	name	jquery	High
Product	pom	artifactid	jquery	Highest
Product	pom	developer email	james@jamesward.org	Low



Product	pom	developer id	jamesward	Low
Product	pom	developer name	James Ward	Low
Product	pom	groupid	org.webjars	Highest
Product	pom	name	jquery	High
Product	pom	url	http://webjars.org	Medium
Version	pom	version	2.2.4	Highest

#### Identifiers

- [pkg:javascript/jquery@2.2.4](#) (Confidence: Highest)
- [pkg:maven/org.webjars/jquery@2.2.4](#) (Confidence: High)

### remotegui.zip: jquery.jar: webjars-requirejs.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/jquery.jar/META-INF/resources/webjars/jquery/2.2.4/webjars-requirejs.js

**MD5:** 30e1a7f167b667001f50e32ea87bf7b5

**SHA1:** d18dc733350ad3549af2df096599e824c10f777e

**SHA256:** daca7b23bc4d8302a8961373b92b78d36d5c85d730fc14130e29d55d976aa420

**Referenced In Project/Scope:** server

#### Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: moment-timezone.jar

#### Description:

WebJar for moment-timezone

#### License:

MIT



**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/moment-timezone.jar  
**MD5:** 450be3d1b60cdca2f5980b70253dda18  
**SHA1:** 7cdb36616562700d5bd578ad9bcb5c1980227885  
**SHA256:** f9dd21271812450a1fe7d7a5ec90872ec35f2dc90e7283f2b757f455e1ad0eac  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	moment-timezone	High
Vendor	pom	artifactid	moment-timezone	Low
Vendor	pom	developer id	webjars	Medium
Vendor	pom	groupid	org.webjars.npm	Highest
Vendor	pom	name	moment-timezone	High
Vendor	pom	url	https://www.webjars.org	Highest
Product	file	name	moment-timezone	High
Product	pom	artifactid	moment-timezone	Highest
Product	pom	developer id	webjars	Low
Product	pom	groupid	org.webjars.npm	Highest
Product	pom	name	moment-timezone	High
Product	pom	url	https://www.webjars.org	Medium
Version	pom	version	0.5.43	Highest

#### Identifiers

- [pkg:maven/org.webjars.npm/moment-timezone@0.5.43](https://maven.org/webjars/npm/moment-timezone@0.5.43) (*Confidence:High*)

### remotegui.zip: moment-timezone.jar: index.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/moment-timezone.jar/META-INF/resources/webjars/moment-timezone/0.5.43/index.js  
**MD5:** 16b10b9be0471f35921bc17b645c6fcd  
**SHA1:** 7e9c41f04cff37b876169e1e5108b5b757305822  
**SHA256:** b93bc1a0ab15d56e12f0e281bf005d39166952d9208b828e8d056563f3ff1fd1  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------



### Identifiers

- None

## remotegui.zip: moment-timezone.jar: moment-timezone-utils.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/moment-timezone.jar/META-INF/resources/webjars/moment-timezone/0.5.43/moment-timezone-utils.js

**MD5:** edb7fba74607b74e61be773158b0951a

**SHA1:** 2ba0baf41953133f5864ae94449470ad88bad490

**SHA256:** 240b667916ae2b2ee9044cdba46392422cddb26f0b8d1dfbe34f273526e7fed3

**Referenced In Project/Scope:**server

### Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## remotegui.zip: moment-timezone.jar: moment-timezone-with-data-10-year-range.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/moment-timezone.jar/META-INF/resources/webjars/moment-timezone/0.5.43/builds/moment-timezone-with-data-10-year-range.js

**MD5:** 1bec04a3f00e03138630782e66cee99d

**SHA1:** 1e424da88c1db2b7261f24347f042d8c7b41f9f4

**SHA256:** a8c878f012146d6b71933926ea4efce480e4617ed76e6accd5ea5e463634afac

**Referenced In Project/Scope:**server

### Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None



## remotegui.zip: moment-timezone.jar: moment-timezone-with-data-10-year-range.min.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/moment-timezone.jar/META-INF/resources/webjars/moment-timezone/0.5.43/builds/moment-timezone-with-data-10-year-range.min.js

**MD5:** a365b61955be78da13c648270d7f1729

**SHA1:** 78817143d00e9cc69ca4106391b5676b294b8f3b

**SHA256:** 4541068197d1c1139b529987b03db202070cd3df77a20ebde2edeb6e96d83144

**Referenced In Project/Scope:**server

### Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## remotegui.zip: moment-timezone.jar: moment-timezone-with-data-1970-2030.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/moment-timezone.jar/META-INF/resources/webjars/moment-timezone/0.5.43/builds/moment-timezone-with-data-1970-2030.js

**MD5:** cb644e2690f6e82a13aa4998f7dba930

**SHA1:** 6328aba53fa86702d9f466cff348c6599b7c059d

**SHA256:** 6db98e0f479d589620d4541d58308a6d01e2acd2fab37d3eaae62f70864e87ef

**Referenced In Project/Scope:**server

### Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## remotegui.zip: moment-timezone.jar: moment-timezone-with-data-1970-2030.min.js



**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/moment-timezone.jar/META-INF/resources/webjars/moment-timezone/0.5.43/builds/moment-timezone-with-data-1970-2030.min.js  
**MD5:** 2bde95f3d2776a96239be4a543898706  
**SHA1:** 909d1e99f3ab272e200359b7e1e11ef89a8d64cc  
**SHA256:** d92825b456bb1537593c4c3e68eb08bad49cbd352846faf660afcf17cfe7e98b  
**Referenced In Project/Scope:**server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: moment-timezone.jar: moment-timezone-with-data-2012-2022.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/moment-timezone.jar/META-INF/resources/webjars/moment-timezone/0.5.43/builds/moment-timezone-with-data-2012-2022.js  
**MD5:** 08273a8d18c81f52354c6a3ba2839ef7  
**SHA1:** a2a27547ab3e344aeef95ce992a282c737116600  
**SHA256:** cc511db782dff570d55446b80b9bf360f4e43f5dd07a41db3b179fa6072086e7  
**Referenced In Project/Scope:**server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: moment-timezone.jar: moment-timezone-with-data-2012-2022.min.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/moment-timezone.jar/META-INF/resources/webjars/moment-timezone/0.5.43/builds/moment-timezone-with-data-2012-2022.min.js  
**MD5:** 54b9ef764c3c9382aeedd7c4b13cb270  
**SHA1:** 2525a6639b7e7c6f0134a0172b5eef7c8ace6511  
**SHA256:** abab3f78698e409acfd9a8cab695cfe68b269e2b7b32fe0e05b57826b790b5b  
**Referenced In Project/Scope:**server



### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## remotegui.zip: moment-timezone.jar: moment-timezone-with-data.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/moment-timezone.jar/META-INF/resources/webjars/moment-timezone/0.5.43/builds/moment-timezone-with-data.js

**MD5:** c8b2796364dc00dd30c6c89df7711ffb

**SHA1:** a80574843e575b9a98257b28ac9e230957941223

**SHA256:** b3cf8ee8e549d231342ec459a98205d0cdf4aae76c13996db5ad99894a4b0d40

**Referenced In Project/Scope:**server

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## remotegui.zip: moment-timezone.jar: moment-timezone-with-data.min.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/moment-timezone.jar/META-INF/resources/webjars/moment-timezone/0.5.43/builds/moment-timezone-with-data.min.js

**MD5:** a6604abaadcf1a25a434a312ae70e0ed

**SHA1:** e78cca5be7631d49ba661e7f328f5d98d7e5e22d

**SHA256:** 1202c7b0881d7c5abf572b1008b0361cf485298dda5734a77b7919ecd809d06b

**Referenced In Project/Scope:**server

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------



### Identifiers

- None

## remotegui.zip: moment-timezone.jar: moment-timezone.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/moment-timezone.jar/META-INF/resources/webjars/moment-timezone/0.5.43/moment-timezone.js

**MD5:** 75a27eac4ebde8391345328a8de5bb87

**SHA1:** 8e6fc0d3b77565964bb8c8ce60215db88ab395b7

**SHA256:** 2c2321ec187119399b081dc2b2cee8fc11f6d660fd4e8034d8967b5c31a090f9

**Referenced In Project/Scope:**server

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## remotegui.zip: moment-timezone.jar: moment-timezone.min.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/moment-timezone.jar/META-INF/resources/webjars/moment-timezone/0.5.43/builds/moment-timezone.min.js

**MD5:** 46e00f681c7772f092340f87833f9bae

**SHA1:** 038553b73a86509efb4dadd4baaa112551100052

**SHA256:** 8e7d285a449160dd6dbd1d48a4514be7de0ec34f74448738d1e2603d855ee3fa

**Referenced In Project/Scope:**server

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None



## remotegui.zip: moment-timezone.jar: package.json

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/moment-timezone.jar/META-INF/resources/webjars/moment-timezone/0.5.43/package.json

**MD5:** c31c5e27cda626ee69feadaffb34da46

**SHA1:** edb57da491bca26afa75961b3617a8b70abf32d5

**SHA256:** 783c10b44270b7863ba96c063fbe420d711227cbaebc01bbc2543d39f2311884

**Referenced In Project/Scope:**server

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## remotegui.zip: momentjs.jar

### Description:

WebJar for Moment.js

### License:

MIT License: <http://opensource.org/licenses/MIT>

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/momentjs.jar

**MD5:** 72ad6b420b3b741d7def80f4837682f5

**SHA1:** 6087f9eb29294249887afa1eb4ec8308657c35f1

**SHA256:** 71f0cbc7e4d2c943077dc758f7c8f0c7d48e1ddc7f9e7cfd27aecbc12712cfd

**Referenced In Project/Scope:**server

### Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	momentjs	High
Vendor	pom	artifactid	momentjs	Low
Vendor	pom	developer email	james@jamesward.org	Low
Vendor	pom	developer id	jamesward	Medium
Vendor	pom	developer name	James Ward	Medium
Vendor	pom	groupid	org.webjars	Highest



Vendor	pom	name	Moment.js	High
Vendor	pom	url	http://webjars.org	Highest
Product	file	name	momentjs	High
Product	pom	artifactid	momentjs	Highest
Product	pom	developer email	james@jamesward.org	Low
Product	pom	developer id	jamesward	Low
Product	pom	developer name	James Ward	Low
Product	pom	groupid	org.webjars	Highest
Product	pom	name	Moment.js	High
Product	pom	url	http://webjars.org	Medium
Version	pom	version	2.29.4	Highest

#### Identifiers

- <pkg:maven/org.webjars/momentjs@2.29.4> (*Confidence:High*)

### remotegui.zip: momentjs.jar: af.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/af.js

**MD5:** abbd3f78270e280c248535ca3e3b3e3b

**SHA1:** 489ddba9b2a2f15e2a8d59d751a45c5ed7041f14

**SHA256:** c59e2f2d09098829d00f5dab85e6ec623f6aa9e70285ec2aac12030a014e4161

**Referenced In Project/Scope:**server

#### Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: momentjs.jar: ar-dz.js



**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/ar-dz.js  
**MD5:** 10e8f6da8f425e389f9dd462018dcece  
**SHA1:** d638dc753916f10981ce562c7e7543944aa5755e  
**SHA256:** 2fcf1465ad9fcb33a1ee00188d0d8cb19e0d9094da9e27f56444b67e50c6810c  
**Referenced In Project/Scope:**server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: momentjs.jar: ar-kw.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/ar-kw.js  
**MD5:** 5ad9681e194f33543d33a588e2a21f09  
**SHA1:** da190c4671145eb702d41ee980b985a9816bc9c5  
**SHA256:** ebcd2afd129890e49aa91cbd6718916ceb743122a4d264c681a533d8066de673  
**Referenced In Project/Scope:**server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: momentjs.jar: ar-ly.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/ar-ly.js  
**MD5:** 293c5c572f1e70336fb5a5cab29faded  
**SHA1:** d969dc63c258a2c5587efa0cb2ac80034c44a5f3  
**SHA256:** 0a70bf3f66b074d68453af125059d60f1ce4d5a96d3401b0bb7f013fb7a56696  
**Referenced In Project/Scope:**server



### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## remotegui.zip: momentjs.jar: ar-ma.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/ar-ma.js

**MD5:** 6f5179b883bce68003df4d2c99caa156

**SHA1:** 3af849ad551cc126ea26fe472770b0f2c86363b2

**SHA256:** ae28a7c4d994a1d4059f2dc1e6385182f3d5aab262d637a6bdfc80f3e3f5471e

**Referenced In Project/Scope:** server

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## remotegui.zip: momentjs.jar: ar-sa.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/ar-sa.js

**MD5:** 92455d26a00821fe9aba7ea8e23ec89c

**SHA1:** 18d22d6e22b460fb0d248426001e4cbfd9a69393

**SHA256:** 4913900a380ed33b662fc5299fda05cfba74367870ba23f3d9db5dfd0775c876

**Referenced In Project/Scope:** server

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------



### Identifiers

- None

## remotegui.zip: momentjs.jar: ar-tn.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/ar-tn.js

**MD5:** bf6b33329fd589f8b3b393f6e64717d4

**SHA1:** adf2dc833a46ad99f030b5761a7e6a97497ca764

**SHA256:** 2b6a611f7d21a0752d9101347b22943dcdd91293f7e09ac11c3b04cee41f594f

**Referenced In Project/Scope:**server

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## remotegui.zip: momentjs.jar: ar.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/ar.js

**MD5:** b0110c65e23d25860762820db7d2150e

**SHA1:** 249cc300a99b9cdc47ff3fd70c9b4cb22f0aed61

**SHA256:** 73485f16cb9317f156bab05ba8a3233fa87513cf1cb52728fefc53703ffd5b3e

**Referenced In Project/Scope:**server

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None



## remotegui.zip: momentjs.jar: az.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/az.js

**MD5:** ec1a4acd4aa555dd71722c2639df4db6

**SHA1:** 49b4198f1b008f9deeb9aa5d33e27647e812f0df

**SHA256:** 21cfe14e920b3edc4bc394709929f61aa5f2f9e51d3ca0c6edd1e51f29d7e3c9

**Referenced In Project/Scope:**server

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## remotegui.zip: momentjs.jar: be.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/be.js

**MD5:** 5c38f8d3d5da2b1b930f109553918781

**SHA1:** 181a1762773de78de3e2d21696e77a49a9e188a5

**SHA256:** aa0657f4f1e9f9ef3a3ce289bc882f5971195e4681499f02409486ed985e1407

**Referenced In Project/Scope:**server

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## remotegui.zip: momentjs.jar: bg.js



**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/bg.js  
**MD5:** ebd43c527dac81f273926142beec5553  
**SHA1:** 46101d46348f560c622895e9e65465dd26e92d6a  
**SHA256:** 0d034309eedbd03f17e22dbd963c8cc8d490c8e877f39c6c4081636d1cd28fca  
**Referenced In Project/Scope:**server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: momentjs.jar: bm.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/bm.js  
**MD5:** 2ef1c37399931e14e2a4471ebc57bd21  
**SHA1:** 1e10777797f13333027873cf0a1e05e52c2a9264  
**SHA256:** 1f3217d69f6512ea3984fb7428e1afe0c7779cf3822582c52e6eaa8982ac23b1  
**Referenced In Project/Scope:**server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: momentjs.jar: bn-bd.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/bn-bd.js  
**MD5:** f2988fa9e29bc5573603a8140b321051  
**SHA1:** ddca0b09ab220aa3e7d8b6d01e98b06071942e4a  
**SHA256:** 87296cd8b904b633d89b0a72b779aaf04e8d625fd8ed772e3227046b3a3acf80  
**Referenced In Project/Scope:**server



### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## remotegui.zip: momentjs.jar: bn.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/bn.js

**MD5:** f5037a3495a3fefb37d9456b6745537a

**SHA1:** 5d8e28e5703371e674a9b2947426e23a1429455a

**SHA256:** a43f974ec15f638e67cec9d73cb33c339ce7cb35bb7041b478a930197977a890

**Referenced In Project/Scope:**server

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## remotegui.zip: momentjs.jar: bo.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/bo.js

**MD5:** 7dc25ead6d51909386b03c060b891690

**SHA1:** 5b47f8a1cd1b1dad8e8ae1c6f408dadda7cd6983

**SHA256:** dbf83d196ab69149d5f056a2b44e06441626f1e5d3c3aa1a300e64dc5150565f

**Referenced In Project/Scope:**server

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------



### Identifiers

- None

## remotegui.zip: momentjs.jar: br.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/br.js

**MD5:** 65949057a5632b430fce65f65c89ace7

**SHA1:** eda5bd14e942c85896b263b137e2e14f161836e6

**SHA256:** 35b4113f7552400639dc76ea40d55f1be6f44af2eaf4289e7c37e4e657522ba4

**Referenced In Project/Scope:**server

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## remotegui.zip: momentjs.jar: bs.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/bs.js

**MD5:** fac80361cb7d5e0c44f8956063e8eb07

**SHA1:** e0f831af87ad28205b93fbe4d7ef9001227eb1e4

**SHA256:** 1d185f2b71c18bb14d0e5db063d59912396d42a04aec97cfbbec19a5bb8bb5ec

**Referenced In Project/Scope:**server

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None



## remotegui.zip: momentjs.jar: ca.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/ca.js

**MD5:** 9c6c8738154552a40a29505cf41311af

**SHA1:** 65eee9703d130c7a90d085214ee60c4e087b9d1d

**SHA256:** c0ebe3bb033ce8f82c66a46dd297c19b30c80ba64036c721aca36a7f86f1b234

**Referenced In Project/Scope:**server

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## remotegui.zip: momentjs.jar: cs.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/cs.js

**MD5:** 8f0a7bef088e6698b6a090a6f6fe22de

**SHA1:** b137a5adfe662d0b1c258fe7bb2b73b971e2268e

**SHA256:** 0dcf511c06f565a917e4718cce467392bf898ba60af2b3fdb032b1910599ebc5

**Referenced In Project/Scope:**server

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## remotegui.zip: momentjs.jar: cv.js



**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/cv.js  
**MD5:** baf681a1e97ac68186325a98d5ef1861  
**SHA1:** c0433a02791baf8efe6945a4ae0370c6d8d55b6  
**SHA256:** 231b3a65bc4beb4d6f0920962dafc82611403df4979655cea53d9740d2986904  
**Referenced In Project/Scope:**server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: momentjs.jar: cy.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/cy.js  
**MD5:** 868cca92c4392ae5b0627f305f9633b4  
**SHA1:** 9c0f75132a2eaa3fdf0631a08f210f0e29208501  
**SHA256:** 05d100692e8cdd4a6b3b0eb56eb37c9c64dacab3254aaeba18c24689b18a6cf8  
**Referenced In Project/Scope:**server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: momentjs.jar: da.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/da.js  
**MD5:** 47fe4d0a5079542391abdc125b4cb60  
**SHA1:** 423a66383275eaf3f441f384c69b2d6e2cf905d1  
**SHA256:** 891e90544d1061ea578b51173a2dc4638c0e9af95cc2986f1f89ad5008e301e7  
**Referenced In Project/Scope:**server



### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## remotegui.zip: momentjs.jar: de-at.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/de-at.js

**MD5:** c2df366205b041e50b0dc27fe427c54d

**SHA1:** c52be9218cfbe8ae8d51f78af3494d3a2ed5d35f

**SHA256:** 0575c8ba66974f2eb3d7d74e16a265c40dbfe7802cefdecc9f196f92c0ecee97

**Referenced In Project/Scope:**server

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## remotegui.zip: momentjs.jar: de-ch.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/de-ch.js

**MD5:** 1f9bf40d5d392a14bb758de02e9d98df

**SHA1:** 838d95c91f39f7e28483c660e6f5005921d3da11

**SHA256:** b3c3d71abc98200d579cbbef89d470a6cbb272c4faa71e31232a68ef6451edd4

**Referenced In Project/Scope:**server

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------



#### Identifiers

- None

### remotegui.zip: momentjs.jar: de.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/de.js

**MD5:** 260cdaa4a123af8e02f5aa4001cceaac

**SHA1:** b928a076571a81fde7fc1fd4a2adb45d9a9a2279

**SHA256:** 20fb0d0967e2720d135a6894165bf96e327b42bdedcbf45a9b2f9e44da7986dc

**Referenced In Project/Scope:**server

#### Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: momentjs.jar: dv.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/dv.js

**MD5:** b3ac7e877fac1116b8759c6e7384e86d

**SHA1:** 3321dfc6f7147d148167b23a3642212fb10b1b89

**SHA256:** 94a1563faab9fe61f359a515042f56e2672886200e084de98bbd98769f71ba69

**Referenced In Project/Scope:**server

#### Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None



## remotegui.zip: momentjs.jar: el.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/el.js

**MD5:** 7a1966e1fd7848aabcbe28ff2a445e

**SHA1:** 29af743b2dd9c09d9962080c3a5b4cdac2b09409

**SHA256:** a73fa8b59dd099d28a7824980577379437273f6ef35a90409cf36492bc2b3600

**Referenced In Project/Scope:** server

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## remotegui.zip: momentjs.jar: en-au.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/en-au.js

**MD5:** fc0b9a852c77ef21ee6deb24d95769f8

**SHA1:** 829e7b64e421cc91fbb306243b31d71f06fabdc2

**SHA256:** 6a84d80e99d57f1ca1faa1dcca9f48e9925de4013ac5ceab52cbf20b059cff8c

**Referenced In Project/Scope:** server

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## remotegui.zip: momentjs.jar: en-ca.js



**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/en-ca.js  
**MD5:** b6f095c75787cb0eb2421b32b2e9ea14  
**SHA1:** 415ffbaa1c99a53d233979f5e907e83b59d54c9a  
**SHA256:**d7b47d71cd5b63a0cd7bc3945ca1799d9345ba9dc3e85356231dbb4f6becdd01  
**Referenced In Project/Scope:**server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: momentjs.jar: en-gb.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/en-gb.js  
**MD5:** 5ebfadfe47485b65c484822391d0aad1  
**SHA1:** 4154fff794c0118f1c280d4e3c222b0b3f96a6eb  
**SHA256:**46e86bfd873ce2ba61885faa9e0ba2ae1a510574f698d6a3aba7da49d1505eb9  
**Referenced In Project/Scope:**server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: momentjs.jar: en-ie.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/en-ie.js  
**MD5:** f5175b64f4c382500e7a00ed4113c3a3  
**SHA1:** 12cf24c0dcfa4f82be14783a2889022043fe1f80  
**SHA256:**41a3d03fb561db37dc1e3a63cba10467c0bcabb2ab7e788329f86b6be6f72d9e  
**Referenced In Project/Scope:**server



### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## remotegui.zip: momentjs.jar: en-il.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/en-il.js

**MD5:** 8f131247f11cf746d1b477c75de2e0a2

**SHA1:** f1fbc068a029ca0fcb5755fc5211ae43c9b2dd00

**SHA256:** 494c5f26d0a16c8c1645d70cfc327e19086831ce78bc98599f4e5abc321db7d7

**Referenced In Project/Scope:**server

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## remotegui.zip: momentjs.jar: en-in.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/en-in.js

**MD5:** 2d5a9ac86d2a83833aec6a68bc8947ae

**SHA1:** 64d4492b47eac3212f09a9dd1fdfe2afc9721142

**SHA256:** 290dd53cb6262cfc22c961faf969851adfa8c38b30c80c496b8c8f19232a13e8

**Referenced In Project/Scope:**server

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------



### Identifiers

- None

## remotegui.zip: momentjs.jar: en-nz.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/en-nz.js

**MD5:** 3a68b41d7982ae7bbc8a396d23e9d1a1

**SHA1:** 0c30117c176ae1c60d35e54c3c0cd47b5104e28e

**SHA256:** 9590cf61d2ab1b83f793be9f074340397e639fbb112a80c8bb7d2e3a77c45448

**Referenced In Project/Scope:**server

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## remotegui.zip: momentjs.jar: en-sg.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/en-sg.js

**MD5:** d32a209c24b07b617c68fb03e081061c

**SHA1:** 34729febed76ec17ccafdc06ce4f51902daaf42

**SHA256:** e3b29449d67e5d53d3420b5f4ec207dbd70f651380573b59f39aee2b1b9ca52d

**Referenced In Project/Scope:**server

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None



### remotegui.zip: momentjs.jar: eo.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/eo.js

**MD5:** f19d7f5dae34785b6ffd82971ff01712

**SHA1:** 8a6937235d4219a192ae127506cca9479097abdf

**SHA256:** 823d3e21f85f9d3801f7004cc5cde82d5f45d98e977979322543a65908411e4c

**Referenced In Project/Scope:**server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: momentjs.jar: es-do.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/es-do.js

**MD5:** 3f09c253c2e7ed72706b062bdb3ecee6

**SHA1:** 3bcd2f7f697c4241a5f47985835b0190a643630a

**SHA256:** a1d29019dcff0ce2a11cdf97018c20e99fbc739163c059ad8bf2408f77d3161

**Referenced In Project/Scope:**server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: momentjs.jar: es-mx.js



**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/es-mx.js  
**MD5:** d16f10cddba51c3467b316318e592f22  
**SHA1:** 4cc238005f4d59b4e3877449babf5cc8b3595f38  
**SHA256:** a233573f641cc9c93c87b555fc5564c2e5ebb97e251338e971ba76e74d512646  
**Referenced In Project/Scope:**server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: momentjs.jar: es-us.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/es-us.js  
**MD5:** 276e7c3c7756f9e962f6141f5048894d  
**SHA1:** bab0d54cfa34f527dcf6960f5379aeef05cc66c8  
**SHA256:** 3923c6bd6137387d5edc62f6dc0174cc9eef8363238c16eef78bd9d9c69bfafc  
**Referenced In Project/Scope:**server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: momentjs.jar: es.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/es.js  
**MD5:** 0e92f45548e01672fc6a2f73979c397e  
**SHA1:** 6e6385cb5f6e39ed9ba95ebc1fb66526e2c3371a  
**SHA256:** 2a8f1790d492fc338933a032a862f99998f31bcaf7a0e4fc298b6a3cb04cdf7e  
**Referenced In Project/Scope:**server



### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## remotegui.zip: momentjs.jar: et.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/et.js

**MD5:** 8b5c6c8136c1bcb3dd35ff204c28b1fc

**SHA1:** 82ecebf743869c8231a6ef06cf5959e5cdbc7fc9

**SHA256:** 95c974679dba419b7d835fa51340c430bd0066bdc38a7a139caa575b67389d7e

**Referenced In Project/Scope:**server

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## remotegui.zip: momentjs.jar: eu.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/eu.js

**MD5:** 1f0f32ac558d6bf2591f0e7c59b09e88

**SHA1:** e8989f9da9ff458c51d7d4c21f9bfc99ddcd72a7

**SHA256:** ecbc07cdb215cf9996405fa56ef306761ec6a9383e19a53c2b45d6a1c5c4dc68

**Referenced In Project/Scope:**server

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------



#### Identifiers

- None

### remotegui.zip: momentjs.jar: fa.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/fa.js

**MD5:** bad9e9e51e7cd982360114a2d6b9a03a

**SHA1:** 7285494b159552cdee8bb7050d1278144da80b04

**SHA256:** 15ca66ce1faa865c68998fcc8ab1160207636b9161ad76f7cf7acd0d7c0ebd1f

**Referenced In Project/Scope:**server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: momentjs.jar: fi.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/fi.js

**MD5:** 08d74def02ac724471fce607ab87f4af

**SHA1:** 7f40cb04e95803f706af5caf5a983f7aa3f2365b

**SHA256:** 1339d4170019588a6764a56236c2a7c5b2389ace52a9ec5e8c09f1997935741f

**Referenced In Project/Scope:**server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None



### remotegui.zip: momentjs.jar: fil.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/fil.js

**MD5:** fbc9e6bd5b49897ba8503d27e2d061ec

**SHA1:** 2121d4a7333acb3b7b120c1580a809a8a5927dc6

**SHA256:** d24cac0d0069d89c48b4c8cee34cddcb7e39892c91f07b884574fe0cafb66ef7

**Referenced In Project/Scope:**server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: momentjs.jar: fo.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/fo.js

**MD5:** 85d4a1a25dd5c3fa021f9e6f63fd01ac

**SHA1:** 95d11e45e86f344a148706df7f5c86019e02ae30

**SHA256:** 6338de573601e330030918569b8d2f80f98a57754e748a03ff56e3672fa25be7

**Referenced In Project/Scope:**server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: momentjs.jar: fr-ca.js



**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/fr-ca.js  
**MD5:** c0ef60f7029fe6ab773c090320f0a66e  
**SHA1:** 8970ff163faa9c8702be24f65f95e94b962d8622  
**SHA256:** 59c5acfba5605fa641721bf16123300164ccc043f4bad6009aa8d880b159124a  
**Referenced In Project/Scope:**server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: momentjs.jar: fr-ch.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/fr-ch.js  
**MD5:** 3345c9d13645ae5fb2964c17559326f5  
**SHA1:** d0cd4c6466797300434db0d6c8028bf46fe35bc0  
**SHA256:** b32f50aa3d147ba5441d7728a45bce592125fd0a97117ca4b93b32c6393d847d  
**Referenced In Project/Scope:**server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: momentjs.jar: fr.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/fr.js  
**MD5:** 775f1eb59d6f597b1c398036002ae329  
**SHA1:** e6f1741f5598b62a83bb071459d9e8cae4b3a127  
**SHA256:** d87b4eb850bc7742c104557450d0a70d18a48a917335221af08d23850667523e  
**Referenced In Project/Scope:**server



### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## remotegui.zip: momentjs.jar: fy.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/fy.js

**MD5:** a54d9827ca1a619a839a15c94b7893a0

**SHA1:** 66863e3aaff531e89e83acd8844ca87f8516cf38

**SHA256:** c33ae59d9a05aca0dbe86d74bff25eb44d04ee97b738034fcb72a21b73ec1cf1

**Referenced In Project/Scope:**server

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## remotegui.zip: momentjs.jar: ga.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/ga.js

**MD5:** 264a960fc2850670387b1cc90dc29dbb

**SHA1:** ddd261054362b16567ba858afae968cf2380bb6c

**SHA256:** fc6d5d441553b23b5ebc3c79896499a093a3285f1e6134a680b8899b5cca4c86

**Referenced In Project/Scope:**server

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------



### Identifiers

- None

## remotegui.zip: momentjs.jar: gd.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/gd.js

**MD5:** 0f3b98fcc8a06995436819446130320f

**SHA1:** 0050fa33180aa1f35c739cecb397846bff7d24e4

**SHA256:** efa1d779f65671809a63f900479c69bed19c262f2fe7936076793bd13deda080

**Referenced In Project/Scope:**server

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## remotegui.zip: momentjs.jar: gl.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/gl.js

**MD5:** 0d346a7ad989c39c04631e181056acb5

**SHA1:** 74c436284f15589fd53c9d4c090a4f75ff8376aa

**SHA256:** 825e6fad55094c13118d2cada0b6c5945a97ea9b647686c2b00dc6980bea4608

**Referenced In Project/Scope:**server

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None



### remotegui.zip: momentjs.jar: gom-deva.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/gom-deva.js

**MD5:** 6d2091e4ba1b31399eb4f1f3d92acaa2

**SHA1:** 9e27b24c4f8ff43da0373ca75738e0322cc1bd77

**SHA256:** ff5ebf00d100f610caa956ea22c45584e34067f762c2e9811326d5903ccd819c

**Referenced In Project/Scope:**server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: momentjs.jar: gom-latn.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/gom-latn.js

**MD5:** 45f0c567784f534e16f304dd625682ad

**SHA1:** fc4b281f7d57696decbf3bd5e8c572f4191c9289

**SHA256:** caa6b3cafb8d463c7cb0b47783b84d7f7637f685b8d33d1224548f7f9a124cd5

**Referenced In Project/Scope:**server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: momentjs.jar: gu.js



**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/gu.js  
**MD5:** e108958bf473fcc52349ecba7dcff10e  
**SHA1:** 977667ee217d20d2ff2338dfa6ea9bda2e0c13d5  
**SHA256:** 5155f3aa5fe43b18c7b06cf02ff6e9d6c157d7da822c658fbd8e2f0edceef161  
**Referenced In Project/Scope:**server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: momentjs.jar: he.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/he.js  
**MD5:** f5e7fb20bbb7618d95e4928fee094f7e  
**SHA1:** cbc69bf9fa2cc2493d086af3a5cb15e893c7d64  
**SHA256:** 93b540d4f1bc21d5668854475e8efd2d6fcaa2f596704752a586ce07d471d475  
**Referenced In Project/Scope:**server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: momentjs.jar: hi.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/hi.js  
**MD5:** 10451c28a31c032807f1fbf1bea5c32f  
**SHA1:** 8ab3e8fd6823a63a2348cca98ca4eba215ad01a9  
**SHA256:** 482f9289851cc5add17895787d427259acf8d9467db37000d383021aa097a1e3  
**Referenced In Project/Scope:**server



### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## remotegui.zip: momentjs.jar: hr.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/hr.js

**MD5:** bfeb6da022ce8f5d4610a485f6063935

**SHA1:** 0e475a985f8f3612c397a07781933bc4235be646

**SHA256:** 4af37cc6b498a4c3418f0b5d90efe5354422b3d158681454dc2eedee31ce1469

**Referenced In Project/Scope:**server

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## remotegui.zip: momentjs.jar: hu.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/hu.js

**MD5:** d485a763ba31196c55bafddc763cf98e

**SHA1:** 83c283112870db2a37b8d6a96e2ff423f27addac

**SHA256:** 518c3c1b849d41be9ef9673726ac3c71290096a727ff29c9edfb0f7489e3253f

**Referenced In Project/Scope:**server

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------



### Identifiers

- None

## remotegui.zip: momentjs.jar: hy-am.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/hy-am.js

**MD5:** 8fedcd99fde263a8a5a906b27de70605

**SHA1:** 3fbec521a9f7cddb7576fb37a3f35ba2705e88

**SHA256:** 2c3bf5ef8c5162c7c4ed0ce4b144fad24eefd691911d7c8b86c21cab84f3bfe6

**Referenced In Project/Scope:**server

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## remotegui.zip: momentjs.jar: id.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/id.js

**MD5:** 3000b8d8d73e16384fd2a13aa7259d3e

**SHA1:** 1bcd369482f53edce0c1d34aeb15a918f3c7af7c

**SHA256:** 036154641aa4cba94ac8a65b98af75d2fa0ec29156674947d1148fa146689dc3

**Referenced In Project/Scope:**server

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None



### remotegui.zip: momentjs.jar: is.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/is.js

**MD5:** 0f5a457d3457dfb1c5d256436b5e442

**SHA1:** af0c0c6573bb9628ee8c97479651f65571d6a56e

**SHA256:**6943c853ee0ad65ad2e3e38baecc90dc8088071f10406ee8a5ad995d7cf5f6e6

**Referenced In Project/Scope:**server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: momentjs.jar: it-ch.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/it-ch.js

**MD5:** 0c0cd69247909aeca5d78d255b30a617

**SHA1:** 71631e4e4ce3a8466d80d4960a86605634a713dd

**SHA256:**9670e2244dd63556408fc20671fd763fb91be52041eee92934710e75e2b3b7fa

**Referenced In Project/Scope:**server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: momentjs.jar: it.js



**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/it.js  
**MD5:** 1abd9a8f32e7930bbdebd23a2bfa4afb  
**SHA1:** 40cc21bf11475c48c1681ebc18a63a2bea4b8962  
**SHA256:** 2fe7346bd6fdf02aee19fde76bd2ca0b5e65903ddd45d097be2342ee7b0b9470  
**Referenced In Project/Scope:**server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: momentjs.jar: ja.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/ja.js  
**MD5:** f39b4bc3b33715242a84fed53b50d596  
**SHA1:** 8bebb66d25df95fc67d48f4ebc4b519fbc7d9482  
**SHA256:** 9720de4592dd94861f2fabb51110533fe44620f517e50448dd828a7f2eef7009  
**Referenced In Project/Scope:**server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: momentjs.jar: jv.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/jv.js  
**MD5:** 307628de0dbfe42c1aedc98c3afc1aae  
**SHA1:** 7620cfee82f0241100b34de89cefd40412456ef6  
**SHA256:** 707617fea7459e5d5c39ff3ea4a5e5da0cf398384902c1cd5975cbd1a113cd  
**Referenced In Project/Scope:**server



### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## remotegui.zip: momentjs.jar: ka.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/ka.js

**MD5:** 629be6bde33738ff66f7119b3b617798

**SHA1:** 02209d78bf7dfa3b5e585e64ebfc61ce561e5f3d

**SHA256:** 2c15068d2ceb1f34e4b92f95710b181bd1034410b8a96ae15dd11ee24d0ff0fa

**Referenced In Project/Scope:**server

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## remotegui.zip: momentjs.jar: kk.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/kk.js

**MD5:** 4532f947979a50597d1c82a42f0facb8

**SHA1:** 9a8cad32d8e4350e40184813f4d19aa05882a8c9

**SHA256:** 430c86f6c0ea0199d8622045883048b35875bea37b44424663bbe573056ec981

**Referenced In Project/Scope:**server

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------



### Identifiers

- None

## remotegui.zip: momentjs.jar: km.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/km.js

**MD5:** f73d0c92be21341d171e019c00173f3d

**SHA1:** 6adb747842bb733d90ce2b7dcf4963f1d62a7a4b

**SHA256:** 01b837409a1ee03d8269886915f10ae1b9460b2cc42cc5f6fac862f7360ba103

**Referenced In Project/Scope:**server

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## remotegui.zip: momentjs.jar: kn.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/kn.js

**MD5:** 72e237c519a91674447b268b61983bbe

**SHA1:** d72624462d7dbcf362ccc15385d5cb5a124304c2

**SHA256:** 9673f6d7a10086cda8228f1c080ec032e8f34e3a3de2f1413582e0a6cc6f2128

**Referenced In Project/Scope:**server

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None



### remotegui.zip: momentjs.jar: ko.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/ko.js

**MD5:** 14369b837e9e15378938754b04bd2189

**SHA1:** 9c886434ef46530e25cea737272027ac505b6adc

**SHA256:** f15f592b5d7d5bbbd061c5ad31d4c45f462ad43acad74808c6a7105b108ec0eb

**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: momentjs.jar: ku.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/ku.js

**MD5:** ba513eb127fa22206ca1a67ad8467da2

**SHA1:** 45c0c079a209932f8a8be25a94f0fb97be8ebf84

**SHA256:** 816c9c27f4237f1fa595c5be0a60b7e5c58ec0336d5a908e03f73fd8596e1caf

**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: momentjs.jar: ky.js



**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/ky.js  
**MD5:** 68f9c0556546367a8c25903bb8348b80  
**SHA1:** 5bc99ba86f969c07cd1b0dc62510c572707adb64  
**SHA256:** d3c35f2c47610c7c921268cb98cf398599068d24d51e7a89167707130c85ad59  
**Referenced In Project/Scope:**server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: momentjs.jar: lb.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/lb.js  
**MD5:** 474c1a2279d961b67a8329372fb54367  
**SHA1:** c6acf49c446bb128ce8aa5f980664107e92523cd  
**SHA256:** cecd52da4e3f3a7a69d4cde1692c90d000a3726772f8e00a9c232faf4d6ff985  
**Referenced In Project/Scope:**server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: momentjs.jar: lo.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/lo.js  
**MD5:** 629f0195acb5feb16432ffc78b6418d0  
**SHA1:** 10730e85c79a5c325f30a5f0fd1b83928918cde2  
**SHA256:** 83c284d16d40e861cd01c28683acf77475813993b2a17201f17127e238e5bcd6  
**Referenced In Project/Scope:**server



### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## remotegui.zip: momentjs.jar: locales.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/min/locales.js

**MD5:** 3aabc3a57ff7796110a9d427e6e61280

**SHA1:** 59155d41e1b7a2f651f26f8db2768c42206bc4b7

**SHA256:** a6d8d341af2a118463f8dbec697f3b5210552997ef51e0d9a77c84235f2eb2dd

**Referenced In Project/Scope:**server

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## remotegui.zip: momentjs.jar: locales.min.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/min/locales.min.js

**MD5:** 5d62f0a64211c2d3e0d009cc69c48202

**SHA1:** 4c6bb9ae2e43259229cc16e9eb7ef70f3c8cea12

**SHA256:** 1a3224b3cabca0fa92ca56e14da46d7f209ed28ce68ed50940b4fa6ed2ffd254

**Referenced In Project/Scope:**server

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------



### Identifiers

- None

## remotegui.zip: momentjs.jar: lt.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/lt.js

**MD5:** fc931f5db9a4d5b832e7c53985cfb233

**SHA1:** 6d5575d2ab06036bb29e50e7b4607985b0c10aec

**SHA256:** a02ce50203e4cc9e85db77632d41f489f14c893f986199c8dd04191199924094

**Referenced In Project/Scope:**server

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## remotegui.zip: momentjs.jar: lv.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/lv.js

**MD5:** bc6f1396c4b85e2b01b4b2fca550c0b7

**SHA1:** a18e4175ecd49b5e3382dac1bbcdc48c3279c60f

**SHA256:** e4f68dbe7147bdc76d7614102eb525f9a5d8dacc690dd661091412b0c9505cb1

**Referenced In Project/Scope:**server

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None



## remotegui.zip: momentjs.jar: me.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/me.js

**MD5:** 4b76ccc2617dfc9bd6a54643659bec05

**SHA1:** 924aea795ae1a9581ed184b384806891ce336e27

**SHA256:** 24103df1e95500b3fdc4aa60b933c66d2cf33aa4ff8d2401ae847c516285679e

**Referenced In Project/Scope:**server

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## remotegui.zip: momentjs.jar: mi.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/mi.js

**MD5:** 89179085b30d2752584c4f4e9c3ac04a

**SHA1:** dbf999f790c8e7f99c27c55d8184cb46d1f0ee85

**SHA256:** 9cc67dce66cf3f0f9a57ce732af6878cc23fedcf256fd5302c6cf57df87eac3a

**Referenced In Project/Scope:**server

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## remotegui.zip: momentjs.jar: mk.js



**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/mk.js  
**MD5:** 7a6a2a4ae623481704f78bb0ed6e1968  
**SHA1:** 3d984281f4acbb38920919c47916a0ecc46d8d82  
**SHA256:** c38140b5408a91d9632765d23f4368f0cc98dfb6aafb0fcce452b6b4bfa93efd  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: momentjs.jar: ml.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/ml.js  
**MD5:** adaeaf5c9b5995567c7723ded581c647  
**SHA1:** 3cbb01a59dbfdd3b86caf1b30938598c52e1dac8  
**SHA256:** d45ac595a918393ae8f76838688fcd569c917b945e9c53861ec4a1f11f20aed2  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: momentjs.jar: mn.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/mn.js  
**MD5:** 2229e9c27b35b688a4211bad4d7574eb  
**SHA1:** 7fb0c3b04afb903aaa0a3a1b4b478a8b2d9d6bf3  
**SHA256:** 0f1f5bbc9eaf020931f8cb54ae085e51c41c0761ffc7fd265dbb60cbe7d84076  
**Referenced In Project/Scope:** server



### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## remotegui.zip: momentjs.jar: moment-with-locales.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/min/moment-with-locales.js

**MD5:** d07131713d356424c14481ed9e77ced2

**SHA1:** 6ef93c81041412f1b60d1254595cb04b53f8ec39

**SHA256:** f37cad4429c2815e53699ca98abd4e8773737f696fff554c63a58f4d6589200b

**Referenced In Project/Scope:** server

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## remotegui.zip: momentjs.jar: moment-with-locales.min.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/min/moment-with-locales.min.js

**MD5:** d458b68730a7330653700489333a7837

**SHA1:** 4059aeca1d0b99aeca8006b37a927f09d9c0e794d

**SHA256:** 430725b95468277dcbccc27e08e3d873276c0082737310b0b1ad330392511847

**Referenced In Project/Scope:** server

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------



#### Identifiers

- None

### remotegui.zip: momentjs.jar: moment.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/moment.js

**MD5:** 6e5aa6783efbeff584f4292398326b32

**SHA1:** 450696675b814c89ec016901b570c05891ca2c04

**SHA256:** c33f09a4e1230f3075be8d2a94081108d52f62d3c30b9a238941fe80790267c6

**Referenced In Project/Scope:** server

#### Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: momentjs.jar: moment.min.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/min/moment.min.js

**MD5:** 6c0a2330b0d8d6ea185d4669a0eddeab

**SHA1:** d4f50308961144876b2b5fa57684b737694a4b04

**SHA256:** f343aa319a17a3fc372ee6ad5af482b9bf6a298cb22652b4aa7502604821071f

**Referenced In Project/Scope:** server

#### Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None



## remotegui.zip: momentjs.jar: mr.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/mr.js

**MD5:** cd715ac0f919538bf79acdb4a477763e

**SHA1:** 467bc9f9b59ee399af6ef3f89886c150f74ae52a

**SHA256:** f6347f442281844a205245620f9e469f52cacb7dd41640ef67d32a94f2c583d0

**Referenced In Project/Scope:** server

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## remotegui.zip: momentjs.jar: ms-my.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/ms-my.js

**MD5:** cb7a91cedb211e85abf06a4683d39800

**SHA1:** 05754f446f94d9b0d34885bdb0dd40d08df23295

**SHA256:** fa77f6b23884ace43199d189a596c8cd436ab20b2b6966599dd9fd589e51548f

**Referenced In Project/Scope:** server

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## remotegui.zip: momentjs.jar: ms.js



**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/ms.js  
**MD5:** 3f2df63e4e8e99e5f3a23b44e135f90a  
**SHA1:** 7e8563a8e513fb3f2f711395992fb34d6039e841  
**SHA256:** 6b6301d42544281a07e51e517a1acd2e498e6289b29e74817433a86751761f71  
**Referenced In Project/Scope:**server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: momentjs.jar: mt.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/mt.js  
**MD5:** 3cc610e1a28bb045e3f21adfa96614ce  
**SHA1:** f22377dc419295b8cf22ca6459df3f834475ddf9  
**SHA256:** 6af1d3643bd218941f30da0f6ba7bd64d4c2d0c49336876308af3af0387b0440  
**Referenced In Project/Scope:**server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: momentjs.jar: my.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/my.js  
**MD5:** 1de06907d41a2fbf6861958ee0eaaba6  
**SHA1:** 1b5eaf3d04d7a45a9e93db791963bfa0cf999383  
**SHA256:** 92732cb26a774bc3e049c7e212d8ef1425413d63522ccca1fb1b0696854da4ad  
**Referenced In Project/Scope:**server



### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## remotegui.zip: momentjs.jar: nb.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/nb.js

**MD5:** ee293037089769cbdbbf9f2dba3e01e6

**SHA1:** bfed5520bb401c83f0b391cf09ab1907e4362f2e

**SHA256:** 36f088dce675389ff1b12afe35703b6d166cef8df8a24e1e1d6ecfcf7be84fd5

**Referenced In Project/Scope:**server

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## remotegui.zip: momentjs.jar: ne.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/ne.js

**MD5:** f09e1496b96096e594254145053e777d

**SHA1:** 601e6b5e8ead8fac21d661c4cb1f5aee22c96755

**SHA256:** 804bbd6c30dc3b74de711a44f9019db06210323a0db31e53ce730feab5ea6275

**Referenced In Project/Scope:**server

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------



### Identifiers

- None

## remotegui.zip: momentjs.jar: nl-be.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/nl-be.js

**MD5:** e50c24ded5247900814470d1a6cc8854

**SHA1:** 73d12dfe3645a5ea9e0b6c4d5b2a5f28ac022af2

**SHA256:** 2bd27e18811c7363a1b46b815173d626102523a2f76854792885166f4a99eb5f

**Referenced In Project/Scope:**server

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## remotegui.zip: momentjs.jar: nl.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/nl.js

**MD5:** 843085f588379356ba9556d93aa9ccdb

**SHA1:** afe70913fffce08e256c3c9ffe350272bcb791a0

**SHA256:** 037e055b18b4376112d853e3d357b217dcc0bfd3990e0155b980ff622b4ff8d9

**Referenced In Project/Scope:**server

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None



## remotegui.zip: momentjs.jar: nn.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/nn.js

**MD5:** 7c29b42f21ff6b7e0b1f16ebb20d2a5a

**SHA1:** 9464502746665d34779fd3e7c9c05212db534556

**SHA256:** 66007f84c945a3475100a3024d5fa3d430d6e11e64de81849e50ea73e3f390be

**Referenced In Project/Scope:**server

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## remotegui.zip: momentjs.jar: oc-lnc.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/oc-lnc.js

**MD5:** 16a8d7288d0007906a6ebb39fd954265

**SHA1:** 5442e9e7ee72e6f2ed438139d5779ddcfaaf471c

**SHA256:** 1e03cd598c495e4dca3bae56e3822cacde57333ab5a85f555c582e104f54261c

**Referenced In Project/Scope:**server

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## remotegui.zip: momentjs.jar: pa-in.js



**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/pa-in.js  
**MD5:** 8247ac1929cfdcc902a77542e9fa470c  
**SHA1:** a0270710978d4f03b32a4d5cd38065d6d274729a  
**SHA256:** 5ba548ba7844a1c5c4a7f003337237f940b5e8aa67254fb90e1a05a66f2b43ac  
**Referenced In Project/Scope:**server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: momentjs.jar: package.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/package.js  
**MD5:** a26087930b5278aa21fd79491b952ac0  
**SHA1:** ea880b139fa5aad30129356d4c2b61c7acad7452  
**SHA256:** 6334f70497c6d8fd22adb3089eec30bf1e2b3dacf92508df52eaa7a8aee12bba  
**Referenced In Project/Scope:**server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: momentjs.jar: package.json

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/package.json  
**MD5:** f1965dc95e9d5ef4816ffbb597d484ab  
**SHA1:** fa7b033b3a1adcb85370480289e6a60cfd21ac89  
**SHA256:** 25f5d25a676dda5763fea169d93a31dc12bd0a6d5d7f352379c8afcb1e3d794e  
**Referenced In Project/Scope:**server



### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## remotegui.zip: momentjs.jar: pl.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/pl.js

**MD5:** ea2f9b5ff7c97f62603f1e8786708d7a

**SHA1:** a9b097f9c1dfe0872befdf47995602029bbd22c9

**SHA256:** 5435a1265dacc269403f275095e24a63ff3b8bb0f95908f7a2a987fbe2ab9e43

**Referenced In Project/Scope:**server

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## remotegui.zip: momentjs.jar: pt-br.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/pt-br.js

**MD5:** b70a96c3353ca41f14b5628aaeef6461

**SHA1:** 02e3841b0ed1fbf086a5b8bc1be8cf835cc9d8c2

**SHA256:** 8a8b165be42795d9e945e7494f38ea353ee2f7eee7eab123073f3a42ce755687

**Referenced In Project/Scope:**server

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------



### Identifiers

- None

## remotegui.zip: momentjs.jar: pt.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/pt.js

**MD5:** 71f120e6f7682b0e80a9d5982b8a4711

**SHA1:** 49494f7c1cdb36294b6d640a524c2cf19eed12b5

**SHA256:** 89e4c2f2d351ad7e2fefec9332778b16cd4a31858ded9ad6fece12fd9db94ac2

**Referenced In Project/Scope:**server

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## remotegui.zip: momentjs.jar: ro.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/ro.js

**MD5:** 84b1a53a794d8749061a53eb558110f3

**SHA1:** c2241e36357a248cdc870a8f83c19d12a031b479

**SHA256:** f66bcaadde14018ffb3bce26ea8ffc3ce36cc65c4c1e9ef9ed6cb321b7ae9481

**Referenced In Project/Scope:**server

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None



### remotegui.zip: momentjs.jar: ru.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/ru.js

**MD5:** c66d22693e1e950330471ed9de408aaa

**SHA1:** 3f4b2156029a26bc408cdfccf5812bd125c760cd

**SHA256:** 47b9c98d906dc3d7b7f40e604d793fff2e142f7d788f6ac0deac5030458ef5

**Referenced In Project/Scope:**server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: momentjs.jar: sd.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/sd.js

**MD5:** 115132c218de16cbea034b2762b9df9d

**SHA1:** ff940a6362744a8258e15cb09c4e4b46c48f3ec9

**SHA256:** e5f27127927a41eb82e45491e52bd6a529d3db5e6cd519c48f7473268909f6c3

**Referenced In Project/Scope:**server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: momentjs.jar: se.js



**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/se.js  
**MD5:** d63f9c00eb2beeff26eabfea1406a3bc  
**SHA1:** 8fc07d6276adf84ab94a1d352d55c105769f9017  
**SHA256:** 424ed10805d004f217b44ff6a0da5bad51d8f3b25577306f6e1f59c387525da2  
**Referenced In Project/Scope:**server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: momentjs.jar: si.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/si.js  
**MD5:** 0bdd326bd6fe7e94a1c3fed06cf79cdb  
**SHA1:** 6dc83c8bee2af014c11994abd5f0718ed9c4dc64  
**SHA256:** 8e7582efb99ff00bb7aeb6de0bfa65792592a5b4e81ae6caa7bf8cd8cb3180de  
**Referenced In Project/Scope:**server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: momentjs.jar: sk.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/sk.js  
**MD5:** 0d4c93cc1adf0c2fe5bdcde7b1cca213  
**SHA1:** 17c72fd3b31573f097f962b851fc82db22f217c1  
**SHA256:** 7685c076b71fd8e36c2cb84c645bb3a75d84566f26c3682a2792f0113b4d9b16  
**Referenced In Project/Scope:**server



### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## remotegui.zip: momentjs.jar: sl.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/sl.js

**MD5:** 11bbdf40343f7ee615144b2c3df93d54

**SHA1:** 853a6dcfaa15df6205729d754739633de7e3f667

**SHA256:** ff2e8352962c2d13d114356c863701f2473651f6491639e1826ab417d0377f90

**Referenced In Project/Scope:**server

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## remotegui.zip: momentjs.jar: sq.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/sq.js

**MD5:** f5c6cad85947f97d184ce17397145e3c

**SHA1:** 1817cdeeb3261b7f03f13902a7d8adfe46c36a65

**SHA256:** 9d7d061c245349d6897732c90ad57841c9132b9b556be07a24dc76ff17cf75a0

**Referenced In Project/Scope:**server

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------



### Identifiers

- None

## remotegui.zip: momentjs.jar: sr-cyrl.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/sr-cyrl.js

**MD5:** 403a704d0b31d44f5d43a05f060f879d

**SHA1:** fe545c0831b16a2393a771221f2daf3f8af50cf8

**SHA256:** e62567ebcb6434f8652b1867386d7324c06d1f226fe9fad0517e658503ab496a

**Referenced In Project/Scope:**server

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## remotegui.zip: momentjs.jar: sr.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/sr.js

**MD5:** b5752681e826802ad4578a65d446d2ab

**SHA1:** 18c79b7064d378b578c83facf15be80314e34581

**SHA256:** 307eb8be823a2997ce88c5ad8c3ca19e7a6345f116331fe3856659665de0d453

**Referenced In Project/Scope:**server

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None



## remotegui.zip: momentjs.jar: ss.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/ss.js

**MD5:** e61a001b0c3ea5bebde2d4d96d7c19c6

**SHA1:** a26e124883144d6ac990722d7915ceb80a44f7c8

**SHA256:** 0d8a08574cc28602738aca72bed6364e88dd93fb2131a20c06630e3dd7565945

**Referenced In Project/Scope:**server

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## remotegui.zip: momentjs.jar: sv.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/sv.js

**MD5:** a276c85890a03d5a55715768969516fc

**SHA1:** 135396ef7e63b71af3df1cbafc5b060a32aeea4e

**SHA256:** 08f8dbba970b89522adaabe609f47a3f20857c0985967888124f9204f4c3e2f0

**Referenced In Project/Scope:**server

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## remotegui.zip: momentjs.jar: sw.js



**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/sw.js  
**MD5:** b9e0ae98f621d6f9a622fe09225978cf  
**SHA1:** 42f76f09c8d7049758fcf8f78e30881e6681c40e  
**SHA256:** d6056ac79071a9f60793825357dac3ecf35c43acf10e02a65f1892f1fd9cc0c1  
**Referenced In Project/Scope:**server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: momentjs.jar: ta.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/ta.js  
**MD5:** 2b48e3a057ec1ecf49d4e16d56263ed8  
**SHA1:** 94a700dff6eda352ad3a2c4d7f5a4dc5e6219321  
**SHA256:** 2dae88a3138adda69fdec54914461ec28d4fa5e720d7626ddb3fb91a74a2ab6b  
**Referenced In Project/Scope:**server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: momentjs.jar: te.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/te.js  
**MD5:** 39e36c17c46798dfdcf0ddae92610807  
**SHA1:** 1168038e9d7c735ac44fc0eca95796067ca7b51b  
**SHA256:** 2cc07292a2ab5702d8e1e849ae3b28cca5c6194d0d150ec637c6289d9d864e32  
**Referenced In Project/Scope:**server



### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## remotegui.zip: momentjs.jar: tests.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/min/tests.js

**MD5:** d39f31787b27fc1bb028ef80e699cd7c

**SHA1:** 4c0335c7f8c19e26ecdd2f9f0ed08323507031d7

**SHA256:** 895d3ab9bb945f1f86903438a18c9fb308e84a912e4859da39fd1bb08da63e44

**Referenced In Project/Scope:**server

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## remotegui.zip: momentjs.jar: tet.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/tet.js

**MD5:** 0a6f7fbd649b280c8ff433d32591867

**SHA1:** 15f108397be93776a1c232f3de813e27f305550e

**SHA256:** d80dcb236c671594af031c93d32ed883c322a6f32bd25637d454d7b9d9e81593

**Referenced In Project/Scope:**server

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------



### Identifiers

- None

## remotegui.zip: momentjs.jar: tg.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/tg.js

**MD5:** 83e93f32f7f488c26def6938e280b716

**SHA1:** 59886e50e9d7e53beb111b317d5195ee0382050e

**SHA256:** 24c8928619c471831467afc05aca6f0299e40b418b78bb30b4d66942d872d2bb

**Referenced In Project/Scope:**server

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## remotegui.zip: momentjs.jar: th.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/th.js

**MD5:** e14a3488b2c85b54f65262d6fcc6b1b5

**SHA1:** 7697e04cbe08eefdc5ad4cefca7ea7ef42cac791

**SHA256:** 9911634c353a7ce63a81139f914552fc80a499029a803ced8b32b6af88c53bf4

**Referenced In Project/Scope:**server

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None



### remotegui.zip: momentjs.jar: tk.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/tk.js

**MD5:** c01b5d264b1cfa34c4723e995439ebb9

**SHA1:** 8445ede8c1ce77556495f9a5469ead5d3b2b3ee8

**SHA256:** fc6654229cf3f6e6bb2aeb5b70dc4e6adf7f307575af9d15b7a31aab897a9988

**Referenced In Project/Scope:**server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: momentjs.jar: tl-ph.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/tl-ph.js

**MD5:** aefa584c5d3e7690a710b144fc505a7d

**SHA1:** ccc8535e56aeb0b2c2991ec7c2c232a16334f09b

**SHA256:** e324f1791432534af3ada36c185637db02eaf3d3ed8f88ddf143538dc484cc3a

**Referenced In Project/Scope:**server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: momentjs.jar: tlh.js



**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/tlh.js  
**MD5:** 59508c37879615bd0a0beee8f69a28da  
**SHA1:** 15324b9edf1a3e7bbc52b1e510ac53def8ce02ef  
**SHA256:** dccea1319a2e92d9bf373e1d8dadcd4a130e1fa2457d7a66dd035c3cb93601cd  
**Referenced In Project/Scope:**server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: momentjs.jar: tr.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/tr.js  
**MD5:** 0cf5765f4f245b2cd8a21dee0c3c92ba  
**SHA1:** 7eb8afffa83fb85eba987c80a934c6ad30a23b23  
**SHA256:** e8af125b0bdb3c15ff5ef2eb171bfe698507a026a9cab54bedb0770cdca34fb2  
**Referenced In Project/Scope:**server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: momentjs.jar: tzl.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/tzl.js  
**MD5:** a2587bce05b5fa3015dce4ccedbdc802  
**SHA1:** b9c4bb7a9f9ad9dd515bb9de82be90d0d4932fe6  
**SHA256:** 393e6424d498fd2abbf646217a197b61c4c57706e6b29ec2873ab20e7bdf6970  
**Referenced In Project/Scope:**server



### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## remotegui.zip: momentjs.jar: tzm-latn.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/tzm-latn.js

**MD5:** 582198d314e9ced1007620d4e7701734

**SHA1:** 17859d3345ae82ce39d5d036649c1976b9e4474a

**SHA256:** 7909cef0eb3080599c24794c079e05ba07af565f198450df0ad411c85be45030

**Referenced In Project/Scope:**server

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## remotegui.zip: momentjs.jar: tzm.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/tzm.js

**MD5:** 69d71f7f7674fd7f8b35f14dc179339b

**SHA1:** b5166e0443eb54c38185227e954cd5cc2b1f589b

**SHA256:** e6f3a2e2e3ca86953e2c06ca562607a95d2b5129e751e5e0905270f3e56a1f52

**Referenced In Project/Scope:**server

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------



### Identifiers

- None

## remotegui.zip: momentjs.jar: ug-cn.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/ug-cn.js

**MD5:** aad8845e8fb63517d21b322fef4a3545

**SHA1:** aff6b2361311a6475b9fd755bf63d23e3e6132b1

**SHA256:** 58de2ad653876b1eb27ceaffb0037ddb0e4fb7917e111fa7a88ef8ab01fd041d

**Referenced In Project/Scope:**server

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## remotegui.zip: momentjs.jar: uk.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/uk.js

**MD5:** fbe69f339b236b654b3e41d8d8b56536

**SHA1:** d9fdc9224f535c1338048858a9e457558f95349e

**SHA256:** 725764b2851d3db79d8fb20b96ce7708cd1dc60c6ca6f37bac4df2350f3ccbf4

**Referenced In Project/Scope:**server

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None



### remotegui.zip: momentjs.jar: ur.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/ur.js

**MD5:** 3da71179953500680163984295abe43d

**SHA1:** 2fdee5b33f8d29a565d84927fd333a2d9d41e5b2

**SHA256:**c89fc485a14cb20c0576ff20bc3d157e1296f2b2ddfa8035f71e8b58f61a29a4

**Referenced In Project/Scope:**server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: momentjs.jar: uz-latn.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/uz-latn.js

**MD5:** 75ce0ce4c28806c32575c4f28ded6185

**SHA1:** 2648a6adc3ebb4dc12b070a5cc0a126050cf685a

**SHA256:**3943e946fcad9c965f147c50e08da71d3270239175de530d1f48be6fb44956ed

**Referenced In Project/Scope:**server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: momentjs.jar: uz.js



**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/uz.js  
**MD5:** 3d11efead9c7b7f344eb8beb691a2d3  
**SHA1:** 73ce197519648ecb5e6756bb2fb953688b42af2a  
**SHA256:** 9f22344f9ff69b1cf5546c975fd8847884bb032216d15054ea267cb964a09b08  
**Referenced In Project/Scope:**server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: momentjs.jar: vi.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/vi.js  
**MD5:** 28c7ec0c4bf82120245da0d15112f4b0  
**SHA1:** 1470d1969733e49331f2e435910b045e6a0a518b  
**SHA256:** c5db03ae438e4c55a6edfa004540aaf1def14fe0968f9ed3e03fe7dd7c3faf03  
**Referenced In Project/Scope:**server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: momentjs.jar: webjars-requirejs.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/webjars-requirejs.js  
**MD5:** 34b1a7dcca0ee03eed1432670ed9c472  
**SHA1:** 9de80e951270f04bbafd39d9d7822df4f7d08839  
**SHA256:** 197295e6af66b25f2aaa0909c6911f7c1c76e24eaf170d9cba2d84644146bfeb  
**Referenced In Project/Scope:**server



### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## remotegui.zip: momentjs.jar: x-pseudo.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/x-pseudo.js

**MD5:** 18b5b8d8f2f327f6d5ec947e550f35e0

**SHA1:** acc470244b95f709e4b68e7ab94b2c645f929f47

**SHA256:** ca8ab052a09b2f320574c71c472609e026b4aa72c87a06f204ff33670249e2bf

**Referenced In Project/Scope:**server

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## remotegui.zip: momentjs.jar: yo.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/yo.js

**MD5:** 42b28f7a2ea67c7b5a342c87ef0a5771

**SHA1:** 84f6d714e3aadf74ab8a755b465df7ec8215fada

**SHA256:** d80655b604558af2855f5b67b21b28ec5770985b67fde59e94e1168e5f4795c8

**Referenced In Project/Scope:**server

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------



### Identifiers

- None

## remotegui.zip: momentjs.jar: zh-cn.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/zh-cn.js

**MD5:** 49fa27dd7c374122f336369f30a87973

**SHA1:** 768eeb42e5372200634e8825680c6e18b0c8db8d

**SHA256:** 53138532aad7c571af10cf6b17a678552e9a9e7ef5014d250f97af8dc61ae6e1

**Referenced In Project/Scope:**server

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## remotegui.zip: momentjs.jar: zh-hk.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/zh-hk.js

**MD5:** 9338eb6ad8e887a63be4fbaa05cab197

**SHA1:** 92340e4f48872df241a47bf9bd13647092fd25c9

**SHA256:** c6d7de0d1f5544a1d3bb64c7eb27481b30316766f1214fbb5b1c6be358a4b921

**Referenced In Project/Scope:**server

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None



## remotegui.zip: momentjs.jar: zh-mo.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/zh-mo.js

**MD5:** a986f68bda18d9751f6bedd7356e6e7c

**SHA1:** 6cac0e5b7b9e15ea799ce6a1575be93df4832c87

**SHA256:** 874ca3806f556c5809842613ba410c965111ea9441fb949a32abe2a7c3bf7f8a

**Referenced In Project/Scope:**server

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## remotegui.zip: momentjs.jar: zh-tw.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/zh-tw.js

**MD5:** 94fb46a7c1ce21f0a91512b170d4fdea

**SHA1:** cb69c6ca687ace454432d994ae5b624ba9011b62

**SHA256:** 62fb1b36d24050120cadf807b975ffe9d7986aeb41a0f4ac218c3ad23a1c9b1a

**Referenced In Project/Scope:**server

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## remotegui.zip: remotegui.jar



**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/remotegui.jar  
**MD5:** f6aba5fcd960bf1e18df7b064d8a057d  
**SHA1:** d52857a85068d4be323fc5a1aa53ac766ac14277  
**SHA256:**00f45b494679e88dd43bbe0d4583395010c7873c88cb4e0a93e88cf79c49cf8b  
**Referenced In Project/Scope:**server

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	remotegui	High
Vendor	jar	package name	gui	Low
Vendor	jar	package name	inet	Low
Vendor	jar	package name	remote	Low
Vendor	Manifest	built-date	2024-01-16 11:58	Low
Vendor	Manifest	implementation-group	shared	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	remotegui	High
Product	jar	package name	gui	Low
Product	jar	package name	remote	Low
Product	jar	package name	shared	Highest
Product	Manifest	built-date	2024-01-16 11:58	Low
Product	Manifest	implementation-group	shared	Low
Product	Manifest	Implementation-Title	remotegui	High
Product	Manifest	specification-title	remotegui	Medium
Version	jar	package name	shared	Highest
Version	Manifest	Implementation-Version	23.10.295	High

Identifiers

- None



### remotegui.zip: remotegui.jar: DbClickButton.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/js/DbClickButton.js

**MD5:** c35cd6abda035a7828fad8a14272397a

**SHA1:** 65385b9909c63a872d6a2fe776b2e05bffd029bc

**SHA256:** daa55ecad70e86d0ff8182c9193cd0e9ba9fd0d627632109caf441ddf984b709

**Referenced In Project/Scope:**server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: remotegui.jar: DbClickDragSource.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/js/DbClickDragSource.js

**MD5:** b9f567f02c81be5c2f843f6e38aa894a

**SHA1:** 5136acd6b661d044d804e9075d286f0db02bc380

**SHA256:** 736fd4a9a895d5388b84bad8f3a6b9b9bd54120fff2e9a86d583a7a7a72e8e49

**Referenced In Project/Scope:**server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: remotegui.jar: DbClickTable.js



**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/js/DbClickTable.js  
**MD5:** b5ac6f4dd2ae20f04e66f4384127629b  
**SHA1:** fa13ae5a5dfa28c5608f82a6a60efc6ed89b319f  
**SHA256:** 42b699f934a4f02836b0d8f168b210e1d6c1b4502e2fcf8ba7bc385d5b0eb7b4  
**Referenced In Project/Scope:**server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: remotegui.jar: HeightDetermineButton.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/js/HeightDetermineButton.js  
**MD5:** abd8bb7d4d3390b42e7d292435e79584  
**SHA1:** aa34d0ec2c59d29e1e07fa92074913df1f9c4974  
**SHA256:** 345d53ff522d1d288a06c1ce4be2fc7b7310cb25946366df704836a6fbd65606  
**Referenced In Project/Scope:**server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: remotegui.jar: InetContentPane.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/js/InetContentPane.js  
**MD5:** d92edf895b367267a18b164461f7450a  
**SHA1:** e8024cc29237e47f8e635125073cb13d0ad2a4ff  
**SHA256:** b3e4706e5af04905f36bf92cd50c159d92248cbd01051320fbb84acb48a69ea3  
**Referenced In Project/Scope:**server



### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## remotegui.zip: remotegui.jar: MouseOverTarget.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/js/MouseOverTarget.js

**MD5:** 0a897d206c56960e7839e11480367771

**SHA1:** 3766f3e726b8ed774c85a1591878d430d846f97c

**SHA256:** 48b3c5e519a54b4c43292470ededa7a21c9ab836b34a9dab6e84280ed7e07a27

**Referenced In Project/Scope:**server

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## remotegui.zip: remotegui.jar: PreventSelectionSplitPane.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/js/PreventSelectionSplitPane.js

**MD5:** 5b86b53aada37ddc636b5a0a1884ae66

**SHA1:** dc90617fb1c00b4f53e74202adbcc543bc75003f

**SHA256:** 294120a9528e6dfd99a1eed73f3ef53be16d71e73cdc51648840ac7cbaa64534

**Referenced In Project/Scope:**server

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------



### Identifiers

- None

## remotegui.zip: remotegui.jar: ScrollEventWindow.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/js/ScrollEventWindow.js

**MD5:** 8f8242238182a1beac5f5c64f600ae6a

**SHA1:** bc28865113709558b01ba63b49831aa940f18349

**SHA256:** 9b68c31583e928ef7f79e3bc75cd162c21a8ae81a8b6d790bff3075d532f3ee4

**Referenced In Project/Scope:**server

### Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## remotegui.zip: remotegui.jar: SortDbIClickTable.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/js/SortDbIClickTable.js

**MD5:** e2e630e3637693634dda02f4dab7f5ef

**SHA1:** dbd89c0ef9cd8321e46aa55a331419fd2b4ccf2f

**SHA256:** 5f535d195fd0e603255eb4ef18f9c2127bcaf4338b2e138f11d9e1f7ec2d4c65

**Referenced In Project/Scope:**server

### Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None



## remotegui.zip: remotegui.jar: angular-websocket.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/lib/angularwebsocket/angular-websocket.js

**MD5:** 3f86ccf4a10e6badf8742df346ba50d0

**SHA1:** 78b01247a82172c53701ab5056d999fd884d8788

**SHA256:** cee290dab1dfa96a8353cbbd27c783964862299fb03094f07a1a6d9785479d25

**Referenced In Project/Scope:**server

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## remotegui.zip: remotegui.jar: app.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/template/js/app.js

**MD5:** 1347a0df7c7160e65cf89435a9bfcdb3

**SHA1:** 0dc1e3a9181ded604590f42b2fdccb680cc5be15

**SHA256:** 774f041dfb96652f883b4e7f568a7df7c5ebcd3f3e2c883b41a5a622fa3c6438

**Referenced In Project/Scope:**server

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## remotegui.zip: remotegui.jar: app.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui



/modules/login/js/app.js

**MD5:** 5c9a07ad00aa493976b33fe9a25fc49e

**SHA1:** cdafe6cd6cc723c95ce2483b92b6863c31c929951a

**SHA256:** 14b0bb8264d77d914174be291932c419fdf34be10ae054464f69c90ccfe5e681

**Referenced In Project/Scope:**server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Related Dependencies



- remotegui.zip: remotegui.jar: app.js
  - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/modules/logout/js/app.js
  - MD5: 5c9a07ad00aa493976b33fe9a25fc49e
  - SHA1: cdafe6cd6cc723c95ce2483b92b6863c31c929951a
  - SHA256: 14b0bb8264d77d914174be291932c419fdf34be10ae054464f69c90ccfe5e681
- remotegui.zip: remotegui.jar: app.js
  - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/modules/masterlogin/js/app.js
  - MD5: 5c9a07ad00aa493976b33fe9a25fc49e
  - SHA1: cdafe6cd6cc723c95ce2483b92b6863c31c929951a
  - SHA256: 14b0bb8264d77d914174be291932c419fdf34be10ae054464f69c90ccfe5e681
- remotegui.zip: remotegui.jar: app.js
  - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/modules/signup/js/app.js
  - MD5: 5c9a07ad00aa493976b33fe9a25fc49e
  - SHA1: cdafe6cd6cc723c95ce2483b92b6863c31c929951a
  - SHA256: 14b0bb8264d77d914174be291932c419fdf34be10ae054464f69c90ccfe5e681
- remotegui.zip: remotegui.jar: app.js
  - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/modules/signupbasic/js/app.js
  - MD5: 5c9a07ad00aa493976b33fe9a25fc49e
  - SHA1: cdafe6cd6cc723c95ce2483b92b6863c31c929951a
  - SHA256: 14b0bb8264d77d914174be291932c419fdf34be10ae054464f69c90ccfe5e681

#### Identifiers

- None

### remotegui.zip: remotegui.jar: app.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/modules/reporterror/js/app.js

**MD5:** d44f777bda98c2575c0fd09b0fed6365



**SHA1:** e9a9d78155906a6701e6651297d5938b30783ac6  
**SHA256:** dde14cae0d8536b58b9231cdb02116c3913e24001aeb11e7c69cf1b867ca1c27  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: remotegui.jar: app.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/modules/start/js/app.js  
**MD5:** c5a25c30b25493ddba670b39a30fb2ec  
**SHA1:** 818255f797fadcd160ac04bf5bc006795f1ddbe2  
**SHA256:** c8376d288d31f979994d422e0f9adc8cdaff08c40a7ec3e5187f573363e4f1d0  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: remotegui.jar: appbadge.service.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/appbadge.service.js  
**MD5:** 972c23014cebfa2b2d70c29f9b40301d  
**SHA1:** a787173bae8c89a77b0362f4b249d05878c12060  
**SHA256:** ac37dc5111bef5fdd39faed0fe8c617c01759e8f60c1b0a2aad623d4477e227e  
**Referenced In Project/Scope:** server

#### Evidence






Type	Source	Name	Value	Confidence
Identifiers				
• None				

remotegui.zip: remotegui.jar: authInterceptor.service.js


**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/authInterceptor.service.js  
**MD5:** af8f02f6ad340927c21ce655cf258248  
**SHA1:** a3f84bac4f7a9abd8730199949c5be016ece4b7f  
**SHA256:**f3fd2795c125a72579fececc03b6685d2c4d6ebfc034314b7bba2ec4a397c333  
**Referenced In Project/Scope:**server

Evidence 				
Type	Source	Name	Value	Confidence

Identifiers				
• None				

remotegui.zip: remotegui.jar: avatarcard.directive.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/avatarcard.directive.js  
**MD5:** 0699e43345bbba231e1ff01dceddf3dc  
**SHA1:** 4420248444f730e7faf470e63c7935afab160741  
**SHA256:**93a513d95c14cded2adc604823b929c999e4c065f64647174d8ae4c761049a77  
**Referenced In Project/Scope:**server

Evidence 				
Type	Source	Name	Value	Confidence

Identifiers				
-------------	--	--	--	--



- None

#### remotegui.zip: remotegui.jar: avatardetails.directive.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/avatardetails.directive.js  
**MD5:** 1f319a4ab5d332a7fcc81ce86b6ffbdb  
**SHA1:** b4ea383253defd33315f715a3d8b5f57caa07b4c  
**SHA256:**a25d6353999f2e9caaa9553deff4a264c6a75ee4fa82a0da9a6a697b53c8ae7a  
**Referenced In Project/Scope:**server

##### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

##### Identifiers

- None

#### remotegui.zip: remotegui.jar: avatarimage.directive.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/avatarimage.directive.js  
**MD5:** 82978a2f8971f9bf3ddf556dcfd32f3a  
**SHA1:** 3459940aae24e5890b32d423e6c31bae9451a7c6  
**SHA256:**ba811ab159edc428cfc8db17f43e374ee6bf5f72b64388b74b32e72aa45e016e  
**Referenced In Project/Scope:**server

##### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

##### Identifiers

- None

#### remotegui.zip: remotegui.jar: avatarimagedetails.directive.js



**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/avatarimagedetails.directive.js  
**MD5:** 7c6bce15704f1b6a419e834171be92b1  
**SHA1:** 069007e7f5cf99ef5c95e5a5e8af45b6f3629027  
**SHA256:**a08266c902ff66bd0688ac5424c23ffc7033c10939e8a6eb4589710dfa94cf6c  
**Referenced In Project/Scope:**server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: remotegui.jar: basic.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/basic.js  
**MD5:** f91b8d5cd5cf666abe7e3d2bd55a4971  
**SHA1:** 9aea10ca77fbd393ea90e193c701b09d9471e25c  
**SHA256:**585b73568c0d10d19ff99e71fbad3524c417a1c968d3eef3737c6c45f32d23b7  
**Referenced In Project/Scope:**server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: remotegui.jar: bootstrap-colorpicker.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/colorpicker/bootstrap-colorpicker.js  
**MD5:** 1dcb55eb011d1126d80d43c30fc9bd47



**SHA1:** d78780d5547eaf80a57e424e2fd0107b8cc43573  
**SHA256:** 8b00cde3d0d3bc5fbee87a890637483f323cda9c4b72818d81f0bde03045fe95  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: remotegui.jar: bootstrap-datetimepicker.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/datetimepicker/js/bootstrap-datetimepicker.js  
**MD5:** 660b0d1aaaec63a24899af6ab6cafa00  
**SHA1:** 0bf9628c8b8d5b1d180dd51df71d5107b374846a  
**SHA256:** 785a0b48dd539cd5b0fb890d114f56f45ab464bc78a5812afcea49bc514584b1  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: remotegui.jar: browsercheck.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/browsercheck.js  
**MD5:** 0757d9ff2514240f35f22ff5b4bd76d1  
**SHA1:** 75c63027cab5857414d60d3720419e065f632432  
**SHA256:** 31ae343e89fec66445b23bf0e4d124c374927ea4596199fab0ab451ffefc6d17  
**Referenced In Project/Scope:** server

#### Evidence





Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## remotegui.zip: remotegui.jar: changeavatar.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/changeavatar/changeavatar.js  
**MD5:** cbae31f71f9ffc9ddcbe52bd7ed31082  
**SHA1:** 5e16dcf177ba7c2c26452b9a7bc4a8c94d496761  
**SHA256:**f5b5df7ee375523e85ce40ebb6fe58d51d1b42cda53d254d1d3f9dcca9a344a2  
**Referenced In Project/Scope:**server

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## remotegui.zip: remotegui.jar: changeavatarcontroller.controller.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/changeavatar/changeavatarcontroller.controller.js  
**MD5:** d220dc5582eb634437ac9bcf73ae8e75  
**SHA1:** 9463768d9994662412ed51c8fec6388c381c433  
**SHA256:**bade180b12b185211ab933bae8e997adf64a03886ac71fa157ca381e731b4f95  
**Referenced In Project/Scope:**server

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers



- None

#### remotegui.zip: remotegui.jar: changeavatarservice.service.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/changeavatar/changeavatarservice.service.js  
**MD5:** 02438c1ef35652cbb7ec224e2e0085c4  
**SHA1:** 3ea1c419796e1a50c85ca67ed0c9b41d2230b1e0  
**SHA256:** e15d73e4dc848e7d142260e50c6c6700a6cfff6c189ec9f7c79614fa35351b03  
**Referenced In Project/Scope:** server

##### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

##### Identifiers

- None

#### remotegui.zip: remotegui.jar: clearreports.controller.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/template/js/clearreports.controller.js  
**MD5:** de6c5d3b9c38b2e2bc0912da0aa58a1b  
**SHA1:** 9e3ad14c2db3803f3ce928c32b48cf3e40420757  
**SHA256:** c49b552cee19ce3bd0c60956a94c574f974c8fbfbf87cd143471ef3680f70d7b  
**Referenced In Project/Scope:** server

##### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

##### Identifiers

- None

#### remotegui.zip: remotegui.jar: collapse.directive.js



**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/components/collapse.directive.js  
**MD5:** b5a0a930afa2a472aecac76fdf7dbb26  
**SHA1:** 353dfe5129d32b4e7980a4add00a039877f3b631  
**SHA256:** 14875f54306512d11d46ebeca561f837d49217353deb6450b0081b4eb89cdc9d  
**Referenced In Project/Scope:**server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: remotegui.jar: colorPicker.directive.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/colorPicker.directive.js  
**MD5:** 6e50ccf1829e11bb6b28095a001da6c1  
**SHA1:** bb615fc7432b151b2ea2118d6017dc9475658d9b  
**SHA256:** b74ba64710291260135de1a9377a54ac5a3f7c43ba8bba430c3a0181aa9ef268  
**Referenced In Project/Scope:**server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: remotegui.jar: connectionstate.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/components/connectionstate.js  
**MD5:** de6e3bd6cfcbf3c335c1f14d35a3791f



**SHA1:** c658eac71cb8f96150f11beeb4acbf435cacdeea  
**SHA256:** 9ea2c586fd94a9a164b505ed6e072b323b1a3937699fc2c8741aab0465bdc7e5  
**Referenced In Project/Scope:**server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: remotegui.jar: controller.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/template/js/controller.js  
**MD5:** 6f920bcf63766ec55c2125af798443af  
**SHA1:** 0d4a6203f0efb3ea465e59aabf8a4e83a1e50506  
**SHA256:** 4cf80237d2932cfe5f4401b1f6830952d6b2042774ef9a55746c5bb7353b1b63  
**Referenced In Project/Scope:**server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: remotegui.jar: controller.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/modules/invalidlicense/js/controller.js  
**MD5:** 6a9c7da3b28e059445113ff0457a4109  
**SHA1:** 1a0145ed9606de216e01b300e65258628a045b41  
**SHA256:** e034a8a0023946b8ce43fe9f859934f50cfb0c5b99c9112a5cf6e2dae6643a86  
**Referenced In Project/Scope:**server

#### Evidence





Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## remotegui.zip: remotegui.jar: controller.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/modules/vetomessage/js/controller.js  
**MD5:** 69828c190c9a3d68ec14a74b4ce6d5fe  
**SHA1:** b1c31c079bd5b13735b5de12dd2475430db211c1  
**SHA256:**a46821dc18ffe0a34e1d3ddb08f19e03667b6142a9e9122936b9e6d6c2e88727  
**Referenced In Project/Scope:**server

### Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## remotegui.zip: remotegui.jar: controllerAbout.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/about/controllerAbout.js  
**MD5:** 35cded32079795971fb724b6d26735cc  
**SHA1:** 03289bf22bef143d9ad78851e1fc0ada0a3ef36a  
**SHA256:**f5b0244b69882e2da83b93969abb8310c342f0e53ce38c19996deb65391cf647  
**Referenced In Project/Scope:**server

### Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers



- None

### remotegui.zip: remotegui.jar: controllerShortcuts.controller.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/shortcuts/controllerShortcuts.controller.js  
**MD5:** 7e08d417343bb72558e38cf6f05b84ba  
**SHA1:** 48f2c68979f50ad77692888065084b4bc68cb6a9  
**SHA256:** 93b106ce893bd88230ff821050e33d164def642890aefd5100a0dbdf0ba92eb4  
**Referenced In Project/Scope:**server

#### Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: remotegui.jar: controllerUserTheme.controller.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/usertheme/controllerUserTheme.controller.js  
**MD5:** 88bf7fe06391d7ae6456acf159540b5c  
**SHA1:** ecfaa182f500a156cb97771fd1ccc59ce22cb43c  
**SHA256:** 6041f2c037356d3bf41baa8b7a67a42586356033eccc5c0dd428ad297bf8bc79  
**Referenced In Project/Scope:**server

#### Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: remotegui.jar: controllers.js



**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/modules/login/js/controllers.js  
**MD5:** 9b566414fac0eced4b8841f4db83d8e0  
**SHA1:** 53c6b5cab63a5cccb7bc17f4b2e902356efb39f0  
**SHA256:**309414a04de96d90e3867f80882c6f6e053c692de32153634b2edf3e87345bf3  
**Referenced In Project/Scope:**server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: remotegui.jar: controllers.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/modules/logout/js/controllers.js  
**MD5:** fd79d533169b63853aa7c0d15b972934  
**SHA1:** dbb1292a5fa95cbb86b6643a75f1365894ba05f9  
**SHA256:**c3b70709a25c52fe710009ba3f9d53cbeb67203cb42c40ae4b2de178c6ad67ef  
**Referenced In Project/Scope:**server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: remotegui.jar: controllers.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/modules/masterlogin/js/controllers.js  
**MD5:** 462625767102cb7377da8be78dae903a



**SHA1:** f5dc35669733dc62cbb0b42a7e5aa0361304ef43  
**SHA256:** b603ad6fe88b6c854a3bb987de4ce52d8c72879925ec044cdabd9abd647fb256  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: remotegui.jar: controllers.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/modules/reporterror/js/controllers.js  
**MD5:** 8936aa89df05f204ca5216c3feb8656c  
**SHA1:** a9ca21ced6deb5d2690163e0c0ba6b33bf082c39  
**SHA256:** 62ebe2a67433d2e7525c4f68f95ab29e4c919b14f22a351e8736d41bf178fa93  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: remotegui.jar: controllers.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/modules/signup/js/controllers.js  
**MD5:** ac28f4708894a2888f9428bd5e807577  
**SHA1:** d86605822570d6ae916e035a0a61b9b9df9e0054  
**SHA256:** 5e3cd825750d7e6658a505ebdecf961235afab40f254c89041b08b89ad65d186  
**Referenced In Project/Scope:** server

#### Evidence





Type	Source	Name	Value	Confidence
Identifiers				
• None				

remotegui.zip: remotegui.jar: controllers.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/modules/signupbasic/js/controllers.js

**MD5:** 4766cae43e55c5fd3e9e67b7459cffb3

**SHA1:** b8eb388c32b77a58874b0d5cc3a6402de717f33a

**SHA256:** dee426242e22731a4a42b29f187170c5db81030c9491b62eade40306d6e34668

**Referenced In Project/Scope:**server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

• None

remotegui.zip: remotegui.jar: controllers.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/modules/start/js/controllers.js

**MD5:** ad69cde99b1307241b273905f4d0f9df

**SHA1:** f3ee193ed164808c0ff16881d8b89e22ef6cca8e

**SHA256:** c30bee314884174d4dd107284b7fbb1752919830bdc24b692e31a14d27b9324d

**Referenced In Project/Scope:**server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers



- None

### remotegui.zip: remotegui.jar: currencyNumber.directive.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/number/currencyNumber.directive.js  
**MD5:** 84c1f2b0eb43d1e198e70233d831dbdb  
**SHA1:** 28fecf0f626f8820482b1272d47195dd27844460  
**SHA256:** fed16cd6195b7be36cdf911a263ccdca56ecee26d959f2b5326e09b724d24225  
**Referenced In Project/Scope:**server

#### Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: remotegui.jar: currencyValidator.directive.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/number/currencyValidator.directive.js  
**MD5:** 4670996c5b36afdf8a34c3e94e64cb38  
**SHA1:** efeeb5e78c999fce3aed86dc03f0e837ba0789bd  
**SHA256:** d54158b0a13b9db3712752bafd7274b43e787b8f5708f9ecd9b1453fbaaf0220  
**Referenced In Project/Scope:**server

#### Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: remotegui.jar: customEmojiUploadConfigItemRenderer.directive.js



**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/emoji/customEmojiUploadConfigItemRenderer.directive.js  
**MD5:** b7b88c52dac551c7746fca21a6019994  
**SHA1:** 3f319ac29a326cb6c80b62f320f8ccd0da1124c2  
**SHA256:** a2ab98032bdf293622028340940cd808fa08399503942e0eaa11b550d2724c44  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: remotegui.jar: customEmojiUploadConfigRenderer.directive.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/emoji/customEmojiUploadConfigRenderer.directive.js  
**MD5:** 89bf8e753f5a791fdc4d2c15cf9e3573  
**SHA1:** 4786bbb83c90e38f01eafba11d444c242e08fc4b  
**SHA256:** 582e1f75192f8df57f94e7ba15590205ec8c8323057fb01262ceec36b5ba9537  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: remotegui.jar: customemojiupload.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/emoji/customemojiupload.js  
**MD5:** 44cabe61802b87ce058c07fe138d2fcf



**SHA1:** 730a519b12b6e984e2f9e081f3eb3fe988c3db78  
**SHA256:**d761c78e232d3679a269936f1c5fe238b0ce885c30e2e686f1d9545c365efee4  
**Referenced In Project/Scope:**server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: remotegui.jar: dataservice.service.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/dataservice.service.js  
**MD5:** 8b7a39c3aa88f90e2516595c487f416a  
**SHA1:** 7bd77340cfe67270d9238d84fb955299e3b5b634  
**SHA256:**4a9b5e14d7d02595b22a1d3145c3e4ba3d0ddf0cb82cf895ae799072d117f714  
**Referenced In Project/Scope:**server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: remotegui.jar: datepicker-de.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/lib/jquery/i18n/datepicker-de.js  
**MD5:** d3355f1506a6f5cf222a7cb6b46037fe  
**SHA1:** 100a3ca249cc93a6eab6d1569d8f80bd28764802  
**SHA256:**bd2e4bfcebf6c88ce926e78b181dc56e649546f13f35bab1c0a31bb57dc6d6df  
**Referenced In Project/Scope:**server

#### Evidence





Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## remotegui.zip: remotegui.jar: debug.directive.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/components/debug.directive.js  
**MD5:** c118fc525f6b6f7124bba2d41c5f8189  
**SHA1:** 56fc9afe8f39c52e0a2dfb247229993702d9bf81  
**SHA256:**3cc717984e3be467497cf61fcd49f00374d82753b076d3a473adcc19e2d99829  
**Referenced In Project/Scope:**server

### Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## remotegui.zip: remotegui.jar: dialogservice.service.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/dialogservice.service.js  
**MD5:** 221c17e210e92fe7d8a3016b1c466b99  
**SHA1:** a77e8e7b5cc01f9740fc9241743ed77097e67a72  
**SHA256:**6998c264d5c7e929ba97999f481188b0726937c7a5e5641226531ebaa2888eb6  
**Referenced In Project/Scope:**server

### Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers



- None

#### remotegui.zip: remotegui.jar: directives.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/components/directives.js  
**MD5:** 7b9f0e9fdc85d436d2064dd2abb1be43  
**SHA1:** 23870fd5178a3fa462db22a261f777d693960a85  
**SHA256:** 9103714fa136f409f7126b9b9e0fc50b0ec240360cb15e08628d04c48edea0bd  
**Referenced In Project/Scope:**server

##### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

##### Identifiers

- None

#### remotegui.zip: remotegui.jar: emojiModel.service.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/emoji/emojiModel.service.js  
**MD5:** 0178d406afdf93aae07ceef6a5c137d0  
**SHA1:** c548e1837375d598dc44e80a757e720032c6aa2c  
**SHA256:** 57597f5706b3e0e74966d2da6576d0e278fdda1613a86b434642c9ea18f62060  
**Referenced In Project/Scope:**server

##### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

##### Identifiers

- None

#### remotegui.zip: remotegui.jar: emojiselector.directive.js



**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/emoji/emojiselector.directive.js  
**MD5:** 0c135b17461c32042cb2c1c537e0bc07  
**SHA1:** 7cee6e9153d6a8ed9cfea9484a5f2303a2076d3c  
**SHA256:**5c6dda1d48c214b6bac17c642e9df4fb7c3ee8cff604f9c8ca5fbc1ab391261  
**Referenced In Project/Scope:**server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: remotegui.jar: errorservice.service.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/errorservice.service.js  
**MD5:** 0e61cdaf037e08238c9808e67635a727  
**SHA1:** 0f2f3b010a37c1333a7883ed1d540ae07f70b8e4  
**SHA256:**52161fb16d67a0ac4d1889e2b755ee07b3a44f0697e60ff3dec90e7d8166b995  
**Referenced In Project/Scope:**server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: remotegui.jar: filechooser.service.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/filechooser.service.js  
**MD5:** 399eab78430b7cb656c321207338b7ce



**SHA1:** c9d53e48d0957d90a06f4945e62cc6a04f772068  
**SHA256:** fb565e25df4a3ae0fb4f9e247b39087b0b6d80866e6381cd09a9fdb37f5b3b5b  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: remotegui.jar: fixNumber.directive.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/number/fixNumber.directive.js  
**MD5:** 0d490e8241a7067d2c32a16b2608f419  
**SHA1:** e2e8d4c2aa40297233791719784946b22041e311  
**SHA256:** f278c7400b8ea7f1ea4e6af57dc4d340ba81b6e00a7261efbaea1853c3dae53d  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: remotegui.jar: fixNumberValidator.directive.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/number/fixNumberValidator.directive.js  
**MD5:** 3f5ebe341cf1309946e87c6501caabcc  
**SHA1:** b0bb21c289c78bbc5af675376654cf5507c8c2ee  
**SHA256:** b35b54e8378fd22bf1377efed4dafda79c8d1f982491dcff0958842434c5bf96  
**Referenced In Project/Scope:** server

#### Evidence





Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## remotegui.zip: remotegui.jar: floatNumber.directive.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/number/floatNumber.directive.js  
**MD5:** 2d4b2142d6c67326eed229f9aaff4393  
**SHA1:** 98f6a991a36437ba55e005a0144233eb03fc506b  
**SHA256:**f4dd76261d408567850a4861bb9597851920e45902a9279215114d1568c7262a  
**Referenced In Project/Scope:**server

### Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## remotegui.zip: remotegui.jar: floatNumberValidator.directive.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/number/floatNumberValidator.directive.js  
**MD5:** 4e099d10495c47a8957ab2172ce5b35e  
**SHA1:** 5acbe2d072a925a6c81335581a2ac7ad672a023f  
**SHA256:**a72819cd47dc8c0f48735fde081c2969571a49aed6c8f3aaa021cc7bf7ef755e  
**Referenced In Project/Scope:**server

### Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers



- None

#### remotegui.zip: remotegui.jar: globalactionservice.service.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/globalactionservice.service.js  
**MD5:** a9e7e389f95d95d455bae3e378d2e2c9  
**SHA1:** 0ff96fb14eba73ae10f0e2569da6d6dd366b8f95  
**SHA256:** 76d3db82466040c12a6c7534519cbd2e831095f8b22c49748c3d1bbb1c0b8cd5  
**Referenced In Project/Scope:**server

##### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

##### Identifiers

- None

#### remotegui.zip: remotegui.jar: hdField.directive.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/components/hdField.directive.js  
**MD5:** 42df5f488878bd827a995a300927a5f1  
**SHA1:** 8517f66bd2b7bb48841a953c825e81a8de51d24b  
**SHA256:** 71f7449ac8125372e1dc6c969ab5bce1c91fd3c77e1ef7fc56b1b7a2ab320a90  
**Referenced In Project/Scope:**server

##### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

##### Identifiers

- None

#### remotegui.zip: remotegui.jar: hdMandatory.directive.js



**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/components/hdMandatory.directive.js  
**MD5:** a1a2ed0e17ce3801df9871e9e2f20e3a  
**SHA1:** 6cf63a24286daf6ad2465a0388cc53b6dd34ac78  
**SHA256:**1311d0f3cf45112d4801765957a31829851eaa88f844ad1bff8234317d8b7356  
**Referenced In Project/Scope:**server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: remotegui.jar: hdNeedchange.directive.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/components/hdNeedchange.directive.js  
**MD5:** 5239a81e120888887704634c0ceb01f4  
**SHA1:** 8210293686bd9ed47448412c4721f39465e5e0de  
**SHA256:**e4532aaa760ec553636521e1247f2c2323785555a10e739848711b527a954eb8  
**Referenced In Project/Scope:**server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: remotegui.jar: hdValidate.directive.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/components/hdValidate.directive.js  
**MD5:** 70f6e853f5be943600ff9713ef515404



**SHA1:** b4c72e6afe51f48776cfe4ebb4da0187480b439c  
**SHA256:** f8f4a528177d50b67143d77f60d7364410a757c50f93a61294de1922255bb237  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: remotegui.jar: hdattachment.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/components/hdattachment.js  
**MD5:** 1f09ae47da7013f08adadc844775cbe3  
**SHA1:** c9d174e04faf404e93e41969058419c32d23fffc  
**SHA256:** cd790ef6b7109253c5cb87808137d25df02920ca502816b32957ef3c16fbd28d  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: remotegui.jar: hdfupload.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/components/hdfupload.js  
**MD5:** 4f50a72fb8ccb5ffbf7e4fbc2621ad43  
**SHA1:** 9e90c0d8d2fd0630710a64a6d557f6263553ba43  
**SHA256:** 8c059f37866135b1e77afd575619973967f8e3fc457739b381c8d4d0ca632ea8  
**Referenced In Project/Scope:** server

#### Evidence






Type	Source	Name	Value	Confidence
Identifiers				
• None				

remotegui.zip: remotegui.jar: hsimp.min.js


**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/modules/hsimp/js/hsimp.min.js  
**MD5:** 31da02c3356fe92d686f09c9e9a2d3b5  
**SHA1:** 77c9d1aae30a77bb4f4ff1015d9886a9fb2bad93  
**SHA256:**44cdb7ca377e6793dac301775332a628e89b3624b6330964a9e2592d1f5b0389  
**Referenced In Project/Scope:**server

Evidence 				
Type	Source	Name	Value	Confidence

Identifiers				
• None				

remotegui.zip: remotegui.jar: hsimp.renderer.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/modules/hsimp/js/hsimp.renderer.js  
**MD5:** 145524977d38143d0d8feda731bbbb40  
**SHA1:** 330f0ed3b8bc30fa516fde8e9de35d5e6b0f334c  
**SHA256:**f9496f9d714ee4632e63bf04344ee2ba16ce23cc76e45c2ead2b17bac859d47f  
**Referenced In Project/Scope:**server

Evidence 				
Type	Source	Name	Value	Confidence

Identifiers				
-------------	--	--	--	--



- None

#### remotegui.zip: remotegui.jar: html5modeurls.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/template/js/html5modeurls.js

**MD5:** a58e0f5ab5e75fd4738493fb471f11eb

**SHA1:** 945f1a10acd5202137ad6991a784667c1f1ae59a

**SHA256:** cda6265dc9848b22a9d38fc76a030abae2b6c7f6c42ed18a26606ec3e8575d40

**Referenced In Project/Scope:**server

##### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

##### Identifiers

- None

#### remotegui.zip: remotegui.jar: htmleditor.directive.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/components/htmleditor.directive.js

**MD5:** 22ddffa55c850e5334a2ccaeaf16346b

**SHA1:** f4e77967b2eb743b3900c3ee8d606fee563055e4

**SHA256:** dfc84e8312de88106356dbc721bca433a33ae6a1d5de98d3d68811ecc37d8422

**Referenced In Project/Scope:**server

##### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

##### Identifiers

- None

#### remotegui.zip: remotegui.jar: htmleditorFactory.service.js



**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/components/htmleditorFactory.service.js  
**MD5:** 60afb054d2f87d5e2894cff959008704  
**SHA1:** ce78f82daea98bcfbf5a8b264290f69df2fbc063  
**SHA256:** 41ae8eabe8ea60d928c8d21adbb357f3abf1d3d00ad2dcd64b81e8c3dd10cc32  
**Referenced In Project/Scope:**server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: remotegui.jar: htmleditorModel.service.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/components/htmleditorModel.service.js  
**MD5:** 07bbb19fede16469b98401455373a882  
**SHA1:** 66c15ae2d4b9d63c961710bc86e0da67b4ce6a6a  
**SHA256:** 2adb40a0401b9524b4c6d10d55bfe92f9059fdee378d29a2156723299d259d70  
**Referenced In Project/Scope:**server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: remotegui.jar: icons.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/lib/customtinyemce/icons/inet/icons.js  
**MD5:** be1529db0e0f990348104f5e10c63489



**SHA1:** 783305e7601e4b163f98770d53c28dc1b0ffd45c  
**SHA256:** e71d6ba9022259ce04226a84128038dc92bd2f648aa463b09954dec1237ffc8b  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: remotegui.jar: initUsernameField.directive.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/template/js/initUsernameField.directive.js  
**MD5:** e83a0f83b94932e21d0b675d2649f0ec  
**SHA1:** e0371c84a3750d1476292b4e5e9f0dcbff707e67  
**SHA256:** 1aede8b89590e2782d1c29f208579364f851778f652b298eac196d2c524dab4fc  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: remotegui.jar: introduction.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/introduction.js  
**MD5:** 71a7fa26fbeecc0ddf6a3d71df6dbfb  
**SHA1:** 6b6306d9d4f2d2a29f8ef7c12be5c6d8e8a58de7  
**SHA256:** f6e17e6087906346b18a232193567e7394989185934165ea23e325ab0cfebf12  
**Referenced In Project/Scope:** server

#### Evidence





Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## remotegui.zip: remotegui.jar: jquery.fileupload.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/components/jquery.fileupload.js  
**MD5:** 015c382ec73373f5adeb299de71f986d  
**SHA1:** 587a3366d6c4e74ad0e30a2264b86bfa6e06a39a  
**SHA256:**4493d721690b35f554daebaa2d1cb0d642519211cff94f1d1f3e14fc7a78556b  
**Referenced In Project/Scope:**server

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## remotegui.zip: remotegui.jar: keyservice.service.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/keyservice.service.js  
**MD5:** 1d248ef72dd4a6a47b0a02169f921a29  
**SHA1:** ad0a35060748c2020ce51dc4af639ff31d35dca0  
**SHA256:**40dd70d9196988ac998e8dd33117c610b92e5363f067d5cd1e9643284187198e  
**Referenced In Project/Scope:**server

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers



- None

#### remotegui.zip: remotegui.jar: locationservice.service.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/locationservice.service.js  
**MD5:** 1dd077296104d0706de341b300bc1b9f  
**SHA1:** 1bb5d8ca1fb5e96c0da53e2782a5bb56779c52da  
**SHA256:** df1f45ba3a0020dd15aeb87ce716fc88db01447a18743adbcc7339d50e856ec8  
**Referenced In Project/Scope:**server

##### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

##### Identifiers

- None

#### remotegui.zip: remotegui.jar: modalservice.service.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/modalservice.service.js  
**MD5:** bac4d305c04e1eae8211b454c5ada623  
**SHA1:** f962556fe1e4f78bfd4a986d45b2b89a4a11dacd  
**SHA256:** df51cbc51fd3ec6ad29c6a1625a3ed21027e964c6613e9e1cfa2def4ea988f33  
**Referenced In Project/Scope:**server

##### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

##### Identifiers

- None

#### remotegui.zip: remotegui.jar: moduledragdrop.js



**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/moduledragdrop.js  
**MD5:** f33abdb637c0db60e1d05ea891579e65  
**SHA1:** 4dd4b05fd62dfe236d540c16e7f250233b9afffb  
**SHA256:**4575f0f735e9cd5309a486308f0f04ab41b3cfbafaa9e93ca6910a5a70fcc20d  
**Referenced In Project/Scope:**server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: remotegui.jar: ng-tinymce.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/lib/ngtinymce/ng-tinymce.js  
**MD5:** 8029a79da3a276b3b95bbb6cd8d73acb  
**SHA1:** 8f6cd70d2150662b6d91eea5d41a5573a85f37da  
**SHA256:**bb9a8b0e45a6731fa0426e0b9ba861e9502a4b46192e14913ca810a590a4c45b  
**Referenced In Project/Scope:**server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: remotegui.jar: numberUtil.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/number/numberUtil.js  
**MD5:** d5893e6d0bd20b4912d64ea78540b5bf



**SHA1:** 5b1817ef6e97416a55c5ac96f0c464f8b88355fd  
**SHA256:** 349a2c5a8a2c7a19ea7c3d618974a49eef9bcf0e9cd5f0e92a9066de0fdef7c4  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: remotegui.jar: ocLazyLoad.min.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/ocLazyLoad.min.js  
**MD5:** f2d4908265b909369078aed0cfafffa3  
**SHA1:** 2d19edef03246ca520c6b3d658e75fad0d791695  
**SHA256:** a5f7c8f4292aba0f63174bbb86fef9e919d97ed72f80857e83065c66ddbcb5a4  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: remotegui.jar: pageablenavbaractiondropdown.directive.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/template/js/pageablenavbaractiondropdown.directive.js  
**MD5:** 0e891cb1efe8d7329586abc7a79b2091  
**SHA1:** 7eab2e0b6268c3cc513fde52d198b5d4543b3dce  
**SHA256:** db54aa685133a7b32a6020f94b561e3f0cefe9af09c92704bfffdb01c89b7173  
**Referenced In Project/Scope:** server

#### Evidence






Type	Source	Name	Value	Confidence
Identifiers				
• None				

#### remotegui.zip: remotegui.jar: paged.filter.js


**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/components/paged.filter.js  
**MD5:** 4517ac89c1193aa004655d37534756d0  
**SHA1:** 8987e7b45fbad3a23c566f82b43b615d528a32fd  
**SHA256:**f8a3ba8d018a615e81511dff8c572c3f97e60fb339fd801673124b6b1ac06365  
**Referenced In Project/Scope:**server

Evidence 				
Type	Source	Name	Value	Confidence

Identifiers				
• None				

#### remotegui.zip: remotegui.jar: pagination.directive.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/components/pagination.directive.js  
**MD5:** 89b7e3878c21bee24c47f57630716850  
**SHA1:** 2ec014a73bc9ecb7f8d4a24145e8a1a38a0ff09a  
**SHA256:**7e4f6b98b13aff0786071b8dbdb89c0e1afa7951efcda87cb5841775d47d7916  
**Referenced In Project/Scope:**server

Evidence 				
Type	Source	Name	Value	Confidence

Identifiers				
-------------	--	--	--	--



- None

### remotegui.zip: remotegui.jar: piechart.directive.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/components/piechart.directive.js  
**MD5:** 9e310689849b1cf084faad9abaeffdd2  
**SHA1:** 0456656b2d9097dd03e38b9cf8b8efffed37f5f  
**SHA256:** 87ab77404d853f3ebcb2ed4df1898e5db294aad833e7426b12e58a914c111973  
**Referenced In Project/Scope:**server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: remotegui.jar: pwa-service-worker.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/pwa/pwa-service-worker.js  
**MD5:** 95a33b245d3237810fe50090f6719728  
**SHA1:** 1092e1c782d256a86ba9034dfc86b2af50d31117  
**SHA256:** 933121280fca1f5ea88c243ffeccbf998a62fdc3b62b5ca70875a990c18c9edd  
**Referenced In Project/Scope:**server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: remotegui.jar: pwa.js



**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/pwa/pwa.js  
**MD5:** d5f6fdc8eb151d3a71ca5eefe74f6dd9  
**SHA1:** e7e28c16da057e3d23295da872a11d99239f67cb  
**SHA256:** cd0a4ccc24239ef74ccf067d2eac8ac8989524fc41b0e7ce4946295f92a75b72  
**Referenced In Project/Scope:**server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: remotegui.jar: qrcode.min.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/modules/reporterror/js/qrcode.min.js  
**MD5:** 4b36f8e71a871112384d908a90471a76  
**SHA1:** f103f61ed24f3dd86bbee1aecb91ad4ff0a15282  
**SHA256:** 6afbe1ebc2ba9b4bb0833f9f55c4eb80edb582903ea9611a9be49633a7aa3b09  
**Referenced In Project/Scope:**server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: remotegui.jar: rangeSlider.directive.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/rangeSlider.directive.js  
**MD5:** 20376051d3ea2a6162db3ad58f076fa9



**SHA1:** e47bf7c8863847aac27395ad204e978818b02d29  
**SHA256:**394dace84214f70c8ffb4d86f4499bd0b0a5c909c1220255d203a21ad8ae9dd2  
**Referenced In Project/Scope:**server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: remotegui.jar: resizableDivider.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/resizableDivider.js  
**MD5:** fa847d01adb2ccdfc94bde321dbd436f  
**SHA1:** affd2857609d9a801bce9bff9d5ebdaba030b976  
**SHA256:**cd453fb841394aae4a015d7c02e62f442fa90c28a524278196d449a45a523239  
**Referenced In Project/Scope:**server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: remotegui.jar: scrollabledropdownmenu.directive.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/scrollabledropdownmenu.directive.js  
**MD5:** adca62cbd6c593eb4b3820386d998b8f  
**SHA1:** eddc3293b76697c17357ca5db338c1dcf8feed70  
**SHA256:**8f530fb140403c88fb3a54da4cf72f22eea007453937b247ccbe68ca1dd669b5  
**Referenced In Project/Scope:**server

#### Evidence






Type	Source	Name	Value	Confidence
Identifiers				
• None				

remotegui.zip: remotegui.jar: search-panel.js


**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/search-panel.js  
**MD5:** 74721a5f30b6e3802fd5d7aceae443be  
**SHA1:** 0bbb0913b57d3238ecaed8b01fbbc572c2774a7b  
**SHA256:**df4994c45e72c7844f089f81d174ecece2fbbc730e652dfc6316c2797f0edf40  
**Referenced In Project/Scope:**server

Evidence 				
Type	Source	Name	Value	Confidence

Identifiers				
• None				

remotegui.zip: remotegui.jar: selectInput.directive.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/selectInput.directive.js  
**MD5:** 1d2d777978d8b0e228d5afa4a90c9e95  
**SHA1:** df97085d1d93aef90118c5f521574f93dc45e28d  
**SHA256:**e6061ec5e75529ed5d4556fb8cd4b8ce7599cd3fdceb198638cb3b90aa2076bc  
**Referenced In Project/Scope:**server

Evidence 				
Type	Source	Name	Value	Confidence

Identifiers				
-------------	--	--	--	--



- None

### remotegui.zip: remotegui.jar: shadowLogger.factory.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/shadowLogger.factory.js  
**MD5:** 7fb285ba68fd8f73752378984e7d64b3  
**SHA1:** 8c9a157918399ff6a7e161847985955118fed3e1  
**SHA256:** 2af095330d60bd76f3b0644e42d9ad3203184fc37897356e7fbbc38c27e85f18  
**Referenced In Project/Scope:**server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: remotegui.jar: sidenavigation.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/sidenavigation.js  
**MD5:** fbeefc0a7658729e8c65da2a66a24d78  
**SHA1:** b276c70f0e4824a0611c5df1f6703376cb892bd9  
**SHA256:** 91c4331e93e8757cc5a3056b40715acd400dcebf61de8482cd0c3af43dd55b28  
**Referenced In Project/Scope:**server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: remotegui.jar: takeoutDataController.controller.js



**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/takeout/js/takeoutDataController.controller.js  
**MD5:** 2db0d42505769d9ad4488d61de46dc23  
**SHA1:** 8334c9966238cd1744439982992440aa3dc9a392  
**SHA256:** ec576037a423ef29d952d37e4a7f088e0ccb85b1a61a1fc581361679f3a75323  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: remotegui.jar: takeoutDataFactory.factory.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/takeout/js/takeoutDataFactory.factory.js  
**MD5:** f0f7bf8b0db5939aa4f95efee40c9a7d  
**SHA1:** 9d2bb947861af7eeeace922dac84caeb9dfc5fd4  
**SHA256:** 61701863dd18ab12e3a4e8d1c748b2edaef7f1e72359e2e7507d9f779a35d450  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: remotegui.jar: takeoutDataModel.service.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/takeout/js/takeoutDataModel.service.js  
**MD5:** 89340a5c50b020ccf235d29a59ba7aa1



**SHA1:** c04271bde4da616aa448ef3dcb220995ddf210d1

**SHA256:** 7d6d634870c9dc64b1798e78a6d240b31b07335478e5d374fc48e352f66b21e9

**Referenced In Project/Scope:**server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: remotegui.jar: timelInput.directive.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/timelInput.directive.js

**MD5:** dc89e0cf7af80dc372c523f4475a742b

**SHA1:** 346dd178641407d330f98378afaa2e82b23ce335

**SHA256:** 3e1f583a1c3d93ac0933c03293121ff7cce230f28a9ac564017111942eed1175

**Referenced In Project/Scope:**server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: remotegui.jar: timelInputContainer.directive.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/timelInputContainer.directive.js

**MD5:** 38ebda66df735a153e899bdb455ba627

**SHA1:** 6d76490fba423fbb26ad2e2379e0469e354bd8d7

**SHA256:** 0505ad1f8c7b7c1502da18d67b80c5e1abdb4097082002223bfe0c65557fed7b

**Referenced In Project/Scope:**server

#### Evidence






Type	Source	Name	Value	Confidence
Identifiers				
• None				

remotegui.zip: remotegui.jar: timeInputUtil.js


**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/timeInputUtil.js  
**MD5:** 6e6b983b79ecc163db62de048fad0bea  
**SHA1:** a04fbc0b3fb9e92c0548af34d256b1397ec57b6d  
**SHA256:**9cfd6b9003b254130229958097af006a91232afae599a92b1b17341cfa40a4df  
**Referenced In Project/Scope:**server

Evidence 				
Type	Source	Name	Value	Confidence

Identifiers				
• None				

remotegui.zip: remotegui.jar: timeMeridiemContainer.directive.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/timeMeridiemContainer.directive.js  
**MD5:** d63014a3c86764ee1b91414dc09a976d  
**SHA1:** 68011b67bac764030bf1e9f01fa8eb1882b9f0a0  
**SHA256:**a97133c7d659fabce434a0aa63e54d1ff0ce6e06893dc2811f490a47655d1900  
**Referenced In Project/Scope:**server

Evidence 				
Type	Source	Name	Value	Confidence

Identifiers				
-------------	--	--	--	--



- None

#### remotegui.zip: remotegui.jar: translate.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/translate.js

**MD5:** b8a0528dad77053405c013f8d3093688

**SHA1:** f7efb58c31f4446a20da7228aa33290b0a731f6f

**SHA256:** 39ca4976fe9345f0ca61017824798e5b0cfe45df53a2f0dcf0bf31bf453c58da

**Referenced In Project/Scope:**server

##### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

##### Identifiers

- None

#### remotegui.zip: remotegui.jar: unitFixNumber.directive.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/number/unitFixNumber.directive.js

**MD5:** 2c99db1a894118323d3dc106a41d4c81

**SHA1:** 1ad8472f6ac831b0c078cca7051d527e41497537

**SHA256:** d449ce86b07059187db42b8d1b92cfd6bf8b53177904899d18e301f3eb720437

**Referenced In Project/Scope:**server

##### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

##### Identifiers

- None

#### remotegui.zip: remotegui.jar: unitFloatNumber.directive.js



**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/number/unitFloatNumber.directive.js  
**MD5:** 71eee99887bff0e562cec97048d525a5  
**SHA1:** a531c1cd9664d2b737ffe3d78ebf9c5cc6685171  
**SHA256:** 9edba0f7a5d1a5225b8176ca66b5b84ae36ea796cfc19a131692c934ec9ca22c  
**Referenced In Project/Scope:**server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: remotegui.jar: userservice.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/userdetails/userservice.js  
**MD5:** b09cf354242cd5b17a8ce778e3fbd501  
**SHA1:** 85a90e23b642cf7f29de0f04300eb457a86a5e4d  
**SHA256:** 36b2cfed2c45ba114b0aad3cf7939f1e47f351aa5703cf6b7b455b5b07e821ef  
**Referenced In Project/Scope:**server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: remotegui.jar: usersorgroupsselection.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/usersorgroupsselection/usersorgroupsselection.js  
**MD5:** 13f9a487123cdfd870a91a7a998a1e30



**SHA1:** b68f41d14f0de67fdd9780255f668f883f1fd4f5

**SHA256:**43336640593a1eefe8a24a46e212eeb89a2335f78f0595a7504e97bd7867229d

**Referenced In Project/Scope:**server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: remotegui.jar: usestrict.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/usestrict.js

**MD5:** d41d8cd98f00b204e9800998ecf8427e

**SHA1:** da39a3ee5e6b4b0d3255bfef95601890afd80709

**SHA256:**e3b0c44298fc1c149afb4c8996fb92427ae41e4649b934ca495991b7852b855

**Referenced In Project/Scope:**server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: remotegui.jar: websitedownload.renderer.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/modules/website/js/websitedownload.renderer.js

**MD5:** d84df8cb02320562184713facc448e3

**SHA1:** 463b4cef63842cb3677086c49abe33efcdd20937

**SHA256:**f09a47bc77779cc93eb0554f787159f93a4b5c2eef4b94278ad064a6d579d11d

**Referenced In Project/Scope:**server

#### Evidence





Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## remotegui.zip: remotegui.jar: websocketdataservice.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/websocketdataservice.js  
**MD5:** 101da5e339b24430548efd6f841426f2  
**SHA1:** b7c011efd1c5432d3764e5809dd2a3b322e5090f  
**SHA256:**70b0e4b07efcc2894c4d80b8a02f082d3284f9b693e95072a75054c6e825150c  
**Referenced In Project/Scope:**server

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## remotegui.zip: remotegui.jar: websocketkeepaliveworker.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/websocketkeepaliveworker.js  
**MD5:** 23dd8025d25c06b00bbb9d2f690e8c24  
**SHA1:** 1f8530d396532bf8a0d474fca70f42785edc5872  
**SHA256:**765e139c05a131aae143639b5906986915d9031f47b0dee52e4b9b54e75b54b8  
**Referenced In Project/Scope:**server

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers



- None

#### remotegui.zip: remotegui.jar: windowdatastore.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/windowdatastore.js  
**MD5:** 8509ee4c50d6ba4530a9d3c3975ef21f  
**SHA1:** 26c0406862209b38c67b931c13787a3c3c547710  
**SHA256:** 908719da1d0ac1d416ccd359fd6a8ff1bb5854b0f8ad0e4613392d0ca5d56e41  
**Referenced In Project/Scope:**server

##### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

##### Identifiers

- None

#### remotegui.zip: tinymce-languages.jar: ar.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/tinymce-languages.jar/META-INF/resources/webjars/tinymce/5.10.9/langs/ar.js  
**MD5:** 0f886efdc70323a44979e1cefce05038  
**SHA1:** 9d6816b96f0b595631ec3f0a8ef095b79d2aad2  
**SHA256:** 7f3e6c66626d88d970c57d3883e155c93d97cf378b6e8b27c3e0294eaf1c3cd2  
**Referenced In Project/Scope:**server

##### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

##### Identifiers

- None

#### remotegui.zip: tinymce-languages.jar: bg\_BG.js



**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/tinymce-languages.jar/META-INF/resources/webjars/tinymce/5.10.9/langs/bg\_BG.js  
**MD5:** 4e9304054a5dba87c44a97301ad66b18  
**SHA1:** b4c2faa214f8b1439ad6fcbf25064557a609cdf  
**SHA256:** b1430ba8c8ffca397dccb798611def8cec0ebd83965fff5fb0799090aa2c8f12  
**Referenced In Project/Scope:**server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: tinymce-languages.jar: ca.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/tinymce-languages.jar/META-INF/resources/webjars/tinymce/5.10.9/langs/ca.js  
**MD5:** 089ce05c476ac2670a3e7191e27cac9a  
**SHA1:** 1e076c780755f0ca6dc33f275f615cd3bf4480ca  
**SHA256:** 41d6c5ca9f26f3d51b65ec32dfc001eb5b31dba3b7ebe634fe722115ff449c94  
**Referenced In Project/Scope:**server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: tinymce-languages.jar: cs.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/tinymce-languages.jar/META-INF/resources/webjars/tinymce/5.10.9/langs/cs.js  
**MD5:** d10d9585dcd93ae57323c6a655aa2c3d



**SHA1:** 9349c258353e88585b5400726f66d9d49b329f26  
**SHA256:**f876fc46225f5d756b7c93868a122d13ee141f32b4083c7f7ef6592b9004a059  
**Referenced In Project/Scope:**server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: tinymce-languages.jar: cy.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/tinymce-languages.jar/META-INF/resources/webjars/tinymce/5.10.9/langs/cy.js  
**MD5:** 2a0728ef1086a55e02eb37af4eb5b0b1  
**SHA1:** d35bd8d1c3c3397fdec0db042d0c0c17ea7fdaf9  
**SHA256:**df7b1c6f8cedac1f23dd1ab8c9f180665d66c7325eba121dca192c18a06f58a9  
**Referenced In Project/Scope:**server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: tinymce-languages.jar: da.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/tinymce-languages.jar/META-INF/resources/webjars/tinymce/5.10.9/langs/da.js  
**MD5:** 481aa7c5d1ceb5a94c54bd71af91b607  
**SHA1:** fa4a7ecb526f6b215f8da7853dd2326a99838c06  
**SHA256:**440828eeb73162291e2f8eee67763d7e34039e5b9fe4d4ad506a521e48fbd438  
**Referenced In Project/Scope:**server

#### Evidence






Type	Source	Name	Value	Confidence
Identifiers				
• None				

remotegui.zip: tinymce-languages.jar: de.js


**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/tinymce-languages.jar/META-INF/resources/webjars/tinymce/5.10.9/langs/de.js  
**MD5:** 42f1476160d0c1c8da694470a77af56a  
**SHA1:** 4862a9cb5f4ed83a312bcc769d520440f1f95a0a  
**SHA256:** bd997ca871108f0124849619dc28981047f7e7a1ade9360e2d258a3a86ad02af  
**Referenced In Project/Scope:**server

Evidence 				
Type	Source	Name	Value	Confidence

Identifiers				
• None				

remotegui.zip: tinymce-languages.jar: el.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/tinymce-languages.jar/META-INF/resources/webjars/tinymce/5.10.9/langs/el.js  
**MD5:** 5416576d60c441187a77aae0846865ba  
**SHA1:** 0f11a7714c7e4da72cd55dd70f5dbc2f0829f8fe  
**SHA256:** 970b4322bdfef3fedb6e4544b65a9684099e82d208a6c2ad86e6550fe2d79543a  
**Referenced In Project/Scope:**server

Evidence 				
Type	Source	Name	Value	Confidence

Identifiers				
-------------	--	--	--	--



- None

#### remotegui.zip: tinymce-languages.jar: eo.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/tinymce-languages.jar/META-INF/resources/webjars/tinymce/5.10.9/langs/eo.js

**MD5:** c1f238debe6f92e597d18890a9b9cf39

**SHA1:** f10c044ef2e30b353442bc536c3c6302f83b42f4

**SHA256:** c316804de553f2aaa5c7724f0e1a8e2f1aaf2b7342f236358a7e12365e212384

**Referenced In Project/Scope:** server

##### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

##### Identifiers

- None

#### remotegui.zip: tinymce-languages.jar: es.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/tinymce-languages.jar/META-INF/resources/webjars/tinymce/5.10.9/langs/es.js

**MD5:** 833bb31f5d452f0b036f558304f7bd43

**SHA1:** 0c34ae192edba65fa21b762ddfd7226b129c8da

**SHA256:** f020e09f41ca04101127c4236b44d0d5b4938587f7449421b38f666ba9159ed1

**Referenced In Project/Scope:** server

##### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

##### Identifiers

- None

#### remotegui.zip: tinymce-languages.jar: es\_ES.js



**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/tinymce-languages.jar/META-INF/resources/webjars/tinymce/5.10.9/langs/es\_ES.js  
**MD5:** f2bf4385f9ac938c22d699caa13805fd  
**SHA1:** 08cd53fb716153b4a47d34b2181e53d49ea45a36  
**SHA256:** b2356afb30584c7359dd65ceffb42296b0e420650033e73422be09da30511cd0  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: tinymce-languages.jar: es\_MX.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/tinymce-languages.jar/META-INF/resources/webjars/tinymce/5.10.9/langs/es\_MX.js  
**MD5:** 0d9bd141cec3e0a3c3b32d6dcf0a1739  
**SHA1:** 976438b6d6a826cb437a4a7be47a6ba4c107be73  
**SHA256:** 8be7384d5888618e3ef7ea227c3f10cb0533db5f01fd8ecd75309cf0652008ec  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: tinymce-languages.jar: eu.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/tinymce-languages.jar/META-INF/resources/webjars/tinymce/5.10.9/langs/eu.js  
**MD5:** c674049d2a4b1c0c2bbedb9f5e519858



**SHA1:** d8458d8d1c93154c51a0d724785d972506cdf2a1  
**SHA256:**3942f6abba9679f58ccc36ba38a1f3fd6ec5a5824fb2910a3b3a922c740d1df7  
**Referenced In Project/Scope:**server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: tinymce-languages.jar: fa.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/tinymce-languages.jar/META-INF/resources/webjars/tinymce/5.10.9/langs/fa.js  
**MD5:** f4242d89d4890093b57c6435a0feef5d  
**SHA1:** f84cbc6d12884492dcae0bb2fb25de3bd8a54fcf  
**SHA256:**1465f18074f43b691afb310e5dfdbb8f4f1d70f5817e5e26a1ddd23753ce962b  
**Referenced In Project/Scope:**server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: tinymce-languages.jar: fa\_IR.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/tinymce-languages.jar/META-INF/resources/webjars/tinymce/5.10.9/langs/fa\_IR.js  
**MD5:** e2e4fffe84b41b1763eec91c0d41c879  
**SHA1:** df983f084fa4b2acbbaf8c2f42e2e9cb981645f8  
**SHA256:**019a970f6414584cd6e87515d3fe7dff153c9fc49dbc7a7bbc25b33803f19b32  
**Referenced In Project/Scope:**server

#### Evidence






Type	Source	Name	Value	Confidence
Identifiers				
• None				

remotegui.zip: tinymce-languages.jar: fi.js


**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/tinymce-languages.jar/META-INF/resources/webjars/tinymce/5.10.9/langs/fi.js  
**MD5:** b5688fed7ee5c373ebb60f499959b374  
**SHA1:** 07eced4202e01f9fe821ff7a917b65917cd814f7  
**SHA256:**1f1e100752101230f1b10717f8ea615f816388a79dd5ad1c47605c553f9ad935  
**Referenced In Project/Scope:**server

Evidence 				
Type	Source	Name	Value	Confidence

Identifiers				
• None				

remotegui.zip: tinymce-languages.jar: fr\_FR.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/tinymce-languages.jar/META-INF/resources/webjars/tinymce/5.10.9/langs/fr\_FR.js  
**MD5:** 39a6068252db59fd4692c3ddb15a5707  
**SHA1:** 8b7cfcf0ed4fccaf10ec9ead72c39ea6f566a4c9  
**SHA256:**0eef8817097810e7cbfe4ca46e9347b2e14ba0d2c91bc02d0f217ac6a2bf6bdb  
**Referenced In Project/Scope:**server

Evidence 				
Type	Source	Name	Value	Confidence

Identifiers				
-------------	--	--	--	--



- None

#### remotegui.zip: tinymce-languages.jar: gl.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/tinymce-languages.jar/META-INF/resources/webjars/tinymce/5.10.9/langs/gl.js  
**MD5:** 4c87b5345d76e5fb9fa24d89824cbfda  
**SHA1:** 46bae6aaf29f1d534c0312c9e8c5f8934e9196bd  
**SHA256:** ae5a04893fc2f1900a2358fa8b43134f8f69bf72a4e7b2be58344296a788be38  
**Referenced In Project/Scope:**server

##### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

##### Identifiers

- None

#### remotegui.zip: tinymce-languages.jar: he\_IL.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/tinymce-languages.jar/META-INF/resources/webjars/tinymce/5.10.9/langs/he\_IL.js  
**MD5:** ab3335919ec5e713be56b82a8df6252f  
**SHA1:** 4b9a0a979384da17166919e5f584a59226244a97  
**SHA256:** c411d772751ae83c939e62ee23459abf33465b9f364b89fff5d1402591eee2a5  
**Referenced In Project/Scope:**server

##### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

##### Identifiers

- None

#### remotegui.zip: tinymce-languages.jar: hr.js



**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/tinymce-languages.jar/META-INF/resources/webjars/tinymce/5.10.9/langs/hr.js  
**MD5:** ab6217dad69a25ec43e59f1a76b0c060  
**SHA1:** 9e7f2bd0909ead0e63258d24b18cbe5c1d79c44a  
**SHA256:**02002bccccf9d9a73114794022ac7d48d0a4b9acb0ae1094b98a001cda06d9543  
**Referenced In Project/Scope:**server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: tinymce-languages.jar: hu\_HU.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/tinymce-languages.jar/META-INF/resources/webjars/tinymce/5.10.9/langs/hu\_HU.js  
**MD5:** 2afccb31e0cdea6f08c23750f5531a3e  
**SHA1:** 47b7ffbe8714c92446e18065bb622ffdabfca060  
**SHA256:**795f98a9f97ea2a3a0edf1056ab6dd697d9138a8cc7d6c0416a24b293c79751d  
**Referenced In Project/Scope:**server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: tinymce-languages.jar: id.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/tinymce-languages.jar/META-INF/resources/webjars/tinymce/5.10.9/langs/id.js  
**MD5:** 804ca5c83b16e8aa31011340aa43cfde



**SHA1:** d85239b65123d712897c0b9705b1d75140320b6a  
**SHA256:** ee0a95c92105fea050a683bc2b617332366e3f5ffda2f5b4a4df6b558ccf210e  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: tinymce-languages.jar: it.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/tinymce-languages.jar/META-INF/resources/webjars/tinymce/5.10.9/langs/it.js  
**MD5:** 2307d7e18f4d82323f8460b954366d6c  
**SHA1:** 2dd5945ec46a5fc412a03dfe3e706096169cb50a  
**SHA256:** 853effa3129e6856e7c555788753721d89c48efa7f35536ef08fd9d5e2860b68  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: tinymce-languages.jar: it\_IT.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/tinymce-languages.jar/META-INF/resources/webjars/tinymce/5.10.9/langs/it\_IT.js  
**MD5:** f5f75ba5738d186bea305abd351699d4  
**SHA1:** 80449c059f59ab177abe08deb15d2a0fd55b25f3  
**SHA256:** 5bd51b8d9f3bb9fa4c44b54df600ba4468c16511f8272c5c30f816dea88cebd1  
**Referenced In Project/Scope:** server

#### Evidence






Type	Source	Name	Value	Confidence
Identifiers				
• None				

remotegui.zip: tinymce-languages.jar: ja.js


**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/tinymce-languages.jar/META-INF/resources/webjars/tinymce/5.10.9/langs/ja.js  
**MD5:** 7199e3d236184cf0a06a219442b578c9  
**SHA1:** 16add7d88b9628d906e62a8b7d88e52057b93e29  
**SHA256:**f250108ef667f96cf5b0e8fd061e15306267a23d9f0d6d06ac3443e268a542d9  
**Referenced In Project/Scope:**server

Evidence 				
Type	Source	Name	Value	Confidence

Identifiers				
• None				

remotegui.zip: tinymce-languages.jar: kk.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/tinymce-languages.jar/META-INF/resources/webjars/tinymce/5.10.9/langs/kk.js  
**MD5:** adf69e41309e0553b26d71ad07cfbb92  
**SHA1:** 6dad67ba7364db9096844dedf946a13d8e796109  
**SHA256:**97e466a88551bac32d4ac08dd86dee6d8db34d763ec9c9c2db42044299f79280  
**Referenced In Project/Scope:**server

Evidence 				
Type	Source	Name	Value	Confidence

Identifiers				
-------------	--	--	--	--



- None

#### remotegui.zip: tinymce-languages.jar: ko\_KR.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/tinymce-languages.jar/META-INF/resources/webjars/tinymce/5.10.9/langs/ko\_KR.js  
**MD5:** c60c7a4d77abf22380711ea8c1982bb1  
**SHA1:** 631fe4673b89932fc6855b13284f22febb9a1d41  
**SHA256:** 66fb29bdfd16163298e024e448a6774d5ddc1b4fff7e6683173ad2e6f20f2dbd  
**Referenced In Project/Scope:**server

##### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

##### Identifiers

- None

#### remotegui.zip: tinymce-languages.jar: lt.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/tinymce-languages.jar/META-INF/resources/webjars/tinymce/5.10.9/langs/lt.js  
**MD5:** 2219c653129ccc476847f054786ec676  
**SHA1:** d6ef2ce6c2d82e07fe9e59cc2d22f3767ac94625  
**SHA256:** 22195ef38c08fdbee31662434b50c6928b10e0adde3d0d86cd10a72230304e9b  
**Referenced In Project/Scope:**server

##### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

##### Identifiers

- None

#### remotegui.zip: tinymce-languages.jar: nb\_NO.js



**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/tinymce-languages.jar/META-INF/resources/webjars/tinymce/5.10.9/langs/nb\_NO.js  
**MD5:** 0a7352214f0ce32fcd9c1e6522df1bbe  
**SHA1:** ee23293fd4b9972547400cf4a3249a2059b6b165  
**SHA256:** 944131baab48a0af7fa0aed2c8bd2ebb3e9064b3772712f22e976909914971f0  
**Referenced In Project/Scope:**server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: tinymce-languages.jar: nl.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/tinymce-languages.jar/META-INF/resources/webjars/tinymce/5.10.9/langs/nl.js  
**MD5:** 6f571210666a2f5e6337080e579baba6  
**SHA1:** 836f979abe265e75b745b723288058a708392756  
**SHA256:** 7f5b894c53f3e6cdaac59ea898930837fd21369800ab6d16136427c7a773916e  
**Referenced In Project/Scope:**server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: tinymce-languages.jar: pl.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/tinymce-languages.jar/META-INF/resources/webjars/tinymce/5.10.9/langs/pl.js  
**MD5:** e250adf7e075ad1f30905b07ad627631



**SHA1:** 3c4f16669f023e06b0c6a3527b7465c67b57c90d  
**SHA256:**a22b468acd116dea2dea78bd49ea798fae8e5ca8c09af7afded580fb77a19171  
**Referenced In Project/Scope:**server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: tinymce-languages.jar: pt\_BR.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/tinymce-languages.jar/META-INF/resources/webjars/tinymce/5.10.9/langs/pt\_BR.js  
**MD5:** cc070dfc893595619ae7c8e5349376ce  
**SHA1:** 147966d1e0e89574988c516b1debb37add6df970  
**SHA256:**dd8b585165d8ba7f896a08bf038278f0ca7bd9e4ecc80b9c1c7a8bcc2881df  
**Referenced In Project/Scope:**server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: tinymce-languages.jar: pt\_PT.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/tinymce-languages.jar/META-INF/resources/webjars/tinymce/5.10.9/langs/pt\_PT.js  
**MD5:** 4dd1d7b30c2fd8e55f9880b7581977c5  
**SHA1:** 11642b53c34e4ca6a5062cd3077ed4f4bad123b7  
**SHA256:**de802efbfdbcb321426edb9cde7e6422597bdf15c173b116afc097298e96bdfc4  
**Referenced In Project/Scope:**server

#### Evidence





Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## remotegui.zip: tinymce-languages.jar: ro.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/tinymce-languages.jar/META-INF/resources/webjars/tinymce/5.10.9/langs/ro.js  
**MD5:** e23437166aef4c09b1b704399f8aba35  
**SHA1:** e9bdcf37aee82113f51cbe365ed71cf0b28b7b8b  
**SHA256:**f9337551af759ed5b346f36393b77800d9cfff670e830decdb3908027f49852c  
**Referenced In Project/Scope:**server

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## remotegui.zip: tinymce-languages.jar: ro\_RO.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/tinymce-languages.jar/META-INF/resources/webjars/tinymce/5.10.9/langs/ro\_RO.js  
**MD5:** 3f2950ecf56ad7a4afda95cac7e2bb65  
**SHA1:** fa5af1a474a2b0e73af2dcf25d7b2446ccdacfbd  
**SHA256:**2d4ed665899adbe9e64a5aff8a5d686a320935e0fcac8ad5d41e1061abb0343c  
**Referenced In Project/Scope:**server

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers



- None

#### remotegui.zip: tinymce-languages.jar: ru.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/tinymce-languages.jar/META-INF/resources/webjars/tinymce/5.10.9/langs/ru.js  
**MD5:** 511a44e58e8fc2713a4544de603ab7bd  
**SHA1:** 06132cf2444c50c1b3910bbbf82902444128f8ed  
**SHA256:** 3fc08c1c46f210eeca7a90d384b4ba7ebf4d9655beb3b7b87e597f1e9608043d  
**Referenced In Project/Scope:**server

##### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

##### Identifiers

- None

#### remotegui.zip: tinymce-languages.jar: sk.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/tinymce-languages.jar/META-INF/resources/webjars/tinymce/5.10.9/langs/sk.js  
**MD5:** 1b3c7faef9a1e74b2b8f0543732da813  
**SHA1:** e9b96981febbd3d364add8502420c656621bebad  
**SHA256:** bcf6c8f5e62ee6dd60ebbd78fcb002ab1f93ba553d8e0fcd980c5559da6dc787  
**Referenced In Project/Scope:**server

##### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

##### Identifiers

- None

#### remotegui.zip: tinymce-languages.jar: sl.js



**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/tinymce-languages.jar/META-INF/resources/webjars/tinymce/5.10.9/langs/sl.js  
**MD5:** e70856ec865c4becf6af5ee48190ed91  
**SHA1:** a0271f39bc7d4a46c9b5b5377ee4d1eae45c6518  
**SHA256:**0917a76a02bd84a46cd31d22a4486fc15fc5217b0da405faa980d3b4513c12cf  
**Referenced In Project/Scope:**server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: tinymce-languages.jar: sl\_Sl.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/tinymce-languages.jar/META-INF/resources/webjars/tinymce/5.10.9/langs/sl\_Sl.js  
**MD5:** 3de18771671f7e28f3df9b68e53552ce  
**SHA1:** 1dd6b41b237df4033169ea3293fd15a36135fcef  
**SHA256:**1e9ac60048fe7e452b59441876289e7a7a42a90820d7a8ef67ac1339e1b9dcee  
**Referenced In Project/Scope:**server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: tinymce-languages.jar: sv\_SE.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/tinymce-languages.jar/META-INF/resources/webjars/tinymce/5.10.9/langs/sv\_SE.js  
**MD5:** ed26794df73aa50316d1ffbbf86e51b



**SHA1:** ba4720adf16d253917e5718508b9d261ff317d85  
**SHA256:**9ddd42e6af9c413ef5e26c9b69b2f5620bf442c1cd7005bc56c1380e4b6ac7b9  
**Referenced In Project/Scope:**server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: tinymce-languages.jar: ta.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/tinymce-languages.jar/META-INF/resources/webjars/tinymce/5.10.9/langs/ta.js  
**MD5:** 28baeda3ba8aad2c457984c138420160  
**SHA1:** 8ecfbcc9693bef79e05fbde679c6576327bc1f55  
**SHA256:**ecb0d22d12a6262265057d41923a35430e18fe42f4b7f1d12e3fe3ec52cb7cfb  
**Referenced In Project/Scope:**server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: tinymce-languages.jar: ta\_IN.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/tinymce-languages.jar/META-INF/resources/webjars/tinymce/5.10.9/langs/ta\_IN.js  
**MD5:** c245824dc4a046048a23355d513b545b  
**SHA1:** 064cb44b3e558377efaaa14af781563e18d184e6  
**SHA256:**b601b126c40b5c19c89a4e7724ddad003a7db0f41357c12cbdb0be440ca6f8e5  
**Referenced In Project/Scope:**server

#### Evidence





Type	Source	Name	Value	Confidence
Identifiers				
• None				

remotegui.zip: tinymce-languages.jar: th\_TH.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/tinymce-languages.jar/META-INF/resources/webjars/tinymce/5.10.9/langs/th\_TH.js  
**MD5:** 5f149677f7303a92c615738a19bd43cf  
**SHA1:** 3f4882111c0163aa3f1189ae12b9cbab25b9ff3c  
**SHA256:**6d1838ea80df11333cb5844f5ca276ac6222481e4e9c4bf1d5c5484d8e05a67c  
**Referenced In Project/Scope:**server

Evidence				
Type	Source	Name	Value	Confidence

Identifiers				
• None				

remotegui.zip: tinymce-languages.jar: tr.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/tinymce-languages.jar/META-INF/resources/webjars/tinymce/5.10.9/langs/tr.js  
**MD5:** 1d942271407e5a9e69b3ec4ccb11ac50  
**SHA1:** 6eac1370cf372727316c7fb02d92cc6e5dd75b1d  
**SHA256:**7e7130921470f315dd16d4cc12dc0ee7c1590671129d22fe5d663bd8b65b35b8  
**Referenced In Project/Scope:**server

Evidence				
Type	Source	Name	Value	Confidence

Identifiers				
-------------	--	--	--	--



- None

#### remotegui.zip: tinymce-languages.jar: tr\_TR.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/tinymce-languages.jar/META-INF/resources/webjars/tinymce/5.10.9/langs/tr\_TR.js  
**MD5:** 21a6afe57b91f50fdc2a04d40330ae97  
**SHA1:** 2aa3e1a82924df177c986869e3eb2dbe9e5b33fc  
**SHA256:** ba178265ac4f4d1f4c4caba3d9b04f3c4a4254773dbde4228a68484715b300dc  
**Referenced In Project/Scope:**server

##### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

##### Identifiers

- None

#### remotegui.zip: tinymce-languages.jar: uk.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/tinymce-languages.jar/META-INF/resources/webjars/tinymce/5.10.9/langs/uk.js  
**MD5:** acb23eed47495327f505e52144615a23  
**SHA1:** 67d20eda3fa76c5327e39093ffc9de28b28e5a6a  
**SHA256:** a057713c5ba1ace10f76f58e4dd6dee88a84d2e78ca957480f5459b21cf5d94f  
**Referenced In Project/Scope:**server

##### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

##### Identifiers

- None

#### remotegui.zip: tinymce-languages.jar: vi.js



**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/tinymce-languages.jar/META-INF/resources/webjars/tinymce/5.10.9/langs/vi.js  
**MD5:** 5dacd7e85f49ada603617302ff7571b0  
**SHA1:** a1bb8e49ba273ec276154fe04cce93edec4d64e8  
**SHA256:** 86da5c88594ba0b5377f5a7e20b04dae1251be817879a47645d60e25cf8e42d5  
**Referenced In Project/Scope:**server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: tinymce-languages.jar: zh\_CN.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/tinymce-languages.jar/META-INF/resources/webjars/tinymce/5.10.9/langs/zh\_CN.js  
**MD5:** c3ceccb2b20bc1c32a74b8ee394c399e  
**SHA1:** 970871e70fa9c310de345b1c590335c9a75adb52  
**SHA256:** bbf4bc7f799bd37f6a52eb032b1708583ca401e778a85c0e58cbeed4c71ef3c7  
**Referenced In Project/Scope:**server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: tinymce-languages.jar: zh\_TW.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/tinymce-languages.jar/META-INF/resources/webjars/tinymce/5.10.9/langs/zh\_TW.js  
**MD5:** 8b3673b738b3b96f90997fdf09121fff



**SHA1:** 392e2f7e6a83c9c5f4c187f371f4d0fdafd239a6

**SHA256:**7868b9dbbae773b768f477746f7d72383603963069426a6281c4d24298160ef1

**Referenced In Project/Scope:**server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: tinymce.jar

#### Description:

WebJar for tinymce

#### License:

LGPL-2.1

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/tinymce.jar

**MD5:** fd9f87ce352ee6c8d270db931c0e6026

**SHA1:** 9174bcf85629c63f7cc55439ff890bb7893fe451

**SHA256:**26c357c95e53e0d99f3e2b840194cc7d170a31c85de15c6017de976f60919cd7

**Referenced In Project/Scope:**server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Vendor	file	name	tinymce	High
--------	------	------	---------	------

Vendor	pom	artifactid	tinymce	Low
--------	-----	------------	---------	-----

Vendor	pom	developer id	webjars	Medium
--------	-----	--------------	---------	--------

Vendor	pom	groupid	org.webjars.bower	Highest
--------	-----	---------	-------------------	---------

Vendor	pom	name	tinymce	High
--------	-----	------	---------	------

Vendor	pom	url	https://www.webjars.org	Highest
--------	-----	-----	-------------------------	---------

Product	file	name	tinymce	High
---------	------	------	---------	------

Product	pom	artifactid	tinymce	Highest
---------	-----	------------	---------	---------

Product	pom	developer id	webjars	Low
---------	-----	--------------	---------	-----

Product	pom	groupid	org.webjars.bower	Highest
---------	-----	---------	-------------------	---------

Product	pom	name	tinymce	High
---------	-----	------	---------	------



Product	pom	url	https://www.webjars.org	Medium
Version	pom	version	5.10.9	Highest

#### Related Dependencies

- remotegui.zip: tinymce-languages.jar
  - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/tinymce-languages.jar
  - MD5: 47bff91bb6cd602682ddc705ba5872fb
  - SHA1: 06c508488e5d6f2ce5c92aa8b3fa165ca871d597
  - SHA256: fa2ecf575248fc802677c26f54fd5f23a636d496223e1a654f5d6540f6c36200
  - [pkg:maven/org.webjars.bower/tinymce-languages@5.10.9](https://www.webjars.org/webjars/bower/tinymce-languages@5.10.9)

#### Identifiers

- [pkg:maven/org.webjars.bower/tinymce@5.10.9](https://www.webjars.org/webjars/bower/tinymce@5.10.9) (Confidence:High)
- [cpe:2.3:a:tinymce:tinymce:5.10.9:\\*:\\*:\\*:\\*:\\*](https://nvd.nist.gov/vuln/detail/CPE-2.3:a:tinymce:tinymce:5.10.9:*:*:*:*:*) (Confidence:High) suppress

### remotegui.zip: tinymce.jar: emojiimages.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/emoticons/js/emojiimages.js

**MD5:** b7c1a7f3d27f00745fb752c8bcad1476

**SHA1:** 96af86fa69e17db88d8c1ddb8dd5af8f01aede1

**SHA256:** 498c4614b7363884c469599aed4290a30c8eb2eebbbf07d5bb16886d8090aa43

**Referenced In Project/Scope:**server

#### Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: tinymce.jar: emojiimages.min.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars



/tinymce/5.10.9/plugins/emoticons/js/emojiimages.min.js

**MD5:** cd8d1bac37c0a70d1d4d2005bf7c4e8e

**SHA1:** 29651e17ac1dd07e21f81edfaf56cdded37e8600

**SHA256:** 39ede17a1386121cbd7a543ab27a27f2b4dd79c7873377bea577fc0c9e942a8b

**Referenced In Project/Scope:**server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: tinymce.jar: emojis.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller  
/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars  
/tinymce/5.10.9/plugins/emoticons/js/emojis.js

**MD5:** a64de2c5911dd74a7c8ce92819084843

**SHA1:** d9b37d490e6cf339e85f0bb008e673c823cc6cda

**SHA256:** 2f086a646d26f121f214f9de1df8c2ac45020e40dba0cbe4d8fd31b1df3381d7

**Referenced In Project/Scope:**server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: tinymce.jar: emojis.min.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller  
/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars  
/tinymce/5.10.9/plugins/emoticons/js/emojis.min.js

**MD5:** 1f434c25c9c5ee365c94af299372298f

**SHA1:** 16d23948cbb0716178f14b58e7b50f3869d76307

**SHA256:** 57bb9d32b2a696c30269a8af59d2d13ca7724e501bd054986c9702069acb9b0b

**Referenced In Project/Scope:**server

#### Evidence





Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: tinymce.jar: icons.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/icons/default/icons.js

**MD5:** 9034bf9d33164db799056592af8f8041

**SHA1:** f48380a7f8ea48f94f20df7526a6dbc33aa802ee

**SHA256:** cddbc569467f55c984f4236d0e6b7a54b35006c47eb18813ad7ca367b14c45bb

**Referenced In Project/Scope:**server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: tinymce.jar: icons.min.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/icons/default/icons.min.js

**MD5:** 18db240f0cf5635332dbadd948cc500

**SHA1:** 4421813e10fd371e67d15dbf74bf748a0a5c1794

**SHA256:** 6c5a69c090aa1418082e7ad5e707bbe6c531269607e080821a7089a16e0f2b61

**Referenced In Project/Scope:**server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers



- None

### remotegui.zip: tinymce.jar: index.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/icons/default/index.js

**MD5:** 9c5b7a740ca30e13e64b6a4de5b17c77

**SHA1:** cf4e63fb059346d52364a6e7592dfdd9b00eb0a8

**SHA256:** 772e5e2b50c2288b47f812cd3219901d992020c71940628b4cdd0ee23f3c8cc2

**Referenced In Project/Scope:**server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: tinymce.jar: index.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/advlist/index.js

**MD5:** 344ca56d8dedfae33380a44b89dfdd1d

**SHA1:** 2ce6aeb71809802341499202ed673788fc04149

**SHA256:** 0e88dc5e755ed26a62535b443dc90fed27844b58677a97fb1ffa3cccdc6d410c

**Referenced In Project/Scope:**server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None



## remotegui.zip: tinymce.jar: index.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/anchor/index.js

**MD5:** dd697e3891ed83de226860a7aa436b10

**SHA1:** 775e112dbcdb929e3c3ac944f65b91ad9b41dc35

**SHA256:** 199df9a5149e52b35f0fad38f46eca0ccfc98e3c7b09de4a6e3562ed97f8190d

**Referenced In Project/Scope:**server

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## remotegui.zip: tinymce.jar: index.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/autolink/index.js

**MD5:** fa84bd3bd42aeb01da94b784344d4d84

**SHA1:** 2f2169188eaa6ee85da0c015f878de6ee9bd34b4

**SHA256:** cf9dbb0d6d43ecab9faa41baf38db169f11d668573349d2d7f879be5868e8d43

**Referenced In Project/Scope:**server

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## remotegui.zip: tinymce.jar: index.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/autoresize/index.js

**MD5:** 00116480a9865b9b84937b8c6ec471ed



**SHA1:** 9d33c32c4cc484f5c7c011b16157b63f32004e7e  
**SHA256:** f218e9db68e5e70965a405e2c2204ce9711067ae0c277f014844a40f7c7fee66  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: tinymce.jar: index.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/autosave/index.js  
**MD5:** 8d9bb78be9ddbce43bfd7964b71678ae  
**SHA1:** e3695d2b623495a93594f23e4132f6226b309012  
**SHA256:** 3b68f2f8049499f537ba66c2fa27aa9648aa93a43e81b977dac7ae20eeb803fe  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: tinymce.jar: index.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/bbcode/index.js  
**MD5:** bed89377ddde78f2d27067c6b3dcc633  
**SHA1:** e4d0c191e90df0249d2f50c12f9979902581ab1a  
**SHA256:** 98fe74eb6872c6e65d9a400d9da7b9b77d6fc4cfbfd7acc0fb9bbe697e43c73c  
**Referenced In Project/Scope:** server

#### Evidence





Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: tinymce.jar: index.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/charmap/index.js  
**MD5:** 18775f459a8bd073ba47b3ad3e2f6bdf  
**SHA1:** f991e9bd8cd4912b0cd28d806beb7c1a4ec6c8c0  
**SHA256:**1701e8a9ccea8f198bf323636b8ceeb6dd8972625d07b466f92c65b16fc635bb  
**Referenced In Project/Scope:**server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: tinymce.jar: index.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/code/index.js  
**MD5:** d2db687200588ab654afd39728df329f  
**SHA1:** 55bfce05960107cf42e7d3687e330a3f42164c23  
**SHA256:**defd6476de2e2c8f411eed38d53a774d52c7408565280806bcba0bc32e98192f  
**Referenced In Project/Scope:**server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers



- None

### remotegui.zip: tinymce.jar: index.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/codesample/index.js  
**MD5:** 23fdb57b1d401abe9ff929ab26ec394e  
**SHA1:** c3f3fc7e21c7627247fcd2069ebb3a36bc755c0c  
**SHA256:** 60856a5c13ac87dcb4e3ecea3ce3eefd47e348c4b696b5b74f0be9766cbd1f08  
**Referenced In Project/Scope:**server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: tinymce.jar: index.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/colorpicker/index.js  
**MD5:** f1771fdd14cab627310b813da43fa5ba  
**SHA1:** 30f7ba13c981711ac0f84662dbf6c50e2af6c27c  
**SHA256:** 15de4cb9a7437d15f6631509fd379df2fdf4cc6c6c35dfcaad47c87e899e96b0  
**Referenced In Project/Scope:**server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: tinymce.jar: index.js



**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/contextmenu/index.js  
**MD5:** 92e19a31db91abb704ccaa13cc28b766  
**SHA1:** 8fe36efc411a29d7579d3754f039ff35786c2e64  
**SHA256:**f24829122684173e779bcd89afb1736b6cad304d08b002698753504db32b80e  
**Referenced In Project/Scope:**server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: tinymce.jar: index.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/directionality/index.js  
**MD5:** cd2c90f18e8c7d1215bc4ede4a2ed3ff  
**SHA1:** f16e46d6103a081937651c9824bda91c37906e86  
**SHA256:**75a8d057b97663fbd36db445ac97baedc0d4ca3948f4ee6ee5a45ca56c6fc5f  
**Referenced In Project/Scope:**server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: tinymce.jar: index.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/emoticons/index.js  
**MD5:** 57e489f4ab69ca17dc7c95aef7052d88



**SHA1:** b665f4f4f94b9a2aab91235965d594b8932e75be  
**SHA256:**5b3937add68158ae4add69fa47d2c47ae49ce17165a08dc7ce26f376979126a  
**Referenced In Project/Scope:**server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: tinymce.jar: index.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/fullpage/index.js  
**MD5:** f5837caffaa3ead2f0b68daa0463cac0  
**SHA1:** 6acc21854086d6155a19b3c1060ab5dbd98251b7  
**SHA256:**b1d2d7667f4be6d981f9fd5f58219a414d83c4068cd77c3b0c9d2fbac6ec90f1  
**Referenced In Project/Scope:**server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: tinymce.jar: index.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/fullscreen/index.js  
**MD5:** 2a071ce05b6865fc1a874f298b920e9e  
**SHA1:** 898dd0ec802d60ee716f9ab55401720dc05840d0  
**SHA256:**ecfc6baf3a081373dfc60f97efc1f14f7a6840f398ee8dee57502ed547370190  
**Referenced In Project/Scope:**server

#### Evidence





Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: tinymce.jar: index.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/help/index.js  
**MD5:** b7c64e9d5f9003aacb929b6944987c2e  
**SHA1:** 92f87e4057b89c4faf476fc34898d688fea0b52a  
**SHA256:**90ef3eb5f05933c63e52ac470156c1eee495583b1184ae9a6abc8702e9685b36  
**Referenced In Project/Scope:**server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: tinymce.jar: index.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/hr/index.js  
**MD5:** 95e49e5a2cd979c3e7345c78d2d15779  
**SHA1:** 48a187d6a5e4539029a140c36b3b1010d3473975  
**SHA256:**1dbf6d7a4b2d4cea2135823eea377fd6052a510cca33935d23f4f58e3d49af98  
**Referenced In Project/Scope:**server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers



- None

### remotegui.zip: tinymce.jar: index.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/image/index.js  
**MD5:** 27415d3d43098d4bdb48c6c45c15e08c  
**SHA1:** 5a081de74c9d2bf97dec82753cbdaad6366db76  
**SHA256:** ba0e02cc9a0a8ab32790d825b0711c27452e297c4c72c8479cfd00c00a228c36  
**Referenced In Project/Scope:**server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: tinymce.jar: index.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/imagetools/index.js  
**MD5:** 1fdb4ed72eff27ef54bdd585e306d29  
**SHA1:** 00c9be7d060282e6d5ec5d0779b977275c28b8b5  
**SHA256:** 3a075c96ab9819e53918f2fdf308f1390e339cee21755ea4112c71a9d012b53f  
**Referenced In Project/Scope:**server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: tinymce.jar: index.js



**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/importcss/index.js  
**MD5:** 2409fda93c2625fad2c9dffe31b1473  
**SHA1:** 39d57c8b02129997bf23302916dd7166c3726a43  
**SHA256:** da3a35bf760696421d5dee9795c287730c310cc56f2f955ef8d7418f243ea5ef  
**Referenced In Project/Scope:**server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: tinymce.jar: index.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/insertdatetime/index.js  
**MD5:** 4ece334f6233df3aa3e5becbfe1f9a8e  
**SHA1:** 6734731b620634cbfa9a06a57d3ce35f3c24296c  
**SHA256:** 6a58d89cb41c85fe3ec472376fcdaa55bb875b6397a054bf4a3d53e7734fd440  
**Referenced In Project/Scope:**server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: tinymce.jar: index.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/legacyoutput/index.js  
**MD5:** ccdb9783bca4eebefc56e308b5fd8169



**SHA1:** b1f84b1fa17eae3d22bb380a22eff3efea2e7fa3  
**SHA256:**a6ad834a6a462e968bdb77190a1d8660d3bcc4e5b55b905420d6c6a1707cbeb  
**Referenced In Project/Scope:**server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: tinymce.jar: index.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/link/index.js  
**MD5:** 5837f9d0ed7b2cc610dbffa6a7d7dafa  
**SHA1:** d3d6b6d764556d547dfe70694b8e26bbeabd4b8a  
**SHA256:**393a397a9577a880392172405182506aeabc1a368da461853f6fd98c19b96292  
**Referenced In Project/Scope:**server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: tinymce.jar: index.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/lists/index.js  
**MD5:** 959bf9c345e983ce032814178b94cb09  
**SHA1:** adc80fe2030cfe121d120440dcf49498f526c7af  
**SHA256:**8ca0f39fb279b30498948068be734b8a2a2178e32b094b98931622ee4c649ae5  
**Referenced In Project/Scope:**server

Evidence





Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: tinymce.jar: index.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/media/index.js  
**MD5:** 22710d182e71e1bef50ee3838ac15b07  
**SHA1:** d8f008c3f8abebcf2efdce06032350e2a1b80fc7  
**SHA256:**2cf1f01a424a6e9981e16a7c162bd51ecdf2785cd5d7e36d78edba78aa91b0c0  
**Referenced In Project/Scope:**server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: tinymce.jar: index.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/nonbreaking/index.js  
**MD5:** 851e4039437062e49d5729f1fe30cb40  
**SHA1:** a1acce39f47b74cb33d2e0c0070d8af323ca0018  
**SHA256:**ec23845a38bfd445146565839769274deb1c0d83adb74c8e464c2714f6509b87  
**Referenced In Project/Scope:**server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers



- None

#### remotegui.zip: tinymce.jar: index.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/noneditable/index.js  
**MD5:** 6f84addf13157d5abd4c1f2e9f1189f5  
**SHA1:** 974a855b957d74c47f1fca8b3582b6db5f562f51  
**SHA256:** 73b8c1e02264f43e6acd2d72b9882d87550b913c71b87a6ccd1caa2d88c0ee24  
**Referenced In Project/Scope:**server

##### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

##### Identifiers

- None

#### remotegui.zip: tinymce.jar: index.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/pagebreak/index.js  
**MD5:** b2ec3630c22897879bc089749ca3466e  
**SHA1:** eeef9066bc1642e349bbaf234f20bd363f89ef19  
**SHA256:** 3239c47c5ea169f05c26f2cb0726e85aa4a365a4e3cff8d16f79bec35d393ee4  
**Referenced In Project/Scope:**server

##### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

##### Identifiers

- None

#### remotegui.zip: tinymce.jar: index.js



**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/paste/index.js  
**MD5:** cd72ad7d99e1849620ff535b4f64daed  
**SHA1:** 2e48dacc929d42922ccb634392e26310531f1d83  
**SHA256:** ce91452b503e136d45e552ab157ab3f8b123530950cc02e7b778d04bcb6a0de0  
**Referenced In Project/Scope:**server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: tinymce.jar: index.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/preview/index.js  
**MD5:** ac924715206330e49ae83f0ce0a41a7c  
**SHA1:** b9fb134e272eaad188c9da26d8c6aa22621e6cdf  
**SHA256:** da5b43a242cf576435e63e27522182fe61afb1ea0d28aee116193c24d60c18f3  
**Referenced In Project/Scope:**server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: tinymce.jar: index.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/print/index.js  
**MD5:** 7f3c93e1e7cf55fb60d83431fbe0af2c



**SHA1:** 77a64982ff692d12b1086a70ed0796bcf45c35c3  
**SHA256:** c54ff5c05b484d6eac7bb601ddd4bcf916faf8dbdebf65a707fa6f7510a99c52  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: tinymce.jar: index.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/quickbars/index.js  
**MD5:** 24942b053967586fefe96a215c44ae07  
**SHA1:** 4a72eaaeb0dbddb84dbb4268e618b4451a482670  
**SHA256:** a61d6bc69e64f107292c929d2ac70819a3970890e79c9895bc0fe0999803ce2d  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: tinymce.jar: index.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/save/index.js  
**MD5:** d2a87bcc64b326fc6dfa962fcbc662e8  
**SHA1:** dd1516808ce28ded9008890e2dac0b24d5a7dae0  
**SHA256:** bcda64c02c52e23430e42fd33907ffe16b02d163174a5896f6e9f96cc1b08411  
**Referenced In Project/Scope:** server

#### Evidence






Type	Source	Name	Value	Confidence
Identifiers				
• None				

remotegui.zip: tinymce.jar: index.js


**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/searchreplace/index.js  
**MD5:** 027916795b63233ba94d3938bc15cc28  
**SHA1:** 61bdc3b8ffb05818fa9b91a399abeafb2a4fd8d8  
**SHA256:** 7f93e70dba14735765044f7199ff8b24fcd517b285f806d34cefb0d2e55a098c  
**Referenced In Project/Scope:**server

Evidence 				
Type	Source	Name	Value	Confidence

Identifiers				
• None				

remotegui.zip: tinymce.jar: index.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/spellchecker/index.js  
**MD5:** e22949d41a8208123a8694f0c8e6dec4  
**SHA1:** 9d66cbf780b982f778e561ce35786b7589b8fa85  
**SHA256:** bcb0b4911bd0fef17ee195fc758585e7717500248fafdc58f32c94f6a12f08bd  
**Referenced In Project/Scope:**server

Evidence 				
Type	Source	Name	Value	Confidence

Identifiers				
-------------	--	--	--	--



- None

### remotegui.zip: tinymce.jar: index.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/tabfocus/index.js  
**MD5:** c8dd5b7b07c3808712c5000e3b1d252a  
**SHA1:** c9e127134794c715139acb1bba1fc9a90541e7b5  
**SHA256:** 779f4c8d8f7804301d0d3d63c6f4d7d12e5a4f3fc409b6433aa465ce51309bad  
**Referenced In Project/Scope:**server

#### Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: tinymce.jar: index.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/table/index.js  
**MD5:** dc0a57cf52e5c96e8886974820620f30  
**SHA1:** 63b104aa10ee6b0e09f6beeb420028164214037a  
**SHA256:** d571c3bcfa2fb750545e52334325e494d60916f8db2504a8e64fbd421e901929  
**Referenced In Project/Scope:**server

#### Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: tinymce.jar: index.js



**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/template/index.js  
**MD5:** 4629fcd244d51c5f71a77cca7a6f0b36  
**SHA1:** d33e8183488bfd00554ccc12b63efdcc46acbf12  
**SHA256:** 07acf1abcbf6231d2ca53a091fa7cc1fb6206e4b268301750ef9020d6881425c  
**Referenced In Project/Scope:**server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: tinymce.jar: index.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/textcolor/index.js  
**MD5:** ceb47c7e6b71b1089ec10b30a6aac374  
**SHA1:** 21d607e821838299375c0ed523bca0a33c0acc05  
**SHA256:** 4c54b2959afce4d61251463bbbd0d2e32dad074d3634192bce2bc937ee59633  
**Referenced In Project/Scope:**server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: tinymce.jar: index.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/textpattern/index.js  
**MD5:** 4ca571ec216214e68d950539134d2e66



**SHA1:** 9ed373e0e6e173e7b1663344b83acd313d37cefd  
**SHA256:** 955780d950579ce70deeb8e7ba2ca04eff56e53fe983ce81e9bf932c69d7652c  
**Referenced In Project/Scope:**server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: tinymce.jar: index.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/toc/index.js  
**MD5:** 4fb0e875239aec497c229dcaf18d7bb5  
**SHA1:** 1c9880a27fd0487d99bcbe666d90fde1c4fa41fa  
**SHA256:** 2f3e63d7b8e0f9597a78fa84e92790bc91099fb7382037e870f06afc8e23d95f  
**Referenced In Project/Scope:**server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: tinymce.jar: index.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/visualblocks/index.js  
**MD5:** 1f348278fc3fa3ae9d560a2c6074537d  
**SHA1:** d55ebc12b7d22b21a6f06a7b1e8a4d869ddba0af  
**SHA256:** ac58944fdb4136e5d63fd08b6070d40a9c964ba2739ea46970f1c27464f0059f  
**Referenced In Project/Scope:**server

#### Evidence





Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## remotegui.zip: tinymce.jar: index.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/visualchars/index.js  
**MD5:** 01e4394764848c643482a4e060c3c16c  
**SHA1:** fa3c991ab8a4b06d3022a1a9050d12f97eca084a  
**SHA256:**4cc095ed74a300b53b61907f46468821a3fd16e9abfd9b96157e72c5a6a4f901  
**Referenced In Project/Scope:**server

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## remotegui.zip: tinymce.jar: index.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/wordcount/index.js  
**MD5:** 8702637f4301b2c60b0d036a74a57952  
**SHA1:** 10150542a5551da1d75408d86ba07b45d78a24cf  
**SHA256:**ea19d7ceae4197532bdfdb08d97f4b64ff025cfd3016ec12428b81517f2e92fb  
**Referenced In Project/Scope:**server

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers



- None

### remotegui.zip: tinymce.jar: index.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/themes/mobile/index.js  
**MD5:** a136bd2faba801a12080888b27e65afb  
**SHA1:** 58533b052ba5b2cbee9fe44e6a3cebd042efb7d1  
**SHA256:** e20188436d5d6ad6bd97a590c274fdba955fc83715e800509e4a61b25bda4e0e  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: tinymce.jar: index.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/themes/silver/index.js  
**MD5:** 7281b0268319c90508a1a300a7c06d97  
**SHA1:** 0e3a4056988e7a06c5f4ded3f30006f1be55d445  
**SHA256:** 3bc724f73bd41f1c6af41d5c08cd472a1da8ccf6db49c6fad853998a130231d6  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: tinymce.jar: jquery.tinymce.js



**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/jquery.tinymce.js  
**MD5:** abc669a993b54748fbd9e3f1b04ab3bf  
**SHA1:** edddd7e07aa9ace3afd2f3bc1579f7901708ce69  
**SHA256:** 20e802d69c0fd9912eb39bfdaad9f85f089e383d415ef193ac6aaa2e108a8949  
**Referenced In Project/Scope:**server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Related Dependencies



- remotegui.zip: tinymce.jar: jquery.tinymce.min.js
  - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/jquery.tinymce.min.js
  - MD5: abc669a993b54748fbd9e3f1b04ab3bf
  - SHA1: edddd7e07aa9ace3afd2f3bc1579f7901708ce69
  - SHA256: 20e802d69c0fd9912eb39bfdaad9f85f089e383d415ef193ac6aaa2e108a8949

#### Identifiers

- None

### remotegui.zip: tinymce.jar: plugin.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/advlist/plugin.js  
**MD5:** 9a469d4c30ceeb89187f85215a5e5161  
**SHA1:** be1f2023c91a4fef2828a452272319447f80b786  
**SHA256:** d9457557927bd306e2cd90b622494db6d36d346ffd04aa825e71d061c243f7d6  
**Referenced In Project/Scope:**server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None



### remotegui.zip: tinymce.jar: plugin.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/anchor/plugin.js  
**MD5:** e204923e44d53e7610828846fdb23722  
**SHA1:** 550446f55b597c4c376992addf459bf00fc2e0dc  
**SHA256:** 8bf2878b95bfbe4ddef911cfebb70a07815060a6c52d85227695267900a45085  
**Referenced In Project/Scope:**server

#### Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: tinymce.jar: plugin.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/autolink/plugin.js  
**MD5:** f62ca8be62d1dbe910069c09b20b53a1  
**SHA1:** 9bc811f23db52d4081a089f9774fafd7e3f21f67  
**SHA256:** 2b218bd0095199604914b22b67b4b1a68fbc0fab309a734f2fae54496f734b9  
**Referenced In Project/Scope:**server

#### Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: tinymce.jar: plugin.js



**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/autoresize/plugin.js  
**MD5:** 3130530b80820d2fe333f0a434987ebc  
**SHA1:** 0c8b231c3d55b9724a4564ba02ad4be38c197293  
**SHA256:** 4c7802957b5f7ddc47a97d1cab371e7c0b39592f17fbb86103626762e593c872  
**Referenced In Project/Scope:**server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: tinymce.jar: plugin.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/autosave/plugin.js  
**MD5:** 78ae76cf436707ded3a0ae8cb1f8f4be  
**SHA1:** 2db5d96907012d7ad0c4c50abd11994a63637507  
**SHA256:** 8739940eef76bbc0ad0ea5e4b6f7ded4e1ceda9aba15a52543fd00c180373756  
**Referenced In Project/Scope:**server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: tinymce.jar: plugin.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/bbcode/plugin.js  
**MD5:** 5baedc3309a92d6d3b3fe7944984845f  
**SHA1:** c3bc65277f12b71bffb0ac04fe737deb6634b8c  
**SHA256:** 960eb4c3c3d150b615d4ee81042b4a5f0616d876af4ca66d7841597192313ac1  
**Referenced In Project/Scope:**server



## Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

## Identifiers

- None

## remotegui.zip: tinymce.jar: plugin.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/charmap/plugin.js

**MD5:** 132a6594d2c2580c00fe3fc881f64a3e

**SHA1:** d4a2ccf9d64dd6eeebbdbf4cbf9d4c2e2834737f

**SHA256:** 07beee90d71107fff1fd218d552ede08c0393118345c052ef1540d2070221de

**Referenced In Project/Scope:**server

## Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

## Identifiers

- None

## remotegui.zip: tinymce.jar: plugin.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/code/plugin.js

**MD5:** 6a3b1fa39f64d704ab9c8d8ffa3b85d5

**SHA1:** 2acb5fbaec43ab35346e8a564fb3104f197086bd

**SHA256:** bb6ada6875a1d6432000990c110825e5c12cc9d13a33dc1fc215c199f96c27e4

**Referenced In Project/Scope:**server

## Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------



### Identifiers

- None

## remotegui.zip: tinymce.jar: plugin.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/codesample/plugin.js

**MD5:** 2f0097d95781f1a4d2711d9f8fc5c334

**SHA1:** e181f02bd7bfcf5816508dde0b0ad1c99d9c40c9

**SHA256:** 8a19cde548a1dd6b0970a24eead3e04e85e69a3117642891a42d7b7b5361495d

**Referenced In Project/Scope:**server

### Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## remotegui.zip: tinymce.jar: plugin.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/colorpicker/plugin.js

**MD5:** fb7f0cac79b75d40a9ec81581acf75e7

**SHA1:** 0ed6610a578326d03411345bf8027c443cd7d105

**SHA256:** b7ff65effc877a633ad79dfc82ef0b3cd6c6c16107cd03580479b1239006091b

**Referenced In Project/Scope:**server

### Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None



### remotegui.zip: tinymce.jar: plugin.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/contextmenu/plugin.js

**MD5:** 63f32e24fb0dd17b1fe982314c29b55a

**SHA1:** 42b09e6b0cc5674ec3497c9c4d4c4d3de6a39047

**SHA256:** e7070041c1a1edfa77a48438ef4294f8da38caeb50411c25207e16316cd0c889

**Referenced In Project/Scope:**server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: tinymce.jar: plugin.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/directionality/plugin.js

**MD5:** b73632a4533311d6dfca1b3841534ebc

**SHA1:** 0c6aef806245b102e3332080c811d3375337a662

**SHA256:** 2e201c96ce771956becaf72e4f2d4abf67d4941e5735f5d0dce965d5150a5ed5

**Referenced In Project/Scope:**server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: tinymce.jar: plugin.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars



/tinymce/5.10.9/plugins/emoticons/plugin.js

**MD5:** ff191fd241bd1933c67f5fea4a52107b

**SHA1:** 7a9cbb74716ce1e0e86d90690f7de79162c60db3

**SHA256:** 374fb04498849e7e18bc5a698387055dbe1de48fff78f7fc8bd5668c73b73d54

**Referenced In Project/Scope:**server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: tinymce.jar: plugin.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller  
/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars  
/tinymce/5.10.9/plugins/fullpage/plugin.js

**MD5:** 3c14f849d19f550aaf23f9e4bc2b647b

**SHA1:** 5e95acd51eb15d13129fab8bca354ca5aa440c52

**SHA256:** b6a5c94a76cf5fb719b6455c239d39e678e3fbb7c053e049103d2d02bbd2ea04

**Referenced In Project/Scope:**server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: tinymce.jar: plugin.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller  
/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars  
/tinymce/5.10.9/plugins/fullscreen/plugin.js

**MD5:** 2227d3ff362f92145a0d66ba1bf68f1e

**SHA1:** 37fbe66ad5aa755498bc8ceb5e421b56df27539f

**SHA256:** 197cc4190c8782e40dfca6b28225cb4766c1ab0b1bf60cc445fe024265d18db2

**Referenced In Project/Scope:**server

#### Evidence





Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: tinymce.jar: plugin.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/help/plugin.js

**MD5:** 667d246d02a71436f2f4a4fb80f720ab

**SHA1:** 0691382a7959a2ce6fe97b92bc08d737d8fb385b

**SHA256:**35d0d9f12208794695c9e3594e309feb53af67897d9a31ce0eb85d06f17e9953

**Referenced In Project/Scope:**server

#### Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: tinymce.jar: plugin.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/hr/plugin.js

**MD5:** 70b7ff4273d8b9374b7d35a570e60eff

**SHA1:** ec2f770c33132f6aa30982fc444d56da76ffe337

**SHA256:**e11ffde0e9f4d65d0ce9214df8176401176b795d5fa15e95d00458e39328ffef

**Referenced In Project/Scope:**server

#### Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers



- None

### remotegui.zip: tinymce.jar: plugin.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/image/plugin.js  
**MD5:** 25e0f52ab1477d0d8d7eb7500760cb50  
**SHA1:** 75de5182c87d9ea18ef952ee17fa0d7131128973  
**SHA256:** 47fa10a331f5515c0d838a0f33d6b5447a55e32342351fd20c95b00c4265e6bc  
**Referenced In Project/Scope:**server

#### Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: tinymce.jar: plugin.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/imagetools/plugin.js  
**MD5:** a0523d774ffc8fc8cd0049100a2336e2  
**SHA1:** ce5fe228f3eaecace4cff2459dac6d430311903b  
**SHA256:** cd6286fa790dcb7351a562f856620986a8a2d68f7095c1a3aad5a4f2d96887ff  
**Referenced In Project/Scope:**server

#### Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None



## remotegui.zip: tinymce.jar: plugin.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/importcss/plugin.js

**MD5:** 6142b879008bd87224ca38716e663f4e

**SHA1:** a9296ae9c5141bfbeffe856412663f7aaf1ec9a1

**SHA256:** e7d53d5e29ff44e1505671f160bf2c300864e7b8de6ef937661af0e77fd15067

**Referenced In Project/Scope:**server

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## remotegui.zip: tinymce.jar: plugin.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/insertdatetime/plugin.js

**MD5:** 8d40733352776d516145934e3afc7bff

**SHA1:** 9bf39632e2eb45d37130f66081589ec5ada617fd

**SHA256:** 6d5492320474868f5ec67e14057819a762c46f8962726b307eb3d26d011c49f9

**Referenced In Project/Scope:**server

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## remotegui.zip: tinymce.jar: plugin.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/legacyoutput/plugin.js

**MD5:** acac6af2d9e273f2b23a63a08dd3c558



**SHA1:** c07692391443114f0d7e0b4a6aa521007e3bd8df  
**SHA256:**5ba6ccaa7469904d908818b1dd6c5331c643b586f9489987411faecaccae6de6  
**Referenced In Project/Scope:**server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: tinymce.jar: plugin.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/link/plugin.js  
**MD5:** 584389affa07184e25c194a8fdabb9d5  
**SHA1:** 10746d4434b26d0ae62fd1e3b3d538b6aaf67e94  
**SHA256:**34de8ceb8abf707ad68cdcde8a7d0aa174f0814891be74edf444fee067a2b855  
**Referenced In Project/Scope:**server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: tinymce.jar: plugin.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/lists/plugin.js  
**MD5:** 37f5953ed2ff9078029c1a7259991b9f  
**SHA1:** ecd87c0474db0e683895008b64b0813603e32e96  
**SHA256:**c9b0aa3c06581904734ac6b8b3fb4aea155e39d1e91f1f039bb338a5b9e72b01  
**Referenced In Project/Scope:**server

Evidence






Type	Source	Name	Value	Confidence
Identifiers				
• None				

remotegui.zip: tinymce.jar: plugin.js


**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/media/plugin.js  
**MD5:** 9099b48009886ed8e16a4c118f5238d3  
**SHA1:** c3ea8c6ca9bd1d99f11b849f809548139473a928  
**SHA256:**c7e3539ab59b62e06199f97fa9f24b57810a1089419ae10b4120be59d1ef1e73  
**Referenced In Project/Scope:**server

Evidence 				
Type	Source	Name	Value	Confidence

Identifiers				
• None				

remotegui.zip: tinymce.jar: plugin.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/nonbreaking/plugin.js  
**MD5:** 749eb6330381762948b2f20a202bdbbc8  
**SHA1:** 734c7fc31992486d576ddf4cf2be102364eb269d  
**SHA256:**db5d0af653b72f4eed01361aadbdbb8d6156166764a6560f26094bb8af4b1dd0  
**Referenced In Project/Scope:**server

Evidence 				
Type	Source	Name	Value	Confidence

Identifiers				
-------------	--	--	--	--



- None

### remotegui.zip: tinymce.jar: plugin.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/noneditable/plugin.js  
**MD5:** 0cd8420a08e51a6933403f015aaa3411  
**SHA1:** f134de62fb37750ba86539b494fb2d1a4a8c3375  
**SHA256:** b744c8b53bfd3743261cdf34c97adcc906ee0e8bb4d6e5f678ec17aa94ace620  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: tinymce.jar: plugin.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/pagebreak/plugin.js  
**MD5:** 7c4ccd64b6155d8214b5b1a3f73f3b7b  
**SHA1:** 0a4109c7fd5c0e8c3fc0ed4c5a0327d89127eb33  
**SHA256:** 428ed1c11ed3db50d423675174945be116a37f9f0272962ee963c5761e46ee53  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: tinymce.jar: plugin.js



**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/paste/plugin.js  
**MD5:** cfdc8703816a9737a79ae9ed7beabf8d  
**SHA1:** efd58468ce97492f8ea66bed478b128ba718c6f6  
**SHA256:**3707fd09dec450191849481685e06a0f772fdb864ecc65ea7d44408bb5eda060  
**Referenced In Project/Scope:**server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: tinymce.jar: plugin.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/preview/plugin.js  
**MD5:** 155059d4164fa84a11a8fcf832c167ef  
**SHA1:** 4e9f13defe9e7105e46f8c5abd3dcd90f72884de  
**SHA256:**bea49d22120d6084722e0622159923503c64ef38381627ba59453315c79899fe  
**Referenced In Project/Scope:**server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: tinymce.jar: plugin.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/print/plugin.js  
**MD5:** 512f5958e5be1292e0b40b81acb3961b



**SHA1:** a593a69a04d2ee2d87500e43b22887a79d1cc0ab  
**SHA256:** c2ed0f9eb835dbe6dbc07720f357d305d6d92f5f3b3f6c93582a08913f071a38  
**Referenced In Project/Scope:** server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: tinymce.jar: plugin.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/quickbars/plugin.js  
**MD5:** 2a2749604c1d1c01d6449640386921a4  
**SHA1:** 700d9a8bdb922519681b7066110d8ffbf6d35af  
**SHA256:** edc7cac600a5a192dd9631e1ce4486a9b2a4cf57130a854f95ed14407957a7ed  
**Referenced In Project/Scope:** server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: tinymce.jar: plugin.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/save/plugin.js  
**MD5:** 1c596c6695f6fb677724104a5cb6ef09  
**SHA1:** 1ab96f1ecc15c8464f4a21e6d87a8abfc5b6301f  
**SHA256:** b1ceb34483e8524a67f86f0afe3a4912b9cd9c459edd836d7d68782278929aa  
**Referenced In Project/Scope:** server

Evidence





Type	Source	Name	Value	Confidence
Identifiers				
• None				

remotegui.zip: tinymce.jar: plugin.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/searchreplace/plugin.js

**MD5:** d3638fa2fe4ff0254d106f74919fd5ba

**SHA1:** 7a97e21f55ddb50bebe88e7d1eb87961592238

**SHA256:**352556506ab24dcc232614318170876cbfb89cdf3d4365b6b8b7768c9d10048b

**Referenced In Project/Scope:**server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

• None

remotegui.zip: tinymce.jar: plugin.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/spellchecker/plugin.js

**MD5:** 5c3a67b4eabdcdb17750b9515bf92835

**SHA1:** c3de092a25b1f541d896740a2d63ba1198376712

**SHA256:**a4a22a608a50d5674a7e92f3c9049eb69932b9641f8356f4ce200b38c38f29d3

**Referenced In Project/Scope:**server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers



- None

### remotegui.zip: tinymce.jar: plugin.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/tabfocus/plugin.js  
**MD5:** 548f7a6c2fbfb65617f46ab7fe2bfd2e  
**SHA1:** 74d5dfb9f0338becd85ce7c5333ff8cdca2e1160  
**SHA256:** f5b1882e884a14b216bc1d7edd8a61e1b50161cf5010dca09566d35aa53a6c0e  
**Referenced In Project/Scope:**server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: tinymce.jar: plugin.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/table/plugin.js  
**MD5:** e1ea98e3eca4999c14dc0951b666d993  
**SHA1:** 6a09bb055bdaa37a0b45ce400f928b80b675c26d  
**SHA256:** 858bd022fa57b3d57340a2c87a58f8ef7e653e866f1cc22b0123391a0fb11977  
**Referenced In Project/Scope:**server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: tinymce.jar: plugin.js



**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/template/plugin.js  
**MD5:** 47caf788dd51be3ebcf03d4eaa0d50f1  
**SHA1:** e271f8d918420b03bb2a07510fb96eb51363ee  
**SHA256:** 339a4e659e0647090aee2bc5fc343479303dea8e928cac3c5ede9f1584ea61d0  
**Referenced In Project/Scope:**server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: tinymce.jar: plugin.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/textcolor/plugin.js  
**MD5:** aa12124c60995407172b2ae1fa8206cd  
**SHA1:** 09b8f038908b04a597a16cbcb1ab7fc50b77e2ad  
**SHA256:** 09c4059de65cd8ce14bb8fc927787e77ec90d4daaa0160fd0e21002b8078171  
**Referenced In Project/Scope:**server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: tinymce.jar: plugin.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/textpattern/plugin.js  
**MD5:** 215e9c4d9865b6321a969f773e0a7193



**SHA1:** 8ffc9ff16531e40c2bd3cf614c8019a3a52caff6  
**SHA256:**8dd84aec717ae70a619ad5f4d3f3fbe4119ff590884537d47d4225aa7b5ab460  
**Referenced In Project/Scope:**server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: tinymce.jar: plugin.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/toc/plugin.js  
**MD5:** 78afdfe32c32fcd51a56fe5ce479238f  
**SHA1:** 874e7bd351c0928cd7346816f3cf18a323d5436f  
**SHA256:**4d27f86380b38c414e7b626863811d39bc6a3a1e7ab47e253259dadaca3a2830  
**Referenced In Project/Scope:**server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: tinymce.jar: plugin.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/visualblocks/plugin.js  
**MD5:** 89774b121e225bb29c44c53f47e2a183  
**SHA1:** 6069c8d84a6dcf9c2f92864d6d1758510ef8b4d9  
**SHA256:**33e5237bfeffe2ed9eb14a2418ebe6be1baf4395465661f66c3f9ca00bdc72cb  
**Referenced In Project/Scope:**server

Evidence





Type	Source	Name	Value	Confidence
Identifiers				
• None				

remotegui.zip: tinymce.jar: plugin.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/visualchars/plugin.js

**MD5:** b85145891b077f3216852bc21e7677c1

**SHA1:** f3ceee80fa4bbc6d0205e610ed39688d4fa65d66

**SHA256:**5be2c7c5ad1025ad62c0e89d39bf6b8ee44c97e21d2f30e21ca13794e1cd7bdc

**Referenced In Project/Scope:**server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

• None

remotegui.zip: tinymce.jar: plugin.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/wordcount/plugin.js

**MD5:** d1c1769efd1232e07105603c1032e43d

**SHA1:** a2d9f7f149ad34bedecdb6bb5cad1ae4a4b5c0d8

**SHA256:**d3c70ee49b0f099523d93bcf93f9e37d6a248c35c960f49a76085b17e5fb0958

**Referenced In Project/Scope:**server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers



- None

#### remotegui.zip: tinymce.jar: plugin.min.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/advlist/plugin.min.js  
**MD5:** 202d95b04d93c98fa6faea3b20ee2ac4  
**SHA1:** 0107c4ede81a2681847699b607b0f5d4a8e9dcfa  
**SHA256:** d30b35f56c2366c7e0a291f1be18171851d412d926ea4b91784d212101e36cde  
**Referenced In Project/Scope:** server

##### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

##### Identifiers

- None

#### remotegui.zip: tinymce.jar: plugin.min.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/anchor/plugin.min.js  
**MD5:** 3112de0d66e518fc6e87e5b4bc54ff4b  
**SHA1:** 022a805c78fe6f3c5c5b8a91125d98fb54b1d15e  
**SHA256:** cf1e93f7be5e348ee4776f6e65f54298aef6b6fca5d44aa24997b9d4b9d7212e  
**Referenced In Project/Scope:** server

##### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

##### Identifiers

- None

#### remotegui.zip: tinymce.jar: plugin.min.js



**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/autolink/plugin.min.js  
**MD5:** edc2ccc56661043eb8418dfd9703b5e  
**SHA1:** ee1a580f7c7f1281e770e7d9c34123b59e59178b  
**SHA256:**309c10e01eb2a9d35f84ed872ccbacbef6d5c4d2f5f2d8355bc9ec2bf44eb346  
**Referenced In Project/Scope:**server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: tinymce.jar: plugin.min.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/autoresize/plugin.min.js  
**MD5:** ae63cbe86bfd1dcffa4b04660f28aaa0  
**SHA1:** f9a63a98a97eab4d781ca01f71cc1addc3c5c56e  
**SHA256:**8ac4ad0984018281d653b8ba59747a797d7d8cf9ad2c6d4097f626686d75f7ed  
**Referenced In Project/Scope:**server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: tinymce.jar: plugin.min.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/autosave/plugin.min.js  
**MD5:** e2a4aacd72790b6845b73b65a11c6b3b



**SHA1:** 2733e8839d95a76fb62e9cf2ef3cb299c2842fa9  
**SHA256:** 6e409f97910c72655fd039e18989d8014b12e78bdb05857e8d6c7bbe54aac446  
**Referenced In Project/Scope:**server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: tinymce.jar: plugin.min.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/bbcode/plugin.min.js  
**MD5:** d1562b4cfafdf0f1ba200fea776bd78a  
**SHA1:** eacba8561e2fdec7c46448aa157a67b382731363  
**SHA256:** 74a9c60d78820683b8ce5aab6ca007bf4272c79365cc3e38c76c15b32707c7f3  
**Referenced In Project/Scope:**server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: tinymce.jar: plugin.min.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/charmap/plugin.min.js  
**MD5:** 329bc956fdd115d17a570e1c012aa29b  
**SHA1:** d8c16a0341fb4bf0a68bdda349854578ac7930c9  
**SHA256:** f02db784fa9fbff1ad2c355d51b7f5ac1eb88f66323d88d6ab7a9de24ca40941  
**Referenced In Project/Scope:**server

#### Evidence





Type	Source	Name	Value	Confidence
Identifiers				
• None				

remotegui.zip: tinymce.jar: plugin.min.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/code/plugin.min.js

**MD5:** 16a00a8a00e7bedfb8eca0b51cf91582

**SHA1:** ffe9b8ffe7ce4697a1dc933df3df85babceea49d

**SHA256:**2bd8c63c4d6361b92ce0bab4926c162dc03af995d9e4d16f3ee7a04719840f0

**Referenced In Project/Scope:**server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

• None

remotegui.zip: tinymce.jar: plugin.min.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/codesample/plugin.min.js

**MD5:** 1b42aad83df23dddcdb3eb08051adad4

**SHA1:** 6e51ce3687f2c008d37e1697107d4e3512fbc54e

**SHA256:**2259133ad05e1690cb479fd270193fa560462ac382ddddd37059f5fa9260802

**Referenced In Project/Scope:**server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers



- None

#### remotegui.zip: tinymce.jar: plugin.min.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/colorpicker/plugin.min.js  
**MD5:** f2f33bb1a07f8fde712895df570c6dfa  
**SHA1:** c3e7bc5ba0f4b176c86d0f71edbe598584ec10e4  
**SHA256:** 5a00b7584123d24eebedd3b90ba83e82eb3d92e6b25b308138e85b2b1ca9dcf3  
**Referenced In Project/Scope:**server

##### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

##### Identifiers

- None

#### remotegui.zip: tinymce.jar: plugin.min.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/contextmenu/plugin.min.js  
**MD5:** 742eaeecaa0020e9bdf8d3e1727f4dfd  
**SHA1:** 4a58d3d2bc2d4b0497c3bc849841ee6071dd9d92  
**SHA256:** a5ac1a81055ca6448c15958011faeba3c194fc1b9028336a13d50dd121abf4e7  
**Referenced In Project/Scope:**server

##### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

##### Identifiers

- None

#### remotegui.zip: tinymce.jar: plugin.min.js



**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/directionality/plugin.min.js  
**MD5:** 88407de4bae634b4b861f1784d6765ee  
**SHA1:** d6cb3dd73846f0ebc118ee4e191261416b65f8ec  
**SHA256:** f6c7d021ff2c3298dd324d3de5d468a37aedd3919fdfa04738c38878ad43f64f  
**Referenced In Project/Scope:**server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: tinymce.jar: plugin.min.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/emoticons/plugin.min.js  
**MD5:** 8e3a6564df728a54bbfc2007d35dd2fc  
**SHA1:** 2bc65bce44cebef706234bddaa3fef61fddc2791  
**SHA256:** 4ee4a74d6b13afa099bc6dd48f7a240219b87a24626d25a80fcdf06f3535b840  
**Referenced In Project/Scope:**server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: tinymce.jar: plugin.min.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/fullpage/plugin.min.js  
**MD5:** 12f9d416422e0984dfb0ad3c124a30e8



**SHA1:** 4c0cfd1305cd1b0b8373bbf11342e7c494cac4f8  
**SHA256:**3563499ed8b42c6d986ed4f805de9066a7a04f99d3343e2123369491fb6daa6c  
**Referenced In Project/Scope:**server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: tinymce.jar: plugin.min.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller  
/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars  
/tinymce/5.10.9/plugins/fullscreen/plugin.min.js  
**MD5:** 28c6f465baeeeba5f7711483c4a0e426  
**SHA1:** 09ad73eeb65c59def15937ea120b3ed6682b6513  
**SHA256:**72033751454cb26f52d9981653f49b2eb2b727e500b8a6ac941cebe0c6287c10  
**Referenced In Project/Scope:**server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: tinymce.jar: plugin.min.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller  
/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars  
/tinymce/5.10.9/plugins/help/plugin.min.js  
**MD5:** c1cf37a849f126f10d8ac2b826aa39ce  
**SHA1:** b7ddc1cfab6f87604bb7aa4577eb2b3812297340  
**SHA256:**611e336e89f80588550f49e8c15ba06bafba2902af4f81dbd63193548f18cfb1  
**Referenced In Project/Scope:**server

Evidence






Type	Source	Name	Value	Confidence
Identifiers				
• None				

remotegui.zip: tinymce.jar: plugin.min.js


**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/hr/plugin.min.js  
**MD5:** 25ffeedf184858ee3d71823eaf4990e0  
**SHA1:** ade2fbb0b51b6d889b2a768e556cf96815bac0e1  
**SHA256:** ee59ded600aa421083e0787156220364a82df074ef9b325c3238440404fb2c81  
**Referenced In Project/Scope:**server

Evidence 				
Type	Source	Name	Value	Confidence

Identifiers				
• None				

remotegui.zip: tinymce.jar: plugin.min.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/image/plugin.min.js  
**MD5:** a1410f44dc4dae7dde1ad1b37cfcf5c2  
**SHA1:** 794592d3040282761a5a3c186558f5edc87c40ea  
**SHA256:** b0b7035786562496f47ccc7f69e2917966d1227a9f405f67e5e61d75deb619a3  
**Referenced In Project/Scope:**server

Evidence 				
Type	Source	Name	Value	Confidence

Identifiers				
-------------	--	--	--	--



- None

#### remotegui.zip: tinymce.jar: plugin.min.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/imagetools/plugin.min.js  
**MD5:** bf4eeab4ff114a3ca465e2e00e0ed817  
**SHA1:** 7c4796ab1f08d4a30fa1ea15734af2c89d33b673  
**SHA256:** d6993e4195cf8098114f3024c8c556a9aaee2ad2249150ac84d9b5230f076dbb  
**Referenced In Project/Scope:** server

##### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

##### Identifiers

- None

#### remotegui.zip: tinymce.jar: plugin.min.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/importcss/plugin.min.js  
**MD5:** 4dfbf3010085640e499ffa4ed53f3e9f  
**SHA1:** 806b76dbeef2d9c4fd1aa243d1af03bba35b555e  
**SHA256:** 3c92a77bb7032d571c3c6c0a18123891e06bb40ae4498f137743d25ee6414ea8  
**Referenced In Project/Scope:** server

##### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

##### Identifiers

- None

#### remotegui.zip: tinymce.jar: plugin.min.js



**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/insertdatetime/plugin.min.js  
**MD5:** 5a27df4fa9592be99446da8e6d67a2cf  
**SHA1:** a031aff6bf079251c757636841a29b2e9d6a8b1c  
**SHA256:** 321c0a514308e5c84257d8cdd3969e350486a6db0978e0e5ad143c0bc6a4ce0c  
**Referenced In Project/Scope:**server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: tinymce.jar: plugin.min.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/legacyoutput/plugin.min.js  
**MD5:** 5516e774422ea64df103c3c2234a4ec6  
**SHA1:** 657da397fb739dd03cb8aafa7177716b40f9d45b  
**SHA256:** 57c72a86b59964c2b67e744ae14557c3eeb3839eed6bca42883e3190dc2620eb  
**Referenced In Project/Scope:**server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: tinymce.jar: plugin.min.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/link/plugin.min.js  
**MD5:** d7059f353e02e66f01aa09b0fb193b61



**SHA1:** 5d94fa0eed6547f0bbd61c15bb0b9fd66ee095fc  
**SHA256:**d539e25d6b9b7c1d912d731846be75285fd7813e9d23e6868a0fd602ed4d9bfe  
**Referenced In Project/Scope:**server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: tinymce.jar: plugin.min.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/lists/plugin.min.js  
**MD5:** 153f9440390dfd0852bc13b37e4a99cf  
**SHA1:** 098629a46a42755f921a2a6a8d2eee46dbbd6254  
**SHA256:**2e7d9385c8fd8248220ff2c5f34b30ad92a6bf34e65f05b611f24c9fd820a2a2  
**Referenced In Project/Scope:**server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: tinymce.jar: plugin.min.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/media/plugin.min.js  
**MD5:** bff1f8494661523d9d921dd568dea68f  
**SHA1:** 47b1e97c66ac4532a1cc0cdc213e84b2e1e5cb3d  
**SHA256:**c4ddc7ef78871c0e384b32eede7953b391f1ebfab367fd6e38cd24aacb74808b  
**Referenced In Project/Scope:**server

Evidence





Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: tinymce.jar: plugin.min.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/nonbreaking/plugin.min.js  
**MD5:** 22cec5d1cd67de1710ac237a51b1eff2  
**SHA1:** b78369ddc84f703ff894b59a951eb8713fbb0eaf  
**SHA256:**9bb250342be2c9a4b71b46f553e5700b958b90356796f9d136c2d30cf51613af  
**Referenced In Project/Scope:**server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: tinymce.jar: plugin.min.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/noneditable/plugin.min.js  
**MD5:** b559bf0c485035ccc5adc2cc5d27edc2  
**SHA1:** d9535a360c55123550f45d2a13112e5c54613b09  
**SHA256:**a3dcfa365c12b7cdc0102e3a3ba5f139cffbcb58c93de5cfd1cfd6758787e3f8  
**Referenced In Project/Scope:**server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers



- None

### remotegui.zip: tinymce.jar: plugin.min.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/pagebreak/plugin.min.js  
**MD5:** 2e7175073fbd4c9d0d41a620b87f47c8  
**SHA1:** c3808c1045cf485075c41586755b610a5e56f2c3  
**SHA256:** e8796cc7df647c286d04bca204e397e9f77e274aa31a982196424842284dc11f  
**Referenced In Project/Scope:**server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: tinymce.jar: plugin.min.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/paste/plugin.min.js  
**MD5:** e6ceced2c0b57ae7a093c250025d4b93  
**SHA1:** 83000fb948b32522f4c391a21deca3c6ab3a41cd  
**SHA256:** 02f6cf2f00a0470edc2ce45521fe9e7ef083f1c0315558ee42c0f8c90d5059b8  
**Referenced In Project/Scope:**server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: tinymce.jar: plugin.min.js



**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/preview/plugin.min.js  
**MD5:** 3662f07953f093e774ef09cd282aa456  
**SHA1:** 995e14b009b09f1eb9f8a6694f2a63d3f03b28cc  
**SHA256:**c56fdc4fc82a79bdcfaffa7173b9d73eb4ece00386a1cd6a3cf08441eaeca800  
**Referenced In Project/Scope:**server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: tinymce.jar: plugin.min.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/print/plugin.min.js  
**MD5:** 779799d120a0e0ad3822f9e54640cf19  
**SHA1:** d5848caf54e8617ad251491c9251d8f339a216e3  
**SHA256:**b4dd176e085a39bddd30362cc503b757e8648fa763374927cc1f771032f2c432  
**Referenced In Project/Scope:**server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers


- None

### remotegui.zip: tinymce.jar: plugin.min.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/quickbars/plugin.min.js  
**MD5:** cf09c9aca413bc4fbb19c1b8db79bd2a



**SHA1:** f540a233d19ab3f34123e7dd97d09a12c0946139  
**SHA256:**4f0a83cc96e7e818d2ee734b8dabcb31e2de69516c2f6a3338cc412d53795ab5  
**Referenced In Project/Scope:**server

Evidence 


Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: tinymce.jar: plugin.min.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller /server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars /tinymce/5.10.9/plugins/save/plugin.min.js  
**MD5:** 1d255a40141338ace9a468f382ebc116  
**SHA1:** 0f0dcf709e333cdd51f50dbffaa8249cb46ab218  
**SHA256:**887deb37b92ba8b6aff6e65565fd22e338d267622e308d30c768cc5b1d11527e  
**Referenced In Project/Scope:**server

Evidence 

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: tinymce.jar: plugin.min.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller /server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars /tinymce/5.10.9/plugins/searchreplace/plugin.min.js  
**MD5:** ac0e1a41a7ac38053f65df3d3e899d50  
**SHA1:** 2e7f1c6e0210b98b18cd48cc7a79ebd5ff9bf7bc  
**SHA256:**2c00411b358e2836734b729c7dd85155c7398086f52be27124b314536d1ced65  
**Referenced In Project/Scope:**server

Evidence 



Type	Source	Name	Value	Confidence
Identifiers				
• None				

remotegui.zip: tinymce.jar: plugin.min.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/spellchecker/plugin.min.js

**MD5:** ba970e24a9000a62537e9a61dc67af21

**SHA1:** 975d4817120905cdba5d2f3c41c8d40548c79b15

**SHA256:** 4e7e4741970c39f8c2e10f4b9375e2841ef82520e2f092daabfdec68bcd72c50

**Referenced In Project/Scope:**server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

• None

remotegui.zip: tinymce.jar: plugin.min.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/tabfocus/plugin.min.js

**MD5:** b3ed291355f244a08de7c6cdd28bdc24

**SHA1:** be298bad6688fb4979fe9acb1949ea89c4afa36b

**SHA256:** 13c873fca170d4949c38b556f8d76c09abfedb4c4a01b4e056a2d1ddaeaf915f

**Referenced In Project/Scope:**server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers



- None

### remotegui.zip: tinymce.jar: plugin.min.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/table/plugin.min.js  
**MD5:** e49127ac5d6d510bcfee6d834109d7d9  
**SHA1:** 3e845f3a31bc77ff139f6c738afc05eddaee9573  
**SHA256:** 9130f4972ccd49565986d6e624d3a70109de6b5dfd56a9e0ff23954f17877e6d  
**Referenced In Project/Scope:**server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: tinymce.jar: plugin.min.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/template/plugin.min.js  
**MD5:** f5d5437a7c23a78a945a8db00bae1dc5  
**SHA1:** ec33f38e54858e4f4282fc27f8e635fa8d054701  
**SHA256:** 9bb402bbdba8a4d4b5a73a9f91d8150ef2805dda6ed96fd393c11e369c92a8ac  
**Referenced In Project/Scope:**server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: tinymce.jar: plugin.min.js



**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/textcolor/plugin.min.js  
**MD5:** c423242c5a16c97be3b9a24d6b4f1062  
**SHA1:** d50ad5bd7ea69a614899837e4cd3ecace1df2621  
**SHA256:** 1a882eb097c9d69037a035c897a63cbbad1bd3b59cf5d22bacb4784d8994a3c1  
**Referenced In Project/Scope:**server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: tinymce.jar: plugin.min.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/textpattern/plugin.min.js  
**MD5:** 4d23619babf8fc972428cfe3dd010411  
**SHA1:** f57a6cebae882fb8d9c3a507de83d9b1fdb3a1a8  
**SHA256:** 166cbcd9d86dce2a0890c62f6757500d3d4212a26c39757d9921f9e2615ba948  
**Referenced In Project/Scope:**server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: tinymce.jar: plugin.min.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/toc/plugin.min.js  
**MD5:** 13707deaf5f0430745e57d913ea31257



**SHA1:** 2d23b19db8821b9910ba04c34d8bc1d4800e90b0  
**SHA256:**3a2df41858244f3207c16189f0eb78079e3da18d1151fe2a99c1adab3f117331  
**Referenced In Project/Scope:**server

Evidence <span></span>				
Type	Source	Name	Value	Confidence

Identifiers				
• None				

**remotegui.zip: tinymce.jar: plugin.min.js**

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/visualblocks/plugin.min.js  
**MD5:** 9c96006cef6c3ac93b762398112b4855  
**SHA1:** f9ec40c80b863f409947844e841cc0037b379657  
**SHA256:**0f1e3d314633726deea43eff70a76e1308fcc6d85570aa4cf6392abaa7d81e78  
**Referenced In Project/Scope:**server

Evidence <span></span>				
Type	Source	Name	Value	Confidence

Identifiers				
• None				

**remotegui.zip: tinymce.jar: plugin.min.js**

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/visualchars/plugin.min.js  
**MD5:** 9869c6e0ff649172df808ed22c7b9a08  
**SHA1:** 592dc0de3aa1d7e3a7f572a8d51e67fe3b2c7a43  
**SHA256:**469be54f8ba9ddbb9c8020d65aae0521d43f05a9197b8412e0247501f8da4490  
**Referenced In Project/Scope:**server

Evidence <span></span>				
------------------------	--	--	--	--



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## remotegui.zip: tinymce.jar: plugin.min.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/wordcount/plugin.min.js  
**MD5:** ca6ae0cddf594fd58d16eedfbf25e5a2  
**SHA1:** da6fa1c97cb33defad55c1767e08f40b4955aa66  
**SHA256:**7b59f6d1fd0047cf530d9358dcbb7af7cc8982ab52642d230e10b0534ef1480e  
**Referenced In Project/Scope:**server

### Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## remotegui.zip: tinymce.jar: theme.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/themes/mobile/theme.js  
**MD5:** bf71e3c8a676f9f33cae81ef702d5077  
**SHA1:** cd57219abb6d0a23e19a100979d353f2ef5d98c1  
**SHA256:**a0ca0d72dd1b77c66cbcd1eab25daa174ed8048507027218477bacf04e4cef11  
**Referenced In Project/Scope:**server

### Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers



- None

### remotegui.zip: tinymce.jar: theme.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/themes/silver/theme.js  
**MD5:** b99cdf5dcb718bb3d31d6c8667ae2462  
**SHA1:** 26d8486e0ec39d27e79b0b37965b28e2b45afb6d  
**SHA256:** 0147750f4214d0acd55cadda52809ac73766443333bb65947c7fe1e0684d85c7  
**Referenced In Project/Scope:**server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: tinymce.jar: theme.min.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/themes/mobile/theme.min.js  
**MD5:** 16cae3454aa3d42affaa77affd250d0f  
**SHA1:** d1aabb81b26a0cea4f2463fc3834e19b96577db  
**SHA256:** 41c734ae3943763aa08ab0b42b85aa755621e26124f15a7a0708ccb8b3ae3c63  
**Referenced In Project/Scope:**server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: tinymce.jar: theme.min.js



**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/themes/silver/theme.min.js  
**MD5:** 9f7fbf793a00485e1943e7270b1194b2  
**SHA1:** 2dbf1744e59360da304128ddd7cc25476e376af5  
**SHA256:** 05f5cf013cd5b6c793f9d5f745350088d3c5686ba001197b7ce2e1cb8c961f99  
**Referenced In Project/Scope:**server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: tinymce.jar: tinymce.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/tinymce.js  
**MD5:** f7a8350f10f92d58a952e1feb0d28f2c  
**SHA1:** d3ecc2861e41722d51e1ede38da5ead47a530c14  
**SHA256:** a78ee6bd10002d050a314768a523533144228f654d80571a8ed28ff3011208a1  
**Referenced In Project/Scope:**server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: tinymce.jar: tinymce.min.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/tinymce.min.js  
**MD5:** 10df005254d5668ccedbdba2614354acd



**SHA1:** fbcd5a3f14b7c3dd8a9d203b9b30acfba49a38f4  
**SHA256:**3c3041cb95a1c979ee2205901cf1c670a36c192ef089e6f63b94beabef386c30  
**Referenced In Project/Scope:**server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: twemoji.jar

License:

MIT

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller  
/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/twemoji.jar  
**MD5:** af9b535ef495075dfb0a7d5bec95eee6  
**SHA1:** 0a559adee289b6b855ad1294b17dd71d9f3d21eb  
**SHA256:**9ce4f61ef563851b37c3918c54a876a865d2f66fda5f80dd2bfecebb2d7e386f  
**Referenced In Project/Scope:**server

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	twemoji	High
Vendor	Manifest	url	https://github.com/twitter/twemoji/blob/master/LICENSE	Low
Vendor	pom	artifactid	twemoji-null	Low
Vendor	pom	groupid	lib	Highest
Vendor	pom	url	twitter/twemoji/blob/master/LICENSE	Highest
Product	file	name	twemoji	High
Product	Manifest	url	https://github.com/twitter/twemoji/blob/master/LICENSE	Low
Product	pom	artifactid	twemoji-null	Highest
Product	pom	groupid	lib	Highest
Product	pom	url	twitter/twemoji/blob/master/LICENSE	High
Version	pom	version	1.0	Highest



Identifiers

- [pkg:maven/lib/twemoji-null@1.0](#) (Confidence:High)

reporting.zip: ReportViewer.jar

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/reporting.zip/ReportViewer.jar  
**MD5:** 7c0f06d3f98f71da2a0454dbc7ad1b6e  
**SHA1:** 7331023d5271f5d5b4eea191376a3c4a75ea0f4f  
**SHA256:**34711945dc14f7e4b837731d72abe699a085f4fa20e17ccadb9a747b449353ad  
**Referenced In Project/Scope:**server

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	ReportViewer	High
Vendor	jar	package name	i	Highest
Vendor	jar	package name	inet	Low
Vendor	jar	package name	viewer	Low
Vendor	Manifest	application-library-allowable-codebase	*	Low
Vendor	Manifest	application-name	i-net Clear Reports	Medium
Vendor	Manifest	built-date	2024-01-16 12:58	Low
Vendor	Manifest	codebase	*	Low
Vendor	Manifest	implementation-group	reporting	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	permissions	all-permissions	Low
Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	trusted-library	false	Low
Vendor	Manifest	trusted-only	false	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	ReportViewer	High



Product	jar	package name	i	Highest
Product	jar	package name	reportviewer	Highest
Product	jar	package name	viewer	Low
Product	Manifest	application-library-allowable-codebase	*	Low
Product	Manifest	application-name	i-net Clear Reports	Medium
Product	Manifest	built-date	2024-01-16 12:58	Low
Product	Manifest	codebase	*	Low
Product	Manifest	implementation-group	reporting	Low
Product	Manifest	Implementation-Title	ReportViewer	High
Product	Manifest	permissions	all-permissions	Low
Product	Manifest	specification-title	ReportViewer	Medium
Product	Manifest	trusted-library	false	Low
Product	Manifest	trusted-only	false	Low
Version	Manifest	Implementation-Version	23.10.295	High

#### Identifiers

- [cpe:2.3:a:inetsoftware:clear\\_reports:23.10.295:\\*:\\*:\\*:\\*:\\*](#) (Confidence:Medium)
- [cpe:2.3:a:inetsoftware:i-net\\_clear\\_reports:23.10.295:\\*:\\*:\\*:\\*:\\*](#) (Confidence:Medium)

## reporting.zip: jcommon.jar

### Description:

JCommon is a free general purpose Java class library that is used in several projects at [www.jfree.org](http://www.jfree.org), including JFreeChart and JFreeReport.

### License:

GNU Lesser General Public Licence: <http://www.gnu.org/licenses/lgpl.txt>

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/reporting.zip/jcommon.jar



**MD5:** 3872e82627df950d40a949144a93e491

**SHA1:** d5016f7703896c38f9e511f8a9edda2585cbac8b

**SHA256:** 13e2596044935f76694cce65a22d1df908907ddcba0da2b49ff030930262d417

**Referenced In Project/Scope:**server

## Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	jcommon	High
Vendor	jar	package name	jcommon	Highest
Vendor	jar	package name	jfree	Highest
Vendor	jar	package name	jfree	Low
Vendor	jar	package name	library	Highest
Vendor	jar	package name	ui	Low
Vendor	pom	artifactid	jcommon	Low
Vendor	pom	developer email	dave@jfree.org	Low
Vendor	pom	developer name	David Gilbert	Medium
Vendor	pom	developer org	Object Refinery Limited	Medium
Vendor	pom	developer org URL	http://www.object-refinery.com	Medium
Vendor	pom	groupid	org.jfree	Highest
Vendor	pom	name	JCommon	High
Vendor	pom	organization name	JFree.org	High
Vendor	pom	organization url	http://www.jfree.org/	Medium
Vendor	pom	url	http://www.jfree.org/jcommon/	Highest
Product	file	name	jcommon	High
Product	jar	package name	jcommon	Highest
Product	jar	package name	jfree	Highest
Product	jar	package name	library	Highest
Product	jar	package name	ui	Low
Product	pom	artifactid	jcommon	Highest
Product	pom	developer email	dave@jfree.org	Low
Product	pom	developer name	David Gilbert	Low
Product	pom	developer org	Object Refinery Limited	Low
Product	pom	developer org URL	http://www.object-refinery.com	Low
Product	pom	groupid	org.jfree	Highest
Product	pom	name	JCommon	High



Product	pom	organization name	JFree.org	Low
Product	pom	organization url	http://www.jfree.org/	Low
Product	pom	url	http://www.jfree.org/jcommon/	Medium
Version	pom	version	1.0.24	Highest

### Identifiers

- [pkg:maven/org.jfree/jcommon@1.0.24](https://maven.org/jfree/jcommon@1.0.24) (Confidence:High)

## reporting.zip: jfreechartCC.jar

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/reporting.zip/jfreechartCC.jar  
**MD5:** 1dcdad81f5cbae855a1b7009b8b65a22  
**SHA1:** 68e6fb87411c8ada3f0bd5a2d8971b002e047bc1  
**SHA256:** 9102048136f0be772c95e2201f64a604b235b2153613f60ebacbb28e3cd080af  
**Referenced In Project/Scope:**server

### Evidence

Type	Source	Name	Value	Confidence
Vendor	file	name	jfreechartCC	High
Vendor	jar	package name	chart	Low
Vendor	jar	package name	inet	Low
Vendor	jar	package name	jfree	Low
Vendor	Manifest	built-date	2024-01-16 13:01	Low
Vendor	Manifest	implementation-group	reporting	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	jfreechartCC	High
Product	jar	package name	chart	Low
Product	jar	package name	jfree	Low
Product	Manifest	built-date	2024-01-16 13:01	Low



Product	Manifest	implementation-group	reporting	Low
Product	Manifest	Implementation-Title	jfreechartCC	High
Product	Manifest	specification-title	jfreechartCC	Medium
Version	Manifest	Implementation-Version	23.10.295	High

#### Identifiers

- None

### reporting.zip: reporting-javadoc.jar

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/reporting.zip/reporting-javadoc.jar

**MD5:** 7d822f5aa7b8680b78113bb8e1cce73c

**SHA1:** c42ded754d8a3278b1846e18bc99279a85bf9dd1

**SHA256:** edddedba8ca45ec1bc6e9ad1319b807ff4b5d192e4ca0d46df6be6928ba15a67

**Referenced In Project/Scope:**server

#### Evidence

Type	Source	Name	Value	Confidence
Vendor	file	name	reporting-javadoc	High
Product	file	name	reporting-javadoc	High

#### Identifiers

- None

### reporting.zip: reporting-javadoc.jar: member-search-index.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/reporting.zip/reporting-javadoc.jar/member-search-index.js

**MD5:** 30a9cf503a4949346a901e4a51be3f74

**SHA1:** 5b904a78919d8f48aae17cd9306ff4ff3f8a3f45

**SHA256:** 9b383ccfded23fe51fb5e3f22c6c423f51ee2f65348a475ce3ea5226f7e6d0e4

**Referenced In Project/Scope:**server



### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## reporting.zip: reporting-javadoc.jar: package-search-index.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/reporting.zip/reporting-javadoc.jar/package-search-index.js

**MD5:** 55d68b4ca5fc1194a22fac42f0ab1515

**SHA1:** 174f34872eb28c3de8a466b0407feba751ffa430

**SHA256:** b85f924952a8f98dea1044753ba658b4bb3b2abec22922988964164619629203

**Referenced In Project/Scope:**server

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## reporting.zip: reporting-javadoc.jar: type-search-index.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/reporting.zip/reporting-javadoc.jar/type-search-index.js

**MD5:** 690da4d588cc21de6a063b5dc7187a0c

**SHA1:** 14f5a8b665be1d31b9df864e70118cdace2a75f5

**SHA256:** b01eaa663c3564ab3129dba08029a4dce2543379bbfe56d4d4af6db0f41ae875

**Referenced In Project/Scope:**server

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------



Identifiers

- None

reporting.zip: reporting.jar

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller  
/server/build/tmp/dependencies/i-net PDFC/plugins/reporting.zip/reporting.jar  
**MD5:** e236fb84506570a70dbd1e5610af5f86  
**SHA1:** 2cf1aa425052d985853d40e9f5cbd34d434594ef  
**SHA256:** 14c5bc42043a2528230c2ff8af0b38ed50b4a95e408b7385c02fa1e0d492c1b7  
**Referenced In Project/Scope:**server

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	reporting	High
Vendor	jar	package name	i	Highest
Vendor	jar	package name	inet	Low
Vendor	jar	package name	report	Low
Vendor	Manifest	application-library-allowable-codebase	*	Low
Vendor	Manifest	built-date	2024-01-16 13:04	Low
Vendor	Manifest	codebase	*	Low
Vendor	Manifest	implementation-group	reporting	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	permissions	all-permissions	Low
Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	trusted-library	false	Low
Vendor	Manifest	trusted-only	false	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	reporting	High
Product	jar	package name	permissions	Highest
Product	jar	package name	report	Low



Product	jar	package name	reporting	Highest
Product	Manifest	application-library-allowable-codebase	*	Low
Product	Manifest	built-date	2024-01-16 13:04	Low
Product	Manifest	codebase	*	Low
Product	Manifest	implementation-group	reporting	Low
Product	Manifest	Implementation-Title	reporting	High
Product	Manifest	permissions	all-permissions	Low
Product	Manifest	specification-title	reporting	Medium
Product	Manifest	trusted-library	false	Low
Product	Manifest	trusted-only	false	Low
Version	jar	package name	permissions	Highest
Version	jar	package name	reporting	Highest
Version	Manifest	Implementation-Version	23.10.295	High

### Identifiers

- None

## reporting.zip: reporting.jar: events.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/reporting.zip/reporting.jar/com/inet/report/renderer/html/viewer/helper/events.js

**MD5:** 3fc9838e053b31f8807cae4d3ec8af0e

**SHA1:** 2c49faf9585fe00cd134370a8f36129390838fcc

**SHA256:**562e707e5a6fc06e50bdbd6526050ce0b5a71c62839d1a6fce3b6b262904a1fa

**Referenced In Project/Scope:**server

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None



### reporting.zip: reporting.jar: export.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/reporting.zip/reporting.jar/com/inet/report/renderer/html/viewer/modules/export.js

**MD5:** 746424b1fba005660a7543737f5703d7

**SHA1:** 5c1c20fbf6ee1d2bbbaeb1a71199142b9584da86

**SHA256:**f01740cc1eb338fba1ddab973b535fb3295517e8717471370fcd9a28f438e28

**Referenced In Project/Scope:**server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### reporting.zip: reporting.jar: functions.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/reporting.zip/reporting.jar/com/inet/report/renderer/html/viewer/helper/functions.js

**MD5:** bc0b98170ddeab63163390ac30171f37

**SHA1:** d07e00f2fa8d27dc2417b4f8f096502cc401770b

**SHA256:**86f3aa1e4ec41f66f04a934cc94d47c349b9b624340987692ab97cf500a847fd

**Referenced In Project/Scope:**server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### reporting.zip: reporting.jar: generator.js



**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/reporting.zip/reporting.jar/com/inet/report/renderer/html/viewer/helper/generator.js  
**MD5:** 4b134ea03a3730886b25c48a69e12d12  
**SHA1:** ac0f5d2f129c403643ed02fc01dec4cf198b2a55  
**SHA256:** df33bce63b706a9da4db4c1705413d121ee535fcb574a36f2516e1ea1e83e04  
**Referenced In Project/Scope:**server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### reporting.zip: reporting.jar: grouptree.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/reporting.zip/reporting.jar/com/inet/report/renderer/html/viewer/modules/grouptree.js  
**MD5:** 220a680be8faf46586781c412b65b9a6  
**SHA1:** c4ecb65ac1ab381f778cd2a293cce63a9c0e0c90  
**SHA256:** 096242fb4345f978995204b6234ba24819cf323dfa523a984ddecba988dbc091  
**Referenced In Project/Scope:**server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### reporting.zip: reporting.jar: jstorage.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/reporting.zip/reporting.jar/com/inet/report/renderer/html/viewer/helper/jstorage.js  
**MD5:** e3cf61a603c85bf3f8487da7e9548f71  
**SHA1:** 62f878b97e407836ac78c7f53e0dcc6dc253326c  
**SHA256:** 6d1e04ec7c76349ee41b892f465b8c0e110a6f5438da5cce419589a73d370cbc  
**Referenced In Project/Scope:**server



### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## reporting.zip: reporting.jar: keylistener.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/reporting.zip/reporting.jar/com/inet/report/renderer/html/viewer/modules/keylistener.js

**MD5:** c5d832994dcc5bebc8f8bc39cf5daad

**SHA1:** c5f6f54e81c1d0d3386bbd47bbdc0f9ca0c33170

**SHA256:** 9f415b33cfcb34f2156906e04601fd9bd845bb992003f660737c0269c6e9ac9e

**Referenced In Project/Scope:**server

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## reporting.zip: reporting.jar: menubar.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/reporting.zip/reporting.jar/com/inet/report/renderer/html/viewer/modules/menubar.js

**MD5:** 2c6ea25938c72790ebb0631bdc84d113

**SHA1:** 5b70f3c3ac234a363f681fae06088341b6a510f2

**SHA256:** 01611410dd1ec106e96ef869e10dafd01465810bc3056841eb8ac139c5e0580a

**Referenced In Project/Scope:**server

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------



### Identifiers

- None

## reporting.zip: reporting.jar: page.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/reporting.zip/reporting.jar/com/inet/report/renderer/html/viewer/page.js

**MD5:** 462d52c659dc09d5014cf48338eabd95

**SHA1:** 7aab284e6c75d5b2f47b57fff793a0d7c2ee754e

**SHA256:**555c503389751372bc5d54cdbda777902740ce4b4fea22718cda901b66eb035c

**Referenced In Project/Scope:**server

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## reporting.zip: reporting.jar: pagecount.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/reporting.zip/reporting.jar/com/inet/report/renderer/html/viewer/modules/pagecount.js

**MD5:** 675fd7aa9be5223a5c5af8917f6cd50f

**SHA1:** 45c607a4eebe8bb37675dc71a3fb4c7f58db7a6e

**SHA256:**691cb887bd76697134f7d215549565424e771dc73082d052798cfcb464d5d08e

**Referenced In Project/Scope:**server

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None



### reporting.zip: reporting.jar: popup.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/reporting.zip/reporting.jar/com/inet/report/renderer/html/viewer/modules/popup.js

**MD5:** 068236dc2cb787ebe964c5b4d9faf7b6

**SHA1:** 8d1da626ac6fda6c5eef912a6b37e1d1dcc7e938

**SHA256:** d7ae4b09613a422bc12bc1f65416856133b1b777520043242ddd89337918d03f

**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### reporting.zip: reporting.jar: print.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/reporting.zip/reporting.jar/com/inet/report/renderer/html/viewer/modules/print.js

**MD5:** 7b8d31c1093a5780e3456b1a89e5691d

**SHA1:** 92e65e0247c6a554b240fbd6ec9f765536971b4f

**SHA256:** 1bff0ec49ffd73d721476a42c7fdd790c11de9247708d0359634c5b1108a7454

**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### reporting.zip: reporting.jar: prompts.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/reporting.zip/reporting.jar/com/inet/report/renderer/html



/viewer/modules/prompts.js

**MD5:** 85a496ebe2cba4bc70869321d184d7f7

**SHA1:** 2b57162a46aaac6509d82d643a2b3cd2c0cff35d

**SHA256:** d881fb2545a4d0bd5deee4a5201d22ecfd71bfa516d8005b227882ae920753b1

**Referenced In Project/Scope:**server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### reporting.zip: reporting.jar: prototype.array.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller  
/server/build/tmp/dependencies/i-net PDFC/plugins/reporting.zip/reporting.jar/com/inet/report/renderer/html  
/viewer/helper/prototype.array.js

**MD5:** e7397419b474ed77e1919362d648e76e

**SHA1:** d51d04cd807648ebbf8147fb35a372b1be405a0c

**SHA256:** 32757f40fca37f8e5fa83f29618e3d6193dbe2a87df85bdf4b01f804e5ee10fa

**Referenced In Project/Scope:**server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### reporting.zip: reporting.jar: prototype.element.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller  
/server/build/tmp/dependencies/i-net PDFC/plugins/reporting.zip/reporting.jar/com/inet/report/renderer/html  
/viewer/helper/prototype.element.js

**MD5:** 22a460c748d56bbf5abe35fd13fef26f

**SHA1:** 5d0d84fb2fb8fc2e19b11b1ff02a40c78a496836

**SHA256:** f29e8a4e3940edaf6a6dd88dfdd1dd683cf67289bfe5b078a0f54a98c0717d2b

**Referenced In Project/Scope:**server

#### Evidence





Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### reporting.zip: reporting.jar: prototype.string.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/reporting.zip/reporting.jar/com/inet/report/renderer/html/viewer/helper/prototype.string.js

**MD5:** df4a28167933f1a8e7c46a2764aa042e

**SHA1:** 34da7d4649052f159e8ce3cdb620575cc06851a5

**SHA256:** 1b72a0129d32dd94172c575ab52a27f78f5083dded4a68a2a840c16a674d8376

**Referenced In Project/Scope:**server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### reporting.zip: reporting.jar: reorder.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/reporting.zip/reporting.jar/com/inet/report/renderer/html/viewer/modules/reorder.js

**MD5:** f69e929be3921597233d5f40cdb42d96

**SHA1:** 34dbc14d130c63bf8bc084fd2e0738072ad7531c

**SHA256:** bedbbe31cdf43b2581eb22c908587b90a090c8d3dec4f1f9473381f595cafcb5

**Referenced In Project/Scope:**server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers



- None

### reporting.zip: reporting.jar: script.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/reporting.zip/reporting.jar/com/inet/report/renderer/html/viewer/script.js

**MD5:** 141437c926ea1663b26c3dbf3f20620b

**SHA1:** 963e735aaca8a996e486badf0b29b5c4e4bd71f9

**SHA256:** 69c2f847bc7b0b441bdd17caddc3e82a8a341aaa0dc64a7fe265c164cf1fc784

**Referenced In Project/Scope:**server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### reporting.zip: reporting.jar: search.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/reporting.zip/reporting.jar/com/inet/report/renderer/html/viewer/modules/search.js

**MD5:** e6afcebcbce59c6dad547735f83145b

**SHA1:** 2244322683be03a5fcd548bd3db96675c7d6f9bf

**SHA256:** 0437a851a37d1d6758bc54cd91a974ab63e0af1585e88ba09374276c7a9a1296

**Referenced In Project/Scope:**server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None



## reporting.zip: reporting.jar: serverping.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/reporting.zip/reporting.jar/com/inet/report/renderer/html/viewer/modules/serverping.js

**MD5:** 1861b0348efe4c1f33ee73248cbdfec8

**SHA1:** 1cae1e6d0f52a1c7d702b34dec4fc70b9ccf88cd

**SHA256:** 6b7d72003153656657c5ecb6267c6b5ac8a6c0fcf772c33ca5ca6dba9e310b78

**Referenced In Project/Scope:**server

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## reporting.zip: reporting.jar: stacktrace.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/reporting.zip/reporting.jar/com/inet/report/renderer/html/viewer/stacktrace.js

**MD5:** 15af09e55c4ba39e41953f1a3e5a14c9

**SHA1:** 3c92835b1e605bca8aac7bd82d094c98ccbf79b

**SHA256:** 1133134ddfd7d0cab8d43b06e47825631b50d02cd54299c7dd80ff5a0d19457

**Referenced In Project/Scope:**server

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## reporting.zip: reporting.jar: tapbar.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/reporting.zip/reporting.jar/com/inet/report/renderer/html/viewer/modules/tapbar.js

**MD5:** a167d613560fa294a20aa263312119e7



**SHA1:** 229107e4fb0ae374d84c5875d2b198cd7103dace

**SHA256:** 0e9a2af3b11c0908aec38eb1d22ddacab57eb992cd2691dec1a52ca3310f31ac

**Referenced In Project/Scope:**server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### sampleapplication.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/Documentation and Samples/Plugin - Samples/Application/CurrentTimePlugin/src/com/inet/application/currenttime/sampleapplication.js

**MD5:** a0b6ce01eb88d27464c409bd56d4fa65

**SHA1:** c23569535b8a3fb31880228a5e8c3efd42555175

**SHA256:** 8d80f1c43ca8a4dba57c52e977bd61d92acae6cfdb8655b68fbc7102b021905

**Referenced In Project/Scope:**server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Related Dependencies



- application.currenttime.zip: sampleapplication.js
  - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/Documentation and Samples/Plugin - Samples/Application/CurrentTimePlugin/application.currenttime.zip/src/com/inet/application/currenttime/sampleapplication.js
  - MD5: a0b6ce01eb88d27464c409bd56d4fa65
  - SHA1: c23569535b8a3fb31880228a5e8c3efd42555175
  - SHA256: 8d80f1c43ca8a4dba57c52e977bd61d92acae6cfdb8655b68fbc7102b021905

#### Identifiers

- None

### search-worker.js



**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/Documentation and Samples/dotnet - ProcessBridge API Doc/styles/search-worker.js  
**MD5:** 5e2f2f2ecf39ab1197fa1f33bb73dce9  
**SHA1:** fdf200a9954128e900e26e11749fc5c9250ba4eb  
**SHA256:**422e115f5fd7829299546902847141ff52b972eca6c6b040bc7dbb81dcc79b89  
**Referenced In Project/Scope:**server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies



- search-worker.js
  - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/Documentation and Samples/nunit - API Doc/styles/search-worker.js
  - MD5: 5e2f2f2ecf39ab1197fa1f33bb73dce9
  - SHA1: fdf200a9954128e900e26e11749fc5c9250ba4eb
  - SHA256: 422e115f5fd7829299546902847141ff52b972eca6c6b040bc7dbb81dcc79b89

Identifiers

- None

setuplauncher.jar

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/java/setuplauncher.jar  
**MD5:** 71578f56c03a5fdb8172eb03c7d4710e  
**SHA1:** abbf176be366b3b7990a504f24c6fde3123d08a1  
**SHA256:**66e421c063aece6fd1d3d4875c5c26511d5dcb2867c3b2df88831f76e80433c4  
**Referenced In Project/Scope:**server

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	setuplauncher	High
Vendor	jar	package name	inet	Low
Vendor	jar	package name	setuplauncher	Low
Vendor	Manifest	built-date	2024-01-16 12:10	Low
Vendor	Manifest	implementation-	shared	Low



		group		
Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	setuplauncher	High
Product	jar	package name	setuplauncher	Highest
Product	jar	package name	setuplauncher	Low
Product	Manifest	built-date	2024-01-16 12:10	Low
Product	Manifest	implementation-group	shared	Low
Product	Manifest	Implementation-Title	setuplauncher	High
Product	Manifest	specification-title	setuplauncher	Medium
Version	Manifest	Implementation-Version	23.10.295	High

#### Identifiers

- None

## slf4j-api-2.0.9.jar

### Description:

The slf4j API

### License:

<http://www.opensource.org/licenses/mit-license.php>

**File Path:** /home/jenkins/.gradle/caches/modules-2/files-2.1/org.slf4j/slf4j-api/2.0.9/7cf2726fdcfbc8610f9a71fb3ed639871f315340/slf4j-api-2.0.9.jar

**MD5:** 45630e54b0f0ac2b3c80462515ad8fda

**SHA1:** 7cf2726fdcfbc8610f9a71fb3ed639871f315340

**SHA256:** 0818930dc8d7debb403204611691da58e49d42c50b6ffcfcdce02dadb7c3c2b6c

### Referenced In Projects/Scopes:

- server
- server:inetPlugin

### Evidence





Type	Source	Name	Value	Confidence
Vendor	file	name	slf4j-api	High
Vendor	gradle	artifactid	slf4j-api	Highest
Vendor	gradle	groupid	org.slf4j	Highest
Vendor	jar	package name	slf4j	Highest
Vendor	Manifest	build-jdk-spec	20	Low
Vendor	Manifest	bundle-docurl	http://www.slf4j.org	Low
Vendor	Manifest	bundle-symbolicname	slf4j.api	Medium
Vendor	Manifest	multi-release	true	Low
Vendor	Manifest	require-capability	osgi.extender;filter:="(&(osgi.extender=osgi.serviceloader.processor)(version>=1.0.0)!(version>=2.0.0)))",osgi.serviceloader;filter:="(osgi.serviceloader=org.slf4j.spi.SLF4JServiceProvider);osgi.serviceloader=org.slf4j.spi.SLF4JServiceProvider",osgi.ee;filter:="(&(osgi.ee=JavaSE)(version=1.8))"	Low
Vendor	pom	artifactid	slf4j-api	Low
Vendor	pom	groupid	org.slf4j	Highest
Vendor	pom	name	SLF4J API Module	High
Vendor	pom	parent-artifactid	slf4j-parent	Low
Vendor	pom	url	http://www.slf4j.org	Highest
Product	file	name	slf4j-api	High
Product	gradle	artifactid	slf4j-api	Highest
Product	jar	package name	slf4j	Highest
Product	jar	package name	slf4jserviceprovider	Highest
Product	jar	package name	spi	Highest
Product	Manifest	build-jdk-spec	20	Low
Product	Manifest	bundle-docurl	http://www.slf4j.org	Low
Product	Manifest	Bundle-Name	SLF4J API Module	Medium
Product	Manifest	bundle-symbolicname	slf4j.api	Medium
Product	Manifest	Implementation-Title	slf4j-api	High
Product	Manifest	multi-release	true	Low
Product	Manifest	require-capability	osgi.extender;filter:="(&(osgi.extender=osgi.serviceloader.processor)(version>=1.0.0)!(version>=2.0.0)))",osgi.serviceloader;filter:="(osgi.serviceloader=org.slf4j.spi.SLF4JServiceProvider);osgi.serviceloader=org.slf4j.spi.SLF4JServiceProvider",osgi.ee;filter:="(&(osgi.ee=JavaSE)(version=1.8))"	Low
Product	pom	artifactid	slf4j-api	Highest



Product	pom	groupid	org.slf4j	Highest
Product	pom	name	SLF4J API Module	High
Product	pom	parent-artifactid	slf4j-parent	Medium
Product	pom	url	http://www.slf4j.org	Medium
Version	file	version	2.0.9	High
Version	gradle	version	2.0.9	Highest
Version	Manifest	Bundle-Version	2.0.9	High
Version	Manifest	Implementation-Version	2.0.9	High
Version	pom	version	2.0.9	Highest

#### Related Dependencies

- slf4j-api.jar
  - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/java/slf4j-api.jar
  - MD5: 45630e54b0f0ac2b3c80462515ad8fda
  - SHA1: 7cf2726dcfbcb8610f9a71fb3ed639871f315340
  - SHA256: 0818930dc8d7debb403204611691da58e49d42c50b6ffcfcdce02dadb7c3c2b6c

#### Identifiers

- [pkg:maven/org.slf4j/slf4j-api@2.0.9](#) (*Confidence:High*)

### taskplanner.logaction.zip: taskplanner.logaction.sample.jar

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/Documentation and Samples/Plugin - Samples/TaskPlanner/LogActionPlugin/taskplanner.logaction.zip/taskplanner.logaction.sample.jar  
**MD5:** c918c30a788f0a0af2ab708360d59dfc  
**SHA1:** ad900a66270864744981bdb3097be82841a626c  
**SHA256:** c52a6fe1a63110c6cf760ed64676aa9382d7df9fb90022dd0612a32ebe5fc99c  
**Referenced In Project/Scope:**server

#### Evidence

Type	Source	Name	Value	Confidence
Vendor	file	name	taskplanner.logaction.sample	High
Vendor	jar	package name	inet	Low
Vendor	jar	package name	logaction	Low



Vendor	jar	package name	taskplanner	Low
Vendor	Manifest	built-date	2024-01-16 12:20	Low
Vendor	Manifest	implementation-group	shared	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	taskplanner.logaction.sample	High
Product	jar	package name	logaction	Highest
Product	jar	package name	logaction	Low
Product	jar	package name	taskplanner	Highest
Product	jar	package name	taskplanner	Low
Product	Manifest	built-date	2024-01-16 12:20	Low
Product	Manifest	implementation-group	shared	Low
Product	Manifest	Implementation-Title	taskplanner.logaction	High
Product	Manifest	specification-title	taskplanner.logaction	Medium
Version	Manifest	Implementation-Version	23.10.295	High

#### Identifiers

- None

### taskplanner.openweathermap.zip: taskplanner.openweathermap.sample.jar

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/Documentation and Samples/Plugin - Samples/TaskPlanner/OpenWeatherMapPlugin/taskplanner.openweathermap.zip/taskplanner.openweathermap.sample.jar  
**MD5:** 80229d8d6b26620db4250bc2d4220774  
**SHA1:** 41bef06b9398fe0edb622e0abab0866fdc4b4f57  
**SHA256:** 005bcce9ba8b0312c2858ca0273433155981c65c1d2df06bcbb2a97c29013822  
**Referenced In Project/Scope:** server

#### Evidence





Type	Source	Name	Value	Confidence
Vendor	file	name	taskplanner.openweathermap.sample	High
Vendor	jar	package name	inet	Low
Vendor	jar	package name	openweathermap	Low
Vendor	jar	package name	taskplanner	Low
Vendor	Manifest	built-date	2024-01-16 12:20	Low
Vendor	Manifest	implementation-group	shared	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	taskplanner.openweathermap.sample	High
Product	jar	package name	openweathermap	Highest
Product	jar	package name	openweathermap	Low
Product	jar	package name	taskplanner	Highest
Product	jar	package name	taskplanner	Low
Product	Manifest	built-date	2024-01-16 12:20	Low
Product	Manifest	implementation-group	shared	Low
Product	Manifest	Implementation-Title	taskplanner.openweathermap	High
Product	Manifest	specification-title	taskplanner.openweathermap	Medium
Version	Manifest	Implementation-Version	23.10.295	High

#### Identifiers

- None

### taskplanner.pdfc.zip: taskplanner.pdfc.jar

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/taskplanner.pdfc.zip/taskplanner.pdfc.jar

**MD5:** 6e03c56a1b7f74fc0c9701d065822d7e

**SHA1:** ffe058a9b7affff677f556dc5fa23d579694a00e



Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	taskplanner.pdf	High
Vendor	jar	package name	inet	Low
Vendor	jar	package name	pdfc	Low
Vendor	jar	package name	taskplanner	Low
Vendor	Manifest	built-date	2024-01-16 15:31	Low
Vendor	Manifest	implementation-group	pdfc	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	taskplanner.pdf	High
Product	jar	package name	pdfc	Highest
Product	jar	package name	pdfc	Low
Product	jar	package name	taskplanner	Highest
Product	jar	package name	taskplanner	Low
Product	Manifest	built-date	2024-01-16 15:31	Low
Product	Manifest	implementation-group	pdfc	Low
Product	Manifest	Implementation-Title	taskplanner.pdf	High
Product	Manifest	specification-title	taskplanner.pdf	Medium
Version	jar	package name	pdfc	Highest
Version	Manifest	Implementation-Version	23.10.295	High

Identifiers

- cpe:2.3:a:inetsoftware:pdfc:23.10.295:\*\*\*\*\*:\* (Confidence:Low)

suppress



## taskplanner.zip: commons-cli.jar

### Description:

Apache Commons CLI provides a simple API for presenting, processing and validating a Command Line Interface.

### License:

<https://www.apache.org/licenses/LICENSE-2.0.txt>

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/taskplanner.zip/commons-cli.jar

**MD5:** 6c3b2052160144196118b1f019504388

**SHA1:** dc98be5d5390230684a092589d70ea76a147925c

**SHA256:** bc8bb01fc0fad250385706e20f927ddcff6173f6339b387dc879237752567ac6

**Referenced In Project/Scope:** server

### Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	commons-cli	High
Vendor	jar	package name	apache	Highest
Vendor	jar	package name	cli	Highest
Vendor	jar	package name	commons	Highest
Vendor	Manifest	build-jdk-spec	1.8	Low
Vendor	Manifest	bundle-docurl	<a href="https://commons.apache.org/proper/commons-cli/">https://commons.apache.org/proper/commons-cli/</a>	Low
Vendor	Manifest	bundle-symbolicname	org.apache.commons.cli	Medium
Vendor	Manifest	implementation-build	UNKNOWN@re81a871025cd2dd5bc1d3b473c 2021-10-23 21:47:04+0000	Low
Vendor	Manifest	Implementation-Vendor	The Apache Software Foundation	High
Vendor	Manifest	Implementation-Vendor-Id	org.apache	Medium
Vendor	Manifest	require-capability	osgi.ee;filter:="(&(osgi.ee=JavaSE)(version=1.7))"	Low
Vendor	Manifest	specification-vendor	The Apache Software Foundation	Low
Vendor	pom	artifactid	commons-cli	Low
Vendor	pom	developer email	bob@werken.com	Low
Vendor	pom	developer email	chtompki@apache.org	Low
Vendor	pom	developer email	ebourg@apache.org	Low
Vendor	pom	developer email	ggregory at apache.org	Low



Vendor	pom	developer email	jbjk@mac.com	Low
Vendor	pom	developer email	jstrachan@apache.org	Low
Vendor	pom	developer email	roxspring@imapmail.org	Low
Vendor	pom	developer email	tn@apache.org	Low
Vendor	pom	developer id	bob	Medium
Vendor	pom	developer id	chtompki	Medium
Vendor	pom	developer id	ebourg	Medium
Vendor	pom	developer id	ggregory	Medium
Vendor	pom	developer id	jkeyes	Medium
Vendor	pom	developer id	jstrachan	Medium
Vendor	pom	developer id	roxspring	Medium
Vendor	pom	developer id	tn	Medium
Vendor	pom	developer name	Bob McWhirter	Medium
Vendor	pom	developer name	Emmanuel Bourg	Medium
Vendor	pom	developer name	Gary Gregory	Medium
Vendor	pom	developer name	James Strachan	Medium
Vendor	pom	developer name	John Keyes	Medium
Vendor	pom	developer name	Rob Oxspring	Medium
Vendor	pom	developer name	Rob Tompkins	Medium
Vendor	pom	developer name	Thomas Neidhart	Medium
Vendor	pom	developer org	Ariane Software	Medium
Vendor	pom	developer org	Indigo Stone	Medium
Vendor	pom	developer org	integral Source	Medium
Vendor	pom	developer org	SpiritSoft, Inc.	Medium
Vendor	pom	developer org	The Apache Software Foundation	Medium
Vendor	pom	developer org	Werken	Medium
Vendor	pom	developer org URL	https://www.apache.org/	Medium
Vendor	pom	groupid	commons-cli	Highest
Vendor	pom	name	Apache Commons CLI	High
Vendor	pom	parent-artifactid	commons-parent	Low
Vendor	pom	parent-groupid	org.apache.commons	Medium
Vendor	pom	url	https://commons.apache.org/proper/commons-cli/	Highest
Product	file	name	commons-cli	High
Product	jar	package name	apache	Highest



Product	jar	package name	cli	Highest
Product	jar	package name	commons	Highest
Product	Manifest	build-jdk-spec	1.8	Low
Product	Manifest	bundle-docurl	<a href="https://commons.apache.org/proper/commons-cli/">https://commons.apache.org/proper/commons-cli/</a>	Low
Product	Manifest	Bundle-Name	Apache Commons CLI	Medium
Product	Manifest	bundle-symbolicname	org.apache.commons.cli	Medium
Product	Manifest	implementation-build	UNKNOWN@re81a871025cd2dd5bc1d3b47302021-10-23 21:47:04+0000	Low
Product	Manifest	Implementation-Title	Apache Commons CLI	High
Product	Manifest	require-capability	osgi.ee;filter="(&(osgi.ee=JavaSE)(version=1.7))"	Low
Product	Manifest	specification-title	Apache Commons CLI	Medium
Product	pom	artifactid	commons-cli	Highest
Product	pom	developer email	bob@werken.com	Low
Product	pom	developer email	chtompki@apache.org	Low
Product	pom	developer email	ebourg@apache.org	Low
Product	pom	developer email	gggregory at apache.org	Low
Product	pom	developer email	jbjk@mac.com	Low
Product	pom	developer email	jstrachan@apache.org	Low
Product	pom	developer email	roxspring@imapmail.org	Low
Product	pom	developer email	tn@apache.org	Low
Product	pom	developer id	bob	Low
Product	pom	developer id	chtompki	Low
Product	pom	developer id	ebourg	Low
Product	pom	developer id	gggregory	Low
Product	pom	developer id	jkeyes	Low
Product	pom	developer id	jstrachan	Low
Product	pom	developer id	roxspring	Low
Product	pom	developer id	tn	Low
Product	pom	developer name	Bob McWhirter	Low
Product	pom	developer name	Emmanuel Bourg	Low
Product	pom	developer name	Gary Gregory	Low
Product	pom	developer name	James Strachan	Low
Product	pom	developer name	John Keyes	Low
Product	pom	developer name	Rob Oxspring	Low



Product	pom	developer name	Rob Tompkins	Low
Product	pom	developer name	Thomas Neidhart	Low
Product	pom	developer org	Ariane Software	Low
Product	pom	developer org	Indigo Stone	Low
Product	pom	developer org	integral Source	Low
Product	pom	developer org	SpiritSoft, Inc.	Low
Product	pom	developer org	The Apache Software Foundation	Low
Product	pom	developer org	Werken	Low
Product	pom	developer org URL	<a href="https://www.apache.org/">https://www.apache.org/</a>	Low
Product	pom	groupid	commons-cli	Highest
Product	pom	name	Apache Commons CLI	High
Product	pom	parent-artifactid	commons-parent	Medium
Product	pom	parent-groupid	org.apache.commons	Medium
Product	pom	url	<a href="https://commons.apache.org/proper/commons-cli/">https://commons.apache.org/proper/commons-cli/</a>	Medium
Version	Manifest	Bundle-Version	1.5.0	High
Version	Manifest	Implementation-Version	1.5.0	High
Version	pom	parent-version	1.5.0	Low
Version	pom	version	1.5.0	Highest

#### Identifiers

- <pkg:maven/commons-cli/commons-cli@1.5.0> (*Confidence:High*)

## taskplanner.zip: cron-utils.jar

### Description:

A Java library to parse, migrate and validate crons as well as describe them in human readable language

### License:

Apache 2.0: <http://www.apache.org/licenses/LICENSE-2.0.html>

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/taskplanner.zip/cron-utils.jar

**MD5:** 4c27537eccc6fa37ed5740b5383643c8

**SHA1:** 5d3738bc7a2eaa45a94a76c6e87af54a95414637



## Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	cron-utils	High
Vendor	jar	package name	cron	Highest
Vendor	jar	package name	cronutils	Highest
Vendor	jar	package name	utils	Highest
Vendor	Manifest	automatic-module-name	com.cronutils	Medium
Vendor	Manifest	build-jdk-spec	1.8	Low
Vendor	Manifest	bundle-symbolicname	com.cronutils.cron-utils	Medium
Vendor	Manifest	require-capability	osgi.ee;filter:="(&(osgi.ee=JavaSE)(version=1.8))"	Low
Vendor	pom	artifactid	cron-utils	Low
Vendor	pom	developer id	jmrozanec	Medium
Vendor	pom	groupid	com.cronutils	Highest
Vendor	pom	name	cron-utils	High
Vendor	pom	url	http://cron-parser.com/	Highest
Product	file	name	cron-utils	High
Product	jar	package name	cron	Highest
Product	jar	package name	cronutils	Highest
Product	jar	package name	utils	Highest
Product	Manifest	automatic-module-name	com.cronutils	Medium
Product	Manifest	build-jdk-spec	1.8	Low
Product	Manifest	Bundle-Name	cron-utils	Medium
Product	Manifest	bundle-symbolicname	com.cronutils.cron-utils	Medium
Product	Manifest	require-capability	osgi.ee;filter:="(&(osgi.ee=JavaSE)(version=1.8))"	Low
Product	pom	artifactid	cron-utils	Highest
Product	pom	developer id	jmrozanec	Low
Product	pom	groupid	com.cronutils	Highest
Product	pom	name	cron-utils	High
Product	pom	url	http://cron-parser.com/	Medium
Version	Manifest	Bundle-Version	9.2.1	High



Version	pom	version	9.2.1	Highest
---------	-----	---------	-------	---------

#### Identifiers

- [pkg:maven/com.cronutils/cron-utils@9.2.1](#) (*Confidence:High*)
- [cpe:2.3:a:cron-utils\\_project:cron-utils:9.2.1:\\*:\\*:\\*:\\*:\\*](#) (*Confidence:Highest*) suppress
- [cpe:2.3:a:utils\\_project:utils:9.2.1:\\*:\\*:\\*:\\*:\\*](#) (*Confidence:Highest*) suppress

### taskplanner.zip: taskplanner-javadoc.jar

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/taskplanner.zip/taskplanner-javadoc.jar

**MD5:** 7f89490591aed5e1132928a0e6db3459

**SHA1:** e0e3dd7f161f326b9011664e80478280fd521a2b

**SHA256:** 0b106490cf38eef7a7572f0c124bcda68a2dc275698864ecf83b676c931dbe85

**Referenced In Project/Scope:**server

#### Evidence +

Type	Source	Name	Value	Confidence
Vendor	file	name	taskplanner-javadoc	High
Product	file	name	taskplanner-javadoc	High

#### Identifiers

- None

### taskplanner.zip: taskplanner-javadoc.jar: member-search-index.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/taskplanner.zip/taskplanner-javadoc.jar/member-search-index.js

**MD5:** 737392ccd3025bd1f485b07cc22495ee

**SHA1:** 099b5c6ba9ef24432e3f0783befbee822e1fdd3f

**SHA256:** 3670a9ea20ba2eb0865c7f296867626b95cfa5aee0b692ce109ff5d1ad5df98b

**Referenced In Project/Scope:**server

#### Evidence +



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## taskplanner.zip: taskplanner-javadoc.jar: package-search-index.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/taskplanner.zip/taskplanner-javadoc.jar/package-search-index.js

**MD5:** 7fe7bab52452529a6047c49f5bb9bf67

**SHA1:** 891ca055488d9ffe7d623e66c4d9141d5b526ebc

**SHA256:**5ac1ccc95fcd6216c51b3c584fa4272c7bcac3389606aeca25bcb38b3dd13f7d

**Referenced In Project/Scope:**server

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## taskplanner.zip: taskplanner-javadoc.jar: type-search-index.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/taskplanner.zip/taskplanner-javadoc.jar/type-search-index.js

**MD5:** db0ab9bfb7d24682c43ec70c84e8da39

**SHA1:** 99f2409cb4298ea4ca8c8724c3aab8b2d1dda236

**SHA256:**6474172e030a0e56e2ce881aeb976b1bc094c1de2ca31b1f871e749e42dcbe95

**Referenced In Project/Scope:**server

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers



• None

## taskplanner.zip: taskplanner.jar

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/taskplanner.zip/taskplanner.jar

**MD5:** 6a85e03a63654f093e0a68cd19334923

**SHA1:** c234424d0cc7e5b340e2f4766c69b19a1c3ba409

**SHA256:** 5dc4bea20636ce3b8f511f0edf74d6fd4d858ed54c4f4d944935d689afa1df6d

**Referenced In Project/Scope:**server

### Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	taskplanner	High
Vendor	jar	package name	inet	Low
Vendor	jar	package name	server	Low
Vendor	jar	package name	taskplanner	Low
Vendor	Manifest	built-date	2024-01-16 12:01	Low
Vendor	Manifest	implementation-group	shared	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	taskplanner	High
Product	jar	package name	api	Low
Product	jar	package name	server	Low
Product	jar	package name	taskplanner	Highest
Product	jar	package name	taskplanner	Low
Product	Manifest	built-date	2024-01-16 12:01	Low
Product	Manifest	implementation-group	shared	Low
Product	Manifest	Implementation-Title	taskplanner	High
Product	Manifest	specification-title	taskplanner	Medium
Version	Manifest	Implementation-Version	23.10.295	High



### Identifiers

- None

## taskplanner.zip: taskplanner.jar: app.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/taskplanner.zip/taskplanner.jar/com/inet/taskplanner/client/js/app.js

**MD5:** e7b627af28a93866105b9b57aafc0679

**SHA1:** 402728104da80b566caf6f4674001072e563d911

**SHA256:** da6db86c4194737b7fdb2711a94e4d8cd69e9f1274d26faec3bbb615a12488da

**Referenced In Project/Scope:**server

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## taskplanner.zip: taskplanner.jar: boolean.directive.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/taskplanner.zip/taskplanner.jar/com/inet/taskplanner/client/js/fields/boolean.directive.js

**MD5:** fa4eae14f6ade1aa0220dcfc1b059056

**SHA1:** 6e7ddc21b779c017753b6f000a21dc9fc16680f0

**SHA256:** 5738eb54a621fc38a85dbf60c479c272a7bc85f3d77fb707832b2c0cc5756b5c

**Referenced In Project/Scope:**server

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None



### taskplanner.zip: taskplanner.jar: colorField.directive.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/taskplanner.zip/taskplanner.jar/com/inet/taskplanner/client/js/fields/colorField.directive.js

**MD5:** b5da6d7c728f3f5308311693ad7fbf79

**SHA1:** 9a706740764283a49b2ebe8179ab7c399bf2b8b2

**SHA256:** 81de63033979d47a1cf4332821f31902a503640395534a366acd569999770c14

**Referenced In Project/Scope:**server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### taskplanner.zip: taskplanner.jar: controller.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/taskplanner.zip/taskplanner.jar/com/inet/taskplanner/client/js/controller.js

**MD5:** fe7f7b33a95cbe05a50162ece53e6728

**SHA1:** d08a003106fe47da83d2e62aa42e146a7f142d5f

**SHA256:** a55134fc81a5190766f18c536945ce34ae5f9a1782f4aa3d2f9568bf4dc0c656

**Referenced In Project/Scope:**server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### taskplanner.zip: taskplanner.jar: factory.js



**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/taskplanner.zip/taskplanner.jar/com/inet/taskplanner/client/js/factory.js  
**MD5:** 0dc2651090f757e675e2b5d76f0b9b56  
**SHA1:** cc05ec55ba81c3351b7f44b94ba95c8105895c99  
**SHA256:** 31211ba7ff692d1d259ed5ba8dc5fa0572ec581f6a9bffc36d8e0c8a7802dc38  
**Referenced In Project/Scope:**server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### taskplanner.zip: taskplanner.jar: filechooserAddonButton.directive.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/taskplanner.zip/taskplanner.jar/com/inet/taskplanner/client/js/fields/filechooserAddonButton.directive.js  
**MD5:** 1c8b7fb6996c41283044c69f51a444e2  
**SHA1:** aaad5f58cd2161ae2dacf1e11af0c6bca4c33732  
**SHA256:** 37ce155c7c1e707a6db9be13b40aabf5cf246cb3b974d0d688b4907e202a9cef  
**Referenced In Project/Scope:**server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### taskplanner.zip: taskplanner.jar: model.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/taskplanner.zip/taskplanner.jar/com/inet/taskplanner/client/js/model.js  
**MD5:** 7cb9fd5f60ece19e895ff38256c2ece8  
**SHA1:** 5f32abb3bc8b163d5387bd3b67f0033edaa25560  
**SHA256:** 218afde4c2c6d96b1c207f1cea27898b756512c758f500b372722e524beea7d1  
**Referenced In Project/Scope:**server



### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## taskplanner.zip: taskplanner.jar: numberRange.directive.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/taskplanner.zip/taskplanner.jar/com/inet/taskplanner/client/js/fields/numberRange.directive.js

**MD5:** cb75296ed007746a29e5beeae1680307

**SHA1:** 9c64aa51d424760f5c5a0152cb245518ff3ba4f2

**SHA256:** eb920acf02ea30a8e0c58ff358ac403f90e4166fabcca78edf7480028499834a

**Referenced In Project/Scope:**server

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## taskplanner.zip: taskplanner.jar: numberWrapper.directive.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/taskplanner.zip/taskplanner.jar/com/inet/taskplanner/client/js/fields/numberWrapper.directive.js

**MD5:** 01558be43abbecea6a8a4dc5465564da

**SHA1:** 76425827ef255a6691dfc76e09bec9c14741adef

**SHA256:** cb32cf68353ba376be9b063109a9e4c6fb9ae669402001688528edf1235a93d1

**Referenced In Project/Scope:**server

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------



### Identifiers

- None

## taskplanner.zip: taskplanner.jar: passwordTextField.directive.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/taskplanner.zip/taskplanner.jar/com/inet/taskplanner/client/js/fields/passwordTextField.directive.js

**MD5:** 27d77b18f41b95941478ea6b72c0a47c

**SHA1:** 63b78bacbd073ba1abcafdcb55006c90ae9053b4

**SHA256:** 0a842ca033aa23d848437fb8012011200322b8a470e061250e7b25d6df2061c5

**Referenced In Project/Scope:**server

### Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## taskplanner.zip: taskplanner.jar: renderer.directive.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/taskplanner.zip/taskplanner.jar/com/inet/taskplanner/client/js/fields/renderer.directive.js

**MD5:** 4d85fab0e91d922fb8d6debb8da4f6ab

**SHA1:** 57b001c5f51c12997abe68b3630c37605ceb8e55

**SHA256:** dd0ce24609413ae5604b4806105f3a62c53cac45b30cc8d41fe7e42e56b7eb44

**Referenced In Project/Scope:**server

### Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None



## taskplanner.zip: taskplanner.jar: simpleDateTimeField.directive.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/taskplanner.zip/taskplanner.jar/com/inet/taskplanner/client/js/fields/simpleDateTimeField.directive.js

**MD5:** 88a2c86d2e061b9c7d47b89f6e8b535d

**SHA1:** 30745c25260019bdc210fee5b07ce167925e814e

**SHA256:** f6e3f124c1b8c9373e65f410d67bac538eb610d9b5730736321572210c6aac8f

**Referenced In Project/Scope:** server

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## taskplanner.zip: taskplanner.jar: simpleFileFolderField.directive.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/taskplanner.zip/taskplanner.jar/com/inet/taskplanner/client/js/fields/simpleFileFolderField.directive.js

**MD5:** 98d37202645339ba9c94f5d67037c9e7

**SHA1:** 768853ad7073bcea3ac9f6daacfceddbb7a27d67

**SHA256:** 52880a039d6ec1b165e1b995a47ec1eb4e71ffa5e62a5da58dfa1d7cd48cfdbc

**Referenced In Project/Scope:** server

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## taskplanner.zip: taskplanner.jar: simpleGroup.directive.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/taskplanner.zip/taskplanner.jar/com/inet/taskplanner



/client/js/fields/simpleGroup.directive.js

**MD5:** 3b651cad87fb717564e40c13608b28cc

**SHA1:** 4a43a9443d46bdb0e9fe8be6c1d562556c73dfc8

**SHA256:** 5273fe8d5e750006128f6d067ccd6772cb490d74b169e5766451cef6a53f05be

**Referenced In Project/Scope:**server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### taskplanner.zip: taskplanner.jar: simpleLabel.directive.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller  
/server/build/tmp/dependencies/i-net PDFC/plugins/taskplanner.zip/taskplanner.jar/com/inet/taskplanner  
/client/js/fields/simpleLabel.directive.js

**MD5:** 934085b9f1927025727e20a65b0da7ac

**SHA1:** dc6af1d6b73e847f27e5f301116471919ce9250e

**SHA256:** 5cccf9194a95667a5f0477985bee2891bdb39353d24b3de8922b82f78b1c3671

**Referenced In Project/Scope:**server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### taskplanner.zip: taskplanner.jar: simpleLink.directive.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller  
/server/build/tmp/dependencies/i-net PDFC/plugins/taskplanner.zip/taskplanner.jar/com/inet/taskplanner  
/client/js/fields/simpleLink.directive.js

**MD5:** d2f42e34c49242b8fcddfe458c0d8bda

**SHA1:** 107e373f81ffe09c1a06b75f944f9f6c35ba130f

**SHA256:** 4edd416f3a489303938aa8b528394e4902198f65f620b06473e86767604d8783

**Referenced In Project/Scope:**server

#### Evidence





Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### taskplanner.zip: taskplanner.jar: simpleSelect.directive.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/taskplanner.zip/taskplanner.jar/com/inet/taskplanner/client/js/fields/simpleSelect.directive.js

**MD5:** 488e4b33723844b5910d23f5f9770e9e

**SHA1:** 6e4c546f209bc14a78c45cb7a55b5101facb1d75

**SHA256:** ccae6e479fbaad9bd77c262f72e0177f2cf572a03b0de3f31facc33fdb29121

**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### taskplanner.zip: taskplanner.jar: simpleTextField.directive.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/taskplanner.zip/taskplanner.jar/com/inet/taskplanner/client/js/fields/simpleTextField.directive.js

**MD5:** 48d92cb780021dd4822c6e8740d26ce6

**SHA1:** 654d1a8049b64f41362c0bbe3644e7206b151311

**SHA256:** c4cc8ca624af917fef0c261d6aa82c806c29eb4fd796670b724c69a686c5b211

**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers



- None

#### taskplanner.zip: taskplanner.jar: stringTable.directive.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/taskplanner.zip/taskplanner.jar/com/inet/taskplanner/client/js/fields/stringTable.directive.js

**MD5:** 37a1f354d71a7d60288652c206db7271

**SHA1:** b37c87c654e8c12307c5b3126667142cf5d80a22

**SHA256:** f6450635963e62bb85b83ea201b352c624dcc90a7cd452899aa0dc239d4bcd6d

**Referenced In Project/Scope:** server

##### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

##### Identifiers

- None

#### taskplanner.zip: taskplanner.jar: taskplanner\_maintenance.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/taskplanner.zip/taskplanner.jar/com/inet/taskplanner/maintenance/taskplanner\_maintenance.js

**MD5:** afc2f2d0f478dd8de15088c2f827b4bb

**SHA1:** a8ea3e051d73d5020989a542b9b823fbf5fd8732

**SHA256:** c79ce5ac313ca41e93a1ceb54386169abfada275af9286db86f07179540c0097

**Referenced In Project/Scope:** server

##### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

##### Identifiers

- None



## taskplanner.zip: taskplanner.jar: textAreaField.directive.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/taskplanner.zip/taskplanner.jar/com/inet/taskplanner/client/js/fields/textAreaField.directive.js

**MD5:** 5a75eb0d834b4b4f41702dbf6f1ce2ea

**SHA1:** f438ca050ee2e69a73ada30726205d295f6546b1

**SHA256:** 5e2ae08f0a40ba0da474e8dcc53d9dfcaf53b2727bace92d266f13aa9eda9b0c

**Referenced In Project/Scope:**server

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## theme.zip: bootstrap.jar: bootstrap.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/theme.zip/bootstrap.jar/META-INF/resources/webjars/bootstrap/3.4.1/js/bootstrap.js

**MD5:** 894d79839facf38d9fd672bdbe57443d

**SHA1:** 11277f4e04cf070a350e566b053ef2215993720c

**SHA256:** dbd2a35e72edc7d6bde483481a912f1c38aa57fab2747d9b071d317339ee03a2

**Referenced In Project/Scope:**server

### Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	bootstrap	High
Product	file	name	bootstrap	High
Version	file	version	3.4.1	High

### Related Dependencies



- theme.zip: bootstrap.jar: bootstrap.js.gz: bootstrap.js
  - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/theme.zip/bootstrap.jar/META-INF/resources/webjars/bootstrap/3.4.1/js/bootstrap.js.gz
  - MD5: 894d79839facf38d9fd672bdbe57443d
  - SHA1: 11277f4e04cf070a350e566b053ef2215993720c
  - SHA256: dbd2a35e72edc7d6bde483481a912f1c38aa57fab2747d9b071d317339ee03a2



- [pkg:javascript/bootstrap@3.4.1](#)

#### Identifiers

- [pkg:javascript/bootstrap@3.4.1](#) (*Confidence: Highest*)

### theme.zip: bootstrap.jar: bootstrap.min.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/theme.zip/bootstrap.jar/META-INF/resources/webjars/bootstrap/3.4.1/js/bootstrap.min.js

**MD5:** 2f34b630ffe30ba2ff2b91e3f3c322a1

**SHA1:** b16fd8226bd6bfb08e568f1b1d0a21d60247cefb

**SHA256:** 9ee2fcff6709e4d0d24b09ca0fc56aade12b4961ed9c43fd13b03248bfb57afe

**Referenced In Project/Scope:** server

#### Evidence

Type	Source	Name	Value	Confidence
Vendor	file	name	bootstrap	High
Product	file	name	bootstrap	High
Version	file	version	3.4.1	High

#### Related Dependencies

- theme.zip: bootstrap.jar: bootstrap.min.js.gz: bootstrap.min.js
  - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/theme.zip/bootstrap.jar/META-INF/resources/webjars/bootstrap/3.4.1/js/bootstrap.min.js.gz/bootstrap.min.js
  - MD5: 2f34b630ffe30ba2ff2b91e3f3c322a1
  - SHA1: b16fd8226bd6bfb08e568f1b1d0a21d60247cefb
  - SHA256: 9ee2fcff6709e4d0d24b09ca0fc56aade12b4961ed9c43fd13b03248bfb57afe
  - [pkg:javascript/bootstrap@3.4.1](#)

#### Identifiers

- [pkg:javascript/bootstrap@3.4.1](#) (*Confidence: Highest*)

### theme.zip: theme.jar



**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/theme.zip/theme.jar  
**MD5:** 0df9c7cf85468b5f28efe3bd6f03510d  
**SHA1:** 2cd395cfde76cffd2a212d243810dc96ef03e2d7  
**SHA256:**4255c327eb8cd3a18aa5311cec20dcf6bbb0f115cd1be5342365947db449333f  
**Referenced In Project/Scope:**server

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	theme	High
Vendor	jar	package name	inet	Low
Vendor	jar	package name	plugins	Low
Vendor	jar	package name	shared	Low
Vendor	Manifest	built-date	2024-01-16 11:56	Low
Vendor	Manifest	implementation-group	shared	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	theme	High
Product	jar	package name	plugins	Low
Product	jar	package name	shared	Highest
Product	jar	package name	shared	Low
Product	jar	package name	theme	Highest
Product	jar	package name	theme	Low
Product	Manifest	built-date	2024-01-16 11:56	Low
Product	Manifest	implementation-group	shared	Low
Product	Manifest	Implementation-Title	theme	High
Product	Manifest	specification-title	theme	Medium
Version	jar	package name	shared	Highest
Version	Manifest	Implementation-Version	23.10.295	High

Identifiers



• None

## urlcookie.zip: urlcookie.sample.jar

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/Documentation and Samples/Plugin - Samples/Authentication/UrlCookiePlugin/urlcookie.zip/urlcookie.sample.jar

**MD5:** 848d8eebd2aca03f3fb9b936875bdd01

**SHA1:** d45efc17b87d124673a8e605ec7d598ffde99622

**SHA256:** 709d239d5ce4c045421b707d948e70a8faf3fec0166a42ace29c2e20746de2b6

**Referenced In Project/Scope:**server

### Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	urlcookie.sample	High
Vendor	jar	package name	authentication	Low
Vendor	jar	package name	inet	Low
Vendor	jar	package name	urlcookie	Low
Vendor	Manifest	built-date	2024-01-16 12:20	Low
Vendor	Manifest	implementation-group	shared	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	urlcookie.sample	High
Product	jar	package name	authentication	Low
Product	jar	package name	urlcookie	Highest
Product	jar	package name	urlcookie	Low
Product	Manifest	built-date	2024-01-16 12:20	Low
Product	Manifest	implementation-group	shared	Low
Product	Manifest	Implementation-Title	urlcookie	High
Product	Manifest	specification-title	urlcookie	Medium
Version	Manifest	Implementation-Version	23.10.295	High



Identifiers

- None

usersandgroupsmanager.zip: usersandgroupsmanager.jar

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/usersandgroupsmanager.zip/usersandgroupsmanager.jar  
**MD5:** ceae4ead27c3c1ee7d01337bcfaba0f7  
**SHA1:** e2ee5aa28008cbe1c69277578c8289386b15df38  
**SHA256:**128936acc4eb930e4d5441ce4ae33ee0ae5dba1769db3fb9c00882830a960fe7  
**Referenced In Project/Scope:**server

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	usersandgroupsmanager	High
Vendor	jar	package name	inet	Low
Vendor	jar	package name	server	Low
Vendor	jar	package name	usersandgroupsmanager	Low
Vendor	Manifest	built-date	2024-01-16 12:15	Low
Vendor	Manifest	implementation-group	shared	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	usersandgroupsmanager	High
Product	jar	package name	server	Low
Product	jar	package name	usersandgroupsmanager	Highest
Product	jar	package name	usersandgroupsmanager	Low
Product	Manifest	built-date	2024-01-16 12:15	Low
Product	Manifest	implementation-group	shared	Low
Product	Manifest	Implementation-Title	usersandgroupsmanager	High



Product	Manifest	specification-title	usersandgroupsmanager	Medium
Version	Manifest	Implementation-Version	23.10.295	High

#### Identifiers

- None

### usersandgroupsmanager.zip: usersandgroupsmanager.jar: usersandgroupsmanagercontroller.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/usersandgroupsmanager.zip/usersandgroupsmanager.jar/com/inet/usersandgroupsmanager/client/js/usersandgroupsmanagercontroller.js

**MD5:** 1cba557ce4b4b0e045db0fff2a34b1f6

**SHA1:** a2e77c032388041a88d2aedb6e150f5a6abb6708

**SHA256:** d7ebefa8a6997c2b0e5a69a5c099f153ef0cf6e4b8fa546492349e6ee687a525

**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### usersandgroupsmanager.zip: usersandgroupsmanager.jar: usersandgroupsmanagerdetailscontroller.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/usersandgroupsmanager.zip/usersandgroupsmanager.jar/com/inet/usersandgroupsmanager/client/js/usersandgroupsmanagerdetailscontroller.js

**MD5:** 94ccda4021c5f1db31e40d07fc073168

**SHA1:** 1be87180f0a6ced2484a9e45a9d8b161b506be5f

**SHA256:** b4c191d8d84027dd4159986565bda5fd83a9732235156f9ffd19cdb52118a219

**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------



### Identifiers

- None

## usersandgroupsmanager.zip: usersandgroupsmanager.jar: usersandgroupsmanagerdialogcontroller.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/usersandgroupsmanager.zip/usersandgroupsmanager.jar/com/inet/usersandgroupsmanager/client/js/usersandgroupsmanagerdialogcontroller.js

**MD5:** ca1c44bf43acb9b7e18b9de98885ea77

**SHA1:** 95fd9f334a8d22c807f609d2ad896fddcbf9ea7e

**SHA256:** 89e42e9499612cd8c02d02139b71b1543ece21ae147fca2dfe6a9f05809ce03a

**Referenced In Project/Scope:**server

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## usersandgroupsmanager.zip: usersandgroupsmanager.jar: usersandgroupsmanagerdirectives.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/usersandgroupsmanager.zip/usersandgroupsmanager.jar/com/inet/usersandgroupsmanager/client/js/usersandgroupsmanagerdirectives.js

**MD5:** 252a7901714abc98ac99b1c692a4115d

**SHA1:** b4621d55219e7fa62079f498dc728a285db2630d

**SHA256:** ff9e68af9410d0224407c0b82552614efd5d0641780382152b30a6df5a4c0803

**Referenced In Project/Scope:**server

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers



- None

### usersandgroupsmanager.zip: usersandgroupsmanager.jar: usersandgroupsmanagereffectivepermissionscontroller.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/usersandgroupsmanager.zip/usersandgroupsmanager.jar/com/inet/usersandgroupsmanager/client/js/usersandgroupsmanagereffectivepermissionscontroller.js  
**MD5:** 7b338f56899718ee4c730c7c30f8404d  
**SHA1:** 23d1599cd58231c6a42264202db54da541dbbc7f  
**SHA256:** faa1d67150e8577b35addb9f3807a4d76c3c7495475f2cbb665e550aaa3715d6  
**Referenced In Project/Scope:**server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### usersandgroupsmanager.zip: usersandgroupsmanager.jar: usersandgroupsmanagerfactory.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/usersandgroupsmanager.zip/usersandgroupsmanager.jar/com/inet/usersandgroupsmanager/client/js/usersandgroupsmanagerfactory.js  
**MD5:** dc86ea7fc3b4579c614e5ce9557a2456  
**SHA1:** d49390dbd903aae52de98406ed8b2604abb714b0  
**SHA256:** eb7f2d4a9b329354bf41b6805db98b4a8e1879cf318a8614a615af9fd7e91933  
**Referenced In Project/Scope:**server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None



**usersandgroupsmanager.zip: usersandgroupsmanager.jar:  
usersandgroupsmanagermodel.js**

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller  
/server/build/tmp/dependencies/i-net PDFC/plugins/usersandgroupsmanager.zip/usersandgroupsmanager.  
jar/com/inet/usersandgroupsmanager/client/js/usersandgroupsmanagermodel.js

**MD5:** f095a4c40f17b36318e13dd8534407e9

**SHA1:** 4e289c1de0ccc482455b2da27234bf0f462c1a1d

**SHA256:** c3beefef00e5dce1e9c97b5a354ffcd157896e50798c42c80f5685a028f8f7ee

**Referenced In Project/Scope:**server

**Evidence**



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

**Identifiers**

- None

**usersandgroupsmanager.zip: usersandgroupsmanager.jar:  
usersandgroupsmanagerrenderer.js**

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller  
/server/build/tmp/dependencies/i-net PDFC/plugins/usersandgroupsmanager.zip/usersandgroupsmanager.  
jar/com/inet/usersandgroupsmanager/client/js/usersandgroupsmanagerrenderer.js

**MD5:** eab4e7288629f54663b742d0bf6523fb

**SHA1:** c803a4ad5e14e7890604df58b33ed93a0f7b0299

**SHA256:** 5085cf4e58168e88e77851683d37133f58627112a485c72e271b20e714102e30

**Referenced In Project/Scope:**server

**Evidence**



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

**Identifiers**

- None

**usersandgroupsmanager.zip: usersandgroupsmanager.jar:  
usersandgroupsmanagerstatisticscontroller.js**



**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/usersandgroupsmanager.zip/usersandgroupsmanager.jar/com/inet/usersandgroupsmanager/client/js/usersandgroupsmanagerstatisticscontroller.js  
**MD5:** 4b0ce9da268d3f965ddf8ddce6676daf  
**SHA1:** d0ad859cb96083de8fabce54e8fd7fd5efe04b1a  
**SHA256:** a2b6f180be1602c888c0505c88d03753332c48e57c9a524ed4b71f1eb401d28b  
**Referenced In Project/Scope:**server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### usersandgroupsmanager.zip: usersandgroupsmanager.jar: usersandgroupsmanagertakeoutcontroller.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/usersandgroupsmanager.zip/usersandgroupsmanager.jar/com/inet/usersandgroupsmanager/client/js/usersandgroupsmanagertakeoutcontroller.js  
**MD5:** 9be90b79aa685d1d62933945b0e00860  
**SHA1:** 29a9da8d0ee54fe21b4379ec1a36c192983108ce  
**SHA256:** 28ee9f9f2805e95af8c39b2bbbe5e94de14e8a1709ba6fd58e1e5a7dbab5555f  
**Referenced In Project/Scope:**server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### webapi.core.zip: webapi.core.jar

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/webapi.core.zip/webapi.core.jar  
**MD5:** dacf86c4ea91638a813864e2830389fd  
**SHA1:** d28d1cc567b244df01937b83ab4f33a2942d4840  
**SHA256:** 602384c22197d01c92180435f1b002f93badfb654d39ca44fd03c0daf975f429  
**Referenced In Project/Scope:**server



## Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	webapi.core	High
Vendor	jar	package name	inet	Low
Vendor	jar	package name	plugin	Low
Vendor	jar	package name	webapi	Low
Vendor	Manifest	built-date	2024-01-16 11:58	Low
Vendor	Manifest	implementation-group	shared	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	webapi.core	High
Product	jar	package name	plugin	Low
Product	jar	package name	webapi	Highest
Product	jar	package name	webapi	Low
Product	Manifest	built-date	2024-01-16 11:58	Low
Product	Manifest	implementation-group	shared	Low
Product	Manifest	Implementation-Title	webapi.core	High
Product	Manifest	specification-title	webapi.core	Medium
Version	Manifest	Implementation-Version	23.10.295	High

## Identifiers

- None

**webapi.core.zip: webapi.core.jar: shared.factory.js**

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/webapi.core.zip/webapi.core.jar/com/inet/plugin/webapi



/client/shared.factory.js

**MD5:** 98dbfacd3d92ee8a82f37dc52e2e9ed2

**SHA1:** 79fc85b57bd34a34c3b3731b0675d978134d57d0

**SHA256:** 3109f49903cef95ddc213135a052165227410ca7f3a62101bf2ed7c8e7a880ce

**Referenced In Project/Scope:**server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### webapi.core.zip: webapi.core.jar: webapi.codemirror.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller  
/server/build/tmp/dependencies/i-net PDFC/plugins/webapi.core.zip/webapi.core.jar/com/inet/plugin/webapi  
/client/webapi.codemirror.js

**MD5:** bb06c770ed20e0ea4f5b798dab4898bc

**SHA1:** 1fef3fa28aaa195dd178d26ee2223fa247689261

**SHA256:** c26a44389f5479e0f66ed560b6e4287c964d1266c3951c4dd039a653b4b863e9

**Referenced In Project/Scope:**server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### webapi.core.zip: webapi.core.jar: webapi.core.editor.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller  
/server/build/tmp/dependencies/i-net PDFC/plugins/webapi.core.zip/webapi.core.jar/com/inet/plugin/webapi  
/client/webapi.core.editor.js

**MD5:** d376d09bc6e1743680130afc3d32b351

**SHA1:** f76293956d6170059405b907e455352f6995aac0

**SHA256:** 28ab83ec598b777a432bae13025a8534cfc72f82f729bdcfee666f8fa671e1c5

**Referenced In Project/Scope:**server

#### Evidence





Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

webapi.core.zip: webapi.core.jar: webapi.core.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/webapi.core.zip/webapi.core.jar/com/inet/plugin/webapi/client/webapi.core.js

**MD5:** 6c23da7a0133e2e08f10fdcd2b641dc5

**SHA1:** b4a43d55453d13d117ac7d81692b9d464544f2a8

**SHA256:** 71f9c116fb5b76cac17df53c048470ab223d1a7923c290c20574629948bdbe83

**Referenced In Project/Scope:**server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

webserver.defender.zip: webserver.defender.jar

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/webserver.defender.zip/webserver.defender.jar

**MD5:** aff599331d80aaa58b189bbe6c0b9ce5

**SHA1:** 8e02ac0e5ec0cf81c16d8b29a13c6babf4ec39b7

**SHA256:** 5ef4e96e4011ae3e2f64061dd8f117e07c2f122fdc4709742ac398e71f6cc433

**Referenced In Project/Scope:**server

Evidence

Type	Source	Name	Value	Confidence
Vendor	file	name	webserver.defender	High
Vendor	jar	package name	inet	Low
Vendor	jar	package name	webserverdefender	Low



Vendor	Manifest	built-date	2024-01-16 12:22	Low
Vendor	Manifest	implementation-group	shared	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	webserver.defender	High
Product	jar	package name	webserverdefender	Low
Product	Manifest	built-date	2024-01-16 12:22	Low
Product	Manifest	implementation-group	shared	Low
Product	Manifest	Implementation-Title	webserver.defender	High
Product	Manifest	specification-title	webserver.defender	Medium
Version	Manifest	Implementation-Version	23.10.295	High

#### Identifiers

- None

## webserver.zip: acme4j-client.jar

### Description:

ACME client for Java

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/webserver.zip/acme4j-client.jar

**MD5:** 6a777e9a2790f92e3ca84ab3f670372a

**SHA1:** 2fc4db562eb89dd97d01efbd66498af44f010fc5

**SHA256:** 3fc818cdf24695c427dd85aa62c6510fb488602618272935c61a7525e47fdd8a

**Referenced In Project/Scope:**server

#### Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	acme4j-client	High



Vendor	jar	package name	acme4j	Highest
Vendor	jar	package name	shredzone	Highest
Vendor	Manifest	build-jdk-spec	17	Low
Vendor	pom	artifactid	acme4j-client	Low
Vendor	pom	groupid	org.shredzone.acme4j	Highest
Vendor	pom	name	acme4j Client	High
Vendor	pom	parent-artifactid	acme4j	Low
Product	file	name	acme4j-client	High
Product	jar	package name	acme4j	Highest
Product	jar	package name	shredzone	Highest
Product	Manifest	build-jdk-spec	17	Low
Product	pom	artifactid	acme4j-client	Highest
Product	pom	groupid	org.shredzone.acme4j	Highest
Product	pom	name	acme4j Client	High
Product	pom	parent-artifactid	acme4j	Medium
Version	pom	version	2.16	Highest

#### Identifiers

- [pkg:maven/org.shredzone.acme4j/acme4j-client@2.16](#) (*Confidence:High*)

## webserver.zip: http2-common.jar

### Description:

Jetty module for Jetty :: HTTP2 :: Common

### License:

<https://www.eclipse.org/legal/epl-2.0/>, <https://www.apache.org/licenses/LICENSE-2.0>

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/webserver.zip/http2-common.jar

**MD5:** dbaa0a4fca6a54cb1b2a6797d08276fd

**SHA1:** cec33f2a1c5ffea2a3a213d9e92886320ee5d282

**SHA256:** fda0f379bc8d259bcd4c6f9175b8d61ce142768dd6deced070de1e3bf725d717

**Referenced In Project/Scope:**server

### Evidence



Type	Source	Name	Value	Confidence



Vendor	file	name	http2-common	High
Vendor	jar	package name	eclipse	Highest
Vendor	jar	package name	http2	Highest
Vendor	jar	package name	jetty	Highest
Vendor	Manifest	build-jdk-spec	17	Low
Vendor	Manifest	bundle-copyright	Copyright (c) 2008-2022 Mort Bay Consulting Pty Ltd and others.	Low
Vendor	Manifest	bundle-docurl	<a href="https://eclipse.dev/jetty/">https://eclipse.dev/jetty/</a>	Low
Vendor	Manifest	bundle-requiredexecution	JavaSE-11	Low
Vendor	Manifest	bundle-symbolicname	org.eclipse.jetty.http2.common	Medium
Vendor	Manifest	Implementation-Vendor	Eclipse Jetty Project	High
Vendor	Manifest	url	<a href="https://eclipse.dev/jetty/">https://eclipse.dev/jetty/</a>	Low
Vendor	pom	artifactid	http2-common	Low
Vendor	pom	groupid	org.eclipse.jetty.http2	Highest
Vendor	pom	name	Jetty :: HTTP2 :: Common	High
Vendor	pom	parent-artifactid	http2-parent	Low
Product	file	name	http2-common	High
Product	jar	package name	eclipse	Highest
Product	jar	package name	http2	Highest
Product	jar	package name	jetty	Highest
Product	Manifest	build-jdk-spec	17	Low
Product	Manifest	bundle-copyright	Copyright (c) 2008-2022 Mort Bay Consulting Pty Ltd and others.	Low
Product	Manifest	bundle-docurl	<a href="https://eclipse.dev/jetty/">https://eclipse.dev/jetty/</a>	Low
Product	Manifest	Bundle-Name	Jetty :: HTTP2 :: Common	Medium
Product	Manifest	bundle-requiredexecution	JavaSE-11	Low
Product	Manifest	bundle-symbolicname	org.eclipse.jetty.http2.common	Medium
Product	Manifest	url	<a href="https://eclipse.dev/jetty/">https://eclipse.dev/jetty/</a>	Low
Product	pom	artifactid	http2-common	Highest
Product	pom	groupid	org.eclipse.jetty.http2	Highest
Product	pom	name	Jetty :: HTTP2 :: Common	High
Product	pom	parent-artifactid	http2-parent	Medium
Version	Manifest	Bundle-Version	10.0.17	High
Version	Manifest	Implementation-	10.0.17	High



## Version

Version	pom	version	10.0.17	Highest
---------	-----	---------	---------	---------

## Identifiers

- [pkg:maven/org.eclipse.jetty.http2/http2-common@10.0.17](#) (*Confidence:High*)
- [cpe:2.3:a:eclipse:jetty:10.0.17:\\*.~\\*~\\*~\\*~\\*~\\*~\\*](#) (*Confidence:Highest*) suppress
- [cpe:2.3:a:jetty:jetty:10.0.17:\\*.~\\*~\\*~\\*~\\*~\\*~\\*](#) (*Confidence:Highest*) suppress
- [cpe:2.3:a:mortbay\\_jetty:jetty:10.0.17:\\*.~\\*~\\*~\\*~\\*~\\*~\\*](#) (*Confidence:Highest*) suppress

## webserver.zip: http2-hpack.jar

### Description:

Http2 Hpack

### License:

<https://www.eclipse.org/legal/epl-2.0/>, <https://www.apache.org/licenses/LICENSE-2.0>

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller  
/server/build/tmp/dependencies/i-net PDFC/plugins/webserver.zip/http2-hpack.jar

**MD5:** 8ae663bec5a07e2dd0af99c8a2d9fb57

**SHA1:** ca97ff8cde1f89533f14b5032dbd24678a9423b8

**SHA256:** 83b8aa230d0b372b658fc63a2766211621d003f91d0f4ae3eb195f13cf6132bb

**Referenced In Project/Scope:**server

## Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	http2-hpack	High
Vendor	jar	package name	eclipse	Highest
Vendor	jar	package name	hpack	Highest
Vendor	jar	package name	http2	Highest
Vendor	jar	package name	jetty	Highest
Vendor	Manifest	build-jdk-spec	17	Low
Vendor	Manifest	bundle-copyright	Copyright (c) 2008-2022 Mort Bay Consulting Pty Ltd and others.	Low
Vendor	Manifest	bundle-docurl	<a href="https://eclipse.dev/jetty/">https://eclipse.dev/jetty/</a>	Low
Vendor	Manifest	bundle-requiredexecution	JavaSE-11	Low
Vendor	Manifest	bundle-symbolicname	org.eclipse.jetty.http2.hpack	Medium



Vendor	Manifest	Implementation-Vendor	Eclipse Jetty Project	High
Vendor	Manifest	provide-capability	osgi.serviceloader;osgi.serviceloader="org.eclipse.jetty.http.HttpFieldPreEncoder"	Low
Vendor	Manifest	require-capability	osgi.extender;filter:="(osgi.extender=osgi.serviceloader.registrar)";resolution:=optional	Low
Vendor	Manifest	url	https://eclipse.dev/jetty/	Low
Vendor	pom	artifactid	http2-hpack	Low
Vendor	pom	groupid	org.eclipse.jetty.http2	Highest
Vendor	pom	name	Jetty :: HTTP2 :: HPACK	High
Vendor	pom	parent-artifactid	http2-parent	Low
Product	file	name	http2-hpack	High
Product	jar	package name	eclipse	Highest
Product	jar	package name	hpack	Highest
Product	jar	package name	http2	Highest
Product	jar	package name	jetty	Highest
Product	Manifest	build-jdk-spec	17	Low
Product	Manifest	bundle-copyright	Copyright (c) 2008-2022 Mort Bay Consulting Pty Ltd and others.	Low
Product	Manifest	bundle-docurl	https://eclipse.dev/jetty/	Low
Product	Manifest	Bundle-Name	Jetty :: HTTP2 :: HPACK	Medium
Product	Manifest	bundle-requiredexecution	JavaSE-11	Low
Product	Manifest	bundle-symbolicname	org.eclipse.jetty.http2.hpack	Medium
Product	Manifest	provide-capability	osgi.serviceloader;osgi.serviceloader="org.eclipse.jetty.http.HttpFieldPreEncoder"	Low
Product	Manifest	require-capability	osgi.extender;filter:="(osgi.extender=osgi.serviceloader.registrar)";resolution:=optional	Low
Product	Manifest	url	https://eclipse.dev/jetty/	Low
Product	pom	artifactid	http2-hpack	Highest
Product	pom	groupid	org.eclipse.jetty.http2	Highest
Product	pom	name	Jetty :: HTTP2 :: HPACK	High
Product	pom	parent-artifactid	http2-parent	Medium
Version	Manifest	Bundle-Version	10.0.17	High
Version	Manifest	Implementation-Version	10.0.17	High
Version	pom	version	10.0.17	Highest



## Identifiers

- [pkg:maven/org.eclipse.jetty.http2/http2-hpack@10.0.17](#) (Confidence:High)
- [cpe:2.3:a:mortbay\\_jetty:jetty:10.0.17:\\*:\\*:\\*:\\*:\\*](#) (Confidence:Highest) suppress

## webserver.zip: http2-server.jar

### Description:

Jetty module for Jetty :: HTTP2 :: Server

### License:

<https://www.eclipse.org/legal/epl-2.0/>, <https://www.apache.org/licenses/LICENSE-2.0>

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/webserver.zip/http2-server.jar

**MD5:** c50252572dbfcc726dafa45ef36e7cad

**SHA1:** 998535c492d462119246d141b19fdb511d832151

**SHA256:** 08cf740087f3a72ad1d98e8b036a4790675b8bfac37ddf76c8866de5614c41bb

**Referenced In Project/Scope:**server

### Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	http2-server	High
Vendor	jar	package name	eclipse	Highest
Vendor	jar	package name	http2	Highest
Vendor	jar	package name	jetty	Highest
Vendor	jar	package name	server	Highest
Vendor	Manifest	build-jdk-spec	17	Low
Vendor	Manifest	bundle-copyright	Copyright (c) 2008-2022 Mort Bay Consulting Pty Ltd and others.	Low
Vendor	Manifest	bundle-docurl	<a href="https://eclipse.dev/jetty/">https://eclipse.dev/jetty/</a>	Low
Vendor	Manifest	bundle-requiredexecution	JavaSE-11	Low
Vendor	Manifest	bundle-symbolicname	org.eclipse.jetty.http2.server	Medium
Vendor	Manifest	Implementation-Vendor	Eclipse Jetty Project	High
Vendor	Manifest	url	<a href="https://eclipse.dev/jetty/">https://eclipse.dev/jetty/</a>	Low
Vendor	pom	artifactid	http2-server	Low
Vendor	pom	groupid	org.eclipse.jetty.http2	Highest
Vendor	pom	name	Jetty :: HTTP2 :: Server	High



Vendor	pom	parent-artifactid	http2-parent	Low
Product	file	name	http2-server	High
Product	jar	package name	eclipse	Highest
Product	jar	package name	http2	Highest
Product	jar	package name	jetty	Highest
Product	jar	package name	server	Highest
Product	Manifest	build-jdk-spec	17	Low
Product	Manifest	bundle-copyright	Copyright (c) 2008-2022 Mort Bay Consulting Pty Ltd and others.	Low
Product	Manifest	bundle-docurl	https://eclipse.dev/jetty/	Low
Product	Manifest	Bundle-Name	Jetty :: HTTP2 :: Server	Medium
Product	Manifest	bundle-requiredexecution	JavaSE-11	Low
Product	Manifest	bundle-symbolicname	org.eclipse.jetty.http2.server	Medium
Product	Manifest	url	https://eclipse.dev/jetty/	Low
Product	pom	artifactid	http2-server	Highest
Product	pom	groupid	org.eclipse.jetty.http2	Highest
Product	pom	name	Jetty :: HTTP2 :: Server	High
Product	pom	parent-artifactid	http2-parent	Medium
Version	Manifest	Bundle-Version	10.0.17	High
Version	Manifest	Implementation-Version	10.0.17	High
Version	pom	version	10.0.17	Highest

## Identifiers

- [pkg:maven/org.eclipse.jetty.http2/http2-server@10.0.17](#) (*Confidence:High*)
- [cpe:2.3:a:eclipse:jetty:10.0.17:\\*\\*\\*\\*:\\*:\\*](#) (*Confidence:Highest*) suppress
- [cpe:2.3:a:jetty:jetty:10.0.17:\\*\\*\\*\\*:\\*:\\*](#) (*Confidence:Highest*) suppress
- [cpe:2.3:a:jetty:jetty\\_http\\_server:10.0.17:\\*\\*\\*\\*:\\*:\\*](#) (*Confidence:Highest*) suppress
- [cpe:2.3:a:mortbay:jetty:jetty:10.0.17:\\*\\*\\*\\*:\\*:\\*](#) (*Confidence:Highest*) suppress

**webserver.zip: jetty-io.jar**

**Description:**



**License:**

<https://www.eclipse.org/legal/epl-2.0/>, <https://www.apache.org/licenses/LICENSE-2.0>

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/webserver.zip/jetty-io.jar

**MD5:** da3a663629df1d45ff84784254516aac

**SHA1:** a57b2fb256166eda798edeffbe4a17c4dd7f7022

**SHA256:** 5a4a44ef584e26b824b175b939755556c67decdd84ea0c33a796775e46b769a9

**Referenced In Project/Scope:**server

**Evidence**



Type	Source	Name	Value	Confidence
Vendor	file	name	jetty-io	High
Vendor	jar	package name	eclipse	Highest
Vendor	jar	package name	io	Highest
Vendor	jar	package name	jetty	Highest
Vendor	Manifest	build-jdk-spec	17	Low
Vendor	Manifest	bundle-copyright	Copyright (c) 2008-2022 Mort Bay Consulting Pty Ltd and others.	Low
Vendor	Manifest	bundle-docurl	<a href="https://eclipse.dev/jetty/">https://eclipse.dev/jetty/</a>	Low
Vendor	Manifest	bundle-requiredexecution	JavaSE-11	Low
Vendor	Manifest	bundle-symbolicname	org.eclipse.jetty.io	Medium
Vendor	Manifest	Implementation-Vendor	Eclipse Jetty Project	High
Vendor	Manifest	url	<a href="https://eclipse.dev/jetty/">https://eclipse.dev/jetty/</a>	Low
Vendor	pom	artifactid	jetty-io	Low
Vendor	pom	groupid	org.eclipse.jetty	Highest
Vendor	pom	name	Jetty :: IO Utility	High
Vendor	pom	parent-artifactid	jetty-project	Low
Product	file	name	jetty-io	High
Product	jar	package name	eclipse	Highest
Product	jar	package name	io	Highest
Product	jar	package name	jetty	Highest
Product	Manifest	build-jdk-spec	17	Low
Product	Manifest	bundle-copyright	Copyright (c) 2008-2022 Mort Bay Consulting Pty Ltd and others.	Low
Product	Manifest	bundle-docurl	<a href="https://eclipse.dev/jetty/">https://eclipse.dev/jetty/</a>	Low
Product	Manifest	Bundle-Name	Jetty :: IO Utility	Medium



Product	Manifest	bundle-requiredexecution	JavaSE-11	Low
Product	Manifest	bundle-symbolicname	org.eclipse.jetty.io	Medium
Product	Manifest	url	https://eclipse.dev/jetty/	Low
Product	pom	artifactid	jetty-io	Highest
Product	pom	groupid	org.eclipse.jetty	Highest
Product	pom	name	Jetty :: IO Utility	High
Product	pom	parent-artifactid	jetty-project	Medium
Version	Manifest	Bundle-Version	10.0.17	High
Version	Manifest	Implementation-Version	10.0.17	High
Version	pom	version	10.0.17	Highest

## Related Dependencies



- webserver.zip: jetty-client.jar
  - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/webserver.zip/jetty-client.jar
  - MD5: 7bc1089e0855e2054aef681f5707230d
  - SHA1: dc3857133910dbf42e45311b6f9e6a338bd59e89
  - SHA256: a17781ab84944f151807e721d90585e2b5af0bb906840afa86c3f3e4aaf0311b
  - [pkg:maven/org.eclipse.jetty/jetty-client@10.0.17](https://maven.org.eclipse.jetty/jetty-client@10.0.17)
- webserver.zip: jetty-http.jar
  - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/webserver.zip/jetty-http.jar
  - MD5: 0ca297251b627e63f0f227d54317ff97
  - SHA1: b684e63e9cc0f2b7bcc7917c83cc9e1a952b76ac
  - SHA256: bfbf72e74e44cc65300c70b20c3bce12491454c2dbb064b0a90ed1953471d86e
  - [pkg:maven/org.eclipse.jetty/jetty-http@10.0.17](https://maven.org.eclipse.jetty/jetty-http@10.0.17)
- webserver.zip: jetty-security.jar
  - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/webserver.zip/jetty-security.jar
  - MD5: df377a95707cf1c7d9e09bbde94af241
  - SHA1: e802a2ad37f38fbd0ea44f878079f891a57902ea
  - SHA256: c7a50242d0f89f453a56cc29a1c131c8f79bed3c704f11cb5395942941ba6a9c
  - [pkg:maven/org.eclipse.jetty/jetty-security@10.0.17](https://maven.org.eclipse.jetty/jetty-security@10.0.17)
- webserver.zip: jetty-servlet.jar
  - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/webserver.zip/jetty-servlet.jar
  - MD5: 64a7f3d2188d7a8ce6e69296c8d613f9
  - SHA1: 168984188c99004702cd9705728e54e1b441f8cd
  - SHA256: b304ff1d83e2168c894238350f1326f8858cfb69a665b67f7a8ab245d8727314
  - [pkg:maven/org.eclipse.jetty/jetty-servlet@10.0.17](https://maven.org.eclipse.jetty/jetty-servlet@10.0.17)
- webserver.zip: jetty-servlets.jar
  - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/webserver.zip/jetty-servlets.jar
  - MD5: 89ceefd438b854dc32441861a4b0cbf3
  - SHA1: bfe572f5f0ad314e2dbfddbc44abe8e619034997



- SHA256: 41554535d227bcd3405e24f14ca3cb4d88fc8011b75af481e8c76bc4a51676af
- [pkg:maven/org.eclipse.jetty/jetty-servlets@10.0.17](https://pkg.maven.org/eclipse.jetty/jetty-servlets@10.0.17)
- webserver.zip: jetty-util.jar
  - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/webserver.zip/jetty-util.jar
  - MD5: 3d5763acf59b02a5ac4c207ef6d91c92
  - SHA1: 2d8f2579b230660cca19410e61ea22635564f362
  - SHA256: 0718586e6cf6f4f02073c94934d24542db47461d58557e817956d07dcf75b836
  - [pkg:maven/org.eclipse.jetty/jetty-util@10.0.17](https://pkg.maven.org/eclipse.jetty/jetty-util@10.0.17)

## Identifiers

- [pkg:maven/org.eclipse.jetty/jetty-io@10.0.17](#) (*Confidence:High*)
- [cpe:2.3:a:eclipse:jetty:10.0.17:\\*:\\*:\\*:\\*:\\*](#) (*Confidence:Highest*) suppress
- [cpe:2.3:a:jetty:jetty:10.0.17:\\*:\\*:\\*:\\*](#) (*Confidence:Highest*) suppress
- [cpe:2.3:a:mortbay:jetty:jetty:10.0.17:\\*:\\*:\\*](#) (*Confidence:Highest*) suppress

**webserver.zip: jetty-server.jar**

**Description:**

The core jetty server artifact.

**License:**

<https://www.eclipse.org/legal/epl-2.0/>, <https://www.apache.org/licenses/LICENSE-2.0>

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller  
/server/build/tmp/dependencies/i-net PDFC/plugins/webserver.zip/jetty-server.jar

**MD5:** d7ac6fd1105ea9da5f33d523a7936a3e

**SHA1:** 8cce6c62ef95e5f8cbd0775f708b0423a7166da6

**SHA256:**ea2cd43daeffb54c3f73d9bd8c795e69c20e1831e80327d10341b306425b9e6e

**Referenced In Project/Scope:**server

## Evidence

Type	Source	Name	Value	Confidence
Vendor	file	name	jetty-server	High
Vendor	jar	package name	eclipse	Highest
Vendor	jar	package name	jetty	Highest
Vendor	jar	package name	server	Highest
Vendor	Manifest	build-jdk-spec	17	Low
Vendor	Manifest	bundle-copyright	Copyright (c) 2008-2022 Mort Bay Consulting Pty Ltd and others.	Low
Vendor	Manifest	bundle-docurl	https://eclipse.dev/jetty/	Low



Vendor	Manifest	bundle-requiredexecution	JavaSE-11	Low
Vendor	Manifest	bundle-symbolicname	org.eclipse.jetty.server	Medium
Vendor	Manifest	Implementation-Vendor	Eclipse Jetty Project	High
Vendor	Manifest	url	https://eclipse.dev/jetty/	Low
Vendor	pom	artifactid	jetty-server	Low
Vendor	pom	groupid	org.eclipse.jetty	Highest
Vendor	pom	name	Jetty :: Server Core	High
Vendor	pom	parent-artifactid	jetty-project	Low
Product	file	name	jetty-server	High
Product	jar	package name	eclipse	Highest
Product	jar	package name	jetty	Highest
Product	jar	package name	server	Highest
Product	Manifest	build-jdk-spec	17	Low
Product	Manifest	bundle-copyright	Copyright (c) 2008-2022 Mort Bay Consulting Pty Ltd and others.	Low
Product	Manifest	bundle-docurl	https://eclipse.dev/jetty/	Low
Product	Manifest	Bundle-Name	Jetty :: Server Core	Medium
Product	Manifest	bundle-requiredexecution	JavaSE-11	Low
Product	Manifest	bundle-symbolicname	org.eclipse.jetty.server	Medium
Product	Manifest	url	https://eclipse.dev/jetty/	Low
Product	pom	artifactid	jetty-server	Highest
Product	pom	groupid	org.eclipse.jetty	Highest
Product	pom	name	Jetty :: Server Core	High
Product	pom	parent-artifactid	jetty-project	Medium
Version	Manifest	Bundle-Version	10.0.17	High
Version	Manifest	Implementation-Version	10.0.17	High
Version	pom	version	10.0.17	Highest

## Related Dependencies



- webserver.zip: jetty-alpn-java-server.jar
  - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/webserver.zip/jetty-alpn-java-server.jar
  - MD5: 4e3bfdbcbce84beb484c3612c2a9f199



- SHA1: ab96075253b83f217b525984972b7446e6071e88
- SHA256: 3a2661bedab019609a442de6934d6ba4cba0cdea6e5b7e3e1b70ecca3cff8954
- [pkg:maven/org.eclipse.jetty/jetty-alpn-java-server@10.0.17](https://pkg:maven/org.eclipse.jetty/jetty-alpn-java-server@10.0.17)
- webserver.zip: jetty-alpn-server.jar
  - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/webserver.zip/jetty-alpn-server.jar
  - MD5: c54bb6711e5dc0cb9d77689dafac7021
  - SHA1: e9472cc4aff9e4e5f6db1ac14a7a4f7682f92075
  - SHA256: ab555fb4621b3a47574623c873fc30c477c303d9d733e50286d43ee0644d2890
  - [pkg:maven/org.eclipse.jetty/jetty-alpn-server@10.0.17](https://pkg:maven/org.eclipse.jetty/jetty-alpn-server@10.0.17)

## Identifiers

- [pkg:maven/org.eclipse.jetty/jetty-server@10.0.17](https://pkg:maven/org.eclipse.jetty/jetty-server@10.0.17) (*Confidence:High*)
- [cpe:2.3:a:eclipse:jetty:10.0.17:\\*:\\*:\\*:\\*:](https://cpe:2.3:a:eclipse:jetty:10.0.17:*:*:*:*:*) (*Confidence:Highest*) suppress
- [cpe:2.3:a:jetty:jetty:10.0.17:\\*:\\*:\\*:\\*:](https://cpe:2.3:a:jetty:jetty:10.0.17:*:*:*:*:*) (*Confidence:Highest*) suppress
- cpe:2.3:a:jetty:jetty\_http\_server:10.0.17:\*:\*:\*:\*:\* (*Confidence:Low*) suppress
- [cpe:2.3:a:mortbay:jetty:10.0.17:\\*:\\*:\\*:\\*:](https://cpe:2.3:a:mortbay:jetty:10.0.17:*:*:*:*:*) (*Confidence:Highest*) suppress

## webserver.zip: jose4j.jar

### Description:

The jose.4.j library is a robust and easy to use open source implementation of JSON Web Token (JWT) and the JOSE specification suite (JWS, JWE, and JWK).

It is written in Java and relies solely on the JCA APIs for cryptography.

Please see [https://bitbucket.org/b\\_c/jose4j/wiki/Home](https://bitbucket.org/b_c/jose4j/wiki/Home) for more info, examples, etc..

### License:

The Apache Software License, Version 2.0: <http://www.apache.org/licenses/LICENSE-2.0.txt>

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/webserver.zip/jose4j.jar

**MD5:** 583d1968840e8e5f83840c2b20f7eacc

**SHA1:** 9670e11587194cb6b1b2edcaa688a3fab85b4148

**SHA256:** 6265ad3e28a8b02ac3a9f98b9efced79671df8e0a556e9851ad65ffbea51a12a

**Referenced In Project/Scope:**server

## Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	jose4j	High
Vendor	jar	package name	jca	Highest
Vendor	jar	package name	jose4j	Highest
Vendor	jar	package name	json	Highest



Vendor	jar	package name	jwe	Highest
Vendor	jar	package name	jwk	Highest
Vendor	jar	package name	jws	Highest
Vendor	jar	package name	jwt	Highest
Vendor	jar	package name	use	Highest
Vendor	Manifest	automatic-module-name	org.jose4j	Medium
Vendor	Manifest	bundle-symbolicname	org.bitbucket.b_c.jose4j	Medium
Vendor	pom	artifactid	jose4j	Low
Vendor	pom	developer email	brian.d.campbell@gmail.com	Low
Vendor	pom	developer name	Brian Campbell	Medium
Vendor	pom	groupid	org.bitbucket.b_c	Highest
Vendor	pom	name	jose4j	High
Vendor	pom	url	https://bitbucket.org/b_c/jose4j/	Highest
Product	file	name	jose4j	High
Product	jar	package name	jca	Highest
Product	jar	package name	jose4j	Highest
Product	jar	package name	json	Highest
Product	jar	package name	jwe	Highest
Product	jar	package name	jwk	Highest
Product	jar	package name	jws	Highest
Product	jar	package name	jwt	Highest
Product	jar	package name	use	Highest
Product	Manifest	automatic-module-name	org.jose4j	Medium
Product	Manifest	Bundle-Name	jose4j	Medium
Product	Manifest	bundle-symbolicname	org.bitbucket.b_c.jose4j	Medium
Product	pom	artifactid	jose4j	Highest
Product	pom	developer email	brian.d.campbell@gmail.com	Low
Product	pom	developer name	Brian Campbell	Low
Product	pom	groupid	org.bitbucket.b_c	Highest
Product	pom	name	jose4j	High
Product	pom	url	https://bitbucket.org/b_c/jose4j/	Medium
Version	Manifest	Bundle-Version	0.9.3	High
Version	pom	version	0.9.3	Highest



Identifiers

- [pkg:maven/org.bitbucket.b\\_c/jose4j@0.9.3](#) (Confidence:High)
- [cpe:2.3:a:jose4j\\_project:jose4j:0.9.3:\\*:\\*:\\*:\\*:\\*](#) (Confidence:Highest) suppress

webserver.zip: webserver.jar

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/webserver.zip/webserver.jar  
**MD5:** cc74e6bdc949762daa3a26e78370df55  
**SHA1:** 744fa054776b419eea0bccc8d3f1168ba6ba33da  
**SHA256:**d29d11cbb167c627aa754959abfa0851b281267ea7ff821400110ff7ef933d65  
**Referenced In Project/Scope:**server

Evidence

Type	Source	Name	Value	Confidence
Vendor	file	name	webserver	High
Vendor	jar	package name	inet	Low
Vendor	jar	package name	webserver	Low
Vendor	Manifest	built-date	2024-01-16 12:06	Low
Vendor	Manifest	implementation-group	shared	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	webserver	High
Product	jar	package name	webserver	Highest
Product	jar	package name	webserver	Low
Product	Manifest	built-date	2024-01-16 12:06	Low
Product	Manifest	implementation-group	shared	Low
Product	Manifest	Implementation-Title	webserver	High
Product	Manifest	specification-title	webserver	Medium
Version	Manifest	Implementation-	23.10.295	High



Version

#### Identifiers

- None

### webserver.zip: websocket-core-client.jar

#### Description:

Jetty module for Jetty :: Websocket :: Core :: Client

#### License:

<https://www.eclipse.org/legal/epl-2.0/>, <https://www.apache.org/licenses/LICENSE-2.0>

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/webserver.zip/websocket-core-client.jar

**MD5:** d3e4ce38d09b73fb5d82ec957cbf162b

**SHA1:** 695f9d8dce0253d79d8b6c299dc4a6c824e35ce5

**SHA256:** db7644ee2c69852e95620fcda092083a2d4a5a585ba466b08e599e2b4a69a3bb

**Referenced In Project/Scope:**server

#### Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	websocket-core-client	High
Vendor	jar	package name	core	Highest
Vendor	jar	package name	eclipse	Highest
Vendor	jar	package name	jetty	Highest
Vendor	jar	package name	websocket	Highest
Vendor	Manifest	build-jdk-spec	17	Low
Vendor	Manifest	bundle-copyright	Copyright (c) 2008-2022 Mort Bay Consulting Pty Ltd and others.	Low
Vendor	Manifest	bundle-docurl	<a href="https://eclipse.dev/jetty/">https://eclipse.dev/jetty/</a>	Low
Vendor	Manifest	bundle-requiredexecution	JavaSE-11	Low
Vendor	Manifest	bundle-symbolicname	org.eclipse.jetty.websocket.core.client	Medium
Vendor	Manifest	Implementation-Vendor	Eclipse Jetty Project	High
Vendor	Manifest	url	<a href="https://eclipse.dev/jetty/">https://eclipse.dev/jetty/</a>	Low
Vendor	pom	artifactid	websocket-core-client	Low



Vendor	pom	groupid	org.eclipse.jetty.websocket	Highest
Vendor	pom	name	Jetty :: Websocket :: Core :: Client	High
Vendor	pom	parent-artifactid	websocket-parent	Low
Product	file	name	websocket-core-client	High
Product	jar	package name	core	Highest
Product	jar	package name	eclipse	Highest
Product	jar	package name	jetty	Highest
Product	jar	package name	websocket	Highest
Product	Manifest	build-jdk-spec	17	Low
Product	Manifest	bundle-copyright	Copyright (c) 2008-2022 Mort Bay Consulting Pty Ltd and others.	Low
Product	Manifest	bundle-docurl	https://eclipse.dev/jetty/	Low
Product	Manifest	Bundle-Name	Jetty :: Websocket :: Core :: Client	Medium
Product	Manifest	bundle-requiredexecution	JavaSE-11	Low
Product	Manifest	bundle-symbolicname	org.eclipse.jetty.websocket.core.client	Medium
Product	Manifest	url	https://eclipse.dev/jetty/	Low
Product	pom	artifactid	websocket-core-client	Highest
Product	pom	groupid	org.eclipse.jetty.websocket	Highest
Product	pom	name	Jetty :: Websocket :: Core :: Client	High
Product	pom	parent-artifactid	websocket-parent	Medium
Version	Manifest	Bundle-Version	10.0.17	High
Version	Manifest	Implementation-Version	10.0.17	High
Version	pom	version	10.0.17	Highest

## Related Dependencies



- webserver.zip: websocket-core-common.jar
  - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/webserver.zip/websocket-core-common.jar
  - MD5: 4d89958687d7441da26e9f26146ff9cf
  - SHA1: daf228c723b565f6b9cb19ab6d1c6f7302213ff4
  - SHA256: 761b43edcc51494c3fd91312e276ae060e8f491f6d8475891576af753d9a1ced
  - [pkg:maven/org.eclipse.jetty.websocket/websocket-core-common@10.0.17](https://maven.org.eclipse.jetty.websocket/websocket-core-common@10.0.17)
- webserver.zip: websocket-javax-client.jar
  - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/webserver.zip/websocket-javax-client.jar
  - MD5: 30d059f0dcb6c64521a065f01a8fc1e3
  - SHA1: b82a92fa49107ef06daf8cd41b278ce618239e3d
  - SHA256: 3351a1090e65b48d3a0f0bbda5a79f308fe65e86687fb6ab311332a124312efa



- [pkg:maven/org.eclipse.jetty.websocket/websocket-javax-client@10.0.17](https://pkg.maven.org/eclipse.jetty.websocket/websocket-javax-client@10.0.17)
- webserver.zip: websocket-javax-common.jar
  - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/webserver.zip/websocket-javax-common.jar
  - MD5: 83a89419f0a2a169a9a1390ccf02e3e6
  - SHA1: 2e8fa2013d6941b74fd080b92f4ca68cd8769eb3
  - SHA256: 41d2377100f0a45b16a687979c25107a5d1ff770b2fe81be67dbcb901e646448
  - [pkg:maven/org.eclipse.jetty.websocket/websocket-javax-common@10.0.17](https://pkg.maven.org/eclipse.jetty.websocket/websocket-javax-common@10.0.17)
- webserver.zip: websocket-javax-server.jar
  - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/webserver.zip/websocket-javax-server.jar
  - MD5: 59973451a9e8220cec091b497f5f0c7b
  - SHA1: 14d996ee9798f5f48614d622c23fb1842f640c55
  - SHA256: 0461f62e72ab953c7063edd02b3724b03a2aedd950f99806076172dc70263e11
  - [pkg:maven/org.eclipse.jetty.websocket/websocket-javax-server@10.0.17](https://pkg.maven.org/eclipse.jetty.websocket/websocket-javax-server@10.0.17)
- webserver.zip: websocket-jetty-api.jar
  - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/webserver.zip/websocket-jetty-api.jar
  - MD5: bbb3da33e358a183282caad6081d7cfe
  - SHA1: d3b320f9e28bb9aa208c1ef8baf7162242ba47a9
  - SHA256: b01b553d0b1e9bb19227ab0c861ca614be3c90464c356c2945b162fc4de4159a
  - [pkg:maven/org.eclipse.jetty.websocket/websocket-jetty-api@10.0.17](https://pkg.maven.org/eclipse.jetty.websocket/websocket-jetty-api@10.0.17)
- webserver.zip: websocket-jetty-common.jar
  - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/webserver.zip/websocket-jetty-common.jar
  - MD5: 52e179a09d11d1528a8f48a922da632c
  - SHA1: ca0df9b51443b028b4f04e995dcbf7834f68dec
  - SHA256: 4b34d7cd52a3e67efa56706565854cc333260b8670e7ae3bbf178d3e40093cb
  - [pkg:maven/org.eclipse.jetty.websocket/websocket-jetty-common@10.0.17](https://pkg.maven.org/eclipse.jetty.websocket/websocket-jetty-common@10.0.17)
- webserver.zip: websocket-servlet.jar
  - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/webserver.zip/websocket-servlet.jar
  - MD5: 46d084793fe3bac4fdd3f715f7145ad1
  - SHA1: 2addc07051bcc1962aec5c123cb7ec38ab9c97da
  - SHA256: 5b55cf0c0ec418c1d97f32ec5cc122293bbebb28f4e2a91373091621d41810a9
  - [pkg:maven/org.eclipse.jetty.websocket/websocket-servlet@10.0.17](https://pkg.maven.org/eclipse.jetty.websocket/websocket-servlet@10.0.17)

## Identifiers

**webserver.zip: websocket-core-server.jar**

**Description:**



**License:**

<https://www.eclipse.org/legal/epl-2.0/>, <https://www.apache.org/licenses/LICENSE-2.0>

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/webserver.zip/websocket-core-server.jar

**MD5:** 368dea46419bce00a65af1d67c368da2

**SHA1:** 3f9218e4766b724b924634a4ea19f5173b39b668

**SHA256:** cb9cb974c45f58bccf9eef92030984ef2f2b84193bff6837f7786cb114784859

**Referenced In Project/Scope:** server

**Evidence**

Type	Source	Name	Value	Confidence
Vendor	file	name	websocket-core-server	High
Vendor	jar	package name	core	Highest
Vendor	jar	package name	eclipse	Highest
Vendor	jar	package name	jetty	Highest
Vendor	jar	package name	websocket	Highest
Vendor	Manifest	build-jdk-spec	17	Low
Vendor	Manifest	bundle-copyright	Copyright (c) 2008-2022 Mort Bay Consulting Pty Ltd and others.	Low
Vendor	Manifest	bundle-docurl	<a href="https://eclipse.dev/jetty/">https://eclipse.dev/jetty/</a>	Low
Vendor	Manifest	bundle-requiredexecution	JavaSE-11	Low
Vendor	Manifest	bundle-symbolicname	org.eclipse.jetty.websocket.core.server	Medium
Vendor	Manifest	Implementation-Vendor	Eclipse Jetty Project	High
Vendor	Manifest	url	<a href="https://eclipse.dev/jetty/">https://eclipse.dev/jetty/</a>	Low
Vendor	pom	artifactid	websocket-core-server	Low
Vendor	pom	groupid	org.eclipse.jetty.websocket	Highest
Vendor	pom	name	Jetty :: Websocket :: Core :: Server	High
Vendor	pom	parent-artifactid	websocket-parent	Low
Product	file	name	websocket-core-server	High
Product	jar	package name	core	Highest
Product	jar	package name	eclipse	Highest
Product	jar	package name	jetty	Highest
Product	jar	package name	websocket	Highest
Product	Manifest	build-jdk-spec	17	Low
Product	Manifest	bundle-copyright	Copyright (c) 2008-2022 Mort Bay Consulting Pty Ltd and others.	Low



Product	Manifest	bundle-docurl	https://eclipse.dev/jetty/	Low
Product	Manifest	Bundle-Name	Jetty :: Websocket :: Core :: Server	Medium
Product	Manifest	bundle-requiredexecution	JavaSE-11	Low
Product	Manifest	bundle-symbolicname	org.eclipse.jetty.websocket.core.server	Medium
Product	Manifest	url	https://eclipse.dev/jetty/	Low
Product	pom	artifactid	websocket-core-server	Highest
Product	pom	groupid	org.eclipse.jetty.websocket	Highest
Product	pom	name	Jetty :: Websocket :: Core :: Server	High
Product	pom	parent-artifactid	websocket-parent	Medium
Version	Manifest	Bundle-Version	10.0.17	High
Version	Manifest	Implementation-Version	10.0.17	High
Version	pom	version	10.0.17	Highest

## Related Dependencies

- webserver.zip: websocket-jetty-server.jar
  - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/webserver.zip/websocket-jetty-server.jar
  - MD5: d91e0ed1e912ca79f51176861a3625e4
  - SHA1: 60ffa3bc9f4bbef9a42df296ebdb57cf63f4f63
  - SHA256: e204b62ddff629dcec050c5a285ff68088f57c4000ce55b87ddd47e6c67699ad
  - [pkg:maven/org.eclipse.jetty.websocket/websocket-jetty-server@10.0.17](https://pkg:maven/org.eclipse.jetty.websocket/websocket-jetty-server@10.0.17)

## Identifiers

- [pkg:maven/org.eclipse.jetty.websocket/websocket-core-server@10.0.17](https://pkg:maven/org.eclipse.jetty.websocket/websocket-core-server@10.0.17) (Confidence: High)
- [cpe:2.3:a:eclipse:jetty:10.0.17:\\*:\\*:\\*:\\*:\\*](https://cpe:2.3:a:eclipse:jetty:10.0.17:*:*:*:*:*) (Confidence: Highest) suppress
- [cpe:2.3:a:jetty:jetty:10.0.17:\\*:\\*:\\*:\\*:\\*](https://cpe:2.3:a:jetty:jetty:10.0.17:*:*:*:*:*) (Confidence: Highest) suppress
- [cpe:2.3:a:jetty:jetty\\_http\\_server:10.0.17:\\*:\\*:\\*:\\*:\\*](https://cpe:2.3:a:jetty:jetty_http_server:10.0.17:*:*:*:*:*) (Confidence: Low) suppress
- [cpe:2.3:a:mortbay:jetty:10.0.17:\\*:\\*:\\*:\\*:\\*](https://cpe:2.3:a:mortbay:jetty:10.0.17:*:*:*:*:*) (Confidence: Highest) suppress

## Suppressed Vulnerabilities

docfx.vendor.js



**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/Documentation and Samples/dotnet - ProcessBridge API Doc/styles/docfx.vendor.js  
**MD5:** c5759c31f767d3c7a66bb0e9b0f28714  
**SHA1:** bc21e0c3c13f65585267f4d62e92135d8ffbba6f  
**SHA256:** d8faa8568604e8ed814ea44a2e0189be763aeabd721c1c5f9042c4ece3fd7b8a

Evidence

Type	Source	Name	Value	Confidence
Vendor	file	name	bootstrap	High
Product	file	name	bootstrap	High
Version	file	version	3.4.1	High

Related Dependencies

- docfx.vendor.js
  - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/Documentation and Samples/nunit - API Doc/styles/docfx.vendor.js
  - MD5: c5759c31f767d3c7a66bb0e9b0f28714
  - SHA1: bc21e0c3c13f65585267f4d62e92135d8ffbba6f
  - SHA256: d8faa8568604e8ed814ea44a2e0189be763aeabd721c1c5f9042c4ece3fd7b8a

Suppressed Identifiers

- None

Suppressed Vulnerabilities

**Bootstrap before 4.0.0 is end-of-life and no longer maintained. (RETIREJS)** suppressed

Bootstrap before 4.0.0 is end-of-life and no longer maintained.

Notes: file name: remotegui.zip: bootstrap.jar

Unscored:

- Severity: low

References:

- info - <https://github.com/twbs/bootstrap/issues/20631>
- retid - 72

Vulnerable Software & Versions (RETIREJS):



**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/maintenance.zip/maintenance-javadoc.jar/jquery/jquery-ui.js  
**MD5:** 3e34f50eab2e13d720c93e44ac5cb7ca  
**SHA1:** c432ac324c727a86a9a54eff1b90d79e115e3f16  
**SHA256:** 712e2e2efe1717a1e10aee0e02163e1deadf88760ade58b5cdfe333ea6de5247

Evidence

Type	Source	Name	Value	Confidence
Vendor	file	name	jquery-ui	High
Product	file	name	jquery-ui	High
Version	file	version	1.12.1	High

Related Dependencies

- pdfc.zip: pdfc-javadoc.jar: jquery-ui.js
  - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/pdfc.zip/pdfc-javadoc.jar/jquery/jquery-ui.js
  - MD5: 3e34f50eab2e13d720c93e44ac5cb7ca
  - SHA1: c432ac324c727a86a9a54eff1b90d79e115e3f16
  - SHA256: 712e2e2efe1717a1e10aee0e02163e1deadf88760ade58b5cdfe333ea6de5247
- reporting.zip: reporting-javadoc.jar: jquery-ui.js
  - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/reporting.zip/reporting-javadoc.jar/jquery/jquery-ui.js
  - MD5: 3e34f50eab2e13d720c93e44ac5cb7ca
  - SHA1: c432ac324c727a86a9a54eff1b90d79e115e3f16
  - SHA256: 712e2e2efe1717a1e10aee0e02163e1deadf88760ade58b5cdfe333ea6de5247
- taskplanner.zip: taskplanner-javadoc.jar: jquery-ui.js
  - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/taskplanner.zip/taskplanner-javadoc.jar/jquery/jquery-ui.js
  - MD5: 3e34f50eab2e13d720c93e44ac5cb7ca
  - SHA1: c432ac324c727a86a9a54eff1b90d79e115e3f16
  - SHA256: 712e2e2efe1717a1e10aee0e02163e1deadf88760ade58b5cdfe333ea6de5247

Suppressed Identifiers

- None

Suppressed Vulnerabilities

[CVE-2021-41182](#) suppressed

jQuery-UI is the official jQuery user interface library. Prior to version 1.13.0, accepting the value of the `altField` option of the Datepicker widget from untrusted sources may execute untrusted



code. The issue is fixed in jQuery UI 1.13.0. Any string value passed to the `altField` option is now treated as a CSS selector. A workaround is to not accept the value of the `altField` option from untrusted sources.

## CWE-79 Improper Neutralization of Input During Web Page Generation ('Cross-site Scripting')

Notes: JavaDoc embedded JQuery UI - requires updated Java Version with newer javadoc

### CVSSv2:

- Base Score: MEDIUM (4.3)
- Vector: /AV:N/AC:M/Au:N/C:N/I:P/A:N

### CVSSv3:

- MEDIUM (6.1)
- CVSS:3.1/AV:N/AC:L/PR:N/UI:R/S:C/C:L/I:L/A:N

### References:

- CONFIRM - <https://github.com/jquery/jquery-ui/security/advisories/GHSA-9gj3-hwp5-pmwc>
- CONFIRM - <https://security.netapp.com/advisory/ntap-20211118-0004/>
- CONFIRM - <https://www.drupal.org/sa-core-2022-002>
- CONFIRM - <https://www.tenable.com/security/tns-2022-09>
- MISC - <https://blog.jqueryui.com/2021/10/jquery-ui-1-13-0-released/>
- MISC - <https://github.com/jquery/jquery-ui/pull/1954/commits/6809ce843e5ac4128108ea4c15cbc100653c2b63>
- MISC - <https://lists.debian.org/debian-lts-announce/2023/08/msg00040.html>
- MISC - <https://lists.fedoraproject.org/archives/list/package-announce%40lists.fedoraproject.org/message/HVKIOWSXL2RF2ULNAP7PHESYCFSTZIE3/>
- MISC - <https://lists.fedoraproject.org/archives/list/package-announce%40lists.fedoraproject.org/message/NXIUUBRVLA4E7G7MMIKCEN75YN7UFERW/>
- MISC - <https://lists.fedoraproject.org/archives/list/package-announce%40lists.fedoraproject.org/message/O74SXY7RGXREQDQUDQD4BPJ4QQTD2XQ/>
- MISC - <https://lists.fedoraproject.org/archives/list/package-announce%40lists.fedoraproject.org/message/SGSY236PYSFYIEBRGDERLA7OSY6D7XL4/>
- MISC - <https://lists.fedoraproject.org/archives/list/package-announce%40lists.fedoraproject.org/message/SNXA7XRKGINWSUIPIZ6ZBCTV6N3KSHES/>
- MISC - <https://www.drupal.org/sa-contrib-2022-004>
- MISC - <https://www.oracle.com/security-alerts/cpuapr2022.html>
- MLIST - [\[debian-lts-announce\] 20220119 \[SECURITY\] \[DLA-2889-1\] drupal7 security update](#)
- N/A - [N/A](#)
- info - <https://github.com/jquery/jquery-ui/security/advisories/GHSA-9gj3-hwp5-pmwc>
- info - <https://nvd.nist.gov/vuln/detail/CVE-2021-41182>

### Vulnerable Software & Versions (NVD):

- cpe:2.3:a:drupal:drupal:\*:\*:\*:\*:\* versions from (including) 7.0; versions up to (excluding) 7.86
- cpe:2.3:a:jqueryui:jquery\_ui:\*:\*:\*:\*:\* versions up to (excluding) 1.13.0
- cpe:2.3:a:oracle:agile\_plm:9.3.6:\*:\*:\*:\*:\*
- cpe:2.3:a:oracle:application\_express:\*:\*:\*:\*:\* versions up to (excluding) 22.1.1
- cpe:2.3:a:oracle:banking\_platform:2.9.0:\*:\*:\*:\*:\*
- cpe:2.3:a:oracle:banking\_platform:2.12.0:\*:\*:\*:\*:\*
- cpe:2.3:a:oracle:big\_data\_spatial\_and\_graph:\*:\*:\*:\*:\* versions up to (excluding) 23.1
- cpe:2.3:a:oracle:big\_data\_spatial\_and\_graph:23.1:\*:\*:\*:\*:\*
- cpe:2.3:a:oracle:communications\_interactive\_session\_recorder:6.4:\*:\*:\*:\*:\*
- cpe:2.3:a:oracle:communications\_operations\_monitor:4.3:\*:\*:\*:\*:\*
- cpe:2.3:a:oracle:communications\_operations\_monitor:4.4:\*:\*:\*:\*:\*
- cpe:2.3:a:oracle:communications\_operations\_monitor:5.0:\*:\*:\*:\*:\*
- cpe:2.3:a:oracle:hospitality\_inventory\_management:9.1.0:\*:\*:\*:\*:\*
- cpe:2.3:a:oracle:hospitality\_materials\_control:18.1:\*:\*:\*:\*:\*
- cpe:2.3:a:oracle:hospitality\_suite8:\*:\*:\*:\*:\* versions from (including) 8.11.0; versions up to (including) 8.14.0
- cpe:2.3:a:oracle:hospitality\_suite8:8.10.2:\*:\*:\*:\*:\*
- cpe:2.3:a:oracle:jd\_edwards\_enterpriseone\_tools:\*:\*:\*:\*:\* versions up to (including) 9.2.6.3
- cpe:2.3:a:oracle:mysql\_enterprise\_monitor:\*:\*:\*:\*:\* versions up to (including) 8.0.29
- cpe:2.3:a:oracle:peoplesoft\_enterprise\_peopletools:8.58:\*:\*:\*:\*:\*



- cpe:2.3:a:oracle:peoplesoft\_enterprise\_peopletools:8.59:\*\*\*\*\*
- cpe:2.3:a:oracle:policy\_automation:\*\*\*\*\* versions from (including) 12.2.0; versions up to (including) 12.2.25
- cpe:2.3:a:oracle:primavera\_unifier:\*\*\*\*\* versions from (including) 17.7; versions up to (including) 17.12
- cpe:2.3:a:oracle:primavera\_unifier:17.7:\*\*\*\*\*
- cpe:2.3:a:oracle:primavera\_unifier:17.8:\*\*\*\*\*
- cpe:2.3:a:oracle:primavera\_unifier:17.9:\*\*\*\*\*
- cpe:2.3:a:oracle:primavera\_unifier:17.10:\*\*\*\*\*
- cpe:2.3:a:oracle:primavera\_unifier:17.11:\*\*\*\*\*
- cpe:2.3:a:oracle:primavera\_unifier:17.12:\*\*\*\*\*
- cpe:2.3:a:oracle:primavera\_unifier:18.8:\*\*\*\*\*
- cpe:2.3:a:oracle:primavera\_unifier:19.12:\*\*\*\*\*
- cpe:2.3:a:oracle:primavera\_unifier:20.12:\*\*\*\*\*
- cpe:2.3:a:oracle:primavera\_unifier:21.12:\*\*\*\*\*
- cpe:2.3:a:oracle:rest\_data\_services:\*\*\*\*\* versions up to (excluding) 22.1.1
- cpe:2.3:a:oracle:rest\_data\_services:22.1.1:\*\*\*\*\*
- cpe:2.3:a:oracle:weblogic\_server:12.2.1.3.0:\*\*\*\*\*
- cpe:2.3:a:oracle:weblogic\_server:12.2.1.4.0:\*\*\*\*\*
- cpe:2.3:a:oracle:weblogic\_server:14.1.1.0.0:\*\*\*\*\*
- cpe:2.3:a:tenable:tenable.sc:\*\*\*\*\* versions up to (excluding) 5.21.0

### [CVE-2021-41183](#) suppressed

jQuery-UI is the official jQuery user interface library. Prior to version 1.13.0, accepting the value of various `\*Text` options of the Datepicker widget from untrusted sources may execute untrusted code. The issue is fixed in jQuery UI 1.13.0. The values passed to various `\*Text` options are now always treated as pure text, not HTML. A workaround is to not accept the value of the `\*Text` options from untrusted sources.

CWE-79 Improper Neutralization of Input During Web Page Generation ('Cross-site Scripting')

Notes: JavaDoc embedded JQuery UI - requires updated Java Version with newer javadoc

CVSSv2:

- Base Score: MEDIUM (4.3)
- Vector: /AV:N/AC:M/Au:N/C:N/I:P/A:N

CVSSv3:

- MEDIUM (6.1)
- CVSS:3.1/AV:N/AC:L/PR:N/UI:R/S:C/C:L/I:L/A:N

References:

- CONFIRM - <https://github.com/jquery/jquery-ui/security/advisories/GHSA-j7qv-pgf6-hvh4>
- CONFIRM - <https://security.netapp.com/advisory/ntap-20211118-0004/>
- CONFIRM - <https://www.drupal.org/sa-core-2022-001>
- CONFIRM - <https://www.drupal.org/sa-core-2022-002>
- CONFIRM - <https://www.tenable.com/security/tns-2022-09>
- MISC - <https://blog.jqueryui.com/2021/10/jquery-ui-1-13-0-released/>
- MISC - <https://bugs.jqueryui.com/ticket/15284>
- MISC - <https://github.com/jquery/jquery-ui/pull/1953>
- MISC - <https://lists.debian.org/debian-lts-announce/2023/08/msg00040.html>
- MISC - <https://lists.fedoraproject.org/archives/list/package-announce%40lists.fedoraproject.org/message/HVKIOWSXL2RF2ULNAP7PHESYCF5ZIJ3/>
- MISC - <https://lists.fedoraproject.org/archives/list/package-announce%40lists.fedoraproject.org/message/NXIUUBRVLA4E7G7MMIKCEN75YN7UFERW/>
- MISC - <https://lists.fedoraproject.org/archives/list/package-announce%40lists.fedoraproject.org/message/O74SXY7RGXREQDQUDQD4BPJ4QQTD2XQ/>
- MISC - <https://lists.fedoraproject.org/archives/list/package-announce%40lists.fedoraproject.org/message/SGSY236PYSFYIEBRGDERLA7OSY6D7XL4/>
- MISC - <https://lists.fedoraproject.org/archives/list/package-announce%40lists.fedoraproject.org/message/SNXA7XRKGINWSUIPIZ6ZBCTV6N3KSHES/>
- MISC - <https://www.drupal.org/sa-contrib-2022-004>
- MISC - <https://www.oracle.com/security-alerts/cpuapr2022.html>
- MLIST - [\[debian-lts-announce\] 20220119 \[SECURITY\] \[DLA-2889-1\] drupal7 security update](#)
- N/A - [N/A](#)
- info - <https://bugs.jqueryui.com/ticket/15284>



- info - <https://nvd.nist.gov/vuln/detail/CVE-2021-41183>

#### Vulnerable Software & Versions (NVD):

- cpe:2.3:a:drupal:drupal:\*:\*:\*:\*:\* versions from (including) 7.0; versions up to (excluding) 7.86
- cpe:2.3:a:drupal:drupal:\*:\*:\*:\*:\* versions from (including) 9.2.0; versions up to (excluding) 9.2.11
- cpe:2.3:a:drupal:drupal:\*:\*:\*:\*:\* versions from (including) 9.3.0; versions up to (excluding) 9.3.3
- cpe:2.3:a:jqueryui:jquery\_ui:\*:\*:\*:\*:\* versions up to (excluding) 1.13.0
- cpe:2.3:a:oracle:agile\_plm:9.3.6:\*:\*:\*:\*:\*
- cpe:2.3:a:oracle:application\_express:\*:\*:\*:\*:\* versions up to (excluding) 22.1.1
- cpe:2.3:a:oracle:banking\_platform:2.9.0:\*:\*:\*:\*:\*
- cpe:2.3:a:oracle:banking\_platform:2.12.0:\*:\*:\*:\*:\*
- cpe:2.3:a:oracle:big\_data\_spatial\_and\_graph:\*:\*:\*:\*:\* versions up to (excluding) 23.1
- cpe:2.3:a:oracle:big\_data\_spatial\_and\_graph:23.1:\*:\*:\*:\*:\*
- cpe:2.3:a:oracle:communications\_interactive\_session\_recorder:6.4:\*:\*:\*:\*:\*
- cpe:2.3:a:oracle:communications\_operations\_monitor:4.3:\*:\*:\*:\*:\*
- cpe:2.3:a:oracle:communications\_operations\_monitor:4.4:\*:\*:\*:\*:\*
- cpe:2.3:a:oracle:communications\_operations\_monitor:5.0:\*:\*:\*:\*:\*
- cpe:2.3:a:oracle:hospitality\_inventory\_management:9.1.0:\*:\*:\*:\*:\*
- cpe:2.3:a:oracle:hospitality\_suite8:\*:\*:\*:\*:\* versions from (including) 8.11.0; versions up to (including) 11.14.0
- cpe:2.3:a:oracle:hospitality\_suite8:8.10.2:\*:\*:\*:\*:\*
- cpe:2.3:a:oracle:jd\_edwards\_enterpriseone\_tools:\*:\*:\*:\*:\* versions up to (including) 9.2.6.3
- cpe:2.3:a:oracle:mysql\_enterprise\_monitor:\*:\*:\*:\*:\* versions up to (including) 8.0.29
- cpe:2.3:a:oracle:peoplesoft\_enterprise\_peopletools:8.58:\*:\*:\*:\*:\*
- cpe:2.3:a:oracle:peoplesoft\_enterprise\_peopletools:8.59:\*:\*:\*:\*:\*
- cpe:2.3:a:oracle:policy\_automation:\*:\*:\*:\*:\* versions from (including) 12.2.0; versions up to (including) 12.2.5
- cpe:2.3:a:oracle:primavera\_gateway:\*:\*:\*:\*:\* versions from (including) 17.7; versions up to (including) 17.12
- cpe:2.3:a:oracle:primavera\_gateway:18.8.0:\*:\*:\*:\*:\*
- cpe:2.3:a:oracle:primavera\_gateway:19.12.0:\*:\*:\*:\*:\*
- cpe:2.3:a:oracle:primavera\_gateway:20.12.0:\*:\*:\*:\*:\*
- cpe:2.3:a:oracle:primavera\_gateway:21.12.0:\*:\*:\*:\*:\*
- cpe:2.3:a:oracle:rest\_data\_services:\*:\*:\*:\*:\* versions up to (excluding) 22.1.1
- cpe:2.3:a:oracle:rest\_data\_services:22.1.1:\*:\*:\*:\*:\*
- cpe:2.3:a:oracle:weblogic\_server:12.2.1.3.0:\*:\*:\*:\*:\*
- cpe:2.3:a:oracle:weblogic\_server:12.2.1.4.0:\*:\*:\*:\*:\*
- cpe:2.3:a:oracle:weblogic\_server:14.1.1.0.0:\*:\*:\*:\*:\*
- cpe:2.3:a:tenable:tenable.sc:\*:\*:\*:\*:\* versions up to (excluding) 5.21.0

#### [CVE-2021-41184](#) suppressed

jQuery-UI is the official jQuery user interface library. Prior to version 1.13.0, accepting the value of the `of` option of the `.position()` util from untrusted sources may execute untrusted code. The issue is fixed in jQuery UI 1.13.0. Any string value passed to the `of` option is now treated as a CSS selector. A workaround is to not accept the value of the `of` option from untrusted sources.

CWE-79 Improper Neutralization of Input During Web Page Generation ('Cross-site Scripting')

Notes: JavaDoc embedded JQuery UI - requires updated Java Version with newer javadoc

#### CVSSv2:

- Base Score: MEDIUM (4.3)
- Vector: /AV:N/AC:M/Au:N/C:N/I:P/A:N

#### CVSSv3:

- MEDIUM (6.1)
- CVSS:3.1/AV:N/AC:L/PR:N/UI:R/S:C/C:L/I:L/A:N

#### References:

- CONFIRM - <https://github.com/jquery/jquery-ui/security/advisories/GHSA-gpqq-952q-5327>
- CONFIRM - <https://security.netapp.com/advisory/ntap-20211118-0004/>



- CONFIRM - <https://www.drupal.org/sa-core-2022-001>
- CONFIRM - <https://www.tenable.com/security/tns-2022-09>
- MISC - <https://blog.jqueryui.com/2021/10/jquery-ui-1-13-0-released/>
- MISC - <https://github.com/jquery/jquery-ui/commit/effa323f1505f2ce7a324e4f429fa9032c72f280>
- MISC - <https://lists.debian.org/debian-lts-announce/2023/08/msg00040.html>
- MISC - <https://lists.fedoraproject.org/archives/list/package-announce%40lists.fedoraproject.org/message/HVKIOWSXL2RF2ULNAP7PHESYCFJSZIE3/>
- MISC - <https://lists.fedoraproject.org/archives/list/package-announce%40lists.fedoraproject.org/message/NXIUUBRVLA4E7G7MMIKCEN75YN7UFERW/>
- MISC - <https://lists.fedoraproject.org/archives/list/package-announce%40lists.fedoraproject.org/message/O74SXY7RGXREQDQUDQD4BPJ4QQTD2XQ/>
- MISC - <https://lists.fedoraproject.org/archives/list/package-announce%40lists.fedoraproject.org/message/SGSY236PYSFYIEBRGDERLA7OSY6D7XL4/>
- MISC - <https://lists.fedoraproject.org/archives/list/package-announce%40lists.fedoraproject.org/message/SNXA7XRKGINWSUIPIZ6ZBCTV6N3KSHES/>
- MISC - <https://www.oracle.com/security-alerts/cpuapr2022.html>
- N/A - N/A
- info - <https://github.com/jquery/jquery-ui/security/advisories/GHSA-gpqq-952q-5327>
- info - <https://nvd.nist.gov/vuln/detail/CVE-2021-41184>

#### Vulnerable Software & Versions (NVD):

- cpe:2.3:a:drupal:drupal:\*:\*:\*:\*:\* versions from (including) 7.0; versions up to (excluding) 7.86
- cpe:2.3:a:drupal:drupal:\*:\*:\*:\*:\* versions from (including) 9.2.0; versions up to (excluding) 9.2.11
- cpe:2.3:a:drupal:drupal:\*:\*:\*:\*:\* versions from (including) 9.3.0; versions up to (excluding) 9.3.3
- cpe:2.3:a:jqueryui:jquery\_ui:\*:\*:\*:\*:\* versions up to (excluding) 1.13.0
- cpe:2.3:a:oracle:agile\_plm:9.3.6:\*:\*:\*:\*\*
- cpe:2.3:a:oracle:application\_express:\*:\*:\*:\*:\* versions up to (excluding) 22.1.1
- cpe:2.3:a:oracle:banking\_platform:2.9.0:\*:\*:\*:\*\*
- cpe:2.3:a:oracle:banking\_platform:2.12.0:\*:\*:\*:\*\*
- cpe:2.3:a:oracle:big\_data\_spatial\_and\_graph:\*:\*:\*:\*:\* versions up to (excluding) 23.1
- cpe:2.3:a:oracle:big\_data\_spatial\_and\_graph:23.1:\*:\*:\*:\*\*
- cpe:2.3:a:oracle:communications\_interactive\_session\_recorder:6.4:\*:\*:\*:\*\*
- cpe:2.3:a:oracle:communications\_operations\_monitor:4.3:\*:\*:\*:\*\*
- cpe:2.3:a:oracle:communications\_operations\_monitor:4.4:\*:\*:\*:\*\*
- cpe:2.3:a:oracle:communications\_operations\_monitor:5.0:\*:\*:\*:\*\*
- cpe:2.3:a:oracle:hospitality\_inventory\_management:9.1.0:\*:\*:\*:\*\*
- cpe:2.3:a:oracle:hospitality\_materials\_control:18.1:\*:\*:\*:\*\*
- cpe:2.3:a:oracle:hospitality\_suite8:\*:\*:\*:\*:\* versions from (including) 8.11.0; versions up to (including) 8.14.0
- cpe:2.3:a:oracle:hospitality\_suite8:8.10.2:\*:\*:\*:\*\*
- cpe:2.3:a:oracle:jd\_edwards\_enterpriseone\_tools:\*:\*:\*:\*:\* versions up to (including) 9.2.6.3
- cpe:2.3:a:oracle:peoplesoft\_enterprise\_peopletools:8.58:\*:\*:\*:\*\*
- cpe:2.3:a:oracle:peoplesoft\_enterprise\_peopletools:8.59:\*:\*:\*:\*\*
- cpe:2.3:a:oracle:policy\_automation:\*:\*:\*:\*:\* versions from (including) 12.2.0; versions up to (including) 12.2.25
- cpe:2.3:a:oracle:primavera\_unifier:\*:\*:\*:\*:\* versions from (including) 17.7; versions up to (including) 17.12
- cpe:2.3:a:oracle:primavera\_unifier:18.8:\*:\*:\*:\*\*
- cpe:2.3:a:oracle:primavera\_unifier:19.12:\*:\*:\*:\*\*
- cpe:2.3:a:oracle:primavera\_unifier:20.12:\*:\*:\*:\*\*
- cpe:2.3:a:oracle:primavera\_unifier:21.12:\*:\*:\*:\*\*
- cpe:2.3:a:oracle:rest\_data\_services:\*:\*:\*:\*:\* versions up to (excluding) 22.1.1
- cpe:2.3:a:oracle:rest\_data\_services:22.1.1:\*:\*:\*:\*\*
- cpe:2.3:a:oracle:weblogic\_server:12.2.1.3.0:\*:\*:\*:\*\*
- cpe:2.3:a:oracle:weblogic\_server:12.2.1.4.0:\*:\*:\*:\*\*
- cpe:2.3:a:oracle:weblogic\_server:14.1.1.0.0:\*:\*:\*:\*\*
- cpe:2.3:a:tenable:tenable.sc:\*:\*:\*:\*:\* versions up to (excluding) 5.21.0

**CVE-2022-31160** suppressed

jQuery UI is a curated set of user interface interactions, effects, widgets, and themes built on top of jQuery. Versions prior to 1.13.2 are potentially vulnerable to cross-site scripting. Initializing a



checkboxradio widget on an input enclosed within a label makes that parent label contents considered as the input label. Calling `.checkboxradio("refresh")` on such a widget and the initial HTML contained encoded HTML entities will make them erroneously get decoded. This can lead to potentially executing JavaScript code. The bug has been patched in jQuery UI 1.13.2. To remediate the issue, someone who can change the initial HTML can wrap all the non-input contents of the `label` in a `span`.

CWE-79 Improper Neutralization of Input During Web Page Generation ('Cross-site Scripting')

Notes: JavaDoc embedded JQuery UI - requires updated Java Version with newer javadoc

CVSSv3:

- MEDIUM (6.1)
- CVSS:3.1/AV:N/AC:L/PR:N/UI:R/S:C/C:L/I:L/A:N

References:

- - [FEDORA-2022-1a01ed37e2](#)
- - [FEDORA-2022-22d8ba36d0](#)
- - [FEDORA-2022-7291b78111](#)
- CONFIRM - <https://github.com/jquery/jquery-ui/security/advisories/GHSA-h6gj-6jjq-h8g9>
- CONFIRM - <https://security.netapp.com/advisory/ntap-20220909-0007/>
- MISC - <https://blog.jqueryui.com/2022/07/jquery-ui-1-13-2-released/>
- MISC - <https://github.com/jquery/jquery-ui/commit/8cc5bae1caa1fc96bf5862c5646c787020ba3f9>
- MISC - <https://www.drupal.org/sa-contrib-2022-052>
- MLIST - [\[debian-lts-announce\] 20221207 \[SECURITY\] \[DLA 3230-1\] jqueryui security update](#)
- info - <https://github.com/advisories/GHSA-h6gj-6jjq-h8g9>
- info - <https://github.com/jquery/jquery-ui/commit/8cc5bae1caa1fc96bf5862c5646c787020ba3f9>
- info - <https://github.com/jquery/jquery-ui/issues/2101>
- info - <https://nvd.nist.gov/vuln/detail/CVE-2022-31160>

Vulnerable Software & Versions (NVD):

- cpe:2.3:a:drupal:jquery\_ui\_checkboxradio:8.x-1.0:\*:\*:\*:\*:drupal:\*:\*
- cpe:2.3:a:drupal:jquery\_ui\_checkboxradio:8.x-1.1:\*:\*:\*:\*:drupal:\*:\*
- cpe:2.3:a:drupal:jquery\_ui\_checkboxradio:8.x-1.2:\*:\*:\*:\*:drupal:\*:\*
- cpe:2.3:a:drupal:jquery\_ui\_checkboxradio:8.x-1.3:\*:\*:\*:\*:drupal:\*:\*
- cpe:2.3:a:jqueryui:jquery\_ui:\*:\*:\*:\*:jquery:\*:\* versions up to (excluding) 1.13.2
- cpe:2.3:a:netapp:oncommand\_insight:\*:\*:\*:\*:\*:

## maintenance.zip: maintenance-javadoc.jar: jquery-ui.min.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/maintenance.zip/maintenance-javadoc.jar/jquery/jquery-ui.min.js

**MD5:** 28d157e58272e91b054c254eab737df0

**SHA1:** 4165e40107b31b0ce5f022f579635fccb887bef9

**SHA256:** 76e849220d7fe7778affeaa0806e48bbb69a5ec5b8c8b8f5f3cd89439a6dedc

### Evidence

Type	Source	Name	Value	Confidence
Vendor	file	name	jquery-ui	High
Product	file	name	jquery-ui	High



Version	file	version	1.12.1	High
---------	------	---------	--------	------

## Related Dependencies

- pdfc.zip: pdfc-javadoc.jar: jquery-ui.min.js
  - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/pdfc.zip/pdfc-javadoc.jar/jquery/jquery-ui.min.js
  - MD5: 28d157e58272e91b054c254eab737df0
  - SHA1: 4165e40107b31b0ce5f022f579635fccb887bef9
  - SHA256: 76e849220d7fe7778affeaaf0806e48bbb69a5ec5b8c8b8f5f3cd89439a6dedc
- reporting.zip: reporting-javadoc.jar: jquery-ui.min.js
  - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/reporting.zip/reporting-javadoc.jar/jquery/jquery-ui.min.js
  - MD5: 28d157e58272e91b054c254eab737df0
  - SHA1: 4165e40107b31b0ce5f022f579635fccb887bef9
  - SHA256: 76e849220d7fe7778affeaaf0806e48bbb69a5ec5b8c8b8f5f3cd89439a6dedc
- taskplanner.zip: taskplanner-javadoc.jar: jquery-ui.min.js
  - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/taskplanner.zip/taskplanner-javadoc.jar/jquery/jquery-ui.min.js
  - MD5: 28d157e58272e91b054c254eab737df0
  - SHA1: 4165e40107b31b0ce5f022f579635fccb887bef9
  - SHA256: 76e849220d7fe7778affeaaf0806e48bbb69a5ec5b8c8b8f5f3cd89439a6dedc

## Suppressed Identifiers

- None

## Suppressed Vulnerabilities

### [CVE-2021-41182](#) suppressed

jQuery-UI is the official jQuery user interface library. Prior to version 1.13.0, accepting the value of the `altField` option of the Datepicker widget from untrusted sources may execute untrusted code. The issue is fixed in jQuery UI 1.13.0. Any string value passed to the `altField` option is now treated as a CSS selector. A workaround is to not accept the value of the `altField` option from untrusted sources.

CWE-79 Improper Neutralization of Input During Web Page Generation ('Cross-site Scripting')

Notes: JavaDoc embedded JQuery UI - requires updated Java Version with newer javadoc

CVSSv2:

- Base Score: MEDIUM (4.3)
- Vector: /AV:N/AC:M/Au:N/C:N/I:P/A:N

CVSSv3:

- MEDIUM (6.1)
- CVSS:3.1/AV:N/AC:L/PR:N/UI:R/S:C/C:L/I:L/A:N

References:

- CONFIRM - <https://github.com/jquery/jquery-ui/security/advisories/GHSA-9gj3-hwp5-pmwc>
- CONFIRM - <https://security.netapp.com/advisory/ntap-20211118-0004/>



- CONFIRM - <https://www.drupal.org/sa-core-2022-002>
- CONFIRM - <https://www.tenable.com/security/tns-2022-09>
- MISC - <https://blog.jqueryui.com/2021/10/jquery-ui-1-13-0-released/>
- MISC - <https://github.com/jquery/jquery-ui/pull/1954/commits/6809ce843e5ac4128108ea4c15cbc100653c2b63>
- MISC - <https://lists.debian.org/debian-lts-announce/2023/08/msg00040.html>
- MISC - <https://lists.fedoraproject.org/archives/list/package-announce%40lists.fedoraproject.org/message/HVKIOWSXL2RF2ULNAP7PHESYCFJSZIE3/>
- MISC - <https://lists.fedoraproject.org/archives/list/package-announce%40lists.fedoraproject.org/message/NXIUUBRVLA4E7G7MMIKCEN75YN7UFERW/>
- MISC - <https://lists.fedoraproject.org/archives/list/package-announce%40lists.fedoraproject.org/message/O74SXY7RGXREQDQDQD4BPJ4QQTD2XQ/>
- MISC - <https://lists.fedoraproject.org/archives/list/package-announce%40lists.fedoraproject.org/message/SGSY236PYSFYIEBRGDERLA7OSY6D7XL4/>
- MISC - <https://lists.fedoraproject.org/archives/list/package-announce%40lists.fedoraproject.org/message/SNXA7XRKGINWSUIPIZ6ZBCTV6N3KSHES/>
- MISC - <https://www.drupal.org/sa-contrib-2022-004>
- MISC - <https://www.oracle.com/security-alerts/cpuapr2022.html>
- MLIST - [\[debian-lts-announce\] 20220119 \[SECURITY\] \[DLA-2889-1\] drupal7 security update](#)
- N/A - [N/A](#)
- info - <https://github.com/jquery/jquery-ui/security/advisories/GHSA-9gj3-hwp5-pmwc>
- info - <https://nvd.nist.gov/vuln/detail/CVE-2021-41182>

#### Vulnerable Software & Versions (NVD):

- cpe:2.3:a:drupal:drupal:\*:\*:\*:\*:\* versions from (including) 7.0; versions up to (excluding) 7.86
- cpe:2.3:a:jqueryui:jquery\_ui:\*:\*:\*:\*:\* versions up to (excluding) 1.13.0
- cpe:2.3:a:oracle:agile\_plm:9.3.6:\*:\*:\*:\*:\*
- cpe:2.3:a:oracle:application\_express:\*:\*:\*:\*:\* versions up to (excluding) 22.1.1
- cpe:2.3:a:oracle:banking\_platform:2.9.0:\*:\*:\*:\*:\*
- cpe:2.3:a:oracle:banking\_platform:2.12.0:\*:\*:\*:\*:\*
- cpe:2.3:a:oracle:big\_data\_spatial\_and\_graph:\*:\*:\*:\*:\* versions up to (excluding) 23.1
- cpe:2.3:a:oracle:big\_data\_spatial\_and\_graph:23.1:\*:\*:\*:\*:\*
- cpe:2.3:a:oracle:communications\_interactive\_session\_recorder:6.4:\*:\*:\*:\*:\*
- cpe:2.3:a:oracle:communications\_operations\_monitor:4.3:\*:\*:\*:\*:\*
- cpe:2.3:a:oracle:communications\_operations\_monitor:4.4:\*:\*:\*:\*:\*
- cpe:2.3:a:oracle:communications\_operations\_monitor:5.0:\*:\*:\*:\*:\*
- cpe:2.3:a:oracle:hospitality\_inventory\_management:9.1.0:\*:\*:\*:\*:\*
- cpe:2.3:a:oracle:hospitality\_materials\_control:18.1:\*:\*:\*:\*:\*
- cpe:2.3:a:oracle:hospitality\_suite8:\*:\*:\*:\*:\* versions from (including) 8.11.0; versions up to (including) 8.14.0
- cpe:2.3:a:oracle:hospitality\_suite8:8.10.2:\*:\*:\*:\*:\*
- cpe:2.3:a:oracle:jd\_edwards\_enterpriseone\_tools:\*:\*:\*:\*:\* versions up to (including) 9.2.6.3
- cpe:2.3:a:oracle:mysql\_enterprise\_monitor:\*:\*:\*:\*:\* versions up to (including) 8.0.29
- cpe:2.3:a:oracle:peoplesoft\_enterprise\_peopletools:8.58:\*:\*:\*:\*:\*
- cpe:2.3:a:oracle:peoplesoft\_enterprise\_peopletools:8.59:\*:\*:\*:\*:\*
- cpe:2.3:a:oracle:policy\_automation:\*:\*:\*:\*:\* versions from (including) 12.2.0; versions up to (including) 12.2.25
- cpe:2.3:a:oracle:primavera\_unifier:\*:\*:\*:\*:\* versions from (including) 17.7; versions up to (including) 17.12
- cpe:2.3:a:oracle:primavera\_unifier:17.7:\*:\*:\*:\*:\*
- cpe:2.3:a:oracle:primavera\_unifier:17.8:\*:\*:\*:\*:\*
- cpe:2.3:a:oracle:primavera\_unifier:17.9:\*:\*:\*:\*:\*
- cpe:2.3:a:oracle:primavera\_unifier:17.10:\*:\*:\*:\*:\*
- cpe:2.3:a:oracle:primavera\_unifier:17.11:\*:\*:\*:\*:\*
- cpe:2.3:a:oracle:primavera\_unifier:17.12:\*:\*:\*:\*:\*
- cpe:2.3:a:oracle:primavera\_unifier:18.8:\*:\*:\*:\*:\*
- cpe:2.3:a:oracle:primavera\_unifier:19.12:\*:\*:\*:\*:\*
- cpe:2.3:a:oracle:primavera\_unifier:20.12:\*:\*:\*:\*:\*
- cpe:2.3:a:oracle:primavera\_unifier:21.12:\*:\*:\*:\*:\*
- cpe:2.3:a:oracle:rest\_data\_services:\*:\*:\*:\*:\* versions up to (excluding) 22.1.1
- cpe:2.3:a:oracle:rest\_data\_services:22.1.1:\*:\*:\*:\*:\*
- cpe:2.3:a:oracle:weblogic\_server:12.2.1.3.0:\*:\*:\*:\*:\*
- cpe:2.3:a:oracle:weblogic\_server:12.2.1.4.0:\*:\*:\*:\*:\*
- cpe:2.3:a:oracle:weblogic\_server:14.1.1.0.0:\*:\*:\*:\*:\*



- cpe:2.3:a:tenable:tenable.sc:\*:\*:\*:\*:\* versions up to (excluding) 5.21.0

## CVE-2021-41183 suppressed

jQuery-UI is the official jQuery user interface library. Prior to version 1.13.0, accepting the value of various `\*Text` options of the Datepicker widget from untrusted sources may execute untrusted code. The issue is fixed in jQuery UI 1.13.0. The values passed to various `\*Text` options are now always treated as pure text, not HTML. A workaround is to not accept the value of the `\*Text` options from untrusted sources.

CWE-79 Improper Neutralization of Input During Web Page Generation ('Cross-site Scripting')

Notes: JavaDoc embedded JQuery UI - requires updated Java Version with newer javadoc

CVSSv2:

- Base Score: MEDIUM (4.3)
- Vector: /AV:N/AC:M/Au:N/C:N/I:P/A:N

CVSSv3:

- MEDIUM (6.1)
- CVSS:3.1/AV:N/AC:L/PR:N/UI:R/S:C/C:L/I:L/A:N

References:

- CONFIRM - <https://github.com/jquery/jquery-ui/security/advisories/GHSA-j7qv-pg6f-hvh4>
- CONFIRM - <https://security.netapp.com/advisory/ntap-20211118-0004/>
- CONFIRM - <https://www.drupal.org/sa-core-2022-001>
- CONFIRM - <https://www.drupal.org/sa-core-2022-002>
- CONFIRM - <https://www.tenable.com/security/tns-2022-09>
- MISC - <https://blog.jqueryui.com/2021/10/jquery-ui-1-13-0-released/>
- MISC - <https://bugs.jqueryui.com/ticket/15284>
- MISC - <https://github.com/jquery/jquery-ui/pull/1953>
- MISC - <https://lists.debian.org/debian-lts-announce/2023/08/msg00040.html>
- MISC - <https://lists.fedoraproject.org/archives/list/package-announce%40lists.fedoraproject.org/message/HVKIOWSXL2RF2ULNAP7PHESYCFJSZIE3/>
- MISC - <https://lists.fedoraproject.org/archives/list/package-announce%40lists.fedoraproject.org/message/NXIUUBRVLA4E7G7MMIKCEN75YN7UFERW/>
- MISC - <https://lists.fedoraproject.org/archives/list/package-announce%40lists.fedoraproject.org/message/O74SXY7RGXREQDQUDQD4BPJ4QQTD2XQ/>
- MISC - <https://lists.fedoraproject.org/archives/list/package-announce%40lists.fedoraproject.org/message/SGSY236PYSFYIEBRGDERLA7OSY6D7XL4/>
- MISC - <https://lists.fedoraproject.org/archives/list/package-announce%40lists.fedoraproject.org/message/SNXA7XRKGINWSUIPIZ6ZBCTV6N3KSHES/>
- MISC - <https://www.drupal.org/sa-contrib-2022-004>
- MISC - <https://www.oracle.com/security-alerts/cpuapr2022.html>
- MLIST - [\[debian-lts-announce\] 20220119 \[SECURITY\] \[DLA-2889-1\] drupal7 security update](#)
- N/A - [N/A](#)
- info - <https://bugs.jqueryui.com/ticket/15284>
- info - <https://nvd.nist.gov/vuln/detail/CVE-2021-41183>

Vulnerable Software & Versions (NVD):

- cpe:2.3:a:drupal:drupal:\*:\*:\*:\*:\* versions from (including) 7.0; versions up to (excluding) 7.86
- cpe:2.3:a:drupal:drupal:\*:\*:\*:\*:\* versions from (including) 9.2.0; versions up to (excluding) 9.2.11
- cpe:2.3:a:drupal:drupal:\*:\*:\*:\*:\* versions from (including) 9.3.0; versions up to (excluding) 9.3.3
- cpe:2.3:a:jqueryui:jquery\_ui:\*:\*:\*:\*:\* versions up to (excluding) 1.13.0
- cpe:2.3:a:oracle:agile\_plm:9.3.6:\*:\*:\*:\*\*
- cpe:2.3:a:oracle:application\_express:\*:\*:\*:\*:\* versions up to (excluding) 22.1.1
- cpe:2.3:a:oracle:banking\_platform:2.9.0:\*:\*:\*:\*\*
- cpe:2.3:a:oracle:banking\_platform:2.12.0:\*:\*:\*:\*\*
- cpe:2.3:a:oracle:big\_data\_spatial\_and\_graph:\*:\*:\*:\*:\* versions up to (excluding) 23.1
- cpe:2.3:a:oracle:big\_data\_spatial\_and\_graph:23.1:\*:\*:\*:\*\*
- cpe:2.3:a:oracle:communications\_interactive\_session\_recorder:6.4:\*:\*:\*:\*\*
- cpe:2.3:a:oracle:communications\_operations\_monitor:4.3:\*:\*:\*:\*\*
- cpe:2.3:a:oracle:communications\_operations\_monitor:4.4:\*:\*:\*:\*\*



- cpe:2.3:a:oracle:communications\_operations\_monitor:5.0:\*\*\*\*\*
- cpe:2.3:a:oracle:hospitality\_inventory\_management:9.1.0:\*\*\*\*\*
- cpe:2.3:a:oracle:hospitality\_suite8:\*\*\*\*\* versions from (including) 8.11.0; versions up to (including) 11.14.0
- cpe:2.3:a:oracle:hospitality\_suite8:8.10.2:\*\*\*\*\*
- cpe:2.3:a:oracle:jd\_edwards\_enterpriseone\_tools:\*\*\*\*\* versions up to (including) 9.2.6.3
- cpe:2.3:a:oracle:mysql\_enterprise\_monitor:\*\*\*\*\* versions up to (including) 8.0.29
- cpe:2.3:a:oracle:peoplesoft\_enterprise\_peopletools:8.58:\*\*\*\*\*
- cpe:2.3:a:oracle:peoplesoft\_enterprise\_peopletools:8.59:\*\*\*\*\*
- cpe:2.3:a:oracle:policy\_automation:\*\*\*\*\* versions from (including) 12.2.0; versions up to (including) 12.2.5
- cpe:2.3:a:oracle:primavera\_gateway:\*\*\*\*\* versions from (including) 17.7; versions up to (including) 17.12
- cpe:2.3:a:oracle:primavera\_gateway:18.8.0:\*\*\*\*\*
- cpe:2.3:a:oracle:primavera\_gateway:19.12.0:\*\*\*\*\*
- cpe:2.3:a:oracle:primavera\_gateway:20.12.0:\*\*\*\*\*
- cpe:2.3:a:oracle:primavera\_gateway:21.12.0:\*\*\*\*\*
- cpe:2.3:a:oracle:rest\_data\_services:\*\*\*\*\* versions up to (excluding) 22.1.1
- cpe:2.3:a:oracle:rest\_data\_services:22.1.1:\*\*\*\*\*
- cpe:2.3:a:oracle:weblogic\_server:12.2.1.3.0:\*\*\*\*\*
- cpe:2.3:a:oracle:weblogic\_server:12.2.1.4.0:\*\*\*\*\*
- cpe:2.3:a:oracle:weblogic\_server:14.1.1.0.0:\*\*\*\*\*
- cpe:2.3:a:tenable:tenable.sc:\*\*\*\*\* versions up to (excluding) 5.21.0

### **CVE-2021-41184** suppressed

jQuery-UI is the official jQuery user interface library. Prior to version 1.13.0, accepting the value of the `of` option of the `position()` util from untrusted sources may execute untrusted code. The issue is fixed in jQuery UI 1.13.0. Any string value passed to the `of` option is now treated as a CSS selector. A workaround is to not accept the value of the `of` option from untrusted sources.

CWE-79 Improper Neutralization of Input During Web Page Generation ('Cross-site Scripting')

Notes: JavaDoc embedded JQuery UI - requires updated Java Version with newer javadoc

CVSSv2:

- Base Score: MEDIUM (4.3)
- Vector: /AV:N/AC:M/Au:N/C:N/I:P/A:N

CVSSv3:

- MEDIUM (6.1)
- CVSS:3.1/AV:N/AC:L/PR:N/UI:R/S:C/C:L/I:L/A:N

References:

- CONFIRM - <https://github.com/jquery/jquery-ui/security/advisories/GHSA-gpqq-952q-5327>
- CONFIRM - <https://security.netapp.com/advisory/ntap-20211118-0004/>
- CONFIRM - <https://www.drupal.org/sa-core-2022-001>
- CONFIRM - <https://www.tenable.com/security/tns-2022-09>
- MISC - <https://blog.jqueryui.com/2021/10/jquery-ui-1-13-0-released/>
- MISC - <https://github.com/jquery/jquery-ui/commit/effa323f1505f2ce7a324e4f429fa9032c72f280>
- MISC - <https://lists.debian.org/debian-lts-announce/2023/08/msg00040.html>
- MISC - <https://lists.fedoraproject.org/archives/list/package-announce%40lists.fedoraproject.org/message/HVKIOWSXL2RF2ULNAP7PHESYCFJSZIE3/>
- MISC - <https://lists.fedoraproject.org/archives/list/package-announce%40lists.fedoraproject.org/message/NXIUUBRVLA4E7G7MMIKCEN75YN7UFERW/>
- MISC - <https://lists.fedoraproject.org/archives/list/package-announce%40lists.fedoraproject.org/message/O74SXY7RGXREQDQUDQD4BPJ4QQTD2XQ/>
- MISC - <https://lists.fedoraproject.org/archives/list/package-announce%40lists.fedoraproject.org/message/SGSY236PYSFYIEBRGDERLA7OSY6D7XL4/>
- MISC - <https://lists.fedoraproject.org/archives/list/package-announce%40lists.fedoraproject.org/message/SNXA7XRKGINWSUIPIZ6ZBCTV6N3KSHES/>
- MISC - <https://www.oracle.com/security-alerts/cpuapr2022.html>
- N/A - N/A
- info - <https://github.com/jquery/jquery-ui/security/advisories/GHSA-gpqq-952q-5327>
- info - <https://nvd.nist.gov/vuln/detail/CVE-2021-41184>



## Vulnerable Software & Versions (NVD):

- cpe:2.3:a:drupal:drupal:\*:\*:\*:\*:\* versions from (including) 7.0; versions up to (excluding) 7.86
- cpe:2.3:a:drupal:drupal:\*:\*:\*:\*:\* versions from (including) 9.2.0; versions up to (excluding) 9.2.11
- cpe:2.3:a:drupal:drupal:\*:\*:\*:\*:\* versions from (including) 9.3.0; versions up to (excluding) 9.3.3
- cpe:2.3:a:jqueryui:jquery\_ui:\*:\*:\*:\*:\* versions up to (excluding) 1.13.0
- cpe:2.3:a:oracle:agile\_plm:9.3.6:\*:\*:\*:\*:\*
- cpe:2.3:a:oracle:application\_express:\*:\*:\*:\*:\* versions up to (excluding) 22.1.1
- cpe:2.3:a:oracle:banking\_platform:2.9.0:\*:\*:\*:\*:\*
- cpe:2.3:a:oracle:banking\_platform:2.12.0:\*:\*:\*:\*:\*
- cpe:2.3:a:oracle:big\_data\_spatial\_and\_graph:\*:\*:\*:\*:\* versions up to (excluding) 23.1
- cpe:2.3:a:oracle:big\_data\_spatial\_and\_graph:23.1:\*:\*:\*:\*:\*
- cpe:2.3:a:oracle:communications\_interactive\_session\_recorder:6.4:\*:\*:\*:\*:\*
- cpe:2.3:a:oracle:communications\_operations\_monitor:4.3:\*:\*:\*:\*:\*
- cpe:2.3:a:oracle:communications\_operations\_monitor:4.4:\*:\*:\*:\*:\*
- cpe:2.3:a:oracle:communications\_operations\_monitor:5.0:\*:\*:\*:\*:\*
- cpe:2.3:a:oracle:hospitality\_inventory\_management:9.1.0:\*:\*:\*:\*:\*
- cpe:2.3:a:oracle:hospitality\_materials\_control:18.1:\*:\*:\*:\*:\*
- cpe:2.3:a:oracle:hospitality\_suite8:\*:\*:\*:\*:\* versions from (including) 8.11.0; versions up to (including) 8.14.0
- cpe:2.3:a:oracle:hospitality\_suite8:8.10.2:\*:\*:\*:\*:\*
- cpe:2.3:a:oracle:jd\_edwards\_enterpriseone\_tools:\*:\*:\*:\*:\* versions up to (including) 9.2.6.3
- cpe:2.3:a:oracle:peoplesoft\_enterprise\_peopletools:8.58:\*:\*:\*:\*:\*
- cpe:2.3:a:oracle:peoplesoft\_enterprise\_peopletools:8.59:\*:\*:\*:\*:\*
- cpe:2.3:a:oracle:policy\_automation:\*:\*:\*:\*:\* versions from (including) 12.2.0; versions up to (including) 12.2.25
- cpe:2.3:a:oracle:primavera\_unifier:\*:\*:\*:\*:\* versions from (including) 17.7; versions up to (including) 17.12
- cpe:2.3:a:oracle:primavera\_unifier:18.8:\*:\*:\*:\*:\*
- cpe:2.3:a:oracle:primavera\_unifier:19.12:\*:\*:\*:\*:\*
- cpe:2.3:a:oracle:primavera\_unifier:20.12:\*:\*:\*:\*:\*
- cpe:2.3:a:oracle:primavera\_unifier:21.12:\*:\*:\*:\*:\*
- cpe:2.3:a:oracle:rest\_data\_services:\*:\*:\*:\*:\* versions up to (excluding) 22.1.1
- cpe:2.3:a:oracle:rest\_data\_services:22.1.1:\*:\*:\*:\*:\*
- cpe:2.3:a:oracle:weblogic\_server:12.2.1.3.0:\*:\*:\*:\*:\*
- cpe:2.3:a:oracle:weblogic\_server:12.2.1.4.0:\*:\*:\*:\*:\*
- cpe:2.3:a:oracle:weblogic\_server:14.1.1.0.0:\*:\*:\*:\*:\*
- cpe:2.3:a:tenable:tenable.sc:\*:\*:\*:\*:\* versions up to (excluding) 5.21.0

## **CVE-2022-31160** suppressed

jQuery UI is a curated set of user interface interactions, effects, widgets, and themes built on top of jQuery. Versions prior to 1.13.2 are potentially vulnerable to cross-site scripting. Initializing a checkboxradio widget on an input enclosed within a label makes that parent label contents considered as the input label. Calling `.checkboxradio("refresh")` on such a widget and the initial HTML contained encoded HTML entities will make them erroneously get decoded. This can lead to potentially executing JavaScript code. The bug has been patched in jQuery UI 1.13.2. To remediate the issue, someone who can change the initial HTML can wrap all the non-input contents of the `label` in a `span`.

CWE-79 Improper Neutralization of Input During Web Page Generation ('Cross-site Scripting')

Notes: JavaDoc embedded JQuery UI - requires updated Java Version with newer javadoc

CVSSv3:

- MEDIUM (6.1)
- CVSS:3.1/AV:N/AC:L/PR:N/UI:R/S:C/C:L/I:L/A:N

References:

- - [FEDORA-2022-1a01ed37e2](#)
- - [FEDORA-2022-22d8ba36d0](#)
- - [FEDORA-2022-7291b78111](#)
- CONFIRM - <https://github.com/jquery/jquery-ui/security/advisories/GHSA-h6gj-6jjq-h8g9>



- CONFIRM - <https://security.netapp.com/advisory/ntap-20220909-0007/>
- MISC - <https://blog.jqueryui.com/2022/07/jquery-ui-1-13-2-released/>
- MISC - <https://github.com/jquery/jquery-ui/commit/8cc5bae1caa1fcf96bf5862c5646c787020ba3f9>
- MISC - <https://www.drupal.org/sa-contrib-2022-052>
- MLIST - [\[debian-lts-announce\] 20221207 \[SECURITY\] \[DLA 3230-1\] jqueryui security update](#)
- info - <https://github.com/advisories/GHSA-h6gj-6jjq-h8g9>
- info - <https://github.com/jquery/jquery-ui/commit/8cc5bae1caa1fcf96bf5862c5646c787020ba3f9>
- info - <https://github.com/jquery/jquery-ui/issues/2101>
- info - <https://nvd.nist.gov/vuln/detail/CVE-2022-31160>

#### Vulnerable Software & Versions (NVD):

- cpe:2.3:a:drupal:jquery\_ui\_checkboxradio:8.x-1.0:\*:\*:\*:\*:drupal:\*:\*
- cpe:2.3:a:drupal:jquery\_ui\_checkboxradio:8.x-1.1:\*:\*:\*:\*:drupal:\*:\*
- cpe:2.3:a:drupal:jquery\_ui\_checkboxradio:8.x-1.2:\*:\*:\*:\*:drupal:\*:\*
- cpe:2.3:a:drupal:jquery\_ui\_checkboxradio:8.x-1.3:\*:\*:\*:\*:drupal:\*:\*
- cpe:2.3:a:jqueryui:jquery\_ui:\*:\*:\*:\*:jquery:\*:\* versions up to (excluding) 1.13.2
- cpe:2.3:a:netapp:oncommand\_insight:\*:\*:\*:\*:\*:netapp:\*:\*

### maintenance.zip: maintenance-javadoc.jar: jszip.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/maintenance.zip/maintenance-javadoc.jar/jquery/jszip.js

**MD5:** 445655f2b60614c242f0c073c319ebd3

**SHA1:** 2f46d4b06054852cdde51cee3764f71b8658da87

**SHA256:** 6c18a4b2cee69dd705e8a9ac911e2284f4a5c68c86031b86e067ffaf3a253938

#### Evidence

Type	Source	Name	Value	Confidence
Vendor	file	name	jszip	High
Product	file	name	jszip	High
Version	file	version	3.2.1	High

#### Related Dependencies

- pdfc.zip: pdfc-javadoc.jar: jszip.js
  - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/pdfc.zip/pdfc-javadoc.jar/jquery/jszip/dist/jszip.js
  - MD5: 445655f2b60614c242f0c073c319ebd3
  - SHA1: 2f46d4b06054852cdde51cee3764f71b8658da87
  - SHA256: 6c18a4b2cee69dd705e8a9ac911e2284f4a5c68c86031b86e067ffaf3a253938
- reporting.zip: reporting-javadoc.jar: jszip.js
  - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/reporting.zip/reporting-javadoc.jar/jquery/jszip/dist/jszip.js
  - MD5: 445655f2b60614c242f0c073c319ebd3
  - SHA1: 2f46d4b06054852cdde51cee3764f71b8658da87



- SHA256: 6c18a4b2cee69dd705e8a9ac911e2284f4a5c68c86031b86e067ffaf3a253938
- taskplanner.zip: taskplanner-javadoc.jar: jszip.js
  - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/taskplanner.zip/taskplanner-javadoc.jar/jquery/jszip/dist/jszip.js
  - MD5: 445655f2b60614c242f0c073c319ebd3
  - SHA1: 2f46d4b06054852cdde51cee3764f71b8658da87
  - SHA256: 6c18a4b2cee69dd705e8a9ac911e2284f4a5c68c86031b86e067ffaf3a253938

### Suppressed Identifiers

- None

### Suppressed Vulnerabilities



#### [CVE-2022-48285](#) suppressed

loadAsync in JSZip before 3.8.0 allows Directory Traversal via a crafted ZIP archive.

CWE-22 Improper Limitation of a Pathname to a Restricted Directory ('Path Traversal')

Notes: JavaDoc embedded library. file name: reporting-22.10.zip: reporting-javadoc.jar: jszip.js

CVSSv3:

- HIGH (7.3)
- CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:L/I:L/A:L

References:

- MISC - <https://exchange.xforce.ibmcloud.com/vulnerabilities/244499>
- MISC - <https://github.com/Stuk/jszip/commit/2edab366119c9ee948357c02f1206c28566cdf15>
- MISC - <https://github.com/Stuk/jszip/compare/v3.7.1...v3.8.0>
- MISC - <https://www.mend.io/vulnerability-database/WS-2023-0004>
- info - <https://stuk.github.io/jszip/CHANGES.html>

Vulnerable Software & Versions (NVD):

- cpe:2.3:a:jszip\_project:jszip:\*:\*:\*:\*:node.js:\*:\* versions up to (excluding) 3.8.0

#### [CVE-2021-23413](#) suppressed

This affects the package jszip before 3.7.0. Crafting a new zip file with filenames set to Object prototype values (e.g \_\_proto\_\_, toString, etc) results in a returned object with a modified prototype instance.

NVD-CWE-noinfo

Notes: JavaDoc embedded library. file name: reporting-22.10.zip: reporting-javadoc.jar: jszip.js

CVSSv2:

- Base Score: MEDIUM (5.0)
- Vector: /AV:N/AC:L/Au:N/C:N/I:N/A:P

CVSSv3:

- MEDIUM (5.3)
- CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:N/I:N/A:L

References:

- CONFIRM - [N/A](#)
- CONFIRM - [N/A](#)



- CONFIRM - [N/A](#)
- CONFIRM - [N/A](#)
- CONFIRM - [N/A](#)
- CONFIRM - [N/A](#)
- info - <https://github.com/advisories/GHSA-jg8v-48h5-wgxg>
- info - <https://nvd.nist.gov/vuln/detail/CVE-2021-23413>
- info - <https://security.snyk.io/vuln/SNYK-JS-JSZIP-1251497>

Vulnerable Software & Versions (NVD):

- cpe:2.3:a:jszip\_project:jszip:\*:\*:\*:\*:node.js:\*:\* versions up to (excluding) 3.7.0

## maintenance.zip: maintenance-javadoc.jar: jszip.min.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/maintenance.zip/maintenance-javadoc.jar/jquery/jszip/dist/jszip.min.js

**MD5:** dc5d2aac976b1ad09faa452b4ce37519

**SHA1:** 3437dfa4dce6aa98c78ff6768de5694a70768892

**SHA256:** 832e56e7fad75a5b965c546f31614531586871fa417bb4dfe125b658c7e3b381

### Evidence

Type	Source	Name	Value	Confidence
Vendor	file	name	jszip	High
Product	file	name	jszip	High
Version	file	version	3.2.1	High

### Related Dependencies

- pdfc.zip: pdfc-javadoc.jar: jszip.min.js
  - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/pdfc.zip/pdfc-javadoc.jar/jquery/jszip/dist/jszip.min.js
  - MD5: dc5d2aac976b1ad09faa452b4ce37519
  - SHA1: 3437dfa4dce6aa98c78ff6768de5694a70768892
  - SHA256: 832e56e7fad75a5b965c546f31614531586871fa417bb4dfe125b658c7e3b381
- reporting.zip: reporting-javadoc.jar: jszip.min.js
  - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/reporting.zip/reporting-javadoc.jar/jquery/jszip/dist/jszip.min.js
  - MD5: dc5d2aac976b1ad09faa452b4ce37519
  - SHA1: 3437dfa4dce6aa98c78ff6768de5694a70768892
  - SHA256: 832e56e7fad75a5b965c546f31614531586871fa417bb4dfe125b658c7e3b381
- taskplanner.zip: taskplanner-javadoc.jar: jszip.min.js
  - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/taskplanner.zip/taskplanner-javadoc.jar/jquery/jszip/dist/jszip.min.js
  - MD5: dc5d2aac976b1ad09faa452b4ce37519
  - SHA1: 3437dfa4dce6aa98c78ff6768de5694a70768892
  - SHA256: 832e56e7fad75a5b965c546f31614531586871fa417bb4dfe125b658c7e3b381



## Suppressed Identifiers

- None

## Suppressed Vulnerabilities



### [CVE-2022-48285](#) suppressed

loadAsync in JSZip before 3.8.0 allows Directory Traversal via a crafted ZIP archive.

CWE-22 Improper Limitation of a Pathname to a Restricted Directory ('Path Traversal')

Notes: JavaDoc embedded library. file name: reporting-22.10.zip: reporting-javadoc.jar: jszip.js

CVSSv3:

- HIGH (7.3)
- CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:L/I:L/A:L

References:

- MISC - <https://exchange.xforce.ibmcloud.com/vulnerabilities/244499>
- MISC - <https://github.com/Stuk/jszip/commit/2edab366119c9ee948357c02f1206c28566cdf15>
- MISC - <https://github.com/Stuk/jszip/compare/v3.7.1...v3.8.0>
- MISC - <https://www.mend.io/vulnerability-database/WS-2023-0004>
- info - <https://stuk.github.io/jszip/CHANGES.html>

Vulnerable Software & Versions (NVD):

- cpe:2.3:a:jszip\_project:jszip:\*:\*:\*:\*:node.js:\*:\* versions up to (excluding) 3.8.0

### [CVE-2021-23413](#) suppressed

This affects the package jszip before 3.7.0. Crafting a new zip file with filenames set to Object prototype values (e.g. \_\_proto\_\_, toString, etc) results in a returned object with a modified prototype instance.

NVD-CWE-noinfo

Notes: JavaDoc embedded library. file name: reporting-22.10.zip: reporting-javadoc.jar: jszip.js

CVSSv2:

- Base Score: MEDIUM (5.0)
- Vector: /AV:N/AC:L/Au:N/C:N/I:N/A:P

CVSSv3:

- MEDIUM (5.3)
- CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:N/I:N/A:L

References:

- CONFIRM - [N/A](#)
- CONFIRM - [N/A](#)
- CONFIRM - [N/A](#)
- CONFIRM - [N/A](#)
- CONFIRM - [N/A](#)
- CONFIRM - [N/A](#)
- info - <https://github.com/advisories/GHSA-jg8v-48h5-wgxg>
- info - <https://nvd.nist.gov/vuln/detail/CVE-2021-23413>
- info - <https://security.snyk.io/vuln/SNYK-JS-JSZIP-1251497>

Vulnerable Software & Versions (NVD):



- cpe:2.3:a:jszip\_project:jszip:\*:\*:\*:\*:node.js:\*:\* versions up to (excluding) 3.7.0

## remotegui.zip: bootstrap.jar

### Description:

WebJar for Bootstrap

### License:

Apache License, Version 2.0: <http://www.apache.org/licenses/LICENSE-2.0>

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/bootstrap.jar

**MD5:** ba2f9fda2c1fece5ff121e8abc385475

**SHA1:** 2c6a8508a4f1484abcaf334cf2fe3df97cf93eac

**SHA256:** 90fdaa23fb3a9cbce04f4c51699312ab1f1fae2d70c0d1a84541b7e9a76e6e54

### Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	bootstrap	High
Vendor	pom	artifactid	bootstrap	Low
Vendor	pom	developer email	james@jamesward.org	Low
Vendor	pom	developer id	jamesward	Medium
Vendor	pom	developer name	James Ward	Medium
Vendor	pom	groupid	org.webjars	Highest
Vendor	pom	name	Bootstrap	High
Vendor	pom	url	<a href="http://webjars.org">http://webjars.org</a>	Highest
Product	file	name	bootstrap	High
Product	pom	artifactid	bootstrap	Highest
Product	pom	developer email	james@jamesward.org	Low
Product	pom	developer id	jamesward	Low
Product	pom	developer name	James Ward	Low
Product	pom	groupid	org.webjars	Highest
Product	pom	name	Bootstrap	High
Product	pom	url	<a href="http://webjars.org">http://webjars.org</a>	Medium
Version	pom	version	3.4.1	Highest

### Related Dependencies





- theme.zip: bootstrap.jar
  - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/theme.zip/bootstrap.jar
  - MD5: ba2f9fda2c1fece5ff121e8abc385475
  - SHA1: 2c6a8508a4f1484abcaf334cf2fe3df97cf93eac
  - SHA256: 90fdaa23fb3a9cbce04f4c51699312ab1f1fae2d70c0d1a84541b7e9a76e6e54

#### Suppressed Identifiers

- None

#### Suppressed Vulnerabilities



##### CVE-2018-14040 (OSSINDEX) suppressed

In Bootstrap before 4.1.2, XSS is possible in the collapse data-parent attribute.

CWE-79 Improper Neutralization of Input During Web Page Generation ('Cross-site Scripting')

Notes: file name: remotegui.zip: bootstrap.jar We are in the process of migrating required functions into a custom framework.

CVSSv3:

- MEDIUM (6.1)
- CVSS:/AV:N/AC:L/PR:N/UI:R/S:C/C:L/I:L/A:N

References:

- OSSINDEX - [\[CVE-2018-14040\] CWE-79: Improper Neutralization of Input During Web Page Generation \('Cross-site Scripting'\)](#)
- OSSIndex - <http://web.nvd.nist.gov/view/vuln/detail?vulnId=CVE-2018-14040>
- OSSIndex - [https://bugzilla.redhat.com/show\\_bug.cgi?id=CVE-2018-14040](https://bugzilla.redhat.com/show_bug.cgi?id=CVE-2018-14040)
- OSSIndex - <https://github.com/twbs/bootstrap/issues/26423>
- OSSIndex - <https://github.com/twbs/bootstrap/issues/26625>
- OSSIndex - <https://github.com/twbs/bootstrap/pull/26630>

Vulnerable Software & Versions (OSSINDEX):

- cpe:2.3:a:org.webjars:bootstrap:3.4.1:\*:\*:\*:\*:\*

## remotegui.zip: echo2extras-app.jar

#### Description:

Echo2 Extras

#### License:

MPL 1.1: <http://www.mozilla.org/MPL/MPL-1.1.html>  
 LGPL 2.1: <http://www.gnu.org/licenses/lgpl-2.1.html>  
 GPL 2.0: <http://www.gnu.org/licenses/gpl-2.0.html>

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/echo2extras-app.jar



**MD5:** e1ba37ba20c3021c38e362cac081d986

**SHA1:** 64e7748149ca2af54ee693c8e232343d64c1b966

**SHA256:** ad4489475b3c77aeeb62ec1c1bc211c8659b84649fdb1e72f4ee6e005b21e37b

## Evidence



Type	Source	Name	Value	Confidence
Vendor	central	artifactid	echo2extras-app	Highest
Vendor	central	groupid	com.nextapp	Highest
Vendor	file	name	echo2extras-app	High
Vendor	jar	package name	echo2	Low
Vendor	jar	package name	extras	Low
Vendor	jar	package name	nextapp	Low
Vendor	pom	artifactid	echo2extras-app	Low
Vendor	pom	developer id	tliebeck	Medium
Vendor	pom	developer name	Tod Liebeck	Medium
Vendor	pom	developer org	NextApp	Medium
Vendor	pom	groupid	com.nextapp	Highest
Vendor	pom	name	Echo2 Extras	High
Vendor	pom	url	<a href="http://echo.nextapp.com/site/echo2/addons/extras">http://echo.nextapp.com/site/echo2/addons/extras</a>	Highest
Product	central	artifactid	echo2extras-app	Highest
Product	file	name	echo2extras-app	High
Product	jar	package name	app	Low
Product	jar	package name	echo2	Low
Product	jar	package name	extras	Low
Product	pom	artifactid	echo2extras-app	Highest
Product	pom	developer id	tliebeck	Low
Product	pom	developer name	Tod Liebeck	Low
Product	pom	developer org	NextApp	Low
Product	pom	groupid	com.nextapp	Highest
Product	pom	name	Echo2 Extras	High
Product	pom	url	<a href="http://echo.nextapp.com/site/echo2/addons/extras">http://echo.nextapp.com/site/echo2/addons/extras</a>	Medium
Version	central	version	2.1.0	Highest
Version	pom	version	2.1.0	Highest





## Related Dependencies

- remotegui.zip: echo2extras-webcontainer.jar
  - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/echo2extras-webcontainer.jar
  - MD5: df488c27f775875afc2efa1ba1a14778
  - SHA1: 8b9c1d082e3baac3daea4821cd6fb56116c44c7a
  - SHA256: 50dabd57f50caf8df7d1fced59f7285d7b6179c47bf9b22aae7e7ee1d62e62c0

## Suppressed Identifiers

- None

## Suppressed Vulnerabilities

### [CVE-2009-5135](#) suppressed

The Java XML parser in Echo before 2.1.1 and 3.x before 3.0.b6 allows remote attackers to read arbitrary files via a request containing an external entity declaration in conjunction with an entity reference, related to an XML External Entity (XXE) issue.

CWE-20 Improper Input Validation

Notes: Ignore echo2 apps, because we are using v2.1.1 which is the latest applicable. But the official libs do not have version number.

CVSSv2:

- Base Score: MEDIUM (5.0)
- Vector: /AV:N/AC:L/Au:N/C:P/I:N/A:N

References:

- BUGTRAQ - [20090310 SEC Consult SA-20090305-0 :: NextApp Echo XML Injection Vulnerability](#)
- CONFIRM - <http://echo.nextapp.com/site/node/5742>
- EXPLOIT-DB - [8191](#)
- MISC - [https://www.sec-consult.com/fxdata/seccons/prod/temedia/advisories\\_txt/20090305-0\\_echo\\_nextapp\\_xml\\_injection.txt](https://www.sec-consult.com/fxdata/seccons/prod/temedia/advisories_txt/20090305-0_echo_nextapp_xml_injection.txt)
- SECUNIA - [34218](#)
- VUPEN - [ADV-2009-0653](#)
- XF - [echo2-xml-information-disclosure\(49167\)](#)

Vulnerable Software & Versions: ([show all](#))

- [cpe:2.3:a:nextapp:echo:2.1.0:beta2:.\\*:.\\*:.\\*:.\\*](#)
- ...
- [cpe:2.3:a:nextapp:echo:.\\*:rc5:.\\*:.\\*:.\\*:.\\* versions up to \(including\) 2.1.0](#)
- [cpe:2.3:a:nextapp:echo:2.0:alpha1:.\\*:.\\*:.\\*:.\\*](#)
- [cpe:2.3:a:nextapp:echo:2.0:alpha10:.\\*:.\\*:.\\*:.\\*](#)
- [cpe:2.3:a:nextapp:echo:2.0:alpha11:.\\*:.\\*:.\\*:.\\*](#)
- [cpe:2.3:a:nextapp:echo:2.0:alpha12:.\\*:.\\*:.\\*:.\\*](#)
- [cpe:2.3:a:nextapp:echo:2.0:alpha13:.\\*:.\\*:.\\*:.\\*](#)
- [cpe:2.3:a:nextapp:echo:2.0:alpha14:.\\*:.\\*:.\\*:.\\*](#)
- [cpe:2.3:a:nextapp:echo:2.0:alpha15:.\\*:.\\*:.\\*:.\\*](#)
- [cpe:2.3:a:nextapp:echo:2.0:alpha16:.\\*:.\\*:.\\*:.\\*](#)
- [cpe:2.3:a:nextapp:echo:2.0:alpha2:.\\*:.\\*:.\\*:.\\*](#)
- [cpe:2.3:a:nextapp:echo:2.0:alpha3:.\\*:.\\*:.\\*:.\\*](#)
- [cpe:2.3:a:nextapp:echo:2.0:alpha4:.\\*:.\\*:.\\*:.\\*](#)
- [cpe:2.3:a:nextapp:echo:2.0:alpha5:.\\*:.\\*:.\\*:.\\*](#)



- [cpe:2.3:a:nextapp:echo:2.0:alpha6:\\*.~\\*~\\*~\\*~\\*~\\*](#)
- [cpe:2.3:a:nextapp:echo:2.0:alpha7:\\*.~\\*~\\*~\\*~\\*~\\*](#)
- [cpe:2.3:a:nextapp:echo:2.0:alpha8:\\*.~\\*~\\*~\\*~\\*~\\*](#)
- [cpe:2.3:a:nextapp:echo:2.0:alpha9:\\*.~\\*~\\*~\\*~\\*~\\*](#)
- [cpe:2.3:a:nextapp:echo:2.0:beta1:\\*.~\\*~\\*~\\*~\\*~\\*](#)
- [cpe:2.3:a:nextapp:echo:2.0:beta2:\\*.~\\*~\\*~\\*~\\*~\\*](#)
- [cpe:2.3:a:nextapp:echo:2.0:beta3:\\*.~\\*~\\*~\\*~\\*~\\*](#)
- [cpe:2.3:a:nextapp:echo:2.0:beta4:\\*.~\\*~\\*~\\*~\\*~\\*](#)
- [cpe:2.3:a:nextapp:echo:2.0:rc1:\\*.~\\*~\\*~\\*~\\*~\\*](#)
- [cpe:2.3:a:nextapp:echo:2.0:rc2:\\*.~\\*~\\*~\\*~\\*~\\*](#)
- [cpe:2.3:a:nextapp:echo:2.0:rc3:\\*.~\\*~\\*~\\*~\\*~\\*](#)
- [cpe:2.3:a:nextapp:echo:2.0:rc4:\\*.~\\*~\\*~\\*~\\*~\\*](#)
- [cpe:2.3:a:nextapp:echo:2.0:rc5:\\*.~\\*~\\*~\\*~\\*~\\*](#)
- [cpe:2.3:a:nextapp:echo:2.0:rc6:\\*.~\\*~\\*~\\*~\\*~\\*](#)
- [cpe:2.3:a:nextapp:echo:2.0:rc7:\\*.~\\*~\\*~\\*~\\*~\\*](#)
- [cpe:2.3:a:nextapp:echo:2.0.1:test1:\\*.~\\*~\\*~\\*~\\*~\\*](#)
- [cpe:2.3:a:nextapp:echo:2.0.1:test2:\\*.~\\*~\\*~\\*~\\*~\\*](#)
- [cpe:2.3:a:nextapp:echo:2.0.1:test3:\\*.~\\*~\\*~\\*~\\*~\\*](#)
- [cpe:2.3:a:nextapp:echo:2.1.0:beta1:\\*.~\\*~\\*~\\*~\\*~\\*](#)
- [cpe:2.3:a:nextapp:echo:2.1.0:beta2:\\*.~\\*~\\*~\\*~\\*~\\*](#)
- [cpe:2.3:a:nextapp:echo:2.1.0:beta3:\\*.~\\*~\\*~\\*~\\*~\\*](#)
- [cpe:2.3:a:nextapp:echo:2.1.0:beta4:\\*.~\\*~\\*~\\*~\\*~\\*](#)
- [cpe:2.3:a:nextapp:echo:2.1.0:beta5:\\*.~\\*~\\*~\\*~\\*~\\*](#)
- [cpe:2.3:a:nextapp:echo:2.1.0:rc1:\\*.~\\*~\\*~\\*~\\*~\\*](#)
- [cpe:2.3:a:nextapp:echo:2.1.0:rc2:\\*.~\\*~\\*~\\*~\\*~\\*](#)
- [cpe:2.3:a:nextapp:echo:2.1.0:rc3:\\*.~\\*~\\*~\\*~\\*~\\*](#)
- [cpe:2.3:a:nextapp:echo:2.1.0:rc4:\\*.~\\*~\\*~\\*~\\*~\\*](#)
- [cpe:2.3:a:nextapp:echo:3.0:beta1:\\*.~\\*~\\*~\\*~\\*~\\*](#)
- [cpe:2.3:a:nextapp:echo:3.0:beta2:\\*.~\\*~\\*~\\*~\\*~\\*](#)
- [cpe:2.3:a:nextapp:echo:3.0:beta3:\\*.~\\*~\\*~\\*~\\*~\\*](#)
- [cpe:2.3:a:nextapp:echo:3.0:beta4:\\*.~\\*~\\*~\\*~\\*~\\*](#)
- [cpe:2.3:a:nextapp:echo:3.0:beta5:\\*.~\\*~\\*~\\*~\\*~\\*](#)

## remotegui.zip: jquery.jar

### Description:

WebJar for jQuery

### License:

MIT License: <https://github.com/jquery/jquery/blob/master/MIT-LICENSE.txt>

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/jquery.jar

**MD5:** 4af65e569248d8a2411f66498d720280

**SHA1:** c3dc40b1b5f24c56afa36fd9a463bb9f378ac4ab

**SHA256:** de28c4da0ea9f16101352dd3582ec8021ee5e2de5f45104ca171876003d54db6

### Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	jquery	High
Vendor	pom	artifactid	jquery	Low
Vendor	pom	developer email	james@jamesward.org	Low
Vendor	pom	developer id	jamesward	Medium



Vendor	pom	developer name	James Ward	Medium
Vendor	pom	groupid	org.webjars	Highest
Vendor	pom	name	jquery	High
Vendor	pom	url	http://webjars.org	Highest
Product	file	name	jquery	High
Product	pom	artifactid	jquery	Highest
Product	pom	developer email	james@jamesward.org	Low
Product	pom	developer id	jamesward	Low
Product	pom	developer name	James Ward	Low
Product	pom	groupid	org.webjars	Highest
Product	pom	name	jquery	High
Product	pom	url	http://webjars.org	Medium
Version	pom	version	2.2.4	Highest

### Suppressed Identifiers

- None

### Suppressed Vulnerabilities



#### CVE-2019-11358 (OSSINDEX) suppressed

jQuery before 3.4.0, as used in Drupal, Backdrop CMS, and other products, mishandles jQuery.extend(true, {}, ...) because of Object.prototype pollution. If an unsanitized source object contained an enumerable \_\_proto\_\_ property, it could extend the native Object.prototype.

Sonatype's research suggests that this CVE's details differ from those defined at NVD. See <https://ossindex.sonatype.org/vulnerability/CVE-2019-11358> for details

CWE-1321

Notes: file name: remotegui.jar: jquery.min.js - We can not yet upgrade to a newer version due to dependencies. We do, however, not directly use the functionality that is being CVEd

CVSSv2:

- Base Score: MEDIUM (6.1)
- Vector: /AV:N/AC:L/Au:C/L/I:L/A:N

References:

- OSSINDEX - [\[CVE-2019-11358\] CWE-1321](#)
- OSSIndex - <http://web.nvd.nist.gov/view/vuln/detail?vulnId=CVE-2019-11358>
- OSSIndex - <https://blog.jquery.com/2019/04/10/jquery-3-4-0-released/>
- OSSIndex - <https://github.com/cbeust/testng/issues/2150>
- OSSIndex - <https://github.com/jquery/jquery/pull/4333>

Vulnerable Software & Versions (OSSINDEX):

- cpe:2.3:a:org.webjars:jquery:2.2.4:\*.~\*~\*~\*~\*~\*



**CVE-2020-11023** (OSSINDEX) suppressed

In jQuery versions greater than or equal to 1.0.3 and before 3.5.0, passing HTML containing <option> elements from untrusted sources - even after sanitizing it - to one of jQuery's DOM manipulation methods (i.e. .html(), .append(), and others) may execute untrusted code. This problem is patched in jQuery 3.5.0.

CWE-79 Improper Neutralization of Input During Web Page Generation ('Cross-site Scripting')

Notes: file name: remotegui.jar: jquery.min.js - We can not yet upgrade to a newer version due to dependencies. We do, however, not directly use the functionality that is being CVEd

CVSSv2:

- Base Score: MEDIUM (6.1)
- Vector: /AV:N/AC:L/Au:C/L/I:L/A:N

References:

- OSSINDEX - [\[CVE-2020-11023\] CWE-79: Improper Neutralization of Input During Web Page Generation \('Cross-site Scripting'\)](#)
- OSSIndex - <http://web.nvd.nist.gov/view/vuln/detail?vulnId=CVE-2020-11023>
- OSSIndex - <https://github.com/advisories/GHSA-jpcq-cgw6-v4j6>
- OSSIndex - <https://jquery.com/upgrade-guide/3.5/>

Vulnerable Software & Versions (OSSINDEX):

- cpe:2.3:a:org.webjars:jquery:2.2.4:\*:\*:\*:\*:\*

**taskplanner.zip: cron-utils.jar****Description:**

A Java library to parse, migrate and validate crons as well as describe them in human readable language

**License:**

Apache 2.0: <http://www.apache.org/licenses/LICENSE-2.0.html>

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/taskplanner.zip/cron-utils.jar

**MD5:** 4c27537eccc6fa37ed5740b5383643c8

**SHA1:** 5d3738bc7a2eaa45a94a76c6e87af54a95414637

**SHA256:** 02af0e8b2fe93c9fa6eecf97b53b39faae14c5b996356edb132e9fe620013744

**Evidence**

Type	Source	Name	Value	Confidence
Vendor	file	name	cron-utils	High
Vendor	jar	package name	cron	Highest
Vendor	jar	package name	cronutils	Highest
Vendor	jar	package name	utils	Highest
Vendor	Manifest	automatic-module-name	com.cronutils	Medium



Vendor	Manifest	build-jdk-spec	1.8	Low
Vendor	Manifest	bundle-symbolicname	com.cronutils.cron-utils	Medium
Vendor	Manifest	require-capability	osgi.ee;filter:="(&(osgi.ee=JavaSE)(version=1.8))"	Low
Vendor	pom	artifactid	cron-utils	Low
Vendor	pom	developer id	jmrozanec	Medium
Vendor	pom	groupid	com.cronutils	Highest
Vendor	pom	name	cron-utils	High
Vendor	pom	url	http://cron-parser.com/	Highest
Product	file	name	cron-utils	High
Product	jar	package name	cron	Highest
Product	jar	package name	cronutils	Highest
Product	jar	package name	utils	Highest
Product	Manifest	automatic-module-name	com.cronutils	Medium
Product	Manifest	build-jdk-spec	1.8	Low
Product	Manifest	Bundle-Name	cron-utils	Medium
Product	Manifest	bundle-symbolicname	com.cronutils.cron-utils	Medium
Product	Manifest	require-capability	osgi.ee;filter:="(&(osgi.ee=JavaSE)(version=1.8))"	Low
Product	pom	artifactid	cron-utils	Highest
Product	pom	developer id	jmrozanec	Low
Product	pom	groupid	com.cronutils	Highest
Product	pom	name	cron-utils	High
Product	pom	url	http://cron-parser.com/	Medium
Version	Manifest	Bundle-Version	9.2.1	High
Version	pom	version	9.2.1	Highest

### Suppressed Identifiers

- None

### Suppressed Vulnerabilities



[CVE-2021-4277](#) suppressed



A vulnerability, which was classified as problematic, has been found in fredsmith utils. This issue affects some unknown processing of the file screenshot\_sync of the component Filename Handler. The manipulation leads to predictable from observable state. The name of the patch is dbab1b66955eeb3d76b34612b358307f5c4e3944. It is recommended to apply a patch to fix this issue. The identifier VDB-216749 was assigned to this vulnerability.

#### CWE-330 Use of Insufficiently Random Values

Notes: false positives, no end date CVE-2008-7271 - This is for the eclipse ide and not for any library from eclipse. CVE-2010-4647 - This is for the eclipse ide and not for any library from eclipse. CVE-2019-10799 - This is for the project compile-sass and not the used sass-compiler. CVE-2021-4236 - This is for a go project, match on every lib with 'web' in the name CVE-2021-4277 - This is for a utils project from fredsmith, match on every lib with 'utils' in the name CVE-2022-31548 - This is stupid CVE for a sample phyton project. CVE-2022-45688 - This is for hutool-json, matched on every component with 'json' in the name CVE-2023-4218 - This is for the eclipse ide and not for any library from eclipse. CVE-2023-5072 - This is for JSON-java, matched on every component with 'json' in the name CVE-2023-35116 - DISPUTED CVE-2023-36052 - This is for Azure CLI and not for com.azure:azure-core.

#### CVSSv3:

- MEDIUM (5.3)
- CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:L/I:N/A:N

#### References:

- MISC - <https://github.com/fredsmith/utils/commit/dbab1b66955eeb3d76b34612b358307f5c4e3944>
- MISC - <https://vuldb.com/?id.216749>

#### Vulnerable Software & Versions:

- [cpe:2.3:a:utils\\_project:utils:\\*.\\*\\*\\*.\\*.\\*.\\* versions up to \(excluding\) 2021-05-14](#)

### theme.zip: bootstrap.jar: bootstrap.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/theme.zip/bootstrap.jar/META-INF/resources/webjars/bootstrap/3.4.1/js/bootstrap.js  
**MD5:** 894d79839facf38d9fd672bdbe57443d  
**SHA1:** 11277f4e04cf070a350e566b053ef2215993720c  
**SHA256:** dbd2a35e72edc7d6bde483481a912f1c38aa57fab2747d9b071d317339ee03a2

#### Evidence

Type	Source	Name	Value	Confidence
Vendor	file	name	bootstrap	High
Product	file	name	bootstrap	High
Version	file	version	3.4.1	High

#### Related Dependencies

- theme.zip: bootstrap.jar: bootstrap.js.gz: bootstrap.js



- File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/theme.zip/bootstrap.jar/META-INF/resources/webjars/bootstrap/3.4.1/js/bootstrap.js.gz
- MD5: 894d79839facf38d9fd672bdbe57443d
- SHA1: 11277f4e04cf070a350e566b053ef2215993720c
- SHA256: dbd2a35e72edc7d6bde483481a912f1c38aa57fab2747d9b071d317339ee03a2

#### Suppressed Identifiers

- None

#### Suppressed Vulnerabilities



**Bootstrap before 4.0.0 is end-of-life and no longer maintained. (RETIREJS)** suppressed

Bootstrap before 4.0.0 is end-of-life and no longer maintained.

Notes: file name: remotegui.zip: bootstrap.jar

Unscored:

- Severity: low

References:

- info - <https://github.com/twbs/bootstrap/issues/20631>
- retid - 72

Vulnerable Software & Versions (RETIREJS):

### theme.zip: bootstrap.jar: bootstrap.min.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/theme.zip/bootstrap.jar/META-INF/resources/webjars/bootstrap/3.4.1/js/bootstrap.min.js

**MD5:** 2f34b630ffe30ba2ff2b91e3f3c322a1

**SHA1:** b16fd8226bd6bfb08e568f1b1d0a21d60247cefb

**SHA256:** 9ee2fcff6709e4d0d24b09ca0fc56aade12b4961ed9c43fd13b03248bfb57afe

#### Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	bootstrap	High
Product	file	name	bootstrap	High
Version	file	version	3.4.1	High

#### Related Dependencies





- theme.zip: bootstrap.jar: bootstrap.min.js.gz: bootstrap.min.js
  - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/theme.zip/bootstrap.jar/META-INF/resources/webjars/bootstrap/3.4.1/js/bootstrap.min.js.gz/bootstrap.min.js
  - MD5: 2f34b630ffe30ba2ff2b91e3f3c322a1
  - SHA1: b16fd8226bd6bfb08e568f1b1d0a21d60247cefb
  - SHA256: 9ee2fcff6709e4d0d24b09ca0fc56aade12b4961ed9c43fd13b03248bfb57afe

#### Suppressed Identifiers

- None

#### Suppressed Vulnerabilities



**Bootstrap before 4.0.0 is end-of-life and no longer maintained. (RETIREJS)** suppressed

Bootstrap before 4.0.0 is end-of-life and no longer maintained.

Notes: file name: remotegui.zip: bootstrap.jar

Unscored:

- Severity: low

References:

- info - <https://github.com/twbs/bootstrap/issues/20631>
- retid - 72

Vulnerable Software & Versions (RETIREJS):

This report contains data retrieved from the [National Vulnerability Database](#).

This report may contain data retrieved from the [NPM Public Advisories](#).

This report may contain data retrieved from [RetireJS](#).

This report may contain data retrieved from the [Sonatype OSS Index](#).