



Dependency-Check is an open source tool performing a best effort analysis of 3rd party dependencies; false positives and false negatives may exist in the analysis performed by the tool. Use of the tool and the reporting provided constitutes acceptance for use in an AS IS condition, and there are NO warranties, implied or otherwise, with regard to the analysis or its use. Any use of the tool and the reporting provided is at the user's risk. In no event shall the copyright holder or OWASP be held liable for any damages whatsoever arising out of or in connection with the use of this tool, the analysis performed, or the resulting report.

[How to read the report](#) | [Suppressing false positives](#) | [Getting Help: github issues](#)



[Sponsor](#)

Project: project ':server'

pdfc:server:23.10

Scan Information ([show all](#)):

- *dependency-check version:* 7.4.4
- *Report Generated On:* Tue, 16 Jan 2024 15:53:29 +0100
- *Dependencies Scanned:* 2900 (2019 unique)
- *Vulnerable Dependencies:* 0
- *Vulnerabilities Found:* 0
- *Vulnerabilities Suppressed:* 20
- ...

Summary

Display: [Showing Vulnerable Dependencies \(click to show all\)](#)

Dependency	Vulnerability IDs	Package	Highest Severity	CVE Count	Confidence	Evidence Count
------------	-------------------	---------	------------------	-----------	------------	----------------

Dependencies

Suppressed Vulnerabilities



docfx.vendor.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/Documentation and Samples/dotnet - ProcessBridge API Doc/styles/docfx.vendor.js

MD5: c5759c31f767d3c7a66bb0e9b0f28714

SHA1: bc21e0c3c13f65585267f4d62e92135d8ffbba6f

SHA256: d8faa8568604e8ed814ea44a2e0189be763aeabd721c1c5f9042c4ece3fd7b8a

Evidence



Related Dependencies



Suppressed Identifiers

- None

Suppressed Vulnerabilities

Bootstrap before 4.0.0 is end-of-life and no longer maintained. (RETIREJS) suppressed

Bootstrap before 4.0.0 is end-of-life and no longer maintained.

Notes: file name: remotegui.zip: bootstrap.jar

Unscored:

- Severity: low

References:

- info - <https://github.com/twbs/bootstrap/issues/20631>
- retid - 72

Vulnerable Software & Versions (RETIREJS):

maintenance.zip: maintenance-javadoc.jar: jquery-ui.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/maintenance.zip/maintenance-javadoc.jar/jquery/jquery-ui.js

MD5: 3e34f50eab2e13d720c93e44ac5cb7ca

SHA1: c432ac324c727a86a9a54eff1b90d79e115e3f16

SHA256: 712e2e2efe1717a1e10aee0e02163e1deadf88760ade58b5cdfe333ea6de5247

Evidence

Related Dependencies

Suppressed Identifiers

- None

Suppressed Vulnerabilities

[CVE-2021-41182](#) suppressed

jQuery-UI is the official jQuery user interface library. Prior to version 1.13.0, accepting the value of the `altField` option of the Datepicker widget from untrusted sources may execute untrusted code. The issue is fixed in jQuery UI 1.13.0. Any string value passed to the `altField` option is now treated as a CSS selector. A workaround is to not accept the value of the `altField` option from untrusted sources.

CWE-79 Improper Neutralization of Input During Web Page Generation ('Cross-site Scripting')

Notes: JavaDoc embedded JQuery UI - requires updated Java Version with newer javadoc

CVSSv2:

- Base Score: MEDIUM (4.3)
- Vector: /AV:N/AC:M/Au:N/C:N/I:P/A:N

CVSSv3:

- MEDIUM (6.1)
- CVSS:3.1/AV:N/AC:L/PR:N/UI:R/S:C/C:L/I:L/A:N

References:

- CONFIRM - <https://github.com/jquery/jquery-ui/security/advisories/GHSA-9gj3-hwp5-pmwc>
- CONFIRM - <https://security.netapp.com/advisory/ntap-20211118-0004/>
- CONFIRM - <https://www.drupal.org/sa-core-2022-002>
- CONFIRM - <https://www.tenable.com/security/tns-2022-09>
- MISC - <https://blog.jqueryui.com/2021/10/jquery-ui-1-13-0-released/>
- MISC - <https://github.com/jquery/jquery-ui/pull/1954/commits/6809ce843e5ac4128108ea4c15cbc100653c2b63>
- MISC - <https://lists.debian.org/debian-lts-announce/2023/08/msg00040.html>
- MISC - <https://lists.fedoraproject.org/archives/list/package-announce%40lists.fedoraproject.org/message/HVKIOWSXL2RF2ULNAP7PHESYCFJSZIE3/>
- MISC - <https://lists.fedoraproject.org/archives/list/package-announce%40lists.fedoraproject.org/message/NXIUUBRVLA4E7G7MMIKCEN75YN7UFERW/>
- MISC - <https://lists.fedoraproject.org/archives/list/package-announce%40lists.fedoraproject.org/message/O74SXY7RGXREQDQDQD4BPJ4QQTD2XQ/>
- MISC - <https://lists.fedoraproject.org/archives/list/package-announce%40lists.fedoraproject.org/message/SGSY236PYSFYIEBRGDERLA7OSY6D7XL4/>
- MISC - <https://lists.fedoraproject.org/archives/list/package-announce%40lists.fedoraproject.org/message/SNXA7XRKGINWSUIPIZ6ZBCTV6N3KSHES/>
- MISC - <https://www.drupal.org/sa-contrib-2022-004>
- MISC - <https://www.oracle.com/security-alerts/cpuapr2022.html>
- MLIST - [\[debian-lts-announce\] 20220119 \[SECURITY\] \[DLA-2889-1\] drupal7 security update](#)
- N/A - [N/A](#)
- info - <https://github.com/jquery/jquery-ui/security/advisories/GHSA-9gj3-hwp5-pmwc>
- info - <https://nvd.nist.gov/vuln/detail/CVE-2021-41182>

Vulnerable Software & Versions (NVD):

- cpe:2.3:a:drupal:drupal:*:*:*:*:* versions from (including) 7.0; versions up to (excluding) 7.86
- cpe:2.3:a:jqueryui:jquery_ui:*:*:*:*:* versions up to (excluding) 1.13.0
- cpe:2.3:a:oracle:agile_plm:9.3.6:*:*:*:*:*
- cpe:2.3:a:oracle:application_express:*:*:*:*:* versions up to (excluding) 22.1.1
- cpe:2.3:a:oracle:banking_platform:2.9.0:*:*:*:*:*
- cpe:2.3:a:oracle:banking_platform:2.12.0:*:*:*:*:*
- cpe:2.3:a:oracle:big_data_spatial_and_graph:*:*:*:*:* versions up to (excluding) 23.1
- cpe:2.3:a:oracle:big_data_spatial_and_graph:23.1:*:*:*:*:*
- cpe:2.3:a:oracle:communications_interactive_session_recorder:6.4:*:*:*:*:*
- cpe:2.3:a:oracle:communications_operations_monitor:4.3:*:*:*:*:*
- cpe:2.3:a:oracle:communications_operations_monitor:4.4:*:*:*:*:*
- cpe:2.3:a:oracle:communications_operations_monitor:5.0:*:*:*:*:*
- cpe:2.3:a:oracle:hospitality_inventory_management:9.1.0:*:*:*:*:*
- cpe:2.3:a:oracle:hospitality_materials_control:18.1:*:*:*:*:*
- cpe:2.3:a:oracle:hospitality_suite8:*:*:*:*:* versions from (including) 8.11.0; versions up to (including) 8.14.0
- cpe:2.3:a:oracle:hospitality_suite8:8.10.2:*:*:*:*:*
- cpe:2.3:a:oracle:jd_edwards_enterpriseone_tools:*:*:*:*:* versions up to (including) 9.2.6.3
- cpe:2.3:a:oracle:mysql_enterprise_monitor:*:*:*:*:* versions up to (including) 8.0.29
- cpe:2.3:a:oracle:peoplesoft_enterprise_peopletools:8.58:*:*:*:*:*
- cpe:2.3:a:oracle:peoplesoft_enterprise_peopletools:8.59:*:*:*:*:*
- cpe:2.3:a:oracle:policy_automation:*:*:*:*:* versions from (including) 12.2.0; versions up to (including) 12.2.25

- cpe:2.3:a:oracle:primavera_unifier:*:*:*:*:* versions from (including) 17.7; versions up to (including) 17.12
- cpe:2.3:a:oracle:primavera_unifier:17.7:*:*:*:*
- cpe:2.3:a:oracle:primavera_unifier:17.8:*:*:*:*
- cpe:2.3:a:oracle:primavera_unifier:17.9:*:*:*:*
- cpe:2.3:a:oracle:primavera_unifier:17.10:*:*:*:*
- cpe:2.3:a:oracle:primavera_unifier:17.11:*:*:*:*
- cpe:2.3:a:oracle:primavera_unifier:17.12:*:*:*:*
- cpe:2.3:a:oracle:primavera_unifier:18.8:*:*:*:*
- cpe:2.3:a:oracle:primavera_unifier:19.12:*:*:*:*
- cpe:2.3:a:oracle:primavera_unifier:20.12:*:*:*:*
- cpe:2.3:a:oracle:primavera_unifier:21.12:*:*:*:*
- cpe:2.3:a:oracle:rest_data_services:*:*:*:* versions up to (excluding) 22.1.1
- cpe:2.3:a:oracle:rest_data_services:22.1.1:*:*:*
- cpe:2.3:a:oracle:weblogic_server:12.2.1.3.0:*:*:*:*
- cpe:2.3:a:oracle:weblogic_server:12.2.1.4.0:*:*:*:*
- cpe:2.3:a:oracle:weblogic_server:14.1.1.0.0:*:*:*:*
- cpe:2.3:a:tenable:tenable.sc:*:*:*:* versions up to (excluding) 5.21.0

CVE-2021-41183 suppressed

jQuery-UI is the official jQuery user interface library. Prior to version 1.13.0, accepting the value of various `*Text` options of the Datepicker widget from untrusted sources may execute untrusted code. The issue is fixed in jQuery UI 1.13.0. The values passed to various `*Text` options are now always treated as pure text, not HTML. A workaround is to not accept the value of the `*Text` options from untrusted sources.

CWE-79 Improper Neutralization of Input During Web Page Generation ('Cross-site Scripting')

Notes: JavaDoc embedded JQuery UI - requires updated Java Version with newer javadoc

CVSSv2:

- Base Score: MEDIUM (4.3)
- Vector: /AV:N/AC:M/Au:N/C:N/I:P/A:N

CVSSv3:

- MEDIUM (6.1)
- CVSS:3.1/AV:N/AC:L/PR:N/UI:R/S:C/C:L/I:L/A:N

References:

- CONFIRM - <https://github.com/jquery/jquery-ui/security/advisories/GHSA-j7qv-pg6f-hvh4>
- CONFIRM - <https://security.netapp.com/advisory/ntap-20211118-0004/>
- CONFIRM - <https://www.drupal.org/sa-core-2022-001>
- CONFIRM - <https://www.drupal.org/sa-core-2022-002>
- CONFIRM - <https://www.tenable.com/security/tns-2022-09>
- MISC - <https://blog.jqueryui.com/2021/10/jquery-ui-1-13-0-released/>
- MISC - <https://bugs.jqueryui.com/ticket/15284>
- MISC - <https://github.com/jquery/jquery-ui/pull/1953>
- MISC - <https://lists.debian.org/debian-lts-announce/2023/08/msg00040.html>
- MISC - <https://lists.fedoraproject.org/archives/list/package-announce%40lists.fedoraproject.org/message/HVKIOWSXL2RF2ULNAP7PHESYCFSZIE3/>
- MISC - <https://lists.fedoraproject.org/archives/list/package-announce%40lists.fedoraproject.org/message/NXIUUBRVLA4E7G7MMIKCEN75YN7UFERW/>
- MISC - <https://lists.fedoraproject.org/archives/list/package-announce%40lists.fedoraproject.org/message/O74SXYY7RGXREQDQUDQD4BPJ4QQTD2XQ/>
- MISC - <https://lists.fedoraproject.org/archives/list/package-announce%40lists.fedoraproject.org/message/SGSY236PYSFYIEBRGDERLA7OSY6D7XL4/>
- MISC - <https://lists.fedoraproject.org/archives/list/package-announce%40lists.fedoraproject.org/message/SNXA7XRKGINWSUIPIZ6ZBCTV6N3KSHE5/>
- MISC - <https://www.drupal.org/sa-contrib-2022-004>
- MISC - <https://www.oracle.com/security-alerts/cpuapr2022.html>
- MLIST - [\[debian-lts-announce\] 20220119 \[SECURITY\] \[DLA-2889-1\] drupal7 security update](#)
- N/A - N/A
- info - <https://bugs.jqueryui.com/ticket/15284>
- info - <https://nvd.nist.gov/vuln/detail/CVE-2021-41183>

Vulnerable Software & Versions (NVD):

- cpe:2.3:a:drupal:drupal:*:*:*:*:* versions from (including) 7.0; versions up to (excluding) 7.86
- cpe:2.3:a:drupal:drupal:*:*:*:*:* versions from (including) 9.2.0; versions up to (excluding) 9.2.11
- cpe:2.3:a:drupal:drupal:*:*:*:*:* versions from (including) 9.3.0; versions up to (excluding) 9.3.3
- cpe:2.3:a:jqueryui:jquery_ui:*:*:*:*:* versions up to (excluding) 1.13.0
- cpe:2.3:a:oracle:agile_plm:9.3.6:*:*:*:*:*
- cpe:2.3:a:oracle:application_express:*:*:*:*:* versions up to (excluding) 22.1.1
- cpe:2.3:a:oracle:banking_platform:2.9.0:*:*:*:*:*
- cpe:2.3:a:oracle:banking_platform:2.12.0:*:*:*:*:*
- cpe:2.3:a:oracle:big_data_spatial_and_graph:*:*:*:*:* versions up to (excluding) 23.1
- cpe:2.3:a:oracle:big_data_spatial_and_graph:23.1:*:*:*:*:*
- cpe:2.3:a:oracle:communications_interactive_session_recorder:6.4:*:*:*:*:*
- cpe:2.3:a:oracle:communications_operations_monitor:4.3:*:*:*:*:*
- cpe:2.3:a:oracle:communications_operations_monitor:4.4:*:*:*:*:*
- cpe:2.3:a:oracle:communications_operations_monitor:5.0:*:*:*:*:*
- cpe:2.3:a:oracle:hospitality_inventory_management:9.1.0:*:*:*:*:*
- cpe:2.3:a:oracle:hospitality_suite8:*:*:*:*:* versions from (including) 8.11.0; versions up to (including) 11.14.0
- cpe:2.3:a:oracle:hospitality_suite8:8.10.2:*:*:*:*:*
- cpe:2.3:a:oracle:jd_edwards_enterpriseone_tools:*:*:*:*:* versions up to (including) 9.2.6.3
- cpe:2.3:a:oracle:mysql_enterprise_monitor:*:*:*:*:* versions up to (including) 8.0.29
- cpe:2.3:a:oracle:peoplesoft_enterprise_peopletools:8.58:*:*:*:*:*
- cpe:2.3:a:oracle:peoplesoft_enterprise_peopletools:8.59:*:*:*:*:*
- cpe:2.3:a:oracle:policy_automation:*:*:*:*:* versions from (including) 12.2.0; versions up to (including) 12.2.5
- cpe:2.3:a:oracle:primavera_gateway:*:*:*:*:* versions from (including) 17.7; versions up to (including) 17.12
- cpe:2.3:a:oracle:primavera_gateway:18.8.0:*:*:*:*:*
- cpe:2.3:a:oracle:primavera_gateway:19.12.0:*:*:*:*:*
- cpe:2.3:a:oracle:primavera_gateway:20.12.0:*:*:*:*:*
- cpe:2.3:a:oracle:primavera_gateway:21.12.0:*:*:*:*:*
- cpe:2.3:a:oracle:rest_data_services:*:*:*:*:* versions up to (excluding) 22.1.1
- cpe:2.3:a:oracle:rest_data_services:22.1.1:*:*:*:*:*
- cpe:2.3:a:oracle:weblogic_server:12.2.1.3.0:*:*:*:*:*
- cpe:2.3:a:oracle:weblogic_server:12.2.1.4.0:*:*:*:*:*
- cpe:2.3:a:oracle:weblogic_server:14.1.1.0.0:*:*:*:*:*
- cpe:2.3:a:tenable:tenable.sc:*:*:*:*:* versions up to (excluding) 5.21.0

CVE-2021-41184 suppressed

jQuery-UI is the official jQuery user interface library. Prior to version 1.13.0, accepting the value of the `of` option of the `position()` util from untrusted sources may execute untrusted code. The issue is fixed in jQuery UI 1.13.0. Any string value passed to the `of` option is now treated as a CSS selector. A workaround is to not accept the value of the `of` option from untrusted sources.

CWE-79 Improper Neutralization of Input During Web Page Generation ('Cross-site Scripting')

Notes: JavaDoc embedded JQuery UI - requires updated Java Version with newer javadoc

CVSSv2:

- Base Score: MEDIUM (4.3)
- Vector: /AV:N/AC:M/Au:N/C:N/I:P/A:N

CVSSv3:

- MEDIUM (6.1)
- CVSS:3.1/AV:N/AC:L/PR:N/UI:R/S:C/C:L/I:L/A:N

References:

- CONFIRM - <https://github.com/jquery/jquery-ui/security/advisories/GHSA-gpqq-952q-5327>
- CONFIRM - <https://security.netapp.com/advisory/ntap-20211118-0004/>
- CONFIRM - <https://www.drupal.org/sa-core-2022-001>
- CONFIRM - <https://www.tenable.com/security/tns-2022-09>
- MISC - <https://blog.jqueryui.com/2021/10/jquery-ui-1-13-0-released/>

- MISC - <https://github.com/jquery/jquery-ui/commit/effa323f1505f2ce7a324e4f429fa9032c72f280>
- MISC - <https://lists.debian.org/debian-lts-announce/2023/08/msg00040.html>
- MISC - <https://lists.fedoraproject.org/archives/list/package-announce%40lists.fedoraproject.org/message/HVKIOWSXL2RF2ULNAP7PHESYCFJSZIE3/>
- MISC - <https://lists.fedoraproject.org/archives/list/package-announce%40lists.fedoraproject.org/message/NXIUUBRVLA4E7G7MMIKCEN75YN7UFERW/>
- MISC - <https://lists.fedoraproject.org/archives/list/package-announce%40lists.fedoraproject.org/message/O74SXY7RGXREQDQUDQD4BPJ4QQTD2XQ/>
- MISC - <https://lists.fedoraproject.org/archives/list/package-announce%40lists.fedoraproject.org/message/SGSY236PYSFYIEBRGDERLA7OSY6D7XL4/>
- MISC - <https://lists.fedoraproject.org/archives/list/package-announce%40lists.fedoraproject.org/message/SNXA7XRKGINWSUIPIZ6ZBCTV6N3KSHE5/>
- MISC - <https://www.oracle.com/security-alerts/cpuapr2022.html>
- N/A - N/A
- info - <https://github.com/jquery/jquery-ui/security/advisories/GHSA-gpqq-952q-5327>
- info - <https://nvd.nist.gov/vuln/detail/CVE-2021-41184>

Vulnerable Software & Versions (NVD):

- cpe:2.3:a:drupal:drupal:*:*:*:*:* versions from (including) 7.0; versions up to (excluding) 7.86
- cpe:2.3:a:drupal:drupal:*:*:*:*:* versions from (including) 9.2.0; versions up to (excluding) 9.2.11
- cpe:2.3:a:drupal:drupal:*:*:*:*:* versions from (including) 9.3.0; versions up to (excluding) 9.3.3
- cpe:2.3:a:jqueryui:jquery-ui:*:*:*:*:* versions up to (excluding) 1.13.0
- cpe:2.3:a:oracle:agile_plm:9.3.6:*:*:*:*:*
- cpe:2.3:a:oracle:application_express:*:*:*:*:* versions up to (excluding) 22.1.1
- cpe:2.3:a:oracle:banking_platform:2.9.0:*:*:*:*:*
- cpe:2.3:a:oracle:banking_platform:2.12.0:*:*:*:*:*
- cpe:2.3:a:oracle:big_data_spatial_and_graph:*:*:*:*:* versions up to (excluding) 23.1
- cpe:2.3:a:oracle:big_data_spatial_and_graph:23.1:*:*:*:*:*
- cpe:2.3:a:oracle:communications_interactive_session_recorder:6.4:*:*:*:*:*
- cpe:2.3:a:oracle:communications_operations_monitor:4.3:*:*:*:*:*
- cpe:2.3:a:oracle:communications_operations_monitor:4.4:*:*:*:*:*
- cpe:2.3:a:oracle:communications_operations_monitor:5.0:*:*:*:*:*
- cpe:2.3:a:oracle:hospitality_inventory_management:9.1.0:*:*:*:*:*
- cpe:2.3:a:oracle:hospitality_materials_control:18.1:*:*:*:*:*
- cpe:2.3:a:oracle:hospitality_suite8:*:*:*:*:* versions from (including) 8.11.0; versions up to (including) 8.14.0
- cpe:2.3:a:oracle:hospitality_suite8:8.10.2:*:*:*:*:*
- cpe:2.3:a:oracle:jd_edwards_enterpriseone_tools:*:*:*:*:* versions up to (including) 9.2.6.3
- cpe:2.3:a:oracle:peoplesoft_enterprise_peopletools:8.58:*:*:*:*:*
- cpe:2.3:a:oracle:peoplesoft_enterprise_peopletools:8.59:*:*:*:*:*
- cpe:2.3:a:oracle:policy_automation:*:*:*:*:* versions from (including) 12.2.0; versions up to (including) 12.2.25
- cpe:2.3:a:oracle:primavera_unifier:*:*:*:*:* versions from (including) 17.7; versions up to (including) 17.12
- cpe:2.3:a:oracle:primavera_unifier:18.8:*:*:*:*:*
- cpe:2.3:a:oracle:primavera_unifier:19.12:*:*:*:*:*
- cpe:2.3:a:oracle:primavera_unifier:20.12:*:*:*:*:*
- cpe:2.3:a:oracle:primavera_unifier:21.12:*:*:*:*:*
- cpe:2.3:a:oracle:rest_data_services:*:*:*:*:* versions up to (excluding) 22.1.1
- cpe:2.3:a:oracle:rest_data_services:22.1.1:*:*:*:*:*
- cpe:2.3:a:oracle:weblogic_server:12.2.1.3.0:*:*:*:*:*
- cpe:2.3:a:oracle:weblogic_server:12.2.1.4.0:*:*:*:*:*
- cpe:2.3:a:oracle:weblogic_server:14.1.1.0.0:*:*:*:*:*
- cpe:2.3:a:tenable:tenable.sc:*:*:*:*:* versions up to (excluding) 5.21.0

CVE-2022-31160 suppressed

jQuery UI is a curated set of user interface interactions, effects, widgets, and themes built on top of jQuery. Versions prior to 1.13.2 are potentially vulnerable to cross-site scripting. Initializing a checkboxradio widget on an input enclosed within a label makes that parent label contents considered as the input label. Calling `.checkboxradio("refresh")` on such a widget and the initial HTML contained encoded HTML entities will make them erroneously get decoded. This

can lead to potentially executing JavaScript code. The bug has been patched in jQuery UI 1.13.2. To remediate the issue, someone who can change the initial HTML can wrap all the non-input contents of the `label` in a `span`.

CWE-79 Improper Neutralization of Input During Web Page Generation ('Cross-site Scripting')

Notes: JavaDoc embedded JQuery UI - requires updated Java Version with newer javadoc

CVSSv3:

- MEDIUM (6.1)
- CVSS:3.1/AV:N/AC:L/PR:N/UI:R/S:C/C:L/I:L/A:N

References:

- - [FEDORA-2022-1a01ed37e2](#)
- - [FEDORA-2022-22d8ba36d0](#)
- - [FEDORA-2022-7291b78111](#)
- CONFIRM - <https://github.com/jquery/jquery-ui/security/advisories/GHSA-h6gj-6jjq-h8g9>
- CONFIRM - <https://security.netapp.com/advisory/ntap-20220909-0007/>
- MISC - <https://blog.jqueryui.com/2022/07/jquery-ui-1-13-2-released/>
- MISC - <https://github.com/jquery/jquery-ui/commit/8cc5bae1caa1fcf96bf5862c5646c787020ba3f9>
- MISC - <https://www.drupal.org/sa-contrib-2022-052>
- MLIST - [\[debian-lts-announce\] 20221207 \[SECURITY\] \[DLA 3230-1\] jqueryui security update](#)
- info - <https://github.com/advisories/GHSA-h6gj-6jjq-h8g9>
- info - <https://github.com/jquery/jquery-ui/commit/8cc5bae1caa1fcf96bf5862c5646c787020ba3f9>
- info - <https://github.com/jquery/jquery-ui/issues/2101>
- info - <https://nvd.nist.gov/vuln/detail/CVE-2022-31160>

Vulnerable Software & Versions (NVD):

- cpe:2.3:a:drupal:jquery_ui_checkboxradio:8.x-1.0:*:*:*:*:drupal:*.*
- cpe:2.3:a:drupal:jquery_ui_checkboxradio:8.x-1.1:*:*:*:*:drupal:*.*
- cpe:2.3:a:drupal:jquery_ui_checkboxradio:8.x-1.2:*:*:*:*:drupal:*.*
- cpe:2.3:a:drupal:jquery_ui_checkboxradio:8.x-1.3:*:*:*:*:drupal:*.*
- cpe:2.3:a:jqueryui:jquery_ui:*:*:*:*:jquery:*.* versions up to (excluding) 1.13.2
- cpe:2.3:a:netapp:oncommand_insight:-:*:*:*:*:*

maintenance.zip: maintenance-javadoc.jar: jquery-ui.min.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/maintenance.zip/maintenance-javadoc.jar/jquery/jquery-ui.min.js

MD5: 28d157e58272e91b054c254eab737df0

SHA1: 4165e40107b31b0ce5f022f579635fccb887bef9

SHA256: 76e849220d7fe7778affeaa0f0806e48bbb69a5ec5b8c8b8f5f3cd89439a6dedc

Evidence



Related Dependencies



Suppressed Identifiers

- None

Suppressed Vulnerabilities



[CVE-2021-41182](#) suppressed

jQuery-UI is the official jQuery user interface library. Prior to version 1.13.0, accepting the value of the `altField` option of the Datepicker widget from untrusted sources may execute untrusted code. The issue is fixed in jQuery UI 1.13.0. Any string value passed to the `altField` option is now treated as a CSS selector. A workaround is to not accept the value of the `altField` option from untrusted sources.

CWE-79 Improper Neutralization of Input During Web Page Generation ('Cross-site Scripting')

Notes: JavaDoc embedded JQuery UI - requires updated Java Version with newer javadoc

CVSSv2:

- Base Score: MEDIUM (4.3)
- Vector: /AV:N/AC:M/Au:N/C:N/I:P/A:N

CVSSv3:

- MEDIUM (6.1)
- CVSS:3.1/AV:N/AC:L/PR:N/UI:R/S:C/C:L/I:L/A:N

References:

- CONFIRM - <https://github.com/jquery/jquery-ui/security/advisories/GHSA-9gj3-hwp5-pmwc>
- CONFIRM - <https://security.netapp.com/advisory/ntap-20211118-0004/>
- CONFIRM - <https://www.drupal.org/sa-core-2022-002>
- CONFIRM - <https://www.tenable.com/security/tns-2022-09>
- MISC - <https://blog.jqueryui.com/2021/10/jquery-ui-1-13-0-released/>
- MISC - <https://github.com/jquery/jquery-ui/pull/1954/commits/6809ce843e5ac4128108ea4c15cbc100653c2b63>
- MISC - <https://lists.debian.org/debian-lts-announce/2023/08/msg00040.html>
- MISC - <https://lists.fedoraproject.org/archives/list/package-announce%40lists.fedoraproject.org/message/HVKIOWSXL2RF2ULNAP7PHESYCFSZIE3/>
- MISC - <https://lists.fedoraproject.org/archives/list/package-announce%40lists.fedoraproject.org/message/NXIUUBRVLA4E7G7MMIKCEN75YN7UFERW/>
- MISC - <https://lists.fedoraproject.org/archives/list/package-announce%40lists.fedoraproject.org/message/O74SXY7RGXREQDQUDQD4BPJ4QQTD2XQ/>
- MISC - <https://lists.fedoraproject.org/archives/list/package-announce%40lists.fedoraproject.org/message/SGSY236PYSFYIEBRGDERLA7OSY6D7XL4/>
- MISC - <https://lists.fedoraproject.org/archives/list/package-announce%40lists.fedoraproject.org/message/SNXA7XRKGINWSUIPIZ6ZBCTV6N3KSHES/>
- MISC - <https://www.drupal.org/sa-contrib-2022-004>
- MISC - <https://www.oracle.com/security-alerts/cpuapr2022.html>
- MLIST - [\[debian-lts-announce\] 20220119 \[SECURITY\] \[DLA-2889-1\] drupal7 security update](#)
- N/A - [N/A](#)
- info - <https://github.com/jquery/jquery-ui/security/advisories/GHSA-9gj3-hwp5-pmwc>
- info - <https://nvd.nist.gov/vuln/detail/CVE-2021-41182>

Vulnerable Software & Versions (NVD):

- cpe:2.3:a:drupal:drupal:*:*:*:*:* versions from (including) 7.0; versions up to (excluding) 7.86
- cpe:2.3:a:jqueryui:jquery_ui:*:*:*:*:* versions up to (excluding) 1.13.0
- cpe:2.3:a:oracle:agile_plm:9.3.6:*:*:*:*
- cpe:2.3:a:oracle:application_express:*:*:*:*:* versions up to (excluding) 22.1.1
- cpe:2.3:a:oracle:banking_platform:2.9.0:*:*:*:*
- cpe:2.3:a:oracle:banking_platform:2.12.0:*:*:*:*
- cpe:2.3:a:oracle:big_data_spatial_and_graph:*:*:*:*:* versions up to (excluding) 23.1
- cpe:2.3:a:oracle:big_data_spatial_and_graph:23.1:*:*:*:*
- cpe:2.3:a:oracle:communications_interactive_session_recorder:6.4:*:*:*:*
- cpe:2.3:a:oracle:communications_operations_monitor:4.3:*:*:*:*
- cpe:2.3:a:oracle:communications_operations_monitor:4.4:*:*:*:*

- cpe:2.3:a:oracle:communications_operations_monitor:5.0:*****
- cpe:2.3:a:oracle:hospitality_inventory_management:9.1.0:*****
- cpe:2.3:a:oracle:hospitality_materials_control:18.1:*****
- cpe:2.3:a:oracle:hospitality_suite8:***** versions from (including) 8.11.0; versions up to (including) 8.14.0
- cpe:2.3:a:oracle:hospitality_suite8:8.10.2:*****
- cpe:2.3:a:oracle:jd_edwards_enterpriseone_tools:***** versions up to (including) 9.2.6.3
- cpe:2.3:a:oracle:mysql_enterprise_monitor:***** versions up to (including) 8.0.29
- cpe:2.3:a:oracle:peoplesoft_enterprise_peopletools:8.58:*****
- cpe:2.3:a:oracle:peoplesoft_enterprise_peopletools:8.59:*****
- cpe:2.3:a:oracle:policy_automation:***** versions from (including) 12.2.0; versions up to (including) 12.2.25
- cpe:2.3:a:oracle:primavera_unifier:***** versions from (including) 17.7; versions up to (including) 17.12
- cpe:2.3:a:oracle:primavera_unifier:17.7:*****
- cpe:2.3:a:oracle:primavera_unifier:17.8:*****
- cpe:2.3:a:oracle:primavera_unifier:17.9:*****
- cpe:2.3:a:oracle:primavera_unifier:17.10:*****
- cpe:2.3:a:oracle:primavera_unifier:17.11:*****
- cpe:2.3:a:oracle:primavera_unifier:17.12:*****
- cpe:2.3:a:oracle:primavera_unifier:18.8:*****
- cpe:2.3:a:oracle:primavera_unifier:19.12:*****
- cpe:2.3:a:oracle:primavera_unifier:20.12:*****
- cpe:2.3:a:oracle:primavera_unifier:21.12:*****
- cpe:2.3:a:oracle:rest_data_services:***** versions up to (excluding) 22.1.1
- cpe:2.3:a:oracle:rest_data_services:22.1.1:*****
- cpe:2.3:a:oracle:weblogic_server:12.2.1.3.0:*****
- cpe:2.3:a:oracle:weblogic_server:12.2.1.4.0:*****
- cpe:2.3:a:oracle:weblogic_server:14.1.1.0.0:*****
- cpe:2.3:a:tenable:tenable.sc:***** versions up to (excluding) 5.21.0

CVE-2021-41183 suppressed

jQuery-UI is the official jQuery user interface library. Prior to version 1.13.0, accepting the value of various `*Text` options of the Datepicker widget from untrusted sources may execute untrusted code. The issue is fixed in jQuery UI 1.13.0. The values passed to various `*Text` options are now always treated as pure text, not HTML. A workaround is to not accept the value of the `*Text` options from untrusted sources.

CWE-79 Improper Neutralization of Input During Web Page Generation ('Cross-site Scripting')

Notes: JavaDoc embedded JQuery UI - requires updated Java Version with newer javadoc

CVSSv2:

- Base Score: MEDIUM (4.3)
- Vector: /AV:N/AC:M/Au:N/C:N/I:P/A:N

CVSSv3:

- MEDIUM (6.1)
- CVSS:3.1/AV:N/AC:L/PR:N/UI:R/S:C/C:L/I:L/A:N

References:

- CONFIRM - <https://github.com/jquery/jquery-ui/security/advisories/GHSA-j7qv-pg6f-hvh4>
- CONFIRM - <https://security.netapp.com/advisory/ntap-20211118-0004/>
- CONFIRM - <https://www.drupal.org/sa-core-2022-001>
- CONFIRM - <https://www.drupal.org/sa-core-2022-002>
- CONFIRM - <https://www.tenable.com/security/tns-2022-09>
- MISC - <https://blog.jqueryui.com/2021/10/jquery-ui-1-13-0-released/>
- MISC - <https://bugs.jqueryui.com/ticket/15284>
- MISC - <https://github.com/jquery/jquery-ui/pull/1953>
- MISC - <https://lists.debian.org/debian-lts-announce/2023/08/msg00040.html>
- MISC - <https://lists.fedoraproject.org/archives/list/package-announce%40lists.fedoraproject.org/message/HVKIOWSXL2RF2ULNAP7PHESYCFJSZIEJ3/>
- MISC - <https://lists.fedoraproject.org/archives/list/package-announce%40lists.fedoraproject.org/message/NXIUUBRVLA4E7G7MMIKCEN75YN7UFERW/>
- MISC - <https://lists.fedoraproject.org/archives/list/package-announce%40lists.fedoraproject.org/message/O74SXY7RGXREQDQUDQD4BPJ4QQTD2XQ/>

- MISC - <https://lists.fedoraproject.org/archives/list/package-announce%40lists.fedoraproject.org/message/SGSY236PYSFYIEBRGDERLA7OSY6D7XL4/>
- MISC - <https://lists.fedoraproject.org/archives/list/package-announce%40lists.fedoraproject.org/message/SNXA7XRKGINWSUIPIZ6ZBCTV6N3KSHES/>
- MISC - <https://www.drupal.org/sa-contrib-2022-004>
- MISC - <https://www.oracle.com/security-alerts/cpuapr2022.html>
- MLIST - [\[debian-lts-announce\] 20220119 \[SECURITY\] \[DLA-2889-1\] drupal7 security update](#)
- N/A - [N/A](#)
- info - <https://bugs.jqueryui.com/ticket/15284>
- info - <https://nvd.nist.gov/vuln/detail/CVE-2021-41183>

Vulnerable Software & Versions (NVD):

- cpe:2.3:a:drupal:drupal:*:*:*:*:* versions from (including) 7.0; versions up to (excluding) 7.86
- cpe:2.3:a:drupal:drupal:*:*:*:*:* versions from (including) 9.2.0; versions up to (excluding) 9.2.11
- cpe:2.3:a:drupal:drupal:*:*:*:*:* versions from (including) 9.3.0; versions up to (excluding) 9.3.3
- cpe:2.3:a:jqueryui:jquery_ui:*:*:*:*:* versions up to (excluding) 1.13.0
- cpe:2.3:a:oracle:agile_plm:9.3.6:*:*:*:*:*
- cpe:2.3:a:oracle:application_express:*:*:*:*:* versions up to (excluding) 22.1.1
- cpe:2.3:a:oracle:banking_platform:2.9.0:*:*:*:*:*
- cpe:2.3:a:oracle:banking_platform:2.12.0:*:*:*:*:*
- cpe:2.3:a:oracle:big_data_spatial_and_graph:*:*:*:*:* versions up to (excluding) 23.1
- cpe:2.3:a:oracle:big_data_spatial_and_graph:23.1:*:*:*:*:*
- cpe:2.3:a:oracle:communications_interactive_session_recorder:6.4:*:*:*:*:*
- cpe:2.3:a:oracle:communications_operations_monitor:4.3:*:*:*:*:*
- cpe:2.3:a:oracle:communications_operations_monitor:4.4:*:*:*:*:*
- cpe:2.3:a:oracle:communications_operations_monitor:5.0:*:*:*:*:*
- cpe:2.3:a:oracle:hospitality_inventory_management:9.1.0:*:*:*:*:*
- cpe:2.3:a:oracle:hospitality_suite8:*:*:*:*:* versions from (including) 8.11.0; versions up to (including) 11.14.0
- cpe:2.3:a:oracle:hospitality_suite8:8.10.2:*:*:*:*:*
- cpe:2.3:a:oracle:jd_edwards_enterpriseone_tools:*:*:*:*:* versions up to (including) 9.2.6.3
- cpe:2.3:a:oracle:mysql_enterprise_monitor:*:*:*:*:* versions up to (including) 8.0.29
- cpe:2.3:a:oracle:peoplesoft_enterprise_peopletools:8.58:*:*:*:*:*
- cpe:2.3:a:oracle:peoplesoft_enterprise_peopletools:8.59:*:*:*:*:*
- cpe:2.3:a:oracle:policy_automation:*:*:*:*:* versions from (including) 12.2.0; versions up to (including) 12.2.5
- cpe:2.3:a:oracle:primavera_gateway:*:*:*:*:* versions from (including) 17.7; versions up to (including) 17.12
- cpe:2.3:a:oracle:primavera_gateway:18.8.0:*:*:*:*:*
- cpe:2.3:a:oracle:primavera_gateway:19.12.0:*:*:*:*:*
- cpe:2.3:a:oracle:primavera_gateway:20.12.0:*:*:*:*:*
- cpe:2.3:a:oracle:primavera_gateway:21.12.0:*:*:*:*:*
- cpe:2.3:a:oracle:rest_data_services:*:*:*:*:* versions up to (excluding) 22.1.1
- cpe:2.3:a:oracle:rest_data_services:22.1.1:*:*:*:*:*
- cpe:2.3:a:oracle:weblogic_server:12.2.1.3.0:*:*:*:*:*
- cpe:2.3:a:oracle:weblogic_server:12.2.1.4.0:*:*:*:*:*
- cpe:2.3:a:oracle:weblogic_server:14.1.1.0.0:*:*:*:*:*
- cpe:2.3:a:tenable:tenable.sc:*:*:*:*:* versions up to (excluding) 5.21.0

[CVE-2021-41184](#) suppressed

jQuery-UI is the official jQuery user interface library. Prior to version 1.13.0, accepting the value of the `of` option of the `.position()` util from untrusted sources may execute untrusted code. The issue is fixed in jQuery UI 1.13.0. Any string value passed to the `of` option is now treated as a CSS selector. A workaround is to not accept the value of the `of` option from untrusted sources.

CWE-79 Improper Neutralization of Input During Web Page Generation ('Cross-site Scripting')

Notes: JavaDoc embedded JQuery UI - requires updated Java Version with newer javadoc

CVSSv2:

- Base Score: MEDIUM (4.3)

- Vector: /AV:N/AC:M/Au:N/C:N/I:P/A:N

CVSSv3:

- MEDIUM (6.1)
- CVSS:3.1/AV:N/AC:L/PR:N/UI:R/S:C/C:L/I:L/A:N

References:

- CONFIRM - <https://github.com/jquery/jquery-ui/security/advisories/GHSA-gpqq-952q-5327>
- CONFIRM - <https://security.netapp.com/advisory/ntap-20211118-0004/>
- CONFIRM - <https://www.drupal.org/sa-core-2022-001>
- CONFIRM - <https://www.tenable.com/security/tns-2022-09>
- MISC - <https://blog.jqueryui.com/2021/10/jquery-ui-1-13-0-released/>
- MISC - <https://github.com/jquery/jquery-ui/commit/effa323f1505f2ce7a324e4f429fa9032c72f280>
- MISC - <https://lists.debian.org/debian-lts-announce/2023/08/msg00040.html>
- MISC - <https://lists.fedoraproject.org/archives/list/package-announce%40lists.fedoraproject.org/message/HVKIOWSXL2RF2ULNAP7PHESYCFSZIE3/>
- MISC - <https://lists.fedoraproject.org/archives/list/package-announce%40lists.fedoraproject.org/message/NXIUUBRVLA4E7G7MMIKCEN75YN7UFERW/>
- MISC - <https://lists.fedoraproject.org/archives/list/package-announce%40lists.fedoraproject.org/message/O74SXY7RGXREQDQUDQD4BPJ4QQTD2XQ/>
- MISC - <https://lists.fedoraproject.org/archives/list/package-announce%40lists.fedoraproject.org/message/SGSY236PYSFYIEBRGDERLA7OSY6D7XL4/>
- MISC - <https://lists.fedoraproject.org/archives/list/package-announce%40lists.fedoraproject.org/message/SNXA7XRKGINWSUIPIZ6ZBCTV6N3KSHES/>
- MISC - <https://www.oracle.com/security-alerts/cpuapr2022.html>
- N/A - N/A
- info - <https://github.com/jquery/jquery-ui/security/advisories/GHSA-gpqq-952q-5327>
- info - <https://nvd.nist.gov/vuln/detail/CVE-2021-41184>

Vulnerable Software & Versions (NVD):

- cpe:2.3:a:drupal:drupal:*:*:*:*:* versions from (including) 7.0; versions up to (excluding) 7.86
- cpe:2.3:a:drupal:drupal:*:*:*:*:* versions from (including) 9.2.0; versions up to (excluding) 9.2.11
- cpe:2.3:a:drupal:drupal:*:*:*:*:* versions from (including) 9.3.0; versions up to (excluding) 9.3.3
- cpe:2.3:a:jqueryui:jquery_ui:*:*:*:*:* versions up to (excluding) 1.13.0
- cpe:2.3:a:oracle:agile_plm:9.3.6:*:*:*:*:*
- cpe:2.3:a:oracle:application_express:*:*:*:*:* versions up to (excluding) 22.1.1
- cpe:2.3:a:oracle:banking_platform:2.9.0:*:*:*:*:*
- cpe:2.3:a:oracle:banking_platform:2.12.0:*:*:*:*:*
- cpe:2.3:a:oracle:big_data_spatial_and_graph:*:*:*:*:* versions up to (excluding) 23.1
- cpe:2.3:a:oracle:big_data_spatial_and_graph:23.1:*:*:*:*:*
- cpe:2.3:a:oracle:communications_interactive_session_recorder:6.4:*:*:*:*:*
- cpe:2.3:a:oracle:communications_operations_monitor:4.3:*:*:*:*:*
- cpe:2.3:a:oracle:communications_operations_monitor:4.4:*:*:*:*:*
- cpe:2.3:a:oracle:communications_operations_monitor:5.0:*:*:*:*:*
- cpe:2.3:a:oracle:hospitality_inventory_management:9.1.0:*:*:*:*:*
- cpe:2.3:a:oracle:hospitality_materials_control:18.1:*:*:*:*:*
- cpe:2.3:a:oracle:hospitality_suite8:*:*:*:*:* versions from (including) 8.11.0; versions up to (including) 8.14.0
- cpe:2.3:a:oracle:hospitality_suite8:8.10.2:*:*:*:*:*
- cpe:2.3:a:oracle:jd_edwards_enterpriseone_tools:*:*:*:*:* versions up to (including) 9.2.6.3
- cpe:2.3:a:oracle:peoplesoft_enterprise_peopletools:8.58:*:*:*:*:*
- cpe:2.3:a:oracle:peoplesoft_enterprise_peopletools:8.59:*:*:*:*:*
- cpe:2.3:a:oracle:policy_automation:*:*:*:*:* versions from (including) 12.2.0; versions up to (including) 12.2.25
- cpe:2.3:a:oracle:primavera_unifier:*:*:*:*:* versions from (including) 17.7; versions up to (including) 17.12
- cpe:2.3:a:oracle:primavera_unifier:18.8:*:*:*:*:*
- cpe:2.3:a:oracle:primavera_unifier:19.12:*:*:*:*:*
- cpe:2.3:a:oracle:primavera_unifier:20.12:*:*:*:*:*
- cpe:2.3:a:oracle:primavera_unifier:21.12:*:*:*:*:*
- cpe:2.3:a:oracle:rest_data_services:*:*:*:*:* versions up to (excluding) 22.1.1

- cpe:2.3:a:oracle:rest_data_services:22.1.1.*.*.*.*.*
- cpe:2.3:a:oracle:weblogic_server:12.2.1.3.0.*.*.*.*.*
- cpe:2.3:a:oracle:weblogic_server:12.2.1.4.0.*.*.*.*.*
- cpe:2.3:a:oracle:weblogic_server:14.1.1.0.0.*.*.*.*.*
- cpe:2.3:a:tenable:tenable.sc.*.*.*.*.* versions up to (excluding) 5.21.0

[CVE-2022-31160](#) suppressed

jQuery UI is a curated set of user interface interactions, effects, widgets, and themes built on top of jQuery. Versions prior to 1.13.2 are potentially vulnerable to cross-site scripting. Initializing a checkboxradio widget on an input enclosed within a label makes that parent label contents considered as the input label. Calling `.checkboxradio("refresh")` on such a widget and the initial HTML contained encoded HTML entities will make them erroneously get decoded. This can lead to potentially executing JavaScript code. The bug has been patched in jQuery UI 1.13.2. To remediate the issue, someone who can change the initial HTML can wrap all the non-input contents of the `label` in a `span`.

CWE-79 Improper Neutralization of Input During Web Page Generation ('Cross-site Scripting')

Notes: JavaDoc embedded JQuery UI - requires updated Java Version with newer javadoc

CVSSv3:

- MEDIUM (6.1)
- CVSS:3.1/AV:N/AC:L/PR:N/UI:R/S:C/C:L/I:L/A:N

References:

- - [FEDORA-2022-1a01ed37e2](#)
- - [FEDORA-2022-22d8ba36d0](#)
- - [FEDORA-2022-7291b78111](#)
- CONFIRM - <https://github.com/jquery/jquery-ui/security/advisories/GHSA-h6gj-6jjq-h8g9>
- CONFIRM - <https://security.netapp.com/advisory/ntap-20220909-0007/>
- MISC - <https://blog.jqueryui.com/2022/07/jquery-ui-1-13-2-released/>
- MISC - <https://github.com/jquery/jquery-ui/commit/8cc5bae1caa1fcf96bf5862c5646c787020ba3f9>
- MISC - <https://www.drupal.org/sa-contrib-2022-052>
- MLIST - [\[debian-lts-announce\] 20221207 \[SECURITY\] \[DLA 3230-1\] jqueryui security update](#)
- info - <https://github.com/advisories/GHSA-h6gj-6jjq-h8g9>
- info - <https://github.com/jquery/jquery-ui/commit/8cc5bae1caa1fcf96bf5862c5646c787020ba3f9>
- info - <https://github.com/jquery/jquery-ui/issues/2101>
- info - <https://nvd.nist.gov/vuln/detail/CVE-2022-31160>

Vulnerable Software & Versions (NVD):

- cpe:2.3:a:drupal:jquery_ui_checkboxradio:8.x-1.0.*.*.*.*:drupal:*.*
- cpe:2.3:a:drupal:jquery_ui_checkboxradio:8.x-1.1.*.*.*.*:drupal:*.*
- cpe:2.3:a:drupal:jquery_ui_checkboxradio:8.x-1.2.*.*.*.*:drupal:*.*
- cpe:2.3:a:drupal:jquery_ui_checkboxradio:8.x-1.3.*.*.*.*:drupal:*.*
- cpe:2.3:a:jqueryui:jquery_ui:*.*.*.*.*:jquery:*.* versions up to (excluding) 1.13.2
- cpe:2.3:a:netapp:oncommand_insight:*.*.*.*.*.*

maintenance.zip: maintenance-javadoc.jar: jszip.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/maintenance.zip/maintenance-javadoc.jar/jquery/jszip.js

MD5: 445655f2b60614c242f0c073c319ebd3

SHA1: 2f46d4b06054852cdde51cee3764f71b8658da87

SHA256: 6c18a4b2cee69dd705e8a9ac911e2284f4a5c68c86031b86e067ffaf3a253938

- info - <https://github.com/advisories/GHSA-jg8v-48h5-wgxg>
- info - <https://nvd.nist.gov/vuln/detail/CVE-2021-23413>
- info - <https://security.snyk.io/vuln/SNYK-JS-JSZIP-1251497>

Vulnerable Software & Versions (NVD):

- cpe:2.3:a:jszip_project:jszip:*:*:*:*:node.js:*:* versions up to (excluding) 3.7.0

maintenance.zip: maintenance-javadoc.jar: jszip.min.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/maintenance.zip/maintenance-javadoc.jar/jquery/jszip/dist/jszip.min.js

MD5: dc5d2aac976b1ad09faa452b4ce37519

SHA1: 3437dfa4dce6aa98c78ff6768de5694a70768892

SHA256: 832e56e7fad75a5b965c546f31614531586871fa417bb4dfe125b658c7e3b381

Evidence



Related Dependencies



Suppressed Identifiers

- None

Suppressed Vulnerabilities



[CVE-2022-48285](#) suppressed

loadAsync in JSZip before 3.8.0 allows Directory Traversal via a crafted ZIP archive.

CWE-22 Improper Limitation of a Pathname to a Restricted Directory ('Path Traversal')

Notes: JavaDoc embedded library. file name: reporting-22.10.zip: reporting-javadoc.jar: jszip.js

CVSSv3:

- HIGH (7.3)
- CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:L/I:L/A:L

References:

- MISC - <https://exchange.xforce.ibmcloud.com/vulnerabilities/244499>
- MISC - <https://github.com/Stuk/jszip/commit/2edab366119c9ee948357c02f1206c28566cdf15>
- MISC - <https://github.com/Stuk/jszip/compare/v3.7.1...v3.8.0>
- MISC - <https://www.mend.io/vulnerability-database/WS-2023-0004>
- info - <https://stuk.github.io/jszip/CHANGES.html>

Vulnerable Software & Versions (NVD):

- cpe:2.3:a:jszip_project:jszip:*:*:*:*:node.js:*:* versions up to (excluding) 3.8.0

[CVE-2021-23413](#) suppressed

This affects the package jszip before 3.7.0. Crafting a new zip file with filenames set to Object prototype values (e.g. __proto__, toString, etc) results in a returned object with a modified prototype instance.

NVD-CWE-noinfo

Notes: JavaDoc embedded library. file name: reporting-22.10.zip: reporting-javadoc.jar: jszip.js

CVSSv2:

- Base Score: MEDIUM (5.0)
- Vector: /AV:N/AC:L/Au:N/C:N/I:N/A:P

CVSSv3:

- MEDIUM (5.3)
- CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:N/I:N/A:L

References:

- CONFIRM - [N/A](#)
- CONFIRM - [N/A](#)
- CONFIRM - [N/A](#)
- CONFIRM - [N/A](#)
- CONFIRM - [N/A](#)
- CONFIRM - [N/A](#)
- info - <https://github.com/advisories/GHSA-jg8v-48h5-wgxg>
- info - <https://nvd.nist.gov/vuln/detail/CVE-2021-23413>
- info - <https://security.snyk.io/vuln/SNYK-JS-JSZIP-1251497>

Vulnerable Software & Versions (NVD):

- cpe:2.3:a:jszip_project:jszip:*:*:*:*:node.js:*:* versions up to (excluding) 3.7.0

remotegui.zip: bootstrap.jar

Description:

WebJar for Bootstrap

License:

Apache License, Version 2.0: <http://www.apache.org/licenses/LICENSE-2.0>

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/bootstrap.jar

MD5: ba2f9fda2c1fece5ff121e8abc385475

SHA1: 2c6a8508a4f1484abcaf334cf2fe3df97cf93eac

SHA256: 90fdaa23fb3a9cbce04f4c51699312ab1f1fae2d70c0d1a84541b7e9a76e6e54

Evidence



Related Dependencies



Suppressed Identifiers

- None

Suppressed Vulnerabilities



CVE-2018-14040 (OSSINDEX) suppressed

In Bootstrap before 4.1.2, XSS is possible in the collapse data-parent attribute.

CWE-79 Improper Neutralization of Input During Web Page Generation ('Cross-site Scripting')

Notes: file name: remotegui.zip: bootstrap.jar We are in the process of migrating required functions into a custom framework.

CVSSv3:

- MEDIUM (6.1)
- CVSS:/AV:N/AC:L/PR:N/UI:R/S:C/C:L/I:L/A:N

References:

- OSSINDEX - [\[CVE-2018-14040\] CWE-79: Improper Neutralization of Input During Web Page Generation \('Cross-site Scripting'\)](#)
- OSSIndex - <http://web.nvd.nist.gov/view/vuln/detail?vulnId=CVE-2018-14040>
- OSSIndex - https://bugzilla.redhat.com/show_bug.cgi?id=CVE-2018-14040
- OSSIndex - <https://github.com/twbs/bootstrap/issues/26423>
- OSSIndex - <https://github.com/twbs/bootstrap/issues/26625>
- OSSIndex - <https://github.com/twbs/bootstrap/pull/26630>

Vulnerable Software & Versions (OSSINDEX):

- cpe:2.3:a:org.webjars:bootstrap:3.4.1:*:*:*:*:*

remotegui.zip: echo2extras-app.jar

Description:

Echo2 Extras

License:

MPL 1.1: <http://www.mozilla.org/MPL/MPL-1.1.html>

LGPL 2.1: <http://www.gnu.org/licenses/lgpl-2.1.html>

GPL 2.0: <http://www.gnu.org/licenses/gpl-2.0.html>

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/echo2extras-app.jar

MD5: e1ba37ba20c3021c38e362cac081d986

SHA1: 64e7748149ca2af54ee693c8e232343d64c1b966

SHA256: ad4489475b3c77aeeb62ec1c1bc211c8659b84649fdb1e72f4ee6e005b21e37b

Evidence



Related Dependencies



Suppressed Identifiers

- None

Suppressed Vulnerabilities



[CVE-2009-5135](#) suppressed

The Java XML parser in Echo before 2.1.1 and 3.x before 3.0.b6 allows remote attackers to read arbitrary files via a request containing an external entity declaration in conjunction with an entity reference, related to an XML External Entity (XXE) issue.

CWE-20 Improper Input Validation

Notes: Ignore echo2 apps, because we are using v2.1.1 which is the latest applicable. But the official libs do not have version number.

CVSSv2:

- Base Score: MEDIUM (5.0)
- Vector: /AV:N/AC:L/Au:N/C:P/I:N/A:N

References:

- BUGTRAQ - [20090310 SEC Consult SA-20090305-0 :: NextApp Echo XML Injection Vulnerability](#)
- CONFIRM - <http://echo.nextapp.com/site/node/5742>
- EXPLOIT-DB - [8191](#)
- MISC - https://www.sec-consult.com/fxdata/seccons/prod/temedia/advisories_txt/20090305-0_echo_nextapp_xml_injection.txt
- SECUNIA - [34218](#)
- VUPEN - [ADV-2009-0653](#)
- XF - [echo2-xml-information-disclosure\(49167\)](#)

Vulnerable Software & Versions: ([show all](#))

- [cpe:2.3:a:nextapp:echo:2.1.0:beta2:.*:.*:.*](#)
- ...

remotegui.zip: jquery.jar

Description:

WebJar for jQuery

License:

MIT License: <https://github.com/jquery/jquery/blob/master/MIT-LICENSE.txt>

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/jquery.jar

MD5: 4af65e569248d8a2411f66498d720280

SHA1: c3dc40b1b5f24c56afa36fd9a463bb9f378ac4ab

SHA256: de28c4da0ea9f16101352dd3582ec8021ee5e2de5f45104ca171876003d54db6

Evidence



Suppressed Identifiers

- None

Suppressed Vulnerabilities



CVE-2019-11358 (OSSINDEX) suppressed

jQuery before 3.4.0, as used in Drupal, Backdrop CMS, and other products, mishandles jQuery. extend(true, {}, ...) because of Object.prototype pollution. If an unsanitized source object contained an enumerable __proto__ property, it could extend the native Object.prototype.

Sonatype's research suggests that this CVE's details differ from those defined at NVD. See <https://ossindex.sonatype.org/vulnerability/CVE-2019-11358> for details

CWE-1321

Notes: file name: remotegui.jar: jquery.min.js - We can not yet upgrade to a newer version due to dependencies. We do, however, not directly use the functionality that is being CVEd

CVSSv2:

- Base Score: MEDIUM (6.1)
- Vector: /AV:N/AC:L/Au:C/L/I:L/A:N

References:

- OSSINDEX - [\[CVE-2019-11358\] CWE-1321](#)
- OSSIndex - <http://web.nvd.nist.gov/view/vuln/detail?vulnId=CVE-2019-11358>
- OSSIndex - <https://blog.jquery.com/2019/04/10/jquery-3-4-0-released/>
- OSSIndex - <https://github.com/cbeust/testng/issues/2150>
- OSSIndex - <https://github.com/jquery/jquery/pull/4333>

Vulnerable Software & Versions (OSSINDEX):

- cpe:2.3:a:org.webjars:jquery:2.2.4:*:*:*:*:*

CVE-2020-11023 (OSSINDEX) suppressed

In jQuery versions greater than or equal to 1.0.3 and before 3.5.0, passing HTML containing <option> elements from untrusted sources - even after sanitizing it - to one of jQuery's DOM manipulation methods (i.e. .html(), .append(), and others) may execute untrusted code. This problem is patched in jQuery 3.5.0.

CWE-79 Improper Neutralization of Input During Web Page Generation ('Cross-site Scripting')

Notes: file name: remotegui.jar: jquery.min.js - We can not yet upgrade to a newer version due to dependencies. We do, however, not directly use the functionality that is being CVEd

CVSSv2:

- Base Score: MEDIUM (6.1)
- Vector: /AV:N/AC:L/Au:C/L/I:L/A:N

References:

- OSSINDEX - [\[CVE-2020-11023\] CWE-79: Improper Neutralization of Input During Web Page Generation \('Cross-site Scripting'\)](#)
- OSSIndex - <http://web.nvd.nist.gov/view/vuln/detail?vulnId=CVE-2020-11023>
- OSSIndex - <https://github.com/advisories/GHSA-jpcq-cgw6-v4j6>
- OSSIndex - <https://jquery.com/upgrade-guide/3.5/>

Vulnerable Software & Versions (OSSINDEX):

- cpe:2.3:a:org.webjars:jquery:2.2.4:*:*:*:*:*

Description:

A Java library to parse, migrate and validate crons as well as describe them in human readable language

License:

Apache 2.0: <http://www.apache.org/licenses/LICENSE-2.0.html>

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/taskplanner.zip/cron-utils.jar

MD5: 4c27537eccc6fa37ed5740b5383643c8

SHA1: 5d3738bc7a2eaa45a94a76c6e87af54a95414637

SHA256: 02af0e8b2fe93c9fa6eecf97b53b39faae14c5b996356edb132e9fe620013744

Evidence

Suppressed Identifiers

- None

Suppressed Vulnerabilities

[CVE-2021-4277](#) suppressed

A vulnerability, which was classified as problematic, has been found in fredsmith utils. This issue affects some unknown processing of the file screenshot_sync of the component Filename Handler. The manipulation leads to predictable from observable state. The name of the patch is dbab1b66955eeb3d76b34612b358307f5c4e3944. It is recommended to apply a patch to fix this issue. The identifier VDB-216749 was assigned to this vulnerability.

CWE-330 Use of Insufficiently Random Values

Notes: false positives, no end date CVE-2008-7271 - This is for the eclipse ide and not for any library from eclipse. CVE-2010-4647 - This is for the eclipse ide and not for any library from eclipse. CVE-2019-10799 - This is for the project compile-sass and not the used sass-compiler. CVE-2021-4236 - This is for a go project, match on every lib with 'web' in the name CVE-2021-4277 - This is for a utils project from fredsmith, match on every lib with 'utils' in the name CVE-2022-31548 - This is stupid CVE for a sample python project. CVE-2022-45688 - This is for hutool-json, matched on every component with 'json' in the name CVE-2023-4218 - This is for the eclipse ide and not for any library from eclipse. CVE-2023-5072 - This is for JSON-java, matched on every component with 'json' in the name CVE-2023-35116 - DISPUTED CVE-2023-36052 - This is for Azure CLI and not for com.azure:azure-core.

CVSSv3:

- MEDIUM (5.3)
- CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:L/I:N/A:N

References:

- MISC - <https://github.com/fredsmith/utils/commit/dbab1b66955eeb3d76b34612b358307f5c4e3944>
- MISC - <https://vuldb.com/?id.216749>

Vulnerable Software & Versions:

- [cpe:2.3:a:utils_project:utils:*:*:*:*:* versions up to \(excluding\) 2021-05-14](#)

theme.zip: bootstrap.jar: bootstrap.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/theme.zip/bootstrap.jar/META-INF/resources/webjars/bootstrap/3.4.1/js/bootstrap.js

MD5: 894d79839facf38d9fd672bdbe57443d

SHA1: 11277f4e04cf070a350e566b053ef2215993720c

SHA256: dbd2a35e72edc7d6bde483481a912f1c38aa57fab2747d9b071d317339ee03a2

Evidence



Related Dependencies



Suppressed Identifiers

- None

Suppressed Vulnerabilities



Bootstrap before 4.0.0 is end-of-life and no longer maintained. (RETIREJS) suppressed

Bootstrap before 4.0.0 is end-of-life and no longer maintained.

Notes: file name: remotegui.zip: bootstrap.jar

Unscored:

- Severity: low

References:

- info - <https://github.com/twbs/bootstrap/issues/20631>
- retid - 72

Vulnerable Software & Versions (RETIREJS):

theme.zip: bootstrap.jar: bootstrap.min.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/theme.zip/bootstrap.jar/META-INF/resources/webjars/bootstrap/3.4.1/js/bootstrap.min.js

MD5: 2f34b630ffe30ba2ff2b91e3f3c322a1

SHA1: b16fd8226bd6bfb08e568f1b1d0a21d60247cefb

SHA256: 9ee2fcff6709e4d0d24b09ca0fc56aade12b4961ed9c43fd13b03248bfb57afe

Evidence



Related Dependencies



Suppressed Identifiers

- None

Suppressed Vulnerabilities



Bootstrap before 4.0.0 is end-of-life and no longer maintained. (RETIREJS) suppressed

Bootstrap before 4.0.0 is end-of-life and no longer maintained.

Notes: file name: remotegui.zip: bootstrap.jar

Unscored:

- Severity: low

References:

- info - <https://github.com/twbs/bootstrap/issues/20631>
- retid - 72

Vulnerable Software & Versions (RETIREJS):

This report contains data retrieved from the [National Vulnerability Database](#).

This report may contain data retrieved from the [NPM Public Advisories](#).

This report may contain data retrieved from [RetireJS](#).

This report may contain data retrieved from the [Sonatype OSS Index](#).