



Dependency-Check is an open source tool performing a best effort analysis of 3rd party dependencies; false positives and false negatives may exist in the analysis performed by the tool. Use of the tool and the reporting provided constitutes acceptance for use in an AS IS condition, and there are NO warranties, implied or otherwise, with regard to the analysis or its use. Any use of the tool and the reporting provided is at the user's risk. In no event shall the copyright holder or OWASP be held liable for any damages whatsoever arising out of or in connection with the use of this tool, the analysis performed, or the resulting report.

[How to read the report](#) | [Suppressing false positives](#) | Getting Help: [github issues](#)



## Project: project ':standalone'

pdfc:standalone:24.10

Scan Information ([show all](#)):

- *dependency-check version:* 10.0.3
- *Report Generated On:* Sat, 18 Jan 2025 16:15:21 +0100
- *Dependencies Scanned:* 146 (141 unique)
- *Vulnerable Dependencies:* 0
- *Vulnerabilities Found:* 0
- *Vulnerabilities Suppressed:* 1 ([show](#))
- ...
- *NVD API Last Checked:* 2025-01-18T15:13:08Z
- *NVD API Last Modified:* 2024-09-18T11:15:10Z
- *NVD Cache Last Checked:* 2025-01-18T15:13:08Z
- *NVD Cache Last Modified:* 2024-09-18T11:15:10Z

## Summary

Display: [Showing Vulnerable Dependencies \(click to show all\)](#)

| Dependency  | Vulnerability IDs                                       | Package  | Highest Severity | CVE Count |
|---|---|--|------------------|-----------|
| <a href="#">Merlia-0.jar</a>                                |   | <a href="#">pkg:maven/lib/Merlia@0</a>   |                  | 0         |
| <a href="#">analysis.language.zip:analysis.language.jar</a> | cpe:2.3:a:inetsoftware:pdfc:24.10.284:***.*.*.*.*       |  |                  | 0         |
| <a href="#">analysis.language.zip:guava.jar</a>             | <a href="#">cpe:2.3:a:google:guava:33.2.1:*:*:*:*:*</a> | <a href="#">pkg:maven/com.google.guava/guava@33.2.1-jre</a>                    |                  | 0         |
| <a href="#">analysis.language.zip:jsonic.jar</a>            |   |  |                  | 0         |
| <a href="#">analysis.language.zip:language-detector.jar</a> |   | <a href="#">pkg:maven/com.optimaize.languagedetector/language-detector@0.6</a> |                  | 0         |
| <a href="#">command.jsonexport.zip: command.</a>            | cpe:2.3:a:inetsoftware:pdfc:24.10.284:***.*.*.*.*       |  |                  | 0         |

|  |   |  |  |   |
|--|---|--|--|---|
| <a href="#">jsonexport.jar</a>   |   |  |  |   |
| <a href="#">comparison.api.zip:</a><br><a href="#">comparison.api.jar</a>                                | cpe:2.3:a:inetsoftware:pdfc:24.10.284:<br>***** |  |  | 0 |
| <a href="#">comparison.rpc.zip:</a><br><a href="#">comparison.rpc.jar</a>                                | cpe:2.3:a:inetsoftware:pdfc:24.10.284:<br>***** |  |  | 0 |
| <a href="#">comparison.webgui.zip:</a><br><a href="#">comparison.webgui.jar</a>                          | cpe:2.3:a:inetsoftware:pdfc:24.10.284:<br>***** |  |  | 0 |
| <a href="#">comparison.webgui.zip:</a><br><a href="#">comparison.webgui.jar: app.js</a>                  |   |  |  | 0 |
| <a href="#">comparison.webgui.zip:</a><br><a href="#">comparison.webgui.jar: compare.js</a>              |   |  |  | 0 |
| <a href="#">comparison.webgui.zip:</a><br><a href="#">comparison.webgui.jar: contextmenuextension.js</a> |   |  |  | 0 |
| <a href="#">comparison.webgui.zip:</a><br><a href="#">comparison.webgui.jar: contingent.js</a>           |   |  |  | 0 |
| <a href="#">comparison.webgui.zip:</a><br><a href="#">comparison.webgui.jar: controller.js</a>           |   |  |  | 0 |
| <a href="#">comparison.webgui.zip:</a><br><a href="#">comparison.webgui.jar: descriptionarea.js</a>      |   |  |  | 0 |
| <a href="#">comparison.webgui.zip:</a><br><a href="#">comparison.webgui.jar: dropzone.js</a>             |   |  |  | 0 |
| <a href="#">comparison.webgui.zip:</a><br><a href="#">comparison.webgui.jar: export.js</a>               |   |  |  | 0 |
| <a href="#">comparison.webgui.zip:</a><br><a href="#">comparison.webgui.jar: factory.js</a>              |   |  |  | 0 |
| <a href="#">comparison.webgui.zip:</a><br><a href="#">comparison.webgui.jar: model.js</a>                |   |  |  | 0 |
| <a href="#">comparison.webgui.zip:</a><br><a href="#">comparison.webgui.jar: multipasswordpanel.js</a>   |   |  |  | 0 |
| <a href="#">comparison.webgui.zip:</a><br><a href="#">comparison.webgui.jar: mycomparisons.js</a>        |   |  |  | 0 |
| <a href="#">comparison.webgui.zip:</a><br><a href="#">comparison.webgui.jar:</a>                         |   |  |  | 0 |

|   |   |  |  |   |
|---|---|--|--|---|
| <a href="#">passwordpanel.js</a>  |   |  |  |   |
| <a href="#">comparison.webgui.zip: comparison.webgui.jar: pdfconfig.js</a>            |   |  |  | 0 |
| <a href="#">comparison.webgui.zip: comparison.webgui.jar: profil.js</a>               |   |  |  | 0 |
| <a href="#">comparison.webgui.zip: comparison.webgui.jar: profileentry.js</a>         |   |  |  | 0 |
| <a href="#">comparison.webgui.zip: comparison.webgui.jar: publishdialog.js</a>        |   |  |  | 0 |
| <a href="#">comparison.webgui.zip: comparison.webgui.jar: publishprofiledialog.js</a> |   |  |  | 0 |
| <a href="#">comparison.webgui.zip: comparison.webgui.jar: report.js</a>               |   |  |  | 0 |
| <a href="#">comparison.webgui.zip: comparison.webgui.jar: scroller.js</a>             |   |  |  | 0 |
| <a href="#">comparison.webgui.zip: comparison.webgui.jar: searchcomponent.js</a>      |   |  |  | 0 |
| <a href="#">comparison.webgui.zip: comparison.webgui.jar: userlist.js</a>             |   |  |  | 0 |
| <a href="#">comparison.webgui.zip: comparison.webgui.jar: visibilitysettings.js</a>   |   |  |  | 0 |
| <a href="#">comparison.webgui.zip: comparison.webgui.jar: zoomer.js</a>               |   |  |  | 0 |
| <a href="#">filter.area.zip: filter.area.jar</a>                                      | cpe:2.3:a:inetsoftware:pdfc:24.10.284:***** |  |  | 0 |
| <a href="#">filter.baselinetable.zip: filter.baselinetable.jar</a>                    | cpe:2.3:a:inetsoftware:pdfc:24.10.284:***** |  |  | 0 |
| <a href="#">filter.cmappatch.zip: filter.cmappatch.jar</a>                            | cpe:2.3:a:inetsoftware:pdfc:24.10.284:***** |  |  | 0 |
| <a href="#">filter.headerfooter.zip: filter.headerfooter.jar</a>                      | cpe:2.3:a:inetsoftware:pdfc:24.10.284:***** |  |  | 0 |
| <a href="#">filter.hiderotation.zip: filter.hiderotation.jar</a>                      | cpe:2.3:a:inetsoftware:pdfc:24.10.284:***** |  |  | 0 |
| <a href="#">filter.invisibleelements.zip: filter.</a>                                 | cpe:2.3:a:inetsoftware:pdfc:24.10.284:***** |  |  | 0 |

|   |  |  |  |   |
|---|--|--|--|---|
| <a href="#">invisibleelements.jar</a>   |  |  |  |   |
| <a href="#">filter.multicolumn.zip:<br/>filter.multicolumn.jar</a>                            | cpe:2.3:a:inetsoftware:pdfc:24.10.284:<br>*****                |  |  | 0 |
| <a href="#">filter.ocr.zip: filter.ocr.<br/>jar</a>   | cpe:2.3:a:inetsoftware:pdfc:24.10.284:<br>*****                |  |  | 0 |
| <a href="#">filter.pagerange.zip:<br/>filter.pagerange.jar</a>                                | cpe:2.3:a:inetsoftware:pdfc:24.10.284:<br>*****                |  |  | 0 |
| <a href="#">filter.regex.zip: filter.<br/>regex.jar</a>                                       | cpe:2.3:a:inetsoftware:pdfc:24.10.284:<br>*****                |  |  | 0 |
| <a href="#">filter.regex.zip: filter.<br/>regex.jar: filterrenderer.<br/>js</a>               |  |  |  | 0 |
| <a href="#">filter.texttransform.zip:<br/>filter.texttransform.jar</a>                        | cpe:2.3:a:inetsoftware:pdfc:24.10.284:<br>*****                |  |  | 0 |
| <a href="#">filter.urllookup.zip: filter.<br/>urllookup.jar</a>                               | cpe:2.3:a:inetsoftware:pdfc:24.10.284:<br>*****                |  |  | 0 |
| <a href="#">hamcrest-2.2.jar</a>  |  | <a href="#">pkg:maven/org.<br/>hamcrest<br/>/hamcrest@2.2</a>                          |  | 0 |
| <a href="#">inetcore-24.10-tools.jar</a>  |  | <a href="#">pkg:maven<br/>/shared<br/>/inetcore@24.10</a>                              |  | 0 |
| <a href="#">inetcore-24.10.jar<br/>(shaded: com.inet.<br/>shared:inetcore:null)</a>           |  |  |  | 0 |
| <a href="#">inetcore-24.10.jar</a>  |  | <a href="#">pkg:maven<br/>/shared<br/>/inetcore@24.10</a>                              |  | 0 |
| <a href="#">java-21-jre-x64-linux.<br/>tar.gz: java-21-jre-x64-<br/>linux.tar: jrt-fs.jar</a> | <a href="#">cpe:2.3:a:eclipse:platform:21.0.5:***:<br/>***</a> |  |  | 0 |
| <a href="#">jlessc-1.12.jar</a>   |  | <a href="#">pkg:maven/de.<br/>inetsoftware<br/>/jlessc@1.12</a>                        |  | 0 |
| <a href="#">junit-4.13.2.jar</a>  | <a href="#">cpe:2.3:a:junit:junit4:4.13.2:*****</a>            | <a href="#">pkg:maven/junit<br/>/junit@4.13.2</a>                                      |  | 0 |
| <a href="#">junit-jupiter-5.10.3.jar</a>  |  | <a href="#">pkg:maven/org.<br/>junit.jupiter/junit-<br/>jupiter@5.10.3</a>             |  | 0 |
| <a href="#">junit-jupiter-api-5.10.3.<br/>jar</a>   |  | <a href="#">pkg:maven/org.<br/>junit.jupiter/junit-<br/>jupiter-api@5.<br/>10.3</a>    |  | 0 |
| <a href="#">junit-jupiter-engine-<br/>5.10.3.jar</a>  |  | <a href="#">pkg:maven/org.<br/>junit.jupiter/junit-<br/>jupiter-engine@5.<br/>10.3</a> |  | 0 |
| <a href="#">junit-jupiter-params-<br/>5.10.3.jar</a>  |  | <a href="#">pkg:maven/org.<br/>junit.jupiter/junit-<br/>jupiter-<br/>params@5.10.3</a> |  | 0 |

|  |   |  |  |   |
|--|---|--|--|---|
| <a href="#">junit-platform-commons-1.10.3.jar</a>  |   | <a href="#">pkg:maven/org.junit.platform/junit-platform-commons@1.10.3</a>       |  | 0 |
| <a href="#">junit-platform-engine-1.10.3.jar</a>   |   | <a href="#">pkg:maven/org.junit.platform/junit-platform-engine@1.10.3</a>        |  | 0 |
| <a href="#">junit-platform-launcher-1.10.3.jar</a>   |   | <a href="#">pkg:maven/org.junit.platform/junit-platform-launcher@1.10.3</a>      |  | 0 |
| <a href="#">junit-platform-suite-1.10.3.jar</a>  |   | <a href="#">pkg:maven/org.junit.platform/junit-platform-suite@1.10.3</a>         |  | 0 |
| <a href="#">junit-platform-suite-api-1.10.3.jar</a>  |   | <a href="#">pkg:maven/org.junit.platform/junit-platform-suite-api@1.10.3</a>     |  | 0 |
| <a href="#">junit-platform-suite-commons-1.10.3.jar</a>  |   | <a href="#">pkg:maven/org.junit.platform/junit-platform-suite-commons@1.10.3</a> |  | 0 |
| <a href="#">junit-platform-suite-engine-1.10.3.jar</a>   |   | <a href="#">pkg:maven/org.junit.platform/junit-platform-suite-engine@1.10.3</a>  |  | 0 |
| <a href="#">junit-vintage-engine-5.10.3.jar</a>  |   | <a href="#">pkg:maven/org.junit.vintage/junit-vintage-engine@5.10.3</a>          |  | 0 |
| <a href="#">maintenance.pdf.zip:</a><br><a href="#">maintenance.pdf.jar</a>                                    | <a href="#">cpe:2.3:a:inetsoftware:pdfc:24.10.284:*****</a> |  |  | 0 |
| <a href="#">maintenance.pdf.zip:</a><br><a href="#">maintenance.pdf.jar:</a><br><a href="#">app.js</a>         |   |  |  | 0 |
| <a href="#">maintenance.pdf.zip:</a><br><a href="#">maintenance.pdf.jar:</a><br><a href="#">comparisons.js</a> |   |  |  | 0 |
| <a href="#">ocr.tesseract.zip:</a><br><a href="#">commons-io.jar</a>   | <a href="#">cpe:2.3:a:apache:commons_io:2.16.1:*****</a>    | <a href="#">pkg:maven/commons-io/commons-io@2.16.1</a>                           |  | 0 |
| <a href="#">ocr.tesseract.zip:</a><br><a href="#">commons-logging.jar</a>                                      |   | <a href="#">pkg:maven/commons-logging/commons-logging@1.3.3</a>                  |  | 0 |
| <a href="#">ocr.tesseract.zip:</a><br><a href="#">fontbox.jar</a>  |   | <a href="#">pkg:maven/org.apache.pdfbox</a>                                      |  | 0 |

[/fontbox@3.0.2](#)

|   |  |   |  |   |
|---|--|---|--|---|
| <a href="#">ocr.tesseract.zip: jai-imageio-core.jar</a>             |  | <a href="#">pkg:maven/com.github.jai-imageio/jai-imageio-core@1.4.0</a> |  | 0 |
| <a href="#">ocr.tesseract.zip: jbig2-imageio.jar</a>                | <a href="#">cpe:2.3:a:apache:pdfbox:3.0.4:*:*:*:*:*</a>  | <a href="#">pkg:maven/org.apache.pdfbox/jbig2-imageio@3.0.4</a>         |  | 0 |
| <a href="#">ocr.tesseract.zip: jboss-vfs.jar</a>                    |  | <a href="#">pkg:maven/org.jboss/jboss-vfs@3.3.2.Final</a>               |  | 0 |
| <a href="#">ocr.tesseract.zip: jna.jar</a>                          | <a href="#">cpe:2.3:a:oracle:java_se:5.14.0:*:*:*:*</a>  |   |  | 0 |
| <a href="#">ocr.tesseract.zip: jna.jar: jnidispatch.dll</a>         |  |   |  | 0 |
| <a href="#">ocr.tesseract.zip: jna.jar: jnidispatch.dll</a>         |  |   |  | 0 |
| <a href="#">ocr.tesseract.zip: jna.jar: jnidispatch.dll</a>         |  |   |  | 0 |
| <a href="#">ocr.tesseract.zip: lept4j.jar</a>                       |  | <a href="#">pkg:maven/net.sourceforge.lept4j/lept4j@1.19.1</a>          |  | 0 |
| <a href="#">ocr.tesseract.zip: lept4j.jar: libleptonica1841.dll</a> |  |   |  | 0 |
| <a href="#">ocr.tesseract.zip: lept4j.jar: libleptonica1841.dll</a> |  |   |  | 0 |
| <a href="#">ocr.tesseract.zip: ocr.tesseract.jar</a>                | <a href="#">cpe:2.3:a:tesseract_ocr_project:tesseract_ocr:24.10.284:*:*:*:*</a><br><a href="#">cpe:2.3:a:tesseract_project:tesseract:24.10.284:*:*:*:*</a> |   |  | 0 |
| <a href="#">ocr.tesseract.zip: pdfbox.jar</a>                       | <a href="#">cpe:2.3:a:apache:pdfbox:3.0.2:*:*:*:*</a>  | <a href="#">pkg:maven/org.apache.pdfbox/pdfbox@3.0.2</a>                |  | 0 |
| <a href="#">ocr.tesseract.zip: tess4j.jar</a>                       | <a href="#">cpe:2.3:a:tesseract_project:tesseract:5.12.0:*:*:*:*</a>   | <a href="#">pkg:maven/net.sourceforge.tess4j/tess4j@5.12.0</a>          |  | 0 |
| <a href="#">ocr.tesseract.zip: tess4j.jar: libtesseract541.dll</a>  |  |   |  | 0 |
| <a href="#">ocr.tesseract.zip: tess4j.jar: libtesseract541.dll</a>  |  |   |  | 0 |
| <a href="#">opentest4j-1.3.0.jar</a>                                |  | <a href="#">pkg:maven/org.opentest4j/opentest4j@1.3.0</a>               |  | 0 |
| <a href="#">parser.docx.zip: DocxParser.jar</a>                     |  |   |  | 0 |
| <a href="#">parser.docx.zip:</a>                                    |  |   |  | 0 |

## EmfParser.jar

|   |  |  |  |   |
|---|--|--|--|---|
| <u>parser.docx.zip: SparseBitSet.jar</u>            | <u>cpe:2.3:a:bit_project:bit:1.3:****:*.*</u>            | <u>pkg:maven/com.zaxxer/SparseBitSet@1.3</u>                 |  | 0 |
| <u>parser.docx.zip: commons-codec.jar</u>           |  | <u>pkg:maven/commons-codec/commons-codec@1.17.1</u>          |  | 0 |
| <u>parser.docx.zip: commons-collections4.jar</u>    | <u>cpe:2.3:a:apache:commons_collections:4.4:****:*.*</u> | <u>pkg:maven/org.apache.commons/commons-collections4@4.4</u> |  | 0 |
| <u>parser.docx.zip: commons-compress.jar</u>        | <u>cpe:2.3:a:apache:commons_compress:1.26.2:****:*.*</u> | <u>pkg:maven/org.apache.commons/commons-compress@1.26.2</u>  |  | 0 |
| <u>parser.docx.zip: commons-math3.jar</u>           |  | <u>pkg:maven/org.apache.commons/commons-math3@3.6.1</u>      |  | 0 |
| <u>parser.docx.zip: curvesapi.jar</u>               |  | <u>pkg:maven/com.github.virtuald/curvesapi@1.08</u>          |  | 0 |
| <u>parser.docx.zip: log4j-api.jar</u>               | <u>cpe:2.3:a:apache:log4j:2.23.1:****:*.*</u><br>*       | <u>pkg:maven/org.apache.logging.log4j/log4j-api@2.23.1</u>   |  | 0 |
| <u>parser.docx.zip: parser.docx.jar</u>             | <u>cpe:2.3:a:inetsoftware:pdfc:24.10.284:****:*.*</u>    |  |  | 0 |
| <u>parser.docx.zip: poi.jar</u>                     | <u>cpe:2.3:a:apache:poi:5.2.3:****:*.*</u>               |  |  | 0 |
| <u>parser.docx.zip: xmlbeans.jar</u>                | <u>cpe:2.3:a:apache:xmlbeans:5.2.1:****:*.*</u>          | <u>pkg:maven/org.apache.xmlbeans/xmlbeans@5.2.1</u>          |  | 0 |
| <u>parser.image.zip: parser.image.jar</u>           | <u>cpe:2.3:a:inetsoftware:pdfc:24.10.284:****:*.*</u>    |  |  | 0 |
| <u>parser.pdf.config.zip: parser.pdf.config.jar</u> | <u>cpe:2.3:a:inetsoftware:pdfc:24.10.284:****:*.*</u>    |  |  | 0 |
| <u>parser.text.zip: parser.text.jar</u>             | <u>cpe:2.3:a:inetsoftware:pdfc:24.10.284:****:*.*</u>    |  |  | 0 |
| <u>pdfc.gui.zip: TableLayout.jar</u>                |  |  |  | 0 |
| <u>pdfc.gui.zip: VividSwingAnimations.jar</u>       |  |  |  | 0 |
| <u>pdfc.gui.zip: inetswingcore.jar</u>              |  |  |  | 0 |
| <u>pdfc.gui.zip: pdfc.gui.jar</u>                   | <u>cpe:2.3:a:inetsoftware:pdfc:24.10.284:****:*.*</u>    |  |  | 0 |
| <u>pdfc.standalone.zip:</u>                         | <u>cpe:2.3:a:inetsoftware:pdfc:24.10.284:</u>            |  |  | 0 |

[pdfc.standalone.jar](#)

\*\*\*\*\*

[pdfc.standalone.zip:](#)  
[pdfc.standalone.jar:](#)  
[bridge.js](#)

0

[pdfc.standalone.zip:](#)  
[pdfc.standalone.jar:](#)  
[bridgeConfig.js](#)

0

[pdfc.standalone.zip:](#)  
[pdfc.standalone.jar:](#)  
[bridgePDFC.js](#)

0

[pdfc.standalone.zip:](#)  
[pdfc.standalone.jar:](#)  
[extraMenu.js](#)

0

[pdfc.standalone.zip:](#)  
[pdfc.standalone.jar:](#)  
[removeHeader.js](#)

0

[pdfc.standalone.zip:](#)  
[pdfc.standalone.jar:](#)  
[removePDFCElements.js](#)

0

[pdfc.standalone.zip:](#)  
[pdfc.standalone.jar:](#)  
[theme.js](#)

0

[pdfc.standalone.zip:](#)  
[pdfc.standalone.jar:](#)  
[translation.js](#)

0

[pdfc.zip: icu4j.jar](#)  
[\(shaded: com.ibm.icu:](#)  
[collate:75.1\)](#)

[pkg:maven/com.](#)  
[ibm.icu](#)  
[/collate@75.1](#)

0

[pdfc.zip: icu4j.jar](#)  
[\(shaded: com.ibm.icu:](#)  
[core:75.1\)](#)

[pkg:maven/com.](#)  
[ibm.icu/core@75.](#)  
[1](#)

0

[pdfc.zip: icu4j.jar](#)  
[\(shaded: com.ibm.icu:](#)  
[currdata:75.1\)](#)

[pkg:maven/com.](#)  
[ibm.icu](#)  
[/currdata@75.1](#)

0

[pdfc.zip: icu4j.jar](#)  
[\(shaded: com.ibm.icu:](#)  
[langdata:75.1\)](#)

[pkg:maven/com.](#)  
[ibm.icu](#)  
[/langdata@75.1](#)

0

[pdfc.zip: icu4j.jar](#)  
[\(shaded: com.ibm.icu:](#)  
[regiondata:75.1\)](#)

[pkg:maven/com.](#)  
[ibm.icu](#)  
[/regiondata@75.](#)  
[1](#)

0

[pdfc.zip: icu4j.jar](#)  
[\(shaded: com.ibm.icu:](#)  
[translit:75.1\)](#)

[pkg:maven/com.](#)  
[ibm.icu](#)  
[/translit@75.1](#)

0

[pdfc.zip: icu4j.jar](#)  
cpe:2.3:a:icu-project:  
international\_components\_for\_unicode:  
75.1:\*.~\*~\*~\*~\*~\*

[pkg:maven/com.](#)  
[ibm.icu/icu4j@75.](#)  
[1](#)

0

[pdfc.zip: jbig2.jar](#)

0

[pdfc.zip: pdfc-javadoc.jar](#)

0



|   |   |  |  |   |
|---|---|--|--|---|
| <a href="#">pdfc.zip: pdfc-javadoc.jar: jquery-3.6.1.min.js</a>         |   |  |  | 0 |
| <a href="#">pdfc.zip: pdfc-javadoc.jar: jquery-ui.min.js</a>            |   | <a href="#">pkg:javascript/jquery-ui@1.13.1</a>      |  | 0 |
| <a href="#">pdfc.zip: pdfc-javadoc.jar: member-search-index.js</a>      |   |  |  | 0 |
| <a href="#">pdfc.zip: pdfc-javadoc.jar: module-search-index.js</a>      |   |  |  | 0 |
| <a href="#">pdfc.zip: pdfc-javadoc.jar: package-search-index.js</a>     |   |  |  | 0 |
| <a href="#">pdfc.zip: pdfc-javadoc.jar: script.js</a>                   |   |  |  | 0 |
| <a href="#">pdfc.zip: pdfc-javadoc.jar: search.js</a>                   |   |  |  | 0 |
| <a href="#">pdfc.zip: pdfc-javadoc.jar: tag-search-index.js</a>         |   |  |  | 0 |
| <a href="#">pdfc.zip: pdfc-javadoc.jar: type-search-index.js</a>        |   |  |  | 0 |
| <a href="#">pdfc.zip: pdfc.jar</a>                                      | cpe:2.3:a:inetsoftware:pdfc:24.10.284:***** |  |  | 0 |
| <a href="#">pdfcserver.zip: pdfcserver.jar</a>                          | cpe:2.3:a:inetsoftware:pdfc:24.10.284:***** |  |  | 0 |
| <a href="#">pdfcserver.zip: pdfcserver.jar: compareconfigenderer.js</a> |   |  |  | 0 |
| <a href="#">pdfcsetupwizard.zip: pdfcsetupwizard.jar</a>                | cpe:2.3:a:inetsoftware:pdfc:24.10.284:***** |  |  | 0 |
| <a href="#">pdfcsetupwizard.zip: pdfcsetupwizard.jar: controller.js</a> |   |  |  | 0 |
| <a href="#">processbridge.pdf: processbridge.pdf.jar</a>                | cpe:2.3:a:inetsoftware:pdfc:24.10.284:***** |  |  | 0 |
| <a href="#">slf4j-api-2.0.13.jar</a>                                    |   | <a href="#">pkg:maven/org.slf4j/slf4j-api@2.0.13</a> |  | 0 |
| <a href="#">taskplanner.pdf: taskplanner.pdf.jar</a>                    | cpe:2.3:a:inetsoftware:pdfc:24.10.284:***** |  |  | 0 |

## Dependencies (vulnerable)

### Merlia-0.jar

**File Path:** /home/jenkins/.gradle/caches/modules-2/files-2.1/lib/Merlia/0/a6d457a3b6469de885ef03655d1216936ef43f1b/Merlia-0.jar

**MD5:** 0cd5423a663f69dd7875b0c82304cc3b  
**SHA1:** a6d457a3b6469de885ef03655d1216936ef43f1b  
**SHA256:** 08cbc9ffcc7c98eb772c900ec406f6be93f48ccc819c22ef8522bbc45b326057  
**Referenced In Project/Scope:** standalone:inetPlugin  
**Included by:** pkg:maven/pdfc/standalone@24.10

#### Evidence

| Type    | Source   | Name           | Value    | Confidence |
|---------|----------|----------------|----------|------------|
| Vendor  | file     | name           | Merlia-0 | High       |
| Vendor  | gradle   | artifactid     | Merlia   | Highest    |
| Vendor  | gradle   | groupid        | lib      | Highest    |
| Vendor  | jar      | package name   | inet     | Low        |
| Vendor  | jar      | package name   | tds      | Low        |
| Product | file     | name           | Merlia-0 | High       |
| Product | gradle   | artifactid     | Merlia   | Highest    |
| Product | jar      | package name   | tds      | Low        |
| Version | file     | name           | Merlia-0 | Medium     |
| Version | file     | version        | 0        | Medium     |
| Version | gradle   | version        | 0        | Highest    |
| Version | Manifest | driver-version | 8.13     | Medium     |

#### Identifiers

- [pkg:maven/lib/Merlia@0](#) (*Confidence:*Highest)

### analysis.language.zip: analysis.language.jar

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/standalone/build/tmp/dependencies/i-net PDFC/plugins/analysis.language.zip/analysis.language.jar  
**MD5:** ff3da7c8e99551ad862e8ecb68a01085  
**SHA1:** 9b710cc23b7a6dbf98851f98ee43bd1c9faf75af  
**SHA256:** 336be45573e39167266c91bb08569de26d3789af2abbbec29b6280a6a51274e1  
**Referenced In Project/Scope:** standalone

#### Evidence

| Type   | Source | Name         | Value             | Confidence |
|--------|--------|--------------|-------------------|------------|
| Vendor | file   | name         | analysis.language | High       |
| Vendor | jar    | package name | analysis          | Low        |

|         |          |  |                                      |         |
|---------|----------|--|--------------------------------------|---------|
| Vendor  | jar      | package name                           | inet                                 | Low     |
| Vendor  | jar      | package name                           | pdfc                                 | Low     |
| Vendor  | Manifest | application-library-allowable-codebase | *                                    | Low     |
| Vendor  | Manifest | built-date                             | 2025-01-18 15:57                     | Low     |
| Vendor  | Manifest | codebase                               | *                                    | Low     |
| Vendor  | Manifest | implementation-group                   | pdfc                                 | Low     |
| Vendor  | Manifest | Implementation-Vendor                  | i-net software                       | High    |
| Vendor  | Manifest | Implementation-Vendor-Id               | de.inetsoftware                      | Medium  |
| Vendor  | Manifest | permissions                            | all-permissions                      | Low     |
| Vendor  | Manifest | specification-vendor                   | i-net software                       | Low     |
| Vendor  | Manifest | trusted-library                        | false                                | Low     |
| Vendor  | Manifest | trusted-only                           | false                                | Low     |
| Vendor  | Manifest | vendor                                 | i-net software GmbH, Berlin, Germany | Medium  |
| Product | file     | name                                   | analysis.language                    | High    |
| Product | jar      | package name                           | analysis                             | Highest |
| Product | jar      | package name                           | analysis                             | Low     |
| Product | jar      | package name                           | language                             | Highest |
| Product | jar      | package name                           | language                             | Low     |
| Product | jar      | package name                           | pdfc                                 | Highest |
| Product | jar      | package name                           | pdfc                                 | Low     |
| Product | Manifest | application-library-allowable-codebase | *                                    | Low     |
| Product | Manifest | built-date                             | 2025-01-18 15:57                     | Low     |
| Product | Manifest | codebase                               | *                                    | Low     |
| Product | Manifest | implementation-group                   | pdfc                                 | Low     |
| Product | Manifest | Implementation-Title                   | analysis.language                    | High    |
| Product | Manifest | permissions                            | all-permissions                      | Low     |
| Product | Manifest | specification-title                    | analysis.language                    | Medium  |
| Product | Manifest | trusted-library                        | false                                | Low     |
| Product | Manifest | trusted-only                           | false                                | Low     |

|         |          |                        |           |         |
|---------|----------|------------------------|-----------|---------|
| Version | jar      | package name           | pdfc      | Highest |
| Version | Manifest | Implementation-Version | 24.10.284 | High    |

#### Identifiers

- cpe:2.3:a:inetsoftware:pdfc:24.10.284:\*:\*:\*:\*:\* ( *Confidence:Low* ) suppress

## analysis.language.zip: guava.jar

### Description:

Guava is a suite of core and expanded libraries that include utility classes, Google's collections, I/O classes, and much more.

### License:

<http://www.apache.org/licenses/LICENSE-2.0.txt>

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/standalone/build/tmp/dependencies/i-net PDFC/plugins/analysis.language.zip/guava.jar

**MD5:** 872309e5982530bdc7e68096c0d53cd2

**SHA1:** 818e780da2c66c63bbb6480fef1f3855eeafa3e4

**SHA256:** 452b2d9787b7d366fa8cf5ed9a1c40404542d05effa7a598da03bbbbb76d9f31

**Referenced In Project/Scope:** standalone

### Evidence



| Type   | Source   | Name                  | Value                                 | Confidence |
|--------|----------|-----------------------|---------------------------------------|------------|
| Vendor | file     | name                  | guava                                 | High       |
| Vendor | jar      | package name          | common                                | Highest    |
| Vendor | jar      | package name          | google                                | Highest    |
| Vendor | Manifest | automatic-module-name | com.google.common                     | Medium     |
| Vendor | Manifest | build-jdk-spec        | 11                                    | Low        |
| Vendor | Manifest | bundle-docurl         | https://github.com/google/guava/      | Low        |
| Vendor | Manifest | bundle-symbolicname   | com.google.guava                      | Medium     |
| Vendor | pom      | artifactid            | guava                                 | Low        |
| Vendor | pom      | groupid               | com.google.guava                      | Highest    |
| Vendor | pom      | name                  | Guava: Google Core Libraries for Java | High       |
| Vendor | pom      | parent-artifactid     | guava-parent                          | Low        |

|         |          |                       |                                       |         |
|---------|----------|-----------------------|---------------------------------------|---------|
| Vendor  | pom      | url                   | google/guava                          | Highest |
| Product | file     | name                  | guava                                 | High    |
| Product | jar      | package name          | common                                | Highest |
| Product | jar      | package name          | google                                | Highest |
| Product | Manifest | automatic-module-name | com.google.common                     | Medium  |
| Product | Manifest | build-jdk-spec        | 11                                    | Low     |
| Product | Manifest | bundle-docurl         | https://github.com/google/guava/      | Low     |
| Product | Manifest | Bundle-Name           | Guava: Google Core Libraries for Java | Medium  |
| Product | Manifest | bundle-symbolicname   | com.google.guava                      | Medium  |
| Product | pom      | artifactid            | guava                                 | Highest |
| Product | pom      | groupid               | com.google.guava                      | Highest |
| Product | pom      | name                  | Guava: Google Core Libraries for Java | High    |
| Product | pom      | parent-artifactid     | guava-parent                          | Medium  |
| Product | pom      | url                   | google/guava                          | High    |
| Version | pom      | version               | 33.2.1-jre                            | Highest |

#### Identifiers

- [pkg:maven/com.google.guava/guava@33.2.1-jre](#) (*Confidence:High*)
- [cpe:2.3:a:google:guava:33.2.1:\\*:\\*:\\*:\\*:\\*](#) (*Confidence:Highest*) suppress

### analysis.language.zip: jsonic.jar

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/standalone/build/tmp/dependencies/i-net PDFC/plugins/analysis.language.zip/jsonic.jar

**MD5:** 504496d0069da0121c059c219147e90c

**SHA1:** 98e8a1f25aa40ed92ff2ecca4d1301d48b552452

**SHA256:** 150e3ac24b103cb0cd50595018dbe3c8ba4b3dee81a76eb4b987607f96e9602b

**Referenced In Project/Scope:** standalone

#### Evidence +

| Type   | Source | Name         | Value  | Confidence |
|--------|--------|--------------|--------|------------|
| Vendor | file   | name         | jsonic | High       |
| Vendor | jar    | package name | arnx   | Low        |
| Vendor | jar    | package name | jsonic | Low        |

|         |      |              |        |      |
|---------|------|--------------|--------|------|
| Vendor  | jar  | package name | net    | Low  |
| Product | file | name         | jsonic | High |
| Product | jar  | package name | arnx   | Low  |
| Product | jar  | package name | jsonic | Low  |

#### Identifiers

- None

## analysis.language.zip: language-detector.jar

### Description:

Language Detection Library for Java.

### License:

Apache 2: <http://www.apache.org/licenses/LICENSE-2.0>

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/standalone/build/tmp/dependencies/i-net PDFC/plugins/analysis.language.zip/language-detector.jar

**MD5:** e5475d5cabd54e5ddf6428d63864888f

**SHA1:** 52fee1eaa101f8d3e30b7095e1b6e0054d514dde

**SHA256:** f53ecc3d71da9ebc82edd10fb35638d32e8b9d849273dd717a021eca02f2278d

**Referenced In Project/Scope:** standalone

### Evidence



| Type   | Source | Name           | Value                          | Confidence |
|--------|--------|----------------|--------------------------------|------------|
| Vendor | file   | name           | language-detector              | High       |
| Vendor | jar    | package name   | langdetect                     | Low        |
| Vendor | jar    | package name   | languagedetector               | Highest    |
| Vendor | jar    | package name   | optimaize                      | Highest    |
| Vendor | jar    | package name   | optimaize                      | Low        |
| Vendor | pom    | artifactid     | language-detector              | Low        |
| Vendor | pom    | developer name | Fabian Kessler                 | Medium     |
| Vendor | pom    | developer name | François ROLAND                | Medium     |
| Vendor | pom    | developer name | Nakatani Shuyo                 | Medium     |
| Vendor | pom    | developer name | Robert Theis                   | Medium     |
| Vendor | pom    | groupid        | com.optimaize.languagedetector | Highest    |
| Vendor | pom    | name           | language-detector              | High       |

|         |      |                |                                |         |
|---------|------|----------------|--------------------------------|---------|
| Vendor  | pom  | url            | optimaize/language-detector    | Highest |
| Product | file | name           | language-detector              | High    |
| Product | jar  | package name   | langdetect                     | Low     |
| Product | jar  | package name   | languagedetector               | Highest |
| Product | jar  | package name   | optimaize                      | Highest |
| Product | pom  | artifactid     | language-detector              | Highest |
| Product | pom  | developer name | Fabian Kessler                 | Low     |
| Product | pom  | developer name | François ROLAND                | Low     |
| Product | pom  | developer name | Nakatani Shuyo                 | Low     |
| Product | pom  | developer name | Robert Theis                   | Low     |
| Product | pom  | groupid        | com.optimaize.languagedetector | Highest |
| Product | pom  | name           | language-detector              | High    |
| Product | pom  | url            | optimaize/language-detector    | High    |
| Version | pom  | version        | 0.6                            | Highest |

#### Identifiers

- <pkg:maven/com.optimaize.languagedetector/language-detector@0.6> (*Confidence:High*)

### command.jsonexport.zip: command.jsonexport.jar

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/standalone/build/tmp/dependencies/i-net PDFC/plugins/command.jsonexport.zip/command.jsonexport.jar

**MD5:** e1eed7c79b72086cfb68a1cf871a2d87

**SHA1:** e1b472ab61b469c40a0ea2c72a417543775fe782

**SHA256:** eb804353c6dd0731bb8831ad392e2c758f47755a7a0e4baa93e34da13c830056

**Referenced In Project/Scope:** standalone

#### Evidence

| Type   | Source   | Name                                   | Value              | Confidence |
|--------|----------|--|--------------------|------------|
| Vendor | file     | name                                   | command.jsonexport | High       |
| Vendor | jar      | package name                           | command            | Low        |
| Vendor | jar      | package name                           | inet               | Low        |
| Vendor | jar      | package name                           | pdfc               | Low        |
| Vendor | Manifest | application-library-allowable-codebase | *                  | Low        |

|         |          |  |                                      |         |
|---------|----------|--|--------------------------------------|---------|
| Vendor  | Manifest | built-date                             | 2025-01-18 15:57                     | Low     |
| Vendor  | Manifest | codebase                               | *                                    | Low     |
| Vendor  | Manifest | implementation-group                   | pdfc                                 | Low     |
| Vendor  | Manifest | Implementation-Vendor                  | i-net software                       | High    |
| Vendor  | Manifest | Implementation-Vendor-Id               | de.inetsoftware                      | Medium  |
| Vendor  | Manifest | permissions                            | all-permissions                      | Low     |
| Vendor  | Manifest | specification-vendor                   | i-net software                       | Low     |
| Vendor  | Manifest | trusted-library                        | false                                | Low     |
| Vendor  | Manifest | trusted-only                           | false                                | Low     |
| Vendor  | Manifest | vendor                                 | i-net software GmbH, Berlin, Germany | Medium  |
| Product | file     | name                                   | command.jsonexport                   | High    |
| Product | jar      | package name                           | command                              | Highest |
| Product | jar      | package name                           | command                              | Low     |
| Product | jar      | package name                           | json                                 | Low     |
| Product | jar      | package name                           | pdfc                                 | Highest |
| Product | jar      | package name                           | pdfc                                 | Low     |
| Product | Manifest | application-library-allowable-codebase | *                                    | Low     |
| Product | Manifest | built-date                             | 2025-01-18 15:57                     | Low     |
| Product | Manifest | codebase                               | *                                    | Low     |
| Product | Manifest | implementation-group                   | pdfc                                 | Low     |
| Product | Manifest | Implementation-Title                   | command.jsonexport                   | High    |
| Product | Manifest | permissions                            | all-permissions                      | Low     |
| Product | Manifest | specification-title                    | command.jsonexport                   | Medium  |
| Product | Manifest | trusted-library                        | false                                | Low     |
| Product | Manifest | trusted-only                           | false                                | Low     |
| Version | jar      | package name                           | pdfc                                 | Highest |
| Version | Manifest | Implementation-Version                 | 24.10.284                            | High    |

## Identifiers



- cpe:2.3:a:inetsoftware:pdfc:24.10.284.\*:\*:\*:\*:\* (Confidence:Low) suppress

**comparison.api.zip: comparison.api.jar**

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/standalone/build/tmp/dependencies/i-net PDFC/plugins/comparison.api.zip/comparison.api.jar

**MD5:** 5b2107adba134ea53d753faa2f3769c2

**SHA1:** 583424f6a28a900015d28cd94006e7f6ce73d0a1

**SHA256:**8a8ed3c1aa7445a49b66f5aefd9ff43b38e5f4ff85adcf8903687dca0db02702

**Referenced In Project/Scope:** standalone

## Evidence

| Type    | Source   | Name                                   | Value                                | Confidence |
|---------|----------|--|--------------------------------------|------------|
| Vendor  | file     | name                                   | comparison.api                       | High       |
| Vendor  | jar      | package name                           | comparisonapi                        | Low        |
| Vendor  | jar      | package name                           | inet                                 | Low        |
| Vendor  | jar      | package name                           | pdfc                                 | Low        |
| Vendor  | Manifest | application-library-allowable-codebase | *                                    | Low        |
| Vendor  | Manifest | built-date                             | 2025-01-18 15:50                     | Low        |
| Vendor  | Manifest | codebase                               | *                                    | Low        |
| Vendor  | Manifest | implementation-group                   | pdfc                                 | Low        |
| Vendor  | Manifest | Implementation-Vendor                  | i-net software                       | High       |
| Vendor  | Manifest | Implementation-Vendor-Id               | de.inetsoftware                      | Medium     |
| Vendor  | Manifest | permissions                            | all-permissions                      | Low        |
| Vendor  | Manifest | specification-vendor                   | i-net software                       | Low        |
| Vendor  | Manifest | trusted-library                        | false                                | Low        |
| Vendor  | Manifest | trusted-only                           | false                                | Low        |
| Vendor  | Manifest | vendor                                 | i-net software GmbH, Berlin, Germany | Medium     |
| Product | file     | name                                   | comparison.api                       | High       |
| Product | jar      | package name                           | comparisonapi                        | Low        |
| Product | jar      | package name                           | pdfc                                 | Highest    |
| Product | jar      | package name                           | pdfc                                 | Low        |

|         |          |  |                  |         |
|---------|----------|--|------------------|---------|
| Product | Manifest | application-library-allowable-codebase | *                | Low     |
| Product | Manifest | built-date                             | 2025-01-18 15:50 | Low     |
| Product | Manifest | codebase                               | *                | Low     |
| Product | Manifest | implementation-group                   | pdfc             | Low     |
| Product | Manifest | Implementation-Title                   | comparison.api   | High    |
| Product | Manifest | permissions                            | all-permissions  | Low     |
| Product | Manifest | specification-title                    | comparison.api   | Medium  |
| Product | Manifest | trusted-library                        | false            | Low     |
| Product | Manifest | trusted-only                           | false            | Low     |
| Version | jar      | package name                           | pdfc             | Highest |
| Version | Manifest | Implementation-Version                 | 24.10.284        | High    |

Identifiers

- cpe:2.3:a:inetsoftware:pdfc:24.10.284:\*:\*:\*:\*:\* ( *Confidence:Low* ) suppress

comparison.rpc.zip: comparison.rpc.jar

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/standalone/build/tmp/dependencies/i-net PDFC/plugins/comparison.rpc.zip/comparison.rpc.jar

**MD5:** 707babd94beb48187afaebb25fcf2d10

**SHA1:** c25f0d37ae800eb6d50b56f987e0d6efcf46b330

**SHA256:**af7ee9f00ad76cf4535ef10b027f12f7031a07e41bd9fde0ed119c8c0384da78

**Referenced In Project/Scope:** standalone

Evidence

| Type   | Source   | Name                           | Value          | Confidence |
|--------|----------|--------------------------------|----------------|------------|
| Vendor | file     | name                           | comparison.rpc | High       |
| Vendor | jar      | package name                   | inet           | Low        |
| Vendor | jar      | package name                   | pdfc           | Low        |
| Vendor | jar      | package name                   | rpc            | Low        |
| Vendor | Manifest | application-library-allowable- | *              | Low        |

|         |          |  |                                      |         |
|---------|----------|--|--------------------------------------|---------|
|         |          | codebase                               |                                      |         |
| Vendor  | Manifest | built-date                             | 2025-01-18 15:50                     | Low     |
| Vendor  | Manifest | codebase                               | *                                    | Low     |
| Vendor  | Manifest | implementation-group                   | pdfc                                 | Low     |
| Vendor  | Manifest | Implementation-Vendor                  | i-net software                       | High    |
| Vendor  | Manifest | Implementation-Vendor-Id               | de.inetsoftware                      | Medium  |
| Vendor  | Manifest | permissions                            | all-permissions                      | Low     |
| Vendor  | Manifest | specification-vendor                   | i-net software                       | Low     |
| Vendor  | Manifest | trusted-library                        | false                                | Low     |
| Vendor  | Manifest | trusted-only                           | false                                | Low     |
| Vendor  | Manifest | vendor                                 | i-net software GmbH, Berlin, Germany | Medium  |
| Product | file     | name                                   | comparison.rpc                       | High    |
| Product | jar      | package name                           | pdfc                                 | Highest |
| Product | jar      | package name                           | pdfc                                 | Low     |
| Product | jar      | package name                           | rpc                                  | Highest |
| Product | jar      | package name                           | rpc                                  | Low     |
| Product | jar      | package name                           | websocket                            | Low     |
| Product | Manifest | application-library-allowable-codebase | *                                    | Low     |
| Product | Manifest | built-date                             | 2025-01-18 15:50                     | Low     |
| Product | Manifest | codebase                               | *                                    | Low     |
| Product | Manifest | implementation-group                   | pdfc                                 | Low     |
| Product | Manifest | Implementation-Title                   | comparison.rpc                       | High    |
| Product | Manifest | permissions                            | all-permissions                      | Low     |
| Product | Manifest | specification-title                    | comparison.rpc                       | Medium  |
| Product | Manifest | trusted-library                        | false                                | Low     |
| Product | Manifest | trusted-only                           | false                                | Low     |
| Version | jar      | package name                           | pdfc                                 | Highest |
| Version | Manifest | Implementation-Version                 | 24.10.284                            | High    |

## Identifiers

- cpe:2.3:a:inetsoftware:pdfc:24.10.284.\*.\*.\*.\*.\* (Confidence:Low) suppress

## comparison.webgui.zip: comparison.webgui.jar

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/standalone/build/tmp/dependencies/i-net PDFC/plugins/comparison.webgui.zip/comparison.webgui.jar

**MD5:** 8119d2426c14a48049b7f9d227c83c38

**SHA1:** c741d6af065456e25748eb6bdb8fc6a7a3e1ccdf

**SHA256:**c2ee66aaa4283757551b1937a1e8ed8cb0cecd90782406a3fc34f8e165f5a872

**Referenced In Project/Scope:** standalone

## Evidence

| Type    | Source   | Name                     | Value                                | Confidence |
|---------|----------|--------------------------|--------------------------------------|------------|
| Vendor  | file     | name                     | comparison.webgui                    | High       |
| Vendor  | jar      | package name             | inet                                 | Low        |
| Vendor  | jar      | package name             | pdfc                                 | Low        |
| Vendor  | jar      | package name             | webgui                               | Low        |
| Vendor  | Manifest | built-date               | 2025-01-18 15:51                     | Low        |
| Vendor  | Manifest | implementation-group     | pdfc                                 | Low        |
| Vendor  | Manifest | Implementation-Vendor    | i-net software                       | High       |
| Vendor  | Manifest | Implementation-Vendor-Id | de.inetsoftware                      | Medium     |
| Vendor  | Manifest | specification-vendor     | i-net software                       | Low        |
| Vendor  | Manifest | vendor                   | i-net software GmbH, Berlin, Germany | Medium     |
| Product | file     | name                     | comparison.webgui                    | High       |
| Product | jar      | package name             | pdfc                                 | Highest    |
| Product | jar      | package name             | pdfc                                 | Low        |
| Product | jar      | package name             | server                               | Low        |
| Product | jar      | package name             | webgui                               | Highest    |
| Product | jar      | package name             | webgui                               | Low        |
| Product | Manifest | built-date               | 2025-01-18 15:51                     | Low        |
| Product | Manifest | implementation-group     | pdfc                                 | Low        |
| Product | Manifest | Implementation-Title     | comparison.webgui                    | High       |

|         |          |                        |                   |         |
|---------|----------|------------------------|-------------------|---------|
| Product | Manifest | specification-title    | comparison.webgui | Medium  |
| Version | jar      | package name           | pdfc              | Highest |
| Version | Manifest | Implementation-Version | 24.10.284         | High    |

#### Identifiers

- cpe:2.3:a:inetsoftware:pdfc:24.10.284:\*:\*:\*:\*:\* (Confidence:Low) suppress

### comparison.webgui.zip: comparison.webgui.jar: app.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/standalone/build/tmp/dependencies/i-net PDFC/plugins/comparison.webgui.zip/comparison.webgui.jar/com/inet/pdfc/webgui/client/js/app.js

**MD5:** b5337bb448dd2bfdc4393b33453a03e6

**SHA1:** 0c01af2e2032b7a61d88e120f9f6a16d1cee8bd0

**SHA256:** 0e584547e2891e2a31485a68d453938275706e0acc2b61210c906d6ae20f0330

**Referenced In Project/Scope:** standalone

#### Evidence

| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

#### Identifiers

- None

### comparison.webgui.zip: comparison.webgui.jar: compare.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/standalone/build/tmp/dependencies/i-net PDFC/plugins/comparison.webgui.zip/comparison.webgui.jar/com/inet/pdfc/webgui/client/js/compare.js

**MD5:** a1b9a4c2563dcdebd4d69fb757092f94

**SHA1:** bf15679ec29e8f7b4165081ce3cf027ad18f51dd

**SHA256:** f9204fe0a37fc51c85eb92a7f330dd23c0a2a8233bc8d140c84e45d12f49cc1d

**Referenced In Project/Scope:** standalone

#### Evidence

| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

### Identifiers

- None

## comparison.webgui.zip: comparison.webgui.jar: contextmenuextension.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/standalone/build/tmp/dependencies/i-net PDFC/plugins/comparison.webgui.zip/comparison.webgui.jar/com/inet/pdfc/webgui/client/drive/contextmenuextension.js

**MD5:** 1bef45da0b85f14100fd90b962ec08dd

**SHA1:** d2aa756f35e647040f06c87bd7e70408843a94bc

**SHA256:** 8606f3e669cb924d0343e2f121aa28d72ec7e0c78f7414f2f50d9bd1e8c4617a

**Referenced In Project/Scope:** standalone

### Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

### Identifiers

- None

## comparison.webgui.zip: comparison.webgui.jar: contingent.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/standalone/build/tmp/dependencies/i-net PDFC/plugins/comparison.webgui.zip/comparison.webgui.jar/com/inet/pdfc/webgui/client/js/directives/contingent.js

**MD5:** 9b4fd9a3e46ce79a17e64ee06878644a

**SHA1:** 5d1dc05ba946aaff7af3b3399f72dd399fb16261

**SHA256:** 6d95981c415d1dc5c4cb0a50337344d550241981ca872336a6559b705aedbdc1

**Referenced In Project/Scope:** standalone

### Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

### Identifiers

- None

### comparison.webgui.zip: comparison.webgui.jar: controller.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/standalone/build/tmp/dependencies/i-net PDFC/plugins/comparison.webgui.zip/comparison.webgui.jar/com/inet/pdfc/webgui/client/js/controller.js

**MD5:** 71483af5e05f78c556cd0dbb4f221adb

**SHA1:** 942045f3b83ea37b125a7b109b9bf313832c58ac

**SHA256:** a584bba4703e68f80803b0d20e0f6e9c6596b3c4a239b3885cb94dcf2ef0f60f

**Referenced In Project/Scope:** standalone

#### Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

#### Identifiers

- None

### comparison.webgui.zip: comparison.webgui.jar: descriptionarea.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/standalone/build/tmp/dependencies/i-net PDFC/plugins/comparison.webgui.zip/comparison.webgui.jar/com/inet/pdfc/webgui/client/js/directives/descriptionarea.js

**MD5:** e0e1766e85377f31b7664d404aeebc41

**SHA1:** 0a6772730c5e6864f344db92935728b62677e6a8

**SHA256:** bcaa0357be6fc030860c90fec66e523e1ba7c1034692cedf6d223b830281bd66

**Referenced In Project/Scope:** standalone

#### Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

#### Identifiers

- None

### comparison.webgui.zip: comparison.webgui.jar: dropzone.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/standalone/build/tmp/dependencies/i-net PDFC/plugins/comparison.webgui.zip/comparison.webgui.jar/com/inet/pdfc/webgui/client/js/directives/dropzone.js  
**MD5:** 8245755c756ce7d5d107bfe2b1ab2a5a  
**SHA1:** d5f6e4ff53d68e90d7c6ab11c4ce74fce1d79792  
**SHA256:** c64fe634d9945eefe84332d05c402ee8b09260653fbea2888f3b7cfc4b9f18eb  
**Referenced In Project/Scope:** standalone

#### Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

#### Identifiers

- None

### comparison.webgui.zip: comparison.webgui.jar: export.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/standalone/build/tmp/dependencies/i-net PDFC/plugins/comparison.webgui.zip/comparison.webgui.jar/com/inet/pdfc/webgui/client/js/export.js  
**MD5:** 00a335e0a1adb71537b6d272455c92d1  
**SHA1:** 802efb2a89887f226992e8e674b78338ecfacee4  
**SHA256:** 6363581f9cc2b589350be39f2501195586a083de244528a88fe0c778ebe78702  
**Referenced In Project/Scope:** standalone

#### Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

#### Identifiers

- None

### comparison.webgui.zip: comparison.webgui.jar: factory.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/standalone/build/tmp/dependencies/i-net PDFC/plugins/comparison.webgui.zip/comparison.webgui.jar/com/inet/pdfc/webgui/client/js/factory.js  
**MD5:** 75038fcc3c0a83efa30b550547c8615c  
**SHA1:** 5e5bcf84c68eac10d45744c5493ab63edc61c032  
**SHA256:** cdd2ce61f2d2be521e50609b29fa408aeaa9a1712a40b38104202d4a81a2b0ba  
**Referenced In Project/Scope:** standalone



### Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

### Identifiers

- None

## comparison.webgui.zip: comparison.webgui.jar: model.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/standalone/build/tmp/dependencies/i-net PDFC/plugins/comparison.webgui.zip/comparison.webgui.jar/com/inet/pdfc/webgui/client/js/model.js

**MD5:** 45f60c03a9c42a69e48be11d4253fcd

**SHA1:** ade62de16b056ad46785df5f2f376a3472f80d74

**SHA256:** 9df5d15c1768b1c0823eed5a4784da2f7dbeaa2d72c2d45a66a4d25ae4d41afb

**Referenced In Project/Scope:** standalone

### Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

### Identifiers

- None

## comparison.webgui.zip: comparison.webgui.jar: multipasswordpanel.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/standalone/build/tmp/dependencies/i-net PDFC/plugins/comparison.webgui.zip/comparison.webgui.jar/com/inet/pdfc/webgui/client/js/directives/multipasswordpanel.js

**MD5:** 8dc57163fcdafc64e5d324a9fe39bb46

**SHA1:** 79196a59f44ed72b0baa529857b2ad4321751eff

**SHA256:** b0c30c119ab1d75be1b2f83480ef8bb0ca3f9dd30de6a0d09acf54806ab7beda

**Referenced In Project/Scope:** standalone

### Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

#### Identifiers

- None

### comparison.webgui.zip: comparison.webgui.jar: mycomparisons.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/standalone/build/tmp/dependencies/i-net PDFC/plugins/comparison.webgui.zip/comparison.webgui.jar/com/inet/pdfc/webgui/client/js/mycomparisons.js

**MD5:** cdbfc2ee5a50238442648e2ff1d098f7

**SHA1:** 9582d0491b095c2df43791e55df6a8bcd1f0eb53

**SHA256:** b1fba2191ae3d4713ac9431a575c581095ccfd03022a9eb771241d2cb97ca55d

**Referenced In Project/Scope:** standalone

#### Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

#### Identifiers

- None

### comparison.webgui.zip: comparison.webgui.jar: passwordpanel.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/standalone/build/tmp/dependencies/i-net PDFC/plugins/comparison.webgui.zip/comparison.webgui.jar/com/inet/pdfc/webgui/client/js/directives/passwordpanel.js

**MD5:** 35b1c24467988a11c51aee3faccca01f

**SHA1:** e3d68ef1e938a548d514971783c96a37b91afa38

**SHA256:** 2862fd50225ed1b9c2fc33421258114f0ef367bdbc72bb929b0f213468b635a2

**Referenced In Project/Scope:** standalone

#### Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

#### Identifiers

- None

### comparison.webgui.zip: comparison.webgui.jar: pdfconfig.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/standalone/build/tmp/dependencies/i-net PDFC/plugins/comparison.webgui.zip/comparison.webgui.jar/com/inet/pdfc/webgui/client/js/pdfconfig.js

**MD5:** 9ff486177a5ce262ea8e4a0c31be01f2

**SHA1:** 37361e5e5d850a989559380c767de28e68d07098

**SHA256:** 5e2a890647ea95d78ecae6386f2cae26006a6b03df6e1a9eddee29f2f87812ca

**Referenced In Project/Scope:** standalone

#### Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

#### Identifiers

- None

### comparison.webgui.zip: comparison.webgui.jar: profil.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/standalone/build/tmp/dependencies/i-net PDFC/plugins/comparison.webgui.zip/comparison.webgui.jar/com/inet/pdfc/webgui/client/js/profil.js

**MD5:** adca56a6bd5f21c686559fc851789244

**SHA1:** 23797dd878745e5990e077863f7476b4c2c3f53f

**SHA256:** 750a72e57b818cb51c901b7396fd06e804d934daafbbb77e25d1ebcd2f76959d

**Referenced In Project/Scope:** standalone

#### Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

#### Identifiers

- None

### comparison.webgui.zip: comparison.webgui.jar: profileentry.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/standalone/build/tmp/dependencies/i-net PDFC/plugins/comparison.webgui.zip/comparison.webgui.jar/com/inet/pdfc/webgui/client/js/directives/profileentry.js  
**MD5:** 57391e3ca531f4ef83608f10c87ce691  
**SHA1:** b3e2cae88e689b0b877df8ef290b3f37e60157d7  
**SHA256:** 3bd41ad34829aec63f02d57d8b98d473e606b2df49186575ee0feae53d164665  
**Referenced In Project/Scope:** standalone

#### Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

#### Identifiers

- None

### comparison.webgui.zip: comparison.webgui.jar: publishdialog.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/standalone/build/tmp/dependencies/i-net PDFC/plugins/comparison.webgui.zip/comparison.webgui.jar/com/inet/pdfc/webgui/client/js/publishdialog.js  
**MD5:** cb39f0740cca72df1160d0c4b97412ce  
**SHA1:** ea4b087dba9daa1fb8c7c71ca78bc91e884af69b  
**SHA256:** e2f58b24368d3a27a4aadaa91e4372d37bec648e23e803bd702dbdff891ca3b7  
**Referenced In Project/Scope:** standalone

#### Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

#### Identifiers

- None

### comparison.webgui.zip: comparison.webgui.jar: publishprofiledialog.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/standalone/build/tmp/dependencies/i-net PDFC/plugins/comparison.webgui.zip/comparison.webgui.jar/com/inet/pdfc/webgui/client/js/directives/publishprofiledialog.js  
**MD5:** 71f9c6a407bccd70cd94fd2cfa1ca6da  
**SHA1:** 0ac49131f58dcfc1651d1780b543b88dedcecb95  
**SHA256:** 23c4ac9e297f97dbea24f75b1736a2e8a59c305704aafb1e55f7d389ec37687d  
**Referenced In Project/Scope:** standalone

### Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

### Identifiers

- None

## comparison.webgui.zip: comparison.webgui.jar: report.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/standalone/build/tmp/dependencies/i-net PDFC/plugins/comparison.webgui.zip/comparison.webgui.jar/com/inet/pdfc/webgui/client/js/report.js

**MD5:** fe6f78391d124b17a695fcc736f79f53

**SHA1:** b5e0d55a8c900944b3547efe1cb5cf6592aba6d5

**SHA256:** 896c1486fb2119e198dd92a6aaae101d72fd6c0adf8f38957dbf68a0f15673a6

**Referenced In Project/Scope:** standalone

### Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

### Identifiers

- None

## comparison.webgui.zip: comparison.webgui.jar: scroller.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/standalone/build/tmp/dependencies/i-net PDFC/plugins/comparison.webgui.zip/comparison.webgui.jar/com/inet/pdfc/webgui/client/js/scroller.js

**MD5:** f32f48a5aa0fb9f8277a02482147775d

**SHA1:** 375c169e3d665e83e4071f2f29c2d7f9aab541d9

**SHA256:** 97373361ec62b341d13c42137a0035180bf42909f5430e91197edfc0c6c7c250

**Referenced In Project/Scope:** standalone

### Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

#### Identifiers

- None

### comparison.webgui.zip: comparison.webgui.jar: searchcomponent.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/standalone/build/tmp/dependencies/i-net PDFC/plugins/comparison.webgui.zip/comparison.webgui.jar/com/inet/pdfc/webgui/client/js/directives/searchcomponent.js

**MD5:** 6b074e878cc9be443b1a15f24409989a

**SHA1:** eb93b2142dd33da8cfe7fa8b3c8058829b76753e

**SHA256:** 104c806b32fd9e41480c240c2020b2f6d8c8dd430b6c05d6b2f4dc2b8e46f457

**Referenced In Project/Scope:** standalone

#### Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

#### Identifiers

- None

### comparison.webgui.zip: comparison.webgui.jar: userlist.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/standalone/build/tmp/dependencies/i-net PDFC/plugins/comparison.webgui.zip/comparison.webgui.jar/com/inet/pdfc/webgui/client/js/directives/userlist.js

**MD5:** 7f02b9beea14ccaf1aa69d56774af047

**SHA1:** 13c4d28849ac5ac894035c6cbd23c2aadcd17107

**SHA256:** e264ece3d2ee5e04afd67551a7f6f360985b1f61e9d264719ffe73d4258bdff

**Referenced In Project/Scope:** standalone

#### Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

#### Identifiers

- None

## comparison.webgui.zip: comparison.webgui.jar: visibilitysettings.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/standalone/build/tmp/dependencies/i-net PDFC/plugins/comparison.webgui.zip/comparison.webgui.jar/com/inet/pdfc/webgui/client/js/visibilitysettings.js

**MD5:** 17292e740ec3b0b51b2529dfe5941f33

**SHA1:** 699771072d39aad920b27c9c58ceaaece5af4a60

**SHA256:** b10b0143b19dc62be6802ceba75ecceca42bdbc6fe177b305efe416fe91c200b

**Referenced In Project/Scope:** standalone

### Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

### Identifiers

- None

## comparison.webgui.zip: comparison.webgui.jar: zoomer.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/standalone/build/tmp/dependencies/i-net PDFC/plugins/comparison.webgui.zip/comparison.webgui.jar/com/inet/pdfc/webgui/client/js/directives/zoomer.js

**MD5:** c78b76ef369e7936ee3db589114626fa

**SHA1:** 8e7048b300502269ac05c062a26f18ba6869b51b

**SHA256:** f70cf8df345d9b56cdb3af49808f2d840a1582db94c6c2f273676400835f5a94

**Referenced In Project/Scope:** standalone

### Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

### Identifiers

- None

## filter.area.zip: filter.area.jar

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/standalone/build/tmp/dependencies/i-net PDFC/plugins/filter.area.zip/filter.area.jar  
**MD5:** 20453287109afb7a7bb7342b91301653  
**SHA1:** 17f1a627ab1b0d5c5749fbe8bee4a0ac065326c6  
**SHA256:** 7010a07ab2d3219fb4a127cf7d09404a33c3a8d0e4c2eb19ce1e01409eb0df1d  
**Referenced In Project/Scope:** standalone

## Evidence



| Type    | Source   | Name                                   | Value                                | Confidence |
|---------|----------|--|--------------------------------------|------------|
| Vendor  | file     | name                                   | filter.area                          | High       |
| Vendor  | jar      | package name                           | filter                               | Low        |
| Vendor  | jar      | package name                           | inet                                 | Low        |
| Vendor  | jar      | package name                           | pdfc                                 | Low        |
| Vendor  | Manifest | application-library-allowable-codebase | *                                    | Low        |
| Vendor  | Manifest | built-date                             | 2025-01-18 15:55                     | Low        |
| Vendor  | Manifest | codebase                               | *                                    | Low        |
| Vendor  | Manifest | implementation-group                   | pdfc                                 | Low        |
| Vendor  | Manifest | Implementation-Vendor                  | i-net software                       | High       |
| Vendor  | Manifest | Implementation-Vendor-Id               | de.inetsoftware                      | Medium     |
| Vendor  | Manifest | permissions                            | all-permissions                      | Low        |
| Vendor  | Manifest | specification-vendor                   | i-net software                       | Low        |
| Vendor  | Manifest | trusted-library                        | false                                | Low        |
| Vendor  | Manifest | trusted-only                           | false                                | Low        |
| Vendor  | Manifest | vendor                                 | i-net software GmbH, Berlin, Germany | Medium     |
| Product | file     | name                                   | filter.area                          | High       |
| Product | jar      | package name                           | area                                 | Highest    |
| Product | jar      | package name                           | area                                 | Low        |
| Product | jar      | package name                           | filter                               | Highest    |
| Product | jar      | package name                           | filter                               | Low        |
| Product | jar      | package name                           | pdfc                                 | Highest    |
| Product | jar      | package name                           | pdfc                                 | Low        |
| Product | Manifest | application-library-allowable-codebase | *                                    | Low        |



|         |          |                        |                  |         |
|---------|----------|------------------------|------------------|---------|
| Product | Manifest | built-date             | 2025-01-18 15:55 | Low     |
| Product | Manifest | codebase               | *                | Low     |
| Product | Manifest | implementation-group   | pdfc             | Low     |
| Product | Manifest | Implementation-Title   | filter.area      | High    |
| Product | Manifest | permissions            | all-permissions  | Low     |
| Product | Manifest | specification-title    | filter.area      | Medium  |
| Product | Manifest | trusted-library        | false            | Low     |
| Product | Manifest | trusted-only           | false            | Low     |
| Version | jar      | package name           | pdfc             | Highest |
| Version | Manifest | Implementation-Version | 24.10.284        | High    |

## Identifiers

- cpe:2.3:a:inetsoftware:pdfc:24.10.284.\*.\*.\*.\*.\* (Confidence:Low) suppress

**filter.baselinetable.zip: filter.baselinetable.jar**

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/standalone/build/tmp/dependencies/i-net PDFC/plugins/filter.baselinetable.zip/filter.baselinetable.jar

**MD5:** 269cf1ef69743f850020ada68cddc8ba

**SHA1:** 0c0d0606c6188c13ea904631fe6d22fa04af7a7c

**SHA256:**34658d39cd94795abc9c03a0dadceec36df730d529e78475a52a9452fc5116971

**Referenced In Project/Scope:** standalone

## Evidence

| Type   | Source   | Name                                   | Value                | Confidence |
|--------|----------|--|----------------------|------------|
| Vendor | file     | name                                   | filter.baselinetable | High       |
| Vendor | jar      | package name                           | filter               | Low        |
| Vendor | jar      | package name                           | inet                 | Low        |
| Vendor | jar      | package name                           | pdfc                 | Low        |
| Vendor | Manifest | application-library-allowable-codebase | *                    | Low        |
| Vendor | Manifest | built-date                             | 2025-01-18 15:55     | Low        |
| Vendor | Manifest | codebase                               | *                    | Low        |

|         |          |  |                                      |         |
|---------|----------|--|--------------------------------------|---------|
| Vendor  | Manifest | implementation-group                   | pdfc                                 | Low     |
| Vendor  | Manifest | Implementation-Vendor                  | i-net software                       | High    |
| Vendor  | Manifest | Implementation-Vendor-Id               | de.inetsoftware                      | Medium  |
| Vendor  | Manifest | permissions                            | all-permissions                      | Low     |
| Vendor  | Manifest | specification-vendor                   | i-net software                       | Low     |
| Vendor  | Manifest | trusted-library                        | false                                | Low     |
| Vendor  | Manifest | trusted-only                           | false                                | Low     |
| Vendor  | Manifest | vendor                                 | i-net software GmbH, Berlin, Germany | Medium  |
| Product | file     | name                                   | filter.baselinetable                 | High    |
| Product | jar      | package name                           | baselinetable                        | Highest |
| Product | jar      | package name                           | baselinetable                        | Low     |
| Product | jar      | package name                           | filter                               | Highest |
| Product | jar      | package name                           | filter                               | Low     |
| Product | jar      | package name                           | pdfc                                 | Highest |
| Product | jar      | package name                           | pdfc                                 | Low     |
| Product | Manifest | application-library-allowable-codebase | *                                    | Low     |
| Product | Manifest | built-date                             | 2025-01-18 15:55                     | Low     |
| Product | Manifest | codebase                               | *                                    | Low     |
| Product | Manifest | implementation-group                   | pdfc                                 | Low     |
| Product | Manifest | Implementation-Title                   | filter.baselinetable                 | High    |
| Product | Manifest | permissions                            | all-permissions                      | Low     |
| Product | Manifest | specification-title                    | filter.baselinetable                 | Medium  |
| Product | Manifest | trusted-library                        | false                                | Low     |
| Product | Manifest | trusted-only                           | false                                | Low     |
| Version | jar      | package name                           | pdfc                                 | Highest |
| Version | Manifest | Implementation-Version                 | 24.10.284                            | High    |

## Identifiers

-

filter.cmappatch.zip: filter.cmappatch.jar

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/standalone/build/tmp/dependencies/i-net PDFC/plugins/filter.cmappatch.zip/filter.cmappatch.jar  
**MD5:** 12d2be1b9c43684e639a3a3e5c6171c0  
**SHA1:** 72a9c1877b46217f768530eb09b65c50c28b0cc0  
**SHA256:**0c4e6739df40d5fd35460c944cc694f44599927c82e9e1185ba05d5208c14bac  
**Referenced In Project/Scope:** standalone

Evidence

| Type    | Source   | Name                                   | Value                                | Confidence |
|---------|----------|--|--------------------------------------|------------|
| Vendor  | file     | name                                   | filter.cmappatch                     | High       |
| Vendor  | jar      | package name                           | filter                               | Low        |
| Vendor  | jar      | package name                           | inet                                 | Low        |
| Vendor  | jar      | package name                           | pdfc                                 | Low        |
| Vendor  | Manifest | application-library-allowable-codebase | *                                    | Low        |
| Vendor  | Manifest | built-date                             | 2025-01-18 15:51                     | Low        |
| Vendor  | Manifest | codebase                               | *                                    | Low        |
| Vendor  | Manifest | implementation-group                   | pdfc                                 | Low        |
| Vendor  | Manifest | Implementation-Vendor                  | i-net software                       | High       |
| Vendor  | Manifest | Implementation-Vendor-Id               | de.inetsoftware                      | Medium     |
| Vendor  | Manifest | permissions                            | all-permissions                      | Low        |
| Vendor  | Manifest | specification-vendor                   | i-net software                       | Low        |
| Vendor  | Manifest | trusted-library                        | false                                | Low        |
| Vendor  | Manifest | trusted-only                           | false                                | Low        |
| Vendor  | Manifest | vendor                                 | i-net software GmbH, Berlin, Germany | Medium     |
| Product | file     | name                                   | filter.cmappatch                     | High       |
| Product | jar      | package name                           | cmappatch                            | Highest    |
| Product | jar      | package name                           | cmappatch                            | Low        |
| Product | jar      | package name                           | filter                               | Highest    |

|         |          |  |                  |         |
|---------|----------|--|------------------|---------|
| Product | jar      | package name                           | filter           | Low     |
| Product | jar      | package name                           | pdfc             | Highest |
| Product | jar      | package name                           | pdfc             | Low     |
| Product | Manifest | application-library-allowable-codebase | *                | Low     |
| Product | Manifest | built-date                             | 2025-01-18 15:51 | Low     |
| Product | Manifest | codebase                               | *                | Low     |
| Product | Manifest | implementation-group                   | pdfc             | Low     |
| Product | Manifest | Implementation-Title                   | filter.cmappatch | High    |
| Product | Manifest | permissions                            | all-permissions  | Low     |
| Product | Manifest | specification-title                    | filter.cmappatch | Medium  |
| Product | Manifest | trusted-library                        | false            | Low     |
| Product | Manifest | trusted-only                           | false            | Low     |
| Version | jar      | package name                           | pdfc             | Highest |
| Version | Manifest | Implementation-Version                 | 24.10.284        | High    |

### Identifiers

- cpe:2.3:a:inetsoftware:pdfc:24.10.284:\*:\*:\*:\*:\* (Confidence:Low) suppress

### filter.headerfooter.zip: filter.headerfooter.jar

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/standalone/build/tmp/dependencies/i-net PDFC/plugins/filter.headerfooter.zip/filter.headerfooter.jar

**MD5:** 7d7f91b4307e7e004acf39c3dcc38261

**SHA1:** 1fd0e9c2e0ea5dd380c4f734ab7dfbe5d058eba7

**SHA256:** 9faa6d509a5210fd36b49fc49b7ec13ff5d07a51988799d9935c4254554bd8e7

**Referenced In Project/Scope:** standalone

### Evidence



| Type   | Source | Name         | Value               | Confidence |
|--------|--------|--------------|---------------------|------------|
| Vendor | file   | name         | filter.headerfooter | High       |
| Vendor | jar    | package name | filter              | Low        |
| Vendor | jar    | package name | inet                | Low        |

|         |          |  |                                      |         |
|---------|----------|--|--------------------------------------|---------|
| Vendor  | jar      | package name                           | pdfc                                 | Low     |
| Vendor  | Manifest | application-library-allowable-codebase | *                                    | Low     |
| Vendor  | Manifest | built-date                             | 2025-01-18 15:53                     | Low     |
| Vendor  | Manifest | codebase                               | *                                    | Low     |
| Vendor  | Manifest | implementation-group                   | pdfc                                 | Low     |
| Vendor  | Manifest | Implementation-Vendor                  | i-net software                       | High    |
| Vendor  | Manifest | Implementation-Vendor-Id               | de.inetsoftware                      | Medium  |
| Vendor  | Manifest | permissions                            | all-permissions                      | Low     |
| Vendor  | Manifest | specification-vendor                   | i-net software                       | Low     |
| Vendor  | Manifest | trusted-library                        | false                                | Low     |
| Vendor  | Manifest | trusted-only                           | false                                | Low     |
| Vendor  | Manifest | vendor                                 | i-net software GmbH, Berlin, Germany | Medium  |
| Product | file     | name                                   | filter.headerfooter                  | High    |
| Product | jar      | package name                           | filter                               | Highest |
| Product | jar      | package name                           | filter                               | Low     |
| Product | jar      | package name                           | headerfooter                         | Highest |
| Product | jar      | package name                           | headerfooter                         | Low     |
| Product | jar      | package name                           | pdfc                                 | Highest |
| Product | jar      | package name                           | pdfc                                 | Low     |
| Product | Manifest | application-library-allowable-codebase | *                                    | Low     |
| Product | Manifest | built-date                             | 2025-01-18 15:53                     | Low     |
| Product | Manifest | codebase                               | *                                    | Low     |
| Product | Manifest | implementation-group                   | pdfc                                 | Low     |
| Product | Manifest | Implementation-Title                   | filter.headerfooter                  | High    |
| Product | Manifest | permissions                            | all-permissions                      | Low     |
| Product | Manifest | specification-title                    | filter.headerfooter                  | Medium  |
| Product | Manifest | trusted-library                        | false                                | Low     |
| Product | Manifest | trusted-only                           | false                                | Low     |
| Version | jar      | package name                           | pdfc                                 | Highest |

|         |          |                        |           |      |
|---------|----------|------------------------|-----------|------|
| Version | Manifest | Implementation-Version | 24.10.284 | High |
|---------|----------|------------------------|-----------|------|

#### Identifiers

- cpe:2.3:a:inetsoftware:pdfc:24.10.284:\*:\*:\*:\*:\* ( *Confidence:Low* ) suppress

### filter.hiderotation.zip: filter.hiderotation.jar

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/standalone/build/tmp/dependencies/i-net PDFC/plugins/filter.hiderotation.zip/filter.hiderotation.jar

**MD5:** 0af18a4913ddcb3944d7a55cbd579be5

**SHA1:** 4ebb0b6eca79c56c65909e6da8d3b0e565738778

**SHA256:** 94ec21f76349b6ef094931f59e47591911ef0e969561db4e74084823fcdee2a9

**Referenced In Project/Scope:** standalone

#### Evidence

| Type   | Source   | Name                                   | Value                                | Confidence |
|--------|----------|--|--------------------------------------|------------|
| Vendor | file     | name                                   | filter.hiderotation                  | High       |
| Vendor | jar      | package name                           | filter                               | Low        |
| Vendor | jar      | package name                           | inet                                 | Low        |
| Vendor | jar      | package name                           | pdfc                                 | Low        |
| Vendor | Manifest | application-library-allowable-codebase | *                                    | Low        |
| Vendor | Manifest | built-date                             | 2025-01-18 15:50                     | Low        |
| Vendor | Manifest | codebase                               | *                                    | Low        |
| Vendor | Manifest | implementation-group                   | pdfc                                 | Low        |
| Vendor | Manifest | Implementation-Vendor                  | i-net software                       | High       |
| Vendor | Manifest | Implementation-Vendor-Id               | de.inetsoftware                      | Medium     |
| Vendor | Manifest | permissions                            | all-permissions                      | Low        |
| Vendor | Manifest | specification-vendor                   | i-net software                       | Low        |
| Vendor | Manifest | trusted-library                        | false                                | Low        |
| Vendor | Manifest | trusted-only                           | false                                | Low        |
| Vendor | Manifest | vendor                                 | i-net software GmbH, Berlin, Germany | Medium     |

|         |          |  |                     |         |
|---------|----------|--|---------------------|---------|
| Product | file     | name                                   | filter.hiderotation | High    |
| Product | jar      | package name                           | filter              | Highest |
| Product | jar      | package name                           | filter              | Low     |
| Product | jar      | package name                           | hiderotation        | Highest |
| Product | jar      | package name                           | hiderotation        | Low     |
| Product | jar      | package name                           | pdfc                | Highest |
| Product | jar      | package name                           | pdfc                | Low     |
| Product | Manifest | application-library-allowable-codebase | *                   | Low     |
| Product | Manifest | built-date                             | 2025-01-18 15:50    | Low     |
| Product | Manifest | codebase                               | *                   | Low     |
| Product | Manifest | implementation-group                   | pdfc                | Low     |
| Product | Manifest | Implementation-Title                   | filter.hiderotation | High    |
| Product | Manifest | permissions                            | all-permissions     | Low     |
| Product | Manifest | specification-title                    | filter.hiderotation | Medium  |
| Product | Manifest | trusted-library                        | false               | Low     |
| Product | Manifest | trusted-only                           | false               | Low     |
| Version | jar      | package name                           | pdfc                | Highest |
| Version | Manifest | Implementation-Version                 | 24.10.284           | High    |

#### Identifiers

- cpe:2.3:a:inetsoftware:pdfc:24.10.284:\*:\*:\*:\*:\* (Confidence:Low)

suppress

### filter.invisibleelements.zip: filter.invisibleelements.jar

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/standalone/build/tmp/dependencies/i-net PDFC/plugins/filter.invisibleelements.zip/filter.invisibleelements.jar

**MD5:** 4c89dd9d42fe1cfb69b4a1030bf4b875

**SHA1:** 066114785a40ed5035b68bc80e2db38c5e78ee46

**SHA256:** 27804c16cc0ede56e9c45c42dab945c6e69fbee109d6b109aea94fb09b07c61

**Referenced In Project/Scope:** standalone

## Evidence



| Type    | Source   | Name                                   | Value                                | Confidence |
|---------|----------|--|--------------------------------------|------------|
| Vendor  | file     | name                                   | filter.invisibleelements             | High       |
| Vendor  | jar      | package name                           | filter                               | Low        |
| Vendor  | jar      | package name                           | inet                                 | Low        |
| Vendor  | jar      | package name                           | pdfc                                 | Low        |
| Vendor  | Manifest | application-library-allowable-codebase | *                                    | Low        |
| Vendor  | Manifest | built-date                             | 2025-01-18 15:50                     | Low        |
| Vendor  | Manifest | codebase                               | *                                    | Low        |
| Vendor  | Manifest | implementation-group                   | pdfc                                 | Low        |
| Vendor  | Manifest | Implementation-Vendor                  | i-net software                       | High       |
| Vendor  | Manifest | Implementation-Vendor-Id               | de.inetsoftware                      | Medium     |
| Vendor  | Manifest | permissions                            | all-permissions                      | Low        |
| Vendor  | Manifest | specification-vendor                   | i-net software                       | Low        |
| Vendor  | Manifest | trusted-library                        | false                                | Low        |
| Vendor  | Manifest | trusted-only                           | false                                | Low        |
| Vendor  | Manifest | vendor                                 | i-net software GmbH, Berlin, Germany | Medium     |
| Product | file     | name                                   | filter.invisibleelements             | High       |
| Product | jar      | package name                           | filter                               | Highest    |
| Product | jar      | package name                           | filter                               | Low        |
| Product | jar      | package name                           | invisibleelements                    | Highest    |
| Product | jar      | package name                           | invisibleelements                    | Low        |
| Product | jar      | package name                           | pdfc                                 | Highest    |
| Product | jar      | package name                           | pdfc                                 | Low        |
| Product | Manifest | application-library-allowable-codebase | *                                    | Low        |
| Product | Manifest | built-date                             | 2025-01-18 15:50                     | Low        |
| Product | Manifest | codebase                               | *                                    | Low        |
| Product | Manifest | implementation-group                   | pdfc                                 | Low        |
| Product | Manifest | Implementation-Title                   | filter.invisibleelements             | High       |



|         |          |                        |                          |         |
|---------|----------|------------------------|--------------------------|---------|
| Product | Manifest | permissions            | all-permissions          | Low     |
| Product | Manifest | specification-title    | filter.invisibleelements | Medium  |
| Product | Manifest | trusted-library        | false                    | Low     |
| Product | Manifest | trusted-only           | false                    | Low     |
| Version | jar      | package name           | pdfc                     | Highest |
| Version | Manifest | Implementation-Version | 24.10.284                | High    |

## Identifiers

- cpe:2.3:a:inetsoftware:pdfc:24.10.284.\*:\*:\*:\*:\* (Confidence:Low) suppress

**filter.multicolumn.zip: filter.multicolumn.jar**

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/standalone/build/tmp/dependencies/i-net PDFC/plugins/filter.multicolumn.zip/filter.multicolumn.jar

**MD5:** 82c89863b2714b280df9458c501dffad

**SHA1:** 0d4241ec168276ef489b319060d6e175959659ed

**SHA256:**43c3ff1d0850ea8b22edee3b713f3e1c8240459bafffc13f99d82665e941c48b

**Referenced In Project/Scope:** standalone

## Evidence

| Type   | Source   | Name                                   | Value              | Confidence |
|--------|----------|--|--------------------|------------|
| Vendor | file     | name                                   | filter.multicolumn | High       |
| Vendor | jar      | package name                           | filter             | Low        |
| Vendor | jar      | package name                           | inet               | Low        |
| Vendor | jar      | package name                           | pdfc               | Low        |
| Vendor | Manifest | application-library-allowable-codebase | *                  | Low        |
| Vendor | Manifest | built-date                             | 2025-01-18 15:52   | Low        |
| Vendor | Manifest | codebase                               | *                  | Low        |
| Vendor | Manifest | implementation-group                   | pdfc               | Low        |
| Vendor | Manifest | Implementation-Vendor                  | i-net software     | High       |
| Vendor | Manifest | Implementation-Vendor-Id               | de.inetsoftware    | Medium     |

|         |          |  |                                      |         |
|---------|----------|--|--------------------------------------|---------|
| Vendor  | Manifest | permissions                            | all-permissions                      | Low     |
| Vendor  | Manifest | specification-vendor                   | i-net software                       | Low     |
| Vendor  | Manifest | trusted-library                        | false                                | Low     |
| Vendor  | Manifest | trusted-only                           | false                                | Low     |
| Vendor  | Manifest | vendor                                 | i-net software GmbH, Berlin, Germany | Medium  |
| Product | file     | name                                   | filter.multicolumn                   | High    |
| Product | jar      | package name                           | filter                               | Highest |
| Product | jar      | package name                           | filter                               | Low     |
| Product | jar      | package name                           | multicolumn                          | Highest |
| Product | jar      | package name                           | multicolumn                          | Low     |
| Product | jar      | package name                           | pdfc                                 | Highest |
| Product | jar      | package name                           | pdfc                                 | Low     |
| Product | Manifest | application-library-allowable-codebase | *                                    | Low     |
| Product | Manifest | built-date                             | 2025-01-18 15:52                     | Low     |
| Product | Manifest | codebase                               | *                                    | Low     |
| Product | Manifest | implementation-group                   | pdfc                                 | Low     |
| Product | Manifest | Implementation-Title                   | filter.multicolumn                   | High    |
| Product | Manifest | permissions                            | all-permissions                      | Low     |
| Product | Manifest | specification-title                    | filter.multicolumn                   | Medium  |
| Product | Manifest | trusted-library                        | false                                | Low     |
| Product | Manifest | trusted-only                           | false                                | Low     |
| Version | jar      | package name                           | pdfc                                 | Highest |
| Version | Manifest | Implementation-Version                 | 24.10.284                            | High    |

#### Identifiers

- cpe:2.3:a:inetsoftware:pdfc:24.10.284:\*:\*:\*:\*:\* (Confidence:Low) suppress

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/standalone/build/tmp/dependencies/i-net PDFC/plugins/filter.ocr.zip/filter.ocr.jar

**MD5:** a5e3c6fdb1049102b0e5d7c64db1deb3

**SHA1:** 0f2391f5a14d0f45f4ea2950723f5dbba5f29c56

**SHA256:** 7510fcead5b6dc0c5988d7267540b3873134ddbd509c71efe6910f752c2eb404

**Referenced In Project/Scope:** standalone

## Evidence



| Type    | Source   | Name                                   | Value                                | Confidence |
|---------|----------|--|--------------------------------------|------------|
| Vendor  | file     | name                                   | filter.ocr                           | High       |
| Vendor  | jar      | package name                           | filter                               | Low        |
| Vendor  | jar      | package name                           | inet                                 | Low        |
| Vendor  | jar      | package name                           | pdfc                                 | Low        |
| Vendor  | Manifest | application-library-allowable-codebase | *                                    | Low        |
| Vendor  | Manifest | built-date                             | 2025-01-18 15:49                     | Low        |
| Vendor  | Manifest | codebase                               | *                                    | Low        |
| Vendor  | Manifest | implementation-group                   | pdfc                                 | Low        |
| Vendor  | Manifest | Implementation-Vendor                  | i-net software                       | High       |
| Vendor  | Manifest | Implementation-Vendor-Id               | de.inetsoftware                      | Medium     |
| Vendor  | Manifest | permissions                            | all-permissions                      | Low        |
| Vendor  | Manifest | specification-vendor                   | i-net software                       | Low        |
| Vendor  | Manifest | trusted-library                        | false                                | Low        |
| Vendor  | Manifest | trusted-only                           | false                                | Low        |
| Vendor  | Manifest | vendor                                 | i-net software GmbH, Berlin, Germany | Medium     |
| Product | file     | name                                   | filter.ocr                           | High       |
| Product | jar      | package name                           | filter                               | Highest    |
| Product | jar      | package name                           | filter                               | Low        |
| Product | jar      | package name                           | ocr                                  | Highest    |
| Product | jar      | package name                           | ocr                                  | Low        |
| Product | jar      | package name                           | pdfc                                 | Highest    |
| Product | jar      | package name                           | pdfc                                 | Low        |
| Product | Manifest | application-library-allowable-codebase | *                                    | Low        |

|         |          |                        |                  |         |
|---------|----------|------------------------|------------------|---------|
| Product | Manifest | built-date             | 2025-01-18 15:49 | Low     |
| Product | Manifest | codebase               | *                | Low     |
| Product | Manifest | implementation-group   | pdfc             | Low     |
| Product | Manifest | Implementation-Title   | filter.ocr       | High    |
| Product | Manifest | permissions            | all-permissions  | Low     |
| Product | Manifest | specification-title    | filter.ocr       | Medium  |
| Product | Manifest | trusted-library        | false            | Low     |
| Product | Manifest | trusted-only           | false            | Low     |
| Version | jar      | package name           | pdfc             | Highest |
| Version | Manifest | Implementation-Version | 24.10.284        | High    |

### Identifiers

- cpe:2.3:a:inetsoftware:pdfc:24.10.284:\*:\*:\*:\*:\* (Confidence:Low)

suppress

## filter.pagerange.zip: filter.pagerange.jar

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/standalone/build/tmp/dependencies/i-net PDFC/plugins/filter.pagerange.zip/filter.pagerange.jar

**MD5:** 3576a07cdc999128fd1311646b7d1b08

**SHA1:** 1616f1d33de237041c6636770c6678e05164a17d

**SHA256:** fef5131a9fb9d9180844c19fa6dea14326187cff820b0449275c6656bb35e61b

**Referenced In Project/Scope:** standalone

### Evidence



| Type   | Source   | Name                                   | Value            | Confidence |
|--------|----------|--|------------------|------------|
| Vendor | file     | name                                   | filter.pagerange | High       |
| Vendor | jar      | package name                           | filter           | Low        |
| Vendor | jar      | package name                           | inet             | Low        |
| Vendor | jar      | package name                           | pdfc             | Low        |
| Vendor | Manifest | application-library-allowable-codebase | *                | Low        |
| Vendor | Manifest | built-date                             | 2025-01-18 15:55 | Low        |
| Vendor | Manifest | codebase                               | *                | Low        |



## filter.regex.zip: filter.regex.jar

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/standalone/build/tmp/dependencies/i-net PDFC/plugins/filter.regex.zip/filter.regex.jar

**MD5:** 237017b5bc7f4590ca0fe843c11794c9

**SHA1:** fb0d4a2663a34ee23257b5ab72e00d863d3b2f81

**SHA256:** 9457ecb9af0067fa03f6c5f69817fe27f23a67e59aeaa11a8f5431590208acde

**Referenced In Project/Scope:** standalone

### Evidence



| Type    | Source   | Name                                   | Value                                | Confidence |
|---------|----------|--|--------------------------------------|------------|
| Vendor  | file     | name                                   | filter.regex                         | High       |
| Vendor  | jar      | package name                           | filter                               | Low        |
| Vendor  | jar      | package name                           | inet                                 | Low        |
| Vendor  | jar      | package name                           | pdfc                                 | Low        |
| Vendor  | Manifest | application-library-allowable-codebase | *                                    | Low        |
| Vendor  | Manifest | built-date                             | 2025-01-18 15:52                     | Low        |
| Vendor  | Manifest | codebase                               | *                                    | Low        |
| Vendor  | Manifest | implementation-group                   | pdfc                                 | Low        |
| Vendor  | Manifest | Implementation-Vendor                  | i-net software                       | High       |
| Vendor  | Manifest | Implementation-Vendor-Id               | de.inetsoftware                      | Medium     |
| Vendor  | Manifest | permissions                            | all-permissions                      | Low        |
| Vendor  | Manifest | specification-vendor                   | i-net software                       | Low        |
| Vendor  | Manifest | trusted-library                        | false                                | Low        |
| Vendor  | Manifest | trusted-only                           | false                                | Low        |
| Vendor  | Manifest | vendor                                 | i-net software GmbH, Berlin, Germany | Medium     |
| Product | file     | name                                   | filter.regex                         | High       |
| Product | jar      | package name                           | filter                               | Highest    |
| Product | jar      | package name                           | filter                               | Low        |
| Product | jar      | package name                           | pdfc                                 | Highest    |
| Product | jar      | package name                           | pdfc                                 | Low        |
| Product | jar      | package name                           | regex                                | Highest    |

|         |          |  |                  |         |
|---------|----------|--|------------------|---------|
| Product | jar      | package name                           | regex            | Low     |
| Product | Manifest | application-library-allowable-codebase | *                | Low     |
| Product | Manifest | built-date                             | 2025-01-18 15:52 | Low     |
| Product | Manifest | codebase                               | *                | Low     |
| Product | Manifest | implementation-group                   | pdfc             | Low     |
| Product | Manifest | Implementation-Title                   | filter.regex     | High    |
| Product | Manifest | permissions                            | all-permissions  | Low     |
| Product | Manifest | specification-title                    | filter.regex     | Medium  |
| Product | Manifest | trusted-library                        | false            | Low     |
| Product | Manifest | trusted-only                           | false            | Low     |
| Version | jar      | package name                           | pdfc             | Highest |
| Version | Manifest | Implementation-Version                 | 24.10.284        | High    |

#### Identifiers

- cpe:2.3:a:inetsoftware:pdfc:24.10.284:\*:\*:\*:\*:\* (Confidence:Low) suppress

### filter.regex.zip: filter.regex.jar: filterrenderer.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/standalone/build/tmp/dependencies/i-net PDFC/plugins/filter.regex.zip/filter.regex.jar/com/inet/pdfc/filter/regex/structure/filterrenderer.js  
**MD5:** c42f30a7f03547aa1909e8e5c0e838ad  
**SHA1:** e49f9703fbda0ffcaf831b7e625228dff91a26cf  
**SHA256:**a08751ad11877d90715267b89484ca690a46135b36725e99eb21701e0510cf50  
**Referenced In Project/Scope:** standalone

#### Evidence +

| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

#### Identifiers

- None

## filter.texttransform.zip: filter.texttransform.jar

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/standalone/build/tmp/dependencies/i-net PDFC/plugins/filter.texttransform.zip/filter.texttransform.jar

**MD5:** b8dfd2999822a4e89f8bf07168db613f

**SHA1:** 77f3dff1c6c8f44aa369a1b5ac2ee84051428bcb

**SHA256:** fcdc8cdabc604a8547cbd9ecf3782394dc17b2e60f9176d939da34dae626169d9

**Referenced In Project/Scope:** standalone

### Evidence



| Type    | Source   | Name                                   | Value                                | Confidence |
|---------|----------|--|--------------------------------------|------------|
| Vendor  | file     | name                                   | filter.texttransform                 | High       |
| Vendor  | jar      | package name                           | filter                               | Low        |
| Vendor  | jar      | package name                           | inet                                 | Low        |
| Vendor  | jar      | package name                           | pdfc                                 | Low        |
| Vendor  | Manifest | application-library-allowable-codebase | *                                    | Low        |
| Vendor  | Manifest | built-date                             | 2025-01-18 15:53                     | Low        |
| Vendor  | Manifest | codebase                               | *                                    | Low        |
| Vendor  | Manifest | implementation-group                   | pdfc                                 | Low        |
| Vendor  | Manifest | Implementation-Vendor                  | i-net software                       | High       |
| Vendor  | Manifest | Implementation-Vendor-Id               | de.inetsoftware                      | Medium     |
| Vendor  | Manifest | permissions                            | all-permissions                      | Low        |
| Vendor  | Manifest | specification-vendor                   | i-net software                       | Low        |
| Vendor  | Manifest | trusted-library                        | false                                | Low        |
| Vendor  | Manifest | trusted-only                           | false                                | Low        |
| Vendor  | Manifest | vendor                                 | i-net software GmbH, Berlin, Germany | Medium     |
| Product | file     | name                                   | filter.texttransform                 | High       |
| Product | jar      | package name                           | filter                               | Highest    |
| Product | jar      | package name                           | filter                               | Low        |
| Product | jar      | package name                           | pdfc                                 | Highest    |
| Product | jar      | package name                           | pdfc                                 | Low        |
| Product | jar      | package name                           | texttransform                        | Highest    |



|         |          |  |                      |         |
|---------|----------|--|----------------------|---------|
| Product | jar      | package name                           | texttransform        | Low     |
| Product | Manifest | application-library-allowable-codebase | *                    | Low     |
| Product | Manifest | built-date                             | 2025-01-18 15:53     | Low     |
| Product | Manifest | codebase                               | *                    | Low     |
| Product | Manifest | implementation-group                   | pdfc                 | Low     |
| Product | Manifest | Implementation-Title                   | filter.texttransform | High    |
| Product | Manifest | permissions                            | all-permissions      | Low     |
| Product | Manifest | specification-title                    | filter.texttransform | Medium  |
| Product | Manifest | trusted-library                        | false                | Low     |
| Product | Manifest | trusted-only                           | false                | Low     |
| Version | jar      | package name                           | pdfc                 | Highest |
| Version | Manifest | Implementation-Version                 | 24.10.284            | High    |

#### Identifiers

- cpe:2.3:a:inetsoftware:pdfc:24.10.284:\*:\*:\*:\*:\* (Confidence:Low) suppress

### filter.urllookup.zip: filter.urllookup.jar

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/standalone/build/tmp/dependencies/i-net PDFC/plugins/filter.urllookup.zip/filter.urllookup.jar

**MD5:** 219e1c44f9edca290c0227a615269988

**SHA1:** f93626c4231cef5d6342747b898f588913cdeac9

**SHA256:** 7d6f9d030fa75cb01e21c2e664aec1b2d0910340b471ace854c74f3b0e143c34

**Referenced In Project/Scope:** standalone

#### Evidence



| Type   | Source   | Name         | Value            | Confidence |
|--------|----------|--------------|------------------|------------|
| Vendor | file     | name         | filter.urllookup | High       |
| Vendor | jar      | package name | filter           | Low        |
| Vendor | jar      | package name | inet             | Low        |
| Vendor | jar      | package name | pdfc             | Low        |
| Vendor | Manifest | application- | *                | Low        |

|         |          |  |                                      |         |
|---------|----------|--|--------------------------------------|---------|
|         |          | library-allowable-codebase             |                                      |         |
| Vendor  | Manifest | built-date                             | 2025-01-18 15:56                     | Low     |
| Vendor  | Manifest | codebase                               | *                                    | Low     |
| Vendor  | Manifest | implementation-group                   | pdfc                                 | Low     |
| Vendor  | Manifest | Implementation-Vendor                  | i-net software                       | High    |
| Vendor  | Manifest | Implementation-Vendor-Id               | de.inetsoftware                      | Medium  |
| Vendor  | Manifest | permissions                            | all-permissions                      | Low     |
| Vendor  | Manifest | specification-vendor                   | i-net software                       | Low     |
| Vendor  | Manifest | trusted-library                        | false                                | Low     |
| Vendor  | Manifest | trusted-only                           | false                                | Low     |
| Vendor  | Manifest | vendor                                 | i-net software GmbH, Berlin, Germany | Medium  |
| Product | file     | name                                   | filter.urllookup                     | High    |
| Product | jar      | package name                           | filter                               | Highest |
| Product | jar      | package name                           | filter                               | Low     |
| Product | jar      | package name                           | pdfc                                 | Highest |
| Product | jar      | package name                           | pdfc                                 | Low     |
| Product | jar      | package name                           | urllookup                            | Highest |
| Product | jar      | package name                           | urllookup                            | Low     |
| Product | Manifest | application-library-allowable-codebase | *                                    | Low     |
| Product | Manifest | built-date                             | 2025-01-18 15:56                     | Low     |
| Product | Manifest | codebase                               | *                                    | Low     |
| Product | Manifest | implementation-group                   | pdfc                                 | Low     |
| Product | Manifest | Implementation-Title                   | filter.urllookup                     | High    |
| Product | Manifest | permissions                            | all-permissions                      | Low     |
| Product | Manifest | specification-title                    | filter.urllookup                     | Medium  |
| Product | Manifest | trusted-library                        | false                                | Low     |
| Product | Manifest | trusted-only                           | false                                | Low     |
| Version | jar      | package name                           | pdfc                                 | Highest |
| Version | Manifest | Implementation-Version                 | 24.10.284                            | High    |

## Identifiers

- cpe:2.3:a:inetsoftware:pdfc:24.10.284:\*:\*:\*:\*:\* (Confidence:Low) suppress

## hamcrest-2.2.jar

**File Path:** /home/jenkins/.gradle/caches/modules-2/files-2.1/org.hamcrest/hamcrest/2.2/1820c0968dba3a11a1b30669bb1f01978a91dedc/hamcrest-2.2.jar

**MD5:** 10b47e837f271d0662f28780e60388e8

**SHA1:** 1820c0968dba3a11a1b30669bb1f01978a91dedc

**SHA256:** 5e62846a89f05cd78cd9c1a553f340d002458380c320455dd1f8fc5497a8a1c1

**Referenced In Project/Scope:** standalone:inetPlugin

**Included by:** pkg:maven/pdfc/standalone@24.10

## Evidence



| Type    | Source   | Name                  | Value        | Confidence |
|---------|----------|-----------------------|--------------|------------|
| Vendor  | file     | name                  | hamcrest     | High       |
| Vendor  | gradle   | artifactid            | hamcrest     | Highest    |
| Vendor  | gradle   | groupid               | org.hamcrest | Highest    |
| Vendor  | jar      | package name          | hamcrest     | Highest    |
| Vendor  | jar      | package name          | hamcrest     | Low        |
| Vendor  | Manifest | automatic-module-name | org.hamcrest | Medium     |
| Vendor  | Manifest | bundle-symbolicname   | org.hamcrest | Medium     |
| Vendor  | Manifest | Implementation-Vendor | hamcrest.org | High       |
| Product | file     | name                  | hamcrest     | High       |
| Product | gradle   | artifactid            | hamcrest     | Highest    |
| Product | jar      | package name          | hamcrest     | Highest    |
| Product | Manifest | automatic-module-name | org.hamcrest | Medium     |
| Product | Manifest | Bundle-Name           | hamcrest     | Medium     |
| Product | Manifest | bundle-symbolicname   | org.hamcrest | Medium     |
| Product | Manifest | Implementation-Title  | hamcrest     | High       |
| Version | file     | version               | 2.2          | High       |
|         |          |                       |              |            |

|         |          |                        |     |      |
|---------|----------|------------------------|-----|------|
| Version | Manifest | Implementation-Version | 2.2 | High |
|---------|----------|------------------------|-----|------|

#### Identifiers

- <pkg:maven/org.hamcrest/hamcrest@2.2> (*Confidence: Highest*)

## inetcore-24.10-tools.jar

**File Path:** /home/jenkins/.gradle/caches/modules-2/files-2.1/shared/inetcore/24.10

/fb690e23af675ab77423624d4e790b15c5acb0f8/inetcore-24.10-tools.jar

**MD5:** b7408e2741486bab4abeecfd7bd0e1b9

**SHA1:** fb690e23af675ab77423624d4e790b15c5acb0f8

**SHA256:** f563005ba36b9b2536249005309ce54cf205fd3f6a39c228682a51ee1e854327

**Referenced In Project/Scope:** standalone:inetPlugin

**Included by:** pkg:maven/pdfc/standalone@24.10

#### Evidence

| Type    | Source | Name         | Value    | Confidence |
|---------|--------|--------------|----------|------------|
| Vendor  | file   | name         | inetcore | High       |
| Vendor  | gradle | artifactid   | inetcore | Highest    |
| Vendor  | gradle | groupid      | shared   | Highest    |
| Vendor  | jar    | package name | test     | Low        |
| Product | file   | name         | inetcore | High       |
| Product | gradle | artifactid   | inetcore | Highest    |
| Version | file   | name         | inetcore | Medium     |
| Version | file   | version      | 24.10    | High       |
| Version | gradle | version      | 24.10    | Highest    |

#### Identifiers

- <pkg:maven/shared/inetcore@24.10> (*Confidence: Highest*)

## inetcore-24.10.jar (shaded: com.inet.shared:inetcore:null)

**Description:**

A blend composite defines the rule according to which a drawing primitive (known as the source) is mixed with existing graphics (known as the destination.)

ColorUtilities contains a set of tools to perform common color operations easily.

**License:**

LGPL: <http://www.gnu.org/licenses/lgpl.txt>

**File Path:** /home/jenkins/.gradle/caches/modules-2/files-2.1/shared/inetcore/24.10  
/e0c82cb227e629cd6582c4b19c5095e394ae8fe4/inetcore-24.10.jar/META-INF/com/inet/shared/utis  
/BlendComposite/pom.xml

**MD5:** b7bc59004e73f85cce4369bc5e034e6b

**SHA1:** 9caff88589bdd8fdc3c3f320340b76830f3818de

**SHA256:** aab973b164e2d64808cd34c47b78399c4f016ec308900f5393733d3bc5c706bc

**Referenced In Project/Scope:** standalone:inetPlugin

**Evidence**



| Type    | Source     | Name            | Value                         | Confidence |
|---------|------------|-----------------|-------------------------------|------------|
| Vendor  | pom        | artifactid      | inetcore                      | Low        |
| Vendor  | pom        | developer email | contact@inetsoftware.de       | Low        |
| Vendor  | pom        | developer email | morgand@apache.org            | Low        |
| Vendor  | pom        | developer id    | inetsoftware                  | Medium     |
| Vendor  | pom        | developer id    | romainguy                     | Medium     |
| Vendor  | pom        | developer id    | sun                           | Medium     |
| Vendor  | pom        | developer name  | i-net /// software            | Medium     |
| Vendor  | pom        | developer name  | Romain Guy                    | Medium     |
| Vendor  | pom        | developer name  | Sun                           | Medium     |
| Vendor  | pom        | developer org   | Sun                           | Medium     |
| Vendor  | pom        | groupid         | com.inet.shared               | Highest    |
| Vendor  | pom        | name            | BlendComposite and ColorUtils | High       |
| Vendor  | pom (hint) | developer id    | oracle                        | Medium     |
| Vendor  | pom (hint) | developer name  | oracle                        | Medium     |
| Vendor  | pom (hint) | developer org   | oracle                        | Medium     |
| Product | pom        | artifactid      | inetcore                      | Highest    |
| Product | pom        | developer email | contact@inetsoftware.de       | Low        |
| Product | pom        | developer email | morgand@apache.org            | Low        |
| Product | pom        | developer id    | inetsoftware                  | Low        |
| Product | pom        | developer id    | romainguy                     | Low        |
| Product | pom        | developer id    | sun                           | Low        |
| Product | pom        | developer name  | i-net /// software            | Low        |

|         |     |                |                               |         |
|---------|-----|----------------|-------------------------------|---------|
| Product | pom | developer name | Romain Guy                    | Low     |
| Product | pom | developer name | Sun                           | Low     |
| Product | pom | developer org  | Sun                           | Low     |
| Product | pom | groupid        | com.inet.shared               | Highest |
| Product | pom | name           | BlendComposite and ColorUtils | High    |

#### Identifiers

- None

### inetcore-24.10.jar

**File Path:** /home/jenkins/.gradle/caches/modules-2/files-2.1/shared/inetcore/24.10/e0c82cb227e629cd6582c4b19c5095e394ae8fe4/inetcore-24.10.jar

**MD5:** 0a36361814ea7c0caff2b87715a5950d

**SHA1:** e0c82cb227e629cd6582c4b19c5095e394ae8fe4

**SHA256:** 25b03a38deeccd10b64ca40a9600e096b28c623cabb70ccaa5ea0ec40eb4fb24

**Referenced In Project/Scope:** standalone:inetPlugin

**Included by:** pkg:maven/pdfc/standalone@24.10

#### Evidence



| Type   | Source   | Name                                   | Value            | Confidence |
|--------|----------|--|------------------|------------|
| Vendor | file     | name                                   | inetcore         | High       |
| Vendor | gradle   | artifactid                             | inetcore         | Highest    |
| Vendor | gradle   | groupid                                | shared           | Highest    |
| Vendor | jar      | package name                           | i                | Highest    |
| Vendor | jar      | package name                           | inet             | Low        |
| Vendor | Manifest | application-library-allowable-codebase | *                | Low        |
| Vendor | Manifest | built-date                             | 2025-01-18 12:23 | Low        |
| Vendor | Manifest | codebase                               | *                | Low        |
| Vendor | Manifest | implementation-group                   | shared           | Low        |
| Vendor | Manifest | Implementation-Vendor                  | i-net software   | High       |
| Vendor | Manifest | Implementation-Vendor-Id               | de.inetsoftware  | Medium     |
| Vendor | Manifest | permissions                            | all-permissions  | Low        |

|         |          |  |                                      |         |
|---------|----------|--|--------------------------------------|---------|
| Vendor  | Manifest | specification-vendor                   | i-net software                       | Low     |
| Vendor  | Manifest | trusted-library                        | false                                | Low     |
| Vendor  | Manifest | trusted-only                           | false                                | Low     |
| Vendor  | Manifest | vendor                                 | i-net software GmbH, Berlin, Germany | Medium  |
| Product | file     | name                                   | inetcore                             | High    |
| Product | gradle   | artifactid                             | inetcore                             | Highest |
| Product | jar      | package name                           | permissions                          | Highest |
| Product | jar      | package name                           | shared                               | Highest |
| Product | Manifest | application-library-allowable-codebase | *                                    | Low     |
| Product | Manifest | built-date                             | 2025-01-18 12:23                     | Low     |
| Product | Manifest | codebase                               | *                                    | Low     |
| Product | Manifest | implementation-group                   | shared                               | Low     |
| Product | Manifest | Implementation-Title                   | inetcore                             | High    |
| Product | Manifest | permissions                            | all-permissions                      | Low     |
| Product | Manifest | specification-title                    | inetcore                             | Medium  |
| Product | Manifest | trusted-library                        | false                                | Low     |
| Product | Manifest | trusted-only                           | false                                | Low     |
| Version | file     | name                                   | inetcore                             | Medium  |
| Version | file     | version                                | 24.10                                | High    |
| Version | gradle   | version                                | 24.10                                | Highest |
| Version | jar      | package name                           | permissions                          | Highest |
| Version | jar      | package name                           | shared                               | Highest |
| Version | Manifest | Implementation-Version                 | 24.10.284                            | High    |

#### Identifiers

- [pkg:maven/shared/inetcore@24.10](#) (*Confidence: Highest*)

java-21-jre-x64-linux.tar.gz: java-21-jre-x64-linux.tar: jrt-fs.jar

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/standalone/build/tmp/dependencies/java-21-jre-x64-linux.tar.gz/java-21-jre-x64-linux.tar/jre-11/lib/jrt-fs.jar  
**MD5:** e2138468a2337af9f0acf041d47ae631  
**SHA1:** 8ef69b54cab31de533182a0d3ec4e7d6f9207016  
**SHA256:**644d3383b1bacc328b0f3e6676abfe32b2af105c0c6177b34eaa7fb6bba9f7a0  
**Referenced In Project/Scope:** standalone

Evidence

| Type    | Source   | Name                   | Value                           | Confidence |
|---------|----------|------------------------|---------------------------------|------------|
| Vendor  | file     | name                   | jrt-fs                          | High       |
| Vendor  | jar      | package name           | internal                        | Low        |
| Vendor  | jar      | package name           | jdk                             | Low        |
| Vendor  | jar      | package name           | jimage                          | Low        |
| Vendor  | Manifest | Implementation-Vendor  | Eclipse Adoptium                | High       |
| Vendor  | Manifest | specification-vendor   | Oracle Corporation              | Low        |
| Product | file     | name                   | jrt-fs                          | High       |
| Product | jar      | package name           | internal                        | Low        |
| Product | jar      | package name           | jimage                          | Low        |
| Product | Manifest | Implementation-Title   | Java Runtime Environment        | High       |
| Product | Manifest | specification-title    | Java Platform API Specification | Medium     |
| Version | Manifest | Implementation-Version | 21.0.5                          | High       |

Identifiers

- [cpe:2.3:a:eclipse:platform:21.0.5:\\*\\*\\*\\*\\*](#) (Confidence:Medium)

suppress

jlessc-1.12.jar

**File Path:** /home/jenkins/.gradle/caches/modules-2/files-2.1/de.inetsoftware/jlessc/1.12/8ea5dba973ee8e969a243e08e47a27ca48121b5c/jlessc-1.12.jar  
**MD5:** 8e0d57ed6e6809be8002db58024c370e  
**SHA1:** 8ea5dba973ee8e969a243e08e47a27ca48121b5c  
**SHA256:**0969bc655eba47f824791ef12ed90c96baac2238a775b0ceaa0921deeb6681f8  
**Referenced In Project/Scope:** standalone:inetPlugin  
**Included by:** pkg:maven/pdfc/standalone@24.10

Evidence



| Type    | Source   | Name                     | Value                                | Confidence |
|---------|----------|--------------------------|--------------------------------------|------------|
| Vendor  | file     | name                     | jlessc                               | High       |
| Vendor  | gradle   | artifactid               | jlessc                               | Highest    |
| Vendor  | gradle   | groupid                  | de.inetsoftware                      | Highest    |
| Vendor  | jar      | package name             | inet                                 | Low        |
| Vendor  | jar      | package name             | less                                 | Low        |
| Vendor  | jar      | package name             | lib                                  | Low        |
| Vendor  | Manifest | automatic-module-name    | de.inetsoftware.jlessc               | Medium     |
| Vendor  | Manifest | bundle-symbolicname      | de.inetsoftware.jlessc               | Medium     |
| Vendor  | Manifest | Implementation-Vendor    | i-net software GmbH, Berlin, Germany | High       |
| Vendor  | Manifest | Implementation-Vendor-Id | de.inetsoftware                      | Medium     |
| Product | file     | name                     | jlessc                               | High       |
| Product | gradle   | artifactid               | jlessc                               | Highest    |
| Product | jar      | package name             | less                                 | Low        |
| Product | jar      | package name             | lib                                  | Low        |
| Product | Manifest | automatic-module-name    | de.inetsoftware.jlessc               | Medium     |
| Product | Manifest | bundle-symbolicname      | de.inetsoftware.jlessc               | Medium     |
| Product | Manifest | Implementation-Title     | JLessC, a Less CSS compiler          | High       |
| Version | file     | version                  | 1.12                                 | High       |
| Version | Manifest | Implementation-Version   | 1.12                                 | High       |

#### Identifiers

- <pkg:maven/de.inetsoftware/jlessc@1.12> (*Confidence: Highest*)

## junit-4.13.2.jar

**File Path:** /home/jenkins/.gradle/caches/modules-2/files-2.1/junit/junit/4.13.2

/8ac9e16d933b6fb43bc7f576336b8f4d7eb5ba12/junit-4.13.2.jar

**MD5:** d98a9a02a99a9acd22d7653cbcc1f31f

**SHA1:** 8ac9e16d933b6fb43bc7f576336b8f4d7eb5ba12

SHA256:8e495b634469d64fb8acfa3495a065cbacc8a0fff55ce1e31007be4c16dc57d3

Referenced In Project/Scope: standalone:inetPlugin

Included by: pkg:maven/pdfc/standalone@24.10

## Evidence



| Type    | Source   | Name                     | Value            | Confidence |
|---------|----------|--------------------------|------------------|------------|
| Vendor  | file     | name                     | junit            | High       |
| Vendor  | gradle   | artifactid               | junit            | Highest    |
| Vendor  | gradle   | groupid                  | junit            | Highest    |
| Vendor  | jar      | package name             | junit            | Highest    |
| Vendor  | jar      | package name             | junit            | Low        |
| Vendor  | Manifest | automatic-module-name    | junit            | Medium     |
| Vendor  | Manifest | implementation-url       | http://junit.org | Low        |
| Vendor  | Manifest | Implementation-Vendor    | JUnit            | High       |
| Vendor  | Manifest | Implementation-Vendor-Id | junit            | Medium     |
| Product | file     | name                     | junit            | High       |
| Product | gradle   | artifactid               | junit            | Highest    |
| Product | jar      | package name             | junit            | Highest    |
| Product | Manifest | automatic-module-name    | junit            | Medium     |
| Product | Manifest | Implementation-Title     | JUnit            | High       |
| Product | Manifest | implementation-url       | http://junit.org | Low        |
| Version | file     | version                  | 4.13.2           | High       |
| Version | Manifest | Implementation-Version   | 4.13.2           | High       |

## Identifiers

- [pkg:maven/junit/junit@4.13.2](#) (Confidence: Highest)
- [cpe:2.3:a:junit:junit4:4.13.2:\\*:\\*:\\*:\\*:\\*](#) (Confidence: Highest)

suppress

**File Path:** /home/jenkins/.gradle/caches/modules-2/files-2.1/org.junit.jupiter/junit-jupiter/5.10.3/6686d8bf251f9bf8ecba413cab57b9e00f9134d/junit-jupiter-5.10.3.jar

**MD5:** 8312d239f10b3aaa94c3dc69f84a250f

**SHA1:** 6686d8bf251f9bf8ecba413cab57b9e00f9134d

**SHA256:** e6fc09f881eba8b8d8a7660a6c7f4d582fa7881f306136afe2d82964a2e7c22f

**Referenced In Project/Scope:** standalone:inetPlugin

**Included by:**

- pkg:maven/org.junit.jupiter/junit-jupiter@5.10.3
- pkg:maven/org.junit.platform/junit-platform-suite@1.10.3
- pkg:maven/pdfc/standalone@24.10

| Evidence <span></span> |          |                        |                                       |            |
|------------------------|----------|------------------------|---------------------------------------|------------|
| Type                   | Source   | Name                   | Value                                 | Confidence |
| Vendor                 | file     | name                   | junit-jupiter                         | High       |
| Vendor                 | gradle   | artifactid             | junit-jupiter                         | Highest    |
| Vendor                 | gradle   | groupid                | org.junit.jupiter                     | Highest    |
| Vendor                 | jar      | package name           | module-info                           | Low        |
| Vendor                 | Manifest | build-date             | 2024-06-27                            | Low        |
| Vendor                 | Manifest | build-revision         | 55d12321315b11eaf6ed87e73c47bcd39ade5 | Low        |
| Vendor                 | Manifest | build-time             | 16:07:04.699+0200                     | Low        |
| Vendor                 | Manifest | bundle-symbolicname    | junit-jupiter                         | Medium     |
| Vendor                 | Manifest | Implementation-Vendor  | junit.org                             | High       |
| Vendor                 | Manifest | specification-vendor   | junit.org                             | Low        |
| Product                | file     | name                   | junit-jupiter                         | High       |
| Product                | gradle   | artifactid             | junit-jupiter                         | Highest    |
| Product                | Manifest | build-date             | 2024-06-27                            | Low        |
| Product                | Manifest | build-revision         | 55d12321315b11eaf6ed87e73c47bcd39ade5 | Low        |
| Product                | Manifest | build-time             | 16:07:04.699+0200                     | Low        |
| Product                | Manifest | Bundle-Name            | JUnit Jupiter (Aggregator)            | Medium     |
| Product                | Manifest | bundle-symbolicname    | junit-jupiter                         | Medium     |
| Product                | Manifest | Implementation-Title   | junit-jupiter                         | High       |
| Product                | Manifest | specification-title    | junit-jupiter                         | Medium     |
| Version                | file     | version                | 5.10.3                                | High       |
| Version                | Manifest | Implementation-Version | 5.10.3                                | High       |

Identifiers

- [pkg:maven/org.junit.jupiter/junit-jupiter@5.10.3](#) (Confidence: Highest)

junit-jupiter-api-5.10.3.jar

**File Path:** /home/jenkins/.gradle/caches/modules-2/files-2.1/org.junit.jupiter/junit-jupiter-api/5.10.3/a22aa91d1d6c69b2020a9aeb6d095ea81132bfa5/junit-jupiter-api-5.10.3.jar

**MD5:** 9c5af4543b8784a55eab254418cc367b

**SHA1:** a22aa91d1d6c69b2020a9aeb6d095ea81132bfa5

**SHA256:** 6efe6e01ca1ff79b7bf4c6f1eed0b29292e166c27eaf7b00ac981a14d4de61aa

**Referenced In Project/Scope:** standalone:inetPlugin

**Included by:**

- pkg:maven/org.junit.jupiter/junit-jupiter@5.10.3
- pkg:maven/org.junit.platform/junit-platform-suite@1.10.3

Evidence



| Type    | Source   | Name                  | Value                                 | Confidence |
|---------|----------|-----------------------|---------------------------------------|------------|
| Vendor  | file     | name                  | junit-jupiter-api                     | High       |
| Vendor  | gradle   | artifactid            | junit-jupiter-api                     | Highest    |
| Vendor  | gradle   | groupid               | org.junit.jupiter                     | Highest    |
| Vendor  | jar      | package name          | api                                   | Highest    |
| Vendor  | jar      | package name          | api                                   | Low        |
| Vendor  | jar      | package name          | junit                                 | Highest    |
| Vendor  | jar      | package name          | junit                                 | Low        |
| Vendor  | jar      | package name          | jupiter                               | Highest    |
| Vendor  | jar      | package name          | jupiter                               | Low        |
| Vendor  | Manifest | build-date            | 2024-06-27                            | Low        |
| Vendor  | Manifest | build-revision        | 55d12321315b11eaf6ed87e73c47bcd39ade5 | Low        |
| Vendor  | Manifest | build-time            | 16:07:04.699+0200                     | Low        |
| Vendor  | Manifest | bundle-symbolicname   | junit-jupiter-api                     | Medium     |
| Vendor  | Manifest | Implementation-Vendor | junit.org                             | High       |
| Vendor  | Manifest | specification-vendor  | junit.org                             | Low        |
| Product | file     | name                  | junit-jupiter-api                     | High       |
| Product | gradle   | artifactid            | junit-jupiter-api                     | Highest    |
| Product | jar      | package name          | api                                   | Highest    |

|         |          |                        |                                       |         |
|---------|----------|------------------------|---------------------------------------|---------|
| Product | jar      | package name           | api                                   | Low     |
| Product | jar      | package name           | junit                                 | Highest |
| Product | jar      | package name           | jupiter                               | Highest |
| Product | jar      | package name           | jupiter                               | Low     |
| Product | Manifest | build-date             | 2024-06-27                            | Low     |
| Product | Manifest | build-revision         | 55d12321315b11eaf6ed87e73c47bcd39ade5 | Low     |
| Product | Manifest | build-time             | 16:07:04.699+0200                     | Low     |
| Product | Manifest | Bundle-Name            | JUnit Jupiter API                     | Medium  |
| Product | Manifest | bundle-symbolicname    | junit-jupiter-api                     | Medium  |
| Product | Manifest | Implementation-Title   | junit-jupiter-api                     | High    |
| Product | Manifest | specification-title    | junit-jupiter-api                     | Medium  |
| Version | file     | version                | 5.10.3                                | High    |
| Version | Manifest | Implementation-Version | 5.10.3                                | High    |

#### Identifiers

- [pkg:maven/org.junit.jupiter/junit-jupiter-api@5.10.3](#) (*Confidence: Highest*)

### junit-jupiter-engine-5.10.3.jar

**File Path:** /home/jenkins/.gradle/caches/modules-2/files-2.1/org.junit.jupiter/junit-jupiter-engine/5.10.3/48c14e866bb1a87ca35d24ff068463bb202ada24/junit-jupiter-engine-5.10.3.jar

**MD5:** c87ca6659d594120a6030a2760bcd14

**SHA1:** 48c14e866bb1a87ca35d24ff068463bb202ada24

**SHA256:** bbd3ce8dc11e9925071ef9691d68af1ab6e712faa6851f7c5275bc8aafc88673

**Referenced In Project/Scope:** standalone:inetPlugin

**Included by:**

- pkg:maven/org.junit.jupiter/junit-jupiter@5.10.3
- pkg:maven/org.junit.platform/junit-platform-suite@1.10.3

#### Evidence



| Type   | Source | Name         | Value                | Confidence |
|--------|--------|--------------|----------------------|------------|
| Vendor | file   | name         | junit-jupiter-engine | High       |
| Vendor | gradle | artifactid   | junit-jupiter-engine | Highest    |
| Vendor | gradle | groupid      | org.junit.jupiter    | Highest    |
| Vendor | jar    | package name | engine               | Highest    |

|         |          |                        |  |         |
|---------|----------|------------------------|--|---------|
| Vendor  | jar      | package name           | engine   | Low     |
| Vendor  | jar      | package name           | junit  | Highest |
| Vendor  | jar      | package name           | junit  | Low     |
| Vendor  | jar      | package name           | jupiter  | Highest |
| Vendor  | jar      | package name           | jupiter  | Low     |
| Vendor  | Manifest | build-date             | 2024-06-27   | Low     |
| Vendor  | Manifest | build-revision         | 55d12321315b11eaf6ed87e73c47bcdc39ade5   | Low     |
| Vendor  | Manifest | build-time             | 16:07:04.699+0200  | Low     |
| Vendor  | Manifest | bundle-symbolicname    | junit-jupiter-engine   | Medium  |
| Vendor  | Manifest | Implementation-Vendor  | junit.org  | High    |
| Vendor  | Manifest | provide-capability     | org.junit.platform.engine;org.junit.platform.engine=junit-jupiter;version:Version="5.10.3" | Low     |
| Vendor  | Manifest | specification-vendor   | junit.org  | Low     |
| Product | file     | name                   | junit-jupiter-engine   | High    |
| Product | gradle   | artifactid             | junit-jupiter-engine   | Highest |
| Product | jar      | package name           | engine   | Highest |
| Product | jar      | package name           | engine   | Low     |
| Product | jar      | package name           | junit  | Highest |
| Product | jar      | package name           | jupiter  | Highest |
| Product | jar      | package name           | jupiter  | Low     |
| Product | Manifest | build-date             | 2024-06-27   | Low     |
| Product | Manifest | build-revision         | 55d12321315b11eaf6ed87e73c47bcdc39ade5   | Low     |
| Product | Manifest | build-time             | 16:07:04.699+0200  | Low     |
| Product | Manifest | Bundle-Name            | JUnit Jupiter Engine   | Medium  |
| Product | Manifest | bundle-symbolicname    | junit-jupiter-engine   | Medium  |
| Product | Manifest | Implementation-Title   | junit-jupiter-engine   | High    |
| Product | Manifest | provide-capability     | org.junit.platform.engine;org.junit.platform.engine=junit-jupiter;version:Version="5.10.3" | Low     |
| Product | Manifest | specification-title    | junit-jupiter-engine   | Medium  |
| Version | file     | version                | 5.10.3   | High    |
| Version | Manifest | Implementation-Version | 5.10.3   | High    |

Identifiers

- [pkg:maven/org.junit.jupiter/junit-jupiter-engine@5.10.3](#) (Confidence: Highest)

junit-jupiter-params-5.10.3.jar

**File Path:** /home/jenkins/.gradle/caches/modules-2/files-2.1/org.junit.jupiter/junit-jupiter-params/5.10.3/4852f4e4af9074d9214213b199751f99efeab8b9/junit-jupiter-params-5.10.3.jar  
**MD5:** 8c0d875131fa73e688df785a3b2f338d  
**SHA1:** 4852f4e4af9074d9214213b199751f99efeab8b9  
**SHA256:** 7c3ed8cefb12496b76c53c3da986ea8f0bf3f426781869475551ae3a506c1ad8  
**Referenced In Project/Scope:** standalone:inetPlugin  
**Included by:**

- pkg:maven/org.junit.jupiter/junit-jupiter@5.10.3
- pkg:maven/org.junit.platform/junit-platform-suite@1.10.3

Evidence

| Type    | Source   | Name                  | Value                                 | Confidence |
|---------|----------|-----------------------|---------------------------------------|------------|
| Vendor  | file     | name                  | junit-jupiter-params                  | High       |
| Vendor  | gradle   | artifactid            | junit-jupiter-params                  | Highest    |
| Vendor  | gradle   | groupid               | org.junit.jupiter                     | Highest    |
| Vendor  | jar      | package name          | junit                                 | Highest    |
| Vendor  | jar      | package name          | junit                                 | Low        |
| Vendor  | jar      | package name          | jupiter                               | Highest    |
| Vendor  | jar      | package name          | jupiter                               | Low        |
| Vendor  | jar      | package name          | params                                | Highest    |
| Vendor  | jar      | package name          | params                                | Low        |
| Vendor  | Manifest | build-date            | 2024-06-27                            | Low        |
| Vendor  | Manifest | build-revision        | 55d12321315b11eaf6ed87e73c47bcd39ade5 | Low        |
| Vendor  | Manifest | build-time            | 16:07:04.699+0200                     | Low        |
| Vendor  | Manifest | bundle-symbolicname   | junit-jupiter-params                  | Medium     |
| Vendor  | Manifest | Implementation-Vendor | junit.org                             | High       |
| Vendor  | Manifest | specification-vendor  | junit.org                             | Low        |
| Product | file     | name                  | junit-jupiter-params                  | High       |
| Product | gradle   | artifactid            | junit-jupiter-params                  | Highest    |
| Product | jar      | package name          | junit                                 | Highest    |
|         |          |                       |                                       |            |

|         |          |                        |                                       |         |
|---------|----------|------------------------|---------------------------------------|---------|
| Product | jar      | package name           | jupiter                               | Highest |
| Product | jar      | package name           | jupiter                               | Low     |
| Product | jar      | package name           | params                                | Highest |
| Product | jar      | package name           | params                                | Low     |
| Product | jar      | package name           | shadow                                | Low     |
| Product | Manifest | build-date             | 2024-06-27                            | Low     |
| Product | Manifest | build-revision         | 55d12321315b11eaf6ed87e73c47bcd39ade5 | Low     |
| Product | Manifest | build-time             | 16:07:04.699+0200                     | Low     |
| Product | Manifest | Bundle-Name            | JUnit Jupiter Params                  | Medium  |
| Product | Manifest | bundle-symbolicname    | junit-jupiter-params                  | Medium  |
| Product | Manifest | Implementation-Title   | junit-jupiter-params                  | High    |
| Product | Manifest | specification-title    | junit-jupiter-params                  | Medium  |
| Version | file     | version                | 5.10.3                                | High    |
| Version | Manifest | Implementation-Version | 5.10.3                                | High    |

#### Identifiers

- <pkg:maven/org.junit.jupiter/junit-jupiter-params@5.10.3> (*Confidence:High*est)

### junit-platform-commons-1.10.3.jar

**File Path:** /home/jenkins/.gradle/caches/modules-2/files-2.1/org.junit.platform/junit-platform-commons/1.10.3/a353d42a2f13343a7cb80c5228ae66ff64495481/junit-platform-commons-1.10.3.jar

**MD5:** 83ff374dd428b03f1cf70d0143259f01

**SHA1:** a353d42a2f13343a7cb80c5228ae66ff64495481

**SHA256:** 9787f04d49db59397cdd7555d421a5bd2d1445666997d327b94f85e38bed57f1

**Referenced In Project/Scope:** standalone:inetPlugin

**Included by:**

- pkg:maven/org.junit.jupiter/junit-jupiter@5.10.3
- pkg:maven/org.junit.platform/junit-platform-suite@1.10.3

#### Evidence



| Type   | Source | Name       | Value                  | Confidence |
|--------|--------|------------|------------------------|------------|
| Vendor | file   | name       | junit-platform-commons | High       |
| Vendor | gradle | artifactid | junit-platform-commons | Highest    |
| Vendor | gradle | groupid    | org.junit.platform     | Highest    |



|         |          |                        |                                       |         |
|---------|----------|------------------------|---------------------------------------|---------|
| Vendor  | jar      | package name           | commons                               | Highest |
| Vendor  | jar      | package name           | commons                               | Low     |
| Vendor  | jar      | package name           | junit                                 | Highest |
| Vendor  | jar      | package name           | junit                                 | Low     |
| Vendor  | jar      | package name           | org                                   | Highest |
| Vendor  | jar      | package name           | platform                              | Highest |
| Vendor  | jar      | package name           | platform                              | Low     |
| Vendor  | Manifest | build-date             | 2024-06-27                            | Low     |
| Vendor  | Manifest | build-revision         | 55d12321315b11eaf6ed87e73c47bcd39ade5 | Low     |
| Vendor  | Manifest | build-time             | 16:07:04.699+0200                     | Low     |
| Vendor  | Manifest | bundle-symbolicname    | junit-platform-commons                | Medium  |
| Vendor  | Manifest | Implementation-Vendor  | junit.org                             | High    |
| Vendor  | Manifest | multi-release          | true                                  | Low     |
| Vendor  | Manifest | specification-vendor   | junit.org                             | Low     |
| Product | file     | name                   | junit-platform-commons                | High    |
| Product | gradle   | artifactid             | junit-platform-commons                | Highest |
| Product | jar      | package name           | commons                               | Highest |
| Product | jar      | package name           | commons                               | Low     |
| Product | jar      | package name           | junit                                 | Highest |
| Product | jar      | package name           | platform                              | Highest |
| Product | jar      | package name           | platform                              | Low     |
| Product | jar      | package name           | util                                  | Low     |
| Product | Manifest | build-date             | 2024-06-27                            | Low     |
| Product | Manifest | build-revision         | 55d12321315b11eaf6ed87e73c47bcd39ade5 | Low     |
| Product | Manifest | build-time             | 16:07:04.699+0200                     | Low     |
| Product | Manifest | Bundle-Name            | JUnit Platform Commons                | Medium  |
| Product | Manifest | bundle-symbolicname    | junit-platform-commons                | Medium  |
| Product | Manifest | Implementation-Title   | junit-platform-commons                | High    |
| Product | Manifest | multi-release          | true                                  | Low     |
| Product | Manifest | specification-title    | junit-platform-commons                | Medium  |
| Version | file     | version                | 1.10.3                                | High    |
| Version | Manifest | Implementation-Version | 1.10.3                                | High    |

Identifiers

- [pkg:maven/org.junit.platform/junit-platform-commons@1.10.3](#) (*Confidence: Highest*)

junit-platform-engine-1.10.3.jar

**File Path:** /home/jenkins/.gradle/caches/modules-2/files-2.1/org.junit.platform/junit-platform-engine/1.10.3/365a320c3cfd47f3346625e541e424e35dc75c42/junit-platform-engine-1.10.3.jar

**MD5:** 8fe56ec6a59c1e208e8ba0def9e47bf3

**SHA1:** 365a320c3cfd47f3346625e541e424e35dc75c42

**SHA256:** df7c32bf75cf47c4c8ddd1942091027947a7d765d30b731fe00830115fafa133

**Referenced In Project/Scope:** standalone:inetPlugin

**Included by:**

- pkg:maven/org.junit.jupiter/junit-jupiter@5.10.3
- pkg:maven/org.junit.platform/junit-platform-suite@1.10.3

Evidence



| Type    | Source   | Name                  | Value                                 | Confidence |
|---------|----------|-----------------------|---------------------------------------|------------|
| Vendor  | file     | name                  | junit-platform-engine                 | High       |
| Vendor  | gradle   | artifactid            | junit-platform-engine                 | Highest    |
| Vendor  | gradle   | groupid               | org.junit.platform                    | Highest    |
| Vendor  | jar      | package name          | engine                                | Highest    |
| Vendor  | jar      | package name          | engine                                | Low        |
| Vendor  | jar      | package name          | junit                                 | Highest    |
| Vendor  | jar      | package name          | junit                                 | Low        |
| Vendor  | jar      | package name          | platform                              | Highest    |
| Vendor  | jar      | package name          | platform                              | Low        |
| Vendor  | Manifest | build-date            | 2024-06-27                            | Low        |
| Vendor  | Manifest | build-revision        | 55d12321315b11eaf6ed87e73c47bcd39ade5 | Low        |
| Vendor  | Manifest | build-time            | 16:07:04.699+0200                     | Low        |
| Vendor  | Manifest | bundle-symbolicname   | junit-platform-engine                 | Medium     |
| Vendor  | Manifest | Implementation-Vendor | junit.org                             | High       |
| Vendor  | Manifest | specification-vendor  | junit.org                             | Low        |
| Product | file     | name                  | junit-platform-engine                 | High       |
| Product | gradle   | artifactid            | junit-platform-engine                 | Highest    |

|         |          |                        |  |         |
|---------|----------|------------------------|--|---------|
| Product | jar      | package name           | engine                                 | Highest |
| Product | jar      | package name           | engine                                 | Low     |
| Product | jar      | package name           | junit                                  | Highest |
| Product | jar      | package name           | platform                               | Highest |
| Product | jar      | package name           | platform                               | Low     |
| Product | jar      | package name           | support                                | Low     |
| Product | Manifest | build-date             | 2024-06-27                             | Low     |
| Product | Manifest | build-revision         | 55d12321315b11eaf6ed87e73c47bcdc39ade5 | Low     |
| Product | Manifest | build-time             | 16:07:04.699+0200                      | Low     |
| Product | Manifest | Bundle-Name            | JUnit Platform Engine API              | Medium  |
| Product | Manifest | bundle-symbolicname    | junit-platform-engine                  | Medium  |
| Product | Manifest | Implementation-Title   | junit-platform-engine                  | High    |
| Product | Manifest | specification-title    | junit-platform-engine                  | Medium  |
| Version | file     | version                | 1.10.3                                 | High    |
| Version | Manifest | Implementation-Version | 1.10.3                                 | High    |

Identifiers

- <pkg:maven/org.junit.platform/junit-platform-engine@1.10.3> (Confidence: Highest)

junit-platform-launcher-1.10.3.jar

**File Path:** /home/jenkins/.gradle/caches/modules-2/files-2.1/org.junit.platform/junit-platform-launcher/1.10.3/2e07e6389624f3e93fb2e87aec2fdc30cc84b069/junit-platform-launcher-1.10.3.jar  
**MD5:** 2bc703d74e40b64a2c7964e3ef4da945  
**SHA1:** 2e07e6389624f3e93fb2e87aec2fdc30cc84b069  
**SHA256:** deaeede2f011eaf94f5bc681e04eee2f4a0f6d69771e1a79aa950d898b405d8d  
**Referenced In Project/Scope:** standalone:inetPlugin  
**Included by:**

- pkg:maven/org.junit.jupiter/junit-jupiter@5.10.3
- pkg:maven/org.junit.platform/junit-platform-suite@1.10.3

Evidence

| Type   | Source | Name | Value                   | Confidence |
|--------|--------|------|-------------------------|------------|
| Vendor | file   | name | junit-platform-launcher | High       |

|         |          |                       |  |         |
|---------|----------|-----------------------|--|---------|
| Vendor  | gradle   | artifactid            | junit-platform-launcher  | Highest |
| Vendor  | gradle   | groupid               | org.junit.platform   | Highest |
| Vendor  | jar      | package name          | junit  | Highest |
| Vendor  | jar      | package name          | junit  | Low     |
| Vendor  | jar      | package name          | launcher   | Highest |
| Vendor  | jar      | package name          | launcher   | Low     |
| Vendor  | jar      | package name          | platform   | Highest |
| Vendor  | jar      | package name          | platform   | Low     |
| Vendor  | Manifest | build-date            | 2024-06-27   | Low     |
| Vendor  | Manifest | build-revision        | 55d12321315b11eaf6ed87e73c47bcd39ade5  | Low     |
| Vendor  | Manifest | build-time            | 16:07:04.699+0200  | Low     |
| Vendor  | Manifest | bundle-symbolicname   | junit-platform-launcher  | Medium  |
| Vendor  | Manifest | Implementation-Vendor | junit.org  | High    |
| Vendor  | Manifest | provide-capability    | org.junit.platform.launcher;org.junit.platform.launcher=junit-platform-launcher;version:Version="1.10.3" | Low     |
| Vendor  | Manifest | specification-vendor  | junit.org  | Low     |
| Product | file     | name                  | junit-platform-launcher  | High    |
| Product | gradle   | artifactid            | junit-platform-launcher  | Highest |
| Product | jar      | package name          | junit  | Highest |
| Product | jar      | package name          | launcher   | Highest |
| Product | jar      | package name          | launcher   | Low     |
| Product | jar      | package name          | platform   | Highest |
| Product | jar      | package name          | platform   | Low     |
| Product | Manifest | build-date            | 2024-06-27   | Low     |
| Product | Manifest | build-revision        | 55d12321315b11eaf6ed87e73c47bcd39ade5  | Low     |
| Product | Manifest | build-time            | 16:07:04.699+0200  | Low     |
| Product | Manifest | Bundle-Name           | JUnit Platform Launcher  | Medium  |
| Product | Manifest | bundle-symbolicname   | junit-platform-launcher  | Medium  |
| Product | Manifest | Implementation-Title  | junit-platform-launcher  | High    |
| Product | Manifest | provide-capability    | org.junit.platform.launcher;org.junit.platform.launcher=junit-platform-launcher;version:Version="1.10.3" | Low     |
| Product | Manifest | specification-title   | junit-platform-launcher  | Medium  |
| Version | file     | version               | 1.10.3   | High    |

|         |          |                        |        |      |
|---------|----------|------------------------|--------|------|
| Version | Manifest | Implementation-Version | 1.10.3 | High |
|---------|----------|------------------------|--------|------|

### Identifiers

- <pkg:maven/org.junit.platform/junit-platform-launcher@1.10.3> (*Confidence: Highest*)

## junit-platform-suite-1.10.3.jar

**File Path:** /home/jenkins/.gradle/caches/modules-2/files-2.1/org.junit.platform/junit-platform-suite/1.10.3/48ea585d380c250428cd440b354e344461a887b4/junit-platform-suite-1.10.3.jar

**MD5:** d508bda8927cf328d45dc2a128f073c1

**SHA1:** 48ea585d380c250428cd440b354e344461a887b4

**SHA256:** 17f9384f40dcb480784277b2d1a96e560d69936eda6296c15c68c209e476828b

**Referenced In Project/Scope:** standalone:inetPlugin

**Included by:**

- pkg:maven/org.junit.jupiter/junit-jupiter@5.10.3
- pkg:maven/org.junit.platform/junit-platform-suite@1.10.3
- pkg:maven/pdfc/standalone@24.10

### Evidence



| Type    | Source   | Name                  | Value                                 | Confidence |
|---------|----------|-----------------------|---------------------------------------|------------|
| Vendor  | file     | name                  | junit-platform-suite                  | High       |
| Vendor  | gradle   | artifactid            | junit-platform-suite                  | Highest    |
| Vendor  | gradle   | groupid               | org.junit.platform                    | Highest    |
| Vendor  | jar      | package name          | module-info                           | Low        |
| Vendor  | Manifest | build-date            | 2024-06-27                            | Low        |
| Vendor  | Manifest | build-revision        | 55d12321315b11eaf6ed87e73c47bcd39ade5 | Low        |
| Vendor  | Manifest | build-time            | 16:07:04.699+0200                     | Low        |
| Vendor  | Manifest | bundle-symbolicname   | junit-platform-suite                  | Medium     |
| Vendor  | Manifest | Implementation-Vendor | junit.org                             | High       |
| Vendor  | Manifest | specification-vendor  | junit.org                             | Low        |
| Product | file     | name                  | junit-platform-suite                  | High       |
| Product | gradle   | artifactid            | junit-platform-suite                  | Highest    |
| Product | Manifest | build-date            | 2024-06-27                            | Low        |
| Product | Manifest | build-revision        | 55d12321315b11eaf6ed87e73c47bcd39ade5 | Low        |
|         |          |                       |                                       |            |

|         |          |                        |                                   |        |
|---------|----------|------------------------|-----------------------------------|--------|
| Product | Manifest | build-time             | 16:07:04.699+0200                 | Low    |
| Product | Manifest | Bundle-Name            | JUnit Platform Suite (Aggregator) | Medium |
| Product | Manifest | bundle-symbolicname    | junit-platform-suite              | Medium |
| Product | Manifest | Implementation-Title   | junit-platform-suite              | High   |
| Product | Manifest | specification-title    | junit-platform-suite              | Medium |
| Version | file     | version                | 1.10.3                            | High   |
| Version | Manifest | Implementation-Version | 1.10.3                            | High   |

### Identifiers

- [pkg:maven/org.junit.platform/junit-platform-suite@1.10.3](https://maven.org/junit.platform/junit-platform-suite@1.10.3) (*Confidence:High*est)

## junit-platform-suite-api-1.10.3.jar

**File Path:** /home/jenkins/.gradle/caches/modules-2/files-2.1/org.junit.platform/junit-platform-suite-api/1.10.3/8358a40913929201e7ba817ca7a66456165fa7eb/junit-platform-suite-api-1.10.3.jar

**MD5:** 689122f3641d81b7756fec816e79a6f9

**SHA1:** 8358a40913929201e7ba817ca7a66456165fa7eb

**SHA256:** bdb1de13d1a86a17a8093f2612014cd3271a1625b46fedee01c9982a3b4287af

**Referenced In Project/Scope:** standalone:inetPlugin

**Included by:**

- pkg:maven/org.junit.jupiter/junit-jupiter@5.10.3
- pkg:maven/org.junit.platform/junit-platform-suite@1.10.3

### Evidence



| Type   | Source | Name         | Value                    | Confidence |
|--------|--------|--------------|--------------------------|------------|
| Vendor | file   | name         | junit-platform-suite-api | High       |
| Vendor | gradle | artifactid   | junit-platform-suite-api | Highest    |
| Vendor | gradle | groupid      | org.junit.platform       | Highest    |
| Vendor | jar    | package name | api                      | Highest    |
| Vendor | jar    | package name | junit                    | Highest    |
| Vendor | jar    | package name | junit                    | Low        |
| Vendor | jar    | package name | platform                 | Highest    |
| Vendor | jar    | package name | platform                 | Low        |
| Vendor | jar    | package name | suite                    | Highest    |
| Vendor | jar    | package name | suite                    | Low        |

|         |          |                        |                                       |         |
|---------|----------|------------------------|---------------------------------------|---------|
| Vendor  | Manifest | build-date             | 2024-06-27                            | Low     |
| Vendor  | Manifest | build-revision         | 55d12321315b11eaf6ed87e73c47bcd39ade5 | Low     |
| Vendor  | Manifest | build-time             | 16:07:04.699+0200                     | Low     |
| Vendor  | Manifest | bundle-symbolicname    | junit-platform-suite-api              | Medium  |
| Vendor  | Manifest | Implementation-Vendor  | junit.org                             | High    |
| Vendor  | Manifest | specification-vendor   | junit.org                             | Low     |
| Product | file     | name                   | junit-platform-suite-api              | High    |
| Product | gradle   | artifactid             | junit-platform-suite-api              | Highest |
| Product | jar      | package name           | api                                   | Highest |
| Product | jar      | package name           | api                                   | Low     |
| Product | jar      | package name           | junit                                 | Highest |
| Product | jar      | package name           | platform                              | Highest |
| Product | jar      | package name           | platform                              | Low     |
| Product | jar      | package name           | suite                                 | Highest |
| Product | jar      | package name           | suite                                 | Low     |
| Product | Manifest | build-date             | 2024-06-27                            | Low     |
| Product | Manifest | build-revision         | 55d12321315b11eaf6ed87e73c47bcd39ade5 | Low     |
| Product | Manifest | build-time             | 16:07:04.699+0200                     | Low     |
| Product | Manifest | Bundle-Name            | JUnit Platform Suite API              | Medium  |
| Product | Manifest | bundle-symbolicname    | junit-platform-suite-api              | Medium  |
| Product | Manifest | Implementation-Title   | junit-platform-suite-api              | High    |
| Product | Manifest | specification-title    | junit-platform-suite-api              | Medium  |
| Version | file     | version                | 1.10.3                                | High    |
| Version | Manifest | Implementation-Version | 1.10.3                                | High    |

#### Identifiers

- [pkg:maven/org.junit.platform/junit-platform-suite-api@1.10.3](https://maven.org/junit.platform/junit-platform-suite-api@1.10.3) (*Confidence*:Highest)

**File Path:** /home/jenkins/.gradle/caches/modules-2/files-2.1/org.junit.platform/junit-platform-suite-commons/1.10.3/e184697bc6e8d96072815df8ca40eaed940c3fd8/junit-platform-suite-commons-1.10.3.jar  
**MD5:** 4218be8526eab4fdb25437440a1225d5  
**SHA1:** e184697bc6e8d96072815df8ca40eaed940c3fd8  
**SHA256:** da51c58786762602848f38bcf45d9d18387ed10d030308ebd8d4989cfae7fd59  
**Referenced In Project/Scope:** standalone:inetPlugin

**Included by:**

- pkg:maven/org.junit.jupiter/junit-jupiter@5.10.3
- pkg:maven/org.junit.platform/junit-platform-suite@1.10.3

**Evidence**



| Type    | Source   | Name                  | Value                                  | Confidence |
|---------|----------|-----------------------|--|------------|
| Vendor  | file     | name                  | junit-platform-suite-commons           | High       |
| Vendor  | gradle   | artifactid            | junit-platform-suite-commons           | Highest    |
| Vendor  | gradle   | groupid               | org.junit.platform                     | Highest    |
| Vendor  | jar      | package name          | commons                                | Highest    |
| Vendor  | jar      | package name          | junit                                  | Highest    |
| Vendor  | jar      | package name          | junit                                  | Low        |
| Vendor  | jar      | package name          | platform                               | Highest    |
| Vendor  | jar      | package name          | platform                               | Low        |
| Vendor  | jar      | package name          | suite                                  | Highest    |
| Vendor  | jar      | package name          | suite                                  | Low        |
| Vendor  | Manifest | build-date            | 2024-06-27                             | Low        |
| Vendor  | Manifest | build-revision        | 55d12321315b11eaf6ed87e73c47bcdc39ade5 | Low        |
| Vendor  | Manifest | build-time            | 16:07:04.699+0200                      | Low        |
| Vendor  | Manifest | bundle-symbolicname   | junit-platform-suite-commons           | Medium     |
| Vendor  | Manifest | Implementation-Vendor | junit.org                              | High       |
| Vendor  | Manifest | specification-vendor  | junit.org                              | Low        |
| Product | file     | name                  | junit-platform-suite-commons           | High       |
| Product | gradle   | artifactid            | junit-platform-suite-commons           | Highest    |
| Product | jar      | package name          | commons                                | Highest    |
| Product | jar      | package name          | commons                                | Low        |
| Product | jar      | package name          | junit                                  | Highest    |
| Product | jar      | package name          | platform                               | Highest    |
| Product | jar      | package name          | platform                               | Low        |
| Product | jar      | package name          | suite                                  | Highest    |
|         |          |                       |  |            |



|         |          |                        |                                       |        |
|---------|----------|------------------------|---------------------------------------|--------|
| Product | jar      | package name           | suite                                 | Low    |
| Product | Manifest | build-date             | 2024-06-27                            | Low    |
| Product | Manifest | build-revision         | 55d12321315b11eaf6ed87e73c47bcd39ade5 | Low    |
| Product | Manifest | build-time             | 16:07:04.699+0200                     | Low    |
| Product | Manifest | Bundle-Name            | JUnit Platform Suite Commons          | Medium |
| Product | Manifest | bundle-symbolicname    | junit-platform-suite-commons          | Medium |
| Product | Manifest | Implementation-Title   | junit-platform-suite-commons          | High   |
| Product | Manifest | specification-title    | junit-platform-suite-commons          | Medium |
| Version | file     | version                | 1.10.3                                | High   |
| Version | Manifest | Implementation-Version | 1.10.3                                | High   |

### Identifiers

- [pkg:maven/org.junit.platform/junit-platform-suite-commons@1.10.3](https://pkg:maven/org.junit.platform/junit-platform-suite-commons@1.10.3) (*Confidence: Highest*)

## junit-platform-suite-engine-1.10.3.jar

**File Path:** /home/jenkins/.gradle/caches/modules-2/files-2.1/org.junit.platform/junit-platform-suite-engine/1.10.3/a3585e7639577aa12b24e90f2ab7f0433997b5e0/junit-platform-suite-engine-1.10.3.jar

**MD5:** 1f4805e105121cea17015917c1411ace

**SHA1:** a3585e7639577aa12b24e90f2ab7f0433997b5e0

**SHA256:** 65887849bc0ae1e11f19500116e1c1a68bfb101813bfc4c63e72225cf3354340

**Referenced In Project/Scope:** standalone:inetPlugin

**Included by:**

- pkg:maven/org.junit.jupiter/junit-jupiter@5.10.3
- pkg:maven/org.junit.platform/junit-platform-suite@1.10.3

### Evidence



| Type   | Source | Name         | Value                       | Confidence |
|--------|--------|--------------|-----------------------------|------------|
| Vendor | file   | name         | junit-platform-suite-engine | High       |
| Vendor | gradle | artifactid   | junit-platform-suite-engine | Highest    |
| Vendor | gradle | groupid      | org.junit.platform          | Highest    |
| Vendor | jar    | package name | engine                      | Highest    |
| Vendor | jar    | package name | junit                       | Highest    |
| Vendor | jar    | package name | junit                       | Low        |
| Vendor | jar    | package name | platform                    | Highest    |

|         |          |                        |  |         |
|---------|----------|------------------------|--|---------|
| Vendor  | jar      | package name           | platform                               | Low     |
| Vendor  | jar      | package name           | suite                                  | Highest |
| Vendor  | jar      | package name           | suite                                  | Low     |
| Vendor  | Manifest | build-date             | 2024-06-27                             | Low     |
| Vendor  | Manifest | build-revision         | 55d12321315b11eaf6ed87e73c47bcdc39ade5 | Low     |
| Vendor  | Manifest | build-time             | 16:07:04.699+0200                      | Low     |
| Vendor  | Manifest | bundle-symbolicname    | junit-platform-suite-engine            | Medium  |
| Vendor  | Manifest | Implementation-Vendor  | junit.org                              | High    |
| Vendor  | Manifest | specification-vendor   | junit.org                              | Low     |
| Product | file     | name                   | junit-platform-suite-engine            | High    |
| Product | gradle   | artifactid             | junit-platform-suite-engine            | Highest |
| Product | jar      | package name           | engine                                 | Highest |
| Product | jar      | package name           | engine                                 | Low     |
| Product | jar      | package name           | junit                                  | Highest |
| Product | jar      | package name           | platform                               | Highest |
| Product | jar      | package name           | platform                               | Low     |
| Product | jar      | package name           | suite                                  | Highest |
| Product | jar      | package name           | suite                                  | Low     |
| Product | Manifest | build-date             | 2024-06-27                             | Low     |
| Product | Manifest | build-revision         | 55d12321315b11eaf6ed87e73c47bcdc39ade5 | Low     |
| Product | Manifest | build-time             | 16:07:04.699+0200                      | Low     |
| Product | Manifest | Bundle-Name            | JUnit Platform Suite Engine            | Medium  |
| Product | Manifest | bundle-symbolicname    | junit-platform-suite-engine            | Medium  |
| Product | Manifest | Implementation-Title   | junit-platform-suite-engine            | High    |
| Product | Manifest | specification-title    | junit-platform-suite-engine            | Medium  |
| Version | file     | version                | 1.10.3                                 | High    |
| Version | Manifest | Implementation-Version | 1.10.3                                 | High    |

## Identifiers

- [pkg:maven/org.junit.platform/junit-platform-suite-engine@1.10.3](https://pkg:maven/org.junit.platform/junit-platform-suite-engine@1.10.3) (*Confidence*:High)

# junit-vintage-engine-5.10.3.jar

**File Path:** /home/jenkins/.gradle/caches/modules-2/files-2.1/org.junit.vintage/junit-vintage-engine/5.10.3/18ddfc904011b7b8ab7bcf606ca77b7469c05f48/junit-vintage-engine-5.10.3.jar

**MD5:** 794a99a9431931e019e4fe9ea5b06bd5

**SHA1:** 18ddfc904011b7b8ab7bcf606ca77b7469c05f48

**SHA256:**d60288d3e850ba9f2af4701203a5171ef30634efd34da40ab47facebd2c65d6c

**Referenced In Project/Scope:** standalone:inetPlugin

**Included by:**

- pkg:maven/org.junit.jupiter/junit-jupiter@5.10.3
- pkg:maven/org.junit.platform/junit-platform-suite@1.10.3
- pkg:maven/pdfc/standalone@24.10

## Evidence



| Type    | Source   | Name                  | Value  | Confidence |
|---------|----------|-----------------------|--|------------|
| Vendor  | file     | name                  | junit-vintage-engine   | High       |
| Vendor  | gradle   | artifactid            | junit-vintage-engine   | Highest    |
| Vendor  | gradle   | groupid               | org.junit.vintage  | Highest    |
| Vendor  | jar      | package name          | engine   | Highest    |
| Vendor  | jar      | package name          | engine   | Low        |
| Vendor  | jar      | package name          | junit  | Highest    |
| Vendor  | jar      | package name          | junit  | Low        |
| Vendor  | jar      | package name          | vintage  | Highest    |
| Vendor  | jar      | package name          | vintage  | Low        |
| Vendor  | Manifest | build-date            | 2024-06-27   | Low        |
| Vendor  | Manifest | build-revision        | 55d12321315b11eaf6ed87e73c47bcd39ade5  | Low        |
| Vendor  | Manifest | build-time            | 16:07:04.699+0200  | Low        |
| Vendor  | Manifest | bundle-symbolicname   | junit-vintage-engine   | Medium     |
| Vendor  | Manifest | Implementation-Vendor | junit.org  | High       |
| Vendor  | Manifest | provide-capability    | org.junit.platform.engine;org.junit.platform.engine=junit-vintage;version:Version="5.10.3" | Low        |
| Vendor  | Manifest | specification-vendor  | junit.org  | Low        |
| Product | file     | name                  | junit-vintage-engine   | High       |
| Product | gradle   | artifactid            | junit-vintage-engine   | Highest    |
| Product | jar      | package name          | engine   | Highest    |
| Product | jar      | package name          | engine   | Low        |

|         |          |                        |  |         |
|---------|----------|------------------------|--|---------|
| Product | jar      | package name           | junit  | Highest |
| Product | jar      | package name           | vintage  | Highest |
| Product | jar      | package name           | vintage  | Low     |
| Product | Manifest | build-date             | 2024-06-27   | Low     |
| Product | Manifest | build-revision         | 55d12321315b11eaf6ed87e73c47bcd39ade5  | Low     |
| Product | Manifest | build-time             | 16:07:04.699+0200  | Low     |
| Product | Manifest | Bundle-Name            | JUnit Vintage Engine   | Medium  |
| Product | Manifest | bundle-symbolicname    | junit-vintage-engine   | Medium  |
| Product | Manifest | Implementation-Title   | junit-vintage-engine   | High    |
| Product | Manifest | provide-capability     | org.junit.platform.engine;org.junit.platform.engine=junit-vintage;version:Version="5.10.3" | Low     |
| Product | Manifest | specification-title    | junit-vintage-engine   | Medium  |
| Version | file     | version                | 5.10.3   | High    |
| Version | Manifest | Implementation-Version | 5.10.3   | High    |

Identifiers

- [pkg:maven/org.junit.vintage/junit-vintage-engine@5.10.3](#) (Confidence: Highest)

maintenance.pdfc.zip: maintenance.pdfc.jar

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/standalone/build/tmp/dependencies/i-net PDFC/plugins/maintenance.pdfc.zip/maintenance.pdfc.jar  
**MD5:** 7827ded69a7c72c5cf3decf627afefa8  
**SHA1:** b59dcee3232f5cde48ce677c367d3c4e3ac3de38  
**SHA256:** 243a8d8c82a7caa26b7ee2aa2481d4c79749e2567dd1ab0ea8ef9e2aa0868b2c  
**Referenced In Project/Scope:** standalone

Evidence

| Type   | Source   | Name         | Value            | Confidence |
|--------|----------|--------------|------------------|------------|
| Vendor | file     | name         | maintenance.pdfc | High       |
| Vendor | jar      | package name | inet             | Low        |
| Vendor | jar      | package name | pdfc             | Low        |
| Vendor | jar      | package name | plugins          | Low        |
| Vendor | Manifest | built-date   | 2025-01-18 15:50 | Low        |

|         |          |                          |                                      |         |
|---------|----------|--------------------------|--------------------------------------|---------|
| Vendor  | Manifest | implementation-group     | pdfc                                 | Low     |
| Vendor  | Manifest | Implementation-Vendor    | i-net software                       | High    |
| Vendor  | Manifest | Implementation-Vendor-Id | de.inetsoftware                      | Medium  |
| Vendor  | Manifest | specification-vendor     | i-net software                       | Low     |
| Vendor  | Manifest | vendor                   | i-net software GmbH, Berlin, Germany | Medium  |
| Product | file     | name                     | maintenance.pdf                      | High    |
| Product | jar      | package name             | maintenance                          | Highest |
| Product | jar      | package name             | maintenance                          | Low     |
| Product | jar      | package name             | pdfc                                 | Highest |
| Product | jar      | package name             | pdfc                                 | Low     |
| Product | jar      | package name             | plugins                              | Low     |
| Product | Manifest | built-date               | 2025-01-18 15:50                     | Low     |
| Product | Manifest | implementation-group     | pdfc                                 | Low     |
| Product | Manifest | Implementation-Title     | maintenance.pdf                      | High    |
| Product | Manifest | specification-title      | maintenance.pdf                      | Medium  |
| Version | jar      | package name             | pdfc                                 | Highest |
| Version | Manifest | Implementation-Version   | 24.10.284                            | High    |

#### Identifiers

- cpe:2.3:a:inetsoftware:pdfc:24.10.284:\*:\*:\*:\*:\* (Confidence:Low) suppress

### maintenance.pdf.zip: maintenance.pdf.jar: app.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/standalone/build/tmp/dependencies/i-net PDFC/plugins/maintenance.pdf.zip/maintenance.pdf.jar/com/inet/pdfc/plugins/maintenance/server/comparisons/js/app.js

**MD5:** c5b81bbd2ccc5c70732cb9b5140031e8

**SHA1:** 3600bcef3b8e5e8673753dba6e44219e1ee6084e

**SHA256:** 29f813005b914380fb3d2431e48cc5256085b01352b29cd52a030c039f4c5048

**Referenced In Project/Scope:** standalone

#### Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

#### Identifiers

- None

### maintenance.pdfcd.zip: maintenance.pdfcd.jar: comparisons.js

**File Path:** /home/jenkins/workspace/pdfcd/Check-Product-Installer-for-Security-Problems/PDFCInstaller/standalone/build/tmp/dependencies/i-net PDFC/plugins/maintenance.pdfcd.zip/maintenance.pdfcd.jar/com/inet/pdfcd/plugins/maintenance/server/comparisons/js/comparisons.js

**MD5:** 4a358909e70f5e92382c4ffa1ad9b09f

**SHA1:** bbfe46ecb44e78fddfc7d2b46e8eac1f2e064425

**SHA256:**744b2fd3fca72ee7c3e807ad435821ce5d5591dbdfd7222b8772637807543e16

**Referenced In Project/Scope:** standalone

#### Evidence

| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

#### Identifiers

- None

### ocr.tesseract.zip: commons-io.jar

#### Description:

The Apache Commons IO library contains utility classes, stream implementations, file filters, file comparators, endian transformation classes, and much more.

#### License:

<https://www.apache.org/licenses/LICENSE-2.0.txt>

**File Path:** /home/jenkins/workspace/pdfcd/Check-Product-Installer-for-Security-Problems/PDFCInstaller/standalone/build/tmp/dependencies/i-net PDFC/plugins/ocr.tesseract.zip/commons-io.jar

**MD5:** ed8191a5a217940140001b0acfed18d9

**SHA1:** 377d592e740dc77124e0901291dbfaa6810a200e

**SHA256:**f41f7baacd716896447ace9758621f62c1c6b0a91d89acee488da26fc477c84f

**Referenced In Project/Scope:** standalone

#### Evidence

| Type   | Source   | Name                  | Value   | Confidence |
|--------|----------|-----------------------|---|------------|
| Vendor | file     | name                  | commons-io  | High       |
| Vendor | jar      | package name          | apache  | Highest    |
| Vendor | jar      | package name          | commons   | Highest    |
| Vendor | jar      | package name          | file  | Highest    |
| Vendor | jar      | package name          | io  | Highest    |
| Vendor | Manifest | automatic-module-name | org.apache.commons.io   | Medium     |
| Vendor | Manifest | build-jdk-spec        | 17  | Low        |
| Vendor | Manifest | bundle-docurl         | <a href="https://commons.apache.org/proper/commons-io/">https://commons.apache.org/proper/commons-io/</a> | Low        |
| Vendor | Manifest | bundle-symbolicname   | org.apache.commons.commons-io   | Medium     |
| Vendor | Manifest | Implementation-Vendor | The Apache Software Foundation  | High       |
| Vendor | Manifest | multi-release         | true  | Low        |
| Vendor | Manifest | specification-vendor  | The Apache Software Foundation  | Low        |
| Vendor | pom      | artifactid            | commons-io  | Low        |
| Vendor | pom      | developer email       | bayard@apache.org   | Low        |
| Vendor | pom      | developer email       | dion@apache.org   | Low        |
| Vendor | pom      | developer email       | ggregory at apache.org  | Low        |
| Vendor | pom      | developer email       | jeremias@apache.org   | Low        |
| Vendor | pom      | developer email       | jochen.wiedmann@gmail.com   | Low        |
| Vendor | pom      | developer email       | krosenvold@apache.org   | Low        |
| Vendor | pom      | developer email       | martinc@apache.org  | Low        |
| Vendor | pom      | developer email       | matth@apache.org  | Low        |
| Vendor | pom      | developer email       | nicolaken@apache.org  | Low        |
| Vendor | pom      | developer email       | roxspring@apache.org  | Low        |
| Vendor | pom      | developer email       | sanders@apache.org  | Low        |
| Vendor | pom      | developer id          | bayard  | Medium     |
| Vendor | pom      | developer id          | dion  | Medium     |
| Vendor | pom      | developer id          | ggregory  | Medium     |
| Vendor | pom      | developer id          | jeremias  | Medium     |
| Vendor | pom      | developer id          | jochen  | Medium     |
| Vendor | pom      | developer id          | jukka   | Medium     |
| Vendor | pom      | developer id          | krosenvold  | Medium     |

|         |          |                       |   |         |
|---------|----------|-----------------------|---|---------|
| Vendor  | pom      | developer id          | martinc                                       | Medium  |
| Vendor  | pom      | developer id          | matth   | Medium  |
| Vendor  | pom      | developer id          | niallp  | Medium  |
| Vendor  | pom      | developer id          | nicolaken                                     | Medium  |
| Vendor  | pom      | developer id          | roxspring                                     | Medium  |
| Vendor  | pom      | developer id          | sanders                                       | Medium  |
| Vendor  | pom      | developer id          | scolebourne                                   | Medium  |
| Vendor  | pom      | developer name        | dlon Gillard                                  | Medium  |
| Vendor  | pom      | developer name        | Gary Gregory                                  | Medium  |
| Vendor  | pom      | developer name        | Henri Yandell                                 | Medium  |
| Vendor  | pom      | developer name        | Jeremias Maerki                               | Medium  |
| Vendor  | pom      | developer name        | Jochen Wiedmann                               | Medium  |
| Vendor  | pom      | developer name        | Jukka Zitting                                 | Medium  |
| Vendor  | pom      | developer name        | Kristian Rosenvold                            | Medium  |
| Vendor  | pom      | developer name        | Martin Cooper                                 | Medium  |
| Vendor  | pom      | developer name        | Matthew Hawthorne                             | Medium  |
| Vendor  | pom      | developer name        | Niall Pemberton                               | Medium  |
| Vendor  | pom      | developer name        | Nicola Ken Barozzi                            | Medium  |
| Vendor  | pom      | developer name        | Rob Oxspring                                  | Medium  |
| Vendor  | pom      | developer name        | Scott Sanders                                 | Medium  |
| Vendor  | pom      | developer name        | Stephen Colebourne                            | Medium  |
| Vendor  | pom      | developer org         | The Apache Software Foundation                | Medium  |
| Vendor  | pom      | developer org URL     | https://www.apache.org/                       | Medium  |
| Vendor  | pom      | groupid               | commons-io                                    | Highest |
| Vendor  | pom      | name                  | Apache Commons IO                             | High    |
| Vendor  | pom      | parent-artifactid     | commons-parent                                | Low     |
| Vendor  | pom      | parent-groupid        | org.apache.commons                            | Medium  |
| Vendor  | pom      | url                   | https://commons.apache.org/proper/commons-io/ | Highest |
| Product | file     | name                  | commons-io                                    | High    |
| Product | jar      | package name          | apache  | Highest |
| Product | jar      | package name          | commons                                       | Highest |
| Product | jar      | package name          | file  | Highest |
| Product | jar      | package name          | io  | Highest |
| Product | Manifest | automatic-module-name | org.apache.commons.io                         | Medium  |



|         |          |                      |   |         |
|---------|----------|----------------------|---|---------|
| Product | Manifest | build-jdk-spec       | 17  | Low     |
| Product | Manifest | bundle-docurl        | <a href="https://commons.apache.org/proper/commons-io/">https://commons.apache.org/proper/commons-io/</a> | Low     |
| Product | Manifest | Bundle-Name          | Apache Commons IO   | Medium  |
| Product | Manifest | bundle-symbolicname  | org.apache.commons.commons-io   | Medium  |
| Product | Manifest | Implementation-Title | Apache Commons IO   | High    |
| Product | Manifest | multi-release        | true  | Low     |
| Product | Manifest | specification-title  | Apache Commons IO   | Medium  |
| Product | pom      | artifactid           | commons-io  | Highest |
| Product | pom      | developer email      | bayard@apache.org   | Low     |
| Product | pom      | developer email      | dion@apache.org   | Low     |
| Product | pom      | developer email      | ggregory at apache.org  | Low     |
| Product | pom      | developer email      | jeremias@apache.org   | Low     |
| Product | pom      | developer email      | jochen.wiedmann@gmail.com   | Low     |
| Product | pom      | developer email      | krosenvold@apache.org   | Low     |
| Product | pom      | developer email      | martinc@apache.org  | Low     |
| Product | pom      | developer email      | matth@apache.org  | Low     |
| Product | pom      | developer email      | nicolaken@apache.org  | Low     |
| Product | pom      | developer email      | roxspring@apache.org  | Low     |
| Product | pom      | developer email      | sanders@apache.org  | Low     |
| Product | pom      | developer id         | bayard  | Low     |
| Product | pom      | developer id         | dion  | Low     |
| Product | pom      | developer id         | ggregory  | Low     |
| Product | pom      | developer id         | jeremias  | Low     |
| Product | pom      | developer id         | jochen  | Low     |
| Product | pom      | developer id         | jukka   | Low     |
| Product | pom      | developer id         | krosenvold  | Low     |
| Product | pom      | developer id         | martinc   | Low     |
| Product | pom      | developer id         | matth   | Low     |
| Product | pom      | developer id         | niallp  | Low     |
| Product | pom      | developer id         | nicolaken   | Low     |
| Product | pom      | developer id         | roxspring   | Low     |
| Product | pom      | developer id         | sanders   | Low     |
| Product | pom      | developer id         | scolebourne   | Low     |
|         |          |                      |   |         |

|         |          |                        |   |         |
|---------|----------|------------------------|---|---------|
| Product | pom      | developer name         | dlon Gillard                                  | Low     |
| Product | pom      | developer name         | Gary Gregory                                  | Low     |
| Product | pom      | developer name         | Henri Yandell                                 | Low     |
| Product | pom      | developer name         | Jeremias Maerki                               | Low     |
| Product | pom      | developer name         | Jochen Wiedmann                               | Low     |
| Product | pom      | developer name         | Jukka Zitting                                 | Low     |
| Product | pom      | developer name         | Kristian Rosenvold                            | Low     |
| Product | pom      | developer name         | Martin Cooper                                 | Low     |
| Product | pom      | developer name         | Matthew Hawthorne                             | Low     |
| Product | pom      | developer name         | Niall Pemberton                               | Low     |
| Product | pom      | developer name         | Nicola Ken Barozzi                            | Low     |
| Product | pom      | developer name         | Rob Oxspring                                  | Low     |
| Product | pom      | developer name         | Scott Sanders                                 | Low     |
| Product | pom      | developer name         | Stephen Colebourne                            | Low     |
| Product | pom      | developer org          | The Apache Software Foundation                | Low     |
| Product | pom      | developer org URL      | https://www.apache.org/                       | Low     |
| Product | pom      | groupid                | commons-io                                    | Highest |
| Product | pom      | name                   | Apache Commons IO                             | High    |
| Product | pom      | parent-artifactid      | commons-parent                                | Medium  |
| Product | pom      | parent-groupid         | org.apache.commons                            | Medium  |
| Product | pom      | url                    | https://commons.apache.org/proper/commons-io/ | Medium  |
| Version | Manifest | Bundle-Version         | 2.16.1  | High    |
| Version | Manifest | Implementation-Version | 2.16.1  | High    |
| Version | pom      | parent-version         | 2.16.1  | Low     |
| Version | pom      | version                | 2.16.1  | Highest |

## Related Dependencies



- parser.docx.zip: commons-io.jar
  - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/standalone/build/tmp/dependencies/i-net PDFC/plugins/parser.docx.zip/commons-io.jar
  - MD5: ed8191a5a217940140001b0acfed18d9
  - SHA1: 377d592e740dc77124e0901291dbfaa6810a200e
  - SHA256: f41f7baacd716896447ace9758621f62c1c6b0a91d89acee488da26fc477c84f
  - [pkg:maven/commons-io/commons-io@2.16.1](https://mvnrepository.com/artifact/org.apache.commons/commons-io/2.16.1)

## Identifiers

- [pkg:maven/commons-io/commons-io@2.16.1](#) (*Confidence:High*)
- [cpe:2.3:a:apache:commons\\_io:2.16.1:\\*.~\\*~\\*~\\*~\\*~\\*~\\*](#) (*Confidence:Highest*) suppress

## ocr.tesseract.zip: commons-logging.jar

### Description:

Apache Commons Logging is a thin adapter allowing configurable bridging to other, well-known logging systems.

### License:

<https://www.apache.org/licenses/LICENSE-2.0.txt>

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/standalone/build/tmp/dependencies/i-net PDFC/plugins/ocr.tesseract.zip/commons-logging.jar

**MD5:** 62de1aea096b3ac52e46b908dac4ac97

**SHA1:** 580ad1a4f34876c4f964c083361de31b3d60be68

**SHA256:** 5828f96c09d886f9b1a0993c7804b27cf4fcec8534517164f5137ac8b67ea9b9

**Referenced In Project/Scope:** standalone

### Evidence

| Type   | Source   | Name                  | Value   | Confidence |
|--------|----------|-----------------------|---|------------|
| Vendor | file     | name                  | commons-logging   | High       |
| Vendor | jar      | package name          | apache  | Highest    |
| Vendor | jar      | package name          | commons   | Highest    |
| Vendor | jar      | package name          | logging   | Highest    |
| Vendor | Manifest | automatic-module-name | org.apache.commons.logging  | Medium     |
| Vendor | Manifest | build-jdk-spec        | 17  | Low        |
| Vendor | Manifest | bundle-docurl         | <a href="https://commons.apache.org/proper/commons-logging/">https://commons.apache.org/proper/commons-logging/</a> | Low        |
| Vendor | Manifest | bundle-symbolicname   | org.apache.commons.commons-logging  | Medium     |
| Vendor | Manifest | Implementation-Vendor | The Apache Software Foundation  | High       |
| Vendor | Manifest | multi-release         | true  | Low        |
| Vendor | Manifest | specification-vendor  | The Apache Software Foundation  | Low        |
| Vendor | pom      | artifactid            | commons-logging   | Low        |
| Vendor | pom      | developer email       | baliuka@apache.org  | Low        |

|        |     |                 |                        |        |
|--------|-----|-----------------|------------------------|--------|
| Vendor | pom | developer email | costin@apache.org      | Low    |
| Vendor | pom | developer email | craigmcc@apache.org    | Low    |
| Vendor | pom | developer email | dennisl@apache.org     | Low    |
| Vendor | pom | developer email | donaldp@apache.org     | Low    |
| Vendor | pom | developer email | ggregory at apache.org | Low    |
| Vendor | pom | developer email | morgand@apache.org     | Low    |
| Vendor | pom | developer email | rdonkin@apache.org     | Low    |
| Vendor | pom | developer email | rsitze@apache.org      | Low    |
| Vendor | pom | developer email | rwaldhoff@apache.org   | Low    |
| Vendor | pom | developer email | sanders@apache.org     | Low    |
| Vendor | pom | developer email | skitching@apache.org   | Low    |
| Vendor | pom | developer email | tn@apache.org          | Low    |
| Vendor | pom | developer id    | baliuka                | Medium |
| Vendor | pom | developer id    | bstansberry            | Medium |
| Vendor | pom | developer id    | costin                 | Medium |
| Vendor | pom | developer id    | craigmcc               | Medium |
| Vendor | pom | developer id    | dennisl                | Medium |
| Vendor | pom | developer id    | donaldp                | Medium |
| Vendor | pom | developer id    | ggregory               | Medium |
| Vendor | pom | developer id    | morgand                | Medium |
| Vendor | pom | developer id    | rdonkin                | Medium |
| Vendor | pom | developer id    | rsitze                 | Medium |
| Vendor | pom | developer id    | rwaldhoff              | Medium |
| Vendor | pom | developer id    | sanders                | Medium |
| Vendor | pom | developer id    | skitching              | Medium |
| Vendor | pom | developer id    | tn                     | Medium |
| Vendor | pom | developer name  | Brian Stansberry       | Medium |
| Vendor | pom | developer name  | Costin Manolache       | Medium |
| Vendor | pom | developer name  | Craig McClanahan       | Medium |
| Vendor | pom | developer name  | Dennis Lundberg        | Medium |
| Vendor | pom | developer name  | Gary Gregory           | Medium |
| Vendor | pom | developer name  | Juozas Baliuka         | Medium |
| Vendor | pom | developer name  | Morgan Delagrange      | Medium |
| Vendor | pom | developer name  | Peter Donald           | Medium |
| Vendor | pom | developer name  | Richard Sitze          | Medium |
|        |     |                 |                        |        |

|         |          |                       |   |         |
|---------|----------|-----------------------|---|---------|
| Vendor  | pom      | developer name        | Robert Burrell Donkin   | Medium  |
| Vendor  | pom      | developer name        | Rodney Waldhoff   | Medium  |
| Vendor  | pom      | developer name        | Scott Sanders   | Medium  |
| Vendor  | pom      | developer name        | Simon Kitching  | Medium  |
| Vendor  | pom      | developer name        | Thomas Neidhart   | Medium  |
| Vendor  | pom      | developer org         | Apache  | Medium  |
| Vendor  | pom      | developer org         | The Apache Software Foundation  | Medium  |
| Vendor  | pom      | developer org URL     | <a href="https://www.apache.org/">https://www.apache.org/</a>   | Medium  |
| Vendor  | pom      | groupid               | commons-logging   | Highest |
| Vendor  | pom      | name                  | Apache Commons Logging  | High    |
| Vendor  | pom      | parent-artifactid     | commons-parent  | Low     |
| Vendor  | pom      | parent-groupid        | org.apache.commons  | Medium  |
| Vendor  | pom      | url                   | <a href="https://commons.apache.org/proper/commons-logging/">https://commons.apache.org/proper/commons-logging/</a> | Highest |
| Product | file     | name                  | commons-logging   | High    |
| Product | jar      | package name          | apache  | Highest |
| Product | jar      | package name          | commons   | Highest |
| Product | jar      | package name          | logging   | Highest |
| Product | Manifest | automatic-module-name | org.apache.commons.logging  | Medium  |
| Product | Manifest | build-jdk-spec        | 17  | Low     |
| Product | Manifest | bundle-docurl         | <a href="https://commons.apache.org/proper/commons-logging/">https://commons.apache.org/proper/commons-logging/</a> | Low     |
| Product | Manifest | Bundle-Name           | Apache Commons Logging  | Medium  |
| Product | Manifest | bundle-symbolicname   | org.apache.commons.commons-logging  | Medium  |
| Product | Manifest | Implementation-Title  | Apache Commons Logging  | High    |
| Product | Manifest | multi-release         | true  | Low     |
| Product | Manifest | specification-title   | Apache Commons Logging  | Medium  |
| Product | pom      | artifactid            | commons-logging   | Highest |
| Product | pom      | developer email       | baliuka@apache.org  | Low     |
| Product | pom      | developer email       | costin@apache.org   | Low     |
| Product | pom      | developer email       | craigmcc@apache.org   | Low     |
| Product | pom      | developer email       | dennisl@apache.org  | Low     |
| Product | pom      | developer email       | donaldp@apache.org  | Low     |
| Product | pom      | developer email       | ggregory at apache.org  | Low     |
|         |          |                       |   |         |

|         |     |                 |                       |     |
|---------|-----|-----------------|-----------------------|-----|
| Product | pom | developer email | morgand@apache.org    | Low |
| Product | pom | developer email | rdonkin@apache.org    | Low |
| Product | pom | developer email | rsitze@apache.org     | Low |
| Product | pom | developer email | rwaldhoff@apache.org  | Low |
| Product | pom | developer email | sanders@apache.org    | Low |
| Product | pom | developer email | skitching@apache.org  | Low |
| Product | pom | developer email | tn@apache.org         | Low |
| Product | pom | developer id    | baliuka               | Low |
| Product | pom | developer id    | bstansberry           | Low |
| Product | pom | developer id    | costin                | Low |
| Product | pom | developer id    | craigmcc              | Low |
| Product | pom | developer id    | dennisl               | Low |
| Product | pom | developer id    | donaldp               | Low |
| Product | pom | developer id    | ggregory              | Low |
| Product | pom | developer id    | morgand               | Low |
| Product | pom | developer id    | rdonkin               | Low |
| Product | pom | developer id    | rsitze                | Low |
| Product | pom | developer id    | rwaldhoff             | Low |
| Product | pom | developer id    | sanders               | Low |
| Product | pom | developer id    | skitching             | Low |
| Product | pom | developer id    | tn                    | Low |
| Product | pom | developer name  | Brian Stansberry      | Low |
| Product | pom | developer name  | Costin Manolache      | Low |
| Product | pom | developer name  | Craig McClanahan      | Low |
| Product | pom | developer name  | Dennis Lundberg       | Low |
| Product | pom | developer name  | Gary Gregory          | Low |
| Product | pom | developer name  | Juozas Baliuka        | Low |
| Product | pom | developer name  | Morgan Delagrang      | Low |
| Product | pom | developer name  | Peter Donald          | Low |
| Product | pom | developer name  | Richard Sitze         | Low |
| Product | pom | developer name  | Robert Burrell Donkin | Low |
| Product | pom | developer name  | Rodney Waldhoff       | Low |
| Product | pom | developer name  | Scott Sanders         | Low |
| Product | pom | developer name  | Simon Kitching        | Low |
| Product | pom | developer name  | Thomas Neidhart       | Low |

|         |          |                        |  |         |
|---------|----------|------------------------|--|---------|
| Product | pom      | developer org          | Apache   | Low     |
| Product | pom      | developer org          | The Apache Software Foundation                     | Low     |
| Product | pom      | developer org URL      | https://www.apache.org/                            | Low     |
| Product | pom      | groupid                | commons-logging                                    | Highest |
| Product | pom      | name                   | Apache Commons Logging                             | High    |
| Product | pom      | parent-artifactid      | commons-parent                                     | Medium  |
| Product | pom      | parent-groupid         | org.apache.commons                                 | Medium  |
| Product | pom      | url                    | https://commons.apache.org/proper/commons-logging/ | Medium  |
| Version | Manifest | Bundle-Version         | 1.3.3  | High    |
| Version | Manifest | Implementation-Version | 1.3.3  | High    |
| Version | pom      | parent-version         | 1.3.3  | Low     |
| Version | pom      | version                | 1.3.3  | Highest |

#### Identifiers

- [pkg:maven/commons-logging/commons-logging@1.3.3](https://pkg:maven/commons-logging/commons-logging@1.3.3) (*Confidence:High*)

## ocr.tesseract.zip: fontbox.jar

### Description:

The Apache FontBox library is an open source Java tool to obtain low level information from font files. FontBox is a subproject of Apache PDFBox.

### License:

<https://www.apache.org/licenses/LICENSE-2.0.txt>

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/standalone/build/tmp/dependencies/i-net PDFC/plugins/ocr.tesseract.zip/fontbox.jar

**MD5:** 7800e63000a8ffb6feaea286f17b4629

**SHA1:** 7e4077f110d575ba6b6f87ec1701b6e3a2373743

**SHA256:** 76cf0410e903e3db714032afbb458d5a23b92253b9fdf880035f09ea8ad3adac

**Referenced In Project/Scope:** standalone

### Evidence



| Type   | Source | Name         | Value   | Confidence |
|--------|--------|--------------|---------|------------|
| Vendor | file   | name         | fontbox | High       |
| Vendor | jar    | package name | apache  | Highest    |

|         |          |                        |                                |         |
|---------|----------|------------------------|--------------------------------|---------|
| Vendor  | jar      | package name           | fontbox                        | Highest |
| Vendor  | Manifest | automatic-module-name  | org.apache.fontbox             | Medium  |
| Vendor  | Manifest | build-jdk-spec         | 1.8                            | Low     |
| Vendor  | Manifest | bundle-docurl          | https://pdfbox.apache.org      | Low     |
| Vendor  | Manifest | bundle-symbolicname    | org.apache.pdfbox.fontbox      | Medium  |
| Vendor  | Manifest | Implementation-Vendor  | The Apache Software Foundation | High    |
| Vendor  | Manifest | specification-vendor   | The Apache Software Foundation | Low     |
| Vendor  | pom      | artifactid             | fontbox                        | Low     |
| Vendor  | pom      | groupid                | org.apache.pdfbox              | Highest |
| Vendor  | pom      | name                   | Apache FontBox                 | High    |
| Vendor  | pom      | parent-artifactid      | pdfbox-parent                  | Low     |
| Vendor  | pom      | url                    | http://pdfbox.apache.org/      | Highest |
| Product | file     | name                   | fontbox                        | High    |
| Product | jar      | package name           | apache                         | Highest |
| Product | jar      | package name           | fontbox                        | Highest |
| Product | Manifest | automatic-module-name  | org.apache.fontbox             | Medium  |
| Product | Manifest | build-jdk-spec         | 1.8                            | Low     |
| Product | Manifest | bundle-docurl          | https://pdfbox.apache.org      | Low     |
| Product | Manifest | Bundle-Name            | Apache FontBox                 | Medium  |
| Product | Manifest | bundle-symbolicname    | org.apache.pdfbox.fontbox      | Medium  |
| Product | Manifest | Implementation-Title   | Apache FontBox                 | High    |
| Product | Manifest | specification-title    | Apache FontBox                 | Medium  |
| Product | pom      | artifactid             | fontbox                        | Highest |
| Product | pom      | groupid                | org.apache.pdfbox              | Highest |
| Product | pom      | name                   | Apache FontBox                 | High    |
| Product | pom      | parent-artifactid      | pdfbox-parent                  | Medium  |
| Product | pom      | url                    | http://pdfbox.apache.org/      | Medium  |
| Version | Manifest | Bundle-Version         | 3.0.2                          | High    |
| Version | Manifest | Implementation-Version | 3.0.2                          | High    |
| Version | pom      | version                | 3.0.2                          | Highest |



## Identifiers

- [pkg:maven/org.apache.pdfbox/fontbox@3.0.2](https://pkg:maven/org.apache.pdfbox/fontbox@3.0.2) (Confidence:High)

## ocr.tesseract.zip: jai-imageio-core.jar

### Description:

Java Advanced Imaging Image I/O Tools API core, but without the classes involved with javax.media.jai dependencies, JPEG2000 or codecLibJIIIO, meaning that this library can be distributed under the modified BSD license and should be GPL compatible.

### License:

BSD 3-clause License w/nuclear disclaimer: LICENSE.txt

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/standalone/build/tmp/dependencies/i-net PDFC/plugins/ocr.tesseract.zip/jai-imageio-core.jar

**MD5:** 6978d733bfb55c0a82639f724fe5f3bb

**SHA1:** fb6d79b929556362a241b2f65a04e538062f0077

**SHA256:** 8ad3c68e9effb10ac87ff8bc589adf64b04a729c5194c079efd0643607fd72a

**Referenced In Project/Scope:** standalone

### Evidence



| Type   | Source   | Name                  | Value   | Confidence |
|--------|----------|-----------------------|---|------------|
| Vendor | file     | name                  | jai-imageio-core  | High       |
| Vendor | jar      | package name          | github  | Highest    |
| Vendor | Manifest | bundle-docurl         | <a href="https://github.com/jai-imageio/">https://github.com/jai-imageio/</a>                                 | Low        |
| Vendor | Manifest | bundle-symbolicname   | jai-imageio-core  | Medium     |
| Vendor | Manifest | extension-name        | com.github.jai-imageio-jai-imageio-core   | Medium     |
| Vendor | Manifest | Implementation-Vendor | <a href="https://github.com/jai-imageio/">https://github.com/jai-imageio/</a> jai-imageio GitHub group        | High       |
| Vendor | Manifest | specification-vendor  | Sun Microsystems, Inc.  | Low        |
| Vendor | Manifest | url                   | <a href="https://github.com/jai-imageio/jai-imageio-core">https://github.com/jai-imageio/jai-imageio-core</a> | Low        |
| Vendor | pom      | artifactid            | jai-imageio-core  | Low        |
| Vendor | pom      | developer email       | stian@s11.no  | Low        |
| Vendor | pom      | developer name        | Stian Soiland-Reyes   | Medium     |
| Vendor | pom      | developer org         | s11   | Medium     |
| Vendor | pom      | developer org         | <a href="http://s11.no/">http://s11.no/</a>   | Medium     |

|         |          | URL                    |   |         |
|---------|----------|------------------------|---|---------|
| Vendor  | pom      | groupid                | com.github.jai-imageio                                      | Highest |
| Vendor  | pom      | name                   | Java Advanced Imaging Image I/O Tools API core (standalone) | High    |
| Vendor  | pom      | organization name      | jai-imageio GitHub group                                    | High    |
| Vendor  | pom      | organization url       | jai-imageio/  | Medium  |
| Vendor  | pom      | url                    | jai-imageio/jai-imageio-core                                | Highest |
| Product | file     | name                   | jai-imageio-core  | High    |
| Product | jar      | package name           | github  | Highest |
| Product | Manifest | bundle-docurl          | https://github.com/jai-imageio/                             | Low     |
| Product | Manifest | Bundle-Name            | Java Advanced Imaging Image I/O Tools API core (standalone) | Medium  |
| Product | Manifest | bundle-symbolicname    | jai-imageio-core  | Medium  |
| Product | Manifest | extension-name         | com.github.jai-imageio-jai-imageio-core                     | Medium  |
| Product | Manifest | Implementation-Title   | Java Advanced Imaging Image I/O Tools API core (standalone) | High    |
| Product | Manifest | specification-title    | Java Advanced Imaging                                       | Medium  |
| Product | Manifest | url                    | https://github.com/jai-imageio/jai-imageio-core             | Low     |
| Product | pom      | artifactid             | jai-imageio-core  | Highest |
| Product | pom      | developer email        | stian@s11.no  | Low     |
| Product | pom      | developer name         | Stian Soiland-Reyes   | Low     |
| Product | pom      | developer org          | s11   | Low     |
| Product | pom      | developer org URL      | http://s11.no/  | Low     |
| Product | pom      | groupid                | com.github.jai-imageio                                      | Highest |
| Product | pom      | name                   | Java Advanced Imaging Image I/O Tools API core (standalone) | High    |
| Product | pom      | organization name      | jai-imageio GitHub group                                    | Low     |
| Product | pom      | url                    | jai-imageio/  | High    |
| Product | pom      | url                    | jai-imageio/jai-imageio-core                                | High    |
| Version | Manifest | Bundle-Version         | 1.4.0   | High    |
| Version | Manifest | Implementation-Version | 1.4.0   | High    |
| Version | pom      | version                | 1.4.0   | Highest |

## Identifiers

- [pkg:maven/com.github.jai-imageio/jai-imageio-core@1.4.0](https://maven.com.github.jai-imageio/jai-imageio-core@1.4.0) (Confidence:High)

## ocr.tesseract.zip: jbig2-imageio.jar

### Description:

Java Image I/O plugin for reading JBIG2-compressed image data.  
Formerly known as the levigo JBig2 ImageIO plugin (com.levigo.jbig2:levigo-jbig2-imageio).

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/standalone/build/tmp/dependencies/i-net PDFC/plugins/ocr.tesseract.zip/jbig2-imageio.jar

**MD5:** c51f45dc3d29bbf716774f9ff9e95ad6

**SHA1:** ad09a9bb94ea791ea81fb6c5bc2b13dd77872598

**SHA256:** 29cb2951622f10acf61fd0656c4e6fa5562194a9095f7a1d26aa426e2f6b17eb

**Referenced In Project/Scope:** standalone

### Evidence

| Type   | Source   | Name                     | Value                                 | Confidence |
|--------|----------|--------------------------|---------------------------------------|------------|
| Vendor | file     | name                     | jbig2-imageio                         | High       |
| Vendor | jar      | package name             | apache                                | Highest    |
| Vendor | jar      | package name             | image                                 | Highest    |
| Vendor | jar      | package name             | jbig2                                 | Highest    |
| Vendor | jar      | package name             | pdfbox                                | Highest    |
| Vendor | Manifest | automatic-module-name    | org.apache.pdfbox.jbig2               | Medium     |
| Vendor | Manifest | implementation-url       | https://www.apache.org/jbig2-imageio/ | Low        |
| Vendor | Manifest | Implementation-Vendor    | The Apache Software Foundation        | High       |
| Vendor | Manifest | Implementation-Vendor-Id | org.apache.pdfbox                     | Medium     |
| Vendor | Manifest | specification-vendor     | The Apache Software Foundation        | Low        |
| Vendor | pom      | artifactid               | jbig2-imageio                         | Low        |
| Vendor | pom      | developer id             | adam                                  | Medium     |
| Vendor | pom      | developer id             | blitchfield                           | Medium     |
| Vendor | pom      | developer id             | carrier                               | Medium     |
| Vendor | pom      | developer id             | danielwilson                          | Medium     |
| Vendor | pom      | developer id             | gbailleul                             | Medium     |
| Vendor | pom      | developer id             | hennejg                               | Medium     |

|        |     |                |                    |        |
|--------|-----|----------------|--------------------|--------|
| Vendor | pom | developer id   | holdersn           | Medium |
| Vendor | pom | developer id   | jahewson           | Medium |
| Vendor | pom | developer id   | jeremias           | Medium |
| Vendor | pom | developer id   | jukka              | Medium |
| Vendor | pom | developer id   | kjackson           | Medium |
| Vendor | pom | developer id   | koch               | Medium |
| Vendor | pom | developer id   | koehlecn           | Medium |
| Vendor | pom | developer id   | lehmi              | Medium |
| Vendor | pom | developer id   | leleuri            | Medium |
| Vendor | pom | developer id   | mmayer             | Medium |
| Vendor | pom | developer id   | msayhoun           | Medium |
| Vendor | pom | developer id   | pkoch              | Medium |
| Vendor | pom | developer id   | tallison           | Medium |
| Vendor | pom | developer id   | tboehme            | Medium |
| Vendor | pom | developer id   | tchojecki          | Medium |
| Vendor | pom | developer id   | tilman             | Medium |
| Vendor | pom | developer id   | vfed               | Medium |
| Vendor | pom | developer name | Adam Nichols       | Medium |
| Vendor | pom | developer name | Andreas Lehmkuhler | Medium |
| Vendor | pom | developer name | Ben Litchfield     | Medium |
| Vendor | pom | developer name | Brian Carrier      | Medium |
| Vendor | pom | developer name | Carolin Köhler     | Medium |
| Vendor | pom | developer name | Daniel Wilson      | Medium |
| Vendor | pom | developer name | Eric Leleu         | Medium |
| Vendor | pom | developer name | Guillaume Bailleul | Medium |
| Vendor | pom | developer name | Jeremias Maerki    | Medium |
| Vendor | pom | developer name | Johannes Koch      | Medium |
| Vendor | pom | developer name | John Hewson        | Medium |
| Vendor | pom | developer name | Jukka Zitting      | Medium |
| Vendor | pom | developer name | Jörg Henne         | Medium |
| Vendor | pom | developer name | Kevin Jackson      | Medium |
| Vendor | pom | developer name | Maruan Sayhoun     | Medium |
| Vendor | pom | developer name | Matthäus Mayer     | Medium |
| Vendor | pom | developer name | Phillipp Koch      | Medium |
| Vendor | pom | developer name | Sebastian Holder   | Medium |
|        |     |                |                    |        |

|         |          |                       |                                       |         |
|---------|----------|-----------------------|---------------------------------------|---------|
| Vendor  | pom      | developer name        | Thomas Chojecki                       | Medium  |
| Vendor  | pom      | developer name        | Tilman Hausherr                       | Medium  |
| Vendor  | pom      | developer name        | Tim Allison                           | Medium  |
| Vendor  | pom      | developer name        | Timo Boehme                           | Medium  |
| Vendor  | pom      | developer name        | Villu Ruusmann                        | Medium  |
| Vendor  | pom      | groupid               | org.apache.pdfbox                     | Highest |
| Vendor  | pom      | name                  | PDFBox JBIG2 Imago plugin             | High    |
| Vendor  | pom      | organization name     | The Apache Software Foundation        | High    |
| Vendor  | pom      | organization url      | http://pdfbox.apache.org              | Medium  |
| Vendor  | pom      | parent-artifactid     | apache                                | Low     |
| Vendor  | pom      | parent-groupid        | org.apache                            | Medium  |
| Product | file     | name                  | jbig2-imageio                         | High    |
| Product | jar      | package name          | apache                                | Highest |
| Product | jar      | package name          | image                                 | Highest |
| Product | jar      | package name          | jbig2                                 | Highest |
| Product | jar      | package name          | pdfbox                                | Highest |
| Product | Manifest | automatic-module-name | org.apache.pdfbox.jbig2               | Medium  |
| Product | Manifest | Implementation-Title  | PDFBox JBIG2 Imago plugin             | High    |
| Product | Manifest | implementation-url    | https://www.apache.org/jbig2-imageio/ | Low     |
| Product | Manifest | specification-title   | PDFBox JBIG2 Imago plugin             | Medium  |
| Product | pom      | artifactid            | jbig2-imageio                         | Highest |
| Product | pom      | developer id          | adam                                  | Low     |
| Product | pom      | developer id          | blitchfield                           | Low     |
| Product | pom      | developer id          | carrier                               | Low     |
| Product | pom      | developer id          | danielwilson                          | Low     |
| Product | pom      | developer id          | gbailleul                             | Low     |
| Product | pom      | developer id          | hennejg                               | Low     |
| Product | pom      | developer id          | holdersn                              | Low     |
| Product | pom      | developer id          | jahewson                              | Low     |
| Product | pom      | developer id          | jeremias                              | Low     |
| Product | pom      | developer id          | jukka                                 | Low     |
| Product | pom      | developer id          | kjackson                              | Low     |
| Product | pom      | developer id          | koch                                  | Low     |

|         |     |                |                    |         |
|---------|-----|----------------|--------------------|---------|
| Product | pom | developer id   | koehlecn           | Low     |
| Product | pom | developer id   | lehmi              | Low     |
| Product | pom | developer id   | leleueri           | Low     |
| Product | pom | developer id   | mmayer             | Low     |
| Product | pom | developer id   | msayhoun           | Low     |
| Product | pom | developer id   | pkoch              | Low     |
| Product | pom | developer id   | tallison           | Low     |
| Product | pom | developer id   | tboehme            | Low     |
| Product | pom | developer id   | tchojecki          | Low     |
| Product | pom | developer id   | tilman             | Low     |
| Product | pom | developer id   | vfed               | Low     |
| Product | pom | developer name | Adam Nichols       | Low     |
| Product | pom | developer name | Andreas Lehmkuhler | Low     |
| Product | pom | developer name | Ben Litchfield     | Low     |
| Product | pom | developer name | Brian Carrier      | Low     |
| Product | pom | developer name | Carolín Köhler     | Low     |
| Product | pom | developer name | Daniel Wilson      | Low     |
| Product | pom | developer name | Eric Leleu         | Low     |
| Product | pom | developer name | Guillaume Bailleul | Low     |
| Product | pom | developer name | Jeremias Maerki    | Low     |
| Product | pom | developer name | Johannes Koch      | Low     |
| Product | pom | developer name | John Hewson        | Low     |
| Product | pom | developer name | Jukka Zitting      | Low     |
| Product | pom | developer name | Jörg Henne         | Low     |
| Product | pom | developer name | Kevin Jackson      | Low     |
| Product | pom | developer name | Maruan Sayhoun     | Low     |
| Product | pom | developer name | Matthäus Mayer     | Low     |
| Product | pom | developer name | Phillipp Koch      | Low     |
| Product | pom | developer name | Sebastian Holder   | Low     |
| Product | pom | developer name | Thomas Chojecki    | Low     |
| Product | pom | developer name | Tilman Hausherr    | Low     |
| Product | pom | developer name | Tim Allison        | Low     |
| Product | pom | developer name | Timo Boehme        | Low     |
| Product | pom | developer name | Villu Ruusmann     | Low     |
| Product | pom | groupid        | org.apache.pdfbox  | Highest |
|         |     |                |                    |         |

|         |          |                        |                                |         |
|---------|----------|------------------------|--------------------------------|---------|
| Product | pom      | name                   | PDFBox JBIG2 ImageIO plugin    | High    |
| Product | pom      | organization name      | The Apache Software Foundation | Low     |
| Product | pom      | organization url       | http://pdfbox.apache.org       | Low     |
| Product | pom      | parent-artifactid      | apache                         | Medium  |
| Product | pom      | parent-groupid         | org.apache                     | Medium  |
| Version | Manifest | Implementation-Version | 3.0.4                          | High    |
| Version | pom      | parent-version         | 3.0.4                          | Low     |
| Version | pom      | version                | 3.0.4                          | Highest |

### Identifiers

- [pkg:maven/org.apache.pdfbox/jbig2-imageio@3.0.4](#) (*Confidence:High*)
- [cpe:2.3:a:apache:pdfbox:3.0.4:\\*:\\*:\\*:\\*:\\*](#) (*Confidence:Highest*) suppress

## ocr.tesseract.zip: jboss-vfs.jar

### Description:

A VFS library

### License:

Apache License 2.0: <http://repository.jboss.org/licenses/apache-2.0.txt>

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/standalone/build/tmp/dependencies/i-net PDFC/plugins/ocr.tesseract.zip/jboss-vfs.jar

**MD5:** ecf3234794d1b7d03dc1eb5380328e04

**SHA1:** 748b9f156f35bf63ead9887f040cfc48af18f7f0

**SHA256:** 33a84eac3f1027551146247e3ef4057dc8840cfc8cd436cb2f925b6f5d2126e9

**Referenced In Project/Scope:** standalone

### Evidence

| Type   | Source   | Name                  | Value                | Confidence |
|--------|----------|-----------------------|----------------------|------------|
| Vendor | file     | name                  | jboss-vfs            | High       |
| Vendor | jar      | package name          | jboss                | Highest    |
| Vendor | jar      | package name          | vfs                  | Highest    |
| Vendor | Manifest | automatic-module-name | org.jboss.vfs        | Medium     |
| Vendor | Manifest | build-jdk-spec        | 11                   | Low        |
| Vendor | Manifest | implementation-       | http://www.jboss.org | Low        |

url

|         |          |                        |                                   |         |
|---------|----------|------------------------|-----------------------------------|---------|
| Vendor  | Manifest | Implementation-Vendor  | JBoss, A division of Red Hat, Inc | High    |
| Vendor  | Manifest | specification-vendor   | JBoss, A division of Red Hat, Inc | Low     |
| Vendor  | pom      | artifactid             | jboss-vfs                         | Low     |
| Vendor  | pom      | groupid                | org.jboss                         | Highest |
| Vendor  | pom      | name                   | JBoss VFS                         | High    |
| Vendor  | pom      | organization name      | JBoss, A division of Red Hat, Inc | High    |
| Vendor  | pom      | organization url       | http://www.jboss.org              | Medium  |
| Vendor  | pom      | parent-artifactid      | jboss-parent                      | Low     |
| Vendor  | pom      | url                    | http://www.jboss.org              | Highest |
| Product | file     | name                   | jboss-vfs                         | High    |
| Product | jar      | package name           | jboss                             | Highest |
| Product | jar      | package name           | vfs                               | Highest |
| Product | Manifest | automatic-module-name  | org.jboss.vfs                     | Medium  |
| Product | Manifest | build-jdk-spec         | 11                                | Low     |
| Product | Manifest | Implementation-Title   | JBoss VFS                         | High    |
| Product | Manifest | implementation-url     | http://www.jboss.org              | Low     |
| Product | Manifest | specification-title    | JBoss VFS                         | Medium  |
| Product | pom      | artifactid             | jboss-vfs                         | Highest |
| Product | pom      | groupid                | org.jboss                         | Highest |
| Product | pom      | name                   | JBoss VFS                         | High    |
| Product | pom      | organization name      | JBoss, A division of Red Hat, Inc | Low     |
| Product | pom      | organization url       | http://www.jboss.org              | Low     |
| Product | pom      | parent-artifactid      | jboss-parent                      | Medium  |
| Product | pom      | url                    | http://www.jboss.org              | Medium  |
| Version | Manifest | Implementation-Version | 3.3.2.Final                       | High    |
| Version | pom      | parent-version         | 3.3.2.Final                       | Low     |
| Version | pom      | version                | 3.3.2.Final                       | Highest |

## Identifiers



- [pkg:maven/org.jboss/jboss-vfs@3.3.2.Final](https://maven.org/jboss/jboss-vfs@3.3.2.Final) (Confidence:High)

## ocr.tesseract.zip: jna.jar

### Description:

JNA Library

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/standalone/build/tmp/dependencies/i-net PDFC/plugins/ocr.tesseract.zip/jna.jar

**MD5:** 9bb1338e58031463c300f643cb3c41fa

**SHA1:** d9c6794f22c2e3c846b02d51c6a95c304e8e056b

**SHA256:** 336f2ae25222389eb9f3c90f8f7c3a6258c33581964b2338bf836b3b865b049e

**Referenced In Project/Scope:** standalone

### Evidence



| Type   | Source     | Name                    | Value   | Confidence |
|--------|------------|-------------------------|---|------------|
| Vendor | file       | name                    | jna   | High       |
| Vendor | jar        | package name            | jna   | Highest    |
| Vendor | jar        | package name            | jna   | Low        |
| Vendor | jar        | package name            | sun   | Highest    |
| Vendor | jar        | package name            | sun   | Low        |
| Vendor | jar (hint) | package name            | oracle  | Highest    |
| Vendor | jar (hint) | package name            | oracle  | Low        |
| Vendor | Manifest   | automatic-module-name   | com.sun.jna   | Medium     |
| Vendor | Manifest   | bundle-activationpolicy | lazy  | Low        |
| Vendor | Manifest   | bundle-category         | jni   | Low        |
| Vendor | Manifest   | bundle-nativecode       | com/sun/jna/win32-x86/jnidispatch.dll; processor=x86;osname=win32, com/sun/jna/win32-x86-64/jnidispatch.dll; processor=x86-64;osname=win32, com/sun/jna/win32-aarch64/jnidispatch.dll; processor=aarch64; osname=win32, com/sun/jna/win32-x86/jnidispatch.dll; processor=x86;osname=win, com/sun/jna/win32-x86-64/jnidispatch.dll; processor=x86-64;osname=win, com/sun/jna/win32-aarch64/jnidispatch.dll; processor=aarch64;osname=win, com/sun/jna/w32ce-arm/jnidispatch.dll; processor=arm;osname=wince, com/sun/jna/sunos-x86/libjniidispach.so; processor=x86; osname=sunos, com/sun/jna/sunos-x86-64/libjniidispach.so; processor=x86-64; osname=sunos, com/sun/jna/sunos-sparc | Low        |

|         |          |                              |   |        |
|---------|----------|------------------------------|---|--------|
|         |          |                              | /libjnidispatch.so; processor=sparc;<br>osname=sunos, com/sun/jna/sunos-sparcv9<br>/libjnidispatch.so; processor=sparcv9;<br>osname=sunos, com/sun/jna/aix-ppc<br>/libjnidispatch.a; processor=ppc;<br>osname=aix, com/sun/jna/aix-ppc64<br>/libjnidispatch.a; processor=ppc64;<br>osname=aix, com/sun/jna/linux-ppc<br>/libjnidispatch.so; processor=ppc;<br>osname=linux, com/sun/jna/linux-ppc64<br>/libjnidispatch.so; processor=ppc64;<br>osname=linux, com/sun/jna/linux-ppc64le<br>/libjnidispatch.so; processor=ppc64le;<br>osname=linux, com/sun/jna/linux-x86<br>/libjnidispatch.so; processor=x86;<br>osname=linux, com/sun/jna/linux-x86-64<br>/libjnidispatch.so; processor=x86-64;<br>osname=linux, com/sun/jna/linux-arm<br>/libjnidispatch.so; processor=arm;<br>osname=linux, com/sun/jna/linux-arm<br>/libjnidispatch.so; processor=arm_le;<br>osname=linux, com/sun/jna/linux-armel<br>/libjnidispatch.so; processor=armel;<br>osname=linux, com/sun/jna/linux-aarch64<br>/libjnidispatch.so; processor=aarch64;<br>osname=linux, com/sun/jna/linux-ia64<br>/libjnidispatch.so; processor=ia64;<br>osname=linux, com/sun/jna/linux-sparcv9<br>/libjnidispatch.so; processor=sparcv9;<br>osname=linux, com/sun/jna/linux-mips64el<br>/libjnidispatch.so; processor=mips64el;<br>osname=linux, com/sun/jna/linux-s390x<br>/libjnidispatch.so; processor=S390x;<br>osname=linux, com/sun/jna/linux-<br>loongarch64/libjnidispatch.so;<br>processor=loongarch64;osname=linux, com<br>/sun/jna/freebsd-x86/libjnidispatch.so;<br>processor=x86;osname=freebsd, com/sun<br>/jna/freebsd-x86-64/libjnidispatch.so;<br>processor=x86-64;osname=freebsd, com<br>/sun/jna/openbsd-x86/libjnidispatch.so;<br>processor=x86;osname=openbsd, com/sun<br>/jna/openbsd-x86-64/libjnidispatch.so;<br>processor=x86-64;osname=openbsd, com<br>/sun/jna/darwin-ppc/libjnidispatch.jnilib;<br>osname=macosx;processor=ppc, com/sun<br>/jna/darwin-ppc64/libjnidispatch.jnilib;<br>osname=macosx;processor=ppc64, com/sun<br>/jna/darwin-x86/libjnidispatch.jnilib;<br>osname=macosx;processor=x86, com/sun<br>/jna/darwin-x86-64/libjnidispatch.jnilib;<br>osname=macosx;processor=x86-64, com<br>/sun/jna/darwin-aarch64/libjnidispatch.jnilib;<br>osname=macosx;processor=aarch64 |        |
| Vendor  | Manifest | bundle-<br>requiredexecution | JavaSE-1.6  | Low    |
| Vendor  | Manifest | bundle-<br>symbolicname      | com.sun.jna   | Medium |
| Vendor  | Manifest | Implementation-<br>Vendor    | JNA Development Team  | High   |
| Vendor  | Manifest | specification-<br>vendor     | JNA Development Team  | Low    |
| Product | file     | name                         | jna   | High   |

|         |          |                         |   |         |
|---------|----------|-------------------------|---|---------|
| Product | jar      | package name            | jna   | Highest |
| Product | jar      | package name            | jna   | Low     |
| Product | jar      | package name            | library   | Highest |
| Product | jar      | package name            | native  | Highest |
| Product | jar      | package name            | sun   | Highest |
| Product | jar      | package name            | win32   | Highest |
| Product | Manifest | automatic-module-name   | com.sun.jna   | Medium  |
| Product | Manifest | bundle-activationpolicy | lazy  | Low     |
| Product | Manifest | bundle-category         | jni   | Low     |
| Product | Manifest | Bundle-Name             | jna   | Medium  |
| Product | Manifest | bundle-nativecode       | com/sun/jna/win32-x86/jnidispatch.dll; processor=x86;osname=win32, com/sun/jna/win32-x86-64/jnidispatch.dll; processor=x86-64;osname=win32, com/sun/jna/win32-aarch64/jnidispatch.dll; processor=aarch64;osname=win32, com/sun/jna/win32-x86/jnidispatch.dll; processor=x86;osname=win, com/sun/jna/win32-x86-64/jnidispatch.dll; processor=x86-64;osname=win, com/sun/jna/win32-aarch64/jnidispatch.dll; processor=aarch64;osname=win, com/sun/jna/w32ce-arm/jnidispatch.dll; processor=arm;osname=wince, com/sun/jna/sunos-x86/libjnidispatch.so; processor=x86;osname=sunos, com/sun/jna/sunos-x86-64/libjnidispatch.so; processor=x86-64;osname=sunos, com/sun/jna/sunos-sparc/libjnidispatch.so; processor=sparc;osname=sunos, com/sun/jna/sunos-sparcv9/libjnidispatch.so; processor=sparcv9;osname=sunos, com/sun/jna/aix-ppc/libjnidispatch.a; processor=ppc;osname=aix, com/sun/jna/aix-ppc64/libjnidispatch.a; processor=ppc64;osname=aix, com/sun/jna/linux-ppc/libjnidispatch.so; processor=ppc;osname=linux, com/sun/jna/linux-ppc64/libjnidispatch.so; processor=ppc64;osname=linux, com/sun/jna/linux-ppc64le/libjnidispatch.so; processor=ppc64le;osname=linux, com/sun/jna/linux-x86/libjnidispatch.so; processor=x86;osname=linux, com/sun/jna/linux-x86-64/libjnidispatch.so; processor=x86-64;osname=linux, com/sun/jna/linux-arm/libjnidispatch.so; processor=arm;osname=linux, com/sun/jna/linux-arm/libjnidispatch.so; processor=arm_le;osname=linux, com/sun/jna/linux-armel/libjnidispatch.so; processor=armel;osname=linux, com/sun/jna/linux-aarch64/libjnidispatch.so; processor=aarch64;osname=linux, com/sun/jna/linux-ia64/libjnidispatch.so; processor=ia64;osname=linux, com/sun/jna/linux-sparcv9/libjnidispatch.so; processor=sparcv9; | Low     |

|         |          |                          |  |         |
|---------|----------|--------------------------|--|---------|
|         |          |                          | osname=linux, com/sun/jna/linux-mips64el/libjnidispatch.so; processor=mips64el; osname=linux, com/sun/jna/linux-s390x/libjnidispatch.so; processor=S390x; osname=linux, com/sun/jna/linux-loongarch64/libjnidispatch.so; processor=loongarch64; osname=linux, com/sun/jna/freebsd-x86/libjnidispatch.so; processor=x86; osname=freebsd, com/sun/jna/freebsd-x86-64/libjnidispatch.so; processor=x86-64; osname=freebsd, com/sun/jna/openbsd-x86/libjnidispatch.so; processor=x86; osname=openbsd, com/sun/jna/openbsd-x86-64/libjnidispatch.so; processor=x86-64; osname=openbsd, com/sun/jna/darwin-ppc/libjnidispatch.jnilib; osname=macosx; processor=ppc, com/sun/jna/darwin-ppc64/libjnidispatch.jnilib; osname=macosx; processor=ppc64, com/sun/jna/darwin-x86/libjnidispatch.jnilib; osname=macosx; processor=x86, com/sun/jna/darwin-x86-64/libjnidispatch.jnilib; osname=macosx; processor=x86-64, com/sun/jna/darwin-aarch64/libjnidispatch.jnilib; osname=macosx; processor=aarch64 |         |
| Product | Manifest | bundle-requiredexecution | JavaSE-1.6   | Low     |
| Product | Manifest | bundle-symbolicname      | com.sun.jna  | Medium  |
| Product | Manifest | Implementation-Title     | com.sun.jna  | High    |
| Product | Manifest | specification-title      | Java Native Access (JNA)   | Medium  |
| Version | jar      | package name             | jna  | Highest |
| Version | jar      | package name             | sun  | Highest |
| Version | jar      | package name             | win32  | Highest |
| Version | Manifest | Bundle-Version           | 5.14.0   | High    |
| Version | Manifest | Implementation-Version   | 5.14.0 (b0)  | High    |

Identifiers

- cpe:2.3:a:oracle:java\_se:5.14.0:\*:\*:\*:\*:\* (Confidence:Low) suppress

ocr.tesseract.zip: jna.jar: jnidispatch.dll

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/standalone/build/tmp/dependencies/i-net PDFC/plugins/ocr.tesseract.zip/jna.jar/com/sun/jna/win32-aarch64/jnidispatch.dll  
**MD5:** f6bef568e690d361a5dcc165f5ad4b1f

**SHA1:** 05638a4aaafa689a6c246530823afdc18d3fd438

**SHA256:** b9d1479b9619b7ece4a36b6ae31365ffaf15a1355d4f6da02f8b5f09df2fa82f

**Referenced In Project/Scope:** standalone

#### Evidence



| Type    | Source | Name | Value       | Confidence |
|---------|--------|------|-------------|------------|
| Vendor  | file   | name | jnidispatch | High       |
| Product | file   | name | jnidispatch | High       |

#### Identifiers

- None

### ocr.tesseract.zip: jna.jar: jnidispatch.dll

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/standalone/build/tmp/dependencies/i-net PDFC/plugins/ocr.tesseract.zip/jna.jar/com/sun/jna/win32-x86-64/jnidispatch.dll

**MD5:** 719d6ba1946c25aa61ce82f90d77ffd5

**SHA1:** 94d2191378cac5719daecc826fc116816284c406

**SHA256:** 69c45175ecfd25af023f96ac0bb2c45e6a95e3ba8a5a50ee7969ccab14825c44

**Referenced In Project/Scope:** standalone

#### Evidence



| Type    | Source | Name | Value       | Confidence |
|---------|--------|------|-------------|------------|
| Vendor  | file   | name | jnidispatch | High       |
| Product | file   | name | jnidispatch | High       |

#### Identifiers

- None

### ocr.tesseract.zip: jna.jar: jnidispatch.dll

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/standalone/build/tmp/dependencies/i-net PDFC/plugins/ocr.tesseract.zip/jna.jar/com/sun/jna/win32-x86/jnidispatch.dll

**MD5:** e15183ef9c6c255b76fda73d01ca7ecb

**SHA1:** f816f998c43204230d9ea3eecffb5f8372a32c2e

**SHA256:** 38650a0612730c52580c9f32ff766b44b1c5a426d52e7dd7a53687bf3389ac2c

**Referenced In Project/Scope:** standalone

#### Evidence



| Type    | Source | Name | Value       | Confidence |
|---------|--------|------|-------------|------------|
| Vendor  | file   | name | jnidispatch | High       |
| Product | file   | name | jnidispatch | High       |

#### Identifiers

- None

### ocr.tesseract.zip: lept4j.jar

#### Description:

# Lept4J

## Description:

A Java JNA wrapper for Leptonica Image Processing library.

Lept4J is released and distributed under the Apache License, v2.0.

#### License:

Apache License 2.0: <http://www.apache.org/licenses/LICENSE-2.0.txt>

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/standalone/build/tmp/dependencies/i-net PDFC/plugins/ocr.tesseract.zip/lept4j.jar

**MD5:** 70889e28b7569dd54e7da9ced01dabdf

**SHA1:** ec69d554f05e030b5e06295a4d39057634759549

**SHA256:** 5feb69a8fc9550809b23cb980270cdf99368dea330ba7d98789e2dc93f8bef6f

**Referenced In Project/Scope:** standalone

#### Evidence



| Type   | Source | Name         | Value       | Confidence |
|--------|--------|--------------|-------------|------------|
| Vendor | file   | name         | lept4j      | High       |
| Vendor | jar    | package name | lept4j      | Highest    |
| Vendor | jar    | package name | leptonica   | Highest    |
| Vendor | jar    | package name | net         | Highest    |
| Vendor | jar    | package name | sourceforge | Highest    |

|         |          |                 |                             |         |
|---------|----------|-----------------|-----------------------------|---------|
| Vendor  | Manifest | build-jdk-spec  | 1.8                         | Low     |
| Vendor  | pom      | artifactid      | lept4j                      | Low     |
| Vendor  | pom      | developer email | nguyenq@users.sf.net        | Low     |
| Vendor  | pom      | developer name  | Quan Nguyen                 | Medium  |
| Vendor  | pom      | groupid         | net.sourceforge.lept4j      | Highest |
| Vendor  | pom      | name            | Lept4J - Leptonica for Java | High    |
| Vendor  | pom      | url             | nguyenq/lept4j              | Highest |
| Product | file     | name            | lept4j                      | High    |
| Product | jar      | package name    | lept4j                      | Highest |
| Product | jar      | package name    | leptonica                   | Highest |
| Product | jar      | package name    | net                         | Highest |
| Product | jar      | package name    | sourceforge                 | Highest |
| Product | Manifest | build-jdk-spec  | 1.8                         | Low     |
| Product | pom      | artifactid      | lept4j                      | Highest |
| Product | pom      | developer email | nguyenq@users.sf.net        | Low     |
| Product | pom      | developer name  | Quan Nguyen                 | Low     |
| Product | pom      | groupid         | net.sourceforge.lept4j      | Highest |
| Product | pom      | name            | Lept4J - Leptonica for Java | High    |
| Product | pom      | url             | nguyenq/lept4j              | High    |
| Version | pom      | version         | 1.19.1                      | Highest |

#### Identifiers

- [pkg:maven/net.sourceforge.lept4j/lept4j@1.19.1](https://maven.apache.org/repositories/central/index.html) (*Confidence:High*)

### ocr.tesseract.zip: lept4j.jar: libleptonica1841.dll

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/standalone/build/tmp/dependencies/i-net PDFC/plugins/ocr.tesseract.zip/lept4j.jar/win32-x86-64/libleptonica1841.dll

**MD5:** 981b8e38e33018fff693c8e3ec0f2254

**SHA1:** 91a9cd0a874d614bc8a8946d2e0a8573e8b96ac1

**SHA256:** 0b2cb584baeb38b90033344b4d70830b33ba01396fb9142b9b733e83c8a73fb8

**Referenced In Project/Scope:** standalone

#### Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

|         |      |         |                  |        |
|---------|------|---------|------------------|--------|
| Vendor  | file | name    | libleptonica1841 | High   |
| Product | file | name    | libleptonica1841 | High   |
| Version | file | name    | libleptonica1841 | Medium |
| Version | file | version | 1841             | Medium |

#### Identifiers

- None

### ocr.tesseract.zip: lept4j.jar: libleptonica1841.dll

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/standalone/build/tmp/dependencies/i-net PDFC/plugins/ocr.tesseract.zip/lept4j.jar/win32-x86/libleptonica1841.dll

**MD5:** 64f0634192bcf75ade5ea06f8119512d

**SHA1:** b387acaa5209f796fb3065395548d2adcbad620e

**SHA256:** 405e5263b72cb7d63c723fd85a124201cd66aa9a983b3a1c1e4c82003c91bcaa

**Referenced In Project/Scope:** standalone

#### Evidence +

| Type    | Source | Name    | Value            | Confidence |
|---------|--------|---------|------------------|------------|
| Vendor  | file   | name    | libleptonica1841 | High       |
| Product | file   | name    | libleptonica1841 | High       |
| Version | file   | name    | libleptonica1841 | Medium     |
| Version | file   | version | 1841             | Medium     |

#### Identifiers

- None

### ocr.tesseract.zip: ocr.tesseract.jar

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/standalone/build/tmp/dependencies/i-net PDFC/plugins/ocr.tesseract.zip/ocr.tesseract.jar

**MD5:** 87b90c0146cf9fad7c9d90088bc81845

**SHA1:** 3c6030cc4ace45b06dd28b10aab7d9019169bad7

**SHA256:** cb9d6d1906cc180553d768f470c30e8d47886c995c1bbf7a6b859eebcf462da0

**Referenced In Project/Scope:** standalone



## Evidence



| Type    | Source   | Name                                   | Value                                | Confidence |
|---------|----------|--|--------------------------------------|------------|
| Vendor  | file     | name                                   | ocr.tesseract                        | High       |
| Vendor  | jar      | package name                           | inet                                 | Low        |
| Vendor  | jar      | package name                           | ocr                                  | Low        |
| Vendor  | jar      | package name                           | pdfc                                 | Low        |
| Vendor  | Manifest | application-library-allowable-codebase | *                                    | Low        |
| Vendor  | Manifest | built-date                             | 2025-01-18 15:49                     | Low        |
| Vendor  | Manifest | codebase                               | *                                    | Low        |
| Vendor  | Manifest | implementation-group                   | pdfc                                 | Low        |
| Vendor  | Manifest | Implementation-Vendor                  | i-net software                       | High       |
| Vendor  | Manifest | Implementation-Vendor-Id               | de.inetsoftware                      | Medium     |
| Vendor  | Manifest | permissions                            | all-permissions                      | Low        |
| Vendor  | Manifest | specification-vendor                   | i-net software                       | Low        |
| Vendor  | Manifest | trusted-library                        | false                                | Low        |
| Vendor  | Manifest | trusted-only                           | false                                | Low        |
| Vendor  | Manifest | vendor                                 | i-net software GmbH, Berlin, Germany | Medium     |
| Product | file     | name                                   | ocr.tesseract                        | High       |
| Product | jar      | package name                           | ocr                                  | Highest    |
| Product | jar      | package name                           | ocr                                  | Low        |
| Product | jar      | package name                           | pdfc                                 | Highest    |
| Product | jar      | package name                           | pdfc                                 | Low        |
| Product | jar      | package name                           | tesseract                            | Highest    |
| Product | jar      | package name                           | tesseract                            | Low        |
| Product | Manifest | application-library-allowable-codebase | *                                    | Low        |
| Product | Manifest | built-date                             | 2025-01-18 15:49                     | Low        |
| Product | Manifest | codebase                               | *                                    | Low        |
| Product | Manifest | implementation-group                   | pdfc                                 | Low        |
|         |          |  |                                      |            |

|         |          |                        |                 |         |
|---------|----------|------------------------|-----------------|---------|
| Product | Manifest | Implementation-Title   | ocr.tesseract   | High    |
| Product | Manifest | permissions            | all-permissions | Low     |
| Product | Manifest | specification-title    | ocr.tesseract   | Medium  |
| Product | Manifest | trusted-library        | false           | Low     |
| Product | Manifest | trusted-only           | false           | Low     |
| Version | jar      | package name           | pdfc            | Highest |
| Version | Manifest | Implementation-Version | 24.10.284       | High    |

## Identifiers

- cpe:2.3:a:tesseract\_ocr\_project:tesseract\_ocr:24.10.284:\*:\*:\*:\*:\* (*Confidence*:Low) suppress
- cpe:2.3:a:tesseract\_project:tesseract:24.10.284:\*:\*:\*:\*:\* (*Confidence*:Low) suppress

## ocr.tesseract.zip: pdfbox.jar

**Description:**

The Apache PDFBox library is an open source Java tool for working with PDF documents.

**License:**

<https://www.apache.org/licenses/LICENSE-2.0.txt>

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/standalone/build/tmp/dependencies/i-net PDFC/plugins/ocr.tesseract.zip/pdfbox.jar

**MD5:** f8bb8523379f78ce9d6a009589a5d442

**SHA1:** 52327f7106515024494a08850a629e50ac7a1b9b

**SHA256:**cafe2ccac101e9aa3adf3f7ea76dff02e5885a2b2558b75fa97476f0487ee2

**Referenced In Project/Scope:** standalone

## Evidence

| Type   | Source   | Name                  | Value             | Confidence |
|--------|----------|-----------------------|-------------------|------------|
| Vendor | file     | name                  | pdfbox            | High       |
| Vendor | jar      | package name          | apache            | Highest    |
| Vendor | jar      | package name          | pdfbox            | Highest    |
| Vendor | Manifest | automatic-module-name | org.apache.pdfbox | Medium     |
| Vendor | Manifest | build-jdk-spec        | 1.8               | Low        |

|         |          |                        |                                |         |
|---------|----------|------------------------|--------------------------------|---------|
| Vendor  | Manifest | bundle-docurl          | https://pdfbox.apache.org      | Low     |
| Vendor  | Manifest | bundle-symbolicname    | org.apache.pdfbox              | Medium  |
| Vendor  | Manifest | Implementation-Vendor  | The Apache Software Foundation | High    |
| Vendor  | Manifest | specification-vendor   | The Apache Software Foundation | Low     |
| Vendor  | pom      | artifactid             | pdfbox                         | Low     |
| Vendor  | pom      | groupid                | org.apache.pdfbox              | Highest |
| Vendor  | pom      | name                   | Apache PDFBox                  | High    |
| Vendor  | pom      | parent-artifactid      | pdfbox-parent                  | Low     |
| Product | file     | name                   | pdfbox                         | High    |
| Product | jar      | package name           | apache                         | Highest |
| Product | jar      | package name           | pdfbox                         | Highest |
| Product | Manifest | automatic-module-name  | org.apache.pdfbox              | Medium  |
| Product | Manifest | build-jdk-spec         | 1.8                            | Low     |
| Product | Manifest | bundle-docurl          | https://pdfbox.apache.org      | Low     |
| Product | Manifest | Bundle-Name            | Apache PDFBox                  | Medium  |
| Product | Manifest | bundle-symbolicname    | org.apache.pdfbox              | Medium  |
| Product | Manifest | Implementation-Title   | Apache PDFBox                  | High    |
| Product | Manifest | specification-title    | Apache PDFBox                  | Medium  |
| Product | pom      | artifactid             | pdfbox                         | Highest |
| Product | pom      | groupid                | org.apache.pdfbox              | Highest |
| Product | pom      | name                   | Apache PDFBox                  | High    |
| Product | pom      | parent-artifactid      | pdfbox-parent                  | Medium  |
| Version | Manifest | Bundle-Version         | 3.0.2                          | High    |
| Version | Manifest | Implementation-Version | 3.0.2                          | High    |
| Version | pom      | version                | 3.0.2                          | Highest |

## Related Dependencies



- ocr.tesseract.zip: pdfbox-debugger.jar
  - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/standalone/build/tmp/dependencies/i-net PDFC/plugins/ocr.tesseract.zip/pdfbox-debugger.jar
  - MD5: 6fcc3b30839dc242405127293f79ad00
  - SHA1: b6d60e293f2f2e05dce7bae534c96acc5754fac6
  - SHA256: bb07d0c5d2daf7ec84e9b13803854fe413448000874c45ce7a07b1a0a562f0c3

- [pkg:maven/org.apache.pdfbox/pdfbox-debugger@3.0.2](#)

#### Identifiers

- [pkg:maven/org.apache.pdfbox/pdfbox@3.0.2](#) (*Confidence:High*)
- [cpe:2.3:a:apache:pdfbox:3.0.2:\\*:\\*:\\*:\\*:\\*](#) (*Confidence:Highest*) suppress

## ocr.tesseract.zip: tess4j.jar

### Description:

# Tess4J

## Description:

A Java JNA wrapper for Tesseract OCR API.

Tess4J is released and distributed under the Apache License, v2.0.

## Features:

The library provides optical character recognition (OCR) support for:

TIFF, JPEG, GIF, PNG, and BMP image formats

Multi-page TIFF images

PDF document format

### License:

Apache License 2.0: <http://www.apache.org/licenses/LICENSE-2.0.txt>

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/standalone/build/tmp/dependencies/i-net PDFC/plugins/ocr.tesseract.zip/tess4j.jar

**MD5:** f6a0f08fbc08771303e5cb8dffbc949a

**SHA1:** 851d6f93d97a155d8831736ad1031a539946014e

**SHA256:** e65bcc6328ab575684038d45e1891fa48e0d8255097a628baee0d8cfef5ea816

**Referenced In Project/Scope:** standalone

### Evidence



| Type   | Source   | Name           | Value       | Confidence |
|--------|----------|----------------|-------------|------------|
| Vendor | file     | name           | tess4j      | High       |
| Vendor | jar      | package name   | net         | Highest    |
| Vendor | jar      | package name   | recognition | Highest    |
| Vendor | jar      | package name   | sourceforge | Highest    |
| Vendor | jar      | package name   | tess4j      | Highest    |
| Vendor | jar      | package name   | tesseract   | Highest    |
| Vendor | Manifest | build-jdk-spec | 1.8         | Low        |

|         |          |                       |                               |         |
|---------|----------|-----------------------|-------------------------------|---------|
| Vendor  | Manifest | implementation-url    | http://tess4j.sourceforge.net | Low     |
| Vendor  | Manifest | Implementation-Vendor | Tess4J                        | High    |
| Vendor  | Manifest | specification-vendor  | Tess4J                        | Low     |
| Vendor  | pom      | artifactid            | tess4j                        | Low     |
| Vendor  | pom      | developer email       | nguyenq@users.sf.net          | Low     |
| Vendor  | pom      | developer email       | osoriojaques@gmail.com        | Low     |
| Vendor  | pom      | developer name        | O.J. Sousa Rodrigues          | Medium  |
| Vendor  | pom      | developer name        | Quan Nguyen                   | Medium  |
| Vendor  | pom      | groupid               | net.sourceforge.tess4j        | Highest |
| Vendor  | pom      | name                  | Tess4J - Tesseract for Java   | High    |
| Vendor  | pom      | organization name     | Tess4J                        | High    |
| Vendor  | pom      | organization url      | http://tess4j.sourceforge.net | Medium  |
| Vendor  | pom      | url                   | http://tess4j.sourceforge.net | Highest |
| Product | file     | name                  | tess4j                        | High    |
| Product | jar      | package name          | net                           | Highest |
| Product | jar      | package name          | recognition                   | Highest |
| Product | jar      | package name          | sourceforge                   | Highest |
| Product | jar      | package name          | tess4j                        | Highest |
| Product | jar      | package name          | tesseract                     | Highest |
| Product | Manifest | build-jdk-spec        | 1.8                           | Low     |
| Product | Manifest | Implementation-Title  | Tess4J - Tesseract for Java   | High    |
| Product | Manifest | implementation-url    | http://tess4j.sourceforge.net | Low     |
| Product | Manifest | specification-title   | Tess4J - Tesseract for Java   | Medium  |
| Product | pom      | artifactid            | tess4j                        | Highest |
| Product | pom      | developer email       | nguyenq@users.sf.net          | Low     |
| Product | pom      | developer email       | osoriojaques@gmail.com        | Low     |
| Product | pom      | developer name        | O.J. Sousa Rodrigues          | Low     |
| Product | pom      | developer name        | Quan Nguyen                   | Low     |
| Product | pom      | groupid               | net.sourceforge.tess4j        | Highest |
| Product | pom      | name                  | Tess4J - Tesseract for Java   | High    |
| Product | pom      | organization name     | Tess4J                        | Low     |
|         |          |                       |                               |         |

|         |          |                        |                               |         |
|---------|----------|------------------------|-------------------------------|---------|
| Product | pom      | organization url       | http://tess4j.sourceforge.net | Low     |
| Product | pom      | url                    | http://tess4j.sourceforge.net | Medium  |
| Version | Manifest | Implementation-Version | 5.12.0                        | High    |
| Version | pom      | version                | 5.12.0                        | Highest |

#### Identifiers

- [pkg:maven/net.sourceforge.tess4j/tess4j@5.12.0](#) (*Confidence:High*)
- [cpe:2.3:a:tesseract\\_project:tesseract:5.12.0:\\*:\\*:\\*:\\*:\\*](#) (*Confidence:Low*) suppress

### ocr.tesseract.zip: tess4j.jar: libtesseract541.dll

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/standalone/build/tmp/dependencies/i-net PDFC/plugins/ocr.tesseract.zip/tess4j.jar/win32-x86-64/libtesseract541.dll

**MD5:** 1246c1e50200dc43722e926e28fc7c03

**SHA1:** d8a78040e9c7c71ccaeb627b73c41c66a18b5157

**SHA256:** 8180efb176e09b7218144fe69d84c0cf6b6187e20d8529f1138bd77396d6f4fa

**Referenced In Project/Scope:** standalone

#### Evidence +

| Type    | Source | Name    | Value           | Confidence |
|---------|--------|---------|-----------------|------------|
| Vendor  | file   | name    | libtesseract541 | High       |
| Product | file   | name    | libtesseract541 | High       |
| Version | file   | name    | libtesseract541 | Medium     |
| Version | file   | version | 541             | Medium     |

#### Identifiers

- None

### ocr.tesseract.zip: tess4j.jar: libtesseract541.dll

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/standalone/build/tmp/dependencies/i-net PDFC/plugins/ocr.tesseract.zip/tess4j.jar/win32-x86/libtesseract541.dll

**MD5:** cbf57c8eb12e95512e67638f344ae537

**SHA1:** 5531d539121fd0aa57d11febd2e8b2a5c13fca05  
**SHA256:**d4d1843d9efeeec1ca53c4ebe6d39e22e5bf17f5bee8b9eedb3bcef7c3c8c84d  
**Referenced In Project/Scope:** standalone

Evidence

| Type    | Source | Name    | Value           | Confidence |
|---------|--------|---------|-----------------|------------|
| Vendor  | file   | name    | libtesseract541 | High       |
| Product | file   | name    | libtesseract541 | High       |
| Version | file   | name    | libtesseract541 | Medium     |
| Version | file   | version | 541             | Medium     |

Identifiers

- None

opentest4j-1.3.0.jar

License:

The Apache License, Version 2.0

**File Path:** /home/jenkins/.gradle/caches/modules-2/files-2.1/org.opentest4j/opentest4j/1.3.0/152ea56b3a72f655d4fd677fc0ef2596c3dd5e6e/opentest4j-1.3.0.jar

**MD5:** 03c404f727531f3fd3b4c73997899327

**SHA1:** 152ea56b3a72f655d4fd677fc0ef2596c3dd5e6e

**SHA256:**48e2df636cab6563ced64dcdf8abb2355627cb236ef0bf37598682ddf742f1b

**Referenced In Project/Scope:** standalone:inetPlugin

Included by:

- pkg:maven/org.junit.jupiter/junit-jupiter@5.10.3
- pkg:maven/org.junit.platform/junit-platform-suite@1.10.3

Evidence

| Type   | Source   | Name           | Value                                  | Confidence |
|--------|----------|----------------|--|------------|
| Vendor | file     | name           | opentest4j                             | High       |
| Vendor | gradle   | artifactid     | opentest4j                             | Highest    |
| Vendor | gradle   | groupid        | org.opentest4j                         | Highest    |
| Vendor | jar      | package name   | opentest4j                             | Highest    |
| Vendor | jar      | package name   | opentest4j                             | Low        |
| Vendor | Manifest | build-date     | 2023-07-06                             | Low        |
| Vendor | Manifest | build-revision | 214973bfa4e7e9be7d04e623202cc4147c7036 | Low        |

|         |          |                        |  |         |
|---------|----------|------------------------|--|---------|
| Vendor  | Manifest | build-time             | 14:25:06.116+0200                      | Low     |
| Vendor  | Manifest | bundle-symbolicname    | org.opentest4j                         | Medium  |
| Vendor  | Manifest | Implementation-Vendor  | opentest4j.org                         | High    |
| Vendor  | Manifest | specification-vendor   | opentest4j.org                         | Low     |
| Product | file     | name                   | opentest4j                             | High    |
| Product | gradle   | artifactid             | opentest4j                             | Highest |
| Product | jar      | package name           | opentest4j                             | Highest |
| Product | Manifest | build-date             | 2023-07-06                             | Low     |
| Product | Manifest | build-revision         | 214973bfa4e7e9be7d04e623202cc4147c7036 | Low     |
| Product | Manifest | build-time             | 14:25:06.116+0200                      | Low     |
| Product | Manifest | Bundle-Name            | opentest4j                             | Medium  |
| Product | Manifest | bundle-symbolicname    | org.opentest4j                         | Medium  |
| Product | Manifest | Implementation-Title   | opentest4j                             | High    |
| Product | Manifest | specification-title    | opentest4j                             | Medium  |
| Version | file     | version                | 1.3.0                                  | High    |
| Version | Manifest | Implementation-Version | 1.3.0                                  | High    |

#### Identifiers

- [pkg:maven/org.opentest4j/opentest4j@1.3.0](https://pkg:maven/org.opentest4j/opentest4j@1.3.0) (*Confidence*:Highest)

### parser.docx.zip: DocxParser.jar

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/standalone/build/tmp/dependencies/i-net PDFC/plugins/parser.docx.zip/DocxParser.jar

**MD5:** 0fddcca9694086cac89f412b1a17c533

**SHA1:** e449ad31bb0af7288e83ab69acff803932dcd918

**SHA256:** 63afe41c6c5d28e8b42d1315805a654bfda08cc7017c3108689dcea9e227c1f6

**Referenced In Project/Scope:** standalone

#### Evidence

| Type   | Source | Name | Value      | Confidence |
|--------|--------|------|------------|------------|
| Vendor | file   | name | DocxParser | High       |



|         |          |  |                                      |        |
|---------|----------|--|--------------------------------------|--------|
| Vendor  | jar      | package name                           | docx                                 | Low    |
| Vendor  | jar      | package name                           | inet                                 | Low    |
| Vendor  | Manifest | application-library-allowable-codebase | *                                    | Low    |
| Vendor  | Manifest | built-date                             | 2025-01-18 12:53                     | Low    |
| Vendor  | Manifest | codebase                               | *                                    | Low    |
| Vendor  | Manifest | implementation-group                   | shared                               | Low    |
| Vendor  | Manifest | Implementation-Vendor                  | i-net software                       | High   |
| Vendor  | Manifest | Implementation-Vendor-Id               | de.inetsoftware                      | Medium |
| Vendor  | Manifest | permissions                            | all-permissions                      | Low    |
| Vendor  | Manifest | specification-vendor                   | i-net software                       | Low    |
| Vendor  | Manifest | trusted-library                        | false                                | Low    |
| Vendor  | Manifest | trusted-only                           | false                                | Low    |
| Vendor  | Manifest | vendor                                 | i-net software GmbH, Berlin, Germany | Medium |
| Product | file     | name                                   | DocxParser                           | High   |
| Product | jar      | package name                           | docx                                 | Low    |
| Product | Manifest | application-library-allowable-codebase | *                                    | Low    |
| Product | Manifest | built-date                             | 2025-01-18 12:53                     | Low    |
| Product | Manifest | codebase                               | *                                    | Low    |
| Product | Manifest | implementation-group                   | shared                               | Low    |
| Product | Manifest | Implementation-Title                   | DocxParser                           | High   |
| Product | Manifest | permissions                            | all-permissions                      | Low    |
| Product | Manifest | specification-title                    | DocxParser                           | Medium |
| Product | Manifest | trusted-library                        | false                                | Low    |
| Product | Manifest | trusted-only                           | false                                | Low    |
| Version | Manifest | Implementation-Version                 | 24.10.284                            | High   |

## Identifiers

- None

## parser.docx.zip: EmfParser.jar

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/standalone/build/tmp/dependencies/i-net PDFC/plugins/parser.docx.zip/EmfParser.jar

**MD5:** 04afdd6cc5083ecf437e3aebdb57c9cf

**SHA1:** 3efc0f8521dcdc9bdd009c49718c1a4ced57c119

**SHA256:** b7ad56e915feede9e776fb98086ce77b504f33e2d16f06c1a1b6416499885f41

**Referenced In Project/Scope:** standalone

### Evidence



| Type    | Source   | Name                                   | Value                                | Confidence |
|---------|----------|--|--------------------------------------|------------|
| Vendor  | file     | name                                   | EmfParser                            | High       |
| Vendor  | jar      | package name                           | emf                                  | Low        |
| Vendor  | jar      | package name                           | inet                                 | Low        |
| Vendor  | jar      | package name                           | records                              | Low        |
| Vendor  | Manifest | application-library-allowable-codebase | *                                    | Low        |
| Vendor  | Manifest | built-date                             | 2025-01-18 12:52                     | Low        |
| Vendor  | Manifest | codebase                               | *                                    | Low        |
| Vendor  | Manifest | implementation-group                   | shared                               | Low        |
| Vendor  | Manifest | Implementation-Vendor                  | i-net software                       | High       |
| Vendor  | Manifest | Implementation-Vendor-Id               | de.inetsoftware                      | Medium     |
| Vendor  | Manifest | permissions                            | all-permissions                      | Low        |
| Vendor  | Manifest | specification-vendor                   | i-net software                       | Low        |
| Vendor  | Manifest | trusted-library                        | false                                | Low        |
| Vendor  | Manifest | trusted-only                           | false                                | Low        |
| Vendor  | Manifest | vendor                                 | i-net software GmbH, Berlin, Germany | Medium     |
| Product | file     | name                                   | EmfParser                            | High       |
| Product | jar      | package name                           | emf                                  | Low        |
| Product | jar      | package name                           | records                              | Low        |
| Product | Manifest | application-library-allowable-codebase | *                                    | Low        |

|         |          |                        |                  |        |
|---------|----------|------------------------|------------------|--------|
| Product | Manifest | built-date             | 2025-01-18 12:52 | Low    |
| Product | Manifest | codebase               | *                | Low    |
| Product | Manifest | implementation-group   | shared           | Low    |
| Product | Manifest | Implementation-Title   | EmfParser        | High   |
| Product | Manifest | permissions            | all-permissions  | Low    |
| Product | Manifest | specification-title    | EmfParser        | Medium |
| Product | Manifest | trusted-library        | false            | Low    |
| Product | Manifest | trusted-only           | false            | Low    |
| Version | Manifest | Implementation-Version | 24.10.284        | High   |

#### Identifiers

- None

## parser.docx.zip: SparseBitSet.jar

### Description:

An efficient sparse bitset implementation for Java

### License:

The Apache Software License, Version 2.0: <http://www.apache.org/licenses/LICENSE-2.0.txt>

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/standalone/build/tmp/dependencies/i-net PDFC/plugins/parser.docx.zip/SparseBitSet.jar

**MD5:** fbe27bb4c05e8719b7ff5aa71a57364

**SHA1:** 533eac055afe3d5f614ea95e333afd6c2bde8f26

**SHA256:** f76b85adb0c00721ae267b7cfde4da7f71d3121cc2160c9fc00c0c89f8c53c8a

**Referenced In Project/Scope:** standalone

#### Evidence



| Type   | Source   | Name                  | Value                   | Confidence |
|--------|----------|-----------------------|-------------------------|------------|
| Vendor | file     | name                  | SparseBitSet            | High       |
| Vendor | jar      | package name          | sparsebitset            | Highest    |
| Vendor | jar      | package name          | zaxxer                  | Highest    |
| Vendor | Manifest | automatic-module-name | com.zaxxer.sparsebitset | Medium     |
| Vendor | Manifest | build-jdk-spec        | 11                      | Low        |

|         |          |                       |                              |         |
|---------|----------|-----------------------|------------------------------|---------|
| Vendor  | pom      | artifactid            | SparseBitSet                 | Low     |
| Vendor  | pom      | developer email       | brett.wooldridge@gmail.com   | Low     |
| Vendor  | pom      | developer name        | Brett Wooldridge             | Medium  |
| Vendor  | pom      | groupid               | com.zaxxer                   | Highest |
| Vendor  | pom      | name                  | SparseBitSet                 | High    |
| Vendor  | pom      | organization name     | Zaxxer.com                   | High    |
| Vendor  | pom      | organization url      | brettwooldridge/SparseBitSet | Medium  |
| Vendor  | pom      | url                   | brettwooldridge/SparseBitSet | Highest |
| Product | file     | name                  | SparseBitSet                 | High    |
| Product | jar      | package name          | sparsebitset                 | Highest |
| Product | jar      | package name          | zaxxer                       | Highest |
| Product | Manifest | automatic-module-name | com.zaxxer.sparsebitset      | Medium  |
| Product | Manifest | build-jdk-spec        | 11                           | Low     |
| Product | pom      | artifactid            | SparseBitSet                 | Highest |
| Product | pom      | developer email       | brett.wooldridge@gmail.com   | Low     |
| Product | pom      | developer name        | Brett Wooldridge             | Low     |
| Product | pom      | groupid               | com.zaxxer                   | Highest |
| Product | pom      | name                  | SparseBitSet                 | High    |
| Product | pom      | organization name     | Zaxxer.com                   | Low     |
| Product | pom      | url                   | brettwooldridge/SparseBitSet | High    |
| Version | pom      | version               | 1.3                          | Highest |

#### Identifiers

- [pkg:maven/com.zaxxer/SparseBitSet@1.3](#) (*Confidence:High*)
- [cpe:2.3:a:bit\\_project:bit:1.3:\\*:\\*:\\*:\\*:\\*](#) (*Confidence:Low*) suppress

## parser.docx.zip: commons-codec.jar

### Description:

The Apache Commons Codec component contains encoders and decoders for various formats such as Base16, Base32, Base64, digest, and Hexadecimal. In addition to these

widely used encoders and decoders, the codec package also maintains a collection of phonetic encoding utilities.

**License:**

<https://www.apache.org/licenses/LICENSE-2.0.txt>

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/standalone/build/tmp/dependencies/i-net PDFC/plugins/parser.docx.zip/commons-codec.jar

**MD5:** 7b3438ab4c6d91e0066d410947e43f3e

**SHA1:** 973638b7149d333563584137ebf13a691bb60579

**SHA256:** f9f6cb103f2ddc3c99a9d80ada2ae7bf0685111fd6bffccb72033d1da4e6ff23

**Referenced In Project/Scope:** standalone

**Evidence**



| Type   | Source   | Name                  | Value   | Confidence |
|--------|----------|-----------------------|---|------------|
| Vendor | file     | name                  | commons-codec   | High       |
| Vendor | jar      | package name          | apache  | Highest    |
| Vendor | jar      | package name          | codec   | Highest    |
| Vendor | jar      | package name          | commons   | Highest    |
| Vendor | jar      | package name          | digest  | Highest    |
| Vendor | Manifest | automatic-module-name | org.apache.commons.codec  | Medium     |
| Vendor | Manifest | build-jdk-spec        | 17  | Low        |
| Vendor | Manifest | bundle-docurl         | <a href="https://commons.apache.org/proper/commons-codec/">https://commons.apache.org/proper/commons-codec/</a> | Low        |
| Vendor | Manifest | bundle-symbolicname   | org.apache.commons.commons-codec  | Medium     |
| Vendor | Manifest | Implementation-Vendor | The Apache Software Foundation  | High       |
| Vendor | Manifest | multi-release         | true  | Low        |
| Vendor | Manifest | specification-vendor  | The Apache Software Foundation  | Low        |
| Vendor | pom      | artifactid            | commons-codec   | Low        |
| Vendor | pom      | developer email       | bayard@apache.org   | Low        |
| Vendor | pom      | developer email       | chtompki@apache.org   | Low        |
| Vendor | pom      | developer email       | dgraham@apache.org  | Low        |
| Vendor | pom      | developer email       | dlr@finemaltcoding.com  | Low        |
| Vendor | pom      | developer email       | ggregory at apache.org  | Low        |
| Vendor | pom      | developer email       | jon@collab.net  | Low        |
| Vendor | pom      | developer email       | julius@apache.org   | Low        |
| Vendor | pom      | developer email       | mattsicker@apache.org   | Low        |
| Vendor | pom      | developer email       | rwaldhoff@apache.org  | Low        |

|        |     |                   |   |         |
|--------|-----|-------------------|---|---------|
| Vendor | pom | developer email   | sanders@totalsync.com   | Low     |
| Vendor | pom | developer email   | tn@apache.org   | Low     |
| Vendor | pom | developer email   | tobrien@apache.org  | Low     |
| Vendor | pom | developer id      | bayard  | Medium  |
| Vendor | pom | developer id      | chtompki  | Medium  |
| Vendor | pom | developer id      | dgraham   | Medium  |
| Vendor | pom | developer id      | dlr   | Medium  |
| Vendor | pom | developer id      | ggregory  | Medium  |
| Vendor | pom | developer id      | jon   | Medium  |
| Vendor | pom | developer id      | julius  | Medium  |
| Vendor | pom | developer id      | mattsicker  | Medium  |
| Vendor | pom | developer id      | rwaldhoff   | Medium  |
| Vendor | pom | developer id      | sanders   | Medium  |
| Vendor | pom | developer id      | tn  | Medium  |
| Vendor | pom | developer id      | tobrien   | Medium  |
| Vendor | pom | developer name    | Daniel Rall   | Medium  |
| Vendor | pom | developer name    | David Graham  | Medium  |
| Vendor | pom | developer name    | Gary Gregory  | Medium  |
| Vendor | pom | developer name    | Henri Yandell   | Medium  |
| Vendor | pom | developer name    | Jon S. Stevens  | Medium  |
| Vendor | pom | developer name    | Julius Davies   | Medium  |
| Vendor | pom | developer name    | Matt Sicker   | Medium  |
| Vendor | pom | developer name    | Rob Tompkins  | Medium  |
| Vendor | pom | developer name    | Rodney Waldhoff   | Medium  |
| Vendor | pom | developer name    | Scott Sanders   | Medium  |
| Vendor | pom | developer name    | Thomas Neidhart   | Medium  |
| Vendor | pom | developer name    | Tim OBrien  | Medium  |
| Vendor | pom | developer org     | The Apache Software Foundation                                | Medium  |
| Vendor | pom | developer org URL | <a href="http://juliusdavies.ca/">http://juliusdavies.ca/</a> | Medium  |
| Vendor | pom | developer org URL | <a href="https://www.apache.org/">https://www.apache.org/</a> | Medium  |
| Vendor | pom | groupid           | commons-codec   | Highest |
| Vendor | pom | name              | Apache Commons Codec  | High    |
| Vendor | pom | parent-artifactid | commons-parent  | Low     |
| Vendor | pom | parent-groupid    | org.apache.commons  | Medium  |
|        |     |                   |   |         |

|         |          |                       |   |         |
|---------|----------|-----------------------|---|---------|
| Vendor  | pom      | url                   | <a href="https://commons.apache.org/proper/commons-codec/">https://commons.apache.org/proper/commons-codec/</a> | Highest |
| Product | file     | name                  | commons-codec   | High    |
| Product | jar      | package name          | apache  | Highest |
| Product | jar      | package name          | codec   | Highest |
| Product | jar      | package name          | commons   | Highest |
| Product | jar      | package name          | digest  | Highest |
| Product | Manifest | automatic-module-name | org.apache.commons.codec  | Medium  |
| Product | Manifest | build-jdk-spec        | 17  | Low     |
| Product | Manifest | bundle-docurl         | <a href="https://commons.apache.org/proper/commons-codec/">https://commons.apache.org/proper/commons-codec/</a> | Low     |
| Product | Manifest | Bundle-Name           | Apache Commons Codec  | Medium  |
| Product | Manifest | bundle-symbolicname   | org.apache.commons.commons-codec  | Medium  |
| Product | Manifest | Implementation-Title  | Apache Commons Codec  | High    |
| Product | Manifest | multi-release         | true  | Low     |
| Product | Manifest | specification-title   | Apache Commons Codec  | Medium  |
| Product | pom      | artifactid            | commons-codec   | Highest |
| Product | pom      | developer email       | bayard@apache.org   | Low     |
| Product | pom      | developer email       | chtompki@apache.org   | Low     |
| Product | pom      | developer email       | dgraham@apache.org  | Low     |
| Product | pom      | developer email       | dlr@finemaltcoding.com  | Low     |
| Product | pom      | developer email       | ggregory at apache.org  | Low     |
| Product | pom      | developer email       | jon@collab.net  | Low     |
| Product | pom      | developer email       | julius@apache.org   | Low     |
| Product | pom      | developer email       | mattsicker@apache.org   | Low     |
| Product | pom      | developer email       | rwaldhoff@apache.org  | Low     |
| Product | pom      | developer email       | sanders@totalsync.com   | Low     |
| Product | pom      | developer email       | tn@apache.org   | Low     |
| Product | pom      | developer email       | tobrien@apache.org  | Low     |
| Product | pom      | developer id          | bayard  | Low     |
| Product | pom      | developer id          | chtompki  | Low     |
| Product | pom      | developer id          | dgraham   | Low     |
| Product | pom      | developer id          | dlr   | Low     |
| Product | pom      | developer id          | ggregory  | Low     |
| Product | pom      | developer id          | jon   | Low     |

|         |          |                        |   |         |
|---------|----------|------------------------|---|---------|
| Product | pom      | developer id           | julius  | Low     |
| Product | pom      | developer id           | mattsicker  | Low     |
| Product | pom      | developer id           | rwaldhoff   | Low     |
| Product | pom      | developer id           | sanders   | Low     |
| Product | pom      | developer id           | tn  | Low     |
| Product | pom      | developer id           | tobrien   | Low     |
| Product | pom      | developer name         | Daniel Rall   | Low     |
| Product | pom      | developer name         | David Graham  | Low     |
| Product | pom      | developer name         | Gary Gregory  | Low     |
| Product | pom      | developer name         | Henri Yandell   | Low     |
| Product | pom      | developer name         | Jon S. Stevens  | Low     |
| Product | pom      | developer name         | Julius Davies   | Low     |
| Product | pom      | developer name         | Matt Sicker   | Low     |
| Product | pom      | developer name         | Rob Tompkins  | Low     |
| Product | pom      | developer name         | Rodney Waldhoff   | Low     |
| Product | pom      | developer name         | Scott Sanders   | Low     |
| Product | pom      | developer name         | Thomas Neidhart   | Low     |
| Product | pom      | developer name         | Tim OBrien  | Low     |
| Product | pom      | developer org          | The Apache Software Foundation  | Low     |
| Product | pom      | developer org URL      | <a href="http://juliusdavies.ca/">http://juliusdavies.ca/</a>   | Low     |
| Product | pom      | developer org URL      | <a href="https://www.apache.org/">https://www.apache.org/</a>   | Low     |
| Product | pom      | groupid                | commons-codec   | Highest |
| Product | pom      | name                   | Apache Commons Codec  | High    |
| Product | pom      | parent-artifactid      | commons-parent  | Medium  |
| Product | pom      | parent-groupid         | org.apache.commons  | Medium  |
| Product | pom      | url                    | <a href="https://commons.apache.org/proper/commons-codec/">https://commons.apache.org/proper/commons-codec/</a> | Medium  |
| Version | Manifest | Bundle-Version         | 1.17.1  | High    |
| Version | Manifest | Implementation-Version | 1.17.1  | High    |
| Version | pom      | parent-version         | 1.17.1  | Low     |
| Version | pom      | version                | 1.17.1  | Highest |

## Identifiers



- [pkg:maven/commons-codec/commons-codec@1.17.1](https://pkg:maven/commons-codec/commons-codec@1.17.1) (Confidence:High)

## parser.docx.zip: commons-collections4.jar

### Description:

The Apache Commons Collections package contains types that extend and augment the Java Collections Framework.

### License:

<https://www.apache.org/licenses/LICENSE-2.0.txt>

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/standalone/build/tmp/dependencies/i-net PDFC/plugins/parser.docx.zip/commons-collections4.jar

**MD5:** 4a37023740719b391f10030362c86be6

**SHA1:** 62ebe7544cb7164d87e0637a2a6a2bdc981395e8

**SHA256:** 1df8b9430b5c8ed143d7815e403e33ef5371b2400aadbe9bda0883762e0846d1

**Referenced In Project/Scope:** standalone

### Evidence



| Type   | Source   | Name                     | Value   | Confidence |
|--------|----------|--------------------------|---|------------|
| Vendor | file     | name                     | commons-collections4  | High       |
| Vendor | jar      | package name             | apache  | Highest    |
| Vendor | jar      | package name             | collections4  | Highest    |
| Vendor | jar      | package name             | commons   | Highest    |
| Vendor | Manifest | automatic-module-name    | org.apache.commons.collections4   | Medium     |
| Vendor | Manifest | bundle-docurl            | <a href="https://commons.apache.org/proper/commons-collections/">https://commons.apache.org/proper/commons-collections/</a> | Low        |
| Vendor | Manifest | bundle-symbolicname      | org.apache.commons.commons-collections4   | Medium     |
| Vendor | Manifest | implementation-url       | <a href="https://commons.apache.org/proper/commons-collections/">https://commons.apache.org/proper/commons-collections/</a> | Low        |
| Vendor | Manifest | Implementation-Vendor    | The Apache Software Foundation  | High       |
| Vendor | Manifest | Implementation-Vendor-Id | org.apache.commons  | Medium     |
| Vendor | Manifest | specification-vendor     | The Apache Software Foundation  | Low        |
| Vendor | pom      | artifactid               | commons-collections4  | Low        |
| Vendor | pom      | developer id             | adriannistor  | Medium     |
| Vendor | pom      | developer id             | amamment  | Medium     |
| Vendor | pom      | developer id             | bayard  | Medium     |

|        |     |                   |   |         |
|--------|-----|-------------------|---|---------|
| Vendor | pom | developer id      | chtompki  | Medium  |
| Vendor | pom | developer id      | craigmcc  | Medium  |
| Vendor | pom | developer id      | dlaha   | Medium  |
| Vendor | pom | developer id      | geirm   | Medium  |
| Vendor | pom | developer id      | ggregory  | Medium  |
| Vendor | pom | developer id      | jcarman   | Medium  |
| Vendor | pom | developer id      | luc   | Medium  |
| Vendor | pom | developer id      | matth   | Medium  |
| Vendor | pom | developer id      | mbenson   | Medium  |
| Vendor | pom | developer id      | morgand   | Medium  |
| Vendor | pom | developer id      | rdonkin   | Medium  |
| Vendor | pom | developer id      | rwaldhoff   | Medium  |
| Vendor | pom | developer id      | scolebourne   | Medium  |
| Vendor | pom | developer id      | tn  | Medium  |
| Vendor | pom | developer name    | Adrian Nistor   | Medium  |
| Vendor | pom | developer name    | Arun M. Thomas  | Medium  |
| Vendor | pom | developer name    | Craig McClanahan  | Medium  |
| Vendor | pom | developer name    | Dipanjan Laha   | Medium  |
| Vendor | pom | developer name    | Gary Gregory  | Medium  |
| Vendor | pom | developer name    | Geir Magnusson  | Medium  |
| Vendor | pom | developer name    | Henri Yandell   | Medium  |
| Vendor | pom | developer name    | James Carman  | Medium  |
| Vendor | pom | developer name    | Luc Maisonobe   | Medium  |
| Vendor | pom | developer name    | Matt Benson   | Medium  |
| Vendor | pom | developer name    | Matthew Hawthorne   | Medium  |
| Vendor | pom | developer name    | Morgan Delagrange   | Medium  |
| Vendor | pom | developer name    | Rob Tompkins  | Medium  |
| Vendor | pom | developer name    | Robert Burrell Donkin   | Medium  |
| Vendor | pom | developer name    | Rodney Waldhoff   | Medium  |
| Vendor | pom | developer name    | Stephen Colebourne  | Medium  |
| Vendor | pom | developer name    | Thomas Neidhart   | Medium  |
| Vendor | pom | groupid           | org.apache.commons  | Highest |
| Vendor | pom | name              | Apache Commons Collections  | High    |
| Vendor | pom | parent-artifactid | commons-parent  | Low     |
| Vendor | pom | url               | <a href="https://commons.apache.org/proper/commons-collections/">https://commons.apache.org/proper/commons-collections/</a> | Highest |

|         |          |                       |   |         |
|---------|----------|-----------------------|---|---------|
| Product | file     | name                  | commons-collections4  | High    |
| Product | jar      | package name          | apache  | Highest |
| Product | jar      | package name          | collections4  | Highest |
| Product | jar      | package name          | commons   | Highest |
| Product | Manifest | automatic-module-name | org.apache.commons.collections4   | Medium  |
| Product | Manifest | bundle-docurl         | <a href="https://commons.apache.org/proper/commons-collections/">https://commons.apache.org/proper/commons-collections/</a> | Low     |
| Product | Manifest | Bundle-Name           | Apache Commons Collections  | Medium  |
| Product | Manifest | bundle-symbolicname   | org.apache.commons.commons-collections4   | Medium  |
| Product | Manifest | Implementation-Title  | Apache Commons Collections  | High    |
| Product | Manifest | implementation-url    | <a href="https://commons.apache.org/proper/commons-collections/">https://commons.apache.org/proper/commons-collections/</a> | Low     |
| Product | Manifest | specification-title   | Apache Commons Collections  | Medium  |
| Product | pom      | artifactid            | commons-collections4  | Highest |
| Product | pom      | developer id          | adriannistor  | Low     |
| Product | pom      | developer id          | amamment  | Low     |
| Product | pom      | developer id          | bayard  | Low     |
| Product | pom      | developer id          | chtompki  | Low     |
| Product | pom      | developer id          | craigmcc  | Low     |
| Product | pom      | developer id          | dlaha   | Low     |
| Product | pom      | developer id          | geirm   | Low     |
| Product | pom      | developer id          | ggregory  | Low     |
| Product | pom      | developer id          | jcarman   | Low     |
| Product | pom      | developer id          | luc   | Low     |
| Product | pom      | developer id          | matth   | Low     |
| Product | pom      | developer id          | mbenson   | Low     |
| Product | pom      | developer id          | morgand   | Low     |
| Product | pom      | developer id          | rdonkin   | Low     |
| Product | pom      | developer id          | rwaldhoff   | Low     |
| Product | pom      | developer id          | scolebourne   | Low     |
| Product | pom      | developer id          | tn  | Low     |
| Product | pom      | developer name        | Adrian Nistor   | Low     |
| Product | pom      | developer name        | Arun M. Thomas  | Low     |
| Product | pom      | developer name        | Craig McClanahan  | Low     |
| Product | pom      | developer name        | Dipanjan Laha   | Low     |

|         |          |                        |  |         |
|---------|----------|------------------------|--|---------|
| Product | pom      | developer name         | Gary Gregory   | Low     |
| Product | pom      | developer name         | Geir Magnusson   | Low     |
| Product | pom      | developer name         | Henri Yandell  | Low     |
| Product | pom      | developer name         | James Carman   | Low     |
| Product | pom      | developer name         | Luc Maisonobe  | Low     |
| Product | pom      | developer name         | Matt Benson  | Low     |
| Product | pom      | developer name         | Matthew Hawthorne                                      | Low     |
| Product | pom      | developer name         | Morgan Delagrang                                       | Low     |
| Product | pom      | developer name         | Rob Tompkins   | Low     |
| Product | pom      | developer name         | Robert Burrell Donkin                                  | Low     |
| Product | pom      | developer name         | Rodney Waldhoff  | Low     |
| Product | pom      | developer name         | Stephen Colebourne                                     | Low     |
| Product | pom      | developer name         | Thomas Neidhart  | Low     |
| Product | pom      | groupid                | org.apache.commons                                     | Highest |
| Product | pom      | name                   | Apache Commons Collections                             | High    |
| Product | pom      | parent-artifactid      | commons-parent   | Medium  |
| Product | pom      | url                    | https://commons.apache.org/proper/commons-collections/ | Medium  |
| Version | Manifest | Implementation-Version | 4.4  | High    |
| Version | pom      | parent-version         | 4.4  | Low     |
| Version | pom      | version                | 4.4  | Highest |

### Identifiers

- [pkg:maven/org.apache.commons/commons-collections4@4.4](#) (*Confidence:High*)
- [cpe:2.3:a:apache:commons\\_collections:4.4:\\*:\\*:\\*:\\*:\\*](#) (*Confidence:Highest*) suppress

## parser.docx.zip: commons-compress.jar

### Description:

Apache Commons Compress defines an API for working with compression and archive formats. These include bzip2, gzip, pack200, LZMA, XZ, Snappy, traditional Unix Compress, DEFLATE, DEFLATE64, LZ4, Brotli, Zstandard and ar, cpio, jar, tar, zip, dump, 7z, arj.

### License:

<https://www.apache.org/licenses/LICENSE-2.0.txt>

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/standalone/build/tmp/dependencies/i-net PDFC/plugins/parser.docx.zip/commons-compress.jar

**MD5:** d2c5abbd0a822c0b79cf4f03ead483ee

**SHA1:** eb1f823447af685208e684fce84783b43517960c

**SHA256:** 9168a03141d8fc7eda21a2360d83cc0412bcbb1d6204d992bd48c2573cb3c6b8

**Referenced In Project/Scope:** standalone

## Evidence



| Type   | Source   | Name                     | Value   | Confidence |
|--------|----------|--------------------------|---|------------|
| Vendor | file     | name                     | commons-compress  | High       |
| Vendor | jar      | package name             | apache  | Highest    |
| Vendor | jar      | package name             | commons   | Highest    |
| Vendor | jar      | package name             | compress  | Highest    |
| Vendor | Manifest | automatic-module-name    | org.apache.commons.compress   | Medium     |
| Vendor | Manifest | build-jdk-spec           | 17  | Low        |
| Vendor | Manifest | bundle-docurl            | <a href="https://commons.apache.org/proper/commons-compress/">https://commons.apache.org/proper/commons-compress/</a> | Low        |
| Vendor | Manifest | bundle-symbolicname      | org.apache.commons.commons-compress   | Medium     |
| Vendor | Manifest | extension-name           | org.apache.commons.compress   | Medium     |
| Vendor | Manifest | Implementation-Vendor    | The Apache Software Foundation  | High       |
| Vendor | Manifest | Implementation-Vendor-Id | org.apache  | Medium     |
| Vendor | Manifest | multi-release            | true  | Low        |
| Vendor | Manifest | originally-created-by    | Apache Maven Bundle Plugin 5.1.9  | Low        |
| Vendor | Manifest | specification-vendor     | The Apache Software Foundation  | Low        |
| Vendor | pom      | artifactid               | commons-compress  | Low        |
| Vendor | pom      | developer email          | bodewig at apache.org   | Low        |
| Vendor | pom      | developer email          | chtompki at apache.org  | Low        |
| Vendor | pom      | developer email          | damjan at apache.org  | Low        |
| Vendor | pom      | developer email          | ebourg at apache.org  | Low        |
| Vendor | pom      | developer email          | ggregory at apache.org  | Low        |
| Vendor | pom      | developer email          | grobmeier at apache.org   | Low        |
| Vendor | pom      | developer email          | julius at apache.org  | Low        |
| Vendor | pom      | developer email          | peterlee at apache.org  | Low        |

|         |          |                       |   |         |
|---------|----------|-----------------------|---|---------|
| Vendor  | pom      | developer email       | sebb at apache.org  | Low     |
| Vendor  | pom      | developer email       | tcurdt at apache.org  | Low     |
| Vendor  | pom      | developer id          | bodewig   | Medium  |
| Vendor  | pom      | developer id          | chtompki  | Medium  |
| Vendor  | pom      | developer id          | damjan  | Medium  |
| Vendor  | pom      | developer id          | ebourg  | Medium  |
| Vendor  | pom      | developer id          | ggregory  | Medium  |
| Vendor  | pom      | developer id          | grobmeier   | Medium  |
| Vendor  | pom      | developer id          | julius  | Medium  |
| Vendor  | pom      | developer id          | peterlee  | Medium  |
| Vendor  | pom      | developer id          | sebb  | Medium  |
| Vendor  | pom      | developer id          | tcurdt  | Medium  |
| Vendor  | pom      | developer name        | Christian Grobmeier   | Medium  |
| Vendor  | pom      | developer name        | Damjan Jovanovic  | Medium  |
| Vendor  | pom      | developer name        | Emmanuel Bourg  | Medium  |
| Vendor  | pom      | developer name        | Gary Gregory  | Medium  |
| Vendor  | pom      | developer name        | Julius Davies   | Medium  |
| Vendor  | pom      | developer name        | Peter Alfred Lee  | Medium  |
| Vendor  | pom      | developer name        | Rob Tompkins  | Medium  |
| Vendor  | pom      | developer name        | Sebastian Bazley  | Medium  |
| Vendor  | pom      | developer name        | Stefan Bodewig  | Medium  |
| Vendor  | pom      | developer name        | Torsten Curdt   | Medium  |
| Vendor  | pom      | developer org         | The Apache Software Foundation  | Medium  |
| Vendor  | pom      | developer org URL     | <a href="https://www.apache.org/">https://www.apache.org/</a>   | Medium  |
| Vendor  | pom      | groupid               | org.apache.commons  | Highest |
| Vendor  | pom      | name                  | Apache Commons Compress   | High    |
| Vendor  | pom      | parent-artifactid     | commons-parent  | Low     |
| Vendor  | pom      | url                   | <a href="https://commons.apache.org/proper/commons-compress/">https://commons.apache.org/proper/commons-compress/</a> | Highest |
| Product | file     | name                  | commons-compress  | High    |
| Product | jar      | package name          | 9   | Highest |
| Product | jar      | package name          | apache  | Highest |
| Product | jar      | package name          | commons   | Highest |
| Product | jar      | package name          | compress  | Highest |
| Product | Manifest | automatic-module-name | org.apache.commons.compress   | Medium  |

|         |          |                       |   |         |
|---------|----------|-----------------------|---|---------|
| Product | Manifest | build-jdk-spec        | 17  | Low     |
| Product | Manifest | bundle-docurl         | <a href="https://commons.apache.org/proper/commons-compress/">https://commons.apache.org/proper/commons-compress/</a> | Low     |
| Product | Manifest | Bundle-Name           | Apache Commons Compress   | Medium  |
| Product | Manifest | bundle-symbolicname   | org.apache.commons.commons-compress   | Medium  |
| Product | Manifest | extension-name        | org.apache.commons.compress   | Medium  |
| Product | Manifest | Implementation-Title  | Apache Commons Compress   | High    |
| Product | Manifest | multi-release         | true  | Low     |
| Product | Manifest | originally-created-by | Apache Maven Bundle Plugin 5.1.9  | Low     |
| Product | Manifest | specification-title   | Apache Commons Compress   | Medium  |
| Product | pom      | artifactid            | commons-compress  | Highest |
| Product | pom      | developer email       | bodewig at apache.org   | Low     |
| Product | pom      | developer email       | chtompki at apache.org  | Low     |
| Product | pom      | developer email       | damjan at apache.org  | Low     |
| Product | pom      | developer email       | ebourg at apache.org  | Low     |
| Product | pom      | developer email       | ggregory at apache.org  | Low     |
| Product | pom      | developer email       | grobmeier at apache.org   | Low     |
| Product | pom      | developer email       | julius at apache.org  | Low     |
| Product | pom      | developer email       | peterlee at apache.org  | Low     |
| Product | pom      | developer email       | sebb at apache.org  | Low     |
| Product | pom      | developer email       | tcurdt at apache.org  | Low     |
| Product | pom      | developer id          | bodewig   | Low     |
| Product | pom      | developer id          | chtompki  | Low     |
| Product | pom      | developer id          | damjan  | Low     |
| Product | pom      | developer id          | ebourg  | Low     |
| Product | pom      | developer id          | ggregory  | Low     |
| Product | pom      | developer id          | grobmeier   | Low     |
| Product | pom      | developer id          | julius  | Low     |
| Product | pom      | developer id          | peterlee  | Low     |
| Product | pom      | developer id          | sebb  | Low     |
| Product | pom      | developer id          | tcurdt  | Low     |
| Product | pom      | developer name        | Christian Grobmeier   | Low     |
| Product | pom      | developer name        | Damjan Jovanovic  | Low     |
| Product | pom      | developer name        | Emmanuel Bourg  | Low     |
|         |          |                       |   |         |

|         |          |                        |   |         |
|---------|----------|------------------------|---|---------|
| Product | pom      | developer name         | Gary Gregory  | Low     |
| Product | pom      | developer name         | Julius Davies   | Low     |
| Product | pom      | developer name         | Peter Alfred Lee  | Low     |
| Product | pom      | developer name         | Rob Tompkins  | Low     |
| Product | pom      | developer name         | Sebastian Bazley  | Low     |
| Product | pom      | developer name         | Stefan Bodewig  | Low     |
| Product | pom      | developer name         | Torsten Curdt   | Low     |
| Product | pom      | developer org          | The Apache Software Foundation  | Low     |
| Product | pom      | developer org URL      | <a href="https://www.apache.org/">https://www.apache.org/</a>   | Low     |
| Product | pom      | groupid                | org.apache.commons  | Highest |
| Product | pom      | name                   | Apache Commons Compress   | High    |
| Product | pom      | parent-artifactid      | commons-parent  | Medium  |
| Product | pom      | url                    | <a href="https://commons.apache.org/proper/commons-compress/">https://commons.apache.org/proper/commons-compress/</a> | Medium  |
| Version | Manifest | Bundle-Version         | 1.26.2  | High    |
| Version | Manifest | Implementation-Version | 1.26.2  | High    |
| Version | pom      | parent-version         | 1.26.2  | Low     |
| Version | pom      | version                | 1.26.2  | Highest |

### Identifiers

- [pkg:maven/org.apache.commons/commons-compress@1.26.2](#) (*Confidence:High*)
- [cpe:2.3:a:apache:commons\\_compress:1.26.2:\\*.~\\*~\\*~\\*~\\*~\\*](#) (*Confidence:Highest*)

## parser.docx.zip: commons-math3.jar

### Description:

The Apache Commons Math project is a library of lightweight, self-contained mathematics and statistics components addressing the most common practical problems not immediately available in the Java programming language or commons-lang.

### License:

<http://www.apache.org/licenses/LICENSE-2.0.txt>

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/standalone/build/tmp/dependencies/i-net PDFC/plugins/parser.docx.zip/commons-math3.jar

**MD5:** 5b730d97e4e6368069de1983937c508e



**SHA1:** e4ba98f1d4b3c80ec46392f25e094a6a2e58fcbf

**SHA256:** 1e56d7b058d28b65abd256b8458e3885b674c1d588fa43cd7d1cbb9c7ef2b308

**Referenced In Project/Scope:** standalone

## Evidence



| Type   | Source   | Name                     | Value   | Confidence |
|--------|----------|--------------------------|---|------------|
| Vendor | file     | name                     | commons-math3   | High       |
| Vendor | jar      | package name             | apache  | Highest    |
| Vendor | jar      | package name             | commons   | Highest    |
| Vendor | jar      | package name             | math3   | Highest    |
| Vendor | Manifest | bundle-docurl            | http://commons.apache.org/proper/commons-math/                  | Low        |
| Vendor | Manifest | bundle-symbolicname      | org.apache.commons.math3  | Medium     |
| Vendor | Manifest | implementation-build     | 16abfe5de688cc52fb0396e0609cb33044b15692016-03-17 13:30:43-0400 | Low        |
| Vendor | Manifest | implementation-url       | http://commons.apache.org/proper/commons-math/                  | Low        |
| Vendor | Manifest | Implementation-Vendor    | The Apache Software Foundation                                  | High       |
| Vendor | Manifest | Implementation-Vendor-Id | org.apache  | Medium     |
| Vendor | Manifest | specification-vendor     | The Apache Software Foundation                                  | Low        |
| Vendor | pom      | artifactid               | commons-math3   | Low        |
| Vendor | pom      | developer email          | achou at apache dot org   | Low        |
| Vendor | pom      | developer email          | billbarker at apache dot org                                    | Low        |
| Vendor | pom      | developer email          | brentworden at apache dot org                                   | Low        |
| Vendor | pom      | developer email          | celestine at apache dot org                                     | Low        |
| Vendor | pom      | developer email          | dimpbx at apache dot org  | Low        |
| Vendor | pom      | developer email          | erans at apache dot org   | Low        |
| Vendor | pom      | developer email          | evanward at apache dot org                                      | Low        |
| Vendor | pom      | developer email          | gregs at apache dot org   | Low        |
| Vendor | pom      | developer email          | j3322ptm at yahoo dot de  | Low        |
| Vendor | pom      | developer email          | luc at apache dot org   | Low        |
| Vendor | pom      | developer email          | mdiggory at apache dot org                                      | Low        |
| Vendor | pom      | developer email          | mikl at apache dot org  | Low        |
| Vendor | pom      | developer email          | oertl at apache dot org   | Low        |
| Vendor | pom      | developer email          | rdonkin at apache dot org                                       | Low        |
|        |          |                          |   |            |

|        |     |                 |                           |         |
|--------|-----|-----------------|---------------------------|---------|
| Vendor | pom | developer email | tn at apache dot org      | Low     |
| Vendor | pom | developer email | tobrien at apache dot org | Low     |
| Vendor | pom | developer id    | achou                     | Medium  |
| Vendor | pom | developer id    | billbarker                | Medium  |
| Vendor | pom | developer id    | brentworden               | Medium  |
| Vendor | pom | developer id    | celestin                  | Medium  |
| Vendor | pom | developer id    | dimpbx                    | Medium  |
| Vendor | pom | developer id    | erans                     | Medium  |
| Vendor | pom | developer id    | evanward                  | Medium  |
| Vendor | pom | developer id    | gregs                     | Medium  |
| Vendor | pom | developer id    | luc                       | Medium  |
| Vendor | pom | developer id    | mdiggory                  | Medium  |
| Vendor | pom | developer id    | mikl                      | Medium  |
| Vendor | pom | developer id    | oertl                     | Medium  |
| Vendor | pom | developer id    | pietsch                   | Medium  |
| Vendor | pom | developer id    | rdonkin                   | Medium  |
| Vendor | pom | developer id    | tn                        | Medium  |
| Vendor | pom | developer id    | tobrien                   | Medium  |
| Vendor | pom | developer name  | Albert Davidson Chou      | Medium  |
| Vendor | pom | developer name  | Bill Barker               | Medium  |
| Vendor | pom | developer name  | Brent Worden              | Medium  |
| Vendor | pom | developer name  | Dimitri Pourbaix          | Medium  |
| Vendor | pom | developer name  | Evan Ward                 | Medium  |
| Vendor | pom | developer name  | Gilles Sadowski           | Medium  |
| Vendor | pom | developer name  | Greg Sterijevski          | Medium  |
| Vendor | pom | developer name  | J. Pietschmann            | Medium  |
| Vendor | pom | developer name  | Luc Maisonobe             | Medium  |
| Vendor | pom | developer name  | Mark Diggory              | Medium  |
| Vendor | pom | developer name  | Mikkel Meyer Andersen     | Medium  |
| Vendor | pom | developer name  | Otmar Ertl                | Medium  |
| Vendor | pom | developer name  | Robert Burrell Donkin     | Medium  |
| Vendor | pom | developer name  | S&#233;bastien Brisard    | Medium  |
| Vendor | pom | developer name  | Thomas Neidhart           | Medium  |
| Vendor | pom | developer name  | Tim O'Brien               | Medium  |
| Vendor | pom | groupid         | org.apache.commons        | Highest |

|         |          |                      |   |         |
|---------|----------|----------------------|---|---------|
| Vendor  | pom      | name                 | Apache Commons Math   | High    |
| Vendor  | pom      | parent-artifactid    | commons-parent  | Low     |
| Vendor  | pom      | url                  | http://commons.apache.org/proper/commons-math/                      | Highest |
| Product | file     | name                 | commons-math3   | High    |
| Product | jar      | package name         | apache  | Highest |
| Product | jar      | package name         | commons   | Highest |
| Product | jar      | package name         | math3   | Highest |
| Product | Manifest | bundle-docurl        | http://commons.apache.org/proper/commons-math/                      | Low     |
| Product | Manifest | Bundle-Name          | Apache Commons Math   | Medium  |
| Product | Manifest | bundle-symbolicname  | org.apache.commons.math3  | Medium  |
| Product | Manifest | implementation-build | 16abfe5de688cc52fb0396e0609cb33044b156!<br>2016-03-17 13:30:43-0400 | Low     |
| Product | Manifest | Implementation-Title | Apache Commons Math   | High    |
| Product | Manifest | implementation-url   | http://commons.apache.org/proper/commons-math/                      | Low     |
| Product | Manifest | specification-title  | Apache Commons Math   | Medium  |
| Product | pom      | artifactid           | commons-math3   | Highest |
| Product | pom      | developer email      | achou at apache dot org   | Low     |
| Product | pom      | developer email      | billbarker at apache dot org  | Low     |
| Product | pom      | developer email      | brentworden at apache dot org                                       | Low     |
| Product | pom      | developer email      | celestine at apache dot org   | Low     |
| Product | pom      | developer email      | dimpbx at apache dot org  | Low     |
| Product | pom      | developer email      | erans at apache dot org   | Low     |
| Product | pom      | developer email      | evanward at apache dot org  | Low     |
| Product | pom      | developer email      | gregs at apache dot org   | Low     |
| Product | pom      | developer email      | j3322ptm at yahoo dot de  | Low     |
| Product | pom      | developer email      | luc at apache dot org   | Low     |
| Product | pom      | developer email      | mdiggory at apache dot org  | Low     |
| Product | pom      | developer email      | mikl at apache dot org  | Low     |
| Product | pom      | developer email      | oertl at apache dot org   | Low     |
| Product | pom      | developer email      | rdonkin at apache dot org   | Low     |
| Product | pom      | developer email      | tn at apache dot org  | Low     |
| Product | pom      | developer email      | tobrien at apache dot org   | Low     |
| Product | pom      | developer id         | achou   | Low     |

|         |     |                   |  |         |
|---------|-----|-------------------|--|---------|
| Product | pom | developer id      | billbarker                                     | Low     |
| Product | pom | developer id      | brentworden                                    | Low     |
| Product | pom | developer id      | celestin                                       | Low     |
| Product | pom | developer id      | dimpbx   | Low     |
| Product | pom | developer id      | erans  | Low     |
| Product | pom | developer id      | evanward                                       | Low     |
| Product | pom | developer id      | gregs  | Low     |
| Product | pom | developer id      | luc  | Low     |
| Product | pom | developer id      | mdiggory                                       | Low     |
| Product | pom | developer id      | mikl   | Low     |
| Product | pom | developer id      | oertl  | Low     |
| Product | pom | developer id      | pietsch  | Low     |
| Product | pom | developer id      | rdonkin  | Low     |
| Product | pom | developer id      | tn   | Low     |
| Product | pom | developer id      | tobrien  | Low     |
| Product | pom | developer name    | Albert Davidson Chou                           | Low     |
| Product | pom | developer name    | Bill Barker                                    | Low     |
| Product | pom | developer name    | Brent Worden                                   | Low     |
| Product | pom | developer name    | Dimitri Pourbaix                               | Low     |
| Product | pom | developer name    | Evan Ward                                      | Low     |
| Product | pom | developer name    | Gilles Sadowski                                | Low     |
| Product | pom | developer name    | Greg Sterijeovski                              | Low     |
| Product | pom | developer name    | J. Pietschmann                                 | Low     |
| Product | pom | developer name    | Luc Maisonobe                                  | Low     |
| Product | pom | developer name    | Mark Diggory                                   | Low     |
| Product | pom | developer name    | Mikkel Meyer Andersen                          | Low     |
| Product | pom | developer name    | Otmar Ertl                                     | Low     |
| Product | pom | developer name    | Robert Burrell Donkin                          | Low     |
| Product | pom | developer name    | S&#233;bastien Brisard                         | Low     |
| Product | pom | developer name    | Thomas Neidhart                                | Low     |
| Product | pom | developer name    | Tim O'Brien                                    | Low     |
| Product | pom | groupid           | org.apache.commons                             | Highest |
| Product | pom | name              | Apache Commons Math                            | High    |
| Product | pom | parent-artifactid | commons-parent                                 | Medium  |
| Product | pom | url               | http://commons.apache.org/proper/commons-math/ | Medium  |

|         |          |                        |       |         |
|---------|----------|------------------------|-------|---------|
| Version | Manifest | Bundle-Version         | 3.6.1 | High    |
| Version | Manifest | Implementation-Version | 3.6.1 | High    |
| Version | pom      | parent-version         | 3.6.1 | Low     |
| Version | pom      | version                | 3.6.1 | Highest |

#### Identifiers

- [pkg:maven/org.apache.commons/commons-math3@3.6.1](https://pkg:maven/org.apache.commons/commons-math3@3.6.1) (Confidence:High)

## parser.docx.zip: curvesapi.jar

### Description:

Implementation of various mathematical curves that define themselves over a set of control points. The API is written in Java. The curves supported are: Bezier, B-Spline, Cardinal Spline, Catmull-Rom Spline, Lagrange, Natural Cubic Spline, and NURBS.

### License:

BSD License: <http://opensource.org/licenses/BSD-3-Clause>

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/standalone/build/tmp/dependencies/i-net PDFC/plugins/parser.docx.zip/curvesapi.jar

**MD5:** fc3aed90346691e7c79da06bb6606beb

**SHA1:** 3d3d36568154059825089b289dcfca481fe44e2c

**SHA256:** ad95b08b8bbf9d7d17e5e00814898fa23324f32bc5b62f1a37801e6a56ce0079

**Referenced In Project/Scope:** standalone

### Evidence

| Type   | Source   | Name                  | Value                         | Confidence |
|--------|----------|-----------------------|-------------------------------|------------|
| Vendor | file     | name                  | curvesapi                     | High       |
| Vendor | Manifest | automatic-module-name | com.github.virtuald.curvesapi | Medium     |
| Vendor | pom      | artifactid            | curvesapi                     | Low        |
| Vendor | pom      | developer id          | stormdollar                   | Medium     |
| Vendor | pom      | developer id          | virtuald                      | Medium     |
| Vendor | pom      | developer name        | Dustin Spicuzza               | Medium     |
| Vendor | pom      | developer name        | stormdollar                   | Medium     |
| Vendor | pom      | groupid               | com.github.virtuald           | Highest    |
| Vendor | pom      | name                  | curvesapi                     | High       |
| Vendor | pom      | url                   | virtuald/curvesapi            | Highest    |

|         |          |                       |                               |         |
|---------|----------|-----------------------|-------------------------------|---------|
| Product | file     | name                  | curvesapi                     | High    |
| Product | Manifest | automatic-module-name | com.github.virtuald.curvesapi | Medium  |
| Product | pom      | artifactid            | curvesapi                     | Highest |
| Product | pom      | developer id          | stormdollar                   | Low     |
| Product | pom      | developer id          | virtuald                      | Low     |
| Product | pom      | developer name        | Dustin Spicuzza               | Low     |
| Product | pom      | developer name        | stormdollar                   | Low     |
| Product | pom      | groupid               | com.github.virtuald           | Highest |
| Product | pom      | name                  | curvesapi                     | High    |
| Product | pom      | url                   | virtuald/curvesapi            | High    |
| Version | pom      | version               | 1.08                          | Highest |

#### Identifiers

- [pkg:maven/com.github.virtuald/curvesapi@1.08](#) (*Confidence:High*)

## parser.docx.zip: log4j-api.jar

### Description:

The Apache Log4j API

### License:

Apache-2.0: <https://www.apache.org/licenses/LICENSE-2.0.txt>

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/standalone/build/tmp/dependencies/i-net PDFC/plugins/parser.docx.zip/log4j-api.jar

**MD5:** bee2e2dcbeeb983bdb6b71c9c3476b6a

**SHA1:** 9c15c29c526d9c6783049c0a77722693c66706e1

**SHA256:** 92ec1fd36ab3bc09de6198d2d7c0914685c0f7127ea931acc32fd2ecdd82ea89

**Referenced In Project/Scope:** standalone

### Evidence



| Type   | Source | Name         | Value     | Confidence |
|--------|--------|--------------|-----------|------------|
| Vendor | file   | name         | log4j-api | High       |
| Vendor | jar    | package name | apache    | Highest    |
| Vendor | jar    | package name | log4j     | Highest    |
| Vendor | jar    | package name | logging   | Highest    |
| Vendor | jar    | package name | org       | Highest    |

|         |          |                         |   |         |
|---------|----------|-------------------------|---|---------|
| Vendor  | Manifest | build-jdk-spec          | 17  | Low     |
| Vendor  | Manifest | bundle-activationpolicy | lazy  | Low     |
| Vendor  | Manifest | bundle-symbolicname     | org.apache.logging.log4j.api  | Medium  |
| Vendor  | Manifest | Implementation-Vendor   | The Apache Software Foundation  | High    |
| Vendor  | Manifest | multi-release           | true  | Low     |
| Vendor  | Manifest | provide-capability      | osgi.service;objectClass:List="org.apache.logging.log4j.util.PropertySource";effective:=active,osgi.serviceloader;osgi.serviceloader="org.apache.logging.log4j.util.PropertySource";register="org.apache.logging.log4j.util.EnvironmentPropertySource";osgi.serviceloader;osgi.serviceloader="org.apache.logging.log4j.util.PropertySource";register="org.apache.logging.log4j.util.SystemPropertiesPropertySource" | Low     |
| Vendor  | Manifest | specification-vendor    | The Apache Software Foundation  | Low     |
| Vendor  | pom      | artifactid              | log4j-api   | Low     |
| Vendor  | pom      | groupid                 | org.apache.logging.log4j  | Highest |
| Vendor  | pom      | name                    | Apache Log4j API  | High    |
| Vendor  | pom      | parent-artifactid       | log4j   | Low     |
| Product | file     | name                    | log4j-api   | High    |
| Product | jar      | package name            | apache  | Highest |
| Product | jar      | package name            | log4j   | Highest |
| Product | jar      | package name            | logging   | Highest |
| Product | jar      | package name            | org   | Highest |
| Product | jar      | package name            | util  | Highest |
| Product | Manifest | build-jdk-spec          | 17  | Low     |
| Product | Manifest | bundle-activationpolicy | lazy  | Low     |
| Product | Manifest | Bundle-Name             | Apache Log4j API  | Medium  |
| Product | Manifest | bundle-symbolicname     | org.apache.logging.log4j.api  | Medium  |
| Product | Manifest | Implementation-Title    | Apache Log4j API  | High    |
| Product | Manifest | multi-release           | true  | Low     |
| Product | Manifest | provide-capability      | osgi.service;objectClass:List="org.apache.logging.log4j.util.PropertySource";effective:=active,osgi.serviceloader;osgi.serviceloader="org.apache.logging.log4j.util.PropertySource";register="org.apache.logging.log4j.util.  | Low     |

|         |          |                        |  |         |
|---------|----------|------------------------|--|---------|
|         |          |                        | EnvironmentPropertySource",osgi.serviceloader;osgi.serviceloader="org.apache.logging.log4j.util.PropertySource";register:="org.apache.logging.log4j.util.SystemPropertiesPropertySource" |         |
| Product | Manifest | specification-title    | Apache Log4j API   | Medium  |
| Product | pom      | artifactid             | log4j-api  | Highest |
| Product | pom      | groupid                | org.apache.logging.log4j   | Highest |
| Product | pom      | name                   | Apache Log4j API   | High    |
| Product | pom      | parent-artifactid      | log4j  | Medium  |
| Version | Manifest | Bundle-Version         | 2.23.1   | High    |
| Version | Manifest | Implementation-Version | 2.23.1   | High    |
| Version | pom      | version                | 2.23.1   | Highest |

### Identifiers

- [pkg:maven/org.apache.logging.log4j/log4j-api@2.23.1](#) (*Confidence:High*)
- [cpe:2.3:a:apache:log4j:2.23.1:\\*:\\*:\\*:\\*:\\*](#) (*Confidence:Highest*)

suppress

### parser.docx.zip: parser.docx.jar

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/standalone/build/tmp/dependencies/i-net PDFC/plugins/parser.docx.zip/parser.docx.jar

**MD5:** bfa61fce3e24b8952e91aa8b97968db0

**SHA1:** d15351f0fe46da783748a02cd318e4f55d3c41e0

**SHA256:** a6ff8f5760f25b2f17a439f73a9f0fd1a8b164dedf16ac392aa121342f6b31e2

**Referenced In Project/Scope:** standalone

### Evidence

| Type   | Source   | Name                                   | Value            | Confidence |
|--------|----------|--|------------------|------------|
| Vendor | file     | name                                   | parser.docx      | High       |
| Vendor | jar      | package name                           | inet             | Low        |
| Vendor | jar      | package name                           | pdfc             | Low        |
| Vendor | jar      | package name                           | plugin           | Low        |
| Vendor | Manifest | application-library-allowable-codebase | *                | Low        |
| Vendor | Manifest | built-date                             | 2025-01-18 15:51 | Low        |
|        |          |  |                  |            |



|         |          |  |                                      |         |
|---------|----------|--|--------------------------------------|---------|
| Vendor  | Manifest | codebase                               | *                                    | Low     |
| Vendor  | Manifest | implementation-group                   | pdfc                                 | Low     |
| Vendor  | Manifest | Implementation-Vendor                  | i-net software                       | High    |
| Vendor  | Manifest | Implementation-Vendor-Id               | de.inetsoftware                      | Medium  |
| Vendor  | Manifest | permissions                            | all-permissions                      | Low     |
| Vendor  | Manifest | specification-vendor                   | i-net software                       | Low     |
| Vendor  | Manifest | trusted-library                        | false                                | Low     |
| Vendor  | Manifest | trusted-only                           | false                                | Low     |
| Vendor  | Manifest | vendor                                 | i-net software GmbH, Berlin, Germany | Medium  |
| Product | file     | name                                   | parser.docx                          | High    |
| Product | jar      | package name                           | docxparser                           | Low     |
| Product | jar      | package name                           | pdfc                                 | Highest |
| Product | jar      | package name                           | pdfc                                 | Low     |
| Product | jar      | package name                           | plugin                               | Low     |
| Product | Manifest | application-library-allowable-codebase | *                                    | Low     |
| Product | Manifest | built-date                             | 2025-01-18 15:51                     | Low     |
| Product | Manifest | codebase                               | *                                    | Low     |
| Product | Manifest | implementation-group                   | pdfc                                 | Low     |
| Product | Manifest | Implementation-Title                   | parser.docx                          | High    |
| Product | Manifest | permissions                            | all-permissions                      | Low     |
| Product | Manifest | specification-title                    | parser.docx                          | Medium  |
| Product | Manifest | trusted-library                        | false                                | Low     |
| Product | Manifest | trusted-only                           | false                                | Low     |
| Version | jar      | package name                           | pdfc                                 | Highest |
| Version | Manifest | Implementation-Version                 | 24.10.284                            | High    |

## Identifiers

- cpe:2.3:a:inetsoftware:pdfc:24.10.284:\*\*\*\*\*:\* (Confidence:Low) suppress

## parser.docx.zip: poi.jar

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/standalone/build/tmp/dependencies/i-net PDFC/plugins/parser.docx.zip/poi.jar

**MD5:** d4b21c2109d83abb8e93ba4bcfbdeb3a

**SHA1:** 2fb22ae74ad5aea6af1a9c64b9542f2ccf348604

**SHA256:** 1d4c81a283e127693db89e85df45119d9d312d5686d2439b5be9445c2c649155

**Referenced In Project/Scope:** standalone

### Evidence



| Type    | Source   | Name                     | Value                          | Confidence |
|---------|----------|--------------------------|--------------------------------|------------|
| Vendor  | file     | name                     | poi                            | High       |
| Vendor  | jar      | package name             | apache                         | Highest    |
| Vendor  | jar      | package name             | apache                         | Low        |
| Vendor  | jar      | package name             | poi                            | Highest    |
| Vendor  | jar      | package name             | poi                            | Low        |
| Vendor  | Manifest | automatic-module-name    | org.apache.poi.poi             | Medium     |
| Vendor  | Manifest | Implementation-Vendor    | org.apache.poi                 | High       |
| Vendor  | Manifest | Implementation-Vendor-Id | The Apache Software Foundation | Medium     |
| Vendor  | Manifest | multi-release            | true                           | Low        |
| Vendor  | Manifest | specification-vendor     | The Apache Software Foundation | Low        |
| Product | file     | name                     | poi                            | High       |
| Product | jar      | package name             | apache                         | Highest    |
| Product | jar      | package name             | poi                            | Highest    |
| Product | jar      | package name             | poi                            | Low        |
| Product | Manifest | automatic-module-name    | org.apache.poi.poi             | Medium     |
| Product | Manifest | Implementation-Title     | Apache POI                     | High       |
| Product | Manifest | multi-release            | true                           | Low        |
| Product | Manifest | specification-title      | Apache POI                     | Medium     |
| Version | Manifest | Implementation-Version   | 5.2.3                          | High       |

### Related Dependencies



- parser.docx.zip: poi-ooxml-full.jar
  - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/standalone/build/tmp/dependencies/i-net PDFC/plugins/parser.docx.zip/poi-ooxml-full.jar
  - MD5: 12cee970c8c7143c8d5ff643e1599bd8
  - SHA1: 339a05530a7076e8a86b88253a48a44e0144ce25
  - SHA256: 0484b712eb63a8872723cafb88004be60f47187baccacddaee12712a1ad2e7b5
- parser.docx.zip: poi-ooxml.jar
  - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/standalone/build/tmp/dependencies/i-net PDFC/plugins/parser.docx.zip/poi-ooxml.jar
  - MD5: 4874ead60c5e3aa7fcf29d3ad351eefa
  - SHA1: 02efd11c940adb18c03eb9ce7ad88fc40ee6a196
  - SHA256: 9b8ff6ecf562836299ce15997796e3d47fe063a5956c1c7d3f6e2a4bf6e60b79
- parser.docx.zip: poi-scratchpad.jar
  - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/standalone/build/tmp/dependencies/i-net PDFC/plugins/parser.docx.zip/poi-scratchpad.jar
  - MD5: 760ac0bcd0f4877fb57b134fc7e79fb4
  - SHA1: 2a7fce47e22b7fedb1b277347ff4fe36d6eda50d
  - SHA256: f0a98ad2a2a8c2863135357224fe8ffb2b4e7bb121d75aff59750eb671451aed

#### Identifiers

- [cpe:2.3:a:apache:poi:5.2.3:\\*:\\*:\\*:\\*:\\*](#) (Confidence: Highest) suppress

## parser.docx.zip: xmlbeans.jar

#### Description:

XmlBeans main jar

#### License:

The Apache Software License, Version 2.0: <http://www.apache.org/licenses/LICENSE-2.0.txt>

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/standalone/build/tmp/dependencies/i-net PDFC/plugins/parser.docx.zip/xmlbeans.jar

**MD5:** 48f887315aeea29588550b86aada1068

**SHA1:** e16ddf17fe181c202b097e0dcc0ee2fed91cb7da

**SHA256:** eff1746a43780845d625a3ceb137976d4665d01a71209507dc383c6f43ab288a

**Referenced In Project/Scope:** standalone

#### Evidence



| Type   | Source | Name         | Value    | Confidence |
|--------|--------|--------------|----------|------------|
| Vendor | file   | name         | xmlbeans | High       |
| Vendor | jar    | package name | apache   | Highest    |
| Vendor | jar    | package name | org      | Highest    |
| Vendor | jar    | package name | xmlbeans | Highest    |

|         |  |                           |                              |         |
|---------|--|---------------------------|------------------------------|---------|
| Vendor  | Manifest                               | multi-release             | true                         | Low     |
| Vendor  | manifest<br>org<br>/apache<br>/xmlbear | Implementation-<br>Vendor | org.apache.xmlbeans          | Medium  |
| Vendor  | pom                                    | artifactid                | xmlbeans                     | Low     |
| Vendor  | pom                                    | developer email           | user@poi.apache.org          | Low     |
| Vendor  | pom                                    | developer id              | poi                          | Medium  |
| Vendor  | pom                                    | developer name            | POI Team                     | Medium  |
| Vendor  | pom                                    | developer org             | Apache POI                   | Medium  |
| Vendor  | pom                                    | groupid                   | org.apache.xmlbeans          | Highest |
| Vendor  | pom                                    | name                      | XmlBeans                     | High    |
| Vendor  | pom                                    | organization<br>name      | XmlBeans                     | High    |
| Vendor  | pom                                    | organization url          | https://xmlbeans.apache.org/ | Medium  |
| Vendor  | pom                                    | url                       | https://xmlbeans.apache.org/ | Highest |
| Product | file                                   | name                      | xmlbeans                     | High    |
| Product | jar                                    | package name              | apache                       | Highest |
| Product | jar                                    | package name              | org                          | Highest |
| Product | jar                                    | package name              | xmlbeans                     | Highest |
| Product | Manifest                               | multi-release             | true                         | Low     |
| Product | manifest<br>org<br>/apache<br>/xmlbear | Implementation-<br>Title  | Apache XmlBeans              | Medium  |
| Product | manifest<br>org<br>/apache<br>/xmlbear | Specification-<br>Title   | Apache XmlBeans              | Medium  |
| Product | pom                                    | artifactid                | xmlbeans                     | Highest |
| Product | pom                                    | developer email           | user@poi.apache.org          | Low     |
| Product | pom                                    | developer id              | poi                          | Low     |
| Product | pom                                    | developer name            | POI Team                     | Low     |
| Product | pom                                    | developer org             | Apache POI                   | Low     |
| Product | pom                                    | groupid                   | org.apache.xmlbeans          | Highest |
| Product | pom                                    | name                      | XmlBeans                     | High    |
| Product | pom                                    | organization<br>name      | XmlBeans                     | Low     |
| Product | pom                                    | organization url          | https://xmlbeans.apache.org/ | Low     |
| Product | pom                                    | url                       | https://xmlbeans.apache.org/ | Medium  |

|         |  |                            |       |         |
|---------|--|----------------------------|-------|---------|
| Version | manifest<br>org<br>/apache<br>/xmlbear | Implementation-<br>Version | 5.2.1 | Medium  |
| Version | pom                                    | version                    | 5.2.1 | Highest |

#### Identifiers

- [pkg:maven/org.apache.xmlbeans/xmlbeans@5.2.1](#) (*Confidence:High*)
- [cpe:2.3:a:apache:xmlbeans:5.2.1:\\*:\\*:\\*:\\*:\\*](#) (*Confidence:Highest*) suppress

### parser.image.zip: parser.image.jar

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/standalone/build/tmp/dependencies/i-net PDFC/plugins/parser.image.zip/parser.image.jar  
**MD5:** e05aca4b8de8c62a0fafa7e62dd4f61e  
**SHA1:** c340aaa03e809a47587ce8237ee2d97660a95b89  
**SHA256:** 2fc97fc3b0117a944410b7ddd36217a72f97cd88fd26841af3be829fbb7973cd  
**Referenced In Project/Scope:** standalone

#### Evidence

| Type   | Source   | Name                                   | Value            | Confidence |
|--------|----------|--|------------------|------------|
| Vendor | file     | name                                   | parser.image     | High       |
| Vendor | jar      | package name                           | inet             | Low        |
| Vendor | jar      | package name                           | pdfc             | Low        |
| Vendor | jar      | package name                           | plugin           | Low        |
| Vendor | Manifest | application-library-allowable-codebase | *                | Low        |
| Vendor | Manifest | built-date                             | 2025-01-18 15:49 | Low        |
| Vendor | Manifest | codebase                               | *                | Low        |
| Vendor | Manifest | implementation-group                   | pdfc             | Low        |
| Vendor | Manifest | Implementation-Vendor                  | i-net software   | High       |
| Vendor | Manifest | Implementation-Vendor-Id               | de.inetsoftware  | Medium     |
| Vendor | Manifest | permissions                            | all-permissions  | Low        |
| Vendor | Manifest | specification-vendor                   | i-net software   | Low        |
|        |          |  |                  |            |



## Evidence



| Type    | Source   | Name                                   | Value                                | Confidence |
|---------|----------|--|--------------------------------------|------------|
| Vendor  | file     | name                                   | parser.pdf.config                    | High       |
| Vendor  | jar      | package name                           | inet                                 | Low        |
| Vendor  | jar      | package name                           | pdfc                                 | Low        |
| Vendor  | jar      | package name                           | plugin                               | Low        |
| Vendor  | Manifest | application-library-allowable-codebase | *                                    | Low        |
| Vendor  | Manifest | built-date                             | 2025-01-18 15:50                     | Low        |
| Vendor  | Manifest | codebase                               | *                                    | Low        |
| Vendor  | Manifest | implementation-group                   | pdfc                                 | Low        |
| Vendor  | Manifest | Implementation-Vendor                  | i-net software                       | High       |
| Vendor  | Manifest | Implementation-Vendor-Id               | de.inetsoftware                      | Medium     |
| Vendor  | Manifest | permissions                            | all-permissions                      | Low        |
| Vendor  | Manifest | specification-vendor                   | i-net software                       | Low        |
| Vendor  | Manifest | trusted-library                        | false                                | Low        |
| Vendor  | Manifest | trusted-only                           | false                                | Low        |
| Vendor  | Manifest | vendor                                 | i-net software GmbH, Berlin, Germany | Medium     |
| Product | file     | name                                   | parser.pdf.config                    | High       |
| Product | jar      | package name                           | pdfc                                 | Highest    |
| Product | jar      | package name                           | pdfc                                 | Low        |
| Product | jar      | package name                           | pdfparserconfig                      | Low        |
| Product | jar      | package name                           | plugin                               | Low        |
| Product | Manifest | application-library-allowable-codebase | *                                    | Low        |
| Product | Manifest | built-date                             | 2025-01-18 15:50                     | Low        |
| Product | Manifest | codebase                               | *                                    | Low        |
| Product | Manifest | implementation-group                   | pdfc                                 | Low        |
| Product | Manifest | Implementation-Title                   | parser.pdf.config                    | High       |
| Product | Manifest | permissions                            | all-permissions                      | Low        |
| Product | Manifest | specification-title                    | parser.pdf.config                    | Medium     |

|         |          |                        |           |         |
|---------|----------|------------------------|-----------|---------|
| Product | Manifest | trusted-library        | false     | Low     |
| Product | Manifest | trusted-only           | false     | Low     |
| Version | jar      | package name           | pdfc      | Highest |
| Version | Manifest | Implementation-Version | 24.10.284 | High    |

#### Identifiers

- cpe:2.3:a:inetsoftware:pdfc:24.10.284:\*:\*:\*:\*:\* (Confidence:Low) suppress

### parser.text.zip: parser.text.jar

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/standalone/build/tmp/dependencies/i-net PDFC/plugins/parser.text.zip/parser.text.jar

**MD5:** ed410336838704202d89c56a830a4ab1

**SHA1:** 9788877e47b6498b62f24e795cf0fe59a35ada76

**SHA256:** 69dca39a8082c8ff732bccd74bd70d8023312e02bee8006ddfc37cf0a01b78ad

**Referenced In Project/Scope:** standalone

#### Evidence +

| Type   | Source   | Name                                   | Value            | Confidence |
|--------|----------|--|------------------|------------|
| Vendor | file     | name                                   | parser.text      | High       |
| Vendor | jar      | package name                           | inet             | Low        |
| Vendor | jar      | package name                           | pdfc             | Low        |
| Vendor | jar      | package name                           | plugin           | Low        |
| Vendor | Manifest | application-library-allowable-codebase | *                | Low        |
| Vendor | Manifest | built-date                             | 2025-01-18 15:49 | Low        |
| Vendor | Manifest | codebase                               | *                | Low        |
| Vendor | Manifest | implementation-group                   | pdfc             | Low        |
| Vendor | Manifest | Implementation-Vendor                  | i-net software   | High       |
| Vendor | Manifest | Implementation-Vendor-Id               | de.inetsoftware  | Medium     |
| Vendor | Manifest | permissions                            | all-permissions  | Low        |
| Vendor | Manifest | specification-                         | i-net software   | Low        |



## vendor

|         |          |  |                                      |         |
|---------|----------|--|--------------------------------------|---------|
| Vendor  | Manifest | trusted-library                        | false                                | Low     |
| Vendor  | Manifest | trusted-only                           | false                                | Low     |
| Vendor  | Manifest | vendor                                 | i-net software GmbH, Berlin, Germany | Medium  |
| Product | file     | name                                   | parser.text                          | High    |
| Product | jar      | package name                           | pdfc                                 | Highest |
| Product | jar      | package name                           | pdfc                                 | Low     |
| Product | jar      | package name                           | plugin                               | Low     |
| Product | jar      | package name                           | textparser                           | Low     |
| Product | Manifest | application-library-allowable-codebase | *                                    | Low     |
| Product | Manifest | built-date                             | 2025-01-18 15:49                     | Low     |
| Product | Manifest | codebase                               | *                                    | Low     |
| Product | Manifest | implementation-group                   | pdfc                                 | Low     |
| Product | Manifest | Implementation-Title                   | parser.text                          | High    |
| Product | Manifest | permissions                            | all-permissions                      | Low     |
| Product | Manifest | specification-title                    | parser.text                          | Medium  |
| Product | Manifest | trusted-library                        | false                                | Low     |
| Product | Manifest | trusted-only                           | false                                | Low     |
| Version | jar      | package name                           | pdfc                                 | Highest |
| Version | Manifest | Implementation-Version                 | 24.10.284                            | High    |

## Identifiers

- cpe:2.3:a:inetsoftware:pdfc:24.10.284:\*:\*:\*:\*:\* (Confidence:Low) suppress

## pdfc.gui.zip: TableLayout.jar

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/standalone/build/tmp/dependencies/i-net PDFC/plugins/pdfc.gui.zip/TableLayout.jar

**MD5:** 1e432e776e18d71f12dd72b7d235a965

**SHA1:** 62ffa1cca3e71f94d0bdce85ea97ea7083fdb1b

**SHA256:** 13e73cf77a93f0c52184e5a5557d7dbba081bf54904edfdb84645b5daf7dd18

**Referenced In Project/Scope:** standalone

## Evidence



| Type    | Source | Name         | Value        | Confidence |
|---------|--------|--------------|--------------|------------|
| Vendor  | file   | name         | TableLayout  | High       |
| Vendor  | jar    | package name | clearthought | Low        |
| Vendor  | jar    | package name | info         | Low        |
| Vendor  | jar    | package name | layout       | Low        |
| Product | file   | name         | TableLayout  | High       |
| Product | jar    | package name | clearthought | Low        |
| Product | jar    | package name | layout       | Low        |

## Identifiers

- None

## pdfc.gui.zip: VividSwingAnimations.jar

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/standalone/build/tmp/dependencies/i-net PDFC/plugins/pdfc.gui.zip/VividSwingAnimations.jar

**MD5:** 3f8bfce43cee6f5bf712881bde6d3379

**SHA1:** 539fa7c887865bc82e12f359bbf259fd330bfe5e

**SHA256:** 0cdae11fed0c91c56935eec42b3b626891a80c0fcfdb25e67b6abd6460db35cd

**Referenced In Project/Scope:** standalone

## Evidence



| Type    | Source | Name         | Value                | Confidence |
|---------|--------|--------------|----------------------|------------|
| Vendor  | file   | name         | VividSwingAnimations | High       |
| Vendor  | jar    | package name | anormalmedia         | Low        |
| Vendor  | jar    | package name | de                   | Low        |
| Vendor  | jar    | package name | vividswinganimations | Low        |
| Product | file   | name         | VividSwingAnimations | High       |
| Product | jar    | package name | anormalmedia         | Low        |
| Product | jar    | package name | vividswinganimations | Low        |

## Identifiers

- None

## pdfc.gui.zip: inetswingcore.jar

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/standalone/build/tmp/dependencies/i-net PDFC/plugins/pdfc.gui.zip/inetswingcore.jar

**MD5:** 1e00bfbd03449e7ada902d886f0a8011

**SHA1:** 773ea97f94d2901ae053dfd277ec8708825de464

**SHA256:** 4052c7a61b82cc5b2402746bc3605709168c0f0ab31d1c29a5eb5e80763c54

**Referenced In Project/Scope:** standalone

### Evidence



| Type    | Source   | Name                     | Value                                | Confidence |
|---------|----------|--------------------------|--------------------------------------|------------|
| Vendor  | file     | name                     | inetswingcore                        | High       |
| Vendor  | jar      | package name             | i                                    | Highest    |
| Vendor  | jar      | package name             | inet                                 | Low        |
| Vendor  | jar      | package name             | swing                                | Low        |
| Vendor  | Manifest | built-date               | 2025-01-18 12:52                     | Low        |
| Vendor  | Manifest | implementation-group     | shared                               | Low        |
| Vendor  | Manifest | Implementation-Vendor    | i-net software                       | High       |
| Vendor  | Manifest | Implementation-Vendor-Id | de.inetsoftware                      | Medium     |
| Vendor  | Manifest | specification-vendor     | i-net software                       | Low        |
| Vendor  | Manifest | vendor                   | i-net software GmbH, Berlin, Germany | Medium     |
| Product | file     | name                     | inetswingcore                        | High       |
| Product | jar      | package name             | swing                                | Low        |
| Product | Manifest | built-date               | 2025-01-18 12:52                     | Low        |
| Product | Manifest | implementation-group     | shared                               | Low        |
| Product | Manifest | Implementation-Title     | inetswingcore                        | High       |
| Product | Manifest | specification-title      | inetswingcore                        | Medium     |
| Version | Manifest | Implementation-Version   | 24.10.284                            | High       |

### Identifiers

- None

## pdfc.gui.zip: pdfc.gui.jar

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/standalone/build/tmp/dependencies/i-net PDFC/plugins/pdfc.gui.zip/pdfc.gui.jar

**MD5:** 3d406d2bcc6020e4bee5d8c149215161

**SHA1:** 3f24faf5b5eadd0ee30545bee297241294932915

**SHA256:** 1a41f3423b81f19091576cc5aaa474cd9fbf3d5ba056088be216707bf31e648c

**Referenced In Project/Scope:** standalone

### Evidence



| Type    | Source   | Name                                   | Value                                | Confidence |
|---------|----------|--|--------------------------------------|------------|
| Vendor  | file     | name                                   | pdfc.gui                             | High       |
| Vendor  | jar      | package name                           | gui                                  | Low        |
| Vendor  | jar      | package name                           | i                                    | Highest    |
| Vendor  | jar      | package name                           | inet                                 | Low        |
| Vendor  | jar      | package name                           | pdfc                                 | Low        |
| Vendor  | Manifest | application-library-allowable-codebase | *                                    | Low        |
| Vendor  | Manifest | built-date                             | 2025-01-18 15:41                     | Low        |
| Vendor  | Manifest | codebase                               | *                                    | Low        |
| Vendor  | Manifest | implementation-group                   | pdfc                                 | Low        |
| Vendor  | Manifest | Implementation-Vendor                  | i-net software                       | High       |
| Vendor  | Manifest | Implementation-Vendor-Id               | de.inetsoftware                      | Medium     |
| Vendor  | Manifest | permissions                            | all-permissions                      | Low        |
| Vendor  | Manifest | specification-vendor                   | i-net software                       | Low        |
| Vendor  | Manifest | trusted-library                        | false                                | Low        |
| Vendor  | Manifest | trusted-only                           | false                                | Low        |
| Vendor  | Manifest | vendor                                 | i-net software GmbH, Berlin, Germany | Medium     |
| Product | file     | name                                   | pdfc.gui                             | High       |
| Product | jar      | package name                           | gui                                  | Highest    |
| Product | jar      | package name                           | gui                                  | Low        |

|         |          |  |                  |         |
|---------|----------|--|------------------|---------|
| Product | jar      | package name                           | pdfc             | Highest |
| Product | jar      | package name                           | pdfc             | Low     |
| Product | Manifest | application-library-allowable-codebase | *                | Low     |
| Product | Manifest | built-date                             | 2025-01-18 15:41 | Low     |
| Product | Manifest | codebase                               | *                | Low     |
| Product | Manifest | implementation-group                   | pdfc             | Low     |
| Product | Manifest | Implementation-Title                   | pdfc.gui         | High    |
| Product | Manifest | permissions                            | all-permissions  | Low     |
| Product | Manifest | specification-title                    | pdfc.gui         | Medium  |
| Product | Manifest | trusted-library                        | false            | Low     |
| Product | Manifest | trusted-only                           | false            | Low     |
| Version | jar      | package name                           | pdfc             | Highest |
| Version | Manifest | Implementation-Version                 | 24.10.284        | High    |

#### Identifiers

- cpe:2.3:a:inetsoftware:pdfc:24.10.284:\*\*\*\*:\* (Confidence:Low) suppress

### pdfc.standalone.zip: pdfc.standalone.jar

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/standalone/build/tmp/dependencies/i-net PDFC/plugins/pdfc.standalone.zip/pdfc.standalone.jar  
**MD5:** 46dc4059a4467efebdd2a91d2ef27466  
**SHA1:** a835ab25ee0707eebe29568cf2b2bd1c56261540  
**SHA256:** c14cdf4a5f1534eb337966ec015193440b5f7993d84029ba57b4855329f48fba  
**Referenced In Project/Scope:** standalone

#### Evidence

| Type   | Source | Name         | Value           | Confidence |
|--------|--------|--------------|-----------------|------------|
| Vendor | file   | name         | pdfc.standalone | High       |
| Vendor | jar    | package name | inet            | Low        |
| Vendor | jar    | package name | pdfc            | Low        |
| Vendor | jar    | package name | standalone      | Low        |

|         |          |  |                                      |         |
|---------|----------|--|--------------------------------------|---------|
| Vendor  | Manifest | application-library-allowable-codebase | *                                    | Low     |
| Vendor  | Manifest | built-date                             | 2025-01-18 15:57                     | Low     |
| Vendor  | Manifest | codebase                               | *                                    | Low     |
| Vendor  | Manifest | implementation-group                   | pdfc                                 | Low     |
| Vendor  | Manifest | Implementation-Vendor                  | i-net software                       | High    |
| Vendor  | Manifest | Implementation-Vendor-Id               | de.inetsoftware                      | Medium  |
| Vendor  | Manifest | permissions                            | all-permissions                      | Low     |
| Vendor  | Manifest | specification-vendor                   | i-net software                       | Low     |
| Vendor  | Manifest | trusted-library                        | false                                | Low     |
| Vendor  | Manifest | trusted-only                           | false                                | Low     |
| Vendor  | Manifest | vendor                                 | i-net software GmbH, Berlin, Germany | Medium  |
| Product | file     | name                                   | pdfc.standalone                      | High    |
| Product | jar      | package name                           | pdfc                                 | Highest |
| Product | jar      | package name                           | pdfc                                 | Low     |
| Product | jar      | package name                           | standalone                           | Highest |
| Product | jar      | package name                           | standalone                           | Low     |
| Product | Manifest | application-library-allowable-codebase | *                                    | Low     |
| Product | Manifest | built-date                             | 2025-01-18 15:57                     | Low     |
| Product | Manifest | codebase                               | *                                    | Low     |
| Product | Manifest | implementation-group                   | pdfc                                 | Low     |
| Product | Manifest | Implementation-Title                   | pdfc.standalone                      | High    |
| Product | Manifest | permissions                            | all-permissions                      | Low     |
| Product | Manifest | specification-title                    | pdfc.standalone                      | Medium  |
| Product | Manifest | trusted-library                        | false                                | Low     |
| Product | Manifest | trusted-only                           | false                                | Low     |
| Version | jar      | package name                           | pdfc                                 | Highest |
| Version | Manifest | Implementation-Version                 | 24.10.284                            | High    |

## Identifiers

- cpe:2.3:a:inetsoftware:pdfc:24.10.284.\*.\*.\*.\*.\* (Confidence:Low) suppress

```
suppress
```

**pdfc.standalone.zip: pdfc.standalone.jar: bridge.js**

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/standalone/build/tmp/dependencies/i-net PDFC/plugins/pdfc.standalone.zip/pdfc.standalone.jar/com/inet/pdfc/standalone/webgui/bridge.js

**MD5:** 2a95bf89950e8052e3af9af5bee07ef4

**SHA1:** 978da14921b3a944c07757746fe47dbfe429cc2d

**SHA256:**24a37b38b64549b3ea9ae3e04d9531e7616f57b88e4facb38ec3e22c0554ec7f

**Referenced In Project/Scope:** standalone

## Evidence

| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

## Identifiers

- None

**pdfc.standalone.zip: pdfc.standalone.jar: bridgeConfig.js**

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/standalone/build/tmp/dependencies/i-net PDFC/plugins/pdfc.standalone.zip/pdfc.standalone.jar/com/inet/pdfc/standalone/webgui/bridgeConfig.js

**MD5:** 9f43cf98bd3c8940eed51c159da2456c

**SHA1:** 5138d2170282fb335227b94e880ade9403fe4bfd

**SHA256:**52b00c40b77e05274a803ab51b780d7132ae8be52c6b762d81de25f75a7c7851

**Referenced In Project/Scope:** standalone

## Evidence

| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

## Identifiers

- None

### pdfc.standalone.zip: pdfc.standalone.jar: bridgePDFC.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/standalone/build/tmp/dependencies/i-net PDFC/plugins/pdfc.standalone.zip/pdfc.standalone.jar/com/inet/pdfc/standalone/webgui/bridgePDFC.js

**MD5:** f6f06f8c027851da10dccc5a5242e281

**SHA1:** 60b8dfd47edf47e758612f828c81f6dfc466cde9

**SHA256:** 66af0cedddcbfef9c04ac331a51285ba94d9c6afcf9e1e1f9fb9e86c241d818

**Referenced In Project/Scope:** standalone

#### Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

#### Identifiers

- None

### pdfc.standalone.zip: pdfc.standalone.jar: extraMenu.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/standalone/build/tmp/dependencies/i-net PDFC/plugins/pdfc.standalone.zip/pdfc.standalone.jar/com/inet/pdfc/standalone/webgui/extraMenu.js

**MD5:** 53f8e53d15c7b07e8788a352f7df0c36

**SHA1:** 7328e0fb96f13539ecfdd5bc9c568da9224aa0b3

**SHA256:** 7c43530722b566e3c3489a4c6a6e8ae5ca281d247588e861d34feb27193a4464

**Referenced In Project/Scope:** standalone

#### Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

#### Identifiers

- None

### pdfc.standalone.zip: pdfc.standalone.jar: removeHeader.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/standalone/build/tmp/dependencies/i-net PDFC/plugins/pdfc.standalone.zip/pdfc.standalone.jar/com/inet



/pdfc/standalone/webgui/removeHeader.js

**MD5:** a8b4230454da739eab400d2e9f2ff298

**SHA1:** 481935ac331cfa918a6ac03dc7790e12e5dbf395

**SHA256:** f009dd87443ae4d9f07430d9cf97da5a98822df85ac48b1f66a5f0c3c57bb8fd

**Referenced In Project/Scope:** standalone

#### Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

#### Identifiers

- None

### pdfc.standalone.zip: pdfc.standalone.jar: removePDFCElements.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/standalone/build/tmp/dependencies/i-net PDFC/plugins/pdfc.standalone.zip/pdfc.standalone.jar/com/inet/pdfc/standalone/webgui/removePDFCElements.js

**MD5:** fcc7442097338c14ba2cd8cdf00a1da

**SHA1:** 506821ea8b11fda1b7ad16967edf8dce0cd05c59

**SHA256:** 535372463777922ce25ad14febe7954c85ed3cc8e6d8f054c69fb3295997aa87

**Referenced In Project/Scope:** standalone

#### Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

#### Identifiers

- None

### pdfc.standalone.zip: pdfc.standalone.jar: theme.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/standalone/build/tmp/dependencies/i-net PDFC/plugins/pdfc.standalone.zip/pdfc.standalone.jar/com/inet/pdfc/standalone/webgui/theme.js

**MD5:** 708839daa5601db6c264ce69580073de

**SHA1:** 49b2200451fd765f2169bc57bb4332613603d2e9

**SHA256:** a410392d048ebef0b2abc09ceeba71a0fcedf635a742ed2cdc776f0ec6674240

**Referenced In Project/Scope:** standalone

#### Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

pdfc.standalone.zip: pdfc.standalone.jar: translation.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/standalone/build/tmp/dependencies/i-net PDFC/plugins/pdfc.standalone.zip/pdfc.standalone.jar/com/inet/pdfc/standalone/webgui/translation.js

**MD5:** 621d763124b67fb179acc33b37ba2403

**SHA1:** 9dbdda076eebdc47bc6d6ded602743bfeffb9069

**SHA256:**04921f1b7a0c7f6205807a94095f5eed2f88a0589b69a6e6a20260e1c556bf31

**Referenced In Project/Scope:** standalone

Evidence

| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

pdfc.zip: icu4j.jar (shaded: com.ibm.icu:collate:75.1)

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/standalone/build/tmp/dependencies/i-net PDFC/plugins/pdfc.zip/icu4j.jar/META-INF/maven/com.ibm.icu/collate/pom.xml

**MD5:** 6437944b574d2edc0489a2686541c342

**SHA1:** 79d3aae549c6e03f2fedc07937e5bb82f42726b6

**SHA256:**e7d86b14f180dc0d50f1ef4692d9658946a006a6cd72b0b24aeba30d622c9b53

**Referenced In Project/Scope:** standalone

Evidence

| Type   | Source | Name       | Value       | Confidence |
|--------|--------|------------|-------------|------------|
| Vendor | pom    | artifactid | collate     | Low        |
| Vendor | pom    | groupid    | com.ibm.icu | Highest    |

|         |     |                   |             |         |
|---------|-----|-------------------|-------------|---------|
| Vendor  | pom | parent-artifactid | icu4j-root  | Low     |
| Product | pom | artifactid        | collate     | Highest |
| Product | pom | groupid           | com.ibm.icu | Highest |
| Product | pom | parent-artifactid | icu4j-root  | Medium  |
| Version | pom | version           | 75.1        | Highest |

#### Identifiers

- [pkg:maven/com.ibm.icu/collate@75.1](#) (*Confidence:High*)

### pdfc.zip: icu4j.jar (shaded: com.ibm.icu:core:75.1)

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/standalone/build/tmp/dependencies/i-net PDFC/plugins/pdfc.zip/icu4j.jar/META-INF/maven/com.ibm.icu/core/pom.xml

**MD5:** a5bee0ecb2bab83ccbdcdcb09270e79d

**SHA1:** d9d9fd5376b2fb9dc5fb837412a8d071fe364737

**SHA256:** c68e7e79279ca0ffec5197d0f53e145ffc62228eaca5d7350fabadb119258c77

**Referenced In Project/Scope:** standalone

#### Evidence +

| Type    | Source | Name              | Value       | Confidence |
|---------|--------|-------------------|-------------|------------|
| Vendor  | pom    | artifactid        | core        | Low        |
| Vendor  | pom    | groupid           | com.ibm.icu | Highest    |
| Vendor  | pom    | parent-artifactid | icu4j-root  | Low        |
| Product | pom    | artifactid        | core        | Highest    |
| Product | pom    | groupid           | com.ibm.icu | Highest    |
| Product | pom    | parent-artifactid | icu4j-root  | Medium     |
| Version | pom    | version           | 75.1        | Highest    |

#### Identifiers

- [pkg:maven/com.ibm.icu/core@75.1](#) (*Confidence:High*)

### pdfc.zip: icu4j.jar (shaded: com.ibm.icu:currdata:75.1)

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/standalone/build/tmp/dependencies/i-net PDFC/plugins/pdfc.zip/icu4j.jar/META-INF/maven/com.ibm.icu/currdata/pom.xml

**MD5:** 107a122f91947a58bb4d0488fe50b6fc

**SHA1:** 060528557a1dada8bc2b8bb6decd9797ed65ef3c

**SHA256:** 552ad9a0293a7f0d597386ed684dcb8b76ba31bed4c45397150f467f7312b3aa

**Referenced In Project/Scope:** standalone

#### Evidence



| Type    | Source | Name              | Value       | Confidence |
|---------|--------|-------------------|-------------|------------|
| Vendor  | pom    | artifactid        | currdata    | Low        |
| Vendor  | pom    | groupid           | com.ibm.icu | Highest    |
| Vendor  | pom    | parent-artifactid | icu4j-root  | Low        |
| Product | pom    | artifactid        | currdata    | Highest    |
| Product | pom    | groupid           | com.ibm.icu | Highest    |
| Product | pom    | parent-artifactid | icu4j-root  | Medium     |
| Version | pom    | version           | 75.1        | Highest    |

#### Identifiers

- [pkg:maven/com.ibm.icu/currdata@75.1](#) (*Confidence:High*)

### pdfc.zip: icu4j.jar (shaded: com.ibm.icu:langdata:75.1)

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/standalone/build/tmp/dependencies/i-net PDFC/plugins/pdfc.zip/icu4j.jar/META-INF/maven/com.ibm.icu/langdata/pom.xml

**MD5:** e0de4919c10bf48bad114168d8f86b3a

**SHA1:** e0d436fb0ed6432917a9314ba67350285d5d1613

**SHA256:** 7f62c12d946136ddb1950d801bf4c6fa1e009986a48515efbc97c5d6c460fcd

**Referenced In Project/Scope:** standalone

#### Evidence



| Type    | Source | Name              | Value       | Confidence |
|---------|--------|-------------------|-------------|------------|
| Vendor  | pom    | artifactid        | langdata    | Low        |
| Vendor  | pom    | groupid           | com.ibm.icu | Highest    |
| Vendor  | pom    | parent-artifactid | icu4j-root  | Low        |
| Product | pom    | artifactid        | langdata    | Highest    |
| Product | pom    | groupid           | com.ibm.icu | Highest    |

|         |     |                   |            |         |
|---------|-----|-------------------|------------|---------|
| Product | pom | parent-artifactid | icu4j-root | Medium  |
| Version | pom | version           | 75.1       | Highest |

#### Identifiers

- [pkg:maven/com.ibm.icu/langdata@75.1](https://pkg:maven/com.ibm.icu/langdata@75.1) (*Confidence:High*)

### pdfc.zip: icu4j.jar (shaded: com.ibm.icu:regiondata:75.1)

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/standalone/build/tmp/dependencies/i-net PDFC/plugins/pdfc.zip/icu4j.jar/META-INF/maven/com.ibm.icu/regiondata/pom.xml

**MD5:** 88f562f2bde0c8a461a1bb50c71e619c

**SHA1:** 09451e1b53d7eb8b8d0dc118f96401ff5132fe46

**SHA256:** 6d7c245393582c860f4e587afd52c51ad88308c29ef19bdbf791d2856e3ed2d3

**Referenced In Project/Scope:** standalone

#### Evidence

| Type    | Source | Name              | Value       | Confidence |
|---------|--------|-------------------|-------------|------------|
| Vendor  | pom    | artifactid        | regiondata  | Low        |
| Vendor  | pom    | groupid           | com.ibm.icu | Highest    |
| Vendor  | pom    | parent-artifactid | icu4j-root  | Low        |
| Product | pom    | artifactid        | regiondata  | Highest    |
| Product | pom    | groupid           | com.ibm.icu | Highest    |
| Product | pom    | parent-artifactid | icu4j-root  | Medium     |
| Version | pom    | version           | 75.1        | Highest    |

#### Identifiers

- [pkg:maven/com.ibm.icu/regiondata@75.1](https://pkg:maven/com.ibm.icu/regiondata@75.1) (*Confidence:High*)

### pdfc.zip: icu4j.jar (shaded: com.ibm.icu:translit:75.1)

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/standalone/build/tmp/dependencies/i-net PDFC/plugins/pdfc.zip/icu4j.jar/META-INF/maven/com.ibm.icu/translit/pom.xml

**MD5:** 3e2e6c3d22c96e4d111ebe51d1c41371

**SHA1:** c60a096b43c577f37a2dc0e325f4d9f13013fe31

**SHA256:** 1bb9ff578f3f6a0470aa4dd2869cf87e1e241b3263d116ec201a3c3ef64a2ce8

**Referenced In Project/Scope:** standalone

#### Evidence



| Type    | Source | Name              | Value       | Confidence |
|---------|--------|-------------------|-------------|------------|
| Vendor  | pom    | artifactid        | translit    | Low        |
| Vendor  | pom    | groupid           | com.ibm.icu | Highest    |
| Vendor  | pom    | parent-artifactid | icu4j-root  | Low        |
| Product | pom    | artifactid        | translit    | Highest    |
| Product | pom    | groupid           | com.ibm.icu | Highest    |
| Product | pom    | parent-artifactid | icu4j-root  | Medium     |
| Version | pom    | version           | 75.1        | Highest    |

#### Identifiers

- <pkg:maven/com.ibm.icu/translit@75.1> (*Confidence:High*)

## pdfc.zip: icu4j.jar

### Description:

International Components for Unicode for Java (ICU4J) is a mature, widely used Java library providing Unicode and Globalization support

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/standalone/build/tmp/dependencies/i-net PDFC/plugins/pdfc.zip/icu4j.jar

**MD5:** 0a299714195ba447c9774f5491cdbc57

**SHA1:** e8f8dcc2967f5ec2cfae185172293adfa5599b78

**SHA256:** 543e43a91d1499e331c711a756f833d6fb8cc019f9c9913c0bdf4d53009932d5

**Referenced In Project/Scope:** standalone

#### Evidence



| Type   | Source      | Name         | Value       | Confidence |
|--------|-------------|--------------|-------------|------------|
| Vendor | file        | name         | icu4j       | High       |
| Vendor | file (hint) | name         | icu-project | High       |
| Vendor | file (hint) | name         | unicode     | High       |
| Vendor | jar         | package name | ibm         | Highest    |
|        |             |              |             |            |

|         |               |                          |   |         |
|---------|---------------|--------------------------|---|---------|
| Vendor  | jar           | package name             | icu   | Highest |
| Vendor  | Manifest      | automatic-module-name    | com.ibm.icu   | Medium  |
| Vendor  | Manifest      | build-jdk-spec           | 1.8   | Low     |
| Vendor  | Manifest      | bundle-copyright         | © 2016 and later: Unicode, Inc. and others. License & terms of use: <a href="http://www.unicode.org/copyright.html">http://www.unicode.org/copyright.html</a> | Low     |
| Vendor  | Manifest      | bundle-requiredexecution | JavaSE-1.8  | Low     |
| Vendor  | Manifest      | bundle-symbolicname      | com.ibm.icu   | Medium  |
| Vendor  | Manifest      | Implementation-Vendor    | Unicode, Inc.   | High    |
| Vendor  | Manifest      | Implementation-Vendor-Id | org.unicode   | Medium  |
| Vendor  | pom           | artifactid               | icu4j   | Low     |
| Vendor  | pom           | groupid                  | com.ibm.icu   | Highest |
| Vendor  | pom           | parent-artifactid        | icu4j-root  | Low     |
| Vendor  | pom (hint)    | artifactid               | icu-project   | Low     |
| Vendor  | pom (hint)    | artifactid               | unicode   | Low     |
| Product | file          | name                     | icu4j   | High    |
| Product | hint analyzer | product                  | international_components_for_unicode  | Highest |
| Product | jar           | package name             | ibm   | Highest |
| Product | jar           | package name             | icu   | Highest |
| Product | Manifest      | automatic-module-name    | com.ibm.icu   | Medium  |
| Product | Manifest      | build-jdk-spec           | 1.8   | Low     |
| Product | Manifest      | bundle-copyright         | © 2016 and later: Unicode, Inc. and others. License & terms of use: <a href="http://www.unicode.org/copyright.html">http://www.unicode.org/copyright.html</a> | Low     |
| Product | Manifest      | Bundle-Name              | ICU4J   | Medium  |
| Product | Manifest      | bundle-requiredexecution | JavaSE-1.8  | Low     |
| Product | Manifest      | bundle-symbolicname      | com.ibm.icu   | Medium  |
| Product | Manifest      | Implementation-Title     | International Components for Unicode for Java   | High    |
| Product | Manifest      | specification-title      | International Components for Unicode for Java   | Medium  |
| Product | pom           | artifactid               | icu4j   | Highest |
| Product | pom           | groupid                  | com.ibm.icu   | Highest |

|         |          |                        |            |         |
|---------|----------|------------------------|------------|---------|
| Product | pom      | parent-artifactid      | icu4j-root | Medium  |
| Version | Manifest | Bundle-Version         | 75.1       | High    |
| Version | Manifest | Implementation-Version | 75.1       | High    |
| Version | pom      | version                | 75.1       | Highest |

#### Identifiers

- [pkg:maven/com.ibm.icu/icu4j@75.1](#) (*Confidence: High*)
- [cpe:2.3:a:icu-project:international\\_components\\_for\\_unicode:75.1:\\*:\\*:\\*:\\*:\\*](#) (*Confidence: Low*)

## pdfc.zip: jbig2.jar

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/standalone/build/tmp/dependencies/i-net PDFC/plugins/pdfc.zip/jbig2.jar

**MD5:** ab5dd1acc5e6c85903e342dac7998ce7

**SHA1:** a3f4214b62615d4456de761ccef1136cba65a663

**SHA256:** 93e79e795182b4b6e12991046e489c2c0780e867d3e18e4e7ee20973316930d4

**Referenced In Project/Scope:** standalone

#### Evidence

| Type    | Source | Name         | Value  | Confidence |
|---------|--------|--------------|--------|------------|
| Vendor  | file   | name         | jbig2  | High       |
| Vendor  | jar    | package name | jbig2  | Low        |
| Vendor  | jar    | package name | jpedal | Low        |
| Product | file   | name         | jbig2  | High       |
| Product | jar    | package name | jbig2  | Low        |
| Version | file   | name         | jbig2  | Medium     |
| Version | file   | version      | 2      | Medium     |

#### Identifiers

- None



## pdfc.zip: pdfc-javadoc.jar

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/standalone/build/tmp/dependencies/i-net PDFC/plugins/pdfc.zip/pdfc-javadoc.jar

**MD5:** 7233a3444a4403e36de9bec6455a7515

**SHA1:** 5a1c2140b1ba9799282add5ee5535f9bc35a162e

**SHA256:** 2af84ce5be6f1881d41288f5ca30eae8bbb1ecec4380ed248eff65ccd9179ca

**Referenced In Project/Scope:** standalone

### Evidence



| Type    | Source | Name | Value        | Confidence |
|---------|--------|------|--------------|------------|
| Vendor  | file   | name | pdfc-javadoc | High       |
| Product | file   | name | pdfc-javadoc | High       |

### Identifiers

- None

## pdfc.zip: pdfc-javadoc.jar: jquery-3.6.1.min.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/standalone/build/tmp/dependencies/i-net PDFC/plugins/pdfc.zip/pdfc-javadoc.jar/script-dir/jquery-3.6.1.min.js

**MD5:** 00727d1d5d9c90f7de826f1a4a9cc632

**SHA1:** ea61688671d0c3044f2c5b2f2c4af0a6620ac6c2

**SHA256:** a3cf00c109d907e543bc4f6dbc85eb31068f94515251347e9e57509b52ee3d74

**Referenced In Project/Scope:** standalone

### Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

### Identifiers

- None

## pdfc.zip: pdfc-javadoc.jar: jquery-ui.min.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/standalone/build/tmp/dependencies/i-net PDFC/plugins/pdfc.zip/pdfc-javadoc.jar/script-dir/jquery-ui.min.js  
**MD5:** 32059df39c14a910ccc2325f6a3cd62f  
**SHA1:** d3289f1b527a3f054d303ec769402e037fbfcf4b  
**SHA256:**672f278182cdf04f3c62a5b8d93f406791854a28791f27aecdb9981573c61424  
**Referenced In Project/Scope:** standalone

#### Evidence



| Type    | Source | Name    | Value     | Confidence |
|---------|--------|---------|-----------|------------|
| Vendor  | file   | name    | jquery-ui | High       |
| Product | file   | name    | jquery-ui | High       |
| Version | file   | version | 1.13.1    | High       |

#### Identifiers

- [pkg:javascript/jquery-ui@1.13.1](#) (*Confidence: Highest*)

### pdfc.zip: pdfc-javadoc.jar: member-search-index.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/standalone/build/tmp/dependencies/i-net PDFC/plugins/pdfc.zip/pdfc-javadoc.jar/member-search-index.js  
**MD5:** 63f276681e362c4576ec13404afbc312  
**SHA1:** b2922a157a3baec5af37460d9317838604a659c7  
**SHA256:**b4dcddfcf722af5e16a719efe8f87c64b53cb85a247839c459918b06d2debbb2  
**Referenced In Project/Scope:** standalone

#### Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

#### Identifiers

- None

### pdfc.zip: pdfc-javadoc.jar: module-search-index.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/standalone/build/tmp/dependencies/i-net PDFC/plugins/pdfc.zip/pdfc-javadoc.jar/module-search-index.js  
**MD5:** a33da0f469acbd03f77bf407bac505f5

**SHA1:** 1e996ce630c6e1ada3ea86d7b71dabca0180f8e8  
**SHA256:** 814a05983e3267d591c7e62b314eb8eb0504eee844c8a70d494f6edbaa0f4f18  
**Referenced In Project/Scope:** standalone

#### Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

#### Identifiers

- None

### pdfc.zip: pdfc-javadoc.jar: package-search-index.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/standalone/build/tmp/dependencies/i-net PDFC/plugins/pdfc.zip/pdfc-javadoc.jar/package-search-index.js  
**MD5:** 704b175752fd9646f0b53f0630993ec3  
**SHA1:** ab8c6e78cec3f37d42bae22d017bbb92b736d663  
**SHA256:** e85fb555ff19b3ac1934c0188d4e33f4443ddc4cd557c7dee9b6de5a0a952a05  
**Referenced In Project/Scope:** standalone

#### Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

#### Identifiers

- None

### pdfc.zip: pdfc-javadoc.jar: script.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/standalone/build/tmp/dependencies/i-net PDFC/plugins/pdfc.zip/pdfc-javadoc.jar/script.js  
**MD5:** baf9d9e16237acbdce975a33c54ee8ae  
**SHA1:** cc6a3c8d72f17eff0d613ddfcf7c1095535573f7  
**SHA256:** 9a027b197c6b3b44c4952797b2eb0477318a03093a5bbad089e12959e562b975  
**Referenced In Project/Scope:** standalone

#### Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

### Identifiers

- None

## pdfc.zip: pdfc-javadoc.jar: search.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/standalone/build/tmp/dependencies/i-net PDFC/plugins/pdfc.zip/pdfc-javadoc.jar/search.js

**MD5:** cb277f670590ffec20a12745260518dc

**SHA1:** 4b222ef8d1c52e1ce5ceb40a3b5c1fb9cad01eca

**SHA256:** 47c74de257f7e407a21e5d22519b664cfa1c83d04c362bff466c8424b702d31f

**Referenced In Project/Scope:** standalone

### Evidence

| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

### Identifiers

- None

## pdfc.zip: pdfc-javadoc.jar: tag-search-index.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/standalone/build/tmp/dependencies/i-net PDFC/plugins/pdfc.zip/pdfc-javadoc.jar/tag-search-index.js

**MD5:** 95810a7878ddd3f49d938eb6b5c0f1b2

**SHA1:** 4d0358e131242bfb1a29d1db368e9e24381ad979

**SHA256:** e31bd7c6847cd8b49a884fe01244f740ad184cdb7aa6449830be21985158f0d9

**Referenced In Project/Scope:** standalone

### Evidence

| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

### Identifiers

- None

pdfc.zip: pdfc-javadoc.jar: type-search-index.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/standalone/build/tmp/dependencies/i-net PDFC/plugins/pdfc.zip/pdfc-javadoc.jar/type-search-index.js  
**MD5:** 31f04900a69797b30c22632a48c0e24e  
**SHA1:** e4966b9a2256258841673910106f738e00b5837b  
**SHA256:** 93cd53a9a8bdaeb9cb173dae7348e2737d8585019f307f33c4308557ad3e1e06  
**Referenced In Project/Scope:** standalone

Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

pdfc.zip: pdfc.jar

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/standalone/build/tmp/dependencies/i-net PDFC/plugins/pdfc.zip/pdfc.jar  
**MD5:** b50fe60b42bff2d48d46e7574f6b3f59  
**SHA1:** 6e16bf9e07e6d729d9f84348c4976865d167fb2c  
**SHA256:** a155cc68480b9c077ba91a1492db2edabdc0c92497c767907730f0ea50d58f07  
**Referenced In Project/Scope:** standalone

Evidence



| Type   | Source   | Name                                   | Value            | Confidence |
|--------|----------|--|------------------|------------|
| Vendor | file     | name                                   | pdfc             | High       |
| Vendor | jar      | package name                           | inet             | Low        |
| Vendor | jar      | package name                           | pdfc             | Low        |
| Vendor | Manifest | application-library-allowable-codebase | *                | Low        |
| Vendor | Manifest | built-date                             | 2025-01-18 15:41 | Low        |
| Vendor | Manifest | codebase                               | *                | Low        |
| Vendor | Manifest | implementation-group                   | pdfc             | Low        |
| Vendor | Manifest | Implementation-Vendor                  | i-net software   | High       |

|         |          |  |                                      |         |
|---------|----------|--|--------------------------------------|---------|
| Vendor  | Manifest | Implementation-Vendor-Id               | de.inetsoftware                      | Medium  |
| Vendor  | Manifest | permissions                            | all-permissions                      | Low     |
| Vendor  | Manifest | specification-vendor                   | i-net software                       | Low     |
| Vendor  | Manifest | trusted-library                        | false                                | Low     |
| Vendor  | Manifest | trusted-only                           | false                                | Low     |
| Vendor  | Manifest | vendor                                 | i-net software GmbH, Berlin, Germany | Medium  |
| Product | file     | name                                   | pdfc                                 | High    |
| Product | jar      | package name                           | pdfc                                 | Highest |
| Product | jar      | package name                           | pdfc                                 | Low     |
| Product | jar      | package name                           | permissions                          | Highest |
| Product | Manifest | application-library-allowable-codebase | *                                    | Low     |
| Product | Manifest | built-date                             | 2025-01-18 15:41                     | Low     |
| Product | Manifest | codebase                               | *                                    | Low     |
| Product | Manifest | implementation-group                   | pdfc                                 | Low     |
| Product | Manifest | Implementation-Title                   | pdfc                                 | High    |
| Product | Manifest | permissions                            | all-permissions                      | Low     |
| Product | Manifest | specification-title                    | pdfc                                 | Medium  |
| Product | Manifest | trusted-library                        | false                                | Low     |
| Product | Manifest | trusted-only                           | false                                | Low     |
| Version | jar      | package name                           | pdfc                                 | Highest |
| Version | jar      | package name                           | permissions                          | Highest |
| Version | Manifest | Implementation-Version                 | 24.10.284                            | High    |

#### Identifiers

- cpe:2.3:a:inetsoftware:pdfc:24.10.284:\*:\*:\*:\*:\* (Confidence:Low) suppress

pdfcserver.zip: pdfcserver.jar

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/standalone/build/tmp/dependencies/i-net PDFC/plugins/pdfcserver.zip/pdfcserver.jar  
**MD5:** 3ee6153cb1177d3ad0815d6b26c479b7  
**SHA1:** 938f0ff00e0c99eaaa8a441a2444f2c8ca307e0f  
**SHA256:** 704c9c60d628a5397d37d3232e87275fdb5e70de73a9bbb02be0ef1204c6416  
**Referenced In Project/Scope:** standalone

## Evidence



| Type    | Source   | Name                                   | Value                                | Confidence |
|---------|----------|--|--------------------------------------|------------|
| Vendor  | file     | name                                   | pdfcserver                           | High       |
| Vendor  | jar      | package name                           | inet                                 | Low        |
| Vendor  | jar      | package name                           | pdfc                                 | Low        |
| Vendor  | jar      | package name                           | server                               | Low        |
| Vendor  | Manifest | application-library-allowable-codebase | *                                    | Low        |
| Vendor  | Manifest | built-date                             | 2025-01-18 15:41                     | Low        |
| Vendor  | Manifest | codebase                               | *                                    | Low        |
| Vendor  | Manifest | implementation-group                   | pdfc                                 | Low        |
| Vendor  | Manifest | Implementation-Vendor                  | i-net software                       | High       |
| Vendor  | Manifest | Implementation-Vendor-Id               | de.inetsoftware                      | Medium     |
| Vendor  | Manifest | permissions                            | all-permissions                      | Low        |
| Vendor  | Manifest | specification-vendor                   | i-net software                       | Low        |
| Vendor  | Manifest | trusted-library                        | false                                | Low        |
| Vendor  | Manifest | trusted-only                           | false                                | Low        |
| Vendor  | Manifest | vendor                                 | i-net software GmbH, Berlin, Germany | Medium     |
| Product | file     | name                                   | pdfcserver                           | High       |
| Product | jar      | package name                           | pdfc                                 | Highest    |
| Product | jar      | package name                           | pdfc                                 | Low        |
| Product | jar      | package name                           | persistence                          | Low        |
| Product | jar      | package name                           | server                               | Low        |
| Product | Manifest | application-library-allowable-codebase | *                                    | Low        |
| Product | Manifest | built-date                             | 2025-01-18 15:41                     | Low        |
| Product | Manifest | codebase                               | *                                    | Low        |

|         |          |                        |                 |         |
|---------|----------|------------------------|-----------------|---------|
| Product | Manifest | implementation-group   | pdfc            | Low     |
| Product | Manifest | Implementation-Title   | pdfcserver      | High    |
| Product | Manifest | permissions            | all-permissions | Low     |
| Product | Manifest | specification-title    | pdfcserver      | Medium  |
| Product | Manifest | trusted-library        | false           | Low     |
| Product | Manifest | trusted-only           | false           | Low     |
| Version | jar      | package name           | pdfc            | Highest |
| Version | Manifest | Implementation-Version | 24.10.284       | High    |

#### Identifiers

- cpe:2.3:a:inetsoftware:pdfc:24.10.284:\*:\*:\*:\*:\* (Confidence:Low) suppress

### pdfcserver.zip: pdfcserver.jar: compareconfigrenderer.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/standalone/build/tmp/dependencies/i-net PDFC/plugins/pdfcserver.zip/pdfcserver.jar/com/inet/pdfc/server/structure/compareconfigrenderer.js

**MD5:** 433763c0501141554e5d9cdd2c98f338

**SHA1:** cb28b1fb22141841a461a33be936b6a4fe452805

**SHA256:** ddd7dabcd7fec65fcb080a48ed89c5e358d4162481c91016de23ebe761ccfcb

**Referenced In Project/Scope:** standalone

#### Evidence +

| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

#### Identifiers

- None

### pdfcsetupwizard.zip: pdfcsetupwizard.jar

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/standalone/build/tmp/dependencies/i-net PDFC/plugins/pdfcsetupwizard.zip/pdfcsetupwizard.jar



**MD5:** 84ddef5e1f396507f4e2fff6e525584a  
**SHA1:** a94f5d9d306d84db2c47a9c71635ef2d9ec41309  
**SHA256:**a71abc8053b473960fd75d43309534f12744493ae3e8fe499a111dfd33ba3583  
**Referenced In Project/Scope:** standalone

Evidence



| Type    | Source   | Name                     | Value                                | Confidence |
|---------|----------|--------------------------|--------------------------------------|------------|
| Vendor  | file     | name                     | pdfcsetupwizard                      | High       |
| Vendor  | jar      | package name             | inet                                 | Low        |
| Vendor  | jar      | package name             | pdfc                                 | Low        |
| Vendor  | jar      | package name             | setupwizard                          | Low        |
| Vendor  | Manifest | built-date               | 2025-01-18 15:50                     | Low        |
| Vendor  | Manifest | implementation-group     | pdfc                                 | Low        |
| Vendor  | Manifest | Implementation-Vendor    | i-net software                       | High       |
| Vendor  | Manifest | Implementation-Vendor-Id | de.inetsoftware                      | Medium     |
| Vendor  | Manifest | specification-vendor     | i-net software                       | Low        |
| Vendor  | Manifest | vendor                   | i-net software GmbH, Berlin, Germany | Medium     |
| Product | file     | name                     | pdfcsetupwizard                      | High       |
| Product | jar      | package name             | pdfc                                 | Highest    |
| Product | jar      | package name             | pdfc                                 | Low        |
| Product | jar      | package name             | setupwizard                          | Low        |
| Product | jar      | package name             | steps                                | Low        |
| Product | Manifest | built-date               | 2025-01-18 15:50                     | Low        |
| Product | Manifest | implementation-group     | pdfc                                 | Low        |
| Product | Manifest | Implementation-Title     | pdfcsetupwizard                      | High       |
| Product | Manifest | specification-title      | pdfcsetupwizard                      | Medium     |
| Version | jar      | package name             | pdfc                                 | Highest    |
| Version | Manifest | Implementation-Version   | 24.10.284                            | High       |

Identifiers

- cpe:2.3:a:inetsoftware:pdfc:24.10.284:\*\*\*\*:\* (Confidence:Low)

suppress

## pdfcsetupwizard.zip: pdfcsetupwizard.jar: controller.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/standalone/build/tmp/dependencies/i-net PDFC/plugins/pdfcsetupwizard.zip/pdfcsetupwizard.jar/com/inet/pdfc/setupwizard/steps/license/controller.js

**MD5:** c7e0df8227e1af8819a0497b7d45cdef

**SHA1:** c7e80e0b3b6811f4dbd6e4e37a3016df01cf553c

**SHA256:** c3d071e05b63278de236d9465c4b676eb21801e012bac93c056e0f636f18c32c

**Referenced In Project/Scope:** standalone

### Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

### Identifiers

- None

## processbridge.pdf: processbridge.pdf.jar

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/standalone/build/tmp/dependencies/i-net PDFC/plugins/processbridge.pdf.zip/processbridge.pdf.jar

**MD5:** 504a693884c8c9ee1301cf6217339abc

**SHA1:** 8bd65b8506c1080721f9391348540046519b77d3

**SHA256:** faffdc1526080cd7905a8c418aa9575e7e819a34d3200b3c07ba120a09d07a94

**Referenced In Project/Scope:** standalone

### Evidence



| Type   | Source   | Name                     | Value             | Confidence |
|--------|----------|--------------------------|-------------------|------------|
| Vendor | file     | name                     | processbridge.pdf | High       |
| Vendor | jar      | package name             | inet              | Low        |
| Vendor | jar      | package name             | pdfc              | Low        |
| Vendor | jar      | package name             | processbridge     | Low        |
| Vendor | Manifest | built-date               | 2025-01-18 15:54  | Low        |
| Vendor | Manifest | implementation-group     | pdfc              | Low        |
| Vendor | Manifest | Implementation-Vendor    | i-net software    | High       |
| Vendor | Manifest | Implementation-Vendor-Id | de.inetsoftware   | Medium     |

|         |          |                        |                                      |         |
|---------|----------|------------------------|--------------------------------------|---------|
| Vendor  | Manifest | specification-vendor   | i-net software                       | Low     |
| Vendor  | Manifest | vendor                 | i-net software GmbH, Berlin, Germany | Medium  |
| Product | file     | name                   | processbridge.pdf                    | High    |
| Product | jar      | package name           | api                                  | Low     |
| Product | jar      | package name           | pdfc                                 | Highest |
| Product | jar      | package name           | pdfc                                 | Low     |
| Product | jar      | package name           | processbridge                        | Highest |
| Product | jar      | package name           | processbridge                        | Low     |
| Product | Manifest | built-date             | 2025-01-18 15:54                     | Low     |
| Product | Manifest | implementation-group   | pdfc                                 | Low     |
| Product | Manifest | Implementation-Title   | processbridge.pdf                    | High    |
| Product | Manifest | specification-title    | processbridge.pdf                    | Medium  |
| Version | jar      | package name           | pdfc                                 | Highest |
| Version | Manifest | Implementation-Version | 24.10.284                            | High    |

#### Identifiers

- cpe:2.3:a:inetsoftware:pdfc:24.10.284:\*\*\*\*\*:\* (Confidence:Low) suppress

## slf4j-api-2.0.13.jar

### Description:

The slf4j API

### License:

<http://www.opensource.org/licenses/mit-license.php>

**File Path:** /home/jenkins/.gradle/caches/modules-2/files-2.1/org.slf4j/slf4j-api/2.0.13

/80229737f704b121a318bba5d5deacbcf395bc77/slf4j-api-2.0.13.jar

**MD5:** 7f4028aa04f75427327f3f30cd62ba4e

**SHA1:** 80229737f704b121a318bba5d5deacbcf395bc77

**SHA256:** e7c2a48e8515ba1f49fa637d57b4e2f590b3f5bd97407ac699c3aa5efb1204a9

**Referenced In Project/Scope:** standalone:inetPlugin

**Included by:** pkg:maven/pdfc/standalone@24.10

### Evidence



| Type    | Source   | Name                   | Value                | Confidence |
|---------|----------|------------------------|----------------------|------------|
| Vendor  | file     | name                   | slf4j-api            | High       |
| Vendor  | gradle   | artifactid             | slf4j-api            | Highest    |
| Vendor  | gradle   | groupid                | org.slf4j            | Highest    |
| Vendor  | jar      | package name           | slf4j                | Highest    |
| Vendor  | Manifest | build-jdk-spec         | 21                   | Low        |
| Vendor  | Manifest | bundle-docurl          | http://www.slf4j.org | Low        |
| Vendor  | Manifest | bundle-symbolicname    | slf4j.api            | Medium     |
| Vendor  | Manifest | multi-release          | true                 | Low        |
| Vendor  | pom      | artifactid             | slf4j-api            | Low        |
| Vendor  | pom      | groupid                | org.slf4j            | Highest    |
| Vendor  | pom      | name                   | SLF4J API Module     | High       |
| Vendor  | pom      | parent-artifactid      | slf4j-parent         | Low        |
| Vendor  | pom      | url                    | http://www.slf4j.org | Highest    |
| Product | file     | name                   | slf4j-api            | High       |
| Product | gradle   | artifactid             | slf4j-api            | Highest    |
| Product | jar      | package name           | slf4j                | Highest    |
| Product | Manifest | build-jdk-spec         | 21                   | Low        |
| Product | Manifest | bundle-docurl          | http://www.slf4j.org | Low        |
| Product | Manifest | Bundle-Name            | SLF4J API Module     | Medium     |
| Product | Manifest | bundle-symbolicname    | slf4j.api            | Medium     |
| Product | Manifest | Implementation-Title   | slf4j-api            | High       |
| Product | Manifest | multi-release          | true                 | Low        |
| Product | pom      | artifactid             | slf4j-api            | Highest    |
| Product | pom      | groupid                | org.slf4j            | Highest    |
| Product | pom      | name                   | SLF4J API Module     | High       |
| Product | pom      | parent-artifactid      | slf4j-parent         | Medium     |
| Product | pom      | url                    | http://www.slf4j.org | Medium     |
| Version | file     | version                | 2.0.13               | High       |
| Version | gradle   | version                | 2.0.13               | Highest    |
| Version | Manifest | Bundle-Version         | 2.0.13               | High       |
| Version | Manifest | Implementation-Version | 2.0.13               | High       |
| Version | pom      | version                | 2.0.13               | Highest    |

## Identifiers

- [pkg:maven/org.slf4j/slf4j-api@2.0.13](https://mvnrepository.com/artifact/org.slf4j/slf4j-api/2.0.13) (*Confidence:High*)

## taskplanner.pdfvc.zip: taskplanner.pdfvc.jar

**File Path:** /home/jenkins/workspace/pdfvc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/standalone/build/tmp/dependencies/i-net PDFC/plugins/taskplanner.pdfvc.zip/taskplanner.pdfvc.jar

**MD5:** 221cf73be49a3fb21c5f366b3a1f955a

**SHA1:** 3f119366dd4335cac540e4271d4005a186d7ddff

**SHA256:**08d021f1a2699f7c47e36ea147f2934be0d6a2d8ceb28457f9a8bf1c37697c57

**Referenced In Project/Scope:** standalone

## Evidence



| Type    | Source   | Name                     | Value                                | Confidence |
|---------|----------|--------------------------|--------------------------------------|------------|
| Vendor  | file     | name                     | taskplanner.pdfvc                    | High       |
| Vendor  | jar      | package name             | inet                                 | Low        |
| Vendor  | jar      | package name             | pdfvc                                | Low        |
| Vendor  | jar      | package name             | taskplanner                          | Low        |
| Vendor  | Manifest | built-date               | 2025-01-18 15:55                     | Low        |
| Vendor  | Manifest | implementation-group     | pdfvc                                | Low        |
| Vendor  | Manifest | Implementation-Vendor    | i-net software                       | High       |
| Vendor  | Manifest | Implementation-Vendor-Id | de.inetsoftware                      | Medium     |
| Vendor  | Manifest | specification-vendor     | i-net software                       | Low        |
| Vendor  | Manifest | vendor                   | i-net software GmbH, Berlin, Germany | Medium     |
| Product | file     | name                     | taskplanner.pdfvc                    | High       |
| Product | jar      | package name             | pdfvc                                | Highest    |
| Product | jar      | package name             | pdfvc                                | Low        |
| Product | jar      | package name             | taskplanner                          | Highest    |
| Product | jar      | package name             | taskplanner                          | Low        |
| Product | Manifest | built-date               | 2025-01-18 15:55                     | Low        |
| Product | Manifest | implementation-group     | pdfvc                                | Low        |
| Product | Manifest | Implementation-          | taskplanner.pdfvc                    | High       |

### Title

|         |          |                        |                 |         |
|---------|----------|------------------------|-----------------|---------|
| Product | Manifest | specification-title    | taskplanner.pdf | Medium  |
| Version | jar      | package name           | pdfc            | Highest |
| Version | Manifest | Implementation-Version | 24.10.284       | High    |

### Identifiers

- cpe:2.3:a:inetsoftware:pdfc:24.10.284:\*\*\*\*:\* (Confidence:Low) suppress

## Suppressed Vulnerabilities



### pdfc.zip: pdfc-javadoc.jar: jquery-ui.min.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/standalone/build/tmp/dependencies/i-net PDFC/plugins/pdfc.zip/pdfc-javadoc.jar/script-dir/jquery-ui.min.js

**MD5:** 32059df39c14a910ccc2325f6a3cd62f

**SHA1:** d3289f1b527a3f054d303ec769402e037bf4cf4b

**SHA256:** 672f278182cdf04f3c62a5b8d93f406791854a28791f27aecdb9981573c61424

**Referenced In Project/Scope:** standalone

### Evidence



| Type    | Source | Name    | Value     | Confidence |
|---------|--------|---------|-----------|------------|
| Vendor  | file   | name    | jquery-ui | High       |
| Product | file   | name    | jquery-ui | High       |
| Version | file   | version | 1.13.1    | High       |

### Suppressed Identifiers

- None

### Suppressed Vulnerabilities



[CVE-2022-31160](#) suppressed

jQuery UI is a curated set of user interface interactions, effects, widgets, and themes built on top of jQuery. Versions prior to 1.13.2 are potentially vulnerable to cross-site scripting. Initializing a checkboxradio widget on an input enclosed within a label makes that parent label contents considered as the input label. Calling `.checkboxradio("refresh")` on such a widget and the initial HTML contained encoded HTML entities will make them erroneously get decoded. This

can lead to potentially executing JavaScript code. The bug has been patched in jQuery UI 1.13.2. To remediate the issue, someone who can change the initial HTML can wrap all the non-input contents of the `label` in a `span`.

CWE-79 Improper Neutralization of Input During Web Page Generation ('Cross-site Scripting')

Notes: JavaDoc embedded JQuery UI - requires updated Java Version with newer javadoc

CVSSv3:

- MEDIUM (6.1)
- CVSS:3.1/AV:N/AC:L/PR:N/UI:R/S:C/C:L/I:L/A:N/E:2.8/RC:R/MAV:A

References:

- info - <https://github.com/advisories/GHSA-h6gj-6jjq-h8g9>
- info - <https://github.com/jquery/jquery-ui/commit/8cc5bae1caa1fc96bf5862c5646c787020ba3f9>
- info - <https://github.com/jquery/jquery-ui/issues/2101>
- info - <https://nvd.nist.gov/vuln/detail/CVE-2022-31160>
- security-advisories@github.com - [EXPLOIT, MITIGATION, RELEASE NOTES, THIRD PARTY ADVISORY](#)
- security-advisories@github.com - [MAILING LIST, THIRD PARTY ADVISORY](#)
- security-advisories@github.com - [PATCH, THIRD PARTY ADVISORY](#)
- security-advisories@github.com - [RELEASE NOTES, VENDOR ADVISORY](#)
- security-advisories@github.com - [THIRD PARTY ADVISORY](#)
- security-advisories@github.com - [THIRD PARTY ADVISORY](#)

Vulnerable Software & Versions (NVD):

- cpe:2.3:a:drupal:jquery\_ui\_checkboxradio:8.x-1.0.\*:\*:\*:\*:drupal:\*:\*
- cpe:2.3:a:drupal:jquery\_ui\_checkboxradio:8.x-1.1.\*:\*:\*:\*:drupal:\*:\*
- cpe:2.3:a:drupal:jquery\_ui\_checkboxradio:8.x-1.2.\*:\*:\*:\*:drupal:\*:\*
- cpe:2.3:a:drupal:jquery\_ui\_checkboxradio:8.x-1.3.\*:\*:\*:\*:drupal:\*:\*
- cpe:2.3:a:jqueryui:jquery\_ui:\*:\*:\*:\*:jquery:\*:\* versions up to (excluding) 1.13.2
- cpe:2.3:a:netapp:oncommand\_insight:\*:\*:\*:\*:\*:\*

This report contains data retrieved from the [National Vulnerability Database](#).

This report may contain data retrieved from the [CISA Known Exploited Vulnerability Catalog](#).

This report may contain data retrieved from the [Github Advisory Database \(via NPM Audit API\)](#).

This report may contain data retrieved from [RetireJS](#).

This report may contain data retrieved from the [Sonatype OSS Index](#).