



Dependency-Check is an open source tool performing a best effort analysis of 3rd party dependencies; false positives and false negatives may exist in the analysis performed by the tool. Use of the tool and the reporting provided constitutes acceptance for use in an AS IS condition, and there are NO warranties, implied or otherwise, with regard to the analysis or its use. Any use of the tool and the reporting provided is at the user's risk. In no event shall the copyright holder or OWASP be held liable for any damages whatsoever arising out of or in connection with the use of this tool, the analysis performed, or the resulting report.

[How to read the report](#) | [Suppressing false positives](#) | [Getting Help: github issues](#)

 [Sponsor](#)

Project: project ':server'

pdfc:server:24.4

Scan Information ([show all](#)):

- *dependency-check version:* 8.4.0
- *Report Generated On:* Fri, 7 Jun 2024 21:09:02 +0200
- *Dependencies Scanned:* 1426 (1298 unique)
- *Vulnerable Dependencies:* 0
- *Vulnerabilities Found:* 0
- *Vulnerabilities Suppressed:* 71 ([show](#))
- ...
- *NVD CVE Checked:* 2024-06-07T21:06:34
- *NVD CVE Modified:* 2024-06-07T02:00:01

Summary

Display: [Showing Vulnerable Dependencies \(click to show all\)](#)

Dependency	Vulnerability IDs	Package
Merlia-0.jar		pkg:maven/lib/Merlia@0
PDFCNUUnit.dll		
PDFCNUUnit.dll		
PDFCNUUnit.dll		
analysis.language.zip: analysis.language.jar	cpe:2.3:a:inetsoftware:pdfc:24.4.256:*:*:*:*:*	
analysis.language.zip: guava.jar	cpe:2.3:a:google:guava:33.0.0:*:*:*:*:*	pkg:maven/com.google.guava/guava@33.0.0-jre
analysis.language.zip: jsonic.jar		pkg:maven/net.arnx/jsonic@1.3.10
analysis.language.zip: language-detector.jar		pkg:maven/com.optimaize.languagedetector

		/language-detector@0.6
application.currenttime.zip: application.currenttime.sample.jar		
application.currenttime.zip: application.currenttime.sample.jar: sampleapplication.js		
application.embedded.zip: application.embedded.sample.jar		
application.embedded.zip: application.embedded.sample.jar: embeddedMode.js		
application.googleanalytics.zip: application.googleanalytics.sample.jar		
application.googleanalytics.zip: application.googleanalytics.sample.jar: googleanalytics.js		
application.googleanalytics.zip: application.googleanalytics.sample.jar: jquery.cookiebar.js		
application.helloworld.zip: application.helloworld.sample.jar		
authentication.oauth.ex.zip: authentication.oauth.ex.sample.jar		
authentication.pam.zip: authentication.pam.jar		
authentication.pam.zip: jna.jar	cpe:2.3:a:oracle:java_se:5.14.0:*:*:*:*:* ***	pkg:maven/net.java.dev.jna/jna@5.14.0
authentication.pam.zip: jna.jar: jnidispatch.dll		
authentication.pam.zip: jna.jar: jnidispatch.dll		
authentication.pam.zip: jna.jar: jnidispatch.dll		
authentication.passwordfile.zip: authentication.passwordfile.sample.jar		
authentication.product.zip: authentication.product.jar		
authentication.windows.zip: authentication.windows.jar		
authentication.windows.zip: caffeine.jar		pkg:maven/com.github.benmanes.caffeine/caffeine@3.1.6
authentication.windows.zip: jna-platform.jar		pkg:maven/net.java.dev.jna/jna-platform@5.14.0
authentication.windows.zip: waffle-jna.jar		pkg:maven/com.github.waffle/waffle-jna@3.3.0
command.jsonexport.zip: command.jsonexport.jar	cpe:2.3:a:inetsoftware:pdfc:24.4.256:*:*:*:* *****	
commons-logging.jar		pkg:maven/commons-

		logging/commons-logging@1.3.0
comparison.api.zip: comparison.api.jar	cpe:2.3:a:inetsoftware:pdfc:24.4.256:*: *****	
comparison.rpc.zip: comparison.rpc.jar	cpe:2.3:a:inetsoftware:pdfc:24.4.256:*: *****	
comparison.webgui.zip: comparison.webgui.jar	cpe:2.3:a:inetsoftware:pdfc:24.4.256:*: *****	
comparison.webgui.zip: comparison.webgui.jar: app.js		
comparison.webgui.zip: comparison.webgui.jar: compare.js		
comparison.webgui.zip: comparison.webgui.jar: contextmenuextension.js		
comparison.webgui.zip: comparison.webgui.jar: contingent.js		
comparison.webgui.zip: comparison.webgui.jar: controller.js		
comparison.webgui.zip: comparison.webgui.jar: descriptionarea.js		
comparison.webgui.zip: comparison.webgui.jar: dropzone.js		
comparison.webgui.zip: comparison.webgui.jar: export.js		
comparison.webgui.zip: comparison.webgui.jar: factory.js		
comparison.webgui.zip: comparison.webgui.jar: model.js		
comparison.webgui.zip: comparison.webgui.jar: multipasswordpanel.js		
comparison.webgui.zip: comparison.webgui.jar: mycomparisons.js		
comparison.webgui.zip: comparison.webgui.jar: passwordpanel.js		
comparison.webgui.zip: comparison.webgui.jar: pdfconfig.js		
comparison.webgui.zip: comparison.webgui.jar: profil.js		
comparison.webgui.zip: comparison.webgui.jar: profileentry.js		
comparison.webgui.zip: comparison.webgui.jar: publishdialog.js		
comparison.webgui.zip: comparison.webgui.jar: publishprofiledialog.js		
comparison.webgui.zip: comparison.webgui.jar: report.js		
comparison.webgui.zip: comparison.webgui.jar:		

[scroller.js](#)

[comparison.webgui.zip: comparison.webgui.jar: searchcomponent.js](#)

[comparison.webgui.zip: comparison.webgui.jar: userlist.js](#)

[comparison.webgui.zip: comparison.webgui.jar: visibilitysettings.js](#)

[comparison.webgui.zip: comparison.webgui.jar: zoomer.js](#)

[configuration.automaticconfigrestore.zip: configuration.automaticconfigrestore.sample.jar](#)

[configuration.zip: configuration.jar](#)

[configuration.zip: configuration.jar: authentication.js](#)

[configuration.zip: configuration.jar: boolean.directive.js](#)

[configuration.zip: configuration.jar: booleanButton.directive.js](#)

[configuration.zip: configuration.jar: colorInput.directive.js](#)

[configuration.zip: configuration.jar: controller.js](#)

[configuration.zip: configuration.jar: datafactory.js](#)

[configuration.zip: configuration.jar: fileUploadRenderer.directive.js](#)

[configuration.zip: configuration.jar: filesystemInputButton.directive.js](#)

[configuration.zip: configuration.jar: filesystemInputDirectory.directive.js](#)

[configuration.zip: configuration.jar: filesystemInputFile.directive.js](#)

[configuration.zip: configuration.jar: iconDropRenderer.directive.js](#)

[configuration.zip: configuration.jar: inlinerenderer.directive.js](#)

[configuration.zip: configuration.jar: keyLabelText.directive.js](#)

[configuration.zip: configuration.jar: labelLink.directive.js](#)

[configuration.zip: configuration.jar: labelText.directive.js](#)

[configuration.zip: configuration.jar: licensekey.js](#)

[configuration.zip: configuration.jar: list.js](#)

[configuration.zip: configuration.jar: logopreview.js](#)

[configuration.zip: configuration.jar: multiLineText.directive.js](#)

[configuration.zip: configuration.jar: multiLingualTextRenderer.directive.js](#)

configuration.zip: configuration.jar: passwordText.directive.js		
configuration.zip: configuration.jar: renderer.directive.js		
configuration.zip: configuration.jar: repository.js		
configuration.zip: configuration.jar: selectEditText.directive.js		
configuration.zip: configuration.jar: selectFilteredText.directive.js		
configuration.zip: configuration.jar: selectLanguageChooserRenderer.directive.js		
configuration.zip: configuration.jar: selectSimpleText.directive.js		
configuration.zip: configuration.jar: simpleDate.directive.js		
configuration.zip: configuration.jar: simpleSlider.directive.js		
configuration.zip: configuration.jar: simpleText.directive.js		
configuration.zip: configuration.jar: table.js		
configuration.zip: configuration.jar: tree.js		
configuration.zip: configuration.jar: userandgroupselect.js		
diagnostics.zip: diagnostics.jar		
diagnostics.zip: diagnostics.jar: MemoryPieChart.js		
diagnostics.zip: diagnostics.jar: MemoryUsageChart.js		
diagnostics.zip: diagnostics.jar: WebServerErrorChart.js		
diagnostics.zip: diagnostics.jar: benchmarkCtrl.js		
diagnostics.zip: diagnostics.jar: client-server.js		
diagnostics.zip: diagnostics.jar: controller.js		
diagnostics.zip: diagnostics.jar: cpu.js		
diagnostics.zip: diagnostics.jar: cpuspeed.js		
diagnostics.zip: diagnostics.jar: directives.js		
diagnostics.zip: diagnostics.jar: errorHistoryChart.js		
diagnostics.zip: diagnostics.jar: flotr2.min.js		
diagnostics.zip: diagnostics.jar: global.js		
diagnostics.zip: diagnostics.jar: hddisk.js		
diagnostics.zip: diagnostics.jar: heapdumpCtrl.js		
diagnostics.zip: diagnostics.jar: informationCtrl.js		
diagnostics.zip: diagnostics.jar: intArrayUtils.js		

diagnostics.zip: diagnostics.jar: iospeed.js		
diagnostics.zip: diagnostics.jar: jobs.js		
diagnostics.zip: diagnostics.jar: logging.js		
diagnostics.zip: diagnostics.jar: memory.js		
diagnostics.zip: diagnostics.jar: overviewCtrl.js		
diagnostics.zip: diagnostics.jar: pde.diagnostics.js		
diagnostics.zip: diagnostics.jar: timeformat.js		
docfx.js		
docfx.vendor.js		pkg:javascript/bootstrap@3.4.1
drive.zip: drive.jar		
drive.zip: drive.jar: actions.js		
drive.zip: drive.jar: actions.service.js		
drive.zip: drive.jar: contentextension.js		
drive.zip: drive.jar: controller.js		
drive.zip: drive.jar: drivecleanup.js		
drive.zip: drive.jar: drivecontroller.js		
drive.zip: drive.jar: drivefactory.js		
drive.zip: drive.jar: drivemodel.js		
drive.zip: drive.jar: dropzone.directive.js		
drive.zip: drive.jar: entryactions.directive.js		
drive.zip: drive.jar: folderlist.directive.js		
drive.zip: drive.jar: locationchooser.js		
drive.zip: drive.jar: mountdialog.js		
drive.zip: drive.jar: permissionsextension.js		
drive.zip: drive.jar: progress.service.js		
drive.zip: drive.jar: progresspanel.directive.js		
drive.zip: drive.jar: resolve.service.js		
drive.zip: drive.jar: responsivetoolbar.directive.js		
drive.zip: drive.jar: selectedextension.js		
drive.zip: drive.jar: thumbnailextension.js		
drive.zip: drive.jar: toolbaraction.directive.js		
drive.zip: drive.jar: unzipextension.js		
drive.zip: drive.jar: zipextension.js		
embeddedMode.js		

filter.area.zip: filter.area.jar	cpe:2.3:a:inetsoftware:pdfc:24.4.256:*. *****	
filter.baselinetable.zip: filter.baselinetable.jar	cpe:2.3:a:inetsoftware:pdfc:24.4.256:*. *****	
filter.cmappatch.zip: filter.cmappatch.jar	cpe:2.3:a:inetsoftware:pdfc:24.4.256:*. *****	
filter.headerfooter.zip: filter.headerfooter.jar	cpe:2.3:a:inetsoftware:pdfc:24.4.256:*. *****	
filter.hiderotation.zip: filter.hiderotation.jar	cpe:2.3:a:inetsoftware:pdfc:24.4.256:*. *****	
filter.invisibleelements.zip: filter.invisibleelements.jar	cpe:2.3:a:inetsoftware:pdfc:24.4.256:*. *****	
filter.multicolumn.zip: filter.multicolumn.jar	cpe:2.3:a:inetsoftware:pdfc:24.4.256:*. *****	
filter.ocr.zip: filter.ocr.jar	cpe:2.3:a:inetsoftware:pdfc:24.4.256:*. *****	
filter.pagerange.zip: filter.pagerange.jar	cpe:2.3:a:inetsoftware:pdfc:24.4.256:*. *****	
filter.regex.zip: filter.regex.jar	cpe:2.3:a:inetsoftware:pdfc:24.4.256:*. *****	
filter.regex.zip: filter.regex.jar: filterrenderer.js		
filter.texttransform.zip: filter.texttransform.jar	cpe:2.3:a:inetsoftware:pdfc:24.4.256:*. *****	
filter.urllookup.zip: filter.urllookup.jar	cpe:2.3:a:inetsoftware:pdfc:24.4.256:*. *****	
googleanalytics.js		
hamcrest-2.2.jar		pkg:maven/org.hamcrest/hamcrest@2.2
help.zip: commons-beanutils.jar	cpe:2.3:a:apache:commons_beanutils:1.9.4:*****	pkg:maven/commons-beanutils/commons-beanutils@1.9.4
help.zip: commons-digester3.jar		pkg:maven/org.apache.commons/commons-digester3@3.2
help.zip: help.jar		
help.zip: help.jar: app.js		
help.zip: help.jar: controller.js		
help.zip: help.jar: shared.factory.js		
help.zip: help.jar: shared.highlighter.js		
help.zip: jsoup.jar	cpe:2.3:a:jsoup:jsoup:1.16.2:*****	pkg:maven/org.jsoup/jsoup@1.16.2

[htmlengine.zip: JWebEngine.jar](#)

[htmlengine.zip: htmlengine.jar](#)

[inetcore-24.4-tools.jar](#)

[pkg:maven/shared/inetcore@24.4](#)

[inetcore-24.4.jar \(shaded: com.inet.shared:inetcore:null\)](#)

[inetcore-24.4.jar](#)

[pkg:maven/shared/inetcore@24.4](#)

[inetloggeradapter.jar](#)

[inetsoftware.Pdfc.dll](#)

[inetsoftware.Pdfc.dll](#)

[jakarta.servlet-api.jar](#)

[cpe:2.3:a:oracle:projects:4.0.4:*:*:*:*:*:*:*:](#)

[pkg:maven/jakarta.servlet-api@4.0.4](#)

[jakarta.websocket-api.jar](#)

[pkg:maven/jakarta.websocket-api@1.1.2](#)

[java-21-jre-x64-linux.tar.gz: java-21-jre-x64-linux.tar: jrt-fs.jar](#)

[cpe:2.3:a:eclipse:platform:21.0.3:*:*:*:*:*:*:](#)

[jlessc-1.12.jar](#)

[pkg:maven/de/inetsoftware/jlessc@1.12](#)

[jpeg2000.zip: asm.jar](#)

[jpeg2000.zip: con crt140.dll](#)

[jpeg2000.zip: imageio-openjpeg.jar](#)

[pkg:maven/de.digitalcollections.imageio/imageio-openjpeg@0.6.7](#)

[jpeg2000.zip: jffi-native.jar](#)

[jpeg2000.zip: jffi-native.jar: jffi-1.2.dll](#)

[jpeg2000.zip: jffi-native.jar: jffi-1.2.dll](#)

[jpeg2000.zip: jffi-native.jar: jffi-1.2.dll](#)

[jpeg2000.zip: jffi.jar](#)

[pkg:maven/com.github.jnr/jffi@1.3.12](#)

[jpeg2000.zip: jnr-ffi.jar](#)

[pkg:maven/com.github.jnr/jnr-ffi@2.2.15](#)

[jpeg2000.zip: jpeg2000.jar](#)

[jpeg2000.zip: msvcrt140.dll](#)

jpeg2000.zip: openjp2.dll		
jpeg2000.zip: vcruntime140.dll		
jquery.cookiebar.js		
junit-4.13.2.jar	cpe:2.3:a:junit:junit4:4.13.2:*****:*	pkg:maven/junit/junit@4.13.2
junit-jupiter-5.10.1.jar		pkg:maven/org.junit.jupiter/junit-jupiter@5.10.1
junit-jupiter-api-5.10.1.jar		pkg:maven/org.junit.jupiter/junit-jupiter-api@5.10.1
junit-jupiter-engine-5.10.1.jar		pkg:maven/org.junit.jupiter/junit-jupiter-engine@5.10.1
junit-jupiter-params-5.10.1.jar		pkg:maven/org.junit.jupiter/junit-jupiter-params@5.10.1
junit-platform-commons-1.10.1.jar	cpe:2.3:a:fan_platform_project:fan_platform:1.10.1:*****:*	pkg:maven/org.junit.platform/junit-platform-commons@1.10.1
junit-platform-engine-1.10.1.jar	cpe:2.3:a:fan_platform_project:fan_platform:1.10.1:*****:*	pkg:maven/org.junit.platform/junit-platform-engine@1.10.1
junit-platform-launcher-1.10.1.jar	cpe:2.3:a:fan_platform_project:fan_platform:1.10.1:*****:*	pkg:maven/org.junit.platform/junit-platform-launcher@1.10.1
junit-platform-suite-1.10.1.jar	cpe:2.3:a:fan_platform_project:fan_platform:1.10.1:*****:*	pkg:maven/org.junit.platform/junit-platform-suite@1.10.1
junit-platform-suite-api-1.10.1.jar	cpe:2.3:a:fan_platform_project:fan_platform:1.10.1:*****:*	pkg:maven/org.junit.platform/junit-platform-suite-api@1.10.1
junit-platform-suite-commons-1.10.1.jar	cpe:2.3:a:fan_platform_project:fan_platform:1.10.1:*****:*	pkg:maven/org.junit.platform/junit-platform-suite-commons@1.10.1
junit-platform-suite-engine-1.10.1.jar	cpe:2.3:a:fan_platform_project:fan_platform:1.10.1:*****:*	pkg:maven/org.junit.platform/junit-platform-suite-engine@1.10.1
junit-vintage-engine-5.10.1.jar	cpe:2.3:a:fan_platform_project:fan_platform:5.10.1:*****:*	pkg:maven/org.junit.vintage/junit-

lunr.js		
lunr.min.js		
mail.zip: bcmath-jdk18on.jar	cpe:2.3:a:bouncycastle: bouncycastle_for_java:1.78:*.***.*.*.* cpe:2.3:a:bouncycastle:legion-of-the- bouncy-castle:1.78:*.***.*.*.*	pkg:maven/org.bouncycastle/bcmath-jdk18on@1.78
mail.zip: bcpg-jdk18on.jar	cpe:2.3:a:bouncycastle: bouncycastle_for_java:1.78:*.***.*.*.* cpe:2.3:a:bouncycastle:legion-of-the- bouncy-castle:1.78:*.***.*.*.*	pkg:maven/org.bouncycastle/bcpg-jdk18on@1.78
mail.zip: bcprov-jdk18on.jar	cpe:2.3:a:bouncycastle: bouncycastle_for_java:1.78:*.***.*.*.* cpe:2.3:a:bouncycastle:legion-of-the- bouncy-castle:1.78:*.***.*.*.*	pkg:maven/org.bouncycastle/bcprov-jdk18on@1.78
mail.zip: bcprov-jdk18on.jar	cpe:2.3:a:bouncycastle: bouncycastle_for_java:1.78:*.***.*.*.* cpe:2.3:a:bouncycastle:legion-of-the- bouncy-castle:1.78:*.***.*.*.*	pkg:maven/org.bouncycastle/bcprov-jdk18on@1.78
mail.zip: bcutil-jdk18on.jar	cpe:2.3:a:bouncycastle: bouncycastle_for_java:1.78:*.***.*.*.* cpe:2.3:a:bouncycastle:legion-of-the- bouncy-castle:1.78:*.***.*.*.*	pkg:maven/org.bouncycastle/bcutil-jdk18on@1.78
mail.zip: jakarta.activation.jar		pkg:maven/com.sun.activation/jakarta.activation@1.2.2
mail.zip: jakarta.mail.jar		pkg:maven/com.sun.mail/jakarta.mail@1.6.7
mail.zip: mail.jar		
mail.zip: mail.jar: smimeconfig.js		
main.js		
maintenance.pdf.zip: maintenance.pdf.jar	cpe:2.3:a:inetsoftware:pdfc:24.4.256:*.***.*.*.*	
maintenance.pdf.zip: maintenance.pdf.jar: app.js		
maintenance.pdf.zip: maintenance.pdf.jar: comparisons.js		
maintenance.zip: maintenance-javadoc.jar		
maintenance.zip: maintenance-javadoc.jar: jquery-3.6.1.min.js		
maintenance.zip: maintenance-javadoc.jar: jquery-ui.min.js		pkg:javascript/jquery-ui@1.13.1
maintenance.zip: maintenance-javadoc.jar: member-search-index.js		
maintenance.zip: maintenance-javadoc.jar: module-search-index.js		

maintenance.zip: maintenance-javadoc.jar: package-search-index.js		
maintenance.zip: maintenance-javadoc.jar: script.js		
maintenance.zip: maintenance-javadoc.jar: search.js		
maintenance.zip: maintenance-javadoc.jar: tag-search-index.js		
maintenance.zip: maintenance-javadoc.jar: type-search-index.js		
maintenance.zip: maintenance.jar		
maintenance.zip: maintenance.jar: controller.js		
maintenance.zip: maintenance.jar: controller.js		
maintenance.zip: maintenance.jar: controller.js		
maintenance.zip: maintenance.jar: controller.js		
maintenance.zip: maintenance.jar: controller.js		
maintenance.zip: maintenance.jar: controller.js		
maintenance.zip: maintenance.jar: filechooser.js		
maintenance.zip: maintenance.jar: multieditusers.js		
mongo-java-driver.jar	cpe:2.3:a:mongodb:java_driver:3.12.14:*****	pkg:maven/org.mongodb/mongo-java-driver@3.12.14
notification.zip: notification.jar		
notification.zip: notification.jar: notification.js		
notification.zip: notification.jar: notification_config.js		
notification.zip: notification.jar: notification_taskplanner.js		
notification.zip: notification.jar: targetrenderer.js		
ocr.tesseract.zip: commons-io.jar	cpe:2.3:a:apache:commons_io:2.15.1:*****	pkg:maven/commons-io/commons-io@2.15.1
ocr.tesseract.zip: fontbox.jar		pkg:maven/org.apache.pdfbox/fontbox@2.0.29
ocr.tesseract.zip: jai-imageio-core.jar		pkg:maven/com.github.jai-imageio/jai-imageio-core@1.4.0
ocr.tesseract.zip: jbig2-imageio.jar	cpe:2.3:a:apache:pdfbox:3.0.4:*****	pkg:maven/org.apache.pdfbox/jbig2-imageio@3.0.4
ocr.tesseract.zip: jboss-vfs.jar		pkg:maven/org.jboss/jboss-vfs@3.3.0.Final
ocr.tesseract.zip: lept4j.jar		pkg:maven/net.

		sourceforge.lept4j/lept4j@1.18.1
ocr.tesseract.zip: lept4j.jar: libleptonica1831.dll		
ocr.tesseract.zip: lept4j.jar: libleptonica1831.dll		
ocr.tesseract.zip: ocr.tesseract.jar	cpe:2.3:a:tesseract_ocr_project:tesseract_ocr:24.4.256:****:* cpe:2.3:a:tesseract_project:tesseract:24.4.256:****:*	
ocr.tesseract.zip: pdfbox.jar	cpe:2.3:a:apache:pdfbox:2.0.29:****:***	pkg:maven/org.apache.pdfbox/pdfbox@2.0.29
ocr.tesseract.zip: tess4j.jar	cpe:2.3:a:tesseract_project:tesseract:5.7.0:****:*	pkg:maven/net.sourceforge.tess4j/tess4j@5.7.0
ocr.tesseract.zip: tess4j.jar: libtesseract531.dll		
ocr.tesseract.zip: tess4j.jar: libtesseract531.dll		
opentest4j-1.3.0.jar		pkg:maven/org.opentest4j/opentest4j@1.3.0
parser.docx.zip: DocxParser.jar		
parser.docx.zip: EmfParser.jar		
parser.docx.zip: SparseBitSet.jar	cpe:2.3:a:bit_project:bit:1.3:****:*	pkg:maven/com.zaxxer/SparseBitSet@1.3
parser.docx.zip: commons-codec.jar		pkg:maven/commons-codec/commons-codec@1.16.0
parser.docx.zip: commons-collections4.jar	cpe:2.3:a:apache:commons_collections:4.4:****:***	pkg:maven/org.apache.commons/commons-collections4@4.4
parser.docx.zip: commons-compress.jar	cpe:2.3:a:apache:commons_compress:1.26.0:****:***	pkg:maven/org.apache.commons/commons-compress@1.26.0
parser.docx.zip: commons-io.jar	cpe:2.3:a:apache:commons_io:2.11.0:****:***	pkg:maven/commons-io/commons-io@2.11.0
parser.docx.zip: commons-math3.jar		pkg:maven/org.apache.commons/commons-math3@3.6.1
parser.docx.zip: curvesapi.jar		pkg:maven/com.github.virtuald/curvesapi@1.08

parser.docx.zip: log4j-api.jar	cpe:2.3:a:apache:log4j:2.22.1:*:*:*:*:*:* *	pkg:maven/org.apache.logging.log4j/log4j-api@2.22.1
parser.docx.zip: parser.docx.jar	cpe:2.3:a:inetsoftware:pdfc:24.4.256:*:*:*:*:* *.*.*.*.*	
parser.docx.zip: poi.jar	cpe:2.3:a:apache:poi:5.2.3:*:*:*:*:*	pkg:maven/org.apache.poi/poi@5.2.3
parser.docx.zip: xmlbeans.jar	cpe:2.3:a:apache:xmlbeans:5.2.0:*:*:*:* *.*.*.*	pkg:maven/org.apache.xmlbeans/xmlbeans@5.2.0
parser.image.zip: parser.image.jar	cpe:2.3:a:inetsoftware:pdfc:24.4.256:*:*:*:*:* *.*.*.*.*	
parser.pdf.config.zip: parser.pdf.config.jar	cpe:2.3:a:inetsoftware:pdfc:24.4.256:*:*:*:*:* *.*.*.*.*	
parser.pdf.zip: PDFParser.jar		
parser.pdf.zip: jbig2.jar	cpe:2.3:a:homepage_project:homepage:5.5.1:*:*:*:*:*	pkg:maven/de.intarsys.opensource/jbig2@5.5.1
parser.pdf.zip: parser.pdf.jar	cpe:2.3:a:inetsoftware:pdfc:24.4.256:*:*:*:*:* *.*.*.*.*	
parser.text.zip: parser.text.jar	cpe:2.3:a:inetsoftware:pdfc:24.4.256:*:*:*:*:* *.*.*.*.*	
pdfc.gui.zip: TableLayout.jar		
pdfc.gui.zip: VividSwingAnimations.jar		
pdfc.gui.zip: inetswingcore.jar		
pdfc.gui.zip: pdfc.gui.jar	cpe:2.3:a:inetsoftware:pdfc:24.4.256:*:*:*:*:* *.*.*.*.*	
pdfc.standalone.zip: pdfc.standalone.jar	cpe:2.3:a:inetsoftware:pdfc:24.4.256:*:*:*:*:* *.*.*.*.*	
pdfc.standalone.zip: pdfc.standalone.jar: bridge.js		
pdfc.standalone.zip: pdfc.standalone.jar: bridgeConfig.js		
pdfc.standalone.zip: pdfc.standalone.jar: bridgePDFC.js		
pdfc.standalone.zip: pdfc.standalone.jar: extraMenu.js		
pdfc.standalone.zip: pdfc.standalone.jar: removeHeader.js		
pdfc.standalone.zip: pdfc.standalone.jar: removePDFCElements.js		
pdfc.standalone.zip: pdfc.standalone.jar: theme.js		
pdfc.standalone.zip: pdfc.standalone.jar: translation.js		
pdfc.zip: icu4j.jar (shaded: com.ibm.icu:collate:74.2)		pkg:maven/com.ibm.icu

		/collate@74.2
pdfc.zip: icu4j.jar (shaded: com.ibm.icu:core:74.2)		pkg:maven/com.ibm.icu/core@74.2
pdfc.zip: icu4j.jar (shaded: com.ibm.icu:currdata:74.2)		pkg:maven/com.ibm.icu/currdata@74.2
pdfc.zip: icu4j.jar (shaded: com.ibm.icu:langdata:74.2)		pkg:maven/com.ibm.icu/langdata@74.2
pdfc.zip: icu4j.jar (shaded: com.ibm.icu:regiondata:74.2)		pkg:maven/com.ibm.icu/regiondata@74.2
pdfc.zip: icu4j.jar (shaded: com.ibm.icu:translit:74.2)		pkg:maven/com.ibm.icu/translit@74.2
pdfc.zip: icu4j.jar	cpe:2.3:a:icu-project:international_components_for_unicode:74.2:*****	pkg:maven/com.ibm.icu/icu4j@74.2
pdfc.zip: pdfc-javadoc.jar		
pdfc.zip: pdfc-javadoc.jar: member-search-index.js		
pdfc.zip: pdfc-javadoc.jar: package-search-index.js		
pdfc.zip: pdfc-javadoc.jar: tag-search-index.js		
pdfc.zip: pdfc-javadoc.jar: type-search-index.js		
pdfc.zip: pdfc.jar	cpe:2.3:a:inetsoftware:pdfc:24.4.256:*****	
pdfcjunit.jar	cpe:2.3:a:inetsoftware:pdfc:24.4.256:*****	
pdfcserver.zip: pdfcserver.jar	cpe:2.3:a:inetsoftware:pdfc:24.4.256:*****	
pdfcserver.zip: pdfcserver.jar: compareconfigrenderers.js		
pdfcsetupwizard.zip: pdfcsetupwizard.jar	cpe:2.3:a:inetsoftware:pdfc:24.4.256:*****	
pdfcsetupwizard.zip: pdfcsetupwizard.jar: controller.js		
persistence.jar		
pluginstore.client.zip: pluginstore.client.jar		
pluginstore.client.zip: pluginstore.client.jar: controller.js		
pluginstore.client.zip: pluginstore.client.jar: pluginstorehelpcontroller.js		
pluginstore.client.zip: pluginstore.client.jar: publicstoreconfig.js		
pluginstore.client.zip: pluginstore.client.jar: storecontroller.js		

[pluginstore.client.zip: pluginstore.client.jar: storedirectives.js](#)

[pluginstore.client.zip: pluginstore.client.jar: storemodel.js](#)

[processbridge.pdf: processbridge.pdf.jar](#)

cpe:2.3:a:inetsoftware:pdfc:24.4.256:*:

[processbridge.zip: processbridge.jar](#)

[remotegui.zip: Echo2-FileTransfer_App.jar](#)

[cpe:2.3:a:file-transfer:file_transfer:2:*:
*****](#)

[remotegui.zip: Echo2-FileTransfer_WebContainer.jar](#)

[cpe:2.3:a:file-transfer:file_transfer:2:*:
*****](#)
[cpe:2.3:a:web_project:web:2:*:*:*:*:*](#)

[remotegui.zip: Echo2-FileTransfer_WebContainer.jar: Download.js](#)

[remotegui.zip: Echo2-FileTransfer_WebContainer.jar: Upload.js](#)

[remotegui.zip: angular-animate.jar](#)

[pkg:maven/org.webjars.npm/angular-animate@1.8.3](#)

[remotegui.zip: angular-animate.jar: angular-animate.js](#)

[pkg:javascript/angularjs@1.8.3](#)

[remotegui.zip: angular-animate.jar: angular-animate.min.js](#)

[pkg:javascript/angularjs@1.8.3](#)

[remotegui.zip: angular-animate.jar: index.js](#)

[remotegui.zip: angular-animate.jar: package.json](#)

[remotegui.zip: angular-cookies.jar](#)

[pkg:maven/org.webjars.npm/angular-cookies@1.8.3](#)

[remotegui.zip: angular-cookies.jar: angular-cookies.js](#)

[pkg:javascript/angularjs@1.8.3](#)

[remotegui.zip: angular-cookies.jar: angular-cookies.min.js](#)

[pkg:javascript/angularjs@1.8.3](#)

[remotegui.zip: angular-cookies.jar: index.js](#)

[remotegui.zip: angular-cookies.jar: package.json](#)

[remotegui.zip: angular-sanitize.jar](#)

[pkg:maven/org.webjars.npm/angular-sanitize@1.8.3](#)

[remotegui.zip: angular-sanitize.jar: angular-sanitize.js](#)

[pkg:javascript/angularjs@1.8.3](#)

[remotegui.zip: angular-sanitize.jar: angular-sanitize.min.js](#)

[pkg:javascript/angularjs@1.8.3](#)

[remotegui.zip: angular-sanitize.jar: index.js](#)

[remotegui.zip: angular-sanitize.jar: package.json](#)

remotegui.zip: angular.jar		pkg:maven/org.webjars/npm/angular@1.8.3
remotegui.zip: angular.jar: angular.js		pkg:javascript/angularjs@1.8.3
remotegui.zip: angular.jar: angular.min.js		pkg:javascript/angularjs@1.8.3
remotegui.zip: angular.jar: index.js		
remotegui.zip: angular.jar: package.json		
remotegui.zip: bootstrap.jar		pkg:javascript/bootstrap@3.4.1 pkg:maven/org.webjars/bootstrap@3.4.1
remotegui.zip: bootstrap.jar: affix.js		
remotegui.zip: bootstrap.jar: alert.js		
remotegui.zip: bootstrap.jar: button.js		
remotegui.zip: bootstrap.jar: carousel.js		
remotegui.zip: bootstrap.jar: collapse.js		
remotegui.zip: bootstrap.jar: dropdown.js		
remotegui.zip: bootstrap.jar: modal.js		
remotegui.zip: bootstrap.jar: npm.js		
remotegui.zip: bootstrap.jar: popover.js		
remotegui.zip: bootstrap.jar: scrollspy.js		
remotegui.zip: bootstrap.jar: tab.js		
remotegui.zip: bootstrap.jar: tooltip.js		
remotegui.zip: bootstrap.jar: transition.js		
remotegui.zip: bootstrap.jar: webjars-requirejs.js		
remotegui.zip: codemirror.jar	cpe:2.3:a:codemirror:codemirror:6.65.7:*:*:*:*:*	pkg:maven/org.webjars/npm/codemirror@6.65.7
remotegui.zip: codemirror.jar: CodeMirror.js		
remotegui.zip: codemirror.jar: ContentEditableInput.js		
remotegui.zip: codemirror.jar: Display.js		
remotegui.zip: codemirror.jar: Doc.js		
remotegui.zip: codemirror.jar: StringStream.js		
remotegui.zip: codemirror.jar: TextareaInput.js		
remotegui.zip: codemirror.jar: active-line.js		
remotegui.zip: codemirror.jar: annotatescrollbar.js		
remotegui.zip: codemirror.jar: anyword-hint.js		

remotegui.zip: codemirror.jar: apl.js		
remotegui.zip: codemirror.jar: asciiarmor.js		
remotegui.zip: codemirror.jar: asn.1.js		
remotegui.zip: codemirror.jar: asterisk.js		
remotegui.zip: codemirror.jar: autorefresh.js		
remotegui.zip: codemirror.jar: bidi.js		
remotegui.zip: codemirror.jar: brace-fold.js		
remotegui.zip: codemirror.jar: brainfuck.js		
remotegui.zip: codemirror.jar: browser.js		
remotegui.zip: codemirror.jar: change_measurement.js		
remotegui.zip: codemirror.jar: changes.js		
remotegui.zip: codemirror.jar: chunk.js		
remotegui.zip: codemirror.jar: clike.js		
remotegui.zip: codemirror.jar: clojure.js		
remotegui.zip: codemirror.jar: closebrackets.js		
remotegui.zip: codemirror.jar: closetag.js		
remotegui.zip: codemirror.jar: cmake.js		
remotegui.zip: codemirror.jar: cobol.js		
remotegui.zip: codemirror.jar: codemirror-standalone.js		
remotegui.zip: codemirror.jar: codemirror.js		
remotegui.zip: codemirror.jar: codemirror.js		
remotegui.zip: codemirror.jar: codemirror.node.js		
remotegui.zip: codemirror.jar: coffeescript-lint.js		
remotegui.zip: codemirror.jar: coffeescript.js		
remotegui.zip: codemirror.jar: colorize.js		
remotegui.zip: codemirror.jar: commands.js		
remotegui.zip: codemirror.jar: comment-fold.js		
remotegui.zip: codemirror.jar: comment.js		
remotegui.zip: codemirror.jar: commonlisp.js		
remotegui.zip: codemirror.jar: continuecomment.js		
remotegui.zip: codemirror.jar: continuelist.js		
remotegui.zip: codemirror.jar: crystal.js		
remotegui.zip: codemirror.jar: css-hint.js		
remotegui.zip: codemirror.jar: css-lint.js		
remotegui.zip: codemirror.jar: css.js		

[remotegui.zip: codemirror.jar: cypher.js](#)

[remotegui.zip: codemirror.jar: d.js](#)

[remotegui.zip: codemirror.jar: dart.js](#)

[remotegui.zip: codemirror.jar: deleteNearSelection.js](#)

[remotegui.zip: codemirror.jar: dialog.js](#)

[remotegui.zip: codemirror.jar: diff.js](#)

[remotegui.zip: codemirror.jar: django.js](#)

[remotegui.zip: codemirror.jar: dockerfile.js](#)

[remotegui.zip: codemirror.jar: document_data.js](#)

[remotegui.zip: codemirror.jar: dom.js](#)

[remotegui.zip: codemirror.jar: drop_events.js](#)

[remotegui.zip: codemirror.jar: dtd.js](#)

[remotegui.zip: codemirror.jar: dylan.js](#)

[remotegui.zip: codemirror.jar: ebnf.js](#)

[remotegui.zip: codemirror.jar: ecl.js](#)

[remotegui.zip: codemirror.jar: eiffel.js](#)

[remotegui.zip: codemirror.jar: elm.js](#)

[remotegui.zip: codemirror.jar: emacs.js](#)

[remotegui.zip: codemirror.jar: erlang.js](#)

[remotegui.zip: codemirror.jar: event.js](#)

[remotegui.zip: codemirror.jar: factor.js](#)

[remotegui.zip: codemirror.jar: fcl.js](#)

[remotegui.zip: codemirror.jar: feature_detection.js](#)

[remotegui.zip: codemirror.jar: focus.js](#)

[remotegui.zip: codemirror.jar: foldcode.js](#)

[remotegui.zip: codemirror.jar: foldgutter.js](#)

[remotegui.zip: codemirror.jar: forth.js](#)

[remotegui.zip: codemirror.jar: fortran.js](#)

[remotegui.zip: codemirror.jar: fromTextArea.js](#)

[remotegui.zip: codemirror.jar: fullscreen.js](#)

[remotegui.zip: codemirror.jar: gas.js](#)

[remotegui.zip: codemirror.jar: gfm.js](#)

[remotegui.zip: codemirror.jar: gherkin.js](#)

[remotegui.zip: codemirror.jar: global_events.js](#)

[remotegui.zip: codemirror.jar: go.js](#)

remotegui.zip: codemirror.jar: groovy.js		
remotegui.zip: codemirror.jar: gutters.js		
remotegui.zip: codemirror.jar: haml.js		
remotegui.zip: codemirror.jar: handlebars.js		
remotegui.zip: codemirror.jar: hardwrap.js		
remotegui.zip: codemirror.jar: haskell-literate.js		
remotegui.zip: codemirror.jar: haskell.js		
remotegui.zip: codemirror.jar: haxe.js		
remotegui.zip: codemirror.jar: highlight.js		
remotegui.zip: codemirror.jar: highlight_worker.js		
remotegui.zip: codemirror.jar: history.js		
remotegui.zip: codemirror.jar: html-hint.js		
remotegui.zip: codemirror.jar: html-lint.js		
remotegui.zip: codemirror.jar: htmlembdedded.js		
remotegui.zip: codemirror.jar: htmlmixed.js		
remotegui.zip: codemirror.jar: http.js		
remotegui.zip: codemirror.jar: idl.js		
remotegui.zip: codemirror.jar: indent-fold.js		
remotegui.zip: codemirror.jar: indent.js		
remotegui.zip: codemirror.jar: input.js		
remotegui.zip: codemirror.jar: javascript-hint.js		
remotegui.zip: codemirror.jar: javascript-lint.js		
remotegui.zip: codemirror.jar: javascript.js		
remotegui.zip: codemirror.jar: jinja2.js		
remotegui.zip: codemirror.jar: json-lint.js		
remotegui.zip: codemirror.jar: jsx.js		
remotegui.zip: codemirror.jar: julia.js		
remotegui.zip: codemirror.jar: jump-to-line.js		
remotegui.zip: codemirror.jar: key_events.js		
remotegui.zip: codemirror.jar: keymap.js		
remotegui.zip: codemirror.jar: keynames.js		
remotegui.zip: codemirror.jar: legacy.js		
remotegui.zip: codemirror.jar: line_data.js		
remotegui.zip: codemirror.jar: line_numbers.js		
remotegui.zip: codemirror.jar: line_widget.js		

[remotegui.zip: codemirror.jar: lint.js](#)

[remotegui.zip: codemirror.jar: livescript.js](#)

[remotegui.zip: codemirror.jar: loadmode.js](#)

[remotegui.zip: codemirror.jar: lua.js](#)

[remotegui.zip: codemirror.jar: main.js](#)

[remotegui.zip: codemirror.jar: mark-selection.js](#)

[remotegui.zip: codemirror.jar: mark_text.js](#)

[remotegui.zip: codemirror.jar: markdown-fold.js](#)

[remotegui.zip: codemirror.jar: markdown.js](#)

[remotegui.zip: codemirror.jar: match-highlighter.js](#)

[remotegui.zip: codemirror.jar: matchbrackets.js](#)

[remotegui.zip: codemirror.jar: matchesonscrollbar.js](#)

[remotegui.zip: codemirror.jar: matchtags.js](#)

[remotegui.zip: codemirror.jar: mathematica.js](#)

[remotegui.zip: codemirror.jar: mbox.js](#)

[remotegui.zip: codemirror.jar: merge.js](#)

[remotegui.zip: codemirror.jar: meta.js](#)

[remotegui.zip: codemirror.jar: methods.js](#)

[remotegui.zip: codemirror.jar: mirc.js](#)

[remotegui.zip: codemirror.jar: misc.js](#)

[remotegui.zip: codemirror.jar: mllike.js](#)

[remotegui.zip: codemirror.jar: mode_state.js](#)

[remotegui.zip: codemirror.jar: modelica.js](#)

[remotegui.zip: codemirror.jar: modes.js](#)

[remotegui.zip: codemirror.jar: mouse_events.js](#)

[remotegui.zip: codemirror.jar: movement.js](#)

[remotegui.zip: codemirror.jar: mscgen.js](#)

[remotegui.zip: codemirror.jar: multiplex.js](#)

[remotegui.zip: codemirror.jar: multiplex_test.js](#)

[remotegui.zip: codemirror.jar: mumps.js](#)

[remotegui.zip: codemirror.jar: nginx.js](#)

[remotegui.zip: codemirror.jar: nsis.js](#)

[remotegui.zip: codemirror.jar: ntriples.js](#)

[remotegui.zip: codemirror.jar: octave.js](#)

[remotegui.zip: codemirror.jar: operation_group.js](#)

remotegui.zip: codemirror.jar: operations.js		
remotegui.zip: codemirror.jar: options.js		
remotegui.zip: codemirror.jar: overlay.js		
remotegui.zip: codemirror.jar: oz.js		
remotegui.zip: codemirror.jar: package.json		
remotegui.zip: codemirror.jar: panel.js		
remotegui.zip: codemirror.jar: pascal.js		
remotegui.zip: codemirror.jar: pegjs.js		
remotegui.zip: codemirror.jar: perl.js		
remotegui.zip: codemirror.jar: php.js		
remotegui.zip: codemirror.jar: pig.js		
remotegui.zip: codemirror.jar: placeholder.js		
remotegui.zip: codemirror.jar: pos.js		
remotegui.zip: codemirror.jar: position_measurement.js		
remotegui.zip: codemirror.jar: powershell.js		
remotegui.zip: codemirror.jar: properties.js		
remotegui.zip: codemirror.jar: protobuf.js		
remotegui.zip: codemirror.jar: pug.js		
remotegui.zip: codemirror.jar: puppet.js		
remotegui.zip: codemirror.jar: python.js		
remotegui.zip: codemirror.jar: q.js		
remotegui.zip: codemirror.jar: r.js		
remotegui.zip: codemirror.jar: rollup.config.js		
remotegui.zip: codemirror.jar: rpm.js		
remotegui.zip: codemirror.jar: rst.js		
remotegui.zip: codemirror.jar: ruby.js		
remotegui.zip: codemirror.jar: rulers.js		
remotegui.zip: codemirror.jar: runmode-standalone.js		
remotegui.zip: codemirror.jar: runmode-standalone.js		
remotegui.zip: codemirror.jar: runmode.js		
remotegui.zip: codemirror.jar: runmode.node.js		
remotegui.zip: codemirror.jar: runmode.node.js		
remotegui.zip: codemirror.jar: rust.js		
remotegui.zip: codemirror.jar: sas.js		
remotegui.zip: codemirror.jar: sass.js		

[remotegui.zip: codemirror.jar: saw_special_spans.js](#)

[remotegui.zip: codemirror.jar: scheme.js](#)

[remotegui.zip: codemirror.jar: scroll_events.js](#)

[remotegui.zip: codemirror.jar: scrollbars.js](#)

[remotegui.zip: codemirror.jar: scrolling.js](#)

[remotegui.zip: codemirror.jar: scrollpastend.js](#)

[remotegui.zip: codemirror.jar: search.js](#)

[remotegui.zip: codemirror.jar: searchcursor.js](#)

[remotegui.zip: codemirror.jar: selection-pointer.js](#)

[remotegui.zip: codemirror.jar: selection.js](#)

[remotegui.zip: codemirror.jar: selection.js](#)

[remotegui.zip: codemirror.jar: selection_updates.js](#)

[remotegui.zip: codemirror.jar: shell.js](#)

[remotegui.zip: codemirror.jar: show-hint.js](#)

[remotegui.zip: codemirror.jar: sieve.js](#)

[remotegui.zip: codemirror.jar: simple.js](#)

[remotegui.zip: codemirror.jar: simplescrollbars.js](#)

[remotegui.zip: codemirror.jar: slim.js](#)

[remotegui.zip: codemirror.jar: smalltalk.js](#)

[remotegui.zip: codemirror.jar: smarty.js](#)

[remotegui.zip: codemirror.jar: solr.js](#)

[remotegui.zip: codemirror.jar: soy.js](#)

[remotegui.zip: codemirror.jar: spans.js](#)

[remotegui.zip: codemirror.jar: sparql.js](#)

[remotegui.zip: codemirror.jar: spreadsheet.js](#)

[remotegui.zip: codemirror.jar: sql-hint.js](#)

[remotegui.zip: codemirror.jar: sql.js](#)

[remotegui.zip: codemirror.jar: stex.js](#)

[remotegui.zip: codemirror.jar: stylus.js](#)

[remotegui.zip: codemirror.jar: sublime.js](#)

[remotegui.zip: codemirror.jar: swift.js](#)

[remotegui.zip: codemirror.jar: tcl.js](#)

[remotegui.zip: codemirror.jar: tern.js](#)

[remotegui.zip: codemirror.jar: textile.js](#)

[remotegui.zip: codemirror.jar: tiddlywiki.js](#)

remotegui.zip: codemirror.jar: tiki.js		
remotegui.zip: codemirror.jar: toml.js		
remotegui.zip: codemirror.jar: tornado.js		
remotegui.zip: codemirror.jar: trailingspace.js		
remotegui.zip: codemirror.jar: troff.js		
remotegui.zip: codemirror.jar: ttcn-cfg.js		
remotegui.zip: codemirror.jar: ttcn.js		
remotegui.zip: codemirror.jar: turtle.js		
remotegui.zip: codemirror.jar: twig.js		
remotegui.zip: codemirror.jar: update_display.js		
remotegui.zip: codemirror.jar: update_line.js		
remotegui.zip: codemirror.jar: update_lines.js		
remotegui.zip: codemirror.jar: utils.js		
remotegui.zip: codemirror.jar: utils_line.js		
remotegui.zip: codemirror.jar: vb.js		
remotegui.zip: codemirror.jar: vbscript.js		
remotegui.zip: codemirror.jar: velocity.js		
remotegui.zip: codemirror.jar: verilog.js		
remotegui.zip: codemirror.jar: vhdl.js		
remotegui.zip: codemirror.jar: view_tracking.js		
remotegui.zip: codemirror.jar: vim.js		
remotegui.zip: codemirror.jar: vue.js		
remotegui.zip: codemirror.jar: wast.js		
remotegui.zip: codemirror.jar: webidl.js		
remotegui.zip: codemirror.jar: widgets.js		
remotegui.zip: codemirror.jar: worker.js		
remotegui.zip: codemirror.jar: xml-fold.js		
remotegui.zip: codemirror.jar: xml-hint.js		
remotegui.zip: codemirror.jar: xml.js		
remotegui.zip: codemirror.jar: xquery.js		
remotegui.zip: codemirror.jar: yacas.js		
remotegui.zip: codemirror.jar: yaml-frontmatter.js		
remotegui.zip: codemirror.jar: yaml-lint.js		
remotegui.zip: codemirror.jar: yaml.js		
remotegui.zip: codemirror.jar: z80.js		

remotegui.zip: commons-fileupload.jar	cpe:2.3:a:apache:commons_fileupload:1.5:*:*:*:*:*	pkg:maven/commons-fileupload/commons-fileupload@1.5
remotegui.zip: crypto-js.jar		pkg:maven/org.webjars.bower/crypto-js@4.1.1
remotegui.zip: crypto-js.jar: aes.js		
remotegui.zip: crypto-js.jar: cipher-core.js		
remotegui.zip: crypto-js.jar: core.js		
remotegui.zip: crypto-js.jar: crypto-js.js		
remotegui.zip: crypto-js.jar: enc-base64.js		
remotegui.zip: crypto-js.jar: enc-base64url.js		
remotegui.zip: crypto-js.jar: enc-hex.js		
remotegui.zip: crypto-js.jar: enc-latin1.js		
remotegui.zip: crypto-js.jar: enc-utf16.js		
remotegui.zip: crypto-js.jar: enc-utf8.js		
remotegui.zip: crypto-js.jar: evpkdf.js		
remotegui.zip: crypto-js.jar: format-hex.js		
remotegui.zip: crypto-js.jar: format-openssl.js		
remotegui.zip: crypto-js.jar: hmac-md5.js		
remotegui.zip: crypto-js.jar: hmac-ripemd160.js		
remotegui.zip: crypto-js.jar: hmac-sha1.js		
remotegui.zip: crypto-js.jar: hmac-sha224.js		
remotegui.zip: crypto-js.jar: hmac-sha256.js		
remotegui.zip: crypto-js.jar: hmac-sha3.js		
remotegui.zip: crypto-js.jar: hmac-sha384.js		
remotegui.zip: crypto-js.jar: hmac-sha512.js		
remotegui.zip: crypto-js.jar: hmac.js		
remotegui.zip: crypto-js.jar: index.js		
remotegui.zip: crypto-js.jar: lib-typedarrays.js		
remotegui.zip: crypto-js.jar: md5.js		
remotegui.zip: crypto-js.jar: mode-cfb.js		
remotegui.zip: crypto-js.jar: mode-ctr-gladman.js		
remotegui.zip: crypto-js.jar: mode-ctr.js		
remotegui.zip: crypto-js.jar: mode-ecb.js		
remotegui.zip: crypto-js.jar: mode-ofb.js		

remotegui.zip: crypto-js.jar: package.json		
remotegui.zip: crypto-js.jar: pad-ansix923.js		
remotegui.zip: crypto-js.jar: pad-iso10126.js		
remotegui.zip: crypto-js.jar: pad-iso97971.js		
remotegui.zip: crypto-js.jar: pad-nopadding.js		
remotegui.zip: crypto-js.jar: pad-pkcs7.js		
remotegui.zip: crypto-js.jar: pad-zeropadding.js		
remotegui.zip: crypto-js.jar: pbkdf2.js		
remotegui.zip: crypto-js.jar: rabbit-legacy.js		
remotegui.zip: crypto-js.jar: rabbit.js		
remotegui.zip: crypto-js.jar: rc4.js		
remotegui.zip: crypto-js.jar: ripemd160.js		
remotegui.zip: crypto-js.jar: sha1.js		
remotegui.zip: crypto-js.jar: sha224.js		
remotegui.zip: crypto-js.jar: sha256.js		
remotegui.zip: crypto-js.jar: sha3.js		
remotegui.zip: crypto-js.jar: sha384.js		
remotegui.zip: crypto-js.jar: sha512.js		
remotegui.zip: crypto-js.jar: tripledes.js		
remotegui.zip: crypto-js.jar: x64-core.js		
remotegui.zip: echo2-app.jar	cpe:2.3:a:nextapp:echo:2.1.1:*:*:*:*:* * -	pkg:maven/com.nextapp/echo2-app@2.1.1
remotegui.zip: echo2-webcontainer.jar: BrowserCommand.js		
remotegui.zip: echo2-webcontainer.jar: Button.js		
remotegui.zip: echo2-webcontainer.jar: ContentPane.js		
remotegui.zip: echo2-webcontainer.jar: ListComponent.js		
remotegui.zip: echo2-webcontainer.jar: SplitPane.js		
remotegui.zip: echo2-webcontainer.jar: Table.js		
remotegui.zip: echo2-webcontainer.jar: TextComponent.js		
remotegui.zip: echo2-webcontainer.jar: WebContainer.js		
remotegui.zip: echo2-webcontainer.jar: WindowPane.js		
remotegui.zip: echo2-webrender.jar: ClientEngine.js		
remotegui.zip: echo2extras-app.jar	cpe:2.3:a:nextapp:echo:2.1.0:*:*:*:*:* * -	pkg:maven/com.nextapp

		/echo2extras-app@2.1.0
remotegui.zip: echo2extras-webcontainer.jar: AccordionPane.js		
remotegui.zip: echo2extras-webcontainer.jar: CalendarSelect.js		
remotegui.zip: echo2extras-webcontainer.jar: ColorSelect.js		
remotegui.zip: echo2extras-webcontainer.jar: DND.js		
remotegui.zip: echo2extras-webcontainer.jar: ExtrasUtil.js		
remotegui.zip: echo2extras-webcontainer.jar: Menu.js		
remotegui.zip: echo2extras-webcontainer.jar: TabPane.js		
remotegui.zip: echo2extras-webcontainer.jar: TransitionPane.js		
remotegui.zip: echopointng.jar		
remotegui.zip: echopointng.jar: blankcanvas.js		
remotegui.zip: echopointng.jar: button.js		
remotegui.zip: echopointng.jar: calculator.js		
remotegui.zip: echopointng.jar: colorchooser.js		
remotegui.zip: echopointng.jar: combobox.js		
remotegui.zip: echopointng.jar: command.js		
remotegui.zip: echopointng.jar: containerex.js		
remotegui.zip: echopointng.jar: csscommand.js		
remotegui.zip: echopointng.jar: datechooser.js		
remotegui.zip: echopointng.jar: directhtml.js		
remotegui.zip: echopointng.jar: ep.js		
remotegui.zip: echopointng.jar: epdrag.js		
remotegui.zip: echopointng.jar: epfx.js		
remotegui.zip: echopointng.jar: epstretch.js		
remotegui.zip: echopointng.jar: expandablesection.js		
remotegui.zip: echopointng.jar: flyoutpane.js		
remotegui.zip: echopointng.jar: historymonitor.js		
remotegui.zip: echopointng.jar: keystroke.js		
remotegui.zip: echopointng.jar: labelex.js		
remotegui.zip: echopointng.jar: lightbox.js		
remotegui.zip: echopointng.jar: livetable.js		
remotegui.zip: echopointng.jar: lookupcache.js		

remotegui.zip: echopointng.jar: menu.js		
remotegui.zip: echopointng.jar: nativewindow.js		
remotegui.zip: echopointng.jar: popup.js		
remotegui.zip: echopointng.jar: rta.js		
remotegui.zip: echopointng.jar: slider.js		
remotegui.zip: echopointng.jar: stackedpaneex.js		
remotegui.zip: echopointng.jar: tableex.js		
remotegui.zip: echopointng.jar: templatepanel.js		
remotegui.zip: echopointng.jar: textfieldex.js		
remotegui.zip: echopointng.jar: titlebar.js		
remotegui.zip: echopointng.jar: tree.js		
remotegui.zip: jquery-ui.jar		pkg:maven/org.webjars/jquery-ui@1.13.2
remotegui.zip: jquery-ui.jar: jquery-ui.js		
remotegui.zip: jquery-ui.jar: jquery-ui.min.js		
remotegui.zip: jquery-ui.jar: package.json		
remotegui.zip: jquery-ui.jar: webjars-requirejs.js		
remotegui.zip: jquery.jar		pkg:javascript/jquery@2.2.4 pkg:maven/org.webjars/jquery@2.2.4
remotegui.zip: jquery.jar: webjars-requirejs.js		
remotegui.zip: moment-timezone.jar		pkg:maven/org.webjars.npm/moment-timezone@0.5.43
remotegui.zip: moment-timezone.jar: index.js		
remotegui.zip: moment-timezone.jar: moment-timezone-utils.js		
remotegui.zip: moment-timezone.jar: moment-timezone-with-data-10-year-range.js		
remotegui.zip: moment-timezone.jar: moment-timezone-with-data-10-year-range.min.js		
remotegui.zip: moment-timezone.jar: moment-timezone-with-data-1970-2030.js		
remotegui.zip: moment-timezone.jar: moment-timezone-with-data-1970-2030.min.js		
remotegui.zip: moment-timezone.jar: moment-timezone-with-data-2012-2022.js		
remotegui.zip: moment-timezone.jar: moment-timezone-with-data-2012-2022.min.js		

[remotegui.zip: moment-timezone.jar: moment-timezone-with-data.js](#)

[remotegui.zip: moment-timezone.jar: moment-timezone-with-data.min.js](#)

[remotegui.zip: moment-timezone.jar: moment-timezone.js](#)

[remotegui.zip: moment-timezone.jar: moment-timezone.min.js](#)

[remotegui.zip: moment-timezone.jar: package.json](#)

[remotegui.zip: momentjs.jar](#)

[pkg:maven/org.webjars/momentjs@2.29.4](#)

[remotegui.zip: momentjs.jar: af.js](#)

[remotegui.zip: momentjs.jar: ar-dz.js](#)

[remotegui.zip: momentjs.jar: ar-kw.js](#)

[remotegui.zip: momentjs.jar: ar-ly.js](#)

[remotegui.zip: momentjs.jar: ar-ma.js](#)

[remotegui.zip: momentjs.jar: ar-sa.js](#)

[remotegui.zip: momentjs.jar: ar-tn.js](#)

[remotegui.zip: momentjs.jar: ar.js](#)

[remotegui.zip: momentjs.jar: az.js](#)

[remotegui.zip: momentjs.jar: be.js](#)

[remotegui.zip: momentjs.jar: bg.js](#)

[remotegui.zip: momentjs.jar: bm.js](#)

[remotegui.zip: momentjs.jar: bn-bd.js](#)

[remotegui.zip: momentjs.jar: bn.js](#)

[remotegui.zip: momentjs.jar: bo.js](#)

[remotegui.zip: momentjs.jar: br.js](#)

[remotegui.zip: momentjs.jar: bs.js](#)

[remotegui.zip: momentjs.jar: ca.js](#)

[remotegui.zip: momentjs.jar: cs.js](#)

[remotegui.zip: momentjs.jar: cv.js](#)

[remotegui.zip: momentjs.jar: cy.js](#)

[remotegui.zip: momentjs.jar: da.js](#)

[remotegui.zip: momentjs.jar: de-at.js](#)

[remotegui.zip: momentjs.jar: de-ch.js](#)

[remotegui.zip: momentjs.jar: de.js](#)

remotegui.zip: momentjs.jar: dv.js		
remotegui.zip: momentjs.jar: el.js		
remotegui.zip: momentjs.jar: en-au.js		
remotegui.zip: momentjs.jar: en-ca.js		
remotegui.zip: momentjs.jar: en-gb.js		
remotegui.zip: momentjs.jar: en-ie.js		
remotegui.zip: momentjs.jar: en-il.js		
remotegui.zip: momentjs.jar: en-in.js		
remotegui.zip: momentjs.jar: en-nz.js		
remotegui.zip: momentjs.jar: en-sg.js		
remotegui.zip: momentjs.jar: eo.js		
remotegui.zip: momentjs.jar: es-do.js		
remotegui.zip: momentjs.jar: es-mx.js		
remotegui.zip: momentjs.jar: es-us.js		
remotegui.zip: momentjs.jar: es.js		
remotegui.zip: momentjs.jar: et.js		
remotegui.zip: momentjs.jar: eu.js		
remotegui.zip: momentjs.jar: fa.js		
remotegui.zip: momentjs.jar: fi.js		
remotegui.zip: momentjs.jar: fil.js		
remotegui.zip: momentjs.jar: fo.js		
remotegui.zip: momentjs.jar: fr-ca.js		
remotegui.zip: momentjs.jar: fr-ch.js		
remotegui.zip: momentjs.jar: fr.js		
remotegui.zip: momentjs.jar: fy.js		
remotegui.zip: momentjs.jar: ga.js		
remotegui.zip: momentjs.jar: gd.js		
remotegui.zip: momentjs.jar: gl.js		
remotegui.zip: momentjs.jar: gom-deva.js		
remotegui.zip: momentjs.jar: gom-latn.js		
remotegui.zip: momentjs.jar: gu.js		
remotegui.zip: momentjs.jar: he.js		
remotegui.zip: momentjs.jar: hi.js		
remotegui.zip: momentjs.jar: hr.js		
remotegui.zip: momentjs.jar: hu.js		

[remotegui.zip: momentjs.jar: hy-am.js](#)

[remotegui.zip: momentjs.jar: id.js](#)

[remotegui.zip: momentjs.jar: is.js](#)

[remotegui.zip: momentjs.jar: it-ch.js](#)

[remotegui.zip: momentjs.jar: it.js](#)

[remotegui.zip: momentjs.jar: ja.js](#)

[remotegui.zip: momentjs.jar: jv.js](#)

[remotegui.zip: momentjs.jar: ka.js](#)

[remotegui.zip: momentjs.jar: kk.js](#)

[remotegui.zip: momentjs.jar: km.js](#)

[remotegui.zip: momentjs.jar: kn.js](#)

[remotegui.zip: momentjs.jar: ko.js](#)

[remotegui.zip: momentjs.jar: ku.js](#)

[remotegui.zip: momentjs.jar: ky.js](#)

[remotegui.zip: momentjs.jar: lb.js](#)

[remotegui.zip: momentjs.jar: lo.js](#)

[remotegui.zip: momentjs.jar: locales.js](#)

[remotegui.zip: momentjs.jar: locales.min.js](#)

[remotegui.zip: momentjs.jar: lt.js](#)

[remotegui.zip: momentjs.jar: lv.js](#)

[remotegui.zip: momentjs.jar: me.js](#)

[remotegui.zip: momentjs.jar: mi.js](#)

[remotegui.zip: momentjs.jar: mk.js](#)

[remotegui.zip: momentjs.jar: ml.js](#)

[remotegui.zip: momentjs.jar: mn.js](#)

[remotegui.zip: momentjs.jar: moment-with-locales.js](#)

[remotegui.zip: momentjs.jar: moment-with-locales.min.js](#)

[remotegui.zip: momentjs.jar: moment.js](#)

[remotegui.zip: momentjs.jar: moment.min.js](#)

[remotegui.zip: momentjs.jar: mr.js](#)

[remotegui.zip: momentjs.jar: ms-my.js](#)

[remotegui.zip: momentjs.jar: ms.js](#)

[remotegui.zip: momentjs.jar: mt.js](#)

[remotegui.zip: momentjs.jar: my.js](#)

[remotegui.zip: momentjs.jar: nb.js](#)

remotegui.zip: momentjs.jar: ne.js		
remotegui.zip: momentjs.jar: nl-be.js		
remotegui.zip: momentjs.jar: nl.js		
remotegui.zip: momentjs.jar: nn.js		
remotegui.zip: momentjs.jar: oc-lnc.js		
remotegui.zip: momentjs.jar: pa-in.js		
remotegui.zip: momentjs.jar: package.js		
remotegui.zip: momentjs.jar: package.json		
remotegui.zip: momentjs.jar: pl.js		
remotegui.zip: momentjs.jar: pt-br.js		
remotegui.zip: momentjs.jar: pt.js		
remotegui.zip: momentjs.jar: ro.js		
remotegui.zip: momentjs.jar: ru.js		
remotegui.zip: momentjs.jar: sd.js		
remotegui.zip: momentjs.jar: se.js		
remotegui.zip: momentjs.jar: si.js		
remotegui.zip: momentjs.jar: sk.js		
remotegui.zip: momentjs.jar: sl.js		
remotegui.zip: momentjs.jar: sq.js		
remotegui.zip: momentjs.jar: sr-cyrl.js		
remotegui.zip: momentjs.jar: sr.js		
remotegui.zip: momentjs.jar: ss.js		
remotegui.zip: momentjs.jar: sv.js		
remotegui.zip: momentjs.jar: sw.js		
remotegui.zip: momentjs.jar: ta.js		
remotegui.zip: momentjs.jar: te.js		
remotegui.zip: momentjs.jar: tests.js		
remotegui.zip: momentjs.jar: tet.js		
remotegui.zip: momentjs.jar: tg.js		
remotegui.zip: momentjs.jar: th.js		
remotegui.zip: momentjs.jar: tk.js		
remotegui.zip: momentjs.jar: tl-ph.js		
remotegui.zip: momentjs.jar: tlh.js		
remotegui.zip: momentjs.jar: tr.js		
remotegui.zip: momentjs.jar: tzl.js		

[remotegui.zip: momentjs.jar: tzm-latn.js](#)

[remotegui.zip: momentjs.jar: tzm.js](#)

[remotegui.zip: momentjs.jar: ug-cn.js](#)

[remotegui.zip: momentjs.jar: uk.js](#)

[remotegui.zip: momentjs.jar: ur.js](#)

[remotegui.zip: momentjs.jar: uz-latn.js](#)

[remotegui.zip: momentjs.jar: uz.js](#)

[remotegui.zip: momentjs.jar: vi.js](#)

[remotegui.zip: momentjs.jar: webjars-requirejs.js](#)

[remotegui.zip: momentjs.jar: x-pseudo.js](#)

[remotegui.zip: momentjs.jar: yo.js](#)

[remotegui.zip: momentjs.jar: zh-cn.js](#)

[remotegui.zip: momentjs.jar: zh-hk.js](#)

[remotegui.zip: momentjs.jar: zh-mo.js](#)

[remotegui.zip: momentjs.jar: zh-tw.js](#)

[remotegui.zip: remotegui.jar](#)

[remotegui.zip: remotegui.jar: DbClickButton.js](#)

[remotegui.zip: remotegui.jar: DbClickDragSource.js](#)

[remotegui.zip: remotegui.jar: DbClickTable.js](#)

[remotegui.zip: remotegui.jar: HeightDetermineButton.js](#)

[remotegui.zip: remotegui.jar: InetContentPane.js](#)

[remotegui.zip: remotegui.jar: MouseOverTarget.js](#)

[remotegui.zip: remotegui.jar: PreventSelectionSplitPane.js](#)

[remotegui.zip: remotegui.jar: ScrollEventWindow.js](#)

[remotegui.zip: remotegui.jar: SortDbClickTable.js](#)

[remotegui.zip: remotegui.jar: angular-websocket.js](#)

[remotegui.zip: remotegui.jar: app.js](#)

[remotegui.zip: remotegui.jar: app.js](#)

[remotegui.zip: remotegui.jar: app.js](#)

[remotegui.zip: remotegui.jar: app.js](#)

[remotegui.zip: remotegui.jar: appbadge.service.js](#)

[remotegui.zip: remotegui.jar: authInterceptor.service.js](#)

[remotegui.zip: remotegui.jar: avatarcard.directive.js](#)

[remotegui.zip: remotegui.jar: avatardetails.directive.js](#)

[remotegui.zip: remotegui.jar: avatarimage.directive.js](#)

remotegui.zip: remotegui.jar: avatarimagedetails.directive.js		
remotegui.zip: remotegui.jar: basic.js		
remotegui.zip: remotegui.jar: bootstrap-colorpicker.js		
remotegui.zip: remotegui.jar: bootstrap-datetimepicker.js		
remotegui.zip: remotegui.jar: browsercheck.js		
remotegui.zip: remotegui.jar: changeavatar.js		
remotegui.zip: remotegui.jar: changeavatarcontroller.controller.js		
remotegui.zip: remotegui.jar: changeavatar.service.service.js		
remotegui.zip: remotegui.jar: clearreports.controller.js		
remotegui.zip: remotegui.jar: collapse.directive.js		
remotegui.zip: remotegui.jar: colorPicker.directive.js		
remotegui.zip: remotegui.jar: connectionstate.js		
remotegui.zip: remotegui.jar: controller.js		
remotegui.zip: remotegui.jar: controller.js		
remotegui.zip: remotegui.jar: controller.js		
remotegui.zip: remotegui.jar: controllerAbout.js		
remotegui.zip: remotegui.jar: controllerShortcuts.controller.js		
remotegui.zip: remotegui.jar: controllerUserTheme.controller.js		
remotegui.zip: remotegui.jar: controllers.js		
remotegui.zip: remotegui.jar: controllers.js		
remotegui.zip: remotegui.jar: controllers.js		
remotegui.zip: remotegui.jar: controllers.js		
remotegui.zip: remotegui.jar: controllers.js		
remotegui.zip: remotegui.jar: controllers.js		
remotegui.zip: remotegui.jar: controllers.js		
remotegui.zip: remotegui.jar: controllers.js		
remotegui.zip: remotegui.jar: currencyNumber.directive.js		
remotegui.zip: remotegui.jar: currencyValidator.directive.js		
remotegui.zip: remotegui.jar: customEmojiUploadConfigItemRenderer.directive.js		
remotegui.zip: remotegui.jar: customEmojiUploadConfigRenderer.directive.js		

remotegui.zip: remotegui.jar: customemojiupload.js		
remotegui.zip: remotegui.jar: dataservice.service.js		
remotegui.zip: remotegui.jar: datepicker-de.js		
remotegui.zip: remotegui.jar: debug.directive.js		
remotegui.zip: remotegui.jar: dialogservice.service.js		
remotegui.zip: remotegui.jar: directives.js		
remotegui.zip: remotegui.jar: emojiModel.service.js		
remotegui.zip: remotegui.jar: emojiselector.directive.js		
remotegui.zip: remotegui.jar: errorservice.service.js		
remotegui.zip: remotegui.jar: filechooser.service.js		
remotegui.zip: remotegui.jar: fixNumber.directive.js		
remotegui.zip: remotegui.jar: fixNumberValidator.directive.js		
remotegui.zip: remotegui.jar: floatNumber.directive.js		
remotegui.zip: remotegui.jar: floatNumberValidator.directive.js		
remotegui.zip: remotegui.jar: globalactionservice.service.js		
remotegui.zip: remotegui.jar: hdField.directive.js		
remotegui.zip: remotegui.jar: hdMandatory.directive.js		
remotegui.zip: remotegui.jar: hdNeedchange.directive.js		
remotegui.zip: remotegui.jar: hdValidate.directive.js		
remotegui.zip: remotegui.jar: hdattachment.js		
remotegui.zip: remotegui.jar: hdfileupload.js		
remotegui.zip: remotegui.jar: hsimp.min.js		
remotegui.zip: remotegui.jar: hsimp.renderer.js		
remotegui.zip: remotegui.jar: html5modeurls.js		
remotegui.zip: remotegui.jar: htmleditor.directive.js		
remotegui.zip: remotegui.jar: htmleditorFactory.service.js		
remotegui.zip: remotegui.jar: htmleditorModel.service.js		
remotegui.zip: remotegui.jar: icons.js		
remotegui.zip: remotegui.jar: initUsernameField.directive.js		
remotegui.zip: remotegui.jar: introduction.js		
remotegui.zip: remotegui.jar: jquery.fileupload.js		
remotegui.zip: remotegui.jar: keyservice.service.js		

remotegui.zip: remotegui.jar: locationservice.service.js		
remotegui.zip: remotegui.jar: modalservice.service.js		
remotegui.zip: remotegui.jar: moduledragdrop.js		
remotegui.zip: remotegui.jar: navtabsoverflow.directive.js		
remotegui.zip: remotegui.jar: ng-tinymce.js		
remotegui.zip: remotegui.jar: numberUtil.js		
remotegui.zip: remotegui.jar: ocLazyLoad.min.js		
remotegui.zip: remotegui.jar: pageablenavbaractiondropdown.directive.js		
remotegui.zip: remotegui.jar: paged.filter.js		
remotegui.zip: remotegui.jar: pagination.directive.js		
remotegui.zip: remotegui.jar: piechart.directive.js		
remotegui.zip: remotegui.jar: pwa-service-worker.js		
remotegui.zip: remotegui.jar: pwa.js		
remotegui.zip: remotegui.jar: qrcode.min.js		
remotegui.zip: remotegui.jar: rangeSlider.directive.js		
remotegui.zip: remotegui.jar: resizableDivider.js		
remotegui.zip: remotegui.jar: scrollabledropdownmenu.directive.js		
remotegui.zip: remotegui.jar: search-panel.js		
remotegui.zip: remotegui.jar: selectInput.directive.js		
remotegui.zip: remotegui.jar: shadowLogger.factory.js		
remotegui.zip: remotegui.jar: sidenavigation.js		
remotegui.zip: remotegui.jar: takeoutDataController.controller.js		
remotegui.zip: remotegui.jar: takeoutDataFactory.factory.js		
remotegui.zip: remotegui.jar: takeoutDataModel.service.js		
remotegui.zip: remotegui.jar: timeInput.directive.js		
remotegui.zip: remotegui.jar: timeInputContainer.directive.js		
remotegui.zip: remotegui.jar: timeInputUtil.js		
remotegui.zip: remotegui.jar: timeMeridiemContainer.directive.js		
remotegui.zip: remotegui.jar: translate.js		
remotegui.zip: remotegui.jar: unitFixNumber.directive.js		
remotegui.zip: remotegui.jar: unitFloatNumber.directive.js		

remotegui.zip: remotegui.jar: userservice.js		
remotegui.zip: remotegui.jar: usersorgroupsselection.js		
remotegui.zip: remotegui.jar: usestrict.js		
remotegui.zip: remotegui.jar: websitedownload.render.js		
remotegui.zip: remotegui.jar: websocketdataservice.js		
remotegui.zip: remotegui.jar: websocketkeepaliveworker.js		
remotegui.zip: remotegui.jar: windowdatastore.js		
remotegui.zip: tinymce-languages.jar: ar.js		
remotegui.zip: tinymce-languages.jar: bg_BG.js		
remotegui.zip: tinymce-languages.jar: ca.js		
remotegui.zip: tinymce-languages.jar: cs.js		
remotegui.zip: tinymce-languages.jar: cy.js		
remotegui.zip: tinymce-languages.jar: da.js		
remotegui.zip: tinymce-languages.jar: de.js		
remotegui.zip: tinymce-languages.jar: el.js		
remotegui.zip: tinymce-languages.jar: eo.js		
remotegui.zip: tinymce-languages.jar: es.js		
remotegui.zip: tinymce-languages.jar: es_ES.js		
remotegui.zip: tinymce-languages.jar: es_MX.js		
remotegui.zip: tinymce-languages.jar: eu.js		
remotegui.zip: tinymce-languages.jar: fa.js		
remotegui.zip: tinymce-languages.jar: fa_IR.js		
remotegui.zip: tinymce-languages.jar: fi.js		
remotegui.zip: tinymce-languages.jar: fr_FR.js		
remotegui.zip: tinymce-languages.jar: gl.js		
remotegui.zip: tinymce-languages.jar: he_IL.js		
remotegui.zip: tinymce-languages.jar: hr.js		
remotegui.zip: tinymce-languages.jar: hu_HU.js		
remotegui.zip: tinymce-languages.jar: id.js		
remotegui.zip: tinymce-languages.jar: it.js		
remotegui.zip: tinymce-languages.jar: it_IT.js		
remotegui.zip: tinymce-languages.jar: ja.js		
remotegui.zip: tinymce-languages.jar: kk.js		
remotegui.zip: tinymce-languages.jar: ko_KR.js		

[remotegui.zip: tinymce.jar: index.js](#)

[remotegui.zip: tinymce.jar: index.js](#)

[remotegui.zip: tinymce.jar: index.js](#)

[remotegui.zip: tinymce.jar: index.js](#)

[remotegui.zip: tinymce.jar: index.js](#)

[remotegui.zip: tinymce.jar: index.js](#)

[remotegui.zip: tinymce.jar: index.js](#)

[remotegui.zip: tinymce.jar: index.js](#)

[remotegui.zip: tinymce.jar: index.js](#)

[remotegui.zip: tinymce.jar: index.js](#)

[remotegui.zip](#): [tinymce.jar](#): [index.js](#)

remotegui.zip: tinymce.jar: index.js

[remotegui.zip: tinymce.jar: index.js](#)

[remotegui.zip: tinymce.jar: index.js](#)

[remotegui.zip: tinymce.jar: index.js](#)

[remotegui.zip](#): [tinymce.jar](#): [index.js](#)

[remotegui.zip: tinymce.jar: index.js](#)

[remotegui.zip: tinymce.jar: index.js](#)

[remotegui.zip](#): [tinymce.jar](#): [index.js](#)

[remotegui.zip: tinymce.jar: index.js](#)

[remotegui.zip](#): [tinymce.jar](#): [index.js](#)

[remotegui.zip](#): [tinymce.jar](#): [index.js](#)

[remotegui.zip: tinymce.jar: index.js](#)

remotegui.zip: tinymce.jar: index.js

remotegui.zip: tinymce.jar: index.js

remotegui.zip: tinymce.jar: index.js

remotegui.zip: tinymce.jar: index.js

[remotegui.zip: tinymce.jar: index.js](#)

remotegui.zip: tinymce.jar: index.js

remotegui.zip: tinymce.jar: index.js

remotegui.zip: tinymce.jar: index.js

remotegui.zip: tinymce.jar: index.js

remotegui.zip: tinymce.jar: index.js

remotegui.zip: tinymce.jar: index.js

remotegui.zip: tinymce.jar: index.js

[illegible]

remotegui.zip: tinymce.jar: plugin.js

remotegui.zip: tinymce.jar: plugin.js

remotegui.zip: tinymce.jar: plugin.js

remotegui.zip: tinymce.jar: plugin.js

remotegui.zip: tinymce.jar: plugin.js

remotegui.zip: tinymce.jar: plugin.js

remotegui.zip: tinymce.jar: plugin.js

remotegui.zip: tinymce.jar: plugin.js

remotegui.zip: tinymce.jar: plugin.js

remotegui.zip: tinymce.jar: plugin.js

[remotegui.zip](#): [tinymce.jar](#): [plugin.js](#)

[remotegui.zip: tinymce.jar: plugin.js](#)

[remotegui.zip](#): [tinymce.jar](#): [plugin.js](#)

[remotegui.zip](#): [tinymce.jar](#): [plugin.js](#)

[remotegui.zip](#): [tinymce.jar](#): [plugin.js](#)

remotegui.zip: tinymce.jar: plugin.js

remotegui.zip: tinymce.jar: plugin.js

remotegui.zip: tinymce.jar: plugin.min.js

[remotegui.zip](#): [tinymce.jar](#): [plugin.min.js](#)

remotegui.zip: tinymce.jar: plugin.min.js

[remotegui.zip: tinymce.jar: plugin.min.js](#)

remotegui.zip: tinymce.jar: plugin.min.js

[remotegui.zip: tinymce.jar: plugin.min.js](#)

remotegui.zip: tinymce.jar: plugin.min.js

remotegui.zip: tinymce.jar: plugin.min.js

remotegui.zip: tinymce.jar: plugin.min.js

remotegui.zip: tinymce.jar: plugin.min.js

[remotegui.zip: tinymce.jar: plugin.min.js](#)

remotegui.zip: tinymce.jar: plugin.min.js

remotegui.zip: tinymce.jar: plugin.min.js

remotegui.zip: tinymce.jar: plugin.min.js

remotequi.zip: tinymce.jar: plugin.min.js

remotequi.zip: tinymce.jar: plugin.min.js

remotequi.zip: tinymce.jar: plugin.min.js

remotequi.zip: tinymce.jar: plugin.min.js

remotegui.zip: tinymce.jar: plugin.min.js		
remotegui.zip: tinymce.jar: plugin.min.js		
remotegui.zip: tinymce.jar: plugin.min.js		
remotegui.zip: tinymce.jar: plugin.min.js		
remotegui.zip: tinymce.jar: plugin.min.js		
remotegui.zip: tinymce.jar: plugin.min.js		
remotegui.zip: tinymce.jar: plugin.min.js		
remotegui.zip: tinymce.jar: plugin.min.js		
remotegui.zip: tinymce.jar: plugin.min.js		
remotegui.zip: tinymce.jar: plugin.min.js		
remotegui.zip: tinymce.jar: plugin.min.js		
remotegui.zip: tinymce.jar: plugin.min.js		
remotegui.zip: tinymce.jar: plugin.min.js		
remotegui.zip: tinymce.jar: plugin.min.js		
remotegui.zip: tinymce.jar: plugin.min.js		
remotegui.zip: tinymce.jar: plugin.min.js		
remotegui.zip: tinymce.jar: plugin.min.js		
remotegui.zip: tinymce.jar: plugin.min.js		
remotegui.zip: tinymce.jar: plugin.min.js		
remotegui.zip: tinymce.jar: plugin.min.js		
remotegui.zip: tinymce.jar: plugin.min.js		
remotegui.zip: tinymce.jar: plugin.min.js		
remotegui.zip: tinymce.jar: plugin.min.js		
remotegui.zip: tinymce.jar: plugin.min.js		
remotegui.zip: tinymce.jar: plugin.min.js		
remotegui.zip: tinymce.jar: plugin.min.js		
remotegui.zip: tinymce.jar: plugin.min.js		
remotegui.zip: tinymce.jar: plugin.min.js		
remotegui.zip: tinymce.jar: plugin.min.js		
remotegui.zip: tinymce.jar: plugin.min.js		
remotegui.zip: tinymce.jar: theme.js		
remotegui.zip: tinymce.jar: theme.js		
remotegui.zip: tinymce.jar: theme.min.js		
remotegui.zip: tinymce.jar: theme.min.js		
remotegui.zip: tinymce.jar: tinymce.js		pkg:javascript /tinyMCE@5.10.9
remotegui.zip: tinymce.jar: tinymce.min.js		pkg:javascript /tinyMCE@5.10.9
remotegui.zip: twemoji.jar		pkg:maven/lib /twemoji-null@1.0
reporting.zip: jcommon.jar		pkg:maven/org.

reporting.zip: jfreechartCC.jar		
reporting.zip: reporting-javadoc.jar		
reporting.zip: reporting-javadoc.jar: member-search-index.js		
reporting.zip: reporting-javadoc.jar: package-search-index.js		
reporting.zip: reporting-javadoc.jar: type-search-index.js		
reporting.zip: reporting.jar		
reporting.zip: reporting.jar: events.js		
reporting.zip: reporting.jar: export.js		
reporting.zip: reporting.jar: functions.js		
reporting.zip: reporting.jar: generator.js		
reporting.zip: reporting.jar: grouptree.js		
reporting.zip: reporting.jar: jstorage.js		
reporting.zip: reporting.jar: keylistener.js		
reporting.zip: reporting.jar: menubar.js		
reporting.zip: reporting.jar: page.js		
reporting.zip: reporting.jar: pagecount.js		
reporting.zip: reporting.jar: popup.js		
reporting.zip: reporting.jar: print.js		
reporting.zip: reporting.jar: prompts.js		
reporting.zip: reporting.jar: prototype.array.js		
reporting.zip: reporting.jar: prototype.element.js		
reporting.zip: reporting.jar: prototype.string.js		
reporting.zip: reporting.jar: renderreportextension.js		
reporting.zip: reporting.jar: reorder.js		
reporting.zip: reporting.jar: script.js		
reporting.zip: reporting.jar: search.js		
reporting.zip: reporting.jar: serverping.js		
reporting.zip: reporting.jar: stacktrace.js		
reporting.zip: reporting.jar: tabbar.js		
sampleapplication.js		
search-worker.js		
security.zip: security.jar		

setuplauncher.jar		
slf4j-api-2.0.11.jar		pkg:maven/org.slf4j/slf4j-api@2.0.11
taskplanner.logaction.zip: taskplanner.logaction.sample.jar		
taskplanner.openweathermap.zip: taskplanner.openweathermap.sample.jar		
taskplanner.pdfc.zip: taskplanner.pdfc.jar	cpe:2.3:a:inetsoftware:pdfc:24.4.256:*:*:*:*:*	
taskplanner.zip: commons-cli.jar		pkg:maven/commons-cli/commons-cli@1.6.0
taskplanner.zip: cron-utils.jar	cpe:2.3:a:cron-utils_project:cron-utils:9.2.1:*:*:*:*:* cpe:2.3:a:utils_project:utils:9.2.1:*:*:*:*	pkg:maven/com.cronutils/cron-utils@9.2.1
taskplanner.zip: taskplanner-javadoc.jar		
taskplanner.zip: taskplanner-javadoc.jar: member-search-index.js		
taskplanner.zip: taskplanner-javadoc.jar: package-search-index.js		
taskplanner.zip: taskplanner-javadoc.jar: type-search-index.js		
taskplanner.zip: taskplanner.jar		
taskplanner.zip: taskplanner.jar: app.js		
taskplanner.zip: taskplanner.jar: boolean.directive.js		
taskplanner.zip: taskplanner.jar: colorField.directive.js		
taskplanner.zip: taskplanner.jar: controller.js		
taskplanner.zip: taskplanner.jar: factory.js		
taskplanner.zip: taskplanner.jar: filechooserAddonButton.directive.js		
taskplanner.zip: taskplanner.jar: model.js		
taskplanner.zip: taskplanner.jar: numberRange.directive.js		
taskplanner.zip: taskplanner.jar: numberWrapper.directive.js		
taskplanner.zip: taskplanner.jar: passwordTextField.directive.js		
taskplanner.zip: taskplanner.jar: renderer.directive.js		
taskplanner.zip: taskplanner.jar: simpleCurrencyField.directive.js		
taskplanner.zip: taskplanner.jar: simpleDateTimeField.directive.js		

taskplanner.zip: taskplanner.jar: simpleFileFolderField.directive.js		
taskplanner.zip: taskplanner.jar: simpleGroup.directive.js		
taskplanner.zip: taskplanner.jar: simpleLabel.directive.js		
taskplanner.zip: taskplanner.jar: simpleLink.directive.js		
taskplanner.zip: taskplanner.jar: simpleSelect.directive.js		
taskplanner.zip: taskplanner.jar: simpleTextField.directive.js		
taskplanner.zip: taskplanner.jar: stringTable.directive.js		
taskplanner.zip: taskplanner.jar: taskplanner_maintenance.js		
taskplanner.zip: taskplanner.jar: textAreaField.directive.js		
theme.zip: bootstrap.jar: bootstrap.js		pkg:javascript/bootstrap@3.4.1
theme.zip: bootstrap.jar: bootstrap.min.js		pkg:javascript/bootstrap@3.4.1
theme.zip: theme.jar		
urlcookie.zip: urlcookie.sample.jar		
usersandgroupsmanager.zip: usersandgroupsmanager.jar		
usersandgroupsmanager.zip: usersandgroupsmanager.jar: usersandgroupsmanagercontroller.js		
usersandgroupsmanager.zip: usersandgroupsmanager.jar: usersandgroupsmanagerdetailscontroller.js		
usersandgroupsmanager.zip: usersandgroupsmanager.jar: usersandgroupsmanagerdialogcontroller.js		
usersandgroupsmanager.zip: usersandgroupsmanager.jar: usersandgroupsmanagerdirectives.js		
usersandgroupsmanager.zip: usersandgroupsmanager.jar: usersandgroupsmanagereffectivepermissionscontroller.js		
usersandgroupsmanager.zip: usersandgroupsmanager.jar: usersandgroupsmanagerfactory.js		
usersandgroupsmanager.zip: usersandgroupsmanager.jar: usersandgroupsmanagermodel.js		
usersandgroupsmanager.zip: usersandgroupsmanager.jar:		

Type	Source	Name	Value	Confidence
Vendor	file	name	Merlia-0	High
Vendor	gradle	artifactid	Merlia	Highest
Vendor	gradle	groupid	lib	Highest
Vendor	jar	package name	inet	Low
Vendor	jar	package name	tds	Low
Product	file	name	Merlia-0	High
Product	gradle	artifactid	Merlia	Highest
Product	jar	package name	tds	Low
Version	file	name	Merlia-0	Medium
Version	file	version	0	Medium
Version	gradle	version	0	Highest
Version	Manifest	driver-version	8.13	Medium

Identifiers

- [pkg:maven/lib/Merlia@0](#) (*Confidence: Highest*)

PDFCNUUnit.dll

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller
/server/build/tmp/dependencies/i-net PDFC NUnit/net4.5/PDFCNUUnit.dll

MD5: b6d10ab7208444d82fa2adde33049239

SHA1: 089caed208a2e7894a8ee2c6a9d5ac58af75a4ba

SHA256: e3925be901cb6f809089f5dd385a4c54420a2f7a8a16b5abef46ae1e5ef07fef

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	PDFCNUUnit	High
Product	file	name	PDFCNUUnit	High

Identifiers

- None

PDFCNUUnit.dll

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC NUnit/net5.0/PDFCNUUnit.dll

MD5: 20e289443192ff33234baa6d5d06ea6c

SHA1: e1c8dd868406632bcda594c1f088c14b77264fea

SHA256: 4c0169614067e5462b8bcb8c561e598b8ea9ec29687756c7e41796a032e43f8b

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	PDFCNUUnit	High
Product	file	name	PDFCNUUnit	High

Identifiers

- None

PDFCNUUnit.dll

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC NUnit/netcore3.1/PDFCNUUnit.dll

MD5: 7f930a2d3a0df1bc27dac896e88782bc

SHA1: 1787a3913c67a4f840cc263e40c5bcaa467b1451

SHA256: dd92b085114248ee9f75957406477b091757aea7315c74de2c5768fab5db8b50

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	PDFCNUUnit	High
Product	file	name	PDFCNUUnit	High

Identifiers

- None

analysis.language.zip: analysis.language.jar

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/analysis.language.zip/analysis.language.jar
MD5: caacc9dfd30db07079693e475968692
SHA1: 09ab5e2a5b525690a1b9c369fd6f0cc4cda2fafa
SHA256: 5e4f08a3e5a121652d611032c069c6b1210178f2dc544735e2f945cbcedfa21b
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	analysis.language	High
Vendor	jar	package name	analysis	Low
Vendor	jar	package name	inet	Low
Vendor	jar	package name	pdfc	Low
Vendor	Manifest	application-library-allowable-codebase	*	Low
Vendor	Manifest	built-date	2024-06-07 20:52	Low
Vendor	Manifest	codebase	*	Low
Vendor	Manifest	implementation-group	pdfc	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	permissions	all-permissions	Low
Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	trusted-library	false	Low
Vendor	Manifest	trusted-only	false	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	analysis.language	High
Product	jar	package name	analysis	Highest
Product	jar	package name	analysis	Low
Product	jar	package name	language	Highest
Product	jar	package name	language	Low
Product	jar	package name	pdfc	Highest
Product	jar	package name	pdfc	Low
Product	Manifest	application-	*	Low

		library-allowable-codebase		
Product	Manifest	built-date	2024-06-07 20:52	Low
Product	Manifest	codebase	*	Low
Product	Manifest	implementation-group	pdfc	Low
Product	Manifest	Implementation-Title	analysis.language	High
Product	Manifest	permissions	all-permissions	Low
Product	Manifest	specification-title	analysis.language	Medium
Product	Manifest	trusted-library	false	Low
Product	Manifest	trusted-only	false	Low
Version	jar	package name	pdfc	Highest
Version	Manifest	Implementation-Version	24.4.256	High

Identifiers

- cpe:2.3:a:inetsoftware:pdfc:24.4.256:****:* (Confidence:Low) suppress

analysis.language.zip: guava.jar

Description:

Guava is a suite of core and expanded libraries that include utility classes, Google's collections, I/O classes, and much more.

License:

<http://www.apache.org/licenses/LICENSE-2.0.txt>

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/analysis.language.zip/guava.jar

MD5: 5d8aefac09131c3a74d6dab4b01bcff6

SHA1: 161ba27964a62f241533807a46b8711b13c1d94b

SHA256: f4d85c3e4d411694337cb873abea09b242b664bb013320be6105327c45991537

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	guava	High

Vendor	jar	package name	common	Highest
Vendor	jar	package name	google	Highest
Vendor	Manifest	automatic-module-name	com.google.common	Medium
Vendor	Manifest	build-jdk-spec	11	Low
Vendor	Manifest	bundle-docurl	https://github.com/google/guava/	Low
Vendor	Manifest	bundle-symbolicname	com.google.guava	Medium
Vendor	pom	artifactid	guava	Low
Vendor	pom	groupid	com.google.guava	Highest
Vendor	pom	name	Guava: Google Core Libraries for Java	High
Vendor	pom	parent-artifactid	guava-parent	Low
Vendor	pom	url	google/guava	Highest
Product	file	name	guava	High
Product	jar	package name	common	Highest
Product	jar	package name	google	Highest
Product	Manifest	automatic-module-name	com.google.common	Medium
Product	Manifest	build-jdk-spec	11	Low
Product	Manifest	bundle-docurl	https://github.com/google/guava/	Low
Product	Manifest	Bundle-Name	Guava: Google Core Libraries for Java	Medium
Product	Manifest	bundle-symbolicname	com.google.guava	Medium
Product	pom	artifactid	guava	Highest
Product	pom	groupid	com.google.guava	Highest
Product	pom	name	Guava: Google Core Libraries for Java	High
Product	pom	parent-artifactid	guava-parent	Medium
Product	pom	url	google/guava	High
Version	pom	version	33.0.0-jre	Highest

Related Dependencies



- taskplanner.zip: guava.jar
 - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/taskplanner.zip/guava.jar
 - MD5: 5d8aefac09131c3a74d6dab4b01bcff6
 - SHA1: 161ba27964a62f241533807a46b8711b13c1d94b
 - SHA256: f4d85c3e4d411694337cb873abea09b242b664bb013320be6105327c45991537
 - [pkg:maven/com.google.guava/guava@33.0.0-jre](https://maven.com/google.guava/guava@33.0.0-jre)

Identifiers

- [pkg:maven/com.google.guava/guava@33.0.0-jre](#) (Confidence:High)
- [cpe:2.3:a:google:guava:33.0.0:*:*:*:*:*](#) (Confidence:Highest) suppress

analysis.language.zip: jsonic.jar

Description:

simple json encoder/decoder for java

License:

The Apache Software License, Version 2.0: <http://www.apache.org/licenses/LICENSE-2.0.txt>

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/analysis.language.zip/jsonic.jar

MD5: 504496d0069da0121c059c219147e90c

SHA1: 98e8a1f25aa40ed92ff2ecca4d1301d48b552452

SHA256: 150e3ac24b103cb0cd50595018dbe3c8ba4b3dee81a76eb4b987607f96e9602b

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
Vendor	central	artifactid	jsonic	Highest
Vendor	central	groupid	net.arnx	Highest
Vendor	file	name	jsonic	High
Vendor	jar	package name	arnx	Low
Vendor	jar	package name	jsonic	Low
Vendor	jar	package name	net	Low
Vendor	pom	artifactid	jsonic	Low
Vendor	pom	developer email	hidekatsu.izuno@gmail.com	Low
Vendor	pom	developer id	hidekatsu.izuno	Medium
Vendor	pom	developer name	Hidekatsu Izuno	Medium
Vendor	pom	groupid	net.arnx	Highest
Vendor	pom	name	jsonic	High
Vendor	pom	url	http://jsonic.sourceforge.jp/	Highest
Product	central	artifactid	jsonic	Highest
Product	file	name	jsonic	High
Product	jar	package name	arnx	Low

Product	jar	package name	jsonic	Low
Product	pom	artifactid	jsonic	Highest
Product	pom	developer email	hidekatsu.izuno@gmail.com	Low
Product	pom	developer id	hidekatsu.izuno	Low
Product	pom	developer name	Hidekatsu Izuno	Low
Product	pom	groupid	net.arnx	Highest
Product	pom	name	jsonic	High
Product	pom	url	http://jsonic.sourceforge.jp/	Medium
Version	central	version	1.3.10	Highest
Version	pom	version	1.3.10	Highest

Identifiers

- [pkg:maven/net.arnx/jsonic@1.3.10](https://maven.net.arnx/jsonic@1.3.10) (*Confidence*:High)

analysis.language.zip: language-detector.jar

Description:

Language Detection Library for Java.

License:

Apache 2: <http://www.apache.org/licenses/LICENSE-2.0>

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/analysis.language.zip/language-detector.jar

MD5: e5475d5cabd54e5ddf6428d63864888f

SHA1: 52fee1eaa101f8d3e30b7095e1b6e0054d514dde

SHA256: f53ecc3d71da9ebc82edd10fb35638d32e8b9d849273dd717a021eca02f2278d

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	language-detector	High
Vendor	jar	package name	langdetect	Low
Vendor	jar	package name	languagedetector	Highest
Vendor	jar	package name	optimaize	Highest
Vendor	jar	package name	optimaize	Low
Vendor	pom	artifactid	language-detector	Low

Vendor	pom	developer name	Fabian Kessler	Medium
Vendor	pom	developer name	François ROLAND	Medium
Vendor	pom	developer name	Nakatani Shuyo	Medium
Vendor	pom	developer name	Robert Theis	Medium
Vendor	pom	groupid	com.optimaize.languagedetector	Highest
Vendor	pom	name	language-detector	High
Vendor	pom	url	optimaize/language-detector	Highest
Product	file	name	language-detector	High
Product	jar	package name	langdetect	Low
Product	jar	package name	languagedetector	Highest
Product	jar	package name	optimaize	Highest
Product	pom	artifactid	language-detector	Highest
Product	pom	developer name	Fabian Kessler	Low
Product	pom	developer name	François ROLAND	Low
Product	pom	developer name	Nakatani Shuyo	Low
Product	pom	developer name	Robert Theis	Low
Product	pom	groupid	com.optimaize.languagedetector	Highest
Product	pom	name	language-detector	High
Product	pom	url	optimaize/language-detector	High
Version	pom	version	0.6	Highest

Identifiers

- [pkg:maven/com.optimaize.languagedetector/language-detector@0.6](#) (*Confidence:High*)

application.currenttime.zip: application.currenttime.sample.jar

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller
 /server/build/tmp/dependencies/Documentation and Samples/Plugin - Samples/Application
 /CurrentTimePlugin/application.currenttime.zip/application.currenttime.sample.jar

MD5: 322123e51bfe974c0edb5348d4124c70

SHA1: 02de27e85b39637a07606b85b79e6c7a92249de7

SHA256: 5d4825b9156b0a3004345b81a07a30c8d6038cda548efd121c972e1777fa7951

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	application.currenttime.sample	High
Vendor	jar	package name	application	Low
Vendor	jar	package name	currenttime	Low
Vendor	jar	package name	inet	Low
Vendor	Manifest	built-date	2024-06-07 17:56	Low
Vendor	Manifest	implementation-group	shared	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	application.currenttime.sample	High
Product	jar	package name	application	Highest
Product	jar	package name	application	Low
Product	jar	package name	currenttime	Highest
Product	jar	package name	currenttime	Low
Product	Manifest	built-date	2024-06-07 17:56	Low
Product	Manifest	implementation-group	shared	Low
Product	Manifest	Implementation-Title	application.currenttime	High
Product	Manifest	specification-title	application.currenttime	Medium
Version	Manifest	Implementation-Version	24.4.256	High

Identifiers

- None

application.currenttime.zip: application.currenttime.sample.jar: sampleapplication.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/Documentation and Samples/Plugin - Samples/Application/CurrentTimePlugin/application.currenttime.zip/application.currenttime.sample.jar/com/inet/application/currenttime/sampleapplication.js

MD5: 62b73d66b3a5d99c2d5f9370514ce5c7
SHA1: 3edcc5ec1862d2da8872f35b2290be8babb7f94c
SHA256:522c5f97270c0dff35ba66fbb4ff31b14220051c8fc948e82f4bbdf07cd86749
Referenced In Project/Scope: server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

application.embedded.zip: application.embedded.sample.jar

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/Documentation and Samples/Plugin - Samples/Application/Embedded/application.embedded.zip/application.embedded.sample.jar
MD5: 7122f00408e72a9d8c1b19b270d50f00
SHA1: 6693cca56c312412f93bf1ea5ff421818e074a21
SHA256:1496b86583ec1516d2a4aad63c61e130e196cc7ede062218a3f2e3cb21543869
Referenced In Project/Scope: server

Evidence +

Type	Source	Name	Value	Confidence
Vendor	file	name	application.embedded.sample	High
Vendor	jar	package name	application	Low
Vendor	jar	package name	embedded	Low
Vendor	jar	package name	inet	Low
Vendor	Manifest	built-date	2024-06-07 17:56	Low
Vendor	Manifest	implementation-group	shared	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	application.embedded.sample	High
Product	jar	package name	application	Highest

Product	jar	package name	application	Low
Product	jar	package name	embedded	Highest
Product	jar	package name	embedded	Low
Product	jar	package name	embeddedserverplugin	Low
Product	Manifest	built-date	2024-06-07 17:56	Low
Product	Manifest	implementation-group	shared	Low
Product	Manifest	Implementation-Title	application.embedded	High
Product	Manifest	specification-title	application.embedded	Medium
Version	Manifest	Implementation-Version	24.4.256	High

Identifiers

- None

application.embedded.zip: application.embedded.sample.jar: embeddedMode.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/Documentation and Samples/Plugin - Samples/Application/Embedded/application.embedded.zip/application.embedded.sample.jar/com/inet/application/embedded/webgui/embeddedMode.js

MD5: 0dd2944e9ebe2d6dc36b7d76761b5710

SHA1: ab849acd19da6478b94d58b1b00d474c179af217

SHA256: 3a692f43f8c80fb469146b5bc3ab738f5676e0809052735384cc0c631ed18a30

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

application.googleanalytics.zip: application.googleanalytics.sample.jar

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/Documentation and Samples/Plugin - Samples/Application/GoogleAnalytics/application.googleanalytics.zip/application.googleanalytics.sample.jar
MD5: 2902cb88316eaf2e5f13e7c7e9fac8ad
SHA1: e99f48cc6baf5d40ab13a9239cf02453ca7809b9
SHA256:91a73fee21cce5b09430842c9fdff670856f5d0eb80432e5a53170a62733ff5d
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	application.googleanalytics.sample	High
Vendor	jar	package name	application	Low
Vendor	jar	package name	googleanalytics	Low
Vendor	jar	package name	inet	Low
Vendor	Manifest	built-date	2024-06-07 17:56	Low
Vendor	Manifest	implementation-group	shared	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	application.googleanalytics.sample	High
Product	jar	package name	application	Highest
Product	jar	package name	application	Low
Product	jar	package name	googleanalytics	Highest
Product	jar	package name	googleanalytics	Low
Product	Manifest	built-date	2024-06-07 17:56	Low
Product	Manifest	implementation-group	shared	Low
Product	Manifest	Implementation-Title	application.googleanalytics	High
Product	Manifest	specification-title	application.googleanalytics	Medium
Version	Manifest	Implementation-Version	24.4.256	High

Identifiers

- None

application.googleanalytics.zip: application.googleanalytics.sample.jar: googleanalytics.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/Documentation and Samples/Plugin - Samples/Application/GoogleAnalytics/application.googleanalytics.zip/application.googleanalytics.sample.jar/com/inet/application/googleanalytics/client/js/googleanalytics.js

MD5: 7512e030d793b3d3ee264e270c6a47cb

SHA1: c36576229b9b35b5b6892ce20a84fe961d466e92

SHA256: ac96d6524d82404729e9b24d67d1dc257ffdac01b63c9515654a832947dd842

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

application.googleanalytics.zip: application.googleanalytics.sample.jar: jquery.cookiebar.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/Documentation and Samples/Plugin - Samples/Application/GoogleAnalytics/application.googleanalytics.zip/application.googleanalytics.sample.jar/com/inet/application/googleanalytics/client/js/jquery.cookiebar.js

MD5: efe0003d931bfaea2d955f97ff5ff7b5

SHA1: 5e22051adbdf7c4d5a2f659c5bb398d75c25e33b

SHA256: 2570f2de5f332317e33e462949ba947dd8082bc9028785b172ea7a9e7e8fc4fe

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/Documentation and Samples/Plugin - Samples/Application/HelloWorld/application.helloworld.zip/application.helloworld.sample.jar

MD5: 3b92c6e2fce15012bca9ad3cb827b23e

SHA1: 0a6fa6c90e3986887f033d80dc81e3235bcb2850

SHA256:5434ccc2a8939d74cc7f3693de086b9c3ae696ee602656da3c5ad65d27265dac

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	application.helloworld.sample	High
Vendor	jar	package name	application	Low
Vendor	jar	package name	helloworld	Low
Vendor	jar	package name	inet	Low
Vendor	Manifest	built-date	2024-06-07 17:56	Low
Vendor	Manifest	implementation-group	shared	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	application.helloworld.sample	High
Product	jar	package name	application	Highest
Product	jar	package name	application	Low
Product	jar	package name	helloworld	Highest
Product	jar	package name	helloworld	Low
Product	Manifest	built-date	2024-06-07 17:56	Low
Product	Manifest	implementation-group	shared	Low
Product	Manifest	Implementation-Title	application.helloworld	High
Product	Manifest	specification-title	application.helloworld	Medium
Version	Manifest	Implementation-Version	24.4.256	High

Identifiers

- None

authentication.oauth.ex.zip: authentication.oauth.ex.sample.jar

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/Documentation and Samples/Plugin - Samples/Authentication/OAuth/authentication.oauth.ex.zip/authentication.oauth.ex.sample.jar

MD5: 7ef2462108fc5d32b74737c1b62a5488

SHA1: 54761c25642d36e4e9c1c309d3ce89e395f8ef42

SHA256: f049228ed5e0756a0fcd627af9a52d6285b22acb9806d583ee109b03e3c10408

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	authentication.oauth.ex.sample	High
Vendor	jar	package name	authentication	Low
Vendor	jar	package name	inet	Low
Vendor	jar	package name	oauth	Low
Vendor	Manifest	built-date	2024-06-07 17:56	Low
Vendor	Manifest	implementation-group	shared	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	authentication.oauth.ex.sample	High
Product	jar	package name	authentication	Highest
Product	jar	package name	authentication	Low
Product	jar	package name	ex	Highest
Product	jar	package name	ex	Low
Product	jar	package name	oauth	Highest
Product	jar	package name	oauth	Low
Product	Manifest	built-date	2024-06-07 17:56	Low
Product	Manifest	implementation-group	shared	Low
Product	Manifest	Implementation-	authentication.oauth.ex	High

Title				
Product	Manifest	specification-title	authentication.oauth.ex	Medium
Version	Manifest	Implementation-Version	24.4.256	High

Identifiers

- None

authentication.pam.zip: authentication.pam.jar

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/authentication.pam.zip/authentication.pam.jar

MD5: 23d358f42821be29de5fb67eafa2c934

SHA1: 446ca5ba8edb16a812e930c71579d99bf4609051

SHA256:041701ca06fb4b3aaa4a056b55b82cfe9d3f176f91fc13465bcd3c8ac7be2653

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	authentication.pam	High
Vendor	jar	package name	authentication	Low
Vendor	jar	package name	inet	Low
Vendor	jar	package name	pam	Low
Vendor	Manifest	built-date	2024-06-07 17:44	Low
Vendor	Manifest	implementation-group	shared	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	authentication.pam	High
Product	jar	package name	authentication	Highest
Product	jar	package name	authentication	Low
Product	jar	package name	libpam	Low
Product	jar	package name	pam	Highest

Product	jar	package name	pam	Low
Product	Manifest	built-date	2024-06-07 17:44	Low
Product	Manifest	implementation-group	shared	Low
Product	Manifest	Implementation-Title	authentication.pam	High
Product	Manifest	specification-title	authentication.pam	Medium
Version	Manifest	Implementation-Version	24.4.256	High

Identifiers

- None

authentication.pam.zip: jna.jar

Description:

Java Native Access

License:

LGPL-2.1-or-later: <https://www.gnu.org/licenses/old-licenses/lgpl-2.1>
Apache-2.0: <https://www.apache.org/licenses/LICENSE-2.0.txt>

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/authentication.pam.zip/jna.jar

MD5: 8b3cc652920435ad9f801e6d9b2a3497

SHA1: 67bf3eaea4f0718cb376a181a629e5f88fa1c9dd

SHA256: 34ed1e1f27fa896bca50dbc4e99cf3732967cec387a7a0d5e3486c09673fe8c6

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
Vendor	central	artifactid	jna	Highest
Vendor	central	groupid	net.java.dev.jna	Highest
Vendor	file	name	jna	High
Vendor	jar	package name	jna	Highest
Vendor	jar	package name	jna	Low
Vendor	jar	package name	sun	Highest
Vendor	jar	package name	sun	Low
Vendor	jar	package name	oracle	Highest

(hint)				
Vendor	jar (hint)	package name	oracle	Low
Vendor	Manifest	automatic-module-name	com.sun.jna	Medium
Vendor	Manifest	bundle-activationpolicy	lazy	Low
Vendor	Manifest	bundle-category	jni	Low
Vendor	Manifest	bundle-nativecode	com/sun/jna/win32-x86/jnidispatch.dll; processor=x86;osname=win32, com/sun/jna/win32-x86-64/jnidispatch.dll; processor=x86-64;osname=win32, com/sun/jna/win32-aarch64/jnidispatch.dll; processor=aarch64;osname=win32, com/sun/jna/win32-x86/jnidispatch.dll; processor=x86;osname=win, com/sun/jna/win32-x86-64/jnidispatch.dll; processor=x86-64;osname=win, com/sun/jna/win32-aarch64/jnidispatch.dll; processor=aarch64;osname=win, com/sun/jna/w32ce-arm/jnidispatch.dll; processor=arm;osname=wince, com/sun/jna/sunos-x86/libjnidispatch.so; processor=x86;osname=sunos, com/sun/jna/sunos-x86-64/libjnidispatch.so; processor=x86-64;osname=sunos, com/sun/jna/sunos-sparc/libjnidispatch.so; processor=sparc;osname=sunos, com/sun/jna/sunos-sparcv9/libjnidispatch.so; processor=sparcv9;osname=sunos, com/sun/jna/aix-ppc/libjnidispatch.a; processor=ppc;osname=aix, com/sun/jna/aix-ppc64/libjnidispatch.a; processor=ppc64;osname=aix, com/sun/jna/linux-ppc/libjnidispatch.so; processor=ppc;osname=linux, com/sun/jna/linux-ppc64/libjnidispatch.so; processor=ppc64;osname=linux, com/sun/jna/linux-ppc64le/libjnidispatch.so; processor=ppc64le;osname=linux, com/sun/jna/linux-x86/libjnidispatch.so; processor=x86;osname=linux, com/sun/jna/linux-x86-64/libjnidispatch.so; processor=x86-64;osname=linux, com/sun/jna/linux-arm/libjnidispatch.so; processor=arm;osname=linux, com/sun/jna/linux-arm/libjnidispatch.so; processor=arm_le;osname=linux, com/sun/jna/linux-armel/libjnidispatch.so; processor=armel;osname=linux, com/sun/jna/linux-aarch64/libjnidispatch.so; processor=aarch64;osname=linux, com/sun/jna/linux-ia64/libjnidispatch.so; processor=ia64;osname=linux, com/sun/jna/linux-sparcv9/libjnidispatch.so; processor=sparcv9;osname=linux, com/sun/jna/linux-mips64el/libjnidispatch.so; processor=mips64el;osname=linux, com/sun/jna/linux-s390x/libjnidispatch.so; processor=S390x;osname=linux, com/sun/jna/linux-loongarch64/libjnidispatch.so; processor=loongarch64;osname=linux, com/sun/jna/freebsd-x86/libjnidispatch.so; processor=x86;osname=freebsd, com/sun	Low

			/jna/freebsd-x86-64/libjnidispatch.so; processor=x86-64;osname=freebsd, com /sun/jna/openbsd-x86/libjnidispatch.so; processor=x86;osname=openbsd, com/sun /jna/openbsd-x86-64/libjnidispatch.so; processor=x86-64;osname=openbsd, com /sun/jna/darwin-ppc/libjnidispatch.jnilib; osname=macosx;processor=ppc, com/sun /jna/darwin-ppc64/libjnidispatch.jnilib; osname=macosx;processor=ppc64, com/sun /jna/darwin-x86/libjnidispatch.jnilib; osname=macosx;processor=x86, com/sun /jna/darwin-x86-64/libjnidispatch.jnilib; osname=macosx;processor=x86-64, com /sun/jna/darwin-aarch64/libjnidispatch.jnilib; osname=macosx;processor=aarch64	
Vendor	Manifest	bundle- requiredexecution	JavaSE-1.6	Low
Vendor	Manifest	bundle- symbolicname	com.sun.jna	Medium
Vendor	Manifest	Implementation- Vendor	JNA Development Team	High
Vendor	Manifest	specification- vendor	JNA Development Team	Low
Vendor	pom	artifactid	jna	Low
Vendor	pom	developer email	mblaesing@doppel-helix.eu	Low
Vendor	pom	developer id	twall	Medium
Vendor	pom	developer name	Matthias Bläsing	Medium
Vendor	pom	developer name	Timothy Wall	Medium
Vendor	pom	groupid	net.java.dev.jna	Highest
Vendor	pom	name	Java Native Access	High
Vendor	pom	url	java-native-access/jna	Highest
Product	central	artifactid	jna	Highest
Product	file	name	jna	High
Product	jar	package name	jna	Highest
Product	jar	package name	jna	Low
Product	jar	package name	library	Highest
Product	jar	package name	native	Highest
Product	jar	package name	sun	Highest
Product	jar	package name	win32	Highest
Product	Manifest	automatic- module-name	com.sun.jna	Medium
Product	Manifest	bundle- activationpolicy	lazy	Low
Product	Manifest	bundle-category	jni	Low

Product	Manifest	Bundle-Name	jna	Medium
Product	Manifest	bundle-nativecode	com/sun/jna/win32-x86/jnidispatch.dll; processor=x86;osname=win32, com/sun/jna/win32-x86-64/jnidispatch.dll; processor=x86-64;osname=win32, com/sun/jna/win32-aarch64/jnidispatch.dll; processor=aarch64;osname=win32, com/sun/jna/win32-x86/jnidispatch.dll; processor=x86;osname=win, com/sun/jna/win32-x86-64/jnidispatch.dll; processor=x86-64;osname=win, com/sun/jna/win32-aarch64/jnidispatch.dll; processor=aarch64;osname=win, com/sun/jna/w32ce-arm/jnidispatch.dll; processor=arm;osname=wince, com/sun/jna/sunos-x86/libjniidispach.so; processor=x86;osname=sunos, com/sun/jna/sunos-x86-64/libjniidispach.so; processor=x86-64;osname=sunos, com/sun/jna/sunos-sparc/libjniidispach.so; processor=sparc;osname=sunos, com/sun/jna/sunos-sparcv9/libjniidispach.so; processor=sparcv9;osname=sunos, com/sun/jna/aix-ppc/libjniidispach.a; processor=ppc;osname=aix, com/sun/jna/aix-ppc64/libjniidispach.a; processor=ppc64;osname=aix, com/sun/jna/linux-ppc/libjniidispach.so; processor=ppc;osname=linux, com/sun/jna/linux-ppc64/libjniidispach.so; processor=ppc64;osname=linux, com/sun/jna/linux-ppc64le/libjniidispach.so; processor=ppc64le;osname=linux, com/sun/jna/linux-x86/libjniidispach.so; processor=x86;osname=linux, com/sun/jna/linux-x86-64/libjniidispach.so; processor=x86-64;osname=linux, com/sun/jna/linux-arm/libjniidispach.so; processor=arm;osname=linux, com/sun/jna/linux-arm/libjniidispach.so; processor=arm_le;osname=linux, com/sun/jna/linux-armel/libjniidispach.so; processor=armel;osname=linux, com/sun/jna/linux-aarch64/libjniidispach.so; processor=aarch64;osname=linux, com/sun/jna/linux-ia64/libjniidispach.so; processor=ia64;osname=linux, com/sun/jna/linux-sparcv9/libjniidispach.so; processor=sparcv9;osname=linux, com/sun/jna/linux-mips64el/libjniidispach.so; processor=mips64el;osname=linux, com/sun/jna/linux-s390x/libjniidispach.so; processor=S390x;osname=linux, com/sun/jna/linux-loongarch64/libjniidispach.so; processor=loongarch64;osname=linux, com/sun/jna/freebsd-x86/libjniidispach.so; processor=x86;osname=freebsd, com/sun/jna/freebsd-x86-64/libjniidispach.so; processor=x86-64;osname=freebsd, com/sun/jna/openbsd-x86/libjniidispach.so; processor=x86;osname=openbsd, com/sun/jna/openbsd-x86-64/libjniidispach.so; processor=x86-64;osname=openbsd, com/sun/jna/darwin-ppc/libjniidispach.jnilib;osname=macosx;processor=ppc, com/sun/jna/darwin-ppc64/libjniidispach.jnilib;osname=macosx;processor=ppc64, com/sun/jna/darwin-x86/libjniidispach.jnilib;	Low

osname=macosx;processor=x86, com/sun/jna/darwin-x86-64/libjnidispatch.jnilib;
osname=macosx;processor=x86-64, com/sun/jna/darwin-aarch64/libjnidispatch.jnilib;
osname=macosx;processor=aarch64

Product	Manifest	bundle-requiredexecution	JavaSE-1.6	Low
Product	Manifest	bundle-symbolicname	com.sun.jna	Medium
Product	Manifest	Implementation-Title	com.sun.jna	High
Product	Manifest	specification-title	Java Native Access (JNA)	Medium
Product	pom	artifactid	jna	Highest
Product	pom	developer email	mblaesing@doppel-helix.eu	Low
Product	pom	developer id	twall	Low
Product	pom	developer name	Matthias Bläsing	Low
Product	pom	developer name	Timothy Wall	Low
Product	pom	groupid	net.java.dev.jna	Highest
Product	pom	name	Java Native Access	High
Product	pom	url	java-native-access/jna	High
Version	central	version	5.14.0	Highest
Version	Manifest	Bundle-Version	5.14.0	High
Version	pom	version	5.14.0	Highest

Related Dependencies



- authentication.windows.zip: jna.jar
 - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/authentication.windows.zip/jna.jar
 - MD5: 8b3cc652920435ad9f801e6d9b2a3497
 - SHA1: 67bf3eaea4f0718cb376a181a629e5f88fa1c9dd
 - SHA256: 34ed1e1f27fa896bca50dbc4e99cf3732967cec387a7a0d5e3486c09673fe8c6
 - pkg:maven/net.java.dev.jna/jna@5.14.0
- ocr.tesseract.zip: jna.jar
 - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/ocr.tesseract.zip/jna.jar
 - MD5: 8b3cc652920435ad9f801e6d9b2a3497
 - SHA1: 67bf3eaea4f0718cb376a181a629e5f88fa1c9dd
 - SHA256: 34ed1e1f27fa896bca50dbc4e99cf3732967cec387a7a0d5e3486c09673fe8c6
 - pkg:maven/net.java.dev.jna/jna@5.14.0

Identifiers

- pkg:maven/net.java.dev.jna/jna@5.14.0 (*Confidence:High*)
-

authentication.pam.zip: jna.jar: jnidispatch.dll

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/authentication.pam.zip/jna.jar/com/sun/jna/win32-aarch64/jnidispatch.dll
MD5: f6bef568e690d361a5dcc165f5ad4b1f
SHA1: 05638a4aaafa689a6c246530823afdc18d3fd438
SHA256:b9d1479b9619b7ece4a36b6ae31365ffaf15a1355d4f6da02f8b5f09df2fa82f
Referenced In Project/Scope: server

Evidence +

Type	Source	Name	Value	Confidence
Vendor	file	name	jnidispatch	High
Product	file	name	jnidispatch	High

Related Dependencies +

- authentication.windows.zip: jna.jar: jnidispatch.dll
 - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/authentication.windows.zip/jna.jar/com/sun/jna/win32-aarch64/jnidispatch.dll
 - MD5: f6bef568e690d361a5dcc165f5ad4b1f
 - SHA1: 05638a4aaafa689a6c246530823afdc18d3fd438
 - SHA256: b9d1479b9619b7ece4a36b6ae31365ffaf15a1355d4f6da02f8b5f09df2fa82f
- ocr.tesseract.zip: jna.jar: jnidispatch.dll
 - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/ocr.tesseract.zip/jna.jar/com/sun/jna/win32-aarch64/jnidispatch.dll
 - MD5: f6bef568e690d361a5dcc165f5ad4b1f
 - SHA1: 05638a4aaafa689a6c246530823afdc18d3fd438
 - SHA256: b9d1479b9619b7ece4a36b6ae31365ffaf15a1355d4f6da02f8b5f09df2fa82f

Identifiers

- None

authentication.pam.zip: jna.jar: jnidispatch.dll

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/authentication.pam.zip/jna.jar/com/sun/jna/win32-x86-

64/jnidispatch.dll

MD5: 719d6ba1946c25aa61ce82f90d77ffd5

SHA1: 94d2191378cac5719daecc826fc116816284c406

SHA256: 69c45175ecfd25af023f96ac0bb2c45e6a95e3ba8a5a50ee7969ccab14825c44

Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence
Vendor	file	name	jnidispatch	High
Product	file	name	jnidispatch	High

Related Dependencies

- authentication.windows.zip: jna.jar: jnidispatch.dll
 - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/authentication.windows.zip/jna.jar/com/sun/jna/win32-x86-64/jnidispatch.dll
 - MD5: 719d6ba1946c25aa61ce82f90d77ffd5
 - SHA1: 94d2191378cac5719daecc826fc116816284c406
 - SHA256: 69c45175ecfd25af023f96ac0bb2c45e6a95e3ba8a5a50ee7969ccab14825c44
- ocr.tesseract.zip: jna.jar: jnidispatch.dll
 - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/ocr.tesseract.zip/jna.jar/com/sun/jna/win32-x86-64/jnidispatch.dll
 - MD5: 719d6ba1946c25aa61ce82f90d77ffd5
 - SHA1: 94d2191378cac5719daecc826fc116816284c406
 - SHA256: 69c45175ecfd25af023f96ac0bb2c45e6a95e3ba8a5a50ee7969ccab14825c44

Identifiers

- None

authentication.pam.zip: jna.jar: jnidispatch.dll

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/authentication.pam.zip/jna.jar/com/sun/jna/win32-x86/jnidispatch.dll

MD5: e15183ef9c6c255b76fda73d01ca7ecb

SHA1: f816f998c43204230d9ea3eecff5f8372a32c2e

SHA256: 38650a0612730c52580c9f32ff766b44b1c5a426d52e7dd7a53687bf3389ac2c

Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence
Vendor	file	name	jnidispatch	High

Product

file

name

jnidispatch

High

Related Dependencies

- authentication.windows.zip: jna.jar: jnidispatch.dll
 - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/authentication.windows.zip/jna.jar/com/sun/jna/win32-x86/jnidispatch.dll
 - MD5: e15183ef9c6c255b76fda73d01ca7ecb
 - SHA1: f816f998c43204230d9ea3eecffb5f8372a32c2e
 - SHA256: 38650a0612730c52580c9f32ff766b44b1c5a426d52e7dd7a53687bf3389ac2c
- ocr.tesseract.zip: jna.jar: jnidispatch.dll
 - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/ocr.tesseract.zip/jna.jar/com/sun/jna/win32-x86/jnidispatch.dll
 - MD5: e15183ef9c6c255b76fda73d01ca7ecb
 - SHA1: f816f998c43204230d9ea3eecffb5f8372a32c2e
 - SHA256: 38650a0612730c52580c9f32ff766b44b1c5a426d52e7dd7a53687bf3389ac2c

Identifiers

- None

authentication.passwordfile.zip: authentication.passwordfile.sample.jar

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/Documentation and Samples/Plugin - Samples/Authentication/PasswordFile/authentication.passwordfile.zip/authentication.passwordfile.sample.jar

MD5: 2460ead69a1fbc2742c1086dcabad330

SHA1: cdb7cffe8233a86a7c4e40899931a497d47c6c75

SHA256:e6a57779da23045309c9520cccc94a74816f9bdd4067e90c070002b43bb4c334

Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence
Vendor	file	name	authentication.passwordfile.sample	High
Vendor	jar	package name	authentication	Low
Vendor	jar	package name	inet	Low
Vendor	jar	package name	passwordfile	Low
Vendor	Manifest	built-date	2024-06-07 17:56	Low
Vendor	Manifest	implementation-group	shared	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High

Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	authentication.passwordfile.sample	High
Product	jar	package name	authentication	Highest
Product	jar	package name	authentication	Low
Product	jar	package name	passwordfile	Highest
Product	jar	package name	passwordfile	Low
Product	Manifest	built-date	2024-06-07 17:56	Low
Product	Manifest	implementation-group	shared	Low
Product	Manifest	Implementation-Title	authentication.passwordfile	High
Product	Manifest	specification-title	authentication.passwordfile	Medium
Version	Manifest	Implementation-Version	24.4.256	High

Identifiers

- None

authentication.product.zip: authentication.product.jar

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/authentication.product.zip/authentication.product.jar
MD5: fb1b81ccbfcaa3a6c1540821d3fdabd0
SHA1: acd36c26e5c13b160fdf72242664062c11941fd1
SHA256: 12532e6678903977593119f880c2318387ad40dac6bf0599fac1b49ba179b98e
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	authentication.product	High
Vendor	jar	package name	authentication	Low
Vendor	jar	package name	inet	Low
Vendor	jar	package name	product	Low

Vendor	Manifest	built-date	2024-06-07 17:49	Low
Vendor	Manifest	implementation-group	shared	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	authentication.product	High
Product	jar	package name	authentication	Highest
Product	jar	package name	authentication	Low
Product	jar	package name	product	Highest
Product	jar	package name	product	Low
Product	Manifest	built-date	2024-06-07 17:49	Low
Product	Manifest	implementation-group	shared	Low
Product	Manifest	Implementation-Title	authentication.product	High
Product	Manifest	specification-title	authentication.product	Medium
Version	Manifest	Implementation-Version	24.4.256	High

Identifiers

- None

authentication.windows.zip: authentication.windows.jar

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/authentication.windows.zip/authentication.windows.jar
MD5: 20122f33ac7b67d30c2cdfb5f4c79976
SHA1: d781f63e8af16d86faca95f0b8b5b5bf0d1d6643
SHA256:01614fe33a2b164f69b796b05cc6044b14a7e7c41a8d4790faf2d47e2178456c
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	authentication.windows	High

Vendor	jar	package name	authentication	Low
Vendor	jar	package name	inet	Low
Vendor	jar	package name	windows	Low
Vendor	Manifest	built-date	2024-06-07 17:44	Low
Vendor	Manifest	implementation-group	shared	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	authentication.windows	High
Product	jar	package name	authentication	Highest
Product	jar	package name	authentication	Low
Product	jar	package name	windows	Highest
Product	jar	package name	windows	Low
Product	Manifest	built-date	2024-06-07 17:44	Low
Product	Manifest	implementation-group	shared	Low
Product	Manifest	Implementation-Title	authentication.windows	High
Product	Manifest	specification-title	authentication.windows	Medium
Version	Manifest	Implementation-Version	24.4.256	High

Identifiers

- None

authentication.windows.zip: caffeine.jar

Description:

A high performance caching library

License:

Apache License, Version 2.0: <https://www.apache.org/licenses/LICENSE-2.0.txt>

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/authentication.windows.zip/caffeine.jar
MD5: 7661b25999918646ec802846cc4c16bc
SHA1: 3646a0d1b1abe6a31f72f2237d9004d10a5be91d
SHA256: 0311f9d5d9750aa2a1c11cbdba5a5cb7fec91c8870d6f179f324b3f5295b87dd
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
Vendor	central	artifactid	caffeine	Highest
Vendor	central	groupid	com.github.ben-manes.caffeine	Highest
Vendor	file	name	caffeine	High
Vendor	jar	package name	benmanes	Highest
Vendor	jar	package name	benmanes	Low
Vendor	jar	package name	caffeine	Highest
Vendor	jar	package name	caffeine	Low
Vendor	jar	package name	github	Highest
Vendor	jar	package name	github	Low
Vendor	Manifest	automatic-module-name	com.github.benmanes.caffeine	Medium
Vendor	Manifest	build-jdk-spec	11	Low
Vendor	Manifest	bundle-symbolicname	com.github.ben-manes.caffeine	Medium
Vendor	pom	artifactid	caffeine	Low
Vendor	pom	developer email	ben.manes@gmail.com	Low
Vendor	pom	developer id	ben-manes	Medium
Vendor	pom	developer name	Ben Manes	Medium
Vendor	pom	groupid	com.github.ben-manes.caffeine	Highest
Vendor	pom	name	Caffeine cache	High
Vendor	pom	url	ben-manes/caffeine	Highest
Product	central	artifactid	caffeine	Highest
Product	file	name	caffeine	High
Product	jar	package name	benmanes	Highest
Product	jar	package name	benmanes	Low
Product	jar	package name	cache	Low
Product	jar	package name	caffeine	Highest
Product	jar	package name	caffeine	Low
Product	jar	package name	github	Highest

Product	Manifest	automatic-module-name	com.github.benmanes.caffeine	Medium
Product	Manifest	build-jdk-spec	11	Low
Product	Manifest	Bundle-Name	com.github.ben-manes.caffeine	Medium
Product	Manifest	bundle-symbolicname	com.github.ben-manes.caffeine	Medium
Product	Manifest	Implementation-Title	A high performance caching library	High
Product	pom	artifactid	caffeine	Highest
Product	pom	developer email	ben.manes@gmail.com	Low
Product	pom	developer id	ben-manes	Low
Product	pom	developer name	Ben Manes	Low
Product	pom	groupid	com.github.ben-manes.caffeine	Highest
Product	pom	name	Caffeine cache	High
Product	pom	url	ben-manes/caffeine	High
Version	central	version	3.1.6	Highest
Version	Manifest	Bundle-Version	3.1.6	High
Version	Manifest	Implementation-Version	3.1.6	High
Version	pom	version	3.1.6	Highest

Identifiers

- [pkg:maven/com.github.ben-manes.caffeine/caffeine@3.1.6](https://maven.com.github.ben-manes.caffeine/caffeine@3.1.6) (*Confidence:High*)

authentication.windows.zip: jna-platform.jar

Description:

Java Native Access Platform

License:

LGPL-2.1-or-later: <https://www.gnu.org/licenses/old-licenses/lgpl-2.1>

Apache-2.0: <https://www.apache.org/licenses/LICENSE-2.0.txt>

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/authentication.windows.zip/jna-platform.jar

MD5: 3bc3f09a698e6ad250dd093f64fbb8a7

SHA1: 28934d48aed814f11e4c584da55c49fa7032b31b

SHA256: ae4caceb3840730c2537f9b7fb55a01baba580286b4122951488bcee558c2449

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
Vendor	central	artifactid	jna-platform	Highest
Vendor	central	groupid	net.java.dev.jna	Highest
Vendor	file	name	jna-platform	High
Vendor	jar	package name	jna	Highest
Vendor	jar	package name	jna	Low
Vendor	jar	package name	platform	Highest
Vendor	jar	package name	platform	Low
Vendor	jar	package name	sun	Highest
Vendor	jar	package name	sun	Low
Vendor	jar (hint)	package name	oracle	Highest
Vendor	jar (hint)	package name	oracle	Low
Vendor	Manifest	automatic-module-name	com.sun.jna.platform	Medium
Vendor	Manifest	bundle-category	jni	Low
Vendor	Manifest	bundle-requiredexecution	J2SE-1.4	Low
Vendor	Manifest	bundle-symbolicname	com.sun.jna.platform	Medium
Vendor	Manifest	Implementation-Vendor	JNA Development Team	High
Vendor	Manifest	require-bundle	com.sun.jna;bundle-version="5.14.0"	Low
Vendor	Manifest	specification-vendor	JNA Development Team	Low
Vendor	pom	artifactid	jna-platform	Low
Vendor	pom	developer email	mblaesing@doppel-helix.eu	Low
Vendor	pom	developer id	twall	Medium
Vendor	pom	developer name	Matthias Bläsing	Medium
Vendor	pom	developer name	Timothy Wall	Medium
Vendor	pom	groupid	net.java.dev.jna	Highest
Vendor	pom	name	Java Native Access Platform	High
Vendor	pom	url	java-native-access/jna	Highest
Product	central	artifactid	jna-platform	Highest
Product	file	name	jna-platform	High
Product	jar	package name	jna	Highest

Product	jar	package name	jna	Low
Product	jar	package name	platform	Highest
Product	jar	package name	platform	Low
Product	jar	package name	sun	Highest
Product	jar	package name	win32	Low
Product	Manifest	automatic-module-name	com.sun.jna.platform	Medium
Product	Manifest	bundle-category	jni	Low
Product	Manifest	Bundle-Name	jna-platform	Medium
Product	Manifest	bundle-requiredexecution	J2SE-1.4	Low
Product	Manifest	bundle-symbolicname	com.sun.jna.platform	Medium
Product	Manifest	Implementation-Title	com.sun.jna	High
Product	Manifest	require-bundle	com.sun.jna;bundle-version="5.14.0"	Low
Product	Manifest	specification-title	Java Native Access (JNA)	Medium
Product	pom	artifactid	jna-platform	Highest
Product	pom	developer email	mblaesing@doppel-helix.eu	Low
Product	pom	developer id	twall	Low
Product	pom	developer name	Matthias Bläsing	Low
Product	pom	developer name	Timothy Wall	Low
Product	pom	groupid	net.java.dev.jna	Highest
Product	pom	name	Java Native Access Platform	High
Product	pom	url	java-native-access/jna	High
Version	central	version	5.14.0	Highest
Version	Manifest	Bundle-Version	5.14.0	High
Version	pom	version	5.14.0	Highest

Identifiers

- [pkg:maven/net.java.dev.jna/jna-platform@5.14.0](https://maven.net.java.dev/jna/jna-platform@5.14.0) (*Confidence:High*)

authentication.windows.zip: waffle-jna.jar

Description:

WAFFLE JNA implementation

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/authentication.windows.zip/waffle-jna.jar

MD5: 7d4ab9e0376129387e6565b040f2c0af

SHA1: 6c1a06b345702bb1dfd77006af926b091bded851

SHA256:301cb389402618a0a8e7fb56c4b47e20f1f9c774f99a3d7272435bae2d323580

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	waffle-jna	High
Vendor	jar	package name	waffle	Highest
Vendor	jar	package name	windows	Highest
Vendor	Manifest	automatic-module-name	waffle.jna	Medium
Vendor	Manifest	build-jdk-spec	17	Low
Vendor	Manifest	build-os	Windows 11 (10.0; amd64)	Low
Vendor	Manifest	build-time	2023-03-26 04:43:22	Low
Vendor	Manifest	build-tool	Apache Maven 3.9.1 (2e178502fcd8bffc201671fb2537d0cb4b4cc58f8)	Low
Vendor	Manifest	copyright	2023	Low
Vendor	Manifest	git-revision	0394b0b93ae92e63f09711a9c67fec4e799e84	Low
Vendor	Manifest	Implementation-Vendor	com.github.waffle	High
Vendor	Manifest	os-arch	amd64	Low
Vendor	Manifest	os-name	Windows 11	Medium
Vendor	Manifest	specification-vendor	com.github.waffle	Low
Vendor	pom	artifactid	waffle-jna	Low
Vendor	pom	groupid	com.github.waffle	Highest
Vendor	pom	name	waffle-jna	High
Vendor	pom	parent-artifactid	waffle-parent	Low
Vendor	pom	url	https://waffle.github.io/waffle/	Highest
Product	file	name	waffle-jna	High
Product	jar	package name	waffle	Highest
Product	jar	package name	windows	Highest
Product	Manifest	automatic-module-name	waffle.jna	Medium
Product	Manifest	build-jdk-spec	17	Low
Product	Manifest	build-os	Windows 11 (10.0; amd64)	Low

Product	Manifest	build-time	2023-03-26 04:43:22	Low
Product	Manifest	build-tool	Apache Maven 3.9.1 (2e178502fcd8bffc201671fb2537d0cb4b4cc58f8)	Low
Product	Manifest	copyright	2023	Low
Product	Manifest	git-revision	0394b0b93ae92e63f09711a9c67fec4e799e84	Low
Product	Manifest	Implementation-Title	waffle-jna	High
Product	Manifest	os-arch	amd64	Low
Product	Manifest	os-name	Windows 11	Medium
Product	Manifest	specification-title	waffle-jna	Medium
Product	pom	artifactid	waffle-jna	Highest
Product	pom	groupid	com.github.waffle	Highest
Product	pom	name	waffle-jna	High
Product	pom	parent-artifactid	waffle-parent	Medium
Product	pom	url	https://waffle.github.io/waffle/	Medium
Version	Manifest	Implementation-Version	3.3.0	High
Version	pom	version	3.3.0	Highest

Identifiers

- <pkg:maven/com.github.waffle/waffle-jna@3.3.0> (*Confidence:High*)

command.jsonexport.zip: command.jsonexport.jar

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/command.jsonexport.zip/command.jsonexport.jar

MD5: 00979dc0b3224d8d345f8f636e64de5b

SHA1: 7bb90619dd627836c7e4e36d14215d7004757e97

SHA256: 1d1e1a2c3befa74e2196aedc3e115359f8b1d6f52144662571040e69ffd3e859

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	command.jsonexport	High
Vendor	jar	package name	command	Low
Vendor	jar	package name	inet	Low
Vendor	jar	package name	pdfc	Low

Vendor	Manifest	application-library-allowable-codebase	*	Low
Vendor	Manifest	built-date	2024-06-07 20:52	Low
Vendor	Manifest	codebase	*	Low
Vendor	Manifest	implementation-group	pdfc	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	permissions	all-permissions	Low
Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	trusted-library	false	Low
Vendor	Manifest	trusted-only	false	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	command.jsonexport	High
Product	jar	package name	command	Highest
Product	jar	package name	command	Low
Product	jar	package name	json	Low
Product	jar	package name	pdfc	Highest
Product	jar	package name	pdfc	Low
Product	Manifest	application-library-allowable-codebase	*	Low
Product	Manifest	built-date	2024-06-07 20:52	Low
Product	Manifest	codebase	*	Low
Product	Manifest	implementation-group	pdfc	Low
Product	Manifest	Implementation-Title	command.jsonexport	High
Product	Manifest	permissions	all-permissions	Low
Product	Manifest	specification-title	command.jsonexport	Medium
Product	Manifest	trusted-library	false	Low
Product	Manifest	trusted-only	false	Low
Version	jar	package name	pdfc	Highest
Version	Manifest	Implementation-Version	24.4.256	High

Identifiers

- cpe:2.3:a:inetsoftware:pdfc:24.4.256:*:*:*:*:* (*Confidence:Low*) suppress

commons-logging.jar

Description:

Apache Commons Logging is a thin adapter allowing configurable bridging to other, well known logging systems.

License:

<https://www.apache.org/licenses/LICENSE-2.0.txt>

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/java/commons-logging.jar

MD5: 522cc4b1f42b7db1554474cb989adfb2

SHA1: f5e064b541f5c5fbc5e4fb49c4e8cd4eabb3afd6

SHA256: 66d3c980470b99b0c511dad3dfc0ae7b265ec1fb144e96bc0253a8a175fd34d9

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	commons-logging	High
Vendor	jar	package name	apache	Highest
Vendor	jar	package name	commons	Highest
Vendor	jar	package name	logging	Highest
Vendor	Manifest	automatic-module-name	org.apache.commons.logging	Medium
Vendor	Manifest	build-jdk-spec	21	Low
Vendor	Manifest	bundle-docurl	https://commons.apache.org/proper/commons-logging/	Low
Vendor	Manifest	bundle-symbolicname	org.apache.commons.commons-logging	Medium
Vendor	Manifest	Implementation-Vendor	The Apache Software Foundation	High
Vendor	Manifest	multi-release	true	Low
Vendor	Manifest	specification-vendor	The Apache Software Foundation	Low
Vendor	pom	artifactid	commons-logging	Low
Vendor	pom	developer email	baliuka@apache.org	Low

Vendor	pom	developer email	costin@apache.org	Low
Vendor	pom	developer email	craigmcc@apache.org	Low
Vendor	pom	developer email	dennisl@apache.org	Low
Vendor	pom	developer email	donaldp@apache.org	Low
Vendor	pom	developer email	ggregory at apache.org	Low
Vendor	pom	developer email	morgand@apache.org	Low
Vendor	pom	developer email	rdonkin@apache.org	Low
Vendor	pom	developer email	rsitze@apache.org	Low
Vendor	pom	developer email	rwaldhoff@apache.org	Low
Vendor	pom	developer email	sanders@apache.org	Low
Vendor	pom	developer email	skitching@apache.org	Low
Vendor	pom	developer email	tn@apache.org	Low
Vendor	pom	developer id	baliuka	Medium
Vendor	pom	developer id	bstansberry	Medium
Vendor	pom	developer id	costin	Medium
Vendor	pom	developer id	craigmcc	Medium
Vendor	pom	developer id	dennisl	Medium
Vendor	pom	developer id	donaldp	Medium
Vendor	pom	developer id	ggregory	Medium
Vendor	pom	developer id	morgand	Medium
Vendor	pom	developer id	rdonkin	Medium
Vendor	pom	developer id	rsitze	Medium
Vendor	pom	developer id	rwaldhoff	Medium
Vendor	pom	developer id	sanders	Medium
Vendor	pom	developer id	skitching	Medium
Vendor	pom	developer id	tn	Medium
Vendor	pom	developer name	Brian Stansberry	Medium
Vendor	pom	developer name	Costin Manolache	Medium
Vendor	pom	developer name	Craig McClanahan	Medium
Vendor	pom	developer name	Dennis Lundberg	Medium
Vendor	pom	developer name	Gary Gregory	Medium
Vendor	pom	developer name	Juozas Baliuka	Medium
Vendor	pom	developer name	Morgan Delagrance	Medium
Vendor	pom	developer name	Peter Donald	Medium
Vendor	pom	developer name	Richard Sitze	Medium

Vendor	pom	developer name	Robert Burrell Donkin	Medium
Vendor	pom	developer name	Rodney Waldhoff	Medium
Vendor	pom	developer name	Scott Sanders	Medium
Vendor	pom	developer name	Simon Kitching	Medium
Vendor	pom	developer name	Thomas Neidhart	Medium
Vendor	pom	developer org	Apache	Medium
Vendor	pom	developer org	The Apache Software Foundation	Medium
Vendor	pom	developer org URL	https://www.apache.org/	Medium
Vendor	pom	groupid	commons-logging	Highest
Vendor	pom	name	Apache Commons Logging	High
Vendor	pom	parent-artifactid	commons-parent	Low
Vendor	pom	parent-groupid	org.apache.commons	Medium
Vendor	pom	url	https://commons.apache.org/proper/commons-logging/	Highest
Product	file	name	commons-logging	High
Product	jar	package name	apache	Highest
Product	jar	package name	commons	Highest
Product	jar	package name	logging	Highest
Product	Manifest	automatic-module-name	org.apache.commons.logging	Medium
Product	Manifest	build-jdk-spec	21	Low
Product	Manifest	bundle-docurl	https://commons.apache.org/proper/commons-logging/	Low
Product	Manifest	Bundle-Name	Apache Commons Logging	Medium
Product	Manifest	bundle-symbolicname	org.apache.commons.commons-logging	Medium
Product	Manifest	Implementation-Title	Apache Commons Logging	High
Product	Manifest	multi-release	true	Low
Product	Manifest	specification-title	Apache Commons Logging	Medium
Product	pom	artifactid	commons-logging	Highest
Product	pom	developer email	baliuka@apache.org	Low
Product	pom	developer email	costin@apache.org	Low
Product	pom	developer email	craigmcc@apache.org	Low
Product	pom	developer email	dennisl@apache.org	Low
Product	pom	developer email	donaldp@apache.org	Low
Product	pom	developer email	ggregory at apache.org	Low

Product	pom	developer email	morgand@apache.org	Low
Product	pom	developer email	rdonkin@apache.org	Low
Product	pom	developer email	rsitze@apache.org	Low
Product	pom	developer email	rwaldhoff@apache.org	Low
Product	pom	developer email	sanders@apache.org	Low
Product	pom	developer email	skitching@apache.org	Low
Product	pom	developer email	tn@apache.org	Low
Product	pom	developer id	baliuka	Low
Product	pom	developer id	bstansberry	Low
Product	pom	developer id	costin	Low
Product	pom	developer id	craigmcc	Low
Product	pom	developer id	dennisl	Low
Product	pom	developer id	donaldp	Low
Product	pom	developer id	ggregory	Low
Product	pom	developer id	morgand	Low
Product	pom	developer id	rdonkin	Low
Product	pom	developer id	rsitze	Low
Product	pom	developer id	rwaldhoff	Low
Product	pom	developer id	sanders	Low
Product	pom	developer id	skitching	Low
Product	pom	developer id	tn	Low
Product	pom	developer name	Brian Stansberry	Low
Product	pom	developer name	Costin Manolache	Low
Product	pom	developer name	Craig McClanahan	Low
Product	pom	developer name	Dennis Lundberg	Low
Product	pom	developer name	Gary Gregory	Low
Product	pom	developer name	Juozas Baliuka	Low
Product	pom	developer name	Morgan Delagrance	Low
Product	pom	developer name	Peter Donald	Low
Product	pom	developer name	Richard Sitze	Low
Product	pom	developer name	Robert Burrell Donkin	Low
Product	pom	developer name	Rodney Waldhoff	Low
Product	pom	developer name	Scott Sanders	Low
Product	pom	developer name	Simon Kitching	Low
Product	pom	developer name	Thomas Neidhart	Low

Product	pom	developer org	Apache	Low
Product	pom	developer org	The Apache Software Foundation	Low
Product	pom	developer org URL	https://www.apache.org/	Low
Product	pom	groupid	commons-logging	Highest
Product	pom	name	Apache Commons Logging	High
Product	pom	parent-artifactid	commons-parent	Medium
Product	pom	parent-groupid	org.apache.commons	Medium
Product	pom	url	https://commons.apache.org/proper/commons-logging/	Medium
Version	Manifest	Bundle-Version	1.3.0	High
Version	Manifest	Implementation-Version	1.3.0	High
Version	pom	parent-version	1.3.0	Low
Version	pom	version	1.3.0	Highest

Related Dependencies



- ocr.tesseract.zip: commons-logging.jar
 - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/ocr.tesseract.zip/commons-logging.jar
 - MD5: 522cc4b1f42b7db1554474cb989adfb2
 - SHA1: f5e064b541f5c5fbc5e4fb49c4e8cd4eabb3afd6
 - SHA256: 66d3c980470b99b0c511dad3dfc0ae7b265ec1fb144e96bc0253a8a175fd34d9
 - [pkg:maven/commons-logging/commons-logging@1.3.0](#)

Identifiers

- [pkg:maven/commons-logging/commons-logging@1.3.0](#) (Confidence:High)

comparison.api.zip: comparison.api.jar

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/comparison.api.zip/comparison.api.jar

MD5: 1f7c18f8f5a3b728f03ee0f2cdb3d233

SHA1: 8fe81bda7fdc188e230a8f197d5b22a34a933133

SHA256: 0610856be411279bf89954f7e7a5167a9023950c4ea0aca4598fbe4356dc3af5

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	comparison.api	High
Vendor	jar	package name	comparisonapi	Low
Vendor	jar	package name	inet	Low
Vendor	jar	package name	pdfc	Low
Vendor	Manifest	application-library-allowable-codebase	*	Low
Vendor	Manifest	built-date	2024-06-07 20:42	Low
Vendor	Manifest	codebase	*	Low
Vendor	Manifest	implementation-group	pdfc	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	permissions	all-permissions	Low
Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	trusted-library	false	Low
Vendor	Manifest	trusted-only	false	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	comparison.api	High
Product	jar	package name	comparisonapi	Low
Product	jar	package name	pdfc	Highest
Product	jar	package name	pdfc	Low
Product	Manifest	application-library-allowable-codebase	*	Low
Product	Manifest	built-date	2024-06-07 20:42	Low
Product	Manifest	codebase	*	Low
Product	Manifest	implementation-group	pdfc	Low
Product	Manifest	Implementation-Title	comparison.api	High
Product	Manifest	permissions	all-permissions	Low
Product	Manifest	specification-title	comparison.api	Medium
Product	Manifest	trusted-library	false	Low
Product	Manifest	trusted-only	false	Low

Version	jar	package name	pdfc	Highest
Version	Manifest	Implementation-Version	24.4.256	High

Identifiers

- cpe:2.3:a:inetsoftware:pdfc:24.4.256:*:*:*:*:* (Confidence:Low) suppress

comparison.rpc.zip: comparison.rpc.jar

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/comparison.rpc.zip/comparison.rpc.jar

MD5: 14f2751831309df3a093d86e1e44b0e6

SHA1: 8ee0dd59ad10b1ba32d1e443e7eb09191a8d1d7e

SHA256: 0a078c912476bbf036c5b67505b4b550c92fee64c4518826727d4dfe36170ccc

Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence
Vendor	file	name	comparison.rpc	High
Vendor	jar	package name	inet	Low
Vendor	jar	package name	pdfc	Low
Vendor	jar	package name	rpc	Low
Vendor	Manifest	application-library-allowable-codebase	*	Low
Vendor	Manifest	built-date	2024-06-07 20:42	Low
Vendor	Manifest	codebase	*	Low
Vendor	Manifest	implementation-group	pdfc	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	permissions	all-permissions	Low
Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	trusted-library	false	Low
Vendor	Manifest	trusted-only	false	Low

Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	comparison.rpc	High
Product	jar	package name	pdfc	Highest
Product	jar	package name	pdfc	Low
Product	jar	package name	rpc	Highest
Product	jar	package name	rpc	Low
Product	jar	package name	websocket	Low
Product	Manifest	application-library-allowable-codebase	*	Low
Product	Manifest	built-date	2024-06-07 20:42	Low
Product	Manifest	codebase	*	Low
Product	Manifest	implementation-group	pdfc	Low
Product	Manifest	Implementation-Title	comparison.rpc	High
Product	Manifest	permissions	all-permissions	Low
Product	Manifest	specification-title	comparison.rpc	Medium
Product	Manifest	trusted-library	false	Low
Product	Manifest	trusted-only	false	Low
Version	jar	package name	pdfc	Highest
Version	Manifest	Implementation-Version	24.4.256	High

Identifiers

- cpe:2.3:a:inetsoftware:pdfc:24.4.256:****:* (Confidence:Low) suppress

comparison.webgui.zip: comparison.webgui.jar

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/comparison.webgui.zip/comparison.webgui.jar
MD5: d50b1a30f633357002462c36b159d97e
SHA1: 3b711ba9390c6a2e7a745fadb3a93a87bd71b388
SHA256: 8970f8d09803aea78b61dfe81eb925def9aaad8fdec4fbc09a55a8a38a343d2d
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	comparison.webgui	High
Vendor	jar	package name	inet	Low
Vendor	jar	package name	pdfc	Low
Vendor	jar	package name	webgui	Low
Vendor	Manifest	built-date	2024-06-07 20:42	Low
Vendor	Manifest	implementation-group	pdfc	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	comparison.webgui	High
Product	jar	package name	pdfc	Highest
Product	jar	package name	pdfc	Low
Product	jar	package name	server	Low
Product	jar	package name	webgui	Highest
Product	jar	package name	webgui	Low
Product	Manifest	built-date	2024-06-07 20:42	Low
Product	Manifest	implementation-group	pdfc	Low
Product	Manifest	Implementation-Title	comparison.webgui	High
Product	Manifest	specification-title	comparison.webgui	Medium
Version	jar	package name	pdfc	Highest
Version	Manifest	Implementation-Version	24.4.256	High

Identifiers

- cpe:2.3:a:inetsoftware:pdfc:24.4.256:****:*:* (Confidence:Low) suppress

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/comparison.webgui.zip/comparison.webgui.jar/com/inet/pdfc/webgui/client/js/app.js
MD5: b5337bb448dd2bfdc4393b33453a03e6
SHA1: 0c01af2e2032b7a61d88e120f9f6a16d1cee8bd0
SHA256: 0e584547e2891e2a31485a68d453938275706e0acc2b61210c906d6ae20f0330
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

comparison.webgui.zip: comparison.webgui.jar: compare.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/comparison.webgui.zip/comparison.webgui.jar/com/inet/pdfc/webgui/client/js/compare.js
MD5: bb21c5183e03455cf46f8b15b2b4f3f7
SHA1: 55820654e476e75f8deb8e39fb4d62132bddbb9b
SHA256: a7cd0c4e618e1dbda07c00f2113bab993fcfbd88fdb55e32434ecf37a6df79de
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

comparison.webgui.zip: comparison.webgui.jar: contextmenuextension.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/comparison.webgui.zip/comparison.webgui.jar/com/inet/pdfc/webgui/client/drive/contextmenuextension.js
MD5: 1bef45da0b85f14100fd90b962ec08dd
SHA1: d2aa756f35e647040f06c87bd7e70408843a94bc
SHA256: 8606f3e669cb924d0343e2f121aa28d72ec7e0c78f7414f2f50d9bd1e8c4617a
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

comparison.webgui.zip: comparison.webgui.jar: contingent.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/comparison.webgui.zip/comparison.webgui.jar/com/inet/pdfc/webgui/client/js/directives/contingent.js

MD5: 6ac23911d240f38a83b402239f734b38

SHA1: 00f8c7c7dc0a845ae3853f14097f78bdbafad2ce

SHA256: b0745dccf768bc039eb3890a8c7007f168f23acb2b3a0d8a1fe68e989a8508fc

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

comparison.webgui.zip: comparison.webgui.jar: controller.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/comparison.webgui.zip/comparison.webgui.jar/com/inet/pdfc/webgui/client/js/controller.js

MD5: 71483af5e05f78c556cd0dbb4f221adb

SHA1: 942045f3b83ea37b125a7b109b9bf313832c58ac

SHA256: a584bba4703e68f80803b0d20e0f6e9c6596b3c4a239b3885cb94dcf2ef0f60f

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

comparison.webgui.zip: comparison.webgui.jar: descriptionarea.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/comparison.webgui.zip/comparison.webgui.jar/com/inet/pdfc/webgui/client/js/directives/descriptionarea.js

MD5: e0e1766e85377f31b7664d404aeebc41

SHA1: 0a6772730c5e6864f344db92935728b62677e6a8

SHA256: bcaa0357be6fc030860c90fec66e523e1ba7c1034692cedf6d223b830281bd66

Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

comparison.webgui.zip: comparison.webgui.jar: dropzone.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/comparison.webgui.zip/comparison.webgui.jar/com/inet/pdfc/webgui/client/js/directives/dropzone.js

MD5: a2d37b6d256af57940f74ecea3b8bee6

SHA1: ecde8278f9fc3ebefdf8faf69a4bc6d8c451f81f

SHA256: 73af2ff9890975dd5df025a6b2abb99a84723624c60adfc2f2782e20229848a1

Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

comparison.webgui.zip: comparison.webgui.jar: export.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/comparison.webgui.zip/comparison.webgui.jar/com/inet/pdfc/webgui/client/js/export.js

MD5: 00a335e0a1adb71537b6d272455c92d1

SHA1: 802efb2a89887f226992e8e674b78338ecfacee4

SHA256: 6363581f9cc2b589350be39f2501195586a083de244528a88fe0c778ebe78702

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

comparison.webgui.zip: comparison.webgui.jar: factory.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/comparison.webgui.zip/comparison.webgui.jar/com/inet/pdfc/webgui/client/js/factory.js

MD5: a2b23d73bf938b3d4fde3bdfa6d580c1

SHA1: d5ecfad2162e432708aa93b0c68a76f8f0547722

SHA256: 969d37d49ca5858e1c619c4441bbedc51eaf08cbf329989f45f014f7e9ea4e69

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

comparison.webgui.zip: comparison.webgui.jar: model.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/comparison.webgui.zip/comparison.webgui.jar/com/inet

/pdfc/webgui/client/js/model.js

MD5: 45f60c03a9c42a69e48be11d4253fcd

SHA1: ade62de16b056ad46785df5f2f376a3472f80d74

SHA256: 9df5d15c1768b1c0823eed5a4784da2f7dbeaa2d72c2d45a66a4d25ae4d41afb

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

comparison.webgui.zip: comparison.webgui.jar: multipasswordpanel.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller
/server/build/tmp/dependencies/i-net PDFC/plugins/comparison.webgui.zip/comparison.webgui.jar/com/inet
/pdfc/webgui/client/js/directives/multipasswordpanel.js

MD5: 8dc57163fcdafc64e5d324a9fe39bb46

SHA1: 79196a59f44ed72b0baa529857b2ad4321751eff

SHA256: b0c30c119ab1d75be1b2f83480ef8bb0ca3f9dd30de6a0d09acf54806ab7beda

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

comparison.webgui.zip: comparison.webgui.jar: mycomparisons.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller
/server/build/tmp/dependencies/i-net PDFC/plugins/comparison.webgui.zip/comparison.webgui.jar/com/inet
/pdfc/webgui/client/js/mycomparisons.js

MD5: cdbfc2ee5a50238442648e2ff1d098f7

SHA1: 9582d0491b095c2df43791e55df6a8bcd1f0eb53

SHA256: b1fba2191ae3d4713ac9431a575c581095ccfd03022a9eb771241d2cb97ca55d

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

comparison.webgui.zip: comparison.webgui.jar: passwordpanel.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/comparison.webgui.zip/comparison.webgui.jar/com/inet/pdfc/webgui/client/js/directives/passwordpanel.js

MD5: 35b1c24467988a11c51aee3faccca01f

SHA1: e3d68ef1e938a548d514971783c96a37b91afa38

SHA256:2862fd50225ed1b9c2fc33421258114f0ef367bdb72bb929b0f213468b635a2

Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

comparison.webgui.zip: comparison.webgui.jar: pdfconfig.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/comparison.webgui.zip/comparison.webgui.jar/com/inet/pdfc/webgui/client/js/pdfconfig.js

MD5: 9ff486177a5ce262ea8e4a0c31be01f2

SHA1: 37361e5e5d850a989559380c767de28e68d07098

SHA256:5e2a890647ea95d78ecae6386f2cae26006a6b03df6e1a9eddee29f2f87812ca

Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

comparison.webgui.zip: comparison.webgui.jar: profil.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/comparison.webgui.zip/comparison.webgui.jar/com/inet/pdfc/webgui/client/js/profil.js

MD5: adca56a6bd5f21c686559fc851789244

SHA1: 23797dd878745e5990e077863f7476b4c2c3f53f

SHA256: 750a72e57b818cb51c901b7396fd06e804d934daafbbb77e25d1ebcd2f76959d

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

comparison.webgui.zip: comparison.webgui.jar: profileentry.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/comparison.webgui.zip/comparison.webgui.jar/com/inet/pdfc/webgui/client/js/directives/profileentry.js

MD5: 57391e3ca531f4ef83608f10c87ce691

SHA1: b3e2cae88e689b0b877df8ef290b3f37e60157d7

SHA256: 3bd41ad34829aec63f02d57d8b98d473e606b2df49186575ee0feae53d164665

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

comparison.webgui.zip: comparison.webgui.jar: publishdialog.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/comparison.webgui.zip/comparison.webgui.jar/com/inet/pdfc/webgui/client/js/publishdialog.js

MD5: cb39f0740cca72df1160d0c4b97412ce

SHA1: ea4b087dba9daa1fb8c7c71ca78bc91e884af69b

SHA256: e2f58b24368d3a27a4aadaa91e4372d37bec648e23e803bd702dbdff891ca3b7

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

comparison.webgui.zip: comparison.webgui.jar: publishprofiledialog.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/comparison.webgui.zip/comparison.webgui.jar/com/inet/pdfc/webgui/client/js/directives/publishprofiledialog.js

MD5: 71f9c6a407bcdd70cd94fd2cfa1ca6da

SHA1: 0ac49131f58dcfc1651d1780b543b88dedcecb95

SHA256: 23c4ac9e297f97dbea24f75b1736a2e8a59c305704aafb1e55f7d389ec37687d

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

comparison.webgui.zip: comparison.webgui.jar: report.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/comparison.webgui.zip/comparison.webgui.jar/com/inet/pdfc/webgui/client/js/report.js

MD5: fe6f78391d124b17a695fcc736f79f53

SHA1: b5e0d55a8c900944b3547efe1cb5cf6592aba6d5
SHA256: 896c1486fb2119e198dd92a6aaae101d72fd6c0adf8f38957dbf68a0f15673a6
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

comparison.webgui.zip: comparison.webgui.jar: scroller.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/comparison.webgui.zip/comparison.webgui.jar/com/inet/pdfc/webgui/client/js/scroller.js
MD5: f32f48a5aa0fb9f8277a02482147775d
SHA1: 375c169e3d665e83e4071f2f29c2d7f9aab541d9
SHA256: 97373361ec62b341d13c42137a0035180bf42909f5430e91197edfc0c6c7c250
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

comparison.webgui.zip: comparison.webgui.jar: searchcomponent.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/comparison.webgui.zip/comparison.webgui.jar/com/inet/pdfc/webgui/client/js/directives/searchcomponent.js
MD5: 6b074e878cc9be443b1a15f24409989a
SHA1: eb93b2142dd33da8cfe7fa8b3c8058829b76753e
SHA256: 104c806b32fd9e41480c240c2020b2f6d8c8dd430b6c05d6b2f4dc2b8e46f457
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
Identifiers				
<ul style="list-style-type: none"> None 				

comparison.webgui.zip: comparison.webgui.jar: userlist.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/comparison.webgui.zip/comparison.webgui.jar/com/inet/pdfc/webgui/client/js/directives/userlist.js
MD5: 7f02b9beea14ccaf1aa69d56774af047
SHA1: 13c4d28849ac5ac894035c6cbd23c2aadcd17107
SHA256:e264ece3d2ee5e04afd67551a7f6f360985b1f61e9d264719ffe73d4258bdff
Referenced In Project/Scope: server

Evidence +				
Type	Source	Name	Value	Confidence

Identifiers				
<ul style="list-style-type: none"> None 				

comparison.webgui.zip: comparison.webgui.jar: visibilitysettings.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/comparison.webgui.zip/comparison.webgui.jar/com/inet/pdfc/webgui/client/js/visibilitysettings.js
MD5: 17292e740ec3b0b51b2529dfe5941f33
SHA1: 699771072d39aad920b27c9c58ceaaece5af4a60
SHA256:b10b0143b19dc62be6802ceba75ecceca42bdbc6fe177b305efe416fe91c200b
Referenced In Project/Scope: server

Evidence +				
Type	Source	Name	Value	Confidence

Identifiers				
-------------	--	--	--	--

- None

comparison.webgui.zip: comparison.webgui.jar: zoomer.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/comparison.webgui.zip/comparison.webgui.jar/com/inet/pdfc/webgui/client/js/directives/zoomer.js
MD5: c78b76ef369e7936ee3db589114626fa
SHA1: 8e7048b300502269ac05c062a26f18ba6869b51b
SHA256:f70cf8df345d9b56cdb3af49808f2d840a1582db94c6c2f273676400835f5a94
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

configuration.automaticconfigrestore.zip: configuration.automaticconfigrestore.sample.jar

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/Documentation and Samples/Plugin - Samples/Configuration/AutomaticConfigRestore/configuration.automaticconfigrestore.zip/configuration.automaticconfigrestore.sample.jar
MD5: 24197bb96cb56514486946281393d8bc
SHA1: 37a344004df7cc25f6e58077d5921a9316cdba12
SHA256:f0ced34250fef7ccc6a2fa86852027fe8e9aaf7646ce638b4c623e32e8d9f66
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence
Vendor	file	name	configuration.automaticconfigrestore.sample	High
Vendor	jar	package name	automaticconfigrestore	Low
Vendor	jar	package name	inet	Low
Vendor	Manifest	built-date	2024-06-07 17:56	Low
Vendor	Manifest	implementation-group	shared	Low

Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	configuration.automaticconfigrestore.sample	High
Product	jar	package name	automaticconfigrestore	Highest
Product	jar	package name	automaticconfigrestore	Low
Product	Manifest	built-date	2024-06-07 17:56	Low
Product	Manifest	implementation-group	shared	Low
Product	Manifest	Implementation-Title	configuration.automaticconfigrestore	High
Product	Manifest	specification-title	configuration.automaticconfigrestore	Medium
Version	Manifest	Implementation-Version	24.4.256	High

Identifiers

- None

configuration.zip: configuration.jar

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/configuration.zip/configuration.jar
MD5: c7444ffb83f3f43368fdf4c9154213da
SHA1: a0fcb9a12bfb808286f194a6b286bfd2786f2b3c
SHA256:ff2b15360fe64ab0897981e99a692c42c293ba4c0df717f96b4442c6f17d7e5a
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence
Vendor	file	name	configuration	High
Vendor	jar	package name	inet	Low
Vendor	jar	package name	plugins	Low
Vendor	jar	package name	report	Low
Vendor	Manifest	built-date	2024-06-07 17:49	Low

Vendor	Manifest	implementation-group	shared	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	configuration	High
Product	jar	package name	config	Low
Product	jar	package name	plugins	Low
Product	jar	package name	report	Low
Product	Manifest	built-date	2024-06-07 17:49	Low
Product	Manifest	implementation-group	shared	Low
Product	Manifest	Implementation-Title	configuration	High
Product	Manifest	specification-title	configuration	Medium
Version	Manifest	Implementation-Version	24.4.256	High

Identifiers

- None

configuration.zip: configuration.jar: authentication.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/configuration.zip/configuration.jar/com/inet/report/plugins/config/client/js/renderer/authentication.js
MD5: 32ddfe3c441b22f84dcc1898413ea55
SHA1: 77d3f3ea6c58e3c215ac86777ee25b0b8004bc7b
SHA256:818c4819e64813929560eee3008b485c637a80725488cbb3b9627983f8bc9e3f
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

configuration.zip: configuration.jar: boolean.directive.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/configuration.zip/configuration.jar/com/inet/report/plugins/config/client/js/renderer/boolean.directive.js

MD5: e155af571b4efd086c739fd329edd72f

SHA1: e744f3d28b6acc4d597b224624309e38bdffc1d8

SHA256: df48567df109fb82d1717821e737691ce7fec882706819667acd78d18b7b63e

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

configuration.zip: configuration.jar: booleanButton.directive.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/configuration.zip/configuration.jar/com/inet/report/plugins/config/client/js/renderer/booleanButton.directive.js

MD5: c241b163692b903546728aaffff56b4b

SHA1: bf6d026e12d320d169e1ffb3395ad3db12034c26

SHA256: 9cbc71701e24de928f61a38d03145a74b5a9dd28a350551401f9bda81207a1ff

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

configuration.zip: configuration.jar: colorInput.directive.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/configuration.zip/configuration.jar/com/inet/report/plugins/config/client/js/renderer/colorInput.directive.js

MD5: 58e908e9ef96d3bcd1131d61d874217c

SHA1: 99397bcc5aded52857da548839a5499075ce1263

SHA256: f8d8afc3d949399b38a1f2393044ad00fecad4dd65ef4c077565610cd18fb768

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

configuration.zip: configuration.jar: controller.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/configuration.zip/configuration.jar/com/inet/report/plugins/config/client/js/controller.js

MD5: 215e88d01dde52e49bb7bce99e6a2077

SHA1: e3fd18726d5b1ded84c40bf74493e459b6d115aa

SHA256: 29f767b8c1682c1252f175a51b21c7632c8f83a49cb78e62c9a6fcf2412ae9cb

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

configuration.zip: configuration.jar: datafactory.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/configuration.zip/configuration.jar/com/inet/report/plugins/config/client/js/datafactory.js

MD5: 64f2c3cbbc731b02dc7df012c9ab068d

SHA1: 8040c0cb9577a3c4db719ae0b90740948845bbd4
SHA256: 2133261e1d2f74f8afc54522497633dd991aee7bdfddf06927f8a1e799678f40
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

configuration.zip: configuration.jar: fileUploadRenderer.directive.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/configuration.zip/configuration.jar/com/inet/report/plugins/config/client/js/renderer/fileUploadRenderer.directive.js
MD5: 85d08433c73dac44667b1676da1751df
SHA1: 314d18af752a74666d8cd2b1638f5b117bc8eb13
SHA256: 74777f865fedb0c9c34912e94ae05282fa95d19db7dd504f92cf91ecadd3664
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

configuration.zip: configuration.jar: filesystemInputButton.directive.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/configuration.zip/configuration.jar/com/inet/report/plugins/config/client/js/renderer/filesystemInputButton.directive.js
MD5: 3c06874891ddcf135375de6930eb2972
SHA1: f3f8ebcb367f1c4fcc299b1c9283dd45104629c4
SHA256: 1622147d4e44563556ecf8497149f63940e54c8e8ad154911e647f1ca6fc85b9
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

configuration.zip: configuration.jar: filesystemInputDirectory.directive.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/configuration.zip/configuration.jar/com/inet/report/plugins/config/client/js/renderer/filesystemInputDirectory.directive.js
MD5: 464b7aad35c25f84dc7e308a1fe6a722
SHA1: 5fc9baf862f3ca082c6c155db16d624bf719f5be
SHA256:47d0025e066bd0d1e6f1fb735b492b74a83b23965439b7535a8ac463a47c786c
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

configuration.zip: configuration.jar: filesystemInputFile.directive.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/configuration.zip/configuration.jar/com/inet/report/plugins/config/client/js/renderer/filesystemInputFile.directive.js
MD5: 75c2038e7e6b1f9dc84d3b8c0da844c0
SHA1: 4cdc8f450f07880a55c2e7bdb85a7bce91b967d3
SHA256:7af905ffb59a3346c2b2d9fc8e44860ff5d48a993c6054e6b41a092505c00384
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

configuration.zip: configuration.jar: iconDropRenderer.directive.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/configuration.zip/configuration.jar/com/inet/report/plugins/config/client/js/renderer/iconDropRenderer.directive.js

MD5: dcf87cadacb90bd6e699be6fd8ccb1ed

SHA1: b8e2d814a43645560caa81da45a3b8983f63acf0

SHA256: 1bb2fa796d6965a6bc2f9d06dc81b72dd8d54eca1cc37d053cc80a5a5d6a5e43

Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

configuration.zip: configuration.jar: inlinerenderer.directive.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/configuration.zip/configuration.jar/com/inet/report/plugins/config/client/js/renderer/inlinerenderer.directive.js

MD5: f688e91a43726306b599b1305cf3e8ef

SHA1: 1f1070b374c15f053320172897cb24c8da3aceb5

SHA256: 23a9a23e577a3819d3a06c015ab483cd48bc6f4af28ec01caac32fe5d0cb0fe8

Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

configuration.zip: configuration.jar: keyLabelText.directive.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/configuration.zip/configuration.jar/com/inet/report/plugins/config/client/js/renderer/keyLabelText.directive.js
MD5: aae3ab4eeda740d7d15ddef1c828db3b
SHA1: abdc48d7145e6d4dbf8b5a48a66d371539969197
SHA256: ef01886de025e76cb0e1701d67e6b8d869a4094d64392544a135be20010a6ea3
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

configuration.zip: configuration.jar: labelLink.directive.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/configuration.zip/configuration.jar/com/inet/report/plugins/config/client/js/renderer/labelLink.directive.js
MD5: 71d23ea76be9b9ec2cea163bc32ad083
SHA1: 503e26b0f8ca5b5b3917ebac0c98a6d34bbcb438
SHA256: 057367f35129b73dfaecbe928def62aa8e9ec18a4264d8d878783674c277a7b7
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

configuration.zip: configuration.jar: labelText.directive.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/configuration.zip/configuration.jar/com/inet/report/plugins/config/client/js/renderer/labelText.directive.js
MD5: 18e1f8fac9693e53597d2e3bb8694fca

SHA1: cfa806fe980c7ed1e542c690acd70301919d3e58
SHA256: c63fb2c0b52c28a949125b15795221bd4b8da8081d010f9f24632888d1664ebb
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

configuration.zip: configuration.jar: licensekey.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/configuration.zip/configuration.jar/com/inet/report/plugins/config/client/js/renderer/licensekey.js
MD5: 6e9886fe0ffdc7a3f09b795b08c04f7a
SHA1: f72bc4783d6ce165c80850580d704b7129365454
SHA256: d6046640dca6ae3ff00226f96ef5e004abc5668554e001e9504edf3c631aa00b
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

configuration.zip: configuration.jar: list.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/configuration.zip/configuration.jar/com/inet/report/plugins/config/client/js/renderer/list.js
MD5: a836484a595c5d6c6449f038258df4e5
SHA1: 00645dd0c191b9dc14914d3545aa2766e667e43a
SHA256: 8043edb5edb0de6b1ce449c935f8f2763a27b05e15425a982552a1775d5f45fe
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

configuration.zip: configuration.jar: logopreview.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/configuration.zip/configuration.jar/com/inet/report/plugins/config/client/js/renderer/logopreview.js
MD5: d17d19917c5f2d8623d48e8b29d736b7
SHA1: 76c40068fcec7c2dcc10f296fe5b01eaabdb4cc3
SHA256:70d01317b11a922e3c32c8f66746570b73a8a2a4de51d9c2dc23fddae00fd7bf
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

configuration.zip: configuration.jar: multiLineText.directive.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/configuration.zip/configuration.jar/com/inet/report/plugins/config/client/js/renderer/multiLineText.directive.js
MD5: 48640b97e578b7a0f7f7dde48bb644ba
SHA1: bfadc5063ee207897ece27d2a2845bbb8e88a9fa
SHA256:d48311d3bb4afd93126cca8a7e868e54f66a0fdb3bc893ffeb20e819f96f745d
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

configuration.zip: configuration.jar: multiLingualTextRenderer.directive.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/configuration.zip/configuration.jar/com/inet/report/plugins/config/client/js/renderer/multiLingualTextRenderer.directive.js

MD5: 3495c2a8f809eb949a3237f33b1c7f31

SHA1: 6c774480a0b9fdf9766de6a29fa09c945d42b592

SHA256: ae2d68ba82c2ee734d84a36fd23b6041d2e287995759eb8779e04236db74fd56

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

configuration.zip: configuration.jar: passwordText.directive.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/configuration.zip/configuration.jar/com/inet/report/plugins/config/client/js/renderer/passwordText.directive.js

MD5: 54fcdb4fce63f0170cb34f1eeaf8ddcd

SHA1: 6fac78e6e5880df10a6d0c98f1cdb03a233f65bf

SHA256: 486cbf613d304295084a004076fd9c09a041ce36e31f85eeee8fa67ccc5fcb85

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

configuration.zip: configuration.jar: renderer.directive.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/configuration.zip/configuration.jar/com/inet/report/plugins/config/client/js/renderer/renderer.directive.js
MD5: 263d5878b3b00e3de3a6faedbd460e84
SHA1: e1a40b927f1b13b0d228d06c91a2fb05917eec07
SHA256: 748a2d88fd4e366a306e1b62f0f6bd046ae05b5238330b48376449ddf01e874c
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

configuration.zip: configuration.jar: repository.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/configuration.zip/configuration.jar/com/inet/report/plugins/config/client/js/renderer/repository.js
MD5: baedc19f91eab554dca893cb4388b2e4
SHA1: e2a4899a91ce2813a147c8d9ef15a00ff973c080
SHA256: 81e835deda02b4a0b9aae45e7e7a018c08761ebc710ca53fb742b62ac56bb065
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

configuration.zip: configuration.jar: selectEditText.directive.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/configuration.zip/configuration.jar/com/inet/report/plugins/config/client/js/renderer/selectEditText.directive.js
MD5: 1a61bac200dea54f8eb9d9921681e5eb

SHA1: 6dbd0bcd00cb2578923b81550bf53a41df913362
SHA256: b8a181150c341024f59852828b84e69e756debc3bf0ea47c2ab19ffd6c712a72
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

configuration.zip: configuration.jar: selectFilteredText.directive.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/configuration.zip/configuration.jar/com/inet/report/plugins/config/client/js/renderer/selectFilteredText.directive.js
MD5: 7b58d68dc3a35304dc78fee8d4ccaf6c
SHA1: cb18981f11083c559b202e9192f33afe65af6873
SHA256: 294ca27a4b15d42a525a5e5e306dd8a4bba38c8d620f39b87a75cd1f90072ee7
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

configuration.zip: configuration.jar: selectLanguageChooserRenderer.directive.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/configuration.zip/configuration.jar/com/inet/report/plugins/config/client/js/renderer/selectLanguageChooserRenderer.directive.js
MD5: a0d2d369508b0efdded68fb3f063a8fd
SHA1: d1fab8af7e386206b0ccd790a22869003470af9a
SHA256: b45062353d252f869be07fb2a81814bf14b6117103466f948fa419615f5174cd
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

configuration.zip: configuration.jar: selectSimpleText.directive.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/configuration.zip/configuration.jar/com/inet/report/plugins/config/client/js/renderer/selectSimpleText.directive.js
MD5: f847feb7c380b15f650e9c557d8c28c8
SHA1: 6c862eb40e515e329c0734b281ebaa686291eca6
SHA256:7c48f1f408923db44696e2cb46f622b319a99c55a3347a486013850165f6bfb8
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

configuration.zip: configuration.jar: simpleDate.directive.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/configuration.zip/configuration.jar/com/inet/report/plugins/config/client/js/renderer/simpleDate.directive.js
MD5: d956a5e169fc6e2c81108b87f34db130
SHA1: 0e0bf7cbff7b304e49e8f7c0568a4283540a5ed1
SHA256:651fc228360d9b524db406deaf28f4a04aa1286aa87e8f220424d7959c6e0f76
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

configuration.zip: configuration.jar: simpleSlider.directive.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/configuration.zip/configuration.jar/com/inet/report/plugins/config/client/js/renderer/simpleSlider.directive.js

MD5: b1fe4875ba680fe6af9cdaaf163f22e7

SHA1: d39121dc651a4a559b3bfe6a5bf978467bf77ff5

SHA256: f95956394c8a2beede215ab8da75b2ad9f5b8173efc191709ae34549946d7924

Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

configuration.zip: configuration.jar: simpleText.directive.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/configuration.zip/configuration.jar/com/inet/report/plugins/config/client/js/renderer/simpleText.directive.js

MD5: 33c94b7ec8d613f3fe3dfd5b1a43b193

SHA1: cbb60f6da1447f14dc1cb5da735f99f028a666a3

SHA256: f2d82ae8ac664b0b76fcee6f324b63285cd7ab38f3d976085ef9f13c9b77f5b9

Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

configuration.zip: configuration.jar: table.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/configuration.zip/configuration.jar/com/inet/report/plugins/config/client/js/renderer/table.js
MD5: 98e2bf27c357f626c85dec666ebbe3ee
SHA1: 660439feaae6df166fe1ec19ad8ef23749422baa
SHA256: 8eaca2f6f37dfb064cd1592ab0e0855fd8038e8bb5cf4c88692337b46546156c
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

configuration.zip: configuration.jar: tree.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/configuration.zip/configuration.jar/com/inet/report/plugins/config/client/js/renderer/tree.js
MD5: a8ffdd7b210ce889d5f5d0573d1c856d
SHA1: a2abe4e4790d1e1a223815493184cc6b198bbe0e
SHA256: 3ac39fa4b58becc837930f692e807a43921a8fd338e75ba0245eecb872ec0b88
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

configuration.zip: configuration.jar: userandgroupselect.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/configuration.zip/configuration.jar/com/inet/report/plugins/config/client/js/renderer/userandgroupselect.js
MD5: bb0a3c1cabd58185c8795a27ed408e95

SHA1: 112c3a781cc72c8accad43d0e5207c7cb464885e
SHA256:a495983186ba7dc1cf3a3041cdfee1ad3790c008856e51252c78460e3ba57bd5
Referenced In Project/Scope: server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

diagnostics.zip: diagnostics.jar

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/diagnostics.zip/diagnostics.jar
MD5: b84d62181f291201f0a7e4e759e2d719
SHA1: c3d9b23b9d31a8bc2205e972af909078d493cded
SHA256:82ca52c5b35695a58816fa1c13ae1ad5adf3bd7cee2d0e75b3f41e611caa1b54
Referenced In Project/Scope: server

Evidence +

Type	Source	Name	Value	Confidence
Vendor	file	name	diagnostics	High
Vendor	jar	package name	diagnostics	Low
Vendor	jar	package name	inet	Low
Vendor	jar	package name	shared	Low
Vendor	Manifest	built-date	2024-06-07 18:00	Low
Vendor	Manifest	implementation-group	shared	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	diagnostics	High
Product	jar	package name	diagnostics	Highest
Product	jar	package name	diagnostics	Low

Product	jar	package name	shared	Highest
Product	jar	package name	shared	Low
Product	jar	package name	widgets	Low
Product	Manifest	built-date	2024-06-07 18:00	Low
Product	Manifest	implementation-group	shared	Low
Product	Manifest	Implementation-Title	diagnostics	High
Product	Manifest	specification-title	diagnostics	Medium
Version	jar	package name	shared	Highest
Version	Manifest	Implementation-Version	24.4.256	High

Identifiers

- None

diagnostics.zip: diagnostics.jar: MemoryPieChart.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/diagnostics.zip/diagnostics.jar/com/inet/shared/diagnostics/widgets/information/resources/MemoryPieChart.js

MD5: 42626a4c9ca338a4fcab2f76023b3066

SHA1: eb0f8d225202d92c5eb85fa4280223bf13556bb3

SHA256: 745789d5c53cb94947ce85fd4a0db43b1551b479217aface82a44d58001f5377

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

diagnostics.zip: diagnostics.jar: MemoryUsageChart.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/diagnostics.zip/diagnostics.jar/com/inet/shared/diagnostics/widgets/information/resources/MemoryUsageChart.js
MD5: b79e192fd1f5ea3d4f9be1dcc001d1a
SHA1: 1dcbdde47f2917610777a5220510b75e2145fe4
SHA256: 8ef4ff98ec97575059f8b76c80e660c9451b654faa4bc4096db04f3041f41a9b
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

diagnostics.zip: diagnostics.jar: WebServerErrorChart.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/diagnostics.zip/diagnostics.jar/com/inet/shared/diagnostics/widgets/webserver/resources/WebServerErrorChart.js
MD5: 4934e98916d9180d7713313276bd51b0
SHA1: a97ee17d4f0c0be6de32add6f433a0253e7baf60
SHA256: b493af38d4b841a79beffd85e99cdf23fda5eb7b3bc810ba2956a75905600054
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

diagnostics.zip: diagnostics.jar: benchmarkCtrl.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/diagnostics.zip/diagnostics.jar/com/inet/shared/diagnostics/widgets/benchmark/resources/benchmarkCtrl.js
MD5: b9bdb18908cc80ce56da5cdaeee67466
SHA1: 90ca53aaae57cf06537d9bb37eaf7787452431ac
SHA256: 52ced4ea204372bec8672a726612cec4fc3973db7e5fa10438bd9416875ad1b3
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

diagnostics.zip: diagnostics.jar: client-server.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/diagnostics.zip/diagnostics.jar/com/inet/shared/diagnostics/widgets/benchmark/tasks/clientserver/client-server.js

MD5: 9775c53615ccd0633dc879e29740d1d7

SHA1: 235fb16ef3b9c8ca2d35c383fc7ea7ccd0fbe35a

SHA256: b3e66a6f53af1654e7c444678e571870b4e96d48f2bb30a15a315eb8568ff8af

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

diagnostics.zip: diagnostics.jar: controller.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/diagnostics.zip/diagnostics.jar/com/inet/shared/diagnostics/resources/js/controller.js

MD5: 9c44be81e0e4ab33d11335181b5c5050

SHA1: a46ec4fdb6040d7b22c9676e439bd7323c5d2dd

SHA256: 12062f4ac444c0d35b0f4540c25666ef8f21eff25f56afde8b7435abddde2ea9

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

diagnostics.zip: diagnostics.jar: cpu.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/diagnostics.zip/diagnostics.jar/com/inet/shared/diagnostics/widgets/benchmark/tasks/cpu/cpu.js

MD5: efc8a1bacfbfb8abea4c10226fef04dde

SHA1: 125b6c7b2803418a18b0991129aadcc9274b3abc

SHA256: 7c6656ce270748b123397d36aebc01cedc7f19ce8000840f9eb3e1782548dadb

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

diagnostics.zip: diagnostics.jar: cpuspeed.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/diagnostics.zip/diagnostics.jar/com/inet/shared/diagnostics/widgets/benchmark/tasks/cpuspeed/cpuspeed.js

MD5: e6773bb5fcc69118e1f9fc5d97d29ed9

SHA1: 4b76e6970f1a54c296f68631ed4631dc8be5a9ac

SHA256: 72f628d2b4ac181a67b1deb3fbb35f65ee9da07b998a07582433637ef90d9bcd

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

diagnostics.zip: diagnostics.jar: directives.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/diagnostics.zip/diagnostics.jar/com/inet/shared/diagnostics/resources/js/directives.js

MD5: 452966093e2d6ec8653831200ad10870

SHA1: c993e5963bbfb1a826b7bbd5479044f50c51f660

SHA256: d47aa584bc19181d8bed4f03d86c1f20d9ba921cacd3ba5487764f73d93b6b45

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

diagnostics.zip: diagnostics.jar: errorHistoryChart.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/diagnostics.zip/diagnostics.jar/com/inet/shared/diagnostics/widgets/logging/resources/errorHistoryChart.js

MD5: 7db1c5d1ff857966be61bb2f1f7ae6a8

SHA1: a4844b6cf9ae6ccfcb17b1796276fc6f05593946

SHA256: 29b643d551eb9a16c5efa6836a3e505699a5085da1228ff5d0279125f7150223

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

diagnostics.zip: diagnostics.jar: flot2.min.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/diagnostics.zip/diagnostics.jar/com/inet/shared/diagnostics/resources/js/flotr2.min.js
MD5: 0b7015815b97473a69b1917da6dc9c7c
SHA1: d23aa3eb0326ea5ae26e4d98383e80f3f63a05de
SHA256: 8e91d325cb89a573c87ec87930a17a0dd4e16b59926d4bcc06691c26e37ab9fc
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

diagnostics.zip: diagnostics.jar: global.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/diagnostics.zip/diagnostics.jar/com/inet/shared/diagnostics/resources/js/global.js
MD5: 18534cf8124e29a00282ed71477686f7
SHA1: 5adadf64dae9d41f975a75cfbaba4d02b6f943eb
SHA256: ba0e9b50f542cff2f0ee14105970cb6551d58367e4d4af7384717dc046cf438f
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

diagnostics.zip: diagnostics.jar: haddisk.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/diagnostics.zip/diagnostics.jar/com/inet/shared/diagnostics/widgets/benchmark/tasks/haddisk/haddisk.js
MD5: 8455e549f56617f12154038a8f83662d
SHA1: 5c534bed65bb8ce9e652f2a9fb7248f098b69782
SHA256: fcd4d80fb7abbcc8882f12e5000b5230b03788bc358b3e2fa17666833f434344
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

diagnostics.zip: diagnostics.jar: heapdumpCtrl.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/diagnostics.zip/diagnostics.jar/com/inet/shared/diagnostics/widgets/dump/resources/heapdumpCtrl.js

MD5: 210e1e95e6e689731e7d2699982fe594

SHA1: 0dcfb258e6458141cf7280821d6ad465f1335563

SHA256: eeb11a6c813f787e527db15712d25bd6c6521dd12a491038d5c7c9731ace36a2

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

diagnostics.zip: diagnostics.jar: informationCtrl.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/diagnostics.zip/diagnostics.jar/com/inet/shared/diagnostics/widgets/information/resources/informationCtrl.js

MD5: feaacffee3731e1867feb8317e33bd58

SHA1: ccce0ab7f6e6726bb3ec13a0af239231716409db

SHA256: c7f15cdb740db3f48fbf013b2f15eb263072512714b8cb1cf5ea656aad4d59be

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

diagnostics.zip: diagnostics.jar: intArrayUtils.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/diagnostics.zip/diagnostics.jar/com/inet/shared/diagnostics/widgets/benchmark/tasks/intArrayUtils.js

MD5: 79a290bdef5c5e77f5d3bdfd8e3c957d

SHA1: f9c1a98a645712d8ee60897d29d634eca8888e1a

SHA256: 1fa5d253aa76306556a34f27144c0a2549fb10741c3b2dfece3a5135c85058f6

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

diagnostics.zip: diagnostics.jar: iospeed.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/diagnostics.zip/diagnostics.jar/com/inet/shared/diagnostics/widgets/benchmark/tasks/iospeed/iospeed.js

MD5: 9513a5cc6db5b11ac8ccec13ebc66cf4

SHA1: 77dca27656bc1f6302f35d56f7c1d0fa08383de1

SHA256: 111f6477977551d4f341f5e495bb47a0cd4e34b8af74cda2b7a60006da45dce3

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

diagnostics.zip: diagnostics.jar: jobs.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/diagnostics.zip/diagnostics.jar/com/inet/shared/diagnostics/widgets/jobs/resources/jobs.js

MD5: f1597ad20bab3007a79aca79192e2759

SHA1: 1e23c0354a07a0bd69a6f51af5e2e3c3de0178b5

SHA256: ff5b1c17de2f110cb68adaf14a4e9bb008064fa9b4c3728f6952157656150247

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

diagnostics.zip: diagnostics.jar: logging.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/diagnostics.zip/diagnostics.jar/com/inet/shared/diagnostics/widgets/logging/resources/logging.js

MD5: 69b1212755915952c874044cf173e8f5

SHA1: 3c8ddbcca0058c420b2ce85abee5f5281195b826

SHA256: c4080e6e0fe9cd1f0ffc5d52ad660ead4b434afdc9d7c8b4859b3fa1a34ef053

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

diagnostics.zip: diagnostics.jar: memory.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/diagnostics.zip/diagnostics.jar/com/inet/shared/diagnostics/widgets/benchmark/tasks/memory/memory.js
MD5: a8e6f6a6db1d1d5642d9660c410ef86a
SHA1: e77983c1ac1019e864eb9e6a80693bf5672882
SHA256: 97f74086b8273426e3c9b5550fc07624ab60f585a46d1a1218793b7e78da0d88
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

diagnostics.zip: diagnostics.jar: overviewCtrl.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/diagnostics.zip/diagnostics.jar/com/inet/shared/diagnostics/widgets/overview/resources/overviewCtrl.js
MD5: e5b43d270ebf9a9ad22979995dd75aba
SHA1: 7bef88b1bb39b0c83bfec6937ee39e63c5618aa
SHA256: b8302f76b57f0af058b713eda0ffae316c7948c193814e2bc36f4db06828f65
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

diagnostics.zip: diagnostics.jar: pde.diagnostics.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/diagnostics.zip/diagnostics.jar/com/inet/shared/diagnostics/widgets/webserver/resources/pde.diagnostics.js
MD5: e1cfa8fcb3e071eec07859c25e18992
SHA1: 3ba533c28f4cb5977be5b98ecf9ca77e0e97339c
SHA256: c71bb9125ac341046d989d319686118882eb5b2d661db86383e611b23c8ff7af
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

diagnostics.zip: diagnostics.jar: timeformat.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/diagnostics.zip/diagnostics.jar/com/inet/shared/diagnostics/resources/js/timeformat.js

MD5: d8d84b44477ea45bab0f78152b2f4c49

SHA1: 625f35b9aca48a8eafc02a4acbecf41aca1caa88

SHA256: daae300534ae12d16f3d88482713f677a14074940450f80c293f917e2da47d71

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

docfx.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/Documentation and Samples/dotnet - ProcessBridge API Doc/styles/docfx.js

MD5: 8d6c494b74e6c47ae0eb2e20c5c528f8

SHA1: 65e3447fe91b30ebb4c4863adbe13f20c4cc81b0

SHA256: c210b0b1dc0081355faa906b4239e82f670c0ed7b49b31c9de2161cceed3e7f

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies



- docfx.js
 - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/Documentation and Samples/nunit - API Doc/styles/docfx.js
 - MD5: 8d6c494b74e6c47ae0eb2e20c5c528f8
 - SHA1: 65e3447fe91b30ebb4c4863adbe13f20c4cc81b0
 - SHA256: c210b0b1dc0081355faa906b4239e82f670c0ed7b49b31c9de2161cceed3e7f

Identifiers

- None

docfx.vendor.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/Documentation and Samples/dotnet - ProcessBridge API Doc/styles/docfx.vendor.js

MD5: e546d4a3ac43d85422e9c43bf9488c88

SHA1: 7387f5bf1a3382308d646560039243629968f137

SHA256: 4dfa2ef41a41c02b0cd0cb18b5c3ee71dd40cdc060271f0d832235e7a1c72c34

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	bootstrap	High
Product	file	name	bootstrap	High
Version	file	version	3.4.1	High

Related Dependencies



- docfx.vendor.js
 - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/Documentation and Samples/nunit - API Doc/styles/docfx.vendor.js
 - MD5: e546d4a3ac43d85422e9c43bf9488c88
 - SHA1: 7387f5bf1a3382308d646560039243629968f137
 - SHA256: 4dfa2ef41a41c02b0cd0cb18b5c3ee71dd40cdc060271f0d832235e7a1c72c34

Identifiers

- [pkg:javascript/bootstrap@3.4.1](#) (*Confidence: Highest*)

drive.zip: drive.jar

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/drive.zip/drive.jar
MD5: 03c2ab96006ea52b382716eba1930404
SHA1: 38427572caa3b8affbeb9b99773c2d70f2e2a6fb
SHA256:c2a1a13d9969727aeeafcf3eac1bf24d80a010b5d1420a3e2996bfca06404da7
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	drive	High
Vendor	jar	package name	drive	Low
Vendor	jar	package name	inet	Low
Vendor	Manifest	built-date	2024-06-07 18:03	Low
Vendor	Manifest	implementation-group	shared	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	drive	High
Product	jar	package name	drive	Highest
Product	jar	package name	drive	Low
Product	jar	package name	server	Low
Product	Manifest	built-date	2024-06-07 18:03	Low
Product	Manifest	implementation-group	shared	Low
Product	Manifest	Implementation-Title	drive	High
Product	Manifest	specification-title	drive	Medium
Version	Manifest	Implementation-Version	24.4.256	High

Identifiers

- None

drive.zip: drive.jar: actions.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/drive.zip/drive.jar/com/inet/drive/webgui/client/js/actions.js

MD5: 3d3d275eb30155df30871bc783487824

SHA1: 9dec3b2b822aa5debb1a8fdd1d0affb059628e9f

SHA256: fc0489129d314a1ebdc7ce3b7f263f0dea6976f14cb69a217b858698bf9483fc

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

drive.zip: drive.jar: actions.service.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/drive.zip/drive.jar/com/inet/drive/webgui/client/js/service/actions.service.js

MD5: 46f8e1111b6665cde95a3999ba850525

SHA1: 98fcf157afdec8be0eab20f51ed27386480289c2

SHA256: c52f1e4af226a5631b0a17fbae8e7a2b9aed9310657faa21e578788ea30d774e

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

drive.zip: drive.jar: contentextension.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/drive.zip/drive.jar/com/inet/drive/webgui/client/details/contentextension.js

MD5: 00689403c0e32161c56dc2a3ac908ba2

SHA1: ed1576fba1a3cb52d10859f4b58c90d4804ed058

SHA256: 70938fae8885f3e86daffd98e970b07f2e494518d63d79b3534c7523b4897cd6

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

drive.zip: drive.jar: controller.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/drive.zip/drive.jar/com/inet/drive/setup/controller.js

MD5: 07b1666c2b8c22fc27998fc04857e6de

SHA1: 26a01c1d56bb61a046f9ac99d3e6383df935fcc7

SHA256: bc2697e37966c2c964983042c38ccbe47994487a26f32ee8d4466e3ad7aff25c

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

drive.zip: drive.jar: drivecleanup.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/drive.zip/drive.jar/com/inet/drive/server/maintenance/js/drivecleanup.js

MD5: 26ac230e5c14e92eddfc4fddb5052a8f

SHA1: a550d9e0c198f15d2327587c32bcc7667b5987ff

SHA256:b17f17d04eec7b77450e7084f3a0a5e3a6b50f751821e1f88e6cc574b3fa18ec
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

drive.zip: drive.jar: drivecontroller.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/drive.zip/drive.jar/com/inet/drive/webgui/client/js/drivecontroller.js

MD5: 6b5df86b72e696ad15a147a2ab5405c7

SHA1: 18f5a1d9da2893d5b0578d7afd9ab72c6c80ecde

SHA256:a4d5ffdde243007fae856d61229baba6569778a861fc7decc3a8081ce9f93ec8

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

drive.zip: drive.jar: drivefactory.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/drive.zip/drive.jar/com/inet/drive/webgui/client/js/drivefactory.js

MD5: bc116f732f7935e9762cdf1cc772767a

SHA1: 0470640a23ce3019f51bb0fc07c805a902943a99

SHA256:f0c2f4cc28f87b714155b8540f7f8536f498330dda59e326073fdbf6412ea389

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

drive.zip: drive.jar: drivemodel.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/drive.zip/drive.jar/com/inet/drive/webgui/client/js/drivemodel.js

MD5: b91b48749783d56d7dd40cbe7bf3444c

SHA1: 1ec6ec5e1b1497417d915cd9d35eb61fae48cc6b

SHA256: 6156f50a1937fe351b09137c33949f68ee1b3825c5fd2991c806cf2e3cd38942

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

drive.zip: drive.jar: dropzone.directive.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/drive.zip/drive.jar/com/inet/drive/webgui/client/js/directive/dropzone.directive.js

MD5: c7d852168ca96aa94b0912329003fc6e

SHA1: 6185ecac7d2bdfca653288ed12e74c1bfa869202

SHA256: f238f3fe46ee7087f56df64b3a0cc31cd8f8b1e969ef7d63a8f0c348ec67aea6

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

drive.zip: drive.jar: entryactions.directive.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/drive.zip/drive.jar/com/inet/drive/webgui/client/js/directive/entryactions.directive.js

MD5: 96061175465567b6dd37df1067803b91

SHA1: 58404ec3f35f2b27186c0bba1b9940e406904b14

SHA256: cb9cf8ea513d392f2b9e58d3c5c2de89b862f430a4660dfc437bb1f93a55c9d3

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

drive.zip: drive.jar: folderlist.directive.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/drive.zip/drive.jar/com/inet/drive/webgui/client/js/directive/folderlist.directive.js

MD5: e5825211bc6017a0f0e659c75277aff8

SHA1: 8e746f9c900fcc33f3dff190c840610c6ac7e989

SHA256: 2c18324227f72768e5807c3c1e2388e37755e6e397878ebf084e20aedef54674b

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

drive.zip: drive.jar: locationchooser.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/drive.zip/drive.jar/com/inet/drive/webgui/client/js/locationchooser.js
MD5: 466eeaad5593c758367f999896dceec9
SHA1: a91a47184c1904246f429f67204b3476d5447ecf
SHA256: 0adb9da85ae5307c60861f76963842563b6fbe59c3c7f52c404de90a8084f018
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

drive.zip: drive.jar: mountdialog.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/drive.zip/drive.jar/com/inet/drive/webgui/client/js/mountdialog.js
MD5: 119e12882157646c11e32c69c5d884ca
SHA1: 332710cabd79338a84f342f0f39ed0bdbf0e30f6
SHA256: 038e839c1c1761542638efc2e260290383ea78c06073d1fa03153ffa6e0a003e
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

drive.zip: drive.jar: permissionsextension.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/drive.zip/drive.jar/com/inet/drive/webgui/client/extensions/permissionsextension.js
MD5: 19a15fb3f1d83cccc65d6ea6bec9e66c
SHA1: 922672fa439632397127eb7b2cfe1feb45c2b916
SHA256: 0f915949e89af885cf75e2a047f5fb7900ea08a17de2137d3e2bfd48d9e54235
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

drive.zip: drive.jar: progress.service.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/drive.zip/drive.jar/com/inet/drive/webgui/client/js/service/progress.service.js

MD5: 61378778da59a5e5fb1db5eb5a6b1dac

SHA1: f074907898f0e77690ea39a1c0a916cbf3f009ba

SHA256: 7a942ab911d7c7b291a2c5131f531115afda27e1519b2bd1b1cfb5dde8ffdbaf

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

drive.zip: drive.jar: progresspanel.directive.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/drive.zip/drive.jar/com/inet/drive/webgui/client/js/directive/progresspanel.directive.js

MD5: f63b2bcfbea6800b8e7d065bc4c7ef83

SHA1: e128d09bd1e3445ec18290ea55286ab9514b0b07

SHA256: 8c8ac2b1c3db7703f39ae301b3c212970d558eac38c818012b2c9ef8b3e23026

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

drive.zip: drive.jar: resolve.service.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/drive.zip/drive.jar/com/inet/drive/webgui/client/js/service/resolve.service.js

MD5: 508a0dad2f4e206ac2b482f1a6207c5a

SHA1: c189ae6a9dd6586d0ca5cd89c3b74fe5284dc130

SHA256: 949ecc368bdcd33e1413176034c63ac549c54933fb25179526407abbbb9a34e8

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

drive.zip: drive.jar: responsivetoolbar.directive.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/drive.zip/drive.jar/com/inet/drive/webgui/client/js/directive/responsivetoolbar.directive.js

MD5: 0514676eab5c3cbb605cdc725cf6e0a2

SHA1: 51755caa7e7cda9c1df5f51ff4541a51f8de3190

SHA256: 8b3f3f6111e191d4225716e470f593fb41d86e826a9a78d7310392decb1476f8

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

drive.zip: drive.jar: selectedextension.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/drive.zip/drive.jar/com/inet/drive/webgui/client/details/selectedextension.js

MD5: def7dd4baa75fb99d6f028cf593c89f2

SHA1: 4ae31c010fa7eeebf0c6581c42df0065f5002594

SHA256: be162be53153d56b8b410e8a0b2b215e4571eb3883eb30c2cdd83d44b5ee6702

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

drive.zip: drive.jar: thumbnailextension.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/drive.zip/drive.jar/com/inet/drive/webgui/client/details/thumbnailextension.js

MD5: 481c6a02104bcd6dcf1017a1b9c43bb2

SHA1: f8fa4fed16c5975ee116eacd49d95f962a46d5b7

SHA256: 9e535930662b6aebaa92f5c8ea8e94d1721e9b9650137394294208c8acb23f52

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

drive.zip: drive.jar: toolbaraction.directive.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/drive.zip/drive.jar/com/inet/drive/webgui/client/js

/directive/toolbaraction.directive.js

MD5: fb68211b153024df5d5df904a849ed05

SHA1: a08e0aeb010a782a76679870cfb6d0b6856de793

SHA256: 79e1a51f62975ae7ef7429e2640ef031ad705f07f5e701c3262618cb83172b10

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

drive.zip: drive.jar: unzipextension.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/drive.zip/drive.jar/com/inet/drive/webgui/client/extensions/unzipextension.js

MD5: bbd5f54c826832b15696b7621773eea9

SHA1: 33e128de6908eabda955a4df3ba4b912bf49a0f0

SHA256: 3c2653586318256d0dd1650f9a6e08213dae6e7285dac0894f1c72b3fc152460

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

drive.zip: drive.jar: zipextension.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/drive.zip/drive.jar/com/inet/drive/webgui/client/extensions/zipextension.js

MD5: c1659d9345c612ac717e9bd2704264b3

SHA1: 27e7bcf487af7528b2ef8a8cd6eac55f20483961

SHA256: afd01ed9b76210b42f8a8afb3ca4617287abb36bbb5a23e3636fa71c96f909c3

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

embeddedMode.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/Documentation and Samples/Plugin - Samples/Application/Embedded/src/com/inet/application/embedded/webgui/embeddedMode.js

MD5: 92314f8cc3acd209a1f91a13fc50a2fb

SHA1: dadaca7712877d347c6052a89d3ac5bcc796ebab

SHA256: 4ed3dd2cdd5ef6552ed5af7ccc9dc6bd3622dd717d63b4a75631234ecf3186ae

Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies

- application.embedded.zip: embeddedMode.js
 - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/Documentation and Samples/Plugin - Samples/Application/Embedded/application.embedded.zip/src/com/inet/application/embedded/webgui/embeddedMode.js
 - MD5: 92314f8cc3acd209a1f91a13fc50a2fb
 - SHA1: dadaca7712877d347c6052a89d3ac5bcc796ebab
 - SHA256: 4ed3dd2cdd5ef6552ed5af7ccc9dc6bd3622dd717d63b4a75631234ecf3186ae

Identifiers

- None

filter.area.zip: filter.area.jar

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/filter.area.zip/filter.area.jar

MD5: cb55f0dd61f3481aeb53ea995476539d

SHA1: 1127c41b363c518d3ac0e609f1b085f799d350d7
SHA256:32694de8603b68f14796d822c6187388b4eaad5f7b3e517d7104085051f9014b
Referenced In Project/Scope: server

Evidence +

Type	Source	Name	Value	Confidence
Vendor	file	name	filter.area	High
Vendor	jar	package name	filter	Low
Vendor	jar	package name	inet	Low
Vendor	jar	package name	pdfc	Low
Vendor	Manifest	application-library-allowable-codebase	*	Low
Vendor	Manifest	built-date	2024-06-07 20:50	Low
Vendor	Manifest	codebase	*	Low
Vendor	Manifest	implementation-group	pdfc	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	permissions	all-permissions	Low
Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	trusted-library	false	Low
Vendor	Manifest	trusted-only	false	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	filter.area	High
Product	jar	package name	area	Highest
Product	jar	package name	area	Low
Product	jar	package name	filter	Highest
Product	jar	package name	filter	Low
Product	jar	package name	pdfc	Highest
Product	jar	package name	pdfc	Low
Product	Manifest	application-library-allowable-codebase	*	Low
Product	Manifest	built-date	2024-06-07 20:50	Low
Product	Manifest	codebase	*	Low

Product	Manifest	implementation-group	pdfc	Low
Product	Manifest	Implementation-Title	filter.area	High
Product	Manifest	permissions	all-permissions	Low
Product	Manifest	specification-title	filter.area	Medium
Product	Manifest	trusted-library	false	Low
Product	Manifest	trusted-only	false	Low
Version	jar	package name	pdfc	Highest
Version	Manifest	Implementation-Version	24.4.256	High

Identifiers

- cpe:2.3:a:inetsoftware:pdfc:24.4.256:*:*:*:*:* (Confidence:Low) suppress

filter.baselinetable.zip: filter.baselinetable.jar

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/filter.baselinetable.zip/filter.baselinetable.jar
MD5: 8cd02a85a859c9a0041b61844f00f211
SHA1: 7ba2ce410bc88d0399b567a7cba0fb532cd3315f
SHA256:f436ee5afa6ae32bd1f907147c7bf8896714006f5562f9ef2cbcda9343d85e87
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence
Vendor	file	name	filter.baselinetable	High
Vendor	jar	package name	filter	Low
Vendor	jar	package name	inet	Low
Vendor	jar	package name	pdfc	Low
Vendor	Manifest	application-library-allowable-codebase	*	Low
Vendor	Manifest	built-date	2024-06-07 20:48	Low
Vendor	Manifest	codebase	*	Low
Vendor	Manifest	implementation-group	pdfc	Low

Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	permissions	all-permissions	Low
Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	trusted-library	false	Low
Vendor	Manifest	trusted-only	false	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	filter.baselinetable	High
Product	jar	package name	baselinetable	Highest
Product	jar	package name	baselinetable	Low
Product	jar	package name	filter	Highest
Product	jar	package name	filter	Low
Product	jar	package name	pdfc	Highest
Product	jar	package name	pdfc	Low
Product	Manifest	application-library-allowable-codebase	*	Low
Product	Manifest	built-date	2024-06-07 20:48	Low
Product	Manifest	codebase	*	Low
Product	Manifest	implementation-group	pdfc	Low
Product	Manifest	Implementation-Title	filter.baselinetable	High
Product	Manifest	permissions	all-permissions	Low
Product	Manifest	specification-title	filter.baselinetable	Medium
Product	Manifest	trusted-library	false	Low
Product	Manifest	trusted-only	false	Low
Version	jar	package name	pdfc	Highest
Version	Manifest	Implementation-Version	24.4.256	High

Identifiers

- cpe:2.3:a:inetsoftware:pdfc:24.4.256:***** (Confidence:Low)

suppress

filter.cmappatch.zip: filter.cmappatch.jar

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/filter.cmappatch.zip/filter.cmappatch.jar

MD5: 97020f12b02d87f3c0277faa50c9e13d

SHA1: a017d0d7f44128ebd67a95ab8851d42cabcec7ad

SHA256: cfdeee4e326962217257d19eaa9b0423e7fce62de85a919d9deac212b4c2a2f4

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	filter.cmappatch	High
Vendor	jar	package name	filter	Low
Vendor	jar	package name	inet	Low
Vendor	jar	package name	pdfc	Low
Vendor	Manifest	application-library-allowable-codebase	*	Low
Vendor	Manifest	built-date	2024-06-07 20:43	Low
Vendor	Manifest	codebase	*	Low
Vendor	Manifest	implementation-group	pdfc	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	permissions	all-permissions	Low
Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	trusted-library	false	Low
Vendor	Manifest	trusted-only	false	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	filter.cmappatch	High
Product	jar	package name	cmappatch	Highest
Product	jar	package name	cmappatch	Low
Product	jar	package name	filter	Highest
Product	jar	package name	filter	Low
Product	jar	package name	pdfc	Highest
Product	jar	package name	pdfc	Low

Product	Manifest	application-library-allowable-codebase	*	Low
Product	Manifest	built-date	2024-06-07 20:43	Low
Product	Manifest	codebase	*	Low
Product	Manifest	implementation-group	pdfc	Low
Product	Manifest	Implementation-Title	filter.cmappatch	High
Product	Manifest	permissions	all-permissions	Low
Product	Manifest	specification-title	filter.cmappatch	Medium
Product	Manifest	trusted-library	false	Low
Product	Manifest	trusted-only	false	Low
Version	jar	package name	pdfc	Highest
Version	Manifest	Implementation-Version	24.4.256	High

Identifiers

- cpe:2.3:a:inetsoftware:pdfc:24.4.256:*:*:*:*:* (Confidence:Low) suppress

filter.headerfooter.zip: filter.headerfooter.jar

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/filter.headerfooter.zip/filter.headerfooter.jar

MD5: 74c83085a02286ef131a0e36f2497585

SHA1: c05c12ad449fdbee52b46f5e11e3e8ab362dcf61

SHA256: 28b4c826fa301689dca67c9dc3269819f418b5de6571553a59860a41000dc5c9

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	filter.headerfooter	High
Vendor	jar	package name	filter	Low
Vendor	jar	package name	inet	Low
Vendor	jar	package name	pdfc	Low
Vendor	Manifest	application-library-allowable-	*	Low

		codebase		
Vendor	Manifest	built-date	2024-06-07 20:48	Low
Vendor	Manifest	codebase	*	Low
Vendor	Manifest	implementation-group	pdfc	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	permissions	all-permissions	Low
Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	trusted-library	false	Low
Vendor	Manifest	trusted-only	false	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	filter.headerfooter	High
Product	jar	package name	filter	Highest
Product	jar	package name	filter	Low
Product	jar	package name	headerfooter	Highest
Product	jar	package name	headerfooter	Low
Product	jar	package name	pdfc	Highest
Product	jar	package name	pdfc	Low
Product	Manifest	application-library-allowable-codebase	*	Low
Product	Manifest	built-date	2024-06-07 20:48	Low
Product	Manifest	codebase	*	Low
Product	Manifest	implementation-group	pdfc	Low
Product	Manifest	Implementation-Title	filter.headerfooter	High
Product	Manifest	permissions	all-permissions	Low
Product	Manifest	specification-title	filter.headerfooter	Medium
Product	Manifest	trusted-library	false	Low
Product	Manifest	trusted-only	false	Low
Version	jar	package name	pdfc	Highest
Version	Manifest	Implementation-Version	24.4.256	High

Identifiers

• cpe:2.3:a:inetsoftware:pdfc:24.4.256:*:*:*:*:* (Confidence:Low)

suppress

filter.hiderotation.zip: filter.hiderotation.jar

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/filter.hiderotation.zip/filter.hiderotation.jar
MD5: 4f4c0557bf6ad55eada35719523ad9b5
SHA1: 3f35d402864458c1b5b42a704b9ca0183abeaaf3
SHA256:25a525d818d6561d71a51f85935df6bbfbdeb15fc0ca934e127537b558b69d4f
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	filter.hiderotation	High
Vendor	jar	package name	filter	Low
Vendor	jar	package name	inet	Low
Vendor	jar	package name	pdfc	Low
Vendor	Manifest	application-library-allowable-codebase	*	Low
Vendor	Manifest	built-date	2024-06-07 20:42	Low
Vendor	Manifest	codebase	*	Low
Vendor	Manifest	implementation-group	pdfc	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	permissions	all-permissions	Low
Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	trusted-library	false	Low
Vendor	Manifest	trusted-only	false	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	filter.hiderotation	High
Product	jar	package name	filter	Highest

Product	jar	package name	filter	Low
Product	jar	package name	hiderotation	Highest
Product	jar	package name	hiderotation	Low
Product	jar	package name	pdfc	Highest
Product	jar	package name	pdfc	Low
Product	Manifest	application-library-allowable-codebase	*	Low
Product	Manifest	built-date	2024-06-07 20:42	Low
Product	Manifest	codebase	*	Low
Product	Manifest	implementation-group	pdfc	Low
Product	Manifest	Implementation-Title	filter.hiderotation	High
Product	Manifest	permissions	all-permissions	Low
Product	Manifest	specification-title	filter.hiderotation	Medium
Product	Manifest	trusted-library	false	Low
Product	Manifest	trusted-only	false	Low
Version	jar	package name	pdfc	Highest
Version	Manifest	Implementation-Version	24.4.256	High

Identifiers

- cpe:2.3:a:inetsoftware:pdfc:24.4.256:****:*:* (Confidence:Low) suppress

filter.invisibleelements.zip: filter.invisibleelements.jar

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/filter.invisibleelements.zip/filter.invisibleelements.jar
MD5: 41970d64f5c3d7a7e3d35da0260fe675
SHA1: dd7df46b06e07544b8c739d2b537fb0f9db52e9e
SHA256: 17db6ba1107def6c7f03544510a61d112439282798f3f9c7eec3fc5578070c63
Referenced In Project/Scope: server

Evidence +

Type	Source	Name	Value	Confidence
Vendor	file	name	filter.invisibleelements	High

Vendor	jar	package name	filter	Low
Vendor	jar	package name	inet	Low
Vendor	jar	package name	pdfc	Low
Vendor	Manifest	application-library-allowable-codebase	*	Low
Vendor	Manifest	built-date	2024-06-07 20:46	Low
Vendor	Manifest	codebase	*	Low
Vendor	Manifest	implementation-group	pdfc	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	permissions	all-permissions	Low
Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	trusted-library	false	Low
Vendor	Manifest	trusted-only	false	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	filter.invisibleelements	High
Product	jar	package name	filter	Highest
Product	jar	package name	filter	Low
Product	jar	package name	invisibleelements	Highest
Product	jar	package name	invisibleelements	Low
Product	jar	package name	pdfc	Highest
Product	jar	package name	pdfc	Low
Product	Manifest	application-library-allowable-codebase	*	Low
Product	Manifest	built-date	2024-06-07 20:46	Low
Product	Manifest	codebase	*	Low
Product	Manifest	implementation-group	pdfc	Low
Product	Manifest	Implementation-Title	filter.invisibleelements	High
Product	Manifest	permissions	all-permissions	Low
Product	Manifest	specification-title	filter.invisibleelements	Medium
Product	Manifest	trusted-library	false	Low

Product	Manifest	trusted-only	false	Low
Version	jar	package name	pdfc	Highest
Version	Manifest	Implementation-Version	24.4.256	High

Identifiers

- cpe:2.3:a:inetsoftware:pdfc:24.4.256:*:*:*:*:* (Confidence:Low) suppress

filter.multicolumn.zip: filter.multicolumn.jar

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/filter.multicolumn.zip/filter.multicolumn.jar

MD5: 2c20e72ef15993871313ff01c507b140

SHA1: 7b40309afde25558c18c34e33e8b9eb4df5a0589

SHA256: 5350d56ed48bcd1b85dab9729184be737261d4f3f5a4eb3afd651378db9f13ea

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	filter.multicolumn	High
Vendor	jar	package name	filter	Low
Vendor	jar	package name	inet	Low
Vendor	jar	package name	pdfc	Low
Vendor	Manifest	application-library-allowable-codebase	*	Low
Vendor	Manifest	built-date	2024-06-07 20:46	Low
Vendor	Manifest	codebase	*	Low
Vendor	Manifest	implementation-group	pdfc	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	permissions	all-permissions	Low
Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	trusted-library	false	Low

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	filter.ocr	High
Vendor	jar	package name	filter	Low
Vendor	jar	package name	inet	Low
Vendor	jar	package name	pdfc	Low
Vendor	Manifest	application-library-allowable-codebase	*	Low
Vendor	Manifest	built-date	2024-06-07 20:42	Low
Vendor	Manifest	codebase	*	Low
Vendor	Manifest	implementation-group	pdfc	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	permissions	all-permissions	Low
Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	trusted-library	false	Low
Vendor	Manifest	trusted-only	false	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	filter.ocr	High
Product	jar	package name	filter	Highest
Product	jar	package name	filter	Low
Product	jar	package name	ocr	Highest
Product	jar	package name	ocr	Low
Product	jar	package name	pdfc	Highest
Product	jar	package name	pdfc	Low
Product	Manifest	application-library-allowable-codebase	*	Low
Product	Manifest	built-date	2024-06-07 20:42	Low
Product	Manifest	codebase	*	Low
Product	Manifest	implementation-group	pdfc	Low

Product	Manifest	Implementation-Title	filter.ocr	High
Product	Manifest	permissions	all-permissions	Low
Product	Manifest	specification-title	filter.ocr	Medium
Product	Manifest	trusted-library	false	Low
Product	Manifest	trusted-only	false	Low
Version	jar	package name	pdfc	Highest
Version	Manifest	Implementation-Version	24.4.256	High

Identifiers

- cpe:2.3:a:inetsoftware:pdfc:24.4.256:*:*:*:*:* (Confidence:Low) suppress

filter.pagerange.zip: filter.pagerange.jar

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/filter.pagerange.zip/filter.pagerange.jar
MD5: 03281c4d17b67403c58a428f67bff396
SHA1: ad1d3a2a5b6519987c8093b8eece5b07534f5272
SHA256:88790a36a254f67a25aa978b369c1cccc4b22eeda4f2fa64ad0a275602f1b94a
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence
Vendor	file	name	filter.pagerange	High
Vendor	jar	package name	filter	Low
Vendor	jar	package name	inet	Low
Vendor	jar	package name	pdfc	Low
Vendor	Manifest	application-library-allowable-codebase	*	Low
Vendor	Manifest	built-date	2024-06-07 20:49	Low
Vendor	Manifest	codebase	*	Low
Vendor	Manifest	implementation-group	pdfc	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High

Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	permissions	all-permissions	Low
Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	trusted-library	false	Low
Vendor	Manifest	trusted-only	false	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	filter.pagerange	High
Product	jar	package name	filter	Highest
Product	jar	package name	filter	Low
Product	jar	package name	page	Low
Product	jar	package name	pdfc	Highest
Product	jar	package name	pdfc	Low
Product	Manifest	application-library-allowable-codebase	*	Low
Product	Manifest	built-date	2024-06-07 20:49	Low
Product	Manifest	codebase	*	Low
Product	Manifest	implementation-group	pdfc	Low
Product	Manifest	Implementation-Title	filter.pagerange	High
Product	Manifest	permissions	all-permissions	Low
Product	Manifest	specification-title	filter.pagerange	Medium
Product	Manifest	trusted-library	false	Low
Product	Manifest	trusted-only	false	Low
Version	jar	package name	pdfc	Highest
Version	Manifest	Implementation-Version	24.4.256	High

Identifiers

- cpe:2.3:a:inetsoftware:pdfc:24.4.256:*:*:*:*:* (Confidence:Low) suppress

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/filter.regex.zip/filter.regex.jar
MD5: 8ee13cba8617b4a246a66518e6790dee
SHA1: 5c7a3e37ec1d9761a3939e3fc19981e38faeb546
SHA256: e8a1028c00f7a35ddf823e2768b2fff4df12715c7b3daef01c44a9a94a747c3d
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	filter.regex	High
Vendor	jar	package name	filter	Low
Vendor	jar	package name	inet	Low
Vendor	jar	package name	pdfc	Low
Vendor	Manifest	application-library-allowable-codebase	*	Low
Vendor	Manifest	built-date	2024-06-07 20:48	Low
Vendor	Manifest	codebase	*	Low
Vendor	Manifest	implementation-group	pdfc	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	permissions	all-permissions	Low
Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	trusted-library	false	Low
Vendor	Manifest	trusted-only	false	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	filter.regex	High
Product	jar	package name	filter	Highest
Product	jar	package name	filter	Low
Product	jar	package name	pdfc	Highest
Product	jar	package name	pdfc	Low
Product	jar	package name	regex	Highest
Product	jar	package name	regex	Low
Product	Manifest	application-library-allowable-codebase	*	Low

Product	Manifest	built-date	2024-06-07 20:48	Low
Product	Manifest	codebase	*	Low
Product	Manifest	implementation-group	pdfc	Low
Product	Manifest	Implementation-Title	filter.regex	High
Product	Manifest	permissions	all-permissions	Low
Product	Manifest	specification-title	filter.regex	Medium
Product	Manifest	trusted-library	false	Low
Product	Manifest	trusted-only	false	Low
Version	jar	package name	pdfc	Highest
Version	Manifest	Implementation-Version	24.4.256	High

Identifiers

- cpe:2.3:a/inetsoftware:pdfc:24.4.256:*:*:*:*:* (Confidence:Low) suppress

filter.regex.zip: filter.regex.jar: filterrenderer.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller
/server/build/tmp/dependencies/i-net PDFC/plugins/filter.regex.zip/filter.regex.jar/com/inet/pdfc/filter/regex
/structure/filterrenderer.js

MD5: c42f30a7f03547aa1909e8e5c0e838ad

SHA1: e49f9703fbda0ffcaf831b7e625228dff91a26cf

SHA256:a08751ad11877d90715267b89484ca690a46135b36725e99eb21701e0510cf50

Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

filter.texttransform.zip: filter.texttransform.jar

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/filter.texttransform.zip/filter.texttransform.jar
MD5: a156eb559de00f3083eaff42d22926bb
SHA1: f8021e3b1cf2c06081d9aa55365128c041c72de8
SHA256:58d645fdb2f3773664e6d9d231bb55ddd731a3b0724b6dd2f62a738068f869ce
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	filter.texttransform	High
Vendor	jar	package name	filter	Low
Vendor	jar	package name	inet	Low
Vendor	jar	package name	pdfc	Low
Vendor	Manifest	application-library-allowable-codebase	*	Low
Vendor	Manifest	built-date	2024-06-07 20:48	Low
Vendor	Manifest	codebase	*	Low
Vendor	Manifest	implementation-group	pdfc	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	permissions	all-permissions	Low
Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	trusted-library	false	Low
Vendor	Manifest	trusted-only	false	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	filter.texttransform	High
Product	jar	package name	filter	Highest
Product	jar	package name	filter	Low
Product	jar	package name	pdfc	Highest
Product	jar	package name	pdfc	Low
Product	jar	package name	texttransform	Highest
Product	jar	package name	texttransform	Low
Product	Manifest	application-library-allowable-codebase	*	Low

Product	Manifest	built-date	2024-06-07 20:48	Low
Product	Manifest	codebase	*	Low
Product	Manifest	implementation-group	pdfc	Low
Product	Manifest	Implementation-Title	filter.texttransform	High
Product	Manifest	permissions	all-permissions	Low
Product	Manifest	specification-title	filter.texttransform	Medium
Product	Manifest	trusted-library	false	Low
Product	Manifest	trusted-only	false	Low
Version	jar	package name	pdfc	Highest
Version	Manifest	Implementation-Version	24.4.256	High

Identifiers

- cpe:2.3:a:inetsoftware:pdfc:24.4.256:*:*:*:*:* (Confidence:Low) suppress

filter.urllookup.zip: filter.urllookup.jar

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/filter.urllookup.zip/filter.urllookup.jar
MD5: 1ca703eb32021c79d0c3eccdcf5c6dd9
SHA1: 029644855c97a46ef33e52a0fcb0402601f43a22
SHA256: aff5ea8f0d1a66916d3ea903c4d18b556fdd04843eaa39b13ef9a242d7814c74
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence
Vendor	file	name	filter.urllookup	High
Vendor	jar	package name	filter	Low
Vendor	jar	package name	inet	Low
Vendor	jar	package name	pdfc	Low
Vendor	Manifest	application-library-allowable-codebase	*	Low
Vendor	Manifest	built-date	2024-06-07 20:51	Low
Vendor	Manifest	codebase	*	Low

Vendor	Manifest	implementation-group	pdfc	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	permissions	all-permissions	Low
Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	trusted-library	false	Low
Vendor	Manifest	trusted-only	false	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	filter.urllookup	High
Product	jar	package name	filter	Highest
Product	jar	package name	filter	Low
Product	jar	package name	pdfc	Highest
Product	jar	package name	pdfc	Low
Product	jar	package name	urllookup	Highest
Product	jar	package name	urllookup	Low
Product	Manifest	application-library-allowable-codebase	*	Low
Product	Manifest	built-date	2024-06-07 20:51	Low
Product	Manifest	codebase	*	Low
Product	Manifest	implementation-group	pdfc	Low
Product	Manifest	Implementation-Title	filter.urllookup	High
Product	Manifest	permissions	all-permissions	Low
Product	Manifest	specification-title	filter.urllookup	Medium
Product	Manifest	trusted-library	false	Low
Product	Manifest	trusted-only	false	Low
Version	jar	package name	pdfc	Highest
Version	Manifest	Implementation-Version	24.4.256	High

Identifiers

-

googleanalytics.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/Documentation and Samples/Plugin - Samples/Application/GoogleAnalytics/src/com/inet/application/googleanalytics/client/js/googleanalytics.js

MD5: 2d80a02a8a912b832b3fd044f985011b

SHA1: a1fdc1c0ff040b9b2cce863058e8ef63b94a160f

SHA256: 99ec57bd66db3cfd2f65e9b2bc0ccd0c01a659945f206d8f3240294c6fac281a

Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies

- application.googleanalytics.zip: googleanalytics.js
 - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/Documentation and Samples/Plugin - Samples/Application/GoogleAnalytics/application.googleanalytics.zip/src/com/inet/application/googleanalytics/client/js/googleanalytics.js
 - MD5: 2d80a02a8a912b832b3fd044f985011b
 - SHA1: a1fdc1c0ff040b9b2cce863058e8ef63b94a160f
 - SHA256: 99ec57bd66db3cfd2f65e9b2bc0ccd0c01a659945f206d8f3240294c6fac281a

Identifiers

- None

hamcrest-2.2.jar

Description:

Core API and libraries of hamcrest matcher framework.

License:

BSD License 3: <http://opensource.org/licenses/BSD-3-Clause>

File Path: /home/jenkins/.gradle/caches/modules-2/files-2.1/org.hamcrest/hamcrest/2.2/1820c0968dba3a11a1b30669bb1f01978a91dedc/hamcrest-2.2.jar

MD5: 10b47e837f271d0662f28780e60388e8

SHA1: 1820c0968dba3a11a1b30669bb1f01978a91dedc

SHA256: 5e62846a89f05cd78cd9c1a553f340d002458380c320455dd1f8fc5497a8a1c1

Referenced In Project/Scope: server:inetPlugin

Included by: pkg:maven/pdfc/server@24.4

Evidence



Type	Source	Name	Value	Confidence
Vendor	central	artifactid	hamcrest	Highest
Vendor	central	groupid	org.hamcrest	Highest
Vendor	file	name	hamcrest	High
Vendor	gradle	artifactid	hamcrest	Highest
Vendor	gradle	groupid	org.hamcrest	Highest
Vendor	jar	package name	hamcrest	Highest
Vendor	jar	package name	hamcrest	Low
Vendor	Manifest	automatic-module-name	org.hamcrest	Medium
Vendor	Manifest	bundle-symbolicname	org.hamcrest	Medium
Vendor	Manifest	Implementation-Vendor	hamcrest.org	High
Vendor	pom	artifactid	hamcrest	Low
Vendor	pom	developer id	joewalnes	Medium
Vendor	pom	developer id	npryce	Medium
Vendor	pom	developer id	sf105	Medium
Vendor	pom	developer name	Joe Walnes	Medium
Vendor	pom	developer name	Nat Pryce	Medium
Vendor	pom	developer name	Steve Freeman	Medium
Vendor	pom	groupid	org.hamcrest	Highest
Vendor	pom	name	Hamcrest	High
Vendor	pom	url	http://hamcrest.org/JavaHamcrest/	Highest
Product	central	artifactid	hamcrest	Highest
Product	file	name	hamcrest	High
Product	gradle	artifactid	hamcrest	Highest
Product	jar	package name	hamcrest	Highest
Product	Manifest	automatic-module-name	org.hamcrest	Medium
Product	Manifest	Bundle-Name	hamcrest	Medium
Product	Manifest	bundle-symbolicname	org.hamcrest	Medium

Product	Manifest	Implementation-Title	hamcrest	High
Product	pom	artifactid	hamcrest	Highest
Product	pom	developer id	joewalnes	Low
Product	pom	developer id	npryce	Low
Product	pom	developer id	sf105	Low
Product	pom	developer name	Joe Walnes	Low
Product	pom	developer name	Nat Pryce	Low
Product	pom	developer name	Steve Freeman	Low
Product	pom	groupid	org.hamcrest	Highest
Product	pom	name	Hamcrest	High
Product	pom	url	http://hamcrest.org/JavaHamcrest/	Medium
Version	central	version	2.2	Highest
Version	file	version	2.2	High
Version	gradle	version	2.2	Highest
Version	Manifest	Bundle-Version	2.2	High
Version	Manifest	Implementation-Version	2.2	High
Version	pom	version	2.2	Highest

Identifiers

- [pkg:maven/org.hamcrest/hamcrest@2.2](https://maven.org/hamcrest/hamcrest@2.2) (*Confidence:High*)

help.zip: commons-beanutils.jar

Description:

Apache Commons BeanUtils provides an easy-to-use but flexible wrapper around reflection and introspection.

License:

<https://www.apache.org/licenses/LICENSE-2.0.txt>

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/help.zip/commons-beanutils.jar

MD5: 07dc532ee316fe1f2f0323e9bd2f8df4

SHA1: d52b9abcd97f38c81342bb7e7ae1eee9b73cba51

SHA256: 7d938c81789028045c08c065e94be75fc280527620d5bd62b519d5838532368a

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	commons-beanutils	High
Vendor	jar	package name	apache	Highest
Vendor	jar	package name	beanutils	Highest
Vendor	jar	package name	commons	Highest
Vendor	Manifest	bundle-docurl	https://commons.apache.org/proper/commons-beanutils/	Low
Vendor	Manifest	bundle-symbolicname	org.apache.commons.commons-beanutils	Medium
Vendor	Manifest	implementation-build	UNKNOWN_BRANCH@r??????; 2019-07-28 22:14:44+0000	Low
Vendor	Manifest	implementation-url	https://commons.apache.org/proper/commons-beanutils/	Low
Vendor	Manifest	Implementation-Vendor	The Apache Software Foundation	High
Vendor	Manifest	Implementation-Vendor-Id	org.apache	Medium
Vendor	Manifest	specification-vendor	The Apache Software Foundation	Low
Vendor	pom	artifactid	commons-beanutils	Low
Vendor	pom	developer email	britter@apache.org	Low
Vendor	pom	developer email	chtompki@apache.org	Low
Vendor	pom	developer email	craigmcc@apache.org	Low
Vendor	pom	developer email	dion@apache.org	Low
Vendor	pom	developer email	epugh@apache.org	Low
Vendor	pom	developer email	geirm@apache.org	Low
Vendor	pom	developer email	ggregory@apache.org	Low
Vendor	pom	developer email	jcarman@apache.org	Low
Vendor	pom	developer email	jconlon@apache.org	Low
Vendor	pom	developer email	jstrachan@apache.org	Low
Vendor	pom	developer email	morgand@apache.org	Low
Vendor	pom	developer email	mvdb@apache.org	Low
Vendor	pom	developer email	niallp@apache.org	Low
Vendor	pom	developer email	rdonkin@apache.org	Low
Vendor	pom	developer email	rwaldhoff@apache.org	Low
Vendor	pom	developer email	sanders@apache.org	Low
Vendor	pom	developer email	scolebourne@apache.org	Low

Vendor	pom	developer email	skitching@apache.org	Low
Vendor	pom	developer email	stain@apache.org	Low
Vendor	pom	developer email	tobrien@apache.org	Low
Vendor	pom	developer email	yoavs@apache.org	Low
Vendor	pom	developer id	britter	Medium
Vendor	pom	developer id	chtompki	Medium
Vendor	pom	developer id	craigmcc	Medium
Vendor	pom	developer id	dion	Medium
Vendor	pom	developer id	epugh	Medium
Vendor	pom	developer id	geirm	Medium
Vendor	pom	developer id	ggregory	Medium
Vendor	pom	developer id	jcarman	Medium
Vendor	pom	developer id	jconlon	Medium
Vendor	pom	developer id	jstrachan	Medium
Vendor	pom	developer id	morgand	Medium
Vendor	pom	developer id	mvdb	Medium
Vendor	pom	developer id	niallp	Medium
Vendor	pom	developer id	rdonkin	Medium
Vendor	pom	developer id	rwaldhoff	Medium
Vendor	pom	developer id	sanders	Medium
Vendor	pom	developer id	scolebourne	Medium
Vendor	pom	developer id	skitching	Medium
Vendor	pom	developer id	stain	Medium
Vendor	pom	developer id	tobrien	Medium
Vendor	pom	developer id	yoavs	Medium
Vendor	pom	developer name	Benedikt Ritter	Medium
Vendor	pom	developer name	Craig McClanahan	Medium
Vendor	pom	developer name	David Eric Pugh	Medium
Vendor	pom	developer name	Dion Gillard	Medium
Vendor	pom	developer name	Gary Gregory	Medium
Vendor	pom	developer name	Geir Magnusson Jr.	Medium
Vendor	pom	developer name	James Carman	Medium
Vendor	pom	developer name	James Strachan	Medium
Vendor	pom	developer name	John E. Conlon	Medium
Vendor	pom	developer name	Martin van den Bemt	Medium

Vendor	pom	developer name	Morgan James Delagrange	Medium
Vendor	pom	developer name	Niall Pemberton	Medium
Vendor	pom	developer name	Rob Tompkins	Medium
Vendor	pom	developer name	Robert Burrell Donkin	Medium
Vendor	pom	developer name	Rodney Waldhoff	Medium
Vendor	pom	developer name	Scott Sanders	Medium
Vendor	pom	developer name	Simon Kitching	Medium
Vendor	pom	developer name	Stephen Colebourne	Medium
Vendor	pom	developer name	Stian Soiland-Reyes	Medium
Vendor	pom	developer name	Tim O'Brien	Medium
Vendor	pom	developer name	Yoav Shapira	Medium
Vendor	pom	developer org	The Apache Software Foundation	Medium
Vendor	pom	groupid	commons-beanutils	Highest
Vendor	pom	name	Apache Commons BeanUtils	High
Vendor	pom	parent-artifactid	commons-parent	Low
Vendor	pom	parent-groupid	org.apache.commons	Medium
Vendor	pom	url	https://commons.apache.org/proper/commons-beanutils/	Highest
Product	file	name	commons-beanutils	High
Product	jar	package name	apache	Highest
Product	jar	package name	beanutils	Highest
Product	jar	package name	commons	Highest
Product	Manifest	bundle-docurl	https://commons.apache.org/proper/commons-beanutils/	Low
Product	Manifest	Bundle-Name	Apache Commons BeanUtils	Medium
Product	Manifest	bundle-symbolicname	org.apache.commons.commons-beanutils	Medium
Product	Manifest	implementation-build	UNKNOWN_BRANCH@r??????; 2019-07-28 22:14:44+0000	Low
Product	Manifest	Implementation-Title	Apache Commons BeanUtils	High
Product	Manifest	implementation-url	https://commons.apache.org/proper/commons-beanutils/	Low
Product	Manifest	specification-title	Apache Commons BeanUtils	Medium
Product	pom	artifactid	commons-beanutils	Highest
Product	pom	developer email	britter@apache.org	Low
Product	pom	developer email	chtompki@apache.org	Low
Product	pom	developer email	craigmcc@apache.org	Low

Product	pom	developer email	dion@apache.org	Low
Product	pom	developer email	epugh@apache.org	Low
Product	pom	developer email	geirm@apache.org	Low
Product	pom	developer email	ggregory@apache.org	Low
Product	pom	developer email	jcarman@apache.org	Low
Product	pom	developer email	jconlon@apache.org	Low
Product	pom	developer email	jstrachan@apache.org	Low
Product	pom	developer email	morgand@apache.org	Low
Product	pom	developer email	mvdb@apache.org	Low
Product	pom	developer email	niallp@apache.org	Low
Product	pom	developer email	rdonkin@apache.org	Low
Product	pom	developer email	rwaldhoff@apache.org	Low
Product	pom	developer email	sanders@apache.org	Low
Product	pom	developer email	scolebourne@apache.org	Low
Product	pom	developer email	skitching@apache.org	Low
Product	pom	developer email	stain@apache.org	Low
Product	pom	developer email	tobrien@apache.org	Low
Product	pom	developer email	yoavs@apache.org	Low
Product	pom	developer id	britter	Low
Product	pom	developer id	chtompki	Low
Product	pom	developer id	craigmmc	Low
Product	pom	developer id	dion	Low
Product	pom	developer id	epugh	Low
Product	pom	developer id	geirm	Low
Product	pom	developer id	ggregory	Low
Product	pom	developer id	jcarman	Low
Product	pom	developer id	jconlon	Low
Product	pom	developer id	jstrachan	Low
Product	pom	developer id	morgand	Low
Product	pom	developer id	mvdb	Low
Product	pom	developer id	niallp	Low
Product	pom	developer id	rdonkin	Low
Product	pom	developer id	rwaldhoff	Low
Product	pom	developer id	sanders	Low
Product	pom	developer id	scolebourne	Low

Product	pom	developer id	skitching	Low
Product	pom	developer id	stain	Low
Product	pom	developer id	tobrien	Low
Product	pom	developer id	yoavs	Low
Product	pom	developer name	Benedikt Ritter	Low
Product	pom	developer name	Craig McClanahan	Low
Product	pom	developer name	David Eric Pugh	Low
Product	pom	developer name	Dion Gillard	Low
Product	pom	developer name	Gary Gregory	Low
Product	pom	developer name	Geir Magnusson Jr.	Low
Product	pom	developer name	James Carman	Low
Product	pom	developer name	James Strachan	Low
Product	pom	developer name	John E. Conlon	Low
Product	pom	developer name	Martin van den Bemt	Low
Product	pom	developer name	Morgan James Delagrange	Low
Product	pom	developer name	Niall Pemberton	Low
Product	pom	developer name	Rob Tompkins	Low
Product	pom	developer name	Robert Burrell Donkin	Low
Product	pom	developer name	Rodney Waldhoff	Low
Product	pom	developer name	Scott Sanders	Low
Product	pom	developer name	Simon Kitching	Low
Product	pom	developer name	Stephen Colebourne	Low
Product	pom	developer name	Stian Soiland-Reyes	Low
Product	pom	developer name	Tim O'Brien	Low
Product	pom	developer name	Yoav Shapira	Low
Product	pom	developer org	The Apache Software Foundation	Low
Product	pom	groupid	commons-beanutils	Highest
Product	pom	name	Apache Commons BeanUtils	High
Product	pom	parent-artifactid	commons-parent	Medium
Product	pom	parent-groupid	org.apache.commons	Medium
Product	pom	url	https://commons.apache.org/proper/commons-beanutils/	Medium
Version	Manifest	Bundle-Version	1.9.4	High
Version	Manifest	Implementation-Version	1.9.4	High
Version	pom	parent-version	1.9.4	Low

Version pom version 1.9.4 Highest

Identifiers

- [pkg:maven/commons-beanutils/commons-beanutils@1.9.4](#) (*Confidence:High*)
- [cpe:2.3:a:apache:commons_beanutils:1.9.4:*:*:*:*:*](#) (*Confidence:Highest*)

help.zip: commons-digester3.jar

Description:

The Apache Commons Digester package lets you configure an XML to Java object mapping module which triggers certain actions called rules whenever a particular pattern of nested XML elements is recognized.

License:

<http://www.apache.org/licenses/LICENSE-2.0.txt>

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/help.zip/commons-digester3.jar

MD5: 41d2c62c7aedafa7a3627794abc83f71

SHA1: c3f68c5ff25ec5204470fd8fdf4cb8feff5e8a79

SHA256: 1c150e3d2df4b4237b47e28fea2079fb0da324578d5cca6a5fed2e37a62082ec

Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence
Vendor	file	name	commons-digester3	High
Vendor	jar	package name	apache	Highest
Vendor	jar	package name	commons	Highest
Vendor	jar	package name	digester	Highest
Vendor	jar	package name	digester3	Highest
Vendor	jar	package name	rules	Highest
Vendor	Manifest	bundle-docurl	http://commons.apache.org/digester/	Low
Vendor	Manifest	bundle-symbolicname	org.apache.commons.digester	Medium
Vendor	Manifest	implementation-build	tags/DIGESTER3_3_2_RC2@r1212807; 2011-12-10 15:57:06+0100	Low
Vendor	Manifest	Implementation-Vendor	The Apache Software Foundation	High
Vendor	Manifest	Implementation-Vendor-Id	org.apache	Medium

Vendor	Manifest	specification-vendor	The Apache Software Foundation	Low
Vendor	pom	artifactid	commons-digester3	Low
Vendor	pom	developer email	craigmcc@apache.org	Low
Vendor	pom	developer email	jfarcand@apache.org	Low
Vendor	pom	developer email	jstrachan@apache.org	Low
Vendor	pom	developer email	jvanzyl@apache.org	Low
Vendor	pom	developer email	mbenson AT apache DOT org	Low
Vendor	pom	developer email	rahul AT apache DOT org	Low
Vendor	pom	developer email	rdonkin@apache.org	Low
Vendor	pom	developer email	sanders@totalsync.com	Low
Vendor	pom	developer email	simonetripodi AT apache DOT org	Low
Vendor	pom	developer email	skitching@apache.org	Low
Vendor	pom	developer email	tobrien@apache.org	Low
Vendor	pom	developer id	craigmcc	Medium
Vendor	pom	developer id	jfarcand	Medium
Vendor	pom	developer id	jstrachan	Medium
Vendor	pom	developer id	jvanzyl	Medium
Vendor	pom	developer id	mbenson	Medium
Vendor	pom	developer id	rahul	Medium
Vendor	pom	developer id	rdonkin	Medium
Vendor	pom	developer id	sanders	Medium
Vendor	pom	developer id	simonetripodi	Medium
Vendor	pom	developer id	skitching	Medium
Vendor	pom	developer id	tobrien	Medium
Vendor	pom	developer name	Craig McClanahan	Medium
Vendor	pom	developer name	James Strachan	Medium
Vendor	pom	developer name	Jason van Zyl	Medium
Vendor	pom	developer name	Jean-Francois Arcand	Medium
Vendor	pom	developer name	Matt Benson	Medium
Vendor	pom	developer name	Rahul Akolkar	Medium
Vendor	pom	developer name	Robert Burrell Donkin	Medium
Vendor	pom	developer name	Scott Sanders	Medium
Vendor	pom	developer name	Simon Kitching	Medium
Vendor	pom	developer name	Simone Tripodi	Medium

Vendor	pom	developer name	Tim OBrien	Medium
Vendor	pom	groupid	org.apache.commons	Highest
Vendor	pom	name	Apache Commons Digester	High
Vendor	pom	parent-artifactid	commons-parent	Low
Vendor	pom	url	http://commons.apache.org/digester/	Highest
Product	file	name	commons-digester3	High
Product	jar	package name	apache	Highest
Product	jar	package name	commons	Highest
Product	jar	package name	digester	Highest
Product	jar	package name	digester3	Highest
Product	jar	package name	rules	Highest
Product	Manifest	bundle-docurl	http://commons.apache.org/digester/	Low
Product	Manifest	Bundle-Name	Apache Commons Digester	Medium
Product	Manifest	bundle-symbolicname	org.apache.commons.digester	Medium
Product	Manifest	implementation-build	tags/DIGESTER3_3_2_RC2@r1212807; 2011-12-10 15:57:06+0100	Low
Product	Manifest	Implementation-Title	Apache Commons Digester	High
Product	Manifest	specification-title	Apache Commons Digester	Medium
Product	pom	artifactid	commons-digester3	Highest
Product	pom	developer email	craigmcc@apache.org	Low
Product	pom	developer email	jfarcand@apache.org	Low
Product	pom	developer email	jstrachan@apache.org	Low
Product	pom	developer email	jvanzyl@apache.org	Low
Product	pom	developer email	mbenson AT apache DOT org	Low
Product	pom	developer email	rahul AT apache DOT org	Low
Product	pom	developer email	rdonkin@apache.org	Low
Product	pom	developer email	sanders@totalsync.com	Low
Product	pom	developer email	simonetripodi AT apache DOT org	Low
Product	pom	developer email	skitching@apache.org	Low
Product	pom	developer email	tobrien@apache.org	Low
Product	pom	developer id	craigmcc	Low
Product	pom	developer id	jfarcand	Low
Product	pom	developer id	jstrachan	Low
Product	pom	developer id	jvanzyl	Low
Product	pom	developer id	mbenson	Low

Product	pom	developer id	rahul	Low
Product	pom	developer id	rdonkin	Low
Product	pom	developer id	sanders	Low
Product	pom	developer id	simonetripodi	Low
Product	pom	developer id	skitching	Low
Product	pom	developer id	tobrien	Low
Product	pom	developer name	Craig McClanahan	Low
Product	pom	developer name	James Strachan	Low
Product	pom	developer name	Jason van Zyl	Low
Product	pom	developer name	Jean-Francois Arcand	Low
Product	pom	developer name	Matt Benson	Low
Product	pom	developer name	Rahul Akolkar	Low
Product	pom	developer name	Robert Burrell Donkin	Low
Product	pom	developer name	Scott Sanders	Low
Product	pom	developer name	Simon Kitching	Low
Product	pom	developer name	Simone Tripodi	Low
Product	pom	developer name	Tim OBrien	Low
Product	pom	groupid	org.apache.commons	Highest
Product	pom	name	Apache Commons Digester	High
Product	pom	parent-artifactid	commons-parent	Medium
Product	pom	url	http://commons.apache.org/digester/	Medium
Version	Manifest	Implementation-Version	3.2	High
Version	pom	parent-version	3.2	Low
Version	pom	version	3.2	Highest

Identifiers

- <pkg:maven/org.apache.commons/commons-digester3@3.2> (*Confidence:High*)

help.zip: help.jar

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/help.zip/help.jar
MD5: bcae7fdbec28714252c14215de3c92b5
SHA1: 103c8f06195bdb2d46fd1fde9ca71b5547f9c8b0

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	help	High
Vendor	jar	package name	help	Low
Vendor	jar	package name	inet	Low
Vendor	Manifest	built-date	2024-06-07 17:49	Low
Vendor	Manifest	implementation-group	shared	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	help	High
Product	jar	package name	help	Highest
Product	jar	package name	help	Low
Product	Manifest	built-date	2024-06-07 17:49	Low
Product	Manifest	implementation-group	shared	Low
Product	Manifest	Implementation-Title	help	High
Product	Manifest	specification-title	help	Medium
Version	Manifest	Implementation-Version	24.4.256	High

Identifiers

- None

help.zip: help.jar: app.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/help.zip/help.jar/com/inet/help/resources/js/app.js
MD5: 33e7e0d008199ab0d98395ed9868abc4

SHA1: b062faef11230309ec707c5cdc18976822367f0d
SHA256: 44fdf1156cbace5a1e53a2bd9147db3858861e9fc8c51c81410f44d34a6cb022
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

help.zip: help.jar: controller.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/help.zip/help.jar/com/inet/help/resources/js/controller.js
MD5: 2794600b6f3e7f2d77dbc49daec3dc4f
SHA1: 81eb1b85dbee3683e1efb2782f43902e8432886e
SHA256: 9de6c152ae6c3bb23e422cf5281c55dd17d13326979c2fdedf540304d2e06554
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

help.zip: help.jar: shared.factory.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/help.zip/help.jar/com/inet/help/resources/js/shared.factory.js
MD5: d9560114c61a027daa602124caa8f0bd
SHA1: a5199190b480c68dbd769d4186ed73b24849d83e
SHA256: 94a69c6c0d5950ecb14d3bb24e8ecc1a6bea836b79c165714257631fda39bf51
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

help.zip: help.jar: shared.highlighter.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/help.zip/help.jar/com/inet/help/resources/js/shared.highlighter.js

MD5: 89519d94e7239a3edb9aa847dc4ad933

SHA1: f85c6f02a034326315b2e4a71eff5baac51e601f

SHA256: d962320ae6469953d5c64d0fb6527a5d45d7ac7176f36bbd9b1524dc68af1f74

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

help.zip: jsoup.jar

Description:

jsoup is a Java library for working with real-world HTML. It provides a very convenient API for fetching URLs and extracting and manipulating data, using the best of HTML5 DOM methods and CSS selectors. jsoup implements the WHATWG HTML5 specification, and parses HTML to the same DOM as modern browsers do.

License:

The MIT License: <https://jsoup.org/license>

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/help.zip/jsoup.jar

MD5: 9d8108ff1fa767c93cb67267ec8c7542

SHA1: 5d39ff6d1b8331c376a04c50c6716afbcdfe567d

SHA256: a73a1eb5d02b51490547c46485e30f4f14e68af3624840b57abe8c4580a00b83

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	jsoup	High
Vendor	jar	package name	jsoup	Highest
Vendor	jar	package name	parser	Highest
Vendor	Manifest	automatic-module-name	org.jsoup	Medium
Vendor	Manifest	build-jdk-spec	17	Low
Vendor	Manifest	bundle-docurl	https://jsoup.org/	Low
Vendor	Manifest	bundle-symbolicname	org.jsoup	Medium
Vendor	Manifest	Implementation-Vendor	Jonathan Hedley	High
Vendor	pom	artifactid	jsoup	Low
Vendor	pom	developer email	jonathan@hedley.net	Low
Vendor	pom	developer id	jhy	Medium
Vendor	pom	developer name	Jonathan Hedley	Medium
Vendor	pom	groupid	org.jsoup	Highest
Vendor	pom	name	jsoup Java HTML Parser	High
Vendor	pom	organization name	Jonathan Hedley	High
Vendor	pom	organization url	https://jhy.io/	Medium
Vendor	pom	url	https://jsoup.org/	Highest
Product	file	name	jsoup	High
Product	jar	package name	jsoup	Highest
Product	jar	package name	parser	Highest
Product	Manifest	automatic-module-name	org.jsoup	Medium
Product	Manifest	build-jdk-spec	17	Low
Product	Manifest	bundle-docurl	https://jsoup.org/	Low
Product	Manifest	Bundle-Name	jsoup Java HTML Parser	Medium
Product	Manifest	bundle-symbolicname	org.jsoup	Medium
Product	Manifest	Implementation-Title	jsoup Java HTML Parser	High
Product	pom	artifactid	jsoup	Highest
Product	pom	developer email	jonathan@hedley.net	Low
Product	pom	developer id	jhy	Low
Product	pom	developer name	Jonathan Hedley	Low

Product	pom	groupid	org.jsoup	Highest
Product	pom	name	jsoup Java HTML Parser	High
Product	pom	organization name	Jonathan Hedley	Low
Product	pom	organization url	https://jhy.io/	Low
Product	pom	url	https://jsoup.org/	Medium
Version	Manifest	Bundle-Version	1.16.2	High
Version	Manifest	Implementation-Version	1.16.2	High
Version	pom	version	1.16.2	Highest

Identifiers

- [pkg:maven/org.jsoup/jsoup@1.16.2](#) (Confidence:High)
- [cpe:2.3:a:jsoup:jsoup:1.16.2:****:*](#) (Confidence:Highest) suppress

htmlengine.zip: JWebEngine.jar

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/htmlengine.zip/JWebEngine.jar

MD5: 9e25d5333e87a2ef2d95c109a80b4765

SHA1: b5d0c73d79f5b80b4bd73f4e5e179764980c3dc3

SHA256: ae65a8465d257e89d4fca28c7e083e623098e332e532b0b34ae0f2d880cb1927

Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence
Vendor	file	name	JWebEngine	High
Vendor	jar	package name	html	Low
Vendor	jar	package name	inet	Low
Vendor	Manifest	application-library-allowable-codebase	*	Low
Vendor	Manifest	built-date	2024-06-07 01:23	Low
Vendor	Manifest	codebase	*	Low
Vendor	Manifest	implementation-group	lib	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High

Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	permissions	all-permissions	Low
Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	trusted-library	false	Low
Vendor	Manifest	trusted-only	false	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	JWebEngine	High
Product	jar	package name	html	Low
Product	Manifest	application-library-allowable-codebase	*	Low
Product	Manifest	built-date	2024-06-07 01:23	Low
Product	Manifest	codebase	*	Low
Product	Manifest	implementation-group	lib	Low
Product	Manifest	Implementation-Title	JWebEngine	High
Product	Manifest	permissions	all-permissions	Low
Product	Manifest	specification-title	JWebEngine	Medium
Product	Manifest	trusted-library	false	Low
Product	Manifest	trusted-only	false	Low
Version	Manifest	Implementation-Version	1.13.1306	High

Identifiers

- None

htmlengine.zip: htmlengine.jar

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/htmlengine.zip/htmlengine.jar

MD5: dab31c579a2662e3f4945721752f5fd6

SHA1: 42cc2722275637b84c81c740fa7b01c91cb4ca57

SHA256: 5aba5e8bc4052543e226060c38fd924222df8a9d3da0304cc962b88257a2a027

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	htmlengine	High
Vendor	jar	package name	htmlengine	Low
Vendor	jar	package name	inet	Low
Vendor	Manifest	built-date	2024-06-07 18:03	Low
Vendor	Manifest	implementation-group	shared	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	htmlengine	High
Product	jar	package name	hmtlengineserverplugin	Low
Product	jar	package name	htmlengine	Highest
Product	jar	package name	htmlengine	Low
Product	Manifest	built-date	2024-06-07 18:03	Low
Product	Manifest	implementation-group	shared	Low
Product	Manifest	Implementation-Title	htmlengine	High
Product	Manifest	specification-title	htmlengine	Medium
Version	Manifest	Implementation-Version	24.4.256	High

Identifiers

- None

inetcore-24.4-tools.jar

File Path: /home/jenkins/.gradle/caches/modules-2/files-2.1/shared/inetcore/24.4/d87adc197fa06751250f80411a937334998f06a1/inetcore-24.4-tools.jar
MD5: 02b5354fc5b685af72c38d24bc2d9376
SHA1: d87adc197fa06751250f80411a937334998f06a1
SHA256:28f325b629eb81ca93d7c1cf88c46c95a95f6e9f2f4184d422824272e7e91a11

Referenced In Project/Scope: server:inetPlugin
Included by: pkg:maven/pdfc/server@24.4

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	inetcore	High
Vendor	gradle	artifactid	inetcore	Highest
Vendor	gradle	groupid	shared	Highest
Vendor	jar	package name	test	Low
Product	file	name	inetcore	High
Product	gradle	artifactid	inetcore	Highest
Version	file	name	inetcore	Medium
Version	file	version	24.4	High
Version	gradle	version	24.4	Highest

Identifiers

- [pkg:maven/shared/inetcore@24.4](#) (*Confidence:*Highest)

inetcore-24.4.jar (shaded: com.inet.shared:inetcore:null)

Description:

A blend composite defines the rule according to which a drawing primitive (known as the source) is mixed with existing graphics (known as the destination.)

ColorUtilities contains a set of tools to perform common color operations easily.

License:

LGPL: <http://www.gnu.org/licenses/lgpl.txt>

File Path: /home/jenkins/.gradle/caches/modules-2/files-2.1/shared/inetcore/24.4/e3cd09c8cc825524ff475c0091da792337227ef4/inetcore-24.4.jar/META-INF/com/inet/shared/Utils/BlendComposite/pom.xml

MD5: b7bc59004e73f85cce4369bc5e034e6b

SHA1: 9caff88589bdd8fdc3c3f320340b76830f3818de

SHA256: aab973b164e2d64808cd34c47b78399c4f016ec308900f5393733d3bc5c706bc

Referenced In Projects/Scopes:

- server
- server:inetPlugin

Evidence



Type	Source	Name	Value	Confidence
Vendor	pom	artifactid	inetcore	Low
Vendor	pom	developer email	contact@inetsoftware.de	Low
Vendor	pom	developer email	morgand@apache.org	Low
Vendor	pom	developer id	inetsoftware	Medium
Vendor	pom	developer id	romainguy	Medium
Vendor	pom	developer id	sun	Medium
Vendor	pom	developer name	i-net /// software	Medium
Vendor	pom	developer name	Romain Guy	Medium
Vendor	pom	developer name	Sun	Medium
Vendor	pom	developer org	Sun	Medium
Vendor	pom	groupid	com.inet.shared	Highest
Vendor	pom	name	BlendComposite and ColorUtils	High
Vendor	pom (hint)	developer id	oracle	Medium
Vendor	pom (hint)	developer name	oracle	Medium
Vendor	pom (hint)	developer org	oracle	Medium
Product	pom	artifactid	inetcore	Highest
Product	pom	developer email	contact@inetsoftware.de	Low
Product	pom	developer email	morgand@apache.org	Low
Product	pom	developer id	inetsoftware	Low
Product	pom	developer id	romainguy	Low
Product	pom	developer id	sun	Low
Product	pom	developer name	i-net /// software	Low
Product	pom	developer name	Romain Guy	Low
Product	pom	developer name	Sun	Low
Product	pom	developer org	Sun	Low
Product	pom	groupid	com.inet.shared	Highest
Product	pom	name	BlendComposite and ColorUtils	High

Identifiers

- None

inetcore-24.4.jar

File Path: /home/jenkins/.gradle/caches/modules-2/files-2.1/shared/inetcore/24.4/e3cd09c8cc825524ff475c0091da792337227ef4/inetcore-24.4.jar
MD5: a0bc28a6a57959f16b4efdfa36bf899
SHA1: e3cd09c8cc825524ff475c0091da792337227ef4
SHA256: aec4b465752ac2cb45af3ebdd4ab06302d44014a089df2d438e6ab308006e13
Referenced In Projects/Scopes:

- server
- server:inetPlugin

Included by: pkg:maven/pdfc/server@24.4

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	inetcore	High
Vendor	gradle	artifactid	inetcore	Highest
Vendor	gradle	groupid	shared	Highest
Vendor	jar	package name	i	Highest
Vendor	jar	package name	inet	Low
Vendor	Manifest	application-library-allowable-codebase	*	Low
Vendor	Manifest	built-date	2024-06-07 17:13	Low
Vendor	Manifest	codebase	*	Low
Vendor	Manifest	implementation-group	shared	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	permissions	all-permissions	Low
Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	trusted-library	false	Low
Vendor	Manifest	trusted-only	false	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	inetcore	High
Product	gradle	artifactid	inetcore	Highest
Product	jar	package name	permissions	Highest
Product	jar	package name	shared	Highest

Product	Manifest	application-library-allowable-codebase	*	Low
Product	Manifest	built-date	2024-06-07 17:13	Low
Product	Manifest	codebase	*	Low
Product	Manifest	implementation-group	shared	Low
Product	Manifest	Implementation-Title	inetcore	High
Product	Manifest	permissions	all-permissions	Low
Product	Manifest	specification-title	inetcore	Medium
Product	Manifest	trusted-library	false	Low
Product	Manifest	trusted-only	false	Low
Version	file	name	inetcore	Medium
Version	file	version	24.4	High
Version	gradle	version	24.4	Highest
Version	jar	package name	permissions	Highest
Version	jar	package name	shared	Highest
Version	Manifest	Implementation-Version	24.4.256	High

Related Dependencies



- inetcore.jar
 - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/java/inetcore.jar
 - MD5: a0bc28a6a57959f16b4efdfa36bfb899
 - SHA1: e3cd09c8cc825524ff475c0091da792337227ef4
 - SHA256: aec4b465752ac2cb45af3ebdd4ab06302d44014a089fdf2d438e6ab308006e13

Identifiers

- [pkg:maven/shared/inetcore@24.4](#) (*Confidence*:Highest)

inetloggeradapter.jar

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/java/inetloggeradapter.jar
MD5: 5276f5b72b3653fdf36ea2c01cfef3cf

SHA1: f1971c03b5af5c021039f6e5e7c92e82425bd371
SHA256:e3215c3c6259aaf529b6f6df394b7d42a3336f73737f88acea5bde345a3afa73
Referenced In Project/Scope: server

Evidence +

Type	Source	Name	Value	Confidence
Vendor	file	name	inetloggeradapter	High
Vendor	jar	package name	inet	Low
Vendor	jar	package name	slf4j	Low
Vendor	Manifest	application-library-allowable-codebase	*	Low
Vendor	Manifest	built-date	2024-06-07 17:42	Low
Vendor	Manifest	codebase	*	Low
Vendor	Manifest	implementation-group	shared	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	permissions	all-permissions	Low
Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	trusted-library	false	Low
Vendor	Manifest	trusted-only	false	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	inetloggeradapter	High
Product	jar	package name	slf4j	Low
Product	Manifest	application-library-allowable-codebase	*	Low
Product	Manifest	built-date	2024-06-07 17:42	Low
Product	Manifest	codebase	*	Low
Product	Manifest	implementation-group	shared	Low
Product	Manifest	Implementation-Title	i-net Logger Adapter	High
Product	Manifest	permissions	all-permissions	Low
Product	Manifest	specification-title	inetloggeradapter	Medium
Product	Manifest	trusted-library	false	Low

Product	Manifest	trusted-only	false	Low
Version	Manifest	Implementation-Version	24.4.256	High

Identifiers

- None

inetsoftware.Pdfc.dll

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC .NET Bridge/inetsoftware.Pdfc.dll

MD5: 8ef679d08f057f41f3bbe2f1d0412c4

SHA1: 6644a1062a99bd4f2663c5db5f5a29d2adcb4ae6

SHA256: 678b83c2423911e02a14cf88a5b57a53a8d3d384e2e2bf296399a99183f051f5

Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence
Vendor	file	name	inetsoftware.Pdfc	High
Product	file	name	inetsoftware.Pdfc	High

Identifiers

- None

inetsoftware.Pdfc.dll

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC .NET Bridge/strongly named/inetsoftware.Pdfc.dll

MD5: e7d6319715772b65244bcb8d1e97266f

SHA1: 0eee7bba36e382832cd0c0464dd77236767de2e9

SHA256: 6aa8ee75de8403120a115e420f73c4e5f5d6e2e370ff55f5437ceab8b3d42f4e

Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence
Vendor	file	name	inetsoftware.Pdfc	High

Product file name inetsoftware.Pdfc

High

Identifiers

- None

jakarta.servlet-api.jar

Description:

Jakarta Servlet 4.0

License:

EPL 2.0: <http://www.eclipse.org/legal/epl-2.0>

GPL2 w/ CPE: <https://www.gnu.org/software/classpath/license.html>

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/java/jakarta.servlet-api.jar

MD5: f5d1d7a29978e4ae0be5a456ee1c65c3

SHA1: b8a1142e04838fe54194049c6e7a18dae8f9b960

SHA256: 586e27706c21258f5882f43be06904f49b02db9ac54e345d393fe4a32494d127

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	jakarta.servlet-api	High
Vendor	jar	package name	javax	Highest
Vendor	jar	package name	servlet	Highest
Vendor	Manifest	automatic-module-name	java.servlet	Medium
Vendor	Manifest	bundle-docurl	https://www.eclipse.org	Low
Vendor	Manifest	bundle-symbolicname	jakarta.servlet-api	Medium
Vendor	Manifest	extension-name	javax.servlet	Medium
Vendor	Manifest	Implementation-Vendor	Eclipse Foundation	High
Vendor	Manifest	Implementation-Vendor-Id	org.eclipse	Medium
Vendor	Manifest	specification-vendor	Eclipse Foundation	Low
Vendor	pom	artifactid	jakarta.servlet-api	Low
Vendor	pom	developer id	yaminikb	Medium

Vendor	pom	developer name	Yamini K B	Medium
Vendor	pom	developer org	Oracle Corporation	Medium
Vendor	pom	developer org URL	http://www.oracle.com/	Medium
Vendor	pom	groupid	jakarta.servlet	Highest
Vendor	pom	name	Jakarta Servlet	High
Vendor	pom	parent-artifactid	project	Low
Vendor	pom	parent-groupid	org.eclipse.ee4j	Medium
Vendor	pom	url	https://projects.eclipse.org/projects/ee4j.servlet	Highest
Product	file	name	jakarta.servlet-api	High
Product	jar	package name	javax	Highest
Product	jar	package name	servlet	Highest
Product	Manifest	automatic-module-name	java.servlet	Medium
Product	Manifest	bundle-docurl	https://www.eclipse.org	Low
Product	Manifest	Bundle-Name	Jakarta Servlet	Medium
Product	Manifest	bundle-symbolicname	jakarta.servlet-api	Medium
Product	Manifest	extension-name	javax.servlet	Medium
Product	pom	artifactid	jakarta.servlet-api	Highest
Product	pom	developer id	yaminikb	Low
Product	pom	developer name	Yamini K B	Low
Product	pom	developer org	Oracle Corporation	Low
Product	pom	developer org URL	http://www.oracle.com/	Low
Product	pom	groupid	jakarta.servlet	Highest
Product	pom	name	Jakarta Servlet	High
Product	pom	parent-artifactid	project	Medium
Product	pom	parent-groupid	org.eclipse.ee4j	Medium
Product	pom	url	https://projects.eclipse.org/projects/ee4j.servlet	Medium
Version	Manifest	Implementation-Version	4.0.4	High
Version	pom	parent-version	4.0.4	Low
Version	pom	version	4.0.4	Highest

Identifiers

- [pkg:maven/jakarta.servlet/jakarta.servlet-api@4.0.4](#) (Confidence:High)
- cpe:2.3:a:oracle:projects:4.0.4:*:*:*:*:* (Confidence:Low) suppress

jakarta.websocket-api.jar

Description:

Jakarta WebSocket - Server API

License:

<https://projects.eclipse.org/license/epl-2.0>, <https://projects.eclipse.org/license/secondary-gpl-2.0-cp>

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/java/jakarta.websocket-api.jar

MD5: 60cc2e06d3a1e5ea820f8aed5cdb1728

SHA1: 69c2fd7b75081cc935bc9d6c5616d12b0b73815f

SHA256: e2f4e99e04130a29fc8e57e334fa029e96e2ca6672ba0166585c59d19798904c

Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence
Vendor	file	name	jakarta.websocket-api	High
Vendor	jar	package name	javax	Highest
Vendor	jar	package name	server	Highest
Vendor	jar	package name	websocket	Highest
Vendor	Manifest	bundle-docurl	https://www.eclipse.org	Low
Vendor	Manifest	bundle-symbolicname	javax.websocket-api	Medium
Vendor	Manifest	extension-name	javax.websocket	Medium
Vendor	pom	artifactid	jakarta.websocket-api	Low
Vendor	pom	groupid	jakarta.websocket	Highest
Vendor	pom	name	Jakarta WebSocket - Server API	High
Vendor	pom	parent-artifactid	jakarta.websocket-all	Low
Vendor	pom	url	https://projects.eclipse.org/projects/ee4j.websocket	Highest
Product	file	name	jakarta.websocket-api	High
Product	jar	package name	javax	Highest
Product	jar	package name	server	Highest
Product	jar	package name	websocket	Highest
Product	Manifest	bundle-docurl	https://www.eclipse.org	Low

Product	Manifest	Bundle-Name	Jakarta WebSocket - Server API	Medium
Product	Manifest	bundle-symbolicname	javax.websocket-api	Medium
Product	Manifest	extension-name	javax.websocket	Medium
Product	pom	artifactid	jakarta.websocket-api	Highest
Product	pom	groupid	jakarta.websocket	Highest
Product	pom	name	Jakarta WebSocket - Server API	High
Product	pom	parent-artifactid	jakarta.websocket-all	Medium
Product	pom	url	https://projects.eclipse.org/projects/ee4j.websocket	Medium
Version	Manifest	Bundle-Version	1.1.2	High
Version	Manifest	Implementation-Version	1.1.2	High
Version	pom	version	1.1.2	Highest

Identifiers

- <pkg:maven/jakarta.websocket/jakarta.websocket-api@1.1.2> (*Confidence*:High)

java-21-jre-x64-linux.tar.gz: java-21-jre-x64-linux.tar: jrt-fs.jar

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/java-21-jre-x64-linux.tar.gz/java-21-jre-x64-linux.tar/jre-11/lib/jrt-fs.jar
MD5: f04d1ba62928b585e87cd55c93fd1350
SHA1: 993a9cab7dd990e1f10a565d31d024d236859b4e
SHA256: e697f3c1872ec3bd995b0f0e3ef24156b2cb94634fbf6a080ce8c783cf8fb68d
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	jrt-fs	High
Vendor	jar	package name	internal	Low
Vendor	jar	package name	jdk	Low
Vendor	jar	package name	jimage	Low
Vendor	Manifest	Implementation-Vendor	Eclipse Adoptium	High
Vendor	Manifest	specification-vendor	Oracle Corporation	Low
Product	file	name	jrt-fs	High

Product	jar	package name	internal	Low
Product	jar	package name	jimage	Low
Product	Manifest	Implementation-Title	Java Runtime Environment	High
Product	Manifest	specification-title	Java Platform API Specification	Medium
Version	Manifest	Implementation-Version	21.0.3	High

Identifiers

- [cpe:2.3:a:eclipse:platform:21.0.3:****:*](#) (Confidence:Medium) suppress

jlessc-1.12.jar

Description:

A Less CSS compiler written completely in Java (pure Java).

License:

MIT License: <http://www.opensource.org/licenses/mit-license.php>

File Path: /home/jenkins/.gradle/caches/modules-2/files-2.1/de.inetsoftware/jlessc/1.12/8ea5dba973ee8e969a243e08e47a27ca48121b5c/jlessc-1.12.jar

MD5: 8e0d57ed6e6809be8002db58024c370e

SHA1: 8ea5dba973ee8e969a243e08e47a27ca48121b5c

SHA256: 0969bc655eba47f824791ef12ed90c96baac2238a775b0ceaa0921deeb6681f8

Referenced In Projects/Scopes:

- server
- server:inetPlugin

Included by: pkg:maven/pdfc/server@24.4

Evidence



Type	Source	Name	Value	Confidence
Vendor	central	artifactid	jlessc	Highest
Vendor	central	groupid	de.inetsoftware	Highest
Vendor	file	name	jlessc	High
Vendor	gradle	artifactid	jlessc	Highest
Vendor	gradle	groupid	de.inetsoftware	Highest
Vendor	jar	package name	inet	Low
Vendor	jar	package name	less	Low

Vendor	jar	package name	lib	Low
Vendor	Manifest	automatic-module-name	de.inetsoftware.jlessc	Medium
Vendor	Manifest	bundle-symbolicname	de.inetsoftware.jlessc	Medium
Vendor	Manifest	Implementation-Vendor	i-net software GmbH, Berlin, Germany	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	pom	artifactid	jlessc	Low
Vendor	pom	developer email	vberlin@inetsoftware.de	Low
Vendor	pom	developer id	vberlin	Medium
Vendor	pom	developer name	Volker Berlin	Medium
Vendor	pom	developer org	i-net software	Medium
Vendor	pom	developer org URL	https://www.inetsoftware.de/	Medium
Vendor	pom	groupid	de.inetsoftware	Highest
Vendor	pom	name	JLessC	High
Vendor	pom	url	i-net-software/jlessc	Highest
Product	central	artifactid	jlessc	Highest
Product	file	name	jlessc	High
Product	gradle	artifactid	jlessc	Highest
Product	jar	package name	less	Low
Product	jar	package name	lib	Low
Product	Manifest	automatic-module-name	de.inetsoftware.jlessc	Medium
Product	Manifest	bundle-symbolicname	de.inetsoftware.jlessc	Medium
Product	Manifest	Implementation-Title	JLessC, a Less CSS compiler	High
Product	pom	artifactid	jlessc	Highest
Product	pom	developer email	vberlin@inetsoftware.de	Low
Product	pom	developer id	vberlin	Low
Product	pom	developer name	Volker Berlin	Low
Product	pom	developer org	i-net software	Low
Product	pom	developer org URL	https://www.inetsoftware.de/	Low
Product	pom	groupid	de.inetsoftware	Highest
Product	pom	name	JLessC	High
Product	pom	url	i-net-software/jlessc	High

Version	central	version	1.12	Highest
Version	file	version	1.12	High
Version	gradle	version	1.12	Highest
Version	Manifest	Bundle-Version	1.12	High
Version	Manifest	Implementation-Version	1.12	High
Version	pom	version	1.12	Highest

Related Dependencies

- theme.zip: jlessc.jar
 - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/theme.zip/jlessc.jar
 - MD5: 8e0d57ed6e6809be8002db58024c370e
 - SHA1: 8ea5dba973ee8e969a243e08e47a27ca48121b5c
 - SHA256: 0969bc655eba47f824791ef12ed90c96baac2238a775b0ceaa0921deeb6681f8
 - [pkg:maven/de.inetsoftware/jlessc@1.12](https://mvnrepository.com/artifact/de.inetsoftware/jlessc/1.12)

Identifiers

- [pkg:maven/de.inetsoftware/jlessc@1.12](https://mvnrepository.com/artifact/de.inetsoftware/jlessc/1.12) (Confidence:High)

jpeg2000.zip: asm.jar

License:

BSD-3-Clause;link=https://asm.ow2.io/LICENSE.txt

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/jpeg2000.zip/asm.jar

MD5: 7cea837e8f231e40c3b30d874a93be1a

SHA1: c66953cd3fdd94cbaf278171afe95da4e938ddf0

SHA256: ea663e1c6c979b7dbcef0d22a3be75d3d6e97268900245941bc0925be3c99dc0

Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence
Vendor	file	name	asm	High
Vendor	jar	package name	asm	Highest
Vendor	jar	package name	asm	Low
Vendor	jar	package name	objectweb	Highest

Vendor	jar	package name	objectweb	Low
Vendor	Manifest	bundle-docurl	http://asm.ow2.org	Low
Vendor	Manifest	bundle-requiredexecution	J2SE-1.5	Low
Vendor	Manifest	bundle-symbolicname	org.objectweb.asm	Medium
Product	file	name	asm	High
Product	jar	package name	asm	Highest
Product	jar	package name	asm	Low
Product	jar	package name	objectweb	Highest
Product	Manifest	bundle-docurl	http://asm.ow2.org	Low
Product	Manifest	Bundle-Name	org.objectweb.asm	Medium
Product	Manifest	bundle-requiredexecution	J2SE-1.5	Low
Product	Manifest	bundle-symbolicname	org.objectweb.asm	Medium
Product	Manifest	Implementation-Title	ASM, a very small and fast Java bytecode manipulation framework	High
Version	jar	package name	asm	Highest
Version	Manifest	Bundle-Version	9.6	High
Version	Manifest	Implementation-Version	9.6	High

Identifiers

- None

jpeg2000.zip: conctr140.dll

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/jpeg2000.zip/openjpeg/windows/conctr140.dll

MD5: 1028995446d0032530461be30ca98f48

SHA1: 18446678152e9997eed9c02995f957d58a8e8f32

SHA256: d404b49c25cc76dc4c86e1d82fc23799482f6509e85a73ed8177efc320ec0195

Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence
Vendor	file	name	conctr140	High

Product	file	name	concr140	High
Version	file	name	concr140	Medium
Version	file	version	140	Medium

Identifiers

- None

jpeg2000.zip: imageio-openjpeg.jar

Description:

ImageIO plugin for reading and writing JPEG2000 images via OpenJPEG.
Requires the OpenJPEG shared native library to be installed on the system.

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/jpeg2000.zip/imageio-openjpeg.jar

MD5: 4a7f52501f1ab788e4b4c2b5248d740b

SHA1: 1cafa44d179f56ca1ff1f808f9d810a827eb5bec

SHA256: 9af2196b5d67da72a359f981a1afdcf4a33812cde611030ce0c457c28c07add7

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	imageio-openjpeg	High
Vendor	jar	package name	de	Highest
Vendor	jar	package name	de	Low
Vendor	jar	package name	digitalcollections	Highest
Vendor	jar	package name	digitalcollections	Low
Vendor	jar	package name	imageio	Highest
Vendor	jar	package name	openjpeg	Highest
Vendor	jar	package name	openjpeg	Low
Vendor	pom	artifactid	imageio-openjpeg	Low
Vendor	pom	groupid	de.digitalcollections.imageio	Highest
Vendor	pom	name	MDZ/Bayerische Staatsbibliothek :: ImageIO :: OpenJPEG/JPEG2000 plugin	High
Vendor	pom	parent-artifactid	imageio-jnr	Low
Product	file	name	imageio-openjpeg	High
Product	jar	package name	de	Highest

Product	jar	package name	digitalcollections	Highest
Product	jar	package name	digitalcollections	Low
Product	jar	package name	imageio	Highest
Product	jar	package name	lib	Low
Product	jar	package name	openjpeg	Highest
Product	jar	package name	openjpeg	Low
Product	pom	artifactid	imageio-openjpeg	Highest
Product	pom	groupid	de.digitalcollections.imageio	Highest
Product	pom	name	MDZ/Bayerische Staatsbibliothek :: ImageIO :: OpenJPEG/JPEG2000 plugin	High
Product	pom	parent-artifactid	imageio-jnr	Medium
Version	pom	version	0.6.7	Highest

Identifiers

- <pkg:maven/de.digitalcollections.imageio/imageio-openjpeg@0.6.7> (*Confidence:High*)

jpeg2000.zip: jffi-native.jar

Description:

Java Foreign Function Interface - Native Libraries

License:

<http://www.apache.org/licenses/LICENSE-2.0.txt>, <https://www.gnu.org/licenses/lgpl-3.0.txt>

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/jpeg2000.zip/jffi-native.jar

MD5: 0575cef5a5718152a7f3baa701d14aa4

SHA1: 4b214364bff92b4c8f8e15009e2d5a8b1ad2ecd8

SHA256: 37b9ec6845004b1146caa44a3a00c810e57b393af990f5bcbf6221487672b20a

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	jffi-native	High
Vendor	Manifest	automatic-module-name	org.jnrproject.jffi.nativelibs	Medium
Vendor	Manifest	bundle-symbolicname	com.github.jnr.jffi.native	Medium

Product	file	name	jffi-native	High
Product	Manifest	automatic-module-name	org.jnrproject.jffi.nativelibs	Medium
Product	Manifest	Bundle-Name	jffi	Medium
Product	Manifest	bundle-symbolicname	com.github.jnr.jffi.native	Medium
Version	Manifest	Bundle-Version	1.3.12	High

Identifiers

- None

jpeg2000.zip: jffi-native.jar: jffi-1.2.dll

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/jpeg2000.zip/jffi-native.jar/jni/aarch64-Windows/jffi-1.2.dll

MD5: 2c0b62583a6446ca74c26dd356a6efc8

SHA1: 97d03509897bb23ab808c232fe0fa3240e91d52d

SHA256:a4e7cb99d84f2a3b195fabcc4a6c59ab48e9eb25ddf58284b26d068163c9e505

Referenced In Project/Scope: server

Evidence +

Type	Source	Name	Value	Confidence
Vendor	file	name	jffi	High
Product	file	name	jffi	High
Version	file	name	jffi	Medium
Version	file	version	1.2	High

Identifiers

- None

jpeg2000.zip: jffi-native.jar: jffi-1.2.dll

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/jpeg2000.zip/jffi-native.jar/jni/i386-Windows/jffi-1.2.dll

MD5: 841e60814ed6b2971a47b267aef1c58a

SHA1: 07d30c6407fefad8df4b6afc4d85f83e547975ca

SHA256: d63b0ec9a7cc75c26fa951928bf550c0e9a5e6c195a3de94a9c24995206bbfd2

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	jffi	High
Product	file	name	jffi	High
Version	file	name	jffi	Medium
Version	file	version	1.2	High

Identifiers

- None

jpeg2000.zip: jffi-native.jar: jffi-1.2.dll

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/jpeg2000.zip/jffi-native.jar/jni/x86_64-Windows/jffi-1.2.dll

MD5: 5d80b61c1f9e31860c17b3a410948e7e

SHA1: 5ca292116336ee4ceed00d10e756afea580e62cf

SHA256: 58398ba5cda1b7cb89ad4e03dd4a658006956f81acfe4efb4e7dd934e2733ef

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	jffi	High
Product	file	name	jffi	High
Version	file	name	jffi	Medium
Version	file	version	1.2	High

Identifiers

- None

jpeg2000.zip: jffi.jar

Description:

Java Foreign Function Interface

License:

The Apache Software License, Version 2.0: <http://www.apache.org/licenses/LICENSE-2.0.txt>
GNU Lesser General Public License version 3: <https://www.gnu.org/licenses/lgpl-3.0.txt>

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/jpeg2000.zip/jffi.jar

MD5: bc7c2fda95c4a377daf986b803561420

SHA1: ab1d997416fb686803b25743a88a6832da969870

SHA256: ccb4391ee1c46d41872a01689c94a4764103bf284f3f7ad35674eabea12d7c06

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	jffi	High
Vendor	jar	package name	foreign	Highest
Vendor	jar	package name	function	Highest
Vendor	jar	package name	jffi	Highest
Vendor	Manifest	automatic-module-name	org.jnrproject.jffi	Medium
Vendor	Manifest	build-jdk-spec	17	Low
Vendor	pom	artifactid	jffi	Low
Vendor	pom	developer email	wmeissner@gmail.com	Low
Vendor	pom	developer id	wmeissner	Medium
Vendor	pom	developer name	Wayne Meissner	Medium
Vendor	pom	groupid	com.github.jnr	Highest
Vendor	pom	name	jffi	High
Vendor	pom	url	http://github.com/jnr/jffi	Highest
Product	file	name	jffi	High
Product	jar	package name	foreign	Highest
Product	jar	package name	function	Highest
Product	jar	package name	jffi	Highest
Product	Manifest	automatic-module-name	org.jnrproject.jffi	Medium
Product	Manifest	build-jdk-spec	17	Low
Product	pom	artifactid	jffi	Highest
Product	pom	developer email	wmeissner@gmail.com	Low

Product	pom	developer id	wmeissner	Low
Product	pom	developer name	Wayne Meissner	Low
Product	pom	groupid	com.github.jnr	Highest
Product	pom	name	jffi	High
Product	pom	url	http://github.com/jnr/jffi	Medium
Version	pom	version	1.3.12	Highest

Identifiers

- [pkg:maven/com.github.jnr/jffi@1.3.12](https://maven.com.github.jnr/jffi@1.3.12) (*Confidence:High*)

jpeg2000.zip: jnr-ffi.jar

Description:

A library for invoking native functions from java

License:

The Apache Software License, Version 2.0: <http://www.apache.org/licenses/LICENSE-2.0.txt>

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/jpeg2000.zip/jnr-ffi.jar

MD5: eb1fe4167432b4182e6796ca297826ed

SHA1: 997e8b14d49d162a627330e092668b4c3a2e2ff2

SHA256: 2e83183427c3d9a435f8cfac3262333d27259be136702442a717187a11a79a29

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	jnr-ffi	High
Vendor	jar	package name	ffi	Highest
Vendor	jar	package name	jnr	Highest
Vendor	jar	package name	library	Highest
Vendor	Manifest	automatic-module-name	org.jnrproject.ffi	Medium
Vendor	Manifest	bundle-symbolicname	com.github.jnr.ffi	Medium
Vendor	pom	artifactid	jnr-ffi	Low
Vendor	pom	developer email	headius@headius.com	Low
Vendor	pom	developer email	wmeissner@gmail.com	Low

Vendor	pom	developer id	headius	Medium
Vendor	pom	developer id	wmeissner	Medium
Vendor	pom	developer name	Charles Oliver Nutter	Medium
Vendor	pom	developer name	Wayne Meissner	Medium
Vendor	pom	groupid	com.github.jnr	Highest
Vendor	pom	name	jnr-ffi	High
Vendor	pom	url	http://github.com/jnr/jnr-ffi	Highest
Product	file	name	jnr-ffi	High
Product	jar	package name	ffi	Highest
Product	jar	package name	jnr	Highest
Product	jar	package name	library	Highest
Product	Manifest	automatic-module-name	org.jnrproject.ffi	Medium
Product	Manifest	Bundle-Name	jnr-ffi	Medium
Product	Manifest	bundle-symbolicname	com.github.jnr.ffi	Medium
Product	pom	artifactid	jnr-ffi	Highest
Product	pom	developer email	headius@headius.com	Low
Product	pom	developer email	wmeissner@gmail.com	Low
Product	pom	developer id	headius	Low
Product	pom	developer id	wmeissner	Low
Product	pom	developer name	Charles Oliver Nutter	Low
Product	pom	developer name	Wayne Meissner	Low
Product	pom	groupid	com.github.jnr	Highest
Product	pom	name	jnr-ffi	High
Product	pom	url	http://github.com/jnr/jnr-ffi	Medium
Version	Manifest	Bundle-Version	2.2.15	High
Version	pom	version	2.2.15	Highest

Identifiers

- [pkg:maven/com.github.jnr/jnr-ffi@2.2.15](#) (*Confidence:High*)

jpeg2000.zip: jpeg2000.jar

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/jpeg2000.zip/jpeg2000.jar
MD5: 48c86639aa307f6c558d072092ee551b
SHA1: 73d2d8bcd7bf084bf7222f953b6fa2caf28a1dd2
SHA256:20432c7b801d9e70ebc80e8da20259118522b1fa900944f947de8b530f28b11a
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	jpeg2000	High
Vendor	jar	package name	inet	Low
Vendor	jar	package name	jpeg2000	Low
Vendor	Manifest	built-date	2024-06-07 17:47	Low
Vendor	Manifest	implementation-group	shared	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	jpeg2000	High
Product	jar	package name	jpeg2000	Highest
Product	jar	package name	jpeg2000	Low
Product	jar	package name	jpeg2000serverplugin	Low
Product	Manifest	built-date	2024-06-07 17:47	Low
Product	Manifest	implementation-group	shared	Low
Product	Manifest	Implementation-Title	jpeg2000	High
Product	Manifest	specification-title	jpeg2000	Medium
Version	file	name	jpeg2000	Medium
Version	file	version	2000	Medium
Version	Manifest	Implementation-Version	24.4.256	High

Identifiers

- None

jpeg2000.zip: msvcp140.dll

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/jpeg2000.zip/openjpeg/windows/msvcp140.dll

MD5: c1b066f9e3e2f3a6785161a8c7e0346a

SHA1: 8b3b943e79c40bc81fdac1e038a276d034bbe812

SHA256: 99e3e25cda404283bd96b25b7683a8d213e7954674adefa2279123a8d0701fd

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	msvcp140	High
Product	file	name	msvcp140	High
Version	file	name	msvcp140	Medium
Version	file	version	140	Medium

Identifiers

- None

jpeg2000.zip: openjp2.dll

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/jpeg2000.zip/openjpeg/windows/openjp2.dll

MD5: e149c7f084ec94cac399b118f84ae814

SHA1: 1724ac5f89836d0174941d91da38870ad903cd97

SHA256: 1d562dc6420f425da844ff898a73777b4200c02bb1fc13dee5ea3f2eea0d6e15

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	openjp2	High
Product	file	name	openjp2	High
Version	file	name	openjp2	Medium
Version	file	version	2	Medium

Identifiers

- None

jpeg2000.zip: vcruntime140.dll

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/jpeg2000.zip/openjpeg/windows/vcruntime140.dll

MD5: 1453290db80241683288f33e6dd5e80e

SHA1: 29fb9af50458df43ef40bfc8f0f516d0c0a106fd

SHA256: 2b7602cc1521101d116995e3e2ddfe0943349806378a0d40add81ba64e359b6c

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	vcruntime140	High
Product	file	name	vcruntime140	High
Version	file	name	vcruntime140	Medium
Version	file	version	140	Medium

Identifiers

- None

jquery.cookiebar.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/Documentation and Samples/Plugin - Samples/Application/GoogleAnalytics/src/com/inet/application/googleanalytics/client/js/jquery.cookiebar.js

MD5: 35bdd1bde2d5eefde68b90c95580dcbb

SHA1: 1e82ddc04aedccb5ba4c90239c0d60188c7c7b6e

SHA256: bc3199c6d3de4c4c93746de532f5bd208b0c48c8ecf9f2b7fa3bb5f67be53556

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies



- application.googleanalytics.zip: jquery.cookiebar.js
 - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/Documentation and Samples/Plugin - Samples/Application/GoogleAnalytics/application.googleanalytics.zip/src/com/inet/application/googleanalytics/client/js/jquery.cookiebar.js
 - MD5: 35bdd1bde2d5eefde68b90c95580dcbb
 - SHA1: 1e82ddc04aedccb5ba4c90239c0d60188c7c7b6e
 - SHA256: bc3199c6d3de4c4c93746de532f5bd208b0c48c8ecf9f2b7fa3bb5f67be53556

Identifiers

- None

junit-4.13.2.jar

Description:

JUnit is a unit testing framework for Java, created by Erich Gamma and Kent Beck.

License:

Eclipse Public License 1.0: <http://www.eclipse.org/legal/epl-v10.html>

File Path: /home/jenkins/.gradle/caches/modules-2/files-2.1/junit/junit/4.13.2/8ac9e16d933b6fb43bc7f576336b8f4d7eb5ba12/junit-4.13.2.jar

MD5: d98a9a02a99a9acd22d7653cbcc1f31f

SHA1: 8ac9e16d933b6fb43bc7f576336b8f4d7eb5ba12

SHA256: 8e495b634469d64fb8acfa3495a065cbacc8a0fff55ce1e31007be4c16dc57d3

Referenced In Project/Scope: server:inetPlugin

Included by: pkg:maven/pdfc/server@24.4

Evidence

Type	Source	Name	Value	Confidence
Vendor	central	artifactid	junit	Highest
Vendor	central	groupid	junit	Highest
Vendor	file	name	junit	High
Vendor	gradle	artifactid	junit	Highest
Vendor	gradle	groupid	junit	Highest
Vendor	jar	package name	junit	Highest
Vendor	jar	package name	junit	Low
Vendor	Manifest	automatic-module-name	junit	Medium
Vendor	Manifest	implementation-url	http://junit.org	Low
Vendor	Manifest	Implementation-	JUnit	High

Vendor

Vendor	Manifest	Implementation-Vendor-Id	junit	Medium
Vendor	pom	artifactid	junit	Low
Vendor	pom	developer email	david@saff.net	Low
Vendor	pom	developer email	kcooney@google.com	Low
Vendor	pom	developer email	mail@marcphilipp.de	Low
Vendor	pom	developer email	mail@stefan-birkner.de	Low
Vendor	pom	developer id	dsaff	Medium
Vendor	pom	developer id	kcooney	Medium
Vendor	pom	developer id	marcphilipp	Medium
Vendor	pom	developer id	stefanbirkner	Medium
Vendor	pom	developer name	David Saff	Medium
Vendor	pom	developer name	Kevin Cooney	Medium
Vendor	pom	developer name	Marc Philipp	Medium
Vendor	pom	developer name	Stefan Birkner	Medium
Vendor	pom	groupid	junit	Highest
Vendor	pom	name	JUnit	High
Vendor	pom	organization name	JUnit	High
Vendor	pom	organization url	http://www.junit.org	Medium
Vendor	pom	url	http://junit.org	Highest
Product	central	artifactid	junit	Highest
Product	file	name	junit	High
Product	gradle	artifactid	junit	Highest
Product	jar	package name	junit	Highest
Product	Manifest	automatic-module-name	junit	Medium
Product	Manifest	Implementation-Title	JUnit	High
Product	Manifest	implementation-url	http://junit.org	Low
Product	pom	artifactid	junit	Highest
Product	pom	developer email	david@saff.net	Low
Product	pom	developer email	kcooney@google.com	Low
Product	pom	developer email	mail@marcphilipp.de	Low
Product	pom	developer email	mail@stefan-birkner.de	Low
Product	pom	developer id	dsaff	Low

Product	pom	developer id	kcooney	Low
Product	pom	developer id	marcphilipp	Low
Product	pom	developer id	stefanbirkner	Low
Product	pom	developer name	David Saff	Low
Product	pom	developer name	Kevin Cooney	Low
Product	pom	developer name	Marc Philipp	Low
Product	pom	developer name	Stefan Birkner	Low
Product	pom	groupid	junit	Highest
Product	pom	name	JUnit	High
Product	pom	organization name	JUnit	Low
Product	pom	organization url	http://www.junit.org	Low
Product	pom	url	http://junit.org	Medium
Version	central	version	4.13.2	Highest
Version	file	version	4.13.2	High
Version	gradle	version	4.13.2	Highest
Version	Manifest	Implementation-Version	4.13.2	High
Version	pom	version	4.13.2	Highest

Identifiers

- [pkg:maven/junit/junit@4.13.2](#) (*Confidence:High*)
- cpe:2.3:a:junit:junit:4.13.2:*:*:*:*:* (*Confidence:Low*) suppress

junit-jupiter-5.10.1.jar

Description:

Module "junit-jupiter" of JUnit 5.

License:

Eclipse Public License v2.0: <https://www.eclipse.org/legal/epl-v20.html>

File Path: /home/jenkins/.gradle/caches/modules-2/files-2.1/org.junit.jupiter/junit-jupiter/5.10.1/6e5c7dd668d6349cb99e52ab8321e73479a309bc/junit-jupiter-5.10.1.jar

MD5: 32fd55a03f648868767c1bebedd198df

SHA1: 6e5c7dd668d6349cb99e52ab8321e73479a309bc

SHA256: c1a386e901fae28e493185a47c8cea988fb1a37422b353a0f8b4df2e6c5d6037

Referenced In Project/Scope: server:inetPlugin

Included by:

- pkg:maven/pdfc/server@24.4
- pkg:maven/org.junit.jupiter/junit-jupiter@5.10.1
- pkg:maven/org.junit.platform/junit-platform-suite@1.10.1

Evidence



Type	Source	Name	Value	Confidence
Vendor	central	artifactid	junit-jupiter	Highest
Vendor	central	groupid	org.junit.jupiter	Highest
Vendor	file	name	junit-jupiter	High
Vendor	gradle	artifactid	junit-jupiter	Highest
Vendor	gradle	groupid	org.junit.jupiter	Highest
Vendor	jar	package name	module-info	Low
Vendor	Manifest	build-date	2023-11-05	Low
Vendor	Manifest	build-revision	e5f50d8720741623915979ac154b65bcbcd6a5	Low
Vendor	Manifest	build-time	17:49:13.996+0100	Low
Vendor	Manifest	bundle-symbolicname	junit-jupiter	Medium
Vendor	Manifest	Implementation-Vendor	junit.org	High
Vendor	Manifest	specification-vendor	junit.org	Low
Vendor	pom	artifactid	junit-jupiter	Low
Vendor	pom	developer email	business@johanneslink.net	Low
Vendor	pom	developer email	derancourt.juliette@gmail.com	Low
Vendor	pom	developer email	mail@marcphilipp.de	Low
Vendor	pom	developer email	matthias.merdes@heidelpay.com	Low
Vendor	pom	developer email	sam@sambrannen.com	Low
Vendor	pom	developer email	sormuras@gmail.com	Low
Vendor	pom	developer email	stefan.bechtold@me.com	Low
Vendor	pom	developer id	bechte	Medium
Vendor	pom	developer id	jlink	Medium
Vendor	pom	developer id	juliette-derancourt	Medium
Vendor	pom	developer id	marcphilipp	Medium
Vendor	pom	developer id	mmerdes	Medium
Vendor	pom	developer id	sbrannen	Medium
Vendor	pom	developer id	sormuras	Medium
Vendor	pom	developer name	Christian Stein	Medium
Vendor	pom	developer name	Johannes Link	Medium

Vendor	pom	developer name	Juliette de Rancourt	Medium
Vendor	pom	developer name	Marc Philipp	Medium
Vendor	pom	developer name	Matthias Merdes	Medium
Vendor	pom	developer name	Sam Brannen	Medium
Vendor	pom	developer name	Stefan Bechtold	Medium
Vendor	pom	groupid	org.junit.jupiter	Highest
Vendor	pom	name	JUnit Jupiter (Aggregator)	High
Vendor	pom	url	https://junit.org/junit5/	Highest
Product	central	artifactid	junit-jupiter	Highest
Product	file	name	junit-jupiter	High
Product	gradle	artifactid	junit-jupiter	Highest
Product	Manifest	build-date	2023-11-05	Low
Product	Manifest	build-revision	e5f50d8720741623915979ac154b65bcbcd6a5	Low
Product	Manifest	build-time	17:49:13.996+0100	Low
Product	Manifest	Bundle-Name	JUnit Jupiter (Aggregator)	Medium
Product	Manifest	bundle-symbolicname	junit-jupiter	Medium
Product	Manifest	Implementation-Title	junit-jupiter	High
Product	Manifest	specification-title	junit-jupiter	Medium
Product	pom	artifactid	junit-jupiter	Highest
Product	pom	developer email	business@johanneslink.net	Low
Product	pom	developer email	derancourt.juliette@gmail.com	Low
Product	pom	developer email	mail@marcphilipp.de	Low
Product	pom	developer email	matthias.merdes@heidelpay.com	Low
Product	pom	developer email	sam@sambrannen.com	Low
Product	pom	developer email	sormuras@gmail.com	Low
Product	pom	developer email	stefan.bechtold@me.com	Low
Product	pom	developer id	bechte	Low
Product	pom	developer id	jlink	Low
Product	pom	developer id	juliette-derancourt	Low
Product	pom	developer id	marcphilipp	Low
Product	pom	developer id	mmerdes	Low
Product	pom	developer id	sbrannen	Low
Product	pom	developer id	sormuras	Low
Product	pom	developer name	Christian Stein	Low

Product	pom	developer name	Johannes Link	Low
Product	pom	developer name	Juliette de Rancourt	Low
Product	pom	developer name	Marc Philipp	Low
Product	pom	developer name	Matthias Merdes	Low
Product	pom	developer name	Sam Brannen	Low
Product	pom	developer name	Stefan Bechtold	Low
Product	pom	groupid	org.junit.jupiter	Highest
Product	pom	name	JUnit Jupiter (Aggregator)	High
Product	pom	url	https://junit.org/junit5/	Medium
Version	central	version	5.10.1	Highest
Version	file	version	5.10.1	High
Version	gradle	version	5.10.1	Highest
Version	Manifest	Bundle-Version	5.10.1	High
Version	Manifest	Implementation-Version	5.10.1	High
Version	pom	version	5.10.1	Highest

Identifiers

- [pkg:maven/org.junit.jupiter/junit-jupiter@5.10.1](https://maven.org.junit.jupiter/junit-jupiter@5.10.1) (*Confidence:High*)

junit-jupiter-api-5.10.1.jar

Description:

Module "junit-jupiter-api" of JUnit 5.

License:

Eclipse Public License v2.0: <https://www.eclipse.org/legal/epl-v20.html>

File Path: /home/jenkins/.gradle/caches/modules-2/files-2.1/org.junit.jupiter/junit-jupiter-api/5.10.1/eb90c7d8bfaae8fdc97b225733fcb595ddd72843/junit-jupiter-api-5.10.1.jar

MD5: c6b8b04f2910f6cef6ac10846f43a92d

SHA1: eb90c7d8bfaae8fdc97b225733fcb595ddd72843

SHA256: 60d5c398c32dc7039b99282514ad6064061d8417cf959a1f6bd2038cc907c913

Referenced In Project/Scope: server:inetPlugin

Included by:

- pkg:maven/org.junit.jupiter/junit-jupiter@5.10.1
- pkg:maven/org.junit.platform/junit-platform-suite@1.10.1

Evidence



Type	Source	Name	Value	Confidence
Vendor	central	artifactid	junit-jupiter-api	Highest
Vendor	central	groupid	org.junit.jupiter	Highest
Vendor	file	name	junit-jupiter-api	High
Vendor	gradle	artifactid	junit-jupiter-api	Highest
Vendor	gradle	groupid	org.junit.jupiter	Highest
Vendor	jar	package name	api	Highest
Vendor	jar	package name	api	Low
Vendor	jar	package name	junit	Highest
Vendor	jar	package name	junit	Low
Vendor	jar	package name	jupiter	Highest
Vendor	jar	package name	jupiter	Low
Vendor	Manifest	build-date	2023-11-05	Low
Vendor	Manifest	build-revision	e5f50d8720741623915979ac154b65bcbcd6a5	Low
Vendor	Manifest	build-time	17:49:13.996+0100	Low
Vendor	Manifest	bundle-symbolicname	junit-jupiter-api	Medium
Vendor	Manifest	Implementation-Vendor	junit.org	High
Vendor	Manifest	specification-vendor	junit.org	Low
Vendor	pom	artifactid	junit-jupiter-api	Low
Vendor	pom	developer email	business@johanneslink.net	Low
Vendor	pom	developer email	derancourt.juliette@gmail.com	Low
Vendor	pom	developer email	mail@marcphilipp.de	Low
Vendor	pom	developer email	matthias.merdes@heidelpay.com	Low
Vendor	pom	developer email	sam@sambrannen.com	Low
Vendor	pom	developer email	sormuras@gmail.com	Low
Vendor	pom	developer email	stefan.bechtold@me.com	Low
Vendor	pom	developer id	bechte	Medium
Vendor	pom	developer id	jlink	Medium
Vendor	pom	developer id	juliette-derancourt	Medium
Vendor	pom	developer id	marcphilipp	Medium
Vendor	pom	developer id	mmerdes	Medium
Vendor	pom	developer id	sbrannen	Medium
Vendor	pom	developer id	sormuras	Medium
Vendor	pom	developer name	Christian Stein	Medium

Vendor	pom	developer name	Johannes Link	Medium
Vendor	pom	developer name	Juliette de Rancourt	Medium
Vendor	pom	developer name	Marc Philipp	Medium
Vendor	pom	developer name	Matthias Merdes	Medium
Vendor	pom	developer name	Sam Brannen	Medium
Vendor	pom	developer name	Stefan Bechtold	Medium
Vendor	pom	groupid	org.junit.jupiter	Highest
Vendor	pom	name	JUnit Jupiter API	High
Vendor	pom	url	https://junit.org/junit5/	Highest
Product	central	artifactid	junit-jupiter-api	Highest
Product	file	name	junit-jupiter-api	High
Product	gradle	artifactid	junit-jupiter-api	Highest
Product	jar	package name	api	Highest
Product	jar	package name	api	Low
Product	jar	package name	junit	Highest
Product	jar	package name	jupiter	Highest
Product	jar	package name	jupiter	Low
Product	Manifest	build-date	2023-11-05	Low
Product	Manifest	build-revision	e5f50d8720741623915979ac154b65bcbcd6a5	Low
Product	Manifest	build-time	17:49:13.996+0100	Low
Product	Manifest	Bundle-Name	JUnit Jupiter API	Medium
Product	Manifest	bundle-symbolicname	junit-jupiter-api	Medium
Product	Manifest	Implementation-Title	junit-jupiter-api	High
Product	Manifest	specification-title	junit-jupiter-api	Medium
Product	pom	artifactid	junit-jupiter-api	Highest
Product	pom	developer email	business@johanneslink.net	Low
Product	pom	developer email	derancourt.juliette@gmail.com	Low
Product	pom	developer email	mail@marcphilipp.de	Low
Product	pom	developer email	matthias.merdes@heidelpay.com	Low
Product	pom	developer email	sam@sambrannen.com	Low
Product	pom	developer email	sormuras@gmail.com	Low
Product	pom	developer email	stefan.bechtold@me.com	Low
Product	pom	developer id	bechte	Low
Product	pom	developer id	jlink	Low

Product	pom	developer id	juliette-derancourt	Low
Product	pom	developer id	marcphilipp	Low
Product	pom	developer id	mmerdes	Low
Product	pom	developer id	sbrannen	Low
Product	pom	developer id	sormuras	Low
Product	pom	developer name	Christian Stein	Low
Product	pom	developer name	Johannes Link	Low
Product	pom	developer name	Juliette de Rancourt	Low
Product	pom	developer name	Marc Philipp	Low
Product	pom	developer name	Matthias Merdes	Low
Product	pom	developer name	Sam Brannen	Low
Product	pom	developer name	Stefan Bechtold	Low
Product	pom	groupid	org.junit.jupiter	Highest
Product	pom	name	JUnit Jupiter API	High
Product	pom	url	https://junit.org/junit5/	Medium
Version	central	version	5.10.1	Highest
Version	file	version	5.10.1	High
Version	gradle	version	5.10.1	Highest
Version	Manifest	Bundle-Version	5.10.1	High
Version	Manifest	Implementation-Version	5.10.1	High
Version	pom	version	5.10.1	Highest

Identifiers

- [pkg:maven/org.junit.jupiter/junit-jupiter-api@5.10.1](https://maven.org.junit.jupiter/junit-jupiter-api@5.10.1) (*Confidence:High*)

junit-jupiter-engine-5.10.1.jar

Description:

Module "junit-jupiter-engine" of JUnit 5.

License:

Eclipse Public License v2.0: <https://www.eclipse.org/legal/epl-v20.html>

File Path: /home/jenkins/.gradle/caches/modules-2/files-2.1/org.junit.jupiter/junit-jupiter-engine/5.10.1/6c9ff773f9aa842b91d1f2fe4658973252ce2428/junit-jupiter-engine-5.10.1.jar

MD5: 71d86cd027062c4da0796c2493ae94fe

SHA1: 6c9ff773f9aa842b91d1f2fe4658973252ce2428

SHA256: 02930dfe495f93fe70b26550ace3a28f7e1b900c84426c2e4626ce020c7282d6

Referenced In Project/Scope: server:inetPlugin

Included by:

- pkg:maven/org.junit.jupiter/junit-jupiter@5.10.1
- pkg:maven/org.junit.platform/junit-platform-suite@1.10.1

Evidence



Type	Source	Name	Value	Confidence
Vendor	central	artifactid	junit-jupiter-engine	Highest
Vendor	central	groupid	org.junit.jupiter	Highest
Vendor	file	name	junit-jupiter-engine	High
Vendor	gradle	artifactid	junit-jupiter-engine	Highest
Vendor	gradle	groupid	org.junit.jupiter	Highest
Vendor	jar	package name	engine	Highest
Vendor	jar	package name	engine	Low
Vendor	jar	package name	junit	Highest
Vendor	jar	package name	junit	Low
Vendor	jar	package name	jupiter	Highest
Vendor	jar	package name	jupiter	Low
Vendor	Manifest	build-date	2023-11-05	Low
Vendor	Manifest	build-revision	e5f50d8720741623915979ac154b65bcbcd6a5	Low
Vendor	Manifest	build-time	17:49:13.996+0100	Low
Vendor	Manifest	bundle-symbolicname	junit-jupiter-engine	Medium
Vendor	Manifest	Implementation-Vendor	junit.org	High
Vendor	Manifest	provide-capability	org.junit.platform.engine;org.junit.platform.engine=junit-jupiter;version:Version="5.10.1"	Low
Vendor	Manifest	specification-vendor	junit.org	Low
Vendor	pom	artifactid	junit-jupiter-engine	Low
Vendor	pom	developer email	business@johanneslink.net	Low
Vendor	pom	developer email	derancourt.juliette@gmail.com	Low
Vendor	pom	developer email	mail@marcphilipp.de	Low
Vendor	pom	developer email	matthias.merdes@heidelpay.com	Low
Vendor	pom	developer email	sam@sambrannen.com	Low
Vendor	pom	developer email	sormuras@gmail.com	Low
Vendor	pom	developer email	stefan.bechtold@me.com	Low

Vendor	pom	developer id	bechte	Medium
Vendor	pom	developer id	jlink	Medium
Vendor	pom	developer id	juliette-derancourt	Medium
Vendor	pom	developer id	marcphilipp	Medium
Vendor	pom	developer id	mmerdes	Medium
Vendor	pom	developer id	sbrannen	Medium
Vendor	pom	developer id	sormuras	Medium
Vendor	pom	developer name	Christian Stein	Medium
Vendor	pom	developer name	Johannes Link	Medium
Vendor	pom	developer name	Juliette de Rancourt	Medium
Vendor	pom	developer name	Marc Philipp	Medium
Vendor	pom	developer name	Matthias Merdes	Medium
Vendor	pom	developer name	Sam Brannen	Medium
Vendor	pom	developer name	Stefan Bechtold	Medium
Vendor	pom	groupid	org.junit.jupiter	Highest
Vendor	pom	name	JUnit Jupiter Engine	High
Vendor	pom	url	https://junit.org/junit5/	Highest
Product	central	artifactid	junit-jupiter-engine	Highest
Product	file	name	junit-jupiter-engine	High
Product	gradle	artifactid	junit-jupiter-engine	Highest
Product	jar	package name	engine	Highest
Product	jar	package name	engine	Low
Product	jar	package name	junit	Highest
Product	jar	package name	jupiter	Highest
Product	jar	package name	jupiter	Low
Product	Manifest	build-date	2023-11-05	Low
Product	Manifest	build-revision	e5f50d8720741623915979ac154b65bcbcd6a5	Low
Product	Manifest	build-time	17:49:13.996+0100	Low
Product	Manifest	Bundle-Name	JUnit Jupiter Engine	Medium
Product	Manifest	bundle-symbolicname	junit-jupiter-engine	Medium
Product	Manifest	Implementation-Title	junit-jupiter-engine	High
Product	Manifest	provide-capability	org.junit.platform.engine;org.junit.platform.engine=junit-jupiter;version:Version="5.10.1"	Low
Product	Manifest	specification-title	junit-jupiter-engine	Medium
Product	pom	artifactid	junit-jupiter-engine	Highest

Product	pom	developer email	business@johanneslink.net	Low
Product	pom	developer email	derancourt.juliette@gmail.com	Low
Product	pom	developer email	mail@marcphilipp.de	Low
Product	pom	developer email	matthias.merdes@heidelpay.com	Low
Product	pom	developer email	sam@sambrannen.com	Low
Product	pom	developer email	sormuras@gmail.com	Low
Product	pom	developer email	stefan.bechtold@me.com	Low
Product	pom	developer id	bechte	Low
Product	pom	developer id	jlink	Low
Product	pom	developer id	juliette-derancourt	Low
Product	pom	developer id	marcphilipp	Low
Product	pom	developer id	mmerdes	Low
Product	pom	developer id	sbrannen	Low
Product	pom	developer id	sormuras	Low
Product	pom	developer name	Christian Stein	Low
Product	pom	developer name	Johannes Link	Low
Product	pom	developer name	Juliette de Rancourt	Low
Product	pom	developer name	Marc Philipp	Low
Product	pom	developer name	Matthias Merdes	Low
Product	pom	developer name	Sam Brannen	Low
Product	pom	developer name	Stefan Bechtold	Low
Product	pom	groupid	org.junit.jupiter	Highest
Product	pom	name	JUnit Jupiter Engine	High
Product	pom	url	https://junit.org/junit5/	Medium
Version	central	version	5.10.1	Highest
Version	file	version	5.10.1	High
Version	gradle	version	5.10.1	Highest
Version	Manifest	Bundle-Version	5.10.1	High
Version	Manifest	Implementation-Version	5.10.1	High
Version	pom	version	5.10.1	Highest

Identifiers

- [pkg:maven/org.junit.jupiter/junit-jupiter-engine@5.10.1](https://maven.org/junit.jupiter/junit-jupiter-engine@5.10.1) (*Confidence:High*)

junit-jupiter-params-5.10.1.jar

Description:

Module "junit-jupiter-params" of JUnit 5.

License:

Eclipse Public License v2.0: <https://www.eclipse.org/legal/epl-v20.html>

File Path: /home/jenkins/.gradle/caches/modules-2/files-2.1/org.junit.jupiter/junit-jupiter-params/5.10.1/c8f15d4e99940c4564098af78c10809c00fdca06/junit-jupiter-params-5.10.1.jar

MD5: 5e8e17f6f2a5dedb42d9846a3352dd31

SHA1: c8f15d4e99940c4564098af78c10809c00fdca06

SHA256: c8cf62debcb354deefe1ffd0671eff785514907567d22a615ff8a8de4522b21

Referenced In Project/Scope: server:inetPlugin

Included by:

- pkg:maven/org.junit.jupiter/junit-jupiter@5.10.1
- pkg:maven/org.junit.platform/junit-platform-suite@1.10.1

Evidence



Type	Source	Name	Value	Confidence
Vendor	central	artifactid	junit-jupiter-params	Highest
Vendor	central	groupid	org.junit.jupiter	Highest
Vendor	file	name	junit-jupiter-params	High
Vendor	gradle	artifactid	junit-jupiter-params	Highest
Vendor	gradle	groupid	org.junit.jupiter	Highest
Vendor	jar	package name	junit	Highest
Vendor	jar	package name	junit	Low
Vendor	jar	package name	jupiter	Highest
Vendor	jar	package name	jupiter	Low
Vendor	jar	package name	params	Highest
Vendor	jar	package name	params	Low
Vendor	Manifest	build-date	2023-11-05	Low
Vendor	Manifest	build-revision	e5f50d8720741623915979ac154b65bcbcd6a5	Low
Vendor	Manifest	build-time	17:49:13.996+0100	Low
Vendor	Manifest	bundle-symbolicname	junit-jupiter-params	Medium
Vendor	Manifest	Implementation-Vendor	junit.org	High
Vendor	Manifest	specification-vendor	junit.org	Low

Vendor	pom	artifactid	junit-jupiter-params	Low
Vendor	pom	developer email	business@johanneslink.net	Low
Vendor	pom	developer email	derancourt.juliette@gmail.com	Low
Vendor	pom	developer email	mail@marcphilipp.de	Low
Vendor	pom	developer email	matthias.merdes@heidelpay.com	Low
Vendor	pom	developer email	sam@sambrannen.com	Low
Vendor	pom	developer email	sormuras@gmail.com	Low
Vendor	pom	developer email	stefan.bechtold@me.com	Low
Vendor	pom	developer id	bechte	Medium
Vendor	pom	developer id	jlink	Medium
Vendor	pom	developer id	juliette-derancourt	Medium
Vendor	pom	developer id	marcphilipp	Medium
Vendor	pom	developer id	mmerdes	Medium
Vendor	pom	developer id	sbrannen	Medium
Vendor	pom	developer id	sormuras	Medium
Vendor	pom	developer name	Christian Stein	Medium
Vendor	pom	developer name	Johannes Link	Medium
Vendor	pom	developer name	Juliette de Rancourt	Medium
Vendor	pom	developer name	Marc Philipp	Medium
Vendor	pom	developer name	Matthias Merdes	Medium
Vendor	pom	developer name	Sam Brannen	Medium
Vendor	pom	developer name	Stefan Bechtold	Medium
Vendor	pom	groupid	org.junit.jupiter	Highest
Vendor	pom	name	JUnit Jupiter Params	High
Vendor	pom	url	https://junit.org/junit5/	Highest
Product	central	artifactid	junit-jupiter-params	Highest
Product	file	name	junit-jupiter-params	High
Product	gradle	artifactid	junit-jupiter-params	Highest
Product	jar	package name	junit	Highest
Product	jar	package name	jupiter	Highest
Product	jar	package name	jupiter	Low
Product	jar	package name	params	Highest
Product	jar	package name	params	Low
Product	jar	package name	shadow	Low
Product	Manifest	build-date	2023-11-05	Low

Product	Manifest	build-revision	e5f50d8720741623915979ac154b65bcbcd6a5	Low
Product	Manifest	build-time	17:49:13.996+0100	Low
Product	Manifest	Bundle-Name	JUnit Jupiter Params	Medium
Product	Manifest	bundle-symbolicname	junit-jupiter-params	Medium
Product	Manifest	Implementation-Title	junit-jupiter-params	High
Product	Manifest	specification-title	junit-jupiter-params	Medium
Product	pom	artifactid	junit-jupiter-params	Highest
Product	pom	developer email	business@johanneslink.net	Low
Product	pom	developer email	derancourt.juliette@gmail.com	Low
Product	pom	developer email	mail@marcphilipp.de	Low
Product	pom	developer email	matthias.merdes@heidelpay.com	Low
Product	pom	developer email	sam@sambrannen.com	Low
Product	pom	developer email	sormuras@gmail.com	Low
Product	pom	developer email	stefan.bechtold@me.com	Low
Product	pom	developer id	bechte	Low
Product	pom	developer id	jlink	Low
Product	pom	developer id	juliette-derancourt	Low
Product	pom	developer id	marcphilipp	Low
Product	pom	developer id	mmerdes	Low
Product	pom	developer id	sbrannen	Low
Product	pom	developer id	sormuras	Low
Product	pom	developer name	Christian Stein	Low
Product	pom	developer name	Johannes Link	Low
Product	pom	developer name	Juliette de Rancourt	Low
Product	pom	developer name	Marc Philipp	Low
Product	pom	developer name	Matthias Merdes	Low
Product	pom	developer name	Sam Brannen	Low
Product	pom	developer name	Stefan Bechtold	Low
Product	pom	groupid	org.junit.jupiter	Highest
Product	pom	name	JUnit Jupiter Params	High
Product	pom	url	https://junit.org/junit5/	Medium
Version	central	version	5.10.1	Highest
Version	file	version	5.10.1	High
Version	gradle	version	5.10.1	Highest

Version	Manifest	Bundle-Version	5.10.1	High
Version	Manifest	Implementation-Version	5.10.1	High
Version	pom	version	5.10.1	Highest

Identifiers

- <pkg:maven/org.junit.jupiter/junit-jupiter-params@5.10.1> (*Confidence:High*)

junit-platform-commons-1.10.1.jar

Description:

Module "junit-platform-commons" of JUnit 5.

License:

Eclipse Public License v2.0: <https://www.eclipse.org/legal/epl-v20.html>

File Path: /home/jenkins/.gradle/caches/modules-2/files-2.1/org.junit.platform/junit-platform-commons/1.10.1/2bfcd4a4e38b10c671b6916d7e543c20afe25579/junit-platform-commons-1.10.1.jar

MD5: cd430f3f7345c0888f8408ce8795c751

SHA1: 2bfcd4a4e38b10c671b6916d7e543c20afe25579

SHA256: 7d9855ee3f3f71f015eb1479559bf923783243c24fbfd8b29bed8e8099b5672

Referenced In Project/Scope: server:inetPlugin

Included by:

- pkg:maven/org.junit.jupiter/junit-jupiter@5.10.1
- pkg:maven/org.junit.platform/junit-platform-suite@1.10.1

Evidence

Type	Source	Name	Value	Confidence
Vendor	central	artifactid	junit-platform-commons	Highest
Vendor	central	groupid	org.junit.platform	Highest
Vendor	file	name	junit-platform-commons	High
Vendor	gradle	artifactid	junit-platform-commons	Highest
Vendor	gradle	groupid	org.junit.platform	Highest
Vendor	jar	package name	commons	Highest
Vendor	jar	package name	commons	Low
Vendor	jar	package name	junit	Highest
Vendor	jar	package name	junit	Low
Vendor	jar	package name	org	Highest
Vendor	jar	package name	platform	Highest

Vendor	jar	package name	platform	Low
Vendor	Manifest	build-date	2023-11-05	Low
Vendor	Manifest	build-revision	e5f50d8720741623915979ac154b65bcbcd6a5	Low
Vendor	Manifest	build-time	17:49:13.996+0100	Low
Vendor	Manifest	bundle-symbolicname	junit-platform-commons	Medium
Vendor	Manifest	Implementation-Vendor	junit.org	High
Vendor	Manifest	multi-release	true	Low
Vendor	Manifest	specification-vendor	junit.org	Low
Vendor	pom	artifactid	junit-platform-commons	Low
Vendor	pom	developer email	business@johanneslink.net	Low
Vendor	pom	developer email	derancourt.juliette@gmail.com	Low
Vendor	pom	developer email	mail@marcphilipp.de	Low
Vendor	pom	developer email	matthias.merdes@heidelpay.com	Low
Vendor	pom	developer email	sam@sambrannen.com	Low
Vendor	pom	developer email	sormuras@gmail.com	Low
Vendor	pom	developer email	stefan.bechtold@me.com	Low
Vendor	pom	developer id	bechte	Medium
Vendor	pom	developer id	jlink	Medium
Vendor	pom	developer id	juliette-derancourt	Medium
Vendor	pom	developer id	marcphilipp	Medium
Vendor	pom	developer id	mmerdes	Medium
Vendor	pom	developer id	sbrannen	Medium
Vendor	pom	developer id	sormuras	Medium
Vendor	pom	developer name	Christian Stein	Medium
Vendor	pom	developer name	Johannes Link	Medium
Vendor	pom	developer name	Juliette de Rancourt	Medium
Vendor	pom	developer name	Marc Philipp	Medium
Vendor	pom	developer name	Matthias Merdes	Medium
Vendor	pom	developer name	Sam Brannen	Medium
Vendor	pom	developer name	Stefan Bechtold	Medium
Vendor	pom	groupid	org.junit.platform	Highest
Vendor	pom	name	JUnit Platform Commons	High
Vendor	pom	url	https://junit.org/junit5/	Highest
Product	central	artifactid	junit-platform-commons	Highest

Product	file	name	junit-platform-commons	High
Product	gradle	artifactid	junit-platform-commons	Highest
Product	jar	package name	commons	Highest
Product	jar	package name	commons	Low
Product	jar	package name	junit	Highest
Product	jar	package name	platform	Highest
Product	jar	package name	platform	Low
Product	jar	package name	util	Low
Product	Manifest	build-date	2023-11-05	Low
Product	Manifest	build-revision	e5f50d8720741623915979ac154b65bcbcd6a5	Low
Product	Manifest	build-time	17:49:13.996+0100	Low
Product	Manifest	Bundle-Name	JUnit Platform Commons	Medium
Product	Manifest	bundle-symbolicname	junit-platform-commons	Medium
Product	Manifest	Implementation-Title	junit-platform-commons	High
Product	Manifest	multi-release	true	Low
Product	Manifest	specification-title	junit-platform-commons	Medium
Product	pom	artifactid	junit-platform-commons	Highest
Product	pom	developer email	business@johanneslink.net	Low
Product	pom	developer email	derancourt.juliette@gmail.com	Low
Product	pom	developer email	mail@marcphilipp.de	Low
Product	pom	developer email	matthias.merdes@heidelpay.com	Low
Product	pom	developer email	sam@sambrannen.com	Low
Product	pom	developer email	sormuras@gmail.com	Low
Product	pom	developer email	stefan.bechtold@me.com	Low
Product	pom	developer id	bechte	Low
Product	pom	developer id	jlink	Low
Product	pom	developer id	juliette-derancourt	Low
Product	pom	developer id	marcphilipp	Low
Product	pom	developer id	mmerdes	Low
Product	pom	developer id	sbrannen	Low
Product	pom	developer id	sormuras	Low
Product	pom	developer name	Christian Stein	Low
Product	pom	developer name	Johannes Link	Low
Product	pom	developer name	Juliette de Rancourt	Low

Product	pom	developer name	Marc Philipp	Low
Product	pom	developer name	Matthias Merdes	Low
Product	pom	developer name	Sam Brannen	Low
Product	pom	developer name	Stefan Bechtold	Low
Product	pom	groupid	org.junit.platform	Highest
Product	pom	name	JUnit Platform Commons	High
Product	pom	url	https://junit.org/junit5/	Medium
Version	central	version	1.10.1	Highest
Version	file	version	1.10.1	High
Version	gradle	version	1.10.1	Highest
Version	Manifest	Bundle-Version	1.10.1	High
Version	Manifest	Implementation-Version	1.10.1	High
Version	pom	version	1.10.1	Highest

Identifiers

- [pkg:maven/org.junit.platform/junit-platform-commons@1.10.1](#) (*Confidence:High*)
- [cpe:2.3:a:fan_platform_project:fan_platform:1.10.1:*:*:*:*:*](#) (*Confidence:Low*)

suppress

junit-platform-engine-1.10.1.jar

Description:

Module "junit-platform-engine" of JUnit 5.

License:

Eclipse Public License v2.0: <https://www.eclipse.org/legal/epl-v20.html>

File Path: /home/jenkins/.gradle/caches/modules-2/files-2.1/org.junit.platform/junit-platform-engine/1.10.1/f32ae4af74fde68414b8a3d2b7cf1fb43824a83a/junit-platform-engine-1.10.1.jar

MD5: 4d571057589cd109f3f4bedf7bbf5e7a

SHA1: f32ae4af74fde68414b8a3d2b7cf1fb43824a83a

SHA256: baa48e470d6dee7369a0a8820c51da89c1463279eda6e13a304d11f45922c760

Referenced In Project/Scope: server:inetPlugin

Included by:

- pkg:maven/org.junit.jupiter/junit-jupiter@5.10.1
- pkg:maven/org.junit.platform/junit-platform-suite@1.10.1

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Vendor	central	artifactid	junit-platform-engine	Highest
Vendor	central	groupid	org.junit.platform	Highest
Vendor	file	name	junit-platform-engine	High
Vendor	gradle	artifactid	junit-platform-engine	Highest
Vendor	gradle	groupid	org.junit.platform	Highest
Vendor	jar	package name	engine	Highest
Vendor	jar	package name	engine	Low
Vendor	jar	package name	junit	Highest
Vendor	jar	package name	junit	Low
Vendor	jar	package name	platform	Highest
Vendor	jar	package name	platform	Low
Vendor	Manifest	build-date	2023-11-05	Low
Vendor	Manifest	build-revision	e5f50d8720741623915979ac154b65bcbcd6a5	Low
Vendor	Manifest	build-time	17:49:13.996+0100	Low
Vendor	Manifest	bundle-symbolicname	junit-platform-engine	Medium
Vendor	Manifest	Implementation-Vendor	junit.org	High
Vendor	Manifest	specification-vendor	junit.org	Low
Vendor	pom	artifactid	junit-platform-engine	Low
Vendor	pom	developer email	business@johanneslink.net	Low
Vendor	pom	developer email	derancourt.juliette@gmail.com	Low
Vendor	pom	developer email	mail@marcphilipp.de	Low
Vendor	pom	developer email	matthias.merdes@heidelpay.com	Low
Vendor	pom	developer email	sam@sambrannen.com	Low
Vendor	pom	developer email	sormuras@gmail.com	Low
Vendor	pom	developer email	stefan.bechtold@me.com	Low
Vendor	pom	developer id	bechte	Medium
Vendor	pom	developer id	jlink	Medium
Vendor	pom	developer id	juliette-derancourt	Medium
Vendor	pom	developer id	marcphilipp	Medium
Vendor	pom	developer id	mmerdes	Medium
Vendor	pom	developer id	sbrannen	Medium
Vendor	pom	developer id	sormuras	Medium
Vendor	pom	developer name	Christian Stein	Medium

Vendor	pom	developer name	Johannes Link	Medium
Vendor	pom	developer name	Juliette de Rancourt	Medium
Vendor	pom	developer name	Marc Philipp	Medium
Vendor	pom	developer name	Matthias Merdes	Medium
Vendor	pom	developer name	Sam Brannen	Medium
Vendor	pom	developer name	Stefan Bechtold	Medium
Vendor	pom	groupid	org.junit.platform	Highest
Vendor	pom	name	JUnit Platform Engine API	High
Vendor	pom	url	https://junit.org/junit5/	Highest
Product	central	artifactid	junit-platform-engine	Highest
Product	file	name	junit-platform-engine	High
Product	gradle	artifactid	junit-platform-engine	Highest
Product	jar	package name	engine	Highest
Product	jar	package name	engine	Low
Product	jar	package name	junit	Highest
Product	jar	package name	platform	Highest
Product	jar	package name	platform	Low
Product	jar	package name	support	Low
Product	Manifest	build-date	2023-11-05	Low
Product	Manifest	build-revision	e5f50d8720741623915979ac154b65bcbcd6a5	Low
Product	Manifest	build-time	17:49:13.996+0100	Low
Product	Manifest	Bundle-Name	JUnit Platform Engine API	Medium
Product	Manifest	bundle-symbolicname	junit-platform-engine	Medium
Product	Manifest	Implementation-Title	junit-platform-engine	High
Product	Manifest	specification-title	junit-platform-engine	Medium
Product	pom	artifactid	junit-platform-engine	Highest
Product	pom	developer email	business@johanneslink.net	Low
Product	pom	developer email	derancourt.juliette@gmail.com	Low
Product	pom	developer email	mail@marcphilipp.de	Low
Product	pom	developer email	matthias.merdes@heidelpay.com	Low
Product	pom	developer email	sam@sambrannen.com	Low
Product	pom	developer email	sormuras@gmail.com	Low
Product	pom	developer email	stefan.bechtold@me.com	Low
Product	pom	developer id	bechte	Low

Product	pom	developer id	jlink	Low
Product	pom	developer id	juliette-derancourt	Low
Product	pom	developer id	marcphilipp	Low
Product	pom	developer id	mmerdes	Low
Product	pom	developer id	sbrannen	Low
Product	pom	developer id	sormuras	Low
Product	pom	developer name	Christian Stein	Low
Product	pom	developer name	Johannes Link	Low
Product	pom	developer name	Juliette de Rancourt	Low
Product	pom	developer name	Marc Philipp	Low
Product	pom	developer name	Matthias Merdes	Low
Product	pom	developer name	Sam Brannen	Low
Product	pom	developer name	Stefan Bechtold	Low
Product	pom	groupid	org.junit.platform	Highest
Product	pom	name	JUnit Platform Engine API	High
Product	pom	url	https://junit.org/junit5/	Medium
Version	central	version	1.10.1	Highest
Version	file	version	1.10.1	High
Version	gradle	version	1.10.1	Highest
Version	Manifest	Bundle-Version	1.10.1	High
Version	Manifest	Implementation-Version	1.10.1	High
Version	pom	version	1.10.1	Highest

Identifiers

- [pkg:maven/org.junit.platform/junit-platform-engine@1.10.1](#) (*Confidence:High*)
- [cpe:2.3:a:fan_platform_project:fan_platform:1.10.1:*****](#) (*Confidence:Low*)

suppress

junit-platform-launcher-1.10.1.jar

Description:

Module "junit-platform-launcher" of JUnit 5.

License:

File Path: /home/jenkins/.gradle/caches/modules-2/files-2.1/org.junit.platform/junit-platform-launcher/1.10.1/ce85bf5e38bee0989ded9bd468dd4ff78dc0cfa8/junit-platform-launcher-1.10.1.jar

MD5: 48761921601bb4bec86cff7ecfd0fef2

SHA1: ce85bf5e38bee0989ded9bd468dd4ff78dc0cfa8

SHA256: ded414c504e88d02270331071969084e1b2fd9bcf8443f35d44da2c6e3301bc2

Referenced In Project/Scope: server:inetPlugin

Included by:

- pkg:maven/org.junit.jupiter/junit-jupiter@5.10.1
- pkg:maven/org.junit.platform/junit-platform-suite@1.10.1

Evidence



Type	Source	Name	Value	Confidence
Vendor	central	artifactid	junit-platform-launcher	Highest
Vendor	central	groupid	org.junit.platform	Highest
Vendor	file	name	junit-platform-launcher	High
Vendor	gradle	artifactid	junit-platform-launcher	Highest
Vendor	gradle	groupid	org.junit.platform	Highest
Vendor	jar	package name	junit	Highest
Vendor	jar	package name	junit	Low
Vendor	jar	package name	launcher	Highest
Vendor	jar	package name	launcher	Low
Vendor	jar	package name	platform	Highest
Vendor	jar	package name	platform	Low
Vendor	Manifest	build-date	2023-11-05	Low
Vendor	Manifest	build-revision	e5f50d8720741623915979ac154b65bcbcd6a5	Low
Vendor	Manifest	build-time	17:49:13.996+0100	Low
Vendor	Manifest	bundle-symbolicname	junit-platform-launcher	Medium
Vendor	Manifest	Implementation-Vendor	junit.org	High
Vendor	Manifest	provide-capability	org.junit.platform.launcher;org.junit.platform.launcher=junit-platform-launcher;version:Version="1.10.1"	Low
Vendor	Manifest	specification-vendor	junit.org	Low
Vendor	pom	artifactid	junit-platform-launcher	Low
Vendor	pom	developer email	business@johanneslink.net	Low
Vendor	pom	developer email	derancourt.juliette@gmail.com	Low
Vendor	pom	developer email	mail@marcphilipp.de	Low
Vendor	pom	developer email	matthias.merdes@heidelpay.com	Low

Vendor	pom	developer email	sam@sambrannen.com	Low
Vendor	pom	developer email	sormuras@gmail.com	Low
Vendor	pom	developer email	stefan.bechtold@me.com	Low
Vendor	pom	developer id	bechte	Medium
Vendor	pom	developer id	jlink	Medium
Vendor	pom	developer id	juliette-derancourt	Medium
Vendor	pom	developer id	marcphilipp	Medium
Vendor	pom	developer id	mmerdes	Medium
Vendor	pom	developer id	sbrannen	Medium
Vendor	pom	developer id	sormuras	Medium
Vendor	pom	developer name	Christian Stein	Medium
Vendor	pom	developer name	Johannes Link	Medium
Vendor	pom	developer name	Juliette de Rancourt	Medium
Vendor	pom	developer name	Marc Philipp	Medium
Vendor	pom	developer name	Matthias Merdes	Medium
Vendor	pom	developer name	Sam Brannen	Medium
Vendor	pom	developer name	Stefan Bechtold	Medium
Vendor	pom	groupid	org.junit.platform	Highest
Vendor	pom	name	JUnit Platform Launcher	High
Vendor	pom	url	https://junit.org/junit5/	Highest
Product	central	artifactid	junit-platform-launcher	Highest
Product	file	name	junit-platform-launcher	High
Product	gradle	artifactid	junit-platform-launcher	Highest
Product	jar	package name	junit	Highest
Product	jar	package name	launcher	Highest
Product	jar	package name	launcher	Low
Product	jar	package name	platform	Highest
Product	jar	package name	platform	Low
Product	Manifest	build-date	2023-11-05	Low
Product	Manifest	build-revision	e5f50d8720741623915979ac154b65bcbcd6a5	Low
Product	Manifest	build-time	17:49:13.996+0100	Low
Product	Manifest	Bundle-Name	JUnit Platform Launcher	Medium
Product	Manifest	bundle-symbolicname	junit-platform-launcher	Medium
Product	Manifest	Implementation-Title	junit-platform-launcher	High

Product	Manifest	provide-capability	org.junit.platform.launcher;org.junit.platform.launcher=junit-platform-launcher;version:Version="1.10.1"	Low
Product	Manifest	specification-title	junit-platform-launcher	Medium
Product	pom	artifactid	junit-platform-launcher	Highest
Product	pom	developer email	business@johanneslink.net	Low
Product	pom	developer email	derancourt.juliette@gmail.com	Low
Product	pom	developer email	mail@marcphilipp.de	Low
Product	pom	developer email	matthias.merdes@heidelpay.com	Low
Product	pom	developer email	sam@sambrannen.com	Low
Product	pom	developer email	sormuras@gmail.com	Low
Product	pom	developer email	stefan.bechtold@me.com	Low
Product	pom	developer id	bechte	Low
Product	pom	developer id	jlink	Low
Product	pom	developer id	juliette-derancourt	Low
Product	pom	developer id	marcphilipp	Low
Product	pom	developer id	mmerdes	Low
Product	pom	developer id	sbrannen	Low
Product	pom	developer id	sormuras	Low
Product	pom	developer name	Christian Stein	Low
Product	pom	developer name	Johannes Link	Low
Product	pom	developer name	Juliette de Rancourt	Low
Product	pom	developer name	Marc Philipp	Low
Product	pom	developer name	Matthias Merdes	Low
Product	pom	developer name	Sam Brannen	Low
Product	pom	developer name	Stefan Bechtold	Low
Product	pom	groupid	org.junit.platform	Highest
Product	pom	name	JUnit Platform Launcher	High
Product	pom	url	https://junit.org/junit5/	Medium
Version	central	version	1.10.1	Highest
Version	file	version	1.10.1	High
Version	gradle	version	1.10.1	Highest
Version	Manifest	Bundle-Version	1.10.1	High
Version	Manifest	Implementation-Version	1.10.1	High
Version	pom	version	1.10.1	Highest

Identifiers

- [pkg:maven/org.junit.platform/junit-platform-launcher@1.10.1](#) (*Confidence:High*)
- [cpe:2.3:a:fan_platform_project:fan_platform:1.10.1:*:*:*:*:*](#) (*Confidence:Low*)

suppress

junit-platform-suite-1.10.1.jar

Description:

Module "junit-platform-suite" of JUnit 5.

License:

Eclipse Public License v2.0: <https://www.eclipse.org/legal/epl-v20.html>

File Path: /home/jenkins/.gradle/caches/modules-2/files-2.1/org.junit.platform/junit-platform-suite/1.10.1/a219dbd79ec2b1fc61b806554fcf4eb5c17a6d1d/junit-platform-suite-1.10.1.jar

MD5: 7518d41236d70227fe32774b5e92492c

SHA1: a219dbd79ec2b1fc61b806554fcf4eb5c17a6d1d

SHA256: af4aec132be75c72359eb97414f33fbf05856a85e8173b5a625cad65505bb402

Referenced In Project/Scope: server:inetPlugin

Included by:

- [pkg:maven/pdfc/server@24.4](#)
- [pkg:maven/org.junit.jupiter/junit-jupiter@5.10.1](#)
- [pkg:maven/org.junit.platform/junit-platform-suite@1.10.1](#)

Evidence



Type	Source	Name	Value	Confidence
Vendor	central	artifactid	junit-platform-suite	Highest
Vendor	central	groupid	org.junit.platform	Highest
Vendor	file	name	junit-platform-suite	High
Vendor	gradle	artifactid	junit-platform-suite	Highest
Vendor	gradle	groupid	org.junit.platform	Highest
Vendor	jar	package name	module-info	Low
Vendor	Manifest	build-date	2023-11-05	Low
Vendor	Manifest	build-revision	e5f50d8720741623915979ac154b65bcbcd6a5	Low
Vendor	Manifest	build-time	17:49:13.996+0100	Low
Vendor	Manifest	bundle-symbolicname	junit-platform-suite	Medium
Vendor	Manifest	Implementation-Vendor	junit.org	High
Vendor	Manifest	specification-vendor	junit.org	Low

Vendor	pom	artifactid	junit-platform-suite	Low
Vendor	pom	developer email	business@johanneslink.net	Low
Vendor	pom	developer email	derancourt.juliette@gmail.com	Low
Vendor	pom	developer email	mail@marcphilipp.de	Low
Vendor	pom	developer email	matthias.merdes@heidelpay.com	Low
Vendor	pom	developer email	sam@sambrannen.com	Low
Vendor	pom	developer email	sormuras@gmail.com	Low
Vendor	pom	developer email	stefan.bechtold@me.com	Low
Vendor	pom	developer id	bechte	Medium
Vendor	pom	developer id	jlink	Medium
Vendor	pom	developer id	juliette-derancourt	Medium
Vendor	pom	developer id	marcphilipp	Medium
Vendor	pom	developer id	mmerdes	Medium
Vendor	pom	developer id	sbrannen	Medium
Vendor	pom	developer id	sormuras	Medium
Vendor	pom	developer name	Christian Stein	Medium
Vendor	pom	developer name	Johannes Link	Medium
Vendor	pom	developer name	Juliette de Rancourt	Medium
Vendor	pom	developer name	Marc Philipp	Medium
Vendor	pom	developer name	Matthias Merdes	Medium
Vendor	pom	developer name	Sam Brannen	Medium
Vendor	pom	developer name	Stefan Bechtold	Medium
Vendor	pom	groupid	org.junit.platform	Highest
Vendor	pom	name	JUnit Platform Suite (Aggregator)	High
Vendor	pom	url	https://junit.org/junit5/	Highest
Product	central	artifactid	junit-platform-suite	Highest
Product	file	name	junit-platform-suite	High
Product	gradle	artifactid	junit-platform-suite	Highest
Product	Manifest	build-date	2023-11-05	Low
Product	Manifest	build-revision	e5f50d8720741623915979ac154b65bcbcd6a5	Low
Product	Manifest	build-time	17:49:13.996+0100	Low
Product	Manifest	Bundle-Name	JUnit Platform Suite (Aggregator)	Medium
Product	Manifest	bundle-symbolicname	junit-platform-suite	Medium
Product	Manifest	Implementation-Title	junit-platform-suite	High

Product	Manifest	specification-title	junit-platform-suite	Medium
Product	pom	artifactid	junit-platform-suite	Highest
Product	pom	developer email	business@johanneslink.net	Low
Product	pom	developer email	derancourt.juliette@gmail.com	Low
Product	pom	developer email	mail@marcphilipp.de	Low
Product	pom	developer email	matthias.merdes@heidelpay.com	Low
Product	pom	developer email	sam@sambrannen.com	Low
Product	pom	developer email	sormuras@gmail.com	Low
Product	pom	developer email	stefan.bechtold@me.com	Low
Product	pom	developer id	bechte	Low
Product	pom	developer id	jlink	Low
Product	pom	developer id	juliette-derancourt	Low
Product	pom	developer id	marcphilipp	Low
Product	pom	developer id	mmerdes	Low
Product	pom	developer id	sbrannen	Low
Product	pom	developer id	sormuras	Low
Product	pom	developer name	Christian Stein	Low
Product	pom	developer name	Johannes Link	Low
Product	pom	developer name	Juliette de Rancourt	Low
Product	pom	developer name	Marc Philipp	Low
Product	pom	developer name	Matthias Merdes	Low
Product	pom	developer name	Sam Brannen	Low
Product	pom	developer name	Stefan Bechtold	Low
Product	pom	groupid	org.junit.platform	Highest
Product	pom	name	JUnit Platform Suite (Aggregator)	High
Product	pom	url	https://junit.org/junit5/	Medium
Version	central	version	1.10.1	Highest
Version	file	version	1.10.1	High
Version	gradle	version	1.10.1	Highest
Version	Manifest	Bundle-Version	1.10.1	High
Version	Manifest	Implementation-Version	1.10.1	High
Version	pom	version	1.10.1	Highest

Identifiers

- [pkg:maven/org.junit.platform/junit-platform-suite@1.10.1](#) (Confidence:High)
- [cpe:2.3:a:fan_platform_project:fan_platform:1.10.1:*:*:*:*:*](#) (Confidence:Low)

suppress

junit-platform-suite-api-1.10.1.jar

Description:

Module "junit-platform-suite-api" of JUnit 5.

License:

Eclipse Public License v2.0: <https://www.eclipse.org/legal/epl-v20.html>

File Path: /home/jenkins/.gradle/caches/modules-2/files-2.1/org.junit.platform/junit-platform-suite-api/1.10.1/24e5e67dcbeea2b21d2386818588b2609ea230a2/junit-platform-suite-api-1.10.1.jar

MD5: e13a99d143ace36468659c32b3a02f4e

SHA1: 24e5e67dcbeea2b21d2386818588b2609ea230a2

SHA256: b025bac64da625da2c494fa7678cfbaf8259cbad492904c0a03f968b96f84402

Referenced In Project/Scope: server:inetPlugin

Included by:

- [pkg:maven/org.junit.jupiter/junit-jupiter@5.10.1](#)
- [pkg:maven/org.junit.platform/junit-platform-suite@1.10.1](#)

Evidence



Type	Source	Name	Value	Confidence
Vendor	central	artifactid	junit-platform-suite-api	Highest
Vendor	central	groupid	org.junit.platform	Highest
Vendor	file	name	junit-platform-suite-api	High
Vendor	gradle	artifactid	junit-platform-suite-api	Highest
Vendor	gradle	groupid	org.junit.platform	Highest
Vendor	jar	package name	api	Highest
Vendor	jar	package name	junit	Highest
Vendor	jar	package name	junit	Low
Vendor	jar	package name	platform	Highest
Vendor	jar	package name	platform	Low
Vendor	jar	package name	suite	Highest
Vendor	jar	package name	suite	Low
Vendor	Manifest	build-date	2023-11-05	Low
Vendor	Manifest	build-revision	e5f50d8720741623915979ac154b65bcbcd6a5	Low
Vendor	Manifest	build-time	17:49:13.996+0100	Low
Vendor	Manifest	bundle-	junit-platform-suite-api	Medium

symbolicname

Vendor	Manifest	Implementation-Vendor	junit.org	High
Vendor	Manifest	specification-vendor	junit.org	Low
Vendor	pom	artifactid	junit-platform-suite-api	Low
Vendor	pom	developer email	business@johanneslink.net	Low
Vendor	pom	developer email	derancourt.juliette@gmail.com	Low
Vendor	pom	developer email	mail@marcphilipp.de	Low
Vendor	pom	developer email	matthias.merdes@heidelpay.com	Low
Vendor	pom	developer email	sam@sambrannen.com	Low
Vendor	pom	developer email	sormuras@gmail.com	Low
Vendor	pom	developer email	stefan.bechtold@me.com	Low
Vendor	pom	developer id	bechte	Medium
Vendor	pom	developer id	jlink	Medium
Vendor	pom	developer id	juliette-derancourt	Medium
Vendor	pom	developer id	marcphilipp	Medium
Vendor	pom	developer id	mmerdes	Medium
Vendor	pom	developer id	sbrannen	Medium
Vendor	pom	developer id	sormuras	Medium
Vendor	pom	developer name	Christian Stein	Medium
Vendor	pom	developer name	Johannes Link	Medium
Vendor	pom	developer name	Juliette de Rancourt	Medium
Vendor	pom	developer name	Marc Philipp	Medium
Vendor	pom	developer name	Matthias Merdes	Medium
Vendor	pom	developer name	Sam Brannen	Medium
Vendor	pom	developer name	Stefan Bechtold	Medium
Vendor	pom	groupid	org.junit.platform	Highest
Vendor	pom	name	JUnit Platform Suite API	High
Vendor	pom	url	https://junit.org/junit5/	Highest
Product	central	artifactid	junit-platform-suite-api	Highest
Product	file	name	junit-platform-suite-api	High
Product	gradle	artifactid	junit-platform-suite-api	Highest
Product	jar	package name	api	Highest
Product	jar	package name	api	Low
Product	jar	package name	junit	Highest

Product	jar	package name	platform	Highest
Product	jar	package name	platform	Low
Product	jar	package name	suite	Highest
Product	jar	package name	suite	Low
Product	Manifest	build-date	2023-11-05	Low
Product	Manifest	build-revision	e5f50d8720741623915979ac154b65bcbcd6a5	Low
Product	Manifest	build-time	17:49:13.996+0100	Low
Product	Manifest	Bundle-Name	JUnit Platform Suite API	Medium
Product	Manifest	bundle-symbolicname	junit-platform-suite-api	Medium
Product	Manifest	Implementation-Title	junit-platform-suite-api	High
Product	Manifest	specification-title	junit-platform-suite-api	Medium
Product	pom	artifactid	junit-platform-suite-api	Highest
Product	pom	developer email	business@johanneslink.net	Low
Product	pom	developer email	derancourt.juliette@gmail.com	Low
Product	pom	developer email	mail@marcphilipp.de	Low
Product	pom	developer email	matthias.merdes@heidelpay.com	Low
Product	pom	developer email	sam@sambrannen.com	Low
Product	pom	developer email	sormuras@gmail.com	Low
Product	pom	developer email	stefan.bechtold@me.com	Low
Product	pom	developer id	bechte	Low
Product	pom	developer id	jlink	Low
Product	pom	developer id	juliette-derancourt	Low
Product	pom	developer id	marcphilipp	Low
Product	pom	developer id	mmerdes	Low
Product	pom	developer id	sbrannen	Low
Product	pom	developer id	sormuras	Low
Product	pom	developer name	Christian Stein	Low
Product	pom	developer name	Johannes Link	Low
Product	pom	developer name	Juliette de Rancourt	Low
Product	pom	developer name	Marc Philipp	Low
Product	pom	developer name	Matthias Merdes	Low
Product	pom	developer name	Sam Brannen	Low
Product	pom	developer name	Stefan Bechtold	Low
Product	pom	groupid	org.junit.platform	Highest

Product	pom	name	JUnit Platform Suite API	High
Product	pom	url	https://junit.org/junit5/	Medium
Version	central	version	1.10.1	Highest
Version	file	version	1.10.1	High
Version	gradle	version	1.10.1	Highest
Version	Manifest	Bundle-Version	1.10.1	High
Version	Manifest	Implementation-Version	1.10.1	High
Version	pom	version	1.10.1	Highest

Identifiers

- [pkg:maven/org.junit.platform/junit-platform-suite-api@1.10.1](#) (*Confidence:High*)
- [cpe:2.3:a:fan_platform_project:fan_platform:1.10.1:*:*:*:*:*](#) (*Confidence:Low*)

suppress

junit-platform-suite-commons-1.10.1.jar

Description:

Module "junit-platform-suite-commons" of JUnit 5.

License:

Eclipse Public License v2.0: <https://www.eclipse.org/legal/epl-v20.html>

File Path: /home/jenkins/.gradle/caches/modules-2/files-2.1/org.junit.platform/junit-platform-suite-commons/1.10.1/6eef860e05e64915457d39416e98236508a74ea3/junit-platform-suite-commons-1.10.1.jar

MD5: 4730e83c3b19c58238a9ae5b98b6dd4c

SHA1: 6eef860e05e64915457d39416e98236508a74ea3

SHA256: c6931dea135b204388c1f8b925d2d6494a34d010630481f1d4ed9430419db6c0

Referenced In Project/Scope: server:inetPlugin

Included by:

- [pkg:maven/org.junit.jupiter/junit-jupiter@5.10.1](#)
- [pkg:maven/org.junit.platform/junit-platform-suite@1.10.1](#)

Evidence



Type	Source	Name	Value	Confidence
Vendor	central	artifactid	junit-platform-suite-commons	Highest
Vendor	central	groupid	org.junit.platform	Highest
Vendor	file	name	junit-platform-suite-commons	High
Vendor	gradle	artifactid	junit-platform-suite-commons	Highest
Vendor	gradle	groupid	org.junit.platform	Highest

Vendor	jar	package name	commons	Highest
Vendor	jar	package name	junit	Highest
Vendor	jar	package name	junit	Low
Vendor	jar	package name	platform	Highest
Vendor	jar	package name	platform	Low
Vendor	jar	package name	suite	Highest
Vendor	jar	package name	suite	Low
Vendor	Manifest	build-date	2023-11-05	Low
Vendor	Manifest	build-revision	e5f50d8720741623915979ac154b65bcbcd6a5	Low
Vendor	Manifest	build-time	17:49:13.996+0100	Low
Vendor	Manifest	bundle-symbolicname	junit-platform-suite-commons	Medium
Vendor	Manifest	Implementation-Vendor	junit.org	High
Vendor	Manifest	specification-vendor	junit.org	Low
Vendor	pom	artifactid	junit-platform-suite-commons	Low
Vendor	pom	developer email	business@johanneslink.net	Low
Vendor	pom	developer email	derancourt.juliette@gmail.com	Low
Vendor	pom	developer email	mail@marcphilipp.de	Low
Vendor	pom	developer email	matthias.merdes@heidelpay.com	Low
Vendor	pom	developer email	sam@sambrannen.com	Low
Vendor	pom	developer email	sormuras@gmail.com	Low
Vendor	pom	developer email	stefan.bechtold@me.com	Low
Vendor	pom	developer id	bechte	Medium
Vendor	pom	developer id	jlink	Medium
Vendor	pom	developer id	juliette-derancourt	Medium
Vendor	pom	developer id	marcphilipp	Medium
Vendor	pom	developer id	mmerdes	Medium
Vendor	pom	developer id	sbrannen	Medium
Vendor	pom	developer id	sormuras	Medium
Vendor	pom	developer name	Christian Stein	Medium
Vendor	pom	developer name	Johannes Link	Medium
Vendor	pom	developer name	Juliette de Rancourt	Medium
Vendor	pom	developer name	Marc Philipp	Medium
Vendor	pom	developer name	Matthias Merdes	Medium

Vendor	pom	developer name	Sam Brannen	Medium
Vendor	pom	developer name	Stefan Bechtold	Medium
Vendor	pom	groupid	org.junit.platform	Highest
Vendor	pom	name	JUnit Platform Suite Commons	High
Vendor	pom	url	https://junit.org/junit5/	Highest
Product	central	artifactid	junit-platform-suite-commons	Highest
Product	file	name	junit-platform-suite-commons	High
Product	gradle	artifactid	junit-platform-suite-commons	Highest
Product	jar	package name	commons	Highest
Product	jar	package name	commons	Low
Product	jar	package name	junit	Highest
Product	jar	package name	platform	Highest
Product	jar	package name	platform	Low
Product	jar	package name	suite	Highest
Product	jar	package name	suite	Low
Product	Manifest	build-date	2023-11-05	Low
Product	Manifest	build-revision	e5f50d8720741623915979ac154b65bcbcd6a5	Low
Product	Manifest	build-time	17:49:13.996+0100	Low
Product	Manifest	Bundle-Name	JUnit Platform Suite Commons	Medium
Product	Manifest	bundle-symbolicname	junit-platform-suite-commons	Medium
Product	Manifest	Implementation-Title	junit-platform-suite-commons	High
Product	Manifest	specification-title	junit-platform-suite-commons	Medium
Product	pom	artifactid	junit-platform-suite-commons	Highest
Product	pom	developer email	business@johanneslink.net	Low
Product	pom	developer email	derancourt.juliette@gmail.com	Low
Product	pom	developer email	mail@marcphilipp.de	Low
Product	pom	developer email	matthias.merdes@heidelpay.com	Low
Product	pom	developer email	sam@sambrannen.com	Low
Product	pom	developer email	sormuras@gmail.com	Low
Product	pom	developer email	stefan.bechtold@me.com	Low
Product	pom	developer id	bechte	Low
Product	pom	developer id	jlink	Low
Product	pom	developer id	juliette-derancourt	Low
Product	pom	developer id	marcphilipp	Low

Product	pom	developer id	mmerdes	Low
Product	pom	developer id	sbrannen	Low
Product	pom	developer id	sormuras	Low
Product	pom	developer name	Christian Stein	Low
Product	pom	developer name	Johannes Link	Low
Product	pom	developer name	Juliette de Rancourt	Low
Product	pom	developer name	Marc Philipp	Low
Product	pom	developer name	Matthias Merdes	Low
Product	pom	developer name	Sam Brannen	Low
Product	pom	developer name	Stefan Bechtold	Low
Product	pom	groupid	org.junit.platform	Highest
Product	pom	name	JUnit Platform Suite Commons	High
Product	pom	url	https://junit.org/junit5/	Medium
Version	central	version	1.10.1	Highest
Version	file	version	1.10.1	High
Version	gradle	version	1.10.1	Highest
Version	Manifest	Bundle-Version	1.10.1	High
Version	Manifest	Implementation-Version	1.10.1	High
Version	pom	version	1.10.1	Highest

Identifiers

- [pkg:maven/org.junit.platform/junit-platform-suite-commons@1.10.1](#) (*Confidence:High*)
- [cpe:2.3:a:fan_platform_project:fan_platform:1.10.1:*:*:*:*:*](#) (*Confidence:Low*)

junit-platform-suite-engine-1.10.1.jar

Description:

Module "junit-platform-suite-engine" of JUnit 5.

License:

Eclipse Public License v2.0: <https://www.eclipse.org/legal/epl-v20.html>

File Path: /home/jenkins/.gradle/caches/modules-2/files-2.1/org.junit.platform/junit-platform-suite-engine/1.10.1/1f4d7f56100b7d067325ed02c6b6268c31d90a7d/junit-platform-suite-engine-1.10.1.jar

MD5: 76bc669e27baa0d41e9c8e6412d2dfe9

SHA1: 1f4d7f56100b7d067325ed02c6b6268c31d90a7d

SHA256: 7df94b49291cba2f4095b990eab35963bc4ce391fabff96a985828f333db5768

Referenced In Project/Scope: server:inetPlugin

Included by:

- pkg:maven/org.junit.jupiter/junit-jupiter@5.10.1
- pkg:maven/org.junit.platform/junit-platform-suite@1.10.1

Evidence



Type	Source	Name	Value	Confidence
Vendor	central	artifactid	junit-platform-suite-engine	Highest
Vendor	central	groupid	org.junit.platform	Highest
Vendor	file	name	junit-platform-suite-engine	High
Vendor	gradle	artifactid	junit-platform-suite-engine	Highest
Vendor	gradle	groupid	org.junit.platform	Highest
Vendor	jar	package name	engine	Highest
Vendor	jar	package name	junit	Highest
Vendor	jar	package name	junit	Low
Vendor	jar	package name	platform	Highest
Vendor	jar	package name	platform	Low
Vendor	jar	package name	suite	Highest
Vendor	jar	package name	suite	Low
Vendor	Manifest	build-date	2023-11-05	Low
Vendor	Manifest	build-revision	e5f50d8720741623915979ac154b65bcbcd6a5	Low
Vendor	Manifest	build-time	17:49:13.996+0100	Low
Vendor	Manifest	bundle-symbolicname	junit-platform-suite-engine	Medium
Vendor	Manifest	Implementation-Vendor	junit.org	High
Vendor	Manifest	specification-vendor	junit.org	Low
Vendor	pom	artifactid	junit-platform-suite-engine	Low
Vendor	pom	developer email	business@johanneslink.net	Low
Vendor	pom	developer email	derancourt.juliette@gmail.com	Low
Vendor	pom	developer email	mail@marcphilipp.de	Low
Vendor	pom	developer email	matthias.merdes@heidelpay.com	Low
Vendor	pom	developer email	sam@sambrannen.com	Low
Vendor	pom	developer email	sormuras@gmail.com	Low
Vendor	pom	developer email	stefan.bechtold@me.com	Low
Vendor	pom	developer id	bechte	Medium

Vendor	pom	developer id	jlink	Medium
Vendor	pom	developer id	juliette-derancourt	Medium
Vendor	pom	developer id	marcphilipp	Medium
Vendor	pom	developer id	mmerdes	Medium
Vendor	pom	developer id	sbrannen	Medium
Vendor	pom	developer id	sormuras	Medium
Vendor	pom	developer name	Christian Stein	Medium
Vendor	pom	developer name	Johannes Link	Medium
Vendor	pom	developer name	Juliette de Rancourt	Medium
Vendor	pom	developer name	Marc Philipp	Medium
Vendor	pom	developer name	Matthias Merdes	Medium
Vendor	pom	developer name	Sam Brannen	Medium
Vendor	pom	developer name	Stefan Bechtold	Medium
Vendor	pom	groupid	org.junit.platform	Highest
Vendor	pom	name	JUnit Platform Suite Engine	High
Vendor	pom	url	https://junit.org/junit5/	Highest
Product	central	artifactid	junit-platform-suite-engine	Highest
Product	file	name	junit-platform-suite-engine	High
Product	gradle	artifactid	junit-platform-suite-engine	Highest
Product	jar	package name	engine	Highest
Product	jar	package name	engine	Low
Product	jar	package name	junit	Highest
Product	jar	package name	platform	Highest
Product	jar	package name	platform	Low
Product	jar	package name	suite	Highest
Product	jar	package name	suite	Low
Product	Manifest	build-date	2023-11-05	Low
Product	Manifest	build-revision	e5f50d8720741623915979ac154b65bcbcd6a5	Low
Product	Manifest	build-time	17:49:13.996+0100	Low
Product	Manifest	Bundle-Name	JUnit Platform Suite Engine	Medium
Product	Manifest	bundle-symbolicname	junit-platform-suite-engine	Medium
Product	Manifest	Implementation-Title	junit-platform-suite-engine	High
Product	Manifest	specification-title	junit-platform-suite-engine	Medium
Product	pom	artifactid	junit-platform-suite-engine	Highest

Product	pom	developer email	business@johanneslink.net	Low
Product	pom	developer email	derancourt.juliette@gmail.com	Low
Product	pom	developer email	mail@marcphilipp.de	Low
Product	pom	developer email	matthias.merdes@heidelpay.com	Low
Product	pom	developer email	sam@sambrannen.com	Low
Product	pom	developer email	sormuras@gmail.com	Low
Product	pom	developer email	stefan.bechtold@me.com	Low
Product	pom	developer id	bechte	Low
Product	pom	developer id	jlink	Low
Product	pom	developer id	juliette-derancourt	Low
Product	pom	developer id	marcphilipp	Low
Product	pom	developer id	mmerdes	Low
Product	pom	developer id	sbrannen	Low
Product	pom	developer id	sormuras	Low
Product	pom	developer name	Christian Stein	Low
Product	pom	developer name	Johannes Link	Low
Product	pom	developer name	Juliette de Rancourt	Low
Product	pom	developer name	Marc Philipp	Low
Product	pom	developer name	Matthias Merdes	Low
Product	pom	developer name	Sam Brannen	Low
Product	pom	developer name	Stefan Bechtold	Low
Product	pom	groupid	org.junit.platform	Highest
Product	pom	name	JUnit Platform Suite Engine	High
Product	pom	url	https://junit.org/junit5/	Medium
Version	central	version	1.10.1	Highest
Version	file	version	1.10.1	High
Version	gradle	version	1.10.1	Highest
Version	Manifest	Bundle-Version	1.10.1	High
Version	Manifest	Implementation-Version	1.10.1	High
Version	pom	version	1.10.1	Highest

Identifiers

- [pkg:maven/org.junit.platform/junit-platform-suite-engine@1.10.1](https://maven.org/junit.platform/junit-platform-suite-engine@1.10.1) (*Confidence:High*)

- cpe:2.3:a:fan_platform_project:fan_platform:1.10.1:*:*:*:*:* (*Confidence:Low*)
suppress

junit-vintage-engine-5.10.1.jar

Description:

Module "junit-vintage-engine" of JUnit 5.

License:

Eclipse Public License v2.0: <https://www.eclipse.org/legal/epl-v20.html>

File Path: /home/jenkins/.gradle/caches/modules-2/files-2.1/org.junit.vintage/junit-vintage-engine/5.10.1/25cf537c2c253e83ea23eb605310947661c6f763/junit-vintage-engine-5.10.1.jar

MD5: 41ca5da6c302cadb487c4a6e0b9e12b8

SHA1: 25cf537c2c253e83ea23eb605310947661c6f763

SHA256:96385222c8a415ffe8a2362e73eb2516a7e262f85b10387c6e990a56765604d5

Referenced In Project/Scope: server:inetPlugin

Included by:

- pkg:maven/pdfc/server@24.4
- pkg:maven/org.junit.jupiter/junit-jupiter@5.10.1
- pkg:maven/org.junit.platform/junit-platform-suite@1.10.1

Evidence



Type	Source	Name	Value	Confidence
Vendor	central	artifactid	junit-vintage-engine	Highest
Vendor	central	groupid	org.junit.vintage	Highest
Vendor	file	name	junit-vintage-engine	High
Vendor	gradle	artifactid	junit-vintage-engine	Highest
Vendor	gradle	groupid	org.junit.vintage	Highest
Vendor	jar	package name	engine	Highest
Vendor	jar	package name	engine	Low
Vendor	jar	package name	junit	Highest
Vendor	jar	package name	junit	Low
Vendor	jar	package name	vintage	Highest
Vendor	jar	package name	vintage	Low
Vendor	Manifest	build-date	2023-11-05	Low
Vendor	Manifest	build-revision	e5f50d8720741623915979ac154b65bcbcd6a5	Low
Vendor	Manifest	build-time	17:49:13.996+0100	Low
Vendor	Manifest	bundle-symbolicname	junit-vintage-engine	Medium

Vendor	Manifest	Implementation-Vendor	junit.org	High
Vendor	Manifest	provide-capability	org.junit.platform.engine;org.junit.platform.engine=junit-vintage;version:Version="5.10.1"	Low
Vendor	Manifest	specification-vendor	junit.org	Low
Vendor	pom	artifactid	junit-vintage-engine	Low
Vendor	pom	developer email	business@johanneslink.net	Low
Vendor	pom	developer email	derancourt.juliette@gmail.com	Low
Vendor	pom	developer email	mail@marcphilipp.de	Low
Vendor	pom	developer email	matthias.merdes@heidelpay.com	Low
Vendor	pom	developer email	sam@sambrannen.com	Low
Vendor	pom	developer email	sormuras@gmail.com	Low
Vendor	pom	developer email	stefan.bechtold@me.com	Low
Vendor	pom	developer id	bechte	Medium
Vendor	pom	developer id	jlink	Medium
Vendor	pom	developer id	juliette-derancourt	Medium
Vendor	pom	developer id	marcphilipp	Medium
Vendor	pom	developer id	mmerdes	Medium
Vendor	pom	developer id	sbrannen	Medium
Vendor	pom	developer id	sormuras	Medium
Vendor	pom	developer name	Christian Stein	Medium
Vendor	pom	developer name	Johannes Link	Medium
Vendor	pom	developer name	Juliette de Rancourt	Medium
Vendor	pom	developer name	Marc Philipp	Medium
Vendor	pom	developer name	Matthias Merdes	Medium
Vendor	pom	developer name	Sam Brannen	Medium
Vendor	pom	developer name	Stefan Bechtold	Medium
Vendor	pom	groupid	org.junit.vintage	Highest
Vendor	pom	name	JUnit Vintage Engine	High
Vendor	pom	url	https://junit.org/junit5/	Highest
Product	central	artifactid	junit-vintage-engine	Highest
Product	file	name	junit-vintage-engine	High
Product	gradle	artifactid	junit-vintage-engine	Highest
Product	jar	package name	engine	Highest
Product	jar	package name	engine	Low

Product	jar	package name	junit	Highest
Product	jar	package name	vintage	Highest
Product	jar	package name	vintage	Low
Product	Manifest	build-date	2023-11-05	Low
Product	Manifest	build-revision	e5f50d8720741623915979ac154b65bcbcd6a5	Low
Product	Manifest	build-time	17:49:13.996+0100	Low
Product	Manifest	Bundle-Name	JUnit Vintage Engine	Medium
Product	Manifest	bundle-symbolicname	junit-vintage-engine	Medium
Product	Manifest	Implementation-Title	junit-vintage-engine	High
Product	Manifest	provide-capability	org.junit.platform.engine;org.junit.platform.engine=junit-vintage;version:Version="5.10.1"	Low
Product	Manifest	specification-title	junit-vintage-engine	Medium
Product	pom	artifactid	junit-vintage-engine	Highest
Product	pom	developer email	business@johanneslink.net	Low
Product	pom	developer email	derancourt.juliette@gmail.com	Low
Product	pom	developer email	mail@marcphilipp.de	Low
Product	pom	developer email	matthias.merdes@heidelpay.com	Low
Product	pom	developer email	sam@sambrannen.com	Low
Product	pom	developer email	sormuras@gmail.com	Low
Product	pom	developer email	stefan.bechtold@me.com	Low
Product	pom	developer id	bechte	Low
Product	pom	developer id	jlink	Low
Product	pom	developer id	juliette-derancourt	Low
Product	pom	developer id	marcphilipp	Low
Product	pom	developer id	mmerdes	Low
Product	pom	developer id	sbrannen	Low
Product	pom	developer id	sormuras	Low
Product	pom	developer name	Christian Stein	Low
Product	pom	developer name	Johannes Link	Low
Product	pom	developer name	Juliette de Rancourt	Low
Product	pom	developer name	Marc Philipp	Low
Product	pom	developer name	Matthias Merdes	Low
Product	pom	developer name	Sam Brannen	Low
Product	pom	developer name	Stefan Bechtold	Low

Product	pom	groupid	org.junit.vintage	Highest
Product	pom	name	JUnit Vintage Engine	High
Product	pom	url	https://junit.org/junit5/	Medium
Version	central	version	5.10.1	Highest
Version	file	version	5.10.1	High
Version	gradle	version	5.10.1	Highest
Version	Manifest	Bundle-Version	5.10.1	High
Version	Manifest	Implementation-Version	5.10.1	High
Version	pom	version	5.10.1	Highest

Identifiers

- [pkg:maven/org.junit.vintage/junit-vintage-engine@5.10.1](#) (*Confidence:High*)
- [cpe:2.3:a:fan_platform_project:fan_platform:5.10.1:*:*:*:*:*](#) (*Confidence:Low*)

lunr.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/Documentation and Samples/dotnet - ProcessBridge API Doc/styles/lunr.js

MD5: da4f3703ce0083f8050d00e900aac7b0

SHA1: ae614550091dd5ea4b432d94fa4e286b2c91278d

SHA256: f9671350512fd9359469b1a2113ed3134e7b007fa0041e8e1cfe006de3d7f6f6

Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies

- lunr.js
 - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/Documentation and Samples/nunit - API Doc/styles/lunr.js
 - MD5: da4f3703ce0083f8050d00e900aac7b0
 - SHA1: ae614550091dd5ea4b432d94fa4e286b2c91278d
 - SHA256: f9671350512fd9359469b1a2113ed3134e7b007fa0041e8e1cfe006de3d7f6f6

Identifiers

- None

lunr.min.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/Documentation and Samples/dotnet - ProcessBridge API Doc/styles/lunr.min.js

MD5: 323b7324b0cd0280e1d33689fd88e70a

SHA1: f44691b6ed6e0cd684175f7779eea8fc4a2a5015

SHA256: 447b131dc7c9500a8fb188bc88271941b88805d610a60a0c953c482d69abdf2b

Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies

- lunr.min.js
 - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/Documentation and Samples/nunit - API Doc/styles/lunr.min.js
 - MD5: 323b7324b0cd0280e1d33689fd88e70a
 - SHA1: f44691b6ed6e0cd684175f7779eea8fc4a2a5015
 - SHA256: 447b131dc7c9500a8fb188bc88271941b88805d610a60a0c953c482d69abdf2b

Identifiers

- None

mail.zip: bcmail-jdk18on.jar

Description:

The Bouncy Castle Java S/MIME APIs for handling S/MIME protocols. This jar contains S/MIME APIs for JDK 1.8 and up. The APIs can be used in conjunction with a JCE/JCA provider such as the one provided with the Bouncy Castle Cryptography APIs. The JavaMail API and the Java activation framework will also be needed.

License:

Bouncy Castle Licence: <https://www.bouncycastle.org/licence.html>

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/mail.zip/bcmail-jdk18on.jar

MD5: 2baa37022775e36e9289abebf5177748

SHA1: d26f5514b8c54f2878f8d49e0bc8e2acaab3c8bd

SHA256: 5c9b2d7ad4755b2bfc3b6bb7e37d217efe75fb85574a5ca5e2e39baa633050b6

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
Vendor	central	artifactid	bcmail-jdk18on	Highest
Vendor	central	groupid	org.bouncycastle	Highest
Vendor	file	name	bcmail-jdk18on	High
Vendor	jar	package name	bouncycastle	Low
Vendor	jar	package name	mail	Low
Vendor	jar	package name	smime	Low
Vendor	Manifest	bundle-requiredexecution	JavaSE-1.8	Low
Vendor	Manifest	bundle-symbolicname	bcmail-jdk18on	Medium
Vendor	Manifest	multi-release	true	Low
Vendor	pom	artifactid	bcmail-jdk18on	Low
Vendor	pom	developer email	feedback-crypto@bouncycastle.org	Low
Vendor	pom	developer id	feedback-crypto	Medium
Vendor	pom	developer name	The Legion of the Bouncy Castle Inc.	Medium
Vendor	pom	groupid	org.bouncycastle	Highest
Vendor	pom	name	Bouncy Castle S/MIME API	High
Vendor	pom	url	https://www.bouncycastle.org/java.html	Highest
Product	central	artifactid	bcmail-jdk18on	Highest
Product	file	name	bcmail-jdk18on	High
Product	jar	package name	mail	Low
Product	jar	package name	smime	Low
Product	Manifest	Bundle-Name	bcmail-jdk18on	Medium
Product	Manifest	bundle-requiredexecution	JavaSE-1.8	Low
Product	Manifest	bundle-symbolicname	bcmail-jdk18on	Medium
Product	Manifest	multi-release	true	Low
Product	pom	artifactid	bcmail-jdk18on	Highest
Product	pom	developer email	feedback-crypto@bouncycastle.org	Low
Product	pom	developer id	feedback-crypto	Low

Product	pom	developer name	The Legion of the Bouncy Castle Inc.	Low
Product	pom	groupid	org.bouncycastle	Highest
Product	pom	name	Bouncy Castle S/MIME API	High
Product	pom	url	https://www.bouncycastle.org/java.html	Medium
Version	central	version	1.78	Highest
Version	pom	version	1.78	Highest

Identifiers

- [pkg:maven/org.bouncycastle/bcmail-jdk18on@1.78](#) (*Confidence:High*)
- [cpe:2.3:a:bouncycastle:bouncy_castle_for_java:1.78:*:*:*:*:*](#) (*Confidence:Low*)
- [cpe:2.3:a:bouncycastle:legion-of-the-bouncy-castle:1.78:*:*:*:*:*](#) (*Confidence:Low*)

mail.zip: bcpjg-jdk18on.jar

Description:

The Bouncy Castle Java API for handling the OpenPGP protocol. This jar contains the OpenPGP API for JDK 1.8 and up. The APIs can be used in conjunction with a JCE/JCA provider such as the one provided with the Bouncy Castle Cryptography APIs.

License:

Bouncy Castle Licence: <https://www.bouncycastle.org/licence.html>
 Apache Software License, Version 2.0: <https://www.apache.org/licenses/LICENSE-2.0>

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller
 /server/build/tmp/dependencies/i-net PDFC/plugins/mail.zip/bcpjg-jdk18on.jar

MD5: b47169f554c92e766fa7e787c1ae894f

SHA1: 1df003dd229911855d9c8f4b59a7bd184b3d267d

SHA256: 21b79c26b374705c5b8295b458144c368e545cb5dad3ba9210e5bef1269e05be

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
Vendor	central	artifactid	bcpjg-jdk18on	Highest
Vendor	central	groupid	org.bouncycastle	Highest
Vendor	file	name	bcpjg-jdk18on	High
Vendor	jar	package name	bcpjg	Highest
Vendor	jar	package name	bouncycastle	Low
Vendor	jar	package name	openpgp	Low

Vendor	Manifest	bundle-requiredexecution	JavaSE-1.8	Low
Vendor	Manifest	bundle-symbolicname	bcpkg-jdk18on	Medium
Vendor	Manifest	multi-release	true	Low
Vendor	pom	artifactid	bcpkg-jdk18on	Low
Vendor	pom	developer email	feedback-crypto@bouncycastle.org	Low
Vendor	pom	developer id	feedback-crypto	Medium
Vendor	pom	developer name	The Legion of the Bouncy Castle Inc.	Medium
Vendor	pom	groupid	org.bouncycastle	Highest
Vendor	pom	name	Bouncy Castle OpenPGP API	High
Vendor	pom	url	https://www.bouncycastle.org/java.html	Highest
Product	central	artifactid	bcpkg-jdk18on	Highest
Product	file	name	bcpkg-jdk18on	High
Product	jar	package name	bcpkg	Highest
Product	jar	package name	openpgp	Low
Product	Manifest	Bundle-Name	bcpkg-jdk18on	Medium
Product	Manifest	bundle-requiredexecution	JavaSE-1.8	Low
Product	Manifest	bundle-symbolicname	bcpkg-jdk18on	Medium
Product	Manifest	multi-release	true	Low
Product	pom	artifactid	bcpkg-jdk18on	Highest
Product	pom	developer email	feedback-crypto@bouncycastle.org	Low
Product	pom	developer id	feedback-crypto	Low
Product	pom	developer name	The Legion of the Bouncy Castle Inc.	Low
Product	pom	groupid	org.bouncycastle	Highest
Product	pom	name	Bouncy Castle OpenPGP API	High
Product	pom	url	https://www.bouncycastle.org/java.html	Medium
Version	central	version	1.78	Highest
Version	pom	version	1.78	Highest

Identifiers

- [pkg:maven/org.bouncycastle/bcpkg-jdk18on@1.78](#) (*Confidence:High*)
- [cpe:2.3:a:bouncycastle:bouncy_castle_for_java:1.78:*:*:*:*:*](#) (*Confidence:Low*)

suppress

Product	Manifest	Bundle-Name	bcpkix-jdk18on	Medium
Product	Manifest	bundle-requiredexecution	JavaSE-1.8	Low
Product	Manifest	bundle-symbolicname	bcpkix-jdk18on	Medium
Product	Manifest	multi-release	true	Low
Product	pom	artifactid	bcpkix-jdk18on	Highest
Product	pom	developer email	feedback-crypto@bouncycastle.org	Low
Product	pom	developer id	feedback-crypto	Low
Product	pom	developer name	The Legion of the Bouncy Castle Inc.	Low
Product	pom	groupid	org.bouncycastle	Highest
Product	pom	name	Bouncy Castle PKIX, CMS, EAC, TSP, PKCS, OCSP, CMP, and CRMF APIs	High
Product	pom	url	https://www.bouncycastle.org/java.html	Medium
Version	central	version	1.78	Highest
Version	pom	version	1.78	Highest

Related Dependencies



- webserver.zip: bcpkix-jdk18on.jar
 - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/webserver.zip/bcpkix-jdk18on.jar
 - MD5: 9553f65f617b0deb8efcbc131262706b
 - SHA1: dd61bcd87678451dd42d42e267979bd4b4451a1
 - SHA256: ce36b14a90e6b3e9a2c9964e67440d4c758bd257189e7cd745d29a3817611861
 - [pkg:maven/org.bouncycastle/bcpkix-jdk18on@1.78](https://mvnrepository.com/artifact/org.bouncycastle/bcpkix-jdk18on/1.78)

Identifiers

- [pkg:maven/org.bouncycastle/bcpkix-jdk18on@1.78](https://mvnrepository.com/artifact/org.bouncycastle/bcpkix-jdk18on/1.78) (*Confidence:High*)
- cpe:2.3:a:bouncycastle:bouncy_castle_for_java:1.78:*:*:*:*:* (*Confidence:Low*)
- cpe:2.3:a:bouncycastle:legion-of-the-bouncy-castle:1.78:*:*:*:*:* (*Confidence:Low*)

mail.zip: bcprov-jdk18on.jar

Description:

The Bouncy Castle Crypto package is a Java implementation of cryptographic algorithms. This jar contains JCE provider and lightweight API for the Bouncy Castle Cryptography APIs for JDK 1.8 and up.

License:

Bouncy Castle Licence: <https://www.bouncycastle.org/licence.html>

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/mail.zip/bcprov-jdk18on.jar

MD5: 54b851711aea718aa835739bc23f7b90

SHA1: 619aafb92dc0b4c6cc4cf86c487ca48ee2d67a8e

SHA256: 1bf721b09758b3f55f2a5c875b6178ec6c41dddad854b0dead4b27a236f1943a

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
Vendor	central	artifactid	bcprov-jdk18on	Highest
Vendor	central	groupid	org.bouncycastle	Highest
Vendor	file	name	bcprov-jdk18on	High
Vendor	jar	package name	bouncycastle	Low
Vendor	Manifest	bundle-requiredexecution	JavaSE-1.8	Low
Vendor	Manifest	bundle-symbolicname	bcprov-jdk18on	Medium
Vendor	Manifest	multi-release	true	Low
Vendor	pom	artifactid	bcprov-jdk18on	Low
Vendor	pom	developer email	feedback-crypto@bouncycastle.org	Low
Vendor	pom	developer id	feedback-crypto	Medium
Vendor	pom	developer name	The Legion of the Bouncy Castle Inc.	Medium
Vendor	pom	groupid	org.bouncycastle	Highest
Vendor	pom	name	Bouncy Castle Provider	High
Vendor	pom	url	https://www.bouncycastle.org/java.html	Highest
Product	central	artifactid	bcprov-jdk18on	Highest
Product	file	name	bcprov-jdk18on	High
Product	Manifest	Bundle-Name	bcprov-jdk18on	Medium
Product	Manifest	bundle-requiredexecution	JavaSE-1.8	Low
Product	Manifest	bundle-symbolicname	bcprov-jdk18on	Medium
Product	Manifest	multi-release	true	Low
Product	pom	artifactid	bcprov-jdk18on	Highest
Product	pom	developer email	feedback-crypto@bouncycastle.org	Low

Product	pom	developer id	feedback-crypto	Low
Product	pom	developer name	The Legion of the Bouncy Castle Inc.	Low
Product	pom	groupid	org.bouncycastle	Highest
Product	pom	name	Bouncy Castle Provider	High
Product	pom	url	https://www.bouncycastle.org/java.html	Medium
Version	central	version	1.78	Highest
Version	pom	version	1.78	Highest

Related Dependencies

- webserver.zip: bcprov-jdk18on.jar
 - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/webserver.zip/bcprov-jdk18on.jar
 - MD5: 54b851711aea718aa835739bc23f7b90
 - SHA1: 619aafb92dc0b4c6cc4cf86c487ca48ee2d67a8e
 - SHA256: 1bf721b09758b3f55f2a5c875b6178ec6c41dddad854b0dead4b27a236f1943a
 - [pkg:maven/org.bouncycastle/bcprov-jdk18on@1.78](https://mvnrepository.com/artifact/org.bouncycastle/bcprov-jdk18on/1.78)

Identifiers

- [pkg:maven/org.bouncycastle/bcprov-jdk18on@1.78](https://mvnrepository.com/artifact/org.bouncycastle/bcprov-jdk18on/1.78) (*Confidence:High*)
- cpe:2.3:a:bouncycastle:bouncy_castle_for_java:1.78:*:*:*:*:* (*Confidence:Low*)
- cpe:2.3:a:bouncycastle:legion-of-the-bouncy-castle:1.78:*:*:*:*:* (*Confidence:Low*)

mail.zip: bcutil-jdk18on.jar

Description:

The Bouncy Castle Java APIs for ASN.1 extension and utility APIs used to support bcpkix and bctls. This jar contains APIs for JDK 1.8 and up.

License:

Bouncy Castle Licence: <https://www.bouncycastle.org/licence.html>

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/mail.zip/bcutil-jdk18on.jar

MD5: 281b9eb6391a1bfb064142eb05470e94

SHA1: 81c1f5e06f206be5dad137d563609dbe66c81d31

SHA256: f584cf9ba2c64a9255160ec8a3be72a112f50c4b5e9e456671d1805ed159eb50

Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence
Vendor	central	artifactid	bcutil-jdk18on	Highest
Vendor	central	groupid	org.bouncycastle	Highest
Vendor	file	name	bcutil-jdk18on	High
Vendor	jar	package name	bouncycastle	Low
Vendor	jar	package name	oer	Low
Vendor	Manifest	bundle-requiredexecution	JavaSE-1.8	Low
Vendor	Manifest	bundle-symbolicname	bcutil-jdk18on	Medium
Vendor	Manifest	multi-release	true	Low
Vendor	pom	artifactid	bcutil-jdk18on	Low
Vendor	pom	developer email	feedback-crypto@bouncycastle.org	Low
Vendor	pom	developer id	feedback-crypto	Medium
Vendor	pom	developer name	The Legion of the Bouncy Castle Inc.	Medium
Vendor	pom	groupid	org.bouncycastle	Highest
Vendor	pom	name	Bouncy Castle ASN.1 Extension and Utility APIs	High
Vendor	pom	url	https://www.bouncycastle.org/java.html	Highest
Product	central	artifactid	bcutil-jdk18on	Highest
Product	file	name	bcutil-jdk18on	High
Product	jar	package name	oer	Low
Product	Manifest	Bundle-Name	bcutil-jdk18on	Medium
Product	Manifest	bundle-requiredexecution	JavaSE-1.8	Low
Product	Manifest	bundle-symbolicname	bcutil-jdk18on	Medium
Product	Manifest	multi-release	true	Low
Product	pom	artifactid	bcutil-jdk18on	Highest
Product	pom	developer email	feedback-crypto@bouncycastle.org	Low
Product	pom	developer id	feedback-crypto	Low
Product	pom	developer name	The Legion of the Bouncy Castle Inc.	Low
Product	pom	groupid	org.bouncycastle	Highest
Product	pom	name	Bouncy Castle ASN.1 Extension and Utility APIs	High
Product	pom	url	https://www.bouncycastle.org/java.html	Medium
Version	central	version	1.78	Highest
Version	pom	version	1.78	Highest

Related Dependencies

- webserver.zip: bcutil-jdk18on.jar
 - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/webserver.zip/bcutil-jdk18on.jar
 - MD5: 281b9eb6391a1bfb064142eb05470e94
 - SHA1: 81c1f5e06f206be5dad137d563609dbe66c81d31
 - SHA256: f584cf9ba2c64a9255160ec8a3be72a112f50c4b5e9e456671d1805ed159eb50
 - pkg:maven/org.bouncycastle/bcutil-jdk18on@1.78

Identifiers

- pkg:maven/org.bouncycastle/bcutil-jdk18on@1.78 (*Confidence*:High)
- cpe:2.3:a:bouncycastle:bouncy_castle_for_java:1.78:*:*:*:*:* (*Confidence*:Low)
- cpe:2.3:a:bouncycastle:legion-of-the-bouncy-castle:1.78:*:*:*:*:* (*Confidence*:Low)

mail.zip: jakarta.activation.jar

Description:

Jakarta Activation

License:

<http://www.eclipse.org/org/documents/edl-v10.php>

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/mail.zip/jakarta.activation.jar

MD5: 0b8bee3bf29b9a015f8b992035581a7c

SHA1: 74548703f9851017ce2f556066659438019e7eb5

SHA256: 02156773e4ae9d048d14a56ad35d644bee9f1052a791d072df3ded3c656e6e1a

Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence
Vendor	file	name	jakarta.activation	High
Vendor	jar	package name	activation	Highest
Vendor	jar	package name	sun	Highest
Vendor	jar (hint)	package name	oracle	Highest
Vendor	Manifest	bundle-docurl	https://www.eclipse.org	Low

Vendor	Manifest	bundle-symbolicname	com.sun.activation.jakarta.activation	Medium
Vendor	Manifest	extension-name	jakarta.activation	Medium
Vendor	Manifest	Implementation-Vendor	Eclipse Foundation	High
Vendor	Manifest	Implementation-Vendor-Id	com.sun	Medium
Vendor	Manifest	specification-vendor	Eclipse Foundation	Low
Vendor	pom	artifactid	jakarta.activation	Low
Vendor	pom	groupid	com.sun.activation	Highest
Vendor	pom	name	Jakarta Activation	High
Vendor	pom	parent-artifactid	all	Low
Product	file	name	jakarta.activation	High
Product	jar	package name	activation	Highest
Product	jar	package name	javax	Highest
Product	jar	package name	sun	Highest
Product	Manifest	bundle-docurl	https://www.eclipse.org	Low
Product	Manifest	Bundle-Name	Jakarta Activation	Medium
Product	Manifest	bundle-symbolicname	com.sun.activation.jakarta.activation	Medium
Product	Manifest	extension-name	jakarta.activation	Medium
Product	Manifest	Implementation-Title	javax.activation	High
Product	Manifest	specification-title	Jakarta Activation Specification	Medium
Product	pom	artifactid	jakarta.activation	Highest
Product	pom	groupid	com.sun.activation	Highest
Product	pom	name	Jakarta Activation	High
Product	pom	parent-artifactid	all	Medium
Version	Manifest	Bundle-Version	1.2.2	High
Version	Manifest	Implementation-Version	1.2.2	High
Version	pom	version	1.2.2	Highest

Identifiers

- [pkg:maven/com.sun.activation/jakarta.activation@1.2.2](https://maven.com.sun.activation/jakarta.activation@1.2.2) (*Confidence:High*)

mail.zip: jakarta.mail.jar

Description:

Jakarta Mail API

License:

<http://www.eclipse.org/legal/epl-2.0>, <https://www.gnu.org/software/classpath/license.html>, <http://www.eclipse.org/org/documents/edl-v10.php>

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/mail.zip/jakarta.mail.jar

MD5: 17eb378c9dd574be23e71014ce9d5d30

SHA1: 319df0e9d536c1a01acdfc49b6e82b97d2393073

SHA256: 1b258ef45fae93059b65d0a0dd109e59ab93e8cd8a735ff66b2ba85f870d5150

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	jakarta.mail	High
Vendor	jar	package name	javax	Highest
Vendor	jar	package name	mail	Highest
Vendor	jar	package name	provider	Highest
Vendor	jar	package name	sun	Highest
Vendor	jar (hint)	package name	oracle	Highest
Vendor	Manifest	build-jdk-spec	11	Low
Vendor	Manifest	bundle-docurl	http://www.oracle.com	Low
Vendor	Manifest	bundle-symbolicname	com.sun.mail.jakarta.mail	Medium
Vendor	Manifest	extension-name	javax.mail	Medium
Vendor	Manifest	Implementation-Vendor	Oracle	High
Vendor	Manifest	Implementation-Vendor-Id	com.sun	Medium
Vendor	Manifest	probe-provider-xml-file-names	META-INF/gfprobe-provider.xml	Medium
Vendor	Manifest	specification-vendor	Oracle	Low
Vendor	Manifest (hint)	Implementation-Vendor	sun	High
Vendor	Manifest (hint)	specification-vendor	sun	Low
Vendor	pom	artifactid	jakarta.mail	Low

Vendor	pom	groupid	com.sun.mail	Highest
Vendor	pom	name	Jakarta Mail API	High
Vendor	pom	parent-artifactid	all	Low
Product	file	name	jakarta.mail	High
Product	jar	package name	javax	Highest
Product	jar	package name	mail	Highest
Product	jar	package name	provider	Highest
Product	jar	package name	sun	Highest
Product	Manifest	build-jdk-spec	11	Low
Product	Manifest	bundle-docurl	http://www.oracle.com	Low
Product	Manifest	Bundle-Name	Jakarta Mail API	Medium
Product	Manifest	bundle-symbolicname	com.sun.mail.jakarta.mail	Medium
Product	Manifest	extension-name	javax.mail	Medium
Product	Manifest	Implementation-Title	javax.mail	High
Product	Manifest	probe-provider-xml-file-names	META-INF/gfprobe-provider.xml	Medium
Product	Manifest	specification-title	Jakarta Mail API Design Specification	Medium
Product	pom	artifactid	jakarta.mail	Highest
Product	pom	groupid	com.sun.mail	Highest
Product	pom	name	Jakarta Mail API	High
Product	pom	parent-artifactid	all	Medium
Version	Manifest	Bundle-Version	1.6.7	High
Version	Manifest	Implementation-Version	1.6.7	High
Version	pom	version	1.6.7	Highest

Identifiers

- pkg:maven/com.sun.mail/jakarta.mail@1.6.7 (*Confidence:High*)

mail.zip: mail.jar

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/mail.zip/mail.jar
MD5: b05d5f8331da39cca88b6322940d92d9

SHA1: b195248e84cbf07e6ba1c0a1cd8b7721df81e037
SHA256:cc186b132b4371bb46fde5922cec7be84c07a67f1fd9a1745503552c47a1d748
Referenced In Project/Scope: server

Evidence +

Type	Source	Name	Value	Confidence
Vendor	file	name	mail	High
Vendor	jar	package name	i	Highest
Vendor	jar	package name	inet	Low
Vendor	jar	package name	mail	Low
Vendor	Manifest	built-date	2024-06-07 18:01	Low
Vendor	Manifest	implementation-group	shared	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	mail	High
Product	jar	package name	mail	Highest
Product	jar	package name	mail	Low
Product	jar	package name	shared	Highest
Product	Manifest	built-date	2024-06-07 18:01	Low
Product	Manifest	implementation-group	shared	Low
Product	Manifest	Implementation-Title	mail	High
Product	Manifest	specification-title	mail	Medium
Version	jar	package name	shared	Highest
Version	Manifest	Implementation-Version	24.4.256	High

Identifiers

- None

mail.zip: mail.jar: smimeconfig.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/mail.zip/mail.jar/com/inet/mail/structure/smimeconfig.js
MD5: f2b5d666d67cf13f7ab451cf08b4629f
SHA1: 6c308ede709181fe63c6e00140c661ad35bdfc0d
SHA256: 68015cd2a0a4bba7d3d9853b9f2c00029d0549093b58993e998cb5f220791b96
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

main.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/Documentation and Samples/dotnet - ProcessBridge API Doc/styles/main.js
MD5: d79b7693c3fedef6d2701f98bd63395e
SHA1: dcb11c632f69f2a29632327c71ce2b36f0ed2da0
SHA256: 8c8530e356505da9f829ef1cf582c79f20fdd14cf1bb8491abc354d5e6882334
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies



- main.js
 - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/Documentation and Samples/nunit - API Doc/styles/main.js
 - MD5: d79b7693c3fedef6d2701f98bd63395e
 - SHA1: dcb11c632f69f2a29632327c71ce2b36f0ed2da0
 - SHA256: 8c8530e356505da9f829ef1cf582c79f20fdd14cf1bb8491abc354d5e6882334

Identifiers

- None

maintenance.pdf.zip: maintenance.pdf.jar

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/maintenance.pdf.zip/maintenance.pdf.jar

MD5: 122208f5179f6755e244e01b51687860

SHA1: f1c1b1dd18e514d3be5beb3d6fac4f7cca472d5c

SHA256: 178d00ccb3b5a73e6cc4d9f2503424ee948b6b1e8e268c82e82d6fda5583bea8

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	maintenance.pdf	High
Vendor	jar	package name	inet	Low
Vendor	jar	package name	pdfc	Low
Vendor	jar	package name	plugins	Low
Vendor	Manifest	built-date	2024-06-07 20:43	Low
Vendor	Manifest	implementation-group	pdfc	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	maintenance.pdf	High
Product	jar	package name	maintenance	Highest
Product	jar	package name	maintenance	Low
Product	jar	package name	pdfc	Highest
Product	jar	package name	pdfc	Low
Product	jar	package name	plugins	Low
Product	Manifest	built-date	2024-06-07 20:43	Low
Product	Manifest	implementation-group	pdfc	Low
Product	Manifest	Implementation-Title	maintenance.pdf	High
Product	Manifest	specification-title	maintenance.pdf	Medium
Version	jar	package name	pdfc	Highest

Version Manifest Implementation-Version 24.4.256

High

Identifiers

- cpe:2.3:a:inetsoftware:pdfc:24.4.256:****:* (Confidence:Low) suppress

maintenance.pdfc.zip: maintenance.pdfc.jar: app.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/maintenance.pdfc.zip/maintenance.pdfc.jar/com/inet/pdfc/plugins/maintenance/server/comparisons/js/app.js
MD5: c5b81bbd2ccc5c70732cb9b5140031e8
SHA1: 3600bcef3b8e5e8673753dba6e44219e1ee6084e
SHA256: 29f813005b914380fb3d2431e48cc5256085b01352b29cd52a030c039f4c5048
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

maintenance.pdfc.zip: maintenance.pdfc.jar: comparisons.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/maintenance.pdfc.zip/maintenance.pdfc.jar/com/inet/pdfc/plugins/maintenance/server/comparisons/js/comparisons.js
MD5: 4a358909e70f5e92382c4ffa1ad9b09f
SHA1: bbfe46ecb44e78fddfc7d2b46e8eac1f2e064425
SHA256: 744b2fd3fca72ee7c3e807ad435821ce5d5591dbdfd7222b8772637807543e16
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

maintenance.zip: maintenance-javadoc.jar

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/maintenance.zip/maintenance-javadoc.jar

MD5: 39bd60fcc6685310d5dd4317e7cd137d

SHA1: c94b95300d65c9ab2d9b7b80bde78f0d56773033

SHA256: 7ba9042f8cb17b90d047d21e383c97e2bb42f458970f033147714910cdf6b864

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	maintenance-javadoc	High
Product	file	name	maintenance-javadoc	High

Identifiers

- None

maintenance.zip: maintenance-javadoc.jar: jquery-3.6.1.min.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/maintenance.zip/maintenance-javadoc.jar/script-dir/jquery-3.6.1.min.js

MD5: 00727d1d5d9c90f7de826f1a4a9cc632

SHA1: ea61688671d0c3044f2c5b2f2c4af0a6620ac6c2

SHA256: a3cf00c109d907e543bc4f6dbc85eb31068f94515251347e9e57509b52ee3d74

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies



- pdfc.zip: pdfc-javadoc.jar: jquery-3.6.1.min.js

- File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/pdfc.zip/pdfc-javadoc.jar/script-dir/jquery-3.6.1.min.js
- MD5: 00727d1d5d9c90f7de826f1a4a9cc632
- SHA1: ea61688671d0c3044f2c5b2f2c4af0a6620ac6c2
- SHA256: a3cf00c109d907e543bc4f6dbc85eb31068f94515251347e9e57509b52ee3d74
- reporting.zip: reporting-javadoc.jar: jquery-3.6.1.min.js
 - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/reporting.zip/reporting-javadoc.jar/script-dir/jquery-3.6.1.min.js
 - MD5: 00727d1d5d9c90f7de826f1a4a9cc632
 - SHA1: ea61688671d0c3044f2c5b2f2c4af0a6620ac6c2
 - SHA256: a3cf00c109d907e543bc4f6dbc85eb31068f94515251347e9e57509b52ee3d74
- taskplanner.zip: taskplanner-javadoc.jar: jquery-3.6.1.min.js
 - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/taskplanner.zip/taskplanner-javadoc.jar/script-dir/jquery-3.6.1.min.js
 - MD5: 00727d1d5d9c90f7de826f1a4a9cc632
 - SHA1: ea61688671d0c3044f2c5b2f2c4af0a6620ac6c2
 - SHA256: a3cf00c109d907e543bc4f6dbc85eb31068f94515251347e9e57509b52ee3d74

Identifiers

- None

maintenance.zip: maintenance-javadoc.jar: jquery-ui.min.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/maintenance.zip/maintenance-javadoc.jar/script-dir/jquery-ui.min.js

MD5: 32059df39c14a910ccc2325f6a3cd62f

SHA1: d3289f1b527a3f054d303ec769402e037fbcf4b

SHA256: 672f278182cdf04f3c62a5b8d93f406791854a28791f27aecdb9981573c61424

Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence
Vendor	file	name	jquery-ui	High
Product	file	name	jquery-ui	High
Version	file	version	1.13.1	High

Related Dependencies

- pdfc.zip: pdfc-javadoc.jar: jquery-ui.min.js
 - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/pdfc.zip/pdfc-javadoc.jar/script-dir/jquery-ui.min.js
 - MD5: 32059df39c14a910ccc2325f6a3cd62f

- SHA1: d3289f1b527a3f054d303ec769402e037fbfcf4b
- SHA256: 672f278182cdf04f3c62a5b8d93f406791854a28791f27aecdb9981573c61424
- [pkg:javascript/jquery-ui@1.13.1](#)
- reporting.zip: reporting-javadoc.jar: jquery-ui.min.js
 - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/reporting.zip/reporting-javadoc.jar/script-dir/jquery-ui.min.js
 - MD5: 32059df39c14a910ccc2325f6a3cd62f
 - SHA1: d3289f1b527a3f054d303ec769402e037fbfcf4b
 - SHA256: 672f278182cdf04f3c62a5b8d93f406791854a28791f27aecdb9981573c61424
 - [pkg:javascript/jquery-ui@1.13.1](#)
- taskplanner.zip: taskplanner-javadoc.jar: jquery-ui.min.js
 - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/taskplanner.zip/taskplanner-javadoc.jar/script-dir/jquery-ui.min.js
 - MD5: 32059df39c14a910ccc2325f6a3cd62f
 - SHA1: d3289f1b527a3f054d303ec769402e037fbfcf4b
 - SHA256: 672f278182cdf04f3c62a5b8d93f406791854a28791f27aecdb9981573c61424
 - [pkg:javascript/jquery-ui@1.13.1](#)

Identifiers

- [pkg:javascript/jquery-ui@1.13.1](#) (*Confidence: Highest*)

maintenance.zip: maintenance-javadoc.jar: member-search-index.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/maintenance.zip/maintenance-javadoc.jar/member-search-index.js

MD5: 93b51609403fe383f95ae75000fd9e09

SHA1: 32a7d291fa90846ef3a1b919485866573b8bd07b

SHA256: 5902db037c53061d68cc19ef2af2e3578c16ce0ec0397438e34dd8119c609087

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

maintenance.zip: maintenance-javadoc.jar: module-search-index.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/maintenance.zip/maintenance-javadoc.jar/module-search-index.js

MD5: a33da0f469acbd03f77bf407bac505f5

SHA1: 1e996ce630c6e1ada3ea86d7b71dabca0180f8e8

SHA256: 814a05983e3267d591c7e62b314eb8eb0504eee844c8a70d494f6edbaa0f4f18

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies



- pdfc.zip: pdfc-javadoc.jar: module-search-index.js
 - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/pdfc.zip/pdfc-javadoc.jar/module-search-index.js
 - MD5: a33da0f469acbd03f77bf407bac505f5
 - SHA1: 1e996ce630c6e1ada3ea86d7b71dabca0180f8e8
 - SHA256: 814a05983e3267d591c7e62b314eb8eb0504eee844c8a70d494f6edbaa0f4f18
- reporting.zip: reporting-javadoc.jar: module-search-index.js
 - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/reporting.zip/reporting-javadoc.jar/module-search-index.js
 - MD5: a33da0f469acbd03f77bf407bac505f5
 - SHA1: 1e996ce630c6e1ada3ea86d7b71dabca0180f8e8
 - SHA256: 814a05983e3267d591c7e62b314eb8eb0504eee844c8a70d494f6edbaa0f4f18
- taskplanner.zip: taskplanner-javadoc.jar: module-search-index.js
 - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/taskplanner.zip/taskplanner-javadoc.jar/module-search-index.js
 - MD5: a33da0f469acbd03f77bf407bac505f5
 - SHA1: 1e996ce630c6e1ada3ea86d7b71dabca0180f8e8
 - SHA256: 814a05983e3267d591c7e62b314eb8eb0504eee844c8a70d494f6edbaa0f4f18

Identifiers

- None

maintenance.zip: maintenance-javadoc.jar: package-search-index.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/maintenance.zip/maintenance-javadoc.jar/package-search-index.js

MD5: e89f47c422716f6284a74cd96ed0cd3f

SHA1: 658d9c6eebf7c62d01f7808a26b6024b8c39ecf4

SHA256: 9687f5061532bbd21fa8c795aca6a657bdac71e356eb43f7103a1cd02bd9306d

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

maintenance.zip: maintenance-javadoc.jar: script.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/maintenance.zip/maintenance-javadoc.jar/script.js

MD5: baf9d9e16237acbdce975a33c54ee8ae

SHA1: cc6a3c8d72f17eff0d613ddfcf7c1095535573f7

SHA256: 9a027b197c6b3b44c4952797b2eb0477318a03093a5bbad089e12959e562b975

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies



- pdfc.zip: pdfc-javadoc.jar: script.js
 - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/pdfc.zip/pdfc-javadoc.jar/script.js
 - MD5: baf9d9e16237acbdce975a33c54ee8ae
 - SHA1: cc6a3c8d72f17eff0d613ddfcf7c1095535573f7
 - SHA256: 9a027b197c6b3b44c4952797b2eb0477318a03093a5bbad089e12959e562b975
- reporting.zip: reporting-javadoc.jar: script.js
 - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/reporting.zip/reporting-javadoc.jar/script.js
 - MD5: baf9d9e16237acbdce975a33c54ee8ae
 - SHA1: cc6a3c8d72f17eff0d613ddfcf7c1095535573f7
 - SHA256: 9a027b197c6b3b44c4952797b2eb0477318a03093a5bbad089e12959e562b975
- taskplanner.zip: taskplanner-javadoc.jar: script.js
 - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/taskplanner.zip/taskplanner-javadoc.jar/script.js
 - MD5: baf9d9e16237acbdce975a33c54ee8ae
 - SHA1: cc6a3c8d72f17eff0d613ddfcf7c1095535573f7
 - SHA256: 9a027b197c6b3b44c4952797b2eb0477318a03093a5bbad089e12959e562b975

Identifiers

- None

maintenance.zip: maintenance-javadoc.jar: search.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/maintenance.zip/maintenance-javadoc.jar/search.js
MD5: cb277f670590ffec20a12745260518dc
SHA1: 4b222ef8d1c52e1ce5ceb40a3b5c1fb9cad01eca
SHA256: 47c74de257f7e407a21e5d22519b664cfa1c83d04c362bff466c8424b702d31f
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies

- pdfc.zip: pdfc-javadoc.jar: search.js
 - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/pdfc.zip/pdfc-javadoc.jar/search.js
 - MD5: cb277f670590ffec20a12745260518dc
 - SHA1: 4b222ef8d1c52e1ce5ceb40a3b5c1fb9cad01eca
 - SHA256: 47c74de257f7e407a21e5d22519b664cfa1c83d04c362bff466c8424b702d31f
- reporting.zip: reporting-javadoc.jar: search.js
 - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/reporting.zip/reporting-javadoc.jar/search.js
 - MD5: cb277f670590ffec20a12745260518dc
 - SHA1: 4b222ef8d1c52e1ce5ceb40a3b5c1fb9cad01eca
 - SHA256: 47c74de257f7e407a21e5d22519b664cfa1c83d04c362bff466c8424b702d31f
- taskplanner.zip: taskplanner-javadoc.jar: search.js
 - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/taskplanner.zip/taskplanner-javadoc.jar/search.js
 - MD5: cb277f670590ffec20a12745260518dc
 - SHA1: 4b222ef8d1c52e1ce5ceb40a3b5c1fb9cad01eca
 - SHA256: 47c74de257f7e407a21e5d22519b664cfa1c83d04c362bff466c8424b702d31f

Identifiers

- None

maintenance.zip: maintenance-javadoc.jar: tag-search-index.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/maintenance.zip/maintenance-javadoc.jar/tag-search-index.js
MD5: 3236248138000d701400e0346999c1a8
SHA1: 565146643a30712208f9299bd94a37566eab76b8
SHA256: 72960c457566fe509fb1610d2612152b3f78b15485c891197f1053febdf8f8d1
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

maintenance.zip: maintenance-javadoc.jar: type-search-index.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/maintenance.zip/maintenance-javadoc.jar/type-search-index.js
MD5: 4fc01a884f0b77974cfda0ecd2b9008f
SHA1: d9610bba6879a5a4f88fb61427b75cd69bce1546
SHA256: cb975e5713d5cd570800e6107aceaa23f53deee11f68222408fec819358da987
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

maintenance.zip: maintenance.jar

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/maintenance.zip/maintenance.jar
MD5: 8b1ec5072d680091db26554acd590f33
SHA1: 242a30cae97427510399481a0ea03144ce88f659
SHA256: 6cdb6c664956a300f93f93dc9442862d77e110fead72c75b3861e57d026b7fc6
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	maintenance	High
Vendor	jar	package name	inet	Low
Vendor	jar	package name	maintenance	Low
Vendor	jar	package name	server	Low
Vendor	Manifest	built-date	2024-06-07 17:43	Low
Vendor	Manifest	implementation-group	shared	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	maintenance	High
Product	jar	package name	maintenance	Highest
Product	jar	package name	maintenance	Low
Product	jar	package name	server	Low
Product	Manifest	built-date	2024-06-07 17:43	Low
Product	Manifest	implementation-group	shared	Low
Product	Manifest	Implementation-Title	maintenance	High
Product	Manifest	specification-title	maintenance	Medium
Version	Manifest	Implementation-Version	24.4.256	High

Identifiers

- None

maintenance.zip: maintenance.jar: controller.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/maintenance.zip/maintenance.jar/com/inet/maintenance/resources/backup/js/controller.js

MD5: f6af6877bfef1fcb24b83fa1ec0a1092
SHA1: 08adadcfad002ade7e42e7c12b697c1e30c936ca
SHA256: c508db9d3c6f49d6b04945eb481d01b97ff56d88390856d9f9771e7b15acffe4
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

maintenance.zip: maintenance.jar: controller.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/maintenance.zip/maintenance.jar/com/inet/maintenance/resources/cache/js/controller.js

MD5: 75a2a467d59514437fe8d40d7c759ab3
SHA1: 5c1142a7bb98e8e80e42c0f969b4efb54db8b0b7
SHA256: c404cedb100ab444adacbf48eb3ddafb2ee13793af5f4f1b7e5eb8e441515f
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

maintenance.zip: maintenance.jar: controller.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/maintenance.zip/maintenance.jar/com/inet/maintenance/resources/main/js/controller.js

MD5: 55014fba3d1f72a4197c2d3079557108
SHA1: 69c7a58b818cdfcb5149482b60463a8971a79a5c
SHA256: a109462f5780c90bba9589fdc18018c8a47ae5045ba5b94ddd4de9b8177557f0
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

maintenance.zip: maintenance.jar: controller.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/maintenance.zip/maintenance.jar/com/inet/maintenance/resources/programdata/js/controller.js

MD5: e9102b50be7a4c99936f78f337122fcc

SHA1: ceffe7a5a653bc9c1ed03fc866b7eef1de8a07be

SHA256:d1be524371b0378c644e2ac040712dcb9356a4956f5ad2c9d425c53b43e26b48

Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

maintenance.zip: maintenance.jar: controller.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/maintenance.zip/maintenance.jar/com/inet/maintenance/resources/usercleanup/js/controller.js

MD5: 33e019c927cbf722763c68a644d60736

SHA1: de671966f649195e128d75e9ccb6128ad048a646

SHA256:3dead73142a30b0b0769889226167527b4e0289caa202b36436c22df65f1c50c

Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

maintenance.zip: maintenance.jar: filechooser.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/maintenance.zip/maintenance.jar/com/inet/maintenance/resources/main/js/filechooser.js

MD5: 52060fad0a0e317f59c61d2e3bfbdeb5

SHA1: 3129730f85be06fd1eed6847e458000844da3491

SHA256: f3e8211c1c4548989d34b0365366acdbe66f41ace7fe764dcfb261e070810da3

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

maintenance.zip: maintenance.jar: multieditusers.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/maintenance.zip/maintenance.jar/com/inet/maintenance/resources/usercleanup/js/multieditusers.js

MD5: 4fb706fcdf12a1ea85ca0be863b60859

SHA1: a2e696a0927f0027f95bf3c8ce08f3f64e117e23

SHA256: 834e075ae9681f5e5332f1575cf178b5994ed4698849010b618552eaa4c90c8e

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

mongo-java-driver.jar

Description:

This artifact is no longer maintained / updated by MongoDB.
For the most up-to-date version of the Java Driver, please refer to the mongodb-driver-sync artifact.
To use the legacy API, please refer to the mongodb-driver-legacy artifact.

License:

The Apache License, Version 2.0: <http://www.apache.org/licenses/LICENSE-2.0.txt>

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller
/server/build/tmp/dependencies/i-net PDFC/plugins/persistence/mongo-java-driver.jar

MD5: b507109fd6a0b6ead4972e9554f09fc4

SHA1: 850383a126cdc5b363fa9ffc780037f6ebbee704

SHA256: 7e6b2b9bbf24859db4bc00dd647090e21fe02e1fee9e8566918649d8356dfa3f

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
Vendor	central	artifactid	mongo-java-driver	Highest
Vendor	central	groupid	org.mongodb	Highest
Vendor	file	name	mongo-java-driver	High
Vendor	jar	package name	mongodb	Highest
Vendor	jar	package name	mongodb	Low
Vendor	Manifest	bundle-symbolicname	org.mongodb.mongo-java-driver	Medium
Vendor	pom	artifactid	mongo-java-driver	Low
Vendor	pom	developer name	Various	Medium
Vendor	pom	developer org	MongoDB	Medium
Vendor	pom	groupid	org.mongodb	Highest
Vendor	pom	name	MongoDB Java Driver (unmaintained)	High
Vendor	pom	url	http://www.mongodb.org	Highest
Product	central	artifactid	mongo-java-driver	Highest
Product	file	name	mongo-java-driver	High
Product	jar	package name	mongo	Highest
Product	jar	package name	mongodb	Highest
Product	Manifest	Bundle-Name	mongo-java-driver	Medium
Product	Manifest	bundle-symbolicname	org.mongodb.mongo-java-driver	Medium
Product	pom	artifactid	mongo-java-driver	Highest
Product	pom	developer name	Various	Low
Product	pom	developer org	MongoDB	Low

Product	pom	groupid	org.mongodb	Highest
Product	pom	name	MongoDB Java Driver (unmaintained)	High
Product	pom	url	http://www.mongodb.org	Medium
Version	central	version	3.12.14	Highest
Version	Manifest	build-version	3.12.14	Medium
Version	Manifest	Bundle-Version	3.12.14	High
Version	pom	version	3.12.14	Highest

Identifiers

- [pkg:maven/org.mongodb/mongo-java-driver@3.12.14](#) (Confidence:High)
- [cpe:2.3:a:mongodb:java_driver:3.12.14:*****](#) (Confidence:Highest)

suppress

notification.zip: notification.jar

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/notification.zip/notification.jar

MD5: 1053e78bc59156f56d39c5b31d47984d

SHA1: eeeb5632fbe4fe8beadd4a7342c19474f88428b4

SHA256: 565ec4aa4f66282c486d3c974bd5d4bc9bbe8451de52ec3c6de208e561328b97

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	notification	High
Vendor	jar	package name	inet	Low
Vendor	jar	package name	notificationui	Low
Vendor	jar	package name	server	Low
Vendor	Manifest	built-date	2024-06-07 17:58	Low
Vendor	Manifest	implementation-group	shared	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium

Product	file	name	notification	High
Product	jar	package name	notificationui	Low
Product	jar	package name	server	Low
Product	Manifest	built-date	2024-06-07 17:58	Low
Product	Manifest	implementation-group	shared	Low
Product	Manifest	Implementation-Title	notification	High
Product	Manifest	specification-title	notification	Medium
Version	Manifest	Implementation-Version	24.4.256	High

Identifiers

- None

notification.zip: notification.jar: notification.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/notification.zip/notification.jar/com/inet/notificationui/client/js/notification.js

MD5: f8387cffb5164fff66a86ded1d486990

SHA1: 945ef321d19796c37f81d45e7e8f331214b5419c

SHA256: b6aa1532919a6c4dd50967c51c715e9b1d80ab27a34c73163089b3a52d805bca

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

notification.zip: notification.jar: notification_config.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/notification.zip/notification.jar/com/inet/notificationui/client/js/notification_config.js

MD5: 8099d9e9137b19562db90c54b7f751a4
SHA1: cbb5313de5b113e7e00433bce106a009a6271e0b
SHA256: 5278757870dbe3ee393df0bf18ecb468539c9f96971cc134b8fe9c800f357f4d
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

notification.zip: notification.jar: notification_taskplanner.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/notification.zip/notification.jar/com/inet/notificationui/client/js/notification_taskplanner.js

MD5: 1fd307d62ba19fbd038c44cd72b62d2
SHA1: 1952936593bdbea48df6a9a9e3fb0915be76f188
SHA256: 6c0ced9e67d00af753087cf43514b7dbf029727aa5177bbfd69b5b3c17bc0d51
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

notification.zip: notification.jar: targetrenderer.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/notification.zip/notification.jar/com/inet/notificationui/client/js/targetrenderer.js

MD5: 94d7d514f946077f0c8acc5797a372ef
SHA1: d7fbfcfb1863ebea41303cce8c7ba15488e7678c
SHA256: 0e7851f6b57913d9a8042927978c4f8d501a5285e0574f13ebd5a29360b42a7e
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

ocr.tesseract.zip: commons-io.jar

Description:

The Apache Commons IO library contains utility classes, stream implementations, file filters, file comparators, endian transformation classes, and much more.

License:

<https://www.apache.org/licenses/LICENSE-2.0.txt>

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/ocr.tesseract.zip/commons-io.jar

MD5: 84351f7991a0e6722f00e96a4ccc376f

SHA1: f11560da189ab563a5c8e351941415430e9304ea

SHA256:a58af12ee1b68cfd2ebb0c27caef164f084381a00ec81a48cc275fd7ea54e154

Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence
Vendor	file	name	commons-io	High
Vendor	jar	package name	apache	Highest
Vendor	jar	package name	commons	Highest
Vendor	jar	package name	file	Highest
Vendor	jar	package name	io	Highest
Vendor	Manifest	automatic-module-name	org.apache.commons.io	Medium
Vendor	Manifest	build-jdk-spec	21	Low
Vendor	Manifest	bundle-docurl	https://commons.apache.org/proper/commons-io/	Low
Vendor	Manifest	bundle-symbolicname	org.apache.commons.commons-io	Medium
Vendor	Manifest	Implementation-Vendor	The Apache Software Foundation	High
Vendor	Manifest	multi-release	true	Low
Vendor	Manifest	specification-	The Apache Software Foundation	Low

vendor

Vendor	pom	artifactid	commons-io	Low
Vendor	pom	developer email	bayard@apache.org	Low
Vendor	pom	developer email	dion@apache.org	Low
Vendor	pom	developer email	ggregory at apache.org	Low
Vendor	pom	developer email	jeremias@apache.org	Low
Vendor	pom	developer email	jochen.wiedmann@gmail.com	Low
Vendor	pom	developer email	krosenvold@apache.org	Low
Vendor	pom	developer email	martinc@apache.org	Low
Vendor	pom	developer email	matth@apache.org	Low
Vendor	pom	developer email	nicolaken@apache.org	Low
Vendor	pom	developer email	roxspring@apache.org	Low
Vendor	pom	developer email	sanders@apache.org	Low
Vendor	pom	developer id	bayard	Medium
Vendor	pom	developer id	dion	Medium
Vendor	pom	developer id	ggregory	Medium
Vendor	pom	developer id	jeremias	Medium
Vendor	pom	developer id	jochen	Medium
Vendor	pom	developer id	jukka	Medium
Vendor	pom	developer id	krosenvold	Medium
Vendor	pom	developer id	martinc	Medium
Vendor	pom	developer id	matth	Medium
Vendor	pom	developer id	niallp	Medium
Vendor	pom	developer id	nicolaken	Medium
Vendor	pom	developer id	roxspring	Medium
Vendor	pom	developer id	sanders	Medium
Vendor	pom	developer id	scolebourne	Medium
Vendor	pom	developer name	dlon Gillard	Medium
Vendor	pom	developer name	Gary Gregory	Medium
Vendor	pom	developer name	Henri Yandell	Medium
Vendor	pom	developer name	Jeremias Maerki	Medium
Vendor	pom	developer name	Jochen Wiedmann	Medium
Vendor	pom	developer name	Jukka Zitting	Medium
Vendor	pom	developer name	Kristian Rosenvold	Medium
Vendor	pom	developer name	Martin Cooper	Medium

Vendor	pom	developer name	Matthew Hawthorne	Medium
Vendor	pom	developer name	Niall Pemberton	Medium
Vendor	pom	developer name	Nicola Ken Barozzi	Medium
Vendor	pom	developer name	Rob Oxspring	Medium
Vendor	pom	developer name	Scott Sanders	Medium
Vendor	pom	developer name	Stephen Colebourne	Medium
Vendor	pom	developer org	The Apache Software Foundation	Medium
Vendor	pom	developer org URL	https://www.apache.org/	Medium
Vendor	pom	groupid	commons-io	Highest
Vendor	pom	name	Apache Commons IO	High
Vendor	pom	parent-artifactid	commons-parent	Low
Vendor	pom	parent-groupid	org.apache.commons	Medium
Vendor	pom	url	https://commons.apache.org/proper/commons-io/	Highest
Product	file	name	commons-io	High
Product	jar	package name	apache	Highest
Product	jar	package name	commons	Highest
Product	jar	package name	file	Highest
Product	jar	package name	io	Highest
Product	Manifest	automatic-module-name	org.apache.commons.io	Medium
Product	Manifest	build-jdk-spec	21	Low
Product	Manifest	bundle-docurl	https://commons.apache.org/proper/commons-io/	Low
Product	Manifest	Bundle-Name	Apache Commons IO	Medium
Product	Manifest	bundle-symbolicname	org.apache.commons.commons-io	Medium
Product	Manifest	Implementation-Title	Apache Commons IO	High
Product	Manifest	multi-release	true	Low
Product	Manifest	specification-title	Apache Commons IO	Medium
Product	pom	artifactid	commons-io	Highest
Product	pom	developer email	bayard@apache.org	Low
Product	pom	developer email	dion@apache.org	Low
Product	pom	developer email	ggregory at apache.org	Low
Product	pom	developer email	jeremias@apache.org	Low
Product	pom	developer email	jochen.wiedmann@gmail.com	Low

Product	pom	developer email	krosenvold@apache.org	Low
Product	pom	developer email	martinc@apache.org	Low
Product	pom	developer email	matth@apache.org	Low
Product	pom	developer email	nicolaken@apache.org	Low
Product	pom	developer email	roxspring@apache.org	Low
Product	pom	developer email	sanders@apache.org	Low
Product	pom	developer id	bayard	Low
Product	pom	developer id	dion	Low
Product	pom	developer id	ggregory	Low
Product	pom	developer id	jeremias	Low
Product	pom	developer id	jochen	Low
Product	pom	developer id	jukka	Low
Product	pom	developer id	krosenvold	Low
Product	pom	developer id	martinc	Low
Product	pom	developer id	matth	Low
Product	pom	developer id	niallp	Low
Product	pom	developer id	nicolaken	Low
Product	pom	developer id	roxspring	Low
Product	pom	developer id	sanders	Low
Product	pom	developer id	scolebourne	Low
Product	pom	developer name	dlon Gillard	Low
Product	pom	developer name	Gary Gregory	Low
Product	pom	developer name	Henri Yandell	Low
Product	pom	developer name	Jeremias Maerki	Low
Product	pom	developer name	Jochen Wiedmann	Low
Product	pom	developer name	Jukka Zitting	Low
Product	pom	developer name	Kristian Rosenvold	Low
Product	pom	developer name	Martin Cooper	Low
Product	pom	developer name	Matthew Hawthorne	Low
Product	pom	developer name	Niall Pemberton	Low
Product	pom	developer name	Nicola Ken Barozzi	Low
Product	pom	developer name	Rob Oxspring	Low
Product	pom	developer name	Scott Sanders	Low
Product	pom	developer name	Stephen Colebourne	Low
Product	pom	developer org	The Apache Software Foundation	Low

Product	pom	developer org URL	https://www.apache.org/	Low
Product	pom	groupid	commons-io	Highest
Product	pom	name	Apache Commons IO	High
Product	pom	parent-artifactid	commons-parent	Medium
Product	pom	parent-groupid	org.apache.commons	Medium
Product	pom	url	https://commons.apache.org/proper/commons-io/	Medium
Version	Manifest	Bundle-Version	2.15.1	High
Version	Manifest	Implementation-Version	2.15.1	High
Version	pom	parent-version	2.15.1	Low
Version	pom	version	2.15.1	Highest

Related Dependencies

- remotegui.zip: commons-io.jar
 - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/commons-io.jar
 - MD5: 84351f7991a0e6722f00e96a4ccc376f
 - SHA1: f11560da189ab563a5c8e351941415430e9304ea
 - SHA256: a58af12ee1b68cfd2ebb0c27caef164f084381a00ec81a48cc275fd7ea54e154
 - [pkg:maven/commons-io/commons-io@2.15.1](https://mvnrepository.com/artifact/commons-io/commons-io/2.15.1)

Identifiers

- [pkg:maven/commons-io/commons-io@2.15.1](https://mvnrepository.com/artifact/commons-io/commons-io/2.15.1) (*Confidence:High*)
- [cpe:2.3:a:apache:commons_io:2.15.1:*:*:*:*:*](https://cpe.apache.org/cpe/2.3/a:apache:commons_io:2.15.1:*:*:*:*:*) (*Confidence:Highest*) suppress

ocr.tesseract.zip: fontbox.jar

Description:

The Apache FontBox library is an open source Java tool to obtain low level information from font files. FontBox is a subproject of Apache PDFBox.

License:

<https://www.apache.org/licenses/LICENSE-2.0.txt>

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/ocr.tesseract.zip/fontbox.jar

MD5: a72b60d8c93807ba29c4d24cc09d58a3

SHA1: 6e0cd64e30d019d8b98cba9201b979934e4cdae6

SHA256:a4efc56064dd34caf8f38a192c04b32422c72ef3c964c0fbbbe8a6b4564d2830

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	fontbox	High
Vendor	jar	package name	apache	Highest
Vendor	jar	package name	fontbox	Highest
Vendor	Manifest	automatic-module-name	org.apache.fontbox	Medium
Vendor	Manifest	bundle-docurl	http://pdfbox.apache.org	Low
Vendor	Manifest	bundle-symbolicname	org.apache.pdfbox.fontbox	Medium
Vendor	Manifest	implementation-url	http://pdfbox.apache.org/	Low
Vendor	Manifest	Implementation-Vendor	The Apache Software Foundation	High
Vendor	Manifest	Implementation-Vendor-Id	org.apache.pdfbox	Medium
Vendor	Manifest	specification-vendor	The Apache Software Foundation	Low
Vendor	pom	artifactid	fontbox	Low
Vendor	pom	groupid	org.apache.pdfbox	Highest
Vendor	pom	name	Apache FontBox	High
Vendor	pom	parent-artifactid	pdfbox-parent	Low
Vendor	pom	url	http://pdfbox.apache.org/	Highest
Product	file	name	fontbox	High
Product	jar	package name	apache	Highest
Product	jar	package name	fontbox	Highest
Product	Manifest	automatic-module-name	org.apache.fontbox	Medium
Product	Manifest	bundle-docurl	http://pdfbox.apache.org	Low
Product	Manifest	Bundle-Name	Apache FontBox	Medium
Product	Manifest	bundle-symbolicname	org.apache.pdfbox.fontbox	Medium
Product	Manifest	Implementation-Title	Apache FontBox	High
Product	Manifest	implementation-url	http://pdfbox.apache.org/	Low
Product	Manifest	specification-title	Apache FontBox	Medium

Product	pom	artifactid	fontbox	Highest
Product	pom	groupid	org.apache.pdfbox	Highest
Product	pom	name	Apache FontBox	High
Product	pom	parent-artifactid	pdfbox-parent	Medium
Product	pom	url	http://pdfbox.apache.org/	Medium
Version	Manifest	Bundle-Version	2.0.29	High
Version	Manifest	Implementation-Version	2.0.29	High
Version	pom	version	2.0.29	Highest

Identifiers

- <pkg:maven/org.apache.pdfbox/fontbox@2.0.29> (*Confidence:High*)

ocr.tesseract.zip: jai-imageio-core.jar

Description:

Java Advanced Imaging Image I/O Tools API core, but without the classes involved with javax.media.jai dependencies, JPEG2000 or codecLibJIO, meaning that this library can be distributed under the modified BSD license and should be GPL compatible.

License:

BSD 3-clause License w/nuclear disclaimer: LICENSE.txt

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/ocr.tesseract.zip/jai-imageio-core.jar

MD5: 6978d733bfb55c0a82639f724fe5f3bb

SHA1: fb6d79b929556362a241b2f65a04e538062f0077

SHA256: 8ad3c68e9effb10ac87ff8bc589adf64b04a729c5194c079efd0643607fd72a

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	jai-imageio-core	High
Vendor	jar	package name	github	Highest
Vendor	Manifest	bundle-docurl	https://github.com/jai-imageio/	Low
Vendor	Manifest	bundle-symbolicname	jai-imageio-core	Medium
Vendor	Manifest	extension-name	com.github.jai-imageio-jai-imageio-core	Medium

Vendor	Manifest	Implementation-Vendor	https://github.com/jai-imageio/ jai-imageio GitHub group	High
Vendor	Manifest	specification-vendor	Sun Microsystems, Inc.	Low
Vendor	Manifest	url	https://github.com/jai-imageio/jai-imageio-core	Low
Vendor	pom	artifactid	jai-imageio-core	Low
Vendor	pom	developer email	stian@s11.no	Low
Vendor	pom	developer name	Stian Soiland-Reyes	Medium
Vendor	pom	developer org	s11	Medium
Vendor	pom	developer org URL	http://s11.no/	Medium
Vendor	pom	groupid	com.github.jai-imageio	Highest
Vendor	pom	name	Java Advanced Imaging Image I/O Tools API core (standalone)	High
Vendor	pom	organization name	jai-imageio GitHub group	High
Vendor	pom	organization url	jai-imageio/	Medium
Vendor	pom	url	jai-imageio/jai-imageio-core	Highest
Product	file	name	jai-imageio-core	High
Product	jar	package name	github	Highest
Product	Manifest	bundle-docurl	https://github.com/jai-imageio/	Low
Product	Manifest	Bundle-Name	Java Advanced Imaging Image I/O Tools API core (standalone)	Medium
Product	Manifest	bundle-symbolicname	jai-imageio-core	Medium
Product	Manifest	extension-name	com.github.jai-imageio-jai-imageio-core	Medium
Product	Manifest	Implementation-Title	Java Advanced Imaging Image I/O Tools API core (standalone)	High
Product	Manifest	specification-title	Java Advanced Imaging	Medium
Product	Manifest	url	https://github.com/jai-imageio/jai-imageio-core	Low
Product	pom	artifactid	jai-imageio-core	Highest
Product	pom	developer email	stian@s11.no	Low
Product	pom	developer name	Stian Soiland-Reyes	Low
Product	pom	developer org	s11	Low
Product	pom	developer org URL	http://s11.no/	Low
Product	pom	groupid	com.github.jai-imageio	Highest
Product	pom	name	Java Advanced Imaging Image I/O Tools API core (standalone)	High

Product	pom	organization name	jai-imageio GitHub group	Low
Product	pom	url	jai-imageio/	High
Product	pom	url	jai-imageio/jai-imageio-core	High
Version	Manifest	Bundle-Version	1.4.0	High
Version	Manifest	Implementation-Version	1.4.0	High
Version	pom	version	1.4.0	Highest

Identifiers

- <pkg:maven/com.github.jai-imageio/jai-imageio-core@1.4.0> (Confidence:High)

ocr.tesseract.zip: jbig2-imageio.jar

Description:

Java Image I/O plugin for reading JBIG2-compressed image data.
Formerly known as the levigo JBig2 ImageIO plugin (com.levigo.jbig2:levigo-jbig2-imageio).

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/ocr.tesseract.zip/jbig2-imageio.jar

MD5: c51f45dc3d29bbf716774f9ff9e95ad6

SHA1: ad09a9bb94ea791ea81fb6c5bc2b13dd77872598

SHA256: 29cb2951622f10acf61fd0656c4e6fa5562194a9095f7a1d26aa426e2f6b17eb

Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence
Vendor	file	name	jbig2-imageio	High
Vendor	jar	package name	apache	Highest
Vendor	jar	package name	image	Highest
Vendor	jar	package name	jbig2	Highest
Vendor	jar	package name	pdfbox	Highest
Vendor	Manifest	automatic-module-name	org.apache.pdfbox.jbig2	Medium
Vendor	Manifest	implementation-url	https://www.apache.org/jbig2-imageio/	Low
Vendor	Manifest	Implementation-Vendor	The Apache Software Foundation	High
Vendor	Manifest	Implementation-	org.apache.pdfbox	Medium

		Vendor-Id		
Vendor	Manifest	specification-vendor	The Apache Software Foundation	Low
Vendor	pom	artifactid	jbig2-imageio	Low
Vendor	pom	developer id	adam	Medium
Vendor	pom	developer id	blitchfield	Medium
Vendor	pom	developer id	carrier	Medium
Vendor	pom	developer id	danielwilson	Medium
Vendor	pom	developer id	gbailleul	Medium
Vendor	pom	developer id	hennejg	Medium
Vendor	pom	developer id	holdersn	Medium
Vendor	pom	developer id	jahewson	Medium
Vendor	pom	developer id	jeremias	Medium
Vendor	pom	developer id	jukka	Medium
Vendor	pom	developer id	kjackson	Medium
Vendor	pom	developer id	koch	Medium
Vendor	pom	developer id	koehlecn	Medium
Vendor	pom	developer id	lehmi	Medium
Vendor	pom	developer id	leleueri	Medium
Vendor	pom	developer id	mmayer	Medium
Vendor	pom	developer id	msayhoun	Medium
Vendor	pom	developer id	pkoch	Medium
Vendor	pom	developer id	tallison	Medium
Vendor	pom	developer id	tboehme	Medium
Vendor	pom	developer id	tchojecki	Medium
Vendor	pom	developer id	tilman	Medium
Vendor	pom	developer id	vfed	Medium
Vendor	pom	developer name	Adam Nichols	Medium
Vendor	pom	developer name	Andreas Lehmkuhler	Medium
Vendor	pom	developer name	Ben Litchfield	Medium
Vendor	pom	developer name	Brian Carrier	Medium
Vendor	pom	developer name	Carolin Köhler	Medium
Vendor	pom	developer name	Daniel Wilson	Medium
Vendor	pom	developer name	Eric Leleu	Medium
Vendor	pom	developer name	Guillaume Bailleul	Medium
Vendor	pom	developer name	Jeremias Maerki	Medium

Vendor	pom	developer name	Johannes Koch	Medium
Vendor	pom	developer name	John Hewson	Medium
Vendor	pom	developer name	Jukka Zitting	Medium
Vendor	pom	developer name	Jörg Henne	Medium
Vendor	pom	developer name	Kevin Jackson	Medium
Vendor	pom	developer name	Maruan Sayhoun	Medium
Vendor	pom	developer name	Matthäus Mayer	Medium
Vendor	pom	developer name	Phillipp Koch	Medium
Vendor	pom	developer name	Sebastian Holder	Medium
Vendor	pom	developer name	Thomas Chojecki	Medium
Vendor	pom	developer name	Tilman Hausherr	Medium
Vendor	pom	developer name	Tim Allison	Medium
Vendor	pom	developer name	Timo Boehme	Medium
Vendor	pom	developer name	Villu Ruusmann	Medium
Vendor	pom	groupid	org.apache.pdfbox	Highest
Vendor	pom	name	PDFBox JBIG2 ImageIO plugin	High
Vendor	pom	organization name	The Apache Software Foundation	High
Vendor	pom	organization url	http://pdfbox.apache.org	Medium
Vendor	pom	parent-artifactid	apache	Low
Vendor	pom	parent-groupid	org.apache	Medium
Product	file	name	jbig2-imageio	High
Product	jar	package name	apache	Highest
Product	jar	package name	image	Highest
Product	jar	package name	jbig2	Highest
Product	jar	package name	pdfbox	Highest
Product	Manifest	automatic-module-name	org.apache.pdfbox.jbig2	Medium
Product	Manifest	Implementation-Title	PDFBox JBIG2 ImageIO plugin	High
Product	Manifest	implementation-url	https://www.apache.org/jbig2-imageio/	Low
Product	Manifest	specification-title	PDFBox JBIG2 ImageIO plugin	Medium
Product	pom	artifactid	jbig2-imageio	Highest
Product	pom	developer id	adam	Low
Product	pom	developer id	blitchfield	Low
Product	pom	developer id	carrier	Low

Product	pom	developer id	danielwilson	Low
Product	pom	developer id	gbailleul	Low
Product	pom	developer id	hennejg	Low
Product	pom	developer id	holdersn	Low
Product	pom	developer id	jahewson	Low
Product	pom	developer id	jeremias	Low
Product	pom	developer id	jukka	Low
Product	pom	developer id	kjackson	Low
Product	pom	developer id	koch	Low
Product	pom	developer id	koehlecn	Low
Product	pom	developer id	lehmi	Low
Product	pom	developer id	leleuri	Low
Product	pom	developer id	mmayer	Low
Product	pom	developer id	msayhoun	Low
Product	pom	developer id	pkoch	Low
Product	pom	developer id	tallison	Low
Product	pom	developer id	tboehme	Low
Product	pom	developer id	tchojecki	Low
Product	pom	developer id	tilman	Low
Product	pom	developer id	vfed	Low
Product	pom	developer name	Adam Nichols	Low
Product	pom	developer name	Andreas Lehmkuhler	Low
Product	pom	developer name	Ben Litchfield	Low
Product	pom	developer name	Brian Carrier	Low
Product	pom	developer name	Carolin Köhler	Low
Product	pom	developer name	Daniel Wilson	Low
Product	pom	developer name	Eric Leleu	Low
Product	pom	developer name	Guillaume Bailleul	Low
Product	pom	developer name	Jeremias Maerki	Low
Product	pom	developer name	Johannes Koch	Low
Product	pom	developer name	John Hewson	Low
Product	pom	developer name	Jukka Zitting	Low
Product	pom	developer name	Jörg Henne	Low
Product	pom	developer name	Kevin Jackson	Low
Product	pom	developer name	Maruan Sayhoun	Low

Product	pom	developer name	Matthäus Mayer	Low
Product	pom	developer name	Phillipp Koch	Low
Product	pom	developer name	Sebastian Holder	Low
Product	pom	developer name	Thomas Chojecki	Low
Product	pom	developer name	Tilman Hausherr	Low
Product	pom	developer name	Tim Allison	Low
Product	pom	developer name	Timo Boehme	Low
Product	pom	developer name	Villu Ruusmann	Low
Product	pom	groupid	org.apache.pdfbox	Highest
Product	pom	name	PDFBox JBIG2 ImageIO plugin	High
Product	pom	organization name	The Apache Software Foundation	Low
Product	pom	organization url	http://pdfbox.apache.org	Low
Product	pom	parent-artifactid	apache	Medium
Product	pom	parent-groupid	org.apache	Medium
Version	Manifest	Implementation-Version	3.0.4	High
Version	pom	parent-version	3.0.4	Low
Version	pom	version	3.0.4	Highest

Identifiers

- [pkg:maven/org.apache.pdfbox/jbig2-imageio@3.0.4](#) (*Confidence:High*)
- [cpe:2.3:a:apache:pdfbox:3.0.4:*:*:*:*:*](#) (*Confidence:Highest*) suppress

ocr.tesseract.zip: jboss-vfs.jar

Description:

A VFS library

License:

asl: http://repository.jboss.org/licenses/apache-2.0.txt

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/ocr.tesseract.zip/jboss-vfs.jar

MD5: 9e4be1fd11218a5bfd48129dd2e44025

SHA1: 677ec117cb3edae129eb0d3856ff3a0b09e7de84

SHA256: c5252e73e2bb48d6bc9431747ce18e401fa65f3979d8b457927144305fd46f36

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	jboss-vfs	High
Vendor	jar	package name	jboss	Highest
Vendor	jar	package name	vfs	Highest
Vendor	Manifest	build-jdk-spec	11	Low
Vendor	Manifest	implementation-url	http://www.jboss.org	Low
Vendor	Manifest	Implementation-Vendor	JBoss, A division of Red Hat, Inc	High
Vendor	Manifest	os-arch	amd64	Low
Vendor	Manifest	os-name	Linux	Medium
Vendor	Manifest	specification-vendor	JBoss, A division of Red Hat, Inc	Low
Vendor	pom	artifactid	jboss-vfs	Low
Vendor	pom	groupid	org.jboss	Highest
Vendor	pom	name	JBoss VFS	High
Vendor	pom	organization name	JBoss, A division of Red Hat, Inc	High
Vendor	pom	organization url	http://www.jboss.org	Medium
Vendor	pom	parent-artifactid	jboss-parent	Low
Vendor	pom	url	http://www.jboss.org	Highest
Product	file	name	jboss-vfs	High
Product	jar	package name	jboss	Highest
Product	jar	package name	vfs	Highest
Product	Manifest	build-jdk-spec	11	Low
Product	Manifest	Implementation-Title	JBoss VFS	High
Product	Manifest	implementation-url	http://www.jboss.org	Low
Product	Manifest	os-arch	amd64	Low
Product	Manifest	os-name	Linux	Medium
Product	Manifest	specification-title	JBoss VFS	Medium
Product	pom	artifactid	jboss-vfs	Highest
Product	pom	groupid	org.jboss	Highest
Product	pom	name	JBoss VFS	High
Product	pom	organization name	JBoss, A division of Red Hat, Inc	Low

Product	pom	organization url	http://www.jboss.org	Low
Product	pom	parent-artifactid	jboss-parent	Medium
Product	pom	url	http://www.jboss.org	Medium
Version	Manifest	Implementation-Version	3.3.0.Final	High
Version	pom	parent-version	3.3.0.Final	Low
Version	pom	version	3.3.0.Final	Highest

Identifiers

- pkg:maven/org.jboss/jboss-vfs@3.3.0.Final (*Confidence*:High)

ocr.tesseract.zip: lept4j.jar

Description:

Lept4J

Description:

A Java JNA wrapper for Leptonica Image Processing library.

Lept4J is released and distributed under the Apache License, v2.0.

License:

Apache License 2.0: <http://www.apache.org/licenses/LICENSE-2.0.txt>

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/ocr.tesseract.zip/lept4j.jar

MD5: cf4d81e4637416b32909a72dda7a6131

SHA1: f98a8c60db74964c16d5e28d0cd8804c41da1dc7

SHA256: a69ebcd0ed984c406b6001f02a7c1567c3abd5eef514bf1fe6e7e31985a2fbf1

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	lept4j	High
Vendor	jar	package name	lept4j	Highest
Vendor	jar	package name	leptonica	Highest
Vendor	jar	package name	net	Highest
Vendor	jar	package name	sourceforge	Highest
Vendor	Manifest	build-jdk-spec	1.8	Low

Vendor	pom	artifactid	lept4j	Low
Vendor	pom	developer email	nguyenq@users.sf.net	Low
Vendor	pom	developer name	Quan Nguyen	Medium
Vendor	pom	groupid	net.sourceforge.lept4j	Highest
Vendor	pom	name	Lept4J - Leptonica for Java	High
Vendor	pom	url	nguyenq/lept4j	Highest
Product	file	name	lept4j	High
Product	jar	package name	lept4j	Highest
Product	jar	package name	leptonica	Highest
Product	jar	package name	net	Highest
Product	jar	package name	sourceforge	Highest
Product	Manifest	build-jdk-spec	1.8	Low
Product	pom	artifactid	lept4j	Highest
Product	pom	developer email	nguyenq@users.sf.net	Low
Product	pom	developer name	Quan Nguyen	Low
Product	pom	groupid	net.sourceforge.lept4j	Highest
Product	pom	name	Lept4J - Leptonica for Java	High
Product	pom	url	nguyenq/lept4j	High
Version	pom	version	1.18.1	Highest

Identifiers

- pkg:maven/net.sourceforge.lept4j/lept4j@1.18.1 (*Confidence:High*)

ocr.tesseract.zip: lept4j.jar: libleptonica1831.dll

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/ocr.tesseract.zip/lept4j.jar/win32-x86-64/libleptonica1831.dll

MD5: 45ceb4717c485444b84eaff204608254

SHA1: cd19a5081122f5653df80e5c0b8039e1ae5e7b29

SHA256: 95e47e6c3c4a9654a663ae91f0f9d74ee9907bd279354e3c427fec644602f545

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	libleptonica1831	High

Product	file	name	libleptonica1831	High
Version	file	name	libleptonica1831	Medium
Version	file	version	1831	Medium

Identifiers

- None

ocr.tesseract.zip: lept4j.jar: libleptonica1831.dll

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/ocr.tesseract.zip/lept4j.jar/win32-x86/libleptonica1831.dll

MD5: d07978f8df68e7297c51d5454344b829

SHA1: 9f9c497c67f61b267ffad002d7f4cbae00eeee38

SHA256: 975023c6acf7fb4d056740b762fd3f4ab33b5d117d3ddd19ae9788f5d156e718

Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence
Vendor	file	name	libleptonica1831	High
Product	file	name	libleptonica1831	High
Version	file	name	libleptonica1831	Medium
Version	file	version	1831	Medium

Identifiers

- None

ocr.tesseract.zip: ocr.tesseract.jar

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/ocr.tesseract.zip/ocr.tesseract.jar

MD5: 6641fbf55e3061a9a6493d198e2c4dec

SHA1: 9e7ee472b921d30cdfd8c5c1deaf844abf9e9a68

SHA256: e7aa515418f3fe411f7502228bf212aef67f6b6f03f6b4b3efe1931fd7df0a2d

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	ocr.tesseract	High
Vendor	jar	package name	inet	Low
Vendor	jar	package name	ocr	Low
Vendor	jar	package name	pdfc	Low
Vendor	Manifest	application-library-allowable-codebase	*	Low
Vendor	Manifest	built-date	2024-06-07 20:42	Low
Vendor	Manifest	codebase	*	Low
Vendor	Manifest	implementation-group	pdfc	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	permissions	all-permissions	Low
Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	trusted-library	false	Low
Vendor	Manifest	trusted-only	false	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	ocr.tesseract	High
Product	jar	package name	ocr	Highest
Product	jar	package name	ocr	Low
Product	jar	package name	pdfc	Highest
Product	jar	package name	pdfc	Low
Product	jar	package name	tesseract	Highest
Product	jar	package name	tesseract	Low
Product	Manifest	application-library-allowable-codebase	*	Low
Product	Manifest	built-date	2024-06-07 20:42	Low
Product	Manifest	codebase	*	Low
Product	Manifest	implementation-group	pdfc	Low
Product	Manifest	Implementation-Title	ocr.tesseract	High

Product	Manifest	permissions	all-permissions	Low
Product	Manifest	specification-title	ocr.tesseract	Medium
Product	Manifest	trusted-library	false	Low
Product	Manifest	trusted-only	false	Low
Version	jar	package name	pdfc	Highest
Version	Manifest	Implementation-Version	24.4.256	High

Identifiers

- cpe:2.3:a:tesseract_ocr_project:tesseract_ocr:24.4.256:*:*:*:*:* (Confidence:Low) suppress
- cpe:2.3:a:tesseract_project:tesseract:24.4.256:*:*:*:*:* (Confidence:Low) suppress

ocr.tesseract.zip: pdfbox.jar

Description:

The Apache PDFBox library is an open source Java tool for working with PDF documents.

License:

<https://www.apache.org/licenses/LICENSE-2.0.txt>

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/ocr.tesseract.zip/pdfbox.jar

MD5: abbc429999c3b2522f1055ddde2b5111

SHA1: 875ee3970cc5000bc33e2daa427a07174482ca5a

SHA256: 69728a41a6e9feb98399560a31c1fe1b6467a66d1a8e33e677da24fda9263937

Referenced In Project/Scope: server

Evidence +

Type	Source	Name	Value	Confidence
Vendor	file	name	pdfbox	High
Vendor	jar	package name	apache	Highest
Vendor	jar	package name	pdfbox	Highest
Vendor	Manifest	automatic-module-name	org.apache.pdfbox	Medium
Vendor	Manifest	bundle-docurl	http://pdfbox.apache.org	Low
Vendor	Manifest	bundle-symbolicname	org.apache.pdfbox	Medium

Vendor	Manifest	implementation-url	https://www.apache.org/pdfbox-parent/pdfbox/	Low
Vendor	Manifest	Implementation-Vendor	The Apache Software Foundation	High
Vendor	Manifest	Implementation-Vendor-Id	org.apache.pdfbox	Medium
Vendor	Manifest	specification-vendor	The Apache Software Foundation	Low
Vendor	pom	artifactid	pdfbox	Low
Vendor	pom	groupid	org.apache.pdfbox	Highest
Vendor	pom	name	Apache PDFBox	High
Vendor	pom	parent-artifactid	pdfbox-parent	Low
Product	file	name	pdfbox	High
Product	jar	package name	apache	Highest
Product	jar	package name	pdfbox	Highest
Product	Manifest	automatic-module-name	org.apache.pdfbox	Medium
Product	Manifest	bundle-docurl	http://pdfbox.apache.org	Low
Product	Manifest	Bundle-Name	Apache PDFBox	Medium
Product	Manifest	bundle-symbolicname	org.apache.pdfbox	Medium
Product	Manifest	Implementation-Title	Apache PDFBox	High
Product	Manifest	implementation-url	https://www.apache.org/pdfbox-parent/pdfbox/	Low
Product	Manifest	specification-title	Apache PDFBox	Medium
Product	pom	artifactid	pdfbox	Highest
Product	pom	groupid	org.apache.pdfbox	Highest
Product	pom	name	Apache PDFBox	High
Product	pom	parent-artifactid	pdfbox-parent	Medium
Version	Manifest	Bundle-Version	2.0.29	High
Version	Manifest	Implementation-Version	2.0.29	High
Version	pom	version	2.0.29	Highest

Related Dependencies



- ocr.tesseract.zip: pdfbox-debugger.jar
 - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/ocr.tesseract.zip/pdfbox-debugger.jar

- MD5: a140e1caa81f748ae6ad567a44e282f7
- SHA1: 6a37d018c1b5d6bfb1cd4ebb1e95ab5a054a276
- SHA256: c22e8e5e14ad023758e4e03474b6a7d570e1949f31e1ec05495e0c8ec5f88b22
- pkg:maven/org.apache.pdfbox/pdfbox-debugger@2.0.29

Identifiers

- pkg:maven/org.apache.pdfbox/pdfbox@2.0.29 (*Confidence:High*)
- [cpe:2.3:a:apache:pdfbox:2.0.29:*:*:*:*](https://cpe:2.3:a:apache:pdfbox:2.0.29:*:*:*:*:*) (*Confidence:Highest*)

suppress

ocr.tesseract.zip: tess4j.jar

Description:

Tess4J

Description:

A Java JNA wrapper for Tesseract OCR API.

Tess4J is released and distributed under the Apache License, v2.0.

Features:

The library provides optical character recognition (OCR) support for:

TIFF, JPEG, GIF, PNG, and BMP image formats

Multi-page TIFF images

PDF document format

License:

Apache License 2.0: <http://www.apache.org/licenses/LICENSE-2.0.txt>

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/ocr.tesseract.zip/tess4j.jar

MD5: 7e7f2bc2a23faa5f78d241cb60d66ec2

SHA1: 941ecee9af519e70182854eef2f109b2efad88d6

SHA256: 561c378e814a21ec7f452c761505d2a515b4a4b710ac2bd09353f7d848597603

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	tess4j	High
Vendor	jar	package name	net	Highest
Vendor	jar	package name	recognition	Highest
Vendor	jar	package name	sourceforge	Highest
Vendor	jar	package name	tess4j	Highest

Vendor	jar	package name	tesseract	Highest
Vendor	Manifest	build-jdk-spec	20	Low
Vendor	Manifest	implementation-url	http://tess4j.sourceforge.net	Low
Vendor	Manifest	Implementation-Vendor	Tess4J	High
Vendor	Manifest	specification-vendor	Tess4J	Low
Vendor	pom	artifactid	tess4j	Low
Vendor	pom	developer email	nguyenq@users.sf.net	Low
Vendor	pom	developer email	osoriojaques@gmail.com	Low
Vendor	pom	developer name	O.J. Sousa Rodrigues	Medium
Vendor	pom	developer name	Quan Nguyen	Medium
Vendor	pom	groupid	net.sourceforge.tess4j	Highest
Vendor	pom	name	Tess4J - Tesseract for Java	High
Vendor	pom	organization name	Tess4J	High
Vendor	pom	organization url	http://tess4j.sourceforge.net	Medium
Vendor	pom	url	http://tess4j.sourceforge.net	Highest
Product	file	name	tess4j	High
Product	jar	package name	net	Highest
Product	jar	package name	recognition	Highest
Product	jar	package name	sourceforge	Highest
Product	jar	package name	tess4j	Highest
Product	jar	package name	tesseract	Highest
Product	Manifest	build-jdk-spec	20	Low
Product	Manifest	Implementation-Title	Tess4J - Tesseract for Java	High
Product	Manifest	implementation-url	http://tess4j.sourceforge.net	Low
Product	Manifest	specification-title	Tess4J - Tesseract for Java	Medium
Product	pom	artifactid	tess4j	Highest
Product	pom	developer email	nguyenq@users.sf.net	Low
Product	pom	developer email	osoriojaques@gmail.com	Low
Product	pom	developer name	O.J. Sousa Rodrigues	Low
Product	pom	developer name	Quan Nguyen	Low
Product	pom	groupid	net.sourceforge.tess4j	Highest
Product	pom	name	Tess4J - Tesseract for Java	High

Product	pom	organization name	Tess4J	Low
Product	pom	organization url	http://tess4j.sourceforge.net	Low
Product	pom	url	http://tess4j.sourceforge.net	Medium
Version	Manifest	Implementation-Version	5.7.0	High
Version	pom	version	5.7.0	Highest

Identifiers

- [pkg:maven/net.sourceforge.tess4j/tess4j@5.7.0](#) (*Confidence:High*)
- [cpe:2.3:a:tesseract_project:tesseract:5.7.0:*:*:*:*:*](#) (*Confidence:Low*) suppress

ocr.tesseract.zip: tess4j.jar: libtesseract531.dll

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/ocr.tesseract.zip/tess4j.jar/win32-x86-64/libtesseract531.dll

MD5: 378b1899171ee6093b697638cc8d8884

SHA1: 6ee365640e95ea6fba24826e418a8a7b339afeba

SHA256: 67669def8be8c3111ce273c1c03e9c83a2cadd6c3c84f4b3c76ed57e4fcf94f2

Referenced In Project/Scope: server

Evidence +

Type	Source	Name	Value	Confidence
Vendor	file	name	libtesseract531	High
Product	file	name	libtesseract531	High
Version	file	name	libtesseract531	Medium
Version	file	version	531	Medium

Identifiers

- None

ocr.tesseract.zip: tess4j.jar: libtesseract531.dll

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/ocr.tesseract.zip/tess4j.jar/win32-x86/libtesseract531.dll
MD5: 440288f9814dd92787091160fa1604de
SHA1: a9dc6c68073b2c223c99aefefd23685b3b20ed19
SHA256: 9abb51ab17a22d6243199146b3feb57a4909762abd72797cc208e5bf7631907a
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	libtesseract531	High
Product	file	name	libtesseract531	High
Version	file	name	libtesseract531	Medium
Version	file	version	531	Medium

Identifiers

- None

opentest4j-1.3.0.jar

Description:

Open Test Alliance for the JVM

License:

The Apache License, Version 2.0: <https://www.apache.org/licenses/LICENSE-2.0.txt>

File Path: /home/jenkins/.gradle/caches/modules-2/files-2.1/org.opentest4j/opentest4j/1.3.0/152ea56b3a72f655d4fd677fc0ef2596c3dd5e6e/opentest4j-1.3.0.jar

MD5: 03c404f727531f3fd3b4c73997899327

SHA1: 152ea56b3a72f655d4fd677fc0ef2596c3dd5e6e

SHA256: 48e2df636cab6563ced64dcdf8abb2355627cb236ef0bf37598682ddf742f1b

Referenced In Project/Scope: server:inetPlugin

Included by:

- pkg:maven/org.junit.jupiter/junit-jupiter@5.10.1
- pkg:maven/org.junit.platform/junit-platform-suite@1.10.1

Evidence



Type	Source	Name	Value	Confidence
Vendor	central	artifactid	opentest4j	Highest
Vendor	central	groupid	org.opentest4j	Highest
Vendor	file	name	opentest4j	High

Vendor	gradle	artifactid	opentest4j	Highest
Vendor	gradle	groupid	org.opentest4j	Highest
Vendor	jar	package name	opentest4j	Highest
Vendor	jar	package name	opentest4j	Low
Vendor	Manifest	build-date	2023-07-06	Low
Vendor	Manifest	build-revision	214973bfa4e7e9be7d04e623202cc4147c7036	Low
Vendor	Manifest	build-time	14:25:06.116+0200	Low
Vendor	Manifest	bundle-symbolicname	org.opentest4j	Medium
Vendor	Manifest	Implementation-Vendor	opentest4j.org	High
Vendor	Manifest	specification-vendor	opentest4j.org	Low
Vendor	pom	artifactid	opentest4j	Low
Vendor	pom	developer email	business@johanneslink.net	Low
Vendor	pom	developer email	mail@marcphilipp.de	Low
Vendor	pom	developer email	matthias.merdes@heidelpay.com	Low
Vendor	pom	developer email	sam@sambrannen.com	Low
Vendor	pom	developer email	stefan.bechtold@me.com	Low
Vendor	pom	developer id	bechte	Medium
Vendor	pom	developer id	jlink	Medium
Vendor	pom	developer id	marcphilipp	Medium
Vendor	pom	developer id	mmerdes	Medium
Vendor	pom	developer id	sbrannen	Medium
Vendor	pom	developer name	Johannes Link	Medium
Vendor	pom	developer name	Marc Philipp	Medium
Vendor	pom	developer name	Matthias Merdes	Medium
Vendor	pom	developer name	Sam Brannen	Medium
Vendor	pom	developer name	Stefan Bechtold	Medium
Vendor	pom	groupid	org.opentest4j	Highest
Vendor	pom	name	org.opentest4j:opentest4j	High
Vendor	pom	url	ota4j-team/opentest4j	Highest
Product	central	artifactid	opentest4j	Highest
Product	file	name	opentest4j	High
Product	gradle	artifactid	opentest4j	Highest
Product	jar	package name	opentest4j	Highest
Product	Manifest	build-date	2023-07-06	Low

Product	Manifest	build-revision	214973bfa4e7e9be7d04e623202cc4147c7036	Low
Product	Manifest	build-time	14:25:06.116+0200	Low
Product	Manifest	Bundle-Name	opentest4j	Medium
Product	Manifest	bundle-symbolicname	org.opentest4j	Medium
Product	Manifest	Implementation-Title	opentest4j	High
Product	Manifest	specification-title	opentest4j	Medium
Product	pom	artifactid	opentest4j	Highest
Product	pom	developer email	business@johanneslink.net	Low
Product	pom	developer email	mail@marcphilipp.de	Low
Product	pom	developer email	matthias.merdes@heidelpay.com	Low
Product	pom	developer email	sam@sambrannen.com	Low
Product	pom	developer email	stefan.bechtold@me.com	Low
Product	pom	developer id	bechte	Low
Product	pom	developer id	jlink	Low
Product	pom	developer id	marcphilipp	Low
Product	pom	developer id	mmerdes	Low
Product	pom	developer id	sbrannen	Low
Product	pom	developer name	Johannes Link	Low
Product	pom	developer name	Marc Philipp	Low
Product	pom	developer name	Matthias Merdes	Low
Product	pom	developer name	Sam Brannen	Low
Product	pom	developer name	Stefan Bechtold	Low
Product	pom	groupid	org.opentest4j	Highest
Product	pom	name	org.opentest4j:opentest4j	High
Product	pom	url	ota4j-team/opentest4j	High
Version	central	version	1.3.0	Highest
Version	file	version	1.3.0	High
Version	gradle	version	1.3.0	Highest
Version	Manifest	Bundle-Version	1.3.0	High
Version	Manifest	Implementation-Version	1.3.0	High
Version	pom	version	1.3.0	Highest

Identifiers

- pkg:maven/org.opentest4j/opentest4j@1.3.0 (Confidence:High)

parser.docx.zip: DocxParser.jar

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/parser.docx.zip/DocxParser.jar

MD5: d04f8cfdaa5e1c76732b65fec60fc7a

SHA1: f5974e49ee2be647ce20014747f47428547ef87f

SHA256: 55f32c2c35f07cc6201408e68b56b643ee8037242fa74a4cec6801ee2cfaaf0d

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	DocxParser	High
Vendor	jar	package name	docx	Low
Vendor	jar	package name	inet	Low
Vendor	Manifest	application-library-allowable-codebase	*	Low
Vendor	Manifest	built-date	2024-06-07 17:42	Low
Vendor	Manifest	codebase	*	Low
Vendor	Manifest	implementation-group	shared	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	permissions	all-permissions	Low
Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	trusted-library	false	Low
Vendor	Manifest	trusted-only	false	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	DocxParser	High
Product	jar	package name	docx	Low
Product	Manifest	application-library-allowable-codebase	*	Low
Product	Manifest	built-date	2024-06-07 17:42	Low

Product	Manifest	codebase	*	Low
Product	Manifest	implementation-group	shared	Low
Product	Manifest	Implementation-Title	DocxParser	High
Product	Manifest	permissions	all-permissions	Low
Product	Manifest	specification-title	DocxParser	Medium
Product	Manifest	trusted-library	false	Low
Product	Manifest	trusted-only	false	Low
Version	Manifest	Implementation-Version	24.4.256	High

Identifiers

- None

parser.docx.zip: EmfParser.jar

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/parser.docx.zip/EmfParser.jar

MD5: 820a67c72c6ed7a8c06678ed21643501

SHA1: ecc0640d1c97a527a6ebb9378dbd56ac12e4911d

SHA256:e460f63a0a852e593b3a7e4e63bb363052e80a6eb3c06ac96f6b740cdcd91bf8

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	EmfParser	High
Vendor	jar	package name	emf	Low
Vendor	jar	package name	inet	Low
Vendor	jar	package name	records	Low
Vendor	Manifest	application-library-allowable-codebase	*	Low
Vendor	Manifest	built-date	2024-06-07 17:42	Low
Vendor	Manifest	codebase	*	Low
Vendor	Manifest	implementation-group	shared	Low

Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	permissions	all-permissions	Low
Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	trusted-library	false	Low
Vendor	Manifest	trusted-only	false	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	EmfParser	High
Product	jar	package name	emf	Low
Product	jar	package name	records	Low
Product	Manifest	application-library-allowable-codebase	*	Low
Product	Manifest	built-date	2024-06-07 17:42	Low
Product	Manifest	codebase	*	Low
Product	Manifest	implementation-group	shared	Low
Product	Manifest	Implementation-Title	EmfParser	High
Product	Manifest	permissions	all-permissions	Low
Product	Manifest	specification-title	EmfParser	Medium
Product	Manifest	trusted-library	false	Low
Product	Manifest	trusted-only	false	Low
Version	Manifest	Implementation-Version	24.4.256	High

Identifiers

- None

parser.docx.zip: SparseBitSet.jar

Description:

An efficient sparse bitset implementation for Java

License:

The Apache Software License, Version 2.0: <http://www.apache.org/licenses/LICENSE-2.0.txt>

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/parser.docx.zip/SparseBitSet.jar

MD5: fbe27bb4c05e8719b7fff5aa71a57364

SHA1: 533eac055afe3d5f614ea95e333afd6c2bde8f26

SHA256: f76b85adb0c00721ae267b7cfde4da7f71d3121cc2160c9fc00c0c89f8c53c8a

Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence
Vendor	file	name	SparseBitSet	High
Vendor	jar	package name	sparsebitset	Highest
Vendor	jar	package name	zaxxer	Highest
Vendor	Manifest	automatic-module-name	com.zaxxer.sparsebitset	Medium
Vendor	Manifest	build-jdk-spec	11	Low
Vendor	pom	artifactid	SparseBitSet	Low
Vendor	pom	developer email	brett.wooldridge@gmail.com	Low
Vendor	pom	developer name	Brett Wooldridge	Medium
Vendor	pom	groupid	com.zaxxer	Highest
Vendor	pom	name	SparseBitSet	High
Vendor	pom	organization name	Zaxxer.com	High
Vendor	pom	organization url	brettwooldridge/SparseBitSet	Medium
Vendor	pom	url	brettwooldridge/SparseBitSet	Highest
Product	file	name	SparseBitSet	High
Product	jar	package name	sparsebitset	Highest
Product	jar	package name	zaxxer	Highest
Product	Manifest	automatic-module-name	com.zaxxer.sparsebitset	Medium
Product	Manifest	build-jdk-spec	11	Low
Product	pom	artifactid	SparseBitSet	Highest
Product	pom	developer email	brett.wooldridge@gmail.com	Low
Product	pom	developer name	Brett Wooldridge	Low
Product	pom	groupid	com.zaxxer	Highest
Product	pom	name	SparseBitSet	High
Product	pom	organization name	Zaxxer.com	Low

Product	pom	url	brettwooldridge/SparseBitSet	High
Version	pom	version	1.3	Highest

Identifiers

- [pkg:maven/com.zaxxer/SparseBitSet@1.3](#) (*Confidence:High*)
- [cpe:2.3:a:bit_project:bit:1.3:*:*:*:*:*](#) (*Confidence:Low*) suppress

parser.docx.zip: commons-codec.jar

Description:

The Apache Commons Codec package contains simple encoder and decoders for various formats such as Base64 and Hexadecimal. In addition to these widely used encoders and decoders, the codec package also maintains a collection of phonetic encoding utilities.

License:

<https://www.apache.org/licenses/LICENSE-2.0.txt>

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/parser.docx.zip/commons-codec.jar

MD5: 6e26920fa7228891980890cce06b718c

SHA1: 4e3eb3d79888d76b54e28b350915b5dc3919c9de

SHA256: 56595fb20b0b85bc91d0d503dad50bb7f1b9afc0eed5dfa6cbb25929000484d

Referenced In Project/Scope: server

Evidence +

Type	Source	Name	Value	Confidence
Vendor	file	name	commons-codec	High
Vendor	jar	package name	apache	Highest
Vendor	jar	package name	codec	Highest
Vendor	jar	package name	commons	Highest
Vendor	jar	package name	encoder	Highest
Vendor	Manifest	automatic-module-name	org.apache.commons.codec	Medium
Vendor	Manifest	build-jdk-spec	1.8	Low
Vendor	Manifest	bundle-docurl	https://commons.apache.org/proper/commons-codec/	Low
Vendor	Manifest	bundle-symbolicname	org.apache.commons.commons-codec	Medium
Vendor	Manifest	Implementation-	The Apache Software Foundation	High

Vendor

Vendor	Manifest	specification-vendor	The Apache Software Foundation	Low
Vendor	pom	artifactid	commons-codec	Low
Vendor	pom	developer email	bayard@apache.org	Low
Vendor	pom	developer email	chtompki@apache.org	Low
Vendor	pom	developer email	dgraham@apache.org	Low
Vendor	pom	developer email	dlr@finemaltcoding.com	Low
Vendor	pom	developer email	ggregory at apache.org	Low
Vendor	pom	developer email	jon@collab.net	Low
Vendor	pom	developer email	julius@apache.org	Low
Vendor	pom	developer email	mattsicker@apache.org	Low
Vendor	pom	developer email	rwaldhoff@apache.org	Low
Vendor	pom	developer email	sanders@totalsync.com	Low
Vendor	pom	developer email	tn@apache.org	Low
Vendor	pom	developer email	tobrien@apache.org	Low
Vendor	pom	developer id	bayard	Medium
Vendor	pom	developer id	chtompki	Medium
Vendor	pom	developer id	dgraham	Medium
Vendor	pom	developer id	dlr	Medium
Vendor	pom	developer id	ggregory	Medium
Vendor	pom	developer id	jon	Medium
Vendor	pom	developer id	julius	Medium
Vendor	pom	developer id	mattsicker	Medium
Vendor	pom	developer id	rwaldhoff	Medium
Vendor	pom	developer id	sanders	Medium
Vendor	pom	developer id	tn	Medium
Vendor	pom	developer id	tobrien	Medium
Vendor	pom	developer name	Daniel Rall	Medium
Vendor	pom	developer name	David Graham	Medium
Vendor	pom	developer name	Gary Gregory	Medium
Vendor	pom	developer name	Henri Yandell	Medium
Vendor	pom	developer name	Jon S. Stevens	Medium
Vendor	pom	developer name	Julius Davies	Medium
Vendor	pom	developer name	Matt Sicker	Medium
Vendor	pom	developer name	Rob Tompkins	Medium

Vendor	pom	developer name	Rodney Waldhoff	Medium
Vendor	pom	developer name	Scott Sanders	Medium
Vendor	pom	developer name	Thomas Neidhart	Medium
Vendor	pom	developer name	Tim OBrien	Medium
Vendor	pom	developer org	The Apache Software Foundation	Medium
Vendor	pom	developer org URL	http://juliusdavies.ca/	Medium
Vendor	pom	developer org URL	https://www.apache.org/	Medium
Vendor	pom	groupid	commons-codec	Highest
Vendor	pom	name	Apache Commons Codec	High
Vendor	pom	parent-artifactid	commons-parent	Low
Vendor	pom	parent-groupid	org.apache.commons	Medium
Vendor	pom	url	https://commons.apache.org/proper/commons-codec/	Highest
Product	file	name	commons-codec	High
Product	jar	package name	apache	Highest
Product	jar	package name	codec	Highest
Product	jar	package name	commons	Highest
Product	jar	package name	encoder	Highest
Product	Manifest	automatic-module-name	org.apache.commons.codec	Medium
Product	Manifest	build-jdk-spec	1.8	Low
Product	Manifest	bundle-docurl	https://commons.apache.org/proper/commons-codec/	Low
Product	Manifest	Bundle-Name	Apache Commons Codec	Medium
Product	Manifest	bundle-symbolicname	org.apache.commons.commons-codec	Medium
Product	Manifest	Implementation-Title	Apache Commons Codec	High
Product	Manifest	specification-title	Apache Commons Codec	Medium
Product	pom	artifactid	commons-codec	Highest
Product	pom	developer email	bayard@apache.org	Low
Product	pom	developer email	chtompki@apache.org	Low
Product	pom	developer email	dgraham@apache.org	Low
Product	pom	developer email	dlr@finemaltcoding.com	Low
Product	pom	developer email	ggregory at apache.org	Low
Product	pom	developer email	jon@collab.net	Low
Product	pom	developer email	julius@apache.org	Low

Product	pom	developer email	mattsicker@apache.org	Low
Product	pom	developer email	rwaldhoff@apache.org	Low
Product	pom	developer email	sanders@totalsync.com	Low
Product	pom	developer email	tn@apache.org	Low
Product	pom	developer email	tobrien@apache.org	Low
Product	pom	developer id	bayard	Low
Product	pom	developer id	chtompki	Low
Product	pom	developer id	dgraham	Low
Product	pom	developer id	dlr	Low
Product	pom	developer id	ggregory	Low
Product	pom	developer id	jon	Low
Product	pom	developer id	julius	Low
Product	pom	developer id	mattsicker	Low
Product	pom	developer id	rwaldhoff	Low
Product	pom	developer id	sanders	Low
Product	pom	developer id	tn	Low
Product	pom	developer id	tobrien	Low
Product	pom	developer name	Daniel Rall	Low
Product	pom	developer name	David Graham	Low
Product	pom	developer name	Gary Gregory	Low
Product	pom	developer name	Henri Yandell	Low
Product	pom	developer name	Jon S. Stevens	Low
Product	pom	developer name	Julius Davies	Low
Product	pom	developer name	Matt Sicker	Low
Product	pom	developer name	Rob Tompkins	Low
Product	pom	developer name	Rodney Waldhoff	Low
Product	pom	developer name	Scott Sanders	Low
Product	pom	developer name	Thomas Neidhart	Low
Product	pom	developer name	Tim OBrien	Low
Product	pom	developer org	The Apache Software Foundation	Low
Product	pom	developer org URL	http://juliusdavies.ca/	Low
Product	pom	developer org URL	https://www.apache.org/	Low
Product	pom	groupid	commons-codec	Highest
Product	pom	name	Apache Commons Codec	High

Product	pom	parent-artifactid	commons-parent	Medium
Product	pom	parent-groupid	org.apache.commons	Medium
Product	pom	url	https://commons.apache.org/proper/commons-codec/	Medium
Version	Manifest	Bundle-Version	1.16.0	High
Version	Manifest	Implementation-Version	1.16.0	High
Version	pom	parent-version	1.16.0	Low
Version	pom	version	1.16.0	Highest

Identifiers

- [pkg:maven/commons-codec/commons-codec@1.16.0](https://maven.apache.org/commons-codec/commons-codec@1.16.0) (*Confidence:High*)

parser.docx.zip: commons-collections4.jar

Description:

The Apache Commons Collections package contains types that extend and augment the Java Collections Framework.

License:

<https://www.apache.org/licenses/LICENSE-2.0.txt>

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/parser.docx.zip/commons-collections4.jar

MD5: 4a37023740719b391f10030362c86be6

SHA1: 62ebe7544cb7164d87e0637a2a6a2bdc981395e8

SHA256: 1df8b9430b5c8ed143d7815e403e33ef5371b2400aadbe9bda0883762e0846d1

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	commons-collections4	High
Vendor	jar	package name	apache	Highest
Vendor	jar	package name	collections4	Highest
Vendor	jar	package name	commons	Highest
Vendor	Manifest	automatic-module-name	org.apache.commons.collections4	Medium
Vendor	Manifest	bundle-docurl	https://commons.apache.org/proper/commons-collections/	Low

Vendor	Manifest	bundle-symbolicname	org.apache.commons.commons-collections4	Medium
Vendor	Manifest	implementation-url	https://commons.apache.org/proper/commons-collections/	Low
Vendor	Manifest	Implementation-Vendor	The Apache Software Foundation	High
Vendor	Manifest	Implementation-Vendor-Id	org.apache.commons	Medium
Vendor	Manifest	specification-vendor	The Apache Software Foundation	Low
Vendor	pom	artifactid	commons-collections4	Low
Vendor	pom	developer id	adriannistor	Medium
Vendor	pom	developer id	amamment	Medium
Vendor	pom	developer id	bayard	Medium
Vendor	pom	developer id	chtompki	Medium
Vendor	pom	developer id	craigmcc	Medium
Vendor	pom	developer id	dlaha	Medium
Vendor	pom	developer id	geirm	Medium
Vendor	pom	developer id	ggregory	Medium
Vendor	pom	developer id	jcarman	Medium
Vendor	pom	developer id	luc	Medium
Vendor	pom	developer id	matth	Medium
Vendor	pom	developer id	mbenson	Medium
Vendor	pom	developer id	morgand	Medium
Vendor	pom	developer id	rdonkin	Medium
Vendor	pom	developer id	rwaldhoff	Medium
Vendor	pom	developer id	scolebourne	Medium
Vendor	pom	developer id	tn	Medium
Vendor	pom	developer name	Adrian Nistor	Medium
Vendor	pom	developer name	Arun M. Thomas	Medium
Vendor	pom	developer name	Craig McClanahan	Medium
Vendor	pom	developer name	Dipanjan Laha	Medium
Vendor	pom	developer name	Gary Gregory	Medium
Vendor	pom	developer name	Geir Magnusson	Medium
Vendor	pom	developer name	Henri Yandell	Medium
Vendor	pom	developer name	James Carman	Medium
Vendor	pom	developer name	Luc Maisonobe	Medium
Vendor	pom	developer name	Matt Benson	Medium

Vendor	pom	developer name	Matthew Hawthorne	Medium
Vendor	pom	developer name	Morgan Delagrance	Medium
Vendor	pom	developer name	Rob Tompkins	Medium
Vendor	pom	developer name	Robert Burrell Donkin	Medium
Vendor	pom	developer name	Rodney Waldhoff	Medium
Vendor	pom	developer name	Stephen Colebourne	Medium
Vendor	pom	developer name	Thomas Neidhart	Medium
Vendor	pom	groupid	org.apache.commons	Highest
Vendor	pom	name	Apache Commons Collections	High
Vendor	pom	parent-artifactid	commons-parent	Low
Vendor	pom	url	https://commons.apache.org/proper/commons-collections/	Highest
Product	file	name	commons-collections4	High
Product	jar	package name	apache	Highest
Product	jar	package name	collections4	Highest
Product	jar	package name	commons	Highest
Product	Manifest	automatic-module-name	org.apache.commons.collections4	Medium
Product	Manifest	bundle-docurl	https://commons.apache.org/proper/commons-collections/	Low
Product	Manifest	Bundle-Name	Apache Commons Collections	Medium
Product	Manifest	bundle-symbolicname	org.apache.commons.commons-collections4	Medium
Product	Manifest	Implementation-Title	Apache Commons Collections	High
Product	Manifest	implementation-url	https://commons.apache.org/proper/commons-collections/	Low
Product	Manifest	specification-title	Apache Commons Collections	Medium
Product	pom	artifactid	commons-collections4	Highest
Product	pom	developer id	adriannistor	Low
Product	pom	developer id	amamment	Low
Product	pom	developer id	bayard	Low
Product	pom	developer id	chtompki	Low
Product	pom	developer id	craigmcc	Low
Product	pom	developer id	dlaha	Low
Product	pom	developer id	geirm	Low
Product	pom	developer id	ggregory	Low
Product	pom	developer id	jcarman	Low

Product	pom	developer id	luc	Low
Product	pom	developer id	matth	Low
Product	pom	developer id	mbenson	Low
Product	pom	developer id	morgand	Low
Product	pom	developer id	rdonkin	Low
Product	pom	developer id	rwaldhoff	Low
Product	pom	developer id	scolebourne	Low
Product	pom	developer id	tn	Low
Product	pom	developer name	Adrian Nistor	Low
Product	pom	developer name	Arun M. Thomas	Low
Product	pom	developer name	Craig McClanahan	Low
Product	pom	developer name	Dipanjana Laha	Low
Product	pom	developer name	Gary Gregory	Low
Product	pom	developer name	Geir Magnusson	Low
Product	pom	developer name	Henri Yandell	Low
Product	pom	developer name	James Carman	Low
Product	pom	developer name	Luc Maisonobe	Low
Product	pom	developer name	Matt Benson	Low
Product	pom	developer name	Matthew Hawthorne	Low
Product	pom	developer name	Morgan Delagrang	Low
Product	pom	developer name	Rob Tompkins	Low
Product	pom	developer name	Robert Burrell Donkin	Low
Product	pom	developer name	Rodney Waldhoff	Low
Product	pom	developer name	Stephen Colebourne	Low
Product	pom	developer name	Thomas Neidhart	Low
Product	pom	groupid	org.apache.commons	Highest
Product	pom	name	Apache Commons Collections	High
Product	pom	parent-artifactid	commons-parent	Medium
Product	pom	url	https://commons.apache.org/proper/commons-collections/	Medium
Version	Manifest	Implementation-Version	4.4	High
Version	pom	parent-version	4.4	Low
Version	pom	version	4.4	Highest

Identifiers

- [pkg:maven/org.apache.commons/commons-collections4@4.4](#) (Confidence:High)
- [cpe:2.3:a:apache:commons_collections:4.4:*:*:*:*:*](#) (Confidence:Highest) suppress

parser.docx.zip: commons-compress.jar

Description:

Apache Commons Compress defines an API for working with compression and archive formats. These include bzip2, gzip, pack200, LZMA, XZ, Snappy, traditional Unix Compress, DEFLATE, DEFLATE64, LZ4, Brotli, Zstandard and ar, cpio, jar, tar, zip, dump, 7z, arj.

License:

<https://www.apache.org/licenses/LICENSE-2.0.txt>

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/parser.docx.zip/commons-compress.jar

MD5: cbc0bb8eca12b747ca21bf998d736e60

SHA1: 659feffdd12280201c8aacb8f7be94f9a883c824

SHA256: 051aceb8bbcc62d0f5b2b8ac72c53767f9c59bfd050151e65bef6f51c8ed9c9

Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence
Vendor	file	name	commons-compress	High
Vendor	jar	package name	apache	Highest
Vendor	jar	package name	commons	Highest
Vendor	jar	package name	compress	Highest
Vendor	Manifest	automatic-module-name	org.apache.commons.compress	Medium
Vendor	Manifest	build-jdk-spec	17	Low
Vendor	Manifest	bundle-docurl	https://commons.apache.org/proper/commons-compress/	Low
Vendor	Manifest	bundle-symbolicname	org.apache.commons.commons-compress	Medium
Vendor	Manifest	extension-name	org.apache.commons.compress	Medium
Vendor	Manifest	Implementation-Vendor	The Apache Software Foundation	High
Vendor	Manifest	Implementation-Vendor-Id	org.apache	Medium
Vendor	Manifest	multi-release	true	Low
Vendor	Manifest	originally-	Apache Maven Bundle Plugin 5.1.9	Low

		created-by		
Vendor	Manifest	specification-vendor	The Apache Software Foundation	Low
Vendor	pom	artifactid	commons-compress	Low
Vendor	pom	developer email	bodewig at apache.org	Low
Vendor	pom	developer email	chtompki at apache.org	Low
Vendor	pom	developer email	damjan at apache.org	Low
Vendor	pom	developer email	ebourg at apache.org	Low
Vendor	pom	developer email	ggregory at apache.org	Low
Vendor	pom	developer email	grobmeier at apache.org	Low
Vendor	pom	developer email	julius at apache.org	Low
Vendor	pom	developer email	peterlee at apache.org	Low
Vendor	pom	developer email	sebb at apache.org	Low
Vendor	pom	developer email	tcurdt at apache.org	Low
Vendor	pom	developer id	bodewig	Medium
Vendor	pom	developer id	chtompki	Medium
Vendor	pom	developer id	damjan	Medium
Vendor	pom	developer id	ebourg	Medium
Vendor	pom	developer id	ggregory	Medium
Vendor	pom	developer id	grobmeier	Medium
Vendor	pom	developer id	julius	Medium
Vendor	pom	developer id	peterlee	Medium
Vendor	pom	developer id	sebb	Medium
Vendor	pom	developer id	tcurdt	Medium
Vendor	pom	developer name	Christian Grobmeier	Medium
Vendor	pom	developer name	Damjan Jovanovic	Medium
Vendor	pom	developer name	Emmanuel Bourg	Medium
Vendor	pom	developer name	Gary Gregory	Medium
Vendor	pom	developer name	Julius Davies	Medium
Vendor	pom	developer name	Peter Alfred Lee	Medium
Vendor	pom	developer name	Rob Tompkins	Medium
Vendor	pom	developer name	Sebastian Bazley	Medium
Vendor	pom	developer name	Stefan Bodewig	Medium
Vendor	pom	developer name	Torsten Curdt	Medium
Vendor	pom	developer org	The Apache Software Foundation	Medium
Vendor	pom	developer org	https://www.apache.org/	Medium

		URL		
Vendor	pom	groupid	org.apache.commons	Highest
Vendor	pom	name	Apache Commons Compress	High
Vendor	pom	parent-artifactid	commons-parent	Low
Vendor	pom	url	https://commons.apache.org/proper/commons-compress/	Highest
Product	file	name	commons-compress	High
Product	jar	package name	9	Highest
Product	jar	package name	apache	Highest
Product	jar	package name	commons	Highest
Product	jar	package name	compress	Highest
Product	Manifest	automatic-module-name	org.apache.commons.compress	Medium
Product	Manifest	build-jdk-spec	17	Low
Product	Manifest	bundle-docurl	https://commons.apache.org/proper/commons-compress/	Low
Product	Manifest	Bundle-Name	Apache Commons Compress	Medium
Product	Manifest	bundle-symbolicname	org.apache.commons.commons-compress	Medium
Product	Manifest	extension-name	org.apache.commons.compress	Medium
Product	Manifest	Implementation-Title	Apache Commons Compress	High
Product	Manifest	multi-release	true	Low
Product	Manifest	originally-created-by	Apache Maven Bundle Plugin 5.1.9	Low
Product	Manifest	specification-title	Apache Commons Compress	Medium
Product	pom	artifactid	commons-compress	Highest
Product	pom	developer email	bodewig at apache.org	Low
Product	pom	developer email	chtompki at apache.org	Low
Product	pom	developer email	damjan at apache.org	Low
Product	pom	developer email	ebourg at apache.org	Low
Product	pom	developer email	ggregory at apache.org	Low
Product	pom	developer email	grobmeier at apache.org	Low
Product	pom	developer email	julius at apache.org	Low
Product	pom	developer email	peterlee at apache.org	Low
Product	pom	developer email	sebb at apache.org	Low
Product	pom	developer email	tcurdt at apache.org	Low
Product	pom	developer id	bodewig	Low

Product	pom	developer id	chtompki	Low
Product	pom	developer id	damjan	Low
Product	pom	developer id	ebourg	Low
Product	pom	developer id	ggregory	Low
Product	pom	developer id	grobmeier	Low
Product	pom	developer id	julius	Low
Product	pom	developer id	peterlee	Low
Product	pom	developer id	sebb	Low
Product	pom	developer id	tcurdt	Low
Product	pom	developer name	Christian Grobmeier	Low
Product	pom	developer name	Damjan Jovanovic	Low
Product	pom	developer name	Emmanuel Bourg	Low
Product	pom	developer name	Gary Gregory	Low
Product	pom	developer name	Julius Davies	Low
Product	pom	developer name	Peter Alfred Lee	Low
Product	pom	developer name	Rob Tompkins	Low
Product	pom	developer name	Sebastian Bazley	Low
Product	pom	developer name	Stefan Bodewig	Low
Product	pom	developer name	Torsten Curdt	Low
Product	pom	developer org	The Apache Software Foundation	Low
Product	pom	developer org URL	https://www.apache.org/	Low
Product	pom	groupid	org.apache.commons	Highest
Product	pom	name	Apache Commons Compress	High
Product	pom	parent-artifactid	commons-parent	Medium
Product	pom	url	https://commons.apache.org/proper/commons-compress/	Medium
Version	Manifest	Bundle-Version	1.26.0	High
Version	Manifest	Implementation-Version	1.26.0	High
Version	pom	parent-version	1.26.0	Low
Version	pom	version	1.26.0	Highest

Identifiers

- <pkg:maven/org.apache.commons/commons-compress@1.26.0> (*Confidence:High*)

- [cpe:2.3:a:apache:commons_compress:1.26.0:*:*:*:*:*](#) (Confidence: Highest)

suppress

parser.docx.zip: commons-io.jar

Description:

The Apache Commons IO library contains utility classes, stream implementations, file filters, file comparators, endian transformation classes, and much more.

License:

<https://www.apache.org/licenses/LICENSE-2.0.txt>

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/parser.docx.zip/commons-io.jar

MD5: 3b4b7ccfaecceac240b804839ee1a1ca

SHA1: a2503f302b11ebde7ebc3df41daebe0e4eea3689

SHA256: 961b2f6d87dbacc5d54abf45ab7a6e2495f89b75598962d8c723cea9bc210908

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	commons-io	High
Vendor	jar	package name	apache	Highest
Vendor	jar	package name	commons	Highest
Vendor	jar	package name	file	Highest
Vendor	jar	package name	io	Highest
Vendor	Manifest	automatic-module-name	org.apache.commons.io	Medium
Vendor	Manifest	build-jdk-spec	1.8	Low
Vendor	Manifest	bundle-docurl	https://commons.apache.org/proper/commons-io/	Low
Vendor	Manifest	bundle-symbolicname	org.apache.commons.commons-io	Medium
Vendor	Manifest	Implementation-Vendor	The Apache Software Foundation	High
Vendor	Manifest	specification-vendor	The Apache Software Foundation	Low
Vendor	pom	artifactid	commons-io	Low
Vendor	pom	developer email	bayard@apache.org	Low
Vendor	pom	developer email	dion@apache.org	Low
Vendor	pom	developer email	ggregory at apache.org	Low

Vendor	pom	developer email	jeremias@apache.org	Low
Vendor	pom	developer email	jochen.wiedmann@gmail.com	Low
Vendor	pom	developer email	krosenvold@apache.org	Low
Vendor	pom	developer email	martinc@apache.org	Low
Vendor	pom	developer email	matth@apache.org	Low
Vendor	pom	developer email	nicolaken@apache.org	Low
Vendor	pom	developer email	roxspring@apache.org	Low
Vendor	pom	developer email	sanders@apache.org	Low
Vendor	pom	developer id	bayard	Medium
Vendor	pom	developer id	dion	Medium
Vendor	pom	developer id	ggregory	Medium
Vendor	pom	developer id	jeremias	Medium
Vendor	pom	developer id	jochen	Medium
Vendor	pom	developer id	jukka	Medium
Vendor	pom	developer id	krosenvold	Medium
Vendor	pom	developer id	martinc	Medium
Vendor	pom	developer id	matth	Medium
Vendor	pom	developer id	niallp	Medium
Vendor	pom	developer id	nicolaken	Medium
Vendor	pom	developer id	roxspring	Medium
Vendor	pom	developer id	sanders	Medium
Vendor	pom	developer id	scolebourne	Medium
Vendor	pom	developer name	dlon Gillard	Medium
Vendor	pom	developer name	Gary Gregory	Medium
Vendor	pom	developer name	Henri Yandell	Medium
Vendor	pom	developer name	Jeremias Maerki	Medium
Vendor	pom	developer name	Jochen Wiedmann	Medium
Vendor	pom	developer name	Jukka Zitting	Medium
Vendor	pom	developer name	Kristian Rosenvold	Medium
Vendor	pom	developer name	Martin Cooper	Medium
Vendor	pom	developer name	Matthew Hawthorne	Medium
Vendor	pom	developer name	Niall Pemberton	Medium
Vendor	pom	developer name	Nicola Ken Barozzi	Medium
Vendor	pom	developer name	Rob Oxspring	Medium
Vendor	pom	developer name	Scott Sanders	Medium

Vendor	pom	developer name	Stephen Colebourne	Medium
Vendor	pom	developer org	The Apache Software Foundation	Medium
Vendor	pom	developer org URL	https://www.apache.org/	Medium
Vendor	pom	groupid	commons-io	Highest
Vendor	pom	name	Apache Commons IO	High
Vendor	pom	parent-artifactid	commons-parent	Low
Vendor	pom	parent-groupid	org.apache.commons	Medium
Vendor	pom	url	https://commons.apache.org/proper/commons-io/	Highest
Product	file	name	commons-io	High
Product	jar	package name	apache	Highest
Product	jar	package name	commons	Highest
Product	jar	package name	file	Highest
Product	jar	package name	io	Highest
Product	Manifest	automatic-module-name	org.apache.commons.io	Medium
Product	Manifest	build-jdk-spec	1.8	Low
Product	Manifest	bundle-docurl	https://commons.apache.org/proper/commons-io/	Low
Product	Manifest	Bundle-Name	Apache Commons IO	Medium
Product	Manifest	bundle-symbolicname	org.apache.commons.commons-io	Medium
Product	Manifest	Implementation-Title	Apache Commons IO	High
Product	Manifest	specification-title	Apache Commons IO	Medium
Product	pom	artifactid	commons-io	Highest
Product	pom	developer email	bayard@apache.org	Low
Product	pom	developer email	dion@apache.org	Low
Product	pom	developer email	ggregory at apache.org	Low
Product	pom	developer email	jeremias@apache.org	Low
Product	pom	developer email	jochen.wiedmann@gmail.com	Low
Product	pom	developer email	krosenvold@apache.org	Low
Product	pom	developer email	martinc@apache.org	Low
Product	pom	developer email	matth@apache.org	Low
Product	pom	developer email	nicolaken@apache.org	Low
Product	pom	developer email	roxspring@apache.org	Low
Product	pom	developer email	sanders@apache.org	Low

Product	pom	developer id	bayard	Low
Product	pom	developer id	dion	Low
Product	pom	developer id	ggregory	Low
Product	pom	developer id	jeremias	Low
Product	pom	developer id	jochen	Low
Product	pom	developer id	jukka	Low
Product	pom	developer id	krosenvold	Low
Product	pom	developer id	martinc	Low
Product	pom	developer id	matth	Low
Product	pom	developer id	niallp	Low
Product	pom	developer id	nicolaken	Low
Product	pom	developer id	roxspring	Low
Product	pom	developer id	sanders	Low
Product	pom	developer id	scolebourne	Low
Product	pom	developer name	dlon Gillard	Low
Product	pom	developer name	Gary Gregory	Low
Product	pom	developer name	Henri Yandell	Low
Product	pom	developer name	Jeremias Maerki	Low
Product	pom	developer name	Jochen Wiedmann	Low
Product	pom	developer name	Jukka Zitting	Low
Product	pom	developer name	Kristian Rosenvold	Low
Product	pom	developer name	Martin Cooper	Low
Product	pom	developer name	Matthew Hawthorne	Low
Product	pom	developer name	Niall Pemberton	Low
Product	pom	developer name	Nicola Ken Barozzi	Low
Product	pom	developer name	Rob Oxspring	Low
Product	pom	developer name	Scott Sanders	Low
Product	pom	developer name	Stephen Colebourne	Low
Product	pom	developer org	The Apache Software Foundation	Low
Product	pom	developer org URL	https://www.apache.org/	Low
Product	pom	groupid	commons-io	Highest
Product	pom	name	Apache Commons IO	High
Product	pom	parent-artifactid	commons-parent	Medium
Product	pom	parent-groupid	org.apache.commons	Medium
Product	pom	url	https://commons.apache.org/proper	Medium

			/commons-io/	
Version	Manifest	Bundle-Version	2.11.0	High
Version	Manifest	Implementation-Version	2.11.0	High
Version	pom	parent-version	2.11.0	Low
Version	pom	version	2.11.0	Highest

Identifiers

- [pkg:maven/commons-io/commons-io@2.11.0](#) (*Confidence:High*)
- [cpe:2.3:a:apache:commons_io:2.11.0:*:*:*:*:*](#) (*Confidence:Highest*) suppress

parser.docx.zip: commons-math3.jar

Description:

The Apache Commons Math project is a library of lightweight, self-contained mathematics and statistics components addressing the most common practical problems not immediately available in the Java programming language or commons-lang.

License:

<http://www.apache.org/licenses/LICENSE-2.0.txt>

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/parser.docx.zip/commons-math3.jar

MD5: 5b730d97e4e6368069de1983937c508e

SHA1: e4ba98f1d4b3c80ec46392f25e094a6a2e58fcfb

SHA256: 1e56d7b058d28b65abd256b8458e3885b674c1d588fa43cd7d1cbb9c7ef2b308

Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence
Vendor	file	name	commons-math3	High
Vendor	jar	package name	apache	Highest
Vendor	jar	package name	commons	Highest
Vendor	jar	package name	math3	Highest
Vendor	Manifest	bundle-docurl	http://commons.apache.org/proper/commons-math/	Low
Vendor	Manifest	bundle-symbolicname	org.apache.commons.math3	Medium
Vendor	Manifest	implementation-build	16abfe5de688cc52fb0396e0609cb33044b15692016-03-17 13:30:43-0400	Low

Vendor	Manifest	implementation-url	http://commons.apache.org/proper/commons-math/	Low
Vendor	Manifest	Implementation-Vendor	The Apache Software Foundation	High
Vendor	Manifest	Implementation-Vendor-Id	org.apache	Medium
Vendor	Manifest	specification-vendor	The Apache Software Foundation	Low
Vendor	pom	artifactid	commons-math3	Low
Vendor	pom	developer email	achou at apache dot org	Low
Vendor	pom	developer email	billbarker at apache dot org	Low
Vendor	pom	developer email	brentworden at apache dot org	Low
Vendor	pom	developer email	celestine at apache dot org	Low
Vendor	pom	developer email	dimpbx at apache dot org	Low
Vendor	pom	developer email	erans at apache dot org	Low
Vendor	pom	developer email	evanward at apache dot org	Low
Vendor	pom	developer email	gregs at apache dot org	Low
Vendor	pom	developer email	j3322ptm at yahoo dot de	Low
Vendor	pom	developer email	luc at apache dot org	Low
Vendor	pom	developer email	mdiggory at apache dot org	Low
Vendor	pom	developer email	mikl at apache dot org	Low
Vendor	pom	developer email	oertl at apache dot org	Low
Vendor	pom	developer email	rdonkin at apache dot org	Low
Vendor	pom	developer email	tn at apache dot org	Low
Vendor	pom	developer email	tobrien at apache dot org	Low
Vendor	pom	developer id	achou	Medium
Vendor	pom	developer id	billbarker	Medium
Vendor	pom	developer id	brentworden	Medium
Vendor	pom	developer id	celestine	Medium
Vendor	pom	developer id	dimpbx	Medium
Vendor	pom	developer id	erans	Medium
Vendor	pom	developer id	evanward	Medium
Vendor	pom	developer id	gregs	Medium
Vendor	pom	developer id	luc	Medium
Vendor	pom	developer id	mdiggory	Medium
Vendor	pom	developer id	mikl	Medium
Vendor	pom	developer id	oertl	Medium

Vendor	pom	developer id	pietsch	Medium
Vendor	pom	developer id	rdonkin	Medium
Vendor	pom	developer id	tn	Medium
Vendor	pom	developer id	tobrien	Medium
Vendor	pom	developer name	Albert Davidson Chou	Medium
Vendor	pom	developer name	Bill Barker	Medium
Vendor	pom	developer name	Brent Worden	Medium
Vendor	pom	developer name	Dimitri Pourbaix	Medium
Vendor	pom	developer name	Evan Ward	Medium
Vendor	pom	developer name	Gilles Sadowski	Medium
Vendor	pom	developer name	Greg Sterijevski	Medium
Vendor	pom	developer name	J. Pietschmann	Medium
Vendor	pom	developer name	Luc Maisonobe	Medium
Vendor	pom	developer name	Mark Diggory	Medium
Vendor	pom	developer name	Mikkel Meyer Andersen	Medium
Vendor	pom	developer name	Otmar Ertl	Medium
Vendor	pom	developer name	Robert Burrell Donkin	Medium
Vendor	pom	developer name	Sébastien Brisard	Medium
Vendor	pom	developer name	Thomas Neidhart	Medium
Vendor	pom	developer name	Tim O'Brien	Medium
Vendor	pom	groupid	org.apache.commons	Highest
Vendor	pom	name	Apache Commons Math	High
Vendor	pom	parent-artifactid	commons-parent	Low
Vendor	pom	url	http://commons.apache.org/proper/commons-math/	Highest
Product	file	name	commons-math3	High
Product	jar	package name	apache	Highest
Product	jar	package name	commons	Highest
Product	jar	package name	math3	Highest
Product	Manifest	bundle-docurl	http://commons.apache.org/proper/commons-math/	Low
Product	Manifest	Bundle-Name	Apache Commons Math	Medium
Product	Manifest	bundle-symbolicname	org.apache.commons.math3	Medium
Product	Manifest	implementation-build	16abfe5de688cc52fb0396e0609cb33044b156/2016-03-17 13:30:43-0400	Low
Product	Manifest	Implementation-Title	Apache Commons Math	High

Product	Manifest	implementation-url	http://commons.apache.org/proper/commons-math/	Low
Product	Manifest	specification-title	Apache Commons Math	Medium
Product	pom	artifactid	commons-math3	Highest
Product	pom	developer email	achou at apache dot org	Low
Product	pom	developer email	billbarker at apache dot org	Low
Product	pom	developer email	brentworden at apache dot org	Low
Product	pom	developer email	celestin at apache dot org	Low
Product	pom	developer email	dimpbx at apache dot org	Low
Product	pom	developer email	erans at apache dot org	Low
Product	pom	developer email	evanward at apache dot org	Low
Product	pom	developer email	gregs at apache dot org	Low
Product	pom	developer email	j3322ptm at yahoo dot de	Low
Product	pom	developer email	luc at apache dot org	Low
Product	pom	developer email	mdiggory at apache dot org	Low
Product	pom	developer email	mikl at apache dot org	Low
Product	pom	developer email	oertl at apache dot org	Low
Product	pom	developer email	rdonkin at apache dot org	Low
Product	pom	developer email	tn at apache dot org	Low
Product	pom	developer email	tobrien at apache dot org	Low
Product	pom	developer id	achou	Low
Product	pom	developer id	billbarker	Low
Product	pom	developer id	brentworden	Low
Product	pom	developer id	celestin	Low
Product	pom	developer id	dimpbx	Low
Product	pom	developer id	erans	Low
Product	pom	developer id	evanward	Low
Product	pom	developer id	gregs	Low
Product	pom	developer id	luc	Low
Product	pom	developer id	mdiggory	Low
Product	pom	developer id	mikl	Low
Product	pom	developer id	oertl	Low
Product	pom	developer id	pietsch	Low
Product	pom	developer id	rdonkin	Low
Product	pom	developer id	tn	Low
Product	pom	developer id	tobrien	Low

Product	pom	developer name	Albert Davidson Chou	Low
Product	pom	developer name	Bill Barker	Low
Product	pom	developer name	Brent Worden	Low
Product	pom	developer name	Dimitri Pourbaix	Low
Product	pom	developer name	Evan Ward	Low
Product	pom	developer name	Gilles Sadowski	Low
Product	pom	developer name	Greg Sterijevski	Low
Product	pom	developer name	J. Pietschmann	Low
Product	pom	developer name	Luc Maisonobe	Low
Product	pom	developer name	Mark Diggory	Low
Product	pom	developer name	Mikkel Meyer Andersen	Low
Product	pom	developer name	Otmar Ertl	Low
Product	pom	developer name	Robert Burrell Donkin	Low
Product	pom	developer name	Sébastien Brisard	Low
Product	pom	developer name	Thomas Neidhart	Low
Product	pom	developer name	Tim O'Brien	Low
Product	pom	groupid	org.apache.commons	Highest
Product	pom	name	Apache Commons Math	High
Product	pom	parent-artifactid	commons-parent	Medium
Product	pom	url	http://commons.apache.org/proper/commons-math/	Medium
Version	Manifest	Bundle-Version	3.6.1	High
Version	Manifest	Implementation-Version	3.6.1	High
Version	pom	parent-version	3.6.1	Low
Version	pom	version	3.6.1	Highest

Identifiers

- [pkg:maven/org.apache.commons/commons-math3@3.6.1](https://maven.org.apache.commons/commons-math3@3.6.1) (*Confidence:High*)

parser.docx.zip: curvesapi.jar

Description:

Implementation of various mathematical curves that define themselves over a set of control points. The API is written in Java. The curves supported are: Bezier, B-Spline, Cardinal Spline, Catmull-Rom Spline, Lagrange, Natural Cubic Spline, and NURBS.

License:

BSD License: <http://opensource.org/licenses/BSD-3-Clause>

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/parser.docx.zip/curvesapi.jar

MD5: fc3aed90346691e7c79da06bb6606beb

SHA1: 3d3d36568154059825089b289dcfca481fe44e2c

SHA256: ad95b08b8bbf9d7d17e5e00814898fa23324f32bc5b62f1a37801e6a56ce0079

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	curvesapi	High
Vendor	Manifest	automatic-module-name	com.github.virtuald.curvesapi	Medium
Vendor	pom	artifactid	curvesapi	Low
Vendor	pom	developer id	stormdollar	Medium
Vendor	pom	developer id	virtuald	Medium
Vendor	pom	developer name	Dustin Spicuzza	Medium
Vendor	pom	developer name	stormdollar	Medium
Vendor	pom	groupid	com.github.virtuald	Highest
Vendor	pom	name	curvesapi	High
Vendor	pom	url	virtuald/curvesapi	Highest
Product	file	name	curvesapi	High
Product	Manifest	automatic-module-name	com.github.virtuald.curvesapi	Medium
Product	pom	artifactid	curvesapi	Highest
Product	pom	developer id	stormdollar	Low
Product	pom	developer id	virtuald	Low
Product	pom	developer name	Dustin Spicuzza	Low
Product	pom	developer name	stormdollar	Low
Product	pom	groupid	com.github.virtuald	Highest
Product	pom	name	curvesapi	High
Product	pom	url	virtuald/curvesapi	High
Version	pom	version	1.08	Highest

Identifiers

- pkg:maven/com.github.virtuald/curvesapi@1.08 (*Confidence:High*)

parser.docx.zip: log4j-api.jar

Description:

The Apache Log4j API

License:

Apache-2.0: <https://www.apache.org/licenses/LICENSE-2.0.txt>

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/parser.docx.zip/log4j-api.jar

MD5: 27db0eb89ae965179480df00d8d1cf03

SHA1: bea6fede6328fabafd7e68363161a7ea6605abd1

SHA256: 5d7beae7ff15d8516d6517121d7f12a79a6ac180df64b5fcec55d5be21056e53

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	log4j-api	High
Vendor	jar	package name	apache	Highest
Vendor	jar	package name	log4j	Highest
Vendor	jar	package name	logging	Highest
Vendor	jar	package name	org	Highest
Vendor	Manifest	build-jdk-spec	17	Low
Vendor	Manifest	bundle-activationpolicy	lazy	Low
Vendor	Manifest	bundle-symbolicname	org.apache.logging.log4j.api	Medium
Vendor	Manifest	Implementation-Vendor	The Apache Software Foundation	High
Vendor	Manifest	multi-release	true	Low
Vendor	Manifest	provide-capability	osgi.service;objectClass:List="org.apache.logging.log4j.util.PropertySource";effective:=active,osgi.serviceloader;osgi.serviceloader="org.apache.logging.log4j.util.PropertySource";register="org.apache.logging.log4j.util.EnvironmentPropertySource",osgi.serviceloader;osgi.serviceloader="org.apache.logging.log4j.util.PropertySource";register="org.apache.logging.log4j.util.SystemPropertiesPropertySource"	Low

Vendor	Manifest	specification-vendor	The Apache Software Foundation	Low
Vendor	pom	artifactid	log4j-api	Low
Vendor	pom	groupid	org.apache.logging.log4j	Highest
Vendor	pom	name	Apache Log4j API	High
Vendor	pom	parent-artifactid	log4j	Low
Product	file	name	log4j-api	High
Product	jar	package name	apache	Highest
Product	jar	package name	log4j	Highest
Product	jar	package name	logging	Highest
Product	jar	package name	org	Highest
Product	jar	package name	util	Highest
Product	Manifest	build-jdk-spec	17	Low
Product	Manifest	bundle-activationpolicy	lazy	Low
Product	Manifest	Bundle-Name	Apache Log4j API	Medium
Product	Manifest	bundle-symbolicname	org.apache.logging.log4j.api	Medium
Product	Manifest	Implementation-Title	Apache Log4j API	High
Product	Manifest	multi-release	true	Low
Product	Manifest	provide-capability	osgi.service;objectClass:List="org.apache.logging.log4j.util.PropertySource";effective:=active,osgi.serviceloader;osgi.serviceloader="org.apache.logging.log4j.util.PropertySource";register="org.apache.logging.log4j.util.EnvironmentPropertySource",osgi.serviceloader;osgi.serviceloader="org.apache.logging.log4j.util.PropertySource";register="org.apache.logging.log4j.util.SystemPropertiesPropertySource"	Low
Product	Manifest	specification-title	Apache Log4j API	Medium
Product	pom	artifactid	log4j-api	Highest
Product	pom	groupid	org.apache.logging.log4j	Highest
Product	pom	name	Apache Log4j API	High
Product	pom	parent-artifactid	log4j	Medium
Version	Manifest	Bundle-Version	2.22.1	High
Version	Manifest	Implementation-Version	2.22.1	High
Version	pom	version	2.22.1	Highest

Identifiers

- pkg:maven/org.apache.logging.log4j/log4j-api@2.22.1 (Confidence:High)
- cpe:2.3:a:apache:log4j:2.22.1:*:*:*:*:* (Confidence:Highest)

suppress

parser.docx.zip: parser.docx.jar

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/parser.docx.zip/parser.docx.jar
MD5: 0a13ff22eddc369b6661f93526902ba
SHA1: fdee2a5bc9339235221f33e63c1a0ad4215945ba
SHA256:f9ef6acb8d5d49ec08cefd8d7a7d8624ebe8040cc018d7e94629240d77be20c3
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	parser.docx	High
Vendor	jar	package name	inet	Low
Vendor	jar	package name	pdfc	Low
Vendor	jar	package name	plugin	Low
Vendor	Manifest	application-library-allowable-codebase	*	Low
Vendor	Manifest	built-date	2024-06-07 20:43	Low
Vendor	Manifest	codebase	*	Low
Vendor	Manifest	implementation-group	pdfc	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	permissions	all-permissions	Low
Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	trusted-library	false	Low
Vendor	Manifest	trusted-only	false	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	parser.docx	High
Product	jar	package name	docxparser	Low

Product	jar	package name	pdfc	Highest
Product	jar	package name	pdfc	Low
Product	jar	package name	plugin	Low
Product	Manifest	application-library-allowable-codebase	*	Low
Product	Manifest	built-date	2024-06-07 20:43	Low
Product	Manifest	codebase	*	Low
Product	Manifest	implementation-group	pdfc	Low
Product	Manifest	Implementation-Title	parser.docx	High
Product	Manifest	permissions	all-permissions	Low
Product	Manifest	specification-title	parser.docx	Medium
Product	Manifest	trusted-library	false	Low
Product	Manifest	trusted-only	false	Low
Version	jar	package name	pdfc	Highest
Version	Manifest	Implementation-Version	24.4.256	High

Identifiers

- cpe:2.3:a:inetsoftware:pdfc:24.4.256:****:* (Confidence:Low)

suppress

parser.docx.zip: poi.jar

Description:

Apache POI - Java API To Access Microsoft Format Files

License:

Apache License, Version 2.0: <http://www.apache.org/licenses/LICENSE-2.0.txt>

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/parser.docx.zip/poi.jar

MD5: d4b21c2109d83abb8e93ba4bcfbdeb3a

SHA1: 2fb22ae74ad5aea6af1a9c64b9542f2ccf348604

SHA256: 1d4c81a283e127693db89e85df45119d9d312d5686d2439b5be9445c2c649155

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
Vendor	central	artifactid	poi	Highest
Vendor	central	groupid	org.apache.poi	Highest
Vendor	file	name	poi	High
Vendor	jar	package name	apache	Highest
Vendor	jar	package name	apache	Low
Vendor	jar	package name	poi	Highest
Vendor	jar	package name	poi	Low
Vendor	Manifest	automatic-module-name	org.apache.poi.poi	Medium
Vendor	Manifest	Implementation-Vendor	org.apache.poi	High
Vendor	Manifest	Implementation-Vendor-Id	The Apache Software Foundation	Medium
Vendor	Manifest	multi-release	true	Low
Vendor	Manifest	specification-vendor	The Apache Software Foundation	Low
Vendor	pom	artifactid	poi	Low
Vendor	pom	groupid	org.apache.poi	Highest
Vendor	pom	name	Apache POI - Common	High
Vendor	pom	organization name	Apache Software Foundation	High
Vendor	pom	organization url	http://www.apache.org/	Medium
Vendor	pom	url	https://poi.apache.org/	Highest
Product	central	artifactid	poi	Highest
Product	file	name	poi	High
Product	jar	package name	apache	Highest
Product	jar	package name	poi	Highest
Product	jar	package name	poi	Low
Product	Manifest	automatic-module-name	org.apache.poi.poi	Medium
Product	Manifest	Implementation-Title	Apache POI	High
Product	Manifest	multi-release	true	Low
Product	Manifest	specification-title	Apache POI	Medium
Product	pom	artifactid	poi	Highest
Product	pom	groupid	org.apache.poi	Highest
Product	pom	name	Apache POI - Common	High

Product	pom	organization name	Apache Software Foundation	Low
Product	pom	organization url	http://www.apache.org/	Low
Product	pom	url	https://poi.apache.org/	Medium
Version	central	version	5.2.3	Highest
Version	Manifest	Implementation-Version	5.2.3	High
Version	pom	version	5.2.3	Highest

Related Dependencies



- parser.docx.zip: poi-ooxml-full.jar
 - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/parser.docx.zip/poi-ooxml-full.jar
 - MD5: 12cee970c8c7143c8d5ff643e1599bd8
 - SHA1: 339a05530a7076e8a86b88253a48a44e0144ce25
 - SHA256: 0484b712eb63a8872723cafb88004be60f47187baccacddaee12712a1ad2e7b5
 - [pkg:maven/org.apache.poi/poi-ooxml-full@5.2.3](https://maven.apache.org/poi/poi-ooxml-full@5.2.3)
- parser.docx.zip: poi-ooxml.jar
 - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/parser.docx.zip/poi-ooxml.jar
 - MD5: 4874ead60c5e3aa7fcf29d3ad351eefa
 - SHA1: 02efd11c940adb18c03eb9ce7ad88fc40ee6a196
 - SHA256: 9b8ff6ecf562836299ce15997796e3d47fe063a5956c1c7d3f6e2a4bf6e60b79
 - [pkg:maven/org.apache.poi/poi-ooxml@5.2.3](https://maven.apache.org/poi/poi-ooxml@5.2.3)
- parser.docx.zip: poi-scratchpad.jar
 - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/parser.docx.zip/poi-scratchpad.jar
 - MD5: 760ac0bcd0f4877fb57b134fc7e79fb4
 - SHA1: 2a7fce47e22b7fedb1b277347ff4fe36d6eda50d
 - SHA256: f0a98ad2a2a8c2863135357224fe8ffb2b4e7bb121d75aff59750eb671451aed
 - [pkg:maven/org.apache.poi/poi-scratchpad@5.2.3](https://maven.apache.org/poi/poi-scratchpad@5.2.3)

Identifiers

- [pkg:maven/org.apache.poi/poi@5.2.3](https://maven.apache.org/poi/poi@5.2.3) (Confidence:High)
- [cpe:2.3:a:apache:poi:5.2.3:****:*:*](https://maven.apache.org/poi/poi@5.2.3) (Confidence:Highest) suppress

parser.docx.zip: xmlbeans.jar

Description:

XmlBeans main jar

License:

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/parser.docx.zip/xmlbeans.jar

MD5: 723ab70862ae085e3c4018b0dd8c19f9

SHA1: 6198ac997b3f234f2b5393fa415f78fac2e06510

SHA256: 5a344f323c049b7024edd39bbd58a38e77eb44218aad2794879e7f4ac3ca1de1

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	xmlbeans	High
Vendor	jar	package name	apache	Highest
Vendor	jar	package name	org	Highest
Vendor	jar	package name	xmlbeans	Highest
Vendor	Manifest	multi-release	true	Low
Vendor	manifest org /apache /xmlbear	Implementation- Vendor	org.apache.xmlbeans	Medium
Vendor	pom	artifactid	xmlbeans	Low
Vendor	pom	developer email	user@poi.apache.org	Low
Vendor	pom	developer id	poi	Medium
Vendor	pom	developer name	POI Team	Medium
Vendor	pom	developer org	Apache POI	Medium
Vendor	pom	groupid	org.apache.xmlbeans	Highest
Vendor	pom	name	XmlBeans	High
Vendor	pom	organization name	XmlBeans	High
Vendor	pom	organization url	https://xmlbeans.apache.org/	Medium
Vendor	pom	url	https://xmlbeans.apache.org/	Highest
Product	file	name	xmlbeans	High
Product	jar	package name	apache	Highest
Product	jar	package name	org	Highest
Product	jar	package name	xmlbeans	Highest
Product	Manifest	multi-release	true	Low
Product	manifest org /apache /xmlbear	Implementation- Title	Apache XmlBeans	Medium
Product	manifest org	Specification- Title	Apache XmlBeans	Medium

	/apache /xmlbear			
Product	pom	artifactid	xmlbeans	Highest
Product	pom	developer email	user@poi.apache.org	Low
Product	pom	developer id	poi	Low
Product	pom	developer name	POI Team	Low
Product	pom	developer org	Apache POI	Low
Product	pom	groupid	org.apache.xmlbeans	Highest
Product	pom	name	XmlBeans	High
Product	pom	organization name	XmlBeans	Low
Product	pom	organization url	https://xmlbeans.apache.org/	Low
Product	pom	url	https://xmlbeans.apache.org/	Medium
Version	manifest org /apache /xmlbear	Implementation- Version	5.2.0	Medium
Version	pom	version	5.2.0	Highest

Identifiers

- [pkg:maven/org.apache.xmlbeans/xmlbeans@5.2.0](#) (*Confidence:High*)
- [cpe:2.3:a:apache:xmlbeans:5.2.0:*:*:*:*:*](#) (*Confidence:Highest*)

suppress

parser.image.zip: parser.image.jar

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/parser.image.zip/parser.image.jar
MD5: 41e6fb11390c7bb5ea372e691baf1768
SHA1: 02e7ea4b2452a5366dc1d83e3821c73be4991ff1
SHA256: 8e06cdc36069eaf5c055ecab8bda76e4e38d09b940efea55a572921467bfbd67
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	parser.image	High
Vendor	jar	package name	inet	Low
Vendor	jar	package name	pdfc	Low
Vendor	jar	package name	plugin	Low

Vendor	Manifest	application-library-allowable-codebase	*	Low
Vendor	Manifest	built-date	2024-06-07 20:42	Low
Vendor	Manifest	codebase	*	Low
Vendor	Manifest	implementation-group	pdfc	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	permissions	all-permissions	Low
Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	trusted-library	false	Low
Vendor	Manifest	trusted-only	false	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	parser.image	High
Product	jar	package name	imageparser	Low
Product	jar	package name	pdfc	Highest
Product	jar	package name	pdfc	Low
Product	jar	package name	plugin	Low
Product	Manifest	application-library-allowable-codebase	*	Low
Product	Manifest	built-date	2024-06-07 20:42	Low
Product	Manifest	codebase	*	Low
Product	Manifest	implementation-group	pdfc	Low
Product	Manifest	Implementation-Title	parser.image	High
Product	Manifest	permissions	all-permissions	Low
Product	Manifest	specification-title	parser.image	Medium
Product	Manifest	trusted-library	false	Low
Product	Manifest	trusted-only	false	Low
Version	jar	package name	pdfc	Highest
Version	Manifest	Implementation-Version	24.4.256	High

Identifiers

- cpe:2.3:a:inetsoftware:pdfc:24.4.256:*:*:*:*:* (Confidence:Low) suppress

suppress

parser.pdf.config.zip: parser.pdf.config.jar

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller
/server/build/tmp/dependencies/i-net PDFC/plugins/parser.pdf.config.zip/parser.pdf.config.jar

MD5: 29dc73916f919363d4b0f522b02fe9a8

SHA1: ac2aa023ad81bfb7a7e5ad39ddd23f1a4c924b3a

SHA256:682702d1fd81704cfdeae5bd535bad24ab617c7088c3f17a67dd99f7dad17ca4

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	parser.pdf.config	High
Vendor	jar	package name	inet	Low
Vendor	jar	package name	pdfc	Low
Vendor	jar	package name	plugin	Low
Vendor	Manifest	application-library-allowable-codebase	*	Low
Vendor	Manifest	built-date	2024-06-07 20:42	Low
Vendor	Manifest	codebase	*	Low
Vendor	Manifest	implementation-group	pdfc	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	permissions	all-permissions	Low
Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	trusted-library	false	Low
Vendor	Manifest	trusted-only	false	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	parser.pdf.config	High
Product	jar	package name	pdfc	Highest
Product	jar	package name	pdfc	Low

Product	jar	package name	pdfparserconfig	Low
Product	jar	package name	plugin	Low
Product	Manifest	application-library-allowable-codebase	*	Low
Product	Manifest	built-date	2024-06-07 20:42	Low
Product	Manifest	codebase	*	Low
Product	Manifest	implementation-group	pdfc	Low
Product	Manifest	Implementation-Title	parser.pdf.config	High
Product	Manifest	permissions	all-permissions	Low
Product	Manifest	specification-title	parser.pdf.config	Medium
Product	Manifest	trusted-library	false	Low
Product	Manifest	trusted-only	false	Low
Version	jar	package name	pdfc	Highest
Version	Manifest	Implementation-Version	24.4.256	High

Identifiers

- cpe:2.3:a:inetsoftware:pdfc:24.4.256:*:*:*:*:* (*Confidence:Low*) suppress

parser.pdf.zip: PDFParser.jar

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/parser.pdf.zip/PDFParser.jar
MD5: 178d589d4430775e49bdca0dc08f7d01
SHA1: 19cc72018278964409757cf555c2ced585fa2c17
SHA256:108d91b10836f56ab330824c1725ca9a5b54142bd7c2d0df62c6384fee46dbb9
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence
Vendor	file	name	PDFParser	High
Vendor	jar	package name	inet	Low
Vendor	jar	package name	pdfview	Low

Vendor	Manifest	application-library-allowable-codebase	*	Low
Vendor	Manifest	built-date	2024-06-07 17:42	Low
Vendor	Manifest	codebase	*	Low
Vendor	Manifest	implementation-group	shared	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	permissions	all-permissions	Low
Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	trusted-library	false	Low
Vendor	Manifest	trusted-only	false	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	PDFParser	High
Product	jar	package name	pdfparser	Highest
Product	jar	package name	pdfview	Low
Product	Manifest	application-library-allowable-codebase	*	Low
Product	Manifest	built-date	2024-06-07 17:42	Low
Product	Manifest	codebase	*	Low
Product	Manifest	implementation-group	shared	Low
Product	Manifest	Implementation-Title	PDFParser	High
Product	Manifest	permissions	all-permissions	Low
Product	Manifest	specification-title	PDFParser	Medium
Product	Manifest	trusted-library	false	Low
Product	Manifest	trusted-only	false	Low
Version	Manifest	Implementation-Version	24.4.256	High

Identifiers

- None

parser.pdf.zip: jbig2.jar

Description:

This implementation uses the JBIG2 decoder provider by IDR solutions (jPedal).

License:

BSD: <http://www.opensource.org/licenses/BSD-3-Clause>

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/parser.pdf.zip/jbig2.jar

MD5: ab5dd1acc5e6c85903e342dac7998ce7

SHA1: a3f4214b62615d4456de761ccef1136cba65a663

SHA256: 93e79e795182b4b6e12991046e489c2c0780e867d3e18e4e7ee20973316930d4

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
Vendor	central	artifactid	jbig2	Highest
Vendor	central	groupid	de.intarsys.opensource	Highest
Vendor	file	name	jbig2	High
Vendor	jar	package name	jbig2	Low
Vendor	jar	package name	jpegal	Low
Vendor	pom	artifactid	jbig2	Low
Vendor	pom	developer email	support@intarsys.de	Low
Vendor	pom	developer id	intarsys	Medium
Vendor	pom	developer name	intarsys support	Medium
Vendor	pom	groupid	de.intarsys.opensource	Highest
Vendor	pom	name	jbig2	High
Vendor	pom	organization name	intarsys consulting GmbH	High
Vendor	pom	organization url	http://www.intarsys.de	Medium
Vendor	pom	url	http://opensource.intarsys.de/home/en/index.php?n=JPodRenderer.HomePage	Highest
Product	central	artifactid	jbig2	Highest
Product	file	name	jbig2	High
Product	jar	package name	jbig2	Low
Product	pom	artifactid	jbig2	Highest
Product	pom	developer email	support@intarsys.de	Low
Product	pom	developer id	intarsys	Low

Product	pom	developer name	intarsys support	Low
Product	pom	groupid	de.intarsys.opensource	Highest
Product	pom	name	jbig2	High
Product	pom	organization name	intarsys consulting GmbH	Low
Product	pom	organization url	http://www.intarsys.de	Low
Product	pom	url	http://opensource.intarsys.de/home/en/index.php?n=JPodRenderer.HomePage	Medium
Version	central	version	5.5.1	Highest
Version	pom	version	5.5.1	Highest

Related Dependencies

- pdfc.zip: jbig2.jar
 - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/pdfc.zip/jbig2.jar
 - MD5: ab5dd1acc5e6c85903e342dac7998ce7
 - SHA1: a3f4214b62615d4456de761ccef1136cba65a663
 - SHA256: 93e79e795182b4b6e12991046e489c2c0780e867d3e18e4e7ee20973316930d4
 - pkg:maven/de.intarsys.opensource/jbig2@5.5.1

Identifiers

- pkg:maven/de.intarsys.opensource/jbig2@5.5.1 (*Confidence:High*)
- cpe:2.3:a:homepage_project:homepage:5.5.1:*:*:*:*:* (*Confidence:Low*) suppress

parser.pdf.zip: parser.pdf.jar

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/parser.pdf.zip/parser.pdf.jar

MD5: 7c84d7b472190ed7eb39c1f53607b72b

SHA1: a66f7a4653010d4f456fec7e0ce1046252508e02

SHA256: 06cd41b4f15cad8bcf9a1d33bbeb4f5c4f34c38281fb8aee61d6844fb83a943c

Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence
Vendor	file	name	parser.pdf	High
Vendor	jar	package name	inet	Low
Vendor	jar	package name	pdfc	Low

Vendor	jar	package name	plugin	Low
Vendor	Manifest	application-library-allowable-codebase	*	Low
Vendor	Manifest	built-date	2024-06-07 20:42	Low
Vendor	Manifest	codebase	*	Low
Vendor	Manifest	implementation-group	pdfc	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	permissions	all-permissions	Low
Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	trusted-library	false	Low
Vendor	Manifest	trusted-only	false	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	parser.pdf	High
Product	jar	package name	pdfc	Highest
Product	jar	package name	pdfc	Low
Product	jar	package name	pdfparser	Low
Product	jar	package name	plugin	Low
Product	Manifest	application-library-allowable-codebase	*	Low
Product	Manifest	built-date	2024-06-07 20:42	Low
Product	Manifest	codebase	*	Low
Product	Manifest	implementation-group	pdfc	Low
Product	Manifest	Implementation-Title	parser.pdf	High
Product	Manifest	permissions	all-permissions	Low
Product	Manifest	specification-title	parser.pdf	Medium
Product	Manifest	trusted-library	false	Low
Product	Manifest	trusted-only	false	Low
Version	jar	package name	pdfc	Highest
Version	Manifest	Implementation-Version	24.4.256	High

Identifiers

- cpe:2.3:a:inetsoftware:pdfc:24.4.256:*:*:*:*:* (Confidence:Low) suppress

```
| suppress
```

parser.text.zip: parser.text.jar

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/parser.text.zip/parser.text.jar

MD5: 3587436216e5dd95d573f4edb8460140

SHA1: 2c081a9deecf29697ac1d583be223b99e5804845

SHA256:9cc0beb6cee4dbaef437fc55d29f1999ddeec89c9edd3cf1b45211c86d9f1163

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	parser.text	High
Vendor	jar	package name	inet	Low
Vendor	jar	package name	pdfc	Low
Vendor	jar	package name	plugin	Low
Vendor	Manifest	application-library-allowable-codebase	*	Low
Vendor	Manifest	built-date	2024-06-07 20:42	Low
Vendor	Manifest	codebase	*	Low
Vendor	Manifest	implementation-group	pdfc	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	permissions	all-permissions	Low
Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	trusted-library	false	Low
Vendor	Manifest	trusted-only	false	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	parser.text	High
Product	jar	package name	pdfc	Highest

Product	jar	package name	pdfc	Low
Product	jar	package name	plugin	Low
Product	jar	package name	textparser	Low
Product	Manifest	application-library-allowable-codebase	*	Low
Product	Manifest	built-date	2024-06-07 20:42	Low
Product	Manifest	codebase	*	Low
Product	Manifest	implementation-group	pdfc	Low
Product	Manifest	Implementation-Title	parser.text	High
Product	Manifest	permissions	all-permissions	Low
Product	Manifest	specification-title	parser.text	Medium
Product	Manifest	trusted-library	false	Low
Product	Manifest	trusted-only	false	Low
Version	jar	package name	pdfc	Highest
Version	Manifest	Implementation-Version	24.4.256	High

Identifiers

- cpe:2.3:a:inetsoftware:pdfc:24.4.256:*:*:*:*:* (*Confidence:Low*) suppress

pdfc.gui.zip: TableLayout.jar

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/pdfc.gui.zip/TableLayout.jar
MD5: 1e432e776e18d71f12dd72b7d235a965
SHA1: 62ffa1cca3e71f94d0bdce85ea97ea7083fdb1b
SHA256:13e73cf77a93f0c52184e5a5557d7dbba081bf54904edfdb84645b5daf7dd18
Referenced In Project/Scope: server

Evidence +

Type	Source	Name	Value	Confidence
Vendor	file	name	TableLayout	High
Vendor	jar	package name	clearthought	Low

Vendor	jar	package name	info	Low
Vendor	jar	package name	layout	Low
Product	file	name	TableLayout	High
Product	jar	package name	clearthought	Low
Product	jar	package name	layout	Low

Identifiers

- None

pdfc.gui.zip: VividSwingAnimations.jar

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/pdfc.gui.zip/VividSwingAnimations.jar

MD5: 3f8bfce43cee6f5bf712881bde6d3379

SHA1: 539fa7c887865bc82e12f359bbf259fd330bfe5e

SHA256: 0cdae11fed0c91c56935eec42b3b626891a80c0fcfdb25e67b6abd6460db35cd

Referenced In Project/Scope: server

Evidence +

Type	Source	Name	Value	Confidence
Vendor	file	name	VividSwingAnimations	High
Vendor	jar	package name	anormalmedia	Low
Vendor	jar	package name	de	Low
Vendor	jar	package name	vividswinganimations	Low
Product	file	name	VividSwingAnimations	High
Product	jar	package name	anormalmedia	Low
Product	jar	package name	vividswinganimations	Low

Identifiers

- None

pdfc.gui.zip: inetswingcore.jar

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/pdfc.gui.zip/inetswingcore.jar
MD5: 26efe200e866394487a9406c3d71532a
SHA1: e83b4a984d8a3254a4b75382369d008bc06b19e8
SHA256: fd0d5e56175e80a4ce54dc5661963a9b5b9f74ada2563194ac533007904dedfc
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	inetswingcore	High
Vendor	jar	package name	i	Highest
Vendor	jar	package name	inet	Low
Vendor	jar	package name	swing	Low
Vendor	Manifest	built-date	2024-06-07 17:42	Low
Vendor	Manifest	implementation-group	shared	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	inetswingcore	High
Product	jar	package name	swing	Low
Product	Manifest	built-date	2024-06-07 17:42	Low
Product	Manifest	implementation-group	shared	Low
Product	Manifest	Implementation-Title	inetswingcore	High
Product	Manifest	specification-title	inetswingcore	Medium
Version	Manifest	Implementation-Version	24.4.256	High

Identifiers

- None

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/pdfc.gui.zip/pdfc.gui.jar
MD5: b6d779f908bc085e612e9b67674d3325
SHA1: c1d92b5a71eca75b9cb52c0eacd2f132ce09ca03
SHA256:9b636beb3b508d1308588ff8d35db10fac44bdc4769b89643f7e1b2c04833490
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	pdfc.gui	High
Vendor	jar	package name	gui	Low
Vendor	jar	package name	i	Highest
Vendor	jar	package name	inet	Low
Vendor	jar	package name	pdfc	Low
Vendor	Manifest	application-library-allowable-codebase	*	Low
Vendor	Manifest	built-date	2024-06-07 20:33	Low
Vendor	Manifest	codebase	*	Low
Vendor	Manifest	implementation-group	pdfc	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	permissions	all-permissions	Low
Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	trusted-library	false	Low
Vendor	Manifest	trusted-only	false	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	pdfc.gui	High
Product	jar	package name	gui	Highest
Product	jar	package name	gui	Low
Product	jar	package name	pdfc	Highest
Product	jar	package name	pdfc	Low
Product	Manifest	application-library-allowable-codebase	*	Low
Product	Manifest	built-date	2024-06-07 20:33	Low

Product	Manifest	codebase	*	Low
Product	Manifest	implementation-group	pdfc	Low
Product	Manifest	Implementation-Title	pdfc.gui	High
Product	Manifest	permissions	all-permissions	Low
Product	Manifest	specification-title	pdfc.gui	Medium
Product	Manifest	trusted-library	false	Low
Product	Manifest	trusted-only	false	Low
Version	jar	package name	pdfc	Highest
Version	Manifest	Implementation-Version	24.4.256	High

Identifiers

- cpe:2.3:a:inetsoftware:pdfc:24.4.256:*:*:*:*:* (Confidence:Low) suppress

pdfc.standalone.zip: pdfc.standalone.jar

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/pdfc.standalone.zip/pdfc.standalone.jar

MD5: 841245e01e909e3deccd387a256c9ac3

SHA1: 57767f8f83aa5e9ee9237ea37a63e93d7eab3729

SHA256: ec1492251be58676e36da39821fde621849565493757a4f653ef2361bbca142f

Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence
Vendor	file	name	pdfc.standalone	High
Vendor	jar	package name	inet	Low
Vendor	jar	package name	pdfc	Low
Vendor	jar	package name	standalone	Low
Vendor	Manifest	application-library-allowable-codebase	*	Low
Vendor	Manifest	built-date	2024-06-07 20:53	Low
Vendor	Manifest	codebase	*	Low
Vendor	Manifest	implementation-	pdfc	Low

group

Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	permissions	all-permissions	Low
Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	trusted-library	false	Low
Vendor	Manifest	trusted-only	false	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	pdfc.standalone	High
Product	jar	package name	pdfc	Highest
Product	jar	package name	pdfc	Low
Product	jar	package name	standalone	Highest
Product	jar	package name	standalone	Low
Product	Manifest	application-library-allowable-codebase	*	Low
Product	Manifest	built-date	2024-06-07 20:53	Low
Product	Manifest	codebase	*	Low
Product	Manifest	implementation-group	pdfc	Low
Product	Manifest	Implementation-Title	pdfc.standalone	High
Product	Manifest	permissions	all-permissions	Low
Product	Manifest	specification-title	pdfc.standalone	Medium
Product	Manifest	trusted-library	false	Low
Product	Manifest	trusted-only	false	Low
Version	jar	package name	pdfc	Highest
Version	Manifest	Implementation-Version	24.4.256	High

Identifiers

- cpe:2.3:a:inetsoftware:pdfc:24.4.256:*:*:*:*:* (Confidence:Low)

suppress

pdfc.standalone.zip: pdfc.standalone.jar: bridge.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/pdfc.standalone.zip/pdfc.standalone.jar/com/inet/pdfc/standalone/webgui/bridge.js

MD5: 2a95bf89950e8052e3af9af5bee07ef4

SHA1: 978da14921b3a944c07757746fe47dbfe429cc2d

SHA256: 24a37b38b64549b3ea9ae3e04d9531e7616f57b88e4facb38ec3e22c0554ec7f

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

pdfc.standalone.zip: pdfc.standalone.jar: bridgeConfig.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/pdfc.standalone.zip/pdfc.standalone.jar/com/inet/pdfc/standalone/webgui/bridgeConfig.js

MD5: 9f43cf98bd3c8940eed51c159da2456c

SHA1: 5138d2170282fb335227b94e880ade9403fe4bfd

SHA256: 52b00c40b77e05274a803ab51b780d7132ae8be52c6b762d81de25f75a7c7851

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

pdfc.standalone.zip: pdfc.standalone.jar: bridgePDFC.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/pdfc.standalone.zip/pdfc.standalone.jar/com/inet/pdfc/standalone/webgui/bridgePDFC.js

MD5: f6f06f8c027851da10dccc5a5242e281

SHA1: 60b8dfd47edf47e758612f828c81f6dfc466cde9
SHA256:66af0cedddcbfef9c04ac331a51285ba94d9c6afcf9e1e1f9fb9e86c241d818
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

pdfc.standalone.zip: pdfc.standalone.jar: extraMenu.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/pdfc.standalone.zip/pdfc.standalone.jar/com/inet/pdfc/standalone/webgui/extraMenu.js
MD5: 53f8e53d15c7b07e8788a352f7df0c36
SHA1: 7328e0fb96f13539ecfdd5bc9c568da9224aa0b3
SHA256:7c43530722b566e3c3489a4c6a6e8ae5ca281d247588e861d34feb27193a4464
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

pdfc.standalone.zip: pdfc.standalone.jar: removeHeader.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/pdfc.standalone.zip/pdfc.standalone.jar/com/inet/pdfc/standalone/webgui/removeHeader.js
MD5: a8b4230454da739eab400d2e9f2ff298
SHA1: 481935ac331cfa918a6ac03dc7790e12e5dbf395
SHA256:f009dd87443ae4d9f07430d9cf97da5a98822df85ac48b1f66a5f0c3c57bb8fd
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

pdfc.standalone.zip: pdfc.standalone.jar: removePDFCElements.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/pdfc.standalone.zip/pdfc.standalone.jar/com/inet/pdfc/standalone/webgui/removePDFCElements.js
MD5: fcc7442097338c14ba2cd8cdfe00a1da
SHA1: 506821ea8b11fda1b7ad16967edf8dce0cd05c59
SHA256:535372463777922ce25ad14febe7954c85ed3cc8e6d8f054c69fb3295997aa87
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

pdfc.standalone.zip: pdfc.standalone.jar: theme.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/pdfc.standalone.zip/pdfc.standalone.jar/com/inet/pdfc/standalone/webgui/theme.js
MD5: 708839daa5601db6c264ce69580073de
SHA1: 49b2200451fd765f2169bc57bb4332613603d2e9
SHA256:a410392d048ebef0b2abc09ceeba71a0fcedf635a742ed2cdc776f0ec6674240
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

pdfc.standalone.zip: pdfc.standalone.jar: translation.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/pdfc.standalone.zip/pdfc.standalone.jar/com/inet/pdfc/standalone/webgui/translation.js

MD5: 621d763124b67fb179acc33b37ba2403

SHA1: 9dbdda076eebdc47bc6d6ded602743bfeffb9069

SHA256: 04921f1b7a0c7f6205807a94095f5eed2f88a0589b69a6e6a20260e1c556bf31

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

pdfc.zip: icu4j.jar (shaded: com.ibm.icu:collate:74.2)

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/pdfc.zip/icu4j.jar/META-INF/maven/com.ibm.icu/collate/pom.xml

MD5: 445ac0335b1838a263493f72d77c3021

SHA1: 1935b4a42dc42b543804f59fa56106b74686e4db

SHA256: 23be6c539b4fbef394400eb9f80b30a524584139e77e1ed7b5802cc6dc765524

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
Vendor	pom	artifactid	collate	Low
Vendor	pom	groupid	com.ibm.icu	Highest
Vendor	pom	parent-artifactid	icu4j-root	Low
Product	pom	artifactid	collate	Highest
Product	pom	groupid	com.ibm.icu	Highest
Product	pom	parent-artifactid	icu4j-root	Medium
Version	pom	version	74.2	Highest

Identifiers

- [pkg:maven/com.ibm.icu/collate@74.2](#) (*Confidence:High*)

pdfc.zip: icu4j.jar (shaded: com.ibm.icu:core:74.2)

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/pdfc.zip/icu4j.jar/META-INF/maven/com.ibm.icu/core/pom.xml

MD5: 90ae087dd0d19e95ecc676e284a1ed5b

SHA1: 5b058aa8620a715d766a779f2f01e4297a3a3c23

SHA256: fb4091471c446054bc69f1ad262a9d3a845fd2ec207d939323e5ed06ca6b65ac

Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence
Vendor	pom	artifactid	core	Low
Vendor	pom	groupid	com.ibm.icu	Highest
Vendor	pom	parent-artifactid	icu4j-root	Low
Product	pom	artifactid	core	Highest
Product	pom	groupid	com.ibm.icu	Highest
Product	pom	parent-artifactid	icu4j-root	Medium
Version	pom	version	74.2	Highest

Identifiers

- [pkg:maven/com.ibm.icu/core@74.2](#) (*Confidence:High*)

pdfc.zip: icu4j.jar (shaded: com.ibm.icu:currdata:74.2)

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/pdfc.zip/icu4j.jar/META-INF/maven/com.ibm.icu/currdata/pom.xml

MD5: a633a34e505de1b8177010d3a73289eb

SHA1: 2ee98821d741f20dcbddd28652fc88cf8fd1426f

SHA256: ed72bd8bb7f56c4d83b6973ad8626e03c63bb72606f46e9c38ad6926e784aadd

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
Vendor	pom	artifactid	currdata	Low
Vendor	pom	groupid	com.ibm.icu	Highest
Vendor	pom	parent-artifactid	icu4j-root	Low
Product	pom	artifactid	currdata	Highest
Product	pom	groupid	com.ibm.icu	Highest
Product	pom	parent-artifactid	icu4j-root	Medium
Version	pom	version	74.2	Highest

Identifiers

- <pkg:maven/com.ibm.icu/currdata@74.2> (*Confidence:High*)

pdfc.zip: icu4j.jar (shaded: com.ibm.icu:langdata:74.2)

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/pdfc.zip/icu4j.jar/META-INF/maven/com.ibm.icu/langdata/pom.xml

MD5: 68e3dd2b49d9763bce0a7c5aaf27e2f4

SHA1: f4055f26a5887a09494d95c1e97e443d8e921648

SHA256: eb256a3607bc95457eae733e5fdf8858d505b11483e3af7ef5c49058c20f78b4

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
Vendor	pom	artifactid	langdata	Low
Vendor	pom	groupid	com.ibm.icu	Highest
Vendor	pom	parent-artifactid	icu4j-root	Low
Product	pom	artifactid	langdata	Highest
Product	pom	groupid	com.ibm.icu	Highest
Product	pom	parent-artifactid	icu4j-root	Medium
Version	pom	version	74.2	Highest

Identifiers

- [pkg:maven/com.ibm.icu/langdata@74.2](#) (Confidence:High)

pdfc.zip: icu4j.jar (shaded: com.ibm.icu:regiondata:74.2)

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/pdfc.zip/icu4j.jar/META-INF/maven/com.ibm.icu/regiondata/pom.xml

MD5: 2d962bc2e9e95834d42184641f046056

SHA1: 634a908a4c20cd0e4255b3e95a400e75adf1121c

SHA256: de76d09644cf91ba7e7bc7d2da0cd5ab9c00bcc9b193ec79492c9784b3f8f304

Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence
Vendor	pom	artifactid	regiondata	Low
Vendor	pom	groupid	com.ibm.icu	Highest
Vendor	pom	parent-artifactid	icu4j-root	Low
Product	pom	artifactid	regiondata	Highest
Product	pom	groupid	com.ibm.icu	Highest
Product	pom	parent-artifactid	icu4j-root	Medium
Version	pom	version	74.2	Highest

Identifiers

- [pkg:maven/com.ibm.icu/regiondata@74.2](#) (Confidence:High)

pdfc.zip: icu4j.jar (shaded: com.ibm.icu:translit:74.2)

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/pdfc.zip/icu4j.jar/META-INF/maven/com.ibm.icu/translit/pom.xml

MD5: 35eb6501c005aa809d129b666e1c0537

SHA1: 3347ce53110166b656f3ec9f803f1a7b0ef61865

SHA256: df30d12eadaa6205a751f4052081f48cb4eff331648ff1b1c60696c431560cb2

Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Vendor	pom	artifactid	translit	Low
Vendor	pom	groupid	com.ibm.icu	Highest
Vendor	pom	parent-artifactid	icu4j-root	Low
Product	pom	artifactid	translit	Highest
Product	pom	groupid	com.ibm.icu	Highest
Product	pom	parent-artifactid	icu4j-root	Medium
Version	pom	version	74.2	Highest

Identifiers

- pkg:maven/com.ibm.icu/translit@74.2 (*Confidence:High*)

pdfc.zip: icu4j.jar

Description:

International Components for Unicode for Java (ICU4J) is a mature, widely used Java library providing Unicode and Globalization support

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/pdfc.zip/icu4j.jar

MD5: dc1ca25ded73e28dc93b516ba833e3eb

SHA1: 97222d018f7f43cae88cacd1fad39717b001ffc4

SHA256: 95c055080e14c093ebee5b733e1a1be7a4af5854668c774cedf070d4240e43

Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence
Vendor	file	name	icu4j	High
Vendor	file (hint)	name	icu-project	High
Vendor	file (hint)	name	unicode	High
Vendor	jar	package name	ibm	Highest
Vendor	jar	package name	icu	Highest
Vendor	Manifest	automatic-module-name	com.ibm.icu	Medium
Vendor	Manifest	build-jdk-spec	1.8	Low
Vendor	Manifest	bundle-copyright	© 2016 and later: Unicode, Inc. and others. License & terms of use: http://www.unicode.org/copyright.html	Low

Vendor	Manifest	bundle-requiredexecution	JavaSE-1.8	Low
Vendor	Manifest	bundle-symbolicname	com.ibm.icu	Medium
Vendor	Manifest	Implementation-Vendor	Unicode, Inc.	High
Vendor	Manifest	Implementation-Vendor-Id	org.unicode	Medium
Vendor	pom	artifactid	icu4j	Low
Vendor	pom	groupid	com.ibm.icu	Highest
Vendor	pom	parent-artifactid	icu4j-root	Low
Vendor	pom (hint)	artifactid	icu-project	Low
Vendor	pom (hint)	artifactid	unicode	Low
Product	file	name	icu4j	High
Product	hint analyzer	product	international_components_for_unicode	Highest
Product	jar	package name	ibm	Highest
Product	jar	package name	icu	Highest
Product	Manifest	automatic-module-name	com.ibm.icu	Medium
Product	Manifest	build-jdk-spec	1.8	Low
Product	Manifest	bundle-copyright	© 2016 and later: Unicode, Inc. and others. License & terms of use: http://www.unicode.org/copyright.html	Low
Product	Manifest	Bundle-Name	ICU4J	Medium
Product	Manifest	bundle-requiredexecution	JavaSE-1.8	Low
Product	Manifest	bundle-symbolicname	com.ibm.icu	Medium
Product	Manifest	Implementation-Title	International Components for Unicode for Java	High
Product	Manifest	specification-title	International Components for Unicode for Java	Medium
Product	pom	artifactid	icu4j	Highest
Product	pom	groupid	com.ibm.icu	Highest
Product	pom	parent-artifactid	icu4j-root	Medium
Version	Manifest	Bundle-Version	74.2	High
Version	Manifest	Implementation-Version	74.2	High
Version	pom	version	74.2	Highest

Identifiers

- [pkg:maven/com.ibm.icu/icu4j@74.2](#) (*Confidence:High*)
- [cpe:2.3:a:icu-project:international_components_for_unicode:74.2:*:*:*:*:*](#) (*Confidence:Low*)

pdfc.zip: pdfc-javadoc.jar

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/pdfc.zip/pdfc-javadoc.jar

MD5: 6f3bb14c8c0c9fc95b0f3c05421dd549

SHA1: d8036e9decccf54cd1c7c1711ebe5b6b93838b03

SHA256: 0ade356e48b5bc98f292246bfdb2e7bcd1b26e21d4692bfbfd0234ac88ee391d

Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence
Vendor	file	name	pdfc-javadoc	High
Product	file	name	pdfc-javadoc	High

Identifiers

- None

pdfc.zip: pdfc-javadoc.jar: member-search-index.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/pdfc.zip/pdfc-javadoc.jar/member-search-index.js

MD5: a65e854c8f81414e02310e3e23822de4

SHA1: 0381f012e67a1b0e90bf23f94efebeceb71a3c54

SHA256: 5a098c19f98e3df3171db7f873666ab4f3330abb16f51026989dff9eb0474957

Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

pdfc.zip: pdfc-javadoc.jar: package-search-index.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/pdfc.zip/pdfc-javadoc.jar/package-search-index.js
MD5: 704b175752fd9646f0b53f0630993ec3
SHA1: ab8c6e78cec3f37d42bae22d017bbb92b736d663
SHA256: e85fb555ff19b3ac1934c0188d4e33f4443ddc4cd557c7dee9b6de5a0a952a05
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

pdfc.zip: pdfc-javadoc.jar: tag-search-index.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/pdfc.zip/pdfc-javadoc.jar/tag-search-index.js
MD5: 95810a7878ddd3f49d938eb6b5c0f1b2
SHA1: 4d0358e131242bfb1a29d1db368e9e24381ad979
SHA256: e31bd7c6847cd8b49a884fe01244f740ad184cdb7aa6449830be21985158f0d9
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies



- reporting.zip: reporting-javadoc.jar: tag-search-index.js
 - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/reporting.zip/reporting-javadoc.jar/tag-search-index.js
 - MD5: 95810a7878ddd3f49d938eb6b5c0f1b2
 - SHA1: 4d0358e131242bfb1a29d1db368e9e24381ad979
 - SHA256: e31bd7c6847cd8b49a884fe01244f740ad184cdb7aa6449830be21985158f0d9
- taskplanner.zip: taskplanner-javadoc.jar: tag-search-index.js

- File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/taskplanner.zip/taskplanner-javadoc.jar/tag-search-index.js
- MD5: 95810a7878ddd3f49d938eb6b5c0f1b2
- SHA1: 4d0358e131242bfb1a29d1db368e9e24381ad979
- SHA256: e31bd7c6847cd8b49a884fe01244f740ad184cdb7aa6449830be21985158f0d9

Identifiers

- None

pdfc.zip: pdfc-javadoc.jar: type-search-index.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/pdfc.zip/pdfc-javadoc.jar/type-search-index.js

MD5: 7a906cbacedbe80661927f729279d4e0

SHA1: fe2df7559dad88093d73fe4b8bde44119baf1f9

SHA256: 1ef50825fd3ff2e7b309b4e420e37b801efc2ac847651a9f09cf8e7d3d0e5f26

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

pdfc.zip: pdfc.jar

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/pdfc.zip/pdfc.jar

MD5: a9d8a16b5cfc758e249768171f1c0213

SHA1: 6e5954160e99a30b89ee84d1c29a89dd5c4af54c

SHA256: ea49891380b02ebfac93a5e11d4a52e1503aa4e0de2b07972780b709eb69ad97

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Vendor	file	name	pdfc	High
--------	------	------	------	------

Vendor	jar	package name	inet	Low
--------	-----	--------------	------	-----

Vendor	jar	package name	pdfc	Low
Vendor	Manifest	application-library-allowable-codebase	*	Low
Vendor	Manifest	built-date	2024-06-07 20:33	Low
Vendor	Manifest	codebase	*	Low
Vendor	Manifest	implementation-group	pdfc	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	permissions	all-permissions	Low
Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	trusted-library	false	Low
Vendor	Manifest	trusted-only	false	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	pdfc	High
Product	jar	package name	pdfc	Highest
Product	jar	package name	pdfc	Low
Product	jar	package name	permissions	Highest
Product	Manifest	application-library-allowable-codebase	*	Low
Product	Manifest	built-date	2024-06-07 20:33	Low
Product	Manifest	codebase	*	Low
Product	Manifest	implementation-group	pdfc	Low
Product	Manifest	Implementation-Title	pdfc	High
Product	Manifest	permissions	all-permissions	Low
Product	Manifest	specification-title	pdfc	Medium
Product	Manifest	trusted-library	false	Low
Product	Manifest	trusted-only	false	Low
Version	jar	package name	pdfc	Highest
Version	jar	package name	permissions	Highest
Version	Manifest	Implementation-Version	24.4.256	High

Identifiers

- cpe:2.3:a:inetsoftware:pdfc:24.4.256:.*.*.*.*.* (Confidence:Low) suppress

pdfcunit.jar

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller
/server/build/tmp/dependencies/i-net PDFC/junit/pdfcjunit.jar

MD5: 71e3f35c030c8d5f70a7ed60603c87d6

SHA1: f1aa0e7cd88941b036f6b387273ffbca1a7705b2

SHA256:f3625fe9af4d604c1482a8afde815747fc10c2f5b31684c17612111b4348da0f

Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence
Vendor	file	name	pdfcjunit	High
Vendor	jar	package name	client	Highest
Vendor	jar	package name	inet	Low
Vendor	jar	package name	junit	Highest
Vendor	jar	package name	pdfc	Highest
Vendor	jar	package name	pdfc	Low
Vendor	Manifest	application-library-allowable-codebase	*	Low
Vendor	Manifest	application-name	i-net PDFC JUnit Client	Medium
Vendor	Manifest	built-date	2024-06-07 20:43	Low
Vendor	Manifest	codebase	*	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	permissions	all-permissions	Low
Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	trusted-library	false	Low
Vendor	Manifest	trusted-only	false	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium

Product	file	name	pdfcjunit	High
Product	jar	package name	client	Highest
Product	jar	package name	junit	Highest
Product	jar	package name	pdfc	Highest
Product	jar	package name	pdfc	Low
Product	Manifest	application-library-allowable-codebase	*	Low
Product	Manifest	application-name	i-net PDFC JUnit Client	Medium
Product	Manifest	built-date	2024-06-07 20:43	Low
Product	Manifest	codebase	*	Low
Product	Manifest	Implementation-Title	pdfcjunit	High
Product	Manifest	permissions	all-permissions	Low
Product	Manifest	specification-title	pdfcjunit	Medium
Product	Manifest	trusted-library	false	Low
Product	Manifest	trusted-only	false	Low
Version	Manifest	Implementation-Version	24.4.256	High

Identifiers

- [cpe:2.3:a:inetsoftware:pdfc:24.4.256:*.~*~*~*~*~*~*](#) (Confidence:Medium) suppress

pdfcserver.zip: pdfcserver.jar

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/pdfcserver.zip/pdfcserver.jar
MD5: b0277477e6da0f3f6ea73e47693071db
SHA1: 042571ed7d47fa50a870e920b71722a64c74820e
SHA256: 4eba9e8a48c179b73019b1c19b0eac5029fa1ff198ce941f7a74c73f657895d7
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence
Vendor	file	name	pdfcserver	High
Vendor	jar	package name	inet	Low

Vendor	jar	package name	pdfc	Low
Vendor	jar	package name	server	Low
Vendor	Manifest	application-library-allowable-codebase	*	Low
Vendor	Manifest	built-date	2024-06-07 20:33	Low
Vendor	Manifest	codebase	*	Low
Vendor	Manifest	implementation-group	pdfc	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	permissions	all-permissions	Low
Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	trusted-library	false	Low
Vendor	Manifest	trusted-only	false	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	pdfcserver	High
Product	jar	package name	pdfc	Highest
Product	jar	package name	pdfc	Low
Product	jar	package name	persistence	Low
Product	jar	package name	server	Low
Product	Manifest	application-library-allowable-codebase	*	Low
Product	Manifest	built-date	2024-06-07 20:33	Low
Product	Manifest	codebase	*	Low
Product	Manifest	implementation-group	pdfc	Low
Product	Manifest	Implementation-Title	pdfcserver	High
Product	Manifest	permissions	all-permissions	Low
Product	Manifest	specification-title	pdfcserver	Medium
Product	Manifest	trusted-library	false	Low
Product	Manifest	trusted-only	false	Low
Version	jar	package name	pdfc	Highest
Version	Manifest	Implementation-	24.4.256	High

Version

Identifiers

- cpe:2.3:a:inetsoftware:pdfc:24.4.256:*****:* (*Confidence:Low*)

suppress

pdfcserver.zip: pdfcserver.jar: compareconfigrenderer.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/pdfcserver.zip/pdfcserver.jar/com/inet/pdfc/server/structure/compareconfigrenderer.js

MD5: 433763c0501141554e5d9cdd2c98f338

SHA1: cb28b1fb22141841a461a33be936b6a4fe452805

SHA256: ddd7dabcd7fec65fcba080a48ed89c5e358d4162481c91016de23ebe761ccfcb

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

pdfcsetupwizard.zip: pdfcsetupwizard.jar

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/pdfcsetupwizard.zip/pdfcsetupwizard.jar

MD5: 79bc23fa2d238746ff5160ff8acb2c93

SHA1: 6635c2fe9e6e02018ff3bb8ed358103cb1aa1f5e

SHA256: 2cc915b52b900b9817a71c716662638bff869670cb985ac2d44006435d6292c3

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Vendor	file	name	pdfcsetupwizard	High
--------	------	------	-----------------	------

Vendor	jar	package name	inet	Low
--------	-----	--------------	------	-----

Vendor	jar	package name	pdfc	Low
--------	-----	--------------	------	-----

Vendor	jar	package name	setupwizard	Low
Vendor	Manifest	built-date	2024-06-07 20:42	Low
Vendor	Manifest	implementation-group	pdfc	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	pdfcsetupwizard	High
Product	jar	package name	pdfc	Highest
Product	jar	package name	pdfc	Low
Product	jar	package name	setupwizard	Low
Product	jar	package name	steps	Low
Product	Manifest	built-date	2024-06-07 20:42	Low
Product	Manifest	implementation-group	pdfc	Low
Product	Manifest	Implementation-Title	pdfcsetupwizard	High
Product	Manifest	specification-title	pdfcsetupwizard	Medium
Version	jar	package name	pdfc	Highest
Version	Manifest	Implementation-Version	24.4.256	High

Identifiers

• cpe:2.3:a:inetsoftware:pdfc:24.4.256:****:* (Confidence:Low) suppress

pdfcsetupwizard.zip: pdfcsetupwizard.jar: controller.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/pdfcsetupwizard.zip/pdfcsetupwizard.jar/com/inet/pdfc/setupwizard/steps/license/controller.js
MD5: 28064d813b7b4f519286b6f9b91b353e
SHA1: d0aea8640d5be736f694756b93918aee566ba695
SHA256: 7ea701b81499fa8a5967783b2b2a8b6eb1e5ad976a2805b5320d954f34f5750a
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

persistence.jar

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/persistence/persistence.jar
MD5: 4b53e4f87bdffefec090ec0dbfe7a8c3
SHA1: e485ca354807bf59c672b827965fd82310391c77
SHA256:4867b722f7ae2847486417e09eb1aae7ccaaf2efaf8e2bce5a555c9369d23278
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	persistence	High
Vendor	jar	package name	inet	Low
Vendor	jar	package name	persistence	Low
Vendor	Manifest	built-date	2024-06-07 17:49	Low
Vendor	Manifest	implementation-group	shared	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	persistence	High
Product	jar	package name	persistence	Highest
Product	jar	package name	persistence	Low
Product	Manifest	built-date	2024-06-07 17:49	Low
Product	Manifest	implementation-group	shared	Low
Product	Manifest	Implementation-Title	persistence	High

Product	Manifest	specification-title	persistence	Medium
Version	Manifest	Implementation-Version	24.4.256	High

Identifiers

- None

pluginstore.client.zip: pluginstore.client.jar

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/pluginstore.client.zip/pluginstore.client.jar

MD5: 5651e14fdf9f6dcb5db6222c1995fbb8

SHA1: 7c72c72854979b47069c553fc848737e3e4bd76a

SHA256: 17b8c98c19c38b6fb697d2542c68a86007b96099648ff6d8473079c08b56e61b

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	pluginstore.client	High
Vendor	jar	package name	client	Low
Vendor	jar	package name	inet	Low
Vendor	jar	package name	store	Low
Vendor	Manifest	built-date	2024-06-07 18:02	Low
Vendor	Manifest	implementation-group	shared	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	pluginstore.client	High
Product	jar	package name	client	Highest
Product	jar	package name	client	Low
Product	jar	package name	shared	Highest
Product	jar	package name	store	Low

Product	Manifest	built-date	2024-06-07 18:02	Low
Product	Manifest	implementation-group	shared	Low
Product	Manifest	Implementation-Title	pluginstore.client	High
Product	Manifest	specification-title	pluginstore.client	Medium
Version	jar	package name	shared	Highest
Version	Manifest	Implementation-Version	24.4.256	High

Identifiers

- None

pluginstore.client.zip: pluginstore.client.jar: controller.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/pluginstore.client.zip/pluginstore.client.jar/com/inet/store/client/setup/controller.js

MD5: bae377e07f3c94980792a3cb0a3777e6

SHA1: c7766396cbe87781ad46c96d70b7195c0a92dc68

SHA256: 94beaf8244f013ef5d078cc7e91b1220066099c5cdb4e0cc5071e8dae13e038

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

pluginstore.client.zip: pluginstore.client.jar: pluginstorehelpcontroller.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/pluginstore.client.zip/pluginstore.client.jar/com/inet/store/client/plugin/help/js/pluginstorehelpcontroller.js

MD5: c3dc92673a48896ebd4b078a9f8bc3f5

SHA1: cfaaee1a9ccf2f87f04e65a6b307ec87a113d4a4

SHA256: 9c5e2c5e0ef86786d4510659545eca13d7c295c8bcdd05b1007e432bf8a06770

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

pluginstore.client.zip: pluginstore.client.jar: publicstoreconfig.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/pluginstore.client.zip/pluginstore.client.jar/com/inet/store/client/ui/js/publicstoreconfig.js

MD5: 3a2e6acd20c105a43ac4619718c827d0

SHA1: 1bf76948f8a34e8dfd05727bcb0c9ca296fba5d1

SHA256: dea50e7705e039c90045df2de735fa73dafaf495f15d8340b6ba20a73b7ba8c3

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

pluginstore.client.zip: pluginstore.client.jar: storecontroller.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/pluginstore.client.zip/pluginstore.client.jar/com/inet/store/client/ui/js/storecontroller.js

MD5: 94e7559357800302fa49458e4ba3e8da

SHA1: 192aec5e5f6eb1b31dfa81f94146222d068eafb9

SHA256: d999f75dfe75a4eea0297acd34e7edbbfc5b8bfcecbcadf240b606b9c6ba23bb

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

pluginstore.client.zip: pluginstore.client.jar: storedirectives.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/pluginstore.client.zip/pluginstore.client.jar/com/inet/store/client/ui/js/storedirectives.js

MD5: 6cffae155ded574b03d1f692d68557f0

SHA1: 6930db09754b3772d66f1b772a79e6d9fbf48cfd

SHA256: 51ed09643a2160292a878c8fec7d341ffd1d2c16122b3256768fecf58da0c2c6

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

pluginstore.client.zip: pluginstore.client.jar: storemodel.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/pluginstore.client.zip/pluginstore.client.jar/com/inet/store/client/ui/js/storemodel.js

MD5: a78920788d8a75fb41bd9078799b0788

SHA1: 4b992085177ea0c322466734d28a70a288d6fa9f

SHA256: 8e1f6274d60360a99a77414d2295db4eb3891a3edd2c51cea24fb91d28cdd463

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

processbridge.pdf.zip: processbridge.pdf.jar

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/processbridge.pdf.zip/processbridge.pdf.jar
MD5: b79a9531f603355878c4a7b997fa1ce6
SHA1: cfa372b78d0d002a78034675be196f1d9bc918fe
SHA256:a457efaf8725908609108a1f09e94572c577300c61917f9652ea8f512daf7f3d
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	processbridge.pdfc	High
Vendor	jar	package name	inet	Low
Vendor	jar	package name	pdfc	Low
Vendor	jar	package name	processbridge	Low
Vendor	Manifest	built-date	2024-06-07 20:48	Low
Vendor	Manifest	implementation-group	pdfc	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	processbridge.pdfc	High
Product	jar	package name	api	Low
Product	jar	package name	pdfc	Highest
Product	jar	package name	pdfc	Low
Product	jar	package name	processbridge	Highest
Product	jar	package name	processbridge	Low
Product	Manifest	built-date	2024-06-07 20:48	Low
Product	Manifest	implementation-group	pdfc	Low
Product	Manifest	Implementation-Title	processbridge.pdfc	High
Product	Manifest	specification-title	processbridge.pdfc	Medium
Version	jar	package name	pdfc	Highest
Version	Manifest	Implementation-Version	24.4.256	High

Identifiers

- cpe:2.3:a:inetsoftware:pdfc:24.4.256:****:*:* (Confidence:Low) suppress

processbridge.zip: processbridge.jar

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/processbridge.zip/processbridge.jar
MD5: 07f50eaed75801ce1075c0008cccd154
SHA1: 5e4b64c55c7b1d5aedef4ab83b5913955f68a62d6
SHA256:2944ee712df3027977f834a43e232fc17976418f02c84fa2e16e4429880ba0ae
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence
Vendor	file	name	processbridge	High
Vendor	jar	package name	inet	Low
Vendor	jar	package name	processbridge	Low
Vendor	Manifest	built-date	2024-06-07 17:55	Low
Vendor	Manifest	implementation-group	shared	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	processbridge	High
Product	jar	package name	processbridge	Highest
Product	jar	package name	processbridge	Low
Product	Manifest	built-date	2024-06-07 17:55	Low
Product	Manifest	implementation-group	shared	Low
Product	Manifest	Implementation-Title	processbridge	High
Product	Manifest	specification-title	processbridge	Medium
Version	Manifest	Implementation-	24.4.256	High

Version

Identifiers

- None

remotegui.zip: Echo2-FileTransfer_App.jar

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/Echo2-FileTransfer_App.jar

MD5: 6fd2b10e224c844ed153e2b22c15e55c

SHA1: cdcf0ec282bca45eachf90358ddfb78fcbd87b06

SHA256: cd6ef6577f47dad417e9cdea6c5a7bd07b01ae02fffc189c1096c8297a7aee0f

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	Echo2-FileTransfer_App	High
Vendor	jar	package name	app	Low
Vendor	jar	package name	echo2	Low
Vendor	jar	package name	nextapp	Low
Product	file	name	Echo2-FileTransfer_App	High
Product	jar	package name	app	Low
Product	jar	package name	echo2	Low
Product	jar	package name	filetransfer	Low
Version	file	name	Echo2-FileTransfer_App	Medium
Version	file	version	2	Medium

Identifiers

- [cpe:2.3:a:file-transfer:file_transfer:2.*.*.*.*.*](#) (Confidence:High) suppress

remotegui.zip: Echo2-FileTransfer_WebContainer.jar

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/Echo2-FileTransfer_WebContainer.jar
MD5: 92dbd034fab7348d296ac68e4db7a08
SHA1: cbf567ae2536ccfb7d131381e39418db16a202db
SHA256:6e4917ed3243e589d12be95a22679b53293477a86ead9341c7bf6fe6baf8e9a3
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	Echo2-FileTransfer_WebContainer	High
Vendor	jar	package name	echo2	Low
Vendor	jar	package name	nextapp	Low
Vendor	jar	package name	webcontainer	Low
Product	file	name	Echo2-FileTransfer_WebContainer	High
Product	jar	package name	echo2	Low
Product	jar	package name	filetransfer	Low
Product	jar	package name	webcontainer	Low
Version	file	name	Echo2-FileTransfer_WebContainer	Medium
Version	file	version	2	Medium

Identifiers

- [cpe:2.3:a:file-transfer:file_transfer:2.*.*.*.*.*](#) (Confidence:High) suppress
- [cpe:2.3:a:web_project:web:2.*.*.*.*.*](#) (Confidence:High) suppress

remotegui.zip: Echo2-FileTransfer_WebContainer.jar: Download.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/Echo2-FileTransfer_WebContainer.jar/nextapp/echo2/webcontainer/filetransfer/resource/js/Download.js
MD5: 69ff0dd778973ed673d040ea99553c6d
SHA1: 2f6f79a0fac16ba28942b9bf70c460ca317c81be
SHA256:eae8dd34aee905956fb2bfdd023015eec242b1f0969f8340e1ce445bad5863
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: Echo2-FileTransfer_WebContainer.jar: Upload.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/Echo2-FileTransfer_WebContainer.jar/nextapp/echo2/webcontainer/filetransfer/resource/js/Upload.js

MD5: a7717a7b4972a81a08cf43f074c34dc8

SHA1: 7504304ad8e1d53035726c91f2630d21f38ddb88

SHA256: c69ec375cc81b5fba88b087c20377fd71b4b226780a2496adf145fb5177ddfb2

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: angular-animate.jar

Description:

WebJar for angular-animate

License:

MIT

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angular-animate.jar

MD5: 1dcc988a8392618e7c5127f57b3453d1

SHA1: 7ea94213dad8a46ab088e1a3dd6a5def2ecf8e78

SHA256: dbbce06145963ef7bfd197c1646722fedfe76a9b54b01f1b6dc7ccf7e8b51163

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Vendor	file	name	angular-animate	High
--------	------	------	-----------------	------

Vendor	pom	artifactid	angular-animate	Low
--------	-----	------------	-----------------	-----

Vendor	pom	developer id	webjars	Medium
Vendor	pom	groupid	org.webjars.npm	Highest
Vendor	pom	name	angular-animate	High
Vendor	pom	url	https://www.webjars.org	Highest
Product	file	name	angular-animate	High
Product	pom	artifactid	angular-animate	Highest
Product	pom	developer id	webjars	Low
Product	pom	groupid	org.webjars.npm	Highest
Product	pom	name	angular-animate	High
Product	pom	url	https://www.webjars.org	Medium
Version	pom	version	1.8.3	Highest

Identifiers

- [pkg:maven/org.webjars.npm/angular-animate@1.8.3](https://mvnrepository.com/artifact/org.webjars.npm/angular-animate/1.8.3) (*Confidence:High*)

remotegui.zip: angular-animate.jar: angular-animate.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angular-animate.jar/META-INF/resources/webjars/angular-animate/1.8.3/angular-animate.js

MD5: 31312b87e7226c8bf0714fcef0ea5d18

SHA1: dc9fb55f2c7f922c5ba83449266239ba1353db45

SHA256: 58e79e0e7cbb1e1502d216701e1fae41c405d92320aea1b68a223054096fda93

Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence
Vendor	file	name	angularjs	High
Product	file	name	angularjs	High
Version	file	version	1.8.3	High

Identifiers

- [pkg:javascript/angularjs@1.8.3](https://npmjs.com/package/angularjs) (*Confidence:Highest*)

remotegui.zip: angular-animate.jar: angular-animate.min.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angular-animate.jar/META-INF/resources/webjars/angular-animate/1.8.3/angular-animate.min.js

MD5: 5d2d0f42bb7e1b5503e914674f59dad0

SHA1: 4c15a58541e53c451c6f946d2048104f88b833c7

SHA256: 8e6202b1330a469a61ccdeebbd1cb3a20d0ecd8d106f68da5b85e9b67a1cd5

Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence
Vendor	file	name	angularjs	High
Product	file	name	angularjs	High
Version	file	version	1.8.3	High

Identifiers

- [pkg:javascript/angularjs@1.8.3](#) (*Confidence: Highest*)

remotegui.zip: angular-animate.jar: index.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angular-animate.jar/META-INF/resources/webjars/angular-animate/1.8.3/index.js

MD5: eca59ea32960ae595dd18ad9480185b1

SHA1: b8fe1c0a06b723a75c7e596fd8a86d91965f681c

SHA256: 7f2f9350e5624bf86e8760d1deae03fae4477949284b49471eb67e2b6498cb7d

Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: angular-animate.jar: package.json

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angular-animate.jar/META-INF/resources/webjars/angular-animate/1.8.3/package.json

MD5: 13957f0482b591f50a2e9528a5b84330

SHA1: 16ec0d9e9e70f179261a1bd672e610b159876ff5

SHA256: e2fcbc9996d890ec0c6601b2c9176a1ada7806e1dcd6eca8549bba9022235877

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: angular-cookies.jar

Description:

WebJar for angular-cookies

License:

MIT

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angular-cookies.jar

MD5: 5d743cd15e44b5a942478abaa3a008ae

SHA1: 2ebe196f9032e261a470467b5a14632d81d3d4f9

SHA256: 0809dd125183f03e6682985208de5f1221478221ed41667545133f7e729dd000

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Vendor	file	name	angular-cookies	High
--------	------	------	-----------------	------

Vendor	pom	artifactid	angular-cookies	Low
--------	-----	------------	-----------------	-----

Vendor	pom	developer id	webjars	Medium
--------	-----	--------------	---------	--------

Vendor	pom	groupid	org.webjars.npm	Highest
--------	-----	---------	-----------------	---------

Vendor	pom	name	angular-cookies	High
--------	-----	------	-----------------	------

Vendor	pom	url	https://www.webjars.org	Highest
--------	-----	-----	-------------------------	---------

Product	file	name	angular-cookies	High
---------	------	------	-----------------	------

Product	pom	artifactid	angular-cookies	Highest
Product	pom	developer id	webjars	Low
Product	pom	groupid	org.webjars.npm	Highest
Product	pom	name	angular-cookies	High
Product	pom	url	https://www.webjars.org	Medium
Version	pom	version	1.8.3	Highest

Identifiers

- [pkg:maven/org.webjars.npm/angular-cookies@1.8.3](https://mvnrepository.com/artifact/org.webjars.npm/angular-cookies/1.8.3) (*Confidence:High*)

remotegui.zip: angular-cookies.jar: angular-cookies.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angular-cookies.jar/META-INF/resources/webjars/angular-cookies/1.8.3/angular-cookies.js

MD5: e17187aea1f0e6dbd25722e34b754915

SHA1: 20f43f716b9fef7d72537bc1b0e5aa2bc480cee5

SHA256: f3291c552042f6d0c500167769912a78ab3ecec9917128b2d6ea8e7c6714bb97

Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence
Vendor	file	name	angularjs	High
Product	file	name	angularjs	High
Version	file	version	1.8.3	High

Identifiers

- [pkg:javascript/angularjs@1.8.3](https://npmjs.com/package/angularjs) (*Confidence:Highest*)

remotegui.zip: angular-cookies.jar: angular-cookies.min.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angular-cookies.jar/META-INF/resources/webjars/angular-cookies/1.8.3/angular-cookies.min.js

MD5: c41aff8423276d46f0d02de6dcb71524

SHA1: 7dc53f75d5bf7dd2c770cb50f31242c70193c086

SHA256: 926509b494009bea03288bba191a2b238032188e9112377e50fbfe7814c6639b

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	angularjs	High
Product	file	name	angularjs	High
Version	file	version	1.8.3	High

Identifiers

- [pkg:javascript/angularjs@1.8.3](#) (*Confidence:*Highest)

remotegui.zip: angular-cookies.jar: index.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angular-cookies.jar/META-INF/resources/webjars/angular-cookies/1.8.3/index.js

MD5: 88188b8869bb0cbae63eb86aa6c1059a

SHA1: ce388b565b0d0392802138b2a7d4bf393c3d49f9

SHA256: b1b8d54ed8400d4f997da0f2fa672e8728d4771a77028d9f495cf1732fcb1e6f

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: angular-cookies.jar: package.json

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angular-cookies.jar/META-INF/resources/webjars/angular-cookies/1.8.3/package.json

MD5: 6785fbb341602e147af808078db0d42b

SHA1: a30ac55dae62b1a7c8921c7687a3276dbeeed564
SHA256: 81847196d700fe42834ebf82cb0c68267d9c237134566556a466e070659c7222
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: angular-sanitize.jar

Description:

WebJar for angular-sanitize

License:

MIT

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angular-sanitize.jar

MD5: f47ca0f7e843acea25d245b34ce30feb

SHA1: 8050e163f66fb899645cc67ffa67d92a25096902

SHA256: 4de072c9e746b2bf70aee70cc1c9b61350e017002dd71089e5f66a587f7ed92f

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Vendor	file	name	angular-sanitize	High
--------	------	------	------------------	------

Vendor	pom	artifactid	angular-sanitize	Low
--------	-----	------------	------------------	-----

Vendor	pom	developer id	webjars	Medium
--------	-----	--------------	---------	--------

Vendor	pom	groupid	org.webjars.npm	Highest
--------	-----	---------	-----------------	---------

Vendor	pom	name	angular-sanitize	High
--------	-----	------	------------------	------

Vendor	pom	url	https://www.webjars.org	Highest
--------	-----	-----	-------------------------	---------

Product	file	name	angular-sanitize	High
---------	------	------	------------------	------

Product	pom	artifactid	angular-sanitize	Highest
---------	-----	------------	------------------	---------

Product	pom	developer id	webjars	Low
---------	-----	--------------	---------	-----

Product	pom	groupid	org.webjars.npm	Highest
---------	-----	---------	-----------------	---------

Product	pom	name	angular-sanitize	High
---------	-----	------	------------------	------

Product	pom	url	https://www.webjars.org	Medium
Version	pom	version	1.8.3	Highest

Identifiers

- [pkg:maven/org.webjars.npm/angular-sanitize@1.8.3](https://www.webjars.org/angular-sanitize@1.8.3) (*Confidence:High*)

remotegui.zip: angular-sanitize.jar: angular-sanitize.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angular-sanitize.jar/META-INF/resources/webjars/angular-sanitize/1.8.3/angular-sanitize.js

MD5: 0127d7a139abfc8bd45875a9c8ea6348

SHA1: 197aea2acc25a0fa821766400950cac58a3627a5

SHA256: c84c65250afe5a1265f36a7e16c6010652e55c2ae3a779c351fb68536c42bf64

Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence
Vendor	file	name	angularjs	High
Product	file	name	angularjs	High
Version	file	version	1.8.3	High

Identifiers

- [pkg:javascript/angularjs@1.8.3](https://www.angularjs.org/1.8.3/) (*Confidence:Highest*)

remotegui.zip: angular-sanitize.jar: angular-sanitize.min.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angular-sanitize.jar/META-INF/resources/webjars/angular-sanitize/1.8.3/angular-sanitize.min.js

MD5: f3c62abeec216e9431e7d5b22d8e813b

SHA1: 21355ef18c5e1ce2b2c711b9dba21cbea0655646

SHA256: cc80a30ad0439c2e9c209b3d7fcffb1d10e6007fd1d00c9cc144f393664a7045

Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence
Vendor	file	name	angularjs	High
Product	file	name	angularjs	High
Version	file	version	1.8.3	High

Identifiers

- [pkg:javascript/angularjs@1.8.3](#) (*Confidence*:Highest)

remotegui.zip: angular-sanitize.jar: index.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angular-sanitize.jar/META-INF/resources/webjars/angular-sanitize/1.8.3/index.js

MD5: 796078246b8e97f002ea5c97c4c7de54

SHA1: 0ce03000a4c04ae0a8b4353715bda54b8a8e8c69

SHA256:44cbd8c36c3e2818d011eb0dc7d95293730667fa5a98a23449e9b4add369f65b

Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: angular-sanitize.jar: package.json

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angular-sanitize.jar/META-INF/resources/webjars/angular-sanitize/1.8.3/package.json

MD5: 515d23261280a10a4d84ed267c425880

SHA1: 84d37bbaefc2117ac59c79b0d87a953a1abd4911

SHA256:5e5c191e41b4e9902cfaeb95878d5b92333585e6dad936588fe1adfd1445af86

Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: angular.jar

Description:

WebJar for angular

License:

MIT

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angular.jar

MD5: f339a9a66a64c67eebb21ec3b251dfc6

SHA1: cff4aee339a9ca4ae2f095079930edeaad6a94ee

SHA256: a997eb40987ddb5d3bf64adf3d33afc3ac2b1eb2e7255b5203a387f8097cd0

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	angular	High
Vendor	pom	artifactid	angular	Low
Vendor	pom	developer id	webjars	Medium
Vendor	pom	groupid	org.webjars.npm	Highest
Vendor	pom	name	angular	High
Vendor	pom	url	https://www.webjars.org	Highest
Product	file	name	angular	High
Product	pom	artifactid	angular	Highest
Product	pom	developer id	webjars	Low
Product	pom	groupid	org.webjars.npm	Highest
Product	pom	name	angular	High
Product	pom	url	https://www.webjars.org	Medium
Version	pom	version	1.8.3	Highest

Identifiers

- [pkg:maven/org.webjars.npm/angular@1.8.3](https://mvnrepository.com/artifact/org.webjars.npm/angular/1.8.3) (Confidence:High)

remotegui.zip: angular.jar: angular.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angular.jar/META-INF/resources/webjars/angular/1.8.3/angular.js

MD5: e09f650a016c24bc1b5a1edc93bfade

SHA1: 0f1f7445b761b9bbd5385f9f0b316dbf1ca48696

SHA256: fdca889e76f55fdee7ab661920f37ce19233563bf7f4ac8120f8ebc2ac768768

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	angularjs	High
Product	file	name	angularjs	High
Version	file	version	1.8.3	High

Identifiers

- [pkg:javascript/angularjs@1.8.3](#) (*Confidence: Highest*)

remotegui.zip: angular.jar: angular.min.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angular.jar/META-INF/resources/webjars/angular/1.8.3/angular.min.js

MD5: 967a32633fa8f38f4ac3376c1a37b992

SHA1: b53b74d8e0b732dcdb98f8e521146b88299ea2f1

SHA256: 396dc1a03d6cc02e9c51a80246e0db53c5c8df9bd07287e3b51bce4a29dab355

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	angularjs	High
Product	file	name	angularjs	High
Version	file	version	1.8.3	High

Identifiers

- [pkg:javascript/angularjs@1.8.3](#) (*Confidence: Highest*)

remotegui.zip: angular.jar: index.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angular.jar/META-INF/resources/webjars/angular/1.8.3/index.js

MD5: 0d848853205d22ab8be985876aec948a

SHA1: a2bfe847bea879ad2775509c4421291c404d8c21

SHA256: d469f8e93a4c345f01d81d162a803116de1bc6afd4bfeba8b45951449956b686

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: angular.jar: package.json

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angular.jar/META-INF/resources/webjars/angular/1.8.3/package.json

MD5: c5e0d73dc5121cf479c775248d2ca497

SHA1: bc29d1f7c080dfb1f701ad4f1c4ff548916f28e5

SHA256: 95ad7872af90c37e7a5597581f5bb2362d59c49fc3f2766dd9f2568a041cf10a

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: bootstrap.jar

Description:

WebJar for Bootstrap

License:

Apache License, Version 2.0: <http://www.apache.org/licenses/LICENSE-2.0>

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/bootstrap.jar

MD5: ba2f9fda2c1fece5ff121e8abc385475

SHA1: 2c6a8508a4f1484abcaf334cf2fe3df97cf93eac

SHA256: 90fdaa23fb3a9cbce04f4c51699312ab1f1fae2d70c0d1a84541b7e9a76e6e54

Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence
Vendor	file	name	bootstrap	High
Vendor	pom	artifactid	bootstrap	Low
Vendor	pom	developer email	james@jamesward.org	Low
Vendor	pom	developer id	jamesward	Medium
Vendor	pom	developer name	James Ward	Medium
Vendor	pom	groupid	org.webjars	Highest
Vendor	pom	name	Bootstrap	High
Vendor	pom	url	http://webjars.org	Highest
Product	file	name	bootstrap	High
Product	pom	artifactid	bootstrap	Highest
Product	pom	developer email	james@jamesward.org	Low
Product	pom	developer id	jamesward	Low
Product	pom	developer name	James Ward	Low
Product	pom	groupid	org.webjars	Highest
Product	pom	name	Bootstrap	High
Product	pom	url	http://webjars.org	Medium
Version	pom	version	3.4.1	Highest

Related Dependencies

- theme.zip: bootstrap.jar
 - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/theme.zip/bootstrap.jar

- MD5: ba2f9fda2c1fece5ff121e8abc385475
- SHA1: 2c6a8508a4f1484abcaf334cf2fe3df97cf93eac
- SHA256: 90fdaa23fb3a9cbce04f4c51699312ab1f1fae2d70c0d1a84541b7e9a76e6e54
- pkg:maven/org.webjars/bootstrap@3.4.1

Identifiers

- pkg:javascript/bootstrap@3.4.1 (*Confidence: Highest*)
- pkg:maven/org.webjars/bootstrap@3.4.1 (*Confidence: High*)

remotegui.zip: bootstrap.jar: affix.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/bootstrap.jar/META-INF/resources/webjars/bootstrap/3.4.1/js/affix.js

MD5: 235b2a9f9be29d377cadbe6d09823d9f

SHA1: 69a480bef250eabc4226f378b70792fd47560e2e

SHA256: 9a9859329afe1518320c8d730c0585199c3792009cb4307bd8a33b1040a67331

Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies

- remotegui.zip: bootstrap.jar: affix.js.gz: affix.js
 - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/bootstrap.jar/META-INF/resources/webjars/bootstrap/3.4.1/js/affix.js.gz/affix.js
 - MD5: 235b2a9f9be29d377cadbe6d09823d9f
 - SHA1: 69a480bef250eabc4226f378b70792fd47560e2e
 - SHA256: 9a9859329afe1518320c8d730c0585199c3792009cb4307bd8a33b1040a67331
- theme.zip: bootstrap.jar: affix.js.gz: affix.js
 - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/theme.zip/bootstrap.jar/META-INF/resources/webjars/bootstrap/3.4.1/js/affix.js.gz/affix.js
 - MD5: 235b2a9f9be29d377cadbe6d09823d9f
 - SHA1: 69a480bef250eabc4226f378b70792fd47560e2e
 - SHA256: 9a9859329afe1518320c8d730c0585199c3792009cb4307bd8a33b1040a67331
- theme.zip: bootstrap.jar: affix.js
 - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/theme.zip/bootstrap.jar/META-INF/resources/webjars/bootstrap/3.4.1/js/affix.js
 - MD5: 235b2a9f9be29d377cadbe6d09823d9f
 - SHA1: 69a480bef250eabc4226f378b70792fd47560e2e
 - SHA256: 9a9859329afe1518320c8d730c0585199c3792009cb4307bd8a33b1040a67331

Identifiers

- None

remotegui.zip: bootstrap.jar: alert.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/bootstrap.jar/META-INF/resources/webjars/bootstrap/3.4.1/js/alert.js

MD5: 2be558ae78dedb0556f8c7bd632c1204

SHA1: 1e3fa67e881909a71bf98ef37a4d3c013888d33b

SHA256: 1ec1bacee3ed0bb73aa9a799d4e07376b0f9356d093f2f343f7fad07fd7844b4

Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies

- remotegui.zip: bootstrap.jar: alert.js.gz: alert.js
 - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/bootstrap.jar/META-INF/resources/webjars/bootstrap/3.4.1/js/alert.js.gz/alert.js
 - MD5: 2be558ae78dedb0556f8c7bd632c1204
 - SHA1: 1e3fa67e881909a71bf98ef37a4d3c013888d33b
 - SHA256: 1ec1bacee3ed0bb73aa9a799d4e07376b0f9356d093f2f343f7fad07fd7844b4
- theme.zip: bootstrap.jar: alert.js.gz: alert.js
 - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/theme.zip/bootstrap.jar/META-INF/resources/webjars/bootstrap/3.4.1/js/alert.js.gz/alert.js
 - MD5: 2be558ae78dedb0556f8c7bd632c1204
 - SHA1: 1e3fa67e881909a71bf98ef37a4d3c013888d33b
 - SHA256: 1ec1bacee3ed0bb73aa9a799d4e07376b0f9356d093f2f343f7fad07fd7844b4
- theme.zip: bootstrap.jar: alert.js
 - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/theme.zip/bootstrap.jar/META-INF/resources/webjars/bootstrap/3.4.1/js/alert.js
 - MD5: 2be558ae78dedb0556f8c7bd632c1204
 - SHA1: 1e3fa67e881909a71bf98ef37a4d3c013888d33b
 - SHA256: 1ec1bacee3ed0bb73aa9a799d4e07376b0f9356d093f2f343f7fad07fd7844b4

Identifiers

- None

remotegui.zip: bootstrap.jar: button.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/bootstrap.jar/META-INF/resources/webjars/bootstrap/3.4.1/js/button.js

MD5: 28900c815e911dbbae28594126e66fb4

SHA1: 2cc97dd04216865ef67fbec9b54040eaf83dd9f2

SHA256: fa31bcbae72f8f82c2b25ec0421917b1c3a9cd60e7c03baca7429f44ec693f04

Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies

- remotegui.zip: bootstrap.jar: button.js.gz: button.js
 - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/bootstrap.jar/META-INF/resources/webjars/bootstrap/3.4.1/js/button.js.gz/button.js
 - MD5: 28900c815e911dbbae28594126e66fb4
 - SHA1: 2cc97dd04216865ef67fbec9b54040eaf83dd9f2
 - SHA256: fa31bcbae72f8f82c2b25ec0421917b1c3a9cd60e7c03baca7429f44ec693f04
- theme.zip: bootstrap.jar: button.js.gz: button.js
 - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/theme.zip/bootstrap.jar/META-INF/resources/webjars/bootstrap/3.4.1/js/button.js.gz/button.js
 - MD5: 28900c815e911dbbae28594126e66fb4
 - SHA1: 2cc97dd04216865ef67fbec9b54040eaf83dd9f2
 - SHA256: fa31bcbae72f8f82c2b25ec0421917b1c3a9cd60e7c03baca7429f44ec693f04
- theme.zip: bootstrap.jar: button.js
 - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/theme.zip/bootstrap.jar/META-INF/resources/webjars/bootstrap/3.4.1/js/button.js
 - MD5: 28900c815e911dbbae28594126e66fb4
 - SHA1: 2cc97dd04216865ef67fbec9b54040eaf83dd9f2
 - SHA256: fa31bcbae72f8f82c2b25ec0421917b1c3a9cd60e7c03baca7429f44ec693f04

Identifiers

- None

remotegui.zip: bootstrap.jar: carousel.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/bootstrap.jar/META-INF/resources/webjars/bootstrap/3.4.1/js/carousel.js

MD5: a8188dce14f888a29886bff2559dce10

SHA1: 146b160152d3f0740590fc575f82f2653ca54626

SHA256: 20dc2395e0d21da3776db73634934a69b9a7dd4770c24757ef26bd60a287d857

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies



- remotegui.zip: bootstrap.jar: carousel.js.gz: carousel.js
 - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/bootstrap.jar/META-INF/resources/webjars/bootstrap/3.4.1/js/carousel.js.gz/carousel.js
 - MD5: a8188dce14f888a29886bff2559dce10
 - SHA1: 146b160152d3f0740590fc575f82f2653ca54626
 - SHA256: 20dc2395e0d21da3776db73634934a69b9a7dd4770c24757ef26bd60a287d857
- theme.zip: bootstrap.jar: carousel.js.gz: carousel.js
 - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/theme.zip/bootstrap.jar/META-INF/resources/webjars/bootstrap/3.4.1/js/carousel.js.gz/carousel.js
 - MD5: a8188dce14f888a29886bff2559dce10
 - SHA1: 146b160152d3f0740590fc575f82f2653ca54626
 - SHA256: 20dc2395e0d21da3776db73634934a69b9a7dd4770c24757ef26bd60a287d857
- theme.zip: bootstrap.jar: carousel.js
 - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/theme.zip/bootstrap.jar/META-INF/resources/webjars/bootstrap/3.4.1/js/carousel.js
 - MD5: a8188dce14f888a29886bff2559dce10
 - SHA1: 146b160152d3f0740590fc575f82f2653ca54626
 - SHA256: 20dc2395e0d21da3776db73634934a69b9a7dd4770c24757ef26bd60a287d857

Identifiers

- None

remotegui.zip: bootstrap.jar: collapse.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/bootstrap.jar/META-INF/resources/webjars/bootstrap/3.4.1/js/collapse.js

MD5: 5f3ce339f7a59b240fa9ede502c2bcaa

SHA1: 5b0dd11d3cd7a230f41c521a6c04256fbd34e984

SHA256: 407419f6c4ea29e13ada7134380a0fcb10d38e9e8611db54f60cb6278a424a70

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies

- remotegui.zip: bootstrap.jar: collapse.js.gz: collapse.js
 - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/bootstrap.jar/META-INF/resources/webjars/bootstrap/3.4.1/js/collapse.js.gz/collapse.js
 - MD5: 5f3ce339f7a59b240fa9ede502c2bcaa
 - SHA1: 5b0dd11d3cd7a230f41c521a6c04256fbd34e984
 - SHA256: 407419f6c4ea29e13ada7134380a0fcb10d38e9e8611db54f60cb6278a424a70
- theme.zip: bootstrap.jar: collapse.js.gz: collapse.js
 - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/theme.zip/bootstrap.jar/META-INF/resources/webjars/bootstrap/3.4.1/js/collapse.js.gz/collapse.js
 - MD5: 5f3ce339f7a59b240fa9ede502c2bcaa
 - SHA1: 5b0dd11d3cd7a230f41c521a6c04256fbd34e984
 - SHA256: 407419f6c4ea29e13ada7134380a0fcb10d38e9e8611db54f60cb6278a424a70
- theme.zip: bootstrap.jar: collapse.js
 - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/theme.zip/bootstrap.jar/META-INF/resources/webjars/bootstrap/3.4.1/js/collapse.js
 - MD5: 5f3ce339f7a59b240fa9ede502c2bcaa
 - SHA1: 5b0dd11d3cd7a230f41c521a6c04256fbd34e984
 - SHA256: 407419f6c4ea29e13ada7134380a0fcb10d38e9e8611db54f60cb6278a424a70

Identifiers

- None

remotegui.zip: bootstrap.jar: dropdown.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/bootstrap.jar/META-INF/resources/webjars/bootstrap/3.4.1/js/dropdown.js

MD5: 953819e6d09848299341fcd7ff93d1d4

SHA1: 72fe5a40eef90daa254dbb15d46e033cda2f6e9e

SHA256: 0261c06fcfe41df6cca79148c3b4f2cd7e6966ce61c93ea325b6c8f2295e8904

Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies

- remotegui.zip: bootstrap.jar: dropdown.js.gz: dropdown.js
 - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/bootstrap.jar/META-INF/resources/webjars/bootstrap/3.4.1/js/dropdown.js.gz/dropdown.js
 - MD5: 953819e6d09848299341fcd7ff93d1d4
 - SHA1: 72fe5a40eef90daa254dbb15d46e033cda2f6e9e
 - SHA256: 0261c06fcfe41df6cca79148c3b4f2cd7e6966ce61c93ea325b6c8f2295e8904
- theme.zip: bootstrap.jar: dropdown.js.gz: dropdown.js
 - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/theme.zip/bootstrap.jar/META-INF/resources/webjars/bootstrap/3.4.1/js/dropdown.js.gz/dropdown.js
 - MD5: 953819e6d09848299341fcd7ff93d1d4
 - SHA1: 72fe5a40eef90daa254dbb15d46e033cda2f6e9e
 - SHA256: 0261c06fcfe41df6cca79148c3b4f2cd7e6966ce61c93ea325b6c8f2295e8904
- theme.zip: bootstrap.jar: dropdown.js
 - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/theme.zip/bootstrap.jar/META-INF/resources/webjars/bootstrap/3.4.1/js/dropdown.js
 - MD5: 953819e6d09848299341fcd7ff93d1d4
 - SHA1: 72fe5a40eef90daa254dbb15d46e033cda2f6e9e
 - SHA256: 0261c06fcfe41df6cca79148c3b4f2cd7e6966ce61c93ea325b6c8f2295e8904

Identifiers

- None

remotegui.zip: bootstrap.jar: modal.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/bootstrap.jar/META-INF/resources/webjars/bootstrap/3.4.1/js/modal.js

MD5: d73745175d40f05b339406f168bfd100

SHA1: 16ff1ea73c055e81d65a44a509e67669dd351862

SHA256: 102481f4363d9070b4bf992b3c1d6c4d3e59f41e1a5384eb7cc56b2fa0a03da2

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies



- remotegui.zip: bootstrap.jar: modal.js.gz: modal.js
 - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/bootstrap.jar/META-INF/resources/webjars/bootstrap/3.4.1/js/modal.js.gz/modal.js
 - MD5: d73745175d40f05b339406f168bfd100
 - SHA1: 16ff1ea73c055e81d65a44a509e67669dd351862

- SHA256: 102481f4363d9070b4bf992b3c1d6c4d3e59f41e1a5384eb7cc56b2fa0a03da2
- theme.zip: bootstrap.jar: modal.js.gz: modal.js
 - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/theme.zip/bootstrap.jar/META-INF/resources/webjars/bootstrap/3.4.1/js/modal.js.gz/modal.js
 - MD5: d73745175d40f05b339406f168bfd100
 - SHA1: 16ff1ea73c055e81d65a44a509e67669dd351862
 - SHA256: 102481f4363d9070b4bf992b3c1d6c4d3e59f41e1a5384eb7cc56b2fa0a03da2
- theme.zip: bootstrap.jar: modal.js
 - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/theme.zip/bootstrap.jar/META-INF/resources/webjars/bootstrap/3.4.1/js/modal.js
 - MD5: d73745175d40f05b339406f168bfd100
 - SHA1: 16ff1ea73c055e81d65a44a509e67669dd351862
 - SHA256: 102481f4363d9070b4bf992b3c1d6c4d3e59f41e1a5384eb7cc56b2fa0a03da2

Identifiers

- None

remotegui.zip: bootstrap.jar: npm.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/bootstrap.jar/META-INF/resources/webjars/bootstrap/3.4.1/js/npm.js

MD5: ccb7f3909e30b1eb8f65a24393c6e12b

SHA1: e2b7590d6ec1fdac66b01fdf66ae0879f53b1262

SHA256: c7aa82a1aa7d45224a38d926d2adaff7fe4aef5bcdafa2a47bdac057f4422c2d

Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies

- remotegui.zip: bootstrap.jar: npm.js.gz: npm.js
 - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/bootstrap.jar/META-INF/resources/webjars/bootstrap/3.4.1/js/npm.js.gz/npm.js
 - MD5: ccb7f3909e30b1eb8f65a24393c6e12b
 - SHA1: e2b7590d6ec1fdac66b01fdf66ae0879f53b1262
 - SHA256: c7aa82a1aa7d45224a38d926d2adaff7fe4aef5bcdafa2a47bdac057f4422c2d
- theme.zip: bootstrap.jar: npm.js.gz: npm.js
 - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/theme.zip/bootstrap.jar/META-INF/resources/webjars/bootstrap/3.4.1/js/npm.js.gz/npm.js
 - MD5: ccb7f3909e30b1eb8f65a24393c6e12b
 - SHA1: e2b7590d6ec1fdac66b01fdf66ae0879f53b1262

- SHA256: c7aa82a1aa7d45224a38d926d2adaff7fe4aef5bcdafa2a47bdac057f4422c2d
- theme.zip: bootstrap.jar: npm.js
 - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/theme.zip/bootstrap.jar/META-INF/resources/webjars/bootstrap/3.4.1/js/npm.js
 - MD5: ccb7f3909e30b1eb8f65a24393c6e12b
 - SHA1: e2b7590d6ec1fdac66b01fdf66ae0879f53b1262
 - SHA256: c7aa82a1aa7d45224a38d926d2adaff7fe4aef5bcdafa2a47bdac057f4422c2d

Identifiers

- None

remotegui.zip: bootstrap.jar: popover.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/bootstrap.jar/META-INF/resources/webjars/bootstrap/3.4.1/js/popover.js

MD5: 3782df41a2ebe1257eded4e19f39ca02

SHA1: 38b589512e09181dba3ad56caca00199c9cd20c3

SHA256: 415e3c557d74388c551d77497112a216601c88025d95e3c28b3fad4082d8863e

Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Related Dependencies

- remotegui.zip: bootstrap.jar: popover.js.gz: popover.js
 - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/bootstrap.jar/META-INF/resources/webjars/bootstrap/3.4.1/js/popover.js.gz/popover.js
 - MD5: 3782df41a2ebe1257eded4e19f39ca02
 - SHA1: 38b589512e09181dba3ad56caca00199c9cd20c3
 - SHA256: 415e3c557d74388c551d77497112a216601c88025d95e3c28b3fad4082d8863e
- theme.zip: bootstrap.jar: popover.js.gz: popover.js
 - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/theme.zip/bootstrap.jar/META-INF/resources/webjars/bootstrap/3.4.1/js/popover.js.gz/popover.js
 - MD5: 3782df41a2ebe1257eded4e19f39ca02
 - SHA1: 38b589512e09181dba3ad56caca00199c9cd20c3
 - SHA256: 415e3c557d74388c551d77497112a216601c88025d95e3c28b3fad4082d8863e
- theme.zip: bootstrap.jar: popover.js
 - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/theme.zip/bootstrap.jar/META-INF/resources/webjars/bootstrap/3.4.1/js/popover.js
 - MD5: 3782df41a2ebe1257eded4e19f39ca02
 - SHA1: 38b589512e09181dba3ad56caca00199c9cd20c3

- SHA256: 415e3c557d74388c551d77497112a216601c88025d95e3c28b3fad4082d8863e

Identifiers

- None

remotegui.zip: bootstrap.jar: scrollspy.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/bootstrap.jar/META-INF/resources/webjars/bootstrap/3.4.1/js/scrollspy.js

MD5: 86ed481e7ffa3549beb6108a5ad1e4d5

SHA1: 73f97f2354272103cc030712a317260e7126a445

SHA256: 7d2c33a3ec324089813056cf4a8120db1db77f9ff620fa55c38de06ac417fed7

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies



- remotegui.zip: bootstrap.jar: scrollspy.js.gz: scrollspy.js
 - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/bootstrap.jar/META-INF/resources/webjars/bootstrap/3.4.1/js/scrollspy.js.gz/scrollspy.js
 - MD5: 86ed481e7ffa3549beb6108a5ad1e4d5
 - SHA1: 73f97f2354272103cc030712a317260e7126a445
 - SHA256: 7d2c33a3ec324089813056cf4a8120db1db77f9ff620fa55c38de06ac417fed7
- theme.zip: bootstrap.jar: scrollspy.js.gz: scrollspy.js
 - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/theme.zip/bootstrap.jar/META-INF/resources/webjars/bootstrap/3.4.1/js/scrollspy.js.gz/scrollspy.js
 - MD5: 86ed481e7ffa3549beb6108a5ad1e4d5
 - SHA1: 73f97f2354272103cc030712a317260e7126a445
 - SHA256: 7d2c33a3ec324089813056cf4a8120db1db77f9ff620fa55c38de06ac417fed7
- theme.zip: bootstrap.jar: scrollspy.js
 - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/theme.zip/bootstrap.jar/META-INF/resources/webjars/bootstrap/3.4.1/js/scrollspy.js
 - MD5: 86ed481e7ffa3549beb6108a5ad1e4d5
 - SHA1: 73f97f2354272103cc030712a317260e7126a445
 - SHA256: 7d2c33a3ec324089813056cf4a8120db1db77f9ff620fa55c38de06ac417fed7

Identifiers

- None

remotegui.zip: bootstrap.jar: tab.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/bootstrap.jar/META-INF/resources/webjars/bootstrap/3.4.1/js/tab.js

MD5: a19cc7ef41a2f9683a10c8d29f1e1241

SHA1: b8bd432a8ada22a323df822fe1e77028130f100d

SHA256: d41c1f213273a374add7c9a4fb57798812d5d3472cd961237a1782998e7be82e

Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies

- remotegui.zip: bootstrap.jar: tab.js.gz: tab.js
 - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/bootstrap.jar/META-INF/resources/webjars/bootstrap/3.4.1/js/tab.js.gz/tab.js
 - MD5: a19cc7ef41a2f9683a10c8d29f1e1241
 - SHA1: b8bd432a8ada22a323df822fe1e77028130f100d
 - SHA256: d41c1f213273a374add7c9a4fb57798812d5d3472cd961237a1782998e7be82e
- theme.zip: bootstrap.jar: tab.js.gz: tab.js
 - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/theme.zip/bootstrap.jar/META-INF/resources/webjars/bootstrap/3.4.1/js/tab.js.gz/tab.js
 - MD5: a19cc7ef41a2f9683a10c8d29f1e1241
 - SHA1: b8bd432a8ada22a323df822fe1e77028130f100d
 - SHA256: d41c1f213273a374add7c9a4fb57798812d5d3472cd961237a1782998e7be82e
- theme.zip: bootstrap.jar: tab.js
 - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/theme.zip/bootstrap.jar/META-INF/resources/webjars/bootstrap/3.4.1/js/tab.js
 - MD5: a19cc7ef41a2f9683a10c8d29f1e1241
 - SHA1: b8bd432a8ada22a323df822fe1e77028130f100d
 - SHA256: d41c1f213273a374add7c9a4fb57798812d5d3472cd961237a1782998e7be82e

Identifiers

- None

remotegui.zip: bootstrap.jar: tooltip.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/bootstrap.jar/META-INF/resources/webjars/bootstrap/3.4.1/js/tooltip.js
MD5: 6ae9dc400f463921e1ded65db0556dfc
SHA1: 0001130406c5f241ba069035dc380f3579ba24eb
SHA256: efef210198a75adacd0d3e726500fde192fc94320e4acbf90eb3a4d877215a2d
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies

- remotegui.zip: bootstrap.jar: tooltip.js.gz: tooltip.js
 - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/bootstrap.jar/META-INF/resources/webjars/bootstrap/3.4.1/js/tooltip.js.gz/tooltip.js
 - MD5: 6ae9dc400f463921e1ded65db0556dfc
 - SHA1: 0001130406c5f241ba069035dc380f3579ba24eb
 - SHA256: efef210198a75adacd0d3e726500fde192fc94320e4acbf90eb3a4d877215a2d
- theme.zip: bootstrap.jar: tooltip.js.gz: tooltip.js
 - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/theme.zip/bootstrap.jar/META-INF/resources/webjars/bootstrap/3.4.1/js/tooltip.js.gz/tooltip.js
 - MD5: 6ae9dc400f463921e1ded65db0556dfc
 - SHA1: 0001130406c5f241ba069035dc380f3579ba24eb
 - SHA256: efef210198a75adacd0d3e726500fde192fc94320e4acbf90eb3a4d877215a2d
- theme.zip: bootstrap.jar: tooltip.js
 - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/theme.zip/bootstrap.jar/META-INF/resources/webjars/bootstrap/3.4.1/js/tooltip.js
 - MD5: 6ae9dc400f463921e1ded65db0556dfc
 - SHA1: 0001130406c5f241ba069035dc380f3579ba24eb
 - SHA256: efef210198a75adacd0d3e726500fde192fc94320e4acbf90eb3a4d877215a2d

Identifiers

- None

remotegui.zip: bootstrap.jar: transition.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/bootstrap.jar/META-INF/resources/webjars/bootstrap/3.4.1/js/transition.js
MD5: 0a47aaff7afca3b3485a6a845782947f

SHA1: 91c2a7be5c53a856679830e0681a31d57395bf28

SHA256:dfd38a036a1ed2f6362413696c71555c108aa06b2ffef68577705df1b1983bc2

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies



- remotegui.zip: bootstrap.jar: transition.js.gz: transition.js
 - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/bootstrap.jar/META-INF/resources/webjars/bootstrap/3.4.1/js/transition.js.gz/transition.js
 - MD5: 0a47aaff7afca3b3485a6a845782947f
 - SHA1: 91c2a7be5c53a856679830e0681a31d57395bf28
 - SHA256: dfd38a036a1ed2f6362413696c71555c108aa06b2ffef68577705df1b1983bc2
- theme.zip: bootstrap.jar: transition.js.gz: transition.js
 - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/theme.zip/bootstrap.jar/META-INF/resources/webjars/bootstrap/3.4.1/js/transition.js.gz/transition.js
 - MD5: 0a47aaff7afca3b3485a6a845782947f
 - SHA1: 91c2a7be5c53a856679830e0681a31d57395bf28
 - SHA256: dfd38a036a1ed2f6362413696c71555c108aa06b2ffef68577705df1b1983bc2
- theme.zip: bootstrap.jar: transition.js
 - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/theme.zip/bootstrap.jar/META-INF/resources/webjars/bootstrap/3.4.1/js/transition.js
 - MD5: 0a47aaff7afca3b3485a6a845782947f
 - SHA1: 91c2a7be5c53a856679830e0681a31d57395bf28
 - SHA256: dfd38a036a1ed2f6362413696c71555c108aa06b2ffef68577705df1b1983bc2

Identifiers

- None

remotegui.zip: bootstrap.jar: webjars-requirejs.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/bootstrap.jar/META-INF/resources/webjars/bootstrap/3.4.1/webjars-requirejs.js

MD5: 66507db20354e58b4c9ba7ab8f9ce714

SHA1: 80f18f9b3ec47cf5854cb30dcd6b9548c32b9567

SHA256:b9a900c1c14f8b4980d34de9f2787b0bac576efc4f176aa70433a71950a14b26

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies

- remotegui.zip: bootstrap.jar: webjars-requirejs.js.gz: webjars-requirejs.js
 - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/bootstrap.jar/META-INF/resources/webjars/bootstrap/3.4.1/webjars-requirejs.js.gz/webjars-requirejs.js
 - MD5: 66507db20354e58b4c9ba7ab8f9ce714
 - SHA1: 80f18f9b3ec47cf5854cb30dcd6b9548c32b9567
 - SHA256: b9a900c1c14f8b4980d34de9f2787b0bac576efc4f176aa70433a71950a14b26
- theme.zip: bootstrap.jar: webjars-requirejs.js.gz: webjars-requirejs.js
 - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/theme.zip/bootstrap.jar/META-INF/resources/webjars/bootstrap/3.4.1/webjars-requirejs.js.gz/webjars-requirejs.js
 - MD5: 66507db20354e58b4c9ba7ab8f9ce714
 - SHA1: 80f18f9b3ec47cf5854cb30dcd6b9548c32b9567
 - SHA256: b9a900c1c14f8b4980d34de9f2787b0bac576efc4f176aa70433a71950a14b26
- theme.zip: bootstrap.jar: webjars-requirejs.js
 - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/theme.zip/bootstrap.jar/META-INF/resources/webjars/bootstrap/3.4.1/webjars-requirejs.js
 - MD5: 66507db20354e58b4c9ba7ab8f9ce714
 - SHA1: 80f18f9b3ec47cf5854cb30dcd6b9548c32b9567
 - SHA256: b9a900c1c14f8b4980d34de9f2787b0bac576efc4f176aa70433a71950a14b26

Identifiers

- None

remotegui.zip: codemirror.jar

Description:

WebJar for codemirror

License:

MIT

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar

MD5: 669061572ba6292cc848f48535366409

SHA1: c1c5b1fda926e89ab3204a2b4d2871078ce6d448

SHA256: b5f4ff56ec0eb788f4c150fc67b7a127e189e555e2438318742003e01c78282c

Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence
Vendor	file	name	codemirror	High
Vendor	pom	artifactid	codemirror	Low
Vendor	pom	developer id	webjars	Medium
Vendor	pom	groupid	org.webjars.npm	Highest
Vendor	pom	name	codemirror	High
Vendor	pom	url	https://www.webjars.org	Highest
Product	file	name	codemirror	High
Product	pom	artifactid	codemirror	Highest
Product	pom	developer id	webjars	Low
Product	pom	groupid	org.webjars.npm	Highest
Product	pom	name	codemirror	High
Product	pom	url	https://www.webjars.org	Medium
Version	pom	version	6.65.7	Highest

Identifiers

- [pkg:maven/org.webjars.npm/codemirror@6.65.7](#) (Confidence:High)
- [cpe:2.3:a:codemirror:codemirror:6.65.7:****:*](#) (Confidence:High)

suppress

remotegui.zip: codemirror.jar: CodeMirror.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/src/edit/CodeMirror.js

MD5: d154477df9eebe156a1a493731acb01d

SHA1: 69efd74f28f36317a2bb9101dbbaec73f5ca3735

SHA256: 258db73a89eb6d88475013d38f4e0e01cc1476788f931058bf470db1ee26ca53

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: ContentEditableInput.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/src/input/ContentEditableInput.js

MD5: 40e61dbb4388425c66403ecd7e9a5a10

SHA1: 70cfc8bedef61e8d2f6cbb85ee41d65088d44c53

SHA256: 5c07c3caef1fc6122ef3ce8d681afb87d65f86aaead8db5d1ca3466803b57da8

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: Display.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/src/display/Display.js

MD5: bbf05006cf414f786e21cdb02b443aac

SHA1: 6bcab3100f9fd46d39f5c47d78b6ad9ad863b464

SHA256: 6e26756a9ae829558cf81a83fd9d48dd0f605241c7c7e8028a8bcf94bfa7a9d4

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: Doc.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/src/model/Doc.js
MD5: 66f02c635454d1ae55f7472709417566
SHA1: 8799d7becd0b3ee9bfd397c157c43ca6ebb264d0
SHA256: 32bf377fa99365b49732f69c5e565c61995fefdf8d0bc6f3404d4fc00ed8ac7f
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: StringStream.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/src/util/StringStream.js
MD5: d187f08909bf9bb188d04c79f089c26a
SHA1: f5c4fc956b8b4de762087204024eb625cb00a790
SHA256: 9f1ab50bba4ae102fa5c611d4ef5b056d063a63a7f20cfef59eea64e93c3e04e
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: TextareaInput.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/src/input/TextareaInput.js
MD5: 87e959dd1978b0e022083d3e5ad65158
SHA1: d08b9e7e675368968faf8e93bb1dbaddf9996410
SHA256: 48684a26a28a3fd1793a80aa67509c4281b56d6924d25511540a1d19aed72eb9
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: active-line.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/addon/selection/active-line.js

MD5: 774e515fe054cbcd6cc869bfd550b17d

SHA1: 3d950f5055286088e93e0ee4c8a1d62eaf8aedac

SHA256: 3afbcbf78835c9bdc342e3992c53d9b74286722613bb1a8adc9d140edc8737ee8

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: annotatescrollbar.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/addon/scroll/annotatescrollbar.js

MD5: a9dfd7f9d78bd36c617429ed88cb67e5

SHA1: ad1133e5432a7c65881747c87c84529fed297ecb

SHA256: 9041e8d81e3cebc481cabfae90d3b80596f3194de75d98e5526d3bfa44ae3bbc

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: anyword-hint.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/addon/hint/anyword-hint.js

MD5: ba7fa17b24f0937d9431f93b9de2da37

SHA1: a87db7c6de5231a1bfd702e26ecf4aa76d822a0a

SHA256: e834ad178bd23449476e29179e8cb9f0c1ebaed35dab9059ed9a46b388271f3e

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: apl.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/apl/apl.js

MD5: c0d55e310ae0a4290d3fcca84bff448

SHA1: 006c98d2b17e85168065eebf44c3fdd91b9ff874

SHA256: 47e0fdac0a39e0186019064e13b674dda4223b03b2748d34cccc09489fde2674

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: asciiarmor.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/asciiarmor/asciiarmor.js

MD5: 42e5c7f3f48fa085f63bd7708bb204fd

SHA1: b15cdadbf5a869d06a79e6a9e187d0509dca1239

SHA256: bdcbb68c4b0c9dc53b2af587673461a495f123a5b9da8f6be79d97fee2790f9ae

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: asn.1.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/asn.1/asn.1.js

MD5: a928fdb102ef88113a9d1c0d9e520114

SHA1: f293930644bd6093dbb02475e8b409fe9794f437

SHA256: 5b50cca4b34820cb3d57c218945ff2d870d57eba83e13c2c66590063e2a23acc

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: asterisk.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/asterisk/asterisk.js
MD5: 2f4e25e805d878f43b8568609c48dba8
SHA1: 109a76d631e43dd32c13cbb0c23ad83e1851ad0a
SHA256:0849e3a141e967559d752de2205956cb690f1d4ba0a5ace5481c6c565db9b674
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: autorefresh.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/addon/display/autorefresh.js
MD5: 16b07faa9ef79a1fb79432fb4f4a9e3a
SHA1: 091a2b17758e7c3182542314256139a2247b508c
SHA256:2ec9d5585bd24d7611f30ebbb1cd8fedf79747cf89c1f83852dd1dd9981f10bd
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: bidi.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/src/util/bidi.js
MD5: 22a12be2f1e24a9bfddc5c3b0d187ede
SHA1: ab735d3376e0040172b6dc972f97df663f231dc4
SHA256:0a4646d7a1214acfc71ad351d021f31795b056ce7a08f80d29857aeca1a5163b
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: brace-fold.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/addon/fold/brace-fold.js

MD5: d56849bd7cce8a10ccb842d50f0de179

SHA1: 4103103f28436925442d5397c24425fbaf660fce

SHA256: 2907087538a295e5b4f084f8c5ee7eba35cc973db194cbf596ab13a6c97a6834

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: brainfuck.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/brainfuck/brainfuck.js

MD5: f3ff733b3609dfb34a49652f6a4a2d09

SHA1: 41a8164ddba5e25fe2401265eb9fd4222e415549

SHA256: 67496a83fe1ea3304a3f65a8f8196f3a4a40060ea4febcb60a82c7657205abd

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: browser.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/src/util/browser.js

MD5: 564eafde7c1566f1b9b0d976cc3ace2f

SHA1: 2c592606b3242ac9cf080d138aae3516cc2ef05d

SHA256: de647094595511fabe9d548d9e45dacf746d7b83a198cb69b5b8859fa3eccb30

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: change_measurement.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/src/model/change_measurement.js

MD5: 39707c0eb637648efc07d95bb60253d3

SHA1: 025a52f620cc5b6edee8fb9c63a3f6ecf4c2284c

SHA256: 1d1648706bf317acc33a64673cb4fbc2d2a7db8205bcc1cd9fe52819c13b87f0

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: changes.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/src/model/changes.js

MD5: 822465b81d600e9a703579605e2147bc

SHA1: 1b77f1034de1cac51a8ff50e48f9604bc62556e5

SHA256: 13b0b2c417e0181ec9cb012932c1fa167c50171133391c00582e2939206362a0

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: chunk.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/src/model/chunk.js

MD5: 7dd1b45f75341b5a03a01f6607da69a4

SHA1: 89dfb21758e8a384033d09678a8d5b1ce8983e6f

SHA256: 18f55da6b39c1b12fb5406c7962a88884e00d2122566622784720cbe612fc676

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: clike.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/clike/clike.js
MD5: 145b41ea6cde47e8889ef8b2214eecde
SHA1: d0ae7cc4040a57a76b86265f492f87e251d1cc9d
SHA256: a1ff458a030f8b1db2d901811344f3e178eaceb19b598277d054bf83dacfec2
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: clojure.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/clojure/clojure.js
MD5: 7f3277e322bd000aefbfb172d3edf7e6
SHA1: e701f8e843e3390a0a411700d3c8989dc147780c
SHA256: 86b7b779ab84fa77bc6e461a05fd0887d85a3c8cd42a96576cad973b355bb1b8
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: closebrackets.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/addon/edit/closebrackets.js
MD5: 667059f346609f6ad778936b17c43824
SHA1: 248b45be826a8856a0ed0733c8511d9d0c595507
SHA256: 143c3014c29254f3531cc30be6d90205084bcfc36cfa6f9b2a46fd42a40be20
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: closetag.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/addon/edit/closetag.js

MD5: 744876ab906996c429eef7654278f514

SHA1: 0e0e10e59f93f87c9bc35247b14831091113adb4

SHA256: 6fbe2b93cc1744d9e14ad1d613449f7e16df4c2aa2842f658efc17abf662f850

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: cmake.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/cmake/cmake.js

MD5: fc204bb5f2393f59bcd34a860f1e1a57

SHA1: 73985b80cdb80d12831a7476b740733e3fdd065d

SHA256: 6379ded0f75af38659031d1eaa803d2bd5be0fa7cebc216e55ca65d01a35bf1a

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: cobol.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/cobol/cobol.js

MD5: d8a271c0bf27ef5cc2dd8ea19886aa75

SHA1: 93072b3c895318fc58f8ed16d68cc213ac7910de

SHA256: 0cecf82da2915c20187ab4e29cfc4abbb0078536874b27978726d48371487e4c

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: codemirror-standalone.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/src/addon/runmode/codemirror-standalone.js

MD5: f1f47322e6af5937de4a14fb10863e3e

SHA1: 843d01e1379550e5fed3e64aba1af1a359441e7a

SHA256: a18754c4ae17e27b7bba46b338c404d28804e237f41425aed96904c0aa1f49f2

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: codemirror.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/lib/codemirror.js

MD5: 15fc3cdf569fa38b1f91d86ebbea13d

SHA1: c5f9252d9467c2af70c5e6fc579e696648ee242b

SHA256:a4f1c30365d5f85951a22160b07a7ce34048cb640c283545c8192132b46efba8

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: codemirror.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/src/codemirror.js

MD5: 0d4d22de0bcdf7f7afd8131d4e59f130

SHA1: 819f8c37a4df0c61ef735d5b884c6c598bc0983e

SHA256:b2a1b676605c6428b6dd7ce21a8a0d2509d4652ceb2297be93078ca6d66926dd

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: codemirror.node.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/src/addon/runmode/codemirror.node.js
MD5: a524724c274d1c038c7984e164428b3d
SHA1: 18fd7183236cbf1437175c8d31509ffa6cd4ba64
SHA256: fdc02024dc3845f85b38046ae842b0f572f91adc5f34a6979cd92ead0fe4a0a1
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: coffeescript-lint.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/addon/lint/coffeescript-lint.js
MD5: e852ea5b9ebb97947ffd169523eca098
SHA1: 58ec1f05cb6893a519fe2d7ad1b9716f15219b89
SHA256: 824caa68710a7f931ebd30491fec19dcd2c6fa166c21158f5ccd61321069da2d
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: coffeescript.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/coffeescript/coffeescript.js
MD5: 438a52e20ca46a26383d4eb6d33a5c6f
SHA1: 8dd398cbd2955bcffcd70180f9fb560f56acf567
SHA256: 67792b36933d29b482307761ee03da520a19b3b30ca60f54df9cdef4051db628
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: colorize.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/addon/runmode/colorize.js

MD5: 626a64f8687ca9576bb017843ab2c30b

SHA1: 4899e8d499849fb02f134afb39711d3ab2c28903

SHA256: 9d39f5267c05d930f079fc4f223b453e8f9fd54cae6cf52db9b5dc3a0b9dd694

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: commands.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/src/edit/commands.js

MD5: 9f984e904c9556f8e270502eaf1d5a5b

SHA1: d16928b2cc389c46f7b77121beb7376a50f11c35

SHA256: 5f23178d2f8f62f97af955560fb192e5aa898f81153b9c24cee8ed6ac567f658

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: comment-fold.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/addon/fold/comment-fold.js

MD5: 3bf750756a24d5a0ba9cf16819bf5cfe

SHA1: ad4d1534287f90692567139c0b007be29aac4a9d

SHA256:a79d02eb1b425d8a4823f2d962b7b9f49af578fc9042b928b892417c00e7d13a

Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: comment.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/addon/comment/comment.js

MD5: 18fc449bec0798e43182173ba47455b9

SHA1: 29442cfbafce86a08679824a999b87ec1acdf567

SHA256:a65c038258c6541658a0e9f24c56c78255e0e20d4cf06aa9ad83342069a589be

Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: commonlisp.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/commonlisp/commonlisp.js

MD5: 9449ffe942392a1ad14eaa723578b606

SHA1: c734ecc91ff4949d4cac179a55bec5cee55da153

SHA256: 0efe46913f843f5c335c79e05ae758e60212dde9cd3c45d99fae8066bd13c128

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: continuecomment.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/addon/comment/continuecomment.js

MD5: 174c186ec1902fdb1aa708a9dea1aa4

SHA1: 7c3bb959b0c3befa4395c61ee8fbba3f7f6c6033

SHA256: eb64c50f80cb3080052971bc075bbbf421ab50287804af8ce47b0536da5365e9

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: continuelist.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/addon/edit/continuelist.js
MD5: 630509c4379923d8c811b3f1acc931fc
SHA1: 09118fd53589fe18289006df5cc57b4818321197
SHA256: 6ba9cd9528b74e7f76f4b9ce9ed0677bfed7057d1aade0050185368cfd0ea2e3
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: crystal.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/crystal/crystal.js
MD5: ae980ca83523592958a2c7f8144bd365
SHA1: b52f1f9ec7c854891491f792ae93aae419efd2ac
SHA256: 5e6e8458e3fa4079ff438060ac7f93b8b7a160212b1cce92516f1ea9680b57da
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: css-hint.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/addon/hint/css-hint.js
MD5: 55823389add79e8c52ffa7df6ba94515
SHA1: 59e0f4c17ecd9595fe88a84bc47fbb994803fab6
SHA256: 0e22d6efa1ea084e8316ec6d5e4c809534f0e36f363bbc4156609201d95c6601
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: css-lint.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/addon/lint/css-lint.js

MD5: e392cd5f86989535e38b3cbfb5134985

SHA1: 0986b3dc26b02d98a91b91bb38d46065b5c0214d

SHA256: f3fc7474cbefded7f1b06d63efe980d58970785831cb35f29874ec371cb4ece8

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: css.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/css/css.js

MD5: 3675078ada8a185a353a6560bda2d5ac

SHA1: 1045cdc88a58fb002511eb21db184ed242730f05

SHA256: 60f0689e5c6af7f36c341e8e1341a4f10b4f0a04cebf7341bcbdba9b572b32

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: cypher.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/cypher/cypher.js

MD5: 0439f14eea37e69f9bd0af1b9c57e014

SHA1: c65b82f89865edb564d52f00afddafc3d18a8d6b

SHA256: 6d8c9c8993fdeb724f1f68e9574fdab0001da1d31196e33ac6112303005d3f63

Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: d.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/d/d.js

MD5: 0632861907c7e77ea48e0952d2081136

SHA1: f000ac2fe16c377837034c69cdace651a45f4e7a

SHA256: 8e3994ce4f507e692b65aa73ffbfd58112c4a22771b84b8ad86152578d4e8130

Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: dart.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/dart/dart.js

MD5: 0bfa12b4210e1faba31c98d2fcbd226f

SHA1: 4caa7d422c3c931f7df5b46e09c9596a9ca19ed0

SHA256: b09be809dc1f9e3ad59374b198b0e5c4992788b9ff524765fccd0b84fde52212

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: deleteNearSelection.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/src/edit/deleteNearSelection.js

MD5: 813d638d2d4693bd14f7b6490445a417

SHA1: eec62305710c8c0a032933bb41c3fd45142669

SHA256: dac971ad5b761896b830e95f5e2240e2748fb83c909ef4c5ea4fd1f60ae031fd

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: dialog.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/addon/dialog/dialog.js
MD5: 1b33c63e7d89d740d4738ce9766b19b0
SHA1: 14cccbefbfb2f33d928c4a41d854237cda5dd97
SHA256: fd8c925fcc25357617faff21220c026bb91a617b995268d96c5d39232fd42833
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: diff.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/diff/diff.js
MD5: f80746d74770ee6dcf444e99f75d5537
SHA1: 45f65817bf0cfe00f52a620c44e48031e926e5bc
SHA256: 3fd0e844e22f475503415744b7e7af24df4cd0670709c77e5e43e92185ba32fd
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: django.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/django/django.js
MD5: 3c02fcac64b6100a0f369edc8d145f97
SHA1: 9ab00e90ea9a3788178187e9451bdaf61bd311fe
SHA256: 71a3fa0ac63fe080a12097209e509c36abe0fde9c9709610be1656163d25a8bc
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: dockerfile.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/dockerfile/dockerfile.js

MD5: 35fd7d7d73ad6c400c0afed686a383da

SHA1: b6574f6951c483c563456c9094178769ea733631

SHA256: fca390cea85e1b711389d1a91b99faeccf7b4df0f48e3ceaecf2e517982cb2b7

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: document_data.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/src/model/document_data.js

MD5: 86420f7d4afaa1aa00313618bff8292f

SHA1: c26428a7245c7ccbc2da6e15ea8071a308efe21e

SHA256: bded28025266e28229d4328e2a4ff6c829e26757b12861ec0c561c495d4b87e5

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: dom.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/src/util/dom.js

MD5: b56830faf8f75c5daea99bdc94508b38

SHA1: 6425ef8de5f6d50a057a5cdaced4da9ed166ddfe

SHA256: 20275e6018fa90811c51e20246d4803c01d7e744f64434bb9194c7b1df41d1b1

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: drop_events.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/src/edit/drop_events.js

MD5: 940690e5c792ff535ef797090cb7ed5d

SHA1: 05108fb9bb15e761e86ef290e006cb7c620de955

SHA256: 60fa1577514a516587de192c7c779b4447aff1b6d26de0498030340e12945390

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: dtd.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/dtd/dtd.js

MD5: eb3e9b71c4e33120225df386c29a0b30

SHA1: c91a19fca8b5bb610ff35e8ea7c9190c9ef996f0

SHA256: 3f04995b147addeee1637bbfd0054676e78d13f7accaf2f589c55837d70148c1

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: dylan.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/dylan/dylan.js

MD5: 99e3fa83adb7b3af2e363942a5b720ac

SHA1: 795b6199d3643d0a9eb0b018a02357da66be8f3d

SHA256: 999b862ebc559366e71a731e2a28b2762ae4fe7c7882ba5f6bf20c33a2d737b7

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: ebnf.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/ebnf/ebnf.js
MD5: 8d8a62f6874e4e8378d16d02b09ada60
SHA1: 84295b3d4f48cd3080508f3c5c12ecca2842dca4
SHA256: 1175e07f831fd02ccf09d4582351c5932a48fa03be5c0eb1028c8f96c051935f
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: ecl.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/ecl/ecl.js
MD5: 04722d23df4c17765bb397d871875452
SHA1: 63a19016bf2e53ba5c73fde154b9bbc19d96130d
SHA256: c78998872dd14cdb356d5a9bd196f7d3525e3cb03a591133e0e904afaaec11b7
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: eiffel.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/eiffel/eiffel.js
MD5: d202831cfe3aa85bdedffd44534dc98e
SHA1: e5767dbfb329d8e3786acf893d038e1e4dd35c39
SHA256: 183e855f6474cc2c4cf0b6c5e5c40ea7821707d37ac414277dcda294ffae1721
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: elm.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/elm/elm.js

MD5: c37089c171d4384ec97f9af66d5ac972

SHA1: e28a667656ac12ff06766d2ee857962dcd9146e2

SHA256: e343ffaaff2dc6fd9c5923228b46c23723c396993459eca6217871f1c087ebc

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: emacs.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/keymap/emacs.js

MD5: 258e09f1d4cdb812940d869afce12a11

SHA1: fa3b963c38f809ab13c37fd7aa654ac46a39e740

SHA256: af2f42c9f461951f13e9785f634cc9f8e5d63b0c5c2375b331105dea19a71fef

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: erlang.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/erlang/erlang.js

MD5: 29f92a4be923242d30cf1f4288c89adc

SHA1: 45f94b33af2bc74d8c5eed73de27eb8a4047c20

SHA256: 2ae29808247e9d6a58a83893b0e8b627c0ca337cffa541ef16fb506edfdb77e

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: event.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/src/util/event.js

MD5: b700f1676589e7f88e59c943cc209156

SHA1: 516c718a9b2f86f68127680267b92d10fbf5a579

SHA256: 1b13113fab8763c3c9e2284d1b6bdf1f84ab3424999a2eacffb771ea8b75513

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: factor.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/factor/factor.js

MD5: d497dd1c4f0f85b83245bfb80943e5cc

SHA1: ec2430a02377f3b14692370e329b8f83b017d1b9

SHA256: baf7c16c387e7abfc308dfcb7fcc1ea9ae0a898d13455349083ea72c7bfa4c4a

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: fcl.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/fcl/fcl.js

MD5: bfa4a30d52fa501346b203c8ab6aa0cc

SHA1: 9befb1efc7f051c189e1c2c7cccd976576bcefca

SHA256: 7c9d372be44c1c418a101885662d80d4bf6104e1b717d36cbdbd05a5956abc70

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: feature_detection.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/src/util/feature_detection.js
MD5: 3b63813f217d9351f7a1d90edf345310
SHA1: f236ad77f54768dfaf4b78905be71b6873691698
SHA256: 4aeaf197f379b3450c8c297f23e449df3795a9954bec48cfcddf4b3615d5f371
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: focus.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/src/display/focus.js
MD5: 307daeb9d6322c3905fc5b2ba846fa16
SHA1: d1e1cceb41ec90a9b18fd25ae6cad9805e86811d
SHA256: 2f6ad1d093d5d933ad58ded481d34002320d2887b5d06badb35918289338757e
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: foldcode.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/addon/fold/foldcode.js
MD5: f520bc635201c451609403065b8bacfa
SHA1: 78958ff57ef86b84ac8a8085a4f0923433eea9d3
SHA256: 07f353e02abcc300739b09f31a9d32a958ebe5d2f76959291e5643c6e40a26a5
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: foldgutter.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/addon/fold/foldgutter.js

MD5: 9606e4f3ca8c5ac259c2cf703753017b

SHA1: 2f4f7e099042dcbde74bfd3a8f5856f595326ecd

SHA256: fc85fcd61894dc551a4c7c221ec41b7fa4007d1e33239b1cf8faf56ef1811727

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: forth.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/forth/forth.js

MD5: 3e09048506ea36823a8a5e6ad244c7d5

SHA1: ef3e2632de5a4c57f8b14225026940309167d270

SHA256: 1c6c0a8fb3572fba544083795b3259f8a35cae81ec2ddb19b4fd7af2a91ab34a

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: fortran.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/fortran/fortran.js

MD5: acf9c5ff78882f6ee77416eb957e881e

SHA1: 30130e625c08eedd8d62021c0dc77a71d066fd1d

SHA256: b3351c6cd6e696c2ebf0e6ae1ff7925ed65add92947007402e0b3112634f6392

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: fromTextArea.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/src/edit/fromTextArea.js

MD5: a910ea4413c5f8fabb9be57bc80a7cc7

SHA1: c2bb053e04c5cc11df632ae7332863f5f0d30c70

SHA256: 796a25d1e7f2a7c35ac9289bdb21e9c56c1253779a71c1b9e8a8c04160829e2d

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: fullscreen.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/addon/display/fullscreen.js

MD5: dffe3df188ef201ff7f04977d0ead894

SHA1: 29d2bbd2368fb2dfc02a06aac6db6aa9691ab330

SHA256: 8e4a21aa77765df8893fc854c4b6be56279e12d9a70cbde913083c307ac769e

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: gas.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/gas/gas.js

MD5: 9403b8d57b58f52a0d02efd3d6d99571

SHA1: afdd8ef0502d68ba8020134c780ebce498f65ac9

SHA256: 414899aed81f9bdb726a6729047f1afb538679ee58623beb8fa51dc7412db6e9

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: gfm.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/gfm/gfm.js
MD5: da48b005ec4e651d019aa09b3d6d4aac
SHA1: ea5f855ce519bf55f09cb2c968dce9660615c698
SHA256: 1fcdbf9a611c238acf53f906126fba93ae0550d74858efad61d72b8b3ed6e0bc
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: gherkin.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/gherkin/gherkin.js
MD5: 3d87a67e559ce2d1851c4f1fcca83fe2
SHA1: 289ab840bb7ad7d5cf292406eff4fb8e55ece301
SHA256: 732eb81eccbef7db49729af3f23d477dc8f27a4d9bf2fb2c6bb520d8ec19bddb
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: global_events.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/src/edit/global_events.js
MD5: 288615615004321c6abe2bf66842b8bc
SHA1: 858b4b90c061cf34960b0bd4231a2b7dd7ec5f3b
SHA256: fa803fc7e109d232afd12dfdf4d99adea71081cc4b71e547d4b1c2bf46cc9ca2
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: go.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/go/go.js

MD5: 51890857b15156f02106103dd73d2b0e

SHA1: ef0de14a73f6656facd0d7355a11b1d17df86b16

SHA256: 4e3b08bda2f85c9ef68c03f24c0c5ca3b8ba479127b6cbc50f33cb9593dbaf00

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: groovy.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/groovy/groovy.js

MD5: d6ca518a6aa5ab5b420bbf21d65b2d05

SHA1: 48fb64db46a7408334eeda329d755dd09aec41ec

SHA256: 6641a0b1555ee0f1bca36975a4fcadd43d512de7ca814328cc6402e1ce836b4c

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: gutters.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/src/display/gutters.js

MD5: af3de2621d2ef402646889be16bcde7b

SHA1: 130d94f44dea7f614a15009677e496ad2b853025

SHA256: 2143db3d42d9a3408b556eb50068870d138041a9b98ab256d070d982e09346df

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: haml.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/haml/haml.js

MD5: 7d65bfd39de90f56597eb8e278a39af7

SHA1: 7bafda0fd81e500fb2f364d2e657fd9dec939505

SHA256: 9e9606fecf19869e51c32a84e18c4447c0d4ad2031730e5690b571f318409022

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: handlebars.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/handlebars/handlebars.js

MD5: efacd8d006bf9f83baec2fc5a8c71feb

SHA1: 7fefb944ec70e00d262252956fdc71f04c1046b2

SHA256: 60bac3d6993264e155b5a06f52cda56b7bab2fb5923f3d1cc7e8caf704fca724

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: hardwrap.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/addon/wrap/hardwrap.js

MD5: 049ed63630662fcb8a977fa43f86e058

SHA1: 535a020f7839e52da6fc7b8af3d249f641c5e055

SHA256: bee81aee6222a46b1aeb14d6fc738d3cc09a4e421f808e29b3c6989710ccbfc8

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: haskell-literate.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/haskell-literate/haskell-literate.js
MD5: f0bd7313413cdc35018db90a6522d1ef
SHA1: 670b7735a8c85e5251aeadf51f5005d5cf45df44
SHA256: 7519d0b515603244f029c3031a4625fdccac88cb640fcb6e117718ec2c0b3c50
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: haskell.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/haskell/haskell.js
MD5: e4f82d95d10c028eebae3338e678be22
SHA1: 30c46651b2b0b5a7fc70910b22e52e2d1d8687ff
SHA256: 4745a90832e950c9536f0bf498e5bf6fb3753a4a98bea09ec152b92354c0fdaa
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: haxe.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/haxe/haxe.js
MD5: 13c21da31a992b536d4f37ee53e09605
SHA1: 6a694b4a0a68b148e0b2e0b761a521a5fa4a0296
SHA256: f3596c7efe948a3331bb1bea299f6fcb8e7733777dc2114a9f2147dfc1c69257
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: highlight.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/src/line/highlight.js

MD5: d7710bcd63c26c5fdc37c19b15e02d4e

SHA1: cc5bac275e64696339642c6f5a52c254f139fbfd

SHA256: ccf8b3a879acfa0013ee5b11e036b822b68ec5a136c218400775fe2e35a3fd9b

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: highlight_worker.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/src/display/highlight_worker.js

MD5: fc6f314859dad397c1f867ed5d73205f

SHA1: 80e56feeeffb3ad7b76e40dc4577962a60becc11

SHA256: fc9d8bf90534b9a6c7d5a45e8f879a4f8827a661c4271f812776e7c3d2bdc09

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: history.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/src/model/history.js

MD5: 34cb233d1bf8cc676a0c5fc9e9c24b04

SHA1: 4c42d70f020d1fd9397fa16ea34f5cf54487e93d

SHA256: 961d52432f8f463614f83e660c2945f9bfbbc9c8fb7767575b9221c3e88821a2

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: html-hint.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/addon/hint/html-hint.js

MD5: 609fea85a7894f8098719813c58219c5

SHA1: f593de64cb802e0e456482b88959a68260e06bff

SHA256: 64d3ef9293ed8917e40ed4e8196da6919379a3b4970c007785c7ed27ab9a0478

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: html-lint.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/addon/lint/html-lint.js

MD5: 0844a30ecec022fb60101fc0cc6a5cfe

SHA1: 3ed8b2f11d4c7462cf29fc93b58e579680bcc32f

SHA256: ab7827913934f06a8b4d00e41d5954974c90d5085d1295fe02c484c782c75843

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: htmlembedded.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/htmlembedded/htmlembedded.js

MD5: e7a464409318dee8c3c6e0b68225d461

SHA1: 548ebed43650c26970abca5933aa237b4a1950c5

SHA256: 8afc8da4e446322cf92d78bef9940f9444aee339f56c8b9af5452fadfb867601

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: htmlmixed.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/htmlmixed/htmlmixed.js
MD5: 4c5a6f44d738b718d1f6164c1c8d6904
SHA1: a4f9c3552740fb908e14fb0f47832d10a3f535d6
SHA256: fe5912e1d10f8fecb98bd31e2f957c0bbc9abf6b505d11b6dbcd27542d0fdc
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: http.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/http/http.js
MD5: 42dcfb1c4b83e85eea0303f75a3f08e1
SHA1: 7fa224e2e3ab674ca61cedd48fd430c5e62e1218
SHA256: 89842864a707564a989a841ce934b61659f34b012f2349e5c4fd9a09c5982f6c
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: idl.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/idl/idl.js
MD5: 1ae58242a3b61aae5bdc5665bd5fc2ed
SHA1: c25b0c5644c33ee3993ee3152df8f4c27235e172
SHA256: 7d45bc0899e019f558e68eca684ed84660bf4687cd64fb4ed2c959ad249b763d
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: indent-fold.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/addon/fold/indent-fold.js

MD5: 623d14360009d84560611f43b83e6759

SHA1: 731e1d84971dcafb20d1417761c18c55883c3d98

SHA256: a835ed1af176b96a1bf00379622e76573a1f6327bd76b583d9c4757a2c4a4194

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: indent.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/src/input/indent.js

MD5: 835649b199c40a992e89a61de3514147

SHA1: e3d98527805fcef17ac4f710d7600fe0da52db33

SHA256: f28260cac8eba83de19891709eb8545ecaa6cfa3ec716e617992e14cd0112404

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: input.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/src/input/input.js

MD5: 8347e0beb43b7f458587e94f323c58bd

SHA1: 62cfb278476d7f293b853e92e35bd9221c6d1a1c

SHA256:bbfc32c56077171637375314abe257f54f925e8142b3f3a9eb669296ec3f12ff

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: javascript-hint.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/addon/hint/javascript-hint.js

MD5: de72c8e29800ee9ae93e5c8a43c6c6a4

SHA1: e348c54c78f75047c06629a13422c0aee0ee3253

SHA256:e4dfa3414b3b9535514737074cec2fb0cbf0bfea7e765307122295c98c5137fb

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: javascript-lint.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/addon/lint/javascript-lint.js

MD5: 55eb8a1558ef8c9da7d355a32334d62e

SHA1: d452acc1222c992a222c6c4bc55c0546eb2a465f

SHA256: 69906dbb83d60e0d104ddf395e29dcaf4a05063f24c085975b9c09693dc860c1

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: javascript.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/javascript/javascript.js

MD5: 178dfcd5f64c97da22a3d3a62713b7a9

SHA1: 969b4a80be53b334612b44a0cc6ef57cfe171a26

SHA256: 21fa74c1638c7a4eb3e8cd04b5c8c997181394568330b341c83716da18ffad8e

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: jinja2.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/jinja2/jinja2.js
MD5: 82ad8f3f5eac62b4012d21c9deabfc69
SHA1: f1b92b1cce15292571979194dc1331accc5fb2d9
SHA256: b408eeadec21747f7c4ed41dcb9ec4e540aa1493d0a7971e74aa1eed05049b93
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: json-lint.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/addon/lint/json-lint.js
MD5: b01056a065c6df2ed0f61038c88e5ecc
SHA1: 8fcdcb87fd1c9f8fc04f3fc325fa590b27441183
SHA256: cb3522e1bdffb075461c848ba2091cc781b52ef0e69cb39d9a33e1b74dc35ae2
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: jsx.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/jsx/jsx.js
MD5: 5dcc6cfebb32872e929bee63d517295e
SHA1: f22b5965deb7b3f6e434d6012b22af7a7ba4c9c6
SHA256: c6babd67df23bb0278d432fba3d2dbd03bb1fb3862d4d70549cda1b0d9953abf
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: julia.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/julia/julia.js

MD5: 544d9103cd9877e0a7dbb26dd5a34eea

SHA1: 4d6fef3f38c3c9717b6ac72fa4fa3c6d48ca189f

SHA256:54d93c9a83269af3bd8bc6593be2368f07b4efa4223074b54f3aad44097a4d32

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: jump-to-line.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/addon/search/jump-to-line.js

MD5: ae33156dd047f75a6d2539b21ac92df9

SHA1: 4b8098d4df0e0bdbda6b27961ffc7bdaac14e85a

SHA256:39b7d80ee80cabe2f5936673b3cadbfd4d260dfe6dc6f936523a334044962ffa

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: key_events.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/src/edit/key_events.js

MD5: c299e1b06d3f6ec725718c1dc60141c7

SHA1: 09df110e22b2eccc9f3deb5a2dbe0a6fa884d23

SHA256: f24d2b392714dc1fe63b23f79d45d01503a1a8860cb7b92dff6e5eb05e35cc69

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: keymap.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/src/input/keymap.js

MD5: 1c8d554d0dfbb08ac3b4ff11303f313a

SHA1: bcbddfc0d1411afa8455d75564758dacde1e15d5

SHA256: 9be4f88cba00a971a1a007ca4fcc56f244ac84fb8b24f165f6ce2793c2f83a95

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: keynames.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/src/input/keynames.js

MD5: e4ae7351260c5e7b9f2253e21b5ca9dd

SHA1: 9b6381177e6d4afdd03388c548a00bef7e101b0b

SHA256: 7054358c3e0ad3945e0c3c31fde7b77d1af78874a5fd436a908aa0e8eeab7b03

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: legacy.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/src/edit/legacy.js

MD5: dfa5acb74b48161d442a6d83e1abbc03

SHA1: 70f5248919c6a806ec8da7a53b9167ea0d28f28e

SHA256: 663e30df9fb1f4994092c95d5a4a2a127d67d59896b4795807ac912773a759a4

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: line_data.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/src/line/line_data.js
MD5: 0239405c8ea2b45a5a3a2de75bc481b7
SHA1: 936ff2393f4614f8fb907274c896d2435d34250d
SHA256: 11203cf446205f30a8eb2f5633369c7a6c00cc778b3cdbf1da16570571937d92
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: line_numbers.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/src/display/line_numbers.js
MD5: 22976744e5315917483bef53cab4d368
SHA1: 32c75bf2e39c2315fd1a1d04cbcbddb666c998e0
SHA256: 2474c6d14659ccbd6664aa88eaac7f1bb5589cc44f5acff4c5d8a22ed5da5d4c
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: line_widget.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/src/model/line_widget.js
MD5: 2a58b1a6d7eadb596d3968096f1493e4
SHA1: e06ec6ee060c9b180dd6269107c1643618024acf
SHA256: 4557109a8ced89105c13e911cd0d4036a043ce83abcfaefe9b6889ea8d058b16
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: lint.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/addon/lint/lint.js

MD5: 7930c46b5411e82099bf4d021be44897

SHA1: 9d4fcf298565cd2e6b6234c331113e5ee80a996f

SHA256: 7c2e8241383104a6188c43b657b17ff7633e0de89d9b98f7d09df29570341e76

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: livescript.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/livescript/livescript.js

MD5: 303cf9371fc666702d07b7892d4d69b8

SHA1: cc1a29423cc292dab8ceccbe8d1d4995426ce11d

SHA256: b9b5f3fca094c735f94174d463746bc39d0930dc42b70bf5004efaed96b080ea

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: loadmode.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/addon/mode/loadmode.js

MD5: 43a51215f06278be12990128bf16cffa

SHA1: 62a2787a4f3b623af185185edaedc7eaed7ffc08

SHA256: be81c0312e7041f56c217430a177fea61e572bcb9579a39ca1922a2e4d51abec

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: lua.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/lua/lua.js

MD5: ccf279dcbc882c0e99fc9dfda9dd734d

SHA1: 13ec1f41c7c723c70f185f6c22e116cdf532d8dd

SHA256: 5c702747f50d5d4158ab8c096b33a7e0092529d5682a728a20624b01dfd86e2a

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: main.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/src/edit/main.js

MD5: cc33d6b2c4f87f24fe91b103cfee3da7

SHA1: 7a267e163871e4d9c505a7dbda69289619573e76

SHA256: 2644139a384fcda2ff3bcb59fad7a45a3faa166c443fcd2d05315558dc7d1f99

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: mark-selection.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/addon/selection/mark-selection.js

MD5: f2b8639c24afc6cc370f4097eb6bb217

SHA1: 62883a7928526106b19fa78a1195fadf463550b4

SHA256: 5b9c6a0031fe895641f2eb2198df2592ec769a6685d6bb10f3f9b92a7822e286

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: mark_text.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/src/model/mark_text.js
MD5: 7611054f886606aed04a7a3f3c4d5a78
SHA1: 3e6ac9ae6a89f720e9c148d25746ff37f9207d07
SHA256: b17ada4f3979fa8170a4abc071035badcddd87870a212cd92dc5b0a70fac19e0
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: markdown-fold.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/addon/fold/markdown-fold.js
MD5: e9844099dad7cf95607a804988677f22
SHA1: 400fdaaf493a4d15e10b397553549b6b4e09dc92
SHA256: 6a81721447c7260578e8e306c89b33a49e98edc1c2cb0c52a18ca0e913684d96
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: markdown.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/markdown/markdown.js
MD5: a7326be775e85028373f9236c26a572e
SHA1: c7dda08f12cf129cba6b317f70ee7ce0abf775b9
SHA256: 8fe7b11848f79cc9119b2a239f38a00944f6f2bb764a00bc837ecf8d34cf7690
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: match-highlighter.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/addon/search/match-highlighter.js

MD5: d7d3dd2592e2df81c743b86a46ccc555

SHA1: 21bd58338eb506c53cd367b4e30c6aefa2e7edee

SHA256: 8c3e196f9a5f9e5cf9d7e71751132a05293e7cdb180defacf28be9fe919682cb

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: matchbrackets.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/addon/edit/matchbrackets.js

MD5: 2d2902edcfd32a8f481124c0957889ff

SHA1: 1555a87118f8082edd03c7b7c1363ebd1daaea45

SHA256: 9d0e5ee4c199fcbe487a901860c2cf7d007263852677dd5858098fcaa8580f1e

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: matchesonscrollbar.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/addon/search/matchesonscrollbar.js

MD5: e005f8b0c7cedc509a29ea1a517cc829

SHA1: 73a8bbcf26072f44bc7003faea790d1f3d59096f

SHA256: a2deca7f8ca380dc7772929cc7c23b6737109f3cf0a55e7e18832808d98530c8

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: matchtags.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/addon/edit/matchtags.js

MD5: 6e8c7c68653d8d6b912138fe6f155e1f

SHA1: 99f7135d209eb1da2c326486eb53ecdd330f0f2c

SHA256: 263d752f850b20890f0506fcb277b094b474138692a58b45d7b9bb03e20aa00c

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: mathematica.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/mathematica/mathematica.js

MD5: a8c37dcebeb98162e29e9d1483edf7c4

SHA1: 82d9653bf7ca5b228759c5ad53845a8237625792

SHA256: a301011fbb5d9ea4f39fc574718c2d27afd9425e31a1a5bf9005617603b45c0a

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: mbox.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/mbox/mbox.js

MD5: 9ce449eaeef8f2c3e6253bb202a3da0d0

SHA1: 6848c5a33d4ea2c76fc6abb4fdc3c9253eedbc9b

SHA256: 9affa80931d9bb09746d08b9b0f90286d2b47f5b16a0bd8a1a06227b496c4b07

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: merge.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/addon/merge/merge.js
MD5: d2a6bc0c40e52723665afdc3b17ab226
SHA1: c2c82dc8159b4d4b38ac4e74d88b513cae40be01
SHA256: 916279b765e93236826a1aa71f96924084707d50486739e9b4524a3f773d41ae
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: meta.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/meta.js
MD5: 11f14aa114ed56768aa48301be3b9f03
SHA1: 516781b99334a9aeaed0d9f1b9463d8330d00ab2
SHA256: f95786f9c83e631225fe7866f39892f808aeb015e80ce9d8a58d5a1d4e9c4bb6
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: methods.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/src/edit/methods.js
MD5: e0aee4bf62e8df22b1edf8c98171c1ff
SHA1: ec9e2b700a1252d5787249b1c8046b5fb0df6073
SHA256: 80aa117e54c13edec48656384e623b81f8ae5ecece3f426ba9b4638872fd88e6
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: mirc.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/mirc/mirc.js

MD5: 23555fdd21b7305d57c24d1378a03754

SHA1: 373c327846304793f8016feaa0164226d6fd5020

SHA256: ac173799c5f81a8c8813a5b0c20b700b27a1f571d1e70132e67d8451c3efaa5e

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: misc.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/src/util/misc.js

MD5: e94bdb7dadf69d57a0baf64df69e7780

SHA1: 7d04fd04c64f91033740df1756ceb180fe1ec38b

SHA256: dec9a3df5d525da109210c8f63bc47ef6270de5d0336e446c54d6c490f45bbfd

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: mllike.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/mllike/mllike.js

MD5: b30e7da7837eee7a5966685fa03522f0

SHA1: 648a539e28df2714182163665b797d783cd47d80

SHA256: a887947e50c37db0215fa4076c3b211093dd9abf643518a2f304677bef848211

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: mode_state.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/src/display/mode_state.js

MD5: ffc05060eaa3b3d89beaaaae86b0483a

SHA1: ad4db1fa999cdec7dca274bc0d440b9817706fcb

SHA256: 7d986b2f9cea39f7829ffd57fe70a6d891afb68bda46557f3d361fce6abddedb

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: modelica.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/modelica/modelica.js

MD5: 9d173268d73ae885e07741f6a60913ef

SHA1: 2cebf05d43ff1b9a4608bde365d0e340b9e2b08

SHA256: 96befada89421de8d32f6355c326510128e429167390c60ba81d93dfce4b360a

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: modes.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/src/modes.js

MD5: bcf367e11e7fac26e7f1668e8f1d1968

SHA1: 26c51a0d675e8420deabe41af39537b98b494f6a

SHA256: faf6b57425b7b95a14650da5da6a488cde013e23c1ca57e4223146ccd369230b

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: mouse_events.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/src/edit/mouse_events.js
MD5: 9a8c2a4f4b71ceb0d641c905ea325dfa
SHA1: 88d8b3f37ba37358b2f270ac184852f0f53c4e8d
SHA256: 17a6d6d77b3607cfd0ba1d551fef84d161747a62b42ecd9454d7427a1c3da610
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: movement.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/src/input/movement.js
MD5: 386a27ecd12315f9eff836ce5ab2091f
SHA1: 3170cd5a925774250a79d9e1c9130040e89a6be8
SHA256: 45f4ab6d34f817b4d945449664a35848a252a87f7aa7e917cbefd5710cc06334
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: mscgen.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/mscgen/mscgen.js
MD5: 8e06dd81adc9a26c6c708d253868c290
SHA1: d44dd69d6fe4e456417da210928371090d426921
SHA256: 91eff4cccc80f0048d1f7efce0197be483a013dd299e2718b49315639a3d4885
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: multiplex.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/addon/mode/multiplex.js

MD5: 0bdb637f0ca08689fe55e572cc10ab16

SHA1: c1eb99a3fdd03722c84c78cb9351791428ff0bbe

SHA256: 09ec21386de4e951c1eefe0f1db478a9f57701b202ce18424f2b89d4f74aeff5

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: multiplex_test.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/addon/mode/multiplex_test.js

MD5: 8a377bbbcf33896551524b1ccebcb823f

SHA1: bf15c3dc16b8de593577266b9ef1f5625d67a0ea

SHA256: 73e22c6765036bce1db37e31f8c46d62a56ca232840fb4fb968d17c24c3e8f74

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: mumps.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/mumps/mumps.js

MD5: 8e0c6375b6bbe74f633feed856f4283c

SHA1: 6944b10c9a28d7097d90291dcae08e9924461140

SHA256: 1455108cba483e767bc5072ebda6c4c219395adb574aa70f7d7ec856225c3d42

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: nginx.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/nginx/nginx.js

MD5: 63e717882de52ba3a4bb62c9e7bef83d

SHA1: f008d01cd0b803de9bd5bf1088feec56c6eac9c5

SHA256: e35111d1834678cd34bfec04abe169cb11739f39750d1c41ab57c8f2524748fe

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: nsis.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/nsis/nsis.js

MD5: 4851ad88c595ddafbe3979f2e47b4d0a

SHA1: c27aea13ecb53b8797926e831d8730099a585d42

SHA256: 5f9aab831632e1de8d8a4f6fcf52dcd75eb704ab8fe47e2c76aac24c8c30fbd7

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: ntriples.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/ntriples/ntriples.js

MD5: a21f011183564e5725ea16a6ca11b089

SHA1: 62d7d39e91ecca5bad75c91241aa31421a303ba4

SHA256: d7a1fd7fba26679ecb0a6ac0b67164ed12a37db25d32ece3472920c6f25a74cd

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: octave.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/octave/octave.js
MD5: d830f31f1647efb252a53d0cb1f18aa1
SHA1: 1abba38966f306c238e8f9cf168f95db0e16d5a5
SHA256: b6c6966b9a564ceafa2b2c5ddde2f2efb0349cacdab3f61d90fce2544ece8615
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: operation_group.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/src/util/operation_group.js
MD5: 72f0c675f45f87c9a45b5f5784212fa9
SHA1: 8ca609f3cf238954efccc55c720e733a56f5029d
SHA256: aaa9c34bd1240b164897a412a257d2e693d2ad35bec219cf8959561de6559edb
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: operations.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/src/display/operations.js
MD5: f2e13ff94b86a05aa5daff82022da8d2
SHA1: dbbbc8bf0cd26ed344d48e6be8ba83d3a3ad983a
SHA256: 6570698684e4da9507306248649b72c362cb918b63180b3b3571d91ffed78f83
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: options.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/src/edit/options.js

MD5: feecb2723f03f979c8b8c9a85c553a1d

SHA1: 99d3d0aa7ab678573f2970b2273404ed4c7cc73b

SHA256: feb45909b7d01751e0edd20b7156ad016ec045cb2eea8e92b96b1505bf6e2159

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: overlay.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/addon/mode/overlay.js

MD5: 3cb76447dd1f64cc2bb037f3ec8c88a9

SHA1: 1ad72da6c675d9b6074f69404c66118ff24389c7

SHA256: 1b44334e2a04d90f2b473c26847798859039190142e53f72f3b7de0f82696d0e

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: oz.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/oz/oz.js

MD5: a097901a9fe996b190b9103a64ace0c6

SHA1: d49b86c59bab331924fc03e3f680af92a6bd79d5

SHA256: 641554f9736e5260ff1aea064749a590cba2a854bad6fc334db8ffa2bc1a6892

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: package.json

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/package.json

MD5: e2faa7704d8de49e9d70e7a834d83ae8

SHA1: cab269db696fc76be4a9c83dc82f287546253792

SHA256: 352f4e90706a839430cb2cee1a2080b0c1a0660243d4d2a544e81a57cf8c006a

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: panel.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/addon/display/panel.js

MD5: f647c5e58b5c032c1691693333104941

SHA1: 5c8285f946d9888b499ae0266e8e165696947074

SHA256: 2b137f8e8631c717d2af81edc341d436cd3a6debb8e9fdcdc20630296685d3cb

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: pascal.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/pascal/pascal.js

MD5: bdc6c5432f1408c29254a933f45ca2e7

SHA1: 541ec18ed0863a528118a8026b6a5aa11a9c5918

SHA256: 5eaac022259857d3b9b127ac0deb76c84d2523dee102d203738293f95ce5086c

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: pegjs.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/pegjs/pegjs.js
MD5: ad4350eff079b204cd634114959c0904
SHA1: 978baa600d3539e1eb05834fd0b7d659f0fed792
SHA256: 8cc7fe980c79a1ded9265d338062c8ecdfe6e0d044fb795bf11eb8d9813dc492
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: perl.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/perl/perl.js
MD5: c6a3b40a8b2971690ff06860516bd140
SHA1: 08bb3e219af9990114dda08e2ad935c5992dd39f
SHA256: a614830dc6e71770cb4feabc487dfa1b72e29444789b94d1bcad62490827ca1e
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: php.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/php/php.js
MD5: f2f1668dbc8a4b0fd9f031dceda0e4ab
SHA1: 31d6961d6d4cbe7bf5deb2f0b5ba099c49e5c962
SHA256: 07819ae34d5830a3cf040e1904d4b641cb70142845394211f7fb63c891d80945
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: pig.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/pig/pig.js

MD5: 40f967482626259f7cdfb972548743cd

SHA1: bd2d7d6522d69e9849f8a6cf3b631ddaf50a091e

SHA256: e9a9ec475aeee8b2f75fd1c8a58ea0a2d0cffd383b1a3fb8bdc460881d612352

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: placeholder.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/addon/display/placeholder.js

MD5: b5b4d8391f1b94044cda61cc979cc772

SHA1: af7eaa5519c4e0fa823224593b0ae0b7fda73a23

SHA256: 44619626e2301fc16ebade252564e2c064113483e02f2fc8d8d262aed2485b9c

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: pos.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/src/line/pos.js

MD5: d1fc4bdcc5a93ac92f4c3c9cb34bd220

SHA1: 810afb684197135ac8ac6626a4a7eebef9ad5cc3

SHA256: b708bfbb9ce809d5ce2d1490d806933fad9b471ac63e0f4c72a31ada57e05f9b

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: position_measurement.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/src/measurement/position_measurement.js

MD5: 6c17908c000f5a7beb67e75b1340c3ef

SHA1: c5dd40151e773a61694906cf92f941fe27ce51de

SHA256: c5c488b91320e33d6e25fbb8ce4fbd3c28621511328b48e9690f797b81d51c32

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: powershell.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/powershell/powershell.js

MD5: cf3b0559e54ae537a420d86a07b441a5

SHA1: 992cbac5ee6c618eab5f646438ba5fb54f66cfe1

SHA256: 9530fdf52d164be6d021a87de567acb8738f86f6fd98577533a9db3545e873c8

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: properties.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/properties/properties.js

MD5: fdca15c3c811413459ed12fce119db54

SHA1: 715881cc0ccd13302e302dade67f675d37cfdbd4

SHA256: 3f85f36e32edf82eba526ad56edadf04c33864d72bf0cfae2592a490530a4966

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: protobuf.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/protobuf/protobuf.js
MD5: 3e57a349742d01647347b7339572d9fe
SHA1: 909346135655b3aacdb909a19acb59876e2810dd
SHA256: 93d1459ed6cc4e2a4701fc17959fe7f56b797d1d35b47f44b8030c0d19adf5b3
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: pug.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/pug/pug.js
MD5: 63473aabe4ad7435cc804132bf743ec3
SHA1: 4e624a3174fd238241f692c1f935ae75d41269f4
SHA256: 1f9e975ab889f6dd9183758bc7b454224dd11859b8e045ce5b98e2c4a05bcf9b
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: puppet.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/puppet/puppet.js
MD5: be03e9aad763ae4b5ee3d6a226aa8c78
SHA1: 7dae96b96e285c5e747624c864be8f1b0cb61e5e
SHA256: 237b966a50a514c6beabddfb83649797f764a29f7f2c7100dac1f411709040af
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: python.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/python/python.js

MD5: 9b50648e6f546e4f63f1a8eb25adb039

SHA1: b178c4d31cc4eeefe58e97a60723d47af96b79ed

SHA256: ec56443dfebe73f332cc639289ad2de6921560c8952a3e2127397a0849882657

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: q.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/q/q.js

MD5: ec0a69917f7ff85ef3c89ab34cbd0ee9

SHA1: c52261047f62fbf5a52a2fb36e0e926859505ac3

SHA256: 1fecda8902c9c63fa36833c073370e479c7b8def1b883147c364f81cc6ac9171

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: r.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/r/r.js

MD5: 32999ceba0af47e9e6b4042314e2cdc0

SHA1: f044c32fe6998d6c6fbf774910766fca456273d5

SHA256: d4b1d1ad4275187d4f371fb61ca77ec10f63deba233644c484667750f934b23c

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: rollup.config.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/rollup.config.js

MD5: 73a1da56a828ad2854d28749fc155632

SHA1: 48bed29223b72a22a9939b57333c2d6e58bdfd39

SHA256: 8c887c6ebd69fc77f4d1690cc0eb5afaaad25f0e18baaa5c7fdb16a6618ee08

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: rpm.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/rpm/rpm.js

MD5: 5fbb2d4919f2d396e78074f4c98812c0

SHA1: 719d22639e2bbb16d80df811da20013f3998c42b

SHA256: 5e8a8253eb986b58fb170e2d58bdd134b05fc7dc02a456374a034d7564f77fcb

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: rst.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/rst/rst.js

MD5: bd89a589282ae08505026ef31cd4c6ad

SHA1: bfc1dea7ab7b49ed20e4127add87019c8dc56850

SHA256: b50d542cf38074c392f7fde44ef2cbab24b45bbfd178c426cfef6848d6d3e90d

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: ruby.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/ruby/ruby.js
MD5: b0b2ef072186390edb0444a0eb2e315f
SHA1: d63568f7de026f9c17e0a4124161ad5007c0c709
SHA256: 953daad8a24225d56733f77c0c4451cf05436f70ad00e5dd1618486a1d5e01b9
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: rulers.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/addon/display/rulers.js
MD5: 267bb54847534c8bfb41dcf227f7aeb0
SHA1: ef8505818354f0e8e79d6ef7a902ec0feaaa0ed7
SHA256: 175d32d6794e2d917f446c4bcc8053c9a9e69eb9fcb3b805daaf015189b6ec03
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: runmode-standalone.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/addon/runmode/runmode-standalone.js
MD5: 51867497bb73c2eba5e2e6cd1352f29d
SHA1: 591c22764dd7599a2d443c593bd5d4fd77928e65
SHA256: c1c9bc16a627699da49d9733f93d75963603175081a540b276f11c604739abc9
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: runmode-standalone.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/src/addon/runmode/runmode-standalone.js

MD5: 8bb22c65e3d5cb3b6466654c7c6ec4c8

SHA1: 942779dcd636d8372e9d8c9949858ea5b68bfdcf

SHA256: 8a06491ff4969718a7bbe2f8ae9d380e9f05f0947d7f5e0d940930e5a929e469

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: runmode.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/addon/runmode/runmode.js

MD5: 6b9c51f3ec2f5a79c75836a0f75569c0

SHA1: 88d7a8053ef7fe9996f63800076992a5f65c4dba

SHA256: 920d8eee55e987468236ba7ed2886de0bb8b2fed9d7060383a39ea29924ae885

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: runmode.node.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/addon/runmode/runmode.node.js

MD5: 3847af673a6ae44d53fa8d697df2b8e0

SHA1: 91e688f6fc356c47f9bea928ea3768b7c7a57693

SHA256: 0d796745f8db549e4ade4132025a45994f45dd6f4765402ee75e4113019edea6

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: runmode.node.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/src/addon/runmode/runmode.node.js

MD5: fe41270e99f973a568d5a823cd6e2bfe

SHA1: c78b8d45e3db1891ad28f93b64ebd5ec6d0b9c98

SHA256: 016bd87dc725d65c80cfa58d2e58033e013e703878cc05f322f938d58ddbcf9e

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: rust.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/rust/rust.js

MD5: bfb43032004a8d5d115c6b817cbbe2ba

SHA1: af76d8276b553e168b5fab49108e715452cff07e

SHA256: 797a9abcf8581f192bc49b11434346d3f8014763f4967ae260fbe31f25b2bdfb

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: sas.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/sas/sas.js

MD5: 46f6d321e806768f9ebbc0155a5f9807

SHA1: 441d94bf2da7c5299662ba76dba352aac7df705a

SHA256: b69f2877e395b89682a4066f62f686c12cb66eac441b6c1d3ee15d5004859f43

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: sass.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/sass/sass.js
MD5: 0067718b0d6fa922bcf032b58966c3fa
SHA1: 1dbee553e6dfa3d57a3aa6548b43a753ccdb7380
SHA256: 01ba99f4a91e70d2a5d3ef881c542f14a1f59f3ded58672484bcd56b41921866
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: saw_special_spans.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/src/line/saw_special_spans.js
MD5: 72b6184ab657ca37a0d984dc73e7088c
SHA1: d84fccefe8c3cd0f1a0b5b2f388de87e57503df3
SHA256: fb122060ec500dd99a179c002fbb6a8709eba030bf8f7695d868109b470b31ff
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: scheme.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/scheme/scheme.js
MD5: a64f664dcef608b26dea48b1ea52b622
SHA1: 1e90715a9ecc9c8cc9500e9b064ffe0defc60b9c
SHA256: 0bc81b318e12c7c5bbd94943d9d64cf1a64674c3bcc7057788ed1ade8701ab80
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: scroll_events.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/src/display/scroll_events.js

MD5: 8c96ad450d94581a7a461c44fa1e7cfd

SHA1: c92034958533fbaa6512c99d715a6032d43355b0

SHA256: b0472dfdc7a904f6a082f064c9384dde3ce1ec95953d9c276216424da03ffa01

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: scrollbars.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/src/display/scrollbars.js

MD5: f06876b47feef8deb64e7cd59d76ab1f

SHA1: 73c1a417818efb800852fec0742136fb1c891c1f

SHA256: 11cdff1fc628da528adf11b23bf19cc06072bb573cde470669343d27be9b0ab4

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: scrolling.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/src/display/scrolling.js

MD5: 104c04ec259e68a53516216e4947e9b1

SHA1: 54446fd791e3331041e6e9a0874fa66d4794bcb4

SHA256: 07f6964d12cb85a698967bcfeca73824a7b602475d488ed6f57e2981879e7487

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: scrollpastend.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/addon/scroll/scrollpastend.js

MD5: 74be53ff23fb5eda7725c96f1ff683b2

SHA1: 1aec49fd4f7f5571fac13fddaad9eb1705cd522d

SHA256: 6cd389df1da1ff9ba25728e03afb7f47df3162c3d9bdb5cedd06fc91c6199479

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: search.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/addon/search/search.js

MD5: aee5a4efc34387df3d1974e09cd2965e

SHA1: aa36dc4a27460ccc0b4b40ee643907303b64a880

SHA256: 4949580371fcd81c0ad70164b169dd8bcab2bd9869eddaa0d7e295508bec7a04

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: searchcursor.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/addon/search/searchcursor.js

MD5: ca8612c41c44b87a10703ffe71d4f750

SHA1: 6bc4c36ea23ce7bf583f95ba4ad49e599bc646a1

SHA256: 2c0b8cd8fe7ca5ca2253f4aacc914b390bff5b3cac3475df66c43a9ea8c8ccbe

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: selection-pointer.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/addon/selection/selection-pointer.js
MD5: 3ea743f9f1b458692e5258bcd8aafbd8
SHA1: 4306383d109eb987ee62a6e2defa8926dec870ba
SHA256: fdd7ff53d0ca796c5e3792ceb5063c84d0735bcacf198a1c06c78880f1c664a22
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: selection.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/src/display/selection.js
MD5: 34d76a4a0d6602f8d4ff937e499f7906
SHA1: c759ce0c87a62abdd8916125e3bad601e4ce4efe
SHA256: ca2d26085ea9380b686c57d5ef8789e3c3032ed8c5d90ae0e1c9dba69635a89f
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: selection.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/src/model/selection.js
MD5: 8f89f30a603010383e7c118550697100
SHA1: da2d4548c10827c45fd625bdfd1ffdf0e28e0c30
SHA256: 03cb03c86030e258ed013dc958cab854e2978893145cb096468ff8149417502f
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: selection_updates.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/src/model/selection_updates.js

MD5: 252e2ea7a38323b8d82902e6595d23ae

SHA1: 27719d66e1ff98e650abbc5b48f2f4635f65df13

SHA256:a285a62ec8522c5d8271505b1438dddaf39c3dbfd4dec5ac01971728e21a765

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: shell.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/shell/shell.js

MD5: ab0fc779b5fb9bdc1310a28d7dccc379

SHA1: ece7e7661886871cc46ef71248c67ea53a61ac7d

SHA256:24f77cb162ea9d9e9fc79b95ba547a7cc10a0767e3a5a52c786d4c24253736fe

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: show-hint.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/addon/hint/show-hint.js

MD5: c9e3db9bd2540c05ac67b249f8122387

SHA1: e8092d9477bb1ad4d17d44522d99cc67ead53b16

SHA256: 28d2123fd1c9cf197651c2a0b3cb65762ba06dc073e023c75ec05b1f139b0af5

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: sieve.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/sieve/sieve.js

MD5: 88c6148d955c6542b3f10482b736e553

SHA1: 72627a945e27e3044717e5b8db378f3d776ad0fc

SHA256: c233866cf4990e2f28f11c96ecedc7e7dc465c19c5b445b30bdc037118f7b65d

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: simple.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/addon/mode/simple.js

MD5: 282f2d54ca2c7b60ab4bc0cd762b943d

SHA1: f08a5e5394568164edb85911dfc452f433bb2483

SHA256: 400f49309b31197c0c4ec76519c93647b494ab80f59f96d7f051463e0aa37eb0

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: simplescrollbars.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/addon/scroll/simplescrollbars.js

MD5: 34d6903cded2822fb2261678e1a479cc

SHA1: 0707d27834fdde0fe2c32935af79d4575cf9f1ad

SHA256: 62b48bff43436bfb8ecc5e3273e6047f0b934c1d873c81e863e13bb462d1e1ab

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: slim.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/slim/slim.js
MD5: 447874e5c5dd225949004c357d17ffe2
SHA1: 2cdc3263aa6d9766131d73157afb05fc6767b50
SHA256: a8d555221c610512119f2107d58bb1c57d294cebc91f82638ea6e235286b5c15
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: smalltalk.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/smalltalk/smalltalk.js
MD5: f6e7ef04f9f907a13604ea5b1938d3d7
SHA1: 57f009cf2b2147f14c530f697dfbd3ac493e053
SHA256: 9f649668162a61cfa6a3528dbe513d012162932c742c7b0696078bd2a6d3b190
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: smarty.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/smarty/smarty.js
MD5: 3ccd6f2129ee79c85ef96a8237f1de7a
SHA1: 5fc274f49b704c0a99e0f0b9030c90f56fc7c1f7
SHA256: 9e95bcd71635efe200c3871c57cbb1c07edc1f8206d173f4552fd2dfbcf9e9af
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: solr.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/solr/solr.js

MD5: df4ba46ed00e24c144deaef9a817d024

SHA1: c880da8431afd54034ae7fbfedb45d94966638b7

SHA256: 17f16060f00cd932914722bf2cd1a01318c402503b62f3bd2bda09bab6b42b85

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: soy.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/soy/soy.js

MD5: 1db8a99a573b2ab07cf30cc58da1bb2a

SHA1: 7c0a178caed0b849f140d0b21de6548a0355f9c1

SHA256: 358a1861e92366d238eb240fd5d5cf8ea6f5fe219f389667d277031c0a1a47c5

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: spans.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/src/line/spans.js

MD5: 52150a5a01dd7c56de003aa132f71e25

SHA1: 92cc8b4ab38a103a106f574c40d25d16e97d48eb

SHA256: 719ad01e720518e7594a76ed4dc4904fec7c495b12d87fc4599b40032975789

Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: sparql.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/sparql/sparql.js

MD5: 856d73e41310b4dd6a18f13d64fec0be

SHA1: 1669e717cbfb9fa9b30e99415a6e5f7a66feb286

SHA256: e646ae1e2796c936a8760af321089f5814d0158ef72aa3f3efb60765430a2e6b

Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: spreadsheet.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/spreadsheet/spreadsheet.js

MD5: 370c01bed3c433131f942ef7e6f69187

SHA1: 94b3e4c80f954a378ab94f13068d879e9ab3394b

SHA256: 0807dd557c55f5b6d8579c5c9019c5eddcda9c56ce559190e5f2985b156a00da

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: sql-hint.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/addon/hint/sql-hint.js

MD5: 8d41549d89ca9bfa3ef068190df379ca

SHA1: 6a2cbde78c9311f75509d3350877a8018499e8c7

SHA256: 60703945eb6cc93d4f47d70b65f955e66ae8a22c0cb1ceefa69cf0890564544d

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: sql.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/sql/sql.js
MD5: b48a3934b20b392ae812b17df05355f4
SHA1: 40d1a558afba1f5043b23131e496de37d8e2dfb4
SHA256: ac23d3f196deb9be25cfcecb966bdc1789b9e177aac683ddccde1420670c4d8a
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: stex.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/stex/stex.js
MD5: c7ef8ac785ee813860cc414ea17dbf6d
SHA1: 3e46d97b4e694c7389cd0df4d13b914697d28c8f
SHA256: edc1f57c69920967a31defb66954aa29f5751fdb2f7ed8e52fa08978ff890e3b
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: stylus.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/stylus/stylus.js
MD5: 7e6d36c0cc269b4e518bd48b9b6342d6
SHA1: ea339b15b178a1082a2acdadae82ef1f4a599f32
SHA256: 85683adef4f0129670fc2e5ee9148ad956213f5fa0c8dd05ac7970ad7f0b337
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: sublime.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/keymap/sublime.js

MD5: 1d7ea7f929183e76740bd9d98e9cac41

SHA1: 84a64b60b5802e86b0689ccfa95665339347f0c7

SHA256: 1d532a67594845cb7163b090a06da9287b896944ab5f22df67f14e176bd434e5

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: swift.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/swift/swift.js

MD5: bf859160b6f348fc2d72673fc40b9da9

SHA1: c6b46b402c9b1fc3166712d68eb10ad29c5d01f9

SHA256: 939dc67bbef9f0f6847f5bc2a89b0c8f4b411d57fbeed4f9d5cc21fabd7e191c

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: tcl.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/tcl/tcl.js

MD5: 28a739b5550bd5ad13b47dbec84a9716

SHA1: 2ce8afb99f36fece39e1b3df7be02509f77b19ee

SHA256: 98552bab94ce9adc9fce5658da2965994a84e852c83098e94564884815b3026

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: tern.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/addon/tern/tern.js

MD5: b9418efb9c0d90a3432dff86169fd293

SHA1: e4d1225e756d51fcb69c2f14ddce1b09fa2a23b7

SHA256: 1ebb5ad38f72115c49865b5537fd9c77da506b7ed2be38bd310306af3c698e44

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: textile.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/textile/textile.js

MD5: d3923b19d37114a9e2a346c191c318e1

SHA1: 979b17e6363d63ac2d1b3a6854ba6196564fc5d4

SHA256: c121fcf3e641a7433b9e328c76aa0b1755aa4c0412e4f59a1d8d6ac24b36df06

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: tiddlywiki.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/tiddlywiki/tiddlywiki.js

MD5: 3e4fb7a08d9df5cbe9822cb1756bec86

SHA1: 84885a1cb7be096c19a3dfddd70252efcc83960e

SHA256: 4b62acf34df4acb1a4bc1a2729edaf221583679761d35e0e9077883810fccbfe

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: tiki.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/tiki/tiki.js
MD5: 6e4bd43879571d0dfa79714f550a3bf
SHA1: 6fd2ece4b20160c1859f34cb245b173459c21163
SHA256:af92cd0858a99f3c5cacf240874db7eac2704a7b193a3cdfddfc5ba70382a293
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: toml.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/toml/toml.js
MD5: dc2ba16cf830b53759b71306e9473ed5
SHA1: 1a394f9f45c508febc270b7c0a1f72460fc897d9
SHA256:67bbbc2696788633071f2a2b8a1cf6ca4f4ac82213e3d85b7cd183d60b117679
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: tornado.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/tornado/tornado.js
MD5: f45c2ec37cc008dc5dbd5f9c077ba666
SHA1: 8b55c6a85279c8f7d6b3f539fa097fed877c16b9
SHA256:d006020d7d093cb4f5ed5088ed151d4c45417fe5ccde69d960eb82cfc9e0ecc
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: trailingspace.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/addon/edit/trailingspace.js

MD5: 43599469275c2b662b7907971147c978

SHA1: de4d3ee3d32f01f94921b8b3944c7383da7ba970

SHA256: a0d2c0196d8f4991cd58f320498f7aece971e502e4811ecf58cb5af8e83007c6

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: troff.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/troff/troff.js

MD5: e7f5f0a2bf68a81f0f3e547ab5640627

SHA1: f59246b4ff5ce93afc87a4ed30a0cba0e6ba4775

SHA256: f7714fdc46774467c168e75fc36eca90e6df16e27afd0b608b882b2df769b8c3

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: ttcn-cfg.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/ttcn-cfg/ttcn-cfg.js

MD5: d847dacea4534ee2841f01f5ac419060

SHA1: 0df7a9b8f5e91e2ae8d5a8a02c99bf779e221743

SHA256: 22983894e4a3794c9bcf396e7a4119efa5ea07a4f97e060e15f3c13ec2c1a01b

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: ttcn.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/ttcn/ttcn.js

MD5: f94e618b386e8bfd0ffa2252482e9c84

SHA1: a463a8817c26dcec47a7d006aa097dacf74b28d1

SHA256: 10be6704eac48032ce00890bdfffa03d445aae18e3ef7bd74eb14a26e5867a28

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: turtle.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/turtle/turtle.js

MD5: f36ec21c639822b370b87c63415533f1

SHA1: 9b6341bdf7330b71a5959cde815241b6e7deaf05

SHA256: 0f82b51ecc43b95e55a752f80f719f8a39b607697b86d3fa4523a5e8280d3520

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: twig.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/twig/twig.js

MD5: 09ab2491f1056e9d142e233dbc9dc1de

SHA1: 4cb5eb7c9bf77dce80f92f2498d83af92f3398b8

SHA256: 72b6e091bbd6a7c6eb786db2591c1f6f59c7880ef224ce5365ed39ec786d583b

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: update_display.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/src/display/update_display.js
MD5: 8a51230ca1be6a91aeb25d4d0f7b55a
SHA1: 79b7a1faa3bfaa65f28ab4e324fa88b485ed21e2
SHA256: cf96f09d7f210f2cbf0c1912058eca1f96b51e63b1bf7b39016c0156c2b9ffc6
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: update_line.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/src/display/update_line.js
MD5: b9b8f3c5e697e33d73d1044eaaa86dc9
SHA1: 4f7c764ac36b54c918f06b68129b8835b22b55f4
SHA256: 5fafd013fc16591f0c978c6a4bacb3cf054d52f5051becd4325de8c21ba07f7d
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: update_lines.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/src/display/update_lines.js
MD5: c864b2f05d2101a47c52b9c01aad5b47
SHA1: c63e8555c30976387f5904fda11fb55174743a88
SHA256: 80e80a6c8ad664587c2f01128e85c5c931f29cd021381584e2195073a53df45b
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: utils.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/src/edit/utils.js

MD5: 4e9e033cb9daa0702d84b88dfcebae20

SHA1: 8e5257ed7b93a00cb5ecbf544d6a1043f2edac7

SHA256: 06220f9e424434492b73e0aea65bebbba1fe74fc3002f8b3672d1d0d3a445f20d

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: utils_line.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/src/line/utils_line.js

MD5: 0f6f365b60c1688d8f0fcb8d57a9d9d4

SHA1: 574435cdc400815c829db19a67652b7077b00433

SHA256: a8b39ff57b6d43dfceda786380d6dacef7b1738a81fb6033e7573502501d4b6e

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: vb.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/vb/vb.js

MD5: fa430588a34292ebd66e33fa60217b4a

SHA1: a89cb1b315fbed1886d709d921ae95b216d89fc9

SHA256: e8f8e4496baed70b1e6ff44979382bad81b921b9570b7da1a377835e973f28f6

Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: vbscript.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/vbscript/vbscript.js

MD5: 2da61e304ec310d9291e372c53c6b06a

SHA1: 9c582c79ac9ef6d1c08850c180f988bf974aedb5

SHA256: 77109e0c2218502dac03b5bc3b290cfe0b46ea00f4d267f3dc4378d9abe1bdc9

Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: velocity.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/velocity/velocity.js

MD5: be30a2a88271b692c85d7de9744f7c16

SHA1: d45880a6f5d3d4840ed1297d7b3f14ba4c9a4be7

SHA256: 3c076c7bdb1e2d3d25bffa1a682556ae449f1545c3731935306333b5831aa951

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: verilog.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/verilog/verilog.js

MD5: a79b1a94e41866ba625c37e77a76ba16

SHA1: 4818788973bd3f66d3b9e14992710d96a7ec18d4

SHA256: ae7c58b13650019ca08760e04f3ece3315e889eb5aa849a34400f16542610eb1

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: vhdl.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/vhdl/vhdl.js
MD5: 4f804b6884d0d7c233a0acc15fdab384
SHA1: d30d775adce22818b6e3955fae1d653028abb5dc
SHA256: da078efdda01a1245fb8ed5a16cfeb0a51823e5917e3802457041dc48243539
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: view_tracking.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/src/display/view_tracking.js
MD5: a26525bd629440e84b02128d6eb323b4
SHA1: 2cb6103f9dad13f5ee416f272cc9f8f14084ffc6
SHA256: 077f385b690f0c7af9976cb7b6d2b60a175f762753a77b3060a6db2686a5ee81
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: vim.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/keymap/vim.js
MD5: 3a5542b6dabf86e3983f29c5c5a184b6
SHA1: b8afaac94045745d4517c9635a5d0c1c266db7ca
SHA256: c8124370e0ba7e76d5cde3c18d257c5c99e5578d6505f0eeaab5c791673c40e8
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: vue.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/vue/vue.js

MD5: 9e7dbdd0bcaee6279ed4e77f5ebc36ad

SHA1: dc5c50230 added 556f9c3530f781b7a2b16ad30a20

SHA256: 8b9c4f59c1230c537f44f593f5d608a81604e4b3dfd345ea938939d0d62f668e

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: wast.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/wast/wast.js

MD5: fb1f6ce81911f07db605e2e5ccf41cf2

SHA1: be86e08e18cc74130b483022c355846d72116c20

SHA256: 8e8ae8ab4475c66d2f05960ffda597af6279c8c93f62cdab443407bea74c0091

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: webidl.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/webidl/webidl.js

MD5: f31e84cde3fcc1fa2efec9889038d7e5

SHA1: 0757847217a95faf4defc9685f6821accb9d8988

SHA256: a12293542727a69514ae5477a65e33eed4f871fc207c6b275c9d8be1f2177062

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: widgets.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/src/measurement/widgets.js

MD5: 675098b5f0aea0bf351a1b5762febfa6

SHA1: c922dccdf98c79f92fa086bc2a36d970c76b56df

SHA256: 09874ad13a856fad11b3afd084e58411741ee2735e61b4d95fefc060b60bfd65

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: worker.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/addon/tern/worker.js

MD5: c6d16e68bc203e9489fbbd11b5b100ef

SHA1: f8adb9ac9944f88bf6e69048c001f89537f32198

SHA256: 80c0e9bc4e2ef9ca9c97199818318429d26fae0d2452a20547b1e458eccf794d

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: xml-fold.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/addon/fold/xml-fold.js

MD5: bcfaae27958026e83cd442b5df731da4

SHA1: 7ad4740f2ecbaa3869b066156b19401075a0315f

SHA256: 4ad0fdc2f93882174c9071e9a3c2324d15d4deb0c43fe607f9efe01dda1af9b4

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: xml-hint.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/addon/hint/xml-hint.js
MD5: f2651770cad286ae58d12e9f5c4e9e6f
SHA1: 17bce6be75e45d7a291a32d0c1e346e4818296db
SHA256: 6b78f04d2137358d5a01e9fa2b3a8f069acc70f925cc7efc39448ebe9599a805
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: xml.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/xml/xml.js
MD5: c93fe254ef100aeb5c9dfcda4c91d27f
SHA1: 510c71566cf81560cb5bd1bb25287ed6502dde75
SHA256: dc7e44d410399326f802e2924573cbf6f942a79f647fd0b97f0b607973bc9a09
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: xquery.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/xquery/xquery.js
MD5: 56cd9562591919c15b7610f13cd112be
SHA1: b294546669da04806196e6aca774914a30a0b3f8
SHA256: 618685277efde78e0e48fd5cf95948ae32a4d57de942038ed0579415f3f2f9dc
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: yacas.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/yacas/yacas.js

MD5: a70c01cbbd7d4311d4dda287ace27a79

SHA1: e853bda930d5fed1db0bd56ab9426612e759f9b3

SHA256: edab39fac054aaee5ea8ad3d09e0d38f57d5b24f826df7561526b5efb229fc72

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: yaml-frontmatter.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/yaml-frontmatter/yaml-frontmatter.js

MD5: c2dc6071833d8d9bf02d81244403cbd6

SHA1: 212780f18d78644233eb826c8c660eee51b6ac70

SHA256: 98baa91eee7ba77aaf150a59d7e5146d4964ddb271076cd963cce43f9928b3f8

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: yaml-lint.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/addon/lint/yaml-lint.js

MD5: 925332d44aefcb89b106d4fe9b32e93d

SHA1: 19221be874d11d57582a77dd08fd2f244e9b5500

SHA256: ee7249600f6b395c302b24054060f8abe87cbaa68a9f426593ca5e5f3748bbf9

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: yaml.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/yaml/yaml.js

MD5: 77fd959da1bbaeff5cdd97689da94570

SHA1: 9b206b33cc7b2b5e1e21d39bd177b1c6500e9722

SHA256: 3256b4e40302d4488834925a990edb32cef7d431f70a40917c1c5398468d861b

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: z80.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/z80/z80.js

MD5: 85b28ee5eafe8552bf842eeba91325f7

SHA1: 34971fc9b5ed5aa2f8714030186cd3e0056cb2ac

SHA256: 0f501d7b8c9c48942900b4d7131f5bb18130395024e66ea5d98aea480f845e2e

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: commons-fileupload.jar

Description:

The Apache Commons FileUpload component provides a simple yet flexible means of adding support for multipart file upload functionality to servlets and web applications.

License:

<https://www.apache.org/licenses/LICENSE-2.0.txt>

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/commons-fileupload.jar

MD5: e57ac8a1a6412886a133a2fa08b89735

SHA1: ad4ad2ab2961b4e1891472bd1a33fabefb0385f3

SHA256: 51f7b3dcb4e50c7662994da2f47231519ff99707a5c7fb7b05f4c4d3a1728c14

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Vendor	file	name	commons-fileupload	High
--------	------	------	--------------------	------

Vendor	jar	package name	apache	Highest
--------	-----	--------------	--------	---------

Vendor	jar	package name	commons	Highest
--------	-----	--------------	---------	---------

Vendor	jar	package name	fileupload	Highest
--------	-----	--------------	------------	---------

Vendor	Manifest	build-jdk-spec	1.8	Low
Vendor	Manifest	bundle-docurl	https://commons.apache.org/proper/commons-fileupload/	Low
Vendor	Manifest	bundle-symbolicname	org.apache.commons.commons-fileupload	Medium
Vendor	Manifest	implementation-build	UNKNOWN@r\${buildNumber}; 2023-02-01 12:39:33+0000	Low
Vendor	Manifest	Implementation-Vendor	The Apache Software Foundation	High
Vendor	Manifest	Implementation-Vendor-Id	org.apache	Medium
Vendor	Manifest	specification-vendor	The Apache Software Foundation	Low
Vendor	pom	artifactid	commons-fileupload	Low
Vendor	pom	developer email	chtompki@apache.org	Low
Vendor	pom	developer email	dion@apache.org	Low
Vendor	pom	developer email	dlr@finemaltcoding.com	Low
Vendor	pom	developer email	ggregory@apache.org	Low
Vendor	pom	developer email	jason@zenplex.com	Low
Vendor	pom	developer email	jmcnally@collab.net	Low
Vendor	pom	developer email	jochen.wiedmann@gmail.com	Low
Vendor	pom	developer email	martinc@apache.org	Low
Vendor	pom	developer email	rdonkin@apache.org	Low
Vendor	pom	developer email	sean [at] seansullivan [dot] com	Low
Vendor	pom	developer email	simonetripodi@apache.org	Low
Vendor	pom	developer id	chtompki	Medium
Vendor	pom	developer id	dion	Medium
Vendor	pom	developer id	dlr	Medium
Vendor	pom	developer id	ggregory	Medium
Vendor	pom	developer id	jmcnally	Medium
Vendor	pom	developer id	jochen	Medium
Vendor	pom	developer id	jvanzyl	Medium
Vendor	pom	developer id	martinc	Medium
Vendor	pom	developer id	rdonkin	Medium
Vendor	pom	developer id	simonetripodi	Medium
Vendor	pom	developer id	sullis	Medium
Vendor	pom	developer name	Daniel Rall	Medium
Vendor	pom	developer name	dlon Gillard	Medium

Vendor	pom	developer name	Gary Gregory	Medium
Vendor	pom	developer name	Jason van Zyl	Medium
Vendor	pom	developer name	Jochen Wiedmann	Medium
Vendor	pom	developer name	John McNally	Medium
Vendor	pom	developer name	Martin Cooper	Medium
Vendor	pom	developer name	Rob Tompkins	Medium
Vendor	pom	developer name	Robert Burrell Donkin	Medium
Vendor	pom	developer name	Sean C. Sullivan	Medium
Vendor	pom	developer name	Simone Tripodi	Medium
Vendor	pom	developer org	Adobe	Medium
Vendor	pom	developer org	CollabNet	Medium
Vendor	pom	developer org	Multitask Consulting	Medium
Vendor	pom	developer org	Yahoo!	Medium
Vendor	pom	developer org	Zenplex	Medium
Vendor	pom	groupid	commons-fileupload	Highest
Vendor	pom	name	Apache Commons FileUpload	High
Vendor	pom	parent-artifactid	commons-parent	Low
Vendor	pom	parent-groupid	org.apache.commons	Medium
Vendor	pom	url	https://commons.apache.org/proper/commons-fileupload/	Highest
Product	file	name	commons-fileupload	High
Product	jar	package name	apache	Highest
Product	jar	package name	commons	Highest
Product	jar	package name	fileupload	Highest
Product	Manifest	build-jdk-spec	1.8	Low
Product	Manifest	bundle-docurl	https://commons.apache.org/proper/commons-fileupload/	Low
Product	Manifest	Bundle-Name	Apache Commons FileUpload	Medium
Product	Manifest	bundle-symbolicname	org.apache.commons.commons-fileupload	Medium
Product	Manifest	implementation-build	UNKNOWN@r\${buildNumber}; 2023-02-01 12:39:33+0000	Low
Product	Manifest	Implementation-Title	Apache Commons FileUpload	High
Product	Manifest	specification-title	Apache Commons FileUpload	Medium
Product	pom	artifactid	commons-fileupload	Highest
Product	pom	developer email	chtompki@apache.org	Low
Product	pom	developer email	dion@apache.org	Low

Product	pom	developer email	dlr@finemaltcoding.com	Low
Product	pom	developer email	gggregory@apache.org	Low
Product	pom	developer email	jason@zenplex.com	Low
Product	pom	developer email	jmcnally@collab.net	Low
Product	pom	developer email	jochen.wiedmann@gmail.com	Low
Product	pom	developer email	martinc@apache.org	Low
Product	pom	developer email	rdonkin@apache.org	Low
Product	pom	developer email	sean [at] seansullivan [dot] com	Low
Product	pom	developer email	simonetripodi@apache.org	Low
Product	pom	developer id	chtompki	Low
Product	pom	developer id	dion	Low
Product	pom	developer id	dlr	Low
Product	pom	developer id	gggregory	Low
Product	pom	developer id	jmcnally	Low
Product	pom	developer id	jochen	Low
Product	pom	developer id	jvanzyl	Low
Product	pom	developer id	martinc	Low
Product	pom	developer id	rdonkin	Low
Product	pom	developer id	simonetripodi	Low
Product	pom	developer id	sullis	Low
Product	pom	developer name	Daniel Rall	Low
Product	pom	developer name	dlon Gillard	Low
Product	pom	developer name	Gary Gregory	Low
Product	pom	developer name	Jason van Zyl	Low
Product	pom	developer name	Jochen Wiedmann	Low
Product	pom	developer name	John McNally	Low
Product	pom	developer name	Martin Cooper	Low
Product	pom	developer name	Rob Tompkins	Low
Product	pom	developer name	Robert Burrell Donkin	Low
Product	pom	developer name	Sean C. Sullivan	Low
Product	pom	developer name	Simone Tripodi	Low
Product	pom	developer org	Adobe	Low
Product	pom	developer org	CollabNet	Low
Product	pom	developer org	Multitask Consulting	Low
Product	pom	developer org	Yahoo!	Low

Product	pom	developer org	Zenplex	Low
Product	pom	groupid	commons-fileupload	Highest
Product	pom	name	Apache Commons FileUpload	High
Product	pom	parent-artifactid	commons-parent	Medium
Product	pom	parent-groupid	org.apache.commons	Medium
Product	pom	url	https://commons.apache.org/proper/commons-fileupload/	Medium
Version	Manifest	Implementation-Version	1.5	High
Version	pom	parent-version	1.5	Low
Version	pom	version	1.5	Highest

Identifiers

- [pkg:maven/commons-fileupload/commons-fileupload@1.5](#) (*Confidence:High*)
- [cpe:2.3:a:apache:commons_fileupload:1.5:*:*:*:*:*](#) (*Confidence:Highest*)

suppress

remotegui.zip: crypto-js.jar

Description:

WebJar for crypto-js

License:

MIT

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/crypto-js.jar

MD5: d612eb229d3193ec311013353dcc81c2

SHA1: 0d834be82064934dd3cf5b6ebc0bbfef1638302f

SHA256: 6a5e4423940162b371d78d923924acd9ae692e33ce5c23a89c531a140a85b73a

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	crypto-js	High
Vendor	pom	artifactid	crypto-js	Low
Vendor	pom	developer id	webjars	Medium
Vendor	pom	groupid	org.webjars.bower	Highest
Vendor	pom	name	crypto-js	High

Vendor	pom	url	https://www.webjars.org	Highest
Product	file	name	crypto-js	High
Product	pom	artifactid	crypto-js	Highest
Product	pom	developer id	webjars	Low
Product	pom	groupid	org.webjars.bower	Highest
Product	pom	name	crypto-js	High
Product	pom	url	https://www.webjars.org	Medium
Version	pom	version	4.1.1	Highest

Identifiers

- [pkg:maven/org.webjars.bower/crypto-js@4.1.1](https://www.webjars.org/4.1.1) (*Confidence:High*)

remotegui.zip: crypto-js.jar: aes.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/crypto-js.jar/META-INF/resources/webjars/crypto-js/4.1.1/aes.js

MD5: da81b91b1b57c279c29b3469649d9b86

SHA1: 5441866409bd32d32331c4b4b652057fb90bc298

SHA256: d6bb48feacbd63fd455becce7a5528877242f70e73ba1f7838c186ed8f35fd3c

Referenced In Project/Scope: server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: crypto-js.jar: cipher-core.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/crypto-js.jar/META-INF/resources/webjars/crypto-js/4.1.1/cipher-core.js

MD5: dfddc0e33faf7a794e0c3c140544490e

SHA1: f3a446e5a4f8afea7f841e64f351d47b4af433c6
SHA256: bce5bc055bee363d142f0a717d4a4cf2fe1af648cc0dc65bb43d4d376cfbaf12
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: crypto-js.jar: core.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/crypto-js.jar/META-INF/resources/webjars/crypto-js/4.1.1/core.js
MD5: b55ae8027253d4d54c4f1ef3b6254646
SHA1: 06951bbea3ba1ca54de91f0feefc13fb62b66f38
SHA256: 2638bdd7224472f801890636d42df16c144ca46c84229ef3087190d21f935daf
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: crypto-js.jar: crypto-js.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/crypto-js.jar/META-INF/resources/webjars/crypto-js/4.1.1/crypto-js.js
MD5: f716a02969e459fdcf8f37dee235e925
SHA1: 6f2bb245feaa0997fa30b085af0e8990d21395cc
SHA256: f0bdf25fda8f9af5920c82070775864c7e1166eb31540d030e6b80a382e39ce1
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: crypto-js.jar: enc-base64.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/crypto-js.jar/META-INF/resources/webjars/crypto-js/4.1.1/enc-base64.js
MD5: f551ce1340a86e5edbfef4a6aefa798f
SHA1: 9e1b1bf75f35833ca2480ee401b4cff8b7eb1fe3
SHA256:84b69d1625474179d55622a8333c3aac376dd8bc77de7b06c21695762cb69cab
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: crypto-js.jar: enc-base64url.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/crypto-js.jar/META-INF/resources/webjars/crypto-js/4.1.1/enc-base64url.js
MD5: 2aaf8cb964cbe7c2650fddaa2fe53de9
SHA1: 411a390b33297c971db47026af8806cc60d166ea
SHA256:8177807d1e08a925e69470a8dc485d6a0d02992a064fda93dce0fff8fa18c24a
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: crypto-js.jar: enc-hex.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/crypto-js.jar/META-INF/resources/webjars/crypto-js/4.1.1/enc-hex.js
MD5: efb02f85686d948c69ad13ec6a7d479c
SHA1: 27f6a54ae346ef0a9a63084990591e0f986bea38
SHA256: c7dad9931250921c24508ba9949abb818745b38891da44693359249b11ed143d
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: crypto-js.jar: enc-latin1.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/crypto-js.jar/META-INF/resources/webjars/crypto-js/4.1.1/enc-latin1.js
MD5: a8c77d13f48479c2f76678c6e7f06ca8
SHA1: 9753af5959867f998f0feffd6f1699e88c92f39e
SHA256: 24dfce2cc51ec0481aad1f62933bd0ae1238c34c5b0e73aeb1729027c913a26b
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: crypto-js.jar: enc-utf16.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/crypto-js.jar/META-INF/resources/webjars/crypto-js/4.1.1/enc-utf16.js
MD5: e24e079fb22a2f7063cb9f856bdf10b
SHA1: 01f29539d0bc1e2c10638d0f3b9af99d978e15f7
SHA256: c35339900b45fa701c390c924009a95270b4b4d91b427e40984f117c2f7ec67d
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: crypto-js.jar: enc-utf8.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/crypto-js.jar/META-INF/resources/webjars/crypto-js/4.1.1/enc-utf8.js
MD5: 5a9aaa6b97e87bf258edf26223bdcf61
SHA1: 16bab2dd76daec10b9b3e2569f3fc1a207b5f726
SHA256: 8c7e44dc2d49b20fd78a44827fa962a28a5e22e0adfe036aa0fdcfc7adb89984
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: crypto-js.jar: evpkdf.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/crypto-js.jar/META-INF/resources/webjars/crypto-js/4.1.1/evpkdf.js
MD5: 7106e06bc97d1f59a9324ef5ef9c14c2

SHA1: 89cccca6c0e5261d31302cb4726a26f21a84ef39
SHA256: 03a8ec00db105b3b813902400ed65169d12ecd382fa13402fd62c55e251caacc
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: crypto-js.jar: format-hex.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/crypto-js.jar/META-INF/resources/webjars/crypto-js/4.1.1/format-hex.js
MD5: e2f78f02b844140cb8763fa7cd8daa45
SHA1: a359182575c8d43c6e5381209472f8954e4d5496
SHA256: 040a2918bec8cb8ba0a6303fa3c1bbfd899bc8644643e8ac493e3c08a0c09097
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: crypto-js.jar: format-openssl.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/crypto-js.jar/META-INF/resources/webjars/crypto-js/4.1.1/format-openssl.js
MD5: 502d6df5aa16084bf5abb0f3077c13b5
SHA1: 7507a0c1ccf7049a8a10bf2ed73f24af5ed00aa3
SHA256: 1ffa86862e66b6c0fff35cb96875e97a793aaf86ca749b29381cbc67a0877bba
Referenced In Project/Scope: server


Evidence



Type	Source	Name	Value	Confidence
Identifiers				
• None				

remotegui.zip: crypto-js.jar: hmac-md5.js


File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/crypto-js.jar/META-INF/resources/webjars/crypto-js/4.1.1/hmac-md5.js
MD5: 95b2fb61fbadc00bb3dce9098e37256a
SHA1: 143d92d0c7d56bc57036c318cf78dc50cd72b557
SHA256:d3072014eb4186d02e335c511b3cc6e163a5cfebaa8c4ae13634af24887078e6
Referenced In Project/Scope: server

Evidence 				
Type	Source	Name	Value	Confidence

Identifiers				
• None				

remotegui.zip: crypto-js.jar: hmac-ripemd160.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/crypto-js.jar/META-INF/resources/webjars/crypto-js/4.1.1/hmac-ripemd160.js
MD5: 6d51886c1d976bc143c790593cdc0920
SHA1: 29a848612a72b95abd8d8a9ee8d4874939fac6f0
SHA256:28e2bdcb143840e4e01eff312a728e0f652d7dcb0d1bbdceab0bf48ff5cae8ac
Referenced In Project/Scope: server

Evidence 				
Type	Source	Name	Value	Confidence

Identifiers				
-------------	--	--	--	--

- None

remotegui.zip: crypto-js.jar: hmac-sha1.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/crypto-js.jar/META-INF/resources/webjars/crypto-js/4.1.1/hmac-sha1.js
MD5: 4acf006c1688cf4513ed375d7a94f86e
SHA1: 8fbe2fbecb2caa64f74c0393f9f6641f78e3b732
SHA256: e104acb7379b834bd9249e3cfc2196acbf90a22bb10947feb2a1fbe30ded105
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: crypto-js.jar: hmac-sha224.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/crypto-js.jar/META-INF/resources/webjars/crypto-js/4.1.1/hmac-sha224.js
MD5: 875a7a330903a92828b279818e6b06b8
SHA1: 586cc496e368eb6f6119e0a6089ef7f8f421dee6
SHA256: 35208e1e4631ff5f9bd83220dbfbef63290eb93e914055b35583fbf19eb76693
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: crypto-js.jar: hmac-sha256.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/crypto-js.jar/META-INF/resources/webjars/crypto-js/4.1.1/hmac-sha256.js
MD5: 69817fc0da86033d4ef559f0febd3d32
SHA1: 84c60e2a1dce8f06c1e4340542199cc9cc9a3454
SHA256: 11d26c11f858b74bf0f106c74ddb579a112d3e7321fd684365a77ba2a7a5dffc
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: crypto-js.jar: hmac-sha3.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/crypto-js.jar/META-INF/resources/webjars/crypto-js/4.1.1/hmac-sha3.js
MD5: ea6cba03f7c6b257b70c1497022b5514
SHA1: 0d8f8002491a9311c7035aaf07d4a0329f38ced0
SHA256: bc63c36741416fb55fbb3c7c4a78b5e056d9b902a471bb16b6f5672fbbacbf8
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: crypto-js.jar: hmac-sha384.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/crypto-js.jar/META-INF/resources/webjars/crypto-js/4.1.1/hmac-sha384.js
MD5: 7afbdf157b81970eb00a50bc421e7ce1

SHA1: 9196d839c46163f6e51c63410ba0076a09ccf178
SHA256:93494b918b2eb79cd1be66145a41137ac0d65739ed6cb9e04f82bf1d7cdc7019
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: crypto-js.jar: hmac-sha512.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/crypto-js.jar/META-INF/resources/webjars/crypto-js/4.1.1/hmac-sha512.js
MD5: 5d3e9930daf490e45b446cb42b31833e
SHA1: 4b07089a6c56852d15ec948b58408d5b5d32cafd
SHA256:6c2b59ac5e27099986b28d32e425ed3d65a4621c1c6512d03d40b336c6e88a2d
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: crypto-js.jar: hmac.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/crypto-js.jar/META-INF/resources/webjars/crypto-js/4.1.1/hmac.js
MD5: ee162ca0ed3b55dd9b2fe74a3464bb74
SHA1: d68f1ed4e3aed7807fe17a8193fca4775221dfa3
SHA256:c89f8f08ae06990edbc0763cd46853d16c70eaf513de8592b1ffb74a2ad2f7da
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: crypto-js.jar: index.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/crypto-js.jar/META-INF/resources/webjars/crypto-js/4.1.1/index.js
MD5: cb562c09323e042b35ca6e5335579542
SHA1: 8ec84f102ee7ccef9d370ac4bdbe29aca1c07968
SHA256:6f82946296b10ccf775008877319312b9785c616301d4d773cb9d700510c79e8
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: crypto-js.jar: lib-typedarrays.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/crypto-js.jar/META-INF/resources/webjars/crypto-js/4.1.1/lib-typedarrays.js
MD5: b8bac2e22a7a589167e014be77736c72
SHA1: 622fc0f297b3799ff91b08469989e6fe113cbda4
SHA256:a5875f287e6cc6dea0ab64024db32783229a7db55f74deccf6566973bbd76ec9
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: crypto-js.jar: md5.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/crypto-js.jar/META-INF/resources/webjars/crypto-js/4.1.1/md5.js
MD5: 349498f298a6e6e6a85789d637e89109
SHA1: e626c530154c07527abcfb1f83b9ec578a81b234
SHA256: 97dc67431dbd3360ea838fecad611a30f540f8389bbd15b89a1e14ba8dbb54aa
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: crypto-js.jar: mode-cfb.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/crypto-js.jar/META-INF/resources/webjars/crypto-js/4.1.1/mode-cfb.js
MD5: 5847dafc1beecdcd23925f9f4989b2
SHA1: c9972596e02db6c6221ae019dcf1498d30e9ffb4
SHA256: a3626b78fe53d7d32fbcaeaeb92750db305e84e2ccb84e61d735ac7a4dc7345c
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: crypto-js.jar: mode-ctr-gladman.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/crypto-js.jar/META-INF/resources/webjars/crypto-js/4.1.1/mode-ctr-gladman.js
MD5: c4bd3b4755cf275747f8e68b0eed7995
SHA1: cabbcc4100b4d363f1b55d42b930ec547ad67dd1
SHA256: fcd6166981435cc01bdfd2fb8f9e2773acfb144ab8c47e0c71473d9bdee755b0
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: crypto-js.jar: mode-ctr.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/crypto-js.jar/META-INF/resources/webjars/crypto-js/4.1.1/mode-ctr.js
MD5: 6cec0458e4e62c1ff8b534e59f9132ff
SHA1: 591484053ed26919fa6e4cecf7aa723dcade4bb6
SHA256: 9e67161f61922a475b142b2e18cb4470ed7860ef61bc6e7a41f327f7a59be96f
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: crypto-js.jar: mode-ecb.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/crypto-js.jar/META-INF/resources/webjars/crypto-js/4.1.1/mode-ecb.js
MD5: 3a84195b8427195dd9c345a0f3aa2313

SHA1: fe621e95709e31a5289c78d114aad4a920f14923
SHA256: 4f563373ba4af442e1b425b7b7dd1030ed84b9babe9821949922d9677bf14701
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: crypto-js.jar: mode-ofb.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/crypto-js.jar/META-INF/resources/webjars/crypto-js/4.1.1/mode-ofb.js
MD5: 48f5529799d5eac8fa9f855ba1402737
SHA1: 4e97befa1e4d0003cd2fe9d21d85d6636513fdb4
SHA256: b49077bf4bf5e8f2cbb2de0e2d48c4d941a3feba2bc7c629abd51fe2ac8bdb2f
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: crypto-js.jar: package.json

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/crypto-js.jar/META-INF/resources/webjars/crypto-js/4.1.1/package.json
MD5: 061334ee463d77ae9f4cbd513f19671e
SHA1: e9cfcdf1705722502212095c9aa76bfc82ddd834
SHA256: 6d39bc6ae898b85aba801a99ed4d6c79a6b5d9d3a56a1df9343f5d3d4e487072
Referenced In Project/Scope: server


Evidence



Type	Source	Name	Value	Confidence
Identifiers				
• None				

remotegui.zip: crypto-js.jar: pad-ansix923.js


File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/crypto-js.jar/META-INF/resources/webjars/crypto-js/4.1.1/pad-ansix923.js
MD5: ca8ab3266976ddad6e811577212b8c88
SHA1: 505018913484e110aa81842a4511a2a52cbf2231
SHA256: 7d950bc42f262159a2786eea30d1153a3d0bca9aab9acdbcc1a981a8d2854ef7
Referenced In Project/Scope: server

Evidence 				
Type	Source	Name	Value	Confidence

Identifiers				
• None				

remotegui.zip: crypto-js.jar: pad-iso10126.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/crypto-js.jar/META-INF/resources/webjars/crypto-js/4.1.1/pad-iso10126.js
MD5: b1c4aa95c8bc79280076e66352b6c219
SHA1: 9c081665a8d0f4399c5f3874f38f811932900d54
SHA256: d3695304e8e7a001cc6e1b84d4b58abd429dd7e3f09514c260bcd3122a3aa685
Referenced In Project/Scope: server

Evidence 				
Type	Source	Name	Value	Confidence

Identifiers				
-------------	--	--	--	--

- None

remotegui.zip: crypto-js.jar: pad-iso97971.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/crypto-js.jar/META-INF/resources/webjars/crypto-js/4.1.1/pad-iso97971.js
MD5: 4027c92ac1ed3c95f39e8e2a391500d3
SHA1: b7034e19bcb012cf7549baea65a70d25b8e71480
SHA256: f7f7179b8bea5b6ef4f0891f23b563db8aa530376795cd99ef84942cfc62d328
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: crypto-js.jar: pad-nopadding.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/crypto-js.jar/META-INF/resources/webjars/crypto-js/4.1.1/pad-nopadding.js
MD5: e288e14e2cd299c3247120114e1178e6
SHA1: af4df0df185ab10e12fe8c01f885027eabe3c8f3
SHA256: a722d1f1486b807b34076ec3277ea3a65f21837db2d9f76eb5daa7de312479a6
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: crypto-js.jar: pad-pkcs7.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/crypto-js.jar/META-INF/resources/webjars/crypto-js/4.1.1/pad-pkcs7.js
MD5: 23c101a5a832bfa8a894b9813323044c
SHA1: d21f12b724eccd65c9f20503bdac2c41eb8ce985
SHA256: 9a3c909e8c3b6604bfd7a48a3c7e61504292744d894bce1266b44691b857c1bc
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: crypto-js.jar: pad-zeropadding.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/crypto-js.jar/META-INF/resources/webjars/crypto-js/4.1.1/pad-zeropadding.js
MD5: 23b4116306620a01bed22b52014c7c65
SHA1: 34360c2d2f9a38e5c3d197223a2f5b6777cbc1e9
SHA256: d99e781985e817da7c6af30d957c45419b1a7e176bf52160424ebbbf970df906
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: crypto-js.jar: pbkdf2.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/crypto-js.jar/META-INF/resources/webjars/crypto-js/4.1.1/pbkdf2.js
MD5: b9511c07dfe692c2fd7a9ecd3f27650e

SHA1: d9383ee2dc36eb56abadba701c3168d2556a7d8d
SHA256:77a10ae4b1d93686539ea2d37a837d56e6f9e8cd3ce49d782a4cbbf34094e800
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: crypto-js.jar: rabbit-legacy.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/crypto-js.jar/META-INF/resources/webjars/crypto-js/4.1.1/rabbit-legacy.js
MD5: 8fdb6b7d8bcf3aef27398d47d13dacb9
SHA1: 23dc78f4b418c296ffc166bbcad8c678d6ab2efa
SHA256:cf9afefa87b216dd4d8be00524f8904bba1147fbb90273e5e6a7b2824b52e56f
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: crypto-js.jar: rabbit.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/crypto-js.jar/META-INF/resources/webjars/crypto-js/4.1.1/rabbit.js
MD5: b3bae9fc93314924cbd6c4283c1e91ef
SHA1: 4bd339e3a9e954c2766a07a96cf7ec2547e76cab
SHA256:dc93dba650db41783f8a3faba6ba17ad82cb0eb1b6fa84df406f71d520d84b42
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: crypto-js.jar: rc4.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/crypto-js.jar/META-INF/resources/webjars/crypto-js/4.1.1/rc4.js
MD5: 846a99f1e90dbcbb5773793c3fe8aa5c
SHA1: fbb684811bde18ce2faad2ffbda3aa9c00939e90
SHA256:571eca05c055a26c729f757f83b9f849968ae0dc0ba9870e5be9526019c53a33
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: crypto-js.jar: ripemd160.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/crypto-js.jar/META-INF/resources/webjars/crypto-js/4.1.1/ripemd160.js
MD5: 1d13fd2d4858d87c36c43a0a6436f0d4
SHA1: 9187ea140085390e357f1e7804f95e7a5812d494
SHA256:3d7eea732acb8f27ba7be5ec54cc1c5ea198be2f7b12ae78cf03ce3b87d78da1
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: crypto-js.jar: sha1.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/crypto-js.jar/META-INF/resources/webjars/crypto-js/4.1.1/sha1.js
MD5: 5fbc23cf1d5cf34e9f7798650d07b333
SHA1: 7401e77dcaff4ecaab8e57fd11fccfaf5f33c75
SHA256: fca2d5560acb8de760ebc94679ff210056722af8193871e75176a61a977ac30f
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: crypto-js.jar: sha224.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/crypto-js.jar/META-INF/resources/webjars/crypto-js/4.1.1/sha224.js
MD5: bd908518f276d2df58277bb38185b307
SHA1: b10b13e02fadeea29119f6976b346d9b06c84342
SHA256: 542ddc722d9711595c11d57caa9424beca928b3553747a51e3f1c57c2c08ec16
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: crypto-js.jar: sha256.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/crypto-js.jar/META-INF/resources/webjars/crypto-js/4.1.1/sha256.js
MD5: 561d24c90633fb34c13537a330d12786
SHA1: 7593f14b59ba2099cbb4ffb806e75758fdeb12f5
SHA256:d8074f23cbd27aa6c2f231b8bdad34bbd8d49c7e47ffa0d7cd07a2c4d1d3c798
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: crypto-js.jar: sha3.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/crypto-js.jar/META-INF/resources/webjars/crypto-js/4.1.1/sha3.js
MD5: 6fe2614bbdfb802fa873f118621c7fb8
SHA1: d977f518e609149d1b51932648669a4be7a97f27
SHA256:6ee08cd3d69b181cb735011acd0a0d57b6a4a071baf8ecbbbbb9aa18cf1e4d6ac
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: crypto-js.jar: sha384.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/crypto-js.jar/META-INF/resources/webjars/crypto-js/4.1.1/sha384.js
MD5: 6ae085f20325eb927ff673ef20568137

SHA1: 8d7bb4a99b713d53723f8f1ad3442cf9e9edf9a4
SHA256:8d902216aef6840bb9951117bdd3aa6331078e68ee04987aa1d59c73b5ff3066
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: crypto-js.jar: sha512.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/crypto-js.jar/META-INF/resources/webjars/crypto-js/4.1.1/sha512.js
MD5: 0e5e8946947671eefe910c58f1272c48
SHA1: 7b4efa121b30865b12f7546f1e99e22c6c2a3c40
SHA256:986ca486a1c9e58e9d8fc38d1db4e652e14c751ba1a6a15fd81439d261efe2b0
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: crypto-js.jar: tripledes.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/crypto-js.jar/META-INF/resources/webjars/crypto-js/4.1.1/tripledes.js
MD5: fcd80fd597ef5e6a0fe34cdf484a8825
SHA1: 94c5615ac7a0f2ee61bb5325e46d61151893dfa6
SHA256:8d8de06235e08f38ddc855070ef8cb86d7c69a67b3a5278f8cbf2af64b55122d
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: crypto-js.jar: x64-core.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/crypto-js.jar/META-INF/resources/webjars/crypto-js/4.1.1/x64-core.js

MD5: 677577ca38d04508f116ebc977dcb11b

SHA1: 966f596f1adb7e7780021ae463a62890de8b19fc

SHA256:c54130dcd19ae2c7f8c4b4a69cb2038a65d363899cddf7ebaae0102bfc8fe086

Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: echo2-app.jar

Description:

Echo2 AJAX Framework

License:

MPL 1.1: <http://www.mozilla.org/MPL/MPL-1.1.html>

LGPL 2.1: <http://www.gnu.org/licenses/lgpl-2.1.html>

GPL 2.0: <http://www.gnu.org/licenses/gpl-2.0.html>

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/echo2-app.jar

MD5: 6524d488cd7402977af43d02a32e52ce

SHA1: b4445286d07023c764ed9d02092fd76733f19fe4

SHA256:8ceb7a13bdc5a671d1b659ff05faed1e1d68e95813ad52597718fef38746556

Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence
Vendor	central	artifactid	echo2-app	Highest
Vendor	central	groupid	com.nextapp	Highest
Vendor	file	name	echo2-app	High
Vendor	jar	package name	app	Low
Vendor	jar	package name	echo2	Low
Vendor	jar	package name	nextapp	Low
Vendor	pom	artifactid	echo2-app	Low
Vendor	pom	developer id	tleibeck	Medium
Vendor	pom	developer name	Tod Liebeck	Medium
Vendor	pom	developer org	NextApp	Medium
Vendor	pom	groupid	com.nextapp	Highest
Vendor	pom	name	Echo2	High
Vendor	pom	url	http://echo.nextapp.com/site/echo2	Highest
Product	central	artifactid	echo2-app	Highest
Product	file	name	echo2-app	High
Product	jar	package name	app	Low
Product	jar	package name	echo2	Low
Product	pom	artifactid	echo2-app	Highest
Product	pom	developer id	tleibeck	Low
Product	pom	developer name	Tod Liebeck	Low
Product	pom	developer org	NextApp	Low
Product	pom	groupid	com.nextapp	Highest
Product	pom	name	Echo2	High
Product	pom	url	http://echo.nextapp.com/site/echo2	Medium
Version	central	version	2.1.1	Highest
Version	pom	version	2.1.1	Highest

Related Dependencies



- remotegui.zip: echo2-webcontainer.jar
 - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/echo2-webcontainer.jar
 - MD5: 783b5f05163587c4d19ce43977f564ec
 - SHA1: e401d4249ef1bdd399f6fee652bf1120a48b5882
 - SHA256: 4b4e1d96c4b304d6bbbfbd4ccdb85bc7c05070a93388e652d7331bc72d9119
 - pkg:maven/com.nextapp/echo2-webcontainer@2.1.1
- remotegui.zip: echo2-webrenderer.jar

- File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/echo2-webrenderer.jar
- MD5: cf2fcfc745ac1f7374007788b8fb30e3
- SHA1: 8c912e8ce2e23407058bf8f55a6d68e2d4737f7d
- SHA256: 72851edfb13406ec61dee6eeb347c5c8640244b80a89f3ed75a15d925caaad2c
- pkg:maven/com.nextapp/echo2-webrenderer@2.1.1

Identifiers

- pkg:maven/com.nextapp/echo2-app@2.1.1 (Confidence:High)
- [cpe:2.3:a:nextapp:echo:2.1.1:*:*:*:*](https://cpe:2.3:a:nextapp:echo:2.1.1:*:*:*:*:*) (Confidence:Highest)

suppress

remotegui.zip: echo2-webcontainer.jar: BrowserCommand.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/echo2-webcontainer.jar/nextapp/echo2/webcontainer/resource/js/BrowserCommand.js
MD5: cec5ed45ed5d929439b2ae615b645097
SHA1: aeea282f11788e5be7dafd78adb833e539ab75f4
SHA256: dcdc9a977d80f20f45d9f487692b7d5ba9dcc538da5b4a750b7ba03ee852f5af
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: echo2-webcontainer.jar: Button.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/echo2-webcontainer.jar/nextapp/echo2/webcontainer/resource/js/Button.js
MD5: 81215c8587cea98fc2c9f41d81e99386
SHA1: 4cc203b7f5b48a3672447f13dc333af29a02cb1c
SHA256: e6639e7a2eee92dd4c86c1a548ce8106d7358d8c7dea7c747e6fc2377050d138
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: echo2-webcontainer.jar: ContentPane.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/echo2-webcontainer.jar/nextapp/echo2/webcontainer/resource/js/ContentPane.js
MD5: 6da93a27f5fafa89ad3dc8161cc60450
SHA1: 2a715f6111f70e16c1baab3b9960b9af31ff9409
SHA256:830454078b8dca968b15c1b002066c6c7c21da19b3e2e0b87afeea17e07b562b
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: echo2-webcontainer.jar: ListComponent.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/echo2-webcontainer.jar/nextapp/echo2/webcontainer/resource/js/ListComponent.js
MD5: 3baac4b4c7d7570210bc70337f079511
SHA1: 2b40df2cc63611728d0154fb9a1f0ff5590e268e
SHA256:64a4f73273b6e27fa3641d23fc15a230f07e059aa3e37e2fa11466359dfed721
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: echo2-webcontainer.jar: SplitPane.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/echo2-webcontainer.jar/nextapp/echo2/webcontainer/resource/js/SplitPane.js

MD5: 73030d7f65e69b1963de89475dfca752

SHA1: e6f525f36c46d3e9581c786d16ce4e59dac0260c

SHA256: 8f2ae429c270a4ae095f2aaa3cdddb5adb6249a61d35defbe6079d01f37872b4

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: echo2-webcontainer.jar: Table.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/echo2-webcontainer.jar/nextapp/echo2/webcontainer/resource/js/Table.js

MD5: 83c78e8bfb81930f1c4646b765ef01c9

SHA1: 8a900c967b2ee0bb2abb2244075734f4907da416

SHA256: 1fb14e2d9998d1cc09ef9bbb94c7492f27418e6cd23c82606041554bcd48be1a

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: echo2-webcontainer.jar: TextComponent.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/echo2-webcontainer.jar/nextapp/echo2/webcontainer/resource/js/TextComponent.js
MD5: 44c40be87a258f223636a3b1e81223be
SHA1: a46b2983414fd8bf6873bcd7155c1b226f46df37
SHA256: 78d3b72d552e28209db2b832cff0fd0e4ec0848ba43d5b4ecd8d4c3f76b3d2f9
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: echo2-webcontainer.jar: WebContainer.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/echo2-webcontainer.jar/nextapp/echo2/webcontainer/resource/js/WebContainer.js
MD5: 3187e8b29a8357e96be24bde33f479dc
SHA1: 4208f56c5424a86cbf114d4638c068446baa31f8
SHA256: a303d0bd198f7590a251d6485cce0d34855ac9485d97d7d5880aab1ec72aa088
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: echo2-webcontainer.jar: WindowPane.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/echo2-webcontainer.jar/nextapp/echo2/webcontainer/resource/js/WindowPane.js
MD5: c9446071fff586f20e7f677e5dbb8597

SHA1: 58915a592236e816dd9f83eefc0977b542262d32

SHA256: da1fc1c3e27e3ce28847e410e51e66dc33f1f744650d9051afbaebe92f032977

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: echo2-webrender.jar: ClientEngine.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/echo2-webrender.jar/nextapp/echo2/webrender/resource/ClientEngine.js

MD5: b97d4b63d35a8f8a9cb5a99b720215de

SHA1: 4a2124b33e4d7e9db720d92924905aa1e7297378

SHA256: 57e9f7be3af39ba8f736cc97efa958335463959271b0885c74ee668f41b5f4a5

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: echo2extras-app.jar

Description:

Echo2 Extras

License:

MPL 1.1: <http://www.mozilla.org/MPL/MPL-1.1.html>

LGPL 2.1: <http://www.gnu.org/licenses/lgpl-2.1.html>

GPL 2.0: <http://www.gnu.org/licenses/gpl-2.0.html>

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/echo2extras-app.jar

MD5: e1ba37ba20c3021c38e362cac081d986

SHA1: 64e7748149ca2af54ee693c8e232343d64c1b966

SHA256: ad4489475b3c77aeeb62ec1c1bc211c8659b84649fdb1e72f4ee6e005b21e37b

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
Vendor	central	artifactid	echo2extras-app	Highest
Vendor	central	groupid	com.nextapp	Highest
Vendor	file	name	echo2extras-app	High
Vendor	jar	package name	echo2	Low
Vendor	jar	package name	extras	Low
Vendor	jar	package name	nextapp	Low
Vendor	pom	artifactid	echo2extras-app	Low
Vendor	pom	developer id	tliebeck	Medium
Vendor	pom	developer name	Tod Liebeck	Medium
Vendor	pom	developer org	NextApp	Medium
Vendor	pom	groupid	com.nextapp	Highest
Vendor	pom	name	Echo2 Extras	High
Vendor	pom	url	http://echo.nextapp.com/site/echo2/addons/extras	Highest
Product	central	artifactid	echo2extras-app	Highest
Product	file	name	echo2extras-app	High
Product	jar	package name	app	Low
Product	jar	package name	echo2	Low
Product	jar	package name	extras	Low
Product	pom	artifactid	echo2extras-app	Highest
Product	pom	developer id	tliebeck	Low
Product	pom	developer name	Tod Liebeck	Low
Product	pom	developer org	NextApp	Low
Product	pom	groupid	com.nextapp	Highest
Product	pom	name	Echo2 Extras	High
Product	pom	url	http://echo.nextapp.com/site/echo2/addons/extras	Medium
Version	central	version	2.1.0	Highest
Version	pom	version	2.1.0	Highest

Related Dependencies



- remotegui.zip: echo2extras-webcontainer.jar
 - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/echo2extras-webcontainer.jar
 - MD5: df488c27f775875afc2efa1ba1a14778
 - SHA1: 8b9c1d082e3baac3daea4821cd6fb56116c44c7a
 - SHA256: 50dabd57f50caf8df7d1fced59f7285d7b6179c47bf9b22aae7e7ee1d62e62c0
 - [pkg:maven/com.nextapp/echo2extras-webcontainer@2.1.0](#)

Identifiers

- [pkg:maven/com.nextapp/echo2extras-app@2.1.0](#) (*Confidence:High*)
- [cpe:2.3:a:nextapp:echo:2.1.0:*:*:*:*:*](#) (*Confidence:Highest*) suppress

remotegui.zip: echo2extras-webcontainer.jar: AccordionPane.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/echo2extras-webcontainer.jar/nextapp/echo2/extras/webcontainer/resource/js/AccordionPane.js

MD5: 5e2309292be34670965e17a63f3d67e2

SHA1: 136a82463b674894191f92a08a7fb2c127728e68

SHA256: 2b02ad757a502013be2834c414c90832cce07e657f9c8fe4823f94351429aa4a

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: echo2extras-webcontainer.jar: CalendarSelect.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/echo2extras-webcontainer.jar/nextapp/echo2/extras/webcontainer/resource/js/CalendarSelect.js

MD5: ee105b17e6a49ca6894f6a89b93038ca

SHA1: deb92e218480368f3d1e1b4471fa716e615d2694

SHA256: 333078b2953145f5c2798ec878ff5f7859cb7c73e5383b5f04e0641377dd882a

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: echo2extras-webcontainer.jar: ColorSelect.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/echo2extras-webcontainer.jar/nextapp/echo2/extras/webcontainer/resource/js/ColorSelect.js

MD5: bb2817813b145fb047035165f4609e11

SHA1: 60ed59f4adf34e81089e8a6ed835a52952186b1f

SHA256: 154ab0e5af207065ae91524a90a06acecd3c88d914c541ed19f6f0e15e10170a

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: echo2extras-webcontainer.jar: DND.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/echo2extras-webcontainer.jar/nextapp/echo2/extras/webcontainer/resource/js/DND.js

MD5: c3190a4d76a03ff134dbe71d572d6093

SHA1: 29d971a57365ecd29d6233f6be54cd5e638cad5f

SHA256: 052a40f554e33a722e4e157a1f9c1dfb8bd26160ac98f5036ddf5cb594cb44bd

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: echo2extras-webcontainer.jar: ExtrasUtil.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/echo2extras-webcontainer.jar/nextapp/echo2/extras/webcontainer/resource/js/ExtrasUtil.js

MD5: bb41e331c7cda7542545723669087b7d

SHA1: 94b6f7023b77af6bab7942d71edaa0a317a18741

SHA256: 27f7d1bc497b52e3c81cad90d7f8857d86534389649c01f58455d6e506e065d9

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: echo2extras-webcontainer.jar: Menu.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/echo2extras-webcontainer.jar/nextapp/echo2/extras/webcontainer/resource/js/Menu.js

MD5: dff4844bd2e7e0ace646cfc026a22e2b

SHA1: 14a08892f49057de2266a978d3df2ba62ca6f0af

SHA256: 9955938b46227d85dc73b917640bc28c5c02ffddeb4b2d0b727a2527293d14b1

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: echo2extras-webcontainer.jar: TabPane.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/echo2extras-webcontainer.jar/nextapp/echo2/extras/webcontainer/resource/js/TabPane.js

MD5: 7203f99e669e30e5bf1278610d799c25

SHA1: 6e706337109b8bc1931bfd90cd02051168617261

SHA256: 1b484543b2a8a9a473d7cdb39d8c939a8320f21b73cfd70f3fae4d43688435db

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: echo2extras-webcontainer.jar: TransitionPane.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/echo2extras-webcontainer.jar/nextapp/echo2/extras/webcontainer/resource/js/TransitionPane.js

MD5: 52cfea31f2f87e072ff5b0a826655658

SHA1: 798043e69001103030dcb146240e387e77d2e587

SHA256: 18fd61e5fbf3dd6b5d63b1916714fb4a0239f7d9a9f4ec1411bfe41d70e954f3

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: echopointng.jar

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/echopointng.jar

MD5: b97311541ad7a3a8d9bce707c0b5ae81

SHA1: 9da2843de342b6195589687135c44a1327ff494a

SHA256: fb4297263e65a013f39d2b2982343736476f22cd9b4bd2bafd1ac195a39efe8c

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	echopointng	High
Vendor	jar	package name	echopointng	Low
Product	file	name	echopointng	High

Identifiers

- None

remotegui.zip: echopointng.jar: blankcanvas.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/echopointng.jar/echopointng/ui/resource/js/blankcanvas.js

MD5: af461ae7fcc7c2982dc7a2c9d66db238

SHA1: bbb3c48fedb35f63655e6604a7e2303077e0457a

SHA256: d402afcceaa4f1e5efaf55009c56886cd53c86d880a6b03e608d79ded024ee45

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: echopointng.jar: button.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/echopointng.jar/echopointng/ui/resource/js/button.js

MD5: 8531b2c1536e2d30e3df983e2c7a2217

SHA1: c7ed360795011104ccf8c63338ed8e06e923797f
SHA256: 77646e360a21f4294cf45d839366dbc1a91b69573c87ba7234f2d09f7f0c7724
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: echopointng.jar: calculator.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/echopointng.jar/echopointng/ui/resource/js/calculator.js

MD5: c1585b51055b1631271c922d5555daad

SHA1: 3f285a1af63b444cbbb9361792b71a0ff16345f6

SHA256: 1475ac04db0d45f0b1b6e5de7355c73b61934207eea96dc1239ae8e1261f3f4f

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: echopointng.jar: colorchooser.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/echopointng.jar/echopointng/ui/resource/js/colorchooser.js

MD5: 76363342cd06ffe0e205fca9110d902c

SHA1: 77f2ba109f495b87b6224ef890ae08ab577561e4

SHA256: a1fec15a23c349ded1cbe91f0ad252d07086b75a9a0a6cf411a39208fb56418

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
Identifiers				
• None				

remotegui.zip: echopointng.jar: combobox.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/echopointng.jar/echopointng/ui/resource/js/combobox.js
MD5: bc172893359138d97f3ccdda6b51c32b
SHA1: 4ebac02f8d296eebbbe9f1bb44a1c0d0a5f2acf0
SHA256:f6d39c6d806bfff5b67a76f89b5fef3ffa4f542a38282e9b23c9838bbbfafa770
Referenced In Project/Scope: server

Evidence 				
Type	Source	Name	Value	Confidence

Identifiers				
• None				

remotegui.zip: echopointng.jar: command.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/echopointng.jar/echopointng/ui/resource/js/command.js
MD5: 22524ba396f3b6193c57855db5041085
SHA1: 62dc2c5692866d1222946c225c00d1aeedf154b8
SHA256:3c55d005e1dd2f2723e2ce7c9cb906ccc99753230882f671e08e3f4196a9a842
Referenced In Project/Scope: server

Evidence 				
Type	Source	Name	Value	Confidence

Identifiers				
-------------	--	--	--	--

- None

remotegui.zip: echopointng.jar: containerex.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/echopointng.jar/echopointng/ui/resource/js/containerex.js

MD5: b080ee991e18c93e892ed63a43299893

SHA1: fe5ed5851f627cee32c72bad88351e25689a18f1

SHA256: b1b2a5b2daf9d4d22c646d4caeb0d9cfe33eecde3a89910e0b6c511b9164583d

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: echopointng.jar: csscommand.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/echopointng.jar/echopointng/ui/resource/js/csscommand.js

MD5: dc731de6fea7b372aad1676f4f188c11

SHA1: 292d006070a00a557aca505771fccf3b15d819c4

SHA256: 3720eb758aa628f0817484a4c8dea8c26da92a6bd44612e2794ad1b8f9d18b04

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: echopointng.jar: datechooser.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/echopointng.jar/echopointng/ui/resource/js/datechooser.js
MD5: 03360772d464936c4db0853af7f293ac
SHA1: 9ca7aa251deb9d6bfa224de421b405a77ceaab76
SHA256:beb9c8189e4a2ecb449b025fdce8a5af22e6fbd705f908ebe38970be44e2cae5
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: echopointng.jar: directhtml.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/echopointng.jar/echopointng/ui/resource/js/directhtml.js
MD5: 67fe6a6d53c7f7a31ec424cca0cb113c
SHA1: 176ab2c18503d4f6f09e7939987ef9bbda793f50
SHA256:e98b3372e5a1dcbd3df5c922e05d738344f4078f09236f335bf5cc1097429af4
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: echopointng.jar: ep.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/echopointng.jar/echopointng/ui/resource/js/ep.js
MD5: 909939bf59b597cb43bab18b58915d45

SHA1: 1eb058d7ec9e90df36cee746342423df26cfdeb1
SHA256: 2310adacdc07bdc68bc04f67b438385735ddd2f7b8c094363061743e550eb3bd
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: echopointng.jar: epdrag.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/echopointng.jar/echopointng/ui/resource/js/epdrag.js
MD5: 9b2e790d15782ac504510920b8047dcd
SHA1: 7165f0c117bff0d7d58de91811f865fef0115b32
SHA256: 738d39774c0bc2b962b78d3aae1b64beb832d0197b9c6daa9b68750757041518
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: echopointng.jar: epfx.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/echopointng.jar/echopointng/ui/resource/js/epfx.js
MD5: 4e3b34df6d6fd962bee24cc944307e6d
SHA1: d8e0b8b1ed022c29c93d8aba4f00f79243f62d3d
SHA256: 2e0466c152814468619f3008887429aaef26139f41adbd74dd18ee83f17fb6b5
Referenced In Project/Scope: server


Evidence



Type	Source	Name	Value	Confidence
Identifiers				
• None				

remotegui.zip: echopointng.jar: epstretch.js


File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/echopointng.jar/echopointng/ui/resource/js/epstretch.js
MD5: c06366200854d236a636ca39933736a6
SHA1: 39cbb54acbcc28878997d30c13e80ff868267b64
SHA256: 56e934dbaca23f709e52c48d3894207f4d89b7275aa33d44a1a7464d85e20e98
Referenced In Project/Scope: server

Evidence 				
Type	Source	Name	Value	Confidence

Identifiers				
• None				

remotegui.zip: echopointng.jar: expandablesection.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/echopointng.jar/echopointng/ui/resource/js/expandablesection.js
MD5: 9ddcbeef2af11dd42386e18db317d250
SHA1: 86dd0803c2361c4e70d99c4f6f1836320dabc9b7
SHA256: 9e107c496ba94ece3ca6e4d8b4849bcdce46c05ce481b5c28ca40840354cb1e8
Referenced In Project/Scope: server

Evidence 				
Type	Source	Name	Value	Confidence

Identifiers				
-------------	--	--	--	--

- None

remotegui.zip: echopointng.jar: flyoutpane.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/echopointng.jar/echopointng/ui/resource/js/flyoutpane.js

MD5: d56994dc24bf63ff67511e059ac153b8

SHA1: 3f36629e0fd1e7aa2806c177a593e74fa0840ab1

SHA256: a12d2eb0d62b961ae4866d040e86c3a991b9c75bbd052cb8ab980f8db4232a69

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: echopointng.jar: historymonitor.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/echopointng.jar/echopointng/ui/resource/js/historymonitor.js

MD5: a021bbe0a65436f4d5b0fada7f7a2e95

SHA1: bcc78b12603aaf90eef91e06041bfb00950ed5b1

SHA256: 6e2ffa35896b2c08cedf06ead4d6c2b39f9ce848ae138d68cf211f17f94188cc

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: echopointng.jar: keystroke.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/echopointng.jar/echopointng/ui/resource/js/keystroke.js
MD5: 2abc4444f27c24f3250735d0e24dd929
SHA1: 0165ba94e6678efe34006b14257abd8ab5f59b70
SHA256: 75cb2b3ec2ef321babcb2c9d048a26090138205cf8aa8b072bc432e496e1959f
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: echopointng.jar: labelex.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/echopointng.jar/echopointng/ui/resource/js/labelex.js
MD5: 5e68e9198394e79d5344002a5c0ca388
SHA1: a46e072aa92701659c8961718c64de8cabb05672
SHA256: 2e8ebe8b669daefe4675d3fe025cef8bccefebae3360f36bd443a3a9e09b00bf
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: echopointng.jar: lightbox.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/echopointng.jar/echopointng/ui/resource/js/lightbox.js
MD5: 1da8a9321b1a9537e9db1633be4e93ff

SHA1: 4acc96a88fd3711611a5479883fec0c577e61278

SHA256: 68cb57c9cbfa41837b0b8e0a297ff5f63ed2e3dbcdcc99ddb327e6eb2c344fa7

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: echopointng.jar: livetable.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/echopointng.jar/echopointng/ui/resource/js/livetable.js

MD5: e3d9068b389a26b6dc20cf8f649d6728

SHA1: dd4d66ee287098de8c3e310633fcef522bb6b38a

SHA256: 9940cbf5b950edb0d00334bdb02edd45a9656a619bed29a6e14bfacc941db9f6

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: echopointng.jar: lookupcache.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/echopointng.jar/echopointng/ui/resource/js/lookupcache.js

MD5: d396ded32ccfc4c0eb7ea8d620f95c6b

SHA1: 5b0f6d8dc50f2e66bba7b6dfa816243a9564c13f

SHA256: 2b8fbdcc66a72a3ab518039278db8b86ad0f3cd43545c3e2fb2dcc88c076e075

Referenced In Project/Scope: server


Evidence



Type	Source	Name	Value	Confidence
Identifiers				
• None				

remotegui.zip: echopointng.jar: menu.js


File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/echopointng.jar/echopointng/ui/resource/js/menu.js
MD5: ceb33b1b06161e20409918ac849ecc3a
SHA1: 2da105247ee62c35765d686a545486b0fc0c7e17
SHA256:aefb0d8e30e6c56e52ce37a9f2cf6a1561477e23c4f2a0c8137b8452f445418d
Referenced In Project/Scope: server

Evidence 				
Type	Source	Name	Value	Confidence

Identifiers				
• None				

remotegui.zip: echopointng.jar: nativewindow.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/echopointng.jar/echopointng/ui/resource/js/nativewindow.js
MD5: 21205429823868aed449bbef8866781e
SHA1: d4e0c7cfee3fa5a642b2cf4e19330f8f7dd60923
SHA256:11e864c5e9349791fc04530b21860d5a5189cfbebf8c61749723bfe40d152a3
Referenced In Project/Scope: server

Evidence 				
Type	Source	Name	Value	Confidence

Identifiers				
-------------	--	--	--	--

- None

remotegui.zip: echopointng.jar: popup.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/echopointng.jar/echopointng/ui/resource/js/popup.js

MD5: 526c00e6fd13059fe0e1d0e27e00ee6b

SHA1: 44d553436551d74f1e0b4d5b4beba24ad8619970

SHA256: 48e5e3afa1f17d32392c4d87336f0aa593fdd6a434d347cbcb74a7383256d8e6

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: echopointng.jar: rta.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/echopointng.jar/echopointng/ui/resource/js/rta.js

MD5: a3b886886418bad087f21cb3e41246f3

SHA1: 3d5230d844995ea50b3e79875f051de5c2b585d6

SHA256: 58ce95bc3f07abfd9c8e13a1837ff7eabd766f57fc220396d5c4755da3a22706

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: echopointng.jar: slider.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/echopointng.jar/echopointng/ui/resource/js/slider.js
MD5: 09c92eedaa0aa605eafc7c933ca451c1
SHA1: 339e0448113b76695bfeb102d2e5194766676763
SHA256: d36f46f7fc6e97a81417c6c67490bab3755092070689d390b211e7112c834182
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: echopointng.jar: stackedpaneex.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/echopointng.jar/echopointng/ui/resource/js/stackedpaneex.js
MD5: a9be9e800bb757b5173b2b33d26b36d9
SHA1: 8191a7c71fc4deea30a836cfde3e425e4cc41984
SHA256: 61793aba49962d4477232f8577c3208d1ec89cd76f02a61b0164df69adad71d8
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: echopointng.jar: tableex.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/echopointng.jar/echopointng/ui/resource/js/tableex.js
MD5: ed81c9b7a76bc66c2865d09c5603fe95

SHA1: c896c1b21be028b1a27af5ab129e74279b22d718
SHA256: 069ffd460c63e5b3bb788f723cd9bcd16c3e97e083a2068f0300da8038af5d97
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: echopointng.jar: templatepanel.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/echopointng.jar/echopointng/ui/resource/js/templatepanel.js
MD5: 5323649865617422da0db27f9314834f
SHA1: 0510c58e3e49d4ed459b9154d508f67bb7dc458a
SHA256: ef8da75ec048040e466e45d48a774b2a0eabd54b50eeb3aae6195742fa8eeac5
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: echopointng.jar: textfieldex.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/echopointng.jar/echopointng/ui/resource/js/textfieldex.js
MD5: 72dbe933a2629cbced5859f30899435c
SHA1: 16f3d36326cf6c168d85cf9327258b2cab5ba42f
SHA256: ab7a0b4d02015202f5abe9b33fb286deab007a42ee9adff2dd025482b6df802a
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: echopointng.jar: titlebar.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/echopointng.jar/echopointng/ui/resource/js/titlebar.js
MD5: e44b0a7d883fa295f513ae66e8baf3b6
SHA1: a73818b6bee622a8c949bc6f0ada96ac29527075
SHA256:08457a169a8298c85215704f8e3acadd29ef4f01f7a07decdefcc520540d5f4c
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: echopointng.jar: tree.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/echopointng.jar/echopointng/ui/resource/js/tree.js
MD5: 9657b74610592c6e68183de9a17a8014
SHA1: 663ca96d35d89bdf25b2eff628d7a1d854a68ff3
SHA256:dde9bc5bda4b2e85e21e69367624fb98b30de5af452a7ede67c4cc6a3afdc597
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: jquery-ui.jar

Description:

WebJar for jQuery UI

License:

MIT License: <https://github.com/jquery/jquery-ui/blob/master/MIT-LICENSE.txt>

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/jquery-ui.jar

MD5: b212bd218d190b381c4a924a50d846f6

SHA1: f847fc05575b7121960f728c20306e3f50f1d438

SHA256: c4878a9fe82d5a98242b4ef21fed7a26257f6243cd797fddacb188b0dc6bdbc7

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	jquery-ui	High
Vendor	pom	artifactid	jquery-ui	Low
Vendor	pom	developer email	james@jamesward.org	Low
Vendor	pom	developer id	jamesward	Medium
Vendor	pom	developer name	James Ward	Medium
Vendor	pom	groupid	org.webjars	Highest
Vendor	pom	name	jQuery UI	High
Vendor	pom	url	http://webjars.org	Highest
Product	file	name	jquery-ui	High
Product	pom	artifactid	jquery-ui	Highest
Product	pom	developer email	james@jamesward.org	Low
Product	pom	developer id	jamesward	Low
Product	pom	developer name	James Ward	Low
Product	pom	groupid	org.webjars	Highest
Product	pom	name	jQuery UI	High
Product	pom	url	http://webjars.org	Medium
Version	pom	version	1.13.2	Highest

Identifiers

- pkg:maven/org.webjars/jquery-ui@1.13.2 (*Confidence:High*)

remotegui.zip: jquery-ui.jar: jquery-ui.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/jquery-ui.jar/META-INF/resources/webjars/jquery-ui/1.13.2/jquery-ui.js

MD5: cbc65ff85e08b21d7e0c0394fbf3a371

SHA1: 0ebabcd2c6da47bde11fadf331a02c98845b0a8d

SHA256: c4b0fb9e123ad9f72c1192b6feff0bb0171be251bb76050b92e5e85c1fe3f757

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: jquery-ui.jar: jquery-ui.min.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/jquery-ui.jar/META-INF/resources/webjars/jquery-ui/1.13.2/jquery-ui.min.js

MD5: 1e2047978946a1d271356d0b557a84a3

SHA1: 5f29a324c8affb1fdb26ad4564b1e044372beed2

SHA256: 9528ca634fecad433d044ddd3e6f9ce1f068d5d932dafdbb19d8e6daea1968bd

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: jquery-ui.jar: package.json

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/jquery-ui.jar/META-INF/resources/webjars/jquery-ui/1.13.2/package.json

MD5: f9a98ca55ce790fc5ffc1387f6ffa591

SHA1: 50b4033bd3d71bf6b6298584ac7577b02e065f94

SHA256: 438c7f1455a7dd61e030d921d84ebca77358ba4771efcb9a013637f379aacf55

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: jquery-ui.jar: webjars-requirejs.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/jquery-ui.jar/META-INF/resources/webjars/jquery-ui/1.13.2/webjars-requirejs.js

MD5: 2b45f24ce91f8c0d5c764e705b1eed88

SHA1: 03056311ea772e4b7b09a70f108cb2733ae13766

SHA256: a0f18ed7e4b55b53dcf2752e99573c9f7363fd4ba7d98f14a65c36cf34fe1ec3

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: jquery.jar

Description:

WebJar for jQuery

License:

MIT License: <https://github.com/jquery/jquery/blob/master/MIT-LICENSE.txt>

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/jquery.jar

MD5: 4af65e569248d8a2411f66498d720280

SHA1: c3dc40b1b5f24c56afa36fd9a463bb9f378ac4ab

SHA256: de28c4da0ea9f16101352dd3582ec8021ee5e2de5f45104ca171876003d54db6

Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence
Vendor	file	name	jquery	High
Vendor	pom	artifactid	jquery	Low
Vendor	pom	developer email	james@jamesward.org	Low
Vendor	pom	developer id	jamesward	Medium
Vendor	pom	developer name	James Ward	Medium
Vendor	pom	groupid	org.webjars	Highest
Vendor	pom	name	jquery	High
Vendor	pom	url	http://webjars.org	Highest
Product	file	name	jquery	High
Product	pom	artifactid	jquery	Highest
Product	pom	developer email	james@jamesward.org	Low
Product	pom	developer id	jamesward	Low
Product	pom	developer name	James Ward	Low
Product	pom	groupid	org.webjars	Highest
Product	pom	name	jquery	High
Product	pom	url	http://webjars.org	Medium
Version	pom	version	2.2.4	Highest

Identifiers

- [pkg:javascript/jquery@2.2.4](#) (Confidence:Highest)
- [pkg:maven/org.webjars/jquery@2.2.4](#) (Confidence:High)

remotegui.zip: jquery.jar: webjars-requirejs.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/jquery.jar/META-INF/resources/webjars/jquery/2.2.4/webjars-requirejs.js
MD5: 30e1a7f167b667001f50e32ea87bf7b5
SHA1: d18dc733350ad3549af2df096599e824c10f777e
SHA256:daca7b23bc4d8302a8961373b92b78d36d5c85d730fc14130e29d55d976aa420
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: moment-timezone.jar

Description:

WebJar for moment-timezone

License:

MIT

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/moment-timezone.jar
MD5: 450be3d1b60cdca2f5980b70253dda18
SHA1: 7cdb36616562700d5bd578ad9bcb5c1980227885
SHA256:f9dd21271812450a1fe7d7a5ec90872ec35f2dc90e7283f2b757f455e1ad0eac
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	moment-timezone	High
Vendor	pom	artifactid	moment-timezone	Low
Vendor	pom	developer id	webjars	Medium
Vendor	pom	groupid	org.webjars.npm	Highest
Vendor	pom	name	moment-timezone	High
Vendor	pom	url	https://www.webjars.org	Highest
Product	file	name	moment-timezone	High
Product	pom	artifactid	moment-timezone	Highest

Product	pom	developer id	webjars	Low
Product	pom	groupid	org.webjars.npm	Highest
Product	pom	name	moment-timezone	High
Product	pom	url	https://www.webjars.org	Medium
Version	pom	version	0.5.43	Highest

Identifiers

- [pkg:maven/org.webjars.npm/moment-timezone@0.5.43](https://maven.org.webjars.npm/moment-timezone@0.5.43) (Confidence:High)

remotegui.zip: moment-timezone.jar: index.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/moment-timezone.jar/META-INF/resources/webjars/moment-timezone/0.5.43/index.js

MD5: 16b10b9be0471f35921bc17b645c6fcd

SHA1: 7e9c41f04cff37b876169e1e5108b5b757305822

SHA256: b93bc1a0ab15d56e12f0e281bf005d39166952d9208b828e8d056563f3ff1fd1

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: moment-timezone.jar: moment-timezone-utils.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/moment-timezone.jar/META-INF/resources/webjars/moment-timezone/0.5.43/moment-timezone-utils.js

MD5: edb7fba74607b74e61be773158b0951a

SHA1: 2ba0baf41953133f5864ae94449470ad88bad490

SHA256: 240b667916ae2b2ee9044cd46392422cddb26f0b8d1dfbe34f273526e7fed3

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
Identifiers				
• None				

remotegui.zip: moment-timezone.jar: moment-timezone-with-data-10-year-range.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/moment-timezone.jar/META-INF/resources/webjars/moment-timezone/0.5.43/builds/moment-timezone-with-data-10-year-range.js
MD5: 1bec04a3f00e03138630782e66cee99d
SHA1: 1e424da88c1db2b7261f24347f042d8c7b41f9f4
SHA256:a8c878f012146d6b71933926ea4efce480e4617ed76e6accd5ea5e463634afac
Referenced In Project/Scope: server

Evidence +				
Type	Source	Name	Value	Confidence
Identifiers				
• None				

remotegui.zip: moment-timezone.jar: moment-timezone-with-data-10-year-range.min.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/moment-timezone.jar/META-INF/resources/webjars/moment-timezone/0.5.43/builds/moment-timezone-with-data-10-year-range.min.js
MD5: a365b61955be78da13c648270d7f1729
SHA1: 78817143d00e9cc69ca4106391b5676b294b8f3b
SHA256:4541068197d1c1139b529987b03db202070cd3df77a20ebde2edeb6e96d83144
Referenced In Project/Scope: server

Evidence +				
Type	Source	Name	Value	Confidence
Identifiers				

- None

remotegui.zip: moment-timezone.jar: moment-timezone-with-data-1970-2030.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/moment-timezone.jar/META-INF/resources/webjars/moment-timezone/0.5.43/builds/moment-timezone-with-data-1970-2030.js

MD5: cb644e2690f6e82a13aa4998f7dba930

SHA1: 6328aba53fa86702d9f466cff348c6599b7c059d

SHA256: 6db98e0f479d589620d4541d58308a6d01e2acd2fab37d3eaae62f70864e87ef

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: moment-timezone.jar: moment-timezone-with-data-1970-2030.min.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/moment-timezone.jar/META-INF/resources/webjars/moment-timezone/0.5.43/builds/moment-timezone-with-data-1970-2030.min.js

MD5: 2bde95f3d2776a96239be4a543898706

SHA1: 909d1e99f3ab272e200359b7e1e11ef89a8d64cc

SHA256: d92825b456bb1537593c4c3e68eb08bad49cbd352846faf660afcf17cfe7e98b

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: moment-timezone.jar: moment-timezone-with-data-2012-2022.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/moment-timezone.jar/META-INF/resources/webjars/moment-timezone/0.5.43/builds/moment-timezone-with-data-2012-2022.js

MD5: 08273a8d18c81f52354c6a3ba2839ef7

SHA1: a2a27547ab3e344aeef95ce992a282c737116600

SHA256: cc511db782dff570d55446b80b9bf360f4e43f5dd07a41db3b179fa6072086e7

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: moment-timezone.jar: moment-timezone-with-data-2012-2022.min.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/moment-timezone.jar/META-INF/resources/webjars/moment-timezone/0.5.43/builds/moment-timezone-with-data-2012-2022.min.js

MD5: 54b9ef764c3c9382aeedd7c4b13cb270

SHA1: 2525a6639b7e7c6f0134a0172b5eef7c8ace6511

SHA256: abab3f78698e409acfd9a8cab695cfe68b269e2b7b32fe0e05b57826b790b5b

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: moment-timezone.jar: moment-timezone-with-data.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/moment-timezone.jar/META-INF/resources/webjars/moment-timezone/0.5.43/builds/moment-timezone-with-data.js

MD5: c8b2796364dc00dd30c6c89df7711ffb

SHA1: a80574843e575b9a98257b28ac9e230957941223
SHA256: b3cf8ee8e549d231342ec459a98205d0cdf4aae76c13996db5ad99894a4b0d40
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: moment-timezone.jar: moment-timezone-with-data.min.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/moment-timezone.jar/META-INF/resources/webjars/moment-timezone/0.5.43/builds/moment-timezone-with-data.min.js
MD5: a6604abaadc1a25a434a312ae70e0ed
SHA1: e78cca5be7631d49ba661e7f328f5d98d7e5e22d
SHA256: 1202c7b0881d7c5abf572b1008b0361cf485298dda5734a77b7919ecd809d06b
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: moment-timezone.jar: moment-timezone.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/moment-timezone.jar/META-INF/resources/webjars/moment-timezone/0.5.43/moment-timezone.js
MD5: 75a27eac4ebde8391345328a8de5bb87
SHA1: 8e6fc0d3b77565964bb8c8ce60215db88ab395b7
SHA256: 2c2321ec187119399b081dc2b2cee8fc11f6d660fd4e8034d8967b5c31a090f9
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: moment-timezone.jar: moment-timezone.min.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/moment-timezone.jar/META-INF/resources/webjars/moment-timezone/0.5.43/builds/moment-timezone.min.js
MD5: 46e00f681c7772f092340f87833f9bae
SHA1: 038553b73a86509efb4dadd4baaa112551100052
SHA256:8e7d285a449160dd6dbd1d48a4514be7de0ec34f74448738d1e2603d855ee3fa
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: moment-timezone.jar: package.json

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/moment-timezone.jar/META-INF/resources/webjars/moment-timezone/0.5.43/package.json
MD5: c31c5e27cda626ee69feadaffb34da46
SHA1: edb57da491bca26afa75961b3617a8b70abf32d5
SHA256:783c10b44270b7863ba96c063fbe420d711227cbaebc01bbc2543d39f2311884
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: momentjs.jar

Description:

WebJar for Moment.js

License:

MIT License: <http://opensource.org/licenses/MIT>

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/momentjs.jar

MD5: 72ad6b420b3b741d7def80f4837682f5

SHA1: 6087f9eb29294249887afa1eb4ec8308657c35f1

SHA256: 71f0cbc7e4d2c943077dc758f7c8f0c7d48e1ddc7f9e7cfd27aecbc12712cfd

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	momentjs	High
Vendor	pom	artifactid	momentjs	Low
Vendor	pom	developer email	james@jamesward.org	Low
Vendor	pom	developer id	jamesward	Medium
Vendor	pom	developer name	James Ward	Medium
Vendor	pom	groupid	org.webjars	Highest
Vendor	pom	name	Moment.js	High
Vendor	pom	url	http://webjars.org	Highest
Product	file	name	momentjs	High
Product	pom	artifactid	momentjs	Highest
Product	pom	developer email	james@jamesward.org	Low
Product	pom	developer id	jamesward	Low
Product	pom	developer name	James Ward	Low
Product	pom	groupid	org.webjars	Highest
Product	pom	name	Moment.js	High
Product	pom	url	http://webjars.org	Medium
Version	pom	version	2.29.4	Highest

Identifiers

- pkg:maven/org.webjars/momentjs@2.29.4 (*Confidence:High*)

remotegui.zip: momentjs.jar: af.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/af.js

MD5: abbd3f78270e280c248535ca3e3b3e3b

SHA1: 489ddba9b2a2f15e2a8d59d751a45c5ed7041f14

SHA256: c59e2f2d09098829d00f5dab85e6ec623f6aa9e70285ec2aac12030a014e4161

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: momentjs.jar: ar-dz.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/ar-dz.js

MD5: 10e8f6da8f425e389f9dd462018dcece

SHA1: d638dc753916f10981ce562c7e7543944aa5755e

SHA256: 2fcf1465ad9fcb33a1ee00188d0d8cb19e0d9094da9e27f56444b67e50c6810c

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: momentjs.jar: ar-kw.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/ar-kw.js

MD5: 5ad9681e194f33543d33a588e2a21f09

SHA1: da190c4671145eb702d41ee980b985a9816bc9c5

SHA256:ebcd2afd129890e49aa91cbd6718916ceb743122a4d264c681a533d8066de673

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: momentjs.jar: ar-ly.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/ar-ly.js

MD5: 293c5c572f1e70336fb5a5cab29faded

SHA1: d969dc63c258a2c5587efa0cb2ac80034c44a5f3

SHA256:0a70bf3f66b074d68453af125059d60f1ce4d5a96d3401b0bb7f013fb7a56696

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: momentjs.jar: ar-ma.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/ar-ma.js

MD5: 6f5179b883bce68003df4d2c99caa156

SHA1: 3af849ad551cc126ea26fe472770b0f2c86363b2
SHA256: ae28a7c4d994a1d4059f2dc1e6385182f3d5aab262d637a6bdfc80f3e3f5471e
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: momentjs.jar: ar-sa.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/ar-sa.js
MD5: 92455d26a00821fe9aba7ea8e23ec89c
SHA1: 18d22d6e22b460fb0d248426001e4cbfd9a69393
SHA256: 4913900a380ed33b662fc5299fda05cfba74367870ba23f3d9db5dfd0775c876
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: momentjs.jar: ar-tn.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/ar-tn.js
MD5: bf6b33329fd589f8b3b393f6e64717d4
SHA1: adf2dc833a46ad99f030b5761a7e6a97497ca764
SHA256: 2b6a611f7d21a0752d9101347b22943dcdd91293f7e09ac11c3b04cee41f594f
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: momentjs.jar: ar.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/ar.js
MD5: b0110c65e23d25860762820db7d2150e
SHA1: 249cc300a99b9cdc47ff3fd70c9b4cb22f0aed61
SHA256:73485f16cb9317f156bab05ba8a3233fa87513cf1cb52728fefc53703ffd5b3e
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: momentjs.jar: az.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/az.js
MD5: ec1a4acd4aa555dd71722c2639df4db6
SHA1: 49b4198f1b008f9deeb9aa5d33e27647e812f0df
SHA256:21cfe14e920b3edc4bc394709929f61aa5f2f9e51d3ca0c6edd1e51f29d7e3c9
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: momentjs.jar: be.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/be.js

MD5: 5c38f8d3d5da2b1b930f109553918781

SHA1: 181a1762773de78de3e2d21696e77a49a9e188a5

SHA256: aa0657f4f1e9f9ef3a3ce289bc882f5971195e4681499f02409486ed985e1407

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: momentjs.jar: bg.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/bg.js

MD5: ebd43c527dac81f273926142beec5553

SHA1: 46101d46348f560c622895e9e65465dd26e92d6a

SHA256: 0d034309eedbd03f17e22dbd963c8cc8d490c8e877f39c6c4081636d1cd28fca

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: momentjs.jar: bm.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/bm.js
MD5: 2ef1c37399931e14e2a4471ebc57bd21
SHA1: 1e10777797f13333027873cf0a1e05e52c2a9264
SHA256: 1f3217d69f6512ea3984fb7428e1afe0c7779cf3822582c52e6eaa8982ac23b1
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: momentjs.jar: bn-bd.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/bn-bd.js
MD5: f2988fa9e29bc5573603a8140b321051
SHA1: ddca0b09ab220aa3e7d8b6d01e98b06071942e4a
SHA256: 87296cd8b904b633d89b0a72b779aaf04e8d625fd8ed772e3227046b3a3acf80
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: momentjs.jar: bn.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/bn.js
MD5: f5037a3495a3febf37d9456b6745537a

SHA1: 5d8e28e5703371e674a9b2947426e23a1429455a
SHA256: a43f974ec15f638e67cec9d73cb33c339ce7cb35bb7041b478a930197977a890
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: momentjs.jar: bo.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/bo.js
MD5: 7dc25ead6d51909386b03c060b891690
SHA1: 5b47f8a1cd1b1dad8e8ae1c6f408dadda7cd6983
SHA256: dbf83d196ab69149d5f056a2b44e06441626f1e5d3c3aa1a300e64dc5150565f
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: momentjs.jar: br.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/br.js
MD5: 65949057a5632b430fce65f65c89ace7
SHA1: eda5bd14e942c85896b263b137e2e14f161836e6
SHA256: 35b4113f7552400639dc76ea40d55f1be6f44af2eaf4289e7c37e4e657522ba4
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: momentjs.jar: bs.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/bs.js
MD5: fac80361cb7d5e0c44f8956063e8eb07
SHA1: e0f831af87ad28205b93fbe4d7ef9001227eb1e4
SHA256:1d185f2b71c18bb14d0e5db063d59912396d42a04aec97cfbbec19a5bb8bb5ec
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: momentjs.jar: ca.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/ca.js
MD5: 9c6c8738154552a40a29505cf41311af
SHA1: 65eee9703d130c7a90d085214ee60c4e087b9d1d
SHA256:c0ebe3bb033ce8f82c66a46dd297c19b30c80ba64036c721aca36a7f86f1b234
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: momentjs.jar: cs.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/cs.js
MD5: 8f0a7bef088e6698b6a090a6f6fe22de
SHA1: b137a5adfe662d0b1c258fe7bb2b73b971e2268e
SHA256: 0dcf511c06f565a917e4718cce467392bf898ba60af2b3fdb032b1910599ebc5
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: momentjs.jar: cv.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/cv.js
MD5: baf681a1e97ac68186325a98d5ef1861
SHA1: c0433a02791baf8efe6945a4ae0370c6d8d55b6
SHA256: 231b3a65bc4beb4d6f0920962dafc82611403df4979655cea53d9740d2986904
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: momentjs.jar: cy.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/cy.js
MD5: 868cca92c4392ae5b0627f305f9633b4
SHA1: 9c0f75132a2eaa3fdf0631a08f210f0e29208501
SHA256: 05d100692e8cdd4a6b3b0eb56eb37c9c64dacab3254aaeba18c24689b18a6cf8
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: momentjs.jar: da.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/da.js
MD5: 47fe4d0a5079542391abdcd125b4cb60
SHA1: 423a66383275eaf3f441f384c69b2d6e2cf905d1
SHA256: 891e90544d1061ea578b51173a2dc4638c0e9af95cc2986f1f89ad5008e301e7
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: momentjs.jar: de-at.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/de-at.js
MD5: c2df366205b041e50b0dc27fe427c54d

SHA1: c52be9218cfbe8ae8d51f78af3494d3a2ed5d35f
SHA256:0575c8ba66974f2eb3d7d74e16a265c40dbfe7802cefdecc9f196f92c0ecee97
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: momentjs.jar: de-ch.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/de-ch.js
MD5: 1f9bf40d5d392a14bb758de02e9d98df
SHA1: 838d95c91f39f7e28483c660e6f5005921d3da11
SHA256:b3c3d71abc98200d579cbbef89d470a6cbb272c4faa71e31232a68ef6451edd4
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: momentjs.jar: de.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/de.js
MD5: 260cd4a4a123af8e02f5aa4001cceaac
SHA1: b928a076571a81fde7fc1fd4a2adb45d9a9a2279
SHA256:20fb0d0967e2720d135a6894165bf96e327b42bdedcbf45a9b2f9e44da7986dc
Referenced In Project/Scope: server


Evidence



Type	Source	Name	Value	Confidence
Identifiers				
• None				

remotegui.zip: momentjs.jar: dv.js


File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/dv.js
MD5: b3ac7e877fac1116b8759c6e7384e86d
SHA1: 3321dfc6f7147d148167b23a3642212fb10b1b89
SHA256: 94a1563faab9fe61f359a515042f56e2672886200e084de98bbd98769f71ba69
Referenced In Project/Scope: server

Evidence 				
Type	Source	Name	Value	Confidence

Identifiers				
• None				

remotegui.zip: momentjs.jar: el.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/el.js
MD5: 7a1966e1fd7848aabcbe28ff2a445e
SHA1: 29af743b2dd9c09d9962080c3a5b4cdac2b09409
SHA256: a73fa8b59dd099d28a7824980577379437273f6ef35a90409cf36492bc2b3600
Referenced In Project/Scope: server

Evidence 				
Type	Source	Name	Value	Confidence

Identifiers				
-------------	--	--	--	--

- None

remotegui.zip: momentjs.jar: en-au.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/en-au.js
MD5: fc0b9a852c77ef21ee6deb24d95769f8
SHA1: 829e7b64e421cc91fbb306243b31d71f06fabdc2
SHA256: 6a84d80e99d57f1ca1faa1dcca9f48e9925de4013ac5ceab52cbf20b059cff8c
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: momentjs.jar: en-ca.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/en-ca.js
MD5: b6f095c75787cb0eb2421b32b2e9ea14
SHA1: 415ffbaa1c99a53d233979f5e907e83b59d54c9a
SHA256: d7b47d71cd5b63a0cd7bc3945ca1799d9345ba9dc3e85356231dbb4f6becdd01
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: momentjs.jar: en-gb.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/en-gb.js
MD5: 5ebfadfe47485b65c484822391d0aad1
SHA1: 4154fff794c0118f1c280d4e3c222b0b3f96a6eb
SHA256: 46e86bfd873ce2ba61885faa9e0ba2ae1a510574f698d6a3aba7da49d1505eb9
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: momentjs.jar: en-ie.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/en-ie.js
MD5: f5175b64f4c382500e7a00ed4113c3a3
SHA1: 12cf24c0dcfa4f82be14783a2889022043fe1f80
SHA256: 41a3d03fb561db37dc1e3a63cba10467c0bcabb2ab7e788329f86b6be6f72d9e
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: momentjs.jar: en-il.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/en-il.js
MD5: 8f131247f11cf746d1b477c75de2e0a2

SHA1: f1fbc068a029ca0fcb5755fc5211ae43c9b2dd00
SHA256:494c5f26d0a16c8c1645d70cfc327e19086831ce78bc98599f4e5abc321db7d7
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: momentjs.jar: en-in.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/en-in.js
MD5: 2d5a9ac86d2a83833aec6a68bc8947ae
SHA1: 64d4492b47eac3212f09a9dd1fdfe2afc9721142
SHA256:290dd53cb6262cfc22c961faf969851adfa8c38b30c80c496b8c8f19232a13e8
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: momentjs.jar: en-nz.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/en-nz.js
MD5: 3a68b41d7982ae7bbc8a396d23e9d1a1
SHA1: 0c30117c176ae1c60d35e54c3c0cd47b5104e28e
SHA256:9590cf61d2ab1b83f793be9f074340397e639fbb112a80c8bb7d2e3a77c45448
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: momentjs.jar: en-sg.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/en-sg.js
MD5: d32a209c24b07b617c68fb03e081061c
SHA1: 34729febed76ec17cccafdc06ce4f51902daaf42
SHA256:e3b29449d67e5d53d3420b5f4ec207dbd70f651380573b59f39aee2b1b9ca52d
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: momentjs.jar: eo.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/eo.js
MD5: f19d7f5dae34785b6ffd82971ff01712
SHA1: 8a6937235d4219a192ae127506cca9479097abdf
SHA256:823d3e21f85f9d3801f7004cc5cde82d5f45d98e977979322543a65908411e4c
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: momentjs.jar: es-do.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/es-do.js
MD5: 3f09c253c2e7ed72706b062bdb3ecee6
SHA1: 3bcd2f7f697c4241a5f47985835b0190a643630a
SHA256: a1d29019dcff0ce2a11cdf97018c20e99fbc739163c059ad8bf2408f77d3161
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: momentjs.jar: es-mx.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/es-mx.js
MD5: d16f10cddba51c3467b316318e592f22
SHA1: 4cc238005f4d59b4e3877449babf5cc8b3595f38
SHA256: a233573f641cc9c93c87b555fc5564c2e5ebb97e251338e971ba76e74d512646
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: momentjs.jar: es-us.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/es-us.js
MD5: 276e7c3c7756f9e962f6141f5048894d
SHA1: bab0d54cfa34f527dcf6960f5379aeef05cc66c8
SHA256: 3923c6bd6137387d5edc62f6dc0174cc9eef8363238c16eef78bd9d9c69bfafc
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: momentjs.jar: es.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/es.js
MD5: 0e92f45548e01672fc6a2f73979c397e
SHA1: 6e6385cb5f6e39ed9ba95ebc1fb66526e2c3371a
SHA256: 2a8f1790d492fc338933a032a862f99998f31bcaf7a0e4fc298b6a3cb04cdf7e
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: momentjs.jar: et.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/et.js
MD5: 8b5c6c8136c1bcb3dd35ff204c28b1fc

SHA1: 82eceb743869c8231a6ef06cf5959e5cd9bc7fc9

SHA256: 95c974679dba419b7d835fa51340c430bd0066bdc38a7a139caa575b67389d7e

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: momentjs.jar: eu.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/eu.js

MD5: 1f0f32ac558d6bf2591f0e7c59b09e88

SHA1: e8989f9da9ff458c51d7d4c21f9bfc99ddcd72a7

SHA256: ec9c07c9db215cf9996405fa56ef306761ec6a9383e19a53c2b45d6a1c5c4dc68

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: momentjs.jar: fa.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/fa.js

MD5: bad9e9e51e7cd982360114a2d6b9a03a

SHA1: 7285494b159552cdee8bb7050d1278144da80b04

SHA256: 15ca66ce1faa865c68998fcc8ab1160207636b9161ad76f7cf7acd0d7c0ebd1f

Referenced In Project/Scope: server


Evidence



Type	Source	Name	Value	Confidence
Identifiers				
• None				

remotegui.zip: momentjs.jar: fi.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/fi.js
MD5: 08d74def02ac724471fce607ab87f4af
SHA1: 7f40cb04e95803f706af5caf5a983f7aa3f2365b
SHA256:1339d4170019588a6764a56236c2a7c5b2389ace52a9ec5e8c09f1997935741f
Referenced In Project/Scope: server

Evidence 


Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

• None

remotegui.zip: momentjs.jar: fil.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/fil.js
MD5: fbc9e6bd5b49897ba8503d27e2d061ec
SHA1: 2121d4a7333acb3b7b120c1580a809a8a5927dc6
SHA256:d24cac0d0069d89c48b4c8cee34cddcb7e39892c91f07b884574fe0cafb66ef7
Referenced In Project/Scope: server

Evidence 

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: momentjs.jar: fo.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/fo.js

MD5: 85d4a1a25dd5c3fa021f9e6f63fd01ac

SHA1: 95d11e45e86f344a148706df7f5c86019e02ae30

SHA256: 6338de573601e330030918569b8d2f80f98a57754e748a03ff56e3672fa25be7

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: momentjs.jar: fr-ca.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/fr-ca.js

MD5: c0ef60f7029fe6ab773c090320f0a66e

SHA1: 8970ff163faa9c8702be24f65f95e94b962d8622

SHA256: 59c5acfba5605fa641721bf16123300164ccc043f4bad6009aa8d880b159124a

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: momentjs.jar: fr-ch.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/fr-ch.js
MD5: 3345c9d13645ae5fb2964c17559326f5
SHA1: d0cd4c6466797300434db0d6c8028bf46fe35bc0
SHA256: b32f50aa3d147ba5441d7728a45bce592125fd0a97117ca4b93b32c6393d847d
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: momentjs.jar: fr.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/fr.js
MD5: 775f1eb59d6f597b1c398036002ae329
SHA1: e6f1741f5598b62a83bb071459d9e8cae4b3a127
SHA256: d87b4eb850bc7742c104557450d0a70d18a48a917335221af08d23850667523e
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: momentjs.jar: fy.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/fy.js
MD5: a54d9827ca1a619a839a15c94b7893a0

SHA1: 66863e3aaff531e89e83acd8844ca87f8516cf38
SHA256: c33ae59d9a05aca0dbe86d74bff25eb44d04ee97b738034fcb72a21b73ec1cf1
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: momentjs.jar: ga.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/ga.js
MD5: 264a960fc2850670387b1cc90dc29dbb
SHA1: ddd261054362b16567ba858afae968cf2380bb6c
SHA256: fc6d5d441553b23b5ebc3c79896499a093a3285f1e6134a680b8899b5cca4c86
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: momentjs.jar: gd.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/gd.js
MD5: 0f3b98fcc8a06995436819446130320f
SHA1: 0050fa33180aa1f35c739cecb397846bff7d24e4
SHA256: efa1d779f65671809a63f900479c69bed19c262f2fe7936076793bd13deda080
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: momentjs.jar: gl.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/gl.js
MD5: 0d346a7ad989c39c04631e181056acb5
SHA1: 74c436284f15589fd53c9d4c090a4f75ff8376aa
SHA256:825e6fad55094c13118d2cada0b6c5945a97ea9b647686c2b00dc6980bea4608
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: momentjs.jar: gom-deva.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/gom-deva.js
MD5: 6d2091e4ba1b31399eb4f1f3d92acaa2
SHA1: 9e27b24c4f8ff43da0373ca75738e0322cc1bd77
SHA256:ff5ebf00d100f610caa956ea22c45584e34067f762c2e9811326d5903ccd819c
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: momentjs.jar: gom-latn.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/gom-latn.js
MD5: 45f0c567784f534e16f304dd625682ad
SHA1: fc4b281f7d57696decbf3bd5e8c572f4191c9289
SHA256: caa6b3cafb8d463c7cb0b47783b84d7f7637f685b8d33d1224548f7f9a124cd5
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: momentjs.jar: gu.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/gu.js
MD5: e108958bf473fcc52349ecba7dcff10e
SHA1: 977667ee217d20d2ff2338dfa6ea9bda2e0c13d5
SHA256: 5155f3aa5fe43b18c7b06cf02ff6e9d6c157d7da822c658fbd8e2f0edceef161
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: momentjs.jar: he.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/he.js
MD5: f5e7fb20bbb7618d95e4928fee094f7e
SHA1: cbc69bf9fa2cc2493d086af3a5cb15e893c7d64
SHA256: 93b540d4f1bc21d5668854475e8efd2d6fcaa2f596704752a586ce07d471d475
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: momentjs.jar: hi.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/hi.js
MD5: 10451c28a31c032807f1fbf1bea5c32f
SHA1: 8ab3e8fd6823a63a2348cca98ca4eba215ad01a9
SHA256: 482f9289851cc5add17895787d427259acf8d9467db37000d383021aa097a1e3
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: momentjs.jar: hr.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/hr.js
MD5: bfeb6da022ce8f5d4610a485f6063935

SHA1: 0e475a985f8f3612c397a07781933bc4235be646
SHA256: 4af37cc6b498a4c3418f0b5d90efe5354422b3d158681454dc2eedee31ce1469
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: momentjs.jar: hu.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/hu.js
MD5: d485a763ba31196c55bafddc763cf98e
SHA1: 83c283112870db2a37b8d6a96e2ff423f27addac
SHA256: 518c3c1b849d41be9ef9673726ac3c71290096a727ff29c9edfb0f7489e3253f
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: momentjs.jar: hy-am.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/hy-am.js
MD5: 8fedcd99fde263a8a5a906b27de70605
SHA1: 3fbec521a9f7cd9b7576fb37a3f35ba2705e88
SHA256: 2c3bf5ef8c5162c7c4ed0ce4b144fad24eefd691911d7c8b86c21cab84f3bfe6
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: momentjs.jar: id.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/id.js
MD5: 3000b8d8d73e16384fd2a13aa7259d3e
SHA1: 1bcd369482f53edce0c1d34aeb15a918f3c7af7c
SHA256:036154641aa4cba94ac8a65b98af75d2fa0ec29156674947d1148fa146689dc3
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: momentjs.jar: is.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/is.js
MD5: 0f5a457d3457dfef1c5d256436b5e442
SHA1: af0c0c6573bb9628ee8c97479651f65571d6a56e
SHA256:6943c853ee0ad65ad2e3e38baecc90dc8088071f10406ee8a5ad995d7cf5f6e6
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: momentjs.jar: it-ch.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/it-ch.js
MD5: 0c0cd69247909aeca5d78d255b30a617
SHA1: 71631e4e4ce3a8466d80d4960a86605634a713dd
SHA256: 9670e2244dd63556408fc20671fd763fb91be52041eee92934710e75e2b3b7fa
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: momentjs.jar: it.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/it.js
MD5: 1abd9a8f32e7930bbdebd23a2bfa4afb
SHA1: 40cc21bf11475c48c1681ebc18a63a2bea4b8962
SHA256: 2fe7346bd6fdf02aee19fde76bd2ca0b5e65903ddd45d097be2342ee7b0b9470
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: momentjs.jar: ja.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/ja.js
MD5: f39b4bc3b33715242a84fed53b50d596
SHA1: 8bebb66d25df95fc67d48f4ebc4b519fbc7d9482
SHA256: 9720de4592dd94861f2fabb51110533fe44620f517e50448dd828a7f2eef7009
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: momentjs.jar: jv.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/jv.js
MD5: 307628de0dbfe42c1aedc98c3afc1aae
SHA1: 7620cfee82f0241100b34de89cefd40412456ef6
SHA256: 707617feaac7459e5d5c39ff3ea4a5e5da0cf398384902c1cd5975cbd1a113cd
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: momentjs.jar: ka.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/ka.js
MD5: 629be6bde33738ff66f7119b3b617798

SHA1: 02209d78bf7dfa3b5e585e64ebfc61ce561e5f3d
SHA256:2c15068d2ceb1f34e4b92f95710b181bd1034410b8a96ae15dd11ee24d0ff0fa
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: momentjs.jar: kk.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/kk.js
MD5: 4532f947979a50597d1c82a42f0facb8
SHA1: 9a8cad32d8e4350e40184813f4d19aa05882a8c9
SHA256:430c86f6c0ea0199d8622045883048b35875bea37b44424663bbe573056ec981
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: momentjs.jar: km.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/km.js
MD5: f73d0c92be21341d171e019c00173f3d
SHA1: 6adb747842bb733d90ce2b7dcf4963f1d62a7a4b
SHA256:01b837409a1ee03d8269886915f10ae1b9460b2cc42cc5f6fac862f7360ba103
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: momentjs.jar: kn.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/kn.js
MD5: 72e237c519a91674447b268b61983bbe
SHA1: d72624462d7dbcf362ccc15385d5cb5a124304c2
SHA256:9673f6d7a10086cda8228f1c080ec032e8f34e3a3de2f1413582e0a6cc6f2128
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: momentjs.jar: ko.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/ko.js
MD5: 14369b837e9e15378938754b04bd2189
SHA1: 9c886434ef46530e25cea737272027ac505b6adc
SHA256:f15f592b5d7d5bbbd061c5ad31d4c45f462ad43acad74808c6a7105b108ec0eb
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: momentjs.jar: ku.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/ku.js
MD5: ba513eb127fa22206ca1a67ad8467da2
SHA1: 45c0c079a209932f8a8be25a94f0fb97be8ebf84
SHA256: 816c9c27f4237f1fa595c5be0a60b7e5c58ec0336d5a908e03f73fd8596e1caf
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: momentjs.jar: ky.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/ky.js
MD5: 68f9c0556546367a8c25903bb8348b80
SHA1: 5bc99ba86f969c07cd1b0dc62510c572707adb64
SHA256: d3c35f2c47610c7c921268cb98cf398599068d24d51e7a89167707130c85ad59
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: momentjs.jar: lb.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/lb.js
MD5: 474c1a2279d961b67a8329372fb54367
SHA1: c6acf49c446bb128ce8aa5f980664107e92523cd
SHA256: cecd52da4e3f3a7a69d4cde1692c90d000a3726772f8e00a9c232faf4d6ff985
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: momentjs.jar: lo.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/lo.js
MD5: 629f0195acb5feb16432ffc78b6418d0
SHA1: 10730e85c79a5c325f30a5f0fd1b83928918cde2
SHA256: 83c284d16d40e861cd01c28683acf77475813993b2a17201f17127e238e5bcd6
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: momentjs.jar: locales.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/min/locales.js
MD5: 3aabc3a57ff7796110a9d427e6e61280

SHA1: 59155d41e1b7a2f651f26f8db2768c42206bc4b7
SHA256: a6d8d341af2a118463f8dbec697f3b5210552997ef51e0d9a77c84235f2eb2dd
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: momentjs.jar: locales.min.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/min/locales.min.js
MD5: 5d62f0a64211c2d3e0d009cc69c48202
SHA1: 4c6bb9ae2e43259229cc16e9eb7ef70f3c8cea12
SHA256: 1a3224b3cabca0fa92ca56e14da46d7f209ed28ce68ed50940b4fa6ed2ffd254
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: momentjs.jar: lt.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/lt.js
MD5: fc931f5db9a4d5b832e7c53985cfb233
SHA1: 6d5575d2ab06036bb29e50e7b4607985b0c10aec
SHA256: a02ce50203e4cc9e85db77632d41f489f14c893f986199c8dd04191199924094
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: momentjs.jar: lv.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/lv.js
MD5: bc6f1396c4b85e2b01b4b2fca550c0b7
SHA1: a18e4175ecd49b5e3382dac1bbcdc48c3279c60f
SHA256:e4f68dbe7147bdc76d7614102eb525f9a5d8dacc690dd661091412b0c9505cb1
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: momentjs.jar: me.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/me.js
MD5: 4b76ccc2617dfc9bd6a54643659bec05
SHA1: 924aea795ae1a9581ed184b384806891ce336e27
SHA256:24103df1e95500b3fdc4aa60b933c66d2cf33aa4ff8d2401ae847c516285679e
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: momentjs.jar: mi.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/mi.js
MD5: 89179085b30d2752584c4f4e9c3ac04a
SHA1: dbf999f790c8e7f99c27c55d8184cb46d1f0ee85
SHA256: 9cc67dce66cf3f0f9a57ce732af6878cc23fedcf256fd5302c6cf57df87eac3a
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: momentjs.jar: mk.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/mk.js
MD5: 7a6a2a4ae623481704f78bb0ed6e1968
SHA1: 3d984281f4acbb38920919c47916a0ecc46d8d82
SHA256: c38140b5408a91d9632765d23f4368f0cc98dfb6aafb0fcce452b6b4bfa93efd
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: momentjs.jar: ml.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/ml.js
MD5: adaeaf5c9b5995567c7723ded581c647
SHA1: 3cbb01a59dbfdd3b86caf1b30938598c52e1dac8
SHA256: d45ac595a918393ae8f76838688fcd569c917b945e9c53861ec4a1f11f20aed2
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: momentjs.jar: mn.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/mn.js
MD5: 2229e9c27b35b688a4211bad4d7574eb
SHA1: 7fb0c3b04afb903aaa0a3a1b4b478a8b2d9d6bf3
SHA256: 0f1f5bbc9eaf020931f8cb54ae085e51c41c0761ffc7fd265dbb60cbe7d84076
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: momentjs.jar: moment-with-locales.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/min/moment-with-locales.js
MD5: d07131713d356424c14481ed9e77ced2

SHA1: 6ef93c81041412f1b60d1254595cb04b53f8ec39
SHA256:f37cad4429c2815e53699ca98abd4e8773737f696fff554c63a58f4d6589200b
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: momentjs.jar: moment-with-locales.min.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/min/moment-with-locales.min.js
MD5: d458b68730a7330653700489333a7837
SHA1: 4059aeca1d0b99aec8006b37a927f09d9c0e794d
SHA256:430725b95468277dcbccc27e08e3d873276c0082737310b0b1ad330392511847
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: momentjs.jar: moment.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/moment.js
MD5: 6e5aa6783efbeff584f4292398326b32
SHA1: 450696675b814c89ec016901b570c05891ca2c04
SHA256:c33f09a4e1230f3075be8d2a94081108d52f62d3c30b9a238941fe80790267c6
Referenced In Project/Scope: server


Evidence



Type	Source	Name	Value	Confidence
Identifiers				
• None				


remotegui.zip: momentjs.jar: moment.min.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/min/moment.min.js
MD5: 6c0a2330b0d8d6ea185d4669a0eddeab
SHA1: d4f50308961144876b2b5fa57684b737694a4b04
SHA256:f343aa319a17a3fc372ee6ad5af482b9bf6a298cb22652b4aa7502604821071f
Referenced In Project/Scope: server

Evidence 				
Type	Source	Name	Value	Confidence
Identifiers				
• None				

remotegui.zip: momentjs.jar: mr.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/mr.js
MD5: cd715ac0f919538bf79acdb4a477763e
SHA1: 467bc9f9b59ee399af6ef3f89886c150f74ae52a
SHA256:f6347f442281844a205245620f9e469f52cacb7dd41640ef67d32a94f2c583d0
Referenced In Project/Scope: server

Evidence 				
Type	Source	Name	Value	Confidence
Identifiers				

- None

remotegui.zip: momentjs.jar: ms-my.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/ms-my.js
MD5: cb7a91cedb211e85abf06a4683d39800
SHA1: 05754f446f94d9b0d34885bdb0dd40d08df23295
SHA256: fa77f6b23884ace43199d189a596c8cd436ab20b2b6966599dd9fd589e51548f
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: momentjs.jar: ms.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/ms.js
MD5: 3f2df63e4e8e99e5f3a23b44e135f90a
SHA1: 7e8563a8e513fb3f2f711395992fb34d6039e841
SHA256: 6b6301d42544281a07e51e517a1acd2e498e6289b29e74817433a86751761f71
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: momentjs.jar: mt.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/mt.js
MD5: 3cc610e1a28bb045e3f21adfa96614ce
SHA1: f22377dc419295b8cf22ca6459df3f834475ddf9
SHA256: 6af1d3643bd218941f30da0f6ba7bd64d4c2d0c49336876308af3af0387b0440
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: momentjs.jar: my.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/my.js
MD5: 1de06907d41a2fbf6861958ee0eaaba6
SHA1: 1b5eaf3d04d7a45a9e93db791963bfa0cf999383
SHA256: 92732cb26a774bc3e049c7e212d8ef1425413d63522ccca1fb1b0696854da4ad
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: momentjs.jar: nb.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/nb.js
MD5: ee293037089769cbdbbf9f2dba3e01e6

SHA1: bfed5520bb401c83f0b391cf09ab1907e4362f2e
SHA256: 36f088dce675389ff1b12afe35703b6d166cef8df8a24e1e1d6ecfcf7be84fd5
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: momentjs.jar: ne.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/ne.js
MD5: f09e1496b96096e594254145053e777d
SHA1: 601e6b5e8ead8fac21d661c4cb1f5aee22c96755
SHA256: 804bbd6c30dc3b74de711a44f9019db06210323a0db31e53ce730feab5ea6275
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: momentjs.jar: nl-be.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/nl-be.js
MD5: e50c24ded5247900814470d1a6cc8854
SHA1: 73d12dfe3645a5ea9e0b6c4d5b2a5f28ac022af2
SHA256: 2bd27e18811c7363a1b46b815173d626102523a2f76854792885166f4a99eb5f
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: momentjs.jar: nl.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/nl.js
MD5: 843085f588379356ba9556d93aa9ccdb
SHA1: afe70913ffce08e256c3c9ffe350272bcb791a0
SHA256:037e055b18b4376112d853e3d357b217dcc0bfd3990e0155b980ff622b4ff8d9
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: momentjs.jar: nn.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/nn.js
MD5: 7c29b42f21ff6b7e0b1f16ebb20d2a5a
SHA1: 9464502746665d34779fd3e7c9c05212db534556
SHA256:66007f84c945a3475100a3024d5fa3d430d6e11e64de81849e50ea73e3f390be
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: momentjs.jar: oc-lnc.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/oc-lnc.js
MD5: 16a8d7288d0007906a6ebb39fd954265
SHA1: 5442e9e7ee72e6f2ed438139d5779ddcfaaf471c
SHA256: 1e03cd598c495e4dca3bae56e3822cacde57333ab5a85f555c582e104f54261c
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: momentjs.jar: pa-in.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/pa-in.js
MD5: 8247ac1929cfdcc902a77542e9fa470c
SHA1: a0270710978d4f03b32a4d5cd38065d6d274729a
SHA256: 5ba548ba7844a1c5c4a7f003337237f940b5e8aa67254fb90e1a05a66f2b43ac
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: momentjs.jar: package.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/package.js
MD5: a26087930b5278aa21fd79491b952ac0
SHA1: ea880b139fa5aad30129356d4c2b61c7acad7452
SHA256: 6334f70497c6d8fd22adb3089eec30bf1e2b3dacf92508df52eaa7a8aee12bba
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: momentjs.jar: package.json

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/package.json
MD5: f1965dc95e9d5ef4816ffbb597d484ab
SHA1: fa7b033b3a1adcb85370480289e6a60cfd21ac89
SHA256: 25f5d25a676dda5763fea169d93a31dc12bd0a6d5d7f352379c8afcb1e3d794e
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: momentjs.jar: pl.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/pl.js
MD5: ea2f9b5ff7c97f62603f1e8786708d7a

SHA1: a9b097f9c1dfe0872befdf47995602029bbd22c9
SHA256:5435a1265dacc269403f275095e24a63ff3b8bb0f95908f7a2a987fbe2ab9e43
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: momentjs.jar: pt-br.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/pt-br.js
MD5: b70a96c3353ca41f14b5628aaeef6461
SHA1: 02e3841b0ed1fbf086a5b8bc1be8cf835cc9d8c2
SHA256:8a8b165be42795d9e945e7494f38ea353ee2f7eee7eab123073f3a42ce755687
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: momentjs.jar: pt.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/pt.js
MD5: 71f120e6f7682b0e80a9d5982b8a4711
SHA1: 49494f7c1cdb36294b6d640a524c2cf19eed12b5
SHA256:89e4c2f2d351ad7e2fefec9332778b16cd4a31858ded9ad6fece12fd9db94ac2
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: momentjs.jar: ro.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/ro.js
MD5: 84b1a53a794d8749061a53eb558110f3
SHA1: c2241e36357a248cdc870a8f83c19d12a031b479
SHA256:f66bcaadde14018ffb3bce26ea8ffc3ce36cc65c4c1e9ef9ed6cb321b7ae9481
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: momentjs.jar: ru.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/ru.js
MD5: c66d22693e1e950330471ed9de408aaa
SHA1: 3f4b2156029a26bc408cdfccf5812bd125c760cd
SHA256:47b9c98d906dcdc3d7b7f40e604d793fff2e142f7d788f6ac0deac5030458ef5
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: momentjs.jar: sd.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/sd.js
MD5: 115132c218de16cbea034b2762b9df9d
SHA1: ff940a6362744a8258e15cb09c4e4b46c48f3ec9
SHA256: e5f27127927a41eb82e45491e52bd6a529d3db5e6cd519c48f7473268909f6c3
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: momentjs.jar: se.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/se.js
MD5: d63f9c00eb2beeff26eabfea1406a3bc
SHA1: 8fc07d6276adf84ab94a1d352d55c105769f9017
SHA256: 424ed10805d004f217b44ff6a0da5bad51d8f3b25577306f6e1f59c387525da2
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: momentjs.jar: si.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/si.js
MD5: 0bdd326bd6fe7e94a1c3fed06cf79cdb
SHA1: 6dc83c8bee2af014c11994abd5f0718ed9c4dc64
SHA256: 8e7582efb99ff00bb7aeb6de0bfa65792592a5b4e81ae6caa7bf8cd8cb3180de
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: momentjs.jar: sk.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/sk.js
MD5: 0d4c93cc1adf0c2fe5bdcde7b1cca213
SHA1: 17c72fd3b31573f097f962b851fc82db22f217c1
SHA256: 7685c076b71fd8e36c2cb84c645bb3a75d84566f26c3682a2792f0113b4d9b16
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: momentjs.jar: sl.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/sl.js
MD5: 11bbdf40343f7ee615144b2c3df93d54

SHA1: 853a6dcfaa15df6205729d754739633de7e3f667
SHA256: ff2e8352962c2d13d114356c863701f2473651f6491639e1826ab417d0377f90
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: momentjs.jar: sq.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/sq.js
MD5: f5c6cad85947f97d184ce17397145e3c
SHA1: 1817cdeeb3261b7f03f13902a7d8adfe46c36a65
SHA256: 9d7d061c245349d6897732c90ad57841c9132b9b556be07a24dc76ff17cf75a0
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: momentjs.jar: sr-cyrl.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/sr-cyrl.js
MD5: 403a704d0b31d44f5d43a05f060f879d
SHA1: fe545c0831b16a2393a771221f2daf3f8af50cf8
SHA256: e62567ebcb6434f8652b1867386d7324c06d1f226fe9fad0517e658503ab496a
Referenced In Project/Scope: server


Evidence



Type	Source	Name	Value	Confidence
Identifiers				
• None				

remotegui.zip: momentjs.jar: sr.js


File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/sr.js
MD5: b5752681e826802ad4578a65d446d2ab
SHA1: 18c79b7064d378b578c83facf15be80314e34581
SHA256: 307eb8be823a2997ce88c5ad8c3ca19e7a6345f116331fe3856659665de0d453
Referenced In Project/Scope: server

Evidence 				
Type	Source	Name	Value	Confidence

Identifiers				
• None				

remotegui.zip: momentjs.jar: ss.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/ss.js
MD5: e61a001b0c3ea5bebde2d4d96d7c19c6
SHA1: a26e124883144d6ac990722d7915ceb80a44f7c8
SHA256: 0d8a08574cc28602738aca72bed6364e88dd93fb2131a20c06630e3dd7565945
Referenced In Project/Scope: server

Evidence 				
Type	Source	Name	Value	Confidence

Identifiers				
-------------	--	--	--	--

- None

remotegui.zip: momentjs.jar: sv.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/sv.js
MD5: a276c85890a03d5a55715768969516fc
SHA1: 135396ef7e63b71af3df1cbafc5b060a32aeea4e
SHA256: 08f8dbba970b89522adaabe609f47a3f20857c0985967888124f9204f4c3e2f0
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: momentjs.jar: sw.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/sw.js
MD5: b9e0ae98f621d6f9a622fe09225978cf
SHA1: 42f76f09c8d7049758fcf8f78e30881e6681c40e
SHA256: d6056ac79071a9f60793825357dac3ecf35c43acf10e02a65f1892f1fd9cc0c1
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: momentjs.jar: ta.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/ta.js
MD5: 2b48e3a057ec1ecf49d4e16d56263ed8
SHA1: 94a700dff6eda352ad3a2c4d7f5a4dc5e6219321
SHA256: 2dae88a3138adda69fdec54914461ec28d4fa5e720d7626ddb3fb91a74a2ab6b
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: momentjs.jar: te.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/te.js
MD5: 39e36c17c46798dfdcf0ddae92610807
SHA1: 1168038e9d7c735ac44fc0eca95796067ca7b51b
SHA256: 2cc07292a2ab5702d8e1e849ae3b28cca5c6194d0d150ec637c6289d9d864e32
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: momentjs.jar: tests.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/min/tests.js
MD5: d39f31787b27fc1bb028ef80e699cd7c

SHA1: 4c0335c7f8c19e26ecdd2f9f0ed08323507031d7
SHA256:895d3ab9bb945f1f86903438a18c9fb308e84a912e4859da39fd1bb08da63e44
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: momentjs.jar: tet.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/tet.js
MD5: 0a6f7fbd649b280c8fff433d32591867
SHA1: 15f108397be93776a1c232f3de813e27f305550e
SHA256:d80dcb236c671594af031c93d32ed883c322a6f32bd25637d454d7b9d9e81593
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: momentjs.jar: tg.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/tg.js
MD5: 83e93f32f7f488c26def6938e280b716
SHA1: 59886e50e9d7e53beb111b317d5195ee0382050e
SHA256:24c8928619c471831467afc05aca6f0299e40b418b78bb30b4d66942d872d2bb
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: momentjs.jar: th.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/th.js
MD5: e14a3488b2c85b54f65262d6fcc6b1b5
SHA1: 7697e04cbe08eefdc5ad4cefca7ea7ef42cac791
SHA256:9911634c353a7ce63a81139f914552fc80a499029a803ced8b32b6af88c53bf4
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: momentjs.jar: tk.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/tk.js
MD5: c01b5d264b1cfa34c4723e995439ebb9
SHA1: 8445ede8c1ce77556495f9a5469ead5d3b2b3ee8
SHA256:fc6654229cf3f6e6bb2aeb5b70dc4e6adf7f307575af9d15b7a31aab897a9988
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: momentjs.jar: tl-ph.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/tl-ph.js
MD5: aefa584c5d3e7690a710b144fc505a7d
SHA1: ccc8535e56aeb0b2c2991ec7c2c232a16334f09b
SHA256: e324f1791432534af3ada36c185637db02eaf3d3ed8f88ddf143538dc484cc3a
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: momentjs.jar: tlh.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/tlh.js
MD5: 59508c37879615bd0a0beee8f69a28da
SHA1: 15324b9edf1a3e7bbc52b1e510ac53def8ce02ef
SHA256: dccea1319a2e92d9bf373e1d8dadcd4a130e1fa2457d7a66dd035c3cb93601cd
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: momentjs.jar: tr.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/tr.js
MD5: 0cf5765f4f245b2cd8a21dee0c3c92ba
SHA1: 7eb8afffa83fb85eba987c80a934c6ad30a23b23
SHA256: e8af125b0bdb3c15ff5ef2eb171bfe698507a026a9cab54bedb0770cdca34fb2
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: momentjs.jar: tzl.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/tzl.js
MD5: a2587bce05b5fa3015dce4ccedbdc802
SHA1: b9c4bb7a9f9ad9dd515bb9de82be90d0d4932fe6
SHA256: 393e6424d498fd2abbf646217a197b61c4c57706e6b29ec2873ab20e7bdf6970
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: momentjs.jar: tzm-latn.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/tzm-latn.js
MD5: 582198d314e9ced1007620d4e7701734

SHA1: 17859d3345ae82ce39d5d036649c1976b9e4474a

SHA256: 7909cef0eb3080599c24794c079e05ba07af565f198450df0ad411c85be45030

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: momentjs.jar: tzm.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/tzm.js

MD5: 69d71f7f7674fd7f8b35f14dc179339b

SHA1: b5166e0443eb54c38185227e954cd5cc2b1f589b

SHA256: e6f3a2e2e3ca86953e2c06ca562607a95d2b5129e751e5e0905270f3e56a1f52

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: momentjs.jar: ug-cn.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/ug-cn.js

MD5: aad8845e8fb63517d21b322fef4a3545

SHA1: aff6b2361311a6475b9fd755bf63d23e3e6132b1

SHA256: 58de2ad653876b1eb27ceaffb0037ddb0e4fb7917e111fa7a88ef8ab01fd041d

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: momentjs.jar: uk.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/uk.js
MD5: fbe69f339b236b654b3e41d8d8b56536
SHA1: d9fdc9224f535c1338048858a9e457558f95349e
SHA256:725764b2851d3db79d8fb20b96ce7708cd1dc60c6ca6f37bac4df2350f3ccbf4
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: momentjs.jar: ur.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/ur.js
MD5: 3da71179953500680163984295abe43d
SHA1: 2fdee5b33f8d29a565d84927fd333a2d9d41e5b2
SHA256:c89fc485a14cb20c0576ff20bc3d157e1296f2b2ddfa8035f71e8b58f61a29a4
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: momentjs.jar: uz-latn.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/uz-latn.js
MD5: 75ce0ce4c28806c32575c4f28ded6185
SHA1: 2648a6adc3ebb4dc12b070a5cc0a126050cf685a
SHA256: 3943e946fcad9c965f147c50e08da71d3270239175de530d1f48be6fb44956ed
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: momentjs.jar: uz.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/uz.js
MD5: 3d11efeaad9c7b7f344eb8beb691a2d3
SHA1: 73ce197519648ecb5e6756bb2fb953688b42af2a
SHA256: 9f22344f9ff69b1cf5546c975fd8847884bb032216d15054ea267cb964a09b08
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: momentjs.jar: vi.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/vi.js
MD5: 28c7ec0c4bf82120245da0d15112f4b0
SHA1: 1470d1969733e49331f2e435910b045e6a0a518b
SHA256: c5db03ae438e4c55a6edfa004540aaf1def14fe0968f9ed3e03fe7dd7c3faf03
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: momentjs.jar: webjars-requirejs.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/webjars-requirejs.js
MD5: 34b1a7dcca0ee03eed1432670ed9c472
SHA1: 9de80e951270f04bbafd39d9d7822df4f7d08839
SHA256: 197295e6af66b25f2aaa0909c6911f7c1c76e24eaf170d9cba2d84644146bfeb
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: momentjs.jar: x-pseudo.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/x-pseudo.js
MD5: 18b5b8d8f2f327f6d5ec947e550f35e0

SHA1: acc470244b95f709e4b68e7ab94b2c645f929f47
SHA256: ca8ab052a09b2f320574c71c472609e026b4aa72c87a06f204ff33670249e2bf
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: momentjs.jar: yo.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/yo.js
MD5: 42b28f7a2ea67c7b5a342c87ef0a5771
SHA1: 84f6d714e3aadf74ab8a755b465df7ec8215fada
SHA256: d80655b604558af2855f5b67b21b28ec5770985b67fde59e94e1168e5f4795c8
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: momentjs.jar: zh-cn.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/zh-cn.js
MD5: 49fa27dd7c374122f336369f30a87973
SHA1: 768eeb42e5372200634e8825680c6e18b0c8db8d
SHA256: 53138532aad7c571af10cf6b17a678552e9a9e7ef5014d250f97af8dc61ae6e1
Referenced In Project/Scope: server


Evidence



Type	Source	Name	Value	Confidence
Identifiers				
• None				

remotegui.zip: momentjs.jar: zh-hk.js


File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/zh-hk.js
MD5: 9338eb6ad8e887a63be4fbaa05cab197
SHA1: 92340e4f48872df241a47bf9bd13647092fd25c9
SHA256:c6d7de0d1f5544a1d3bb64c7eb27481b30316766f1214fbb5b1c6be358a4b921
Referenced In Project/Scope: server

Evidence 				
Type	Source	Name	Value	Confidence

Identifiers				
• None				

remotegui.zip: momentjs.jar: zh-mo.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/zh-mo.js
MD5: a986f68bda18d9751f6bedd7356e6e7c
SHA1: 6cac0e5b7b9e15ea799ce6a1575be93df4832c87
SHA256:874ca3806f556c5809842613ba410c965111ea9441fb949a32abe2a7c3bf7f8a
Referenced In Project/Scope: server

Evidence 				
Type	Source	Name	Value	Confidence

Identifiers				
-------------	--	--	--	--

• None

remotegui.zip: momentjs.jar: zh-tw.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/zh-tw.js
MD5: 94fb46a7c1ce21f0a91512b170d4fdea
SHA1: cb69c6ca687ace454432d994ae5b624ba9011b62
SHA256: 62fb1b36d24050120cadf807b975ffe9d7986aeb41a0f4ac218c3ad23a1c9b1a
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

• None

remotegui.zip: remotegui.jar

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/remotegui.jar
MD5: a181f379ad269e6499ef7c88ab6c0dc0
SHA1: 3aa1cb964f13fc29b85833ac281dba072362c75a
SHA256: d0fd6b561ce349b4d389ea82c4bc80adb2e2bc4fdcf4b13ebcfca0d7ece2a36c
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence
Vendor	file	name	remotegui	High
Vendor	jar	package name	gui	Low
Vendor	jar	package name	inet	Low
Vendor	jar	package name	remote	Low
Vendor	Manifest	built-date	2024-06-07 17:29	Low
Vendor	Manifest	implementation-group	shared	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High

Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	remotegui	High
Product	jar	package name	gui	Low
Product	jar	package name	remote	Low
Product	jar	package name	shared	Highest
Product	Manifest	built-date	2024-06-07 17:29	Low
Product	Manifest	implementation-group	shared	Low
Product	Manifest	Implementation-Title	remotegui	High
Product	Manifest	specification-title	remotegui	Medium
Version	jar	package name	shared	Highest
Version	Manifest	Implementation-Version	24.4.256	High

Identifiers

- None

remotegui.zip: remotegui.jar: DbClickButton.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/js/DbClickButton.js

MD5: c35cd6abda035a7828fad8a14272397a

SHA1: 65385b9909c63a872d6a2fe776b2e05bffd029bc

SHA256: daa55ecad70e86d0ff8182c9193cd0e9ba9fd0d627632109caf441ddf984b709

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: remotegui.jar: DbClickDragSource.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/js/DbClickDragSource.js

MD5: b9f567f02c81be5c2f843f6e38aa894a

SHA1: 5136acd6b661d044d804e9075d286f0db02bc380

SHA256: 736fd4a9a895d5388b84bad8f3a6b9b9bd54120fff2e9a86d583a7a7a72e8e49

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: remotegui.jar: DbClickTable.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/js/DbClickTable.js

MD5: b5ac6f4dd2ae20f04e66f4384127629b

SHA1: fa13ae5a5dfa28c5608f82a6a60efc6ed89b319f

SHA256: 42b699f934a4f02836b0d8f168b210e1d6c1b4502e2fcf8ba7bc385d5b0eb7b4

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: remotegui.jar: HeightDetermineButton.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/js/HeightDetermineButton.js
MD5: abd8bb7d4d3390b42e7d292435e79584
SHA1: aa34d0ec2c59d29e1e07fa92074913df1f9c4974
SHA256: 345d53ff522d1d288a06c1ce4be2fc7b7310cb25946366df704836a6fbd65606
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: remotegui.jar: InetContentPane.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/js/InetContentPane.js
MD5: d92edf895b367267a18b164461f7450a
SHA1: e8024cc29237e47f8e635125073cb13d0ad2a4ff
SHA256: b3e4706e5af04905f36bf92cd50c159d92248cbd01051320fbb84acb48a69ea3
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: remotegui.jar: MouseOverTarget.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/js/MouseOverTarget.js
MD5: 0a897d206c56960e7839e11480367771
SHA1: 3766f3e726b8ed774c85a1591878d430d846f97c
SHA256: 48b3c5e519a54b4c43292470ededa7a21c9ab836b34a9dab6e84280ed7e07a27
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: remotegui.jar: PreventSelectionSplitPane.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/js/PreventSelectionSplitPane.js

MD5: 5b86b53aada37ddc636b5a0a1884ae66

SHA1: dc90617fb1c00b4f53e74202adbcc543bc75003f

SHA256:294120a9528e6dfd99a1eed73f3ef53be16d71e73cdc51648840ac7cbaa64534

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: remotegui.jar: ScrollEventWindow.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/js/ScrollEventWindow.js

MD5: 8f8242238182a1beac5f5c64f600ae6a

SHA1: bc28865113709558b01ba63b49831aa940f18349

SHA256:9b68c31583e928ef7f79e3bc75cd162c21a8ae81a8b6d790bff3075d532f3ee4

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: remotegui.jar: SortDbClickTable.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/js/SortDbClickTable.js

MD5: e2e630e3637693634dda02f4dab7f5ef

SHA1: dbd89c0ef9cd8321e46aa55a331419fd2b4ccf2f

SHA256: 5f535d195fd0e603255eb4ef18f9c2127bc4f4338b2e138f11d9e1f7ec2d4c65

Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: remotegui.jar: angular-websocket.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/lib/angularwebsocket/angular-websocket.js

MD5: 3f86ccf4a10e6badf8742df346ba50d0

SHA1: 78b01247a82172c53701ab5056d999fd884d8788

SHA256: cee290dab1dfa96a8353cbbd27c783964862299fb03094f07a1a6d9785479d25

Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: remotegui.jar: app.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/template/js/app.js

MD5: 5c38f06f9aabeeb99bd5fc8518de5d3d6

SHA1: c2bb6f8e58bbd39980d007af801dce7f2a0a9a96

SHA256: 27571139c971b40e378d135cb1fde1f5e758c17be6a8f17630d30251919d8999

Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: remotegui.jar: app.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/modules/login/js/app.js

MD5: 5c9a07ad00aa493976b33fe9a25fc49e

SHA1: cdafe6cd6cc723c95ce2483b92b6863c31c929951a

SHA256: 14b0bb8264d77d914174be291932c419fdf34be10ae054464f69c90ccfe5e681

Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies

- remotegui.zip: remotegui.jar: app.js
 - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/modules/logout/js/app.js
 - MD5: 5c9a07ad00aa493976b33fe9a25fc49e
 - SHA1: cdafe6cd6cc723c95ce2483b92b6863c31c929951a
 - SHA256: 14b0bb8264d77d914174be291932c419fdf34be10ae054464f69c90ccfe5e681
- remotegui.zip: remotegui.jar: app.js
 - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/modules/masterlogin/js/app.js
 - MD5: 5c9a07ad00aa493976b33fe9a25fc49e

- SHA1: cdafe6cc723c95ce2483b92b6863c31c929951a
- SHA256: 14b0bb8264d77d914174be291932c419fdf34be10ae054464f69c90ccfe5e681
- remotegui.zip: remotegui.jar: app.js
 - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/modules/passwordreset/js/app.js
 - MD5: 5c9a07ad00aa493976b33fe9a25fc49e
 - SHA1: cdafe6cc723c95ce2483b92b6863c31c929951a
 - SHA256: 14b0bb8264d77d914174be291932c419fdf34be10ae054464f69c90ccfe5e681
- remotegui.zip: remotegui.jar: app.js
 - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/modules/signup/js/app.js
 - MD5: 5c9a07ad00aa493976b33fe9a25fc49e
 - SHA1: cdafe6cc723c95ce2483b92b6863c31c929951a
 - SHA256: 14b0bb8264d77d914174be291932c419fdf34be10ae054464f69c90ccfe5e681
- remotegui.zip: remotegui.jar: app.js
 - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/modules/signupbasic/js/app.js
 - MD5: 5c9a07ad00aa493976b33fe9a25fc49e
 - SHA1: cdafe6cc723c95ce2483b92b6863c31c929951a
 - SHA256: 14b0bb8264d77d914174be291932c419fdf34be10ae054464f69c90ccfe5e681

Identifiers

- None

remotegui.zip: remotegui.jar: app.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/modules/reporterror/js/app.js

MD5: d44f777bda98c2575c0fd09b0fed6365

SHA1: e9a9d78155906a6701e6651297d5938b30783ac6

SHA256: dde14cae0d8536b58b9231cdb02116c3913e24001aeb11e7c69cf1b867ca1c27

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: remotegui.jar: app.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/modules/start/js/app.js

MD5: c5a25c30b25493ddba670b39a30fb2ec

SHA1: 818255f797fadcd160ac04bf5bc006795f1ddbe2

SHA256: c8376d288d31f979994d422e0f9adc8cdaff08c40a7ec3e5187f573363e4f1d0

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: remotegui.jar: appbadge.service.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/appbadge.service.js

MD5: 972c23014cebfa2b2d70c29f9b40301d

SHA1: a787173bae8c89a77b0362f4b249d05878c12060

SHA256: ac37dc5111bef5fdd39faed0fe8c617c01759e8f60c1b0a2aad623d4477e227e

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: remotegui.jar: authInterceptor.service.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/authInterceptor.service.js

MD5: af8f02f6ad340927c21ce655cf258248

SHA1: a3f84bac4f7a9abd8730199949c5be016ece4b7f
SHA256: f3fd2795c125a72579fececc03b6685d2c4d6ebfc034314b7bba2ec4a397c333
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: remotegui.jar: avatarcard.directive.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/avatarcard.directive.js
MD5: 0699e43345bbba231e1ff01dceddf3dc
SHA1: 4420248444f730e7faf470e63c7935afab160741
SHA256: 93a513d95c14cded2adc604823b929c999e4c065f64647174d8ae4c761049a77
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: remotegui.jar: avatardetails.directive.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/avatardetails.directive.js
MD5: 1f319a4ab5d332a7fcc81ce86b6ffbdb
SHA1: b4ea383253defd33315f715a3d8b5f57caa07b4c
SHA256: a25d6353999f2e9caaa9553deff4a264c6a75ee4fa82a0da9a6a697b53c8ae7a
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
Identifiers				
• None				

remotegui.zip: remotegui.jar: avatarimage.directive.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/avatarimage.directive.js
MD5: 82978a2f8971f9bf3ddf556dcfd32f3a
SHA1: 3459940aae24e5890b32d423e6c31bae9451a7c6
SHA256:ba811ab159edc428cfc8db17f43e374ee6bf5f72b64388b74b32e72aa45e016e
Referenced In Project/Scope: server

Evidence 				
Type	Source	Name	Value	Confidence

Identifiers				
• None				

remotegui.zip: remotegui.jar: avatarimagedetails.directive.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/avatarimagedetails.directive.js
MD5: 7c6bce15704f1b6a419e834171be92b1
SHA1: 069007e7f5cf99ef5c95e5a5e8af45b6f3629027
SHA256:a08266c902ff66bd0688ac5424c23ffc7033c10939e8a6eb4589710dfa94cf6c
Referenced In Project/Scope: server

Evidence 				
Type	Source	Name	Value	Confidence

Identifiers				
-------------	--	--	--	--

- None

remotegui.zip: remotegui.jar: basic.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/basic.js

MD5: 10fbd668e22541d20ab33438566547e3

SHA1: af1162e3d994efe285c738295fe8f4bd34730901

SHA256: efa6257a997e3c57adfd095580cd7e3065239750146ddb13d8c04e1f2c4d9274

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: remotegui.jar: bootstrap-colorpicker.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/colorpicker/bootstrap-colorpicker.js

MD5: 38a888ab6355c15700e39fda8851c719

SHA1: a2af9a785f593166a5423658cf538be030893351

SHA256: afd393ba344c3e45d53ec3a472194b22222a2d2188429f0049b74fd87d2e30d8

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: remotegui.jar: bootstrap-datetimepicker.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/datetimepicker/js/bootstrap-datetimepicker.js
MD5: 660b0d1aaaec63a24899af6ab6cafa00
SHA1: 0bf9628c8b8d5b1d180dd51df71d5107b374846a
SHA256: 785a0b48dd539cd5b0fb890d114f56f45ab464bc78a5812afcea49bc514584b1
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: remotegui.jar: browsercheck.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/browsercheck.js
MD5: 0757d9ff2514240f35f22ff5b4bd76d1
SHA1: 75c63027cab5857414d60d3720419e065f632432
SHA256: 31ae343e89fec66445b23bf0e4d124c374927ea4596199fab0ab451ffefc6d17
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: remotegui.jar: changeavatar.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/changeavatar/changeavatar.js
MD5: 8befaf77b8b0a9433cf48b8d0b81a259

SHA1: 12a3dcee0541ac0cd4f4683f298ec6893d5b2f06
SHA256: f17ced7cbe05239ae76bcfef5771ea1bdc12ca9997f4986fa51deedb6b88b72e
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: remotegui.jar: changeavatarcontroller.controller.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/changeavatar/changeavatarcontroller.controller.js
MD5: 499e90268582c3b3f845528b67e3497e
SHA1: f7442696ad9c959cc2506116c96f7b7bc2f67c2c
SHA256: 5aba7e5c2ed387ef7931624f7fcaef909ab3ffa37cf02af6ccb898b3b4055bf2
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: remotegui.jar: changeavatar.service.service.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/changeavatar/changeavatar.service.service.js
MD5: fe5e6f25a784d065b7878064fcf50538
SHA1: 0b3bdb359d4cfc20115209168feb2f8441d49e7a
SHA256: 4d7246d1c83272fe99d27d13ab3a93bcbf169de5dbfa4686327dda4c142c9154
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
Identifiers				
• None				

remotegui.zip: remotegui.jar: clearreports.controller.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/template/js/clearreports.controller.js
MD5: 2eee594462c5b6d42eaabff74421a4aa
SHA1: 9d3886fdb0b2e7e12b674dda3f2a35afc8e55555
SHA256:eadff6266c75028b8a101a074a510eebbfc0b44a86d5370aa013456229d06e99
Referenced In Project/Scope: server

Evidence 				
Type	Source	Name	Value	Confidence

Identifiers				
• None				

remotegui.zip: remotegui.jar: collapse.directive.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/components/collapse.directive.js
MD5: b5a0a930afa2a472aecac76fdf7dbb26
SHA1: 353dfe5129d32b4e7980a4add00a039877f3b631
SHA256:14875f54306512d11d46ebeca561f837d49217353deb6450b0081b4eb89cdc9d
Referenced In Project/Scope: server

Evidence 				
Type	Source	Name	Value	Confidence

Identifiers				
-------------	--	--	--	--

- None

remotegui.zip: remotegui.jar: colorPicker.directive.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/colorPicker.directive.js
MD5: 6e50ccf1829e11bb6b28095a001da6c1
SHA1: bb615fc7432b151b2ea2118d6017dc9475658d9b
SHA256: b74ba64710291260135de1a9377a54ac5a3f7c43ba8bba430c3a0181aa9ef268
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: remotegui.jar: connectionstate.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/components/connectionstate.js
MD5: de6e3bd6cfcbf3c335c1f14d35a3791f
SHA1: c658eac71cb8f96150f11beeb4acbf435cacdeea
SHA256: 9ea2c586fd94a9a164b505ed6e072b323b1a3937699fc2c8741aab0465bdc7e5
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: remotegui.jar: controller.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/template/js/controller.js
MD5: 95264ce224172d73baac7c7e86485404
SHA1: a85c764e56cefb9927db5f4ff7de7c8e42feb0b
SHA256: 87b3ef94cebfbd5ff79e284afc008fe0d837fa9406119ca8957d8666fa7fde7e
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: remotegui.jar: controller.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/modules/invalidlicense/js/controller.js
MD5: 6a9c7da3b28e059445113ff0457a4109
SHA1: 1a0145ed9606de216e01b300e65258628a045b41
SHA256: e034a8a0023946b8ce43fe9f859934f50cfb0c5b99c9112a5cf6e2dae6643a86
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: remotegui.jar: controller.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/modules/vetomessage/js/controller.js
MD5: 69828c190c9a3d68ec14a74b4ce6d5fe

SHA1: b1c31c079bd5b13735b5de12dd2475430db211c1
SHA256: a46821dc18ffe0a34e1d3ddb08f19e03667b6142a9e9122936b9e6d6c2e88727
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: remotegui.jar: controllerAbout.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/about/controllerAbout.js
MD5: 35cded32079795971fb724b6d26735cc
SHA1: 03289bf22bef143d9ad78851e1fc0ada0a3ef36a
SHA256: f5b0244b69882e2da83b93969abb8310c342f0e53ce38c19996deb65391cf647
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: remotegui.jar: controllerShortcuts.controller.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/shortcuts/controllerShortcuts.controller.js
MD5: 7e08d417343bb72558e38cf6f05b84ba
SHA1: 48f2c68979f50ad77692888065084b4bc68cb6a9
SHA256: 93b106ce893bd88230ff821050e33d164def642890aefd5100a0dbdf0ba92eb4
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: remotegui.jar: controllerUserTheme.controller.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/usertheme/controllerUserTheme.controller.js
MD5: 4e8d76336f539b7f83afaf3ce78e5af5
SHA1: 0f862ecb523591bf3e76f6e469960529faa1e25f
SHA256:a4a82a5a147b072cce628aa7ff52b5dc25d3c082c923f64a1fa0b656df92e58a
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: remotegui.jar: controllers.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/modules/login/js/controllers.js
MD5: 9b566414fac0eced4b8841f4db83d8e0
SHA1: 53c6b5cab63a5cccb7bc17f4b2e902356efb39f0
SHA256:309414a04de96d90e3867f80882c6f6e053c692de32153634b2edf3e87345bf3
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: remotegui.jar: controllers.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/modules/logout/js/controllers.js

MD5: 121869415ea7816bb918b9c68fe7bdbbc

SHA1: c5d65e44689b950f60cdafdfb35d9952d85ab954

SHA256: 753bb859f340c4661cc8dc52e8b9cff14c64b76fc11c293e43756b88d2645a3d

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: remotegui.jar: controllers.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/modules/masterlogin/js/controllers.js

MD5: 462625767102cb7377da8be78dae903a

SHA1: f5dc35669733dc62cbb0b42a7e5aa0361304ef43

SHA256: b603ad6fe88b6c854a3bb987de4ce52d8c72879925ec044cdabd9abd647fb256

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: remotegui.jar: controllers.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/modules/passwordreset/js/controllers.js
MD5: 8d3baf10c981cf3ef2091887fc1a480f
SHA1: 58be4dbbd1c46f9b21cdef9390da9a76681a7fd5
SHA256: ef1ae84002371512ac903a8ef6e32082f6993dd14f3913e63cbf617dd13894da
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: remotegui.jar: controllers.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/modules/reporterror/js/controllers.js
MD5: a0becb795bb372446561be58cb88102b
SHA1: 6bd5c4a48231dcdbb0768fd28c104af821c47175
SHA256: 54966466b1fd648677e41fce4cee33917c1695798ae9cccef5dd88156a1dfba1
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: remotegui.jar: controllers.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/modules/signup/js/controllers.js
MD5: ac28f4708894a2888f9428bd5e807577

SHA1: d86605822570d6ae916e035a0a61b9b9df9e0054
SHA256: 5e3cd825750d7e6658a505ebdecf961235afab40f254c89041b08b89ad65d186
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

• None

remotegui.zip: remotegui.jar: controllers.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/modules/signupbasic/js/controllers.js
MD5: 4766cae43e55c5fd3e9e67b7459cffb3
SHA1: b8eb388c32b77a58874b0d5cc3a6402de717f33a
SHA256: dee426242e22731a4a42b29f187170c5db81030c9491b62eade40306d6e34668
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

• None

remotegui.zip: remotegui.jar: controllers.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/modules/start/js/controllers.js
MD5: ad69cde99b1307241b273905f4d0f9df
SHA1: f3ee193ed164808c0ff16881d8b89e22ef6cca8e
SHA256: c30bee314884174d4dd107284b7fbb1752919830bdc24b692e31a14d27b9324d
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence
Identifiers				
• None				

remotegui.zip: remotegui.jar: currencyNumber.directive.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/number/currencyNumber.directive.js
MD5: 84c1f2b0eb43d1e198e70233d831dbdb
SHA1: 28fecf0f626f8820482b1272d47195dd27844460
SHA256: fed16cd6195b7be36cdf911a263ccdca56ecee26d959f2b5326e09b724d24225
Referenced In Project/Scope: server

Evidence				
Type	Source	Name	Value	Confidence

Identifiers				
• None				

remotegui.zip: remotegui.jar: currencyValidator.directive.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/number/currencyValidator.directive.js
MD5: 4670996c5b36afdf8a34c3e94e64cb38
SHA1: efeeb5e78c999fce3aed86dc03f0e837ba0789bd
SHA256: d54158b0a13b9db3712752bafd7274b43e787b8f5708f9ecd9b1453fbaaf0220
Referenced In Project/Scope: server

Evidence				
Type	Source	Name	Value	Confidence

Identifiers				
-------------	--	--	--	--

- None

remotegui.zip: remotegui.jar: customEmojiUploadConfigItemRenderer.directive.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/emoji/customEmojiUploadConfigItemRenderer.directive.js
MD5: b7b88c52dac551c7746fca21a6019994
SHA1: 3f319ac29a326cb6c80b62f320f8ccd0da1124c2
SHA256: a2ab98032bdf293622028340940cd808fa08399503942e0eaa11b550d2724c44
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: remotegui.jar: customEmojiUploadConfigRenderer.directive.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/emoji/customEmojiUploadConfigRenderer.directive.js
MD5: 89bf8e753f5a791fdc4d2c15cf9e3573
SHA1: 4786bbb83c90e38f01eafba11d444c242e08fc4b
SHA256: 582e1f75192f8df57f94e7ba15590205ec8c8323057fb01262ceec36b5ba9537
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: remotegui.jar: customemojiupload.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/emoji/customemojiupload.js
MD5: 44cabe61802b87ce058c07fe138d2fcf
SHA1: 730a519b12b6e984e2f9e081f3eb3fe988c3db78
SHA256: d761c78e232d3679a269936f1c5fe238b0ce885c30e2e686f1d9545c365efee4
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: remotegui.jar: dataservice.service.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/dataservice.service.js
MD5: ca2b9229f2663fa29bcd49387bac9017
SHA1: c75eb0d4c29555370191b273e281aa2c3d123da6
SHA256: 0c3ffb95fde866543dad63f46e4b16b5025d778dc83b585035c5f376bdda889f
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: remotegui.jar: datepicker-de.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/lib/jquery/i18n/datepicker-de.js
MD5: d3355f1506a6f5cf222a7cb6b46037fe

SHA1: 100a3ca249cc93a6eab6d1569d8f80bd28764802

SHA256: bd2e4bfcebf6c88ce926e78b181dc56e649546f13f35bab1c0a31bb57dc6d6df

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: remotegui.jar: debug.directive.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/components/debug.directive.js

MD5: c118fc525f6b6f7124bba2d41c5f8189

SHA1: 56fc9afe8f39c52e0a2dfb247229993702d9bf81

SHA256: 3cc717984e3be467497cf61fcd49f00374d82753b076d3a473adcc19e2d99829

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: remotegui.jar: dialogservice.service.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/dialogservice.service.js

MD5: af1811ce784867e3e5fd8fdd1af5f263

SHA1: 3309818bf4176c440bc9099616ed8b6e8dbe55da

SHA256: 676cd45c7755448b43987fc8e16b00265e744bffbe5213f86e1ebf700f230327

Referenced In Project/Scope: server


Evidence



Type	Source	Name	Value	Confidence
Identifiers				
• None				

remotegui.zip: remotegui.jar: directives.js


File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/components/directives.js
MD5: 90fb6fd995cf0427c7ad243993f4b516
SHA1: 7848536845f171102d44e1c68e1b5135f12790f5
SHA256: 7a6c06001bde1528cdfd94e5427ca0e27087e88c5786b2b76a8ae7b1a29e72e3
Referenced In Project/Scope: server

Evidence 				
Type	Source	Name	Value	Confidence

Identifiers				
• None				

remotegui.zip: remotegui.jar: emojiModel.service.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/emoji/emojiModel.service.js
MD5: 0178d406afdf93aae07ceef6a5c137d0
SHA1: c548e1837375d598dc44e80a757e720032c6aa2c
SHA256: 57597f5706b3e0e74966d2da6576d0e278fdda1613a86b434642c9ea18f62060
Referenced In Project/Scope: server

Evidence 				
Type	Source	Name	Value	Confidence

Identifiers				
-------------	--	--	--	--

- None

remotegui.zip: remotegui.jar: emojiselector.directive.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/emoji/emojiselector.directive.js

MD5: 0c135b17461c32042cb2c1c537e0bc07

SHA1: 7cee6e9153d6a8ed9cfea9484a5f2303a2076d3c

SHA256: 5c6dda1d48c214b6bac17c642e9df4fb7c3ee8cff604f9c8ca5fbc1ab391261

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: remotegui.jar: errorservice.service.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/errorservice.service.js

MD5: 7f3e3dea3686a197ec91d43d3b5aa45b

SHA1: 830e89f29883cbf0351771931d31a47c587751e5

SHA256: 8cb54371fb632e0ec80640d43c47d4b6aad975de797b31241483272256a4aa32

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: remotegui.jar: filechooser.service.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/filechooser.service.js
MD5: f260842c57611231a06f011ac3e60730
SHA1: 3384d1f32442aedd5c3b66659083369be3e4bde6
SHA256: 05c3011dc49ab59de261d30835f2ea4cf7c5c9a296c035df997795b8ddaa35e4
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: remotegui.jar: fixNumber.directive.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/number/fixNumber.directive.js
MD5: 0d490e8241a7067d2c32a16b2608f419
SHA1: e2e8d4c2aa40297233791719784946b22041e311
SHA256: f278c7400b8ea7f1ea4e6af57dc4d340ba81b6e00a7261efbaea1853c3dae53d
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: remotegui.jar: fixNumberValidator.directive.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/number/fixNumberValidator.directive.js
MD5: 3f5ebe341cf1309946e87c6501caabcc

SHA1: b0bb21c289c78bbc5af675376654cf5507c8c2ee
SHA256: b35b54e8378fd22bf1377efed4dafda79c8d1f982491dcff0958842434c5bf96
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: remotegui.jar: floatNumber.directive.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/number/floatNumber.directive.js
MD5: 2d4b2142d6c67326eed229f9aaff4393
SHA1: 98f6a991a36437ba55e005a0144233eb03fc506b
SHA256: f4dd76261d408567850a4861bb9597851920e45902a9279215114d1568c7262a
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: remotegui.jar: floatNumberValidator.directive.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/number/floatNumberValidator.directive.js
MD5: 4e099d10495c47a8957ab2172ce5b35e
SHA1: 5acbe2d072a925a6c81335581a2ac7ad672a023f
SHA256: a72819cd47dc8c0f48735fde081c2969571a49aed6c8f3aaa021cc7bf7ef755e
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: remotegui.jar: globalactionservice.service.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/globalactionservice.service.js
MD5: a9e7e389f95d95d455bae3e378d2e2c9
SHA1: 0ff96fb14eba73ae10f0e2569da6d6dd366b8f95
SHA256:76d3db82466040c12a6c7534519cbd2e831095f8b22c49748c3d1bbb1c0b8cd5
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: remotegui.jar: hdField.directive.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/components/hdField.directive.js
MD5: 42df5f488878bd827a995a300927a5f1
SHA1: 8517f66bd2b7bb48841a953c825e81a8de51d24b
SHA256:71f7449ac8125372e1dc6c969ab5bce1c91fd3c77e1ef7fc56b1b7a2ab320a90
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: remotegui.jar: hdMandatory.directive.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/components/hdMandatory.directive.js
MD5: 13066a9536d97560903a35c06b9d62e4
SHA1: 83f181828bfe9e43910852a2e09e85fe22cfc08
SHA256: 551bad1dd574976b0346f6f1e0e7b4920d3d0bd2b4a80bbb338610462c5f59c9
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: remotegui.jar: hdNeedchange.directive.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/components/hdNeedchange.directive.js
MD5: 5239a81e120888887704634c0ceb01f4
SHA1: 8210293686bd9ed47448412c4721f39465e5e0de
SHA256: e4532aaa760ec553636521e1247f2c2323785555a10e739848711b527a954eb8
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: remotegui.jar: hdValidate.directive.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/components/hdValidate.directive.js
MD5: 70f6e853f5be943600ff9713ef515404
SHA1: b4c72e6afe51f48776cfe4ebb4da0187480b439c
SHA256: f8f4a528177d50b67143d77f60d7364410a757c50f93a61294de1922255bb237
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: remotegui.jar: hdattachment.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/components/hdattachment.js
MD5: 1f09ae47da7013f08adadc844775cbe3
SHA1: c9d174e04faf404e93e41969058419c32d23fffc
SHA256: cd790ef6b7109253c5cb87808137d25df02920ca502816b32957ef3c16fbd28d
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: remotegui.jar: hdfupload.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/components/hdfupload.js
MD5: 4f50a72fb8ccb5ffbf7e4fbc2621ad43

SHA1: 9e90c0d8d2fd0630710a64a6d557f6263553ba43
SHA256: 8c059f37866135b1e77afd575619973967f8e3fc457739b381c8d4d0ca632ea8
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: remotegui.jar: hsimp.min.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/modules/hsimp/js/hsimp.min.js
MD5: 31da02c3356fe92d686f09c9e9a2d3b5
SHA1: 77c9d1aae30a77bb4f4ff1015d9886a9fb2bad93
SHA256: 44cdb7ca377e6793dac301775332a628e89b3624b6330964a9e2592d1f5b0389
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: remotegui.jar: hsimp.renderer.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/modules/hsimp/js/hsimp.renderer.js
MD5: 145524977d38143d0d8feda731bbbb40
SHA1: 330f0ed3b8bc30fa516fde8e9de35d5e6b0f334c
SHA256: f9496f9d714ee4632e63bf04344ee2ba16ce23cc76e45c2ead2b17bac859d47f
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
Identifiers				
• None				

remotegui.zip: remotegui.jar: html5modeurls.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/template/js/html5modeurls.js
MD5: a58e0f5ab5e75fd4738493fb471f11eb
SHA1: 945f1a10acd5202137ad6991a784667c1f1ae59a
SHA256:cda6265dc9848b22a9d38fc76a030abae2b6c7f6c42ed18a26606ec3e8575d40
Referenced In Project/Scope: server

Evidence 				
Type	Source	Name	Value	Confidence

Identifiers				
• None				

remotegui.zip: remotegui.jar: htmleditor.directive.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/components/htmleditor.directive.js
MD5: df36e5a656fd6c0d099c9f83bf89e147
SHA1: 86c9f98c5ed258bcd44eb1314ee25c2cf098c7c5
SHA256:ff639d0ed146ad755ef6f610e04ae76a1589e4e3bf7c8cfd2302589fa80d722e
Referenced In Project/Scope: server

Evidence 				
Type	Source	Name	Value	Confidence

Identifiers				
-------------	--	--	--	--

- None

remotegui.zip: remotegui.jar: htmleditorFactory.service.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/components/htmleditorFactory.service.js
MD5: 60afb054d2f87d5e2894cff959008704
SHA1: ce78f82daea98bcfbf5a8b264290f69df2fbc063
SHA256: 41ae8eabe8ea60d928c8d21addb357f3abf1d3d00ad2dcd64b81e8c3dd10cc32
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: remotegui.jar: htmleditorModel.service.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/components/htmleditorModel.service.js
MD5: 07bbb19fede16469b98401455373a882
SHA1: 66c15ae2d4b9d63c961710bc86e0da67b4ce6a6a
SHA256: 2adb40a0401b9524b4c6d10d55bfe92f9059fdee378d29a2156723299d259d70
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: remotegui.jar: icons.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/lib/customtinymce/icons/inet/icons.js
MD5: be1529db0e0f990348104f5e10c63489
SHA1: 783305e7601e4b163f98770d53c28dc1b0ffd45c
SHA256: e71d6ba9022259ce04226a84128038dc92bd2f648aa463b09954dec1237ffc8b
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: remotegui.jar: initUsernameField.directive.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/template/js/initUsernameField.directive.js
MD5: e83a0f83b94932e21d0b675d2649f0ec
SHA1: e0371c84a3750d1476292b4e5e9f0dcbff707e67
SHA256: 1aedeb89590e2782d1c29f208579364f851778f652b298eac196d2c524dab4fc
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: remotegui.jar: introduction.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/web/lib/inet/js/introduction.js
MD5: 71a7fa26fbeecc0ddf6a3d71df6dbfb

SHA1: 6b6306d9d4f2d2a29f8ef7c12be5c6d8e8a58de7
SHA256:f6e17e6087906346b18a232193567e7394989185934165ea23e325ab0cfefb12
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: remotegui.jar: jquery.fileupload.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/components/jquery.fileupload.js
MD5: 015c382ec73373f5adeb299de71f986d
SHA1: 587a3366d6c4e74ad0e30a2264b86bfa6e06a39a
SHA256:4493d721690b35f554daebaa2d1cb0d642519211cff94f1d1f3e14fc7a78556b
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: remotegui.jar: keyservice.service.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/keyservice.service.js
MD5: 7332ba09d3b54d3ecf2ada4155009960
SHA1: c455e61f546765d459a83786463dcada19253ef1
SHA256:cd2e2630ba34477552b03a97a76a600b619dca13ee82b375482ebbeb1cbf18b1
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: remotegui.jar: locationservice.service.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/locationservice.service.js
MD5: 1dd077296104d0706de341b300bc1b9f
SHA1: 1bb5d8ca1fb5e96c0da53e2782a5bb56779c52da
SHA256:df1f45ba3a0020dd15aeb87ce716fc88db01447a18743adbcc7339d50e856ec8
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: remotegui.jar: modalservice.service.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/modalservice.service.js
MD5: 0bdfb6f3c6e6ce8717d5c5a1dbad3c32
SHA1: 4c91cbe36dd6c3715c610b4066e00b4aed47d485
SHA256:94b9e75aa0760472af0e2e1e900b9f7344f2ad68fa3b7f9c0d1e646220e9be9d
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: remotegui.jar: moduledragdrop.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/moduledragdrop.js

MD5: f33abdb637c0db60e1d05ea891579e65

SHA1: 4dd4b05fd62dfe236d540c16e7f250233b9afffb

SHA256: 4575f0f735e9cd5309a486308f0f04ab41b3cfbafaa9e93ca6910a5a70fcc20d

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: remotegui.jar: navtaboverflow.directive.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/components/navtaboverflow.directive.js

MD5: 5e2ecd2135858fd1fca074bd14577896

SHA1: 2f2ced6f25612b3feda462f72ddb830843934ed0

SHA256: 4d61532247516102b8ed61a658bbad21e166c1cc16f8d8d1ab57a4a10964a70e

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: remotegui.jar: ng-tinymce.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/lib/ngtinymce/ng-tinymce.js
MD5: ba12343901180b9b21fdf7a2af8fd967
SHA1: 1106ccdb810fa086347804703954c82c499c4963
SHA256: 7d25e38b7b7e7752bf9fb4bd0435392dbb08174842a90e6c580c1b67b41f9406
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: remotegui.jar: numberUtil.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/number/numberUtil.js
MD5: d5893e6d0bd20b4912d64ea78540b5bf
SHA1: 5b1817ef6e97416a55c5ac96f0c464f8b88355fd
SHA256: 349a2c5a8a2c7a19ea7c3d618974a49eef9bcf0e9cd5f0e92a9066de0fdef7c4
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: remotegui.jar: ocLazyLoad.min.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/ocLazyLoad.min.js
MD5: f2d4908265b909369078aed0cfafffa3

SHA1: 2d19edef03246ca520c6b3d658e75fad0d791695

SHA256: a5f7c8f4292aba0f63174bbb86fef9e919d97ed72f80857e83065c66ddbc5a4

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: remotegui.jar: pageablenavbaractiondropdown.directive.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/template/js/pageablenavbaractiondropdown.directive.js

MD5: 0e891cb1efe8d7329586abc7a79b2091

SHA1: 7eab2e0b6268c3cc513fde52d198b5d4543b3dce

SHA256: db54aa685133a7b32a6020f94b561e3f0cefe9af09c92704bffd01c89b7173

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: remotegui.jar: paged.filter.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/components/paged.filter.js

MD5: 4517ac89c1193aa004655d37534756d0

SHA1: 8987e7b45fbad3a23c566f82b43b615d528a32fd

SHA256: f8a3ba8d018a615e81511dff8c572c3f97e60fb339fd801673124b6b1ac06365

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: remotegui.jar: pagination.directive.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/components/pagination.directive.js
MD5: 89b7e3878c21bee24c47f57630716850
SHA1: 2ec014a73bc9ecb7f8d4a24145e8a1a38a0ff09a
SHA256: 7e4f6b98b13aff0786071b8dbdb89c0e1afa7951efcda87cb5841775d47d7916
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: remotegui.jar: piechart.directive.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/components/piechart.directive.js
MD5: 9e310689849b1cf084faad9abaefdd2
SHA1: 0456656b2d9097dd03e38b9cf8b8efffed37f5f
SHA256: 87ab77404d853f3ebcb2ed4df1898e5db294aad833e7426b12e58a914c111973
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: remotegui.jar: pwa-service-worker.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/pwa/pwa-service-worker.js
MD5: 95a33b245d3237810fe50090f6719728
SHA1: 1092e1c782d256a86ba9034dfc86b2af50d31117
SHA256: 933121280fca1f5ea88c243ffecbf998a62fdc3b62b5ca70875a990c18c9edd
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: remotegui.jar: pwa.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/pwa/pwa.js
MD5: d5f6fdc8eb151d3a71ca5eefe74f6dd9
SHA1: e7e28c16da057e3d23295da872a11d99239f67cb
SHA256: cd0a4ccc24239ef74ccf067d2eac8ac8989524fc41b0e7ce4946295f92a75b72
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: remotegui.jar: qrcode.min.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/modules/reporterror/js/qrcode.min.js
MD5: 4b36f8e71a871112384d908a90471a76
SHA1: f103f61ed24f3dd86bbee1aecb91ad4ff0a15282
SHA256: 6afbe1ebc2ba9b4bb0833f9f55c4eb80edb582903ea9611a9be49633a7aa3b09
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: remotegui.jar: rangeSlider.directive.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/rangeSlider.directive.js
MD5: 20376051d3ea2a6162db3ad58f076fa9
SHA1: e47bf7c8863847aac27395ad204e978818b02d29
SHA256: 394dace84214f70c8ffb4d86f4499bd0b0a5c909c1220255d203a21ad8ae9dd2
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: remotegui.jar: resizableDivider.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/resizableDivider.js
MD5: 82f72e48f14e09943bc701a560208dd3

SHA1: 0e7909ad9a6e89023e73c0f47093802a8ff0256c
SHA256: adbee78b7f4d5266967c45a67dec85e13a1d83fdd14f8c4c2caf4aaec379f380
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: remotegui.jar: scrollabledropdownmenu.directive.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/scrollabledropdownmenu.directive.js
MD5: 49314ac5131be0c36573144b9d4d5c11
SHA1: 686c57b80fc2ad910b0a83a72afeb19f35dc4d6a
SHA256: 6e15078914743441c7a414a38fd4fe354d7a4d58f4a6ed814a4265e9f0cabda0
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: remotegui.jar: search-panel.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/search-panel.js
MD5: ec16e5fc794c4aeb3cc96fd398a4e50d
SHA1: 48094431c7ca194a6f4f1290c05b6739c88e0bb4
SHA256: 1b02efa4e69d42ff44c4a497af20905efa45165004d44eca096d02b2318f3354
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: remotegui.jar: selectInput.directive.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/selectInput.directive.js
MD5: 163b9ebcec4d1a2fe7eb7541062dac5c
SHA1: 6ea514ab9f599aac8dda73d638c41dee17432dce
SHA256:80abc9c9ffbb4433d5df6d2d66a348fbb60e39c33797a5448d2de4fd1a8e5de1
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: remotegui.jar: shadowLogger.factory.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/shadowLogger.factory.js
MD5: 7fb285ba68fd8f73752378984e7d64b3
SHA1: 8c9a157918399ff6a7e161847985955118fed3e1
SHA256:2af095330d60bd76f3b0644e42d9ad3203184fc37897356e7fbbc38c27e85f18
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: remotegui.jar: sidenavigation.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/sidenavigation.js

MD5: fbeefc0a7658729e8c65da2a66a24d78

SHA1: b276c70f0e4824a0611c5df1f6703376cb892bd9

SHA256: 91c4331e93e8757cc5a3056b40715acd400dcebf61de8482cd0c3af43dd55b28

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: remotegui.jar: takeoutDataController.controller.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/takeout/js/takeoutDataController.controller.js

MD5: 2db0d42505769d9ad4488d61de46dc23

SHA1: 8334c9966238cd1744439982992440aa3dc9a392

SHA256: ec576037a423ef29d952d37e4a7f088e0ccb85b1a61a1fc581361679f3a75323

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: remotegui.jar: takeoutDataFactory.factory.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/takeout/js/takeoutDataFactory.factory.js
MD5: f0f7bf8b0db5939aa4f95efee40c9a7d
SHA1: 9d2bb947861af7eeeace922dac84caeb9dfc5fd4
SHA256: 61701863dd18ab12e3a4e8d1c748b2edaef7f1e72359e2e7507d9f779a35d450
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: remotegui.jar: takeoutDataModel.service.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/takeout/js/takeoutDataModel.service.js
MD5: 89340a5c50b020ccf235d29a59ba7aa1
SHA1: c04271bde4da616aa448ef3dcb220995ddf210d1
SHA256: 7d6d634870c9dc64b1798e78a6d240b31b07335478e5d374fc48e352f66b21e9
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: remotegui.jar: timeInput.directive.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/timeInput.directive.js
MD5: 20e91f7a486a5512bd861de83f27c83e

SHA1: 5e62319c740eb43d39ad579dc77ca6e214679edb
SHA256: 837b90f36be03b2300c7f779be457bf2a41fee9387ea8372260a50e80a77a460
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: remotegui.jar: timelInputContainer.directive.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/timelInputContainer.directive.js
MD5: 38ebda66df735a153e899bdb455ba627
SHA1: 6d76490fba423fbb26ad2e2379e0469e354bd8d7
SHA256: 0505ad1f8c7b7c1502da18d67b80c5e1abdb4097082002223bfe0c65557fed7b
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: remotegui.jar: timelInputUtil.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/timelInputUtil.js
MD5: 6e6b983b79ecc163db62de048fad0bea
SHA1: a04fbc0b3fb9e92c0548af34d256b1397ec57b6d
SHA256: 9cfd6b9003b254130229958097af006a91232afae599a92b1b17341cfa40a4df
Referenced In Project/Scope: server


Evidence



Type	Source	Name	Value	Confidence
Identifiers				
• None				

remotegui.zip: remotegui.jar: timeMeridiemContainer.directive.js


File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/timeMeridiemContainer.directive.js
MD5: 793a2ad3d2499b3489eed22bf75dd074
SHA1: 04d3cebd678f9c6a6341547c11c2e7849f444a06
SHA256:56e23ca00cbe13915bc605e8a8fa62bf7cb01652f1d7e0a696e7a4359e36fac5
Referenced In Project/Scope: server

Evidence 				
Type	Source	Name	Value	Confidence

Identifiers				
• None				

remotegui.zip: remotegui.jar: translate.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/translate.js
MD5: b8a0528dad77053405c013f8d3093688
SHA1: f7efb58c31f4446a20da7228aa33290b0a731f6f
SHA256:39ca4976fe9345f0ca61017824798e5b0cfe45df53a2f0dcf0bf31bf453c58da
Referenced In Project/Scope: server

Evidence 				
Type	Source	Name	Value	Confidence

Identifiers				
-------------	--	--	--	--

- None

remotegui.zip: remotegui.jar: unitFixNumber.directive.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/number/unitFixNumber.directive.js
MD5: 2c99db1a894118323d3dc106a41d4c81
SHA1: 1ad8472f6ac831b0c078cca7051d527e41497537
SHA256:d449ce86b07059187db42b8d1b92cfd6bf8b53177904899d18e301f3eb720437
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: remotegui.jar: unitFloatNumber.directive.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/number/unitFloatNumber.directive.js
MD5: 71eee99887bff0e562cec97048d525a5
SHA1: a531c1cd9664d2b737ffe3d78ebf9c5cc6685171
SHA256:9edba0f7a5d1a5225b8176ca66b5b84ae36ea796cfc19a131692c934ec9ca22c
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: remotegui.jar: userservice.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/userdetails/userservice.js
MD5: b09cf354242cd5b17a8ce778e3fbd501
SHA1: 85a90e23b642cf7f29de0f04300eb457a86a5e4d
SHA256: 36b2cfed2c45ba114b0aad3cf7939f1e47f351aa5703cf6b7b455b5b07e821ef
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: remotegui.jar: usersorgroupsselection.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/usersorgroupsselection/usersorgroupsselection.js
MD5: 5e724283634f204ee7c00dbf35ee66e7
SHA1: b75660d8abc8ad22a3c7e1d0e954f7ef57b23ffc
SHA256: 753ba84c7dfa70801d76395dc158d9cb0915e8aca63909b18792b55a2c9b83d9
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: remotegui.jar: usestrict.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/usestrict.js
MD5: d41d8cd98f00b204e9800998ecf8427e

SHA1: da39a3ee5e6b4b0d3255bfef95601890afd80709
SHA256: e3b0c44298fc1c149afb4c8996fb92427ae41e4649b934ca495991b7852b855
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: remotegui.jar: websitedownload.renderer.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/modules/website/js/websitedownload.renderer.js
MD5: d84df8cb02320562184713facc448e3
SHA1: 463b4cef63842cb3677086c49abe33efcdd20937
SHA256: f09a47bc77779cc93eb0554f787159f93a4b5c2eef4b94278ad064a6d579d11d
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: remotegui.jar: websocketdataservice.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/websocketdataservice.js
MD5: a3bcb3515414d041649e01b0dd83bbc7
SHA1: 2ef00c578f3c3c1826216dcb76fa3b9bdbcd3735
SHA256: 3dfe4b0c83acfb560196389571f2daa4de562d3ea161349598fd6f6bc795ba53
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: remotegui.jar: websocketkeepaliveworker.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/websocketkeepaliveworker.js
MD5: 23dd8025d25c06b00bbb9d2f690e8c24
SHA1: 1f8530d396532bf8a0d474fca70f42785edc5872
SHA256:765e139c05a131aae143639b5906986915d9031f47b0dee52e4b9b54e75b54b8
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: remotegui.jar: windowdatarestore.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/windowdatarestore.js
MD5: 8509ee4c50d6ba4530a9d3c3975ef21f
SHA1: 26c0406862209b38c67b931c13787a3c3c547710
SHA256:908719da1d0ac1d416ccd359fd6a8ff1bb5854b0f8ad0e4613392d0ca5d56e41
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: tinymce-languages.jar: ar.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/tinymce-languages.jar/META-INF/resources/webjars/tinymce/5.10.9/langs/ar.js
MD5: 0f886efdc70323a44979e1cefce05038
SHA1: 9d6816b96f0b595631ec3f0a8ef095b79d2aad2
SHA256: 7f3e6c66626d88d970c57d3883e155c93d97cf378b6e8b27c3e0294eaf1c3cd2
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: tinymce-languages.jar: bg_BG.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/tinymce-languages.jar/META-INF/resources/webjars/tinymce/5.10.9/langs/bg_BG.js
MD5: 4e9304054a5dba87c44a97301ad66b18
SHA1: b4c2faa214f8b1439ad6fcbf25064557a609cdf
SHA256: b1430ba8c8ffca397dcc798611def8cec0ebd83965fff5fb0799090aa2c8f12
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: tinymce-languages.jar: ca.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/tinymce-languages.jar/META-INF/resources/webjars/tinymce/5.10.9/langs/ca.js
MD5: 089ce05c476ac2670a3e7191e27cac9a
SHA1: 1e076c780755f0ca6dc33f275f615cd3bf4480ca
SHA256: 41d6c5ca9f26f3d51b65ec32dfc001eb5b31dba3b7ebe634fe722115ff449c94
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: tinymce-languages.jar: cs.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/tinymce-languages.jar/META-INF/resources/webjars/tinymce/5.10.9/langs/cs.js
MD5: d10d9585dcd93ae57323c6a655aa2c3d
SHA1: 9349c258353e88585b5400726f66d9d49b329f26
SHA256: f876fc46225f5d756b7c93868a122d13ee141f32b4083c7f7ef6592b9004a059
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: tinymce-languages.jar: cy.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/tinymce-languages.jar/META-INF/resources/webjars/tinymce/5.10.9/langs/cy.js
MD5: 2a0728ef1086a55e02eb37af4eb5b0b1

SHA1: d35bd8d1c3c3397fdec0db042d0c0c17ea7fdaf9
SHA256: df7b1c6f8cedac1f23dd1ab8c9f180665d66c7325eba121dca192c18a06f58a9
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: tinymce-languages.jar: da.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/tinymce-languages.jar/META-INF/resources/webjars/tinymce/5.10.9/langs/da.js
MD5: 481aa7c5d1ceb5a94c54bd71af91b607
SHA1: fa4a7ecb526f6b215f8da7853dd2326a99838c06
SHA256: 440828eeb73162291e2f8eee67763d7e34039e5b9fe4d4ad506a521e48fbd438
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: tinymce-languages.jar: de.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/tinymce-languages.jar/META-INF/resources/webjars/tinymce/5.10.9/langs/de.js
MD5: 42f1476160d0c1c8da694470a77af56a
SHA1: 4862a9cb5f4ed83a312bcc769d520440f1f95a0a
SHA256: bd997ca871108f0124849619dc28981047f7e7a1ade9360e2d258a3a86ad02af
Referenced In Project/Scope: server


Evidence



Type	Source	Name	Value	Confidence
Identifiers				
• None				

remotegui.zip: tinymce-languages.jar: el.js


File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/tinymce-languages.jar/META-INF/resources/webjars/tinymce/5.10.9/langs/el.js
MD5: 5416576d60c441187a77aae0846865ba
SHA1: 0f11a7714c7e4da72cd55dd70f5dbc2f0829f8fe
SHA256: 970b4322bdfe3fedb6e4544b65a9684099e82d208a6c2ad86e6550fe2d79543a
Referenced In Project/Scope: server

Evidence 				
Type	Source	Name	Value	Confidence

Identifiers				
• None				

remotegui.zip: tinymce-languages.jar: eo.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/tinymce-languages.jar/META-INF/resources/webjars/tinymce/5.10.9/langs/eo.js
MD5: c1f238debe6f92e597d18890a9b9cf39
SHA1: f10c044ef2e30b353442bc536c3c6302f83b42f4
SHA256: c316804de553f2aaa5c7724f0e1a8e2f1aaf2b7342f236358a7e12365e212384
Referenced In Project/Scope: server

Evidence 				
Type	Source	Name	Value	Confidence

Identifiers				
-------------	--	--	--	--

- None

remotegui.zip: tinymce-languages.jar: es.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/tinymce-languages.jar/META-INF/resources/webjars/tinymce/5.10.9/langs/es.js
MD5: 833bb31f5d452f0b036f558304f7bd43
SHA1: 0c34ae192edba65fa21b762ddfa7226b129c8da
SHA256: f020e09f41ca04101127c4236b44d0d5b4938587f7449421b38f666ba9159ed1
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: tinymce-languages.jar: es_ES.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/tinymce-languages.jar/META-INF/resources/webjars/tinymce/5.10.9/langs/es_ES.js
MD5: f2bf4385f9ac938c22d699caa13805fd
SHA1: 08cd53fb716153b4a47d34b2181e53d49ea45a36
SHA256: b2356afb30584c7359dd65ceffb42296b0e420650033e73422be09da30511cd0
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: tinymce-languages.jar: es_MX.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/tinymce-languages.jar/META-INF/resources/webjars/tinymce/5.10.9/langs/es_MX.js
MD5: 0d9bd141cec3e0a3c3b32d6dcf0a1739
SHA1: 976438b6d6a826cb437a4a7be47a6ba4c107be73
SHA256: 8be7384d5888618e3ef7ea227c3f10cb0533db5f01fd8ecd75309cf0652008ec
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: tinymce-languages.jar: eu.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/tinymce-languages.jar/META-INF/resources/webjars/tinymce/5.10.9/langs/eu.js
MD5: c674049d2a4b1c0c2bbedb9f5e519858
SHA1: d8458d8d1c93154c51a0d724785d972506cdf2a1
SHA256: 3942f6abba9679f58ccc36ba38a1f3fd6ec5a5824fb2910a3b3a922c740d1df7
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: tinymce-languages.jar: fa.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/tinymce-languages.jar/META-INF/resources/webjars/tinymce/5.10.9/langs/fa.js
MD5: f4242d89d4890093b57c6435a0feef5d

SHA1: f84cbc6d12884492dcae0bb2fb25de3bd8a54fcf
SHA256: 1465f18074f43b691afb310e5dfdbb8f4f1d70f5817e5e26a1ddd23753ce962b
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: tinymce-languages.jar: fa_IR.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/tinymce-languages.jar/META-INF/resources/webjars/tinymce/5.10.9/langs/fa_IR.js
MD5: e2e4ffe84b41b1763eec91c0d41c879
SHA1: df983f084fa4b2acbbaf8c2f42e2e9cb981645f8
SHA256: 019a970f6414584cd6e87515d3fe7dff153c9fc49dbc7a7bbc25b33803f19b32
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: tinymce-languages.jar: fi.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/tinymce-languages.jar/META-INF/resources/webjars/tinymce/5.10.9/langs/fi.js
MD5: b5688fed7ee5c373ebb60f499959b374
SHA1: 07eced4202e01f9fe821ff7a917b65917cd814f7
SHA256: 1f1e100752101230f1b10717f8ea615f816388a79dd5ad1c47605c553f9ad935
Referenced In Project/Scope: server


Evidence



Type	Source	Name	Value	Confidence
Identifiers				
• None				

remotegui.zip: tinymce-languages.jar: fr_FR.js


File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/tinymce-languages.jar/META-INF/resources/webjars/tinymce/5.10.9/langs/fr_FR.js
MD5: 39a6068252db59fd4692c3ddb15a5707
SHA1: 8b7cfcf0ed4fccaf10ec9ead72c39ea6f566a4c9
SHA256: 0eef8817097810e7cbfe4ca46e9347b2e14ba0d2c91bc02d0f217ac6a2bf6bdb
Referenced In Project/Scope: server

Evidence 				
Type	Source	Name	Value	Confidence

Identifiers				
• None				

remotegui.zip: tinymce-languages.jar: gl.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/tinymce-languages.jar/META-INF/resources/webjars/tinymce/5.10.9/langs/gl.js
MD5: 4c87b5345d76e5fb9fa24d89824cbfda
SHA1: 46bae6aaf29f1d534c0312c9e8c5f8934e9196bd
SHA256: ae5a04893fc2f1900a2358fa8b43134f8f69bf72a4e7b2be58344296a788be38
Referenced In Project/Scope: server

Evidence 				
Type	Source	Name	Value	Confidence

Identifiers				
-------------	--	--	--	--

- None

remotegui.zip: tinymce-languages.jar: he_IL.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/tinymce-languages.jar/META-INF/resources/webjars/tinymce/5.10.9/langs/he_IL.js
MD5: ab3335919ec5e713be56b82a8df6252f
SHA1: 4b9a0a979384da17166919e5f584a59226244a97
SHA256: c411d772751ae83c939e62ee23459abf33465b9f364b89fff5d1402591eee2a5
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: tinymce-languages.jar: hr.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/tinymce-languages.jar/META-INF/resources/webjars/tinymce/5.10.9/langs/hr.js
MD5: ab6217dad69a25ec43e59f1a76b0c060
SHA1: 9e7f2bd0909ead0e63258d24b18cbe5c1d79c44a
SHA256: 02002bcccf9d9a73114794022ac7d48d0a4b9acb0ae1094b98a001cda06d9543
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: tinymce-languages.jar: hu_HU.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/tinymce-languages.jar/META-INF/resources/webjars/tinymce/5.10.9/langs/hu_HU.js
MD5: 2afccb31e0cdea6f08c23750f5531a3e
SHA1: 47b7ffbe8714c92446e18065bb622ffdabfca060
SHA256: 795f98a9f97ea2a3a0edf1056ab6dd697d9138a8cc7d6c0416a24b293c79751d
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: tinymce-languages.jar: id.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/tinymce-languages.jar/META-INF/resources/webjars/tinymce/5.10.9/langs/id.js
MD5: 804ca5c83b16e8aa31011340aa43cfde
SHA1: d85239b65123d712897c0b9705b1d75140320b6a
SHA256: ee0a95c92105fea050a683bc2b617332366e3f5ffda2f5b4a4df6b558ccf210e
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: tinymce-languages.jar: it.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/tinymce-languages.jar/META-INF/resources/webjars/tinymce/5.10.9/langs/it.js
MD5: 2307d7e18f4d82323f8460b954366d6c

SHA1: 2dd5945ec46a5fc412a03dfe3e706096169cb50a
SHA256: 853effa3129e6856e7c555788753721d89c48efa7f35536ef08fd9d5e2860b68
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: tinymce-languages.jar: it_IT.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/tinymce-languages.jar/META-INF/resources/webjars/tinymce/5.10.9/langs/it_IT.js
MD5: f5f75ba5738d186bea305abd351699d4
SHA1: 80449c059f59ab177abe08deb15d2a0fd55b25f3
SHA256: 5bd51b8d9f3bb9fa4c44b54df600ba4468c16511f8272c5c30f816dea88cebd1
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: tinymce-languages.jar: ja.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/tinymce-languages.jar/META-INF/resources/webjars/tinymce/5.10.9/langs/ja.js
MD5: 7199e3d236184cf0a06a219442b578c9
SHA1: 16add7d88b9628d906e62a8b7d88e52057b93e29
SHA256: f250108ef667f96cf5b0e8fd061e15306267a23d9f0d6d06ac3443e268a542d9
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: tinymce-languages.jar: kk.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/tinymce-languages.jar/META-INF/resources/webjars/tinymce/5.10.9/langs/kk.js
MD5: adf69e41309e0553b26d71ad07cfbb92
SHA1: 6dad67ba7364db9096844dedf946a13d8e796109
SHA256: 97e466a88551bac32d4ac08dd86dee6d8db34d763ec9c9c2db42044299f79280
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: tinymce-languages.jar: ko_KR.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/tinymce-languages.jar/META-INF/resources/webjars/tinymce/5.10.9/langs/ko_KR.js
MD5: c60c7a4d77abf22380711ea8c1982bb1
SHA1: 631fe4673b89932fc6855b13284f22febb9a1d41
SHA256: 66fb29bdfd16163298e024e448a6774d5ddc1b4fff7e6683173ad2e6f20f2dbd
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: tinymce-languages.jar: lt.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/tinymce-languages.jar/META-INF/resources/webjars/tinymce/5.10.9/langs/lt.js
MD5: 2219c653129ccc476847f054786ec676
SHA1: d6ef2ce6c2d82e07fe9e59cc2d22f3767ac94625
SHA256: 22195ef38c08fdbee31662434b50c6928b10e0adde3d0d86cd10a72230304e9b
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: tinymce-languages.jar: nb_NO.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/tinymce-languages.jar/META-INF/resources/webjars/tinymce/5.10.9/langs/nb_NO.js
MD5: 0a7352214f0ce32fcd9c1e6522df1bbe
SHA1: ee23293fd4b9972547400cf4a3249a2059b6b165
SHA256: 944131baab48a0af7fa0aed2c8bd2ebb3e9064b3772712f22e976909914971f0
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: tinymce-languages.jar: nl.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/tinymce-languages.jar/META-INF/resources/webjars/tinymce/5.10.9/langs/nl.js
MD5: 6f571210666a2f5e6337080e579baba6
SHA1: 836f979abe265e75b745b723288058a708392756
SHA256: 7f5b894c53f3e6cdaac59ea898930837fd21369800ab6d16136427c7a773916e
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: tinymce-languages.jar: pl.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/tinymce-languages.jar/META-INF/resources/webjars/tinymce/5.10.9/langs/pl.js
MD5: e250adf7e075ad1f30905b07ad627631
SHA1: 3c4f16669f023e06b0c6a3527b7465c67b57c90d
SHA256: a22b468acd116dea2dea78bd49ea798fae8e5ca8c09af7afded580fb77a19171
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: tinymce-languages.jar: pt_BR.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/tinymce-languages.jar/META-INF/resources/webjars/tinymce/5.10.9/langs/pt_BR.js
MD5: cc070dfc893595619ae7c8e5349376ce

SHA1: 147966d1e0e89574988c516b1debb37add6df970

SHA256: dd8b585165d8ba7f896a08bf038278f0ca7bd9e4ecc80b9c1c7a8bcc2881df

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: tinymce-languages.jar: pt_PT.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/tinymce-languages.jar/META-INF/resources/webjars/tinymce/5.10.9/langs/pt_PT.js

MD5: 4dd1d7b30c2fd8e55f9880b7581977c5

SHA1: 11642b53c34e4ca6a5062cd3077ed4f4bad123b7

SHA256: de802efbfdcb321426edb9cde7e6422597bdf15c173b116afc097298e96bdfc4

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: tinymce-languages.jar: ro.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/tinymce-languages.jar/META-INF/resources/webjars/tinymce/5.10.9/langs/ro.js

MD5: e23437166aef4c09b1b704399f8aba35

SHA1: e9bdcf37aee82113f51cbe365ed71cf0b28b7b8b

SHA256: f9337551af759ed5b346f36393b77800d9cfff670e830decdb3908027f49852c

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: tinymce-languages.jar: ro_RO.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/tinymce-languages.jar/META-INF/resources/webjars/tinymce/5.10.9/langs/ro_RO.js
MD5: 3f2950ecf56ad7a4afda95cac7e2bb65
SHA1: fa5af1a474a2b0e73af2dcf25d7b2446ccdacfbd
SHA256:2d4ed665899adbe9e64a5aff8a5d686a320935e0fcac8ad5d41e1061abb0343c
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: tinymce-languages.jar: ru.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/tinymce-languages.jar/META-INF/resources/webjars/tinymce/5.10.9/langs/ru.js
MD5: 511a44e58e8fc2713a4544de603ab7bd
SHA1: 06132cf2444c50c1b3910bbb82902444128f8ed
SHA256:3fc08c1c46f210eeca7a90d384b4ba7ebf4d9655beb3b7b87e597f1e9608043d
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: tinymce-languages.jar: sk.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/tinymce-languages.jar/META-INF/resources/webjars/tinymce/5.10.9/langs/sk.js
MD5: 1b3c7faef9a1e74b2b8f0543732da813
SHA1: e9b96981febbd3d364add8502420c656621bebad
SHA256: bcf6c8f5e62ee6dd60ebbd78fcb002ab1f93ba553d8e0fcd980c5559da6dc787
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: tinymce-languages.jar: sl.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/tinymce-languages.jar/META-INF/resources/webjars/tinymce/5.10.9/langs/sl.js
MD5: e70856ec865c4becf6af5ee48190ed91
SHA1: a0271f39bc7d4a46c9b5b5377ee4d1eae45c6518
SHA256: 0917a76a02bd84a46cd31d22a4486fc15fc5217b0da405faa980d3b4513c12cf
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: tinymce-languages.jar: sl_Sl.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/tinymce-languages.jar/META-INF/resources/webjars/tinymce/5.10.9/langs/sl_SI.js
MD5: 3de18771671f7e28f3df9b68e53552ce
SHA1: 1dd6b41b237df4033169ea3293fd15a36135fcef
SHA256: 1e9ac60048fe7e452b59441876289e7a7a42a90820d7a8ef67ac1339e1b9dcee
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: tinymce-languages.jar: sv_SE.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/tinymce-languages.jar/META-INF/resources/webjars/tinymce/5.10.9/langs/sv_SE.js
MD5: ed26794df73aa50316d1ffbbf86e51b
SHA1: ba4720adf16d253917e5718508b9d261ff317d85
SHA256: 9ddd42e6af9c413ef5e26c9b69b2f5620bf442c1cd7005bc56c1380e4b6ac7b9
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: tinymce-languages.jar: ta.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/tinymce-languages.jar/META-INF/resources/webjars/tinymce/5.10.9/langs/ta.js
MD5: 28baeda3ba8aad2c457984c138420160

SHA1: 8ecfbcc9693bef79e05fbde679c6576327bc1f55

SHA256:ecb0d22d12a6262265057d41923a35430e18fe42f4b7f1d12e3fe3ec52cb7cfb

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: tinymce-languages.jar: ta_IN.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/tinymce-languages.jar/META-INF/resources/webjars/tinymce/5.10.9/langs/ta_IN.js

MD5: c245824dc4a046048a23355d513b545b

SHA1: 064cb44b3e558377efaaa14af781563e18d184e6

SHA256:b601b126c40b5c19c89a4e7724ddad003a7db0f41357c12cbdb0be440ca6f8e5

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: tinymce-languages.jar: th_TH.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/tinymce-languages.jar/META-INF/resources/webjars/tinymce/5.10.9/langs/th_TH.js

MD5: 5f149677f7303a92c615738a19bd43cf

SHA1: 3f4882111c0163aa3f1189ae12b9cbab25b9ff3c

SHA256:6d1838ea80df11333cb5844f5ca276ac6222481e4e9c4bf1d5c5484d8e05a67c

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: tinymce-languages.jar: tr.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/tinymce-languages.jar/META-INF/resources/webjars/tinymce/5.10.9/langs/tr.js
MD5: 1d942271407e5a9e69b3ec4ccb11ac50
SHA1: 6eac1370cf372727316c7fb02d92cc6e5dd75b1d
SHA256: 7e7130921470f315dd16d4cc12dc0ee7c1590671129d22fe5d663bd8b65b35b8
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: tinymce-languages.jar: tr_TR.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/tinymce-languages.jar/META-INF/resources/webjars/tinymce/5.10.9/langs/tr_TR.js
MD5: 21a6afe57b91f50fdc2a04d40330ae97
SHA1: 2aa3e1a82924df177c986869e3eb2dbe9e5b33fc
SHA256: ba178265ac4f4d1f4c4caba3d9b04f3c4a4254773dbde4228a68484715b300dc
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: tinymce-languages.jar: uk.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/tinymce-languages.jar/META-INF/resources/webjars/tinymce/5.10.9/langs/uk.js
MD5: acb23eed47495327f505e52144615a23
SHA1: 67d20eda3fa76c5327e39093ffc9de28b28e5a6a
SHA256: a057713c5ba1ace10f76f58e4dd6dee88a84d2e78ca957480f5459b21cf5d94f
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: tinymce-languages.jar: vi.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/tinymce-languages.jar/META-INF/resources/webjars/tinymce/5.10.9/langs/vi.js
MD5: 5dacd7e85f49ada603617302ff7571b0
SHA1: a1bb8e49ba273ec276154fe04cce93edec4d64e8
SHA256: 86da5c88594ba0b5377f5a7e20b04dae1251be817879a47645d60e25cf8e42d5
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: tinymce-languages.jar: zh_CN.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/tinymce-languages.jar/META-INF/resources/webjars/tinymce/5.10.9/langs/zh_CN.js
MD5: c3ceccb2b20bc1c32a74b8ee394c399e
SHA1: 970871e70fa9c310de345b1c590335c9a75adb52
SHA256:bbf4bc7f799bd37f6a52eb032b1708583ca401e778a85c0e58cbeed4c71ef3c7
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: tinymce-languages.jar: zh_TW.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/tinymce-languages.jar/META-INF/resources/webjars/tinymce/5.10.9/langs/zh_TW.js
MD5: 8b3673b738b3b96f90997fdf09121fff
SHA1: 392e2f7e6a83c9c5f4c187f371f4d0fdafd239a6
SHA256:7868b9dbbae773b768f477746f7d72383603963069426a6281c4d24298160ef1
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: tinymce.jar

Description:

WebJar for tinymce

License:

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/tinymce.jar
MD5: fd9f87ce352ee6c8d270db931c0e6026
SHA1: 9174bcf85629c63f7cc55439ff890bb7893fe451
SHA256: 26c357c95e53e0d99f3e2b840194cc7d170a31c85de15c6017de976f60919cd7
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence
Vendor	file	name	tinymce	High
Vendor	pom	artifactid	tinymce	Low
Vendor	pom	developer id	webjars	Medium
Vendor	pom	groupid	org.webjars.bower	Highest
Vendor	pom	name	tinymce	High
Vendor	pom	url	https://www.webjars.org	Highest
Product	file	name	tinymce	High
Product	pom	artifactid	tinymce	Highest
Product	pom	developer id	webjars	Low
Product	pom	groupid	org.webjars.bower	Highest
Product	pom	name	tinymce	High
Product	pom	url	https://www.webjars.org	Medium
Version	pom	version	5.10.9	Highest

Related Dependencies

- remotegui.zip: tinymce-languages.jar
 - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/tinymce-languages.jar
 - MD5: 47bff91bb6cd602682ddc705ba5872fb
 - SHA1: 06c508488e5d6f2ce5c92aa8b3fa165ca871d597
 - SHA256: fa2ecf575248fc802677c26f54fd5f23a636d496223e1a654f5d6540f6c36200
 - [pkg:maven/org.webjars.bower/tinymce-languages@5.10.9](https://www.webjars.org/webjars/bower/tinymce-languages@5.10.9)

Identifiers

- [pkg:maven/org.webjars.bower/tinymce@5.10.9](https://www.webjars.org/webjars/bower/tinymce@5.10.9) (Confidence:High)
- [cpe:2.3:a:tinymce:tinymce:5.10.9:****](https://nvd.nist.gov/vuln/detail/CPE-2.3:a:tinymce:tinymce:5.10.9:****) (Confidence:High) suppress

remotegui.zip: tinymce.jar: emojiimages.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/emoticons/js/emojiimages.js

MD5: b7c1a7f3d27f00745fb752c8bcad1476

SHA1: 96af86fa69e17db88d8c1ddb8dd5af8f01aede1

SHA256: 498c4614b7363884c469599aed4290a30c8eb2eebbbf07d5bb16886d8090aa43

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: tinymce.jar: emojiimages.min.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/emoticons/js/emojiimages.min.js

MD5: cd8d1bac37c0a70d1d4d2005bf7c4e8e

SHA1: 29651e17ac1dd07e21f81edfaf56cdded37e8600

SHA256: 39ede17a1386121cbd7a543ab27a27f2b4dd79c7873377bea577fc0c9e942a8b

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: tinymce.jar: emojis.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/emoticons/js/emojis.js

MD5: a64de2c5911dd74a7c8ce92819084843

SHA1: d9b37d490e6cf339e85f0bb008e673c823cc6cda
SHA256: 2f086a646d26f121f214f9de1df8c2ac45020e40dba0cbe4d8fd31b1df3381d7
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: tinymce.jar: emojis.min.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/emoticons/js/emojis.min.js
MD5: 1f434c25c9c5ee365c94af299372298f
SHA1: 16d23948cbb0716178f14b58e7b50f3869d76307
SHA256: 57bb9d32b2a696c30269a8af59d2d13ca7724e501bd054986c9702069acb9b0b
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: tinymce.jar: icons.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/icons/default/icons.js
MD5: 9034bf9d33164db799056592af8f8041
SHA1: f48380a7f8ea48f94f20df7526a6dbc33aa802ee
SHA256: cddbc569467f55c984f4236d0e6b7a54b35006c47eb18813ad7ca367b14c45bb
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: tinymce.jar: icons.min.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/icons/default/icons.min.js
MD5: 18db240f0cf5635332dbadd948cc500
SHA1: 4421813e10fd371e67d15dbf74bf748a0a5c1794
SHA256:6c5a69c090aa1418082e7ad5e707bbe6c531269607e080821a7089a16e0f2b61
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: tinymce.jar: index.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/icons/default/index.js
MD5: 9c5b7a740ca30e13e64b6a4de5b17c77
SHA1: cf4e63fb059346d52364a6e7592dfdd9b00eb0a8
SHA256:772e5e2b50c2288b47f812cd3219901d992020c71940628b4cdd0ee23f3c8cc2
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: tinymce.jar: index.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/advlist/index.js
MD5: 344ca56d8dedfae33380a44b89dfdd1d
SHA1: 2ce6aeb71809802341499202ed673788fc04149
SHA256: 0e88dc5e755ed26a62535b443dc90fed27844b58677a97fb1ffa3cccdc6d410c
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: tinymce.jar: index.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/anchor/index.js
MD5: dd697e3891ed83de226860a7aa436b10
SHA1: 775e112dbcd929e3c3ac944f65b91ad9b41dc35
SHA256: 199df9a5149e52b35f0fad38f46eca0ccfc98e3c7b09de4a6e3562ed97f8190d
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: tinymce.jar: index.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/autolink/index.js
MD5: fa84bd3bd42aeb01da94b784344d4d84
SHA1: 2f2169188eaa6ee85da0c015f878de6ee9bd34b4
SHA256: cf9dbb0d6d43ecab9faa41baf38db169f11d668573349d2d7f879be5868e8d43
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: tinymce.jar: index.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/autoresize/index.js
MD5: 00116480a9865b9b84937b8c6ec471ed
SHA1: 9d33c32c4cc484f5c7c011b16157b63f32004e7e
SHA256: f218e9db68e5e70965a405e2c2204ce9711067ae0c277f014844a40f7c7fee66
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: tinymce.jar: index.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/autosave/index.js
MD5: 8d9bb78be9ddbce43bfd7964b71678ae

SHA1: e3695d2b623495a93594f23e4132f6226b309012
SHA256:3b68f2f8049499f537ba66c2fa27aa9648aa93a43e81b977dac7ae20eeb803fe
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: tinymce.jar: index.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/bbcode/index.js
MD5: bed89377ddde78f2d27067c6b3dcc633
SHA1: e4d0c191e90df0249d2f50c12f9979902581ab1a
SHA256:98fe74eb6872c6e65d9a400d9da7b9b77d6fc4cfbfd7acc0fb9bbe697e43c73c
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: tinymce.jar: index.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/charmap/index.js
MD5: 18775f459a8bd073ba47b3ad3e2f6bdf
SHA1: f991e9bd8cd4912b0cd28d806beb7c1a4ec6c8c0
SHA256:1701e8a9ccea8f198bf323636b8ceeb6dd8972625d07b466f92c65b16fc635bb
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
Identifiers				
• None				

remotegui.zip: tinymce.jar: index.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/code/index.js
MD5: d2db687200588ab654afd39728df329f
SHA1: 55bfce05960107cf42e7d3687e330a3f42164c23
SHA256: defd6476de2e2c8f411eed38d53a774d52c7408565280806bcba0bc32e98192f
Referenced In Project/Scope: server

Evidence 				
Type	Source	Name	Value	Confidence

Identifiers				
• None				

remotegui.zip: tinymce.jar: index.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/codesample/index.js
MD5: 23fdb57b1d401abe9ff929ab26ec394e
SHA1: c3f3fc7e21c7627247fcd2069ebb3a36bc755c0c
SHA256: 60856a5c13ac87dcb4e3ecea3ce3eefd47e348c4b696b5b74f0be9766cbd1f08
Referenced In Project/Scope: server

Evidence 				
Type	Source	Name	Value	Confidence

Identifiers				
-------------	--	--	--	--

- None

remotegui.zip: tinymce.jar: index.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/colorpicker/index.js
MD5: f1771fdd14cab627310b813da43fa5ba
SHA1: 30f7ba13c981711ac0f84662dbf6c50e2af6c27c
SHA256: 15de4cb9a7437d15f6631509fd379df2fdf4cc6c6c35dfcaad47c87e899e96b0
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: tinymce.jar: index.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/contextmenu/index.js
MD5: 92e19a31db91abb704ccaa13cc28b766
SHA1: 8fe36efc411a29d7579d3754f039ff35786c2e64
SHA256: f24829122684173e779bcd89afb1736b6cad304d08b002698753504db32b80e
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: tinymce.jar: index.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/directionality/index.js
MD5: cd2c90f18e8c7d1215bc4ede4a2ed3ff
SHA1: f16e46d6103a081937651c9824bda91c37906e86
SHA256: 75a8d057b97663fbd36db445ac97baedc0d4ca3948f4ee6ee5a45ca56c6fc5f
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: tinymce.jar: index.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/emoticons/index.js
MD5: 57e489f4ab69ca17dc7c95aef7052d88
SHA1: b665f4f4f94b9a2aab91235965d594b8932e75be
SHA256: 5b3937add68158ae4add69fa47d2c47ae49ce17165a08dc7ce26f376979126a
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: tinymce.jar: index.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/fullpage/index.js
MD5: f5837caffaa3ead2f0b68daa0463cac0

SHA1: 6acc21854086d6155a19b3c1060ab5dbd98251b7
SHA256:b1d2d7667f4be6d981f9fd5f58219a414d83c4068cd77c3b0c9d2fbac6ec90f1
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: tinymce.jar: index.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/fullscreen/index.js
MD5: 2a071ce05b6865fc1a874f298b920e9e
SHA1: 898dd0ec802d60ee716f9ab55401720dc05840d0
SHA256:ecfc6baf3a081373dfc60f97efc1f14f7a6840f398ee8dee57502ed547370190
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: tinymce.jar: index.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/help/index.js
MD5: b7c64e9d5f9003aacb929b6944987c2e
SHA1: 92f87e4057b89c4faf476fc34898d688fea0b52a
SHA256:90ef3eb5f05933c63e52ac470156c1eee495583b1184ae9a6abc8702e9685b36
Referenced In Project/Scope: server


Evidence



Type	Source	Name	Value	Confidence
Identifiers				
• None				

remotegui.zip: tinymce.jar: index.js


File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/hr/index.js
MD5: 95e49e5a2cd979c3e7345c78d2d15779
SHA1: 48a187d6a5e4539029a140c36b3b1010d3473975
SHA256:1dbf6d7a4b2d4cea2135823eea377fd6052a510cca33935d23f4f58e3d49af98
Referenced In Project/Scope: server

Evidence 				
Type	Source	Name	Value	Confidence

Identifiers				
• None				

remotegui.zip: tinymce.jar: index.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/image/index.js
MD5: 27415d3d43098d4bdb48c6c45c15e08c
SHA1: 5a081de74c9d2bf97dec82753cbdaad6366db76
SHA256:ba0e02cc9a0a8ab32790d825b0711c27452e297c4c72c8479cfd00c00a228c36
Referenced In Project/Scope: server

Evidence 				
Type	Source	Name	Value	Confidence

Identifiers				
-------------	--	--	--	--

- None

remotegui.zip: tinymce.jar: index.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/imagetools/index.js
MD5: 1fcdb4ed72eff27ef54bdd585e306d29
SHA1: 00c9be7d060282e6d5ec5d0779b977275c28b8b5
SHA256: 3a075c96ab9819e53918f2fdf308f1390e339cee21755ea4112c71a9d012b53f
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: tinymce.jar: index.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/importcss/index.js
MD5: 2409fda93c2625fad2c9dffe31b1473
SHA1: 39d57c8b02129997bf23302916dd7166c3726a43
SHA256: da3a35bf760696421d5dee9795c287730c310cc56f2f955ef8d7418f243ea5ef
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: tinymce.jar: index.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/insertdatetime/index.js
MD5: 4ece334f6233df3aa3e5becbfe1f9a8e
SHA1: 6734731b620634cbfa9a06a57d3ce35f3c24296c
SHA256: 6a58d89cb41c85fe3ec472376fcdad55bb875b6397a054bf4a3d53e7734fd440
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: tinymce.jar: index.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/legacyoutput/index.js
MD5: cddb9783bca4eebefc56e308b5fd8169
SHA1: b1f84b1fa17eae3d22bb380a22eff3efea2e7fa3
SHA256: a6ad834a6a462e968bdb77190a1d8660d3bccc4e5b55b905420d6c6a1707cbeb
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: tinymce.jar: index.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/link/index.js
MD5: 5837f9d0ed7b2cc610dbffa6a7d7d4fe

SHA1: d3d6b6d764556d547dfe70694b8e26bbeabd4b8a
SHA256:393a397a9577a880392172405182506aeabc1a368da461853f6fd98c19b96292
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: tinymce.jar: index.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/lists/index.js
MD5: 959bf9c345e983ce032814178b94cb09
SHA1: adc80fe2030cfe121d120440dcf49498f526c7af
SHA256:8ca0f39fb279b30498948068be734b8a2a2178e32b094b98931622ee4c649ae5
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: tinymce.jar: index.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/media/index.js
MD5: 22710d182e71e1bef50ee3838ac15b07
SHA1: d8f008c3f8abebcf2efdce06032350e2a1b80fc7
SHA256:2cf1f01a424a6e9981e16a7c162bd51ecd2785cd5d7e36d78edba78aa91b0c0
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence
Identifiers				
• None				

remotegui.zip: tinymce.jar: index.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/nonbreaking/index.js
MD5: 851e4039437062e49d5729f1fe30cb40
SHA1: a1acce39f47b74cb33d2e0c0070d8af323ca0018
SHA256:ec23845a38bfd445146565839769274deb1c0d83adb74c8e464c2714f6509b87
Referenced In Project/Scope: server

Evidence 				
Type	Source	Name	Value	Confidence

Identifiers				
• None				

remotegui.zip: tinymce.jar: index.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/noneditable/index.js
MD5: 6f84addf13157d5abd4c1f2e9f1189f5
SHA1: 974a855b957d74c47f1fca8b3582b6db5f562f51
SHA256:73b8c1e02264f43e6acd2d72b9882d87550b913c71b87a6ccd1caa2d88c0ee24
Referenced In Project/Scope: server

Evidence 				
Type	Source	Name	Value	Confidence

Identifiers				
-------------	--	--	--	--

- None

remotegui.zip: tinymce.jar: index.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/pagebreak/index.js
MD5: b2ec3630c22897879bc089749ca3466e
SHA1: eeef9066bc1642e349bbaf234f20bd363f89ef19
SHA256: 3239c47c5ea169f05c26f2cb0726e85aa4a365a4e3cff8d16f79bec35d393ee4
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: tinymce.jar: index.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/paste/index.js
MD5: cd72ad7d99e1849620ff535b4f64daed
SHA1: 2e48dacc929d42922ccb634392e26310531f1d83
SHA256: ce91452b503e136d45e552ab157ab3f8b123530950cc02e7b778d04bcb6a0de0
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: tinymce.jar: index.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/preview/index.js
MD5: ac924715206330e49ae83f0ce0a41a7c
SHA1: b9fb134e272eaad188c9da26d8c6aa22621e6cdf
SHA256: da5b43a242cf576435e63e27522182fe61afb1ea0d28aee116193c24d60c18f3
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: tinymce.jar: index.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/print/index.js
MD5: 7f3c93e1e7cf55fb60d83431fbe0af2c
SHA1: 77a64982ff692d12b1086a70ed0796bcf45c35c3
SHA256: c54ff5c05b484d6eac7bb601ddd4bcf916faf8dbdebf65a707fa6f7510a99c52
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: tinymce.jar: index.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/quickbars/index.js
MD5: 24942b053967586fefe96a215c44ae07

SHA1: 4a72eaaeb0dbddb84dbb4268e618b4451a482670
SHA256:a61d6bc69e64f107292c929d2ac70819a3970890e79c9895bc0fe0999803ce2d
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: tinymce.jar: index.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/save/index.js
MD5: d2a87bcc64b326fc6dfa962fcbc662e8
SHA1: dd1516808ce28ded9008890e2dac0b24d5a7dae0
SHA256:bcda64c02c52e23430e42fd33907ffe16b02d163174a5896f6e9f96cc1b08411
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: tinymce.jar: index.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/searchreplace/index.js
MD5: 027916795b63233ba94d3938bc15cc28
SHA1: 61bdc3b8ffb05818fa9b91a399abeafb2a4fd8d8
SHA256:7f93e70dba14735765044f7199ff8b24fcd517b285f806d34cefb0d2e55a098c
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: tinymce.jar: index.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/spellchecker/index.js
MD5: e22949d41a8208123a8694f0c8e6dec4
SHA1: 9d66cbf780b982f778e561ce35786b7589b8fa85
SHA256:bcb0b4911bd0fef17ee195fc758585e7717500248fafdc58f32c94f6a12f08bd
Referenced In Project/Scope: server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: tinymce.jar: index.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/tabfocus/index.js
MD5: c8dd5b7b07c3808712c5000e3b1d252a
SHA1: c9e127134794c715139acb1bba1fc9a90541e7b5
SHA256:779f4c8d8f7804301d0d3d63c6f4d7d12e5a4f3fc409b6433aa465ce51309bad
Referenced In Project/Scope: server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: tinymce.jar: index.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/table/index.js
MD5: dc0a57cf52e5c96e8886974820620f30
SHA1: 63b104aa10ee6b0e09f6beeb420028164214037a
SHA256: d571c3bcfa2fb750545e52334325e494d60916f8db2504a8e64fbd421e901929
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: tinymce.jar: index.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/template/index.js
MD5: 4629fcd244d51c5f71a77cca7a6f0b36
SHA1: d33e8183488bfd00554ccc12b63efdcc46acbf12
SHA256: 07acf1abcbf6231d2ca53a091fa7cc1fb6206e4b268301750ef9020d6881425c
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: tinymce.jar: index.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/textcolor/index.js
MD5: ceb47c7e6b71b1089ec10b30a6aac374
SHA1: 21d607e821838299375c0ed523bca0a33c0acc05
SHA256: 4c54b2959afce4d61251463bbbd0d2e32dad074d3634192bce2bc937ee59633
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: tinymce.jar: index.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/textpattern/index.js
MD5: 4ca571ec216214e68d950539134d2e66
SHA1: 9ed373e0e6e173e7b1663344b83acd313d37cefd
SHA256: 955780d950579ce70deeb8e7ba2ca04eff56e53fe983ce81e9bf932c69d7652c
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------


Identifiers

- None

remotegui.zip: tinymce.jar: index.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/toc/index.js
MD5: 4fb0e875239aec497c229dcdf18d7bb5

SHA1: 1c9880a27fd0487d99bcbe666d90fde1c4fa41fa
SHA256:2f3e63d7b8e0f9597a78fa84e92790bc91099fb7382037e870f06afc8e23d95f
Referenced In Project/Scope: server

Evidence 


Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: tinymce.jar: index.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/visualblocks/index.js
MD5: 1f348278fc3fa3ae9d560a2c6074537d
SHA1: d55ebc12b7d22b21a6f06a7b1e8a4d869ddba0af
SHA256:ac58944fdb4136e5d63fd08b6070d40a9c964ba2739ea46970f1c27464f0059f
Referenced In Project/Scope: server

Evidence 

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: tinymce.jar: index.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/visualchars/index.js
MD5: 01e4394764848c643482a4e060c3c16c
SHA1: fa3c991ab8a4b06d3022a1a9050d12f97eca084a
SHA256:4cc095ed74a300b53b61907f46468821a3fd16e9abfd9b96157e72c5a6a4f901
Referenced In Project/Scope: server

Evidence 

Type	Source	Name	Value	Confidence
Identifiers				
• None				

remotegui.zip: tinymce.jar: index.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/wordcount/index.js
MD5: 8702637f4301b2c60b0d036a74a57952
SHA1: 10150542a5551da1d75408d86ba07b45d78a24cf
SHA256:ea19d7ceae4197532bdfdb08d97f4b64ff025cfd3016ec12428b81517f2e92fb
Referenced In Project/Scope: server

Evidence 				
Type	Source	Name	Value	Confidence

Identifiers				
• None				

remotegui.zip: tinymce.jar: index.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/themes/mobile/index.js
MD5: a136bd2faba801a12080888b27e65afb
SHA1: 58533b052ba5b2cbee9fe44e6a3cebd042efb7d1
SHA256:e20188436d5d6ad6bd97a590c274fdb955fc83715e800509e4a61b25bda4e0e
Referenced In Project/Scope: server

Evidence 				
Type	Source	Name	Value	Confidence

Identifiers				
-------------	--	--	--	--

- None

remotegui.zip: tinymce.jar: index.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/themes/silver/index.js

MD5: 7281b0268319c90508a1a300a7c06d97

SHA1: 0e3a4056988e7a06c5f4ded3f30006f1be55d445

SHA256: 3bc724f73bd41f1c6af41d5c08cd472a1da8ccf6db49c6fad853998a130231d6

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: tinymce.jar: jquery.tinymce.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/jquery.tinymce.js

MD5: abc669a993b54748fbd9e3f1b04ab3bf

SHA1: edddd7e07aa9ace3afd2f3bc1579f7901708ce69

SHA256: 20e802d69c0fd9912eb39bfdaad9f85f089e383d415ef193ac6aaa2e108a8949

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies



- remotegui.zip: tinymce.jar: jquery.tinymce.min.js
 - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/jquery.tinymce.min.js
 - MD5: abc669a993b54748fbd9e3f1b04ab3bf
 - SHA1: edddd7e07aa9ace3afd2f3bc1579f7901708ce69

- SHA256: 20e802d69c0fd9912eb39bfdaad9f85f089e383d415ef193ac6aaa2e108a8949

Identifiers

- None

remotegui.zip: tinymce.jar: plugin.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/advlist/plugin.js

MD5: 9a469d4c30ceeb89187f85215a5e5161

SHA1: be1f2023c91a4fef2828a452272319447f80b786

SHA256: d9457557927bd306e2cd90b622494db6d36d346ffd04aa825e71d061c243f7d6

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: tinymce.jar: plugin.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/anchor/plugin.js

MD5: e204923e44d53e7610828846fdb23722

SHA1: 550446f55b597c4c376992addf459bf00fc2e0dc

SHA256: 8bf2878b95bfe4ddef911cfebb70a07815060a6c52d85227695267900a45085

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: tinymce.jar: plugin.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/autolink/plugin.js
MD5: f62ca8be62d1dbe910069c09b20b53a1
SHA1: 9bc811f23db52d4081a089f9774fafd7e3f21f67
SHA256: 2b218bd0095199604914b22b67b4b1a68fbc0fab309a734f2fae54496f734b9
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: tinymce.jar: plugin.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/autoresize/plugin.js
MD5: 3130530b80820d2fe333f0a434987ebc
SHA1: 0c8b231c3d55b9724a4564ba02ad4be38c197293
SHA256: 4c7802957b5f7ddc47a97d1cab371e7c0b39592f17fbb86103626762e593c872
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: tinymce.jar: plugin.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/autosave/plugin.js
MD5: 78ae76cf436707ded3a0ae8cb1f8f4be
SHA1: 2db5d96907012d7ad0c4c50abd11994a63637507
SHA256: 8739940eef76bbc0ad0ea5e4b6f7ded4e1ceda9aba15a52543fd00c180373756
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: tinymce.jar: plugin.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/bbcode/plugin.js
MD5: 5baedc3309a92d6d3b3fe7944984845f
SHA1: c3bc65277f12b71bffab0ac04fe737deb6634b8c
SHA256: 960eb4c3c3d150b615d4ee81042b4a5f0616d876af4ca66d7841597192313ac1
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: tinymce.jar: plugin.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/charmap/plugin.js
MD5: 132a6594d2c2580c00fe3fc881f64a3e

SHA1: d4a2ccf9d64dd6eeebdbbf4cbf9d4c2e2834737f
SHA256:07beee90d71107fff1ffd218d552ede08c0393118345c052ef1540d2070221de
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: tinymce.jar: plugin.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/code/plugin.js
MD5: 6a3b1fa39f64d704ab9c8d8ffa3b85d5
SHA1: 2acb5fbaec43ab35346e8a564fb3104f197086bd
SHA256:bb6ada6875a1d6432000990c110825e5c12cc9d13a33dc1fc215c199f96c27e4
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: tinymce.jar: plugin.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/codesample/plugin.js
MD5: 2f0097d95781f1a4d2711d9f8fc5c334
SHA1: e181f02bd7bfcf5816508dde0b0ad1c99d9c40c9
SHA256:8a19cde548a1dd6b0970a24eead3e04e85e69a3117642891a42d7b7b5361495d
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: tinymce.jar: plugin.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/colorpicker/plugin.js
MD5: fb7f0cac79b75d40a9ec81581acf75e7
SHA1: 0ed6610a578326d03411345bf8027c443cd7d105
SHA256:b7ff65effc877a633ad79dfc82ef0b3cd6c6c16107cd03580479b1239006091b
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: tinymce.jar: plugin.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/contextmenu/plugin.js
MD5: 63f32e24fb0dd17b1fe982314c29b55a
SHA1: 42b09e6b0cc5674ec3497c9c4d4c4d3de6a39047
SHA256:e7070041c1a1edfa77a48438ef4294f8da38caeb50411c25207e16316cd0c889
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: tinymce.jar: plugin.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/directionality/plugin.js
MD5: b73632a4533311d6dfca1b3841534ebc
SHA1: 0c6aef806245b102e3332080c811d3375337a662
SHA256: 2e201c96ce771956becaf72e4f2d4abf67d4941e5735f5d0dce965d5150a5ed5
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: tinymce.jar: plugin.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/emoticons/plugin.js
MD5: ff191fd241bd1933c67f5fea4a52107b
SHA1: 7a9cbb74716ce1e0e86d90690f7de79162c60db3
SHA256: 374fb04498849e7e18bc5a698387055dbe1de48ff78f7fc8bd5668c73b73d54
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: tinymce.jar: plugin.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/fullpage/plugin.js
MD5: 3c14f849d19f550aaf23f9e4bc2b647b
SHA1: 5e95acd51eb15d13129fab8bca354ca5aa440c52
SHA256:b6a5c94a76cf5fb719b6455c239d39e678e3fbb7c053e049103d2d02bbd2ea04
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: tinymce.jar: plugin.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/fullscreen/plugin.js
MD5: 2227d3ff362f92145a0d66ba1bf68f1e
SHA1: 37fbe66ad5aa755498bc8ceb5e421b56df27539f
SHA256:197cc4190c8782e40dfca6b28225cb4766c1ab0b1bf60cc445fe024265d18db2
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------


Identifiers

- None

remotegui.zip: tinymce.jar: plugin.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/help/plugin.js
MD5: 667d246d02a71436f2f4a4fb80f720ab

SHA1: 0691382a7959a2ce6fe97b92bc08d737d8fb385b
SHA256:35d0d9f12208794695c9e3594e309feb53af67897d9a31ce0eb85d06f17e9953
Referenced In Project/Scope: server

Evidence 


Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: tinymce.jar: plugin.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/hr/plugin.js
MD5: 70b7ff4273d8b9374b7d35a570e60eff
SHA1: ec2f770c33132f6aa30982fc444d56da76ffe337
SHA256:e11ffde0e9f4d65d0ce9214df8176401176b795d5fa15e95d00458e39328ffef
Referenced In Project/Scope: server

Evidence 

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: tinymce.jar: plugin.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/image/plugin.js
MD5: 25e0f52ab1477d0d8d7eb7500760cb50
SHA1: 75de5182c87d9ea18ef952ee17fa0d7131128973
SHA256:47fa10a331f5515c0d838a0f33d6b5447a55e32342351fd20c95b00c4265e6bc
Referenced In Project/Scope: server

Evidence 

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: tinymce.jar: plugin.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/imagetools/plugin.js
MD5: a0523d774ffc8fc8cd0049100a2336e2
SHA1: ce5fe228f3eaecace4cff2459dac6d430311903b
SHA256:cd6286fa790dcb7351a562f856620986a8a2d68f7095c1a3aad5a4f2d96887ff
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: tinymce.jar: plugin.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/importcss/plugin.js
MD5: 6142b879008bd87224ca38716e663f4e
SHA1: a9296ae9c5141bfbeffe856412663f7aaf1ec9a1
SHA256:e7d53d5e29ff44e1505671f160bf2c300864e7b8de6ef937661af0e77fd15067
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: tinymce.jar: plugin.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/insertdatetime/plugin.js
MD5: 8d40733352776d516145934e3afc7bff
SHA1: 9bf39632e2eb45d37130f66081589ec5ada617fd
SHA256: 6d5492320474868f5ec67e14057819a762c46f8962726b307eb3d26d011c49f9
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: tinymce.jar: plugin.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/legacyoutput/plugin.js
MD5: acac6af2d9e273f2b23a63a08dd3c558
SHA1: c07692391443114f0d7e0b4a6aa521007e3bd8df
SHA256: 5ba6ccaa7469904d908818b1dd6c5331c643b586f9489987411faecaccae6de6
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: tinymce.jar: plugin.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/link/plugin.js
MD5: 584389affa07184e25c194a8fdabb9d5
SHA1: 10746d4434b26d0ae62fd1e3b3d538b6aaf67e94
SHA256: 34de8ceb8abf707ad68cdcde8a7d0aa174f0814891be74edf444fee067a2b855
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: tinymce.jar: plugin.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/lists/plugin.js
MD5: 37f5953ed2ff9078029c1a7259991b9f
SHA1: ecd87c0474db0e683895008b64b0813603e32e96
SHA256: c9b0aa3c06581904734ac6b8b3fb4aea155e39d1e91f1f039bb338a5b9e72b01
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: tinymce.jar: plugin.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/media/plugin.js
MD5: 9099b48009886ed8e16a4c118f5238d3

SHA1: c3ea8c6ca9bd1d99f11b849f809548139473a928
SHA256:c7e3539ab59b62e06199f97fa9f24b57810a1089419ae10b4120be59d1ef1e73
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: tinymce.jar: plugin.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/nonbreaking/plugin.js
MD5: 749eb6330381762948b2f20a202bdbbc8
SHA1: 734c7fc31992486d576ddf4cf2be102364eb269d
SHA256:db5d0af653b72f4eed01361aadbdbd8d6156166764a6560f26094bb8af4b1dd0
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: tinymce.jar: plugin.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/noneditable/plugin.js
MD5: 0cd8420a08e51a6933403f015aaa3411
SHA1: f134de62fb37750ba86539b494fb2d1a4a8c3375
SHA256:b744c8b53bfd3743261cdf34c97adcc906ee0e8bb4d6e5f678ec17aa94ace620
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
Identifiers				
• None				

remotegui.zip: tinymce.jar: plugin.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/pagebreak/plugin.js
MD5: 7c4ccd64b6155d8214b5b1a3f73f3b7b
SHA1: 0a4109c7fd5c0e8c3fc0ed4c5a0327d89127eb33
SHA256:428ed1c11ed3db50d423675174945be116a37f9f0272962ee963c5761e46ee53
Referenced In Project/Scope: server

Evidence 				
Type	Source	Name	Value	Confidence

Identifiers				
• None				

remotegui.zip: tinymce.jar: plugin.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/paste/plugin.js
MD5: cfdc8703816a9737a79ae9ed7beabf8d
SHA1: efd58468ce97492f8ea66bed478b128ba718c6f6
SHA256:3707fd09dec450191849481685e06a0f772fdb864ecc65ea7d44408bb5eda060
Referenced In Project/Scope: server

Evidence 				
Type	Source	Name	Value	Confidence

Identifiers				
-------------	--	--	--	--

- None

remotegui.zip: tinymce.jar: plugin.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/preview/plugin.js
MD5: 155059d4164fa84a11a8fcf832c167ef
SHA1: 4e9f13defe9e7105e46f8c5abd3dcd90f72884de
SHA256: bea49d22120d6084722e0622159923503c64ef38381627ba59453315c79899fe
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: tinymce.jar: plugin.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/print/plugin.js
MD5: 512f5958e5be1292e0b40b81acb3961b
SHA1: a593a69a04d2ee2d87500e43b22887a79d1cc0ab
SHA256: c2ed0f9eb835dbe6dbc07720f357d305d6d92f5f3b3f6c93582a08913f071a38
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: tinymce.jar: plugin.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/quickbars/plugin.js
MD5: 2a2749604c1d1c01d6449640386921a4
SHA1: 700d9a8bdb922519681b7066110d8ffbf6d35af
SHA256: edc7cac600a5a192dd9631e1ce4486a9b2a4cf57130a854f95ed14407957a7ed
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: tinymce.jar: plugin.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/save/plugin.js
MD5: 1c596c6695f6fb677724104a5cb6ef09
SHA1: 1ab96f1ecc15c8464f4a21e6d87a8abfc5b6301f
SHA256: b1ceb34483e8524a67f86f0afe3a4912b9cdbc459edd836d7d68782278929aa
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: tinymce.jar: plugin.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/searchreplace/plugin.js
MD5: d3638fa2fe4ff0254d106f74919fd5ba

SHA1: 7a97e21f55ddb50bebe88e7d1eb87961592238
SHA256: 352556506ab24dcc232614318170876cbfb89cdf3d4365b6b8b7768c9d10048b
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: tinymce.jar: plugin.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/spellchecker/plugin.js
MD5: 5c3a67b4eabdcdb17750b9515bf92835
SHA1: c3de092a25b1f541d896740a2d63ba1198376712
SHA256: a4a22a608a50d5674a7e92f3c9049eb69932b9641f8356f4ce200b38c38f29d3
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: tinymce.jar: plugin.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/tabfocus/plugin.js
MD5: 548f7a6c2fbfb65617f46ab7fe2bfd2e
SHA1: 74d5dfb9f0338becd85ce7c5333ff8cdca2e1160
SHA256: f5b1882e884a14b216bc1d7edd8a61e1b50161cf5010dca09566d35aa53a6c0e
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
Identifiers				
• None				

remotegui.zip: tinymce.jar: plugin.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/table/plugin.js

MD5: e1ea98e3eca4999c14dc0951b666d993

SHA1: 6a09bb055bdaa37a0b45ce400f928b80b675c26d

SHA256:858bd022fa57b3d57340a2c87a58f8ef7e653e866f1cc22b0123391a0fb11977

Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

• None

remotegui.zip: tinymce.jar: plugin.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/template/plugin.js

MD5: 47caf788dd51be3ebcf03d4eaa0d50f1

SHA1: e271f8d918420b03bb2a07510fb96eb51363ee

SHA256:339a4e659e0647090aee2bc5fc343479303dea8e928cac3c5ede9f1584ea61d0

Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: tinymce.jar: plugin.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/textcolor/plugin.js
MD5: aa12124c60995407172b2ae1fa8206cd
SHA1: 09b8f038908b04a597a16cbcb1ab7fc50b77e2ad
SHA256: 09c4059de65cd8ce14bb8fc927787e77ec90d4daaa0160fd0e21002b8078171
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: tinymce.jar: plugin.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/textpattern/plugin.js
MD5: 215e9c4d9865b6321a969f773e0a7193
SHA1: 8ffc9ff16531e40c2bd3cf614c8019a3a52caff6
SHA256: 8dd84aec717ae70a619ad5f4d3f3fbe4119ff590884537d47d4225aa7b5ab460
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: tinymce.jar: plugin.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/toc/plugin.js
MD5: 78afdfe32c32fcd51a56fe5ce479238f
SHA1: 874e7bd351c0928cd7346816f3cf18a323d5436f
SHA256: 4d27f86380b38c414e7b626863811d39bc6a3a1e7ab47e253259dadaca3a2830
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: tinymce.jar: plugin.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/visualblocks/plugin.js
MD5: 89774b121e225bb29c44c53f47e2a183
SHA1: 6069c8d84a6dcf9c2f92864d6d1758510ef8b4d9
SHA256: 33e5237bfeffe2ed9eb14a2418ebe6be1baf4395465661f66c3f9ca00bdc72cb
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: tinymce.jar: plugin.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/visualchars/plugin.js
MD5: b85145891b077f3216852bc21e7677c1

SHA1: f3ceee80fa4bbc6d0205e610ed39688d4fa65d66
SHA256: 5be2c7c5ad1025ad62c0e89d39bf6b8ee44c97e21d2f30e21ca13794e1cd7bdc
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: tinymce.jar: plugin.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/wordcount/plugin.js
MD5: d1c1769efd1232e07105603c1032e43d
SHA1: a2d9f7f149ad34bedecdb6bb5cad1ae4a4b5c0d8
SHA256: d3c70ee49b0f099523d93bcf93f9e37d6a248c35c960f49a76085b17e5fb0958
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: tinymce.jar: plugin.min.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/advlist/plugin.min.js
MD5: 202d95b04d93c98fa6faea3b20ee2ac4
SHA1: 0107c4ede81a2681847699b607b0f5d4a8e9dcfa
SHA256: d30b35f56c2366c7e0a291f1be18171851d412d926ea4b91784d212101e36cde
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
Identifiers				
• None				

remotegui.zip: tinymce.jar: plugin.min.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/anchor/plugin.min.js
MD5: 3112de0d66e518fc6e87e5b4bc54ff4b
SHA1: 022a805c78fe6f3c5c5b8a91125d98fb54b1d15e
SHA256:cf1e93f7be5e348ee4776f6e65f54298aef6b6fca5d44aa24997b9d4b9d7212e
Referenced In Project/Scope: server

Evidence 				
Type	Source	Name	Value	Confidence

Identifiers				
• None				

remotegui.zip: tinymce.jar: plugin.min.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/autolink/plugin.min.js
MD5: edc2ccc56661043eb8418dfd9703b5e
SHA1: ee1a580f7c7f1281e770e7d9c34123b59e59178b
SHA256:309c10e01eb2a9d35f84ed872ccbacbef6d5c4d2f5f2d8355bc9ec2bf44eb346
Referenced In Project/Scope: server

Evidence 				
Type	Source	Name	Value	Confidence

Identifiers				
-------------	--	--	--	--

- None

remotegui.zip: tinymce.jar: plugin.min.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/autosize/plugin.min.js
MD5: ae63cbe86bfd1dcffa4b04660f28aaa0
SHA1: f9a63a98a97eab4d781ca01f71cc1addc3c5c56e
SHA256: 8ac4ad0984018281d653b8ba59747a797d7d8cf9ad2c6d4097f626686d75f7ed
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: tinymce.jar: plugin.min.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/autosave/plugin.min.js
MD5: e2a4aacd72790b6845b73b65a11c6b3b
SHA1: 2733e8839d95a76fb62e9cf2ef3cb299c2842fa9
SHA256: 6e409f97910c72655fd039e18989d8014b12e78bdb05857e8d6c7bbe54aac446
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: tinymce.jar: plugin.min.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/bbcode/plugin.min.js
MD5: d1562b4cfafdf0f1ba200fea776bd78a
SHA1: eacba8561e2fdec7c46448aa157a67b382731363
SHA256: 74a9c60d78820683b8ce5aab6ca007bf4272c79365cc3e38c76c15b32707c7f3
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: tinymce.jar: plugin.min.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/charmap/plugin.min.js
MD5: 329bc956fdd115d17a570e1c012aa29b
SHA1: d8c16a0341fb4bf0a68bdda349854578ac7930c9
SHA256: f02db784fa9fbff1ad2c355d51b7f5ac1eb88f66323d88d6ab7a9de24ca40941
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: tinymce.jar: plugin.min.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/code/plugin.min.js
MD5: 16a00a8a00e7bedfb8eca0b51cf91582

SHA1: ffe9b8ffe7ce4697a1dc933df3df85babceea49d

SHA256: 2bd8c63c4d6361b92ce0babcb4926c162dc03af995d9e4d16f3ee7a04719840f0

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: tinymce.jar: plugin.min.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/codesample/plugin.min.js

MD5: 1b42aad83df23dddcdb3eb08051adad4

SHA1: 6e51ce3687f2c008d37e1697107d4e3512fbc54e

SHA256: 2259133ad05e1690cb479fd270193fa560462ac382ddddd37059f5fa9260802

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: tinymce.jar: plugin.min.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/colorpicker/plugin.min.js

MD5: f2f33bb1a07f8fde712895df570c6dfa

SHA1: c3e7bc5ba0f4b176c86d0f71edbe598584ec10e4

SHA256: 5a00b7584123d24eebedd3b90ba83e82eb3d92e6b25b308138e85b2b1ca9dcf3

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: tinymce.jar: plugin.min.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/contextmenu/plugin.min.js
MD5: 742eaeecaa0020e9bdf8d3e1727f4dfd
SHA1: 4a58d3d2bc2d4b0497c3bc849841ee6071dd9d92
SHA256:a5ac1a81055ca6448c15958011faeba3c194fc1b9028336a13d50dd121abf4e7
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: tinymce.jar: plugin.min.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/directionality/plugin.min.js
MD5: 88407de4bae634b4b861f1784d6765ee
SHA1: d6cb3dd73846f0ebc118ee4e191261416b65f8ec
SHA256:f6c7d021ff2c3298dd324d3de5d468a37aedd3919fdfa04738c38878ad43f64f
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: tinymce.jar: plugin.min.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/emoticons/plugin.min.js
MD5: 8e3a6564df728a54bbfc2007d35dd2fc
SHA1: 2bc65bce44cebef706234bddaa3fef61fddc2791
SHA256: 4ee4a74d6b13afa099bc6dd48f7a240219b87a24626d25a80cdf06f3535b840
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: tinymce.jar: plugin.min.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/fullpage/plugin.min.js
MD5: 12f9d416422e0984dfb0ad3c124a30e8
SHA1: 4c0cfd1305cd1b0b8373bbf11342e7c494cac4f8
SHA256: 3563499ed8b42c6d986ed4f805de9066a7a04f99d3343e2123369491fb6daa6c
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: tinymce.jar: plugin.min.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/fullscreen/plugin.min.js
MD5: 28c6f465baeeeba5f7711483c4a0e426
SHA1: 09ad73eeb65c59def15937ea120b3ed6682b6513
SHA256: 72033751454cb26f52d9981653f49b2eb2b727e500b8a6ac941cebe0c6287c10
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: tinymce.jar: plugin.min.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/help/plugin.min.js
MD5: c1cf37a849f126f10d8ac2b826aa39ce
SHA1: b7ddc1cfab6f87604bb7aa4577eb2b3812297340
SHA256: 611e336e89f80588550f49e8c15ba06bafba2902af4f81dbd63193548f18cfb1
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: tinymce.jar: plugin.min.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/hr/plugin.min.js
MD5: 25ffeedf184858ee3d71823eaf4990e0

SHA1: ade2fbb0b51b6d889b2a768e556cf96815bac0e1
SHA256: ee59ded600aa421083e0787156220364a82df074ef9b325c3238440404fb2c81
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: tinymce.jar: plugin.min.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/image/plugin.min.js
MD5: a1410f44dc4dae7dde1ad1b37cfcf5c2
SHA1: 794592d3040282761a5a3c186558f5edc87c40ea
SHA256: b0b7035786562496f47ccc7f69e2917966d1227a9f405f67e5e61d75deb619a3
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: tinymce.jar: plugin.min.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/imagetools/plugin.min.js
MD5: bf4eeab4ff114a3ca465e2e00e0ed817
SHA1: 7c4796ab1f08d4a30fa1ea15734af2c89d33b673
SHA256: d6993e4195cf8098114f3024c8c556a9aaee2ad2249150ac84d9b5230f076dbb
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
Identifiers				
• None				

remotegui.zip: tinymce.jar: plugin.min.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/importcss/plugin.min.js
MD5: 4dfbf3010085640e499ffa4ed53f3e9f
SHA1: 806b76dbeef2d9c4fd1aa243d1af03bba35b555e
SHA256: 3c92a77bb7032d571c3c6c0a18123891e06bb40ae4498f137743d25ee6414ea8
Referenced In Project/Scope: server

Evidence 				
Type	Source	Name	Value	Confidence

Identifiers				
• None				

remotegui.zip: tinymce.jar: plugin.min.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/insertdatetime/plugin.min.js
MD5: 5a27df4fa9592be99446da8e6d67a2cf
SHA1: a031aff6bf079251c757636841a29b2e9d6a8b1c
SHA256: 321c0a514308e5c84257d8cdd3969e350486a6db0978e0e5ad143c0bc6a4ce0c
Referenced In Project/Scope: server

Evidence 				
Type	Source	Name	Value	Confidence

Identifiers				
-------------	--	--	--	--

- None

remotegui.zip: tinymce.jar: plugin.min.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/legacyoutput/plugin.min.js
MD5: 5516e774422ea64df103c3c2234a4ec6
SHA1: 657da397fb739dd03cb8aafa7177716b40f9d45b
SHA256: 57c72a86b59964c2b67e744ae14557c3eeb3839eed6bca42883e3190dc2620eb
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: tinymce.jar: plugin.min.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/link/plugin.min.js
MD5: d7059f353e02e66f01aa09b0fb193b61
SHA1: 5d94fa0eed6547f0bbd61c15bb0b9fd66ee095fc
SHA256: d539e25d6b9b7c1d912d731846be75285fd7813e9d23e6868a0fd602ed4d9bfe
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: tinymce.jar: plugin.min.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/lists/plugin.min.js
MD5: 153f9440390dfd0852bc13b37e4a99cf
SHA1: 098629a46a42755f921a2a6a8d2eee46dbbd6254
SHA256: 2e7d9385c8fd8248220ff2c5f34b30ad92a6bf34e65f05b611f24c9fd820a2a2
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: tinymce.jar: plugin.min.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/media/plugin.min.js
MD5: bff1f8494661523d9d921dd568dea68f
SHA1: 47b1e97c66ac4532a1cc0cdc213e84b2e1e5cb3d
SHA256: c4ddc7ef78871c0e384b32eede7953b391f1ebfab367fd6e38cd24aacb74808b
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: tinymce.jar: plugin.min.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/nonbreaking/plugin.min.js
MD5: 22cec5d1cd67de1710ac237a51b1eff2

SHA1: b78369ddc84f703ff894b59a951eb8713fbb0eaf
SHA256:9bb250342be2c9a4b71b46f553e5700b958b90356796f9d136c2d30cf51613af
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: tinymce.jar: plugin.min.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller
/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars
/tinymce/5.10.9/plugins/noneditable/plugin.min.js
MD5: b559bf0c485035ccc5adc2cc5d27edc2
SHA1: d9535a360c55123550f45d2a13112e5c54613b09
SHA256:a3dcfa365c12b7cdc0102e3a3ba5f139cffbcb58c93de5cfd1cfd6758787e3f8
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: tinymce.jar: plugin.min.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller
/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars
/tinymce/5.10.9/plugins/pagebreak/plugin.min.js
MD5: 2e7175073fbd4c9d0d41a620b87f47c8
SHA1: c3808c1045cf485075c41586755b610a5e56f2c3
SHA256:e8796cc7df647c286d04bca204e397e9f77e274aa31a982196424842284dc11f
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
Identifiers				
• None				

remotegui.zip: tinymce.jar: plugin.min.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/paste/plugin.min.js

MD5: e6ceced2c0b57ae7a093c250025d4b93

SHA1: 83000fb948b32522f4c391a21deca3c6ab3a41cd

SHA256:02f6cf2f00a0470edc2ce45521fe9e7ef083f1c0315558ee42c0f8c90d5059b8

Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

• None

remotegui.zip: tinymce.jar: plugin.min.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/preview/plugin.min.js

MD5: 3662f07953f093e774ef09cd282aa456

SHA1: 995e14b009b09f1eb9f8a6694f2a63d3f03b28cc

SHA256:c56fdc4fc82a79bdcfaffa7173b9d73eb4ece00386a1cd6a3cf08441eaeca800

Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: tinymce.jar: plugin.min.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/print/plugin.min.js
MD5: 779799d120a0e0ad3822f9e54640cf19
SHA1: d5848caf54e8617ad251491c9251d8f339a216e3
SHA256: b4dd176e085a39bddd30362cc503b757e8648fa763374927cc1f771032f2c432
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: tinymce.jar: plugin.min.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/quickbars/plugin.min.js
MD5: cf09c9aca413bc4fbb19c1b8db79bd2a
SHA1: f540a233d19ab3f34123e7dd97d09a12c0946139
SHA256: 4f0a83cc96e7e818d2ee734b8dabcb31e2de69516c2f6a3338cc412d53795ab5
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: tinymce.jar: plugin.min.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/save/plugin.min.js
MD5: 1d255a40141338ace9a468f382ebc116
SHA1: 0f0dcf709e333cdd51f50dbffaa8249cb46ab218
SHA256:887deb37b92ba8b6aff6e65565fd22e338d267622e308d30c768cc5b1d11527e
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: tinymce.jar: plugin.min.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/searchreplace/plugin.min.js
MD5: ac0e1a41a7ac38053f65df3d3e899d50
SHA1: 2e7f1c6e0210b98b18cd48cc7a79ebd5ff9bf7bc
SHA256:2c00411b358e2836734b729c7dd85155c7398086f52be27124b314536d1ced65
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: tinymce.jar: plugin.min.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/spellchecker/plugin.min.js
MD5: ba970e24a9000a62537e9a61dc67af21

SHA1: 975d4817120905cdba5d2f3c41c8d40548c79b15
SHA256:4e7e4741970c39f8c2e10f4b9375e2841ef82520e2f092daabfdec68bcd72c50
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: tinymce.jar: plugin.min.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller
/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars
/tinymce/5.10.9/plugins/tabfocus/plugin.min.js
MD5: b3ed291355f244a08de7c6cdd28bdc24
SHA1: be298bad6688fb4979fe9acb1949ea89c4afa36b
SHA256:13c873fca170d4949c38b556f8d76c09abfedb4c4a01b4e056a2d1ddaeaf915f
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: tinymce.jar: plugin.min.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller
/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars
/tinymce/5.10.9/plugins/table/plugin.min.js
MD5: e49127ac5d6d510bcfee6d834109d7d9
SHA1: 3e845f3a31bc77ff139f6c738afc05eddaee9573
SHA256:9130f4972ccd49565986d6e624d3a70109de6b5dfd56a9e0ff23954f17877e6d
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
Identifiers				
• None				

remotegui.zip: tinymce.jar: plugin.min.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/template/plugin.min.js

MD5: f5d5437a7c23a78a945a8db00bae1dc5

SHA1: ec33f38e54858e4f4282fc27f8e635fa8d054701

SHA256:9bb402bbdba8a4d4b5a73a9f91d8150ef2805dda6ed96fd393c11e369c92a8ac

Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

• None

remotegui.zip: tinymce.jar: plugin.min.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/textcolor/plugin.min.js

MD5: c423242c5a16c97be3b9a24d6b4f1062

SHA1: d50ad5bd7ea69a614899837e4cd3ecace1df2621

SHA256:1a882eb097c9d69037a035c897a63cbbad1bd3b59cf5d22bacb4784d8994a3c1

Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: tinymce.jar: plugin.min.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/textpattern/plugin.min.js
MD5: 4d23619babf8fc972428cfe3dd010411
SHA1: f57a6cebae882fb8d9c3a507de83d9b1fdb3a1a8
SHA256: 166cbcd9d86dce2a0890c62f6757500d3d4212a26c39757d9921f9e2615ba948
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: tinymce.jar: plugin.min.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/toc/plugin.min.js
MD5: 13707deaf5f0430745e57d913ea31257
SHA1: 2d23b19db8821b9910ba04c34d8bc1d4800e90b0
SHA256: 3a2df41858244f3207c16189f0eb78079e3da18d1151fe2a99c1adab3f117331
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: tinymce.jar: plugin.min.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/visualblocks/plugin.min.js
MD5: 9c96006cef6c3ac93b762398112b4855
SHA1: f9ec40c80b863f409947844e841cc0037b379657
SHA256: 0f1e3d314633726deea43eff70a76e1308fcc6d85570aa4cf6392abaa7d81e78
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: tinymce.jar: plugin.min.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/visualchars/plugin.min.js
MD5: 9869c6e0ff649172df808ed22c7b9a08
SHA1: 592dc0de3aa1d7e3a7f572a8d51e67fe3b2c7a43
SHA256: 469be54f8ba9ddb9c8020d65aae0521d43f05a9197b8412e0247501f8da4490
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: tinymce.jar: plugin.min.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/wordcount/plugin.min.js
MD5: ca6ae0cddf594fd58d16eedfbf25e5a2

SHA1: da6fa1c97cb33defad55c1767e08f40b4955aa66
SHA256:7b59f6d1fd0047cf530d9358dcbb7af7cc8982ab52642d230e10b0534ef1480e
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: tinymce.jar: theme.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/themes/mobile/theme.js
MD5: bf71e3c8a676f9f33cae81ef702d5077
SHA1: cd57219abb6d0a23e19a100979d353f2ef5d98c1
SHA256:a0ca0d72dd1b77c66cbcd1eab25daa174ed8048507027218477bacf04e4cef11
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: tinymce.jar: theme.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/themes/silver/theme.js
MD5: b99cdf5dcb718bb3d31d6c8667ae2462
SHA1: 26d8486e0ec39d27e79b0b37965b28e2b45afb6d
SHA256:0147750f4214d0acd55cadda52809ac73766443333bb65947c7fe1e0684d85c7
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
Identifiers				
• None				

remotegui.zip: tinymce.jar: theme.min.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/themes/mobile/theme.min.js
MD5: 16cae3454aa3d42affaa77affd250d0f
SHA1: d1aabb81b26a0cea4f2463fc3834e19b96577db
SHA256:41c734ae3943763aa08ab0b42b85aa755621e26124f15a7a0708ccb8b3ae3c63
Referenced In Project/Scope: server

Evidence 				
Type	Source	Name	Value	Confidence

Identifiers				
• None				

remotegui.zip: tinymce.jar: theme.min.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/themes/silver/theme.min.js
MD5: 9f7fbf793a00485e1943e7270b1194b2
SHA1: 2dbf1744e59360da304128ddd7cc25476e376af5
SHA256:05f5cf013cd5b6c793f9d5f745350088d3c5686ba001197b7ce2e1cb8c961f99
Referenced In Project/Scope: server

Evidence 				
Type	Source	Name	Value	Confidence

Identifiers				
-------------	--	--	--	--

- None

remotegui.zip: tinymce.jar: tinymce.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/tinymce.js

MD5: f7a8350f10f92d58a952e1feb0d28f2c

SHA1: d3ecc2861e41722d51e1ede38da5ead47a530c14

SHA256: a78ee6bd10002d050a314768a523533144228f654d80571a8ed28ff3011208a1

Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence
Vendor	file	name	tinyMCE	High
Product	file	name	tinyMCE	High
Version	file	version	5.10.9	High

Identifiers

- [pkg:javascript/tinyMCE@5.10.9](#) (*Confidence: Highest*)

remotegui.zip: tinymce.jar: tinymce.min.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/tinymce.min.js

MD5: 10df005254d5668ccedbdba2614354acd

SHA1: fbcd5a3f14b7c3dd8a9d203b9b30acfba49a38f4

SHA256: 3c3041cb95a1c979ee2205901cf1c670a36c192ef089e6f63b94beabef386c30

Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence
Vendor	file	name	tinyMCE	High
Product	file	name	tinyMCE	High
Version	file	version	5.10.9	High

Identifiers

- [pkg:javascript/tinyMCE@5.10.9](#) (*Confidence: Highest*)

remotegui.zip: twemoji.jar

License:

MIT

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/twemoji.jar

MD5: af9b535ef495075dfb0a7d5bec95eee6

SHA1: 0a559adee289b6b855ad1294b17dd71d9f3d21eb

SHA256: 9ce4f61ef563851b37c3918c54a876a865d2f66fda5f80dd2bfecebb2d7e386f

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	twemoji	High
Vendor	Manifest	url	https://github.com/twitter/twemoji/blob/master/LICENSE	Low
Vendor	pom	artifactid	twemoji-null	Low
Vendor	pom	groupid	lib	Highest
Vendor	pom	url	twitter/twemoji/blob/master/LICENSE	Highest
Product	file	name	twemoji	High
Product	Manifest	url	https://github.com/twitter/twemoji/blob/master/LICENSE	Low
Product	pom	artifactid	twemoji-null	Highest
Product	pom	groupid	lib	Highest
Product	pom	url	twitter/twemoji/blob/master/LICENSE	High
Version	pom	version	1.0	Highest

Identifiers

- [pkg:maven/lib/twemoji-null@1.0](#) (*Confidence: High*)

reporting.zip: jcommon.jar

Description:

JCommon is a free general purpose Java class library that is used in several projects at www.jfree.org, including JFreeChart and JFreeReport.

License:

GNU Lesser General Public Licence: <http://www.gnu.org/licenses/lgpl.txt>

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/reporting.zip/jcommon.jar

MD5: 3872e82627df950d40a949144a93e491

SHA1: d5016f7703896c38f9e511f8a9edda2585cbac8b

SHA256: 13e2596044935f76694cce65a22d1df908907ddcba0da2b49ff030930262d417

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	jcommon	High
Vendor	jar	package name	jcommon	Highest
Vendor	jar	package name	jfree	Highest
Vendor	jar	package name	jfree	Low
Vendor	jar	package name	library	Highest
Vendor	jar	package name	ui	Low
Vendor	pom	artifactid	jcommon	Low
Vendor	pom	developer email	dave@jfree.org	Low
Vendor	pom	developer name	David Gilbert	Medium
Vendor	pom	developer org	Object Refinery Limited	Medium
Vendor	pom	developer org URL	http://www.object-refinery.com	Medium
Vendor	pom	groupid	org.jfree	Highest
Vendor	pom	name	JCommon	High
Vendor	pom	organization name	JFree.org	High
Vendor	pom	organization url	http://www.jfree.org/	Medium
Vendor	pom	url	http://www.jfree.org/jcommon/	Highest
Product	file	name	jcommon	High
Product	jar	package name	jcommon	Highest
Product	jar	package name	jfree	Highest
Product	jar	package name	library	Highest
Product	jar	package name	ui	Low

Product	pom	artifactid	jcommon	Highest
Product	pom	developer email	dave@jfree.org	Low
Product	pom	developer name	David Gilbert	Low
Product	pom	developer org	Object Refinery Limited	Low
Product	pom	developer org URL	http://www.object-refinery.com	Low
Product	pom	groupid	org.jfree	Highest
Product	pom	name	JCommon	High
Product	pom	organization name	JFree.org	Low
Product	pom	organization url	http://www.jfree.org/	Low
Product	pom	url	http://www.jfree.org/jcommon/	Medium
Version	pom	version	1.0.24	Highest

Identifiers

- [pkg:maven/org.jfree/jcommon@1.0.24](https://maven.org/jfree/jcommon@1.0.24) (*Confidence:High*)

reporting.zip: jfreechartCC.jar

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/reporting.zip/jfreechartCC.jar

MD5: 0f9df7a16933069229d0fa01433b85df

SHA1: d5cfff80da0b3798c575e9281454b64daa576de

SHA256: 1cd02e6f8950008d301f45094818d22dde7ca94ec0c011319d4752c662c7cb15

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	jfreechartCC	High
Vendor	jar	package name	chart	Low
Vendor	jar	package name	inet	Low
Vendor	jar	package name	jfree	Low
Vendor	Manifest	built-date	2024-06-07 18:41	Low
Vendor	Manifest	implementation-group	reporting	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High

Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	jfreechartCC	High
Product	jar	package name	chart	Low
Product	jar	package name	jfree	Low
Product	Manifest	built-date	2024-06-07 18:41	Low
Product	Manifest	implementation-group	reporting	Low
Product	Manifest	Implementation-Title	jfreechartCC	High
Product	Manifest	specification-title	jfreechartCC	Medium
Version	Manifest	Implementation-Version	24.4.256	High

Identifiers

- None

reporting.zip: reporting-javadoc.jar

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/reporting.zip/reporting-javadoc.jar

MD5: 6c4d7d6c9440be132ebcaa91c081cc

SHA1: bc432c37ba6ccfdc4906802fb82ca2b83e735705

SHA256: 0b6416895abcd5e789dc30a6ce254bc67bceb2bd8b2d6ca24f859e40eb30e6ef

Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence
Vendor	file	name	reporting-javadoc	High
Product	file	name	reporting-javadoc	High

Identifiers

- None

reporting.zip: reporting-javadoc.jar: member-search-index.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/reporting.zip/reporting-javadoc.jar/member-search-index.js

MD5: 8211fe442c685eb2d96556189e4ff68c

SHA1: cf5bea90aec87121664aac476aae60869a3ad9ec

SHA256: 467722ec979390dd2281d7a90977f919edc2397d55026b4e6b96934e93eafd0c

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

reporting.zip: reporting-javadoc.jar: package-search-index.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/reporting.zip/reporting-javadoc.jar/package-search-index.js

MD5: 2c0f8742f3f9b12b580ebbb1d05b246c

SHA1: 4ab261d1781d9f77c131e641ec031d38e39a0444

SHA256: 40e580f6c42f5eaad108580601b9279ee0d06eb1b35574573d0d2a3798580d82

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

reporting.zip: reporting-javadoc.jar: type-search-index.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/reporting.zip/reporting-javadoc.jar/type-search-index.js
MD5: 8008687a1ad6ed821adc84cca8826520
SHA1: a21713c3a63548a6651afc41259760ad85b6226d
SHA256:a9e4cb81069076017cfaf4566173432128024441225b5c4d9bc20a04637f5416
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

reporting.zip: reporting.jar

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/reporting.zip/reporting.jar
MD5: 1a640639f06213f3b987514202ddbd5c
SHA1: c7dfa905e2232be8fc6e8d02ed3e9be0b912dcff
SHA256:dd7430059420e4855d9cef2478f3d5280670e2e09b7bc607ffca70f1045fb3ab
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	reporting	High
Vendor	jar	package name	i	Highest
Vendor	jar	package name	inet	Low
Vendor	jar	package name	report	Low
Vendor	Manifest	application-library-allowable-codebase	*	Low
Vendor	Manifest	built-date	2024-06-07 18:45	Low
Vendor	Manifest	codebase	*	Low
Vendor	Manifest	implementation-group	reporting	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium

Vendor	Manifest	permissions	all-permissions	Low
Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	trusted-library	false	Low
Vendor	Manifest	trusted-only	false	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	reporting	High
Product	jar	package name	permissions	Highest
Product	jar	package name	report	Low
Product	jar	package name	reporting	Highest
Product	Manifest	application-library-allowable-codebase	*	Low
Product	Manifest	built-date	2024-06-07 18:45	Low
Product	Manifest	codebase	*	Low
Product	Manifest	implementation-group	reporting	Low
Product	Manifest	Implementation-Title	reporting	High
Product	Manifest	permissions	all-permissions	Low
Product	Manifest	specification-title	reporting	Medium
Product	Manifest	trusted-library	false	Low
Product	Manifest	trusted-only	false	Low
Version	jar	package name	permissions	Highest
Version	jar	package name	reporting	Highest
Version	Manifest	Implementation-Version	24.4.256	High

Identifiers

- None

reporting.zip: reporting.jar: events.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/reporting.zip/reporting.jar/com/inet/report/renderer/html/viewer/helper/events.js
MD5: 3fc9838e053b31f8807cae4d3ec8af0e

SHA1: 2c49faf9585fe00cd134370a8f36129390838fcc

SHA256:562e707e5a6fc06e50bdbd6526050ce0b5a71c62839d1a6fce3b6b262904a1fa

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

reporting.zip: reporting.jar: export.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/reporting.zip/reporting.jar/com/inet/report/renderer/html/viewer/modules/export.js

MD5: 746424b1fba005660a7543737f5703d7

SHA1: 5c1c20bf6ee1d2bbbaeb1a71199142b9584da86

SHA256:f01740cc1eb338fba1ddab973b535fb3295517e8717471370fcd9a28f438e28

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

reporting.zip: reporting.jar: functions.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/reporting.zip/reporting.jar/com/inet/report/renderer/html/viewer/helper/functions.js

MD5: 1405217473611fac122bcae613e2b766

SHA1: c4c7164910dad5ec309a6c089bc26dfe0885b59e

SHA256:956518342fd083c0bfb8cd33c584b8c5e8ab9ff72f9d0d677a104fb709ce964c

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

reporting.zip: reporting.jar: generator.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/reporting.zip/reporting.jar/com/inet/report/renderer/html/viewer/helper/generator.js
MD5: 1e299743754f9f1d759bdd0159f8c4c8
SHA1: bf9ccac664dd094ccf0cd9ce4708709a6b84a198
SHA256:fb466011f0d2e7e592ddbdb1edf4bf6656b3c39abedcf17e5974983ead5bcc0a
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

reporting.zip: reporting.jar: grouptree.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/reporting.zip/reporting.jar/com/inet/report/renderer/html/viewer/modules/grouptree.js
MD5: 6a2aa37dcc827ae76a73fbb380bb9841
SHA1: 3491c58a0f544f3d322528aef0cf315170cb64d7
SHA256:535046b4e6210984327183beea7f2a22eda39fa2d9aa71f385095cbf60f154f8
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

reporting.zip: reporting.jar: jstorage.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/reporting.zip/reporting.jar/com/inet/report/renderer/html/viewer/helper/jstorage.js

MD5: e3cf61a603c85bf3f8487da7e9548f71

SHA1: 62f878b97e407836ac78c7f53e0dcc6dc253326c

SHA256: 6d1e04ec7c76349ee41b892f465b8c0e110a6f5438da5cce419589a73d370cbc

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

reporting.zip: reporting.jar: keylistener.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/reporting.zip/reporting.jar/com/inet/report/renderer/html/viewer/modules/keylistener.js

MD5: c5d832994dcc5bebc8af8bc39cf5daad

SHA1: c5f6f54e81c1d0d3386bbd47bbdc0f9ca0c33170

SHA256: 9f415b33cfcb34f2156906e04601fd845bb992003f660737c0269c6e9ac9e

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

reporting.zip: reporting.jar: menubar.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/reporting.zip/reporting.jar/com/inet/report/renderer/html/viewer/modules/menubar.js
MD5: 84eac9769fcf64aac757adae2ae20b6b
SHA1: c44fd0b0e9ffbc652c5a87c07422d8d2f9294d01
SHA256: 35b71bf5c90a9c40f6080dd0721edfba6796582e66ddd86d6a620d6ffd5a7099
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

reporting.zip: reporting.jar: page.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/reporting.zip/reporting.jar/com/inet/report/renderer/html/viewer/page.js
MD5: 462d52c659dc09d5014cf48338eabd95
SHA1: 7aab284e6c75d5b2f47b57fff793a0d7c2ee754e
SHA256: 555c503389751372bc5d54cdbda777902740ce4b4fea22718cda901b66eb035c
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

reporting.zip: reporting.jar: pagecount.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/reporting.zip/reporting.jar/com/inet/report/renderer/html/viewer/modules/pagecount.js
MD5: 24cfe9e8f48f278f1602d02864d58624

SHA1: 2eddd3a44c190d4bdfe4be0c9326fcb2910760ea
SHA256: c9ab8247c75b8a064609e6215bc095afaa2195537592e1dd33edfb1a1071ad90
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

reporting.zip: reporting.jar: popup.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/reporting.zip/reporting.jar/com/inet/report/renderer/html/viewer/modules/popup.js
MD5: f3f88333f0bd365b876eb3239027ccc
SHA1: 472c339e9c2fcc57ea152f0a7fd292cfaf8d5d94
SHA256: b529ecd0c9c789d9927cc186a070f59185749ec3bec95485953ac5fad8ed4b1b
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

reporting.zip: reporting.jar: print.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/reporting.zip/reporting.jar/com/inet/report/renderer/html/viewer/modules/print.js
MD5: 7b8d31c1093a5780e3456b1a89e5691d
SHA1: 92e65e0247c6a554b240fbd6ec9f765536971b4f
SHA256: 1bff0ec49ffd73d721476a42c7 added790c11de9247708d0359634c5b1108a7454
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

reporting.zip: reporting.jar: prompts.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/reporting.zip/reporting.jar/com/inet/report/renderer/html/viewer/modules/prompts.js
MD5: 85a496ebe2cba4bc70869321d184d7f7
SHA1: 2b57162a46aaac6509d82d643a2b3cd2c0cff35d
SHA256:d881fb2545a4d0bd5deee4a5201d22ecfd71bfa516d8005b227882ae920753b1
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

reporting.zip: reporting.jar: prototype.array.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/reporting.zip/reporting.jar/com/inet/report/renderer/html/viewer/helper/prototype.array.js
MD5: e7397419b474ed77e1919362d648e76e
SHA1: d51d04cd807648ebbf8147fb35a372b1be405a0c
SHA256:32757f40fca37f8e5fa83f29618e3d6193dbe2a87df85bdf4b01f804e5ee10fa
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

reporting.zip: reporting.jar: prototype.element.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/reporting.zip/reporting.jar/com/inet/report/renderer/html/viewer/helper/prototype.element.js
MD5: 22a460c748d56bbf5abe35fd13fef26f
SHA1: 5d0d84fb2fb8fc2e19b11b1ff02a40c78a496836
SHA256: f29e8a4e3940edaf6a6dd88dfdd1dd683cf67289bfe5b078a0f54a98c0717d2b
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

reporting.zip: reporting.jar: prototype.string.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/reporting.zip/reporting.jar/com/inet/report/renderer/html/viewer/helper/prototype.string.js
MD5: df4a28167933f1a8e7c46a2764aa042e
SHA1: 34da7d4649052f159e8ce3cdb620575cc06851a5
SHA256: 1b72a0129d32dd94172c575ab52a27f78f5083dded4a68a2a840c16a674d8376
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

reporting.zip: reporting.jar: renderreportextension.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/reporting.zip/reporting.jar/com/inet/report/plugins/drive/client/js/renderreportextension.js
MD5: 27fe735016731efab2e1a952a7e08364
SHA1: cf0f878f1cf2337b448bdce5e93e0265ac177db2
SHA256: 5e0da6d809a1d121b7190db09d9841c706421e05d180bb84bf2f0c9d003eb4ae
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

reporting.zip: reporting.jar: reorder.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/reporting.zip/reporting.jar/com/inet/report/renderer/html/viewer/modules/reorder.js
MD5: f69e929be3921597233d5f40cdb42d96
SHA1: 34dbc14d130c63bf8bc084fd2e0738072ad7531c
SHA256: bedbbe31cdf43b2581eb22c908587b90a090c8d3dec4f1f9473381f595cafc5
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

reporting.zip: reporting.jar: script.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/reporting.zip/reporting.jar/com/inet/report/renderer/html/viewer/script.js
MD5: e587df16aef59326cd23dcf903f4f0a0

SHA1: d6f93bbe5f92a93bcf505cdcc33265537c9ac1b4

SHA256:af8ce5bb839284bf28ef6b7a534490e2f3e6679b6e381cef66332dd86ab6d776

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

reporting.zip: reporting.jar: search.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/reporting.zip/reporting.jar/com/inet/report/renderer/html/viewer/modules/search.js

MD5: fc23b96b436d7e9cd6f6eaa37a8b4889

SHA1: c3ebabfdf678fa695918802942aa1a31e35e12d5

SHA256:e7c4c4ec44df06542deb241ce66375e83e38511cc3beb60eb9cdb712493aa3a8

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

reporting.zip: reporting.jar: serverping.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/reporting.zip/reporting.jar/com/inet/report/renderer/html/viewer/modules/serverping.js

MD5: cf0aa28426a5f0c3072bebe454ac51db

SHA1: d470b75dd064d62d773fcffa20de301811048660

SHA256:d78350702ac53e3094357533c45e45d6b0de57dfa8ce4a14045fbabc3c1e2496

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

reporting.zip: reporting.jar: stacktrace.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/reporting.zip/reporting.jar/com/inet/report/renderer/html/viewer/stacktrace.js
MD5: 15af09e55c4ba39e41953f1a3e5a14c9
SHA1: 3c92835b1e605bca8aac7bd82d094c98ccbf79b
SHA256:1133134ddfd7d0cab8d43b06e47825631b50d02cd54299c7dd80ff5a0d19457
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

reporting.zip: reporting.jar: tabbar.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/reporting.zip/reporting.jar/com/inet/report/renderer/html/viewer/modules/tabbar.js
MD5: 491f95aea1cf85555dd3f39b6eeb667f
SHA1: ce3c162c5224fa0224928c77ef243a60e7b00aed
SHA256:ff58c9a193a7e9c38f46b120943ad919d22242b1b08710900db2028eb5d22f48
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

sampleapplication.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/Documentation and Samples/Plugin - Samples/Application/CurrentTimePlugin/src/com/inet/application/currenttime/sampleapplication.js
MD5: a0b6ce01eb88d27464c409bd56d4fa65
SHA1: c23569535b8a3fb31880228a5e8c3efd42555175
SHA256: 8d80f1c43ca8a4dba57c52e977bd61d92acae6cfdbe8655b68fbc7102b021905
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies

- application.currenttime.zip: sampleapplication.js
 - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/Documentation and Samples/Plugin - Samples/Application/CurrentTimePlugin/application.currenttime.zip/src/com/inet/application/currenttime/sampleapplication.js
 - MD5: a0b6ce01eb88d27464c409bd56d4fa65
 - SHA1: c23569535b8a3fb31880228a5e8c3efd42555175
 - SHA256: 8d80f1c43ca8a4dba57c52e977bd61d92acae6cfdbe8655b68fbc7102b021905

Identifiers

- None

search-worker.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/Documentation and Samples/dotnet - ProcessBridge API Doc/styles/search-worker.js
MD5: 5e2f2f2ecf39ab1197fa1f33bb73dce9
SHA1: fdf200a9954128e900e26e11749fc5c9250ba4eb
SHA256: 422e115f5fd7829299546902847141ff52b972eca6c6b040bc7dbb81dcc79b89
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies



- search-worker.js
 - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/Documentation and Samples/nunit - API Doc/styles/search-worker.js
 - MD5: 5e2f2f2ecf39ab1197fa1f33bb73dce9
 - SHA1: fdf200a9954128e900e26e11749fc5c9250ba4eb
 - SHA256: 422e115f5fd7829299546902847141ff52b972eca6c6b040bc7dbb81dcc79b89

Identifiers

- None

security.zip: security.jar

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/security.zip/security.jar
MD5: 2205c4263ceafdad7659d272af50b4e1
SHA1: 0277452fd0e32644764b01bb1babf3ca94d6985a
SHA256: 77e99d6d3c8910f50f7bd1faefa78b86b7e7da1e134d14e2cf70ae7b99b5f0a2
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	security	High
Vendor	jar	package name	inet	Low
Vendor	jar	package name	security	Low
Vendor	jar	package name	server	Low
Vendor	Manifest	built-date	2024-06-07 17:59	Low
Vendor	Manifest	implementation-group	shared	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	security	High

Product	jar	package name	security	Highest
Product	jar	package name	security	Low
Product	jar	package name	server	Low
Product	Manifest	built-date	2024-06-07 17:59	Low
Product	Manifest	implementation-group	shared	Low
Product	Manifest	Implementation-Title	security	High
Product	Manifest	specification-title	security	Medium
Version	Manifest	Implementation-Version	24.4.256	High

Identifiers

- None

setuplauncher.jar

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/java/setuplauncher.jar
MD5: 569c3f4e20a3fdc65b1e7623c135bbe5
SHA1: f812b0bc13a20ab2cf679eed9547062d5abc6900
SHA256: 75b675dfa807a6186f47808ca8c654b47075494d7b4495c7d32059665f4a2f22
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence
Vendor	file	name	setuplauncher	High
Vendor	jar	package name	inet	Low
Vendor	jar	package name	setuplauncher	Low
Vendor	Manifest	built-date	2024-06-07 17:43	Low
Vendor	Manifest	implementation-group	shared	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium

Product	file	name	setuplauncher	High
Product	jar	package name	setuplauncher	Highest
Product	jar	package name	setuplauncher	Low
Product	Manifest	built-date	2024-06-07 17:43	Low
Product	Manifest	implementation-group	shared	Low
Product	Manifest	Implementation-Title	setuplauncher	High
Product	Manifest	specification-title	setuplauncher	Medium
Version	Manifest	Implementation-Version	24.4.256	High

Identifiers

- None

slf4j-api-2.0.11.jar

Description:

The slf4j API

License:

<http://www.opensource.org/licenses/mit-license.php>

File Path: /home/jenkins/.gradle/caches/modules-2/files-2.1/org.slf4j/slf4j-api/2.0.11/ad96c3f8cf895e696dd35c2bc8e8ebe710be9e6d/slf4j-api-2.0.11.jar

MD5: 90c46a2d4613049843c804867321e6a7

SHA1: ad96c3f8cf895e696dd35c2bc8e8ebe710be9e6d

SHA256: ce0e71d673acb9036bb55d0244b261cf033f8e4c1245f14f931dfb1937dd4c95

Referenced In Projects/Scopes:

- server
- server:inetPlugin

Included by: pkg:maven/pdfc/server@24.4

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	slf4j-api	High
Vendor	gradle	artifactid	slf4j-api	Highest
Vendor	gradle	groupid	org.slf4j	Highest
Vendor	jar	package name	slf4j	Highest

Vendor	Manifest	build-jdk-spec	21	Low
Vendor	Manifest	bundle-docurl	http://www.slf4j.org	Low
Vendor	Manifest	bundle-symbolicname	slf4j-api	Medium
Vendor	Manifest	multi-release	true	Low
Vendor	pom	artifactid	slf4j-api	Low
Vendor	pom	groupid	org.slf4j	Highest
Vendor	pom	name	SLF4J API Module	High
Vendor	pom	parent-artifactid	slf4j-parent	Low
Vendor	pom	url	http://www.slf4j.org	Highest
Product	file	name	slf4j-api	High
Product	gradle	artifactid	slf4j-api	Highest
Product	jar	package name	slf4j	Highest
Product	Manifest	build-jdk-spec	21	Low
Product	Manifest	bundle-docurl	http://www.slf4j.org	Low
Product	Manifest	Bundle-Name	SLF4J API Module	Medium
Product	Manifest	bundle-symbolicname	slf4j-api	Medium
Product	Manifest	Implementation-Title	slf4j-api	High
Product	Manifest	multi-release	true	Low
Product	pom	artifactid	slf4j-api	Highest
Product	pom	groupid	org.slf4j	Highest
Product	pom	name	SLF4J API Module	High
Product	pom	parent-artifactid	slf4j-parent	Medium
Product	pom	url	http://www.slf4j.org	Medium
Version	file	version	2.0.11	High
Version	gradle	version	2.0.11	Highest
Version	Manifest	Bundle-Version	2.0.11	High
Version	Manifest	Implementation-Version	2.0.11	High
Version	pom	version	2.0.11	Highest

Related Dependencies



- slf4j-api.jar
 - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/java/slf4j-api.jar

- MD5: 90c46a2d4613049843c804867321e6a7
- SHA1: ad96c3f8cf895e696dd35c2bc8e8ebe710be9e6d
- SHA256: ce0e71d673acb9036bb55d0244b261cf033f8e4c1245f14f931dfb1937dd4c95

Identifiers

- [pkg:maven/org.slf4j/slf4j-api@2.0.11](#) (Confidence:High)

taskplanner.logaction.zip: taskplanner.logaction.sample.jar

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/Documentation and Samples/Plugin - Samples/TaskPlanner/LogActionPlugin/taskplanner.logaction.zip/taskplanner.logaction.sample.jar

MD5: 3383ecc58c16826f9ac482c01eb9ef0e

SHA1: 68df4e9a6cdd336c9295c285a0991b4c4e7f5fef

SHA256:45df214f6ffa33266464876afd7d1d0081aaf4bad86ce7011c2c6be10325a110

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	taskplanner.logaction.sample	High
Vendor	jar	package name	inet	Low
Vendor	jar	package name	logaction	Low
Vendor	jar	package name	taskplanner	Low
Vendor	Manifest	built-date	2024-06-07 17:56	Low
Vendor	Manifest	implementation-group	shared	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	taskplanner.logaction.sample	High
Product	jar	package name	logaction	Highest
Product	jar	package name	logaction	Low
Product	jar	package name	taskplanner	Highest
Product	jar	package name	taskplanner	Low
Product	Manifest	built-date	2024-06-07 17:56	Low

Product	Manifest	implementation-group	shared	Low
Product	Manifest	Implementation-Title	taskplanner.logaction	High
Product	Manifest	specification-title	taskplanner.logaction	Medium
Version	Manifest	Implementation-Version	24.4.256	High

Identifiers

- None

taskplanner.openweathermap.zip: taskplanner.openweathermap.sample.jar

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/Documentation and Samples/Plugin - Samples/TaskPlanner/OpenWeatherMapPlugin/taskplanner.openweathermap.zip/taskplanner.openweathermap.sample.jar

MD5: 6adafe221ad75770dfc31c8331e039d2

SHA1: 38b402ac537eb5e39953d5889c26ae731f19e6ef

SHA256:c92852b1e0cd25784b8b7c1df0aa2b85d7e4de3dbd87814e9bfd8bdaec861ec4

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	taskplanner.openweathermap.sample	High
Vendor	jar	package name	inet	Low
Vendor	jar	package name	openweathermap	Low
Vendor	jar	package name	taskplanner	Low
Vendor	Manifest	built-date	2024-06-07 17:56	Low
Vendor	Manifest	implementation-group	shared	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	taskplanner.openweathermap.sample	High
Product	jar	package name	openweathermap	Highest

Product	jar	package name	openweathermap	Low
Product	jar	package name	taskplanner	Highest
Product	jar	package name	taskplanner	Low
Product	Manifest	built-date	2024-06-07 17:56	Low
Product	Manifest	implementation-group	shared	Low
Product	Manifest	Implementation-Title	taskplanner.openweathermap	High
Product	Manifest	specification-title	taskplanner.openweathermap	Medium
Version	Manifest	Implementation-Version	24.4.256	High

Identifiers

- None

taskplanner.pdf.fc.zip: taskplanner.pdf.fc.jar

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/taskplanner.pdf.fc.zip/taskplanner.pdf.fc.jar

MD5: 531d2c66f7e13fa9f8361e76de99376c

SHA1: 5ee1e7ac11d866c1c14d61b9158493c3fcc7a8a6

SHA256: 62d30b59a4f8b7e00bf259fddf10de744284521f78abbc5ea1e1ccf96c3d15b5

Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence
Vendor	file	name	taskplanner.pdf.fc	High
Vendor	jar	package name	inet	Low
Vendor	jar	package name	pdfc	Low
Vendor	jar	package name	taskplanner	Low
Vendor	Manifest	built-date	2024-06-07 20:47	Low
Vendor	Manifest	implementation-group	pdfc	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	specification-vendor	i-net software	Low

Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	taskplanner.pdf	High
Product	jar	package name	pdfc	Highest
Product	jar	package name	pdfc	Low
Product	jar	package name	taskplanner	Highest
Product	jar	package name	taskplanner	Low
Product	Manifest	built-date	2024-06-07 20:47	Low
Product	Manifest	implementation-group	pdfc	Low
Product	Manifest	Implementation-Title	taskplanner.pdf	High
Product	Manifest	specification-title	taskplanner.pdf	Medium
Version	jar	package name	pdfc	Highest
Version	Manifest	Implementation-Version	24.4.256	High

Identifiers

- cpe:2.3:a:inetsoftware:pdfc:24.4.256:****:* (Confidence:Low) suppress

taskplanner.zip: commons-cli.jar

Description:

Apache Commons CLI provides a simple API for presenting, processing and validating a Command Line Interface.

License:

<https://www.apache.org/licenses/LICENSE-2.0.txt>

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/taskplanner.zip/commons-cli.jar

MD5: 15db12c583408c2af3ef7669b0204290

SHA1: 38166a23afb5bd5520f739b87b3be87f7f0fb96d

SHA256: 69e1237059acd56f0f8654dcde09d8a1412eee82918bef5564d51f8fb275711b

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	commons-cli	High

Vendor	jar	package name	apache	Highest
Vendor	jar	package name	cli	Highest
Vendor	jar	package name	commons	Highest
Vendor	Manifest	build-jdk-spec	21	Low
Vendor	Manifest	bundle-docurl	https://commons.apache.org/proper/commons-cli/	Low
Vendor	Manifest	bundle-symbolicname	org.apache.commons.cli	Medium
Vendor	Manifest	Implementation-Vendor	The Apache Software Foundation	High
Vendor	Manifest	Implementation-Vendor-Id	org.apache	Medium
Vendor	Manifest	multi-release	true	Low
Vendor	Manifest	specification-vendor	The Apache Software Foundation	Low
Vendor	pom	artifactid	commons-cli	Low
Vendor	pom	developer email	bob@werken.com	Low
Vendor	pom	developer email	chtompki@apache.org	Low
Vendor	pom	developer email	ebourg@apache.org	Low
Vendor	pom	developer email	ggregory at apache.org	Low
Vendor	pom	developer email	jbjk@mac.com	Low
Vendor	pom	developer email	jstrachan@apache.org	Low
Vendor	pom	developer email	roxspring@imapmail.org	Low
Vendor	pom	developer email	tn@apache.org	Low
Vendor	pom	developer id	bob	Medium
Vendor	pom	developer id	chtompki	Medium
Vendor	pom	developer id	ebourg	Medium
Vendor	pom	developer id	ggregory	Medium
Vendor	pom	developer id	jkeyes	Medium
Vendor	pom	developer id	jstrachan	Medium
Vendor	pom	developer id	roxspring	Medium
Vendor	pom	developer id	tn	Medium
Vendor	pom	developer name	Bob McWhirter	Medium
Vendor	pom	developer name	Emmanuel Bourg	Medium
Vendor	pom	developer name	Gary Gregory	Medium
Vendor	pom	developer name	James Strachan	Medium
Vendor	pom	developer name	John Keyes	Medium
Vendor	pom	developer name	Rob Oxspring	Medium

Vendor	pom	developer name	Rob Tompkins	Medium
Vendor	pom	developer name	Thomas Neidhart	Medium
Vendor	pom	developer org	Ariane Software	Medium
Vendor	pom	developer org	Indigo Stone	Medium
Vendor	pom	developer org	integral Source	Medium
Vendor	pom	developer org	SpiritSoft, Inc.	Medium
Vendor	pom	developer org	The Apache Software Foundation	Medium
Vendor	pom	developer org	Werken	Medium
Vendor	pom	developer org URL	https://www.apache.org/	Medium
Vendor	pom	groupid	commons-cli	Highest
Vendor	pom	name	Apache Commons CLI	High
Vendor	pom	parent-artifactid	commons-parent	Low
Vendor	pom	parent-groupid	org.apache.commons	Medium
Vendor	pom	url	https://commons.apache.org/proper/commons-cli/	Highest
Product	file	name	commons-cli	High
Product	jar	package name	apache	Highest
Product	jar	package name	cli	Highest
Product	jar	package name	commons	Highest
Product	Manifest	build-jdk-spec	21	Low
Product	Manifest	bundle-docurl	https://commons.apache.org/proper/commons-cli/	Low
Product	Manifest	Bundle-Name	Apache Commons CLI	Medium
Product	Manifest	bundle-symbolicname	org.apache.commons.cli	Medium
Product	Manifest	Implementation-Title	Apache Commons CLI	High
Product	Manifest	multi-release	true	Low
Product	Manifest	specification-title	Apache Commons CLI	Medium
Product	pom	artifactid	commons-cli	Highest
Product	pom	developer email	bob@werken.com	Low
Product	pom	developer email	chtompki@apache.org	Low
Product	pom	developer email	ebourg@apache.org	Low
Product	pom	developer email	ggregory at apache.org	Low
Product	pom	developer email	jbjk@mac.com	Low
Product	pom	developer email	jstrachan@apache.org	Low

Product	pom	developer email	roxspring@imapmail.org	Low
Product	pom	developer email	tn@apache.org	Low
Product	pom	developer id	bob	Low
Product	pom	developer id	chtompki	Low
Product	pom	developer id	ebourg	Low
Product	pom	developer id	ggregory	Low
Product	pom	developer id	jkeyes	Low
Product	pom	developer id	jstrachan	Low
Product	pom	developer id	roxspring	Low
Product	pom	developer id	tn	Low
Product	pom	developer name	Bob McWhirter	Low
Product	pom	developer name	Emmanuel Bourg	Low
Product	pom	developer name	Gary Gregory	Low
Product	pom	developer name	James Strachan	Low
Product	pom	developer name	John Keyes	Low
Product	pom	developer name	Rob Oxspring	Low
Product	pom	developer name	Rob Tompkins	Low
Product	pom	developer name	Thomas Neidhart	Low
Product	pom	developer org	Ariane Software	Low
Product	pom	developer org	Indigo Stone	Low
Product	pom	developer org	integral Source	Low
Product	pom	developer org	SpiritSoft, Inc.	Low
Product	pom	developer org	The Apache Software Foundation	Low
Product	pom	developer org	Werken	Low
Product	pom	developer org URL	https://www.apache.org/	Low
Product	pom	groupid	commons-cli	Highest
Product	pom	name	Apache Commons CLI	High
Product	pom	parent-artifactid	commons-parent	Medium
Product	pom	parent-groupid	org.apache.commons	Medium
Product	pom	url	https://commons.apache.org/proper/commons-cli/	Medium
Version	Manifest	Bundle-Version	1.6.0	High
Version	Manifest	Implementation-Version	1.6.0	High
Version	pom	parent-version	1.6.0	Low
Version	pom	version	1.6.0	Highest

Identifiers

- [pkg:maven/commons-cli/commons-cli@1.6.0](#) (*Confidence:High*)

taskplanner.zip: cron-utils.jar

Description:

A Java library to parse, migrate and validate crons as well as describe them in human readable language

License:

Apache 2.0: <http://www.apache.org/licenses/LICENSE-2.0.html>

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/taskplanner.zip/cron-utils.jar

MD5: 4c27537eccc6fa37ed5740b5383643c8

SHA1: 5d3738bc7a2eaa45a94a76c6e87af54a95414637

SHA256: 02af0e8b2fe93c9fa6eecf97b53b39faae14c5b996356edb132e9fe620013744

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	cron-utils	High
Vendor	jar	package name	cron	Highest
Vendor	jar	package name	cronutils	Highest
Vendor	jar	package name	utils	Highest
Vendor	Manifest	automatic-module-name	com.cronutils	Medium
Vendor	Manifest	build-jdk-spec	1.8	Low
Vendor	Manifest	bundle-symbolicname	com.cronutils.cron-utils	Medium
Vendor	pom	artifactid	cron-utils	Low
Vendor	pom	developer id	jmrozanec	Medium
Vendor	pom	groupid	com.cronutils	Highest
Vendor	pom	name	cron-utils	High
Vendor	pom	url	http://cron-parser.com/	Highest
Product	file	name	cron-utils	High
Product	jar	package name	cron	Highest

Product	jar	package name	cronutils	Highest
Product	jar	package name	utils	Highest
Product	Manifest	automatic-module-name	com.cronutils	Medium
Product	Manifest	build-jdk-spec	1.8	Low
Product	Manifest	Bundle-Name	cron-utils	Medium
Product	Manifest	bundle-symbolicname	com.cronutils.cron-utils	Medium
Product	pom	artifactid	cron-utils	Highest
Product	pom	developer id	jmrozanec	Low
Product	pom	groupid	com.cronutils	Highest
Product	pom	name	cron-utils	High
Product	pom	url	http://cron-parser.com/	Medium
Version	Manifest	Bundle-Version	9.2.1	High
Version	pom	version	9.2.1	Highest

Identifiers

- [pkg:maven/com.cronutils/cron-utils@9.2.1](#) (*Confidence:High*)
- [cpe:2.3:a:cron-utils_project:cron-utils:9.2.1:*:*:*:*:*](#) (*Confidence:Highest*) suppress
- [cpe:2.3:a:utils_project:utils:9.2.1:*:*:*:*:*](#) (*Confidence:Highest*) suppress

taskplanner.zip: taskplanner-javadoc.jar

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/taskplanner.zip/taskplanner-javadoc.jar

MD5: 91a01804f95b2f8e8d9521f94a3e05ff

SHA1: 2aa8cf18da59c94f07495ae7ae7834d3eb416628

SHA256: b02807b26626877f32d88306652091dc43b6ab1e1c27e35bdcd4b166a294a4d3

Referenced In Project/Scope: server

Evidence +

Type	Source	Name	Value	Confidence
Vendor	file	name	taskplanner-javadoc	High
Product	file	name	taskplanner-javadoc	High

Identifiers

- None

taskplanner.zip: taskplanner-javadoc.jar: member-search-index.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/taskplanner.zip/taskplanner-javadoc.jar/member-search-index.js

MD5: 3efb60881cde93a9822c9b2a3f64e190

SHA1: 16a3c61b37be124c17f50c3d4adbba8fc0d5f57

SHA256: 6128935e2ec9907f7dcde725363c252269b49b59f57f8dd955804e6b2b4d4be1

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

taskplanner.zip: taskplanner-javadoc.jar: package-search-index.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/taskplanner.zip/taskplanner-javadoc.jar/package-search-index.js

MD5: 664e97ca24dfa41c9d227a21aa0d43c5

SHA1: 4594dfafaa4e3780974c8476ea5a1ea1b9898f41

SHA256: d5638352f038b195118792e06962bd06f15b8ca6ebd6df9db669aa096012ec0d

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

taskplanner.zip: taskplanner-javadoc.jar: type-search-index.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/taskplanner.zip/taskplanner-javadoc.jar/type-search-index.js
MD5: 839ea5c80113696e44f35e1cc351bde0
SHA1: 709a5c4d35972a9487ca9603daaf1e97b89dd2b7
SHA256:38d6117b1344cb26e1931b11bd9d5d6b5aab143110e90d6b9307e80b0bf34845
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

taskplanner.zip: taskplanner.jar

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/taskplanner.zip/taskplanner.jar
MD5: fe215bc982f6056ffcdf9abf653f325c
SHA1: 3f773201376890e5bef25bba54545b387dca552f
SHA256:c0802ab3c439ad2d0687bd0b1858e42852e5d5e4551e61c46f5b8d23b3accee1
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence
Vendor	file	name	taskplanner	High
Vendor	jar	package name	inet	Low
Vendor	jar	package name	server	Low
Vendor	jar	package name	taskplanner	Low
Vendor	Manifest	built-date	2024-06-07 17:32	Low
Vendor	Manifest	implementation-group	shared	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	specification-vendor	i-net software	Low

Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	taskplanner	High
Product	jar	package name	api	Low
Product	jar	package name	server	Low
Product	jar	package name	taskplanner	Highest
Product	jar	package name	taskplanner	Low
Product	Manifest	built-date	2024-06-07 17:32	Low
Product	Manifest	implementation-group	shared	Low
Product	Manifest	Implementation-Title	taskplanner	High
Product	Manifest	specification-title	taskplanner	Medium
Version	Manifest	Implementation-Version	24.4.256	High

Identifiers

- None

taskplanner.zip: taskplanner.jar: app.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/taskplanner.zip/taskplanner.jar/com/inet/taskplanner/client/js/app.js
MD5: e7b627af28a93866105b9b57aafc0679
SHA1: 402728104da80b566caf6f4674001072e563d911
SHA256: da6db86c4194737b7fdb2711a94e4d8cd69e9f1274d26faec3bbb615a12488da
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

taskplanner.zip: taskplanner.jar: boolean.directive.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/taskplanner.zip/taskplanner.jar/com/inet/taskplanner/client/js/fields/boolean.directive.js
MD5: f531e8f8667e86c17cef683b1743260f
SHA1: 84b65d0f4fe2c374e6b46e82eaac428794992ca0
SHA256: 45bb097fc4aca863f20530b6bfca687d3fdd89c4f4a05424f080fbd5fab6ab8e
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

taskplanner.zip: taskplanner.jar: colorField.directive.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/taskplanner.zip/taskplanner.jar/com/inet/taskplanner/client/js/fields/colorField.directive.js
MD5: b5da6d7c728f3f5308311693ad7fbf79
SHA1: 9a706740764283a49b2ebe8179ab7c399bf2b8b2
SHA256: 81de63033979d47a1cf4332821f31902a503640395534a366acd569999770c14
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

taskplanner.zip: taskplanner.jar: controller.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/taskplanner.zip/taskplanner.jar/com/inet/taskplanner/client/js/controller.js
MD5: 57b8fc369cae2ebea60b49fbd53a968a

SHA1: 8f2f451d6e821f1d5482ea01db038673385cdccf
SHA256:6080c312163c17a35d5170d02baaed7e1e4e4d4947d8cc73a8c85cf7b9577138
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

taskplanner.zip: taskplanner.jar: factory.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/taskplanner.zip/taskplanner.jar/com/inet/taskplanner/client/js/factory.js
MD5: 0dc2651090f757e675e2b5d76f0b9b56
SHA1: cc05ec55ba81c3351b7f44b94ba95c8105895c99
SHA256:31211ba7ff692d1d259ed5ba8dc5fa0572ec581f6a9bffc36d8e0c8a7802dc38
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

taskplanner.zip: taskplanner.jar: filechooserAddonButton.directive.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/taskplanner.zip/taskplanner.jar/com/inet/taskplanner/client/js/fields/filechooserAddonButton.directive.js
MD5: ae2be99ef1f5e3cbf7d7964e1cb81f85
SHA1: 5cfa5eff49baf4ad4a97c0637f1e51b74e68969a
SHA256:03f55a5b7c5537061e2fef0b9cf3cd23bdb8cf5280b155d7b8a1c60306ec3360
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

taskplanner.zip: taskplanner.jar: model.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/taskplanner.zip/taskplanner.jar/com/inet/taskplanner/client/js/model.js
MD5: b4b97107a6584246eafe1dd0aaf4a716
SHA1: 7ea27bc843a68b3db912e89de7f137cafeaf492d
SHA256:04b44d0b7eb5a52d0f6a12d5f56d87dff2c477f8fc00482bfc1e0c83f9f70fef
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

taskplanner.zip: taskplanner.jar: numberRange.directive.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/taskplanner.zip/taskplanner.jar/com/inet/taskplanner/client/js/fields/numberRange.directive.js
MD5: cb75296ed007746a29e5beae1680307
SHA1: 9c64aa51d424760f5c5a0152cb245518ff3ba4f2
SHA256:eb920acf02ea30a8e0c58ff358ac403f90e4166fabcca78edf7480028499834a
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

taskplanner.zip: taskplanner.jar: numberWrapper.directive.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/taskplanner.zip/taskplanner.jar/com/inet/taskplanner/client/js/fields/numberWrapper.directive.js

MD5: 01558be43abbecea6a8a4dc5465564da

SHA1: 76425827ef255a6691dfc76e09bec9c14741adef

SHA256: cb32cf68353ba376be9b063109a9e4c6fb9ae669402001688528edf1235a93d1

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

taskplanner.zip: taskplanner.jar: passwordTextField.directive.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/taskplanner.zip/taskplanner.jar/com/inet/taskplanner/client/js/fields/passwordTextField.directive.js

MD5: 27d77b18f41b95941478ea6b72c0a47c

SHA1: 63b78bacbd073ba1abcafdbc55006c90ae9053b4

SHA256: 0a842ca033aa23d848437fb8012011200322b8a470e061250e7b25d6df2061c5

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

taskplanner.zip: taskplanner.jar: renderer.directive.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/taskplanner.zip/taskplanner.jar/com/inet/taskplanner/client/js/fields/renderer.directive.js
MD5: 2642fb8ea6a297cf750b6a9398a1f204
SHA1: 8d41d76415639dc6765b5d090061cdaf46107ecd
SHA256: 4fabad86c05fe6b50644e1bcc9515dbf124d210fa4956caae4e1702dd0b4fa18
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

taskplanner.zip: taskplanner.jar: simpleCurrencyField.directive.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/taskplanner.zip/taskplanner.jar/com/inet/taskplanner/client/js/fields/simpleCurrencyField.directive.js
MD5: 4190e85221516e62be70113e2173523b
SHA1: f6bad86eca85fdc32cc3e5a6d6ac776f5113a7ee
SHA256: c3c6d4f9ab274d8df78e7cd25d9c9eaad65f36d706778846ace6a077d76f0614
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

taskplanner.zip: taskplanner.jar: simpleDateTimeField.directive.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/taskplanner.zip/taskplanner.jar/com/inet/taskplanner/client/js/fields/simpleDateTimeField.directive.js
MD5: 9de7a6e7a496b3e3bef3df2b26d4e7c2

SHA1: 051d92e8c3d56d9d01d9417abdfedb95afbb40f9
SHA256:87943d426a50cdccc995916dcbf4bcb4025ad19f4f7873456f8b48ac2d167dc8
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

taskplanner.zip: taskplanner.jar: simpleFileFolderField.directive.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller
/server/build/tmp/dependencies/i-net PDFC/plugins/taskplanner.zip/taskplanner.jar/com/inet/taskplanner
/client/js/fields/simpleFileFolderField.directive.js
MD5: 9d25649fffb239e85236a847271bb73d
SHA1: 39808e484449e303ec91ea2a807ee74b6a4c183a
SHA256:df6e89174c5b419ff5443d9e1c52ea256c2b48d9f3975b2c53ac107d0464453d
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

taskplanner.zip: taskplanner.jar: simpleGroup.directive.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller
/server/build/tmp/dependencies/i-net PDFC/plugins/taskplanner.zip/taskplanner.jar/com/inet/taskplanner
/client/js/fields/simpleGroup.directive.js
MD5: 3b651cad87fb717564e40c13608b28cc
SHA1: 4a43a9443d46bdb0e9fe8be6c1d562556c73dfc8
SHA256:5273fe8d5e750006128f6d067ccd6772cb490d74b169e5766451cef6a53f05be
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

taskplanner.zip: taskplanner.jar: simpleLabel.directive.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/taskplanner.zip/taskplanner.jar/com/inet/taskplanner/client/js/fields/simpleLabel.directive.js
MD5: ff52c05345b7217bd851e4411fb6054e
SHA1: e22379a33c2eb2e439d1e49d86e94471076392e6
SHA256:c67b03a8d7b878f7581ab867b06d327508d078d6d865201180465b6d33da299b
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

taskplanner.zip: taskplanner.jar: simpleLink.directive.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/taskplanner.zip/taskplanner.jar/com/inet/taskplanner/client/js/fields/simpleLink.directive.js
MD5: b4b3aeddcc0a895cd791acd470f6cb4d
SHA1: bd7ffe21309f05d5fe9c01ba14d8a0821be63802
SHA256:2db5a71052dd2d4db296b71d5c1650cb8ed399ee696e3b8600bbefe89221acb6
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

taskplanner.zip: taskplanner.jar: simpleSelect.directive.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/taskplanner.zip/taskplanner.jar/com/inet/taskplanner/client/js/fields/simpleSelect.directive.js

MD5: 488e4b33723844b5910d23f5f9770e9e

SHA1: 6e4c546f209bc14a78c45cb7a55b5101facb1d75

SHA256: ccae6e479fbaad9bd77c262f72e0177f2cf572a03b0de3f31facc33fdb29121

Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

taskplanner.zip: taskplanner.jar: simpleTextField.directive.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/taskplanner.zip/taskplanner.jar/com/inet/taskplanner/client/js/fields/simpleTextField.directive.js

MD5: 48d92cb780021dd4822c6e8740d26ce6

SHA1: 654d1a8049b64f41362c0bbe3644e7206b151311

SHA256: c4cc8ca624af917fef0c261d6aa82c806c29eb4fd796670b724c69a686c5b211

Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

taskplanner.zip: taskplanner.jar: stringTable.directive.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/taskplanner.zip/taskplanner.jar/com/inet/taskplanner/client/js/fields/stringTable.directive.js
MD5: 37a1f354d71a7d60288652c206db7271
SHA1: b37c87c654e8c12307c5b3126667142cf5d80a22
SHA256:f6450635963e62bb85b83ea201b352c624dcc90a7cd452899aa0dc239d4bcd6d
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

taskplanner.zip: taskplanner.jar: taskplanner_maintenance.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/taskplanner.zip/taskplanner.jar/com/inet/taskplanner/maintenance/taskplanner_maintenance.js
MD5: c756e681b5a7651aa5c0477ce0ba7d6b
SHA1: c5ce48bd39e5ede6da116bfa27f673b3018d214e
SHA256:8071afe3acb6d80f05935f625a0c1ec1ac4b39a66f8bde935c445f84ae1b0829
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

taskplanner.zip: taskplanner.jar: textAreaField.directive.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/taskplanner.zip/taskplanner.jar/com/inet/taskplanner/client/js/fields/textAreaField.directive.js
MD5: 5a75eb0d834b4b4f41702dbf6f1ce2ea

SHA1: f438ca050ee2e69a73ada30726205d295f6546b1
SHA256: 5e2ae08f0a40ba0da474e8dcc53d9dfcaf53b2727bace92d266f13aa9eda9b0c
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

theme.zip: bootstrap.jar: bootstrap.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/theme.zip/bootstrap.jar/META-INF/resources/webjars/bootstrap/3.4.1/js/bootstrap.js
MD5: 894d79839facf38d9fd672bdbe57443d
SHA1: 11277f4e04cf070a350e566b053ef2215993720c
SHA256: dbd2a35e72edc7d6bde483481a912f1c38aa57fab2747d9b071d317339ee03a2
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence
Vendor	file	name	bootstrap	High
Product	file	name	bootstrap	High
Version	file	version	3.4.1	High

Related Dependencies

- theme.zip: bootstrap.jar: bootstrap.js.gz: bootstrap.js
 - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/theme.zip/bootstrap.jar/META-INF/resources/webjars/bootstrap/3.4.1/js/bootstrap.js.gz
 - MD5: 894d79839facf38d9fd672bdbe57443d
 - SHA1: 11277f4e04cf070a350e566b053ef2215993720c
 - SHA256: dbd2a35e72edc7d6bde483481a912f1c38aa57fab2747d9b071d317339ee03a2
 - [pkg:javascript/bootstrap@3.4.1](#)

Identifiers

- [pkg:javascript/bootstrap@3.4.1](#) (Confidence: Highest)

theme.zip: bootstrap.jar: bootstrap.min.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/theme.zip/bootstrap.jar/META-INF/resources/webjars/bootstrap/3.4.1/js/bootstrap.min.js

MD5: 2f34b630ffe30ba2ff2b91e3f3c322a1

SHA1: b16fd8226bd6bfb08e568f1b1d0a21d60247cefb

SHA256: 9ee2fcff6709e4d0d24b09ca0fc56aade12b4961ed9c43fd13b03248bfb57afe

Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence
Vendor	file	name	bootstrap	High
Product	file	name	bootstrap	High
Version	file	version	3.4.1	High

Related Dependencies

- theme.zip: bootstrap.jar: bootstrap.min.js.gz: bootstrap.min.js
 - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/theme.zip/bootstrap.jar/META-INF/resources/webjars/bootstrap/3.4.1/js/bootstrap.min.js.gz/bootstrap.min.js
 - MD5: 2f34b630ffe30ba2ff2b91e3f3c322a1
 - SHA1: b16fd8226bd6bfb08e568f1b1d0a21d60247cefb
 - SHA256: 9ee2fcff6709e4d0d24b09ca0fc56aade12b4961ed9c43fd13b03248bfb57afe
 - [pkg:javascript/bootstrap@3.4.1](#)

Identifiers

- [pkg:javascript/bootstrap@3.4.1](#) (*Confidence: Highest*)

theme.zip: theme.jar

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/theme.zip/theme.jar

MD5: a4ea5616fbaf685fc8976c4eae897544

SHA1: 910e332bb87bf8c9bc4edd38a3aa59079fff02c8

SHA256: 7ad7e9890e2e20211be87e6b8d424add9cf592614e824b5388752b6d8863fc12

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	theme	High
Vendor	jar	package name	inet	Low
Vendor	jar	package name	plugins	Low
Vendor	jar	package name	shared	Low
Vendor	Manifest	built-date	2024-06-07 17:26	Low
Vendor	Manifest	implementation-group	shared	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	theme	High
Product	jar	package name	plugins	Low
Product	jar	package name	shared	Highest
Product	jar	package name	shared	Low
Product	jar	package name	theme	Highest
Product	jar	package name	theme	Low
Product	Manifest	built-date	2024-06-07 17:26	Low
Product	Manifest	implementation-group	shared	Low
Product	Manifest	Implementation-Title	theme	High
Product	Manifest	specification-title	theme	Medium
Version	jar	package name	shared	Highest
Version	Manifest	Implementation-Version	24.4.256	High

Identifiers

- None

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller
/server/build/tmp/dependencies/Documentation and Samples/Plugin - Samples/Authentication
/UrlCookiePlugin/urlcookie.zip/urlcookie.sample.jar
MD5: a64fcb20438eff457753cbcfdc270282
SHA1: 0b278038ff24ceac3eb73eb787b37ea344d00bdf
SHA256:4bc8e2ed2b75a6c475923f0e305dc19c3995a50cd1342b8ce6cb863f1713e5bc
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	urlcookie.sample	High
Vendor	jar	package name	authentication	Low
Vendor	jar	package name	inet	Low
Vendor	jar	package name	urlcookie	Low
Vendor	Manifest	built-date	2024-06-07 17:56	Low
Vendor	Manifest	implementation-group	shared	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	urlcookie.sample	High
Product	jar	package name	authentication	Low
Product	jar	package name	urlcookie	Highest
Product	jar	package name	urlcookie	Low
Product	Manifest	built-date	2024-06-07 17:56	Low
Product	Manifest	implementation-group	shared	Low
Product	Manifest	Implementation-Title	urlcookie	High
Product	Manifest	specification-title	urlcookie	Medium
Version	Manifest	Implementation-Version	24.4.256	High

Identifiers

- None

usersandgroupsmanager.zip: usersandgroupsmanager.jar

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/usersandgroupsmanager.zip/usersandgroupsmanager.jar

MD5: 4c58d5fa86f175fb56c2c2139b575be4

SHA1: 89fbdc5e50ba51aaeccdfd9356a1eeeae2203a93

SHA256:cd08f07646f5b4125e1f0e128b6b3a0e122779499db2974880aae7b81c4264d9

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	usersandgroupsmanager	High
Vendor	jar	package name	inet	Low
Vendor	jar	package name	server	Low
Vendor	jar	package name	usersandgroupsmanager	Low
Vendor	Manifest	built-date	2024-06-07 17:50	Low
Vendor	Manifest	implementation-group	shared	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	usersandgroupsmanager	High
Product	jar	package name	server	Low
Product	jar	package name	usersandgroupsmanager	Highest
Product	jar	package name	usersandgroupsmanager	Low
Product	Manifest	built-date	2024-06-07 17:50	Low
Product	Manifest	implementation-group	shared	Low
Product	Manifest	Implementation-Title	usersandgroupsmanager	High
Product	Manifest	specification-title	usersandgroupsmanager	Medium
Version	Manifest	Implementation-Version	24.4.256	High

Identifiers

- None

usersandgroupsmanager.zip: usersandgroupsmanager.jar: usersandgroupsmanagercontroller.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/usersandgroupsmanager.zip/usersandgroupsmanager.jar/com/inet/usersandgroupsmanager/client/js/usersandgroupsmanagercontroller.js

MD5: e33ff568b7c73c5f1abb3ce32dda999c

SHA1: 419c45b41bba6387ca0f285d401f560f16ac6573

SHA256: 136be2dd2f6ff6778d61a469ac2c99411b18ee2af84199a4eb70012456884e7a

Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

usersandgroupsmanager.zip: usersandgroupsmanager.jar: usersandgroupsmanagerdetailscontroller.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/usersandgroupsmanager.zip/usersandgroupsmanager.jar/com/inet/usersandgroupsmanager/client/js/usersandgroupsmanagerdetailscontroller.js

MD5: 33ff1183867e15736260b3d557814fe5

SHA1: ca658bc7851b8210bbbe083fb7e48917da7e39f4

SHA256: 9e37107a2a5d60fb45a2b4d231232b07a4e5dce598e8750345e5097e1da92e32

Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

**usersandgroupsmanager.zip: usersandgroupsmanager.jar:
usersandgroupsmanagerdialogcontroller.js**

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller
/server/build/tmp/dependencies/i-net PDFC/plugins/usersandgroupsmanager.zip/usersandgroupsmanager.
jar/com/inet/usersandgroupsmanager/client/js/usersandgroupsmanagerdialogcontroller.js

MD5: 4c2dd6a9a916ab67961acdd215db6c22

SHA1: 6e0162dea0bf153797268a9607b23d88402bca05

SHA256: 7c5fa35b1f84fe4abafb31c017be1097385e4b1dff4415efe680bd0ae0db9fe

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

**usersandgroupsmanager.zip: usersandgroupsmanager.jar:
usersandgroupsmanagerdirectives.js**

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller
/server/build/tmp/dependencies/i-net PDFC/plugins/usersandgroupsmanager.zip/usersandgroupsmanager.
jar/com/inet/usersandgroupsmanager/client/js/usersandgroupsmanagerdirectives.js

MD5: 6c193814f30bc879d0710f732ec8bd84

SHA1: 3462c67b0a3cbb29e86be6013a566c14c1c0e746

SHA256: f9f82d189e46326ecd507d718cb56693506e06a5e7c52da4d4381ceefc2852ff

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

**usersandgroupsmanager.zip: usersandgroupsmanager.jar:
usersandgroupsmanagereffectivepermissionscontroller.js**

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/usersandgroupsmanager.zip/usersandgroupsmanager.jar/com/inet/usersandgroupsmanager/client/js/usersandgroupsmanagereffectivepermissionscontroller.js

MD5: 7b338f56899718ee4c730c7c30f8404d

SHA1: 23d1599cd58231c6a42264202db54da541dbbc7f

SHA256: faa1d67150e8577b35addb9f3807a4d76c3c7495475f2cbb65e550aaa3715d6

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

**usersandgroupsmanager.zip: usersandgroupsmanager.jar:
usersandgroupsmanagerfactory.js**

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/usersandgroupsmanager.zip/usersandgroupsmanager.jar/com/inet/usersandgroupsmanager/client/js/usersandgroupsmanagerfactory.js

MD5: dc86ea7fc3b4579c614e5ce9557a2456

SHA1: d49390dbd903aae52de98406ed8b2604abb714b0

SHA256: eb7f2d4a9b329354bf41b6805db98b4a8e1879cf318a8614a615af9fd7e91933

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

**usersandgroupsmanager.zip: usersandgroupsmanager.jar:
usersandgroupsmanagermodel.js**

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/usersandgroupsmanager.zip/usersandgroupsmanager.jar/com/inet/usersandgroupsmanager/client/js/usersandgroupsmanagermodel.js
MD5: f095a4c40f17b36318e13dd8534407e9
SHA1: 4e289c1de0ccc482455b2da27234bf0f462c1a1d
SHA256: c3beefef00e5dce1e9c97b5a354ffcd157896e50798c42c80f5685a028f8f7ee
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

usersandgroupsmanager.zip: usersandgroupsmanager.jar: usersandgroupsmanagerpredeletionwarning.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/usersandgroupsmanager.zip/usersandgroupsmanager.jar/com/inet/usersandgroupsmanager/client/js/usersandgroupsmanagerpredeletionwarning.js
MD5: 15667e805ebd69d487e47139ed5239ec
SHA1: 4508b2ad9e26e24978a0f1a1595b89e424692317
SHA256: bdf7da184d1e951da787b3c0126d0f9ec5c3b329e676ea198aab91db3d9fa796
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

usersandgroupsmanager.zip: usersandgroupsmanager.jar: usersandgroupsmanagerrenderer.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/usersandgroupsmanager.zip/usersandgroupsmanager.jar/com/inet/usersandgroupsmanager/client/js/usersandgroupsmanagerrenderer.js
MD5: 6c83cdfd775c6b597c23209773c00c7d

SHA1: cfe98cd5abf595ee4bc446843c258481517dfeff

SHA256: 961bb261a9829e8edb76bd75d05b1a579605ef7bf6cb3256e94fc25d6b45f4a7

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

usersandgroupsmanager.zip: usersandgroupsmanager.jar: usersandgroupsmanagerstatisticscontroller.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/usersandgroupsmanager.zip/usersandgroupsmanager.jar/com/inet/usersandgroupsmanager/client/js/usersandgroupsmanagerstatisticscontroller.js

MD5: 4b0ce9da268d3f965ddf8ddce6676daf

SHA1: d0ad859cb96083de8fabce54e8fd7fd5efe04b1a

SHA256: a2b6f180be1602c888c0505c88d03753332c48e57c9a524ed4b71f1eb401d28b

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

usersandgroupsmanager.zip: usersandgroupsmanager.jar: usersandgroupsmanagertakeoutcontroller.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/usersandgroupsmanager.zip/usersandgroupsmanager.jar/com/inet/usersandgroupsmanager/client/js/usersandgroupsmanagertakeoutcontroller.js

MD5: 9be90b79aa685d1d62933945b0e00860

SHA1: 29a9da8d0ee54fe21b4379ec1a36c192983108ce

SHA256: 28ee9f9f2805e95af8c39b2bbbe5e94de14e8a1709ba6fd58e1e5a7dbab5555f

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

webapi.core.zip: webapi.core.jar

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/webapi.core.zip/webapi.core.jar
MD5: 6b64d952555391372f79c46a95adf8eb
SHA1: 4f500474ccf56bfe229ff3af45d0b9c8ac5eab44
SHA256:58d0ce67a15d4952ef2a10de1d181f0e51004d66906e62806d29014f2b905d40
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	webapi.core	High
Vendor	jar	package name	inet	Low
Vendor	jar	package name	plugin	Low
Vendor	jar	package name	webapi	Low
Vendor	Manifest	built-date	2024-06-07 17:29	Low
Vendor	Manifest	implementation-group	shared	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	webapi.core	High
Product	jar	package name	plugin	Low
Product	jar	package name	webapi	Highest
Product	jar	package name	webapi	Low
Product	Manifest	built-date	2024-06-07 17:29	Low
Product	Manifest	implementation-	shared	Low

group

Product	Manifest	Implementation-Title	webapi.core	High
Product	Manifest	specification-title	webapi.core	Medium
Version	Manifest	Implementation-Version	24.4.256	High

Identifiers

- None

webapi.core.zip: webapi.core.jar: shared.factory.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/webapi.core.zip/webapi.core.jar/com/inet/plugin/webapi/client/shared.factory.js

MD5: 98dbfacd3d92ee8a82f37dc52e2e9ed2

SHA1: 79fc85b57bd34a34c3b3731b0675d978134d57d0

SHA256:3109f49903cef95ddc213135a052165227410ca7f3a62101bf2ed7c8e7a880ce

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

webapi.core.zip: webapi.core.jar: webapi.codemirror.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/webapi.core.zip/webapi.core.jar/com/inet/plugin/webapi/client/webapi.codemirror.js

MD5: bb06c770ed20e0ea4f5b798dab4898bc

SHA1: 1fef3fa28aaa195dd178d26ee2223fa247689261

SHA256:c26a44389f5479e0f66ed560b6e4287c964d1266c3951c4dd039a653b4b863e9

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

webapi.core.zip: webapi.core.jar: webapi.core.editor.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/webapi.core.zip/webapi.core.jar/com/inet/plugin/webapi/client/webapi.core.editor.js
MD5: d376d09bc6e1743680130afc3d32b351
SHA1: f76293956d6170059405b907e455352f6995aac0
SHA256:28ab83ec598b777a432bae13025a8534cfc72f82f729bdcfee666f8fa671e1c5
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

webapi.core.zip: webapi.core.jar: webapi.core.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/webapi.core.zip/webapi.core.jar/com/inet/plugin/webapi/client/webapi.core.js
MD5: 640fd5b6902bd92ae2e01e5bbaf2d104
SHA1: 55f6454ef6516df96f65986ad17cf9983ccbf5c1
SHA256:4b7129626b2401b89b2f3d8804160e298b9b5effdae742a1ea1cc8e4b2fd8ff2
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

• None

webserver.defender.zip: webserver.defender.jar

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/webserver.defender.zip/webserver.defender.jar
MD5: c95174271d12ce5e62b5a3b540efb46b
SHA1: 8f50d5f0b9459c753b5bf99440f6d91909684172
SHA256: 51be6e25831dab7da530cd1740935907281a55f0bed6be7ab94bc0123a1fb4f4
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	webserver.defender	High
Vendor	jar	package name	inet	Low
Vendor	jar	package name	webserverdefender	Low
Vendor	Manifest	built-date	2024-06-07 17:59	Low
Vendor	Manifest	implementation-group	shared	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	webserver.defender	High
Product	jar	package name	webserverdefender	Low
Product	Manifest	built-date	2024-06-07 17:59	Low
Product	Manifest	implementation-group	shared	Low
Product	Manifest	Implementation-Title	webserver.defender	High
Product	Manifest	specification-title	webserver.defender	Medium
Version	Manifest	Implementation-Version	24.4.256	High

Identifiers

• None

webserver.zip: acme4j-client.jar

Description:

ACME client for Java

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/webserver.zip/acme4j-client.jar

MD5: 6a777e9a2790f92e3ca84ab3f670372a

SHA1: 2fc4db562eb89dd97d01efbd66498af44f010fc5

SHA256: 3fc818cdf24695c427dd85aa62c6510fb488602618272935c61a7525e47fdd8a

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	acme4j-client	High
Vendor	jar	package name	acme4j	Highest
Vendor	jar	package name	shredzone	Highest
Vendor	Manifest	build-jdk-spec	17	Low
Vendor	pom	artifactid	acme4j-client	Low
Vendor	pom	groupid	org.shredzone.acme4j	Highest
Vendor	pom	name	acme4j Client	High
Vendor	pom	parent-artifactid	acme4j	Low
Product	file	name	acme4j-client	High
Product	jar	package name	acme4j	Highest
Product	jar	package name	shredzone	Highest
Product	Manifest	build-jdk-spec	17	Low
Product	pom	artifactid	acme4j-client	Highest
Product	pom	groupid	org.shredzone.acme4j	Highest
Product	pom	name	acme4j Client	High
Product	pom	parent-artifactid	acme4j	Medium
Version	pom	version	2.16	Highest

Identifiers

- [pkg:maven/org.shredzone.acme4j/acme4j-client@2.16](#) (Confidence:High)

webserver.zip: jetty-websocket-core-client.jar

Description:

Jetty module for Core :: Websocket :: Client

License:

<https://www.eclipse.org/legal/epl-2.0/>, <https://www.apache.org/licenses/LICENSE-2.0>

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/webserver.zip/jetty-websocket-core-client.jar

MD5: 16174fc76aeb9994656a8510015e3d15

SHA1: bf8ab04dfed2b3ca721ba856593db16af8f6e8f5

SHA256: edf1bc53201b30c9bc75a8fef28a4427fbf5e14600a6a125f9de9054e6577867

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	jetty-websocket-core-client	High
Vendor	jar	package name	core	Highest
Vendor	jar	package name	eclipse	Highest
Vendor	jar	package name	jetty	Highest
Vendor	jar	package name	websocket	Highest
Vendor	Manifest	build-jdk-spec	21	Low
Vendor	Manifest	bundle-copyright	Copyright (c) 1995 Mort Bay Consulting Pty Ltd and others.	Low
Vendor	Manifest	bundle-docurl	https://eclipse.dev/jetty/	Low
Vendor	Manifest	bundle-symbolicname	org.eclipse.jetty.websocket.core.client	Medium
Vendor	Manifest	Implementation-Vendor	Eclipse Jetty Project	High
Vendor	Manifest	url	https://eclipse.dev/jetty/	Low
Vendor	pom	artifactid	jetty-websocket-core-client	Low
Vendor	pom	groupid	org.eclipse.jetty.websocket	Highest
Vendor	pom	name	Core :: Websocket :: Client	High
Vendor	pom	parent-artifactid	jetty-websocket	Low
Product	file	name	jetty-websocket-core-client	High
Product	jar	package name	core	Highest
Product	jar	package name	eclipse	Highest
Product	jar	package name	jetty	Highest
Product	jar	package name	websocket	Highest

Product	Manifest	build-jdk-spec	21	Low
Product	Manifest	bundle-copyright	Copyright (c) 1995 Mort Bay Consulting Pty Ltd and others.	Low
Product	Manifest	bundle-docurl	https://eclipse.dev/jetty/	Low
Product	Manifest	Bundle-Name	Core :: WebSocket :: Client	Medium
Product	Manifest	bundle-symbolicname	org.eclipse.jetty.websocket.core.client	Medium
Product	Manifest	url	https://eclipse.dev/jetty/	Low
Product	pom	artifactid	jetty-websocket-core-client	Highest
Product	pom	groupid	org.eclipse.jetty.websocket	Highest
Product	pom	name	Core :: WebSocket :: Client	High
Product	pom	parent-artifactid	jetty-websocket	Medium
Version	Manifest	Bundle-Version	12.0.6	High
Version	Manifest	Implementation-Version	12.0.6	High
Version	pom	version	12.0.6	Highest

Related Dependencies



- webserver.zip: jetty-client.jar
 - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/webserver.zip/jetty-client.jar
 - MD5: a619aaa21e4b57354ac56f5f2c63ebc6
 - SHA1: 4f4becc02554bf3a90008c382c162a16b26bf3b9
 - SHA256: de9c0f25d8561954f0b0a2d1722255881e8df7e9cbd3cb63e7b1346c3d089bf9
 - [pkg:maven/org.eclipse.jetty/jetty-client@12.0.6](https://maven.org/eclipse.jetty/jetty-client@12.0.6)
- webserver.zip: jetty-ee8-nested.jar
 - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/webserver.zip/jetty-ee8-nested.jar
 - MD5: 506e3cf9db91948dde6ed7687e32b235
 - SHA1: 86c666f829d2ac57c7ec8e4ffbbea052f3e1efe
 - SHA256: 7f86712b68794e69ff5dc2db30f368e684baa1cdecc7e274d74379e30ab43224
 - [pkg:maven/org.eclipse.jetty.ee8/jetty-ee8-nested@12.0.6](https://maven.org/eclipse.jetty.ee8/jetty-ee8-nested@12.0.6)
- webserver.zip: jetty-ee8-security.jar
 - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/webserver.zip/jetty-ee8-security.jar
 - MD5: c7772f8db40baefecbb37ebf0797c2c
 - SHA1: 8bffcc4b383ce3def33e04aba3d86ed94a3f7c9a
 - SHA256: 5f5b71aed0f12fba652d8f5734f2125b014c9e5dbd696c7b6130df4424cfbcac
 - [pkg:maven/org.eclipse.jetty.ee8/jetty-ee8-security@12.0.6](https://maven.org/eclipse.jetty.ee8/jetty-ee8-security@12.0.6)
- webserver.zip: jetty-ee8-servlet.jar
 - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/webserver.zip/jetty-ee8-servlet.jar
 - MD5: 7bc8915e9e6b46d3aab711b33ffccad9
 - SHA1: 5a8f23e486fadfbdc4d2600efc7f90d6b2746a74
 - SHA256: 0b2044bb62ed8507554cb06768663b0ae9cc604efab33d1810660431ad74b2c7
 - [pkg:maven/org.eclipse.jetty.ee8/jetty-ee8-servlet@12.0.6](https://maven.org/eclipse.jetty.ee8/jetty-ee8-servlet@12.0.6)

- webserver.zip: jetty-ee8-servlets.jar
 - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/webserver.zip/jetty-ee8-servlets.jar
 - MD5: 25713dc5de2f9cf0706c2c05868fc737
 - SHA1: fe287e57d0034282d517d244ab7442e0df12117c
 - SHA256: d676b96a69e40f536a0464c4885a8709f4d907e064b38fc52444e900c75ae170
 - pkg:maven/org.eclipse.jetty.ee8/jetty-ee8-servlets@12.0.6
- webserver.zip: jetty-ee8-websocket-javax-client.jar
 - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/webserver.zip/jetty-ee8-websocket-javax-client.jar
 - MD5: f63c88f9de381eef0cc445b03f156ff4
 - SHA1: 0f91a00da07a514d438f347c4e4d6982fed981e0
 - SHA256: 9c0cac32e95df50e51b8155e78cff991f65d6f9b2055802c0c9cddc9e0f74be5
 - pkg:maven/org.eclipse.jetty.ee8.websocket/jetty-ee8-websocket-javax-client@12.0.6
- webserver.zip: jetty-ee8-websocket-javax-common.jar
 - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/webserver.zip/jetty-ee8-websocket-javax-common.jar
 - MD5: 48a650f33766746403f73a18d4f79fbd
 - SHA1: 220fd02375bb5895077be8e6127ae5051af99d91
 - SHA256: 614f574712aec77e7bbea59488e248fbcc21f40c7eb907727ee1edb914a94c0f
 - pkg:maven/org.eclipse.jetty.ee8.websocket/jetty-ee8-websocket-javax-common@12.0.6
- webserver.zip: jetty-ee8-websocket-jetty-api.jar
 - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/webserver.zip/jetty-ee8-websocket-jetty-api.jar
 - MD5: 1f494ce887e20f433a7892d41703de8d
 - SHA1: 627c779ad2f1adde00b547b19097e348aa1a9cb0
 - SHA256: 7fa1d2a210f95d342d4637f696e0355ae37f46bb2c23c9d11523cc0956401161
 - pkg:maven/org.eclipse.jetty.ee8.websocket/jetty-ee8-websocket-jetty-api@12.0.6
- webserver.zip: jetty-ee8-websocket-jetty-common.jar
 - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/webserver.zip/jetty-ee8-websocket-jetty-common.jar
 - MD5: 83de1a518f86b17f5583e856639c4a17
 - SHA1: 297d8242e13a44355adc6b7af8b23b59c38a34a8
 - SHA256: 271b9240bd229db35ec39c358ec8b0e46812224f1ba50a176451ddcdada465f
 - pkg:maven/org.eclipse.jetty.ee8.websocket/jetty-ee8-websocket-jetty-common@12.0.6
- webserver.zip: jetty-ee8-websocket-servlet.jar
 - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/webserver.zip/jetty-ee8-websocket-servlet.jar
 - MD5: e9cd20ca5e7fd57b6846bb02826182bc
 - SHA1: d5ac881e0abbbe541b1603362f91698d72fdbc9f
 - SHA256: 9b3e04b7b2c4002a06539423b966762fe29c852fe773653b48099250879d3235
 - pkg:maven/org.eclipse.jetty.ee8.websocket/jetty-ee8-websocket-servlet@12.0.6
- webserver.zip: jetty-http.jar
 - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/webserver.zip/jetty-http.jar
 - MD5: 61b95ef57f65b2ccb71dd443251a64e2
 - SHA1: ab1acd14e906414ab0c1d5640ad24ce93ff8d271
 - SHA256: 76af07a246d7a6e30eb99c863dc73e6d3bffa938c02e2aaaf40fba908665205
 - pkg:maven/org.eclipse.jetty/jetty-http@12.0.6
- webserver.zip: jetty-http2-common.jar
 - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/webserver.zip/jetty-http2-common.jar
 - MD5: 062bfe807d437484fb69ca0c73c462b0
 - SHA1: c6237d6567ad0063e874235c617fabe59be68497

- SHA256: 9e0b246265d01835a6b13e9ec3b30cd0eff47d6b6affbc47a44229c7e76bf945
- pkg:maven/org.eclipse.jetty.http2/jetty-http2-common@12.0.6
- webserver.zip: jetty-http2-hpack.jar
 - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/webserver.zip/jetty-http2-hpack.jar
 - MD5: 302e4c64aa21f4c12625383f1be39ef3
 - SHA1: 4a0da50196ae7d26de0713d79e23b9cfcfb5ddb8
 - SHA256: 6ae135360927d2ab43e39c2549898d387d2a5760e5d34fdd44c38d0df0ca87a8
 - pkg:maven/org.eclipse.jetty.http2/jetty-http2-hpack@12.0.6
- webserver.zip: jetty-io.jar
 - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/webserver.zip/jetty-io.jar
 - MD5: 6549f4455c9ddc157fd92a8de8601deb
 - SHA1: 85f094ca2f3f3860b987de78192aa3125d7e9201
 - SHA256: 7569e82c731a8a096e5ac6b06a19c8ab0b8fae3e169e0ce49d056637f52cbbbe
 - pkg:maven/org.eclipse.jetty/jetty-io@12.0.6
- webserver.zip: jetty-security.jar
 - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/webserver.zip/jetty-security.jar
 - MD5: a9752a29f3da1ab4de1a7f995a1cfbc7
 - SHA1: 5e1f08dc095959f4a780247ac0f06a1618b5a096
 - SHA256: 95a80124c9ba24425952a823423b5269a2051defe855acf207ebebe2be9a9bf7
 - pkg:maven/org.eclipse.jetty/jetty-security@12.0.6
- webserver.zip: jetty-session.jar
 - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/webserver.zip/jetty-session.jar
 - MD5: f4725d137fc114acc80b505aa1c5fde3
 - SHA1: 823a27441c0e6d186cf7796f8a3ee9e41d86afbb
 - SHA256: d48992fcd818b6eb950054f758662c5a13b933fd264f35434b1cde1c85e2c969
 - pkg:maven/org.eclipse.jetty/jetty-session@12.0.6
- webserver.zip: jetty-util.jar
 - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/webserver.zip/jetty-util.jar
 - MD5: b4df54f07cd592d2f9857f5573cd6743
 - SHA1: 08f9e4a272cb7793bcdb58a6e537ebb87380dcd5
 - SHA256: 7c9eaf54378c34552017738d4b7e7d21a989aa128f4ba0fdfab6c4ff6dc4c2d5
 - pkg:maven/org.eclipse.jetty/jetty-util@12.0.6
- webserver.zip: jetty-websocket-core-common.jar
 - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/webserver.zip/jetty-websocket-core-common.jar
 - MD5: 559271e1a363a01eb87f583ceafd4daf
 - SHA1: cb7b5340829cb3915bd4e9e35f2c68748c0e67f2
 - SHA256: efe8234e57c2f1a3e4e45d4ad979d82503baf33048ebae21c9ad1d2a1232e136
 - pkg:maven/org.eclipse.jetty.websocket/jetty-websocket-core-common@12.0.6

Identifiers

- pkg:maven/org.eclipse.jetty.websocket/jetty-websocket-core-client@12.0.6 (*Confidence: High*)
- [cpe:2.3:a:eclipse:jetty:12.0.6:*:*:*:*:*](#) (*Confidence: Highest*) suppress
- [cpe:2.3:a:jetty:jetty:12.0.6:*:*:*:*:*](#) (*Confidence: Highest*) suppress
- [cpe:2.3:a:mortbay_jetty:jetty:12.0.6:*:*:*:*:*](#) (*Confidence: Highest*) suppress

webserver.zip: jetty-websocket-core-server.jar

Description:

Jetty module for Core :: Websocket :: Server

License:

<https://www.eclipse.org/legal/epl-2.0/>, <https://www.apache.org/licenses/LICENSE-2.0>

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/webserver.zip/jetty-websocket-core-server.jar

MD5: ad1f259ec1edfa7625d7b9d7e59db363

SHA1: 48400fb33198366eaeaffb7a389349cd3e7bf172

SHA256: 6df2374be587cb4215a46a6127745b5ca6eabc898332b505af2075693527b389

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	jetty-websocket-core-server	High
Vendor	jar	package name	core	Highest
Vendor	jar	package name	eclipse	Highest
Vendor	jar	package name	jetty	Highest
Vendor	jar	package name	websocket	Highest
Vendor	Manifest	build-jdk-spec	21	Low
Vendor	Manifest	bundle-copyright	Copyright (c) 1995 Mort Bay Consulting Pty Ltd and others.	Low
Vendor	Manifest	bundle-docurl	https://eclipse.dev/jetty/	Low
Vendor	Manifest	bundle-symbolicname	org.eclipse.jetty.websocket.core.server	Medium
Vendor	Manifest	Implementation-Vendor	Eclipse Jetty Project	High
Vendor	Manifest	url	https://eclipse.dev/jetty/	Low
Vendor	pom	artifactid	jetty-websocket-core-server	Low
Vendor	pom	groupid	org.eclipse.jetty.websocket	Highest
Vendor	pom	name	Core :: Websocket :: Server	High
Vendor	pom	parent-artifactid	jetty-websocket	Low
Product	file	name	jetty-websocket-core-server	High
Product	jar	package name	core	Highest
Product	jar	package name	eclipse	Highest
Product	jar	package name	jetty	Highest

Product	jar	package name	websocket	Highest
Product	Manifest	build-jdk-spec	21	Low
Product	Manifest	bundle-copyright	Copyright (c) 1995 Mort Bay Consulting Pty Ltd and others.	Low
Product	Manifest	bundle-docurl	https://eclipse.dev/jetty/	Low
Product	Manifest	Bundle-Name	Core :: WebSocket :: Server	Medium
Product	Manifest	bundle-symbolicname	org.eclipse.jetty.websocket.core.server	Medium
Product	Manifest	url	https://eclipse.dev/jetty/	Low
Product	pom	artifactid	jetty-websocket-core-server	Highest
Product	pom	groupid	org.eclipse.jetty.websocket	Highest
Product	pom	name	Core :: WebSocket :: Server	High
Product	pom	parent-artifactid	jetty-websocket	Medium
Version	Manifest	Bundle-Version	12.0.6	High
Version	Manifest	Implementation-Version	12.0.6	High
Version	pom	version	12.0.6	Highest

Related Dependencies



- webserver.zip: jetty-alpn-java-server.jar
 - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/webserver.zip/jetty-alpn-java-server.jar
 - MD5: 50b2890c6c9e25cb60b07427e6145a5b
 - SHA1: 55bcd35ed447b94380b6b2df94effe549bef54fc
 - SHA256: 6d2a206ec84e97e8643b40730d907a5bb2f420d101d7047d260b14951f720aa0
 - [pkg:maven/org.eclipse.jetty/jetty-alpn-java-server@12.0.6](https://maven.org/eclipse/jetty/jetty-alpn-java-server@12.0.6)
- webserver.zip: jetty-alpn-server.jar
 - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/webserver.zip/jetty-alpn-server.jar
 - MD5: 62a0d329c9919a240f87c17ce97f39f3
 - SHA1: 6f6875ea688b75c1eceb4171982efd6eb62ed32e
 - SHA256: 735aad10e6d9e18b9066c3b629c347b3120dc55a88c13763595cc8827659e34a
 - [pkg:maven/org.eclipse.jetty/jetty-alpn-server@12.0.6](https://maven.org/eclipse/jetty/jetty-alpn-server@12.0.6)
- webserver.zip: jetty-ee8-websocket-javax-server.jar
 - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/webserver.zip/jetty-ee8-websocket-javax-server.jar
 - MD5: 8f9b790e4151c65d5f97c2542fe114fd
 - SHA1: da86f63127446194c9307d97a70563fed70e6136
 - SHA256: 1dbd33c1fa74d8594441e534df434c2555e4e8bef8a3e6af782b157fa2b1e4c4
 - [pkg:maven/org.eclipse.jetty.ee8.websocket/jetty-ee8-websocket-javax-server@12.0.6](https://maven.org/eclipse/jetty.ee8.websocket/jetty-ee8-websocket-javax-server@12.0.6)
- webserver.zip: jetty-ee8-websocket-jetty-server.jar
 - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/webserver.zip/jetty-ee8-websocket-jetty-server.jar
 - MD5: 30788e1778cf5c198dc30b77e36608b5
 - SHA1: 88072040356ba6dc3e06db85b622149b86e87d83

- SHA256: 86e73bf3018439dc09d0ca68939123ed7261f120253f5b436a1e39ce59b10d62
- pkg:maven/org.eclipse.jetty.ee8.websocket/jetty-ee8-websocket-jetty-server@12.0.6
- webserver.zip: jetty-http2-server.jar
 - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/webserver.zip/jetty-http2-server.jar
 - MD5: 247b5b4a6ad5861c0697ee9b9e604c71
 - SHA1: 06c70b0d0595ed7234fce64e237538b275b84314
 - SHA256: f7cc816b41c5b766e2d06342975a34829306800f37bef7c0890585e90602002a
 - pkg:maven/org.eclipse.jetty.http2/jetty-http2-server@12.0.6
- webserver.zip: jetty-server.jar
 - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/webserver.zip/jetty-server.jar
 - MD5: d0ed3114b5471954a8c8739a63ec407b
 - SHA1: 05ef4ff66707c1c14a2518ba223955a831f0b26e
 - SHA256: 7ec41d600910c3a7fbb0c45ca5490d8636216a74695da1d42fe47de2dc33971b
 - pkg:maven/org.eclipse.jetty/jetty-server@12.0.6

Identifiers

- pkg:maven/org.eclipse.jetty.websocket/jetty-websocket-core-server@12.0.6 (*Confidence: High*)
- [cpe:2.3:a:eclipse:jetty:12.0.6:*:*:*:*](https://cpe:2.3:a:eclipse:jetty:12.0.6:*:*:*:*:*) (*Confidence: Highest*) suppress
- [cpe:2.3:a:jetty:jetty:12.0.6:*:*:*](https://cpe:2.3:a:jetty:jetty:12.0.6:*:*:*:*) (*Confidence: Highest*) suppress
- [cpe:2.3:a:jetty:jetty_http_server:12.0.6:*:*:*](https://cpe:2.3:a:jetty:jetty_http_server:12.0.6:*:*:*:*) (*Confidence: Low*) suppress
- [cpe:2.3:a:mortbay:jetty:12.0.6:*:*:*](https://cpe:2.3:a:mortbay:jetty:12.0.6:*:*:*:*) (*Confidence: Highest*) suppress

webserver.zip: jose4j.jar

Description:

The jose.4.j library is a robust and easy to use open source implementation of JSON Web Token (JWT) and the JOSE specification suite (JWS, JWE, and JWK).

It is written in Java and relies solely on the JCA APIs for cryptography.

Please see https://bitbucket.org/b_c/jose4j/wiki/Home for more info, examples, etc..

License:

The Apache Software License, Version 2.0: <http://www.apache.org/licenses/LICENSE-2.0.txt>

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/webserver.zip/jose4j.jar

MD5: f57cb91efc5beaa940029f5515a888c2

SHA1: 357a3836bb5da16f314f3a1e954518e5468cd915

SHA256: 7314af50cde9c99e8eaf43eee617a23edcc6bb43036221064355094999d837ef

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	jose4j	High
Vendor	jar	package name	jca	Highest
Vendor	jar	package name	jose4j	Highest
Vendor	jar	package name	json	Highest
Vendor	jar	package name	jwe	Highest
Vendor	jar	package name	jwk	Highest
Vendor	jar	package name	jws	Highest
Vendor	jar	package name	jwt	Highest
Vendor	jar	package name	use	Highest
Vendor	Manifest	automatic-module-name	org.jose4j	Medium
Vendor	Manifest	bundle-symbolicname	org.bitbucket.b_c.jose4j	Medium
Vendor	pom	artifactid	jose4j	Low
Vendor	pom	developer email	brian.d.campbell@gmail.com	Low
Vendor	pom	developer name	Brian Campbell	Medium
Vendor	pom	groupid	org.bitbucket.b_c	Highest
Vendor	pom	name	jose4j	High
Vendor	pom	url	https://bitbucket.org/b_c/jose4j/	Highest
Product	file	name	jose4j	High
Product	jar	package name	jca	Highest
Product	jar	package name	jose4j	Highest
Product	jar	package name	json	Highest
Product	jar	package name	jwe	Highest
Product	jar	package name	jwk	Highest
Product	jar	package name	jws	Highest
Product	jar	package name	jwt	Highest
Product	jar	package name	use	Highest
Product	Manifest	automatic-module-name	org.jose4j	Medium
Product	Manifest	Bundle-Name	jose4j	Medium
Product	Manifest	bundle-symbolicname	org.bitbucket.b_c.jose4j	Medium
Product	pom	artifactid	jose4j	Highest
Product	pom	developer email	brian.d.campbell@gmail.com	Low
Product	pom	developer name	Brian Campbell	Low

Product	pom	groupid	org.bitbucket.b_c	Highest
Product	pom	name	jose4j	High
Product	pom	url	https://bitbucket.org/b_c/jose4j/	Medium
Version	Manifest	Bundle-Version	0.9.6	High
Version	pom	version	0.9.6	Highest

Identifiers

- [pkg:maven/org.bitbucket.b_c/jose4j@0.9.6](#) (*Confidence:High*)
- [cpe:2.3:a:jose4j_project:jose4j:0.9.6:*:*:*:*:*](#) (*Confidence:Highest*) suppress

webserver.zip: webserver.jar

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/webserver.zip/webserver.jar

MD5: c80384b3105f922e7b5a21352db5b3c7

SHA1: 34af8fafc96583c7bb231e11dc2f72c0930bb519

SHA256: ffa821ec6a9262361ee1b41febd2c7059dc0db5c441ce43dccadf31bd23f00d6

Referenced In Project/Scope: server

Evidence +

Type	Source	Name	Value	Confidence
Vendor	file	name	webserver	High
Vendor	jar	package name	inet	Low
Vendor	jar	package name	webserver	Low
Vendor	Manifest	built-date	2024-06-07 17:38	Low
Vendor	Manifest	implementation-group	shared	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	webserver	High
Product	jar	package name	webserver	Highest
Product	jar	package name	webserver	Low

Product	Manifest	built-date	2024-06-07 17:38	Low
Product	Manifest	implementation-group	shared	Low
Product	Manifest	Implementation-Title	webserver	High
Product	Manifest	specification-title	webserver	Medium
Version	Manifest	Implementation-Version	24.4.256	High

Identifiers

- None

Suppressed Vulnerabilities



docfx.vendor.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/Documentation and Samples/dotnet - ProcessBridge API Doc/styles/docfx.vendor.js

MD5: e546d4a3ac43d85422e9c43bf9488c88

SHA1: 7387f5bf1a3382308d646560039243629968f137

SHA256: 4dfa2ef41a41c02b0cd0cb18b5c3ee71dd40cdc060271f0d832235e7a1c72c34

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	bootstrap	High
Product	file	name	bootstrap	High
Version	file	version	3.4.1	High

Related Dependencies



- docfx.vendor.js
 - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/Documentation and Samples/nunit - API Doc/styles/docfx.vendor.js
 - MD5: e546d4a3ac43d85422e9c43bf9488c88
 - SHA1: 7387f5bf1a3382308d646560039243629968f137
 - SHA256: 4dfa2ef41a41c02b0cd0cb18b5c3ee71dd40cdc060271f0d832235e7a1c72c34

Suppressed Identifiers

- None

Suppressed Vulnerabilities

Bootstrap before 4.0.0 is end-of-life and no longer maintained. (RETIREJS) suppressed

Bootstrap before 4.0.0 is end-of-life and no longer maintained.

Notes: file name: remotegui.zip: bootstrap.jar We are in the process of migrating required functions into a custom framework.

Unscored:

- Severity: low

References:

- info - <https://github.com/twbs/bootstrap/issues/20631>
- retid - 72

Vulnerable Software & Versions (RETIREJS):

maintenance.zip: maintenance-javadoc.jar: jquery-ui.min.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/maintenance.zip/maintenance-javadoc.jar/script-dir/jquery-ui.min.js

MD5: 32059df39c14a910ccc2325f6a3cd62f

SHA1: d3289f1b527a3f054d303ec769402e037fbcf4b

SHA256: 672f278182cdf04f3c62a5b8d93f406791854a28791f27aecdb9981573c61424

Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence
Vendor	file	name	jquery-ui	High
Product	file	name	jquery-ui	High
Version	file	version	1.13.1	High

Related Dependencies

- pdfc.zip: pdfc-javadoc.jar: jquery-ui.min.js
 - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/pdfc.zip/pdfc-javadoc.jar/script-dir/jquery-ui.min.js
 - MD5: 32059df39c14a910ccc2325f6a3cd62f
 - SHA1: d3289f1b527a3f054d303ec769402e037fbcf4b
 - SHA256: 672f278182cdf04f3c62a5b8d93f406791854a28791f27aecdb9981573c61424

- reporting.zip: reporting-javadoc.jar: jquery-ui.min.js
 - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/reporting.zip/reporting-javadoc.jar/script-dir/jquery-ui.min.js
 - MD5: 32059df39c14a910ccc2325f6a3cd62f
 - SHA1: d3289f1b527a3f054d303ec769402e037fbfcf4b
 - SHA256: 672f278182cdf04f3c62a5b8d93f406791854a28791f27aecdb9981573c61424
- taskplanner.zip: taskplanner-javadoc.jar: jquery-ui.min.js
 - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/taskplanner.zip/taskplanner-javadoc.jar/script-dir/jquery-ui.min.js
 - MD5: 32059df39c14a910ccc2325f6a3cd62f
 - SHA1: d3289f1b527a3f054d303ec769402e037fbfcf4b
 - SHA256: 672f278182cdf04f3c62a5b8d93f406791854a28791f27aecdb9981573c61424

Suppressed Identifiers

- None

Suppressed Vulnerabilities



[CVE-2022-31160](#) suppressed

jQuery UI is a curated set of user interface interactions, effects, widgets, and themes built on top of jQuery. Versions prior to 1.13.2 are potentially vulnerable to cross-site scripting. Initializing a checkboxradio widget on an input enclosed within a label makes that parent label contents considered as the input label. Calling `.checkboxradio("refresh")` on such a widget and the initial HTML contained encoded HTML entities will make them erroneously get decoded. This can lead to potentially executing JavaScript code. The bug has been patched in jQuery UI 1.13.2. To remediate the issue, someone who can change the initial HTML can wrap all the non-input contents of the `label` in a `span`.

CWE-79 Improper Neutralization of Input During Web Page Generation ('Cross-site Scripting')

Notes: Javadoc embedded JQuery UI - requires updated Java Version with newer javadoc

CVSSv3:

- MEDIUM (6.1)
- CVSS:3.1/AV:N/AC:L/PR:N/UI:R/S:C/C:L/I:L/A:N

References:

- - [FEDORA-2022-1a01ed37e2](#)
- - [FEDORA-2022-22d8ba36d0](#)
- - [FEDORA-2022-7291b78111](#)
- CONFIRM - <https://github.com/jquery/jquery-ui/security/advisories/GHSA-h6gj-6jjq-h8g9>
- CONFIRM - <https://security.netapp.com/advisory/ntap-20220909-0007/>
- MISC - <https://blog.jqueryui.com/2022/07/jquery-ui-1-13-2-released/>
- MISC - <https://github.com/jquery/jquery-ui/commit/8cc5bae1caa1fcf96bf5862c5646c787020ba3f9>
- MISC - <https://www.drupal.org/sa-contrib-2022-052>
- MLIST - [\[debian-lts-announce\] 20221207 \[SECURITY\] \[DLA 3230-1\] jqueryui security update](#)
- info - <https://github.com/advisories/GHSA-h6gj-6jjq-h8g9>
- info - <https://github.com/jquery/jquery-ui/commit/8cc5bae1caa1fcf96bf5862c5646c787020ba3f9>
- info - <https://github.com/jquery/jquery-ui/issues/2101>
- info - <https://nvd.nist.gov/vuln/detail/CVE-2022-31160>

Vulnerable Software & Versions (NVD):

- cpe:2.3:a:drupal:jquery_ui_checkboxradio:8.x-1.0:*:*:*:*:drupal:*:*
- cpe:2.3:a:drupal:jquery_ui_checkboxradio:8.x-1.1:*:*:*:*:drupal:*:*
- cpe:2.3:a:drupal:jquery_ui_checkboxradio:8.x-1.2:*:*:*:*:drupal:*:*
- cpe:2.3:a:drupal:jquery_ui_checkboxradio:8.x-1.3:*:*:*:*:drupal:*:*
- cpe:2.3:a:jqueryui:jquery_ui:*:*:*:*:jquery:*:* versions up to (excluding) 1.13.2
- cpe:2.3:a:netapp:oncommand_insight:-:*:*:*:*:*

remotegui.zip: angular-animate.jar: angular-animate.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angular-animate.jar/META-INF/resources/webjars/angular-animate/1.8.3/angular-animate.js

MD5: 31312b87e7226c8bf0714fcef0ea5d18

SHA1: dc9fb55f2c7f922c5ba83449266239ba1353db45

SHA256: 58e79e0e7cbb1e1502d216701e1fae41c405d92320aea1b68a223054096fda93

Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence
Vendor	file	name	angularjs	High
Product	file	name	angularjs	High
Version	file	version	1.8.3	High

Suppressed Identifiers

- None

Suppressed Vulnerabilities

[CVE-2022-25844](#) suppressed

The package angular after 1.7.0 are vulnerable to Regular Expression Denial of Service (ReDoS) by providing a custom locale rule that makes it possible to assign the parameter in posPre: ' '.repeat() of NUMBER_FORMATS.PATTERNS[1].posPre with a very high value.
Note: 1) This package has been deprecated and is no longer maintained. 2) The vulnerable versions are 1.7.0 and higher.

CWE-1333 Inefficient Regular Expression Complexity

Notes: We can not yet update to newer Angular Version

CVSSv2:

- Base Score: MEDIUM (5.0)
- Vector: /AV:N/AC:L/Au:N/C:N/I:N/A:P

CVSSv3:

- HIGH (7.5)
- CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:N/I:N/A:H

References:

- - [FEDORA-2022-e016e6f445](#)
- - [FEDORA-2022-edf635cf39](#)
- CONFIRM - <https://security.netapp.com/advisory/ntap-20220629-0009/>
- MISC - <https://snyk.io/vuln/SNYK-JAVA-ORGWEBJARSBOWER-2772736>
- MISC - <https://snyk.io/vuln/SNYK-JAVA-ORGWEBJARSBOWERGITHUBANGULAR-2772738>
- MISC - <https://snyk.io/vuln/SNYK-JAVA-ORGWEBJARSNPM-2772737>
- MISC - <https://snyk.io/vuln/SNYK-JS-ANGULAR-2772735>
- MISC - <https://stackblitz.com/edit/angularjs-material-blank-zvtdvb>
- info - <https://github.com/advisories/GHSA-m2h2-264f-f486>

Vulnerable Software & Versions (NVD):

- cpe:2.3:a:angularjs:angular:*:*:*:*:node.js:* versions from (including) 1.7.0
- cpe:2.3:a:netapp:ontap_select_deploy_administration_utility:*:*:*:*:*

[CVE-2024-21490](#) suppressed

This affects versions of the package angular from 1.3.0. A regular expression used to split the value of the ng-srcset directive is vulnerable to super-linear runtime due to backtracking. With large carefully-crafted input, this can result in catastrophic backtracking and cause a denial of service. **Note:** This package is EOL and will not receive any updates to address this issue. Users should migrate to `@angular/core` (<https://www.npmjs.com/package/@angular/core>).

CWE-1333 Inefficient Regular Expression Complexity

Notes: We can not yet update to newer Angular Version

CVSSv3:

- HIGH (7.5)
- CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:N/I:N/A:H

References:

- - <https://security.snyk.io/vuln/SNYK-JAVA-ORGWEBJARSBOWER-6241746>
- - <https://security.snyk.io/vuln/SNYK-JAVA-ORGWEBJARSNPM-6241747>
- - <https://security.snyk.io/vuln/SNYK-JS-ANGULAR-6091113>
- - <https://stackblitz.com/edit/angularjs-vulnerability-ng-srcset-redos>
- - <https://support.heroku.com/hc/en-us/articles/25715686953485-CVE-2024-21490-AngularJS-Regular-Expression-Denial-of-Service-ReDoS>
- info - <https://github.com/advisories/GHSA-4w4v-5hc9-xrr2>
- info - <https://github.com/angular/angular.js>
- info - <https://nvd.nist.gov/vuln/detail/CVE-2024-21490>
- info - <https://security.snyk.io/vuln/SNYK-JAVA-ORGWEBJARSBOWER-6241746>
- info - <https://security.snyk.io/vuln/SNYK-JAVA-ORGWEBJARSNPM-6241747>
- info - <https://security.snyk.io/vuln/SNYK-JS-ANGULAR-6091113>
- info - <https://stackblitz.com/edit/angularjs-vulnerability-ng-srcset-redos>

Vulnerable Software & Versions (NVD):

- cpe:2.3:a:angular:angular:*:*:*:*:node.js:* versions from (including) 1.3.0

[CVE-2022-25869](#) suppressed

All versions of package angular are vulnerable to Cross-site Scripting (XSS) due to insecure page caching in the Internet Explorer browser, which allows interpolation of `<textarea>` elements.

CWE-79 Improper Neutralization of Input During Web Page Generation ('Cross-site Scripting')

Notes: We can not yet update to newer Angular Version

CVSSv3:

- MEDIUM (6.1)
- CVSS:3.1/AV:N/AC:L/PR:N/UI:R/S:C/C:L/I:L/A:N

References:

- CONFIRM - [N/A](#)
- CONFIRM - [N/A](#)
- CONFIRM - [N/A](#)
- CONFIRM - [N/A](#)
- CONFIRM - [N/A](#)
- info - <https://github.com/advisories/GHSA-prc3-vjfx-vhm9>

Vulnerable Software & Versions (NVD):

- cpe:2.3:a:angularjs:angular:*:*:*:*:node.js:*:*

[CVE-2023-26116](#) suppressed

Versions of the package angular from 1.2.21 are vulnerable to Regular Expression Denial of Service (ReDoS) via the angular.copy() utility function due to the usage of an insecure regular expression. Exploiting this vulnerability is possible by a large carefully-crafted input, which can result in catastrophic backtracking.

CWE-1333 Inefficient Regular Expression Complexity

Notes: We can not yet update to newer Angular Version

CVSSv3:

- MEDIUM (5.3)
- CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:N/I:N/A:L

References:

- MISC - <https://lists.fedoraproject.org/archives/list/package-announce@lists.fedoraproject.org/message/OQWJLE5WE33WNMA54XSJIDXBRK2KL3XJ/>
- MISC - <https://lists.fedoraproject.org/archives/list/package-announce@lists.fedoraproject.org/message/UDKFLKJ6VZKL52AFVW2OVZRMJWHMW55K/>
- MISC - <https://security.snyk.io/vuln/SNYK-JAVA-ORGWEBJARSBOWER-5406320>
- MISC - <https://security.snyk.io/vuln/SNYK-JAVA-ORGWEBJARSBOWERGITHUBANGULAR-5406322>
- MISC - <https://security.snyk.io/vuln/SNYK-JAVA-ORGWEBJARSNPM-5406321>
- MISC - <https://security.snyk.io/vuln/SNYK-JS-ANGULAR-3373044>
- MISC - <https://stackblitz.com/edit/angularjs-vulnerability-angular-copy-redos>
- info - <https://github.com/advisories/GHSA-2vrf-hf26-jrp5>

Vulnerable Software & Versions (NVD):

- cpe:2.3:a:angularjs:angular:*:*:*:*:node.js:*:* versions from (including) 1.2.21; versions up to (including) 1.8.3

[CVE-2023-26117](#) suppressed

Versions of the package angular from 1.0.0 are vulnerable to Regular Expression Denial of Service (ReDoS) via the \$resource service due to the usage of an insecure regular expression. Exploiting this vulnerability is possible by a large carefully-crafted input, which can result in catastrophic backtracking.

CWE-1333 Inefficient Regular Expression Complexity

Notes: We can not yet update to newer Angular Version

CVSSv3:

- MEDIUM (5.3)
- CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:N/I:N/A:L

References:

- MISC - <https://lists.fedoraproject.org/archives/list/package-announce@lists.fedoraproject.org/message/OQWJLE5WE33WNMA54XSJIDXBRK2KL3XJ/>
- MISC - <https://lists.fedoraproject.org/archives/list/package-announce@lists.fedoraproject.org/message/UDKFLKJ6VZKL52AFVW2OVZRMJWHMW55K/>
- MISC - <https://security.snyk.io/vuln/SNYK-JAVA-ORGWEBJARSBOWER-5406323>
- MISC - <https://security.snyk.io/vuln/SNYK-JAVA-ORGWEBJARSBOWERGITHUBANGULAR-5406325>

- MISC - <https://security.snyk.io/vuln/SNYK-JAVA-ORGWEBJARSNPM-5406324>
- MISC - <https://security.snyk.io/vuln/SNYK-JS-ANGULAR-3373045>
- MISC - <https://stackblitz.com/edit/angularjs-vulnerability-resource-trailing-slashes-redos>
- info - <https://github.com/advisories/GHSA-2qqx-w9hr-q5gx>

Vulnerable Software & Versions (NVD):

- cpe:2.3:a:angularjs:angular:*:*:*:*:node.js:*:* versions from (including) 1.0.0; versions up to (including) 1.8.3

CVE-2023-26118 suppressed

Versions of the package angular from 1.4.9 are vulnerable to Regular Expression Denial of Service (ReDoS) via the <input type="url"> element due to the usage of an insecure regular expression in the input[url] functionality. Exploiting this vulnerability is possible by a large carefully-crafted input, which can result in catastrophic backtracking.

CWE-1333 Inefficient Regular Expression Complexity

Notes: We can not yet update to newer Angular Version

CVSSv3:

- MEDIUM (5.3)
- CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:N/I:N/A:L

References:

- MISC - <https://lists.fedoraproject.org/archives/list/package-announce@lists.fedoraproject.org/message/OQWJLE5WE33WNMA54XSJIDXBK2KL3XJ/>
- MISC - <https://lists.fedoraproject.org/archives/list/package-announce@lists.fedoraproject.org/message/UDKFLKJ6VZKL52AFVW2OVZRMJWHMW55K/>
- MISC - <https://security.snyk.io/vuln/SNYK-JAVA-ORGWEBJARSBOWER-5406326>
- MISC - <https://security.snyk.io/vuln/SNYK-JAVA-ORGWEBJARSBOWERGITHUBANGULAR-5406328>
- MISC - <https://security.snyk.io/vuln/SNYK-JAVA-ORGWEBJARSNPM-5406327>
- MISC - <https://security.snyk.io/vuln/SNYK-JS-ANGULAR-3373046>
- MISC - <https://stackblitz.com/edit/angularjs-vulnerability-inpur-url-validation-redos>
- info - <https://github.com/advisories/GHSA-qwqh-hm9m-p5hr>

Vulnerable Software & Versions (NVD):

- cpe:2.3:a:angularjs:angular:*:*:*:*:node.js:*:* versions from (including) 1.4.9; versions up to (including) 1.8.3

End-of-Life: Long term support for AngularJS has been discontinued as of December 31, 2021 (RETIREJS) suppressed

End-of-Life: Long term support for AngularJS has been discontinued as of December 31, 2021

Notes: file name: remotegui.zip: angularjs.jar We can not yet update to newer Angular Version

Unscored:

- Severity: low

References:

- info - <https://blog.angular.io/discontinued-long-term-support-for-angularjs-cc066b82e65a?gi=9d3103b5445c>
- retid - 54

Vulnerable Software & Versions (RETIREJS):

remotegui.zip: angular-animate.jar: angular-animate.min.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angular-animate.jar/META-INF/resources/webjars/angular-animate/1.8.3/angular-animate.min.js
MD5: 5d2d0f42bb7e1b5503e914674f59dad0
SHA1: 4c15a58541e53c451c6f946d2048104f88b833c7
SHA256: 8e6202b1330a469a61ccdeebbd1cb3a20d0ecd8d106f68da5b85e9b67a1cd5
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence
Vendor	file	name	angularjs	High
Product	file	name	angularjs	High
Version	file	version	1.8.3	High

Suppressed Identifiers

- None

Suppressed Vulnerabilities

[CVE-2022-25844](#) suppressed

The package angular after 1.7.0 are vulnerable to Regular Expression Denial of Service (ReDoS) by providing a custom locale rule that makes it possible to assign the parameter in posPre: ' '.repeat() of NUMBER_FORMATS.PATTERNS[1].posPre with a very high value.
****Note:**** 1) This package has been deprecated and is no longer maintained. 2) The vulnerable versions are 1.7.0 and higher.

CWE-1333 Inefficient Regular Expression Complexity

Notes: We can not yet update to newer Angular Version

CVSSv2:

- Base Score: MEDIUM (5.0)
- Vector: /AV:N/AC:L/Au:N/C:N/I:N/A:P

CVSSv3:

- HIGH (7.5)
- CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:N/I:N/A:H

References:

- - [FEDORA-2022-e016e6f445](#)
- - [FEDORA-2022-edf635cf39](#)
- CONFIRM - <https://security.netapp.com/advisory/ntap-20220629-0009/>
- MISC - <https://snyk.io/vuln/SNYK-JAVA-ORGWEBJARSBOWER-2772736>
- MISC - <https://snyk.io/vuln/SNYK-JAVA-ORGWEBJARSBOWERGITHUBANGULAR-2772738>
- MISC - <https://snyk.io/vuln/SNYK-JAVA-ORGWEBJARSNPM-2772737>
- MISC - <https://snyk.io/vuln/SNYK-JS-ANGULAR-2772735>
- MISC - <https://stackblitz.com/edit/angularjs-material-blank-zvtdvb>
- info - <https://github.com/advisories/GHSA-m2h2-264f-f486>

Vulnerable Software & Versions (NVD):

- cpe:2.3:a:angularjs:angular:*:*:*:*:node.js:*:* versions from (including) 1.7.0
- cpe:2.3:a:netapp:ontap_select_deploy_administration_utility:*:*:*:*:*:

[CVE-2024-21490](#) suppressed

This affects versions of the package angular from 1.3.0. A regular expression used to split the value of the ng-srcset directive is vulnerable to super-linear runtime due to backtracking. With large carefully-crafted input, this can result in catastrophic backtracking and cause a denial of service. **Note:** This package is EOL and will not receive any updates to address this issue. Users should migrate to [@angular/core](https://www.npmjs.com/package/@angular/core).

CWE-1333 Inefficient Regular Expression Complexity

Notes: We can not yet update to newer Angular Version

CVSSv3:

- HIGH (7.5)
- CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:N/I:N/A:H

References:

- - <https://security.snyk.io/vuln/SNYK-JAVA-ORGWEBJARSBOWER-6241746>
- - <https://security.snyk.io/vuln/SNYK-JAVA-ORGWEBJARSNPM-6241747>
- - <https://security.snyk.io/vuln/SNYK-JS-ANGULAR-6091113>
- - <https://stackblitz.com/edit/angularjs-vulnerability-ng-srcset-redos>
- - <https://support.herodevs.com/hc/en-us/articles/25715686953485-CVE-2024-21490-AngularJS-Regular-Expression-Denial-of-Service-ReDoS>
- info - <https://github.com/advisories/GHSA-4w4v-5hc9-xrr2>
- info - <https://github.com/angular/angular.js>
- info - <https://nvd.nist.gov/vuln/detail/CVE-2024-21490>
- info - <https://security.snyk.io/vuln/SNYK-JAVA-ORGWEBJARSBOWER-6241746>
- info - <https://security.snyk.io/vuln/SNYK-JAVA-ORGWEBJARSNPM-6241747>
- info - <https://security.snyk.io/vuln/SNYK-JS-ANGULAR-6091113>
- info - <https://stackblitz.com/edit/angularjs-vulnerability-ng-srcset-redos>

Vulnerable Software & Versions (NVD):

- cpe:2.3:a:angular:angular:*:*:*:*:node.js:*:* versions from (including) 1.3.0

[CVE-2022-25869](#) suppressed

All versions of package angular are vulnerable to Cross-site Scripting (XSS) due to insecure page caching in the Internet Explorer browser, which allows interpolation of <textarea> elements.

CWE-79 Improper Neutralization of Input During Web Page Generation ('Cross-site Scripting')

Notes: We can not yet update to newer Angular Version

CVSSv3:

- MEDIUM (6.1)
- CVSS:3.1/AV:N/AC:L/PR:N/UI:R/S:C/C:L/I:L/A:N

References:

- CONFIRM - [N/A](#)
- CONFIRM - [N/A](#)
- CONFIRM - [N/A](#)
- CONFIRM - [N/A](#)
- CONFIRM - [N/A](#)
- info - <https://github.com/advisories/GHSA-prc3-vjfx-vhm9>

Vulnerable Software & Versions (NVD):

- cpe:2.3:a:angularjs:angular:*:*:*:*:node.js:*:*

[CVE-2023-26116](#) suppressed

Versions of the package angular from 1.2.21 are vulnerable to Regular Expression Denial of Service (ReDoS) via the angular.copy() utility function due to the usage of an insecure regular

expression. Exploiting this vulnerability is possible by a large carefully-crafted input, which can result in catastrophic backtracking.

CWE-1333 Inefficient Regular Expression Complexity

Notes: We can not yet update to newer Angular Version

CVSSv3:

- MEDIUM (5.3)
- CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:N/I:N/A:L

References:

- MISC - <https://lists.fedoraproject.org/archives/list/package-announce@lists.fedoraproject.org/message/OQWJLE5WE33WNMA54XSJIDXBRK2KL3XJ/>
- MISC - <https://lists.fedoraproject.org/archives/list/package-announce@lists.fedoraproject.org/message/UDKFLKJ6VZKL52AFVW2OVZRMJWHMW55K/>
- MISC - <https://security.snyk.io/vuln/SNYK-JAVA-ORGWEBJARSBOWER-5406320>
- MISC - <https://security.snyk.io/vuln/SNYK-JAVA-ORGWEBJARSBOWERGITHUBANGULAR-5406322>
- MISC - <https://security.snyk.io/vuln/SNYK-JAVA-ORGWEBJARSNPM-5406321>
- MISC - <https://security.snyk.io/vuln/SNYK-JS-ANGULAR-3373044>
- MISC - <https://stackblitz.com/edit/angularjs-vulnerability-angular-copy-redos>
- info - <https://github.com/advisories/GHSA-2vrf-hf26-jrp5>

Vulnerable Software & Versions (NVD):

- cpe:2.3:a:angularjs:angular:*:*:*:*:node.js:*:* versions from (including) 1.2.21; versions up to (including) 1.8.3

[CVE-2023-26117](#) suppressed

Versions of the package angular from 1.0.0 are vulnerable to Regular Expression Denial of Service (ReDoS) via the \$resource service due to the usage of an insecure regular expression. Exploiting this vulnerability is possible by a large carefully-crafted input, which can result in catastrophic backtracking.

CWE-1333 Inefficient Regular Expression Complexity

Notes: We can not yet update to newer Angular Version

CVSSv3:

- MEDIUM (5.3)
- CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:N/I:N/A:L

References:

- MISC - <https://lists.fedoraproject.org/archives/list/package-announce@lists.fedoraproject.org/message/OQWJLE5WE33WNMA54XSJIDXBRK2KL3XJ/>
- MISC - <https://lists.fedoraproject.org/archives/list/package-announce@lists.fedoraproject.org/message/UDKFLKJ6VZKL52AFVW2OVZRMJWHMW55K/>
- MISC - <https://security.snyk.io/vuln/SNYK-JAVA-ORGWEBJARSBOWER-5406323>
- MISC - <https://security.snyk.io/vuln/SNYK-JAVA-ORGWEBJARSBOWERGITHUBANGULAR-5406325>
- MISC - <https://security.snyk.io/vuln/SNYK-JAVA-ORGWEBJARSNPM-5406324>
- MISC - <https://security.snyk.io/vuln/SNYK-JS-ANGULAR-3373045>
- MISC - <https://stackblitz.com/edit/angularjs-vulnerability-resource-trailing-slashes-redos>
- info - <https://github.com/advisories/GHSA-2qqx-w9hr-q5gx>

Vulnerable Software & Versions (NVD):

- cpe:2.3:a:angularjs:angular:*:*:*:*:node.js:*:* versions from (including) 1.0.0; versions up to (including) 1.8.3

[CVE-2023-26118](#) suppressed

Versions of the package angular from 1.4.9 are vulnerable to Regular Expression Denial of Service (ReDoS) via the <input type="url"> element due to the usage of an insecure regular expression in the input[url] functionality. Exploiting this vulnerability is possible by a large carefully-crafted input, which can result in catastrophic backtracking.

CWE-1333 Inefficient Regular Expression Complexity

Notes: We can not yet update to newer Angular Version

CVSSv3:

- MEDIUM (5.3)
- CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:N/I:N/A:L

References:

- MISC - <https://lists.fedoraproject.org/archives/list/package-announce@lists.fedoraproject.org/message/OQWJLE5WE33WNMA54XSJIDXBRK2KL3XJ/>
- MISC - <https://lists.fedoraproject.org/archives/list/package-announce@lists.fedoraproject.org/message/UDKFLKJ6VZKL52AFVW2OVZRMJWHMW55K/>
- MISC - <https://security.snyk.io/vuln/SNYK-JAVA-ORGWEBJARSBOWER-5406326>
- MISC - <https://security.snyk.io/vuln/SNYK-JAVA-ORGWEBJARSBOWERGITHUBANGULAR-5406328>
- MISC - <https://security.snyk.io/vuln/SNYK-JAVA-ORGWEBJARSNPM-5406327>
- MISC - <https://security.snyk.io/vuln/SNYK-JS-ANGULAR-3373046>
- MISC - <https://stackblitz.com/edit/angularjs-vulnerability-inpur-url-validation-redos>
- info - <https://github.com/advisories/GHSA-qwqh-hm9m-p5hr>

Vulnerable Software & Versions (NVD):

- cpe:2.3:a:angularjs:angular:*:*:*:*:* node.js:*:* versions from (including) 1.4.9; versions up to (including) 1.8.3

End-of-Life: Long term support for AngularJS has been discontinued as of December 31, 2021 (RETIREJS) suppressed

End-of-Life: Long term support for AngularJS has been discontinued as of December 31, 2021

Notes: file name: remotegui.zip: angularjs.jar We can not yet update to newer Angular Version

Unscored:

- Severity: low

References:

- info - <https://blog.angular.io/discontinued-long-term-support-for-angularjs-cc066b82e65a?gi=9d3103b5445c>
- retid - 54

Vulnerable Software & Versions (RETIREJS):

remotegui.zip: angular-cookies.jar: angular-cookies.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angular-cookies.jar/META-INF/resources/webjars/angular-cookies/1.8.3/angular-cookies.js

MD5: e17187aea1f0e6dbd25722e34b754915

SHA1: 20f43f716b9fef7d72537bc1b0e5aa2bc480cee5

SHA256: f3291c552042f6d0c500167769912a78ab3ecec9917128b2d6ea8e7c6714bb97

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	angularjs	High
Product	file	name	angularjs	High
Version	file	version	1.8.3	High

Suppressed Identifiers

- None

Suppressed Vulnerabilities

[CVE-2022-25844](#) suppressed

The package angular after 1.7.0 are vulnerable to Regular Expression Denial of Service (ReDoS) by providing a custom locale rule that makes it possible to assign the parameter in posPre: ' '.repeat() of NUMBER_FORMATS.PATTERNS[1].posPre with a very high value. **Note:** 1) This package has been deprecated and is no longer maintained. 2) The vulnerable versions are 1.7.0 and higher.

CWE-1333 Inefficient Regular Expression Complexity

Notes: We can not yet update to newer Angular Version

CVSSv2:

- Base Score: MEDIUM (5.0)
- Vector: /AV:N/AC:L/Au:N/C:N/I:N/A:P

CVSSv3:

- HIGH (7.5)
- CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:N/I:N/A:H

References:

- - [FEDORA-2022-e016e6f445](#)
- - [FEDORA-2022-edf635cf39](#)
- CONFIRM - <https://security.netapp.com/advisory/ntap-20220629-0009/>
- MISC - <https://snyk.io/vuln/SNYK-JAVA-ORGWEBJARSBOWER-2772736>
- MISC - <https://snyk.io/vuln/SNYK-JAVA-ORGWEBJARSBOWERGITHUBANGULAR-2772738>
- MISC - <https://snyk.io/vuln/SNYK-JAVA-ORGWEBJARSNPM-2772737>
- MISC - <https://snyk.io/vuln/SNYK-JS-ANGULAR-2772735>
- MISC - <https://stackblitz.com/edit/angularjs-material-blank-zvtdvb>
- info - <https://github.com/advisories/GHSA-m2h2-264f-f486>

Vulnerable Software & Versions (NVD):

- cpe:2.3:a:angularjs:angular:*:*:*:*:node.js:*:* versions from (including) 1.7.0
- cpe:2.3:a:netapp:ontap_select_deploy_administration_utility:*:*:*:*:*

[CVE-2024-21490](#) suppressed

This affects versions of the package angular from 1.3.0. A regular expression used to split the value of the ng-srcset directive is vulnerable to super-linear runtime due to backtracking. With large carefully-crafted input, this can result in catastrophic backtracking and cause a denial of service. **Note:** This package is EOL and will not receive any updates to address this issue. Users should migrate to [@angular/core](https://www.npmjs.com/package/@angular/core).

CWE-1333 Inefficient Regular Expression Complexity

Notes: We can not yet update to newer Angular Version

CVSSv3:

- HIGH (7.5)
- CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:N/I:N/A:H

References:

- - <https://security.snyk.io/vuln/SNYK-JAVA-ORGWEBJARSBOWER-6241746>
- - <https://security.snyk.io/vuln/SNYK-JAVA-ORGWEBJARSNPM-6241747>
- - <https://security.snyk.io/vuln/SNYK-JS-ANGULAR-6091113>
- - <https://stackblitz.com/edit/angularjs-vulnerability-ng-srcset-redos>
- - <https://support.heroku.com/hc/en-us/articles/25715686953485-CVE-2024-21490-AngularJS-Regular-Expression-Denial-of-Service-ReDoS>
- info - <https://github.com/advisories/GHSA-4w4v-5hc9-xrr2>
- info - <https://github.com/angular/angular.js>
- info - <https://nvd.nist.gov/vuln/detail/CVE-2024-21490>
- info - <https://security.snyk.io/vuln/SNYK-JAVA-ORGWEBJARSBOWER-6241746>
- info - <https://security.snyk.io/vuln/SNYK-JAVA-ORGWEBJARSNPM-6241747>
- info - <https://security.snyk.io/vuln/SNYK-JS-ANGULAR-6091113>
- info - <https://stackblitz.com/edit/angularjs-vulnerability-ng-srcset-redos>

Vulnerable Software & Versions (NVD):

- cpe:2.3:a:angular:angular:*:*:*:*:node.js:* versions from (including) 1.3.0

[CVE-2022-25869](#) suppressed

All versions of package angular are vulnerable to Cross-site Scripting (XSS) due to insecure page caching in the Internet Explorer browser, which allows interpolation of <textarea> elements.

CWE-79 Improper Neutralization of Input During Web Page Generation ('Cross-site Scripting')

Notes: We can not yet update to newer Angular Version

CVSSv3:

- MEDIUM (6.1)
- CVSS:3.1/AV:N/AC:L/PR:N/UI:R/S:C/C:L/I:L/A:N

References:

- CONFIRM - [N/A](#)
- CONFIRM - [N/A](#)
- CONFIRM - [N/A](#)
- CONFIRM - [N/A](#)
- CONFIRM - [N/A](#)
- info - <https://github.com/advisories/GHSA-prc3-vjfx-vhm9>

Vulnerable Software & Versions (NVD):

- cpe:2.3:a:angularjs:angular:*:*:*:*:node.js:*

[CVE-2023-26116](#) suppressed

Versions of the package angular from 1.2.21 are vulnerable to Regular Expression Denial of Service (ReDoS) via the angular.copy() utility function due to the usage of an insecure regular expression. Exploiting this vulnerability is possible by a large carefully-crafted input, which can result in catastrophic backtracking.

CWE-1333 Inefficient Regular Expression Complexity

Notes: We can not yet update to newer Angular Version

CVSSv3:

- MEDIUM (5.3)
- CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:N/I:N/A:L

References:

- MISC - <https://lists.fedoraproject.org/archives/list/package-announce@lists.fedoraproject.org/message/OQWJLE5WE33WNMA54XSJIDXBRK2KL3XJ/>
- MISC - <https://lists.fedoraproject.org/archives/list/package-announce@lists.fedoraproject.org/message/UDKFLKJ6VZKL52AFVW2OVZRMJWHMW55K/>
- MISC - <https://security.snyk.io/vuln/SNYK-JAVA-ORGWEBJARSBOWER-5406320>
- MISC - <https://security.snyk.io/vuln/SNYK-JAVA-ORGWEBJARSBOWERGITHUBANGULAR-5406322>
- MISC - <https://security.snyk.io/vuln/SNYK-JAVA-ORGWEBJARSNPM-5406321>
- MISC - <https://security.snyk.io/vuln/SNYK-JS-ANGULAR-3373044>
- MISC - <https://stackblitz.com/edit/angularjs-vulnerability-angular-copy-redos>
- info - <https://github.com/advisories/GHSA-2vrf-hf26-jrp5>

Vulnerable Software & Versions (NVD):

- cpe:2.3:a:angularjs:angular:*:*:*:*:node.js:*:* versions from (including) 1.2.21; versions up to (including) 1.8.3

CVE-2023-26117 suppressed

Versions of the package angular from 1.0.0 are vulnerable to Regular Expression Denial of Service (ReDoS) via the \$resource service due to the usage of an insecure regular expression. Exploiting this vulnerability is possible by a large carefully-crafted input, which can result in catastrophic backtracking.

CWE-1333 Inefficient Regular Expression Complexity

Notes: We can not yet update to newer Angular Version

CVSSv3:

- MEDIUM (5.3)
- CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:N/I:N/A:L

References:

- MISC - <https://lists.fedoraproject.org/archives/list/package-announce@lists.fedoraproject.org/message/OQWJLE5WE33WNMA54XSJIDXBRK2KL3XJ/>
- MISC - <https://lists.fedoraproject.org/archives/list/package-announce@lists.fedoraproject.org/message/UDKFLKJ6VZKL52AFVW2OVZRMJWHMW55K/>
- MISC - <https://security.snyk.io/vuln/SNYK-JAVA-ORGWEBJARSBOWER-5406323>
- MISC - <https://security.snyk.io/vuln/SNYK-JAVA-ORGWEBJARSBOWERGITHUBANGULAR-5406325>
- MISC - <https://security.snyk.io/vuln/SNYK-JAVA-ORGWEBJARSNPM-5406324>
- MISC - <https://security.snyk.io/vuln/SNYK-JS-ANGULAR-3373045>
- MISC - <https://stackblitz.com/edit/angularjs-vulnerability-resource-trailing-slashes-redos>
- info - <https://github.com/advisories/GHSA-2qqx-w9hr-q5gx>

Vulnerable Software & Versions (NVD):

- cpe:2.3:a:angularjs:angular:*:*:*:*:node.js:*:* versions from (including) 1.0.0; versions up to (including) 1.8.3

CVE-2023-26118 suppressed

Versions of the package angular from 1.4.9 are vulnerable to Regular Expression Denial of Service (ReDoS) via the <input type="url"> element due to the usage of an insecure regular expression in the input[url] functionality. Exploiting this vulnerability is possible by a large carefully-crafted input, which can result in catastrophic backtracking.

CWE-1333 Inefficient Regular Expression Complexity

Notes: We can not yet update to newer Angular Version

CVSSv3:

- MEDIUM (5.3)
- CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:N/I:N/A:L

References:

- MISC - <https://lists.fedoraproject.org/archives/list/package-announce@lists.fedoraproject.org/message/OQWJLE5WE33WNMA54XSJIDXBRK2KL3XJ/>
- MISC - <https://lists.fedoraproject.org/archives/list/package-announce@lists.fedoraproject.org/message/UDKFLKJ6VZKL52AFVW2OVZRMJWHMW55K/>
- MISC - <https://security.snyk.io/vuln/SNYK-JAVA-ORGWEBJARSBOWER-5406326>
- MISC - <https://security.snyk.io/vuln/SNYK-JAVA-ORGWEBJARSBOWERGITHUBANGULAR-5406328>
- MISC - <https://security.snyk.io/vuln/SNYK-JAVA-ORGWEBJARSNPM-5406327>
- MISC - <https://security.snyk.io/vuln/SNYK-JS-ANGULAR-3373046>
- MISC - <https://stackblitz.com/edit/angularjs-vulnerability-inpur-url-validation-redos>
- info - <https://github.com/advisories/GHSA-qwqh-hm9m-p5hr>

Vulnerable Software & Versions (NVD):

- cpe:2.3:a:angularjs:angular:*:*:*:*:node.js:*:* versions from (including) 1.4.9; versions up to (including) 1.8.3

End-of-Life: Long term support for AngularJS has been discontinued as of December 31, 2021 (RETIREJS) suppressed

End-of-Life: Long term support for AngularJS has been discontinued as of December 31, 2021

Notes: file name: remotegui.zip: angularjs.jar We can not yet update to newer Angular Version

Unscored:

- Severity: low

References:

- info - <https://blog.angular.io/discontinued-long-term-support-for-angularjs-cc066b82e65a?gi=9d3103b5445c>
- retid - 54

Vulnerable Software & Versions (RETIREJS):

remotegui.zip: angular-cookies.jar: angular-cookies.min.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angular-cookies.jar/META-INF/resources/webjars/angular-cookies/1.8.3/angular-cookies.min.js

MD5: c41aff8423276d46f0d02de6dcb71524

SHA1: 7dc53f75d5bf7dd2c770cb50f31242c70193c086

SHA256: 926509b494009bea03288bba191a2b238032188e9112377e50fbfe7814c6639b

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	angularjs	High
Product	file	name	angularjs	High
Version	file	version	1.8.3	High

Suppressed Identifiers

- None

Suppressed Vulnerabilities



[CVE-2022-25844](#) suppressed

The package angular after 1.7.0 are vulnerable to Regular Expression Denial of Service (ReDoS) by providing a custom locale rule that makes it possible to assign the parameter in posPre: ' '.repeat() of NUMBER_FORMATS.PATTERNS[1].posPre with a very high value. **Note:** 1) This package has been deprecated and is no longer maintained. 2) The vulnerable versions are 1.7.0 and higher.

CWE-1333 Inefficient Regular Expression Complexity

Notes: We can not yet update to newer Angular Version

CVSSv2:

- Base Score: MEDIUM (5.0)
- Vector: /AV:N/AC:L/Au:N/C:N/I:N/A:P

CVSSv3:

- HIGH (7.5)
- CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:N/I:N/A:H

References:

- - [FEDORA-2022-e016e6f445](#)
- - [FEDORA-2022-edf635cf39](#)
- CONFIRM - <https://security.netapp.com/advisory/ntap-20220629-0009/>
- MISC - <https://snyk.io/vuln/SNYK-JAVA-ORGWEBJARSBOWER-2772736>
- MISC - <https://snyk.io/vuln/SNYK-JAVA-ORGWEBJARSBOWERGITHUBANGULAR-2772738>
- MISC - <https://snyk.io/vuln/SNYK-JAVA-ORGWEBJARSNPM-2772737>
- MISC - <https://snyk.io/vuln/SNYK-JS-ANGULAR-2772735>
- MISC - <https://stackblitz.com/edit/angularjs-material-blank-zvtdvb>
- info - <https://github.com/advisories/GHSA-m2h2-264f-f486>

Vulnerable Software & Versions (NVD):

- cpe:2.3:a:angularjs:angular:*:*:*:*:node.js:* versions from (including) 1.7.0
- cpe:2.3:a:netapp:ontap_select_deploy_administration_utility:*:*:*:*:*

[CVE-2024-21490](#) suppressed

This affects versions of the package angular from 1.3.0. A regular expression used to split the value of the ng-srcset directive is vulnerable to super-linear runtime due to backtracking. With large carefully-crafted input, this can result in catastrophic backtracking and cause a denial of service. **Note:** This package is EOL and will not receive any updates to address this issue. Users should migrate to [[@angular/core](https://www.npmjs.com/package/@angular/core)](<https://www.npmjs.com/package/@angular/core>).

CWE-1333 Inefficient Regular Expression Complexity

Notes: We can not yet update to newer Angular Version

CVSSv3:

- HIGH (7.5)
- CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:N/I:N/A:H

References:

- - <https://security.snyk.io/vuln/SNYK-JAVA-ORGWEBJARSBOWER-6241746>
- - <https://security.snyk.io/vuln/SNYK-JAVA-ORGWEBJARSNPM-6241747>
- - <https://security.snyk.io/vuln/SNYK-JS-ANGULAR-6091113>

- - <https://stackblitz.com/edit/angularjs-vulnerability-ng-srcset-redos>
- - <https://support.heroku.com/hc/en-us/articles/25715686953485-CVE-2024-21490-AngularJS-Regular-Expression-Denial-of-Service-ReDoS>
- info - <https://github.com/advisories/GHSA-4w4v-5hc9-xrr2>
- info - <https://github.com/angular/angular.js>
- info - <https://nvd.nist.gov/vuln/detail/CVE-2024-21490>
- info - <https://security.snyk.io/vuln/SNYK-JAVA-ORGWEBJARSBOWER-6241746>
- info - <https://security.snyk.io/vuln/SNYK-JAVA-ORGWEBJARSNPM-6241747>
- info - <https://security.snyk.io/vuln/SNYK-JS-ANGULAR-6091113>
- info - <https://stackblitz.com/edit/angularjs-vulnerability-ng-srcset-redos>

Vulnerable Software & Versions (NVD):

- cpe:2.3:a:angular:angular:*:*:*:*:node.js:* versions from (including) 1.3.0

[CVE-2022-25869](#) suppressed

All versions of package angular are vulnerable to Cross-site Scripting (XSS) due to insecure page caching in the Internet Explorer browser, which allows interpolation of <textarea> elements.

CWE-79 Improper Neutralization of Input During Web Page Generation ('Cross-site Scripting')

Notes: We can not yet update to newer Angular Version

CVSSv3:

- MEDIUM (6.1)
- CVSS:3.1/AV:N/AC:L/PR:N/UI:R/S:C/C:L/I:L/A:N

References:

- CONFIRM - [N/A](#)
- CONFIRM - [N/A](#)
- CONFIRM - [N/A](#)
- CONFIRM - [N/A](#)
- CONFIRM - [N/A](#)
- info - <https://github.com/advisories/GHSA-prc3-vjfx-vhm9>

Vulnerable Software & Versions (NVD):

- cpe:2.3:a:angularjs:angular:*:*:*:*:node.js:*

[CVE-2023-26116](#) suppressed

Versions of the package angular from 1.2.21 are vulnerable to Regular Expression Denial of Service (ReDoS) via the angular.copy() utility function due to the usage of an insecure regular expression. Exploiting this vulnerability is possible by a large carefully-crafted input, which can result in catastrophic backtracking.

CWE-1333 Inefficient Regular Expression Complexity

Notes: We can not yet update to newer Angular Version

CVSSv3:

- MEDIUM (5.3)
- CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:N/I:N/A:L

References:

- MISC - <https://lists.fedoraproject.org/archives/list/package-announce@lists.fedoraproject.org/message/OQWJLE5WE33WNMA54XSJIDXBRK2KL3XJ/>
- MISC - <https://lists.fedoraproject.org/archives/list/package-announce@lists.fedoraproject.org/message/UDKFLKJ6VZKL52AFVW2OVZRMJWHMW55K/>
- MISC - <https://security.snyk.io/vuln/SNYK-JAVA-ORGWEBJARSBOWER-5406320>
- MISC - <https://security.snyk.io/vuln/SNYK-JAVA-ORGWEBJARSBOWERGITHUBANGULAR-5406322>
- MISC - <https://security.snyk.io/vuln/SNYK-JAVA-ORGWEBJARSNPM-5406321>
- MISC - <https://security.snyk.io/vuln/SNYK-JS-ANGULAR-3373044>
- MISC - <https://stackblitz.com/edit/angularjs-vulnerability-angular-copy-redos>
- info - <https://github.com/advisories/GHSA-2vrf-hf26-jrp5>

Vulnerable Software & Versions (NVD):

- cpe:2.3:a:angularjs:angular:*:*:*:*:node.js:*:* versions from (including) 1.2.21; versions up to (including) 1.8.3

[CVE-2023-26117](#) suppressed

Versions of the package angular from 1.0.0 are vulnerable to Regular Expression Denial of Service (ReDoS) via the \$resource service due to the usage of an insecure regular expression. Exploiting this vulnerability is possible by a large carefully-crafted input, which can result in catastrophic backtracking.

CWE-1333 Inefficient Regular Expression Complexity

Notes: We can not yet update to newer Angular Version

CVSSv3:

- MEDIUM (5.3)
- CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:N/I:N/A:L

References:

- MISC - <https://lists.fedoraproject.org/archives/list/package-announce@lists.fedoraproject.org/message/OQWJLE5WE33WNMA54XSJIDXBRK2KL3XJ/>
- MISC - <https://lists.fedoraproject.org/archives/list/package-announce@lists.fedoraproject.org/message/UDKFLKJ6VZKL52AFVW2OVZRMJWHMW55K/>
- MISC - <https://security.snyk.io/vuln/SNYK-JAVA-ORGWEBJARSBOWER-5406323>
- MISC - <https://security.snyk.io/vuln/SNYK-JAVA-ORGWEBJARSBOWERGITHUBANGULAR-5406325>
- MISC - <https://security.snyk.io/vuln/SNYK-JAVA-ORGWEBJARSNPM-5406324>
- MISC - <https://security.snyk.io/vuln/SNYK-JS-ANGULAR-3373045>
- MISC - <https://stackblitz.com/edit/angularjs-vulnerability-resource-trailing-slashes-redos>
- info - <https://github.com/advisories/GHSA-2qqx-w9hr-q5gx>

Vulnerable Software & Versions (NVD):

- cpe:2.3:a:angularjs:angular:*:*:*:*:node.js:*:* versions from (including) 1.0.0; versions up to (including) 1.8.3

[CVE-2023-26118](#) suppressed

Versions of the package angular from 1.4.9 are vulnerable to Regular Expression Denial of Service (ReDoS) via the <input type="url"> element due to the usage of an insecure regular expression in the input[url] functionality. Exploiting this vulnerability is possible by a large carefully-crafted input, which can result in catastrophic backtracking.

CWE-1333 Inefficient Regular Expression Complexity

Notes: We can not yet update to newer Angular Version

CVSSv3:

- MEDIUM (5.3)
- CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:N/I:N/A:L

References:

- MISC - <https://lists.fedoraproject.org/archives/list/package-announce@lists.fedoraproject.org/message/OQWJLE5WE33WNMA54XSJIDXBRK2KL3XJ/>
- MISC - <https://lists.fedoraproject.org/archives/list/package-announce@lists.fedoraproject.org/message/UDKFLKJ6VZKL52AFVW2OVZRMJWHMW55K/>
- MISC - <https://security.snyk.io/vuln/SNYK-JAVA-ORGWEBJARSBOWER-5406326>
- MISC - <https://security.snyk.io/vuln/SNYK-JAVA-ORGWEBJARSBOWERGITHUBANGULAR-5406328>
- MISC - <https://security.snyk.io/vuln/SNYK-JAVA-ORGWEBJARSNPM-5406327>
- MISC - <https://security.snyk.io/vuln/SNYK-JS-ANGULAR-3373046>
- MISC - <https://stackblitz.com/edit/angularjs-vulnerability-inpur-url-validation-redos>
- info - <https://github.com/advisories/GHSA-qwqh-hm9m-p5hr>

Vulnerable Software & Versions (NVD):

- cpe:2.3:a:angularjs:angular:*:*:*:*:node.js:*:* versions from (including) 1.4.9; versions up to (including) 1.8.3

End-of-Life: Long term support for AngularJS has been discontinued as of December 31, 2021 (RETIREJS) suppressed

End-of-Life: Long term support for AngularJS has been discontinued as of December 31, 2021

Notes: file name: remotegui.zip: angularjs.jar We can not yet update to newer Angular Version

Unscored:

- Severity: low

References:

- info - <https://blog.angular.io/discontinued-long-term-support-for-angularjs-cc066b82e65a?gi=9d3103b5445c>
- retid - 54

Vulnerable Software & Versions (RETIREJS):

remotegui.zip: angular-sanitize.jar: angular-sanitize.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angular-sanitize.jar/META-INF/resources/webjars/angular-sanitize/1.8.3/angular-sanitize.js

MD5: 0127d7a139abfc8bd45875a9c8ea6348

SHA1: 197aea2acc25a0fa821766400950cac58a3627a5

SHA256: c84c65250afe5a1265f36a7e16c6010652e55c2ae3a779c351fb68536c42bf64

Referenced In Project/Scope: server

Evidence +

Type	Source	Name	Value	Confidence
Vendor	file	name	angularjs	High
Product	file	name	angularjs	High
Version	file	version	1.8.3	High

Suppressed Identifiers

- None

Suppressed Vulnerabilities -

[CVE-2022-25844](#) suppressed

The package angular after 1.7.0 are vulnerable to Regular Expression Denial of Service (ReDoS) by providing a custom locale rule that makes it possible to assign the parameter in posPre: ' '.repeat() of NUMBER_FORMATS.PATTERNS[1].posPre with a very high value.

Note: 1) This package has been deprecated and is no longer maintained. 2) The vulnerable versions are 1.7.0 and higher.

CWE-1333 Inefficient Regular Expression Complexity

Notes: We can not yet update to newer Angular Version

CVSSv2:

- Base Score: MEDIUM (5.0)
- Vector: /AV:N/AC:L/Au:N/C:N/I:N/A:P

CVSSv3:

- HIGH (7.5)
- CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:N/I:N/A:H

References:

- - [FEDORA-2022-e016e6f445](#)
- - [FEDORA-2022-edf635cf39](#)
- CONFIRM - <https://security.netapp.com/advisory/ntap-20220629-0009/>
- MISC - <https://snyk.io/vuln/SNYK-JAVA-ORGWEBJARSBOWER-2772736>
- MISC - <https://snyk.io/vuln/SNYK-JAVA-ORGWEBJARSBOWERGITHUBANGULAR-2772738>
- MISC - <https://snyk.io/vuln/SNYK-JAVA-ORGWEBJARSNPM-2772737>
- MISC - <https://snyk.io/vuln/SNYK-JS-ANGULAR-2772735>
- MISC - <https://stackblitz.com/edit/angularjs-material-blank-zvtdvb>
- info - <https://github.com/advisories/GHSA-m2h2-264f-f486>

Vulnerable Software & Versions (NVD):

- cpe:2.3:a:angularjs:angular:*:*:*:*:node.js:*:* versions from (including) 1.7.0
- cpe:2.3:a:netapp:ontap_select_deploy_administration_utility:*:*:*:*:*

[CVE-2024-21490](#) suppressed

This affects versions of the package angular from 1.3.0. A regular expression used to split the value of the ng-srcset directive is vulnerable to super-linear runtime due to backtracking. With large carefully-crafted input, this can result in catastrophic backtracking and cause a denial of service. **Note:** This package is EOL and will not receive any updates to address this issue. Users should migrate to `@angular/core` (<https://www.npmjs.com/package/@angular/core>).

CWE-1333 Inefficient Regular Expression Complexity

Notes: We can not yet update to newer Angular Version

CVSSv3:

- HIGH (7.5)
- CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:N/I:N/A:H

References:

- - <https://security.snyk.io/vuln/SNYK-JAVA-ORGWEBJARSBOWER-6241746>
- - <https://security.snyk.io/vuln/SNYK-JAVA-ORGWEBJARSNPM-6241747>
- - <https://security.snyk.io/vuln/SNYK-JS-ANGULAR-6091113>
- - <https://stackblitz.com/edit/angularjs-vulnerability-ng-srcset-redos>
- - <https://support.herodevs.com/hc/en-us/articles/25715686953485-CVE-2024-21490-AngularJS-Regular-Expression-Denial-of-Service-ReDoS>
- info - <https://github.com/advisories/GHSA-4w4v-5hc9-xrr2>
- info - <https://github.com/angular/angular.js>
- info - <https://nvd.nist.gov/vuln/detail/CVE-2024-21490>
- info - <https://security.snyk.io/vuln/SNYK-JAVA-ORGWEBJARSBOWER-6241746>
- info - <https://security.snyk.io/vuln/SNYK-JAVA-ORGWEBJARSNPM-6241747>
- info - <https://security.snyk.io/vuln/SNYK-JS-ANGULAR-6091113>
- info - <https://stackblitz.com/edit/angularjs-vulnerability-ng-srcset-redos>

Vulnerable Software & Versions (NVD):

- cpe:2.3:a:angular:angular:*:*:*:*:node.js:*:* versions from (including) 1.3.0

[CVE-2022-25869](#) suppressed

All versions of package angular are vulnerable to Cross-site Scripting (XSS) due to insecure page caching in the Internet Explorer browser, which allows interpolation of <textarea> elements.

CWE-79 Improper Neutralization of Input During Web Page Generation ('Cross-site Scripting')

Notes: We can not yet update to newer Angular Version

CVSSv3:

- MEDIUM (6.1)
- CVSS:3.1/AV:N/AC:L/PR:N/UI:R/S:C/C:L/I:L/A:N

References:

- CONFIRM - [N/A](#)
- CONFIRM - [N/A](#)
- CONFIRM - [N/A](#)
- CONFIRM - [N/A](#)
- CONFIRM - [N/A](#)
- info - <https://github.com/advisories/GHSA-prc3-vjfx-vhm9>

Vulnerable Software & Versions (NVD):

- cpe:2.3:a:angularjs:angular:*:*:*:*:node.js:*:*

[CVE-2023-26116](#) suppressed

Versions of the package angular from 1.2.21 are vulnerable to Regular Expression Denial of Service (ReDoS) via the angular.copy() utility function due to the usage of an insecure regular expression. Exploiting this vulnerability is possible by a large carefully-crafted input, which can result in catastrophic backtracking.

CWE-1333 Inefficient Regular Expression Complexity

Notes: We can not yet update to newer Angular Version

CVSSv3:

- MEDIUM (5.3)
- CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:N/I:N/A:L

References:

- MISC - <https://lists.fedoraproject.org/archives/list/package-announce@lists.fedoraproject.org/message/OQWJLE5WE33WNMA54XSJIDXBK2KL3XJ/>
- MISC - <https://lists.fedoraproject.org/archives/list/package-announce@lists.fedoraproject.org/message/UDKFLKJ6VZKL52AFVW2OVZRMJWHMW55K/>
- MISC - <https://security.snyk.io/vuln/SNYK-JAVA-ORGWEBJARSBOWER-5406320>
- MISC - <https://security.snyk.io/vuln/SNYK-JAVA-ORGWEBJARSBOWERGITHUBANGULAR-5406322>
- MISC - <https://security.snyk.io/vuln/SNYK-JAVA-ORGWEBJARSNPM-5406321>
- MISC - <https://security.snyk.io/vuln/SNYK-JS-ANGULAR-3373044>
- MISC - <https://stackblitz.com/edit/angularjs-vulnerability-angular-copy-redos>
- info - <https://github.com/advisories/GHSA-2vrf-hf26-jrp5>

Vulnerable Software & Versions (NVD):

- cpe:2.3:a:angularjs:angular:*:*:*:*:node.js:*:* versions from (including) 1.2.21; versions up to (including) 1.8.3

[CVE-2023-26117](#) suppressed

Versions of the package angular from 1.0.0 are vulnerable to Regular Expression Denial of Service (ReDoS) via the \$resource service due to the usage of an insecure regular expression. Exploiting this vulnerability is possible by a large carefully-crafted input, which can result in catastrophic backtracking.

CWE-1333 Inefficient Regular Expression Complexity

Notes: We can not yet update to newer Angular Version

CVSSv3:

- MEDIUM (5.3)
- CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:N/I:N/A:L

References:

- MISC - <https://lists.fedoraproject.org/archives/list/package-announce@lists.fedoraproject.org/message/OQWJLE5WE33WNMA54XSJIDXBRK2KL3XJ/>
- MISC - <https://lists.fedoraproject.org/archives/list/package-announce@lists.fedoraproject.org/message/UDKFLKJ6VZKL52AFVW2OVZRMJWHMW55K/>
- MISC - <https://security.snyk.io/vuln/SNYK-JAVA-ORGWEBJARSBOWER-5406323>
- MISC - <https://security.snyk.io/vuln/SNYK-JAVA-ORGWEBJARSBOWERGITHUBANGULAR-5406325>
- MISC - <https://security.snyk.io/vuln/SNYK-JAVA-ORGWEBJARSNPM-5406324>
- MISC - <https://security.snyk.io/vuln/SNYK-JS-ANGULAR-3373045>
- MISC - <https://stackblitz.com/edit/angularjs-vulnerability-resource-trailing-slashes-redos>
- info - <https://github.com/advisories/GHSA-2qgx-w9hr-q5gx>

Vulnerable Software & Versions (NVD):

- cpe:2.3:a:angularjs:angular:*:*:*:*:node.js:*:* versions from (including) 1.0.0; versions up to (including) 1.8.3

CVE-2023-26118 suppressed

Versions of the package angular from 1.4.9 are vulnerable to Regular Expression Denial of Service (ReDoS) via the <input type="url"> element due to the usage of an insecure regular expression in the input[url] functionality. Exploiting this vulnerability is possible by a large carefully-crafted input, which can result in catastrophic backtracking.

CWE-1333 Inefficient Regular Expression Complexity

Notes: We can not yet update to newer Angular Version

CVSSv3:

- MEDIUM (5.3)
- CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:N/I:N/A:L

References:

- MISC - <https://lists.fedoraproject.org/archives/list/package-announce@lists.fedoraproject.org/message/OQWJLE5WE33WNMA54XSJIDXBRK2KL3XJ/>
- MISC - <https://lists.fedoraproject.org/archives/list/package-announce@lists.fedoraproject.org/message/UDKFLKJ6VZKL52AFVW2OVZRMJWHMW55K/>
- MISC - <https://security.snyk.io/vuln/SNYK-JAVA-ORGWEBJARSBOWER-5406326>
- MISC - <https://security.snyk.io/vuln/SNYK-JAVA-ORGWEBJARSBOWERGITHUBANGULAR-5406328>
- MISC - <https://security.snyk.io/vuln/SNYK-JAVA-ORGWEBJARSNPM-5406327>
- MISC - <https://security.snyk.io/vuln/SNYK-JS-ANGULAR-3373046>
- MISC - <https://stackblitz.com/edit/angularjs-vulnerability-inpur-url-validation-redos>
- info - <https://github.com/advisories/GHSA-qwqh-hm9m-p5hr>

Vulnerable Software & Versions (NVD):

- cpe:2.3:a:angularjs:angular:*:*:*:*:node.js:*:* versions from (including) 1.4.9; versions up to (including) 1.8.3

End-of-Life: Long term support for AngularJS has been discontinued as of December 31, 2021 (RETIREJS) suppressed

End-of-Life: Long term support for AngularJS has been discontinued as of December 31, 2021

Notes: file name: remotegui.zip: angularjs.jar We can not yet update to newer Angular Version

Unscored:

- Severity: low

References:

- info - <https://blog.angular.io/discontinued-long-term-support-for-angularjs-cc066b82e65a?gi=9d3103b5445c>
- retid - 54

Vulnerable Software & Versions (RETIREJS):

remotegui.zip: angular-sanitize.jar: angular-sanitize.min.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angular-sanitize.jar/META-INF/resources/webjars/angular-sanitize/1.8.3/angular-sanitize.min.js

MD5: f3c62abeec216e9431e7d5b22d8e813b

SHA1: 21355ef18c5e1ce2b2c711b9dba21cbea0655646

SHA256: cc80a30ad0439c2e9c209b3d7fcffb1d10e6007fd1d00c9cc144f393664a7045

Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence
Vendor	file	name	angularjs	High
Product	file	name	angularjs	High
Version	file	version	1.8.3	High

Suppressed Identifiers

- None

Suppressed Vulnerabilities

[CVE-2022-25844](#) suppressed

The package angular after 1.7.0 are vulnerable to Regular Expression Denial of Service (ReDoS) by providing a custom locale rule that makes it possible to assign the parameter in posPre: ' '.repeat() of NUMBER_FORMATS.PATTERNS[1].posPre with a very high value.

****Note:**** 1) This package has been deprecated and is no longer maintained. 2) The vulnerable versions are 1.7.0 and higher.

CWE-1333 Inefficient Regular Expression Complexity

Notes: We can not yet update to newer Angular Version

CVSSv2:

- Base Score: MEDIUM (5.0)
- Vector: /AV:N/AC:L/Au:N/C:N/I:N/A:P

CVSSv3:

- HIGH (7.5)
- CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:N/I:N/A:H

References:

- - [FEDORA-2022-e016e6f445](#)
- - [FEDORA-2022-edf635cf39](#)
- CONFIRM - <https://security.netapp.com/advisory/ntap-20220629-0009/>
- MISC - <https://snyk.io/vuln/SNYK-JAVA-ORGWEBJARSBOWER-2772736>
- MISC - <https://snyk.io/vuln/SNYK-JAVA-ORGWEBJARSBOWERGITHUBANGULAR-2772738>
- MISC - <https://snyk.io/vuln/SNYK-JAVA-ORGWEBJARSNPM-2772737>
- MISC - <https://snyk.io/vuln/SNYK-JS-ANGULAR-2772735>
- MISC - <https://stackblitz.com/edit/angularjs-material-blank-zvtdvb>
- info - <https://github.com/advisories/GHSA-m2h2-264f-f486>

Vulnerable Software & Versions (NVD):

- cpe:2.3:a:angularjs:angular:*:*:*:*:node.js:*:* versions from (including) 1.7.0
- cpe:2.3:a:netapp:ontap_select_deploy_administration_utility:*:*:*:*:*:

[CVE-2024-21490](#) suppressed

This affects versions of the package angular from 1.3.0. A regular expression used to split the value of the ng-srcset directive is vulnerable to super-linear runtime due to backtracking. With large carefully-crafted input, this can result in catastrophic backtracking and cause a denial of service. **Note:** This package is EOL and will not receive any updates to address this issue. Users should migrate to `@angular/core` (<https://www.npmjs.com/package/@angular/core>).

CWE-1333 Inefficient Regular Expression Complexity

Notes: We can not yet update to newer Angular Version

CVSSv3:

- HIGH (7.5)
- CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:N/I:N/A:H

References:

- - <https://security.snyk.io/vuln/SNYK-JAVA-ORGWEBJARSBOWER-6241746>
- - <https://security.snyk.io/vuln/SNYK-JAVA-ORGWEBJARSNPM-6241747>
- - <https://security.snyk.io/vuln/SNYK-JS-ANGULAR-6091113>
- - <https://stackblitz.com/edit/angularjs-vulnerability-ng-srcset-redos>
- - <https://support.heroku.com/hc/en-us/articles/25715686953485-CVE-2024-21490-AngularJS-Regular-Expression-Denial-of-Service-ReDoS>
- info - <https://github.com/advisories/GHSA-4w4v-5hc9-xrr2>
- info - <https://github.com/angular/angular.js>
- info - <https://nvd.nist.gov/vuln/detail/CVE-2024-21490>
- info - <https://security.snyk.io/vuln/SNYK-JAVA-ORGWEBJARSBOWER-6241746>
- info - <https://security.snyk.io/vuln/SNYK-JAVA-ORGWEBJARSNPM-6241747>
- info - <https://security.snyk.io/vuln/SNYK-JS-ANGULAR-6091113>
- info - <https://stackblitz.com/edit/angularjs-vulnerability-ng-srcset-redos>

Vulnerable Software & Versions (NVD):

- cpe:2.3:a:angular:angular:*:*:*:*:node.js:*:* versions from (including) 1.3.0

[CVE-2022-25869](#) suppressed

All versions of package angular are vulnerable to Cross-site Scripting (XSS) due to insecure page caching in the Internet Explorer browser, which allows interpolation of `<textarea>` elements.

CWE-79 Improper Neutralization of Input During Web Page Generation ('Cross-site Scripting')

Notes: We can not yet update to newer Angular Version

CVSSv3:

- MEDIUM (6.1)
- CVSS:3.1/AV:N/AC:L/PR:N/UI:R/S:C/C:L/I:L/A:N

References:

- CONFIRM - [N/A](#)
- CONFIRM - [N/A](#)
- CONFIRM - [N/A](#)
- CONFIRM - [N/A](#)
- CONFIRM - [N/A](#)
- info - <https://github.com/advisories/GHSA-prc3-vjfx-vhm9>

Vulnerable Software & Versions (NVD):

- cpe:2.3:a:angularjs:angular:*:*:*:*:node.js:*:*

[CVE-2023-26116](#) suppressed

Versions of the package angular from 1.2.21 are vulnerable to Regular Expression Denial of Service (ReDoS) via the angular.copy() utility function due to the usage of an insecure regular expression. Exploiting this vulnerability is possible by a large carefully-crafted input, which can result in catastrophic backtracking.

CWE-1333 Inefficient Regular Expression Complexity

Notes: We can not yet update to newer Angular Version

CVSSv3:

- MEDIUM (5.3)
- CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:N/I:N/A:L

References:

- MISC - <https://lists.fedoraproject.org/archives/list/package-announce@lists.fedoraproject.org/message/OQWJLE5WE33WNMA54XSJIDXBRK2KL3XJ/>
- MISC - <https://lists.fedoraproject.org/archives/list/package-announce@lists.fedoraproject.org/message/UDKFLKJ6VZKL52AFVW2OVZRMJWHMW55K/>
- MISC - <https://security.snyk.io/vuln/SNYK-JAVA-ORGWEBJARSBOWER-5406320>
- MISC - <https://security.snyk.io/vuln/SNYK-JAVA-ORGWEBJARSBOWERGITHUBANGULAR-5406322>
- MISC - <https://security.snyk.io/vuln/SNYK-JAVA-ORGWEBJARSNPM-5406321>
- MISC - <https://security.snyk.io/vuln/SNYK-JS-ANGULAR-3373044>
- MISC - <https://stackblitz.com/edit/angularjs-vulnerability-angular-copy-redos>
- info - <https://github.com/advisories/GHSA-2vrf-hf26-jrp5>

Vulnerable Software & Versions (NVD):

- cpe:2.3:a:angularjs:angular:*:*:*:*:node.js:*:* versions from (including) 1.2.21; versions up to (including) 1.8.3

[CVE-2023-26117](#) suppressed

Versions of the package angular from 1.0.0 are vulnerable to Regular Expression Denial of Service (ReDoS) via the \$resource service due to the usage of an insecure regular expression. Exploiting this vulnerability is possible by a large carefully-crafted input, which can result in catastrophic backtracking.

CWE-1333 Inefficient Regular Expression Complexity

Notes: We can not yet update to newer Angular Version

CVSSv3:

- MEDIUM (5.3)
- CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:N/I:N/A:L

References:

- MISC - <https://lists.fedoraproject.org/archives/list/package-announce@lists.fedoraproject.org/message/OQWJLE5WE33WNMA54XSJIDXBRK2KL3XJ/>
- MISC - <https://lists.fedoraproject.org/archives/list/package-announce@lists.fedoraproject.org/message/UDKFLKJ6VZKL52AFVW2OVZRMJWHMW55K/>
- MISC - <https://security.snyk.io/vuln/SNYK-JAVA-ORGWEBJARSBOWER-5406323>
- MISC - <https://security.snyk.io/vuln/SNYK-JAVA-ORGWEBJARSBOWERGITHUBANGULAR-5406325>

- MISC - <https://security.snyk.io/vuln/SNYK-JAVA-ORGWEBJARSNPM-5406324>
- MISC - <https://security.snyk.io/vuln/SNYK-JS-ANGULAR-3373045>
- MISC - <https://stackblitz.com/edit/angularjs-vulnerability-resource-trailing-slashes-redos>
- info - <https://github.com/advisories/GHSA-2qqx-w9hr-q5gx>

Vulnerable Software & Versions (NVD):

- cpe:2.3:a:angularjs:angular:*:*:*:*:node.js:*:* versions from (including) 1.0.0; versions up to (including) 1.8.3

CVE-2023-26118 suppressed

Versions of the package angular from 1.4.9 are vulnerable to Regular Expression Denial of Service (ReDoS) via the <input type="url"> element due to the usage of an insecure regular expression in the input[url] functionality. Exploiting this vulnerability is possible by a large carefully-crafted input, which can result in catastrophic backtracking.

CWE-1333 Inefficient Regular Expression Complexity

Notes: We can not yet update to newer Angular Version

CVSSv3:

- MEDIUM (5.3)
- CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:N/I:N/A:L

References:

- MISC - <https://lists.fedoraproject.org/archives/list/package-announce@lists.fedoraproject.org/message/OQWJLE5WE33WNMA54XSJIDXBK2KL3XJ/>
- MISC - <https://lists.fedoraproject.org/archives/list/package-announce@lists.fedoraproject.org/message/UDKFLKJ6VZKL52AFVW2OVZRMJWHMW55K/>
- MISC - <https://security.snyk.io/vuln/SNYK-JAVA-ORGWEBJARSBOWER-5406326>
- MISC - <https://security.snyk.io/vuln/SNYK-JAVA-ORGWEBJARSBOWERGITHUBANGULAR-5406328>
- MISC - <https://security.snyk.io/vuln/SNYK-JAVA-ORGWEBJARSNPM-5406327>
- MISC - <https://security.snyk.io/vuln/SNYK-JS-ANGULAR-3373046>
- MISC - <https://stackblitz.com/edit/angularjs-vulnerability-inpur-url-validation-redos>
- info - <https://github.com/advisories/GHSA-qwqh-hm9m-p5hr>

Vulnerable Software & Versions (NVD):

- cpe:2.3:a:angularjs:angular:*:*:*:*:node.js:*:* versions from (including) 1.4.9; versions up to (including) 1.8.3

End-of-Life: Long term support for AngularJS has been discontinued as of December 31, 2021 (RETIREJS) suppressed

End-of-Life: Long term support for AngularJS has been discontinued as of December 31, 2021

Notes: file name: remotegui.zip: angularjs.jar We can not yet update to newer Angular Version

Unscored:

- Severity: low

References:

- info - <https://blog.angular.io/discontinued-long-term-support-for-angularjs-cc066b82e65a?gi=9d3103b5445c>
- retid - 54

Vulnerable Software & Versions (RETIREJS):

Description:

WebJar for angular

License:

MIT

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angular.jar

MD5: f339a9a66a64c67eebb21ec3b251dfc6

SHA1: cff4aee339a9ca4ae2f095079930edead6a94ee

SHA256: a997eb40987ddb5d3bf64adf3d33afcff3ac2b1eb2e7255b5203a387f8097cd0

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	angular	High
Vendor	pom	artifactid	angular	Low
Vendor	pom	developer id	webjars	Medium
Vendor	pom	groupid	org.webjars.npm	Highest
Vendor	pom	name	angular	High
Vendor	pom	url	https://www.webjars.org	Highest
Product	file	name	angular	High
Product	pom	artifactid	angular	Highest
Product	pom	developer id	webjars	Low
Product	pom	groupid	org.webjars.npm	Highest
Product	pom	name	angular	High
Product	pom	url	https://www.webjars.org	Medium
Version	pom	version	1.8.3	Highest

Suppressed Identifiers

- None

Suppressed Vulnerabilities



CVE-2021-4231 (OSSINDEX) suppressed

A vulnerability was found in Angular up to 11.0.4/11.1.0-next.2. It has been classified as problematic. Affected is the handling of comments. The manipulation leads to cross site scripting. It is possible to launch the attack remotely but it might require an authentication first. Upgrading to version 11.0.5 and 11.1.0-next.3 is able to address this issue. The name of the patch is ba8da742e3b243e8f43d4c63aa842b44e14f2b09. It is recommended to upgrade the affected component.

Sonatype's research suggests that this CVE's details differ from those defined at NVD. See <https://ossindex.sonatype.org/vulnerability/CVE-2021-4231> for details

CWE-79 Improper Neutralization of Input During Web Page Generation ('Cross-site Scripting')

Notes: We can not yet update to newer Angular Version

CVSSv3:

- MEDIUM (5.4)
- CVSS:3.1/AV:N/AC:L/PR:L/UI:R/S:C/C:L/I:L/A:N

References:

- OSSINDEX - [\[CVE-2021-4231\] CWE-79: Improper Neutralization of Input During Web Page Generation \('Cross-site Scripting'\)](#)
- OSSIndex - <http://web.nvd.nist.gov/view/vuln/detail?vulnId=CVE-2021-4231>
- OSSIndex - <https://github.com/angular/angular/pull/40136>
- OSSIndex - <https://github.com/angular/angular/pull/40525>

Vulnerable Software & Versions (OSSINDEX):

- cpe:2.3:a:org.webjars.npm:angular:1.8.3:*:*:*:*:*

CVE-2023-26116 (OSSINDEX) suppressed

Versions of the package angular from 1.2.21 are vulnerable to Regular Expression Denial of Service (ReDoS) via the `angular.copy()` utility function due to the usage of an insecure regular expression. Exploiting this vulnerability is possible by a large carefully-crafted input, which can result in catastrophic backtracking.

CWE-1333 Inefficient Regular Expression Complexity

Notes: We can not yet update to newer Angular Version

CVSSv3:

- MEDIUM (5.3)
- CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:N/I:N/A:L

References:

- OSSINDEX - [\[CVE-2023-26116\] CWE-1333](#)
- OSSIndex - <http://web.nvd.nist.gov/view/vuln/detail?vulnId=CVE-2023-26116>
- OSSIndex - <https://github.com/advisories/GHSA-2vrf-hf26-jrp5>
- OSSIndex - <https://stackblitz.com/edit/angularjs-vulnerability-angular-copy-redos?file=index.js>

Vulnerable Software & Versions (OSSINDEX):

- cpe:2.3:a:org.webjars.npm:angular:1.8.3:*:*:*:*:*

CVE-2023-26118 (OSSINDEX) suppressed

Versions of the package angular from 1.4.9 are vulnerable to Regular Expression Denial of Service (ReDoS) via the `<input type="url">` element due to the usage of an insecure regular expression in the `input[url]` functionality. Exploiting this vulnerability is possible by a large carefully-crafted input, which can result in catastrophic backtracking.

Sonatype's research suggests that this CVE's details differ from those defined at NVD. See <https://ossindex.sonatype.org/vulnerability/CVE-2023-26118> for details

CWE-1333 Inefficient Regular Expression Complexity

Notes: We can not yet update to newer Angular Version

CVSSv3:

- MEDIUM (5.3)
- CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:N/I:N/A:L

References:

- OSSINDEX - [\[CVE-2023-26118\] CWE-1333](#)
- OSSIndex - <http://web.nvd.nist.gov/view/vuln/detail?vulnId=CVE-2023-26118>
- OSSIndex - <https://github.com/advisories/GHSA-qwqh-hm9m-p5hr>
- OSSIndex - <https://stackblitz.com/edit/angularjs-vulnerability-inpur-url-validation-redos?file=index.js>

Vulnerable Software & Versions (OSSINDEX):

- cpe:2.3:a:org.webjars.npm:angular:1.8.3:*.~*~*~*~*~*

remotegui.zip: angular.jar: angular.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angular.jar/META-INF/resources/webjars/angular/1.8.3/angular.js

MD5: e09f650a016c24bc1b5a1edc93bfade

SHA1: 0f1f7445b761b9bbd5385f9f0b316dbf1ca48696

SHA256: fdca889e76f55fdee7ab661920f37ce19233563bf7f4ac8120f8ebc2ac768768

Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence
Vendor	file	name	angularjs	High
Product	file	name	angularjs	High
Version	file	version	1.8.3	High

Suppressed Identifiers

- None

Suppressed Vulnerabilities

[CVE-2022-25844](#) suppressed

The package angular after 1.7.0 are vulnerable to Regular Expression Denial of Service (ReDoS) by providing a custom locale rule that makes it possible to assign the parameter in posPre: ' '.repeat() of NUMBER_FORMATS.PATTERNS[1].posPre with a very high value.
****Note:**** 1) This package has been deprecated and is no longer maintained. 2) The vulnerable versions are 1.7.0 and higher.

CWE-1333 Inefficient Regular Expression Complexity

Notes: We can not yet update to newer Angular Version

CVSSv2:

- Base Score: MEDIUM (5.0)

- Vector: /AV:N/AC:L/Au:N/C:N/I:N/A:P

CVSSv3:

- HIGH (7.5)
- CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:N/I:N/A:H

References:

- - [FEDORA-2022-e016e6f445](#)
- - [FEDORA-2022-edf635cf39](#)
- CONFIRM - <https://security.netapp.com/advisory/ntap-20220629-0009/>
- MISC - <https://snyk.io/vuln/SNYK-JAVA-ORGWEBJARSBOWER-2772736>
- MISC - <https://snyk.io/vuln/SNYK-JAVA-ORGWEBJARSBOWERGITHUBANGULAR-2772738>
- MISC - <https://snyk.io/vuln/SNYK-JAVA-ORGWEBJARSNPM-2772737>
- MISC - <https://snyk.io/vuln/SNYK-JS-ANGULAR-2772735>
- MISC - <https://stackblitz.com/edit/angularjs-material-blank-zvtdvb>
- info - <https://github.com/advisories/GHSA-m2h2-264f-f486>

Vulnerable Software & Versions (NVD):

- cpe:2.3:a:angularjs:angular:*:*:*:*:node.js:*:* versions from (including) 1.7.0
- cpe:2.3:a:netapp:ontap_select_deploy_administration_utility:*:*:*:*:*

[CVE-2024-21490](#) suppressed

This affects versions of the package angular from 1.3.0. A regular expression used to split the value of the ng-srcset directive is vulnerable to super-linear runtime due to backtracking. With large carefully-crafted input, this can result in catastrophic backtracking and cause a denial of service. **Note:** This package is EOL and will not receive any updates to address this issue. Users should migrate to [angular/core](https://www.npmjs.com/package/@angular/core).

CWE-1333 Inefficient Regular Expression Complexity

Notes: We can not yet update to newer Angular Version

CVSSv3:

- HIGH (7.5)
- CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:N/I:N/A:H

References:

- - <https://security.snyk.io/vuln/SNYK-JAVA-ORGWEBJARSBOWER-6241746>
- - <https://security.snyk.io/vuln/SNYK-JAVA-ORGWEBJARSNPM-6241747>
- - <https://security.snyk.io/vuln/SNYK-JS-ANGULAR-6091113>
- - <https://stackblitz.com/edit/angularjs-vulnerability-ng-srcset-redos>
- - <https://support.herodevs.com/hc/en-us/articles/25715686953485-CVE-2024-21490-AngularJS-Regular-Expression-Denial-of-Service-ReDoS>
- info - <https://github.com/advisories/GHSA-4w4v-5hc9-xrr2>
- info - <https://github.com/angular/angular.js>
- info - <https://nvd.nist.gov/vuln/detail/CVE-2024-21490>
- info - <https://security.snyk.io/vuln/SNYK-JAVA-ORGWEBJARSBOWER-6241746>
- info - <https://security.snyk.io/vuln/SNYK-JAVA-ORGWEBJARSNPM-6241747>
- info - <https://security.snyk.io/vuln/SNYK-JS-ANGULAR-6091113>
- info - <https://stackblitz.com/edit/angularjs-vulnerability-ng-srcset-redos>

Vulnerable Software & Versions (NVD):

- cpe:2.3:a:angular:angular:*:*:*:*:node.js:*:* versions from (including) 1.3.0

[CVE-2022-25869](#) suppressed

All versions of package angular are vulnerable to Cross-site Scripting (XSS) due to insecure page caching in the Internet Explorer browser, which allows interpolation of <textarea> elements.

CWE-79 Improper Neutralization of Input During Web Page Generation ('Cross-site Scripting')

Notes: We can not yet update to newer Angular Version

CVSSv3:

- MEDIUM (6.1)
- CVSS:3.1/AV:N/AC:L/PR:N/UI:R/S:C/C:L/I:L/A:N

References:

- CONFIRM - [N/A](#)
- CONFIRM - [N/A](#)
- CONFIRM - [N/A](#)
- CONFIRM - [N/A](#)
- CONFIRM - [N/A](#)
- info - <https://github.com/advisories/GHSA-prc3-vjfx-vhm9>

Vulnerable Software & Versions (NVD):

- cpe:2.3:a:angularjs:angular:*:*:*:*:node.js:*.*

[CVE-2023-26116](#) suppressed

Versions of the package angular from 1.2.21 are vulnerable to Regular Expression Denial of Service (ReDoS) via the angular.copy() utility function due to the usage of an insecure regular expression. Exploiting this vulnerability is possible by a large carefully-crafted input, which can result in catastrophic backtracking.

CWE-1333 Inefficient Regular Expression Complexity

Notes: We can not yet update to newer Angular Version

CVSSv3:

- MEDIUM (5.3)
- CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:N/I:N/A:L

References:

- MISC - <https://lists.fedoraproject.org/archives/list/package-announce@lists.fedoraproject.org/message/OQWJLE5WE33WNMA54XSJIDXBK2KL3XJ/>
- MISC - <https://lists.fedoraproject.org/archives/list/package-announce@lists.fedoraproject.org/message/UDKFLKJ6VZKL52AFVW2OVZRMJWHMW55K/>
- MISC - <https://security.snyk.io/vuln/SNYK-JAVA-ORGWEBJARSBOWER-5406320>
- MISC - <https://security.snyk.io/vuln/SNYK-JAVA-ORGWEBJARSBOWERGITHUBANGULAR-5406322>
- MISC - <https://security.snyk.io/vuln/SNYK-JAVA-ORGWEBJARSNPM-5406321>
- MISC - <https://security.snyk.io/vuln/SNYK-JS-ANGULAR-3373044>
- MISC - <https://stackblitz.com/edit/angularjs-vulnerability-angular-copy-redos>
- info - <https://github.com/advisories/GHSA-2vrf-hf26-jrp5>

Vulnerable Software & Versions (NVD):

- cpe:2.3:a:angularjs:angular:*:*:*:*:node.js:*.* versions from (including) 1.2.21; versions up to (including) 1.8.3

[CVE-2023-26117](#) suppressed

Versions of the package angular from 1.0.0 are vulnerable to Regular Expression Denial of Service (ReDoS) via the \$resource service due to the usage of an insecure regular expression. Exploiting this vulnerability is possible by a large carefully-crafted input, which can result in catastrophic backtracking.

CWE-1333 Inefficient Regular Expression Complexity

Notes: We can not yet update to newer Angular Version

CVSSv3:

- MEDIUM (5.3)
- CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:N/I:N/A:L

References:

- MISC - <https://lists.fedoraproject.org/archives/list/package-announce@lists.fedoraproject.org/message/OQWJLE5WE33WNMA54XSJIDXBK2KL3XJ/>

- MISC - <https://lists.fedoraproject.org/archives/list/package-announce@lists.fedoraproject.org/message/UDKFLKJ6VZKL52AFVW2OVZRMJWHMW55K/>
- MISC - <https://security.snyk.io/vuln/SNYK-JAVA-ORGWEBJARSBOWER-5406323>
- MISC - <https://security.snyk.io/vuln/SNYK-JAVA-ORGWEBJARSBOWERGITHUBANGULAR-5406325>
- MISC - <https://security.snyk.io/vuln/SNYK-JAVA-ORGWEBJARSNPM-5406324>
- MISC - <https://security.snyk.io/vuln/SNYK-JS-ANGULAR-3373045>
- MISC - <https://stackblitz.com/edit/angularjs-vulnerability-resource-trailing-slashes-redos>
- info - <https://github.com/advisories/GHSA-2qqx-w9hr-q5gx>

Vulnerable Software & Versions (NVD):

- cpe:2.3:a:angularjs:angular:*:*:*:*:node.js:*:* versions from (including) 1.0.0; versions up to (including) 1.8.3

CVE-2023-26118 suppressed

Versions of the package angular from 1.4.9 are vulnerable to Regular Expression Denial of Service (ReDoS) via the <input type="url"> element due to the usage of an insecure regular expression in the input[url] functionality. Exploiting this vulnerability is possible by a large carefully-crafted input, which can result in catastrophic backtracking.

CWE-1333 Inefficient Regular Expression Complexity

Notes: We can not yet update to newer Angular Version

CVSSv3:

- MEDIUM (5.3)
- CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:N/I:N/A:L

References:

- MISC - <https://lists.fedoraproject.org/archives/list/package-announce@lists.fedoraproject.org/message/OQWJLE5WE33WNMA54XSJIDXBK2KL3XJ/>
- MISC - <https://lists.fedoraproject.org/archives/list/package-announce@lists.fedoraproject.org/message/UDKFLKJ6VZKL52AFVW2OVZRMJWHMW55K/>
- MISC - <https://security.snyk.io/vuln/SNYK-JAVA-ORGWEBJARSBOWER-5406326>
- MISC - <https://security.snyk.io/vuln/SNYK-JAVA-ORGWEBJARSBOWERGITHUBANGULAR-5406328>
- MISC - <https://security.snyk.io/vuln/SNYK-JAVA-ORGWEBJARSNPM-5406327>
- MISC - <https://security.snyk.io/vuln/SNYK-JS-ANGULAR-3373046>
- MISC - <https://stackblitz.com/edit/angularjs-vulnerability-inpur-url-validation-redos>
- info - <https://github.com/advisories/GHSA-qwqh-hm9m-p5hr>

Vulnerable Software & Versions (NVD):

- cpe:2.3:a:angularjs:angular:*:*:*:*:node.js:*:* versions from (including) 1.4.9; versions up to (including) 1.8.3

End-of-Life: Long term support for AngularJS has been discontinued as of December 31, 2021 (RETIREJS) suppressed

End-of-Life: Long term support for AngularJS has been discontinued as of December 31, 2021

Notes: file name: remotegui.zip: angularjs.jar We can not yet update to newer Angular Version

Unscored:

- Severity: low

References:

- info - <https://blog.angular.io/discontinued-long-term-support-for-angularjs-cc066b82e65a?gi=9d3103b5445c>
- retid - 54

Vulnerable Software & Versions (RETIREJS):

remotegui.zip: angular.jar: angular.min.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angular.jar/META-INF/resources/webjars/angular/1.8.3/angular.min.js

MD5: 967a32633fa8f38f4ac3376c1a37b992

SHA1: b53b74d8e0b732dcdb98fbe521146b88299ea2f1

SHA256: 396dc1a03d6cc02e9c51a80246e0db53c5c8df9bd07287e3b51bce4a29dab355

Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence
Vendor	file	name	angularjs	High
Product	file	name	angularjs	High
Version	file	version	1.8.3	High

Suppressed Identifiers

- None

Suppressed Vulnerabilities

[CVE-2022-25844](#) suppressed

The package angular after 1.7.0 are vulnerable to Regular Expression Denial of Service (ReDoS) by providing a custom locale rule that makes it possible to assign the parameter in posPre: ' '.repeat() of NUMBER_FORMATS.PATTERNS[1].posPre with a very high value.

Note: 1) This package has been deprecated and is no longer maintained. 2) The vulnerable versions are 1.7.0 and higher.

CWE-1333 Inefficient Regular Expression Complexity

Notes: We can not yet update to newer Angular Version

CVSSv2:

- Base Score: MEDIUM (5.0)
- Vector: /AV:N/AC:L/Au:N/C:N/I:N/A:P

CVSSv3:

- HIGH (7.5)
- CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:N/I:N/A:H

References:

- - [FEDORA-2022-e016e6f445](#)
- - [FEDORA-2022-edf635cf39](#)
- CONFIRM - <https://security.netapp.com/advisory/ntap-20220629-0009/>
- MISC - <https://snyk.io/vuln/SNYK-JAVA-ORGWEBJARSBOWER-2772736>
- MISC - <https://snyk.io/vuln/SNYK-JAVA-ORGWEBJARSBOWERGITHUBANGULAR-2772738>
- MISC - <https://snyk.io/vuln/SNYK-JAVA-ORGWEBJARSNPM-2772737>
- MISC - <https://snyk.io/vuln/SNYK-JS-ANGULAR-2772735>

- MISC - <https://stackblitz.com/edit/angularjs-material-blank-zvtdvb>
- info - <https://github.com/advisories/GHSA-m2h2-264f-f486>

Vulnerable Software & Versions (NVD):

- cpe:2.3:a:angularjs:angular:*:*:*:*:node.js:* versions from (including) 1.7.0
- cpe:2.3:a:netapp:ontap_select_deploy_administration_utility:-:*:*:*:*:*

[CVE-2024-21490](#) suppressed

This affects versions of the package angular from 1.3.0. A regular expression used to split the value of the ng-srcset directive is vulnerable to super-linear runtime due to backtracking. With large carefully-crafted input, this can result in catastrophic backtracking and cause a denial of service. **Note:** This package is EOL and will not receive any updates to address this issue. Users should migrate to [[@angular/core](https://www.npmjs.com/package/@angular/core)](<https://www.npmjs.com/package/@angular/core>).

CWE-1333 Inefficient Regular Expression Complexity

Notes: We can not yet update to newer Angular Version

CVSSv3:

- HIGH (7.5)
- CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:N/I:N/A:H

References:

- - <https://security.snyk.io/vuln/SNYK-JAVA-ORGWEBJARSBOWER-6241746>
- - <https://security.snyk.io/vuln/SNYK-JAVA-ORGWEBJARSNPM-6241747>
- - <https://security.snyk.io/vuln/SNYK-JS-ANGULAR-6091113>
- - <https://stackblitz.com/edit/angularjs-vulnerability-ng-srcset-redos>
- - <https://support.herodevs.com/hc/en-us/articles/25715686953485-CVE-2024-21490-AngularJS-Regular-Expression-Denial-of-Service-ReDoS>
- info - <https://github.com/advisories/GHSA-4w4v-5hc9-xrr2>
- info - <https://github.com/angular/angular.js>
- info - <https://nvd.nist.gov/vuln/detail/CVE-2024-21490>
- info - <https://security.snyk.io/vuln/SNYK-JAVA-ORGWEBJARSBOWER-6241746>
- info - <https://security.snyk.io/vuln/SNYK-JAVA-ORGWEBJARSNPM-6241747>
- info - <https://security.snyk.io/vuln/SNYK-JS-ANGULAR-6091113>
- info - <https://stackblitz.com/edit/angularjs-vulnerability-ng-srcset-redos>

Vulnerable Software & Versions (NVD):

- cpe:2.3:a:angular:angular:*:*:*:*:node.js:* versions from (including) 1.3.0

[CVE-2022-25869](#) suppressed

All versions of package angular are vulnerable to Cross-site Scripting (XSS) due to insecure page caching in the Internet Explorer browser, which allows interpolation of <textarea> elements.

CWE-79 Improper Neutralization of Input During Web Page Generation ('Cross-site Scripting')

Notes: We can not yet update to newer Angular Version

CVSSv3:

- MEDIUM (6.1)
- CVSS:3.1/AV:N/AC:L/PR:N/UI:R/S:C/C:L/I:L/A:N

References:

- CONFIRM - [N/A](#)
- CONFIRM - [N/A](#)
- CONFIRM - [N/A](#)
- CONFIRM - [N/A](#)
- CONFIRM - [N/A](#)
- info - <https://github.com/advisories/GHSA-prc3-vjfx-vhm9>

Vulnerable Software & Versions (NVD):

- cpe:2.3:a:angularjs:angular:*:*:*:*:node.js:*

[CVE-2023-26116](#) suppressed

Versions of the package angular from 1.2.21 are vulnerable to Regular Expression Denial of Service (ReDoS) via the angular.copy() utility function due to the usage of an insecure regular expression. Exploiting this vulnerability is possible by a large carefully-crafted input, which can result in catastrophic backtracking.

CWE-1333 Inefficient Regular Expression Complexity

Notes: We can not yet update to newer Angular Version

CVSSv3:

- MEDIUM (5.3)
- CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:N/I:N/A:L

References:

- MISC - <https://lists.fedoraproject.org/archives/list/package-announce@lists.fedoraproject.org/message/OQWJLE5WE33WNMA54XSJIDXBRK2KL3XJ/>
- MISC - <https://lists.fedoraproject.org/archives/list/package-announce@lists.fedoraproject.org/message/UDKFLKJ6VZKL52AFVW2OVZRMJWHMW55K/>
- MISC - <https://security.snyk.io/vuln/SNYK-JAVA-ORGWEBJARSBOWER-5406320>
- MISC - <https://security.snyk.io/vuln/SNYK-JAVA-ORGWEBJARSBOWERGITHUBANGULAR-5406322>
- MISC - <https://security.snyk.io/vuln/SNYK-JAVA-ORGWEBJARSNPM-5406321>
- MISC - <https://security.snyk.io/vuln/SNYK-JS-ANGULAR-3373044>
- MISC - <https://stackblitz.com/edit/angularjs-vulnerability-angular-copy-redos>
- info - <https://github.com/advisories/GHSA-2vrf-hf26-jrp5>

Vulnerable Software & Versions (NVD):

- cpe:2.3:a:angularjs:angular:*:*:*:*:node.js:*:* versions from (including) 1.2.21; versions up to (including) 1.8.3

[CVE-2023-26117](#) suppressed

Versions of the package angular from 1.0.0 are vulnerable to Regular Expression Denial of Service (ReDoS) via the \$resource service due to the usage of an insecure regular expression. Exploiting this vulnerability is possible by a large carefully-crafted input, which can result in catastrophic backtracking.

CWE-1333 Inefficient Regular Expression Complexity

Notes: We can not yet update to newer Angular Version

CVSSv3:

- MEDIUM (5.3)
- CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:N/I:N/A:L

References:

- MISC - <https://lists.fedoraproject.org/archives/list/package-announce@lists.fedoraproject.org/message/OQWJLE5WE33WNMA54XSJIDXBRK2KL3XJ/>
- MISC - <https://lists.fedoraproject.org/archives/list/package-announce@lists.fedoraproject.org/message/UDKFLKJ6VZKL52AFVW2OVZRMJWHMW55K/>
- MISC - <https://security.snyk.io/vuln/SNYK-JAVA-ORGWEBJARSBOWER-5406323>
- MISC - <https://security.snyk.io/vuln/SNYK-JAVA-ORGWEBJARSBOWERGITHUBANGULAR-5406325>
- MISC - <https://security.snyk.io/vuln/SNYK-JAVA-ORGWEBJARSNPM-5406324>
- MISC - <https://security.snyk.io/vuln/SNYK-JS-ANGULAR-3373045>
- MISC - <https://stackblitz.com/edit/angularjs-vulnerability-resource-trailing-slashes-redos>
- info - <https://github.com/advisories/GHSA-2qqx-w9hr-q5gx>

Vulnerable Software & Versions (NVD):

- cpe:2.3:a:angularjs:angular:*:*:*:*:node.js:*:* versions from (including) 1.0.0; versions up to (including) 1.8.3

[CVE-2023-26118](#) suppressed

Versions of the package angular from 1.4.9 are vulnerable to Regular Expression Denial of Service (ReDoS) via the <input type="url"> element due to the usage of an insecure regular expression in the input[url] functionality. Exploiting this vulnerability is possible by a large carefully-crafted input, which can result in catastrophic backtracking.

CWE-1333 Inefficient Regular Expression Complexity

Notes: We can not yet update to newer Angular Version

CVSSv3:

- MEDIUM (5.3)
- CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:N/I:N/A:L

References:

- MISC - <https://lists.fedoraproject.org/archives/list/package-announce@lists.fedoraproject.org/message/OQWJLE5WE33WNMA54XSJIDXBRK2KL3XJ/>
- MISC - <https://lists.fedoraproject.org/archives/list/package-announce@lists.fedoraproject.org/message/UDKFLKJ6VZKL52AFVW2OVZRMJWHMW55K/>
- MISC - <https://security.snyk.io/vuln/SNYK-JAVA-ORGWEBJARSBOWER-5406326>
- MISC - <https://security.snyk.io/vuln/SNYK-JAVA-ORGWEBJARSBOWERGITHUBANGULAR-5406328>
- MISC - <https://security.snyk.io/vuln/SNYK-JAVA-ORGWEBJARSNPM-5406327>
- MISC - <https://security.snyk.io/vuln/SNYK-JS-ANGULAR-3373046>
- MISC - <https://stackblitz.com/edit/angularjs-vulnerability-inpur-url-validation-redos>
- info - <https://github.com/advisories/GHSA-qwqh-hm9m-p5hr>

Vulnerable Software & Versions (NVD):

- cpe:2.3:a:angularjs:angular:*:*:*:*:node.js:*:* versions from (including) 1.4.9; versions up to (including) 1.8.3

End-of-Life: Long term support for AngularJS has been discontinued as of December 31, 2021 (RETIREJS) suppressed

End-of-Life: Long term support for AngularJS has been discontinued as of December 31, 2021

Notes: file name: remotegui.zip: angularjs.jar We can not yet update to newer Angular Version

Unscored:

- Severity: low

References:

- info - <https://blog.angular.io/discontinued-long-term-support-for-angularjs-cc066b82e65a?gi=9d3103b5445c>
- retid - 54

Vulnerable Software & Versions (RETIREJS):

remotegui.zip: echo2extras-app.jar

Description:

Echo2 Extras

License:

MPL 1.1: <http://www.mozilla.org/MPL/MPL-1.1.html>
LGPL 2.1: <http://www.gnu.org/licenses/lgpl-2.1.html>
GPL 2.0: <http://www.gnu.org/licenses/gpl-2.0.html>

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/echo2extras-app.jar
MD5: e1ba37ba20c3021c38e362cac081d986
SHA1: 64e7748149ca2af54ee693c8e232343d64c1b966
SHA256: ad4489475b3c77aeeb62ec1c1bc211c8659b84649fdb1e72f4ee6e005b21e37b
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
Vendor	central	artifactid	echo2extras-app	Highest
Vendor	central	groupid	com.nextapp	Highest
Vendor	file	name	echo2extras-app	High
Vendor	jar	package name	echo2	Low
Vendor	jar	package name	extras	Low
Vendor	jar	package name	nextapp	Low
Vendor	pom	artifactid	echo2extras-app	Low
Vendor	pom	developer id	tliebeck	Medium
Vendor	pom	developer name	Tod Liebeck	Medium
Vendor	pom	developer org	NextApp	Medium
Vendor	pom	groupid	com.nextapp	Highest
Vendor	pom	name	Echo2 Extras	High
Vendor	pom	url	http://echo.nextapp.com/site/echo2/addons/extras	Highest
Product	central	artifactid	echo2extras-app	Highest
Product	file	name	echo2extras-app	High
Product	jar	package name	app	Low
Product	jar	package name	echo2	Low
Product	jar	package name	extras	Low
Product	pom	artifactid	echo2extras-app	Highest
Product	pom	developer id	tliebeck	Low
Product	pom	developer name	Tod Liebeck	Low
Product	pom	developer org	NextApp	Low
Product	pom	groupid	com.nextapp	Highest
Product	pom	name	Echo2 Extras	High
Product	pom	url	http://echo.nextapp.com/site/echo2/addons/extras	Medium
Version	central	version	2.1.0	Highest
Version	pom	version	2.1.0	Highest

Related Dependencies



- remotegui.zip: echo2extras-webcontainer.jar
 - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/echo2extras-webcontainer.jar
 - MD5: df488c27f775875afc2efa1ba1a14778
 - SHA1: 8b9c1d082e3baac3daea4821cd6fb56116c44c7a
 - SHA256: 50dabd57f50caf8df7d1fced59f7285d7b6179c47bf9b22aae7e7ee1d62e62c0

Suppressed Identifiers

- None

Suppressed Vulnerabilities



[CVE-2009-5135](#) suppressed

The Java XML parser in Echo before 2.1.1 and 3.x before 3.0.b6 allows remote attackers to read arbitrary files via a request containing an external entity declaration in conjunction with an entity reference, related to an XML External Entity (XXE) issue.

CWE-20 Improper Input Validation

Notes: Ignore echo2 apps, because we are using v2.1.1 which is the latest applicable. But the official libs do not have version number.

CVSSv2:

- Base Score: MEDIUM (5.0)
- Vector: /AV:N/AC:L/Au:N/C:P/I:N/A:N

References:

- BUGTRAQ - [20090310 SEC Consult SA-20090305-0 :: NextApp Echo XML Injection Vulnerability](#)
- CONFIRM - <http://echo.nextapp.com/site/node/5742>
- EXPLOIT-DB - [8191](#)
- MISC - https://www.sec-consult.com/fxdata/seccons/prod/temedia/advisories_txt/20090305-0_echo_nextapp_xml_injection.txt
- SECUNIA - [34218](#)
- VUPEN - [ADV-2009-0653](#)
- XF - [echo2-xml-information-disclosure\(49167\)](#)

Vulnerable Software & Versions: ([show all](#))

- [cpe:2.3:a:nextapp:echo:2.1.0:rc3:*:*:*:*](#)
- ...
- [cpe:2.3:a:nextapp:echo:*:rc5:*:*:*:* versions up to \(including\) 2.1.0](#)
- [cpe:2.3:a:nextapp:echo:2.0:alpha1:*:*:*:*](#)
- [cpe:2.3:a:nextapp:echo:2.0:alpha10:*:*:*:*](#)
- [cpe:2.3:a:nextapp:echo:2.0:alpha11:*:*:*:*](#)
- [cpe:2.3:a:nextapp:echo:2.0:alpha12:*:*:*:*](#)
- [cpe:2.3:a:nextapp:echo:2.0:alpha13:*:*:*:*](#)
- [cpe:2.3:a:nextapp:echo:2.0:alpha14:*:*:*:*](#)
- [cpe:2.3:a:nextapp:echo:2.0:alpha15:*:*:*:*](#)
- [cpe:2.3:a:nextapp:echo:2.0:alpha16:*:*:*:*](#)
- [cpe:2.3:a:nextapp:echo:2.0:alpha2:*:*:*:*](#)
- [cpe:2.3:a:nextapp:echo:2.0:alpha3:*:*:*:*](#)

- [cpe:2.3:a:nextapp:echo:2.0:alpha4:*.~*~*~*~*~*](#)
- [cpe:2.3:a:nextapp:echo:2.0:alpha5:*.~*~*~*~*~*](#)
- [cpe:2.3:a:nextapp:echo:2.0:alpha6:*.~*~*~*~*~*](#)
- [cpe:2.3:a:nextapp:echo:2.0:alpha7:*.~*~*~*~*~*](#)
- [cpe:2.3:a:nextapp:echo:2.0:alpha8:*.~*~*~*~*~*](#)
- [cpe:2.3:a:nextapp:echo:2.0:alpha9:*.~*~*~*~*~*](#)
- [cpe:2.3:a:nextapp:echo:2.0:beta1:*.~*~*~*~*~*](#)
- [cpe:2.3:a:nextapp:echo:2.0:beta2:*.~*~*~*~*~*](#)
- [cpe:2.3:a:nextapp:echo:2.0:beta3:*.~*~*~*~*~*](#)
- [cpe:2.3:a:nextapp:echo:2.0:beta4:*.~*~*~*~*~*](#)
- [cpe:2.3:a:nextapp:echo:2.0:rc1:*.~*~*~*~*~*](#)
- [cpe:2.3:a:nextapp:echo:2.0:rc2:*.~*~*~*~*~*](#)
- [cpe:2.3:a:nextapp:echo:2.0:rc3:*.~*~*~*~*~*](#)
- [cpe:2.3:a:nextapp:echo:2.0:rc4:*.~*~*~*~*~*](#)
- [cpe:2.3:a:nextapp:echo:2.0:rc5:*.~*~*~*~*~*](#)
- [cpe:2.3:a:nextapp:echo:2.0:rc6:*.~*~*~*~*~*](#)
- [cpe:2.3:a:nextapp:echo:2.0:rc7:*.~*~*~*~*~*](#)
- [cpe:2.3:a:nextapp:echo:2.0.1:test1:*.~*~*~*~*~*](#)
- [cpe:2.3:a:nextapp:echo:2.0.1:test2:*.~*~*~*~*~*](#)
- [cpe:2.3:a:nextapp:echo:2.0.1:test3:*.~*~*~*~*~*](#)
- [cpe:2.3:a:nextapp:echo:2.1.0:beta1:*.~*~*~*~*~*](#)
- [cpe:2.3:a:nextapp:echo:2.1.0:beta2:*.~*~*~*~*~*](#)
- [cpe:2.3:a:nextapp:echo:2.1.0:beta3:*.~*~*~*~*~*](#)
- [cpe:2.3:a:nextapp:echo:2.1.0:beta4:*.~*~*~*~*~*](#)
- [cpe:2.3:a:nextapp:echo:2.1.0:beta5:*.~*~*~*~*~*](#)
- [cpe:2.3:a:nextapp:echo:2.1.0:rc1:*.~*~*~*~*~*](#)
- [cpe:2.3:a:nextapp:echo:2.1.0:rc2:*.~*~*~*~*~*](#)
- [cpe:2.3:a:nextapp:echo:2.1.0:rc3:*.~*~*~*~*~*](#)
- [cpe:2.3:a:nextapp:echo:2.1.0:rc4:*.~*~*~*~*~*](#)
- [cpe:2.3:a:nextapp:echo:3.0:beta1:*.~*~*~*~*~*](#)
- [cpe:2.3:a:nextapp:echo:3.0:beta2:*.~*~*~*~*~*](#)
- [cpe:2.3:a:nextapp:echo:3.0:beta3:*.~*~*~*~*~*](#)
- [cpe:2.3:a:nextapp:echo:3.0:beta4:*.~*~*~*~*~*](#)
- [cpe:2.3:a:nextapp:echo:3.0:beta5:*.~*~*~*~*~*](#)

remotegui.zip: jquery.jar

Description:

WebJar for jQuery

License:

MIT License: <https://github.com/jquery/jquery/blob/master/MIT-LICENSE.txt>

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/jquery.jar

MD5: 4af65e569248d8a2411f66498d720280

SHA1: c3dc40b1b5f24c56afa36fd9a463bb9f378ac4ab

SHA256: de28c4da0ea9f16101352dd3582ec8021ee5e2de5f45104ca171876003d54db6

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	jquery	High
Vendor	pom	artifactid	jquery	Low

Vendor	pom	developer email	james@jamesward.org	Low
Vendor	pom	developer id	jamesward	Medium
Vendor	pom	developer name	James Ward	Medium
Vendor	pom	groupid	org.webjars	Highest
Vendor	pom	name	jquery	High
Vendor	pom	url	http://webjars.org	Highest
Product	file	name	jquery	High
Product	pom	artifactid	jquery	Highest
Product	pom	developer email	james@jamesward.org	Low
Product	pom	developer id	jamesward	Low
Product	pom	developer name	James Ward	Low
Product	pom	groupid	org.webjars	Highest
Product	pom	name	jquery	High
Product	pom	url	http://webjars.org	Medium
Version	pom	version	2.2.4	Highest

Suppressed Identifiers

- None

Suppressed Vulnerabilities [-]

CVE-2016-10707 (OSSINDEX) suppressed

jquery - Uncontrolled Resource Consumption

The software does not properly restrict the size or amount of resources that are requested or influenced by an actor, which can be used to consume more resources than intended.

Sonatype's research suggests that this CVE's details differ from those defined at NVD. See <https://ossindex.sonatype.org/vulnerability/CVE-2016-10707> for details

CWE-400 Uncontrolled Resource Consumption

Notes: file name: remotegui.jar: jquery.min.js - We can not yet upgrade to a newer version due to dependencies. We do, however, not directly use the functionality that is being CVE'd

CVSSv3:

- HIGH (7.5)
- CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:N/I:N/A:H

References:

- OSSINDEX - [\[CVE-2016-10707\] CWE-400: Uncontrolled Resource Consumption \('Resource Exhaustion'\)](#)
- OSSIndex - <https://github.com/advisories/GHSA-mhpp-875w-9cpv>
- OSSIndex - <https://github.com/jquery/jquery/issues/3133>
- OSSIndex - <https://github.com/jquery/jquery/issues/3371>

- OSSIndex - <https://github.com/jquery/jquery/pull/2916>
- OSSIndex - <https://github.com/jquery/jquery/pull/3134>

Vulnerable Software & Versions (OSSINDEX):

- cpe:2.3:a:org.webjars:jquery:2.2.4:*:*:*:*:*

CVE-2019-11358 (OSSINDEX) suppressed

jQuery before 3.4.0, as used in Drupal, Backdrop CMS, and other products, mishandles jQuery.extend(true, {}, ...) because of Object.prototype pollution. If an unsanitized source object contained an enumerable __proto__ property, it could extend the native Object.prototype.

Sonatype's research suggests that this CVE's details differ from those defined at NVD. See <https://ossindex.sonatype.org/vulnerability/CVE-2019-11358> for details

CWE-1321 Improperly Controlled Modification of Object Prototype Attributes ('Prototype Pollution')

Notes: file name: remotegui.jar: jquery.min.js - We can not yet upgrade to a newer version due to dependencies. We do, however, not directly use the functionality that is being CVEd

CVSSv3:

- MEDIUM (6.1)
- CVSS:3.1/AV:N/AC:L/PR:N/UI:R/S:C/C:L/I:L/A:N

References:

- OSSINDEX - [\[CVE-2019-11358\] CWE-1321](#)
- OSSIndex - <http://web.nvd.nist.gov/view/vuln/detail?vulnId=CVE-2019-11358>
- OSSIndex - <https://blog.jquery.com/2019/04/10/jquery-3-4-0-released/>
- OSSIndex - <https://github.com/cbeust/testng/issues/2150>
- OSSIndex - <https://github.com/jquery/jquery/pull/4333>

Vulnerable Software & Versions (OSSINDEX):

- cpe:2.3:a:org.webjars:jquery:2.2.4:*:*:*:*:*

CVE-2020-11023 (OSSINDEX) suppressed

In jQuery versions greater than or equal to 1.0.3 and before 3.5.0, passing HTML containing <option> elements from untrusted sources - even after sanitizing it - to one of jQuery's DOM manipulation methods (i.e. .html(), .append(), and others) may execute untrusted code. This problem is patched in jQuery 3.5.0.

CWE-79 Improper Neutralization of Input During Web Page Generation ('Cross-site Scripting')

Notes: file name: remotegui.jar: jquery.min.js - We can not yet upgrade to a newer version due to dependencies. We do, however, not directly use the functionality that is being CVEd

CVSSv3:

- MEDIUM (6.1)
- CVSS:3.1/AV:N/AC:L/PR:N/UI:R/S:C/C:L/I:L/A:N

References:

- OSSINDEX - [\[CVE-2020-11023\] CWE-79: Improper Neutralization of Input During Web Page Generation \('Cross-site Scripting'\)](#)
- OSSIndex - <http://web.nvd.nist.gov/view/vuln/detail?vulnId=CVE-2020-11023>
- OSSIndex - <https://github.com/advisories/GHSA-jpcq-cgw6-v4j6>
- OSSIndex - <https://jquery.com/upgrade-guide/3.5/>

Vulnerable Software & Versions (OSSINDEX):

- cpe:2.3:a:org.webjars:jquery:2.2.4:*:*:*:*:*

remotegui.zip: tinymce.jar: tinymce.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/tinymce.js

MD5: f7a8350f10f92d58a952e1feb0d28f2c

SHA1: d3ecc2861e41722d51e1ede38da5ead47a530c14

SHA256: a78ee6bd10002d050a314768a523533144228f654d80571a8ed28ff3011208a1

Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence
Vendor	file	name	tinyMCE	High
Product	file	name	tinyMCE	High
Version	file	version	5.10.9	High

Suppressed Identifiers

- None

Suppressed Vulnerabilities

CVE-2024-29203 (RETIREJS) suppressed

Notes: Can not update beyond v5 for implementation reasons just now. tinyMCE is primarily used in non-pulbic way.

Unscored:

- Severity: medium

References:

- info - <https://github.com/advisories/GHSA-438c-3975-5x3f>
- info - <https://github.com/tinymce/tinymce>
- info - <https://github.com/tinymce/tinymce/commit/bcdea2ad14e3c2cea40743fb48c63bba067ae6d1>
- info - <https://github.com/tinymce/tinymce/security/advisories/GHSA-438c-3975-5x3f>
- info - <https://nvd.nist.gov/vuln/detail/CVE-2024-29203>
- info - https://www.tiny.cloud/docs/tinymce/6/6.8.1-release-notes/#new-convert_unsafe_embeds-option-that-controls-whether-object-and-embed-elements-will-be-converted-to-more-restrictive-alternatives-namely-img-for-image-mime-types-video-for-video-mime-types-audio-audio-mime-types-or-iframe-for-other-or-unspecified-mime-types
- info - https://www.tiny.cloud/docs/tinymce/7/7.0-release-notes/#sandbox_iframes-editor-option-is-now-defaulted-to-true

Vulnerable Software & Versions (RETIREJS):

CVE-2024-29881 (RETIREJS) suppressed

Notes: Can not update beyond v5 for implementation reasons just now. tinyMCE is primarily used in non-pulbic way.

Unscored:

- Severity: medium

References:

- info - <https://github.com/advisories/GHSA-5359-pvf2-pw78>
- info - <https://github.com/tinymce/tinymce>
- info - <https://github.com/tinymce/tinymce/commit/bcdea2ad14e3c2cea40743fb48c63bba067ae6d1>
- info - <https://github.com/tinymce/tinymce/security/advisories/GHSA-5359-pvf2-pw78>
- info - <https://nvd.nist.gov/vuln/detail/CVE-2024-29881>
- info - https://www.tiny.cloud/docs/tinymce/6/6.8.1-release-notes/#new-convert_unsafe_embeds-option-that-controls-whether-object-and-embed-elements-will-be-converted-to-more-restrictive-alternatives-namely-img-for-image-mime-types-video-for-video-mime-types-audio-audio-mime-types-or-iframe-for-other-or-unspecified-mime-types
- info - https://www.tiny.cloud/docs/tinymce/7/7.0-release-notes/#convert_unsafe_embeds-editor-option-is-now-defaulted-to-true

Vulnerable Software & Versions (RETIREJS):

remotegui.zip: tinymce.jar: tinymce.min.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/tinymce.min.js

MD5: 10df005254d5668ccedbdba2614354acd

SHA1: fbcd5a3f14b7c3dd8a9d203b9b30acfba49a38f4

SHA256: 3c3041cb95a1c979ee2205901cf1c670a36c192ef089e6f63b94beabef386c30

Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence
Vendor	file	name	tinyMCE	High
Product	file	name	tinyMCE	High
Version	file	version	5.10.9	High

Suppressed Identifiers

- None

Suppressed Vulnerabilities

CVE-2024-29203 (RETIREJS) suppressed

Notes: Can not update beyond v5 for implementation reasons just now. tinyMCE is primarily used in non-pulbic way.

Unscored:

- Severity: medium

References:

- info - <https://github.com/advisories/GHSA-438c-3975-5x3f>
- info - <https://github.com/tinymce/tinymce>
- info - <https://github.com/tinymce/tinymce/commit/bcdea2ad14e3c2cea40743fb48c63bba067ae6d1>
- info - <https://github.com/tinymce/tinymce/security/advisories/GHSA-438c-3975-5x3f>
- info - <https://nvd.nist.gov/vuln/detail/CVE-2024-29203>
- info - https://www.tiny.cloud/docs/tinymce/6/6.8.1-release-notes/#new-convert_unsafe_embeds-option-that-controls-whether-object-and-embed-elements-will-be-converted-to-more-restrictive-alternatives-namely-img-for-image-mime-types-video-for-video-mime-types-audio-audio-mime-types-or-iframe-for-other-or-unspecified-mime-types
- info - https://www.tiny.cloud/docs/tinymce/7/7.0-release-notes/#sandbox_iframes-editor-option-is-now-defaulted-to-true

Vulnerable Software & Versions (RETIREJS):

CVE-2024-29881 (RETIREJS) suppressed

Notes: Can not update beyond v5 for implementation reasons just now. tinyMCE is primarily used in non-pulbic way.

Unscored:

- Severity: medium

References:

- info - <https://github.com/advisories/GHSA-5359-pvf2-pw78>
- info - <https://github.com/tinymce/tinymce>
- info - <https://github.com/tinymce/tinymce/commit/bcdea2ad14e3c2cea40743fb48c63bba067ae6d1>
- info - <https://github.com/tinymce/tinymce/security/advisories/GHSA-5359-pvf2-pw78>
- info - <https://nvd.nist.gov/vuln/detail/CVE-2024-29881>
- info - https://www.tiny.cloud/docs/tinymce/6/6.8.1-release-notes/#new-convert_unsafe_embeds-option-that-controls-whether-object-and-embed-elements-will-be-converted-to-more-restrictive-alternatives-namely-img-for-image-mime-types-video-for-video-mime-types-audio-audio-mime-types-or-iframe-for-other-or-unspecified-mime-types
- info - https://www.tiny.cloud/docs/tinymce/7/7.0-release-notes/#convert_unsafe_embeds-editor-option-is-now-defaulted-to-true

Vulnerable Software & Versions (RETIREJS):

theme.zip: bootstrap.jar: bootstrap.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/theme.zip/bootstrap.jar/META-INF/resources/webjars/bootstrap/3.4.1/js/bootstrap.js

MD5: 894d79839facf38d9fd672bdbe57443d

SHA1: 11277f4e04cf070a350e566b053ef2215993720c

SHA256: dbd2a35e72edc7d6bde483481a912f1c38aa57fab2747d9b071d317339ee03a2

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	bootstrap	High
Product	file	name	bootstrap	High
Version	file	version	3.4.1	High

Related Dependencies

- theme.zip: bootstrap.jar: bootstrap.js.gz: bootstrap.js
 - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/theme.zip/bootstrap.jar/META-INF/resources/webjars/bootstrap/3.4.1/js/bootstrap.js.gz /bootstrap.js
 - MD5: 894d79839facf38d9fd672bdbe57443d
 - SHA1: 11277f4e04cf070a350e566b053ef2215993720c
 - SHA256: dbd2a35e72edc7d6bde483481a912f1c38aa57fab2747d9b071d317339ee03a2

Suppressed Identifiers

- None

Suppressed Vulnerabilities

Bootstrap before 4.0.0 is end-of-life and no longer maintained. (RETIREJS) suppressed

Bootstrap before 4.0.0 is end-of-life and no longer maintained.

Notes: file name: remotegui.zip: bootstrap.jar We are in the process of migrating required functions into a custom framework.

Unscored:

- Severity: low

References:

- info - <https://github.com/twbs/bootstrap/issues/20631>
- retid - 72

Vulnerable Software & Versions (RETIREJS):

theme.zip: bootstrap.jar: bootstrap.min.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/theme.zip/bootstrap.jar/META-INF/resources/webjars/bootstrap/3.4.1/js/bootstrap.min.js

MD5: 2f34b630ffe30ba2ff2b91e3f3c322a1

SHA1: b16fd8226bd6bfb08e568f1b1d0a21d60247cefb
SHA256: 9ee2fcff6709e4d0d24b09ca0fc56aade12b4961ed9c43fd13b03248bfb57afe
Referenced In Project/Scope: server

Evidence +

Type	Source	Name	Value	Confidence
Vendor	file	name	bootstrap	High
Product	file	name	bootstrap	High
Version	file	version	3.4.1	High

Related Dependencies +

- theme.zip: bootstrap.jar: bootstrap.min.js.gz: bootstrap.min.js
 - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/theme.zip/bootstrap.jar/META-INF/resources/webjars/bootstrap/3.4.1/js/bootstrap.min.js.gz/bootstrap.min.js
 - MD5: 2f34b630ffe30ba2ff2b91e3f3c322a1
 - SHA1: b16fd8226bd6bfb08e568f1b1d0a21d60247cefb
 - SHA256: 9ee2fcff6709e4d0d24b09ca0fc56aade12b4961ed9c43fd13b03248bfb57afe

Suppressed Identifiers

- None

Suppressed Vulnerabilities -

Bootstrap before 4.0.0 is end-of-life and no longer maintained. (RETIREJS) suppressed

Bootstrap before 4.0.0 is end-of-life and no longer maintained.

Notes: file name: remotegui.zip: bootstrap.jar We are in the process of migrating required functions into a custom framework.

Unscored:

- Severity: low

References:

- info - <https://github.com/twbs/bootstrap/issues/20631>
- retid - 72

Vulnerable Software & Versions (RETIREJS):

This report may contain data retrieved from the [Github Advisory Database \(via NPM Audit API\)](#).
This report may contain data retrieved from [RetireJS](#).
This report may contain data retrieved from the [Sonatype OSS Index](#).